

Fujitsu recommends Windows® 7.

Data Sheet

Fujitsu LIFEBOOK P772

Notebook

Preliminary Data sheet / For internal use only

Company confidential

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Elegant design combined with smallest size

Ultimate mobility for maximum convenience and style on the move.

- Starting from 1.4 kg, small form factor, attractive glossy black or matt option

Ergonomic Working

Enhanced versatility for ultimate efficiency in the office or on business trips.

- Anti-glare display, 16:10 aspect ratio, DisplayPort, ScrollWheel, Full HD webcam and port replicator
- Anytime USB Charge to charge phones/media devices even when the system is switched off

Maximum security

Protect your valuable company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software

Reliable Companion

Secure and effective working even for the most demanding users in all situations.

- Spill-resistant keyboard, ShockSensor, magnesium lid and extra-long battery runtime
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Highest flexibility

Configure the system according to your personal preferences.

- Modular bay for DVD drive, second battery or the world's first Bay Projector, optional embedded 4G/LTE, SSD drive



Components

Processor	Intel® Core(TM) i7-3667U (2.0 GHz, 4MB) Intel® Core(TM) i5-3320M (2.6 GHz, 3MB) Intel® Core(TM) i3-2370M (2.4 GHz, 3MB)*		
Memory	2GB (1Modul) DDR3, 1600 MHz, PC-12800, SO DIMM 4GB (1Modul) DDR3, 1600 MHz, PC-12800, SO DIMM 8GB (1Modul) DDR3, 1600 MHz, PC-12800, SO DIMM		
Hard disk drives	SSD SATA III, 256GB, 2.5-inch SSD SATA III, 128GB, 2.5-inch SSD SATA, 128GB, 2.5-inch FDE SATA, 7200 rpm, 500GB, 2.5-inch, S.M.A.R.T SATA, 7200 rpm, 250GB SATA, 5400 rpm, 320GB, 2.5-inch, S.M.A.R.T SATA, 5400 rpm, 250GB, 2.5-inch, S.M.A.R.T SATA, 5400 rpm, 320GB, 2.5-inch, S.M.A.R.T, FDE		
Battery	Lilon 63Wh and 72Wh		
LCD Display	WXGH 12.1" anti-glare, magnesium, 1280 x 800 pixel, 300:1, 200cd/m		
WLAN	Intel Wireless LAN 6205N (a,b,g,n) Intel Wireless LAN 2200N (b,g,n)		
Bluetooth	Bluetooth 4.0		
UMTS	Sierra Wireless MC8305 GOBI 3000 module (downlink speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s) Sierra Wireless MC7710 LTE module (downlink speed up to 100 Mbit/s, uplink speed up to 50Mbit/s)		
	*Processor only for retail, SMB, education and government		
Operating systems			
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit		
Operating system compatible	Genuine Windows® XP 32-bit		
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com		
Base unit memory	LIFEBOOK P772 EC glossy black	LIFEBOOK P772 SC glossy black	LIFEBOOK P772 SC matt
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3)		
Memory notes	DDR3 - 1600 MHz		
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6Gbit/s)		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional		
WLAN notes	Import and usage according to country-specific regulations.		
WiDi support	Yes (with Intel W-LAN)		
	2nd hard disk drive (S-ATA II)		
Base unit	LIFEBOOK P772 EC glossy black	LIFEBOOK P772 SC glossy black	LIFEBOOK P772 SC matt
General system information			
Chipset	Intel® QM77		

General system information

Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7 processor, Intel W-LAN 6205 & TPM module		
BIOS features	BIOS based on Phoenix SecureCore		
Color	Black	Black	Black
Material	Glossy	Glossy	Matt

Graphics

TFT resolution (DisplayPort)	up to 2560 x 1600		
TFT resolution (VGA)	up to 1920 x 1200		
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200		
Graphics brand name	Intel® HD Graphics 4000		
Graphics features	3 Display Support		
Graphics notes	Shared memory depending on main memory size and operating system		

Interfaces

Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)
ExpressCard slots	1 (34 mm and 54 mm supported)		
SmartCard slot		1	1
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)	1 (usable only with 3G/UMTS, 4G/LTE)	1 (usable only with 3G/UMTS, 4G/LTE)
USB 3.0 total	2 (1 with Anytime USB Charge functionality)	2 (1 with Anytime USB Charge functionality)	2 (1 with Anytime USB Charge functionality)
USB 2.0 total	1	1	1
VGA	1	1	1
DisplayPort	1	1	1
Ethernet (RJ-45)	1	1	1
DC-in	1	1	1
Audio: line-in / microphone	1	1	1
Audio: line-out / headphone	1	1	1
Internal microphones	1 (digital)	1 (digital)	1 (digital)
Docking connector for Port Replicator	1	1	1
Kensington Lock support	1	1	1

Wired communication

LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM
-----	---

Keyboard and pointing devices

Spill-resistant keyboard (new layout)
 Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm
 Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel
 Optional: Fingerprint sensor
 Application buttons

Multimedia

Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 1x built-in microphone
Camera	Optional: Built-in webcam, Full HD (Microsoft® Lync™)

Power supply

Notes	65W AC Adapter for usage with system/ 80W AC Adapter for usage with Port Replicator
Runtime 1st battery	Up to 13 h (tbd)
Runtime 1st + 2nd battery	Up to 18 h (tbd)
Battery charging time	~120 min (63Wh) ~ 190 min (72Wh)

Power supply

Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
----------------------	--

Dimensions / Weight / Environmental

Dimensions (W x D x H)	282 x 215 x 32 mm
Weight	1.4 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 %

Additional Software

Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

Manageability

Manageability technology	DeskUpdate Driver management Intel® vPro™ technology iAMT 8.0 (depending on CPU)
Manageability software	DeskView 10.x client management including:
DeskView components	BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

Security

System protection	Kensington Lock support	
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version	
Access protection	Hard disk password User and supervisor BIOS password Optional: Integrated fingerprint sensor including Omnipass software	Hard disk password Integrated SmartCard slot User and supervisor BIOS password Optional: Integrated fingerprint sensor including Omnipass software

Compliance

Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
------------------------	---

Warranty

Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Services - the perfect extension	
Recommended Service	3 years, Collect and Return Service, where available: On-site Service
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK P772, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P772, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2012-02-20 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions