

# Value for You Prijzlijst



Augustus 2013

## FUJITSU DESKTOP PC



## FUJITSU NOTEBOOKS



## FUJITSU SERVERS



# LIFEBOOK Notebooks / STYLISTIC Tablets



LIFEBOOK A512	LIFEBOOK A532	LIFEBOOK N532	LIFEBOOK E752	LIFEBOOK E753	LIFEBOOK E743
<b>Your Everyday Partner</b>	<b>Your Essential Partner</b>	<b>Boost uw multimedia prestaties</b>	<b>Your Professional Desktop Replacement</b>	<b>Elegant Design and Functionality without Compromises</b>	<b>Elegant Design and Functionality without Compromises</b>
<p><b>Processor, Chipset, Memory</b> Intel® Core™ i3-2348M processor (2.3 GHz), 3 MB, Intel® HM75 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM</p> <p><b>Drives</b> SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. DVD Super Multi</p> <p><b>Communication, Network</b> Bluetooth: v4.0 + EDR LAN: 10/100/1000 MBit/s Realtek RTL 8111F</p> <p><b>Display, Grafic</b> 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd Intel® HD Graphics or HD Graphics 3000 (depending on CPU), up to 1695 MB</p> <p><b>Keyboard and pointing devices</b> Touchpad, Status LED Keyboard, N/A</p> <p><b>Power supply</b> Li-Ion battery 6-cell, 4400 mAh, 48 Wh Runtime 1st battery: up to 6 h</p> <p><b>Dimensions / Weight / Environmental</b> 2.5 kg 378 x 252 x 36.5 mm Matt Matte black</p> <p><b>Operating system</b> Windows 8 Pro</p> <p><b>Interfaces</b> 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 (34 mm and 54 mm supported) x ExpressCard slots, 1 x HDMI, N/A x , 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x SD-Card Reader (SD/SDHC) x Memory card slots, 3 (1 x Anytime USB Charge functionality) x USB 2.0 total, 1 x VGA, Intel® Centrino® Wireless N2230 (IEEE 802.11b/g/n) x Integrated WLAN</p> <p><b>Warranty</b> 1 year Bring-in Service</p> <p><b>€ 449</b> VFY:A5120M4311NL</p>	<p><b>Processor, Chipset, Memory</b> Intel® Core™ i5-3230M processor (2.6 GHz), 3 MB, Intel® HM76 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM</p> <p><b>Drives</b> SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. DVD Super Multi</p> <p><b>Communication, Network</b> Bluetooth: v4.0 + EDR LAN: 10/100/1000 MBit/s Realtek RTL 8111F</p> <p><b>Display, Grafic</b> 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd Intel® HD Graphics 3000 or 4000 (depending on CPU), up to 1695 MB</p> <p><b>Keyboard and pointing devices</b> Touchpad, Status LED Keyboard, N/A</p> <p><b>Power supply</b> Li-Ion battery 6-cell, 4400 mAh, 48 Wh Runtime 1st battery: Up to 6:20 h (productivity mode)</p> <p><b>Dimensions / Weight / Environmental</b> 2.4 kg 378 x 252 x 34.2 mm Matt Black/silver</p> <p><b>Operating system</b> Windows 8 Pro</p> <p><b>Interfaces</b> 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 (34 mm) x ExpressCard slots, 1 x HDMI, N/A x , 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x 4in1 Card Reader (SD/SDHC/MS/MS Pro) x Memory card slots, 1 x USB 2.0 total, 3 (1 x Anytime USB Charge functionality) x USB 3.0 total, 1 x VGA, Intel® Centrino® Wireless N2230 (IEEE 802.11b/g/n) x Integrated WLAN</p> <p><b>Warranty</b> 1 year Bring-in Service</p> <p><b>€ 599</b> VFY:A5320M4501NL</p>	<p><b>Processor, Chipset, Memory</b> Intel® Core™ i5-3230M processor (2.6 GHz), 3 MB, Intel® HM77 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM</p> <p><b>Drives</b> SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. DVD Super Multi</p> <p><b>Communication, Network</b> WLAN: Intel® Centrino® Wireless-N2200 b/g/n Bluetooth: Integrated V4.0 + HS LAN: 10/100/1000 MBit/s</p> <p><b>Display, Grafic</b> 43.9 cm (17.3-inch), LED backlight, (HD+), Anti-glare display, 1600 x 900 pixel, 300:1, 220 cd/m<sup>2</sup> NVIDIA® GeForce® GT 620M, 1 GB (DDR3 VRAM)</p> <p><b>Keyboard and pointing devices</b> Touchpad, Status LED Keyboard, N/A</p> <p><b>Power supply</b> Li-Ion battery 6-cell, 5200 mAh, 57 Wh Runtime 1st battery: up to 7 hours</p> <p><b>Dimensions / Weight / Environmental</b> Approx. 3.0 kg 410 x 270 x 20.4 (front) / 35 (back) mm Black/anthracite</p> <p><b>Operating system</b> Windows 8 Pro</p> <p><b>Interfaces</b> 1 x Audio: line-in / microphone, N/A x , 1 x DC-in, 1 (34 / 54 mm) x ExpressCard slots, 1 x HDMI, N/A x , 1 (digital) x Internal microphones, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x 4in1 Card Reader (SD/SDHC/MS/MS Pro) x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS ), 1 (incl. 1x eSATA/USB combo) x USB 2.0 total, 3 (incl. 1x Anytime USB Charge functionality) x USB 3.0 total, 1 x VGA</p> <p><b>Warranty</b> 1 year Bring-in Service</p> <p><b>€ 669</b> VFY:N5320M4501NL</p>	<p><b>Processor, Chipset, Memory</b> Intel® Core™ i5-3230M processor (2.6 GHz), 3 MB, Intel® HM76 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM</p> <p><b>Drives</b> SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. DVD Super Multi</p> <p><b>Communication, Network</b> WLAN: Intel® Centrino® Wireless-N2200 b/g/n Bluetooth: Bluetooth 4.0 LAN: Built-in 10/100/1000 MBit/s Intel® 82579 V</p> <p><b>Display, Grafic</b> 39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m<sup>2</sup> Intel® HD Graphics 4000 with 3rd generation Core i processors</p> <p><b>Keyboard and pointing devices</b> Multi gesture touchpad with two mouse buttons, Optional: Fingerprint sensor, Optional: TouchStick, Application buttons Keyboard, N/A</p> <p><b>Power supply</b> Runtime 1st battery: up to 12 h</p> <p><b>Dimensions / Weight / Environmental</b> 2.5 kg 372 x 245 x 35 mm</p> <p><b>Operating system</b> Windows 8 Pro</p> <p><b>Interfaces</b> 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 (V1.1a) x DisplayPort, 1 x Docking connector for Port Replicator, 1 x eSATA &amp; USB combo, 1 (34 / 54 mm supported) x ExpressCard slots, N/A x , 2x digital (array) microphones as option x Internal microphones, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB, MS Pro, MS Pro Duo) x Memory card slots, 1 (optional) x Modem (RJ-11), 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 x SmartCard slot, 2 (1x with Anytime USB Charge functionality) x USB 2.0 total, 2 (1 thereof is the E-SATA &amp; USB combo) x USB 3.0 total, 1 x VGA</p> <p><b>Warranty</b> 1 year Bring-in Service</p> <p><b>€ 779</b> VFY:E7520M4501NL</p>	<p><b>Processor, Chipset, Memory</b> Intel® Core™ i5-3230M processor (2.6 GHz), 3 MB, Intel® QM77 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM</p> <p><b>Drives</b> SSHD, 5400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T. DVD Super Multi</p> <p><b>Communication, Network</b> WLAN: Intel® Centrino® Wireless-N2230 b/g/n UMTS Modul: Sierra Wireless Gobi 3000 LAN: Built-in 10/100/1000 MBit/s Intel® 82579 LM</p> <p><b>Display, Grafic</b> 39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1 (t.b.d.), 200 cd/m<sup>2</sup> Intel® HD Graphics 4000 with 3rd generation Core i processors</p> <p><b>Keyboard and pointing devices</b> Multi gesture touchpad (105mmx66mm) with 2 integrated mouse buttons, Optional: Fingerprint sensor, Application buttons Keyboard, N/A</p> <p><b>Power supply</b> Runtime 1st battery: up to 13 h (tbd)</p> <p><b>Dimensions / Weight / Environmental</b> 2.0 kg 374 x 250 x 20 (f) - 27 (r) mm</p> <p><b>Operating system</b> Windows 8 Pro</p> <p><b>Interfaces</b> 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 x DisplayPort, 1 x Docking connector for Port Replicator, 1 x HDMI, N/A x , 2x digital microphones (array) x Internal microphones, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB) x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 (optional) x SmartCard slot, 1 x USB 2.0 total, 3 (1 with Anytime USB Charge functionality) x USB 3.0 total, 1 x VGA</p> <p><b>Warranty</b> 2 year Bring-in Service</p> <p><b>€ 999</b> VFY:E7530MXE11NL</p>	<p><b>Processor, Chipset, Memory</b> Intel® Core™ i5-3230M processor (2.6 GHz), 3 MB, Intel® QM77 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM</p> <p><b>Drives</b> SSHD, 5400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T. DVD Super Multi</p> <p><b>Communication, Network</b> WLAN: Intel® Centrino® Wireless-N2230 b/g/n UMTS Modul: Sierra Wireless Gobi 3000 LAN: Built-in 10/100/1000 MBit/s Intel® 82579 LM</p> <p><b>Display, Grafic</b> 35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1 (t.b.d.), 250 cd/m<sup>2</sup> Intel® HD Graphics 4000 with 3rd generation Core i processors</p> <p><b>Keyboard and pointing devices</b> Multi gesture touchpad (93mmx55mm) with 2 integrated mouse buttons, Optional: Fingerprint sensor, Application buttons Keyboard, N/A</p> <p><b>Power supply</b> Runtime 1st battery: up to 13 h (tbd)</p> <p><b>Dimensions / Weight / Environmental</b> 1.8 kg 338 x 231 x 20 (f) - 27 (r) mm</p> <p><b>Operating system</b> Windows 8 Pro</p> <p><b>Interfaces</b> 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 x DisplayPort, 1 x Docking connector for Port Replicator, N/A x , 2x digital microphones (array) x Internal microphones, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB) x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 (optional) x SmartCard slot, 1 x USB 2.0 total, 3 (1 with Anytime USB Charge functionality) x USB 3.0 total, 1 x VGA</p> <p><b>Warranty</b> 2 year Bring-in Service</p> <p><b>€ 999</b> VFY:E7430MXE11NL</p>



**STYLISTIC Q572**

**Your Professional BusinessPad**

**Processor, Chipset, Memory**  
AMD A68M FCH

**Drives**  
mSATA, 128 GB, FDE

**Communication, Network**  
UMTS Modul: Sierra Wireless Gobi 3000  
10/100 Mbit/s (via cradle only)

**Display, Grafic**

AMD Radeon™ HD 6250

**Keyboard and pointing devices**

**Dimensions / Weight / Environmental**  
0.732 kg  
273.5 x 176 x 13.9 mm

**Operating system**  
Windows 8 Pro

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 x DC-in, 1 x Docking connector for Port Replicator, 1 x HDMI, 2 (digital) x Internal microphones, 1 x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 x SmartCard slot, 2 x USB 2.0 total

**Warranty**  
2 year Bring-in Service

**€ 999**  
VFY:Q5720M3001NL

**STYLISTIC Q702**

**Attach or Touch - The Hybrid Business Talent**

**Processor, Chipset, Memory**  
Intel® Core™ i5-3437U processor (1.9 GHz), 3 MB,  
Intel® QM77

**Drives**  
SSD mSATA, 256 GB

**Communication, Network**  
WLAN: Intel® Centrino® 6205 802.11 a/b/g/n  
Bluetooth: Bluetooth 4.0  
UMTS Modul: LTE Sierra Wireless MC7710  
Built-in 10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

Intel® HD Graphics 4000 with 3rd generation Core i processors

**Keyboard and pointing devices**
**Power supply**

**Dimensions / Weight / Environmental**  
0.850 kg  
302 x 195 x 12.7 mm

**Operating system**  
Windows 8 Pro

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 x Docking connector for Port Replicator, 1 x HDMI, N/A x , 2 (digital) x Internal microphones, 1 x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 x USB 2.0 total, 1 x USB 3.0 total

**Warranty**  
2 year Bring-in Service

**€ 1.699**  
VFY:Q7020MXP41NL

**STYLISTIC T902**

**Your Excellent Flexible Companion**

**Processor, Chipset, Memory**  
Intel® Core™ i5-3340M processor (2.7 GHz), 3 MB,  
( ), 512 KB,  
Intel® QM77  
4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM  
**Drives**  
SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.  
DVD Super Multi

**Communication, Network**  
WLAN: Intel® Centrino® Wireless-N2200 b/g/n  
Bluetooth: Bluetooth 4.0  
UMTS Modul: Sierra Wireless Gobi 3000  
LAN: Built-in 10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

33.8 cm (13.3-inch), TFT, (HD+), Anti-glare touchscreen, 1600 x 900 pixel,  
500:1, 300 cd/m<sup>2</sup>  
Intel® HD Graphics 4000 with 3rd generation Core i processors

**Keyboard and pointing devices**

Fingerprint sensor, Launch keys, Application buttons, Tablet Pen, Touch-screen, Multi gesture touchpad with two mouse buttons  
Keyboard, N/A

**Power supply**

Li-Ion battery 6-cell, 72 Wh (6.700mAh battery) mAh  
Runtime 1st battery: up to 7h 40m

**Dimensions / Weight / Environmental**  
1.89 kg  
326 x 244 x 27.1 mm front / 31 mm back (without foot) mm

**Operating system**  
Windows 8 Pro

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 x Docking connector for Port Replicator, 1 x HDMI, N/A x , 2 (digital) x Internal microphones, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 x SmartCard slot, 2 (1 left side with Anytime USB Charge functionality) x USB 2.0 total, 2 x USB 3.0 total, 1 x VGA

**Warranty**  
2 year Bring-in Service

**€ 1.444**  
VFY:T9020MXE11NL

**STYLISTIC T902**

**Your Excellent Flexible Companion**

**Processor, Chipset, Memory**  
Intel® Core™ i7-3540M processor (3.0 GHz), 4 MB,  
( ), 512 KB,  
Intel® QM77  
2 x 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM  
**Drives**  
SSD SATA III, 256 GB, 2.5-inch  
DVD Super Multi

**Communication, Network**  
WLAN: Intel® Centrino® Wireless-N2200 b/g/n  
Bluetooth: Bluetooth 4.0  
UMTS Modul: Sierra Wireless Gobi 3000  
LAN: Built-in 10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

33.8 cm (13.3-inch), TFT, (HD+), Anti-glare touchscreen, 1600 x 900 pixel,  
500:1, 300 cd/m<sup>2</sup>  
Intel® HD Graphics 4000 with 3rd generation Core i processors

**Keyboard and pointing devices**

Fingerprint sensor, Launch keys, Application buttons, Tablet Pen, Touch-screen, Multi gesture touchpad with two mouse buttons  
Keyboard, N/A

**Power supply**

Li-Ion battery 6-cell, 72 Wh (6.700mAh battery) mAh  
Runtime 1st battery: up to 7h 40m

**Dimensions / Weight / Environmental**  
1.89 kg  
326 x 244 x 27.1 mm front / 31 mm back (without foot) mm

**Operating system**  
Windows 8 Pro

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DC-in, 1 x Docking connector for Port Replicator, 1 x HDMI, N/A x , 2 (digital) x Internal microphones, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x Memory card slots, 1 x SIM card slot ( usable only with 3G/UMTS, 4G/LTE ), 1 x SmartCard slot, 2 (1 left side with Anytime USB Charge functionality) x USB 2.0 total, 2 x USB 3.0 total, 1 x VGA

**Warranty**  
2 year Bring-in Service

**€ 1.749**  
VFY:T9020MXP41NL

## ESPRIMO P410 E85+



Your Immediately Deliverable Office PC

### Processor, Chipset, Memory

Intel® Pentium® processor G2020 (2.90 GHz), 3 MB, Intel® H61  
2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

### Drives

HDD SATA III, 7200 rpm, 250 GB, 3.5-inch  
DVD Super Multi

### Communication, Network

LAN: 10/100/1000 MBit/s Realtek RTL 8111E

### Display, Grafic

(depending on CPU), up to 1759 MB

### Dimensions / Weight / Environmental

9 kg  
175 x 425 x 353 mm

### Operating system

Win8Pro+Win7Load

### Interfaces

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, N/A x , 1 x Ethernet (RJ-45), 1/1 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA

### Slots, Bays

1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

### Warranty

1 year Bring-in Service

€ 329

VFY:P0410P5211NL

## ESPRIMO P410 E85+



Your Immediately Deliverable Office PC

### Processor, Chipset, Memory

Intel® Core™ i3-3220 processor (3.30 GHz), 3 MB, Intel® H61  
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

### Drives

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

### Communication, Network

LAN: 10/100/1000 MBit/s Realtek RTL 8111E

### Display, Grafic

(depending on CPU), up to 1759 MB

### Dimensions / Weight / Environmental

9 kg  
175 x 425 x 353 mm

### Operating system

Win8Pro+Win7Load

### Interfaces

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, N/A x , 1 x Ethernet (RJ-45), 1/1 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA

### Slots, Bays

1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

### Warranty

1 year Bring-in Service

€ 449

VFY:P0410P5321NL

## ESPRIMO P410 E85+



Your Immediately Deliverable Office PC

### Processor, Chipset, Memory

Intel® Core™ i5-3330 processor (3.00 GHz), 6 MB, Intel® H61  
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

### Drives

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

### Communication, Network

LAN: 10/100/1000 MBit/s Realtek RTL 8111E

### Display, Grafic

(depending on CPU), up to 1759 MB

### Dimensions / Weight / Environmental

9 kg  
175 x 425 x 353 mm

### Operating system

Win8Pro+Win7Load

### Interfaces

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, N/A x , 1 x Ethernet (RJ-45), 1/1 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA

### Slots, Bays

1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

### Warranty

1 year Bring-in Service

€ 499

VFY:P0410P5511NL

## ESPRIMO P520 E85+



Your Flexible and Economic PC

### Processor, Chipset, Memory

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® B85  
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

### Drives

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

### Communication, Network

LAN: 10/100/1000 MBit/s Intel® L217LV

### Display, Grafic

Intel® HD Graphics 4600, up to 1782 MB

### Dimensions / Weight / Environmental

10 kg  
175 x 425 x 353 mm

### Operating system

Win8Pro+Win7Load

### Interfaces

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0 x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2x 2.0/ 2x 3.0 x USB internal, 1 x VGA

### Slots, Bays

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

### Warranty

1 year Bring-in Service

€ 549

VFY:P0520P6551NL

## ESPRIMO E410 E85+



Your Immediately Deliverable Office PC

### Processor, Chipset, Memory

Intel® Core™ i3-3220 processor (3.30 GHz), 3 MB, Intel® H61  
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

### Drives

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

### Communication, Network

LAN: 10/100/1000 MBit/s Realtek RTL 8111E

### Display, Grafic

(depending on CPU), up to 1759 MB

### Dimensions / Weight / Environmental

9 kg  
330 x 405 x 104 mm

### Operating system

Win8Pro+Win7Load

### Interfaces

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, N/A x , 1 x Ethernet (RJ-45), 1/1 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA

### Slots, Bays

1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays

### Warranty

1 year Bring-in Service

€ 449

VFY:E0410P5321NL

**ESPRIMO E520 E85+**

**Your Flexible and Economic PC**
**Processor, Chipset, Memory**

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® B85  
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LV

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

10 kg  
330 x 405 x 104 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0 x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2x 2.0/ 2x 3.0 x USB internal, 1 x VGA

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays

**Warranty**

1 year Bring-in Service

€ 549

VFY:E0520P6551NL

**ESPRIMO C720**

**Your Ultra Small Form Factor PC**
**Processor, Chipset, Memory**

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® Q85  
2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD SuperMulti SATA slim

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LV

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

9 kg  
265 x 315 x 88 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-out, N/A x , 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0/ 2x 3.0 x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 2 x Serial (RS-232) (powered, 9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA

**Slots, Bays**

1 x 3.5-inch internal bays, 1 x 5.25-inch external bays

**Warranty**

1 year Bring-in Service

€ 649

VFY:C0720P6501NL

**ESPRIMO E720 E90+**

**Combines High Efficiency with Manageability**
**Processor, Chipset, Memory**

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® Q85  
2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LV

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

10 kg  
340 x 382 x 98 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (second DisplayPort optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 (optional) x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 4x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 x VGA

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays

**Warranty**

1 year Bring-in Service

€ 649

VFY:E0720P6501NL

**ESPRIMO P720 E90+**

**Excellent Performance, Expandability and Efficiency**
**Processor, Chipset, Memory**

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® Q85  
2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LV

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

11 kg  
175 x 419 x 395 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (second DisplayPort optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 (optional) x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 4x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 x VGA

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

**Warranty**

1 year Bring-in Service

€ 649

VFY:P0720P6501NL

**ESPRIMO Q510**

**The Mini with More PC per cm**
**Processor, Chipset, Memory**

Intel® Core™ i3-3220T processor (2.80 GHz), 3 MB, Intel® H61  
4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO

**DIMM Drives**

HDD SATA II, 5400 rpm, 500 GB, 2.5-inch  
DVD Super Multi Slot-in slim

**Communication, Network**

Bluetooth: 1 (optional)  
LAN: 10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500 (depending on processor), up to 1759 MB

**Dimensions / Weight / Environmental**

1.6 kg  
185 x 188 x 54 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 (DVI-I) x DVI, 2x 2.0 x USB front, 1 x HDMI, 1 x Kensington Lock, support, 1 x Ethernet (RJ-45), 1 x Multicardreader, 6 x USB 2.0 total, 4x 2.0 x USB rear, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN

**Slots, Bays**

1 x 5.25-inch external bays

**Warranty**

1 year Bring-in Service

€ 549

VFY:Q0510P4311NL

ESPRIMO P920 0-Watt	ESPRIMO E920 0-Watt	ESPRIMO P920 E90+	ESPRIMO Q920	ESPRIMO X913-T
---------------------	---------------------	-------------------	--------------	----------------



The Innovative 0-Watt PC

**Processor, Chipset, Memory**

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® Q87  
2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LM

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

11 kg  
175 x 419 x 395 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (second DisplayPort optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 (optional) x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 4x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 x VGA

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

**Warranty**

3 year Bring-in Service

**699,00**

VFY:P0920PXG01NL



The Innovative 0-Watt PC

**Processor, Chipset, Memory**

Intel® Core™ i5-4570 processor (3.20 GHz), 6 MB, Intel® Q87  
2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 500 GB, 3.5-inch  
DVD Super Multi

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LM

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

10 kg  
340 x 382 x 98 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (second DisplayPort optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 (optional) x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 4x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 x VGA

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays

**Warranty**

3 year Bring-in Service

**699,00**

VFY:E0920PXG01NL



Excellent Performance, Expandability And Efficiency

**Processor, Chipset, Memory**

Intel® Core™ i7-4770 processor (3.40 GHz), 8 MB, Intel® Q87  
2 x 4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM

**Drives**

HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch  
mSATA, 32 GB, 2.5-inch  
MultiCard Reader 24in1 USB 2.0 3.5"  
DVD Super Multi

**Communication, Network**

LAN: 10/100/1000 MBit/s Intel® L217LM

**Display, Grafic**

NVIDIA® GeForce® GT630 DisplayPort 2GB FH 0-Watt, 2 GB  
Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

11 kg  
175 x 419 x 395 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, N/A x , 1 (second DisplayPort optional) x DisplayPort, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 (optional) x USB front, N/A x , 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 4x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 x VGA

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI-Express x1, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays

**Warranty**

3 year Bring-in Service

**1.099,00**

VFY:P0920PXP21NL



The Mini with More PC per cm³

**Processor, Chipset, Memory**

Intel® Core™ i5-4570T processor (2.90 GHz), 4 MB, Intel® Q87  
4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM

**Drives**

SSHD SATA III, 5400 rpm, 500 GB, 2.5-inch  
DVD Super Multi Slot-in slim

**Communication, Network**

Bluetooth: 1 (optional with WLAN together)  
LAN: 10/100/1000 MBit/s Intel® L217LM

**Display, Grafic**

Intel® HD Graphics 4600, up to 1782 MB

**Dimensions / Weight / Environmental**

1.6 kg  
185 x 188 x 54 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DisplayPort, 1 (DVI-I) x DVI, 2x 3.0 x USB front, N/A x , 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (SD, MMC) x Multicardreader, 2 x USB 2.0 total, 2x 2.0 and 2x 3.0 x USB rear, 4 x USB 3.0 total, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional with Bluetooth together) x Integrated WLAN

**Slots, Bays**

1 x 5.25-inch external bays

**Warranty**

3 year Bring-in Service

**799,00**

VFY:Q0920PXP01NL



Evolutionary PC for the Modern Office

**Processor, Chipset, Memory**

Intel® Core™ i5-3470T processor (2.90 GHz), 3 MB, Intel® Q77  
2 x 2 GB (1 module(s) 2 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM

**Drives**

SSHD SATA III, 5400 rpm, 500 GB, 2.5-inch

**Communication, Network**

Bluetooth: 1 (optional with WLAN module)  
LAN: 10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

1759 MB

**Dimensions / Weight / Environmental**

8.62 kg  
554 x 225 x 433 mm

**Operating system**

Win8Pro

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DVI, N/A x , optional with camera module x Internal microphones, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 4 x USB 3.0 total, 2x3.0 x USB left side, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN

**Slots, Bays**

0 x 2.5-inch bays

**Warranty**

3 year Bring-in Service

1199

VFY:X913TPXP01NL

<b>699,00</b> VFY:P0920PXG01NL	<b>699,00</b> VFY:E0920PXG01NL	<b>1.099,00</b> VFY:P0920PXP21NL	<b>799,00</b> VFY:Q0920PXP01NL	1199 VFY:X913TPXP01NL
-----------------------------------	-----------------------------------	-------------------------------------	-----------------------------------	--------------------------

**ESPRIMO X913**



**Evolutionary PC for the Modern Office**

**Processor, Chipset, Memory**

Intel® Core™ i5-3470T processor (2.90 GHz), 3 MB,  
Intel® Q77

4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM

**Drives**

HDD SATA II, 5400 rpm, 500 GB, 2.5-inch

**Communication, Network**

Bluetooth: 1 (optional with WLAN module)  
LAN: 10/100/1000 MBit/s Intel® 82579 LM

**Display, Gratic**

1759 MB

**Dimensions / Weight / Environmental**

5.94 kg

533 x 224 x 419 mm

**Operating system**

Win8Pro+Win7Load

**Interfaces**

1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, N/A x , 1 x DVI,  
N/A x , optional with camera module x Internal microphones, 2 x Kensington Lock  
support, 1 x Ethernet (RJ-45), 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 4 x USB  
3.0 total, 2x3.0 x USB left side, 1 (via DVI to VGA adapter, part of shipment) x  
VGA, 1 (optional) x Integrated WLAN

**Slots, Bays**

0 x 2.5-inch bays

**Warranty**

3 year Bring-in Service

949

VFY:X9130P4511NL



# FUTRO Thin Clients



## FUTRO S700



### De betaalbare Thin Client

#### Processor, Chipset, Memory

AMD A55E Controller Hub

2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM

#### Drives

mSATA, 2 GB, Flash drive

#### Communication, Network

LAN: Built-in 10/100/1000 MBit/s

#### Display, Graphics

ATI Radeon™ HD 6250 , up to 256 MB

#### Dimensions / Weight / Environmental

1,2 kg

97 x 191 x 266 mm

#### Operating system

eLux® RL - Embedded Linux

#### Interfaces

1 x Audio: line-in, 1 x Audio: line-out, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 2 x USB front, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, 2 x USB internal

#### Warranty

2 year Bring-in Service

€ 299

VFY:S0700PF045NL

## FUTRO S700



### De betaalbare Thin Client

#### Processor, Chipset, Memory

AMD A55E Controller Hub

2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM

#### Drives

mSATA, 4 GB, Flash drive

#### Communication, Network

LAN: Built-in 10/100/1000 MBit/s

#### Display, Graphics

ATI Radeon™ HD 6250 , up to 256 MB

#### Dimensions / Weight / Environmental

1,2 kg

97 x 191 x 266 mm

#### Operating system

Windows® Embedded Standard 7

#### Interfaces

1 x Audio: line-in, 1 x Audio: line-out, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 2 x USB front, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, 2 x USB internal

#### Warranty

2 year Bring-in Service

€ 349

VFY:S0700PX011NL





**PRIMERGY RX350 S7**



**Maximum expandability in a 2 way server**

*PRIMERGY RX350 S7: a 4U dual socket rack server offering maximum performance, expandability and availability. It combines the latest Intel® Xeon® processors E5 family, with up to two 6GB GPGPUs, up to 24 hard drives and up to 768GB RAM. Its 10 PCI slots guarantee excellent expandability. Up to 4 hot-plug power supplies assure business continuity. It is ideal for database, virtualization or HPC scenarios.*

**Processor, Chipset, Memory**

Intel® Xeon® processor E5-2630# (6C/12T,  
2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s ,  
Mem bus: 1333 MHz, 95 W)  
Intel® C600 (Intel® Patsburg A)  
8 GB (1 module(s) 8 GB) DDR3 LV,  
registered, ECC, 1333 MHz, PC3-10600,  
DIMM

**Mainboard type**

D2949

**Drives, Controller**

DVD Super Multi, half height, SATA I  
RAID 5/6 Ctrl., SAS/SATA 6 Gbit/s, Fujitsu  
RAID Ctrl SAS 6G 5/6 512MB (D2616), 8  
ports int.#RAID level: 0, 1, 10, 5, 50, 6, 60,  
512 MB Cache, Optional BBU (based on LSI  
SAS2108)

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x8)  
2.5-inch or 3.5-inch hot-plug SAS/SATA  
1 x 5.25/0.5-inch for ODD#1 x 5.25/1.6-  
inch for ODD or backup devices #1 x  
5.25/0.5-inch for Local Service Display

**Dimensions / Weight / Environmental**

482.6 mm (Bezel) / 448 mm (Body) x 736  
x 177 mm  
up to 35 kg - Actual weight may vary  
depending on configuration

**Interfaces**

10 x USB 2.0 (2x front, 4x rear, 2x internal for backup devices, 1x USB  
stick, 1x USSD), 1 x serial RS-232-C, usable for iRMC S3 or system or  
shared, 2 x VGA (thereof 1x front optional), 1 x dedicated management  
LAN port for iRMC S3 (10/100/1000 Mbit/s). Service LAN traffic can be  
switched to shared onboard Gbit LAN port  
or optional Modular LAN 2x10Gbit controller, Front management LAN  
port as option

**Warranty**

3 years  
On-site Service

**€ 2.149**

VFY:R3507SC020IN



**CELSIUS M720**

**Your “Thoroughbred” Workstation**
**Processor, Chipset, Memory**

Intel® Xeon® processor E5-1620 (3.60 GHz), 10 MB,  
Intel® C602  
4 x 4 GB (1 module(s) 4 GB) DDR3, ECC, 1600 MHz, PC3-12800

**Drives**

HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch  
SSD SATA III, 128 GB, 2.5-inch  
MultiCard Reader 24in1 USB 2.0 3.5”  
DVD Super Multi

**Communication, Network**

LAN: Built-in 10/100/1000 MBit/s Intel® 82579 LM

**Display, Graphics**

DP to DVI-D (single link) Adapter Cable  
NVIDIA® Quadro® K2000, 2 GB

**Dimensions / Weight / Environmental**

18 kg  
186 x 481 x 430 mm

**Operating system**

Pre-installed: Windows® 7 Professional 64-bit  
Rec-DVD: Windows® 7 Professional 64-bit  
Rec-DVD: Windows® 7

**Interfaces**

1 x Audio: in (rear), 1 x Audio: out (rear), 1 x Audio: in, 1 x Audio: out, 4 (2x USB 3.0) x USB front, 1 x Internal speakers, 1 x Ethernet (RJ-45), 1 / 1 x Mouse / Keyboard (PS/2), 11 x USB 2.0 total, 6 x USB rear, 2 x USB 3.0 total, 3, thereof 1 type A x USB internal

**Slots, Bays**

1 x PCI-Express 2.0 x4 (mech. x16), 2 x PCI slots, 8 x 2.5-inch bays, 2 x 3.5-inch external bays, 4 x 3.5-inch internal bays, 2 x 5.25-inch external bays

**Warranty**

3 year Bring-in Service

**€ 1.799**

VFY:M7200WXP21NL

**CELSIUS R920**

**Uncompromising Workstation Performance for Extreme Requirements**
**Processor, Chipset, Memory**

Intel® Xeon® processor E5-2640 (2.50 GHz), 15 MB, 7.2 GT/s  
Intel® C602  
4 x 4 GB (1 module(s) 4 GB) DDR3, ECC, 1600 MHz, PC3-12800

**Drives**

HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch  
SSD SATA III, 256 GB, 2.5-inch  
MultiCard Reader 24in1 USB 2.0 3.5”  
DVD Super Multi

**Communication, Network**

LAN: 2x Built-in 10/100/1000 MBit/s Intel® 82579 LM and Intel®

**Display, Graphics**

No graphics in system

**Dimensions / Weight / Environmental**

20 kg  
186 x 618 x 430 mm

**Operating system**

Pre-installed: Windows® 7 Professional 64-bit  
Rec-DVD: Windows® 7 Professional 64-bit  
Rec-DVD: Windows® 7

**Interfaces**

1 x Audio: in (rear), 1 x Audio: out (rear), 1 x eSATA, 1 x Audio: in, 1 x Audio: out, 4 (2x USB 3.0) x USB front, 1 x Internal speakers, 2 x Ethernet (RJ-45), 1 / 1 x Mouse / Keyboard (PS/2), 11 x USB 2.0 total, 6 x USB rear, 2 x USB 3.0 total, 3, thereof 1 type A x USB internal

**Slots, Bays**

1 x PCI slots, 8 x 2.5-inch bays, 2 x 3.5-inch external bays, 4 x 3.5-inch internal bays, 2 x 5.25-inch external bays

**Warranty**

3 year Bring-in Service

**€ 2.999**

VFY:R9200WXP41NL

**CELSIUS H720**

**Workstation Power on-the-Go**
**Processor, Chipset, Memory**

Intel® Core™ i7-3740QM processor (2.7 GHz), 6 MB,  
Intel® QM77  
2 x 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM

**Drives**

SSD SATA III, 256 GB, 2.5-inch  
DVD-RW Dual Double Layer Super Multi

**Communication, Network**

WLAN: Intel® Centrino® Advanced-N 6205 802.11 a/b/g/n  
Bluetooth: Bluetooth 4.0  
UMTS Modul: Sierra Wireless Gobi 3000 module  
10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel, 300:1, 220 cd/m  
NVIDIA® Quadro® K1000M#NVIDIA® Quadro® K2000M, 2 GB (GDDR3 VRAM)

**Dimensions / Weight / Environmental**

2.8 kg  
379.8 x 257.0 x 35.5 mm

**Operating system**

Win8P lic./ Win7P load / RDVD TWIN-Pack

**Interfaces**

1 x DC-in, 1 x DisplayPort, 1 x eSATA, 1 (34 mm) x ExpressCard slots, 1 x Audio: in, 1 x Audio: out, 2 digital array microphones x Internal microphones, 1 x Ethernet (RJ-45), 1 (SD up to 2 GB, SDHC up to 32 GB, SDXC up to 64 GB) x Multicardreader, 1 x SIM card slot ( ), 1 x SmartCard slot, 1 x USB 2.0 total, 3 x USB 3.0 total, 1 x VGA

**Warranty**

3 year Bring-in Service

**€ 1.999**

VFY:H7200WXP41NL

**CELSIUS H920**

**High-End Workstation Power on-the-Go**
**Processor, Chipset, Memory**

Intel® Core™ i7-3740QM processor (2.7 GHz), 6 MB,  
Intel® QM77  
4 x 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM

**Drives**

SSD SATA III, 128 GB, 2.5-inch  
DVD-RW Dual Double Layer Super Multi

**Communication, Network**

WLAN: Intel® Centrino® Advanced-N 6205 802.11 a/b/g/n  
Bluetooth: Bluetooth 4.0  
UMTS Modul: Sierra Wireless Gobi 3000 module  
10/100/1000 MBit/s Intel® 82579 LM

**Display, Grafic**

43.9 cm (17.3-inch), LED backlight, (Full HD), Anti-glare display, 1920 x 1080 pixel  
NVIDIA® Quadro® K3000M, 2 GB (GDDR5 VRAM)  
NVIDIA® Quadro® K3000M#NVIDIA® Quadro® K4000M, 2 / 4 GB (GDDR5 VRAM)

**Dimensions / Weight / Environmental**

4.25 kg  
417 x 287 x 33/44 mm

**Operating system**

Win8P lic./ Win7P load / RDVD TWIN-Pack

**Interfaces**

1 x DC-in, 1 x DisplayPort, 1 x eSATA, 1 (34/54 mm) x ExpressCard slots, 1 x Audio: out, 1 digital array microphone x Internal microphones, 1 x Ethernet (RJ-45), 1 (SD up to 2 GB, SDHC up to 32 GB, SDXC up to 64 GB) x Multicardreader, 1 x SIM card slot ( ), 1 x SmartCard slot, 3 x USB 2.0 total, 1 x USB 3.0 total, 1 x VGA

**Warranty**

3 year Bring-in Service

**€ 2.499**

VFY:H9200WXP41NL