

FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



Fiscal Year 2009

TABLE OF CONTENTS

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2009

PURPOSE 3

BACKGROUND..... 3

SECTION 18(1), FEDERAL EXPENDITURES 4

SECTION 18(2), STATE EXPENDITURES..... 4

SUMMARY OF DATA 4

COMPARISON TO PREVIOUS REPORTS 5

Table 1. FY 2009 Reported Expenditures for Endangered and Threatened Species.....6

Table 2. Species Ranked in Descending Order of Total FY 2009 Reported Expenditures.....62

Table 3. FY 2009 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....86

Table 4. FY 2009 Expenditures Reported by Individual Federal Agencies and the States.....98

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of
Endangered and Threatened Species.....100

Appendix B. Reports Provided by Other Federal Agencies.....102

Appendix C. Expenditures Reported by the States.....234

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2009

PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

(1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 20th report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2009 (October 1, 2008 - September 30, 2009), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To return to the original intent of Congress when amending the Endangered Species Act in 1988, we eliminated the reporting of data into the category previously known as "Other ESA Expenses," beginning with the 2008 report.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2009 are reported for 1284 threatened and endangered species of the 1297 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2009 (Tables 1 and 3). Expenditures are identified by listed entity, which may be a species¹, subspecies², Distinct Population Segment (DPS)³, or Evolutionarily Significant Unit (ESU)⁴, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

¹ **Species** For purposes of the Endangered Species Act, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

² **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

³ **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the ESA.

⁴ **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate and has been approved by the head of their agency. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, generally are not reported and are not included.

SECTION 18(1), FEDERAL EXPENDITURES

Expenditures Reported by the Fish and Wildlife Service

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

Expenditures Reported by other Federal Agencies

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2009, the Service and 26 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Four additional Federal agencies responded that their expenditures were not reasonably identifiable, and two were unable to provide data. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species have been tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

SUMMARY OF DATA

Table 1 reports the activity-related expenditures that are reasonably identifiable to specific individual species by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisitions are not included in this tabulation or used in the ranking. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

Table 2 ranks each species in descending order by the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Table 3 also provides the rank for land expenditures by species.

Tables 4 shows total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

Total expenditures reported for FY 2009 were \$1,470,755,607, of which \$1,391,246,409 were reported by Federal agencies and \$79,509,198 were reported by the States. (Table 4)

COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

TABLE 1. FY 2009 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The "Rank" is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	155	Ferret, black-footed (<i>Mustela nigripes</i>) – U.S.A. (portions of AZ, CO, MT, SD, UT, WY)	EXPN	\$0	\$138,507	\$138,507	\$603,388	\$741,895
	101	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$526,925	\$1,127,920	\$1,654,845	\$0	\$1,654,845
	382	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$5,289	\$131,561	\$136,850	\$0	\$136,850
	1038	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$3,746	\$1,750	\$5,496	\$0	\$5,496
	748	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$8,192	\$21,561	\$29,753	\$0	\$29,753
	222	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$5,289	\$331,561	\$336,850	\$0	\$336,850
	290	Jaguar (<i>Panthera onca</i>)	E	\$83,000	\$13,600	\$96,600	\$100,000	\$196,600
	507	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouarundi cacomitli</i>)	E	\$40,000	\$38,600	\$78,600	\$0	\$78,600
	664	Jaguarundi, Sinaloa (<i>Herpailurus (=Felis) yagouarundi tolteca</i>)	E	\$45,000	\$0	\$45,000	\$0	\$45,000
	361	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$147,922	\$0	\$147,922	\$0	\$147,922
	362	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$93,406	\$53,075	\$146,481	\$0	\$146,481
	671	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$39,930	\$2,735	\$42,665	\$0	\$42,665
	470	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$42,464	\$48,831	\$91,295	\$0	\$91,295
	201	Kangaroo rat, Stephens' (<i>Dipodomys stephensi (incl. D. cascus)</i>)	E	\$7,474	\$387,752	\$395,226	\$0	\$395,226
	367	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$70,870	\$72,775	\$143,645	\$0	\$143,645
	47	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$1,801,225	\$4,038,614	\$5,839,839	\$716,501	\$6,556,340
	26	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$1,826,000	\$6,800,151	\$8,626,151	\$4,678,053	\$13,304,204
	383	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$114,500	\$22,300	\$136,800	\$0	\$136,800
	354	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$150,500	\$200	\$150,700	\$0	\$150,700
	735	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$14,500	\$17,300	\$31,800	\$0	\$31,800
	358	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$56,000	\$90,083	\$146,083	\$2,840	\$148,923
	586	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$15,000	\$48,100	\$63,100	\$0	\$63,100

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1067	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$0	\$4,100	\$4,100	\$0	\$4,100
	173	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$0	\$571,291	\$571,291	\$0	\$571,291
	51	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$0	\$5,827,651	\$5,827,651	\$0	\$5,827,651
	1084	Seal, Mediterranean monk (<i>Monachus monachus</i>)	E	\$3,256	\$0	\$3,256	\$0	\$3,256
	1144	Seal, Saimaa (<i>Phoca hispida saimensis</i>)	E	\$0	\$120	\$120	\$0	\$120
	258	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$28,453	\$236,465	\$264,918	\$0	\$264,918
	271	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$188,979	\$34,000	\$222,979	\$0	\$222,979
	569	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$49,604	\$20,000	\$69,604	\$0	\$69,604
	639	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$18,000	\$30,800	\$48,800	\$1,710	\$50,510
	868	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - U.S.A. (DE, Sussex Co.)	EXPN	\$16,500	\$0	\$16,500	\$0	\$16,500
	212	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$293,215	\$62,325	\$355,540	\$2,000	\$357,540
	442	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$5,000	\$61,050	\$66,050	\$42,500	\$108,550
	217	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$255,021	\$59,612	\$314,633	\$35,461	\$350,094
	549	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$71,839	\$700	\$72,539	\$0	\$72,539
	820	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$19,500	\$1,050	\$20,550	\$0	\$20,550
	961	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$2,000	\$2,550	\$4,550	\$5,000	\$9,550
	237	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$0	\$306,429	\$306,429	\$0	\$306,429
	78	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$7,500	\$3,016,600	\$3,024,100	\$0	\$3,024,100
	138	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$0	\$804,828	\$804,828	\$72,478	\$877,306
	95	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$0	\$1,975,402	\$1,975,402	\$0	\$1,975,402
	40	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$0	\$7,443,375	\$7,443,375	\$72,478	\$7,515,853
	72	Whale, killer (<i>Orcinus orca</i>) – So. Resident DPS	E	\$15,800	\$3,964,717	\$3,980,517	\$10,000	\$3,990,517

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	218	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (portions of AZ, NV, and UT)	EXPN	\$7,000	\$114,589	\$121,589	\$227,500	\$349,089
	111	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. only	E	\$491,726	\$744,679	\$1,236,405	\$0	\$1,236,405
	219	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$95,440	\$251,718	\$347,158	\$0	\$347,158
	220	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$345,000	\$1,940	\$346,940	\$0	\$346,940
	227	Crane, whooping (<i>Grus americana</i>) - U.S.A. (CO, ID, FL, NM, UT, and western WY)	EXPN	\$207,000	\$1,580	\$208,580	\$118,553	\$327,133
	225	Crane, whooping (<i>Grus americana</i>) - U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$316,000	\$15,146	\$331,146	\$0	\$331,146
	102	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$455,878	\$1,123,159	\$1,579,037	\$57,046	\$1,636,083
	434	Creepers, Hawaii (<i>Oreomyza mana</i>)	E	\$89,420	\$24,751	\$114,171	\$0	\$114,171
	1139	Creepers, Molokai (<i>Paroreomyza flammea</i>)	E	\$500	\$0	\$500	\$0	\$500
	1143	Creepers, Oahu (<i>Paroreomyza maculata</i>)	E	\$200	\$0	\$200	\$0	\$200
	179	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$531,100	\$19,831	\$550,931	\$0	\$550,931
	232	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$111,180	\$204,170	\$315,350	\$0	\$315,350
	1139	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$0	\$500	\$0	\$500
	1137	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$0	\$700	\$700	\$0	\$700
	196	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$204,120	\$207,258	\$411,378	\$0	\$411,378
	318	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$60,400	\$112,249	\$172,649	\$0	\$172,649
	121	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$99,478	\$502,267	\$601,745	\$464,399	\$1,066,144
	104	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$296,500	\$1,096,239	\$1,392,739	\$0	\$1,392,739
	81	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$2,488,000	\$267,758	\$2,755,758	\$0	\$2,755,758
	261	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$11,200	\$250,910	\$262,110	\$0	\$262,110
	105	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$148,000	\$1,220,210	\$1,368,210	\$0	\$1,368,210
	391	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Southwestern population	EXPN	\$79,000	\$31,900	\$110,900	\$20,240	\$131,140

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	752	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$28,800	\$600	\$29,400	\$0	\$29,400
	1051	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$4,800	\$0	\$4,800	\$0	\$4,800
	25	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$356,258	\$13,043,167	\$13,399,425	\$99,221	\$13,498,646
	97	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$428,182	\$1,332,845	\$1,761,027	\$0	\$1,761,027
	115	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$581,178	\$575,430	\$1,156,608	\$0	\$1,156,608
	348	Hawk, Hawaiian (=‘lo) (<i>Buteo solitarius</i>)	E	\$110,220	\$43,390	\$153,610	\$0	\$153,610
	474	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$9,000	\$80,500	\$89,500	\$0	\$89,500
	479	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$7,500	\$80,500	\$88,000	\$0	\$88,000
	909	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$13,400	\$0	\$13,400	\$0	\$13,400
	376	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$128,480	\$12,880	\$141,360	\$0	\$141,360
	142	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$214,000	\$632,199	\$846,199	\$1,096	\$847,295
	389	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$119,100	\$13,820	\$132,920	\$0	\$132,920
	697	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$36,000	\$2,931	\$38,931	\$0	\$38,931
	213	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$94,520	\$261,908	\$356,428	\$0	\$356,428
	497	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$12,900	\$70,289	\$83,189	\$0	\$83,189
	48	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$3,286,011	\$2,712,057	\$5,998,068	\$499,273	\$6,497,341
	805	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$22,000	\$0	\$22,000	\$0	\$22,000
	579	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$64,600	\$0	\$64,600	\$0	\$64,600
	108	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$35,161	\$1,146,786	\$1,181,947	\$70,183	\$1,252,130
	16	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$5,737,513	\$12,759,781	\$18,497,294	\$228,274	\$18,725,568
	184	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$261,700	\$259,318	\$521,018	\$0	\$521,018
	99	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,402,500	\$114,000	\$1,516,500	\$197,000	\$1,713,500
	476	Parrotbill, Maui (<i>Pseudonestor xanthophrys</i>)	E	\$88,200	\$1,000	\$89,200	\$0	\$89,200

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	180	Pelican, brown (<i>Pelecanus occidentalis</i>) - except U.S. Atlantic coast, FL, AL	DM	\$301,991	\$242,745	\$544,736	\$370	\$545,106
	216	Petrel, Hawaiian dark- rumped (<i>Pterodroma</i> <i>phaeopygia</i> <i>sandwichensis</i>)	E	\$208,024	\$144,220	\$352,244	\$0	\$352,244
	855	Pigeon, Puerto Rican plain (<i>Columba inornata</i> <i>wetmorei</i>)	E	\$17,500	\$0	\$17,500	\$0	\$17,500
	46	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$496,559	\$5,790,183	\$6,286,742	\$270,295	\$6,557,037
	139	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$493,885	\$355,348	\$849,233	\$21,600	\$870,833
	63	Plover, western snowy (<i>Charadrius alexandrinus</i> <i>nivosus</i>) - Pacific coastal pop.	T	\$1,261,720	\$3,573,590	\$4,835,310	\$37,470	\$4,872,780
	453	Po'ouli (honeycreeper) (<i>Melanprosops</i> <i>phaeosoma</i>)	E	\$98,800	\$0	\$98,800	\$0	\$98,800
	107	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido</i> <i>attwateri</i>)	E	\$1,173,600	\$99,147	\$1,272,747	\$45,370	\$1,318,117
	117	Rail, California clapper (<i>Rallus longirostris</i> <i>obsoletus</i>)	E	\$538,364	\$595,445	\$1,133,809	\$0	\$1,133,809
	929	Rail, Guam (<i>Rallus</i> <i>owstoni</i>) - Rota	EXPN	\$11,700	\$0	\$11,700	\$0	\$11,700
	214	Rail, Guam (<i>Rallus</i> <i>owstoni</i>) - except Rota	E	\$122,500	\$233,747	\$356,247	\$0	\$356,247
	192	Rail, light-footed clapper (<i>Rallus longirostris</i> <i>levipes</i>) - U.S.A.	E	\$116,873	\$344,859	\$461,732	\$0	\$461,732
	249	Rail, Yuma clapper (<i>Rallus longirostris</i> <i>yumanensis</i>) - U.S.A.	E	\$114,230	\$149,035	\$263,265	\$20,000	\$283,265
	77	scrub-jay, Florida (<i>Aphelocoma</i> <i>coerulescens</i>)	T	\$697,000	\$2,508,884	\$3,205,884	\$37,833	\$3,243,717
	19	Shearwater, Newell's Townsend's (<i>Puffinus</i> <i>auricularis newelli</i>)	T	\$309,574	\$17,062,827	\$17,372,401	\$0	\$17,372,401
	88	Shrike, San Clemente loggerhead (<i>Lanius</i> <i>ludovicianus mearnsi</i>)	E	\$3,722	\$2,127,874	\$2,131,596	\$0	\$2,131,596
	171	Sparrow, Cape Sable seaside (<i>Ammodramus</i> <i>maritimus mirabilis</i>)	E	\$119,000	\$471,940	\$590,940	\$0	\$590,940
	234	Sparrow, Florida grasshopper (<i>Ammodramus</i> <i>savannarum floridanus</i>)	E	\$17,500	\$294,597	\$312,097	\$0	\$312,097
	240	Sparrow, San Clemente sage (<i>Amphispiza belli</i> <i>clementeae</i>)	T	\$19,715	\$280,677	\$300,392	\$0	\$300,392
	188	Stilt, Hawaiian (<i>Himantopus mexicanus</i> <i>knudseni</i>)	E	\$170,812	\$314,253	\$485,065	\$0	\$485,065

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	109	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$421,500	\$783,155	\$1,204,655	\$36,041	\$1,240,696
	292	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$30,700	\$164,212	\$194,912	\$0	\$194,912
	84	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$462,753	\$1,849,300	\$2,312,053	\$5,000	\$2,317,053
	62	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$502,399	\$4,340,267	\$4,842,666	\$149,836	\$4,992,502
	836	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$6,500	\$12,592	\$19,092	\$0	\$19,092
	203	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$26,095	\$329,544	\$355,639	\$34,307	\$389,946
	1143	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$200	\$0	\$200	\$0	\$200
	1142	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$300	\$0	\$300	\$0	\$300
	257	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$236,600	\$32,246	\$268,846	\$0	\$268,846
	698	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$10,528	\$28,198	\$38,726	\$0	\$38,726
	130	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$31,000	\$921,495	\$952,495	\$300	\$952,795
	52	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$194,545	\$5,607,876	\$5,802,421	\$0	\$5,802,421
	1134	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$0	\$800	\$800	\$0	\$800
	96	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$65,000	\$1,737,817	\$1,802,817	\$0	\$1,802,817
	113	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$307,400	\$785,800	\$1,093,200	\$107,000	\$1,200,200
	338	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$109,900	\$53,000	\$162,900	\$0	\$162,900
	1137	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$700	\$0	\$700	\$0	\$700
	763	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$22,900	\$4,480	\$27,380	\$0	\$27,380
	293	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$129,000	\$55,450	\$184,450	\$7,830	\$192,280
	9	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$3,446,200	\$20,987,461	\$24,433,661	\$1,002,156	\$25,435,817
	1139	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$500	\$0	\$500	\$0	\$500
	1027	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,300	\$0	\$6,300	\$0	\$6,300
Birds subtotal				\$33,087,298	\$112,791,206	\$145,878,504	\$3,812,193	\$149,690,697

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Reptiles	103	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$97,276	\$290,467	\$387,743	\$1,085,460	\$1,473,203
	1088	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	859	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$17,000	\$0	\$17,000	\$0	\$17,000
	465	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$32,000	\$61,500	\$93,500	\$0	\$93,500
	654	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$40,000	\$0	\$40,000	\$7,128	\$47,128
	366	Crocodile, American (<i>Crocodylus acutus</i>) - FL	T	\$64,500	\$77,702	\$142,202	\$2,000	\$144,202
	985	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	693	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$7,500	\$0	\$7,500	\$32,880	\$40,380
	207	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$270,074	\$104,415	\$374,489	\$0	\$374,489
	226	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$1,573	\$327,025	\$328,598	\$0	\$328,598
	341	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$36,536	\$123,489	\$160,025	\$0	\$160,025
	695	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$24,500	\$15,000	\$39,500	\$0	\$39,500
	885	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$6,600	\$2,000	\$8,600	\$6,500	\$15,100
	775	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$2,750	\$23,200	\$25,950	\$0	\$25,950
	73	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$219,524	\$3,348,904	\$3,568,428	\$178,259	\$3,746,687
	74	Sea turtle, green (<i>Chelonia mydas</i>) - except where E	T	\$193,092	\$3,489,221	\$3,682,313	\$8,500	\$3,690,813
	82	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$366,094	\$2,010,211	\$2,376,305	\$86,565	\$2,462,870
	59	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$370,000	\$4,600,557	\$4,970,557	\$49,865	\$5,020,422
	34	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$478,500	\$9,320,295	\$9,798,795	\$193,259	\$9,992,054
	38	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$1,164,350	\$6,705,298	\$7,869,648	\$527,471	\$8,397,119
	167	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$0	\$648,102	\$648,102	\$0	\$648,102
	160	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where E	T	\$56,500	\$645,140	\$701,640	\$0	\$701,640
	754	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$23,000	\$5,920	\$28,920	\$0	\$28,920
	585	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$40,500	\$22,712	\$63,212	\$0	\$63,212
	816	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$20,000	\$1,050	\$21,050	\$0	\$21,050

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	793	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$2,000	\$21,900	\$23,900	\$0	\$23,900
	295	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN N.of 40 degrees N. lat; MI, OH	T	\$169,500	\$18,111	\$187,611	\$1,500	\$189,111
	106	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$259,000	\$1,064,332	\$1,323,332	\$21,000	\$1,344,332
	41	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$992,750	\$6,522,678	\$7,515,428	\$0	\$7,515,428
	594	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) - subspecies range clarified	T	\$27,900	\$6,840	\$34,740	\$27,000	\$61,740
	132	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$129,065	\$792,493	\$921,558	\$0	\$921,558
	31	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$105,000	\$10,277,133	\$10,382,133	\$0	\$10,382,133
	22	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$5,577,725	\$9,802,664	\$15,380,389	\$14,000	\$15,394,389
	125	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of of Mobile/Tombigbee Rs.	T	\$153,500	\$845,978	\$999,478	\$1,492	\$1,000,970
	502	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$41,000	\$23,900	\$64,900	\$15,555	\$80,455
	603	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$2,500	\$8,350	\$10,850	\$48,168	\$59,018
	98	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$1,179,032	\$541,483	\$1,720,515	\$27,840	\$1,748,355
	974	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$8,000	\$1,000	\$9,000	\$0	\$9,000
	923	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$2,000	\$7,300	\$9,300	\$2,996	\$12,296
	995	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$0	\$7,800	\$7,800	\$0	\$7,800
	198	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$160,844	\$244,000	\$404,844	\$0	\$404,844
Reptiles subtotal				\$12,353,185	\$62,008,170	\$74,361,355	\$2,337,438	\$76,698,793
Amphibians	1131	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
	42	Frog, California red- legged (<i>Rana draytonii</i>) - subspecies range clarified	T	\$1,311,903	\$5,828,602	\$7,140,505	\$0	\$7,140,505
	172	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$185,147	\$223,652	\$408,799	\$175,000	\$583,799
	495	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) - west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$53,500	\$30,000	\$83,500	\$0	\$83,500

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	199	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern California DPS	E	\$128,069	\$274,074	\$402,143	\$0	\$402,143
	1019	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$6,000	\$662	\$6,662	\$0	\$6,662
	467	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$92,051	\$400	\$92,451	\$0	\$92,451
	118	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$736,588	\$396,900	\$1,133,488	\$0	\$1,133,488
	170	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Sonoma County)	E	\$475,753	\$123,000	\$598,753	\$0	\$598,753
	144	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Santa Barbara County)	E	\$192,145	\$629,025	\$821,170	\$0	\$821,170
	501	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$25,500	\$55,918	\$81,418	\$0	\$81,418
	1140	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$481	\$0	\$481	\$0	\$481
	387	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$50,000	\$70,168	\$120,168	\$13,539	\$133,707
	1137	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$0	\$700	\$700	\$0	\$700
	281	salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$14,000	\$179,578	\$193,578	\$11,539	\$205,117
	1126	Salamander, San Marcos (<i>Eurycea nana</i>) - Spring Lake and nearby habitats downstream of the dam forming Spring Lake	T	\$1,225	\$0	\$1,225	\$0	\$1,225
	463	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$92,630	\$1,600	\$94,230	\$0	\$94,230
	551	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$71,957	\$0	\$71,957	\$0	\$71,957
	772	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$5,300	\$21,160	\$26,460	\$0	\$26,460
	634	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$15,000	\$1,400	\$16,400	\$35,000	\$51,400
	706	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$37,051	\$400	\$37,451	\$0	\$37,451
	93	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$341,536	\$1,659,597	\$2,001,133	\$0	\$2,001,133
	238	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$35,000	\$77,900	\$112,900	\$190,613	\$303,513
	380	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$114,000	\$13,000	\$127,000	\$10,000	\$137,000
	402	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	\$90,969	\$21,500	\$112,469	\$11,844	\$124,313
Amphibians subtotal				\$4,076,805	\$9,609,236	\$13,686,041	\$447,535	\$14,133,576

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Fishes	453	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$62,200	\$100	\$62,300	\$36,500	\$98,800
	1097	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$700	\$0	\$700	\$1,650	\$2,350
	233	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$249,900	\$25,600	\$275,500	\$38,600	\$314,100
	49	Chub, bonytail (<i>Gila elegans</i>) - entire	E	\$853,656	\$5,272,982	\$6,126,638	\$197,862	\$6,324,500
	499	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$70,045	\$11,500	\$81,545	\$776	\$82,321
	577	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$62,167	\$4,000	\$66,167	\$0	\$66,167
	404	Chub, Gila (<i>Gila intermedia</i>)	E	\$1,000	\$37,800	\$38,800	\$84,500	\$123,300
	37	Chub, humpback (<i>Gila cypha</i>) - entire	E	\$587,586	\$8,000,237	\$8,587,823	\$393,862	\$8,981,685
	546	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Hutton	T	\$39,024	\$34,000	\$73,024	\$0	\$73,024
	712	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$35,907	\$600	\$36,507	\$0	\$36,507
	140	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$295,140	\$559,768	\$854,908	\$8,176	\$863,084
	682	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$37,736	\$4,000	\$41,736	\$0	\$41,736
	344	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$123,242	\$32,100	\$155,342	\$1,800	\$157,142
	833	Chub, slender (<i>Erimystax cahni</i>)	T	\$15,700	\$3,719	\$19,419	\$0	\$19,419
	699	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$0	\$2,100	\$2,100	\$36,500	\$38,600
	489	Chub, spotfin (<i>Erimonax monachus</i>) - Entire	T	\$52,400	\$11,500	\$63,900	\$21,930	\$85,830
	745	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$30,000	\$0	\$30,000	\$0	\$30,000
	874	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$16,000	\$0	\$16,000	\$0	\$16,000
	137	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$476,244	\$115,100	\$591,344	\$287,700	\$879,044
	633	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$15,000	\$100	\$15,100	\$36,500	\$51,600
	129	Cui-ui (<i>Chasmistes cujus</i>)	E	\$489,697	\$479,000	\$968,697	\$0	\$968,697
	690	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$38,810	\$0	\$38,810	\$1,800	\$40,610
	425	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$100,700	\$15,050	\$115,750	\$0	\$115,750
	860	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$16,184	\$0	\$16,184	\$800	\$16,984
	554	Dace, desert (<i>Eremichthys acros</i>)	T	\$41,623	\$27,000	\$68,623	\$3,000	\$71,623
	537	Dace, Foskett speckled (<i>Rhinichthys osculus</i> ssp.) - Foskett	T	\$73,694	\$0	\$73,694	\$0	\$73,694
	832	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$4,458	\$15,000	\$19,458	\$0	\$19,458
	166	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$643,537	\$2,833	\$646,370	\$7,200	\$653,570
	419	Darter, amber (<i>Percina antesella</i>)	E	\$89,000	\$2,000	\$91,000	\$25,500	\$116,500

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	937	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$10,000	\$1,000	\$11,000	\$0	\$11,000
	267	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$31,500	\$206,000	\$237,500	\$0	\$237,500
	200	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$30,500	\$365,000	\$395,500	\$0	\$395,500
	439	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$97,500	\$0	\$97,500	\$15,500	\$113,000
	588	Darter, duskytail (<i>Etheostoma percnum</i>) - Entire	E	\$25,500	\$37,538	\$63,038	\$0	\$63,038
	951	Darter, duskytail (<i>Etheostoma percnum</i>) - Tellico River, TN	EXPN	\$0	\$10,000	\$10,000	\$0	\$10,000
	119	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$1,099,000	\$0	\$1,099,000	\$15,500	\$1,114,500
	209	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$363,822	\$4,200	\$368,022	\$0	\$368,022
	893	Darter, goldline (<i>Percina aurolineata</i>)	T	\$9,000	\$0	\$9,000	\$5,500	\$14,500
	350	Darter, leopard (<i>Percina pantherina</i>)	T	\$118,911	\$33,530	\$152,441	\$300	\$152,741
	670	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$42,700	\$100	\$42,800	\$0	\$42,800
	122	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$53,300	\$157	\$53,457	\$988,000	\$1,041,457
	270	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$43,500	\$180,389	\$223,889	\$0	\$223,889
	913	Darter, relict (<i>Etheostoma chienense</i>)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	939	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$7,000	\$3,680	\$10,680	\$0	\$10,680
	800	Darter, snail (<i>Percina tanasi</i>)	T	\$11,500	\$5,630	\$17,130	\$5,500	\$22,630
	1012	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1027	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$6,000	\$300	\$6,300	\$0	\$6,300
	648	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$49,107	\$0	\$49,107	\$0	\$49,107
	663	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$45,042	\$0	\$45,042	\$0	\$45,042
	1037	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$0	\$5,500	\$5,500	\$0	\$5,500
	1139	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$0	\$500	\$500	\$0	\$500
	187	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$196,907	\$297,232	\$494,139	\$0	\$494,139
	732	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$13,000	\$3,500	\$16,500	\$15,500	\$32,000
	185	Logperch, Roanoke (<i>Percina rex</i>)	E	\$63,000	\$449,098	\$512,098	\$8,550	\$520,648
	550	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$30,300	\$28,876	\$59,176	\$13,200	\$72,376
	864	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$16,000	\$600	\$16,600	\$0	\$16,600
	1060	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$4,400	\$100	\$4,500	\$0	\$4,500
	951	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$0	\$10,000	\$10,000	\$0	\$10,000
	647	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$20,000	\$29,138	\$49,138	\$0	\$49,138

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	572	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$39,500	\$29,138	\$68,638	\$0	\$68,638
	951	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$0	\$10,000	\$10,000	\$0	\$10,000
	1139	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$500	\$0	\$500	\$0	\$500
	268	Minnow, Devils River (<i>Dionda diabolii</i>)	T	\$236,976	\$200	\$237,176	\$0	\$237,176
	148	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$550	\$674,035	\$674,585	\$124,000	\$798,585
	29	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where listed as EXPN	E	\$1,301,108	\$11,150,745	\$12,451,853	\$0	\$12,451,853
	56	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$0	\$5,374,600	\$5,374,600	\$36,500	\$5,411,100
	80	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$629,553	\$1,980,901	\$2,610,454	\$153,862	\$2,764,316
	607	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$50,672	\$4,000	\$54,672	\$3,000	\$57,672
	558	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$67,765	\$0	\$67,765	\$3,500	\$71,265
	291	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$189,719	\$5,500	\$195,219	\$0	\$195,219
	128	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$90,173	\$814,101	\$904,274	\$69,500	\$973,774
	174	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$174,738	\$387,500	\$562,238	\$3,100	\$565,338
	649	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$48,971	\$0	\$48,971	\$0	\$48,971
	610	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$47,880	\$9,000	\$56,880	\$0	\$56,880
	452	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$96,810	\$0	\$96,810	\$2,600	\$99,410
	39	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine Atlantic Salmon DPS	E	\$114,863	\$7,178,766	\$7,293,629	\$314,033	\$7,607,662
	54	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - CA coastal	T	\$26,500	\$5,561,306	\$5,587,806	\$0	\$5,587,806
	13	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Puget Sound	T	\$25,800	\$11,432,805	\$11,458,605	\$8,583,942	\$20,042,547
	8	Salmon, chinook (<i>Oncorhynchus (Salmo) tshawytscha</i>) - spring upper Columbia R.	E	\$505,100	\$31,669,028	\$32,174,128	\$1,328,688	\$33,502,816
	10	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - lower Columbia R.	T	\$1,398,114	\$22,265,897	\$23,664,011	\$1,457,492	\$25,121,503

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	4	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - spring/summer Snake R.	T	\$247,695	\$41,730,112	\$41,977,807	\$1,014,106	\$42,991,913
	12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - upper Willamette R.	T	\$61,418	\$19,923,474	\$19,984,892	\$136,216	\$20,121,108
	24	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - winter Sacramento R.	E	\$87,734	\$14,719,115	\$14,806,849	\$0	\$14,806,849
	23	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA Central Valley spring-run	T	\$160,500	\$15,011,150	\$15,171,650	\$0	\$15,171,650
	1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R	T	\$1,000,946	\$74,728,436	\$75,729,382	\$696,739	\$76,426,121
	30	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$24,924	\$10,771,046	\$10,795,970	\$700,330	\$11,496,300
	50	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$109,049	\$5,384,352	\$5,493,401	\$765,091	\$6,258,492
	70	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - central CA coast	E	\$6,960	\$4,194,810	\$4,201,770	\$0	\$4,201,770
	28	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River	T	\$436,067	\$10,786,651	\$11,222,718	\$1,302,270	\$12,524,988
	15	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - OR, CA pop.	T	\$1,347,096	\$17,819,536	\$19,166,632	\$97,297	\$19,263,929
	44	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Ozette Lake, WA)	T	\$18,300	\$6,593,633	\$6,611,933	\$310,715	\$6,922,648
	11	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Snake River, ID stock)	E	\$15,800	\$23,739,682	\$23,755,482	\$359,581	\$24,115,063
	149	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$0	\$779,094	\$779,094	\$17,359	\$796,453
	940	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$200	\$0	\$200	\$10,412	\$10,612
	660	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$8,700	\$35,227	\$43,927	\$2,200	\$46,127
	490	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$48,310	\$100	\$48,410	\$36,500	\$84,910
	418	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$9,000	\$78,739	\$87,739	\$28,824	\$116,563
	1137	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$700	\$0	\$700	\$0	\$700
	568	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$25,500	\$13,890	\$39,390	\$30,350	\$69,740
	855	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$16,000	\$1,500	\$17,500	\$0	\$17,500
	151	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$92,710	\$681,350	\$774,060	\$0	\$774,060

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	14	Sturgeon, North American green (<i>Acipenser medirostris</i>) - U.S.A. (CA) Southern DPS	T	\$39,350	\$19,913,249	\$19,952,599	\$19,175	\$19,971,774
	5	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$1,259,454	\$39,866,317	\$41,125,771	\$259,608	\$41,385,379
	147	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$91,300	\$697,167	\$788,467	\$18,410	\$806,877
	36	Sturgeon, white (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$899,911	\$8,585,470	\$9,485,381	\$44,201	\$9,529,582
	189	Sucker, June (<i>Chasmistes liorus</i>)	E	\$70,000	\$352,100	\$422,100	\$60,000	\$482,100
	68	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$486,115	\$4,123,958	\$4,610,073	\$286	\$4,610,359
	596	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$39,125	\$22,000	\$61,125	\$286	\$61,411
	27	Sucker, razorback (<i>Xyrauchen texanus</i>)-entire	E	\$1,186,874	\$11,487,434	\$12,674,308	\$185,200	\$12,859,508
	246	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$190,384	\$100,948	\$291,332	\$0	\$291,332
	65	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$483,870	\$4,196,058	\$4,679,928	\$582	\$4,680,510
	347	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$114,100	\$41,000	\$155,100	\$582	\$155,682
	133	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$48,728	\$712,100	\$760,828	\$137,500	\$898,328
	112	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$1,130,529	\$3,300	\$1,133,829	\$93,000	\$1,226,829
	7	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$10,074,203	\$22,754,990	\$32,829,193	\$2,009,616	\$34,838,809
	134	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$795,905	\$2,100	\$798,005	\$100,000	\$898,005
	241	trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$38,879	\$103,540	\$142,419	\$153,913	\$296,332
	57	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$2,656,184	\$2,660,759	\$5,316,943	\$86,776	\$5,403,719
	492	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$78,844	\$5,300	\$84,144	\$0	\$84,144
	168	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$593,354	\$52,000	\$645,354	\$0	\$645,354
	1045	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$0	\$100	\$100	\$5,000	\$5,100
	146	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$468,350	\$135,243	\$603,593	\$206,900	\$810,493
Fishes subtotal				\$40,655,893	\$698,149,209	\$738,805,102	\$27,343,055	\$766,148,157

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Clams	962	Acornshell, southern (<i>Epioblasma oithcaloogensis</i>)	E	\$4,500	\$0	\$4,500	\$5,000	\$9,500
	273	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$148,000	\$63,483	\$211,483	\$5,500	\$216,983
	1115	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - AL; Free- Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$1,625	\$1,625	\$0	\$1,625
	405	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Entire Range; Except where listed as Experimental Populations	E	\$87,300	\$13,650	\$100,950	\$21,150	\$122,100
	443	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$81,500	\$25,027	\$106,527	\$0	\$106,527
	1039	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$4,500	\$950	\$5,450	\$0	\$5,450
	930	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) – Entire; Except where listed as EXPN	E	\$6,200	\$5,418	\$11,618	\$0	\$11,618
	1141	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL; Free- Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$350	\$350	\$0	\$350
	1101	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Entire; Except where listed as EXPN	E	\$2,000	\$250	\$2,250	\$0	\$2,250
	1072	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Entire; Except where listed as EXPN	E	\$3,500	\$350	\$3,850	\$0	\$3,850
	578	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$64,400	\$1,206	\$65,606	\$100	\$65,706
	191	Clubshell (<i>Pleurobema clava</i>) – Entire; Except where listed as EXPN	E	\$157,500	\$308,000	\$465,500	\$2,500	\$468,000
	459	Clubshell (<i>Pleurobema clava</i>) - AL; Free- Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$96,000	\$96,000	\$0	\$96,000
	745	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$24,500	\$0	\$24,500	\$5,500	\$30,000

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	691	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$30,500	\$2,300	\$32,800	\$7,782	\$40,582
	484	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Entire; Except EXPN	E	\$55,500	\$30,345	\$85,845	\$1,000	\$86,845
	1081	Combshell, southern (<i>Epioblasma penita</i>)	E	\$2,000	\$1,400	\$3,400	\$0	\$3,400
	932	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$6,500	\$0	\$6,500	\$5,000	\$11,500
	299	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$141,000	\$2,100	\$143,100	\$44,077	\$187,177
	717	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$18,500	\$16,800	\$35,300	\$0	\$35,300
	159	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$673,200	\$28,118	\$701,318	\$3,000	\$704,318
	656	Fanshell (<i>Cyprogenia stegaria</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$46,642	\$46,642	\$0	\$46,642
	738	Fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$26,000	\$5,090	\$31,090	\$0	\$31,090
	707	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$2,500	\$2,200	\$4,700	\$32,441	\$37,141
	228	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$153,000	\$94,233	\$247,233	\$79,050	\$326,283
	154	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$106,400	\$609,565	\$715,965	\$37,750	\$753,715
	831	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$14,500	\$0	\$14,500	\$5,000	\$19,500
	932	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Entire; Except EXPN	E	\$2,000	\$9,500	\$11,500	\$0	\$11,500
	1060	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$3,000	\$1,500	\$4,500	\$0	\$4,500
	460	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except EXPN	E	\$67,900	\$20,800	\$88,700	\$7,100	\$95,800
	305	Mapleleaf, winged (<i>Quadrula fragosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$183,350	\$183,350	\$0	\$183,350
	814	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$14,000	\$2,300	\$16,300	\$5,000	\$21,300
	847	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$13,000	\$0	\$13,000	\$5,000	\$18,000
	457	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$82,000	\$9,392	\$91,392	\$5,000	\$96,392
	475	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$83,000	\$1,375	\$84,375	\$5,000	\$89,375
	651	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$47,000	\$1,150	\$48,150	\$0	\$48,150

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	320	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Entire; Except where EXPN	E	\$44,500	\$126,750	\$171,250	\$0	\$171,250
	904	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$13,000	\$900	\$13,900	\$0	\$13,900
	183	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$169,800	\$314,819	\$484,619	\$39,300	\$523,919
	886	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers	EXPN	\$15,000	\$0	\$15,000	\$0	\$15,000
	455	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Entire; Except where listed as EXPN	E	\$75,000	\$13,980	\$88,980	\$9,250	\$98,230
	901	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$12,125	\$12,125	\$2,028	\$14,153
	202	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$248,300	\$121,000	\$369,300	\$20,800	\$390,100
	685	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$18,000	\$15,000	\$33,000	\$8,420	\$41,420
	1107	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Co., AL	EXPN	\$0	\$0	\$0	\$2,028	\$2,028
	279	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - Entire; Except where listed as EXPN	E	\$44,500	\$165,750	\$210,250	\$0	\$210,250
	886	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - U.S.A. (TN - specified portions of the French Broad and Holston R.	EXPN	\$15,000	\$0	\$15,000	\$0	\$15,000
	229	Pearlymussel, cracking (<i>Hemistena lata</i>) - Entire; Except where listed as EXPN	E	\$64,300	\$259,980	\$324,280	\$0	\$324,280
	1104	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$2,200	\$0	\$2,200	\$0	\$2,200
	1107	Pearlymussel, dromedary (<i>Dromus dromas</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$2,028	\$2,028
	512	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Entire; Except EXPN	E	\$50,000	\$28,015	\$78,015	\$0	\$78,015

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	560	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$49,000	\$11,062	\$60,062	\$11,015	\$71,077
	787	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$5,500	\$19,000	\$24,500	\$0	\$24,500
	1060	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	286	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - Entire; Except EXPN	E	\$44,000	\$157,100	\$201,100	\$0	\$201,100
	1094	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	451	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$85,000	\$9,392	\$94,392	\$5,500	\$99,892
	396	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$104,300	\$22,127	\$126,427	\$1,000	\$127,427
	319	Pigtoe, shiny (<i>Fusconaia cor</i>) - Entire; Except where listed as EXPN	E	\$35,500	\$136,500	\$172,000	\$0	\$172,000
	1082	Pigtoe, shiny (<i>Fusconaia cor</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$3,362	\$3,362	\$0	\$3,362
	859	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$12,000	\$0	\$12,000	\$5,000	\$17,000
	251	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$52,800	\$227,517	\$280,317	\$1,000	\$281,317
	244	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$166,800	\$123,407	\$290,207	\$3,500	\$293,707
	713	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$26,500	\$1,400	\$27,900	\$8,500	\$36,400
	604	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$29,223	\$23,215	\$52,438	\$5,800	\$58,238
	260	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$245,000	\$8,850	\$253,850	\$8,282	\$262,132
	522	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$66,500	\$4,927	\$71,427	\$4,400	\$75,827
	584	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Entire; Except where EXPN	E	\$19,700	\$43,664	\$63,364	\$0	\$63,364
	634	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$34,500	\$16,900	\$51,400	\$0	\$51,400
	231	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$74,700	\$240,147	\$314,847	\$1,100	\$315,947
	328	Riffleshell, tan (<i>Epioblasma florentina walkerii</i> (=E. walkerii))	E	\$119,500	\$41,527	\$161,027	\$5,850	\$166,877
	483	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$45,400	\$41,642	\$87,042	\$0	\$87,042
	533	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$19,000	\$55,025	\$74,025	\$0	\$74,025
	349	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$83,500	\$43,198	\$126,698	\$26,300	\$152,998
	395	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$83,500	\$0	\$83,500	\$44,190	\$127,690
	224	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$265,000	\$63,383	\$328,383	\$3,000	\$331,383

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	197	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$11,400	\$395,005	\$406,405	\$0	\$406,405
	194	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$46,265	\$294,514	\$340,779	\$82,750	\$423,529
Clams subtotal				\$4,616,588	\$4,625,652	\$9,242,240	\$582,991	\$9,825,231
Snails	45	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$20,000	\$6,693,710	\$6,713,710	\$0	\$6,713,710
	428	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$34,000	\$50,700	\$84,700	\$30,000	\$114,700
	937	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	593	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$19,800	\$42,000	\$61,800	\$100	\$61,900
	1060	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$4,500	\$0	\$4,500	\$0	\$4,500
	393	Limpet, Banbury Springs (<i>Lanx sp.</i>)	E	\$126,753	\$2,500	\$129,253	\$0	\$129,253
	1131	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1088	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapha</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	757	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Entire; Except EXPN	E	\$27,000	\$1,500	\$28,500	\$0	\$28,500
	1047	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$5,028	\$5,028
	1043	Rocksnailed, painted (<i>Leptoxis taeniata</i>)	T	\$5,000	\$200	\$5,200	\$0	\$5,200
	469	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$88,500	\$0	\$88,500	\$3,000	\$91,500
	1131	Rocksnailed, round (<i>Leptoxis ampla</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
	1042	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$2,500	\$1,500	\$4,000	\$1,300	\$5,300
	773	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
	264	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$217,455	\$32,750	\$250,205	\$0	\$250,205
	898	Snail, Chittanooga ovate amber (<i>Succinea chittengoensis</i>)	T	\$0	\$14,276	\$14,276	\$0	\$14,276
	1125	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$0	\$1,228	\$1,228	\$0	\$1,228
	827	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$11,400	\$7,500	\$18,900	\$1,000	\$19,900

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	575	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$62,800	\$3,735	\$66,535	\$0	\$66,535
	1124	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$600	\$0	\$600	\$650	\$1,250
	818	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$21,000	\$0	\$21,000	\$0	\$21,000
	583	Snail, Pecos assimineae (<i>Assimineae pecos</i>)	E	\$63,576	\$0	\$63,576	\$0	\$63,576
	302	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$132,014	\$53,425	\$185,439	\$0	\$185,439
	887	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$13,500	\$1,462	\$14,962	\$0	\$14,962
	962	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$7,000	\$2,500	\$9,500	\$0	\$9,500
	211	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$201,904	\$161,125	\$363,029	\$0	\$363,029
	727	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$32,700	\$200	\$32,900	\$0	\$32,900
	157	Snails, Oahu tree (<i>Achatinella</i> spp.)	E*	\$14,700	\$701,344	\$716,044	\$0	\$716,044
	826	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$20,000	\$0	\$20,000	\$0	\$20,000
	277	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$149,001	\$7,500	\$156,501	\$57,185	\$213,686
	906	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$13,576	\$0	\$13,576	\$0	\$13,576
	906	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$13,576	\$0	\$13,576	\$0	\$13,576
	599	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$60,000	\$0	\$60,000	\$0	\$60,000
Snails subtotal				\$1,404,855	\$7,779,155	\$9,184,010	\$98,263	\$9,282,273
Insects	114	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$279,294	\$832,259	\$1,111,553	\$80,945	\$1,192,498
	1095	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$2,115	\$300	\$2,415	\$0	\$2,415
	941	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$10,173	\$400	\$10,573	\$0	\$10,573
	681	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$41,452	\$400	\$41,852	\$0	\$41,852
	958	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$8,304	\$1,400	\$9,704	\$0	\$9,704
	1128	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$785	\$300	\$1,085	\$0	\$1,085
	491	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$83,400	\$0	\$83,400	\$1,000	\$84,400
	767	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$866	\$26,300	\$27,166	\$0	\$27,166
	674	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$42,272	\$0	\$42,272	\$0	\$42,272

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	768	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$758	\$26,300	\$27,058	\$0	\$27,058
	79	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$595,585	\$2,285,804	\$2,881,389	\$0	\$2,881,389
	288	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$161,016	\$36,000	\$197,016	\$0	\$197,016
	449	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$95,089	\$5,150	\$100,239	\$0	\$100,239
	515	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$77,074	\$0	\$77,074	\$0	\$77,074
	206	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$22,962	\$356,900	\$379,862	\$0	\$379,862
	163	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$607,001	\$85,710	\$692,711	\$0	\$692,711
	123	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$256,600	\$579,654	\$836,254	\$180,400	\$1,016,654
	256	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$205,862	\$67,000	\$272,862	\$0	\$272,862
	974	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	714	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$36,016	\$70	\$36,086	\$0	\$36,086
	345	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$142,800	\$4,677	\$147,477	\$9,200	\$156,677
	810	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtilae</i>)	E	\$21,105	\$500	\$21,605	\$0	\$21,605
	162	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$605,487	\$87,656	\$693,143	\$6,000	\$699,143
	1145	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$75	\$0	\$75	\$0	\$75
	127	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrighti))	E	\$614,532	\$359,253	\$973,785	\$0	\$973,785
	360	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$7,000	\$140,958	\$147,958	\$500	\$148,458
	791	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$24,087	\$70	\$24,157	\$0	\$24,157
	798	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$21,000	\$2,104	\$23,104	\$0	\$23,104
	733	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$18,141	\$13,804	\$31,945	\$0	\$31,945
	829	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneema</i>)	E	\$13,051	\$6,600	\$19,651	\$0	\$19,651

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	266	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$161,600	\$47,951	\$209,551	\$29,100	\$238,651
	1069	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$1,299	\$2,735	\$4,034	\$0	\$4,034
	796	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$23,249	\$0	\$23,249	\$0	\$23,249
	285	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$500	\$200,900	\$201,400	\$0	\$201,400
	285	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$500	\$200,900	\$201,400	\$0	\$201,400
	538	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$61,100	\$12,526	\$73,626	\$0	\$73,626
	762	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$7,991	\$19,500	\$27,491	\$0	\$27,491
	667	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$44,526	\$0	\$44,526	\$0	\$44,526
	1112	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$1,760	\$0	\$1,760	\$0	\$1,760
	1114	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$1,660	\$0	\$1,660	\$0	\$1,660
	1112	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$1,760	\$0	\$1,760	\$0	\$1,760
	1028	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$1,760	\$4,381	\$6,141	\$0	\$6,141
	704	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$2,760	\$35,266	\$38,026	\$0	\$38,026
	1114	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$1,660	\$0	\$1,660	\$0	\$1,660
	1093	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$2,660	\$0	\$2,660	\$0	\$2,660
	1114	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$1,660	\$0	\$1,660	\$0	\$1,660
	1112	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$1,760	\$0	\$1,760	\$0	\$1,760
	1093	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$2,660	\$0	\$2,660	\$0	\$2,660
	705	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$2,760	\$35,187	\$37,947	\$0	\$37,947
	1112	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$1,760	\$0	\$1,760	\$0	\$1,760
	355	Skipper, Carson wandering (<i>Pseudocopaodes eumus obscurus</i>)	E	\$39,195	\$111,500	\$150,695	\$0	\$150,695
	849	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$3,796	\$14,100	\$17,896	\$0	\$17,896
	830	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$10,777	\$8,755	\$19,532	\$0	\$19,532
	392	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$87,568	\$41,437	\$129,005	\$500	\$129,505
	445	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$104,354	\$0	\$104,354	\$0	\$104,354

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	590	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$34,370	\$26,188	\$60,558	\$2,000	\$62,558
	323	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>)	E	\$86,131	\$14,000	\$100,131	\$70,000	\$170,131
Insects subtotal				\$4,694,478	\$5,694,895	\$10,389,373	\$379,645	\$10,769,018
Arachnids	758	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$2,125	\$26,300	\$28,425	\$0	\$28,425
	760	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$2,350	\$26,000	\$28,350	\$0	\$28,350
	1118	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$1,574	\$0	\$1,574	\$0	\$1,574
	1113	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$1,498	\$200	\$1,698	\$0	\$1,698
	1122	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$1,178	\$200	\$1,378	\$0	\$1,378
	343	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$1,281	\$157,100	\$158,381	\$0	\$158,381
	1135	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$569	\$200	\$769	\$0	\$769
	770	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$541	\$26,200	\$26,741	\$0	\$26,741
	1071	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$2,913	\$1,000	\$3,913	\$0	\$3,913
	1033	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$5,800	\$0	\$5,800	\$0	\$5,800
	1052	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$4,200	\$300	\$4,500	\$248	\$4,748
	756	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$2,354	\$26,200	\$28,554	\$0	\$28,554
Arachnids subtotal				\$26,383	\$263,700	\$290,083	\$248	\$290,331
Crustaceans	1129	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$1,058	\$0	\$1,058	\$0	\$1,058
	1127	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$800	\$100	\$900	\$300	\$1,200
	1012	Amphipod, Kauai cave (<i>Spelaorchestia koloana</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	878	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$15,576	\$0	\$15,576	\$0	\$15,576
	838	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$18,526	\$300	\$18,826	\$0	\$18,826
	874	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$15,900	\$0	\$15,900	\$100	\$16,000
	822	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$20,500	\$0	\$20,500	\$0	\$20,500
	210	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$46,000	\$319,850	\$365,850	\$0	\$365,850
	386	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$131,479	\$2,300	\$133,779	\$0	\$133,779
	303	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$139,630	\$45,670	\$185,300	\$0	\$185,300

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	781	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$17,538	\$7,700	\$25,238	\$0	\$25,238
	223	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$95,516	\$236,213	\$331,729	\$0	\$331,729
	110	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$333,022	\$906,493	\$1,239,515	\$0	\$1,239,515
	67	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$1,010,095	\$3,616,915	\$4,627,010	\$0	\$4,627,010
	818	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$21,000	\$0	\$21,000	\$0	\$21,000
	506	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$66,600	\$12,518	\$79,118	\$0	\$79,118
	1059	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$4,526	\$0	\$4,526	\$0	\$4,526
	727	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$900	\$32,000	\$32,900	\$0	\$32,900
	477	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$14,250	\$74,800	\$89,050	\$0	\$89,050
	1070	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1090	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$2,000	\$800	\$2,800	\$0	\$2,800
	76	Tadpole shrimp, vernal pool (<i>Lepidurus packardi</i>)	E	\$544,556	\$2,886,900	\$3,431,456	\$0	\$3,431,456
Crustaceans subtotal				\$2,510,472	\$8,142,559	\$10,653,031	\$400	\$10,653,431
Corals	143	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$0	\$827,075	\$827,075	\$0	\$827,075
	165	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$0	\$671,833	\$671,833	\$0	\$671,833
Corals subtotal				\$0	\$1,498,908	\$1,498,908	\$0	\$1,498,908
Flowering Plants	482	Alani (<i>Melicope adscendens</i>)	E	\$87,000	\$0	\$87,000	\$100	\$87,100
	911	Alani (<i>Melicope balloui</i>)	E	\$8,500	\$4,700	\$13,200	\$100	\$13,300
	1017	Alani (<i>Melicope haupuensis</i>)	E	\$6,600	\$0	\$6,600	\$100	\$6,700
	494	Alani (<i>Melicope knudsenii</i>)	E	\$83,700	\$0	\$83,700	\$100	\$83,800
	526	Alani (<i>Melicope lydgatei</i>)	E	\$4,300	\$70,453	\$74,753	\$100	\$74,853
	602	Alani (<i>Melicope mucronulata</i>)	E	\$59,000	\$0	\$59,000	\$100	\$59,100
	1083	Alani (<i>Melicope munroi</i>)	E	\$3,300	\$0	\$3,300	\$0	\$3,300
	808	Alani (<i>Melicope ovalis</i>)	E	\$3,200	\$18,700	\$21,900	\$0	\$21,900
	747	Alani (<i>Melicope pallida</i>)	E	\$5,200	\$21,083	\$26,283	\$3,500	\$29,783
	1051	Alani (<i>Melicope quadrangularis</i>)	E	\$4,700	\$0	\$4,700	\$100	\$4,800
	1087	Alani (<i>Melicope reflexa</i>)	E	\$3,100	\$0	\$3,100	\$0	\$3,100
	1127	Alani (<i>Melicope saint-johnii</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
	739	Alani (<i>Melicope zahlbruckneri</i>)	E	\$4,700	\$25,764	\$30,464	\$400	\$30,864
	431	Ale (<i>plantago princeps</i> var. <i>anomala</i>)	E	\$0	\$110,807	\$110,807	\$3,500	\$114,307
	945	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$10,438	\$0	\$10,438	\$0	\$10,438

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	883	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$6,423	\$8,800	\$15,223	\$0	\$15,223
	215	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$78,200	\$274,041	\$352,241	\$1,135	\$353,376
	284	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$194,819	\$9,606	\$204,425	\$0	\$204,425
	653	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$40,652	\$6,500	\$47,152	\$300	\$47,452
	968	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$9,225	\$0	\$9,225	\$0	\$9,225
	1022	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$2,500	\$2,564	\$5,064	\$1,500	\$6,564
	826	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$18,000	\$0	\$18,000	\$2,000	\$20,000
	580	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$35,400	\$27,913	\$63,313	\$1,050	\$64,363
	601	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$31,500	\$2,090	\$33,590	\$25,600	\$59,190
	726	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$23,000	\$10,000	\$33,000	\$0	\$33,000
	337	Aupaka (<i>Isodendron hosakae</i>)	E	\$2,500	\$160,193	\$162,693	\$300	\$162,993
	995	Aupaka (<i>Isodendron laurifolium</i>)	E	\$4,300	\$0	\$4,300	\$3,500	\$7,800
	447	Aupaka (<i>Isodendron longifolium</i>)	T	\$6,700	\$91,536	\$98,236	\$3,500	\$101,736
	931	Avens, spreading (<i>Geum radiatum</i>)	E	\$7,000	\$4,520	\$11,520	\$27	\$11,547
	856	Awiji (<i>Centaurium sebaeoides</i>)	E	\$13,500	\$3,820	\$17,320	\$0	\$17,320
	1043	Awiji (<i>Hedyotis cookiana</i>)	E	\$4,800	\$0	\$4,800	\$400	\$5,200
	598	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$59,225	\$400	\$59,625	\$400	\$60,025
	955	A'e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$7,300	\$820	\$8,120	\$1,700	\$9,820
	324	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$10,100	\$158,963	\$169,063	\$300	\$169,363
	1105	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$639	\$1,481	\$2,120	\$0	\$2,120
	1004	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	986	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$7,456	\$900	\$8,356	\$0	\$8,356
	1108	Bariaco (<i>Trichilia triacantha</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	624	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$38,040	\$15,320	\$53,360	\$0	\$53,360
	637	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$25,000	\$25,250	\$50,250	\$700	\$50,950
	948	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$4,303	\$5,750	\$10,053	\$0	\$10,053
	666	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$11,000	\$29,307	\$40,307	\$4,275	\$44,582
	567	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$17,000	\$52,600	\$69,600	\$400	\$70,000
	657	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$20,868	\$25,500	\$46,368	\$0	\$46,368

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	740	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$23,453	\$7,307	\$30,760	\$0	\$30,760
	840	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$4,000	\$1,311	\$5,311	\$13,126	\$18,437
	1014	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$6,900	\$0	\$6,900	\$0	\$6,900
	509	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$77,588	\$800	\$78,388	\$0	\$78,388
	1106	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$2,065	\$0	\$2,065	\$0	\$2,065
	413	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$54,790	\$65,655	\$120,445	\$0	\$120,445
	720	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$34,788	\$200	\$34,988	\$0	\$34,988
	643	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$17,000	\$31,500	\$48,500	\$1,500	\$50,000
	1010	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$6,100	\$0	\$6,100	\$1,043	\$7,143
	591	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$24,144	\$38,350	\$62,494	\$0	\$62,494
	889	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$3,000	\$11,800	\$14,800	\$0	\$14,800
	1133	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$900	\$0	\$900	\$0	\$900
	613	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$32,800	\$17,007	\$49,807	\$7,000	\$56,807
	562	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$3,852	\$67,000	\$70,852	\$0	\$70,852
	764	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$25,500	\$1,850	\$27,350	\$0	\$27,350
	984	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$4,520	\$4,000	\$8,520	\$0	\$8,520
	851	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$12,500	\$5,000	\$17,500	\$100	\$17,600
	962	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$9,500	\$0	\$9,500	\$0	\$9,500
	1003	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$3,000	\$3,320	\$6,320	\$1,000	\$7,320
	811	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$6,000	\$900	\$6,900	\$14,675	\$21,575
	1070	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$2,400	\$600	\$3,000	\$1,000	\$4,000
	990	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$8,113	\$0	\$8,113	\$0	\$8,113
	687	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$40,500	\$410	\$40,910	\$0	\$40,910
	1063	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$3,900	\$410	\$4,310	\$0	\$4,310
	905	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$13,764	\$0	\$13,764	\$0	\$13,764
	952	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$3,305	\$6,600	\$9,905	\$0	\$9,905

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1009	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$6,000	\$0	\$6,000	\$1,162	\$7,162
	317	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$13,500	\$145,811	\$159,311	\$14,170	\$173,481
	999	Boxwood, Vahl's (<i>Buxus vahlII</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1088	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	169	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$205,865	\$403,242	\$609,107	\$0	\$609,107
	545	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$0	\$73,051	\$73,051	\$0	\$73,051
	563	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$3,799	\$67,000	\$70,799	\$0	\$70,799
	1102	Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$2,229	\$0	\$2,229	\$0	\$2,229
	243	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$5,000	\$287,411	\$292,411	\$2,600	\$295,011
	493	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$18,097	\$66,000	\$84,097	\$0	\$84,097
	825	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$10,200	\$8,018	\$18,218	\$2,000	\$20,218
	652	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$38,900	\$5,000	\$43,900	\$3,920	\$47,820
	321	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$0	\$171,148	\$171,148	\$0	\$171,148
	1004	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	1088	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	322	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$18,611	\$151,631	\$170,242	\$250	\$170,492
	592	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$20,500	\$41,500	\$62,000	\$0	\$62,000
	570	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$34,500	\$33,300	\$67,800	\$1,200	\$69,000
	1088	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$1,000	\$0	\$1,000	\$2,000	\$3,000
	252	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$89,257	\$191,206	\$280,463	\$0	\$280,463
	1078	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$2,500	\$100	\$2,600	\$1,000	\$3,600
	516	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$9,023	\$67,900	\$76,923	\$0	\$76,923
	858	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$15,000	\$2,000	\$17,000	\$200	\$17,200

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1005	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$2,700	\$3,600	\$6,300	\$1,000	\$7,300
	1110	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$1,700	\$0	\$1,700	\$100	\$1,800
	1070	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$2,900	\$100	\$3,000	\$1,000	\$4,000
	316	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$38,371	\$135,900	\$174,271	\$0	\$174,271
	777	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$13,500	\$1,462	\$14,962	\$10,600	\$25,562
	823	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$4,525	\$15,900	\$20,425	\$0	\$20,425
	511	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$2,100	\$76,000	\$78,100	\$0	\$78,100
	1101	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$2,200	\$50	\$2,250	\$0	\$2,250
	1138	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$500	\$0	\$500	\$100	\$600
	508	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$500	\$77,900	\$78,400	\$0	\$78,400
	1103	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$2,125	\$0	\$2,125	\$100	\$2,225
	970	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$2,600	\$5,600	\$8,200	\$1,000	\$9,200
	877	cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$5,000	\$10,700	\$15,700	\$0	\$15,700
	1029	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$500	\$4,600	\$5,100	\$1,000	\$6,100
	531	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$40,000	\$29,100	\$69,100	\$5,000	\$74,100
	710	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$7,000	\$29,665	\$36,665	\$0	\$36,665
	750	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>)	T	\$2,900	\$25,600	\$28,500	\$1,000	\$29,500
	731	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$2,000	\$30,050	\$32,050	\$100	\$32,150
	535	Cactus, star (<i>Astrophytum asterias</i>)	E	\$65,000	\$2,000	\$67,000	\$6,800	\$73,800
	771	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$10,000	\$600	\$10,600	\$15,900	\$26,500
	724	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$20,915	\$12,750	\$33,665	\$0	\$33,665
	620	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$18,000	\$36,520	\$54,520	\$0	\$54,520
	615	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$21,000	\$35,655	\$56,655	\$0	\$56,655

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1058	Campion, fringed (<i>Silene polypetala</i>)	E	\$0	\$900	\$900	\$3,700	\$4,600
	1131	Capa rosa (<i>Callicarpa ampla</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1080	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$3,300	\$0	\$3,300	\$200	\$3,500
	182	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$327,894	\$173,236	\$501,130	\$29,656	\$530,786
	915	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$12,923	\$0	\$12,923	\$0	\$12,923
	642	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$24,606	\$25,500	\$50,106	\$0	\$50,106
	972	Centauray, spring-loving (<i>Centaureum namophilum</i>)	T	\$9,049	\$0	\$9,049	\$0	\$9,049
	969	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$6,800	\$2,410	\$9,210	\$0	\$9,210
	253	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$21,448	\$242,259	\$263,707	\$15,854	\$279,561
	828	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$19,691	\$0	\$19,691	\$0	\$19,691
	886	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$15,000	\$0	\$15,000	\$0	\$15,000
	242	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$274,581	\$21,746	\$296,327	\$0	\$296,327
	1018	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$685	\$6,000	\$6,685	\$0	\$6,685
	661	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$31,200	\$14,888	\$46,088	\$0	\$46,088
	962	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$9,500	\$0	\$9,500	\$0	\$9,500
	1120	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	981	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$8,611	\$0	\$8,611	\$0	\$8,611
	715	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$34,644	\$1,000	\$35,644	\$0	\$35,644
	892	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$14,662	\$0	\$14,662	\$0	\$14,662
	1121	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$1,491	\$0	\$1,491	\$0	\$1,491
	888	Cliff-rose, Arizona (<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>)	E	\$750	\$13,100	\$13,850	\$1,000	\$14,850
	1111	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,772	\$0	\$1,772	\$0	\$1,772
	378	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$56,900	\$77,277	\$134,177	\$5,100	\$139,277
	1026	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$4,932	\$1,400	\$6,332	\$0	\$6,332
	837	Cobana negra (<i>Stahlia monosperma</i>)	T	\$19,000	\$0	\$19,000	\$0	\$19,000
	385	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$32,200	\$86,554	\$118,754	\$16,150	\$134,904
	743	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$23,000	\$7,200	\$30,200	\$0	\$30,200

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1120	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$1,400	\$0	\$1,400	\$100	\$1,500
	1085	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$3,245	\$0	\$3,245	\$0	\$3,245
	779	Cycladenia, Jones (<i>Cycladenia jonesii</i> (= <i>humilis</i>))	T	\$4,000	\$20,400	\$24,400	\$1,000	\$25,400
	606	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$45,200	\$2,176	\$47,376	\$10,494	\$57,870
	655	Daisy, Maguire (<i>Erigeron</i> <i>maguirei</i>)	T	\$44,000	\$2,940	\$46,940	\$0	\$46,940
	520	Daisy, Parish's (<i>Erigeron</i> <i>parishii</i>)	T	\$3,799	\$72,500	\$76,299	\$0	\$76,299
	236	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$281,657	\$28,052	\$309,709	\$0	\$309,709
	351	Dawn-flower, Texas prairie (<i>Hymenoxys</i> <i>texana</i>)	E	\$16,000	\$135,402	\$151,402	\$0	\$151,402
	248	Desert-parsley, Bradshaw's (<i>Lomatium</i> <i>bradshawii</i>)	E	\$221,302	\$63,751	\$285,053	\$0	\$285,053
	899	Dogweed, ashy (<i>Thymo-</i> <i>phylla tephroleuca</i>)	E	\$12,000	\$2,000	\$14,000	\$200	\$14,200
	688	Dropwort, Canby's (<i>Oxypholis canbyi</i>)	E	\$21,000	\$4,127	\$25,127	\$15,662	\$40,789
	861	Dudleya, Conejo (<i>Dud-</i> <i>leya abramsii</i> ssp. <i>parva</i>)	T	\$15,908	\$1,000	\$16,908	\$0	\$16,908
	824	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$19,362	\$1,000	\$20,362	\$0	\$20,362
	987	Dudleya, Santa Clara Valley (<i>Dudleya</i> <i>setchellii</i>)	E	\$8,335	\$0	\$8,335	\$0	\$8,335
	902	Dudleya, Santa Cruz Island (<i>Dudleya</i> <i>nesiotica</i>)	T	\$6,775	\$7,307	\$14,082	\$0	\$14,082
	734	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$30,914	\$1,000	\$31,914	\$0	\$31,914
	841	Dudleyea, Santa Monica Mountains (<i>Dudleya</i> <i>cymosa</i> ssp. <i>ovatifolia</i>)	T	\$17,350	\$1,000	\$18,350	\$0	\$18,350
	1015	Dwarf-flax, Marin (<i>Hesperolinon</i> <i>congestum</i>)	T	\$1,835	\$5,000	\$6,835	\$0	\$6,835
	1120	Erubia (<i>Solanum</i> <i>drymophilum</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	456	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$66,696	\$29,800	\$96,496	\$0	\$96,496
	736	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>)	E	\$14,738	\$17,000	\$31,738	\$0	\$31,738
	626	Evening-primrose, San Benito (<i>Camissonia</i> <i>benitensis</i>)	T	\$13,030	\$40,000	\$53,030	\$0	\$53,030
	963	Fiddleneck, large- flowered (<i>Amsinckia</i> <i>grandiflora</i>)	E	\$8,679	\$800	\$9,479	\$0	\$9,479
	659	Flannelbush, Mexican (<i>Fremontodendron</i> <i>mexicanum</i>)	E	\$10,658	\$35,581	\$46,239	\$0	\$46,239

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	854	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$8,523	\$9,000	\$17,523	\$0	\$17,523
	1032	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$4,800	\$100	\$4,900	\$1,000	\$5,900
	263	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$166,516	\$57,050	\$223,566	\$28,740	\$252,306
	857	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$15,000	\$2,000	\$17,000	\$300	\$17,300
	1061	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$1,500	\$1,311	\$2,811	\$1,600	\$4,411
	926	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$4,691	\$7,307	\$11,998	\$0	\$11,998
	136	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$145,936	\$744,100	\$890,036	\$0	\$890,036
	357	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$148,300	\$410	\$148,710	\$400	\$149,110
	677	Geranium, Hawaiian red- flowered (<i>Geranium arboreum</i>)	E	\$6,500	\$35,510	\$42,010	\$0	\$42,010
	997	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$650	\$1,120	\$1,770	\$5,900	\$7,670
	815	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$13,863	\$7,307	\$21,170	\$0	\$21,170
	709	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$0	\$36,754	\$36,754	\$0	\$36,754
	932	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$11,500	\$0	\$11,500	\$0	\$11,500
	1030	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$6,000	\$0	\$6,000	\$54	\$6,054
	971	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$7,400	\$1,553	\$8,953	\$100	\$9,053
	176	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$562,400	\$0	\$562,400	\$1,500	\$563,900
	826	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$7,000	\$13,000	\$20,000	\$0	\$20,000
	711	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$36,661	\$0	\$36,661	\$0	\$36,661
	310	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$133,615	\$44,800	\$178,415	\$0	\$178,415
	1051	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$2,000	\$2,800	\$4,800	\$0	\$4,800
	873	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$11,000	\$3,043	\$14,043	\$2,000	\$16,043
	895	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$12,923	\$1,400	\$14,323	\$0	\$14,323
	461	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$78,032	\$17,200	\$95,232	\$0	\$95,232
	553	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$70,847	\$1,000	\$71,847	\$0	\$71,847
	776	Grass, Tennessee yellow- eyed (<i>Xyris tennesseensis</i>)	E	\$15,500	\$2,860	\$18,360	\$7,500	\$25,860
	638	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$43,500	\$7,100	\$50,600	\$0	\$50,600

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	746	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$1,800	\$27,100	\$28,900	\$1,000	\$29,900
	962	Gumplant, Ash Meadows (<i>Grindelia fraxinopratenensis</i>)	T	\$9,500	\$0	\$9,500	\$0	\$9,500
	487	Haha (<i>Cyanea acuminata</i>)	E	\$4,200	\$81,933	\$86,133	\$0	\$86,133
	1048	Haha (<i>Cyanea asarifolia</i>)	E	\$4,600	\$0	\$4,600	\$400	\$5,000
	1081	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$3,100	\$0	\$3,100	\$300	\$3,400
	844	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$6,600	\$11,700	\$18,300	\$0	\$18,300
	369	Haha (<i>Cyanea dunbarii</i>)	E	\$143,400	\$0	\$143,400	\$100	\$143,500
	782	Haha (<i>Cyanea glabra</i>)	E	\$13,400	\$11,700	\$25,100	\$100	\$25,200
	880	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$15,000	\$300	\$15,300	\$100	\$15,400
	427	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$4,700	\$109,977	\$114,677	\$100	\$114,777
	813	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$19,700	\$0	\$19,700	\$1,700	\$21,400
	826	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$8,200	\$11,700	\$19,900	\$100	\$20,000
	527	Haha (<i>Cyanea humboldtiana</i>)	E	\$4,200	\$70,453	\$74,653	\$0	\$74,653
	526	Haha (<i>Cyanea koolauensis</i>)	E	\$4,400	\$70,453	\$74,853	\$0	\$74,853
	962	Haha (<i>Cyanea lobata</i>)	E	\$9,400	\$0	\$9,400	\$100	\$9,500
	435	Haha (<i>Cyanea longiflora</i>)	E	\$4,100	\$109,977	\$114,077	\$0	\$114,077
	1062	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$4,400	\$0	\$4,400	\$0	\$4,400
	1090	Haha (<i>Cyanea manni</i>)	E	\$2,800	\$0	\$2,800	\$0	\$2,800
	983	Haha (<i>Cyanea mceldowneyi</i>)	E	\$8,500	\$0	\$8,500	\$100	\$8,600
	1034	Haha (<i>Cyanea pinnatifida</i>)	E	\$5,600	\$0	\$5,600	\$100	\$5,700
	835	Haha (<i>Cyanea platyphylla</i>)	E	\$17,800	\$0	\$17,800	\$1,400	\$19,200
	1031	Haha (<i>Cyanea procera</i>)	E	\$5,600	\$0	\$5,600	\$400	\$6,000
	692	Haha (<i>Cyanea recta</i>)	T	\$40,500	\$0	\$40,500	\$0	\$40,500
	1081	Haha (<i>Cyanea remyi</i>)	E	\$3,400	\$0	\$3,400	\$0	\$3,400
	521	Haha (<i>Cyanea shipmanii</i>)	E	\$69,420	\$5,000	\$74,420	\$1,700	\$76,120
	523	Haha (<i>Cyanea st.-johnii</i>)	E	\$5,000	\$70,453	\$75,453	\$100	\$75,553
	708	Haha (<i>Cyanea stictophylla</i>)	E	\$28,300	\$7,061	\$35,361	\$1,700	\$37,061
	420	Haha (<i>Cyanea superba</i>)	E	\$6,300	\$109,977	\$116,277	\$100	\$116,377
	1060	Haha (<i>Cyanea truncata</i>)	E	\$4,400	\$0	\$4,400	\$100	\$4,500
	1074	Haha (<i>Cyanea undulata</i>)	E	\$3,700	\$0	\$3,700	\$100	\$3,800
	500	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$31,600	\$48,436	\$80,036	\$1,600	\$81,636
	799	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$9,000	\$1,050	\$10,050	\$12,600	\$22,650
	658	Harperella (<i>Ptilimum nodosum</i>)	E	\$22,550	\$21,154	\$43,704	\$2,662	\$46,366
	806	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$4,800	\$16,763	\$21,563	\$400	\$21,963
	812	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$7,300	\$12,526	\$19,826	\$1,700	\$21,526

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1060	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$4,400	\$0	\$4,400	\$100	\$4,500
	1096	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$2,400	\$0	\$2,400	\$0	\$2,400
	304	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$3,900	\$180,430	\$184,330	\$0	\$184,330
	636	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$15,200	\$34,321	\$49,521	\$1,600	\$51,121
	1083	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$3,300	\$0	\$3,300	\$0	\$3,300
	1016	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$6,800	\$0	\$6,800	\$0	\$6,800
	1060	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$4,400	\$0	\$4,400	\$100	\$4,500
	541	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$3,000	\$70,453	\$73,453	\$0	\$73,453
	904	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$12,300	\$0	\$12,300	\$1,600	\$13,900
	539	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$3,100	\$70,453	\$73,553	\$0	\$73,553
	619	Heartleaf, dwarf- flowered (<i>Hexastylis naniflora</i>)	T	\$10,000	\$9,004	\$19,004	\$35,608	\$54,612
	571	Heau (<i>Exocarpos luteolus</i>)	E	\$68,500	\$410	\$68,910	\$0	\$68,910
	917	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$12,300	\$410	\$12,710	\$100	\$12,810
	977	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$4,700	\$410	\$5,110	\$3,600	\$8,710
	1131	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1073	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$3,100	\$410	\$3,510	\$300	\$3,810
	1131	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	332	Honohono (<i>Haplostachys haplostachya</i>)	E	\$4,200	\$159,373	\$163,573	\$1,600	\$165,173
	309	Howellia, water (<i>Howellia aquatilis</i>)	T	\$34,639	\$115,059	\$149,698	\$32,656	\$182,354
	944	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$7,000	\$1,150	\$8,150	\$2,300	\$10,450
	1074	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$3,800	\$0	\$3,800	\$0	\$3,800
	881	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$11,400	\$410	\$11,810	\$3,500	\$15,310
	408	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$0	\$121,656	\$121,656	\$0	\$121,656
	956	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti- spiritus</i>)	E	\$9,800	\$0	\$9,800	\$0	\$9,800
	786	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$20,700	\$4,000	\$24,700	\$100	\$24,800
	907	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$11,500	\$0	\$11,500	\$2,031	\$13,531
	876	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$10,200	\$5,210	\$15,410	\$300	\$15,710
	872	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$16,049	\$0	\$16,049	\$0	\$16,049

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	875	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$4,500	\$800	\$5,300	\$10,600	\$15,900
	774	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$9,253	\$16,700	\$25,953	\$0	\$25,953
	915	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$12,923	\$0	\$12,923	\$0	\$12,923
	993	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$8,029	\$0	\$8,029	\$0	\$8,029
	819	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$15,600	\$3,300	\$18,900	\$2,000	\$20,900
	510	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$5,500	\$72,503	\$78,003	\$100	\$78,103
	761	Kamakahala (<i>Labordia lydgatei</i>)	E	\$6,500	\$21,083	\$27,583	\$100	\$27,683
	1083	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$3,300	\$0	\$3,300	\$0	\$3,300
	996	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$7,600	\$0	\$7,600	\$100	\$7,700
	1025	Kamakahala (<i>Labordia triflora</i>)	E	\$6,300	\$0	\$6,300	\$100	\$6,400
	326	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$58,200	\$110,387	\$168,587	\$0	\$168,587
	842	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$4,500	\$10,248	\$14,748	\$3,600	\$18,348
	466	Kauila (<i>Colubrina oppositifolia</i>)	E	\$43,600	\$47,936	\$91,536	\$1,600	\$93,136
	866	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$2,800	\$10,248	\$13,048	\$3,500	\$16,548
	339	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$3,100	\$159,373	\$162,473	\$300	\$162,773
	595	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$54,520	\$5,410	\$59,930	\$1,700	\$61,630
	1057	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$4,100	\$410	\$4,510	\$100	\$4,610
	640	Koki`o (<i>Kokia drynarioides</i>)	E	\$7,700	\$40,820	\$48,520	\$1,700	\$50,220
	848	Koki`o (<i>Kokia kauaiensis</i>)	E	\$4,600	\$9,838	\$14,438	\$3,500	\$17,938
	365	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$139,100	\$5,320	\$144,420	\$0	\$144,420
	755	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$4,300	\$21,083	\$25,383	\$3,500	\$28,883
	1050	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$4,300	\$410	\$4,710	\$100	\$4,810
	525	Kolea (<i>Myrsine juddii</i>)	E	\$3,900	\$71,273	\$75,173	\$0	\$75,173
	573	Kolea (<i>Myrsine linearifolia</i>)	T	\$42,800	\$21,083	\$63,883	\$3,500	\$67,383
	1041	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$4,800	\$410	\$5,210	\$100	\$5,310
	879	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$3,000	\$12,520	\$15,520	\$0	\$15,520
	377	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$141,000	\$0	\$141,000	\$0	\$141,000
	821	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$11,300	\$7,910	\$19,210	\$1,300	\$20,510
	943	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$8,100	\$820	\$8,920	\$1,600	\$10,520

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	381	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$113,200	\$23,400	\$136,600	\$300	\$136,900
	609	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$53,200	\$410	\$53,610	\$3,500	\$57,110
	1013	Kula wahine noho (<i>Isodendrion pyrifolium</i>)	E	\$4,300	\$910	\$5,210	\$1,700	\$6,910
	423	Kulu'i (<i>Nototrichium humile</i>)	E	\$3,400	\$112,387	\$115,787	\$0	\$115,787
	1074	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$2,700	\$100	\$2,800	\$1,000	\$3,800
	700	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$500	\$37,700	\$38,200	\$300	\$38,500
	161	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$185,349	\$482,128	\$667,477	\$31,695	\$699,172
	741	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$30,556	\$0	\$30,556	\$0	\$30,556
	545	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$0	\$73,051	\$73,051	\$0	\$73,051
	1132	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$918	\$0	\$918	\$0	\$918
	797	Lau`ehu (<i>Panicum niihauense</i>)	E	\$12,900	\$10,248	\$23,148	\$100	\$23,248
	1076	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$3,300	\$410	\$3,710	\$0	\$3,710
	394	Layia, beach (<i>Layia carnosa</i>)	E	\$54,072	\$74,800	\$128,872	\$0	\$128,872
	792	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$1,000	\$12,442	\$13,442	\$10,600	\$24,042
	868	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$11,500	\$0	\$11,500	\$5,000	\$16,500
	1130	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$900	\$105	\$1,005	\$0	\$1,005
	680	Lessingia, San Francisco (<i>Lessingia germanorum</i> (= <i>L.g.</i> var. <i>germanorum</i>))	E	\$36,934	\$5,000	\$41,934	\$0	\$41,934
	686	Liliwai (<i>Acaena exigua</i>)	E	\$40,800	\$410	\$41,210	\$0	\$41,210
	765	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$27,300	\$0	\$27,300	\$0	\$27,300
	803	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$22,226	\$0	\$22,226	\$0	\$22,226
	259	Lily, Western (<i>Lilium occidentale</i>)	E	\$247,198	\$15,650	\$262,848	\$0	\$262,848
	1119	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$1,520	\$0	\$1,520	\$0	\$1,520
	1004	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	908	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$12,200	\$0	\$12,200	\$1,300	\$13,500
	235	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$228,789	\$81,900	\$310,689	\$0	\$310,689
	314	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$18,000	\$153,645	\$171,645	\$4,250	\$175,895
	1007	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$2,197	\$0	\$2,197	\$5,000	\$7,197

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1063	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$3,900	\$410	\$4,310	\$0	\$4,310
	964	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$4,500	\$4,570	\$9,070	\$400	\$9,470
	433	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$4,200	\$109,977	\$114,177	\$0	\$114,177
	370	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$142,500	\$0	\$142,500	\$100	\$142,600
	1090	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$2,800	\$0	\$2,800	\$0	\$2,800
	1117	Lo`ulu (<i>Pritchardia remota</i>)	E	\$1,600	\$0	\$1,600	\$0	\$1,600
	893	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$12,800	\$0	\$12,800	\$1,700	\$14,500
	991	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$4,500	\$0	\$4,500	\$3,600	\$8,100
	1040	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$1,835	\$3,500	\$5,335	\$0	\$5,335
	181	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (= <i>oreganus</i>) ssp. <i>kincaidii</i>)	T	\$460,184	\$76,599	\$536,783	\$0	\$536,783
	950	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$10,007	\$0	\$10,007	\$0	\$10,007
	403	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$85,500	\$1,050	\$86,550	\$37,700	\$124,250
	298	Mahoe (<i>Alectryon macroccus</i>)	E	\$67,100	\$120,225	\$187,325	\$100	\$187,425
	982	Makou (<i>Peucedanum sandwicense</i>)	T	\$4,200	\$910	\$5,110	\$3,500	\$8,610
	1004	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	1004	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	924	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$8,794	\$3,400	\$12,194	\$0	\$12,194
	1043	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$5,200	\$0	\$5,200	\$0	\$5,200
	696	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$39,000	\$0	\$39,000	\$0	\$39,000
	689	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$38,250	\$2,000	\$40,250	\$500	\$40,750
	1049	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$4,780	\$200	\$4,980	\$0	\$4,980
	454	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$96,943	\$1,300	\$98,243	\$0	\$98,243
	1068	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$331	\$3,735	\$4,066	\$0	\$4,066
	852	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$17,583	\$0	\$17,583	\$0	\$17,583
	1001	Manzanita, Presidio (<i>Arctostaphylos hookeri var. ravenii</i>)	E	\$1,491	\$6,000	\$7,491	\$0	\$7,491
	960	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$0	\$9,607	\$9,607	\$0	\$9,607
	789	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$2,800	\$21,493	\$24,293	\$0	\$24,293

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	946	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$10,323	\$0	\$10,323	\$0	\$10,323
	334	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$44,800	\$117,987	\$162,787	\$1,700	\$164,487
	1091	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$1,900	\$820	\$2,720	\$0	\$2,720
	552	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$1,500	\$70,453	\$71,953	\$0	\$71,953
	564	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$69,750	\$1,000	\$70,750	\$0	\$70,750
	297	Meadowfoam, large- flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$187,295	\$500	\$187,795	\$0	\$187,795
	804	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$22,120	\$0	\$22,120	\$0	\$22,120
	914	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$7,000	\$2,792	\$9,792	\$3,154	\$12,946
	278	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$63,900	\$141,308	\$205,208	\$5,200	\$210,408
	478	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$88,361	\$200	\$88,561	\$0	\$88,561
	375	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$89,879	\$51,654	\$141,533	\$0	\$141,533
	543	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$62,712	\$10,500	\$73,212	\$0	\$73,212
	1012	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
	921	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$6,076	\$6,465	\$12,541	\$0	\$12,541
	870	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$16,288	\$0	\$16,288	\$0	\$16,288
	221	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$24,413	\$314,000	\$338,413	\$0	\$338,413
	1000	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$7,397	\$100	\$7,497	\$0	\$7,497
	890	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$3,799	\$11,000	\$14,799	\$0	\$14,799
	1080	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$3,500	\$0	\$3,500	\$0	\$3,500
	1011	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$521	\$6,500	\$7,021	\$0	\$7,021
	1045	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$5,000	\$100	\$5,100	\$0	\$5,100
	869	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$14,000	\$1,350	\$15,350	\$1,000	\$16,350
	839	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$16,740	\$0	\$16,740	\$2,000	\$18,740
	283	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$33,031	\$171,504	\$204,535	\$0	\$204,535
	1020	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$2,705	\$3,900	\$6,605	\$0	\$6,605

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	788	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$1,678	\$22,750	\$24,428	\$0	\$24,428
	444	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$15,568	\$88,100	\$103,668	\$1,000	\$104,668
	468	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$31,000	\$60,200	\$91,200	\$1,000	\$92,200
	605	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$6,000	\$52,176	\$58,176	\$0	\$58,176
	795	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$15,056	\$8,200	\$23,256	\$0	\$23,256
	862	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$14,161	\$2,735	\$16,896	\$0	\$16,896
	1067	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$2,000	\$1,000	\$3,000	\$1,100	\$4,100
	353	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$58,500	\$61,846	\$120,346	\$30,500	\$150,846
	834	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$0	\$17,500	\$17,500	\$1,900	\$19,400
	679	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$30,000	\$1,050	\$31,050	\$10,900	\$41,950
	785	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$11,500	\$800	\$12,300	\$12,600	\$24,900
	1099	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$1,000	\$1,311	\$2,311	\$0	\$2,311
	723	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$19,000	\$14,650	\$33,650	\$900	\$34,550
	600	Monardella, willowy (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	\$1,675	\$57,681	\$59,356	\$0	\$59,356
	1104	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$1,200	\$900	\$2,100	\$100	\$2,200
	744	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$24,500	\$2,706	\$27,206	\$2,800	\$30,006
	359	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$123,074	\$25,500	\$148,574	\$0	\$148,574
	1075	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$3,237	\$500	\$3,737	\$0	\$3,737
	936	Mustard, Carter's (<i>Warea carteri</i>)	E	\$9,000	\$1,411	\$10,411	\$600	\$11,011
	1123	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$1,274	\$50	\$1,324	\$0	\$1,324
	589	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$685	\$62,000	\$62,685	\$0	\$62,685
	1002	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$6,900	\$410	\$7,310	\$100	\$7,410
	532	Nanu (<i>Gardenia mannii</i>)	E	\$3,200	\$70,863	\$74,063	\$0	\$74,063
	919	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$10,200	\$2,410	\$12,610	\$0	\$12,610
	1079	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$3,556	\$0	\$3,556	\$0	\$3,556

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	942	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>pliantha</i>)	E	\$10,553	\$0	\$10,553	\$0	\$10,553
	190	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$290,111	\$191,205	\$481,316	\$0	\$481,316
	421	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$4,500	\$111,617	\$116,117	\$0	\$116,117
	1005	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$3,800	\$0	\$3,800	\$3,500	\$7,300
	999	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$7,400	\$0	\$7,400	\$100	\$7,500
	994	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$7,800	\$0	\$7,800	\$100	\$7,900
	965	Nehe (<i>Lipochaeta fauriei</i>)	E	\$3,400	\$2,460	\$5,860	\$3,500	\$9,360
	1060	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	1065	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$4,200	\$0	\$4,200	\$0	\$4,200
	1067	Nehe (<i>Lipochaeta micrantha</i>)	E	\$4,100	\$0	\$4,100	\$0	\$4,100
	435	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$4,100	\$109,977	\$114,077	\$0	\$114,077
	1012	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$3,500	\$0	\$3,500	\$3,500	\$7,000
	498	Nioi (<i>Eugenia koolauensis</i>)	E	\$4,200	\$78,331	\$82,531	\$0	\$82,531
	611	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$20,647	\$36,200	\$56,847	\$0	\$56,847
	978	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$8,600	\$0	\$8,600	\$100	\$8,700
	300	<i>Abutilon sandwicense</i> (=Sci name)	E	\$6,600	\$180,430	\$187,030	\$0	\$187,030
	874	<i>Achyranthes mutica</i> (=Sci name)	E	\$14,400	\$0	\$14,400	\$1,600	\$16,000
	438	<i>Alsinidendron obovatum</i> (=Sci name)	E	\$3,400	\$109,977	\$113,377	\$0	\$113,377
	544	<i>Alsinidendron trinerve</i> (=Sci name)	E	\$2,600	\$70,453	\$73,053	\$0	\$73,053
	893	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$11,000	\$0	\$11,000	\$3,500	\$14,500
	1077	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$100	\$3,700
	1094	<i>Aristida chaseae</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1037	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	464	<i>Bonamia menziesii</i> (=Sci name)	E	\$63,000	\$26,083	\$89,083	\$5,100	\$94,183
	1133	<i>Calyptanthus thomasiana</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900
	1120	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	1131	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1036	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$2,100	\$0	\$2,100	\$3,500	\$5,600
	1024	<i>Cordia bellonis</i> (=Sci name)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	1133	<i>Cranichis ricartii</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1060	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$4,400	\$0	\$4,400	\$100	\$4,500
	1048	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	843	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$4,900	\$9,838	\$14,738	\$3,600	\$18,338
	947	<i>Delissea undulata</i> (=Sci name)	E	\$8,500	\$0	\$8,500	\$1,700	\$10,200
	962	<i>Eugenia woodburyana</i> (=Sci name)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	1092	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$2,700	\$0	\$2,700	\$0	\$2,700
	695	<i>Geocarpon minimum</i> (=Sci name)	T	\$36,200	\$3,300	\$39,500	\$0	\$39,500
	1048	<i>Gesneria pauciflora</i> (=Sci name)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	1064	<i>Gouania hillebrandii</i> (=Sci name)	E	\$4,300	\$0	\$4,300	\$0	\$4,300
	994	<i>Gouania meyenii</i> (=Sci name)	E	\$4,400	\$0	\$4,400	\$3,500	\$7,900
	412	<i>Gouania vitifolia</i> (=Sci name)	E	\$8,900	\$109,977	\$118,877	\$1,700	\$120,577
	432	<i>Hedyotis degeneri</i> (=Sci name)	E	\$4,300	\$109,977	\$114,277	\$0	\$114,277
	424	<i>Hedyotis parvula</i> (=Sci name)	E	\$5,800	\$109,977	\$115,777	\$0	\$115,777
	503	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$9,500	\$70,453	\$79,953	\$0	\$79,953
	409	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$11,200	\$109,977	\$121,177	\$100	\$121,277
	1043	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$5,200	\$0	\$5,200	\$0	\$5,200
	1131	<i>Ilex sintenisii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1131	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	913	<i>Leptocereus grantianus</i> (=Sci name)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	331	<i>Lipochaeta venosa</i> (=Sci name)	E	\$4,700	\$158,963	\$163,663	\$1,600	\$165,263
	529	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$3,900	\$70,453	\$74,353	\$0	\$74,353
	1036	<i>Lobelia monostachya</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$100	\$5,600
	935	<i>Lobelia niuhauensis</i> (=Sci name)	E	\$11,100	\$0	\$11,100	\$0	\$11,100
	528	<i>Lobelia oahuensis</i> (=Sci name)	E	\$4,100	\$70,453	\$74,553	\$0	\$74,553
	1131	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1054	<i>Lysimachia filifolia</i> (=Sci name)	E	\$4,700	\$0	\$4,700	\$0	\$4,700
	1006	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$7,200	\$0	\$7,200	\$0	\$7,200
	1021	<i>Lysimachia maxima</i> (=Sci name)	E	\$6,500	\$0	\$6,500	\$100	\$6,600
	1092	<i>Mariscus fauriei</i> (=Sci name)	E	\$2,400	\$0	\$2,400	\$300	\$2,700
	1065	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$3,900	\$0	\$3,900	\$300	\$4,200
	1131	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1131	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	702	<i>Munroidendron racemosum</i> (=Sci name)	E	\$3,800	\$30,921	\$34,721	\$3,500	\$38,221
	1120	<i>Myrcia paganii</i> (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	429	<i>Neraudia angulata</i> (=Sci name)	E	\$4,500	\$109,977	\$114,477	\$0	\$114,477
	313	<i>Neraudia ovata</i> (=Sci name)	E	\$9,000	\$166,489	\$175,489	\$1,700	\$177,189
	959	<i>Neraudia sericea</i> (=Sci name)	E	\$9,700	\$0	\$9,700	\$0	\$9,700
	1074	<i>Nesogenes rotensis</i> (=Sci name)	E	\$3,700	\$0	\$3,700	\$100	\$3,800
	1087	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$3,000	\$0	\$3,000	\$100	\$3,100
	1087	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$3,100	\$0	\$3,100	\$0	\$3,100
	524	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$5,000	\$70,453	\$75,453	\$0	\$75,453
	1034	<i>Phyllostegia hispida</i> (=Sci name)	E	\$5,600	\$0	\$5,600	\$100	\$5,700
	430	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$4,300	\$109,977	\$114,277	\$100	\$114,377
	1067	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$100	\$4,100
	364	<i>Phyllostegia mannii</i> (=Sci name)	E	\$145,100	\$0	\$145,100	\$100	\$145,200
	988	<i>Phyllostegia mollis</i> (=Sci name)	E	\$8,300	\$0	\$8,300	\$0	\$8,300
	368	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$6,200	\$136,937	\$143,137	\$400	\$143,537
	608	<i>Phyllostegia velutina</i> (=Sci name)	E	\$56,920	\$0	\$56,920	\$300	\$57,220
	1070	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$3,900	\$0	\$3,900	\$100	\$4,000
	719	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$33,300	\$0	\$33,300	\$1,700	\$35,000
	1070	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$3,900	\$0	\$3,900	\$100	\$4,000
	576	<i>Platanthera holochila</i> (=Sci name)	E	\$66,000	\$200	\$66,200	\$100	\$66,300
	683	<i>Poa siphonoglossa</i> (=Sci name)	E	\$41,700	\$0	\$41,700	\$0	\$41,700
	1017	<i>Remya kauaiensis</i> (=Sci name)	E	\$3,200	\$0	\$3,200	\$3,500	\$6,700
	662	<i>Remya montgomeryi</i> (=Sci name)	E	\$41,800	\$0	\$41,800	\$3,500	\$45,300
	426	<i>Sanicula mariversa</i> (=Sci name)	E	\$5,500	\$109,977	\$115,477	\$0	\$115,477
	513	<i>Sanicula purpurea</i> (=Sci name)	E	\$7,100	\$70,453	\$77,553	\$0	\$77,553
	628	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$5,700	\$46,800	\$52,500	\$0	\$52,500
	1064	<i>Schiedea helleri</i> (=Sci name)	E	\$4,200	\$0	\$4,200	\$100	\$4,300
	1036	<i>Schiedea hookeri</i> (=Sci name)	E	\$5,400	\$200	\$5,600	\$0	\$5,600
	417	<i>Schiedea kaalae</i> (=Sci name)	E	\$4,600	\$111,977	\$116,577	\$100	\$116,677
	753	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$4,600	\$21,083	\$25,683	\$3,600	\$29,283
	1090	<i>Schiedea lydgatei</i> (=Sci name)	E	\$2,800	\$0	\$2,800	\$0	\$2,800
	665	<i>Schiedea membranacea</i> (=Sci name)	E	\$41,400	\$0	\$41,400	\$3,500	\$44,900

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	398	<i>Schiedea nuttallii</i> (=Sci name)	E	\$12,400	\$109,977	\$122,377	\$3,600	\$125,977
	1087	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$3,100	\$0	\$3,100	\$0	\$3,100
	912	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$3,200	\$9,838	\$13,038	\$0	\$13,038
	1094	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$2,500	\$0	\$2,500	\$0	\$2,500
	953	<i>Schiedea verticillata</i> (=Sci name)	E	\$9,900	\$0	\$9,900	\$0	\$9,900
	1037	<i>Schoepfia arenaria</i> (=Sci name)	T	\$5,500	\$0	\$5,500	\$0	\$5,500
	1025	<i>Silene alexandri</i> (=Sci name)	E	\$6,300	\$0	\$6,300	\$100	\$6,400
	325	<i>Silene hawaiiensis</i> (=Sci name)	T	\$2,900	\$166,024	\$168,924	\$300	\$169,224
	327	<i>Silene lanceolata</i> (=Sci name)	E	\$8,400	\$158,963	\$167,363	\$300	\$167,663
	1045	<i>Silene perlmanii</i> (=Sci name)	E	\$5,100	\$0	\$5,100	\$0	\$5,100
	287	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$34,000	\$163,296	\$197,296	\$300	\$197,596
	329	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$5,400	\$158,963	\$164,363	\$1,600	\$165,963
	1032	<i>Stenogyne bifida</i> (=Sci name)	E	\$5,800	\$0	\$5,800	\$100	\$5,900
	1064	<i>Stenogyne campanulata</i> (=Sci name)	E	\$4,200	\$0	\$4,200	\$100	\$4,300
	542	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$2,800	\$70,453	\$73,253	\$0	\$73,253
	1133	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900
	336	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$3,900	\$158,963	\$162,863	\$300	\$163,163
	437	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$3,600	\$109,977	\$113,577	\$0	\$113,577
	1027	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$6,200	\$0	\$6,200	\$100	\$6,300
	1060	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,400	\$0	\$4,400	\$100	\$4,500
	891	<i>Tetramolopium rockii</i> (=Sci name)	T	\$14,700	\$0	\$14,700	\$0	\$14,700
	1086	<i>Trematolobelia singularis</i> (=Sci name)	E	\$3,200	\$0	\$3,200	\$0	\$3,200
	1131	<i>Vernonia proctorii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	296	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$28,000	\$158,963	\$186,963	\$1,600	\$188,563
	1006	<i>Viola helenae</i> (Sci name)	E	\$7,100	\$0	\$7,100	\$100	\$7,200
	1077	<i>Viola lanaiensis</i> (=Sci name)	E	\$3,700	\$0	\$3,700	\$0	\$3,700
	536	<i>Viola oahuensis</i> (=Sci name)	E	\$3,300	\$70,453	\$73,753	\$0	\$73,753
	673	<i>Xylosma crenatum</i> (=Sci name)	E	\$42,300	\$0	\$42,300	\$100	\$42,400
	742	Nohoanu (<i>Geranium multiflorum</i>)	E	\$6,500	\$23,810	\$30,310	\$0	\$30,310
	998	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$7,500	\$0	\$7,500	\$100	\$7,600
	672	Oha (<i>Delissea rivularis</i>)	E	\$41,700	\$820	\$42,520	\$100	\$42,620
	420	Oha (<i>Delissea subcordata</i>)	E	\$6,300	\$109,977	\$116,277	\$100	\$116,377

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	534	Ohai (<i>Sesbania tomentosa</i>)	E	\$54,200	\$19,302	\$73,502	\$300	\$73,802
	729	Olulu (<i>Brighamia insignis</i>)	E	\$12,700	\$19,748	\$32,448	\$100	\$32,548
	928	Onion, Munz's (<i>Allium munzii</i>)	E	\$9,100	\$2,735	\$11,835	\$0	\$11,835
	514	Opuhe (<i>Urera kaalae</i>)	E	\$6,200	\$70,863	\$77,063	\$100	\$77,163
	289	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$138,847	\$46,203	\$185,050	\$11,600	\$196,650
	245	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$195,925	\$88,880	\$284,805	\$7,520	\$292,325
	373	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$90,170	\$51,853	\$142,023	\$0	\$142,023
	627	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$51,079	\$1,600	\$52,679	\$0	\$52,679
	794	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$22,460	\$1,000	\$23,460	\$0	\$23,460
	927	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$8,794	\$3,100	\$11,894	\$0	\$11,894
	269	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$90,855	\$135,400	\$226,255	\$0	\$226,255
	450	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$65,296	\$34,800	\$100,096	\$0	\$100,096
	488	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$7,112	\$79,000	\$86,112	\$0	\$86,112
	547	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$10,817	\$62,000	\$72,817	\$0	\$72,817
	141	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$730,513	\$128,011	\$858,524	\$0	\$858,524
	979	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$0	\$8,657	\$8,657	\$0	\$8,657
	903	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$13,841	\$200	\$14,041	\$0	\$14,041
	1131	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1131	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1108	Palo de nigua (<i>Cornutia obovata</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1133	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$900	\$0	\$900	\$0	\$900
	831	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$19,500	\$0	\$19,500	\$0	\$19,500
	1098	Pamakani (<i>Tetramolopium capillare</i>)	E	\$1,500	\$820	\$2,320	\$0	\$2,320
	436	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$4,000	\$109,977	\$113,977	\$0	\$113,977
	949	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$6,600	\$3,410	\$10,010	\$0	\$10,010
	938	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$8,000	\$800	\$8,800	\$1,995	\$10,795
	783	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$10,500	\$1,904	\$12,404	\$12,600	\$25,004
	865	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$13,000	\$1,050	\$14,050	\$2,500	\$16,550

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1127	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
	999	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	340	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$0	\$160,946	\$160,946	\$0	\$160,946
	272	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$85,429	\$131,574	\$217,003	\$1,000	\$218,003
	718	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$9,138	\$26,000	\$35,138	\$0	\$35,138
	1109	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$1,835	\$100	\$1,935	\$0	\$1,935
	913	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	882	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$3,000	\$12,300	\$15,300	\$0	\$15,300
	1004	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	817	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$14,795	\$6,250	\$21,045	\$0	\$21,045
	301	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$4,500	\$182,500	\$187,000	\$0	\$187,000
	540	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$72,335	\$1,200	\$73,535	\$0	\$73,535
	703	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$8,000	\$26,150	\$34,150	\$4,016	\$38,166
	969	Pilo (<i>Hedyotis mannii</i>)	E	\$8,700	\$410	\$9,110	\$100	\$9,210
	399	Pink, swamp (<i>Helonias bullata</i>)	T	\$57,958	\$61,275	\$119,233	\$6,527	\$125,760
	668	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$16,500	\$24,900	\$41,400	\$1,920	\$43,320
	473	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$36,426	\$54,505	\$90,931	\$0	\$90,931
	1138	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$500	\$0	\$500	\$100	\$600
	773	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$21,000	\$5,000	\$26,000	\$0	\$26,000
	871	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$4,000	\$7,605	\$11,605	\$4,577	\$16,182
	900	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$10,500	\$3,500	\$14,000	\$177	\$14,177
	728	Plum, scrub (<i>Prunus geniculata</i>)	E	\$14,000	\$16,411	\$30,411	\$2,200	\$32,611
	384	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$39,900	\$91,025	\$130,925	\$5,658	\$136,583
	458	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$8,000	\$75,311	\$83,311	\$12,900	\$96,211
	1078	Polygala, tiny (<i>Polygala smallii</i>)	E	\$1,500	\$1,000	\$2,500	\$1,100	\$3,600
	863	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$16,678	\$0	\$16,678	\$0	\$16,678
	205	Pondberry (<i>Lindera melissifolia</i>)	E	\$70,400	\$299,319	\$369,719	\$17,591	\$387,310
	414	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$65,958	\$53,200	\$119,158	\$0	\$119,158
	333	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$5,000	\$159,373	\$164,373	\$400	\$164,773

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	390	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$2,800	\$130,000	\$132,800	\$0	\$132,800
	1110	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$500	\$100	\$600	\$1,200	\$1,800
	265	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$22,400	\$223,110	\$245,510	\$0	\$245,510
	957	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$9,781	\$0	\$9,781	\$0	\$9,781
	315	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$5,200	\$169,573	\$174,773	\$0	\$174,773
	480	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$38,000	\$48,250	\$86,250	\$1,600	\$87,850
	1066	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$2,000	\$1,050	\$3,050	\$1,100	\$4,150
	1131	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	778	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$1,500	\$24,000	\$25,500	\$0	\$25,500
	352	Pua`ala (<i>Brighamia rockii</i>)	E	\$142,900	\$7,910	\$150,810	\$100	\$150,910
	925	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$9,074	\$3,000	\$12,074	\$0	\$12,074
	462	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$12,300	\$82,363	\$94,663	\$0	\$94,663
	678	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$29,500	\$0	\$29,500	\$12,500	\$42,000
	1136	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$0	\$765	\$765	\$0	\$765
	891	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$6,000	\$8,700	\$14,700	\$0	\$14,700
	481	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$77,000	\$10,200	\$87,200	\$0	\$87,200
	966	Remya, Maui (<i>Remya mauiensis</i>)	E	\$8,800	\$410	\$9,210	\$100	\$9,310
	730	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$2,500	\$27,200	\$29,700	\$2,600	\$32,300
	1060	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	809	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$13,000	\$8,850	\$21,850	\$0	\$21,850
	1004	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$0	\$7,307	\$7,307	\$0	\$7,307
	725	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$24,000	\$9,050	\$33,050	\$0	\$33,050
	853	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$6,400	\$11,131	\$17,531	\$0	\$17,531
	321	Rock-cress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$0	\$171,148	\$171,148	\$0	\$171,148
	645	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$14,500	\$24,900	\$39,400	\$9,800	\$49,200
	716	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$24,000	\$11,409	\$35,409	\$0	\$35,409
	976	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$5,000	\$1,050	\$6,050	\$2,700	\$8,750
	918	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$8,000	\$1,050	\$9,050	\$3,716	\$12,766

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	980	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$8,100	\$553	\$8,653	\$0	\$8,653
	644	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$45,000	\$4,500	\$49,500	\$300	\$49,800
	591	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$55,187	\$7,307	\$62,494	\$0	\$62,494
	1077	Sand-verbena, large- fruited (<i>Abronia</i> <i>macrocarpa</i>)	E	\$2,600	\$1,000	\$3,600	\$100	\$3,700
	625	Sandalwood, Lanai (= 'ilihi) (<i>Santalum</i> <i>freycinetianum</i> var. <i>lanaiense</i>)	E	\$52,800	\$410	\$53,210	\$0	\$53,210
	766	Sandlace (<i>Polygonella</i> <i>myriophylla</i>)	E	\$7,500	\$18,911	\$26,411	\$859	\$27,270
	547	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$10,817	\$62,000	\$72,817	\$0	\$72,817
	769	Sandwort, Cumberland (<i>Arenaria</i> <i>cumberlandensis</i>)	E	\$16,500	\$10,300	\$26,800	\$0	\$26,800
	561	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$47,529	\$23,491	\$71,020	\$0	\$71,020
	1116	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$1,100	\$410	\$1,510	\$100	\$1,610
	618	Seablite, California (<i>Suaeda californica</i>)	E	\$54,427	\$200	\$54,627	\$0	\$54,627
	53	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$1,000	\$5,694,822	\$5,695,822	\$0	\$5,695,822
	559	Sedge, golden (<i>Carex</i> <i>lutea</i>)	E	\$71,000	\$0	\$71,000	\$254	\$71,254
	1100	Sedge, Navajo (<i>Carex</i> <i>specuicola</i>)	T	\$1,000	\$300	\$1,300	\$1,000	\$2,300
	737	Sedge, white (<i>Carex</i> <i>albida</i>)	E	\$31,206	\$0	\$31,206	\$0	\$31,206
	556	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium</i> <i>kauense</i>)	E	\$21,300	\$48,523	\$69,823	\$1,600	\$71,423
	646	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$16,500	\$31,100	\$47,600	\$1,550	\$49,150
	406	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$22,500	\$97,912	\$120,412	\$1,500	\$121,912
	722	Snakeroot (<i>Eryngium</i> <i>cuneifolium</i>)	E	\$6,000	\$24,150	\$30,150	\$4,416	\$34,566
	617	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$16,400	\$35,000	\$51,400	\$3,400	\$54,800
	801	Snowbells, Texas (<i>Styrax</i> <i>texanus</i>)	E	\$12,500	\$0	\$12,500	\$10,100	\$22,600
	749	Spineflower, Ben Lomond (<i>Chorizanthe</i> <i>pungens</i> var. <i>hartwegiana</i>)	E	\$29,634	\$0	\$29,634	\$0	\$29,634
	974	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	650	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$11,699	\$37,005	\$48,704	\$0	\$48,704
	1035	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$4,177	\$1,481	\$5,658	\$0	\$5,658
	621	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$44,972	\$8,950	\$53,922	\$0	\$53,922

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	306	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$472	\$182,858	\$183,330	\$0	\$183,330
	933	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$4,359	\$7,100	\$11,459	\$0	\$11,459
	446	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$83,700	\$17,827	\$101,527	\$2,500	\$104,027
	1058	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$3,000	\$1,000	\$4,000	\$600	\$4,600
	973	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$6,500	\$1,442	\$7,942	\$1,100	\$9,042
	632	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$50,391	\$1,400	\$51,791	\$0	\$51,791
	992	Spurge, telephus (<i>Euphorbia telephoides</i>)	T	\$4,500	\$3,555	\$8,055	\$0	\$8,055
	441	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$33,600	\$76,886	\$110,486	\$0	\$110,486
	1044	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$5,162	\$0	\$5,162	\$0	\$5,162
	307	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$18,500	\$130,262	\$148,762	\$34,550	\$183,312
	422	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$56,100	\$59,700	\$115,800	\$0	\$115,800
	635	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$6,500	\$44,801	\$51,301	\$0	\$51,301
	374	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$97,322	\$44,360	\$141,682	\$200	\$141,882
	1023	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$6,423	\$100	\$6,523	\$0	\$6,523
	276	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$37,000	\$96,890	\$133,890	\$79,854	\$213,744
	962	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$9,500	\$0	\$9,500	\$0	\$9,500
	967	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$9,273	\$0	\$9,273	\$0	\$9,273
	592	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$0	\$62,000	\$62,000	\$0	\$62,000
	411	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$12,339	\$108,400	\$120,739	\$0	\$120,739
	379	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$102,460	\$34,715	\$137,175	\$0	\$137,175
	867	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$16,528	\$0	\$16,528	\$0	\$16,528
	371	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$142,454	\$100	\$142,554	\$0	\$142,554
	1055	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$662	\$4,015	\$4,677	\$0	\$4,677
	916	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$12,617	\$200	\$12,817	\$0	\$12,817
	330	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$120,444	\$45,015	\$165,459	\$0	\$165,459

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1053	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$4,703	\$0	\$4,703	\$0	\$4,703
	629	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$23,900	\$26,460	\$50,360	\$1,800	\$52,160
	282	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$155,000	\$50,000	\$205,000	\$0	\$205,000
	922	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$12,421	\$0	\$12,421	\$0	\$12,421
	790	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$22,608	\$1,581	\$24,189	\$0	\$24,189
	1143	Thornmint, San Mateo (<i>Acanthomintha obovata ssp. duttonii</i>)	E	\$0	\$200	\$200	\$0	\$200
	517	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$2,000	\$74,828	\$76,828	\$0	\$76,828
	802	Trillium, persistent (<i>Trillium persistens</i>)	E	\$0	\$20,000	\$20,000	\$2,500	\$22,500
	614	Trillium, relict (<i>Trillium reliquum</i>)	E	\$22,500	\$31,757	\$54,257	\$2,500	\$56,757
	401	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$65,700	\$59,000	\$124,700	\$0	\$124,700
	587	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$24,144	\$38,950	\$63,094	\$0	\$63,094
	342	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$35,800	\$118,519	\$154,319	\$5,200	\$159,519
	1131	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1127	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$0	\$1,200	\$1,200	\$0	\$1,200
	896	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$12,500	\$410	\$12,910	\$1,400	\$14,310
	780	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$11,800	\$9,910	\$21,710	\$3,600	\$25,310
	807	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$21,904	\$0	\$21,904	\$0	\$21,904
	485	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$57,765	\$29,000	\$86,765	\$0	\$86,765
	694	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$40,000	\$0	\$40,000	\$0	\$40,000
	1108	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1008	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$4,500	\$1,311	\$5,811	\$1,380	\$7,191
	1088	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$1,000	\$500	\$1,500	\$1,500	\$3,000
	255	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana var. recurva</i>)	E	\$115,447	\$157,600	\$273,047	\$1,000	\$274,047
	1089	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$1,000	\$1,311	\$2,311	\$600	\$2,911
	505	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$47,043	\$32,125	\$79,168	\$0	\$79,168
	884	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$10,000	\$1,450	\$11,450	\$3,659	\$15,109
	684	wild buckwheat, clay- loving (<i>Eriogonum pelinophilum</i>)	E	\$5,500	\$36,050	\$41,550	\$0	\$41,550
	1096	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$2,400	\$0	\$2,400	\$0	\$2,400

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	581	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$2,163	\$62,000	\$64,163	\$0	\$64,163
	262	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$229,686	\$4,100	\$233,786	\$28,200	\$261,986
	566	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$58,020	\$12,000	\$70,020	\$0	\$70,020
	641	Wireweed (<i>Polygonella basiramia</i>)	E	\$12,000	\$36,150	\$48,150	\$2,059	\$50,209
	545	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$0	\$73,051	\$73,051	\$0	\$73,051
	565	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$1,466	\$69,275	\$70,741	\$0	\$70,741
	407	Woolly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$67,529	\$54,200	\$121,729	\$0	\$121,729
	1046	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$2,053	\$3,000	\$5,053	\$0	\$5,053
	759	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$2,403	\$26,000	\$28,403	\$0	\$28,403
	471	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$54,000	\$1,050	\$55,050	\$36,000	\$91,050
	701	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$6,600	\$31,788	\$38,388	\$0	\$38,388
	1074	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$3,500	\$0	\$3,500	\$300	\$3,800
	623	`Aiakaekua, popolo (<i>Solanum sandwicense</i>)	E	\$49,400	\$410	\$49,810	\$3,600	\$53,410
	622	`Aiea (<i>Nothocestrum breviflorum</i>)	E	\$11,100	\$40,820	\$51,920	\$1,600	\$53,520
	675	`Aiea (<i>Nothocestrum peliatum</i>)	E	\$42,100	\$0	\$42,100	\$100	\$42,200
	410	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$6,700	\$114,437	\$121,137	\$0	\$121,137
	1077	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$3,700	\$0	\$3,700	\$0	\$3,700
	436	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$4,000	\$109,977	\$113,977	\$0	\$113,977
	989	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$8,200	\$0	\$8,200	\$0	\$8,200
	530	`Akoko (<i>Chamaesyce rockii</i>)	E	\$3,700	\$70,453	\$74,153	\$0	\$74,153
	850	`Akoko (<i>Euphorbia haeleleana</i>)	E	\$4,400	\$9,838	\$14,238	\$3,500	\$17,738
	846	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$17,600	\$410	\$18,010	\$0	\$18,010
	612	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$56,400	\$410	\$56,810	\$0	\$56,810
	751	`Anunu (<i>Sicyos alba</i>)	E	\$17,100	\$10,610	\$27,710	\$1,700	\$29,410
	372	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$138,800	\$3,410	\$142,210	\$0	\$142,210
	721	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$31,600	\$2,870	\$34,470	\$300	\$34,770

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	496	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$69,520	\$12,361	\$81,881	\$1,600	\$83,481
	1034	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,600	\$0	\$5,600	\$100	\$5,700
	1054	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$4,300	\$300	\$4,600	\$100	\$4,700
	557	`Oha wai (<i>Clermontia peleana</i>)	E	\$69,300	\$400	\$69,700	\$1,700	\$71,400
	631	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$45,200	\$5,000	\$50,200	\$1,700	\$51,900
	991	`Oha wai (<i>Clermontia samuelii</i>)	E	\$7,800	\$300	\$8,100	\$0	\$8,100
	519	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$5,500	\$70,863	\$76,363	\$0	\$76,363
Flowering Plants subtotal				\$17,658,356	\$27,003,966	\$44,662,322	\$1,108,877	\$45,771,199
Conifers and Cycads	1143	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$0	\$200	\$200	\$0	\$200
	910	Cypress, Santa Cruz (<i>Cupressus abramstiana</i>)	E	\$13,339	\$0	\$13,339	\$0	\$13,339
	555	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$37,500	\$23,700	\$61,200	\$10,400	\$71,600
Conifers and Cycads subtotal				\$50,839	\$23,900	\$74,739	\$10,400	\$85,139
Ferns and Allies	597	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$60,900	\$0	\$60,900	\$300	\$61,200
	1137	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$700	\$0	\$700	\$0	\$700
	1005	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$7,000	\$300	\$7,300	\$0	\$7,300
	1056	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$2,700	\$1,841	\$4,541	\$100	\$4,641
	1131	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	574	Fern, pendant kiihi (<i>Adenophorus periens</i>)	E	\$45,500	\$21,083	\$66,583	\$300	\$66,883
	975	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$8,800	\$0	\$8,800	\$0	\$8,800
	1133	<i>Adiantum vivesii</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900
	335	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$4,600	\$159,263	\$163,863	\$0	\$163,863
	1032	<i>Diellia falcata</i> (=Sci name)	E	\$5,900	\$0	\$5,900	\$0	\$5,900
	1054	<i>Diellia pallida</i> (=Sci name)	E	\$4,600	\$0	\$4,600	\$100	\$4,700
	1036	<i>Diellia unisora</i> (=Sci name)	E	\$5,600	\$0	\$5,600	\$0	\$5,600
	897	<i>Diplazium molokaiense</i> (=Sci name)	E	\$12,000	\$2,000	\$14,000	\$300	\$14,300
	1133	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900
	1133	<i>Polystichum calderonense</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900
	504	<i>Pteris lidgatei</i> (=Sci name)	E	\$9,000	\$70,453	\$79,453	\$0	\$79,453

Group	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1120	<i>Tectaria estremarana</i> (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	1131	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1131	<i>Thelypteris verecunda</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1131	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	989	Pauoa (<i>Ctenitis squamigera</i>)	E	\$7,900	\$300	\$8,200	\$0	\$8,200
	1062	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$2,500	\$400	\$2,900	\$1,500	\$4,400
	472	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$0	\$90,963	\$90,963	\$0	\$90,963
	1070	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$2,500	\$0	\$2,500	\$1,500	\$4,000
	1014	Wawaë`iole (<i>Huperzia mannii</i>)	E	\$6,600	\$300	\$6,900	\$0	\$6,900
	548	Wawaë`iole (<i>Lycopodium</i> (= <i>Phlegmariurus</i>) <i>nutans</i>)	E	\$2,200	\$70,453	\$72,653	\$0	\$72,653
Ferns and Allies subtotal				\$197,200	\$417,356	\$614,556	\$4,100	\$618,656
Lichens	518	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$7,000	\$65,150	\$72,150	\$4,300	\$76,450
	894	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$11,050	\$500	\$11,550	\$2,908	\$14,458
Lichens subtotal				\$18,050	\$65,650	\$83,700	\$7,208	\$90,908
Total Species Expenditures				\$148,498,404	\$1,044,532,419	\$1,193,030,823	\$50,236,998	\$1,243,267,821

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2009 REPORTED EXPENDITURES

Species are arranged in descending rank order by total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - fall Snake R.	T	\$76,426,121	\$76,426,121
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - middle Columbia R.	T	\$53,300,038	\$129,726,159
3	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Snake R. Basin	T	\$48,706,264	\$178,432,423
4	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - spring/summer Snake R.	T	\$42,991,913	\$221,424,336
5	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$41,385,379	\$262,809,715
6	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Columbia R. Basin	T	\$37,733,486	\$300,543,201
7	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$34,838,809	\$335,382,010
8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - spring upper Columbia R.	E	\$33,502,816	\$368,884,826
9	Woodpecker, red-cockaded (<i>Picooides borealis</i>)	E	\$25,435,817	\$394,320,643
10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - lower Columbia R.	T	\$25,121,503	\$419,442,146
11	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Snake River, ID stock wherever found.)	E	\$24,115,063	\$443,557,209
12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - upper Willamette R.	T	\$20,121,108	\$463,678,317
13	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound	T	\$20,042,547	\$483,720,864
14	Sturgeon, North American green (<i>Acipenser medirostris</i>) - U.S.A. (CA) Southern Distinct Population Segment	T	\$19,971,774	\$503,692,638
15	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - OR, CA pop.	T	\$19,263,929	\$522,956,567
16	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$18,725,568	\$541,682,135
17	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - lower Columbia R.	T	\$18,603,025	\$560,285,160
18	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Central Valley CA	T	\$17,464,599	\$577,749,759
19	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$17,372,401	\$595,122,160
20	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$16,492,556	\$611,614,716
21	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Willamette R.	T	\$16,460,614	\$628,075,330
22	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$15,394,389	\$643,469,719
23	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA Central Valley spring-run	T	\$15,171,650	\$658,641,369
24	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - winter Sacramento R.	E	\$14,806,849	\$673,448,218
25	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$13,498,646	\$686,946,864
26	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$13,304,204	\$700,251,068
27	Sucker, razorback (<i>Xyrauchen texanus</i>) - entire	E	\$12,859,508	\$713,110,576
28	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River	T	\$12,524,988	\$725,635,564
29	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN	E	\$12,451,853	\$738,087,417
30	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$11,496,300	\$749,583,717
31	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$10,382,133	\$759,965,850
32	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$10,256,927	\$770,222,777
33	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$10,155,813	\$780,378,590
34	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$9,992,054	\$790,370,644
35	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$9,871,384	\$800,242,028
36	Sturgeon, white (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$9,529,582	\$809,771,610
37	Chub, humpback (<i>Gila cypha</i>) - entire	E	\$8,981,685	\$818,753,295
38	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$8,397,119	\$827,150,414
39	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine Atlantic Salmon DPS	E	\$7,607,662	\$834,758,076
40	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$7,515,853	\$842,273,929
41	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$7,515,428	\$849,789,357
42	Frog, California red-legged (<i>Rana draytonii</i>) - subspecies range clarified	T	\$7,140,505	\$856,929,862
43	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - central CA coast	T	\$7,060,529	\$863,990,391
44	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Ozette Lake, WA)	T	\$6,922,648	\$870,913,039
45	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$6,713,710	\$877,626,749
46	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$6,557,037	\$884,183,786
47	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$6,556,340	\$890,740,126
48	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$6,497,341	\$897,237,467
49	Chub, bonytail (<i>Gila elegans</i>) - entire	E	\$6,324,500	\$903,561,967
50	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$6,258,492	\$909,820,459
51	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$5,827,651	\$915,648,110
52	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$5,802,421	\$921,450,531
53	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$5,695,822	\$927,146,353
54	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA coastal	T	\$5,587,806	\$932,734,159
55	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Puget Sound DPS	T	\$5,485,959	\$938,220,118

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
56	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$5,411,100	\$943,631,218
57	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$5,403,719	\$949,034,937
58	Wolf, gray (<i>Canis lupus</i>) - Lower 48 States, except MN and where EXPN. Mexico.	E	\$5,276,228	\$954,311,165
59	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,020,422	\$959,331,587
60	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - south central CA coast	T	\$5,005,224	\$964,336,811
61	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN	T	\$5,002,828	\$969,339,639
62	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$4,992,502	\$974,332,141
63	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$4,872,780	\$979,204,921
64	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - southern CA coast	E	\$4,790,896	\$983,995,817
65	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$4,680,510	\$988,676,327
66	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - northern CA	T	\$4,652,209	\$993,328,536
67	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$4,627,010	\$997,955,546
68	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$4,610,359	\$1,002,565,905
69	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$4,573,702	\$1,007,139,607
70	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - central CA coast	E	\$4,201,770	\$1,011,341,377
71	Panther, Florida (<i>Puma</i> (=Felis) <i>concolor coryi</i>)	E	\$4,038,779	\$1,015,380,156
72	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$3,990,517	\$1,019,370,673
73	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$3,746,687	\$1,023,117,360
74	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$3,690,813	\$1,026,808,173
75	Bear, polar (<i>Ursus maritimus</i>)	T	\$3,513,120	\$1,030,321,293
76	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$3,431,456	\$1,033,752,749
77	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$3,243,717	\$1,036,996,466
78	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$3,024,100	\$1,040,020,566
79	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,881,389	\$1,042,901,955
80	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$2,764,316	\$1,045,666,271
81	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$2,755,758	\$1,048,422,029
82	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$2,462,870	\$1,050,884,899
83	Bear, grizzly (<i>Ursus arctos horribilis</i>) - Yellowstone DPS	T	\$2,422,318	\$1,053,307,217
84	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$2,317,053	\$1,055,624,270
85	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,230,900	\$1,057,855,170
86	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$2,229,159	\$1,060,084,329
87	Bat, gray (<i>Myotis grisescens</i>)	E	\$2,175,639	\$1,062,259,968
88	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,131,596	\$1,064,391,564
89	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$2,131,335	\$1,066,522,899
90	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$2,108,454	\$1,068,631,353
91	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$2,076,874	\$1,070,708,227
92	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$2,062,161	\$1,072,770,388
93	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$2,001,133	\$1,074,771,521
94	Ferret, black-footed (<i>Mustela nigripes</i>) - entire population, except where EXPN	E	\$1,983,583	\$1,076,755,104
95	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$1,975,402	\$1,078,730,506
96	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,802,817	\$1,080,533,323
97	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$1,761,027	\$1,082,294,350
98	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$1,748,355	\$1,084,042,705
99	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,713,500	\$1,085,756,205
100	Wolf, gray (<i>Canis lupus</i>) - WY, ID, MT	EXPN	\$1,712,779	\$1,087,468,984
101	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$1,654,845	\$1,089,123,829
102	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$1,636,083	\$1,090,759,912
103	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,473,203	\$1,092,233,115
104	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,392,739	\$1,093,625,854
105	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$1,368,210	\$1,094,994,064
106	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,344,332	\$1,096,338,396
107	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$1,318,117	\$1,097,656,513
108	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$1,252,130	\$1,098,908,643
109	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$1,240,696	\$1,100,149,339
110	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$1,239,515	\$1,101,388,854
111	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. only	E	\$1,236,405	\$1,102,625,259
112	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$1,226,829	\$1,103,852,088
113	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$1,200,200	\$1,105,052,288
114	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$1,192,498	\$1,106,244,786
115	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	\$1,156,608	\$1,107,401,394

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
116	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$1,138,570	\$1,108,539,964
117	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$1,133,809	\$1,109,673,773
118	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$1,133,488	\$1,110,807,261
119	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$1,114,500	\$1,111,921,761
120	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$1,071,276	\$1,112,993,037
121	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$1,066,144	\$1,114,059,181
122	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$1,041,457	\$1,115,100,638
123	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,016,654	\$1,116,117,292
124	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$1,011,269	\$1,117,128,561
125	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of of Mobile/Tombigbee Rs.	T	\$1,000,970	\$1,118,129,531
126	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$978,308	\$1,119,107,839
127	Butterfly, Quino checkerspot (<i>Euphydryas editha quino (=E. e. wrighti)</i>)	E	\$973,785	\$1,120,081,624
128	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$973,774	\$1,121,055,398
129	Cui-ui (<i>Chasmistes cujus</i>)	E	\$968,697	\$1,122,024,095
130	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$952,795	\$1,122,976,890
131	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$937,177	\$1,123,914,067
132	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$921,558	\$1,124,835,625
133	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$898,328	\$1,125,733,953
134	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$898,005	\$1,126,631,958
135	Spikedace (<i>Meda fulgida</i>)	T	\$896,035	\$1,127,527,993
136	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$890,036	\$1,128,418,029
137	Chub, Virgin River (<i>Gila seminuda (=robusta)</i>)	E	\$879,044	\$1,129,297,073
138	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$877,306	\$1,130,174,379
139	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$870,833	\$1,131,045,212
140	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$863,084	\$1,131,908,296
141	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$858,524	\$1,132,766,820
142	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$847,295	\$1,133,614,115
143	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$827,075	\$1,134,441,190
144	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Santa Barbara County)	E	\$821,170	\$1,135,262,360
145	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	\$820,015	\$1,136,082,375
146	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$810,493	\$1,136,892,868
147	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$806,877	\$1,137,699,745
148	Minnnow, loach (<i>Tiaroga cobitis</i>)	T	\$798,585	\$1,138,498,330
149	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$796,453	\$1,139,294,783
150	Wolf, red (<i>Canis rufus</i>) - U.S.A. (portions of NC and TN)	EXPN	\$778,500	\$1,140,073,283
151	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$774,060	\$1,140,847,343
152	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$772,294	\$1,141,619,637
153	Otter, southern sea (<i>Enhydra lutris nereis</i>) - except where EXPN	T	\$769,606	\$1,142,389,243
154	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$753,715	\$1,143,142,958
155	Ferret, black-footed (<i>Mustela nigripes</i>) - U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$741,895	\$1,143,884,853
156	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$732,002	\$1,144,616,855
157	Snails, Oahu tree (<i>Achatinella spp.</i>)	E*	\$716,044	\$1,145,332,899
158	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$713,937	\$1,146,046,836
159	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$704,318	\$1,146,751,154
160	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$701,640	\$1,147,452,794
161	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$699,172	\$1,148,151,966
162	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$699,143	\$1,148,851,109
163	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$692,711	\$1,149,543,820
164	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$682,250	\$1,150,226,070
165	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$671,833	\$1,150,897,903
166	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$653,570	\$1,151,551,473
167	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$648,102	\$1,152,199,575
168	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$645,354	\$1,152,844,929
169	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$609,107	\$1,153,454,036
170	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Sonoma Co)	E	\$598,753	\$1,154,052,789
171	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$590,940	\$1,154,643,729
172	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$583,799	\$1,155,227,528
173	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$571,291	\$1,155,798,819
174	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$565,338	\$1,156,364,157

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
175	Wolf, gray (<i>Canis lupus</i>) - Western Great Lakes DPS	E	\$564,300	\$1,156,928,457
176	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$563,900	\$1,157,492,357
177	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$558,300	\$1,158,050,657
178	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$554,358	\$1,158,605,015
179	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$550,931	\$1,159,155,946
180	Pelican, brown (<i>Pelecanus occidentalis</i>) - except U.S. Atlantic coast, FL, AL	DM	\$545,106	\$1,159,701,052
181	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$536,783	\$1,160,237,835
182	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$530,786	\$1,160,768,621
183	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$523,919	\$1,161,292,540
184	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$521,018	\$1,161,813,558
185	Logperch, Roanoke (<i>Percina rex</i>)	E	\$520,648	\$1,162,334,206
186	Wolf, gray (<i>Canis lupus</i>) - Northern Rocky Mtns DPS - WY significant portion of the range	EXPN	\$514,965	\$1,162,849,171
187	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$494,139	\$1,163,343,310
188	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$485,065	\$1,163,828,375
189	Sucker, June (<i>Chasmistes liorus</i>)	E	\$482,100	\$1,164,310,475
190	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$481,316	\$1,164,791,791
191	Clubshell (<i>Pleurobema clava</i>) - Entire Range; Except where EXPN	E	\$468,000	\$1,165,259,791
192	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A. only	E	\$461,732	\$1,165,721,523
193	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$430,488	\$1,166,152,011
194	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$423,529	\$1,166,575,540
195	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - U.S.A., no central CO	T	\$420,345	\$1,166,995,885
196	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$411,378	\$1,167,407,263
197	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$406,405	\$1,167,813,668
198	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$404,844	\$1,168,218,512
199	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern California DPS	E	\$402,143	\$1,168,620,655
200	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$395,500	\$1,169,016,155
201	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$395,226	\$1,169,411,381
202	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$390,100	\$1,169,801,481
203	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$389,946	\$1,170,191,427
204	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$387,700	\$1,170,579,127
205	Pondberry (<i>Lindera melissifolia</i>)	E	\$387,310	\$1,170,966,437
206	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$379,862	\$1,171,346,299
207	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$374,489	\$1,171,720,788
208	Bear, grizzly (<i>Ursus arctos horribilis</i>) - experimental, non-essential, portions of ID and MT	EXPN	\$374,200	\$1,172,094,988
209	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$368,022	\$1,172,463,010
210	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$365,850	\$1,172,828,860
211	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$363,029	\$1,173,191,889
212	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$357,540	\$1,173,549,429
213	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$356,428	\$1,173,905,857
214	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$356,247	\$1,174,262,104
215	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$353,376	\$1,174,615,480
216	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$352,244	\$1,174,967,724
217	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$350,094	\$1,175,317,818
218	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$349,089	\$1,175,666,907
219	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$347,158	\$1,176,014,065
220	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$346,940	\$1,176,361,005
221	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$338,413	\$1,176,699,418
222	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$336,850	\$1,177,036,268
223	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$331,729	\$1,177,367,997
224	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$331,383	\$1,177,699,380
225	Crane, whooping (<i>Grus americana</i>) - U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$331,146	\$1,178,030,526
226	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$328,598	\$1,178,359,124
227	Crane, whooping (<i>Grus americana</i>) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$327,133	\$1,178,686,257
228	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$326,283	\$1,179,012,540
229	Pearlymussel, cracking (<i>Hemistena lata</i>) - Entire Range; Except where listed as Experimental Populations	E	\$324,280	\$1,179,336,820
230	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$318,232	\$1,179,655,052

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
231	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$315,947	\$1,179,970,999
232	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$315,350	\$1,180,286,349
233	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$314,100	\$1,180,600,449
234	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$312,097	\$1,180,912,546
235	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$310,689	\$1,181,223,235
236	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$309,709	\$1,181,532,944
237	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$306,429	\$1,181,839,373
238	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$303,513	\$1,182,142,886
239	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$302,823	\$1,182,445,709
240	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$300,392	\$1,182,746,101
241	trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$296,332	\$1,183,042,433
242	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$296,327	\$1,183,338,760
243	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$295,011	\$1,183,633,771
244	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$293,707	\$1,183,927,478
245	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$292,325	\$1,184,219,803
246	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$291,332	\$1,184,511,135
247	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$286,510	\$1,184,797,645
248	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$285,053	\$1,185,082,698
249	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$283,265	\$1,185,365,963
250	Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>)	E	\$282,420	\$1,185,648,383
251	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$281,317	\$1,185,929,700
252	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$280,463	\$1,186,210,163
253	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$279,561	\$1,186,489,724
254	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$277,200	\$1,186,766,924
255	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$274,047	\$1,187,040,971
256	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$272,862	\$1,187,313,833
257	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$268,846	\$1,187,582,679
258	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$264,918	\$1,187,847,597
259	Lily, Western (<i>Lilium occidentale</i>)	E	\$262,848	\$1,188,110,445
260	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$262,132	\$1,188,372,577
261	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$262,110	\$1,188,634,687
262	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$261,986	\$1,188,896,673
263	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$252,306	\$1,189,148,979
264	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$250,205	\$1,189,399,184
265	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$245,510	\$1,189,644,694
266	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$238,651	\$1,189,883,345
267	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$237,500	\$1,190,120,845
268	Minnnow, Devils River (<i>Dionda diaboli</i>)	T	\$237,176	\$1,190,358,021
269	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$226,255	\$1,190,584,276
270	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$223,889	\$1,190,808,165
271	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$222,979	\$1,191,031,144
272	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$218,003	\$1,191,249,147
273	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$216,983	\$1,191,466,130
274	Bat, Ozark big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii ingens</i>)	E	\$216,300	\$1,191,682,430
275	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$214,000	\$1,191,896,430
276	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$213,744	\$1,192,110,174
277	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$213,686	\$1,192,323,860
278	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$210,408	\$1,192,534,268
279	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - Entire Range; Except where EXPN	E	\$210,250	\$1,192,744,518
280	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) - entire	T	\$208,212	\$1,192,952,730
281	salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$205,117	\$1,193,157,847
282	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$205,000	\$1,193,362,847
283	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$204,535	\$1,193,567,382
284	Ambrosia, San Diego (<i>Ambrosia punila</i>)	E	\$204,425	\$1,193,771,807
285	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$201,400	\$1,193,973,207
285	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$201,400	\$1,194,174,607
286	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Entire Range; Except where EXPN	E	\$201,100	\$1,194,375,707
287	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$197,596	\$1,194,573,303
288	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$197,016	\$1,194,770,319
289	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$196,650	\$1,194,966,969
290	Jaguar (<i>Panthera onca</i>)	E	\$196,600	\$1,195,163,569
291	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$195,219	\$1,195,358,788

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
292	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$194,912	\$1,195,553,700
293	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$192,280	\$1,195,745,980
294	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$190,584	\$1,195,936,564
295	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$189,111	\$1,196,125,675
296	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$188,563	\$1,196,314,238
297	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$187,795	\$1,196,502,033
298	Mahoe (<i>Alectryon macrococcus</i>)	E	\$187,425	\$1,196,689,458
299	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$187,177	\$1,196,876,635
300	<i>Abutilon sandwicense</i> (=Sci name)	E	\$187,030	\$1,197,063,665
301	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$187,000	\$1,197,250,665
302	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$185,439	\$1,197,436,104
303	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$185,300	\$1,197,621,404
304	Ha'iwale (<i>Cyrtandra dentata</i>)	E	\$184,330	\$1,197,805,734
305	Mapleleaf, winged (<i>Quadrula fragosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$183,350	\$1,197,989,084
306	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$183,330	\$1,198,172,414
307	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$183,312	\$1,198,355,726
308	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$182,827	\$1,198,538,553
309	Howellia, water (<i>Howellia aquatilis</i>)	T	\$182,354	\$1,198,720,907
310	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$178,415	\$1,198,899,322
311	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$177,889	\$1,199,077,211
312	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$177,593	\$1,199,254,804
313	<i>Neraudia ovata</i> (=Sci name)	E	\$177,189	\$1,199,431,993
314	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$175,895	\$1,199,607,888
315	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$174,773	\$1,199,782,661
316	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$174,271	\$1,199,956,932
317	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$173,481	\$1,200,130,413
318	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$172,649	\$1,200,303,062
319	Pigtoe, shiny (<i>Fusconaia cor</i>) - Entire Range; Except where listed as EXPN	E	\$172,000	\$1,200,475,062
320	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Entire Range; Except where listed as EXPN	E	\$171,250	\$1,200,646,312
321	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$171,148	\$1,200,817,460
321	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$171,148	\$1,200,988,608
322	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$170,492	\$1,201,159,100
323	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>)	E	\$170,131	\$1,201,329,231
324	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$169,363	\$1,201,498,594
325	<i>Silene hawaiiensis</i> (=Sci name)	T	\$169,224	\$1,201,667,818
326	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$168,587	\$1,201,836,405
327	<i>Silene lanceolata</i> (=Sci name)	E	\$167,663	\$1,202,004,068
328	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>))	E	\$166,877	\$1,202,170,945
329	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$165,963	\$1,202,336,908
330	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$165,459	\$1,202,502,367
331	<i>Lipochaeta venosa</i> (=Sci name)	E	\$165,263	\$1,202,667,630
332	Honohono (<i>Haplostachys haplostachya</i>)	E	\$165,173	\$1,202,832,803
333	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$164,773	\$1,202,997,576
334	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$164,487	\$1,203,162,063
335	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$163,863	\$1,203,325,926
336	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$163,163	\$1,203,489,089
337	Aupaka (<i>Isodendron hosakae</i>)	E	\$162,993	\$1,203,652,082
338	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$162,900	\$1,203,814,982
339	Kio'ele (<i>Hedyotis coriacea</i>)	E	\$162,773	\$1,203,977,755
340	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$160,946	\$1,204,138,701
341	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$160,025	\$1,204,298,726
342	Uhiuhi (<i>Caesalpinia kavaiense</i>)	E	\$159,519	\$1,204,458,245
343	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$158,381	\$1,204,616,626
344	Chub, Pahranagat roundtail (<i>Gila robusta jordani</i>)	E	\$157,142	\$1,204,773,768
345	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$156,677	\$1,204,930,445
346	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$155,891	\$1,205,086,336
347	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$155,682	\$1,205,242,018
348	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$153,610	\$1,205,395,628
349	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$152,998	\$1,205,548,626

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
350	Darter, leopard (<i>Percina pantherina</i>)	T	\$152,741	\$1,205,701,367
351	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$151,402	\$1,205,852,769
352	Pua`ala (<i>Brighamia rockii</i>)	E	\$150,910	\$1,206,003,679
353	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$150,846	\$1,206,154,525
354	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$150,700	\$1,206,305,225
355	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$150,695	\$1,206,455,920
356	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$150,500	\$1,206,606,420
357	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$149,110	\$1,206,755,530
358	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$148,923	\$1,206,904,453
359	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$148,574	\$1,207,053,027
360	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$148,458	\$1,207,201,485
361	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$147,922	\$1,207,349,407
362	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$146,481	\$1,207,495,888
363	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$146,042	\$1,207,641,930
364	<i>Phyllostegia mannii</i> (=Sci name)	E	\$145,200	\$1,207,787,130
365	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$144,420	\$1,207,931,550
366	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$144,202	\$1,208,075,752
367	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$143,645	\$1,208,219,397
368	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$143,537	\$1,208,362,934
369	Haha (<i>Cyanea dunbarii</i>)	E	\$143,500	\$1,208,506,434
370	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$142,600	\$1,208,649,034
371	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$142,554	\$1,208,791,588
372	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$142,210	\$1,208,933,798
373	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$142,023	\$1,209,075,821
374	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$141,882	\$1,209,217,703
375	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$141,533	\$1,209,359,236
376	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$141,360	\$1,209,500,596
377	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$141,000	\$1,209,641,596
378	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$139,277	\$1,209,780,873
379	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$137,175	\$1,209,918,048
380	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$137,000	\$1,210,055,048
381	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$136,900	\$1,210,191,948
382	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$136,850	\$1,210,328,798
383	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$136,800	\$1,210,465,598
384	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$136,583	\$1,210,602,181
385	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$134,904	\$1,210,737,085
386	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$133,779	\$1,210,870,864
387	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$133,707	\$1,211,004,571
388	Bison, wood (<i>Bison bison athabasca</i>) - Canada	E	\$133,578	\$1,211,138,149
389	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$132,920	\$1,211,271,069
390	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$132,800	\$1,211,403,869
391	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Southwestern pop.	EXPN	\$131,140	\$1,211,535,009
392	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$129,505	\$1,211,664,514
393	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$129,253	\$1,211,793,767
394	Layia, beach (<i>Layia carnos</i>)	E	\$128,872	\$1,211,922,639
395	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$127,690	\$1,212,050,329
396	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$127,427	\$1,212,177,756
397	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$126,700	\$1,212,304,456
398	<i>Schiedea nuttallii</i> (=Sci name)	E	\$125,977	\$1,212,430,433
399	Pink, swamp (<i>Helonias bullata</i>)	T	\$125,760	\$1,212,556,193
400	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$125,041	\$1,212,681,234
401	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$124,700	\$1,212,805,934
402	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiohryns))	E	\$124,313	\$1,212,930,247
403	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$124,250	\$1,213,054,497
404	Chub, Gila (<i>Gila intermedia</i>)	E	\$123,300	\$1,213,177,797
405	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Entire; Except where EXPN	E	\$122,100	\$1,213,299,897
406	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$121,912	\$1,213,421,809
407	Wooly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$121,729	\$1,213,543,538
408	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$121,656	\$1,213,665,194
409	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$121,277	\$1,213,786,471
410	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$121,137	\$1,213,907,608
411	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$120,739	\$1,214,028,347

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
412	<i>Gouania vitifolia</i> (=Sci name)	E	\$120,577	\$1,214,148,924
413	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$120,445	\$1,214,269,369
414	popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$119,158	\$1,214,388,527
415	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$119,093	\$1,214,507,620
416	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$117,500	\$1,214,625,120
417	<i>Schiedea kaalae</i> (=Sci name)	E	\$116,677	\$1,214,741,797
418	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$116,563	\$1,214,858,360
419	Darter, amber (<i>Percina antesella</i>)	E	\$116,500	\$1,214,974,860
420	Haha (<i>Cyanea superba</i>)	E	\$116,377	\$1,215,091,237
420	Oha (<i>Delissea subcordata</i>)	E	\$116,377	\$1,215,207,614
421	Na'ena'e (<i>Dubautia herbstobatae</i>)	E	\$116,117	\$1,215,323,731
422	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$115,800	\$1,215,439,531
423	Kulu'i (<i>Nototrichium humile</i>)	E	\$115,787	\$1,215,555,318
424	<i>Hedyotis parvula</i> (=Sci name)	E	\$115,777	\$1,215,671,095
425	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$115,750	\$1,215,786,845
426	<i>Sanicula mariversa</i> (=Sci name)	E	\$115,477	\$1,215,902,322
427	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$114,777	\$1,216,017,099
428	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$114,700	\$1,216,131,799
429	<i>Nerodia angulata</i> (=Sci name)	E	\$114,477	\$1,216,246,276
430	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$114,377	\$1,216,360,653
431	Ale (<i>Plantago princeps</i> var. <i>anomala</i>)	E	\$114,307	\$1,216,474,960
432	<i>Hedyotis degeneri</i> (=Sci name)	E	\$114,277	\$1,216,589,237
433	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$114,177	\$1,216,703,414
434	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$114,171	\$1,216,817,585
435	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$114,077	\$1,216,931,662
435	Haha (<i>Cyanea longiflora</i>)	E	\$114,077	\$1,217,045,739
436	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$113,977	\$1,217,159,716
436	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$113,977	\$1,217,273,693
437	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$113,577	\$1,217,387,270
438	<i>Alsiniidendron obovatum</i> (=Sci name)	E	\$113,377	\$1,217,500,647
439	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$113,000	\$1,217,613,647
440	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$111,995	\$1,217,725,642
441	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$110,486	\$1,217,836,128
442	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$108,550	\$1,217,944,678
443	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$106,527	\$1,218,051,205
444	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$104,668	\$1,218,155,873
445	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$104,354	\$1,218,260,227
446	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$104,027	\$1,218,364,254
447	Aupaka (<i>Isodendron longifolium</i>)	T	\$101,736	\$1,218,465,990
448	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$100,651	\$1,218,566,641
449	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$100,239	\$1,218,666,880
450	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$100,096	\$1,218,766,976
451	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$99,892	\$1,218,866,868
452	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$99,410	\$1,218,966,278
453	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$98,800	\$1,219,065,078
453	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$98,800	\$1,219,163,878
454	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$98,243	\$1,219,262,121
455	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Entire; Except where listed as EXPN	E	\$98,230	\$1,219,360,351
456	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$96,496	\$1,219,456,847
457	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$96,392	\$1,219,553,239
458	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$96,211	\$1,219,649,450
459	Clubshell (<i>Pleurobema clava</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$96,000	\$1,219,745,450
460	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where listed as EXPN	E	\$95,800	\$1,219,841,250
461	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$95,232	\$1,219,936,482
462	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$94,663	\$1,220,031,145
463	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$94,230	\$1,220,125,375
464	<i>Bonamia menziesii</i> (=Sci name)	E	\$94,183	\$1,220,219,558
465	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$93,500	\$1,220,313,058
466	Kauila (<i>Colubrina oppositifolia</i>)	E	\$93,136	\$1,220,406,194
467	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$92,451	\$1,220,498,645
468	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$92,200	\$1,220,590,845

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
469	Rocksnaail, plicate (<i>Leptoxis plicata</i>)	E	\$91,500	\$1,220,682,345
470	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$91,295	\$1,220,773,640
471	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$91,050	\$1,220,864,690
472	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$90,963	\$1,220,955,653
473	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$90,931	\$1,221,046,584
474	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$89,500	\$1,221,136,084
475	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$89,375	\$1,221,225,459
476	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$89,200	\$1,221,314,659
477	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$89,050	\$1,221,403,709
478	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$88,561	\$1,221,492,270
479	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$88,000	\$1,221,580,270
480	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$87,850	\$1,221,668,120
481	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$87,200	\$1,221,755,320
482	Alani (<i>Melicope adscendens</i>)	E	\$87,100	\$1,221,842,420
483	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$87,042	\$1,221,929,462
484	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Entire; Except where EXPN	E	\$86,845	\$1,222,016,307
485	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$86,765	\$1,222,103,072
486	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$86,342	\$1,222,189,414
487	Haha (<i>Cyanea acuminata</i>)	E	\$86,133	\$1,222,275,547
488	Oxytheca, cushionbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$86,112	\$1,222,361,659
489	Chub, spotfin (<i>Erimonax monachus</i>) - Entire	T	\$85,830	\$1,222,447,489
490	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$84,910	\$1,222,532,399
491	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$84,400	\$1,222,616,799
492	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$84,144	\$1,222,700,943
493	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$84,097	\$1,222,785,040
494	Alani (<i>Melicope knudsenii</i>)	E	\$83,800	\$1,222,868,840
495	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$83,500	\$1,222,952,340
496	ˆOha wai (<i>Clermontia lindseyana</i>)	E	\$83,481	\$1,223,035,821
497	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$83,189	\$1,223,119,010
498	Nioi (<i>Eugenia koolauensis</i>)	E	\$82,531	\$1,223,201,541
499	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$82,321	\$1,223,283,862
500	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$81,636	\$1,223,365,498
501	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$81,418	\$1,223,446,916
502	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$80,455	\$1,223,527,371
503	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$79,953	\$1,223,607,324
504	<i>Pteris lidgatei</i> (=Sci name)	E	\$79,453	\$1,223,686,777
505	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$79,168	\$1,223,765,945
506	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$79,118	\$1,223,845,063
507	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i>)	E	\$78,600	\$1,223,923,663
508	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$78,400	\$1,224,002,063
509	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$78,388	\$1,224,080,451
510	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$78,103	\$1,224,158,554
511	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$78,100	\$1,224,236,654
512	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Entire Range; Except where EXPN	E	\$78,015	\$1,224,314,669
513	<i>Sanicula purpurea</i> (=Sci name)	E	\$77,553	\$1,224,392,222
514	Opuhe (<i>Urera kaalae</i>)	E	\$77,163	\$1,224,469,385
515	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$77,074	\$1,224,546,459
516	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$76,923	\$1,224,623,382
517	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$76,828	\$1,224,700,210
518	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$76,450	\$1,224,776,660
519	ˆOhe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$76,363	\$1,224,853,023
520	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$76,299	\$1,224,929,322
521	Haha (<i>Cyanea shipmanii</i>)	E	\$76,120	\$1,225,005,442
522	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$75,827	\$1,225,081,269
523	Haha (<i>Cyanea st.-johnii</i>)	E	\$75,553	\$1,225,156,822
524	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$75,453	\$1,225,232,275
525	Kolea (<i>Myrsine juddii</i>)	E	\$75,173	\$1,225,307,448
526	Alani (<i>Melicope lydgatei</i>)	E	\$74,853	\$1,225,382,301
526	Haha (<i>Cyanea koolauensis</i>)	E	\$74,853	\$1,225,457,154
527	Haha (<i>Cyanea humboldtiana</i>)	E	\$74,653	\$1,225,531,807
528	<i>Lobelia oahuensis</i> (=Sci name)	E	\$74,553	\$1,225,606,360

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
529	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$74,353	\$1,225,680,713
530	`Akoko (<i>Chamaesyce rockii</i>)	E	\$74,153	\$1,225,754,866
531	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$74,100	\$1,225,828,966
532	Nanu (<i>Gardenia mannii</i>)	E	\$74,063	\$1,225,903,029
533	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$74,025	\$1,225,977,054
534	Ohai (<i>Sesbania tomentosa</i>)	E	\$73,802	\$1,226,050,856
535	Cactus, star (<i>Astrophytum asterias</i>)	E	\$73,800	\$1,226,124,656
536	<i>Viola oahuensis</i> (=Sci name)	E	\$73,753	\$1,226,198,409
537	Dace, Foskett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$73,694	\$1,226,272,103
538	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$73,626	\$1,226,345,729
539	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$73,553	\$1,226,419,282
540	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$73,535	\$1,226,492,817
541	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$73,453	\$1,226,566,270
542	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$73,253	\$1,226,639,523
543	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$73,212	\$1,226,712,735
544	<i>Alsiniidendron trinerve</i> (=Sci name)	E	\$73,053	\$1,226,785,788
545	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$73,051	\$1,226,858,839
545	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$73,051	\$1,226,931,890
545	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$73,051	\$1,227,004,941
546	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Hutton	T	\$73,024	\$1,227,077,965
547	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$72,817	\$1,227,150,782
547	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$72,817	\$1,227,223,599
548	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$72,653	\$1,227,296,252
549	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$72,539	\$1,227,368,791
550	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$72,376	\$1,227,441,167
551	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$71,957	\$1,227,513,124
552	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$71,953	\$1,227,585,077
553	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$71,847	\$1,227,656,924
554	Dace, desert (<i>Eremichthys acros</i>)	T	\$71,623	\$1,227,728,547
555	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$71,600	\$1,227,800,147
556	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$71,423	\$1,227,871,570
557	`Oha wai (<i>Clermontia peleana</i>)	E	\$71,400	\$1,227,942,970
558	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$71,265	\$1,228,014,235
559	Sedge, golden (<i>Carex lutea</i>)	E	\$71,254	\$1,228,085,489
560	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$71,077	\$1,228,156,566
561	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$71,020	\$1,228,227,586
562	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$70,852	\$1,228,298,438
563	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$70,799	\$1,228,369,237
564	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$70,750	\$1,228,439,987
565	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$70,741	\$1,228,510,728
566	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$70,020	\$1,228,580,748
567	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$70,000	\$1,228,650,748
568	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$69,740	\$1,228,720,488
569	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$69,604	\$1,228,790,092
570	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$69,000	\$1,228,859,092
571	Heau (<i>Exocarpos luteolus</i>)	E	\$68,910	\$1,228,928,002
572	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$68,638	\$1,228,996,640
573	Kolea (<i>Myrsine linearifolia</i>)	T	\$67,383	\$1,229,064,023
574	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$66,883	\$1,229,130,906
575	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$66,535	\$1,229,197,441
576	<i>Platanthera holochila</i> (=Sci name)	E	\$66,300	\$1,229,263,741
577	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$66,167	\$1,229,329,908
578	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$65,706	\$1,229,395,614
579	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$64,600	\$1,229,460,214
580	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$64,363	\$1,229,524,577
581	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$64,163	\$1,229,588,740
582	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$64,000	\$1,229,652,740
583	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$63,576	\$1,229,716,316
584	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Entire Range; Except where listed as EXPN	E	\$63,364	\$1,229,779,680
585	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$63,212	\$1,229,842,892
586	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$63,100	\$1,229,905,992

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
587	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$63,094	\$1,229,969,086
588	Darter, duskytail (<i>Etheostoma percnurum</i>) - Entire	E	\$63,038	\$1,230,032,124
589	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$62,685	\$1,230,094,809
590	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$62,558	\$1,230,157,367
591	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$62,494	\$1,230,219,861
591	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$62,494	\$1,230,282,355
592	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$62,000	\$1,230,344,355
592	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$62,000	\$1,230,406,355
593	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$61,900	\$1,230,468,255
594	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) - subspecies range clarified	T	\$61,740	\$1,230,529,995
595	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$61,630	\$1,230,591,625
596	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$61,411	\$1,230,653,036
597	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$61,200	\$1,230,714,236
598	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$60,025	\$1,230,774,261
599	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$60,000	\$1,230,834,261
600	Monardella, willow (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	\$59,356	\$1,230,893,617
601	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$59,190	\$1,230,952,807
602	Alani (<i>Melicope mucronulata</i>)	E	\$59,100	\$1,231,011,907
603	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$59,018	\$1,231,070,925
604	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$58,238	\$1,231,129,163
605	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$58,176	\$1,231,187,339
606	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$57,870	\$1,231,245,209
607	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$57,672	\$1,231,302,881
608	<i>Phyllostegia velutina</i> (=Sci name)	E	\$57,220	\$1,231,360,101
609	Kuawawaenuhu (<i>Alsinidendron lychnoides</i>)	E	\$57,110	\$1,231,417,211
610	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$56,880	\$1,231,474,091
611	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$56,847	\$1,231,530,938
612	^Anaunau (<i>Lepidium arbuscula</i>)	E	\$56,810	\$1,231,587,748
613	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$56,807	\$1,231,644,555
614	Trillium, relict (<i>Trillium reliquum</i>)	E	\$56,757	\$1,231,701,312
615	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$56,655	\$1,231,757,967
616	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$55,474	\$1,231,813,441
617	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$54,800	\$1,231,868,241
618	Seablite, California (<i>Suaeda californica</i>)	E	\$54,627	\$1,231,922,868
619	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$54,612	\$1,231,977,480
620	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$54,520	\$1,232,032,000
621	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$53,922	\$1,232,085,922
622	^Aiea (<i>Nothoestrum breviflorum</i>)	E	\$53,520	\$1,232,139,442
623	^Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$53,410	\$1,232,192,852
624	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$53,360	\$1,232,246,212
625	Sandalwood, Lanai (=iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$53,210	\$1,232,299,422
626	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$53,030	\$1,232,352,452
627	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$52,679	\$1,232,405,131
628	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$52,500	\$1,232,457,631
629	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$52,160	\$1,232,509,791
630	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$51,922	\$1,232,561,713
631	^Oha wai (<i>Clermontia pyrularia</i>)	E	\$51,900	\$1,232,613,613
632	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$51,791	\$1,232,665,404
633	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$51,600	\$1,232,717,004
634	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$51,400	\$1,232,768,404
634	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$51,400	\$1,232,819,804
635	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$51,301	\$1,232,871,105
636	Ha'iwale (<i>Cyrtandra giffardii</i>)	E	\$51,121	\$1,232,922,226
637	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$50,950	\$1,232,973,176
638	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$50,600	\$1,233,023,776
639	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$50,510	\$1,233,074,286
640	Koki'o (<i>Kokia drynarioides</i>)	E	\$50,220	\$1,233,124,506
641	Wireweed (<i>Polygonella basiramia</i>)	E	\$50,209	\$1,233,174,715
642	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$50,106	\$1,233,224,821
643	Birds-in-a-nest, white (<i>Machbridea alba</i>)	T	\$50,000	\$1,233,274,821
644	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$49,800	\$1,233,324,621

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
645	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$49,200	\$1,233,373,821
646	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$49,150	\$1,233,422,971
647	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$49,138	\$1,233,472,109
648	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$49,107	\$1,233,521,216
649	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$48,971	\$1,233,570,187
650	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$48,704	\$1,233,618,891
651	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$48,150	\$1,233,667,041
652	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$47,820	\$1,233,714,861
653	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$47,452	\$1,233,762,313
654	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$47,128	\$1,233,809,441
655	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$46,940	\$1,233,856,381
656	Fanshell (<i>Cyprogenia stegaria</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$46,642	\$1,233,903,023
657	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$46,368	\$1,233,949,391
658	Harperella (<i>Ptilimnium nodosum</i>)	E	\$46,366	\$1,233,995,757
659	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$46,239	\$1,234,041,996
660	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$46,127	\$1,234,088,123
661	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$46,088	\$1,234,134,211
662	<i>Remya montgomeryi</i> (=Sci name)	E	\$45,300	\$1,234,179,511
663	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$45,042	\$1,234,224,553
664	Jaguarundi, Sinaloa (<i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i>)	E	\$45,000	\$1,234,269,553
665	<i>Schiedea membranacea</i> (=Sci name)	E	\$44,900	\$1,234,314,453
666	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$44,582	\$1,234,359,035
667	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$44,526	\$1,234,403,561
668	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$43,320	\$1,234,446,881
669	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$43,045	\$1,234,489,926
670	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$42,800	\$1,234,532,726
671	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$42,665	\$1,234,575,391
672	Oha (<i>Delissea rivularis</i>)	E	\$42,620	\$1,234,618,011
673	<i>Xylosma crenatum</i> (=Sci name)	E	\$42,400	\$1,234,660,411
674	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$42,272	\$1,234,702,683
675	<i>Aiea (Nothocestrum) pelatum</i>	E	\$42,200	\$1,234,744,883
676	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$42,197	\$1,234,787,080
677	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$42,010	\$1,234,829,090
678	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$42,000	\$1,234,871,090
679	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$41,950	\$1,234,913,040
680	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$41,934	\$1,234,954,974
681	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$41,852	\$1,234,996,826
682	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$41,736	\$1,235,038,562
683	<i>Poa siphonoglossa</i> (=Sci name)	E	\$41,700	\$1,235,080,262
684	wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$41,550	\$1,235,121,812
685	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$41,420	\$1,235,163,232
686	Liliwai (<i>Acaena exigua</i>)	E	\$41,210	\$1,235,204,442
687	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$40,910	\$1,235,245,352
688	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$40,789	\$1,235,286,141
689	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$40,750	\$1,235,326,891
690	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$40,610	\$1,235,367,501
691	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$40,582	\$1,235,408,083
692	Haha (<i>Cyanea recta</i>)	T	\$40,500	\$1,235,448,583
693	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$40,380	\$1,235,488,963
694	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$40,000	\$1,235,528,963
695	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$39,500	\$1,235,568,463
695	<i>Geocarpon minimum</i> (=Sci name)	T	\$39,500	\$1,235,607,963
696	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$39,000	\$1,235,646,963
697	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$38,931	\$1,235,685,894
698	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$38,726	\$1,235,724,620
699	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$38,600	\$1,235,763,220
700	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$38,500	\$1,235,801,720
701	<i>Ahinahina (Argyroxiphium) sandwicense</i> ssp. <i>macrocephalum</i>	T	\$38,388	\$1,235,840,108
702	<i>Munroidendron racemosum</i> (=Sci name)	E	\$38,221	\$1,235,878,329
703	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$38,166	\$1,235,916,495
704	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$38,026	\$1,235,954,521

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
705	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$37,947	\$1,235,992,468
706	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$37,451	\$1,236,029,919
707	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$37,141	\$1,236,067,060
708	Haha (<i>Cyanea stictophylla</i>)	E	\$37,061	\$1,236,104,121
709	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$36,754	\$1,236,140,875
710	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$36,665	\$1,236,177,540
711	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$36,661	\$1,236,214,201
712	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$36,507	\$1,236,250,708
713	Pocketbook, finelined (<i>Lampsilis atilis</i>)	T	\$36,400	\$1,236,287,108
714	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$36,086	\$1,236,323,194
715	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$35,644	\$1,236,358,838
716	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$35,409	\$1,236,394,247
717	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$35,300	\$1,236,429,547
718	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$35,138	\$1,236,464,685
719	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$35,000	\$1,236,499,685
720	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$34,988	\$1,236,534,673
721	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$34,770	\$1,236,569,443
722	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$34,566	\$1,236,604,009
723	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$34,550	\$1,236,638,559
724	cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$33,665	\$1,236,672,224
725	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$33,050	\$1,236,705,274
726	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$33,000	\$1,236,738,274
727	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$32,900	\$1,236,771,174
727	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$32,900	\$1,236,804,074
728	Plum, scrub (<i>Prunus geniculata</i>)	E	\$32,611	\$1,236,836,685
729	Olulu (<i>Brighamia insignis</i>)	E	\$32,548	\$1,236,869,233
730	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$32,300	\$1,236,901,533
731	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$32,150	\$1,236,933,683
732	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$32,000	\$1,236,965,683
733	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$31,945	\$1,236,997,628
734	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$31,914	\$1,237,029,542
735	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$31,800	\$1,237,061,342
736	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>)	E	\$31,738	\$1,237,093,080
737	Sedge, white (<i>Carex albida</i>)	E	\$31,206	\$1,237,124,286
738	fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$31,090	\$1,237,155,376
739	Alani (<i>Melicope zahlbruckneri</i>)	E	\$30,864	\$1,237,186,240
740	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$30,760	\$1,237,217,000
741	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$30,556	\$1,237,247,556
742	Nohoanu (<i>Geranium multiflorum</i>)	E	\$30,310	\$1,237,277,866
743	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$30,200	\$1,237,308,066
744	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$30,006	\$1,237,338,072
745	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$30,000	\$1,237,368,072
745	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$30,000	\$1,237,398,072
746	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$29,900	\$1,237,427,972
747	Alani (<i>Melicope pallida</i>)	E	\$29,783	\$1,237,457,755
748	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$29,753	\$1,237,487,508
749	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$29,634	\$1,237,517,142
750	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$29,500	\$1,237,546,642
751	`Anunu (<i>Sicyos alba</i>)	E	\$29,410	\$1,237,576,052
752	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$29,400	\$1,237,605,452
753	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$29,283	\$1,237,634,735
754	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$28,920	\$1,237,663,655
755	Koki'o ke'oke'o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$28,883	\$1,237,692,538
756	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$28,554	\$1,237,721,092
757	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Entire Range; Except where EXPN	E	\$28,500	\$1,237,749,592
758	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$28,425	\$1,237,778,017
759	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$28,403	\$1,237,806,420
760	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$28,350	\$1,237,834,770
761	Kamakahala (<i>Labordia lydgatei</i>)	E	\$27,683	\$1,237,862,453
762	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$27,491	\$1,237,889,944
763	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$27,380	\$1,237,917,324
764	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$27,350	\$1,237,944,674

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
765	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$27,300	\$1,237,971,974
766	Sandlace (<i>Polygonella myriophylla</i>)	E	\$27,270	\$1,237,999,244
767	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$27,166	\$1,238,026,410
768	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$27,058	\$1,238,053,468
769	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$26,800	\$1,238,080,268
770	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$26,741	\$1,238,107,009
771	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$26,500	\$1,238,133,509
772	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$26,460	\$1,238,159,969
773	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	\$26,000	\$1,238,185,969
773	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$26,000	\$1,238,211,969
774	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$25,953	\$1,238,237,922
775	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$25,950	\$1,238,263,872
776	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$25,860	\$1,238,289,732
777	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$25,562	\$1,238,315,294
778	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$25,500	\$1,238,340,794
779	Cycladenia, Jones (<i>Cycladenia jonesii (=humilis)</i>)	T	\$25,400	\$1,238,366,194
780	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$25,310	\$1,238,391,504
781	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$25,238	\$1,238,416,742
782	Haha (<i>Cyanea glabra</i>)	E	\$25,200	\$1,238,441,942
783	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$25,004	\$1,238,466,946
784	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$24,959	\$1,238,491,905
785	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$24,900	\$1,238,516,805
786	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$24,800	\$1,238,541,605
787	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$24,500	\$1,238,566,105
788	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$24,428	\$1,238,590,533
789	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$24,293	\$1,238,614,826
790	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$24,189	\$1,238,639,015
791	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$24,157	\$1,238,663,172
792	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$24,042	\$1,238,687,214
793	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$23,900	\$1,238,711,114
794	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$23,460	\$1,238,734,574
795	Milk-vetch, triple-ribbed (<i>Astragalus tricarlinatus</i>)	E	\$23,256	\$1,238,757,830
796	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$23,249	\$1,238,781,079
797	Lau `ehu (<i>Panicum niuhauense</i>)	E	\$23,248	\$1,238,804,327
798	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$23,104	\$1,238,827,431
799	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$22,650	\$1,238,850,081
800	Darter, snail (<i>Percina tanasi</i>)	T	\$22,630	\$1,238,872,711
801	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$22,600	\$1,238,895,311
802	Trillium, persistent (<i>Trillium persistens</i>)	E	\$22,500	\$1,238,917,811
803	Lily, Pitkin Marsh (<i>Lilium pardalinum ssp. pitkinense</i>)	E	\$22,226	\$1,238,940,037
804	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$22,120	\$1,238,962,157
805	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$22,000	\$1,238,984,157
806	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$21,963	\$1,239,006,120
807	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$21,904	\$1,239,028,024
808	Alani (<i>Melicope ovalis</i>)	E	\$21,900	\$1,239,049,924
809	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$21,850	\$1,239,071,774
810	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$21,605	\$1,239,093,379
811	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$21,575	\$1,239,114,954
812	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$21,526	\$1,239,136,480
813	Haha (<i>Cyanea hamatiflora ssp. carlsonii</i>)	E	\$21,400	\$1,239,157,880
814	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$21,300	\$1,239,179,180
815	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora ssp. hoffmannii</i>)	E	\$21,170	\$1,239,200,350
816	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$21,050	\$1,239,221,400
817	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$21,045	\$1,239,242,445
818	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$21,000	\$1,239,263,445
818	Isopod, Lee County cave (<i>Lirceus usdagalum</i>)	E	\$21,000	\$1,239,284,445
819	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$20,900	\$1,239,305,345
820	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$20,550	\$1,239,325,895
821	Ko' oloa' ula (<i>Abutilon menziesii</i>)	E	\$20,510	\$1,239,346,405
822	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$20,500	\$1,239,366,905
823	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$20,425	\$1,239,387,330
824	Dudleya, marcescent (<i>Dudleya cymosa ssp. marcescens</i>)	T	\$20,362	\$1,239,407,692

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
825	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$20,218	\$1,239,427,910
826	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$20,000	\$1,239,447,910
826	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$20,000	\$1,239,467,910
826	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$20,000	\$1,239,487,910
826	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$20,000	\$1,239,507,910
827	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$19,900	\$1,239,527,810
828	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$19,691	\$1,239,547,501
829	Butterfly, Uncompahgre fritillary (<i>Boloria acrocnemata</i>)	E	\$19,651	\$1,239,567,152
830	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$19,532	\$1,239,586,684
831	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$19,500	\$1,239,606,184
831	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$19,500	\$1,239,625,684
832	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$19,458	\$1,239,645,142
833	Chub, slender (<i>Erimystax cahni</i>)	T	\$19,419	\$1,239,664,561
834	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$19,400	\$1,239,683,961
835	Haha (<i>Cyanea platyphylla</i>)	E	\$19,200	\$1,239,703,161
836	Tern, roseate (<i>Sterna dougallii dougallii</i>) - western hemisphere except NE U.S.	T	\$19,092	\$1,239,722,253
837	Cobana negra (<i>Stahlia monosperma</i>)	T	\$19,000	\$1,239,741,253
838	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$18,826	\$1,239,760,079
839	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$18,740	\$1,239,778,819
840	Bellflower, Brooksville (<i>Campanula robbinsiae</i>)	E	\$18,437	\$1,239,797,256
841	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$18,350	\$1,239,815,606
842	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$18,348	\$1,239,833,954
843	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$18,338	\$1,239,852,292
844	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$18,300	\$1,239,870,592
845	Puma (=mountain lion) (<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$18,170	\$1,239,888,762
846	^Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$18,010	\$1,239,906,772
847	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$18,000	\$1,239,924,772
848	Koki'o (<i>Kokia kauaiensis</i>)	E	\$17,938	\$1,239,942,710
849	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$17,896	\$1,239,960,606
850	^Akoko (<i>Euphorbia haeleleana</i>)	E	\$17,738	\$1,239,978,344
851	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$17,600	\$1,239,995,944
852	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$17,583	\$1,240,013,527
853	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$17,531	\$1,240,031,058
854	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$17,523	\$1,240,048,581
855	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$17,500	\$1,240,066,081
855	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$17,500	\$1,240,083,581
856	Awiji (<i>Centaurium sebaeoides</i>)	E	\$17,320	\$1,240,100,901
857	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$17,300	\$1,240,118,201
858	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$17,200	\$1,240,135,401
859	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$17,000	\$1,240,152,401
859	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$17,000	\$1,240,169,401
860	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$16,984	\$1,240,186,385
861	Dudleyea, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$16,908	\$1,240,203,293
862	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$16,896	\$1,240,220,189
863	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$16,678	\$1,240,236,867
864	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$16,600	\$1,240,253,467
865	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$16,550	\$1,240,270,017
866	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$16,548	\$1,240,286,565
867	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$16,528	\$1,240,303,093
868	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - U.S.A. (DE, Sussex Co.)	EXPN	\$16,500	\$1,240,319,593
868	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$16,500	\$1,240,336,093
869	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$16,350	\$1,240,352,443
870	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$16,288	\$1,240,368,731
871	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$16,182	\$1,240,384,913
872	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$16,049	\$1,240,400,962
873	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$16,043	\$1,240,417,005
874	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$16,000	\$1,240,433,005
874	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$16,000	\$1,240,449,005
874	<i>Achyranthes mutica</i> (=Sci name)	E	\$16,000	\$1,240,465,005
875	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$15,900	\$1,240,480,905
876	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$15,710	\$1,240,496,615
877	cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$15,700	\$1,240,512,315

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
878	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$15,576	\$1,240,527,891
879	Ko'oko'olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$15,520	\$1,240,543,411
880	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$15,400	\$1,240,558,811
881	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$15,310	\$1,240,574,121
882	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$15,300	\$1,240,589,421
883	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$15,223	\$1,240,604,644
884	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$15,109	\$1,240,619,753
885	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$15,100	\$1,240,634,853
886	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$15,000	\$1,240,649,853
886	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$15,000	\$1,240,664,853
886	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$15,000	\$1,240,679,853
887	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$14,962	\$1,240,694,815
888	Cliff-rose, Arizona (<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>)	E	\$14,850	\$1,240,709,665
889	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$14,800	\$1,240,724,465
890	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$14,799	\$1,240,739,264
891	<i>Tetramolopium rockii</i> (=Sci name)	T	\$14,700	\$1,240,753,964
891	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$14,700	\$1,240,768,664
892	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$14,662	\$1,240,783,326
893	Darter, goldline (<i>Percina aurolineata</i>)	T	\$14,500	\$1,240,797,826
893	Lo'ulu (<i>Pritchardia schattaueri</i>)	E	\$14,500	\$1,240,812,326
893	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$14,500	\$1,240,826,826
894	Lichen, rock gnome (<i>Gymmoderma lineare</i>)	E	\$14,458	\$1,240,841,284
895	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$14,323	\$1,240,855,607
896	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$14,310	\$1,240,869,917
897	<i>Diplazium molokaiense</i> (=Sci name)	E	\$14,300	\$1,240,884,217
898	Snail, Chittanooga ovate amber (<i>Succinea chittanoogaensis</i>)	T	\$14,276	\$1,240,898,493
899	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$14,200	\$1,240,912,693
900	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$14,177	\$1,240,926,870
901	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$14,153	\$1,240,941,023
902	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$14,082	\$1,240,955,105
903	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$14,041	\$1,240,969,146
904	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$13,900	\$1,240,983,046
904	Ha'iwale (<i>Cyrtandra tintinnabula</i>)	E	\$13,900	\$1,240,996,946
905	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$13,764	\$1,241,010,710
906	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$13,576	\$1,241,024,286
906	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$13,576	\$1,241,037,862
907	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$13,531	\$1,241,051,393
908	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$13,500	\$1,241,064,893
909	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$13,400	\$1,241,078,293
910	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$13,339	\$1,241,091,632
911	Alani (<i>Melicope balloui</i>)	E	\$13,300	\$1,241,104,932
912	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$13,038	\$1,241,117,970
913	Darter, relict (<i>Etheostoma chienense</i>)	E	\$13,000	\$1,241,130,970
913	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$13,000	\$1,241,143,970
913	<i>Leptocereus grantianus</i> (=Sci name)	E	\$13,000	\$1,241,156,970
914	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$12,946	\$1,241,169,916
915	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$12,923	\$1,241,182,839
915	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$12,923	\$1,241,195,762
916	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$12,817	\$1,241,208,579
917	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$12,810	\$1,241,221,389
918	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$12,766	\$1,241,234,155
919	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$12,610	\$1,241,246,765
920	Bear, American black (<i>Ursus americanus</i>) - County range of LA black bear	SAT	\$12,601	\$1,241,259,366
921	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$12,541	\$1,241,271,907
922	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$12,421	\$1,241,284,328
923	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$12,296	\$1,241,296,624
924	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$12,194	\$1,241,308,818
925	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$12,074	\$1,241,320,892
926	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$11,998	\$1,241,332,890

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
927	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$11,894	\$1,241,344,784
928	Onion, Munz's (<i>Allium munzii</i>)	E	\$11,835	\$1,241,356,619
929	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$11,700	\$1,241,368,319
930	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Entire Range; Except where listed as EXPN	E	\$11,618	\$1,241,379,937
931	Avens, spreading (<i>Geum radiatum</i>)	E	\$11,547	\$1,241,391,484
932	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Entire Range; Except where EXPN	E	\$11,500	\$1,241,402,984
932	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$11,500	\$1,241,414,484
932	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$11,500	\$1,241,425,984
933	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$11,459	\$1,241,437,443
934	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$11,260	\$1,241,448,703
935	<i>Lobelia nihauensis</i> (=Sci name)	E	\$11,100	\$1,241,459,803
936	Mustard, Carter's (<i>Warea carteri</i>)	E	\$11,011	\$1,241,470,814
937	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$11,000	\$1,241,481,814
937	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$11,000	\$1,241,492,814
938	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$10,795	\$1,241,503,609
939	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$10,680	\$1,241,514,289
940	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$10,612	\$1,241,524,901
941	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$10,573	\$1,241,535,474
942	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$10,553	\$1,241,546,027
943	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$10,520	\$1,241,556,547
944	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$10,450	\$1,241,566,997
945	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$10,438	\$1,241,577,435
946	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$10,323	\$1,241,587,758
947	<i>Delissea undulata</i> (=Sci name)	E	\$10,200	\$1,241,597,958
948	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$10,053	\$1,241,608,011
949	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$10,010	\$1,241,618,021
950	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$10,007	\$1,241,628,028
951	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$10,000	\$1,241,638,028
951	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$10,000	\$1,241,648,028
951	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$10,000	\$1,241,658,028
952	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$9,905	\$1,241,667,933
953	<i>Schiedea verticillata</i> (=Sci name)	E	\$9,900	\$1,241,677,833
954	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$9,859	\$1,241,687,692
955	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$9,820	\$1,241,697,512
956	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$9,800	\$1,241,707,312
957	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$9,781	\$1,241,717,093
958	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$9,704	\$1,241,726,797
959	<i>Nerandia sericea</i> (=Sci name)	E	\$9,700	\$1,241,736,497
960	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$9,607	\$1,241,746,104
961	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$9,550	\$1,241,755,654
962	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$9,500	\$1,241,765,154
962	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$9,500	\$1,241,774,654
962	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$9,500	\$1,241,784,154
962	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$9,500	\$1,241,793,654
962	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$9,500	\$1,241,803,154
962	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$9,500	\$1,241,812,654
962	Haha (<i>Cyanea lobata</i>)	E	\$9,500	\$1,241,822,154
962	<i>Eugenia woodburyana</i> (=Sci name)	E	\$9,500	\$1,241,831,654
963	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$9,479	\$1,241,841,133
964	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$9,470	\$1,241,850,603
965	Nehe (<i>Lipochaeta fauriei</i>)	E	\$9,360	\$1,241,859,963
966	Remya, Maui (<i>Remya mauiensis</i>)	E	\$9,310	\$1,241,869,273
967	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$9,273	\$1,241,878,546
968	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$9,225	\$1,241,887,771
969	Pilo (<i>Hedyotis mannii</i>)	E	\$9,210	\$1,241,896,981
969	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$9,210	\$1,241,906,191
970	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$9,200	\$1,241,915,391
971	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$9,053	\$1,241,924,444
972	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$9,049	\$1,241,933,493
973	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$9,042	\$1,241,942,535
974	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$9,000	\$1,241,951,535

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
974	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$9,000	\$1,241,960,535
974	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$9,000	\$1,241,969,535
975	Ihī ihī (<i>Marsilea villosa</i>)	E	\$8,800	\$1,241,978,335
976	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,750	\$1,241,987,085
977	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$8,710	\$1,241,995,795
978	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$8,700	\$1,242,004,495
979	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$8,657	\$1,242,013,152
980	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$8,653	\$1,242,021,805
981	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$8,611	\$1,242,030,416
982	Makou (<i>Peucedanum sandwicense</i>)	T	\$8,610	\$1,242,039,026
983	Haha (<i>Cyanea mceldowneyi</i>)	E	\$8,600	\$1,242,047,626
984	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$8,520	\$1,242,056,146
985	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$8,500	\$1,242,064,646
986	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$8,356	\$1,242,073,002
987	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$8,335	\$1,242,081,337
988	<i>Phyllostegia mollis</i> (=Sci name)	E	\$8,300	\$1,242,089,637
989	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$8,200	\$1,242,097,837
989	Pauoa (<i>Ctenitis squamigera</i>)	E	\$8,200	\$1,242,106,037
990	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$8,113	\$1,242,114,150
991	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$8,100	\$1,242,122,250
991	`Oha wai (<i>Clermontia samuelii</i>)	E	\$8,100	\$1,242,130,350
992	Spurge, telephus (<i>Euphorbia telephoides</i>)	T	\$8,055	\$1,242,138,405
993	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$8,029	\$1,242,146,434
994	<i>Gouania meyenii</i> (=Sci name)	E	\$7,900	\$1,242,154,334
994	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$7,900	\$1,242,162,234
995	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$7,800	\$1,242,170,034
995	Aupaka (<i>Isodendron laurifolium</i>)	E	\$7,800	\$1,242,177,834
996	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$7,700	\$1,242,185,534
997	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$7,670	\$1,242,193,204
998	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$7,600	\$1,242,200,804
999	Boxwood, Vahl's (<i>Buxus vahlII</i>)	E	\$7,500	\$1,242,208,304
999	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$7,500	\$1,242,215,804
999	Na`ena`e (<i>Dubautia pauciflorula</i>)	E	\$7,500	\$1,242,223,304
1000	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$7,497	\$1,242,230,801
1001	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$7,491	\$1,242,238,292
1002	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$7,410	\$1,242,245,702
1003	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$7,320	\$1,242,253,022
1004	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$7,307	\$1,242,260,329
1004	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,307	\$1,242,267,636
1004	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$7,307	\$1,242,274,943
1004	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$7,307	\$1,242,282,250
1004	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$7,307	\$1,242,289,557
1004	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$7,307	\$1,242,296,864
1004	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$7,307	\$1,242,304,171
1005	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$7,300	\$1,242,311,471
1005	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$7,300	\$1,242,318,771
1005	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$7,300	\$1,242,326,071
1006	<i>Viola helenae</i> (=Sci name)	E	\$7,200	\$1,242,333,271
1006	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$7,200	\$1,242,340,471
1007	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$7,197	\$1,242,347,668
1008	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$7,191	\$1,242,354,859
1009	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$7,162	\$1,242,362,021
1010	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$7,143	\$1,242,369,164
1011	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$7,021	\$1,242,376,185
1012	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$7,000	\$1,242,383,185
1012	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$7,000	\$1,242,390,185
1012	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$7,000	\$1,242,397,185
1012	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$7,000	\$1,242,404,185
1013	Kula wahine noho (<i>Isodendron pyriformium</i>)	E	\$6,910	\$1,242,411,095
1014	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$6,900	\$1,242,417,995
1014	Wawae`iole (<i>Huperzia mannii</i>)	E	\$6,900	\$1,242,424,895
1015	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$6,835	\$1,242,431,730

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1016	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$6,800	\$1,242,438,530
1017	Alani (<i>Melicope haupuensis</i>)	E	\$6,700	\$1,242,445,230
1017	<i>Remya kauaiensis</i> (=Sci name)	E	\$6,700	\$1,242,451,930
1018	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$6,685	\$1,242,458,615
1019	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$6,662	\$1,242,465,277
1020	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$6,605	\$1,242,471,882
1021	<i>Lysimachia maxima</i> (=Sci name)	E	\$6,600	\$1,242,478,482
1022	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$6,564	\$1,242,485,046
1023	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$6,523	\$1,242,491,569
1024	<i>Cordia bellonis</i> (=Sci name)	E	\$6,500	\$1,242,498,069
1025	Kamakahala (<i>Labordia triflora</i>)	E	\$6,400	\$1,242,504,469
1025	<i>Silene alexandri</i> (=Sci name)	E	\$6,400	\$1,242,510,869
1026	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$6,332	\$1,242,517,201
1027	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,300	\$1,242,523,501
1027	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$6,300	\$1,242,529,801
1027	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$6,300	\$1,242,536,101
1028	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$6,141	\$1,242,542,242
1029	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$6,100	\$1,242,548,342
1030	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$6,054	\$1,242,554,396
1031	Haha (<i>Cyanea procera</i>)	E	\$6,000	\$1,242,560,396
1032	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$5,900	\$1,242,566,296
1032	<i>Stenogyne bifida</i> (=Sci name)	E	\$5,900	\$1,242,572,196
1032	<i>Diellia falcata</i> (=Sci name)	E	\$5,900	\$1,242,578,096
1033	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$5,800	\$1,242,583,896
1034	Haha (<i>Cyanea pinnatifida</i>)	E	\$5,700	\$1,242,589,596
1034	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,700	\$1,242,595,296
1034	<i>Phyllostegia hispida</i> (=Sci name)	E	\$5,700	\$1,242,600,996
1035	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$5,658	\$1,242,606,654
1036	<i>Schiedea hookeri</i> (=Sci name)	E	\$5,600	\$1,242,612,254
1036	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$5,600	\$1,242,617,854
1036	<i>Lobelia monostachya</i> (=Sci name)	E	\$5,600	\$1,242,623,454
1036	<i>Diellia unisora</i> (=Sci name)	E	\$5,600	\$1,242,629,054
1037	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$5,500	\$1,242,634,554
1037	<i>Schoepfia arenaria</i> (=Sci name)	T	\$5,500	\$1,242,640,054
1037	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$5,500	\$1,242,645,554
1038	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$5,496	\$1,242,651,050
1039	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$5,450	\$1,242,656,500
1040	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$5,335	\$1,242,661,835
1041	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$5,310	\$1,242,667,145
1042	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$5,300	\$1,242,672,445
1043	Rocksnaïl, painted (<i>Leptoxis taeniata</i>)	T	\$5,200	\$1,242,677,645
1043	Awiwi (<i>Hedyotis cookiana</i>)	E	\$5,200	\$1,242,682,845
1043	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$5,200	\$1,242,688,045
1043	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$5,200	\$1,242,693,245
1044	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$5,162	\$1,242,698,407
1045	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$5,100	\$1,242,703,507
1045	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$5,100	\$1,242,708,607
1045	<i>Silene perlmanii</i> (=Sci name)	E	\$5,100	\$1,242,713,707
1046	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$5,053	\$1,242,718,760
1047	Riversnaïl, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$5,028	\$1,242,723,788
1048	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$5,000	\$1,242,728,788
1048	<i>Gesneria pauciflora</i> (=Sci name)	T	\$5,000	\$1,242,733,788
1048	Haha (<i>Cyanea asarifolia</i>)	E	\$5,000	\$1,242,738,788
1049	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$4,980	\$1,242,743,768
1050	Koki`o, Cooke's (<i>Kokia cooki</i>)	E	\$4,810	\$1,242,748,578
1051	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$4,800	\$1,242,753,378
1051	Alani (<i>Melicope quadrangularis</i>)	E	\$4,800	\$1,242,758,178
1051	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$4,800	\$1,242,762,978
1052	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$4,748	\$1,242,767,726
1053	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$4,703	\$1,242,772,429
1054	<i>Lysimachia filifolia</i> (=Sci name)	E	\$4,700	\$1,242,777,129

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1054	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$4,700	\$1,242,781,829
1054	<i>Diellia pallida</i> (=Sci name)	E	\$4,700	\$1,242,786,529
1055	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$4,677	\$1,242,791,206
1056	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$4,641	\$1,242,795,847
1057	Kohe malama malama o kanaloa (<i>Kanaloa kahoowawensis</i>)	E	\$4,610	\$1,242,800,457
1058	Campion, fringed (<i>Silene polypetala</i>)	E	\$4,600	\$1,242,805,057
1058	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$4,600	\$1,242,809,657
1059	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$4,526	\$1,242,814,183
1060	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$4,500	\$1,242,818,683
1060	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$4,500	\$1,242,823,183
1060	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$4,500	\$1,242,827,683
1060	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$4,500	\$1,242,832,183
1060	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$4,500	\$1,242,836,683
1060	Ha'iwale (<i>Cyrtandra polyantha</i>)	E	\$4,500	\$1,242,841,183
1060	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$4,500	\$1,242,845,683
1060	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,500	\$1,242,850,183
1060	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$4,500	\$1,242,854,683
1060	Haha (<i>Cyanea truncata</i>)	E	\$4,500	\$1,242,859,183
1060	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$4,500	\$1,242,863,683
1061	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$4,411	\$1,242,868,094
1062	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$4,400	\$1,242,872,494
1062	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$4,400	\$1,242,876,894
1063	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$4,310	\$1,242,881,204
1063	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$4,310	\$1,242,885,514
1064	<i>Gouania hillebrandii</i> (=Sci name)	E	\$4,300	\$1,242,889,814
1064	<i>Schiedea helleri</i> (=Sci name)	E	\$4,300	\$1,242,894,114
1064	<i>Stenogyne campanulata</i> (=Sci name)	E	\$4,300	\$1,242,898,414
1065	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$4,200	\$1,242,902,614
1065	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$4,200	\$1,242,906,814
1066	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$4,150	\$1,242,910,964
1067	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$4,100	\$1,242,915,064
1067	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$4,100	\$1,242,919,164
1067	Nehe (<i>Lipochaeta micrantha</i>)	E	\$4,100	\$1,242,923,264
1067	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$4,100	\$1,242,927,364
1068	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$4,066	\$1,242,931,430
1069	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$4,034	\$1,242,935,464
1070	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$4,000	\$1,242,939,464
1070	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$4,000	\$1,242,943,464
1070	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$4,000	\$1,242,947,464
1070	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,000	\$1,242,951,464
1070	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$4,000	\$1,242,955,464
1070	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$4,000	\$1,242,959,464
1071	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$3,913	\$1,242,963,377
1072	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Entire Range; Except where listed as EXPN	E	\$3,850	\$1,242,967,227
1073	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$3,810	\$1,242,971,037
1074	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$3,800	\$1,242,974,837
1074	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$3,800	\$1,242,978,637
1074	Haha (<i>Cyanea undulata</i>)	E	\$3,800	\$1,242,982,437
1074	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$3,800	\$1,242,986,237
1074	<i>Nesogenes rotensis</i> (=Sci name)	E	\$3,800	\$1,242,990,037
1075	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$3,737	\$1,242,993,774
1076	Lauhilihi (<i>Schiedea stellarioides</i>)	E	\$3,710	\$1,242,997,484
1077	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,700	\$1,243,001,184
1077	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$3,700	\$1,243,004,884
1077	<i>Viola lanaiensis</i> (=Sci name)	E	\$3,700	\$1,243,008,584
1077	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$3,700	\$1,243,012,284
1078	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$3,600	\$1,243,015,884
1078	Polygala, tiny (<i>Polygala smallii</i>)	E	\$3,600	\$1,243,019,484
1079	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$3,556	\$1,243,023,040
1080	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$3,500	\$1,243,026,540
1080	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$3,500	\$1,243,030,040

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1081	Combsshell, southern (<i>Epioblasma penita</i>)	E	\$3,400	\$1,243,033,440
1081	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$3,400	\$1,243,036,840
1081	Haha (<i>Cyanea remyi</i>)	E	\$3,400	\$1,243,040,240
1082	Pigtoe, shiny (<i>Fusconaia cor</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,362	\$1,243,043,602
1083	Alani (<i>Melicope munroi</i>)	E	\$3,300	\$1,243,046,902
1083	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$3,300	\$1,243,050,202
1083	Ha'iwale (<i>Cyrtandra limahuliensis</i>)	T	\$3,300	\$1,243,053,502
1084	Seal, Mediterranean monk (<i>Monachus monachus</i>)	E	\$3,256	\$1,243,056,758
1085	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$3,245	\$1,243,060,003
1086	<i>Trematolobelia singularis</i> (=Sci name)	E	\$3,200	\$1,243,063,203
1087	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$3,100	\$1,243,066,303
1087	Alani (<i>Melicope reflexa</i>)	E	\$3,100	\$1,243,069,403
1087	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$3,100	\$1,243,072,503
1087	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$3,100	\$1,243,075,603
1088	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$3,000	\$1,243,078,603
1088	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphe</i>)	E	\$3,000	\$1,243,081,603
1088	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$3,000	\$1,243,084,603
1088	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$3,000	\$1,243,087,603
1088	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis))	E	\$3,000	\$1,243,090,603
1088	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$3,000	\$1,243,093,603
1089	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$2,911	\$1,243,096,514
1090	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$2,800	\$1,243,099,314
1090	<i>Schiedea lydgatei</i> (=Sci name)	E	\$2,800	\$1,243,102,114
1090	Haha (<i>Cyanea manni</i>)	E	\$2,800	\$1,243,104,914
1090	Lo'ulu (<i>Pritchardia napaliensis</i>)	E	\$2,800	\$1,243,107,714
1091	Ma'oli'oli (<i>Schiedea apokremnos</i>)	E	\$2,720	\$1,243,110,434
1092	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$2,700	\$1,243,113,134
1092	<i>Mariscus fauriei</i> (=Sci name)	E	\$2,700	\$1,243,115,834
1093	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$2,660	\$1,243,118,494
1093	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$2,660	\$1,243,121,154
1094	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$2,500	\$1,243,123,654
1094	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$2,500	\$1,243,126,154
1094	<i>Aristida chaseae</i> (=Sci name)	E	\$2,500	\$1,243,128,654
1095	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$2,415	\$1,243,131,069
1096	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$2,400	\$1,243,133,469
1096	Ha'iwale (<i>Cyrtandra crenata</i>)	E	\$2,400	\$1,243,135,869
1097	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$2,350	\$1,243,138,219
1098	Pamakani (<i>Tetramolopium capillare</i>)	E	\$2,320	\$1,243,140,539
1099	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$2,311	\$1,243,142,850
1100	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$2,300	\$1,243,145,150
1101	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) -Entire; Except where EXPN	E	\$2,250	\$1,243,147,400
1101	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$2,250	\$1,243,149,650
1102	Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$2,229	\$1,243,151,879
1103	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$2,225	\$1,243,154,104
1104	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$2,200	\$1,243,156,304
1104	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$2,200	\$1,243,158,504
1105	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$2,120	\$1,243,160,624
1106	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$2,065	\$1,243,162,689
1107	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$2,028	\$1,243,164,717
1107	Pearlymussel, dromedary (<i>Dromus dromas</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,028	\$1,243,166,745
1108	Palo de nigua (<i>Cornutia obovata</i>)	E	\$2,000	\$1,243,168,745
1108	Bariaco (<i>Trichilia triacantha</i>)	E	\$2,000	\$1,243,170,745
1108	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$2,000	\$1,243,172,745
1109	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$1,935	\$1,243,174,680
1110	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$1,800	\$1,243,176,480
1110	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$1,800	\$1,243,178,280
1111	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,772	\$1,243,180,052
1112	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$1,760	\$1,243,181,812
1112	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$1,760	\$1,243,183,572

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1112	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$1,760	\$1,243,185,332
1112	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$1,760	\$1,243,187,092
1113	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$1,698	\$1,243,188,790
1114	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$1,660	\$1,243,190,450
1114	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$1,660	\$1,243,192,110
1114	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$1,660	\$1,243,193,770
1115	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,625	\$1,243,195,395
1116	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$1,610	\$1,243,197,005
1117	Lo'ulu (<i>Pritchardia remota</i>)	E	\$1,600	\$1,243,198,605
1118	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$1,574	\$1,243,200,179
1119	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$1,520	\$1,243,201,699
1120	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$1,500	\$1,243,203,199
1120	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$1,500	\$1,243,204,699
1120	Erubia (<i>Solanum drymophilum</i>)	E	\$1,500	\$1,243,206,199
1120	<i>Myrcia paganii</i> (=Sci name)	E	\$1,500	\$1,243,207,699
1120	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$1,500	\$1,243,209,199
1120	<i>Tectaria estremarana</i> (=Sci name)	E	\$1,500	\$1,243,210,699
1121	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$1,491	\$1,243,212,190
1122	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$1,378	\$1,243,213,568
1123	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$1,324	\$1,243,214,892
1124	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$1,250	\$1,243,216,142
1125	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$1,228	\$1,243,217,370
1126	Salamander, San Marcos (<i>Eurycea nana</i>) - Spring Lake and nearby habitats immediately downstream of the dam forming Spring Lake	T	\$1,225	\$1,243,218,595
1127	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$1,200	\$1,243,219,795
1127	Alani (<i>Melicope saint-johnii</i>)	E	\$1,200	\$1,243,220,995
1127	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,200	\$1,243,222,195
1127	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$1,200	\$1,243,223,395
1128	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$1,085	\$1,243,224,480
1129	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$1,058	\$1,243,225,538
1130	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$1,005	\$1,243,226,543
1131	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	\$1,000	\$1,243,227,543
1131	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$1,000	\$1,243,228,543
1131	Rocksnaail, round (<i>Leptoxis ampla</i>)	T	\$1,000	\$1,243,229,543
1131	Capa rosa (<i>Callicarpa ampla</i>)	E	\$1,000	\$1,243,230,543
1131	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$1,000	\$1,243,231,543
1131	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$1,243,232,543
1131	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$1,000	\$1,243,233,543
1131	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$1,243,234,543
1131	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$1,000	\$1,243,235,543
1131	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$1,000	\$1,243,236,543
1131	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$1,000	\$1,243,237,543
1131	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$1,000	\$1,243,238,543
1131	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$1,000	\$1,243,239,543
1131	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$1,243,240,543
1131	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$1,000	\$1,243,241,543
1131	<i>Vernonia proctorii</i> (=Sci name)	E	\$1,000	\$1,243,242,543
1131	<i>Ilex sintenisii</i> (=Sci name)	E	\$1,000	\$1,243,243,543
1131	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$1,243,244,543
1131	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$1,000	\$1,243,245,543
1131	<i>Thelypteris verecunda</i> (=Sci name)	E	\$1,000	\$1,243,246,543
1131	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$1,000	\$1,243,247,543
1132	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$918	\$1,243,248,461
1133	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$900	\$1,243,249,361
1133	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$900	\$1,243,250,261
1133	<i>Calyptanthus thomasiana</i> (=Sci name)	E	\$900	\$1,243,251,161
1133	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$900	\$1,243,252,061
1133	<i>Cranichis ricartii</i> (=Sci name)	E	\$900	\$1,243,252,961
1133	<i>Adiantum vivesii</i> (=Sci name)	E	\$900	\$1,243,253,861
1133	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$900	\$1,243,254,761
1133	<i>Polystichum calderonense</i> (=Sci name)	E	\$900	\$1,243,255,661

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1134	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$800	\$1,243,256,461
1135	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$769	\$1,243,257,230
1136	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$765	\$1,243,257,995
1137	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$700	\$1,243,258,695
1137	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$700	\$1,243,259,395
1137	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$700	\$1,243,260,095
1137	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$700	\$1,243,260,795
1137	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$700	\$1,243,261,495
1138	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$600	\$1,243,262,095
1138	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$600	\$1,243,262,695
1139	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$500	\$1,243,263,195
1139	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$500	\$1,243,263,695
1139	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$500	\$1,243,264,195
1139	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$1,243,264,695
1139	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$500	\$1,243,265,195
1139	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$500	\$1,243,265,695
1140	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$481	\$1,243,266,176
1141	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL; Free-Flowing Reach of the Tenn. R. below Wilson Dam, Colbert and Lauderdale Co.	EXPN	\$350	\$1,243,266,526
1142	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$300	\$1,243,266,826
1143	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$200	\$1,243,267,026
1143	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$200	\$1,243,267,226
1143	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$200	\$1,243,267,426
1143	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$200	\$1,243,267,626
1144	Seal, Saimaa (<i>Phoca hispida saimensis</i>)	E	\$120	\$1,243,267,746
1145	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$75	\$1,243,267,821

TABLE 3. FY 2009 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2009 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported.

TABLE 3. FY 2009 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	74	Bat, gray (<i>Myotis grisescens</i>)	E	\$100,000	\$0	\$100,000	\$0	\$100,000
	39	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$739,080	\$2,280	\$741,360	\$0	\$741,360
	74	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$100,000	\$0	\$100,000	\$0	\$100,000
	62	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$230,000	\$0	\$230,000	\$0	\$230,000
	31	Bear, grizzly (<i>Ursus arctos horribilis</i>) - experimental, non-essential, portions of ID and MT	EXPN	\$0	\$0	\$0	\$1,341,006	\$1,341,006
	26	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$1,838,000	\$0	\$1,838,000	\$0	\$1,838,000
	84	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$33,625	\$0	\$33,625	\$0	\$33,625
	36	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$340,667	\$652,000	\$992,667	\$0	\$992,667
	87	Jaguar (<i>Panthera onca</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	87	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouarundi cacomitli</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	44	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$0	\$637,000	\$637,000	\$0	\$637,000
	23	Lynx, Canada (<i>Lynx canadensis</i>) - (Contig. U.S. DPS)	T	\$0	\$0	\$0	\$2,198,525	\$2,198,525
	81	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$60,956	\$0	\$60,956	\$0	\$60,956
	87	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	29	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$0	\$1,500,000	\$1,500,000	\$0	\$1,500,000
	103	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$0	\$300	\$300	\$0	\$300

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	84	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$33,625	\$0	\$33,625	\$0	\$33,625
	84	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$33,625	\$0	\$33,625	\$0	\$33,625
	89	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$8,333	\$8,475	\$16,808	\$0	\$16,808
	95	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$0	\$8,475	\$8,475	\$0	\$8,475
	102	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$0	\$460	\$460	\$0	\$460
	71	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co,DE	E	\$121,050	\$0	\$121,050	\$0	\$121,050
	92	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$0	\$10,861	\$10,861	\$0	\$10,861
	11	Wolf, gray (<i>Canis lupus</i>) - Lower 48, except MN and EXPN; Mexico.	E	\$912,483	\$0	\$912,483	\$3,290,191	\$4,202,674
Mammals subtotal				\$4,622,499	\$2,819,851	\$7,442,350	\$6,829,722	\$14,272,072
Birds	6	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL	T	\$0	\$7,500,000	\$7,500,000	\$0	\$7,500,000
	24	Crane, whooping (<i>Grus americana</i>) - U.S.A. (CO, ID, FL, NM, UT and western WY)	EXPN	\$0	\$2,000,000	\$2,000,000	\$0	\$2,000,000
	10	Crane, whooping (<i>Grus americana</i>) - except EXPN	E	\$4,480,757	\$499,000	\$4,979,757	\$398,637	\$5,378,394
	87	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	14	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$0	\$3,167,000	\$3,167,000	\$0	\$3,167,000
	76	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$93,333	\$0	\$93,333	\$0	\$93,333
	76	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$93,333	\$0	\$93,333	\$0	\$93,333

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	86	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$25,000	\$0	\$25,000	\$0	\$25,000
	91	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	87	Warbler, golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	100	Warbler, Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$2,200	\$0	\$2,200	\$0	\$2,200
	72	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - Entire	E	\$0	\$0	\$0	\$117,000	\$117,000
	4	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$30,889	\$1,500,000	\$1,530,889	\$8,799,205	\$10,330,094
Birds subtotal				\$19,873,154	\$85,083,634	\$104,956,788	\$12,159,097	\$117,115,885
Reptiles	49	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$0	\$500,000	\$500,000	\$0	\$500,000
	54	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$340,667	\$37,000	\$377,667	\$0	\$377,667
	45	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$0	\$0	\$0	\$600,000	\$600,000
	78	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$84,641	\$0	\$84,641	\$0	\$84,641
	87	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	78	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$84,641	\$0	\$84,641	\$0	\$84,641
	83	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$39,241	\$0	\$39,241	\$0	\$39,241
	57	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$336,775	\$0	\$336,775	\$0	\$336,775
	82	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$45,400	\$0	\$45,400	\$0	\$45,400
	97	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	67	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) IN N. of 40 degrees N.lat.; MI, OH	T	\$10,700	\$0	\$10,700	\$161,300	\$172,000
	73	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$100,581	\$0	\$100,581	\$0	\$100,581
	37	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$531,465	\$360,000	\$891,465	\$0	\$891,465
	40	Tortoise, gopher (<i>Gopherus polyphemus</i>)- W of Mobile/ Tombigbee Rs.	T	\$0	\$731,000	\$731,000	\$0	\$731,000
Reptiles subtotal				\$1,603,796	\$1,628,000	\$3,231,796	\$761,300	\$3,993,096
Amphibians	58	Frog, California red-legged (<i>Rana draytonii</i>) subspecies range clarified	T	\$12,500	\$240,000	\$252,500	\$0	\$252,500
	50	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$0	\$479,500	\$479,500	\$0	\$479,500
	51	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$467,400	\$0	\$467,400	\$0	\$467,400
	91	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$12,500	\$0	\$12,500	\$0	\$12,500
Amphibians subtotal				\$492,400	\$719,500	\$1,211,900	\$0	\$1,211,900
Fishes	80	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$75,247	\$0	\$75,247	\$0	\$75,247
	70	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$145,000	\$0	\$145,000	\$0	\$145,000
	90	Darter, goldline (<i>Percina aurolineata</i>)	T	\$16,557	\$0	\$16,557	\$0	\$16,557
	88	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	101	Minnnow, Devils River (<i>Dionda diaboli</i>)	T	\$0	\$0	\$0	\$495	\$495
	13	Minnnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except EXPN	E	\$0	\$3,500,000	\$3,500,000	\$2,520	\$3,502,520

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	55	Pikeminnow (=squawfish), CO (<i>Ptychocheilus lucius</i>)- Salt & Verde R. drainages, AZ	EXPN	\$0	\$368,000	\$368,000	\$0	\$368,000
	70	Pupfish, Ash Meadows Amargosa(<i>Cyprinodon nevadensis mionectes</i>)	E	\$145,000	\$0	\$145,000	\$0	\$145,000
	88	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	70	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$145,000	\$0	\$145,000	\$0	\$145,000
	70	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$145,000	\$0	\$145,000	\$0	\$145,000
	65	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - lower Col.River	T	\$0	\$190,186	\$190,186	\$0	\$190,186
	60	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - winter Sacramento R.	E	\$0	\$240,000	\$240,000	\$0	\$240,000
	25	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)- spring/ summer Snake R.	T	\$0	\$1,883,746	\$1,883,746	\$0	\$1,883,746
	8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - spring upper Columbia R.	E	\$0	\$6,187,815	\$6,187,815	\$553,566	\$6,741,381
	94	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - upper Willamette R.	T	\$0	\$8,800	\$8,800	\$0	\$8,800
	60	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA Central Valley spring-run	T	\$0	\$240,000	\$240,000	\$0	\$240,000
	42	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - fall Snake R.	T	\$0	\$688,800	\$688,800	\$0	\$688,800
	22	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound	T	\$190,798	\$671,000	\$861,798	\$1,412,062	\$2,273,860

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	99	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) - Columbia R.	T	\$0	\$2,975	\$2,975	\$0	\$2,975
	18	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - OR,CA	T	\$0	\$2,630,000	\$2,630,000	\$0	\$2,630,000
	99	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - Lower Columbia R.	T	\$0	\$2,975	\$2,975	\$0	\$2,975
	41	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) - U.S.A. (Snake River, ID stock)	E	\$0	\$689,129	\$689,129	\$0	\$689,129
	90	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$16,557	\$0	\$16,557	\$0	\$16,557
	38	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$0	\$750,000	\$750,000	\$0	\$750,000
	43	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$0	\$0	\$0	\$680,000	\$680,000
	85	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$0	\$26,000	\$26,000	\$0	\$26,000
	98	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - upper Willamette R.	T	\$0	\$3,152	\$3,152	\$0	\$3,152
	7	Steelhead (<i>Oncorhynchus</i> (=Salmo)mykiss) middle Columbia R.	T	\$0	\$6,199,531	\$6,199,531	\$1,144,255	\$7,343,786
	28	Steelhead (<i>Oncorhynchus</i> (=Salmo)mykiss) Snake R. Basin	T	\$0	\$1,518,415	\$1,518,415	\$0	\$1,518,415
	9	Steelhead (<i>Oncorhynchus</i> (=Salmo)mykiss) upper Columbia R. Basin	T	\$0	\$4,933,771	\$4,933,771	\$553,566	\$5,487,337
	30	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Puget Sound DPS	T	\$0	\$6,400	\$6,400	\$1,412,062	\$1,418,462
	60	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Central Valley CA	T	\$0	\$240,000	\$240,000	\$0	\$240,000
	33	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - lower Columbia R.	T	\$0	\$1,242,434	\$1,242,434	\$0	\$1,242,434

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	3	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$0	\$10,538,725	\$10,538,725	\$0	\$10,538,725
	55	Sucker, razorback (<i>Xyrauchen texanus</i>) - Entire	E	\$0	\$368,000	\$368,000	\$0	\$368,000
	75	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A.	E	\$75,247	\$0	\$75,247	\$19,800	\$95,047
	2	Trout, bull (<i>Salvelinus confluentus</i>) – conterminous, lower 48 states	T	\$0	\$10,601,974	\$10,601,974	\$606,155	\$11,208,129
	24	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$0	\$0	\$0	\$2,000,000	\$2,000,000
Fishes subtotal				\$954,406	\$53,775,828	\$54,730,234	\$8,384,481	\$63,114,715
Clams	90	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$16,557	\$0	\$16,557	\$0	\$16,557
	77	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$88,380	\$0	\$88,380	\$0	\$88,380
	32	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$1,276,400	\$0	\$1,276,400	\$0	\$1,276,400
	90	Kidneyshell, triangular (<i>Ptychobranchus greenii</i>)	E	\$16,557	\$0	\$16,557	\$0	\$16,557
	61	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where EXPN	E	\$235,581	\$0	\$235,581	\$0	\$235,581
	93	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$10,700	\$0	\$10,700	\$0	\$10,700
	90	Pocketbook, finlined (<i>Lampsilis altilis</i>)	T	\$16,557	\$0	\$16,557	\$0	\$16,557
	88	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
Clams subtotal				\$1,660,732	\$22,000	\$1,682,732	\$0	\$1,682,732
Snails	90	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$16,557	\$0	\$16,557	\$0	\$16,557
	90	Rocksnaail, round (<i>Leptoxis ampla</i>)	T	\$16,557	\$0	\$16,557	\$0	\$16,557
	84	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$33,625	\$0	\$33,625	\$0	\$33,625

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	14	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$0	\$3,167,000	\$3,167,000	\$0	\$3,167,000
Snails subtotal				\$66,739	\$3,167,000	\$3,233,739	\$0	\$3,233,739
Insects	47	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$202,798	\$312,000	\$514,798	\$0	\$514,798
	63	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$191,731	\$0	\$191,731	\$0	\$191,731
	91	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>))	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	66	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$189,531	\$0	\$189,531	\$0	\$189,531
	70	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000
	52	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$0	\$0	\$0	\$419,000	\$419,000
Insects subtotal				\$741,560	\$312,000	\$1,053,560	\$419,000	\$1,472,560
Crustaceans	91	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	91	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	46	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$0	\$583,500	\$583,500	\$0	\$583,500
	60	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$0	\$240,000	\$240,000	\$0	\$240,000
Crustaceans subtotal				\$25,000	\$823,500	\$848,500	\$0	\$848,500
Flowering Plants	53	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$0	\$0	\$0	\$380,000	\$380,000
	59	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$0	\$250,500	\$250,500	\$0	\$250,500
	64	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$190,798	\$0	\$190,798	\$0	\$190,798
	70	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	97	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	97	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	97	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	35	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$1,122,454	\$0	\$1,122,454	\$0	\$1,122,454
	59	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$0	\$250,500	\$250,500	\$0	\$250,500
	91	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	84	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$33,625	\$0	\$33,625	\$0	\$33,625
	70	Centaury, spring-loving (<i>Centaureum namophilum</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000
	77	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$88,380	\$0	\$88,380	\$0	\$88,380
	77	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$88,380	\$0	\$88,380	\$0	\$88,380
	97	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	70	Gumplant, Ash Meadows (<i>Grindelia fraxinoprattensis</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000
	96	Howellia, water (<i>Howellia aquatilis</i>)	T	\$0	\$6,400	\$6,400	\$0	\$6,400
	66	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$189,531	\$0	\$189,531	\$0	\$189,531
	70	Ivesia, Ash Meadows (<i>Ivesia kingii eremica</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000
	14	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$0	\$3,167,000	\$3,167,000	\$0	\$3,167,000
	66	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$189,531	\$0	\$189,531	\$0	\$189,531
	87	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$23,685	\$0	\$23,685	\$0	\$23,685
	91	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	91	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	70	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000
	97	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	70	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$145,000	\$0	\$145,000	\$0	\$145,000
	79	<i>Geocarpon minimum</i>	T	\$0	\$0	\$0	\$83,200	\$83,200
	56	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$277,911	\$0	\$277,911	\$84,900	\$362,811
	17	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$2,752,880	\$0	\$2,752,880	\$0	\$2,752,880
	91	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	97	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	69	Pink, swamp (<i>Helonias bullata</i>)	T	\$157,423	\$0	\$157,423	\$0	\$157,423
	97	Plum, scrub (<i>Prunus geniculata</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	68	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$0	\$0	\$0	\$170,500	\$170,500
	84	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$33,625	\$0	\$33,625	\$0	\$33,625
	70	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$145,000	\$0	\$145,000	\$0	\$145,000
	66	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$189,531	\$0	\$189,531	\$0	\$189,531
	80	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$75,247	\$0	\$75,247	\$0	\$75,247
	97	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	97	Wireweed (<i>Polygonella basiramia</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
Flowering Plants subtotal				\$6,532,001	\$3,674,400	\$10,206,401	\$718,600	\$10,925,001
Total Land Expenditures				\$36,572,287	\$152,025,713	\$188,598,000	\$29,272,200	\$217,870,200

TABLE 4. FY 2009 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

This table displays species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

TABLE 4. FY2009 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

Expense Type	Agency	Species Total	Land Total	Grand Total
Federal Domestic Expenditures	DHS Coast Guard	\$21,034,509	\$28,271	\$21,062,780
	DOC National Oceanic and Atmospheric Administration	\$199,704,546	\$0	\$199,704,546
	DOD Air Force	\$11,958,726	\$0	\$11,958,726
	DOD Army	\$36,238,679	\$0	\$36,238,679
	DOD Army Corps of Engineers	\$290,520,996	\$10,604,159	\$301,125,155
	DOD Marine Corps	\$7,686,019	\$0	\$7,686,019
	DOD Navy	\$5,258,995	\$0	\$5,258,995
	DOE Bonneville Power Administration	\$164,545,449	\$21,492,703	\$186,038,152
	DOE Southwestern Power Administration	\$39,971	\$0	\$39,971
	DOE Western Area Power Administration	\$14,927,000	\$0	\$14,927,000
	DOI Bureau of Indian Affairs	\$637,716	\$0	\$637,716
	DOI Bureau of Land Management	\$18,279,939	\$9,501,500	\$27,781,439
	DOI Bureau of Reclamation	\$97,995,300	\$31,639,000	\$129,634,300
	DOI Minerals Management Service	\$2,935,000	\$0	\$2,935,000
	DOI National Park Service	\$11,844,791	\$0	\$11,844,791
	DOI US Geological Survey	\$13,775,140	\$0	\$13,775,140
	DOT Federal Aviation Administration	\$1,468,426	\$70,000	\$1,538,426
	DOT Federal Highway Administration	\$80,693,887	\$0	\$80,693,887
	Environmental Protection Agency	\$2,693,875	\$0	\$2,693,875
	Federal Energy Regulatory Commission	\$237,600	\$0	\$237,600
	Nuclear Regulatory Commission	\$547,544	\$0	\$547,544
	Smithsonian Institution	\$468,320	\$0	\$468,320
	Tennessee Valley Authority	\$1,882,100	\$0	\$1,882,100
	USDA Animal and Plant Health Inspection Service	\$8,578,800	\$0	\$8,578,800
	USDA Forest Service	\$43,042,100	\$0	\$43,042,100
	USDA Natural Resources Conservation Service	\$7,536,991	\$78,690,080	\$86,227,071
	US Fish and Wildlife Service	\$148,498,404	\$36,572,287	\$185,070,691
Federal Domestic Expenditures Total		\$1,193,030,823	\$188,598,000	\$1,381,628,823
Federal Foreign Expenditures	Federal Energy Regulatory Commission	\$200	\$0	\$200
	USDA Animal and Plant Health Inspection Service	\$12,100	\$0	\$12,100
	DOI US Geological Survey	\$13,818	\$0	\$13,818
	Smithsonian Institution	\$670,820	\$0	\$670,820
	US Fish and Wildlife Service	\$8,920,648	\$0	\$8,920,648
Federal Foreign Expenditures Total		\$9,617,586	\$0	\$9,617,586
Federal Domestic and Foreign Expenditures Subtotal		\$1,202,648,409	\$188,598,000	\$1,391,246,409
State Expenditures	State Governments	\$50,236,998	\$29,272,200	\$79,509,198
Grand Total		\$1,252,885,407	\$217,870,200	\$1,470,755,607

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species for FY 2009

To return to the original intent of Congress when amending the Endangered Species Act in 1988, we have eliminated the reporting of data into the category previously known as "Other ESA Expenses," beginning with the FY 2008 Expenditures Report. The Congress requested the information for this report on a species-by-species basis to the extent this information is reasonably available. This reporting guidance will provide information on how to report expenditures attributable to individual species.

Each agency must enter the data directly into our Web-based system and will need to designate a contact person (more than one person is permissible) to enter the data for the agency. The contact person(s) will need to obtain a password before entering the data. This is done by accessing the Environmental Conservation Online System at <https://ecos.fws.gov> and clicking on "Request Access" at the right side of the screen. Fill in the requested information, then request access to the "Expenditures" application. Please allow 2 to 3 working days for access approval. Contact the Help Desk if you experience any problems.

The information below should be used to gather the data.

BACKGROUND

Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, "...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--

- (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."

The conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:

- Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
- The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
- Generalized dollar estimates will suffice.
- Amendment does not apply to monitoring and survey costs for delisted, proposed, and candidate species.
- Amendment is not to require new species-specific time sheets for the Fish and Wildlife Service or other reporting agency.
- Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
- Only salary costs that can be reasonably identified as applicable to listed species need be reported.
- For other Federal and State agencies, a good faith effort to collect information is expected.
- Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- Only one data set per agency should be submitted for any given fiscal year.

DATA FORMAT

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

EXPENDITURES TO BE REPORTED

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2008 to September 30, 2009) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.
- Only reasonably identifiable expenditures for listed species will be totaled in this report. Extraordinary accounting to track funds expended on listed species is not expected.
- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, would be subject to reporting under that or those species.
- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species.
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly.
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable as such.
- All State agencies (e.g., parks, heritage programs, forests, highways) may report their expenditures, but only a single report from each State should be submitted. For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- Examples of reportable expenditures include status surveys, habitat management or acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to the extent that the agency can reasonably identify the proportion of the costs that benefit listed species.
- Litigation costs should not be reported.

Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2009

Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency*
- Forest Service
- Natural Resources Conservation Service

Department of Commerce:

- National Oceanic and Atmospheric Administration

Department of Defense:

- Office of the Under Secretary
(representing Air Force, Army, Defense Logistics Agency,* Marine Corps and Navy)
- Army Corps of Engineers

Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration*
- Southwestern Power Administration
- Western Area Power Administration

Department of Homeland Security

- Coast Guard
- Customs and Border Protection*

Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Reclamation
- Minerals Management Service
- National Park Service
- Office of Surface Mining*
- U.S. Geological Survey

Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration

Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

* Agencies reporting no expenditures for FY 2009

USDA Animal and Plant Health Inspection Service FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$24,500	\$0	\$24,500
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	Entire	\$45,000	\$0	\$45,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$29,000	\$0	\$29,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$43,000	\$0	\$43,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$100	\$0	\$100
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$38,500	\$0	\$38,500
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$100	\$0	\$100
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$17,000	\$0	\$17,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$4,000	\$0	\$4,000
		Jaguar	<i>Panthera onca</i>		\$2,500	\$0	\$2,500
		Jaguarundi, Gulf Coast	<i>Hepailurus (=Felis) yagouaroundi cacomitli</i>		\$3,000	\$0	\$3,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$100	\$0	\$100
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$16,500	\$0	\$16,500
		Manatee, West Indian	<i>Trichechus manatus</i>		\$500	\$0	\$500
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$6,000	\$0	\$6,000
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$8,500	\$0	\$8,500
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$45,500	\$0	\$45,500
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$100	\$0	\$100
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$15,500	\$0	\$15,500
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$2,500	\$0	\$2,500
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$110,000	\$0	\$110,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$20,000	\$0	\$20,000
		Mouse, St. Andrew beach	<i>Peromyscus polionotus</i>		\$5,000	\$0	\$5,000

			<i>peninsularis</i>				
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$11,000	\$0	\$11,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$200	\$0	\$200
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$2,000	\$0	\$2,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$100	\$0	\$100
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$40,000	\$0	\$40,000
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$25,500	\$0	\$25,500
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$194,000	\$0	\$194,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$200	\$0	\$200
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$800	\$0	\$800
		Wolf, gray	<i>Canis lupus</i>	MN	\$480,000	\$0	\$480,000
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$160,000	\$0	\$160,000
		Wolf, gray	<i>Canis lupus</i>	Northern Rocky Mtns DPS - WY significant portion of the range	\$209,000	\$0	\$209,000
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$400,500	\$0	\$400,500
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$37,000	\$0	\$37,000
		Mammals Total			\$1,997,200	\$0	\$1,997,200
		Birds					
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$100	\$0	\$100
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$300	\$0	\$300
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$19,500	\$0	\$19,500
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$200	\$0	\$200
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$6,000	\$0	\$6,000
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$200,000	\$0	\$200,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$36,000	\$0	\$36,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$37,000	\$0	\$37,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$2,000	\$0	\$2,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$15,500	\$0	\$15,500
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$200	\$0	\$200
		Goose, Hawaiian	<i>Branta (=Nesochen)</i>		\$13,000	\$0	\$13,000

			<i>sandvicensis</i>				
		Hawk, Hawaiian (=‘lo)	<i>Buteo solitarius</i>		\$2,000	\$0	\$2,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$29,500	\$0	\$29,500
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$30,000	\$0	\$30,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$400	\$0	\$400
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$2,000	\$0	\$2,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$29,000	\$0	\$29,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$9,500	\$0	\$9,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$171,000	\$0	\$171,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$438,500	\$0	\$438,500
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$9,500	\$0	\$9,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$128,000	\$0	\$128,000
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$200,000	\$0	\$200,000
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$52,500	\$0	\$52,500
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$100	\$0	\$100
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$29,000	\$0	\$29,000
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$90,500	\$0	\$90,500
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$56,500	\$0	\$56,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$12,500	\$0	\$12,500
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$121,000	\$0	\$121,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$428,000	\$0	\$428,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$17,000	\$0	\$17,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$11,200	\$0	\$11,200
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$4,000	\$0	\$4,000
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$2,000	\$0	\$2,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$9,000	\$0	\$9,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$2,000	\$0	\$2,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$12,000	\$0	\$12,000

	Birds Total				\$2,226,500	\$0	\$2,226,500
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$4,500	\$0	\$4,500
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$12,000	\$0	\$12,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$5,000	\$0	\$5,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$24,000	\$0	\$24,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$22,000	\$0	\$22,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$73,500	\$0	\$73,500
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$100	\$0	\$100
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$30,000	\$0	\$30,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$100	\$0	\$100
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$2,000	\$0	\$2,000
	Reptiles Total				\$173,200	\$0	\$173,200
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$1,000	\$0	\$1,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$400	\$0	\$400
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$35,000	\$0	\$35,000
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$2,000	\$0	\$2,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$200	\$0	\$200
		Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)		\$2,500	\$0	\$2,500
	Amphibians Total				\$41,100	\$0	\$41,100
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$6,500	\$0	\$6,500
		Darter, watercress	<i>Etheostoma nuchale</i>		\$300	\$0	\$300
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$100	\$0	\$100
		Minnow, Devils River	<i>Dionda diaboli</i>		\$200	\$0	\$200
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$100	\$0	\$100
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$200	\$0	\$200
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$66,500	\$0	\$66,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$1,200,500	\$0	\$1,200,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$300	\$0	\$300
		Salmon, sockeye	<i>Oncorhynchus</i>	U.S.A. (Ozette)	\$1,200,500	\$0	\$1,200,500

		Salmon, sockeye	(= <i>Salmo</i>) <i>nerka</i> <i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Lake, WA) U.S.A. (Snake River, ID stock)	\$200	\$0	\$200
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$200	\$0	\$200
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$300	\$0	\$300
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$200	\$0	\$200
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$1,200,500	\$0	\$1,200,500
		Stickleback, unarmored threespine	<i>Gasterosteus</i> <i>aculeatus</i> <i>williamsoni</i>		\$100	\$0	\$100
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$200	\$0	\$200
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus</i> <i>desotoi</i>		\$400	\$0	\$400
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$400	\$0	\$400
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	Entire	\$200	\$0	\$200
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>		\$2,000	\$0	\$2,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	Conterminous U.S.A.	\$1,000	\$0	\$1,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki</i> <i>henshawi</i>		\$5,000	\$0	\$5,000
	Fishes Total				\$3,686,000	\$0	\$3,686,000
	Clams						
		Bean, purple	<i>Villosa</i> <i>perpurpurea</i>		\$700	\$0	\$700
		Higgins eye (pearlmussel)	<i>Lampsilis</i> <i>higginsii</i>		\$300	\$0	\$300
		Pearlshell, Louisiana	<i>Margaritifera</i> <i>hembeli</i>		\$13,000	\$0	\$13,000
		Rabbitsfoot, rough	<i>Quadrula</i> <i>cylindrica</i> <i>strigillata</i>		\$700	\$0	\$700
		Riffleshell, northern	<i>Epioblasma</i> <i>torulosa</i> <i>rangiana</i>		\$2,000	\$0	\$2,000
		Riffleshell, tan	<i>Epioblasma</i> <i>florentina</i> <i>walkeri</i> (= <i>E. walkeri</i>)		\$700	\$0	\$700
		Wedgemussel, dwarf	<i>Alasmidonta</i> <i>heterodon</i>		\$2,000	\$0	\$2,000
	Clams Total				\$19,400	\$0	\$19,400
	Snails						
		Snail, Bliss Rapids	<i>Taylorconcha</i> <i>serpenticola</i>		\$300	\$0	\$300
		Snail, Utah valvata	<i>Valvata</i> <i>utahensis</i>		\$100	\$0	\$100
	Snails Total				\$400	\$0	\$400
	Insects						
		Beetle, American burying	<i>Nicrophorus</i> <i>americanus</i>		\$6,000	\$0	\$6,000
		Beetle, Comal Springs dryopid	<i>Stygoparnus</i> <i>comalensis</i>		\$100	\$0	\$100
		Beetle, Comal Springs riffle	<i>Heterelmis</i> <i>comalensis</i>		\$100	\$0	\$100
		Butterfly, Fender's blue	<i>Icaricia</i> <i>icarioides</i> <i>fenderi</i>		\$10,000	\$0	\$10,000

		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$2,000	\$0	\$2,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$400	\$0	\$400
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)		\$200	\$0	\$200
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$300	\$0	\$300
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$100	\$0	\$100
	Insects Total				\$19,200	\$0	\$19,200
	Crustaceans						
		Amphipod, Peck's cave	<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>		\$100	\$0	\$100
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$200	\$0	\$200
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$800	\$0	\$800
	Crustaceans Total				\$1,100	\$0	\$1,100
	Flowering Plants						
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$200	\$0	\$200
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$2,000	\$0	\$2,000
		Awiwi	<i>Centaureum sebaeoides</i>		\$2,000	\$0	\$2,000
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$400	\$0	\$400
		Baccharis, Encinitas	<i>Baccharis vanessae</i>		\$100	\$0	\$100
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$100	\$0	\$100
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$28,000	\$0	\$28,000
		Beauty, Harper's	<i>Harperocallis flava</i>		\$21,500	\$0	\$21,500
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>		\$200	\$0	\$200
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$2,000	\$0	\$2,000
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$100	\$0	\$100
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$19,500	\$0	\$19,500
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$100	\$0	\$100
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$3,000	\$0	\$3,000
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$200	\$0	\$200
		Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>		\$2,000	\$0	\$2,000
		Cactus, star	<i>Astrophytum asterias</i>		\$2,000	\$0	\$2,000
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>		\$2,000	\$0	\$2,000
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$10,000	\$0	\$10,000

		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$10,000	\$0	\$10,000
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$2,000	\$0	\$2,000
		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>		\$200	\$0	\$200
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$2,000	\$0	\$2,000
		Grass, Colusa	<i>Neostapfia colusana</i>		\$200	\$0	\$200
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$200	\$0	\$200
		Grass, Solano	<i>Tuctoria mucronata</i>		\$200	\$0	\$200
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$2,000	\$0	\$2,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$2,000	\$0	\$2,000
		Kulu`i	<i>Nototrichium humile</i>		\$2,000	\$0	\$2,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$3,000	\$0	\$3,000
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$11,000	\$0	\$11,000
		Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$400	\$0	\$400
		Manioc, Walker's	<i>Manihot walkerae</i>		\$2,000	\$0	\$2,000
		Manzanita, Del Mar	<i>Arctostaphylos glandulosa ssp. crassifolia</i>		\$200	\$0	\$200
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$2,000	\$0	\$2,000
		Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>		\$200	\$0	\$200
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$100	\$0	\$100
		Milk-vetch, coastal dunes	<i>Astragalus tener var. titi</i>		\$100	\$0	\$100
		Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>		\$100	\$0	\$100
		Mint, scrub	<i>Dicerandra frutescens</i>		\$13,500	\$0	\$13,500
		Monardella, willowy	<i>Monardella linoides ssp. viminea</i>		\$200	\$0	\$200
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$2,000	\$0	\$2,000
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$200	\$0	\$200
		No common name	<i>Schiedea kaalae</i>		\$2,000	\$0	\$2,000
		Ohai	<i>Sesbania tomentosa</i>		\$2,000	\$0	\$2,000
		Olulu	<i>Brighamia insignis</i>		\$9,500	\$0	\$9,500
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$2,500	\$0	\$2,500
		Orcutt grass, California	<i>Orcuttia californica</i>		\$300	\$0	\$300
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$200	\$0	\$200
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$200	\$0	\$200
		Orcutt grass,	<i>Orcuttia</i>		\$200	\$0	\$200

		San Joaquin	<i>inaequalis</i>				
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$200	\$0	\$200
		Panicgrass, Carter's	<i>Panicum fauriei</i> <i>var. carteri</i>		\$2,000	\$0	\$2,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$3,000	\$0	\$3,000
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$20,000	\$0	\$20,000
		Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>		\$5,000	\$0	\$5,000
		Plum, scrub	<i>Prunus geniculata</i>		\$15,000	\$0	\$15,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$2,000	\$0	\$2,000
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$2,000	\$0	\$2,000
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$11,500	\$0	\$11,500
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$25,500	\$0	\$25,500
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$24,000	\$0	\$24,000
		Sandlace	<i>Polygonella myriophylla</i>		\$17,500	\$0	\$17,500
		Snakeroot	<i>Eryngium cuneifolium</i>		\$23,000	\$0	\$23,000
		Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>		\$100	\$0	\$100
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$100	\$0	\$100
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$200	\$0	\$200
		Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$200	\$0	\$200
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$200	\$0	\$200
		Wahane	<i>Pritchardia aylmer-robinsonii</i>		\$9,500	\$0	\$9,500
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$100	\$0	\$100
		Wireweed	<i>Polygonella basiramia</i>		\$30,000	\$0	\$30,000
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$3,000	\$0	\$3,000
		`Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>		\$2,000	\$0	\$2,000
		Flowering Plants Total			\$364,200	\$0	\$364,200
		Conifers and Cycads					
		Torrey, Florida	<i>Torrey taxifolia</i>		\$16,500	\$0	\$16,500
		Lichens					
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$34,000	\$0	\$34,000
Domestic Total					\$8,578,800	\$0	\$8,578,800
Foriegn							
	Mammals						
		Cochito	<i>Phocoena sinus</i>		\$100	\$0	\$100
	Reptiles						

		Iguana, Cuban ground	<i>Cyclura nubila nubila</i>		\$12,000	\$0	\$12,000
Foreign Total					\$12,100	\$0	\$12,100
Grand Total					\$8,590,900	\$0	\$8,590,900

USDA Forest Service FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$692,000	\$0	\$692,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$959,000	\$0	\$959,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$2,000	\$0	\$2,000
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$46,000	\$0	\$46,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$344,000	\$0	\$344,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$345,000	\$0	\$345,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$22,000	\$0	\$22,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$246,000	\$0	\$246,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$3,427,000	\$0	\$3,427,000
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$20,000	\$0	\$20,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$76,000	\$0	\$76,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$15,000	\$0	\$15,000
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$15,000	\$0	\$15,000
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$17,000	\$0	\$17,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$28,000	\$0	\$28,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$22,000	\$0	\$22,000
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$51,000	\$0	\$51,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$47,000	\$0	\$47,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and EXPN; Mexico.	\$898,000	\$0	\$898,000
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$118,000	\$0	\$118,000
	Mammals Total				\$7,390,000	\$0	\$7,390,000
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$5,000	\$0	\$5,000

		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>		\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$25,000	\$0	\$25,000
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$34,000	\$0	\$34,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,000	\$0	\$2,000
		Creeper, Hawaii	<i>Oreomystis mana</i>		\$5,000	\$0	\$5,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$24,000	\$0	\$24,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$281,000	\$0	\$281,000
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$160,000	\$0	\$160,000
		Hawk, Hawaiian (=‘Io)	<i>Buteo solitarius</i>		\$5,000	\$0	\$5,000
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>		\$55,000	\$0	\$55,000
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>		\$55,000	\$0	\$55,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,361,000	\$0	\$1,361,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$325,000	\$0	\$325,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$9,293,000	\$0	\$9,293,000
		Parrot, Puerto Rican	<i>Amazona vittata</i>		\$87,000	\$0	\$87,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$1,000	\$0	\$1,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$84,000	\$0	\$84,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$205,000	\$0	\$205,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$185,000	\$0	\$185,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$33,000	\$0	\$33,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$77,000	\$0	\$77,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$750,000	\$0	\$750,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$6,017,000	\$0	\$6,017,000
		Birds Total			\$19,074,000	\$0	\$19,074,000
		Reptiles					
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$36,000	\$0	\$36,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$20,000	\$0	\$20,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$633,000	\$0	\$633,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$13,000	\$0	\$13,000

		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$94,000	\$0	\$94,000
	Reptiles Total				\$796,000	\$0	\$796,000
	Amphibians						
		Frog, California red- legged	<i>Rana draytonii</i>	subspecies range clarified	\$114,000	\$0	\$114,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$28,000	\$0	\$28,000
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	Wherever found west of Mobile and Tombigbee R. in AL, MS, LA	\$30,000	\$0	\$30,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$100,000	\$0	\$100,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$50,500	\$0	\$50,500
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$3,000	\$0	\$3,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$1,300	\$0	\$1,300
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$284,000	\$0	\$284,000
	Amphibians Total				\$610,800	\$0	\$610,800
	Fishes						
		Chub, Chihuahua	<i>Gila nigrescens</i>		\$4,000	\$0	\$4,000
		Chub, Sonora	<i>Gila ditaenia</i>		\$2,000	\$0	\$2,000
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$1,200	\$0	\$1,200
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$14,000	\$0	\$14,000
		Darter, amber	<i>Percina antesella</i>		\$2,000	\$0	\$2,000
		Darter, duskytail	<i>Etheostoma percnurum</i>	Tellico River, TN	\$10,000	\$0	\$10,000
		Darter, leopard	<i>Percina pantherina</i>		\$12,000	\$0	\$12,000
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$2,000	\$0	\$2,000
		Madtom, smoky	<i>Noturus baileyi</i>	Tellico River, TN	\$10,000	\$0	\$10,000
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Tellico River, TN	\$10,000	\$0	\$10,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$60,000	\$0	\$60,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$1,200	\$0	\$1,200
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$75,000	\$0	\$75,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring- run	\$677,000	\$0	\$677,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$5,000	\$0	\$5,000
		Salmon,	<i>Oncorhynchus</i>	spring/summer	\$171,000	\$0	\$171,000

		chinook	(= <i>Salmo tshawytscha</i>)	Snake R.			
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$1,000	\$0	\$1,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$5,185,000	\$0	\$5,185,000
		Shiner, blue	<i>Cyprinella caerulea</i>		\$6,000	\$0	\$6,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$35,000	\$0	\$35,000
		Spikedace	<i>Meda fulgida</i>		\$162,000	\$0	\$162,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$1,500	\$0	\$1,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$1,022,000	\$0	\$1,022,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$9,000	\$0	\$9,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$170,000	\$0	\$170,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$5,000	\$0	\$5,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$75,000	\$0	\$75,000
		Sucker, Modoc	<i>Catostomus microps</i>		\$22,000	\$0	\$22,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$89,000	\$0	\$89,000
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$23,000	\$0	\$23,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$3,000	\$0	\$3,000
		Trout, Apache	<i>Oncorhynchus apache</i>		\$800	\$0	\$800
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous U.S.A.	\$2,719,000	\$0	\$2,719,000
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$16,500	\$0	\$16,500
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$288,000	\$0	\$288,000
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>		\$3,000	\$0	\$3,000
		Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>		\$52,000	\$0	\$52,000
		Fishes Total			\$10,951,200	\$0	\$10,951,200
		Clams					
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire; Except where EXPN	\$5,000	\$0	\$5,000
		Clubshell	<i>Pleurobema clava</i>	AL; Free-Flowing Reach of the Tenn. River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$8,000	\$0	\$8,000
		Clubshell, southern	<i>Pleurobema decisum</i>		\$1,400	\$0	\$1,400
		Combshell, southern	<i>Epioblasma penita</i>		\$1,400	\$0	\$1,400
		Fanshell	<i>Cyprogenia stegaria</i>		\$1,400	\$0	\$1,400
		Moccasinshell,	<i>Medionidus</i>		\$1,400	\$0	\$1,400

		Alabama	<i>acutissimus</i>				
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$35,000	\$0	\$35,000
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$35,000	\$0	\$35,000
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$1,400	\$0	\$1,400
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$8,000	\$0	\$8,000
	Clams Total				\$98,000	\$0	\$98,000
	Snails						
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$35,000	\$0	\$35,000
		Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>		\$1,500	\$0	\$1,500
	Snails Total				\$36,500	\$0	\$36,500
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$320,000	\$0	\$320,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$290,000	\$0	\$290,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$34,000	\$0	\$34,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)		\$204,000	\$0	\$204,000
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocynema</i>		\$2,000	\$0	\$2,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$43,000	\$0	\$43,000
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$5,000	\$0	\$5,000
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$14,000	\$0	\$14,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$8,000	\$0	\$8,000
	Insects Total				\$920,000	\$0	\$920,000
	Flowering Plants						
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$6,000	\$0	\$6,000
		Barberry, Nevin's	<i>Berberis nevini</i>		\$800	\$0	\$800
		Beauty, Harper's	<i>Harperocallis flava</i>		\$30,000	\$0	\$30,000
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$30,000	\$0	\$30,000
		Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii</i> ssp. <i>bernardina</i>		\$67,000	\$0	\$67,000
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$6,500	\$0	\$6,500
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$125,000	\$0	\$125,000
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium</i> var. <i>vineum</i>		\$67,000	\$0	\$67,000
		Buckwheat, scrub	<i>Eriogonum longifolium</i> var.		\$286,000	\$0	\$286,000

			<i>gnaphalifolium</i>				
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$1,100	\$0	\$1,100
		Butterweed, Layne's	<i>Senecio layneae</i>		\$15,000	\$0	\$15,000
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$30,000	\$0	\$30,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$50,000	\$0	\$50,000
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$200	\$0	\$200
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$38,000	\$0	\$38,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$134,000	\$0	\$134,000
		Checker- mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$500	\$0	\$500
		Checker- mallow, pedate	<i>Sidalcea pedata</i>		\$6,000	\$0	\$6,000
		Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>		\$13,000	\$0	\$13,000
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$66,000	\$0	\$66,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$69,000	\$0	\$69,000
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$1,000	\$0	\$1,000
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$300	\$0	\$300
		Daisy, Parish's	<i>Erigeron parishii</i>		\$67,000	\$0	\$67,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$2,000	\$0	\$2,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$2,000	\$0	\$2,000
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$1,000	\$0	\$1,000
		Goldenrod, white-haired	<i>Solidago albopilosa</i>		\$13,000	\$0	\$13,000
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$2,000	\$0	\$2,000
		Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>		\$27,000	\$0	\$27,000
		Haha	<i>Cyanea shipmanii</i>		\$5,000	\$0	\$5,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$40,000	\$0	\$40,000
		Harperella	<i>Ptilimnium nodosum</i>		\$4,000	\$0	\$4,000
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$5,000	\$0	\$5,000
		Howellia, water	<i>Howellia aquatilis</i>		\$6,000	\$0	\$6,000
		Iris, dwarf lake	<i>Iris lacustris</i>		\$4,000	\$0	\$4,000
		Kauila	<i>Colubrina oppositifolia</i>		\$40,000	\$0	\$40,000
		Kiponapona	<i>Phyllostegia racemosa</i>		\$5,000	\$0	\$5,000
		Koki'o	<i>Kokia drynarioides</i>		\$40,000	\$0	\$40,000
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$2,000	\$0	\$2,000

	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$136,000	\$0	\$136,000
	Lily, Western	<i>Lilium occidentale</i>		\$500	\$0	\$500
	Lomatium, Cook's	<i>Lomatium cookii</i>		\$500	\$0	\$500
	Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$6,000	\$0	\$6,000
	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$5,000	\$0	\$5,000
	Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$11,000	\$0	\$11,000
	Milkweed, Mead's	<i>Asclepias meadii</i>		\$37,000	\$0	\$37,000
	Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$62,000	\$0	\$62,000
	No common name	<i>Bonamia menziesii</i>		\$5,000	\$0	\$5,000
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$26,000	\$0	\$26,000
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$40,000	\$0	\$40,000
	Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$130,000	\$0	\$130,000
	Oxytheca, cushenbury	<i>Oxytheca parishii var. goodmaniana</i>		\$79,000	\$0	\$79,000
	Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$62,000	\$0	\$62,000
	Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>		\$50,000	\$0	\$50,000
	Penstemon, blowout	<i>Penstemon haydenii</i>		\$5,000	\$0	\$5,000
	Phacelia, clay	<i>Phacelia argillacea</i>		\$6,500	\$0	\$6,500
	Phlox, Yreka	<i>Phlox hirsuta</i>		\$400	\$0	\$400
	Pink, swamp	<i>Helonias bullata</i>		\$28,000	\$0	\$28,000
	Pogonia, small whorled	<i>Isotria medeoloides</i>		\$38,000	\$0	\$38,000
	Polygala, Lewton's	<i>Polygala lewtonii</i>		\$74,000	\$0	\$74,000
	Pondberry	<i>Lindera melissifolia</i>		\$288,000	\$0	\$288,000
	Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$90,000	\$0	\$90,000
	Potato-bean, Price's	<i>Apios priceana</i>		\$12,000	\$0	\$12,000
	Prairie-clover, leafy	<i>Dalea foliosa</i>		\$28,000	\$0	\$28,000
	Primrose, Maguire	<i>Primula maguirei</i>		\$24,000	\$0	\$24,000
	Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>		\$3,000	\$0	\$3,000
	Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$5,000	\$0	\$5,000
	Rock-cress, shale barren	<i>Arabis serotina</i>		\$1,000	\$0	\$1,000
	Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$62,000	\$0	\$62,000
	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$1,900	\$0	\$1,900
	Skullcap, Florida	<i>Scutellaria floridana</i>		\$30,000	\$0	\$30,000
	Sneezeweed,	<i>Helenium</i>		\$35,000	\$0	\$35,000

		Virginia	<i>virginicum</i>				
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$800	\$0	\$800
		Stickseed, showy	<i>Hackelia venusta</i>		\$62,000	\$0	\$62,000
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$5,000	\$0	\$5,000
		Taraxacum, California	<i>Taraxacum californicum</i>		\$62,000	\$0	\$62,000
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$15,000	\$0	\$15,000
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$50,000	\$0	\$50,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$600	\$0	\$600
		Trillium, persistent	<i>Trillium persistens</i>		\$20,000	\$0	\$20,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$58,000	\$0	\$58,000
		Uhiuhi	<i>Caesalpinia kawaiense</i>		\$25,000	\$0	\$25,000
		Wild- buckwheat, southern mountain	<i>Eriogonum kennedyi var. austromontanum</i>		\$62,000	\$0	\$62,000
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>		\$56,000	\$0	\$56,000
		`Aiea	<i>Nothocestrum breviflorum</i>		\$40,000	\$0	\$40,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia pyrularia</i>		\$5,000	\$0	\$5,000
	Flowering Plants Total				\$3,160,600	\$0	\$3,160,600
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$5,000	\$0	\$5,000
Domestic Total					\$43,042,100	\$0	\$43,042,100
Grand Total					\$43,042,100	\$0	\$43,042,100

USDA Natural Resources Conservation Service FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$78,218	\$0	\$78,218
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$512,923	\$0	\$512,923
		Bat, Indiana	<i>Myotis sodalis</i>		\$128,668	\$2,280	\$130,948
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$1,000	\$0	\$1,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$500	\$0	\$500
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$47,000	\$0	\$47,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$5,418	\$0	\$5,418
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$8,669	\$0	\$8,669
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$898,900	\$0	\$898,900
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$100	\$0	\$100
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$800	\$0	\$800
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, WY)	\$400	\$0	\$400
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$700	\$0	\$700
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$10,000	\$615,000	\$625,000
		Jaguar	<i>Panthera onca</i>		\$100	\$0	\$100
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$1,200	\$0	\$1,200
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$8,000	\$600,000	\$608,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$19,458	\$0	\$19,458
		Manatee, West Indian	<i>Trichechus manatus</i>		\$2,800	\$0	\$2,800
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$800	\$0	\$800
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$800	\$0	\$800
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$800	\$0	\$800
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$800	\$0	\$800

		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	USA, north-central CO	\$500	\$0	\$500
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$800	\$0	\$800
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$800	\$0	\$800
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$100	\$0	\$100
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$49,000	\$1,500,000	\$1,549,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$59,500	\$0	\$59,500
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$100	\$0	\$100
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$5,418	\$0	\$5,418
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$800	\$0	\$800
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$800	\$0	\$800
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$500	\$0	\$500
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$50	\$0	\$50
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$3,312	\$0	\$3,312
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$800	\$0	\$800
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$50	\$0	\$50
		Wolf, gray	<i>Canis lupus</i>	Lower 48, except MN and EXPN; Mexico	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$300	\$0	\$300
		Wolf, gray	<i>Canis lupus</i>	No. Rocky Mtns DPS - WY significant portion of the range	\$100	\$0	\$100
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$800	\$0	\$800
	Mammals Total				\$1,851,884	\$2,717,280	\$4,569,164
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$17,270	\$0	\$17,270
		Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>		\$200	\$0	\$200
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$26,500	\$7,500,000	\$7,526,500
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of AZ, NV, UT)	\$200	\$0	\$200

		Coot, Hawaiian	<i>Fulica americana alai</i>		\$175,345	\$0	\$175,345
		Crane, whooping	<i>Grus americana</i>	U.S.A. (CO, ID, FL, NM, UT, and western WY)	\$900	\$2,000,000	\$2,000,900
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$10,200	\$0	\$10,200
		Crow, Hawaiian (=‘alala)	<i>Corvus hawaiiensis</i>		\$17,270	\$0	\$17,270
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$116,629	\$0	\$116,629
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$500	\$0	\$500
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$5,200	\$0	\$5,200
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$92,306	\$0	\$92,306
		Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$45,000	\$0	\$45,000
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$7,526	\$0	\$7,526
		Hawk, Hawaiian (=‘lo)	<i>Buteo solitarius</i>		\$17,270	\$0	\$17,270
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>		\$25,500	\$0	\$25,500
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>		\$25,500	\$0	\$25,500
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$10,500	\$7,500,000	\$7,510,500
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$178,923	\$0	\$178,923
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$12,077	\$0	\$12,077
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$560	\$0	\$560
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$1,600	\$0	\$1,600
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$4,200	\$0	\$4,200
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$32,400	\$0	\$32,400
		Parrot, Puerto Rican	<i>Amazona vittata</i>		\$13,000	\$0	\$13,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$200	\$0	\$200
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$21,083	\$0	\$21,083
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$5,700	\$0	\$5,700
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$5,000	\$0	\$5,000
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$6,007	\$0	\$6,007
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$80,200	\$0	\$80,200
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$5,500	\$2,500,000	\$2,505,500

		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$24,660	\$0	\$24,660
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$800	\$0	\$800
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$23,500	\$2,500,000	\$2,523,500
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$175,345	\$0	\$175,345
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$29,000	\$50,150,000	\$50,179,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$12,400	\$0	\$12,400
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hem. except NE U.S.	\$800	\$0	\$800
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$200	\$0	\$200
		Vireo, black- capped	<i>Vireo atricapilla</i>		\$12,700	\$0	\$12,700
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$190,000	\$0	\$190,000
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$800	\$0	\$800
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$3,500	\$0	\$3,500
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	Entire	\$5,450	\$0	\$5,450
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$400,121	\$1,500,000	\$1,900,121
	Birds Total				\$1,839,542	\$73,650,000	\$75,489,542
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$7,800	\$500,000	\$507,800
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$25,500	\$0	\$25,500
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$800	\$0	\$800
		Plymouth Red- Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>		\$2,000	\$0	\$2,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$200	\$0	\$200
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$800	\$0	\$800
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$800	\$0	\$800
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$800	\$0	\$800
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$800	\$0	\$800
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$4,800	\$0	\$4,800
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$2,400	\$0	\$2,400
		Skink, sand	<i>Neoseps reynoldsi</i>		\$2,400	\$0	\$2,400
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		\$800	\$0	\$800
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN north of 40 degrees north latitude; MI, OH	\$17,835	\$0	\$17,835

		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$98,500	\$0	\$98,500
		Snake, giant garter	<i>Thamnophis gigas</i>		\$105,000	\$360,000	\$465,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$200	\$0	\$200
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$700	\$0	\$700
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee R.	\$98,000	\$731,000	\$829,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$97,200	\$0	\$97,200
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$30,000	\$0	\$30,000
	Reptiles Total				\$497,335	\$1,591,000	\$2,088,335
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$415,000	\$0	\$415,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$1,750	\$0	\$1,750
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$70,000	\$0	\$70,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$5,418	\$0	\$5,418
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$3,400	\$0	\$3,400
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$100	\$0	\$100
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$35,000	\$0	\$35,000
		Toad, Houston	<i>Bufo houstonensis</i>		\$10,500	\$0	\$10,500
		Toad, Puerto Rican crested	<i>Peltophryne lemur</i>		\$13,000	\$0	\$13,000
	Amphibians Total				\$554,168	\$0	\$554,168
	Fishes						
		Catfish, Yaqui	<i>Ictalurus pricei</i>		\$100	\$0	\$100
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$23,600	\$0	\$23,600
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$5,000	\$0	\$5,000
		Chub, Gila	<i>Gila intermedia</i>		\$300	\$0	\$300
		Chub, humpback	<i>Gila cypha</i>	Entire	\$5,000	\$0	\$5,000
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$500	\$0	\$500
		Chub, Sonora	<i>Gila ditaenia</i>		\$100	\$0	\$100
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$300	\$0	\$300
		Chub, Yaqui	<i>Gila purpurea</i>		\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>		\$19,000	\$0	\$19,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$800	\$0	\$800
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$480	\$0	\$480
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$2,800	\$0	\$2,800

		Logperch, Roanoke	<i>Percina rex</i>		\$50,000	\$0	\$50,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$300	\$0	\$300
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire; except where EXPN	\$1,000	\$0	\$1,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$100	\$0	\$100
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$4,900	\$0	\$4,900
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$100	\$0	\$100
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$60,000	\$0	\$60,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound	\$2,000	\$671,000	\$673,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$3,800	\$0	\$3,800
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$2,000	\$0	\$2,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$6,000	\$0	\$6,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$6,000	\$0	\$6,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River	\$18,000	\$0	\$18,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$2,100	\$0	\$2,100
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$9,800	\$0	\$9,800
		Shiner, beautiful	<i>Cyprinella formosa</i>		\$100	\$0	\$100
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$20,148	\$0	\$20,148
		Spinedace	<i>Meda fulgida</i>		\$300	\$0	\$300
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$500	\$0	\$500
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$0	\$26,000	\$26,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$22,000	\$6,400	\$28,400
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$12,445	\$0	\$12,445
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$2,400	\$0	\$2,400

		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$260,000	\$0	\$260,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$17,000	\$0	\$17,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$3,000	\$0	\$3,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$800	\$0	\$800
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$2,600	\$0	\$2,600
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$13,800	\$0	\$13,800
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$1,105	\$0	\$1,105
		Sucker, June	<i>Chasmistes liorus</i>		\$200	\$0	\$200
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$5,000	\$0	\$5,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A.	\$100	\$0	\$100
		Trout, Apache	<i>Oncorhynchus apache</i>		\$500	\$0	\$500
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous U.S.A.	\$1,250,508	\$0	\$1,250,508
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$2,100	\$0	\$2,100
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$100	\$0	\$100
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$100	\$0	\$100
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$300	\$0	\$300
	Fishes Total				\$1,853,286	\$703,400	\$2,556,686
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$800	\$0	\$800
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Entire; except where EXPN	\$5,418	\$0	\$5,418
		Clubshell	<i>Pleurobema clava</i>	Entire; except where EXPN	\$5,918	\$0	\$5,918
		Fanshell	<i>Cyprogenia stegaria</i>	U.S.A. (TN - specified portions of the French Broad and Holston Rivers)	\$500	\$0	\$500
		Fanshell	<i>Cyprogenia stegaria</i>		\$5,918	\$0	\$5,918
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>		\$2,000	\$0	\$2,000
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$1,000	\$0	\$1,000
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$3,500	\$0	\$3,500
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$800	\$0	\$800

		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$800	\$0	\$800
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$11,478	\$0	\$11,478
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$1,000	\$0	\$1,000
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>		\$2,000	\$0	\$2,000
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$800	\$0	\$800
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$800	\$0	\$800
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$5,418	\$0	\$5,418
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$800	\$0	\$800
		Spinymussel, James	<i>Pleurobema collina</i>		\$5,418	\$0	\$5,418
		Three-ridge, fat (mussel)	<i>Amblyma neislerii</i>		\$800	\$0	\$800
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$5,450	\$22,000	\$27,450
	Clams Total				\$60,618	\$22,000	\$82,618
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$100	\$0	\$100
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$250	\$0	\$250
		Snail, flat- spired three- toothed	<i>Triodopsis platysayoides</i>		\$1,228	\$0	\$1,228
		Snail, Iowa Pleistocene	<i>Discus macclintocki</i>		\$7,500	\$0	\$7,500
		Snail, Snake River physa	<i>Physa natricina</i>		\$125	\$0	\$125
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>		\$800	\$0	\$800
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$2,240	\$0	\$2,240
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$27,740	\$0	\$27,740
	Snails Total				\$39,983	\$0	\$39,983
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$5,800	\$0	\$5,800
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$69,000	\$0	\$69,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$4,280	\$0	\$4,280
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$67,743	\$0	\$67,743
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$4,000	\$0	\$4,000
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$800	\$0	\$800
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$7,526	\$0	\$7,526
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$500	\$0	\$500

		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$450	\$0	\$450
		Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$250	\$0	\$250
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$9,000	\$0	\$9,000
	Insects Total			\$169,349	\$0	\$169,349
	Crustaceans					
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$13,000	\$0	\$13,000
		Isopod, Madison Cave	<i>Antrolana lira</i>	\$5,418	\$0	\$5,418
		Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingsi</i>	\$800	\$0	\$800
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$13,000	\$0	\$13,000
	Crustaceans Total			\$32,218	\$0	\$32,218
	Flowering Plants					
		Alani	<i>Melicope pallida</i>	\$21,083	\$0	\$21,083
		Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$200	\$0	\$200
		Aster, decurrent false	<i>Boltonia decurrens</i>	\$7,500	\$0	\$7,500
		Aster, Florida golden	<i>Chrysopsis floridana</i>	\$800	\$0	\$800
		Aupaka	<i>Isodendron longifolium</i>	\$21,083	\$0	\$21,083
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$200	\$0	\$200
		Beardtongue, Penland	<i>Penstemon penlandii</i>	\$50	\$0	\$50
		Beargrass, Britton's	<i>Nolina brittoniana</i>	\$800	\$0	\$800
		Beauty, Harper's	<i>Harperocallis flava</i>	\$800	\$0	\$800
		Bellflower, Brooksville	<i>Campanula robinsiae</i>	\$800	\$0	\$800
		Birds-in-a-nest, white	<i>Macbridea alba</i>	\$800	\$0	\$800
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$50	\$0	\$50
		Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$800	\$0	\$800
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$100	\$0	\$100
		Bonamia, Florida	<i>Bonamia grandiflora</i>	\$800	\$0	\$800
		Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$800	\$0	\$800
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$6,418	\$0	\$6,418
		Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$5,000	\$0	\$5,000
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>	\$2,050	\$0	\$2,050
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$800	\$0	\$800
		Cactus, Arizona	<i>Echinocereus</i>	\$100	\$0	\$100

		hedgehog	<i>triglochidiatus</i> var. <i>arizonicus</i>				
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$100	\$0	\$100
		Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>		\$100	\$0	\$100
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$800	\$0	\$800
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$50	\$0	\$50
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$50	\$0	\$50
		Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>		\$100	\$0	\$100
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$100	\$0	\$100
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$100	\$0	\$100
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$400	\$0	\$400
		Cactus, Siler pincushion	<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>		\$100	\$0	\$100
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$50	\$0	\$50
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$400	\$0	\$400
		Campion, fringed	<i>Silene polypetala</i>		\$800	\$0	\$800
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$620	\$0	\$620
		Chaffseed, American	<i>Schwalbea americana</i>		\$2,000	\$0	\$2,000
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$5,100	\$0	\$5,100
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$100	\$0	\$100
		Cliff-rose, Arizona	<i>Purshia</i> (=Cowania) <i>subintegra</i>		\$100	\$0	\$100
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$5,418	\$0	\$5,418
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$1,000	\$0	\$1,000
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (=humilis)		\$100	\$0	\$100
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$4,640	\$0	\$4,640
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$740	\$0	\$740
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$1,000	\$0	\$1,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$100	\$0	\$100
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$50	\$0	\$50
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$800	\$0	\$800
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$1,000	\$0	\$1,000
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$1,000	\$0	\$1,000
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$800	\$0	\$800

	Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	\$800	\$0	\$800
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$160	\$0	\$160
	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$100	\$0	\$100
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$7,526	\$0	\$7,526
	Harebells, Avon Park	<i>Crotalaria avonensis</i>	\$800	\$0	\$800
	Harperella	<i>Ptilimnium nodosum</i>	\$5,418	\$0	\$5,418
	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$7,526	\$0	\$7,526
	Howellia, water	<i>Howellia aquatilis</i>	\$4,850	\$6,400	\$11,250
	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	\$800	\$0	\$800
	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	\$800	\$0	\$800
	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$200	\$0	\$200
	Kamakahala	<i>Labordia lydgatei</i>	\$21,083	\$0	\$21,083
	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$9,838	\$0	\$9,838
	Kaula	<i>Colubrina oppositifolia</i>	\$7,526	\$0	\$7,526
	Kaulu	<i>Pteralyxia kauaiensis</i>	\$9,838	\$0	\$9,838
	Koki`o	<i>Kokia kauaiensis</i>	\$9,838	\$0	\$9,838
	Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hanneriae</i>	\$21,083	\$0	\$21,083
	Kolea	<i>Myrsine linearifolia</i>	\$21,083	\$0	\$21,083
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$100	\$0	\$100
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$2,500	\$0	\$2,500
	Lau `ehu	<i>Panicum niihauense</i>	\$9,838	\$0	\$9,838
	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$800	\$0	\$800
	Lily, Western	<i>Lilium occidentale</i>	\$500	\$0	\$500
	Lomatium, Cook's	<i>Lomatium cookii</i>	\$500	\$0	\$500
	Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$4,740	\$0	\$4,740
	Lupine, scrub	<i>Lupinus aridorum</i>	\$800	\$0	\$800
	Mahoe	<i>Alectryon macrococtus</i>	\$9,838	\$0	\$9,838
	Mapele	<i>Cyrtandra cyaneoides</i>	\$21,083	\$0	\$21,083
	Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>	\$500	\$0	\$500
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$800	\$0	\$800
	Mehamehame	<i>Flueggea neowawraea</i>	\$30,921	\$0	\$30,921
	Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	\$500	\$0	\$500
	Milk-vetch, heliotrope	<i>Astragalus montii</i>	\$100	\$0	\$100
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$100	\$0	\$100

		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$50	\$0	\$50
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$50	\$0	\$50
		Milkpea, Small's	<i>Galactia smallii</i>		\$800	\$0	\$800
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$8,826	\$0	\$8,826
		Mint, Garrett's	<i>Dicerandra christmanii</i>		\$800	\$0	\$800
		Mint, Lakela's	<i>Dicerandra immaculata</i>		\$800	\$0	\$800
		Mint, longspurred	<i>Dicerandra cornutissima</i>		\$800	\$0	\$800
		Mint, scrub	<i>Dicerandra frutescens</i>		\$800	\$0	\$800
		Mustard, Carter's	<i>Warea carteri</i>		\$800	\$0	\$800
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$50	\$0	\$50
		No common name	<i>Bonamia menziesii</i>		\$21,083	\$0	\$21,083
		No common name	<i>Delissea rhytidosperra</i>		\$9,838	\$0	\$9,838
		No common name	<i>Munroidendron racemosum</i>		\$30,921	\$0	\$30,921
		No common name	<i>Neraudia ovata</i>		\$7,526	\$0	\$7,526
		No common name	<i>Schiedea kauaiensis</i>		\$21,083	\$0	\$21,083
		No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>		\$9,838	\$0	\$9,838
		Olulu	<i>Brighamia insignis</i>		\$9,838	\$0	\$9,838
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$10,000	\$0	\$10,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$8,700	\$0	\$8,700
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$8,420	\$0	\$8,420
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$800	\$0	\$800
		Pawpaw, four- petal	<i>Asimina tetramera</i>		\$800	\$0	\$800
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$800	\$0	\$800
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$1,800	\$0	\$1,800
		Phacelia, North Park	<i>Phacelia formosula</i>		\$50	\$0	\$50
		Pigeon wings	<i>Clitoria fragrans</i>		\$800	\$0	\$800
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$800	\$0	\$800
		Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>		\$3,500	\$0	\$3,500
		Plum, scrub	<i>Prunus geniculata</i>		\$800	\$0	\$800
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$11,618	\$0	\$11,618
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$800	\$0	\$800
		Polygala, tiny	<i>Polygala smallii</i>		\$800	\$0	\$800
		popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$100	\$0	\$100
		Potato-bean, Price's	<i>Apios priceana</i>		\$960	\$0	\$960
		Prickly-apple,	<i>Cereus eriophorus</i>		\$800	\$0	\$800

		fragrant	<i>var. fragrans</i>				
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$800	\$0	\$800
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$50	\$0	\$50
		Rock-cress, shale barren	<i>Arabis serotina</i>		\$5,418	\$0	\$5,418
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$800	\$0	\$800
		Rosemary, Etonia	<i>Conradina etonia</i>		\$800	\$0	\$800
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$800	\$0	\$800
		Sandlace	<i>Polygonella myriophylla</i>		\$800	\$0	\$800
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$100	\$0	\$100
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$800	\$0	\$800
		Sedge, Navajo	<i>Carex specuicola</i>		\$300	\$0	\$300
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$800	\$0	\$800
		Snakeroot	<i>Eryngium cuneifolium</i>		\$800	\$0	\$800
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$5,418	\$0	\$5,418
		Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>		\$800	\$0	\$800
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$800	\$0	\$800
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$800	\$0	\$800
		Stickseed, showy	<i>Hackelia venusta</i>		\$100	\$0	\$100
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$500	\$0	\$500
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$100	\$0	\$100
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$400	\$0	\$400
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$50	\$0	\$50
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$92,609	\$0	\$92,609
		Warea, wide- leaf	<i>Warea amplexifolia</i>		\$800	\$0	\$800
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$100	\$0	\$100
		Water-willow, Cooley's	<i>Justicia cooleyi</i>		\$800	\$0	\$800
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$800	\$0	\$800
		wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$50	\$0	\$50
		Wireweed	<i>Polygonella basiramaia</i>		\$800	\$0	\$800
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$800	\$0	\$800
		`Akoko	<i>Euphorbia haeleleana</i>		\$9,838	\$0	\$9,838
	Flowering Plants Total				\$615,925	\$6,400	\$622,325

	Conifers and Cycads						
		Torrey, Florida	<i>Torrey taxifolia</i>		\$800	\$0	\$800
	Ferns and Allies						
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$21,083	\$0	\$21,083
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$800	\$0	\$800
Domestic Total					\$7,536,991	\$78,690,080	\$86,227,071
Grand Total					\$7,536,991	\$78,690,080	\$86,227,071

DOC National Oceanic and Atmospheric Administration FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$6,693,710	\$0	\$6,693,710
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$6,693,710	\$0	\$6,693,710
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$567,191	\$0	\$567,191
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$5,734,000	\$0	\$5,734,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$249,154	\$0	\$249,154
		Whale, bowhead	<i>Balaena mysticetus</i>		\$2,527,044	\$0	\$2,527,044
		Whale, finback	<i>Balaenoptera physalus</i>		\$631,760	\$0	\$631,760
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$1,895,267	\$0	\$1,895,267
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$6,317,595	\$0	\$6,317,595
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$3,790,551	\$0	\$3,790,551
		Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i>)		\$8,632,000	\$0	\$8,632,000
		Whale, Sei	<i>Balaenoptera borealis</i>		\$1,895,267	\$0	\$1,895,267
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)		\$1,895,267	\$0	\$1,895,267
	Mammals Total				\$47,522,516	\$0	\$47,522,516
	Birds						
		Albatross, short-tailed	<i>Phoebastria</i> (= <i>Diomedea</i>) <i>albatrus</i>		\$250,000	\$0	\$250,000
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$2,527,044	\$0	\$2,527,044
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$2,527,044	\$0	\$2,527,044
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$631,760	\$0	\$631,760
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$1,895,267	\$0	\$1,895,267
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$6,317,595	\$0	\$6,317,595
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$3,790,551	\$0	\$3,790,551
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$631,760	\$0	\$631,760
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$631,760	\$0	\$631,760
	Reptiles Total				\$18,952,781	\$0	\$18,952,781
	Fishes						
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$5,994,000	\$0	\$5,994,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA Central Valley spring-run	\$3,155,414	\$0	\$3,155,414
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA coastal	\$5,299,719	\$0	\$5,299,719
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound	\$5,299,719	\$0	\$5,299,719

			<i>tshawytscha</i>				
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$3,271,323	\$0	\$3,271,323
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$5,299,719	\$0	\$5,299,719
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$5,299,719	\$0	\$5,299,719
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$3,271,323	\$0	\$3,271,323
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$4,913,359	\$0	\$4,913,359
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$3,155,414	\$0	\$3,155,414
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$5,299,719	\$0	\$5,299,719
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$5,299,719	\$0	\$5,299,719
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River	\$5,299,719	\$0	\$5,299,719
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$5,666,763	\$0	\$5,666,763
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	central CA coast	\$3,155,414	\$0	\$3,155,414
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$5,299,719	\$0	\$5,299,719
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	U.S.A. (Snake River, ID stock)	\$3,271,323	\$0	\$3,271,323
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$529,971	\$0	\$529,971
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$5,299,719	\$0	\$5,299,719
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$3,155,414	\$0	\$3,155,414
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$3,271,323	\$0	\$3,271,323
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$3,155,414	\$0	\$3,155,414
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$5,299,719	\$0	\$5,299,719
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$5,299,719	\$0	\$5,299,719
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$3,155,414	\$0	\$3,155,414
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	south central CA coast	\$3,155,414	\$0	\$3,155,414
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$3,155,414	\$0	\$3,155,414
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$5,299,719	\$0	\$5,299,719
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$4,913,359	\$0	\$4,913,359
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$393,710	\$0	\$393,710
		Sturgeon, NorthAmerican green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$205,670	\$0	\$205,670
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$352,576	\$0	\$352,576
	Fishes Total				\$124,894,640	\$0	\$124,894,640
	Snails						

		Abalone, White	<i>Haliotis sorenseni</i>	North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	\$6,693,710	\$0	\$6,693,710
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$463,633	\$0	\$463,633
		Coral, staghorn	<i>Acropora cervicornis</i>		\$463,633	\$0	\$463,633
	Corals Total				\$927,266	\$0	\$927,266
	Flowering Plants						
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$463,633	\$0	\$463,633
Domestic Total					\$199,704,546	\$0	\$199,704,546
Grand Total					\$199,704,546	\$0	\$199,704,546

DOD Air Force FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$52,744	\$0	\$52,744
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$29,167	\$0	\$29,167
		Bat, Indiana	<i>Myotis sodalis</i>		\$11,000	\$0	\$11,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$23,128	\$0	\$23,128
		Bear, polar	<i>Ursus maritimus</i>		\$5,660	\$0	\$5,660
		Manatee, West Indian	<i>Trichechus manatus</i>		\$12,400	\$0	\$12,400
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$77,908	\$0	\$77,908
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$91,000	\$0	\$91,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$26,000	\$0	\$26,000
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$77,908	\$0	\$77,908
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$129,900	\$0	\$129,900
		Otter, southern sea	<i>Enhydra lutris nereis</i>	CA-S. of Pt. Conception	\$16,500	\$0	\$16,500
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$254,576	\$0	\$254,576
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$20,000	\$0	\$20,000
		Whale, sperm	<i>Physeter catodon</i> (=macrocephalus)		\$1,741	\$0	\$1,741
	Mammals Total				\$829,632	\$0	\$829,632
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$7,000	\$0	\$7,000
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$20,000	\$0	\$20,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$20,000	\$0	\$20,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$28,128	\$0	\$28,128
		Eider, spectacled	<i>Somateria fischeri</i>		\$4,354	\$0	\$4,354
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$26,700	\$0	\$26,700
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$43,000	\$0	\$43,000
		Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$30,000	\$0	\$30,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandwicensis</i>		\$20,000	\$0	\$20,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$9,167	\$0	\$9,167
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$45,500	\$0	\$45,500
		Plover, western	<i>Charadrius</i>	Pacific coastal	\$676,900	\$0	\$676,900

		snowy	<i>alexandrinus nivosus</i>	pop.			
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$19,200	\$0	\$19,200
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$1,694,605	\$0	\$1,694,605
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$9,167	\$0	\$9,167
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$179,605	\$0	\$179,605
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$35,600	\$0	\$35,600
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$35,600	\$0	\$35,600
		Tern, California least	<i>Sterna antillarum browni</i>		\$204,900	\$0	\$204,900
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$4,451	\$0	\$4,451
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$2,629,301	\$0	\$2,629,301
		Birds Total			\$5,743,178	\$0	\$5,743,178
		Reptiles					
		Alligator, American	<i>Alligator mississippiensis</i>		\$4,000	\$0	\$4,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$118,604	\$0	\$118,604
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$25,000	\$0	\$25,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$19,404	\$0	\$19,404
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$89,200	\$0	\$89,200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$213,340	\$0	\$213,340
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$164,400	\$0	\$164,400
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$2,136,000	\$0	\$2,136,000
		Reptiles Total			\$2,769,948	\$0	\$2,769,948
		Amphibians					
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$54,400	\$0	\$54,400
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara Co.	\$41,000	\$0	\$41,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma Co.	\$95,000	\$0	\$95,000
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$175,878	\$0	\$175,878
		Amphibians Total			\$366,278	\$0	\$366,278
		Fishes					
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$134,900	\$0	\$134,900
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$7,500	\$0	\$7,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$18,500	\$0	\$18,500
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$88,500	\$0	\$88,500
		Sturgeon, gulf	<i>Acipenser</i>		\$891,791	\$0	\$891,791

			<i>oxyrinchus desotoi</i>				
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$218	\$0	\$218
	Fishes Total				\$1,146,409	\$0	\$1,146,409
	Insects						
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$356,900	\$0	\$356,900
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$12,000	\$0	\$12,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$30,000	\$0	\$30,000
	Insects Total				\$398,900	\$0	\$398,900
	Crustaceans						
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$15,000	\$0	\$15,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$164,500	\$0	\$164,500
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$108,000	\$0	\$108,000
	Crustaceans Total				\$287,500	\$0	\$287,500
	Flowering Plants						
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$15,000	\$0	\$15,000
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$37,581	\$0	\$37,581
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$15,400	\$0	\$15,400
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$25,000	\$0	\$25,000
		Layia, beach	<i>Layia carnosa</i>		\$31,000	\$0	\$31,000
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$2,000	\$0	\$2,000
		Pigeon wings	<i>Clitoria fragrans</i>		\$25,000	\$0	\$25,000
		Tarplant, Gaviota	<i>Deinandra increscens ssp. villosa</i>		\$108,400	\$0	\$108,400
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$30,000	\$0	\$30,000
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$41,500	\$0	\$41,500
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$25,000	\$0	\$25,000
		Wireweed	<i>Polygonella basiramaia</i>		\$5,000	\$0	\$5,000
		Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>		\$26,000	\$0	\$26,000
	Flowering Plants Total				\$386,881	\$0	\$386,881
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$30,000	\$0	\$30,000
Domestic Total					\$11,958,726	\$0	\$11,958,726
Grand Total					\$11,958,726	\$0	\$11,958,726

DOD Army FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$215,000	\$0	\$215,000
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$163,963	\$0	\$163,963
		Bat, Indiana	<i>Myotis sodalis</i>		\$716,373	\$0	\$716,373
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$184,000	\$0	\$184,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$100,000	\$0	\$100,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$9,000	\$0	\$9,000
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$6,666	\$0	\$6,666
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$6,666	\$0	\$6,666
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$10,000	\$0	\$10,000
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$6,666	\$0	\$6,666
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$3,500	\$0	\$3,500
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$2,200	\$0	\$2,200
		Wolf, gray	<i>Canis lupus</i>	MN	\$27,500	\$0	\$27,500
	Mammals Total				\$1,451,534	\$0	\$1,451,534
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$11,000	\$0	\$11,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$6,000	\$0	\$6,000
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>		\$250,910	\$0	\$250,910
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$235,000	\$0	\$235,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$30,500	\$0	\$30,500
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$164,979	\$0	\$164,979
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$5,000	\$0	\$5,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$11,000	\$0	\$11,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$129,250	\$0	\$129,250
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$50,000	\$0	\$50,000

		Palila (honey- creeper)	<i>Loxioides bailleui</i>		\$158,963	\$0	\$158,963
		Pelican, brown	<i>Pelecanus occidentalis</i>	except US Atlantic coast, FL, AL	\$13,200	\$0	\$13,200
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$51,000	\$0	\$51,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$2,200	\$0	\$2,200
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$11,000	\$0	\$11,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$1,776	\$0	\$1,776
		Tern, California least	<i>Sterna antillarum browni</i>		\$10,000	\$0	\$10,000
		Vireo, black- capped	<i>Vireo atricapilla</i>		\$670,835	\$0	\$670,835
		Warbler (=wood), golden- cheeked	<i>Dendroica chrysoparia</i>		\$596,000	\$0	\$596,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$5,000	\$0	\$5,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$10,352,057	\$0	\$10,352,057
	Birds Total				\$12,765,670	\$0	\$12,765,670
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$1,776	\$0	\$1,776
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$10,211,333	\$0	\$10,211,333
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$223,000	\$0	\$223,000
	Reptiles Total				\$10,436,109	\$0	\$10,436,109
	Amphib- ians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$10,000	\$0	\$10,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$19,000	\$0	\$19,000
	Amphib- ians Total				\$29,000	\$0	\$29,000
	Fishes						
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$73,875	\$0	\$73,875
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$154,519	\$0	\$154,519
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$11,875	\$0	\$11,875
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$115,750	\$0	\$115,750
		Sturgeon, N. American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$11,875	\$0	\$11,875
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous, lower 48 states	\$62,000	\$0	\$62,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$500	\$0	\$500

	Fishes Total				\$430,394	\$0	\$430,394
	Snails						
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$673,604	\$0	\$673,604
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$383,734	\$0	\$383,734
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$117,000	\$0	\$117,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$36,880	\$0	\$36,880
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>		\$140,958	\$0	\$140,958
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$200,000	\$0	\$200,000
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$200,000	\$0	\$200,000
		Pomace fly, [unnamed]	<i>Drosophila montgomeryi</i>		\$35,266	\$0	\$35,266
		Pomace fly, [unnamed]	<i>Drosophila substenoptera</i>		\$35,187	\$0	\$35,187
		Skipper, Carson wandering	<i>Pseudocopaede s eunus obscurus</i>		\$2,500	\$0	\$2,500
	Insects Total				\$1,151,525	\$0	\$1,151,525
	Arachnids						
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$155,000	\$0	\$155,000
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$19,000	\$0	\$19,000
		Shrimp, Alabama cave	<i>Palaemonias alabamae</i>		\$32,000	\$0	\$32,000
	Crustaceans Total				\$51,000	\$0	\$51,000
	Flowering Plants						
		Alani	<i>Melicope lydgatei</i>		\$70,453	\$0	\$70,453
		Ale	<i>plantago princeps var. anomala</i>		\$109,987	\$0	\$109,987
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$51,000	\$0	\$51,000
		Aupaka	<i>Isodendron hosakae</i>		\$158,963	\$0	\$158,963
		Aupaka	<i>Isodendron longifolium</i>		\$70,453	\$0	\$70,453
		A`e	<i>Zanthoxylum hawaiiense</i>		\$158,963	\$0	\$158,963
		Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>		\$25,000	\$0	\$25,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$103,004	\$0	\$103,004
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$6,700	\$0	\$6,700
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$8,950	\$0	\$8,950

		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$500	\$0	\$500
		Haha	<i>Cyanea acuminata</i>		\$70,453	\$0	\$70,453
		Haha	<i>Cyanea grimesiana ssp. obatae</i>		\$109,977	\$0	\$109,977
		Haha	<i>Cyanea humboldtiana</i>		\$70,453	\$0	\$70,453
		Haha	<i>Cyanea koolauensis</i>		\$70,453	\$0	\$70,453
		Haha	<i>Cyanea longiflora</i>		\$109,977	\$0	\$109,977
		Haha	<i>Cyanea st.- johnii</i>		\$70,453	\$0	\$70,453
		Haha	<i>Cyanea superba</i>		\$109,977	\$0	\$109,977
		Ha`iwale	<i>Cyrtandra dentata</i>		\$180,430	\$0	\$180,430
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$70,453	\$0	\$70,453
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$70,453	\$0	\$70,453
		Honohono	<i>Haplostachys haplostachya</i>		\$158,963	\$0	\$158,963
		Howellia, water	<i>Howellia aquatilis</i>		\$65,000	\$0	\$65,000
		Kamakahala	<i>Labordia cyrtandrae</i>		\$70,453	\$0	\$70,453
		Kamanoman o	<i>Cenchrus agrimonioides</i>		\$109,977	\$0	\$109,977
		Kio`ele	<i>Hedyotis coriacea</i>		\$158,963	\$0	\$158,963
		Kolea	<i>Myrsine juddii</i>		\$70,453	\$0	\$70,453
		Kulu`i	<i>Nototrichium humile</i>		\$109,977	\$0	\$109,977
		Ladies'- tresses, Ute	<i>Spiranthes diluvialis</i>		\$3,500	\$0	\$3,500
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$110,254	\$0	\$110,254
		Lo`ulu	<i>Pritchardia kaalae</i>		\$109,977	\$0	\$109,977
		Mahoe	<i>Alectryon macroccus</i>		\$109,977	\$0	\$109,977
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$109,977	\$0	\$109,977
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$70,453	\$0	\$70,453
		Mehame- hame	<i>Flueggea neowawraea</i>		\$109,977	\$0	\$109,977
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$162,433	\$0	\$162,433
		Nanu	<i>Gardenia mannii</i>		\$70,453	\$0	\$70,453
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$109,977	\$0	\$109,977
		Nehe	<i>Lipochaeta tenuifolia</i>		\$109,977	\$0	\$109,977
		Nioi	<i>Eugenia koolauensis</i>		\$70,453	\$0	\$70,453
		No common name	<i>Abutilon sandwicense</i>		\$180,430	\$0	\$180,430
		No common name	<i>Alsinidendron obovatum</i>		\$109,977	\$0	\$109,977
		No common name	<i>Alsinidendron trinerve</i>		\$70,453	\$0	\$70,453

	No common name	<i>Gouania vitifolia</i>		\$109,977	\$0	\$109,977
	No common name	<i>Hedyotis degeneri</i>		\$109,977	\$0	\$109,977
	No common name	<i>Hedyotis parvula</i>		\$109,977	\$0	\$109,977
	No common name	<i>Hesperomannia arborescens</i>		\$70,453	\$0	\$70,453
	No common name	<i>Hesperomannia arbuscula</i>		\$109,977	\$0	\$109,977
	No common name	<i>Lipochaeta venosa</i>		\$158,963	\$0	\$158,963
	No common name	<i>Lobelia gaudichaudii</i> <i>ssp. koolauensis</i>		\$70,453	\$0	\$70,453
	No common name	<i>Lobelia oahuensis</i>		\$70,453	\$0	\$70,453
	No common name	<i>Neraudia angulata</i>		\$109,977	\$0	\$109,977
	No common name	<i>Neraudia ovata</i>		\$158,963	\$0	\$158,963
	No common name	<i>Phyllostegia hirsuta</i>		\$70,453	\$0	\$70,453
	No common name	<i>Phyllostegia kaalaensis</i>		\$109,977	\$0	\$109,977
	No common name	<i>Phyllostegia parviflora</i>		\$70,453	\$0	\$70,453
	No common name	<i>Sanicula mariversa</i>		\$109,977	\$0	\$109,977
	No common name	<i>Sanicula purpurea</i>		\$70,453	\$0	\$70,453
	No common name	<i>Schiedea kaalae</i>		\$109,977	\$0	\$109,977
	No common name	<i>Schiedea nuttallii</i>		\$109,977	\$0	\$109,977
	No common name	<i>Silene hawaiiensis</i>		\$158,963	\$0	\$158,963
	No common name	<i>Silene lanceolata</i>		\$158,963	\$0	\$158,963
	No common name	<i>Spermolepis hawaiiensis</i>		\$158,963	\$0	\$158,963
	No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>		\$158,963	\$0	\$158,963
	No common name	<i>Stenogyne kanehoana</i>		\$70,453	\$0	\$70,453
	No common name	<i>Tetramolopium arenarium</i>		\$158,963	\$0	\$158,963
	No common name	<i>Tetramolopium filiforme</i>		\$109,977	\$0	\$109,977
	No common name	<i>Vigna o-wahuensis</i>		\$158,963	\$0	\$158,963
	No common name	<i>Viola oahuensis</i>		\$70,453	\$0	\$70,453
	Oha	<i>Delissea subcordata</i>		\$109,977	\$0	\$109,977
	Opuhe	<i>Urera kaalae</i>		\$70,453	\$0	\$70,453
	Pamakani	<i>Viola chamissoniana</i> <i>chamissoniana</i>		\$109,977	\$0	\$109,977
	Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>		\$100,246	\$0	\$100,246
	Pink, swamp	<i>Helonias bullata</i>		\$22,852	\$0	\$22,852
	Piperia, Yadon's	<i>Piperia yadonii</i>		\$36,750	\$0	\$36,750
	Pogonia, small whorled	<i>Isotria medeoloides</i>		\$22,852	\$0	\$22,852

		Popolo ku mai	<i>Solanum incompletum</i>		\$158,963	\$0	\$158,963
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$25,000	\$0	\$25,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$205,000	\$0	\$205,000
		Po`e	<i>Portulaca sclerocarpa</i>		\$158,963	\$0	\$158,963
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$70,453	\$0	\$70,453
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$70,312	\$0	\$70,312
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$6,750	\$0	\$6,750
		Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i>		\$8,950	\$0	\$8,950
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$124,849	\$0	\$124,849
		Trillium, relict	<i>Trillium reliquum</i>		\$3,200	\$0	\$3,200
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$155,000	\$0	\$155,000
		`Akoko	<i>Chamaesyce celastroides var. kaenana</i>		\$109,977	\$0	\$109,977
		`Akoko	<i>Chamaesyce herbstii</i>		\$109,977	\$0	\$109,977
		`Akoko	<i>Chamaesyce rockii</i>		\$70,453	\$0	\$70,453
		`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>		\$70,453	\$0	\$70,453
	Flowering Plants Total				\$8,705,611	\$0	\$8,705,611
	Ferns and Allies						
		No common name	<i>Asplenium fragile var. insulare</i>		\$158,963	\$0	\$158,963
		No common name	<i>Pteris lidgatei</i>		\$70,453	\$0	\$70,453
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$89,363	\$0	\$89,363
		Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>		\$70,453	\$0	\$70,453
	Ferns and Allies Total				\$389,232	\$0	\$389,232
Domestic Total					\$36,238,679	\$0	\$36,238,679
Grand Total					\$36,238,679	\$0	\$36,238,679

DOD Marine Corps							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Kangaroo rat, Stephens'	Dipodomys stephensi (incl. D. cascus)		\$210,303	\$0	\$210,303
		Mouse, Pacific pocket	Perognathus longimembris pacificus		\$245,415	\$0	\$245,415
		Pronghorn, Sonoran	Antilocapra americana sonoriensis		\$72,000	\$0	\$72,000
		Seal, Hawaiian monk	Monachus schauinslandi		\$2,691	\$0	\$2,691
	Mammals Total				\$530,409	\$0	\$530,409
	Birds						
		Coot, Hawaiian	Fulica americana alai		\$9,123	\$0	\$9,123
		Duck, Hawaiian (=koloa)	Anas wyvilliana		\$8,748	\$0	\$8,748
		Flycatcher, southwestern willow	Empidonax traillii extimus		\$702,131	\$0	\$702,131
		Gnatcatcher, coastal California	Poliptila californica californica		\$614,383	\$0	\$614,383
		Moorhen, Hawaiian common	Gallinula chloropus sandvicensis		\$8,835	\$0	\$8,835
		Plover, piping	Charadrius melodus	except Great Lakes watershed	\$14,748	\$0	\$14,748
		Plover, western snowy	Charadrius alexandrinus nivosus	Pacific coastal pop.	\$267,413	\$0	\$267,413
		Rail, light-footed clapper	Rallus longirostris levipes	U.S.A. only	\$103,767	\$0	\$103,767
		Stilt, Hawaiian	Himantopus mexicanus knudseni		\$19,658	\$0	\$19,658
		Stork, wood	Mycteria americana	AL, FL, GA, SC	\$1,400	\$0	\$1,400
		Tern, California least	Sterna antillarum browni		\$489,159	\$0	\$489,159
		Vireo, least Bell's	Vireo bellii pusillus		\$702,131	\$0	\$702,131
		Woodpecker, red-cockaded	Picoides borealis		\$1,047,178	\$0	\$1,047,178
	Birds Total				\$3,988,674	\$0	\$3,988,674
	Reptiles						
		Sea turtle, green	Chelonia mydas	except where endangered	\$146	\$0	\$146
		Sea turtle, loggerhead	Caretta caretta		\$69,011	\$0	\$69,011
		Sea turtle, olive ridley	Lepidochelys olivacea	except where endangered	\$2,160	\$0	\$2,160
		Tortoise, desert	Gopherus agassizii	except in Sonoran Desert	\$670,389	\$0	\$670,389
		Tortoise, desert	Gopherus agassizii	outside/taken from Sonoran Desert	\$52,000	\$0	\$52,000
	Reptiles Total				\$793,706	\$0	\$793,706

	Amphibians						
		Salamander, frosted flatwoods	Ambystoma cingulatum		\$8,285	\$0	\$8,285
		Toad, arroyo (=arroyo southwestern)	Bufo californicus (=microscaphus)		\$680,132	\$0	\$680,132
	Amphibians Total				\$688,417	\$0	\$688,417
	Fishes						
		Goby, tidewater	Eucyclogobius newberryi	Entire	\$191,287	\$0	\$191,287
		Steelhead	Oncorhynchus (=Salmo) mykiss	southern CA coast	\$52,519	\$0	\$52,519
	Fishes Total				\$243,806	\$0	\$243,806
	Clams						
		Wedgemussel, dwarf	Alasmidonta heterodon		\$900	\$0	\$900
	Crustaceans						
		Fairy shrimp, Riverside	Streptocephalus woottoni		\$197,941	\$0	\$197,941
		Fairy shrimp, San Diego	Branchinecta sandiegonensis		\$248,495	\$0	\$248,495
	Crustaceans Total				\$446,436	\$0	\$446,436
	Flowering Plants						
		Amaranth, seabeach	Amaranthus pumilus		\$20,371	\$0	\$20,371
		Brodiaea, thread-leaved	Brodiaea filifolia		\$401,261	\$0	\$401,261
		Button-celery, San Diego	Eryngium aristulatum var. parishii		\$188,625	\$0	\$188,625
		Harperella	Ptilimnium nodosum		\$1,000	\$0	\$1,000
		Loosestrife, rough-leaved	Lysimachia asperulaefolia		\$27,450	\$0	\$27,450
		Mesa-mint, San Diego	Pogogyne abramsii		\$50,554	\$0	\$50,554
		Monardella, willowy	Monardella linoides ssp. viminea		\$56,100	\$0	\$56,100
		Navarretia, spreading	Navarretia fossalis		\$188,624	\$0	\$188,624
		Ohai	Sesbania tomentosa		\$1,259	\$0	\$1,259
		Orcutt grass, California	Orcuttia californica		\$50,553	\$0	\$50,553
		Pondberry	Lindera melissifolia		\$7,874	\$0	\$7,874
	Flowering Plants Total				\$993,671	\$0	\$993,671
Domestic Total					\$7,686,019	\$0	\$7,686,019
Grand Total					\$7,686,019	\$0	\$7,686,019

DOD Navy FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	Entire	\$43,212	\$0	\$43,212
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$141,118	\$0	\$141,118
		Manatee, West Indian	<i>Trichechus manatus</i>		\$36,647	\$0	\$36,647
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$16,755	\$0	\$16,755
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$103,702	\$0	\$103,702
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$10,000	\$0	\$10,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$13,000	\$0	\$13,000
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$171,583	\$0	\$171,583
	Mammals Total				\$536,017	\$0	\$536,017
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$10,350	\$0	\$10,350
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$10,350	\$0	\$10,350
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$14,064	\$0	\$14,064
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$196,029	\$0	\$196,029
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$10,350	\$0	\$10,350
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$43,212	\$0	\$43,212
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$2,485	\$0	\$2,485
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$169,778	\$0	\$169,778
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$128,182	\$0	\$128,182
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$2,127,874	\$0	\$2,127,874
		Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>		\$280,677	\$0	\$280,677
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$10,350	\$0	\$10,350
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$23,977	\$0	\$23,977
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$43,212	\$0	\$43,212
		Tern, California least	<i>Sterna antillarum browni</i>		\$37,001	\$0	\$37,001
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$27,486	\$0	\$27,486
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$23,698	\$0	\$23,698

	Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$141,130	\$0	\$141,130
	Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$48,780	\$0	\$48,780
	Birds Total			\$3,348,985	\$0	\$3,348,985
	Reptiles					
	Alligator, American	<i>Alligator mississippiensis</i>		\$71,119	\$0	\$71,119
	Lizard, Island night	<i>Xantusia riversiana</i>		\$110,989	\$0	\$110,989
	Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$13,000	\$0	\$13,000
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$13,000	\$0	\$13,000
	Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$97,916	\$0	\$97,916
	Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$16,578	\$0	\$16,578
	Reptiles Total			\$322,602	\$0	\$322,602
	Amphibians					
	Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$13,804	\$0	\$13,804
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$16,579	\$0	\$16,579
	Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$85,817	\$0	\$85,817
	Amphibians Total			\$116,200	\$0	\$116,200
	Fishes					
	Trout, bull	<i>Salvelinus confluentus</i>	Conterminous, lower 48 states	\$52,027	\$0	\$52,027
	Insects					
	Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$67,928	\$0	\$67,928
	Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>		\$13,804	\$0	\$13,804
	Insects Total			\$81,732	\$0	\$81,732
	Flowering Plants					
	Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$57,829	\$0	\$57,829
	Broom, San Clemente Island	<i>Lotus dendroideus ssp. traskiae</i>		\$73,051	\$0	\$73,051
	Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>		\$171,148	\$0	\$171,148
	Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$13,804	\$0	\$13,804
	Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>		\$121,656	\$0	\$121,656
	Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>		\$73,051	\$0	\$73,051
	Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$8,471	\$0	\$8,471
	Piperia, Yadon's	<i>Piperia yadonii</i>		\$16,755	\$0	\$16,755

		Rock-cress, shale barren	<i>Arabis serotina</i>		\$4,713	\$0	\$4,713
		Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>		\$171,148	\$0	\$171,148
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$16,755	\$0	\$16,755
		Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>		\$73,051	\$0	\$73,051
	Flowering Plants Total				\$801,432	\$0	\$801,432
Domestic Total					\$5,258,995	\$0	\$5,258,995
Grand Total					\$5,258,995	\$0	\$5,258,995

DOD Army Corps of Engineers FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$79,828	\$0	\$79,828
		Bat, Indiana	<i>Myotis sodalis</i>		\$280,853	\$0	\$280,853
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$21,860	\$0	\$21,860
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$400	\$0	\$400
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$2,976	\$0	\$2,976
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$147,400	\$0	\$147,400
		Bear, polar	<i>Ursus maritimus</i>		\$1,960	\$0	\$1,960
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$1,976	\$0	\$1,976
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$5,476	\$0	\$5,476
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$442	\$0	\$442
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$2,600	\$0	\$2,600
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$2,850	\$0	\$2,850
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$5,915	\$0	\$5,915
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomilli</i>		\$35,600	\$0	\$35,600
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$400	\$0	\$400
		Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>		\$2,735	\$0	\$2,735
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$42,165	\$0	\$42,165
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$5,465	\$0	\$5,465
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$400	\$0	\$400
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$12,493	\$0	\$12,493
		Manatee, West Indian	<i>Trichechus manatus</i>		\$3,854,186	\$0	\$3,854,186
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$200	\$0	\$200
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$9,000	\$0	\$9,000
		Mouse, Choctawhatchee	<i>Peromyscus polionotus</i>		\$1,000	\$0	\$1,000

		beach	<i>alophrys</i>				
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$1,562	\$0	\$1,562
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$80,425	\$0	\$80,425
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$35	\$0	\$35
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$1,545	\$0	\$1,545
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$1,545	\$0	\$1,545
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$35,600	\$0	\$35,600
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$1,800	\$0	\$1,800
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$87,537	\$0	\$87,537
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$1,325	\$0	\$1,325
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$4,576	\$0	\$4,576
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$1,545	\$0	\$1,545
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$53,623	\$0	\$53,623
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$373,512	\$0	\$373,512
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$8,000	\$0	\$8,000
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$5,465	\$0	\$5,465
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$3,390	\$0	\$3,390
		Whale, blue	<i>Balaenoptera musculus</i>		\$5,326	\$0	\$5,326
		Whale, bowhead	<i>Balaena mysticetus</i>		\$300	\$0	\$300
		Whale, finback	<i>Balaenoptera physalus</i>		\$7,268	\$0	\$7,268
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$9,193	\$0	\$9,193
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$10,326	\$0	\$10,326
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$328,526	\$0	\$328,526
		Whale, Sei	<i>Balaenoptera borealis</i>		\$5,768	\$0	\$5,768
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$6,209	\$0	\$6,209
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and EXPN; Mexico.	\$4,962	\$0	\$4,962
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$1,976	\$0	\$1,976
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$442	\$0	\$442
	Mammals Total				\$5,559,961	\$0	\$5,559,961
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$4,911	\$0	\$4,911
		Caracara,	<i>Polyborus plancus</i>	FL pop.	\$212,652	\$0	\$212,652

		Audubon's crested	<i>audubonii</i>				
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$3,000	\$0	\$3,000
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$200	\$0	\$200
		Crane, whooping	<i>Grus americana</i>	U.S.A. (CO, ID, FL, NM, UT and western WY)	\$680	\$0	\$680
		Crane, whooping	<i>Grus americana</i>	except EXPN	\$43,600	\$0	\$43,600
		Curlew, Eskimo	<i>Numenius borealis</i>		\$700	\$0	\$700
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$3,000	\$0	\$3,000
		Eider, spectacled	<i>Somateria fischeri</i>		\$45,200	\$0	\$45,200
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$88,088	\$0	\$88,088
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$33,000	\$0	\$33,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$1,587,845	\$0	\$1,587,845
		Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$174,900	\$0	\$174,900
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$573,108	\$0	\$573,108
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$3,000	\$0	\$3,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$17,885	\$0	\$17,885
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$3,190	\$0	\$3,190
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$4,495	\$0	\$4,495
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$178,016	\$0	\$178,016
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$186,162	\$0	\$186,162
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$3,789,167	\$241,084	\$4,030,251
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$741,600	\$0	\$741,600
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$33,700	\$0	\$33,700
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$14,695	\$0	\$14,695
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$60,410	\$0	\$60,410
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$2,735	\$0	\$2,735
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$170,940	\$0	\$170,940
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$442	\$0	\$442
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$3,000	\$0	\$3,000

		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$642,625	\$0	\$642,625
		Tern, California least	<i>Sterna antillarum browni</i>		\$278,990	\$0	\$278,990
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$3,669,532	\$323,350	\$3,992,882
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$442	\$0	\$442
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$12,500	\$0	\$12,500
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$4,800	\$0	\$4,800
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$3,989,260	\$0	\$3,989,260
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$102,817	\$0	\$102,817
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$324,409	\$0	\$324,409
	Birds Total				\$17,005,696	\$564,434	\$17,570,130
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$1,325	\$0	\$1,325
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$5,249	\$0	\$5,249
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$3,915	\$0	\$3,915
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$7,025	\$0	\$7,025
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$252,069	\$0	\$252,069
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$475,227	\$0	\$475,227
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$471,118	\$0	\$471,118
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$708,767	\$0	\$708,767
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$459,224	\$0	\$459,224
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,803,225	\$0	\$1,803,225
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$4,626	\$0	\$4,626
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$2,870	\$0	\$2,870
		Skink, sand	<i>Neoseps reynoldsi</i>		\$3,312	\$0	\$3,312
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$900	\$0	\$900
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN north of 40 degrees north latitude; MI, OH	\$276	\$0	\$276
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$142,181	\$0	\$142,181
		Snake, giant garter	<i>Thamnophis gigas</i>		\$2,598,620	\$0	\$2,598,620
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$3,320	\$0	\$3,320
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$9,045	\$0	\$9,045
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombig-bee Rs.	\$276,400	\$0	\$276,400
		Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>		\$23,900	\$0	\$23,900
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$90,660	\$0	\$90,660

		Turtle, ringed map	<i>Graptemys oculifera</i>		\$5,000	\$0	\$5,000
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>		\$7,700	\$0	\$7,700
	Reptiles Total				\$7,355,954	\$0	\$7,355,954
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$400	\$0	\$400
		Guajon	<i>Eleutherodactylus cooki</i>		\$662	\$0	\$662
		Salamander, Barton Springs	<i>Eurycea sosorum</i>		\$400	\$0	\$400
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A.-Santa Barbara Co., CA	\$13,275	\$0	\$13,275
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$1,600	\$0	\$1,600
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$1,104	\$0	\$1,104
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>		\$700	\$0	\$700
		Salamander, San Marcos	<i>Eurycea nana</i>		\$1,600	\$0	\$1,600
		Salamander, Texas blind	<i>Typhlomolge rathbuni</i>		\$400	\$0	\$400
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$72,615	\$0	\$72,615
		Toad, Houston	<i>Bufo houstonensis</i>		\$45,100	\$0	\$45,100
	Amphibians Total				\$137,856	\$0	\$137,856
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$783	\$0	\$783
		Chub, humpback	<i>Gila cypha</i>	Entire	\$783	\$0	\$783
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$192,050	\$0	\$192,050
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$1,050	\$0	\$1,050
		Chub, Virgin River	<i>Gila seminuda</i> (=robusta)		\$800	\$0	\$800
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$350	\$0	\$350
		Dace, Moapa	<i>Moapa coriacea</i>		\$400	\$0	\$400
		Darter, fountain	<i>Etheostoma fonticola</i>		\$4,200	\$0	\$4,200
		Darter, leopard	<i>Percina pantherina</i>		\$530	\$0	\$530
		Darter, snail	<i>Percina tanasi</i>		\$3,380	\$0	\$3,380
		Gambusia, San Marcos	<i>Gambusia georgei</i>		\$500	\$0	\$500
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$83,545	\$0	\$83,545
		Logperch, Roanoke	<i>Percina rex</i>		\$399,098	\$0	\$399,098
		Madtom, Neosho	<i>Noturus placidus</i>		\$10,000	\$0	\$10,000
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$2,735	\$0	\$2,735
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$3,087,645	\$0	\$3,087,645
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$2,400	\$0	\$2,400
		Pikeminnow (=squawfish),	<i>Ptychocheilus lucius</i>	except Salt and Verde R.	\$47,333	\$0	\$47,333

		Colorado		drainages, AZ			
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$495,000	\$0	\$495,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA Central Valley spring- run	\$1,019,436	\$0	\$1,019,436
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA coastal	\$16,137	\$0	\$16,137
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound	\$5,479,220	\$0	\$5,479,220
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	fall Snake R.	\$52,558,735	\$0	\$52,558,735
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	lower Columbia R.	\$9,095,042	\$0	\$9,095,042
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	spring upper Columbia R.	\$14,402,830	\$0	\$14,402,830
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	spring/summer Snake R.	\$16,920,551	\$0	\$16,920,551
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	upper Willamette R.	\$7,962,049	\$0	\$7,962,049
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	winter Sacramento R.	\$741,401	\$0	\$741,401
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	Columbia R.	\$3,197,436	\$0	\$3,197,436
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	summer-run Hood Canal	\$6,818	\$0	\$6,818
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River	\$2,688,942	\$0	\$2,688,942
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	OR, CA pop.	\$3,300,000	\$0	\$3,300,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	central CA coast	\$371,646	\$0	\$371,646
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$1,976	\$0	\$1,976
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Snake River, ID stock)	\$14,812,997	\$0	\$14,812,997
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$191,816	\$0	\$191,816
		Shiner, Cape Fear	<i>Notropis</i> <i>mekistocholas</i>		\$700	\$0	\$700
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>		\$2,850	\$0	\$2,850
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)		\$15,755	\$0	\$15,755
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$195,059	\$0	\$195,059
		Spikedace	<i>Meda fulgida</i>		\$2,735	\$0	\$2,735
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$1,056,080	\$0	\$1,056,080
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$324,770	\$0	\$324,770
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$21,645,434	\$0	\$21,645,434
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$2,734,415	\$0	\$2,734,415
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$5,210,160	\$0	\$5,210,160
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$18,006,365	\$0	\$18,006,365

		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	northern CA	\$1,306,895	\$0	\$1,306,895
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	south central CA coast	\$158,110	\$0	\$158,110
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	southern CA coast	\$394,000	\$0	\$394,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	upper Columbia R. Basin	\$17,455,017	\$0	\$17,455,017
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	upper Willamette R.	\$6,645,949	\$0	\$6,645,949
		Stickleback, unarmored threespine	<i>Gasterosteus</i> <i>aculeatus</i> <i>williamsoni</i>		\$6,245	\$0	\$6,245
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$8,000	\$0	\$8,000
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus</i> <i>desotoi</i>		\$380,926	\$0	\$380,926
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	U.S.A. (CA) Southern DPS	\$1,735,486	\$0	\$1,735,486
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$37,722,427	\$10,039,725	\$47,762,152
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$106,908	\$0	\$106,908
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$2,001,100	\$0	\$2,001,100
		Sucker, June	<i>Chasmistes</i> <i>liorus</i>		\$400	\$0	\$400
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	Entire	\$71,933	\$0	\$71,933
		Sucker, Santa Ana	<i>Catostomus</i> <i>santaanae</i>	3 CA river basins	\$67,875	\$0	\$67,875
		Sucker, Warner	<i>Catostomus</i> <i>warnerensis</i>		\$5,000	\$0	\$5,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	Cconterminous, lower 48 states	\$1,754,210	\$0	\$1,754,210
		trout, Greenback Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$340	\$0	\$340
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki henshawi</i>		\$2,300	\$0	\$2,300
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$800	\$0	\$800
	Fishes Total				\$256,117,858	\$10,039,725	\$266,157,583
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus</i> <i>sloatianus</i>		\$54,633	\$0	\$54,633
		Bean, Cumberland (pearlymussel)	<i>Villosa</i> <i>trabalis</i>	AL; Free- Flowing Reach of the Tenn. R. below Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,625	\$0	\$1,625
		Blossom, tubercled (pearlymussel)	<i>Epioblasma</i> <i>torulosa torulosa</i>	AL; Free- Flowing Reach of Tenn. R. below Wilson Dam, Colbert and Lauderdale Counties, AL	\$350	\$0	\$350
		Blossom, yellow (pearlymussel)	<i>Epioblasma</i> <i>florentina</i> <i>florentina</i>	Entire; Except where EXPN	\$350	\$0	\$350

		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>		\$1,106	\$0	\$1,106
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$78,118	\$0	\$78,118
		Clubshell, southern	<i>Pleurobema decisum</i>		\$900	\$0	\$900
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$18,695	\$0	\$18,695
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$2,100	\$0	\$2,100
		Fanshell	<i>Cyprogenia stegaria</i>	U.S.A. (TN - portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$46,142	\$0	\$46,142
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>		\$90	\$0	\$90
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>		\$200	\$0	\$200
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$582,752	\$0	\$582,752
		Mapleleaf, winged	<i>Quadrula fragosa</i>	AL; Free-Flowing Reach of the Tenn. R. below Wilson Dam, Colbert and Lauderdale Counties, AL	\$183,350	\$0	\$183,350
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$900	\$0	\$900
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$442	\$0	\$442
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>		\$350	\$0	\$350
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$900	\$0	\$900
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$150,682	\$0	\$150,682
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	AL; Free-Flowing Reach of the Tenn. R. below Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,625	\$0	\$1,625
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$3,380	\$0	\$3,380
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$75,950	\$0	\$75,950
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$3,380	\$0	\$3,380
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$19,615	\$0	\$19,615
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>		\$4,000	\$0	\$4,000
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$442	\$0	\$442
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$21,327	\$0	\$21,327
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$225,667	\$0	\$225,667
		Pocketbook, fat	<i>Potamilus capax</i>		\$101,862	\$0	\$101,862
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$21,215	\$0	\$21,215

		Purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Entire; Except where EXPN	\$21,387	\$0	\$21,387
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$15,600	\$0	\$15,600
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$8,453	\$0	\$8,453
		Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>		\$350	\$0	\$350
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$41,642	\$0	\$41,642
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$53,750	\$0	\$53,750
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$54,633	\$0	\$54,633
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$5,005	\$0	\$5,005
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$2,700	\$0	\$2,700
	Clams Total				\$1,805,668	\$0	\$1,805,668
	Snails						
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$7,000	\$0	\$7,000
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>		\$276	\$0	\$276
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$2,735	\$0	\$2,735
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>		\$662	\$0	\$662
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$21,485	\$0	\$21,485
	Snails Total				\$32,158	\$0	\$32,158
	Insects						
		Beetle, Ameri- can burying	<i>Nicrophorus americanus</i>		\$6,125	\$0	\$6,125
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>		\$300	\$0	\$300
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$300	\$0	\$300
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$300	\$0	\$300
		Beetle, Helotes mold	<i>Batrisodes venyivi</i>		\$300	\$0	\$300
		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>		\$300	\$0	\$300
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>		\$300	\$0	\$300
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$980,604	\$0	\$980,604
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$45,030	\$0	\$45,030
		Butterfly, Karner blue	<i>Lycæides melissa samuelis</i>		\$476	\$0	\$476
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$70	\$0	\$70
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$276	\$0	\$276

		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$4,976	\$0	\$4,976
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)		\$13,275	\$0	\$13,275
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>		\$70	\$0	\$70
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$1,104	\$0	\$1,104
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$800	\$0	\$800
		Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>		\$2,735	\$0	\$2,735
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$900	\$0	\$900
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$900	\$0	\$900
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$255	\$0	\$255
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$18,800	\$0	\$18,800
	Insects Total				\$1,078,196	\$0	\$1,078,196
	Arachnids						
		Harvestman, Bee Creek Cave	<i>Texella reddelli</i>		\$300	\$0	\$300
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$200	\$0	\$200
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$200	\$0	\$200
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$2,100	\$0	\$2,100
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$200	\$0	\$200
		Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>		\$200	\$0	\$200
		Spider, Govt. Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$1,000	\$0	\$1,000
		Spider, Tooth Cave	<i>Leptoneta myopica</i>		\$200	\$0	\$200
	Arachnids Total				\$4,400	\$0	\$4,400
	Crustaceans						
		Amphipod, Peck's cave	<i>Stygobromus</i> (=Stygonectes) pecki		\$200	\$0	\$200
		Crayfish, Nashville	<i>Orconectes shoupi</i>		\$350	\$0	\$350
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$5,470	\$0	\$5,470
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$800	\$0	\$800
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$11,000	\$0	\$11,000
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$21,865	\$0	\$21,865
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$106,100	\$0	\$106,100

		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$65,200	\$0	\$65,200
	Crustaceans Total				\$210,985	\$0	\$210,985
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$73,701	\$0	\$73,701
		Coral, staghorn	<i>Acropora cervicornis</i>		\$50,785	\$0	\$50,785
	Corals Total				\$124,486	\$0	\$124,486
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$74,492	\$0	\$74,492
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$7,025	\$0	\$7,025
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$19,968	\$0	\$19,968
		Aster, Florida golden	<i>Chrysopsis floridana</i>		\$883	\$0	\$883
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$6,245	\$0	\$6,245
		bladderpod, Missouri	<i>Physaria filiformis</i>		\$1,350	\$0	\$1,350
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$350	\$0	\$350
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$500	\$0	\$500
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$400	\$0	\$400
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$662	\$0	\$662
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$2,850	\$0	\$2,850
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$2,850	\$0	\$2,850
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$500	\$0	\$500
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$4,576	\$0	\$4,576
		Chaffseed, American	<i>Schwalbea americana</i>		\$2,300	\$0	\$2,300
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$4,626	\$0	\$4,626
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>		\$1,976	\$0	\$1,976
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$2,000	\$0	\$2,000
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$350	\$0	\$350
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$1,076	\$0	\$1,076
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$12,402	\$0	\$12,402
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$134,600	\$0	\$134,600
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$26,151	\$0	\$26,151
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$553	\$0	\$553
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>		\$1,993	\$0	\$1,993

		Grass, Colusa	<i>Neostapfia colusana</i>		\$400	\$0	\$400
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$350	\$0	\$350
		Harperella	<i>Ptilimnium nodosum</i>		\$95	\$0	\$95
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$700	\$0	\$700
		Howellia, water	<i>Howellia aquatilis</i>		\$8,979	\$0	\$8,979
		Jewelflower, California	<i>Caulanthus californicus</i>		\$400	\$0	\$400
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$34,800	\$0	\$34,800
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$6,936	\$0	\$6,936
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$442	\$0	\$442
		Lily, Western	<i>Lilium occidentale</i>		\$2,650	\$0	\$2,650
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$9,325	\$0	\$9,325
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$44,751	\$0	\$44,751
		Mallow, Kern	<i>Eremalche kernensis</i>		\$400	\$0	\$400
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>		\$2,735	\$0	\$2,735
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$5,465	\$0	\$5,465
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$2,850	\$0	\$2,850
		Milk-vetch, Ventura Marsh	<i>Astragalus pycnostachyus</i> var. lanosissimus		\$2,735	\$0	\$2,735
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$1,306	\$0	\$1,306
		No common name	<i>Geocarpon minimum</i>		\$3,300	\$0	\$3,300
		Onion, Munz's	<i>Allium munzii</i>		\$2,735	\$0	\$2,735
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$953	\$0	\$953
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$680	\$0	\$680
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$400	\$0	\$400
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$800	\$0	\$800
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$400	\$0	\$400
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$400	\$0	\$400
		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. succulenta		\$800	\$0	\$800
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$4,626	\$0	\$4,626
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$1,104	\$0	\$1,104
		Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. texensis		\$165,000	\$0	\$165,000
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$3,500	\$0	\$3,500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$700	\$0	\$700
		Pondberry	<i>Lindera</i>		\$1,600	\$0	\$1,600

			<i>melissifolia</i>				
		Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>		\$100	\$0	\$100
		Potato-bean, Price's	<i>Apios priceana</i>		\$350	\$0	\$350
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$1,150	\$0	\$1,150
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$350	\$0	\$350
		roseroot, Leedy's	<i>Rhodiola integrifolium ssp. leedyi</i>		\$553	\$0	\$553
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$100	\$0	\$100
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$8,221	\$0	\$8,221
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$146,149	\$0	\$146,149
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$182,058	\$0	\$182,058
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$442	\$0	\$442
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$400	\$0	\$400
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$1,325	\$0	\$1,325
		Stickseed, showy	<i>Hackelia venusta</i>		\$1,976	\$0	\$1,976
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$640	\$0	\$640
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$400	\$0	\$400
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$16,301	\$0	\$16,301
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$33,760	\$0	\$33,760
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$3,515	\$0	\$3,515
		Thistle, Chorro Creek bog	<i>Cirsium fontinale var. obispoense</i>		\$3,515	\$0	\$3,515
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$3,515	\$0	\$3,515
		Thistle, Pitcher's	<i>Cirsium pücheri</i>		\$3,760	\$0	\$3,760
		Trillium, relict	<i>Trillium reliquum</i>		\$28,150	\$0	\$28,150
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$7,025	\$0	\$7,025
		Wild-rice, Texas	<i>Zizania texana</i>		\$4,100	\$0	\$4,100
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>		\$13,275	\$0	\$13,275
		Woolly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>		\$400	\$0	\$400
	Flowering Plants Total				\$1,084,525	\$0	\$1,084,525
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$1,200	\$0	\$1,200
	Ferns and Allies						
		Fern, Aleutian shield	<i>Polystichum aleuticum</i>		\$300	\$0	\$300
		Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>		\$553	\$0	\$553

		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$1,200	\$0	\$1,200
	Ferns and Allies Total				\$2,053	\$0	\$2,053
Domestic Total					\$290,520,996	\$10,604,159	\$301,125,155
Grand Total					\$290,520,996	\$10,604,159	\$301,125,155

DOE Bonneville Power Administration FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Fishes						
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$362,018	\$0	\$362,018
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$18,604,715	\$8,800	\$18,613,515
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$7,657,336	\$190,186	\$7,847,522
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$10,112,896	\$3,130,815	\$13,243,711
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$21,016,475	\$522,746	\$21,539,221
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$5,919,716	\$8,800	\$5,928,516
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$2,120,991	\$2,975	\$2,123,966
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River	\$2,591,752	\$2,975	\$2,594,727
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$5,306,637	\$9,129	\$5,315,766
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$22,255,642	\$157,415	\$22,413,057
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$6,418,124	\$465,434	\$6,883,558
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$26,644,773	\$4,511,531	\$31,156,304
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$11,697,436	\$1,876,771	\$13,574,207
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$2,807,237	\$3,152	\$2,810,389
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$6,557,065	\$0	\$6,557,065
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous, lower 48 states	\$13,111,377	\$10,601,974	\$23,713,351
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$1,361,259	\$0	\$1,361,259
	Fishes Total				\$164,545,449	\$21,492,703	\$186,038,152
Domestic Total					\$164,545,449	\$21,492,703	\$186,038,152
Grand Total					\$164,545,449	\$21,492,703	\$186,038,152

DOE Southwestern Power Administration FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$6,019	\$0	\$6,019
		Bat, Indiana	<i>Myotis sodalis</i>		\$5,179	\$0	\$5,179
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$100	\$0	\$100
	Mammals Total				\$11,298	\$0	\$11,298
	Birds						
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$100	\$0	\$100
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$14,927	\$0	\$14,927
	Birds Total				\$15,027	\$0	\$15,027
	Fishes						
		Darter, Niangua	<i>Etheostoma nianguae</i>		\$157	\$0	\$157
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$4,927	\$0	\$4,927
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$445	\$0	\$445
	Fishes Total				\$5,529	\$0	\$5,529
	Clams						
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$682	\$0	\$682
		Pocketbook, fat	<i>Potamilus capax</i>		\$445	\$0	\$445
		Pocketbook, speckled	<i>Lampsilis streckeri</i>		\$4,927	\$0	\$4,927
	Clams Total				\$6,054	\$0	\$6,054
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$100	\$0	\$100
	Flowering Plants						
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$445	\$0	\$445
		Bladderpod, Missouri	<i>Physaria filiformis</i>		\$157	\$0	\$157
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$759	\$0	\$759
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$157	\$0	\$157
		Pondberry	<i>Lindera melissifolia</i>		\$445	\$0	\$445
	Flowering Plants Total				\$1,963	\$0	\$1,963
Domestic Total					\$39,971	\$0	\$39,971
Grand Total					\$39,971	\$0	\$39,971

DOE Western Area Power Administration FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$800	\$0	\$800
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$80,000	\$0	\$80,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$800	\$0	\$800
	Mammals Total				\$81,600	\$0	\$81,600
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,500	\$0	\$1,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$3,500	\$0	\$3,500
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$16,000	\$0	\$16,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$1,100	\$0	\$1,100
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$800	\$0	\$800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,000	\$0	\$1,000
	Birds Total				\$23,900	\$0	\$23,900
	Reptiles						
		Snake, giant garter	<i>Thamnophis gigas</i>		\$1,449,300	\$0	\$1,449,300
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$800	\$0	\$800
	Reptiles Total				\$1,450,100	\$0	\$1,450,100
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$2,300	\$0	\$2,300
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$2,600	\$0	\$2,600
	Amphibians Total				\$4,900	\$0	\$4,900
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$514,700	\$0	\$514,700
		Chub, humpback	<i>Gila cypha</i>	Entire	\$3,305,500	\$0	\$3,305,500
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$1,801,500	\$0	\$1,801,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$800	\$0	\$800
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$800	\$0	\$800
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	central CA coast	\$700	\$0	\$700
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$800	\$0	\$800
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$800	\$0	\$800

		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$345,000	\$0	\$345,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$800	\$0	\$800
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$2,058,800	\$0	\$2,058,800
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$800	\$0	\$800
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous U.S.A.	\$700	\$0	\$700
	Fishes Total				\$8,033,700	\$0	\$8,033,700
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$25,600	\$0	\$25,600
	Insects						
		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$1,400	\$0	\$1,400
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$103,100	\$0	\$103,100
	Insects Total				\$104,500	\$0	\$104,500
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$800	\$0	\$800
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$1,700	\$0	\$1,700
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$1,400	\$0	\$1,400
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$2,552,900	\$0	\$2,552,900
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$800	\$0	\$800
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$2,552,900	\$0	\$2,552,900
	Crustaceans Total				\$5,110,500	\$0	\$5,110,500
	Flowering Plants						
		Bird's beak, palmate- bracted	<i>Cordylanthus palmatus</i>		\$800	\$0	\$800
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$6,000	\$0	\$6,000
		Evening- primrose, Antioch Dunes	<i>Oenothera deltoides ssp. howellii</i>		\$800	\$0	\$800
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$800	\$0	\$800
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$800	\$0	\$800
		Grass, Colusa	<i>Neostapfia colusana</i>		\$800	\$0	\$800
		Grass, Solano	<i>Tuctoria mucronata</i>		\$800	\$0	\$800
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$75,000	\$0	\$75,000
		Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>		\$1,000	\$0	\$1,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$1,000	\$0	\$1,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$1,000	\$0	\$1,000
		Phlox, Yreka	<i>Phlox hirsuta</i>		\$800	\$0	\$800
		Spurge,	<i>Chamaesyce</i>		\$1,000	\$0	\$1,000

		Hoover's	<i>hooveri</i>				
		Sunburst, Hartweg's golden	<i>Pseudobahia bahijfolia</i>		\$800	\$0	\$800
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$800	\$0	\$800
	Flowering Plants Total				\$92,200	\$0	\$92,200
Domestic Total					\$14,927,000	\$0	\$14,927,000
Grand Total					\$14,927,000	\$0	\$14,927,000

DHS Coast Guard FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$10,500	\$0	\$10,500
		Manatee, West Indian	<i>Trichechus manatus</i>		\$1,844,066	\$0	\$1,844,066
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$4,100	\$0	\$4,100
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$2,822,644	\$8,475	\$2,831,119
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$2,822,644	\$8,475	\$2,831,119
		Seal, Caribbean monk	<i>Monachus tropicalis</i>		\$4,100	\$0	\$4,100
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$4,100	\$0	\$4,100
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$7,260	\$460	\$7,720
		Seal, Saimaa	<i>Phoca hispida saimensis</i>		\$120	\$0	\$120
		Whale, blue	<i>Balaenoptera musculus</i>		\$9,194	\$0	\$9,194
		Whale, bowhead	<i>Balaena mysticetus</i>		\$4,256	\$10,861	\$15,117
		Whale, finback	<i>Balaenoptera physalus</i>		\$86,965	\$0	\$86,965
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$79,935	\$0	\$79,935
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$771,412	\$0	\$771,412
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$5,100	\$0	\$5,100
		Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i>)		\$6,687,557	\$0	\$6,687,557
		Whale, Sei	<i>Balaenoptera borealis</i>		\$118,471	\$0	\$118,471
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)		\$82,663	\$0	\$82,663
	Mammals Total				\$15,365,087	\$28,271	\$15,393,358
	Birds						
		Albatross, short-tailed	<i>Phoebastria</i> (= <i>Diomedea</i>) <i>albatrus</i>		\$3,985	\$0	\$3,985
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$167	\$0	\$167
		Eider, spectacled	<i>Somateria fischeri</i>		\$1,685	\$0	\$1,685
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$2,670	\$0	\$2,670
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$2,500	\$0	\$2,500
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$2,500	\$0	\$2,500
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$2,539	\$0	\$2,539
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$81,900	\$0	\$81,900
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$166	\$0	\$166
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$167	\$0	\$167
		Tern, California least	<i>Sterna antillarum browni</i>		\$5,000	\$0	\$5,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	NE U.S. nesting pop.	\$224	\$0	\$224

		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$166	\$0	\$166
	Birds Total				\$103,669	\$0	\$103,669
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$299,112	\$0	\$299,112
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$299,112	\$0	\$299,112
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$635,954	\$0	\$635,954
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$1,160,562	\$0	\$1,160,562
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$2,354,567	\$0	\$2,354,567
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$350,333	\$0	\$350,333
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$2,242	\$0	\$2,242
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$2,242	\$0	\$2,242
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$166	\$0	\$166
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$120	\$0	\$120
	Reptiles Total				\$5,104,410	\$0	\$5,104,410
	Fishes						
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of ME Atlantic Salmon DPS	\$240	\$0	\$240
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$13,050	\$0	\$13,050
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$13,050	\$0	\$13,050
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$26,100	\$0	\$26,100
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River	\$13,050	\$0	\$13,050
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	central CA coast	\$13,050	\$0	\$13,050
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$13,050	\$0	\$13,050
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock)	\$13,050	\$0	\$13,050
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$206	\$0	\$206
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$28,700	\$0	\$28,700
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$28,700	\$0	\$28,700
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$28,700	\$0	\$28,700
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$205	\$0	\$205
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$20,000	\$0	\$20,000
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$120	\$0	\$120
	Fishes Total				\$211,271	\$0	\$211,271
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$63,286	\$0	\$63,286

		Coral, staghorn	<i>Acropora cervicornis</i>		\$62,970	\$0	\$62,970
	Corals Total				\$126,256	\$0	\$126,256
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$60,486	\$0	\$60,486
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$120	\$0	\$120
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$120	\$0	\$120
		Pink, swamp	<i>Helonias bullata</i>		\$120	\$0	\$120
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$62,970	\$0	\$62,970
	Flowering Plants Total				\$123,816	\$0	\$123,816
	Domestic Total				\$21,034,509	\$28,271	\$21,062,780
	Grand Total				\$21,034,509	\$28,271	\$21,062,780

DOI Bureau of Indian Affairs FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, grizzly	<i>Ursus arctos horribilis</i>	Lower 48 States, except where EXPN or delisted	\$10,000	\$0	\$10,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$95,000	\$0	\$95,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	Except where EXPN	\$22,500	\$0	\$22,500
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$25,000	\$0	\$25,000
	Mammals Total				\$152,500	\$0	\$152,500
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$100,000	\$0	\$100,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$40,000	\$0	\$40,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$22,500	\$0	\$22,500
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$22,500	\$0	\$22,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$17,500	\$0	\$17,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$17,500	\$0	\$17,500
	Birds Total				\$220,000	\$0	\$220,000
	Fishes						
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire; except where EXPN	\$7,500	\$0	\$7,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$25,388	\$0	\$25,388
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$25,388	\$0	\$25,388
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$25,388	\$0	\$25,388
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$25,388	\$0	\$25,388
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$25,388	\$0	\$25,388
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River	\$25,388	\$0	\$25,388
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$25,388	\$0	\$25,388
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous, U.S.A.	\$80,000	\$0	\$80,000
	Fishes Total				\$265,216	\$0	\$265,216
Domestic Total					\$637,716	\$0	\$637,716
Grand Total					\$637,716	\$0	\$637,716

DOI Bureau of Land Management FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,000	\$0	\$1,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$73,000	\$0	\$73,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$49,000	\$0	\$49,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$117,200	\$0	\$117,200
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$177,500	\$0	\$177,500
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$333,027	\$0	\$333,027
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$82,000	\$0	\$82,000
		Jaguar	<i>Panthera onca</i>		\$11,000	\$0	\$11,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$44,800	\$0	\$44,800
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$18,000	\$0	\$18,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$22,500	\$0	\$22,500
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$403,200	\$0	\$403,200
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$2,300	\$0	\$2,300
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$12,000	\$0	\$12,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$1,000	\$0	\$1,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$135,600	\$300	\$135,900
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$50,000	\$0	\$50,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$2,000	\$0	\$2,000
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$2,000	\$0	\$2,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$2,000	\$0	\$2,000
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>		\$700	\$0	\$700
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$2,500	\$0	\$2,500
		Wolf, gray	<i>Canis lupus</i>	Lower 48, except MN and EXPN; Mexico	\$53,900	\$0	\$53,900
	Mammals Total				\$1,596,227	\$300	\$1,596,527
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$70,000	\$0	\$70,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$14,250	\$0	\$14,250
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$391,509	\$3,167,000	\$3,558,509

	Eider, spectacled	<i>Somateria fischeri</i>		\$57,000	\$0	\$57,000
	Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$43,000	\$0	\$43,000
	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$950,000	\$0	\$950,000
	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$445,000	\$200	\$445,200
	Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$22,000	\$0	\$22,000
	Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$986,700	\$0	\$986,700
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$331,000	\$0	\$331,000
	Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$2,524,313	\$0	\$2,524,313
	Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$41,350	\$0	\$41,350
	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$488,100	\$0	\$488,100
	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$32,000	\$0	\$32,000
	Tern, least	<i>Sterna antillarum</i>	interior pop.	\$25,400	\$0	\$25,400
	Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$4,500	\$0	\$4,500
	Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$12,900	\$0	\$12,900
	Birds Total			\$6,439,022	\$3,167,200	\$9,606,222
	Reptiles					
	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$57,000	\$0	\$57,000
	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$14,000	\$0	\$14,000
	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$3,000	\$0	\$3,000
	Snake, giant garter	<i>Thamnophis gigas</i>		\$74,700	\$0	\$74,700
	Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$1,318,087	\$0	\$1,318,087
	Reptiles Total			\$1,466,787	\$0	\$1,466,787
	Amphibians					
	Frog, CA red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$88,700	\$0	\$88,700
	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$121,000	\$0	\$121,000
	Salamander, CA tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$26,500	\$0	\$26,500
	Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$25,000	\$0	\$25,000
	Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>		\$19,000	\$0	\$19,000
	Amphibians Total			\$280,200	\$0	\$280,200
	Fishes					
	Chub, bonytail	<i>Gila elegans</i>	Entire	\$72,464	\$0	\$72,464
	Chub, Borax Lake	<i>Gila boraxobius</i>		\$11,500	\$0	\$11,500

		Chub, Gila	<i>Gila intermedia</i>		\$37,500	\$0	\$37,500
		Chub, humpback	<i>Gila cypha</i>	Entire	\$47,964	\$0	\$47,964
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>	Hutton	\$4,000	\$0	\$4,000
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$600	\$0	\$600
		Chub, Owens tui	<i>Gila bicolor snyderi</i>		\$4,000	\$0	\$4,000
		Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>		\$32,100	\$0	\$32,100
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$13,000	\$0	\$13,000
		Dace, desert	<i>Eremichthys acros</i>		\$27,000	\$0	\$27,000
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$1,000	\$0	\$1,000
		Dace, Moapa	<i>Moapa coriacea</i>		\$2,433	\$0	\$2,433
		Minnow, loach	<i>Tiaroga cobitis</i>		\$64,000	\$0	\$64,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$400	\$0	\$400
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$55,664	\$0	\$55,664
		Poolfish, Pahrump	<i>Empetrichthys latos</i>		\$4,000	\$0	\$4,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$89,000	\$0	\$89,000
		Pupfish, Owens	<i>Cyprinodon radiosus</i>		\$9,000	\$0	\$9,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$1,087,350	\$0	\$1,087,350
		Spikedace	<i>Meda fulgida</i>		\$64,000	\$0	\$64,000
		Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>		\$16,000	\$0	\$16,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$5,000	\$0	\$5,000
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$1,200	\$0	\$1,200
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$1,925,375	\$0	\$1,925,375
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$500	\$0	\$500
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$14,350	\$0	\$14,350
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$1,000	\$0	\$1,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$46,600	\$0	\$46,600
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$121,064	\$0	\$121,064
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$118,600	\$0	\$118,600
		Sucker, Warner	<i>Catostomus warnerensis</i>		\$36,000	\$0	\$36,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$53,000	\$0	\$53,000
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous U.S.A.	\$555,918	\$0	\$555,918
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$29,000	\$0	\$29,000

		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$898,000	\$0	\$898,000
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila River drainage, AZ, NM	\$31,143	\$0	\$31,143
	Fishes Total				\$5,479,725	\$0	\$5,479,725
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$1,000	\$0	\$1,000
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$10,000	\$0	\$10,000
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$1,000	\$0	\$1,000
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$13,800	\$3,167,000	\$3,180,800
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$7,000	\$0	\$7,000
	Snails Total				\$32,800	\$3,167,000	\$3,199,800
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$8,000	\$0	\$8,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$17,600	\$0	\$17,600
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>		\$4,400	\$0	\$4,400
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$26,000	\$0	\$26,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)		\$35,000	\$0	\$35,000
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocynema</i>		\$4,000	\$0	\$4,000
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>		\$19,500	\$0	\$19,500
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>		\$109,000	\$0	\$109,000
	Insects Total				\$223,500	\$0	\$223,500
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$800	\$0	\$800
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$5,500	\$0	\$5,500
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$5,000	\$0	\$5,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$4,500	\$0	\$4,500
	Crustaceans Total				\$15,800	\$0	\$15,800
	Flowering Plants						
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$1,000	\$0	\$1,000
		Bear-poppy, dwarf	<i>Arctomecon humilis</i>		\$24,000	\$0	\$24,000
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$5,700	\$0	\$5,700

	Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>	\$13,500	\$0	\$13,500
	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$38,300	\$0	\$38,300
	Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	\$11,800	\$0	\$11,800
	Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$3,000	\$0	\$3,000
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$500	\$0	\$500
	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$500	\$0	\$500
	Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>	\$66,000	\$0	\$66,000
	Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$103,000	\$0	\$103,000
	Butterweed, Layne's	<i>Senecio layneae</i>	\$14,500	\$0	\$14,500
	Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$1,000	\$0	\$1,000
	Cactus, Bakersfield	<i>Opuntia treleasei</i>	\$1,500	\$0	\$1,500
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$3,500	\$0	\$3,500
	Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>	\$135,900	\$0	\$135,900
	Cactus, Knowlton's	<i>Pediocactus knowltonii</i>	\$13,000	\$0	\$13,000
	Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$26,000	\$0	\$26,000
	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$15,000	\$0	\$15,000
	Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>	\$5,500	\$0	\$5,500
	Cactus, Pariette	<i>Sclerocactus brevispinus</i>	\$10,700	\$0	\$10,700
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus var. peeblesianus</i>	\$4,500	\$0	\$4,500
	Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$4,000	\$0	\$4,000
	Cactus, San Rafael	<i>Pediocactus despainii</i>	\$28,800	\$0	\$28,800
	Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$25,500	\$0	\$25,500
	Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$5,000	\$0	\$5,000
	Cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>	\$11,700	\$0	\$11,700
	Cactus, Winkler	<i>Pediocactus winkleri</i>	\$35,200	\$0	\$35,200
	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$33,700	\$0	\$33,700
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$95,200	\$0	\$95,200
	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	\$13,500	\$0	\$13,500
	Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$19,800	\$0	\$19,800
	Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$12,000	\$0	\$12,000
	Evening-primrose, San Benito	<i>Camissonia benitensis</i>	\$40,000	\$0	\$40,000

		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>		\$34,000	\$0	\$34,000
		Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>		\$9,000	\$0	\$9,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$55,000	\$0	\$55,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$740,700	\$0	\$740,700
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$14,000	\$0	\$14,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$19,000	\$0	\$19,000
		Howellia, water	<i>Howellia aquatilis</i>		\$9,500	\$0	\$9,500
		Jewelflower, California	<i>Caulanthus californicus</i>		\$16,300	\$0	\$16,300
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$202,128	\$3,167,000	\$3,369,128
		Layia, beach	<i>Layia carnosa</i>		\$37,000	\$0	\$37,000
		Lily, Western	<i>Lilium occidentale</i>		\$12,000	\$0	\$12,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$80,900	\$0	\$80,900
		Mallow, Kern	<i>Eremalche kernensis</i>		\$3,000	\$0	\$3,000
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>		\$1,300	\$0	\$1,300
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>		\$1,000	\$0	\$1,000
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>		\$8,000	\$0	\$8,000
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus var. piscinensis</i>		\$6,500	\$0	\$6,500
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$600	\$0	\$600
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$22,700	\$0	\$22,700
		Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>		\$88,000	\$0	\$88,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$22,000	\$0	\$22,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$6,000	\$0	\$6,000
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$17,500	\$0	\$17,500
		Morning- glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$13,500	\$0	\$13,500
		Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>		\$500	\$0	\$500
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$1,000	\$0	\$1,000
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$36,200	\$0	\$36,200
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$20,300	\$0	\$20,300
		Orcutt grass, California	<i>Orcuttia californica</i>		\$1,000	\$0	\$1,000
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$2,500	\$0	\$2,500
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$3,800	\$0	\$3,800

		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>		\$2,500	\$0	\$2,500
		Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>		\$10,700	\$0	\$10,700
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$119,250	\$0	\$119,250
		Phacelia, clay	<i>Phacelia argillacea</i>		\$300	\$0	\$300
		Phacelia, North Park	<i>Phacelia formosula</i>		\$6,200	\$0	\$6,200
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$1,000	\$0	\$1,000
		popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$53,100	\$0	\$53,100
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>		\$15,000	\$0	\$15,000
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$500	\$0	\$500
		Reed-mustard, clay	<i>Schoenocrambe</i> <i>argillacea</i>		\$8,700	\$0	\$8,700
		Reed-mustard, shrubby	<i>Schoenocrambe</i> <i>suffrutescens</i>		\$10,200	\$0	\$10,200
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$4,000	\$0	\$4,000
		Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>		\$13,000	\$0	\$13,000
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$1,500	\$0	\$1,500
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$2,000	\$0	\$2,000
		Tarplant, Otay	<i>Deinandra (=Hemizonia)</i> <i>conjugens</i>		\$1,000	\$0	\$1,000
		Thistle, Chorro Creek bog	<i>Cirsium fontinale</i> var. <i>obispoense</i>		\$500	\$0	\$500
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$73,300	\$0	\$73,300
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$38,900	\$0	\$38,900
		Vervain, Red Hills	<i>Verbena californica</i>		\$1,200	\$0	\$1,200
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$2,500	\$0	\$2,500
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$30,000	\$0	\$30,000
		Wire-lettuce, Malheur	<i>Stephanomeria</i> <i>malheurensis</i>		\$12,000	\$0	\$12,000
		Wooly- threads, San Joaquin	<i>Monolopia (=Lembertia)</i> <i>congdonii</i>		\$28,800	\$0	\$28,800
	Flowering Plants Total				\$2,745,878	\$3,167,000	\$5,912,878
Domestic Total					\$18,279,939	\$9,501,500	\$27,781,439
Grand Total					\$18,279,939	\$9,501,500	\$27,781,439

DOI Bureau of Reclamation							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$98,500	\$37,000	\$135,500
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$1,500	\$0	\$1,500
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$35,500	\$37,000	\$72,500
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$5,000	\$0	\$5,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$1,000	\$0	\$1,000
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$390,500	\$0	\$390,500
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$18,000	\$0	\$18,000
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$1,800	\$0	\$1,800
		Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>		\$5,500	\$0	\$5,500
	Mammals Total				\$557,300	\$74,000	\$631,300
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$325,000	\$499,000	\$824,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$9,134,000	\$3,920,000	\$13,054,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$324,500	\$499,000	\$823,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$1,000	\$0	\$1,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$30,000	\$2,285,000	\$2,315,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$325,500	\$499,000	\$824,500
	Birds Total				\$10,140,000	\$7,702,000	\$17,842,000
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$43,500	\$37,000	\$80,500
		Snake, giant garter	<i>Thamnophis gigas</i>		\$554,000	\$0	\$554,000
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$92,000	\$0	\$92,000
	Reptiles Total				\$689,500	\$37,000	\$726,500
	Amphibians						
		Frog, CA red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$91,000	\$240,000	\$331,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$213,500	\$479,500	\$693,000
	Amphibians Total				\$304,500	\$719,500	\$1,024,000

Fishes							
	Chub, bonytail	<i>Gila elegans</i>	Entire		\$4,574,000	\$0	\$4,574,000
	Chub, humpback	<i>Gila cypha</i>	Entire		\$4,436,000	\$0	\$4,436,000
	Chub, Oregon	<i>Oregonichthys crameri</i>			\$5,000	\$0	\$5,000
	Cui-ui	<i>Chasmistes cujus</i>			\$441,000	\$0	\$441,000
	Gambusia, Pecos	<i>Gambusia nobilis</i>			\$5,500	\$22,000	\$27,500
	Minnow, loach	<i>Tiaroga cobitis</i>			\$512,000	\$0	\$512,000
	Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN		\$8,000,000	\$3,500,000	\$11,500,000
	Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ		\$5,370,500	\$368,000	\$5,738,500
	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>			\$5,500	\$22,000	\$27,500
	Pupfish, desert	<i>Cyprinodon macularius</i>			\$144,000	\$0	\$144,000
	Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) tshawytscha	CA Central Valley spring-run		\$10,121,500	\$240,000	\$10,361,500
	Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) tshawytscha	fall Snake R.		\$162,000	\$680,000	\$842,000
	Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) tshawytscha	spring upper Columbia R.		\$434,000	\$3,057,000	\$3,491,000
	Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) tshawytscha	spring/summer Snake R.		\$206,000	\$1,361,000	\$1,567,000
	Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) tshawytscha	winter Sacramento R.		\$10,788,500	\$240,000	\$11,028,500
	Salmon, coho	<i>Oncorhynchus</i> (=Salmo) kisutch	OR, CA pop.		\$2,297,000	\$2,560,000	\$4,857,000
	Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) nerka	U.S.A. (Snake River, ID stock)		\$162,000	\$680,000	\$842,000
	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>			\$675,000	\$750,000	\$1,425,000
	Smelt, delta	<i>Hypomesus transpacificus</i>			\$2,053,500	\$0	\$2,053,500
	Spikedace	<i>Meda fulgida</i>			\$512,000	\$0	\$512,000
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>			\$1,500	\$0	\$1,500
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	Central Valley CA		\$9,538,500	\$240,000	\$9,778,500
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	SNAKE R. Basin		\$587,000	\$1,361,000	\$1,948,000
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	lower Columbia R.		\$283,000	\$777,000	\$1,060,000
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	middle Columbia R.		\$2,241,000	\$1,688,000	\$3,929,000
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	southern CA coast		\$59,000	\$0	\$59,000
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	upper Columbia R. Basin		\$434,000	\$3,057,000	\$3,491,000
	Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	upper Willamette R.		\$43,000	\$0	\$43,000
	Sturgeon, N. American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS		\$748,500	\$0	\$748,500

		Sturgeon, pallid	Scaphirhynchus albus		\$649,500	\$499,000	\$1,148,500
		Sucker, June	Chasmistes liorus		\$351,000	\$0	\$351,000
		Sucker, Lost River	Deltistes luxatus		\$3,757,500	\$0	\$3,757,500
		Sucker, razorback	Xyrauchen texanus	entire	\$8,950,500	\$368,000	\$9,318,500
		Sucker, shortnose	Chasmistes brevirostris		\$3,757,500	\$0	\$3,757,500
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	U.S.A. only	\$656,000	\$0	\$656,000
		Trout, bull	Salvelinus confluentus	Conterminous U.S.A.	\$1,817,500	\$0	\$1,817,500
		Trout, Lahontan cutthroat	Oncorhynchus clarki henshawi		\$104,500	\$0	\$104,500
	Fishes Total				\$84,884,500	\$21,470,000	\$106,354,500
	Snails						
		Ambersnail, Kanab	Oxyloma haydeni kanabensis		\$22,000	\$0	\$22,000
		Snail, Snake River physa	Physa natricina		\$52,000	\$0	\$52,000
		Snail, Utah valvata	Valvata utahensis		\$121,000	\$0	\$121,000
	Snails Total				\$195,000	\$0	\$195,000
	Insects						
		Beetle, American burying	Nicrophorus americanus		\$2,000	\$0	\$2,000
		Beetle, valley elderberry longhorn	Desmocerus californicus dimorphus		\$367,500	\$312,000	\$679,500
		Butterfly, Lange's metalmark	Apodemia mormo langei		\$67,000	\$0	\$67,000
	Insects Total				\$436,500	\$312,000	\$748,500
	Crustaceans						
		Fairy shrimp, Conservancy	Branchinecta conservatio		\$38,500	\$0	\$38,500
		Fairy shrimp, vernal pool	Branchinecta lynchi		\$176,000	\$583,500	\$759,500
		Tadpole shrimp, vernal pool	Lepidurus packardi		\$142,500	\$240,000	\$382,500
	Crustaceans Total				\$357,000	\$823,500	\$1,180,500
	Flowering Plants						
		Bedstraw, El Dorado	Galium californicum ssp. sierrae		\$12,000	\$250,500	\$262,500
		Butterweed, Layne's	Senecio layneae		\$12,000	\$250,500	\$262,500
		Cactus, Bakersfield	Opuntia treleasei		\$66,000	\$0	\$66,000
		Cactus, Mesa Verde	Sclerocactus mesae-verdae		\$60,000	\$0	\$60,000
		Cactus, Pima pineapple	Coryphantha scheeri var. robustispina		\$25,000	\$0	\$25,000
		Cactus, Uinta Basin hookless	Sclerocactus wetlandicus		\$1,000	\$0	\$1,000
		Ceanothus, Pine Hill	Ceanothus roderickii		\$12,000	\$0	\$12,000
		Evening-	Oenothera		\$29,000	\$0	\$29,000

		primrose, Antioch Dunes	deltoides ssp. howellii				
		Ladies'- tresses, Ute	Spiranthes diluvialis		\$25,000	\$0	\$25,000
		Morning- glory, Stebbins'	Calystegia stebbinsii		\$12,000	\$0	\$12,000
		Owl's-clover, fleshy	Castilleja campestris ssp. succulenta		\$31,500	\$0	\$31,500
		Sunburst, Hartweg's golden	Pseudobahia bahiifolia		\$58,500	\$0	\$58,500
		Sunburst, San Joaquin adobe	Pseudobahia peirsonii		\$27,000	\$0	\$27,000
		Wallflower, Contra Costa	Erysimum capitatum var. angustatum		\$29,000	\$0	\$29,000
		Wild buckwheat, clay-loving	Eriogonum pelinophilum		\$6,000	\$0	\$6,000
		Wooly- threads, San Joaquin	Monolopia (=Lembertia) congdonii		\$25,000	\$0	\$25,000
	Flowering Plants Total				\$431,000	\$501,000	\$932,000
Domestic Total					\$97,995,300	\$31,639,000	\$129,634,300
Grand Total					\$97,995,300	\$31,639,000	\$129,634,300

DOI Minerals Management Service FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$1,000,000	\$0	\$1,000,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$147,000	\$0	\$147,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$35,000	\$0	\$35,000
		Whale, bowhead	<i>Balaena mysticetus</i>		\$485,000	\$0	\$485,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$70,000	\$0	\$70,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$70,000	\$0	\$70,000
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$40,000	\$0	\$40,000
		Whale, Sei	<i>Balaenoptera borealis</i>		\$35,000	\$0	\$35,000
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$133,000	\$0	\$133,000
	Mammals Total				\$2,015,000	\$0	\$2,015,000
	Birds						
		Eider, spectacled	<i>Somateria fischeri</i>		\$600,000	\$0	\$600,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$125,000	\$0	\$125,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$125,000	\$0	\$125,000
	Birds Total				\$850,000	\$0	\$850,000
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$14,000	\$0	\$14,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$14,000	\$0	\$14,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$14,000	\$0	\$14,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$14,000	\$0	\$14,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$14,000	\$0	\$14,000
	Reptiles Total				\$70,000	\$0	\$70,000
Domestic Total					\$2,935,000	\$0	\$2,935,000
Grand Total					\$2,935,000	\$0	\$2,935,000

DOI National Park Service FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$10,700	\$0	\$10,700
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$10,500	\$0	\$10,500
		Bat, Indiana	<i>Myotis sodalis</i>		\$113,955	\$0	\$113,955
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>		\$42,000	\$0	\$42,000
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$1,000	\$0	\$1,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$28,301	\$0	\$28,301
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$921,215	\$0	\$921,215
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$3,200	\$0	\$3,200
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$113,167	\$0	\$113,167
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$55,033	\$0	\$55,033
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$125,000	\$0	\$125,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$15,000	\$0	\$15,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$325,000	\$0	\$325,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$23,000	\$0	\$23,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$7,340	\$0	\$7,340
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$1,500	\$0	\$1,500
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$12,000	\$0	\$12,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$9,400	\$0	\$9,400
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$5,000	\$0	\$5,000
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$329,700	\$0	\$329,700
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$35,000	\$0	\$35,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$35,000	\$0	\$35,000
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$300	\$0	\$300
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$5,500	\$0	\$5,500
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$45,700	\$0	\$45,700
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$5,800	\$0	\$5,800

		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$8,300	\$0	\$8,300
		Whale, finback	<i>Balaenoptera physalus</i>		\$980	\$0	\$980
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$248,320	\$0	\$248,320
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$8,580	\$0	\$8,580
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$5,000	\$0	\$5,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and where EXPN. Mexico.	\$12,300	\$0	\$12,300
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$272,300	\$0	\$272,300
	Mammals Total				\$2,835,091	\$0	\$2,835,091
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of AZ, NV and UT)	\$89,389	\$0	\$89,389
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$495,000	\$0	\$495,000
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$1,000	\$0	\$1,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$55,000	\$0	\$55,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$105,500	\$0	\$105,500
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$238,115	\$0	\$238,115
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$15,000	\$0	\$15,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$240,990	\$0	\$240,990
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$327,546	\$0	\$327,546
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$606,100	\$0	\$606,100
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>		\$1,000	\$0	\$1,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$10,000	\$0	\$10,000
		Petrel, Hawaiian dark- rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$81,300	\$0	\$81,300
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$43,472	\$0	\$43,472
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$992,704	\$0	\$992,704
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$146,000	\$0	\$146,000
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$1,000	\$0	\$1,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$2,000	\$0	\$2,000
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$300,000	\$0	\$300,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$1,000	\$0	\$1,000

		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$7,890	\$0	\$7,890
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$73,074	\$0	\$73,074
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$150	\$0	\$150
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$22,800	\$0	\$22,800
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$200	\$0	\$200
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscini</i>		\$10,000	\$0	\$10,000
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	Entire	\$50,000	\$0	\$50,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$61,000	\$0	\$61,000
		Birds Total			\$3,977,230	\$0	\$3,977,230
		Reptiles					
		Alligator, American	<i>Alligator mississippiensis</i>		\$51,000	\$0	\$51,000
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$29,000	\$0	\$29,000
		Lizard, St. Croix ground	<i>Ameiva polops</i>		\$15,000	\$0	\$15,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$12,500	\$0	\$12,500
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$116,040	\$0	\$116,040
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$165,926	\$0	\$165,926
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$757,900	\$0	\$757,900
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$31,200	\$0	\$31,200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$313,200	\$0	\$313,200
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$12,000	\$0	\$12,000
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$5,000	\$0	\$5,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$221,156	\$0	\$221,156
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$2,000	\$0	\$2,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$15,300	\$0	\$15,300
		Turtle, ringed map	<i>Graptemys oculifera</i>		\$2,200	\$0	\$2,200
		Reptiles Total			\$1,749,422	\$0	\$1,749,422
		Amphibians					
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$19,500	\$0	\$19,500
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$112,000	\$0	\$112,000
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$5,660	\$0	\$5,660
		Amphibians Total			\$137,160	\$0	\$137,160
		Fishes					
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$3,837	\$0	\$3,837
		Chub, humpback	<i>Gila cypha</i>	Entire	\$167,838	\$0	\$167,838
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$14,700	\$0	\$14,700

		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$37,538	\$0	\$37,538
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$2,200	\$0	\$2,200
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$12,000	\$0	\$12,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$29,138	\$0	\$29,138
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$29,138	\$0	\$29,138
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$2,838	\$0	\$2,838
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$85,000	\$0	\$85,000
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>		\$387,500	\$0	\$387,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound	\$59,171	\$0	\$59,171
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$172	\$0	\$172
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$35,172	\$0	\$35,172
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	central CA coast	\$379,000	\$0	\$379,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$25,000	\$0	\$25,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$700	\$0	\$700
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$23,990	\$0	\$23,990
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$312,000	\$0	\$312,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$59,118	\$0	\$59,118
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$37,000	\$0	\$37,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$10,000	\$0	\$10,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$4,123	\$0	\$4,123
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$5,000	\$0	\$5,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$22,837	\$0	\$22,837
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous U.S.A.	\$265,000	\$0	\$265,000
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$57,000	\$0	\$57,000
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>		\$2,300	\$0	\$2,300
	Fishes Total				\$2,094,310	\$0	\$2,094,310
	Clams						
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire; Except where EXPN	\$8,400	\$0	\$8,400
		Combsell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$10,600	\$0	\$10,600
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$16,800	\$0	\$16,800
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$16,713	\$0	\$16,713
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$15,000	\$0	\$15,000
		Mucket, pink	<i>Lampsilis abrupta</i>		\$20,000	\$0	\$20,000

		(pearlymussel)					
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; except where EXPN	\$10,600	\$0	\$10,600
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$5,000	\$0	\$5,000
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; except where EXPN	\$8,400	\$0	\$8,400
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$8,400	\$0	\$8,400
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i>)		\$8,400	\$0	\$8,400
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$3,000	\$0	\$3,000
	Clams Total				\$131,313	\$0	\$131,313
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$3,000	\$0	\$3,000
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$61,985	\$0	\$61,985
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$2,301	\$0	\$2,301
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$500	\$0	\$500
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$200	\$0	\$200
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$51	\$0	\$51
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$1,000	\$0	\$1,000
	Insects Total				\$66,037	\$0	\$66,037
	Crustaceans						
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$1,000	\$0	\$1,000
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$36,000	\$0	\$36,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$32,500	\$0	\$32,500
	Corals Total				\$68,500	\$0	\$68,500
	Flowering Plants						
		Alani	<i>Melicope balloui</i>		\$4,700	\$0	\$4,700
		Alani	<i>Melicope ovalis</i>		\$18,700	\$0	\$18,700
		Alani	<i>Melicope zahlbruckneri</i>		\$4,333	\$0	\$4,333
		Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$8,800	\$0	\$8,800
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$65,700	\$0	\$65,700
		Avens, spreading	<i>Geum radiatum</i>		\$4,520	\$0	\$4,520
		Awiwi	<i>Centaurium sebaeoides</i>		\$1,000	\$0	\$1,000
		bladderpod, Missouri	<i>Physaria filiformis</i>		\$15,500	\$0	\$15,500
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$3,320	\$0	\$3,320
		Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>		\$50	\$0	\$50
		Cactus, San	<i>Pediocactus</i>		\$265	\$0	\$265

	Rafael	<i>despainii</i>				
	Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$50	\$0	\$50
	Cactus, Winkler	<i>Pediocactus winkleri</i>		\$1,320	\$0	\$1,320
	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$1,055	\$0	\$1,055
	Clarkia, Presidio	<i>Clarkia franciscana</i>		\$1,000	\$0	\$1,000
	Clover, showy Indian	<i>Trifolium amoenum</i>		\$1,400	\$0	\$1,400
	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$350	\$0	\$350
	Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i>)		\$500	\$0	\$500
	Daisy, Maguire	<i>Erigeron maguirei</i>		\$2,640	\$0	\$2,640
	Daisy, Parish's	<i>Erigeron parishii</i>		\$5,500	\$0	\$5,500
	Dudleya, Conejo	<i>Dudleya abramsii</i> ssp. <i>parva</i>		\$1,000	\$0	\$1,000
	Dudleya, marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>		\$1,000	\$0	\$1,000
	Dudleya, Verity's	<i>Dudleya verityi</i>		\$1,000	\$0	\$1,000
	Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>		\$1,000	\$0	\$1,000
	Dwarf-flax, Marin	<i>Hesperolinon congestum</i>		\$5,000	\$0	\$5,000
	Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekaensis</i>		\$17,000	\$0	\$17,000
	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$35,100	\$0	\$35,100
	Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$17,000	\$0	\$17,000
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$2,200	\$0	\$2,200
	Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$250	\$0	\$250
	Haha	<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>		\$11,700	\$0	\$11,700
	Haha	<i>Cyanea glabra</i>		\$11,700	\$0	\$11,700
	Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>		\$300	\$0	\$300
	Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>		\$11,700	\$0	\$11,700
	Haha	<i>Cyanea stictophylla</i>		\$7,061	\$0	\$7,061
	Hala pepe	<i>Pleomele hawaiiensis</i>		\$500	\$0	\$500
	Harperella	<i>Ptilimnium nodosum</i>		\$5,880	\$0	\$5,880
	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$5,333	\$0	\$5,333
	Ha`iwale	<i>Cyrtandra giffardii</i>		\$4,330	\$0	\$4,330
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$5,520	\$0	\$5,520
	Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$4,800	\$0	\$4,800

		Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>		\$4,500	\$0	\$4,500
		Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>		\$11,700	\$0	\$11,700
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$500	\$0	\$500
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$23,400	\$0	\$23,400
		Kula wahine noho	<i>Isodendron pyriformium</i>		\$500	\$0	\$500
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$300	\$0	\$300
		Layia, beach	<i>Layia carnosa</i>		\$6,800	\$0	\$6,800
		Lessingia, San Francisco	<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>)		\$5,000	\$0	\$5,000
		Lo`ulu	<i>Prichardia affinis</i>		\$1,700	\$0	\$1,700
		Lupine, clover	<i>Lupinus tidestromii</i>		\$3,500	\$0	\$3,500
		Makou	<i>Peucedanum sandwicense</i>		\$500	\$0	\$500
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>		\$6,000	\$0	\$6,000
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$2,300	\$0	\$2,300
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$600	\$0	\$600
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>		\$60,200	\$0	\$60,200
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$23,926	\$0	\$23,926
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$2,200	\$0	\$2,200
		monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$900	\$0	\$900
		No common name	<i>Phyllostegia parviflora</i>		\$5,333	\$0	\$5,333
		No common name	<i>Platanthera holochila</i>		\$200	\$0	\$200
		No common name	<i>Schiedea haleakalensis</i>		\$46,800	\$0	\$46,800
		No common name	<i>Schiedea hookeri</i>		\$200	\$0	\$200
		No common name	<i>Silene hawaiiensis</i>		\$7,061	\$0	\$7,061
		No common name	<i>Spermolepis hawaiiensis</i>		\$4,333	\$0	\$4,333
		Nohoanu	<i>Geranium multiflorum</i>		\$23,400	\$0	\$23,400
		Ohai	<i>Sesbania tomentosa</i>		\$5,433	\$0	\$5,433
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$15,700	\$0	\$15,700
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$19,525	\$0	\$19,525
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$1,350	\$0	\$1,350
		Paintbrush, Tiburon	<i>Castilleja affinis</i> ssp. <i>neglecta</i>		\$200	\$0	\$200
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$1,000	\$0	\$1,000

		Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>		\$26,000	\$0	\$26,000
		Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>		\$100	\$0	\$100
		Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>		\$17,500	\$0	\$17,500
		Pink, swamp	<i>Helonias bullata</i>		\$2,080	\$0	\$2,080
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$1,000	\$0	\$1,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$14,325	\$0	\$14,325
		Potato-bean, Price's	<i>Apios priceana</i>		\$2,200	\$0	\$2,200
		Pua`ala	<i>Brighamia rockii</i>		\$7,500	\$0	\$7,500
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$265	\$0	\$265
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$11,409	\$0	\$11,409
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$8,400	\$0	\$8,400
		Seablite, California	<i>Suaeda californica</i>		\$200	\$0	\$200
		Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>		\$48,113	\$0	\$48,113
		Skullcap, large- flowered	<i>Scutellaria montana</i>		\$3,000	\$0	\$3,000
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$7,100	\$0	\$7,100
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$12,309	\$0	\$12,309
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$500	\$0	\$500
		Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>		\$100	\$0	\$100
		Thistle, fountain	<i>Cirsium fontinale var. fontinale</i>		\$200	\$0	\$200
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$3,200	\$0	\$3,200
		Thornmint, San Mateo	<i>Acanthomintha obovata ssp. duttonii</i>		\$200	\$0	\$200
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$528	\$0	\$528
		Uhiuhi	<i>Caesalpinia kawaiense</i>		\$500	\$0	\$500
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$500	\$0	\$500
		`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>		\$23,400	\$0	\$23,400
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$3,000	\$0	\$3,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$7,361	\$0	\$7,361
		`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>		\$300	\$0	\$300
		`Oha wai	<i>Clermontia peleana</i>		\$400	\$0	\$400
		`Oha wai	<i>Clermontia samuelii</i>		\$300	\$0	\$300
	Flowering Plants Total				\$778,128	\$0	\$778,128
	Conifers and Cycads						

		Cypress, Gowen	<i>Cupressus goveniana ssp. goveniana</i>		\$200	\$0	\$200
	Ferns and Allies						
		No common name	<i>Asplenium fragile var. insulare</i>		\$300	\$0	\$300
		No common name	<i>Diplazium molokaiense</i>		\$2,000	\$0	\$2,000
		Pauoa	<i>Ctenitis squamigera</i>		\$300	\$0	\$300
		Wawae`iole	<i>Huperzia mannii</i>		\$300	\$0	\$300
	Ferns and Allies Total				\$2,900	\$0	\$2,900
	Lichens						
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$500	\$0	\$500
Domestic Total					\$11,844,791	\$0	\$11,844,791
Grand Total					\$11,844,791	\$0	\$11,844,791

DOI US Geological Survey FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$1,200	\$0	\$1,200
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$96,835	\$0	\$96,835
		Bat, Indiana	<i>Myotis sodalis</i>		\$83,999	\$0	\$83,999
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$7,500	\$0	\$7,500
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$500	\$0	\$500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	Yellowstone DPS	\$732,130	\$0	\$732,130
		Bear, grizzly	<i>Ursus arctos horribilis</i>	experimental, non-essential, portions of ID and MT	\$3,300	\$0	\$3,300
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$163,090	\$0	\$163,090
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$87,954	\$0	\$87,954
		Bear, polar	<i>Ursus maritimus</i>		\$757,000	\$0	\$757,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$30	\$0	\$30
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$74,789	\$0	\$74,789
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$4,811	\$0	\$4,811
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$4,811	\$0	\$4,811
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$4,811	\$0	\$4,811
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$4,900	\$0	\$4,900
		Manatee, West Indian	<i>Trichechus manatus</i>		\$967,633	\$0	\$967,633
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$4,000	\$0	\$4,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$15,000	\$0	\$15,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$580,581	\$0	\$580,581
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$20,174	\$0	\$20,174
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$18,422	\$0	\$18,422
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire; except Sussex Co., DE	\$48,976	\$0	\$48,976
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$10,000	\$0	\$10,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and where EXPN; Mexico.	\$97,313	\$0	\$97,313
		Wolf, gray	<i>Canis lupus</i>	MN	\$216,577	\$0	\$216,577

		Wolf, gray	<i>Canis lupus</i>	No. Rocky Mtns DPS - WY significant portion of the range	\$54,165	\$0	\$54,165
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$90	\$0	\$90
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$14,300	\$0	\$14,300
	Mammals Total				\$4,074,891	\$0	\$4,074,891
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$19,751	\$0	\$19,751
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>		\$5,931	\$0	\$5,931
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$22,979	\$0	\$22,979
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$2,400	\$0	\$2,400
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$1,540	\$0	\$1,540
		Crane, whooping	<i>Grus americana</i>	U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	\$8,936	\$0	\$8,936
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$701,369	\$0	\$701,369
		Creeper, Hawaii	<i>Oreomystis mana</i>		\$19,751	\$0	\$19,751
		Crow, Hawaiian (= 'alala)	<i>Corvus hawaiiensis</i>		\$1,161	\$0	\$1,161
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$290	\$0	\$290
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$6,531	\$0	\$6,531
		Duck, Laysan	<i>Anas laysanensis</i>		\$112,249	\$0	\$112,249
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$17,530	\$0	\$17,530
		Eider, spectacled	<i>Somateria fischeri</i>		\$388,000	\$0	\$388,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$6,000	\$0	\$6,000
		Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>		\$600	\$0	\$600
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$49,222	\$0	\$49,222
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$151,810	\$0	\$151,810
		Hawk, Hawaiian (= 'lo)	<i>Buteo solitarius</i>		\$14,120	\$0	\$14,120
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$39,311	\$0	\$39,311
		Megapode, Micronesian	<i>Megapodius laperouse</i>		\$13,820	\$0	\$13,820
		Millerbird, Nihoa (old world warbler)	<i>Acrocephalus familiaris kingi</i>		\$2,931	\$0	\$2,931
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$300	\$0	\$300
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$300	\$0	\$300

		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$12,500	\$0	\$12,500
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$32,746	\$0	\$32,746
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$67,955	\$0	\$67,955
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$3,670	\$0	\$3,670
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$17,829	\$0	\$17,829
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$104,137	\$0	\$104,137
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$7,179	\$0	\$7,179
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$54,887	\$0	\$54,887
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$37,700	\$0	\$37,700
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$4,000	\$0	\$4,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$72,763	\$0	\$72,763
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$1,800	\$0	\$1,800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$108,937	\$0	\$108,937
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$164,520	\$0	\$164,520
		Thrush, small Kauai (=puaiohi)	<i>Myadestes palmeri</i>		\$32,246	\$0	\$32,246
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$89,589	\$0	\$89,589
		Birds Total			\$2,399,290	\$0	\$2,399,290
		Reptiles					
		Alligator, American	<i>Alligator mississippiensis</i>		\$144,283	\$0	\$144,283
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$26,916	\$0	\$26,916
		Lizard, Island night	<i>Xantusia riversiana</i>		\$12,500	\$0	\$12,500
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$109,305	\$0	\$109,305
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$64,653	\$0	\$64,653
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$41,089	\$0	\$41,089
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$1,200	\$0	\$1,200
		Snake, giant garter	<i>Thamnophis gigas</i>		\$126,558	\$0	\$126,558
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$3,320	\$0	\$3,320
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$39,993	\$0	\$39,993
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$390,463	\$0	\$390,463
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$48,200	\$0	\$48,200
		Reptiles Total			\$1,008,480	\$0	\$1,008,480
		Amphibians					

		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$37,248	\$0	\$37,248
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$66,502	\$0	\$66,502
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$61,774	\$0	\$61,774
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$19,000	\$0	\$19,000
	Amphibians Total				\$184,524	\$0	\$184,524
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$100,498	\$0	\$100,498
		Chub, humpback	<i>Gila cypha</i>	Entire	\$35,552	\$0	\$35,552
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>		\$30,000	\$0	\$30,000
		Chub, slender	<i>Erimystax cahni</i>		\$3,019	\$0	\$3,019
		Cui-ui	<i>Chasmistes cujus</i>		\$38,000	\$0	\$38,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$37,299	\$0	\$37,299
		Madtom, Neosho	<i>Noturus placidus</i>		\$16,776	\$0	\$16,776
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire; except where EXPN	\$43,200	\$0	\$43,200
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$494,601	\$0	\$494,601
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of ME Atlantic Salmon DPS	\$462,994	\$0	\$462,994
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$118,302	\$0	\$118,302
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$117,495	\$0	\$117,495
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$30,000	\$0	\$30,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$25,000	\$0	\$25,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$52,500	\$0	\$52,500
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River	\$47,500	\$0	\$47,500
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$97,277	\$0	\$97,277
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	central CA coast	\$25,000	\$0	\$25,000

		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) nerka	U.S.A. (Ozette Lake, WA)	\$25,000	\$0	\$25,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) nerka	U.S.A. (Snake River, ID stock)	\$50,000	\$0	\$50,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$50,431	\$0	\$50,431
		Shiner, blue	<i>Cyprinella caerulea</i>		\$72,739	\$0	\$72,739
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$33,552	\$0	\$33,552
		Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>		\$17,347	\$0	\$17,347
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	Central Valley CA	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	Puget Sound DPS	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	Snake R. Basin	\$56,115	\$0	\$56,115
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	central CA coast	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	lower Columbia R.	\$66,272	\$0	\$66,272
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	middle Columbia R.	\$114,110	\$0	\$114,110
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	southern CA coast	\$14,349	\$0	\$14,349
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	upper Columbia R. Basin	\$92,495	\$0	\$92,495
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$13,624	\$0	\$13,624
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$47,707	\$0	\$47,707
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$1,050,372	\$0	\$1,050,372
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$137,637	\$0	\$137,637
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$25,000	\$0	\$25,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$318,758	\$0	\$318,758
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$99,634	\$0	\$99,634
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$10,073	\$0	\$10,073
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$318,758	\$0	\$318,758
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous U.S.A.	\$339,000	\$0	\$339,000
	Fishes Total				\$4,892,986	\$0	\$4,892,986
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>		\$7,475	\$0	\$7,475
		Clubshell	<i>Pleurobema clava</i>	AL; Free-Flowing Reach of the Tenn. R. below Wilson Dam, Colbert & Lauderdale Counties, AL	\$88,000	\$0	\$88,000
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$42,475	\$0	\$42,475
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$7,475	\$0	\$7,475

		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$7,475	\$0	\$7,475
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$7,475	\$0	\$7,475
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$88,000	\$0	\$88,000
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$7,475	\$0	\$7,475
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$257,933	\$0	\$257,933
	Clams Total				\$513,783	\$0	\$513,783
	Snails						
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$20,000	\$0	\$20,000
		Snail, Chittanooga ovate amber	<i>Succinea chittengoensis</i>		\$14,000	\$0	\$14,000
	Snails Total				\$34,000	\$0	\$34,000
	Insects						
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>		\$750	\$0	\$750
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>		\$500	\$0	\$500
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)		\$8,850	\$0	\$8,850
		Pomace fly, [unnamed]	<i>Drosophila heteroneura</i>		\$4,381	\$0	\$4,381
	Insects Total				\$14,481	\$0	\$14,481
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$27,072	\$0	\$27,072
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$5,000	\$0	\$5,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$29,865	\$0	\$29,865
		Isopod, Madison Cave	<i>Antrolana lira</i>		\$7,100	\$0	\$7,100
		Shrimp, CA freshwater	<i>Syncaris pacifica</i>		\$58,000	\$0	\$58,000
	Crustaceans Total				\$127,037	\$0	\$127,037
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$136,655	\$0	\$136,655
		Coral, staghorn	<i>Acropora cervicornis</i>		\$8,145	\$0	\$8,145
	Corals Total				\$144,800	\$0	\$144,800
	Flowering Plants						
		Alani	<i>Melicope zahlbruckneri</i>		\$21,431	\$0	\$21,431
		Ale	<i>plantago princeps</i> var. <i>anomala</i>		\$820	\$0	\$820
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$1,381	\$0	\$1,381
		Aupaka	<i>Isodendron hosakae</i>		\$1,230	\$0	\$1,230
		Awiwi	<i>Centaurium sebaeoides</i>		\$820	\$0	\$820
		A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>		\$820	\$0	\$820
		Baccharis, Encinitas	<i>Baccharis vanessae</i>		\$1,381	\$0	\$1,381

	Barberry, island	<i>Berberis pinnata ssp. insularis</i>	\$7,307	\$0	\$7,307
	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$1,250	\$0	\$1,250
	Bedstraw, island	<i>Galium buxifolium</i>	\$7,307	\$0	\$7,307
	Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	\$1,381	\$0	\$1,381
	Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	\$410	\$0	\$410
	Bluegrass, Mann's	<i>Poa mannii</i>	\$410	\$0	\$410
	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$1,381	\$0	\$1,381
	Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus var. nesioticus</i>	\$7,307	\$0	\$7,307
	Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$1,381	\$0	\$1,381
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$410	\$0	\$410
	Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$410	\$0	\$410
	Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$410	\$0	\$410
	Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	\$7,307	\$0	\$7,307
	Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	\$1,381	\$0	\$1,381
	Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	\$7,307	\$0	\$7,307
	Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$410	\$0	\$410
	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$410	\$0	\$410
	Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>	\$7,307	\$0	\$7,307
	Haha	<i>Cyanea acuminata</i>	\$11,480	\$0	\$11,480
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$410	\$0	\$410
	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$11,430	\$0	\$11,430
	Ha`iwale	<i>Cyrtandra giffardii</i>	\$29,991	\$0	\$29,991
	Heau	<i>Exocarpos luteolus</i>	\$410	\$0	\$410
	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	\$410	\$0	\$410
	Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$410	\$0	\$410
	Holei	<i>Ochrosia kilaueaensis</i>	\$410	\$0	\$410
	Honohono	<i>Haplostachys haplostachya</i>	\$410	\$0	\$410
	Iliau, dwarf	<i>Wilkesia hobbii</i>	\$410	\$0	\$410
	Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$410	\$0	\$410
	Kamakahala	<i>Labordia cyrtandrae</i>	\$2,050	\$0	\$2,050
	Kamanomano	<i>Cenchrus agrimonioides</i>	\$410	\$0	\$410
	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$410	\$0	\$410

		Kauila	<i>Colubrina oppositifolia</i>		\$410	\$0	\$410
		Kaulu	<i>Pteralyxia kauaiensis</i>		\$410	\$0	\$410
		Kio`ele	<i>Hedyotis coriacea</i>		\$410	\$0	\$410
		Kiponapona	<i>Phyllostegia racemosa</i>		\$410	\$0	\$410
		Kohe malama malama o kanalao	<i>Kanaloa kahoolawensis</i>		\$410	\$0	\$410
		Koki`o	<i>Kokia drynarioides</i>		\$820	\$0	\$820
		Koki`o ke`oke`o	<i>Hibiscus arnotianus ssp. immaculatus</i>		\$820	\$0	\$820
		Koki`o, Cooke's	<i>Kokia cookei</i>		\$410	\$0	\$410
		Kolea	<i>Myrsine juddii</i>		\$820	\$0	\$820
		Kopa	<i>Hedyotis schlechtendahliana var. remyi</i>		\$410	\$0	\$410
		Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>		\$820	\$0	\$820
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$410	\$0	\$410
		Kuahiwi laukahi	<i>Plantago hawaiiensis</i>		\$820	\$0	\$820
		Kuawawaenuhu	<i>Alsinidendron lychnoides</i>		\$410	\$0	\$410
		Kula wahine noho	<i>Isodendron pyriformium</i>		\$410	\$0	\$410
		Kulu`i	<i>Nototrichium humile</i>		\$410	\$0	\$410
		Lau`ehu	<i>Panicum niihauense</i>		\$410	\$0	\$410
		Laulihilihi	<i>Schiedea stellarioides</i>		\$410	\$0	\$410
		Liliwai	<i>Acaena exigua</i>		\$410	\$0	\$410
		Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>		\$7,307	\$0	\$7,307
		Love grass, Fosberg's	<i>Eragrostis fosbergii</i>		\$410	\$0	\$410
		Lo`ulu	<i>Pritchardia affinis</i>		\$2,870	\$0	\$2,870
		Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$5,148	\$0	\$5,148
		Mahoe	<i>Alectryon macrococcus</i>		\$410	\$0	\$410
		Makou	<i>Peucedanum sandwicense</i>		\$410	\$0	\$410
		Malacothrix, island	<i>Malacothrix squalida</i>		\$7,307	\$0	\$7,307
		Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>		\$7,307	\$0	\$7,307
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$7,307	\$0	\$7,307
		Mapele	<i>Cyrtandra cyaneoides</i>		\$410	\$0	\$410
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$410	\$0	\$410
		Ma`oli`oli	<i>Schiedea apokremnos</i>		\$820	\$0	\$820
		Mehamehame	<i>Flueggea neowawraea</i>		\$410	\$0	\$410
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$1,250	\$0	\$1,250

		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$6,250	\$0	\$6,250
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$12,763	\$0	\$12,763
		Monardella, willow	<i>Monardella linoides ssp. viminea</i>		\$1,381	\$0	\$1,381
		Nani wai`ale`ale	<i>Viola kauaiensis var. wahiawaensis</i>		\$410	\$0	\$410
		Nanu	<i>Gardenia mannii</i>		\$410	\$0	\$410
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$410	\$0	\$410
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$1,381	\$0	\$1,381
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$1,640	\$0	\$1,640
		Nehe	<i>Lipochaeta fauriei</i>		\$2,460	\$0	\$2,460
		Nioi	<i>Eugenia koolauensis</i>		\$7,878	\$0	\$7,878
		No common name	<i>Phyllostegia parviflora</i>		\$61,151	\$0	\$61,151
		Nohoanu	<i>Geranium multiflorum</i>		\$410	\$0	\$410
		Oha	<i>Delissea rivularis</i>		\$820	\$0	\$820
		Ohai	<i>Sesbania tomentosa</i>		\$10,610	\$0	\$10,610
		Olulu	<i>Brighamia insignis</i>		\$410	\$0	\$410
		Opuhe	<i>Urea kaalae</i>		\$410	\$0	\$410
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$7,307	\$0	\$7,307
		Pamakani	<i>Tetramolopium capillare</i>		\$820	\$0	\$820
		Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>		\$410	\$0	\$410
		Phacelia, island	<i>Phacelia insularis ssp. insularis</i>		\$7,307	\$0	\$7,307
		Pilo	<i>Hedyotis mannii</i>		\$410	\$0	\$410
		Popolo ku mai	<i>Solanum incompletum</i>		\$410	\$0	\$410
		Po`e	<i>Portulaca sclerocarpa</i>		\$10,610	\$0	\$10,610
		Pua`ala	<i>Brighamia rockii</i>		\$410	\$0	\$410
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$410	\$0	\$410
		Remya, Maui	<i>Remya mauiensis</i>		\$410	\$0	\$410
		Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>		\$7,307	\$0	\$7,307
		Rush-rose, island	<i>Helianthemum greenei</i>		\$7,307	\$0	\$7,307
		Sandalwood, Lanai (=`iliahi)	<i>Santalum freycinetianum var. lanaiense</i>		\$410	\$0	\$410
		Schiedea, Diamond Head	<i>Schiedea adamantis</i>		\$410	\$0	\$410
		Silversword, Mauna Loa (=Ka`u)	<i>Argyroxiphium kauense</i>		\$410	\$0	\$410
		Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>		\$1,381	\$0	\$1,381
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$4,500	\$0	\$4,500
		Thormmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$1,381	\$0	\$1,381
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$410	\$0	\$410
		Vetch, Hawaiian	<i>Vicia menziesii</i>		\$410	\$0	\$410
		Wahane	<i>Pritchardia aylmer- robinsonii</i>		\$410	\$0	\$410

		^ Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>		\$8,388	\$0	\$8,388
		^ Aiakeakua, popolo	<i>Solanum sandwicense</i>		\$410	\$0	\$410
		^ Aiea	<i>Nothocestrum breviflorum</i>		\$820	\$0	\$820
		^ Akoko	<i>Chamaesyce celastroides var. kaenana</i>		\$2,460	\$0	\$2,460
		^ Akoko, Ewa Plains	<i>Chamaesyce skottsbergii var. kalaeloana</i>		\$410	\$0	\$410
		^ Anaunau	<i>Lepidium arbuscula</i>		\$410	\$0	\$410
		^ Anunu	<i>Sicyos alba</i>		\$10,610	\$0	\$10,610
		^ Awikiwiki	<i>Canavalia molokaiensis</i>		\$410	\$0	\$410
		^ Oha wai	<i>Clermontia drepanomorpha</i>		\$2,870	\$0	\$2,870
		^ Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>		\$410	\$0	\$410
	Flowering Plants Total				\$380,868	\$0	\$380,868
Domestic Total					\$13,775,140	\$0	\$13,775,140
Foriegn							
	Birds						
		Crane, Japanese	<i>Grus japonensis</i>		\$80	\$0	\$80
		Crane, white-naped	<i>Grus vipio</i>		\$40	\$0	\$40
	Birds Total				\$120	\$0	\$120
	Reptiles						
		Crocodile, Morelet's	<i>Crocodylus moreletii</i>		\$5,000	\$0	\$5,000
		Iguana, Fiji banded	<i>Brachylophus fasciatus</i>		\$4,349	\$0	\$4,349
		Iguana, Fiji crested	<i>Brachylophus vitiensis</i>		\$4,349	\$0	\$4,349
	Reptiles Total				\$13,698	\$0	\$13,698
Foriegn Total					\$13,818	\$0	\$13,818
Grand Total					\$13,788,958	\$0	\$13,788,958

DOT Federal Aviation Administration FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$67,000	\$0	\$67,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$1,000	\$0	\$1,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$61,000	\$0	\$61,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$149,902	\$0	\$149,902
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$5,500	\$0	\$5,500
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$7,000	\$0	\$7,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$500	\$0	\$500
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$4,000	\$0	\$4,000
	Mammals Total				\$295,902	\$0	\$295,902
	Birds						
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$36,000	\$0	\$36,000
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$1,000	\$0	\$1,000
	Birds Total				\$37,000	\$0	\$37,000
	Reptiles						
		Tortoise, desert	<i>Gopherus agassizii</i>	USA, except in Sonoran Desert	\$800	\$0	\$800
	Amphibians						
		Salamander, CA tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara Co.	\$500	\$0	\$500
	Fishes						
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$1,107,724	\$70,000	\$1,177,724
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$13,000	\$0	\$13,000
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$4,000	\$0	\$4,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$800	\$0	\$800
	Crustaceans Total				\$4,800	\$0	\$4,800
	Flowering Plants						
		Bird's-beak, soft	<i>Cordylanthus mollis ssp. mollis</i>		\$200	\$0	\$200
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$8,000	\$0	\$8,000
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$500	\$0	\$500
	Flowering Plants Total				\$8,700	\$0	\$8,700
Domestic Total					\$1,468,426	\$70,000	\$1,538,426
Grand Total					\$1,468,426	\$70,000	\$1,538,426

DOT Federal Highway Administration FY09							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$45,554	\$0	\$45,554
		Bat, Indiana	<i>Myotis sodalis</i>		\$6,084,172	\$0	\$6,084,172
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$155,000	\$0	\$155,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$113,630	\$0	\$113,630
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$13,090	\$0	\$13,090
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$11,760	\$0	\$11,760
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$2,000	\$0	\$2,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$743,405	\$0	\$743,405
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$6,375	\$0	\$6,375
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$6,375	\$0	\$6,375
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$44,488	\$0	\$44,488
		Manatee, West Indian	<i>Trichechus manatus</i>		\$71,070	\$0	\$71,070
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$1,875	\$0	\$1,875
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$1,800	\$0	\$1,800
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$500	\$0	\$500
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$1,396,250	\$0	\$1,396,250
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$2,061,035	\$0	\$2,061,035
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$16,900	\$0	\$16,900
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$200	\$0	\$200
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$124,660	\$0	\$124,660
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$20,000	\$0	\$20,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$6,500	\$0	\$6,500
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$155,740	\$0	\$155,740
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and where EXPN; Mexico.	\$63,200	\$0	\$63,200
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$30,500	\$0	\$30,500

	Mammals Total				\$11,176,079	\$0	\$11,176,079
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$25,770	\$0	\$25,770
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$594,600	\$0	\$594,600
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$12,600	\$0	\$12,600
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$510,999	\$0	\$510,999
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$90,333	\$0	\$90,333
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$8,930	\$0	\$8,930
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$69,122	\$0	\$69,122
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$215,827	\$0	\$215,827
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$27,320	\$0	\$27,320
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$390	\$0	\$390
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$8,813	\$0	\$8,813
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$425,120	\$0	\$425,120
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$396,250	\$0	\$396,250
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$546,900	\$0	\$546,900
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$17,000,000	\$0	\$17,000,000
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$200	\$0	\$200
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$100	\$0	\$100
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$20,800	\$0	\$20,800
		Tern, California least	<i>Sterna antillarum browni</i>		\$396,250	\$0	\$396,250
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$8,500	\$0	\$8,500
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$219,800	\$0	\$219,800
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$440,666	\$0	\$440,666
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$944,600	\$0	\$944,600
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscini</i>		\$43,000	\$0	\$43,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$94,623	\$0	\$94,623

	Birds Total				\$22,101,513	\$0	\$22,101,513
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$2,600	\$0	\$2,600
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$14,300	\$0	\$14,300
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$306,000	\$0	\$306,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$7,620	\$0	\$7,620
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$2,352	\$0	\$2,352
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$100	\$0	\$100
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$24,927	\$0	\$24,927
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$9,972	\$0	\$9,972
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$2,352	\$0	\$2,352
		Skink, sand	<i>Neoseps reynoldsi</i>		\$13,500	\$0	\$13,500
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$21,000	\$0	\$21,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$10,425	\$0	\$10,425
		Snake, giant garter	<i>Thamnophis gigas</i>		\$1,614,500	\$0	\$1,614,500
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$674,500	\$0	\$674,500
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$4,923,808	\$0	\$4,923,808
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$135,000	\$0	\$135,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$335,003	\$0	\$335,003
	Reptiles Total				\$8,097,959	\$0	\$8,097,959
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$3,269,850	\$0	\$3,269,850
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$6,000	\$0	\$6,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$546,250	\$0	\$546,250
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$35,700	\$0	\$35,700
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$950	\$0	\$950
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$1,500	\$0	\$1,500
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$455,333	\$0	\$455,333
		Toad, Houston	<i>Bufo houstonensis</i>		\$21,500	\$0	\$21,500
	Amphibians Total				\$4,337,083	\$0	\$4,337,083
	Fishes						
		Chub, slender	<i>Erimystax cahni</i>		\$700	\$0	\$700
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$9,000	\$0	\$9,000

		Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i>)		\$101,000	\$0	\$101,000
		Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>		\$6,000	\$0	\$6,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$890	\$0	\$890
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$1,000	\$0	\$1,000
		Darter, snail	<i>Percina tanasi</i>		\$2,000	\$0	\$2,000
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$1,500	\$0	\$1,500
		Madtom, Neosho	<i>Noturus placidus</i>		\$100	\$0	\$100
		Madtom, pygmy	<i>Noturus stanauli</i>		\$600	\$0	\$600
		Minnow, loach	<i>Tiaroga cobitis</i>		\$35,000	\$0	\$35,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$66,666	\$0	\$66,666
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$23,332	\$0	\$23,332
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA coastal	\$204,000	\$0	\$204,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound	\$476,770	\$0	\$476,770
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	fall Snake R.	\$73,275	\$0	\$73,275
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	lower Columbia R.	\$57,610	\$0	\$57,610
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	spring upper Columbia R.	\$58,200	\$0	\$58,200
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	spring/summer Snake R.	\$79,275	\$0	\$79,275
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	Columbia R.	\$37,740	\$0	\$37,740
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	summer-run Hood Canal	\$58,815	\$0	\$58,815
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River	\$96,300	\$0	\$96,300
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	OR, CA pop.	\$123,000	\$0	\$123,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	central CA coast	\$247,000	\$0	\$247,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Snake River, ID stock)	\$119,775	\$0	\$119,775
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$100	\$0	\$100
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$500	\$0	\$500
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)		\$206,000	\$0	\$206,000
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$1,434,500	\$0	\$1,434,500
		Spikedace	<i>Meda fulgida</i>		\$35,000	\$0	\$35,000
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$476,770	\$0	\$476,770
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$97,000	\$0	\$97,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$1,104,000	\$0	\$1,104,000

		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	lower Columbia R.	\$97,610	\$0	\$97,610
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	middle Columbia R.	\$60,365	\$0	\$60,365
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	south central CA coast	\$1,660,000	\$0	\$1,660,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	southern CA coast	\$795,214	\$0	\$795,214
		Steelhead	<i>Oncorhynchus</i> (=Salmo) mykiss	upper Columbia R. Basin	\$58,200	\$0	\$58,200
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus</i> <i>desotoi</i>		\$3,250	\$0	\$3,250
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	U.S.A. (CA) Southern DPS	\$17,186,200	\$0	\$17,186,200
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$65,500	\$0	\$65,500
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$3,888	\$0	\$3,888
		Sucker, June	<i>Chasmistes</i> <i>liorus</i>		\$500	\$0	\$500
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	Entire	\$66,666	\$0	\$66,666
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	Conterminous U.S.A.	\$726,750	\$0	\$726,750
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki</i> <i>henshawi</i>		\$1,000	\$0	\$1,000
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$103,000	\$0	\$103,000
		Fishes Total			\$26,062,561	\$0	\$26,062,561
		Clams					
		Banklimber, purple (mussel)	<i>Elliptoideus</i> <i>sloatianus</i>		\$375	\$0	\$375
		Bean, purple	<i>Villosa</i> <i>perpurpurea</i>		\$24,077	\$0	\$24,077
		Blossom, green (pearlymussel)	<i>Epioblasma</i> <i>torulosa</i> <i>gubernaculum</i>		\$700	\$0	\$700
		Clubshell	<i>Pleurobema</i> <i>clava</i>	Entire; Except where EXPN	\$173,089	\$0	\$173,089
		Combshell, Cumberlandian	<i>Epioblasma</i> <i>brevidens</i>	Entire; Except where EXPN	\$800	\$0	\$800
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$20,700	\$0	\$20,700
		fatmucket, Arkansas	<i>Lampsilis</i> <i>powellii</i>		\$5,000	\$0	\$5,000
		Heelsplitter, Carolina	<i>Lasmigona</i> <i>decorata</i>		\$88,333	\$0	\$88,333
		Lampmussel, Alabama	<i>Lampsilis</i> <i>virescens</i>	Entire; Except where EXPN	\$8,000	\$0	\$8,000
		Moccasinshell, Gulf	<i>Medionidus</i> <i>penicillatus</i>		\$575	\$0	\$575
		Moccasinshell, Ochlockonee	<i>Medionidus</i> <i>simpsonianus</i>		\$475	\$0	\$475
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula</i> <i>sparsa</i>		\$800	\$0	\$800
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula</i> <i>intermedia</i>	Entire; Except where EXPN	\$10,500	\$0	\$10,500
		Mucket, pink (pearlymussel)	<i>Lampsilis</i> <i>abrupta</i>		\$93,577	\$0	\$93,577
		Mussel, oyster	<i>Epioblasma</i> <i>capsaeformis</i>	AL; Free- Flowing Reach of Tenn. River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$10,500	\$0	\$10,500

		Pearlymussel, birdwing	<i>Conradilla caelata</i>	Entire; Except where EXPN	\$10,500	\$0	\$10,500
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$600	\$0	\$600
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$2,662	\$0	\$2,662
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>		\$15,000	\$0	\$15,000
		Pigtoe, finereyed	<i>Fusconaia cuneolus</i>	Entire; Except where EXPN	\$600	\$0	\$600
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$575	\$0	\$575
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$800	\$0	\$800
		Pigtoe, shiny	<i>Fusconaia cor</i>	AL; Free-Flowing Reach of the Tenn. River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$3,362	\$0	\$3,362
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$1,600	\$0	\$1,600
		Pocketbook, fat	<i>Potamilus capax</i>		\$13,000	\$0	\$13,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$475	\$0	\$475
		purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Entire; Except where EXPN	\$22,177	\$0	\$22,177
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$600	\$0	\$600
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$119,012	\$0	\$119,012
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)		\$32,077	\$0	\$32,077
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$375	\$0	\$375
		Spinymussel, James	<i>Pleurobema collina</i>		\$36,280	\$0	\$36,280
		Three-ridge, fat (mussel)	<i>Amblema neisleri</i>		\$375	\$0	\$375
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$17,331	\$0	\$17,331
		Clams Total			\$714,902	\$0	\$714,902
		Snails					
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$500	\$0	\$500
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$1,000	\$0	\$1,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$1,000	\$0	\$1,000
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$2,000	\$0	\$2,000
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$500	\$0	\$500
		Snails Total			\$5,000	\$0	\$5,000
		Insects					
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$95,500	\$0	\$95,500

		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>		\$26,000	\$0	\$26,000
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>		\$26,000	\$0	\$26,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$710,000	\$0	\$710,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$3,600	\$0	\$3,600
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$6,500	\$0	\$6,500
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>		\$5,000	\$0	\$5,000
	Insects Total				\$872,600	\$0	\$872,600
	Arachnids						
		Harvestman, Bee Creek Cave	<i>Texella reddelli</i>		\$26,000	\$0	\$26,000
		Harvestman, Bone Cave	<i>Texella reyesi</i>		\$26,000	\$0	\$26,000
		Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>		\$26,000	\$0	\$26,000
		Spider, Tooth Cave	<i>Leptoneta myopica</i>		\$26,000	\$0	\$26,000
	Arachnids Total				\$104,000	\$0	\$104,000
	Crustaceans						
		Crayfish, Nashville	<i>Orconectes shoupi</i>		\$319,500	\$0	\$319,500
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$615,333	\$0	\$615,333
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$546,250	\$0	\$546,250
	Crustaceans Total				\$1,481,083	\$0	\$1,481,083
	Flowering Plants						
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$4,500	\$0	\$4,500
		Beauty, Harper's	<i>Harperocallis flava</i>		\$200	\$0	\$200
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$600	\$0	\$600
		Bladderpod, white	<i>Lesquerella pallida</i>		\$4,000	\$0	\$4,000
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$2,400	\$0	\$2,400
		Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>		\$600	\$0	\$600
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$19,030	\$0	\$19,030
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$10,520	\$0	\$10,520
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>		\$12,812	\$0	\$12,812
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$4,800	\$0	\$4,800
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$5,254	\$0	\$5,254
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$6,500	\$0	\$6,500
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$14,860	\$0	\$14,860

		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$6,500	\$0	\$6,500
		Howellia, water	<i>Howellia aquatilis</i>		\$20,230	\$0	\$20,230
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$25,940	\$0	\$25,940
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$200	\$0	\$200
		Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$14,860	\$0	\$14,860
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$100	\$0	\$100
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>		\$306,000	\$0	\$306,000
		Milkpea, Small's	<i>Galactia smallii</i>		\$200	\$0	\$200
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$3,000	\$0	\$3,000
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$1,400	\$0	\$1,400
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$630	\$0	\$630
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$3,500	\$0	\$3,500
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$95,240	\$0	\$95,240
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$1,500	\$0	\$1,500
		Phacelia, clay	<i>Phacelia argillacea</i>		\$5,500	\$0	\$5,500
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$500	\$0	\$500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$630	\$0	\$630
		Polygala, tiny	<i>Polygala smallii</i>		\$200	\$0	\$200
		Pondberry	<i>Lindera melissifolia</i>		\$1,000	\$0	\$1,000
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$6,500	\$0	\$6,500
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$800	\$0	\$800
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$6,500	\$0	\$6,500
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$4,500	\$0	\$4,500
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$15,170	\$0	\$15,170
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$5,021,270	\$0	\$5,021,270
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$300	\$0	\$300
		Skullcap, large- flowered	<i>Scutellaria montana</i>		\$1,100	\$0	\$1,100
		Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>		\$200	\$0	\$200
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$200	\$0	\$200
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$1,430	\$0	\$1,430
		Stickseed, showy	<i>Hackelia venusta</i>		\$12,810	\$0	\$12,810
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$7,500	\$0	\$7,500
		Sunflower,	<i>Helianthus</i>		\$88,333	\$0	\$88,333

		Schweinitz's	<i>schweinitzii</i>				
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$100	\$0	\$100
	Flowering Plants Total				\$5,739,919	\$0	\$5,739,919
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$100	\$0	\$100
	Ferns and Allies						
		Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>		\$688	\$0	\$688
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$400	\$0	\$400
	Ferns and Allies Total				\$1,088	\$0	\$1,088
Domestic Total					\$80,693,887	\$0	\$80,693,887
Grand Total					\$80,693,887	\$0	\$80,693,887

Environmental Protection Agency FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$4,900	\$0	\$4,900
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$4,500	\$0	\$4,500
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$4,500	\$0	\$4,500
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$122,300	\$0	\$122,300
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$475	\$0	\$475
		Manatee, West Indian	<i>Trichechus manatus</i>		\$300	\$0	\$300
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$36,000	\$0	\$36,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$400	\$0	\$400
		Whale, finback	<i>Balaenoptera physalus</i>		\$500	\$0	\$500
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$500	\$0	\$500
		Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i>)		\$100	\$0	\$100
		Whale, Sei	<i>Balaenoptera borealis</i>		\$400	\$0	\$400
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)		\$400	\$0	\$400
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and where EXPN; Mexico.	\$300	\$0	\$300
	Mammals Total				\$175,575	\$0	\$175,575
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,000	\$0	\$2,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$5,500	\$0	\$5,500
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$300	\$0	\$300
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$7,300	\$0	\$7,300
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$600	\$0	\$600
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$15,000	\$0	\$15,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$2,000	\$0	\$2,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$300	\$0	\$300
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$4,800	\$0	\$4,800
	Birds Total				\$37,800	\$0	\$37,800
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$800	\$0	\$800
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$500	\$0	\$500
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$600	\$0	\$600

		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$800	\$0	\$800
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$300	\$0	\$300
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$200	\$0	\$200
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$73,000	\$0	\$73,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$3,800	\$0	\$3,800
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$73,000	\$0	\$73,000
	Reptiles Total				\$153,000	\$0	\$153,000
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$1,710,000	\$0	\$1,710,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$28,000	\$0	\$28,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$28,000	\$0	\$28,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$28,000	\$0	\$28,000
	Amphibians Total				\$1,794,000	\$0	\$1,794,000
	Fishes						
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$2,000	\$0	\$2,000
		Darter, leopard	<i>Percina pantherina</i>		\$2,000	\$0	\$2,000
		Madtom, Neosho	<i>Noturus placidus</i>		\$2,000	\$0	\$2,000
		Madtom, Scioto	<i>Noturus trautmani</i>		\$100	\$0	\$100
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire; except where EXPN	\$11,000	\$0	\$11,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$1,200	\$0	\$1,200
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$3,000	\$0	\$3,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$3,000	\$0	\$3,000
		Salmon, chum	<i>Oncorhynchus</i>	summer-run	\$3,000	\$0	\$3,000

			(= <i>Salmo</i>) <i>keta</i>	Hood Canal			
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River	\$3,000	\$0	\$3,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	OR, CA pop.	\$3,000	\$0	\$3,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	central CA coast	\$3,000	\$0	\$3,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$3,000	\$0	\$3,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Snake River, ID stock)	\$3,000	\$0	\$3,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$20,000	\$0	\$20,000
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>		\$3,500	\$0	\$3,500
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$271,000	\$0	\$271,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$3,000	\$0	\$3,000
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$4,200	\$0	\$4,200
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	Entire	\$700	\$0	\$700
		Fishes Total			\$398,700	\$0	\$398,700
		Clams					
		Catspaw, white (pearlymussel)	<i>Epioblasma</i> <i>obliquata</i> <i>perobliqua</i>		\$100	\$0	\$100
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$8,400	\$0	\$8,400
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$100	\$0	\$100
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$5,900	\$0	\$5,900
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$5,800	\$0	\$5,800
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$100	\$0	\$100
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$2,000	\$0	\$2,000
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$2,000	\$0	\$2,000
		purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma</i> <i>obliquata</i> <i>obliquata</i>	Entire; Except where EXPN	\$100	\$0	\$100
		Riffleshell, northern	<i>Epioblasma</i> <i>torulosa rangiana</i>		\$6,400	\$0	\$6,400

	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$1,900	\$0	\$1,900
	Clams Total			\$32,800	\$0	\$32,800
	Insects					
	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$36,000	\$0	\$36,000
	Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>		\$36,000	\$0	\$36,000
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$1,600	\$0	\$1,600
	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$100	\$0	\$100
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$3,800	\$0	\$3,800
	Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$300	\$0	\$300
	Insects Total			\$77,800	\$0	\$77,800
	Crustaceans					
	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>		\$100	\$0	\$100
	Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$15,000	\$0	\$15,000
	Crustaceans Total			\$15,100	\$0	\$15,100
	Corals					
	Coral, elkhorn	<i>Acropora palmata</i>		\$1,300	\$0	\$1,300
	Coral, staghorn	<i>Acropora cervicornis</i>		\$1,300	\$0	\$1,300
	Corals Total			\$2,600	\$0	\$2,600
	Flowering Plants					
	Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$100	\$0	\$100
	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$300	\$0	\$300
	Milkweed, Mead's	<i>Asclepias meadii</i>		\$100	\$0	\$100
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$900	\$0	\$900
	Pink, swamp	<i>Helonias bullata</i>		\$5,000	\$0	\$5,000
	Prairie-clover, leafy	<i>Dalea foliosa</i>		\$100	\$0	\$100
	Flowering Plants Total			\$6,500	\$0	\$6,500
	Domestic Total			\$2,693,875	\$0	\$2,693,875
	Grand Total			\$2,693,875	\$0	\$2,693,875

Federal Energy Regulatory Commission FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$700	\$0	\$700
		Bat, Indiana	<i>Myotis sodalis</i>		\$5,000	\$0	\$5,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$300	\$0	\$300
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$2,000	\$0	\$2,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$1,000	\$0	\$1,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$2,000	\$0	\$2,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$2,000	\$0	\$2,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$300	\$0	\$300
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$200	\$0	\$200
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$1,200	\$0	\$1,200
		Whale, blue	<i>Balaenoptera musculus</i>		\$1,500	\$0	\$1,500
		Whale, finback	<i>Balaenoptera physalus</i>		\$1,000	\$0	\$1,000
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$200	\$0	\$200
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$3,500	\$0	\$3,500
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$3,000	\$0	\$3,000
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$800	\$0	\$800
		Whale, Sei	<i>Balaenoptera borealis</i>		\$1,400	\$0	\$1,400
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$1,200	\$0	\$1,200
		Wolf, gray	<i>Canis lupus</i>	MN	\$2,000	\$0	\$2,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$700	\$0	\$700
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$2,000	\$0	\$2,000
	Mammals Total				\$32,000	\$0	\$32,000
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$500	\$0	\$500
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$1,100	\$0	\$1,100
		Crane, whooping	<i>Grus americana</i>	U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	\$4,000	\$0	\$4,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,000	\$0	\$2,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$600	\$0	\$600
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$600	\$0	\$600

		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$100	\$0	\$100
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$3,000	\$0	\$3,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$300	\$0	\$300
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$3,000	\$0	\$3,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$4,000	\$0	\$4,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$13,000	\$0	\$13,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$800	\$0	\$800
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$500	\$0	\$500
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$200	\$0	\$200
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$500	\$0	\$500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$14,000	\$0	\$14,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$1,200	\$0	\$1,200
		Birds Total			\$49,400	\$0	\$49,400
		Reptiles					
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$100	\$0	\$100
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$500	\$0	\$500
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$300	\$0	\$300
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$300	\$0	\$300
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$1,200	\$0	\$1,200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,000	\$0	\$1,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$500	\$0	\$500
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$400	\$0	\$400
		Skink, sand	<i>Neoseps reynoldsi</i>		\$400	\$0	\$400
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$500	\$0	\$500
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$600	\$0	\$600
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$1,000	\$0	\$1,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$1,200	\$0	\$1,200
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$100	\$0	\$100
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$500	\$0	\$500
		Turtle, ringed map	<i>Graptemys oculifera</i>		\$100	\$0	\$100
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>		\$100	\$0	\$100
		Reptiles Total			\$8,800	\$0	\$8,800
		Amphibians					
		Frog, California red-legged	<i>Rana draytonii</i>	subspecies range clarified	\$1,400	\$0	\$1,400
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$300	\$0	\$300
		Salamander,	<i>Ambystoma</i>		\$200	\$0	\$200

		frosted flatwoods	<i>cingulatum</i>				
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$200	\$0	\$200
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$2,500	\$0	\$2,500
	Amphibians Total				\$4,600	\$0	\$4,600
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$1,600	\$0	\$1,600
		Chub, humpback	<i>Gila cypha</i>	Entire	\$1,600	\$0	\$1,600
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$200	\$0	\$200
		Darter, Maryland	<i>Etheostoma sellare</i>		\$100	\$0	\$100
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$1,600	\$0	\$1,600
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$700	\$0	\$700
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$1,700	\$0	\$1,700
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$9,000	\$0	\$9,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$400	\$0	\$400
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$3,500	\$0	\$3,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$8,000	\$0	\$8,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$12,000	\$0	\$12,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$3,000	\$0	\$3,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$1,000	\$0	\$1,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River	\$3,000	\$0	\$3,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$2,500	\$0	\$2,500
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	U.S.A. (Snake River, ID stock)	\$700	\$0	\$700
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$200	\$0	\$200
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$12,000	\$0	\$12,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$1,100	\$0	\$1,100
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$3,000	\$0	\$3,000

		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$7,500	\$0	\$7,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$2,000	\$0	\$2,000
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$300	\$0	\$300
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	U.S.A. (CA) Southern DPS	\$4,000	\$0	\$4,000
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$2,500	\$0	\$2,500
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$200	\$0	\$200
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$300	\$0	\$300
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$1,100	\$0	\$1,100
		Sucker, shortnose	<i>Chasmistes</i> <i>brevirostris</i>		\$400	\$0	\$400
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	Conterminous U.S.A.	\$20,000	\$0	\$20,000
		trout, Greenback Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$600	\$0	\$600
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki henshawi</i>		\$200	\$0	\$200
		Fishes Total			\$117,500	\$0	\$117,500
		Clams					
		Bankclimber, purple (mussel)	<i>Elliptoideus</i> <i>sloatianus</i>		\$200	\$0	\$200
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$200	\$0	\$200
		Moccasinshell, Gulf	<i>Medionidus</i> <i>penicillatus</i>		\$100	\$0	\$100
		Moccasinshell, Ochlockonee	<i>Medionidus</i> <i>simpsonianus</i>		\$100	\$0	\$100
		Pigtoe, oval	<i>Pleurobema</i> <i>pyriforme</i>		\$100	\$0	\$100
		Pocketbook, fat	<i>Potamilus capax</i>		\$100	\$0	\$100
		Pocketbook, shinyrayed	<i>Lampsilis</i> <i>subangulata</i>		\$100	\$0	\$100
		Riffleshell, northern	<i>Epioblasma</i> <i>torulosa rangiana</i>		\$1,300	\$0	\$1,300
		Slabshell, Chipola	<i>Elliptio</i> <i>chipolaensis</i>		\$100	\$0	\$100
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$100	\$0	\$100
		Wedgemussel, dwarf	<i>Alasmidonta</i> <i>heterodon</i>		\$200	\$0	\$200
		Clams Total			\$2,600	\$0	\$2,600
		Snails					
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$1,000	\$0	\$1,000
		Rocksnailed, painted	<i>Leptoxis taeniata</i>		\$200	\$0	\$200
		Snail, Bliss Rapids	<i>Taylorconcha</i> <i>serpenticola</i>		\$1,200	\$0	\$1,200
		Snail, Snake River physa	<i>Physa natricina</i>		\$300	\$0	\$300
		Snail, tulotoma	<i>Tulotoma</i> <i>magnifica</i>		\$2,500	\$0	\$2,500

		Snail, Utah valvata	<i>Valvata utahensis</i>		\$500	\$0	\$500
		Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>		\$200	\$0	\$200
	Snails Total				\$5,900	\$0	\$5,900
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$4,500	\$0	\$4,500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$2,000	\$0	\$2,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$400	\$0	\$400
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$400	\$0	\$400
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocynema</i>		\$600	\$0	\$600
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$800	\$0	\$800
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$100	\$0	\$100
	Insects Total				\$8,800	\$0	\$8,800
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$700	\$0	\$700
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$300	\$0	\$300
	Crustaceans Total				\$1,000	\$0	\$1,000
	Flowering Plants						
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$100	\$0	\$100
		Beauty, Harper's	<i>Harperocallis flava</i>		\$100	\$0	\$100
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$100	\$0	\$100
		Blazingstar, scrub	<i>Liatris ohlingerae</i>		\$100	\$0	\$100
		Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>		\$100	\$0	\$100
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$100	\$0	\$100
		Campion, fringed	<i>Silene polypetala</i>		\$100	\$0	\$100
		Chaffseed, American	<i>Schwalbea americana</i>		\$100	\$0	\$100
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$1,000	\$0	\$1,000
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$600	\$0	\$600
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$400	\$0	\$400
		Howellia, water	<i>Howellia aquatilis</i>		\$500	\$0	\$500
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$100	\$0	\$100
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$800	\$0	\$800
		Lupine,	<i>Lupinus</i>		\$700	\$0	\$700

		Kincaid's	<i>sulphureus</i> (= <i>oreganus</i>) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>)				
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$100	\$0	\$100
		Mint, scrub	<i>Dicerandra frutescens</i>		\$100	\$0	\$100
		Mustard, Carter's	<i>Warea carteri</i>		\$100	\$0	\$100
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$100	\$0	\$100
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$200	\$0	\$200
		Pigeon wings	<i>Clitoria fragrans</i>		\$100	\$0	\$100
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$100	\$0	\$100
		Plum, scrub	<i>Prunus geniculata</i>		\$100	\$0	\$100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$100	\$0	\$100
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$100	\$0	\$100
		Sandlace	<i>Polygonella myriophylla</i>		\$100	\$0	\$100
		Snakeroot	<i>Eryngium cuneifolium</i>		\$100	\$0	\$100
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$100	\$0	\$100
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$300	\$0	\$300
		Wireweed	<i>Polygonella basiramia</i>		\$100	\$0	\$100
	Flowering Plants Total				\$6,800	\$0	\$6,800
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$100	\$0	\$100
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$100	\$0	\$100
Domestic Total					\$237,600	\$0	\$237,600
Foreign							
	Birds						
		Crane, Cuba sandhill	<i>Grus canadensis nesiotis</i>		\$200	\$0	\$200
Grand Total					\$237,800	\$0	\$237,800

Nuclear Regulatory Commission FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$4,261	\$0	\$4,261
		Bat, Indiana	<i>Myotis sodalis</i>		\$35,090	\$0	\$35,090
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$105	\$0	\$105
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$17,302	\$0	\$17,302
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$840	\$0	\$840
		Manatee, West Indian	<i>Trichechus manatus</i>		\$3,209	\$0	\$3,209
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$250	\$0	\$250
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$459	\$0	\$459
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$552	\$0	\$552
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$2,459	\$0	\$2,459
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$250	\$0	\$250
		Whale, blue	<i>Balaenoptera musculus</i>		\$5,855	\$0	\$5,855
		Whale, finback	<i>Balaenoptera physalus</i>		\$5,855	\$0	\$5,855
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$5,855	\$0	\$5,855
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$802	\$0	\$802
		Whale, Sei	<i>Balaenoptera borealis</i>		\$5,855	\$0	\$5,855
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$5,855	\$0	\$5,855
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN and where EXPN; Mexico.	\$200	\$0	\$200
		Wolf, red	<i>Canis rufus</i>	except where EXPN	\$200	\$0	\$200
	Mammals Total				\$95,254	\$0	\$95,254
	Birds						
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$250	\$0	\$250
		Crane, whooping	<i>Grus americana</i>	U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	\$2,210	\$0	\$2,210
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$210	\$0	\$210
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$250	\$0	\$250
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast,	\$8,170	\$0	\$8,170

				FL, AL			
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$210	\$0	\$210
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$2,464	\$0	\$2,464
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$1,060	\$0	\$1,060
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$1,450	\$0	\$1,450
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$250	\$0	\$250
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$6,920	\$0	\$6,920
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$17,560	\$0	\$17,560
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$11,360	\$0	\$11,360
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$11,900	\$0	\$11,900
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$10,126	\$0	\$10,126
		Birds Total			\$74,390	\$0	\$74,390
		Reptiles					
		Alligator, American	<i>Alligator mississippiensis</i>		\$6,564	\$0	\$6,564
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$1,337	\$0	\$1,337
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$2,850	\$0	\$2,850
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$18,200	\$0	\$18,200
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$7,400	\$0	\$7,400
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$19,557	\$0	\$19,557
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$18,982	\$0	\$18,982
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$20,477	\$0	\$20,477
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$250	\$0	\$250
		Skink, sand	<i>Neoseps reynoldsi</i>		\$3,100	\$0	\$3,100
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		\$250	\$0	\$250
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$3,160	\$0	\$3,160
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$4,450	\$0	\$4,450
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$500	\$0	\$500
		Reptiles Total			\$107,077	\$0	\$107,077
		Amphibians					
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$1,650	\$0	\$1,650
		Toad, Houston	<i>Bufo houstonensis</i>		\$800	\$0	\$800
		Amphibians Total			\$2,450	\$0	\$2,450
		Fishes					
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$250	\$0	\$250
		Darter, bayou	<i>Etheostoma rubrum</i>		\$1,000	\$0	\$1,000
		Darter, snail	<i>Percina tanasi</i>		\$250	\$0	\$250
		Sawfish,	<i>Pristis pectinata</i>		\$5,470	\$0	\$5,470

		smalltooth					
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>		\$13,190	\$0	\$13,190
		Shiner, palezone	<i>Notropis albizonatus</i>		\$1,500	\$0	\$1,500
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$2,200	\$0	\$2,200
		Silverside, Waccamaw	<i>Menidia extensa</i>		\$850	\$0	\$850
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$2,570	\$0	\$2,570
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$11,600	\$0	\$11,600
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$70,538	\$0	\$70,538
	Fishes Total				\$109,418	\$0	\$109,418
	Clams						
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire; Except where EXPN	\$250	\$0	\$250
		Bean, purple	<i>Villosa perpurpurea</i>		\$250	\$0	\$250
		Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>		\$250	\$0	\$250
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Entire; Except where EXPN	\$250	\$0	\$250
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$250	\$0	\$250
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$4,900	\$0	\$4,900
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$200	\$0	\$200
		Lampmussel, Alabama	<i>Lampsilis virescens</i>	Entire; Except where EXPN	\$1,500	\$0	\$1,500
		Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>		\$1,500	\$0	\$1,500
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Entire; Except where EXPN	\$250	\$0	\$250
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$3,300	\$0	\$3,300
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$2,050	\$0	\$2,050
		Pearlymussel, birdwing	<i>Conradilla caelata</i>	Entire; Except where EXPN	\$250	\$0	\$250
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Entire; Except where EXPN	\$1,500	\$0	\$1,500
		Pigtoe, shiny	<i>Fusconaia cor</i>	Entire; Except where EXPN	\$1,500	\$0	\$1,500
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$250	\$0	\$250
		Pocketbook, fat	<i>Potamilus capax</i>		\$8,000	\$0	\$8,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$1,564	\$0	\$1,564
		Spinymussel, James	<i>Pleurobema collina</i>		\$1,500	\$0	\$1,500
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$3,100	\$0	\$3,100
	Clams Total				\$32,614	\$0	\$32,614
	Snails						
		Riversnail, Anthony's	<i>Athearnia anthonyi</i>	Entire; Except where EXPN	\$1,500	\$0	\$1,500
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$500	\$0	\$500
		Butterfly,	<i>Lycaeides melissa</i>		\$10,250	\$0	\$10,250

		Karner blue	<i>samuelis</i>			
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$500	\$500
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$20,087	\$20,087
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$25,838	\$25,838
	Insects Total				\$57,175	\$57,175
	Corals					
		Coral, elkhorn	<i>Acropora palmata</i>		\$2,000	\$2,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$2,000	\$2,000
	Corals Total				\$4,000	\$4,000
	Flowering Plants					
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$1,792	\$1,792
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$2,564	\$2,564
		Aster, Florida golden	<i>Chrysopsis floridana</i>		\$407	\$407
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$407	\$407
		Bellflower, Brooksville	<i>Campanula robinsiae</i>		\$511	\$511
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$511	\$511
		Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>		\$511	\$511
		Chaffseed, American	<i>Schwalbea americana</i>		\$855	\$855
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$300	\$300
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$2,600	\$2,600
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$802	\$802
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$3,127	\$3,127
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$511	\$511
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp okeechobeensis</i>		\$250	\$250
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$250	\$250
		Harperella	<i>Ptilimnium nodosum</i>		\$4,761	\$4,761
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$2,784	\$2,784
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$250	\$250
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$800	\$800
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$900	\$900
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$1,024	\$1,024
		Leather flower, Morefield's	<i>Clematis morefieldii</i>		\$105	\$105
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$6,616	\$6,616
		Lupine, scrub	<i>Lupinus aridorum</i>		\$250	\$250
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$1,792	\$1,792
		Mint, Garrett's	<i>Dicerandra</i>		\$250	\$250

			<i>christmanii</i>				
		Mint, longspurred	<i>Dicerandra cornutissima</i>		\$511	\$0	\$511
		Mint, scrub	<i>Dicerandra frutescens</i>		\$250	\$0	\$250
		Mustard, Carter's	<i>Warea carteri</i>		\$511	\$0	\$511
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$5,120	\$0	\$5,120
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$250	\$0	\$250
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$1,024	\$0	\$1,024
		Pigeon wings	<i>Clitoria fragrans</i>		\$250	\$0	\$250
		Pink, swamp	<i>Helonias bullata</i>		\$3,023	\$0	\$3,023
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$605	\$0	\$605
		Plum, scrub	<i>Prunus geniculata</i>		\$511	\$0	\$511
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$800	\$0	\$800
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$511	\$0	\$511
		Pondberry	<i>Lindera melissifolia</i>		\$400	\$0	\$400
		Potato-bean, Price's	<i>Apios priceana</i>		\$800	\$0	\$800
		Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>		\$250	\$0	\$250
		Rosemary, Etonia	<i>Conradina etonia</i>		\$250	\$0	\$250
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$250	\$0	\$250
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$900	\$0	\$900
		Sandlace	<i>Polygonella myriophylla</i>		\$511	\$0	\$511
		Snakeroot	<i>Eryngium cuneifolium</i>		\$250	\$0	\$250
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$4,773	\$0	\$4,773
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$3,557	\$0	\$3,557
		Trillium, relict	<i>Trillium reliquum</i>		\$407	\$0	\$407
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$511	\$0	\$511
		Water-willow, Cooley's	<i>Justicia cooleyi</i>		\$511	\$0	\$511
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$250	\$0	\$250
		Wireweed	<i>Polygonella basiramia</i>		\$250	\$0	\$250
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$250	\$0	\$250
		Flowering Plants Total			\$62,416	\$0	\$62,416
		Ferns and Allies					
		Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>		\$600	\$0	\$600
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$400	\$0	\$400
		Ferns and Allies Total			\$1,000	\$0	\$1,000
		Lichens					
		Cladonia, FL perforate	<i>Cladonia perforata</i>		\$250	\$0	\$250
Grand Total					\$547,544	\$0	\$547,544

Smithsonian Institution FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$56,800	\$0	\$56,800
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$114,600	\$0	\$114,600
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$56,000	\$0	\$56,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$1,750	\$0	\$1,750
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$1,750	\$0	\$1,750
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$1,750	\$0	\$1,750
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$1,750	\$0	\$1,750
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$7,000	\$0	\$7,000
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$1,400	\$0	\$1,400
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$27,600	\$0	\$27,600
	Mammals Total				\$270,400	\$0	\$270,400
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$15,400	\$0	\$15,400
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,640	\$0	\$2,640
		Crow, Hawaiian (= 'alala)	<i>Corvus hawaiiensis</i>		\$1,400	\$0	\$1,400
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$3,880	\$0	\$3,880
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>		\$12,880	\$0	\$12,880
		Parrot, Puerto Rican	<i>Amazona vittata</i>		\$14,000	\$0	\$14,000
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$8,540	\$0	\$8,540
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$14,000	\$0	\$14,000
		White-eye, Rota bridled	<i>Zosterops rotensis</i>		\$4,480	\$0	\$4,480
	Birds Total				\$77,220	\$0	\$77,220
	Reptiles						
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$4,200	\$0	\$4,200
	Amphibians						
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$15,500	\$0	\$15,500
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$50,500	\$0	\$50,500
		Coral, staghorn	<i>Acropora cervicornis</i>		\$50,500	\$0	\$50,500
	Corals Total				\$101,000	\$0	\$101,000
Domestic Total					\$468,320	\$0	\$468,320

Foriegn							
	Mammals						
		Cheetah	<i>Acinonyx jubatus</i>		\$53,600	\$0	\$53,600
		Deer, Eld's brow-antlered	<i>Cervus eldi</i>		\$54,800	\$0	\$54,800
		Dhole	<i>Cuon alpinus</i>		\$4,800	\$0	\$4,800
		Dog, African wild	<i>Lycaon pictus</i>		\$15,400	\$0	\$15,400
		Elephant, African	<i>Loxodonta africana</i>		\$7,000	\$0	\$7,000
		Elephant, Asian	<i>Elephas maximus</i>		\$87,000	\$0	\$87,000
		Horse, Przewalski's	<i>Equus przewalskii</i>		\$110,700	\$0	\$110,700
		Leopard, clouded	<i>Neofelis nebulosa</i>		\$65,200	\$0	\$65,200
		Lynx, Spanish	<i>Felis pardina</i>		\$1,400	\$0	\$1,400
		Oryx, scimitar- horned	<i>Oryx dammah</i>		\$7,000	\$0	\$7,000
		Panda, giant	<i>Ailuropoda melanoleuca</i>		\$112,000	\$0	\$112,000
		Tamarin, golden- rumped	<i>Leontopithecus spp.</i>		\$42,000	\$0	\$42,000
		Tiger	<i>Panthera tigris</i>		\$56,000	\$0	\$56,000
		Wolf, maned	<i>Chrysocyon brachyurus</i>		\$37,200	\$0	\$37,200
	Mammals Total				\$654,100	\$0	\$654,100
	Amphibians						
		Frog, Panamanian golden	<i>Atelopus varius zeteki</i>		\$16,720	\$0	\$16,720
Foriegn Total					\$670,820	\$0	\$670,820
Grand Total					\$1,139,140	\$0	\$1,139,140

Tennessee Valley Authority FY09

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$35,000	\$0	\$35,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$20,000	\$0	\$20,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$500	\$0	\$500
	Mammals Total				\$55,500	\$0	\$55,500
	Birds						
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,000	\$0	\$1,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,000	\$0	\$1,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$1,500	\$0	\$1,500
	Birds Total				\$3,500	\$0	\$3,500
	Fishes						
		Darter, bluemask	<i>Etheostoma sp.</i>		\$200,000	\$0	\$200,000
		Darter, boulder	<i>Etheostoma wapiti</i>		\$365,000	\$0	\$365,000
	Fishes Total				\$565,000	\$0	\$565,000
	Clams						
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Entire; Except where EXPN	\$116,000	\$0	\$116,000
		Pearlymussel, birdwing	<i>Conradilla caelata</i>	Entire; Except where EXPN	\$155,000	\$0	\$155,000
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$256,000	\$0	\$256,000
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Entire; Except where EXPN	\$155,000	\$0	\$155,000
		Pigtoe, shiny	<i>Fusconaia cor</i>	Entire; Except where EXPN	\$135,000	\$0	\$135,000
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$390,000	\$0	\$390,000
	Clams Total				\$1,207,000	\$0	\$1,207,000
	Insects						
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$1,500	\$0	\$1,500
	Arachnids						
		Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$300	\$0	\$300
	Flowering Plants						
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$4,000	\$0	\$4,000
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$1,500	\$0	\$1,500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$6,000	\$0	\$6,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$1,800	\$0	\$1,800
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$10,500	\$0	\$10,500
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$2,000	\$0	\$2,000

		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$23,500	\$0	\$23,500
	Flowering Plants Total				\$49,300	\$0	\$49,300
Domestic Total					\$1,882,100	\$0	\$1,882,100
Grand Total					\$1,882,100	\$0	\$1,882,100

Appendix C. Expenditures Reported by the States for FY2009

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals	Bat, gray	<i>Myotis grisescens</i>	\$41,331	\$0
	Bat, Indiana	<i>Myotis sodalis</i>	\$165,242	\$0
	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$71,000	\$0
	Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$5,800	\$0
	Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$4,531	\$0
	Bear, grizzly - lower 48 States, except where EXPN or delisted	<i>Ursus arctos horribilis</i>	\$2,099,292	\$0
	Bear, grizzly - experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$140,893	\$1,341,006
	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$107,118	\$0
	Bison, wood - Canada	<i>Bison bison athabascaae</i>	\$99,078	\$0
	Caribou, woodland - Selkirk Mountain pop.	<i>Rangifer tarandus caribou</i>	\$63,967	\$0
	Deer, Columbian white-tailed - Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$18,990	\$0
	Ferret, black-footed - Entire, except where EXPN	<i>Mustela nigripes</i>	\$101,900	\$0
	Ferret, black-footed - U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$603,388	\$0
	Jaguar	<i>Panthera onca</i>	\$100,000	\$0
	Lynx, Canada - (Contiguous U.S. DPS)	<i>Lynx canadensis</i>	\$716,501	\$2,198,525
	Manatee, West Indian	<i>Trichechus manatus</i>	\$4,678,053	\$0
	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$2,840	\$0
	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$22,722	\$0
	Mouse, Preble's meadow jumping - U.S.A., north-central CO	<i>Zapus hudsonius preblei</i>	\$8,271	\$0
	Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	\$2,840	\$0
	Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$128,500	\$0
	Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$670,274	\$0
	Prairie dog, Utah	<i>Cynomys parvidens</i>	\$80,000	\$0
	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$389,500	\$0
	Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$2,989	\$0
	Rabbit, pygmy - Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$250,800	\$0
	Sea-lion, Steller - eastern pop.	<i>Eumetopias jubatus</i>	\$292,651	\$0
	Sea-lion, Steller - western pop.	<i>Eumetopias jubatus</i>	\$104,165	\$0
	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$1,710	\$0
	Squirrel, Delmarva Peninsula fox - Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$2,000	\$0
	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$42,500	\$0
	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$35,461	\$0
	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$5,000	\$0
	Whale, finback	<i>Balaenoptera physalus</i>	\$72,478	\$0
	Whale, humpback	<i>Megaptera novaeangliae</i>	\$72,478	\$0
	Whale, killer - Southern Resident DPS	<i>Orcinus orca</i>	\$10,000	\$0
	Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$622,608	\$0
	Wolf, gray - Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$325,000	\$0
	Wolf, gray - MN	<i>Canis lupus</i>	\$10,000	\$0
	Wolf, gray - Western Great Lakes DPS	<i>Canis lupus</i>	\$160,000	\$0
	Wolf, gray - Northern Rocky Mtns DPS - WY significant portion of the range	<i>Canis lupus</i>	\$251,700	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Wolf, gray - Lower 48 States, except MN and where EXPN; Mexico.	<i>Canis lupus</i>	\$175,256	\$3,290,191
	Wolf, gray - WY, ID, MT	<i>Canis lupus</i>	\$1,269,818	\$0
	Wolf, red - U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$76,000	\$0
Mammals subtotal			\$14,104,645	\$6,829,722
Birds	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	\$49,000	\$0
	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$5,000	\$0
	Condor, California - U.S.A. (specific portions of AZ, NV and UT)	<i>Gymnogyps californianus</i>	\$227,500	\$0
	Crane, whooping - U.S.A. (CO, ID, FL, NM, UT and western WY)	<i>Grus americana</i>	\$118,553	\$0
	Crane, whooping - except where EXPN	<i>Grus americana</i>	\$57,046	\$398,637
	Eagle, bald - Sonoran Desert DPS	<i>Haliaeetus leucocephalus</i>	\$464,399	\$0
	Falcon, northern aplomado - SW population	<i>Falco femoralis septentrionalis</i>	\$20,240	\$0
	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$99,221	\$0
	Kite, Everglade snail - FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$1,096	\$0
	Murrelet, marbled - CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$499,273	\$1,700,000
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$70,183	\$0
	Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$228,274	\$1,144,255
	Parrot, Puerto Rican	<i>Amazona vittata</i>	\$197,000	\$0
	Pelican, brown - except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$370	\$0
	Plover, piping - Great Lakes watershed	<i>Charadrius melodus</i>	\$21,600	\$0
	Plover, piping - except Great Lakes watershed	<i>Charadrius melodus</i>	\$270,295	\$0
	Plover, western snowy - Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$37,470	\$0
	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$45,370	\$0
	Rail, Yuma clapper - U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$20,000	\$0
	Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	\$37,833	\$0
	Stork, wood - AL, FL, GA, SC	<i>Mycteria americana</i>	\$36,041	\$0
	Tern, California least	<i>Sterna antillarum browni</i>	\$5,000	\$0
	Tern, least - interior pop.	<i>Sterna antillarum</i>	\$149,836	\$0
	Tern, roseate - northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$34,307	\$0
	Vireo, black-capped	<i>Vireo atricapilla</i>	\$300	\$0
	Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$107,000	\$0
	Woodpecker, ivory-billed - Entire	<i>Campephilus principalis</i>	\$7,830	\$117,000
	Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$1,002,156	\$8,799,205
Birds subtotal			\$3,812,193	\$12,159,097
Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	\$1,085,460	\$0
	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	\$7,128	\$0
	Crocodile, American - FL pop.	<i>Crocodylus acutus</i>	\$2,000	\$0
	Iguana, Mona ground	<i>Cyclura cornuta stejnegeri</i>	\$32,880	\$0
	Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$6,500	\$600,000
	Sea turtle, green - except where endangered	<i>Chelonia mydas</i>	\$8,500	\$0
	Sea turtle, green - FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$178,259	\$0
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$86,565	\$0
	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$49,865	\$0
	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$193,259	\$0
	Sea turtle, loggerhead	<i>Caretta caretta</i>	\$527,471	\$0
	Snake, copperbelly water - IN north of 40 degrees north latitude, MI, OH	<i>Nerodia erythrogaster neglecta</i>	\$1,500	\$161,300
	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$21,000	\$0
	Snake, Lake Erie water - subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$27,000	\$0
	Tortoise, desert - U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$14,000	\$0
	Tortoise, gopher - W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$1,492	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$15,555	\$0
	Turtle, bog (=Muhlenberg) - northern	<i>Clemmys muhlenbergii</i>	\$27,840	\$0
	Turtle, bog (=Muhlenberg) - southern	<i>Clemmys muhlenbergii</i>	\$48,168	\$0
	Turtle, ringed map	<i>Graptemys oculifera</i>	\$2,996	\$0
Reptiles subtotal			\$2,337,438	\$761,300
Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$175,000	\$0
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$13,539	\$0
	Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	\$11,539	\$0
	Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$35,000	\$0
	Toad, Houston	<i>Bufo houstonensis</i>	\$190,613	\$0
	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	\$10,000	\$0
	Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)	\$11,844	\$0
Amphibians subtotal			\$447,535	\$0
Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	\$36,500	\$0
	Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	\$1,650	\$0
	Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$38,600	\$0
	Chub, bonytail - Entire	<i>Gila elegans</i>	\$197,862	\$0
	Chub, Borax Lake	<i>Gila boraxobius</i>	\$776	\$0
	Chub, Gila	<i>Gila intermedia</i>	\$84,500	\$0
	Chub, humpback - Entire	<i>Gila cypha</i>	\$393,862	\$0
	Chub, Oregon	<i>Oregonichthys crameri</i>	\$8,176	\$0
	Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	\$1,800	\$0
	Chub, Sonora	<i>Gila ditaenia</i>	\$36,500	\$0
	Chub, spotfin - Entire	<i>Erimonax monachus</i>	\$21,930	\$0
	Chub, Virgin River	<i>Gila seminuda</i> (=robusta)	\$287,700	\$0
	Chub, Yaqui	<i>Gila purpurea</i>	\$36,500	\$0
	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$1,800	\$0
	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	\$800	\$0
	Dace, desert	<i>Eremichthys acros</i>	\$3,000	\$0
	Dace, Moapa	<i>Moapa coriacea</i>	\$7,200	\$0
	Darter, amber	<i>Percina antesella</i>	\$25,500	\$0
	Darter, Cherokee	<i>Etheostoma scotti</i>	\$15,500	\$0
	Darter, Etowah	<i>Etheostoma etowahae</i>	\$15,500	\$0
	Darter, goldline	<i>Percina aurolineata</i>	\$5,500	\$0
	Darter, leopard	<i>Percina pantherina</i>	\$300	\$0
	Darter, Niangua	<i>Etheostoma nianguae</i>	\$988,000	\$0
	Darter, snail	<i>Percina tanasi</i>	\$5,500	\$0
	Logperch, Conasauga	<i>Percina jenkinsi</i>	\$15,500	\$0
	Logperch, Roanoke	<i>Percina rex</i>	\$8,550	\$0
	Madtom, Neosho	<i>Noturus placidus</i>	\$13,200	\$0
	Minnnow, Devils River	<i>Dionda diaboli</i>	\$0	\$495
	Minnnow, loach	<i>Tiaroga cobitis</i>	\$124,000	\$0
	Minnnow, Rio Grande silvery - Entire, except where listed as EXPN	<i>Hybognathus amarus</i>	\$0	\$2,520
	Pikeminnow (=squawfish), CO, except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$153,862	\$0
	Pikeminnow (=squawfish), CO - Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$36,500	\$0
	Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$3,000	\$0
	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$3,500	\$0
	Pupfish, desert	<i>Cyprinodon macularius</i>	\$69,500	\$0
	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$3,100	\$0
	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$2,600	\$0
	Salmon, Atlantic - Gulf of Maine DPS	<i>Salmo salar</i>	\$314,033	\$0
	Salmon, chinook - fall Snake R.	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	\$696,739	\$0
	Salmon, chinook - spring/summer Snake R.	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	\$1,014,106	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Salmon, chinook - spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,328,688	\$553,566
	Salmon, chinook - lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,457,492	\$0
	Salmon, chinook - upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$136,216	\$0
	Salmon, chinook - Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$8,583,942	\$1,412,062
	Salmon, chum - summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$765,091	\$0
	Salmon, chum - Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$700,330	\$0
	Salmon, coho - OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$97,297	\$0
	Salmon, coho - Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,302,270	\$0
	Salmon, sockeye - U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$310,715	\$0
	Salmon, sockeye - U.S.A. (Snake River, ID)	<i>Oncorhynchus (=Salmo) nerka</i>	\$359,581	\$0
	Sawfish, smalltooth	<i>Pristis pectinata</i>	\$17,359	\$0
	Sculpin, pygmy	<i>Cottus paulus (=pygmaeus)</i>	\$10,412	\$0
	Shiner, Arkansas River - Arkansas R. Basin	<i>Notropis girardi</i>	\$2,200	\$0
	Shiner, beautiful	<i>Cyprinella formosa</i>	\$36,500	\$0
	Shiner, blue	<i>Cyprinella caerulea</i>	\$28,824	\$0
	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$30,350	\$0
	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$117,300	\$0
	Silverside, Waccamaw	<i>Menidia extensa</i>	\$1,910	\$0
	Spikedace	<i>Meda fulgida</i>	\$120,000	\$0
	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$2,800	\$0
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$39,000	\$680,000
	Spinedace, White River	<i>Lepidomeda albivallis</i>	\$12,500	\$0
	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$2,100	\$0
	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$10,800	\$0
	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$900	\$0
	Steelhead - middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$520,769	\$1,144,255
	Steelhead - upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$443,219	\$553,566
	Steelhead - upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$100,894	\$0
	Steelhead - lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$659,354	\$0
	Steelhead - Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,378,856	\$1,412,062
	Steelhead - Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$700,705	\$0
	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$10,500	\$0
	Sturgeon, North American green - U.S.A. (CA) Southern DPS	<i>Acipenser medirostris</i>	\$19,175	\$0
	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$259,608	\$0
	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$18,410	\$0
	Sturgeon, white - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$44,201	\$0
	Sucker, June	<i>Chasmistes liorus</i>	\$60,000	\$0
	Sucker, Lost River	<i>Deltistes luxatus</i>	\$286	\$0
	Sucker, Modoc	<i>Catostomus microps</i>	\$286	\$0
	Sucker, razorback - Entire	<i>Xyrauchen texanus</i>	\$185,200	\$0
	Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$582	\$0
	Sucker, Warner	<i>Catostomus warnerensis</i>	\$582	\$0
	Topminnow, Gila (incl. Yaqui) -- U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$137,500	\$19,800
	Trout, Apache	<i>Oncorhynchus apache</i>	\$93,000	\$0
	Trout, bull - U.S.A., conterminous, lower 48	<i>Salvelinus confluentus</i>	\$2,009,616	\$606,155

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Trout, Gila	<i>Oncorhynchus gilae</i>	\$100,000	\$0
	Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	\$153,913	\$0
	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$86,776	\$2,000,000
	Woundfin - except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$206,900	\$0
	Woundfin - Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$5,000	\$0
Fishes subtotal			\$27,343,055	\$8,384,481
Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$5,000	\$0
	Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>	\$5,500	\$0
	Bean, Cumberland (pearlymussel) - Entire; Except where EXPN	<i>Villosa trabalis</i>	\$21,150	\$0
	Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	\$100	\$0
	Clubshell - Entire; Except where EXPN	<i>Pleurobema clava</i>	\$2,500	\$0
	Clubshell, ovate	<i>Pleurobema perovatum</i>	\$5,500	\$0
	Clubshell, southern	<i>Pleurobema decisum</i>	\$7,782	\$0
	Combshell, Cumberlandian - Entire; Except where EXPN	<i>Epioblasma brevidens</i>	\$1,000	\$0
	Combshell, upland	<i>Epioblasma metastrata</i>	\$5,000	\$0
	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$44,077	\$0
	Fanshell	<i>Cyrogenia stegaria</i>	\$3,000	\$0
	Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$32,441	\$0
	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$79,050	\$0
	Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$37,750	\$0
	Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	\$5,000	\$0
	Mapleleaf, winged - Entire; except where EXPN	<i>Quadrula fragosa</i>	\$7,100	\$0
	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$5,000	\$0
	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$5,000	\$0
	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$5,000	\$0
	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$5,000	\$0
	Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$39,300	\$0
	Mussel, oyster - AL; Free-Flowing Reach of the Tennessee R. below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$2,028	\$0
	Mussel, oyster - Entire; Except where EXPN	<i>Epioblasma capsaeformis</i>	\$9,250	\$0
	Mussel, scaleshell	<i>Leptodea leptodon</i>	\$20,800	\$0
	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$8,420	\$0
	Pearlymussel, birdwing - AL; Free-Flowing Reach of the Tennessee R. below Wilson Dam, Colbert, and Lauderdale Counties, AL	<i>Conradilla caelata</i>	\$2,028	\$0
	Pearlymussel, dromedary - AL; Free-Flowing Reach of the Tennessee R. below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Dromus dromas</i>	\$2,028	\$0
	Pearlymussel, littlewing	<i>Pegias fabula</i>	\$11,015	\$0
	Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$5,500	\$0
	Pigtoe, rough	<i>Pleurobema plenum</i>	\$1,000	\$0
	Pigtoe, southern	<i>Pleurobema georgianum</i>	\$5,000	\$0
	Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$1,000	\$0
	Pocketbook, fat	<i>Potamilus capax</i>	\$3,500	\$0
	Pocketbook, finlined	<i>Lampsilis altilis</i>	\$8,500	\$0
	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$5,800	\$0
	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$8,282	\$0
	Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$4,400	\$0
	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$1,100	\$0
	Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$5,850	\$0
	Spinymussel, James	<i>Pleurobema collina</i>	\$26,300	\$0
	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$44,190	\$0
	Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$3,000	\$0
	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$82,750	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Clams subtotal			\$582,991	\$0
Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$30,000	\$0
	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$100	\$0
	Riversnail, Anthony's - AL; Free-Flowing Reach of the Tennessee R. below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Athearnia anthonyi</i>	\$5,028	\$0
	Rocksnailed, plicate	<i>Leptoxis plicata</i>	\$3,000	\$0
	Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	\$1,300	\$0
	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$1,000	\$0
	Snail, noonday	<i>Mesodon clarki nantahala</i>	\$650	\$0
	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$57,185	\$0
Snails subtotal			\$98,263	\$0
Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	\$80,945	\$0
	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	\$1,000	\$0
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$180,400	\$0
	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$9,200	\$0
	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$6,000	\$0
	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$500	\$0
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$29,100	\$0
	Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$500	\$0
	Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$2,000	\$0
	Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$70,000	\$419,000
Insects subtotal			\$379,645	\$419,000
Arachnids	Spider, spruce-fir moss	<i>Microhexura montivaga</i>	\$248	\$0
Arachnids subtotal			\$248	\$0
Crustaceans	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$300	\$0
	Crayfish, cave	<i>Cambarus aculabrum</i>	\$100	\$0
Crustaceans subtotal			\$400	\$0
Flowering Plants	Alani	<i>Melicope zahlbruckneri</i>	\$400	\$0
	Alani	<i>Melicope adscendens</i>	\$100	\$0
	Alani	<i>Melicope quadrangularis</i>	\$100	\$0
	Alani	<i>Melicope lydgatei</i>	\$100	\$0
	Alani	<i>Melicope knudsenii</i>	\$100	\$0
	Alani	<i>Melicope haupuensis</i>	\$100	\$0
	Alani	<i>Melicope pallida</i>	\$3,500	\$0
	Alani	<i>Melicope mucronulata</i>	\$100	\$0
	Alani	<i>Melicope balloui</i>	\$100	\$0
	Ale	<i>plantago princeps var. anomala</i>	\$3,500	\$0
	Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$1,135	\$0
	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$300	\$0
	Amphianthus, little	<i>Amphianthus pusillus</i>	\$1,500	\$0
	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$2,000	\$0
	Aster, decurrent false	<i>Boltonia decurrens</i>	\$1,050	\$0
	Aster, Florida golden	<i>Chrysopsis floridana</i>	\$25,600	\$0
	Aupaka	<i>Isodendron hosakae</i>	\$300	\$0
	Aupaka	<i>Isodendron longifolium</i>	\$3,500	\$0
	Aupaka	<i>Isodendron laurifolium</i>	\$3,500	\$0
	Avens, spreading	<i>Geum radiatum</i>	\$27	\$0
	Awiwi	<i>Hedyotis cookiana</i>	\$400	\$0
	Ayenia, Texas	<i>Ayenia limitaris</i>	\$400	\$0
	A'e	<i>Zanthoxylum hawaiiense</i>	\$300	\$0
	A'e	<i>Zanthoxylum dipetalum var. tomentosum</i>	\$1,700	\$0
	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$700	\$380,000
	Beargrass, Britton's	<i>Nolina brittoniana</i>	\$4,275	\$0
	Beauty, Harper's	<i>Harperocallis flava</i>	\$400	\$0
	Bellflower, Brooksville	<i>Campanula robinsiae</i>	\$13,126	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Birds-in-a-nest, white	<i>Macbridea alba</i>	\$1,500	\$0
	Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$1,043	\$0
	bladderpod, Missouri	<i>Physaria filiformis</i>	\$7,000	\$0
	Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$100	\$0
	Blazingstar, Heller's	<i>Liatris helleri</i>	\$1,000	\$0
	Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$14,675	\$0
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$1,000	\$0
	Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>	\$1,162	\$0
	Bonamia, Florida	<i>Bonamia grandiflora</i>	\$14,170	\$0
	Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$2,600	\$0
	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$2,000	\$0
	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$3,920	\$0
	Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>	\$250	\$0
	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$1,200	\$0
	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$2,000	\$0
	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	\$1,000	\$0
	Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	\$200	\$0
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$1,000	\$0
	Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>	\$100	\$0
	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$1,000	\$0
	Cactus, Key tree	<i>Pilosocereus robinii</i>	\$10,600	\$0
	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$100	\$0
	Cactus, Nellie cory	<i>Coryphantha minima</i>	\$100	\$0
	Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>	\$1,000	\$0
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	\$1,000	\$0
	Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	\$5,000	\$0
	Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>	\$1,000	\$0
	Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>	\$100	\$0
	Cactus, star	<i>Astrophytum asterias</i>	\$6,800	\$0
	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$15,900	\$0
	Campion, fringed	<i>Silene polypetala</i>	\$3,700	\$0
	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	\$200	\$0
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$29,656	\$0
	Chaffseed, American	<i>Schwalbea americana</i>	\$15,854	\$0
	Cliff-rose, Arizona	<i>Purshia</i> (<i>Cowania</i>) <i>subintegra</i>	\$1,000	\$0
	Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$5,100	\$0
	Coneflower, smooth	<i>Echinacea laevigata</i>	\$16,150	\$0
	Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$100	\$0
	Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i>)	\$1,000	\$0
	Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$10,494	\$0
	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	\$200	\$0
	Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$15,662	\$0
	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$1,000	\$0
	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$28,740	\$0
	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$300	\$0
	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	\$1,600	\$0
	Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$400	\$0
	Gerardia, sandplain	<i>Agalinis acuta</i>	\$5,900	\$0
	Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	\$54	\$0
	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$100	\$0
	Goldenrod, Short's	<i>Solidago shortii</i>	\$1,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	\$2,000	\$0
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$7,500	\$0
	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$1,000	\$0
	Haha	<i>Cyanea grimesiana</i> ssp. <i>obatae</i>	\$100	\$0
	Haha	<i>Cyanea platyphylla</i>	\$1,400	\$0
	Haha	<i>Cyanea pinnatifida</i>	\$100	\$0
	Haha	<i>Cyanea lobata</i>	\$100	\$0
	Haha	<i>Cyanea glabra</i>	\$100	\$0
	Haha	<i>Cyanea copelandii</i> ssp. <i>copelandii</i>	\$300	\$0
	Haha	<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>	\$1,700	\$0
	Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>	\$100	\$0
	Haha	<i>Cyanea superba</i>	\$100	\$0
	Haha	<i>Cyanea shipmanii</i>	\$1,700	\$0
	Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>	\$100	\$0
	Haha	<i>Cyanea procera</i>	\$400	\$0
	Haha	<i>Cyanea mceldowneyi</i>	\$100	\$0
	Haha	<i>Cyanea st.-johnii</i>	\$100	\$0
	Haha	<i>Cyanea truncata</i>	\$100	\$0
	Haha	<i>Cyanea dunbarii</i>	\$100	\$0
	Haha	<i>Cyanea stictophylla</i>	\$1,700	\$0
	Haha	<i>Cyanea undulata</i>	\$100	\$0
	Haha	<i>Cyanea asarifolia</i>	\$400	\$0
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$1,600	\$0
	Harebells, Avon Park	<i>Crotalaria avonensis</i>	\$12,600	\$0
	Harperella	<i>Ptilimnium nodosum</i>	\$2,662	\$0
	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$400	\$0
	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$1,700	\$0
	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	\$100	\$0
	Ha`iwale	<i>Cyrtandra giffardii</i>	\$1,600	\$0
	Ha`iwale	<i>Cyrtandra polyantha</i>	\$100	\$0
	Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$1,600	\$0
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$35,608	\$0
	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	\$100	\$0
	Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$3,600	\$0
	Holei	<i>Ochrosia kilaueaensis</i>	\$300	\$0
	Honohono	<i>Haplostachys haplostachya</i>	\$1,600	\$0
	Howellia, water	<i>Howellia aquatilis</i>	\$32,656	\$0
	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	\$2,300	\$0
	Iliau, dwarf	<i>Wilkesia hobbii</i>	\$3,500	\$0
	Iris, dwarf lake	<i>Iris lacustris</i>	\$100	\$0
	Irisette, white	<i>Sisyrinchium dichotomum</i>	\$2,031	\$0
	Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$300	\$0
	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	\$10,600	\$0
	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$2,000	\$0
	Kamakahala	<i>Labordia lydgatei</i>	\$100	\$0
	Kamakahala	<i>Labordia triflora</i>	\$100	\$0
	Kamakahala	<i>Labordia cyrtandrae</i>	\$100	\$0
	Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>	\$100	\$0
	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$3,600	\$0
	Kaula	<i>Colubrina oppositifolia</i>	\$1,600	\$0
	Kaulu	<i>Pteralyxia kauaiensis</i>	\$3,500	\$0
	Kio`ele	<i>Hedyotis coriacea</i>	\$300	\$0
	Kiponapona	<i>Phyllostegia racemosa</i>	\$1,700	\$0
	Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>	\$100	\$0
	Koki`o	<i>Kokia kauaiensis</i>	\$3,500	\$0
	Koki`o	<i>Kokia drynarioides</i>	\$1,700	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>	\$3,500	\$0
	Koki`o, Cooke's	<i>Kokia cookei</i>	\$100	\$0
	Kolea	<i>Myrsine linearifolia</i>	\$3,500	\$0
	Kopa	<i>Hedyotis schlechtendahlina var. remyi</i>	\$100	\$0
	Ko`oloa`ula	<i>Abutilon menziesii</i>	\$1,300	\$0
	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$1,600	\$0
	Kuahiwi laukahi	<i>Plantago princeps</i>	\$300	\$0
	Kuawawaenuhu	<i>Alsiniidendron lychnoides</i>	\$3,500	\$0
	Kula wahine noho	<i>Isodendron pyriformis</i>	\$1,700	\$0
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$1,000	\$0
	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$300	\$0
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$31,695	\$0
	Lau`ehu	<i>Panicum nuuhauense</i>	\$100	\$0
	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$10,600	\$0
	Leather flower, Alabama	<i>Clematis socialis</i>	\$5,000	\$0
	Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>	\$1,300	\$0
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$4,250	\$0
	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$5,000	\$0
	Lo`ulu	<i>Pritchardia viscosa</i>	\$3,600	\$0
	Lo`ulu	<i>Pritchardia munroi</i>	\$100	\$0
	Lo`ulu	<i>Pritchardia affinis</i>	\$400	\$0
	Lo`ulu	<i>Pritchardia schattaueri</i>	\$1,700	\$0
	Lupine, scrub	<i>Lupinus aridorum</i>	\$37,700	\$0
	Mahoe	<i>Alectryon macrococcus</i>	\$100	\$0
	Makou	<i>Peucedanum sandwicense</i>	\$3,500	\$0
	Manioc, Walker's	<i>Manihot walkerae</i>	\$500	\$0
	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$1,700	\$0
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$3,154	\$0
	Mehamehame	<i>Flueggea neowawraea</i>	\$5,200	\$0
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$1,000	\$0
	Milk-vetch, Jesup's	<i>Astragalus robbinsii var. jesupi</i>	\$2,000	\$0
	Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>	\$1,000	\$0
	Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$1,000	\$0
	Milkpea, Small's	<i>Galactia smallii</i>	\$1,100	\$0
	Milkweed, Mead's	<i>Asclepias meadii</i>	\$30,500	\$0
	Milkweed, Welsh's	<i>Asclepias welschii</i>	\$1,900	\$0
	Mint, Garrett's	<i>Dicerandra christmanii</i>	\$10,900	\$0
	Mint, Lakela's	<i>Dicerandra immaculata</i>	\$12,600	\$0
	Mint, scrub	<i>Dicerandra frutescens</i>	\$900	\$0
	monkey-flower, Michigan	<i>Mimulus michiganensis</i>	\$100	\$0
	Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$2,800	\$0
	Mustard, Carter's	<i>Warea carteri</i>	\$600	\$0
	Nani wai`ale`ale	<i>Viola kauaiensis var. wahiawaensis</i>	\$100	\$0
	Na`ena`e	<i>Dubautia pauciflorula</i>	\$100	\$0
	Na`ena`e	<i>Dubautia latifolia</i>	\$3,500	\$0
	Na`ena`e	<i>Dubautia plantaginea ssp. humilis</i>	\$100	\$0
	Nehe	<i>Lipochaeta waimeensis</i>	\$3,500	\$0
	Nehe	<i>Lipochaeta fauriei</i>	\$3,500	\$0
	No common name	<i>Hesperomannia arbuscula</i>	\$100	\$0
	No common name	<i>Mariscus pennatiformis</i>	\$300	\$0
	No common name	<i>Lobelia monostachya</i>	\$100	\$0
	No common name	<i>Schiedea helleri</i>	\$100	\$0
	No common name	<i>Phyllostegia parviflora</i>	\$400	\$0
	No common name	<i>Vigna o-wahuensis</i>	\$1,600	\$0
	No common name	<i>Phyllostegia knudsenii</i>	\$100	\$0
Group Name	Common Name	Scientific Name	General	Land

			Expenditures	Expenditures
	No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	\$100	\$0
	No common name	<i>Stenogyne campanulata</i>	\$100	\$0
	No common name	<i>Abutilon eremitopetalum</i>	\$100	\$0
	No common name	<i>Phyllostegia mannii</i>	\$100	\$0
	No common name	<i>Silene alexandri</i>	\$100	\$0
	No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>	\$1,600	\$0
	No common name	<i>Tetramolopium arenarium</i>	\$300	\$0
	No common name	<i>Phyllostegia warshaueri</i>	\$1,700	\$0
	No common name	<i>Tetramolopium remyi</i>	\$100	\$0
	No common name	<i>Alsinidendron viscosum</i>	\$3,500	\$0
	No common name	<i>Platanthera holochila</i>	\$100	\$0
	No common name	<i>Delissea rhytidosperma</i>	\$3,600	\$0
	No common name	<i>Phyllostegia wawrana</i>	\$100	\$0
	No common name	<i>Remya montgomeryi</i>	\$3,500	\$0
	No common name	<i>Viola helenae</i>	\$100	\$0
	No common name	<i>Gouania meyenii</i>	\$3,500	\$0
	No common name	<i>Nesogenes rotensis</i>	\$100	\$0
	No common name	<i>Delissea undulata</i>	\$1,700	\$0
	No common name	<i>Silene hawaiiensis</i>	\$300	\$0
	No common name	<i>Phyllostegia kaalaensis</i>	\$100	\$0
	No common name	<i>Amaranthus brownii</i>	\$100	\$0
	No common name	<i>Lysimachia maxima</i>	\$100	\$0
	No common name	<i>Chamaesyce halemanui</i>	\$3,500	\$0
	No common name	<i>Gouania vitifolia</i>	\$1,700	\$0
	No common name	<i>Schiedea nuttallii</i>	\$3,600	\$0
	No common name	<i>Achyranthes mutica</i>	\$1,600	\$0
	No common name	<i>Lipochaeta venosa</i>	\$1,600	\$0
	No common name	<i>Schiedea membranacea</i>	\$3,500	\$0
	No common name	<i>Phyllostegia waimeae</i>	\$100	\$0
	No common name	<i>Bonamia menziesii</i>	\$5,100	\$0
	No common name	<i>Munroidendron racemosum</i>	\$3,500	\$0
	No common name	<i>Neraudia ovata</i>	\$1,700	\$0
	No common name	<i>Schiedea kaalae</i>	\$100	\$0
	No common name	<i>Schiedea kauaiensis</i>	\$3,600	\$0
	No common name	<i>Xylosma crenatum</i>	\$100	\$0
	No common name	<i>Geocarpon minimum</i>	\$0	\$83,200
	No common name	<i>Cyanea (=Rollandia) crispa</i>	\$100	\$0
	No common name	<i>Phyllostegia velutina</i>	\$300	\$0
	No common name	<i>Spermolepis hawaiiensis</i>	\$300	\$0
	No common name	<i>Osmoxylon mariannense</i>	\$100	\$0
	No common name	<i>Silene lanceolata</i>	\$300	\$0
	No common name	<i>Phyllostegia hispida</i>	\$100	\$0
	No common name	<i>Stenogyne bifida</i>	\$100	\$0
	No common name	<i>Mariscus fauriei</i>	\$300	\$0
	No common name	<i>Remya kauaiensis</i>	\$3,500	\$0
	Oak, Hinckley	<i>Quercus hinckleyi</i>	\$100	\$0
	Oha	<i>Delissea rivularis</i>	\$100	\$0
	Oha	<i>Delissea subcordata</i>	\$100	\$0
	Ohai	<i>Sesbania tomentosa</i>	\$300	\$0
	Olulu	<i>Brighamia insignis</i>	\$100	\$0
	Opuhe	<i>Urera kaalae</i>	\$100	\$0
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$11,600	\$84,900
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$7,520	\$0
	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	\$1,995	\$0
	Pawpaw, four-petal	<i>Asimina tetramera</i>	\$12,600	\$0
	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	\$2,500	\$0
	Penstemon, blowout	<i>Penstemon haydenii</i>	\$1,000	\$0
	Pigeon wings	<i>Clitoria fragrans</i>	\$4,016	\$0
	Pilo	<i>Hedyotis mannii</i>	\$100	\$0
	Pink, swamp	<i>Helonias bullata</i>	\$6,527	\$0
	Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$1,920	\$0
Group Name	Common Name	Scientific Name	General	Land

			Expenditures	Expenditures
	Pitaya, Davis' green	<i>Echinocereus viridiflorus var. davisii</i>	\$100	\$0
	Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$4,577	\$0
	Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$177	\$0
	Plum, scrub	<i>Prunus geniculata</i>	\$2,200	\$0
	Pogonia, small whorled	<i>Isotria medeoloides</i>	\$5,658	\$0
	Polygala, Lewton's	<i>Polygala lewtonii</i>	\$12,900	\$0
	Polygala, tiny	<i>Polygala smallii</i>	\$1,100	\$0
	Pondberry	<i>Lindera melissifolia</i>	\$17,591	\$0
	Popolo ku mai	<i>Solanum incompletum</i>	\$400	\$0
	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$1,200	\$0
	Prairie-clover, leafy	<i>Dalea foliosa</i>	\$1,600	\$0
	Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>	\$1,100	\$0
	Pua `ala	<i>Brighamia rockii</i>	\$100	\$0
	Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$12,500	\$0
	Remya, Maui	<i>Remya mauiensis</i>	\$100	\$0
	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	\$2,600	\$0
	Rosemary, Apalachicola	<i>Conradina glabra</i>	\$9,800	\$0
	Rosemary, Etonia	<i>Conradina etonia</i>	\$2,700	\$170,500
	Rosemary, short-leaved	<i>Conradina brevifolia</i>	\$3,716	\$0
	Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$300	\$0
	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$100	\$0
	Sandlace	<i>Polygonella myriophylla</i>	\$859	\$0
	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$100	\$0
	Sedge, golden	<i>Carex lutea</i>	\$254	\$0
	Sedge, Navajo	<i>Carex specuicola</i>	\$1,000	\$0
	Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$1,600	\$0
	Skullcap, Florida	<i>Scutellaria floridana</i>	\$1,550	\$0
	Skullcap, large-flowered	<i>Scutellaria montana</i>	\$1,500	\$0
	Snakeroot	<i>Eryngium cuneifolium</i>	\$4,416	\$0
	Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$3,400	\$0
	Snowbells, Texas	<i>Styrax texanus</i>	\$10,100	\$0
	Spiraea, Virginia	<i>Spiraea virginiana</i>	\$2,500	\$0
	Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	\$600	\$0
	Spurge, Garber's	<i>Chamaesyce garberi</i>	\$1,100	\$0
	Sumac, Michaux's	<i>Rhus michauxii</i>	\$34,550	\$0
	Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$200	\$0
	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$79,854	\$0
	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,800	\$0
	Trillium, persistent	<i>Trillium persistens</i>	\$2,500	\$0
	Trillium, relict	<i>Trillium reliquum</i>	\$2,500	\$0
	Uhiuhi	<i>Caesalpinia kavaense</i>	\$5,200	\$0
	Vetch, Hawaiian	<i>Vicia menziesii</i>	\$1,400	\$0
	Wahane	<i>Pritchardia aylmer-robinsonii</i>	\$3,600	\$0
	Warea, wide-leaf	<i>Warea amplexifolia</i>	\$1,380	\$0
	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$1,500	\$0
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$1,000	\$0
	Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$600	\$0
	Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$3,659	\$0
	Wild-rice, Texas	<i>Zizania texana</i>	\$28,200	\$0
	Wireweed	<i>Polygonella basiramaia</i>	\$2,059	\$0
	Ziziphus, Florida	<i>Ziziphus celata</i>	\$36,000	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense ssp. sandwicense</i>	\$300	\$0
	`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$3,600	\$0
	`Aiea	<i>Nothoestrum peltatum</i>	\$100	\$0
	`Aiea	<i>Nothoestrum breviflorum</i>	\$1,600	\$0
	`Akoko	<i>Euphorbia haeleleana</i>	\$3,500	\$0
	`Anunu	<i>Sicyos alba</i>	\$1,700	\$0
	`Oha wai	<i>Clermontia lindseyana</i>	\$1,600	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	`Oha wai	<i>Clermontia peleana</i>	\$1,700	\$0
	`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$100	\$0
	`Oha wai	<i>Clermontia pyrularia</i>	\$1,700	\$0
	`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$100	\$0
	`Oha wai	<i>Clermontia drepanomorpha</i>	\$300	\$0
Flowering Plants subtotal			\$1,108,877	\$718,600
Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>	\$10,400	\$0
Conifers and Cycads subtotal			\$10,400	\$0
Ferns and Allies	Diellia, asplenium-leaved	<i>Diellia erecta</i>	\$300	\$0
	Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>	\$100	\$0
	Fern, pendant kahi	<i>Adenophorus periens</i>	\$300	\$0
	No common name	<i>Diellia pallida</i>	\$100	\$0
	No common name	<i>Diplazium molokaiense</i>	\$300	\$0
	Quillwort, black spored	<i>Isoetes melanospora</i>	\$1,500	\$0
	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$1,500	\$0
Ferns and Allies subtotal			\$4,100	\$0
Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$4,300	\$0
	Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$2,908	\$0
Lichens subtotal			\$7,208	\$0
Totals			\$50,236,998	\$29,272,200
State Governments Grand Total				\$79,509,198

U. S. Fish and Wildlife Service
Endangered Species Program
1849 C Street, NW (MS-420-ARLSQ)
Washington, D. C. 20240
<http://www.fws.gov/endangered>

Photo Credits

Desert tortoise (*Gopherus agassizii*) - Beth Jackson/USFWS

Polar bear (*Ursus maritimus*) - Lana Langlois

Mission blue butterfly (*Icaricia icarioides missionensis*) - Patrick Kobernus/USFWS

Green pitcher plant (*Sarracenia oreophila*) - USFWS

Piping plover (*Charadrius melodus*) - Gene Nieminen/USFWS

Bull trout (*Salvelinus confluentus*) - USFWS

Black-footed ferret (*Mustela nigripes*) - Ryan Hagerty/USFWS

Houston toad (*Bufo houstonensis*) – Paige Najvar/USFWS