

# FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



*Fiscal Year 2010*

# TABLE OF CONTENTS

**ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2010**

PURPOSE.....3  
BACKGROUND .....3  
SECTION 18(1), FEDERAL EXPENDITURES .....4  
SECTION 18(2), STATE EXPENDITURES .....5  
SUMMARY OF DATA .....5  
COMPARISON TO PREVIOUS REPORTS .....5

**Table 1.** FY 2010 Reported Expenditures for Endangered and Threatened Species.....6

**Table 2.** Species Ranked in Descending Order of Total FY 2010 Reported Expenditures.....67

**Table 3.** FY 2010 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....93

**Table 4.** FY 2010 Expenditures Reported by Individual Federal Agencies and the States.....102

**Appendix A.** Supplemental Guidance for Reporting Expenditures for the Conservation of  
Endangered and Threatened Species.....104

**Appendix B.** Reports Provided by Other Federal Agencies.....109

**Appendix C.** Expenditures Reported by the States.....259

## ENDANGERED SPECIES EXPENDITURES

### FISCAL YEAR 2010

#### PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

(1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 21st report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2010 (October 1, 2009 - September 30, 2010), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To return to the original intent of Congress when amending the Endangered Species Act in 1988, we eliminated the reporting of data into the category previously known as "Other ESA Expenses," beginning with the 2008 report.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

#### BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2010 are reported for 1335 threatened and endangered species of the 1349 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2010 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species<sup>1</sup>, subspecies<sup>2</sup>, Distinct Population Segment (DPS)<sup>3</sup>, or Evolutionarily Significant Unit (ESU)<sup>4</sup>, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate and has been approved by the head of their agency. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, generally are not reported and are not included.

## **SECTION 18(1), FEDERAL EXPENDITURES**

### **Expenditures Reported by the Fish and Wildlife Service**

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

### **Expenditures Reported by other Federal Agencies**

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2010, the Service and 27 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Four additional Federal agencies responded that their expenditures were not reasonably identifiable, and one was unable to provide data. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species have been tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

---

<sup>1</sup> **Species** For purposes of the ESA, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

<sup>2</sup> **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

<sup>3</sup> **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

<sup>4</sup> **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

## SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

### SUMMARY OF DATA

**Table 1** reports the activity-related expenditures that are reasonably identifiable to specific individual species by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisitions are not included in this tabulation or used in the ranking. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

**Table 2** ranks each species in descending order by the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

**Table 3** displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Table 3 also provides the rank for land expenditures by species.

**Tables 4** shows total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

**Total expenditures** reported for **FY 2010** were **\$1,448,738,534**, of which **\$1,360,790,593** were reported by Federal agencies and **\$87,947,941** were reported by the States. (Table 4)

### COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

**TABLE 1. FY 2010 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

TABLE I. FY 2010 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS								
Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	130	Bat, gray ( <i>Myotis grisescens</i> )	E	\$261,727	\$798,644	\$1,060,371	\$48,200	\$1,108,571
	186	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$170,539	\$374,018	\$544,557	\$0	\$544,557
	47	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$2,905,935	\$3,601,081	\$6,507,016	\$235,830	\$6,742,846
	112	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuena</i> )	E	\$32,040	\$1,372,466	\$1,404,506	\$71,600	\$1,476,106
	1197	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$200	\$0	\$200	\$0	\$200
	205	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) - entire	T	\$153,189	\$310,034	\$463,223	\$0	\$463,223
	723	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$2,000	\$28,300	\$30,300	\$1,500	\$31,800
	237	Bat, Ozark big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> )	E	\$71,100	\$241,270	\$312,370	\$4,050	\$316,420
	255	Bat, Virginia big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> )	E	\$126,500	\$112,762	\$239,262	\$42,500	\$281,762
	1056	Bear, American black ( <i>Ursus americanus</i> ) - Co. range of LA b.bear	SAT	\$0	\$5,473	\$5,473	\$0	\$5,473
	96	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - experimental, non-essential, portions of ID and MT	EXPN	\$1,874,204	\$10,900	\$1,885,104	\$14,000	\$1,899,104
	34	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - lower 48 States, except where EXPN or delisted	T	\$1,059,938	\$5,295,675	\$6,355,613	\$2,425,667	\$8,781,280
	94	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$186,836	\$1,705,816	\$1,892,652	\$22,700	\$1,915,352
	44	Bear, polar ( <i>Ursus maritimus</i> )	T	\$4,127,460	\$2,656,537	\$6,783,997	\$20,749	\$6,804,746
	280	Bison, wood ( <i>Bison bison athabasca</i> ) - Canada	E	\$183,000	\$0	\$183,000	\$45,800	\$228,800
	279	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) - Selkirk Mts.	E	\$134,566	\$48,495	\$183,061	\$46,000	\$229,061
	177	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	E	\$169,208	\$386,520	\$555,728	\$35,000	\$590,728
	736	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$26,500	\$3,416	\$29,916	\$0	\$29,916
	143	Ferret, black-footed ( <i>Mustela nigripes</i> ) - (portions of AZ, CO, MT, SD, UT, WY)	EXPN	\$215,260	\$397,380	\$612,640	\$312,000	\$924,640

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	118	Ferret, black-footed ( <i>Mustela nigripes</i> ) - entire , except EXPN	E	\$445,612	\$605,223	\$1,050,835	\$280,560	\$1,331,395
	109	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$831,843	\$696,210	\$1,528,053	\$0	\$1,528,053
	307	Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> )	E	\$64,167	\$140,000	\$204,167	\$0	\$204,167
	479	Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> )	E	\$84,742	\$8,160	\$92,902	\$0	\$92,902
	498	Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> )	E	\$64,167	\$23,000	\$87,167	\$0	\$87,167
	234	Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> )	E	\$64,167	\$268,000	\$332,167	\$0	\$332,167
	285	Jaguar ( <i>Panthera onca</i> )	E	\$13,282	\$106,400	\$119,682	\$101,600	\$221,282
	181	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> )	E	\$61,050	\$504,135	\$565,185	\$0	\$565,185
	335	Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )	E	\$168,901	\$8,000	\$176,901	\$0	\$176,901
	185	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$202,725	\$343,000	\$545,725	\$0	\$545,725
	625	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	\$42,738	\$8,000	\$50,738	\$0	\$50,738
	198	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	\$21,639	\$459,278	\$480,917	\$0	\$480,917
	269	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi (incl. D. cascus)</i> )	E	\$17,715	\$233,707	\$251,422	\$0	\$251,422
	303	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	\$176,322	\$30,600	\$206,922	\$0	\$206,922
	67	Lynx, Canada ( <i>Lynx canadensis</i> ) - (Contiguous U.S. DPS)	T	\$1,345,486	\$2,429,740	\$3,775,226	\$416,572	\$4,191,798
	31	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$1,531,600	\$3,516,941	\$5,048,541	\$5,304,753	\$10,353,294
	462	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	\$76,500	\$28,000	\$104,500	\$0	\$104,500
	268	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$238,000	\$14,247	\$252,247	\$0	\$252,247
	472	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	\$76,000	\$22,280	\$98,280	\$0	\$98,280
	346	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )	E	\$53,000	\$108,189	\$161,189	\$11,194	\$172,383
	504	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	\$76,000	\$9,375	\$85,375	\$0	\$85,375
	191	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	\$22,665	\$481,762	\$504,427	\$0	\$504,427



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	235	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	\$220,500	\$74,367	\$294,867	\$33,581	\$328,448
	226	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) - north-central CO	T	\$151,837	\$153,152	\$304,989	\$48,874	\$353,863
	157	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	\$586,958	\$168,400	\$755,358	\$0	\$755,358
	446	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$65,000	\$49,570	\$114,570	\$0	\$114,570
	427	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	\$23,000	\$93,454	\$116,454	\$11,194	\$127,648
	165	Ocelot ( <i>Leopardus (=Felis) pardalis</i> )	E	\$68,871	\$524,117	\$592,988	\$91,547	\$684,535
	221	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - southwest Alaska DPS	T	\$174,000	\$193,137	\$367,137	\$6,705	\$373,842
	138	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - except where EXPN	T	\$193,998	\$819,884	\$1,013,882	\$0	\$1,013,882
	339	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - s. of Pt. Conception, CA	EXPN	\$15,183	\$161,197	\$176,380	\$0	\$176,380
	111	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> )	E	\$354,500	\$461,970	\$816,470	\$672,060	\$1,488,530
	102	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	\$238,000	\$1,392,072	\$1,630,072	\$90,000	\$1,720,072
	50	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	\$49,193	\$5,496,550	\$5,545,743	\$282,000	\$5,827,743
	679	Puma (=cougar), eastern ( <i>Puma (=Felis) concolor cougar</i> )	E	\$35,306	\$1,680	\$36,986	\$2,309	\$39,295
	671	Puma (=mountain lion) ( <i>Puma (=Felis) concolor</i> (all subsp. except coryi)) - FL	SAT	\$1,162	\$40,349	\$41,511	\$150	\$41,661
	642	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	\$15,500	\$32,438	\$47,938	\$0	\$47,938
	176	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS	E	\$341,272	\$15,421	\$356,693	\$250,800	\$607,493
	132	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$593,678	\$470,500	\$1,064,178	\$0	\$1,064,178
	881	Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$13,000	\$1,083	\$14,083	\$0	\$14,083
	17	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - eastern pop.	T	\$9,400	\$16,518,484	\$16,527,884	\$40,620	\$16,568,504
	16	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.	E	\$14,000	\$16,617,965	\$16,631,965	\$47,430	\$16,679,395
	1110	Seal, Caribbean monk ( <i>Monachus tropicalis</i> )	E	\$0	\$3,720	\$3,720	\$0	\$3,720

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	487	Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )	T	\$0	\$90,506	\$90,506	\$0	\$90,506
	53	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$0	\$5,650,652	\$5,650,652	\$0	\$5,650,652
	1188	Seal, Saimaa ( <i>Phoca hispida saimensis</i> )	E	\$0	\$500	\$500	\$0	\$500
	240	Sheep, Peninsular bighorn ( <i>Ovis canadensis nelsoni</i> ) - Peninsular CA pop.	E	\$26,800	\$284,750	\$311,550	\$0	\$311,550
	211	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$82,379	\$354,100	\$436,479	\$0	\$436,479
	537	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$62,937	\$9,500	\$72,437	\$0	\$72,437
	503	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	\$24,000	\$48,550	\$72,550	\$13,032	\$85,582
	367	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE	E	\$151,605	\$3,741	\$155,346	\$0	\$155,346
	798	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - (DE, Sussex Co.)	EXPN	\$19,911	\$1,650	\$21,561	\$0	\$21,561
	352	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$23,323	\$105,100	\$128,423	\$40,000	\$168,423
	208	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$249,455	\$175,742	\$425,197	\$28,000	\$453,197
	876	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$6,340	\$8,000	\$14,340	\$0	\$14,340
	457	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$5,500	\$101,358	\$106,858	\$0	\$106,858
	830	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$2,765	\$15,000	\$17,765	\$1,000	\$18,765
	66	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$0	\$4,198,058	\$4,198,058	\$0	\$4,198,058
	76	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$0	\$2,821,352	\$2,821,352	\$0	\$2,821,352
	70	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$0	\$3,719,844	\$3,719,844	\$94,579	\$3,814,423
	1198	Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean	E	\$0	\$100	\$100	\$0	\$100
	36	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$0	\$7,826,878	\$7,826,878	\$94,579	\$7,921,457
	82	Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS	E	\$23,206	\$2,531,487	\$2,554,693	\$15,000	\$2,569,693

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	22	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	\$0	\$12,863,698	\$12,863,698	\$732,555	\$13,596,253
	68	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$0	\$4,147,048	\$4,147,048	\$0	\$4,147,048
	63	Whale, sperm ( <i>Physeter catodon</i> ( <i>macrocephalus</i> ))	E	\$3,634	\$4,429,196	\$4,432,830	\$0	\$4,432,830
	239	Wolf, gray ( <i>Canis lupus</i> ) - WY, EXPN population	EXPN	\$0	\$311,736	\$311,736	\$0	\$311,736
	107	Wolf, gray ( <i>Canis lupus</i> ) - MN	T	\$5,000	\$1,360,262	\$1,365,262	\$195,000	\$1,560,262
	98	Wolf, gray ( <i>Canis lupus</i> ) - WY, ID, MT	EXPN	\$333,218	\$861,558	\$1,194,776	\$634,373	\$1,829,149
	42	Wolf, gray ( <i>Canis lupus</i> ) - Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	E	\$4,743,755	\$1,457,023	\$6,200,778	\$753,855	\$6,954,633
	151	Wolf, gray ( <i>Canis lupus</i> ) - Mexican gray wolf, EXPN population	EXPN	\$0	\$370,344	\$370,344	\$461,500	\$831,844
	104	Wolf, Mexican gray ( <i>Canis lupus baileyi</i> ) - portions of AZ, NM, TX	EXPN	\$1,502,100	\$126,831	\$1,628,931	\$0	\$1,628,931
	242	Wolf, red ( <i>Canis rufus</i> ) - except where EXPN	E	\$301,000	\$4,600	\$305,600	\$0	\$305,600
	145	Wolf, red ( <i>Canis rufus</i> ) - (portions of NC and TN)	EXPN	\$802,500	\$4,000	\$806,500	\$89,000	\$895,500
	474	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$72,000	\$24,075	\$96,075	\$0	\$96,075
	633	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$49,076	\$0	\$49,076	\$0	\$49,076
<b>Mammals subtotal</b>				\$29,033,385	\$124,589,783	\$153,623,168	\$14,170,018	\$167,793,186
<b>Birds</b>	361	Akekee ( <i>Loxops caeruleirostris</i> )	E	\$160,812	\$0	\$160,812	\$0	\$160,812
	616	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$40,903	\$11,099	\$52,002	\$0	\$52,002
	686	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$38,600	\$0	\$38,600	\$0	\$38,600
	1102	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	655	Akiapola`au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$39,605	\$6,000	\$45,605	\$0	\$45,605
	361	Akikiki ( <i>Oreomystis bairdi</i> )	E	\$160,812	\$0	\$160,812	\$0	\$160,812
	244	Albatross, short-tailed ( <i>Phoebastria</i> (= <i>Diomedea</i> ) <i>albatrus</i> )	E	\$294,293	\$9,028	\$303,321	\$500	\$303,821
	254	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$163,000	\$80,182	\$243,182	\$40,000	\$283,182
	606	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$3,605	\$49,342	\$52,947	\$2,000	\$54,947

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	296	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL	T	\$143,000	\$67,616	\$210,616	\$0	\$210,616
	105	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A.	E	\$1,132,792	\$272,323	\$1,405,115	\$196,000	\$1,601,115
	163	Condor, California ( <i>Gymnogyps californianus</i> ) - specific portions of AZ, NV, UT	EXPN	\$634,000	\$9,300	\$643,300	\$55,000	\$698,300
	259	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$60,622	\$209,498	\$270,120	\$0	\$270,120
	994	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$4,000	\$4,017	\$8,017	\$0	\$8,017
	129	Crane, whooping ( <i>Grus americana</i> ) - except where EXPN	E	\$88,974	\$1,006,410	\$1,095,384	\$16,460	\$1,111,844
	114	Crane, whooping ( <i>Grus americana</i> ) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$812,000	\$630,941	\$1,442,941	\$900	\$1,443,841
	90	Crane, whooping ( <i>Grus americana</i> ) - CO, ID, FL, NM, UT, WY	EXPN	\$626,968	\$1,499,094	\$2,126,062	\$114,517	\$2,240,579
	622	Creeper, Hawaii ( <i>Oreomystis mana</i> )	E	\$39,903	\$11,099	\$51,002	\$0	\$51,002
	150	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	\$835,600	\$5,599	\$841,199	\$0	\$841,199
	149	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$469,639	\$404,164	\$873,803	\$0	\$873,803
	929	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	227	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$4,500	\$345,590	\$350,090	\$0	\$350,090
	216	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$140,264	\$263,378	\$403,642	\$0	\$403,642
	667	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$13,403	\$29,850	\$43,253	\$0	\$43,253
	158	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) - Sonoran Desert DPS	T	\$149,485	\$189,319	\$338,804	\$407,436	\$746,240
	126	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$401,400	\$731,800	\$1,133,200	\$500	\$1,133,700
	75	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$2,393,000	\$441,412	\$2,834,412	\$500	\$2,834,912
	178	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$206,030	\$382,944	\$588,974	\$0	\$588,974
	117	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$225,100	\$1,123,603	\$1,348,703	\$440	\$1,349,143
	756	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) SW pop.	EXPN	\$0	\$24,000	\$24,000	\$3,000	\$27,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1066	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$5,000	\$300	\$5,300	\$0	\$5,300
	1098	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$4,202	\$0	\$4,202	\$0	\$4,202
	30	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$597,544	\$9,802,266	\$10,399,810	\$179,262	\$10,579,072
	147	Gnatcatcher, coastal California ( <i>Poliptila californica californica</i> )	T	\$131,082	\$746,367	\$877,449	\$0	\$877,449
	123	Goose, Hawaiian ( <i>Branta (=Nesochen) sandvicensis</i> )	E	\$419,518	\$756,603	\$1,176,121	\$0	\$1,176,121
	484	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	\$81,560	\$9,352	\$90,912	\$0	\$90,912
	602	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$24,500	\$31,000	\$55,500	\$0	\$55,500
	456	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$76,000	\$31,000	\$107,000	\$0	\$107,000
	918	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$9,700	\$1,662	\$11,362	\$0	\$11,362
	245	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	\$275,930	\$23,841	\$299,771	\$0	\$299,771
	141	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.	E	\$197,000	\$741,126	\$938,126	\$44,818	\$982,944
	334	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	\$162,403	\$16,944	\$179,347	\$0	\$179,347
	609	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$53,814	\$0	\$53,814	\$0	\$53,814
	322	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$55,950	\$133,260	\$189,210	\$0	\$189,210
	587	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$29,500	\$29,791	\$59,291	\$0	\$59,291
	48	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) - CA, OR, WA	T	\$2,514,130	\$2,629,506	\$5,143,636	\$1,029,665	\$6,173,301
	654	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$46,000	\$0	\$46,000	\$0	\$46,000
	685	Nukupu'u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$38,700	\$0	\$38,700	\$0	\$38,700
	80	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$190,234	\$2,327,713	\$2,517,947	\$85,000	\$2,602,947
	21	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$5,019,414	\$7,925,474	\$12,944,888	\$1,141,683	\$14,086,571
	101	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$1,464,203	\$256,382	\$1,720,585	\$0	\$1,720,585

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	95	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,520,000	\$115,235	\$1,635,235	\$280,000	\$1,915,235
	133	Parrotbill, Maui (honey- creeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$1,060,600	\$3,000	\$1,063,600	\$0	\$1,063,600
	196	Petrel, Hawaiian dark- rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$315,906	\$171,545	\$487,451	\$0	\$487,451
	1023	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	28	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$666,095	\$10,297,394	\$10,963,489	\$272,296	\$11,235,785
	146	Plover, piping ( <i>Charadrius melodus</i> ) - Great Lakes watershed	E	\$620,597	\$262,045	\$882,642	\$100	\$882,742
	59	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific coastal pop.	T	\$1,589,373	\$2,954,508	\$4,543,881	\$154,030	\$4,697,911
	641	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$48,300	\$0	\$48,300	\$0	\$48,300
	436	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$26,200	\$66,018	\$92,218	\$27,600	\$119,818
	137	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$791,517	\$222,709	\$1,014,226	\$0	\$1,014,226
	986	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$8,400	\$0	\$8,400	\$0	\$8,400
	231	Rail, Guam ( <i>Rallus owstoni</i> ) - except Rota	E	\$127,900	\$207,300	\$335,200	\$0	\$335,200
	224	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) - U.S.A. only	E	\$60,354	\$305,751	\$366,105	\$0	\$366,105
	103	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A.	E	\$70,636	\$1,576,295	\$1,646,931	\$30,000	\$1,676,931
	69	scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )	T	\$2,213,500	\$1,718,450	\$3,931,950	\$65,135	\$3,997,085
	204	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$434,814	\$30,351	\$465,165	\$0	\$465,165
	89	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$235	\$2,251,661	\$2,251,896	\$0	\$2,251,896
	161	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$125,000	\$585,781	\$710,781	\$0	\$710,781
	167	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$69,500	\$578,833	\$648,333	\$25,639	\$673,972
	195	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	\$0	\$487,731	\$487,731	\$0	\$487,731

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	212	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$60,852	\$371,721	\$432,573	\$0	\$432,573
	92	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC	E	\$340,000	\$1,649,643	\$1,989,643	\$17,253	\$2,006,896
	305	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$16,000	\$189,847	\$205,847	\$0	\$205,847
	38	Tern, California least ( <i>Sterna antillarum browni</i> )	E	\$440,417	\$7,021,912	\$7,462,329	\$1,000	\$7,463,329
	33	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$343,127	\$9,132,841	\$9,475,968	\$138,953	\$9,614,921
	220	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$44,294	\$337,950	\$382,244	\$623	\$382,867
	584	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$44,326	\$15,450	\$59,776	\$0	\$59,776
	1197	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$200	\$0	\$200	\$0	\$200
	412	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$136,300	\$0	\$136,300	\$0	\$136,300
	773	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$2,970	\$22,500	\$25,470	\$0	\$25,470
	127	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$94,049	\$1,020,174	\$1,114,223	\$13,100	\$1,127,323
	43	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$215,085	\$6,710,468	\$6,925,553	\$0	\$6,925,553
	929	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$0	\$11,000	\$11,000	\$0	\$11,000
	99	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$467,720	\$1,263,999	\$1,731,719	\$8,300	\$1,740,019
	135	Warbler, Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$352,500	\$628,871	\$981,371	\$57,000	\$1,038,371
	363	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )	E	\$157,541	\$300	\$157,841	\$0	\$157,841
	1169	White-eye, bridled ( <i>Zosterops conspicillatus</i> )	E	\$1,000	\$600	\$1,600	\$0	\$1,600
	927	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$11,030	\$0	\$11,030	\$0	\$11,030
	700	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - entire	E	\$7,000	\$27,500	\$34,500	\$871	\$35,371
	9	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$1,008,395	\$23,311,120	\$24,319,515	\$874,552	\$25,194,067
	1197	`O`u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$200	\$0	\$200	\$0	\$200
<b>Birds subtotal</b>				\$34,192,627	\$106,820,698	\$141,013,325	\$5,284,133	\$146,297,458

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Reptiles	113	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$117,816	\$336,895	\$454,711	\$991,942	\$1,446,653
	1179	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1183	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	\$800	\$0	\$800	\$0	\$800
	591	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	\$20,000	\$38,774	\$58,774	\$0	\$58,774
	717	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	\$32,500	\$0	\$32,500	\$0	\$32,500
	347	Crocodile, American ( <i>Crocodylus acutus</i> ) - FL pop.	T	\$53,000	\$114,609	\$167,609	\$4,127	\$171,736
	1179	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	768	Iguana, Mona ground ( <i>Cyclura cornuta stejnegeri</i> )	T	\$11,000	\$0	\$11,000	\$15,000	\$26,000
	184	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$231,962	\$322,920	\$554,882	\$0	\$554,882
	647	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	\$29,830	\$17,559	\$47,389	\$0	\$47,389
	690	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	\$9,226	\$28,633	\$37,859	\$0	\$37,859
	804	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	\$18,000	\$3,100	\$21,100	\$0	\$21,100
	842	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )	E	\$11,000	\$6,800	\$17,800	\$0	\$17,800
	702	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	\$11,530	\$23,000	\$34,530	\$0	\$34,530
	120	Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	E	\$273,441	\$855,112	\$1,128,553	\$149,391	\$1,277,944
	52	Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered	T	\$186,087	\$5,468,053	\$5,654,140	\$8,000	\$5,662,140
	45	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$281,214	\$6,228,027	\$6,509,241	\$88,848	\$6,598,089
	56	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$406,300	\$4,308,859	\$4,715,159	\$415,548	\$5,130,707
	41	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$979,400	\$5,900,710	\$6,880,110	\$177,391	\$7,057,501
	27	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$1,441,800	\$9,380,146	\$10,821,946	\$463,679	\$11,285,625
	122	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - except where endangered	T	\$24,306	\$1,163,490	\$1,187,796	\$500	\$1,188,296
	192	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Mexican nesting pop.	E	\$0	\$504,064	\$504,064	\$0	\$504,064
	505	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	\$78,000	\$6,608	\$84,608	\$0	\$84,608



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	355	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$158,000	\$8,608	\$166,608	\$0	\$166,608
	766	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$25,500	\$750	\$26,250	\$0	\$26,250
	772	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	\$25,000	\$700	\$25,700	\$0	\$25,700
	260	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - IN north of 40 degrees north latitude, MI, OH	T	\$261,600	\$4,131	\$265,731	\$0	\$265,731
	86	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$1,861,000	\$568,453	\$2,429,453	\$31,500	\$2,460,953
	74	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$748,897	\$2,741,416	\$3,490,313	\$0	\$3,490,313
	469	Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> )	T	\$29,100	\$15,875	\$44,975	\$54,300	\$99,275
	222	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$201,453	\$172,317	\$373,770	\$0	\$373,770
	18	Tortoise, desert ( <i>Gopherus agassizii</i> ) - U.S.A., except in Sonoran Desert	T	\$3,857,971	\$12,471,390	\$16,329,361	\$14,200	\$16,343,561
	215	Tortoise, desert ( <i>Gopherus agassizii</i> ) - outside/taken from Sonoran Desert	SAT	\$49,350	\$354,574	\$403,924	\$0	\$403,924
	72	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) W of Mobile/Tombigbee Rs.	T	\$1,911,000	\$1,677,732	\$3,588,732	\$0	\$3,588,732
	496	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$64,000	\$9,868	\$73,868	\$13,500	\$87,368
	784	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern	SAT	\$11,000	\$4,346	\$15,346	\$8,780	\$24,126
	155	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$938,216	\$133,567	\$1,071,783	\$18,470	\$1,090,253
	677	Turtle, flattened musk ( <i>Sternotherus depressus</i> )	T	\$33,000	\$6,865	\$39,865	\$0	\$39,865
	740	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$29,000	\$300	\$29,300	\$0	\$29,300
	1111	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$0	\$3,709	\$3,709	\$0	\$3,709
	182	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$407,499	\$149,100	\$556,599	\$0	\$556,599
<b>Reptiles subtotal</b>				\$14,830,798	\$53,031,060	\$67,861,858	\$2,455,176	\$70,317,034
<b>Amphibians</b>	1183	Coqui, golden ( <i>Eleutherodactylus jasperi</i> )	T	\$800	\$0	\$800	\$0	\$800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	79	Frog, California red-legged ( <i>Rana draytonii</i> ) - Entire	T	\$1,795,821	\$936,847	\$2,732,668	\$0	\$2,732,668
	124	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$182,911	\$790,806	\$973,717	\$178,400	\$1,152,117
	209	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) - West of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$263,000	\$183,383	\$446,383	\$0	\$446,383
	253	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) - southern California DPS	E	\$92,525	\$192,200	\$284,725	\$0	\$284,725
	896	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$13,000	\$0	\$13,000	\$0	\$13,000
	319	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$186,409	\$600	\$187,009	\$4,000	\$191,009
	91	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Sonoma County	E	\$300,619	\$1,907,000	\$2,207,619	\$0	\$2,207,619
	139	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Santa Barbara County	E	\$738,546	\$264,410	\$1,002,956	\$0	\$1,002,956
	116	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - Central CA DPS	T	\$739,868	\$652,590	\$1,392,458	\$0	\$1,392,458
	636	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$33,000	\$15,700	\$48,700	\$0	\$48,700
	473	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$32,000	\$63,855	\$95,855	\$2,000	\$97,855
	270	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$130,000	\$118,620	\$248,620	\$0	\$248,620
	230	salamander, Reticulated flatwoods ( <i>Ambystoma bishopi</i> )	E	\$85,000	\$238,197	\$323,197	\$12,717	\$335,914
	458	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$104,100	\$600	\$104,700	\$2,000	\$106,700
	514	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$71,915	\$8,300	\$80,215	\$0	\$80,215
	384	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$37,000	\$113,630	\$150,630	\$0	\$150,630
	571	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$7,210	\$57,150	\$64,360	\$0	\$64,360
	662	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$42,640	\$600	\$43,240	\$800	\$44,040
	106	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus (=microscaphus)</i> )	E	\$231,601	\$1,344,828	\$1,576,429	\$0	\$1,576,429
	360	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$79,500	\$68,350	\$147,850	\$14,600	\$162,450

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	656	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$45,500	\$0	\$45,500	\$0	\$45,500
	282	Toad, Wyoming ( <i>Bufo baxteri</i> (=hemiophrys))	E	\$204,773	\$12,100	\$216,873	\$6,399	\$223,272
<b>Amphibians subtotal</b>				\$5,417,738	\$6,969,766	\$12,387,504	\$220,916	\$12,608,420
<b>Fishes</b>	559	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$31,295	\$200	\$31,495	\$36,500	\$67,995
	1196	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$0	\$220	\$220	\$0	\$220
	353	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$78,600	\$25,488	\$104,088	\$64,000	\$168,088
	65	Chub, bonytail ( <i>Gila elegans</i> ) - entire	E	\$1,382,485	\$2,691,581	\$4,074,066	\$162,459	\$4,236,525
	471	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$45,202	\$53,600	\$98,802	\$0	\$98,802
	601	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$53,319	\$100	\$53,419	\$2,100	\$55,519
	180	Chub, Gila ( <i>Gila intermedia</i> )	E	\$18,655	\$468,900	\$487,555	\$86,100	\$573,655
	57	Chub, humpback ( <i>Gila cypha</i> ) - entire	E	\$590,479	\$3,958,737	\$4,549,216	\$358,459	\$4,907,675
	706	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.) - Hutton	T	\$32,000	\$1,100	\$33,100	\$1,000	\$34,100
	507	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	\$30,030	\$54,300	\$84,330	\$0	\$84,330
	125	Chub, Oregon ( <i>Oregonichthys crameri</i> )	T	\$316,987	\$832,390	\$1,149,377	\$2,252	\$1,151,629
	400	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	\$43,166	\$101,000	\$144,166	\$0	\$144,166
	416	Chub, Pahrnagat roundtail ( <i>Gila robusta jordani</i> )	E	\$123,018	\$7,964	\$130,982	\$2,000	\$132,982
	885	Chub, slender ( <i>Erimystax cahni</i> )	T	\$13,700	\$0	\$13,700	\$0	\$13,700
	600	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$2,030	\$17,400	\$19,430	\$36,500	\$55,930
	1097	Chub, spotfin ( <i>Erimonax monachus</i> ) - Tellico River, TN	EXPN	\$0	\$4,250	\$4,250	\$0	\$4,250
	1189	Chub, spotfin ( <i>Erimonax monachus</i> ) - TN - specified portions of French Broad and Holston Rivers	EXPN	\$100	\$0	\$100	\$349	\$449
	327	Chub, spotfin ( <i>Erimonax monachus</i> ) - Entire	T	\$161,500	\$13,353	\$174,853	\$8,736	\$183,589
	735	Chub, spotfin ( <i>Erimonax monachus</i> ) - Shoal Creek	EXPN	\$30,000	\$0	\$30,000	\$0	\$30,000
	193	Chub, Virgin River ( <i>Gila seminuda</i> (=robusta))	E	\$97,538	\$138,545	\$236,083	\$267,700	\$503,783
	576	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$26,330	\$200	\$26,530	\$36,500	\$63,030
	144	Cui-ti ( <i>Chasmistes cujus</i> )	E	\$159,254	\$753,339	\$912,593	\$0	\$912,593
	823	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$10,858	\$6,764	\$17,622	\$1,800	\$19,422

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	293	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$206,500	\$6,577	\$213,077	\$0	\$213,077
	650	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$45,608	\$100	\$45,708	\$800	\$46,508
	534	Dace, desert ( <i>Eremichthys acros</i> )	T	\$71,868	\$100	\$71,968	\$2,200	\$74,168
	589	Dace, Foskett speckled ( <i>Rhinichthys osculus</i> ssp.)	T	\$43,000	\$15,100	\$58,100	\$1,000	\$59,100
	1011	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$7,239	\$100	\$7,339	\$0	\$7,339
	732	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$11,500	\$19,100	\$30,600	\$0	\$30,600
	171	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$502,981	\$130,065	\$633,046	\$7,200	\$640,246
	554	Darter, amber ( <i>Percina antesella</i> )	E	\$41,000	\$20,100	\$61,100	\$7,500	\$68,600
	304	Darter, bluemask (=jewel) ( <i>Etheostoma</i> sp.)	E	\$11,000	\$195,633	\$206,633	\$0	\$206,633
	219	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$21,000	\$365,220	\$386,220	\$349	\$386,569
	527	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$58,500	\$9,900	\$68,400	\$7,500	\$75,900
	1094	Darter, duskytail ( <i>Etheostoma percunrum</i> ) - Tellico River, TN	EXPN	\$0	\$4,000	\$4,000	\$349	\$4,349
	493	Darter, duskytail ( <i>Etheostoma percunrum</i> ) - Entire	E	\$70,000	\$18,977	\$88,977	\$0	\$88,977
	544	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$43,500	\$19,000	\$62,500	\$7,500	\$70,000
	170	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$651,664	\$2,100	\$653,764	\$1,600	\$655,364
	719	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$22,500	\$478	\$22,978	\$9,500	\$32,478
	289	Darter, leopard ( <i>Percina pantherina</i> )	T	\$173,829	\$40,352	\$214,181	\$1,100	\$215,281
	868	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$15,497	\$0	\$15,497	\$0	\$15,497
	187	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$359,000	\$983	\$359,983	\$175,000	\$534,983
	110	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$509,000	\$997,235	\$1,506,235	\$0	\$1,506,235
	744	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$29,000	\$0	\$29,000	\$0	\$29,000
	1014	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$7,000	\$220	\$7,220	\$0	\$7,220
	760	Darter, snail ( <i>Percina tanasi</i> )	T	\$16,500	\$2,708	\$19,208	\$7,500	\$26,708
	371	Darter, vermilion ( <i>Etheostoma chermocki</i> )	E	\$154,000	\$455	\$154,455	\$0	\$154,455
	870	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$11,000	\$4,309	\$15,309	\$0	\$15,309
	635	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$48,819	\$0	\$48,819	\$0	\$48,819
	284	Gambusia, Clear Creek ( <i>Gambusia heterochir</i> )	E	\$222,500	\$0	\$222,500	\$0	\$222,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	841	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$0	\$5,600	\$5,600	\$12,300	\$17,900
	1155	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$0	\$2,100	\$2,100	\$0	\$2,100
	168	Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) - Entire	E	\$402,099	\$260,473	\$662,572	\$0	\$662,572
	610	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$26,000	\$20,000	\$46,000	\$7,500	\$53,500
	217	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$82,000	\$316,493	\$398,493	\$2,850	\$401,343
	431	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$68,449	\$47,100	\$115,549	\$9,000	\$124,549
	1023	Madtom, pygmy ( <i>Noturus stanauli</i> ) - Entire	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1074	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$2,600	\$2,500	\$5,100	\$0	\$5,100
	1094	Madtom, smoky ( <i>Noturus baileyi</i> ) - Tellico River, TN	EXPN	\$0	\$4,000	\$4,000	\$349	\$4,349
	694	Madtom, smoky ( <i>Noturus baileyi</i> ) - Entire	E	\$24,000	\$12,900	\$36,900	\$0	\$36,900
	1102	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Tellico River, TN	EXPN	\$0	\$4,000	\$4,000	\$0	\$4,000
	826	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Holston River, VA, TN	EXPN	\$19,000	\$0	\$19,000	\$0	\$19,000
	1192	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$0	\$0	\$349	\$349
	659	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - except where EXPN	T	\$31,500	\$12,900	\$44,400	\$0	\$44,400
	306	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	\$192,216	\$122	\$192,338	\$13,400	\$205,738
	152	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$126,506	\$565,041	\$691,547	\$138,000	\$829,547
	29	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$1,009,292	\$9,848,527	\$10,857,819	\$0	\$10,857,819
	128	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Entire, except where EXPN	E	\$864,528	\$175,054	\$1,039,582	\$78,800	\$1,118,382
	73	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$480,524	\$2,934,840	\$3,415,364	\$158,159	\$3,573,523
	914	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ	EXPN	\$0	\$11,523	\$11,523	\$0	\$11,523
	631	Poolfish, Pahrump ( <i>Empetrichthys latos</i> )	E	\$40,179	\$6,200	\$46,379	\$3,000	\$49,379



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	51	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) keta) - summer-run Hood Canal	T	\$408,100	\$4,525,439	\$4,933,539	\$802,476	\$5,736,015
	25	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Lower Columbia River ESU	T	\$307,657	\$10,279,750	\$10,587,407	\$1,563,302	\$12,150,709
	49	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Central California Coast ESU	E	\$377,125	\$5,188,598	\$5,565,723	\$308,063	\$5,873,786
	12	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - OR, CA pop.	T	\$663,792	\$18,887,328	\$19,551,120	\$20,927	\$19,572,047
	54	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Ozette Lake, WA	T	\$61,546	\$4,884,052	\$4,945,598	\$353,785	\$5,299,383
	15	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Snake River, ID stock wherever found.	E	\$56,400	\$16,685,181	\$16,741,581	\$494,354	\$17,235,935
	108	Sawfish, smalltooth ( <i>Pristis pectinata</i> )	E	\$0	\$1,543,614	\$1,543,614	\$12,262	\$1,555,876
	1094	Sculpin, pygmy ( <i>Cottus</i> <i>paulus</i> (=pygmaeus))	T	\$4,000	\$349	\$4,349	\$0	\$4,349
	419	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas R. Basin	T	\$98,951	\$27,359	\$126,310	\$5,200	\$131,510
	283	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$44,079	\$142,350	\$186,429	\$36,500	\$222,929
	590	Shiner, blue ( <i>Cyprinella</i> <i>caerulea</i> )	T	\$27,000	\$24,349	\$51,349	\$7,500	\$58,849
	1172	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	\$700	\$693	\$1,393	\$0	\$1,393
	626	Shiner, Cape Fear ( <i>Notropis</i> <i>mekistocholas</i> )	E	\$42,000	\$2,650	\$44,650	\$5,884	\$50,534
	765	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$20,000	\$6,297	\$26,297	\$0	\$26,297
	162	Shiner, Pecos bluntnose ( <i>Notropis simus</i> <i>pecosensis</i> )	T	\$12,800	\$678,600	\$691,400	\$10,500	\$701,900
	214	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$209,067	\$153,620	\$362,687	\$56,250	\$418,937
	829	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$17,000	\$1,100	\$18,100	\$724	\$18,824
	78	Smelt, delta ( <i>Hypomesus</i> <i>transpacificus</i> )	T	\$1,813,559	\$971,028	\$2,784,587	\$0	\$2,784,587
	159	Spikedace ( <i>Meda</i> <i>fulgida</i> )	T	\$67,665	\$534,509	\$602,174	\$131,000	\$733,174
	481	Spinedace, Big Spring ( <i>Lepidomeda mollispinis</i> <i>pratensis</i> )	T	\$58,276	\$30,013	\$88,289	\$4,000	\$92,289
	513	Spinedace, Little Colorado ( <i>Lepidomeda</i> <i>vittata</i> )	T	\$21,591	\$19,751	\$41,342	\$39,000	\$80,342

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	581	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$56,048	\$0	\$56,048	\$4,500	\$60,548
	605	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$52,846	\$0	\$52,846	\$2,400	\$55,246
	297	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$200,555	\$3,100	\$203,655	\$6,500	\$210,155
	572	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$61,895	\$1,300	\$63,195	\$900	\$64,095
	2	Steelhead ( <i>Oncorhynchus (Salmo) mykiss</i> ) - middle Col. R.	T	\$534,399	\$46,922,720	\$47,457,119	\$607,910	\$48,065,029
	14	Steelhead ( <i>Oncorhynchus (Salmo) mykiss</i> ) - lower Col. R.	T	\$314,553	\$17,017,455	\$17,332,008	\$670,931	\$18,002,939
	3	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Snake R. Basin	T	\$148,305	\$44,797,934	\$44,946,239	\$887,960	\$45,834,199
	55	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - northern CA	T	\$132,500	\$5,003,939	\$5,136,439	\$0	\$5,136,439
	61	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - central CA coast	T	\$0	\$4,636,177	\$4,636,177	\$0	\$4,636,177
	40	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Puget Sound DPS	T	\$372,388	\$5,407,158	\$5,779,546	\$1,493,537	\$7,273,083
	46	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - southern CA coast	E	\$28,643	\$6,564,631	\$6,593,274	\$0	\$6,593,274
	19	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - upper Willamette R.	T	\$127,125	\$16,136,486	\$16,263,611	\$66,680	\$16,330,291
	58	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - south central CA coast	T	\$0	\$4,819,733	\$4,819,733	\$0	\$4,819,733
	32	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Central Valley CA	T	\$822,000	\$9,064,506	\$9,886,506	\$0	\$9,886,506
	8	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - upper Columbia R. Basin	T	\$383,650	\$28,266,687	\$28,650,337	\$501,605	\$29,151,942
	238	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$40,552	\$273,799	\$314,351	\$0	\$314,351
	414	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$21,000	\$111,163	\$132,163	\$2,000	\$134,163
	88	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$546,000	\$1,774,107	\$2,320,107	\$0	\$2,320,107



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	71	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) – CA- Southern DPS	T	\$102,400	\$3,534,991	\$3,637,391	\$21,061	\$3,658,452
	11	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$1,548,481	\$20,832,612	\$22,381,093	\$315,159	\$22,696,252
	62	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$567,843	\$3,964,142	\$4,531,985	\$37,146	\$4,569,131
	37	Sturgeon, white ( <i>Acipenser transmontanus</i> ) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$286,113	\$7,447,219	\$7,733,332	\$35,000	\$7,768,332
	142	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$80,000	\$474,700	\$554,700	\$380,000	\$934,700
	81	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$837,057	\$1,740,458	\$2,577,515	\$286	\$2,577,801
	627	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$39,300	\$10,730	\$50,030	\$286	\$50,316
	35	Sucker, razorback ( <i>Xyrauchen texanus</i> ) - entire	E	\$1,509,697	\$6,299,994	\$7,809,691	\$280,259	\$8,089,950
	39	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins	T	\$240,851	\$7,196,613	\$7,437,464	\$0	\$7,437,464
	84	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$747,657	\$1,750,828	\$2,498,485	\$582	\$2,499,067
	312	Sucker, Warner ( <i>Catostomus warnereensis</i> )	T	\$72,400	\$124,630	\$197,030	\$1,582	\$198,612
	156	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A.	E	\$58,149	\$553,295	\$611,444	\$147,100	\$758,544
	119	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$1,145,830	\$57,486	\$1,203,316	\$93,000	\$1,296,316
	5	Trout, bull ( <i>Salvelinus confluentus</i> ) - lower 48	T	\$15,674,305	\$26,364,249	\$42,038,554	\$1,771,284	\$43,809,838
	134	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$902,550	\$10,200	\$912,750	\$150,000	\$1,062,750
	247	Trout, Greenback Cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$22,104	\$148,070	\$170,174	\$123,868	\$294,042
	64	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$1,159,502	\$3,037,406	\$4,196,908	\$83,776	\$4,280,684
	613	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	\$47,487	\$5,200	\$52,687	\$0	\$52,687
	310	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	\$127,055	\$72,000	\$199,055	\$0	\$199,055
	160	Woundfin ( <i>Plagopterus argentissimus</i> ) - except Gila R. drainage, AZ, NM	E	\$396,446	\$146,258	\$542,704	\$187,200	\$729,904
	563	Woundfin ( <i>Plagopterus argentissimus</i> ) - Gila R. drainage, AZ, NM	EXPN	\$62,215	\$287	\$62,502	\$5,000	\$67,502
<b>Fishes subtotal</b>				\$52,352,350	\$599,819,847	\$652,172,197	\$26,957,080	\$679,129,277

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Clams	794	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$11,500	\$6,537	\$18,037	\$4,500	\$22,537
	324	Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	\$121,000	\$60,476	\$181,476	\$5,000	\$186,476
	1193	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - AL; Free- Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$300	\$300	\$0	\$300
	567	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Entire; Except where EXPN	E	\$58,500	\$6,377	\$64,877	\$1,000	\$65,877
	325	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$173,500	\$11,150	\$184,650	\$349	\$184,999
	1157	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1045	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - Entire; Except where EXPN	E	\$4,100	\$1,253	\$5,353	\$500	\$5,853
	1191	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - AL; Free- Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$400	\$400	\$0	\$400
	1086	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Entire; Except EXPN	E	\$3,000	\$1,708	\$4,708	\$0	\$4,708
	1142	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - Entire; Except where EXPN	E	\$2,000	\$633	\$2,633	\$0	\$2,633
	515	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$55,800	\$24,225	\$80,025	\$0	\$80,025
	207	Clubshell ( <i>Pleurobema clava</i> ) - Entire; Except where EXPN	E	\$262,200	\$176,702	\$438,902	\$17,500	\$456,402
	1191	Clubshell ( <i>Pleurobema clava</i> ) - AL; Free- Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$400	\$400	\$0	\$400
	1151	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$2,000	\$203	\$2,203	\$0	\$2,203
	697	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$21,000	\$9,897	\$30,897	\$4,975	\$35,872

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	578	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$30,000	\$26,583	\$56,583	\$4,975	\$61,558
	409	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Entire; Except where EXPN	E	\$110,000	\$26,221	\$136,221	\$1,549	\$137,770
	1196	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$220	\$220	\$0	\$220
	1103	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$3,000	\$523	\$3,523	\$475	\$3,998
	808	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$12,500	\$3,197	\$15,697	\$4,975	\$20,672
	174	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$567,000	\$7,850	\$574,850	\$63,088	\$637,938
	405	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$133,000	\$6,077	\$139,077	\$500	\$139,577
	351	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$103,100	\$60,241	\$163,341	\$6,200	\$169,541
	1178	Fanshell ( <i>Cyprogenia stegaria</i> ) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$0	\$0	\$1,049	\$1,049
	441	fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$107,000	\$5,680	\$112,680	\$4,250	\$116,930
	862	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$12,000	\$3,481	\$15,481	\$475	\$15,956
	267	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$201,500	\$44,710	\$246,210	\$6,800	\$253,010
	140	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$269,500	\$687,403	\$956,903	\$42,000	\$998,903
	731	Kidneyshell, triangular ( <i>Ptychobranchus greenii</i> )	E	\$21,500	\$4,711	\$26,211	\$4,475	\$30,686
	1150	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) – Entire; Except where EXPN	E	\$2,000	\$220	\$2,220	\$0	\$2,220
	1069	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$5,000	\$220	\$5,220	\$0	\$5,220
	213	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - Entire; except EXPN	E	\$117,500	\$284,911	\$402,411	\$20,000	\$422,411
	621	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$22,500	\$24,120	\$46,620	\$4,475	\$51,095
	840	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$11,000	\$3,620	\$14,620	\$3,475	\$18,095
	518	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$50,000	\$23,960	\$73,960	\$5,000	\$78,960

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	336	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$171,000	\$600	\$171,600	\$5,000	\$176,600
	755	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$26,500	\$633	\$27,133	\$0	\$27,133
	1196	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - AL; Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$220	\$220	\$0	\$220
	364	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - Entire; Except EXPN	E	\$40,500	\$116,000	\$156,500	\$0	\$156,500
	753	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$20,500	\$6,580	\$27,080	\$475	\$27,555
	153	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$113,800	\$699,095	\$812,895	\$7,499	\$820,394
	399	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Entire; Except where EXPN	E	\$116,000	\$26,441	\$142,441	\$2,049	\$144,490
	1186	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - AL; Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$0	\$0	\$575	\$575
	262	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$155,100	\$97,460	\$252,560	\$6,299	\$258,859
	201	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$433,500	\$32,856	\$466,356	\$0	\$466,356
	286	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - Entire; Except EXPN	E	\$71,000	\$150,000	\$221,000	\$0	\$221,000
	1186	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - AL; Free-Flowing Reach of TN River below Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$575	\$575
	873	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$14,500	\$0	\$14,500	\$349	\$14,849
	241	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - Entire; Except EXPN	E	\$49,300	\$257,497	\$306,797	\$0	\$306,797
	1192	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - TN- portions of the French Broad and Holston Rs.	EXPN	\$0	\$0	\$0	\$349	\$349

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1066	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$4,800	\$0	\$4,800	\$500	\$5,300
	1192	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$0	\$0	\$349	\$349
	1186	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - AL; Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co.	EXPN	\$0	\$0	\$0	\$575	\$575
	477	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - Entire; Except where EXPN	E	\$86,000	\$7,565	\$93,565	\$0	\$93,565
	577	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	\$53,500	\$6,877	\$60,377	\$2,200	\$62,577
	949	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$9,000	\$633	\$9,633	\$0	\$9,633
	922	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$11,000	\$220	\$11,220	\$0	\$11,220
	380	Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> ) - AL; Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$0	\$152,000	\$152,000	\$0	\$152,000
	533	Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> ) - Entire; Except EXPN	E	\$74,000	\$220	\$74,220	\$0	\$74,220
	1150	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$2,000	\$220	\$2,220	\$0	\$2,220
	930	Pigtoe, Georgia ( <i>Pleurobema hanleyianum</i> )	E	\$9,000	\$1,901	\$10,901	\$0	\$10,901
	430	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$14,000	\$111,086	\$125,086	\$475	\$125,561
	486	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$60,500	\$25,152	\$85,652	\$5,000	\$90,652
	501	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$53,100	\$32,841	\$85,941	\$1,000	\$86,941
	853	Pigtoe, rough ( <i>Pleurobema plenum</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$17,000	\$0	\$17,000	\$0	\$17,000
	415	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - AL; Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$0	\$133,000	\$133,000	\$0	\$133,000
	777	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Entire; Except where EXPN	E	\$24,800	\$220	\$25,020	\$0	\$25,020
	1077	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - TN - specified portions of French Broad and Holston Rs.	EXPN	\$5,000	\$0	\$5,000	\$0	\$5,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	737	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$21,000	\$4,319	\$25,319	\$4,500	\$29,819
	373	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) –TN portions of the French Broad and Holston Rs.	EXPN	\$0	\$153,133	\$153,133	\$699	\$153,832
	532	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	\$68,300	\$6,152	\$74,452	\$0	\$74,452
	225	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$110,800	\$244,040	\$354,840	\$3,900	\$358,740
	660	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$30,500	\$10,137	\$40,637	\$3,500	\$44,137
	411	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$74,000	\$58,092	\$132,092	\$4,500	\$136,592
	434	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$98,500	\$17,760	\$116,260	\$5,500	\$121,760
	593	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$46,000	\$5,826	\$51,826	\$6,500	\$58,326
	1198	purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata</i> ) Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co.	EXPN	\$100	\$0	\$100	\$0	\$100
	499	purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata</i> ) – Entire; Except where EXPN	E	\$69,300	\$17,133	\$86,433	\$699	\$87,132
	672	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$26,000	\$14,800	\$40,800	\$799	\$41,599
	202	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$302,500	\$134,325	\$436,825	\$29,100	\$465,925
	258	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> ) (=E. walkeri)	E	\$264,000	\$6,377	\$270,377	\$1,000	\$271,377
	526	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$35,300	\$40,853	\$76,153	\$0	\$76,153
	588	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$18,000	\$41,220	\$59,220	\$0	\$59,220
	223	Spiny mussel, James ( <i>Pleurobema collina</i> )	E	\$357,500	\$5,950	\$363,450	\$5,000	\$368,450
	291	Spiny mussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$71,000	\$114,000	\$185,000	\$28,262	\$213,262
	1150	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$2,000	\$220	\$2,220	\$0	\$2,220
	349	Three-ridge, fat (mussel) ( <i>Ambelma neislerii</i> )	E	\$111,500	\$57,440	\$168,940	\$2,000	\$170,940
	1161	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) - TN - portions of the French Broad and Holston Rs.	EXPN	\$0	\$1,833	\$1,833	\$0	\$1,833

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	218	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	\$1,800	\$386,220	\$388,020	\$0	\$388,020
	179	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$81,023	\$471,090	\$552,113	\$29,969	\$582,082
<b>Clams subtotal</b>				\$5,919,223	\$5,164,446	\$11,083,669	\$366,782	\$11,450,451
<b>Snails</b>	121	Abalone, White ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	E	\$0	\$1,239,899	\$1,239,899	\$0	\$1,239,899
	575	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$4,000	\$29,630	\$33,630	\$30,000	\$63,630
	948	Campeloma, slender ( <i>Campeloma decampi</i> )	E	\$5,000	\$220	\$5,220	\$4,500	\$9,720
	565	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$36,900	\$29,100	\$66,000	\$300	\$66,300
	833	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$18,000	\$504	\$18,504	\$0	\$18,504
	1158	Hornsnail, rough ( <i>Pleurocera foremani</i> )	E	\$0	\$1,901	\$1,901	\$0	\$1,901
	397	Limpet, Banbury Springs ( <i>Lanx</i> sp.)	E	\$134,678	\$11,662	\$146,340	\$0	\$146,340
	917	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$11,000	\$478	\$11,478	\$0	\$11,478
	768	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhapha</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
	1190	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	\$100	\$320	\$420	\$0	\$420
	1186	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$0	\$0	\$575	\$575
	689	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Entire; Except EXPN	E	\$36,500	\$1,420	\$37,920	\$0	\$37,920
	1156	Rocksnail, interrupted (=Georgia) ( <i>Leptoxis foremani</i> )	E	\$100	\$1,901	\$2,001	\$0	\$2,001
	748	Rocksnail, painted ( <i>Leptoxis taeniata</i> )	T	\$27,500	\$720	\$28,220	\$0	\$28,220
	834	Rocksnail, plicate ( <i>Leptoxis plicata</i> )	E	\$18,000	\$378	\$18,378	\$0	\$18,378
	910	Rocksnail, round ( <i>Leptoxis ampla</i> )	T	\$11,500	\$378	\$11,878	\$0	\$11,878
	953	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$9,500	\$0	\$9,500	\$0	\$9,500
	1031	Snail, armored ( <i>Pyrgulopsis (=Marstonia) pachyta</i> )	E	\$6,500	\$220	\$6,720	\$0	\$6,720
	228	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$243,487	\$101,452	\$344,939	\$0	\$344,939

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	699	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	\$15,000	\$20,431	\$35,431	\$0	\$35,431
	956	Snail, flat-spined three- toothed ( <i>Triodopsis platysayoides</i> )	T	\$415,798	\$700	\$416,498	\$1,200	\$417,698
	807	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$11,000	\$8,800	\$19,800	\$1,000	\$20,800
	454	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$104,730	\$2,809	\$107,539	\$0	\$107,539
	1022	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$7,008	\$0	\$7,008	\$0	\$7,008
	1145	Snail, noonday ( <i>Meso- don clarki nantahala</i> )	T	\$2,500	\$0	\$2,500	\$0	\$2,500
	999	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$7,500	\$300	\$7,800	\$0	\$7,800
	956	Snail, Pecos assiminea ( <i>Assiminea pecos</i> )	E	\$8,000	\$100	\$8,100	\$1,300	\$9,400
	288	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$179,430	\$39,052	\$218,482	\$0	\$218,482
	781	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$21,000	\$3,625	\$24,625	\$0	\$24,625
	433	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$12,000	\$111,349	\$123,349	\$0	\$123,349
	674	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	\$41,000	\$100	\$41,100	\$0	\$41,100
	164	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E	\$16,612	\$669,189	\$685,801	\$0	\$685,801
	1171	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$0	\$100	\$100	\$1,300	\$1,400
	271	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$188,597	\$42,200	\$230,797	\$17,000	\$247,797
	966	Springsnail, Koster's ( <i>Juurnia kosteri</i> )	E	\$8,000	\$100	\$8,100	\$1,000	\$9,100
	961	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$8,000	\$100	\$8,100	\$1,100	\$9,200
	1171	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$0	\$100	\$100	\$1,300	\$1,400
<b>Snails subtotal</b>				\$1,634,940	\$2,319,238	\$3,954,178	\$60,575	\$4,014,753
<b>Insects</b>	173	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$316,215	\$225,955	\$542,170	\$97,678	\$639,848
	1109	Beetle, Coffin Cave mold ( <i>Batrisodes texanus</i> )	E	\$2,000	\$600	\$2,600	\$1,160	\$3,760
	266	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	\$254,164	\$722	\$254,886	\$0	\$254,886
	301	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	\$206,655	\$722	\$207,377	\$0	\$207,377
	1125	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	\$688	\$2,500	\$3,188	\$0	\$3,188



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	933	Beetle, Helotes mold ( <i>Batrisodes venyivi</i> )	E	\$10,000	\$600	\$10,600	\$0	\$10,600
	508	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	\$83,000	\$1,300	\$84,300	\$0	\$84,300
	1144	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	\$2,000	\$600	\$2,600	\$0	\$2,600
	649	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	\$46,675	\$300	\$46,975	\$0	\$46,975
	1002	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$7,000	\$600	\$7,600	\$0	\$7,600
	85	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$840,852	\$1,654,471	\$2,495,323	\$0	\$2,495,323
	404	Butterfly, bay checkerspot ( <i>Euphy- dryas editha bayensis</i> )	T	\$112,108	\$28,200	\$140,308	\$0	\$140,308
	482	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensi</i> )	E	\$92,229	\$0	\$92,229	\$0	\$92,229
	445	Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )	E	\$114,089	\$500	\$114,589	\$0	\$114,589
	189	Butterfly, El Segundo blue ( <i>Euphilotes batooides allyni</i> )	E	\$22,678	\$503,037	\$525,715	\$0	\$525,715
	175	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$491,126	\$121,516	\$612,642	\$0	\$612,642
	100	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	\$379,600	\$1,111,006	\$1,490,606	\$238,500	\$1,729,106
	485	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	\$89,775	\$930	\$90,705	\$0	\$90,705
	1157	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	408	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	\$26,154	\$112,400	\$138,554	\$0	\$138,554
	429	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	\$123,700	\$3,031	\$126,731	\$0	\$126,731
	844	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	\$17,435	\$300	\$17,735	\$0	\$17,735
	148	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	\$620,624	\$249,820	\$870,444	\$5,000	\$875,444
	480	Butterfly, Palos Verdes blue ( <i>Glaucopteryx lydamus palosverdesensis</i> )	E	\$397	\$92,000	\$92,397	\$0	\$92,397
	183	Butterfly, Quino checkerspot ( <i>Euphy- dryas editha quino</i> )	E	\$22,018	\$533,385	\$555,403	\$0	\$555,403
	379	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	\$12,000	\$140,575	\$152,575	\$0	\$152,575

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	799	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	\$18,124	\$3,300	\$21,424	\$0	\$21,424
	797	Butterfly, Schaus swallowtail ( <i>Heracles aristodemus ponceanus</i> )	E	\$20,000	\$1,583	\$21,583	\$0	\$21,583
	492	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	\$71,265	\$18,300	\$89,565	\$0	\$89,565
	726	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocnema</i> )	E	\$3,391	\$28,160	\$31,551	\$0	\$31,551
	787	Damselfly, flying earwig Hawaiian ( <i>Megalagrion nesiotis</i> )	E	\$23,754	\$0	\$23,754	\$0	\$23,754
	787	Damselfly, Pacific Hawaiian ( <i>Megalagrion pacificum</i> )	E	\$23,754	\$0	\$23,754	\$0	\$23,754
	252	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$119,900	\$14,500	\$134,400	\$153,200	\$287,600
	1058	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	\$3,651	\$1,809	\$5,460	\$0	\$5,460
	1101	Fly, Hawaiian picture-wing ( <i>Drosophila sharpi</i> )	E	\$4,018	\$0	\$4,018	\$0	\$4,018
	882	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	\$13,649	\$400	\$14,049	\$0	\$14,049
	560	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	\$8,000	\$58,600	\$66,600	\$1,160	\$67,760
	560	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	\$8,000	\$58,600	\$66,600	\$1,160	\$67,760
	596	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	\$49,700	\$6,716	\$56,416	\$0	\$56,416
	763	Moth, Kern primrose sphinx ( <i>Euproserpinus euterpe</i> )	T	\$10,578	\$15,809	\$26,387	\$0	\$26,387
	795	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$21,716	\$0	\$21,716	\$0	\$21,716
	1184	Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )	E	\$703	\$0	\$703	\$0	\$703
	1185	Pomace fly, [unnamed] ( <i>Drosophila differens</i> )	E	\$603	\$0	\$603	\$0	\$603
	1184	Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )	E	\$703	\$0	\$703	\$0	\$703
	1134	Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )	E	\$703	\$2,191	\$2,894	\$0	\$2,894
	250	Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )	E	\$1,903	\$287,775	\$289,678	\$0	\$289,678
	1166	Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )	T	\$603	\$1,095	\$1,698	\$0	\$1,698
	1184	Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )	E	\$703	\$0	\$703	\$0	\$703
	1185	Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )	E	\$603	\$0	\$603	\$0	\$603

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1184	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$703	\$0	\$703	\$0	\$703
	1163	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$703	\$1,095	\$1,798	\$0	\$1,798
	250	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$1,903	\$287,775	\$289,678	\$0	\$289,678
	1184	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$703	\$0	\$703	\$0	\$703
	592	Skipper, Carson wandering ( <i>Pseudocopaodes eunus obscurus</i> )	E	\$54,292	\$4,100	\$58,392	\$0	\$58,392
	666	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	\$239	\$43,127	\$43,366	\$0	\$43,366
	681	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$26,624	\$12,455	\$39,079	\$0	\$39,079
	287	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$177,467	\$43,528	\$220,995	\$0	\$220,995
	586	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$50,969	\$8,400	\$59,369	\$0	\$59,369
	317	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$141,755	\$53,354	\$195,109	\$800	\$195,909
	425	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> )	E	\$86,702	\$10,300	\$97,002	\$31,700	\$128,702
<b>Insects subtotal</b>				\$4,843,266	\$5,748,042	\$10,591,308	\$530,358	\$11,121,666
<b>Arachnids</b>	942	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$0	\$8,600	\$8,600	\$1,600	\$10,200
	976	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$0	\$8,600	\$8,600	\$0	\$8,600
	896	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	\$5,000	\$8,000	\$13,000	\$0	\$13,000
	664	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$35,000	\$8,600	\$43,600	\$0	\$43,600
	890	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$0	\$12,100	\$12,100	\$1,160	\$13,260
	574	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$4,000	\$58,600	\$62,600	\$1,160	\$63,760
	888	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$5,000	\$8,600	\$13,600	\$0	\$13,600
	888	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$5,000	\$8,600	\$13,600	\$0	\$13,600
	801	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$8,000	\$12,100	\$20,100	\$1,160	\$21,260
	929	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$3,000	\$8,000	\$11,000	\$0	\$11,000
	710	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$11,500	\$22,100	\$33,600	\$0	\$33,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	866	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$7,000	\$8,600	\$15,600	\$0	\$15,600
<b>Arachnids subtotal</b>				\$83,500	\$172,500	\$256,000	\$5,080	\$261,080
<b>Crustaceans</b>	1177	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	\$1,099	\$0	\$1,099	\$0	\$1,099
	990	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$1,000	\$1,200	\$2,200	\$6,100	\$8,300
	1130	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	934	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$8,800	\$100	\$8,900	\$1,600	\$10,500
	387	Amphipod, Peck's cave ( <i>Stygobromus</i> (= <i>Stygonectes</i> ) <i>pecki</i> )	E	\$147,492	\$722	\$148,214	\$1,600	\$149,814
	916	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$11,100	\$387	\$11,487	\$0	\$11,487
	648	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$47,000	\$0	\$47,000	\$0	\$47,000
	790	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$22,500	\$713	\$23,213	\$0	\$23,213
	770	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$23,020	\$2,800	\$25,820	\$0	\$25,820
	272	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$233,189	\$11,320	\$244,509	\$0	\$244,509
	261	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$252,442	\$9,320	\$261,762	\$0	\$261,762
	372	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$13,721	\$140,309	\$154,030	\$0	\$154,030
	199	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$35,776	\$439,562	\$475,338	\$0	\$475,338
	93	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$960,677	\$1,018,211	\$1,978,888	\$0	\$1,978,888
	665	Isopod, Lee County cave ( <i>Lirceus usdagalum</i> )	E	\$43,500	\$0	\$43,500	\$0	\$43,500
	573	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$40,500	\$23,400	\$63,900	\$0	\$63,900
	1146	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$700	\$100	\$800	\$1,650	\$2,450
	721	Shrimp, Alabama cave ( <i>Palaemonias alabamae</i> )	E	\$4,000	\$28,106	\$32,106	\$0	\$32,106
	639	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$25,349	\$23,020	\$48,369	\$0	\$48,369
	1077	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$4,000	\$1,000	\$5,000	\$0	\$5,000
	1179	Shrimp, Squirrel Chimney Cave ( <i>Palaemonetes cummingi</i> )	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	131	Tadpole shrimp, vernal pool ( <i>Lepidurus packardi</i> )	E	\$471,626	\$622,060	\$1,093,686	\$0	\$1,093,686

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
<b>Crustaceans subtotal</b>				\$2,350,491	\$2,323,330	\$4,673,821	\$10,950	\$4,684,771
<b>Corals</b>	87	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$0	\$2,460,760	\$2,460,760	\$0	\$2,460,760
	83	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$0	\$2,560,317	\$2,560,317	\$0	\$2,560,317
<b>Corals subtotal</b>				\$0	\$5,021,077	\$5,021,077	\$0	\$5,021,077
<b>Flowering Plants</b>	604	Alani ( <i>Melicope adscendens</i> )	E	\$52,800	\$200	\$53,000	\$2,337	\$55,337
	1027	Alani ( <i>Melicope balloui</i> )	E	\$5,600	\$1,200	\$6,800	\$0	\$6,800
	909	Alani ( <i>Melicope degeneri</i> )	E	\$11,712	\$200	\$11,912	\$0	\$11,912
	1063	Alani ( <i>Melicope hauptensis</i> )	E	\$3,300	\$200	\$3,500	\$1,851	\$5,351
	624	Alani ( <i>Melicope knudsenii</i> )	E	\$50,600	\$200	\$50,800	\$0	\$50,800
	545	Alani ( <i>Melicope lydgatei</i> )	E	\$3,706	\$65,753	\$69,459	\$487	\$69,946
	734	Alani ( <i>Melicope mucronulata</i> )	E	\$28,100	\$200	\$28,300	\$1,851	\$30,151
	1162	Alani ( <i>Melicope munroi</i> )	E	\$1,600	\$200	\$1,800	\$0	\$1,800
	1015	Alani ( <i>Melicope ovalis</i> )	E	\$1,700	\$5,500	\$7,200	\$0	\$7,200
	970	Alani ( <i>Melicope pallida</i> )	E	\$3,406	\$4,151	\$7,557	\$1,364	\$8,921
	1007	Alani ( <i>Melicope paniculata</i> )	E	\$6,800	\$200	\$7,000	\$487	\$7,487
	957	Alani ( <i>Melicope puberula</i> )	E	\$9,112	\$200	\$9,312	\$0	\$9,312
	1115	Alani ( <i>Melicope quadrangularis</i> )	E	\$3,400	\$200	\$3,600	\$0	\$3,600
	1162	Alani ( <i>Melicope reflexa</i> )	E	\$1,600	\$200	\$1,800	\$0	\$1,800
	1138	Alani ( <i>Melicope saint- johnii</i> )	E	\$2,506	\$200	\$2,706	\$0	\$2,706
	779	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$3,403	\$18,949	\$22,352	\$2,337	\$24,689
	824	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	\$19,042	\$300	\$19,342	\$0	\$19,342
	854	Alopecurus, Sonoma ( <i>Alopecurus aequalis var. sonomensis</i> )	E	\$7,685	\$9,300	\$16,985	\$0	\$16,985
	136	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$65,252	\$969,329	\$1,034,581	\$1,246	\$1,035,827
	256	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$237,632	\$43,476	\$281,108	\$0	\$281,108
	580	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$49,400	\$11,762	\$61,162	\$100	\$61,262
	331	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$21,649	\$159,000	\$180,649	\$0	\$180,649
	863	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$8,000	\$6,380	\$14,380	\$1,500	\$15,880
	669	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$41,000	\$1,200	\$42,200	\$28	\$42,228
	583	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$27,600	\$30,142	\$57,742	\$2,200	\$59,942
	528	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$55,500	\$2,456	\$57,956	\$17,200	\$75,156
	691	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$17,500	\$20,000	\$37,500	\$0	\$37,500
	316	Aupaka ( <i>Isodendron hosakae</i> )	E	\$1,500	\$194,082	\$195,582	\$487	\$196,069

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1082	Aupaka ( <i>Isodendrion laurifolium</i> )	E	\$2,806	\$200	\$3,006	\$1,851	\$4,857
	938	Aupaka ( <i>Isodendrion longifolium</i> )	T	\$5,606	\$4,151	\$9,757	\$697	\$10,454
	895	Avens, spreading ( <i>Geum radiatum</i> )	E	\$7,000	\$5,820	\$12,820	\$182	\$13,002
	1029	Awiwi ( <i>Centaurium sebaeoides</i> )	E	\$3,606	\$2,750	\$6,356	\$433	\$6,789
	1107	Awiwi ( <i>Hedyotis cookiana</i> )	E	\$3,700	\$200	\$3,900	\$0	\$3,900
	497	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$84,000	\$3,079	\$87,079	\$200	\$87,279
	831	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$15,600	\$600	\$16,200	\$2,450	\$18,650
	274	A`e ( <i>Zanthoxylum hawaiiense</i> )	E	\$38,702	\$194,082	\$232,784	\$1,364	\$234,148
	968	Baccharis, Encinitas ( <i>Baccharis vanessae</i> )	T	\$3,571	\$5,381	\$8,952	\$0	\$8,952
	1036	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$1,650	\$4,851	\$6,501	\$0	\$6,501
	1073	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$1,110	\$4,000	\$5,110	\$0	\$5,110
	1077	Bariaco ( <i>Trichilia triacantha</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	630	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$14,223	\$35,300	\$49,523	\$0	\$49,523
	712	Bear-poppy, Dwarf ( <i>Arctomecon humilis</i> )	E	\$26,000	\$6,400	\$32,400	\$1,000	\$33,400
	792	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$10,623	\$12,285	\$22,908	\$0	\$22,908
	713	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$14,500	\$16,890	\$31,390	\$2,000	\$33,390
	711	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	\$18,000	\$14,934	\$32,934	\$600	\$33,534
	341	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> )	E	\$13,879	\$160,500	\$174,379	\$0	\$174,379
	785	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$18,021	\$5,851	\$23,872	\$0	\$23,872
	894	Bellflower, Brooksville ( <i>Campanula robinsiae</i> )	E	\$6,000	\$2,956	\$8,956	\$4,100	\$13,056
	1020	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$7,100	\$0	\$7,100	\$0	\$7,100
	569	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$60,847	\$4,200	\$65,047	\$0	\$65,047
	1181	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	\$574	\$300	\$874	\$0	\$874
	714	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	\$30,161	\$3,190	\$33,351	\$0	\$33,351
	502	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	\$84,732	\$1,400	\$86,132	\$0	\$86,132
	992	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$0	\$6,183	\$6,183	\$2,000	\$8,183

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1141	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$2,500	\$0	\$2,500	\$160	\$2,660
	932	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$10,399	\$285	\$10,684	\$0	\$10,684
	928	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$2,000	\$9,027	\$11,027	\$0	\$11,027
	1196	Bladderpod, lyrate ( <i>Lesquerella lyrata</i> )	T	\$0	\$220	\$220	\$0	\$220
	579	bladderpod, Missouri ( <i>Physaria filiformis</i> )	T	\$26,500	\$32,663	\$59,163	\$2,200	\$61,363
	568	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	\$100	\$65,000	\$65,100	\$0	\$65,100
	762	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$24,000	\$633	\$24,633	\$1,790	\$26,423
	861	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$16,000	\$0	\$16,000	\$0	\$16,000
	852	Bladderpod, Zapata ( <i>Lesquerella thammophila</i> )	E	\$13,400	\$3,221	\$16,621	\$400	\$17,021
	855	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$3,619	\$13,335	\$16,954	\$0	\$16,954
	1052	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$1,000	\$3,320	\$4,320	\$1,378	\$5,698
	696	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$15,500	\$600	\$16,100	\$20,000	\$36,100
	1113	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$1,523	\$1,150	\$2,673	\$1,000	\$3,673
	1139	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	1124	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$3,000	\$200	\$3,200	\$0	\$3,200
	800	Bluegrass, Napa ( <i>Poa napensis</i> )	E	\$20,992	\$300	\$21,292	\$0	\$21,292
	489	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$0	\$90,000	\$90,000	\$0	\$90,000
	1195	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	\$0	\$100	\$100	\$140	\$240
	741	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$8,000	\$16,290	\$24,290	\$5,000	\$29,290
	915	Boxwood, Vahl's ( <i>Buxus vahlII</i> )	E	\$11,500	\$0	\$11,500	\$0	\$11,500
	874	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$14,567	\$0	\$14,567	\$0	\$14,567
	188	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$226,238	\$300,620	\$526,858	\$0	\$526,858
	345	Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )	E	\$0	\$172,705	\$172,705	\$0	\$172,705
	466	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	\$100	\$101,000	\$101,100	\$0	\$101,100
	836	Buckwheat, Ione (Irish Hill) ( <i>Eriogonum apricum</i> (incl. <i>prostratum</i> ))	E	\$14,226	\$4,000	\$18,226	\$0	\$18,226

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1033	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$1,000	\$2,556	\$3,556	\$3,100	\$6,656
	838	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	\$18,097	\$100	\$18,197	\$0	\$18,197
	566	Bulrush, Northeastern ( <i>Scirpus</i> <i>ancistrochaetus</i> )	E	\$53,533	\$11,300	\$64,833	\$1,054	\$65,887
	618	Bush-clover, prairie ( <i>Lespedeza</i> <i>leptostachya</i> )	T	\$44,800	\$5,000	\$49,800	\$1,720	\$51,520
	345	Bush-mallow, San Clemente Island ( <i>Malacothamnus</i> <i>clementinus</i> )	E	\$0	\$172,705	\$172,705	\$0	\$172,705
	1036	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus</i> <i>fasciculatus</i> var. <i>nesioticus</i> )	E	\$1,650	\$4,851	\$6,501	\$0	\$6,501
	1130	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (= <i>acriiformis</i> ))	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	455	Butterfly plant, Colorado ( <i>Gaura</i> <i>neomexicana</i> var. <i>coloradensis</i> )	T	\$28,439	\$78,825	\$107,264	\$0	\$107,264
	273	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$13,420	\$222,500	\$235,920	\$0	\$235,920
	903	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	\$3,500	\$5,683	\$9,183	\$3,200	\$12,383
	1137	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	\$300	\$791	\$1,091	\$1,700	\$2,791
	376	Button-celery, San Diego ( <i>Eryngium</i> <i>aristulatum</i> var. <i>parishii</i> )	E	\$77,515	\$76,118	\$153,633	\$0	\$153,633
	988	Cactus, Arizona hedgehog ( <i>Echinocereus</i> <i>triglochidiatus</i> var. <i>arizonicus</i> )	E	\$5,320	\$50	\$5,370	\$3,000	\$8,370
	265	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	\$251,266	\$4,700	\$255,966	\$0	\$255,966
	1020	Cactus, black lace ( <i>Echinocereus</i> <i>reichenbachii</i> var. <i>albertii</i> )	E	\$7,000	\$0	\$7,000	\$100	\$7,100
	958	Cactus, Brady pincushion ( <i>Pediocactus</i> <i>bradyi</i> )	E	\$0	\$8,250	\$8,250	\$1,000	\$9,250
	1059	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus</i> <i>chisoensis</i> var. <i>chisoensis</i> )	T	\$5,000	\$350	\$5,350	\$100	\$5,450
	401	Cactus, Cochise pincushion ( <i>Coryphantha</i> <i>robbinsorum</i> )	T	\$0	\$143,050	\$143,050	\$1,000	\$144,050
	295	Cactus, Colorado hookless ( <i>Sclerocactus</i> <i>glauca</i> )	T	\$11,513	\$199,600	\$211,113	\$0	\$211,113



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	460	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$94,000	\$1,083	\$95,083	\$10,600	\$105,683
	832	Cactus, Knowlton's ( <i>Pediocactus knowltonii</i> )	E	\$5,346	\$13,285	\$18,631	\$0	\$18,631
	453	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )	E	\$2,000	\$106,600	\$108,600	\$0	\$108,600
	1120	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	\$2,500	\$700	\$3,200	\$200	\$3,400
	1193	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	\$0	\$0	\$0	\$300	\$300
	451	Cactus, Mesa Verde ( <i>Sclerocactus mesae- verdae</i> )	T	\$21,037	\$90,285	\$111,322	\$0	\$111,322
	1197	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	\$0	\$0	\$0	\$200	\$200
	1175	Cactus, Nichol's Turk's head ( <i>Echinocactus horizontalonius</i> var. <i>nicholii</i> )	E	\$0	\$150	\$150	\$1,000	\$1,150
	793	cactus, Pariette ( <i>Sclerocactus brevispinus</i> )	T	\$10,000	\$12,600	\$22,600	\$0	\$22,600
	542	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> )	E	\$2,030	\$68,150	\$70,180	\$1,000	\$71,180
	432	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	\$14,368	\$106,250	\$120,618	\$3,000	\$123,618
	693	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	\$5,000	\$32,325	\$37,325	\$0	\$37,325
	841	Cactus, Siler pincushion ( <i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahi</i> <i>a</i> ) <i>sileri</i> )	T	\$912,550	\$14,850	\$927,400	\$1,000	\$928,400
	447	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	\$2,300	\$110,700	\$113,000	\$0	\$113,000
	525	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$64,900	\$3,100	\$68,000	\$8,240	\$76,240
	698	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	\$2,000	\$750	\$2,750	\$32,900	\$35,650
	562	cactus, Uinta Basin hookless ( <i>Sclerocactus wetlandicus</i> )	T	\$15,000	\$52,665	\$67,665	\$0	\$67,665
	695	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$16,000	\$20,550	\$36,550	\$0	\$36,550
	516	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$16,000	\$63,875	\$79,875	\$0	\$79,875
	884	Campion, fringed ( <i>Silene polypetala</i> )	E	\$5,000	\$600	\$5,600	\$8,200	\$13,800
	1130	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1168	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$1,000	\$350	\$1,350	\$300	\$1,650
	203	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$253,522	\$191,254	\$444,776	\$20,900	\$465,676

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	811	<i>Ceanothus, coyote</i> ( <i>Ceanothus ferrisiae</i> )	E	\$20,267	\$300	\$20,567	\$0	\$20,567
	426	<i>Ceanothus, Pine Hill</i> ( <i>Ceanothus roderickii</i> )	E	\$13,879	\$114,000	\$127,879	\$0	\$127,879
	783	<i>Centauray, spring-loving</i> ( <i>Centaurium namophilum</i> )	T	\$10,859	\$13,335	\$24,194	\$0	\$24,194
	899	<i>Chaff-flower, round-leaved</i> ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )	E	\$11,800	\$400	\$12,200	\$433	\$12,633
	281	<i>Chaffseed, American</i> ( <i>Schwalbea americana</i> )	E	\$21,431	\$190,188	\$211,619	\$16,908	\$228,527
	913	<i>Checker-mallow, Keck's</i> ( <i>Sidalcea keckii</i> )	E	\$8,109	\$3,500	\$11,609	\$0	\$11,609
	1176	<i>Checker-mallow, Kenwood Marsh</i> ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )	E	\$803	\$300	\$1,103	\$0	\$1,103
	323	<i>Checker-mallow, Nelson's</i> ( <i>Sidalcea nelsoniana</i> )	T	\$180,756	\$7,302	\$188,058	\$0	\$188,058
	494	<i>Checker-mallow, pedate</i> ( <i>Sidalcea pedata</i> )	E	\$494	\$88,000	\$88,494	\$0	\$88,494
	843	<i>Checkermallow, Wenatchee Mountains</i> ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	\$13,402	\$4,387	\$17,789	\$0	\$17,789
	907	<i>Chumbo, Higo</i> ( <i>Harrisia portoricensis</i> )	T	\$12,000	\$0	\$12,000	\$0	\$12,000
	1102	<i>Chupacallos</i> ( <i>Pleodendron macranthum</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1089	<i>Clarkia, Pismo</i> ( <i>Clarkia speciosa</i> ssp. <i>immaculata</i> )	E	\$4,505	\$0	\$4,505	\$0	\$4,505
	628	<i>Clarkia, Presidio</i> ( <i>Clarkia franciscana</i> )	E	\$17,435	\$32,400	\$49,835	\$0	\$49,835
	906	<i>Clarkia, Springville</i> ( <i>Clarkia springvillensis</i> )	T	\$6,159	\$5,900	\$12,059	\$0	\$12,059
	620	<i>Clarkia, Vine Hill</i> ( <i>Clarkia imbricata</i> )	E	\$51,043	\$300	\$51,343	\$0	\$51,343
	1005	<i>Cliff-rose, Arizona</i> ( <i>Purshia (=Cowania) subintegra</i> )	E	\$455	\$6,050	\$6,505	\$1,000	\$7,505
	947	<i>Clover, Monterey</i> ( <i>Trifolium trichocalyx</i> )	E	\$9,770	\$0	\$9,770	\$0	\$9,770
	407	<i>Clover, running buffalo</i> ( <i>Trifolium stoloniferum</i> )	E	\$93,200	\$41,338	\$134,538	\$4,100	\$138,638
	707	<i>Clover, showy Indian</i> ( <i>Trifolium amoenum</i> )	E	\$33,192	\$800	\$33,992	\$0	\$33,992
	1043	<i>Cobana negra</i> ( <i>Stahlia monosperma</i> )	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	359	<i>Coneflower, smooth</i> ( <i>Echinacea laevigata</i> )	E	\$180,650	\$94,243	\$274,893	\$12,032	\$286,925
	803	<i>Coneflower, Tennessee purple</i> ( <i>Echinacea tennesseensis</i> )	E	\$17,000	\$2,993	\$19,993	\$1,117	\$21,110
	1074	<i>Cory cactus, bunched</i> ( <i>Coryphantha ramillosa</i> )	T	\$5,000	\$0	\$5,000	\$100	\$5,100
	796	<i>Crownbeard, big-leaved</i> ( <i>Verbesina dissita</i> )	T	\$21,634	\$0	\$21,634	\$0	\$21,634

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	856	Cycladenia, Jones ( <i>Cycladenia jonesii</i> (= <i>humilis</i> ))	T	\$3,000	\$12,800	\$15,800	\$1,000	\$16,800
	920	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$7,800	\$3,431	\$11,231	\$100	\$11,331
	406	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	\$34,000	\$105,200	\$139,200	\$0	\$139,200
	810	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$0	\$20,620	\$20,620	\$0	\$20,620
	332	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	\$127,478	\$52,058	\$179,536	\$0	\$179,536
	292	Dawn-flower, Texas prairie ( <i>Hymenoxys</i> <i>texana</i> )	E	\$41,300	\$171,888	\$213,188	\$0	\$213,188
	424	Desert-parsley, Bradshaw's ( <i>Lomatium</i> <i>bradshawii</i> )	E	\$92,554	\$36,770	\$129,324	\$0	\$129,324
	751	Dogweed, ashy ( <i>Thymo-</i> <i>phylla tephroleuca</i> )	E	\$27,500	\$221	\$27,721	\$0	\$27,721
	651	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$9,000	\$20,386	\$29,386	\$17,042	\$46,428
	1114	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	\$2,625	\$1,000	\$3,625	\$0	\$3,625
	902	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	\$11,473	\$1,000	\$12,473	\$0	\$12,473
	828	Dudleya, Santa Clara Valley ( <i>Dudleya</i> <i>setchellii</i> )	E	\$18,547	\$300	\$18,847	\$0	\$18,847
	937	Dudleya, Santa Cruz Island ( <i>Dudleya</i> <i>nesiotica</i> )	T	\$5,611	\$4,851	\$10,462	\$0	\$10,462
	1114	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	\$2,625	\$1,000	\$3,625	\$0	\$3,625
	839	Dudleyea, Santa Monica Mountains ( <i>Dudleya</i> <i>cymosa</i> ssp. <i>ovatifolia</i> )	T	\$17,157	\$1,000	\$18,157	\$0	\$18,157
	1038	Dwarf-flax, Marin ( <i>Hes-</i> <i>perolinon congestum</i> )	T	\$1,032	\$5,300	\$6,332	\$0	\$6,332
	1118	Erubia ( <i>Solanum</i> <i>drymophilum</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	585	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )	E	\$58,417	\$1,100	\$59,517	\$0	\$59,517
	683	Evening-primrose, Eureka Valley ( <i>Oeno-</i> <i>thera avita eurekaensis</i> )	E	\$18,978	\$20,000	\$38,978	\$0	\$38,978
	357	Evening-primrose, San Benito ( <i>Camissonia</i> <i>benitensis</i> )	T	\$78,598	\$86,000	\$164,598	\$0	\$164,598
	709	Fiddleneck, large- flowered ( <i>Amsinckia</i> <i>grandiflora</i> )	E	\$32,571	\$1,100	\$33,671	\$0	\$33,671
	1044	Flannelbush, Mexican ( <i>Fremontodendron</i> <i>mexicanum</i> )	E	\$529	\$5,381	\$5,910	\$0	\$5,910
	564	Flannelbush, Pine Hill ( <i>Fremontodendron</i> <i>californicum</i> ssp. <i>decumbens</i> )	E	\$14,567	\$52,500	\$67,067	\$0	\$67,067

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	850	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$3,000	\$13,150	\$16,150	\$1,000	\$17,150
	338	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$112,359	\$45,090	\$157,449	\$19,000	\$176,449
	809	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$15,500	\$2,921	\$18,421	\$2,200	\$20,621
	822	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$15,500	\$2,456	\$17,956	\$1,600	\$19,556
	1013	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	\$2,411	\$4,851	\$7,262	\$0	\$7,262
	194	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$36,000	\$456,250	\$492,250	\$0	\$492,250
	329	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$175,600	\$200	\$175,800	\$4,928	\$180,728
	819	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$1,800	\$16,000	\$17,800	\$1,851	\$19,651
	752	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$20,933	\$6,600	\$27,533	\$150	\$27,683
	973	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora hoffmannii</i> )	E	\$3,961	\$4,851	\$8,812	\$0	\$8,812
	879	Gilia, Monterey ( <i>Gilia tenuiflora ssp. arenaria</i> )	E	\$5,309	\$9,000	\$14,309	\$0	\$14,309
	1170	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	1194	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> )	T	\$0	\$200	\$200	\$98	\$298
	816	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$16,000	\$4,062	\$20,062	\$0	\$20,062
	846	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$17,100	\$0	\$17,100	\$500	\$17,600
	817	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$7,000	\$13,000	\$20,000	\$0	\$20,000
	452	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$93,804	\$16,094	\$109,898	\$0	\$109,898
	97	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$128,397	\$1,727,195	\$1,855,592	\$0	\$1,855,592
	815	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$9,000	\$10,500	\$19,500	\$600	\$20,100
	911	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis ssp. okeechobeensis</i> )	E	\$7,000	\$2,064	\$9,064	\$2,600	\$11,664
	344	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$27,035	\$146,365	\$173,400	\$0	\$173,400
	814	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$0	\$20,484	\$20,484	\$0	\$20,484
	897	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$11,241	\$1,600	\$12,841	\$0	\$12,841
	749	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$16,000	\$4,207	\$20,207	\$8,006	\$28,213
	761	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$22,000	\$3,681	\$25,681	\$935	\$26,616
	1097	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	\$3,100	\$150	\$3,250	\$1,000	\$4,250

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	806	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	\$3,619	\$17,335	\$20,954	\$0	\$20,954
	555	Haha ( <i>Cyanea acuminata</i> )	E	\$2,306	\$65,753	\$68,059	\$487	\$68,546
	1116	Haha ( <i>Cyanea asarifolia</i> )	E	\$2,900	\$200	\$3,100	\$487	\$3,587
	1165	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$1,500	\$200	\$1,700	\$0	\$1,700
	977	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	\$4,800	\$3,300	\$8,100	\$487	\$8,587
	1102	Haha ( <i>Cyanea dolichopoda</i> )	E	\$3,800	\$200	\$4,000	\$0	\$4,000
	343	Haha ( <i>Cyanea dunbarii</i> )	E	\$171,600	\$200	\$171,800	\$1,851	\$173,651
	1066	Haha ( <i>Cyanea eleleensis</i> )	E	\$5,100	\$200	\$5,300	\$0	\$5,300
	979	Haha ( <i>Cyanea glabra</i> )	E	\$5,600	\$2,400	\$8,000	\$487	\$8,487
	368	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	\$7,906	\$145,065	\$152,971	\$2,337	\$155,308
	1080	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	\$3,706	\$200	\$3,906	\$974	\$4,880
	812	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )	E	\$17,500	\$200	\$17,700	\$2,824	\$20,524
	960	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	\$5,600	\$3,300	\$8,900	\$321	\$9,221
	1122	Haha ( <i>Cyanea humboldtiana</i> )	E	\$2,606	\$200	\$2,806	\$487	\$3,293
	1179	Haha ( <i>Cyanea kolekoleensis</i> )	E	\$800	\$200	\$1,000	\$0	\$1,000
	538	Haha ( <i>Cyanea koolauensis</i> )	E	\$5,906	\$65,753	\$71,659	\$487	\$72,146
	1066	Haha ( <i>Cyanea kuhihewa</i> )	E	\$5,100	\$200	\$5,300	\$0	\$5,300
	978	Haha ( <i>Cyanea lobata</i> )	E	\$4,600	\$200	\$4,800	\$3,702	\$8,502
	389	Haha ( <i>Cyanea longiflora</i> )	E	\$2,406	\$144,965	\$147,371	\$974	\$148,345
	1083	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$2,800	\$200	\$3,000	\$1,851	\$4,851
	1162	Haha ( <i>Cyanea mannii</i> )	E	\$1,600	\$200	\$1,800	\$0	\$1,800
	1040	Haha ( <i>Cyanea mceldowneyi</i> )	E	\$5,600	\$200	\$5,800	\$487	\$6,287
	1041	Haha ( <i>Cyanea pinnatifida</i> )	E	\$3,706	\$200	\$3,906	\$2,337	\$6,243
	940	Haha ( <i>Cyanea platyphylla</i> )	E	\$6,700	\$200	\$6,900	\$3,423	\$10,323
	1034	Haha ( <i>Cyanea procera</i> )	E	\$4,600	\$200	\$4,800	\$1,851	\$6,651
	1136	Haha ( <i>Cyanea recta</i> )	T	\$2,600	\$200	\$2,800	\$0	\$2,800
	1127	Haha ( <i>Cyanea remyi</i> )	E	\$2,400	\$200	\$2,600	\$487	\$3,087
	764	Haha ( <i>Cyanea shipmanii</i> )	E	\$17,702	\$5,200	\$22,902	\$3,423	\$26,325
	540	Haha ( <i>Cyanea st.-johnii</i> )	E	\$3,706	\$65,753	\$69,459	\$1,851	\$71,310
	786	Haha ( <i>Cyanea stictophylla</i> )	E	\$17,702	\$1,822	\$19,524	\$4,231	\$23,755
	386	Haha ( <i>Cyanea superba</i> )	E	\$4,006	\$144,965	\$148,971	\$974	\$149,945
	1050	Haha ( <i>Cyanea truncata</i> )	E	\$3,706	\$200	\$3,906	\$1,851	\$5,757

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1063	Haha ( <i>Cyanea undulata</i> )	E	\$3,300	\$200	\$3,500	\$1,851	\$5,351
	1102	Haiwale ( <i>Cyrtandra paliku</i> )	E	\$3,800	\$200	\$4,000	\$0	\$4,000
	464	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$48,303	\$53,327	\$101,630	\$1,782	\$103,412
	668	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$25,000	\$750	\$25,750	\$17,100	\$42,850
	529	Harperella ( <i>Ptilimium nodosum</i> )	E	\$60,500	\$6,130	\$66,630	\$8,400	\$75,030
	877	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$3,002	\$11,322	\$14,324	\$0	\$14,324
	880	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$6,902	\$5,200	\$12,102	\$2,172	\$14,274
	1126	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$2,900	\$200	\$3,100	\$0	\$3,100
	1159	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$1,700	\$200	\$1,900	\$0	\$1,900
	553	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$2,406	\$65,753	\$68,159	\$487	\$68,646
	684	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	\$5,803	\$31,540	\$37,343	\$1,461	\$38,804
	1030	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$2,600	\$4,151	\$6,751	\$0	\$6,751
	1180	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	\$300	\$200	\$500	\$487	\$987
	1087	Ha`iwale ( <i>Cyrtandra oenobarba</i> )	E	\$4,500	\$200	\$4,700	\$0	\$4,700
	1050	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	\$3,706	\$200	\$3,906	\$1,851	\$5,757
	555	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$2,306	\$65,753	\$68,059	\$487	\$68,546
	987	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$5,602	\$1,822	\$7,424	\$974	\$8,398
	558	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$2,306	\$65,753	\$68,059	\$0	\$68,059
	402	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$26,500	\$13,935	\$40,435	\$101,582	\$142,017
	1188	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$500	\$0	\$500	\$0	\$500
	791	Heau ( <i>Exocarpos luteolus</i> )	E	\$22,800	\$200	\$23,000	\$0	\$23,000
	1118	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$3,300	\$200	\$3,500	\$0	\$3,500
	1063	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$3,300	\$200	\$3,500	\$1,851	\$5,351
	1179	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1140	Holei ( <i>Ochrosia kilaeensis</i> )	E	\$1,500	\$200	\$1,700	\$974	\$2,674
	1130	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	275	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$36,900	\$195,744	\$232,644	\$487	\$233,131
	348	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$45,323	\$102,852	\$148,175	\$23,000	\$171,175
	1139	Ho`awa ( <i>Pitiosporum napaliense</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1003	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$3,500	\$850	\$4,350	\$3,200	\$7,550
	1164	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	\$1,703	\$0	\$1,703	\$0	\$1,703
	1139	Iliau, dwarf ( <i>Wilkesia hobdyi</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	345	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$0	\$172,705	\$172,705	\$0	\$172,705
	813	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	\$20,000	\$500	\$20,500	\$0	\$20,500
	730	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$13,500	\$4,300	\$17,800	\$13,000	\$30,800
	858	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$12,500	\$1,800	\$14,300	\$1,928	\$16,228
	985	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$3,002	\$4,922	\$7,924	\$487	\$8,411
	783	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$10,859	\$13,335	\$24,194	\$0	\$24,194
	517	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$68,000	\$1,000	\$69,000	\$10,600	\$79,600
	658	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$7,650	\$37,000	\$44,650	\$0	\$44,650
	1021	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$6,733	\$300	\$7,033	\$0	\$7,033
	1054	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	\$5,278	\$300	\$5,578	\$0	\$5,578
	745	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$17,893	\$10,975	\$28,868	\$0	\$28,868
	248	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$3,706	\$287,975	\$291,681	\$974	\$292,655
	997	Kamakahala ( <i>Labordia helleri</i> )	E	\$7,612	\$200	\$7,812	\$0	\$7,812
	925	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$5,100	\$4,151	\$9,251	\$1,851	\$11,102
	946	Kamakahala ( <i>Labordia pumila</i> )	E	\$9,612	\$200	\$9,812	\$0	\$9,812
	1148	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$1,700	\$200	\$1,900	\$487	\$2,387
	1075	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	\$3,500	\$200	\$3,700	\$1,364	\$5,064
	1084	Kamakahala ( <i>Labordia triflora</i> )	E	\$4,600	\$200	\$4,800	\$0	\$4,800
	340	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	\$27,606	\$144,965	\$172,571	\$2,284	\$174,855
	1120	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$3,200	\$200	\$3,400	\$0	\$3,400
	582	Kauila ( <i>Colubrina oppositifolia</i> )	E	\$15,806	\$40,200	\$56,006	\$4,441	\$60,447
	1144	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$2,400	\$200	\$2,600	\$0	\$2,600
	318	Kio`ele ( <i>Hedyotis coriacea</i> )	E	\$1,700	\$194,082	\$195,782	\$0	\$195,782

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	889	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$6,902	\$5,200	\$12,102	\$1,461	\$13,563
	1071	Kohe malama malama o kanaloa ( <i>Kanaloa kahoolawensis</i> )	E	\$3,100	\$200	\$3,300	\$1,851	\$5,151
	570	Koki`o ( <i>Kokia drynarioides</i> )	E	\$13,802	\$48,705	\$62,507	\$2,172	\$64,679
	1132	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$2,300	\$200	\$2,500	\$487	\$2,987
	342	Koki`o ke`oke`o ( <i>Hibiscus arnottianus ssp. immaculatus</i> )	E	\$168,800	\$3,500	\$172,300	\$1,364	\$173,664
	1035	Koki`o ke`oke`o ( <i>Hibiscus waimeae ssp. hannerae</i> )	E	\$2,400	\$4,151	\$6,551	\$0	\$6,551
	1126	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	\$2,900	\$200	\$3,100	\$0	\$3,100
	558	Kolea ( <i>Myrsine juddii</i> )	E	\$2,306	\$65,753	\$68,059	\$0	\$68,059
	1017	Kolea ( <i>Myrsine knudsenii</i> )	E	\$5,100	\$200	\$5,300	\$1,851	\$7,151
	982	Kolea ( <i>Myrsine linearifolia</i> )	T	\$4,300	\$4,151	\$8,451	\$0	\$8,451
	974	Kolea ( <i>Myrsine mezii</i> )	E	\$6,712	\$200	\$6,912	\$1,851	\$8,763
	1130	Kopa ( <i>Hedyotis schlechtendahlana</i> var. <i>remyi</i> )	E	\$2,800	\$200	\$3,000	\$0	\$3,000
	974	Kopiko ( <i>Psychotria grandiflora</i> )	E	\$6,712	\$200	\$6,912	\$1,851	\$8,763
	1046	Kopiko ( <i>Psychotria hobdyi</i> )	E	\$3,800	\$200	\$4,000	\$1,851	\$5,851
	1066	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	\$2,000	\$3,300	\$5,300	\$0	\$5,300
	350	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	\$168,800	\$200	\$169,000	\$1,364	\$170,364
	439	Ko`oloa`ula ( <i>Abutilon menziesii</i> )	E	\$10,700	\$16,450	\$27,150	\$90,808	\$117,958
	1042	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$3,802	\$1,822	\$5,624	\$487	\$6,111
	311	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$30,606	\$163,865	\$194,471	\$4,211	\$198,682
	875	Kuawawaenohu ( <i>Alsiniendron lychnoides</i> )	E	\$14,300	\$200	\$14,500	\$0	\$14,500
	1012	Kula wahine noho ( <i>Isodendron pyrifolium</i> )	E	\$5,606	\$1,200	\$6,806	\$487	\$7,293
	365	Kulu`i ( <i>Nototrichium humile</i> )	E	\$2,406	\$153,215	\$155,621	\$487	\$156,108
	1141	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$1,610	\$50	\$1,660	\$1,000	\$2,660
	517	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$23,000	\$56,300	\$79,300	\$300	\$79,600
	77	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$152,511	\$2,613,788	\$2,766,299	\$23,700	\$2,789,999
	724	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	\$31,494	\$300	\$31,794	\$0	\$31,794
	333	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$0	\$179,371	\$179,371	\$0	\$179,371



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	704	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	\$34,188	\$300	\$34,488	\$0	\$34,488
	864	Lau `ehu ( <i>Panicum niihauense</i> )	E	\$6,600	\$7,883	\$14,483	\$1,364	\$15,847
	1144	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	\$2,400	\$200	\$2,600	\$0	\$2,600
	539	Layia, beach ( <i>Layia carnosa</i> )	E	\$45,836	\$26,175	\$72,011	\$0	\$72,011
	759	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$1,000	\$15,334	\$16,334	\$10,600	\$26,934
	1023	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$4,000	\$0	\$4,000	\$3,000	\$7,000
	1064	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$3,500	\$0	\$3,500	\$1,817	\$5,317
	941	Lehua makanoe ( <i>Lysi- machia daphnoides</i> )	E	\$9,612	\$200	\$9,812	\$509	\$10,321
	682	Lessingia, San Francisco ( <i>Lessingia germanorum</i> )	E	\$26,611	\$12,400	\$39,011	\$0	\$39,011
	1152	Liliwai ( <i>Acaena exigua</i> )	E	\$2,000	\$200	\$2,200	\$0	\$2,200
	1144	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$1,000	\$1,600	\$2,600	\$0	\$2,600
	1187	Lily, Pitkin Marsh ( <i>Lilium pardalinum ssp. pitkinense</i> )	E	\$229	\$300	\$529	\$0	\$529
	236	Lily, Western ( <i>Lilium occidentale</i> )	E	\$303,100	\$23,615	\$326,715	\$0	\$326,715
	754	Liveforever, Laguna Beach ( <i>Dudleya stolonifera</i> )	T	\$27,161	\$0	\$27,161	\$0	\$27,161
	818	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$0	\$19,851	\$19,851	\$0	\$19,851
	848	Locoweed, Fassett's ( <i>Oxytropis campestris var. chartacea</i> )	T	\$1,700	\$3,700	\$5,400	\$12,000	\$17,400
	421	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$52,478	\$78,200	\$130,678	\$0	\$130,678
	395	Loosestrife, rough- leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$15,000	\$130,161	\$145,161	\$1,464	\$146,625
	673	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$30,163	\$0	\$30,163	\$11,200	\$41,363
	1129	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$2,806	\$200	\$3,006	\$0	\$3,006
	952	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$3,808	\$5,222	\$9,030	\$487	\$9,517
	392	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$1,700	\$144,965	\$146,665	\$974	\$147,639
	343	Lo`ulu ( <i>Pritchardia munroi</i> )	E	\$171,600	\$200	\$171,800	\$1,851	\$173,651
	1099	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$2,100	\$200	\$2,300	\$1,851	\$4,151
	1165	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$1,500	\$200	\$1,700	\$0	\$1,700
	989	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	\$6,700	\$200	\$6,900	\$1,461	\$8,361
	1063	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$3,300	\$200	\$3,500	\$1,851	\$5,351
	1139	Lo`ulu, (=Na`ena`e) ( <i>Pritchardia hardyi</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	883	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$6,539	\$7,300	\$13,839	\$0	\$13,839
	200	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii)	T	\$273,012	\$196,957	\$469,969	\$0	\$469,969
	725	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$31,619	\$0	\$31,619	\$0	\$31,619
	619	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	\$11,000	\$750	\$11,750	\$39,600	\$51,350
	328	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$28,906	\$151,215	\$180,121	\$3,215	\$183,336
	1010	Makou ( <i>Peucedanum sandwicense</i> )	T	\$2,506	\$3,500	\$6,006	\$1,364	\$7,370
	739	Malacothrix, island ( <i>Malacothrix squalida</i> )	E	\$24,613	\$4,851	\$29,464	\$0	\$29,464
	746	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$23,788	\$4,851	\$28,639	\$0	\$28,639
	959	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$3,032	\$6,200	\$9,232	\$0	\$9,232
	898	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$12,678	\$0	\$12,678	\$0	\$12,678
	729	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$31,000	\$0	\$31,000	\$0	\$31,000
	645	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$44,400	\$3,300	\$47,700	\$0	\$47,700
	629	Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. crassifolia)	E	\$49,769	\$0	\$49,769	\$0	\$49,769
	543	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> )	T	\$16,520	\$54,000	\$70,520	\$0	\$70,520
	1001	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$2,645	\$5,000	\$7,645	\$0	\$7,645
	657	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$45,078	\$300	\$45,378	\$0	\$45,378
	837	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. ravenii)	E	\$11,819	\$6,400	\$18,219	\$0	\$18,219
	1019	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$1,650	\$5,451	\$7,101	\$0	\$7,101
	1061	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$3,800	\$200	\$4,000	\$1,364	\$5,364
	1181	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	\$574	\$300	\$874	\$0	\$874
	326	Ma`o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$19,006	\$160,870	\$179,876	\$4,276	\$184,152
	1136	Ma`oli`oli ( <i>Schiedea apokremmos</i> )	E	\$2,600	\$200	\$2,800	\$0	\$2,800
	390	Ma`oli`oli ( <i>Schiedea kealiae</i> )	E	\$3,206	\$144,965	\$148,171	\$0	\$148,171
	521	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. californica)	E	\$76,558	\$1,100	\$77,658	\$0	\$77,658



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	774	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$21,632	\$3,619	\$25,251	\$0	\$25,251
	815	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$18,000	\$1,000	\$19,000	\$1,100	\$20,100
	450	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$50,672	\$26,507	\$77,179	\$34,400	\$111,579
	825	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$1,000	\$16,300	\$17,300	\$1,800	\$19,100
	782	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$15,500	\$750	\$16,250	\$8,000	\$24,250
	901	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$9,500	\$500	\$10,000	\$2,600	\$12,600
	1076	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$2,000	\$2,456	\$4,456	\$600	\$5,056
	743	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$6,000	\$15,084	\$21,084	\$8,000	\$29,084
	398	Monardella, willowy ( <i>Monardella linoidea</i> ssp. <i>viminea</i> )	E	\$88,935	\$56,255	\$145,190	\$0	\$145,190
	1048	monkey-flower, Michigan ( <i>Mimulus michiganensis</i> )	E	\$3,000	\$2,800	\$5,800	\$0	\$5,800
	676	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$21,400	\$17,925	\$39,325	\$700	\$40,025
	718	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$13,994	\$18,500	\$32,494	\$0	\$32,494
	1028	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$2,697	\$4,100	\$6,797	\$0	\$6,797
	887	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$9,500	\$2,556	\$12,056	\$1,600	\$13,656
	506	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$21,340	\$63,085	\$84,425	\$0	\$84,425
	490	Mustard, slender-petaled ( <i>Thelypodium stenopetalum</i> )	E	\$1,952	\$88,000	\$89,952	\$0	\$89,952
	936	Naenae ( <i>Dubautia kalalauensis</i> )	E	\$8,912	\$200	\$9,112	\$1,364	\$10,476
	1102	Naenae ( <i>Dubautia kenwoodii</i> )	E	\$3,800	\$200	\$4,000	\$0	\$4,000
	1032	Nani wai`ale`ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	\$5,100	\$200	\$5,300	\$1,364	\$6,664
	555	Nanu ( <i>Gardenia mannii</i> )	E	\$2,306	\$65,753	\$68,059	\$487	\$68,546
	1028	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$2,800	\$2,200	\$5,000	\$1,797	\$6,797
	1176	Navarretia, few-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> )	E	\$803	\$300	\$1,103	\$0	\$1,103
	1176	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>plieantha</i> )	E	\$803	\$300	\$1,103	\$0	\$1,103
	206	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$234,539	\$223,479	\$458,018	\$0	\$458,018

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	389	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	\$2,406	\$144,965	\$147,371	\$974	\$148,345
	1087	Na`ena`e ( <i>Dubautia imbricata imbricata</i> )	E	\$4,500	\$200	\$4,700	\$0	\$4,700
	1152	Na`ena`e ( <i>Dubautia latifolia</i> )	E	\$2,000	\$200	\$2,200	\$0	\$2,200
	1075	Na`ena`e ( <i>Dubautia pauciflora</i> )	E	\$3,500	\$200	\$3,700	\$1,364	\$5,064
	1139	Na`ena`e ( <i>Dubautia plantaginea magnifolia</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	923	Na`ena`e ( <i>Dubautia plantaginea ssp. humilis</i> )	E	\$8,600	\$200	\$8,800	\$2,337	\$11,137
	946	Na`ena`e ( <i>Dubautia waialealae</i> )	E	\$9,612	\$200	\$9,812	\$0	\$9,812
	1144	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$2,400	\$200	\$2,600	\$0	\$2,600
	1130	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$2,800	\$200	\$3,000	\$0	\$3,000
	972	Nehe ( <i>Lipochaeta lobata var. leptophylla</i> )	E	\$2,406	\$6,450	\$8,856	\$0	\$8,856
	1155	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$1,900	\$200	\$2,100	\$0	\$2,100
	396	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	\$1,600	\$144,965	\$146,565	\$0	\$146,565
	1144	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	\$2,400	\$200	\$2,600	\$0	\$2,600
	551	Nioi ( <i>Eugenia koolauensis</i> )	E	\$2,406	\$65,753	\$68,159	\$974	\$69,133
	623	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$8,570	\$42,335	\$50,905	\$0	\$50,905
	964	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$7,100	\$200	\$7,300	\$1,851	\$9,151
	210	<i>Abutilon sandwicense</i> (=Sci name)	E	\$2,406	\$438,990	\$441,396	\$0	\$441,396
	775	<i>Achyranthes mutica</i> (=Sci name)	E	\$22,200	\$200	\$22,400	\$2,824	\$25,224
	396	<i>Alsinidendron obovatum</i> (=Sci name)	E	\$1,600	\$144,965	\$146,565	\$0	\$146,565
	251	<i>Alsinidendron trinerve</i> (=Sci name)	E	\$1,600	\$287,975	\$289,575	\$0	\$289,575
	1118	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$3,300	\$200	\$3,500	\$0	\$3,500
	1126	<i>Amaranthus brownii</i> (=Sci name)	E	\$2,900	\$200	\$3,100	\$0	\$3,100
	1006	<i>Aristida chaseae</i> (=Sci name)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1055	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	263	<i>Bonamia menziesii</i> (=Sci name)	E	\$241,006	\$15,401	\$256,407	\$1,295	\$257,702
	1130	<i>Calypttranthes thomasi</i> (=Sci name)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1157	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1102	<i>Chamaecrista glandulosa var. mirabilis</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1144	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$2,400	\$200	\$2,600	\$0	\$2,600
	1170	<i>Cordia bellonis</i>	E	\$1,500	\$0	\$1,500	\$0	\$1,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1183	<i>Cranichis ricartii</i> (=Sci name)	E	\$800	\$0	\$800	\$0	\$800
	545	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$3,706	\$65,753	\$69,459	\$487	\$69,946
	1043	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1004	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$2,900	\$4,151	\$7,051	\$487	\$7,538
	1009	<i>Delissea undulata</i> (=Sci name)	E	\$5,900	\$200	\$6,100	\$1,295	\$7,395
	1023	<i>Eugenia woodburyana</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1084	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$4,600	\$200	\$4,800	\$0	\$4,800
	190	<i>Geocarpon minimum</i> (=Sci name)	T	\$513,100	\$0	\$513,100	\$1,300	\$514,400
	1077	<i>Gesneria pauciflora</i> (=Sci name)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	1148	<i>Gouania hillebrandii</i> (=Sci name)	E	\$1,700	\$200	\$1,900	\$487	\$2,387
	1062	<i>Gouania meyenii</i> (=Sci name)	E	\$3,306	\$200	\$3,506	\$1,851	\$5,357
	370	<i>Gouania vitifolia</i> (=Sci name)	E	\$7,606	\$144,965	\$152,571	\$1,947	\$154,518
	394	<i>Hedyotis degeneri</i> (=Sci name)	E	\$1,800	\$144,965	\$146,765	\$487	\$147,252
	375	<i>Hedyotis parvula</i> (=Sci name)	E	\$1,600	\$151,215	\$152,815	\$974	\$153,789
	547	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$3,806	\$65,753	\$69,559	\$0	\$69,559
	378	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$5,206	\$144,965	\$150,171	\$2,547	\$152,718
	1090	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$4,300	\$200	\$4,500	\$0	\$4,500
	1157	<i>Ilex sintenisii</i> (=Sci name)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	946	<i>Keysseria</i> (=Lagenifera) <i>erici</i> (=Sci name)	E	\$9,612	\$200	\$9,812	\$0	\$9,812
	1047	<i>Keysseria</i> (=Lagenifera) <i>helenae</i> (=Sci name)	E	\$5,612	\$200	\$5,812	\$0	\$5,812
	1179	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1102	<i>Leptocereus grantianus</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	315	<i>Lipochaeta venosa</i> (=Sci name)	E	\$3,500	\$194,082	\$197,582	\$0	\$197,582
	558	<i>Lobelia gaudichaudii</i> <i>ssp. koolauensis</i> (=Sci name)	E	\$2,306	\$65,753	\$68,059	\$0	\$68,059
	1037	<i>Lobelia monostachya</i> (=Sci name)	E	\$3,806	\$200	\$4,006	\$2,337	\$6,343
	955	<i>Lobelia niuhauensis</i> (=Sci name)	E	\$2,506	\$6,450	\$8,956	\$487	\$9,443
	548	<i>Lobelia oahuensis</i> (=Sci name)	E	\$2,406	\$65,753	\$68,159	\$1,364	\$69,523
	1130	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1105	<i>Lysimachia filifolia</i> (=Sci name)	E	\$2,806	\$200	\$3,006	\$974	\$3,980
	1102	<i>Lysimachia iniki</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$0	\$4,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1159	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$1,700	\$200	\$1,900	\$0	\$1,900
	1034	<i>Lysimachia maxima</i> (=Sci name)	E	\$4,600	\$200	\$4,800	\$1,851	\$6,651
	1102	<i>Lysimachia pendens</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$0	\$4,000
	1049	<i>Lysimachia scopulensis</i> (=Sci name)	E	\$5,100	\$200	\$5,300	\$487	\$5,787
	1102	<i>Lysimachia venosa</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$0	\$4,000
	1133	<i>Mariscus fauriei</i> (=Sci name)	E	\$2,700	\$200	\$2,900	\$0	\$2,900
	1126	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$2,900	\$200	\$3,100	\$0	\$3,100
	1118	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1130	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1034	<i>Munroidendron racemosum</i> (=Sci name)	E	\$2,500	\$4,151	\$6,651	\$0	\$6,651
	1118	<i>Myrcia paganii</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	951	<i>Neraudia angulata</i> (=Sci name)	E	\$2,606	\$6,450	\$9,056	\$487	\$9,543
	277	<i>Neraudia ovata</i> (=Sci name)	E	\$33,902	\$195,704	\$229,606	\$2,824	\$232,430
	1118	<i>Neraudia sericea</i> (=Sci name)	E	\$3,300	\$200	\$3,500	\$0	\$3,500
	1149	<i>Nesogenes rotensis</i> (=Sci name)	E	\$2,300	\$0	\$2,300	\$0	\$2,300
	1149	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$2,300	\$0	\$2,300	\$0	\$2,300
	1165	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$1,500	\$200	\$1,700	\$0	\$1,700
	530	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$2,406	\$72,003	\$74,409	\$487	\$74,896
	290	<i>Phyllostegia hispida</i> (=Sci name)	E	\$211,220	\$200	\$211,420	\$1,851	\$213,271
	388	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$3,706	\$144,965	\$148,671	\$974	\$149,645
	1120	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$3,200	\$200	\$3,400	\$0	\$3,400
	905	<i>Phyllostegia mannii</i> (=Sci name)	E	\$9,600	\$200	\$9,800	\$2,337	\$12,137
	246	<i>Phyllostegia mollis</i> (=Sci name)	E	\$6,906	\$287,975	\$294,881	\$974	\$295,855
	771	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$4,509	\$17,327	\$21,836	\$3,910	\$25,746
	1065	<i>Phyllostegia renovans</i> (=Sci name)	E	\$5,112	\$200	\$5,312	\$0	\$5,312
	1057	<i>Phyllostegia velutina</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$1,461	\$5,461
	1081	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$3,300	\$200	\$3,500	\$1,364	\$4,864
	716	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$29,000	\$200	\$29,200	\$3,910	\$33,110
	1118	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$3,300	\$200	\$3,500	\$0	\$3,500
	867	<i>Platanthera holochila</i> (=Sci name)	E	\$13,406	\$300	\$13,706	\$1,873	\$15,579
	1139	<i>Poa siphonoglossa</i> (=Sci name)	E	\$2,500	\$200	\$2,700	\$0	\$2,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1106	<i>Remya kauaiensis</i> (=Sci name)	E	\$2,400	\$200	\$2,600	\$1,364	\$3,964
	1051	<i>Remya montgomeryi</i> (=Sci name)	E	\$3,700	\$200	\$3,900	\$1,851	\$5,751
	393	<i>Sanicula mariversa</i> (=Sci name)	E	\$2,406	\$144,965	\$147,371	\$0	\$147,371
	547	<i>Sanicula purpurea</i> (=Sci name)	E	\$3,806	\$65,753	\$69,559	\$0	\$69,559
	1066	<i>Schiedea attenuata</i> (=Sci name)	E	\$5,100	\$200	\$5,300	\$0	\$5,300
	846	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$1,600	\$16,000	\$17,600	\$0	\$17,600
	1067	<i>Schiedea helleri</i> (=Sci name)	E	\$3,700	\$200	\$3,900	\$1,364	\$5,264
	967	<i>Schiedea hookeri</i> (=Sci name)	E	\$2,406	\$6,550	\$8,956	\$0	\$8,956
	984	<i>Schiedea kaalae</i> (=Sci name)	E	\$3,706	\$2,167	\$5,873	\$2,547	\$8,420
	1081	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$3,300	\$200	\$3,500	\$1,364	\$4,864
	1162	<i>Schiedea lydgatei</i> (=Sci name)	E	\$1,600	\$200	\$1,800	\$0	\$1,800
	1046	<i>Schiedea membranacea</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$1,851	\$5,851
	366	<i>Schiedea nuttallii</i> (=Sci name)	E	\$9,906	\$144,965	\$154,871	\$1,184	\$156,055
	1162	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$1,600	\$200	\$1,800	\$0	\$1,800
	1147	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$2,200	\$200	\$2,400	\$0	\$2,400
	1147	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$2,200	\$200	\$2,400	\$0	\$2,400
	1165	<i>Schiedea verticillata</i> (=Sci name)	E	\$1,500	\$200	\$1,700	\$0	\$1,700
	1055	<i>Schoepfia arenaria</i> (=Sci name)	T	\$5,500	\$0	\$5,500	\$0	\$5,500
	1017	<i>Silene alexandri</i> (=Sci name)	E	\$5,100	\$200	\$5,300	\$1,851	\$7,151
	313	<i>Silene hawaiiensis</i> (=Sci name)	T	\$4,502	\$194,082	\$198,584	\$0	\$198,584
	294	<i>Silene lanceolata</i> (=Sci name)	E	\$15,806	\$194,082	\$209,888	\$1,460	\$211,348
	1117	<i>Silene perlmanii</i> (=Sci name)	E	\$2,406	\$200	\$2,606	\$974	\$3,580
	309	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$3,708	\$195,704	\$199,412	\$974	\$200,386
	299	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$12,902	\$195,704	\$208,606	\$487	\$209,093
	1017	<i>Stenogyne bifida</i> (=Sci name)	E	\$5,100	\$200	\$5,300	\$1,851	\$7,151
	1118	<i>Stenogyne campanulata</i> (=Sci name)	E	\$3,300	\$200	\$3,500	\$0	\$3,500
	249	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$3,706	\$287,975	\$291,681	\$487	\$292,168
	1025	<i>Stenogyne kealiae</i> (=Sci name)	E	\$5,300	\$200	\$5,500	\$1,364	\$6,864
	1157	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	314	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$2,200	\$195,744	\$197,944	\$0	\$197,944
	374	<i>Tetramolopium filiforme</i>	E	\$2,606	\$151,215	\$153,821	\$0	\$153,821



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1093	<i>Tetramolopium lepidotum ssp. lepidotum</i>	E	\$3,706	\$200	\$3,906	\$487	\$4,393
	1088	<i>Tetramolopium remyi</i> (=Sci name)	E	\$3,000	\$200	\$3,200	\$1,364	\$4,564
	1154	<i>Tetramolopium rockii</i> (=Sci name)	T	\$1,800	\$308	\$2,108	\$0	\$2,108
	1091	<i>Tetraplasandra bisattenuata</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$487	\$4,487
	1008	<i>Tetraplasandra flynnii</i> (=Sci name)	E	\$5,412	\$200	\$5,612	\$1,851	\$7,463
	1131	<i>Trematolobelia singularis</i> (=Sci name)	E	\$2,306	\$200	\$2,506	\$487	\$2,993
	1130	<i>Vernonia proctorii</i> (=Sci name)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	278	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$28,006	\$202,590	\$230,596	\$487	\$231,083
	1017	<i>Viola helenae</i> (=Sci name)	E	\$5,100	\$200	\$5,300	\$1,851	\$7,151
	1078	<i>Viola lanaiensis</i> (=Sci name)	E	\$2,900	\$200	\$3,100	\$1,851	\$4,951
	557	<i>Viola oahuensis</i> (=Sci name)	E	\$2,406	\$65,753	\$68,159	\$0	\$68,159
	1068	<i>Xylosma crenatum</i> (=Sci name)	E	\$3,200	\$200	\$3,400	\$1,851	\$5,251
	742	Nohoanu ( <i>Geranium kauaiense</i> )	E	\$27,612	\$200	\$27,812	\$1,386	\$29,198
	939	Nohoanu ( <i>Geranium multiflorum</i> )	E	\$4,800	\$5,600	\$10,400	\$0	\$10,400
	1193	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$0	\$0	\$0	\$300	\$300
	1107	Oha ( <i>Delissea rivularis</i> )	E	\$3,700	\$200	\$3,900	\$0	\$3,900
	385	Oha ( <i>Delissea subcordata</i> )	E	\$4,606	\$144,965	\$149,571	\$487	\$150,058
	778	Ohai ( <i>Sesbania tomentosa</i> )	E	\$5,909	\$16,530	\$22,439	\$2,284	\$24,723
	1104	Olulu ( <i>Brighamia insignis</i> )	E	\$3,300	\$200	\$3,500	\$487	\$3,987
	919	Onion, Munz's ( <i>Allium munzii</i> )	E	\$332	\$11,000	\$11,332	\$0	\$11,332
	249	Opuhe ( <i>Urera kaalae</i> )	E	\$3,706	\$287,975	\$291,681	\$487	\$292,168
	435	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$48,463	\$59,916	\$108,379	\$12,500	\$120,879
	276	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$166,867	\$61,665	\$228,532	\$4,500	\$233,032
	612	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$43,493	\$9,484	\$52,977	\$0	\$52,977
	975	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$7,077	\$1,584	\$8,661	\$0	\$8,661
	470	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$97,952	\$1,114	\$99,066	\$0	\$99,066
	872	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$7,765	\$7,184	\$14,949	\$0	\$14,949
	257	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$119,736	\$152,990	\$272,726	\$0	\$272,726
	417	Owl's-clover, fleshy ( <i>Castilleja campestris ssp. succulenta</i> )	T	\$52,126	\$80,630	\$132,756	\$0	\$132,756

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	438	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	\$100	\$118,000	\$118,100	\$0	\$118,100
	510	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$0	\$83,000	\$83,000	\$0	\$83,000
	172	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$594,579	\$45,402	\$639,981	\$0	\$639,981
	1036	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$1,650	\$4,851	\$6,501	\$0	\$6,501
	998	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )	E	\$7,306	\$500	\$7,806	\$0	\$7,806
	1157	Palo colorado ( <i>Ternstroemia</i> <i>luquillensis</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1157	Palo de jazmin ( <i>Styrax</i> <i>portoricensis</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1130	Palo de nigua ( <i>Cornutia</i> <i>obovata</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1118	Palo de ramon ( <i>Banara</i> <i>vanderbiltii</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	821	Palo de rosa ( <i>Ottoschulzia</i> <i>rhodoxylon</i> )	E	\$17,000	\$2,558	\$19,558	\$0	\$19,558
	1165	Pamakani ( <i>Tetramolopium</i> <i>capillare</i> )	E	\$1,500	\$200	\$1,700	\$0	\$1,700
	369	Pamakani ( <i>Viola</i> <i>chamissoniana</i> ssp. <i>chamissoniana</i> )	E	\$2,506	\$151,215	\$153,721	\$974	\$154,695
	1070	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	\$1,600	\$2,200	\$3,800	\$1,364	\$5,164
	1139	Papala ( <i>Charpentiera</i> <i>densiflora</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	1066	Pawpaw, beautiful ( <i>Deeringothamnus</i> <i>pulchellus</i> )	E	\$2,500	\$500	\$3,000	\$2,300	\$5,300
	687	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$6,000	\$24,375	\$30,375	\$8,000	\$38,375
	1135	Pawpaw, Rugel's ( <i>Deeringothamnus</i> <i>rugelii</i> )	E	\$0	\$750	\$750	\$2,100	\$2,850
	908	Pa'iniu ( <i>Astelia</i> <i>waialealae</i> )	E	\$9,912	\$200	\$10,112	\$1,873	\$11,985
	1157	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	598	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> )	E	\$8,000	\$48,100	\$56,100	\$0	\$56,100
	611	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	\$48,311	\$4,300	\$52,611	\$700	\$53,311
	900	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	\$11,602	\$1,000	\$12,602	\$0	\$12,602
	857	Pentachaeta, white- rayed ( <i>Pentachaeta</i> <i>bellidiflora</i> )	E	\$16,289	\$500	\$16,789	\$0	\$16,789
	1006	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	166	Peppergrass, Slickspot ( <i>Lepidium papilliferum</i> )	T	\$492,615	\$161,590	\$654,205	\$20,000	\$674,205
	646	Phacelia, clay ( <i>Phacelia</i> <i>argillacea</i> )	E	\$5,500	\$42,150	\$47,650	\$0	\$47,650

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1036	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	\$1,650	\$4,851	\$6,501	\$0	\$6,501
	769	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	\$13,364	\$12,485	\$25,849	\$0	\$25,849
	243	Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> )	E	\$22,000	\$283,426	\$305,426	\$0	\$305,426
	728	Phlox, Yreka ( <i>Phlox</i> <i>hirsuta</i> )	E	\$30,000	\$1,200	\$31,200	\$0	\$31,200
	615	Pigeon wings ( <i>Clitoria</i> <i>fragrans</i> )	T	\$9,500	\$40,750	\$50,250	\$2,400	\$52,650
	1124	Pilo ( <i>Hedyotis mannii</i> )	E	\$3,000	\$200	\$3,200	\$0	\$3,200
	1039	Pilo kea lau li'i ( <i>Platydesma rostrata</i> )	E	\$6,112	\$200	\$6,312	\$0	\$6,312
	362	Pink, swamp ( <i>Helonias</i> <i>bullata</i> )	T	\$74,175	\$77,113	\$151,288	\$7,970	\$159,258
	860	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	\$6,000	\$8,401	\$14,401	\$1,600	\$16,001
	511	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	\$43,240	\$39,100	\$82,340	\$0	\$82,340
	1197	Pitaya, Davis' green ( <i>Echinocereus</i> <i>viridiflorus</i> var. <i>davisii</i> )	E	\$0	\$0	\$0	\$200	\$200
	777	Pitcher-plant, Alabama canebroke ( <i>Sarracenia</i> <i>rubra alabamensis</i> )	E	\$24,000	\$1,020	\$25,020	\$0	\$25,020
	733	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$24,000	\$3,353	\$27,353	\$3,000	\$30,353
	851	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	\$14,000	\$3,140	\$17,140	\$0	\$17,140
	789	Plum, scrub ( <i>Prunus</i> <i>geniculata</i> )	E	\$4,000	\$16,890	\$20,890	\$2,670	\$23,560
	308	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$59,315	\$132,787	\$192,102	\$10,323	\$202,425
	500	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$18,000	\$48,456	\$66,456	\$20,600	\$87,056
	871	Polygala, tiny ( <i>Polygala</i> <i>smallii</i> )	E	\$13,500	\$1,000	\$14,500	\$600	\$15,100
	849	Polygonum, Scotts Valley ( <i>Polygonum</i> <i>hickmanii</i> )	E	\$17,361	\$0	\$17,361	\$0	\$17,361
	197	Pondberry ( <i>Lindera</i> <i>melissifolia</i> )	E	\$42,800	\$429,837	\$472,637	\$13,728	\$486,365
	1155	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton</i> <i>clystocarpus</i> )	E	\$2,000	\$0	\$2,000	\$100	\$2,100
	483	popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$72,000	\$20,200	\$92,200	\$0	\$92,200
	300	Popolo ku mai ( <i>Solanum</i> <i>incompletum</i> )	E	\$12,700	\$194,082	\$206,782	\$1,364	\$208,146
	459	Poppy, Sacramento prickly ( <i>Argemone</i> <i>pleiacantha</i> ssp. <i>pinnatisecta</i> )	E	\$37,143	\$69,100	\$106,243	\$0	\$106,243
	1092	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$1,000	\$650	\$1,650	\$2,800	\$4,450
	509	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$58,300	\$23,200	\$81,500	\$2,200	\$83,700
	845	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$17,363	\$300	\$17,663	\$0	\$17,663

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	298	Po'e ( <i>Portulaca sclerocarpa</i> )	E	\$2,603	\$206,673	\$209,276	\$487	\$209,763
	643	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$26,300	\$17,853	\$44,153	\$3,656	\$47,809
	869	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$13,500	\$750	\$14,250	\$1,100	\$15,350
	1102	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomsonianum</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	892	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$1,500	\$11,727	\$13,227	\$0	\$13,227
	330	Pua`ala ( <i>Brighamia rockii</i> )	E	\$171,600	\$7,700	\$179,300	\$1,364	\$180,664
	1016	Pussypaws, Mariposa ( <i>Calyptridium pulchellum</i> )	T	\$6,159	\$1,000	\$7,159	\$0	\$7,159
	541	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$5,106	\$65,753	\$70,859	\$433	\$71,292
	847	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$5,000	\$0	\$5,000	\$12,500	\$17,500
	1196	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$0	\$220	\$220	\$0	\$220
	983	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$6,000	\$2,450	\$8,450	\$0	\$8,450
	463	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$100,000	\$4,050	\$104,050	\$0	\$104,050
	1119	Remya, Maui ( <i>Remya mauiensis</i> )	E	\$2,800	\$200	\$3,000	\$487	\$3,487
	670	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$24,000	\$16,151	\$40,151	\$1,800	\$41,951
	1079	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$4,500	\$450	\$4,950	\$0	\$4,950
	688	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$36,000	\$2,113	\$38,113	\$0	\$38,113
	1024	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	\$1,650	\$5,251	\$6,901	\$0	\$6,901
	715	Rock-cress, McDonald's ( <i>Arabis macdonaldiana</i> )	E	\$27,500	\$5,700	\$33,200	\$0	\$33,200
	705	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	\$25,500	\$700	\$26,200	\$8,000	\$34,200
	354	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$761	\$166,243	\$167,004	\$0	\$167,004
	980	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$100	\$7,781	\$7,881	\$600	\$8,481
	423	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$123,500	\$6,077	\$129,577	\$462	\$130,039
	597	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$3,000	\$250	\$3,250	\$53,000	\$56,250
	758	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$24,000	\$750	\$24,750	\$2,200	\$26,950
	950	Roseroot, Leedy's ( <i>Rhodiola integrifolia</i> ssp. <i>leedyi</i> )	T	\$8,700	\$862	\$9,562	\$0	\$9,562
	478	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$48,900	\$44,000	\$92,900	\$200	\$93,100

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	448	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	\$107,884	\$4,851	\$112,735	\$0	\$112,735
	891	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$11,600	\$1,550	\$13,150	\$100	\$13,250
	634	Sandalwood, Lanai (= iliahi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	\$48,800	\$200	\$49,000	\$0	\$49,000
	661	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$24,500	\$16,890	\$41,390	\$2,700	\$44,090
	552	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$0	\$69,000	\$69,000	\$0	\$69,000
	675	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$31,000	\$8,077	\$39,077	\$1,130	\$40,207
	637	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$42,134	\$6,291	\$48,425	\$0	\$48,425
	1060	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	\$2,900	\$200	\$3,100	\$2,284	\$5,384
	644	Seablite, California ( <i>Suaeda californica</i> )	E	\$47,698	\$50	\$47,748	\$0	\$47,748
	115	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$0	\$1,443,585	\$1,443,585	\$0	\$1,443,585
	420	Sedge, golden ( <i>Carex lutea</i> )	E	\$131,000	\$50	\$131,050	\$140	\$131,190
	1153	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$1,026	\$150	\$1,176	\$1,000	\$2,176
	1174	Sedge, white ( <i>Carex albida</i> )	E	\$918	\$300	\$1,218	\$0	\$1,218
	443	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$34,902	\$78,751	\$113,653	\$1,573	\$115,226
	1000	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$200	\$6,667	\$6,867	\$900	\$7,767
	302	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$25,500	\$177,793	\$203,293	\$3,778	\$207,071
	638	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$30,000	\$15,184	\$45,184	\$3,200	\$48,384
	750	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	\$26,100	\$500	\$26,600	\$1,200	\$27,800
	1162	Snowbells, Texas ( <i>Styrax texanus</i> )	E	\$1,000	\$0	\$1,000	\$800	\$1,800
	1123	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	\$3,290	\$0	\$3,290	\$0	\$3,290
	944	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	788	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	\$11,657	\$12,000	\$23,657	\$0	\$23,657
	1173	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$0	\$1,381	\$1,381	\$0	\$1,381
	738	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$27,290	\$2,300	\$29,590	\$0	\$29,590
	403	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	\$20,476	\$120,070	\$140,546	\$0	\$140,546

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	599	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$15,716	\$40,300	\$56,016	\$0	\$56,016
	320	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$157,200	\$30,677	\$187,877	\$2,364	\$190,241
	523	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	\$75,500	\$1,000	\$76,500	\$600	\$77,100
	926	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$9,000	\$1,500	\$10,500	\$600	\$11,100
	971	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$7,765	\$1,100	\$8,865	\$0	\$8,865
	827	Spurge, telephus ( <i>Euphorbia telephoides</i> )	T	\$15,500	\$1,667	\$17,167	\$1,700	\$18,867
	701	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$26,559	\$8,387	\$34,946	\$0	\$34,946
	1182	Stonecrop, Lake County ( <i>Parvisedum</i> <i>leiocarpum</i> )	E	\$803	\$0	\$803	\$0	\$803
	428	Sumac, Michaux's ( <i>Rhus</i> <i>michauxii</i> )	E	\$41,500	\$77,006	\$118,506	\$8,640	\$127,146
	969	Sunburst, Hartweg's golden ( <i>Pseudobahia</i> <i>bahijolia</i> )	E	\$7,421	\$1,530	\$8,951	\$0	\$8,951
	522	Sunburst, San Joaquin adobe ( <i>Pseudobahia</i> <i>peirsonii</i> )	T	\$57,818	\$19,472	\$77,290	\$0	\$77,290
	549	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$54,000	\$15,364	\$69,364	\$100	\$69,464
	893	Sunflower, San Mateo woolly ( <i>Eriophyllum</i> <i>latilobum</i> )	E	\$12,847	\$330	\$13,177	\$0	\$13,177
	535	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$40,500	\$24,200	\$64,700	\$8,840	\$73,540
	855	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$3,619	\$13,335	\$16,954	\$0	\$16,954
	476	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$93,804	\$300	\$94,104	\$0	\$94,104
	495	Taraxacum, California ( <i>Taraxacum</i> <i>californicum</i> )	E	\$0	\$88,000	\$88,000	\$0	\$88,000
	264	Tarplant, Gaviota ( <i>Deinandra increscens</i> ssp. <i>villosa</i> )	E	\$159,426	\$96,708	\$256,134	\$0	\$256,134
	413	Tarplant, Otay ( <i>Deinandra</i> (= <i>Hemizonia</i> ) <i>conjugens</i> )	T	\$94,461	\$40,285	\$134,746	\$0	\$134,746
	442	Tarplant, Santa Cruz ( <i>Holocarpha</i> <i>macradenia</i> )	T	\$115,069	\$300	\$115,369	\$0	\$115,369
	444	Thelypody, Howell's spectacular ( <i>Thelypodium</i> <i>howellii spectabilis</i> )	T	\$110,558	\$4,090	\$114,648	\$0	\$114,648
	962	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	\$2,961	\$6,195	\$9,156	\$0	\$9,156
	488	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	\$89,511	\$500	\$90,011	\$0	\$90,011
	524	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$54,020	\$22,254	\$76,274	\$0	\$76,274

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1176	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	\$803	\$300	\$1,103	\$0	\$1,103
	468	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$56,100	\$40,010	\$96,110	\$3,400	\$99,510
	607	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$21,782	\$33,100	\$54,882	\$0	\$54,882
	632	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$48,794	\$300	\$49,094	\$0	\$49,094
	1018	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$1,411	\$5,699	\$7,110	\$0	\$7,110
	663	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	\$43,698	\$300	\$43,998	\$0	\$43,998
	519	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$2,000	\$76,615	\$78,615	\$0	\$78,615
	1118	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$0	\$0	\$0	\$3,500	\$3,500
	437	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$35,500	\$80,660	\$116,160	\$3,500	\$119,660
	491	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$35,667	\$54,284	\$89,951	\$0	\$89,951
	727	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$8,166	\$23,285	\$31,451	\$0	\$31,451
	608	Uhiuhi ( <i>Caesalpinia kavaiense</i> )	E	\$22,700	\$28,200	\$50,900	\$3,789	\$54,689
	1157	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1072	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$115	\$5,000	\$5,115	\$0	\$5,115
	945	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$6,900	\$200	\$7,100	\$2,824	\$9,924
	1112	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$3,000	\$200	\$3,200	\$487	\$3,687
	935	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$10,486	\$0	\$10,486	\$0	\$10,486
	680	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	\$38,905	\$300	\$39,205	\$0	\$39,205
	691	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$37,500	\$0	\$37,500	\$0	\$37,500
	1130	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	921	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$5,000	\$2,456	\$7,456	\$3,800	\$11,256
	1128	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$300	\$1,220	\$1,520	\$1,500	\$3,020
	154	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$5,495	\$802,179	\$807,674	\$1,000	\$808,674
	1076	Water-willow, Cooley's ( <i>Justicia cooleyi</i> )	E	\$2,000	\$2,456	\$4,456	\$600	\$5,056
	595	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$42,529	\$14,415	\$56,944	\$0	\$56,944

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	991	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$3,500	\$950	\$4,450	\$3,800	\$8,250
	747	wild buckwheat, clay- loving ( <i>Eriogonum pelinophilum</i> )	E	\$20,287	\$8,185	\$28,472	\$0	\$28,472
	418	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	\$7,500	\$124,100	\$131,600	\$0	\$131,600
	465	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi var. austrorontanum</i> )	T	\$0	\$102,000	\$102,000	\$0	\$102,000
	232	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$305,902	\$3,000	\$308,902	\$24,600	\$333,502
	440	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	\$79,000	\$38,500	\$117,500	\$0	\$117,500
	512	Wireweed ( <i>Polygonella basiramia</i> )	E	\$24,500	\$55,184	\$79,684	\$1,200	\$80,884
	356	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$0	\$166,243	\$166,243	\$0	\$166,243
	382	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium ssp. sanctorum</i> )	E	\$27,662	\$123,228	\$150,890	\$0	\$150,890
	377	Wooly-threads, San Joaquin ( <i>Monolopia (=Lembertia) congdonii</i> )	E	\$107,944	\$44,900	\$152,844	\$0	\$152,844
	1020	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$5,000	\$2,100	\$7,100	\$0	\$7,100
	614	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$23,338	\$29,325	\$52,663	\$0	\$52,663
	536	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$56,000	\$750	\$56,750	\$16,420	\$73,170
	640	`Ahinahina ( <i>Argyroxiphium sandwicense ssp. macrocephalum</i> )	T	\$25,800	\$21,200	\$47,000	\$1,364	\$48,364
	1026	`Ahinahina ( <i>Argyroxiphium sandwicense ssp. sandwicense</i> )	E	\$3,702	\$200	\$3,902	\$2,937	\$6,839
	981	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$6,406	\$200	\$6,606	\$1,851	\$8,457
	531	`Aiea ( <i>Nothoestrum breviflorum</i> )	E	\$25,803	\$46,921	\$72,724	\$1,782	\$74,506
	1063	`Aiea ( <i>Nothoestrum peltatum</i> )	E	\$3,300	\$200	\$3,500	\$1,851	\$5,351
	381	`Akoko ( <i>Chamaesyce celastroides var. kaenana</i> )	E	\$5,606	\$144,965	\$150,571	\$433	\$151,004
	1131	`Akoko ( <i>Chamaesyce deppeana</i> )	E	\$2,306	\$200	\$2,506	\$487	\$2,993
	1152	`Akoko ( <i>Chamaesyce eleanoriae</i> )	E	\$2,000	\$200	\$2,200	\$0	\$2,200
	391	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$2,406	\$144,965	\$147,371	\$487	\$147,858
	967	`Akoko ( <i>Chamaesyce kuwaleana</i> )	E	\$2,506	\$6,450	\$8,956	\$0	\$8,956
	1139	`Akoko ( <i>Chamaesyce remyi var. kauaiensis</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1095	`Akoko ( <i>Chamaesyce remyi</i> var. <i>remyi</i> )	E	\$4,112	\$200	\$4,312	\$0	\$4,312
	556	`Akoko ( <i>Chamaesyce rockii</i> )	E	\$2,506	\$65,753	\$68,259	\$0	\$68,259
	1100	`Akoko ( <i>Euphorbia haeleleana</i> )	E	\$3,406	\$200	\$3,606	\$433	\$4,039
	720	`Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	\$31,500	\$200	\$31,700	\$433	\$32,133
	954	`Anaunau ( <i>Lepidium arbuscula</i> )	E	\$2,306	\$6,450	\$8,756	\$697	\$9,453
	802	`Anunu ( <i>Sicyos alba</i> )	E	\$7,002	\$12,791	\$19,793	\$1,461	\$21,254
	337	`Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$168,800	\$7,700	\$176,500	\$0	\$176,500
	1139	`Awikiwiki ( <i>Canavalia napaliensis</i> )	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	757	`Oha wai ( <i>Clermontia drepanomorpha</i> )	E	\$25,800	\$200	\$26,000	\$974	\$26,974
	678	`Oha wai ( <i>Clermontia lindseyana</i> )	E	\$19,708	\$16,422	\$36,130	\$3,311	\$39,441
	1017	`Oha wai ( <i>Clermontia oblongifolia brevipes</i> )	E	\$5,100	\$200	\$5,300	\$1,851	\$7,151
	1085	`Oha wai ( <i>Clermontia oblongifolia mauiensis</i> )	E	\$3,100	\$300	\$3,400	\$1,364	\$4,764
	708	`Oha wai ( <i>Clermontia peleana</i> )	E	\$28,000	\$1,922	\$29,922	\$3,910	\$33,832
	780	`Oha wai ( <i>Clermontia pyrularia</i> )	E	\$19,000	\$5,200	\$24,200	\$487	\$24,687
	993	`Oha wai ( <i>Clermontia samuelii</i> )	E	\$4,800	\$3,300	\$8,100	\$0	\$8,100
	1143	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$2,406	\$200	\$2,606	\$0	\$2,606
<b>Flowering Plants subtotal</b>				\$18,096,034	\$30,232,521	\$48,328,555	\$1,280,675	\$49,609,230
<b>Conifers and Cycads</b>	1160	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	\$1,650	\$200	\$1,850	\$0	\$1,850
	924	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$10,820	\$300	\$11,120	\$0	\$11,120
	475	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$34,000	\$42,361	\$76,361	\$19,700	\$96,061
<b>Conifers and Cycads subtotal</b>				\$46,470	\$42,861	\$89,331	\$19,700	\$109,031
<b>Ferns and Allies</b>	965	aumakua, Palapalai ( <i>Dryopteris crinalis</i> var. <i>podosorus</i> )	E	\$8,912	\$200	\$9,112	\$0	\$9,112
	722	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$31,606	\$200	\$31,806	\$0	\$31,806
	1196	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )	T	\$0	\$220	\$220	\$0	\$220
	996	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	\$7,600	\$300	\$7,900	\$0	\$7,900
	1053	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$2,600	\$3,082	\$5,682	\$0	\$5,682
	1170	Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	931	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	\$6,606	\$4,151	\$10,757	\$0	\$10,757
	1121	Ihi`ihi ( <i>Marsilea villosa</i> )	E	\$3,106	\$254	\$3,360	\$0	\$3,360
	1183	<i>Adiantum vivesii</i> (=Sci name)	E	\$800	\$0	\$800	\$0	\$800
	865	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$15,500	\$300	\$15,800	\$0	\$15,800
	1143	<i>Diellia falcata</i> (=Sci name)	E	\$2,406	\$200	\$2,606	\$0	\$2,606
	703	<i>Diellia mannii</i> (=Sci name)	E	\$34,300	\$200	\$34,500	\$0	\$34,500
	1115	<i>Diellia pallida</i> (=Sci name)	E	\$3,400	\$200	\$3,600	\$0	\$3,600
	1143	<i>Diellia unisora</i> (=Sci name)	E	\$2,406	\$200	\$2,606	\$0	\$2,606
	995	<i>Diplazium molokaiense</i> (=Sci name)	E	\$7,606	\$300	\$7,906	\$0	\$7,906
	1102	<i>Doryopteris angelica</i> (=Sci name)	E	\$3,800	\$200	\$4,000	\$0	\$4,000
	1183	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$800	\$0	\$800	\$0	\$800
	1043	<i>Polystichum calderonense</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	546	<i>Pteris lidgatei</i> (=Sci name)	E	\$4,106	\$65,753	\$69,859	\$0	\$69,859
	1170	<i>Tectaria estremerana</i> (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	1145	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1145	<i>Thelypteris verecunda</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1023	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1138	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$2,406	\$300	\$2,706	\$0	\$2,706
	904	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$8,000	\$2,760	\$10,760	\$1,500	\$12,260
	449	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$5,000	\$107,120	\$112,120	\$0	\$112,120
	953	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$8,000	\$0	\$8,000	\$1,500	\$9,500
	993	Wawae`iole ( <i>Huperzia mannii</i> )	E	\$4,800	\$3,300	\$8,100	\$0	\$8,100
	1096	Wawae`iole ( <i>Lycopodium (=Phlegmarius) nutans</i> )	E	\$4,106	\$200	\$4,306	\$0	\$4,306
<b>Ferns and Allies subtotal</b>				\$188,866	\$189,440	\$378,306	\$3,000	\$381,306
<b>Lichens</b>	358	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$78,000	\$84,740	\$162,740	\$1,600	\$164,340
	878	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	\$5,500	\$2,000	\$7,500	\$6,814	\$14,314
<b>Lichens subtotal</b>				\$83,500	\$86,740	\$170,240	\$8,414	\$178,654
<b>Total Species Expenditures</b>				<b>\$169,073,188</b>	<b>\$942,531,349</b>	<b>\$1,111,604,537</b>	<b>\$51,372,857</b>	<b>\$1,162,977,394</b>

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2010 REPORTED EXPENDITURES**

Species are arranged in descending rank order by total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2010 REPORTED EXPENDITURES,  
NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring/summer Snake R.	T	\$51,062,511	\$51,062,511
2	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - middle Columbia R.	T	\$48,065,029	\$99,127,540
3	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Snake R. Basin	T	\$45,834,199	\$144,961,739
4	Trout, bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$43,809,838	\$188,771,577
5	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - winter Sacramento R.	E	\$40,814,218	\$229,585,795
6	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - fall Snake R.	T	\$33,938,220	\$263,524,015
7	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring upper Columbia R.	E	\$30,304,423	\$293,828,438
8	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - upper Columbia R. Basin	T	\$29,151,942	\$322,980,380
9	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$25,194,067	\$348,174,447
10	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - lower Columbia R.	T	\$23,392,671	\$371,567,118
11	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$22,696,252	\$394,263,370
12	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - OR, CA pop.	T	\$19,572,047	\$413,835,417
13	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - upper Willamette R.	T	\$19,410,149	\$433,245,566
14	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - lower Columbia R.	T	\$18,002,939	\$451,248,505
15	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - U.S.A. (Snake River, ID stock wherever found.)	E	\$17,235,935	\$468,484,440
16	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.	E	\$16,679,395	\$485,163,835
17	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - eastern pop.	T	\$16,568,504	\$501,732,339
18	Tortoise, desert ( <i>Gopherus agassizii</i> ) - U.S.A., except in Sonoran Desert	T	\$16,343,561	\$518,075,900
19	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - upper Willamette R.	T	\$16,330,291	\$534,406,191
20	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Puget Sound	T	\$14,595,229	\$549,001,420
21	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$14,086,571	\$563,087,991
22	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	\$13,596,253	\$576,684,244
23	Salmon, Atlantic ( <i>Salmo salar</i> ) - Expanded Gulf of Maine DPS	E	\$13,145,296	\$589,829,540
24	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - Columbia R.	T	\$12,826,943	\$602,656,483
25	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River ESU	T	\$12,150,709	\$614,807,192
26	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA Central Valley spring-run	T	\$12,075,507	\$626,882,699
27	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$11,285,625	\$638,168,324
28	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$11,235,785	\$649,404,109
29	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$10,857,819	\$660,261,928
30	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$10,579,072	\$670,841,000
31	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$10,353,294	\$681,194,294
32	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Central Valley CA	T	\$9,886,506	\$691,080,800
33	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$9,614,921	\$700,695,721
34	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - lower 48 States, except where listed as an experimental population or delisted	T	\$8,781,280	\$709,477,001
35	Sucker, razorback ( <i>Xyrauchen texanus</i> ) - entire	E	\$8,089,950	\$717,566,951
36	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$7,921,457	\$725,488,408
37	Sturgeon, white ( <i>Acipenser transmontanus</i> ) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$7,768,332	\$733,256,740
38	Tern, California least ( <i>Sterna antillarum brownii</i> )	E	\$7,463,329	\$740,720,069
39	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins	T	\$7,437,464	\$748,157,533
40	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Puget Sound DPS	T	\$7,273,083	\$755,430,616
41	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$7,057,501	\$762,488,117
42	Wolf, gray ( <i>Canis lupus</i> ) - Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	E	\$6,954,633	\$769,442,750
43	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$6,925,553	\$776,368,303
44	Bear, polar ( <i>Ursus maritimus</i> )	T	\$6,804,746	\$783,173,049
45	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$6,742,846	\$789,915,895
46	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$6,598,089	\$796,513,984
47	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - southern CA coast	E	\$6,593,274	\$803,107,258
48	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) - CA, OR, WA	T	\$6,173,301	\$809,280,559
49	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Central California Coast ESU	E	\$5,873,786	\$815,154,345
50	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	\$5,827,743	\$820,982,088
51	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - summer-run Hood Canal	T	\$5,736,015	\$826,718,103
52	Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered	T	\$5,662,140	\$832,380,243

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
53	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$5,650,652	\$838,030,895
54	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - U.S.A. (Ozette Lake, WA)	T	\$5,299,383	\$843,330,278
55	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - northern CA	T	\$5,136,439	\$848,466,717
56	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$5,130,707	\$853,597,424
57	Chub, humpback ( <i>Gila cypha</i> ) - entire	E	\$4,907,675	\$858,505,099
58	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - south central CA coast	T	\$4,819,733	\$863,324,832
59	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific coastal pop.	T	\$4,697,911	\$868,022,743
60	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA coastal	T	\$4,675,133	\$872,697,876
61	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - central CA coast	T	\$4,636,177	\$877,334,053
62	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$4,569,131	\$881,903,184
63	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))	E	\$4,432,830	\$886,336,014
64	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$4,280,684	\$890,616,698
65	Chub, bonytail ( <i>Gila elegans</i> ) - entire	E	\$4,236,525	\$894,853,223
66	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$4,198,058	\$899,051,281
67	Lynx, Canada ( <i>Lynx canadensis</i> ) - Contiguous U.S. DPS	T	\$4,191,798	\$903,243,079
68	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$4,147,048	\$907,390,127
69	scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )	T	\$3,997,085	\$911,387,212
70	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$3,814,423	\$915,201,635
71	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) - CA -Southern DPS	T	\$3,658,452	\$918,860,087
72	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) - W of of Mobile/Tombigbee Rs.	T	\$3,588,732	\$922,448,819
73	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$3,573,523	\$926,022,342
74	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$3,490,313	\$929,512,655
75	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$2,834,912	\$932,347,567
76	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$2,821,352	\$935,168,919
77	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$2,789,999	\$937,958,918
78	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$2,784,587	\$940,743,505
79	Frog, California red-legged ( <i>Rana draytonii</i> ) - Entire	T	\$2,732,668	\$943,476,173
80	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$2,602,947	\$946,079,120
81	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$2,577,801	\$948,656,921
82	Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS	E	\$2,569,693	\$951,226,614
83	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$2,560,317	\$953,786,931
84	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$2,499,067	\$956,285,998
85	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$2,495,323	\$958,781,321
86	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$2,460,953	\$961,242,274
87	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$2,460,760	\$963,703,034
88	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$2,320,107	\$966,023,141
89	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$2,251,896	\$968,275,037
90	Crane, whooping ( <i>Grus americana</i> ) - CO, ID, FL, NM, UT, and western WY	EXPN	\$2,240,579	\$970,515,616
91	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Sonoma County	E	\$2,207,619	\$972,723,235
92	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC	E	\$2,006,896	\$974,730,131
93	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$1,978,888	\$976,709,019
94	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$1,915,352	\$978,624,371
95	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,915,235	\$980,539,606
96	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - EXPN, non-essential portions of ID and MT	EXPN	\$1,899,104	\$982,438,710
97	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$1,855,592	\$984,294,302
98	Wolf, gray ( <i>Canis lupus</i> ) - WY, ID, MT	EXPN	\$1,829,149	\$986,123,451
99	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$1,740,019	\$987,863,470
100	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	\$1,729,106	\$989,592,576
101	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$1,720,585	\$991,313,161
102	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	\$1,720,072	\$993,033,233
103	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A. only	E	\$1,676,931	\$994,710,164
104	Wolf, Mexican gray ( <i>Canis lupus baileyi</i> ) - portions of AZ, NM and TX	EXPN	\$1,628,931	\$996,339,095
105	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. only	E	\$1,601,115	\$997,940,210
106	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	\$1,576,429	\$999,516,639
107	Wolf, gray ( <i>Canis lupus</i> ) - MN	T	\$1,560,262	\$1,001,076,901
108	Sawfish, smalltooth ( <i>Pristis pectinata</i> )	E	\$1,555,876	\$1,002,632,777
109	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$1,528,053	\$1,004,160,830
110	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$1,506,235	\$1,005,667,065

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
111	Panther, Florida ( <i>Puma</i> (= <i>Felis concolor coryi</i> ))	E	\$1,488,530	\$1,007,155,595
112	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuenae</i> )	E	\$1,476,106	\$1,008,631,701
113	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$1,446,653	\$1,010,078,354
114	Crane, whooping ( <i>Grus americana</i> ) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$1,443,841	\$1,011,522,195
115	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$1,443,585	\$1,012,965,780
116	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - Central CA DPS	T	\$1,392,458	\$1,014,358,238
117	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$1,349,143	\$1,015,707,381
118	Ferret, black-footed ( <i>Mustela nigripes</i> ) - entire population, except where EXPN	E	\$1,331,395	\$1,017,038,776
119	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$1,296,316	\$1,018,335,092
120	Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	E	\$1,277,944	\$1,019,613,036
121	Abalone, White ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	E	\$1,239,899	\$1,020,852,935
122	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - except where endangered	T	\$1,188,296	\$1,022,041,231
123	Goose, Hawaiian ( <i>Branta</i> (= <i>Nesochen</i> ) <i>sandvicensis</i> )	E	\$1,176,121	\$1,023,217,352
124	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$1,152,117	\$1,024,369,469
125	Chub, Oregon ( <i>Oregonichthys crameri</i> )	T	\$1,151,629	\$1,025,521,098
126	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$1,133,700	\$1,026,654,798
127	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$1,127,323	\$1,027,782,121
128	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Entire, except where EXPN	E	\$1,118,382	\$1,028,900,503
129	Crane, whooping ( <i>Grus americana</i> ) - except where EXPN	E	\$1,111,844	\$1,030,012,347
130	Bat, gray ( <i>Myotis grisescens</i> )	E	\$1,108,571	\$1,031,120,918
131	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$1,093,686	\$1,032,214,604
132	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$1,090,253	\$1,033,304,857
133	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$1,064,178	\$1,034,369,035
134	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$1,063,600	\$1,035,432,635
135	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$1,062,750	\$1,036,495,385
136	Warbler, Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$1,038,371	\$1,037,533,756
137	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$1,035,827	\$1,038,569,583
138	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$1,014,226	\$1,039,583,809
139	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - except where EXPN	T	\$1,013,882	\$1,040,597,691
140	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Santa Barbara County	E	\$1,002,956	\$1,041,600,647
141	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$998,903	\$1,042,599,550
142	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.	E	\$982,944	\$1,043,582,494
143	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$934,700	\$1,044,517,194
144	Cactus, Siler pincushion ( <i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i> )	T	\$928,400	\$1,045,445,594
145	Ferret, black-footed ( <i>Mustela nigripes</i> ) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$924,640	\$1,046,370,234
146	Cui-ui ( <i>Chasmistes cujus</i> )	E	\$912,593	\$1,047,282,827
147	Wolf, red ( <i>Canis rufus</i> ) - portions of NC and TN	EXPN	\$895,500	\$1,048,178,327
148	Plover, piping ( <i>Charadrius melodus</i> ) - Great Lakes watershed	E	\$882,742	\$1,049,061,069
149	Gnatcatcher, coastal California ( <i>Polioptila californica californica</i> )	T	\$877,449	\$1,049,938,518
150	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	\$875,444	\$1,050,813,962
151	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$873,803	\$1,051,687,765
152	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	\$841,199	\$1,052,528,964
153	Wolf, gray ( <i>Canis lupus</i> ) - Mexican gray wolf, EXPN population	EXPN	\$831,844	\$1,053,360,808
154	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$829,547	\$1,054,190,355
155	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$820,394	\$1,055,010,749
156	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$808,674	\$1,055,819,423
157	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A. only	E	\$758,544	\$1,056,577,967
158	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	\$755,358	\$1,057,333,325
159	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) - Sonoran Desert DPS	T	\$746,240	\$1,058,079,565
160	Spikedace ( <i>Meda fulgida</i> )	T	\$733,174	\$1,058,812,739
161	Woundfin ( <i>Plagopterus argentissimus</i> ) - except Gila R. drainage, AZ, NM	E	\$729,904	\$1,059,542,643
162	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$710,781	\$1,060,253,424
163	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$701,900	\$1,060,955,324
164	Condor, California ( <i>Gymnogyps californianus</i> ) - specific portions of AZ, NV, and UT	EXPN	\$698,300	\$1,061,653,624
165	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E	\$685,801	\$1,062,339,425
166	Ocelot ( <i>Leopardus</i> (= <i>Felis</i> ) <i>pardalis</i> )	E	\$684,535	\$1,063,023,960
167	Peppergrass, Slickspot ( <i>Lepidium papilliferum</i> )	T	\$674,205	\$1,063,698,165

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
168	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$673,972	\$1,064,372,137
169	Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) - Entire	E	\$662,572	\$1,065,034,709
170	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$655,739	\$1,065,690,448
171	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$655,364	\$1,066,345,812
172	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$640,246	\$1,066,986,058
173	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$639,981	\$1,067,626,039
174	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$639,848	\$1,068,265,887
175	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$637,938	\$1,068,903,825
176	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$612,642	\$1,069,516,467
177	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS	E	\$607,493	\$1,070,123,960
178	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	E	\$590,728	\$1,070,714,688
179	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$588,974	\$1,071,303,662
180	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$582,082	\$1,071,885,744
181	Chub, Gila ( <i>Gila intermedia</i> )	E	\$573,655	\$1,072,459,399
182	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> )	E	\$565,185	\$1,073,024,584
183	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$556,599	\$1,073,581,183
184	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino (=E. e. wrightii)</i> )	E	\$555,403	\$1,074,136,586
185	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$554,882	\$1,074,691,468
186	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$545,725	\$1,075,237,193
187	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$544,557	\$1,075,781,750
188	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$534,983	\$1,076,316,733
189	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$526,858	\$1,076,843,591
190	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	\$525,715	\$1,077,369,306
191	<i>Geocarpon minimum</i> (=Sci name)	T	\$514,400	\$1,077,883,706
192	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	\$504,427	\$1,078,388,133
193	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Mexican nesting pop.	E	\$504,064	\$1,078,892,197
194	Chub, Virgin River ( <i>Gila seminuda (=robusta)</i> )	E	\$503,783	\$1,079,395,980
195	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$492,250	\$1,079,888,230
196	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	\$487,731	\$1,080,375,961
197	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$487,451	\$1,080,863,412
198	Pondberry ( <i>Lindera melissifolia</i> )	E	\$486,365	\$1,081,349,777
199	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	\$480,917	\$1,081,830,694
200	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$475,338	\$1,082,306,032
201	Lupine, Kincaid's ( <i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i> )	T	\$469,969	\$1,082,776,001
202	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$466,356	\$1,083,242,357
203	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$465,925	\$1,083,708,282
204	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$465,676	\$1,084,173,958
205	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$465,165	\$1,084,639,123
206	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) - entire	T	\$463,223	\$1,085,102,346
207	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$458,018	\$1,085,560,364
208	Clubshell ( <i>Pleurobema clava</i> ) - Entire Range; Except where EXPN	E	\$456,402	\$1,086,016,766
209	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$453,197	\$1,086,469,963
210	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) - west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$446,383	\$1,086,916,346
211	<i>Abutilon sandwicense</i> (=Sci name)	E	\$441,396	\$1,087,357,742
212	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$436,479	\$1,087,794,221
213	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$432,573	\$1,088,226,794
214	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - Entire; except where EXPN	E	\$422,411	\$1,088,649,205
215	Shiner, Topeka ( <i>Notropis topeka (=tristis)</i> )	E	\$418,937	\$1,089,068,142
216	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	\$417,698	\$1,089,485,840
217	Tortoise, desert ( <i>Gopherus agassizii</i> ) - outside/taken from Sonoran Desert	SAT	\$403,924	\$1,089,889,764
218	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$403,642	\$1,090,293,406
219	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$401,343	\$1,090,694,749
220	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	\$388,020	\$1,091,082,769
221	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$386,569	\$1,091,469,338
222	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$382,867	\$1,091,852,205
223	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - southwest Alaska DPS	T	\$373,842	\$1,092,226,047
224	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$373,770	\$1,092,599,817
225	Spinymussel, James ( <i>Pleurobema collina</i> )	E	\$368,450	\$1,092,968,267

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
226	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) - U.S.A. only	E	\$366,105	\$1,093,334,372
227	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$358,740	\$1,093,693,112
228	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) - north-central CO	T	\$353,863	\$1,094,046,975
229	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$350,090	\$1,094,397,065
230	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$344,939	\$1,094,742,004
231	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$338,085	\$1,095,080,089
232	salamander, Reticulated flatwoods ( <i>Ambystoma bishopi</i> )	E	\$335,914	\$1,095,416,003
233	Rail, Guam ( <i>Rallus owstoni</i> ) - except Rota	E	\$335,200	\$1,095,751,203
234	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$333,502	\$1,096,084,705
235	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	\$332,493	\$1,096,417,198
236	Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> )	E	\$332,167	\$1,096,749,365
237	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	\$328,448	\$1,097,077,813
238	Lily, Western ( <i>Lilium occidentale</i> )	E	\$326,715	\$1,097,404,528
239	Bat, Ozark big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> )	E	\$316,420	\$1,097,720,948
240	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$314,351	\$1,098,035,299
241	Wolf, gray ( <i>Canis lupus</i> ) - WY, EXPN population	EXPN	\$311,736	\$1,098,347,035
242	Sheep, Peninsular bighorn ( <i>Ovis canadensis nelsoni</i> ) - Peninsular CA pop.	E	\$311,550	\$1,098,658,585
243	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$306,797	\$1,098,965,382
244	Wolf, red ( <i>Canis rufus</i> ) - except where EXPN	E	\$305,600	\$1,099,270,982
245	Phlox, Texas trailing ( <i>Phlox nivalis ssp. texensis</i> )	E	\$305,426	\$1,099,576,408
246	Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )	E	\$303,821	\$1,099,880,229
247	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	\$299,771	\$1,100,180,000
248	<i>Phyllostegia mollis</i> (=Sci name)	E	\$295,855	\$1,100,475,855
249	Trout, Greenback Cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$294,042	\$1,100,769,897
250	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$292,655	\$1,101,062,552
251	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$292,168	\$1,101,354,720
251	Opuhe ( <i>Urera kaalae</i> )	E	\$292,168	\$1,101,646,888
252	Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )	E	\$289,678	\$1,101,936,566
252	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$289,678	\$1,102,226,244
253	<i>Alsinidendron trinerve</i> (=Sci name)	E	\$289,575	\$1,102,515,819
254	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$287,600	\$1,102,803,419
255	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$286,925	\$1,103,090,344
256	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) - southern CA DPS	E	\$284,725	\$1,103,375,069
257	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$283,182	\$1,103,658,251
258	Bat, Virginia big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> )	E	\$281,762	\$1,103,940,013
259	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$281,108	\$1,104,221,121
260	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$272,726	\$1,104,493,847
261	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$271,377	\$1,104,765,224
262	Coot, Hawaiian ( <i>Fulca americana alai</i> )	E	\$270,120	\$1,105,035,344
263	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - IN north of 40 degrees north latitude, MI, OH	T	\$265,731	\$1,105,301,075
264	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$261,762	\$1,105,562,837
265	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$258,859	\$1,105,821,696
266	<i>Bonamia menziesii</i> (=Sci name)	E	\$257,702	\$1,106,079,398
267	Tarplant, Gaviota ( <i>Deinandra increscens ssp. villosa</i> )	E	\$256,134	\$1,106,335,532
268	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	\$255,966	\$1,106,591,498
269	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	\$254,886	\$1,106,846,384
270	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$253,010	\$1,107,099,394
271	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$252,247	\$1,107,351,641
272	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> ))	E	\$251,422	\$1,107,603,063
273	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$248,620	\$1,107,851,683
274	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$247,797	\$1,108,099,480
275	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$244,509	\$1,108,343,989
276	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$235,920	\$1,108,579,909
277	A`e ( <i>Zanthoxylum hawaiiense</i> )	E	\$234,148	\$1,108,814,057
278	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$233,131	\$1,109,047,188
279	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$233,032	\$1,109,280,220
280	<i>Nerardia ovata</i> (=Sci name)	E	\$232,430	\$1,109,512,650



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
281	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$231,083	\$1,109,743,733
282	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) - Selkirk Mountain population	E	\$229,061	\$1,109,972,794
283	Bison, wood ( <i>Bison bison athabasca</i> ) - Canada	E	\$228,800	\$1,110,201,594
284	Chaffseed, American ( <i>Schwalbea americana</i> )	E	\$228,527	\$1,110,430,121
285	Toad, Wyoming ( <i>Bufo baxteri</i> (=hemiophrys))	E	\$223,272	\$1,110,653,393
286	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$222,929	\$1,110,876,322
287	Gambusia, Clear Creek ( <i>Gambusia heterochir</i> )	E	\$222,500	\$1,111,098,822
288	Jaguar ( <i>Panthera onca</i> )	E	\$221,282	\$1,111,320,104
289	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - Entire; Except where EXPN	E	\$221,000	\$1,111,541,104
290	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$220,995	\$1,111,762,099
291	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$218,482	\$1,111,980,581
292	Darter, leopard ( <i>Percina pantherina</i> )	T	\$215,281	\$1,112,195,862
293	Phyllostegia hispida (=Sci name)	E	\$213,271	\$1,112,409,133
294	Spiny mussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$213,262	\$1,112,622,395
295	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	\$213,188	\$1,112,835,583
296	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$213,077	\$1,113,048,660
297	<i>Silene lanceolata</i> (=Sci name)	E	\$211,348	\$1,113,260,008
298	Cactus, Colorado hookless ( <i>Sclerocactus glaucus</i> )	T	\$211,113	\$1,113,471,121
299	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL pop.	T	\$210,616	\$1,113,681,737
300	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$210,155	\$1,113,891,892
301	Po`e ( <i>Portulaca sclerocarpa</i> )	E	\$209,763	\$1,114,101,655
302	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$209,093	\$1,114,310,748
303	Popolo ku mai ( <i>Solanum incompletum</i> )	E	\$208,146	\$1,114,518,894
304	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	\$207,377	\$1,114,726,271
305	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$207,071	\$1,114,933,342
306	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	\$206,922	\$1,115,140,264
307	Darter, bluemask (=jewel) ( <i>Etheostoma</i> sp.)	E	\$206,633	\$1,115,346,897
308	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$205,847	\$1,115,552,744
309	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	\$205,738	\$1,115,758,482
310	Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> )	E	\$204,167	\$1,115,962,649
311	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$202,425	\$1,116,165,074
312	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$200,386	\$1,116,365,460
313	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	\$199,055	\$1,116,564,515
314	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$198,682	\$1,116,763,197
315	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	\$198,612	\$1,116,961,809
316	<i>Silene hawaiiensis</i> (=Sci name)	T	\$198,584	\$1,117,160,393
317	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$197,944	\$1,117,358,337
318	<i>Lipochaeta venosa</i> (=Sci name)	E	\$197,582	\$1,117,555,919
319	Aupaka ( <i>Isodendron hosakae</i> )	E	\$196,069	\$1,117,751,988
320	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$195,909	\$1,117,947,897
321	Kio`ele ( <i>Hedyotis coriacea</i> )	E	\$195,782	\$1,118,143,679
322	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$191,009	\$1,118,334,688
323	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$190,241	\$1,118,524,929
324	Mehamehame ( <i>Flueggea neowawraea</i> )	E	\$190,063	\$1,118,714,992
325	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$189,210	\$1,118,904,202
326	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$188,058	\$1,119,092,260
327	Banklimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	\$186,476	\$1,119,278,736
328	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$184,999	\$1,119,463,735
329	Ma`o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$184,152	\$1,119,647,887
330	Chub, spotfin ( <i>Erimonax monachus</i> ) - Entire	T	\$183,589	\$1,119,831,476
331	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$183,336	\$1,120,014,812
332	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$180,728	\$1,120,195,540
333	Pua`ala ( <i>Brighamia rockii</i> )	E	\$180,664	\$1,120,376,204
334	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$180,649	\$1,120,556,853
335	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	\$179,536	\$1,120,736,389
336	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$179,371	\$1,120,915,760
337	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	\$179,347	\$1,121,095,107
338	Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )	E	\$176,901	\$1,121,272,008
339	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$176,600	\$1,121,448,608

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
340	^Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$176,500	\$1,121,625,108
341	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$176,449	\$1,121,801,557
342	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - south of Pt. Conception, CA	EXPN	\$176,380	\$1,121,977,937
343	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	\$174,855	\$1,122,152,792
344	Bedstraw, El Dorado ( <i>Galium californicum ssp. sierrae</i> )	E	\$174,379	\$1,122,327,171
345	Koki'o ke'oke'o ( <i>Hibiscus arnottianus ssp. immaculatus</i> )	E	\$173,664	\$1,122,500,835
346	Lo'ulu ( <i>Pritchardia munroi</i> )	E	\$173,651	\$1,122,674,486
346	Haha ( <i>Cyanea dunbarii</i> )	E	\$173,651	\$1,122,848,137
347	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$173,400	\$1,123,021,537
348	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$172,705	\$1,123,194,242
348	Broom, San Clemente Island ( <i>Lotus dendroideus ssp. traskiae</i> )	E	\$172,705	\$1,123,366,947
348	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	\$172,705	\$1,123,539,652
349	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allopshys</i> )	E	\$172,383	\$1,123,712,035
350	Crocodile, American ( <i>Crocodylus acutus</i> ) - FL pop.	T	\$171,736	\$1,123,883,771
351	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$171,175	\$1,124,054,946
352	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$170,940	\$1,124,225,886
353	Ko'oko'olau ( <i>Bidens wiebkei</i> )	E	\$170,364	\$1,124,396,250
354	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$169,541	\$1,124,565,791
355	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$168,423	\$1,124,734,214
356	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$168,088	\$1,124,902,302
357	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$167,004	\$1,125,069,306
358	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$166,608	\$1,125,235,914
359	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$166,243	\$1,125,402,157
360	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	\$164,598	\$1,125,566,755
361	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$164,340	\$1,125,731,095
362	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$162,450	\$1,125,893,545
363	Akekee ( <i>Loxops caeruleirostris</i> )	E	\$160,812	\$1,126,054,357
363	Akikiki ( <i>Oreomystis bairdi</i> )	E	\$160,812	\$1,126,215,169
364	Pink, swamp ( <i>Helonias bullata</i> )	T	\$159,258	\$1,126,374,427
365	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscinia</i> )	E	\$157,841	\$1,126,532,268
366	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) – Entire; Except EXPN	E	\$156,500	\$1,126,688,768
367	Kulu'i ( <i>Nototrichium humile</i> )	E	\$156,108	\$1,126,844,876
368	<i>Schiedea nuttallii</i> (=Sci name)	E	\$156,055	\$1,127,000,931
369	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE	E	\$155,346	\$1,127,156,277
370	Haha ( <i>Cyanea grimesiana ssp. grimesiana</i> )	E	\$155,308	\$1,127,311,585
371	Pamakani ( <i>Viola chamissoniana ssp. chamissoniana</i> )	E	\$154,695	\$1,127,466,280
372	<i>Gouania vitifolia</i> (=Sci name)	E	\$154,518	\$1,127,620,798
373	Darter, vermilion ( <i>Etheostoma chermocki</i> )	E	\$154,455	\$1,127,775,253
374	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$154,030	\$1,127,929,283
375	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$153,832	\$1,128,083,115
376	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$153,821	\$1,128,236,936
377	<i>Hedyotis parvula</i> (=Sci name)	E	\$153,789	\$1,128,390,725
378	Button-celery, San Diego ( <i>Eryngium aristulatum var. parishii</i> )	E	\$153,633	\$1,128,544,358
379	Woolly-threads, San Joaquin ( <i>Monolopia</i> (=Lembertia) <i>congdonii</i> )	E	\$152,844	\$1,128,697,202
380	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$152,718	\$1,128,849,920
381	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	\$152,575	\$1,129,002,495
382	Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> ) - AL; Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$152,000	\$1,129,154,495
383	^Akoko ( <i>Chamaesyce celastroides var. kaenana</i> )	E	\$151,004	\$1,129,305,499
384	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium ssp. sanctorum</i> )	E	\$150,890	\$1,129,456,389
385	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	\$150,751	\$1,129,607,140
386	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$150,630	\$1,129,757,770
387	Oha ( <i>Delissea subcordata</i> )	E	\$150,058	\$1,129,907,828
388	Haha ( <i>Cyanea superba</i> )	E	\$149,945	\$1,130,057,773
389	Amphipod, Peck's cave ( <i>Stygobromus</i> (=Stygonectes) <i>pecki</i> )	E	\$149,814	\$1,130,207,587
390	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$149,645	\$1,130,357,232

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
391	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	\$148,345	\$1,130,505,577
391	Haha ( <i>Cyanea longiflora</i> )	E	\$148,345	\$1,130,653,922
392	Ma`oli`oli ( <i>Schiedea kealiae</i> )	E	\$148,171	\$1,130,802,093
393	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$147,858	\$1,130,949,951
394	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$147,639	\$1,131,097,590
395	<i>Sanicula marivera</i> (=Sci name)	E	\$147,371	\$1,131,244,961
396	<i>Hedyotis degeneri</i> (=Sci name)	E	\$147,252	\$1,131,392,213
397	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$146,625	\$1,131,538,838
398	<i>Alsinidendron obovatum</i> (=Sci name)	E	\$146,565	\$1,131,685,403
398	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	\$146,565	\$1,131,831,968
399	Limpet, Banbury Springs ( <i>Lanx</i> sp.)	E	\$146,340	\$1,131,978,308
400	Monardella, willowy ( <i>Monardella linoides</i> ssp. <i>viminea</i> )	E	\$145,190	\$1,132,123,498
401	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Entire; Except where EXPN	E	\$144,490	\$1,132,267,988
402	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	\$144,166	\$1,132,412,154
403	Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )	T	\$144,050	\$1,132,556,204
404	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$142,017	\$1,132,698,221
405	Spineflower, slender-horned ( <i>Dodecagema leptoceras</i> )	E	\$140,546	\$1,132,838,767
406	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	\$140,308	\$1,132,979,075
407	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$139,577	\$1,133,118,652
408	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	\$139,200	\$1,133,257,852
409	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$138,638	\$1,133,396,490
410	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	\$138,554	\$1,133,535,044
411	Combshell, Cumberlandian ( <i>Epioblasma brevicensis</i> ) - Entire ; Except where EXPN	E	\$137,770	\$1,133,672,814
412	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$136,929	\$1,133,809,743
413	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$136,592	\$1,133,946,335
414	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$136,300	\$1,134,082,635
415	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> )	T	\$134,746	\$1,134,217,381
416	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$134,163	\$1,134,351,544
417	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - AL; Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$133,000	\$1,134,484,544
418	Chub, Pahrnagat roundtail ( <i>Gila robusta jordani</i> )	E	\$132,982	\$1,134,617,526
419	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	\$132,756	\$1,134,750,282
420	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	\$131,600	\$1,134,881,882
421	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas R. Basin	T	\$131,510	\$1,135,013,392
422	Sedge, golden ( <i>Carex lutea</i> )	E	\$131,190	\$1,135,144,582
423	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$130,678	\$1,135,275,260
424	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	\$130,186	\$1,135,405,446
425	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$130,039	\$1,135,535,485
426	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$129,324	\$1,135,664,809
427	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniensis</i> )	E	\$128,702	\$1,135,793,511
428	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	\$127,879	\$1,135,921,390
429	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	\$127,648	\$1,136,049,038
430	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	\$127,146	\$1,136,176,184
431	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	\$126,731	\$1,136,302,915
432	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$125,561	\$1,136,428,476
433	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$124,549	\$1,136,553,025
434	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	\$123,618	\$1,136,676,643
435	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$123,349	\$1,136,799,992
436	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$121,760	\$1,136,921,752
437	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$120,879	\$1,137,042,631
438	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$119,818	\$1,137,162,449
439	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$119,660	\$1,137,282,109
440	Oxythea, cushenbury ( <i>Oxythea parishii</i> var. <i>goodmaniana</i> )	E	\$118,100	\$1,137,400,209
441	Ko`oloa`ula ( <i>Abutilon menziesii</i> )	E	\$117,958	\$1,137,518,167
442	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	\$117,500	\$1,137,635,667
443	fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$116,930	\$1,137,752,597
444	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	\$115,369	\$1,137,867,966
445	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$115,226	\$1,137,983,192
446	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	\$114,648	\$1,138,097,840

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
447	Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )	E	\$114,589	\$1,138,212,429
448	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$114,570	\$1,138,326,999
449	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	\$113,000	\$1,138,439,999
450	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	\$112,735	\$1,138,552,734
451	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$112,120	\$1,138,664,854
452	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$111,579	\$1,138,776,433
453	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	\$111,322	\$1,138,887,755
454	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$109,898	\$1,138,997,653
455	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )	E	\$108,600	\$1,139,106,253
456	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$107,539	\$1,139,213,792
457	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	\$107,264	\$1,139,321,056
458	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$107,000	\$1,139,428,056
459	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$106,858	\$1,139,534,914
460	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$106,700	\$1,139,641,614
461	Poppy, Sacramento prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> )	E	\$106,243	\$1,139,747,857
462	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$105,683	\$1,139,853,540
463	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$105,350	\$1,139,958,890
464	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	\$104,500	\$1,140,063,390
465	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$104,050	\$1,140,167,440
466	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$103,412	\$1,140,270,852
467	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )	T	\$102,000	\$1,140,372,852
468	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	\$101,100	\$1,140,473,952
469	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	\$101,000	\$1,140,574,952
470	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$99,510	\$1,140,674,462
471	Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> ) - subspecies range clarified	T	\$99,275	\$1,140,773,737
472	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$99,066	\$1,140,872,803
473	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$98,802	\$1,140,971,605
474	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	\$98,280	\$1,141,069,885
475	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$97,855	\$1,141,167,740
476	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$96,075	\$1,141,263,815
477	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$96,061	\$1,141,359,876
478	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$94,104	\$1,141,453,980
478	Meadowfoam, Sebastopol ( <i>Limnanthes vincularis</i> )	E	\$94,104	\$1,141,548,084
479	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - Entire ; Except where EXPN	E	\$93,565	\$1,141,641,649
480	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$93,100	\$1,141,734,749
481	Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> )	E	\$92,902	\$1,141,827,651
482	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	\$92,397	\$1,141,920,048
483	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	\$92,289	\$1,142,012,337
484	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensii</i> )	E	\$92,229	\$1,142,104,566
485	popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$92,200	\$1,142,196,766
486	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	\$90,912	\$1,142,287,678
487	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	\$90,705	\$1,142,378,383
488	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$90,652	\$1,142,469,035
489	Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )	T	\$90,506	\$1,142,559,541
490	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	\$90,011	\$1,142,649,552
491	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$90,000	\$1,142,739,552
492	Mustard, slender-petaled ( <i>Thelypodium stenopetalum</i> )	E	\$89,952	\$1,142,829,504
493	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$89,951	\$1,142,919,455
494	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	\$89,565	\$1,143,009,020
495	Darter, duskytail ( <i>Etheostoma percnurum</i> ) - Entire	E	\$88,977	\$1,143,097,997
496	Checker-mallow, pedate ( <i>Sidalcea pedata</i> )	E	\$88,494	\$1,143,186,491
497	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	\$88,000	\$1,143,274,491
498	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$87,368	\$1,143,361,859
499	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$87,279	\$1,143,449,138
500	Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> )	E	\$87,167	\$1,143,536,305
501	purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - Entire; Except where EXPN	E	\$87,132	\$1,143,623,437
502	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$87,056	\$1,143,710,493
503	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$86,941	\$1,143,797,434

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
504	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	\$86,132	\$1,143,883,566
505	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	\$85,582	\$1,143,969,148
506	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	\$85,375	\$1,144,054,523
507	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	\$84,608	\$1,144,139,131
508	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$84,425	\$1,144,223,556
509	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	\$84,330	\$1,144,307,886
510	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	\$84,300	\$1,144,392,186
511	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$83,700	\$1,144,475,886
512	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$83,000	\$1,144,558,886
513	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	\$82,340	\$1,144,641,226
514	Wireweed ( <i>Polygonella basiramia</i> )	E	\$80,884	\$1,144,722,110
515	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	\$80,342	\$1,144,802,452
516	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$80,215	\$1,144,882,667
517	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$80,025	\$1,144,962,692
518	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$79,875	\$1,145,042,567
519	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$79,600	\$1,145,122,167
519	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$79,600	\$1,145,201,767
520	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$78,960	\$1,145,280,727
521	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$78,615	\$1,145,359,342
522	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	\$78,465	\$1,145,437,807
523	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> )	E	\$77,658	\$1,145,515,465
524	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	\$77,290	\$1,145,592,755
525	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	\$77,100	\$1,145,669,855
526	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$76,274	\$1,145,746,129
527	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$76,240	\$1,145,822,369
528	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$76,153	\$1,145,898,522
529	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$75,900	\$1,145,974,422
530	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$75,156	\$1,146,049,578
531	Harperella ( <i>Ptilimnium nodosum</i> )	E	\$75,030	\$1,146,124,608
532	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$74,896	\$1,146,199,504
533	<i>Aiea</i> ( <i>Nothoestrum breviflorum</i> )	E	\$74,506	\$1,146,274,010
534	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	\$74,452	\$1,146,348,462
535	Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> ) – Entire; Except where EXPN	E	\$74,220	\$1,146,422,682
536	Dace, desert ( <i>Eremichthys acros</i> )	T	\$74,168	\$1,146,496,850
537	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$73,540	\$1,146,570,390
538	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$73,170	\$1,146,643,560
539	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$72,437	\$1,146,715,997
540	Haha ( <i>Cyanea koolauensis</i> )	E	\$72,146	\$1,146,788,143
541	Layia, beach ( <i>Layia carnosa</i> )	E	\$72,011	\$1,146,860,154
542	Haha ( <i>Cyanea</i> st. <i>johnii</i> )	E	\$71,310	\$1,146,931,464
543	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$71,292	\$1,147,002,756
544	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> )	E	\$71,180	\$1,147,073,936
545	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> )	T	\$70,520	\$1,147,144,456
546	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$70,000	\$1,147,214,456
547	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$69,946	\$1,147,284,402
547	Alani ( <i>Melicope lydgatei</i> )	E	\$69,946	\$1,147,354,348
548	<i>Pteris lidgatei</i> (=Sci name)	E	\$69,859	\$1,147,424,207
549	<i>Sanicula purpurea</i> (=Sci name)	E	\$69,559	\$1,147,493,766
549	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$69,559	\$1,147,563,325
550	<i>Lobelia oahuensis</i> (=Sci name)	E	\$69,523	\$1,147,632,848
551	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$69,464	\$1,147,702,312
552	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	\$69,219	\$1,147,771,531
553	Nioi ( <i>Eugenia koolauensis</i> )	E	\$69,133	\$1,147,840,664
554	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$69,000	\$1,147,909,664
555	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$68,646	\$1,147,978,310
556	Darter, amber ( <i>Percina antesella</i> )	E	\$68,600	\$1,148,046,910
557	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$68,546	\$1,148,115,456
557	Haha ( <i>Cyanea acuminata</i> )	E	\$68,546	\$1,148,184,002
557	Nanu ( <i>Gardenia mannii</i> )	E	\$68,546	\$1,148,252,548

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
558	ʻAkoko ( <i>Chamaesyce rockii</i> )	E	\$68,259	\$1,148,320,807
559	<i>Viola oahuensis</i> (=Sci name)	E	\$68,159	\$1,148,388,966
560	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$68,059	\$1,148,457,025
560	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$68,059	\$1,148,525,084
560	Kolea ( <i>Myrsine juddii</i> )	E	\$68,059	\$1,148,593,143
561	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$67,995	\$1,148,661,138
562	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	\$67,760	\$1,148,728,898
562	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	\$67,760	\$1,148,796,658
563	Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa</i> ssp. <i>grandiflora</i> )	E	\$67,678	\$1,148,864,336
564	cactus, Uinta Basin hookless ( <i>Sclerocactus wetlandicus</i> )	T	\$67,665	\$1,148,932,001
565	Woundfin ( <i>Plagopterus argentissimus</i> ) - Gila R. drainage, AZ, NM	EXPN	\$67,502	\$1,148,999,503
566	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	\$67,067	\$1,149,066,570
567	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$66,300	\$1,149,132,870
568	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	\$65,887	\$1,149,198,757
569	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) – Entire; Except where	EXPN	\$65,877	\$1,149,264,634
570	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	\$65,100	\$1,149,329,734
571	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$65,047	\$1,149,394,781
572	Koki`o ( <i>Kokia drynarioides</i> )	E	\$64,679	\$1,149,459,460
573	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$64,360	\$1,149,523,820
574	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$64,095	\$1,149,587,915
575	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$63,900	\$1,149,651,815
576	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$63,760	\$1,149,715,575
577	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$63,630	\$1,149,779,205
578	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$63,030	\$1,149,842,235
579	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	\$62,577	\$1,149,904,812
580	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$61,558	\$1,149,966,370
581	bladderpod, Missouri ( <i>Physaria filiformis</i> )	T	\$61,363	\$1,150,027,733
582	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$61,262	\$1,150,088,995
583	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$60,548	\$1,150,149,543
584	Kauila ( <i>Colubrina oppositifolia</i> )	E	\$60,447	\$1,150,209,990
585	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$59,942	\$1,150,269,932
586	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$59,776	\$1,150,329,708
587	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )	E	\$59,517	\$1,150,389,225
588	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$59,369	\$1,150,448,594
589	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$59,291	\$1,150,507,885
590	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$59,220	\$1,150,567,105
591	Dace, Foskett speckled ( <i>Rhinichthys osculus</i> ssp.) - Foskett	T	\$59,100	\$1,150,626,205
592	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	\$58,849	\$1,150,685,054
593	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	\$58,774	\$1,150,743,828
594	Skipper, Carson wandering ( <i>Pseudocopaeodes eunus obscurus</i> )	E	\$58,392	\$1,150,802,220
595	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$58,326	\$1,150,860,546
596	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )	E	\$57,100	\$1,150,917,646
597	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$56,944	\$1,150,974,590
598	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	\$56,416	\$1,151,031,006
599	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$56,250	\$1,151,087,256
600	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> )	E	\$56,100	\$1,151,143,356
601	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$56,016	\$1,151,199,372
602	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$55,930	\$1,151,255,302
603	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$55,519	\$1,151,310,821
604	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$55,500	\$1,151,366,321
605	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$55,464	\$1,151,421,785
606	Alani ( <i>Melicope adscendens</i> )	E	\$55,337	\$1,151,477,122
607	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$55,246	\$1,151,532,368
608	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$54,947	\$1,151,587,315
609	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$54,882	\$1,151,642,197
610	Uhiuhi ( <i>Caesalpinia kawaiense</i> )	E	\$54,689	\$1,151,696,886
611	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$53,814	\$1,151,750,700
612	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$53,500	\$1,151,804,200
613	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	\$53,311	\$1,151,857,511

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
614	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$52,977	\$1,151,910,488
615	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	\$52,687	\$1,151,963,175
616	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$52,663	\$1,152,015,838
617	Pigeon wings ( <i>Clitoria fragrans</i> )	T	\$52,650	\$1,152,068,488
618	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$52,002	\$1,152,120,490
619	Milk-vetch, Sentry ( <i>Astragalus cremonophylax</i> var. <i>cremonophylax</i> )	E	\$51,900	\$1,152,172,390
620	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$51,520	\$1,152,223,910
621	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	\$51,350	\$1,152,275,260
622	Clarkia, Vine Hill ( <i>Clarkia imbricata</i> )	E	\$51,343	\$1,152,326,603
623	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$51,095	\$1,152,377,698
624	Creeper, Hawaii ( <i>Oreomyza mana</i> )	E	\$51,002	\$1,152,428,700
625	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$50,905	\$1,152,479,605
626	Alani ( <i>Melicope knudsenii</i> )	E	\$50,800	\$1,152,530,405
627	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	\$50,738	\$1,152,581,143
628	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	\$50,534	\$1,152,631,677
629	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$50,316	\$1,152,681,993
630	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	\$49,835	\$1,152,731,828
631	Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i> )	E	\$49,769	\$1,152,781,597
632	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$49,523	\$1,152,831,120
633	Poolfish, Pahrump ( <i>Empetrichthys latos</i> )	E	\$49,379	\$1,152,880,499
634	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$49,094	\$1,152,929,593
635	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$49,076	\$1,152,978,669
636	Sandalwood, Lanai (= iliahi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	\$49,000	\$1,153,027,669
637	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$48,819	\$1,153,076,488
638	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$48,700	\$1,153,125,188
639	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$48,425	\$1,153,173,613
640	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$48,384	\$1,153,221,997
641	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$48,369	\$1,153,270,366
642	Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> )	T	\$48,364	\$1,153,318,730
643	Po`ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$48,300	\$1,153,367,030
644	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	\$47,938	\$1,153,414,968
645	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$47,809	\$1,153,462,777
646	Seablite, California ( <i>Suaeda californica</i> )	E	\$47,748	\$1,153,510,525
647	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$47,700	\$1,153,558,225
648	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	\$47,650	\$1,153,605,875
649	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	\$47,389	\$1,153,653,264
650	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$47,000	\$1,153,700,264
651	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	\$46,975	\$1,153,747,239
652	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$46,508	\$1,153,793,747
653	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$46,428	\$1,153,840,175
654	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	\$46,424	\$1,153,886,599
655	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$46,322	\$1,153,932,921
656	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$46,000	\$1,153,978,921
657	Akiapola`au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$45,605	\$1,154,024,526
658	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$45,500	\$1,154,070,026
659	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$45,378	\$1,154,115,404
660	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$44,650	\$1,154,160,054
661	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - except where EXPN	T	\$44,400	\$1,154,204,454
662	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$44,137	\$1,154,248,591
663	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$44,090	\$1,154,292,681
664	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$44,040	\$1,154,336,721
665	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	\$43,998	\$1,154,380,719
666	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$43,600	\$1,154,424,319
667	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	\$43,500	\$1,154,467,819
668	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	\$43,366	\$1,154,511,185
669	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$43,253	\$1,154,554,438
670	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$42,850	\$1,154,597,288
671	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$42,228	\$1,154,639,516
672	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$41,951	\$1,154,681,467

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
673	Puma (=mountain lion) ( <i>Puma</i> (=Felis) <i>concolor</i> (all subsp. except <i>coryi</i> )) - FL	SAT	\$41,661	\$1,154,723,128
674	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$41,599	\$1,154,764,727
675	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$41,363	\$1,154,806,090
676	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	\$41,100	\$1,154,847,190
677	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$40,207	\$1,154,887,397
678	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$40,025	\$1,154,927,422
679	Turtle, flattened musk ( <i>Sternotherus depressus</i> ) - species range clarified	T	\$39,865	\$1,154,967,287
680	^Oha wai ( <i>Clermontia lindseyana</i> )	E	\$39,441	\$1,155,006,728
681	Puma (=cougar), eastern ( <i>Puma</i> (=Felis) <i>concolor cougar</i> )	E	\$39,295	\$1,155,046,023
682	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	\$39,205	\$1,155,085,228
683	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$39,079	\$1,155,124,307
684	Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))	E	\$39,011	\$1,155,163,318
685	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekaensis</i> )	E	\$38,978	\$1,155,202,296
686	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	\$38,804	\$1,155,241,100
687	Nukupu`u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$38,700	\$1,155,279,800
688	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$38,600	\$1,155,318,400
689	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$38,375	\$1,155,356,775
690	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$38,113	\$1,155,394,888
691	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) – Entire; Except where EXPN	E	\$37,920	\$1,155,432,808
692	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	\$37,859	\$1,155,470,667
693	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$37,500	\$1,155,508,167
693	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$37,500	\$1,155,545,667
694	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$37,350	\$1,155,583,017
695	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	\$37,325	\$1,155,620,342
696	Madtom, smoky ( <i>Noturus baileyi</i> ) - Entire	E	\$36,900	\$1,155,657,242
697	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$36,550	\$1,155,693,792
698	Blazingstar, scrub ( <i>Liatrix ohlingerae</i> )	E	\$36,100	\$1,155,729,892
699	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$35,872	\$1,155,765,764
700	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	\$35,650	\$1,155,801,414
701	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	\$35,431	\$1,155,836,845
702	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - Entire	E	\$35,371	\$1,155,872,216
703	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$34,946	\$1,155,907,162
704	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	\$34,530	\$1,155,941,692
705	<i>Diellia mannii</i> (=Sci name)	E	\$34,500	\$1,155,976,192
706	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	\$34,488	\$1,156,010,680
707	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	\$34,200	\$1,156,044,880
708	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.) - Hutton	T	\$34,100	\$1,156,078,980
709	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	\$33,992	\$1,156,112,972
710	^Oha wai ( <i>Clermontia peleana</i> )	E	\$33,832	\$1,156,146,804
711	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	\$33,671	\$1,156,180,475
712	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$33,600	\$1,156,214,075
713	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	\$33,534	\$1,156,247,609
714	Bear-poppy, Dwarf ( <i>Arctomecon humilis</i> )	E	\$33,400	\$1,156,281,009
715	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$33,390	\$1,156,314,399
716	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	\$33,351	\$1,156,347,750
717	Rock-cress, McDonald's ( <i>Arabis macdonaldiana</i> )	E	\$33,200	\$1,156,380,950
718	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$33,110	\$1,156,414,060
719	Boa, Virgin Islands tree ( <i>Epicrates monensis grantii</i> )	E	\$32,500	\$1,156,446,560
720	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$32,494	\$1,156,479,054
721	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$32,478	\$1,156,511,532
722	^Akoko, Ewa Plains ( <i>Chamaesyce scottsbergii</i> var. <i>kalaeloana</i> )	E	\$32,133	\$1,156,543,665
723	Shrimp, Alabama cave ( <i>Palaemonias alabamae</i> )	E	\$32,106	\$1,156,575,771
724	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$31,806	\$1,156,607,577
725	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$31,800	\$1,156,639,377
726	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	\$31,794	\$1,156,671,171
727	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$31,619	\$1,156,702,790
728	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneema</i> )	E	\$31,551	\$1,156,734,341
729	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$31,451	\$1,156,765,792
730	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	\$31,200	\$1,156,796,992



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
731	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$31,000	\$1,156,827,992
732	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$30,800	\$1,156,858,792
733	Kidneyshell, triangular ( <i>Ptychobranchus greenii</i> )	E	\$30,686	\$1,156,889,478
734	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$30,600	\$1,156,920,078
735	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$30,353	\$1,156,950,431
736	Alani ( <i>Melicope mucronulata</i> )	E	\$30,151	\$1,156,980,582
737	Chub, spotfin ( <i>Erimonax monachus</i> ) - Shoal Creek	EXPN	\$30,000	\$1,157,010,582
738	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$29,916	\$1,157,040,498
739	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$29,819	\$1,157,070,317
740	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$29,590	\$1,157,099,907
741	Malacothrix, island ( <i>Malacothrix squalida</i> )	E	\$29,464	\$1,157,129,371
742	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$29,300	\$1,157,158,671
743	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$29,290	\$1,157,187,961
744	Nohoanu ( <i>Geranium kauaiense</i> )	E	\$29,198	\$1,157,217,159
745	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$29,084	\$1,157,246,243
746	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$29,000	\$1,157,275,243
747	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$28,868	\$1,157,304,111
748	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$28,639	\$1,157,332,750
749	wild buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	\$28,472	\$1,157,361,222
750	Rocksnaill, painted ( <i>Leptoxis taeniata</i> )	T	\$28,220	\$1,157,389,442
751	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$28,213	\$1,157,417,655
752	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	\$27,800	\$1,157,445,455
753	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$27,721	\$1,157,473,176
754	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$27,683	\$1,157,500,859
755	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$27,555	\$1,157,528,414
756	Liveforever, Laguna Beach ( <i>Dudleya stolonifera</i> )	T	\$27,161	\$1,157,555,575
757	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$27,133	\$1,157,582,708
758	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - Southwestern population	EXPN	\$27,000	\$1,157,609,708
759	^Oha wai ( <i>Clermontia drepanomorpha</i> )	E	\$26,974	\$1,157,636,682
760	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$26,950	\$1,157,663,632
761	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$26,934	\$1,157,690,566
762	Darter, snail ( <i>Percina tanasi</i> )	T	\$26,708	\$1,157,717,274
763	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$26,616	\$1,157,743,890
764	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$26,423	\$1,157,770,313
765	Moth, Kern primrose sphinx ( <i>Euproserpinus euterpe</i> )	T	\$26,387	\$1,157,796,700
766	Haha ( <i>Cyanea shipmanii</i> )	E	\$26,325	\$1,157,823,025
767	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$26,297	\$1,157,849,322
768	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$26,250	\$1,157,875,572
769	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$26,003	\$1,157,901,575
770	Iguana, Mona ground ( <i>Cyclura cornuta stejnegeri</i> )	T	\$26,000	\$1,157,927,575
770	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhaphe</i> )	E	\$26,000	\$1,157,953,575
771	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	\$25,849	\$1,157,979,424
772	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$25,820	\$1,158,005,244
773	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$25,746	\$1,158,030,990
774	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	\$25,700	\$1,158,056,690
775	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$25,470	\$1,158,082,160
776	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$25,251	\$1,158,107,411
777	<i>Achyranthes mutica</i> (=Sci name)	E	\$25,224	\$1,158,132,635
778	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$25,198	\$1,158,157,833
779	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Entire ; Except where EXPN	E	\$25,020	\$1,158,182,853
779	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	\$25,020	\$1,158,207,873
780	Ohai ( <i>Sesbania tomentosa</i> )	E	\$24,723	\$1,158,232,596
781	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$24,689	\$1,158,257,285
782	^Oha wai ( <i>Clermontia pyrularia</i> )	E	\$24,687	\$1,158,281,972
783	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$24,625	\$1,158,306,597
784	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$24,250	\$1,158,330,847
785	Centauray, spring-loving ( <i>Centaurium namophilum</i> )	T	\$24,194	\$1,158,355,041
785	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$24,194	\$1,158,379,235

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
786	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern	SAT	\$24,126	\$1,158,403,361
787	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$23,872	\$1,158,427,233
788	Haha ( <i>Cyanea stictophylla</i> )	E	\$23,755	\$1,158,450,988
789	Damselfly, flying earwig Hawaiian ( <i>Megalagrion nesiotae</i> )	E	\$23,754	\$1,158,474,742
789	Damselfly, Pacific Hawaiian ( <i>Megalagrion pacificum</i> )	E	\$23,754	\$1,158,498,496
790	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	\$23,657	\$1,158,522,153
791	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$23,560	\$1,158,545,713
792	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$23,213	\$1,158,568,926
793	Heau ( <i>Exocarpos luteolus</i> )	E	\$23,000	\$1,158,591,926
794	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$22,908	\$1,158,614,834
795	cactus, Pariette ( <i>Sclerocactus brevispinus</i> )	T	\$22,600	\$1,158,637,434
796	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$22,537	\$1,158,659,971
797	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$21,716	\$1,158,681,687
798	Crownbeard, big-leaved ( <i>Verbesina dissita</i> )	T	\$21,634	\$1,158,703,321
799	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	\$21,583	\$1,158,724,904
800	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - DE, Sussex Co.	EXPN	\$21,561	\$1,158,746,465
801	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	\$21,424	\$1,158,767,889
802	Bluegrass, Napa ( <i>Poa napensis</i> )	E	\$21,292	\$1,158,789,181
803	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$21,260	\$1,158,810,441
804	Anunu ( <i>Sicyos alba</i> )	E	\$21,254	\$1,158,831,695
805	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	\$21,110	\$1,158,852,805
806	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	\$21,100	\$1,158,873,905
807	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	\$20,960	\$1,158,894,865
808	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	\$20,954	\$1,158,915,819
809	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$20,800	\$1,158,936,619
810	Combshell, upland ( <i>Epioblasma metastriata</i> )	E	\$20,672	\$1,158,957,291
811	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$20,621	\$1,158,977,912
812	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$20,620	\$1,158,998,532
813	Ceanothus, coyote ( <i>Ceanothus ferrisiae</i> )	E	\$20,567	\$1,159,019,099
814	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )	E	\$20,524	\$1,159,039,623
815	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	\$20,500	\$1,159,060,123
816	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$20,484	\$1,159,080,607
817	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$20,100	\$1,159,100,707
817	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$20,100	\$1,159,120,807
818	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$20,062	\$1,159,140,869
819	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$20,000	\$1,159,160,869
820	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$19,851	\$1,159,180,720
821	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$19,651	\$1,159,200,371
822	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$19,598	\$1,159,219,969
823	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	\$19,558	\$1,159,239,527
824	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$19,556	\$1,159,259,083
825	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$19,422	\$1,159,278,505
826	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	\$19,342	\$1,159,297,847
827	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$19,100	\$1,159,316,947
828	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Holston River, VA, TN	EXPN	\$19,000	\$1,159,335,947
829	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	\$18,867	\$1,159,354,814
830	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$18,847	\$1,159,373,661
831	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$18,824	\$1,159,392,485
832	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$18,765	\$1,159,411,250
833	A'e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$18,650	\$1,159,429,900
834	Cactus, Knowlton's ( <i>Pediocactus knowltonii</i> )	E	\$18,631	\$1,159,448,531
835	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$18,504	\$1,159,467,035
836	Rocksnailed, plicate ( <i>Leptoxis plicata</i> )	E	\$18,378	\$1,159,485,413
837	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	\$18,231	\$1,159,503,644
838	Buckwheat, Ione (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	\$18,226	\$1,159,521,870
839	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	\$18,219	\$1,159,540,089
840	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	\$18,197	\$1,159,558,286
841	Dudleya, Santa Monica Mountains ( <i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> )	T	\$18,157	\$1,159,576,443
842	Moccasinshell, Coosa ( <i>Medionidius parvulus</i> )	E	\$18,095	\$1,159,594,538

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
843	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$17,900	\$1,159,612,438
844	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )	E	\$17,800	\$1,159,630,238
845	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	\$17,789	\$1,159,648,027
846	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	\$17,735	\$1,159,665,762
847	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$17,663	\$1,159,683,425
848	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$17,600	\$1,159,701,025
848	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$17,600	\$1,159,718,625
849	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$17,500	\$1,159,736,125
850	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	\$17,400	\$1,159,753,525
851	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )	E	\$17,361	\$1,159,770,886
852	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$17,150	\$1,159,788,036
853	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	\$17,140	\$1,159,805,176
854	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	\$17,021	\$1,159,822,197
855	Pigtoe, rough ( <i>Pleurobema plenum</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$17,000	\$1,159,839,197
856	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	\$16,985	\$1,159,856,182
857	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$16,954	\$1,159,873,136
857	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$16,954	\$1,159,890,090
858	Cycladenia, Jones ( <i>Cycladenia jonesii</i> (=humilis))	T	\$16,800	\$1,159,906,890
859	Pentachaeta, white-rayed ( <i>Pentachaeta bellidiflora</i> )	E	\$16,789	\$1,159,923,679
860	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$16,228	\$1,159,939,907
861	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )	E	\$16,084	\$1,159,955,991
862	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	\$16,001	\$1,159,971,992
863	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$16,000	\$1,159,987,992
864	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$15,956	\$1,160,003,948
865	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$15,880	\$1,160,019,828
866	Lau `ehu ( <i>Panicum niuhauense</i> )	E	\$15,847	\$1,160,035,675
867	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$15,800	\$1,160,051,475
868	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$15,600	\$1,160,067,075
869	<i>Platanthera holochila</i> (=Sci name)	E	\$15,579	\$1,160,082,654
870	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$15,497	\$1,160,098,151
871	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$15,350	\$1,160,113,501
872	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$15,309	\$1,160,128,810
873	Polygala, tiny ( <i>Polygala smallii</i> )	E	\$15,100	\$1,160,143,910
874	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$14,949	\$1,160,158,859
875	Pearlymussel, birdwing (Conradilla caelata) - TN - portions of the French Broad and Holston Rivers	EXPN	\$14,849	\$1,160,173,708
876	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$14,567	\$1,160,188,275
877	Kuawawaenohu ( <i>Alsinidendron lychnoides</i> )	E	\$14,500	\$1,160,202,775
878	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$14,340	\$1,160,217,115
879	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$14,324	\$1,160,231,439
880	Lichen, rock gnome ( <i>Gymmoderma lineare</i> )	E	\$14,314	\$1,160,245,753
881	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	\$14,309	\$1,160,260,062
882	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$14,274	\$1,160,274,336
883	Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$14,083	\$1,160,288,419
884	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	\$14,049	\$1,160,302,468
885	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$13,839	\$1,160,316,307
886	Campion, fringed ( <i>Silene polypetala</i> )	E	\$13,800	\$1,160,330,107
887	Chub, slender ( <i>Erimystax cahni</i> )	T	\$13,700	\$1,160,343,807
888	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> )	T	\$13,661	\$1,160,357,468
889	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$13,656	\$1,160,371,124
890	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$13,600	\$1,160,384,724
890	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$13,600	\$1,160,398,324
891	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$13,563	\$1,160,411,887
892	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$13,260	\$1,160,425,147
893	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$13,250	\$1,160,438,397
894	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$13,227	\$1,160,451,624
895	Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )	E	\$13,177	\$1,160,464,801
896	Bellflower, Brooksville ( <i>Campanula robinsiae</i> )	E	\$13,056	\$1,160,477,857

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
897	Avens, spreading ( <i>Geum radiatum</i> )	E	\$13,002	\$1,160,490,859
898	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$13,000	\$1,160,503,859
898	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	\$13,000	\$1,160,516,859
899	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$12,841	\$1,160,529,700
900	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$12,678	\$1,160,542,378
901	Chaff-flower, round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )	E	\$12,633	\$1,160,555,011
902	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	\$12,602	\$1,160,567,613
903	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$12,600	\$1,160,580,213
904	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	\$12,473	\$1,160,592,686
905	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	\$12,383	\$1,160,605,069
906	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$12,260	\$1,160,617,329
907	<i>Phyllostegia mannii</i> (=Sci name)	E	\$12,137	\$1,160,629,466
908	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	\$12,059	\$1,160,641,525
909	Chumbo, Higo ( <i>Harrisia portoricensis</i> )	T	\$12,000	\$1,160,653,525
910	Pa`iniu ( <i>Astelias waialealae</i> )	E	\$11,985	\$1,160,665,510
911	Alani ( <i>Melicope degeneri</i> )	E	\$11,912	\$1,160,677,422
912	Rocksnail, round ( <i>Leptoxis ampla</i> )	T	\$11,878	\$1,160,689,300
913	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	\$11,664	\$1,160,700,964
914	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	\$11,631	\$1,160,712,595
915	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$11,609	\$1,160,724,204
916	Pikeminnow (=squawfish), Colorado ( <i>Pychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ	EXPN	\$11,523	\$1,160,735,727
917	Boxwood, Vahl's ( <i>Buxus vahlia</i> )	E	\$11,500	\$1,160,747,227
918	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$11,487	\$1,160,758,714
919	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$11,478	\$1,160,770,192
920	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$11,362	\$1,160,781,554
921	Onion, Munz's ( <i>Allium munzii</i> )	E	\$11,332	\$1,160,792,886
922	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$11,331	\$1,160,804,217
923	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$11,256	\$1,160,815,473
924	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$11,220	\$1,160,826,693
925	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	\$11,137	\$1,160,837,830
926	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$11,120	\$1,160,848,950
927	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$11,102	\$1,160,860,052
928	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$11,100	\$1,160,871,152
929	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$11,030	\$1,160,882,182
930	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$11,027	\$1,160,893,209
931	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$11,000	\$1,160,904,209
931	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$11,000	\$1,160,915,209
931	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$11,000	\$1,160,926,209
932	Pigtoe, Georgia ( <i>Pleurobema hanleyianum</i> )	E	\$10,901	\$1,160,937,110
933	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	\$10,757	\$1,160,947,867
934	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$10,684	\$1,160,958,551
935	Beetle, Helotes mold ( <i>Batrisodes venyivi</i> )	E	\$10,600	\$1,160,969,151
936	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$10,500	\$1,160,979,651
937	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$10,486	\$1,160,990,137
938	Naenae ( <i>Dubautia kalalauensis</i> )	E	\$10,476	\$1,161,000,613
939	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	\$10,462	\$1,161,011,075
940	Aupaka ( <i>Isodendron longifolium</i> )	T	\$10,454	\$1,161,021,529
941	Nohoanu ( <i>Geranium multiflorum</i> )	E	\$10,400	\$1,161,031,929
942	Haha ( <i>Cyanea platyphylla</i> )	E	\$10,323	\$1,161,042,252
943	Iehua makanoa ( <i>Lysimachia daphnoides</i> )	E	\$10,321	\$1,161,052,573
944	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$10,200	\$1,161,062,773
945	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	\$10,100	\$1,161,072,873
946	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$10,000	\$1,161,082,873
947	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$9,924	\$1,161,092,797
948	Na`ena`e ( <i>Dubautia waialealae</i> )	E	\$9,812	\$1,161,102,609
948	Kamakahala ( <i>Labordia pumila</i> )	E	\$9,812	\$1,161,112,421
948	Keysseria (=Lagenifera) erici (=Sci name)	E	\$9,812	\$1,161,122,233
949	Clover, Monterey ( <i>Trifolium trichocalyx</i> )	E	\$9,770	\$1,161,132,003

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
950	Cameloma, slender ( <i>Cameloma decampi</i> )	E	\$9,720	\$1,161,141,723
951	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$9,633	\$1,161,151,356
952	roseroot, Leedy's ( <i>Rhodiola integrifolia ssp. leedyi</i> )	T	\$9,562	\$1,161,160,918
953	<i>Neraudia angulata</i> (=Sci name)	E	\$9,543	\$1,161,170,461
954	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$9,517	\$1,161,179,978
955	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$9,500	\$1,161,189,478
955	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$9,500	\$1,161,198,978
956	ˆAnaunau ( <i>Lepidium arbuscula</i> )	E	\$9,453	\$1,161,208,431
957	<i>Lobelia niihauensis</i> (=Sci name)	E	\$9,443	\$1,161,217,874
958	Snail, Pecos assimineea ( <i>Assiminea pecos</i> )	E	\$9,400	\$1,161,227,274
959	Alani ( <i>Melicope puberula</i> )	E	\$9,312	\$1,161,236,586
960	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	\$9,250	\$1,161,245,836
961	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$9,232	\$1,161,255,068
962	Haha ( <i>Cyanea hamatiflora ssp. hamatiflora</i> )	E	\$9,221	\$1,161,264,289
963	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$9,200	\$1,161,273,489
964	Thistle, Chorro Creek bog ( <i>Cirsium fontinale var. obispoense</i> )	E	\$9,156	\$1,161,282,645
965	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	\$9,152	\$1,161,291,797
966	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$9,151	\$1,161,300,948
967	Aumakua, Palapalai ( <i>Dryopteris crinalis var. podosorus</i> )	E	\$9,112	\$1,161,310,060
968	Springsnail, Koster's ( <i>Juturnia kosteri</i> )	E	\$9,100	\$1,161,319,160
969	<i>Schiedea hookeri</i> (=Sci name)	E	\$8,956	\$1,161,328,116
969	ˆAkoko ( <i>Chamaesyce kuwaleana</i> )	E	\$8,956	\$1,161,337,072
970	Baccharis, Encinitas ( <i>Baccharis vanessae</i> )	T	\$8,952	\$1,161,346,024
971	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$8,951	\$1,161,354,975
972	Alani ( <i>Melicope pallida</i> )	E	\$8,921	\$1,161,363,896
973	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$8,865	\$1,161,372,761
974	Nehe ( <i>Lipochaeta lobata var. leptophylla</i> )	E	\$8,856	\$1,161,381,617
975	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora ssp. hoffmannii</i> )	E	\$8,812	\$1,161,390,429
976	Kopiko ( <i>Psychotria grandiflora</i> )	E	\$8,763	\$1,161,399,192
976	Kolea ( <i>Myrsine mezii</i> )	E	\$8,763	\$1,161,407,955
977	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$8,661	\$1,161,416,616
978	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$8,600	\$1,161,425,216
979	Haha ( <i>Cyanea copelandii ssp. haleakalaensis</i> )	E	\$8,587	\$1,161,433,803
980	Haha ( <i>Cyanea lobata</i> )	E	\$8,502	\$1,161,442,305
981	Haha ( <i>Cyanea glabra</i> )	E	\$8,487	\$1,161,450,792
982	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$8,481	\$1,161,459,273
983	ˆAiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$8,457	\$1,161,467,730
984	Kolea ( <i>Myrsine linearifolia</i> )	T	\$8,451	\$1,161,476,181
985	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$8,450	\$1,161,484,631
986	<i>Schiedea kaalae</i> (=Sci name)	E	\$8,420	\$1,161,493,051
987	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$8,411	\$1,161,501,462
988	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$8,400	\$1,161,509,862
989	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$8,398	\$1,161,518,260
990	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus var. arizonicus</i> )	E	\$8,370	\$1,161,526,630
991	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	\$8,361	\$1,161,534,991
992	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$8,300	\$1,161,543,291
993	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$8,250	\$1,161,551,541
994	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$8,183	\$1,161,559,724
995	ˆOha wai ( <i>Clermontia samuelii</i> )	E	\$8,100	\$1,161,567,824
995	Wawae`iole ( <i>Huperzia manni</i> )	E	\$8,100	\$1,161,575,924
996	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$8,017	\$1,161,583,941
997	<i>Diplazium molokaiense</i> (=Sci name)	E	\$7,906	\$1,161,591,847
998	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	\$7,900	\$1,161,599,747
999	Kamakahala ( <i>Labordia helleri</i> )	E	\$7,812	\$1,161,607,559
1000	Paintbrush, Tiburon ( <i>Castilleja affinis ssp. neglecta</i> )	E	\$7,806	\$1,161,615,365
1001	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$7,800	\$1,161,623,165
1002	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$7,767	\$1,161,630,932
1003	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$7,645	\$1,161,638,577
1004	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$7,600	\$1,161,646,177

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1005	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$7,550	\$1,161,653,727
1006	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$7,538	\$1,161,661,265
1007	Cliff-rose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> )	E	\$7,505	\$1,161,668,770
1008	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	\$7,500	\$1,161,676,270
1008	<i>Aristida chaseae</i> (=Sci name)	E	\$7,500	\$1,161,683,770
1009	Alani ( <i>Melicope paniculata</i> )	E	\$7,487	\$1,161,691,257
1010	<i>Tetraplasandra flynnii</i> (=Sci name)	E	\$7,463	\$1,161,698,720
1011	<i>Delissea undulata</i> (=Sci name)	E	\$7,395	\$1,161,706,115
1012	Makou ( <i>Peucedanum sandwicense</i> )	T	\$7,370	\$1,161,713,485
1013	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$7,339	\$1,161,720,824
1014	Kula wahine noho ( <i>Isodendron pyriformium</i> )	E	\$7,293	\$1,161,728,117
1015	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	\$7,262	\$1,161,735,379
1016	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$7,220	\$1,161,742,599
1017	Alani ( <i>Melicope ovalis</i> )	E	\$7,200	\$1,161,749,799
1018	Pussypaws, Mariposa ( <i>Calyptidium pulchellum</i> )	T	\$7,159	\$1,161,756,958
1019	<i>Silene alexandri</i> (=Sci name)	E	\$7,151	\$1,161,764,109
1019	<i>Viola helenae</i> (=Sci name)	E	\$7,151	\$1,161,771,260
1019	ˆOha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	\$7,151	\$1,161,778,411
1019	<i>Stenogyne bifida</i> (=Sci name)	E	\$7,151	\$1,161,785,562
1019	Kolea ( <i>Myrsine knudsenii</i> )	E	\$7,151	\$1,161,792,713
1020	Thormmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$7,110	\$1,161,799,823
1021	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$7,101	\$1,161,806,924
1022	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$7,100	\$1,161,814,024
1022	Cactus, black lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> )	E	\$7,100	\$1,161,821,124
1022	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$7,100	\$1,161,828,224
1023	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$7,033	\$1,161,835,257
1024	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$7,008	\$1,161,842,265
1025	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$7,000	\$1,161,849,265
1025	Madtom, pygmy ( <i>Noturus stanauli</i> ) - Entire	E	\$7,000	\$1,161,856,265
1025	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$7,000	\$1,161,863,265
1025	<i>Eugenia woodburyana</i> (=Sci name)	E	\$7,000	\$1,161,870,265
1025	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$7,000	\$1,161,877,265
1026	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	\$6,901	\$1,161,884,166
1027	<i>Stenogyne kealiae</i> (=Sci name)	E	\$6,864	\$1,161,891,030
1028	ˆAhinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	\$6,839	\$1,161,897,869
1029	Alani ( <i>Melicope balloui</i> )	E	\$6,800	\$1,161,904,669
1030	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$6,797	\$1,161,911,466
1030	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$6,797	\$1,161,918,263
1031	Awiwi ( <i>Centaurium sebaeoides</i> )	E	\$6,789	\$1,161,925,052
1032	Ha'iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$6,751	\$1,161,931,803
1033	Snail, armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> )	E	\$6,720	\$1,161,938,523
1034	Nani wai'ale'ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	\$6,664	\$1,161,945,187
1035	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$6,656	\$1,161,951,843
1036	<i>Munroidendron racemosum</i> (=Sci name)	E	\$6,651	\$1,161,958,494
1036	Haha ( <i>Cyanea procera</i> )	E	\$6,651	\$1,161,965,145
1036	<i>Lysimachia maxima</i> (=Sci name)	E	\$6,651	\$1,161,971,796
1037	Koki'o ke'oke'o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> )	E	\$6,551	\$1,161,978,347
1038	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$6,501	\$1,161,984,848
1038	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$6,501	\$1,161,991,349
1038	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	\$6,501	\$1,161,997,850
1038	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	\$6,501	\$1,162,004,351
1039	<i>Lobelia monostachya</i> (=Sci name)	E	\$6,343	\$1,162,010,694
1040	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	\$6,332	\$1,162,017,026
1041	Pilo kea lau li'i ( <i>Platydesma rostrata</i> )	E	\$6,312	\$1,162,023,338
1042	Haha ( <i>Cyanea mceldowneyi</i> )	E	\$6,287	\$1,162,029,625
1043	Haha ( <i>Cyanea pinnatifida</i> )	E	\$6,243	\$1,162,035,868
1044	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$6,111	\$1,162,041,979
1045	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$6,000	\$1,162,047,979
1045	Cobana negra ( <i>Stahlia monosperma</i> )	T	\$6,000	\$1,162,053,979

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1045	<i>Polystichum calderonense</i> (=Sci name)	E	\$6,000	\$1,162,059,979
1046	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	\$5,910	\$1,162,065,889
1047	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) – Entire; Except where EXPN	E	\$5,853	\$1,162,071,742
1048	<i>Schiedea membranacea</i> (=Sci name)	E	\$5,851	\$1,162,077,593
1048	Kopiko ( <i>Psychotria hobbayi</i> )	E	\$5,851	\$1,162,083,444
1049	<i>Keysseria</i> (=Lagenifera) <i>helenae</i> (=Sci name)	E	\$5,812	\$1,162,089,256
1050	Monkey-flower, Michigan ( <i>Mimulus michiganensis</i> )	E	\$5,800	\$1,162,095,056
1051	<i>Lysimachia scopulensis</i> (=Sci name)	E	\$5,787	\$1,162,100,843
1052	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	\$5,757	\$1,162,106,600
1052	Haha ( <i>Cyanea truncata</i> )	E	\$5,757	\$1,162,112,357
1053	<i>Remya montgomeryi</i> (=Sci name)	E	\$5,751	\$1,162,118,108
1054	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$5,698	\$1,162,123,806
1055	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$5,682	\$1,162,129,488
1056	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	\$5,578	\$1,162,135,066
1057	<i>Schoepfia arenaria</i> (=Sci name)	T	\$5,500	\$1,162,140,566
1057	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$5,500	\$1,162,146,066
1058	Bear, American black ( <i>Ursus americanus</i> ) - County range of LA b.bear	SAT	\$5,473	\$1,162,151,539
1059	<i>Phyllostegia velutina</i> (=Sci name)	E	\$5,461	\$1,162,157,000
1060	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	\$5,460	\$1,162,162,460
1061	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> )	T	\$5,450	\$1,162,167,910
1062	<i>Schiedea</i> , Diamond Head ( <i>Schiedea adamantis</i> )	E	\$5,384	\$1,162,173,294
1063	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$5,364	\$1,162,178,658
1064	<i>Gouania meyenii</i> (=Sci name)	E	\$5,357	\$1,162,184,015
1065	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$5,351	\$1,162,189,366
1065	Alani ( <i>Melicope haupuensis</i> )	E	\$5,351	\$1,162,194,717
1065	^Aiea ( <i>Nothoestrum peltatum</i> )	E	\$5,351	\$1,162,200,068
1065	Haha ( <i>Cyanea undulata</i> )	E	\$5,351	\$1,162,205,419
1065	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$5,351	\$1,162,210,770
1066	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$5,317	\$1,162,216,087
1067	<i>Phyllostegia renovans</i> (=Sci name)	E	\$5,312	\$1,162,221,399
1068	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$5,300	\$1,162,226,699
1068	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$5,300	\$1,162,231,999
1068	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	\$5,300	\$1,162,237,299
1068	Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )	E	\$5,300	\$1,162,242,599
1068	Haha ( <i>Cyanea kuhihewa</i> )	E	\$5,300	\$1,162,247,899
1068	<i>Schiedea attenuata</i> (=Sci name)	E	\$5,300	\$1,162,253,199
1068	Haha ( <i>Cyanea eleleensis</i> )	E	\$5,300	\$1,162,258,499
1069	<i>Schiedea helleri</i> (=Sci name)	E	\$5,264	\$1,162,263,763
1070	<i>Xylosma crenatum</i> (=Sci name)	E	\$5,251	\$1,162,269,014
1071	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$5,220	\$1,162,274,234
1072	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	\$5,164	\$1,162,279,398
1073	Kohe malama malama o kanaloa ( <i>Kanaloa kahoowawensis</i> )	E	\$5,151	\$1,162,284,549
1074	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$5,115	\$1,162,289,664
1075	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$5,110	\$1,162,294,774
1076	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$5,100	\$1,162,299,874
1076	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	\$5,100	\$1,162,304,974
1077	Na`ena`e ( <i>Dubautia pauciflora</i> )	E	\$5,064	\$1,162,310,038
1077	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	\$5,064	\$1,162,315,102
1078	Water-willow, Cooley's ( <i>Justicia cooleyi</i> )	E	\$5,056	\$1,162,320,158
1078	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$5,056	\$1,162,325,214
1079	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$5,000	\$1,162,330,214
1079	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$5,000	\$1,162,335,214
1079	Bariaco ( <i>Trichilia triacantha</i> )	E	\$5,000	\$1,162,340,214
1079	<i>Gesneria pauciflora</i> (=Sci name)	T	\$5,000	\$1,162,345,214
1080	<i>Viola lanaiensis</i> (=Sci name)	E	\$4,951	\$1,162,350,165
1081	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$4,950	\$1,162,355,115
1082	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	\$4,880	\$1,162,359,995
1083	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,864	\$1,162,364,859

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1083	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$4,864	\$1,162,369,723
1084	Aupaka ( <i>Isodendrion laurifolium</i> )	E	\$4,857	\$1,162,374,580
1085	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$4,851	\$1,162,379,431
1086	Kamakahala ( <i>Labordia triflora</i> )	E	\$4,800	\$1,162,384,231
1086	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$4,800	\$1,162,389,031
1087	ˆOha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	\$4,764	\$1,162,393,795
1088	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Entire ; Except EXPN	E	\$4,708	\$1,162,398,503
1089	Ha`iwale ( <i>Cyrtandra oenobarba</i> )	E	\$4,700	\$1,162,403,203
1089	Na`ena`e ( <i>Dubautia imbricata imbricata</i> )	E	\$4,700	\$1,162,407,903
1090	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,564	\$1,162,412,467
1091	Clarkia, Pismo ( <i>Clarkia speciosa</i> ssp. <i>immaculata</i> )	E	\$4,505	\$1,162,416,972
1092	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$4,500	\$1,162,421,472
1093	<i>Tetraplasandra bisattenuata</i> (=Sci name)	E	\$4,487	\$1,162,425,959
1094	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$4,450	\$1,162,430,409
1095	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$4,393	\$1,162,434,802
1096	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	\$4,349	\$1,162,439,151
1096	Madtom, smoky ( <i>Noturus baileyi</i> ) - Tellico River, TN	EXPN	\$4,349	\$1,162,443,500
1096	Darter, duskytail ( <i>Etheostoma percnurum</i> ) - Tellico River, TN	EXPN	\$4,349	\$1,162,447,849
1097	ˆAkoko ( <i>Chamaesyce remyi</i> var. <i>remyi</i> )	E	\$4,312	\$1,162,452,161
1098	Wawae`iole ( <i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i> )	E	\$4,306	\$1,162,456,467
1099	Chub, spotfin ( <i>Erimonax monachus</i> ) - Tellico River, TN	EXPN	\$4,250	\$1,162,460,717
1099	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	\$4,250	\$1,162,464,967
1100	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$4,202	\$1,162,469,169
1101	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$4,151	\$1,162,473,320
1102	ˆAkoko ( <i>Euphorbia haeleleana</i> )	E	\$4,039	\$1,162,477,359
1103	Fly, Hawaiian picture-wing ( <i>Drosophila sharpi</i> )	E	\$4,018	\$1,162,481,377
1104	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$4,000	\$1,162,485,377
1104	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Tellico River, TN	EXPN	\$4,000	\$1,162,489,377
1104	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$4,000	\$1,162,493,377
1104	Chupacallos ( <i>Pleodendron macranthum</i> )	E	\$4,000	\$1,162,497,377
1104	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> )	E	\$4,000	\$1,162,501,377
1104	<i>Leptocereus grantianus</i> (=Sci name)	E	\$4,000	\$1,162,505,377
1104	<i>Lysimachia venosa</i> (=Sci name)	E	\$4,000	\$1,162,509,377
1104	Haha ( <i>Cyanea dolichopoda</i> )	E	\$4,000	\$1,162,513,377
1104	Haiwale ( <i>Cyrtandra paliku</i> )	E	\$4,000	\$1,162,517,377
1104	Naenae ( <i>Dubautia kenwoodii</i> )	E	\$4,000	\$1,162,521,377
1104	<i>Lysimachia iniki</i> (=Sci name)	E	\$4,000	\$1,162,525,377
1104	<i>Lysimachia pendens</i> (=Sci name)	E	\$4,000	\$1,162,529,377
1104	<i>Doryopteris angelica</i> (=Sci name)	E	\$4,000	\$1,162,533,377
1105	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$3,998	\$1,162,537,375
1106	Olulu ( <i>Brighamia insignis</i> )	E	\$3,987	\$1,162,541,362
1107	<i>Lysimachia filifolia</i> (=Sci name)	E	\$3,980	\$1,162,545,342
1108	<i>Remya kauaiensis</i> (=Sci name)	E	\$3,964	\$1,162,549,306
1109	Oha ( <i>Delissea rivularis</i> )	E	\$3,900	\$1,162,553,206
1109	Awiwi ( <i>Hedyotis cookiana</i> )	E	\$3,900	\$1,162,557,106
1110	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	\$3,781	\$1,162,560,887
1111	Beetle, Coffin Cave mold ( <i>Batrissodes texanus</i> )	E	\$3,760	\$1,162,564,647
1112	Seal, Caribbean monk ( <i>Monachus tropicalis</i> )	E	\$3,720	\$1,162,568,367
1113	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$3,709	\$1,162,572,076
1114	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$3,687	\$1,162,575,763
1115	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$3,673	\$1,162,579,436
1116	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	\$3,625	\$1,162,583,061
1116	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	\$3,625	\$1,162,586,686
1117	Alani ( <i>Melicope quadrangularis</i> )	E	\$3,600	\$1,162,590,286
1117	<i>Diellia pallida</i> (=Sci name)	E	\$3,600	\$1,162,593,886
1118	Haha ( <i>Cyanea asarifolia</i> )	E	\$3,587	\$1,162,597,473
1119	<i>Silene perlmanii</i> (=Sci name)	E	\$3,580	\$1,162,601,053
1120	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$3,500	\$1,162,604,553
1120	<i>Neraudia sericea</i> (=Sci name)	E	\$3,500	\$1,162,608,053



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1120	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$3,500	\$1,162,611,553
1120	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	\$3,500	\$1,162,615,053
1120	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$3,500	\$1,162,618,553
1120	Erubia ( <i>Solanum drymophilum</i> )	E	\$3,500	\$1,162,622,053
1120	<i>Myrcia paganii</i> (=Sci name)	E	\$3,500	\$1,162,625,553
1120	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$3,500	\$1,162,629,053
1120	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$3,500	\$1,162,632,553
1120	<i>Stenogyne campanulata</i> (=Sci name)	E	\$3,500	\$1,162,636,053
1121	Remya, Maui ( <i>Remya mauiensis</i> )	E	\$3,487	\$1,162,639,540
1122	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$3,400	\$1,162,642,940
1122	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	\$3,400	\$1,162,646,340
1122	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$3,400	\$1,162,649,740
1123	Ihi`ihi ( <i>Marsilea villosa</i> )	E	\$3,360	\$1,162,653,100
1124	Haha ( <i>Cyanea humboldtiana</i> )	E	\$3,293	\$1,162,656,393
1125	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	\$3,290	\$1,162,659,683
1126	Pilo ( <i>Hedyotis mannii</i> )	E	\$3,200	\$1,162,662,883
1126	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$3,200	\$1,162,666,083
1127	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	\$3,188	\$1,162,669,271
1128	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,100	\$1,162,672,371
1128	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	\$3,100	\$1,162,675,471
1128	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$3,100	\$1,162,678,571
1128	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$3,100	\$1,162,681,671
1129	Haha ( <i>Cyanea remyi</i> )	E	\$3,087	\$1,162,684,758
1130	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$3,020	\$1,162,687,778
1131	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$3,006	\$1,162,690,784
1132	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	\$3,000	\$1,162,693,784
1132	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (= <i>acriformis</i> ))	E	\$3,000	\$1,162,696,784
1132	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$3,000	\$1,162,699,784
1132	<i>Calypttranthes thomasiana</i> (=Sci name)	E	\$3,000	\$1,162,702,784
1132	Palo de nigua ( <i>Cornutia obovata</i> )	E	\$3,000	\$1,162,705,784
1132	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$3,000	\$1,162,708,784
1132	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$3,000	\$1,162,711,784
1132	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$3,000	\$1,162,714,784
1132	Kopa ( <i>Hedyotis schlechtendahliana</i> var. <i>remyi</i> )	E	\$3,000	\$1,162,717,784
1132	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$3,000	\$1,162,720,784
1132	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$3,000	\$1,162,723,784
1132	<i>Vernonia proctorii</i> (=Sci name)	E	\$3,000	\$1,162,726,784
1133	`Akoko ( <i>Chamaesyce deppeana</i> )	E	\$2,993	\$1,162,729,777
1133	<i>Trematolobelia singularis</i> (=Sci name)	E	\$2,993	\$1,162,732,770
1134	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$2,987	\$1,162,735,757
1135	<i>Mariscus fauriei</i> (=Sci name)	E	\$2,900	\$1,162,738,657
1136	Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )	E	\$2,894	\$1,162,741,551
1137	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	\$2,850	\$1,162,744,401
1138	Ma`oli`oli ( <i>Schiedea apokremnos</i> )	E	\$2,800	\$1,162,747,201
1138	Haha ( <i>Cyanea recta</i> )	T	\$2,800	\$1,162,750,001
1139	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	\$2,791	\$1,162,752,792
1140	Alani ( <i>Melicope saint-johnii</i> )	E	\$2,706	\$1,162,755,498
1140	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$2,706	\$1,162,758,204
1141	Papala ( <i>Charpentiera densiflora</i> )	E	\$2,700	\$1,162,760,904
1141	`Awikiwiki ( <i>Canavalia napaliensis</i> )	E	\$2,700	\$1,162,763,604
1141	`Akoko ( <i>Chamaesyce remyi</i> var. <i>kauaiensis</i> )	E	\$2,700	\$1,162,766,304
1141	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$2,700	\$1,162,769,004
1141	Iliau, dwarf ( <i>Wilkesia hobbdi</i> )	E	\$2,700	\$1,162,771,704
1141	<i>Poa siphonoglossa</i> (=Sci name)	E	\$2,700	\$1,162,774,404
1141	Ho`awa ( <i>Pittosporum napaliense</i> )	E	\$2,700	\$1,162,777,104
1141	Lo`ulu, (=Na`ena`e) ( <i>Pritchardia hardyi</i> )	E	\$2,700	\$1,162,779,804
1141	Na`ena`e ( <i>Dubautia plantaginea magnifolia</i> )	E	\$2,700	\$1,162,782,504
1142	Holei ( <i>Ochrosia kilaueaensis</i> )	E	\$2,674	\$1,162,785,178
1143	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$2,660	\$1,162,787,838

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1143	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$2,660	\$1,162,790,498
1144	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) – Entire; Except where EXPN	E	\$2,633	\$1,162,793,131
1145	˘Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$2,606	\$1,162,795,737
1145	<i>Diellia falcata</i> (=Sci name)	E	\$2,606	\$1,162,798,343
1145	<i>Diellia unisora</i> (=Sci name)	E	\$2,606	\$1,162,800,949
1146	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	\$2,600	\$1,162,803,549
1146	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$2,600	\$1,162,806,149
1146	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$2,600	\$1,162,808,749
1146	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$2,600	\$1,162,811,349
1146	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$2,600	\$1,162,813,949
1146	Nehe ( <i>Lipochaeta waimeensis</i> )	E	\$2,600	\$1,162,816,549
1146	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	\$2,600	\$1,162,819,149
1147	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	\$2,500	\$1,162,821,649
1147	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$2,500	\$1,162,824,149
1147	<i>Thelypteris verecunda</i> (=Sci name)	E	\$2,500	\$1,162,826,649
1148	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$2,450	\$1,162,829,099
1149	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$2,400	\$1,162,831,499
1149	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$2,400	\$1,162,833,899
1150	<i>Gouania hillebrandii</i> (=Sci name)	E	\$2,387	\$1,162,836,286
1150	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$2,387	\$1,162,838,673
1151	<i>Nesogenes rotensis</i> (=Sci name)	E	\$2,300	\$1,162,840,973
1151	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$2,300	\$1,162,843,273
1152	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) – Entire; Except where EXPN	E	\$2,220	\$1,162,845,493
1152	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$2,220	\$1,162,847,713
1152	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$2,220	\$1,162,849,933
1153	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$2,203	\$1,162,852,136
1154	Liliwai ( <i>Acaena exigua</i> )	E	\$2,200	\$1,162,854,336
1154	Na`ena`e ( <i>Dubautia latifolia</i> )	E	\$2,200	\$1,162,856,536
1154	˘Akoko ( <i>Chamaesyce eleanoriae</i> )	E	\$2,200	\$1,162,858,736
1155	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$2,176	\$1,162,860,912
1156	<i>Tetramolopium rockii</i> (=Sci name)	T	\$2,108	\$1,162,863,020
1157	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$2,100	\$1,162,865,120
1157	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )	E	\$2,100	\$1,162,867,220
1157	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$2,100	\$1,162,869,320
1158	Rocksnaail, interrupted (=Georgia) ( <i>Leptoxis foremani</i> )	E	\$2,001	\$1,162,871,321
1159	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$2,000	\$1,162,873,321
1159	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	\$2,000	\$1,162,875,321
1159	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	\$2,000	\$1,162,877,321
1159	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$2,000	\$1,162,879,321
1159	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	\$2,000	\$1,162,881,321
1159	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$2,000	\$1,162,883,321
1159	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	\$2,000	\$1,162,885,321
1159	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$2,000	\$1,162,887,321
1159	<i>Ilex sintenisii</i> (=Sci name)	E	\$2,000	\$1,162,889,321
1160	Hornsnaail, rough ( <i>Pleurocera foremani</i> )	E	\$1,901	\$1,162,891,222
1161	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$1,900	\$1,162,893,122
1161	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$1,900	\$1,162,895,022
1162	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	\$1,850	\$1,162,896,872
1163	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,833	\$1,162,898,705
1164	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$1,800	\$1,162,900,505
1164	Alani ( <i>Melicope munroi</i> )	E	\$1,800	\$1,162,902,305
1164	Alani ( <i>Melicope reflexa</i> )	E	\$1,800	\$1,162,904,105
1164	Snowbells, Texas ( <i>Styrax texanus</i> )	E	\$1,800	\$1,162,905,905
1164	<i>Schiedea lydgatei</i> (=Sci name)	E	\$1,800	\$1,162,907,705
1164	Haha ( <i>Cyanea mannii</i> )	E	\$1,800	\$1,162,909,505
1165	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$1,798	\$1,162,911,303
1166	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	\$1,703	\$1,162,913,006

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1167	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$1,700	\$1,162,914,706
1167	<i>Schiedea verticillata</i> (=Sci name)	E	\$1,700	\$1,162,916,406
1167	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$1,700	\$1,162,918,106
1167	Pamakani ( <i>Tetramolopium capillare</i> )	E	\$1,700	\$1,162,919,806
1167	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$1,700	\$1,162,921,506
1168	Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )	T	\$1,698	\$1,162,923,204
1169	Milk-vetch, Clara Hunt's ( <i>Astragalus clarianus</i> )	E	\$1,676	\$1,162,924,880
1170	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$1,650	\$1,162,926,530
1171	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	\$1,600	\$1,162,928,130
1172	<i>Cordia bellonis</i> (=Sci name)	E	\$1,500	\$1,162,929,630
1172	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$1,500	\$1,162,931,130
1172	Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )	E	\$1,500	\$1,162,932,630
1172	<i>Tectaria estremarana</i> (=Sci name)	E	\$1,500	\$1,162,934,130
1173	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$1,400	\$1,162,935,530
1173	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$1,400	\$1,162,936,930
1174	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	\$1,393	\$1,162,938,323
1175	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$1,381	\$1,162,939,704
1176	Sedge, white ( <i>Carex albida</i> )	E	\$1,218	\$1,162,940,922
1177	Cactus, Nichol's Turk's head ( <i>Echinocactus horizontalonius</i> var. <i>nicholii</i> )	E	\$1,150	\$1,162,942,072
1178	Navarretia, few-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i> ))	E	\$1,103	\$1,162,943,175
1178	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pliantha</i> )	E	\$1,103	\$1,162,944,278
1178	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )	E	\$1,103	\$1,162,945,381
1178	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	\$1,103	\$1,162,946,484
1179	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	\$1,099	\$1,162,947,583
1180	Fanshell ( <i>Cyprogenia stegaria</i> ) – TN - portions of the French Broad and Holston Rivers	EXPN	\$1,049	\$1,162,948,632
1181	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$1,000	\$1,162,949,632
1181	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	\$1,000	\$1,162,950,632
1181	Shrimp, Squirrel Chimney Cave ( <i>Palaemonetes cummingsi</i> )	T	\$1,000	\$1,162,951,632
1181	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$1,000	\$1,162,952,632
1181	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$1,000	\$1,162,953,632
1181	Haha ( <i>Cyanea kolekoleensis</i> )	E	\$1,000	\$1,162,954,632
1182	Ha'iwale ( <i>Cyrtandra munroi</i> )	E	\$987	\$1,162,955,619
1183	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	\$874	\$1,162,956,493
1183	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	\$874	\$1,162,957,367
1184	Stoncrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	\$803	\$1,162,958,170
1185	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	\$800	\$1,162,958,970
1185	Coqui, golden ( <i>Eleutherodactylus jasperii</i> )	T	\$800	\$1,162,959,770
1185	<i>Cranichis ricartii</i> (=Sci name)	E	\$800	\$1,162,960,570
1185	<i>Adiantum vivesii</i> (=Sci name)	E	\$800	\$1,162,961,370
1185	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$800	\$1,162,962,170
1186	Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )	E	\$703	\$1,162,962,873
1186	Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )	E	\$703	\$1,162,963,576
1186	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$703	\$1,162,964,279
1186	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$703	\$1,162,964,982
1186	Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )	E	\$703	\$1,162,965,685
1187	Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )	E	\$603	\$1,162,966,288
1187	Pomace fly, [unnamed] ( <i>Drosophila differens</i> )	E	\$603	\$1,162,966,891
1188	Pearl mussel, birdwing ( <i>Conradilla caelata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$575	\$1,162,967,466
1188	Pearl mussel, dromedary ( <i>Dromus dromas</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$575	\$1,162,968,041
1188	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$575	\$1,162,968,616
1188	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$575	\$1,162,969,191
1189	Lily, Pitkin Marsh ( <i>Lilium pardalinum</i> ssp. <i>pitkinense</i> )	E	\$529	\$1,162,969,720
1190	Seal, Saimaa ( <i>Phoca hispida saimensis</i> )	E	\$500	\$1,162,970,220
1190	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$500	\$1,162,970,720
1191	Chub, spotfin ( <i>Erimonax monachus</i> ) - TN - portions of French Broad and Holston Rs.	EXPN	\$449	\$1,162,971,169

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1192	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	\$420	\$1,162,971,589
1193	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$400	\$1,162,971,989
1193	Clubshell ( <i>Pleurobema clava</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$400	\$1,162,972,389
1194	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$349	\$1,162,972,738
1194	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$349	\$1,162,973,087
1194	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$349	\$1,162,973,436
1195	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$300	\$1,162,973,736
1195	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	\$300	\$1,162,974,036
1195	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$300	\$1,162,974,336
1196	Goldenrod, Blue Ridge ( <i>Solidago spithamaea</i> )	T	\$298	\$1,162,974,634
1197	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	\$240	\$1,162,974,874
1198	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$220	\$1,162,975,094
1198	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$220	\$1,162,975,314
1198	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$220	\$1,162,975,534
1198	Bladderpod, lyrate ( <i>Lesquerella lyrata</i> )	T	\$220	\$1,162,975,754
1198	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$220	\$1,162,975,974
1198	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )	T	\$220	\$1,162,976,194
1199	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$200	\$1,162,976,394
1199	^O'u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$200	\$1,162,976,594
1199	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$200	\$1,162,976,794
1199	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	\$200	\$1,162,976,994
1199	Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>davisii</i> )	E	\$200	\$1,162,977,194
1200	Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean	E	\$100	\$1,162,977,294
1200	Purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$100	\$1,162,977,394

**TABLE 3. FY 2010 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2010 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported.

TABLE 3. FY 2010 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES								
Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	97	Bat, gray ( <i>Myotis grisescens</i> )	E	\$6,160	\$42,400	\$48,560	\$0	\$48,560
	32	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$570,765	\$136,741	\$707,506	\$0	\$707,506
	5	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$0	\$12,130,760	\$12,130,760	\$0	\$12,130,760
	93	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$64,371	\$0	\$64,371	\$0	\$64,371
	33	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$1,007,739	\$92,500	\$1,100,239	\$0	\$1,100,239
	81	Jaguar ( <i>Panthera onca</i> )	E	\$106,768	\$0	\$106,768	\$0	\$106,768
	96	Jaguarundi, Sinaloa ( <i>Herpailurus (=Felis) yagouaroundi tolteca</i> )	E	\$51,071	\$0	\$51,071	\$0	\$51,071
	85	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$0	\$92,500	\$92,500	\$0	\$92,500
	80	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	\$110,000	\$0	\$110,000	\$0	\$110,000
	52	Lynx, Canada ( <i>Lynx canadensis</i> ) - (U.S. DPS)	T	\$0	\$0	\$0	\$423,000	\$423,000
	24	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$1,660,992	\$0	\$1,660,992	\$0	\$1,660,992
	108	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$14,714	\$0	\$14,714	\$0	\$14,714
	91	Ocelot ( <i>Leopardus (=Felis) pardalis</i> )	E	\$51,071	\$30,000	\$81,071	\$0	\$81,071
	104	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - southwest Alaska DPS	T	\$24,000	\$0	\$24,000	\$0	\$24,000
	8	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> )	E	\$0	\$10,000,000	\$10,000,000	\$0	\$10,000,000
	93	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	\$64,371	\$0	\$64,371	\$0	\$64,371
	93	Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$64,371	\$0	\$64,371	\$0	\$64,371
	86	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.	E	\$91,333	\$0	\$91,333	\$0	\$91,333
	20	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE	E	\$2,300,002	\$0	\$2,300,002	\$0	\$2,300,002
	52	Wolf, gray ( <i>Canis lupus</i> ) - Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	E	\$0	\$0	\$0	\$423,000	\$423,000
<b>Mammals subtotal</b>				\$6,187,728	\$22,524,901	\$28,712,629	\$846,000	\$29,558,629
Birds	104	Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )	E	\$24,000	\$0	\$24,000	\$0	\$24,000
	89	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$83,333	\$0	\$83,333	\$0	\$83,333

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	6	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL population	T	\$0	\$12,000,000	\$12,000,000	\$0	\$12,000,000
	23	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$1,692,991	\$0	\$1,692,991	\$0	\$1,692,991
	26	Crane, whooping ( <i>Grus americana</i> ) -expt EXPN	E	\$162,688	\$1,401,500	\$1,564,188	\$0	\$1,564,188
	68	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$175,771	\$0	\$175,771	\$0	\$175,771
	23	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$1,692,991	\$0	\$1,692,991	\$0	\$1,692,991
	61	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$280,333	\$0	\$280,333	\$0	\$280,333
	58	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$304,333	\$0	\$304,333	\$0	\$304,333
	96	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - Southwestern population	EXPN	\$51,071	\$0	\$51,071	\$0	\$51,071
	31	Flycatcher, southwestern willow ( <i>Empidonax trailii extimus</i> )	E	\$19,167	\$1,000,000	\$1,019,167	\$0	\$1,019,167
	107	Gnatcatcher, coastal California ( <i>Poliopitula californica californica</i> )	T	\$19,167	\$0	\$19,167	\$0	\$19,167
	10	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.	E	\$0	\$8,000,000	\$8,000,000	\$0	\$8,000,000
	23	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$1,692,991	\$0	\$1,692,991	\$0	\$1,692,991
	9	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$4,193,864	\$4,934,833	\$9,128,697	\$0	\$9,128,697
	74	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$0	\$150,000	\$150,000	\$0	\$150,000
	27	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A.	E	\$0	\$0	\$0	\$1,469,184	\$1,469,184
	36	Scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )	T	\$15,648	\$1,000,000	\$1,015,648	\$0	\$1,015,648
	3	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$0	\$20,000,000	\$20,000,000	\$0	\$20,000,000
	23	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$1,692,991	\$0	\$1,692,991	\$0	\$1,692,991
	1	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC	E	\$1,836,363	\$70,000,000	\$71,836,363	\$0	\$71,836,363
	13	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$148,025	\$4,934,833	\$5,082,858	\$0	\$5,082,858
	22	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - NE U.S. nesting pop.	E	\$1,713,715	\$0	\$1,713,715	\$0	\$1,713,715

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	57	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$0	\$350,000	\$350,000	\$0	\$350,000
	107	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	64	Warbler, golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$12,500	\$225,000	\$237,500	\$0	\$237,500
	75	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - entire	E	\$132,000	\$0	\$132,000	\$0	\$132,000
	29	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$109,778	\$1,000,000	\$1,109,778	\$96,000	\$1,205,778
<b>Birds subtotal</b>				\$16,072,887	\$124,996,166	\$141,069,053	\$1,565,184	\$142,634,237
<b>Reptiles</b>	38	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$1,007,739	\$0	\$1,007,739	\$0	\$1,007,739
	98	Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	E	\$48,492	\$0	\$48,492	\$0	\$48,492
	71	Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered	T	\$162,850	\$0	\$162,850	\$0	\$162,850
	92	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$65,786	\$0	\$65,786	\$0	\$65,786
	94	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$60,992	\$0	\$60,992	\$0	\$60,992
	84	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$99,563	\$0	\$99,563	\$0	\$99,563
	63	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$249,913	\$0	\$249,913	\$0	\$249,913
	118	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$933	\$0	\$933	\$0	\$933
	46	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$14,714	\$500,000	\$514,714	\$0	\$514,714
	67	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - IN north of 40 degrees north latitude; MI, OH	T	\$54,599	\$134,811	\$189,410	\$0	\$189,410
	18	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$15,648	\$500,000	\$515,648	\$3,279,500	\$3,795,148
	17	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$2,250,073	\$1,600,000	\$3,850,073	\$0	\$3,850,073
	90	Tortoise, desert ( <i>Gopherus agassizii</i> ) - except in Sonoran Desert	T	\$0	\$81,500	\$81,500	\$0	\$81,500
	45	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) - W of Mobile/Tombigbee Rs.	T	\$0	\$647,247	\$647,247	\$0	\$647,247
	60	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$0	\$1,000	\$1,000	\$0	\$1,000
<b>Reptiles subtotal</b>				\$4,031,302	\$3,464,558	\$7,495,860	\$3,279,500	\$10,775,360
<b>Amphibians</b>	69	Frog, California red-legged ( <i>Rana draytonii</i> ) - Entire	T	\$19,167	\$150,500	\$169,667	\$0	\$169,667
	83	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Sonoma County	E	\$0	\$100,000	\$100,000	\$0	\$100,000



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	55	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - Central CA DPS	T	\$0	\$385,000	\$385,000	\$0	\$385,000
	14	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$0	\$0	\$0	\$4,050,000	\$4,050,000
	101	salamander, Reticulated flatwoods ( <i>Ambystoma bishopi</i> )	E	\$33,778	\$0	\$33,778	\$0	\$33,778
	107	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	102	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$0	\$25,700	\$25,700	\$0	\$25,700
<b>Amphibians subtotal</b>				\$72,112	\$661,200	\$733,312	\$4,050,000	\$4,783,312
<b>Fishes</b>	100	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$0	\$42,000	\$42,000	\$0	\$42,000
	79	Chub, bonytail ( <i>Gila elegans</i> ) - entire	E	\$0	\$113,000	\$113,000	\$0	\$113,000
	50	Chub, Oregon ( <i>Oregonichthys crameri</i> )	T	\$0	\$443,454	\$443,454	\$0	\$443,454
	105	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$23,435	\$0	\$23,435	\$0	\$23,435
	99	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$46,583	\$0	\$46,583	\$0	\$46,583
	106	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	15	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$0	\$4,000,000	\$4,000,000	\$0	\$4,000,000
	56	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$0	\$367,500	\$367,500	\$0	\$367,500
	99	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$46,583	\$0	\$46,583	\$0	\$46,583
	113	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$0	\$5,500	\$5,500	\$0	\$5,500
	99	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$46,583	\$0	\$46,583	\$0	\$46,583
	99	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$46,583	\$0	\$46,583	\$0	\$46,583
	37	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - lower Columbia R.	T	\$0	\$1,009,915	\$1,009,915	\$0	\$1,009,915
	35	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA Central Valley spring-run	T	\$913,333	\$141,000	\$1,054,333	\$0	\$1,054,333
	49	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - upper Willamette R.	T	\$0	\$445,602	\$445,602	\$0	\$445,602

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	19	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring/summer Snake R.	T	\$0	\$3,095,798	\$3,095,798	\$0	\$3,095,798
	43	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) fall Snake R	T	\$0	\$721,593	\$721,593	\$0	\$721,593
	72	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - winter Sacramento R.	E	\$19,000	\$141,000	\$160,000	\$0	\$160,000
	11	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring upper Columbia R.	E	\$0	\$6,872,699	\$6,872,699	\$423,000	\$7,295,699
	87	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Puget So.	T	\$0	\$0	\$0	\$89,500	\$89,500
	87	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - summer-run Hood Canal	T	\$0	\$0	\$0	\$89,500	\$89,500
	12	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - Snake River, ID stock wherever found	E	\$0	\$5,428,321	\$5,428,321	\$0	\$5,428,321
	42	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$0	\$750,000	\$750,000	\$0	\$750,000
	62	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$163,271	\$102,477	\$265,748	\$0	\$265,748
	16	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - upper Columbia R. Basin	T	\$0	\$3,558,993	\$3,558,993	\$423,000	\$3,981,993
	72	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Central Valley CA	T	\$19,000	\$141,000	\$160,000	\$0	\$160,000
	48	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - upper Willamette R.	T	\$0	\$447,551	\$447,551	\$0	\$447,551
	4	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - middle Columbia R.	T	\$0	\$12,391,590	\$12,391,590	\$1,034,400	\$13,425,990
	25	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Snake R. Basin	T	\$0	\$1,617,031	\$1,617,031	\$0	\$1,617,031
	39	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - lower Columbia R.	T	\$0	\$985,696	\$985,696	\$0	\$985,696
	21	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$256,698	\$1,720,474	\$1,977,172	\$0	\$1,977,172
	47	Sucker, razorback ( <i>Xyrauchen texanus</i> ) - entire	E	\$0	\$480,500	\$480,500	\$0	\$480,500
	105	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A.	E	\$23,435	\$0	\$23,435	\$0	\$23,435
	7	Trout, bull ( <i>Salvelinus confluentus</i> ) - conterminous, lower 48 states	T	\$0	\$3,451,027	\$3,451,027	\$1,475,400	\$4,926,427
	111	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$0	\$11,000	\$11,000	\$0	\$11,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
<b>Fishes subtotal</b>				\$1,604,504	\$48,506,721	\$50,111,225	\$3,534,800	\$53,646,025
<b>Clams</b>	103	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$24,307	\$0	\$24,307	\$0	\$24,307
	28	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$1,270,625	\$0	\$1,270,625	\$0	\$1,270,625
	103	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$24,307	\$0	\$24,307	\$0	\$24,307
	70	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$163,271	\$0	\$163,271	\$0	\$163,271
	95	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$54,599	\$0	\$54,599	\$0	\$54,599
	30	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$1,064,620	\$130,000	\$1,194,620	\$0	\$1,194,620
<b>Clams subtotal</b>				\$2,601,729	\$130,000	\$2,731,729	\$0	\$2,731,729
<b>Snails</b>	93	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$64,371	\$0	\$64,371	\$0	\$64,371
<b>Snails subtotal</b>				\$64,371	\$0	\$64,371	\$0	\$64,371
<b>Insects</b>	70	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$163,271	\$0	\$163,271	\$0	\$163,271
	51	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$439,000	\$0	\$439,000	\$0	\$439,000
	107	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i> ))	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	99	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	59	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> )	E	\$0	\$0	\$0	\$304,000	\$304,000
<b>Insects subtotal</b>				\$668,021	\$0	\$668,021	\$304,000	\$972,021
<b>Crustaceans</b>	66	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$0	\$200,000	\$200,000	\$0	\$200,000
	107	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	107	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	66	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$0	\$200,000	\$200,000	\$0	\$200,000
	65	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$19,000	\$200,000	\$219,000	\$0	\$219,000
<b>Crustaceans subtotal</b>				\$57,334	\$600,000	\$657,334	\$0	\$657,334
<b>Flowering Plants</b>	44	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$715,333	\$0	\$715,333	\$0	\$715,333
	112	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$6,160	\$0	\$6,160	\$0	\$6,160
	114	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$933	\$0	\$933	\$3,700	\$4,633

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	40	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$913,333	\$0	\$913,333	\$0	\$913,333
	99	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	118	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$933	\$0	\$933	\$0	\$933
	114	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$933	\$0	\$933	\$3,700	\$4,633
	114	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$933	\$0	\$933	\$3,700	\$4,633
	107	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	93	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$64,371	\$0	\$64,371	\$0	\$64,371
	89	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	\$83,333	\$0	\$83,333	\$0	\$83,333
	99	Centaury, spring-loving ( <i>Centaureum namophilum</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	110	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	77	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$0	\$120,000	\$120,000	\$0	\$120,000
	110	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	116	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$933	\$0	\$933	\$1,800	\$2,733
	99	Gumplant, Ash Meadows ( <i>Grindelia fraxinoprattensis</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	117	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$0	\$0	\$0	\$2,000	\$2,000
	99	Ivesia, Ash Meadows ( <i>Ivesia kingii eremica</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	77	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$0	\$120,000	\$120,000	\$0	\$120,000
	118	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	\$933	\$0	\$933	\$0	\$933
	110	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	107	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	107	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	99	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	34	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$1,064,620	\$0	\$1,064,620	\$0	\$1,064,620
	118	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$933	\$0	\$933	\$0	\$933
	2	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$0	\$0	\$0	\$22,526,000	\$22,526,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	99	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$46,583	\$0	\$46,583	\$0	\$46,583
	78	Geocarpon minimum (=Sci name)	T	\$0	\$0	\$0	\$115,200	\$115,200
	54	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$0	\$391,000	\$391,000	\$0	\$391,000
	107	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$19,167	\$0	\$19,167	\$0	\$19,167
	66	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	\$0	\$200,000	\$200,000	\$0	\$200,000
	88	Pigeon wings ( <i>Clioria fragrans</i> )	T	\$933	\$0	\$933	\$82,500	\$83,433
	44	Pink, swamp ( <i>Helonias bullata</i> )	T	\$715,333	\$0	\$715,333	\$0	\$715,333
	118	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$933	\$0	\$933	\$0	\$933
	82	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$14,714	\$0	\$14,714	\$87,400	\$102,114
	73	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$0	\$0	\$0	\$150,600	\$150,600
	109	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$0	\$0	\$0	\$13,500	\$13,500
	115	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$0	\$0	\$0	\$3,700	\$3,700
	93	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$64,371	\$0	\$64,371	\$0	\$64,371
	66	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$0	\$200,000	\$200,000	\$0	\$200,000
	99	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$46,583	\$0	\$46,583	\$0	\$46,583
	105	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$23,435	\$0	\$23,435	\$0	\$23,435
	118	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$933	\$0	\$933	\$0	\$933
	116	Wireweed ( <i>Polygonella basiramia</i> )	E	\$933	\$0	\$933	\$1,800	\$2,733
	85	Wooly-threads, San Joaquin ( <i>Monolopia</i> (= <i>Lembertia</i> ) <i>congdonii</i> )	E	\$0	\$92,500	\$92,500	\$0	\$92,500
<b>Flowering Plants subtotal</b>				\$4,115,515	\$1,123,500	\$5,239,015	\$22,995,600	\$28,234,615
<b>Lichens</b>	118	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$933	\$0	\$933	\$0	\$933
<b>Lichens subtotal</b>				\$933	\$0	\$933	\$0	\$933
<b>Total Land Expenditures</b>				<b>\$35,476,436</b>	<b>\$202,007,046</b>	<b>\$237,483,482</b>	<b>\$36,575,084</b>	<b>\$274,058,566</b>

**TABLE 4. FY 2010 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES**


This table displays species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

<b>Table 4. FY2010 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES</b>				
<b>Expense Type</b>	<b>Agency</b>	<b>Species Total</b>	<b>Land Total</b>	<b>Cumulative Total</b>
Federal Domestic Expenditures	DHS Coast Guard	\$42,010,925	\$0	\$42,010,925
	DHS Customs and Border Protection	\$8,121,200	\$0	\$8,121,200
	DOC National Oceanic and Atmospheric Administration	\$218,746,519	\$0	\$218,746,519
	DOD Air Force	\$15,687,353	\$100,000	\$15,787,353
	DOD Army	\$37,108,986	\$0	\$37,108,986
	DOD Army Corps of Engineers	\$187,772,505	\$8,669,140	\$196,441,645
	DOD Defense Logistics Agency	\$92,000	\$0	\$92,000
	DOD Marine Corps	\$6,177,337	\$0	\$6,177,337
	DOD Navy	\$13,748,503	\$0	\$13,748,503
	DOE Bonneville Power Administration	\$176,828,249	\$26,262,270	\$203,090,519
	DOE Southwestern Power Administration	\$31,312	\$0	\$31,312
	DOE Western Area Power Administration	\$3,420,400	\$0	\$3,420,400
	DOI Bureau of Indian Affairs	\$764,000	\$0	\$764,000
	DOI Bureau of Land Management	\$28,662,524	\$0	\$28,662,524
	DOI Bureau of Reclamation	\$105,283,000	\$27,836,500	\$133,119,500
	DOI Minerals Management Service	\$3,150,000	\$0	\$3,150,000
	DOI National Park Service	\$12,255,475	\$0	\$12,255,475
	DOI US Geological Survey	\$16,588,987	\$0	\$16,588,987
	DOT Federal Aviation Administration	\$1,170,800	\$0	\$1,170,800
	Environmental Protection Agency	\$3,139,800	\$0	\$3,139,800
	Federal Energy Regulatory Commission	\$247,000	\$0	\$247,000
	Nuclear Regulatory Commission	\$507,189	\$0	\$507,189
	Smithsonian Institution	\$367,240	\$0	\$367,240
	Tennessee Valley Authority	\$3,164,700	\$0	\$3,164,700
	USDA Animal and Plant Health Inspection Service	\$6,493,287	\$0	\$6,493,287
	USDA Forest Service	\$43,764,300	\$0	\$43,764,300
	USDA Natural Resources Conservation Service	\$7,227,758	\$139,139,136	\$146,366,894
	US Fish and Wildlife Service	\$169,073,188	\$35,476,436	\$204,549,624
Federal Domestic Expenditures Total		\$1,111,604,537	\$237,483,482	\$1,349,088,019
Federal Foreign Expenditures	USDA Animal and Plant Health Inspection Service	\$12,100	\$0	\$12,100
	DOD Navy	\$32,997	\$0	\$32,997
	DOI US Geological Survey	\$155,457	\$0	\$155,457
	Smithsonian Institution	\$679,000	\$0	\$679,000
	US Fish and Wildlife Service	\$10,823,020	\$0	\$10,823,020
Federal Foreign Expenditures Total		\$11,702,574	\$0	\$11,702,574
Federal Domestic and Foreign Expenditures Subtotal		\$1,123,307,111	\$237,483,482	\$1,360,790,593
State Expenditures	State Governments	\$51,372,857	\$36,575,084	\$87,947,941
<b>Grand Total</b>		<b>\$1,174,679,968</b>	<b>\$274,058,566</b>	<b>\$1,448,738,534</b>

## Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species for FY 2010

To return to the original intent of Congress when amending the Endangered Species Act in 1988, we have eliminated the reporting of data into the category previously known as “Other ESA Expenses,” beginning with the FY 2008 Expenditures Report. The Congress requested information for this report on a species-by-species basis to the extent this information is reasonably available. This reporting guidance will provide information on how to report expenditures attributable to individual species.

Each agency must enter the data directly into our Web-based system and will need to designate a contact person (more than one person is permissible) to enter the data for the agency. The contact person(s) will need to obtain a username and password before entering the data. Credentials can be obtained by accessing the Environmental Conservation Online System at <http://ecos.fws.gov> and clicking on “Contact ECOS” located at the bottom of the page.



Select the “Show the form” link located at the bottom of page.

For questions about *specific* websites please check:

Environmental Conservation Online System: <http://ecos.fws.gov>

Critical Habitat Portal: <http://criticalhabitat.fws.gov>

Fish Passage Decision Support System: <http://fpdss.fws.gov>

or fill out this form:

[Show the form](#)

Fill in the requested information along with your affiliated agency and request access to the “Expenditures” application.



---

required.

Name:\*

Email:\*

Phone:\*

Issue Title:\*

Issue Description:\*

about the FWS or  
" 1 970 226 9468

**Please allow 2 to 3 working days for access approval (email confirmation will be sent). When you receive login credentials and your access approval email, log in at <https://ecos.fws.gov> to begin entering expenditures data. Contact the Help Desk (1-970-226-9468) if you experience any problems.**

The following information should be used to gather the data.

**BACKGROUND:**

Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, "...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--

- (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."

The conference report for the 1988 amendments made some of the following points concerning sec. 18 of the Act:

- ! Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
- ! The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
- ! Generalized dollar estimates will suffice.
- ! Amendment does not apply to monitoring and survey costs for delisted, proposed, and candidate species.
- ! Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
- ! Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."

- ! Only salary costs that can be reasonably identified as applicable to listed species need be reported.
- ! For other Federal and State agencies, a good faith effort to collect information is expected.
- ! Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- ! Only one data set per agency should be submitted for any given fiscal year.

#### DATA FORMAT:

- ! Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

#### EXPENDITURES TO BE REPORTED:

- ! Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2009 to September 30, 2010) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.
- ! Only reasonably identifiable expenditures for listed species will be compiled for this report. Extraordinary accounting to track funds expended on listed species is not expected.
- ! All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- ! Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, would be subject to reporting under that or those species.
- ! Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species (and should be reported for those species).
- ! Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly.

- ! Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable as such.
- ! All State agencies (e.g., parks, heritage programs, forests, highways) may report their expenditures, but only a single, collective report from each State should be submitted. For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- ! Examples of reportable expenditures include status surveys, habitat management or acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- ! Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the proportion of the costs that benefit listed species.
- ! Litigation costs should not be reported.

**Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2010**

## Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency\*
- Forest Service
- Natural Resources Conservation Service

## Department of Commerce:

- National Oceanic and Atmospheric Administration

## Department of Defense:

- Office of the Under Secretary  
(representing Air Force, Army, Defense Logistics Agency, Marine Corps and Navy)
- Army Corps of Engineers

## Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration\*
- Southwestern Power Administration
- Western Area Power Administration

## Department of Homeland Security

- Coast Guard
- Customs and Border Protection

## Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Ocean Energy Management
- Bureau of Reclamation
- National Park Service
- Office of Surface Mining\*
- U.S. Geological Survey

## Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration\*

## Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission\*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

\* Agencies reporting no expenditures for FY 2010

USDA Animal and Plant Health Inspection Service FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$25,131	\$0	\$25,131
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$45,000	\$0	\$45,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$100	\$0	\$100
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$35,173	\$0	\$35,173
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$19,614	\$0	\$19,614
		Bear, polar	<i>Ursus maritimus</i>		\$111	\$0	\$111
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$100	\$0	\$100
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$24,833	\$0	\$24,833
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY)	\$32,905	\$0	\$32,905
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$37,290	\$0	\$37,290
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$300	\$0	\$300
		Jaguar	<i>Panthera onca</i>		\$2,000	\$0	\$2,000
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$1,150	\$0	\$1,150
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$10,396	\$0	\$10,396
		Manatee, West Indian	<i>Trichechus manatus</i>		\$1,596	\$0	\$1,596
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$2,280	\$0	\$2,280
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$19,939	\$0	\$19,939
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$22,239	\$0	\$22,239
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$262	\$0	\$262
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$136,000	\$0	\$136,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$19,800	\$0	\$19,800
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$14,954	\$0	\$14,954
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$11,482	\$0	\$11,482

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$300	\$0	\$300
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$1,533	\$0	\$1,533
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$100	\$0	\$100
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$8,630	\$0	\$8,630
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$100	\$0	\$100
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$300	\$0	\$300
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$300	\$0	\$300
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$193,727	\$0	\$193,727
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$100	\$0	\$100
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$1,142	\$0	\$1,142
		Whale, blue	<i>Balaenoptera musculus</i>		\$300	\$0	\$300
		Whale, finback	<i>Balaenoptera physalus</i>		\$300	\$0	\$300
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$300	\$0	\$300
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$300	\$0	\$300
		Whale, Sei	<i>Balaenoptera borealis</i>		\$300	\$0	\$300
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$300	\$0	\$300
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$398,269	\$0	\$398,269
		Wolf, gray	<i>Canis lupus</i>	MN	\$458,000	\$0	\$458,000
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN population	\$148,036	\$0	\$148,036
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$652,920	\$0	\$652,920
		Wolf, Mexican gray	<i>Canis lupus baileyi</i>	portions of AZ, NM, TX	\$126,831	\$0	\$126,831
	Mammals Total				\$2,454,843	\$0	\$2,454,843
	Birds						
		Albatross, short-tailed	<i>Phoebastria (Diomedea) albatrus</i>		\$300	\$0	\$300
		Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>		\$100	\$0	\$100
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$467	\$0	\$467
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$833	\$0	\$833
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$19,443	\$0	\$19,443

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, WY	\$100	\$0	\$100
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$6,484	\$0	\$6,484
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$200,000	\$0	\$200,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$88,513	\$0	\$88,513
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$100	\$0	\$100
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$42,584	\$0	\$42,584
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$412	\$0	\$412
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$13,500	\$0	\$13,500
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$11,772	\$0	\$11,772
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$2,253	\$0	\$2,253
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$467	\$0	\$467
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$32,000	\$0	\$32,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$30,333	\$0	\$30,333
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$300	\$0	\$300
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$15,500	\$0	\$15,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$166,862	\$0	\$166,862
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$426,000	\$0	\$426,000
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$7,500	\$0	\$7,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$123,500	\$0	\$123,500
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$200,000	\$0	\$200,000
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$72,867	\$0	\$72,867
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$100	\$0	\$100
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$500	\$0	\$500
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$110,000	\$0	\$110,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$110,444	\$0	\$110,444
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$467	\$0	\$467
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$121,000	\$0	\$121,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$339,500	\$0	\$339,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$27,500	\$0	\$27,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hem. except NE US	\$11,200	\$0	\$11,200
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$8,478	\$0	\$8,478
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$9,100	\$0	\$9,100
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$8,330	\$0	\$8,330
		Warbler (wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$2,000	\$0	\$2,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$14,071	\$0	\$14,071
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$500	\$0	\$500
	Birds Total				\$2,225,380	\$0	\$2,225,380
	Reptiles						
		Lizard, St. Croix ground	<i>Ameiva polops</i>		\$2,100	\$0	\$2,100
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$100	\$0	\$100
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$33,735	\$0	\$33,735
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$31,000	\$0	\$31,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$16,400	\$0	\$16,400
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$37,663	\$0	\$37,663
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$60,300	\$0	\$60,300
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$83,300	\$0	\$83,300
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$300	\$0	\$300
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$467	\$0	\$467
		Snake, giant garter	<i>Thamnophis gigas</i>		\$300	\$0	\$300
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$300	\$0	\$300
		Tortoise, desert	<i>Gopherus agassizii</i>	except Sonoran Desert	\$3,033	\$0	\$3,033
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$1,250	\$0	\$1,250
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$1,250	\$0	\$1,250
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$300	\$0	\$300
	Reptiles Total				\$271,798	\$0	\$271,798
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$1,607	\$0	\$1,607
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$1,250	\$0	\$1,250
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$300	\$0	\$300
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$34,412	\$0	\$34,412
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$1,000	\$0	\$1,000



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>		\$300	\$0	\$300
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$100	\$0	\$100
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$300	\$0	\$300
		Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)		\$100	\$0	\$100
	Amphibians Total				\$39,369	\$0	\$39,369
	Fishes						
		Catfish, Yaqui	<i>Ictalurus pricei</i>		\$100	\$0	\$100
		Chub, bonytail	<i>Gila elegans</i>	entire	\$100	\$0	\$100
		Chub, Borax Lake	<i>Gila boraxobius</i>		\$100	\$0	\$100
		Chub, Chihuahua	<i>Gila nigrescens</i>		\$100	\$0	\$100
		Chub, Gila	<i>Gila intermedia</i>		\$100	\$0	\$100
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>	Hutton	\$100	\$0	\$100
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$100	\$0	\$100
		Chub, Sonora	<i>Gila ditaenia</i>		\$100	\$0	\$100
		Chub, Virgin River	<i>Gila seminuda</i> (=robusta)		\$100	\$0	\$100
		Chub, Yaqui	<i>Gila purpurea</i>		\$100	\$0	\$100
		Cui-ui	<i>Chasmistes cujus</i>		\$100	\$0	\$100
		Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>		\$100	\$0	\$100
		Dace, desert	<i>Eremichthys acros</i>		\$100	\$0	\$100
		Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	Foskett	\$100	\$0	\$100
		Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>		\$100	\$0	\$100
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>		\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$7,682	\$0	\$7,682
		Darter, vermilion	<i>Etheostoma chermocki</i>		\$235	\$0	\$235
		Darter, watercress	<i>Etheostoma nuchale</i>		\$1,250	\$0	\$1,250
		Gambusia, Pecos	<i>Gambusia nobilis</i>		\$100	\$0	\$100
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$300	\$0	\$300
		Madtom, Neosho	<i>Noturus placidus</i>		\$100	\$0	\$100
		Minnnow, Devils River	<i>Dionda diaboli</i>		\$122	\$0	\$122
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$100	\$0	\$100
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$100	\$0	\$100
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$100	\$0	\$100
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$315	\$0	\$315
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$300	\$0	\$300
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$823	\$0	\$823

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	Puget Sound	\$78,967	\$0	\$78,967
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	fall Snake R.	\$78,967	\$0	\$78,967
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	lower Columbia R.	\$78,967	\$0	\$78,967
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring upper Columbia R.	\$78,968	\$0	\$78,968
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring/ summer Snake R.	\$78,967	\$0	\$78,967
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	upper Willamette R.	\$523	\$0	\$523
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	winter Sacramento R.	\$900	\$0	\$900
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$820	\$0	\$820
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer-run Hood Canal	\$820	\$0	\$820
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Central California Coast ESU	\$900	\$0	\$900
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River ESU	\$523	\$0	\$523
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$523	\$0	\$523
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Ozette Lake, WA	\$393,042	\$0	\$393,042
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock wherever found	\$817	\$0	\$817
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$100	\$0	\$100
		Shiner, beautiful	<i>Cyprinella formosa</i>		\$100	\$0	\$100
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>		\$100	\$0	\$100
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i> )		\$100	\$0	\$100
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$300	\$0	\$300
		Spikedace	<i>Meda fulgida</i>		\$100	\$0	\$100
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$100	\$0	\$100
		Springfish, Railroad Valley	<i>Crenichthys</i> <i>nevadae</i>		\$100	\$0	\$100
		Springfish, White River	<i>Crenichthys baileyi</i> <i>baileyi</i>		\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$431	\$0	\$431
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$131	\$0	\$131
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$262	\$0	\$262
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$431	\$0	\$431
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$131	\$0	\$131

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$131	\$0	\$131
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$131	\$0	\$131
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$131	\$0	\$131
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$131	\$0	\$131
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Colum- bia R. Basin	\$392,425	\$0	\$392,425
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$131	\$0	\$131
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$235	\$0	\$235
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$1,129	\$0	\$1,129
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$300	\$0	\$300
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$100	\$0	\$100
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$208	\$0	\$208
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$100	\$0	\$100
		Sucker, June	<i>Chasmistes</i> <i>liorus</i>		\$100	\$0	\$100
		Sucker, Lost River	<i>Deltistes</i> <i>luxatus</i>		\$100	\$0	\$100
		Sucker, Modoc	<i>Catostomus</i> <i>microps</i>		\$100	\$0	\$100
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$100	\$0	\$100
		Sucker, shortnose	<i>Chasmistes</i> <i>brevirostris</i>		\$100	\$0	\$100
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis</i> <i>occidentalis</i>	U.S.A. only	\$100	\$0	\$100
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>		\$13,250	\$0	\$13,250
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$680	\$0	\$680
		Trout, Gila	<i>Oncorhynchus</i> <i>gilae</i>		\$100	\$0	\$100
		trout, Greenback Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$100	\$0	\$100
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki henschawi</i>		\$100	\$0	\$100
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	Gila R. drainage, AZ, NM	\$100	\$0	\$100
	Fishes Total				\$1,219,499	\$0	\$1,219,499
	Clams						
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$100	\$0	\$100
		Mapleleaf, winged	<i>Quadrula</i> <i>fragosa</i>	Entire; except where EXPN	\$100	\$0	\$100
		Mussel, scaleshell	<i>Leptodea</i> <i>leptodon</i>		\$100	\$0	\$100
		Pearlshell, Louisiana	<i>Margaritifera</i> <i>hembeli</i>		\$12,856	\$0	\$12,856
		Pigtoe, Georgia	<i>Pleurobema</i> <i>hanleyianum</i>		\$235	\$0	\$235
		Pocketbook, Ouachita rock	<i>Arkansia</i> <i>wheeleri</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Clams Total				\$13,491	\$0	\$13,491
	Snails						
		Abalone, White	<i>Haliotis sorenseni</i>	N. America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	\$300	\$0	\$300
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$100	\$0	\$100
		Hornsnail, rough	<i>Pleurocera foremani</i>		\$235	\$0	\$235
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$100	\$0	\$100
		Rocksnail, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$235	\$0	\$235
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$100	\$0	\$100
		Snail, Pecos assiminea	<i>Assimineia pecos</i>		\$100	\$0	\$100
		Snail, Snake River physa	<i>Physa natricina</i>		\$100	\$0	\$100
		Springsnail, Alamosa	<i>Tryonia alamosae</i>		\$100	\$0	\$100
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$100	\$0	\$100
		Springsnail, Koster's	<i>Jurnia kosteri</i>		\$100	\$0	\$100
		Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>		\$100	\$0	\$100
		Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>		\$100	\$0	\$100
	Snails Total				\$1,770	\$0	\$1,770
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$9,400	\$0	\$9,400
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$122	\$0	\$122
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$122	\$0	\$122
		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$300	\$0	\$300
		Beetle, Mount Hermon June	<i>Polyphylla barbata</i>		\$300	\$0	\$300
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$300	\$0	\$300
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>		\$300	\$0	\$300
		Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>		\$300	\$0	\$300
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$3,300	\$0	\$3,300
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$3,771	\$0	\$3,771
		Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>		\$300	\$0	\$300
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtilae</i>		\$300	\$0	\$300
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$100	\$0	\$100
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>		\$300	\$0	\$300
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>		\$300	\$0	\$300
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>		\$100	\$0	\$100
		Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>		\$400	\$0	\$400
		Skipper, Carson wandering	<i>Pseudocopaodes eumus obscurus</i>		\$100	\$0	\$100
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$100	\$0	\$100
		Tiger beetle, Ohlone	<i>Cicindela ohlone</i>		\$400	\$0	\$400
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>		\$100	\$0	\$100
	Insects Total				\$21,015	\$0	\$21,015
	Crustaceans						
		Amphipod, Noel's	<i>Gammarus desperatus</i>		\$100	\$0	\$100
		Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>		\$122	\$0	\$122
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$300	\$0	\$300
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$300	\$0	\$300
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$100	\$0	\$100
		Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>		\$100	\$0	\$100
		Shrimp, CA freshwater	<i>Syncaris pacifica</i>		\$300	\$0	\$300
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$300	\$0	\$300
	Crustaceans Total				\$1,622	\$0	\$1,622
	Flowering Plants						
		Allocarya, Calistoga	<i>Plagiobothrys strictus</i>		\$300	\$0	\$300
		Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$300	\$0	\$300
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$208	\$0	\$208
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$9,062	\$0	\$9,062
		Awiwi	<i>Centaurium sebaeoides</i>		\$2,000	\$0	\$2,000
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$379	\$0	\$379
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$100	\$0	\$100
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$100	\$0	\$100
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$14,334	\$0	\$14,334

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beauty, Harper's	<i>Harperocallis flava</i>		\$14,334	\$0	\$14,334
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$300	\$0	\$300
		Bird's-beak, Pennell's	<i>Cordylanthus tenuis ssp. capillaris</i>		\$300	\$0	\$300
		Bird's-beak, soft	<i>Cordylanthus mollis ssp. mollis</i>		\$300	\$0	\$300
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$100	\$0	\$100
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$100	\$0	\$100
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$221	\$0	\$221
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$100	\$0	\$100
		Bluegrass, Napa	<i>Poa napensis</i>		\$300	\$0	\$300
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$14,334	\$0	\$14,334
		Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>		\$100	\$0	\$100
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$100	\$0	\$100
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$100	\$0	\$100
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>		\$100	\$0	\$100
		Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>		\$100	\$0	\$100
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$100	\$0	\$100
		Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>		\$100	\$0	\$100
		cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$100	\$0	\$100
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus var. peeblesianus</i>		\$100	\$0	\$100
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$100	\$0	\$100
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$100	\$0	\$100
		Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus, =Utahia) sileri</i>		\$100	\$0	\$100
		Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>		\$100	\$0	\$100
		Cactus, star	<i>Astrophytum asterias</i>		\$600	\$0	\$600
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$100	\$0	\$100
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$100	\$0	\$100
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$100	\$0	\$100
		Ceanothus, coyote	<i>Ceanothus ferrissae</i>		\$300	\$0	\$300
		Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana ssp. valida</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$100	\$0	\$100
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$100	\$0	\$100
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$300	\$0	\$300
		Clarkia, Vine Hill	<i>Clarkia imbricata</i>		\$300	\$0	\$300
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$100	\$0	\$100
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$300	\$0	\$300
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i> )		\$100	\$0	\$100
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$100	\$0	\$100
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$3,300	\$0	\$3,300
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$3,268	\$0	\$3,268
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$221	\$0	\$221
		Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>		\$300	\$0	\$300
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>		\$300	\$0	\$300
		Evening-primrose, Antioch Dunes	<i>Oenothera deltoidea</i> ssp. <i>howellii</i>		\$300	\$0	\$300
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$300	\$0	\$300
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$100	\$0	\$100
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$100	\$0	\$100
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$221	\$0	\$221
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$100	\$0	\$100
		Goldfields, Burke's	<i>Lasthenia burkei</i>		\$300	\$0	\$300
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$300	\$0	\$300
		Grass, Colusa	<i>Neostapfia colusana</i>		\$800	\$0	\$800
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$484	\$0	\$484
		Grass, Solano	<i>Tuctoria mucronata</i>		\$800	\$0	\$800
		Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>		\$100	\$0	\$100
		Howellia, water	<i>Howellia aquatilis</i>		\$100	\$0	\$100
		Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>		\$100	\$0	\$100
		Jewelflower, Metcalf Canyon	<i>Streptanthus albidus</i> ssp. <i>albidus</i>		\$300	\$0	\$300
		Jewelflower, Tiburon	<i>Streptanthus niger</i>		\$300	\$0	\$300
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$2,000	\$0	\$2,000
		Kulu`i	<i>Nototrichium humile</i>		\$2,000	\$0	\$2,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$100	\$0	\$100
		Larkspur, Baker's	<i>Delphinium bakeri</i>		\$300	\$0	\$300
		Larkspur, yellow	<i>Delphinium luteum</i>		\$300	\$0	\$300
		Layia, beach	<i>Layia carmosa</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$14,334	\$0	\$14,334
		Lessingia, San Francisco	<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> )		\$300	\$0	\$300
		Lily, Pitkin Marsh	<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>		\$300	\$0	\$300
		Lily, Western	<i>Lilium occidentale</i>		\$100	\$0	\$100
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$100	\$0	\$100
		Lupine, clover	<i>Lupinus tidestromii</i>		\$300	\$0	\$300
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> )		\$100	\$0	\$100
		Manioc, Walker's	<i>Manihot walkerae</i>		\$600	\$0	\$600
		Manzanita, pallid	<i>Arctostaphylos pallida</i>		\$300	\$0	\$300
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>		\$300	\$0	\$300
		Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>		\$300	\$0	\$300
		Ma'o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$2,000	\$0	\$2,000
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>		\$100	\$0	\$100
		Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>		\$300	\$0	\$300
		Milk-vetch, Clara Hunt's	<i>Astragalus clarianus</i>		\$300	\$0	\$300
		Milk-vetch, Deseret	<i>Astragalus desereticus</i>		\$100	\$0	\$100
		Milk-vetch, heliotrope	<i>Astragalus montii</i>		\$100	\$0	\$100
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$100	\$0	\$100
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$100	\$0	\$100
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$100	\$0	\$100
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>		\$100	\$0	\$100
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$100	\$0	\$100
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$100	\$0	\$100
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$100	\$0	\$100
		Mint, scrub	<i>Dicerandra frutescens</i>		\$14,334	\$0	\$14,334
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$100	\$0	\$100
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$2,000	\$0	\$2,000
		Navarretia, few-flowered	<i>Navarretia leucocephala pauciflora</i> (=N. <i>pauciflora</i> )		\$300	\$0	\$300
		Navarretia, many-flowered	<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>		\$300	\$0	\$300
		No common name	<i>Schiedea kaalae</i>		\$1,967	\$0	\$1,967



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ohai	<i>Sesbania tomentosa</i>		\$1,967	\$0	\$1,967
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$100	\$0	\$100
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$100	\$0	\$100
		Orcutt grass, California	<i>Orcuttia californica</i>		\$484	\$0	\$484
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$484	\$0	\$484
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$484	\$0	\$484
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$484	\$0	\$484
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$500	\$0	\$500
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$100	\$0	\$100
		Paintbrush, Tiburon	<i>Castilleja affinis ssp. neglecta</i>		\$300	\$0	\$300
		Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>		\$2,000	\$0	\$2,000
		Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>		\$100	\$0	\$100
		Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>		\$300	\$0	\$300
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$100	\$0	\$100
		Phacelia, North Park	<i>Phacelia formosula</i>		\$100	\$0	\$100
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$7,681	\$0	\$7,681
		Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>		\$500	\$0	\$500
		Plum, scrub	<i>Prunus geniculata</i>		\$14,334	\$0	\$14,334
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$9,424	\$0	\$9,424
		popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$100	\$0	\$100
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$100	\$0	\$100
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>		\$300	\$0	\$300
		Primrose, Maguire	<i>Primula maguirei</i>		\$100	\$0	\$100
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$14,334	\$0	\$14,334
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$100	\$0	\$100
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$7,681	\$0	\$7,681
		Sandlace	<i>Polygonella myriophylla</i>		\$14,334	\$0	\$14,334
		Sedge, Navajo	<i>Carex specuicola</i>		\$100	\$0	\$100
		Sedge, white	<i>Carex albida</i>		\$300	\$0	\$300
		Snakeroot	<i>Eryngium cuneifolium</i>		\$14,334	\$0	\$14,334
		Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$300	\$0	\$300
		Stickseed, showy	<i>Hackelia venusta</i>		\$100	\$0	\$100
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$157	\$0	\$157
		Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>		\$300	\$0	\$300
		Sunshine, Sonoma	<i>Blennosperma bakeri</i>		\$300	\$0	\$300
		Tarplant, Santa Cruz	<i>Holocarpa macradenia</i>		\$300	\$0	\$300
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$100	\$0	\$100
		Thistle, fountain	<i>Cirsium fontinale</i> var. <i>fontinale</i>		\$300	\$0	\$300
		Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>		\$300	\$0	\$300
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$100	\$0	\$100
		Thistle, Suisun	<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>		\$300	\$0	\$300
		Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$318	\$0	\$318
		Thornmint, San Mateo	<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>		\$300	\$0	\$300
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$100	\$0	\$100
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$484	\$0	\$484
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$100	\$0	\$100
		Wallflower, Contra Costa	<i>Erysimum capitatum</i> var. <i>angustatum</i>		\$300	\$0	\$300
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$100	\$0	\$100
		Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>		\$100	\$0	\$100
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$100	\$0	\$100
		Wireweed	<i>Polygonella basiramia</i>		\$14,334	\$0	\$14,334
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$100	\$0	\$100
	Flowering Plants Total				\$228,819	\$0	\$228,819
	Conifers and Cycads						
		Cypress, Santa Cruz	<i>Cupressus abramsiana</i>		\$300	\$0	\$300
		Torreya, Florida	<i>Torreya taxifolia</i>		\$7,681	\$0	\$7,681
	Conifers and Cycads Total				\$7,981	\$0	\$7,981
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$7,700	\$0	\$7,700
<b>Domestic Total</b>					\$6,493,287	\$0	\$6,493,287

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Foreign</b>							
	Birds						
		Sparrowhawk, Anjouan Island	<i>Accipiter francesii pusillus</i>		\$100	\$0	\$100
	Reptiles						
		Iguana, Cuban ground	<i>Cyclura nubila nubila</i>		\$12,000	\$0	\$12,000
<b>Foreign Total</b>					\$12,100	\$0	\$12,100
<b>Grand Total</b>					<b>\$6,505,387</b>	<b>\$0</b>	<b>\$6,505,387</b>

USDA Forest Service FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$214,000	\$0	\$214,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,249,000	\$0	\$1,249,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$900	\$0	\$900
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$89,000	\$0	\$89,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$29,000	\$0	\$29,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$2,400,000	\$0	\$2,400,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$135,000	\$0	\$135,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$36,000	\$0	\$36,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$181,000	\$0	\$181,000
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$4,000	\$0	\$4,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$1,867,000	\$0	\$1,867,000
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$20,000	\$0	\$20,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$12,000	\$0	\$12,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$79,000	\$0	\$79,000
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$2,000	\$0	\$2,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$64,000	\$0	\$64,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$16,000	\$0	\$16,000
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$97,000	\$0	\$97,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$159,000	\$0	\$159,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$929,000	\$0	\$929,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$573,000	\$0	\$573,000
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN pop.	\$340,000	\$0	\$340,000
	Mammals Total				\$8,495,900	\$0	\$8,495,900
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$5,000	\$0	\$5,000
		Akiapola'au (honeycreeper)	<i>Hemignathus munroi</i>		\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$42,000	\$0	\$42,000
		Creepers, Hawaii	<i>Oreomystis mana</i>		\$5,000	\$0	\$5,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$45,900	\$0	\$45,900
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$1,000	\$0	\$1,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$743,000	\$0	\$743,000
		Gnatcatcher, coastal California	<i>Poliotilta californica californica</i>		\$106,000	\$0	\$106,000
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>		\$31,000	\$0	\$31,000
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>		\$31,000	\$0	\$31,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,100,000	\$0	\$1,100,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$1,102,000	\$0	\$1,102,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$3,632,000	\$0	\$3,632,000
		Parrot, Puerto Rican	<i>Amazona vittata</i>		\$101,000	\$0	\$101,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$74,000	\$0	\$74,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$360,000	\$0	\$360,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$2,000	\$0	\$2,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$42,000	\$0	\$42,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$27,000	\$0	\$27,000
		Warbler (wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$30,000	\$0	\$30,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$608,000	\$0	\$608,000
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$10,000	\$0	\$10,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$6,908,000	\$0	\$6,908,000
	Birds Total				\$15,010,900	\$0	\$15,010,900
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$20,000	\$0	\$20,000
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$27,000	\$0	\$27,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$85,000	\$0	\$85,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$500	\$0	\$500
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$1,273,000	\$0	\$1,273,000
	Reptiles Total				\$1,405,500	\$0	\$1,405,500
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$186,000	\$0	\$186,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$74,000	\$0	\$74,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	Wherever found west of Mobile/ Tombigbee Rivers in AL, MS, LA	\$60,000	\$0	\$60,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$79,000	\$0	\$79,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$15,000	\$0	\$15,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$3,000	\$0	\$3,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$2,000	\$0	\$2,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$185,000	\$0	\$185,000
	Amphibians Total				\$604,000	\$0	\$604,000
	Fishes						
		Chub, Gila	<i>Gila intermedia</i>		\$1,000	\$0	\$1,000
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$24,000	\$0	\$24,000
		Chub, Owens tui	<i>Gila bicolor snyderi</i>		\$97,000	\$0	\$97,000
		Chub, spotfin	<i>Erimonax monachus</i>	Tellico River, TN	\$4,000	\$0	\$4,000
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$19,000	\$0	\$19,000
		Darter, amber	<i>Percina antesella</i>		\$20,000	\$0	\$20,000
		Darter, duskytail	<i>Etheostoma percnurum</i>	Tellico River, TN	\$4,000	\$0	\$4,000
		Darter, Etowah	<i>Etheostoma etowahae</i>		\$19,000	\$0	\$19,000
		Darter, leopard	<i>Percina pantherina</i>		\$14,000	\$0	\$14,000
		Darter, snail	<i>Percina tanasi</i>		\$1,000	\$0	\$1,000
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$20,000	\$0	\$20,000
		Madtom, smoky	<i>Noturus baileyi</i>	Tellico River, TN	\$4,000	\$0	\$4,000
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Tellico River, TN	\$4,000	\$0	\$4,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$29,000	\$0	\$29,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$12,000	\$0	\$12,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$4,000	\$0	\$4,000
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$75,000	\$0	\$75,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$479,000	\$0	\$479,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$33,000	\$0	\$33,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$9,000	\$0	\$9,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$1,089,000	\$0	\$1,089,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$5,950,000	\$0	\$5,950,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock wherever found	\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shiner, blue	<i>Cyprinella caerulea</i>		\$24,000	\$0	\$24,000
		Spinedace	<i>Meda fulgida</i>		\$29,000	\$0	\$29,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$479,000	\$0	\$479,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$6,000	\$0	\$6,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$905,000	\$0	\$905,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$111,000	\$0	\$111,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$132,000	\$0	\$132,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$385,000	\$0	\$385,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$9,000	\$0	\$9,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$138,000	\$0	\$138,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$14,000	\$0	\$14,000
		Sucker, Modoc	<i>Catostomus microps</i>		\$10,000	\$0	\$10,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$6,000	\$0	\$6,000
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$114,000	\$0	\$114,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$14,000	\$0	\$14,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$3,000	\$0	\$3,000
		Trout, Apache	<i>Oncorhynchus apache</i>		\$19,000	\$0	\$19,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$3,583,000	\$0	\$3,583,000
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$5,000	\$0	\$5,000
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$112,000	\$0	\$112,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$177,000	\$0	\$177,000
		Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>		\$67,000	\$0	\$67,000
	Fishes Total				\$14,273,100	\$0	\$14,273,100
	Clams						
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Free-Flowing Reach of Tenn. River below Wilson Dam, Colbert and Lauderdale Co., AL	\$300	\$0	\$300
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire; Except where EXPN	\$300	\$0	\$300
		Clubshell	<i>Pleurobema clava</i>	Free-Flowing Reach of Tenn. River below Wilson Dam, Colbert and Lauderdale Co.,AL	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$5,000	\$0	\$5,000
		Clubshell, southern	<i>Pleurobema decisum</i>		\$20,000	\$0	\$20,000
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$800	\$0	\$800
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$300	\$0	\$300
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$20,000	\$0	\$20,000
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$5,000	\$0	\$5,000
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$500	\$0	\$500
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>		\$20,000	\$0	\$20,000
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$800	\$0	\$800
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$300	\$0	\$300
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$5,000	\$0	\$5,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$400	\$0	\$400
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i> )		\$300	\$0	\$300
	Clams Total				\$79,400	\$0	\$79,400
	Snails						
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$1,000	\$0	\$1,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$150,000	\$0	\$150,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$39,000	\$0	\$39,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$446,000	\$0	\$446,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$229,000	\$0	\$229,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i> )		\$50,000	\$0	\$50,000
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>		\$18,000	\$0	\$18,000
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocneema</i>		\$19,000	\$0	\$19,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$3,000	\$0	\$3,000
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$5,000	\$0	\$5,000
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$12,500	\$0	\$12,500
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$12,000	\$0	\$12,000
	Insects Total				\$983,500	\$0	\$983,500
	Flowering Plants						
		Amole, purple	<i>Chlorogalum purpureum</i>		\$38,000	\$0	\$38,000



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$1,000	\$0	\$1,000
		Avens, spreading	<i>Geum radiatum</i>		\$2,000	\$0	\$2,000
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$2,000	\$0	\$2,000
		Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii</i> ssp. <i>bernardina</i>		\$65,000	\$0	\$65,000
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$90,000	\$0	\$90,000
		Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>		\$100	\$0	\$100
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium</i> var. <i>vineum</i>		\$97,000	\$0	\$97,000
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$4,000	\$0	\$4,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$5,000	\$0	\$5,000
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$31,000	\$0	\$31,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$60,000	\$0	\$60,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$700	\$0	\$700
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$31,000	\$0	\$31,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$112,000	\$0	\$112,000
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$500	\$0	\$500
		Checker-mallow, pedate	<i>Sidalcea pedata</i>		\$88,000	\$0	\$88,000
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$2,000	\$0	\$2,000
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$700	\$0	\$700
		Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i> ) <i>subintegra</i>		\$2,000	\$0	\$2,000
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$25,000	\$0	\$25,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$79,000	\$0	\$79,000
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$2,000	\$0	\$2,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$13,000	\$0	\$13,000
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$7,000	\$0	\$7,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$13,000	\$0	\$13,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$5,000	\$0	\$5,000
		Goldenrod, Blue Ridge	<i>Solidago spithamea</i>		\$200	\$0	\$200
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$2,000	\$0	\$2,000
		Goldenrod, white-haired	<i>Solidago albopilosa</i>		\$13,000	\$0	\$13,000
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haha	<i>Cyanea shipmanii</i>		\$5,000	\$0	\$5,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$40,000	\$0	\$40,000
		Harperella	<i>Ptilimnium nodosum</i>		\$1,000	\$0	\$1,000
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$5,000	\$0	\$5,000
		Howellia, water	<i>Howellia aquatilis</i>		\$8,000	\$0	\$8,000
		Iris, dwarf lake	<i>Iris lacustris</i>		\$3,000	\$0	\$3,000
		Kauila	<i>Colubrina oppositifolia</i>		\$40,000	\$0	\$40,000
		Kiponapona	<i>Phyllostegia racemosa</i>		\$5,000	\$0	\$5,000
		Koki`o	<i>Kokia drynarioides</i>		\$40,000	\$0	\$40,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$49,000	\$0	\$49,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$68,000	\$0	\$68,000
		Lily, Western	<i>Lilium occidentale</i>		\$500	\$0	\$500
		Locoweed, Fassett's	<i>Oxytropis campestris</i> var. <i>chartacea</i>		\$700	\$0	\$700
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> )		\$11,000	\$0	\$11,000
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$97,000	\$0	\$97,000
		Milk-vetch, heliotrope	<i>Astragalus montii</i>		\$5,000	\$0	\$5,000
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$17,000	\$0	\$17,000
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$15,000	\$0	\$15,000
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$5,000	\$0	\$5,000
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$62,000	\$0	\$62,000
		Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$88,000	\$0	\$88,000
		No common name	<i>Bonamia menziesii</i>		\$5,000	\$0	\$5,000
		Onion, Munz's	<i>Allium munzii</i>		\$7,000	\$0	\$7,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$22,000	\$0	\$22,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$139,000	\$0	\$139,000
		Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>		\$114,000	\$0	\$114,000
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$83,000	\$0	\$83,000
		Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>		\$2,000	\$0	\$2,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$3,000	\$0	\$3,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$1,000	\$0	\$1,000
		Phacelia, clay	<i>Phacelia argillacea</i>		\$42,000	\$0	\$42,000
		Phlox, Yreka	<i>Phlox hirsuta</i>		\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pink, swamp	<i>Helonias bullata</i>		\$14,000	\$0	\$14,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$34,000	\$0	\$34,000
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$46,000	\$0	\$46,000
		Pondberry	<i>Lindera melissifolia</i>		\$425,000	\$0	\$425,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$34,000	\$0	\$34,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$20,000	\$0	\$20,000
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$12,000	\$0	\$12,000
		Primrose, Maguire	<i>Primula maguirei</i>		\$11,000	\$0	\$11,000
		Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>		\$1,000	\$0	\$1,000
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$600	\$0	\$600
		Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$69,000	\$0	\$69,000
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$2,000	\$0	\$2,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$4,000	\$0	\$4,000
		Sneezeweed, Virginia	<i>Helenium virginicum</i>		\$500	\$0	\$500
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$1,000	\$0	\$1,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$15,000	\$0	\$15,000
		Stickseed, showy	<i>Hackelia venusta</i>		\$6,000	\$0	\$6,000
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$15,000	\$0	\$15,000
		Taraxacum, California	<i>Taraxacum californicum</i>		\$88,000	\$0	\$88,000
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$19,000	\$0	\$19,000
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$33,000	\$0	\$33,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$100	\$0	\$100
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$53,000	\$0	\$53,000
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$25,000	\$0	\$25,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$2,000	\$0	\$2,000
		Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi var. austromontanum</i>		\$102,000	\$0	\$102,000
		`Aiea	<i>Nothocestrum breviflorum</i>		\$40,000	\$0	\$40,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia pyrularia</i>		\$5,000	\$0	\$5,000
	Flowering Plants Total				\$2,877,000	\$0	\$2,877,000
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$30,000	\$0	\$30,000
	Ferns/Allies						

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$2,000	\$0	\$2,000
	Lichens						
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$2,000	\$0	\$2,000
<b>Domestic Total</b>					\$43,764,300	\$0	\$43,764,300
<b>Grand Total</b>					<b>\$43,764,300</b>	<b>\$0</b>	<b>\$43,764,300</b>

USDA Natural Resources Conservation Service FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$95,220	\$42,400	\$137,620
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$1,858	\$0	\$1,858
		Bat, Indiana	<i>Myotis sodalis</i>		\$142,594	\$136,741	\$279,335
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$100	\$0	\$100
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$42,600	\$0	\$42,600
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$700	\$0	\$700
		Bear, grizzly	<i>Ursus arctos horribilis</i>	EXPN non-essential portions of ID, MT	\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$30,000	\$0	\$30,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$600,750	\$12,130,760	\$12,731,510
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$100	\$0	\$100
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$500	\$0	\$500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$100	\$0	\$100
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$6,000	\$0	\$6,000
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$160	\$0	\$160
		Jaguar	<i>Panthera onca</i>		\$100	\$0	\$100
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$160	\$0	\$160
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$50,200	\$0	\$50,200
		Manatee, West Indian	<i>Trichechus manatus</i>		\$500	\$0	\$500
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$500	\$0	\$500
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$500	\$0	\$500
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$500	\$0	\$500
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$500	\$0	\$500
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$500	\$0	\$500
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$500	\$0	\$500
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$2,550	\$30,000	\$32,550
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$40,500	\$10,000,000	\$10,040,500
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$81,789	\$0	\$81,789
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$50	\$0	\$50
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$700	\$0	\$700
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$500	\$0	\$500
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$500	\$0	\$500
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE, Sussex Co.	\$400	\$0	\$400
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$100	\$0	\$100
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$500	\$0	\$500
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN pop.	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN population	\$3,700	\$0	\$3,700
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$1,031	\$0	\$1,031
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$500	\$0	\$500
	Mammals Total				\$1,108,162	\$22,339,901	\$23,448,063
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$5,099	\$0	\$5,099
		Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>		\$50	\$0	\$50
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$35,000	\$12,000,000	\$12,035,000
		Condor, California	<i>Gymnogyps californianus</i>	specific portions of AZ, NV, UT	\$300	\$0	\$300
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$73,550	\$0	\$73,550
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$600	\$0	\$600
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$13,700	\$0	\$13,700
		Creepers, Hawaii	<i>Oreomystis mana</i>		\$5,099	\$0	\$5,099
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>		\$5,099	\$0	\$5,099
		Curlew, Eskimo	<i>Numenius borealis</i>		\$500	\$0	\$500
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$68,314	\$0	\$68,314
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$55,700	\$0	\$55,700
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$10,818	\$0	\$10,818

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$41,500	\$0	\$41,500
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$61,163	\$0	\$61,163
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$5,099	\$0	\$5,099
		Honeycreeper, crested	<i>Palmeria dolei</i>		\$1,662	\$0	\$1,662
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$12,000	\$8,000,000	\$8,012,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$80,814	\$0	\$80,814
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$400	\$0	\$400
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$3,951	\$0	\$3,951
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$2,000	\$0	\$2,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$4,100	\$0	\$4,100
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$160	\$0	\$160
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$4,500	\$150,000	\$154,500
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$85,700	\$0	\$85,700
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$21,000	\$1,000,000	\$1,021,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$3,951	\$0	\$3,951
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$500	\$0	\$500
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$27,000	\$20,000,000	\$20,027,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$141,232	\$0	\$141,232
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$1,000,220	\$70,000,000	\$71,000,220
		Tern, California least	<i>Sterna antillarum browni</i>		\$160	\$0	\$160
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$13,300	\$0	\$13,300
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$800	\$0	\$800
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$18,200	\$350,000	\$368,200
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$59,000	\$0	\$59,000
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$500	\$0	\$500
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$5,500	\$225,000	\$230,500
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$7,500	\$0	\$7,500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$1,402,511	\$1,000,000	\$2,402,511
	Birds Total				\$3,278,252	\$112,725,000	\$116,003,252

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$2,900	\$0	\$2,900
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$500	\$0	\$500
		Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>		\$300	\$0	\$300
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$200	\$0	\$200
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$500	\$0	\$500
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$500	\$0	\$500
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$500	\$0	\$500
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$500	\$0	\$500
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$10,500	\$0	\$10,500
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$3,000	\$0	\$3,000
		Skink, sand	<i>Neoseps reynoldsi</i>		\$3,000	\$0	\$3,000
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		\$500	\$500,000	\$500,500
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN north of 40 degrees north latitude, MI, OH	\$1,200	\$134,811	\$136,011
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$15,000	\$500,000	\$515,000
		Snake, giant garter	<i>Thamnophis gigas</i>		\$19,000	\$1,600,000	\$1,619,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$200	\$0	\$200
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$1,000	\$0	\$1,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$57,140	\$647,247	\$704,387
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$3,800	\$1,000	\$4,800
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$220	\$0	\$220
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$57,000	\$0	\$57,000
	Reptiles Total				\$177,460	\$3,383,058	\$3,560,518
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$20,000	\$0	\$20,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$1,000	\$0	\$1,000
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	west of Mobile/Tombigbee Rivers in AL, MS, LA	\$60,766	\$0	\$60,766
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$3,000	\$0	\$3,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$700	\$0	\$700
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$5,500	\$0	\$5,500



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>		\$220	\$0	\$220
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$50	\$0	\$50
		Toad, arroyo	<i>Bufo californicus (=microscaphus)</i>		\$13,000	\$0	\$13,000
		Toad, Houston	<i>Bufo houstonensis</i>		\$65,000	\$25,700	\$90,700
		Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>		\$1,000	\$0	\$1,000
	Amphibians Total				\$170,236	\$25,700	\$195,936
	Fishes						
		Catfish, Yaqui	<i>Ictalurus pricei</i>		\$100	\$0	\$100
		Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>		\$220	\$0	\$220
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$25,100	\$42,000	\$67,100
		Chub, bonytail	<i>Gila elegans</i>	entire	\$28,488	\$0	\$28,488
		Chub, Gila	<i>Gila intermedia</i>		\$100	\$0	\$100
		Chub, humpback	<i>Gila cypha</i>	entire	\$28,488	\$0	\$28,488
		Chub, Pahrn-agat roundtail	<i>Gila robusta jordani</i>		\$1,200	\$0	\$1,200
		Chub, Sonora	<i>Gila ditaenia</i>		\$100	\$0	\$100
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$220	\$0	\$220
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$187	\$0	\$187
		Chub, Yaqui	<i>Gila purpurea</i>		\$100	\$0	\$100
		Darter, boulder	<i>Etheostoma wapiti</i>		\$220	\$0	\$220
		Darter, goldline	<i>Percina aurolineata</i>		\$220	\$0	\$220
		Darter, leopard	<i>Percina pantherina</i>		\$18,100	\$0	\$18,100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$500	\$0	\$500
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$220	\$0	\$220
		Darter, snail	<i>Percina tanasi</i>		\$220	\$0	\$220
		Darter, vermilion	<i>Etheostoma chermocki</i>		\$220	\$0	\$220
		Darter, watercress	<i>Etheostoma nuchale</i>		\$220	\$0	\$220
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$650	\$0	\$650
		Minnow, loach	<i>Tiaroga cobitis</i>		\$100	\$0	\$100
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$1,000	\$0	\$1,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$28,488	\$0	\$28,488
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$100	\$0	\$100
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$165,000	\$0	\$165,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$150,000	\$0	\$150,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$8,800	\$0	\$8,800
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$500	\$0	\$500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$8,800	\$0	\$8,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	winter Sacramento R.	\$800	\$0	\$800
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer-run Hood Canal	\$75,000	\$0	\$75,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$1,600	\$0	\$1,600
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock wherever found	\$100	\$0	\$100
		Sculpin, pygmy	<i>Cottus paulus</i> (= <i>pygmaeus</i> )		\$220	\$0	\$220
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$16,500	\$0	\$16,500
		Shiner, beautiful	<i>Cyprinella formosa</i>		\$100	\$0	\$100
		Shiner, blue	<i>Cyprinella caerulea</i>		\$220	\$0	\$220
		Shiner, Cahaba	<i>Notropis cahabae</i>		\$220	\$0	\$220
		Shiner, palezone	<i>Notropis</i> <i>albizonatus</i>		\$220	\$0	\$220
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i> )		\$62,215	\$102,477	\$164,692
		Spikedace	<i>Meda fulgida</i>		\$100	\$0	\$100
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$100	\$0	\$100
		Springfish, White River	<i>Crenichthys baileyi</i> <i>baileyi</i>		\$1,200	\$0	\$1,200
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$150,000	\$0	\$150,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$18,000	\$0	\$18,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$1,600	\$0	\$1,600
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$220	\$0	\$220
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$1,220	\$0	\$1,220
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$4,800	\$0	\$4,800
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$15,000	\$0	\$15,000
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$66,000	\$0	\$66,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$28,488	\$0	\$28,488
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis</i> <i>occidentalis</i>	U.S.A. only	\$100	\$0	\$100
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>		\$500	\$0	\$500
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$917,494	\$0	\$917,494
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$100	\$0	\$100
		Trout, Green- back Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$100	\$0	\$100
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki henshawi</i>		\$94	\$0	\$94
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	Gila R. drainage, AZ, NM	\$187	\$0	\$187

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Fishes Total				\$1,836,159	\$144,477	\$1,980,636
	Clams						
		Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$2,920	\$0	\$2,920
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$1,220	\$0	\$1,220
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Entire; Except where EXPN	\$220	\$0	\$220
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Entire; Except where EXPN	\$920	\$0	\$920
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$700	\$0	\$700
		Clubshell, ovate	<i>Pleurobema perovatium</i>		\$2,920	\$0	\$2,920
		Clubshell, southern	<i>Pleurobema decisum</i>		\$2,920	\$0	\$2,920
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	AL; Free-Flowing Reach of Tenn. River below Wilson Dam, Colbert and Lauderdale Co.	\$220	\$0	\$220
		Combshell, southern	<i>Epioblasma penita</i>		\$220	\$0	\$220
		Combshell, upland	<i>Epioblasma metastriata</i>		\$2,920	\$0	\$2,920
		Fanshell	<i>Cyrogenia stegaria</i>		\$920	\$0	\$920
		fatmucket, Arkansas	<i>Lampsilis powellii</i>		\$5,500	\$0	\$5,500
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>		\$220	\$0	\$220
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$3,500	\$0	\$3,500
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$2,920	\$0	\$2,920
		Lampmussel, Alabama	<i>Lampsilis virescens</i>	Entire ; Except where EXPN	\$220	\$0	\$220
		Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>		\$220	\$0	\$220
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$2,920	\$0	\$2,920
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$2,700	\$0	\$2,700
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$720	\$0	\$720
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$500	\$0	\$500
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	AL; Free-Flowing Reach of the Tenn. River below Wilson Dam, Colbert and Lauderdale Co.	\$220	\$0	\$220
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$220	\$0	\$220
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$6,420	\$0	\$6,420
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$220	\$0	\$220
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$700	\$0	\$700
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except EXPN	\$220	\$0	\$220

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, dark	<i>Pleurobema furvum</i>		\$220	\$0	\$220
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Entire; Except where EXPN	\$220	\$0	\$220
		Pigtoe, flat	<i>Pleurobema marshalli</i>		\$220	\$0	\$220
		Pigtoe, heavy	<i>Pleurobema taitianum</i>		\$220	\$0	\$220
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$720	\$0	\$720
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$220	\$0	\$220
		Pigtoe, shiny	<i>Fusconaia cor</i>	Entire; Except where EXPN	\$220	\$0	\$220
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$2,920	\$0	\$2,920
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$220	\$0	\$220
		Pocketbook, fat	<i>Potamilus capax</i>		\$5,500	\$0	\$5,500
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$2,700	\$0	\$2,700
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$9,000	\$0	\$9,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$1,220	\$0	\$1,220
		Pocketbook, speckled	<i>Lampsilis streckeri</i>		\$5,500	\$0	\$5,500
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$700	\$0	\$700
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$220	\$0	\$220
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$720	\$0	\$720
		Spinymussel, James	<i>Pleurobema collina</i>		\$700	\$0	\$700
		Stirrupshell	<i>Quadrula stapes</i>		\$220	\$0	\$220
		Three-ridge, fat (mussel)	<i>Amblema neisterii</i>		\$500	\$0	\$500
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$220	\$0	\$220
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$30,300	\$130,000	\$160,300
	Clams Total				\$106,200	\$130,000	\$236,200
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$50	\$0	\$50
		Campeloma, slender	<i>Campeloma decampi</i>		\$220	\$0	\$220
		Elimia, lacy (snail)	<i>Elimia crenatella</i>		\$220	\$0	\$220
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$100	\$0	\$100
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>		\$220	\$0	\$220
		Pebblesnail, flat	<i>Lepyrium showalteri</i>		\$220	\$0	\$220
		Riversnail, Anthony's	<i>Athearnia anthonyi</i>	Entire ; Except where EXPN	\$220	\$0	\$220
		Rocksnaail, painted	<i>Leptoxis taeniata</i>		\$220	\$0	\$220
		Rocksnaail, plicate	<i>Leptoxis plicata</i>		\$220	\$0	\$220

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rocksnaail, round	<i>Leptoxis ampla</i>		\$220	\$0	\$220
		Snail, armored	<i>Pyrgulopsis</i> (= <i>Marstonia</i> ) <i>pachyta</i>		\$220	\$0	\$220
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$100	\$0	\$100
		Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>		\$700	\$0	\$700
		Snail, Iowa Pleistocene	<i>Discus macclintocki</i>		\$7,500	\$0	\$7,500
		Snail, Snake River physa	<i>Physa natricina</i>		\$100	\$0	\$100
		Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i> )		\$500	\$0	\$500
		Snail, tulotoma	<i>Tulotoma magnifica</i>		\$220	\$0	\$220
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$100	\$0	\$100
	Snails Total				\$11,350	\$0	\$11,350
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$9,200	\$0	\$9,200
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$40,000	\$0	\$40,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$245,700	\$0	\$245,700
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$500	\$0	\$500
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$1,716	\$0	\$1,716
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$100	\$0	\$100
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$100	\$0	\$100
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$100	\$0	\$100
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniiana</i>		\$3,200	\$0	\$3,200
	Insects Total				\$300,616	\$0	\$300,616
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$3,500	\$0	\$3,500
		Isopod, Madison Cave	<i>Antrolana lira</i>		\$700	\$0	\$700
		Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingsi</i>		\$1,000	\$0	\$1,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$2,500	\$0	\$2,500
	Crustaceans Total				\$7,700	\$0	\$7,700
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$1,500	\$0	\$1,500
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,500	\$0	\$1,500
	Corals Total				\$3,000	\$0	\$3,000



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$50	\$0	\$50
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$50	\$0	\$50
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$725	\$0	\$725
		Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i>		\$50	\$0	\$50
		Cactus, star	<i>Astrophytum asterias</i>		\$2,500	\$0	\$2,500
		Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>		\$750	\$0	\$750
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$635	\$0	\$635
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$225	\$0	\$225
		Campion, fringed	<i>Silene polypetala</i>		\$500	\$0	\$500
		Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>		\$350	\$0	\$350
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$200	\$0	\$200
		Chaffseed, American	<i>Schwalbea americana</i>		\$2,420	\$0	\$2,420
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$100	\$0	\$100
		Checkermallow Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$100	\$0	\$100
		Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowanina</i> ) <i>subintegra</i>		\$50	\$0	\$50
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$700	\$0	\$700
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$1,000	\$0	\$1,000
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i> )		\$50	\$0	\$50
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$100	\$0	\$100
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$1,000	\$0	\$1,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$50	\$0	\$50
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$500	\$0	\$500
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$100	\$0	\$100
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$500	\$0	\$500
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$500	\$0	\$500
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$220	\$0	\$220
		Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>		\$50	\$0	\$50
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$8,505	\$0	\$8,505

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$500	\$0	\$500
		Harperella	<i>Ptilimnium nodosum</i>		\$700	\$0	\$700
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$3,951	\$0	\$3,951
		Honohono	<i>Haplostachys haplostachya</i>		\$1,662	\$0	\$1,662
		Howellia, water	<i>Howellia aquatilis</i>		\$5,100	\$0	\$5,100
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$500	\$0	\$500
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$500	\$0	\$500
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia lydgatei</i>		\$3,951	\$0	\$3,951
		Koki`o	<i>Kokia drynarioides</i>		\$8,505	\$0	\$8,505
		Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>		\$3,951	\$0	\$3,951
		Kolea	<i>Myrsine linearifolia</i>		\$3,951	\$0	\$3,951
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$50	\$0	\$50
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$350	\$0	\$350
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$6,600	\$0	\$6,600
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$500	\$0	\$500
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$100	\$0	\$100
		Lupine, scrub	<i>Lupinus aridorum</i>		\$500	\$0	\$500
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$8,505	\$0	\$8,505
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$500	\$0	\$500
		Mehamehame	<i>Flueggea neowawraea</i>		\$3,951	\$0	\$3,951
		Milk-vetch, Deseret	<i>Astragalus desereticus</i>		\$31	\$0	\$31
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$50	\$0	\$50
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$185	\$0	\$185
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$185	\$0	\$185
		Milkpea, Small's	<i>Galactia smallii</i>		\$500	\$0	\$500
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$6,207	\$0	\$6,207
		Mint, Garrett's	<i>Dicerandra christmanii</i>		\$500	\$0	\$500
		Mint, Lakela's	<i>Dicerandra immaculata</i>		\$500	\$0	\$500
		Mint, longspurred	<i>Dicerandra cornutissima</i>		\$500	\$0	\$500
		Mint, scrub	<i>Dicerandra frutescens</i>		\$500	\$0	\$500
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$1,000	\$0	\$1,000
		Mustard, Carter's	<i>Warea carteri</i>		\$500	\$0	\$500



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$185	\$0	\$185
		No common name	<i>Bonamia menziesii</i>		\$3,951	\$0	\$3,951
		No common name	<i>Delissea rhytidosperma</i>		\$3,951	\$0	\$3,951
		No common name	<i>Munroidendron racemosum</i>		\$3,951	\$0	\$3,951
		No common name	<i>Tetramolopium arenarium</i>		\$1,662	\$0	\$1,662
		No common name	<i>Tetramolopium rockii</i>		\$108	\$0	\$108
		No common name	<i>Vigna o-wahuensis</i>		\$8,505	\$0	\$8,505
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$49,300	\$391,000	\$440,300
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$16,885	\$0	\$16,885
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$100	\$0	\$100
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$500	\$0	\$500
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$500	\$0	\$500
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$500	\$0	\$500
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$1,200	\$0	\$1,200
		Phacelia, North Park	<i>Phacelia formosula</i>		\$185	\$0	\$185
		Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>		\$200	\$0	\$200
		Pigeon wings	<i>Clitoria fragrans</i>		\$500	\$0	\$500
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$720	\$0	\$720
		Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>		\$220	\$0	\$220
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$220	\$0	\$220
		Plum, scrub	<i>Prunus geniculata</i>		\$500	\$0	\$500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$1,000	\$0	\$1,000
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$500	\$0	\$500
		Polygala, tiny	<i>Polygala smallii</i>		\$500	\$0	\$500
		Pondberry	<i>Lindera melissifolia</i>		\$220	\$0	\$220
		Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>		\$350	\$0	\$350
		Potato-bean, Price's	<i>Apios priceana</i>		\$220	\$0	\$220
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$220	\$0	\$220
		Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>		\$500	\$0	\$500
		Primrose, Maguire	<i>Primula maguirei</i>		\$627	\$0	\$627
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$450	\$0	\$450
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$450	\$0	\$450
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>		\$450	\$0	\$450
		Rock-cress, shale barren	<i>Arabis serotina</i>		\$700	\$0	\$700
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$500	\$0	\$500
		Sandlace	<i>Polygonella myriophylla</i>		\$500	\$0	\$500
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$100	\$0	\$100
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$500	\$0	\$500
		Sedge, Navajo	<i>Carex specuicola</i>		\$50	\$0	\$50
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$500	\$0	\$500
		Snakeroot	<i>Eryngium cuneifolium</i>		\$500	\$0	\$500
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$700	\$0	\$700
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$500	\$0	\$500
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$500	\$0	\$500
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$500	\$0	\$500
		Stickseed, showy	<i>Hackelia venusta</i>		\$100	\$0	\$100
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$225	\$0	\$225
		Trillium, relict	<i>Trillium reliquum</i>		\$220	\$0	\$220
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$185	\$0	\$185
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$500	\$0	\$500
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$220	\$0	\$220
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana recurva</i>		\$50	\$0	\$50
		Water-willow, Cooley's	<i>Justicia cooleyi</i>		\$500	\$0	\$500
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$500	\$0	\$500
		wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$185	\$0	\$185
		Wireweed	<i>Polygonella basirama</i>		\$500	\$0	\$500
		Ziziphus, FL	<i>Ziziphus celata</i>		\$500	\$0	\$500
		`Aiea	<i>Nothocestrum breviflorum</i>		\$5,099	\$0	\$5,099
	Flowering Plants Total				\$222,958	\$391,000	\$613,958
	Conifers and Cycads						
		Torrey, Florida	<i>Torreya taxifolia</i>		\$500	\$0	\$500
	Ferns and Allies						
		Fern, Alabama streak-sorus	<i>Thelypteris pilosa</i> var. <i>alabamensis</i>		\$220	\$0	\$220
		Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$220	\$0	\$220

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$3,951	\$0	\$3,951
		Ihi`ihi	<i>Marsilea villosa</i>		\$54	\$0	\$54
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$220	\$0	\$220
	Ferns and Allies Total				\$4,665	\$0	\$4,665
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$500	\$0	\$500
<b>Domestic Total</b>					\$7,227,758	\$139,139,136	\$146,366,894
<b>Grand Total</b>					<b>\$7,227,758</b>	<b>\$139,139,136</b>	<b>\$146,366,894</b>

DOC National Oceanic and Atmospheric Administration FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$6,305,618	\$0	\$6,305,618
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$6,305,618	\$0	\$6,305,618
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$86,436	\$0	\$86,436
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$5,344,644	\$0	\$5,344,644
		Whale, blue	<i>Balaenoptera musculus</i>		\$2,372,247	\$0	\$2,372,247
		Whale, bowhead	<i>Balaena mysticetus</i>		\$949,322	\$0	\$949,322
		Whale, finback	<i>Balaenoptera physalus</i>		\$1,751,532	\$0	\$1,751,532
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$2,381,779	\$0	\$2,381,779
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$1,330,441	\$0	\$1,330,441
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$9,041,745	\$0	\$9,041,745
		Whale, Sei	<i>Balaenoptera borealis</i>		\$2,325,809	\$0	\$2,325,809
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$2,372,247	\$0	\$2,372,247
	Mammals Total				\$40,567,438	\$0	\$40,567,438
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$4,050,164	\$0	\$4,050,164
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$4,030,999	\$0	\$4,030,999
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$2,469,370	\$0	\$2,469,370
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$4,284,870	\$0	\$4,284,870
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$6,059,875	\$0	\$6,059,875
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$666,119	\$0	\$666,119
	Reptiles Total				\$21,561,397	\$0	\$21,561,397
	Fishes						
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$8,692,380	\$0	\$8,692,380
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$4,458,248	\$0	\$4,458,248
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$4,458,248	\$0	\$4,458,248
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$4,424,363	\$0	\$4,424,363
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$6,451,636	\$0	\$6,451,636
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$7,246,302	\$0	\$7,246,302

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$5,919,030	\$0	\$5,919,030
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$6,451,636	\$0	\$6,451,636
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$3,624,713	\$0	\$3,624,713
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$4,458,248	\$0	\$4,458,248
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$7,246,302	\$0	\$7,246,302
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$4,424,363	\$0	\$4,424,363
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Central California Coast ESU	\$4,458,248	\$0	\$4,458,248
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$3,624,713	\$0	\$3,624,713
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$5,785,521	\$0	\$5,785,521
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Ozette Lake, WA	\$4,424,363	\$0	\$4,424,363
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock wherever found	\$2,997,440	\$0	\$2,997,440
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$1,362,943	\$0	\$1,362,943
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$4,458,248	\$0	\$4,458,248
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$4,197,645	\$0	\$4,197,645
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$6,451,636	\$0	\$6,451,636
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$4,458,248	\$0	\$4,458,248
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$7,246,302	\$0	\$7,246,302
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$7,246,302	\$0	\$7,246,302
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$3,339,561	\$0	\$3,339,561
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	south central CA coast	\$4,458,248	\$0	\$4,458,248
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$4,458,248	\$0	\$4,458,248
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$5,934,515	\$0	\$5,934,515
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$3,640,198	\$0	\$3,640,198
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$880,672	\$0	\$880,672
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$1,542,965	\$0	\$1,542,965
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$3,377,906	\$0	\$3,377,906
	Fishes Total				\$152,199,391	\$0	\$152,199,391
	Snails						
		Abalone, White	<i>Haliotis sorenseni</i>	West Coast (Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	\$1,237,099	\$0	\$1,237,099

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$1,299,118	\$0	\$1,299,118
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,299,118	\$0	\$1,299,118
	Corals Total				\$2,598,236	\$0	\$2,598,236
	Flowering Plants						
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$582,958	\$0	\$582,958
<b>Domestic Total</b>					\$218,746,519	\$0	\$218,746,519
<b>Grand Total</b>					<b>\$218,746,519</b>	<b>\$0</b>	<b>\$218,746,519</b>

DOD Air Force FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$61,340	\$0	\$61,340
		Bat, Indiana	<i>Myotis sodalis</i>		\$12,000	\$0	\$12,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$985	\$0	\$985
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$78,000	\$0	\$78,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$97,000	\$0	\$97,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$15,000	\$0	\$15,000
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$78,000	\$0	\$78,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$74,032	\$0	\$74,032
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$8,036	\$0	\$8,036
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$210,000	\$0	\$210,000
	Mammals Total				\$634,393	\$0	\$634,393
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$9,850	\$0	\$9,850
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$10,000	\$0	\$10,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$20,000	\$0	\$20,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$81,551	\$0	\$81,551
		Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$30,000	\$0	\$30,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$51,700	\$0	\$51,700
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$788,113	\$0	\$788,113
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$1,563,775	\$0	\$1,563,775
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$440,000	\$0	\$440,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$5,065	\$0	\$5,065
		Tern, California least	<i>Sterna antillarum browni</i>		\$223,712	\$0	\$223,712
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$142,000	\$0	\$142,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$2,479,438	\$0	\$2,479,438
	Birds Total				\$5,845,204	\$0	\$5,845,204
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$17,480	\$0	\$17,480
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$44,752	\$0	\$44,752

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$44,538	\$0	\$44,538
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$1,950	\$0	\$1,950
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$320,045	\$0	\$320,045
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$190,160	\$0	\$190,160
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$1,729,000	\$0	\$1,729,000
	Reptiles Total				\$2,347,925	\$0	\$2,347,925
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$197,366	\$0	\$197,366
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$38,211	\$0	\$38,211
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$1,702,000	\$100,000	\$1,802,000
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$237,047	\$0	\$237,047
	Amphibians Total				\$2,174,624	\$100,000	\$2,274,624
	Fishes						
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$979,500	\$0	\$979,500
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$5,275	\$0	\$5,275
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$95,850	\$0	\$95,850
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$94,324	\$0	\$94,324
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$116,090	\$0	\$116,090
	Fishes Total				\$1,291,039	\$0	\$1,291,039
	Insects						
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$496,752	\$0	\$496,752
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$14,000	\$0	\$14,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$30,000	\$0	\$30,000
	Insects Total				\$540,752	\$0	\$540,752
	Crustaceans						
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$60,000	\$0	\$60,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$302,567	\$0	\$302,567
	Crustaceans Total				\$362,567	\$0	\$362,567
	Flowering Plants						
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$35,000	\$0	\$35,000
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$67,025	\$0	\$67,025
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$65,800	\$0	\$65,800
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$1,720,000	\$0	\$1,720,000



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Layia, beach	<i>Layia carnosa</i>		\$20,175	\$0	\$20,175
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$114,951	\$0	\$114,951
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$150,000	\$0	\$150,000
		Pigeon wings	<i>Clitoria fragrans</i>		\$40,000	\$0	\$40,000
		Tarplant, Gaviota	<i>Deinandra increscens ssp. villosa</i>		\$96,708	\$0	\$96,708
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$30,000	\$0	\$30,000
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$18,350	\$0	\$18,350
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$10,225	\$0	\$10,225
		Wireweed	<i>Polygonella basiramia</i>		\$40,000	\$0	\$40,000
		Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>		\$29,325	\$0	\$29,325
	Flowering Plants Total				\$2,437,559	\$0	\$2,437,559
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$53,290	\$0	\$53,290
<b>Domestic Total</b>					\$15,687,353	\$100,000	\$15,787,353
<b>Grand Total</b>					<b>\$15,687,353</b>	<b>\$100,000</b>	<b>\$15,787,353</b>

DOD Army FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$173,435	\$0	\$173,435
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$193,882	\$0	\$193,882
		Bat, Indiana	<i>Myotis sodalis</i>		\$714,000	\$0	\$714,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$587,929	\$0	\$587,929
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$30,300	\$0	\$30,300
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$10,000	\$0	\$10,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$2,000	\$0	\$2,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$45,000	\$0	\$45,000
	Mammals Total				\$1,756,546	\$0	\$1,756,546
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$1,000	\$0	\$1,000
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$5,768	\$0	\$5,768
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$5,768	\$0	\$5,768
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>		\$287,775	\$0	\$287,775
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$170,000	\$0	\$170,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$517,429	\$0	\$517,429
		Goose, Hawaiian	<i>Branta (Nesochen) sandvicensis</i>		\$408,768	\$0	\$408,768
		Hawk, Hawaiian (=‘lo)	<i>Buteo solitarius</i>		\$2,000	\$0	\$2,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$644,429	\$0	\$644,429
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$193,882	\$0	\$193,882
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$32,000	\$0	\$32,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$2,040	\$0	\$2,040
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$2,483	\$0	\$2,483
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$8,000	\$0	\$8,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$5,768	\$0	\$5,768
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$50,000	\$0	\$50,000
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$981,974	\$0	\$981,974
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$28,000	\$0	\$28,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$1,108,417	\$0	\$1,108,417

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$11,046,749	\$0	\$11,046,749
	Birds Total				\$15,502,250	\$0	\$15,502,250
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$10,000	\$0	\$10,000
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$3,000	\$0	\$3,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$71,204	\$0	\$71,204
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$5,022,347	\$0	\$5,022,347
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$127,745	\$0	\$127,745
	Reptiles Total				\$5,234,296	\$0	\$5,234,296
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$62,800	\$0	\$62,800
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$517,429	\$0	\$517,429
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$5,300	\$0	\$5,300
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$5,000	\$0	\$5,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$40,000	\$0	\$40,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$62,000	\$0	\$62,000
	Amphibians Total				\$692,529	\$0	\$692,529
	Fishes						
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$27,948	\$0	\$27,948
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock wherever found	\$4,754	\$0	\$4,754
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$51,211	\$0	\$51,211
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$4,000	\$0	\$4,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$77,896	\$0	\$77,896
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$4,000	\$0	\$4,000
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$50,895	\$0	\$50,895
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$19,948	\$0	\$19,948
	Fishes Total				\$240,652	\$0	\$240,652
	Snails						
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$669,189	\$0	\$669,189
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$5,000	\$0	\$5,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$197,650	\$0	\$197,650

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$15,620	\$0	\$15,620
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>		\$140,575	\$0	\$140,575
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$50,000	\$0	\$50,000
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$50,000	\$0	\$50,000
		Pomace fly, [unnamed]	<i>Drosophila montgomeryi</i>		\$287,775	\$0	\$287,775
		Pomace fly, [unnamed]	<i>Drosophila substenoptera</i>		\$287,775	\$0	\$287,775
	Insects Total				\$1,034,395	\$0	\$1,034,395
	Arachnids						
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$50,000	\$0	\$50,000
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$30,000	\$0	\$30,000
		Shrimp, Alabama cave	<i>Palaemonias alabamiae</i>		\$28,106	\$0	\$28,106
	Crustaceans Total				\$58,106	\$0	\$58,106
	Flowering Plants						
		Alani	<i>Melicope lydgatei</i>		\$65,553	\$0	\$65,553
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$29,000	\$0	\$29,000
		Amole, purple	<i>Chlorogalum purpureum</i>		\$121,000	\$0	\$121,000
		Aupaka	<i>Isodendron hosakae</i>		\$193,882	\$0	\$193,882
		A'e	<i>Zanthoxylum hawaiiense</i>		\$193,882	\$0	\$193,882
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$2,800	\$0	\$2,800
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$15,000	\$0	\$15,000
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$105,000	\$0	\$105,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$65,553	\$0	\$65,553
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$15,000	\$0	\$15,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$5,333	\$0	\$5,333
		Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>		\$5,000	\$0	\$5,000
		Grass, Colusa	<i>Neostapfia colusana</i>		\$144,765	\$0	\$144,765
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$2,000	\$0	\$2,000
		Haha	<i>Cyanea acuminata</i>		\$65,553	\$0	\$65,553
		Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>		\$144,765	\$0	\$144,765
		Haha	<i>Cyanea koolauensis</i>		\$65,553	\$0	\$65,553
		Haha	<i>Cyanea longiflora</i>		\$144,765	\$0	\$144,765
		Haha	<i>Cyanea st.-johnii</i>		\$65,553	\$0	\$65,553
		Haha	<i>Cyanea superba</i>		\$144,765	\$0	\$144,765
		Ha'iwale	<i>Cyrtandra dentata</i>		\$65,553	\$0	\$65,553

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$65,553	\$0	\$65,553
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$65,553	\$0	\$65,553
		Honohono	<i>Haplostachys haplostachya</i>		\$193,882	\$0	\$193,882
		Howellia, water	<i>Howellia aquatilis</i>		\$65,000	\$0	\$65,000
		Kamakahala	<i>Labordia cyrtandrae</i>		\$287,775	\$0	\$287,775
		Kamanomano	<i>Cenchrus agrimonioides</i>		\$144,765	\$0	\$144,765
		Kio`ele	<i>Hedyotis coriacea</i>		\$193,882	\$0	\$193,882
		Kolea	<i>Myrsine juddii</i>		\$65,553	\$0	\$65,553
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$144,765	\$0	\$144,765
		Kulu`i	<i>Nototrichium humile</i>		\$144,765	\$0	\$144,765
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$91,514	\$0	\$91,514
		Lo`ulu	<i>Pritchardia kaalae</i>		\$144,765	\$0	\$144,765
		Mahoe	<i>Alectryon macrococcus</i>		\$144,765	\$0	\$144,765
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$144,765	\$0	\$144,765
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$144,765	\$0	\$144,765
		Mehamehame	<i>Flueggea neowawraea</i>		\$144,765	\$0	\$144,765
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$219,000	\$0	\$219,000
		Nanu	<i>Gardenia manii</i>		\$65,553	\$0	\$65,553
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$144,765	\$0	\$144,765
		Nehe	<i>Lipochaeta tenuifolia</i>		\$144,765	\$0	\$144,765
		Nioi	<i>Eugenia koolauensis</i>		\$65,553	\$0	\$65,553
		No common name	<i>Abutilon sandwicense</i>		\$432,540	\$0	\$432,540
		No common name	<i>Alsinidendron obovatum</i>		\$144,765	\$0	\$144,765
		No common name	<i>Alsinidendron trinerve</i>		\$287,775	\$0	\$287,775
		No common name	<i>Cyanea (=Rollandia) crispa</i>		\$65,553	\$0	\$65,553
		No common name	<i>Gouania vitifolia</i>		\$144,765	\$0	\$144,765
		No common name	<i>Hedyotis degeneri</i>		\$144,765	\$0	\$144,765
		No common name	<i>Hedyotis parvula</i>		\$144,765	\$0	\$144,765
		No common name	<i>Hesperomannia arborescens</i>		\$65,553	\$0	\$65,553
		No common name	<i>Hesperomannia arbuscula</i>		\$144,765	\$0	\$144,765
		No common name	<i>Lipochaeta venosa</i>		\$193,882	\$0	\$193,882
		No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>		\$65,553	\$0	\$65,553
		No common name	<i>Lobelia oahuensis</i>		\$65,553	\$0	\$65,553
		No common name	<i>Neraudia ovata</i>		\$193,882	\$0	\$193,882

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Phyllostegia hirsuta</i>		\$65,553	\$0	\$65,553
		No common name	<i>Phyllostegia kaalaensis</i>		\$144,765	\$0	\$144,765
		No common name	<i>Phyllostegia mollis</i>		\$287,775	\$0	\$287,775
		No common name	<i>Sanicula mariversa</i>		\$144,765	\$0	\$144,765
		No common name	<i>Sanicula purpurea</i>		\$65,553	\$0	\$65,553
		No common name	<i>Schiedea nuttallii</i>		\$144,765	\$0	\$144,765
		No common name	<i>Silene hawaiiensis</i>		\$193,882	\$0	\$193,882
		No common name	<i>Silene lanceolata</i>		\$193,882	\$0	\$193,882
		No common name	<i>Spermolepis hawaiiensis</i>		\$193,882	\$0	\$193,882
		No common name	<i>Stenogyne angustifolia angustifolia</i>		\$193,882	\$0	\$193,882
		No common name	<i>Stenogyne kanehoana</i>		\$287,775	\$0	\$287,775
		No common name	<i>Tetramolopium arenarium</i>		\$193,882	\$0	\$193,882
		No common name	<i>Tetramolopium filiforme</i>		\$144,765	\$0	\$144,765
		No common name	<i>Vigna o-wahuensis</i>		\$193,885	\$0	\$193,885
		No common name	<i>Viola oahuensis</i>		\$65,553	\$0	\$65,553
		Oha	<i>Delissea subcordata</i>		\$144,765	\$0	\$144,765
		Opuhe	<i>Urera kaalae</i>		\$287,775	\$0	\$287,775
		Palo de rosa	<i>Otoschulzia rhodoxylon</i>		\$1,000	\$0	\$1,000
		Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>		\$144,765	\$0	\$144,765
		Pennyroyal, Todsens	<i>Hedeoma todsenii</i>		\$40,000	\$0	\$40,000
		Pink, swamp	<i>Helonias bullata</i>		\$58,005	\$0	\$58,005
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$35,100	\$0	\$35,100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$58,005	\$0	\$58,005
		Popolo ku mai	<i>Solanum incompletum</i>		\$193,882	\$0	\$193,882
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$15,000	\$0	\$15,000
		Po'e	<i>Portulaca sclerocarpa</i>		\$193,882	\$0	\$193,882
		Pu'uka'a	<i>Cyperus trachysanthos</i>		\$65,553	\$0	\$65,553
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$44,000	\$0	\$44,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$104,793	\$0	\$104,793
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$8,000	\$0	\$8,000
		Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i>		\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$76,166	\$0	\$76,166
		Trillium, relict	<i>Trillium reliquum</i>		\$75,000	\$0	\$75,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$720,429	\$0	\$720,429
		^Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>		\$144,765	\$0	\$144,765
		^Akoko	<i>Chamaesyce herbstii</i>		\$144,765	\$0	\$144,765
		^Akoko	<i>Chamaesyce rockii</i>		\$65,553	\$0	\$65,553
	Flowering Plants Total				\$11,718,626	\$0	\$11,718,626
	Ferns and Allies						
		No common name	<i>Pteris lidgatei</i>		\$65,553	\$0	\$65,553
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$86,844	\$0	\$86,844
	Ferns and Allies Total				\$152,397	\$0	\$152,397
<b>Domestic Total</b>					\$37,108,986	\$0	\$37,108,986
<b>Grand Total</b>					<b>\$37,108,986</b>	<b>\$0</b>	<b>\$37,108,986</b>

<b>DOD Defense Logistics Agency FY10</b>							
<b>Locality</b>	<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>Population</b>	<b>General Expenditures</b>	<b>Land Expenditures</b>	<b>Grand Total</b>
<b>Domestic</b>							
	Insects						
		Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>		\$92,000	\$0	\$92,000
<b>Grand Total</b>					<b>\$92,000</b>	<b>\$0</b>	<b>\$92,000</b>



DOD Marine Corps FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$474,858	\$0	\$474,858
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$70,000	\$0	\$70,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$2,718	\$0	\$2,718
	Mammals Total				\$547,576	\$0	\$547,576
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$9,214	\$0	\$9,214
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$88,360	\$0	\$88,360
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$44,859	\$0	\$44,859
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$452,594	\$0	\$452,594
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$89,751	\$0	\$89,751
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$8,923	\$0	\$8,923
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$15,705	\$0	\$15,705
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$323,282	\$0	\$323,282
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$127,650	\$0	\$127,650
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$19,854	\$0	\$19,854
		Tern, California least	<i>Sterna antillarum browni</i>		\$345,282	\$0	\$345,282
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$452,594	\$0	\$452,594
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$684,843	\$0	\$684,843
	Birds Total				\$2,662,911	\$0	\$2,662,911
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$150	\$0	\$150
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$74,488	\$0	\$74,488
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$739,722	\$0	\$739,722
	Reptiles Total				\$814,360	\$0	\$814,360
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$9,000	\$0	\$9,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$743,817	\$0	\$743,817
	Amphibians Total				\$752,817	\$0	\$752,817
	Fishes						
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$191,940	\$0	\$191,940

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Insects						
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i> )		\$159,557	\$0	\$159,557
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$89,751	\$0	\$89,751
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$278,216	\$0	\$278,216
	Crustaceans Total				\$367,967	\$0	\$367,967
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$18,496	\$0	\$18,496
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$295,239	\$0	\$295,239
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$46,780	\$0	\$46,780
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$29,695	\$0	\$29,695
		Monardella, willowy	<i>Monardella linoides</i> ssp. <i>viminea</i>		\$48,779	\$0	\$48,779
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$218,098	\$0	\$218,098
		Ohai	<i>Sesbania tomentosa</i>		\$1,272	\$0	\$1,272
		Orcutt grass, California	<i>Orcuttia californica</i>		\$5,000	\$0	\$5,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$16,850	\$0	\$16,850
	Flowering Plants Total				\$680,209	\$0	\$680,209
<b>Domestic Total</b>					\$6,177,337	\$0	\$6,177,337
<b>Grand Total</b>					<b>\$6,177,337</b>	<b>\$0</b>	<b>\$6,177,337</b>

DOD Navy FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$33,000	\$0	\$33,000
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$216,878	\$0	\$216,878
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$210,215	\$0	\$210,215
		Manatee, West Indian	<i>Trichechus manatus</i>		\$128,823	\$0	\$128,823
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$95,185	\$0	\$95,185
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$200,000	\$0	\$200,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$789,880	\$0	\$789,880
		Whale, bowhead	<i>Balaena mysticetus</i>		\$258,303	\$0	\$258,303
		Whale, finback	<i>Balaenoptera physalus</i>		\$760,133	\$0	\$760,133
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$1,329,789	\$0	\$1,329,789
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$199,384	\$0	\$199,384
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$1,058,570	\$0	\$1,058,570
		Whale, Sei	<i>Balaenoptera borealis</i>		\$627,327	\$0	\$627,327
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$623,163	\$0	\$623,163
	Mammals Total				\$6,530,650	\$0	\$6,530,650
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$4,523	\$0	\$4,523
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$197,734	\$0	\$197,734
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$4,523	\$0	\$4,523
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$71,600	\$0	\$71,600
		Gnatcatcher, coastal California	<i>Poliopitula californica californica</i>		\$243,814	\$0	\$243,814
		Goose, Hawaiian	<i>Branta (Nesochen) sandvicensis</i>		\$3,091	\$0	\$3,091
		Megapode, Micronesian	<i>Megapodius laperouse</i>		\$16,944	\$0	\$16,944
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$4,523	\$0	\$4,523
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$26,944	\$0	\$26,944
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$15,600	\$0	\$15,600
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$17,500	\$0	\$17,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,342	\$0	\$1,342
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$423,079	\$0	\$423,079
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$57,473	\$0	\$57,473
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$17,500	\$0	\$17,500
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$2,243,661	\$0	\$2,243,661
		Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>		\$487,731	\$0	\$487,731
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$4,523	\$0	\$4,523
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$66,000	\$0	\$66,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$445,652	\$0	\$445,652
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$95,115	\$0	\$95,115
	Birds Total				\$4,448,872	\$0	\$4,448,872
	Reptiles						
		Lizard, Island night	<i>Xantusia riversiana</i>		\$1,433	\$0	\$1,433
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$12,317	\$0	\$12,317
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$35,361	\$0	\$35,361
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$592,013	\$0	\$592,013
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$87,570	\$0	\$87,570
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$88,912	\$0	\$88,912
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$83,892	\$0	\$83,892
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$41,946	\$0	\$41,946
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$41,946	\$0	\$41,946
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$23,629	\$0	\$23,629
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$156,722	\$0	\$156,722
	Reptiles Total				\$1,165,741	\$0	\$1,165,741
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$1,433	\$0	\$1,433
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$106,340	\$0	\$106,340
	Amphibians Total				\$107,773	\$0	\$107,773
	Fishes						
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$5,860	\$0	\$5,860
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$5,860	\$0	\$5,860

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$7,293	\$0	\$7,293
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$5,860	\$0	\$5,860
	Fishes Total				\$24,873	\$0	\$24,873
	Snails						
		Abalone, White	<i>Haliotis sorenseni</i>	N. America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	\$500	\$0	\$500
	Insects						
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$182,559	\$0	\$182,559
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$15,000	\$0	\$15,000
	Insects Total				\$197,559	\$0	\$197,559
	Crustaceans						
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$86,966	\$0	\$86,966
	Flowering Plants						
		Broom, San Clemente Island	<i>Lotus dendroideus ssp. traskiae</i>		\$172,705	\$0	\$172,705
		Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>		\$172,705	\$0	\$172,705
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$23,957	\$0	\$23,957
		Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>		\$172,705	\$0	\$172,705
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$6,250	\$0	\$6,250
		Kulu'i	<i>Nototrichium humile</i>		\$6,250	\$0	\$6,250
		Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>		\$179,371	\$0	\$179,371
		Lau`ehu	<i>Panicum niuhauense</i>		\$7,683	\$0	\$7,683
		Mahoe	<i>Alectryon macrococcus</i>		\$6,250	\$0	\$6,250
		Mehamehame	<i>Flueggea neowawraea</i>		\$6,250	\$0	\$6,250
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$23,957	\$0	\$23,957
		Nehe	<i>Lipochaeta lobata var. leptophylla</i>		\$6,250	\$0	\$6,250
		No common name	<i>Abutilon sandwicense</i>		\$6,250	\$0	\$6,250
		No common name	<i>Bonamia menziesii</i>		\$6,250	\$0	\$6,250
		No common name	<i>Hedyotis parvula</i>		\$6,250	\$0	\$6,250
		No common name	<i>Lobelia niuhauensis</i>		\$6,250	\$0	\$6,250
		No common name	<i>Neraudia angulata</i>		\$6,250	\$0	\$6,250
		No common name	<i>Phyllostegia hirsuta</i>		\$6,250	\$0	\$6,250
		No common name	<i>Schiedea hookeri</i>		\$6,250	\$0	\$6,250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Tetramolopium filiforme</i>		\$6,250	\$0	\$6,250
		Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>		\$6,250	\$0	\$6,250
		Rockcross, Santa Cruz Island	<i>Sibara filifolia</i>		\$166,243	\$0	\$166,243
		Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>		\$166,243	\$0	\$166,243
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$6,250	\$0	\$6,250
		`Anaunau	<i>Lepidium arbuscula</i>		\$6,250	\$0	\$6,250
	Flowering Plants Total				\$1,185,569	\$0	\$1,185,569
<b>Domestic Total</b>					\$13,748,503	\$0	\$13,748,503
<b>Foreign</b>							
	Reptiles						
		Iguana, Cuban ground	<i>Cyclura nubila nubila</i>		\$32,997	\$0	\$32,997
<b>Grand Total</b>					<b>\$13,781,500</b>	<b>\$0</b>	<b>\$13,781,500</b>

DOD Army Corps of Engineers FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$67,945	\$0	\$67,945
		Bat, Indiana	<i>Myotis sodalis</i>		\$257,398	\$0	\$257,398
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$7,237	\$0	\$7,237
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$8,850	\$0	\$8,850
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$10,633	\$0	\$10,633
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$473	\$0	\$473
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$3,295	\$0	\$3,295
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$85,475	\$0	\$85,475
		Bear, polar	<i>Ursus maritimus</i>		\$15,000	\$0	\$15,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$3,295	\$0	\$3,295
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$217,187	\$0	\$217,187
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$2,916	\$0	\$2,916
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$4,290	\$0	\$4,290
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$14,010	\$0	\$14,010
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomilii</i>		\$41,785	\$0	\$41,785
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$447,278	\$0	\$447,278
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$15,332	\$0	\$15,332
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$26,344	\$0	\$26,344
		Manatee, West Indian	<i>Trichechus manatus</i>		\$1,458,814	\$0	\$1,458,814
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$4,247	\$0	\$4,247
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$10,000	\$0	\$10,000
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$1,750	\$0	\$1,750
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$875	\$0	\$875
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$3,904	\$0	\$3,904

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$2,628	\$0	\$2,628
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$18,090	\$0	\$18,090
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$16,600	\$0	\$16,600
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$2,625	\$0	\$2,625
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$41,785	\$0	\$41,785
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$104,656	\$0	\$104,656
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$200	\$0	\$200
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$113,199	\$0	\$113,199
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$330	\$0	\$330
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$583	\$0	\$583
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$6,177	\$0	\$6,177
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$583	\$0	\$583
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$46,750	\$0	\$46,750
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$107,074	\$0	\$107,074
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$50	\$0	\$50
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$8,000	\$0	\$8,000
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$7,523	\$0	\$7,523
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$21,950	\$0	\$21,950
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$1,980	\$0	\$1,980
		Whale, blue	<i>Balaenoptera musculus</i>		\$7,721	\$0	\$7,721
		Whale, bowhead	<i>Balaena mysticetus</i>		\$275	\$0	\$275
		Whale, finback	<i>Balaenoptera physalus</i>		\$13,029	\$0	\$13,029
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$21,708	\$0	\$21,708
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$12,810	\$0	\$12,810
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$416,561	\$0	\$416,561
		Whale, Sei	<i>Balaenoptera borealis</i>		\$10,402	\$0	\$10,402
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$13,876	\$0	\$13,876
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$4,554	\$0	\$4,554
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$3,295	\$0	\$3,295



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$875	\$0	\$875
	Mammals Total				\$3,714,222	\$0	\$3,714,222
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$4,808	\$0	\$4,808
		Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>		\$2,582	\$0	\$2,582
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$30,491	\$0	\$30,491
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$4,190	\$0	\$4,190
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$12,000	\$0	\$12,000
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$3,317	\$0	\$3,317
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$1,252,894	\$0	\$1,252,894
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$680	\$0	\$680
		Curlew, Eskimo	<i>Numenius borealis</i>		\$338,090	\$0	\$338,090
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$7,000	\$0	\$7,000
		Eider, spectacled	<i>Somateria fischeri</i>		\$46,500	\$0	\$46,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$194,000	\$0	\$194,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$41,591	\$0	\$41,591
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$648,367	\$0	\$648,367
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$130,513	\$0	\$130,513
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$727,201	\$0	\$727,201
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$7,000	\$0	\$7,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$14,873	\$0	\$14,873
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$24,397	\$0	\$24,397
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$4,980	\$0	\$4,980
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$24,313	\$0	\$24,313
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$7,730,818	\$3,533,333	\$11,264,151
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$83,460	\$0	\$83,460
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$43,187	\$0	\$43,187
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$5,690	\$0	\$5,690
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$44,761	\$0	\$44,761

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$14,761	\$0	\$14,761
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$9,332	\$0	\$9,332
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$272,896	\$0	\$272,896
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$875	\$0	\$875
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$7,000	\$0	\$7,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$493,879	\$0	\$493,879
		Tern, California least	<i>Sterna antillarum browni</i>		\$5,644,312	\$0	\$5,644,312
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$7,718,735	\$3,533,333	\$11,252,068
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$1,233	\$0	\$1,233
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$3,800	\$0	\$3,800
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$5,913,599	\$0	\$5,913,599
		Warbler (wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$79,132	\$0	\$79,132
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$687,631	\$0	\$687,631
	Birds Total				\$32,274,888	\$7,066,666	\$39,341,554
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$15,814	\$0	\$15,814
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$8,774	\$0	\$8,774
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$9,041	\$0	\$9,041
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$4,820	\$0	\$4,820
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$1,809	\$0	\$1,809
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$198,762	\$0	\$198,762
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$395,281	\$0	\$395,281
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$476,336	\$0	\$476,336
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$671,593	\$0	\$671,593
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$312,587	\$0	\$312,587
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,003,995	\$0	\$1,003,995
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$4,915	\$0	\$4,915
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$3,208	\$0	\$3,208
		Skink, sand	<i>Neoseps reynoldsi</i>		\$3,500	\$0	\$3,500
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$700	\$0	\$700
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN north of 40 degrees north latitude, MI, OH	\$431	\$0	\$431
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$153,246	\$0	\$153,246
		Snake, giant garter	<i>Thamnophis gigas</i>		\$61,410	\$0	\$61,410

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$5,375	\$0	\$5,375
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$32,006	\$0	\$32,006
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of f Mobile/ Tombigbee Rs.	\$49,625	\$0	\$49,625
		Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>		\$9,868	\$0	\$9,868
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$102,817	\$0	\$102,817
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$6,345	\$0	\$6,345
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>		\$3,709	\$0	\$3,709
	Reptiles Total				\$3,535,967	\$0	\$3,535,967
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$106,131	\$0	\$106,131
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$23,427	\$0	\$23,427
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	west of Mobile and Tombigbee Rivers in AL, MS, and LA	\$2,617	\$0	\$2,617
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$2,095	\$0	\$2,095
		Salamander, Barton Springs	<i>Eurycea sosorum</i>		\$600	\$0	\$600
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$11,999	\$0	\$11,999
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$8,990	\$0	\$8,990
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$600	\$0	\$600
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>		\$110,400	\$0	\$110,400
		Salamander, San Marcos	<i>Eurycea nana</i>		\$600	\$0	\$600
		Salamander, Texas blind	<i>Typhlomolge rathbuni</i>		\$600	\$0	\$600
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$68,080	\$0	\$68,080
		Toad, Houston	<i>Bufo houstonensis</i>		\$2,100	\$0	\$2,100
	Amphibians Total				\$338,239	\$0	\$338,239
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$10,993	\$0	\$10,993
		Chub, humpback	<i>Gila cypha</i>	entire	\$3,126	\$0	\$3,126
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$45,000	\$0	\$45,000
		Chub, spotfin	<i>Erimonax monachus</i>	entire	\$1,733	\$0	\$1,733
		Chub, spotfin	<i>Erimonax monachus</i>	Tellico River, TN	\$250	\$0	\$250
		Cui-ui	<i>Chasmistes cujus</i>		\$10,630	\$0	\$10,630
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$633	\$0	\$633
		Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>		\$633	\$0	\$633
		Darter, Cherokee	<i>Etheostoma scotti</i>		\$9,900	\$0	\$9,900
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$633	\$0	\$633

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, fountain	<i>Etheostoma fonticola</i>		\$2,100	\$0	\$2,100
		Darter, goldline	<i>Percina aurolineata</i>		\$158	\$0	\$158
		Darter, leopard	<i>Percina pantherina</i>		\$4,720	\$0	\$4,720
		Darter, Niangua	<i>Etheostoma nianguae</i>		\$583	\$0	\$583
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$583	\$0	\$583
		Darter, snail	<i>Percina tanasi</i>		\$1,200	\$0	\$1,200
		Darter, watercress	<i>Etheostoma nuchale</i>		\$2,839	\$0	\$2,839
		Gambusia, San Marcos	<i>Gambusia georgei</i>		\$2,100	\$0	\$2,100
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$50,672	\$0	\$50,672
		Logperch, Roanoke	<i>Percina rex</i>		\$315,693	\$0	\$315,693
		Madtom, Neosho	<i>Noturus placidus</i>		\$27,000	\$0	\$27,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$23,141	\$0	\$23,141
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$848,527	\$0	\$848,527
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$6,523	\$0	\$6,523
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$3,952	\$0	\$3,952
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$534,000	\$0	\$534,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$687,574	\$0	\$687,574
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$23,177	\$0	\$23,177
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound	\$969,233	\$0	\$969,233
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$12,340,019	\$0	\$12,340,019
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$4,578,110	\$0	\$4,578,110
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$8,919,568	\$0	\$8,919,568
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$17,330,220	\$0	\$17,330,220
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$8,719,173	\$0	\$8,719,173
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$530,715	\$0	\$530,715
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$2,712,819	\$0	\$2,712,819
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$6,956	\$0	\$6,956
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Central California Coast ESU	\$407,350	\$0	\$407,350
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$4,155,000	\$0	\$4,155,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$50,000	\$0	\$50,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Ozette Lake, WA	\$2,187	\$0	\$2,187
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock	\$8,334,974	\$0	\$8,334,974
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$167,553	\$0	\$167,553
		Sculpin, pygmy	<i>Cottus paulus</i>		\$129	\$0	\$129
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$1,000	\$0	\$1,000
		Shiner, blue	<i>Cyprinella caerulea</i>		\$129	\$0	\$129
		Shiner, Cahaba	<i>Notropis cahabae</i>		\$473	\$0	\$473
		Shiner, Cape Fear	<i>Notropis</i> <i>mekistocholas</i>		\$150	\$0	\$150
		Shiner, palezone	<i>Notropis albizonatus</i>		\$633	\$0	\$633
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i> )		\$13,255	\$0	\$13,255
		Silverside, Waccamaw	<i>Menidia extensa</i>		\$600	\$0	\$600
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$137,400	\$0	\$137,400
		Spikedace	<i>Meda fulgida</i>		\$1,809	\$0	\$1,809
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$12,951	\$0	\$12,951
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$739,001	\$0	\$739,001
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$934,356	\$0	\$934,356
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$9,282,838	\$0	\$9,282,838
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$16,389	\$0	\$16,389
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$3,994,000	\$0	\$3,994,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$7,632,408	\$0	\$7,632,408
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$1,123,621	\$0	\$1,123,621
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$119,971	\$0	\$119,971
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$1,849,119	\$0	\$1,849,119
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$7,777,683	\$0	\$7,777,683
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$8,959,600	\$0	\$8,959,600
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus</i> <i>williamsoni</i>		\$16,475	\$0	\$16,475
		Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>		\$110,608	\$0	\$110,608
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$579,626	\$0	\$579,626
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$114,831	\$0	\$114,831
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$18,063,943	\$1,602,474	\$19,666,417
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$234,480	\$0	\$234,480
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$1,168	\$0	\$1,168

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$4,630	\$0	\$4,630
		Sucker, Modoc	<i>Catostomus microps</i>		\$630	\$0	\$630
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$20,506	\$0	\$20,506
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$7,082,613	\$0	\$7,082,613
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$4,000	\$0	\$4,000
		Sucker, Warner	<i>Catostomus warnerensis</i>		\$50,630	\$0	\$50,630
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$2,095	\$0	\$2,095
		Trout, Apache	<i>Oncorhynchus apache</i>		\$19,236	\$0	\$19,236
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$2,757,991	\$0	\$2,757,991
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$1,270	\$0	\$1,270
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$13,110	\$0	\$13,110
	Fishes Total				\$143,517,307	\$1,602,474	\$145,119,781
	Clams						
		Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$3,317	\$0	\$3,317
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$43,516	\$0	\$43,516
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire; Except where EXPN	\$633	\$0	\$633
		Bean, purple	<i>Villosa perpurpurea</i>		\$250	\$0	\$250
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Entire; Except where EXPN	\$633	\$0	\$633
		Blossom, yellow (pearlymussel)	<i>Epioblasma florentina florentina</i>	Entire; Except where EXPN	\$633	\$0	\$633
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>		\$1,725	\$0	\$1,725
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$4,558	\$0	\$4,558
		Clubshell, black	<i>Pleurobema curtum</i>		\$203	\$0	\$203
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$1,877	\$0	\$1,877
		Clubshell, southern	<i>Pleurobema decisum</i>		\$3,463	\$0	\$3,463
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$1,833	\$0	\$1,833
		Combshell, southern	<i>Epioblasma penita</i>		\$203	\$0	\$203
		Combshell, upland	<i>Epioblasma metastrata</i>		\$177	\$0	\$177
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$6,050	\$0	\$6,050
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$633	\$0	\$633
		Fanshell	<i>Cyprogenia stegaria</i>		\$37,633	\$0	\$37,633
		fatmucket, Arkansas	<i>Lampsilis powellii</i>		\$180	\$0	\$180
		Heelsplitter, Alabama	<i>Potamilus inflatus</i>		\$2,761	\$0	\$2,761

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$29,280	\$0	\$29,280
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$634,317	\$0	\$634,317
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$1,391	\$0	\$1,391
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$254,633	\$0	\$254,633
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$1,100	\$0	\$1,100
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$820	\$0	\$820
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$7,500	\$0	\$7,500
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>		\$633	\$0	\$633
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$1,360	\$0	\$1,360
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$287,173	\$0	\$287,173
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$1,833	\$0	\$1,833
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$93,828	\$0	\$93,828
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$1,833	\$0	\$1,833
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$1,833	\$0	\$1,833
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$633	\$0	\$633
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>		\$633	\$0	\$633
		Pigtoe, Georgia	<i>Pleurobema hanleyianum</i>		\$1,666	\$0	\$1,666
		Pigtoe, heavy	<i>Pleurobema taitianum</i>		\$110,666	\$0	\$110,666
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$8,792	\$0	\$8,792
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$22,833	\$0	\$22,833
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$949	\$0	\$949
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	TN - portions of the French Broad and Holston Rs.	\$153,133	\$0	\$153,133
		Pocketbook, fat	<i>Potamilus capax</i>		\$225,133	\$0	\$225,133
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$2,287	\$0	\$2,287
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$46,660	\$0	\$46,660
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$800	\$0	\$800
		purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Entire; Except where EXPN	\$633	\$0	\$633
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$14,800	\$0	\$14,800
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$22,725	\$0	\$22,725
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)		\$633	\$0	\$633

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$40,633	\$0	\$40,633
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$40,400	\$0	\$40,400
		Spinymussel, James	<i>Pleurobema collina</i>		\$4,000	\$0	\$4,000
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$41,200	\$0	\$41,200
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	TN - portions of the French Broad and Holston Rs.	\$1,833	\$0	\$1,833
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$7,000	\$0	\$7,000
	Clams Total				\$2,175,854	\$0	\$2,175,854
	Snails						
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$8,100	\$0	\$8,100
		Elimia, lacy (snail)	<i>Elimia crenatella</i>		\$284	\$0	\$284
		Hornsnail, rough	<i>Pleurocera foremani</i>		\$1,666	\$0	\$1,666
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$3,962	\$0	\$3,962
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>		\$158	\$0	\$158
		Riversnail, Anthony's	<i>Athearnia anthonyi</i>	Entire; Except where EXPN	\$1,200	\$0	\$1,200
		Rocksnail, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$1,666	\$0	\$1,666
		Rocksnail, plicate	<i>Leptoxis plicata</i>		\$158	\$0	\$158
		Rocksnail, round	<i>Leptoxis ampla</i>		\$158	\$0	\$158
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$7,652	\$0	\$7,652
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>		\$431	\$0	\$431
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$1,809	\$0	\$1,809
		Snail, Snake River physa	<i>Physa natricina</i>		\$7,652	\$0	\$7,652
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>		\$2,625	\$0	\$2,625
		Snail, tulotoma	<i>Tulotoma magnifica</i>		\$109,629	\$0	\$109,629
	Snails Total				\$147,150	\$0	\$147,150
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$10,420	\$0	\$10,420
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>		\$600	\$0	\$600
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$600	\$0	\$600
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$600	\$0	\$600
		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$600	\$0	\$600
		Beetle, Helotes mold	<i>Batrisodes venyivi</i>		\$600	\$0	\$600
		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>		\$600	\$0	\$600



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>		\$600	\$0	\$600
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$365,271	\$0	\$365,271
		Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>		\$200	\$0	\$200
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$6,285	\$0	\$6,285
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$35,916	\$0	\$35,916
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$1,681	\$0	\$1,681
		Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>		\$630	\$0	\$630
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$100	\$0	\$100
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$431	\$0	\$431
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$3,300	\$0	\$3,300
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$10,475	\$0	\$10,475
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$583	\$0	\$583
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocneuma</i>		\$1,760	\$0	\$1,760
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$800	\$0	\$800
		Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>		\$1,809	\$0	\$1,809
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$600	\$0	\$600
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$600	\$0	\$600
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>		\$1,809	\$0	\$1,809
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$255	\$0	\$255
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$21,800	\$0	\$21,800
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$8,810	\$0	\$8,810
	Insects Total				\$477,735	\$0	\$477,735
	Arachnids						
		Harvestman, Bee Creek Cave	<i>Texella reddelli</i>		\$600	\$0	\$600
		Harvestman, Bone Cave	<i>Texella reyesi</i>		\$600	\$0	\$600
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$600	\$0	\$600
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$4,100	\$0	\$4,100
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$600	\$0	\$600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$600	\$0	\$600
		Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>		\$600	\$0	\$600
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$4,100	\$0	\$4,100
		Spider, Tooth Cave	<i>Leptoneta myopica</i>		\$600	\$0	\$600
	Arachnids Total				\$12,400	\$0	\$12,400
	Crustaceans						
		Amphipod, Peck's cave	<i>Stygbromus (=Stygonectes) pecki</i>		\$600	\$0	\$600
		Crayfish, Nashville	<i>Orconectes shoupi</i>		\$713	\$0	\$713
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$400	\$0	\$400
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$400	\$0	\$400
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$6,285	\$0	\$6,285
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$14,380	\$0	\$14,380
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$27,544	\$0	\$27,544
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$200	\$0	\$200
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>		\$1,000	\$0	\$1,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$17,360	\$0	\$17,360
	Crustaceans Total				\$68,882	\$0	\$68,882
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$12,819	\$0	\$12,819
		Coral, staghorn	<i>Acropora cervicornis</i>		\$366,026	\$0	\$366,026
	Corals Total				\$378,845	\$0	\$378,845
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$39,340	\$0	\$39,340
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$2,095	\$0	\$2,095
		Arrowhead, bunched	<i>Sagittaria fasciculata</i>		\$1,200	\$0	\$1,200
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$28,942	\$0	\$28,942
		A'e	<i>Zanthoxylum dipetalum var. tomentosum</i>		\$400	\$0	\$400
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$1,809	\$0	\$1,809
		Bird's-beak, soft	<i>Cordylanthus mollis ssp. mollis</i>		\$1,100	\$0	\$1,100
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$583	\$0	\$583
		Bladderpod, Missouri	<i>Physaria filiformis</i>		\$2,275	\$0	\$2,275

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$633	\$0	\$633
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$583	\$0	\$583
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$571	\$0	\$571
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$583	\$0	\$583
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$930	\$0	\$930
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$15,904	\$0	\$15,904
		Chaffseed, American	<i>Schwalbea americana</i>		\$3,411	\$0	\$3,411
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$5,102	\$0	\$5,102
		Checkermallow, Wenatchee Mts.	<i>Sidalcea oregana</i> var. <i>calva</i>		\$2,187	\$0	\$2,187
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$100	\$0	\$100
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$2,400	\$0	\$2,400
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$2,113	\$0	\$2,113
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$1,431	\$0	\$1,431
		Daisy, Willamette	<i>Erigeron decumbens decumbens</i>		\$10,758	\$0	\$10,758
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$169,638	\$0	\$169,638
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$18,302	\$0	\$18,302
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$3,140	\$0	\$3,140
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$3,990	\$0	\$3,990
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$862	\$0	\$862
		Goldfields, Burke's	<i>Lasthenia burkei</i>		\$15,794	\$0	\$15,794
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$2,095	\$0	\$2,095
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$814	\$0	\$814
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$987	\$0	\$987
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$2,113	\$0	\$2,113
		Harperella	<i>Ptilimnium nodosum</i>		\$180	\$0	\$180
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$7,985	\$0	\$7,985
		Howellia, water	<i>Howellia aquatilis</i>		\$5,102	\$0	\$5,102
		Irisette, white	<i>Sisyrinchium dichotomum</i>		\$1,800	\$0	\$1,800
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$5,700	\$0	\$5,700
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$24,044	\$0	\$24,044
		Layia, beach	<i>Layia carnosa</i>		\$200	\$0	\$200
		Lessingia, San Francisco	<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> )		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lily, Western	<i>Lilium occidentale</i>		\$2,915	\$0	\$2,915
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$5,942	\$0	\$5,942
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$32,857	\$0	\$32,857
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> var. ravenii		\$100	\$0	\$100
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$50	\$0	\$50
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$1,809	\$0	\$1,809
		Milk-vetch, Ventura Marsh	<i>Astragalus pycnostachyus</i> var. lanosissimus		\$3,619	\$0	\$3,619
		Monardella, willow	<i>Monardella linoides</i> ssp. viminea		\$2,095	\$0	\$2,095
		monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$500	\$0	\$500
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$1,925	\$0	\$1,925
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$1,712	\$0	\$1,712
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$680	\$0	\$680
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$630	\$0	\$630
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$1,890	\$0	\$1,890
		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. succulenta		\$630	\$0	\$630
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$5,102	\$0	\$5,102
		Palo de rosa	<i>Ottoschulzia rhodoxylon</i>		\$1,558	\$0	\$1,558
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$875	\$0	\$875
		Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>		\$100	\$0	\$100
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$3,990	\$0	\$3,990
		Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. texensis		\$283,226	\$0	\$283,226
		Pink, swamp	<i>Helonias bullata</i>		\$600	\$0	\$600
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$633	\$0	\$633
		Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. jonesii		\$3,140	\$0	\$3,140
		Pondberry	<i>Lindera melissifolia</i>		\$850	\$0	\$850
		Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>		\$300	\$0	\$300
		Potato-bean, Price's	<i>Apios priceana</i>		\$2,480	\$0	\$2,480
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$4,333	\$0	\$4,333
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$1,167	\$0	\$1,167
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$2,113	\$0	\$2,113
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$633	\$0	\$633

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Roseroot, Leedy's	<i>Rhodiola integrifolia ssp. leedyi</i>		\$862	\$0	\$862
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$300	\$0	\$300
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$633	\$0	\$633
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$6,191	\$0	\$6,191
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$35,327	\$0	\$35,327
		Sedge, golden	<i>Carex lutea</i>		\$50	\$0	\$50
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$1,167	\$0	\$1,167
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$115,070	\$0	\$115,070
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$4,833	\$0	\$4,833
		Spurge, telephus	<i>Euphorbia telephoides</i>		\$1,167	\$0	\$1,167
		Stickseed, showy	<i>Hackelia venusta</i>		\$2,187	\$0	\$2,187
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$590	\$0	\$590
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$630	\$0	\$630
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$14,972	\$0	\$14,972
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$14,507	\$0	\$14,507
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$3,140	\$0	\$3,140
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$6,285	\$0	\$6,285
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$3,990	\$0	\$3,990
		Thistle, Chorro Creek bog	<i>Cirsium fontinale var. obispoense</i>		\$2,095	\$0	\$2,095
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$3,904	\$0	\$3,904
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$2,210	\$0	\$2,210
		Trillium, relict	<i>Trillium reliquum</i>		\$3,440	\$0	\$3,440
		Watercress, Gabel's	<i>Rorippa gambellii</i>		\$4,190	\$0	\$4,190
		Wild-rice, Texas	<i>Zizania texana</i>		\$3,000	\$0	\$3,000
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>		\$119,228	\$0	\$119,228
	Flowering Plants Total				\$1,105,718	\$0	\$1,105,718
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$4,080	\$0	\$4,080
	Ferns and Allies						
		Fern, Aleutian shield	<i>Polystichum aleuticum</i>		\$300	\$0	\$300
		Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>		\$862	\$0	\$862
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$20,056	\$0	\$20,056
	Ferns and Allies Total				\$21,218	\$0	\$21,218

<b>Locality</b>	<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>Population</b>	<b>General Expenditures</b>	<b>Land Expenditures</b>	<b>Grand Total</b>
<b>Domestic Total</b>					\$187,772,505	\$8,669,140	\$196,441,645
<b>Grand Total</b>					<b>\$187,772,505</b>	<b>\$8,669,140</b>	<b>\$196,441,645</b>

DOE Bonneville Power Administration FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Fishes						
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$763,290	\$443,454	\$1,206,744
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$13,358,840	\$44,093	\$13,402,933
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$8,364,077	\$248,415	\$8,612,492
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$11,868,971	\$3,674,699	\$15,543,670
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$24,590,200	\$1,623,798	\$26,213,998
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$6,774,845	\$445,602	\$7,220,447
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$1,981,296	\$0	\$1,981,296
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$2,478,514	\$0	\$2,478,514
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock wherever found	\$5,046,236	\$4,750,821	\$9,797,057
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$27,170,172	\$144,531	\$27,314,703
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$5,186,996	\$224,196	\$5,411,192
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$30,651,275	\$11,044,590	\$41,695,865
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$12,628,310	\$360,993	\$12,989,303
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$3,388,831	\$447,551	\$3,836,382
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$7,024,951	\$0	\$7,024,951
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$14,456,443	\$2,809,527	\$17,265,970
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$1,095,002	\$0	\$1,095,002
	Fishes Total				\$176,828,249	\$26,262,270	\$203,090,519
<b>Domestic Total</b>					\$176,828,249	\$26,262,270	\$203,090,519
<b>Grand Total</b>					<b>\$176,828,249</b>	<b>\$26,262,270</b>	<b>\$203,090,519</b>

DOE Southwestern Power Administration FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$4,143	\$0	\$4,143
		Bat, Indiana	<i>Myotis sodalis</i>		\$659	\$0	\$659
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$720	\$0	\$720
	Mammals Total				\$5,522	\$0	\$5,522
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$332	\$0	\$332
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$332	\$0	\$332
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$13,047	\$0	\$13,047
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$332	\$0	\$332
	Birds Total				\$14,043	\$0	\$14,043
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$332	\$0	\$332
	Fishes						
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$388	\$0	\$388
		Darter, leopard	<i>Percina pantherina</i>		\$332	\$0	\$332
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$659	\$0	\$659
	Fishes Total				\$1,379	\$0	\$1,379
	Clams						
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Entire; except where EXPN	\$388	\$0	\$388
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$332	\$0	\$332
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$714	\$0	\$714
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$332	\$0	\$332
		Pocketbook, fat	<i>Potamilus capax</i>		\$1,007	\$0	\$1,007
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$332	\$0	\$332
		Pocketbook, speckled	<i>Lampsilis streckeri</i>		\$326	\$0	\$326
	Clams Total				\$3,431	\$0	\$3,431
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$4,435	\$0	\$4,435
	Crustaceans						
		Crayfish, cave	<i>Cambarus aculabrum</i>		\$387	\$0	\$387
	Flowering Plants						
		bladderpod, Missouri	<i>Physaria filiformis</i>		\$388	\$0	\$388
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$388	\$0	\$388
		Pondberry	<i>Lindera melissifolia</i>		\$1,007	\$0	\$1,007
	Flowering Plants Total				\$1,783	\$0	\$1,783
<b>Domestic Total</b>					\$31,312	\$0	\$31,312
<b>Grand Total</b>					<b>\$31,312</b>	<b>\$0</b>	<b>\$31,312</b>



DOE Western Area Power Administration FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$400	\$0	\$400
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$22,500	\$0	\$22,500
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$22,500	\$0	\$22,500
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$80,000	\$0	\$80,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$2,000	\$0	\$2,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$800	\$0	\$800
	Mammals Total				\$128,200	\$0	\$128,200
	Birds						
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$3,500	\$0	\$3,500
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$2,000	\$0	\$2,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$1,300	\$0	\$1,300
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$800	\$0	\$800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,500	\$0	\$1,500
	Birds Total				\$9,100	\$0	\$9,100
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$22,500	\$0	\$22,500
		Snake, giant garter	<i>Thamnophis gigas</i>		\$1,516,500	\$0	\$1,516,500
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$157,000	\$0	\$157,000
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$800	\$0	\$800
	Reptiles Total				\$1,696,800	\$0	\$1,696,800
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$2,500	\$0	\$2,500
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$3,000	\$0	\$3,000
	Amphibians Total				\$5,500	\$0	\$5,500
	Fishes						
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$900	\$0	\$900
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$900	\$0	\$900
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$800	\$0	\$800
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$800	\$0	\$800
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$350,000	\$0	\$350,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, Lost River	<i>Delostes luxatus</i>		\$800	\$0	\$800
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$800	\$0	\$800
	Fishes Total				\$357,000	\$0	\$357,000
	Insects						
		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$1,600	\$0	\$1,600
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$119,000	\$0	\$119,000
	Insects Total				\$120,600	\$0	\$120,600
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$800	\$0	\$800
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$1,900	\$0	\$1,900
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$900	\$0	\$900
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$508,500	\$0	\$508,500
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$800	\$0	\$800
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$508,500	\$0	\$508,500
	Crustaceans Total				\$1,021,400	\$0	\$1,021,400
	Flowering Plants						
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$900	\$0	\$900
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$5,000	\$0	\$5,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$15,000	\$0	\$15,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$7,000	\$0	\$7,000
		Evening-primrose, Antioch Dunes	<i>Oenothera deltooides ssp. howellii</i>		\$800	\$0	\$800
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$800	\$0	\$800
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$800	\$0	\$800
		Grass, Colusa	<i>Neostapfia colusana</i>		\$800	\$0	\$800
		Grass, Solano	<i>Tuctoria mucronata</i>		\$800	\$0	\$800
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$40,000	\$0	\$40,000
		Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>		\$1,100	\$0	\$1,100
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$2,000	\$0	\$2,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$1,100	\$0	\$1,100
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$1,100	\$0	\$1,100
		Phacelia, North Park	<i>Phacelia formosula</i>		\$1,000	\$0	\$1,000
		Phlox, Yreka	<i>Phlox hirsuta</i>		\$800	\$0	\$800
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$1,100	\$0	\$1,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$900	\$0	\$900
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$800	\$0	\$800
	Flowering Plants Total				\$81,800	\$0	\$81,800
<b>Domestic Total</b>					\$3,420,400	\$0	\$3,420,400
<b>Grand Total</b>					<b>\$3,420,400</b>	<b>\$0</b>	<b>\$3,420,400</b>

DHS Coast Guard FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$3,146	\$0	\$3,146
		Manatee, West Indian	<i>Trichechus manatus</i>		\$921,351	\$0	\$921,351
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$3,720	\$0	\$3,720
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$10,164,516	\$0	\$10,164,516
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$10,164,516	\$0	\$10,164,516
		Seal, Caribbean monk	<i>Monachus tropicalis</i>		\$3,720	\$0	\$3,720
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$3,720	\$0	\$3,720
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$83,990	\$0	\$83,990
		Whale, blue	<i>Balaenoptera musculus</i>		\$984,352	\$0	\$984,352
		Whale, bowhead	<i>Balaena mysticetus</i>		\$983,452	\$0	\$983,452
		Whale, finback	<i>Balaenoptera physalus</i>		\$995,292	\$0	\$995,292
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$3,475,444	\$0	\$3,475,444
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$988,052	\$0	\$988,052
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$2,148,772	\$0	\$2,148,772
		Whale, Sei	<i>Balaenoptera borealis</i>		\$983,452	\$0	\$983,452
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$983,452	\$0	\$983,452
	Mammals Total				\$32,890,947	\$0	\$32,890,947
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$3,720	\$0	\$3,720
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$5,000	\$0	\$5,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$27,320	\$0	\$27,320
		Tern, California least	<i>Sterna antillarum browni</i>		\$14,600	\$0	\$14,600
	Birds Total				\$50,640	\$0	\$50,640
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$456,762	\$0	\$456,762
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$456,762	\$0	\$456,762
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$896,236	\$0	\$896,236
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$909,049	\$0	\$909,049
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$896,236	\$0	\$896,236
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$920,542	\$0	\$920,542
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$448,118	\$0	\$448,118
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$448,118	\$0	\$448,118

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles Total				\$5,431,823	\$0	\$5,431,823
	Fishes						
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	CA Central Valley spring-run	\$13,430	\$0	\$13,430
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	CA coastal	\$13,430	\$0	\$13,430
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	Puget Sound	\$13,430	\$0	\$13,430
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring upper Columbia R.	\$13,430	\$0	\$13,430
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$53,720	\$0	\$53,720
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$53,720	\$0	\$53,720
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Ozette Lake, WA	\$26,860	\$0	\$26,860
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock wherever found	\$26,860	\$0	\$26,860
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$17,907	\$0	\$17,907
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$17,907	\$0	\$17,907
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$17,907	\$0	\$17,907
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$50,000	\$0	\$50,000
	Fishes Total				\$318,601	\$0	\$318,601
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$837,340	\$0	\$837,340
		Coral, staghorn	<i>Acropora cervicornis</i>		\$836,620	\$0	\$836,620
	Corals Total				\$1,673,960	\$0	\$1,673,960
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$821,404	\$0	\$821,404
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$823,550	\$0	\$823,550
	Flowering Plants Total				\$1,644,954	\$0	\$1,644,954
<b>Domestic Total</b>					\$42,010,925	\$0	\$42,010,925
<b>Grand Total</b>					<b>\$42,010,925</b>	<b>\$0</b>	<b>\$42,010,925</b>

DHS Customs and Border Protection FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>		\$719,900	\$0	\$719,900
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$2,700	\$0	\$2,700
		Jaguar	<i>Panthera onca</i>		\$83,700	\$0	\$83,700
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$454,200	\$0	\$454,200
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$3,000	\$0	\$3,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$459,700	\$0	\$459,700
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$5,142,700	\$0	\$5,142,700
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$56,500	\$0	\$56,500
	Mammals Total				\$6,922,400	\$0	\$6,922,400
	Birds						
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$2,700	\$0	\$2,700
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$130,200	\$0	\$130,200
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$104,100	\$0	\$104,100
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$97,200	\$0	\$97,200
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$3,000	\$0	\$3,000
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$3,000	\$0	\$3,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$3,000	\$0	\$3,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$10,000	\$0	\$10,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$33,000	\$0	\$33,000
	Birds Total				\$386,200	\$0	\$386,200
	Reptiles						
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$2,700	\$0	\$2,700
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$59,200	\$0	\$59,200
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$83,100	\$0	\$83,100
	Amphibians Total				\$142,300	\$0	\$142,300
	Fishes						
		Chub, Sonora	<i>Gila ditaenia</i>		\$17,200	\$0	\$17,200
		Shiner, beautiful	<i>Cyprinella formosa</i>		\$142,000	\$0	\$142,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$58,000	\$0	\$58,000
	Fishes Total				\$217,200	\$0	\$217,200
	Insects						

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i> )		\$85,100	\$0	\$85,100
	Flowering Plants						
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$2,700	\$0	\$2,700
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$2,700	\$0	\$2,700
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$3,000	\$0	\$3,000
		Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>		\$143,000	\$0	\$143,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$73,700	\$0	\$73,700
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$2,700	\$0	\$2,700
		Manioc, Walker's	<i>Manihot walkerae</i>		\$2,700	\$0	\$2,700
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>		\$59,200	\$0	\$59,200
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$75,600	\$0	\$75,600
	Flowering Plants Total				\$365,300	\$0	\$365,300
<b>Domestic Total</b>					\$8,121,200	\$0	\$8,121,200
<b>Grand Total</b>					<b>\$8,121,200</b>	<b>\$0</b>	<b>\$8,121,200</b>

DOI Bureau of Indian Affairs FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$30,000	\$0	\$30,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$44,000	\$0	\$44,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$20,000	\$0	\$20,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$20,000	\$0	\$20,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$15,000	\$0	\$15,000
	Mammals Total				\$129,000	\$0	\$129,000
	Birds						
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$20,000	\$0	\$20,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$65,000	\$0	\$65,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$420,000	\$0	\$420,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$22,500	\$0	\$22,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$7,500	\$0	\$7,500
	Birds Total				\$535,000	\$0	\$535,000
	Amphibians						
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$10,000	\$0	\$10,000
	Fishes						
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$32,500	\$0	\$32,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$47,500	\$0	\$47,500
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$10,000	\$0	\$10,000
	Fishes Total				\$90,000	\$0	\$90,000
<b>Domestic Total</b>					\$764,000	\$0	\$764,000
<b>Grand Total</b>					<b>\$764,000</b>	<b>\$0</b>	<b>\$764,000</b>



DOI Bureau of Land Management FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,000	\$0	\$1,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$47,900	\$0	\$47,900
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$25,500	\$0	\$25,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$122,000	\$0	\$122,000
		Bear, polar	<i>Ursus maritimus</i>		\$135,600	\$0	\$135,600
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mts. population	\$1,900	\$0	\$1,900
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$144,000	\$0	\$144,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$259,900	\$0	\$259,900
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$352,000	\$0	\$352,000
		Jaguar	<i>Panthera onca</i>		\$5,600	\$0	\$5,600
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$312,000	\$0	\$312,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$16,200	\$0	\$16,200
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$343,300	\$0	\$343,300
		Manatee, West Indian	<i>Trichechus manatus</i>		\$16,000	\$0	\$16,000
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$10,000	\$0	\$10,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$8,000	\$0	\$8,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$600	\$0	\$600
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$200	\$0	\$200
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$283,500	\$0	\$283,500
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$1,000	\$0	\$1,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$29,700	\$0	\$29,700
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$25,000	\$0	\$25,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$34,500	\$0	\$34,500
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$1,500	\$0	\$1,500
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$1,000	\$0	\$1,000
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$7,000	\$0	\$7,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$38,812	\$0	\$38,812
	Mammals Total				\$2,223,712	\$0	\$2,223,712

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$179,000	\$0	\$179,000
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, WY	\$6,000	\$0	\$6,000
		Eider, spectacled	<i>Somateria fischeri</i>		\$56,500	\$0	\$56,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$99,500	\$0	\$99,500
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$848,200	\$0	\$848,200
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,291,500	\$0	\$1,291,500
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$336,300	\$0	\$336,300
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$3,301,500	\$0	\$3,301,500
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$432,600	\$0	\$432,600
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$83,734	\$0	\$83,734
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$14,000	\$0	\$14,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$30,602	\$0	\$30,602
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$22,500	\$0	\$22,500
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$700	\$0	\$700
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$13,000	\$0	\$13,000
	Birds Total				\$6,715,636	\$0	\$6,715,636
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$286,000	\$0	\$286,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$5,000	\$0	\$5,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$5,000	\$0	\$5,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$4,453,726	\$0	\$4,453,726
	Reptiles Total				\$4,749,726	\$0	\$4,749,726
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$78,100	\$0	\$78,100
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$96,700	\$0	\$96,700
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara Co.	\$6,200	\$0	\$6,200
		Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)		\$3,000	\$0	\$3,000
	Amphibians Total				\$184,000	\$0	\$184,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$35,300	\$0	\$35,300
		Chub, Borax Lake	<i>Gila boraxobius</i>		\$53,500	\$0	\$53,500
		Chub, Gila	<i>Gila intermedia</i>		\$18,200	\$0	\$18,200
		Chub, humpback	<i>Gila cypha</i>	entire	\$33,500	\$0	\$33,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>	Hutton	\$1,000	\$0	\$1,000
		Chub, Owens tui	<i>Gila bicolor snyderi</i>		\$4,000	\$0	\$4,000
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$118,258	\$0	\$118,258
		Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	Foskett	\$15,000	\$0	\$15,000
		Dace, Moapa	<i>Moapa coriacea</i>		\$84,596	\$0	\$84,596
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$62,000	\$0	\$62,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$41,700	\$0	\$41,700
		Poolfish, Pahrump	<i>Empetrichthys latos</i>		\$6,200	\$0	\$6,200
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$44,700	\$0	\$44,700
		Pupfish, Owens	<i>Cyprinodon radiosus</i>		\$7,000	\$0	\$7,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Val. spring-run	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$82,155	\$0	\$82,155
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$82,155	\$0	\$82,155
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$2,676,400	\$0	\$2,676,400
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$29,000	\$0	\$29,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$9,000	\$0	\$9,000
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$3,500	\$0	\$3,500
		Spikedace	<i>Meda fulgida</i>		\$54,000	\$0	\$54,000
		Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>		\$10,500	\$0	\$10,500
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$6,000	\$0	\$6,000
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$110,526	\$0	\$110,526

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$110,526	\$0	\$110,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Col. R. Basin	\$758,526	\$0	\$758,526
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$110,526	\$0	\$110,526
		Sturgeon, N. American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$500	\$0	\$500
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$23,100	\$0	\$23,100
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$2,500	\$0	\$2,500
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$31,000	\$0	\$31,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$64,700	\$0	\$64,700
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$42,000	\$0	\$42,000
		Sucker, Warner	<i>Catostomus warnerensis</i>		\$74,000	\$0	\$74,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$37,000	\$0	\$37,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$2,663,512	\$0	\$2,663,512
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$29,500	\$0	\$29,500
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$35,600	\$0	\$35,600
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$126,258	\$0	\$126,258
	Fishes Total				\$9,049,205	\$0	\$9,049,205
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$1,000	\$0	\$1,000
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$7,000	\$0	\$7,000
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$1,000	\$0	\$1,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$8,300	\$0	\$8,300
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$42,000	\$0	\$42,000
	Snails Total				\$59,300	\$0	\$59,300
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$9,000	\$0	\$9,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$10,500	\$0	\$10,500
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$81,100	\$0	\$81,100
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocroma</i>		\$6,700	\$0	\$6,700
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>		\$14,000	\$0	\$14,000
		Skipper, Carson wandering	<i>Pseudocopaodes eunus obscurus</i>		\$4,000	\$0	\$4,000
	Insects Total				\$135,300	\$0	\$135,300
	Crustaceans						
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$7,000	\$0	\$7,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$14,000	\$0	\$14,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$3,300	\$0	\$3,300
	Crustaceans Total				\$24,300	\$0	\$24,300
	Flowering Plants						
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$40,000	\$0	\$40,000
		Baccharis, Encinitas	<i>Baccharis vanessae</i>		\$4,000	\$0	\$4,000
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$4,000	\$0	\$4,000
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$12,000	\$0	\$12,000
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$117,000	\$0	\$117,000
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$5,000	\$0	\$5,000
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$8,800	\$0	\$8,800
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$3,000	\$0	\$3,000
		Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>		\$13,335	\$0	\$13,335
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$1,000	\$0	\$1,000
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$4,000	\$0	\$4,000
		Buckwheat, cushionbury	<i>Eriogonum ovalifolium var. vineum</i>		\$4,000	\$0	\$4,000
		Buckwheat, Ione (incl. Irish Hill)	<i>Eriogonum apricum (incl. var. prostratum)</i>		\$4,000	\$0	\$4,000
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$6,000	\$0	\$6,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$217,500	\$0	\$217,500
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$5,000	\$0	\$5,000
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$4,000	\$0	\$4,000
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$4,700	\$0	\$4,700
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$8,200	\$0	\$8,200
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$168,500	\$0	\$168,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$13,000	\$0	\$13,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$31,500	\$0	\$31,500
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$15,000	\$0	\$15,000
		cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$12,500	\$0	\$12,500
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$68,000	\$0	\$68,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$200	\$0	\$200
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$31,500	\$0	\$31,500
		Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i>		\$14,700	\$0	\$14,700
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$5,000	\$0	\$5,000
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$51,000	\$0	\$51,000
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$19,250	\$0	\$19,250
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$63,450	\$0	\$63,450
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$71,250	\$0	\$71,250
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$114,000	\$0	\$114,000
		Centauray, spring-loving	<i>Centaureum namophilum</i>		\$13,335	\$0	\$13,335
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$5,200	\$0	\$5,200
		Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i> ) <i>subintegra</i>		\$4,000	\$0	\$4,000
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i> )		\$11,250	\$0	\$11,250
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$102,500	\$0	\$102,500
		Daisy, Parish's	<i>Erigeron parishii</i>		\$4,000	\$0	\$4,000
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$37,000	\$0	\$37,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$14,000	\$0	\$14,000
		Evening-primrose, San Benito	<i>Camissonia benitensis</i>		\$86,000	\$0	\$86,000
		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>		\$4,000	\$0	\$4,000
		Flannelbush, Pine Hill	<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>		\$15,500	\$0	\$15,500
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$34,500	\$0	\$34,500
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$451,000	\$0	\$451,000
		Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>		\$4,000	\$0	\$4,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$4,000	\$0	\$4,000
		Gumplant, Ash Meadows	<i>Grindelia fraxinopratensis</i>		\$17,335	\$0	\$17,335
		Howellia, water	<i>Howellia aquatilis</i>		\$11,950	\$0	\$11,950
		Ivesia, Ash Meadows	<i>Ivesia kingii</i> var. <i>eremica</i>		\$13,335	\$0	\$13,335

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Jewelflower, California	<i>Caulanthus californicus</i>		\$37,000	\$0	\$37,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$2,438,400	\$0	\$2,438,400
		Layia, beach	<i>Layia carnosa</i>		\$4,000	\$0	\$4,000
		Lily, Western	<i>Lilium occidentale</i>		\$20,000	\$0	\$20,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$62,000	\$0	\$62,000
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (= <i>oreganus</i> ) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> )		\$152,400	\$0	\$152,400
		Mallow, Kern	<i>Eremalche kernensis</i>		\$6,200	\$0	\$6,200
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>		\$54,000	\$0	\$54,000
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>		\$5,000	\$0	\$5,000
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$4,000	\$0	\$4,000
		Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>		\$13,335	\$0	\$13,335
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>		\$4,000	\$0	\$4,000
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$4,000	\$0	\$4,000
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>		\$10,000	\$0	\$10,000
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$36,200	\$0	\$36,200
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$25,000	\$0	\$25,000
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$13,600	\$0	\$13,600
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>		\$18,000	\$0	\$18,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$31,000	\$0	\$31,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$4,000	\$0	\$4,000
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$16,200	\$0	\$16,200
		Monardella, willow	<i>Monardella linoides</i> ssp. <i>viminea</i>		\$4,000	\$0	\$4,000
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$13,500	\$0	\$13,500
		Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>		\$4,100	\$0	\$4,100
		Mustard, Penland alpine	<i>Eutrema penlandii</i>		\$700	\$0	\$700
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$4,000	\$0	\$4,000
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$42,335	\$0	\$42,335
		Onion, Munz's	<i>Allium munzii</i>		\$4,000	\$0	\$4,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$2,000	\$0	\$2,000
		Orcutt grass, California	<i>Orcuttia californica</i>		\$4,000	\$0	\$4,000
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$6,700	\$0	\$6,700
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$10,500	\$0	\$10,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>		\$4,000	\$0	\$4,000
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$23,000	\$0	\$23,000
		Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>		\$6,000	\$0	\$6,000
		Phacelia, North Park	<i>Phacelia formosula</i>		\$10,300	\$0	\$10,300
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$4,000	\$0	\$4,000
		popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$20,000	\$0	\$20,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>		\$20,000	\$0	\$20,000
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$2,000	\$0	\$2,000
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$3,500	\$0	\$3,500
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$5,000	\$0	\$5,000
		Skullcap, FL	<i>Scutellaria floridana</i>		\$5,000	\$0	\$5,000
		Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>		\$4,000	\$0	\$4,000
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$4,000	\$0	\$4,000
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$4,500	\$0	\$4,500
		Sunray, Ash Meadows	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>		\$13,335	\$0	\$13,335
		Tarplant, Otay	<i>Deinandra</i> (= <i>Hemizonia</i> ) <i>conjugens</i>		\$4,000	\$0	\$4,000
		Thistle, Chorro Creek bog	<i>Cirsium fontinale</i> var. <i>obispoense</i>		\$4,100	\$0	\$4,100
		Thormint, San Diego	<i>Acanthomintha ilicifolia</i>		\$4,000	\$0	\$4,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$75,750	\$0	\$75,750
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$23,000	\$0	\$23,000
		Vervain, Red Hills	<i>Verbena californica</i>		\$5,000	\$0	\$5,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$4,000	\$0	\$4,000
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$8,000	\$0	\$8,000
		Wild buckwheat, gypsum	<i>Eriogonum gypsophilum</i>		\$124,000	\$0	\$124,000
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$38,400	\$0	\$38,400
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>		\$4,000	\$0	\$4,000
		Woolly-threads, San Joaquin	<i>Monolopia</i> (= <i>Lembertia</i> ) <i>congdonii</i>		\$41,000	\$0	\$41,000
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$2,000	\$0	\$2,000
	Flowering Plants Total				\$5,498,345	\$0	\$5,498,345
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$23,000	\$0	\$23,000



<b>Locality</b>	<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>Population</b>	<b>General Expenditures</b>	<b>Land Expenditures</b>	<b>Grand Total</b>
<b>Domestic Total</b>					\$28,662,524	\$0	\$28,662,524
<b>Grand Total</b>					<b>\$28,662,524</b>	<b>\$0</b>	<b>\$28,662,524</b>

DOI Bureau of Ocean Energy Management FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$300,000	\$0	\$300,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$26,000	\$0	\$26,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$35,000	\$0	\$35,000
		Whale, bowhead	<i>Balaena mysticetus</i>		\$630,000	\$0	\$630,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$190,000	\$0	\$190,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$190,000	\$0	\$190,000
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$190,000	\$0	\$190,000
		Whale, Sei	<i>Balaenoptera borealis</i>		\$190,000	\$0	\$190,000
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$427,000	\$0	\$427,000
	Mammals Total				\$2,178,000	\$0	\$2,178,000
	Birds						
		Eider, spectacled	<i>Somateria fischeri</i>		\$600,000	\$0	\$600,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$125,000	\$0	\$125,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$125,000	\$0	\$125,000
	Birds Total				\$850,000	\$0	\$850,000
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$27,000	\$0	\$27,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$27,000	\$0	\$27,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$27,000	\$0	\$27,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$27,000	\$0	\$27,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$14,000	\$0	\$14,000
	Reptiles Total				\$122,000	\$0	\$122,000
<b>Domestic Total</b>					\$3,150,000	\$0	\$3,150,000
<b>Grand Total</b>					<b>\$3,150,000</b>	<b>\$0</b>	<b>\$3,150,000</b>

DOI Bureau of Reclamation FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$63,500	\$92,500	\$156,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$500	\$92,500	\$93,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$6,000	\$0	\$6,000
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$470,500	\$0	\$470,500
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$500	\$0	\$500
	Mammals Total				\$541,000	\$185,000	\$726,000
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$933,000	\$1,401,500	\$2,334,500
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$80,000	\$0	\$80,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$7,079,000	\$1,000,000	\$8,079,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$933,000	\$1,401,500	\$2,334,500
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$1,390,000	\$0	\$1,390,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$943,000	\$1,401,500	\$2,344,500
	Birds Total				\$11,358,000	\$5,204,500	\$16,562,500
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$1,000	\$0	\$1,000
		Snake, giant garter	<i>Thamnophis gigas</i>		\$965,500	\$0	\$965,500
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$92,000	\$81,500	\$173,500
	Reptiles Total				\$1,058,500	\$81,500	\$1,140,000
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$34,000	\$150,500	\$184,500
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$430,000	\$385,000	\$815,000
	Amphibians Total				\$464,000	\$535,500	\$999,500
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$2,615,000	\$113,000	\$2,728,000
		Chub, Gila	<i>Gila intermedia</i>		\$449,500	\$0	\$449,500
		Chub, humpback	<i>Gila cypha</i>	entire	\$3,676,000	\$0	\$3,676,000
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$20,000	\$0	\$20,000
		Cui-ui	<i>Chasmistes cujus</i>		\$694,000	\$0	\$694,000
		Gambusia, Pecos	<i>Gambusia nobilis</i>		\$5,500	\$22,000	\$27,500
		Minnow, loach	<i>Tiaroga cobitis</i>		\$449,500	\$0	\$449,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$9,000,000	\$4,000,000	\$13,000,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$2,859,500	\$367,500	\$3,227,000
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>		\$22,000	\$5,500	\$27,500
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$3,500	\$0	\$3,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$6,242,500	\$141,000	\$6,383,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$197,000	\$677,500	\$874,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$337,500	\$761,500	\$1,099,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$579,000	\$3,198,000	\$3,777,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$251,000	\$1,472,000	\$1,723,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	winter Sacramento R.	\$35,414,500	\$141,000	\$35,555,500
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$4,305,000	\$0	\$4,305,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock wherever found	\$200,000	\$677,500	\$877,500
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$675,000	\$750,000	\$1,425,000
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$3,500	\$0	\$3,500
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$135,000	\$0	\$135,000
		Spikedace	<i>Meda fulgida</i>		\$449,500	\$0	\$449,500
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$3,020,500	\$141,000	\$3,161,500
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$798,000	\$1,472,500	\$2,270,500
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$337,500	\$761,500	\$1,099,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$1,005,500	\$1,347,000	\$2,352,500
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$549,500	\$3,198,000	\$3,747,500
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$24,000	\$0	\$24,000
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$1,774,500	\$0	\$1,774,500
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$1,639,500	\$118,000	\$1,757,500
		Sucker, June	<i>Chasmistes liorus</i>		\$474,500	\$0	\$474,500
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$1,330,500	\$0	\$1,330,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$6,007,000	\$480,500	\$6,487,500
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$1,330,500	\$0	\$1,330,500
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$453,000	\$0	\$453,000
		Trout, Apache	<i>Oncorhynchus apache</i>		\$500	\$0	\$500
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$1,341,000	\$641,500	\$1,982,500
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$1,711,500	\$11,000	\$1,722,500
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$20,000	\$0	\$20,000
	Fishes Total				\$90,402,000	\$20,497,500	\$110,899,500
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$24,000	\$0	\$24,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$16,000	\$0	\$16,000
	Snails Total				\$40,000	\$0	\$40,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$3,000	\$0	\$3,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$907,500	\$0	\$907,500
	Insects Total				\$910,500	\$0	\$910,500
	Crustaceans						
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$8,000	\$200,000	\$208,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$132,000	\$200,000	\$332,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$90,000	\$200,000	\$290,000
	Crustaceans Total				\$230,000	\$600,000	\$830,000
	Flowering Plants						
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$43,500	\$0	\$43,500
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$60,000	\$0	\$60,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$24,500	\$0	\$24,500
		Checker-mallow, Keck's	<i>Sidalcea keckii</i>		\$3,500	\$0	\$3,500
		Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>		\$0	\$120,000	\$120,000
		Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>		\$37,000	\$0	\$37,000
		Jewelflower, Metcalf Canyon	<i>Streptanthus albidus ssp. albidus</i>		\$0	\$120,000	\$120,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$27,000	\$0	\$27,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>		\$80,000	\$200,000	\$280,000
		Sunburst, Hartweg's golden	<i>Pseudobahia bahifolia</i>		\$0	\$200,000	\$200,000
		Wooly-threads, San Joaquin	<i>Monolopia</i> (= <i>Lembertia</i> ) <i>congdonii</i>		\$3,500	\$92,500	\$96,000
	Flowering Plants Total				\$279,000	\$732,500	\$1,011,500
<b>Domestic Total</b>					\$105,283,000	\$27,836,500	\$133,119,500
<b>Grand Total</b>					<b>\$105,283,000</b>	<b>\$27,836,500</b>	<b>\$133,119,500</b>

DOI National Park Service FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$143,919	\$0	\$143,919
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$1,000	\$0	\$1,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$100,017	\$0	\$100,017
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$6,500	\$0	\$6,500
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$100,000	\$0	\$100,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$32,489	\$0	\$32,489
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,887,000	\$0	\$1,887,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$125,000	\$0	\$125,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$50,000	\$0	\$50,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$125,000	\$0	\$125,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$15,000	\$0	\$15,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$260,000	\$0	\$260,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$25,000	\$0	\$25,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$14,934	\$0	\$14,934
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$1,500	\$0	\$1,500
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$49,000	\$0	\$49,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$3,395	\$0	\$3,395
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$299,485	\$0	\$299,485
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$42,000	\$0	\$42,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$1,000	\$0	\$1,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$11,000	\$0	\$11,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$165,600	\$0	\$165,600
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$10,100	\$0	\$10,100
		Whale, finback	<i>Balaenoptera physalus</i>		\$500	\$0	\$500
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$411,500	\$0	\$411,500
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$103,800	\$0	\$103,800
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN population	\$150,000	\$0	\$150,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$164,000	\$0	\$164,000
	Mammals Total				\$4,299,239	\$0	\$4,299,239
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, and UT	\$5,000	\$0	\$5,000
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$82,000	\$0	\$82,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$85,000	\$0	\$85,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$8,700	\$0	\$8,700
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$158,042	\$0	\$158,042
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$120,800	\$0	\$120,800
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$70,040	\$0	\$70,040
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$526,065	\$0	\$526,065
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$112,837	\$0	\$112,837
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$74,900	\$0	\$74,900
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,023,875	\$0	\$1,023,875
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$105,400	\$0	\$105,400
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$1,395	\$0	\$1,395
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$311,885	\$0	\$311,885
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$82,000	\$0	\$82,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$10,800	\$0	\$10,800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$41,402	\$0	\$41,402
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$750	\$0	\$750
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$19,500	\$0	\$19,500
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$10,000	\$0	\$10,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$200	\$0	\$200
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$10,000	\$0	\$10,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$61,444	\$0	\$61,444
	Birds Total				\$2,922,035	\$0	\$2,922,035



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$63,765	\$0	\$63,765
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$30,200	\$0	\$30,200
		Lizard, Island night	<i>Xantusia riversiana</i>		\$4,000	\$0	\$4,000
		Lizard, St. Croix ground	<i>Ameiva polops</i>		\$1,000	\$0	\$1,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$33,203	\$0	\$33,203
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$396,297	\$0	\$396,297
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$155,162	\$0	\$155,162
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$26,500	\$0	\$26,500
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$218,813	\$0	\$218,813
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$563,191	\$0	\$563,191
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$8,086	\$0	\$8,086
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$159,000	\$0	\$159,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$2,000	\$0	\$2,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$5,000	\$0	\$5,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$17,600	\$0	\$17,600
	Reptiles Total				\$1,683,817	\$0	\$1,683,817
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$21,500	\$0	\$21,500
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$77,500	\$0	\$77,500
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$113,630	\$0	\$113,630
	Amphibians Total				\$212,630	\$0	\$212,630
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$1,000	\$0	\$1,000
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$54,300	\$0	\$54,300
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$10,900	\$0	\$10,900
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$5,944	\$0	\$5,944
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$18,344	\$0	\$18,344
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$11,500	\$0	\$11,500
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$12,900	\$0	\$12,900
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$12,900	\$0	\$12,900
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$24,000	\$0	\$24,000
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>		\$385,000	\$0	\$385,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$35,000	\$0	\$35,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound	\$22,118	\$0	\$22,118
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$700	\$0	\$700
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$700	\$0	\$700
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Central California Coast ESU	\$310,000	\$0	\$310,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$35,700	\$0	\$35,700
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Ozette Lake, WA	\$10,000	\$0	\$10,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$250	\$0	\$250
		Shiner, palezone	<i>Notropis</i> <i>albizonatus</i>		\$5,444	\$0	\$5,444
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$13,950	\$0	\$13,950
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$240,000	\$0	\$240,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$74,718	\$0	\$74,718
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$37,000	\$0	\$37,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$120,000	\$0	\$120,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$4,247	\$0	\$4,247
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$400	\$0	\$400
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$80,000	\$0	\$80,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$411,618	\$0	\$411,618
		Trout, Little Kern golden	<i>Oncorhynchus</i> <i>aguabonita whitei</i>		\$200	\$0	\$200
	Fishes Total				\$1,968,833	\$0	\$1,968,833
	Clams						
		Bean, Cumberland (pearlymussel)	<i>Villosa</i> <i>trabalis</i>	Entire; Except where EXPN	\$5,444	\$0	\$5,444
		Bean, purple	<i>Villosa</i> <i>perpurpurea</i>		\$10,900	\$0	\$10,900
		Clubshell	<i>Pleurobema</i> <i>clava</i>	Entire; Except where EXPN	\$5,444	\$0	\$5,444
		Combshell, Cumberlandian	<i>Epioblasma</i> <i>brevidens</i>	Entire; Except where EXPN	\$5,444	\$0	\$5,444
		Elktoe, Cumberland	<i>Alasmidonta</i> <i>atropurpurea</i>		\$5,444	\$0	\$5,444
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$15,000	\$0	\$15,000
		Mucket, pink (pearlymussel)	<i>Lampsilis</i> <i>abrupta</i>		\$10,000	\$0	\$10,000
		Mussel, oyster	<i>Epioblasma</i> <i>capsaeformis</i>	Entire; Except where EXPN	\$5,444	\$0	\$5,444
		Pearlymussel, cracking	<i>Hemistena</i> <i>lata</i>	Entire; Except where EXPN	\$5,444	\$0	\$5,444

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$5,444	\$0	\$5,444
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$5,444	\$0	\$5,444
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$5,444	\$0	\$5,444
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i> )		\$5,444	\$0	\$5,444
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$24,500	\$0	\$24,500
	Clams Total				\$114,840	\$0	\$114,840
	Snails						
		Abalone, White	<i>Haliotis sorenseni</i>	N. America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	\$2,000	\$0	\$2,000
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$163,700	\$0	\$163,700
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$112,000	\$0	\$112,000
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$100	\$0	\$100
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$400	\$0	\$400
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>		\$3,000	\$0	\$3,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$100	\$0	\$100
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$1,000	\$0	\$1,000
	Insects Total				\$280,300	\$0	\$280,300
	Arachnids						
		Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$13,800	\$0	\$13,800
	Crustaceans						
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$1,000	\$0	\$1,000
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$33,000	\$0	\$33,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$50,000	\$0	\$50,000
	Corals Total				\$83,000	\$0	\$83,000
	Flowering Plants						
		Alani	<i>Melicope balloui</i>		\$1,000	\$0	\$1,000
		Alani	<i>Melicope ovalis</i>		\$5,300	\$0	\$5,300
		Alani	<i>Melicope zahlbruckneri</i>		\$1,622	\$0	\$1,622
		Alopecurus, Sonoma	<i>Alopecurus aequalis</i> var. <i>sonomensis</i>		\$9,000	\$0	\$9,000
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$60,431	\$0	\$60,431
		Avens, spreading	<i>Geum radiatum</i>		\$3,820	\$0	\$3,820

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Awiwi	<i>Centaurium sebaeoides</i>		\$550	\$0	\$550
		Bedstraw, island	<i>Galium buxifolium</i>		\$1,000	\$0	\$1,000
		bladderpod, Missouri	<i>Physaria filiformis</i>		\$30,000	\$0	\$30,000
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$3,320	\$0	\$3,320
		Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>		\$600	\$0	\$600
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$600	\$0	\$600
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$1,200	\$0	\$1,200
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$500	\$0	\$500
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>		\$200	\$0	\$200
		Chaffseed, American	<i>Schwalbea americana</i>		\$5,444	\$0	\$5,444
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$32,000	\$0	\$32,000
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$500	\$0	\$500
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$880	\$0	\$880
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i> )		\$1,400	\$0	\$1,400
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$2,600	\$0	\$2,600
		Daisy, Parish's	<i>Erigeron parishii</i>		\$3,620	\$0	\$3,620
		Dudleya, Conejo	<i>Dudleya abramsii</i> ssp. <i>parva</i>		\$1,000	\$0	\$1,000
		Dudleya, marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>		\$1,000	\$0	\$1,000
		Dudleya, Verity's	<i>Dudleya verityi</i>		\$1,000	\$0	\$1,000
		Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>		\$1,000	\$0	\$1,000
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>		\$5,000	\$0	\$5,000
		Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekaensis</i>		\$20,000	\$0	\$20,000
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$15,800	\$0	\$15,800
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$20,000	\$0	\$20,000
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$1,000	\$0	\$1,000
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$1,568	\$0	\$1,568
		Haha	<i>Cyanea copelandii</i> <i>haleakalaensis</i>		\$3,100	\$0	\$3,100
		Haha	<i>Cyanea glabra</i>		\$2,200	\$0	\$2,200
		Haha	<i>Cyanea grimesiana</i> , <i>grimesiana</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>		\$3,100	\$0	\$3,100
		Haha	<i>Cyanea stictophylla</i>		\$1,622	\$0	\$1,622
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$4,622	\$0	\$4,622
		Harperella	<i>Ptilimnium nodosum</i>		\$2,000	\$0	\$2,000
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$11,122	\$0	\$11,122
		Ha`iwale	<i>Cyrtandra giffardii</i>		\$1,622	\$0	\$1,622
		Ha`iwale	<i>Cyrtandra tintinnabula</i>		\$1,622	\$0	\$1,622
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$2,850	\$0	\$2,850
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$4,722	\$0	\$4,722
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$10,425	\$0	\$10,425
		Koki`o ke`oke`o	<i>Hibiscus armottianus</i> ssp. <i>immaculatus</i>		\$3,300	\$0	\$3,300
		Ko`oko`olau	<i>Bidens micrantha</i> ssp. <i>kalealaha</i>		\$3,100	\$0	\$3,100
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$3,000	\$0	\$3,000
		Kuahiwi laukahi	<i>Plantago hawaiiensis</i>		\$1,622	\$0	\$1,622
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$18,900	\$0	\$18,900
		Kula wahine noho	<i>Isodendrion pyriforme</i>		\$1,000	\$0	\$1,000
		Layia, beach	<i>Layia carnosa</i>		\$1,500	\$0	\$1,500
		Lessingia, San Francisco	<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> )		\$12,000	\$0	\$12,000
		Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>		\$15,000	\$0	\$15,000
		Lo`ulu	<i>Pritchardia affinis</i>		\$5,022	\$0	\$5,022
		Lupine, clover	<i>Lupinus tidestromii</i>		\$7,000	\$0	\$7,000
		Makou	<i>Peucedanum sandwicense</i>		\$3,300	\$0	\$3,300
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>		\$6,000	\$0	\$6,000
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$600	\$0	\$600
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$400	\$0	\$400
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>		\$46,000	\$0	\$46,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$20,000	\$0	\$20,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$3,745	\$0	\$3,745
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Neraudia ovata</i>		\$1,622	\$0	\$1,622
		No common name	<i>Platanthera holochila</i>		\$100	\$0	\$100
		No common name	<i>Schiedea haleakalensis</i>		\$15,800	\$0	\$15,800
		No common name	<i>Schiedea hookeri</i>		\$100	\$0	\$100
		No common name	<i>Spermolepis hawaiiensis</i>		\$1,622	\$0	\$1,622
		No common name	<i>Stenogyne angustifolia angustifolia</i>		\$1,622	\$0	\$1,622
		Nohoanu	<i>Geranium multiflorum</i>		\$5,400	\$0	\$5,400
		Ohai	<i>Sesbania tomentosa</i>		\$500	\$0	\$500
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$18,500	\$0	\$18,500
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$39,000	\$0	\$39,000
		Paintbrush, Tiburon	<i>Castilleja affinis ssp. neglecta</i>		\$200	\$0	\$200
		Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>		\$1,000	\$0	\$1,000
		Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>		\$100	\$0	\$100
		Pink, swamp	<i>Helonias bullata</i>		\$2,500	\$0	\$2,500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$2,500	\$0	\$2,500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$6,350	\$0	\$6,350
		Potato-bean, Price's	<i>Apios priceana</i>		\$500	\$0	\$500
		Pua`ala	<i>Brighamia rockii</i>		\$7,500	\$0	\$7,500
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$220	\$0	\$220
		Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>		\$400	\$0	\$400
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$5,444	\$0	\$5,444
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$5,444	\$0	\$5,444
		Seablite, California	<i>Suaeda californica</i>		\$50	\$0	\$50
		Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>		\$6,376	\$0	\$6,376
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$3,000	\$0	\$3,000
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$40,000	\$0	\$40,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$5,444	\$0	\$5,444
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$500	\$0	\$500
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$700	\$0	\$700
		Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>		\$30	\$0	\$30
		Thistle, fountain	<i>Cirsium fontinale var. fontinale</i>		\$200	\$0	\$200
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$11,300	\$0	\$11,300
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$440	\$0	\$440

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$3,000	\$0	\$3,000
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$1,000	\$0	\$1,000
		`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>		\$21,000	\$0	\$21,000
		`Aiea	<i>Nothocestrum breviflorum</i>		\$1,622	\$0	\$1,622
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$7,500	\$0	\$7,500
		`Oha wai	<i>Clermontia lindseyana</i>		\$11,222	\$0	\$11,222
		`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>		\$100	\$0	\$100
		`Oha wai	<i>Clermontia peleana</i>		\$1,722	\$0	\$1,722
		`Oha wai	<i>Clermontia samuelii</i>		\$3,100	\$0	\$3,100
	Flowering Plants Total				\$670,381	\$0	\$670,381
	Conifers and Cycads						
		Cypress, Gowen	<i>Cupressus goveniana ssp. goveniana</i>		\$200	\$0	\$200
	Ferns and Allies						
		No common name	<i>Asplenium fragile var. insulare</i>		\$100	\$0	\$100
		No common name	<i>Diplazium molokaiense</i>		\$100	\$0	\$100
		Pauoa	<i>Ctenitis squamigera</i>		\$100	\$0	\$100
		Wawa'e iole	<i>Huperzia mannii</i>		\$3,100	\$0	\$3,100
	Ferns and Allies Total				\$3,400	\$0	\$3,400
<b>Domestic Total</b>					\$12,255,475	\$0	\$12,255,475
<b>Grand Total</b>					<b>\$12,255,475</b>	<b>\$0</b>	<b>\$12,255,475</b>

DOI US Geological Survey FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$510	\$0	\$510
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$144,278	\$0	\$144,278
		Bat, Indiana	<i>Myotis sodalis</i>		\$60,727	\$0	\$60,727
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$2,000	\$0	\$2,000
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$48,156	\$0	\$48,156
		Bear, grizzly	<i>Ursus arctos horribilis</i>	EXPN portions of ID and MT	\$3,300	\$0	\$3,300
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$778,707	\$0	\$778,707
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$855,527	\$0	\$855,527
		Bear, polar	<i>Ursus maritimus</i>		\$2,192,680	\$0	\$2,192,680
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$69,990	\$0	\$69,990
		Manatee, West Indian	<i>Trichechus manatus</i>		\$957,678	\$0	\$957,678
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$15,000	\$0	\$15,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$38,481	\$0	\$38,481
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$731,940	\$0	\$731,940
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$57,676	\$0	\$57,676
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$7,328	\$0	\$7,328
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$1,850	\$0	\$1,850
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$31,700	\$0	\$31,700
		Puma (=mountain lion)	<i>Puma (=Felis) concolor (all subsp. except coryi)</i>	FL	\$40,349	\$0	\$40,349
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$14,725	\$0	\$14,725
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$5,757	\$0	\$5,757
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$300	\$0	\$300
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$90,000	\$0	\$90,000
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$100,000	\$0	\$100,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$300	\$0	\$300
		Wolf, gray	<i>Canis lupus</i>	MN	\$274,762	\$0	\$274,762
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$29,244	\$0	\$29,244
		Wolf, red	<i>Canis rufus</i>	except EXPN	\$600	\$0	\$600
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$22,700	\$0	\$22,700



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Mammals Total				\$6,576,265	\$0	\$6,576,265
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$1,000	\$0	\$1,000
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>		\$1,000	\$0	\$1,000
		Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>		\$49,192	\$0	\$49,192
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$17,350	\$0	\$17,350
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$3,000	\$0	\$3,000
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$600	\$0	\$600
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$236,000	\$0	\$236,000
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$600,000	\$0	\$600,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$30,474	\$0	\$30,474
		Creeper, Hawaii	<i>Oreomystis mana</i>		\$1,000	\$0	\$1,000
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>		\$500	\$0	\$500
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$1,150	\$0	\$1,150
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$900	\$0	\$900
		Duck, Laysan	<i>Anas laysanensis</i>		\$29,850	\$0	\$29,850
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$7,460	\$0	\$7,460
		Eider, spectacled	<i>Somateria fischeri</i>		\$27,800	\$0	\$27,800
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$7,328	\$0	\$7,328
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>		\$95,169	\$0	\$95,169
		Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>		\$300	\$0	\$300
		Flycatcher, SW willow	<i>Empidonax traillii extimus</i>		\$41,071	\$0	\$41,071
		Gnatcatcher, coastal CA	<i>Poliioptila californica californica</i>		\$589	\$0	\$589
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$113,767	\$0	\$113,767
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>		\$8,541	\$0	\$8,541
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$2,847	\$0	\$2,847
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$26,347	\$0	\$26,347
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$38,629	\$0	\$38,629
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$62,500	\$0	\$62,500
		Parrot, Puerto Rican	<i>Amazona vittata</i>		\$14,235	\$0	\$14,235
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>		\$3,000	\$0	\$3,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$20,257	\$0	\$20,257

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$10,641	\$0	\$10,641
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$161,552	\$0	\$161,552
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$5,994	\$0	\$5,994
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$9,581	\$0	\$9,581
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$65,719	\$0	\$65,719
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$61,557	\$0	\$61,557
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$900	\$0	\$900
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$900	\$0	\$900
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$75,600	\$0	\$75,600
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$2,847	\$0	\$2,847
		Tern, California least	<i>Sterna antillarum browni</i>		\$5,694	\$0	\$5,694
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$158,705	\$0	\$158,705
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$174,195	\$0	\$174,195
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$93,130	\$0	\$93,130
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$31,950	\$0	\$31,950
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscini</i>		\$300	\$0	\$300
		White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>		\$600	\$0	\$600
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$600	\$0	\$600
	Birds Total				\$2,302,321	\$0	\$2,302,321
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$196,000	\$0	\$196,000
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$69,735	\$0	\$69,735
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$7,750	\$0	\$7,750
		Lizard, Island night	<i>Xantusia riversiana</i>		\$15,200	\$0	\$15,200
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$40,000	\$0	\$40,000
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$73,986	\$0	\$73,986
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$11,200	\$0	\$11,200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$190,000	\$0	\$190,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$900	\$0	\$900
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$6,901	\$0	\$6,901

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snake, giant garter	<i>Thamnophis gigas</i>		\$170,706	\$0	\$170,706
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$43,017	\$0	\$43,017
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$236,356	\$0	\$236,356
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$189,774	\$0	\$189,774
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$15,000	\$0	\$15,000
	Reptiles Total				\$1,266,525	\$0	\$1,266,525
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$158,243	\$0	\$158,243
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$60,000	\$0	\$60,000
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	west of Mobile/ Tombigbee Rivers in AL, MS, and LA	\$60,000	\$0	\$60,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$33,305	\$0	\$33,305
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$73,191	\$0	\$73,191
	Amphibians Total				\$384,739	\$0	\$384,739
	Fishes						
		Chub, humpback	<i>Gila cypha</i>	entire	\$216,923	\$0	\$216,923
		Chub, Pahrn-agat roundtail	<i>Gila robusta jordani</i>		\$6,764	\$0	\$6,764
		Cui-ui	<i>Chasmistes cujus</i>		\$48,609	\$0	\$48,609
		Dace, Ash Mead ows speckled	<i>Rhinichthys osculus nevadensis</i>		\$6,764	\$0	\$6,764
		Dace, Moapa	<i>Moapa coriacea</i>		\$45,469	\$0	\$45,469
		Darter, leopard	<i>Percina pantherina</i>		\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$8,970	\$0	\$8,970
		Madtom, Neosho	<i>Noturus placidus</i>		\$20,000	\$0	\$20,000
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire; except where EXPN	\$162,954	\$0	\$162,954
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$115,000	\$0	\$115,000
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$284,761	\$0	\$284,761
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$146,200	\$0	\$146,200
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$51,252	\$0	\$51,252

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring upper Columbia R.	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring/summer Snake R.	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	upper Willamette R.	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	winter Sacramento R.	\$10,000	\$0	\$10,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$15,000	\$0	\$15,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer-run Hood Canal	\$15,000	\$0	\$15,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Central CA Coast ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River ESU	\$15,000	\$0	\$15,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$25,720	\$0	\$25,720
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Ozette Lake, WA	\$25,000	\$0	\$25,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock	\$25,000	\$0	\$25,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$100	\$0	\$100
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i> )		\$7,689	\$0	\$7,689
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$7,328	\$0	\$7,328
		Spinedace, Big Spring	<i>Lepidomeda</i> <i>mollispinis pratensis</i>		\$19,513	\$0	\$19,513
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$50,000	\$0	\$50,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$60,360	\$0	\$60,360
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$87,732	\$0	\$87,732
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$10,000	\$0	\$10,000
		Stickleback, unarmored threespine	<i>Gasterosteus</i> <i>aculeatus</i> <i>williamsoni</i>		\$25,000	\$0	\$25,000
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$179,760	\$0	\$179,760
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$740,062	\$0	\$740,062
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$257,695	\$0	\$257,695

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$346,000	\$0	\$346,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$359,328	\$0	\$359,328
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$92,000	\$0	\$92,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$359,328	\$0	\$359,328
		Trout, Apache	<i>Oncorhynchus apache</i>		\$5,000	\$0	\$5,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$187,559	\$0	\$187,559
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$5,000	\$0	\$5,000
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$5,000	\$0	\$5,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$5,000	\$0	\$5,000
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>		\$5,000	\$0	\$5,000
		Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>		\$5,000	\$0	\$5,000
	Fishes Total				\$4,278,940	\$0	\$4,278,940
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>		\$15,640	\$0	\$15,640
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$145,000	\$0	\$145,000
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$18,944	\$0	\$18,944
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$15,640	\$0	\$15,640
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$18,944	\$0	\$18,944
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$15,640	\$0	\$15,640
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$15,640	\$0	\$15,640
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$88,000	\$0	\$88,000
		Spinymussel, Tar River	<i>Elliptio steinstansana</i>		\$114,000	\$0	\$114,000
		Three-ridge, fat (mussel)	<i>Amblesma neislerii</i>		\$15,640	\$0	\$15,640
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$399,990	\$0	\$399,990
	Clams Total				\$863,078	\$0	\$863,078
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$5,480	\$0	\$5,480
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$20,000	\$0	\$20,000
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$80,000	\$0	\$80,000
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>		\$20,000	\$0	\$20,000
	Snails Total				\$125,480	\$0	\$125,480
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$19,000	\$0	\$19,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i> )		\$5,694	\$0	\$5,694

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pomace fly, [unnamed]	<i>Drosophila heteroneura</i>		\$2,191	\$0	\$2,191
		Pomace fly, [unnamed]	<i>Drosophila mulli</i>		\$1,095	\$0	\$1,095
		Pomace fly, [unnamed]	<i>Drosophila ochrobasis</i>		\$1,095	\$0	\$1,095
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$30,627	\$0	\$30,627
	Insects Total				\$59,702	\$0	\$59,702
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$44,273	\$0	\$44,273
		Isopod, Madison Cave	<i>Antrolana lira</i>		\$22,700	\$0	\$22,700
		Shrimp, CA freshwater	<i>Syncaris pacifica</i>		\$20,000	\$0	\$20,000
	Crustaceans Total				\$86,973	\$0	\$86,973
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$272,725	\$0	\$272,725
		Coral, staghorn	<i>Acropora cervicornis</i>		\$2,795	\$0	\$2,795
	Corals Total				\$275,520	\$0	\$275,520
	Flowering Plants						
		Alani	<i>Melicope adscendens</i>		\$200	\$0	\$200
		Alani	<i>Melicope balloui</i>		\$200	\$0	\$200
		Alani	<i>Melicope degeneri</i>		\$200	\$0	\$200
		Alani	<i>Melicope haupuensis</i>		\$200	\$0	\$200
		Alani	<i>Melicope knudsenii</i>		\$200	\$0	\$200
		Alani	<i>Melicope lydgatei</i>		\$200	\$0	\$200
		Alani	<i>Melicope mucronulata</i>		\$200	\$0	\$200
		Alani	<i>Melicope munroi</i>		\$200	\$0	\$200
		Alani	<i>Melicope ovalis</i>		\$200	\$0	\$200
		Alani	<i>Melicope pallida</i>		\$200	\$0	\$200
		Alani	<i>Melicope paniculata</i>		\$200	\$0	\$200
		Alani	<i>Melicope puberula</i>		\$200	\$0	\$200
		Alani	<i>Melicope quadrangularis</i>		\$200	\$0	\$200
		Alani	<i>Melicope reflexa</i>		\$200	\$0	\$200
		Alani	<i>Melicope saint-johnii</i>		\$200	\$0	\$200
		Alani	<i>Melicope zahlbruckneri</i>		\$17,327	\$0	\$17,327
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$1,381	\$0	\$1,381
		Aupaka	<i>Isodendron hosakae</i>		\$200	\$0	\$200
		Aupaka	<i>Isodendron laurifolium</i>		\$200	\$0	\$200
		Aupaka	<i>Isodendron longifolium</i>		\$200	\$0	\$200
		Awiwi	<i>Centaurium sebaeoides</i>		\$200	\$0	\$200
		Awiwi	<i>Hedyotis cookiana</i>		\$200	\$0	\$200
		A'e	<i>Zanthoxylum dipetalum tomentosum</i>		\$200	\$0	\$200
		A'e	<i>Zanthoxylum hawaiiense</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Baccharis, Encinitas	<i>Baccharis vanessae</i>		\$1,381	\$0	\$1,381
		Barberry, island	<i>Berberis pinnata ssp. insularis</i>		\$4,851	\$0	\$4,851
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$1,500	\$0	\$1,500
		Bedstraw, island	<i>Galium buxifolium</i>		\$4,851	\$0	\$4,851
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$1,381	\$0	\$1,381
		Bluegrass, Hawaiian	<i>Poa sandvicensis</i>		\$200	\$0	\$200
		Bluegrass, Mann's	<i>Poa mannii</i>		\$200	\$0	\$200
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$1,381	\$0	\$1,381
		Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus var. nesioticus</i>		\$4,851	\$0	\$4,851
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$1,381	\$0	\$1,381
		Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>		\$200	\$0	\$200
		Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>		\$4,851	\$0	\$4,851
		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>		\$1,381	\$0	\$1,381
		Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>		\$4,851	\$0	\$4,851
		Gardenia (Na`u), Hawaiian	<i>Gardenia brighamii</i>		\$200	\$0	\$200
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$200	\$0	\$200
		Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>		\$4,851	\$0	\$4,851
		Haha	<i>Cyanea acuminata</i>		\$200	\$0	\$200
		Haha	<i>Cyanea asarifolia</i>		\$200	\$0	\$200
		Haha	<i>Cyanea copelandii ssp. copelandii</i>		\$200	\$0	\$200
		Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>		\$200	\$0	\$200
		Haha	<i>Cyanea dolichopoda</i>		\$200	\$0	\$200
		Haha	<i>Cyanea dunbarii</i>		\$200	\$0	\$200
		Haha	<i>Cyanea eleleensis</i>		\$200	\$0	\$200
		Haha	<i>Cyanea glabra</i>		\$200	\$0	\$200
		Haha	<i>Cyanea grimesiana ssp. grimesiana</i>		\$200	\$0	\$200
		Haha	<i>Cyanea grimesiana ssp. obatae</i>		\$200	\$0	\$200
		Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>		\$200	\$0	\$200
		Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>		\$200	\$0	\$200
		Haha	<i>Cyanea humboldtiana</i>		\$200	\$0	\$200
		Haha	<i>Cyanea kolekoleensis</i>		\$200	\$0	\$200
		Haha	<i>Cyanea koolauensis</i>		\$200	\$0	\$200
		Haha	<i>Cyanea kuhihewa</i>		\$200	\$0	\$200
		Haha	<i>Cyanea lobata</i>		\$200	\$0	\$200
		Haha	<i>Cyanea longiflora</i>		\$200	\$0	\$200
		Haha	<i>Cyanea macrostegia ssp. gibsonii</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haha	<i>Cyanea mannii</i>		\$200	\$0	\$200
		Haha	<i>Cyanea mceldowneyi</i>		\$200	\$0	\$200
		Haha	<i>Cyanea pinnatifida</i>		\$200	\$0	\$200
		Haha	<i>Cyanea platyphylla</i>		\$200	\$0	\$200
		Haha	<i>Cyanea procera</i>		\$200	\$0	\$200
		Haha	<i>Cyanea recta</i>		\$200	\$0	\$200
		Haha	<i>Cyanea remyi</i>		\$200	\$0	\$200
		Haha	<i>Cyanea shipmanii</i>		\$200	\$0	\$200
		Haha	<i>Cyanea st.-johnii</i>		\$200	\$0	\$200
		Haha	<i>Cyanea stictophylla</i>		\$200	\$0	\$200
		Haha	<i>Cyanea superba</i>		\$200	\$0	\$200
		Haha	<i>Cyanea truncata</i>		\$200	\$0	\$200
		Haha	<i>Cyanea undulata</i>		\$200	\$0	\$200
		Haiwale	<i>Cyrtandra paliku</i>		\$200	\$0	\$200
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$200	\$0	\$200
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$200	\$0	\$200
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$200	\$0	\$200
		Hau kuahiwi	<i>Hibiscadelphus woodii</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra crenata</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra dentata</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra giffardii</i>		\$29,918	\$0	\$29,918
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra munroi</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra oenobarba</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra polyantha</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra tintinnabula</i>		\$200	\$0	\$200
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$200	\$0	\$200
		Heau	<i>Exocarpos luteolus</i>		\$200	\$0	\$200
		Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>		\$200	\$0	\$200
		Hibiscus, Clay's	<i>Hibiscus clayi</i>		\$200	\$0	\$200
		Holei	<i>Ochrosia kilaueaensis</i>		\$200	\$0	\$200
		Honohono	<i>Haplostachys haplostachya</i>		\$200	\$0	\$200
		Ho`awa	<i>Pittosporum napaliense</i>		\$200	\$0	\$200
		Iliau, dwarf	<i>Wilkesia hobdyi</i>		\$200	\$0	\$200
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia cyrtandrae</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia helleri</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia lydgatei</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia pumila</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia tinifolia var. lanaiensis</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia tinifolia var. wahiawaensis</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia triflora</i>		\$200	\$0	\$200
		Kamanomano	<i>Cenchrus agrimonioides</i>		\$200	\$0	\$200



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>		\$200	\$0	\$200
		Kauila	<i>Colubrina oppositifolia</i>		\$200	\$0	\$200
		Kaulu	<i>Pteralyxia kauaiensis</i>		\$200	\$0	\$200
		Kio`ele	<i>Hedyotis coriacea</i>		\$200	\$0	\$200
		Kiponapona	<i>Phyllostegia racemosa</i>		\$200	\$0	\$200
		Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>		\$200	\$0	\$200
		Koki`o	<i>Kokia drynarioides</i>		\$200	\$0	\$200
		Koki`o	<i>Kokia kauaiensis</i>		\$200	\$0	\$200
		Koki`o ke`oke`o	<i>Hibiscus arnotianus immaculatus</i>		\$200	\$0	\$200
		Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>		\$200	\$0	\$200
		Koki`o, Cooke's	<i>Kokia cookei</i>		\$200	\$0	\$200
		Kolea	<i>Myrsine juddii</i>		\$200	\$0	\$200
		Kolea	<i>Myrsine knudsenii</i>		\$200	\$0	\$200
		Kolea	<i>Myrsine linearifolia</i>		\$200	\$0	\$200
		Kolea	<i>Myrsine mezii</i>		\$200	\$0	\$200
		Kopa	<i>Hedyotis schlechtendahlana var. remyi</i>		\$200	\$0	\$200
		Kopiko	<i>Psychotria grandiflora</i>		\$200	\$0	\$200
		Kopiko	<i>Psychotria hobdyi</i>		\$200	\$0	\$200
		Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>		\$200	\$0	\$200
		Ko`oko`olau	<i>Bidens wiebkei</i>		\$200	\$0	\$200
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$200	\$0	\$200
		Kuahiwi laukahi	<i>Plantago hawaiiensis</i>		\$200	\$0	\$200
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$200	\$0	\$200
		Kuawawaenohu	<i>Alsindendron lychnoides</i>		\$200	\$0	\$200
		Kula wahine noho	<i>Isodendron pyriformium</i>		\$200	\$0	\$200
		Kulu`i	<i>Nototrichium humile</i>		\$200	\$0	\$200
		Lau`ehu	<i>Panicum niuhauense</i>		\$200	\$0	\$200
		Laulihilihi	<i>Schiedea stellarioides</i>		\$200	\$0	\$200
		Iehua makanoe	<i>Lysimachia daphnoides</i>		\$200	\$0	\$200
		Liliwai	<i>Acaena exigua</i>		\$200	\$0	\$200
		Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>		\$4,851	\$0	\$4,851
		Love grass, Fosberg's	<i>Eragrostis fosbergii</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia affinis</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia kaalae</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia munroi</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia napaliensis</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia remota</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia schattaueri</i>		\$200	\$0	\$200
		Lo`ulu	<i>Pritchardia viscosa</i>		\$200	\$0	\$200
		Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mahoe	<i>Alectryon macrococcus</i>		\$200	\$0	\$200
		Makou	<i>Peucedanum sandwicense</i>		\$200	\$0	\$200
		Malacothrix, island	<i>Malacothrix squalida</i>		\$4,851	\$0	\$4,851
		Malacothrix, Santa Cruz Is.	<i>Malacothrix indecora</i>		\$4,851	\$0	\$4,851
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$4,851	\$0	\$4,851
		Mapele	<i>Cyrtandra cyaneoides</i>		\$200	\$0	\$200
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$200	\$0	\$200
		Ma`oli`oli	<i>Schiedea apokremnos</i>		\$200	\$0	\$200
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$200	\$0	\$200
		Mehamehame	<i>Flueggea neowawraea</i>		\$200	\$0	\$200
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$44,000	\$0	\$44,000
		Monardella, willowy	<i>Monardella linoides ssp. viminea</i>		\$1,381	\$0	\$1,381
		Naenae	<i>Dubautia kalalauensis</i>		\$200	\$0	\$200
		Naenae	<i>Dubautia kenwoodii</i>		\$200	\$0	\$200
		Nani wai`ale`ale	<i>Viola kauaiensis var. wahiawaensis</i>		\$200	\$0	\$200
		Nanu	<i>Gardenia mannii</i>		\$200	\$0	\$200
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$200	\$0	\$200
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$1,381	\$0	\$1,381
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$200	\$0	\$200
		Na`ena`e	<i>Dubautia imbricata imbricata</i>		\$200	\$0	\$200
		Na`ena`e	<i>Dubautia latifolia</i>		\$200	\$0	\$200
		Na`ena`e	<i>Dubautia pauciflora</i>		\$200	\$0	\$200
		Na`ena`e	<i>Dubautia plantaginea magnifolia</i>		\$200	\$0	\$200
		Na`ena`e	<i>Dubautia plantaginea humilis</i>		\$200	\$0	\$200
		Na`ena`e	<i>Dubautia waialealae</i>		\$200	\$0	\$200
		Nehe	<i>Lipochaeta fauriei</i>		\$200	\$0	\$200
		Nehe	<i>Lipochaeta kamolensis</i>		\$200	\$0	\$200
		Nehe	<i>Lipochaeta lobata var. leptophylla</i>		\$200	\$0	\$200
		Nehe	<i>Lipochaeta micrantha</i>		\$200	\$0	\$200
		Nehe	<i>Lipochaeta tenuifolia</i>		\$200	\$0	\$200
		Nehe	<i>Lipochaeta waimeaensis</i>		\$200	\$0	\$200
		Nioi	<i>Eugenia koolauensis</i>		\$200	\$0	\$200
		No common name	<i>Abutilon eremitopetalum</i>		\$200	\$0	\$200
		No common name	<i>Abutilon sandwicense</i>		\$200	\$0	\$200
		No common name	<i>Achyranthes mutica</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Alsinidendron obovatum</i>		\$200	\$0	\$200
		No common name	<i>Alsinidendron trinerve</i>		\$200	\$0	\$200
		No common name	<i>Alsinidendron viscosum</i>		\$200	\$0	\$200
		No common name	<i>Amaranthus brownii</i>		\$200	\$0	\$200
		No common name	<i>Bonamia menziesii</i>		\$200	\$0	\$200
		No common name	<i>Chamaesyce halemanui</i>		\$200	\$0	\$200
		No common name	<i>Cyanea (=Rollandia) crispa</i>		\$200	\$0	\$200
		No common name	<i>Delissea rhytidosperra</i>		\$200	\$0	\$200
		No common name	<i>Delissea undulata</i>		\$200	\$0	\$200
		No common name	<i>Gahnia lanaiensis</i>		\$200	\$0	\$200
		No common name	<i>Gouania hillebrandii</i>		\$200	\$0	\$200
		No common name	<i>Gouania meyenii</i>		\$200	\$0	\$200
		No common name	<i>Gouania vitifolia</i>		\$200	\$0	\$200
		No common name	<i>Hedyotis degeneri</i>		\$200	\$0	\$200
		No common name	<i>Hedyotis parvula</i>		\$200	\$0	\$200
		No common name	<i>Hesperomannia arborescens</i>		\$200	\$0	\$200
		No common name	<i>Hesperomannia arbuscula</i>		\$200	\$0	\$200
		No common name	<i>Hesperomannia lydgatei</i>		\$200	\$0	\$200
		No common name	<i>Keysseria (=Lagenifera) erici</i>		\$200	\$0	\$200
		No common name	<i>Keysseria (=Lagenifera) helenae</i>		\$200	\$0	\$200
		No common name	<i>Lipochaeta venosa</i>		\$200	\$0	\$200
		No common name	<i>Lobelia gaudichaudii koolauensis</i>		\$200	\$0	\$200
		No common name	<i>Lobelia monostachya</i>		\$200	\$0	\$200
		No common name	<i>Lobelia niuhauensis</i>		\$200	\$0	\$200
		No common name	<i>Lobelia oahuensis</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia filifolia</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia iniki</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia lydgatei</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia maxima</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia pendens</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia scopulensis</i>		\$200	\$0	\$200
		No common name	<i>Lysimachia venosa</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Mariscus fauriei</i>		\$200	\$0	\$200
		No common name	<i>Mariscus pennatifolius</i>		\$200	\$0	\$200
		No common name	<i>Munroidendron racemosum</i>		\$200	\$0	\$200
		No common name	<i>Neraudia angulata</i>		\$200	\$0	\$200
		No common name	<i>Neraudia ovata</i>		\$200	\$0	\$200
		No common name	<i>Neraudia sericea</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia hirsuta</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia hispida</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia kaalaensis</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia knudsenii</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia mannii</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia mollis</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia parviflora</i>		\$17,327	\$0	\$17,327
		No common name	<i>Phyllostegia renovans</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia velutina</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia waimeae</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia warshaueri</i>		\$200	\$0	\$200
		No common name	<i>Phyllostegia wawrana</i>		\$200	\$0	\$200
		No common name	<i>Platanthera holochila</i>		\$200	\$0	\$200
		No common name	<i>Poa siphonoglossa</i>		\$200	\$0	\$200
		No common name	<i>Remya kauaiensis</i>		\$200	\$0	\$200
		No common name	<i>Remya montgomeryi</i>		\$200	\$0	\$200
		No common name	<i>Sanicula mariversa</i>		\$200	\$0	\$200
		No common name	<i>Sanicula purpurea</i>		\$200	\$0	\$200
		No common name	<i>Schiedea attenuata</i>		\$200	\$0	\$200
		No common name	<i>Schiedea haleakalensis</i>		\$200	\$0	\$200
		No common name	<i>Schiedea helleri</i>		\$200	\$0	\$200
		No common name	<i>Schiedea hookeri</i>		\$200	\$0	\$200
		No common name	<i>Schiedea kaalae</i>		\$200	\$0	\$200
		No common name	<i>Schiedea kauaiensis</i>		\$200	\$0	\$200
		No common name	<i>Schiedea lydgatei</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Schiedea membranacea</i>		\$200	\$0	\$200
		No common name	<i>Schiedea nuttallii</i>		\$200	\$0	\$200
		No common name	<i>Schiedea sarmentosa</i>		\$200	\$0	\$200
		No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>		\$200	\$0	\$200
		No common name	<i>Schiedea spergulina</i> var. <i>spergulina</i>		\$200	\$0	\$200
		No common name	<i>Schiedea verticillata</i>		\$200	\$0	\$200
		No common name	<i>Silene alexandri</i>		\$200	\$0	\$200
		No common name	<i>Silene hawaiiensis</i>		\$200	\$0	\$200
		No common name	<i>Silene lanceolata</i>		\$200	\$0	\$200
		No common name	<i>Silene perlmanii</i>		\$200	\$0	\$200
		No common name	<i>Spermolepis hawaiiensis</i>		\$200	\$0	\$200
		No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>		\$200	\$0	\$200
		No common name	<i>Stenogyne bifida</i>		\$200	\$0	\$200
		No common name	<i>Stenogyne campanulata</i>		\$200	\$0	\$200
		No common name	<i>Stenogyne kanehoana</i>		\$200	\$0	\$200
		No common name	<i>Stenogyne kealiae</i>		\$200	\$0	\$200
		No common name	<i>Tetramolopium arenarium</i>		\$200	\$0	\$200
		No common name	<i>Tetramolopium filiforme</i>		\$200	\$0	\$200
		No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>		\$200	\$0	\$200
		No common name	<i>Tetramolopium remyi</i>		\$200	\$0	\$200
		No common name	<i>Tetramolopium rockii</i>		\$200	\$0	\$200
		No common name	<i>Tetraplasandra bisattenuata</i>		\$200	\$0	\$200
		No common name	<i>Tetraplasandra flynnii</i>		\$200	\$0	\$200
		No common name	<i>Trematolobelia singularis</i>		\$200	\$0	\$200
		No common name	<i>Vigna o-wahuensis</i>		\$200	\$0	\$200
		No common name	<i>Viola helenae</i>		\$200	\$0	\$200
		No common name	<i>Viola lanaiensis</i>		\$200	\$0	\$200
		No common name	<i>Viola oahuensis</i>		\$200	\$0	\$200
		No common name	<i>Xylosma crenatum</i>		\$200	\$0	\$200
		Nohoanu	<i>Geranium kauaiense</i>		\$200	\$0	\$200
		Nohoanu	<i>Geranium multiflorum</i>		\$200	\$0	\$200
		Oha	<i>Delissea rivularis</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Oha	<i>Delissea subcordata</i>		\$200	\$0	\$200
		Ohai	<i>Sesbania tomentosa</i>		\$12,791	\$0	\$12,791
		Olulu	<i>Brighamia insignis</i>		\$200	\$0	\$200
		Opuhe	<i>Urera kaalae</i>		\$200	\$0	\$200
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$4,851	\$0	\$4,851
		Pamakani	<i>Tetramolopium capillare</i>		\$200	\$0	\$200
		Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>		\$200	\$0	\$200
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$200	\$0	\$200
		Papala	<i>Charpentiera densiflora</i>		\$200	\$0	\$200
		Pa`iniu	<i>Astelia waialealae</i>		\$200	\$0	\$200
		Phacelia, island	<i>Phacelia insularis</i> ssp. <i>insularis</i>		\$4,851	\$0	\$4,851
		Pilo	<i>Hedyotis mannii</i>		\$200	\$0	\$200
		Pilo kea lau li`i	<i>Platydesma rostrata</i>		\$200	\$0	\$200
		Popolo ku mai	<i>Solanum incompletum</i>		\$200	\$0	\$200
		Po`e	<i>Portulaca sclerocarpa</i>		\$12,791	\$0	\$12,791
		Pua`ala	<i>Brighamia rockii</i>		\$200	\$0	\$200
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$200	\$0	\$200
		Remya, Maui	<i>Remya mauiensis</i>		\$200	\$0	\$200
		Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>		\$4,851	\$0	\$4,851
		Rush-rose, island	<i>Helianthemum greenei</i>		\$4,851	\$0	\$4,851
		Sandalwood, Lanai (=`iliahi)	<i>Santalum freycinetianum</i> var. <i>lanaiense</i>		\$200	\$0	\$200
		Schiedea, Diamond Head	<i>Schiedea adamantis</i>		\$200	\$0	\$200
		Silversword, Mauna Loa (=Ka`u)	<i>Argyroxiphium kauense</i>		\$72,375	\$0	\$72,375
		Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>		\$1,381	\$0	\$1,381
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$4,500	\$0	\$4,500
		Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$1,381	\$0	\$1,381
		Uhiuhi	<i>Caesalpinia kavaianse</i>		\$200	\$0	\$200
		Vetch, Hawaiian	<i>Vicia menziesii</i>		\$200	\$0	\$200
		Wahane	<i>Pritchardia aylmer-robinsonii</i>		\$200	\$0	\$200
		`Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>		\$200	\$0	\$200
		`Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>		\$200	\$0	\$200
		`Aiakeakua, popolo	<i>Solanum sandwicense</i>		\$200	\$0	\$200
		`Aiea	<i>Nothocestrum breviflorum</i>		\$200	\$0	\$200
		`Aiea	<i>Nothocestrum peltatum</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		`Akoko	<i>Chamaesyce deppeana</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce eleanoriae</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce herbstii</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce remyi</i> var. <i>remyi</i>		\$200	\$0	\$200
		`Akoko	<i>Chamaesyce rockii</i>		\$200	\$0	\$200
		`Akoko	<i>Euphorbia haeleleana</i>		\$200	\$0	\$200
		`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii</i> <i>kalaeloana</i>		\$200	\$0	\$200
		`Anaunau	<i>Lepidium arbuscula</i>		\$200	\$0	\$200
		`Anunu	<i>Sicyos alba</i>		\$12,791	\$0	\$12,791
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$200	\$0	\$200
		`Awikiwiki	<i>Canavalia napaliensis</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia drepanomorpha</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia lindseyana</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia oblongifolia</i> <i>mauiensis</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia peleana</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia pyrularia</i>		\$200	\$0	\$200
		`Oha wai	<i>Clermontia samuelii</i>		\$200	\$0	\$200
		`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>		\$200	\$0	\$200
	Flowering Plants Total				\$366,444	\$0	\$366,444
	Ferns and Allies						
		Aumakua, Palapalai	<i>Dryopteris crinalis</i> var. <i>podosorus</i>		\$200	\$0	\$200
		Diellia, asplenium-leaved	<i>Diellia erecta</i>		\$200	\$0	\$200
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$200	\$0	\$200
		Ihi`ihi	<i>Marsilea villosa</i>		\$200	\$0	\$200
		No common name	<i>Asplenium fragile</i> var. <i>insulare</i>		\$200	\$0	\$200
		No common name	<i>Diellia falcata</i>		\$200	\$0	\$200
		No common name	<i>Diellia mannii</i>		\$200	\$0	\$200
		No common name	<i>Diellia pallida</i>		\$200	\$0	\$200
		No common name	<i>Diellia unisora</i>		\$200	\$0	\$200
		No common name	<i>Diplazium molokaiense</i>		\$200	\$0	\$200
		No common name	<i>Doryopteris angelica</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Pteris lidgatei</i>		\$200	\$0	\$200
		Pauoa	<i>Ctenitis squamigera</i>		\$200	\$0	\$200
		Wawae'iole	<i>Huperzia mannii</i>		\$200	\$0	\$200
		Wawae'iole	<i>Lycopodium (Phlegmariurus) nutans</i>		\$200	\$0	\$200
	Ferns and Allies Total				\$3,000	\$0	\$3,000
<b>Domestic Total</b>					\$16,588,987	\$0	\$16,588,987
<b>Foreign</b>							
	Mammals						
		Dugong	<i>Dugong dugon</i>	except Palau	\$5,000	\$0	\$5,000
		Elephant, African	<i>Loxodonta africana</i>		\$7,328	\$0	\$7,328
		Elephant, Asian	<i>Elephas maximus</i>		\$14,231	\$0	\$14,231
		Langur, capped	<i>Trachypithecus (=Presbytis) pileatus</i>		\$3,558	\$0	\$3,558
		Langur, golden	<i>Trachypithecus (=Presbytis) geei</i>		\$3,558	\$0	\$3,558
		Macaque, lion-tailed	<i>Macaca silenus</i>		\$3,558	\$0	\$3,558
		Macaque, stump-tailed	<i>Macaca arctoides</i>		\$3,558	\$0	\$3,558
		Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>		\$14,231	\$0	\$14,231
		Tiger	<i>Panthera tigris</i>		\$50,015	\$0	\$50,015
	Mammals Total				\$105,037	\$0	\$105,037
	Birds						
		Crane, black-necked	<i>Grus nigricollis</i>		\$40	\$0	\$40
		Crane, hooded	<i>Grus monacha</i>		\$20	\$0	\$20
		Crane, Japanese	<i>Grus japonensis</i>		\$60	\$0	\$60
		Stilt, black	<i>Himantopus novaezelandiae</i>	Entire	\$300	\$0	\$300
	Birds Total				\$420	\$0	\$420
	Reptiles						
		Iguana, Fiji banded	<i>Brachylophus fasciatus</i>		\$25,000	\$0	\$25,000
		Iguana, Fiji crested	<i>Brachylophus vitiensis</i>		\$25,000	\$0	\$25,000
	Reptiles Total				\$50,000	\$0	\$50,000
<b>Foreign Total</b>					\$155,457	\$0	\$155,457
<b>Grand Total</b>					<b>\$16,744,444</b>	<b>\$0</b>	<b>\$16,744,444</b>



DOT Federal Aviation Administration FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$100,000	\$0	\$100,000
		Bear, polar	<i>Ursus maritimus</i>		\$10,000	\$0	\$10,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$24,000	\$0	\$24,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$909,000	\$0	\$909,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$5,000	\$0	\$5,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$6,000	\$0	\$6,000
	Mammals Total				\$1,054,000	\$0	\$1,054,000
	Birds						
		Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>		\$76,800	\$0	\$76,800
		Eider, spectacled	<i>Somateria fischeri</i>		\$1,000	\$0	\$1,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$13,000	\$0	\$13,000
	Birds Total				\$90,800	\$0	\$90,800
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$10,000	\$0	\$10,000
	Flowering Plants						
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$16,000	\$0	\$16,000
<b>Domestic Total</b>					\$1,170,800	\$0	\$1,170,800
<b>Grand Total</b>					<b>\$1,170,800</b>	<b>\$0</b>	<b>\$1,170,800</b>

Environmental Protection Agency FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$1,300	\$0	\$1,300
		Bat, Indiana	<i>Myotis sodalis</i>		\$6,000	\$0	\$6,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	EXPN portions of ID and MT	\$7,500	\$0	\$7,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$7,500	\$0	\$7,500
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$8,000	\$0	\$8,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$6,500	\$0	\$6,500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$8,000	\$0	\$8,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$8,000	\$0	\$8,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$129,000	\$0	\$129,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$8,000	\$0	\$8,000
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$8,000	\$0	\$8,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$8,000	\$0	\$8,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$8,000	\$0	\$8,000
		Jaguar	<i>Panthera onca</i>		\$15,000	\$0	\$15,000
		Jaguarundi, Gulf Coast	<i>Herpailurus (Felis) yagouaroundi cacomitli</i>		\$7,000	\$0	\$7,000
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>		\$8,000	\$0	\$8,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$8,000	\$0	\$8,000
		Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>		\$8,000	\$0	\$8,000
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$8,000	\$0	\$8,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$8,000	\$0	\$8,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$8,000	\$0	\$8,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$14,500	\$0	\$14,500
		Manatee, West Indian	<i>Trichechus manatus</i>		\$1,200	\$0	\$1,200
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$8,000	\$0	\$8,000
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$8,000	\$0	\$8,000
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$8,000	\$0	\$8,000
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$8,000	\$0	\$8,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$15,000	\$0	\$15,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$8,000	\$0	\$8,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$8,000	\$0	\$8,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$15,000	\$0	\$15,000
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$8,000	\$0	\$8,000
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$8,000	\$0	\$8,000
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$8,000	\$0	\$8,000
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$8,000	\$0	\$8,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$14,500	\$0	\$14,500
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>		\$8,000	\$0	\$8,000
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$8,000	\$0	\$8,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$6,500	\$0	\$6,500
		Whale, finback	<i>Balaenoptera physalus</i>		\$7,000	\$0	\$7,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$7,000	\$0	\$7,000
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$6,500	\$0	\$6,500
		Whale, Sei	<i>Balaenoptera borealis</i>		\$7,000	\$0	\$7,000
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$7,000	\$0	\$7,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$5,500	\$0	\$5,500
		Wolf, gray	<i>Canis lupus</i>	MN	\$1,000	\$0	\$1,000
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$1,000	\$0	\$1,000
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN pop.	\$1,000	\$0	\$1,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$1,000	\$0	\$1,000
		Wolf, red	<i>Canis rufus</i>	portions of NC,TN	\$4,000	\$0	\$4,000
		Wolf, red	<i>Canis rufus</i>	except where EXPN	\$4,000	\$0	\$4,000
	Mammals Total				\$498,500	\$0	\$498,500
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$4,000	\$0	\$4,000
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$4,000	\$0	\$4,000
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$2,000	\$0	\$2,000
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$2,000	\$0	\$2,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Curlew, Eskimo	<i>Numenius borealis</i>		\$7,000	\$0	\$7,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$4,000	\$0	\$4,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$4,000	\$0	\$4,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$100	\$0	\$100
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$7,000	\$0	\$7,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$33,000	\$0	\$33,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$12,000	\$0	\$12,000
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$27,000	\$0	\$27,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$8,000	\$0	\$8,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,300	\$0	\$1,300
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$3,500	\$0	\$3,500
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$8,500	\$0	\$8,500
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$7,000	\$0	\$7,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$7,000	\$0	\$7,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$6,000	\$0	\$6,000
		Birds Total			\$149,400	\$0	\$149,400
		Reptiles					
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$8,000	\$0	\$8,000
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$8,000	\$0	\$8,000
		Lizard, Island night	<i>Xantusia riversiana</i>		\$8,000	\$0	\$8,000
		Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>		\$6,500	\$0	\$6,500
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$15,000	\$0	\$15,000
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$8,000	\$0	\$8,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$8,000	\$0	\$8,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$6,700	\$0	\$6,700
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$8,000	\$0	\$8,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$8,300	\$0	\$8,300
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN north of 40 degrees north latitude, MI, OH	\$2,500	\$0	\$2,500
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$8,000	\$0	\$8,000
		Snake, giant garter	<i>Thamnophis gigas</i>		\$8,000	\$0	\$8,000
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$10,500	\$0	\$10,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$129,000	\$0	\$129,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$4,000	\$0	\$4,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$4,000	\$0	\$4,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$8,000	\$0	\$8,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$7,000	\$0	\$7,000
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$76,000	\$0	\$76,000
	Reptiles Total				\$341,500	\$0	\$341,500
	Amphibians						
		Frog, CA red-legged	<i>Rana draytonii</i>	Entire	\$8,000	\$0	\$8,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$7,000	\$0	\$7,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$205,000	\$0	\$205,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$205,000	\$0	\$205,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$205,000	\$0	\$205,000
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>		\$8,000	\$0	\$8,000
		Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>		\$8,000	\$0	\$8,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$15,000	\$0	\$15,000
		Toad, arroyo (arroyo so.western)	<i>Bufo californicus (=microscaphus)</i>		\$8,000	\$0	\$8,000
		Toad, Wyoming	<i>Bufo baxteri (=hemiphrys)</i>		\$8,000	\$0	\$8,000
	Amphibians Total				\$677,000	\$0	\$677,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$100	\$0	\$100
		Chub, humpback	<i>Gila cypha</i>	entire	\$100	\$0	\$100
		Madtom, Scioto	<i>Noturus trautmani</i>		\$2,500	\$0	\$2,500
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$100	\$0	\$100
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$5,500	\$0	\$5,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring/summer Snake R.	\$5,500	\$0	\$5,500
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	upper Willamette R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	winter Sacramento R.	\$2,000	\$0	\$2,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer-run Hood Canal	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Central California Coast ESU	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River ESU	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$2,000	\$0	\$2,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Ozette Lake, WA	\$2,000	\$0	\$2,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock wherever found	\$8,500	\$0	\$8,500
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i> )		\$1,500	\$0	\$1,500
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$685,000	\$0	\$685,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$8,500	\$0	\$8,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$2,000	\$0	\$2,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$1,500	\$0	\$1,500
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$12,000	\$0	\$12,000
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$6,500	\$0	\$6,500
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$100	\$0	\$100
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$6,500	\$0	\$6,500
		trout, Greenback Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$100	\$0	\$100
	Fishes Total				\$790,000	\$0	\$790,000
	Clams						

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>		\$18,500	\$0	\$18,500
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$21,000	\$0	\$21,000
		Fanshell	<i>Cyprogenia stegaria</i>		\$21,000	\$0	\$21,000
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$34,000	\$0	\$34,000
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$28,500	\$0	\$28,500
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$18,500	\$0	\$18,500
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$9,500	\$0	\$9,500
		Pocketbook, fat	<i>Potamilus capax</i>		\$11,500	\$0	\$11,500
		purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Entire ; Except where EXPN	\$16,500	\$0	\$16,500
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$18,500	\$0	\$18,500
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$7,000	\$0	\$7,000
	Clams Total				\$204,500	\$0	\$204,500
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$6,500	\$0	\$6,500
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$6,500	\$0	\$6,500
		Snail, Iowa Pleistocene	<i>Discus macclintocki</i>		\$1,300	\$0	\$1,300
		Snail, Snake River physa	<i>Physa natricina</i>		\$6,500	\$0	\$6,500
	Snails Total				\$20,800	\$0	\$20,800
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$21,500	\$0	\$21,500
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>		\$1,300	\$0	\$1,300
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$172,000	\$0	\$172,000
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>		\$27,000	\$0	\$27,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$700	\$0	\$700
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$2,500	\$0	\$2,500
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocneoma</i>		\$100	\$0	\$100
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$10,600	\$0	\$10,600
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$8,000	\$0	\$8,000
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$8,000	\$0	\$8,000
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$6,500	\$0	\$6,500
		Tiger beetle, Ohlone	<i>Cicindela ohlone</i>		\$8,000	\$0	\$8,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$6,500	\$0	\$6,500
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>		\$7,000	\$0	\$7,000
	Insects Total				\$279,700	\$0	\$279,700
	Arachnids						
		Harvestman, Bee Creek Cave	<i>Texella reddelli</i>		\$8,000	\$0	\$8,000
		Harvestman, Bone Cave	<i>Texella reyesi</i>		\$8,000	\$0	\$8,000
		Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>		\$8,000	\$0	\$8,000
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$8,000	\$0	\$8,000
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$8,000	\$0	\$8,000
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$8,000	\$0	\$8,000
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$8,000	\$0	\$8,000
		Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>		\$8,000	\$0	\$8,000
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$8,000	\$0	\$8,000
		Spider, Kauai cave wolf or pe'e pe'e maka 'ole	<i>Adelocosa anops</i>		\$8,000	\$0	\$8,000
		Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$8,000	\$0	\$8,000
		Spider, Tooth Cave	<i>Leptoneta myopica</i>		\$8,000	\$0	\$8,000
	Arachnids Total				\$96,000	\$0	\$96,000
	Crustaceans						
		Amphipod, Illinois cave	<i>Gammarus acherondytes</i>		\$1,200	\$0	\$1,200
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$1,900	\$0	\$1,900
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,900	\$0	\$1,900
	Corals Total				\$3,800	\$0	\$3,800
	Flowering Plants						
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$1,200	\$0	\$1,200
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$100	\$0	\$100
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$6,500	\$0	\$6,500
		Butterfly plant, Colorado	<i>Gaura neomexicana coloradensis</i>		\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$6,500	\$0	\$6,500
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$6,500	\$0	\$6,500
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$6,500	\$0	\$6,500
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$1,200	\$0	\$1,200



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Howellia, water	<i>Howellia aquatilis</i>		\$6,500	\$0	\$6,500
		Iris, dwarf lake	<i>Iris lacustris</i>		\$1,300	\$0	\$1,300
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$100	\$0	\$100
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$6,500	\$0	\$6,500
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$1,200	\$0	\$1,200
		Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>		\$3,000	\$0	\$3,000
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$3,000	\$0	\$3,000
		monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$1,300	\$0	\$1,300
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$100	\$0	\$100
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$4,500	\$0	\$4,500
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$1,300	\$0	\$1,300
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$6,500	\$0	\$6,500
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$6,500	\$0	\$6,500
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$1,300	\$0	\$1,300
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$2,500	\$0	\$2,500
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$3,000	\$0	\$3,000
	Flowering Plants Total				\$77,400	\$0	\$77,400
<b>Domestic Total</b>					\$3,139,800	\$0	\$3,139,800
<b>Grand Total</b>					<b>\$3,139,800</b>	<b>\$0</b>	<b>\$3,139,800</b>

Federal Energy Regulatory Commission FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$1,400	\$0	\$1,400
		Bat, Indiana	<i>Myotis sodalis</i>		\$11,000	\$0	\$11,000
		Bat, Virginia big-eared	<i>Corynorhinus (Plecotus) townsendii virginianus</i>		\$500	\$0	\$500
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$5,000	\$0	\$5,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$2,000	\$0	\$2,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$200	\$0	\$200
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$600	\$0	\$600
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$500	\$0	\$500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$1,100	\$0	\$1,100
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$1,100	\$0	\$1,100
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$600	\$0	\$600
		Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>		\$400	\$0	\$400
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$3,000	\$0	\$3,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$100	\$0	\$100
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	north-central CO	\$300	\$0	\$300
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$100	\$0	\$100
		Prairie dog, UT	<i>Cynomys parvidens</i>		\$400	\$0	\$400
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$400	\$0	\$400
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$600	\$0	\$600
		Seal, Saimaa	<i>Phoca hispida saimensis</i>		\$500	\$0	\$500
		Whale, blue	<i>Balaenoptera musculus</i>		\$700	\$0	\$700
		Whale, finback	<i>Balaenoptera physalus</i>		\$700	\$0	\$700
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$100	\$0	\$100
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$2,000	\$0	\$2,000
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$800	\$0	\$800
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$500	\$0	\$500
		Whale, Sei	<i>Balaenoptera borealis</i>		\$1,400	\$0	\$1,400
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$800	\$0	\$800
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	MN	\$8,500	\$0	\$8,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN population	\$9,000	\$0	\$9,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$500	\$0	\$500
	Mammals Total				\$54,900	\$0	\$54,900
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$200	\$0	\$200
		Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>		\$800	\$0	\$800
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$300	\$0	\$300
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$100	\$0	\$100
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$100	\$0	\$100
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$1,500	\$0	\$1,500
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$4,000	\$0	\$4,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$1,000	\$0	\$1,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$700	\$0	\$700
		Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$100	\$0	\$100
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$100	\$0	\$100
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$2,000	\$0	\$2,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$2,000	\$0	\$2,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$700	\$0	\$700
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$200	\$0	\$200
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$7,000	\$0	\$7,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$300	\$0	\$300
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$300	\$0	\$300
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$100	\$0	\$100
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$900	\$0	\$900
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$7,000	\$0	\$7,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$100	\$0	\$100
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$100	\$0	\$100
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$100	\$0	\$100
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$3,000	\$0	\$3,000
	Birds Total				\$32,700	\$0	\$32,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles						
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$100	\$0	\$100
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$600	\$0	\$600
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$200	\$0	\$200
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$100	\$0	\$100
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$200	\$0	\$200
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$400	\$0	\$400
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$500	\$0	\$500
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$500	\$0	\$500
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$400	\$0	\$400
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$150	\$0	\$150
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$200	\$0	\$200
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$300	\$0	\$300
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$500	\$0	\$500
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$1,100	\$0	\$1,100
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$100	\$0	\$100
	Reptiles Total				\$5,350	\$0	\$5,350
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$1,400	\$0	\$1,400
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$300	\$0	\$300
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$150	\$0	\$150
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$150	\$0	\$150
		Toad, arroyo (=arroyo SW)	<i>Bufo californicus (=microscaphus)</i>		\$2,000	\$0	\$2,000
	Amphibians Total				\$4,000	\$0	\$4,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$600	\$0	\$600
		Chub, humpback	<i>Gila cypha</i>	entire	\$600	\$0	\$600
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$500	\$0	\$500
		Darter, amber	<i>Percina antesella</i>		\$100	\$0	\$100
		Darter, goldline	<i>Percina aurolineata</i>		\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>		\$3,000	\$0	\$3,000
		Darter, Niangua	<i>Etheostoma nianguae</i>		\$400	\$0	\$400
		Logperch, Roanoke	<i>Percina rex</i>		\$800	\$0	\$800
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$1,200	\$0	\$1,200
		Pikeminnow (squawfish), CO	<i>Ptychocheilus lucius</i>	except Salt, Verde R. drainages, AZ	\$1,100	\$0	\$1,100
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$7,000	\$0	\$7,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	CA Central Valley spring-run	\$400	\$0	\$400
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	CA coastal	\$300	\$0	\$300
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	Puget Sound	\$6,000	\$0	\$6,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	fall Snake R.	\$1,500	\$0	\$1,500
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	lower Columbia R.	\$4,000	\$0	\$4,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring upper Columbia R.	\$1,200	\$0	\$1,200
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring/summer Snake R.	\$2,500	\$0	\$2,500
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	upper Willamette R.	\$8,000	\$0	\$8,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$1,000	\$0	\$1,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer-run Hood Canal	\$1,300	\$0	\$1,300
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Central California Coast ESU	\$100	\$0	\$100
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River ESU	\$4,000	\$0	\$4,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$1,000	\$0	\$1,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Ozette Lake, WA	\$600	\$0	\$600
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	Snake River, ID stock wherever found	\$1,500	\$0	\$1,500
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$150	\$0	\$150
		Shiner, beautiful	<i>Cyprinella formosa</i>		\$150	\$0	\$150
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i> )		\$200	\$0	\$200
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$9,000	\$0	\$9,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$1,500	\$0	\$1,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$4,000	\$0	\$4,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$2,500	\$0	\$2,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$1,600	\$0	\$1,600
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$1,200	\$0	\$1,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>		\$100	\$0	\$100
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$1,500	\$0	\$1,500
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$200	\$0	\$200
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$5,000	\$0	\$5,000
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$12,000	\$0	\$12,000
		Sucker, June	<i>Chasmistes liorus</i>		\$100	\$0	\$100
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$100	\$0	\$100
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$1,100	\$0	\$1,100
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$100	\$0	\$100
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$8,000	\$0	\$8,000
	Fishes Total				\$100,700	\$0	\$100,700
	Clams						
		Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$300	\$0	\$300
		Bankclimber, purple (mussel)	<i>Elliptoides sloatianus</i>		\$100	\$0	\$100
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	AL; Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties	\$400	\$0	\$400
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Entire ; Except where EXPN	\$400	\$0	\$400
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Entire; Except where EXPN	\$400	\$0	\$400
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$100	\$0	\$100
		Clubshell, southern	<i>Pleurobema decisum</i>		\$200	\$0	\$200
		Combshell, southern	<i>Epioblasma penita</i>		\$100	\$0	\$100
		Combshell, upland	<i>Epioblasma metastrata</i>		\$100	\$0	\$100
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$1,000	\$0	\$1,000
		Fanshell	<i>Cyprogenia stegaria</i>		\$400	\$0	\$400
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>		\$500	\$0	\$500
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$100	\$0	\$100
		Kidneyshell, triangular	<i>Ptychobranthus greenii</i>		\$100	\$0	\$100
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$1,100	\$0	\$1,100
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$100	\$0	\$100
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$100	\$0	\$100
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$100	\$0	\$100
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$2,000	\$0	\$2,000
		Pigtoe, heavy	<i>Pleurobema taitianum</i>		\$200	\$0	\$200
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$150	\$0	\$150
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$200	\$0	\$200
		Pocketbook, fat	<i>Potamilus capax</i>		\$900	\$0	\$900
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$150	\$0	\$150
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$2,000	\$0	\$2,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$100	\$0	\$100
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$100	\$0	\$100
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$100	\$0	\$100
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$300	\$0	\$300
	Clams Total				\$11,900	\$0	\$11,900
	Snails						
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>		\$100	\$0	\$100
		Pebblesnail, flat	<i>Lepyrium showalteri</i>		\$100	\$0	\$100
		Rocksnaail, painted	<i>Leptoxis taeniata</i>		\$500	\$0	\$500
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$100	\$0	\$100
		Snail, Snake River physa	<i>Physa natricina</i>		\$400	\$0	\$400
		Snail, tulotoma	<i>Tulotoma magnifica</i>		\$1,500	\$0	\$1,500
		Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>		\$100	\$0	\$100
	Snails Total				\$2,800	\$0	\$2,800
	Insects						
		Beetle, Am. burying	<i>Nicrophorus americanus</i>		\$4,000	\$0	\$4,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$900	\$0	\$900
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>		\$900	\$0	\$900
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$1,200	\$0	\$1,200
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$4,500	\$0	\$4,500
		Butterfly, OR silverspot	<i>Speyeria zerene hippolyta</i>		\$1,400	\$0	\$1,400
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>		\$500	\$0	\$500
	Insects Total				\$13,400	\$0	\$13,400
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$2,000	\$0	\$2,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$100	\$0	\$100
	Crustaceans Total				\$2,100	\$0	\$2,100
	Flowering Plants						

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$400	\$0	\$400
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$100	\$0	\$100
		Beauty, Harper's	<i>Harperocallis flava</i>		\$100	\$0	\$100
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$100	\$0	\$100
		Blazingstar, scrub	<i>Liatris ohlingerae</i>		\$100	\$0	\$100
		Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>		\$100	\$0	\$100
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$100	\$0	\$100
		Campion, fringed	<i>Silene polypetala</i>		\$100	\$0	\$100
		Chaffseed, American	<i>Schwalbea americana</i>		\$100	\$0	\$100
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$1,500	\$0	\$1,500
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$150	\$0	\$150
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$1,000	\$0	\$1,000
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$1,000	\$0	\$1,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$1,100	\$0	\$1,100
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$150	\$0	\$150
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$100	\$0	\$100
		Howellia, water	<i>Howellia aquatilis</i>		\$1,100	\$0	\$1,100
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$100	\$0	\$100
		Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>		\$400	\$0	\$400
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$3,000	\$0	\$3,000
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$400	\$0	\$400
		Lily, Western	<i>Lilium occidentale</i>		\$100	\$0	\$100
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$100	\$0	\$100
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ( <i>oreganus</i> ) <i>kincaidii</i> (=var. <i>kincaidii</i> )		\$500	\$0	\$500
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>		\$100	\$0	\$100
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$100	\$0	\$100
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$100	\$0	\$100
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>		\$500	\$0	\$500
		Milk-vetch, Deseret	<i>Astragalus desereticus</i>		\$150	\$0	\$150
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$200	\$0	\$200
		Mustard, Carter's	<i>Warea carteri</i>		\$100	\$0	\$100



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$200	\$0	\$200
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$1,100	\$0	\$1,100
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$100	\$0	\$100
		Phacelia, clay	<i>Phacelia argillacea</i>		\$150	\$0	\$150
		Phacelia, North Park	<i>Phacelia formosula</i>		\$900	\$0	\$900
		Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>		\$300	\$0	\$300
		Plum, scrub	<i>Prunus geniculata</i>		\$100	\$0	\$100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$300	\$0	\$300
		popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$150	\$0	\$150
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$100	\$0	\$100
		Sandlace	<i>Polygonella myriophylla</i>		\$100	\$0	\$100
		Snakeroot	<i>Eryngium cuneifolium</i>		\$100	\$0	\$100
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,200	\$0	\$1,200
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$300	\$0	\$300
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$200	\$0	\$200
		Wireweed	<i>Polygonella basiramia</i>		\$100	\$0	\$100
		Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>		\$400	\$0	\$400
	Flowering Plants Total				\$19,050	\$0	\$19,050
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$100	\$0	\$100
<b>Domestic Total</b>					\$247,000	\$0	\$247,000
<b>Grand Total</b>					<b>\$247,000</b>	<b>\$0</b>	<b>\$247,000</b>

Nuclear Regulatory Commission FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$432	\$0	\$432
		Bat, Indiana	<i>Myotis sodalis</i>		\$21,555	\$0	\$21,555
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$1,250	\$0	\$1,250
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$2,043	\$0	\$2,043
		Manatee, West Indian	<i>Trichechus manatus</i>		\$15,945	\$0	\$15,945
		Mouse, south-eastern beach	<i>Peromyscus polionotus niveiventris</i>		\$250	\$0	\$250
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$792	\$0	\$792
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$1,358	\$0	\$1,358
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$250	\$0	\$250
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$144	\$0	\$144
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$1,761	\$0	\$1,761
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE, Sussex Co.	\$1,250	\$0	\$1,250
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$858	\$0	\$858
		Whale, blue	<i>Balaenoptera musculus</i>		\$1,358	\$0	\$1,358
		Whale, finback	<i>Balaenoptera physalus</i>		\$1,358	\$0	\$1,358
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$1,358	\$0	\$1,358
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$250	\$0	\$250
		Whale, Sei	<i>Balaenoptera borealis</i>		\$1,358	\$0	\$1,358
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$1,358	\$0	\$1,358
	Mammals Total				\$54,928	\$0	\$54,928
	Birds						
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$1,358	\$0	\$1,358
		Crane, whooping	<i>Grus americana</i>	AL, AR,GA,IL,IN, IA, KY,LA,MI,MN, MS, MO, NC,OH, SC, TN,VA,WI,WV	\$4,261	\$0	\$4,261
		Flycatcher, SW willow	<i>Empidonax traillii extimus</i>		\$136	\$0	\$136
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$1,358	\$0	\$1,358
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$171	\$0	\$171
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$8,608	\$0	\$8,608
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$1,080	\$0	\$1,080

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$1,250	\$0	\$1,250
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$2,108	\$0	\$2,108
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$500	\$0	\$500
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$858	\$0	\$858
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$12,712	\$0	\$12,712
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,250	\$0	\$1,250
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$144	\$0	\$144
		Warbler (wood), Bachman's	<i>Vermivora bachmanii</i>		\$500	\$0	\$500
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$500	\$0	\$500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$21,072	\$0	\$21,072
	Birds Total				\$57,866	\$0	\$57,866
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$10,604	\$0	\$10,604
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$5,033	\$0	\$5,033
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$7,881	\$0	\$7,881
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$20,952	\$0	\$20,952
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$13,981	\$0	\$13,981
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$27,976	\$0	\$27,976
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$28,042	\$0	\$28,042
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$29,518	\$0	\$29,518
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$792	\$0	\$792
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$250	\$0	\$250
		Skink, sand	<i>Neoseps reynoldsi</i>		\$2,108	\$0	\$2,108
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		\$250	\$0	\$250
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$6,560	\$0	\$6,560
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$2,996	\$0	\$2,996
	Reptiles Total				\$156,943	\$0	\$156,943
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$4,760	\$0	\$4,760
		Toad, Houston	<i>Bufo houstonensis</i>		\$1,250	\$0	\$1,250
	Amphibians Total				\$6,010	\$0	\$6,010
	Fishes						
		Darter, snail	<i>Percina tanasi</i>		\$288	\$0	\$288
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$136	\$0	\$136
		Salmon, chinook	<i>Oncorhynchus (Salmo) tshawytscha</i>	lower Columbia R.	\$504	\$0	\$504

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$144	\$0	\$144
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$6,858	\$0	\$6,858
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>		\$2,500	\$0	\$2,500
		Silverside, Waccamaw	<i>Menidia extensa</i>		\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$576	\$0	\$576
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$2,817	\$0	\$2,817
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$360	\$0	\$360
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$48,593	\$0	\$48,593
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$504	\$0	\$504
	Fishes Total				\$63,780	\$0	\$63,780
	Clams						
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>		\$4,000	\$0	\$4,000
		Fanshell	<i>Cyprogenia stegaria</i>		\$288	\$0	\$288
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$15,330	\$0	\$15,330
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$486	\$0	\$486
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$246	\$0	\$246
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$288	\$0	\$288
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$288	\$0	\$288
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$288	\$0	\$288
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$288	\$0	\$288
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$4,000	\$0	\$4,000
		Spinymussel, James	<i>Pleurobema collina</i>		\$1,250	\$0	\$1,250
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$2,000	\$0	\$2,000
	Clams Total				\$28,752	\$0	\$28,752
	Snails						
		Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i> )		\$500	\$0	\$500
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$4,304	\$0	\$4,304
		Butterfly, Schaus swallowtail	<i>Heracles aristodemus ponceanus</i>		\$500	\$0	\$500
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$14,128	\$0	\$14,128
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$22,944	\$0	\$22,944
	Insects Total				\$41,876	\$0	\$41,876
	Crustaceans						
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$720	\$0	\$720
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$720	\$0	\$720

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shrimp, CA freshwater	<i>Syncaris pacifica</i>		\$720	\$0	\$720
	Crustaceans Total				\$2,160	\$0	\$2,160
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$2,358	\$0	\$2,358
		Coral, staghorn	<i>Acropora cervicornis</i>		\$2,358	\$0	\$2,358
	Corals Total				\$4,716	\$0	\$4,716
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$250	\$0	\$250
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$5,760	\$0	\$5,760
		Aster, Florida golden	<i>Chrysopsis floridana</i>		\$1,956	\$0	\$1,956
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$1,956	\$0	\$1,956
		Bellflower, Brooksville	<i>Campanula robinsiae</i>		\$1,956	\$0	\$1,956
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$1,956	\$0	\$1,956
		Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>		\$1,956	\$0	\$1,956
		Chaffseed, American	<i>Schwalbea americana</i>		\$1,260	\$0	\$1,260
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$6,510	\$0	\$6,510
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$1,250	\$0	\$1,250
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$9,246	\$0	\$9,246
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$1,956	\$0	\$1,956
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$750	\$0	\$750
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$250	\$0	\$250
		Harperella	<i>Ptilimnium nodosum</i>		\$2,250	\$0	\$2,250
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$3,000	\$0	\$3,000
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$250	\$0	\$250
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$500	\$0	\$500
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$250	\$0	\$250
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$1,250	\$0	\$1,250
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$144	\$0	\$144
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$500	\$0	\$500
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$3,010	\$0	\$3,010
		Lupine, scrub	<i>Lupinus aridorum</i>		\$250	\$0	\$250
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$250	\$0	\$250
		Milkpea, Small's	<i>Galactia smallii</i>		\$500	\$0	\$500
		Mint, Garrett's	<i>Dicerandra christmanii</i>		\$250	\$0	\$250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mint, longspurred	<i>Dicerandra cornutissima</i>		\$1,956	\$0	\$1,956
		Mint, scrub	<i>Dicerandra frutescens</i>		\$250	\$0	\$250
		Mustard, Carter's	<i>Warea carteri</i>		\$1,956	\$0	\$1,956
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$4,304	\$0	\$4,304
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$250	\$0	\$250
		Pigeon wings	<i>Clitoria fragrans</i>		\$250	\$0	\$250
		Pink, swamp	<i>Helonias bullata</i>		\$1,608	\$0	\$1,608
		Plum, scrub	<i>Prunus geniculata</i>		\$1,956	\$0	\$1,956
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$358	\$0	\$358
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$1,956	\$0	\$1,956
		Polygala, tiny	<i>Polygala smallii</i>		\$500	\$0	\$500
		Pondberry	<i>Lindera melissifolia</i>		\$2,760	\$0	\$2,760
		Prickly-apple, fragrant	<i>Cereus eriophorus</i> var. <i>fragrans</i>		\$250	\$0	\$250
		Rosemary, Etonia	<i>Conradina etonia</i>		\$250	\$0	\$250
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$250	\$0	\$250
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$1,250	\$0	\$1,250
		Sandlace	<i>Polygonella myriophylla</i>		\$1,956	\$0	\$1,956
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$1,250	\$0	\$1,250
		Snakeroot	<i>Eryngium cuneifolium</i>		\$250	\$0	\$250
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$500	\$0	\$500
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$500	\$0	\$500
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$250	\$0	\$250
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$5,760	\$0	\$5,760
		Trillium, relict	<i>Trillium reliquum</i>		\$2,000	\$0	\$2,000
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$1,956	\$0	\$1,956
		Water-willow, Cooley's	<i>Justicia cooleyi</i>		\$1,956	\$0	\$1,956
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$250	\$0	\$250
		Wireweed	<i>Polygonella basiramia</i>		\$250	\$0	\$250
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$250	\$0	\$250
	Flowering Plants Total				\$86,648	\$0	\$86,648
	Ferns and Allies						
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$2,760	\$0	\$2,760
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$250	\$0	\$250
<b>Domestic Total</b>					\$507,189	\$0	\$507,189
<b>Grand Total</b>					<b>\$507,189</b>	<b>\$0</b>	<b>\$507,189</b>

Smithsonian Institution FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, Virginia big-eared	<i>Corynorhinus townsendii virginianus</i>		\$39,440	\$0	\$39,440
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$150,500	\$0	\$150,500
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$84,000	\$0	\$84,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$7,000	\$0	\$7,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$7,000	\$0	\$7,000
	Mammals Total				\$287,940	\$0	\$287,940
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$14,000	\$0	\$14,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$20,420	\$0	\$20,420
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$5,280	\$0	\$5,280
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>		\$15,300	\$0	\$15,300
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$17,000	\$0	\$17,000
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$7,300	\$0	\$7,300
	Birds Total				\$79,300	\$0	\$79,300
<b>Domestic Total</b>					\$367,240	\$0	\$367,240
<b>Foreign</b>							
	Mammals						
		Addax	<i>Addax nasomaculatus</i>		\$7,000	\$0	\$7,000
		Ass, Asian wild	<i>Equus hemionus</i>		\$34,200	\$0	\$34,200
		Cheetah	<i>Acinonyx jubatus</i>		\$10,100	\$0	\$10,100
		Deer, Eld's brow-antlered	<i>Cervus eldi</i>		\$102,500	\$0	\$102,500
		Elephant, Asian	<i>Elephas maximus</i>		\$133,000	\$0	\$133,000
		Gazelle, Moroccan	<i>Gazella dorcas massaesyla</i>		\$7,000	\$0	\$7,000
		Horse, Przewalski's	<i>Equus przewalskii</i>		\$75,300	\$0	\$75,300
		Leopard, clouded	<i>Neofelis nebulosa</i>		\$97,000	\$0	\$97,000
		Panda, giant	<i>Ailuropoda melanoleuca</i>		\$33,600	\$0	\$33,600
		Tamarin, golden-rumped	<i>Leontopithecus spp.</i>		\$60,500	\$0	\$60,500
		Tapir, Central American	<i>Tapirus bairdii</i>		\$7,000	\$0	\$7,000
		Tiger	<i>Panthera tigris</i>		\$56,000	\$0	\$56,000
		Wolf, maned	<i>Chrysocyon brachyurus</i>		\$55,800	\$0	\$55,800
	Mammals Total				\$679,000	\$0	\$679,000
<b>Foreign Total</b>					\$679,000	\$0	\$679,000
<b>Grand Total</b>					<b>\$1,046,240</b>	<b>\$0</b>	<b>\$1,046,240</b>

Tennessee Valley Authority FY10							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
<b>Domestic</b>							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$35,000	\$0	\$35,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$900,000	\$0	\$900,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$500	\$0	\$500
	Mammals Total				\$935,500	\$0	\$935,500
	Birds						
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,000	\$0	\$1,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$16,000	\$0	\$16,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$2,000	\$0	\$2,000
	Birds Total				\$19,000	\$0	\$19,000
	Reptiles						
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$300	\$0	\$300
		Turtle, ringed map	<i>Graptemys oculifera</i>		\$300	\$0	\$300
	Reptiles Total				\$600	\$0	\$600
	Fishes						
		Darter, bluemark (=jewel)	<i>Etheostoma sp.</i>		\$195,000	\$0	\$195,000
		Darter, boulder	<i>Etheostoma wapiti</i>		\$365,000	\$0	\$365,000
	Fishes Total				\$560,000	\$0	\$560,000
	Clams						
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Entire; Except where EXPN	\$116,000	\$0	\$116,000
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$376,000	\$0	\$376,000
		Pearlymussel, birdwing	<i>Conradilla caelata</i>	Entire; Except where EXPN	\$150,000	\$0	\$150,000
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$250,000	\$0	\$250,000
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Co.	\$152,000	\$0	\$152,000
		Pigtoe, shiny	<i>Fusconaia cor</i>	AL; Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Co.	\$133,000	\$0	\$133,000
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$386,000	\$0	\$386,000
	Clams Total				\$1,563,000	\$0	\$1,563,000
	Snails						
		Snail, painted snake coiled forest	<i>Anguispira picta</i>		\$300	\$0	\$300
	Arachnids						
		Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$300	\$0	\$300



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Flowering Plants						
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$19,000	\$0	\$19,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$66,000	\$0	\$66,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,000	\$0	\$1,000
	Flowering Plants Total				\$86,000	\$0	\$86,000
<b>Domestic Total</b>					\$3,164,700	\$0	\$3,164,700
<b>Grand Total</b>					<b>\$3,164,700</b>	<b>\$0</b>	<b>\$3,164,700</b>

Appendix C. Expenditures Reported by the States for FY2010				
Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals	Bat, gray	<i>Myotis grisescens</i>	\$48,200	\$0
	Bat, Indiana	<i>Myotis sodalis</i>	\$235,830	\$0
	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$71,600	\$0
	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,500	\$0
	Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$4,050	\$0
	Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$42,500	\$0
	Bear, grizzly -- experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$14,000	\$0
	Bear, grizzly -- lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$2,425,667	\$0
	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$22,700	\$0
	Bear, polar	<i>Ursus maritimus</i>	\$20,749	\$0
	Bison, wood -- Canada	<i>Bison bison athabasca</i>	\$45,800	\$0
	Caribou, woodland -- Selkirk Mountain pop.	<i>Rangifer tarandus caribou</i>	\$46,000	\$0
	Deer, Columbian white-tailed -- Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$35,000	\$0
	Ferret, black-footed -- entire population, except where EXPN	<i>Mustela nigripes</i>	\$280,560	\$0
	Ferret, black-footed -- U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$312,000	\$0
	Jaguar	<i>Panthera onca</i>	\$101,600	\$0
	Lynx, Canada -- (Contiguous U.S. DPS)	<i>Lynx canadensis</i>	\$416,572	\$423,000
	Manatee, West Indian	<i>Trichechus manatus</i>	\$5,304,753	\$0
	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$11,194	\$0
	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$33,581	\$0
	Mouse, Preble's meadow jumping -- U.S.A., north-central CO	<i>Zapus hudsonius preblei</i>	\$48,874	\$0
	Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	\$11,194	\$0
	Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$91,547	\$0
	Otter, Northern Sea -- southwest Alaska DPS	<i>Enhydra lutris kenyoni</i>	\$6,705	\$0
	Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$672,060	\$0
	Prairie dog, Utah	<i>Cynomys parvidens</i>	\$90,000	\$0
	Pronghorn, Sonoran -- Entire	<i>Antilocapra americana sonoriensis</i>	\$282,000	\$0
	Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$2,309	\$0
	Puma (=mountain lion) -- FL	<i>Puma (=Felis) concolor (all subsp. except coryi)</i>	\$150	\$0
	Rabbit, pygmy -- Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$250,800	\$0
	Sea-lion, Steller -- western pop.	<i>Eumetopias jubatus</i>	\$47,430	\$0
	Sea-lion, Steller -- eastern pop.	<i>Eumetopias jubatus</i>	\$40,620	\$0
	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$13,032	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$40,000	\$0	
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$28,000	\$0	
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$1,000	\$0	
Whale, finback	<i>Balaenoptera physalus</i>	\$94,579	\$0	
Whale, humpback	<i>Megaptera novaeangliae</i>	\$94,579	\$0	
Whale, killer -- Southern Resident DPS	<i>Orcinus orca</i>	\$15,000	\$0	
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$732,555	\$0	
Wolf, gray -- Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	<i>Canis lupus</i>	\$753,855	\$423,000	

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Wolf, gray -- MN	<i>Canis lupus</i>	\$195,000	\$0
	Wolf, gray -- WY, ID, MT	<i>Canis lupus</i>	\$634,373	\$0
	Wolf, gray -- Mexican gray wolf, EXPN pop.	<i>Canis lupus</i>	\$461,500	\$0
	Wolf, red -- U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$89,000	\$0
<b>Mammals subtotal</b>			\$14,170,018	\$846,000
<b>Birds</b>	Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$500	\$0
	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	\$40,000	\$0
	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$2,000	\$0
	Condor, California -- U.S.A. (specific portions of Arizona, Nevada, and Utah)	<i>Gymnogyps californianus</i>	\$55,000	\$0
	Condor, California -- U.S.A. only	<i>Gymnogyps californianus</i>	\$196,000	\$0
	Crane, whooping -- U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	<i>Grus americana</i>	\$114,517	\$0
	Crane, whooping -- except where EXPN	<i>Grus americana</i>	\$16,460	\$0
	Crane, whooping -- U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$900	\$0
	Eagle, bald -- Sonoran Desert DPS	<i>Haliaeetus leucocephalus</i>	\$407,436	\$0
	Eider, spectacled	<i>Somateria fischeri</i>	\$500	\$0
	Eider, Steller's -- AK breeding pop.	<i>Polysticta stelleri</i>	\$500	\$0
	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$440	\$0
	Falcon, northern aplomado -- Southwestern population	<i>Falco femoralis septentrionalis</i>	\$3,000	\$0
	Flycatcher, southwestern willow	<i>Empidonax traillii eximius</i>	\$179,262	\$0
	Kite, Everglade snail -- FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$44,818	\$0
	Murrelet, marbled -- CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$1,029,665	\$0
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$85,000	\$0
	Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$1,141,683	\$0
	Parrot, Puerto Rican	<i>Amazona vittata</i>	\$280,000	\$0
	Plover, piping -- Great Lakes watershed	<i>Charadrius melodus</i>	\$100	\$0
	Plover, piping -- except Great Lakes watershed	<i>Charadrius melodus</i>	\$272,296	\$0
	Plover, western snowy -- Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$154,030	\$0
	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$27,600	\$0
	Rail, Yuma clapper -- U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$30,000	\$1,469,184
	scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	\$65,135	\$0
	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$25,639	\$0
	Stork, wood -- AL, FL, GA, SC	<i>Mycteria americana</i>	\$17,253	\$0
	Tern, California least	<i>Sterna antillarum browni</i>	\$1,000	\$0
	Tern, least -- interior pop.	<i>Sterna antillarum</i>	\$138,953	\$0
	Tern, roseate -- northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$623	\$0
	Vireo, black-capped	<i>Vireo atricapilla</i>	\$13,100	\$0
	Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$8,300	\$0
	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	\$57,000	\$0
	Woodpecker, ivory-billed -- entire	<i>Campephilus principalis</i>	\$871	\$0
	Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$874,552	\$96,000
<b>Birds subtotal</b>			\$5,284,133	\$1,565,184
<b>Reptiles</b>	Alligator, American	<i>Alligator mississippiensis</i>	\$991,942	\$0
	Crocodile, American -- FL pop.	<i>Crocodylus acutus</i>	\$4,127	\$0
	Iguana, Mona ground	<i>Cyclura cornuta stejnegeri</i>	\$15,000	\$0
	Sea turtle, green -- except where endangered	<i>Chelonia mydas</i>	\$8,000	\$0
	Sea turtle, green -- FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$149,391	\$0
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$88,848	\$0
	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$415,548	\$0
	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$177,391	\$0
	Sea turtle, loggerhead	<i>Caretta caretta</i>	\$463,679	\$0
	Sea turtle, olive ridley -- except where endangered	<i>Lepidochelys olivacea</i>	\$500	\$0
	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$31,500	\$3,279,500

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Snake, Lake Erie water -- subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$54,300	\$0
	Tortoise, desert -- except in Sonoran Desert	<i>Gopherus agassizii</i>	\$14,200	\$0
	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$13,500	\$0
	Turtle, bog (=Muhlenberg) -- northern	<i>Clemmys muhlenbergii</i>	\$18,470	\$0
	Turtle, bog (=Muhlenberg) -- southern	<i>Clemmys muhlenbergii</i>	\$8,780	\$0
<b>Reptiles subtotal</b>			\$2,455,176	\$3,279,500
<b>Amphibians</b>	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$178,400	\$0
	Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$4,000	\$0
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$2,000	\$0
	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$0	\$4,050,000
	salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	\$12,717	\$0
	Salamander, San Marcos	<i>Eurycea nana</i>	\$2,000	\$0
	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$800	\$0
	Toad, Houston	<i>Bufo houstonensis</i>	\$14,600	\$0
	Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)	\$6,399	\$0
<b>Amphibians subtotal</b>			\$220,916	\$4,050,000
<b>Fishes</b>	Catfish, Yaqui	<i>Ictalurus pricei</i>	\$36,500	\$0
	Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$64,000	\$0
	Chub, bonytail -- entire	<i>Gila elegans</i>	\$162,459	\$0
	Chub, Chihuahua	<i>Gila nigrescens</i>	\$2,100	\$0
	Chub, Gila	<i>Gila intermedia</i>	\$86,100	\$0
	Chub, humpback -- entire	<i>Gila cypha</i>	\$358,459	\$0
	Chub, Hutton tui -- Hutton	<i>Gila bicolor ssp.</i>	\$1,000	\$0
	Chub, Oregon	<i>Oregonichthys crameri</i>	\$2,252	\$0
	Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	\$2,000	\$0
	Chub, Sonora	<i>Gila ditaenia</i>	\$36,500	\$0
	Chub, spotfin -- Entire	<i>Erimonax monachus</i>	\$8,736	\$0
	Chub, spotfin -- U.S.A. (TN - specified portions of the French Broad and Holston Rivers)	<i>Erimonax monachus</i>	\$349	\$0
	Chub, Virgin River	<i>Gila seminuda</i> (=robusta)	\$267,700	\$0
	Chub, Yaqui	<i>Gila purpurea</i>	\$36,500	\$0
	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$1,800	\$0
	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	\$800	\$0
	Dace, desert	<i>Eremichthys acros</i>	\$2,200	\$0
	Dace, Foskett speckled -- Foskett	<i>Rhinichthys osculus ssp.</i>	\$1,000	\$0
	Dace, Moapa	<i>Moapa coriacea</i>	\$7,200	\$0
	Darter, amber	<i>Percina antesella</i>	\$7,500	\$0
	Darter, boulder	<i>Etheostoma wapiti</i>	\$349	\$0
	Darter, Cherokee	<i>Etheostoma scotti</i>	\$7,500	\$0
	Darter, duskytail -- Tellico River, TN	<i>Etheostoma percnum</i>	\$349	\$0
	Darter, Etowah	<i>Etheostoma etowahae</i>	\$7,500	\$0
	Darter, fountain	<i>Etheostoma fonticola</i>	\$1,600	\$0
	Darter, goldline	<i>Percina aurolineata</i>	\$9,500	\$0
	Darter, leopard	<i>Percina pantherina</i>	\$1,100	\$0
	Darter, Niangua	<i>Etheostoma nianguae</i>	\$175,000	\$0
	Darter, snail	<i>Percina tanasi</i>	\$7,500	\$0
	Gambusia, Pecos	<i>Gambusia nobilis</i>	\$12,300	\$0
	Logperch, Conasauga	<i>Percina jenkinsi</i>	\$7,500	\$0
	Logperch, Roanoke	<i>Percina rex</i>	\$2,850	\$0
	Madtom, Neosho	<i>Noturus placidus</i>	\$9,000	\$0
	Madtom, smoky -- Tellico River, TN	<i>Noturus baileyi</i>	\$349	\$0
	Madtom, yellowfin -- U.S.A. (TN - specified portions of the French Broad and Holston Rs.)	<i>Noturus flavipinnis</i>	\$349	\$0
	Minnow, Devils River	<i>Dionda diaboli</i>	\$13,400	\$0
	Minnow, loach	<i>Tiaroga cobitis</i>	\$138,000	\$0
	Minnow, Rio Grande silvery -- Entire, except where EXPN	<i>Hybognathus amarus</i>	\$78,800	\$0
	Pikeminnow (=squawfish), Colorado -- except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$158,159	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$3,000	\$0
	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$3,500	\$0
	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$9,600	\$0
	Pupfish, desert	<i>Cyprinodon macularius</i>	\$69,500	\$0
	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$2,500	\$0
	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	\$25,400	\$0
	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$1,500	\$0
	Salmon, Atlantic -- Gulf of Maine DPS	<i>Salmo salar</i>	\$234,692	\$0
	Salmon, chinook -- lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,782,469	\$0
	Salmon, chinook -- Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$7,542,349	\$89,500
	Salmon, chinook -- spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,516,469	\$423,000
	Salmon, chinook -- upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$80,340	\$0
	Salmon, chinook -- fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$638,903	\$0
	Salmon, chinook -- spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$879,473	\$0
	Salmon, chum -- Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$721,886	\$0
	Salmon, chum -- summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$802,476	\$89,500
	Salmon, coho -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,563,302	\$0
	Salmon, coho -- Central California Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$308,063	\$0
	Salmon, coho -- OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$20,927	\$0
	Salmon, sockeye -- Snake River, ID stock	<i>Oncorhynchus (=Salmo) nerka</i>	\$494,354	\$0
	Salmon, sockeye -- Ozette Lake, WA	<i>Oncorhynchus (=Salmo) nerka</i>	\$353,785	\$0
	Sawfish, smalltooth	<i>Pristis pectinata</i>	\$12,262	\$0
	Shiner, Arkansas River -- Arkansas R. Basin	<i>Notropis girardi</i>	\$5,200	\$0
	Shiner, beautiful	<i>Cyprinella formosa</i>	\$36,500	\$0
	Shiner, blue	<i>Cyprinella caerulea</i>	\$7,500	\$0
	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$5,884	\$0
	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$10,500	\$0
	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$56,250	\$0
	Silverside, Waccamaw	<i>Menidia extensa</i>	\$724	\$0
	Spikedace	<i>Meda fulgida</i>	\$131,000	\$0
	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$4,000	\$0
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$39,000	\$0
	Spinedace, White River	<i>Lepidomeda albivallis</i>	\$4,500	\$0
	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$2,400	\$0
	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$6,500	\$0
	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$900	\$0
	Steelhead -- upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$501,605	\$423,000
	Steelhead -- upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$66,680	\$0
	Steelhead -- middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$607,910	\$1,034,400
	Steelhead -- lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$670,931	\$0
	Steelhead -- Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$887,960	\$0
	Steelhead -- Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,493,537	\$0
	Sturgeon, Alabama	<i>Scaphirhynchus sutkusi</i>	\$2,000	\$0
	Sturgeon, North American green -- CA-So.DPS	<i>Acipenser medirostris</i>	\$21,061	\$0
	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$315,159	\$0
	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$37,146	\$0
	Sturgeon, white -- U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$35,000	\$0
	Sucker, June	<i>Chasmistes liorus</i>	\$380,000	\$0
	Sucker, Lost River	<i>Deltistes luxatus</i>	\$286	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Sucker, Modoc	<i>Catostomus microps</i>	\$286	\$0
	Sucker, razorback -- entire	<i>Xyrauchen texanus</i>	\$280,259	\$0
	Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$582	\$0
	Sucker, Warner	<i>Catostomus warnerensis</i>	\$1,582	\$0
	Topminnow, Gila (incl. Yaqui) -- U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$147,100	\$0
	Trout, Apache	<i>Oncorhynchus apache</i>	\$93,000	\$0
	Trout, bull -- U.S.A., conterm., lower 48 states	<i>Salvelinus confluentus</i>	\$1,771,284	\$1,475,400
	Trout, Gila	<i>Oncorhynchus gilae</i>	\$150,000	\$0
	trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	\$123,868	\$0
	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$83,776	\$0
	Woundfin -- except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$187,200	\$0
	Woundfin -- Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$5,000	\$0
<b>Fishes subtotal</b>			\$26,957,080	\$3,534,800
<b>Clams</b>	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$4,500	\$0
	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$5,000	\$0
	Bean, Cumberland (pearlymussel) -- Entire; Except where EXPN	<i>Villosa trabalis</i>	\$1,000	\$0
	Bean, purple	<i>Villosa perpurpurea</i>	\$349	\$0
	Blossom, tubercled (pearlymussel) -- Entire; Except where EXPN	<i>Epioblasma torulosa torulosa</i>	\$500	\$0
	Clubshell -- Entire; Except where EXPN	<i>Pleurobema clava</i>	\$17,500	\$0
	Clubshell, ovate	<i>Pleurobema perovatum</i>	\$4,975	\$0
	Clubshell, southern	<i>Pleurobema decisum</i>	\$4,975	\$0
	Combshell, Cumberlandian -- Entire; Except where EXPN	<i>Epioblasma brevidens</i>	\$1,549	\$0
	Combshell, southern	<i>Epioblasma penita</i>	\$475	\$0
	Combshell, upland	<i>Epioblasma metastrata</i>	\$4,975	\$0
	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$63,088	\$0
	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$500	\$0
	Fanshell -- TN - portions of the French Broad and Holston Rivers	<i>Cyprogenia stegaria</i>	\$1,049	\$0
	Fanshell	<i>Cyprogenia stegaria</i>	\$6,200	\$0
	fatmucket, Arkansas	<i>Lampsilis powellii</i>	\$4,250	\$0
	Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$475	\$0
	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$6,800	\$0
	Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$42,000	\$0
	Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$4,475	\$0
	Mapleleaf, winged -- Entire; except EXPN	<i>Quadrula fragosa</i>	\$20,000	\$0
	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$4,475	\$0
	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$3,475	\$0
	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$5,000	\$0
	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$5,000	\$0
	Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$475	\$0
	Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$7,499	\$0
	Mussel, oyster -- Entire; Except where EXPN	<i>Epioblasma capsaeformis</i>	\$2,049	\$0
	Mussel, oyster -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	<i>Epioblasma capsaeformis</i>	\$575	\$0
	Mussel, scaleshell	<i>Leptodea leptodon</i>	\$6,299	\$0
	Pearlymussel, birdwing -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties	<i>Conradilla caelata</i>	\$575	\$0
	Pearlymussel, birdwing -- TN - portions of the French Broad and Holston Rivers	<i>Conradilla caelata</i>	\$349	\$0
	Pearlymussel, cracking -- TN - portions of the French Broad and Holston Rivers	<i>Hemistena lata</i>	\$349	\$0
	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$500	\$0
	Pearlymussel, dromedary -- TN - portions of the French Broad and Holston Rivers	<i>Dromus dromas</i>	\$349	\$0
	Pearlymussel, dromedary -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	<i>Dromus dromas</i>	\$575	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Pearlymussel, littlewing	<i>Pegias fabula</i>	\$2,200	\$0
	Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$475	\$0
	Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$5,000	\$0
	Pigtoe, rough	<i>Pleurobema plenum</i>	\$1,000	\$0
	Pigtoe, southern	<i>Pleurobema georgianum</i>	\$4,500	\$0
	Pimpleback, orangefoot (pearlymussel) -- TN - portions of the French Broad and Holston Rs.	<i>Plethobasus cooperianus</i>	\$699	\$0
	Pocketbook, fat	<i>Potamilus capax</i>	\$3,900	\$0
	Pocketbook, finelined	<i>Lampsilis altilis</i>	\$3,500	\$0
	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$4,500	\$0
	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$5,500	\$0
	Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$6,500	\$0
	purple cat's paw (=purple cat's paw pearlymussel) -- Entire; Except where EXPN	<i>Epioblasma obliquata obliquata</i>	\$699	\$0
	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$799	\$0
	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$29,100	\$0
	Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$1,000	\$0
	Spinymussel, James	<i>Pleurobema collina</i>	\$5,000	\$0
	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$28,262	\$0
	Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$2,000	\$0
	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$29,969	\$0
<b>Clams subtotal</b>			\$366,782	\$0
<b>Snails</b>	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$30,000	\$0
	Campeloma, slender	<i>Campeloma decampi</i>	\$4,500	\$0
	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$300	\$0
	Riversnail, Anthony's -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	<i>Athearnia anthonyi</i>	\$575	\$0
	Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	\$1,200	\$0
	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$1,000	\$0
	Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$1,300	\$0
	Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$1,300	\$0
	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$17,000	\$0
	Springsnail, Koster's	<i>Jurnia kosteri</i>	\$1,000	\$0
	Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$1,100	\$0
	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$1,300	\$0
<b>Snails subtotal</b>			\$60,575	\$0
<b>Insects</b>	Beetle, American burying	<i>Nicrophorus americanus</i>	\$97,678	\$0
	Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	\$1,160	\$0
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$238,500	\$0
	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$5,000	\$0
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$153,200	\$0
	Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$1,160	\$0
	Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$1,160	\$0
	Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$800	\$0
	Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$31,700	\$304,000
<b>Insects subtotal</b>			\$530,358	\$304,000
<b>Arachnids</b>	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	\$1,600	\$0
	Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>	\$1,160	\$0
	Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$1,160	\$0
	Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>	\$1,160	\$0
<b>Arachnids subtotal</b>			\$5,080	\$0
<b>Crustaceans</b>	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$6,100	\$0
	Amphipod, Noel's	<i>Gammarus desperatus</i>	\$1,600	\$0
	Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>	\$1,600	\$0
	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$1,650	\$0
<b>Crustaceans subtotal</b>			\$10,950	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Flowering Plants	Alani	<i>Melicope adscendens</i>	\$2,337	\$0
	Alani	<i>Melicope mucronulata</i>	\$1,851	\$0
	Alani	<i>Melicope pallida</i>	\$1,364	\$0
	Alani	<i>Melicope haupuensis</i>	\$1,851	\$0
	Alani	<i>Melicope lydgatei</i>	\$487	\$0
	Alani	<i>Melicope zahlbruckneri</i>	\$2,337	\$0
	Alani	<i>Melicope paniculata</i>	\$487	\$0
	Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$1,246	\$0
	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$100	\$0
	Amphianthus, little	<i>Amphianthus pusillus</i>	\$1,500	\$0
	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$28	\$0
	Aster, decurrent false	<i>Boltonia decurrens</i>	\$2,200	\$0
	Aster, Florida golden	<i>Chrysopsis floridana</i>	\$17,200	\$0
	Aupaka	<i>Isodendron hosakae</i>	\$487	\$0
	Aupaka	<i>Isodendron laurifolium</i>	\$1,851	\$0
	Aupaka	<i>Isodendron longifolium</i>	\$697	\$0
	Avens, spreading	<i>Geum radiatum</i>	\$182	\$0
	Awiwi	<i>Centaurium sebaeoides</i>	\$433	\$0
	Ayenia, Texas	<i>Ayenia limitaris</i>	\$200	\$0
	A`e	<i>Zanthoxylum hawaiiense</i>	\$1,364	\$0
	A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>	\$2,450	\$0
	Bear-poppy, Dwarf	<i>Arctomecon humilis</i>	\$1,000	\$0
	Beargrass, Britton's	<i>Nolina brittoniana</i>	\$2,000	\$3,700
	Beauty, Harper's	<i>Harperocallis flava</i>	\$600	\$0
	Bellflower, Brooksville	<i>Campanula robiniae</i>	\$4,100	\$0
	Birds-in-a-nest, white	<i>Macbridea alba</i>	\$2,000	\$0
	Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$160	\$0
	bladderpod, Missouri	<i>Physaria filiformis</i>	\$2,200	\$0
	Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$1,790	\$0
	Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$400	\$0
	Blazingstar, Heller's	<i>Liatris helleri</i>	\$1,378	\$0
	Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$20,000	\$0
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$1,000	\$0
	Bluet, Roan Mountain	<i>Hedyotis purpurea montana</i>	\$140	\$0
	Bonamia, Florida	<i>Bonamia grandiflora</i>	\$5,000	\$3,700
	Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$3,100	\$3,700
	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$1,054	\$0
	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$1,720	\$0
	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$3,200	\$0
	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$1,700	\$0
	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	\$3,000	\$0
	Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	\$100	\$0
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$1,000	\$0
	Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>	\$100	\$0
	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$1,000	\$0
	Cactus, Key tree	<i>Pilosocereus robinii</i>	\$10,600	\$0
	Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>	\$200	\$0
	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$300	\$0
	Cactus, Nellie cory	<i>Coryphantha minima</i>	\$200	\$0
	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>	\$1,000	\$0
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	\$1,000	\$0
	Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	\$3,000	\$0
	Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i>	\$1,000	\$0



Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Cactus, star	<i>Astrophytum asterias</i>	\$8,240	\$0
	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$32,900	\$0
	Campion, fringed	<i>Silene polypetala</i>	\$8,200	\$0
	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	\$300	\$0
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$20,900	\$0
	Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$433	\$0
	Chaffseed, American	<i>Schwalbea americana</i>	\$16,908	\$0
	Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$1,000	\$0
	Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$4,100	\$0
	Coneflower, smooth	<i>Echinacea laevigata</i>	\$12,032	\$0
	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$1,117	\$0
	Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$100	\$0
	Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$1,000	\$0
	Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$100	\$0
	Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$17,042	\$0
	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$1,000	\$0
	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$19,000	\$0
	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$2,200	\$0
	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	\$1,600	\$1,800
	Gardenia (=Na' u), Hawaiian	<i>Gardenia brighamii</i>	\$4,928	\$0
	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$1,851	\$0
	Gerardia, sandplain	<i>Agalinis acuta</i>	\$150	\$0
	Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	\$98	\$0
	Goldenrod, Short's	<i>Solidago shortii</i>	\$500	\$0
	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$600	\$0
	Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>	\$2,600	\$0
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$8,006	\$0
	Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$935	\$0
	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$1,000	\$0
	Haha	<i>Cyanea procera</i>	\$1,851	\$0
	Haha	<i>Cyanea koolauensis</i>	\$487	\$0
	Haha	<i>Cyanea macrostegia ssp. gibsonii</i>	\$1,851	\$0
	Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	\$2,824	\$0
	Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$974	\$0
	Haha	<i>Cyanea remyi</i>	\$487	\$0
	Haha	<i>Cyanea superba</i>	\$974	\$0
	Haha	<i>Cyanea longiflora</i>	\$974	\$0
	Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$321	\$0
	Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>	\$487	\$0
	Haha	<i>Cyanea shipmanii</i>	\$3,423	\$0
	Haha	<i>Cyanea stictophylla</i>	\$4,231	\$0
	Haha	<i>Cyanea lobata</i>	\$3,702	\$0
	Haha	<i>Cyanea truncata</i>	\$1,851	\$0
	Haha	<i>Cyanea mceldowneyi</i>	\$487	\$0
	Haha	<i>Cyanea undulata</i>	\$1,851	\$0
	Haha	<i>Cyanea asarifolia</i>	\$487	\$0
	Haha	<i>Cyanea acuminata</i>	\$487	\$0
	Haha	<i>Cyanea pinnatifida</i>	\$2,337	\$0
	Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$2,337	\$0
	Haha	<i>Cyanea st.-johnii</i>	\$1,851	\$0
	Haha	<i>Cyanea dunbarii</i>	\$1,851	\$0
	Haha	<i>Cyanea platyphylla</i>	\$3,423	\$0
	Haha	<i>Cyanea humboldtiana</i>	\$487	\$0
	Haha	<i>Cyanea glabra</i>	\$487	\$0
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$1,782	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Harebells, Avon Park	<i>Crotalaria avonensis</i>	\$17,100	\$0
	Harperella	<i>Ptilimnium nodosum</i>	\$8,400	\$0
	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$2,172	\$0
	Ha`iwale	<i>Cyrtandra subumbellata</i>	\$487	\$0
	Ha`iwale	<i>Cyrtandra munroi</i>	\$487	\$0
	Ha`iwale	<i>Cyrtandra polyantha</i>	\$1,851	\$0
	Ha`iwale	<i>Cyrtandra giffardii</i>	\$1,461	\$0
	Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$974	\$0
	Ha`iwale	<i>Cyrtandra dentata</i>	\$487	\$0
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$101,582	\$0
	Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$1,851	\$0
	Holei	<i>Ochrosia kilaueaensis</i>	\$974	\$0
	Honohono	<i>Haplostachys haplostachya</i>	\$487	\$0
	Howellia, water	<i>Howellia aquatilis</i>	\$23,000	\$0
	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	\$3,200	\$2,000
	Iris, dwarf lake	<i>Iris lacustris</i>	\$13,000	\$0
	Irisette, white	<i>Sisyrinchium dichotomum</i>	\$1,928	\$0
	Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$487	\$0
	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	\$10,600	\$0
	Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>	\$1,364	\$0
	Kamakahala	<i>Labordia lydgatei</i>	\$1,851	\$0
	Kamakahala	<i>Labordia tinifolia</i> var. <i>lanaiensis</i>	\$487	\$0
	Kamakahala	<i>Labordia cyrtandrae</i>	\$974	\$0
	Kamanomano	<i>Cenchrus agrimonioides</i>	\$2,284	\$0
	Kauila	<i>Colubrina oppositifolia</i>	\$4,441	\$0
	Kiponapona	<i>Phyllostegia racemosa</i>	\$1,461	\$0
	Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>	\$1,851	\$0
	Koki`o	<i>Kokia drynarioides</i>	\$2,172	\$0
	Koki`o	<i>Kokia kauaiensis</i>	\$487	\$0
	Koki`o ke`oke`o	<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>	\$1,364	\$0
	Kolea	<i>Myrsine knudsenii</i>	\$1,851	\$0
	Kolea	<i>Myrsine mezii</i>	\$1,851	\$0
	Kopiko	<i>Psychotria hobdyi</i>	\$1,851	\$0
	Kopiko	<i>Psychotria grandiflora</i>	\$1,851	\$0
	Ko`oko`olau	<i>Bidens wiebkei</i>	\$1,364	\$0
	Ko`oloa`ula	<i>Abutilon menziesii</i>	\$90,808	\$0
	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$487	\$0
	Kuahiwi laukahi	<i>Plantago princeps</i>	\$4,211	\$0
	Kula wahine noho	<i>Isodendrion pyrifolium</i>	\$487	\$0
	Kulu`i	<i>Nototrichium humile</i>	\$487	\$0
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$1,000	\$0
	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$300	\$0
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$23,700	\$0
	Lau`ehu	<i>Panicum nuihauense</i>	\$1,364	\$0
	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$10,600	\$0
	Leather flower, Alabama	<i>Clematis socialis</i>	\$3,000	\$0
	Leather flower, Morefield's	<i>Clematis morefieldii</i>	\$1,817	\$0
	Iehua makanoe	<i>Lysimachia daphnoides</i>	\$509	\$0
	Locoweed, Fassett's	<i>Oxytropis campestris</i> var. <i>chartacea</i>	\$12,000	\$0
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$1,464	\$0
	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$11,200	\$0
	Lo`ulu	<i>Pritchardia schattaueri</i>	\$1,461	\$0
	Lo`ulu	<i>Pritchardia munroi</i>	\$1,851	\$0
	Lo`ulu	<i>Pritchardia kaalae</i>	\$974	\$0
	Lo`ulu	<i>Pritchardia viscosa</i>	\$1,851	\$0
	Lo`ulu	<i>Pritchardia napaliensis</i>	\$1,851	\$0
	Lo`ulu	<i>Pritchardia affinis</i>	\$487	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Lupine, scrub	<i>Lupinus aridorum</i>	\$39,600	\$0
	Mahoe	<i>Alectryon macrococcus</i>	\$3,215	\$0
	Makou	<i>Peucedanum sandwicense</i>	\$1,364	\$0
	Mapele	<i>Cyrtandra cyaneoides</i>	\$1,364	\$0
	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$4,276	\$0
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$2,684	\$0
	Mehamehame	<i>Flueggea neowawraea</i>	\$2,591	\$0
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$1,000	\$0
	Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	\$3,100	\$0
	Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>	\$1,000	\$0
	Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	\$1,000	\$0
	Milkpea, Small's	<i>Galactia smallii</i>	\$1,100	\$0
	Milkweed, Mead's	<i>Asclepias meadii</i>	\$34,400	\$0
	Milkweed, Welsh's	<i>Asclepias welshii</i>	\$1,800	\$0
	Mint, Garrett's	<i>Dicerandra christmanii</i>	\$8,000	\$0
	Mint, Lakela's	<i>Dicerandra immaculata</i>	\$2,600	\$22,526,000
	Mint, longspurred	<i>Dicerandra cornutissima</i>	\$600	\$0
	Mint, scrub	<i>Dicerandra frutescens</i>	\$8,000	\$0
	Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$700	\$0
	Mustard, Carter's	<i>Warea carteri</i>	\$1,600	\$0
	Naenae	<i>Dubautia kalalauensis</i>	\$1,364	\$0
	Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	\$1,364	\$0
	Nanu	<i>Gardenia manni</i>	\$487	\$0
	Naupaka, dwarf	<i>Scaevola coriacea</i>	\$1,797	\$0
	Na`ena`e	<i>Dubautia plantaginea</i> ssp. <i>humilis</i>	\$2,337	\$0
	Na`ena`e	<i>Dubautia herbstobatae</i>	\$974	\$0
	Na`ena`e	<i>Dubautia pauciflora</i>	\$1,364	\$0
	Nioi	<i>Eugenia koolauensis</i>	\$974	\$0
	No common name	<i>Phyllostegia waimeae</i>	\$1,364	\$0
	No common name	<i>Lysimachia maxima</i>	\$1,851	\$0
	No common name	<i>Remya montgomeryi</i>	\$1,851	\$0
	No common name	<i>Phyllostegia hispida</i>	\$1,851	\$0
	No common name	<i>Tetraplasandra bisattenuata</i>	\$487	\$0
	No common name	<i>Spermolepis hawaiiensis</i>	\$974	\$0
	No common name	<i>Viola helenae</i>	\$1,851	\$0
	No common name	<i>Viola lanaiensis</i>	\$1,851	\$0
	No common name	<i>Xylosma crenatum</i>	\$1,851	\$0
	No common name	<i>Delissea undulata</i>	\$1,295	\$0
	No common name	<i>Schiedea membranacea</i>	\$1,851	\$0
	No common name	<i>Achyranthes mutica</i>	\$2,824	\$0
	No common name	<i>Lysimachia filifolia</i>	\$974	\$0
	No common name	<i>Neraudia angulata</i>	\$487	\$0
	No common name	<i>Cyanea</i> (=Rollandia) <i>crispa</i>	\$487	\$0
	No common name	<i>Gouania vitifolia</i>	\$1,947	\$0
	No common name	<i>Silene alexandri</i>	\$1,851	\$0
	No common name	<i>Schiedea helleri</i>	\$1,364	\$0
	No common name	<i>Platanthera holochila</i>	\$1,873	\$0
	No common name	<i>Schiedea nuttallii</i>	\$1,184	\$0
	No common name	<i>Lobelia oahuensis</i>	\$1,364	\$0
	No common name	<i>Schiedea kauaiensis</i>	\$1,364	\$0
	No common name	<i>Silene lanceolata</i>	\$1,460	\$0
	No common name	<i>Stenogyne kealiae</i>	\$1,364	\$0
	No common name	<i>Hedyotis parvula</i>	\$974	\$0
	No common name	<i>Stenogyne kanehoana</i>	\$487	\$0
	No common name	<i>Remya kauaiensis</i>	\$1,364	\$0
	No common name	<i>Vigna o-wahuensis</i>	\$487	\$0
	No common name	<i>Gouania hillebrandii</i>	\$487	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Lysimachia scopulensis</i>	\$487	\$0
	No common name	<i>Bonamia menziesii</i>	\$1,295	\$0
	No common name	<i>Lobelia niihauensis</i>	\$487	\$0
	No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>	\$487	\$0
	No common name	<i>Phyllostegia warshaueri</i>	\$3,910	\$0
	No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	\$487	\$0
	No common name	<i>Phyllostegia parviflora</i>	\$3,910	\$0
	No common name	<i>Hedyotis degeneri</i>	\$487	\$0
	No common name	<i>Lobelia monostachya</i>	\$2,337	\$0
	No common name	<i>Phyllostegia mollis</i>	\$974	\$0
	No common name	<i>Gouania meyenii</i>	\$1,851	\$0
	No common name	<i>Neraudia ovata</i>	\$2,824	\$0
	No common name	<i>Geocarpon minimum</i>	\$1,300	\$115,200
	No common name	<i>Delissea rhytidosperra</i>	\$487	\$0
	No common name	<i>Abutilon eremitopetalum</i>	\$1,851	\$0
	No common name	<i>Schiedea kaalae</i>	\$2,547	\$0
	No common name	<i>Phyllostegia kaalaensis</i>	\$974	\$0
	No common name	<i>Phyllostegia hirsuta</i>	\$487	\$0
	No common name	<i>Tetramolopium remyi</i>	\$1,364	\$0
	No common name	<i>Trematolobelia singularis</i>	\$487	\$0
	No common name	<i>Stenogyne bifida</i>	\$1,851	\$0
	No common name	<i>Phyllostegia mannii</i>	\$2,337	\$0
	No common name	<i>Silene perlmanii</i>	\$974	\$0
	No common name	<i>Hesperomannia arbuscula</i>	\$2,547	\$0
	No common name	<i>Phyllostegia velutina</i>	\$1,461	\$0
	No common name	<i>Tetraplasandra flynnii</i>	\$1,851	\$0
	Nohoanu	<i>Geranium kauaiense</i>	\$1,386	\$0
	Oak, Hinckley	<i>Quercus hinckleyi</i>	\$300	\$0
	Oha	<i>Delissea subcordata</i>	\$487	\$0
	Ohai	<i>Sesbania tomentosa</i>	\$2,284	\$0
	Olulu	<i>Brighamia insignis</i>	\$487	\$0
	Opuhe	<i>Urera kaalae</i>	\$487	\$0
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$12,500	\$0
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$4,500	\$0
	Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>	\$974	\$0
	Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	\$1,364	\$0
	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	\$2,300	\$0
	Pawpaw, four-petal	<i>Asimina tetramera</i>	\$8,000	\$0
	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	\$2,100	\$0
	Pa`iniu	<i>Astelia waialealae</i>	\$1,873	\$0
	Penstemon, blowout	<i>Penstemon haydenii</i>	\$700	\$0
	Peppergrass, Slickspot	<i>Lepidium papilliferum</i>	\$20,000	\$0
	Pigeon wings	<i>Clitoria fragrans</i>	\$2,400	\$82,500
	Pink, swamp	<i>Helonias bullata</i>	\$7,970	\$0
	Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$1,600	\$0
	Pitaya, Davis' green	<i>Echinocereus viridiflorus</i> var. <i>davisii</i>	\$200	\$0
	Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$3,000	\$0
	Plum, scrub	<i>Prunus geniculata</i>	\$2,670	\$0
	Pogonia, small whorled	<i>Isotria medeoloides</i>	\$10,323	\$0
	Polygala, Lewton's	<i>Polygala lewtonii</i>	\$20,600	\$0
	Polygala, tiny	<i>Polygala smallii</i>	\$600	\$0
	Pondberry	<i>Lindera melissifolia</i>	\$13,728	\$0
	Pondweed, Little Aguja (=Creek)	<i>Potamogeton clystocarpus</i>	\$100	\$0
	Popolo ku mai	<i>Solanum incompletum</i>	\$1,364	\$0
	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$2,800	\$0
	Potato-bean, Price's	<i>Apios priceana</i>	\$2,200	\$0
	Po`e	<i>Portulaca sclerocarpa</i>	\$487	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Prairie-clover, leafy	<i>Dalea foliosa</i>	\$3,656	\$0
	Prickly-apple, fragrant	<i>Cereus eriophorus fragrans</i>	\$1,100	\$87,400
	Pua `ala	<i>Brighamia rockii</i>	\$1,364	\$0
	Pu`uka`a	<i>Cyperus trachysanthos</i>	\$433	\$0
	Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$12,500	\$150,600
	Remya, Maui	<i>Remya mauiensis</i>	\$487	\$0
	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	\$1,800	\$0
	Rock-cress, shale barren	<i>Arabis serotina</i>	\$8,000	\$0
	Rosemary, Apalachicola	<i>Conradina glabra</i>	\$600	\$0
	Rosemary, Cumberland	<i>Conradina verticillata</i>	\$462	\$0
	Rosemary, Etonia	<i>Conradina etonia</i>	\$53,000	\$13,500
	Rosemary, short-leaved	<i>Conradina brevifolia</i>	\$2,200	\$0
	Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$200	\$0
	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$100	\$0
	Sandlace	<i>Polygonella myriophylla</i>	\$2,700	\$3,700
	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$1,130	\$0
	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$2,284	\$0
	Sedge, golden	<i>Carex lutea</i>	\$140	\$0
	Sedge, Navajo	<i>Carex specuicola</i>	\$1,000	\$0
	Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$1,573	\$0
	Skullcap, Florida	<i>Scutellaria floridana</i>	\$900	\$0
	Skullcap, large-flowered	<i>Scutellaria montana</i>	\$3,778	\$0
	Snakeroot	<i>Eryngium cuneifolium</i>	\$3,200	\$0
	Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$1,200	\$0
	Snowbells, Texas	<i>Styrax texanus</i>	\$800	\$0
	Spiraea, Virginia	<i>Spiraea virginiana</i>	\$2,364	\$0
	Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	\$600	\$0
	Spurge, Garber's	<i>Chamaesyce garberi</i>	\$600	\$0
	Spurge, telephus	<i>Euphorbia telephioides</i>	\$1,700	\$0
	Sumac, Michaux's	<i>Rhus michauxii</i>	\$8,640	\$0
	Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$100	\$0
	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$8,840	\$0
	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$3,400	\$0
	Trillium, persistent	<i>Trillium persistens</i>	\$3,500	\$0
	Trillium, relict	<i>Trillium reliquum</i>	\$3,500	\$0
	Uhiuhi	<i>Caesalpinia kavaense</i>	\$3,789	\$0
	Vetch, Hawaiian	<i>Vicia menziesii</i>	\$2,824	\$0
	Wahane	<i>Pritchardia aylmer-robinsonii</i>	\$487	\$0
	Warea, wide-leaf	<i>Warea amplexifolia</i>	\$3,800	\$0
	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$1,500	\$0
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$1,000	\$0
	Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$600	\$0
	Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$3,800	\$0
	Wild-rice, Texas	<i>Zizania texana</i>	\$24,600	\$0
	Wireweed	<i>Polygonella basirama</i>	\$1,200	\$1,800
	Ziziphus, Florida	<i>Ziziphus celata</i>	\$16,420	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$1,364	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense ssp. sandwicense</i>	\$2,937	\$0
	`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$1,851	\$0
	`Aiea	<i>Nothoctrum breviflorum</i>	\$1,782	\$0
	`Aiea	<i>Nothoctrum peltatum</i>	\$1,851	\$0
	`Akoko	<i>Euphorbia haeleleana</i>	\$433	\$0
	`Akoko	<i>Chamaesyce herbstii</i>	\$487	\$0
	`Akoko	<i>Chamaesyce depeana</i>	\$487	\$0
	`Akoko	<i>Chamaesyce celastroides var. kaenana</i>	\$433	\$0
	`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii var. kalaeloana</i>	\$433	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	`Anaunau	<i>Lepidium arbuscula</i>	\$697	\$0
	`Anunu	<i>Sicyos alba</i>	\$1,461	\$0
	`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$1,851	\$0
	`Oha wai	<i>Clermontia drepanomorpha</i>	\$974	\$0
	`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$1,364	\$0
	`Oha wai	<i>Clermontia peleana</i>	\$3,910	\$0
	`Oha wai	<i>Clermontia pyrularia</i>	\$487	\$0
	`Oha wai	<i>Clermontia lindseyana</i>	\$3,311	\$0
<b>Flowering Plants subtotal</b>			\$1,280,675	\$22,995,600
<b>Conifers and Cycads</b>	Torreya, Florida	<i>Torreya taxifolia</i>	\$19,700	\$0
<b>Conifers and Cycads subtotal</b>			\$19,700	\$0
<b>Ferns and Allies</b>	Quillwort, black spored	<i>Isoetes melanospora</i>	\$1,500	\$0
	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$1,500	\$0
<b>Ferns and Allies subtotal</b>			\$3,000	\$0
<b>Lichens</b>	Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$1,600	\$0
	Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$6,814	\$0
<b>Lichens subtotal</b>			\$8,414	\$0
<b>Totals</b>			<b>\$51,372,857</b>	<b>\$36,575,084</b>
<b>State Governments Grand Total</b>				<b>\$87,947,941</b>

**U. S. Fish and Wildlife Service  
Endangered Species Program  
1849 C Street, NW (MS-420-ARLSQ)  
Washington, D. C. 20240  
<http://www.fws.gov/endangered>**

### **Photo Credits**

Desert tortoise (*Gopherus agassizii*) - Beth Jackson/USFWS

Polar bear (*Ursus maritimus*) - Lana Langlois

Mission blue butterfly (*Icaricia icarioides missionensis*) - Patrick Kobernus/USFWS

Green pitcher plant (*Sarracenia oreophila*) - USFWS

Piping plover (*Charadrius melodus*) - Gene Nieminen/USFWS

Bull trout (*Salvelinus confluentus*) - USFWS

Black-footed ferret (*Mustela nigripes*) - Ryan Hagerty/USFWS

Houston toad (*Bufo houstonensis*) – Paige Najvar/USFWS