

# FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



*Fiscal Year 2020*

## TABLE OF CONTENTS

<b>ENDANGERED AND THREATENED SPECIES EXPENDITURES FISCAL YEAR 2020</b>	
PURPOSE.....	3
BACKGROUND .....	4
SECTION 18(1), FEDERAL EXPENDITURES .....	5
SECTION 18(2), STATE EXPENDITURES.....	5
SUMMARY OF DATA.....	5
COMPARISON TO PREVIOUS REPORTS.....	6
<b>Table 1.</b> FY 2020 Reported Expenditures for Endangered and Threatened Species.....	7
<b>Table 2.</b> Species Ranked in Descending Order of Total FY 2020 Reported Expenditures.....	103
<b>Table 3.</b> FY 2020 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....	164
<b>Table 4.</b> FY 2020 Expenditures Reported by Individual Federal Agencies and the States.....	169
<b>Appendix A.</b> Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species.....	172
<b>Appendix B.</b> Reports Provided by Other Federal Agencies.....	176
<b>Appendix C.</b> Expenditures Reported by the States.....	303

## **ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2020**

### **PURPOSE**

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) (Act) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the U.S. Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report annually on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

(1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 32nd report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2020 (October 1, 2019 - September 30, 2020), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To assist Federal and State agencies with more accurate accounting of expenditures, a multi-species reporting category was added to the FY12 and subsequent reports. This option gives agencies another way to report expenditures when it is not possible to determine individual species costs for those species that are part of a multi-species conservation activity.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "State agency" as used in this report is defined in section 3(18) of the Act to mean any State agency, department, board, commission, or other governmental entity which is responsible for the management and conservation of fish, plant, or wildlife resources within a State.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

## BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2020 are reported for 1,599 domestic threatened and endangered species of the 1,821 domestic species that were listed under United States jurisdiction in 50 CFR Part 17 during FY 2020 up through September 30, 2020 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species<sup>1</sup>, subspecies<sup>2</sup>, Distinct Population Segment (DPS)<sup>3</sup>, or Evolutionarily Significant Unit (ESU)<sup>4</sup>, as identified in the Act's implementing regulations at 50 CFR 17.11 and 17.12.

These expenditures are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into our Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies. We do not verify an agency's data after the data are submitted to us.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses that are not incurred primarily for the conservation of listed species, such as those for litigation, are not reported.

<sup>1</sup> **Species** For purposes of the ESA, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

<sup>2</sup> **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

<sup>3</sup> **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

<sup>4</sup> **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.



## **SECTION 18(1), FEDERAL EXPENDITURES**

### **Expenditures Reported by the Fish and Wildlife Service**

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, international conservation, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultation, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

### **Expenditures Reported by other Federal Agencies**

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2020, the Service and 19 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species and multi-species conservation activities are tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

## **SECTION 18(2), STATE EXPENDITURES**

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States responding to this data call do so by reporting their data by species directly to the Service via our Web-based system. Collective results from all responding State agencies are included in Appendix C. For FY 2020, 26 State agencies identified expenditures for the conservation of individual threatened and endangered species.

## **SUMMARY OF DATA**

**Table 1** reports the activity-related expenditures that are reasonably identifiable to specific individual species as well as multi-species activity costs by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisition (Table 3) are not included in this tabulation. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

**Table 2** ranks each species in descending order of the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

**Table 3** displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land purchased for multi-species conservation activities are listed at the end of the table. Table 3 also provides the rank for land expenditures by species.

**Table 4** shows the combined total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and multi-species conservation activities are included.

**Total expenditures** reported for domestic and foreign species in **FY 2020** were **\$ 1,264,141,486**, of which **\$ 1,135,610,898** was reported by Federal agencies and **\$ 128,530,588** was reported by the States (Table 4).

## **COMPARISON TO PREVIOUS REPORTS**

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

**TABLE 1. FY 2020 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Amphibians, Arachnids, Birds, Clams, Conifer and Cycads, Corals, Crustaceans, Ferns and Allies, Fishes, Mammals, Reptiles, Fishes, Flowering Plants, Insects, Lichens, Mammals, Reptiles and Snails.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in the Code of Federal Regulations at [50 CFR 17.11 \(list of wildlife\)](#) or [17.12 \(list of plants\)](#), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Federal Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Multi-species conservation activity-related expenditures are tabulated at the end of Table 1.

**TABLE 1. REPORTED EXPENDITURES FOR FY 2020 FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Amphibians	1111	Coqui, Golden (Eleutherodactylus jasperi) - Wherever found	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	620	Coqui, Llanero (Eleutherodactylus juanariveroi) - Wherever found	E	\$2,500	\$31,551	\$34,051	\$0	\$34,051
	125	Frog, California Red-legged (Rana draytonii) - Wherever found	T	\$0	\$895,140	\$895,140	\$0	\$895,140
	280	Frog, Chiricahua Leopard (Rana chiricahuensis) - Wherever found	T	\$24,500	\$164,553	\$189,053	\$0	\$189,053
	206	Frog, Dusky Gopher (Rana sevosia) - Wherever found	E	\$198,500	\$187,983	\$386,483	\$1,350	\$387,833
	1145	Frog, Goliath (Conraua goliath) - Wherever found	T	\$0	\$1,500	\$1,500	\$0	\$1,500
	236	Frog, Mountain Yellow-legged (Rana muscosa) - Northern California DPS	E	\$0	\$299,100	\$299,100	\$0	\$299,100
	567	Frog, Mountain Yellow-legged (Rana muscosa) - Southern California DPS	E	\$0	\$43,000	\$43,000	\$0	\$43,000
	91	Frog, Oregon Spotted (Rana pretiosa) - Wherever found	T	\$730,880	\$730,824	\$1,461,704	\$24,800	\$1,486,504
	164	Frog, Sierra Nevada Yellow-legged (Rana sierrae) - Wherever found	E	\$0	\$565,593	\$565,593	\$0	\$565,593
	995	Guajon (Eleutherodactylus cooki) - Wherever found	T	\$9,000	\$0	\$9,000	\$0	\$9,000
	410	Hellbender, Ozark (Cryptobranchus alleganiensis bishopi) - Wherever found	E	\$27,500	\$14,230	\$41,730	\$43,400	\$85,130
	1159	Salamander, Austin Blind (Eurycea waterlooensis) - Wherever found	E	\$0	\$840	\$840	\$0	\$840
	1159	Salamander, Barton Springs (Eurycea sosorum) - Wherever found	E	\$0	\$840	\$840	\$0	\$840
	469	Salamander, California Tiger (Ambystoma californiense) - U.S.A. (CA - Sonoma County)	E	\$0	\$65,000	\$65,000	\$0	\$65,000
	345	Salamander, California Tiger (Ambystoma californiense) - U.S.A. (Central CA DPS)	T	\$0	\$127,043	\$127,043	\$0	\$127,043

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	498	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> ) - Wherever found	T	\$48,500	\$8,400	\$56,900	\$0	\$56,900
	1012	Salamander, Desert Slender ( <i>Batrachoseps aridus</i> ) - Wherever found	E	\$0	\$8,000	\$8,000	\$0	\$8,000
	215	Salamander, Frosted Flatwoods ( <i>Ambystoma cingulatum</i> ) - Wherever found	T	\$272,500	\$43,729	\$316,229	\$37,064	\$353,293
	488	Salamander, Jemez Mountains ( <i>Plethodon neomexicanus</i> ) - Wherever found	E	\$0	\$59,000	\$59,000	\$0	\$59,000
	1159	Salamander, Jollyville Plateau ( <i>Eurycea tonkawae</i> ) - Wherever found	T	\$0	\$840	\$840	\$0	\$840
	595	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> ) - Wherever found	T	\$35,500	\$2,471	\$37,971	\$0	\$37,971
	274	Salamander, Reticulated Flatwoods ( <i>Ambystoma bishopi</i> ) - Wherever found	E	\$170,500	\$2,400	\$172,900	\$25,724	\$198,624
	1120	Salamander, Salado ( <i>Eurycea chisholmensis</i> ) - Wherever found	T	\$2,725	\$0	\$2,725	\$0	\$2,725
	1092	Salamander, Santa Cruz Long-toed ( <i>Ambystoma macrodactylum croceum</i> ) - Wherever found	E	\$0	\$4,000	\$4,000	\$0	\$4,000
	408	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> ) - Wherever found	E	\$36,500	\$50,100	\$86,600	\$0	\$86,600
	833	Salamander, Sonora Tiger ( <i>Ambystoma tigrinum stebbinsi</i> ) - Wherever found	E	\$6,000	\$8,500	\$14,500	\$0	\$14,500
	281	Toad, Arroyo (=arroyo Southwestern) ( <i>Anaxyrus californicus</i> ) - Wherever found	E	\$0	\$188,439	\$188,439	\$0	\$188,439
	1040	Toad, Puerto Rican Crested ( <i>Peltophryne lemur</i> ) - Wherever found	T	\$6,500	\$0	\$6,500	\$0	\$6,500
	657	Toad, Wyoming ( <i>Bufo hemiophrys baxteri</i> ) - Wherever found	E	\$0	\$13,000	\$13,000	\$16,205	\$29,205
	510	Toad, Yosemite ( <i>Anaxyrus canorus</i> ) - Wherever found	T	\$0	\$52,800	\$52,800	\$0	\$52,800
	745	Waterdog, Black Warrior (=sipsey Fork) ( <i>Necturus alabamensis</i> ) - Wherever found	E	\$10,250	\$9,816	\$20,066	\$0	\$20,066
<b>Amphibians subtotal</b>				<b>\$1,584,855</b>	<b>\$3,578,692</b>	<b>\$5,163,547</b>	<b>\$148,543</b>	<b>\$5,312,089</b>
Arachnids	1157	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> ) - Wherever found	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	746	Spider, Kauai Cave Wolf Or Pe'e Pe'e Maka 'ole ( <i>Adelocosa anops</i> ) - Wherever found	E	\$20,015	\$0	\$20,015	\$0	\$20,015

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	641	Spider, Spruce-fir Moss ( <i>Microhexura montivaga</i> ) - Wherever found	E	\$21,000	\$9,578	\$30,578	\$300	\$30,878
<b>Arachnids subtotal</b>				<b>\$42,015</b>	<b>\$9,578</b>	<b>\$51,593</b>	<b>\$300</b>	<b>\$51,893</b>
Birds	1011	(honeyeater), Mao (= Maomao) ( <i>Gymnomyza samoensis</i> ) - Wherever found	E	\$8,100	\$0	\$8,100	\$0	\$8,100
	376	`i`iwi ( <i>Drepanis coccinea</i> ) - Wherever found	T	\$19,657	\$83,592	\$103,249	\$0	\$103,249
	861	`o`o, Kauai (honeyeater) ( <i>Moho braccatus</i> ) - Wherever found	E	\$13,596	\$0	\$13,596	\$0	\$13,596
	860	`o`u (honeycreeper) ( <i>Psittirostra psittacea</i> ) - Wherever found	E	\$13,609	\$0	\$13,609	\$0	\$13,609
	249	Akekee ( <i>Loxops caeruleirostris</i> ) - Wherever found	E	\$241,949	\$22,062	\$264,011	\$0	\$264,011
	594	Akepa, Hawaii ( <i>Loxops coccineus</i> ) - Wherever found	E	\$16,883	\$21,151	\$38,034	\$0	\$38,034
	380	Akepa, Maui ( <i>Loxops ochraceus</i> ) - Wherever found	E	\$100,504	\$0	\$100,504	\$0	\$100,504
	807	Akialoa, Kauai (honeycreeper) ( <i>Akialoa steinegeri</i> ) - Wherever found	E	\$15,624	\$0	\$15,624	\$0	\$15,624
	665	Akiapolaau ( <i>Hemignathus wilsoni</i> ) - Wherever found	E	\$13,609	\$13,666	\$27,275	\$0	\$27,275
	248	Akikiki ( <i>Oreomystis bairdi</i> ) - Wherever found	E	\$250,061	\$22,062	\$272,123	\$0	\$272,123
	335	Albatross, Short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> ) - Wherever found	E	\$119,029	\$12,393	\$131,422	\$0	\$131,422
	1012	Blackbird, Yellow-shouldered ( <i>Agelaius xanthomus</i> ) - Wherever found	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	1038	Bobwhite, Masked (quail) ( <i>Colinus virginianus ridgwayi</i> ) - Wherever found	E	\$600	\$6,000	\$6,600	\$0	\$6,600
	166	Caracara, Audubon's Crested ( <i>Polyborus plancus audubonii</i> ) - FL pop.	T	\$283,000	\$275,026	\$558,026	\$0	\$558,026
	301	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$2,028	\$157,456	\$159,484	\$0	\$159,484
	161	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. only, except where listed as an experimental population	E	\$169,850	\$406,348	\$576,198	\$7,690	\$583,888
	177	Coot, Hawaiian ( <i>Fulica americana alai</i> ) - Wherever found	E	\$131,665	\$355,902	\$487,567	\$0	\$487,567



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	138	Crane, Mississippi Sandhill ( <i>Grus canadensis pulla</i> ) - Wherever found	E	\$733,000	\$9,856	\$742,856	\$0	\$742,856
	244	Crane, Whooping ( <i>Grus americana</i> ) - U.S.A (Southwestern Louisiana)	EXPN	\$273,500	\$0	\$273,500	\$0	\$273,500
	216	Crane, Whooping ( <i>Grus americana</i> ) - U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	EXPN	\$7,500	\$232,245	\$239,745	\$103,027	\$342,772
	568	Crane, Whooping ( <i>Grus americana</i> ) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$14,000	\$28,858	\$42,858	\$0	\$42,858
	315	Crane, Whooping ( <i>Grus americana</i> ) - Wherever found, except where listed as an experimental population	E	\$51,800	\$79,361	\$131,161	\$10,401	\$141,562
	649	Creeper, Hawaii ( <i>Oreomystis mana</i> ) - Wherever found	E	\$16,376	\$13,666	\$30,042	\$0	\$30,042
	859	Creeper, Molokai ( <i>Paroreomyza flammea</i> ) - Wherever found	E	\$13,619	\$0	\$13,619	\$0	\$13,619
	825	Creeper, Oahu ( <i>Paroreomyza maculata</i> ) - Wherever found	E	\$14,623	\$100	\$14,723	\$0	\$14,723
	100	Crow, Hawaiian (=‘alala) ( <i>Corvus hawaiiensis</i> ) - Wherever found	E	\$1,241,428	\$18,414	\$1,259,842	\$0	\$1,259,842
	162	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> ) - Wherever found	E	\$580,706	\$400	\$581,106	\$0	\$581,106
	1135	Crow, White-necked ( <i>Corvus leucognaphalus</i> ) - Wherever found	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	62	Cuckoo, Yellow-billed ( <i>Coccyzus americanus</i> ) - Western U.S. DPS	T	\$285,892	\$3,213,043	\$3,498,935	\$0	\$3,498,935
	1162	Curlew, Eskimo ( <i>Numenius borealis</i> ) - Wherever found	E	\$500	\$0	\$500	\$0	\$500
	1164	Dove, Grenada Gray-fronted ( <i>Leptotila rufaxilla wellsii</i> ) - Wherever found	E	\$400	\$0	\$400	\$0	\$400
	259	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> ) - Wherever found	E	\$196,130	\$50,058	\$246,188	\$0	\$246,188
	393	Duck, Laysan ( <i>Anas laysanensis</i> ) - Wherever found	E	\$82,900	\$12,800	\$95,700	\$0	\$95,700
	339	Eagle, Harpy ( <i>Harpia harpyja</i> ) - Wherever found	E	\$130,000	\$0	\$130,000	\$0	\$130,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	108	Eider, Spectacled (Somateria fischeri) - Wherever found	T	\$792,500	\$286,622	\$1,079,122	\$0	\$1,079,122
	111	Eider, Steller's (Polysticta stelleri) - AK breeding pop.	T	\$877,000	\$150,769	\$1,027,769	\$0	\$1,027,769
	744	Elepaio, Oahu (Chasiempis ibidis) - Wherever found	E	\$20,038	\$100	\$20,138	\$0	\$20,138
	1151	Falcon, Eurasian Peregrine (Falco peregrinus peregrinus) - Wherever found	E	\$0	\$0	\$0	\$1,226	\$1,226
	415	Falcon, Northern Aplomado (Falco femoralis septentrionalis) - U.S.A (AZ, NM)	EXPN	\$0	\$83,600	\$83,600	\$0	\$83,600
	1170	Falcon, Northern Aplomado (Falco femoralis septentrionalis) - Wherever found, except where listed as an experimental population	E	\$0	\$170	\$170	\$0	\$170
	597	Finch, Laysan (honeycreeper) (Telespyza cantans) - Wherever found	E	\$23,410	\$14,144	\$37,554	\$0	\$37,554
	588	Finch, Nihoa (honeycreeper) (Telespyza ultima) - Wherever found	E	\$24,750	\$14,144	\$38,894	\$0	\$38,894
	57	Flycatcher, Southwestern Willow (Empidonax traillii extimus) - Wherever found	E	\$53,500	\$3,525,210	\$3,578,710	\$4,862	\$3,583,572
	210	Gallinule, Hawaiian Common (Gallinula galeata sandvicensis) - Wherever found	E	\$140,053	\$231,558	\$371,611	\$0	\$371,611
	113	Gnatcatcher, Coastal California (Polioptila californica californica) - Wherever found	T	\$0	\$1,009,019	\$1,009,019	\$0	\$1,009,019
	157	Goose, Hawaiian (Branta (=Nesochen) sandvicensis) - Wherever found	E	\$466,794	\$144,184	\$610,978	\$0	\$610,978
	379	Ground-dove, Friendly (Gallicolumba stairi) - American Samoa DPS	E	\$100,846	\$0	\$100,846	\$0	\$100,846
	306	Hawk, Hawaiian (=lo) (Buteo solitarius) - Wherever found	E	\$119,290	\$33,893	\$153,183	\$0	\$153,183
	589	Hawk, Puerto Rican Broad-winged (Buteo platypterus brunnescens) - Wherever found	E	\$38,500	\$0	\$38,500	\$0	\$38,500
	405	Hawk, Puerto Rican Sharp-shinned (Accipiter striatus venator) - Wherever found	E	\$90,500	\$0	\$90,500	\$0	\$90,500
	395	Honeycreeper, (akohekohe) Crested (Palmeria dolei) - Wherever found	E	\$15,637	\$79,407	\$95,044	\$0	\$95,044
	134	Horned Lark, Streaked (Eremophila alpestris strigata) - Wherever found	T	\$561,822	\$234,581	\$796,403	\$0	\$796,403

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	80	Kingfisher, Guam Micronesian (Halcyon cinnamomina cinnamomina) - Wherever found	E	\$291,170	\$1,365,530	\$1,656,700	\$264,092	\$1,920,792
	98	Kite, Everglade Snail (Rostrhamus sociabilis plumbeus) - Wherever found	E	\$321,500	\$915,177	\$1,236,677	\$133,266	\$1,369,943
	145	Knot, Red (Calidris canutus rufa) - Wherever found	T	\$600,400	\$97,685	\$698,085	\$10,310	\$708,395
	1049	Macaw, Military (Ara militaris) - Wherever found	E	\$0	\$6,000	\$6,000	\$0	\$6,000
	1137	Megapode, Maleo (Macrocephalon maleo) - Wherever found	E	\$1,800	\$0	\$1,800	\$0	\$1,800
	459	Megapode, Micronesian (Megapodius laperouse) - Wherever found	E	\$69,873	\$0	\$69,873	\$0	\$69,873
	517	Millerbird, Nihoa (old World Warbler) (Acrocephalus familiaris kingi) - Wherever found	E	\$36,609	\$14,144	\$50,753	\$0	\$50,753
	340	Mockingbird, Socorro (Mimus graysoni) - Wherever found	E	\$129,704	\$0	\$129,704	\$0	\$129,704
	361	Moorhen, Mariana Common (Gallinula chloropus guami) - Wherever found	E	\$56,945	\$400	\$57,345	\$52,294	\$109,639
	60	Murrelet, Marbled (Brachyramphus marmoratus) - U.S.A. (CA, OR, WA)	T	\$1,403,124	\$1,885,879	\$3,289,003	\$230,700	\$3,519,703
	1030	Nightjar, Puerto Rican (Caprimulgus noctitherus) - Wherever found	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	828	Nukupuu, Kauai (Hemignathus hanapepe) - Wherever found	E	\$14,623	\$0	\$14,623	\$0	\$14,623
	828	Nukupuu, Maui (Hemignathus affinis) - Wherever found	E	\$14,623	\$0	\$14,623	\$0	\$14,623
	53	Owl, Mexican Spotted (Strix occidentalis lucida) - Wherever found	T	\$3,600	\$3,844,268	\$3,847,868	\$0	\$3,847,868
	31	Owl, Northern Spotted (Strix occidentalis caurina) - Wherever found	T	\$2,043,885	\$5,504,970	\$7,548,855	\$353,100	\$7,901,955
	253	Palila (honeycreeper) (Loxioides bailleui) - Wherever found	E	\$249,656	\$7,840	\$257,496	\$0	\$257,496
	1092	Parakeet, Blue-throated (=ochre-marked) (Pyrrhura cruentata) - Wherever found	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	88	Parrot, Puerto Rican (Amazona vittata) - Wherever found	E	\$1,585,500	\$50,000	\$1,635,500	\$0	\$1,635,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1081	Parrot, Thick-billed ( <i>Rhynchopsitta pachyrhyncha</i> ) - Wherever found	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	223	Parrotbill, Maui ( <i>kiwikiu</i> ) ( <i>Pseudonestor xanthophrys</i> ) - Wherever found	E	\$216,762	\$111,807	\$328,569	\$0	\$328,569
	1135	Penguin, Southern Rockhopper ( <i>Eudyptes chrysocome</i> ) - New Zealand-Australia DPS	T	\$0	\$2,000	\$2,000	\$0	\$2,000
	1157	Petrel, Bermuda ( <i>Pterodroma cahow</i> ) - Wherever found	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	186	Petrel, Hawaiian ( <i>Pterodroma sandwichensis</i> ) - Wherever found	E	\$328,328	\$137,589	\$465,917	\$0	\$465,917
	995	Pigeon, Puerto Rican Plain ( <i>Columba inornata wetmorei</i> ) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	34	Plover, Piping ( <i>Charadrius melodus</i> ) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered	T	\$1,676,900	\$4,620,539	\$6,297,439	\$600,607	\$6,898,046
	176	Plover, Piping ( <i>Charadrius melodus</i> ) - [Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	E	\$44,500	\$393,244	\$437,744	\$50,000	\$487,744
	97	Plover, Western Snowy ( <i>Charadrius nivosus nivosus</i> ) - Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$561,963	\$795,330	\$1,357,293	\$31,500	\$1,388,793
	779	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> ) - Wherever found	E	\$17,652	\$0	\$17,652	\$0	\$17,652
	89	Prairie-chicken, Attwater's Greater ( <i>Tympanuchus cupido attwateri</i> ) - Wherever found	E	\$1,599,369	\$0	\$1,599,369	\$0	\$1,599,369
	287	Rail, California Clapper ( <i>Rallus longirostris obsoletus</i> ) - Wherever found	E	\$0	\$181,286	\$181,286	\$0	\$181,286
	470	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$13,434	\$0	\$13,434	\$51,565	\$64,999
	174	Rail, Guam ( <i>Rallus owstoni</i> ) - Wherever found, except where listed as an experimental population	E	\$200,533	\$0	\$200,533	\$295,474	\$496,007
	727	Rail, Light-footed Clapper ( <i>Rallus longirostris levipes</i> ) - Wherever found	E	\$0	\$21,000	\$21,000	\$0	\$21,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	112	Rail, Yuma Ridgways ( <i>Rallus obsoletus</i> [=longirostris] yumanensis) - Wherever found	E	\$19,000	\$997,322	\$1,016,322	\$0	\$1,016,322
	141	Sage-grouse, Gunnison ( <i>Centrocercus minimus</i> ) - Wherever found	T	\$72,700	\$256,730	\$329,430	\$392,878	\$722,308
	149	Scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> ) - Wherever found	T	\$439,000	\$63,970	\$502,970	\$172,019	\$674,989
	220	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> ) - Wherever found	T	\$332,455	\$500	\$332,955	\$0	\$332,955
	128	Sparrow, Cape Sable Seaside ( <i>Ammodramus maritimus mirabilis</i> ) - Wherever found	E	\$181,500	\$689,575	\$871,075	\$0	\$871,075
	225	Sparrow, Florida Grasshopper ( <i>Ammodramus savannarum floridanus</i> ) - Wherever found	E	\$155,500	\$4,023	\$159,523	\$163,209	\$322,732
	195	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> ) - Wherever found	E	\$230,912	\$184,802	\$415,714	\$0	\$415,714
	109	Stork, Wood ( <i>Mycteria americana</i> ) - AL, FL, GA, MS, NC, SC	T	\$476,000	\$511,096	\$987,096	\$72,700	\$1,059,796
	273	Storm-petrel, Band-rumped ( <i>Oceanodroma castro</i> ) - USA (HI)	E	\$170,793	\$28,300	\$199,093	\$0	\$199,093
	367	Swiftlet, Mariana Gray ( <i>Aerodramus vanikorensis bartschi</i> ) - Wherever found	E	\$90,124	\$12,496	\$102,620	\$4,252	\$106,872
	251	Tern, California Least ( <i>Sterna antillarum browni</i> ) - Wherever found	E	\$0	\$261,682	\$261,682	\$1,000	\$262,682
	503	Tern, Least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$55,500	\$0	\$55,500	\$0	\$55,500
	213	Tern, Roseate ( <i>Sterna dougallii dougallii</i> ) - Northeast U.S. nesting population	E	\$303,500	\$27,450	\$330,950	\$30,000	\$360,950
	933	Tern, Roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$2,000	\$3,918	\$5,918	\$5,000	\$10,918
	829	Thrush, Large Kauai (=kamao) ( <i>Myadestes myadestinus</i> ) - Wherever found	E	\$14,610	\$0	\$14,610	\$0	\$14,610
	860	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> ) - Wherever found	E	\$13,609	\$0	\$13,609	\$0	\$13,609
	285	Thrush, Small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> ) - Wherever found	E	\$183,594	\$0	\$183,594	\$0	\$183,594
	271	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> ) - Wherever found	T	\$0	\$200,221	\$200,221	\$0	\$200,221
	135	Vireo, Least Bell's ( <i>Vireo bellii pusillus</i> ) - Wherever found	E	\$0	\$782,626	\$782,626	\$0	\$782,626

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	718	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> ) - Wherever found	E	\$21,500	\$500	\$22,000	\$0	\$22,000
	425	Warbler (=wood), Golden-cheeked ( <i>Dendroica chrysoparia</i> ) - Wherever found	E	\$8,764	\$50,500	\$59,264	\$19,111	\$78,375
	1111	Warbler, Elfin-woods ( <i>Setophaga angelae</i> ) - Wherever found	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	663	Warbler, Kirtland's ( <i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i> )) - Wherever found	E	\$0	\$27,525	\$27,525	\$0	\$27,525
	400	Warbler, Nightingale Reed (old World Warbler) ( <i>Acrocephalus luscini</i> ) - Wherever found	E	\$74,183	\$18,183	\$92,366	\$0	\$92,366
	935	White-eye, Bridled ( <i>Zosterops conspicillatus conspicillatus</i> ) - Wherever found	E	\$10,808	\$0	\$10,808	\$0	\$10,808
	923	White-eye, Rota Bridled ( <i>Zosterops rotensis</i> ) - Wherever found	E	\$11,315	\$0	\$11,315	\$0	\$11,315
	873	Woodpecker, Ivory-billed ( <i>Campephilus principalis</i> ) - Wherever found	E	\$10,000	\$3,000	\$13,000	\$0	\$13,000
	32	Woodpecker, Red-cockaded ( <i>Picoides borealis</i> ) - Wherever found	E	\$2,417,635	\$4,584,038	\$7,001,673	\$258,139	\$7,259,812
<b>Birds subtotal</b>				<b>\$25,182,733</b>	<b>\$39,505,006</b>	<b>\$64,687,739</b>	<b>\$3,318,421</b>	<b>\$68,006,160</b>
Clams	1047	Acornshell, Southern ( <i>Epioblasma othcaloogensis</i> ) - Wherever found	E	\$4,500	\$1,574	\$6,074	\$0	\$6,074
	1165	Anby ( <i>Elliptio spinosa</i> ) - Wherever found	E	\$0	\$0	\$0	\$315	\$315
	246	Bankclimber, Purple (mussel) ( <i>Elliptoideus sloatianus</i> ) - Wherever found	T	\$193,000	\$60,699	\$253,699	\$18,890	\$272,589
	818	Bean, Choctaw ( <i>Villosa choctawensis</i> ) - Wherever found	E	\$6,000	\$3,523	\$9,523	\$5,435	\$14,958
	1069	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties. AL	EXPN	\$0	\$4,918	\$4,918	\$0	\$4,918
	901	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$12,000	\$0	\$12,000	\$0	\$12,000
	518	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$30,000	\$20,480	\$50,480	\$0	\$50,480



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	836	Bean, Purple ( <i>Villosa perpurpurea</i> ) - Wherever found	E	\$13,000	\$1,438	\$14,438	\$0	\$14,438
	579	Bean, Rayed ( <i>Villosa fabalis</i> ) - Wherever found	E	\$20,500	\$15,171	\$35,671	\$5,000	\$40,671
	956	Blossom, Green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> ) - Wherever found	E	\$10,000	\$200	\$10,200	\$0	\$10,200
	1092	Blossom, Tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,000	\$0	\$4,000	\$0	\$4,000
	826	Blossom, Tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$10,200	\$4,466	\$14,666	\$0	\$14,666
	1074	Blossom, Turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,000	\$752	\$4,752	\$0	\$4,752
	1022	Blossom, Turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1081	Blossom, Yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,500	\$0	\$4,500	\$0	\$4,500
	1081	Blossom, Yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	512	Catspaw, White (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> ) - Wherever found	E	\$50,500	\$1,050	\$51,550	\$0	\$51,550
	1018	Clubshell ( <i>Pleurobema clava</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$1,762	\$2,662	\$5,000	\$7,662

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	396	Clubshell (Pleurobema clava) - Wherever found; Except where listed as Experimental Populations	E	\$30,000	\$64,251	\$94,251	\$600	\$94,851
	1157	Clubshell, Black (Pleurobema curtum) - Wherever found	E	\$900	\$100	\$1,000	\$0	\$1,000
	412	Clubshell, Ovate (Pleurobema perovatum) - Wherever found	E	\$2,500	\$82,208	\$84,708	\$0	\$84,708
	382	Clubshell, Southern (Pleurobema decisum) - Wherever found	E	\$5,000	\$92,505	\$97,505	\$2,430	\$99,935
	1147	Combshell, Cumberlandian (Epioblasma brevidens) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$522	\$1,422	\$0	\$1,422
	816	Combshell, Cumberlandian (Epioblasma brevidens) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$15,000	\$0	\$15,000	\$0	\$15,000
	654	Combshell, Cumberlandian (Epioblasma brevidens) - Wherever found; Except where listed as Experimental Populations	E	\$29,000	\$460	\$29,460	\$0	\$29,460
	1157	Combshell, Southern (Epioblasma penita) - Wherever found	E	\$900	\$100	\$1,000	\$0	\$1,000
	1016	Combshell, Upland (Epioblasma metastriata) - Wherever found	E	\$1,300	\$6,467	\$7,767	\$0	\$7,767
	839	Ebonysshell, Round (Fusconaia rotulata) - Wherever found	E	\$6,000	\$2,869	\$8,869	\$5,435	\$14,304
	336	Elktoe, Appalachian (Alasmidonta raveneliana) - Wherever found	E	\$117,500	\$3,543	\$121,043	\$10,300	\$131,343
	950	Elktoe, Cumberland (Alasmidonta atropurpurea) - Wherever found	E	\$9,500	\$752	\$10,252	\$0	\$10,252
	1127	Fanshell (Cyprogenia stegaria) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$900	\$1,486	\$2,386	\$0	\$2,386
	420	Fanshell (Cyprogenia stegaria) - Wherever found	E	\$27,000	\$53,048	\$80,048	\$0	\$80,048
	763	Fatmucket, Arkansas (Lampsilis powellii) - Wherever found	T	\$10,500	\$4,000	\$14,500	\$4,200	\$18,700
	167	Heelsplitter, Carolina (Lasmigona decorata) - Wherever found	E	\$307,000	\$85,452	\$392,452	\$163,600	\$556,052

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	482	Heelsplitter, Inflated (Potamilus inflatus) - Wherever found	T	\$4,500	\$55,881	\$60,381	\$0	\$60,381
	172	Higgins Eye (pearlymussel) (Lampsilis higginsii) - Wherever found	E	\$0	\$454,967	\$454,967	\$65,000	\$519,967
	586	Hornshell, Texas (Popenaias popeii) - Wherever found	E	\$0	\$39,069	\$39,069	\$0	\$39,069
	364	Kidneyshell, Fluted (Ptychobranchnus subtentus) - Wherever found	E	\$46,500	\$62,330	\$108,830	\$0	\$108,830
	820	Kidneyshell, Southern (Ptychobranchnus jonesi) - Wherever found	E	\$6,000	\$3,462	\$9,462	\$5,435	\$14,897
	813	Kidneyshell, Triangular (Ptychobranchnus greenii) - Wherever found	E	\$3,500	\$9,602	\$13,102	\$1,980	\$15,082
	1116	Lampmussel, Alabama (Lampsilis virescens) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$1,928	\$2,828	\$0	\$2,828
	801	Lampmussel, Alabama (Lampsilis virescens) - Wherever found; Except where listed as Experimental Populations	E	\$7,500	\$8,600	\$16,100	\$0	\$16,100
	326	Lance, Yellow (Elliptio lanceolata) - Wherever found	T	\$119,000	\$700	\$119,700	\$15,700	\$135,400
	664	Lilliput, Pale (pearlymussel) (Toxolasma cylindrellus) - Wherever found	E	\$14,500	\$12,836	\$27,336	\$0	\$27,336
	1062	Mapleleaf, Winged (Quadrula fragosa) - U.S.A. (AL-specified portions of the Tennessee River; see 17.85(a)(1))	EXPN	\$4,500	\$0	\$4,500	\$600	\$5,100
	284	Mapleleaf, Winged (Quadrula fragosa) - Wherever found, except where listed as an experimental population	E	\$13,700	\$171,586	\$185,286	\$0	\$185,286
	411	Moccasinshell, Alabama (Medionidus acutissimus) - Wherever found	T	\$4,500	\$78,718	\$83,218	\$1,890	\$85,108
	938	Moccasinshell, Coosa (Medionidus parvulus) - Wherever found	E	\$5,000	\$2,339	\$7,339	\$3,330	\$10,669
	555	Moccasinshell, Gulf (Medionidus penicillatus) - Wherever found	E	\$21,500	\$283	\$21,783	\$23,660	\$45,443
	561	Moccasinshell, Ochlockonee (Medionidus simpsonianus) - Wherever found	E	\$25,500	\$13,252	\$38,752	\$5,435	\$44,187
	635	Moccasinshell, Suwannee (Medionidus walkerii) - Wherever found	T	\$16,000	\$10,389	\$26,389	\$5,435	\$31,824

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	706	Monkeyface, Appalachian (pearlymussel) (Quadrula sparsa) - Wherever found	E	\$22,500	\$200	\$22,700	\$0	\$22,700
	1136	Monkeyface, Cumberland (pearlymussel) (Quadrula intermedia) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,900	\$0	\$1,900	\$0	\$1,900
	1157	Monkeyface, Cumberland (pearlymussel) (Quadrula intermedia) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,000	\$0	\$1,000	\$0	\$1,000
	443	Monkeyface, Cumberland (pearlymussel) (Quadrula intermedia) - Wherever found; Except where listed as Experimental Populations	E	\$24,000	\$49,038	\$73,038	\$0	\$73,038
	585	Mucket, Neosho (Lampsilis rafinesqueana) - Wherever found	E	\$26,700	\$12,200	\$38,900	\$200	\$39,100
	422	Mucket, Orangenacre (Lampsilis perovalis) - Wherever found	T	\$2,000	\$77,894	\$79,894	\$0	\$79,894
	333	Mucket, Pink (pearlymussel) (Lampsilis abrupta) - Wherever found	E	\$72,425	\$59,691	\$132,116	\$300	\$132,416
	1118	Mussel, Oyster (Epioblasma capsaeformis) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$1,880	\$2,780	\$0	\$2,780
	795	Mussel, Oyster (Epioblasma capsaeformis) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$16,500	\$0	\$16,500	\$0	\$16,500
	671	Mussel, Oyster (Epioblasma capsaeformis) - Wherever found; Except where listed as Experimental Populations	E	\$25,500	\$480	\$25,980	\$0	\$25,980
	513	Mussel, Scaleshell (Leptodea leptodon) - Wherever found	E	\$20,800	\$30,400	\$51,200	\$300	\$51,500
	388	Mussel, Sheepnose (Plethobasus cyphus) - Wherever found	E	\$29,000	\$66,050	\$95,050	\$1,500	\$96,550
	258	Mussel, Snuffbox (Epioblasma triquetra) - Wherever found	E	\$130,000	\$105,917	\$235,917	\$12,100	\$248,017

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1078	Pearlshell, Alabama ( <i>Margaritifera marrianae</i> ) - Wherever found	E	\$4,500	\$100	\$4,600	\$0	\$4,600
	137	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> ) - Wherever found	T	\$738,000	\$0	\$738,000	\$6,460	\$744,460
	1149	Pearlymussel, Birdwing ( <i>Lemiox rimosus</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$900	\$446	\$1,346	\$0	\$1,346
	543	Pearlymussel, Birdwing ( <i>Lemiox rimosus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$47,000	\$47,000	\$0	\$47,000
	781	Pearlymussel, Birdwing ( <i>Lemiox rimosus</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$17,500	\$100	\$17,600	\$0	\$17,600
	529	Pearlymussel, Cracking ( <i>Hemistena lata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$47,752	\$48,652	\$0	\$48,652
	1059	Pearlymussel, Cracking ( <i>Hemistena lata</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$5,500	\$0	\$5,500	\$0	\$5,500
	612	Pearlymussel, Cracking ( <i>Hemistena lata</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$35,500	\$300	\$35,800	\$0	\$35,800
	1062	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> ) - Wherever found	E	\$5,000	\$0	\$5,000	\$200	\$5,200
	1107	Pearlymussel, Dromedary ( <i>Dromus dromas</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$2,439	\$3,339	\$0	\$3,339
	646	Pearlymussel, Dromedary ( <i>Dromus dromas</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$29,000	\$1,286	\$30,286	\$0	\$30,286
	674	Pearlymussel, Littlewing ( <i>Pegias fabula</i> ) - Wherever found	E	\$19,500	\$5,882	\$25,382	\$0	\$25,382
	400	Pearlymussel, Slabside ( <i>Pleuronaia dolabelloides</i> ) - Wherever found	E	\$28,000	\$64,366	\$92,366	\$0	\$92,366

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1083	Pigtoe, Cumberland (Pleurobema gibberum) - Wherever found	E	\$2,500	\$1,952	\$4,452	\$0	\$4,452
	1143	Pigtoe, Dark (Pleurobema furvum) - Wherever found	E	\$1,500	\$100	\$1,600	\$0	\$1,600
	1001	Pigtoe, Finerayed (Fusconaia cuneolus) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,900	\$6,904	\$8,804	\$0	\$8,804
	534	Pigtoe, Finerayed (Fusconaia cuneolus) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,000	\$47,000	\$48,000	\$0	\$48,000
	630	Pigtoe, Finerayed (Fusconaia cuneolus) - Wherever found; Except where listed as Experimental Populations	E	\$32,000	\$480	\$32,480	\$0	\$32,480
	1086	Pigtoe, Flat (Pleurobema marshalli) - Wherever found	E	\$4,000	\$300	\$4,300	\$0	\$4,300
	835	Pigtoe, Fuzzy (Pleurobema strodeanum) - Wherever found	T	\$5,500	\$3,523	\$9,023	\$5,435	\$14,458
	786	Pigtoe, Georgia (Pleurobema hanleyianum) - Wherever found	E	\$12,500	\$2,539	\$15,039	\$2,250	\$17,289
	1129	Pigtoe, Heavy (Pleurobema taitianum) - Wherever found	E	\$900	\$1,320	\$2,220	\$0	\$2,220
	590	Pigtoe, Narrow (Fusconaia escambia) - Wherever found	T	\$31,000	\$1,935	\$32,935	\$5,435	\$38,370
	392	Pigtoe, Oval (Pleurobema pyriforme) - Wherever found	E	\$21,000	\$61,626	\$82,626	\$13,310	\$95,936
	1148	Pigtoe, Rough (Pleurobema plenum) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$1,384	\$1,384	\$0	\$1,384
	552	Pigtoe, Rough (Pleurobema plenum) - Wherever found	E	\$31,500	\$14,264	\$45,764	\$0	\$45,764
	489	Pigtoe, Shiny (Fusconaia cor) - AL; Free- Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,900	\$57,052	\$58,952	\$0	\$58,952
	1157	Pigtoe, Shiny (Fusconaia cor) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,000	\$0	\$1,000	\$0	\$1,000



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	629	Pigtoe, Shiny ( <i>Fusconaia cor</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$31,500	\$1,130	\$32,630	\$0	\$32,630
	936	Pigtoe, Southern ( <i>Pleurobema georgianum</i> ) - Wherever found	E	\$4,000	\$4,351	\$8,351	\$2,430	\$10,781
	903	Pigtoe, Tapered ( <i>Fusconaia burkei</i> ) - Wherever found	T	\$5,500	\$1,022	\$6,522	\$5,435	\$11,957
	1158	Pimpleback, Orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers: see 17.85(b)(1))	EXPN	\$900	\$0	\$900	\$0	\$900
	544	Pimpleback, Orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - Wherever found	E	\$31,500	\$15,486	\$46,986	\$0	\$46,986
	228	Pocketbook, Fat ( <i>Potamilus capax</i> ) - Wherever found	E	\$217,500	\$99,389	\$316,889	\$0	\$316,889
	796	Pocketbook, Finelined ( <i>Lampsilis altilis</i> ) - Wherever found	T	\$5,500	\$8,424	\$13,924	\$2,475	\$16,399
	559	Pocketbook, Ouachita Rock ( <i>Arkansia wheeleri</i> ) - Wherever found	E	\$34,800	\$0	\$34,800	\$9,600	\$44,400
	794	Pocketbook, Shinyrayed ( <i>Lampsilis subangulata</i> ) - Wherever found	E	\$10,500	\$100	\$10,600	\$5,975	\$16,575
	563	Pocketbook, Speckled ( <i>Lampsilis streckeri</i> ) - Wherever found	E	\$31,500	\$600	\$32,100	\$11,700	\$43,800
	916	Purple Cat's Paw (=purple Cat's Paw Pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties - AL	EXPN	\$11,500	\$110	\$11,610	\$0	\$11,610
	752	Purple Cat's Paw (=purple Cat's Paw Pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$8,500	\$11,076	\$19,576	\$0	\$19,576
	185	Rabbitsfoot ( <i>Quadrula cylindrica cylindrica</i> ) - Wherever found	T	\$318,500	\$146,268	\$464,768	\$2,000	\$466,768
	939	Rabbitsfoot, Rough ( <i>Quadrula cylindrica strigillata</i> ) - Wherever found	E	\$9,500	\$1,132	\$10,632	\$0	\$10,632
	295	Riffleshell, Northern ( <i>Epioblasma torulosa rangiana</i> ) - Wherever found	E	\$115,900	\$49,102	\$165,002	\$600	\$165,602

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	560	Riffleshell, Tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> )) - Wherever found	E	\$42,500	\$1,818	\$44,318	\$0	\$44,318
	1158	Ring Pink (mussel) ( <i>Obovaria retusa</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$900	\$0	\$900	\$0	\$900
	596	Ring Pink (mussel) ( <i>Obovaria retusa</i> ) - Wherever found	E	\$25,500	\$12,261	\$37,761	\$0	\$37,761
	852	Sandshell, Southern ( <i>Hamiota australis</i> ) - Wherever found	T	\$6,000	\$2,327	\$8,327	\$5,435	\$13,762
	322	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> ) - Wherever found	T	\$78,000	\$61,160	\$139,160	\$0	\$139,160
	330	Spectaclecase (mussel) ( <i>Cumberlandia monodonta</i> ) - Wherever found	E	\$97,000	\$34,214	\$131,214	\$2,400	\$133,614
	1164	Spinymussel, Altamaha ( <i>Elliptio spinosa</i> ) - Wherever found	E	\$300	\$100	\$400	\$0	\$400
	211	Spinymussel, James ( <i>Pleurobema collina</i> ) - Wherever found	E	\$362,000	\$2,705	\$364,705	\$2,300	\$367,005
	578	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> ) - Wherever found	E	\$31,000	\$4,045	\$35,045	\$5,700	\$40,745
	1090	Stirrupshell ( <i>Quadrula stapes</i> ) - Wherever found	E	\$4,000	\$100	\$4,100	\$0	\$4,100
	328	Threeridge, Fat (mussel) ( <i>Amblema neislerii</i> ) - Wherever found	E	\$58,500	\$61,160	\$119,660	\$14,660	\$134,320
	991	Wartyback, White (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) - Wherever found	E	\$7,500	\$1,559	\$9,059	\$0	\$9,059
	148	Wedgemussel, Dwarf ( <i>Alasmidonta heterodon</i> ) - Wherever found	E	\$554,500	\$122,847	\$677,347	\$14,400	\$691,747
<b>Clams subtotal</b>				<b>\$4,743,525</b>	<b>\$2,856,024</b>	<b>\$7,599,549</b>	<b>\$482,270</b>	<b>\$8,081,819</b>
Conifers and Cycads	1126	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> ) - Wherever found	T	\$0	\$2,400	\$2,400	\$0	\$2,400
	205	Fadang ( <i>Cycas micronesica</i> ) - Wherever found	T	\$138,962	\$251,146	\$390,108	\$0	\$390,108
	197	Torreya, Florida ( <i>Torreya taxifolia</i> ) - Wherever found	E	\$354,000	\$54,437	\$408,437	\$1,800	\$410,237
<b>Conifers and Cycads subtotal</b>				<b>\$492,962</b>	<b>\$307,983</b>	<b>\$800,945</b>	<b>\$1,800</b>	<b>\$802,745</b>
Corals	202	Coral, Boulder Star ( <i>Orbicella franksi</i> ) - Wherever found	T	\$0	\$402,044	\$402,044	\$0	\$402,044

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	184	Coral, Elkhorn ( <i>Acropora palmata</i> ) - Wherever found	T	\$0	\$471,867	\$471,867	\$0	\$471,867
	198	Coral, Lobed Star ( <i>Orbicella annularis</i> ) - Wherever found	T	\$0	\$409,044	\$409,044	\$0	\$409,044
	196	Coral, Mountainous Star ( <i>Orbicella faveolata</i> ) - Wherever found	T	\$0	\$412,044	\$412,044	\$0	\$412,044
	208	Coral, Pillar ( <i>Dendrogyra cylindrus</i> ) - Wherever found	T	\$0	\$376,500	\$376,500	\$0	\$376,500
	209	Coral, Rough Cactus ( <i>Mycetophyllia ferox</i> ) - Wherever found	T	\$0	\$372,000	\$372,000	\$0	\$372,000
	173	Coral, staghorn ( <i>Acropora cervicornis</i> ) - Wherever found	T	\$0	\$514,580	\$514,580	\$0	\$514,580
	232	No common name ( <i>Acropora globiceps</i> ) - Wherever found	T	\$5,070	\$306,700	\$311,770	\$0	\$311,770
	1058	No Common Name ( <i>Acropora jacquelineae</i> ) - Wherever found	T	\$5,070	\$500	\$5,570	\$0	\$5,570
	1064	No Common Name ( <i>Acropora lokani</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
	1064	No Common Name ( <i>Acropora pharaonis</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
	231	No common name ( <i>Acropora retusa</i> ) - Wherever found	T	\$5,070	\$307,000	\$312,070	\$0	\$312,070
	1064	No Common Name ( <i>Acropora rudis</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
	233	No common name ( <i>Acropora speciosa</i> ) - Wherever found	T	\$5,070	\$306,500	\$311,570	\$0	\$311,570
	1064	No Common Name ( <i>Acropora tenella</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
	1064	No Common Name ( <i>Anacropora spinosa</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
	232	No common name ( <i>Euphyllia paradivisa</i> ) - Wherever found	T	\$5,070	\$306,700	\$311,770	\$0	\$311,770
	232	No common name ( <i>Isopora crateriformis</i> ) - Wherever found	T	\$5,070	\$306,700	\$311,770	\$0	\$311,770
	1064	No Common Name ( <i>Montipora australiensis</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
	1064	No Common Name ( <i>Pavona diffluens</i> ) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1064	No Common Name (Porites napopora) - Wherever found	T	\$5,070	\$0	\$5,070	\$0	\$5,070
<b>Corals subtotal</b>				<b>\$70,980</b>	<b>\$4,492,179</b>	<b>\$4,563,159</b>	<b>\$0</b>	<b>\$4,563,159</b>
Crustaceans	522	Amphipod, Hay's Spring (Stygobromus hayi) - Wherever found	E	\$47,000	\$2,600	\$49,600	\$0	\$49,600
	810	Amphipod, Kauai Cave (Spelaeorchestia koloana) - Wherever found	E	\$15,452	\$0	\$15,452	\$0	\$15,452
	1133	Amphipod, Noel's (Gammarus desperatus) - Wherever found	E	\$0	\$2,125	\$2,125	\$0	\$2,125
	901	Crayfish, Benton County Cave (Cambarus aculabrum) - Wherever found	E	\$12,000	\$0	\$12,000	\$0	\$12,000
	351	Crayfish, Big Sandy (Cambarus callainus) - Wherever found	T	\$118,000	\$4,554	\$122,554	\$0	\$122,554
	495	Crayfish, Guyandotte River (Cambarus veteranus) - Wherever found	E	\$56,500	\$600	\$57,100	\$0	\$57,100
	995	Crayfish, Hell Creek Cave (Cambarus zophonastes) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	699	Crayfish, Nashville (Orconectes shoupi) - Wherever found	E	\$22,500	\$669	\$23,169	\$0	\$23,169
	1143	Crayfish, Shasta (Pacifastacus fortis) - Wherever found	E	\$0	\$1,600	\$1,600	\$0	\$1,600
	611	Fairy Shrimp, Conservancy (Branchinecta conservatio) - Wherever found	E	\$0	\$35,898	\$35,898	\$0	\$35,898
	1026	Fairy Shrimp, Longhorn (Branchinecta longiantenna) - Wherever found	E	\$0	\$7,200	\$7,200	\$0	\$7,200
	733	Fairy Shrimp, Riverside (Streptocephalus woottoni) - Wherever found	E	\$0	\$20,500	\$20,500	\$0	\$20,500
	733	Fairy Shrimp, San Diego (Branchinecta sandiegonensis) - Wherever found	E	\$0	\$20,500	\$20,500	\$0	\$20,500
	212	Fairy Shrimp, Vernal Pool (Branchinecta lynchi) - Wherever found	T	\$53,000	\$313,571	\$366,571	\$0	\$366,571
	1122	Isopod, Lee County Cave (Lirceus usdagalun) - Wherever found	E	\$2,500	\$100	\$2,600	\$0	\$2,600
	484	Isopod, Madison Cave (Antrolana lira) - Wherever found	T	\$59,500	\$500	\$60,000	\$0	\$60,000
	1157	Isopod, Socorro (Thermosphaeroma thermophilus) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	793	Shrimp, Alabama Cave (Palaemonias alabamae) - Wherever found	E	\$16,500	\$100	\$16,600	\$0	\$16,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	527	Shrimp, Anchialine Pool ( <i>Procaris hawaiiiana</i> ) - Wherever found	E	\$47,910	\$1,000	\$48,910	\$0	\$48,910
	549	Shrimp, Anchialine Pool ( <i>Vetericaris chaceorum</i> ) - Wherever found	E	\$46,298	\$0	\$46,298	\$0	\$46,298
	851	Shrimp, California Freshwater ( <i>Syncaris pacifica</i> ) - Wherever found	E	\$0	\$13,800	\$13,800	\$0	\$13,800
	803	Shrimp, Kentucky Cave ( <i>Palaemonias ganteri</i> ) - Wherever found	E	\$4,000	\$12,000	\$16,000	\$0	\$16,000
	237	Tadpole Shrimp, Vernal Pool ( <i>Lepidurus packardi</i> ) - Wherever found	E	\$0	\$294,961	\$294,961	\$0	\$294,961
<b>Crustaceans subtotal</b>				<b>\$510,160</b>	<b>\$733,278</b>	<b>\$1,243,438</b>	<b>\$0</b>	<b>\$1,243,438</b>
Ferns and Allies	930	Aumakua, Palapalai ( <i>Dryopteris crinalis</i> var. <i>podosorus</i> ) - Wherever found	E	\$11,024	\$0	\$11,024	\$0	\$11,024
	965	Diellia, Asplenium-leaved ( <i>Asplenium dielirectum</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	1089	Fern, Alabama Streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> ) - Wherever found	T	\$4,000	\$100	\$4,100	\$0	\$4,100
	1092	Fern, Aleutian Shield ( <i>Polystichum aleuticum</i> ) - Wherever found	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	282	Fern, American Hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> ) - Wherever found	T	\$182,000	\$5,600	\$187,600	\$0	\$187,600
	1102	Fern, Elfin Tree ( <i>Cyathea dryopteroides</i> ) - Wherever found	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	774	Fern, Florida Bristle ( <i>Trichomanes punctatum</i> ssp. <i>floridanum</i> ) - Wherever found	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	969	Fern, Pendant Kihii ( <i>Adenophorus periens</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	748	Hohiu ( <i>Dryopteris glabra</i> var. <i>pusilla</i> ) - Wherever found	E	\$19,995	\$0	\$19,995	\$0	\$19,995
	909	Ihi`ihi ( <i>Marsilea villosa</i> ) - Wherever found	E	\$11,690	\$100	\$11,790	\$0	\$11,790
	724	Kupukupu Makalii ( <i>Cyclosorus boydiae</i> ) - Wherever found	E	\$9,009	\$12,100	\$21,109	\$0	\$21,109
	1067	No Common Name ( <i>Adiantum vivesii</i> ) - Wherever found	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	998	No Common Name ( <i>Asplenium dielfalcatum</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	809	No Common Name ( <i>Asplenium diellaciniatum</i> ) - Wherever found	E	\$15,598	\$0	\$15,598	\$0	\$15,598
	817	No Common Name ( <i>Asplenium dielmannii</i> ) - Wherever found	E	\$14,989	\$0	\$14,989	\$0	\$14,989
	969	No Common Name ( <i>Asplenium dielpallidum</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	573	No Common Name ( <i>Asplenium peruvianum</i> var. <i>insulare</i> ) - Wherever found	E	\$17,432	\$24,000	\$41,432	\$0	\$41,432
	1003	No Common Name ( <i>Asplenium unisorum</i> ) - Wherever found	E	\$8,502	\$100	\$8,602	\$0	\$8,602
	949	No Common Name ( <i>Deparia kaalaana</i> ) - Wherever found	E	\$10,270	\$0	\$10,270	\$0	\$10,270
	868	No Common Name ( <i>Diplazium molokaiense</i> ) - Wherever found	E	\$13,164	\$0	\$13,164	\$0	\$13,164
	1004	No Common Name ( <i>Doryopteris angelica</i> ) - Wherever found	E	\$8,502	\$0	\$8,502	\$0	\$8,502
	1003	No Common Name ( <i>Doryopteris takeuchii</i> ) - Wherever found	E	\$8,502	\$100	\$8,602	\$0	\$8,602
	1111	No Common Name ( <i>Elaphoglossum serpens</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	941	No Common Name ( <i>Huperzia stemmermanniae</i> ) - Wherever found	E	\$10,528	\$0	\$10,528	\$0	\$10,528
	509	No Common Name ( <i>Microlepia strigosa</i> var. <i>mauiensis</i> ) - Wherever found	E	\$29,796	\$24,100	\$53,896	\$0	\$53,896
	1111	No Common Name ( <i>Polystichum calderonense</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	965	No Common Name ( <i>Pteris lidgatei</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	1124	No Common Name ( <i>Tectaria estremerana</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1124	No Common Name ( <i>Thelypteris inabonensis</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1124	No Common Name ( <i>Thelypteris verecunda</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1124	No Common Name ( <i>Thelypteris yaucoensis</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	902	<i>Olua</i> ( <i>Hypolepis hawaiiensis</i> var. <i>mauiensis</i> ) - Wherever found	E	\$11,984	\$0	\$11,984	\$0	\$11,984



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	901	Pauoa (Ctenitis squamigera) - Wherever found	E	\$11,900	\$100	\$12,000	\$0	\$12,000
	1039	Quillwort, Black Spored (Isoetes melanospora) - Wherever found	E	\$2,500	\$1,800	\$4,300	\$2,295	\$6,595
	359	Quillwort, Louisiana (Isoetes louisianensis) - Wherever found	E	\$51,000	\$59,569	\$110,569	\$1,000	\$111,569
	1135	Quillwort, Mat-forming (Isoetes tegetiformans) - Wherever found	E	\$200	\$1,600	\$1,800	\$225	\$2,025
	667	Wawae`iole (Huperzia mannii) - Wherever found	E	\$14,400	\$12,000	\$26,400	\$0	\$26,400
	965	Wawae`iole (Huperzia nutans) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
<b>Ferns and Allies subtotal</b>				<b>\$571,988</b>	<b>\$141,569</b>	<b>\$713,557</b>	<b>\$3,520</b>	<b>\$717,077</b>
Fishes	556	Blindcat, Mexican (catfish) (Prietella phreatophila) - Wherever found	E	\$0	\$45,000	\$45,000	\$0	\$45,000
	309	Bocaccio (Sebastes paucispinis) - Puget Sound - Georgia Basin DPS	E	\$0	\$20,700	\$20,700	\$129,093	\$149,793
	140	Bocaccio (Sebastes paucispinis) - Puget Sound- Georgia Basin DPS See 50 CFR 224.101	E	\$0	\$735,000	\$735,000	\$0	\$735,000
	19	Bonytail (Gila elegans) - Wherever found	E	\$9,500	\$10,421,161	\$10,430,661	\$136,670	\$10,567,331
	1117	Catfish, Yaqui (Ictalurus pricei) - Wherever found	T	\$1,800	\$1,000	\$2,800	\$0	\$2,800
	793	Cavefish, Alabama (Speoplatyrhinus poulsoni) - Wherever found	E	\$16,500	\$100	\$16,600	\$0	\$16,600
	640	Cavefish, Ozark (Amblyopsis rosae) - Wherever found	T	\$28,900	\$0	\$28,900	\$2,000	\$30,900
	297	Chub, Borax Lake (Gila boraxobius) - Wherever found	E	\$162,309	\$2,100	\$164,409	\$0	\$164,409
	1008	Chub, Chihuahua (Gila nigrescens) - Wherever found	T	\$0	\$8,380	\$8,380	\$0	\$8,380
	525	Chub, Gila (Gila intermedia) - Wherever found	E	\$0	\$49,344	\$49,344	\$0	\$49,344
	33	Chub, Humpback (Gila cypha) - Wherever found	E	\$16,500	\$6,916,798	\$6,933,298	\$136,670	\$7,069,968
	1171	Chub, Hutton Tui (Gila bicolor ssp.) - Wherever found	T	\$0	\$100	\$100	\$0	\$100
	816	Chub, Owens Tui (Gila bicolor ssp. snyderi) - Wherever found	E	\$0	\$15,000	\$15,000	\$0	\$15,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1162	Chub, Pahrnagat Roundtail ( <i>Gila robusta jordani</i> ) - Wherever found	E	\$0	\$500	\$500	\$0	\$500
	721	Chub, Slender ( <i>Erimystax cahni</i> ) - Wherever found	T	\$19,975	\$1,334	\$21,309	\$0	\$21,309
	1135	Chub, Sonora ( <i>Gila ditaenia</i> ) - Wherever found	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	1158	Chub, Spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (AL, TN-specified portions of Shoal Creek; see 17.84(m)(1)(ii))	EXPN	\$900	\$0	\$900	\$0	\$900
	1169	Chub, Spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (TN-specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$200	\$0	\$200	\$0	\$200
	832	Chub, Spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(m)(1)(i))	EXPN	\$8,000	\$6,527	\$14,527	\$0	\$14,527
	286	Chub, Spotfin ( <i>Erimonax monachus</i> ) - Wherever found, except where listed as an experimental population	T	\$176,500	\$550	\$177,050	\$5,100	\$182,150
	445	Chub, Virgin River ( <i>Gila seminuda</i> (=robusta)) - Wherever found	E	\$5,500	\$67,377	\$72,877	\$0	\$72,877
	1162	Chub, Yaqui ( <i>Gila purpurea</i> ) - Wherever found	E	\$500	\$0	\$500	\$0	\$500
	496	Cui-ui ( <i>Chasmistes cujus</i> ) - Wherever found	E	\$0	\$57,000	\$57,000	\$0	\$57,000
	1161	Dace, Ash Meadows Speckled ( <i>Rhinichthys osculus nevadensis</i> ) - Wherever found	E	\$0	\$600	\$600	\$0	\$600
	355	Dace, Blackside ( <i>Phoxinus cumberlandensis</i> ) - Wherever found	T	\$109,000	\$6,154	\$115,154	\$0	\$115,154
	275	Dace, Desert ( <i>Eremichthys acros</i> ) - Wherever found	T	\$0	\$198,500	\$198,500	\$0	\$198,500
	1102	Dace, Independence Valley Speckled ( <i>Rhinichthys osculus lethoporus</i> ) - Wherever found	E	\$0	\$3,500	\$3,500	\$0	\$3,500
	963	Dace, Laurel ( <i>Chrosomus saylori</i> ) - Wherever found	E	\$8,000	\$2,032	\$10,032	\$0	\$10,032
	679	Dace, Moapa ( <i>Moapa coriacea</i> ) - Wherever found	E	\$0	\$25,000	\$25,000	\$0	\$25,000
	493	Darter, Amber ( <i>Percina antesella</i> ) - Wherever found	E	\$25,000	\$8,099	\$33,099	\$24,570	\$57,669

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	925	Darter, Bayou (Etheostoma rubrum) - Wherever found	T	\$11,000	\$200	\$11,200	\$0	\$11,200
	696	Darter, Bluemask (Etheostoma akatulo) - Wherever found	E	\$20,000	\$3,576	\$23,576	\$0	\$23,576
	1158	Darter, Boulder (Etheostoma wapiti) - Shoal Creek	EXPN	\$900	\$0	\$900	\$0	\$900
	461	Darter, Boulder (Etheostoma wapiti) - Wherever found	E	\$25,000	\$42,700	\$67,700	\$0	\$67,700
	304	Darter, Candy (Etheostoma osburni) - Wherever found	E	\$116,000	\$39,940	\$155,940	\$0	\$155,940
	452	Darter, Cherokee (Etheostoma scotti) - Wherever found	T	\$35,000	\$1,723	\$36,723	\$34,965	\$71,688
	750	Darter, Cumberland (Etheostoma susanae) - Wherever found	E	\$17,500	\$2,174	\$19,674	\$0	\$19,674
	1143	Darter, Diamond (Crystallaria cincotta) - Wherever found	E	\$900	\$700	\$1,600	\$0	\$1,600
	423	Darter, Duskytail (Etheostoma percnum) - Wherever found	E	\$59,000	\$20,653	\$79,653	\$0	\$79,653
	465	Darter, Etowah (Etheostoma etowahae) - Wherever found	E	\$52,000	\$1,723	\$53,723	\$12,375	\$66,098
	1163	Darter, Fountain (Etheostoma fonticola) - Wherever found	E	\$0	\$420	\$420	\$0	\$420
	576	Darter, Goldline (Percina aurolineata) - Wherever found	T	\$20,000	\$3,080	\$23,080	\$18,045	\$41,125
	492	Darter, Kentucky Arrow (Etheostoma spilotum) - Wherever found	T	\$56,000	\$2,044	\$58,044	\$0	\$58,044
	268	Darter, Leopard (Percina pantherina) - Wherever found	T	\$191,700	\$0	\$191,700	\$18,400	\$210,100
	731	Darter, Maryland (Etheostoma sellare) - Wherever found	E	\$20,500	\$100	\$20,600	\$0	\$20,600
	1002	Darter, Niangua (Etheostoma nianguae) - Wherever found	T	\$0	\$4,200	\$4,200	\$4,500	\$8,700
	346	Darter, Okaloosa (Etheostoma okaloosae) - Wherever found	T	\$23,500	\$102,129	\$125,629	\$0	\$125,629
	318	Darter, Pearl (Percina aurora) - Wherever found	T	\$138,500	\$1,829	\$140,329	\$0	\$140,329
	617	Darter, Relict (Etheostoma chienense) - Wherever found	E	\$35,000	\$0	\$35,000	\$0	\$35,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	305	Darter, Rush (Etheostoma phytophilum) - Wherever found	E	\$154,500	\$378	\$154,878	\$0	\$154,878
	1037	Darter, Slackwater (Etheostoma boschungii) - Wherever found	T	\$6,500	\$200	\$6,700	\$0	\$6,700
	448	Darter, Snail (Percina tanasi) - Wherever found	T	\$63,000	\$6,908	\$69,908	\$2,340	\$72,248
	1053	Darter, Vermilion (Etheostoma chermocki) - Wherever found	E	\$4,500	\$1,396	\$5,896	\$0	\$5,896
	1045	Darter, Watercress (Etheostoma nuchale) - Wherever found	E	\$6,000	\$100	\$6,100	\$0	\$6,100
	669	Darter, Yellowcheek (Etheostoma moorei) - Wherever found	E	\$24,000	\$0	\$24,000	\$2,200	\$26,200
	324	Eulachon (Thaleichthys pacificus) - Southern DPS	T	\$0	\$70,780	\$70,780	\$66,311	\$137,091
	129	Eulachon (Thaleichthys pacificus) - Southern DPS - See 50 CFR 223.102	T	\$0	\$847,000	\$847,000	\$0	\$847,000
	1145	Gambusia, Big Bend (Gambusia gaigei) - Wherever found	E	\$0	\$1,500	\$1,500	\$0	\$1,500
	1059	Gambusia, Pecos (Gambusia nobilis) - Wherever found	E	\$0	\$5,500	\$5,500	\$0	\$5,500
	347	Goby, Tidewater (Eucyclogobius newberryi) - Wherever found	E	\$0	\$125,357	\$125,357	\$0	\$125,357
	714	Grouper, Nassau (Epinephelus striatus) - UNK	T	\$0	\$22,300	\$22,300	\$0	\$22,300
	229	grouper, Nassau (Epinephelus striatus) - Wherever found	T	\$0	\$315,000	\$315,000	\$0	\$315,000
	682	Logperch, Conasauga (Percina jenkinsi) - Wherever found	E	\$12,500	\$476	\$12,976	\$11,700	\$24,676
	169	Logperch, Roanoke (Percina rex) - Wherever found	E	\$341,000	\$153,920	\$494,920	\$50,000	\$544,920
	1084	Madtom, Chucky (Noturus crypticus) - Wherever found	E	\$4,000	\$376	\$4,376	\$0	\$4,376
	678	Madtom, Neosho (Noturus placidus) - Wherever found	T	\$23,000	\$2,100	\$25,100	\$0	\$25,100
	1057	Madtom, Pygmy (Noturus stanauli) - Wherever found	E	\$4,500	\$1,128	\$5,628	\$0	\$5,628
	1160	Madtom, Scioto (Noturus trautmani) - Wherever found	E	\$0	\$800	\$800	\$0	\$800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1030	Madtom, Smoky (Noturus baileyi) - Tellico River, TN	EXPN	\$7,000	\$0	\$7,000	\$0	\$7,000
	701	Madtom, Smoky (Noturus baileyi) - Wherever found	E	\$14,000	\$9,017	\$23,017	\$0	\$23,017
	572	Madtom, Yellowfin (Noturus flavipinnis) - U.S.A. (TN, VA-specified portions of the Holston River and watershed; see 17.84(e)(1)(i))	EXPN	\$41,500	\$100	\$41,600	\$0	\$41,600
	966	Madtom, Yellowfin (Noturus flavipinnis) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(e)(1)(ii))	EXPN	\$10,000	\$0	\$10,000	\$0	\$10,000
	605	Madtom, Yellowfin (Noturus flavipinnis) - Wherever found, except where listed as an experimental population	T	\$27,800	\$9,117	\$36,917	\$0	\$36,917
	953	Minnow, Devils River (Dionda diaboli) - Wherever found	T	\$1,035	\$9,200	\$10,235	\$0	\$10,235
	243	Minnow, Loach (Tiaroga cobitis) - Wherever found	E	\$17,000	\$258,807	\$275,807	\$0	\$275,807
	21	Minnow, Rio Grande Silvery (Hybognathus amarus) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$0	\$10,000,000	\$10,000,000	\$0	\$10,000,000
	190	Minnow, Rio Grande Silvery (Hybognathus amarus) - Wherever found, except where listed as an experimental population	E	\$0	\$434,000	\$434,000	\$0	\$434,000
	66	Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - Salt and Verde R. drainages, AZ	EXPN	\$0	\$3,260,494	\$3,260,494	\$0	\$3,260,494
	105	Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - Wherever found, except where listed as an experimental population	E	\$11,500	\$967,700	\$979,200	\$136,670	\$1,115,870
	450	Poolfish, Pahump (Empetrichthys latos) - Wherever found	E	\$0	\$72,000	\$72,000	\$0	\$72,000
	1161	Pupfish, Ash Meadows Amargosa (Cyprinodon nevadensis mionectes) - Wherever found	E	\$0	\$600	\$600	\$0	\$600
	1067	Pupfish, Comanche Springs (Cyprinodon elegans) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	432	Pupfish, Desert (Cyprinodon macularius) - Wherever found	E	\$42,650	\$33,670	\$76,320	\$0	\$76,320
	189	Pupfish, Devils Hole (Cyprinodon diabolis) - Wherever found	E	\$20,000	\$418,600	\$438,600	\$0	\$438,600
	617	Pupfish, Owens (Cyprinodon radiosus) - Wherever found	E	\$0	\$35,000	\$35,000	\$0	\$35,000
	1161	Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) - Wherever found	E	\$0	\$600	\$600	\$0	\$600
	300	Rockfish, Canary (Sebastes pinniger) - Puget Sound - Georgia Basin DPS	T	\$0	\$2,500	\$2,500	\$157,196	\$159,696
	289	Rockfish, Yelloweye (Sebastes ruberrimus) - Puget Sound - Georgia Basin DPS	T	\$0	\$17,700	\$17,700	\$157,196	\$174,896
	154	rockfish, yelloweye (Sebastes ruberrimus) - Puget Sound - Georgia Basin DPS See 50 CFR 223.102	T	\$0	\$635,000	\$635,000	\$0	\$635,000
	117	Salmon, Atlantic (Salmo salar) - Gulf of Maine DPS	E	\$664,000	\$307,448	\$971,448	\$0	\$971,448
	36	Salmon, Atlantic (Salmo salar) - Gulf of Maine DPS - See 50 CFR 224.101	E	\$0	\$6,706,000	\$6,706,000	\$0	\$6,706,000
	433	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - California Coastal ESU	T	\$0	\$76,000	\$76,000	\$0	\$76,000
	54	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - California Coastal ESU - See 50 CFR 223.102	T	\$0	\$3,722,000	\$3,722,000	\$0	\$3,722,000
	3	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Central Valley spring-run ESU	EXPN	\$0	\$3,750	\$3,750	\$0	\$3,750
	3	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$46,000	\$44,115,042	\$44,161,042	\$0	\$44,161,042
	TRUE	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Central Valley spring-run ESU See 50 CFR 223.102	T	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	14	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$989,720	\$13,237,112	\$14,226,832	\$4,100,676	\$18,327,508
	42	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Lower Columbia River ESU See 50 CFR 223.102	T	\$0	\$5,225,000	\$5,225,000	\$0	\$5,225,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Puget Sound ESU	T	\$805,157	\$26,798,806	\$27,603,963	\$34,508,169	\$62,112,132
	47	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Puget Sound ESU See 50 CFR 223.102	T	\$0	\$4,276,000	\$4,276,000	\$0	\$4,276,000
	9	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$6,100	\$26,630,957	\$26,637,057	\$0	\$26,637,057
	56	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Sacramento River winter-run ESU - See 50 CFR 224.101	E	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	12	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$420,074	\$22,247,400	\$22,667,474	\$177,463	\$22,844,937
	44	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River fall-run ESU See 50 CFR 223.102	T	\$0	\$5,046,000	\$5,046,000	\$0	\$5,046,000
	5	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$156,426	\$39,188,746	\$39,345,172	\$1,149,158	\$40,494,330
	38	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River spring/summer-run ESU See 50 CFR 223.102	T	\$0	\$6,410,000	\$6,410,000	\$0	\$6,410,000
	63	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Columbia River spring-run ESU See 50 CFR 224.101	E	\$0	\$3,476,000	\$3,476,000	\$0	\$3,476,000
	11	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$265,571	\$22,131,345	\$22,396,916	\$2,547,681	\$24,944,597
	25	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$14,600	\$8,257,991	\$8,272,591	\$409,474	\$8,682,065
	61	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Willamette River ESU See 50 CFR 223.102	T	\$0	\$3,519,000	\$3,519,000	\$0	\$3,519,000
	35	Salmon, Chum (Oncorhynchus keta) - Columbia River ESU	T	\$37,000	\$6,100,734	\$6,137,734	\$608,370	\$6,746,104
	45	Salmon, chum (Oncorhynchus keta) - Columbia River ESU See 50 CFR 223.102	T	\$0	\$4,967,000	\$4,967,000	\$0	\$4,967,000
	72	Salmon, Chum (Oncorhynchus keta) - Hood Canal summer-run ESU	T	\$581,350	\$4,696	\$586,046	\$1,900,125	\$2,486,171

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	47	Salmon, chum ( <i>Oncorhynchus keta</i> ) - Hood Canal summer-run ESU - See 50 CFR 223.102	T	\$0	\$4,276,000	\$4,276,000	\$0	\$4,276,000
	26	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Central California Coast ESU	E	\$5,000	\$8,186,957	\$8,191,957	\$0	\$8,191,957
	56	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Central California Coast ESU - See 50 CFR 224.101	E	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	24	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River ESU	T	\$437,504	\$6,900,805	\$7,338,309	\$1,455,926	\$8,794,235
	42	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River ESU - See 50 CFR 223.102	T	\$0	\$5,225,000	\$5,225,000	\$0	\$5,225,000
	39	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Oregon Coast ESU	T	\$127,000	\$4,956,780	\$5,083,780	\$1,100,000	\$6,183,780
	55	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Oregon Coast ESU - See 50 CFR 223.102	T	\$0	\$3,668,000	\$3,668,000	\$0	\$3,668,000
	30	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Southern Oregon - Northern California Coast ESU	T	\$122,000	\$7,043,859	\$7,165,859	\$900,000	\$8,065,859
	41	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Southern Oregon - Northern California Coast ESU - See 50 CFR 223.102	T	\$0	\$5,286,000	\$5,286,000	\$0	\$5,286,000
	357	Salmon, Sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - Ozette Lake ESU	T	\$0	\$32,333	\$32,333	\$81,685	\$114,018
	47	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - Ozette Lake ESU - See 50 CFR 223.102	T	\$0	\$4,276,000	\$4,276,000	\$0	\$4,276,000
	16	Salmon, Sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - Snake River ESU	E	\$0	\$14,297,593	\$14,297,593	\$10,213	\$14,307,806
	65	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - Snake River ESU - See 50 CFR 224.101	E	\$0	\$3,467,000	\$3,467,000	\$0	\$3,467,000
	115	Sawfish, smalltooth ( <i>Pristis pectinata</i> ) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$0	\$724,070	\$724,070	\$265,788	\$989,858
	1062	Sculpin, Pygmy ( <i>Cottus paulus</i> (=pygmaeus)) - Wherever found	T	\$5,000	\$100	\$5,100	\$0	\$5,100



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1153	Shark, Scalloped Hammerhead ( <i>Sphyrna lewini</i> ) - Central and Southwest Atlantic DPS	T	\$0	\$1,165	\$1,165	\$0	\$1,165
	514	Shark, Scalloped Hammerhead ( <i>Sphyrna lewini</i> ) - Eastern Atlantic DPS	E	\$0	\$0	\$0	\$51,200	\$51,200
	390	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas River Basin (AR, KS, NM, OK, TX)	T	\$85,658	\$8,000	\$93,658	\$2,605	\$96,263
	1162	Shiner, Beautiful ( <i>Cyprinella formosa</i> ) - Wherever found	T	\$500	\$0	\$500	\$0	\$500
	399	Shiner, Blue ( <i>Cyprinella caerulea</i> ) - Wherever found	T	\$48,000	\$1,939	\$49,939	\$43,740	\$93,679
	1048	Shiner, Cahaba ( <i>Notropis cahabae</i> ) - Wherever found	E	\$3,500	\$2,540	\$6,040	\$0	\$6,040
	257	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> ) - Wherever found	E	\$238,500	\$6,685	\$245,185	\$3,500	\$248,685
	997	Shiner, Palezone ( <i>Notropis albizonatus</i> ) - Wherever found	E	\$5,000	\$3,960	\$8,960	\$0	\$8,960
	114	Shiner, Pecos Bluntnose ( <i>Notropis simus pecosensis</i> ) - Wherever found	T	\$0	\$1,004,801	\$1,004,801	\$0	\$1,004,801
	926	Shiner, Sharpnose ( <i>Notropis oxyrhynchus</i> ) - Wherever found	E	\$8,140	\$420	\$8,560	\$2,605	\$11,165
	926	Shiner, Smalleye ( <i>Notropis buccula</i> ) - Wherever found	E	\$8,140	\$420	\$8,560	\$2,605	\$11,165
	669	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis)) - U.S.A. (MO-specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.84(d)(1)(i))	EXPN	\$0	\$5,200	\$5,200	\$21,000	\$26,200
	298	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis)) - Wherever found, except where listed as an experimental population	E	\$0	\$160,876	\$160,876	\$1,089	\$161,965
	984	Silverside, Waccamaw ( <i>Menidia extensa</i> ) - Wherever found	T	\$6,000	\$100	\$6,100	\$3,300	\$9,400
	10	Smelt, Delta ( <i>Hypomesus transpacificus</i> ) - Wherever found	T	\$22,000	\$25,915,308	\$25,937,308	\$0	\$25,937,308
	250	Spikedace ( <i>Meda fulgida</i> ) - Wherever found	E	\$0	\$263,397	\$263,397	\$0	\$263,397

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	919	Spinedace, Big Spring (Lepidomeda mollispinis pratensis) - Wherever found	T	\$0	\$11,477	\$11,477	\$0	\$11,477
	179	Spinedace, Little Colorado (Lepidomeda vittata) - Wherever found	T	\$10,500	\$474,673	\$485,173	\$0	\$485,173
	698	Springfish, Hiko White River (Crenichthys baileyi grandis) - Wherever found	E	\$0	\$23,218	\$23,218	\$0	\$23,218
	1042	Springfish, Railroad Valley (Crenichthys nevadae) - Wherever found	T	\$0	\$6,392	\$6,392	\$0	\$6,392
	1162	Springfish, White River (Crenichthys baileyi baileyi) - Wherever found	E	\$0	\$500	\$500	\$0	\$500
	15	Steelhead (Oncorhynchus (=Salmo) mykiss) - California Central Valley DPS	T	\$0	\$14,425,633	\$14,425,633	\$0	\$14,425,633
	56	Steelhead (Oncorhynchus (=Salmo) mykiss) - California Central Valley DPS - See 50 CFR 223.102	T	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	76	Steelhead (Oncorhynchus (=Salmo) mykiss) - Central California Coast DPS	T	\$0	\$2,046,319	\$2,046,319	\$0	\$2,046,319
	56	Steelhead (Oncorhynchus (=Salmo) mykiss) - Central California Coast DPS - See 50 CFR 223.102	T	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	20	Steelhead (Oncorhynchus (=Salmo) mykiss) - Lower Columbia River DPS	T	\$143,392	\$9,160,156	\$9,303,548	\$1,000,219	\$10,303,767
	42	Steelhead (Oncorhynchus (=Salmo) mykiss) - Lower Columbia River DPS - See 50 CFR 223.102	T	\$0	\$5,225,000	\$5,225,000	\$0	\$5,225,000
	6	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS	EXPN	\$25,000	\$37,923,651	\$37,948,651	\$192,600	\$38,141,251
	6	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS	T	\$279,461	\$6,714,251	\$6,993,712	\$1,114,618	\$8,108,330
	43	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS - See 50 CFR 223.102	T	\$0	\$5,097,000	\$5,097,000	\$0	\$5,097,000
	64	Steelhead (Oncorhynchus (=Salmo) mykiss) - Northern California DPS	T	\$0	\$3,467,320	\$3,467,320	\$0	\$3,467,320
	52	Steelhead (Oncorhynchus (=Salmo) mykiss) - Northern California DPS - See 50 CFR 223.102	T	\$0	\$3,922,000	\$3,922,000	\$0	\$3,922,000
	8	Steelhead (Oncorhynchus (=Salmo) mykiss) - Puget Sound DPS	T	\$738,490	\$26,766,273	\$27,504,763	\$1,244,565	\$28,749,328

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	47	Steelhead (Oncorhynchus (=Salmo) mykiss) - Puget Sound DPS - See 50 CFR 223.102	T	\$0	\$4,276,000	\$4,276,000	\$0	\$4,276,000
	7	Steelhead (Oncorhynchus (=Salmo) mykiss) - Snake River Basin DPS	T	\$19,772	\$37,121,431	\$37,141,203	\$900,020	\$38,041,223
	38	Steelhead (Oncorhynchus (=Salmo) mykiss) - Snake River Basin DPS - See 50 CFR 223.102	T	\$0	\$6,410,000	\$6,410,000	\$0	\$6,410,000
	988	Steelhead (Oncorhynchus (=Salmo) mykiss) - South-Central California Coast DPS	T	\$0	\$9,200	\$9,200	\$0	\$9,200
	56	Steelhead (Oncorhynchus (=Salmo) mykiss) - South-Central California Coast DPS - See 50 CFR 223.102	T	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	131	Steelhead (Oncorhynchus (=Salmo) mykiss) - Southern California DPS	E	\$0	\$817,500	\$817,500	\$0	\$817,500
	56	Steelhead (Oncorhynchus (=Salmo) mykiss) - Southern California DPS - See 50 CFR 224.101	E	\$0	\$3,630,000	\$3,630,000	\$0	\$3,630,000
	13	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Columbia River DPS	T	\$542,778	\$20,563,360	\$21,106,138	\$1,497,943	\$22,604,081
	63	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Columbia River DPS - See 50 CFR 223.102	T	\$0	\$3,476,000	\$3,476,000	\$0	\$3,476,000
	37	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Willamette River DPS	T	\$0	\$6,168,236	\$6,168,236	\$420,521	\$6,588,757
	61	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Willamette River DPS - See 50 CFR 223.102	T	\$0	\$3,519,000	\$3,519,000	\$0	\$3,519,000
	873	Stickleback, Unarmored Threespine (Gasterosteus aculeatus williamsoni) - Wherever found	E	\$1,000	\$12,000	\$13,000	\$0	\$13,000
	67	Sturgeon (Gulf subspecies), Atlantic (Acipenser oxyrinchus (=oxyrhynchus) desotoi) - Wherever found	T	\$1,845,500	\$1,308,107	\$3,153,607	\$1,125	\$3,154,732
	627	Sturgeon, Alabama (Scaphirhynchus suttkusi) - Wherever found	E	\$23,000	\$9,906	\$32,906	\$0	\$32,906
	321	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Carolina DPS	E	\$7,300	\$130,383	\$137,683	\$1,550	\$139,233
	120	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Carolina DPS - See 50 CFR 224.101	E	\$0	\$950,000	\$950,000	\$0	\$950,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	446	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Chesapeake Bay DPS	E	\$72,000	\$500	\$72,500	\$0	\$72,500
	163	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Chesapeake Bay DPS - See 50 CFR 224.101	E	\$0	\$575,000	\$575,000	\$0	\$575,000
	178	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Gulf of Maine DPS	T	\$0	\$485,297	\$485,297	\$0	\$485,297
	217	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Gulf of Maine DPS - See 50 CFR 223.102	T	\$0	\$339,000	\$339,000	\$0	\$339,000
	353	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - New York Bight DPS	E	\$0	\$94,005	\$94,005	\$25,500	\$119,505
	199	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - New York Bight DPS - See 50 CFR 224.101	E	\$0	\$406,000	\$406,000	\$0	\$406,000
	171	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - South Atlantic DPS	E	\$503,500	\$28,888	\$532,388	\$0	\$532,388
	229	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - South Atlantic DPS - See 50 CFR 224.101	E	\$0	\$315,000	\$315,000	\$0	\$315,000
	23	Sturgeon, Green ( <i>Acipenser medirostris</i> ) - Southern DPS	T	\$0	\$9,018,524	\$9,018,524	\$1,591	\$9,020,115
	168	sturgeon, green ( <i>Acipenser medirostris</i> ) - Southern DPS - See 50 CFR 223.102	T	\$0	\$546,000	\$546,000	\$0	\$546,000
	4	Sturgeon, Pallid ( <i>Scaphirhynchus albus</i> ) - Wherever found	E	\$417,000	\$40,754,381	\$41,171,381	\$120,585	\$41,291,966
	102	Sturgeon, Shortnose ( <i>Acipenser brevirostrum</i> ) - Wherever found	E	\$1,700	\$1,171,037	\$1,172,737	\$63,925	\$1,236,662
	644	Sturgeon, Shovelnose ( <i>Scaphirhynchus platorynchus</i> ) - Wherever found	SAT	\$600	\$0	\$600	\$30,000	\$30,600
	22	Sturgeon, White ( <i>Acipenser transmontanus</i> ) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$169,229	\$9,042,602	\$9,211,831	\$1,100	\$9,212,931
	383	Sucker, June ( <i>Chasmistes liorus</i> ) - Wherever found	E	\$0	\$78,700	\$78,700	\$20,792	\$99,492
	70	Sucker, Lost River ( <i>Deltistes luxatus</i> ) - Wherever found	E	\$48,000	\$2,919,700	\$2,967,700	\$19,000	\$2,986,700
	17	Sucker, Razorback ( <i>Xyrauchen texanus</i> ) - Wherever found	E	\$27,500	\$14,059,457	\$14,086,957	\$136,670	\$14,223,627

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	441	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) -3 CA river basins	T	\$0	\$73,597	\$73,597	\$0	\$73,597
	68	Sucker, Shortnose ( <i>Chasmistes brevirostris</i> ) - Wherever found	E	\$24,000	\$2,991,100	\$3,015,100	\$19,000	\$3,034,100
	110	Sucker, Warner ( <i>Catostomus warnerensis</i> ) - Wherever found	T	\$204,500	\$739,100	\$943,600	\$90,000	\$1,033,600
	1100	Sucker, Zuni Bluehead ( <i>Catostomus discobolus varrowi</i> ) - Wherever found	E	\$1,400	\$2,200	\$3,600	\$0	\$3,600
	1100	Sunfish, Spring Pygmy ( <i>Elassoma alabamae</i> ) - Wherever found	T	\$3,500	\$100	\$3,600	\$0	\$3,600
	1158	Tango, Miyako (=toyko Bitterling) ( <i>Tanakia tanago</i> ) - Wherever found	E	\$900	\$0	\$900	\$0	\$900
	74	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - Wherever found	E	\$64,500	\$2,308,818	\$2,373,318	\$0	\$2,373,318
	449	Trout, Apache ( <i>Oncorhynchus apache</i> ) - Wherever found	T	\$50,000	\$22,200	\$72,200	\$0	\$72,200
	247	Trout, Bull ( <i>Salvelinus confluentus</i> ) - Clackamas River subbasin experimental population	EXPN	\$272,006	\$200	\$272,206	\$0	\$272,206
	2	Trout, Bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$6,777,679	\$50,181,553	\$56,959,232	\$1,367,807	\$58,327,039
	165	Trout, Gila ( <i>Oncorhynchus gilae</i> ) - Wherever found	T	\$55,500	\$505,200	\$560,700	\$0	\$560,700
	188	Trout, Greenback Cutthroat ( <i>Oncorhynchus clarkii stomias</i> ) - Wherever found	T	\$0	\$181,805	\$181,805	\$260,087	\$441,892
	71	Trout, Lahontan Cutthroat ( <i>Oncorhynchus clarkii henshawi</i> ) - Wherever found	T	\$172,000	\$2,488,251	\$2,660,251	\$9,000	\$2,669,251
	1157	Trout, Paiute Cutthroat ( <i>Oncorhynchus clarkii seleniris</i> ) - Wherever found	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	479	Tui Chub, Mohave ( <i>Gila bicolor</i> ssp. <i>mohavensis</i> ) - Wherever found	E	\$0	\$61,656	\$61,656	\$0	\$61,656
	327	Woundfin ( <i>Plagopterus argentissimus</i> ) - Wherever found, except where listed as an experimental population	E	\$0	\$135,210	\$135,210	\$0	\$135,210
<b>Fishes subtotal</b>				<b>\$19,859,216</b>	<b>\$749,676,773</b>	<b>\$769,535,989</b>	<b>\$58,990,591</b>	<b>\$828,526,580</b>
Flowering Plants	976	"akoko ( <i>Euphorbia halemanui</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	976	awiwi ( <i>Kadua cookiana</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	329	`ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> ) - Wherever found	T	\$8,908	\$125,000	\$133,908	\$0	\$133,908
	761	`ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> ) - Wherever found	E	\$18,907	\$0	\$18,907	\$0	\$18,907
	676	`aiakeakua, Popolo ( <i>Solanum sandwicense</i> ) - Wherever found	E	\$25,237	\$0	\$25,237	\$0	\$25,237
	302	`aiea ( <i>Nothocestrum breviflorum</i> ) - Wherever found	E	\$159,311	\$0	\$159,311	\$0	\$159,311
	533	`aiea ( <i>Nothocestrum latifolium</i> ) - Wherever found	E	\$36,206	\$12,100	\$48,306	\$0	\$48,306
	922	`aiea ( <i>Nothocestrum peltatum</i> ) - Wherever found	E	\$11,339	\$0	\$11,339	\$0	\$11,339
	971	`akoko ( <i>Euphorbia celastroides</i> var. <i>kaenana</i> ) - Wherever found	E	\$9,718	\$100	\$9,818	\$0	\$9,818
	965	`akoko ( <i>Euphorbia deppeana</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	976	`akoko ( <i>Euphorbia eleanoriae</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	992	`akoko ( <i>Euphorbia haeleleana</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	969	`akoko ( <i>Euphorbia herbstii</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	`akoko ( <i>Euphorbia kuwaleana</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	968	`akoko ( <i>Euphorbia remyi</i> var. <i>kauaiensis</i> ) - Wherever found	E	\$9,922	\$0	\$9,922	\$0	\$9,922
	998	`akoko ( <i>Euphorbia remyi</i> var. <i>remyi</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	998	`akoko ( <i>Euphorbia rockii</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	375	`akoko, Ewa Plains ( <i>Euphorbia skottsbergii</i> var. <i>skottsbergii</i> ) - Wherever found	E	\$103,215	\$100	\$103,315	\$0	\$103,315
	623	`aku ( <i>Cyanea tritomantha</i> ) - Wherever found	E	\$32,766	\$500	\$33,266	\$0	\$33,266
	870	`aku aku ( <i>Cyanea platyphylla</i> ) - Wherever found	E	\$13,063	\$0	\$13,063	\$0	\$13,063
	773	`ala `ala Wai Nui ( <i>Peperomia subpetiolata</i> ) - Wherever found	E	\$18,075	\$0	\$18,075	\$0	\$18,075
	374	`anaunau ( <i>Lepidium arbuscula</i> ) - Wherever found	E	\$103,261	\$100	\$103,361	\$0	\$103,361
	673	`anunu ( <i>Sicyos albus</i> ) - Wherever found	E	\$23,063	\$2,500	\$25,563	\$0	\$25,563

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	694	'anunu ( <i>Sicyos macrophyllus</i> ) - Wherever found	E	\$21,175	\$2,500	\$23,675	\$0	\$23,675
	975	'awikiwiki ( <i>Canavalia molokaiensis</i> ) - Wherever found	E	\$9,165	\$500	\$9,665	\$0	\$9,665
	998	'awikiwiki ( <i>Canavalia napaliensis</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	675	'awikiwiki ( <i>Canavalia pubescens</i> ) - Wherever found	E	\$25,332	\$0	\$25,332	\$0	\$25,332
	708	'ena`ena ( <i>Pseudognaphalium sandwicense</i> var. <i>molokaiense</i> ) - Wherever found	E	\$22,123	\$500	\$22,623	\$0	\$22,623
	862	'oha Wai ( <i>Clermontia drepanomorpha</i> ) - Wherever found	E	\$13,568	\$0	\$13,568	\$0	\$13,568
	741	'oha Wai ( <i>Clermontia lindseyana</i> ) - Wherever found	E	\$18,751	\$1,500	\$20,251	\$0	\$20,251
	398	'oha Wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> ) - Wherever found	E	\$94,176	\$0	\$94,176	\$0	\$94,176
	982	'oha Wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> ) - Wherever found	E	\$9,477	\$0	\$9,477	\$0	\$9,477
	740	'oha Wai ( <i>Clermontia peleana</i> ) - Wherever found	E	\$12,758	\$7,500	\$20,258	\$0	\$20,258
	381	'oha Wai ( <i>Clermontia pyrularia</i> ) - Wherever found	E	\$100,022	\$0	\$100,022	\$0	\$100,022
	307	'oha Wai ( <i>Clermontia samuelii</i> ) - Wherever found	E	\$93,018	\$60,000	\$153,018	\$0	\$153,018
	547	'ohe ( <i>Joinvillea ascendens ascendens</i> ) - Wherever found	E	\$10,270	\$36,100	\$46,370	\$0	\$46,370
	998	'ohe`ohe ( <i>Polyscias gymnocarpa</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	761	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> ) - Wherever found	E	\$18,907	\$0	\$18,907	\$0	\$18,907
	976	A`e ( <i>Zanthoxylum hawaiiense</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	989	A`e ( <i>Zanthoxylum oahuense</i> ) - Wherever found	E	\$9,165	\$0	\$9,165	\$0	\$9,165
	969	Alani ( <i>Melicope adscendens</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	887	Alani ( <i>Melicope balloui</i> ) - Wherever found	E	\$12,443	\$0	\$12,443	\$0	\$12,443

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1003	Alani (Melicope christophersenii) - Wherever found	E	\$8,502	\$100	\$8,602	\$0	\$8,602
	969	Alani (Melicope degeneri) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Alani (Melicope haupuensis) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Alani (Melicope hiiakae) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Alani (Melicope knudsenii) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	965	Alani (Melicope lydgatei) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	992	Alani (Melicope makahae) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	969	Alani (Melicope mucronulata) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	Alani (Melicope munroi) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	626	Alani (Melicope ovalis) - Wherever found	E	\$8,908	\$24,000	\$32,908	\$0	\$32,908
	976	Alani (Melicope pallida) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	841	Alani (Melicope paniculata) - Wherever found	E	\$14,299	\$0	\$14,299	\$0	\$14,299
	904	Alani (Melicope puberula) - Wherever found	E	\$11,950	\$0	\$11,950	\$0	\$11,950
	912	Alani (Melicope quadrangularis) - Wherever found	E	\$11,690	\$0	\$11,690	\$0	\$11,690
	998	Alani (Melicope reflexa) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	985	Alani (Melicope saint-johnii) - Wherever found	E	\$9,165	\$100	\$9,265	\$0	\$9,265
	857	Alani (Melicope zahlbruckneri) - Wherever found	E	\$12,657	\$1,000	\$13,657	\$0	\$13,657
	1054	Alopecurus, Sonoma (Alopecurus aequalis var. sonomensis) - Wherever found	E	\$0	\$5,800	\$5,800	\$0	\$5,800
	256	Amaranth, Seabeach (Amaranthus pumilus) - Wherever found	T	\$93,000	\$159,215	\$252,215	\$100	\$252,315
	1025	Ambrosia, South Texas (Ambrosia cheiranthifolia) - Wherever found	E	\$0	\$7,400	\$7,400	\$0	\$7,400
	1091	Amphianthus, Little (Amphianthus pusillus) - Wherever found	T	\$1,000	\$2,100	\$3,100	\$990	\$4,090
	678	Aplokating-palaoan (Psychotria malaspinae) - Wherever found	E	\$25,100	\$0	\$25,100	\$0	\$25,100
	670	Arrowhead, Bunched (Sagittaria fasciculata) - Wherever found	E	\$21,000	\$1,600	\$22,600	\$3,500	\$26,100



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	747	Aster, Decurrent False ( <i>Boltonia decurrens</i> ) - Wherever found	T	\$0	\$20,000	\$20,000	\$0	\$20,000
	702	Aster, Florida Golden ( <i>Chrysopsis floridana</i> ) - Wherever found	E	\$23,000	\$0	\$23,000	\$0	\$23,000
	1092	Aster, Ruth's Golden ( <i>Pityopsis ruthii</i> ) - Wherever found	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	894	Aupaka ( <i>Isodendron hosakae</i> ) - Wherever found	E	\$12,153	\$0	\$12,153	\$0	\$12,153
	961	Aupaka ( <i>Isodendron laurifolium</i> ) - Wherever found	E	\$9,965	\$100	\$10,065	\$0	\$10,065
	214	Aupaka ( <i>Isodendron longifolium</i> ) - Wherever found	T	\$359,662	\$100	\$359,762	\$0	\$359,762
	697	Avens, Spreading ( <i>Geum radiatum</i> ) - Wherever found	E	\$17,000	\$5,978	\$22,978	\$300	\$23,278
	998	Awiwi ( <i>Schenkia sebaeoides</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	1025	Ayenia, Texas ( <i>Ayenia limitaris</i> ) - Wherever found	E	\$0	\$7,400	\$7,400	\$0	\$7,400
	1051	Barbara's Buttons, Mohr's ( <i>Marshallia mohrii</i> ) - Wherever found	T	\$1,700	\$4,185	\$5,885	\$45	\$5,930
	1032	Barberry, Island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> ) - Wherever found	E	\$0	\$6,935	\$6,935	\$0	\$6,935
	1152	Barberry, Nevin's ( <i>Berberis nevinii</i> ) - Wherever found	E	\$0	\$1,200	\$1,200	\$0	\$1,200
	1067	Bariaco ( <i>Trichilia triacantha</i> ) - Wherever found	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	690	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> ) - Wherever found	T	\$22,000	\$2,079	\$24,079	\$0	\$24,079
	713	Bean, Sea ( <i>Mucuna sloanei</i> var. <i>persericea</i> ) - Wherever found	E	\$22,368	\$0	\$22,368	\$0	\$22,368
	349	Bear-poppy, Dwarf ( <i>Arctomecon humilis</i> ) - Wherever found	E	\$0	\$125,162	\$125,162	\$0	\$125,162
	928	Beardtongue, Parachute ( <i>Penstemon debilis</i> ) - Wherever found	T	\$7,800	\$3,251	\$11,051	\$0	\$11,051
	648	Beardtongue, Penland ( <i>Penstemon penlandii</i> ) - Wherever found	E	\$3,100	\$27,000	\$30,100	\$0	\$30,100
	1140	Beargrass, Britton's ( <i>Nolina brittoniana</i> ) - Wherever found	E	\$1,200	\$500	\$1,700	\$0	\$1,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	762	Beauty, Harper's ( <i>Harperocallis flava</i> ) - Wherever found	E	\$800	\$18,000	\$18,800	\$0	\$18,800
	833	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> ) - Wherever found	E	\$0	\$14,500	\$14,500	\$0	\$14,500
	1094	Bedstraw, Island ( <i>Galium buxifolium</i> ) - Wherever found	E	\$0	\$3,952	\$3,952	\$0	\$3,952
	1157	Bellflower, Brooksville ( <i>Campanula robinsiae</i> ) - Wherever found	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1171	Birch, Virginia Round-leaf ( <i>Betula uber</i> ) - Wherever found	T	\$0	\$100	\$100	\$0	\$100
	782	Bird's Beak, Palmate-bracted ( <i>Cordylanthus</i> <i>palmatus</i> ) - Wherever found	E	\$0	\$17,587	\$17,587	\$0	\$17,587
	966	Bird's-beak, Salt Marsh ( <i>Cordylanthus</i> <i>maritimus</i> ssp. <i>maritimus</i> ) - Wherever found	E	\$0	\$10,000	\$10,000	\$0	\$10,000
	811	Bird's-beak, Soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> ) - Wherever found	E	\$0	\$15,200	\$15,200	\$0	\$15,200
	570	Birds-in-a-nest, White ( <i>Macbridea alba</i> ) - Wherever found	T	\$34,500	\$8,340	\$42,840	\$0	\$42,840
	1143	Bittercress, Small-anthered ( <i>Cardamine</i> <i>micranthera</i> ) - Wherever found	E	\$1,500	\$100	\$1,600	\$0	\$1,600
	840	Bladderpod, Dudley Bluffs ( <i>Lesquerella</i> <i>congesta</i> ) - Wherever found	T	\$6,300	\$8,000	\$14,300	\$0	\$14,300
	952	Bladderpod, Kodachrome ( <i>Lesquerella</i> <i>tumulosa</i> ) - Wherever found	E	\$0	\$10,246	\$10,246	\$0	\$10,246
	1134	Bladderpod, Lyrate ( <i>Lesquerella lyrata</i> ) - Wherever found	T	\$2,000	\$100	\$2,100	\$0	\$2,100
	587	Bladderpod, Missouri ( <i>Physaria filiformis</i> ) - Wherever found	T	\$6,500	\$32,500	\$39,000	\$0	\$39,000
	429	Bladderpod, Short's ( <i>Physaria globosa</i> ) - Wherever found	E	\$74,000	\$2,485	\$76,485	\$500	\$76,985
	1000	Bladderpod, Spring Creek ( <i>Lesquerella</i> <i>perforata</i> ) - Wherever found	E	\$7,500	\$1,376	\$8,876	\$0	\$8,876
	1135	Bladderpod, White ( <i>Lesquerella pallida</i> ) - Wherever found	E	\$0	\$2,097	\$2,097	\$0	\$2,097
	224	Bladderpod, White Bluffs ( <i>Physaria douglasii</i> ssp. <i>tuplashensis</i> ) - Wherever found	T	\$223,487	\$100,495	\$323,982	\$100	\$324,082
	1025	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> ) - Wherever found	E	\$0	\$7,400	\$7,400	\$0	\$7,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	874	Blazingstar, Heller's ( <i>Liatris helleri</i> ) - Wherever found	T	\$5,500	\$5,950	\$11,450	\$1,500	\$12,950
	1152	Blazingstar, Scrub ( <i>Liatris ohlingerae</i> ) - Wherever found	E	\$1,200	\$0	\$1,200	\$0	\$1,200
	1006	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> ) - Wherever found	E	\$6,000	\$2,470	\$8,470	\$0	\$8,470
	1004	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> ) - Wherever found	E	\$8,502	\$0	\$8,502	\$0	\$8,502
	986	Bluegrass, Mann's ( <i>Poa mannii</i> ) - Wherever found	E	\$9,256	\$0	\$9,256	\$0	\$9,256
	1168	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> ) - Wherever found	E	\$0	\$250	\$250	\$0	\$250
	766	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> ) - Wherever found	E	\$16,000	\$2,276	\$18,276	\$350	\$18,626
	1102	Bonamia, Florida ( <i>Bonamia grandiflora</i> ) - Wherever found	T	\$2,000	\$1,500	\$3,500	\$0	\$3,500
	1081	Boxwood, Vahl's ( <i>Buxus vahlii</i> ) - Wherever found	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	1111	Brickell-bush, Florida ( <i>Brickellia mosieri</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1157	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> ) - Wherever found	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	1168	Brodiaea, Thread-leaved ( <i>Brodiaea filifolia</i> ) - Wherever found	T	\$0	\$250	\$250	\$0	\$250
	1088	Buckwheat, Scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> ) - Wherever found	T	\$1,200	\$3,017	\$4,217	\$0	\$4,217
	720	Buckwheat, Steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> ) - Wherever found	E	\$0	\$21,446	\$21,446	\$0	\$21,446
	241	Buckwheat, Umtanum Desert ( <i>Eriogonum</i> <i>codium</i> ) - Wherever found	T	\$250,214	\$25,495	\$275,709	\$2,300	\$278,009
	546	Bully, Everglades ( <i>Sideroxylon reclinatum</i> ssp. <i>austrofloridense</i> ) - Wherever found	T	\$7,500	\$39,200	\$46,700	\$0	\$46,700
	804	Bulrush, Northeastern ( <i>Scirpus</i> <i>ancistrochaetus</i> ) - Wherever found	E	\$12,500	\$2,600	\$15,100	\$800	\$15,900
	1123	Bush-clover, Prairie ( <i>Lespedeza leptostachya</i> ) - Wherever found	T	\$0	\$1,200	\$1,200	\$1,300	\$2,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1050	Bush-mallow, Santa Cruz Island (Malacothamnus fasciculatus var. nesioticus) - Wherever found	E	\$0	\$5,945	\$5,945	\$0	\$5,945
	1067	Buttercup, Autumn (Ranunculus aestivalis (=acriformis)) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	784	Butterfly Plant, Colorado (Gaura neomexicana var. coloradensis) - Wherever found	T	\$0	\$16,425	\$16,425	\$1,000	\$17,425
	777	Butterweed, Layne's (Senecio layneae) - Wherever found	T	\$0	\$17,750	\$17,750	\$0	\$17,750
	929	Butterwort, Godfrey's (Pinguicula ionantha) - Wherever found	T	\$6,000	\$5,040	\$11,040	\$0	\$11,040
	704	Button-celery, San Diego (Eryngium aristulatum var. parishii) - Wherever found	E	\$2,450	\$20,500	\$22,950	\$0	\$22,950
	1072	Cactus, Acuna (Echinomastus erectocentrus var. acunensis) - Wherever found	E	\$4,500	\$372	\$4,872	\$0	\$4,872
	653	Cactus, Arizona Hedgehog (Echinocereus triglochidiatus var. arizonicus) - Wherever found	E	\$29,500	\$200	\$29,700	\$0	\$29,700
	1145	Cactus, Bakersfield (Opuntia treleasei) - Wherever found	E	\$0	\$1,500	\$1,500	\$0	\$1,500
	1027	Cactus, Black Lace (Echinocereus reichenbachii var. albertii) - Wherever found	E	\$0	\$7,100	\$7,100	\$0	\$7,100
	1092	Cactus, Brady Pincushion (Pediocactus bradyi) - Wherever found	E	\$1,800	\$2,200	\$4,000	\$0	\$4,000
	1082	Cactus, Chisos Mountain Hedgehog (Echinocereus chisoensis var. chisoensis) - Wherever found	T	\$0	\$0	\$0	\$4,488	\$4,488
	218	Cactus, Colorado Hookless (Sclerocactus glaucus) - Wherever found	T	\$106,700	\$231,601	\$338,301	\$0	\$338,301
	417	Cactus, Fickeisen Plains (Pediocactus peeblesianus fickeiseniae) - Wherever found	E	\$46,500	\$35,200	\$81,700	\$0	\$81,700
	1089	Cactus, Florida Semaphore (Consolea corallicola) - Wherever found	E	\$600	\$3,500	\$4,100	\$0	\$4,100
	1040	Cactus, Key Tree (Pilosocereus robinii) - Wherever found	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	467	Cactus, Kuenzler Hedgehog (Echinocereus fendleri var. kuenzleri) - Wherever found	T	\$0	\$65,505	\$65,505	\$0	\$65,505

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1126	Cactus, Lee Pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> ) - Wherever found	T	\$0	\$2,400	\$2,400	\$0	\$2,400
	1082	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> ) - Wherever found	T	\$0	\$0	\$0	\$4,488	\$4,488
	687	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> ) - Wherever found	T	\$1,200	\$23,000	\$24,200	\$0	\$24,200
	747	Cactus, Nichol's Turk's Head ( <i>Echinocactus horizonthalonius</i> var. <i>nicholii</i> ) - Wherever found	E	\$0	\$20,000	\$20,000	\$0	\$20,000
	1010	Cactus, Pariette ( <i>Sclerocactus brevispinus</i> ) - Wherever found	T	\$0	\$8,113	\$8,113	\$0	\$8,113
	1119	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> ) - Wherever found	E	\$0	\$2,750	\$2,750	\$0	\$2,750
	824	Cactus, San Rafael ( <i>Pediocactus despainii</i> ) - Wherever found	E	\$0	\$14,762	\$14,762	\$0	\$14,762
	607	Cactus, Siler Pincushion ( <i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i> ) - Wherever found	T	\$2,000	\$34,378	\$36,378	\$0	\$36,378
	1007	Cactus, Sneed Pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> ) - Wherever found	E	\$0	\$8,400	\$8,400	\$0	\$8,400
	1025	Cactus, Star ( <i>Astrophytum asterias</i> ) - Wherever found	E	\$0	\$7,400	\$7,400	\$0	\$7,400
	1014	Cactus, Tobusch Fishhook ( <i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> ) - Wherever found	T	\$0	\$7,940	\$7,940	\$0	\$7,940
	1112	Cactus, Uinta Basin Hookless ( <i>Sclerocactus wetlandicus</i> ) - Wherever found	T	\$0	\$2,999	\$2,999	\$0	\$2,999
	610	Cactus, Winkler ( <i>Pediocactus winkleri</i> ) - Wherever found	T	\$0	\$36,139	\$36,139	\$0	\$36,139
	365	Cactus, Wright Fishhook ( <i>Sclerocactus wrightiae</i> ) - Wherever found	E	\$0	\$107,605	\$107,605	\$0	\$107,605
	1109	Campion, Fringed ( <i>Silene polypetala</i> ) - Wherever found	E	\$1,500	\$100	\$1,600	\$1,530	\$3,130
	1056	Capa Rosa ( <i>Callicarpa ampla</i> ) - Wherever found	E	\$5,000	\$700	\$5,700	\$0	\$5,700
	222	Catchfly, Spalding's ( <i>Silene spaldingii</i> ) - Wherever found	T	\$219,210	\$109,719	\$328,929	\$100	\$329,029

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1161	Ceanothus, Coyote ( <i>Ceanothus ferrisae</i> ) - Wherever found	E	\$0	\$600	\$600	\$0	\$600
	768	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> ) - Wherever found	E	\$0	\$18,600	\$18,600	\$0	\$18,600
	1161	Ceanothus, Vail Lake ( <i>Ceanothus ophiochilus</i> ) - Wherever found	T	\$0	\$600	\$600	\$0	\$600
	469	Centauray, Spring-loving ( <i>Centaurium namophilum</i> ) - Wherever found	T	\$0	\$65,000	\$65,000	\$0	\$65,000
	485	Chaff-flower, Round-leaved ( <i>Achyranthes splendens var. rotundata</i> ) - Wherever found	E	\$59,837	\$0	\$59,837	\$0	\$59,837
	319	Chaffseed, American ( <i>Schwalbea americana</i> ) - Wherever found	E	\$121,000	\$18,400	\$139,400	\$100	\$139,500
	1156	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> ) - Wherever found	E	\$0	\$1,096	\$1,096	\$0	\$1,096
	454	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> ) - Wherever found	T	\$66,122	\$4,700	\$70,822	\$100	\$70,922
	254	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana var. calva</i> ) - Wherever found	E	\$251,289	\$2,100	\$253,389	\$540	\$253,929
	1067	Chumbo, Higo ( <i>Harrisia portoricensis</i> ) - Wherever found	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	1117	Chupacallos ( <i>Pleodendron macranthum</i> ) - Wherever found	E	\$2,500	\$300	\$2,800	\$0	\$2,800
	1160	Clarkia, Springville ( <i>Clarkia springvillensis</i> ) - Wherever found	T	\$0	\$800	\$800	\$0	\$800
	557	Cliffrose, Arizona ( <i>Purshia (=Cowania) subintegra</i> ) - Wherever found	E	\$1,100	\$43,800	\$44,900	\$0	\$44,900
	320	Clover, Running Buffalo ( <i>Trifolium stoloniferum</i> ) - UNK	E	\$89,500	\$48,863	\$138,363	\$900	\$139,263
	1059	Cobana Negra ( <i>Stahlia monosperma</i> ) - Wherever found	T	\$5,500	\$0	\$5,500	\$0	\$5,500
	377	Coneflower, Smooth ( <i>Echinacea laevigata</i> ) - Wherever found	E	\$82,000	\$17,725	\$99,725	\$3,155	\$102,880
	1082	Cory Cactus, Bunched ( <i>Coryphantha ramillosa</i> ) - Wherever found	T	\$0	\$0	\$0	\$4,488	\$4,488
	564	Crabgrass, Florida Pineland ( <i>Digitaria pauciflora</i> ) - Wherever found	T	\$4,500	\$39,200	\$43,700	\$0	\$43,700
	526	Cycladenia, Jones ( <i>Cycladenia humilis var. jonesii</i> ) - Wherever found	T	\$0	\$49,333	\$49,333	\$0	\$49,333

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1095	Daisy, Lakeside ( <i>Hymenoxys herbacea</i> ) - Wherever found	T	\$0	\$3,850	\$3,850	\$0	\$3,850
	994	Daisy, Parish's ( <i>Erigeron parishii</i> ) - Wherever found	T	\$0	\$9,001	\$9,001	\$0	\$9,001
	242	Daisy, Willamette ( <i>Erigeron decumbens</i> ) - Wherever found	E	\$69,000	\$207,700	\$276,700	\$0	\$276,700
	873	Dawn-flower, Texas Prairie ( <i>Hymenoxys texana</i> ) - Wherever found	E	\$0	\$13,000	\$13,000	\$0	\$13,000
	299	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> ) - Wherever found	E	\$66,893	\$93,496	\$160,389	\$100	\$160,489
	1025	Dogweed, Ashy ( <i>Thymophylla tephroleuca</i> ) - Wherever found	E	\$0	\$7,400	\$7,400	\$0	\$7,400
	468	Dropwort, Canby's ( <i>Oxyopolis canbyi</i> ) - Wherever found	E	\$56,000	\$4,500	\$60,500	\$4,945	\$65,445
	1162	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> ) - Wherever found	E	\$0	\$500	\$500	\$0	\$500
	1067	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> ) - Wherever found	T	\$0	\$5,000	\$5,000	\$0	\$5,000
	1092	Dudleya, Verity's ( <i>Dudleya verityi</i> ) - Wherever found	T	\$0	\$4,000	\$4,000	\$0	\$4,000
	1126	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> ) - Wherever found	T	\$0	\$2,400	\$2,400	\$0	\$2,400
	1124	Erubia ( <i>Solanum drymophilum</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	781	Evening-primrose, Antioch Dunes ( <i>Oenothera deltooides</i> ssp. <i>howellii</i> ) - Wherever found	E	\$0	\$17,600	\$17,600	\$0	\$17,600
	556	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> ) - Wherever found	T	\$0	\$45,000	\$45,000	\$0	\$45,000
	1068	Fescue, Guadalupe ( <i>Festuca ligulata</i> ) - Wherever found	E	\$0	\$500	\$500	\$4,488	\$4,988
	1160	Fiddleneck, Large-flowered ( <i>Amsinckia grandiflora</i> ) - Wherever found	E	\$0	\$800	\$800	\$0	\$800
	803	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> ) - Wherever found	E	\$0	\$16,000	\$16,000	\$0	\$16,000
	873	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> ) - Wherever found	E	\$0	\$13,000	\$13,000	\$0	\$13,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1040	Flax, Carter's Small-flowered ( <i>Linum carteri carteri</i> ) - Wherever found	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	1005	Flax, Sand ( <i>Linum arenicola</i> ) - Wherever found	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	660	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> ) - Wherever found	T	\$0	\$28,400	\$28,400	\$0	\$28,400
	414	Four-o'clock, Macfarlane's ( <i>Mirabilis macfarlanei</i> ) - Wherever found	T	\$46,804	\$36,860	\$83,664	\$0	\$83,664
	931	Fringe-tree, Pygmy ( <i>Chionanthus pygmaeus</i> ) - Wherever found	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	1041	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> ) - Wherever found	E	\$1,400	\$5,000	\$6,400	\$0	\$6,400
	187	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> ) - Wherever found	E	\$159,375	\$290,100	\$449,475	\$0	\$449,475
	428	Gardenia (=na`u), Hawaiian ( <i>Gardenia brighamii</i> ) - Wherever found	E	\$77,022	\$100	\$77,122	\$0	\$77,122
	551	Geranium, Hawaiian Red-flowered ( <i>Geranium arboreum</i> ) - Wherever found	E	\$9,919	\$36,000	\$45,919	\$0	\$45,919
	424	Gerardia, Sandplain ( <i>Agalinis acuta</i> ) - Wherever found	E	\$78,000	\$100	\$78,100	\$1,000	\$79,100
	1085	Gilia, Hoffmann's Slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> ) - Wherever found	E	\$0	\$4,313	\$4,313	\$0	\$4,313
	1111	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> ) - Wherever found	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	778	Glade Cress, Kentucky ( <i>Leavenworthia exigua laciniata</i> ) - Wherever found	T	\$17,000	\$684	\$17,684	\$0	\$17,684
	1076	Gladecress, Fleshy-fruit ( <i>Leavenworthia crassa</i> ) - Wherever found	E	\$900	\$3,750	\$4,650	\$0	\$4,650
	1131	Gladecress, Texas Golden ( <i>Leavenworthia texana</i> ) - Wherever found	E	\$0	\$2,197	\$2,197	\$0	\$2,197
	1092	Goetzea, Beautiful ( <i>Goetzea elegans</i> ) - Wherever found	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1044	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> ) - Wherever found	T	\$5,500	\$576	\$6,076	\$100	\$6,176
	771	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> ) - Wherever found	T	\$16,000	\$2,280	\$18,280	\$0	\$18,280



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	907	Goldenrod, Short's ( <i>Solidago shortii</i> ) - Wherever found	E	\$11,000	\$0	\$11,000	\$900	\$11,900
	753	Goldfields, Burke's ( <i>Lasthenia burkei</i> ) - Wherever found	E	\$0	\$19,200	\$19,200	\$0	\$19,200
	837	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> ) - Wherever found	E	\$0	\$14,400	\$14,400	\$0	\$14,400
	1134	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> ) - Wherever found	T	\$800	\$1,300	\$2,100	\$0	\$2,100
	791	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> ) - Wherever found	E	\$13,000	\$3,900	\$16,900	\$0	\$16,900
	1009	Grass, Colusa ( <i>Neostapfia colusana</i> ) - Wherever found	T	\$0	\$8,218	\$8,218	\$0	\$8,218
	1067	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> ) - UNK	T	\$0	\$5,000	\$5,000	\$0	\$5,000
	695	Grass, Tennessee Yellow-eyed ( <i>Xyris</i> <i>tennesseensis</i> ) - Wherever found	E	\$14,500	\$5,350	\$19,850	\$3,735	\$23,585
	389	Ground-plum, Guthrie's (=pyne's) ( <i>Astragalus</i> <i>bibullatus</i> ) - Wherever found	E	\$95,000	\$1,285	\$96,285	\$0	\$96,285
	457	Gumplant, Ash Meadows ( <i>Grindelia</i> <i>fraxinipratensis</i> ) - Wherever found	T	\$0	\$70,000	\$70,000	\$0	\$70,000
	998	Ha`iwale ( <i>Cyrtandra crenata</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	992	Ha`iwale ( <i>Cyrtandra dentata</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	712	Ha`iwale ( <i>Cyrtandra filipes</i> ) - Wherever found	E	\$22,399	\$0	\$22,399	\$0	\$22,399
	854	Ha`iwale ( <i>Cyrtandra giffardii</i> ) - Wherever found	E	\$13,211	\$500	\$13,711	\$0	\$13,711
	715	Ha`iwale ( <i>Cyrtandra hematos</i> ) - Wherever found	E	\$22,290	\$0	\$22,290	\$0	\$22,290
	965	Ha`iwale ( <i>Cyrtandra kaulantha</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	998	Ha`iwale ( <i>Cyrtandra limahuliensis</i> ) - Wherever found	T	\$8,908	\$0	\$8,908	\$0	\$8,908
	970	Ha`iwale ( <i>Cyrtandra munroi</i> ) - Wherever found	E	\$9,872	\$0	\$9,872	\$0	\$9,872
	998	Ha`iwale ( <i>Cyrtandra oenobarba</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	850	Ha`iwale (Cyrtandra oxybapha) - Wherever found	E	\$13,877	\$0	\$13,877	\$0	\$13,877
	965	Ha`iwale (Cyrtandra polyantha) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	976	Ha`iwale (Cyrtandra sessilis) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	992	Ha`iwale (Cyrtandra subumbellata) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	882	Ha`iwale (Cyrtandra tintinnabula) - Wherever found	E	\$12,703	\$0	\$12,703	\$0	\$12,703
	965	Ha`iwale (Cyrtandra viridiflora) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	998	Haha (Cyanea acuminata) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	976	Haha (Cyanea asarifolia) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	519	Haha (Cyanea asplenifolia) - Wherever found	E	\$14,181	\$36,000	\$50,181	\$0	\$50,181
	992	Haha (Cyanea calycina) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	888	Haha (Cyanea copelandii ssp. copelandii) - Wherever found	E	\$12,400	\$0	\$12,400	\$0	\$12,400
	436	Haha (Cyanea copelandii ssp. haleakalaensis) - Wherever found	E	\$9,908	\$65,502	\$75,410	\$0	\$75,410
	965	Haha (Cyanea crispa) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	969	Haha (Cyanea dolichopoda) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Haha (Cyanea dunbariae) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	836	Haha (Cyanea duvalliorum) - Wherever found	E	\$14,438	\$0	\$14,438	\$0	\$14,438
	980	Haha (Cyanea eleeleensis) - Wherever found	E	\$9,514	\$0	\$9,514	\$0	\$9,514
	969	Haha (Cyanea gibsonii) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	688	Haha (Cyanea glabra) - Wherever found	E	\$12,095	\$12,000	\$24,095	\$0	\$24,095
	976	Haha (Cyanea grimesiana ssp. grimesiana) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	941	Haha (Cyanea grimesiana ssp. obatae) - Wherever found	E	\$10,528	\$0	\$10,528	\$0	\$10,528
	761	Haha (Cyanea hamatiflora ssp. carlsonii) - Wherever found	E	\$18,907	\$0	\$18,907	\$0	\$18,907

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	622	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> ) - Wherever found	E	\$9,662	\$24,000	\$33,662	\$0	\$33,662
	992	Haha ( <i>Cyanea humboldtiana</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	980	Haha ( <i>Cyanea kolekoleensis</i> ) - Wherever found	E	\$9,514	\$0	\$9,514	\$0	\$9,514
	998	Haha ( <i>Cyanea koolauensis</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	969	Haha ( <i>Cyanea kuhihewa</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	592	Haha ( <i>Cyanea kunthiana</i> ) - Wherever found	E	\$14,181	\$24,000	\$38,181	\$0	\$38,181
	985	Haha ( <i>Cyanea lanceolata</i> ) - Wherever found	E	\$9,165	\$100	\$9,265	\$0	\$9,265
	958	Haha ( <i>Cyanea lobata</i> ) - Wherever found	E	\$10,129	\$0	\$10,129	\$0	\$10,129
	976	Haha ( <i>Cyanea longiflora</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	896	Haha ( <i>Cyanea magnicalyx</i> ) - Wherever found	E	\$12,150	\$0	\$12,150	\$0	\$12,150
	998	Haha ( <i>Cyanea mannii</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	666	Haha ( <i>Cyanea maritae</i> ) - Wherever found	E	\$15,192	\$12,000	\$27,192	\$0	\$27,192
	798	Haha ( <i>Cyanea marksii</i> ) - Wherever found	E	\$16,271	\$0	\$16,271	\$0	\$16,271
	767	Haha ( <i>Cyanea mauiensis</i> ) - Wherever found	E	\$18,606	\$0	\$18,606	\$0	\$18,606
	899	Haha ( <i>Cyanea mceldowneyi</i> ) - Wherever found	E	\$12,095	\$0	\$12,095	\$0	\$12,095
	650	Haha ( <i>Cyanea munroi</i> ) - Wherever found	E	\$29,996	\$0	\$29,996	\$0	\$29,996
	821	Haha ( <i>Cyanea obtusa</i> ) - Wherever found	E	\$14,888	\$0	\$14,888	\$0	\$14,888
	976	Haha ( <i>Cyanea pinnatifida</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	969	Haha ( <i>Cyanea procera</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	821	Haha ( <i>Cyanea profuga</i> ) - Wherever found	E	\$14,888	\$0	\$14,888	\$0	\$14,888
	965	Haha ( <i>Cyanea purpurellifolia</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	976	Haha ( <i>Cyanea recta</i> ) - Wherever found	T	\$9,662	\$0	\$9,662	\$0	\$9,662
	969	Haha ( <i>Cyanea remyi</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Haha ( <i>Cyanea rivularis</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	711	Haha ( <i>Cyanea shipmanii</i> ) - Wherever found	E	\$18,907	\$3,500	\$22,407	\$0	\$22,407
	946	Haha ( <i>Cyanea st.-johnii</i> ) - Wherever found	E	\$10,222	\$100	\$10,322	\$0	\$10,322
	800	Haha ( <i>Cyanea stictophylla</i> ) - Wherever found	E	\$12,657	\$3,500	\$16,157	\$0	\$16,157
	838	Haha ( <i>Cyanea superba</i> ) - Wherever found	E	\$14,391	\$0	\$14,391	\$0	\$14,391

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	524	Haha ( <i>Cyanea truncata</i> ) - Wherever found	E	\$49,412	\$0	\$49,412	\$0	\$49,412
	969	Haha ( <i>Cyanea undulata</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	516	Haiwale ( <i>Cyrtandra ferripilosa</i> ) - Wherever found	E	\$14,786	\$36,000	\$50,786	\$0	\$50,786
	969	Haiwale ( <i>Cyrtandra gracilis</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Haiwale ( <i>Cyrtandra paliku</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Haiwale ( <i>Cyrtandra waiolani</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	Hala Pepe ( <i>Pleomele fernaldii</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	998	Hala Pepe ( <i>Pleomele forbesii</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	814	Hala Pepe ( <i>Pleomele hawaiiensis</i> ) - Wherever found	E	\$12,051	\$3,000	\$15,051	\$0	\$15,051
	473	Halomtano, Berenghenas ( <i>Solanum guamense</i> ) - Wherever found	E	\$63,234	\$0	\$63,234	\$0	\$63,234
	378	Halumtano, Cebello ( <i>Bulbophyllum guamense</i> ) - Wherever found	T	\$56,965	\$44,490	\$101,455	\$0	\$101,455
	593	Harperella ( <i>Ptilimnium nodosum</i> ) - Wherever found	E	\$33,000	\$3,973	\$36,973	\$1,180	\$38,153
	848	Hau Kuahiwi ( <i>Hibiscadelphus giffardianus</i> ) - Wherever found	E	\$12,400	\$1,500	\$13,900	\$0	\$13,900
	879	Hau Kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> ) - Wherever found	E	\$12,805	\$0	\$12,805	\$0	\$12,805
	915	Hau Kuahiwi ( <i>Hibiscadelphus woodii</i> ) - Wherever found	E	\$9,919	\$1,700	\$11,619	\$0	\$11,619
	621	Heartleaf, Dwarf-flowered ( <i>Hexastylis naniflora</i> ) - Wherever found	T	\$19,000	\$14,285	\$33,285	\$600	\$33,885
	1075	Heather, Mountain Golden ( <i>Hudsonia montana</i> ) - Wherever found	T	\$0	\$3,000	\$3,000	\$1,700	\$4,700
	881	Heau ( <i>Exocarpos luteolus</i> ) - Wherever found	E	\$12,704	\$0	\$12,704	\$0	\$12,704
	743	Heau ( <i>Exocarpos menziesii</i> ) - UNK	E	\$19,656	\$500	\$20,156	\$0	\$20,156
	1004	Hibiscus, Clay's ( <i>Hibiscus clayi</i> ) - Wherever found	E	\$8,502	\$0	\$8,502	\$0	\$8,502
	1102	Higuero De Sierra ( <i>Crescentia portoricensis</i> ) - Wherever found	E	\$3,500	\$0	\$3,500	\$0	\$3,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	841	Ho`awa (Pittosporum napaliense) - Wherever found	E	\$14,299	\$0	\$14,299	\$0	\$14,299
	638	Hoawa (Pittosporum halophilum) - Wherever found	E	\$24,926	\$6,000	\$30,926	\$0	\$30,926
	652	Hoawa (Pittosporum hawaiiense) - Wherever found	E	\$29,289	\$500	\$29,789	\$0	\$29,789
	603	Holei (Ochrosia haleakalae) - Wherever found	E	\$35,620	\$1,500	\$37,120	\$0	\$37,120
	998	Holei (Ochrosia kilaueaensis) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	1111	Holly, Cook's (Ilex cookii) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	616	Honohono (Haplostachys haplostachya) - Wherever found	E	\$34,765	\$500	\$35,265	\$0	\$35,265
	296	Howellia, Water (Howellia aquatilis) - UNK	T	\$94,161	\$70,672	\$164,833	\$500	\$165,333
	998	Hulumoa (Korthalsella degeneri) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	966	Hypericum, Highlands Scrub (Hypericum cumulicola) - Wherever found	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	505	Iagu, Hayun (=guam), Tronkon Guafi (rota) (Serianthes nelsonii) - Wherever found	E	\$54,232	\$0	\$54,232	\$0	\$54,232
	553	Ihi (Portulaca villosa) - Wherever found	E	\$45,207	\$500	\$45,707	\$0	\$45,707
	998	Iliau, Dwarf (Wilkesia hobdyi) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	624	Ipomopsis, Holy Ghost (Ipomopsis sancti-spiritus) - Wherever found	E	\$0	\$33,000	\$33,000	\$0	\$33,000
	1115	Iris, Dwarf Lake (Iris lacustris) - Wherever found	T	\$0	\$2,830	\$2,830	\$0	\$2,830
	1017	Irisette, White (Sisyrinchium dichotomum) - Wherever found	E	\$5,000	\$1,400	\$6,400	\$1,300	\$7,700
	500	Ischaemum, Hilo (Ischaemum byrone) - Wherever found	E	\$44,348	\$12,000	\$56,348	\$0	\$56,348
	1161	Ivesia, Ash Meadows (Ivesia kingii var. eremica) - Wherever found	T	\$0	\$600	\$600	\$0	\$600
	614	Ivesia, Webber's (Ivesia webberi) - Wherever found	T	\$0	\$35,627	\$35,627	\$0	\$35,627
	1052	Jewelflower, California (Caulanthus californicus) - Wherever found	E	\$0	\$5,910	\$5,910	\$0	\$5,910
	1162	Jewelflower, Metcalf Canyon (Streptanthus albidus ssp. albidus) - Wherever found	E	\$0	\$500	\$500	\$0	\$500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1054	Jewelflower, Tiburon ( <i>Streptanthus niger</i> ) - Wherever found	E	\$5,800	\$0	\$5,800	\$0	\$5,800
	442	Joint-vetch, Sensitive ( <i>Aeschynomene virginica</i> ) - Wherever found	T	\$72,500	\$400	\$72,900	\$450	\$73,350
	954	Kamakahala ( <i>Labordia cyrtandrae</i> ) - Wherever found	E	\$10,222	\$0	\$10,222	\$0	\$10,222
	976	Kamakahala ( <i>Labordia helleri</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	969	Kamakahala ( <i>Labordia lydgatei</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	856	Kamakahala ( <i>Labordia pumila</i> ) - Wherever found	E	\$13,658	\$0	\$13,658	\$0	\$13,658
	969	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Kamakahala ( <i>Labordia triflora</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	992	Kamanomano ( <i>Cenchrus agrimonioides</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	683	Kamapua'a ( <i>Kadua fluviatilis</i> ) - Wherever found	E	\$24,661	\$0	\$24,661	\$0	\$24,661
	969	Kauai Hau Kuahiwi ( <i>Hibiscadelphus distans</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	897	Kauila ( <i>Colubrina oppositifolia</i> ) - Wherever found	E	\$12,042	\$100	\$12,142	\$0	\$12,142
	998	Kaulu ( <i>Pteralyxia kauaiensis</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	955	Kaulu ( <i>Pteralyxia macrocarpa</i> ) - Wherever found	E	\$10,108	\$100	\$10,208	\$0	\$10,208
	872	Kio'ele ( <i>Kadua coriacea</i> ) - Wherever found	E	\$12,907	\$100	\$13,007	\$0	\$13,007
	883	Kiponapona ( <i>Phyllostegia racemosa</i> ) - Wherever found	E	\$12,657	\$0	\$12,657	\$0	\$12,657
	684	Ko'oko'olau ( <i>Bidens amplexens</i> ) - Wherever found	E	\$24,625	\$0	\$24,625	\$0	\$24,625
	542	Ko'oko'olau ( <i>Bidens campylotheca</i> ssp. <i>pentamera</i> ) - Wherever found	E	\$11,139	\$36,000	\$47,139	\$0	\$47,139
	519	Ko'oko'olau ( <i>Bidens campylotheca</i> ssp. <i>waihoiensis</i> ) - Wherever found	E	\$14,181	\$36,000	\$50,181	\$0	\$50,181

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	790	Ko`oko`olau ( <i>Bidens conjuncta</i> ) - Wherever found	E	\$16,919	\$0	\$16,919	\$0	\$16,919
	504	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>ctenophylla</i> ) - Wherever found	E	\$54,639	\$300	\$54,939	\$0	\$54,939
	545	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> ) - Wherever found	E	\$10,936	\$36,000	\$46,936	\$0	\$46,936
	976	Ko`oko`olau ( <i>Bidens wiebkei</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	823	Ko`oloa`ula ( <i>Abutilon menziesii</i> ) - Wherever found	E	\$14,732	\$100	\$14,832	\$0	\$14,832
	888	Kohe Malama Malama O Kanaloa ( <i>Kanaloa kahoolawensis</i> ) - Wherever found	E	\$12,400	\$0	\$12,400	\$0	\$12,400
	974	Koholapehu ( <i>Dubautia latifolia</i> ) - Wherever found	E	\$9,753	\$0	\$9,753	\$0	\$9,753
	869	Koki`o ( <i>Kokia drynarioides</i> ) - Wherever found	E	\$12,657	\$500	\$13,157	\$0	\$13,157
	969	Koki`o ( <i>Kokia kauaiensis</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	976	Koki`o Ke`oke`o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	759	Koki`o Ke`oke`o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> ) - Wherever found	E	\$19,020	\$0	\$19,020	\$0	\$19,020
	976	Koki`o, Cooke's ( <i>Kokia cooki</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	949	Kolea ( <i>Myrsine fosbergii</i> ) - Wherever found	E	\$10,270	\$0	\$10,270	\$0	\$10,270
	998	Kolea ( <i>Myrsine juddii</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	969	Kolea ( <i>Myrsine knudsenii</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	Kolea ( <i>Myrsine linearifolia</i> ) - Wherever found	T	\$8,908	\$0	\$8,908	\$0	\$8,908
	969	Kolea ( <i>Myrsine mezii</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	845	Kolea ( <i>Myrsine vaccinioides</i> ) - Wherever found	E	\$14,087	\$0	\$14,087	\$0	\$14,087
	976	Kopa ( <i>Kadua cordata remyi</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	969	Kopiko ( <i>Psychotria grandiflora</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	Kopiko ( <i>Psychotria hexandra</i> ssp. <i>oahuensis</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	976	Kopiko ( <i>Psychotria hobbnyi</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	849	Kuahiwi Laukahi ( <i>Plantago hawaiiensis</i> ) - Wherever found	E	\$13,396	\$500	\$13,896	\$0	\$13,896
	550	Kuahiwi Laukahi ( <i>Plantago princeps</i> ) - Wherever found	E	\$9,919	\$36,100	\$46,019	\$0	\$46,019
	976	Kuawawaenohu ( <i>Schiedea lychnoides</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	734	Kula Wahine Noho ( <i>Isodendron pyrifolium</i> ) - Wherever found	E	\$20,262	\$200	\$20,462	\$0	\$20,462
	910	Kulu`i ( <i>Nototrichium humile</i> ) - Wherever found	E	\$11,646	\$100	\$11,746	\$0	\$11,746
	170	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> ) - Wherever found	T	\$186,217	\$357,656	\$543,873	\$400	\$544,273
	795	Ladies-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> ) - Wherever found	E	\$16,500	\$0	\$16,500	\$0	\$16,500
	1163	Ladies-tresses, Navasota ( <i>Spiranthes parksii</i> ) - Wherever found	E	\$0	\$420	\$420	\$0	\$420
	905	Lau `ehu ( <i>Panicum niihauense</i> ) - Wherever found	E	\$11,947	\$0	\$11,947	\$0	\$11,947
	968	Lauhilihi ( <i>Schiedea stellarioides</i> ) - Wherever found	E	\$9,922	\$0	\$9,922	\$0	\$9,922
	460	Layia, Beach ( <i>Layia carnosa</i> ) - Wherever found	E	\$0	\$68,500	\$68,500	\$0	\$68,500
	1150	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> ) - Wherever found	E	\$1,300	\$0	\$1,300	\$0	\$1,300
	1079	Leather Flower, Alabama ( <i>Clematis socialis</i> ) - Wherever found	E	\$2,500	\$1,598	\$4,098	\$495	\$4,593
	738	Leather Flower, Morefields ( <i>Clematis morefieldii</i> ) - UNK	E	\$20,000	\$100	\$20,100	\$225	\$20,325
	788	Lehua Makanoe ( <i>Lysimachia daphnoides</i> ) - Wherever found	E	\$17,132	\$0	\$17,132	\$0	\$17,132
	891	Liliwai ( <i>Acaena exigua</i> ) - Wherever found	E	\$12,251	\$0	\$12,251	\$0	\$12,251
	1128	Lily, Minnesota Dwarf Trout ( <i>Erythronium propullans</i> ) - Wherever found	E	\$0	\$2,381	\$2,381	\$0	\$2,381
	523	Lily, Western ( <i>Lilium occidentale</i> ) - Wherever found	E	\$20,500	\$29,000	\$49,500	\$0	\$49,500
	609	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> ) - Wherever found	E	\$0	\$36,283	\$36,283	\$0	\$36,283



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	976	Lo`ulu (Pritchardia hardyi) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	998	Lo`ulu (Pritchardia kaalae) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	893	Lo`ulu (Pritchardia lanigera) - Wherever found	E	\$12,177	\$0	\$12,177	\$0	\$12,177
	806	Lo`ulu (Pritchardia maideniana) - Wherever found	E	\$12,657	\$3,050	\$15,707	\$0	\$15,707
	969	Lo`ulu (Pritchardia munroi) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	841	Lo`ulu (Pritchardia napaliensis) - Wherever found	E	\$14,299	\$0	\$14,299	\$0	\$14,299
	847	Lo`ulu (Pritchardia remota) - Wherever found	E	\$13,978	\$0	\$13,978	\$0	\$13,978
	703	Lo`ulu (Pritchardia schattaueri) - Wherever found	E	\$22,957	\$0	\$22,957	\$0	\$22,957
	943	Lo`ulu (Pritchardia viscosa) - Wherever found	E	\$10,426	\$0	\$10,426	\$0	\$10,426
	1161	Locoweed, Fassett's (Oxytropis campestris var. chartacea) - Wherever found	T	\$600	\$0	\$600	\$0	\$600
	303	Lomatium, Cook's (Lomatium cookii) - Wherever found	E	\$37,500	\$120,000	\$157,500	\$0	\$157,500
	602	Loosestrife, Rough-leaved (Lysimachia asperulaefolia) - Wherever found	E	\$5,500	\$29,785	\$35,285	\$1,900	\$37,185
	969	Loulu, Baker's (Pritchardia bakeri) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	501	Lousewort, Furbish (Pedicularis furbishiae) - Wherever found	E	\$56,000	\$0	\$56,000	\$0	\$56,000
	969	Love Grass, Fosberg's (Eragrostis fosbergii) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	1106	Lupine, Clover (Lupinus tidestromii) - Wherever found	E	\$0	\$3,400	\$3,400	\$0	\$3,400
	200	Lupine, Kincaid's (Lupinus sulphureus ssp. kincaidii) - Wherever found	T	\$148,597	\$254,577	\$403,174	\$100	\$403,274
	758	Ma`o Hau Hele, (=native Yellow Hibiscus) (Hibiscus brackenridgei) - Wherever found	E	\$18,859	\$200	\$19,059	\$0	\$19,059
	976	Ma`oli`oli (Schiedea apokremnos) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	949	Ma`oli`oli (Schiedea hawaiiensis) - Wherever found	E	\$10,270	\$0	\$10,270	\$0	\$10,270

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Ma'oli'oli ( <i>Schiedea kealiae</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	896	Ma'oli'oli ( <i>Schiedea pubescens</i> ) - Wherever found	E	\$12,150	\$0	\$12,150	\$0	\$12,150
	940	Mahoe ( <i>Alectryon macrococcus</i> ) - Wherever found	E	\$10,463	\$100	\$10,563	\$0	\$10,563
	937	Makou ( <i>Peucedanum sandwicense</i> ) - Wherever found	T	\$9,662	\$1,100	\$10,762	\$0	\$10,762
	737	Makou ( <i>Ranunculus hawaiiensis</i> ) - Wherever found	E	\$20,410	\$0	\$20,410	\$0	\$20,410
	373	Makou ( <i>Ranunculus mauianensis</i> ) - Wherever found	E	\$104,474	\$0	\$104,474	\$0	\$104,474
	1067	Malacothrix, Island ( <i>Malacothrix squalida</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	1031	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> ) - Wherever found	E	\$0	\$6,936	\$6,936	\$0	\$6,936
	506	Mallow, Gierisch ( <i>Sphaeralcea gierischii</i> ) - Wherever found	E	\$13,000	\$41,229	\$54,229	\$0	\$54,229
	343	Mallow, Kern ( <i>Eremalche kernensis</i> ) - Wherever found	E	\$0	\$128,400	\$128,400	\$0	\$128,400
	751	Mallow, Peter's Mountain ( <i>Iliamna corei</i> ) - Wherever found	E	\$19,500	\$100	\$19,600	\$0	\$19,600
	1102	Manaca, Palma De ( <i>Calyptronoma rivalis</i> ) - Wherever found	T	\$3,500	\$0	\$3,500	\$0	\$3,500
	769	Manioc, Walker's ( <i>Manihot walkerae</i> ) - Wherever found	E	\$0	\$7,100	\$7,100	\$11,321	\$18,421
	1105	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> ) - Wherever found	T	\$0	\$3,403	\$3,403	\$0	\$3,403
	601	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> ) - Wherever found	E	\$0	\$37,315	\$37,315	\$0	\$37,315
	998	Mapele ( <i>Cyrtandra cyaneoides</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	1160	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> ) - Wherever found	E	\$0	\$800	\$800	\$0	\$800
	709	Meadowfoam, Large-flowered Woolly ( <i>Limnanthes pumila</i> ssp. <i>grandiflora</i> ) - Wherever found	E	\$22,500	\$0	\$22,500	\$0	\$22,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	753	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> ) - Wherever found	E	\$0	\$19,200	\$19,200	\$0	\$19,200
	775	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> ) - Wherever found	E	\$17,000	\$300	\$17,300	\$600	\$17,900
	764	Mehamehame ( <i>Flueggea neowawraea</i> ) - Wherever found	E	\$18,632	\$0	\$18,632	\$0	\$18,632
	1164	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> ) - Wherever found	E	\$0	\$400	\$400	\$0	\$400
	1104	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> ) - Wherever found	E	\$0	\$3,453	\$3,453	\$0	\$3,453
	312	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> ) - Wherever found	E	\$0	\$147,500	\$147,500	\$0	\$147,500
	583	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> ) - Wherever found	T	\$0	\$40,000	\$40,000	\$0	\$40,000
	1124	Milk-vetch, Heliotrope ( <i>Astragalus montii</i> ) - Wherever found	T	\$0	\$2,500	\$2,500	\$0	\$2,500
	341	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> ) - Wherever found	E	\$2,000	\$127,519	\$129,519	\$0	\$129,519
	455	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>iesupi</i> ) - Wherever found	E	\$69,500	\$1,000	\$70,500	\$0	\$70,500
	337	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> ) - Wherever found	E	\$0	\$131,000	\$131,000	\$0	\$131,000
	1092	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> ) - Wherever found	E	\$0	\$4,000	\$4,000	\$0	\$4,000
	643	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> ) - Wherever found	T	\$0	\$30,600	\$30,600	\$0	\$30,600
	1162	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> ) - Wherever found	E	\$300	\$200	\$500	\$0	\$500
	599	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> ) - Wherever found	E	\$0	\$37,488	\$37,488	\$0	\$37,488
	947	Milk-vetch, Triple-ribbed ( <i>Astragalus tricarinatus</i> ) - Wherever found	E	\$0	\$10,302	\$10,302	\$0	\$10,302
	536	Milkpea, Small's ( <i>Galactia smallii</i> ) - Wherever found	E	\$47,650	\$0	\$47,650	\$0	\$47,650
	490	Milkvetch, Osterhout ( <i>Astragalus osterhoutii</i> ) - Wherever found	E	\$1,200	\$57,750	\$58,950	\$0	\$58,950

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	430	Milkweed, Mead's ( <i>Asclepias meadii</i> ) - Wherever found	T	\$0	\$36,234	\$36,234	\$40,700	\$76,934
	372	Milkweed, Welsh's ( <i>Asclepias welshii</i> ) - Wherever found	T	\$400	\$104,301	\$104,701	\$0	\$104,701
	1081	Mint, Garrett's ( <i>Dicerandra christmanii</i> ) - Wherever found	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	917	Mint, Lakela's ( <i>Dicerandra immaculata</i> ) - Wherever found	E	\$11,500	\$0	\$11,500	\$0	\$11,500
	1157	Mint, Longspurred ( <i>Dicerandra cornutissima</i> ) - Wherever found	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	995	Mint, Scrub ( <i>Dicerandra frutescens</i> ) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	279	Monardella, Willowy ( <i>Monardella viminea</i> ) - Wherever found	E	\$0	\$190,985	\$190,985	\$0	\$190,985
	689	Monkey-flower, Michigan ( <i>Mimulus michiganensis</i> ) - Wherever found	E	\$0	\$24,080	\$24,080	\$0	\$24,080
	1114	Monkshood, Northern Wild ( <i>Aconitum noveboracense</i> ) - Wherever found	T	\$0	\$2,420	\$2,420	\$500	\$2,920
	685	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> ) - Wherever found	E	\$0	\$24,300	\$24,300	\$0	\$24,300
	1161	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> ) - Wherever found	E	\$0	\$600	\$600	\$0	\$600
	966	Mustard, Carter's ( <i>Warea carteri</i> ) - Wherever found	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	867	Mustard, Penland Alpine Fen ( <i>Eutrema penlandii</i> ) - Wherever found	T	\$2,200	\$11,000	\$13,200	\$0	\$13,200
	996	Na`ena`e ( <i>Dubautia herbstobatae</i> ) - Wherever found	E	\$8,999	\$0	\$8,999	\$0	\$8,999
	996	Na`ena`e ( <i>Dubautia imbricata</i> ssp. <i>imbricata</i> ) - Wherever found	E	\$8,999	\$0	\$8,999	\$0	\$8,999
	966	Na`ena`e ( <i>Dubautia pauciflorula</i> ) - Wherever found	E	\$10,010	\$0	\$10,010	\$0	\$10,010
	966	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> ) - Wherever found	E	\$10,010	\$0	\$10,010	\$0	\$10,010
	974	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>magnifolia</i> ) - Wherever found	E	\$9,753	\$0	\$9,753	\$0	\$9,753
	996	Na`ena`e ( <i>Dubautia waialealae</i> ) - Wherever found	E	\$8,999	\$0	\$8,999	\$0	\$8,999

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	966	Naenae (Dubautia kalalauensis) - Wherever found	E	\$10,010	\$0	\$10,010	\$0	\$10,010
	966	Naenae (Dubautia kenwoodii) - Wherever found	E	\$10,010	\$0	\$10,010	\$0	\$10,010
	969	Nani Wai'ale'ale (Viola kauaiensis var. wahiawaensis) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	976	Nanu (Gardenia mannii) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	539	Nanu (Gardenia remyi) - Wherever found	E	\$35,529	\$12,000	\$47,529	\$0	\$47,529
	739	Naupaka, Dwarf (Scaevola coriacea) - Wherever found	E	\$17,305	\$3,000	\$20,305	\$0	\$20,305
	540	Navarretia, Spreading (Navarretia fossalis) - Wherever found	T	\$27,000	\$20,500	\$47,500	\$0	\$47,500
	976	Nehe (Lipochaeta fauriei) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	992	Nehe (Lipochaeta lobata var. leptophylla) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	976	Nehe (Lipochaeta micrantha) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	976	Nehe (Lipochaeta waimeaensis) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	1020	Nehe (Melanthera kamolensis) - Wherever found	E	\$7,612	\$0	\$7,612	\$0	\$7,612
	1019	Nehe (Melanthera tenuifolia) - Wherever found	E	\$7,658	\$0	\$7,658	\$0	\$7,658
	987	Nioi (Eugenia koolauensis) - Wherever found	E	\$9,211	\$0	\$9,211	\$0	\$9,211
	600	Niterwort, Amargosa (Nitrophila mohavensis) - Wherever found	E	\$0	\$37,400	\$37,400	\$0	\$37,400
	969	No Common Name (Abutilon eremitopetalum) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	992	No Common Name (Abutilon sandwicense) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	924	No Common Name (Achyranthes mutica) - Wherever found	E	\$11,240	\$0	\$11,240	\$0	\$11,240
	1067	No Common Name (Agave eggarsiana) - Wherever found	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	710	No Common Name (Amaranthus brownii) - Wherever found	E	\$22,457	\$0	\$22,457	\$0	\$22,457
	1111	No Common Name (Aristida chaseae) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1124	No Common Name ( <i>Auerodendron pauciflorum</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	642	No Common Name ( <i>Bidens hillebrandiana</i> ssp. <i>hillebrandiana</i> ) - Wherever found	E	\$30,808	\$0	\$30,808	\$0	\$30,808
	808	No Common Name ( <i>Bonamia menziesii</i> ) - Wherever found	E	\$15,503	\$100	\$15,603	\$0	\$15,603
	1102	No Common Name ( <i>Calyptranthes thomasiana</i> ) - Wherever found	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1124	No Common Name ( <i>Catesbaea melanocarpa</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1124	No Common Name ( <i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1049	No Common Name ( <i>Cordia bellonis</i> ) - Wherever found	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1124	No Common Name ( <i>Cranichis ricartii</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	631	No Common Name ( <i>Cyanea kauaulaensis</i> ) - Wherever found	E	\$32,430	\$0	\$32,430	\$0	\$32,430
	914	No Common Name ( <i>Cyperus fauriei</i> ) - Wherever found	E	\$11,646	\$0	\$11,646	\$0	\$11,646
	787	No Common Name ( <i>Cyperus neokunthianus</i> ) - Wherever found	E	\$17,220	\$0	\$17,220	\$0	\$17,220
	976	No Common Name ( <i>Cyperus pennatiformis</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	957	No Common Name ( <i>Cyrtandra nanawaleensis</i> ) - Wherever found	E	\$10,179	\$0	\$10,179	\$0	\$10,179
	645	No Common Name ( <i>Cyrtandra wagneri</i> ) - Wherever found	E	\$30,301	\$0	\$30,301	\$0	\$30,301
	1111	No Common Name ( <i>Daphnopsis helleriana</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	830	No Common Name ( <i>Delissea rhytidosperra</i> ) - Wherever found	E	\$14,602	\$0	\$14,602	\$0	\$14,602
	883	No Common Name ( <i>Delissea undulata</i> ) - Wherever found	E	\$12,657	\$0	\$12,657	\$0	\$12,657
	497	No Common Name ( <i>Dendrobium guamense</i> ) - Wherever found	T	\$56,965	\$0	\$56,965	\$0	\$56,965
	562	No Common Name ( <i>Eugenia bryanii</i> ) - Wherever found	E	\$43,986	\$0	\$43,986	\$0	\$43,986

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1030	No Common Name ( <i>Eugenia woodburyana</i> ) - Wherever found	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	979	No Common Name ( <i>Festuca hawaiiensis</i> ) - Wherever found	E	\$9,516	\$0	\$9,516	\$0	\$9,516
	554	No Common Name ( <i>Festuca molokaiensis</i> ) - Wherever found	E	\$45,513	\$0	\$45,513	\$0	\$45,513
	686	No Common Name ( <i>Geocarpon minimum</i> ) - Wherever found	T	\$19,848	\$2,900	\$22,748	\$1,500	\$24,248
	1111	No Common Name ( <i>Gesneria pauciflora</i> ) - Wherever found	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	1124	No Common Name ( <i>Gonocalyx concolor</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1138	No Common Name ( <i>Gouania hillebrandii</i> ) - Wherever found	E	\$1,753	\$0	\$1,753	\$0	\$1,753
	1125	No Common Name ( <i>Gouania meyenii</i> ) - Wherever found	E	\$2,307	\$100	\$2,407	\$0	\$2,407
	880	No Common Name ( <i>Gouania vitifolia</i> ) - Wherever found	E	\$12,657	\$100	\$12,757	\$0	\$12,757
	802	No Common Name ( <i>Hesperomannia arborescens</i> ) - Wherever found	E	\$15,912	\$100	\$16,012	\$0	\$16,012
	880	No Common Name ( <i>Hesperomannia arbuscula</i> ) - Wherever found	E	\$12,657	\$100	\$12,757	\$0	\$12,757
	969	No Common Name ( <i>Hesperomannia lydgatei</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	1096	No Common Name ( <i>Ilex sintenisii</i> ) - Wherever found	E	\$3,500	\$300	\$3,800	\$0	\$3,800
	969	No Common Name ( <i>Kadua degeneri</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	737	No Common Name ( <i>Kadua hauptensis</i> ) - Wherever found	E	\$20,410	\$0	\$20,410	\$0	\$20,410
	992	No Common Name ( <i>Kadua parvula</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	905	No Common Name ( <i>Kadua st.-johnii</i> ) - Wherever found	E	\$11,947	\$0	\$11,947	\$0	\$11,947
	1004	No Common Name ( <i>Keysseria (=Lagenifera erici)</i> ) - Wherever found	E	\$8,502	\$0	\$8,502	\$0	\$8,502
	986	No Common Name ( <i>Keysseria (=Lagenifera helenae)</i> ) - Wherever found	E	\$9,256	\$0	\$9,256	\$0	\$9,256

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	730	No Common Name ( <i>Labordia lorenciana</i> ) - Wherever found	E	\$20,668	\$0	\$20,668	\$0	\$20,668
	931	No Common Name ( <i>Lepanthes eltoroensis</i> ) - Wherever found	E	\$10,500	\$500	\$11,000	\$0	\$11,000
	723	No Common Name ( <i>Lepidium orbiculare</i> ) - Wherever found	E	\$21,175	\$0	\$21,175	\$0	\$21,175
	1124	No Common Name ( <i>Leptocereus grantianus</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	894	No Common Name ( <i>Lipochaeta venosa</i> ) - Wherever found	E	\$12,153	\$0	\$12,153	\$0	\$12,153
	992	No Common Name ( <i>Lobelia koolauensis</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	969	No Common Name ( <i>Lobelia monostachya</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	992	No Common Name ( <i>Lobelia niihauensis</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	913	No Common Name ( <i>Lobelia oahuensis</i> ) - Wherever found	E	\$11,587	\$100	\$11,687	\$0	\$11,687
	1111	No Common Name ( <i>Lyonia truncata</i> var. <i>proctorii</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	978	No Common Name ( <i>Lysimachia filifolia</i> ) - Wherever found	E	\$9,500	\$100	\$9,600	\$0	\$9,600
	973	No Common Name ( <i>Lysimachia iniki</i> ) - Wherever found	E	\$9,757	\$0	\$9,757	\$0	\$9,757
	973	No Common Name ( <i>Lysimachia lydgatei</i> ) - Wherever found	E	\$9,757	\$0	\$9,757	\$0	\$9,757
	962	No Common Name ( <i>Lysimachia maxima</i> ) - Wherever found	E	\$10,060	\$0	\$10,060	\$0	\$10,060
	973	No Common Name ( <i>Lysimachia pendens</i> ) - Wherever found	E	\$9,757	\$0	\$9,757	\$0	\$9,757
	973	No Common Name ( <i>Lysimachia scopulensis</i> ) - Wherever found	E	\$9,757	\$0	\$9,757	\$0	\$9,757
	973	No Common Name ( <i>Lysimachia venosa</i> ) - Wherever found	E	\$9,757	\$0	\$9,757	\$0	\$9,757
	613	No Common Name ( <i>Maesa walkeri</i> ) - Wherever found	T	\$35,712	\$0	\$35,712	\$0	\$35,712
	1124	No Common Name ( <i>Mitracarpus maxwelliae</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1059	No Common Name (Mitracarpus polycladus) - Wherever found	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1124	No Common Name (Myrcia paganii) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	965	No Common Name (Neraudia angulata) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	780	No Common Name (Neraudia ovata) - Wherever found	E	\$10,832	\$6,817	\$17,649	\$0	\$17,649
	969	No Common Name (Neraudia sericea) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	491	No Common Name (Nervilia jacksoniae) - Wherever found	T	\$58,689	\$0	\$58,689	\$0	\$58,689
	575	No Common Name (Nesogenes rotensis) - Wherever found	E	\$41,336	\$0	\$41,336	\$0	\$41,336
	348	No Common Name (Osmoxylon mariannense) - Wherever found	E	\$125,189	\$0	\$125,189	\$0	\$125,189
	481	No Common Name (Phyllanthus saffordii) - Wherever found	E	\$60,689	\$0	\$60,689	\$0	\$60,689
	475	No Common Name (Phyllostegia bracteata) - Wherever found	E	\$14,631	\$48,000	\$62,631	\$0	\$62,631
	463	No Common Name (Phyllostegia brevidens) - Wherever found	E	\$30,550	\$36,000	\$66,550	\$0	\$66,550
	238	No Common Name (Phyllostegia floribunda) - Wherever found	E	\$294,381	\$0	\$294,381	\$0	\$294,381
	858	No Common Name (Phyllostegia glabra var. lanaiensis) - Wherever found	E	\$13,637	\$0	\$13,637	\$0	\$13,637
	474	No Common Name (Phyllostegia haliakalae) - Wherever found	E	\$14,888	\$48,000	\$62,888	\$0	\$62,888
	707	No Common Name (Phyllostegia helleri) - UNK	E	\$22,641	\$0	\$22,641	\$0	\$22,641
	965	No Common Name (Phyllostegia hirsuta) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	954	No Common Name (Phyllostegia hispida) - Wherever found	E	\$10,222	\$0	\$10,222	\$0	\$10,222
	976	No Common Name (Phyllostegia kaalaensis) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	969	No Common Name (Phyllostegia knudsenii) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	877	No Common Name ( <i>Phyllostegia mannii</i> ) - Wherever found	E	\$12,849	\$0	\$12,849	\$0	\$12,849
	905	No Common Name ( <i>Phyllostegia mollis</i> ) - Wherever found	E	\$11,947	\$0	\$11,947	\$0	\$11,947
	969	No Common Name ( <i>Phyllostegia parviflora</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	776	No Common Name ( <i>Phyllostegia pilosa</i> ) - Wherever found	E	\$17,818	\$0	\$17,818	\$0	\$17,818
	385	No Common Name ( <i>Phyllostegia renovans</i> ) - Wherever found	E	\$98,412	\$0	\$98,412	\$0	\$98,412
	569	No Common Name ( <i>Phyllostegia stachyoides</i> ) - Wherever found	E	\$41,851	\$1,000	\$42,851	\$0	\$42,851
	906	No Common Name ( <i>Phyllostegia velutina</i> ) - Wherever found	E	\$11,903	\$0	\$11,903	\$0	\$11,903
	397	No Common Name ( <i>Phyllostegia waimeae</i> ) - Wherever found	E	\$94,786	\$0	\$94,786	\$0	\$94,786
	883	No Common Name ( <i>Phyllostegia warshaueri</i> ) - Wherever found	E	\$12,657	\$0	\$12,657	\$0	\$12,657
	969	No Common Name ( <i>Phyllostegia wawrana</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	958	No Common Name ( <i>Platanthera holochila</i> ) - Wherever found	E	\$10,129	\$0	\$10,129	\$0	\$10,129
	969	No Common Name ( <i>Platydesma cornuta</i> var. <i>cornuta</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	No Common Name ( <i>Platydesma cornuta</i> var. <i>decurrens</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	730	No Common Name ( <i>Platydesma remyi</i> ) - Wherever found	E	\$20,668	\$0	\$20,668	\$0	\$20,668
	986	No Common Name ( <i>Poa siphonoglossa</i> ) - Wherever found	E	\$9,256	\$0	\$9,256	\$0	\$9,256
	370	No Common Name ( <i>Polyscias bisattenuata</i> ) - Wherever found	E	\$105,612	\$0	\$105,612	\$0	\$105,612
	969	No Common Name ( <i>Polyscias flynnii</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	969	No Common Name ( <i>Polyscias lydgatei</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	884	No Common Name ( <i>Polyscias racemosa</i> ) - Wherever found	E	\$12,542	\$0	\$12,542	\$0	\$12,542

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	976	No Common Name ( <i>Remya kauaiensis</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	976	No Common Name ( <i>Remya montgomeryi</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	998	No Common Name ( <i>Sanicula mariversa</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	972	No Common Name ( <i>Sanicula purpurea</i> ) - Wherever found	E	\$9,662	\$100	\$9,762	\$0	\$9,762
	466	No Common Name ( <i>Sanicula sandwicensis</i> ) - Wherever found	E	\$29,536	\$36,500	\$66,036	\$0	\$66,036
	754	No Common Name ( <i>Santalum involutum</i> ) - Wherever found	E	\$19,149	\$0	\$19,149	\$0	\$19,149
	969	No Common Name ( <i>Schiedea attenuata</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	789	No Common Name ( <i>Schiedea diffusa</i> ssp. <i>macraei</i> ) - Wherever found	E	\$16,612	\$500	\$17,112	\$0	\$17,112
	499	No Common Name ( <i>Schiedea diffusa</i> subsp. <i>diffusa</i> ) - Wherever found	E	\$20,668	\$36,000	\$56,668	\$0	\$56,668
	453	No Common Name ( <i>Schiedea haleakalensis</i> ) - Wherever found	E	\$10,222	\$61,000	\$71,222	\$0	\$71,222
	989	No Common Name ( <i>Schiedea helleri</i> ) - Wherever found	E	\$9,165	\$0	\$9,165	\$0	\$9,165
	992	No Common Name ( <i>Schiedea hookeri</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	729	No Common Name ( <i>Schiedea jacobii</i> ) - Wherever found	E	\$20,900	\$0	\$20,900	\$0	\$20,900
	965	No Common Name ( <i>Schiedea kaalae</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	817	No Common Name ( <i>Schiedea kauaiensis</i> ) - Wherever found	E	\$14,989	\$0	\$14,989	\$0	\$14,989
	681	No Common Name ( <i>Schiedea laui</i> ) - Wherever found	E	\$24,724	\$0	\$24,724	\$0	\$24,724
	998	No Common Name ( <i>Schiedea lydgatei</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	969	No Common Name ( <i>Schiedea membranacea</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	735	No Common Name ( <i>Schiedea nuttallii</i> ) - Wherever found	E	\$20,457	\$0	\$20,457	\$0	\$20,457

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	965	No Common Name ( <i>Schiedea obovata</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	725	No Common Name ( <i>Schiedea salicaria</i> ) - Wherever found	E	\$21,076	\$0	\$21,076	\$0	\$21,076
	998	No Common Name ( <i>Schiedea sarmentosa</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	998	No Common Name ( <i>Schiedea spergulina</i> var. <i>leiopoda</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	998	No Common Name ( <i>Schiedea spergulina</i> var. <i>spergulina</i> ) - Wherever found	T	\$8,908	\$0	\$8,908	\$0	\$8,908
	992	No Common Name ( <i>Schiedea trinervis</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	920	No Common Name ( <i>Schiedea verticillata</i> ) - Wherever found	E	\$11,443	\$0	\$11,443	\$0	\$11,443
	749	No Common Name ( <i>Schiedea viscosa</i> ) - Wherever found	E	\$19,922	\$0	\$19,922	\$0	\$19,922
	1040	No Common Name ( <i>Schoepfia arenaria</i> ) - Wherever found	T	\$6,500	\$0	\$6,500	\$0	\$6,500
	941	No Common Name ( <i>Sicyos lanceoloideus</i> ) - Wherever found	E	\$10,528	\$0	\$10,528	\$0	\$10,528
	965	No Common Name ( <i>Silene alexandri</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	914	No Common Name ( <i>Silene hawaiiensis</i> ) - Wherever found	T	\$11,646	\$0	\$11,646	\$0	\$11,646
	834	No Common Name ( <i>Silene lanceolata</i> ) - Wherever found	E	\$14,391	\$100	\$14,491	\$0	\$14,491
	976	No Common Name ( <i>Silene perlmanii</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	976	No Common Name ( <i>Spermolepis hawaiiensis</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	656	No Common Name ( <i>Stenogyne angustifolia</i> var. <i>angustifolia</i> ) - Wherever found	E	\$22,394	\$6,817	\$29,211	\$0	\$29,211
	967	No Common Name ( <i>Stenogyne bifida</i> ) - Wherever found	E	\$9,965	\$0	\$9,965	\$0	\$9,965
	976	No Common Name ( <i>Stenogyne campanulata</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	964	No Common Name ( <i>Stenogyne cranwelliae</i> ) - Wherever found	E	\$10,021	\$0	\$10,021	\$0	\$10,021

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	885	No Common Name ( <i>Stenogyne kaalae</i> ssp. <i>sherffii</i> ) - Wherever found	E	\$12,400	\$100	\$12,500	\$0	\$12,500
	961	No Common Name ( <i>Stenogyne kanehoana</i> ) - Wherever found	E	\$9,965	\$100	\$10,065	\$0	\$10,065
	538	No Common Name ( <i>Stenogyne kauaulaensis</i> ) - Wherever found	E	\$47,539	\$0	\$47,539	\$0	\$47,539
	969	No Common Name ( <i>Stenogyne kealiae</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	119	No Common Name ( <i>Tabernaemontana rotensis</i> ) - Wherever found	T	\$60,717	\$889,800	\$950,517	\$0	\$950,517
	951	No Common Name ( <i>Ternstroemia subsessilis</i> ) - Wherever found	E	\$10,250	\$0	\$10,250	\$0	\$10,250
	716	No Common Name ( <i>Tetramolopium arenarium</i> ) - Wherever found	E	\$22,146	\$0	\$22,146	\$0	\$22,146
	992	No Common Name ( <i>Tetramolopium filiforme</i> ) - Wherever found	E	\$8,908	\$100	\$9,008	\$0	\$9,008
	883	No Common Name ( <i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> ) - Wherever found	E	\$12,657	\$0	\$12,657	\$0	\$12,657
	969	No Common Name ( <i>Tetramolopium remyi</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	983	No Common Name ( <i>Tetramolopium rockii</i> ) - Wherever found	T	\$8,908	\$500	\$9,408	\$0	\$9,408
	625	No Common Name ( <i>Tinospora homosepala</i> ) - Wherever found	E	\$32,959	\$0	\$32,959	\$0	\$32,959
	976	No Common Name ( <i>Trematolobelia singularis</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	440	No Common Name ( <i>Tuberolabium guamense</i> ) - Wherever found	T	\$74,102	\$0	\$74,102	\$0	\$74,102
	1005	No Common Name ( <i>Varronia rupicola</i> ) - Wherever found	T	\$8,500	\$0	\$8,500	\$0	\$8,500
	1124	No Common Name ( <i>Vernonia proctorii</i> ) - Wherever found	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	888	No Common Name ( <i>Vigna o-wahuensis</i> ) - Wherever found	E	\$12,400	\$0	\$12,400	\$0	\$12,400
	969	No Common Name ( <i>Viola helenae</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	No Common Name ( <i>Viola lanaiensis</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	998	No Common Name ( <i>Viola oahuensis</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	705	No Common Name ( <i>Wikstroemia skottsbergiana</i> ) - UNK	E	\$22,898	\$0	\$22,898	\$0	\$22,898
	523	No Common Name ( <i>Wikstroemia villosa</i> ) - Wherever found	E	\$37,500	\$12,000	\$49,500	\$0	\$49,500
	969	No Common Name ( <i>Xylosma crenatum</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	447	Nohoanu ( <i>Geranium hanaense</i> ) - Wherever found	E	\$36,489	\$36,000	\$72,489	\$0	\$72,489
	845	Nohoanu ( <i>Geranium hillebrandii</i> ) - Wherever found	E	\$14,087	\$0	\$14,087	\$0	\$14,087
	976	Nohoanu ( <i>Geranium kauaiense</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	728	Nohoanu ( <i>Geranium multiflorum</i> ) - Wherever found	E	\$8,908	\$12,000	\$20,908	\$0	\$20,908
	639	Nui, Haha ( <i>Cyanea horrida</i> ) - Wherever found	E	\$18,910	\$12,000	\$30,910	\$0	\$30,910
	965	Oha ( <i>Delissea subcordata</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	480	Ohai ( <i>Sesbania tomentosa</i> ) - Wherever found	E	\$60,372	\$500	\$60,872	\$0	\$60,872
	954	Olulu ( <i>Brighamia insignis</i> ) - Wherever found	E	\$10,222	\$0	\$10,222	\$0	\$10,222
	900	Opuhe ( <i>Urera kaalae</i> ) - Wherever found	E	\$12,094	\$0	\$12,094	\$0	\$12,094
	407	Orchid, Eastern Prairie Fringed ( <i>Platanthera leucophaea</i> ) - Wherever found	T	\$11,000	\$74,884	\$85,884	\$1,500	\$87,384
	477	Orchid, Western Prairie Fringed ( <i>Platanthera praeclara</i> ) - Wherever found	T	\$1,300	\$34,429	\$35,729	\$26,796	\$62,525
	574	Orchid, White Fringeless ( <i>Platanthera integrilabia</i> ) - UNK	T	\$29,000	\$8,539	\$37,539	\$3,870	\$41,409
	1101	Orcutt Grass, Hairy ( <i>Orcuttia pilosa</i> ) - Wherever found	E	\$0	\$3,516	\$3,516	\$0	\$3,516
	977	Orcutt Grass, Sacramento ( <i>Orcuttia viscida</i> ) - Wherever found	E	\$0	\$9,631	\$9,631	\$0	\$9,631
	898	Orcutt Grass, San Joaquin ( <i>Orcuttia inaequalis</i> ) - Wherever found	T	\$0	\$12,137	\$12,137	\$0	\$12,137
	866	Orcutt Grass, Slender ( <i>Orcuttia tenuis</i> ) - Wherever found	T	\$0	\$13,400	\$13,400	\$0	\$13,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1036	Owl's-clover, Fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> ) - Wherever found	T	\$0	\$6,729	\$6,729	\$0	\$6,729
	1102	Oxytheca, Cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> ) - Wherever found	E	\$0	\$3,500	\$3,500	\$0	\$3,500
	980	Pa'iniu ( <i>Astelia waialealae</i> ) - Wherever found	E	\$9,514	\$0	\$9,514	\$0	\$9,514
	227	Paintbrush, Golden ( <i>Castilleja levisecta</i> ) - Wherever found	T	\$295,985	\$18,281	\$314,266	\$2,800	\$317,066
	812	Paintbrush, Soft-leaved ( <i>Castilleja mollis</i> ) - Wherever found	E	\$0	\$15,162	\$15,162	\$0	\$15,162
	1162	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> ) - Wherever found	E	\$0	\$500	\$500	\$0	\$500
	1092	Palo Colorado ( <i>Ternstroemia luquillensis</i> ) - Wherever found	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1049	Palo De Jazmin ( <i>Styrax portoricensis</i> ) - Wherever found	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1030	Palo De Nigua ( <i>Cornutia obovata</i> ) - Wherever found	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1012	Palo De Ramon ( <i>Banara vanderbiltii</i> ) - Wherever found	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	873	Palo De Rosa ( <i>Ottoschulzia rhodoxylon</i> ) - Wherever found	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	969	Pamakani ( <i>Tetramolopium capillare</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	998	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> ) - Wherever found	E	\$8,908	\$0	\$8,908	\$0	\$8,908
	875	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> ) - Wherever found	E	\$12,795	\$100	\$12,895	\$0	\$12,895
	464	Papala ( <i>Charpentiera densiflora</i> ) - Wherever found	E	\$66,174	\$0	\$66,174	\$0	\$66,174
	472	Paudedo ( <i>Hedyotis megalantha</i> ) - Wherever found	E	\$63,252	\$0	\$63,252	\$0	\$63,252
	995	Pawpaw, Beautiful ( <i>Deeringothamnus pulchellus</i> ) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	995	Pawpaw, Four-petal ( <i>Asimina tetramera</i> ) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1022	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> ) - Wherever found	E	\$7,500	\$0	\$7,500	\$0	\$7,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1059	Pea, Big Pine Partridge ( <i>Chamaecrista lineata kevensis</i> ) - Wherever found	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1111	Pelos Del Diablo ( <i>Aristida portoricensis</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	659	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> ) - Wherever found	E	\$0	\$28,500	\$28,500	\$0	\$28,500
	458	Penstemon, Blowout ( <i>Penstemon haydenii</i> ) - Wherever found	E	\$0	\$63,940	\$63,940	\$6,000	\$69,940
	1067	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	1092	Pentachaeta, White-rayed ( <i>Pentachaeta bellidiflora</i> ) - Wherever found	E	\$0	\$4,000	\$4,000	\$0	\$4,000
	1059	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> ) - Wherever found	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	204	Peppergrass, Slickspot ( <i>Lepidium papilliferum</i> ) - UNK	T	\$264,352	\$126,053	\$390,405	\$0	\$390,405
	634	Phacelia, Clay ( <i>Phacelia argillacea</i> ) - Wherever found	E	\$0	\$31,900	\$31,900	\$0	\$31,900
	451	Phacelia, Debeque ( <i>Phacelia submutica</i> ) - Wherever found	T	\$40,700	\$31,201	\$71,901	\$0	\$71,901
	932	Phacelia, Island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> ) - Wherever found	E	\$0	\$10,945	\$10,945	\$0	\$10,945
	332	Phacelia, North Park ( <i>Phacelia formosula</i> ) - Wherever found	E	\$95,200	\$37,938	\$133,138	\$0	\$133,138
	878	Phlox, Texas Trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$7,837	\$12,837
	942	Pigeon Wings ( <i>Clitoria fragrans</i> ) - Wherever found	T	\$10,000	\$500	\$10,500	\$0	\$10,500
	969	Pilo ( <i>Kadua laxiflora</i> ) - Wherever found	E	\$9,919	\$0	\$9,919	\$0	\$9,919
	976	Pilo Kea Lau Li'i ( <i>Platydesma rostrata</i> ) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	325	Pink, Swamp ( <i>Helonias bullata</i> ) - Wherever found	T	\$121,000	\$13,184	\$134,184	\$1,950	\$136,134
	934	Pinkroot, Gentian ( <i>Spigelia gentianoides</i> ) - Wherever found	E	\$4,000	\$6,876	\$10,876	\$0	\$10,876
	1099	Pitcher-plant, Alabama Canebrake ( <i>Sarracenia rubra</i> ssp. <i>alabamensis</i> ) - Wherever found	E	\$2,000	\$1,663	\$3,663	\$0	\$3,663



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	805	Pitcher-plant, Green ( <i>Sarracenia oreophila</i> ) - Wherever found	E	\$4,000	\$11,298	\$15,298	\$495	\$15,793
	668	Pitcher-plant, Mountain Sweet ( <i>Sarracenia rubra ssp. jonesii</i> ) - Wherever found	E	\$21,000	\$3,010	\$24,010	\$2,200	\$26,210
	1137	Plum, Scrub ( <i>Prunus geniculata</i> ) - Wherever found	E	\$1,200	\$600	\$1,800	\$0	\$1,800
	799	Po'e ( <i>Portulaca sclerocarpa</i> ) - Wherever found	E	\$12,700	\$3,500	\$16,200	\$0	\$16,200
	252	Pogonia, Small Whorled ( <i>Isotria medeoloides</i> ) - Wherever found	T	\$182,500	\$75,229	\$257,729	\$1,990	\$259,719
	815	Polygala, Lewton's ( <i>Polygala lewtonii</i> ) - Wherever found	E	\$10,000	\$5,043	\$15,043	\$0	\$15,043
	1126	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> ) - Wherever found	E	\$0	\$2,400	\$2,400	\$0	\$2,400
	239	Pondberry ( <i>Lindera melissifolia</i> ) - Wherever found	E	\$49,500	\$218,908	\$268,408	\$11,410	\$279,818
	350	Popcornflower, Rough ( <i>Plagiobothrys hirtus</i> ) - Wherever found	E	\$113,580	\$9,662	\$123,242	\$0	\$123,242
	384	Popolo ( <i>Cyanea solanacea</i> ) - Wherever found	E	\$98,741	\$0	\$98,741	\$0	\$98,741
	577	Popolo ( <i>Solanum nelsonii</i> ) - Wherever found	E	\$40,334	\$500	\$40,834	\$0	\$40,834
	871	Popolo Ku Mai ( <i>Solanum incompletum</i> ) - Wherever found	E	\$13,008	\$0	\$13,008	\$0	\$13,008
	1045	Poppy, Sacramento Prickly ( <i>Argemone pleiacantha ssp. pinnatisecta</i> ) - Wherever found	E	\$0	\$6,100	\$6,100	\$0	\$6,100
	427	Potato-bean, Prices ( <i>Apios priceana</i> ) - UNK	T	\$66,500	\$11,018	\$77,518	\$0	\$77,518
	1130	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> ) - Wherever found	E	\$0	\$2,200	\$2,200	\$0	\$2,200
	1022	Prairie-clover, Florida ( <i>Dalea carthagenensis floridana</i> ) - Wherever found	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	486	Prairie-clover, Leafy ( <i>Dalea foliosa</i> ) - Wherever found	E	\$30,000	\$29,642	\$59,642	\$0	\$59,642
	1030	Prickly-apple, Fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> ) - Wherever found	E	\$5,000	\$2,000	\$7,000	\$0	\$7,000
	693	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> ) - Wherever found	E	\$24,000	\$0	\$24,000	\$0	\$24,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	865	Pu'uka'a (Cyperus trachysanthos) - Wherever found	E	\$13,414	\$0	\$13,414	\$0	\$13,414
	944	Pua`ala (Brighamia rockii) - Wherever found	E	\$9,919	\$500	\$10,419	\$0	\$10,419
	885	Ragwort, San Francisco Peaks (Packera franciscana) - Wherever found	T	\$2,500	\$10,000	\$12,500	\$0	\$12,500
	591	Rattleweed, Hairy (Baptisia arachnifera) - Wherever found	E	\$36,000	\$200	\$36,200	\$2,025	\$38,225
	1080	Reed-mustard, Barneby (Schoenocrambe barnebyi) - Wherever found	E	\$0	\$4,510	\$4,510	\$0	\$4,510
	927	Reedgrass, Hillebrand's (Calamagrostis hillebrandii) - Wherever found	E	\$11,139	\$0	\$11,139	\$0	\$11,139
	581	Reedgrass, Maui (Calamagrostis expansa) - Wherever found	E	\$28,486	\$12,000	\$40,486	\$0	\$40,486
	976	Remya, Maui (Remya mauiensis) - Wherever found	E	\$9,662	\$0	\$9,662	\$0	\$9,662
	1126	Rhododendron, Chapman (Rhododendron chapmanii) - Wherever found	E	\$1,600	\$800	\$2,400	\$0	\$2,400
	647	Rock Cress, Shale Barren (Arabis serotina) - Wherever found	E	\$29,500	\$700	\$30,200	\$0	\$30,200
	691	Rock-cress, Braun's (Arabis perstellata) - Wherever found	E	\$23,500	\$566	\$24,066	\$0	\$24,066
	439	Rock-cress, Hoffmann's (Arabis hoffmannii) - Wherever found	E	\$0	\$74,308	\$74,308	\$0	\$74,308
	1110	Rock-cress, McDonald's (Arabis macdonaldiana) - Wherever found	E	\$3,042	\$0	\$3,042	\$0	\$3,042
	598	Rockcress, Georgia (Arabis georgiana) - Wherever found	T	\$16,000	\$7,480	\$23,480	\$14,040	\$37,520
	1103	Rose-mallow, Neches River (Hibiscus dasycalyx) - Wherever found	T	\$0	\$3,497	\$3,497	\$0	\$3,497
	1135	Rosemary, Apalachicola (Conradina glabra) - Wherever found	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	719	Rosemary, Cumberland (Conradina verticillata) - Wherever found	T	\$5,000	\$16,728	\$21,728	\$0	\$21,728
	1022	Rosemary, Etonia (Conradina etonia) - Wherever found	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	995	Rosemary, Short-leaved (Conradina brevifolia) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1077	Roseroot, Leedy's (Rhodiola integrifolia ssp. leedyi) - Wherever found	T	\$4,000	\$639	\$4,639	\$0	\$4,639

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	831	Rush-rose, Island ( <i>Helianthemum greenei</i> ) - Wherever found	T	\$0	\$14,588	\$14,588	\$0	\$14,588
	1163	Sand-verbena, Large-fruited ( <i>Abronia macrocarpa</i> ) - Wherever found	E	\$0	\$420	\$420	\$0	\$420
	918	Sandalwood, Lanai (= `iliahi) ( <i>Santalum haleakalae</i> var. <i>lanaiense</i> ) - Wherever found	E	\$11,497	\$0	\$11,497	\$0	\$11,497
	966	Sandlace ( <i>Polygonella myriophylla</i> ) - Wherever found	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	1059	Sandmat, Pineland ( <i>Chamaesyce deltoidea pinetorum</i> ) - Wherever found	T	\$5,500	\$0	\$5,500	\$0	\$5,500
	876	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> ) - Wherever found	E	\$12,500	\$376	\$12,876	\$0	\$12,876
	1063	Sandwort, Marsh ( <i>Arenaria paludicola</i> ) - Wherever found	E	\$3,393	\$300	\$3,693	\$1,400	\$5,093
	965	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> ) - Wherever found	E	\$9,919	\$100	\$10,019	\$0	\$10,019
	1108	Seablite, California ( <i>Suaeda californica</i> ) - UNK	E	\$0	\$3,200	\$3,200	\$0	\$3,200
	159	Seagrass, Johnson's ( <i>Halophila johnsonii</i> ) - Wherever found	T	\$0	\$593,219	\$593,219	\$0	\$593,219
	1065	Sedge, Golden ( <i>Carex lutea</i> ) - Wherever found	E	\$4,500	\$100	\$4,600	\$450	\$5,050
	756	Sedge, Navajo ( <i>Carex specuicola</i> ) - Wherever found	T	\$600	\$18,532	\$19,132	\$0	\$19,132
	1040	Silverbush, Blodgett's ( <i>Argythamnia blodgettii</i> ) - Wherever found	T	\$6,500	\$0	\$6,500	\$0	\$6,500
	755	Silversword, Mauna Loa (=ka'u) ( <i>Argyroxiphium kauense</i> ) - Wherever found	E	\$11,646	\$7,500	\$19,146	\$0	\$19,146
	924	Skullcap, Florida ( <i>Scutellaria floridana</i> ) - Wherever found	T	\$6,000	\$5,240	\$11,240	\$0	\$11,240
	531	Skullcap, Large-flowered ( <i>Scutellaria montana</i> ) - Wherever found	T	\$36,500	\$9,402	\$45,902	\$2,655	\$48,557
	632	Skyrocket, Pagosa ( <i>Ipomopsis polyantha</i> ) - Wherever found	E	\$7,200	\$25,000	\$32,200	\$0	\$32,200
	966	Snakeroot ( <i>Eryngium cuneifolium</i> ) - Wherever found	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	508	Sneezeweed, Virginia ( <i>Helenium virginicum</i> ) - Wherever found	T	\$45,500	\$8,100	\$53,600	\$300	\$53,900

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1027	Snowbells, Texas ( <i>Styrax texanus</i> ) - Wherever found	E	\$0	\$7,100	\$7,100	\$0	\$7,100
	1126	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> ) - Wherever found	E	\$0	\$2,400	\$2,400	\$0	\$2,400
	984	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> ) - Wherever found	T	\$0	\$9,400	\$9,400	\$0	\$9,400
	1092	Spineflower, Robust ( <i>Chorizanthe robusta</i> var. <i>robusta</i> ) - Wherever found	E	\$0	\$4,000	\$4,000	\$0	\$4,000
	1126	Spineflower, Scotts Valley ( <i>Chorizanthe robusta</i> var. <i>hartwegii</i> ) - Wherever found	E	\$0	\$2,400	\$2,400	\$0	\$2,400
	1152	Spineflower, Slender-horned ( <i>Dodecahema leptoceras</i> ) - Wherever found	E	\$0	\$1,200	\$1,200	\$0	\$1,200
	1157	Spineflower, Sonoma ( <i>Chorizanthe valida</i> ) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	462	Spiraea, Virginia ( <i>Spiraea virginiana</i> ) - Wherever found	T	\$35,000	\$30,676	\$65,676	\$1,865	\$67,541
	1150	Spurge, Deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> ) - Wherever found	E	\$1,300	\$0	\$1,300	\$0	\$1,300
	757	Spurge, Garber's ( <i>Chamaesyce garberi</i> ) - Wherever found	T	\$3,000	\$16,100	\$19,100	\$0	\$19,100
	1166	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> ) - Wherever found	T	\$0	\$314	\$314	\$0	\$314
	584	Spurge, Telephus ( <i>Euphorbia telephioides</i> ) - Wherever found	T	\$39,500	\$0	\$39,500	\$0	\$39,500
	1059	Spurge, Wedge ( <i>Chamaesyce deltoidea serpyllum</i> ) - Wherever found	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	434	Stickseed, Showy ( <i>Hackelia venusta</i> ) - Wherever found	E	\$74,764	\$1,100	\$75,864	\$100	\$75,964
	680	Sumac, Michaux's ( <i>Rhus michauxii</i> ) - Wherever found	E	\$19,500	\$2,115	\$21,615	\$3,235	\$24,850
	844	Sunburst, Hartweg's Golden ( <i>Pseudobahia bahiifolia</i> ) - Wherever found	E	\$0	\$14,173	\$14,173	\$0	\$14,173
	658	Sunburst, San Joaquin Adobe ( <i>Pseudobahia peirsonii</i> ) - Wherever found	T	\$0	\$28,778	\$28,778	\$0	\$28,778
	1027	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> ) - Wherever found	T	\$0	\$7,100	\$7,100	\$0	\$7,100
	1143	Sunflower, San Mateo Woolly ( <i>Eriophyllum latilobum</i> ) - Wherever found	E	\$0	\$1,600	\$1,600	\$0	\$1,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	421	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> ) - Wherever found	E	\$57,000	\$19,245	\$76,245	\$3,800	\$80,045
	571	Sunflower, Whorled ( <i>Helianthus verticillatus</i> ) - UNK	E	\$35,000	\$7,098	\$42,098	\$720	\$42,818
	792	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> ) - Wherever found	E	\$0	\$16,800	\$16,800	\$0	\$16,800
	1102	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> ) - Wherever found	T	\$0	\$3,500	\$3,500	\$0	\$3,500
	1126	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> ) - Wherever found	T	\$0	\$2,400	\$2,400	\$0	\$2,400
	731	Thelypody, Howell's Spectacular ( <i>Thelypodium howellii</i> ssp. <i>spectabilis</i> ) - Wherever found	T	\$20,500	\$100	\$20,600	\$0	\$20,600
	1092	Thistle, Fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> ) - Wherever found	E	\$0	\$4,000	\$4,000	\$0	\$4,000
	438	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> ) - Wherever found	T	\$0	\$74,414	\$74,414	\$0	\$74,414
	637	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> ) - Wherever found	T	\$0	\$31,200	\$31,200	\$0	\$31,200
	1143	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> ) - Wherever found	E	\$0	\$1,600	\$1,600	\$0	\$1,600
	1102	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> ) - Wherever found	T	\$0	\$3,500	\$3,500	\$0	\$3,500
	1142	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> ) - Wherever found	E	\$0	\$1,667	\$1,667	\$0	\$1,667
	566	Thoroughwort, Cape Sable ( <i>Chromolaena frustrata</i> ) - Wherever found	E	\$27,000	\$16,100	\$43,100	\$0	\$43,100
	1132	Townsendia, Last Chance ( <i>Townsendia aprica</i> ) - Wherever found	T	\$0	\$2,139	\$2,139	\$0	\$2,139
	1154	Trillium, Persistent ( <i>Trillium persistens</i> ) - Wherever found	E	\$500	\$200	\$700	\$450	\$1,150
	890	Trillium, Relict ( <i>Trillium reliquum</i> ) - Wherever found	E	\$6,000	\$500	\$6,500	\$5,805	\$12,305
	1141	Tuctoria, Greene's ( <i>Tuctoria greenei</i> ) - Wherever found	E	\$0	\$1,690	\$1,690	\$0	\$1,690
	840	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> ) - Wherever found	T	\$6,300	\$8,000	\$14,300	\$0	\$14,300
	283	Ufa-halomtano ( <i>Heritiera longipetiolata</i> ) - Wherever found	E	\$141,439	\$44,490	\$185,929	\$0	\$185,929

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	537	Uhi Uhi ( <i>Mezoneuron kavaiense</i> ) - Wherever found	E	\$47,502	\$100	\$47,602	\$0	\$47,602
	1049	Uvillo ( <i>Eugenia haematocarpa</i> ) - Wherever found	E	\$5,000	\$1,000	\$6,000	\$0	\$6,000
	1157	Vervain, Red Hills ( <i>Verbena californica</i> ) - Wherever found	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	883	Vetch, Hawaiian ( <i>Vicia menziesii</i> ) - Wherever found	E	\$12,657	\$0	\$12,657	\$0	\$12,657
	760	Wahane ( <i>Pritchardia aylmer-robinsonii</i> ) - Wherever found	E	\$18,908	\$0	\$18,908	\$0	\$18,908
	1160	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> ) - Wherever found	E	\$0	\$800	\$800	\$0	\$800
	469	Wallflower, Menzies' ( <i>Erysimum menziesii</i> ) - Wherever found	E	\$0	\$65,000	\$65,000	\$0	\$65,000
	1081	Walnut (=nogal), West Indian ( <i>Juglans jamaicensis</i> ) - Wherever found	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	1012	Warea, Wide-leaf ( <i>Warea amplexifolia</i> ) - Wherever found	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	765	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> ) - Wherever found	T	\$16,048	\$1,679	\$17,727	\$900	\$18,627
	559	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> ) - Wherever found	E	\$6,000	\$38,400	\$44,400	\$0	\$44,400
	1111	Watercress, Gambel's ( <i>Rorippa gambellii</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	966	Whitlow-wort, Papery ( <i>Paronychia chartacea</i> ) - Wherever found	T	\$10,000	\$0	\$10,000	\$0	\$10,000
	633	Wild Buckwheat, Clay-loving ( <i>Eriogonum pelinophilum</i> ) - Wherever found	E	\$18,600	\$13,500	\$32,100	\$0	\$32,100
	276	Wild-buckwheat, Gypsum ( <i>Eriogonum gypsophilum</i> ) - Wherever found	T	\$0	\$198,000	\$198,000	\$0	\$198,000
	1163	Wild-rice, Texas ( <i>Zizania texana</i> ) - Wherever found	E	\$0	\$420	\$420	\$0	\$420
	700	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> ) - Wherever found	E	\$20,500	\$2,600	\$23,100	\$0	\$23,100
	966	Wireweed ( <i>Polygonella basiramia</i> ) - Wherever found	E	\$10,000	\$0	\$10,000	\$0	\$10,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	294	Wooly-threads, San Joaquin ( <i>Monolopia (=Lembertia) congdonii</i> ) - Wherever found	E	\$0	\$168,246	\$168,246	\$0	\$168,246
	617	Yellowhead, Desert ( <i>Yermo xanthocephalus</i> ) - Wherever found	T	\$0	\$35,000	\$35,000	\$0	\$35,000
	1011	Ziziphus, Florida ( <i>Ziziphus celata</i> ) - Wherever found	E	\$7,500	\$600	\$8,100	\$0	\$8,100
<b>Flowering Plants subtotal</b>				<b>\$14,186,535</b>	<b>\$9,852,811</b>	<b>\$24,039,346</b>	<b>\$216,006</b>	<b>\$24,255,352</b>
Insects	1167	Beetle, [no Common Name] ( <i>Rhadine exilis</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	1167	Beetle, [no Common Name] ( <i>Rhadine infernalis</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	261	Beetle, American Burying ( <i>Nicrophorus americanus</i> ) - Ex Pop, SW Missouri	EXPN	\$237,500	\$300	\$237,800	\$0	\$237,800
	150	Beetle, American Burying ( <i>Nicrophorus americanus</i> ) - Wherever found, except where listed as an experimental population	E	\$51,588	\$448,266	\$499,854	\$173,600	\$673,454
	1167	Beetle, Casey's June ( <i>Dinacoma caseyi</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	770	Beetle, Coffin Cave Mold ( <i>Batrisodes texanus</i> ) - Wherever found	E	\$0	\$18,300	\$18,300	\$0	\$18,300
	842	Beetle, Comal Springs Dryopid ( <i>Stygoparnus comalensis</i> ) - Wherever found	E	\$0	\$300	\$300	\$13,942	\$14,242
	1167	Beetle, Comal Springs Riffle ( <i>Heterelmis comalensis</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	1102	Beetle, Delta Green Ground ( <i>Elaphrus viridis</i> ) - Wherever found	T	\$0	\$3,500	\$3,500	\$0	\$3,500
	1146	Beetle, Helotes Mold ( <i>Batrisodes venyivi</i> ) - Wherever found	E	\$0	\$1,447	\$1,447	\$0	\$1,447
	999	Beetle, Hungerford's Crawling Water ( <i>Brychius hungerfordi</i> ) - Wherever found	E	\$8,000	\$880	\$8,880	\$0	\$8,880
	770	Beetle, Kretschmarr Cave Mold ( <i>Texamaurops reddelli</i> ) - Wherever found	E	\$0	\$18,300	\$18,300	\$0	\$18,300
	1121	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> ) - Wherever found	E	\$0	\$2,700	\$2,700	\$0	\$2,700
	1167	Beetle, Tooth Cave Ground ( <i>Rhadine persephone</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	158	Beetle, Valley Elderberry Longhorn ( <i>Desmocerus californicus dimorphus</i> ) - Wherever found	T	\$0	\$595,754	\$595,754	\$0	\$595,754

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	272	Bumble Bee, Rusty Patched ( <i>Bombus affinis</i> ) - Wherever found	E	\$89,500	\$100,204	\$189,704	\$9,500	\$199,204
	369	Butterfly, Bartram's Hairstreak ( <i>Strymon acis bartrami</i> ) - Wherever found	E	\$41,000	\$65,100	\$106,100	\$0	\$106,100
	981	Butterfly, Bay Checkerspot ( <i>Euphydryas editha bayensis</i> ) - Wherever found	T	\$7,000	\$2,500	\$9,500	\$0	\$9,500
	1043	Butterfly, Behren's Silverspot ( <i>Speyeria zerene behrensi</i> ) - Wherever found	E	\$0	\$6,320	\$6,320	\$0	\$6,320
	1035	Butterfly, Callippe Silverspot ( <i>Speyeria callippe callippe</i> ) - Wherever found	E	\$0	\$6,800	\$6,800	\$0	\$6,800
	1167	Butterfly, Cassius Blue ( <i>Leptotes cassius theonus</i> ) - Wherever found	SAT	\$0	\$300	\$300	\$0	\$300
	1167	Butterfly, Ceraunus Blue ( <i>Hemiargus ceraunus antibubastus</i> ) - Wherever found	SAT	\$0	\$300	\$300	\$0	\$300
	1167	Butterfly, Corsican Swallowtail ( <i>Papilio hospiton</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	1164	Butterfly, El Segundo Blue ( <i>Euphilotes battoides allyni</i> ) - Wherever found	E	\$0	\$400	\$400	\$0	\$400
	156	Butterfly, Fender's Blue ( <i>Icaricia icarioides fenderi</i> ) - Wherever found	E	\$481,047	\$131,400	\$612,447	\$0	\$612,447
	402	Butterfly, Florida Leafwing ( <i>Anaea troglodyta floralis</i> ) - Wherever found	E	\$26,500	\$65,100	\$91,600	\$0	\$91,600
	1167	Butterfly, Homerus Swallowtail ( <i>Papilio homerus</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	245	Butterfly, Karner Blue ( <i>Lycaeides melissa samuelis</i> ) - Wherever found	E	\$46,000	\$61,424	\$107,424	\$165,300	\$272,724
	1121	Butterfly, Lange's Metalmark ( <i>Apodemia mormo langei</i> ) - Wherever found	E	\$0	\$2,700	\$2,700	\$0	\$2,700
	1164	Butterfly, Lotis Blue ( <i>Lycaeides argyrognomon lotis</i> ) - Wherever found	E	\$0	\$400	\$400	\$0	\$400
	1167	Butterfly, Luzon Peacock Swallowtail ( <i>Papilio chikae</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	606	Butterfly, Mariana Eight-spot ( <i>Hypolimnas octocula marianensis</i> ) - Wherever found	E	\$34,936	\$300	\$35,236	\$1,275	\$36,511
	843	Butterfly, Mariana Wandering ( <i>Vagrans egestina</i> ) - Wherever found	E	\$13,931	\$300	\$14,231	\$0	\$14,231
	615	Butterfly, Miami Blue ( <i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i> ) - Wherever found	E	\$35,000	\$300	\$35,300	\$0	\$35,300



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	334	Butterfly, Mission Blue ( <i>Icaricia icarioides missionensis</i> ) - Wherever found	E	\$0	\$132,000	\$132,000	\$0	\$132,000
	1029	Butterfly, Mitchell's Satyr ( <i>Neonympha mitchellii mitchellii</i> ) - Wherever found	E	\$4,000	\$2,750	\$6,750	\$300	\$7,050
	1164	Butterfly, Mount Charleston Blue ( <i>Icaricia (Plebejus) shasta charlestonensis</i> ) - Wherever found	E	\$0	\$400	\$400	\$0	\$400
	1164	Butterfly, Myrtle's Silverspot ( <i>Speyeria zerene myrtleae</i> ) - Wherever found	E	\$0	\$400	\$400	\$0	\$400
	1167	Butterfly, Nickerbean Blue ( <i>Cyclargus ammon</i> ) - Wherever found	SAT	\$0	\$300	\$300	\$0	\$300
	822	Butterfly, Oregon Silverspot ( <i>Speyeria zerene hippolyta</i> ) - UNK	EXPN	\$13,549	\$300	\$13,849	\$1,000	\$14,849
	139	Butterfly, Oregon Silverspot ( <i>Speyeria zerene hippolyta</i> ) - Wherever found	T	\$718,073	\$19,350	\$737,423	\$0	\$737,423
	1167	Butterfly, Palos Verdes Blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	1167	Butterfly, Queen Alexandra's Birdwing ( <i>Troides alexandrae</i> ) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	308	Butterfly, Quino Checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrighti)) - Wherever found	E	\$0	\$150,900	\$150,900	\$0	\$150,900
	1033	Butterfly, Saint Francis' Satyr ( <i>Neonympha mitchellii francisci</i> ) - Wherever found	E	\$6,500	\$400	\$6,900	\$0	\$6,900
	948	Butterfly, San Bruno Elfin ( <i>Callophrys mossii bavensis</i> ) - Wherever found	E	\$0	\$10,300	\$10,300	\$0	\$10,300
	487	Butterfly, Schaus Swallowtail ( <i>Heraclides aristodemus ponceanus</i> ) - Wherever found	E	\$31,000	\$28,383	\$59,383	\$0	\$59,383
	1117	Butterfly, Smith's Blue ( <i>Euphilotes enoptes smithi</i> ) - Wherever found	E	\$0	\$2,800	\$2,800	\$0	\$2,800
	921	Butterfly, Uncompahgre Fritillary ( <i>Boloria acrocneuma</i> ) - Wherever found	E	\$0	\$11,400	\$11,400	\$0	\$11,400
	153	Checkerspot, Taylor's (=whulge) ( <i>Euphydryas editha taylori</i> ) - Wherever found	E	\$622,658	\$400	\$623,058	\$25,000	\$648,058
	772	Damselfly, Blackline Hawaiian ( <i>Megalagrion nigrohamatum nigrolineatum</i> ) - Wherever found	E	\$17,733	\$400	\$18,133	\$0	\$18,133

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1013	Damselfly, Crimson Hawaiian (Megalagrion leptodemas) - Wherever found	E	\$7,593	\$400	\$7,993	\$0	\$7,993
	636	Damselfly, Flying Earwig Hawaiian (Megalagrion nesiotes) - Wherever found	E	\$31,017	\$300	\$31,317	\$0	\$31,317
	655	Damselfly, Oceanic Hawaiian (Megalagrion oceanicum) - Wherever found	E	\$28,887	\$400	\$29,287	\$0	\$29,287
	240	Damselfly, Orangeblack Hawaiian (Megalagrion xanthomelas) - Wherever found	E	\$277,693	\$1,400	\$279,093	\$0	\$279,093
	582	Damselfly, Pacific Hawaiian (Megalagrion pacificum) - Wherever found	E	\$40,143	\$300	\$40,443	\$0	\$40,443
	677	Damselfly, Rota Blue (Ischnura luta) - Wherever found	E	\$24,831	\$300	\$25,131	\$0	\$25,131
	530	Dragonfly, Hine's Emerald (Somatochlora hineana) - Wherever found	E	\$0	\$48,625	\$48,625	\$0	\$48,625
	1167	Fly, Delhi Sands Flower-loving (Rhaphiomidas terminatus abdominalis) - Wherever found	E	\$0	\$300	\$300	\$0	\$300
	403	Fly, Hawaiian Picture-wing (Drosophila aglaia) - Wherever found	E	\$90,534	\$400	\$90,934	\$0	\$90,934
	717	Fly, Hawaiian Picture-wing (Drosophila differens) - Wherever found	E	\$21,673	\$400	\$22,073	\$0	\$22,073
	521	Fly, Hawaiian Picture-wing (Drosophila digressa) - Wherever found	E	\$49,573	\$400	\$49,973	\$0	\$49,973
	726	Fly, Hawaiian Picture-wing (Drosophila hemipeza) - Wherever found	E	\$20,659	\$400	\$21,059	\$0	\$21,059
	886	Fly, Hawaiian Picture-wing (Drosophila heteroneura) - Wherever found	E	\$12,055	\$400	\$12,455	\$0	\$12,455
	886	Fly, Hawaiian Picture-wing (Drosophila mulli) - Wherever found	T	\$12,055	\$400	\$12,455	\$0	\$12,455
	853	Fly, Hawaiian Picture-wing (Drosophila musaphilia) - Wherever found	E	\$13,336	\$400	\$13,736	\$0	\$13,736
	1028	Fly, Hawaiian Picture-wing (Drosophila obatai) - Wherever found	E	\$6,681	\$400	\$7,081	\$0	\$7,081
	993	Fly, Hawaiian Picture-wing (Drosophila ochrobasis) - Wherever found	E	\$8,607	\$400	\$9,007	\$0	\$9,007
	911	Fly, Hawaiian Picture-wing (Drosophila sharpi) - Wherever found	E	\$11,308	\$400	\$11,708	\$0	\$11,708

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1024	Fly, Hawaiian Picture-wing ( <i>Drosophila substenoptera</i> ) - Wherever found	E	\$7,026	\$400	\$7,426	\$0	\$7,426
	1028	Fly, Hawaiian Picture-wing ( <i>Drosophila tarphytrichia</i> ) - Wherever found	E	\$6,681	\$400	\$7,081	\$0	\$7,081
	1121	Grasshopper, Zayante Band-winged ( <i>Trimerotropis infantilis</i> ) - Wherever found	E	\$0	\$2,700	\$2,700	\$0	\$2,700
	394	Moth, Blackburn's Sphinx ( <i>Manduca blackburni</i> ) - Wherever found	E	\$91,897	\$3,300	\$95,197	\$0	\$95,197
	1164	Moth, Kern Primrose Sphinx ( <i>Euproserpinus euterpe</i> ) - Wherever found	T	\$0	\$400	\$400	\$0	\$400
	1158	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> ) - Wherever found	T	\$0	\$900	\$900	\$0	\$900
	846	Picture-wing Fly, Hawaiian ( <i>Drosophila montgomeryi</i> ) - Wherever found	E	\$13,681	\$400	\$14,081	\$0	\$14,081
	960	Picture-wing Fly, Hawaiian ( <i>Drosophila neoclavisetae</i> ) - Wherever found	E	\$9,723	\$400	\$10,123	\$0	\$10,123
	548	Skipper, Carson Wandering ( <i>Pseudocopaodes eunus obscurus</i> ) - Wherever found	E	\$0	\$46,306	\$46,306	\$0	\$46,306
	317	Skipper, Dakota ( <i>Hesperia dacotae</i> ) - Wherever found	T	\$0	\$62,519	\$62,519	\$77,903	\$140,422
	1164	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> ) - Wherever found	E	\$0	\$400	\$400	\$0	\$400
	1164	Skipper, Pawnee Montane ( <i>Hesperia leonardus montana</i> ) - Wherever found	T	\$0	\$400	\$400	\$0	\$400
	651	Skipperling, Poweshiek ( <i>Oarisma poweshiek</i> ) - Wherever found	E	\$0	\$27,208	\$27,208	\$2,614	\$29,822
	785	Tiger Beetle, Miami ( <i>Cicindelidia floridana</i> ) - Wherever found	E	\$17,000	\$300	\$17,300	\$0	\$17,300
	363	Tiger Beetle, Northeastern Beach ( <i>Cicindela dorsalis dorsalis</i> ) - Wherever found	T	\$95,500	\$13,345	\$108,845	\$0	\$108,845
	1121	Tiger Beetle, Ohlone ( <i>Cicindela ohlone</i> ) - Wherever found	E	\$0	\$2,700	\$2,700	\$0	\$2,700
	386	Tiger Beetle, Puritan ( <i>Cicindela puritana</i> ) - Wherever found	T	\$95,500	\$2,725	\$98,225	\$0	\$98,225
	948	Tiger Beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> ) - Wherever found	E	\$0	\$500	\$500	\$9,800	\$10,300
	313	Yellow-faced Bee, Anthracinan ( <i>Hylaeus anthracinus</i> ) - Wherever found	E	\$135,518	\$8,100	\$143,618	\$0	\$143,618

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	959	Yellow-faced Bee, Assimulans ( <i>Hylaeus assimulans</i> ) - Wherever found	E	\$9,824	\$300	\$10,124	\$0	\$10,124
	990	Yellow-faced Bee, Easy ( <i>Hylaeus facilis</i> ) - Wherever found	E	\$8,810	\$300	\$9,110	\$0	\$9,110
	1015	Yellow-faced Bee, Hawaiian ( <i>Hylaeus kuakea</i> ) - Wherever found	E	\$7,593	\$300	\$7,893	\$0	\$7,893
	471	Yellow-faced Bee, Hawaiian ( <i>Hylaeus longiceps</i> ) - Wherever found	E	\$63,555	\$300	\$63,855	\$0	\$63,855
	1034	Yellow-faced Bee, Hawaiian ( <i>Hylaeus mana</i> ) - Wherever found	E	\$6,579	\$300	\$6,879	\$0	\$6,879
	895	Yellow-faced Bee, Hilaris ( <i>Hylaeus hilaris</i> ) - Wherever found	E	\$11,852	\$300	\$12,152	\$0	\$12,152
<b>Insects subtotal</b>				<b>\$3,722,899</b>	<b>\$2,128,305</b>	<b>\$5,851,204</b>	<b>\$480,234</b>	<b>\$6,331,439</b>
Lichens	995	Cladonia, Florida Perforate ( <i>Cladonia perforata</i> ) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	619	Lichen, Rock Gnome ( <i>Gymnoderma lineare</i> ) - Wherever found	E	\$6,500	\$27,366	\$33,866	\$250	\$34,116
<b>Lichens subtotal</b>				<b>\$15,500</b>	<b>\$27,366</b>	<b>\$42,866</b>	<b>\$250</b>	<b>\$43,116</b>
Mammals	116	Bat, Florida Bonneted ( <i>Eumops floridanus</i> ) - Wherever found	E	\$335,000	\$402,418	\$737,418	\$235,541	\$972,959
	121	Bat, Gray ( <i>Myotis grisescens</i> ) - Wherever found	E	\$285,300	\$541,873	\$827,173	\$113,675	\$940,848
	146	Bat, Hawaiian Hoary ( <i>Lasiurus cinereus semotus</i> ) - Wherever found	E	\$284,141	\$414,808	\$698,949	\$0	\$698,949
	58	Bat, Indiana ( <i>Myotis sodalis</i> ) - Wherever found	E	\$818,300	\$1,960,266	\$2,778,566	\$762,905	\$3,541,471
	945	Bat, Little Mariana Fruit ( <i>Pteropus tokudae</i> ) - Wherever found	E	\$10,382	\$0	\$10,382	\$0	\$10,382
	291	Bat, Mariana Fruit (=mariana Flying Fox) ( <i>Pteropus mariannus mariannus</i> ) - Wherever found	T	\$164,033	\$0	\$164,033	\$9,573	\$173,606
	511	Bat, Mexican Long-nosed ( <i>Leptonycteris nivalis</i> ) - Wherever found	E	\$0	\$52,000	\$52,000	\$0	\$52,000
	59	Bat, Northern Long-eared ( <i>Myotis septentrionalis</i> ) - Wherever found	T	\$861,000	\$2,449,531	\$3,310,531	\$225,074	\$3,535,605
	387	Bat, Ozark Big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> ) - Wherever found	E	\$71,500	\$24,859	\$96,359	\$1,500	\$97,859

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	406	Bat, Pacific Sheath-tailed ( <i>Emballonura semicaudata rotensis</i> ) - Wherever found	E	\$88,431	\$0	\$88,431	\$0	\$88,431
	732	Bat, Pacific Sheath-tailed ( <i>Emballonura semicaudata semicaudata</i> ) - American Samoa	E	\$20,510	\$0	\$20,510	\$0	\$20,510
	404	Bat, Virginia Big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> ) - Wherever found	E	\$74,000	\$16,842	\$90,842	\$0	\$90,842
	966	Bear, Brown ( <i>Ursus arctos arctos</i> ) - Italy	E	\$0	\$10,000	\$10,000	\$0	\$10,000
	827	Bear, Brown ( <i>Ursus arctos pruinosus</i> ) - Wherever found	E	\$0	\$14,663	\$14,663	\$0	\$14,663
	416	Bear, Grizzly ( <i>Ursus arctos horribilis</i> ) - Bitterroot Grizzly Bear Nonessential Experimental Population Area	EXPN	\$0	\$82,500	\$82,500	\$0	\$82,500
	46	Bear, Grizzly ( <i>Ursus arctos horribilis</i> ) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$660,327	\$2,931,800	\$3,592,127	\$806,658	\$4,398,785
	49	Bear, Polar ( <i>Ursus maritimus</i> ) - Wherever found	T	\$1,896,500	\$2,189,626	\$4,086,126	\$0	\$4,086,126
	456	Bison, Wood ( <i>Bison bison athabasca</i> ) - Wherever found	T	\$65,100	\$5,000	\$70,100	\$0	\$70,100
	226	Caribou, Woodland ( <i>Rangifer tarandus caribou</i> ) - Southern Mountain DPS	E	\$318,420	\$300	\$318,720	\$0	\$318,720
	1067	Cat, Asian Golden (=temmnick's) ( <i>Catopuma (=Felis) temminckii</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	1157	Cat, Flat-headed ( <i>Prionailurus (=Felis) planiceps</i> ) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	1157	Cat, Leopard ( <i>Prionailurus (=Felis) bengalensis bengalensis</i> ) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	1067	Cat, Marbled ( <i>Pardofelis (=Felis) marmorata</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	1157	Cheetah ( <i>Acinonyx jubatus</i> ) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	401	Deer, Columbian White-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	T	\$86,571	\$5,300	\$91,871	\$0	\$91,871
	316	Deer, Key ( <i>Odocoileus virginianus clavium</i> ) - Wherever found	E	\$139,500	\$1,261	\$140,761	\$0	\$140,761

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	722	Deer, Yarkand ( <i>Cervus elaphus yarkandensis</i> ) - Wherever found	E	\$21,214	\$0	\$21,214	\$0	\$21,214
	604	Elephant, African ( <i>Loxodonta africana</i> ) - Wherever found	T	\$27,000	\$10,000	\$37,000	\$0	\$37,000
	356	Elephant, Asian ( <i>Elephas maximus</i> ) - Wherever found	E	\$104,720	\$10,000	\$114,720	\$0	\$114,720
	201	Ferret, Black-footed ( <i>Mustela nigripes</i> ) - U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	EXPN	\$1,000	\$399,000	\$400,000	\$2,900	\$402,900
	123	Ferret, Black-footed ( <i>Mustela nigripes</i> ) - Wherever found, except where listed as an experimental population	E	\$154,900	\$457,954	\$612,854	\$293,192	\$906,046
	130	Fox, San Joaquin Kit ( <i>Vulpes macrotis mutica</i> ) - wherever found	E	\$0	\$843,341	\$843,341	\$0	\$843,341
	310	Gray Wolf? ( <i>Canis lupus</i> ) - MN	T	\$0	\$0	\$0	\$149,411	\$149,411
	731	Impala, Black-faced ( <i>Aepyceros melampus petersi</i> ) - Wherever found	E	\$20,600	\$0	\$20,600	\$0	\$20,600
	175	Jaguar ( <i>Panthera onca</i> ) - Wherever found	E	\$459,000	\$36,940	\$495,940	\$0	\$495,940
	558	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouarundi cacomitli</i> ) - Wherever found	E	\$36,600	\$7,820	\$44,420	\$0	\$44,420
	1150	Jaguarundi, Panamanian ( <i>Herpailurus (=Felis) yagouarundi panamensis</i> ) - Wherever found	E	\$1,300	\$0	\$1,300	\$0	\$1,300
	797	Kangaroo Rat, Fresno ( <i>Dipodomys nitratoides exilis</i> ) - Wherever found	E	\$0	\$16,298	\$16,298	\$0	\$16,298
	476	Kangaroo Rat, Giant ( <i>Dipodomys ingens</i> ) - Wherever found	E	\$0	\$62,576	\$62,576	\$0	\$62,576
	133	Kangaroo Rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )) - Wherever found	E	\$0	\$804,131	\$804,131	\$0	\$804,131
	152	Kangaroo Rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> ) - Wherever found	E	\$0	\$650,885	\$650,885	\$0	\$650,885
	1157	Leopard ( <i>Panthera pardus</i> ) - except where threatened	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	864	Leopard, Clouded ( <i>Neofelis nebulosa</i> ) - Wherever found	E	\$8,500	\$5,000	\$13,500	\$0	\$13,500
	966	Leopard, Snow ( <i>Uncia (=Panthera) uncia</i> ) - Wherever found	E	\$0	\$10,000	\$10,000	\$0	\$10,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	82	Lynx, Canada ( <i>Lynx canadensis</i> ) - Wherever Found in Contiguous U.S.	T	\$863,036	\$557,947	\$1,420,983	\$409,336	\$1,830,319
	28	Manatee, West Indian ( <i>Trichechus manatus</i> ) - Wherever found	T	\$2,115,000	\$1,186,286	\$3,301,286	\$4,815,241	\$8,116,527
	520	Monkey, Sichuan Snub-nosed ( <i>Rhinopithecus roxellana</i> ) - Wherever found	E	\$50,000	\$0	\$50,000	\$0	\$50,000
	1023	Mountain Beaver, Point Arena ( <i>Aplodontia rufa nigra</i> ) - Wherever found	E	\$0	\$7,470	\$7,470	\$0	\$7,470
	277	Mouse, Alabama Beach ( <i>Peromyscus polionotus ammobates</i> ) - Wherever found	E	\$188,000	\$9,330	\$197,330	\$0	\$197,330
	413	Mouse, Anastasia Island Beach ( <i>Peromyscus polionotus phasma</i> ) - Wherever found	E	\$35,000	\$1,062	\$36,062	\$47,724	\$83,786
	532	Mouse, Choctawhatchee Beach ( <i>Peromyscus polionotus allophrys</i> ) - Wherever found	E	\$16,500	\$0	\$16,500	\$31,816	\$48,316
	419	Mouse, Key Largo Cotton ( <i>Peromyscus gossypinus allapaticola</i> ) - Wherever found	E	\$79,000	\$1,606	\$80,606	\$0	\$80,606
	311	Mouse, New Mexico Meadow Jumping ( <i>Zapus hudsonius luteus</i> ) - Wherever found	E	\$38,200	\$109,670	\$147,870	\$0	\$147,870
	85	Mouse, Pacific Pocket ( <i>Perognathus longimembris pacificus</i> ) - Wherever found	E	\$0	\$1,720,964	\$1,720,964	\$0	\$1,720,964
	507	Mouse, Perdido Key Beach ( <i>Peromyscus polionotus trissyllepsis</i> ) - Wherever found	E	\$13,000	\$9,384	\$22,384	\$31,816	\$54,200
	331	Mouse, Preble's Meadow Jumping ( <i>Zapus hudsonius preblei</i> ) - wherever found	T	\$6,000	\$91,430	\$97,430	\$35,832	\$133,262
	369	Mouse, Salt Marsh Harvest ( <i>Reithrodontomys raviventris</i> ) - wherever found	E	\$0	\$106,100	\$106,100	\$0	\$106,100
	255	Mouse, Southeastern Beach ( <i>Peromyscus polionotus niveiventris</i> ) - wherever found	T	\$194,000	\$11,517	\$205,517	\$47,724	\$253,241
	535	Mouse, St. Andrew Beach ( <i>Peromyscus polionotus peninsularis</i> ) - Wherever found	E	\$16,000	\$183	\$16,183	\$31,816	\$47,999
	151	Ocelot ( <i>Leopardus (=Felis) pardalis</i> ) - wherever found	E	\$611,500	\$48,660	\$660,160	\$0	\$660,160
	1135	Orangutan ( <i>Pongo pygmaeus</i> ) - Wherever found	E	\$0	\$2,000	\$2,000	\$0	\$2,000
	1145	Oryx, Arabian ( <i>Oryx leucoryx</i> ) - Wherever found	E	\$0	\$1,500	\$1,500	\$0	\$1,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	221	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - Southwest Alaska DPS	T	\$197,600	\$134,446	\$332,046	\$0	\$332,046
	182	Otter, Southern Sea ( <i>Enhydra lutris nereis</i> ) - Wherever found	T	\$0	\$474,885	\$474,885	\$0	\$474,885
	77	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> ) - Wherever found	E	\$1,162,500	\$101,456	\$1,263,956	\$761,451	\$2,025,407
	816	Planigale, Southern ( <i>Planigale tenuirostris</i> ) - Wherever found	E	\$15,000	\$0	\$15,000	\$0	\$15,000
	260	Pocket Gopher, Olympia ( <i>Thomomys mazama pugetensis</i> ) - Wherever found	T	\$240,610	\$300	\$240,910	\$4,500	\$245,410
	265	Pocket Gopher, Roy Prairie ( <i>Thomomys mazama glacialis</i> ) - Wherever found	T	\$200,920	\$20,672	\$221,592	\$4,500	\$226,092
	270	Pocket Gopher, Tenino ( <i>Thomomys mazama tumuli</i> ) - Wherever found	T	\$203,350	\$300	\$203,650	\$4,500	\$208,150
	267	Pocket Gopher, Yelm ( <i>Thomomys mazama yelmensis</i> ) - Wherever found	T	\$210,640	\$800	\$211,440	\$4,500	\$215,940
	262	Prairie Dog, Utah ( <i>Cynomys parvidens</i> ) - Wherever found	T	\$0	\$232,130	\$232,130	\$0	\$232,130
	342	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - U.S.A. (AZ), Mexico	EXPN	\$0	\$128,500	\$128,500	\$0	\$128,500
	269	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - Wherever found, except where listed as an experimental population	E	\$16,500	\$192,958	\$209,458	\$0	\$209,458
	181	Puma (=mountain Lion) ( <i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i> )) - FL	SAT	\$475,000	\$3,000	\$478,000	\$0	\$478,000
	207	Rabbit, Columbia Basin Pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS	E	\$217,580	\$300	\$217,880	\$169,000	\$386,880
	494	Rabbit, Lower Keys Marsh ( <i>Sylvilagus palustris hefneri</i> ) - Wherever found	E	\$55,500	\$1,791	\$57,291	\$0	\$57,291
	628	Rabbit, Riparian Brush ( <i>Sylvilagus bachmani riparius</i> ) - Wherever found	E	\$0	\$32,900	\$32,900	\$0	\$32,900
	288	Rhinoceros, Southern White ( <i>Ceratotherium simum ssp. simum</i> ) - Wherever found	SAT	\$175,085	\$0	\$175,085	\$0	\$175,085
	608	Rice Rat, Silver ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$35,500	\$787	\$36,287	\$0	\$36,287
	278	Sea Lion, Steller ( <i>Eumetopias jubatus</i> ) - Western DPS	E	\$0	\$191,882	\$191,882	\$0	\$191,882



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	40	Sea lion, Steller ( <i>Eumetopias jubatus</i> ) - Western DPS - See 50 CFR 224.101	E	\$0	\$5,427,000	\$5,427,000	\$0	\$5,427,000
	863	Seal, Bearded ( <i>Erignathus barbatus nauticus</i> ) - Beringia DPS	T	\$0	\$13,546	\$13,546	\$0	\$13,546
	95	Seal, bearded ( <i>Erignathus barbatus nauticus</i> ) - Beringia DPS - See 50 CFR 223.102	T	\$0	\$1,415,000	\$1,415,000	\$0	\$1,415,000
	1061	Seal, Guadalupe Fur ( <i>Arctocephalus townsendi</i> ) - Wherever found	T	\$0	\$5,400	\$5,400	\$0	\$5,400
	50	Seal, Hawaiian Monk ( <i>Monachus schauinslandi</i> ) - Wherever found	E	\$22,993	\$4,012,366	\$4,035,359	\$0	\$4,035,359
	93	Seal, Ringed ( <i>Phoca (=Pusa) hispida hispida</i> ) - Wherever found	T	\$0	\$1,468,572	\$1,468,572	\$0	\$1,468,572
	344	Sheep, Sierra Nevada Bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$0	\$127,800	\$127,800	\$0	\$127,800
	437	Shrew, Buena Vista Lake Ornate ( <i>Sorex ornatus relictus</i> ) - Wherever found	E	\$0	\$75,100	\$75,100	\$0	\$75,100
	541	Squirrel, Carolina Northern Flying ( <i>Glaucomys sabrinus coloratus</i> ) - Wherever found	E	\$30,500	\$12,578	\$43,078	\$4,100	\$47,178
	587	Squirrel, Mount Graham Red ( <i>Tamiasciurus hudsonicus grahamensis</i> ) - Wherever found	E	\$39,000	\$0	\$39,000	\$0	\$39,000
	203	Squirrel, Northern Idaho Ground ( <i>Uroditellus brunneus</i> ) - Wherever found	T	\$393,520	\$2,900	\$396,420	\$0	\$396,420
	1067	Tiger ( <i>Panthera tigris</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	435	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> ) - Wherever found	E	\$0	\$75,700	\$75,700	\$0	\$75,700
	1030	Vole, Florida Salt Marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> ) - Wherever found	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	290	Whale, Beluga ( <i>Delphinapterus leucas</i> ) - Cook Inlet DPS	E	\$101,000	\$72,773	\$173,773	\$0	\$173,773
	73	whale, beluga ( <i>Delphinapterus leucas</i> ) - Cook Inlet DPS See 50 CFR 224.101	E	\$0	\$2,395,000	\$2,395,000	\$0	\$2,395,000
	83	Whale, blue ( <i>Balaenoptera musculus</i> ) - Wherever found	E	\$0	\$1,631,527	\$1,631,527	\$119,000	\$1,750,527
	219	Whale, bowhead ( <i>Balaena mysticetus</i> ) - Wherever found	E	\$0	\$335,435	\$335,435	\$0	\$335,435

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	96	Whale, Finback ( <i>Balaenoptera physalus</i> ) - Wherever found	E	\$0	\$1,290,418	\$1,290,418	\$120,000	\$1,410,418
	819	Whale, Gray ( <i>Eschrichtius robustus</i> ) - Western North Pacific DPS	E	\$1,200	\$13,703	\$14,903	\$0	\$14,903
	147	Whale, humpback ( <i>Megaptera novaeangliae</i> ) - Central America DPS	E	\$0	\$694,160	\$694,160	\$0	\$694,160
	132	Whale, Humpback ( <i>Megaptera novaeangliae</i> ) - Mexico DPS	T	\$0	\$810,087	\$810,087	\$0	\$810,087
	266	Whale, humpback ( <i>Megaptera novaeangliae</i> ) - Western North Pacific	E	\$0	\$106,155	\$106,155	\$119,000	\$225,155
	86	Whale, Killer ( <i>Orcinus orca</i> ) - Southern Resident DPS	E	\$0	\$390,100	\$390,100	\$1,305,000	\$1,695,100
	78	Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS See 50 CFR 224.101	E	\$0	\$1,994,000	\$1,994,000	\$0	\$1,994,000
	18	Whale, North Atlantic Right ( <i>Eubalaena glacialis</i> ) - Wherever found	E	\$500	\$11,052,652	\$11,053,152	\$847,547	\$11,900,699
	193	Whale, North Pacific Right ( <i>Eubalaena japonica</i> ) - Wherever found	E	\$10,400	\$408,846	\$419,246	\$0	\$419,246
	106	Whale, Sei ( <i>Balaenoptera borealis</i> ) - Wherever found	E	\$0	\$1,113,616	\$1,113,616	\$0	\$1,113,616
	104	Whale, Sperm ( <i>Physeter catodon (=macrocephalus)</i> ) - Wherever found	E	\$1,200	\$1,133,113	\$1,134,313	\$0	\$1,134,313
	1022	Wolf, Gray ( <i>Canis lupus</i> ) - MN	T	\$0	\$7,500	\$7,500	\$0	\$7,500
	816	Wolf, Gray ( <i>Canis lupus</i> ) - U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC SD TN TX VA VT WI and WV; and	E	\$0	\$15,000	\$15,000	\$0	\$15,000
	69	Wolf, Mexican ( <i>Canis lupus baileyi</i> ) - U.S.A. (portions of AZ and NM)see 17.84(k)	EXPN	\$2,743,405	\$290,690	\$3,034,095	\$0	\$3,034,095
	234	Wolf, Mexican ( <i>Canis lupus baileyi</i> ) - Wherever found, except where listed as an experimental population	E	\$0	\$307,200	\$307,200	\$0	\$307,200
	92	Wolf, Red ( <i>Canis rufus</i> ) - U.S.A. (portions of NC and TN)	EXPN	\$1,477,900	\$1,200	\$1,479,100	\$3,000	\$1,482,100
	1169	Wolf, Red ( <i>Canis rufus</i> ) - Wherever found, except where listed as an experimental population	E	\$0	\$200	\$200	\$0	\$200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	409	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> ) - Wherever found	E	\$84,500	\$1,728	\$86,228	\$0	\$86,228
<b>Mammals subtotal</b>				<b>\$19,357,988</b>	<b>\$56,519,274</b>	<b>\$75,877,261</b>	<b>\$11,517,832</b>	<b>\$87,395,093</b>
Reptiles	90	Alligator, American ( <i>Alligator mississippiensis</i> ) - Wherever found	SAT	\$20,000	\$103,500	\$123,500	\$1,470,225	\$1,593,725
	1135	Anole, Culebra Island Giant ( <i>Anolis roosevelti</i> ) - Wherever found	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1059	Boa, Mona ( <i>Epicrates monensis monensis</i> ) - Wherever found	T	\$5,500	\$0	\$5,500	\$0	\$5,500
	352	Boa, Puerto Rican ( <i>Epicrates inornatus</i> ) - Wherever found	E	\$116,000	\$4,380	\$120,380	\$0	\$120,380
	444	Boa, Virgin Islands Tree ( <i>Chilabothrus granti</i> ) - Wherever found	E	\$73,000	\$0	\$73,000	\$0	\$73,000
	1055	Crocodile, African Dwarf ( <i>Osteolaemus tetraspis tetraspis</i> ) - Wherever found	E	\$5,750	\$0	\$5,750	\$0	\$5,750
	160	Crocodile, American ( <i>Crocodylus acutus</i> ) - U.S.A. (FL)	T	\$66,000	\$376,893	\$442,893	\$143,478	\$586,371
	1155	Crocodile, American ( <i>Crocodylus acutus</i> ) - Wherever found, except in U.S.A. (FL)	E	\$0	\$1,100	\$1,100	\$0	\$1,100
	354	Gartersnake, Narrow-headed ( <i>Thamnophis rufipunctatus</i> ) - Wherever found	T	\$58,500	\$59,380	\$117,880	\$0	\$117,880
	264	Gartersnake, Northern Mexican ( <i>Thamnophis eques megalops</i> ) - Wherever found	T	\$66,000	\$165,169	\$231,169	\$0	\$231,169
	1111	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> ) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1092	Iguana, Fiji Banded ( <i>Brachylophus fasciatus</i> ) - Wherever found	E	\$0	\$4,000	\$4,000	\$0	\$4,000
	901	Iguana, Fiji Crested ( <i>Brachylophus vitiensis</i> ) - Wherever found	E	\$0	\$12,000	\$12,000	\$0	\$12,000
	496	Iguana, Jamaican ( <i>Cyclura collei</i> ) - Wherever found	E	\$57,000	\$0	\$57,000	\$0	\$57,000
	1061	Iguana, Mayaguana ( <i>Cyclura carinata bartschi</i> ) - Wherever found	T	\$5,400	\$0	\$5,400	\$0	\$5,400
	1124	Iguana, Mona Ground ( <i>Cyclura stejnegeri</i> ) - Wherever found	T	\$2,500	\$0	\$2,500	\$0	\$2,500
	1073	Iguana, White Cay Ground ( <i>Cyclura rileyi cristata</i> ) - Wherever found	T	\$4,800	\$0	\$4,800	\$0	\$4,800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	103	Lizard, Blunt-nosed Leopard ( <i>Gambelia silus</i> ) - Wherever found	E	\$0	\$1,160,099	\$1,160,099	\$0	\$1,160,099
	1067	Lizard, Maria Island Ground ( <i>Cnemidophorus vanzoi</i> ) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	747	Lizard, St. Croix Ground ( <i>Ameiva polops</i> ) - Wherever found	E	\$17,500	\$2,500	\$20,000	\$0	\$20,000
	323	Massasauga (=rattlesnake), Eastern ( <i>Sistrurus catenatus</i> ) - Wherever found	T	\$9,000	\$81,233	\$90,233	\$47,100	\$137,333
	124	Pinesnake, Louisiana ( <i>Pituophis ruthveni</i> ) - Wherever found	T	\$223,761	\$670,897	\$894,658	\$7,696	\$902,354
	742	Rattlesnake, New Mexican Ridge-nosed ( <i>Crotalus willardi obscurus</i> ) - Wherever found	T	\$1,700	\$18,490	\$20,190	\$0	\$20,190
	230	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Central North Pacific DPS	T	\$180,205	\$132,035	\$312,240	\$2,520	\$314,760
	528	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Central South Pacific DPS	E	\$48,367	\$500	\$48,867	\$0	\$48,867
	371	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Central West Pacific DPS	E	\$62,400	\$200	\$62,600	\$42,728	\$105,328
	727	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - East Pacific DPS	T	\$19,000	\$2,000	\$21,000	\$0	\$21,000
	1022	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	RT	\$0	\$7,500	\$7,500	\$0	\$7,500
	143	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the Central North Pacific Ocean, bounded by the following coordinates: 41 degrees N., 169 degrees E. in the northwest; 41 degrees N., 143 degree	T	\$0	\$713,000	\$713,000	\$0	\$713,000
	180	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the Central South Pacific Ocean, bounded by the following coordinates: 9 degrees N., 175 degrees W. in the northwest; 9 degrees N., 125 degrees	E	\$0	\$485,000	\$485,000	\$0	\$485,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	118	Sea turtle, green (Chelonia mydas) - Green sea turtles originating from the Central West Pacific Ocean, bounded by the following coordinates: 41 degrees N., 146 degrees E. in the northwest: 41 degrees N. 169 degree	E	\$0	\$960,000	\$960,000	\$0	\$960,000
	107	Sea turtle, green (Chelonia mydas) - Green sea turtles originating from the East Pacific Ocean, bounded by the following lines and coordinates: 41 degrees N., 143 degrees W. in the northwest: 41 degrees N. Lat. in t	T	\$0	\$1,090,000	\$1,090,000	\$0	\$1,090,000
	122	Sea turtle, green (Chelonia mydas) - Green sea turtles originating from the North Atlantic Ocean, bounded by the following lines and coordinates: 48 degrees N. Lat. in the north, along the western coasts of Europe a	T	\$0	\$930,000	\$930,000	\$0	\$930,000
	101	Sea Turtle, Green (Chelonia mydas) - North Atlantic DPS	T	\$41,500	\$854,403	\$895,903	\$341,332	\$1,237,235
	136	Sea Turtle, Green (Chelonia mydas) - South Atlantic DPS	T	\$143,500	\$618,732	\$762,232	\$0	\$762,232
	1157	Sea Turtle, Green (Chelonia mydas) - Southwest Pacific DPS	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	79	Sea Turtle, Hawksbill (Eretmochelys imbricata) - Wherever found	E	\$233,935	\$679,123	\$913,058	\$361,813	\$1,274,871
	79	Sea turtle, hawksbill (Eretmochelys imbricata) - Wherever found	T	\$0	\$1,938,000	\$1,938,000	\$0	\$1,938,000
	51	Sea turtle, Kemp's ridley (Lepidochelys kempii) - Wherever found	E	\$61,500	\$3,558,714	\$3,620,214	\$321,292	\$3,941,506
	48	Sea Turtle, Leatherback (Dermochelys coriacea) - Wherever found	E	\$213,309	\$3,594,767	\$3,808,076	\$321,202	\$4,129,278
	1021	Sea Turtle, Loggerhead (Caretta caretta) - North Pacific Ocean DPS	E	\$2,809	\$4,800	\$7,609	\$0	\$7,609
	87	Sea turtle, loggerhead (Caretta caretta) - North Pacific Ocean DPS - Loggerhead sea turtles originating from the North Pacific north of the equator and south of 60 degrees N. Lat	E	\$0	\$1,668,000	\$1,668,000	\$0	\$1,668,000
	192	Sea Turtle, Loggerhead (Caretta caretta) - Northeast Atlantic Ocean DPS	E	\$106,500	\$281,957	\$388,457	\$33,430	\$421,887

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	75	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic Ocean DPS	T	\$437,500	\$1,611,143	\$2,048,643	\$318,032	\$2,366,675
	81	Sea turtle, loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic Ocean DPS - Loggerhead sea turtles originating from the Northwest Atlantic Ocean west of 40 degrees W. Long	T	\$0	\$1,893,000	\$1,893,000	\$0	\$1,893,000
	263	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - South Atlantic Ocean DPS	T	\$0	\$231,873	\$231,873	\$0	\$231,873
	783	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - South Pacific Ocean DPS	E	\$1,500	\$14,500	\$16,000	\$1,530	\$17,530
	191	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Wherever found, except when listed as endangered under 50 CFR 224.101	T	\$25,618	\$402,750	\$428,368	\$0	\$428,368
	314	Skink, Bluetail Mole ( <i>Eumeces egregius lividus</i> ) - Wherever found	T	\$138,500	\$3,474	\$141,974	\$0	\$141,974
	235	Skink, Sand ( <i>Neoseps reynoldsi</i> ) - Wherever found	T	\$292,000	\$11,729	\$303,729	\$0	\$303,729
	426	Skink, Slevin's ( <i>Emoia slevini</i> ) - Wherever found	E	\$59,166	\$19,000	\$78,166	\$0	\$78,166
	1030	Snake, Atlantic Salt Marsh ( <i>Nerodia clarkii taeniata</i> ) - Wherever found	T	\$7,000	\$0	\$7,000	\$0	\$7,000
	194	Snake, Black Pine ( <i>Pituophis melanoleucus lodingi</i> ) - Wherever found	T	\$16,500	\$400,696	\$417,196	\$0	\$417,196
	1139	Snake, Copperbelly Water ( <i>Nerodia erythrogaster neglecta</i> ) - Indiana north of 40 degrees north latitude. Michigan. Ohio	T	\$0	\$1,610	\$1,610	\$100	\$1,710
	144	Snake, Eastern Indigo ( <i>Drymarchon corais couperi</i> ) - Wherever found	T	\$462,500	\$204,837	\$667,337	\$43,714	\$711,051
	142	Snake, Giant Garter ( <i>Thamnophis gigas</i> ) - Wherever found	T	\$0	\$721,111	\$721,111	\$0	\$721,111
	565	Snake, San Francisco Garter ( <i>Thamnophis sirtalis tetrataenia</i> ) - Wherever found	E	\$0	\$43,400	\$43,400	\$0	\$43,400
	1130	Tomistoma ( <i>Tomistoma schlegelii</i> ) - Wherever found	E	\$2,200	\$0	\$2,200	\$0	\$2,200
	126	Tortoise, Desert ( <i>Gopherus agassizii</i> ) -AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ.	SAT	\$0	\$887,893	\$887,893	\$0	\$887,893

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	27	Tortoise, Desert ( <i>Gopherus agassizii</i> ) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$15,500	\$8,148,135	\$8,163,635	\$0	\$8,163,635
	94	Tortoise, Gopher ( <i>Gopherus polyphemus</i> ) - West of Mobile and Tombigbee Rivers	T	\$130,000	\$1,312,685	\$1,442,685	\$12,735	\$1,455,420
	774	Tortoise, Gopher ( <i>Gopherus polyphemus</i> ) - Wherever found	UR	\$0	\$18,000	\$18,000	\$0	\$18,000
	672	Turtle, Alabama Red-bellied ( <i>Pseudemys alabamensis</i> ) - Wherever found	E	\$9,500	\$16,261	\$25,761	\$0	\$25,761
	292	Turtle, Bog ( <i>Clemmys muhlenbergii</i> ) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$83,000	\$61,820	\$144,820	\$25,000	\$169,820
	155	Turtle, Bog ( <i>Clemmys muhlenbergii</i> ) - Wherever found, except GA, NC, SC, TN, VA	T	\$443,500	\$35,723	\$479,223	\$146,300	\$625,523
	889	Turtle, Flattened Musk ( <i>Sternotherus depressus</i> ) - Black Warrior R. system upstream from Bankhead Dam	T	\$2,500	\$9,816	\$12,316	\$0	\$12,316
	515	Turtle, Plymouth Redbelly ( <i>Pseudemys rubriventris bangsi</i> ) - Wherever found	E	\$45,000	\$1,000	\$46,000	\$5,000	\$51,000
	1071	Turtle, Ringed Map ( <i>Graptemys oculifera</i> ) - Wherever found	T	\$300	\$4,600	\$4,900	\$0	\$4,900
	855	Turtle, Sonoyta Mud ( <i>Kinosternon sonoriense longifemorale</i> ) - Wherever found	E	\$6,000	\$7,663	\$13,663	\$0	\$13,663
	183	Turtle, Spotted Pond ( <i>Geoclemys hamiltonii</i> ) - Wherever found	E	\$0	\$472,804	\$472,804	\$0	\$472,804
	1070	Turtle, Yellow-blotched Map ( <i>Graptemys flavimaculata</i> ) - Wherever found	T	\$0	\$4,902	\$4,902	\$0	\$4,902
	580	Whipsnake (=striped Racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> ) - Wherever	T	\$0	\$40,510	\$40,510	\$0	\$40,510
<b>Reptiles subtotal</b>				<b>\$4,028,220</b>	<b>\$36,765,306</b>	<b>\$40,793,526</b>	<b>\$3,645,227</b>	<b>\$44,438,753</b>
Snails	662	[no Common Name] Snail ( <i>Eua zebrina</i> ) - Wherever found	E	\$22,538	\$5,000	\$27,538	\$0	\$27,538
	692	[no Common Name] Snail ( <i>Ostodes strigatus</i> ) - Wherever found	E	\$22,548	\$1,500	\$24,048	\$0	\$24,048
	84	Abalone, Black ( <i>Haliotis cracherodii</i> ) - Wherever found	E	\$0	\$1,731,400	\$1,731,400	\$0	\$1,731,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	127	Abalone, White ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California Mexico)	E	\$0	\$871,800	\$871,800	\$0	\$871,800
	1113	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> ) - Wherever found	E	\$0	\$2,965	\$2,965	\$0	\$2,965
	1121	Campeloma, Slender ( <i>Campeloma decampi</i> ) - Wherever found	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	948	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> ) - Wherever found	E	\$0	\$1,800	\$1,800	\$8,500	\$10,300
	483	Elimia, Lacy (snail) ( <i>Elimia crenatella</i> ) - Wherever found	T	\$54,000	\$700	\$54,700	\$5,435	\$60,135
	502	Hornsnail, Rough ( <i>Pleurocera foremani</i> ) - Wherever found	E	\$53,000	\$2,563	\$55,563	\$0	\$55,563
	366	Limpet, Banbury Springs ( <i>Lanx</i> sp.) - Wherever found	E	\$104,736	\$2,600	\$107,336	\$0	\$107,336
	1093	Lioplax, Cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> ) - Wherever found	E	\$1,900	\$2,063	\$3,963	\$0	\$3,963
	908	Marstonia, Royal (snail) ( <i>Pyrgulopsis ogmorhapha</i> ) - Wherever found	E	\$11,500	\$376	\$11,876	\$0	\$11,876
	1066	Pebblesnail, Flat ( <i>Lepyrium showalteri</i> ) - Wherever found	E	\$4,425	\$600	\$5,025	\$0	\$5,025
	1144	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$1,540	\$1,540	\$0	\$1,540
	801	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$16,000	\$100	\$16,100	\$0	\$16,100
	892	Rocksail, Interrupted (=georgia) ( <i>Leptoxis foremani</i> ) - Wherever found	E	\$8,500	\$1,798	\$10,298	\$1,890	\$12,188
	1087	Rocksail, Painted ( <i>Leptoxis taeniata</i> ) - Wherever found	T	\$1,900	\$2,363	\$4,263	\$0	\$4,263
	1143	Rocksail, Plicate ( <i>Leptoxis plicata</i> ) - Wherever found	E	\$1,500	\$100	\$1,600	\$0	\$1,600
	1097	Rocksail, Round ( <i>Leptoxis ampla</i> ) - Wherever found	T	\$900	\$2,891	\$3,791	\$0	\$3,791
	1134	Snail, Armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> ) - Wherever found	E	\$1,900	\$200	\$2,100	\$0	\$2,100



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	418	Snail, Bliss Rapids (Taylorconcha serpenticola) - Wherever found	T	\$76,345	\$4,943	\$81,288	\$0	\$81,288
	478	Snail, Chittenango Ovate Amber (Succinea chittenangoensis) - Wherever found	T	\$61,000	\$0	\$61,000	\$1,000	\$62,000
	1164	Snail, Flat-spined Three-toothed (Triodopsis platysayoides) - Wherever found	T	\$0	\$400	\$400	\$0	\$400
	358	Snail, Fragile Tree (Samoana fragilis) - Wherever found	E	\$98,438	\$0	\$98,438	\$15,043	\$113,481
	391	Snail, Guam Tree (Partula radiolata) - Wherever found	E	\$80,946	\$200	\$81,146	\$15,043	\$96,189
	338	Snail, Humped Tree (Partula gibba) - Wherever found	E	\$115,676	\$0	\$115,676	\$15,043	\$130,719
	362	Snail, Lanai Tree (Partulina semicarinata) - Wherever found	E	\$109,544	\$0	\$109,544	\$0	\$109,544
	360	Snail, Lanai Tree (Partulina variabilis) - Wherever found	E	\$111,164	\$0	\$111,164	\$0	\$111,164
	661	Snail, Langford's Tree (Partula langfordi) - Wherever found	E	\$27,620	\$0	\$27,620	\$0	\$27,620
	736	Snail, Newcomb's (Erinna newcombi) - Wherever found	T	\$20,452	\$0	\$20,452	\$0	\$20,452
	693	Snail, Noonday (Mesodon clarki nantahala) - Wherever found	T	\$24,000	\$0	\$24,000	\$0	\$24,000
	1092	Snail, Painted Snake Coiled Forest (Anguispira picta) - Wherever found	T	\$4,000	\$0	\$4,000	\$0	\$4,000
	1133	Snail, Pecos Assiminea (Assiminea pecos) - Wherever found	E	\$0	\$2,125	\$2,125	\$0	\$2,125
	293	Snail, Snake River Physa (Physa natricina) - Wherever found	E	\$98,595	\$69,804	\$168,399	\$0	\$168,399
	618	Snail, Stock Island Tree (Orthalicus reses (not incl. nesodryas)) - Wherever found	T	\$32,500	\$1,741	\$34,241	\$0	\$34,241
	1046	Snail, Tulotoma (Tulotoma magnifica) - Wherever found	T	\$3,500	\$2,588	\$6,088	\$0	\$6,088
	1171	Snail, Virginia Fringed Mountain (Polygyriscus virginianus) - Wherever found	E	\$0	\$100	\$100	\$0	\$100
	1157	Springsnail, Alamosa (Tryonia alamosae) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	431	Springsnail, Bruneau Hot (Pyrgulopsis bruneauensis) - Wherever found	E	\$75,200	\$1,400	\$76,600	\$0	\$76,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1157	Springsnail, Chupadera (Pyrgulopsis chupadera) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	1133	Springsnail, Koster's (Juturnia kosteri) - Wherever found	E	\$0	\$2,125	\$2,125	\$0	\$2,125
	1162	Springsnail, Phantom (Pyrgulopsis texana) - Wherever found	E	\$500	\$0	\$500	\$0	\$500
	1133	Springsnail, Roswell (Pyrgulopsis roswellensis) - Wherever found	E	\$0	\$2,125	\$2,125	\$0	\$2,125
	1157	Springsnail, San Bernardino (Pyrgulopsis bernardina) - Wherever found	T	\$1,000	\$0	\$1,000	\$0	\$1,000
	1060	Springsnail, Socorro (Pyrgulopsis neomexicana) - Wherever found	E	\$0	\$5,401	\$5,401	\$0	\$5,401
	368	Tree Snail, Newcomb's (Newcombia cumingi) - Wherever found	E	\$106,502	\$0	\$106,502	\$0	\$106,502
<b>Snails subtotal</b>				<b>\$1,354,829</b>	<b>\$2,727,511</b>	<b>\$4,082,340</b>	<b>\$61,954</b>	<b>\$4,144,294</b>
Multi-Species				\$9,035,233	\$110,166,887	\$119,202,120	\$42,775,625	\$161,977,745
<b>Multi-Species subtotal</b>				<b>\$9,035,233</b>	<b>\$110,166,887</b>	<b>\$119,202,120</b>	<b>\$42,775,625</b>	<b>\$161,977,745</b>
<b>Total Species Expenditures</b>				<b>\$104,759,637</b>	<b>\$1,019,488,541</b>	<b>\$1,124,248,179</b>	<b>\$121,642,573</b>	<b>\$1,245,890,752</b>

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2020  
REPORTED EXPENDITURES**

Species are arranged in descending rank order of total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked species totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition or multi-species conservation activities.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Separate populations of the same species may be ranked differently. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2020 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>Rank</b>	<b>Species (50 CFR Part 17)</b>	<b>Status</b>	<b>Species Total</b>	<b>Cumulatative Total</b>
1	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU	T	\$62,112,132	\$62,112,132
2	Trout, Bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$58,327,039	\$120,439,171
3	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$47,791,042	\$168,230,213
4	Sturgeon, Pallid ( <i>Scaphirhynchus albus</i> ) - Wherever found	E	\$41,291,966	\$209,522,180
5	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$40,494,330	\$250,016,510
6	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Middle Columbia River DPS	EXPN	\$38,141,251	\$288,157,761
7	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Snake River Basin DPS	T	\$38,041,223	\$326,198,984
8	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Puget Sound DPS	T	\$28,749,328	\$354,948,312
9	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$26,637,057	\$381,585,369
10	Smelt, Delta ( <i>Hypomesus transpacificus</i> ) - Wherever found	T	\$25,937,308	\$407,522,677
11	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$24,944,597	\$432,467,274
12	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$22,844,937	\$455,312,210
13	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Columbia River DPS	T	\$22,604,081	\$477,916,291
14	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$18,327,508	\$496,243,799
15	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - California Central Valley DPS	T	\$14,425,633	\$510,669,432
16	Salmon, Sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Snake River ESU	E	\$14,307,806	\$524,977,238
17	Sucker, Razorback ( <i>Xyrauchen texanus</i> ) - Wherever found	E	\$14,223,627	\$539,200,865
18	Whale, North Atlantic Right ( <i>Eubalaena glacialis</i> ) - Wherever found	E	\$11,900,699	\$551,101,564
19	Bonytail ( <i>Gila elegans</i> ) - Wherever found	E	\$10,567,331	\$561,668,895
20	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Lower Columbia River DPS	T	\$10,303,767	\$571,972,662
21	Minnow, Rio Grande Silvery ( <i>Hybognathus amarus</i> ) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$10,000,000	\$581,972,662
22	Sturgeon, White ( <i>Acipenser transmontanus</i> ) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$9,212,931	\$591,185,593
23	Sturgeon, Green ( <i>Acipenser medirostris</i> ) - Southern DPS	T	\$9,020,115	\$600,205,708

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
24	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River ESU	T	\$8,794,235	\$608,999,943
25	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Upper Willamette River ESU	T	\$8,682,065	\$617,682,008
26	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Central California Coast ESU	E	\$8,191,957	\$625,873,965
27	Tortoise, Desert ( <i>Gopherus agassizii</i> ) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$8,163,635	\$634,037,600
28	Manatee, West Indian ( <i>Trichechus manatus</i> ) - Wherever found	T	\$8,116,527	\$642,154,127
29	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Middle Columbia River DPS	T	\$8,108,330	\$650,262,457
30	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Southern Oregon - Northern California Coast ESU	T	\$8,065,859	\$658,328,316
31	Owl, Northern Spotted ( <i>Strix occidentalis caurina</i> ) - Wherever found	T	\$7,901,955	\$666,230,271
32	Woodpecker, Red-cockaded ( <i>Picoides borealis</i> ) - Wherever found	E	\$7,259,812	\$673,490,083
33	Chub, Humpback ( <i>Gila cypha</i> ) - Wherever found	E	\$7,069,968	\$680,560,052
34	Plover, Piping ( <i>Charadrius melodus</i> ) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$6,898,046	\$687,458,098
35	Salmon, Chum ( <i>Oncorhynchus keta</i> ) - Columbia River ESU	T	\$6,746,104	\$694,204,202
36	Salmon, Atlantic ( <i>Salmo salar</i> ) - Gulf of Maine DPS - See 50 CFR 224.101	E	\$6,706,000	\$700,910,202
37	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Upper Willamette River DPS	T	\$6,588,757	\$707,498,959
38	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Snake River spring/summer-run ESU See 50 CFR 223.102	T	\$6,410,000	\$713,908,959
38	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Snake River Basin DPS - See 50 CFR 223.102	T	\$6,410,000	\$720,318,959
39	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Oregon Coast ESU	T	\$6,183,780	\$726,502,739
40	Sea lion, Steller ( <i>Eumetopias jubatus</i> ) - Western DPS - See 50 CFR 224.101	E	\$5,427,000	\$731,929,739
41	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Southern Oregon - Northern California Coast ESU - See 50 CFR 223.102	T	\$5,286,000	\$737,215,739
42	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Lower Columbia River ESU See 50 CFR 223.102	T	\$5,225,000	\$742,440,739
42	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River ESU - See 50 CFR 223.102	T	\$5,225,000	\$747,665,739
42	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Lower Columbia River DPS - See 50 CFR 223.102	T	\$5,225,000	\$752,890,739

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
43	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Middle Columbia River DPS - See 50 CFR 223.102	T	\$5,097,000	\$757,987,739
44	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU See 50 CFR 223.102	T	\$5,046,000	\$763,033,739
45	Salmon, chum ( <i>Oncorhynchus keta</i> ) - Columbia River ESU See 50 CFR 223.102	T	\$4,967,000	\$768,000,739
46	Bear, Grizzly ( <i>Ursus arctos horribilis</i> ) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$4,398,785	\$772,399,524
47	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU See 50 CFR 223.102	T	\$4,276,000	\$776,675,524
47	Salmon, chum ( <i>Oncorhynchus keta</i> ) - Hood Canal summer-run ESU - See 50 CFR 223.102	T	\$4,276,000	\$780,951,524
47	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Ozette Lake ESU - See 50 CFR 223.102	T	\$4,276,000	\$785,227,524
47	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Puget Sound DPS - See 50 CFR 223.102	T	\$4,276,000	\$789,503,524
48	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> ) - Wherever found	E	\$4,129,278	\$793,632,802
49	Bear, Polar ( <i>Ursus maritimus</i> ) - Wherever found	T	\$4,086,126	\$797,718,928
50	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> ) - Wherever found	E	\$4,035,359	\$801,754,287
51	Sea Turtle, Kemp's Ridley ( <i>Lepidochelys kempii</i> ) - Wherever found	E	\$3,941,506	\$805,695,793
52	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Northern California DPS - See 50 CFR 223.102	T	\$3,922,000	\$809,617,793
53	Owl, Mexican Spotted ( <i>Strix occidentalis lucida</i> ) - Wherever found	T	\$3,847,868	\$813,465,661
54	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - California Coastal ESU - See 50 CFR 223.102	T	\$3,722,000	\$817,187,661
55	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Oregon Coast ESU - See 50 CFR 223.102	T	\$3,668,000	\$820,855,661
56	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Sacramento River winter-run ESU - See 50 CFR 224.101	E	\$3,630,000	\$824,485,661
56	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Central California Coast ESU - See 50 CFR 224.101	E	\$3,630,000	\$828,115,661
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - California Central Valley DPS - See 50 CFR 223.102	T	\$3,630,000	\$831,745,661

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Central California Coast DPS - See 50 CFR 223.102	T	\$3,630,000	\$835,375,661
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - South-Central California Coast DPS - See 50 CFR 223.102	T	\$3,630,000	\$839,005,661
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Southern California DPS - See 50 CFR 224.101	E	\$3,630,000	\$842,635,661
57	Flycatcher, Southwestern Willow ( <i>Empidonax traillii extimus</i> ) - Wherever found	E	\$3,583,572	\$846,219,233
58	Bat, Indiana ( <i>Myotis sodalis</i> ) - Wherever found	E	\$3,541,471	\$849,760,704
59	Bat, Northern Long-eared ( <i>Myotis septentrionalis</i> ) - Wherever found	T	\$3,535,605	\$853,296,309
60	Murrelet, Marbled ( <i>Brachyramphus marmoratus</i> ) - U.S.A. (CA, OR, WA)	T	\$3,519,703	\$856,816,012
61	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU See 50 CFR 223.102	T	\$3,519,000	\$860,335,012
61	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Willamette River DPS - See 50 CFR 223.102	T	\$3,519,000	\$863,854,012
62	Cuckoo, Yellow-billed ( <i>Coccyzus americanus</i> ) - Western U.S. DPS	T	\$3,498,935	\$867,352,948
63	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Columbia River spring-run ESU See 50 CFR 224.101	E	\$3,476,000	\$870,828,948
63	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Columbia River DPS - See 50 CFR 223.102	T	\$3,476,000	\$874,304,948
64	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Northern California DPS	T	\$3,467,320	\$877,772,268
65	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Snake River ESU - See 50 CFR 224.101	E	\$3,467,000	\$881,239,268
66	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ	EXPN	\$3,260,494	\$884,499,761
67	Sturgeon (gulf Subspecies), Atlantic ( <i>Acipenser oxyrinchus</i> (=oxyrinchus) desotoi) - Wherever found	T	\$3,154,732	\$887,654,493
68	Sucker, Shortnose ( <i>Chasmistes brevirostris</i> ) - Wherever found	E	\$3,034,100	\$890,688,593
69	Wolf, Mexican ( <i>Canis lupus baileyi</i> ) - U.S.A. (portions of AZ and NM)see 17.84(k)	EXPN	\$3,034,095	\$893,722,688
70	Sucker, Lost River ( <i>Deltistes luxatus</i> ) - Wherever found	E	\$2,986,700	\$896,709,388
71	Trout, Lahontan Cutthroat ( <i>Oncorhynchus clarkii henshawi</i> ) - Wherever found	T	\$2,669,251	\$899,378,639
72	Salmon, Chum ( <i>Oncorhynchus keta</i> ) - Hood Canal summer-run ESU	T	\$2,486,171	\$901,864,810
73	whale, beluga ( <i>Delphinapterus leucas</i> ) - Cook Inlet DPS See 50 CFR 224.101	E	\$2,395,000	\$904,259,810
74	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - Wherever found	E	\$2,373,318	\$906,633,128

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
75	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic Ocean DPS	T	\$2,366,675	\$908,999,803
76	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Central California Coast DPS	T	\$2,046,319	\$911,046,122
77	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> ) - Wherever found	E	\$2,025,407	\$913,071,529
78	Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS See 50 CFR 224.101	E	\$1,994,000	\$915,065,529
79	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> ) - Wherever found	T	\$1,938,000	\$917,003,529
80	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> ) - Wherever found	E	\$1,920,792	\$918,924,321
81	Sea turtle, loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic Ocean DPS - Loggerhead sea turtles originating from the Northwest Atlantic Ocean west of 40 degrees W. Long	T	\$1,893,000	\$920,817,321
82	Lynx, Canada ( <i>Lynx canadensis</i> ) - Wherever Found in Contiguous U.S.	T	\$1,830,319	\$922,647,639
83	Whale, blue ( <i>Balaenoptera musculus</i> ) - Wherever found	E	\$1,750,527	\$924,398,166
84	Abalone, Black ( <i>Haliotis cracherodii</i> ) - Wherever found	E	\$1,731,400	\$926,129,566
85	Mouse, Pacific Pocket ( <i>Perognathus longimembris pacificus</i> ) - Wherever found	E	\$1,720,964	\$927,850,530
86	Whale, Killer ( <i>Orcinus orca</i> ) - Southern Resident DPS	E	\$1,695,100	\$929,545,630
87	Sea turtle, loggerhead ( <i>Caretta caretta</i> ) - North Pacific Ocean DPS - Loggerhead sea turtles originating from the North Pacific north of the equator and south of 60 degrees N Lat	E	\$1,668,000	\$931,213,630
88	Parrot, Puerto Rican ( <i>Amazona vittata</i> ) - Wherever found	E	\$1,635,500	\$932,849,130
89	Prairie-chicken, Attwater's Greater ( <i>Tympanuchus cupido attwateri</i> ) - Wherever found	E	\$1,599,369	\$934,448,499
90	Alligator, American ( <i>Alligator mississippiensis</i> ) - Wherever found	SAT	\$1,593,725	\$936,042,224
91	Frog, Oregon Spotted ( <i>Rana pretiosa</i> ) - Wherever found	T	\$1,486,504	\$937,528,728
92	Wolf, Red ( <i>Canis rufus</i> ) - U.S.A. (portions of NC and TN)	EXPN	\$1,482,100	\$939,010,828
93	Seal, Ringed ( <i>Phoca (=Pusa) hispida hispida</i> ) - Wherever found	T	\$1,468,572	\$940,479,400
94	Tortoise, Gopher ( <i>Gopherus polyphemus</i> ) - West of Mobile and Tombigbee Rivers	T	\$1,455,420	\$941,934,820
95	Seal, bearded ( <i>Erignathus barbatus nauticus</i> ) - Beringia DPS - See 50 CFR 223.102	T	\$1,415,000	\$943,349,820
96	Whale, finback ( <i>Balaenoptera physalus</i> ) - Wherever found	E	\$1,410,418	\$944,760,238
97	Plover, Western Snowy ( <i>Charadrius nivosus nivosus</i> ) - Pacific Coast population DPS- U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$1,388,793	\$946,149,031
98	Kite, Everglade Snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - Wherever found	E	\$1,369,943	\$947,518,974
99	Sea Turtle, Hawksbill ( <i>Eretmochelys imbricata</i> ) - Wherever found	E	\$1,274,871	\$948,793,845
100	Crow, Hawaiian (=ʻalala) ( <i>Corvus hawaiiensis</i> ) - Wherever found	E	\$1,259,842	\$950,053,687



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
101	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - North Atlantic DPS	T	\$1,237,235	\$951,290,922
102	Sturgeon, Shortnose ( <i>Acipenser brevirostrum</i> ) - Wherever found	E	\$1,236,662	\$952,527,584
103	Lizard, Blunt-nosed Leopard ( <i>Gambelia silus</i> ) - Wherever found	E	\$1,160,099	\$953,687,683
104	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus)) - Wherever found	E	\$1,134,313	\$954,821,996
105	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Wherever found, except where listed as an experimental population	E	\$1,115,870	\$955,937,865
106	Whale, Sei ( <i>Balaenoptera borealis</i> ) - Wherever found	E	\$1,113,616	\$957,051,481
107	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the East Pacific Ocean, bounded by the following lines and coordinates: 41 degrees N., 143 degrees W. in the northwest; 41 degrees N. Lat. in t	T	\$1,090,000	\$958,141,481
108	Eider, Spectacled ( <i>Somateria fischeri</i> ) - Wherever found	T	\$1,079,122	\$959,220,603
109	Stork, Wood ( <i>Mycteria americana</i> ) - AL, FL, GA, MS, NC, SC	T	\$1,059,796	\$960,280,399
110	Sucker, Warner ( <i>Catostomus warnerensis</i> ) - Wherever found	T	\$1,033,600	\$961,313,999
111	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$1,027,769	\$962,341,768
112	Rail, Yuma Ridgways ( <i>Rallus obsoletus</i> [=longirostris] yumanensis) - Wherever found	E	\$1,016,322	\$963,358,090
113	Gnatcatcher, Coastal California ( <i>Polioptila californica californica</i> ) - Wherever found	T	\$1,009,019	\$964,367,109
114	Shiner, Pecos Bluntnose ( <i>Notropis simus pecosensis</i> ) - Wherever found	T	\$1,004,801	\$965,371,910
115	Sawfish, smalltooth ( <i>Pristis pectinata</i> ) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$989,858	\$966,361,768
116	Bat, Florida Bonneted ( <i>Eumops floridanus</i> ) - Wherever found	E	\$972,959	\$967,334,728
117	Salmon, Atlantic ( <i>Salmo salar</i> ) - Gulf of Maine DPS	E	\$971,448	\$968,306,176
118	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the Central West Pacific Ocean, bounded by the following coordinates: 41 degrees N., 146 degrees E. in the northwest; 41 degrees N., 169 degree	E	\$960,000	\$969,266,176
119	No Common Name ( <i>Tabernaemontana rotensis</i> ) - Wherever found	T	\$950,517	\$970,216,693
120	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Carolina DPS - See 50 CFR 224.101	E	\$950,000	\$971,166,693
121	Bat, Gray ( <i>Myotis grisescens</i> ) - Wherever found	E	\$940,848	\$972,107,541
122	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the North Atlantic Ocean, bounded by the following lines and coordinates: 48 degrees N. Lat. in the north, along the western coasts of Europe a	T	\$930,000	\$973,037,541

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
123	Ferret, Black-footed ( <i>Mustela nigripes</i> ) - Wherever found, except where listed as an experimental population	E	\$906,046	\$973,943,587
124	Pinesnake, Louisiana ( <i>Pituophis ruthveni</i> ) - Wherever found	T	\$902,354	\$974,845,941
125	Frog, California Red-legged ( <i>Rana draytonii</i> ) - Wherever found	T	\$895,140	\$975,741,081
126	Tortoise, Desert ( <i>Gopherus agassizii</i> ) - AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	SAT	\$887,893	\$976,628,974
127	Abalone, White ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$871,800	\$977,500,774
128	Sparrow, Cape Sable Seaside ( <i>Ammodramus maritimus mirabilis</i> ) - Wherever found	E	\$871,075	\$978,371,849
129	Eulachon ( <i>Thaleichthys pacificus</i> ) - Southern DPS - See 50 CFR 223.102	T	\$847,000	\$979,218,849
130	Fox, San Joaquin Kit ( <i>Vulpes macrotis mutica</i> ) - wherever found	E	\$843,341	\$980,062,190
131	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Southern California DPS	E	\$817,500	\$980,879,690
132	Whale, Humpback ( <i>Megaptera novaeangliae</i> ) - Mexico DPS	T	\$810,087	\$981,689,777
133	Kangaroo Rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )) - Wherever found	E	\$804,131	\$982,493,908
134	Horned Lark, Streaked ( <i>Eremophila alpestris strigata</i> ) - Wherever found	T	\$796,403	\$983,290,311
135	Vireo, Least Bell's ( <i>Vireo bellii pusillus</i> ) - Wherever found	E	\$782,626	\$984,072,937
136	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - South Atlantic DPS	T	\$762,232	\$984,835,169
137	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> ) - Wherever found	T	\$744,460	\$985,579,629
138	Crane, Mississippi Sandhill ( <i>Grus canadensis pulla</i> ) - Wherever found	E	\$742,856	\$986,322,485
139	Butterfly, Oregon Silverspot ( <i>Speyeria zerene hippolyta</i> ) - Wherever found	T	\$737,423	\$987,059,908
140	Bocaccio ( <i>Sebastes paucispinis</i> ) - Puget Sound-Georgia Basin DPS See 50 CFR 224.101	E	\$735,000	\$987,794,908
141	Sage-grouse, Gunnison ( <i>Centrocercus minimus</i> ) - Wherever found	T	\$722,308	\$988,517,216
142	Snake, Giant Garter ( <i>Thamnophis gigas</i> ) - Wherever found	T	\$721,111	\$989,238,327
143	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the Central North Pacific Ocean, bounded by the following coordinates: 41 degrees N., 169 degrees E. in the northwest; 41 degrees N., 143 degree	T	\$713,000	\$989,951,327
144	Snake, Eastern Indigo ( <i>Drymarchon corais couperi</i> ) - Wherever found	T	\$711,051	\$990,662,378
145	Knot, Red ( <i>Calidris canutus rufa</i> ) - Wherever found	T	\$708,395	\$991,370,773
146	Bat, Hawaiian Hoary ( <i>Lasiurus cinereus semotus</i> ) - Wherever found	E	\$698,949	\$992,069,722
147	Whale, humpback ( <i>Megaptera novaeangliae</i> ) - Central America DPS	E	\$694,160	\$992,763,882

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
148	Wedgemussel, Dwarf ( <i>Alasmidonta heterodon</i> ) - Wherever found	E	\$691,747	\$993,455,629
149	Scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> ) - Wherever found	T	\$674,989	\$994,130,618
150	Beetle, American Burying ( <i>Nicrophorus americanus</i> ) - Wherever found, except where listed as an experimental population	E	\$673,454	\$994,804,072
151	Ocelot ( <i>Leopardus</i> (=Felis) <i>pardalis</i> ) - wherever found	E	\$660,160	\$995,464,232
152	Kangaroo Rat, Tipton ( <i>Dipodomys nitratoideus nitratoideus</i> ) - Wherever found	E	\$650,885	\$996,115,117
153	Checkerspot, Taylor's (=whulge) ( <i>Euphydryas editha taylori</i> ) - Wherever found	E	\$648,058	\$996,763,175
154	rockfish, yelloweye ( <i>Sebastes ruberrimus</i> ) - Puget Sound - Georgia Basin DPS See 50 CFR 223.102	T	\$635,000	\$997,398,175
155	Turtle, Bog ( <i>Clemmys muhlenbergii</i> ) - Wherever found, except GA, NC, SC, TN, VA	T	\$625,523	\$998,023,698
156	Butterfly, Fender's Blue ( <i>Icaricia icarioides fenderi</i> ) - Wherever found	E	\$612,447	\$998,636,145
157	Goose, Hawaiian ( <i>Branta</i> (=Nesochen) <i>sandvicensis</i> ) - Wherever found	E	\$610,978	\$999,247,123
158	Beetle, Valley Elderberry Longhorn ( <i>Desmocerus californicus dimorphus</i> ) - Wherever found	T	\$595,754	\$999,842,877
159	Seagrass, Johnson's ( <i>Halophila johnsonii</i> ) - Wherever found	T	\$593,219	\$1,000,436,096
160	Crocodile, American ( <i>Crocodylus acutus</i> ) - U.S.A. (FL)	T	\$586,371	\$1,001,022,467
161	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. only, except where listed as an experimental population	E	\$583,888	\$1,001,606,355
162	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> ) - Wherever found	E	\$581,106	\$1,002,187,461
163	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Chesapeake Bay DPS - See 50 CFR 224.101	E	\$575,000	\$1,002,762,461
164	Frog, Sierra Nevada Yellow-legged ( <i>Rana sierrae</i> ) - Wherever found	E	\$565,593	\$1,003,328,054
165	Trout, Gila ( <i>Oncorhynchus gilae</i> ) - Wherever found	T	\$560,700	\$1,003,888,754
166	Caracara, Audubon's Crested ( <i>Polyborus plancus audubonii</i> ) - FL pop.	T	\$558,026	\$1,004,446,780
167	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> ) - Wherever found	E	\$556,052	\$1,005,002,832
168	sturgeon, green ( <i>Acipenser medirostris</i> ) - Southern DPS - See 50 CFR 223.102	T	\$546,000	\$1,005,548,832
169	Logperch, Roanoke ( <i>Percina rex</i> ) - Wherever found	E	\$544,920	\$1,006,093,752
170	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> ) - Wherever found	T	\$544,273	\$1,006,638,025
171	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - South Atlantic DPS	E	\$532,388	\$1,007,170,413
172	Higgins Eye (pearlymussel) ( <i>Lampsilis higginsii</i> ) - Wherever found	E	\$519,967	\$1,007,690,380
173	Coral, staghorn ( <i>Acropora cervicornis</i> ) - Wherever found	T	\$514,580	\$1,008,204,960

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
174	Rail, Guam ( <i>Rallus owstoni</i> ) - Wherever found, except where listed as an experimental population	E	\$496,007	\$1,008,700,967
175	Jaguar ( <i>Panthera onca</i> ) - Wherever found	E	\$495,940	\$1,009,196,907
176	Plover, Piping ( <i>Charadrius melodus</i> ) - [Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	E	\$487,744	\$1,009,684,651
177	Coot, Hawaiian ( <i>Fulica americana alai</i> ) - Wherever found	E	\$487,567	\$1,010,172,218
178	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Gulf of Maine DPS	T	\$485,297	\$1,010,657,515
179	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> ) - Wherever found	T	\$485,173	\$1,011,142,688
180	Sea turtle, green ( <i>Chelonia mydas</i> ) - Green sea turtles originating from the Central South Pacific Ocean, bounded by the following coordinates: 9 degrees N., 175 degrees W. in the northwest; 9 degrees N., 125 degrees	E	\$485,000	\$1,011,627,688
181	Puma (=mountain Lion) ( <i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i> )) - FL	SAT	\$478,000	\$1,012,105,688
182	Otter, Southern Sea ( <i>Enhydra lutris nereis</i> ) - Wherever found	T	\$474,885	\$1,012,580,573
183	Turtle, Spotted Pond ( <i>Geoclemys hamiltonii</i> ) - Wherever found	E	\$472,804	\$1,013,053,377
184	Coral, elkhorn ( <i>Acropora palmata</i> ) - Wherever found	T	\$471,867	\$1,013,525,244
185	Rabbitsfoot ( <i>Quadrula cylindrica cylindrica</i> ) - Wherever found	T	\$466,768	\$1,013,992,012
186	Petrel, Hawaiian ( <i>Pterodroma sandwichensis</i> ) - Wherever found	E	\$465,917	\$1,014,457,929
187	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> ) - Wherever found	E	\$449,475	\$1,014,907,404
188	Trout, Greenback Cutthroat ( <i>Oncorhynchus clarkii stomias</i> ) - Wherever found	T	\$441,892	\$1,015,349,296
189	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> ) - Wherever found	E	\$438,600	\$1,015,787,896
190	Minnow, Rio Grande Silvery ( <i>Hybognathus amarus</i> ) - Wherever found, except where listed as an experimental population	E	\$434,000	\$1,016,221,896
191	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Wherever found, except when listed as endangered under 50 CFR 224.101	T	\$428,368	\$1,016,650,264
192	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - Northeast Atlantic Ocean DPS	E	\$421,887	\$1,017,072,151
193	Whale, North Pacific Right ( <i>Eubalaena japonica</i> ) - Wherever found	E	\$419,246	\$1,017,491,397
194	Snake, Black Pine ( <i>Pituophis melanoleucus lodingi</i> ) - Wherever found	T	\$417,196	\$1,017,908,593
195	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> ) - Wherever found	E	\$415,714	\$1,018,324,307
196	Coral, Mountainous Star ( <i>Orbicella faveolata</i> ) - Wherever found	T	\$412,044	\$1,018,736,351
197	Torreya, Florida ( <i>Torreya taxifolia</i> ) - Wherever found	E	\$410,237	\$1,019,146,588
198	Coral, Lobed Star ( <i>Orbicella annularis</i> ) - Wherever found	T	\$409,044	\$1,019,555,632

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
199	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - New York Bight DPS - See 50 CFR 224.101	E	\$406,000	\$1,019,961,632
200	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> ssp. <i>kincaidii</i> ) - Wherever found	T	\$403,274	\$1,020,364,906
201	Ferret, Black-footed ( <i>Mustela nigripes</i> ) - U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	EXPN	\$402,900	\$1,020,767,806
202	Coral, Boulder Star ( <i>Orbicella franksi</i> ) - Wherever found	T	\$402,044	\$1,021,169,850
203	Squirrel, Northern Idaho Ground ( <i>Uroditellus brunneus</i> ) - Wherever found	T	\$396,420	\$1,021,566,270
204	Peppergrass, Slickspot ( <i>Lepidium papilliferum</i> ) - UNK	T	\$390,405	\$1,021,956,675
205	Fadang ( <i>Cycas micronesica</i> ) - Wherever found	T	\$390,108	\$1,022,346,783
206	Frog, Dusky Gopher ( <i>Rana sevosa</i> ) - Wherever found	E	\$387,833	\$1,022,734,616
207	Rabbit, Columbia Basin Pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS	E	\$386,880	\$1,023,121,496
208	Coral, Pillar ( <i>Dendrogyra cylindrus</i> ) - Wherever found	T	\$376,500	\$1,023,497,996
209	Coral, Rough Cactus ( <i>Mycetophyllia ferox</i> ) - Wherever found	T	\$372,000	\$1,023,869,996
210	Gallinule, Hawaiian Common ( <i>Gallinula galeata sandvicensis</i> ) - Wherever found	E	\$371,611	\$1,024,241,607
211	Spinymussel, James ( <i>Pleurobema collina</i> ) - Wherever found	E	\$367,005	\$1,024,608,612
212	Fairy Shrimp, Vernal Pool ( <i>Branchinecta lynchi</i> ) - Wherever found	T	\$366,571	\$1,024,975,183
213	Tern, Roseate ( <i>Sterna dougallii dougallii</i> ) - Northeast U.S. nesting population	E	\$360,950	\$1,025,336,133
214	Aupaka ( <i>Isodendron longifolium</i> ) - Wherever found	T	\$359,762	\$1,025,695,895
215	Salamander, Frosted Flatwoods ( <i>Ambystoma cingulatum</i> ) - Wherever found	T	\$353,293	\$1,026,049,188
216	Crane, Whooping ( <i>Grus americana</i> ) - U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	EXPN	\$342,772	\$1,026,391,961
217	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Gulf of Maine DPS - See 50 CFR 223.102	T	\$339,000	\$1,026,730,961
218	Cactus, Colorado Hookless ( <i>Sclerocactus glaucus</i> ) - Wherever found	T	\$338,301	\$1,027,069,262
219	Whale, bowhead ( <i>Balaena mysticetus</i> ) - Wherever found	E	\$335,435	\$1,027,404,697
220	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> ) - Wherever found	T	\$332,955	\$1,027,737,652
221	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - Southwest Alaska DPS	T	\$332,046	\$1,028,069,698
222	Catchfly, Spalding's ( <i>Silene spaldingii</i> ) - Wherever found	T	\$329,029	\$1,028,398,727
223	Parrotbill, Maui (kiwiku) ( <i>Pseudonestor xanthophrys</i> ) - Wherever found	E	\$328,569	\$1,028,727,296
224	Bladderpod, White Bluffs ( <i>Physaria douglasii</i> ssp. <i>tuplashensis</i> ) - Wherever found	T	\$324,082	\$1,029,051,378

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
225	Sparrow, Florida Grasshopper ( <i>Ammodramus savannarum floridanus</i> ) - Wherever found	E	\$322,732	\$1,029,374,110
226	Caribou, Woodland ( <i>Rangifer tarandus caribou</i> ) - Southern Mountain DPS	E	\$318,720	\$1,029,692,830
227	Paintbrush, Golden ( <i>Castilleja levisecta</i> ) - Wherever found	T	\$317,066	\$1,030,009,896
228	Pocketbook, Fat ( <i>Potamilus capax</i> ) - Wherever found	E	\$316,889	\$1,030,326,785
229	grouper, Nassau ( <i>Epinephelus striatus</i> ) - Wherever found	T	\$315,000	\$1,030,641,785
229	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - South Atlantic DPS - See 50 CFR 224.101	E	\$315,000	\$1,030,956,785
230	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Central North Pacific DPS	T	\$314,760	\$1,031,271,545
231	No common name ( <i>Acropora retusa</i> ) - Wherever found	T	\$312,070	\$1,031,583,615
232	No common name ( <i>Acropora globiceps</i> ) - Wherever found	T	\$311,770	\$1,031,895,385
232	No common name ( <i>Euphyllia paradivisa</i> ) - Wherever found	T	\$311,770	\$1,032,207,155
232	No Common Name ( <i>Isopora crateriformis</i> ) - Wherever found	T	\$311,770	\$1,032,518,925
233	No common name ( <i>Acropora speciosa</i> ) - Wherever found	T	\$311,570	\$1,032,830,495
234	Wolf, Mexican ( <i>Canis lupus baileyi</i> ) - Wherever found, except where listed as an experimental population	E	\$307,200	\$1,033,137,695
235	Skink, Sand ( <i>Neoseps reynoldsi</i> ) - Wherever found	T	\$303,729	\$1,033,441,424
236	Frog, Mountain Yellow-legged ( <i>Rana muscosa</i> ) - Northern California DPS	E	\$299,100	\$1,033,740,524
237	Tadpole Shrimp, Vernal Pool ( <i>Lepidurus packardii</i> ) - Wherever found	E	\$294,961	\$1,034,035,485
238	No Common Name ( <i>Phyllostegia floribunda</i> ) - Wherever found	E	\$294,381	\$1,034,329,866
239	Pondberry ( <i>Lindera melissifolia</i> ) - Wherever found	E	\$279,818	\$1,034,609,684
240	Damselfly, Orangeblack Hawaiian ( <i>Megalagrion xanthomelas</i> ) - Wherever found	E	\$279,093	\$1,034,888,777
241	Buckwheat, Umtanum Desert ( <i>Eriogonum codium</i> ) - Wherever found	T	\$278,009	\$1,035,166,786
242	Daisy, Willamette ( <i>Erigeron decumbens</i> ) - Wherever found	E	\$276,700	\$1,035,443,486
243	Minnow, Loach ( <i>Tiaroga cobitis</i> ) - Wherever found	E	\$275,807	\$1,035,719,293
244	Crane, Whooping ( <i>Grus americana</i> ) - U.S.A (Southwestern Louisiana)	EXPN	\$273,500	\$1,035,992,793
245	Butterfly, Karner Blue ( <i>Lycaeides melissa samuelis</i> ) - Wherever found	E	\$272,724	\$1,036,265,517
246	Bankclimber, Purple (mussel) ( <i>Elliptoideus sloatianus</i> ) - Wherever found	T	\$272,589	\$1,036,538,106
247	Trout, Bull ( <i>Salvelinus confluentus</i> ) - Clackamas River subbasin experimental population	EXPN	\$272,206	\$1,036,810,312
248	Akikiki ( <i>Oreomystis bairdi</i> ) - Wherever found	E	\$272,123	\$1,037,082,435
249	Akekee ( <i>Loxops caeruleirostris</i> ) - Wherever found	E	\$264,011	\$1,037,346,445
250	Spikedace ( <i>Meda fulgida</i> ) - Wherever found	E	\$263,397	\$1,037,609,843

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
251	Tern, California Least ( <i>Sterna antillarum browni</i> ) - Wherever found	E	\$262,682	\$1,037,872,525
252	Pogonia, Small Whorled ( <i>Isotria medeoloides</i> ) - Wherever found	T	\$259,719	\$1,038,132,244
253	Palila (honeycreeper) ( <i>Loxioides bailleui</i> ) - Wherever found	E	\$257,496	\$1,038,389,740
254	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> ) - Wherever found	E	\$253,929	\$1,038,643,669
255	Mouse, Southeastern Beach ( <i>Peromyscus polionotus niveiventris</i> ) - wherever found	T	\$253,241	\$1,038,896,910
256	Amaranth, Seabeach ( <i>Amaranthus pumilus</i> ) - Wherever found	T	\$252,315	\$1,039,149,225
257	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> ) - Wherever found	E	\$248,685	\$1,039,397,910
258	Mussel, Snuffbox ( <i>Epioblasma triquetra</i> ) - Wherever found	E	\$248,017	\$1,039,645,927
259	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> ) - Wherever found	E	\$246,188	\$1,039,892,115
260	Pocket Gopher, Olympia ( <i>Thomomys mazama pugetensis</i> ) - Wherever found	T	\$245,410	\$1,040,137,525
261	Beetle, American Burying ( <i>Nicrophorus americanus</i> ) - Ex Pop, SW Missouri	EXPN	\$237,800	\$1,040,375,325
262	Prairie Dog, Utah ( <i>Cynomys parvidens</i> ) - Wherever found	T	\$232,130	\$1,040,607,455
263	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - South Atlantic Ocean DPS	T	\$231,873	\$1,040,839,328
264	Gartersnake, Northern Mexican ( <i>Thamnophis eques megalops</i> ) - Wherever found	T	\$231,169	\$1,041,070,496
265	Pocket Gopher, Roy Prairie ( <i>Thomomys mazama glacialis</i> ) - Wherever found	T	\$226,092	\$1,041,296,588
266	Whale, Humpback ( <i>Megaptera novaeangliae</i> ) - Western North Pacific	E	\$225,155	\$1,041,521,743
267	Pocket Gopher, Yelm ( <i>Thomomys mazama yelmensis</i> ) - Wherever found	T	\$215,940	\$1,041,737,683
268	Darter, Leopard ( <i>Percina pantherina</i> ) - Wherever found	T	\$210,100	\$1,041,947,783
269	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - Wherever found, except where listed as an experimental population	E	\$209,458	\$1,042,157,241
270	Pocket Gopher, Tenino ( <i>Thomomys mazama tumuli</i> ) - Wherever found	T	\$208,150	\$1,042,365,391
271	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> ) - Wherever found	T	\$200,221	\$1,042,565,612
272	Bumble Bee, Rusty Patched ( <i>Bombus affinis</i> ) - Wherever found	E	\$199,204	\$1,042,764,816
273	Storm-petrel, Band-rumped ( <i>Oceanodroma castro</i> ) - USA (HI)	E	\$199,093	\$1,042,963,909
274	Salamander, Reticulated Flatwoods ( <i>Ambystoma bishopi</i> ) - Wherever found	E	\$198,624	\$1,043,162,533
275	Dace, Desert ( <i>Eremichthys acros</i> ) - Wherever found	T	\$198,500	\$1,043,361,033
276	Wild-buckwheat, Gypsum ( <i>Eriogonum gypsophilum</i> ) - Wherever found	T	\$198,000	\$1,043,559,033
277	Mouse, Alabama Beach ( <i>Peromyscus polionotus ammobates</i> ) - Wherever found	E	\$197,330	\$1,043,756,363
278	Sea Lion, Steller ( <i>Eumetopias jubatus</i> ) - Western DPS	E	\$191,882	\$1,043,948,245
279	Monardella, Willowy ( <i>Monardella viminea</i> ) - Wherever found	E	\$190,985	\$1,044,139,230
280	Frog, Chiricahua Leopard ( <i>Rana chiricahuensis</i> ) - Wherever found	T	\$189,053	\$1,044,328,283

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
281	Toad, Arroyo (=arroyo Southwestern) ( <i>Anaxyrus californicus</i> ) - Wherever found	E	\$188,439	\$1,044,516,722
282	Fern, American Hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> ) - Wherever found	T	\$187,600	\$1,044,704,322
283	Ufa-halomtano ( <i>Heritiera longipetiolata</i> ) - Wherever found	E	\$185,929	\$1,044,890,251
284	Mapleleaf, Winged ( <i>Quadrula fragosa</i> ) - Wherever found, except where listed as an experimental population	E	\$185,286	\$1,045,075,537
285	Thrush, Small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> ) - Wherever found	E	\$183,594	\$1,045,259,131
286	Chub, Spotfin ( <i>Erimonax monachus</i> ) - Wherever found, except where listed as an experimental population	T	\$182,150	\$1,045,441,281
287	Rail, California Clapper ( <i>Rallus longirostris obsoletus</i> ) - Wherever found	E	\$181,286	\$1,045,622,567
288	Rhinoceros, Southern White ( <i>Ceratotherium simum</i> ssp. <i>simum</i> ) - Wherever found	SAT	\$175,085	\$1,045,797,652
289	Rockfish, Yelloweye ( <i>Sebastes ruberrimus</i> ) - Puget Sound - Georgia Basin DPS	T	\$174,896	\$1,045,972,548
290	Whale, Beluga ( <i>Delphinapterus leucas</i> ) - Cook Inlet DPS	E	\$173,773	\$1,046,146,321
291	Bat, Mariana Fruit (=mariana Flying Fox) ( <i>Pteropus mariannus mariannus</i> ) - Wherever found	T	\$173,606	\$1,046,319,927
292	Turtle, Bog ( <i>Clemmys muhlenbergii</i> ) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$169,820	\$1,046,489,747
293	Snail, Snake River Physa ( <i>Physa natricina</i> ) - Wherever found	E	\$168,399	\$1,046,658,146
294	Wooly-threads, San Joaquin ( <i>Monolopia</i> (=Lembertia) <i>congdonii</i> ) - Wherever found	E	\$168,246	\$1,046,826,392
295	Riffleshell, Northern ( <i>Epioblasma torulosa rangiana</i> ) - Wherever found	E	\$165,602	\$1,046,991,994
296	Howellia, Water ( <i>Howellia aquatilis</i> ) - UNK	T	\$165,333	\$1,047,157,327
297	Chub, Borax Lake ( <i>Gila boraxobius</i> ) - Wherever found	E	\$164,409	\$1,047,321,736
298	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis)) - Wherever found, except where listed as an experimental population	E	\$161,965	\$1,047,483,701
299	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> ) - Wherever found	E	\$160,489	\$1,047,644,190
300	Rockfish, Canary ( <i>Sebastes pinniger</i> ) - Puget Sound - Georgia Basin DPS	T	\$159,696	\$1,047,803,886
301	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$159,484	\$1,047,963,370
302	`aiea ( <i>Nothoecstrum breviflorum</i> ) - Wherever found	E	\$159,311	\$1,048,122,681
303	Lomatium, Cook's ( <i>Lomatium cookii</i> ) - Wherever found	E	\$157,500	\$1,048,280,181
304	Darter, Candy ( <i>Etheostoma osburni</i> ) - Wherever found	E	\$155,940	\$1,048,436,121
305	Darter, Rush ( <i>Etheostoma phytophilum</i> ) - Wherever found	E	\$154,878	\$1,048,590,999
306	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> ) - Wherever found	E	\$153,183	\$1,048,744,182
307	`oha Wai ( <i>Clermontia samuelii</i> ) - Wherever found	E	\$153,018	\$1,048,897,200



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
308	Butterfly, Quino Checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrighti)) - Wherever found	E	\$150,900	\$1,049,048,100
309	Bocaccio ( <i>Sebastes paucispinis</i> ) - Puget Sound - Georgia Basin DPS	E	\$149,793	\$1,049,197,893
310	Gray Wolf? ( <i>Canis lupus</i> ) - MN	T	\$149,411	\$1,049,347,304
311	Mouse, New Mexico Meadow Jumping ( <i>Zapus hudsonius luteus</i> ) - Wherever foun	E	\$147,870	\$1,049,495,174
312	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> ) - Wherever found	E	\$147,500	\$1,049,642,674
313	Yellow-faced Bee, Anthricinan ( <i>Hylaeus anthracinus</i> ) - Wherever found	E	\$143,618	\$1,049,786,292
314	Skink, Bluetail Mole ( <i>Eumeces egregius lividus</i> ) - Wherever found	T	\$141,974	\$1,049,928,266
315	Crane, Whooping ( <i>Grus americana</i> ) - Wherever found, except where listed as an experimental population	E	\$141,562	\$1,050,069,828
316	Deer, Key ( <i>Odocoileus virginianus clavium</i> ) - Wherever found	E	\$140,761	\$1,050,210,589
317	Skipper, Dakota ( <i>Hesperia dacotae</i> ) - Wherever found	T	\$140,422	\$1,050,351,010
318	Darter, Pearl ( <i>Percina aurora</i> ) - Wherever found	T	\$140,329	\$1,050,491,339
319	Chaffseed, American ( <i>Schwalbea americana</i> ) - Wherever found	E	\$139,500	\$1,050,630,839
320	Clover, Running Buffalo ( <i>Trifolium stoloniferum</i> ) - UNK	E	\$139,263	\$1,050,770,102
321	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Carolina DPS	E	\$139,233	\$1,050,909,335
322	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> ) - Wherever found	T	\$139,160	\$1,051,048,495
323	Massasauga (=rattlesnake), Eastern ( <i>Sistrurus catenatus</i> ) - Wherever found	T	\$137,333	\$1,051,185,828
324	Eulachon ( <i>Thaleichthys pacificus</i> ) - Southern DPS	T	\$137,091	\$1,051,322,919
325	Pink, Swamp ( <i>Helonias bullata</i> ) - Wherever found	T	\$136,134	\$1,051,459,053
326	Lance, Yellow ( <i>Elliptio lanceolata</i> ) - Wherever found	T	\$135,400	\$1,051,594,453
327	Woundfin ( <i>Plagopterus argentissimus</i> ) - Wherever found, except where listed as an experimental population	E	\$135,210	\$1,051,729,663
328	Threeridge, Fat (mussel) ( <i>Amblema neislerii</i> ) - Wherever found	E	\$134,320	\$1,051,863,983
329	'ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. macrocephalum) - Wherever found	T	\$133,908	\$1,051,997,891
330	Spectaclecase (mussel) ( <i>Cumberlandia monodonta</i> ) - Wherever found	E	\$133,614	\$1,052,131,505
331	Mouse, Preble's Meadow Jumping ( <i>Zapus hudsonius preblei</i> ) - wherever found	T	\$133,262	\$1,052,264,767
332	Phacelia, North Park ( <i>Phacelia formosula</i> ) - Wherever found	E	\$133,138	\$1,052,397,905
333	Mucket, Pink (pearlymussel) ( <i>Lampsilis abrupta</i> ) - Wherever found	E	\$132,416	\$1,052,530,321
334	Butterfly, Mission Blue ( <i>Icaricia icarioides missionensis</i> ) - Wherever found	E	\$132,000	\$1,052,662,321
335	Albatross, Short-tailed ( <i>Phoebastria</i> (=Diomedea) albatrus) - Wherever found	E	\$131,422	\$1,052,793,743
336	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> ) - Wherever found	E	\$131,343	\$1,052,925,086
337	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> ) - Wherever found	E	\$131,000	\$1,053,056,086

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
338	Snail, Humped Tree ( <i>Partula gibba</i> ) - Wherever found	E	\$130,719	\$1,053,186,805
339	Eagle, Harpy ( <i>Harpia harpyja</i> ) - Wherever found	E	\$130,000	\$1,053,316,805
340	Mockingbird, Socorro ( <i>Mimus graysoni</i> ) - Wherever found	E	\$129,704	\$1,053,446,508
341	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> ) - Wherever found	E	\$129,519	\$1,053,576,027
342	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - U.S.A. (AZ), Mexico	EXPN	\$128,500	\$1,053,704,527
343	Mallow, Kern ( <i>Eremalche kernensis</i> ) - Wherever found	E	\$128,400	\$1,053,832,927
344	Sheep, Sierra Nevada Bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$127,800	\$1,053,960,727
345	Salamander, California Tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (Central CA DPS)	T	\$127,043	\$1,054,087,770
346	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> ) - Wherever found	T	\$125,629	\$1,054,213,399
347	Goby, Tidewater ( <i>Eucyclogobius newberryi</i> ) - Wherever found	E	\$125,357	\$1,054,338,756
348	No Common Name ( <i>Osmoxylon mariannense</i> ) - Wherever found	E	\$125,189	\$1,054,463,945
349	Bear-poppy, Dwarf ( <i>Arctomecon humilis</i> ) - Wherever found	E	\$125,162	\$1,054,589,107
350	Popcornflower, Rough ( <i>Plagiobothrys hirtus</i> ) - Wherever found	E	\$123,242	\$1,054,712,349
351	Crayfish, Big Sandy ( <i>Cambarus callainus</i> ) - Wherever found	T	\$122,554	\$1,054,834,903
352	Boa, Puerto Rican ( <i>Epicrates inornatus</i> ) - Wherever found	E	\$120,380	\$1,054,955,283
353	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - New York Bight DPS	E	\$119,505	\$1,055,074,788
354	Gartersnake, Narrow-headed ( <i>Thamnophis rufipunctatus</i> ) - Wherever found	T	\$117,880	\$1,055,192,668
355	Dace, Blackside ( <i>Phoxinus cumberlandensis</i> ) - Wherever found	T	\$115,154	\$1,055,307,822
356	Elephant, Asian ( <i>Elephas maximus</i> ) - Wherever found	E	\$114,720	\$1,055,422,542
357	Salmon, Sockeye ( <i>Oncorhynchus (=Salmo) nerka</i> ) - Ozette Lake ESU	T	\$114,018	\$1,055,536,560
358	Snail, Fragile Tree ( <i>Samoana fragilis</i> ) - Wherever found	E	\$113,481	\$1,055,650,041
359	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> ) - Wherever found	E	\$111,569	\$1,055,761,610
360	Snail, Lanai Tree ( <i>Partulina variabilis</i> ) - Wherever found	E	\$111,164	\$1,055,872,774
361	Moorhen, Mariana Common ( <i>Gallinula chloropus guami</i> ) - Wherever found	E	\$109,639	\$1,055,982,412
362	Snail, Lanai Tree ( <i>Partulina semicarinata</i> ) - Wherever found	E	\$109,544	\$1,056,091,956
363	Tiger Beetle, Northeastern Beach ( <i>Cicindela dorsalis dorsalis</i> ) - Wherever found	T	\$108,845	\$1,056,200,801
364	Kidneyshell, Fluted ( <i>Ptychobranthus subtentus</i> ) - Wherever found	E	\$108,830	\$1,056,309,631
365	Cactus, Wright Fishhook ( <i>Sclerocactus wrightiae</i> ) - Wherever found	E	\$107,605	\$1,056,417,237
366	Limpet, Banbury Springs ( <i>Lanx</i> sp.) - Wherever found	E	\$107,336	\$1,056,524,573
367	Swiftlet, Mariana Gray ( <i>Aerodramus vanikorensis bartschi</i> ) - Wherever found	E	\$106,872	\$1,056,631,445
368	Tree Snail, Newcomb's ( <i>Newcombia cumingi</i> ) - Wherever found	E	\$106,502	\$1,056,737,947
369	Butterfly, Bartram's Hairstreak ( <i>Strymon acis bartrami</i> ) - Wherever found	E	\$106,100	\$1,056,844,047

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
369	Mouse, Salt Marsh Harvest ( <i>Reithrodontomys raviventris</i> ) - wherever found	E	\$106,100	\$1,056,950,147
370	No Common Name ( <i>Polyscias bisattenuata</i> ) - Wherever found	E	\$105,612	\$1,057,055,759
371	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Central West Pacific DPS	E	\$105,328	\$1,057,161,087
372	Milkweed, Welsh's ( <i>Asclepias welshii</i> ) - Wherever found	T	\$104,701	\$1,057,265,788
373	Makou ( <i>Ranunculus mauiensis</i> ) - Wherever found	E	\$104,474	\$1,057,370,262
374	`anaunau ( <i>Lepidium arbuscula</i> ) - Wherever found	E	\$103,361	\$1,057,473,623
375	`akoko, Ewa Plains ( <i>Euphorbia skottsbergii</i> var. <i>skottsbergii</i> ) - Wherever found	E	\$103,315	\$1,057,576,938
376	`i iwi ( <i>Drepanis coccinea</i> ) - Wherever found	T	\$103,249	\$1,057,680,187
377	Coneflower, Smooth ( <i>Echinacea laevigata</i> ) - Wherever found	E	\$102,880	\$1,057,783,067
378	Halumtano, Cebello ( <i>Bulbophyllum guamense</i> ) - Wherever found	T	\$101,455	\$1,057,884,522
379	Ground-dove, Friendly ( <i>Gallicolumba stairi</i> ) - American Samoa DPS	E	\$100,846	\$1,057,985,368
380	Akepa, Maui ( <i>Loxops ochraceus</i> ) - Wherever found	E	\$100,504	\$1,058,085,872
381	`oha Wai ( <i>Clermontia pyrularia</i> ) - Wherever found	E	\$100,022	\$1,058,185,894
382	Clubshell, Southern ( <i>Pleurobema decisum</i> ) - Wherever found	E	\$99,935	\$1,058,285,829
383	Sucker, June ( <i>Chasmistes liorus</i> ) - Wherever found	E	\$99,492	\$1,058,385,321
384	Popolo ( <i>Cyanea solanacea</i> ) - Wherever found	E	\$98,741	\$1,058,484,062
385	No Common Name ( <i>Phyllostegia renovans</i> ) - Wherever found	E	\$98,412	\$1,058,582,474
386	Tiger Beetle, Puritan ( <i>Cicindela puritana</i> ) - Wherever found	T	\$98,225	\$1,058,680,699
387	Bat, Ozark Big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> ) - Wherever found	E	\$97,859	\$1,058,778,559
388	Mussel, Sheepnose ( <i>Plethobasus cyphus</i> ) - Wherever found	E	\$96,550	\$1,058,875,109
389	Ground-plum, Guthrie's (=pyne's) ( <i>Astragalus bibullatus</i> ) - Wherever found	E	\$96,285	\$1,058,971,394
390	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas River Basin (AR, KS, NM, OK, TX)	T	\$96,263	\$1,059,067,657
391	Snail, Guam Tree ( <i>Partula radiolata</i> ) - Wherever found	E	\$96,189	\$1,059,163,846
392	Pigtoe, Oval ( <i>Pleurobema pyriforme</i> ) - Wherever found	E	\$95,936	\$1,059,259,782
393	Duck, Laysan ( <i>Anas laysanensis</i> ) - Wherever found	E	\$95,700	\$1,059,355,482
394	Moth, Blackburn's Sphinx ( <i>Manduca blackburni</i> ) - Wherever found	E	\$95,197	\$1,059,450,679
395	Honeycreeper, (akohekohe) Crested ( <i>Palmeria dolei</i> ) - Wherever found	E	\$95,044	\$1,059,545,723
396	Clubshell ( <i>Pleurobema clava</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$94,851	\$1,059,640,574
397	No Common Name ( <i>Phyllostegia waimeae</i> ) - Wherever found	E	\$94,786	\$1,059,735,360
398	`oha Wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> ) - Wherever found	E	\$94,176	\$1,059,829,536

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
399	Shiner, Blue ( <i>Cyprinella caerulea</i> ) - Wherever found	T	\$93,679	\$1,059,923,215
400	Pearlymussel, Slabside ( <i>Pleuroanaia dolabelloides</i> ) - Wherever found	E	\$92,366	\$1,060,015,581
400	Warbler, Nightingale Reed (old World Warbler) ( <i>Acrocephalus luscini</i> a) - Wherever found	E	\$92,366	\$1,060,107,947
401	Deer, Columbian White-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	T	\$91,871	\$1,060,199,818
402	Butterfly, Florida Leafwing ( <i>Anaea troglodyta floridalis</i> ) - Wherever found	E	\$91,600	\$1,060,291,418
403	Fly, Hawaiian Picture-wing ( <i>Drosophila aglaia</i> ) - Wherever found	E	\$90,934	\$1,060,382,352
404	Bat, Virginia Big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> ) - Wherever found	E	\$90,842	\$1,060,473,194
405	Hawk, Puerto Rican Sharp-shinned ( <i>Accipiter striatus venator</i> ) - Wherever found	E	\$90,500	\$1,060,563,694
406	Bat, Pacific Sheath-tailed ( <i>Emballonura semicaudata rotensis</i> ) - Wherever found	E	\$88,431	\$1,060,652,125
407	Orchid, Eastern Prairie Fringed ( <i>Platanthera leucophaea</i> ) - Wherever found	T	\$87,384	\$1,060,739,509
408	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> ) - Wherever found	E	\$86,600	\$1,060,826,109
409	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> ) - Wherever found	E	\$86,228	\$1,060,912,337
410	Hellbender, Ozark ( <i>Cryptobranchus alleganiensis bishopi</i> ) - Wherever found	E	\$85,130	\$1,060,997,467
411	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> ) - Wherever found	T	\$85,108	\$1,061,082,575
412	Clubshell, Ovate ( <i>Pleurobema perovatum</i> ) - Wherever found	E	\$84,708	\$1,061,167,283
413	Mouse, Anastasia Island Beach ( <i>Peromyscus polionotus phasma</i> ) - Wherever found	E	\$83,786	\$1,061,251,069
414	Four-o'clock, Macfarlane's ( <i>Mirabilis macfarlanei</i> ) - Wherever found	T	\$83,664	\$1,061,334,733
415	Falcon, Northern Aplomado ( <i>Falco femoralis septentrionalis</i> ) - U.S.A (AZ, NM)	EXPN	\$83,600	\$1,061,418,333
416	Bear, Grizzly ( <i>Ursus arctos horribilis</i> ) - Bitterroot Grizzly Bear Nonessential Experimental Population Area	EXPN	\$82,500	\$1,061,500,833
417	Cactus, Fickeisen Plains ( <i>Pediocactus peeblesianus fickeiseniae</i> ) - Wherever found	E	\$81,700	\$1,061,582,533
418	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> ) - Wherever found	T	\$81,288	\$1,061,663,821
419	Mouse, Key Largo Cotton ( <i>Peromyscus gossypinus allapaticola</i> ) - Wherever found	E	\$80,606	\$1,061,744,427
420	Fanshell ( <i>Cyprogenia stegaria</i> ) - Wherever found	E	\$80,048	\$1,061,824,475
421	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> ) - Wherever found	E	\$80,045	\$1,061,904,520
422	Mucket, Orangenacre ( <i>Lampsilis perovalis</i> ) - Wherever found	T	\$79,894	\$1,061,984,414
423	Darter, Duskytail ( <i>Etheostoma percnurum</i> ) - Wherever found	E	\$79,653	\$1,062,064,067

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
424	Gerardia, Sandplain ( <i>Agalinis acuta</i> ) - Wherever found	E	\$79,100	\$1,062,143,167
425	Warbler (=wood), Golden-cheeked ( <i>Dendroica chrysoparia</i> ) - Wherever found	E	\$78,375	\$1,062,221,542
426	Skink, Slevin's ( <i>Emoia slevini</i> ) - Wherever found	E	\$78,166	\$1,062,299,708
427	Potato-bean, Prices ( <i>Apios priceana</i> ) - UNK	T	\$77,518	\$1,062,377,226
428	Gardenia (=na`u), Hawaiian ( <i>Gardenia brighamii</i> ) - Wherever found	E	\$77,122	\$1,062,454,348
429	Bladderpod, Short's ( <i>Physaria globosa</i> ) - Wherever found	E	\$76,985	\$1,062,531,333
430	Milkweed, Mead's ( <i>Asclepias meadii</i> ) - Wherever found	T	\$76,934	\$1,062,608,267
431	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> ) - Wherever found	E	\$76,600	\$1,062,684,867
432	Pupfish, Desert ( <i>Cyprinodon macularius</i> ) - Wherever found	E	\$76,320	\$1,062,761,187
433	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - California Coastal ESU	T	\$76,000	\$1,062,837,187
434	Stickseed, Showy ( <i>Hackelia venusta</i> ) - Wherever found	E	\$75,964	\$1,062,913,151
435	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> ) - Wherever found	E	\$75,700	\$1,062,988,851
436	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> ) - Wherever found	E	\$75,410	\$1,063,064,261
437	Shrew, Buena Vista Lake Ornate ( <i>Sorex ornatus relictus</i> ) - Wherever found	E	\$75,100	\$1,063,139,361
438	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> ) - Wherever found	T	\$74,414	\$1,063,213,775
439	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> ) - Wherever found	E	\$74,308	\$1,063,288,083
440	No Common Name ( <i>Tuberolabium guamense</i> ) - Wherever found	T	\$74,102	\$1,063,362,185
441	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins	T	\$73,597	\$1,063,435,782
442	Joint-vetch, Sensitive ( <i>Aeschynomene virginica</i> ) - Wherever found	T	\$73,350	\$1,063,509,132
443	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$73,038	\$1,063,582,170
444	Boa, Virgin Islands Tree ( <i>Chilabothrus granti</i> ) - Wherever found	E	\$73,000	\$1,063,655,170
445	Chub, Virgin River ( <i>Gila seminuda</i> (=robusta)) - Wherever found	E	\$72,877	\$1,063,728,047
446	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) - Chesapeake Bay DPS	E	\$72,500	\$1,063,800,547
447	Nohoanu ( <i>Geranium hanaense</i> ) - Wherever found	E	\$72,489	\$1,063,873,036
448	Darter, Snail ( <i>Percina tanasi</i> ) - Wherever found	T	\$72,248	\$1,063,945,284
449	Trout, Apache ( <i>Oncorhynchus apache</i> ) - Wherever found	T	\$72,200	\$1,064,017,484
450	Poolfish, Pahump ( <i>Empetrichthys latos</i> ) - Wherever found	E	\$72,000	\$1,064,089,484
451	Phacelia, Debeque ( <i>Phacelia submutica</i> ) - Wherever found	T	\$71,901	\$1,064,161,385
452	Darter, Cherokee ( <i>Etheostoma scotti</i> ) - Wherever found	T	\$71,688	\$1,064,233,073
453	No Common Name ( <i>Schiedea haleakalensis</i> ) - Wherever found	E	\$71,222	\$1,064,304,295
454	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> ) - Wherever found	T	\$70,922	\$1,064,375,217
455	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> ) - Wherever found	E	\$70,500	\$1,064,445,717

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
456	Bison, Wood ( <i>Bison bison athabasca</i> ) - Wherever found	T	\$70,100	\$1,064,515,817
457	Gumplant, Ash Meadows ( <i>Grindelia fraxinipratensis</i> ) - Wherever found	T	\$70,000	\$1,064,585,817
458	Penstemon, Blowout ( <i>Penstemon haydenii</i> ) - Wherever found	E	\$69,940	\$1,064,655,757
459	Megapode, Micronesian ( <i>Megapodius laperouse</i> ) - Wherever found	E	\$69,873	\$1,064,725,630
460	Layia, Beach ( <i>Layia carnosa</i> ) - Wherever found	E	\$68,500	\$1,064,794,130
461	Darter, Boulder ( <i>Etheostoma wapiti</i> ) - Wherever found	E	\$67,700	\$1,064,861,830
462	Spiraea, Virginia ( <i>Spiraea virginiana</i> ) - Wherever found	T	\$67,541	\$1,064,929,371
463	No Common Name ( <i>Phyllostegia brevidens</i> ) - Wherever found	E	\$66,550	\$1,064,995,921
464	Papala ( <i>Charpentiera densiflora</i> ) - Wherever found	E	\$66,174	\$1,065,062,095
465	Darter, Etowah ( <i>Etheostoma etowahae</i> ) - Wherever found	E	\$66,098	\$1,065,128,193
466	No Common Name ( <i>Sanicula sandwicensis</i> ) - Wherever found	E	\$66,036	\$1,065,194,229
467	Cactus, Kuenzler Hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> ) - Wherever found	T	\$65,505	\$1,065,259,734
468	Dropwort, Canby's ( <i>Oxypolis canbyi</i> ) - Wherever found	E	\$65,445	\$1,065,325,179
469	Centaury, Spring-loving ( <i>Centaureum namophilum</i> ) - Wherever found	T	\$65,000	\$1,065,390,179
469	Salamander, California Tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (CA - Sonoma County)	E	\$65,000	\$1,065,455,179
469	Wallflower, Menzies' ( <i>Erysimum menziesii</i> ) - Wherever found	E	\$65,000	\$1,065,520,179
470	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$64,999	\$1,065,585,177
471	Yellow-faced Bee, Hawaiian ( <i>Hylaeus longiceps</i> ) - Wherever found	E	\$63,855	\$1,065,649,032
472	Paudedo ( <i>Hedyotis megalantha</i> ) - Wherever found	E	\$63,252	\$1,065,712,284
473	Halomtano, Berenghenas ( <i>Solanum guamense</i> ) - Wherever found	E	\$63,234	\$1,065,775,518
474	No Common Name ( <i>Phyllostegia haliakalae</i> ) - Wherever found	E	\$62,888	\$1,065,838,406
475	No Common Name ( <i>Phyllostegia bracteata</i> ) - Wherever found	E	\$62,631	\$1,065,901,037
476	Kangaroo Rat, Giant ( <i>Dipodomys ingens</i> ) - Wherever found	E	\$62,576	\$1,065,963,613
477	Orchid, Western Prairie Fringed ( <i>Platanthera praeclara</i> ) - Wherever found	T	\$62,525	\$1,066,026,138
478	Snail, Chittenango Ovate Amber ( <i>Succinea chittenangoensis</i> ) - Wherever found	T	\$62,000	\$1,066,088,138
479	Tui Chub, Mohave ( <i>Gila bicolor</i> ssp. <i>mohavensis</i> ) - Wherever found	E	\$61,656	\$1,066,149,794
480	Ohai ( <i>Sesbania tomentosa</i> ) - Wherever found	E	\$60,872	\$1,066,210,666
481	No Common Name ( <i>Phyllanthus saffordii</i> ) - Wherever found	E	\$60,689	\$1,066,271,355
482	Heelsplitter, Inflated ( <i>Potamilus inflatus</i> ) - Wherever found	T	\$60,381	\$1,066,331,736
483	Elimia, Lacy (snail) ( <i>Elimia crenatella</i> ) - Wherever found	T	\$60,135	\$1,066,391,871
484	Isopod, Madison Cave ( <i>Antrolana lira</i> ) - Wherever found	T	\$60,000	\$1,066,451,871

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
485	Chaff-flower, Round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> ) - Wherever found	E	\$59,837	\$1,066,511,708
486	Prairie-clover, Leafy ( <i>Dalea foliosa</i> ) - Wherever found	E	\$59,642	\$1,066,571,350
487	Butterfly, Schaus Swallowtail ( <i>Heraclides aristodemus ponceanus</i> ) - Wherever found	E	\$59,383	\$1,066,630,733
488	Salamander, Jemez Mountains ( <i>Plethodon neomexicanus</i> ) - Wherever found	E	\$59,000	\$1,066,689,733
489	Pigtoe, Shiny ( <i>Fusconaia cor</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$58,952	\$1,066,748,685
490	Milkvetch, Osterhout ( <i>Astragalus osterhoutii</i> ) - Wherever found	E	\$58,950	\$1,066,807,635
491	No Common Name ( <i>Nervilia jacksoniae</i> ) - Wherever found	T	\$58,689	\$1,066,866,324
492	Darter, Kentucky Arrow ( <i>Etheostoma spilotum</i> ) - Wherever found	T	\$58,044	\$1,066,924,368
493	Darter, Amber ( <i>Percina antesella</i> ) - Wherever found	E	\$57,669	\$1,066,982,037
494	Rabbit, Lower Keys Marsh ( <i>Sylvilagus palustris hefneri</i> ) - Wherever found	E	\$57,291	\$1,067,039,328
495	Crayfish, Guyandotte River ( <i>Cambarus veteranus</i> ) - Wherever found	E	\$57,100	\$1,067,096,428
496	Cui-ui ( <i>Chasmistes cujus</i> ) - Wherever found	E	\$57,000	\$1,067,153,428
496	Iguana, Jamaican ( <i>Cyclura collei</i> ) - Wherever found	E	\$57,000	\$1,067,210,428
497	No Common Name ( <i>Dendrobium guamense</i> ) - Wherever found	T	\$56,965	\$1,067,267,393
498	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> ) - Wherever found	T	\$56,900	\$1,067,324,293
499	No Common Name ( <i>Schiedea diffusa</i> subsp. <i>diffusa</i> ) - Wherever found	E	\$56,668	\$1,067,380,961
500	Ischaemum, Hilo ( <i>Ischaemum byrone</i> ) - Wherever found	E	\$56,348	\$1,067,437,309
501	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> ) - Wherever found	E	\$56,000	\$1,067,493,309
502	Hornsnail, Rough ( <i>Pleurocera foremani</i> ) - Wherever found	E	\$55,563	\$1,067,548,872
503	Tern, Least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$55,500	\$1,067,604,372
504	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>ctenophylla</i> ) - Wherever found	E	\$54,939	\$1,067,659,311
505	Iagu, Hayun (=guam), Tronkon Guafi (rota)) ( <i>Serianthes nelsonii</i> ) - Wherever found	E	\$54,232	\$1,067,713,543
506	Mallow, Gierisch ( <i>Sphaeralcea gierischii</i> ) - Wherever found	E	\$54,229	\$1,067,767,772
507	Mouse, Perdido Key Beach ( <i>Peromyscus polionotus trissyllepsis</i> ) - Wherever found	E	\$54,200	\$1,067,821,972
508	Sneezeweed, Virginia ( <i>Helenium virginicum</i> ) - Wherever found	T	\$53,900	\$1,067,875,872
509	No Common Name ( <i>Microlepis strigosa</i> var. <i>mauiensis</i> ) - Wherever found	E	\$53,896	\$1,067,929,768
510	Toad, Yosemite ( <i>Anaxyrus canorus</i> ) - Wherever found	T	\$52,800	\$1,067,982,568
511	Bat, Mexican Long-nosed ( <i>Leptonycteris nivalis</i> ) - Wherever found	E	\$52,000	\$1,068,034,568

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
512	Catspaw, White (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> ) - Wherever found	E	\$51,550	\$1,068,086,118
513	Mussel, Scaleshell ( <i>Leptodea leptodon</i> ) - Wherever found	E	\$51,500	\$1,068,137,618
514	Shark, Scalloped Hammerhead ( <i>Sphyrna lewini</i> ) - Eastern Atlantic DPS	E	\$51,200	\$1,068,188,818
515	Turtle, Plymouth Redbelly ( <i>Pseudemys rubriventris bangsi</i> ) - Wherever found	E	\$51,000	\$1,068,239,818
516	Haiwale ( <i>Cyrtandra ferripilosa</i> ) - Wherever found	E	\$50,786	\$1,068,290,604
517	Millerbird, Nihoa (old World Warbler) ( <i>Acrocephalus familiaris kingi</i> ) - Wherever found	E	\$50,753	\$1,068,341,357
518	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$50,480	\$1,068,391,837
519	Haha ( <i>Cyanea asplenifolia</i> ) - Wherever found	E	\$50,181	\$1,068,442,018
519	Ko`oko`olau ( <i>Bidens campylotheca</i> ssp. <i>waihoiensis</i> ) - Wherever found	E	\$50,181	\$1,068,492,199
520	Monkey, Sichuan Snub-nosed ( <i>Rhinopithecus roxellana</i> ) - Wherever found	E	\$50,000	\$1,068,542,199
521	Fly, Hawaiian Picture-wing ( <i>Drosophila digressa</i> ) - Wherever found	E	\$49,973	\$1,068,592,172
522	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> ) - Wherever found	E	\$49,600	\$1,068,641,772
523	Lily, Western ( <i>Lilium occidentale</i> ) - Wherever found	E	\$49,500	\$1,068,691,272
523	No Common Name ( <i>Wikstroemia villosa</i> ) - Wherever found	E	\$49,500	\$1,068,740,772
524	Haha ( <i>Cyanea truncata</i> ) - Wherever found	E	\$49,412	\$1,068,790,184
525	Chub, Gila ( <i>Gila intermedia</i> ) - Wherever found	E	\$49,344	\$1,068,839,528
526	Cycladenia, Jones ( <i>Cycladenia humilis</i> var. <i>jonesii</i> ) - Wherever found	T	\$49,333	\$1,068,888,861
527	Shrimp, Anchialine Pool ( <i>Procaris hawaiana</i> ) - Wherever found	E	\$48,910	\$1,068,937,771
528	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Central South Pacific DPS	E	\$48,867	\$1,068,986,638
529	Pearlymussel, Cracking ( <i>Hemistena lata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$48,652	\$1,069,035,290
530	Dragonfly, Hine's Emerald ( <i>Somatochlora hineana</i> ) - Wherever found	E	\$48,625	\$1,069,083,915
531	Skullcap, Large-flowered ( <i>Scutellaria montana</i> ) - Wherever found	T	\$48,557	\$1,069,132,472
532	Mouse, Choctawhatchee Beach ( <i>Peromyscus polionotus allophrys</i> ) - Wherever found	E	\$48,316	\$1,069,180,788
533	`aiea ( <i>Nothocestrum latifolium</i> ) - Wherever found	E	\$48,306	\$1,069,229,094
534	Pigtoe, Finerayed ( <i>Fusconaia cuneolus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$48,000	\$1,069,277,094
535	Mouse, St. Andrew Beach ( <i>Peromyscus polionotus peninsularis</i> ) - Wherever found	E	\$47,999	\$1,069,325,093



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
536	Milkpea, Small's ( <i>Galactia smallii</i> ) - Wherever found	E	\$47,650	\$1,069,372,743
537	Uhi Uhi ( <i>Mezoneuron kavaiense</i> ) - Wherever found	E	\$47,602	\$1,069,420,345
538	No Common Name ( <i>Stenogyne kauaulaensis</i> ) - Wherever found	E	\$47,539	\$1,069,467,884
539	Nanu ( <i>Gardenia remyi</i> ) - Wherever found	E	\$47,529	\$1,069,515,413
540	Navarretia, Spreading ( <i>Navarretia fossalis</i> ) - Wherever found	T	\$47,500	\$1,069,562,913
541	Squirrel, Carolina Northern Flying ( <i>Glaucomys sabrinus coloratus</i> ) - Wherever found	E	\$47,178	\$1,069,610,091
542	Ko`oko`olau ( <i>Bidens campylothea</i> ssp. <i>pentamera</i> ) - Wherever found	E	\$47,139	\$1,069,657,230
543	Pearlymussel, Birdwing ( <i>Lemiox rimosus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$47,000	\$1,069,704,230
544	Pimpleback, Orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - Wherever found	E	\$46,986	\$1,069,751,216
545	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> ) - Wherever found	E	\$46,936	\$1,069,798,152
546	Bully, Everglades ( <i>Sideroxylon reclinatum</i> ssp. <i>austrofloridense</i> ) - Wherever found	T	\$46,700	\$1,069,844,852
547	`ohe ( <i>Joinvillea ascendens ascendens</i> ) - Wherever found	E	\$46,370	\$1,069,891,222
548	Skipper, Carson Wandering ( <i>Pseudocopaeodes eunus obscurus</i> ) - Wherever found	E	\$46,306	\$1,069,937,528
549	Shrimp, Anchialine Pool ( <i>Vetericaris chaceorum</i> ) - Wherever found	E	\$46,298	\$1,069,983,826
550	Kuahiwi Laukahi ( <i>Plantago princeps</i> ) - Wherever found	E	\$46,019	\$1,070,029,845
551	Geranium, Hawaiian Red-flowered ( <i>Geranium arboreum</i> ) - Wherever found	E	\$45,919	\$1,070,075,764
552	Pigtoe, Rough ( <i>Pleurobema plenum</i> ) - Wherever found	E	\$45,764	\$1,070,121,528
553	Ihi ( <i>Portulaca villosa</i> ) - Wherever found	E	\$45,707	\$1,070,167,235
554	No Common Name ( <i>Festuca molokaiensis</i> ) - Wherever found	E	\$45,513	\$1,070,212,748
555	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> ) - Wherever found	E	\$45,443	\$1,070,258,191
556	Blindcat, Mexican (catfish) ( <i>Prietella phreatophila</i> ) - Wherever found	E	\$45,000	\$1,070,303,191
556	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> ) - Wherever found	T	\$45,000	\$1,070,348,191
557	Cliffrose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> ) - Wherever found	E	\$44,900	\$1,070,393,091
558	Jaguarundi, Gulf Coast ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i> ) - Wherever found	E	\$44,420	\$1,070,437,511
559	Pocketbook, Ouachita Rock ( <i>Arkansia wheeleri</i> ) - Wherever found	E	\$44,400	\$1,070,481,911
559	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> ) - Wherever found	E	\$44,400	\$1,070,526,311
560	Riffleshell, Tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> )) - Wherever found	E	\$44,318	\$1,070,570,629

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
561	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> ) - Wherever found	E	\$44,187	\$1,070,614,816
562	No Common Name ( <i>Eugenia bryanii</i> ) - Wherever found	E	\$43,986	\$1,070,658,802
563	Pocketbook, Speckled ( <i>Lampsilis streckeri</i> ) - Wherever found	E	\$43,800	\$1,070,702,602
564	Crabgrass, Florida Pineland ( <i>Digitaria pauciflora</i> ) - Wherever found	T	\$43,700	\$1,070,746,302
565	Snake, San Francisco Garter ( <i>Thamnophis sirtalis tetrataenia</i> ) - Wherever found	E	\$43,400	\$1,070,789,702
566	Thoroughwort, Cape Sable ( <i>Chromolaena frustrata</i> ) - Wherever found	E	\$43,100	\$1,070,832,802
567	Frog, Mountain Yellow-legged ( <i>Rana muscosa</i> ) - Southern California DPS	E	\$43,000	\$1,070,875,802
568	Crane, Whooping ( <i>Grus americana</i> ) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$42,858	\$1,070,918,660
569	No Common Name ( <i>Phyllostegia stachyoides</i> ) - Wherever found	E	\$42,851	\$1,070,961,511
570	Birds-in-a-nest, White ( <i>Macbridea alba</i> ) - Wherever found	T	\$42,840	\$1,071,004,351
571	Sunflower, Whorled ( <i>Helianthus verticillatus</i> ) - UNK	E	\$42,818	\$1,071,047,169
572	Madtom, Yellowfin ( <i>Noturus flavipinnis</i> ) - U.S.A. (TN, VA-specified portions of the Holston River and watershed; see 17.84(e)(1)(i))	EXPN	\$41,600	\$1,071,088,769
573	No Common Name ( <i>Asplenium peruvianum</i> var. <i>insulare</i> ) - Wherever found	E	\$41,432	\$1,071,130,201
574	Orchid, White Fringeless ( <i>Platanthera integrilabia</i> ) - UNK	T	\$41,409	\$1,071,171,610
575	No Common Name ( <i>Nesogenes rotensis</i> ) - Wherever found	E	\$41,336	\$1,071,212,946
576	Darter, Goldline ( <i>Percina aurolineata</i> ) - Wherever found	T	\$41,125	\$1,071,254,071
577	Popolo ( <i>Solanum nelsonii</i> ) - Wherever found	E	\$40,834	\$1,071,294,905
578	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> ) - Wherever found	E	\$40,745	\$1,071,335,650
579	Bean, Rayed ( <i>Villosa fabalis</i> ) - Wherever found	E	\$40,671	\$1,071,376,321
580	Whipsnake (=striped Racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> ) - Wherever found	T	\$40,510	\$1,071,416,831
581	Reedgrass, Maui ( <i>Calamagrostis expansa</i> ) - Wherever found	E	\$40,486	\$1,071,457,317
582	Damselfly, Pacific Hawaiian ( <i>Megalagrion pacificum</i> ) - Wherever found	E	\$40,443	\$1,071,497,760
583	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> ) - Wherever found	T	\$40,000	\$1,071,537,760
584	Spurge, Telephus ( <i>Euphorbia telephioides</i> ) - Wherever found	T	\$39,500	\$1,071,577,260
585	Mucket, Neosho ( <i>Lampsilis rafinesqueana</i> ) - Wherever found	E	\$39,100	\$1,071,616,360
586	Hornshell, Texas ( <i>Popenaias popeii</i> ) - Wherever found	E	\$39,069	\$1,071,655,429
587	Bladderpod, Missouri ( <i>Physaria filiformis</i> ) - Wherever found	T	\$39,000	\$1,071,694,429
587	Squirrel, Mount Graham Red ( <i>Tamiasciurus hudsonicus grahamensis</i> ) - Wherever found	E	\$39,000	\$1,071,733,429
588	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> ) - Wherever found	E	\$38,894	\$1,071,772,323

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
589	Hawk, Puerto Rican Broad-winged ( <i>Buteo platypterus brunnescens</i> ) - Wherever found	E	\$38,500	\$1,071,810,823
590	Pigtoe, Narrow ( <i>Fusconaia escambia</i> ) - Wherever found	T	\$38,370	\$1,071,849,193
591	Rattleweed, Hairy ( <i>Baptisia arachnifera</i> ) - Wherever found	E	\$38,225	\$1,071,887,418
592	Haha ( <i>Cyanea kunthiana</i> ) - Wherever found	E	\$38,181	\$1,071,925,599
593	Harperella ( <i>Ptilimnium nodosum</i> ) - Wherever found	E	\$38,153	\$1,071,963,752
594	Akepa, Hawaii ( <i>Loxops coccineus</i> ) - Wherever found	E	\$38,034	\$1,072,001,786
595	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> ) - Wherever found	T	\$37,971	\$1,072,039,757
596	Ring Pink (mussel) ( <i>Obovaria retusa</i> ) - Wherever found	E	\$37,761	\$1,072,077,518
597	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> ) - Wherever found	E	\$37,554	\$1,072,115,072
598	Rockcress, Georgia ( <i>Arabis georgiana</i> ) - Wherever found	T	\$37,520	\$1,072,152,592
599	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> ) - Wherever found	E	\$37,488	\$1,072,190,080
600	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> ) - Wherever found	E	\$37,400	\$1,072,227,480
601	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> ) - Wherever found	E	\$37,315	\$1,072,264,795
602	Loosestrife, Rough-leaved ( <i>Lysimachia asperulaefolia</i> ) - Wherever found	E	\$37,185	\$1,072,301,980
603	Holei ( <i>Ochrosia haleakalae</i> ) - Wherever found	E	\$37,120	\$1,072,339,100
604	Elephant, African ( <i>Loxodonta africana</i> ) - Wherever found	T	\$37,000	\$1,072,376,100
605	Madtom, Yellowfin ( <i>Noturus flavipinnis</i> ) - Wherever found, except where listed as an experimental population	T	\$36,917	\$1,072,413,017
606	Butterfly, Mariana Eight-spot ( <i>Hypolimnas octocula marianensis</i> ) - Wherever found	E	\$36,511	\$1,072,449,528
607	Cactus, Siler Pincushion ( <i>Pediocactus (=Echinocactus,=Utahia) sileri</i> ) - Wherever found	T	\$36,378	\$1,072,485,906
608	Rice Rat, Silver ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$36,287	\$1,072,522,193
609	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> ) - Wherever found	E	\$36,283	\$1,072,558,476
610	Cactus, Winkler ( <i>Pediocactus winkleri</i> ) - Wherever found	T	\$36,139	\$1,072,594,615
611	Fairy Shrimp, Conservancy ( <i>Branchinecta conservatio</i> ) - Wherever found	E	\$35,898	\$1,072,630,513
612	Pearlymussel, Cracking ( <i>Hemistena lata</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$35,800	\$1,072,666,313
613	No Common Name ( <i>Maesa walkeri</i> ) - Wherever found	T	\$35,712	\$1,072,702,025
614	Ivesia, Webber's ( <i>Ivesia webberi</i> ) - Wherever found	T	\$35,627	\$1,072,737,652
615	Butterfly, Miami Blue ( <i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i> ) - Wherever found	E	\$35,300	\$1,072,772,952
616	Honohono ( <i>Haplostachys haplostachya</i> ) - Wherever found	E	\$35,265	\$1,072,808,217

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
617	Darter, Relict ( <i>Etheostoma chienense</i> ) - Wherever found	E	\$35,000	\$1,072,843,217
617	Pupfish, Owens ( <i>Cyprinodon radiosus</i> ) - Wherever found	E	\$35,000	\$1,072,878,217
617	Yellowhead, Desert ( <i>Yermo xanthocephalus</i> ) - Wherever found	T	\$35,000	\$1,072,913,217
618	Snail, Stock Island Tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> )) - Wherever found	T	\$34,241	\$1,072,947,458
619	Lichen, Rock Gnome ( <i>Gymnoderma lineare</i> ) - Wherever found	E	\$34,116	\$1,072,981,574
620	Coqui, Llanero ( <i>Eleutherodactylus juanariveroi</i> ) - Wherever found	E	\$34,051	\$1,073,015,625
621	Heartleaf, Dwarf-flowered ( <i>Hexastylis naniflora</i> ) - Wherever found	T	\$33,885	\$1,073,049,510
622	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> ) - Wherever found	E	\$33,662	\$1,073,083,172
623	'aku ( <i>Cyanea tritomantha</i> ) - Wherever found	E	\$33,266	\$1,073,116,438
624	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> ) - Wherever found	E	\$33,000	\$1,073,149,438
625	No Common Name ( <i>Tinospora homosepala</i> ) - Wherever found	E	\$32,959	\$1,073,182,397
626	Alani ( <i>Melicope ovalis</i> ) - Wherever found	E	\$32,908	\$1,073,215,305
627	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> ) - Wherever found	E	\$32,906	\$1,073,248,211
628	Rabbit, Riparian Brush ( <i>Sylvilagus bachmani riparius</i> ) - Wherever found	E	\$32,900	\$1,073,281,111
629	Pigtoe, Shiny ( <i>Fusconaia cor</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$32,630	\$1,073,313,741
630	Pigtoe, Finerayed ( <i>Fusconaia cuneolus</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$32,480	\$1,073,346,221
631	No Common Name ( <i>Cyanea kauaulaensis</i> ) - Wherever found	E	\$32,430	\$1,073,378,651
632	Skyrocket, Pagosa ( <i>Ipomopsis polyantha</i> ) - Wherever found	E	\$32,200	\$1,073,410,851
633	Wild Buckwheat, Clay-loving ( <i>Eriogonum pelinophilum</i> ) - Wherever found	E	\$32,100	\$1,073,442,951
634	Phacelia, Clay ( <i>Phacelia argillacea</i> ) - Wherever found	E	\$31,900	\$1,073,474,851
635	Moccasinshell, Suwannee ( <i>Medionidus walkeri</i> ) - Wherever found	T	\$31,824	\$1,073,506,675
636	Damselfly, Flying Earwig Hawaiian ( <i>Megalagrion nesiotis</i> ) - Wherever found	E	\$31,317	\$1,073,537,992
637	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> ) - Wherever found	T	\$31,200	\$1,073,569,192
638	Hoawa ( <i>Pittosporum halophilum</i> ) - Wherever found	E	\$30,926	\$1,073,600,118
639	Nui, Haha ( <i>Cyanea horrida</i> ) - Wherever found	E	\$30,910	\$1,073,631,028
640	Cavefish, Ozark ( <i>Amblyopsis rosae</i> ) - Wherever found	T	\$30,900	\$1,073,661,928
641	Spider, Spruce-fir Moss ( <i>Microhexura montivaga</i> ) - Wherever found	E	\$30,878	\$1,073,692,806
642	No Common Name ( <i>Bidens hillebrandiana</i> ssp. <i>hillebrandiana</i> ) - Wherever found	E	\$30,808	\$1,073,723,614
643	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> ) - Wherever found	T	\$30,600	\$1,073,754,214
644	Sturgeon, Shovelnose ( <i>Scaphirhynchus platyrhynchus</i> ) - Wherever found	SAT	\$30,600	\$1,073,784,814
645	No Common Name ( <i>Cyrtandra wagneri</i> ) - Wherever found	E	\$30,301	\$1,073,815,115

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
646	Pearlymussel, Dromedary ( <i>Dromus dromas</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$30,286	\$1,073,845,401
647	Rock Cress, Shale Barren ( <i>Arabis serotina</i> ) - Wherever found	E	\$30,200	\$1,073,875,601
648	Beardtongue, Penland ( <i>Penstemon penlandii</i> ) - Wherever found	E	\$30,100	\$1,073,905,701
649	Creeper, Hawaii ( <i>Oreomystis mana</i> ) - Wherever found	E	\$30,042	\$1,073,935,742
650	Haha ( <i>Cyanea munroi</i> ) - Wherever found	E	\$29,996	\$1,073,965,738
651	Skipperling, Poweshiek ( <i>Oarisma poweshiek</i> ) - Wherever found	E	\$29,822	\$1,073,995,560
652	Hoawa ( <i>Pittosporum hawaiiense</i> ) - Wherever found	E	\$29,789	\$1,074,025,349
653	Cactus, Arizona Hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> ) - Wherever found	E	\$29,700	\$1,074,055,049
654	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$29,460	\$1,074,084,509
655	Damselfly, Oceanic Hawaiian ( <i>Megalagrion oceanicum</i> ) - Wherever found	E	\$29,287	\$1,074,113,796
656	No Common Name ( <i>Stenogyne angustifolia</i> var. <i>angustifolia</i> ) - Wherever found	E	\$29,211	\$1,074,143,007
657	Toad, Wyoming ( <i>Bufo hemiophrys baxteri</i> ) - Wherever found	E	\$29,205	\$1,074,172,212
658	Sunburst, San Joaquin Adobe ( <i>Pseudobahia peirsonii</i> ) - Wherever found	T	\$28,778	\$1,074,200,990
659	Pennyroyal, Todsen's ( <i>Hedeoma todsenii</i> ) - Wherever found	E	\$28,500	\$1,074,229,490
660	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> ) - Wherever found	T	\$28,400	\$1,074,257,890
661	Snail, Langford's Tree ( <i>Partula langfordi</i> ) - Wherever found	E	\$27,620	\$1,074,285,510
662	[no Common Name] Snail ( <i>Eua zebrina</i> ) - Wherever found	E	\$27,538	\$1,074,313,048
663	Warbler, Kirtland's ( <i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i> )) - Wherever found	E	\$27,525	\$1,074,340,573
664	Lilliput, Pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> ) - Wherever found	E	\$27,336	\$1,074,367,909
665	Akiapolaau ( <i>Hemignathus wilsoni</i> ) - Wherever found	E	\$27,275	\$1,074,395,183
666	Haha ( <i>Cyanea maritae</i> ) - Wherever found	E	\$27,192	\$1,074,422,375
667	Wawae`iole ( <i>Huperzia mannii</i> ) - Wherever found	E	\$26,400	\$1,074,448,775
668	Pitcher-plant, Mountain Sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> ) - Wherever found	E	\$26,210	\$1,074,474,985
669	Darter, Yellowcheek ( <i>Etheostoma moorei</i> ) - Wherever found	E	\$26,200	\$1,074,501,185
669	Shiner, Topeka ( <i>Notropis topeka</i> (= <i>tristis</i> )) - U.S.A. (MO-specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.84(d)(1)(i))	EXPN	\$26,200	\$1,074,527,385
670	Arrowhead, Bunched ( <i>Sagittaria fasciculata</i> ) - Wherever found	E	\$26,100	\$1,074,553,485

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
671	Mussel, Oyster ( <i>Epioblasma capsaeformis</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$25,980	\$1,074,579,465
672	Turtle, Alabama Red-bellied ( <i>Pseudemys alabamensis</i> ) - Wherever found	E	\$25,761	\$1,074,605,226
673	`anunu ( <i>Sicyos albus</i> ) - Wherever found	E	\$25,563	\$1,074,630,789
674	Pearlymussel, Littlewing ( <i>Pegias fabula</i> ) - Wherever found	E	\$25,382	\$1,074,656,171
675	`awikiwiki ( <i>Canavalia pubescens</i> ) - Wherever found	E	\$25,332	\$1,074,681,503
676	`aiakeakua, Popolo ( <i>Solanum sandwicense</i> ) - Wherever found	E	\$25,237	\$1,074,706,740
677	Damselfly, Rota Blue ( <i>Ischnura luta</i> ) - Wherever found	E	\$25,131	\$1,074,731,871
678	Aplokating-palaoan ( <i>Psychotria malaspinae</i> ) - Wherever found	E	\$25,100	\$1,074,756,971
678	Madtom, Neosho ( <i>Noturus placidus</i> ) - Wherever found	T	\$25,100	\$1,074,782,071
679	Dace, Moapa ( <i>Moapa coriacea</i> ) - Wherever found	E	\$25,000	\$1,074,807,071
680	Sumac, Michaux's ( <i>Rhus michauxii</i> ) - Wherever found	E	\$24,850	\$1,074,831,921
681	No Common Name ( <i>Schiedea laui</i> ) - Wherever found	E	\$24,724	\$1,074,856,645
682	Logperch, Conasauga ( <i>Percina jenkinsi</i> ) - Wherever found	E	\$24,676	\$1,074,881,321
683	Kamapua`a ( <i>Kadua fluviatilis</i> ) - Wherever found	E	\$24,661	\$1,074,905,982
684	Ko`oko`olau ( <i>Bidens amplexans</i> ) - Wherever found	E	\$24,625	\$1,074,930,607
685	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> ) - Wherever found	E	\$24,300	\$1,074,954,907
686	No Common Name ( <i>Geocarpon minimum</i> ) - Wherever found	T	\$24,248	\$1,074,979,155
687	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> ) - Wherever found	T	\$24,200	\$1,075,003,355
688	Haha ( <i>Cyanea glabra</i> ) - Wherever found	E	\$24,095	\$1,075,027,450
689	Monkey-flower, Michigan ( <i>Mimulus michiganensis</i> ) - Wherever found	E	\$24,080	\$1,075,051,530
690	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> ) - Wherever found	T	\$24,079	\$1,075,075,609
691	Rock-cress, Braun's ( <i>Arabis perstellata</i> ) - Wherever found	E	\$24,066	\$1,075,099,675
692	[no Common Name] Snail ( <i>Ostodes strigatus</i> ) - Wherever found	E	\$24,048	\$1,075,123,723
693	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> ) - Wherever found	E	\$24,000	\$1,075,147,723
693	Snail, Noonday ( <i>Mesodon clarki nantahala</i> ) - Wherever found	T	\$24,000	\$1,075,171,723
694	`anunu ( <i>Sicyos macrophyllus</i> ) - Wherever found	E	\$23,675	\$1,075,195,398
695	Grass, Tennessee Yellow-eyed ( <i>Xyris tennesseensis</i> ) - Wherever found	E	\$23,585	\$1,075,218,983
696	Darter, Bluemask ( <i>Etheostoma akatulo</i> ) - Wherever found	E	\$23,576	\$1,075,242,559
697	Avens, Spreading ( <i>Geum radiatum</i> ) - Wherever found	E	\$23,278	\$1,075,265,837
698	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> ) - Wherever found	E	\$23,218	\$1,075,289,055
699	Crayfish, Nashville ( <i>Orconectes shoupi</i> ) - Wherever found	E	\$23,169	\$1,075,312,224
700	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> ) - Wherever found	E	\$23,100	\$1,075,335,324

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
701	Madtom, Smoky ( <i>Noturus baileyi</i> ) - Wherever found	E	\$23,017	\$1,075,358,341
702	Aster, Florida Golden ( <i>Chrysopsis floridana</i> ) - Wherever found	E	\$23,000	\$1,075,381,341
703	Lo`ulu ( <i>Pritchardia schattaueri</i> ) - Wherever found	E	\$22,957	\$1,075,404,298
704	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> ) - Wherever found	E	\$22,950	\$1,075,427,248
705	No Common Name ( <i>Wikstroemia skottsbergiana</i> ) - UNK	E	\$22,898	\$1,075,450,146
706	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> ) - Wherever found	E	\$22,700	\$1,075,472,846
707	No Common Name ( <i>Phyllostegia helleri</i> ) - UNK	E	\$22,641	\$1,075,495,487
708	`ena`ena ( <i>Pseudognaphalium sandwicensium</i> var. <i>molokaiense</i> ) - Wherever found	E	\$22,623	\$1,075,518,110
709	Meadowfoam, Large-flowered Woolly ( <i>Limnanthes pumila</i> ssp. <i>grandiflora</i> ) - Wherever found	E	\$22,500	\$1,075,540,610
710	No Common Name ( <i>Amaranthus brownii</i> ) - Wherever found	E	\$22,457	\$1,075,563,067
711	Haha ( <i>Cyanea shipmanii</i> ) - Wherever found	E	\$22,407	\$1,075,585,474
712	Ha`iwale ( <i>Cyrtandra filipes</i> ) - Wherever found	E	\$22,399	\$1,075,607,873
713	Bean, Sea ( <i>Mucuna sloanei</i> var. <i>persericea</i> ) - Wherever found	E	\$22,368	\$1,075,630,241
714	Grouper, Nassau ( <i>Epinephelus striatus</i> ) - UNK	T	\$22,300	\$1,075,652,541
715	Ha`iwale ( <i>Cyrtandra hematos</i> ) - Wherever found	E	\$22,290	\$1,075,674,831
716	No Common Name ( <i>Tetramolopium arenarium</i> ) - Wherever found	E	\$22,146	\$1,075,696,977
717	Fly, Hawaiian Picture-wing ( <i>Drosophila differens</i> ) - Wherever found	E	\$22,073	\$1,075,719,050
718	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> ) - Wherever found	E	\$22,000	\$1,075,741,050
719	Rosemary, Cumberland ( <i>Conradina verticillata</i> ) - Wherever found	T	\$21,728	\$1,075,762,778
720	Buckwheat, Steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> ) - Wherever found	E	\$21,446	\$1,075,784,224
721	Chub, Slender ( <i>Erimystax cahni</i> ) - Wherever found	T	\$21,309	\$1,075,805,533
722	Deer, Yarkand ( <i>Cervus elaphus yarkandensis</i> ) - Wherever found	E	\$21,214	\$1,075,826,747
723	No Common Name ( <i>Lepidium orbiculare</i> ) - Wherever found	E	\$21,175	\$1,075,847,922
724	Kupukupu Makalii ( <i>Cyclosorus boydiae</i> ) - Wherever found	E	\$21,109	\$1,075,869,031
725	No Common Name ( <i>Schiedea salicaria</i> ) - Wherever found	E	\$21,076	\$1,075,890,107
726	Fly, Hawaiian Picture-wing ( <i>Drosophila hemipeza</i> ) - Wherever found	E	\$21,059	\$1,075,911,166
727	Rail, Light-footed Clapper ( <i>Rallus longirostris levipes</i> ) - Wherever found	E	\$21,000	\$1,075,932,166
727	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - East Pacific DPS	T	\$21,000	\$1,075,953,166
728	Nohoanu ( <i>Geranium multiflorum</i> ) - Wherever found	E	\$20,908	\$1,075,974,074
729	No Common Name ( <i>Schiedea jacobii</i> ) - Wherever found	E	\$20,900	\$1,075,994,974
730	No Common Name ( <i>Labordia lorenciana</i> ) - Wherever found	E	\$20,668	\$1,076,015,642

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
730	No Common Name ( <i>Platydesma remyi</i> ) - Wherever found	E	\$20,668	\$1,076,036,310
731	Darter, Maryland ( <i>Etheostoma sellare</i> ) - Wherever found	E	\$20,600	\$1,076,056,910
731	Impala, Black-faced ( <i>Aepyceros melampus petersi</i> ) - Wherever found	E	\$20,600	\$1,076,077,510
731	Thelypody, Howell's Spectacular ( <i>Thelypodium howellii</i> ssp. <i>spectabilis</i> ) - Wherever found	T	\$20,600	\$1,076,098,110
732	Bat, Pacific Sheath-tailed ( <i>Emballonura semicaudata semicaudata</i> ) - American Samoa	E	\$20,510	\$1,076,118,620
733	Fairy Shrimp, Riverside ( <i>Streptocephalus woottoni</i> ) - Wherever found	E	\$20,500	\$1,076,139,120
733	Fairy Shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> ) - Wherever found	E	\$20,500	\$1,076,159,620
734	Kula Wahine Noho ( <i>Isodendrion pyriformium</i> ) - Wherever found	E	\$20,462	\$1,076,180,082
735	No Common Name ( <i>Schiedea nuttallii</i> ) - Wherever found	E	\$20,457	\$1,076,200,539
736	Snail, Newcomb's ( <i>Erinna newcombi</i> ) - Wherever found	T	\$20,452	\$1,076,220,991
737	Makou ( <i>Ranunculus hawaiiensis</i> ) - Wherever found	E	\$20,410	\$1,076,241,401
737	No Common Name ( <i>Kadua haupuensis</i> ) - Wherever found	E	\$20,410	\$1,076,261,811
738	Leather Flower, Morefields ( <i>Clematis morefieldii</i> ) - UNK	E	\$20,325	\$1,076,282,136
739	Naupaka, Dwarf ( <i>Scaevola coriacea</i> ) - Wherever found	E	\$20,305	\$1,076,302,441
740	'oha Wai ( <i>Clermontia peleana</i> ) - Wherever found	E	\$20,258	\$1,076,322,699
741	'oha Wai ( <i>Clermontia lindseyana</i> ) - Wherever found	E	\$20,251	\$1,076,342,950
742	Rattlesnake, New Mexican Ridge-nosed ( <i>Crotalus willardi obscurus</i> ) - Wherever found	T	\$20,190	\$1,076,363,140
743	Heau ( <i>Exocarpos menziesii</i> ) - UNK	E	\$20,156	\$1,076,383,296
744	Elepaio, Oahu ( <i>Chasiempis ibidis</i> ) - Wherever found	E	\$20,138	\$1,076,403,434
745	Waterdog, Black Warrior (=sipsey Fork) ( <i>Necturus alabamensis</i> ) - Wherever found	E	\$20,066	\$1,076,423,500
746	Spider, Kauai Cave Wolf Or Pe'e Pe'e Maka 'ole ( <i>Adelocosa anops</i> ) - Wherever found	E	\$20,015	\$1,076,443,515
747	Aster, Decurrent False ( <i>Boltonia decurrens</i> ) - Wherever found	T	\$20,000	\$1,076,463,515
747	Cactus, Nichol's Turk's Head ( <i>Echinocactus horizontalonius</i> var. <i>nicholii</i> ) - Wherever found	E	\$20,000	\$1,076,483,515
747	Lizard, St. Croix Ground ( <i>Ameiva polops</i> ) - Wherever found	E	\$20,000	\$1,076,503,515
748	Hohiu ( <i>Dryopteris glabra</i> var. <i>pusilla</i> ) - Wherever found	E	\$19,995	\$1,076,523,510
749	No Common Name ( <i>Schiedea viscosa</i> ) - Wherever found	E	\$19,922	\$1,076,543,432
750	Darter, Cumberland ( <i>Etheostoma susanae</i> ) - Wherever found	E	\$19,674	\$1,076,563,106
751	Mallow, Peter's Mountain ( <i>Iliamna corei</i> ) - Wherever found	E	\$19,600	\$1,076,582,706



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
752	Purple Cat's Paw (=purple Cat's Paw Pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$19,576	\$1,076,602,282
753	Goldfields, Burke's ( <i>Lasthenia burkei</i> ) - Wherever found	E	\$19,200	\$1,076,621,482
753	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> ) - Wherever found	E	\$19,200	\$1,076,640,682
754	No Common Name ( <i>Santalum involutum</i> ) - Wherever found	E	\$19,149	\$1,076,659,831
755	Silversword, Mauna Loa (=ka'u) ( <i>Argyroxiphium kauense</i> ) - Wherever found	E	\$19,146	\$1,076,678,977
756	Sedge, Navajo ( <i>Carex specuicola</i> ) - Wherever found	T	\$19,132	\$1,076,698,110
757	Spurge, Garber's ( <i>Chamaesyce garberi</i> ) - Wherever found	T	\$19,100	\$1,076,717,210
758	Ma`o Hau Hele, (=native Yellow Hibiscus) ( <i>Hibiscus brackenridgei</i> ) - Wherever found	E	\$19,059	\$1,076,736,269
759	Koki`o Ke`oke`o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> ) - Wherever found	E	\$19,020	\$1,076,755,289
760	Wahane ( <i>Pritchardia aylmer-robinsonii</i> ) - Wherever found	E	\$18,908	\$1,076,774,197
761	`ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> ) - Wherever found	E	\$18,907	\$1,076,793,104
761	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> ) - Wherever found	E	\$18,907	\$1,076,812,011
761	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> ) - Wherever found	E	\$18,907	\$1,076,830,918
762	Beauty, Harper's ( <i>Harperocallis flava</i> ) - Wherever found	E	\$18,800	\$1,076,849,718
763	Fatmucket, Arkansas ( <i>Lampsilis powellii</i> ) - Wherever found	T	\$18,700	\$1,076,868,418
764	Mehamehame ( <i>Flueggea neowawraea</i> ) - Wherever found	E	\$18,632	\$1,076,887,050
765	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> ) - Wherever found	T	\$18,627	\$1,076,905,677
766	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> ) - Wherever found	E	\$18,626	\$1,076,924,303
767	Haha ( <i>Cyanea mauiensis</i> ) - Wherever found	E	\$18,606	\$1,076,942,909
768	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> ) - Wherever found	E	\$18,600	\$1,076,961,509
769	Manioc, Walker's ( <i>Manihot walkerae</i> ) - Wherever found	E	\$18,421	\$1,076,979,930
770	Beetle, Coffin Cave Mold ( <i>Batrisesodes texanus</i> ) - Wherever found	E	\$18,300	\$1,076,998,230
770	Beetle, Kretschmarr Cave Mold ( <i>Texamaurops reddelli</i> ) - Wherever found	E	\$18,300	\$1,077,016,530
771	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> ) - Wherever found	T	\$18,280	\$1,077,034,810
772	Damselfly, Blackline Hawaiian ( <i>Megalagrion nigrohamatum nigrolineatum</i> ) - Wherever found	E	\$18,133	\$1,077,052,943
773	`ala `ala Wai Nui ( <i>Peperomia subpetiolata</i> ) - Wherever found	E	\$18,075	\$1,077,071,018
774	Fern, Florida Bristle ( <i>Trichomanes punctatum</i> ssp. <i>floridanum</i> ) - Wherever found	E	\$18,000	\$1,077,089,018
774	Tortoise, Gopher ( <i>Gopherus polyphemus</i> ) - Wherever found	UR	\$18,000	\$1,077,107,018
775	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> ) - Wherever found	E	\$17,900	\$1,077,124,918
776	No Common Name ( <i>Phyllostegia pilosa</i> ) - Wherever found	E	\$17,818	\$1,077,142,736

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
777	Butterweed, Layne's ( <i>Senecio layneae</i> ) - Wherever found	T	\$17,750	\$1,077,160,486
778	Glade Cress, Kentucky ( <i>Leavenworthia exigua laciniata</i> ) - Wherever found	T	\$17,684	\$1,077,178,170
779	Po`ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> ) - Wherever found	E	\$17,652	\$1,077,195,822
780	No Common Name ( <i>Neraudia ovata</i> ) - Wherever found	E	\$17,649	\$1,077,213,471
781	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> ) - Wherever found	E	\$17,600	\$1,077,231,071
781	Pearlymussel, Birdwing ( <i>Lemiox rimosus</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$17,600	\$1,077,248,671
782	Bird's Beak, Palmate-bracted ( <i>Cordylanthus palmatus</i> ) - Wherever found	E	\$17,587	\$1,077,266,258
783	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - South Pacific Ocean DPS	E	\$17,530	\$1,077,283,788
784	Butterfly Plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> ) - Wherever found	T	\$17,425	\$1,077,301,213
785	Tiger Beetle, Miami ( <i>Cicindelidia floridana</i> ) - Wherever found	E	\$17,300	\$1,077,318,513
786	Pigtoe, Georgia ( <i>Pleurobema hanleyianum</i> ) - Wherever found	E	\$17,289	\$1,077,335,802
787	No Common Name ( <i>Cyperus neokunthianus</i> ) - Wherever found	E	\$17,220	\$1,077,353,022
788	Lehua Makanoe ( <i>Lysimachia daphnoides</i> ) - Wherever found	E	\$17,132	\$1,077,370,154
789	No Common Name ( <i>Schiedea diffusa</i> ssp. <i>macraei</i> ) - Wherever found	E	\$17,112	\$1,077,387,266
790	Ko`oko`olau ( <i>Bidens conjuncta</i> ) - Wherever found	E	\$16,919	\$1,077,404,185
791	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> ) - Wherever found	E	\$16,900	\$1,077,421,085
792	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> ) - Wherever found	E	\$16,800	\$1,077,437,885
793	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> ) - Wherever found	E	\$16,600	\$1,077,454,485
793	Shrimp, Alabama Cave ( <i>Palaemonias alabamae</i> ) - Wherever found	E	\$16,600	\$1,077,471,085
794	Pocketbook, Shinyrayed ( <i>Lampsilis subangulata</i> ) - Wherever found	E	\$16,575	\$1,077,487,660
795	Ladies-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> ) - Wherever found	E	\$16,500	\$1,077,504,160
795	Mussel, Oyster ( <i>Epioblasma capsaeformis</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$16,500	\$1,077,520,660
796	Pocketbook, Finelined ( <i>Lampsilis altilis</i> ) - Wherever found	T	\$16,399	\$1,077,537,059
797	Kangaroo Rat, Fresno ( <i>Dipodomys nitratoideis exilis</i> ) - Wherever found	E	\$16,298	\$1,077,553,357
798	Haha ( <i>Cyanea marksii</i> ) - Wherever found	E	\$16,271	\$1,077,569,628
799	Po`e ( <i>Portulaca sclerocarpa</i> ) - Wherever found	E	\$16,200	\$1,077,585,828
800	Haha ( <i>Cyanea stictophylla</i> ) - Wherever found	E	\$16,157	\$1,077,601,985
801	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$16,100	\$1,077,618,085

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
801	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$16,100	\$1,077,634,185
802	No Common Name ( <i>Hesperomannia arborescens</i> ) - Wherever found	E	\$16,012	\$1,077,650,197
803	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> ) - Wherever found	E	\$16,000	\$1,077,666,197
803	Shrimp, Kentucky Cave ( <i>Palaemonias ganteri</i> ) - Wherever found	E	\$16,000	\$1,077,682,197
804	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> ) - Wherever found	E	\$15,900	\$1,077,698,097
805	Pitcher-plant, Green ( <i>Sarracenia oreophila</i> ) - Wherever found	E	\$15,793	\$1,077,713,890
806	Lo`ulu ( <i>Pritchardia maideniana</i> ) - Wherever found	E	\$15,707	\$1,077,729,597
807	Akialoa, Kauai (honeycreeper) ( <i>Akialoa stejnegeri</i> ) - Wherever found	E	\$15,624	\$1,077,745,221
808	No Common Name ( <i>Bonamia menziesii</i> ) - Wherever found	E	\$15,603	\$1,077,760,824
809	No Common Name ( <i>Asplenium diellaciniatum</i> ) - Wherever found	E	\$15,598	\$1,077,776,422
810	Amphipod, Kauai Cave ( <i>Spelaeorchestia koloana</i> ) - Wherever found	E	\$15,452	\$1,077,791,874
811	Bird's-beak, Soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> ) - Wherever found	E	\$15,200	\$1,077,807,074
812	Paintbrush, Soft-leaved ( <i>Castilleja mollis</i> ) - Wherever found	E	\$15,162	\$1,077,822,236
813	Kidneyshell, Triangular ( <i>Ptychobranthus greenii</i> ) - Wherever found	E	\$15,082	\$1,077,837,318
814	Hala Pepe ( <i>Pleomele hawaiiensis</i> ) - Wherever found	E	\$15,051	\$1,077,852,369
815	Polygala, Lewton's ( <i>Polygala lewtonii</i> ) - Wherever found	E	\$15,043	\$1,077,867,412
816	Chub, Owens Tui ( <i>Gila bicolor</i> ssp. <i>snyderi</i> ) - Wherever found	E	\$15,000	\$1,077,882,412
816	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$15,000	\$1,077,897,412
816	Planigale, Southern ( <i>Planigale tenuirostris</i> ) - Wherever found	E	\$15,000	\$1,077,912,412
816	Wolf, Gray ( <i>Canis lupus</i> ) - U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and	E	\$15,000	\$1,077,927,412
817	No Common Name ( <i>Asplenium dielmannii</i> ) - Wherever found	E	\$14,989	\$1,077,942,401
817	No Common Name ( <i>Schiedea kauaiensis</i> ) - Wherever found	E	\$14,989	\$1,077,957,390
818	Bean, Choctaw ( <i>Villosa choctawensis</i> ) - Wherever found	E	\$14,958	\$1,077,972,348
819	Whale, Gray ( <i>Eschrichtius robustus</i> ) - Western North Pacific DPS	E	\$14,903	\$1,077,987,251
820	Kidneyshell, Southern ( <i>Ptychobranthus jonesi</i> ) - Wherever found	E	\$14,897	\$1,078,002,148
821	Haha ( <i>Cyanea obtusa</i> ) - Wherever found	E	\$14,888	\$1,078,017,036
821	Haha ( <i>Cyanea profuga</i> ) - Wherever found	E	\$14,888	\$1,078,031,924
822	Butterfly, Oregon Silverspot ( <i>Speyeria zerene hippolyta</i> ) - UNK	EXPN	\$14,849	\$1,078,046,773
823	Ko`oloa`ula ( <i>Abutilon menziesii</i> ) - Wherever found	E	\$14,832	\$1,078,061,605

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
824	Cactus, San Rafael ( <i>Pediocactus despainii</i> ) - Wherever found	E	\$14,762	\$1,078,076,367
825	Creeper, Oahu ( <i>Paroreomyza maculata</i> ) - Wherever found	E	\$14,723	\$1,078,091,090
826	Blossom, Tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$14,666	\$1,078,105,756
827	Bear, Brown ( <i>Ursus arctos pruinosus</i> ) - Wherever found	E	\$14,663	\$1,078,120,419
828	Nukupuu, Kauai ( <i>Hemignathus hanapepe</i> ) - Wherever found	E	\$14,623	\$1,078,135,042
828	Nukupuu, Maui ( <i>Hemignathus affinis</i> ) - Wherever found	E	\$14,623	\$1,078,149,665
829	Thrush, Large Kauai (=kamao) ( <i>Myadestes myadestinus</i> ) - Wherever found	E	\$14,610	\$1,078,164,275
830	No Common Name ( <i>Delissea rhytidosperma</i> ) - Wherever found	E	\$14,602	\$1,078,178,877
831	Rush-rose, Island ( <i>Helianthemum greenei</i> ) - Wherever found	T	\$14,588	\$1,078,193,465
832	Chub, Spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(m)(1)(i))	EXPN	\$14,527	\$1,078,207,992
833	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> ) - Wherever found	E	\$14,500	\$1,078,222,492
833	Salamander, Sonora Tiger ( <i>Ambystoma tigrinum stebbinsi</i> ) - Wherever found	E	\$14,500	\$1,078,236,992
834	No Common Name ( <i>Silene lanceolata</i> ) - Wherever found	E	\$14,491	\$1,078,251,483
835	Pigtoe, Fuzzy ( <i>Pleurobema strodeanum</i> ) - Wherever found	T	\$14,458	\$1,078,265,941
836	Bean, Purple ( <i>Villosa perpurpurea</i> ) - Wherever found	E	\$14,438	\$1,078,280,379
836	Haha ( <i>Cyanea duvalliorum</i> ) - Wherever found	E	\$14,438	\$1,078,294,817
837	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> ) - Wherever found	E	\$14,400	\$1,078,309,217
838	Haha ( <i>Cyanea superba</i> ) - Wherever found	E	\$14,391	\$1,078,323,608
839	Ebonyshell, Round ( <i>Fusconaia rotulata</i> ) - Wherever found	E	\$14,304	\$1,078,337,912
840	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> ) - Wherever found	T	\$14,300	\$1,078,352,212
840	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> ) - Wherever found	T	\$14,300	\$1,078,366,512
841	Alani ( <i>Melicope paniculata</i> ) - Wherever found	E	\$14,299	\$1,078,380,811
841	Ho`awa ( <i>Pittosporum napaliense</i> ) - Wherever found	E	\$14,299	\$1,078,395,110
841	Lo`ulu ( <i>Pritchardia napaliensis</i> ) - Wherever found	E	\$14,299	\$1,078,409,409
842	Beetle, Comal Springs Dryopid ( <i>Stygoparnus comalensis</i> ) - Wherever found	E	\$14,242	\$1,078,423,651
843	Butterfly, Mariana Wandering ( <i>Vagrans egistina</i> ) - Wherever found	E	\$14,231	\$1,078,437,882
844	Sunburst, Hartweg's Golden ( <i>Pseudobahia bahiifolia</i> ) - Wherever found	E	\$14,173	\$1,078,452,055
845	Kolea ( <i>Myrsine vaccinioides</i> ) - Wherever found	E	\$14,087	\$1,078,466,142
845	Nohoanu ( <i>Geranium hillebrandii</i> ) - Wherever found	E	\$14,087	\$1,078,480,229
846	Picture-wing Fly, Hawaiian ( <i>Drosophila montgomeryi</i> ) - Wherever found	E	\$14,081	\$1,078,494,310
847	Lo`ulu ( <i>Pritchardia remota</i> ) - Wherever found	E	\$13,978	\$1,078,508,288

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
848	Hau Kuahiwi ( <i>Hibiscadelphus giffardianus</i> ) - Wherever found	E	\$13,900	\$1,078,522,188
849	Kuahiwi Laukahi ( <i>Plantago hawaiiensis</i> ) - Wherever found	E	\$13,896	\$1,078,536,084
850	Ha`iwale ( <i>Cyrtandra oxybapha</i> ) - Wherever found	E	\$13,877	\$1,078,549,961
851	Shrimp, California Freshwater ( <i>Syncaris pacifica</i> ) - Wherever found	E	\$13,800	\$1,078,563,761
852	Sandshell, Southern ( <i>Hamiota australis</i> ) - Wherever found	T	\$13,762	\$1,078,577,523
853	Fly, Hawaiian Picture-wing ( <i>Drosophila musaphilia</i> ) - Wherever found	E	\$13,736	\$1,078,591,259
854	Ha`iwale ( <i>Cyrtandra giffardii</i> ) - Wherever found	E	\$13,711	\$1,078,604,970
855	Turtle, Sonoyta Mud ( <i>Kinosternon sonoriense longifemorale</i> ) - Wherever found	E	\$13,663	\$1,078,618,633
856	Kamakahala ( <i>Labordia pumila</i> ) - Wherever found	E	\$13,658	\$1,078,632,291
857	Alani ( <i>Melicope zahlbruckneri</i> ) - Wherever found	E	\$13,657	\$1,078,645,948
858	No Common Name ( <i>Phyllostegia glabra</i> var. <i>lanaiensis</i> ) - Wherever found	E	\$13,637	\$1,078,659,585
859	Creeper, Molokai ( <i>Paroreomyza flammea</i> ) - Wherever found	E	\$13,619	\$1,078,673,204
860	`o`u (honeycreeper) ( <i>Psittirostra psittacea</i> ) - Wherever found	E	\$13,609	\$1,078,686,813
860	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> ) - Wherever found	E	\$13,609	\$1,078,700,422
861	`o`o, Kauai (honeyeater) ( <i>Moho braccatus</i> ) - Wherever found	E	\$13,596	\$1,078,714,018
862	`oha Wai ( <i>Clermontia drepanomorpha</i> ) - Wherever found	E	\$13,568	\$1,078,727,586
863	Seal, Bearded ( <i>Erignathus barbatus nauticus</i> ) - Beringia DPS	T	\$13,546	\$1,078,741,132
864	Leopard, Clouded ( <i>Neofelis nebulosa</i> ) - Wherever found	E	\$13,500	\$1,078,754,632
865	Pu`uka`a ( <i>Cyperus trachysanthos</i> ) - Wherever found	E	\$13,414	\$1,078,768,046
866	Orcutt Grass, Slender ( <i>Orcuttia tenuis</i> ) - Wherever found	T	\$13,400	\$1,078,781,446
867	Mustard, Penland Alpine Fen ( <i>Eutrema penlandii</i> ) - Wherever found	T	\$13,200	\$1,078,794,646
868	No Common Name ( <i>Diplazium molokaiense</i> ) - Wherever found	E	\$13,164	\$1,078,807,810
869	Koki`o ( <i>Kokia drynarioides</i> ) - Wherever found	E	\$13,157	\$1,078,820,967
870	`aku`aku ( <i>Cyanea platyphylla</i> ) - Wherever found	E	\$13,063	\$1,078,834,030
871	Popolo Ku Mai ( <i>Solanum incompletum</i> ) - Wherever found	E	\$13,008	\$1,078,847,038
872	Kio`ele ( <i>Kadua coriacea</i> ) - Wherever found	E	\$13,007	\$1,078,860,045
873	Dawn-flower, Texas Prairie ( <i>Hymenoxys texana</i> ) - Wherever found	E	\$13,000	\$1,078,873,045
873	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> ) - Wherever found	E	\$13,000	\$1,078,886,045
873	Palo De Rosa ( <i>Ottoschulzia rhodoxylon</i> ) - Wherever found	E	\$13,000	\$1,078,899,045
873	Stickleback, Unarmored Threespine ( <i>Gasterosteus aculeatus williamsoni</i> ) - Wherever found	E	\$13,000	\$1,078,912,045
873	Woodpecker, Ivory-billed ( <i>Campephilus principalis</i> ) - Wherever found	E	\$13,000	\$1,078,925,045

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
874	Blazingstar, Heller's ( <i>Liatris helleri</i> ) - Wherever found	T	\$12,950	\$1,078,937,995
875	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> ) - Wherever found	E	\$12,895	\$1,078,950,890
876	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> ) - Wherever found	E	\$12,876	\$1,078,963,766
877	No Common Name ( <i>Phyllostegia mannii</i> ) - Wherever found	E	\$12,849	\$1,078,976,615
878	Phlox, Texas Trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> ) - Wherever found	E	\$12,837	\$1,078,989,452
879	Hau Kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> ) - Wherever found	E	\$12,805	\$1,079,002,257
880	No Common Name ( <i>Gouania vitifolia</i> ) - Wherever found	E	\$12,757	\$1,079,015,014
880	No Common Name ( <i>Hesperomannia arbuscula</i> ) - Wherever found	E	\$12,757	\$1,079,027,771
881	Heau ( <i>Exocarpos luteolus</i> ) - Wherever found	E	\$12,704	\$1,079,040,475
882	Ha`iwale ( <i>Cyrtandra tintinnabula</i> ) - Wherever found	E	\$12,703	\$1,079,053,178
883	Kiponapona ( <i>Phyllostegia racemosa</i> ) - Wherever found	E	\$12,657	\$1,079,065,835
883	No Common Name ( <i>Delissea undulata</i> ) - Wherever found	E	\$12,657	\$1,079,078,492
883	No Common Name ( <i>Phyllostegia warshaueri</i> ) - Wherever found	E	\$12,657	\$1,079,091,149
883	No Common Name ( <i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> ) - Wherever found	E	\$12,657	\$1,079,103,806
883	Vetch, Hawaiian ( <i>Vicia menziesii</i> ) - Wherever found	E	\$12,657	\$1,079,116,463
884	No Common Name ( <i>Polyscias racemosa</i> ) - Wherever found	E	\$12,542	\$1,079,129,005
885	No Common Name ( <i>Stenogyne kaalae</i> ssp. <i>sherffii</i> ) - Wherever found	E	\$12,500	\$1,079,141,505
885	Ragwort, San Francisco Peaks ( <i>Packera franciscana</i> ) - Wherever found	T	\$12,500	\$1,079,154,005
886	Fly, Hawaiian Picture-wing ( <i>Drosophila heteroneura</i> ) - Wherever found	E	\$12,455	\$1,079,166,460
886	Fly, Hawaiian Picture-wing ( <i>Drosophila mulli</i> ) - Wherever found	T	\$12,455	\$1,079,178,915
887	Alani ( <i>Melicope balloui</i> ) - Wherever found	E	\$12,443	\$1,079,191,358
888	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> ) - Wherever found	E	\$12,400	\$1,079,203,758
888	Kohe Malama Malama O Kanaloa ( <i>Kanaloa kahoolawensis</i> ) - Wherever found	E	\$12,400	\$1,079,216,158
888	No Common Name ( <i>Vigna o-wahuensis</i> ) - Wherever found	E	\$12,400	\$1,079,228,558
889	Turtle, Flattened Musk ( <i>Sternotherus depressus</i> ) - Black Warrior R. system upstream from Bankhead Dam	T	\$12,316	\$1,079,240,874
890	Trillium, Relict ( <i>Trillium reliquum</i> ) - Wherever found	E	\$12,305	\$1,079,253,179
891	Liliwai ( <i>Acaena exigua</i> ) - Wherever found	E	\$12,251	\$1,079,265,430
892	Rocksnaill, Interrupted (=georgia) ( <i>Leptoxis foremani</i> ) - Wherever found	E	\$12,188	\$1,079,277,618
893	Lo`ulu ( <i>Pritchardia lanigera</i> ) - Wherever found	E	\$12,177	\$1,079,289,795
894	Aupaka ( <i>Isodendron hosakae</i> ) - Wherever found	E	\$12,153	\$1,079,301,948
894	No Common Name ( <i>Lipochaeta venosa</i> ) - Wherever found	E	\$12,153	\$1,079,314,101
895	Yellow-faced Bee, Hilaris ( <i>Hylaeus hilaris</i> ) - Wherever found	E	\$12,152	\$1,079,326,253

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
896	Haha ( <i>Cyanea magnicalyx</i> ) - Wherever found	E	\$12,150	\$1,079,338,403
896	Ma`oli`oli ( <i>Schiedea pubescens</i> ) - Wherever found	E	\$12,150	\$1,079,350,553
897	Kauila ( <i>Colubrina oppositifolia</i> ) - Wherever found	E	\$12,142	\$1,079,362,695
898	Orcutt Grass, San Joaquin ( <i>Orcuttia inaequalis</i> ) - Wherever found	T	\$12,137	\$1,079,374,832
899	Haha ( <i>Cyanea mceldowneyi</i> ) - Wherever found	E	\$12,095	\$1,079,386,927
900	Opuhe ( <i>Urera kaalae</i> ) - Wherever found	E	\$12,094	\$1,079,399,021
901	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$12,000	\$1,079,411,021
901	Crayfish, Benton County Cave ( <i>Cambarus aculabrum</i> ) - Wherever found	E	\$12,000	\$1,079,423,021
901	Iguana, Fiji Crested ( <i>Brachylophus vitiensis</i> ) - Wherever found	E	\$12,000	\$1,079,435,021
901	Pauoa ( <i>Ctenitis squamigera</i> ) - Wherever found	E	\$12,000	\$1,079,447,021
902	Olua ( <i>Hypolepis hawaiiensis</i> var. <i>mauiensis</i> ) - Wherever found	E	\$11,984	\$1,079,459,005
903	Pigtoe, Tapered ( <i>Fusconaia burkei</i> ) - Wherever found	T	\$11,957	\$1,079,470,962
904	Alani ( <i>Melicope puberula</i> ) - Wherever found	E	\$11,950	\$1,079,482,912
905	Lau`ehu ( <i>Panicum niihauense</i> ) - Wherever found	E	\$11,947	\$1,079,494,859
905	No Common Name ( <i>Kadua st.-johnii</i> ) - Wherever found	E	\$11,947	\$1,079,506,806
905	No Common Name ( <i>Phyllostegia mollis</i> ) - Wherever found	E	\$11,947	\$1,079,518,753
906	No Common Name ( <i>Phyllostegia velutina</i> ) - Wherever found	E	\$11,903	\$1,079,530,656
907	Goldenrod, Short's ( <i>Solidago shortii</i> ) - Wherever found	E	\$11,900	\$1,079,542,556
908	Marstonia, Royal (snail) ( <i>Pyrgulopsis ogmorhapse</i> ) - Wherever found	E	\$11,876	\$1,079,554,432
909	Ihi`ihi ( <i>Marsilea villosa</i> ) - Wherever found	E	\$11,790	\$1,079,566,222
910	Kulu`i ( <i>Nototrichium humile</i> ) - Wherever found	E	\$11,746	\$1,079,577,968
911	Fly, Hawaiian Picture-wing ( <i>Drosophila sharpi</i> ) - Wherever found	E	\$11,708	\$1,079,589,676
912	Alani ( <i>Melicope quadrangularis</i> ) - Wherever found	E	\$11,690	\$1,079,601,366
913	No Common Name ( <i>Lobelia oahuensis</i> ) - Wherever found	E	\$11,687	\$1,079,613,053
914	No Common Name ( <i>Cyperus fauriei</i> ) - Wherever found	E	\$11,646	\$1,079,624,699
914	No Common Name ( <i>Silene hawaiiensis</i> ) - Wherever found	T	\$11,646	\$1,079,636,345
915	Hau Kuahiwi ( <i>Hibiscadelphus woodii</i> ) - Wherever found	E	\$11,619	\$1,079,647,964
916	Purple Cat's Paw (=purple Cat's Paw Pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$11,610	\$1,079,659,574
917	Mint, Lakela's ( <i>Dicerandra immaculata</i> ) - Wherever found	E	\$11,500	\$1,079,671,074

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
918	Sandalwood, Lanai (= `iliahi) ( <i>Santalum haleakalae</i> var. <i>lanaiense</i> ) - Wherever found	E	\$11,497	\$1,079,682,571
919	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> ) - Wherever found	T	\$11,477	\$1,079,694,047
920	No Common Name ( <i>Schiedea verticillata</i> ) - Wherever found	E	\$11,443	\$1,079,705,490
921	Butterfly, Uncompahgre Fritillary ( <i>Boloria acrocne</i> ) - Wherever found	E	\$11,400	\$1,079,716,890
922	`aiea ( <i>Nothocestrum peltatum</i> ) - Wherever found	E	\$11,339	\$1,079,728,229
923	White-eye, Rota Bridled ( <i>Zosterops rotensis</i> ) - Wherever found	E	\$11,315	\$1,079,739,544
924	No Common Name ( <i>Achyranthes mutica</i> ) - Wherever found	E	\$11,240	\$1,079,750,784
924	Skullcap, Florida ( <i>Scutellaria floridana</i> ) - Wherever found	T	\$11,240	\$1,079,762,024
925	Darter, Bayou ( <i>Etheostoma rubrum</i> ) - Wherever found	T	\$11,200	\$1,079,773,224
926	Shiner, Sharpnose ( <i>Notropis oxyrhynchus</i> ) - Wherever found	E	\$11,165	\$1,079,784,389
926	Shiner, Smalleye ( <i>Notropis buccula</i> ) - Wherever found	E	\$11,165	\$1,079,795,554
927	Reedgrass, Hillebrand's ( <i>Calamagrostis hillebrandii</i> ) - Wherever found	E	\$11,139	\$1,079,806,693
928	Beardtongue, Parachute ( <i>Penstemon debilis</i> ) - Wherever found	T	\$11,051	\$1,079,817,744
929	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> ) - Wherever found	T	\$11,040	\$1,079,828,784
930	Aumakua, Palapalai ( <i>Dryopteris crinalis</i> var. <i>podosorus</i> ) - Wherever found	E	\$11,024	\$1,079,839,808
931	Fringe-tree, Pygmy ( <i>Chionanthus pygmaeus</i> ) - Wherever found	E	\$11,000	\$1,079,850,808
931	No Common Name ( <i>Lepanthes eltoroensis</i> ) - Wherever found	E	\$11,000	\$1,079,861,808
932	Phacelia, Island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> ) - Wherever found	E	\$10,945	\$1,079,872,753
933	Tern, Roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$10,918	\$1,079,883,671
934	Pinkroot, Gentian ( <i>Spigelia gentianoides</i> ) - Wherever found	E	\$10,876	\$1,079,894,547
935	White-eye, Bridled ( <i>Zosterops conspicillatus conspicillatus</i> ) - Wherever found	E	\$10,808	\$1,079,905,355
936	Pigtoe, Southern ( <i>Pleurobema georgianum</i> ) - Wherever found	E	\$10,781	\$1,079,916,136
937	Makou ( <i>Peucedanum sandwicense</i> ) - Wherever found	T	\$10,762	\$1,079,926,898
938	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> ) - Wherever found	E	\$10,669	\$1,079,937,567
939	Rabbitsfoot, Rough ( <i>Quadrula cylindrica strigillata</i> ) - Wherever found	E	\$10,632	\$1,079,948,199
940	Mahoe ( <i>Alectryon macrococcus</i> ) - Wherever found	E	\$10,563	\$1,079,958,762
941	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> ) - Wherever found	E	\$10,528	\$1,079,969,290
941	No Common Name ( <i>Huperzia stemmermanniae</i> ) - Wherever found	E	\$10,528	\$1,079,979,818
941	No Common Name ( <i>Sicyos lanceoloideus</i> ) - Wherever found	E	\$10,528	\$1,079,990,346
942	Pigeon Wings ( <i>Clitoria fragrans</i> ) - Wherever found	T	\$10,500	\$1,080,000,846
943	Lo`ulu ( <i>Pritchardia viscosa</i> ) - Wherever found	E	\$10,426	\$1,080,011,272
944	Pua `ala ( <i>Brighamia rockii</i> ) - Wherever found	E	\$10,419	\$1,080,021,691



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
945	Bat, Little Mariana Fruit ( <i>Pteropus tokudae</i> ) - Wherever found	E	\$10,382	\$1,080,032,073
946	Haha ( <i>Cyanea st.-johnii</i> ) - Wherever found	E	\$10,322	\$1,080,042,395
947	Milk-vetch, Triple-ribbed ( <i>Astragalus tricarinatus</i> ) - Wherever found	E	\$10,302	\$1,080,052,697
948	Butterfly, San Bruno Elfin ( <i>Callophrys mossii bayensis</i> ) - Wherever found	E	\$10,300	\$1,080,062,997
948	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> ) - Wherever found	E	\$10,300	\$1,080,073,297
948	Tiger Beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> ) - Wherever found	E	\$10,300	\$1,080,083,597
949	Kolea ( <i>Myrsine fosbergii</i> ) - Wherever found	E	\$10,270	\$1,080,093,867
949	Ma`oli`oli ( <i>Schiedea hawaiiensis</i> ) - Wherever found	E	\$10,270	\$1,080,104,137
949	No Common Name ( <i>Deparia kaalaana</i> ) - Wherever found	E	\$10,270	\$1,080,114,407
950	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> ) - Wherever found	E	\$10,252	\$1,080,124,659
951	No Common Name ( <i>Ternstroemia subsessilis</i> ) - Wherever found	E	\$10,250	\$1,080,134,909
952	Bladderpod, Kodachrome ( <i>Lesquerella tumulosa</i> ) - Wherever found	E	\$10,246	\$1,080,145,155
953	Minnow, Devils River ( <i>Dionda diaboli</i> ) - Wherever found	T	\$10,235	\$1,080,155,390
954	Kamakahala ( <i>Labordia cyrtandrae</i> ) - Wherever found	E	\$10,222	\$1,080,165,612
954	No Common Name ( <i>Phyllostegia hispida</i> ) - Wherever found	E	\$10,222	\$1,080,175,834
954	Olulu ( <i>Brighamia insignis</i> ) - Wherever found	E	\$10,222	\$1,080,186,056
955	Kaulu ( <i>Pteralyxia macrocarpa</i> ) - Wherever found	E	\$10,208	\$1,080,196,264
956	Blossom, Green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> ) - Wherever found	E	\$10,200	\$1,080,206,464
957	No Common Name ( <i>Cyrtandra nanawaleensis</i> ) - Wherever found	E	\$10,179	\$1,080,216,643
958	Haha ( <i>Cyanea lobata</i> ) - Wherever found	E	\$10,129	\$1,080,226,772
958	No Common Name ( <i>Platanthera holochila</i> ) - Wherever found	E	\$10,129	\$1,080,236,901
959	Yellow-faced Bee, Assimulans ( <i>Hylaeus assimulans</i> ) - Wherever found	E	\$10,124	\$1,080,247,025
960	Picture-wing Fly, Hawaiian ( <i>Drosophila neoclavisetae</i> ) - Wherever found	E	\$10,123	\$1,080,257,148
961	Aupaka ( <i>Isodendron laurifolium</i> ) - Wherever found	E	\$10,065	\$1,080,267,213
961	No Common Name ( <i>Stenogyne kanehoana</i> ) - Wherever found	E	\$10,065	\$1,080,277,278
962	No Common Name ( <i>Lysimachia maxima</i> ) - Wherever found	E	\$10,060	\$1,080,287,338
963	Dace, Laurel ( <i>Chrosomus saylori</i> ) - Wherever found	E	\$10,032	\$1,080,297,370
964	No Common Name ( <i>Stenogyne cranwelliae</i> ) - Wherever found	E	\$10,021	\$1,080,307,391
965	`akoko ( <i>Euphorbia deppeana</i> ) - Wherever found	E	\$10,019	\$1,080,317,410
965	Alani ( <i>Melicope lydgatei</i> ) - Wherever found	E	\$10,019	\$1,080,327,429
965	Diellia, Asplenium-leaved ( <i>Asplenium dielirectum</i> ) - Wherever found	E	\$10,019	\$1,080,337,448
965	Ha`iwale ( <i>Cyrtandra kaulantha</i> ) - Wherever found	E	\$10,019	\$1,080,347,467

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
965	Ha`iwale ( <i>Cyrtandra polyantha</i> ) - Wherever found	E	\$10,019	\$1,080,357,486
965	Ha`iwale ( <i>Cyrtandra viridiflora</i> ) - Wherever found	E	\$10,019	\$1,080,367,505
965	Haha ( <i>Cyanea crispa</i> ) - Wherever found	E	\$10,019	\$1,080,377,524
965	Haha ( <i>Cyanea purpurellifolia</i> ) - Wherever found	E	\$10,019	\$1,080,387,543
965	No Common Name ( <i>Neraudia angulata</i> ) - Wherever found	E	\$10,019	\$1,080,397,562
965	No Common Name ( <i>Phyllostegia hirsuta</i> ) - Wherever found	E	\$10,019	\$1,080,407,581
965	No Common Name ( <i>Pteris lidgatei</i> ) - Wherever found	E	\$10,019	\$1,080,417,600
965	No Common Name ( <i>Schiedea kaalae</i> ) - Wherever found	E	\$10,019	\$1,080,427,619
965	No Common Name ( <i>Schiedea obovata</i> ) - Wherever found	E	\$10,019	\$1,080,437,638
965	No Common Name ( <i>Silene alexandri</i> ) - Wherever found	E	\$10,019	\$1,080,447,657
965	Oha ( <i>Delissea subcordata</i> ) - Wherever found	E	\$10,019	\$1,080,457,676
965	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> ) - Wherever found	E	\$10,019	\$1,080,467,695
965	Wawae`iole ( <i>Huperzia nutans</i> ) - Wherever found	E	\$10,019	\$1,080,477,714
966	Na`ena`e ( <i>Dubautia pauciflorula</i> ) - Wherever found	E	\$10,010	\$1,080,487,724
966	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> ) - Wherever found	E	\$10,010	\$1,080,497,734
966	Naenae ( <i>Dubautia kalalauensis</i> ) - Wherever found	E	\$10,010	\$1,080,507,744
966	Naenae ( <i>Dubautia kenwoodii</i> ) - Wherever found	E	\$10,010	\$1,080,517,754
966	Bear, Brown ( <i>Ursus arctos arctos</i> ) - Italy	E	\$10,000	\$1,080,527,754
966	Bird's-beak, Salt Marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> ) - Wherever found	E	\$10,000	\$1,080,537,754
966	Hypericum, Highlands Scrub ( <i>Hypericum cumulicola</i> ) - Wherever found	E	\$10,000	\$1,080,547,754
966	Leopard, Snow ( <i>Uncia (=Panthera) uncia</i> ) - Wherever found	E	\$10,000	\$1,080,557,754
966	Madtom, Yellowfin ( <i>Noturus flavipinnis</i> ) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(e)(1)(ii))	EXPN	\$10,000	\$1,080,567,754
966	Mustard, Carter's ( <i>Warea carteri</i> ) - Wherever found	E	\$10,000	\$1,080,577,754
966	Sandlace ( <i>Polygonella myriophylla</i> ) - Wherever found	E	\$10,000	\$1,080,587,754
966	Snakeroot ( <i>Eryngium cuneifolium</i> ) - Wherever found	E	\$10,000	\$1,080,597,754
966	Whitlow-wort, Papery ( <i>Paronychia chartacea</i> ) - Wherever found	T	\$10,000	\$1,080,607,754
966	Wireweed ( <i>Polygonella basiramia</i> ) - Wherever found	E	\$10,000	\$1,080,617,754
967	No Common Name ( <i>Stenogyne bifida</i> ) - Wherever found	E	\$9,965	\$1,080,627,719
968	`akoko ( <i>Euphorbia remyi</i> var. <i>kauaiensis</i> ) - Wherever found	E	\$9,922	\$1,080,637,641
968	Laulihilihi ( <i>Schiedea stellarioides</i> ) - Wherever found	E	\$9,922	\$1,080,647,563
969	`akoko ( <i>Euphorbia herbstii</i> ) - Wherever found	E	\$9,919	\$1,080,657,482
969	Alani ( <i>Melicope adscendens</i> ) - Wherever found	E	\$9,919	\$1,080,667,401

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
969	Alani ( <i>Melicope degeneri</i> ) - Wherever found	E	\$9,919	\$1,080,677,320
969	Alani ( <i>Melicope haupuensis</i> ) - Wherever found	E	\$9,919	\$1,080,687,239
969	Alani ( <i>Melicope hiiakae</i> ) - Wherever found	E	\$9,919	\$1,080,697,158
969	Alani ( <i>Melicope knudsenii</i> ) - Wherever found	E	\$9,919	\$1,080,707,077
969	Alani ( <i>Melicope mucronulata</i> ) - Wherever found	E	\$9,919	\$1,080,716,996
969	Fern, Pendant Kihī ( <i>Adenophorus periens</i> ) - Wherever found	E	\$9,919	\$1,080,726,915
969	Haha ( <i>Cyanea dolichopoda</i> ) - Wherever found	E	\$9,919	\$1,080,736,834
969	Haha ( <i>Cyanea dunbariae</i> ) - Wherever found	E	\$9,919	\$1,080,746,753
969	Haha ( <i>Cyanea gibsonii</i> ) - Wherever found	E	\$9,919	\$1,080,756,672
969	Haha ( <i>Cyanea kuhihewa</i> ) - Wherever found	E	\$9,919	\$1,080,766,591
969	Haha ( <i>Cyanea procera</i> ) - Wherever found	E	\$9,919	\$1,080,776,510
969	Haha ( <i>Cyanea remyi</i> ) - Wherever found	E	\$9,919	\$1,080,786,429
969	Haha ( <i>Cyanea rivularis</i> ) - Wherever found	E	\$9,919	\$1,080,796,348
969	Haha ( <i>Cyanea undulata</i> ) - Wherever found	E	\$9,919	\$1,080,806,267
969	Haiwale ( <i>Cyrtandra gracilis</i> ) - Wherever found	E	\$9,919	\$1,080,816,186
969	Haiwale ( <i>Cyrtandra paliku</i> ) - Wherever found	E	\$9,919	\$1,080,826,105
969	Haiwale ( <i>Cyrtandra waiolani</i> ) - Wherever found	E	\$9,919	\$1,080,836,024
969	Kamakahala ( <i>Labordia lydgatei</i> ) - Wherever found	E	\$9,919	\$1,080,845,943
969	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> ) - Wherever found	E	\$9,919	\$1,080,855,862
969	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> ) - Wherever found	E	\$9,919	\$1,080,865,781
969	Kamakahala ( <i>Labordia triflora</i> ) - Wherever found	E	\$9,919	\$1,080,875,700
969	Kauai Hau Kuahiwi ( <i>Hibiscadelphus distans</i> ) - Wherever found	E	\$9,919	\$1,080,885,619
969	Koki`o ( <i>Kokia kauaiensis</i> ) - Wherever found	E	\$9,919	\$1,080,895,538
969	Kolea ( <i>Myrsine knudsenii</i> ) - Wherever found	E	\$9,919	\$1,080,905,457
969	Kolea ( <i>Myrsine mezii</i> ) - Wherever found	E	\$9,919	\$1,080,915,376
969	Kopiko ( <i>Psychotria grandiflora</i> ) - Wherever found	E	\$9,919	\$1,080,925,295
969	Kopiko ( <i>Psychotria hexandra</i> ssp. <i>oahuensis</i> ) - Wherever found	E	\$9,919	\$1,080,935,214
969	Lo`ulu ( <i>Pritchardia munroi</i> ) - Wherever found	E	\$9,919	\$1,080,945,133
969	Loulu, Baker's ( <i>Pritchardia bakeri</i> ) - Wherever found	E	\$9,919	\$1,080,955,052
969	Love Grass, Fosberg's ( <i>Eragrostis fosbergii</i> ) - Wherever found	E	\$9,919	\$1,080,964,971
969	Nani Wai`ale`ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> ) - Wherever found	E	\$9,919	\$1,080,974,890
969	No Common Name ( <i>Abutilon eremitopetalum</i> ) - Wherever found	E	\$9,919	\$1,080,984,809
969	No Common Name ( <i>Asplenium dielpallidum</i> ) - Wherever found	E	\$9,919	\$1,080,994,728

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
969	No Common Name ( <i>Hesperomannia lydgatei</i> ) - Wherever found	E	\$9,919	\$1,081,004,647
969	No Common Name ( <i>Kadua degeneri</i> ) - Wherever found	E	\$9,919	\$1,081,014,566
969	No Common Name ( <i>Lobelia monostachya</i> ) - Wherever found	E	\$9,919	\$1,081,024,485
969	No Common Name ( <i>Neraudia sericea</i> ) - Wherever found	E	\$9,919	\$1,081,034,404
969	No Common Name ( <i>Phyllostegia knudsenii</i> ) - Wherever found	E	\$9,919	\$1,081,044,323
969	No Common Name ( <i>Phyllostegia parviflora</i> ) - Wherever found	E	\$9,919	\$1,081,054,242
969	No Common Name ( <i>Phyllostegia wawrana</i> ) - Wherever found	E	\$9,919	\$1,081,064,161
969	No Common Name ( <i>Platydesma cornuta</i> var. <i>cornuta</i> ) - Wherever found	E	\$9,919	\$1,081,074,080
969	No Common Name ( <i>Polyscias flynnii</i> ) - Wherever found	E	\$9,919	\$1,081,083,999
969	No Common Name ( <i>Polyscias lydgatei</i> ) - Wherever found	E	\$9,919	\$1,081,093,918
969	No Common Name ( <i>Schiedea attenuata</i> ) - Wherever found	E	\$9,919	\$1,081,103,837
969	No Common Name ( <i>Schiedea membranacea</i> ) - Wherever found	E	\$9,919	\$1,081,113,756
969	No Common Name ( <i>Stenogyne kealiae</i> ) - Wherever found	E	\$9,919	\$1,081,123,675
969	No Common Name ( <i>Tetramolopium remyi</i> ) - Wherever found	E	\$9,919	\$1,081,133,594
969	No Common Name ( <i>Viola helenae</i> ) - Wherever found	E	\$9,919	\$1,081,143,513
969	No Common Name ( <i>Xylosma crenatum</i> ) - Wherever found	E	\$9,919	\$1,081,153,432
969	Pamakani ( <i>Tetramolopium capillare</i> ) - Wherever found	E	\$9,919	\$1,081,163,351
969	Pilo ( <i>Kadua laxiflora</i> ) - Wherever found	E	\$9,919	\$1,081,173,270
970	Ha`iwale ( <i>Cyrtandra munroi</i> ) - Wherever found	E	\$9,872	\$1,081,183,142
971	`akoko ( <i>Euphorbia celastroides</i> var. <i>kaenana</i> ) - Wherever found	E	\$9,818	\$1,081,192,960
972	No Common Name ( <i>Sanicula purpurea</i> ) - Wherever found	E	\$9,762	\$1,081,202,722
973	No Common Name ( <i>Lysimachia iniki</i> ) - Wherever found	E	\$9,757	\$1,081,212,479
973	No Common Name ( <i>Lysimachia lydgatei</i> ) - Wherever found	E	\$9,757	\$1,081,222,236
973	No Common Name ( <i>Lysimachia pendens</i> ) - Wherever found	E	\$9,757	\$1,081,231,993
973	No Common Name ( <i>Lysimachia scopulensis</i> ) - Wherever found	E	\$9,757	\$1,081,241,750
973	No Common Name ( <i>Lysimachia venosa</i> ) - Wherever found	E	\$9,757	\$1,081,251,507
974	Koholapehu ( <i>Dubautia latifolia</i> ) - Wherever found	E	\$9,753	\$1,081,261,260
974	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>magnifolia</i> ) - Wherever found	E	\$9,753	\$1,081,271,013
975	`awikiwiki ( <i>Canavalia molokaiensis</i> ) - Wherever found	E	\$9,665	\$1,081,280,678
976	`akoko ( <i>Euphorbia eleanoriae</i> ) - Wherever found	E	\$9,662	\$1,081,290,340
976	A`e ( <i>Zanthoxylum hawaiiense</i> ) - Wherever found	E	\$9,662	\$1,081,300,002
976	"akoko ( <i>Euphorbia halemanui</i> ) - Wherever found	E	\$9,662	\$1,081,309,664
976	Alani ( <i>Melicope pallida</i> ) - Wherever found	E	\$9,662	\$1,081,319,326

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
976	'awiwi ( <i>Kadua cookiana</i> ) - Wherever found	E	\$9,662	\$1,081,328,988
976	Ha'iwale ( <i>Cyrtandra sessilis</i> ) - Wherever found	E	\$9,662	\$1,081,338,650
976	Haha ( <i>Cyanea asarifolia</i> ) - Wherever found	E	\$9,662	\$1,081,348,312
976	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> ) - Wherever found	E	\$9,662	\$1,081,357,974
976	Haha ( <i>Cyanea longiflora</i> ) - Wherever found	E	\$9,662	\$1,081,367,636
976	Haha ( <i>Cyanea pinnatifida</i> ) - Wherever found	E	\$9,662	\$1,081,377,298
976	Haha ( <i>Cyanea recta</i> ) - Wherever found	T	\$9,662	\$1,081,386,960
976	Kamakahala ( <i>Labordia helleri</i> ) - Wherever found	E	\$9,662	\$1,081,396,622
976	Ko'oko'olau ( <i>Bidens wiebkei</i> ) - Wherever found	E	\$9,662	\$1,081,406,284
976	Koki'o Ke'oke'o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> ) - Wherever found	E	\$9,662	\$1,081,415,946
976	Koki'o, Cooke's ( <i>Kokia cookei</i> ) - Wherever found	E	\$9,662	\$1,081,425,608
976	Kopa ( <i>Kadua cordata</i> <i>remyi</i> ) - Wherever found	E	\$9,662	\$1,081,435,270
976	Kopiko ( <i>Psychotria hobdyi</i> ) - Wherever found	E	\$9,662	\$1,081,444,932
976	Kuawawaenohu ( <i>Schiedea lychnoides</i> ) - Wherever found	E	\$9,662	\$1,081,454,594
976	Lo'ulu ( <i>Pritchardia hardyi</i> ) - Wherever found	E	\$9,662	\$1,081,464,256
976	Ma'oli'oli ( <i>Schiedea apokremnos</i> ) - Wherever found	E	\$9,662	\$1,081,473,918
976	Nanu ( <i>Gardenia mannii</i> ) - Wherever found	E	\$9,662	\$1,081,483,580
976	Nehe ( <i>Lipochaeta fauriei</i> ) - Wherever found	E	\$9,662	\$1,081,493,242
976	Nehe ( <i>Lipochaeta micrantha</i> ) - Wherever found	E	\$9,662	\$1,081,502,904
976	Nehe ( <i>Lipochaeta waimeaensis</i> ) - Wherever found	E	\$9,662	\$1,081,512,566
976	No Common Name ( <i>Cyperus pennatiformis</i> ) - Wherever found	E	\$9,662	\$1,081,522,228
976	No Common Name ( <i>Phyllostegia kaalaensis</i> ) - Wherever found	E	\$9,662	\$1,081,531,890
976	No Common Name ( <i>Remya kauaiensis</i> ) - Wherever found	E	\$9,662	\$1,081,541,552
976	No Common Name ( <i>Remya montgomeryi</i> ) - Wherever found	E	\$9,662	\$1,081,551,214
976	No Common Name ( <i>Silene perlmannii</i> ) - Wherever found	E	\$9,662	\$1,081,560,876
976	No Common Name ( <i>Spermolepis hawaiiensis</i> ) - Wherever found	E	\$9,662	\$1,081,570,538
976	No Common Name ( <i>Stenogyne campanulata</i> ) - Wherever found	E	\$9,662	\$1,081,580,200
976	No Common Name ( <i>Trematolobelia singularis</i> ) - Wherever found	E	\$9,662	\$1,081,589,862
976	Nohoanu ( <i>Geranium kauaiense</i> ) - Wherever found	E	\$9,662	\$1,081,599,524
976	Pilo Kea Lau Li'i ( <i>Platydesma rostrata</i> ) - Wherever found	E	\$9,662	\$1,081,609,186
976	Remya, Maui ( <i>Remya mauiensis</i> ) - Wherever found	E	\$9,662	\$1,081,618,848
977	Orcutt Grass, Sacramento ( <i>Orcuttia viscida</i> ) - Wherever found	E	\$9,631	\$1,081,628,479
978	No Common Name ( <i>Lysimachia filifolia</i> ) - Wherever found	E	\$9,600	\$1,081,638,079

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
979	No Common Name ( <i>Festuca hawaiiensis</i> ) - Wherever found	E	\$9,516	\$1,081,647,595
980	Haha ( <i>Cyanea eleeleensis</i> ) - Wherever found	E	\$9,514	\$1,081,657,109
980	Haha ( <i>Cyanea kolekoleensis</i> ) - Wherever found	E	\$9,514	\$1,081,666,623
980	Pa`iniu ( <i>Astelia waialealae</i> ) - Wherever found	E	\$9,514	\$1,081,676,137
981	Butterfly, Bay Checkerspot ( <i>Euphydryas editha bayensis</i> ) - Wherever found	T	\$9,500	\$1,081,685,637
982	`oha Wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> ) - Wherever found	E	\$9,477	\$1,081,695,114
983	No Common Name ( <i>Tetramolopium rockii</i> ) - Wherever found	T	\$9,408	\$1,081,704,522
984	Silverside, Waccamaw ( <i>Menidia extensa</i> ) - Wherever found	T	\$9,400	\$1,081,713,922
984	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> ) - Wherever found	T	\$9,400	\$1,081,723,322
985	Alani ( <i>Melicope saint-johnii</i> ) - Wherever found	E	\$9,265	\$1,081,732,587
985	Haha ( <i>Cyanea lanceolata</i> ) - Wherever found	E	\$9,265	\$1,081,741,852
986	Bluegrass, Mann's ( <i>Poa mannii</i> ) - Wherever found	E	\$9,256	\$1,081,751,108
986	No Common Name ( <i>Keysseria</i> (=Lagenifera) <i>helenae</i> ) - Wherever found	E	\$9,256	\$1,081,760,364
986	No Common Name ( <i>Poa siphonoglossa</i> ) - Wherever found	E	\$9,256	\$1,081,769,620
987	Nioi ( <i>Eugenia koolauensis</i> ) - Wherever found	E	\$9,211	\$1,081,778,831
988	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - South-Central California Coast DPS	T	\$9,200	\$1,081,788,031
989	A`e ( <i>Zanthoxylum oahuense</i> ) - Wherever found	E	\$9,165	\$1,081,797,196
989	No Common Name ( <i>Schiedea helleri</i> ) - Wherever found	E	\$9,165	\$1,081,806,361
990	Yellow-faced Bee, Easy ( <i>Hylaeus facilis</i> ) - Wherever found	E	\$9,110	\$1,081,815,471
991	Wartyback, White (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) - Wherever found	E	\$9,059	\$1,081,824,530
992	`akoko ( <i>Euphorbia haeleleana</i> ) - Wherever found	E	\$9,008	\$1,081,833,538
992	Alani ( <i>Melicope makahae</i> ) - Wherever found	E	\$9,008	\$1,081,842,546
992	Ha`iwale ( <i>Cyrtandra dentata</i> ) - Wherever found	E	\$9,008	\$1,081,851,554
992	Ha`iwale ( <i>Cyrtandra subumbellata</i> ) - Wherever found	E	\$9,008	\$1,081,860,562
992	Haha ( <i>Cyanea calycina</i> ) - Wherever found	E	\$9,008	\$1,081,869,570
992	Haha ( <i>Cyanea humboldtiana</i> ) - Wherever found	E	\$9,008	\$1,081,878,578
992	Kamanomano ( <i>Cenchrus agrimonioides</i> ) - Wherever found	E	\$9,008	\$1,081,887,586
992	Ma`oli`oli ( <i>Schiedea kealiae</i> ) - Wherever found	E	\$9,008	\$1,081,896,594
992	Nehe ( <i>Lipochaeta lobata</i> var. <i>leptophylla</i> ) - Wherever found	E	\$9,008	\$1,081,905,602
992	No Common Name ( <i>Abutilon sandwicense</i> ) - Wherever found	E	\$9,008	\$1,081,914,610
992	No Common Name ( <i>Kadua parvula</i> ) - Wherever found	E	\$9,008	\$1,081,923,618
992	No Common Name ( <i>Lobelia koolauensis</i> ) - Wherever found	E	\$9,008	\$1,081,932,626
992	No Common Name ( <i>Lobelia niihauensis</i> ) - Wherever found	E	\$9,008	\$1,081,941,634

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	No Common Name ( <i>Schiedea hookeri</i> ) - Wherever found	E	\$9,008	\$1,081,950,642
992	No Common Name ( <i>Schiedea trinervis</i> ) - Wherever found	E	\$9,008	\$1,081,959,650
992	No Common Name ( <i>Tetramolopium filiforme</i> ) - Wherever found	E	\$9,008	\$1,081,968,658
993	Fly, Hawaiian Picture-wing ( <i>Drosophila ochrobasis</i> ) - Wherever found	E	\$9,007	\$1,081,977,665
994	Daisy, Parish's ( <i>Erigeron parishii</i> ) - Wherever found	T	\$9,001	\$1,081,986,666
995	Cladonia, Florida Perforate ( <i>Cladonia perforata</i> ) - Wherever found	E	\$9,000	\$1,081,995,666
995	Crayfish, Hell Creek Cave ( <i>Cambarus zophonastes</i> ) - Wherever found	E	\$9,000	\$1,082,004,666
995	Guajon ( <i>Eleutherodactylus cooki</i> ) - Wherever found	T	\$9,000	\$1,082,013,666
995	Mint, Scrub ( <i>Dicerandra frutescens</i> ) - Wherever found	E	\$9,000	\$1,082,022,666
995	Pawpaw, Beautiful ( <i>Deeringothamnus pulchellus</i> ) - Wherever found	E	\$9,000	\$1,082,031,666
995	Pawpaw, Four-petal ( <i>Asimina tetramera</i> ) - Wherever found	E	\$9,000	\$1,082,040,666
995	Pigeon, Puerto Rican Plain ( <i>Columba inornata wetmorei</i> ) - Wherever found	E	\$9,000	\$1,082,049,666
995	Rosemary, Short-leaved ( <i>Conradina brevifolia</i> ) - Wherever found	E	\$9,000	\$1,082,058,666
996	Na`ena`e ( <i>Dubautia herbstobatae</i> ) - Wherever found	E	\$8,999	\$1,082,067,665
996	Na`ena`e ( <i>Dubautia imbricata</i> ssp. <i>imbricata</i> ) - Wherever found	E	\$8,999	\$1,082,076,664
996	Na`ena`e ( <i>Dubautia waialealae</i> ) - Wherever found	E	\$8,999	\$1,082,085,663
997	Shiner, Palezone ( <i>Notropis albizonatus</i> ) - Wherever found	E	\$8,960	\$1,082,094,623
998	`akoko ( <i>Euphorbia kuwaleana</i> ) - Wherever found	E	\$8,908	\$1,082,103,531
998	`akoko ( <i>Euphorbia remyi</i> var. <i>remyi</i> ) - Wherever found	E	\$8,908	\$1,082,112,439
998	`akoko ( <i>Euphorbia rockii</i> ) - Wherever found	E	\$8,908	\$1,082,121,347
998	`awikiwiki ( <i>Canavalia napaliensis</i> ) - Wherever found	E	\$8,908	\$1,082,130,255
998	`ohe`ohe ( <i>Polyscias gymnocarpa</i> ) - Wherever found	E	\$8,908	\$1,082,139,163
998	Alani ( <i>Melicope munroi</i> ) - Wherever found	E	\$8,908	\$1,082,148,071
998	Alani ( <i>Melicope reflexa</i> ) - Wherever found	E	\$8,908	\$1,082,156,979
998	Awiwi ( <i>Schenkia sebaeoides</i> ) - Wherever found	E	\$8,908	\$1,082,165,887
998	Ha`iwale ( <i>Cyrtandra crenata</i> ) - Wherever found	E	\$8,908	\$1,082,174,795
998	Ha`iwale ( <i>Cyrtandra limahuliensis</i> ) - Wherever found	T	\$8,908	\$1,082,183,703
998	Ha`iwale ( <i>Cyrtandra oenobarba</i> ) - Wherever found	E	\$8,908	\$1,082,192,611
998	Haha ( <i>Cyanea acuminata</i> ) - Wherever found	E	\$8,908	\$1,082,201,519
998	Haha ( <i>Cyanea koolauensis</i> ) - Wherever found	E	\$8,908	\$1,082,210,427
998	Haha ( <i>Cyanea mannii</i> ) - Wherever found	E	\$8,908	\$1,082,219,335
998	Hala Pepe ( <i>Pleomele fernaldii</i> ) - Wherever found	E	\$8,908	\$1,082,228,243
998	Hala Pepe ( <i>Pleomele forbesii</i> ) - Wherever found	E	\$8,908	\$1,082,237,151

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
998	Holei ( <i>Ochrosia kilaueaensis</i> ) - Wherever found	E	\$8,908	\$1,082,246,059
998	Hulumoa ( <i>Korthalsella degeneri</i> ) - Wherever found	E	\$8,908	\$1,082,254,967
998	Iliau, Dwarf ( <i>Wilkesia hobdyi</i> ) - Wherever found	E	\$8,908	\$1,082,263,875
998	Kaulu ( <i>Pteralyxia kauaiensis</i> ) - Wherever found	E	\$8,908	\$1,082,272,783
998	Kolea ( <i>Myrsine juddii</i> ) - Wherever found	E	\$8,908	\$1,082,281,691
998	Kolea ( <i>Myrsine linearifolia</i> ) - Wherever found	T	\$8,908	\$1,082,290,599
998	Lo`ulu ( <i>Pritchardia kaalae</i> ) - Wherever found	E	\$8,908	\$1,082,299,507
998	Mapele ( <i>Cyrtandra cyaneoides</i> ) - Wherever found	E	\$8,908	\$1,082,308,415
998	No Common Name ( <i>Asplenium dielfalcatum</i> ) - Wherever found	E	\$8,908	\$1,082,317,323
998	No Common Name ( <i>Platydesma cornuta</i> var. <i>decurrens</i> ) - Wherever found	E	\$8,908	\$1,082,326,231
998	No Common Name ( <i>Sanicula marivera</i> ) - Wherever found	E	\$8,908	\$1,082,335,139
998	No Common Name ( <i>Schiedea lydgatei</i> ) - Wherever found	E	\$8,908	\$1,082,344,047
998	No Common Name ( <i>Schiedea sarmentosa</i> ) - Wherever found	E	\$8,908	\$1,082,352,955
998	No Common Name ( <i>Schiedea spergulina</i> var. <i>leiopoda</i> ) - Wherever found	E	\$8,908	\$1,082,361,863
998	No Common Name ( <i>Schiedea spergulina</i> var. <i>spergulina</i> ) - Wherever found	T	\$8,908	\$1,082,370,771
998	No Common Name ( <i>Viola lanaiensis</i> ) - Wherever found	E	\$8,908	\$1,082,379,679
998	No Common Name ( <i>Viola oahuensis</i> ) - Wherever found	E	\$8,908	\$1,082,388,587
998	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> ) - Wherever found	E	\$8,908	\$1,082,397,495
999	Beetle, Hungerford's Crawling Water ( <i>Brychius hungerfordi</i> ) - Wherever found	E	\$8,880	\$1,082,406,375
1000	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> ) - Wherever found	E	\$8,876	\$1,082,415,251
1001	Pigtoe, Finerayed ( <i>Fusconaia cuneolus</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,804	\$1,082,424,055
1002	Darter, Niangua ( <i>Etheostoma nianguae</i> ) - Wherever found	T	\$8,700	\$1,082,432,755
1003	Alani ( <i>Melicope christophersenii</i> ) - Wherever found	E	\$8,602	\$1,082,441,357
1003	No Common Name ( <i>Asplenium unisorum</i> ) - Wherever found	E	\$8,602	\$1,082,449,959
1003	No Common Name ( <i>Doryopteris takeuchii</i> ) - Wherever found	E	\$8,602	\$1,082,458,561
1004	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> ) - Wherever found	E	\$8,502	\$1,082,467,063
1004	Hibiscus, Clay's ( <i>Hibiscus clayi</i> ) - Wherever found	E	\$8,502	\$1,082,475,565
1004	No Common Name ( <i>Doryopteris angelica</i> ) - Wherever found	E	\$8,502	\$1,082,484,067
1004	No Common Name ( <i>Keysseria</i> (=Lagenifera) <i>erici</i> ) - Wherever found	E	\$8,502	\$1,082,492,569
1005	Flax, Sand ( <i>Linum arenicola</i> ) - Wherever found	E	\$8,500	\$1,082,501,069
1005	No Common Name ( <i>Varronia rupicola</i> ) - Wherever found	T	\$8,500	\$1,082,509,569
1006	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> ) - Wherever found	E	\$8,470	\$1,082,518,039



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1007	Cactus, Sneed Pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> ) - Wherever found	E	\$8,400	\$1,082,526,439
1008	Chub, Chihuahua ( <i>Gila nigrescens</i> ) - Wherever found	T	\$8,380	\$1,082,534,819
1009	Grass, Colusa ( <i>Neostapfia colusana</i> ) - Wherever found	T	\$8,218	\$1,082,543,037
1010	Cactus, Pariette ( <i>Sclerocactus brevispinus</i> ) - Wherever found	T	\$8,113	\$1,082,551,150
1011	(honeyeater), Mao (= Maomao) ( <i>Gymnomyza samoensis</i> ) - Wherever found	E	\$8,100	\$1,082,559,250
1011	Ziziphus, Florida ( <i>Ziziphus celata</i> ) - Wherever found	E	\$8,100	\$1,082,567,350
1012	Blackbird, Yellow-shouldered ( <i>Agelaius xanthomus</i> ) - Wherever found	E	\$8,000	\$1,082,575,350
1012	Palo De Ramon ( <i>Banara vanderbiltii</i> ) - Wherever found	E	\$8,000	\$1,082,583,350
1012	Salamander, Desert Slender ( <i>Batrachoseps aridus</i> ) - Wherever found	E	\$8,000	\$1,082,591,350
1012	Warea, Wide-leaf ( <i>Warea amplexifolia</i> ) - Wherever found	E	\$8,000	\$1,082,599,350
1013	Damselfly, Crimson Hawaiian ( <i>Megalagrion leptodemas</i> ) - Wherever found	E	\$7,993	\$1,082,607,343
1014	Cactus, Tobusch Fishhook ( <i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> ) - Wherever found	T	\$7,940	\$1,082,615,283
1015	Yellow-faced Bee, Hawaiian ( <i>Hylaeus kuakea</i> ) - Wherever found	E	\$7,893	\$1,082,623,176
1016	Combshell, Upland ( <i>Epioblasma metastrata</i> ) - Wherever found	E	\$7,767	\$1,082,630,943
1017	Irisette, White ( <i>Sisyrinchium dichotomum</i> ) - Wherever found	E	\$7,700	\$1,082,638,643
1018	Clubshell ( <i>Pleurobema clava</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$7,662	\$1,082,646,305
1019	Nehe ( <i>Melanthera tenuifolia</i> ) - Wherever found	E	\$7,658	\$1,082,653,963
1020	Nehe ( <i>Melanthera kamolensis</i> ) - Wherever found	E	\$7,612	\$1,082,661,575
1021	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - North Pacific Ocean DPS	E	\$7,609	\$1,082,669,184
1022	Blossom, Turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$7,500	\$1,082,676,684
1022	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> ) - Wherever found	E	\$7,500	\$1,082,684,184
1022	Prairie-clover, Florida ( <i>Dalea carthagenensis floridana</i> ) - Wherever found	E	\$7,500	\$1,082,691,684
1022	Rosemary, Etonia ( <i>Conradina etonia</i> ) - Wherever found	E	\$7,500	\$1,082,699,184
1022	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	RT	\$7,500	\$1,082,706,684
1022	Wolf, Gray ( <i>Canis lupus</i> ) - MN	T	\$7,500	\$1,082,714,184
1023	Mountain Beaver, Point Arena ( <i>Aplodontia rufa nigra</i> ) - Wherever found	E	\$7,470	\$1,082,721,654
1024	Fly, Hawaiian Picture-wing ( <i>Drosophila substenoptera</i> ) - Wherever found	E	\$7,426	\$1,082,729,080
1025	Ambrosia, South Texas ( <i>Ambrosia cheiranthifolia</i> ) - Wherever found	E	\$7,400	\$1,082,736,480
1025	Ayenia, Texas ( <i>Ayenia limitaris</i> ) - Wherever found	E	\$7,400	\$1,082,743,880
1025	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> ) - Wherever found	E	\$7,400	\$1,082,751,280

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1025	Cactus, Star ( <i>Astrophytum asterias</i> ) - Wherever found	E	\$7,400	\$1,082,758,680
1025	Dogweed, Ashy ( <i>Thymophylla tephroleuca</i> ) - Wherever found	E	\$7,400	\$1,082,766,080
1026	Fairy Shrimp, Longhorn ( <i>Branchinecta longiantenna</i> ) - Wherever found	E	\$7,200	\$1,082,773,280
1027	Cactus, Black Lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> ) - Wherever found	E	\$7,100	\$1,082,780,380
1027	Snowbells, Texas ( <i>Styrax texanus</i> ) - Wherever found	E	\$7,100	\$1,082,787,480
1027	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> ) - Wherever found	T	\$7,100	\$1,082,794,580
1028	Fly, Hawaiian Picture-wing ( <i>Drosophila obatai</i> ) - Wherever found	E	\$7,081	\$1,082,801,661
1028	Fly, Hawaiian Picture-wing ( <i>Drosophila tarphytrichia</i> ) - Wherever found	E	\$7,081	\$1,082,808,742
1029	Butterfly, Mitchell's Satyr ( <i>Neonympha mitchellii mitchellii</i> ) - Wherever found	E	\$7,050	\$1,082,815,792
1030	Madtom, Smoky ( <i>Noturus baileyi</i> ) - Tellico River, TN	EXPN	\$7,000	\$1,082,822,792
1030	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> ) - Wherever found	E	\$7,000	\$1,082,829,792
1030	No Common Name ( <i>Eugenia woodburyana</i> ) - Wherever found	E	\$7,000	\$1,082,836,792
1030	Palo De Nigua ( <i>Cornutia obovata</i> ) - Wherever found	E	\$7,000	\$1,082,843,792
1030	Prickly-apple, Fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> ) - Wherever found	E	\$7,000	\$1,082,850,792
1030	Snake, Atlantic Salt Marsh ( <i>Nerodia clarkii taeniata</i> ) - Wherever found	T	\$7,000	\$1,082,857,792
1030	Vole, Florida Salt Marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> ) - Wherever found	E	\$7,000	\$1,082,864,792
1031	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> ) - Wherever found	E	\$6,936	\$1,082,871,728
1032	Barberry, Island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> ) - Wherever found	E	\$6,935	\$1,082,878,663
1033	Butterfly, Saint Francis' Satyr ( <i>Neonympha mitchellii francisci</i> ) - Wherever found	E	\$6,900	\$1,082,885,563
1034	Yellow-faced Bee, Hawaiian ( <i>Hylaeus mana</i> ) - Wherever found	E	\$6,879	\$1,082,892,442
1035	Butterfly, Callippe Silverspot ( <i>Speyeria callippe callippe</i> ) - Wherever found	E	\$6,800	\$1,082,899,242
1036	Owl's-clover, Fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> ) - Wherever found	T	\$6,729	\$1,082,905,971
1037	Darter, Slackwater ( <i>Etheostoma boschungii</i> ) - Wherever found	T	\$6,700	\$1,082,912,671
1038	Bobwhite, Masked (quail) ( <i>Colinus virginianus ridgwayi</i> ) - Wherever found	E	\$6,600	\$1,082,919,271
1039	Quillwort, Black Spored ( <i>Isoetes melanospora</i> ) - Wherever found	E	\$6,595	\$1,082,925,866
1040	Cactus, Key Tree ( <i>Pilosocereus robinii</i> ) - Wherever found	E	\$6,500	\$1,082,932,366
1040	Flax, Carter's Small-flowered ( <i>Linum carteri carteri</i> ) - Wherever found	E	\$6,500	\$1,082,938,866
1040	No Common Name ( <i>Schoepfia arenaria</i> ) - Wherever found	T	\$6,500	\$1,082,945,366
1040	Silverbush, Blodgett's ( <i>Argythamnia blodgettii</i> ) - Wherever found	T	\$6,500	\$1,082,951,866
1040	Toad, Puerto Rican Crested ( <i>Peltophryne lemur</i> ) - Wherever found	T	\$6,500	\$1,082,958,366
1041	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> ) - Wherever found	E	\$6,400	\$1,082,964,766
1042	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> ) - Wherever found	T	\$6,392	\$1,082,971,158

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1043	Butterfly, Behren's Silverspot ( <i>Speyeria zerene behrensii</i> ) - Wherever found	E	\$6,320	\$1,082,977,478
1044	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> ) - Wherever found	T	\$6,176	\$1,082,983,654
1045	Darter, Watercress ( <i>Etheostoma nuchale</i> ) - Wherever found	E	\$6,100	\$1,082,989,754
1045	Poppy, Sacramento Prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> ) - Wherever found	E	\$6,100	\$1,082,995,854
1046	Snail, Tulotoma ( <i>Tulotoma magnifica</i> ) - Wherever found	T	\$6,088	\$1,083,001,942
1047	Acornshell, Southern ( <i>Epioblasma othcaloogensis</i> ) - Wherever found	E	\$6,074	\$1,083,008,016
1048	Shiner, Cahaba ( <i>Notropis cahabae</i> ) - Wherever found	E	\$6,040	\$1,083,014,056
1049	Macaw, Military ( <i>Ara militaris</i> ) - Wherever found	E	\$6,000	\$1,083,020,056
1049	No Common Name ( <i>Cordia bellonis</i> ) - Wherever found	E	\$6,000	\$1,083,026,056
1049	Palo De Jazmin ( <i>Styrax portoricensis</i> ) - Wherever found	E	\$6,000	\$1,083,032,056
1049	Uvillo ( <i>Eugenia haematocarpa</i> ) - Wherever found	E	\$6,000	\$1,083,038,056
1050	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> ) - Wherever found	E	\$5,945	\$1,083,044,001
1051	Barbara's Buttons, Mohr's ( <i>Marshallia mohrii</i> ) - Wherever found	T	\$5,930	\$1,083,049,931
1052	Jewelflower, California ( <i>Caulanthus californicus</i> ) - Wherever found	E	\$5,910	\$1,083,055,841
1053	Darter, Vermilion ( <i>Etheostoma chermocki</i> ) - Wherever found	E	\$5,896	\$1,083,061,737
1054	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> ) - Wherever found	E	\$5,800	\$1,083,067,537
1054	Jewelflower, Tiburon ( <i>Streptanthus niger</i> ) - Wherever found	E	\$5,800	\$1,083,073,337
1055	Crocodile, African Dwarf ( <i>Osteolaemus tetraspis tetraspis</i> ) - Wherever found	E	\$5,750	\$1,083,079,087
1056	Capa Rosa ( <i>Callicarpa ampla</i> ) - Wherever found	E	\$5,700	\$1,083,084,787
1057	Madtom, Pygmy ( <i>Noturus stanauli</i> ) - Wherever found	E	\$5,628	\$1,083,090,415
1058	No Common Name ( <i>Acropora jacquelinae</i> ) - Wherever found	T	\$5,570	\$1,083,095,985
1059	Boa, Mona ( <i>Epicrates monensis monensis</i> ) - Wherever found	T	\$5,500	\$1,083,101,485
1059	Cobana Negra ( <i>Stahlia monosperma</i> ) - Wherever found	T	\$5,500	\$1,083,106,985
1059	Gambusia, Pecos ( <i>Gambusia nobilis</i> ) - Wherever found	E	\$5,500	\$1,083,112,485
1059	No Common Name ( <i>Mitracarpus polycladus</i> ) - Wherever found	E	\$5,500	\$1,083,117,985
1059	Pea, Big Pine Partridge ( <i>Chamaecrista lineata keyensis</i> ) - Wherever found	E	\$5,500	\$1,083,123,485
1059	Pearlymussel, Cracking ( <i>Hemistena lata</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$5,500	\$1,083,128,985
1059	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> ) - Wherever found	E	\$5,500	\$1,083,134,485
1059	Sandmat, Pineland ( <i>Chamaesyce deltoidea pinetorum</i> ) - Wherever found	T	\$5,500	\$1,083,139,985
1059	Spurge, Wedge ( <i>Chamaesyce deltoidea serpyllum</i> ) - Wherever found	E	\$5,500	\$1,083,145,485

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1060	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> ) - Wherever found	E	\$5,401	\$1,083,150,886
1061	Iguana, Mayaguana ( <i>Cyclura carinata bartschi</i> ) - Wherever found	T	\$5,400	\$1,083,156,286
1061	Seal, Guadalupe Fur ( <i>Arctocephalus townsendi</i> ) - Wherever found	T	\$5,400	\$1,083,161,686
1062	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> ) - Wherever found	E	\$5,200	\$1,083,166,886
1062	Mapleleaf, Winged ( <i>Quadrula fragosa</i> ) - U.S.A. (AL-specified portions of the Tennessee River; see 17.85(a)(1))	EXPN	\$5,100	\$1,083,171,986
1062	Sculpin, Pygmy ( <i>Cottus paulus</i> (=pygmaeus)) - Wherever found	T	\$5,100	\$1,083,177,086
1063	Sandwort, Marsh ( <i>Arenaria paludicola</i> ) - Wherever found	E	\$5,093	\$1,083,182,179
1064	No Common Name ( <i>Acropora lokani</i> ) - Wherever found	T	\$5,070	\$1,083,187,249
1064	No Common Name ( <i>Acropora pharaonis</i> ) - Wherever found	T	\$5,070	\$1,083,192,319
1064	No Common Name ( <i>Acropora rudis</i> ) - Wherever found	T	\$5,070	\$1,083,197,389
1064	No Common Name ( <i>Acropora tenella</i> ) - Wherever found	T	\$5,070	\$1,083,202,459
1064	No Common Name ( <i>Anacropora spinosa</i> ) - Wherever found	T	\$5,070	\$1,083,207,529
1064	No Common Name ( <i>Montipora australiensis</i> ) - Wherever found	T	\$5,070	\$1,083,212,599
1064	No Common Name ( <i>Pavona diffluens</i> ) - Wherever found	T	\$5,070	\$1,083,217,669
1064	No Common Name ( <i>Porites napopora</i> ) - Wherever found	T	\$5,070	\$1,083,222,739
1065	Sedge, Golden ( <i>Carex lutea</i> ) - Wherever found	E	\$5,050	\$1,083,227,789
1066	Pebblesnail, Flat ( <i>Lepyrium showalteri</i> ) - Wherever found	E	\$5,025	\$1,083,232,814
1067	Bariaco ( <i>Trichilia triacantha</i> ) - Wherever found	E	\$5,000	\$1,083,237,814
1067	Buttercup, Autumn ( <i>Ranunculus aestivalis</i> (=acriformis)) - Wherever found	E	\$5,000	\$1,083,242,814
1067	Cat, Asian Golden (=temmnick's) ( <i>Catopuma</i> (=Felis) <i>temminckii</i> ) - Wherever found	E	\$5,000	\$1,083,247,814
1067	Cat, Marbled ( <i>Pardofelis</i> (=Felis) <i>marmorata</i> ) - Wherever found	E	\$5,000	\$1,083,252,814
1067	Chumbo, Higo ( <i>Harrisia portoricensis</i> ) - Wherever found	T	\$5,000	\$1,083,257,814
1067	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> ) - Wherever found	T	\$5,000	\$1,083,262,814
1067	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> ) - UNK	T	\$5,000	\$1,083,267,814
1067	Lizard, Maria Island Ground ( <i>Cnemidophorus vanzoi</i> ) - Wherever found	E	\$5,000	\$1,083,272,814
1067	Malacothrix, Island ( <i>Malacothrix squalida</i> ) - Wherever found	E	\$5,000	\$1,083,277,814
1067	No Common Name ( <i>Adiantum vivesii</i> ) - Wherever found	E	\$5,000	\$1,083,282,814
1067	No Common Name ( <i>Agave eggersiana</i> ) - Wherever found	E	\$5,000	\$1,083,287,814
1067	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> ) - Wherever found	E	\$5,000	\$1,083,292,814
1067	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> ) - Wherever found	E	\$5,000	\$1,083,297,814
1067	Tiger ( <i>Panthera tigris</i> ) - Wherever found	E	\$5,000	\$1,083,302,814

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1068	Fescue, Guadalupe ( <i>Festuca ligulata</i> ) - Wherever found	E	\$4,988	\$1,083,307,802
1069	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,918	\$1,083,312,720
1070	Turtle, Yellow-blotched Map ( <i>Graptemys flavimaculata</i> ) - Wherever found	T	\$4,902	\$1,083,317,622
1071	Turtle, Ringed Map ( <i>Graptemys oculifera</i> ) - Wherever found	T	\$4,900	\$1,083,322,522
1072	Cactus, Acuna ( <i>Echinomastus erectocentrus</i> var. <i>acunensis</i> ) - Wherever found	E	\$4,872	\$1,083,327,394
1073	Iguana, White Cay Ground ( <i>Cyclura rileyi cristata</i> ) - Wherever found	T	\$4,800	\$1,083,332,194
1074	Blossom, Turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,752	\$1,083,336,946
1075	Heather, Mountain Golden ( <i>Hudsonia montana</i> ) - Wherever found	T	\$4,700	\$1,083,341,646
1076	Gladecress, Fleshy-fruit ( <i>Leavenworthia crassa</i> ) - Wherever found	E	\$4,650	\$1,083,346,296
1077	Roseroot, Leedy's ( <i>Rhodiola integrifolia</i> ssp. <i>leedyi</i> ) - Wherever found	T	\$4,639	\$1,083,350,935
1078	Pearlshell, Alabama ( <i>Margaritifera marrianae</i> ) - Wherever found	E	\$4,600	\$1,083,355,535
1079	Leather Flower, Alabama ( <i>Clematis socialis</i> ) - Wherever found	E	\$4,593	\$1,083,360,128
1080	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> ) - Wherever found	E	\$4,510	\$1,083,364,639
1081	Blossom, Yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,500	\$1,083,369,139
1081	Blossom, Yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - Wherever found; Except where listed as Experimental Populations	E	\$4,500	\$1,083,373,639
1081	Boxwood, Vahl's ( <i>Buxus vahlii</i> ) - Wherever found	E	\$4,500	\$1,083,378,139
1081	Mint, Garrett's ( <i>Dicerandra christmanii</i> ) - Wherever found	E	\$4,500	\$1,083,382,639
1081	Parrot, Thick-billed ( <i>Rhynchopsitta pachyrhyncha</i> ) - Wherever found	E	\$4,500	\$1,083,387,139
1081	Walnut (=nogal), West Indian ( <i>Juglans jamaicensis</i> ) - Wherever found	E	\$4,500	\$1,083,391,639
1082	Cactus, Chisos Mountain Hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> ) - Wherever found	T	\$4,488	\$1,083,396,127
1082	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> ) - Wherever found	T	\$4,488	\$1,083,400,615
1082	Cory Cactus, Bunched ( <i>Coryphantha ramillosa</i> ) - Wherever found	T	\$4,488	\$1,083,405,103
1083	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> ) - Wherever found	E	\$4,452	\$1,083,409,555
1084	Madtom, Chucky ( <i>Noturus crypticus</i> ) - Wherever found	E	\$4,376	\$1,083,413,931
1085	Gilia, Hoffmann's Slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> ) - Wherever found	E	\$4,313	\$1,083,418,244

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1086	Pigtoe, Flat ( <i>Pleurobema marshalli</i> ) - Wherever found	E	\$4,300	\$1,083,422,544
1087	Rocksnail, Painted ( <i>Leptoxis taeniata</i> ) - Wherever found	T	\$4,263	\$1,083,426,807
1088	Buckwheat, Scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> ) - Wherever found	T	\$4,217	\$1,083,431,024
1089	Cactus, Florida Semaphore ( <i>Consolea corallicola</i> ) - Wherever found	E	\$4,100	\$1,083,435,124
1089	Fern, Alabama Streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> ) - Wherever found	T	\$4,100	\$1,083,439,224
1090	Stirrupshell ( <i>Quadrula stapes</i> ) - Wherever found	E	\$4,100	\$1,083,443,324
1091	Amphianthus, Little ( <i>Amphianthus pusillus</i> ) - Wherever found	T	\$4,090	\$1,083,447,414
1092	Aster, Ruth's Golden ( <i>Pityopsis ruthii</i> ) - Wherever found	E	\$4,000	\$1,083,451,414
1092	Blossom, Tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,000	\$1,083,455,414
1092	Cactus, Brady Pincushion ( <i>Pediocactus bradyi</i> ) - Wherever found	E	\$4,000	\$1,083,459,414
1092	Dudleya, Verity's ( <i>Dudleya verityi</i> ) - Wherever found	T	\$4,000	\$1,083,463,414
1092	Fern, Aleutian Shield ( <i>Polystichum aleuticum</i> ) - Wherever found	E	\$4,000	\$1,083,467,414
1092	Goetzea, Beautiful ( <i>Goetzea elegans</i> ) - Wherever found	E	\$4,000	\$1,083,471,414
1092	Iguana, Fiji Banded ( <i>Brachylophus fasciatus</i> ) - Wherever found	E	\$4,000	\$1,083,475,414
1092	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> ) - Wherever found	E	\$4,000	\$1,083,479,414
1092	Palo Colorado ( <i>Ternstroemia luquillensis</i> ) - Wherever found	E	\$4,000	\$1,083,483,414
1092	Parakeet, Blue-throated (=ochre-marked) ( <i>Pyrrhura cruentata</i> ) - Wherever found	E	\$4,000	\$1,083,487,414
1092	Pentachaeta, White-rayed ( <i>Pentachaeta bellidiflora</i> ) - Wherever found	E	\$4,000	\$1,083,491,414
1092	Salamander, Santa Cruz Long-toed ( <i>Ambystoma macrodactylum croceum</i> ) - Wherever found	E	\$4,000	\$1,083,495,414
1092	Snail, Painted Snake Coiled Forest ( <i>Anguispira picta</i> ) - Wherever found	T	\$4,000	\$1,083,499,414
1092	Spineflower, Robust ( <i>Chorizanthe robusta</i> var. <i>robusta</i> ) - Wherever found	E	\$4,000	\$1,083,503,414
1092	Thistle, Fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> ) - Wherever found	E	\$4,000	\$1,083,507,414
1093	Lioplax, Cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> ) - Wherever found	E	\$3,963	\$1,083,511,377
1094	Bedstraw, Island ( <i>Galium buxifolium</i> ) - Wherever found	E	\$3,952	\$1,083,515,329
1095	Daisy, Lakeside ( <i>Hymenoxys herbacea</i> ) - Wherever found	T	\$3,850	\$1,083,519,179
1096	No Common Name ( <i>Ilex sintenisii</i> ) - Wherever found	E	\$3,800	\$1,083,522,979
1097	Rocksnail, Round ( <i>Leptoxis ampla</i> ) - Wherever found	T	\$3,791	\$1,083,526,770

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1098	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Central Valley spring-run ESU	EXPN	\$3,750	\$1,083,530,520
1099	Pitcher-plant, Alabama Canebrake ( <i>Sarracenia rubra</i> ssp. alabamensis) - Wherever found	E	\$3,663	\$1,083,534,183
1100	Sucker, Zuni Bluehead ( <i>Catostomus discobolus yarrowi</i> ) - Wherever found	E	\$3,600	\$1,083,537,783
1100	Sunfish, Spring Pygmy ( <i>Elassoma alabamae</i> ) - Wherever found	T	\$3,600	\$1,083,541,383
1101	Orcutt Grass, Hairy ( <i>Orcuttia pilosa</i> ) - Wherever found	E	\$3,516	\$1,083,544,899
1102	Beetle, Delta Green Ground ( <i>Elaphrus viridis</i> ) - Wherever found	T	\$3,500	\$1,083,548,399
1102	Bonamia, Florida ( <i>Bonamia grandiflora</i> ) - Wherever found	T	\$3,500	\$1,083,551,899
1102	Dace, Independence Valley Speckled ( <i>Rhinichthys osculus lethoporus</i> ) - Wherever found	E	\$3,500	\$1,083,555,399
1102	Fern, Elfin Tree ( <i>Cyathea dryopteroides</i> ) - Wherever found	E	\$3,500	\$1,083,558,899
1102	Higuero De Sierra ( <i>Crescentia portoricensis</i> ) - Wherever found	E	\$3,500	\$1,083,562,399
1102	Manaca, Palma De ( <i>Calyptronoma rivalis</i> ) - Wherever found	T	\$3,500	\$1,083,565,899
1102	No Common Name ( <i>Calyptanthus thomasiana</i> ) - Wherever found	E	\$3,500	\$1,083,569,399
1102	Oxytheca, Cushenbury ( <i>Oxytheca parishii</i> var. goodmaniana) - Wherever found	E	\$3,500	\$1,083,572,899
1102	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) conjugens) - Wherever found	T	\$3,500	\$1,083,576,399
1102	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> ) - Wherever found	T	\$3,500	\$1,083,579,899
1103	Rose-mallow, Neches River ( <i>Hibiscus dasycalyx</i> ) - Wherever found	T	\$3,497	\$1,083,583,396
1104	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. coachellae) - Wherever found	E	\$3,453	\$1,083,586,849
1105	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> ) - Wherever found	T	\$3,403	\$1,083,590,252
1106	Lupine, Clover ( <i>Lupinus tidestromii</i> ) - Wherever found	E	\$3,400	\$1,083,593,652
1107	Pearlymussel, Dromedary ( <i>Dromus dromas</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,339	\$1,083,596,991
1108	Seablite, California ( <i>Suaeda californica</i> ) - UNK	E	\$3,200	\$1,083,600,191
1109	Campion, Fringed ( <i>Silene polypetala</i> ) - Wherever found	E	\$3,130	\$1,083,603,321
1110	Rock-cress, Mcdonald's ( <i>Arabis macdonaldiana</i> ) - Wherever found	E	\$3,042	\$1,083,606,363
1111	Brickell-bush, Florida ( <i>Brickellia mosieri</i> ) - Wherever found	E	\$3,000	\$1,083,609,363
1111	Coqui, Golden ( <i>Eleutherodactylus jasperii</i> ) - Wherever found	T	\$3,000	\$1,083,612,363
1111	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> ) - Wherever found	E	\$3,000	\$1,083,615,363
1111	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. arenaria) - Wherever found	E	\$3,000	\$1,083,618,363
1111	Holly, Cook's ( <i>Ilex cookii</i> ) - Wherever found	E	\$3,000	\$1,083,621,363

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1111	No Common Name ( <i>Aristida chaseae</i> ) - Wherever found	E	\$3,000	\$1,083,624,363
1111	No Common Name ( <i>Daphnopsis helleriana</i> ) - Wherever found	E	\$3,000	\$1,083,627,363
1111	No Common Name ( <i>Elaphoglossum serpens</i> ) - Wherever found	E	\$3,000	\$1,083,630,363
1111	No Common Name ( <i>Gesneria pauciflora</i> ) - Wherever found	T	\$3,000	\$1,083,633,363
1111	No Common Name ( <i>Lyonia truncata</i> var. <i>proctorii</i> ) - Wherever found	E	\$3,000	\$1,083,636,363
1111	No Common Name ( <i>Polystichum calderonense</i> ) - Wherever found	E	\$3,000	\$1,083,639,363
1111	Pelos Del Diablo ( <i>Aristida portoricensis</i> ) - Wherever found	E	\$3,000	\$1,083,642,363
1111	Warbler, Elfin-woods ( <i>Setophaga angelae</i> ) - Wherever found	T	\$3,000	\$1,083,645,363
1111	Watercress, Gambel's ( <i>Rorippa gambellii</i> ) - Wherever found	E	\$3,000	\$1,083,648,363
1112	Cactus, Uinta Basin Hookless ( <i>Sclerocactus wetlandicus</i> ) - Wherever found	T	\$2,999	\$1,083,651,362
1113	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> ) - Wherever found	E	\$2,965	\$1,083,654,327
1114	Monkshood, Northern Wild ( <i>Aconitum noveboracense</i> ) - Wherever found	T	\$2,920	\$1,083,657,247
1115	Iris, Dwarf Lake ( <i>Iris lacustris</i> ) - Wherever found	T	\$2,830	\$1,083,660,077
1116	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,828	\$1,083,662,905
1117	Butterfly, Smith's Blue ( <i>Euphilotes enoptes smithi</i> ) - Wherever found	E	\$2,800	\$1,083,665,705
1117	Catfish, Yaqui ( <i>Ictalurus pricei</i> ) - Wherever found	T	\$2,800	\$1,083,668,505
1117	Chupacallos ( <i>Pleodendron macranthum</i> ) - Wherever found	E	\$2,800	\$1,083,671,305
1118	Mussel, Oyster ( <i>Epioblasma capsaeformis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,780	\$1,083,674,085
1119	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> ) - Wherever found	E	\$2,750	\$1,083,676,835
1120	Salamander, Salado ( <i>Eurycea chisholmensis</i> ) - Wherever found	T	\$2,725	\$1,083,679,560
1121	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> ) - Wherever found	E	\$2,700	\$1,083,682,260
1121	Butterfly, Lange's Metalmark ( <i>Apodemia mormo langei</i> ) - Wherever found	E	\$2,700	\$1,083,684,960
1121	Campeloma, Slender ( <i>Campeloma decampi</i> ) - Wherever found	E	\$2,700	\$1,083,687,660
1121	Grasshopper, Zayante Band-winged ( <i>Trimerotropis infantilis</i> ) - Wherever found	E	\$2,700	\$1,083,690,360
1121	Tiger Beetle, Ohlone ( <i>Cicindela ohlone</i> ) - Wherever found	E	\$2,700	\$1,083,693,060
1122	Isopod, Lee County Cave ( <i>Lirceus usdagalun</i> ) - Wherever found	E	\$2,600	\$1,083,695,660
1123	Bush-clover, Prairie ( <i>Lespedeza leptostachya</i> ) - Wherever found	T	\$2,500	\$1,083,698,160
1124	Erubia ( <i>Solanum drymophilum</i> ) - Wherever found	E	\$2,500	\$1,083,700,660
1124	Iguana, Mona Ground ( <i>Cyclura stejnegeri</i> ) - Wherever found	T	\$2,500	\$1,083,703,160
1124	Milk-vetch, Heliotrope ( <i>Astragalus montii</i> ) - Wherever found	T	\$2,500	\$1,083,705,660



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1124	No Common Name ( <i>Auerodendron pauciflorum</i> ) - Wherever found	E	\$2,500	\$1,083,708,160
1124	No Common Name ( <i>Catesbaea melanocarpa</i> ) - Wherever found	E	\$2,500	\$1,083,710,660
1124	No Common Name ( <i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> ) - Wherever found	E	\$2,500	\$1,083,713,160
1124	No Common Name ( <i>Cranichis ricartii</i> ) - Wherever found	E	\$2,500	\$1,083,715,660
1124	No Common Name ( <i>Gonocalyx concolor</i> ) - Wherever found	E	\$2,500	\$1,083,718,160
1124	No Common Name ( <i>Leptocereus grantianus</i> ) - Wherever found	E	\$2,500	\$1,083,720,660
1124	No Common Name ( <i>Mitracarpus maxwelliae</i> ) - Wherever found	E	\$2,500	\$1,083,723,160
1124	No Common Name ( <i>Myrcia paganii</i> ) - Wherever found	E	\$2,500	\$1,083,725,660
1124	No Common Name ( <i>Tectaria estremerana</i> ) - Wherever found	E	\$2,500	\$1,083,728,160
1124	No Common Name ( <i>Thelypteris inabonensis</i> ) - Wherever found	E	\$2,500	\$1,083,730,660
1124	No Common Name ( <i>Thelypteris verecunda</i> ) - Wherever found	E	\$2,500	\$1,083,733,160
1124	No Common Name ( <i>Thelypteris yaucoensis</i> ) - Wherever found	E	\$2,500	\$1,083,735,660
1124	No Common Name ( <i>Vernonia proctorii</i> ) - Wherever found	E	\$2,500	\$1,083,738,160
1125	No Common Name ( <i>Gouania meyenii</i> ) - Wherever found	E	\$2,407	\$1,083,740,567
1126	Cactus, Lee Pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> ) - Wherever found	T	\$2,400	\$1,083,742,967
1126	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> ) - Wherever found	T	\$2,400	\$1,083,745,367
1126	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> ) - Wherever found	T	\$2,400	\$1,083,747,767
1126	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> ) - Wherever found	E	\$2,400	\$1,083,750,167
1126	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> ) - Wherever found	E	\$2,400	\$1,083,752,567
1126	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> ) - Wherever found	E	\$2,400	\$1,083,754,967
1126	Spineflower, Scotts Valley ( <i>Chorizanthe robusta</i> var. <i>hartwegii</i> ) - Wherever found	E	\$2,400	\$1,083,757,367
1126	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> ) - Wherever found	T	\$2,400	\$1,083,759,767
1127	Fanshell ( <i>Cyprogenia stegaria</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$2,386	\$1,083,762,153
1128	Lily, Minnesota Dwarf Trout ( <i>Erythronium propullans</i> ) - Wherever found	E	\$2,381	\$1,083,764,534
1129	Pigtoe, Heavy ( <i>Pleurobema taitianum</i> ) - Wherever found	E	\$2,220	\$1,083,766,754
1130	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> ) - Wherever found	E	\$2,200	\$1,083,768,954
1130	Tomistoma ( <i>Tomistoma schlegelii</i> ) - Wherever found	E	\$2,200	\$1,083,771,154
1131	Gladecress, Texas Golden ( <i>Leavenworthia texana</i> ) - Wherever found	E	\$2,197	\$1,083,773,351
1132	Townsendia, Last Chance ( <i>Townsendia aprica</i> ) - Wherever found	T	\$2,139	\$1,083,775,490
1133	Amphipod, Noel's ( <i>Gammarus desperatus</i> ) - Wherever found	E	\$2,125	\$1,083,777,615
1133	Snail, Pecos Assiminea ( <i>Assiminea pecos</i> ) - Wherever found	E	\$2,125	\$1,083,779,740

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1133	Springsnail, Koster's ( <i>Juturnia kosteri</i> ) - Wherever found	E	\$2,125	\$1,083,781,865
1133	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> ) - Wherever found	E	\$2,125	\$1,083,783,990
1134	Bladderpod, Lyrate ( <i>Lesquerella lyrata</i> ) - Wherever found	T	\$2,100	\$1,083,786,090
1134	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> ) - Wherever found	T	\$2,100	\$1,083,788,190
1134	Snail, Armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> ) - Wherever found	E	\$2,100	\$1,083,790,290
1135	Bladderpod, White ( <i>Lesquerella pallida</i> ) - Wherever found	E	\$2,097	\$1,083,792,387
1135	Quillwort, Mat-forming ( <i>Isoetes tegetiformans</i> ) - Wherever found	E	\$2,025	\$1,083,794,412
1135	Anole, Culebra Island Giant ( <i>Anolis roosevelti</i> ) - Wherever found	E	\$2,000	\$1,083,796,412
1135	Chub, Sonora ( <i>Gila ditaenia</i> ) - Wherever found	T	\$2,000	\$1,083,798,412
1135	Crow, White-necked ( <i>Corvus leucognaphalus</i> ) - Wherever found	E	\$2,000	\$1,083,800,412
1135	Orangutan ( <i>Pongo pygmaeus</i> ) - Wherever found	E	\$2,000	\$1,083,802,412
1135	Penguin, Southern Rockhopper ( <i>Eudyptes chrysocome</i> ) - New Zealand-Australia DPS	T	\$2,000	\$1,083,804,412
1135	Rosemary, Apalachicola ( <i>Conradina glabra</i> ) - Wherever found	E	\$2,000	\$1,083,806,412
1136	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,900	\$1,083,808,312
1137	Megapode, Maleo ( <i>Macrocephalon maleo</i> ) - Wherever found	E	\$1,800	\$1,083,810,112
1137	Plum, Scrub ( <i>Prunus geniculata</i> ) - Wherever found	E	\$1,800	\$1,083,811,912
1138	No Common Name ( <i>Gouania hillebrandii</i> ) - Wherever found	E	\$1,753	\$1,083,813,665
1139	Snake, Copperbelly Water ( <i>Nerodia erythrogaster neglecta</i> ) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$1,710	\$1,083,815,375
1140	Beargrass, Britton's ( <i>Nolina brittoniana</i> ) - Wherever found	E	\$1,700	\$1,083,817,075
1141	Tuctoria, Greene's ( <i>Tuctoria greenei</i> ) - Wherever found	E	\$1,690	\$1,083,818,765
1142	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> ) - Wherever found	E	\$1,667	\$1,083,820,432
1143	Bittercress, Small-anthered ( <i>Cardamine micranthera</i> ) - Wherever found	E	\$1,600	\$1,083,822,032
1143	Crayfish, Shasta ( <i>Pacifastacus fortis</i> ) - Wherever found	E	\$1,600	\$1,083,823,632
1143	Darter, Diamond ( <i>Crystallaria cincotta</i> ) - Wherever found	E	\$1,600	\$1,083,825,232
1143	Pigtoe, Dark ( <i>Pleurobema furvum</i> ) - Wherever found	E	\$1,600	\$1,083,826,832
1143	Rocksail, Plicate ( <i>Leptoxis plicata</i> ) - Wherever found	E	\$1,600	\$1,083,828,432
1143	Sunflower, San Mateo Woolly ( <i>Eriophyllum latilobum</i> ) - Wherever found	E	\$1,600	\$1,083,830,032
1143	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> ) - Wherever found	E	\$1,600	\$1,083,831,632

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1144	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,540	\$1,083,833,172
1145	Cactus, Bakersfield ( <i>Opuntia treleasei</i> ) - Wherever found	E	\$1,500	\$1,083,834,672
1145	Frog, Goliath ( <i>Conraua goliath</i> ) - Wherever found	T	\$1,500	\$1,083,836,172
1145	Gambusia, Big Bend ( <i>Gambusia gaigei</i> ) - Wherever found	E	\$1,500	\$1,083,837,672
1145	Oryx, Arabian ( <i>Oryx leucoryx</i> ) - Wherever found	E	\$1,500	\$1,083,839,172
1146	Beetle, Helotes Mold ( <i>Batrisodes venyivi</i> ) - Wherever found	E	\$1,447	\$1,083,840,619
1147	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,422	\$1,083,842,041
1148	Pigtoe, Rough ( <i>Pleurobema plenum</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,384	\$1,083,843,425
1149	Pearlymussel, Birdwing ( <i>Lemiox rimosus</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$1,346	\$1,083,844,771
1150	Jaguarundi, Panamanian ( <i>Herpailurus (=Felis) yagouaroundi panamensis</i> ) - Wherever found	E	\$1,300	\$1,083,846,071
1150	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> ) - Wherever found	E	\$1,300	\$1,083,847,371
1150	Spurge, Deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> ) - Wherever found	E	\$1,300	\$1,083,848,671
1151	Falcon, Eurasian Peregrine ( <i>Falco peregrinus peregrinus</i> ) - Wherever found	E	\$1,226	\$1,083,849,897
1152	Barberry, Nevin's ( <i>Berberis nevinii</i> ) - Wherever found	E	\$1,200	\$1,083,851,097
1152	Blazingstar, Scrub ( <i>Liatris ohlingerae</i> ) - Wherever found	E	\$1,200	\$1,083,852,297
1152	Spineflower, Slender-horned ( <i>Dodecahema leptoceras</i> ) - Wherever found	E	\$1,200	\$1,083,853,497
1153	Shark, Scalloped Hammerhead ( <i>Sphyrna lewini</i> ) - Central and Southwest Atlantic DPS	T	\$1,165	\$1,083,854,662
1154	Trillium, Persistent ( <i>Trillium persistens</i> ) - Wherever found	E	\$1,150	\$1,083,855,812
1155	Crocodile, American ( <i>Crocodylus acutus</i> ) - Wherever found, except in U.S.A. (FL)	E	\$1,100	\$1,083,856,912
1156	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> ) - Wherever found	E	\$1,096	\$1,083,858,008
1157	Bellflower, Brooksville ( <i>Campanula robinsiae</i> ) - Wherever found	E	\$1,000	\$1,083,859,008
1157	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> ) - Wherever found	T	\$1,000	\$1,083,860,008
1157	Cat, Flat-headed ( <i>Prionailurus (=Felis) planiceps</i> ) - Wherever found	E	\$1,000	\$1,083,861,008
1157	Cat, Leopard ( <i>Prionailurus (=Felis) bengalensis bengalensis</i> ) - Wherever found	E	\$1,000	\$1,083,862,008
1157	Cheetah ( <i>Acinonyx jubatus</i> ) - Wherever found	E	\$1,000	\$1,083,863,008
1157	Clubshell, Black ( <i>Pleurobema curtum</i> ) - Wherever found	E	\$1,000	\$1,083,864,008

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1157	Combshell, Southern ( <i>Epioblasma penita</i> ) - Wherever found	E	\$1,000	\$1,083,865,008
1157	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> ) - Wherever found	E	\$1,000	\$1,083,866,008
1157	Leopard ( <i>Panthera pardus</i> ) - except where threatened	E	\$1,000	\$1,083,867,008
1157	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> ) - Wherever found	E	\$1,000	\$1,083,868,008
1157	Mint, Longspurred ( <i>Dicerandra cornutissima</i> ) - Wherever found	E	\$1,000	\$1,083,869,008
1157	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,000	\$1,083,870,008
1157	Petrel, Bermuda ( <i>Pterodroma cahow</i> ) - Wherever found	E	\$1,000	\$1,083,871,008
1157	Pigtoe, Shiny ( <i>Fusconaia cor</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,000	\$1,083,872,008
1157	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - Southwest Pacific DPS	T	\$1,000	\$1,083,873,008
1157	Spineflower, Sonoma ( <i>Chorizanthe valida</i> ) - Wherever found	E	\$1,000	\$1,083,874,008
1157	Springsnail, Alamosa ( <i>Tryonia alamosae</i> ) - Wherever found	E	\$1,000	\$1,083,875,008
1157	Springsnail, Chupadera ( <i>Pyrgulopsis chupaderae</i> ) - Wherever found	E	\$1,000	\$1,083,876,008
1157	Springsnail, San Bernardino ( <i>Pyrgulopsis bernardina</i> ) - Wherever found	T	\$1,000	\$1,083,877,008
1157	Trout, Paiute Cutthroat ( <i>Oncorhynchus clarkii seleniris</i> ) - Wherever found	T	\$1,000	\$1,083,878,008
1157	Vervain, Red Hills ( <i>Verbena californica</i> ) - Wherever found	T	\$1,000	\$1,083,879,008
1158	Chub, Spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (AL, TN-specified portions of Shoal Creek; see 17.84(m)(1)(ii))	EXPN	\$900	\$1,083,879,908
1158	Darter, Boulder ( <i>Etheostoma wapiti</i> ) - Shoal Creek	EXPN	\$900	\$1,083,880,808
1158	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> ) - Wherever found	T	\$900	\$1,083,881,708
1158	Pimpleback, Orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$900	\$1,083,882,608
1158	Ring Pink (mussel) ( <i>Obovaria retusa</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$900	\$1,083,883,508
1158	Tango, Miyako (=toyko Bitterling) ( <i>Tanakia tanago</i> ) - Wherever found	E	\$900	\$1,083,884,408
1159	Salamander, Austin Blind ( <i>Eurycea waterlooensis</i> ) - Wherever found	E	\$840	\$1,083,885,248
1159	Salamander, Barton Springs ( <i>Eurycea sosorum</i> ) - Wherever found	E	\$840	\$1,083,886,088
1159	Salamander, Jollyville Plateau ( <i>Eurycea tonkawae</i> ) - Wherever found	T	\$840	\$1,083,886,928
1160	Clarkia, Springville ( <i>Clarkia springvillensis</i> ) - Wherever found	T	\$800	\$1,083,887,728
1160	Fiddleneck, Large-flowered ( <i>Amsinckia grandiflora</i> ) - Wherever found	E	\$800	\$1,083,888,528
1160	Madtom, Scioto ( <i>Noturus trautmani</i> ) - Wherever found	E	\$800	\$1,083,889,328

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1160	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> ) - Wherever found	E	\$800	\$1,083,890,128
1160	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> ) - Wherever found	E	\$800	\$1,083,890,928
1161	Ceanothus, Coyote ( <i>Ceanothus ferrisiae</i> ) - Wherever found	E	\$600	\$1,083,891,528
1161	Ceanothus, Vail Lake ( <i>Ceanothus ophiochilus</i> ) - Wherever found	T	\$600	\$1,083,892,128
1161	Dace, Ash Meadows Speckled ( <i>Rhinichthys osculus nevadensis</i> ) - Wherever found	E	\$600	\$1,083,892,728
1161	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> ) - Wherever found	T	\$600	\$1,083,893,328
1161	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> ) - Wherever found	T	\$600	\$1,083,893,928
1161	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> ) - Wherever found	E	\$600	\$1,083,894,528
1161	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> ) - Wherever found	E	\$600	\$1,083,895,128
1161	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> ) - Wherever found	E	\$600	\$1,083,895,728
1162	Chub, Pahranaagat Roundtail ( <i>Gila robusta jordani</i> ) - Wherever found	E	\$500	\$1,083,896,228
1162	Chub, Yaqui ( <i>Gila purpurea</i> ) - Wherever found	E	\$500	\$1,083,896,728
1162	Curlew, Eskimo ( <i>Numenius borealis</i> ) - Wherever found	E	\$500	\$1,083,897,228
1162	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> ) - Wherever found	E	\$500	\$1,083,897,728
1162	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> ) - Wherever found	E	\$500	\$1,083,898,228
1162	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> ) - Wherever found	E	\$500	\$1,083,898,728
1162	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> ) - Wherever found	E	\$500	\$1,083,899,228
1162	Shiner, Beautiful ( <i>Cyprinella formosa</i> ) - Wherever found	T	\$500	\$1,083,899,728
1162	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> ) - Wherever found	E	\$500	\$1,083,900,228
1162	Springsnail, Phantom ( <i>Pyrgulopsis texana</i> ) - Wherever found	E	\$500	\$1,083,900,728
1163	Darter, Fountain ( <i>Etheostoma fonticola</i> ) - Wherever found	E	\$420	\$1,083,901,148
1163	Ladies-tresses, Navasota ( <i>Spiranthes parksii</i> ) - Wherever found	E	\$420	\$1,083,901,568
1163	Sand-verbena, Large-fruited ( <i>Abronia macrocarpa</i> ) - Wherever found	E	\$420	\$1,083,901,988
1163	Wild-rice, Texas ( <i>Zizania texana</i> ) - Wherever found	E	\$420	\$1,083,902,408
1164	Butterfly, El Segundo Blue ( <i>Euphilotes battoides allyni</i> ) - Wherever found	E	\$400	\$1,083,902,808
1164	Butterfly, Lotis Blue ( <i>Lycaeides argyrognomon lotis</i> ) - Wherever found	E	\$400	\$1,083,903,208
1164	Butterfly, Mount Charleston Blue ( <i>Icaricia (Plebejus) shasta charlestonensis</i> ) - Wherever found	E	\$400	\$1,083,903,608
1164	Butterfly, Myrtle's Silverspot ( <i>Speyeria zerene myrtleae</i> ) - Wherever found	E	\$400	\$1,083,904,008

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1164	Dove, Grenada Gray-fronted ( <i>Leptotila rufaxilla wellsi</i> ) - Wherever found	E	\$400	\$1,083,904,408
1164	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> ) - Wherever found	E	\$400	\$1,083,904,808
1164	Moth, Kern Primrose Sphinx ( <i>Euproserpinus euterpe</i> ) - Wherever found	T	\$400	\$1,083,905,208
1164	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> ) - Wherever found	E	\$400	\$1,083,905,608
1164	Skipper, Pawnee Montane ( <i>Hesperia leonardus montana</i> ) - Wherever found	T	\$400	\$1,083,906,008
1164	Snail, Flat-spired Three-toothed ( <i>Triodopsis platysayoides</i> ) - Wherever found	T	\$400	\$1,083,906,408
1164	Spinymussel, Altamaha ( <i>Elliptio spinosa</i> ) - Wherever found	E	\$400	\$1,083,906,808
1165	Anby ( <i>Elliptio spinosa</i> ) - Wherever found	E	\$315	\$1,083,907,123
1166	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> ) - Wherever found	T	\$314	\$1,083,907,437
1167	Beetle, [no Common Name] ( <i>Rhadine exilis</i> ) - Wherever found	E	\$300	\$1,083,907,737
1167	Beetle, [no Common Name] ( <i>Rhadine infernalis</i> ) - Wherever found	E	\$300	\$1,083,908,037
1167	Beetle, Casey's June ( <i>Dinacoma caseyi</i> ) - Wherever found	E	\$300	\$1,083,908,337
1167	Beetle, Comal Springs Riffle ( <i>Heterelmis comalensis</i> ) - Wherever found	E	\$300	\$1,083,908,637
1167	Beetle, Tooth Cave Ground ( <i>Rhadine persephone</i> ) - Wherever found	E	\$300	\$1,083,908,937
1167	Butterfly, Cassius Blue ( <i>Leptotes cassius theonus</i> ) - Wherever found	SAT	\$300	\$1,083,909,237
1167	Butterfly, Ceraunus Blue ( <i>Hemiargus ceraunus antibubastus</i> ) - Wherever found	SAT	\$300	\$1,083,909,537
1167	Butterfly, Corsican Swallowtail ( <i>Papilio hospiton</i> ) - Wherever found	E	\$300	\$1,083,909,837
1167	Butterfly, Homerus Swallowtail ( <i>Papilio homerus</i> ) - Wherever found	E	\$300	\$1,083,910,137
1167	Butterfly, Luzon Peacock Swallowtail ( <i>Papilio chikae</i> ) - Wherever found	E	\$300	\$1,083,910,437
1167	Butterfly, Nickerbean Blue ( <i>Cyclargus ammon</i> ) - Wherever found	SAT	\$300	\$1,083,910,737
1167	Butterfly, Palos Verdes Blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> ) - Wherever found	E	\$300	\$1,083,911,037
1167	Butterfly, Queen Alexandra's Birdwing ( <i>Troides alexandrae</i> ) - Wherever found	E	\$300	\$1,083,911,337
1167	Fly, Delhi Sands Flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> ) - Wherever found	E	\$300	\$1,083,911,637
1168	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> ) - Wherever found	E	\$250	\$1,083,911,887
1168	Brodiaea, Thread-leaved ( <i>Brodiaea filifolia</i> ) - Wherever found	T	\$250	\$1,083,912,137
1169	Chub, Spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (TN-specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$200	\$1,083,912,337
1169	Wolf, Red ( <i>Canis rufus</i> ) - Wherever found, except where listed as an experimental population	E	\$200	\$1,083,912,537
1170	Falcon, Northern Aplomado ( <i>Falco femoralis septentrionalis</i> ) - Wherever found, except where listed as an experimental population	E	\$170	\$1,083,912,707

<b>Rank</b>	<b>Species (50 CFR Part 17)</b>	<b>Status</b>	<b>Species Total</b>	<b>Cumulatative Total</b>
1171	Birch, Virginia Round-leaf ( <i>Betula uber</i> ) - Wherever found	T	\$100	\$1,083,912,807
1171	Chub, Hutton Tui ( <i>Gila bicolor</i> ssp.) - Wherever found	T	\$100	\$1,083,912,907
1171	Snail, Virginia Fringed Mountain ( <i>Polygyriscus virginianus</i> ) - Wherever found	E	\$100	\$1,083,913,007
<b>Total Ranked Species Expenditures</b>				\$1,083,913,007

**TABLE 3. FY 2020 REPORTED LAND ACQUISITION EXPENDITURES FOR  
ENDANGERED AND THREATENED SPECIES**

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2020 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported. Land acquisition costs for multi-species conservation activities are tabulated at the end of Table 3. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).



**TABLE 3. REPORTED LAND ACQUISITION EXPENDITURES FOR FY 2020 FOR ENDANGERED AND THREATENED SPECIES**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Amphibians	16	Salamander, California Tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (Central CA DPS)	T	\$0	\$250,500	\$250,500	\$0	\$250,500
	30	Salamander, Frosted Flatwoods ( <i>Ambystoma cingulatum</i> ) - Wherever found	T	\$0	\$0	\$0	\$49,290	\$49,290
	30	Salamander, Reticulated Flatwoods ( <i>Ambystoma bishopi</i> ) - Wherever found	E	\$0	\$0	\$0	\$49,290	\$49,290
<b>Amphibians subtotal</b>				<b>\$0</b>	<b>\$250,500</b>	<b>\$250,500</b>	<b>\$98,580</b>	<b>\$349,080</b>
Birds	40	Kite, Everglade Snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - Wherever found	E	\$0	\$0	\$0	\$3,217	\$3,217
	26	Owl, Northern Spotted ( <i>Strix occidentalis caurina</i> ) - Wherever found	T	\$0	\$0	\$0	\$60,000	\$60,000
	37	Plover, Piping ( <i>Charadrius melodus</i> ) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$0	\$14,861	\$14,861	\$0	\$14,861
	31	Scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> ) - Wherever found	T	\$0	\$0	\$0	\$43,458	\$43,458
	17	Sparrow, Florida Grasshopper ( <i>Ammodramus savannarum floridanus</i> ) - Wherever found	E	\$0	\$0	\$0	\$166,658	\$166,658
	1	Woodpecker, Red-cockaded ( <i>Picoides borealis</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,348,322	\$2,348,322
<b>Birds subtotal</b>				<b>\$0</b>	<b>\$14,861</b>	<b>\$14,861</b>	<b>\$2,621,655</b>	<b>\$2,636,516</b>
Clams	11	Fatmucket, Arkansas ( <i>Lampsilis powellii</i> ) - Wherever found	T	\$0	\$0	\$0	\$429,000	\$429,000
<b>Clams subtotal</b>				<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$429,000</b>	<b>\$429,000</b>
Crustaceans	16	Fairy Shrimp, Vernal Pool ( <i>Branchinecta lynchi</i> ) - Wherever found	T	\$0	\$250,500	\$250,500	\$0	\$250,500
<b>Crustaceans subtotal</b>				<b>\$0</b>	<b>\$250,500</b>	<b>\$250,500</b>	<b>\$0</b>	<b>\$250,500</b>
Fishes	34	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$0	\$41,000	\$41,000	\$0	\$41,000
	6	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$0	\$1,379,058	\$1,379,058	\$0	\$1,379,058
	60	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU	T	\$0	\$500	\$500	\$0	\$500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	34	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$0	\$41,000	\$41,000	\$0	\$41,000
	4	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$0	\$1,403,564	\$1,403,564	\$0	\$1,403,564
	23	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$0	\$135,778	\$135,778	\$0	\$135,778
	23	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$0	\$135,778	\$135,778	\$0	\$135,778
	23	Salmon, Chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$0	\$135,778	\$135,778	\$0	\$135,778
	7	Salmon, Chum ( <i>Oncorhynchus keta</i> ) - Columbia River ESU	T	\$0	\$1,377,018	\$1,377,018	\$0	\$1,377,018
	6	Salmon, Coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Lower Columbia River ESU	T	\$0	\$1,379,058	\$1,379,058	\$0	\$1,379,058
	23	Salmon, Sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Snake River ESU	E	\$0	\$135,778	\$135,778	\$0	\$135,778
	51	Sawfish, Smalltooth ( <i>Pristis pectinata</i> ) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$0	\$0	\$0	\$2,776	\$2,776
	34	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - California Central Valley DPS	T	\$0	\$41,000	\$41,000	\$0	\$41,000
	3	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Lower Columbia River DPS	T	\$0	\$1,379,058	\$1,379,058	\$400,000	\$1,779,058
	9	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Middle Columbia River DPS	EXPN	\$0	\$135,778	\$135,778	\$400,000	\$535,778
	60	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Puget Sound DPS	T	\$0	\$500	\$500	\$0	\$500
	18	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Snake River Basin DPS	T	\$0	\$162,324	\$162,324	\$0	\$162,324
	10	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Columbia River DPS	T	\$0	\$130,085	\$130,085	\$400,000	\$530,085
	23	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Willamette River DPS	T	\$0	\$135,778	\$135,778	\$0	\$135,778
	27	Sturgeon, Pallid ( <i>Scaphirhynchus albus</i> ) - Wherever found	E	\$0	\$56,011	\$56,011	\$0	\$56,011
	2	Trout, Bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$0	\$1,698,653	\$1,698,653	\$400,000	\$2,098,653
<b>Fishes subtotal</b>				<b>\$0</b>	<b>\$9,903,497</b>	<b>\$9,903,497</b>	<b>\$1,602,776</b>	<b>\$11,506,273</b>

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Flowering Plants	14	Mallow, Kern ( <i>Eremalche kernensis</i> ) - Wherever found	E	\$0	\$307,500	\$307,500	\$0	\$307,500
	60	Orcutt Grass, Hairy ( <i>Orcuttia pilosa</i> ) - Wherever found	E	\$0	\$500	\$500	\$0	\$500
	60	Owl's-clover, Fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> ) - Wherever found	T	\$0	\$500	\$500	\$0	\$500
<b>Flowering Plants subtotal</b>				<b>\$0</b>	<b>\$308,500</b>	<b>\$308,500</b>	<b>\$0</b>	<b>\$308,500</b>
Insects	25	Beetle, American Burying ( <i>Nicrophorus americanus</i> ) - Wherever found, except where listed as an experimental population	E	\$0	\$66,000	\$66,000	\$0	\$66,000
<b>Insects subtotal</b>				<b>\$0</b>	<b>\$66,000</b>	<b>\$66,000</b>	<b>\$0</b>	<b>\$66,000</b>
Mammals	51	Bat, Florida Bonneted ( <i>Eumops floridanus</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,776	\$2,776
	35	Bat, Gray ( <i>Myotis grisescens</i> ) - Wherever found	E	\$0	\$0	\$0	\$35,937	\$35,937
	13	Bat, Northern Long-eared ( <i>Myotis septentrionalis</i> ) - Wherever found	T	\$0	\$0	\$0	\$374,000	\$374,000
	28	Bear, Grizzly ( <i>Ursus arctos horribilis</i> ) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$0	\$0	\$0	\$50,000	\$50,000
	36	Manatee, West Indian ( <i>Trichechus manatus</i> ) - Wherever found	T	\$0	\$0	\$0	\$16,311	\$16,311
	53	Mouse, Anastasia Island Beach ( <i>Peromyscus polionotus phasma</i> ) - Wherever found	E	\$0	\$0	\$0	\$1,388	\$1,388
	56	Mouse, Choctawhatchee Beach ( <i>Peromyscus polionotus allophrys</i> ) - Wherever found	E	\$0	\$0	\$0	\$925	\$925
	56	Mouse, Perdido Key Beach ( <i>Peromyscus polionotus trissyllepsis</i> ) - Wherever found	E	\$0	\$0	\$0	\$925	\$925
	53	Mouse, Southeastern Beach ( <i>Peromyscus polionotus niveiventris</i> ) - wherever found	T	\$0	\$0	\$0	\$1,388	\$1,388
	56	Mouse, St. Andrew Beach ( <i>Peromyscus polionotus peninsularis</i> ) - Wherever found	E	\$0	\$0	\$0	\$925	\$925
	25	Ocelot ( <i>Leopardus (=Felis) pardalis</i> ) - wherever found	E	\$66,000	\$0	\$66,000	\$0	\$66,000
	39	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> ) - Wherever found	E	\$0	\$0	\$0	\$3,277	\$3,277
	51	Whale, North Atlantic Right ( <i>Eubalaena glacialis</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,776	\$2,776
<b>Mammals subtotal</b>				<b>\$66,000</b>	<b>\$0</b>	<b>\$66,000</b>	<b>\$490,628</b>	<b>\$556,628</b>

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Reptiles	41	Alligator, American ( <i>Alligator mississippiensis</i> ) - Wherever found	SAT	\$0	\$0	\$0	\$2,794	\$2,794
	51	Crocodile, American ( <i>Crocodylus acutus</i> ) - U.S.A. (FL)	T	\$0	\$0	\$0	\$2,776	\$2,776
	8	Pinesnake, Louisiana ( <i>Pituophis ruthveni</i> ) - Wherever found	T	\$0	\$0	\$0	\$1,335,000	\$1,335,000
	51	Sea Turtle, Green ( <i>Chelonia mydas</i> ) - North Atlantic DPS	T	\$0	\$0	\$0	\$2,776	\$2,776
	51	Sea Turtle, Hawksbill ( <i>Eretmochelys imbricata</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,776	\$2,776
	51	Sea Turtle, Kemp's Ridley ( <i>Lepidochelys kempii</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,776	\$2,776
	51	Sea Turtle, Leatherback ( <i>Dermochelys coriacea</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,776	\$2,776
	51	Sea Turtle, Loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic Ocean DPS	T	\$0	\$0	\$0	\$2,776	\$2,776
	51	Snake, Eastern Indigo ( <i>Drymarchon corais couperi</i> ) - Wherever found	T	\$0	\$0	\$0	\$2,776	\$2,776
	12	Tortoise, Desert ( <i>Gopherus agassizii</i> ) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$0	\$152,000	\$152,000	\$269,922	\$421,922
	38	Tortoise, Gopher ( <i>Gopherus polyphemus</i> ) - West of Mobile and Tombigbee Rivers	T	\$0	\$0	\$0	\$10,720	\$10,720
<b>Reptiles subtotal</b>				<b>\$0</b>	<b>\$152,000</b>	<b>\$152,000</b>	<b>\$1,637,868</b>	<b>\$1,789,868</b>
Multi-species				\$0	\$350,861	\$350,861	\$7,508	\$358,369
<b>Total Land Expenditures</b>				<b>\$66,000</b>	<b>\$11,296,719</b>	<b>\$11,362,719</b>	<b>\$6,888,015</b>	<b>\$18,250,734</b>

**TABLE 4. FY 2020 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES**

This table displays combined species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included, as well as costs for multi-species conservation activities.

**TABLE 4. FY 2020 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES**

<b>Agency Type</b>	<b>Expense Type</b>	<b>Agency</b>	<b>Species Total</b>	<b>Land Total</b>	<b>Cumulative Total</b>
Federal	Federal Domestic Expenditures	DHS Customs and Border Protection	\$621,500		\$621,500
		DOC National Oceanic and Atmospheric Administration	\$189,950,000		\$189,950,000
		DOD Army	\$100,600	\$66,000	\$166,600
		DOD Army Corp of Engineers	\$197,545,789	\$72,372	\$197,618,161
		DOD Marine Corps	\$13,852,476		\$13,852,476
		DOE Bonneville Power Administration	\$207,966,699	\$9,722,986	\$217,689,685
		DOE Southwest Power Administration	\$36,500		\$36,500
		DOE Western Area Power Administration	\$14,434,786		\$14,434,786
		DOI Bureau of Land Management	\$25,911,657	\$152,000	\$26,063,657
		DOI Bureau of Reclamation	\$207,217,726	\$932,500	\$208,150,226
		DOI Fish and Wildlife Service	\$94,851,032	\$66,000	\$94,917,032
		DOI Geological Survey	\$11,469,089		\$11,469,089
		DOI National Park Service	\$16,831,023		\$16,831,023
		DOT Federal Aviation Administration	\$91,900		\$91,900
		Environmental Protection Agency	\$31,791		\$31,791
		Federal Energy Regulatory Commission	\$299,500		\$299,500
		Tennessee Valley Authority	\$800,150		\$800,150
		USDA Animal and Plant Health Inspection Service	\$1,239,300		\$1,239,300
		USDA Forest Service	\$19,759,071		\$19,759,071
		<i>Federal Domestic Expenditures subtotal</i>	<i>\$1,003,010,589</i>	<i>\$11,011,858</i>	<i>\$1,014,022,447</i>
	Federal Foreign Expenditures	DOD Army Corp of Engineers	\$477,493		\$477,493
		DOI Geological Survey	\$551,804		\$551,804
		DOI Fish and Wildlife Service	\$873,373		\$873,373
		DOI National Park Service	\$45,000		\$45,000
		Federal Energy Regulatory Commission	\$500		\$500
		USDA Animal and Plant Health Inspection Service	\$21,300		\$21,300
		USDA Forest Service	\$66,000		\$66,000
		<i>Federal Foreign Expenditures subtotal</i>	<i>\$2,035,470</i>	<i>\$0</i>	<i>\$2,035,470</i>
	Multi-species	USDA Animal and Plant Health Inspection Service	\$605,800		\$605,800
		DOD Bureau of Reclamation	\$91,815,424		\$91,815,424

Agency Type	Expense Type	Agency	Species Total	Land Total	Cumulative Total
		DOI Fish and Wildlife Service	\$9,035,233		\$9,035,233
		Environmental Protection Agency	\$4,662,000		\$4,662,000
		Federal Aviation Administration	\$739,500		\$739,500
		Southwest Power Administration	\$35,500		\$35,500
		US Army Corp of Engineers	\$4,586,694	\$14,861	\$4,601,555
		US Geological Survey	\$668,000		\$668,000
		US Marine Corps	\$7,053,969		\$7,053,969
		USDA Natural Resources Conservation Service		\$336,000	\$336,000
	<i>Multi-species subtotal</i>		<i>\$119,202,120</i>	<i>\$350,861</i>	<i>\$119,552,981</i>
	<b><i>Federal Domestic, Foreign and Multi-species Expenditures subtotal</i></b>		<b><i>\$1,124,248,179</i></b>	<b><i>\$11,362,719</i></b>	<b><i>\$1,135,610,898</i></b>
State	State Domestic Expenditures	State Governments	\$78,830,762	\$6,880,507	\$85,711,269
	Foreign Species	State Governments	\$36,186		\$36,186
	Multi-species	State Governments	\$42,775,625	\$7,508	\$42,783,133
	<b><i>State Domestic, Foreign and Multi-species Expenditures subtotal</i></b>		<b><i>\$121,642,573</i></b>	<b><i>\$6,888,015</i></b>	<b><i>\$128,530,588</i></b>
<b>Total Federal and State Domestic and Foreign Expenditures</b>			<b>\$1,245,890,752</b>	<b>\$18,250,734</b>	<b>\$1,264,141,486</b>

## Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species -- FY 2020

### Overview

This reporting guidance provides information on how to report expenditures attributable to individual species to the extent this information is reasonably available. The Congress requested information for this report on a primarily species-by-species basis. However, to provide the most accurate account of expenditures for the conservation of species listed under the Endangered Species Act, a “multi-species” reporting feature was added. This option allows the reporting of lump sum costs for multi-species conservation activities **when it is not possible to account accurately for individual species.**

The ESA Expenditures Report to Congress is an annual report and the current data call is requesting expenditures from Federal Fiscal Year 2020. The standard procedure for data submission would involve direct entry of expenditures into the ECOS Expenditures module. However, due to the delayed data call for FY’s 2018 & 19, the system is not available for FY20 data entry. This guidance outlines the same method used for FY 2019 data, requesting data be submitted on the customized spreadsheet provided.

The FY 2020 spreadsheet is the year’s full Threatened & Endangered Species list that has been formatted with fields for General and Land Expenditures, and follows the format for the bulk upload. The bulk upload of all spreadsheet will be facilitated by FWS upon the close of the reporting window.

### Data Reporting Instruction

#### FY 2020 Reporting Instruction

Each agency must report FY 2020 data using the customized spreadsheet (<https://ecos.fws.gov/docs/expenditures/ExpendituresSpeciesList2020FINAL.xlsx>). The customized spreadsheet will be locked to prevent changes to species information. Agencies will have access to enter expenditures for each species in the designated cells. Information on the scope of the activities to report is provided in the “Data Gathering Instruction” section below.

Completed FY 2020 spreadsheets should be emailed to [fwhq\\_es\\_bbs@fws.gov](mailto:fwhq_es_bbs@fws.gov) with a subject line of “FY 2020 Expenditures Report Data Submission.”

### Data Gathering Instruction

#### Background

- Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, “...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--

(1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and



(2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."

- The conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:
  - Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
  - The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
  - Generalized dollar estimates will suffice.
  - Amendment does not apply to expenditures for delisted, proposed, and candidate species.
  - Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
  - Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
  - Only salary costs that can be reasonably identified as applicable to listed species need be reported.
  - For other Federal and State agencies, a good faith effort to collect information is expected.
  - Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
  - Only one data set per agency should be submitted for any given fiscal year.

#### Data Format

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

#### Scope of Expenditures to Report

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of Federal fiscal year 2020 (October 1, 2019 to September 30,

2020) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for delisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.

- Only reasonably identifiable expenditures for listed species will be compiled for this report. Extraordinary accounting to track funds expended on listed species is not expected. **Funds reported should be those actually expended, not obligated.**
- Examples of reportable expenditures include status surveys, habitat management, habitat acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. **Projects must primarily benefit listed species** and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. **When it is not possible to determine individual listed species costs in a multi-species project by prorating, those costs should be entered, according to the following instruction:**
  - **FY 2020:** Enter the cost in total, in the multi-species tab of the spreadsheet. The comment box, which is part of this feature, should be used to identify the species covered by this expenditure amount.
- General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the portion of costs that benefit listed species.
- Expenditures associated with consultations pursuant to Section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, should be reported under that or those species. **Consultation costs not readily attributable to individual species can be reported in the multi-species category.**

- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species. **Costs meeting the criteria in (1) and (2), but not readily identifiable to individual species can be reported in the multi-species category.**
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly. **Staff costs for work on multi-species activities that cannot be identified to particular species can be reported in the multi-species category.**
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable, or **may report such costs in the multi-species category.**
- All State agencies (e.g., fish and wildlife, parks, heritage programs, forests, highways) should report their expenditures, but only a single, collective report from each State should be submitted. **Expenditures should include conservation costs for fish, wildlife, and plants.** For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- For reimbursable funds, the paying or disbursing agency should report the expenditure.
- **Litigation costs should not be reported.**

## **Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2020**

### Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency\*
- Forest Service
- Natural Resources Conservation Service

### Department of Commerce:

- National Oceanic and Atmospheric Administration

### Department of Defense:

- Office of the Under Secretary
  - Representing: Air Force\*, Army (includes Defense Logistics Agency), Marine Corps, Navy\*, and Army Corps of Engineers

### Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration\*
- Southwestern Power Administration
- Western Area Power Administration

### Department of Homeland Security

- Coast Guard\*
- Customs and Border Protection
- Federal Emergency Management Agency\*
- Office of Science and Technology\*

### Department of the Interior:

- Bureau of Indian Affairs\*
- Bureau of Land Management
- Bureau of Ocean Energy Management\*
- Bureau of Reclamation
- Bureau of Safety and Environmental Enforcement\*
- National Park Service
- Office of Surface Mining\*
- U.S. Geological Survey

### Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration\*

### Independent Agencies:

Environmental Protection Agency Federal  
Communications Commission\* Federal  
Energy Regulatory Commission Nuclear  
Regulatory Commission\*  
Smithsonian Institution\*  
Tennessee Valley Authority

\* Agencies reporting no expenditures for FY 2020

## DHS Customs and Border Protection - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$23,000	\$0	\$23,000
	<i>Amphibians subtotal</i>				\$23,000	\$0	\$23,000
	Birds	Gnatcatcher, Coastal California	Polioptila californica californica	Wherever found	\$159,500	\$0	\$159,500
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$20,500	\$0	\$20,500
	<i>Birds subtotal</i>				\$180,000	\$0	\$180,000
	Crustaceans	Fairy Shrimp, Riverside	Streptocephalus woottoni	Wherever found	\$20,500	\$0	\$20,500
		Fairy Shrimp, San Diego	Branchinecta sandiegonensis	Wherever found	\$20,500	\$0	\$20,500
	<i>Crustaceans subtotal</i>				\$41,000	\$0	\$41,000
	Flowering Plants	Button-celery, San Diego	Eryngium aristulatum var. parishii	Wherever found	\$20,500	\$0	\$20,500
		Navarretia, Spreading	Navarretia fossalis	Wherever found	\$20,500	\$0	\$20,500
		Tarplant, Otay	Deinandra (=Hemizonia) conjugens	Wherever found	\$3,500	\$0	\$3,500
		Thornmint, San Diego	Acanthomintha ilicifolia	Wherever found	\$3,500	\$0	\$3,500
	<i>Flowering Plants subtotal</i>				\$48,000	\$0	\$48,000
	Insects	Butterfly, Quino Checkerspot	Euphydryas editha quino (=E. e. wrighti)	Wherever found	\$150,500	\$0	\$150,500
	<i>Insects subtotal</i>				\$150,500	\$0	\$150,500
	Mammals	Bat, Mexican Long-nosed	Leptonycteris nivalis	Wherever found	\$20,500	\$0	\$20,500
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$30,000	\$0	\$30,000
		Pronghorn, Sonoran	Antilocapra americana sonoriensis	U.S.A. (AZ), Mexico	\$128,500	\$0	\$128,500
	<i>Mammals subtotal</i>				\$179,000	\$0	\$179,000
<b>Domestic Species Total</b>					<b>\$621,500</b>	<b>\$0</b>	<b>\$621,500</b>
<b>Grand Total</b>					<b>\$621,500</b>	<b>\$0</b>	<b>\$621,500</b>

## DOC National Oceanic and Atmospheric Administration - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Corals	coral, Boulder star	Orbicella franksi	Wherever found	\$357,000	\$0	\$357,000
		Coral, elkhorn	Acropora palmata	Wherever found	\$413,000	\$0	\$413,000
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$357,000	\$0	\$357,000
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$357,000	\$0	\$357,000
		Coral, Pillar	Dendrogyra cylindrus	Wherever found	\$357,000	\$0	\$357,000
		Coral, Rough Cactus	Mycetophyllia ferox	Wherever found	\$357,000	\$0	\$357,000
		Coral, staghorn	Acropora cervicornis	Wherever found	\$413,000	\$0	\$413,000
		No common name	Acropora retusa	Wherever found	\$306,000	\$0	\$306,000
		No common name	Acropora speciosa	Wherever found	\$306,000	\$0	\$306,000
		No common name	Isopora crateriformis	Wherever found	\$306,000	\$0	\$306,000
		No common name	Acropora globiceps	Wherever found	\$306,000	\$0	\$306,000
		No common name	Euphyllia paradivisa	Wherever found	\$306,000	\$0	\$306,000
	<i>Corals subtotal</i>				<i>\$4,141,000</i>	<i>\$0</i>	<i>\$4,141,000</i>
	Fishes	Bocaccio	Sebastes paucispinis	Puget Sound-Georgia Basin DPS See 50 CFR 224.101	\$735,000	\$0	\$735,000
		Eulachon	Thaleichthys pacificus	Southern DPS - See 50 CFR 223.102	\$847,000	\$0	\$847,000
		grouper, Nassau	Epinephelus striatus	Wherever found	\$315,000	\$0	\$315,000
		rockfish, yelloweye	Sebastes ruberrimus	Puget Sound - Georgia Basin DPS See 50 CFR 223.102	\$635,000	\$0	\$635,000
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS - See 50 CFR 224.101	\$6,706,000	\$0	\$6,706,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU See 50 CFR 223.102	\$5,046,000	\$0	\$5,046,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU See 50 CFR 223.102	\$6,410,000	\$0	\$6,410,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Central Valley spring-run ESU See 50 CFR 223.102	\$3,630,000	\$0	\$3,630,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	California Coastal ESU - See 50 CFR 223.102	\$3,722,000	\$0	\$3,722,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Willamette River ESU See 50 CFR 223.102	\$3,519,000	\$0	\$3,519,000

		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Puget Sound ESU See 50 CFR 223.102	\$4,276,000	\$0	\$4,276,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Columbia River spring-run ESU See 50 CFR 224.101	\$3,476,000	\$0	\$3,476,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU See 50 CFR 223.102	\$5,225,000	\$0	\$5,225,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Sacramento River winter-run ESU - See 50 CFR 224.101	\$3,630,000	\$0	\$3,630,000
		Salmon, chum	Oncorhynchus keta	Columbia River ESU See 50 CFR 223.102	\$4,967,000	\$0	\$4,967,000
		Salmon, chum	Oncorhynchus keta	Hood Canal summer-run ESU - See 50 CFR 223.102	\$4,276,000	\$0	\$4,276,000
		Salmon, coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU - See 50 CFR 223.102	\$5,225,000	\$0	\$5,225,000
		Salmon, coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU - See 50 CFR 223.102	\$3,668,000	\$0	\$3,668,000
		Salmon, coho	Oncorhynchus (=Salmo) kisutch	Southern Oregon - Northern California Coast ESU - See 50 CFR 223.102	\$5,286,000	\$0	\$5,286,000
		Salmon, coho	Oncorhynchus (=Salmo) kisutch	Central California Coast ESU - See 50 CFR 224.101	\$3,630,000	\$0	\$3,630,000
		Salmon, sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU - See 50 CFR 223.102	\$4,276,000	\$0	\$4,276,000
		Salmon, sockeye	Oncorhynchus (=Salmo) nerka	Snake River ESU - See 50 CFR 224.101	\$3,467,000	\$0	\$3,467,000
		Sawfish, smalltooth	Pristis pectinata	US DPS - Smalltooth sawfish originating from U.S. waters.	\$543,000	\$0	\$543,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS - See 50 CFR 223.102	\$3,630,000	\$0	\$3,630,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	South-Central California Coast DPS - See 50 CFR 223.102	\$3,630,000	\$0	\$3,630,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Northern California DPS - See 50 CFR 223.102	\$3,922,000	\$0	\$3,922,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS - See 50 CFR 223.102	\$5,097,000	\$0	\$5,097,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	California Central Valley DPS - See 50 CFR 223.102	\$3,630,000	\$0	\$3,630,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Willamette River DPS - See 50 CFR 223.102	\$3,519,000	\$0	\$3,519,000



		Steelhead	Oncorhynchus (=Salmo) mykiss	Southern California DPS - See 50 CFR 224.101	\$3,630,000	\$0	\$3,630,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Puget Sound DPS - See 50 CFR 223.102	\$4,276,000	\$0	\$4,276,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS - See 50 CFR 223.102	\$6,410,000	\$0	\$6,410,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS - See 50 CFR 223.102	\$5,225,000	\$0	\$5,225,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS - See 50 CFR 223.102	\$3,476,000	\$0	\$3,476,000
		Sturgeon (Gulf subspecies), Atlantic	Acipenser oxyrinchus (=oxyrinchus) desotoi	Wherever found	\$478,000	\$0	\$478,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	Carolina DPS - See 50 CFR 224.101	\$950,000	\$0	\$950,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS - See 50 CFR 224.101	\$406,000	\$0	\$406,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	Chesapeake Bay DPS - See 50 CFR 224.101	\$575,000	\$0	\$575,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	Gulf of Maine DPS - See 50 CFR 223.102	\$339,000	\$0	\$339,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	South Atlantic DPS - See 50 CFR 224.101	\$315,000	\$0	\$315,000
		sturgeon, green	Acipenser medirostris	Southern DPS - See 50 CFR 223.102	\$546,000	\$0	\$546,000
		Sturgeon, shortnose	Acipenser brevirostrum	Wherever found	\$699,000	\$0	\$699,000
		<i>Fishes subtotal</i>			<i>\$134,263,000</i>	<i>\$0</i>	<i>\$134,263,000</i>
	Flowering Plants	Seagrass, Johnson's	Halophila johnsonii	Wherever found	\$315,000	\$0	\$315,000
		<i>Flowering Plants subtotal</i>			<i>\$315,000</i>	<i>\$0</i>	<i>\$315,000</i>
	Mammals	Sea lion, Steller	Eumetopias jubatus	Western DPS - See 50 CFR 224.101	\$5,427,000	\$0	\$5,427,000
		Seal, bearded	Erignathus barbatus nauticus	Beringia DPS - See 50 CFR 223.102	\$1,415,000	\$0	\$1,415,000
		Seal, Hawaiian monk	Monachus schauinslandi	Wherever found	\$3,997,000	\$0	\$3,997,000
		Seal, Ringed	Phoca (=Pusa) hispida hispida	Wherever found	\$1,415,000	\$0	\$1,415,000
		whale, beluga	Delphinapterus leucas	Cook Inlet DPS See 50 CFR 224.101	\$2,395,000	\$0	\$2,395,000
		Whale, blue	Balaenoptera musculus	Wherever found	\$1,617,000	\$0	\$1,617,000
		Whale, bowhead	Balaena mysticetus	Wherever found	\$332,000	\$0	\$332,000

		Whale, finback	Balaenoptera physalus	Wherever found	\$1,187,000	\$0	\$1,187,000
		Whale, humpback	Megaptera novaeangliae	Central America DPS	\$688,000	\$0	\$688,000
		Whale, humpback	Megaptera novaeangliae	Western North Pacific	\$6,000	\$0	\$6,000
		Whale, humpback	Megaptera novaeangliae	Mexico DPS	\$362,000	\$0	\$362,000
		Whale, killer	Orcinus orca	Southern Resident DPS See 50 CFR 224.101	\$1,994,000	\$0	\$1,994,000
		Whale, North Atlantic Right	Eubalaena glacialis	Wherever found	\$10,951,000	\$0	\$10,951,000
		Whale, North Pacific Right	Eubalaena japonica	Wherever found	\$375,000	\$0	\$375,000
		Whale, Sei	Balaenoptera borealis	Wherever found	\$1,101,000	\$0	\$1,101,000
		Whale, sperm	Physeter catodon (=macrocephalus)	Wherever found	\$1,101,000	\$0	\$1,101,000
	<i>Mammals subtotal</i>				<i>\$34,363,000</i>	<i>\$0</i>	<i>\$34,363,000</i>
	Reptiles	Sea turtle, green	Chelonia mydas	Green sea turtles originating from the East Pacific Ocean, bounded by the following lines and coordinates: 41 degrees N., 143 degrees W. in the northwest; 41 degrees N. Lat. in t	\$1,090,000	\$0	\$1,090,000
		Sea turtle, green	Chelonia mydas	Green sea turtles originating from the Central West Pacific Ocean, bounded by the following coordinates: 41 degrees N., 146 degrees E. in the northwest; 41 degrees N., 169 degree	\$960,000	\$0	\$960,000
		Sea turtle, green	Chelonia mydas	Green sea turtles originating from the Central South Pacific Ocean, bounded by the following coordinates: 9 degrees N., 175 degrees W. in the northwest; 9 degrees N., 125 degrees	\$485,000	\$0	\$485,000
		Sea turtle, green	Chelonia mydas	Green sea turtles originating from the North Atlantic Ocean, bounded by the following lines and coordinates: 48 degrees N. Lat. in the north, along the western coasts of Europe a	\$930,000	\$0	\$930,000

		Sea turtle, green	Chelonia mydas	Green sea turtles originating from the Central North Pacific Ocean, bounded by the following coordinates: 41 degrees N., 169 degrees E. in the northwest; 41 degrees N., 143 degree	\$713,000	\$0	\$713,000
		Sea turtle, hawksbill	Eretmochelys imbricata	Wherever found	\$1,938,000	\$0	\$1,938,000
		Sea turtle, Kemp's ridley	Lepidochelys kempii	Wherever found	\$1,200,000	\$0	\$1,200,000
		Sea turtle, leatherback	Dermochelys coriacea	Wherever found	\$2,999,000	\$0	\$2,999,000
		Sea turtle, loggerhead	Caretta caretta	North Pacific Ocean DPS - Loggerhead sea turtles originating from the North Pacific north of the equator and south of 60 degrees N. Lat	\$1,668,000	\$0	\$1,668,000
		Sea turtle, loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS - Loggerhead sea turtles originating from the Northwest Atlantic Ocean west of 40 degrees W. Long	\$1,893,000	\$0	\$1,893,000
		Sea turtle, olive ridley	Lepidochelys olivacea	Wherever found, except when listed as endangered under 50 CFR 224.101	\$397,000	\$0	\$397,000
	<i>Reptiles subtotal</i>				<i>\$14,273,000</i>	<i>\$0</i>	<i>\$14,273,000</i>
	Snails	Abalone, Black	Haliotis cracherodii	Wherever found	\$1,726,000	\$0	\$1,726,000
		Abalone, White	Haliotis sorenseni	North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	\$869,000	\$0	\$869,000
	<i>Snails subtotal</i>				<i>\$2,595,000</i>	<i>\$0</i>	<i>\$2,595,000</i>
<b>Domestic Subtotal</b>					<b>\$189,950,000</b>	<b>\$0</b>	<b>\$189,950,000</b>
<b>Grand Total</b>					<b>\$189,950,000</b>	<b>\$0</b>	<b>\$189,950,000</b>

## DOD Army \_ FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Flowering Plants	No Common Name	Geocarpon minimum	Wherever found	\$1,000	\$0	\$1,000
	<i>Flowering Plants subtotal</i>				<i>\$1,000</i>	<i>\$0</i>	<i>\$1,000</i>
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$98,600	\$66,000	\$164,600
	<i>Insects subtotal</i>				<i>\$98,600</i>	<i>\$66,000</i>	<i>\$164,600</i>
	Mammals	Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$1,000	\$0	\$1,000
	<i>Mammals subtotal</i>				<i>\$1,000</i>	<i>\$0</i>	<i>\$1,000</i>
<b>Domestic Subtotal</b>					<b>\$100,600</b>	<b>\$66,000</b>	<b>\$166,600</b>
<b>Grand Total</b>					<b>\$100,600</b>	<b>\$66,000</b>	<b>\$166,600</b>

## DOD Army Corp of Engineers - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$184,665	\$0	\$184,665
		Frog, Dusky Gopher	Rana sevosa	Wherever found	\$23,931	\$0	\$23,931
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$14,581	\$0	\$14,581
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$1,600	\$0	\$1,600
		Hellbender, Ozark	Cryptobranchus alleganiensis bishopi	Wherever found	\$4,100	\$0	\$4,100
		Salamander, Austin Blind	Eurycea waterlooensis	Wherever found	\$840	\$0	\$840
		Salamander, Barton Springs	Eurycea sosorum	Wherever found	\$840	\$0	\$840
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$68,543	\$0	\$68,543
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (CA - Sonoma County)	\$28,400	\$0	\$28,400
		Salamander, Jemez Mountains	Plethodon neomexicanus	Wherever found	\$3,000	\$0	\$3,000
		Salamander, Jollyville Plateau	Eurycea tonkawae	Wherever found	\$840	\$0	\$840
		Salamander, Red Hills	Phaeognathus hubrichti	Wherever found	\$2,371	\$0	\$2,371
		Salamander, Reticulated Flatwoods	Ambystoma bishopi	Wherever found	\$2,100	\$0	\$2,100
		Salamander, Santa Cruz Long-toed	Ambystoma macrodactylum croceum	Wherever found	\$4,000	\$0	\$4,000
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$65,052	\$0	\$65,052
		Toad, Yosemite	Anaxyrus canorus	Wherever found	\$800	\$0	\$800
		Waterdog, Black Warrior (=sipsey Fork)	Necturus alabamensis	Wherever found	\$9,716	\$0	\$9,716
		Frog, Dusky Gopher	Rana sevosa	Wherever found	\$499	\$0	\$499
	<i>Amphibians subtotal</i>				<i>\$415,878</i>	<i>\$0</i>	<i>\$415,878</i>
	Arachnids	Spider, Spruce-fir Moss	Microhexura montivaga	Wherever found	\$1,478	\$0	\$1,478
	<i>Arachnids subtotal</i>				<i>\$1,478</i>	<i>\$0</i>	<i>\$1,478</i>
	Birds	Albatross, Short-tailed	Phoebastria (=Diomedea) albatrus	Wherever found	\$11,893	\$0	\$11,893
		Caracara, Audubon's Crested	Polyborus plancus audubonii	FL pop.	\$275,026	\$0	\$275,026

		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only, except where listed as an experimental population	\$377	\$0	\$377
		Crane, Mississippi Sandhill	<i>Grus canadensis pulla</i>	Wherever found	\$9,256	\$0	\$9,256
		Crane, Whooping	<i>Grus americana</i>	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	\$10,000	\$0	\$10,000
		Crane, Whooping	<i>Grus americana</i>	Wherever found, except where listed as an experimental population	\$54,420	\$0	\$54,420
		Crane, Whooping	<i>Grus americana</i>	U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	\$28,658	\$0	\$28,658
		Cuckoo, Yellow-billed	<i>Coccyzus americanus</i>	Western U.S. DPS	\$529,329	\$0	\$529,329
		Eider, Spectacled	<i>Somateria fischeri</i>	Wherever found	\$99,622	\$0	\$99,622
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$105,269	\$0	\$105,269
		Flycatcher, Southwestern Willow	<i>Empidonax traillii extimus</i>	Wherever found	\$694,346	\$0	\$694,346
		Gnatcatcher, Coastal California	<i>Polioptila californica californica</i>	Wherever found	\$6,329	\$0	\$6,329
		Horned Lark, Streaked	<i>Eremophila alpestris strigata</i>	Wherever found	\$151,381	\$0	\$151,381
		Kite, Everglade Snail	<i>Rostrhamus sociabilis plumbeus</i>	Wherever found	\$906,577	\$0	\$906,577
		Murrelet, Marbled	<i>Brachyramphus marmoratus</i>	U.S.A. (CA, OR, WA)	\$80,972	\$0	\$80,972
		Owl, Mexican Spotted	<i>Strix occidentalis lucida</i>	Wherever found	\$1,700	\$0	\$1,700
		Owl, Northern Spotted	<i>Strix occidentalis caurina</i>	Wherever found	\$38,581	\$0	\$38,581
		Plover, Piping	<i>Charadrius melodus</i>	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$17,431	\$0	\$17,431

		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$3,813,460	\$14,861	\$3,828,321
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$192,000	\$0	\$192,000
		Rail, California Clapper	Rallus longirostris obsoletus	Wherever found	\$71,400	\$0	\$71,400
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$4,500	\$0	\$4,500
		Sage-grouse, Gunnison	Centrocercus minimus	Wherever found	\$800	\$0	\$800
		Scrub-jay, Florida	Aphelocoma coerulescens	Wherever found	\$18,579	\$0	\$18,579
		Sparrow, Cape Sable Seaside	Ammodramus maritimus mirabilis	Wherever found	\$288,475	\$0	\$288,475
		Sparrow, Florida Grasshopper	Ammodramus savannarum floridanus	Wherever found	\$4,023	\$0	\$4,023
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$459,346	\$0	\$459,346
		Tern, California Least	Sterna antillarum browni	Wherever found	\$34,200	\$0	\$34,200
		Tern, Roseate	Sterna dougallii dougallii	Northeast U.S. nesting population	\$21,150	\$0	\$21,150
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$198,900	\$0	\$198,900
		Warbler (=wood), Golden-cheeked	Dendroica chrysoparia	Wherever found	\$8,400	\$0	\$8,400
		Warbler, Kirtland's	Setophaga kirtlandii (= Dendroica kirtlandii)	Wherever found	\$4,200	\$0	\$4,200
		Woodpecker, Ivory-billed	Campephilus principalis	Wherever found	\$3,000	\$0	\$3,000
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$43,002	\$0	\$43,002
		Knot, Red	Calidris canutus rufa	Wherever found	\$218		\$218

		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$218		\$218
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$8,000		\$8,000
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$5,000		\$5,000
		<i>Birds subtotal</i>			\$8,200,038	\$14,861	\$8,214,899
	Clams	Acornshell, Southern	Epioblasma othcaloogensis	Wherever found	\$1,474	\$0	\$1,474
		Bankclimber, Purple (mussel)	Elliptoideus sloatianus	Wherever found	\$60,599	\$0	\$60,599
		Bean, Choctaw	Villosa choctawensis	Wherever found	\$3,093	\$0	\$3,093
		Bean, Cumberland (pearlymussel)	Villosa trabalis	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$4,118	\$0	\$4,118
		Bean, Cumberland (pearlymussel)	Villosa trabalis	Wherever found; Except where listed as Experimental Populations	\$280	\$0	\$280
		Bean, Purple	Villosa perpurpurea	Wherever found	\$1,338	\$0	\$1,338
		Bean, Rayed	Villosa fabalis	Wherever found	\$11,861	\$0	\$11,861
		Blossom, Green (pearlymussel)	Epioblasma torulosa gubernaculum	Wherever found	\$100	\$0	\$100
		Blossom, Tubercled (pearlymussel)	Epioblasma torulosa torulosa	Wherever found; Except where listed as Experimental Populations	\$3,966	\$0	\$3,966
		Blossom, Turgid (pearlymussel)	Epioblasma turgidula	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$752	\$0	\$752



		Catspaw, White (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	Wherever found	\$300	\$0	\$300
		Clubshell	<i>Pleurobema clava</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$752	\$0	\$752
		Clubshell	<i>Pleurobema clava</i>	Wherever found; Except where listed as Experimental Populations	\$30,290	\$0	\$30,290
		Clubshell, Ovate	<i>Pleurobema perovatum</i>	Wherever found	\$81,608	\$0	\$81,608
		Clubshell, Southern	<i>Pleurobema decisum</i>	Wherever found	\$90,975	\$0	\$90,975
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$522	\$0	\$522
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Wherever found; Except where listed as Experimental Populations	\$260	\$0	\$260
		Combshell, Upland	<i>Epioblasma metastriata</i>	Wherever found	\$6,367	\$0	\$6,367
		Ebonyshell, Round	<i>Fusconaia rotulata</i>	Wherever found	\$2,439	\$0	\$2,439
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	Wherever found	\$3,543	\$0	\$3,543
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	Wherever found	\$752	\$0	\$752
		Fanshell	<i>Cyprogenia stegaria</i>	Wherever found	\$50,900	\$0	\$50,900
		Fanshell	<i>Cyprogenia stegaria</i>	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$486	\$0	\$486
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Wherever found	\$855	\$0	\$855
		Heelsplitter, Inflated	<i>Potamilus inflatus</i>	Wherever found	\$37,636	\$0	\$37,636
		Higgins Eye (pearlymussel)	<i>Lampsilis higginsii</i>	Wherever found	\$434,000	\$0	\$434,000
		Kidneyshell, Fluted	<i>Ptychobranthus subtentus</i>	Wherever found	\$5,230	\$0	\$5,230

		Kidneyshell, Southern	<i>Ptychobranchnus jonesi</i>	Wherever found	\$3,032	\$0	\$3,032
		Kidneyshell, Triangular	<i>Ptychobranchnus greenii</i>	Wherever found	\$9,002	\$0	\$9,002
		Lampmussel, Alabama	<i>Lampsilis virescens</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,128	\$0	\$1,128
		Lilliput, Pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	Wherever found	\$3,436	\$0	\$3,436
		Mapleleaf, Winged	<i>Quadrula fragosa</i>	Wherever found, except where listed as an experimental population	\$5,376	\$0	\$5,376
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	Wherever found	\$77,618	\$0	\$77,618
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>	Wherever found	\$1,739	\$0	\$1,739
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	Wherever found	\$183	\$0	\$183
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	Wherever found	\$183	\$0	\$183
		Moccasinshell, Suwannee	<i>Medionidus walkeri</i>	Wherever found	\$1,643	\$0	\$1,643
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	Wherever found	\$100	\$0	\$100
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Wherever found; Except where listed as Experimental Populations	\$1,838	\$0	\$1,838
		Mucket, Neosho	<i>Lampsilis rafinesqueana</i>	Wherever found	\$12,200	\$0	\$12,200
		Mucket, Orangenacre	<i>Lampsilis perovalis</i>	Wherever found	\$77,364	\$0	\$77,364
		Mucket, Pink (pearlymussel)	<i>Lampsilis abrupta</i>	Wherever found	\$48,033	\$0	\$48,033
		Mussel, Oyster	<i>Epioblasma capsaeformis</i>	Wherever found; Except where listed as Experimental Populations	\$280	\$0	\$280
		Mussel, Oyster	<i>Epioblasma capsaeformis</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,880	\$0	\$1,880
		Mussel, Scaleshell	<i>Leptodea leptodon</i>	Wherever found	\$29,700	\$0	\$29,700

		Mussel, Sheepnose	<i>Plethobasus cyphus</i>	Wherever found	\$60,792	\$0	\$60,792
		Mussel, Snuffbox	<i>Epioblasma triquetra</i>	Wherever found	\$16,101	\$0	\$16,101
		Pearlymussel, Birdwing	<i>Lemiox rimosus</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	\$446	\$0	\$446
		Pearlymussel, Cracking	<i>Hemistena lata</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$752	\$0	\$752
		Pearlymussel, Cracking	<i>Hemistena lata</i>	Wherever found; Except where listed as Experimental Populations	\$100	\$0	\$100
		Pearlymussel, Dromedary	<i>Dromus dromas</i>	Wherever found; Except where listed as Experimental Populations	\$1,086	\$0	\$1,086
		Pearlymussel, Dromedary	<i>Dromus dromas</i>	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$2,439	\$0	\$2,439
		Pearlymussel, Littlewing	<i>Pegias fabula</i>	Wherever found	\$1,382	\$0	\$1,382
		Pearlymussel, Slabside	<i>Pleuroaia dolabelloides</i>	Wherever found	\$8,666	\$0	\$8,666
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	Wherever found	\$752	\$0	\$752
		Pigtoe, Finerayed	<i>Fusconaia cuneolus</i>	Wherever found; Except where listed as Experimental Populations	\$280	\$0	\$280

				AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL			
		Pigtoe, Finerayed	Fusconaia cuneolus		\$6,104	\$0	\$6,104
		Pigtoe, Fuzzy	Pleurobema strodeanum	Wherever found	\$3,093	\$0	\$3,093
		Pigtoe, Georgia	Pleurobema hanleyianum	Wherever found	\$1,739	\$0	\$1,739
		Pigtoe, Heavy	Pleurobema taitianum	Wherever found	\$1,220	\$0	\$1,220
		Pigtoe, Narrow	Fusconaia escambia	Wherever found	\$1,305	\$0	\$1,305
		Pigtoe, Oval	Pleurobema pyriforme	Wherever found	\$61,526	\$0	\$61,526
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$12,714	\$0	\$12,714
				U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))			
		Pigtoe, Rough	Pleurobema plenum		\$1,384	\$0	\$1,384
				Wherever found; Except where listed as Experimental Populations			
		Pigtoe, Shiny	Fusconaia cor		\$630	\$0	\$630
				AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL			
		Pigtoe, Shiny	Fusconaia cor		\$752	\$0	\$752
		Pigtoe, Southern	Pleurobema georgianum	Wherever found	\$2,951	\$0	\$2,951
		Pigtoe, Tapered	Fusconaia burkei	Wherever found	\$592	\$0	\$592
		Pimpleback, Orangefoot (pearlymussel)	Plethobasus cooperianus	Wherever found	\$15,386	\$0	\$15,386
		Pocketbook, Fat	Potamilus capax	Wherever found	\$97,516	\$0	\$97,516
		Pocketbook, Finelined	Lampsilis altilis	Wherever found	\$7,024	\$0	\$7,024
				Wherever found; Except where listed as Experimental Populations			
		Purple Cat's Paw (=purple Cat's Paw Pearlymussel)	Epioblasma obliquata obliquata		\$9,776	\$0	\$9,776

		Purple Cat's Paw (=purple Cat's Paw Pearlymussel)	Epioblasma obliquata obliquata	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$110	\$0	\$110
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$50,272	\$0	\$50,272
		Rabbitsfoot, Rough	Quadrula cylindrica strigillata	Wherever found	\$1,032	\$0	\$1,032
		Riffleshell, Northern	Epioblasma torulosa rangiana	Wherever found	\$46,652	\$0	\$46,652
		Riffleshell, Tan	Epioblasma florentina walkeri (=E. walkeri)	Wherever found	\$1,618	\$0	\$1,618
		Ring Pink (mussel)	Obovaria retusa	Wherever found	\$11,261	\$0	\$11,261
		Sandshell, Southern	Hamiota australis	Wherever found	\$1,897	\$0	\$1,897
		Slabshell, Chipola	Elliptio chipolaensis	Wherever found	\$61,060	\$0	\$61,060
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$31,347	\$0	\$31,347
		Spinymussel, James	Pleurobema collina	Wherever found	\$2,205	\$0	\$2,205
		Spinymussel, Tar River	Elliptio steinstansana	Wherever found	\$3,745	\$0	\$3,745
		Threeridge, Fat (mussel)	Amblema neislerii	Wherever found	\$61,060	\$0	\$61,060
		Wartyback, White (pearlymussel)	Plethobasus cicatricosus	Wherever found	\$559	\$0	\$559
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$22,625	\$0	\$22,625
		Fatmucket, Arkansas	Lampsilis powellii	Wherever found	\$4,000		\$4,000
		Heelsplitter, Inflated	Potamilus inflatus	Wherever found	\$853		\$853
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$960		\$960
		Pocketbook, Fat	Potamilus capax	Wherever found	\$923		\$923
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$2,500		\$2,500
	<i>Clams subtotal</i>				<i>\$1,730,418</i>	<i>\$0</i>	<i>\$1,730,418</i>
	Conifers and Cycad	Cypress, Santa Cruz	Cupressus abramsiana	Wherever found	\$2,400	\$0	\$2,400
		Torreya, Florida	Torreya taxifolia	Wherever found	\$4,237	\$0	\$4,237
	<i>Conifers and Cycads subtotal</i>				<i>\$6,637</i>	<i>\$0</i>	<i>\$6,637</i>
	Corals	Coral, Elkhorn	Acropora palmata	Wherever found	\$20,367	\$0	\$20,367
		Coral, Staghorn	Acropora cervicornis	Wherever found	\$20,080	\$0	\$20,080
	<i>Corals subtotal</i>				<i>\$40,447</i>	<i>\$0</i>	<i>\$40,447</i>

	Crustaceans	Crayfish, Big Sandy	Cambarus callainus	Wherever found	\$4,054	\$0	\$4,054
		Crayfish, Guyandotte River	Cambarus veteranus	Wherever found	\$200	\$0	\$200
		Crayfish, Nashville	Orconectes shoupi	Wherever found	\$669	\$0	\$669
		Fairy Shrimp, Conservancy	Branchinecta conservatio	Wherever found	\$26,553	\$0	\$26,553
		Fairy Shrimp, Longhorn	Branchinecta longiantenna	Wherever found	\$3,200	\$0	\$3,200
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$55,351	\$0	\$55,351
		Shrimp, California Freshwater	Syncaris pacifica	Wherever found	\$8,800	\$0	\$8,800
		Tadpole Shrimp, Vernal Pool	Lepidurus packardi	Wherever found	\$52,041	\$0	\$52,041
	<i>Crustaceans subtotal</i>				\$150,868	\$0	\$150,868
	Ferns and Allies	Quillwort, Louisiana	Isoetes louisianensis	Wherever found	\$7,933	\$0	\$7,933
		Quillwort, Louisiana	Isoetes louisianensis	Wherever found	\$1,266		\$1,266
	<i>Ferns and Allies subtotal</i>				\$9,199	\$0	\$9,199
	Fishes	Bocaccio	Sebastes paucispinis	Puget Sound - Georgia Basin DPS	\$20,500	\$0	\$20,500
		Bonytail	Gila elegans	Wherever found	\$8,000	\$0	\$8,000
		Chub, Humpback	Gila cypha	Wherever found	\$7,200	\$0	\$7,200
		Chub, Slender	Erimystax cahni	Wherever found	\$1,234	\$0	\$1,234
		Chub, Spotfin	Erimonax monachus	U.S.A. (1N-specified portions of the Tellico River; see 17.84(m)(1)(i))	\$5,727	\$0	\$5,727
		Chub, Spotfin	Erimonax monachus	Wherever found, except where listed as an experimental population	\$350	\$0	\$350
		Chub, Virgin River	Gila seminuda (=robusta)	Wherever found	\$800	\$0	\$800
		Dace, Blackside	Phoxinus cumberlandensis	Wherever found	\$6,054	\$0	\$6,054
		Dace, Laurel	Chrosomus saylori	Wherever found	\$2,032	\$0	\$2,032
		Darter, Amber	Percina antesella	Wherever found	\$7,899	\$0	\$7,899
		Darter, Bluemask	Etheostoma akatulo	Wherever found	\$376	\$0	\$376
		Darter, Cherokee	Etheostoma scotti	Wherever found	\$1,523	\$0	\$1,523
		Darter, Cumberland	Etheostoma susanae	Wherever found	\$2,074	\$0	\$2,074
		Darter, Diamond	Crystallaria cincotta	Wherever found	\$100	\$0	\$100
		Darter, Duskytail	Etheostoma percunurum	Wherever found	\$11,636	\$0	\$11,636
		Darter, Etowah	Etheostoma etowahae	Wherever found	\$1,523	\$0	\$1,523
		Darter, Fountain	Etheostoma fonticola	Wherever found	\$420	\$0	\$420

		Darter, Goldline	<i>Percina aurolineata</i>	Wherever found	\$2,780	\$0	\$2,780
		Darter, Kentucky Arrow	<i>Etheostoma spilotum</i>	Wherever found	\$1,444	\$0	\$1,444
		Darter, Niangua	<i>Etheostoma nianguae</i>	Wherever found	\$4,200	\$0	\$4,200
		Darter, Pearl	<i>Percina aurora</i>	Wherever found	\$1,459	\$0	\$1,459
		Darter, Rush	<i>Etheostoma phytophilum</i>	Wherever found	\$178	\$0	\$178
		Darter, Snail	<i>Percina tanasi</i>	Wherever found	\$6,708	\$0	\$6,708
		Darter, Vermilion	<i>Etheostoma chermocki</i>	Wherever found	\$1,196	\$0	\$1,196
		Eulachon	<i>Thaleichthys pacificus</i>	Southern DPS	\$69,400	\$0	\$69,400
		Goby, Tidewater	<i>Eucyclogobius newberryi</i>	Wherever found	\$30,600	\$0	\$30,600
		Grouper, Nassau	<i>Epinephelus striatus</i>	UNK	\$22,200	\$0	\$22,200
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Wherever found	\$376	\$0	\$376
		Logperch, Roanoke	<i>Percina rex</i>	Wherever found	\$9,620	\$0	\$9,620
		Madtom, Chucky	<i>Noturus crypticus</i>	Wherever found	\$376	\$0	\$376
		Madtom, Neosho	<i>Noturus placidus</i>	Wherever found	\$2,100	\$0	\$2,100
		Madtom, Pygmy	<i>Noturus stanauli</i>	Wherever found	\$1,128	\$0	\$1,128
		Madtom, Scioto	<i>Noturus trautmani</i>	Wherever found	\$500	\$0	\$500
				Wherever found, except where listed as an experimental population			
		Madtom, Yellowfin	<i>Noturus flavipinnis</i>		\$100	\$0	\$100
		Minnow, Devils River	<i>Dionda diaboli</i>	Wherever found	\$2,100	\$0	\$2,100
				Wherever found, except where listed as an experimental population			
		Minnow, Rio Grande Silvery	<i>Hybognathus amarus</i>		\$433,000	\$0	\$433,000
				Wherever found, except where listed as an experimental population			
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>		\$18,300	\$0	\$18,300
				Puget Sound - Georgia Basin DPS			
		Rockfish, Canary	<i>Sebastes pinniger</i>		\$2,500	\$0	\$2,500
				Puget Sound - Georgia Basin DPS			
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>		\$17,500	\$0	\$17,500
				Gulf of Maine DPS			
		Salmon, Atlantic	<i>Salmo salar</i>		\$16,125	\$0	\$16,125
				Snake River fall-run ESU			
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>		\$4,687,886	\$0	\$4,687,886

		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Puget Sound ESU	\$26,489,633	\$500	\$26,490,133
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Columbia spring-run ESU	\$3,364,958	\$0	\$3,364,958
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Central Valley spring-run ESU	\$243,675	\$0	\$243,675
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU	\$4,733,157	\$0	\$4,733,157
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU	\$2,435,389	\$0	\$2,435,389
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Sacramento River winter-run ESU	\$98,840	\$0	\$98,840
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Willamette River ESU	\$2,119,227	\$0	\$2,119,227
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	California Coastal ESU	\$43,000	\$0	\$43,000
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$2,133	\$0	\$2,133
		Salmon, Chum	Oncorhynchus keta	Columbia River ESU	\$2,437,380	\$0	\$2,437,380
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Central California Coast ESU	\$1,811,846	\$0	\$1,811,846
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU	\$2,436,380	\$0	\$2,436,380
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Southern Oregon - Northern California Coast ESU	\$2,182,357	\$0	\$2,182,357
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$43,830	\$0	\$43,830
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$2,133	\$0	\$2,133
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Snake River ESU	\$4,704,745	\$0	\$4,704,745
		Sawfish, Smalltooth	Pristis pectinata	US DPS - Smalltooth sawfish originating from U.S. waters.	\$156,070	\$0	\$156,070
		Shark, Scalloped Hammerhead	Sphyrna lewini	Central and Southwest Atlantic DPS	\$1,165	\$0	\$1,165
		Shiner, Arkansas River	Notropis girardi	Arkansas River Basin (AR, KS, NM, OK, TX)	\$8,000	\$0	\$8,000



		Shiner, Blue	Cyprinella caerulea	Wherever found	\$1,739	\$0	\$1,739
		Shiner, Cahaba	Notropis cahabae	Wherever found	\$2,440	\$0	\$2,440
		Shiner, Cape Fear	Notropis mekistocholas	Wherever found	\$6,585	\$0	\$6,585
		Shiner, Palezone	Notropis albizonatus	Wherever found	\$3,060	\$0	\$3,060
		Shiner, Pecos Bluntnose	Notropis simus pecosensis	Wherever found	\$1,300	\$0	\$1,300
		Shiner, Sharpnose	Notropis oxyrhynchus	Wherever found	\$420	\$0	\$420
		Shiner, Smalleye	Notropis buccula	Wherever found	\$420	\$0	\$420
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$95,676	\$0	\$95,676
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$548,434	\$0	\$548,434
		Steelhead	Oncorhynchus (=Salmo) mykiss	California Central Valley DPS	\$251,077	\$0	\$251,077
		Steelhead	Oncorhynchus (=Salmo) mykiss	Puget Sound DPS	\$26,456,133	\$500	\$26,456,633
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Willamette River DPS	\$2,118,527	\$0	\$2,118,527
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$4,750,679	\$0	\$4,750,679
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS	\$3,364,958	\$0	\$3,364,958
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$2,435,380	\$0	\$2,435,380
		Steelhead	Oncorhynchus (=Salmo) mykiss	Northern California DPS	\$12,800	\$0	\$12,800
		Steelhead	Oncorhynchus (=Salmo) mykiss	South-Central California Coast DPS	\$9,200	\$0	\$9,200
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS	\$1,469,918	\$0	\$1,469,918
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$3,662,621	\$0	\$3,662,621
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrhynchus) desotoi	Wherever found	\$822,401	\$0	\$822,401
		Sturgeon, Alabama	Scaphirhynchus suttkusi	Wherever found	\$9,806	\$0	\$9,806
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$69,517	\$0	\$69,517

		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	Gulf of Maine DPS	\$347,409	\$0	\$347,409
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$962,048	\$0	\$962,048
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$39,243,048	\$56,011	\$39,299,059
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$308,094	\$0	\$308,094
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$54,458	\$0	\$54,458
		Sucker, June	Chasmistes liorus	Wherever found	\$1,600	\$0	\$1,600
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$17,500	\$0	\$17,500
		Sucker, Santa Ana	Catostomus santaanae	3 CA river basins	\$13,420	\$0	\$13,420
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$29,388,693	\$500	\$29,389,193
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$25,684	\$0	\$25,684
		Woundfin	Plagopterus argentissimus	Wherever found, except where listed as an experimental population	\$800	\$0	\$800
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrhynchus) desotoi	Wherever found	\$4,000		\$4,000
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$1,890		\$1,890
		<i>Fishes subtotal</i>			<i>\$175,184,877</i>	<i>\$57,511</i>	<i>\$175,242,388</i>
	Flowering Plants	Alopecurus, Sonoma	Alopecurus aequalis var. sonomensis	Wherever found	\$4,800	\$0	\$4,800
		Amaranth, Seabeach	Amaranthus pumilus	Wherever found	\$55,960	\$0	\$55,960
		Aster, Decurrent False	Boltonia decurrens	Wherever found	\$20,000	\$0	\$20,000
		Avens, Spreading	Geum radiatum	Wherever found	\$1,128	\$0	\$1,128
		Barbara's Buttons, Mohr's	Marshallia mohrii	Wherever found	\$3,785	\$0	\$3,785
		Beaked-rush, Knieskern's	Rhynchospora knieskernii	Wherever found	\$1,879	\$0	\$1,879
		Bird's Beak, Palmate-bracted	Cordylanthus palmatus	Wherever found	\$6,400	\$0	\$6,400
		Bird's-beak, Soft	Cordylanthus mollis ssp. mollis	Wherever found	\$15,200	\$0	\$15,200
		Bladderpod, Missouri	Physaria filiformis	Wherever found	\$7,500	\$0	\$7,500
		Bladderpod, Short's	Physaria globosa	Wherever found	\$2,185	\$0	\$2,185
		Bladderpod, Spring Creek	Lesquerella perforata	Wherever found	\$376	\$0	\$376
		Bladderpod, White	Lesquerella pallida	Wherever found	\$1,997	\$0	\$1,997

		Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>	Wherever found	\$376	\$0	\$376
		Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>	Wherever found	\$800	\$0	\$800
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	Wherever found	\$1,400	\$0	\$1,400
		Butterfly Plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>	Wherever found	\$1,840	\$0	\$1,840
		Cactus, Tobusch Fishhook	<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>	Wherever found	\$840	\$0	\$840
		Catchfly, Spalding's	<i>Silene spaldingii</i>	Wherever found	\$79,119	\$0	\$79,119
		Checker-mallow, Keck's	<i>Sidalcea keckii</i>	Wherever found	\$996	\$0	\$996
		Clarkia, Springville	<i>Clarkia springvillensis</i>	Wherever found	\$100	\$0	\$100
		Clover, Running Buffalo	<i>Trifolium stoloniferum</i>	UNK	\$24,363	\$0	\$24,363
		Coneflower, Smooth	<i>Echinacea laevigata</i>	Wherever found	\$1,425	\$0	\$1,425
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>	Wherever found	\$1,950	\$0	\$1,950
		Daisy, Willamette	<i>Erigeron decumbens</i>	Wherever found	\$123,700	\$0	\$123,700
		Dawn-flower, Texas Prairie	<i>Hymenoxys texana</i>	Wherever found	\$13,000	\$0	\$13,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	Wherever found	\$61,200	\$0	\$61,200
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	Wherever found	\$2,400	\$0	\$2,400
		Evening-primrose, Antioch Dunes	<i>Oenothera deltoides</i> ssp. <i>howellii</i>	Wherever found	\$800	\$0	\$800
		Fiddleneck, Large-flowered	<i>Amsinckia grandiflora</i>	Wherever found	\$800	\$0	\$800
		Four-o'clock, Macfarlane's	<i>Mirabilis macfarlanei</i>	Wherever found	\$1,760	\$0	\$1,760
		Glade Cress, Kentucky	<i>Leavenworthia exigua</i> <i>laciniata</i>	Wherever found	\$684	\$0	\$684
		Gladecress, Texas Golden	<i>Leavenworthia texana</i>	Wherever found	\$1,997	\$0	\$1,997
		Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	Wherever found	\$376	\$0	\$376
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>	Wherever found	\$1,480	\$0	\$1,480
		Goldfields, Burke's	<i>Lasthenia burkei</i>	Wherever found	\$19,200	\$0	\$19,200
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	Wherever found	\$10,400	\$0	\$10,400
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	Wherever found	\$2,800	\$0	\$2,800
		Grass, Colusa	<i>Neostapfia colusana</i>	Wherever found	\$8,018	\$0	\$8,018
		Grass, Tennessee Yellow-eyed	<i>Xyris tennesseensis</i>	Wherever found	\$4,950	\$0	\$4,950
		Ground-plum, Guthrie's (=pyne's)	<i>Astragalus bibullatus</i>	Wherever found	\$285	\$0	\$285

	Harperella	Ptilimnium nodosum	Wherever found	\$2,453	\$0	\$2,453
	Heartleaf, Dwarf-flowered	Hexastylis naniflora	Wherever found	\$12,085	\$0	\$12,085
	Howellia, Water	Howellia aquatilis	UNK	\$20,372	\$0	\$20,372
	Iris, Dwarf Lake	Iris lacustris	Wherever found	\$1,480	\$0	\$1,480
	Jewelflower, California	Caulanthus californicus	Wherever found	\$1,600	\$0	\$1,600
	Ladies'-tresses, Ute	Spiranthes diluvialis	Wherever found	\$34,591	\$0	\$34,591
	Ladies'-tresses, Navasota	Spiranthes parksii	Wherever found	\$420	\$0	\$420
	Leather Flower, Alabama	Clematis socialis	Wherever found	\$1,098	\$0	\$1,098
	Lily, Minnesota Dwarf Trout	Erythronium propullans	Wherever found	\$1,760	\$0	\$1,760
	Loosestrife, Rough-leaved	Lysimachia asperulaefolia	Wherever found	\$26,785	\$0	\$26,785
	Lupine, Clover	Lupinus tidestromii	Wherever found	\$2,400	\$0	\$2,400
	Lupine, Kincaid's	Lupinus sulphureus ssp. kincaidii	Wherever found	\$47,200	\$0	\$47,200
	Manzanita, Ione	Arctostaphylos myrtifolia	Wherever found	\$1,803	\$0	\$1,803
	Meadowfoam, Butte County	Limnanthes floccosa ssp. californica	Wherever found	\$800	\$0	\$800
	Meadowfoam, Sebastopol	Limnanthes vinculans	Wherever found	\$19,200	\$0	\$19,200
	Milk-vetch, Jesup's	Astragalus robbinsii var. jesupi	Wherever found	\$1,000	\$0	\$1,000
	Milkweed, Mead's	Asclepias meadii	Wherever found	\$16,784	\$0	\$16,784
	Monkey-flower, Michigan	Mimulus michiganensis	Wherever found	\$580	\$0	\$580
	Monkshood, Northern Wild	Aconitum noveboracense	Wherever found	\$2,120	\$0	\$2,120
	No Common Name	Geocarpon minimum	Wherever found	\$1,200	\$0	\$1,200
	Orchid, Eastern Prairie Fringed	Platanthera leucophaea	Wherever found	\$6,034	\$0	\$6,034
	Orchid, Western Prairie Fringed	Platanthera praeclara	Wherever found	\$3,476	\$0	\$3,476
	Orchid, White Fringeless	Platanthera integrilabia	UNK	\$2,939	\$0	\$2,939
	Orcutt Grass, Hairy	Orcuttia pilosa	Wherever found	\$3,516	\$0	\$3,516
	Orcutt Grass, Sacramento	Orcuttia viscida	Wherever found	\$2,400	\$0	\$2,400
	Orcutt Grass, San Joaquin	Orcuttia inaequalis	Wherever found	\$4,906	\$0	\$4,906
	Orcutt Grass, Slender	Orcuttia tenuis	Wherever found	\$3,200	\$0	\$3,200
	Owl's-clover, Fleshy	Castilleja campestris ssp. succulenta	Wherever found	\$6,729	\$0	\$6,729
	Paintbrush, Golden	Castilleja levisecta	Wherever found	\$14,781	\$0	\$14,781
	Pentachaeta, White-rayed	Pentachaeta bellidiflora	Wherever found	\$4,000	\$0	\$4,000
	Peppergrass, Slickspot	Lepidium papilliferum	UNK	\$2,043	\$0	\$2,043

		Pink, Swamp	<i>Helonias bullata</i>	Wherever found	\$2,734	\$0	\$2,734
		Pinkroot, Gentian	<i>Spigelia gentianoides</i>	Wherever found	\$6,476	\$0	\$6,476
		Pitcher-plant, Alabama Canebrake	<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>	Wherever found	\$1,363	\$0	\$1,363
		Pitcher-plant, Green	<i>Sarracenia oreophila</i>	Wherever found	\$1,098	\$0	\$1,098
		Pitcher-plant, Mountain Sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>	Wherever found	\$1,710	\$0	\$1,710
		Pogonia, Small Whorled	<i>Isotria medeoloides</i>	Wherever found	\$8,479	\$0	\$8,479
		Polygonum, Scotts Valley	<i>Polygonum hickmanii</i>	Wherever found	\$2,400	\$0	\$2,400
		Pondberry	<i>Lindera melissifolia</i>	Wherever found	\$6,300	\$0	\$6,300
		Potato-bean, Prices	<i>Apios priceana</i>	UNK	\$713	\$0	\$713
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>	Wherever found	\$1,600	\$0	\$1,600
		Prairie-clover, Leafy	<i>Dalea foliosa</i>	Wherever found	\$942	\$0	\$942
		Rock-cress, Braun's	<i>Arabis perstellata</i>	Wherever found	\$566	\$0	\$566
		Rockcress, Georgia	<i>Arabis georgiana</i>	Wherever found	\$7,180	\$0	\$7,180
		Rose-mallow, Neches River	<i>Hibiscus dasycalyx</i>	Wherever found	\$1,997	\$0	\$1,997
		Rosemary, Cumberland	<i>Conradina verticillata</i>	Wherever found	\$1,128	\$0	\$1,128
		Roseroot, Leedy's	<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>	Wherever found	\$639	\$0	\$639
		Sand-verbena, Large-fruited	<i>Abronia macrocarpa</i>	Wherever found	\$420	\$0	\$420
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	Wherever found	\$376	\$0	\$376
		Seablite, California	<i>Suaeda californica</i>	UNK	\$3,200	\$0	\$3,200
		Seagrass, Johnson's	<i>Halophila johnsonii</i>	Wherever found	\$278,219	\$0	\$278,219
		Skullcap, Large-flowered	<i>Scutellaria montana</i>	Wherever found	\$2,602	\$0	\$2,602
		Spineflower, Ben Lomond	<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>	Wherever found	\$2,400	\$0	\$2,400
		Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>	Wherever found	\$2,400	\$0	\$2,400
		Spineflower, Robust	<i>Chorizanthe robusta</i> var. <i>robusta</i>	Wherever found	\$4,000	\$0	\$4,000
		Spineflower, Scotts Valley	<i>Chorizanthe robusta</i> var. <i>hartwegii</i>	Wherever found	\$2,400	\$0	\$2,400
		Spiraea, Virginia	<i>Spiraea virginiana</i>	Wherever found	\$7,276	\$0	\$7,276
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>	Wherever found	\$114	\$0	\$114
		Sumac, Michaux's	<i>Rhus michauxii</i>	Wherever found	\$1,215	\$0	\$1,215
		Sunburst, Hartweg's Golden	<i>Pseudobahia bahiifolia</i>	Wherever found	\$6,742	\$0	\$6,742

		Sunburst, San Joaquin Adobe	Pseudobahia peirsonii	Wherever found	\$28,678	\$0	\$28,678
		Sunflower, Pecos (=puzzle, =paradox)	Helianthus paradoxus	Wherever found	\$500	\$0	\$500
		Sunflower, San Mateo Woolly	Eriophyllum latilobum	Wherever found	\$1,600	\$0	\$1,600
		Sunflower, Schweinitz's	Helianthus schweinitzii	Wherever found	\$17,345	\$0	\$17,345
		Sunflower, Whorled	Helianthus verticillatus	UNK	\$1,098	\$0	\$1,098
		Sunshine, Sonoma	Blennosperma bakeri	Wherever found	\$16,800	\$0	\$16,800
		Tarplant, Santa Cruz	Holocarpha macradenia	Wherever found	\$2,400	\$0	\$2,400
		Thistle, Fountain	Cirsium fontinale var. fontinale	Wherever found	\$4,000	\$0	\$4,000
		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$8,100	\$0	\$8,100
		Thistle, Suisun	Cirsium hydrophilum var. hydrophilum	Wherever found	\$1,600	\$0	\$1,600
		Thornmint, San Mateo	Acanthomintha obovata ssp. duttonii	Wherever found	\$1,667	\$0	\$1,667
		Tuctoria, Greene's	Tuctoria greenei	Wherever found	\$1,390	\$0	\$1,390
		Wallflower, Contra Costa	Erysimum capitatum var. angustatum	Wherever found	\$800	\$0	\$800
		Water-plantain, Kral's	Sagittaria secundifolia	Wherever found	\$1,379	\$0	\$1,379
		Wild-rice, Texas	Zizania texana	Wherever found	\$420	\$0	\$420
		Wooly-threads, San Joaquin	Monolopia (=Lembertia) congdonii	Wherever found	\$3,200	\$0	\$3,200
		Harperella	Ptilimnium nodosum	Wherever found	\$720		\$720
		No Common Name	Geocarpon minimum	Wherever found	\$210		\$210
		Pondberry	Lindera melissifolia	Wherever found	\$2,213		\$2,213
		Potato-bean, Prices	Apios priceana	UNK	\$105		\$105
		<i>Flowering Plants subtotal</i>			<i>\$1,188,938</i>	<i>\$0</i>	<i>\$1,188,938</i>
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$131,917	\$0	\$131,917
		Beetle, Delta Green Ground	Elaphrus viridis	Wherever found	\$3,200	\$0	\$3,200
		Beetle, Hungerford's Crawling Water	Brychius hungerfordi	Wherever found	\$580	\$0	\$580
		Beetle, Mount Hermon June	Polyphylla barbata	Wherever found	\$2,400	\$0	\$2,400
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$503,811	\$0	\$503,811

		Bumble Bee, Rusty Patched	<i>Bombus affinis</i>	Wherever found	\$14,104	\$0	\$14,104
		Butterfly, Bay Checkerspot	<i>Euphydryas editha bayensis</i>	Wherever found	\$1,600	\$0	\$1,600
		Butterfly, Callippe Silverspot	<i>Speyeria callippe callippe</i>	Wherever found	\$6,400	\$0	\$6,400
		Butterfly, Fender's Blue	<i>Icaricia icarioides fenderi</i>	Wherever found	\$62,000	\$0	\$62,000
		Butterfly, Karner Blue	<i>Lycaeides melissa samuelis</i>	Wherever found	\$1,200	\$0	\$1,200
		Butterfly, Lange's Metalmark	<i>Apodemia mormo langei</i>	Wherever found	\$800	\$0	\$800
		Butterfly, Mission Blue	<i>Icaricia icarioides missionensis</i>	Wherever found	\$1,600	\$0	\$1,600
		Butterfly, Mitchell's Satyr	<i>Neonympha mitchellii mitchellii</i>	Wherever found	\$1,200	\$0	\$1,200
		Butterfly, Oregon Silverspot	<i>Speyeria zerene hippolyta</i>	Wherever found	\$200	\$0	\$200
		Butterfly, San Bruno Elfin	<i>Callophrys mossii bayensis</i>	Wherever found	\$4,000	\$0	\$4,000
		Butterfly, Schaus Swallowtail	<i>Heraclides aristodemus ponceanus</i>	Wherever found	\$983	\$0	\$983
		Butterfly, Smith's Blue	<i>Euphilotes enoptes smithi</i>	Wherever found	\$2,400	\$0	\$2,400
		Dragonfly, Hine's Emerald	<i>Somatochlora hineana</i>	Wherever found	\$47,580	\$0	\$47,580
		Grasshopper, Zayante Band-winged	<i>Trimerotropis infantilis</i>	Wherever found	\$2,400	\$0	\$2,400
		Tiger Beetle, Northeastern Beach	<i>Cicindela dorsalis dorsalis</i>	Wherever found	\$6,820	\$0	\$6,820
		Tiger Beetle, Ohlone	<i>Cicindela ohlone</i>	Wherever found	\$2,400	\$0	\$2,400
		Tiger Beetle, Puritan	<i>Cicindela puritana</i>	Wherever found	\$400	\$0	\$400
	<i>Insects subtotal</i>				\$797,995	\$0	\$797,995
	Lichens	Lichen, Rock Gnome	<i>Gymnoderma lineare</i>	Wherever found	\$376	\$0	\$376
	<i>Lichens subtotal</i>				\$376	\$0	\$376
	Mammals	Bat, Florida Bonneted	<i>Eumops floridanus</i>	Wherever found	\$366,359	\$0	\$366,359
		Bat, Gray	<i>Myotis grisescens</i>	Wherever found	\$151,934	\$0	\$151,934
		Bat, Indiana	<i>Myotis sodalis</i>	Wherever found	\$1,199,822	\$0	\$1,199,822
		Bat, Northern Long-eared	<i>Myotis septentrionalis</i>	Wherever found	\$1,080,535	\$0	\$1,080,535
		Bat, Ozark Big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Wherever found	\$6,000	\$0	\$6,000
		Bat, Virginia Big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Wherever found	\$3,383	\$0	\$3,383

				U.S.A., conterminous (lower 48) States, except where listed as an experimental population			
		Bear, Grizzly	<i>Ursus arctos horribilis</i>		\$27,163	\$0	\$27,163
		Bear, Polar	<i>Ursus maritimus</i>	Wherever found	\$93,833	\$0	\$93,833
		Deer, Key	<i>Odocoileus virginianus clavium</i>	Wherever found	\$1,261	\$0	\$1,261
		Fox, San Joaquin Kit	<i>Vulpes macrotis mutica</i>	wherever found	\$52,361	\$0	\$52,361
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	Wherever found	\$420	\$0	\$420
		Kangaroo Rat, Fresno	<i>Dipodomys nitratooides exilis</i>	Wherever found	\$7,182	\$0	\$7,182
		Kangaroo Rat, Giant	<i>Dipodomys ingens</i>	Wherever found	\$1,600	\$0	\$1,600
		Lynx, Canada	<i>Lynx canadensis</i>	Wherever Found in Contiguous U.S.	\$84,830	\$0	\$84,830
		Manatee, West Indian	<i>Trichechus manatus</i>	Wherever found	\$878,267	\$0	\$878,267
		Mouse, Alabama Beach	<i>Peromyscus polionotus ammobates</i>	Wherever found	\$9,030	\$0	\$9,030
		Mouse, Anastasia Island Beach	<i>Peromyscus polionotus phasma</i>	Wherever found	\$162	\$0	\$162
		Mouse, Key Largo Cotton	<i>Peromyscus gossypinus allapaticola</i>	Wherever found	\$1,606	\$0	\$1,606
		Mouse, New Mexico Meadow Jumping	<i>Zapus hudsonius luteus</i>	Wherever found	\$9,000	\$0	\$9,000
		Mouse, Perdido Key Beach	<i>Peromyscus polionotus trissyllepsis</i>	Wherever found	\$1,984	\$0	\$1,984
		Mouse, Preble's Meadow Jumping	<i>Zapus hudsonius preblei</i>	wherever found	\$35,831	\$0	\$35,831
		Mouse, Salt Marsh Harvest	<i>Reithrodontomys raviventris</i>	wherever found	\$69,600	\$0	\$69,600
		Mouse, Southeastern Beach	<i>Peromyscus polionotus niveiventris</i>	wherever found	\$1,517	\$0	\$1,517
		Mouse, St. Andrew Beach	<i>Peromyscus polionotus peninsularis</i>	Wherever found	\$183	\$0	\$183
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	wherever found	\$420	\$0	\$420
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	Southwest Alaska DPS	\$75,246	\$0	\$75,246
		Otter, Southern Sea	<i>Enhydra lutris nereis</i>	Wherever found	\$18,400	\$0	\$18,400



		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	Wherever found	\$44,356	\$0	\$44,356
		Pocket Gopher, Roy Prairie	<i>Thomomys mazama glacialis</i>	Wherever found	\$20,372	\$0	\$20,372
		Pocket Gopher, Yelm	<i>Thomomys mazama yelmensis</i>	Wherever found	\$500	\$0	\$500
		Rabbit, Lower Keys Marsh	<i>Sylvilagus palustris hefneri</i>	Wherever found	\$1,791	\$0	\$1,791
		Rice Rat, Silver	<i>Oryzomys palustris natator</i>	lower FL Keys	\$787	\$0	\$787
		Sea Lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$174,882	\$0	\$174,882
		Seal, Bearded	<i>Erignathus barbatus nauticus</i>	Beringia DPS	\$13,246	\$0	\$13,246
		Seal, Guadalupe Fur	<i>Arctocephalus townsendi</i>	Wherever found	\$5,400	\$0	\$5,400
		Seal, Ringed	<i>Phoca (=Pusa) hispida hispida</i>	Wherever found	\$36,272	\$0	\$36,272
		Shrew, Buena Vista Lake Ornate	<i>Sorex ornatus relictus</i>	Wherever found	\$100	\$0	\$100
		Squirrel, Carolina Northern Flying	<i>Glaucomys sabrinus coloratus</i>	Wherever found	\$1,478	\$0	\$1,478
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$72,773	\$0	\$72,773
		Whale, Blue	<i>Balaenoptera musculus</i>	Wherever found	\$14,327	\$0	\$14,327
		Whale, Bowhead	<i>Balaena mysticetus</i>	Wherever found	\$3,435	\$0	\$3,435
		Whale, Finback	<i>Balaenoptera physalus</i>	Wherever found	\$103,218	\$0	\$103,218
		Whale, Gray	<i>Eschrichtius robustus</i>	Western North Pacific DPS	\$11,203	\$0	\$11,203
		Whale, Humpback	<i>Megaptera novaeangliae</i>	Central America DPS	\$5,960	\$0	\$5,960
		Whale, Humpback	<i>Megaptera novaeangliae</i>	Mexico DPS	\$168,184	\$0	\$168,184
		Whale, Humpback	<i>Megaptera novaeangliae</i>	Western North Pacific	\$97,655	\$0	\$97,655
		Whale, Killer	<i>Orcinus orca</i>	Southern Resident DPS	\$78,400	\$0	\$78,400
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Wherever found	\$80,073	\$0	\$80,073
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Wherever found	\$33,746	\$0	\$33,746
		Whale, Sei	<i>Balaenoptera borealis</i>	Wherever found	\$12,316	\$0	\$12,316
		Whale, Sperm	<i>Physeter catodon (=macrocephalus)</i>	Wherever found	\$32,013	\$0	\$32,013
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Wherever found	\$1,728	\$0	\$1,728
		Bat, Indiana	<i>Myotis sodalis</i>	Wherever found	\$210		\$210
		Bat, Northern Long-eared	<i>Myotis septentrionalis</i>	Wherever found	\$21,000		\$21,000

		Manatee, West Indian	Trichechus manatus	Wherever found	\$387		\$387
	<i>Mammals subtotal</i>				\$5,213,741	\$0	\$5,213,741
	Reptiles	Boa, Puerto Rican	Epicrates inornatus	Wherever found	\$4,380	\$0	\$4,380
		Crocodile, American	Crocodylus acutus	U.S.A. (FL)	\$34,493	\$0	\$34,493
		Gartersnake, Narrow-headed	Thamnophis rufipunctatus	Wherever found	\$2,000	\$0	\$2,000
		Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$800	\$0	\$800
		Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$8,639	\$0	\$8,639
		Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$54,430	\$0	\$54,430
		Pinesnake, Louisiana	Pituophis ruthveni	Wherever found	\$102	\$0	\$102
		Sea Turtle, Green	Chelonia mydas	South Atlantic DPS	\$602,232	\$0	\$602,232
		Sea Turtle, Green	Chelonia mydas	East Pacific DPS	\$1,600	\$0	\$1,600
		Sea Turtle, Green	Chelonia mydas	North Atlantic DPS	\$385,567	\$0	\$385,567
		Sea Turtle, Green	Chelonia mydas	Central North Pacific DPS	\$3,800	\$0	\$3,800
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$459,515	\$0	\$459,515
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$1,170,334	\$0	\$1,170,334
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$562,927	\$0	\$562,927
		Sea Turtle, Loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS	\$627,395	\$0	\$627,395
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$4,800	\$0	\$4,800
		Sea Turtle, Olive Ridley	Lepidochelys olivacea	Wherever found, except when listed as endangered under 50 CFR 224.101	\$5,550	\$0	\$5,550
		Skink, Bluetail Mole	Eumeces egregius lividus	Wherever found	\$3,474	\$0	\$3,474
		Skink, Sand	Neoseps reynoldsi	Wherever found	\$8,686	\$0	\$8,686
		Snake, Black Pine	Pituophis melanoleucus lodingi	Wherever found	\$6,893	\$0	\$6,893
		Snake, Copperbelly Water	Nerodia erythrogaster neglecta	Indiana north of 40 degrees north latitude, Michigan, Ohio	\$300	\$0	\$300
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$194,890	\$0	\$194,890
		Snake, Giant Garter	Thamnophis gigas	Wherever found	\$187,030	\$0	\$187,030

		Snake, San Francisco Garter	<i>Thamnophis sirtalis</i> <i>tetrataenia</i>	Wherever found	\$22,400	\$0	\$22,400
		Tortoise, Desert	<i>Gopherus agassizii</i>	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	\$100	\$0	\$100
		Tortoise, Desert	<i>Gopherus agassizii</i>	Wherever found, except AZ south and east of Colorado R., and Mexico	\$4,800	\$0	\$4,800
		Tortoise, Gopher	<i>Gopherus polyphemus</i>	West of Mobile and Tombigbee Rivers	\$112,143	\$0	\$112,143
		Turtle, Alabama Red-bellied	<i>Pseudemys alabamensis</i>	Wherever found	\$16,161	\$0	\$16,161
		Turtle, Bog	<i>Clemmys muhlenbergii</i>	U.S.A. (GA, NC, SC, TN, VA)	\$7,820	\$0	\$7,820
		Turtle, Bog	<i>Clemmys muhlenbergii</i>	Wherever found, except GA, NC, SC, TN, VA	\$31,423	\$0	\$31,423
		Turtle, Flattened Musk	<i>Sternotherus depressus</i>	Black Warrior R. system upstream from Bankhead Dam	\$9,716	\$0	\$9,716
		Turtle, Plymouth Redbelly	<i>Pseudemys rubriventris bangsi</i>	Wherever found	\$1,000	\$0	\$1,000
		Turtle, Ringed Map	<i>Graptemys oculifera</i>	Wherever found	\$2,000	\$0	\$2,000
		Turtle, Yellow-blotched Map	<i>Graptemys flavimaculata</i>	Wherever found	\$4,632	\$0	\$4,632
		Whipsnake (=striped Racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Wherever found	\$27,200	\$0	\$27,200
		Pinesnake, Louisiana	<i>Pituophis ruthveni</i>	Wherever found	\$1,800		\$1,800
		Sea Turtle, Green	<i>Chelonia mydas</i>	North Atlantic DPS	\$240		\$240
		Sea Turtle, Hawksbill	<i>Eretmochelys imbricata</i>	Wherever found	\$240		\$240
		Sea Turtle, Kemp's Ridley	<i>Lepidochelys kempii</i>	Wherever found	\$240		\$240
		Sea Turtle, Leatherback	<i>Dermochelys coriacea</i>	Wherever found	\$240		\$240
		Sea Turtle, Loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$285		\$285
		Tortoise, Gopher	<i>Gopherus polyphemus</i>	West of Mobile and Tombigbee Rivers	\$1,852		\$1,852
		Turtle, Ringed Map	<i>Graptemys oculifera</i>	Wherever found	\$2,500		\$2,500

	<i>Reptiles subtotal</i>				\$4,576,629	\$0	\$4,576,629
	Snails	Abalone, Black	Haliotis cracherodii	Wherever found	\$5,400	\$0	\$5,400
		Campeloma, Slender	Campeloma decampi	Wherever found	\$100	\$0	\$100
		Cavesnail, Tumbling Creek	Antrobia culveri	Wherever found	\$1,000	\$0	\$1,000
		Hornsnail, Rough	Pleurocera foremani	Wherever found	\$1,363	\$0	\$1,363
		Lioplax, Cylindrical (snail)	Lioplax cyclostomaformis	Wherever found	\$1,363	\$0	\$1,363
		Marstonia, Royal (snail)	Pyrgulopsis ogmorhapse	Wherever found	\$376	\$0	\$376
		Riversnail, Anthony's	Athearnia anthonyi	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,540	\$0	\$1,540
		Rocksnail, Interrupted (=georgia)	Leptoxis foremani	Wherever found	\$1,098	\$0	\$1,098
		Rocksnail, Painted	Leptoxis taeniata	Wherever found	\$1,363	\$0	\$1,363
		Rocksnail, Round	Leptoxis ampla	Wherever found	\$2,391	\$0	\$2,391
		Snail, Armored	Pyrgulopsis (=Marstonia) pachyta	Wherever found	\$100	\$0	\$100
		Snail, Bliss Rapids	Taylorconcha serpenticola	Wherever found	\$2,043	\$0	\$2,043
		Snail, Snake River Physa	Physa natricina	Wherever found	\$7,004	\$0	\$7,004
		Snail, Stock Island Tree	Orthalicus reses (not incl. nesodryas)	Wherever found	\$1,741	\$0	\$1,741
		Snail, Tulotoma	Tulotoma magnifica	Wherever found	\$1,388	\$0	\$1,388
	<i>Snails subtotal</i>				\$28,270	\$0	\$28,270
<b>Domestic Subtotal</b>					<b>\$197,545,789</b>	<b>\$72,372</b>	<b>\$197,618,161</b>
Foreign	Mammals	Bear, Brown	Ursus arctos pruinosus	Wherever found	\$14,663	\$0	\$14,663
	<i>Mammals subtotal</i>				\$14,663	\$0	\$14,663
	Reptiles	Sea Turtle, Green	Chelonia mydas	Southwest Pacific DPS	\$1,000	\$0	\$1,000
		Sea Turtle, Loggerhead	Caretta caretta	South Atlantic Ocean DPS	\$231,873	\$0	\$231,873
		Sea Turtle, Loggerhead	Caretta caretta	Northeast Atlantic Ocean DPS	\$229,957	\$0	\$229,957
	<i>Reptiles subtotal</i>				\$462,830	\$0	\$462,830
<b>Foreign Subtotal</b>					<b>\$477,493</b>	<b>\$0</b>	<b>\$477,493</b>
Multi-Species					\$4,586,694	\$14,861	\$4,601,555
<b>Multi-Species subtotal</b>					<b>\$4,586,694</b>	<b>\$14,861</b>	<b>\$4,601,555</b>
<b>Grand Total</b>					<b>\$202,609,976</b>	<b>\$87,233</b>	<b>\$202,697,209</b>

## DOD Marine Corps - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$80,887	\$0	\$80,887
	<i>Amphibians subtotal</i>				<i>\$80,887</i>	<i>\$0</i>	<i>\$80,887</i>
	Birds	Coot, Hawaiian	Fulica americana alai	Wherever found	\$215,711	\$0	\$215,711
		Duck, Hawaiian (=koloa)	Anas wyvilliana	Wherever found	\$30,211	\$0	\$30,211
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$185,830	\$0	\$185,830
		Gallinule, Hawaiian Common	Gallinula galeata sandvicensis	Wherever found	\$215,711	\$0	\$215,711
		Gnatcatcher, Coastal California	Polioptila californica californica	Wherever found	\$820,890	\$0	\$820,890
		Kingfisher, Guam Micronesian	Halcyon cinnamomina cinnamomina	Wherever found	\$1,365,530	\$0	\$1,365,530
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$79,642	\$0	\$79,642
		Stilt, Hawaiian	Himantopus mexicanus knudseni	Wherever found	\$46,211	\$0	\$46,211
		Tern, California Least	Sterna antillarum browni	Wherever found	\$218,077	\$0	\$218,077
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$241,272	\$0	\$241,272
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$475,779	\$0	\$475,779
	<i>Birds subtotal</i>				<i>\$3,894,864</i>	<i>\$0</i>	<i>\$3,894,864</i>
	Conifers and Cycads	Fadang	Cycas micronesica	Wherever found	\$251,146	\$0	\$251,146
	<i>Conifers and Cycads subtotal</i>				<i>\$251,146</i>	<i>\$0</i>	<i>\$251,146</i>
	Fishes	Goby, Tidewater	Eucyclogobius newberryi	Wherever found	\$80,887	\$0	\$80,887
	<i>Fishes subtotal</i>				<i>\$80,887</i>	<i>\$0</i>	<i>\$80,887</i>
	Flowering Plants	Halumtano, Cebello	Bulbophyllum guamense	Wherever found	\$44,490	\$0	\$44,490
		Monardella, Willowy	Monardella viminea	Wherever found	\$190,985	\$0	\$190,985
		No Common Name	Tabernaemontana rotensis	Wherever found	\$889,800	\$0	\$889,800
		Pogonia, Small Whorled	Isotria medeoloides	Wherever found	\$28,500	\$0	\$28,500
		Pondberry	Lindera melissifolia	Wherever found	\$12,295	\$0	\$12,295

		Ufa-halomtano	Heritiera longipetiolata	Wherever found	\$44,490	\$0	\$44,490
	<i>Flowering Plants subtotal</i>				\$1,210,560	\$0	\$1,210,560
	Insects	Yellow-faced Bee, Anthricinan	Hylaeus anthracinus	Wherever found	\$7,800	\$0	\$7,800
	<i>Insects subtotal</i>				\$7,800	\$0	\$7,800
	Mammals	Bat, Hawaiian Hoary	Lasiurus cinereus semotus	Wherever found	\$215,711	\$0	\$215,711
		Kangaroo Rat, Stephens'	Dipodomys stephensi (incl. D. cascus)	Wherever found	\$199,950	\$0	\$199,950
		Mouse, Pacific Pocket	Perognathus longimembris pacificus	Wherever found	\$1,691,753	\$0	\$1,691,753
		Pronghorn, Sonoran	Antilocapra americana sonoriensis	Wherever found, except where listed as an experimental population	\$96,618	\$0	\$96,618
		Seal, Hawaiian Monk	Monachus schauinslandi	Wherever found	\$8,566	\$0	\$8,566
	<i>Mammals subtotal</i>				\$2,212,598	\$0	\$2,212,598
	Reptiles	Sea Turtle, Green	Chelonia mydas	Central North Pacific DPS	\$12,795	\$0	\$12,795
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$100	\$0	\$100
		Sea Turtle, Loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS	\$233,432	\$0	\$233,432
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$5,867,407	\$0	\$5,867,407
	<i>Reptiles subtotal</i>				\$6,113,734	\$0	\$6,113,734
<b>Domestic Subtotal</b>					<b>\$13,852,476</b>	<b>\$0</b>	<b>\$13,852,476</b>
Multi-Species					\$7,053,969	\$0	\$7,053,969
<b>Multi-Species subtotal</b>					<b>\$7,053,969</b>	<b>\$0</b>	<b>\$7,053,969</b>
<b>Grand Total</b>					<b>\$20,906,445</b>	<b>\$0</b>	<b>\$20,906,445</b>

## DOE Bonneville Power Administration FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Fishes	Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$16,365,239	\$1,403,564	\$17,768,803
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Columbia spring-run ESU	\$14,686,907	\$135,778	\$14,822,685
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU	\$29,817,563	\$135,778	\$29,953,341
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU	\$9,628,377	\$1,379,058	\$11,007,435
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Willamette River ESU	\$6,077,514	\$135,778	\$6,213,292
		Salmon, Chum	Oncorhynchus keta	Columbia River ESU	\$3,628,340	\$1,377,018	\$5,005,358
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Southern Oregon - Northern California Coast ESU	\$205,619	\$0	\$205,619
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU	\$4,395,103	\$1,379,058	\$5,774,161
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Snake River ESU	\$8,447,729	\$135,778	\$8,583,507
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$5,587,661	\$1,379,058	\$6,966,719
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Willamette River DPS	\$3,978,959	\$135,778	\$4,114,737
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS	\$12,973,722	\$130,085	\$13,103,807
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$37,922,051	\$135,778	\$38,057,829
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$26,748,619	\$162,324	\$26,910,943
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$8,980,444	\$0	\$8,980,444
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$16,557,051	\$1,698,153	\$18,255,204
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$1,965,801	\$0	\$1,965,801
	<i>Fishes subtotal</i>				<i>\$207,966,699</i>	<i>\$9,722,986</i>	<i>\$217,689,685</i>
<b>Domestic Subtotal</b>					<b>\$207,966,699</b>	<b>\$9,722,986</b>	<b>\$217,689,685</b>
<b>Grand Total</b>					<b>\$207,966,699</b>	<b>\$9,722,986</b>	<b>\$217,689,685</b>

## DOE Southwest Power Administration - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$4,500	\$0	\$4,500
	<i>Insects subtotal</i>				<i>\$4,500</i>	<i>\$0</i>	<i>\$4,500</i>
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$8,000	\$0	\$8,000
		Bat, Indiana	Myotis sodalis	Wherever found	\$8,000	\$0	\$8,000
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$8,000	\$0	\$8,000
		Bat, Ozark Big-eared	Corynorhinus (=Plecotus) townsendii ingens	Wherever found	\$8,000	\$0	\$8,000
	<i>Mammals subtotal</i>				<i>\$32,000</i>	<i>\$0</i>	<i>\$32,000</i>
<b><i>Domestic Subtotal</i></b>					<b><i>\$36,500</i></b>	<b><i>\$0</i></b>	<b><i>\$36,500</i></b>
Multi-Species					\$35,500	\$0	\$35,500
<b><i>Multi-Species subtotal</i></b>					<b><i>\$35,500</i></b>	<b><i>\$0</i></b>	<b><i>\$35,500</i></b>
<b>Grand Total</b>					<b>\$35,500</b>	<b>\$0</b>	<b>\$35,500</b>



## DOE Western Area Power Administration - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$34,645	\$0	\$34,645
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (CA - Sonoma County)	\$31,600	\$0	\$31,600
	<i>Amphibians subtotal</i>				\$66,245	\$0	\$66,245
	Birds	Crane, Whooping	Grus americana	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	\$8,305	\$0	\$8,305
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$30,492	\$0	\$30,492
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$20,000	\$0	\$20,000
		Knot, Red	Calidris canutus rufa	Wherever found	\$2,000	\$0	\$2,000
		Owl, Mexican Spotted	Strix occidentalis lucida	Wherever found	\$56,406	\$0	\$56,406
		Owl, Northern Spotted	Strix occidentalis caurina	Wherever found	\$49,679	\$0	\$49,679
		Plover, Piping	Charadrius melodus	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$8,305	\$0	\$8,305
		Sage-grouse, Gunnison	Centrocercus minimus	Wherever found	\$17,862	\$0	\$17,862
		Tern, California Least	Sterna antillarum browni	Wherever found	\$4,305	\$0	\$4,305
	<i>Birds subtotal</i>				\$197,354	\$0	\$197,354
	Clams	Higgins Eye (pearlymussel)	Lampsilis higginsii	Wherever found	\$1,000	\$0	\$1,000
		Mussel, Scaleshell	Leptodea leptodon	Wherever found	\$500	\$0	\$500
	<i>Clams subtotal</i>				\$1,500	\$0	\$1,500
	Crustaceans	Fairy Shrimp, Conservancy	Branchinecta conservatio	Wherever found	\$3,045	\$0	\$3,045
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$33,920	\$0	\$33,920
		Tadpole Shrimp, Vernal Pool	Lepidurus packardi	Wherever found	\$33,920	\$0	\$33,920
	<i>Crustaceans subtotal</i>				\$70,885	\$0	\$70,885
	Fishes	Bonytail	Gila elegans	Wherever found	\$3,256,850	\$0	\$3,256,850
		Chub, Humpback	Gila cypha	Wherever found	\$3,256,850	\$0	\$3,256,850

		Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Salt and Verde R. drainages, AZ	\$3,256,850	\$0	\$3,256,850
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Sacramento River winter- run ESU	\$16,367	\$0	\$16,367
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Central Valley spring-run ESU	\$16,367	\$0	\$16,367
		Shiner, Topeka	Notropis topeka (=tristis)	U.S.A. (MO-specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.84(d)(1)(i))	\$5,000	\$0	\$5,000
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$6,090	\$0	\$6,090
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS	\$16,367	\$0	\$16,367
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$10,276	\$0	\$10,276
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$242,312	\$0	\$242,312
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$3,256,850	\$0	\$3,256,850
		Trout, Greenback Cutthroat	Oncorhynchus clarkii stomias	Wherever found	\$8,305	\$0	\$8,305
		<i>Fishes subtotal</i>			<i>\$13,348,484</i>	<i>\$0</i>	<i>\$13,348,484</i>
	Flowering Plants	Bird's Beak, Palmate-bracted	Cordylanthus palmatus	Wherever found	\$11,187	\$0	\$11,187
		Bush-clover, Prairie	Lespedeza leptostachya	Wherever found	\$1,000	\$0	\$1,000
		Cactus, Colorado Hookless	Sclerocactus glaucus	Wherever found	\$5,000	\$0	\$5,000
		Jewelflower, California	Caulanthus californicus	Wherever found	\$910	\$0	\$910
		Ladies'-tresses, Ute	Spiranthes diluvialis	Wherever found	\$80,076	\$0	\$80,076
		Milkvetch, Osterhout	Astragalus osterhoutii	Wherever found	\$9,750	\$0	\$9,750
		Milkweed, Welsh's	Asclepias welshii	Wherever found	\$38,101	\$0	\$38,101
		Orchid, Western Prairie Fringed	Platanthera praeclara	Wherever found	\$6,305	\$0	\$6,305
		Orcutt Grass, Sacramento	Orcuttia viscida	Wherever found	\$7,231	\$0	\$7,231
		Orcutt Grass, San Joaquin	Orcuttia inaequalis	Wherever found	\$7,231	\$0	\$7,231
		Penstemon, Blowout	Penstemon haydenii	Wherever found	\$12,862	\$0	\$12,862
		Sunburst, Hartweg's Golden	Pseudobahia bahiifolia	Wherever found	\$7,231	\$0	\$7,231
		Wooly-threads, San Joaquin	Monolopia (=Lembertia) congdonii	Wherever found	\$10,046	\$0	\$10,046

	<i>Flowering Plants subtotal</i>				\$196,930	\$0	\$196,930
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$5,000	\$0	\$5,000
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$63,463	\$0	\$63,463
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$6,000	\$0	\$6,000
		Skipperling, Poweshiek	Oarisma poweshiek	Wherever found	\$502	\$0	\$502
	<i>Insects subtotal</i>				\$74,965	\$0	\$74,965
	Mammals	Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$4,000	\$0	\$4,000
		Ferret, Black-footed	Mustela nigripes	Wherever found, except where listed as an experimental population	\$1,000	\$0	\$1,000
		Fox, San Joaquin Kit	Vulpes macrotis mutica	wherever found	\$43,780	\$0	\$43,780
		Kangaroo Rat, Fresno	Dipodomys nitratoides exilis	Wherever found	\$3,616	\$0	\$3,616
		Kangaroo Rat, Giant	Dipodomys ingens	Wherever found	\$52,476	\$0	\$52,476
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$70,217	\$0	\$70,217
		Mouse, Preble's Meadow Jumping	Zapus hudsonius preblei	wherever found	\$46,167	\$0	\$46,167
	<i>Mammals subtotal</i>				\$221,256	\$0	\$221,256
	Reptiles	Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$30,460	\$0	\$30,460
		Snake, Giant Garter	Thamnophis gigas	Wherever found	\$40,581	\$0	\$40,581
		Tortoise, Desert	Gopherus agassizii	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	\$185,216	\$0	\$185,216
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$910	\$0	\$910
	<i>Reptiles subtotal</i>				\$257,167	\$0	\$257,167
	<b>Domestic Subtotal</b>				<b>\$14,434,786</b>	<b>\$0</b>	<b>\$14,434,786</b>
	<b>Grand Total</b>				<b>\$14,434,786</b>	<b>\$0</b>	<b>\$14,434,786</b>

## DOI Bureau of Land Management - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$37,940	\$0	\$37,940
		Frog, Chiricahua Leopard	Rana chiricahuensis	Wherever found	\$74,080	\$0	\$74,080
		Frog, Dusky Gopher	Rana sevosia	Wherever found	\$170	\$0	\$170
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$33,860	\$0	\$33,860
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$10,000	\$0	\$10,000
		Salamander, Jemez Mountains	Plethodon neomexicanus	Wherever found	\$1,000	\$0	\$1,000
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$300	\$0	\$300
		Toad, Wyoming	Bufo hemiophrys baxteri	Wherever found	\$7,000	\$0	\$7,000
		<i>Amphibians subtotal</i>			<i>\$164,350</i>	<i>\$0</i>	<i>\$164,350</i>
	Birds	Condor, California	Gymnogyps californianus	U.S.A. only, except where listed as an experimental population	\$12,500	\$0	\$12,500
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$120,018	\$0	\$120,018
		Crane, Whooping	Grus americana	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	\$4,248	\$0	\$4,248
		Crane, Whooping	Grus americana	Wherever found, except where listed as an experimental population	\$4,642	\$0	\$4,642
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$1,165,626	\$0	\$1,165,626
		Eider, Spectacled	Somateria fischeri	Wherever found	\$159,500	\$0	\$159,500
		Eider, Steller's	Polysticta stelleri	AK breeding pop.	\$35,500	\$0	\$35,500
		Falcon, Northern Aplomado	Falco femoralis septentrionalis	U.S.A (AZ, NM)	\$10,000	\$0	\$10,000
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$984,196	\$0	\$984,196
		Gnatcatcher, Coastal California	Poliptila californica californica	Wherever found	\$300	\$0	\$300
		Knot, Red	Calidris canutus rufa	Wherever found	\$3,792	\$0	\$3,792

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Murrelet, Marbled	Brachyramphus marmoratus	U.S.A. (CA, OR, WA)	\$1,586,568	\$0	\$1,586,568
		Owl, Mexican Spotted	Strix occidentalis lucida	Wherever found	\$334,638	\$0	\$334,638
		Owl, Northern Spotted	Strix occidentalis caurina	Wherever found	\$3,146,916	\$0	\$3,146,916
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$29,840	\$0	\$29,840
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$403,000	\$0	\$403,000
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$276,001	\$0	\$276,001
		Sage-grouse, Gunnison	Centrocercus minimus	Wherever found	\$132,044	\$0	\$132,044
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$500	\$0	\$500
		Towhee, Inyo California	Pipilo crissalis eremophilus	Wherever found	\$200,221	\$0	\$200,221
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$169,954	\$0	\$169,954
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$12,090	\$0	\$12,090
	<i>Birds subtotal</i>				<i>\$8,792,094</i>	<i>\$0</i>	<i>\$8,792,094</i>
	Clams	Bean, Choctaw	Villosa choctawensis	Wherever found	\$330	\$0	\$330
		Clubshell, Southern	Pleurobema decisum	Wherever found	\$330	\$0	\$330
		Ebonyshell, Round	Fusconaia rotulata	Wherever found	\$330	\$0	\$330
		Fanshell	Cyprogenia stegaria	Wherever found	\$298	\$0	\$298
		Hornshell, Texas	Popenaias popeii	Wherever found	\$18,700	\$0	\$18,700
		Kidneyshell, Southern	Ptychobranthus jonesi	Wherever found	\$330	\$0	\$330
		Mucket, Orangenacre	Lampsilis perovalis	Wherever found	\$330	\$0	\$330
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$298	\$0	\$298
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$340	\$0	\$340
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$298	\$0	\$298
		Pigtoe, Fuzzy	Pleurobema strodeanum	Wherever found	\$330	\$0	\$330
		Pigtoe, Narrow	Fusconaia escambia	Wherever found	\$330	\$0	\$330
		Pigtoe, Tapered	Fusconaia burkei	Wherever found	\$330	\$0	\$330

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sandshell, Southern	Hamiota australis	Wherever found	\$330	\$0	\$330
	<i>Clams subtotal</i>				\$22,904	\$0	\$22,904
	Crustaceans	Amphipod, Noel's	Gammarus desperatus	Wherever found	\$2,125	\$0	\$2,125
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$23,000	\$0	\$23,000
		Isopod, Socorro	Thermosphaeroma thermophilus	Wherever found	\$1,000	\$0	\$1,000
		Tadpole Shrimp, Vernal Pool	Lepidurus packardi	Wherever found	\$10,000	\$0	\$10,000
	<i>Crustaceans subtotal</i>				\$36,125	\$0	\$36,125
	Ferns and Allies	Quillwort, Louisiana	Isoetes louisianensis	Wherever found	\$170	\$0	\$170
	<i>Ferns and Allies subtotal</i>				\$170	\$0	\$170
	Fishes	Bonytail	Gila elegans	Wherever found	\$30,311	\$0	\$30,311
		Chub, Borax Lake	Gila boraxobius	Wherever found	\$2,000	\$0	\$2,000
		Chub, Chihuahua	Gila nigrescens	Wherever found	\$8,380	\$0	\$8,380
		Chub, Gila	Gila intermedia	Wherever found	\$20,334	\$0	\$20,334
		Chub, Humpback	Gila cypha	Wherever found	\$18,843	\$0	\$18,843
		Chub, Owens Tui	Gila bicolor ssp. snyderi	Wherever found	\$15,000	\$0	\$15,000
		Chub, Pahrnagat Roundtail	Gila robusta jordani	Wherever found	\$500	\$0	\$500
		Chub, Virgin River	Gila seminuda (=robusta)	Wherever found	\$40,273	\$0	\$40,273
		Dace, Desert	Eremichthys acros	Wherever found	\$198,500	\$0	\$198,500
		Dace, Independence Valley Speckled	Rhinichthys osculus lethoporus	Wherever found	\$3,500	\$0	\$3,500
		Dace, Moapa	Moapa coriacea	Wherever found	\$25,000	\$0	\$25,000
		Darter, Candy	Etheostoma osburni	Wherever found	\$140	\$0	\$140
		Darter, Pearl	Percina aurora	Wherever found	\$170	\$0	\$170
		Gambusia, Pecos	Gambusia nobilis	Wherever found	\$500	\$0	\$500
		Goby, Tidewater	Eucyclogobius newberryi	Wherever found	\$7,870	\$0	\$7,870
		Minnow, Loach	Tiaroga cobitis	Wherever found	\$55,107	\$0	\$55,107
		Minnow, Rio Grande Silvery	Hybognathus amarus	Wherever found, except where listed as an experimental population	\$1,000	\$0	\$1,000
		Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Salt and Verde R. drainages, AZ	\$3,644	\$0	\$3,644

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Wherever found, except where listed as an experimental population	\$39,200	\$0	\$39,200
		Poolfish, Pahrump	Empetrichthys latos	Wherever found	\$72,000	\$0	\$72,000
		Pupfish, Desert	Cyprinodon macularius	Wherever found	\$27,819	\$0	\$27,819
		Pupfish, Owens	Cyprinodon radiosus	Wherever found	\$35,000	\$0	\$35,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU	\$55,005	\$0	\$55,005
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU	\$34,000	\$0	\$34,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$123,567	\$0	\$123,567
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Willamette River ESU	\$42,000	\$0	\$42,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	California Coastal ESU	\$11,000	\$0	\$11,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Southern Oregon - Northern California Coast ESU	\$128,157	\$0	\$128,157
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$4,752,350	\$0	\$4,752,350
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Central California Coast ESU	\$75,000	\$0	\$75,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU	\$8,500	\$0	\$8,500
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Snake River ESU	\$153,739	\$0	\$153,739
		Shiner, Pecos Bluntnose	Notropis simus pecosensis	Wherever found	\$3,501	\$0	\$3,501
		Spikedace	Meda fulgida	Wherever found	\$28,697	\$0	\$28,697
		Spinedace, Big Spring	Lepidomeda mollispinis pratensis	Wherever found	\$11,477	\$0	\$11,477
		Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	\$1,998	\$0	\$1,998
		Springfish, Hiko White River	Crenichthys baileyi grandis	Wherever found	\$23,218	\$0	\$23,218
		Springfish, Railroad Valley	Crenichthys nevadae	Wherever found	\$6,392	\$0	\$6,392
		Springfish, White River	Crenichthys baileyi baileyi	Wherever found	\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS	\$25,000	\$0	\$25,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$226,780	\$0	\$226,780
		Steelhead	Oncorhynchus (=Salmo) mykiss	California Central Valley DPS	\$92,306	\$0	\$92,306
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$129,010	\$0	\$129,010
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Willamette River DPS	\$47,500	\$0	\$47,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$34,000	\$0	\$34,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS	\$14,000	\$0	\$14,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Northern California DPS	\$11,520	\$0	\$11,520
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrinchus) desotoi	Wherever found	\$500	\$0	\$500
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$12,748	\$0	\$12,748
		Sucker, June	Chasmistes liorus	Wherever found	\$3,100	\$0	\$3,100
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$11,000	\$0	\$11,000
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$71,907	\$0	\$71,907
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$6,500	\$0	\$6,500
		Sucker, Warner	Catostomus warnerensis	Wherever found	\$734,000	\$0	\$734,000
		Sucker, Zuni Bluehead	Catostomus discobolus yarrowi	Wherever found	\$1,000	\$0	\$1,000
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$20,068	\$0	\$20,068
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$408,781	\$0	\$408,781
		Trout, Greenback Cutthroat	Oncorhynchus clarkii stomias	Wherever found	\$2,500	\$0	\$2,500
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$408,405	\$0	\$408,405
		Tui Chub, Mohave	Gila bicolor ssp. mohavensis	Wherever found	\$15,000	\$0	\$15,000



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woundfin	Plagopterus argentissimus	Wherever found, except where listed as an experimental population	\$128,273	\$0	\$128,273
	<i>Fishes subtotal</i>				\$8,468,088	\$0	\$8,468,088
	Flowering Plants	Bear-poppy, Dwarf	Arctomecon humilis	Wherever found	\$9,224	\$0	\$9,224
		Beardtongue, Parachute	Penstemon debilis	Wherever found	\$3,251	\$0	\$3,251
		Beardtongue, Penland	Penstemon penlandii	Wherever found	\$27,000	\$0	\$27,000
		Bedstraw, El Dorado	Galium californicum ssp. sierrae	Wherever found	\$14,500	\$0	\$14,500
		Birds-in-a-nest, White	Macbridea alba	Wherever found	\$140	\$0	\$140
		Bladderpod, Dudley Bluffs	Lesquerella congesta	Wherever found	\$8,000	\$0	\$8,000
		Bladderpod, Kodachrome	Lesquerella tumulosa	Wherever found	\$10,246	\$0	\$10,246
		Bladderpod, White Bluffs	Physaria douglasii ssp. tuplashensis	Wherever found	\$25,195	\$0	\$25,195
		Blue-star, Kearney's	Amsonia kearneyana	Wherever found	\$2,470	\$0	\$2,470
		Buckwheat, Steamboat	Eriogonum ovalifolium var. williamsiae	Wherever found	\$21,446	\$0	\$21,446
		Buckwheat, Umtanum Desert	Eriogonum codium	Wherever found	\$25,195	\$0	\$25,195
		Buttercup, Autumn	Ranunculus aestivalis (=acriformis)	Wherever found	\$4,000	\$0	\$4,000
		Butterfly Plant, Colorado	Gaura neomexicana var. coloradensis	Wherever found	\$14,585	\$0	\$14,585
		Butterweed, Layne's	Senecio layneae	Wherever found	\$15,150	\$0	\$15,150
		Butterwort, Godfrey's	Pinguicula ionantha	Wherever found	\$140	\$0	\$140
		Cactus, Brady Pincushion	Pediocactus bradyi	Wherever found	\$2,000	\$0	\$2,000
		Cactus, Colorado Hookless	Sclerocactus glaucus	Wherever found	\$226,601	\$0	\$226,601
		Cactus, Fickeisen Plains	Pediocactus peeblesianus fickeiseniae	Wherever found	\$35,000	\$0	\$35,000
		Cactus, Kuenzler Hedgehog	Echinocereus fendleri var. kuenzleri	Wherever found	\$64,505	\$0	\$64,505
		Cactus, Lee Pincushion	Coryphantha sneedii var. lei	Wherever found	\$1,000	\$0	\$1,000
		Cactus, Mesa Verde	Sclerocactus mesae-verdae	Wherever found	\$23,000	\$0	\$23,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Nichol's Turk's Head	Echinocactus horizonthalonius var. nicholii	Wherever found	\$20,000	\$0	\$20,000
		Cactus, Pariette	Sclerocactus brevispinus	Wherever found	\$8,113	\$0	\$8,113
		Cactus, Peebles Navajo	Pediocactus peeblesianus var. peeblesianus	Wherever found	\$2,750	\$0	\$2,750
		Cactus, San Rafael	Pediocactus despainii	Wherever found	\$14,762	\$0	\$14,762
		Cactus, Siler Pincushion	Pediocactus (=Echinocactus,=Utahia) sileri	Wherever found	\$28,241	\$0	\$28,241
		Cactus, Sneed Pincushion	Coryphantha sneedii var. sneedii	Wherever found	\$8,000	\$0	\$8,000
		Cactus, Uinta Basin Hookless	Sclerocactus wetlandicus	Wherever found	\$2,999	\$0	\$2,999
		Cactus, Winkler	Pediocactus winkleri	Wherever found	\$2,139	\$0	\$2,139
		Cactus, Wright Fishhook	Sclerocactus wrightiae	Wherever found	\$73,605	\$0	\$73,605
		Catchfly, Spalding's	Silene spaldingii	Wherever found	\$22,000	\$0	\$22,000
		Ceanothus, Pine Hill	Ceanothus roderickii	Wherever found	\$18,000	\$0	\$18,000
		Centaury, Spring-loving	Centaurium namophilum	Wherever found	\$65,000	\$0	\$65,000
		Checker-mallow, Nelson's	Sidalcea nelsoniana	Wherever found	\$4,400	\$0	\$4,400
		Cycladenia, Jones	Cycladenia humilis var. jonesii	Wherever found	\$49,033	\$0	\$49,033
		Daisy, Parish's	Erigeron parishii	Wherever found	\$6,001	\$0	\$6,001
		Daisy, Willamette	Erigeron decumbens	Wherever found	\$84,000	\$0	\$84,000
		Desert-parsley, Bradshaw's	Lomatium bradshawii	Wherever found	\$31,996	\$0	\$31,996
		Evening-primrose, San Benito	Camissonia benitensis	Wherever found	\$45,000	\$0	\$45,000
		Flannelbush, Pine Hill	Fremontodendron californicum ssp. decumbens	Wherever found	\$13,000	\$0	\$13,000
		Fleabane, Zuni	Erigeron rhizomatus	Wherever found	\$28,400	\$0	\$28,400
		Four-o'clock, Macfarlane's	Mirabilis macfarlanei	Wherever found	\$32,000	\$0	\$32,000
		Fritillary, Gentner's	Fritillaria gentneri	Wherever found	\$285,000	\$0	\$285,000
		Gilia, Monterey	Gilia tenuiflora ssp. arenaria	Wherever found	\$3,000	\$0	\$3,000
		Goldfields, Contra Costa	Lasthenia conjugens	Wherever found	\$4,000	\$0	\$4,000
		Gumplant, Ash Meadows	Grindelia fraxinipratensis	Wherever found	\$70,000	\$0	\$70,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Howellia, Water	Howellia aquatilis	UNK	\$50,000	\$0	\$50,000
		Ivesia, Webber's	Ivesia webberi	Wherever found	\$35,027	\$0	\$35,027
		Jewelflower, California	Caulanthus californicus	Wherever found	\$3,300	\$0	\$3,300
		Ladies'-tresses, Ute	Spiranthes diluvialis	Wherever found	\$217,889	\$0	\$217,889
		Layia, Beach	Layia carnosa	Wherever found	\$67,000	\$0	\$67,000
		Lily, Western	Lilium occidentale	Wherever found	\$26,000	\$0	\$26,000
		Lomatium, Cook's	Lomatium cookii	Wherever found	\$120,000	\$0	\$120,000
		Lupine, Kincaid's	Lupinus sulphureus ssp. kincaidii	Wherever found	\$171,577	\$0	\$171,577
		Mallow, Gierisch	Sphaeralcea gierischii	Wherever found	\$35,091	\$0	\$35,091
		Mallow, Kern	Eremalche kernensis	Wherever found	\$3,400	\$0	\$3,400
		Manzanita, Ione	Arctostaphylos myrtifolia	Wherever found	\$1,600	\$0	\$1,600
		Milk-vetch, Coachella Valley	Astragalus lentiginosus var. coachellae	Wherever found	\$3,453	\$0	\$3,453
		Milk-vetch, Cushenbury	Astragalus albens	Wherever found	\$147,500	\$0	\$147,500
		Milk-vetch, Fish Slough	Astragalus lentiginosus var. piscinensis	Wherever found	\$40,000	\$0	\$40,000
		Milk-vetch, Heliotrope	Astragalus montii	Wherever found	\$2,500	\$0	\$2,500
		Milk-vetch, Holmgren	Astragalus holmgreniorum	Wherever found	\$31,381	\$0	\$31,381
		Milk-vetch, Lane Mountain	Astragalus jaegerianus	Wherever found	\$131,000	\$0	\$131,000
		Milk-vetch, Mancos	Astragalus humillimus	Wherever found	\$4,000	\$0	\$4,000
		Milk-vetch, Peirson's	Astragalus magdalenae var. peirsonii	Wherever found	\$30,600	\$0	\$30,600
		Milk-vetch, Shivwits	Astragalus ampullarioides	Wherever found	\$11,310	\$0	\$11,310
		Milk-vetch, Triple-ribbed	Astragalus tricarinatus	Wherever found	\$7,302	\$0	\$7,302
		Milkvetch, Osterhout	Astragalus osterhoutii	Wherever found	\$48,000	\$0	\$48,000
		Milkweed, Welsh's	Asclepias welshii	Wherever found	\$66,000	\$0	\$66,000
		Morning-glory, Stebbins'	Calystegia stebbinsii	Wherever found	\$24,300	\$0	\$24,300
		Mustard, Penland Alpine Fen	Eutrema penlandii	Wherever found	\$11,000	\$0	\$11,000
		Niterwort, Amargosa	Nitrophila mohavensis	Wherever found	\$37,400	\$0	\$37,400
		No Common Name	Geocarpon minimum	Wherever found	\$490	\$0	\$490
		Orchid, Western Prairie Fringed	Platanthera praecleara	Wherever found	\$4,148	\$0	\$4,148
		Orcutt Grass, Slender	Orcuttia tenuis	Wherever found	\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Oxytheca, Cushenbury	Oxytheca parishii var. goodmaniana	Wherever found	\$3,500	\$0	\$3,500
		Pennyroyal, Todsen's	Hedeoma todsenii	Wherever found	\$27,500	\$0	\$27,500
		Penstemon, Blowout	Penstemon haydenii	Wherever found	\$35,878	\$0	\$35,878
		Peppergrass, Slickspot	Lepidium papilliferum	UNK	\$122,610	\$0	\$122,610
		Phacelia, Clay	Phacelia argillacea	Wherever found	\$600	\$0	\$600
		Phacelia, Debeque	Phacelia submutica	Wherever found	\$31,201	\$0	\$31,201
		Phacelia, North Park	Phacelia formosula	Wherever found	\$32,000	\$0	\$32,000
		Popcornflower, Rough	Plagiobothrys hirtus	Wherever found	\$9,662	\$0	\$9,662
		Poppy, Sacramento Prickly	Argemone pleiacantha ssp. pinnatisecta	Wherever found	\$3,000	\$0	\$3,000
		Reed-mustard, Barneby	Schoenocrambe barnebyi	Wherever found	\$4,510	\$0	\$4,510
		Sedge, Navajo	Carex specuicola	Wherever found	\$3,532	\$0	\$3,532
		Skullcap, Florida	Scutellaria floridana	Wherever found	\$140	\$0	\$140
		Spineflower, Monterey	Chorizanthe pungens var. pungens	Wherever found	\$7,000	\$0	\$7,000
		Sunflower, Pecos (=puzzle, =paradox)	Helianthus paradoxus	Wherever found	\$6,500	\$0	\$6,500
		Townsendia, Last Chance	Townsendia aprica	Wherever found	\$2,139	\$0	\$2,139
		Twinpod, Dudley Bluffs	Physaria obcordata	Wherever found	\$8,000	\$0	\$8,000
		Vervain, Red Hills	Verbena californica	Wherever found	\$800	\$0	\$800
		Wallflower, Menzies'	Erysimum menziesii	Wherever found	\$65,000	\$0	\$65,000
		Water-umbel, Huachuca	Lilaeopsis schaffneriana var. recurva	Wherever found	\$38,400	\$0	\$38,400
		Wild Buckwheat, Clay-loving	Eriogonum pelinophilum	Wherever found	\$13,500	\$0	\$13,500
		Wild-buckwheat, Gypsum	Eriogonum gypsophilum	Wherever found	\$198,000	\$0	\$198,000
		Wire-lettuce, Malheur	Stephanomeria malheurensis	Wherever found	\$2,500	\$0	\$2,500
		Wooly-threads, San Joaquin	Monolopia (=Lembertia) congdonii	Wherever found	\$155,000	\$0	\$155,000
		Yellowhead, Desert	Yermo xanthocephalus	Wherever found	\$35,000	\$0	\$35,000
		<i>Flowering Plants subtotal</i>			\$3,601,328	\$0	\$3,601,328
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$649	\$0	\$649

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$4,000	\$0	\$4,000
		Butterfly, Behren's Silverspot	Speyeria zerene behrensii	Wherever found	\$5,920	\$0	\$5,920
		Butterfly, Fender's Blue	Icaricia icarioides fenderi	Wherever found	\$34,000	\$0	\$34,000
		Butterfly, Uncompahgre Fritillary	Boloria acrocnema	Wherever found	\$11,000	\$0	\$11,000
		Skipper, Carson Wandering	Pseudocopaeodes eunus obscurus	Wherever found	\$46,006	\$0	\$46,006
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$30,000	\$0	\$30,000
	<i>Insects subtotal</i>				<i>\$131,575</i>	<i>\$0</i>	<i>\$131,575</i>
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$4,850	\$0	\$4,850
		Bat, Indiana	Myotis sodalis	Wherever found	\$6,321	\$0	\$6,321
		Bat, Mexican Long-nosed	Leptonycteris nivalis	Wherever found	\$31,000	\$0	\$31,000
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$81,702	\$0	\$81,702
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$158,679	\$0	\$158,679
		Bear, Grizzly	Ursus arctos horribilis	Bitterroot Grizzly Bear Nonessential Experimental Population Area	\$82,500	\$0	\$82,500
		Bear, Polar	Ursus maritimus	Wherever found	\$87,400	\$0	\$87,400
		Bison, Wood	Bison bison athabascae	Wherever found	\$5,000	\$0	\$5,000
		Ferret, Black-footed	Mustela nigripes	Wherever found, except where listed as an experimental population	\$258,029	\$0	\$258,029
		Jaguar	Panthera onca	Wherever found	\$25,740	\$0	\$25,740
		Kangaroo Rat, Stephens'	Dipodomys stephensi (incl. D. cactus)	Wherever found	\$601,181	\$0	\$601,181
		Kangaroo Rat, Tipton	Dipodomys nitratoides nitratoides	Wherever found	\$2,385	\$0	\$2,385
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$112,450	\$0	\$112,450
		Mountain Beaver, Point Arena	Aplodontia rufa nigra	Wherever found	\$5,570	\$0	\$5,570
		Mouse, Alabama Beach	Peromyscus polionotus ammobates	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, New Mexico Meadow Jumping	<i>Zapus hudsonius luteus</i>	Wherever found	\$42,000	\$0	\$42,000
		Mouse, Preble's Meadow Jumping	<i>Zapus hudsonius preblei</i>	wherever found	\$8,732	\$0	\$8,732
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	wherever found	\$29,440	\$0	\$29,440
		Prairie Dog, Utah	<i>Cynomys parvidens</i>	Wherever found	\$217,630	\$0	\$217,630
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Wherever found, except where listed as an experimental population	\$87,000	\$0	\$87,000
		Seal, Ringed	<i>Phoca (=Pusa) hispida hispida</i>	Wherever found	\$17,000	\$0	\$17,000
		Sheep, Sierra Nevada Bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$10,000	\$0	\$10,000
		Squirrel, Northern Idaho Ground	<i>Urocitellus brunneus</i>	Wherever found	\$1,000	\$0	\$1,000
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>	Wherever found	\$75,000	\$0	\$75,000
		Wolf, Mexican	<i>Canis lupus baileyi</i>	U.S.A. (portions of AZ and NM)see 17.84(k)	\$100,690	\$0	\$100,690
	<i>Mammals subtotal</i>				<i>\$2,051,399</i>	<i>\$0</i>	<i>\$2,051,399</i>
	Reptiles	Gartersnake, Narrow-headed	<i>Thamnophis rufipunctatus</i>	Wherever found	\$42,180	\$0	\$42,180
		Gartersnake, Northern Mexican	<i>Thamnophis eques megalops</i>	Wherever found	\$79,669	\$0	\$79,669
		Lizard, Blunt-nosed Leopard	<i>Gambelia silus</i>	Wherever found	\$450,000	\$0	\$450,000
		Massasauga (=rattlesnake), Eastern	<i>Sistrurus catenatus</i>	Wherever found	\$128	\$0	\$128
		Rattlesnake, New Mexican Ridge-nosed	<i>Crotalus willardi obscurus</i>	Wherever found	\$18,390	\$0	\$18,390
		Sea Turtle, Green	<i>Chelonia mydas</i>	North Atlantic DPS	\$100	\$0	\$100
		Sea Turtle, Kemp's Ridley	<i>Lepidochelys kempii</i>	Wherever found	\$100	\$0	\$100
		Sea Turtle, Leatherback	<i>Dermochelys coriacea</i>	Wherever found	\$100	\$0	\$100
		Sea Turtle, Loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$100	\$0	\$100
		Snake, Black Pine	<i>Pituophis melanoleucus lodingi</i>	Wherever found	\$170	\$0	\$170
		Snake, Eastern Indigo	<i>Drymarchon corais couperi</i>	Wherever found	\$330	\$0	\$330

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$2,031,347	\$152,000	\$2,183,347
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$100	\$0	\$100
		Turtle, Yellow-blotched Map	Gratemys flavimaculata	Wherever found	\$170	\$0	\$170
	<i>Reptiles subtotal</i>				<i>\$2,622,883</i>	<i>\$152,000</i>	<i>\$2,774,883</i>
	Snails	Ambersnail, Kanab	Oxyloma haydeni kanabensis	Wherever found	\$2,765	\$0	\$2,765
		Limpet, Banbury Springs	Lanx sp.	Wherever found	\$1,200	\$0	\$1,200
		Snail, Bliss Rapids	Taylorconcha serpenticola	Wherever found	\$1,500	\$0	\$1,500
		Snail, Pecos Assiminea	Assiminea pecos	Wherever found	\$2,125	\$0	\$2,125
		Snail, Snake River Physa	Physa natricina	Wherever found	\$1,500	\$0	\$1,500
		Springsnail, Alamosa	Tryonia alamosae	Wherever found	\$1,000	\$0	\$1,000
		Springsnail, Chupadera	Pyrgulopsis chupadera	Wherever found	\$1,000	\$0	\$1,000
		Springsnail, Koster's	Jurnia kosteri	Wherever found	\$2,125	\$0	\$2,125
		Springsnail, Roswell	Pyrgulopsis roswellensis	Wherever found	\$2,125	\$0	\$2,125
		Springsnail, Socorro	Pyrgulopsis neomexicana	Wherever found	\$5,401	\$0	\$5,401
	<i>Snails subtotal</i>				<i>\$20,741</i>	<i>\$0</i>	<i>\$20,741</i>
<b>Domestic Species Total</b>					<b>\$25,911,657</b>	<b>\$152,000</b>	<b>\$26,063,657</b>
<b>Grand Total</b>					<b>\$25,911,657</b>	<b>\$152,000</b>	<b>\$26,063,657</b>

## DOI Bureau of Reclamation - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$67,000	\$0	\$67,000
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$79,600	\$0	\$79,600
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$43,500	\$250,500	\$294,000
	<i>Amphibians subtotal</i>				<i>\$190,100</i>	<i>\$250,500</i>	<i>\$440,600</i>
	Birds	Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$7,000	\$0	\$7,000
		Crane, Whooping	Grus americana	Wherever found, except where listed as an experimental population	\$3,500	\$0	\$3,500
		Crane, Whooping	Grus americana	U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	\$200	\$0	\$200
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$1,449,500	\$0	\$1,449,500
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$1,477,000	\$0	\$1,477,000
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$5,200	\$0	\$5,200
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$3,000	\$0	\$3,000
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$675,000	\$0	\$675,000
		Tern, California Least	Sterna antillarum browni	Wherever found	\$3,500	\$0	\$3,500
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$25,000	\$0	\$25,000
	<i>Birds subtotal</i>				<i>\$3,648,900</i>	<i>\$0</i>	<i>\$3,648,900</i>
	Crustaceans	Fairy Shrimp, Conservancy	Branchinecta conservatio	Wherever found	\$6,000	\$0	\$6,000
		Fairy Shrimp, Longhorn	Branchinecta longiantenna	Wherever found	\$4,000	\$0	\$4,000
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$200,200	\$250,500	\$450,700
		Tadpole Shrimp, Vernal Pool	Lepidurus packardi	Wherever found	\$199,000	\$0	\$199,000



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Crustaceans subtotal</i>				\$409,200	\$250,500	\$659,700
	Fishes	Bonytail	<i>Gila elegans</i>	Wherever found	\$7,126,000	\$0	\$7,126,000
		Chub, Humpback	<i>Gila cypha</i>	Wherever found	\$3,202,100	\$0	\$3,202,100
		Cui-ui	<i>Chasmistes cujus</i>	Wherever found	\$57,000	\$0	\$57,000
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Wherever found	\$5,000	\$0	\$5,000
		Minnow, Loach	<i>Tiaroga cobitis</i>	Wherever found	\$150,000	\$0	\$150,000
		Minnow, Rio Grande Silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$10,000,000	\$0	\$10,000,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Wherever found, except where listed as an experimental population	\$901,000	\$0	\$901,000
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	Wherever found	\$5,000	\$0	\$5,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$1,075,500	\$0	\$1,075,500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$4,089,000	\$0	\$4,089,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$43,853,500	\$41,000	\$43,894,500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$990,000	\$0	\$990,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$3,983,000	\$0	\$3,983,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$8,000	\$0	\$8,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$26,512,000	\$41,000	\$26,553,000
		Salmon, Coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$5,745,611	\$0	\$5,745,611
		Salmon, Coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$18,500	\$0	\$18,500
		Salmon, Coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern Oregon - Northern California Coast ESU	\$4,445,276	\$0	\$4,445,276
		Salmon, Sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$990,000	\$0	\$990,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shiner, Pecos Bluntnose	Notropis simus pecosensis	Wherever found	\$1,000,000	\$0	\$1,000,000
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$25,314,000	\$0	\$25,314,000
		Spikedace	Meda fulgida	Wherever found	\$180,000	\$0	\$180,000
		Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	\$2,500	\$0	\$2,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,070,500	\$0	\$1,070,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS	\$4,148,000	\$0	\$4,148,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	California Central Valley DPS	\$14,077,000	\$41,000	\$14,118,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS	\$14,500	\$0	\$14,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Southern California DPS	\$817,500	\$0	\$817,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$2,009,000	\$0	\$2,009,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Willamette River DPS	\$10,400	\$0	\$10,400
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$5,232,459	\$0	\$5,232,459
		Steelhead	Oncorhynchus (=Salmo) mykiss	Northern California DPS	\$3,412,000	\$0	\$3,412,000
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$8,039,000	\$0	\$8,039,000
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$869,000	\$0	\$869,000
		Sucker, June	Chasmistes liorus	Wherever found	\$74,000	\$0	\$74,000
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$2,908,500	\$0	\$2,908,500
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$10,695,000	\$0	\$10,695,000
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$2,980,500	\$0	\$2,980,500
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$2,280,000	\$0	\$2,280,000
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$1,400,900	\$0	\$1,400,900
		<i>Fishes subtotal</i>			<i>\$199,691,246</i>	<i>\$123,000</i>	<i>\$199,814,246</i>
	Flowering Plants	Bladderpod, White Bluffs	Physaria douglasii ssp. tuplashensis	Wherever found	\$75,000	\$0	\$75,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Buttercup, Autumn	Ranunculus aestivalis (=acriformis)	Wherever found	\$1,000	\$0	\$1,000
		Dudleya, Santa Clara Valley	Dudleya setchellii	Wherever found	\$500	\$0	\$500
		Jewelflower, Metcalf Canyon	Streptanthus albidus ssp. albidus	Wherever found	\$500	\$0	\$500
		Ladies'-tresses, Ute	Spiranthes diluvialis	Wherever found	\$23,000	\$0	\$23,000
		Lupine, Kincaid's	Lupinus sulphureus ssp. kincaidii	Wherever found	\$35,000	\$0	\$35,000
		Mallow, Kern	Eremalche kernensis	Wherever found	\$125,000	\$307,500	\$432,500
		Orchid, Western Prairie Fringed	Platanthera praeclara	Wherever found	\$200	\$0	\$200
		Orcutt Grass, Hairy	Orcuttia pilosa	Wherever found	\$0	\$500	\$500
		Owl's-clover, Fleshy	Castilleja campestris ssp. succulenta	Wherever found	\$0	\$500	\$500
		Paintbrush, Tiburon	Castilleja affinis ssp. neglecta	Wherever found	\$500	\$0	\$500
		<i>Flowering Plants subtotal</i>			<i>\$260,700</i>	<i>\$308,500</i>	<i>\$569,200</i>
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$5,500	\$0	\$5,500
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$23,580	\$0	\$23,580
		Butterfly, Bay Checkerspot	Euphydryas editha bayensis	Wherever found	\$500	\$0	\$500
		Butterfly, Fender's Blue	Icaricia icarioides fenderi	Wherever found	\$35,000	\$0	\$35,000
		Butterfly, Lange's Metalmark	Apodemia mormo langei	Wherever found	\$1,500	\$0	\$1,500
		<i>Insects subtotal</i>			<i>\$66,080</i>	<i>\$0</i>	<i>\$66,080</i>
	Mammals	Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$8,000	\$0	\$8,000
		Fox, San Joaquin Kit	Vulpes macrotis mutica	wherever found	\$745,500	\$0	\$745,500
		Kangaroo Rat, Fresno	Dipodomys nitratooides exilis	Wherever found	\$5,500	\$0	\$5,500
		Kangaroo Rat, Giant	Dipodomys ingens	Wherever found	\$8,500	\$0	\$8,500
		Kangaroo Rat, Tipton	Dipodomys nitratooides nitratooides	Wherever found	\$648,500	\$0	\$648,500
		Mouse, Preble's Meadow Jumping	Zapus hudsonius preblei	wherever found	\$700	\$0	\$700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, Salt Marsh Harvest	Reithrodontomys raviventris	wherever found	\$1,500	\$0	\$1,500
		Shrew, Buena Vista Lake Ornate	Sorex ornatus relictus	Wherever found	\$75,000	\$0	\$75,000
		Whale, Killer	Orcinus orca	Southern Resident DPS	\$309,000	\$0	\$309,000
	<i>Mammals subtotal</i>				<i>\$1,802,200</i>	<i>\$0</i>	<i>\$1,802,200</i>
	Reptiles	Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$61,000	\$0	\$61,000
		Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$661,000	\$0	\$661,000
		Snake, Giant Garter	Thamnophis gigas	Wherever found	\$374,500	\$0	\$374,500
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$1,500	\$0	\$1,500
	<i>Reptiles subtotal</i>				<i>\$1,098,000</i>	<i>\$0</i>	<i>\$1,098,000</i>
	Snails	Snail, Snake River Physa	Physa natricina	Wherever found	\$51,300	\$0	\$51,300
	<i>Snails subtotal</i>				<i>\$51,300</i>	<i>\$0</i>	<i>\$51,300</i>
<b>Domestic Subtotal</b>					<b>\$207,217,726</b>	<b>\$932,500</b>	<b>\$208,150,226</b>
Multi-Species					\$91,815,424	\$0	\$91,815,424
<b>Multi-Species subtotal</b>					<b>\$91,815,424</b>	<b>\$0</b>	<b>\$91,815,424</b>
<b>Grand Total</b>					<b>\$91,815,424</b>	<b>\$0</b>	<b>\$91,815,424</b>

## DOI Geological Survey - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Coqui, Llanero	Eleutherodactylus juanariveroi	Wherever found	\$31,551	\$0	\$31,551
		Frog, California Red-legged	Rana draytonii	Wherever found	\$544,890	\$0	\$544,890
		Frog, Chiricahua Leopard	Rana chiricahuensis	Wherever found	\$81,773	\$0	\$81,773
		Frog, Mountain Yellow-legged	Rana muscosa	Southern California DPS	\$43,000	\$0	\$43,000
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$518,894	\$0	\$518,894
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$75,000	\$0	\$75,000
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (CA - Sonoma County)	\$5,000	\$0	\$5,000
		Salamander, Desert Slender	Batrachoseps aridus	Wherever found	\$8,000	\$0	\$8,000
		Salamander, Frosted Flatwoods	Ambystoma cingulatum	Wherever found	\$40,529	\$0	\$40,529
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$19,000	\$0	\$19,000
		Toad, Wyoming	Bufo hemiophrys baxteri	Wherever found	\$6,000	\$0	\$6,000
		Toad, Yosemite	Anaxyrus canorus	Wherever found	\$41,000	\$0	\$41,000
	<i>Amphibians subtotal</i>				<i>\$1,414,637</i>	<i>\$0</i>	<i>\$1,414,637</i>
	Arachnids	Spider, Spruce-fir Moss	Microhexura montivaga	Wherever found	\$7,500	\$0	\$7,500
	<i>Arachnids subtotal</i>				<i>\$7,500</i>	<i>\$0</i>	<i>\$7,500</i>
	Birds	`i`iwi	Drepanis coccinea	Wherever found	\$17,092	\$0	\$17,092
		Akekee	Loxops caeruleirostris	Wherever found	\$22,062	\$0	\$22,062
		Akepa, Hawaii	Loxops coccineus	Wherever found	\$21,051	\$0	\$21,051
		Akiapolaau	Hemignathus wilsoni	Wherever found	\$13,666	\$0	\$13,666
		Akikiki	Oreomystis bairdi	Wherever found	\$22,062	\$0	\$22,062
		Bobwhite, Masked (quail)	Colinus virginianus ridgwayi	Wherever found	\$6,000	\$0	\$6,000
		Condor, California	Gymnogyps californianus	U.S.A. only, except where listed as an experimental population	\$58,871	\$0	\$58,871
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$5,938	\$0	\$5,938
		Coot, Hawaiian	Fulica americana alai	Wherever found	\$20,147	\$0	\$20,147

		Crane, Mississippi Sandhill	<i>Grus canadensis pulla</i>	Wherever found	\$400	\$0	\$400
		Crane, Whooping	<i>Grus americana</i>	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	\$200,392	\$0	\$200,392
		Crane, Whooping	<i>Grus americana</i>	Wherever found, except where listed as an experimental population	\$16,799	\$0	\$16,799
		Creeper, Hawaii	<i>Oreomystis mana</i>	Wherever found	\$13,666	\$0	\$13,666
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	Wherever found	\$18,414	\$0	\$18,414
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Wherever found	\$400	\$0	\$400
		Cuckoo, Yellow-billed	<i>Coccyzus americanus</i>	Western U.S. DPS	\$5,938	\$0	\$5,938
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Wherever found	\$19,747	\$0	\$19,747
		Duck, Laysan	<i>Anas laysanensis</i>	Wherever found	\$12,800	\$0	\$12,800
		Eider, Spectacled	<i>Somateria fischeri</i>	Wherever found	\$27,500	\$0	\$27,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$10,000	\$0	\$10,000
		Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	Wherever found	\$14,144	\$0	\$14,144
		Finch, Nihoa (honeycreeper)	<i>Telespyza ultima</i>	Wherever found	\$14,144	\$0	\$14,144
		Flycatcher, Southwestern Willow	<i>Empidonax traillii extimus</i>	Wherever found	\$54,218	\$0	\$54,218
		Gallinule, Hawaiian Common	<i>Gallinula galeata sandvicensis</i>	Wherever found	\$15,747	\$0	\$15,747
		Gnatcatcher, Coastal California	<i>Poliptila californica californica</i>	Wherever found	\$20,000	\$0	\$20,000
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Wherever found	\$6,400	\$0	\$6,400
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	Wherever found	\$33,893	\$0	\$33,893
		Honeycreeper, (akohekohe) Crested	<i>Palmeria dolei</i>	Wherever found	\$13,007	\$0	\$13,007
		Horned Lark, Streaked	<i>Eremophila alpestris strigata</i>	Wherever found	\$15,000	\$0	\$15,000
		Knot, Red	<i>Calidris canutus rufa</i>	Wherever found	\$67,150	\$0	\$67,150
		Millerbird, Nihoa (old World Warbler)	<i>Acrocephalus familiaris kingi</i>	Wherever found	\$14,144	\$0	\$14,144
		Moorhen, Mariana Common	<i>Gallinula chloropus guami</i>	Wherever found	\$400	\$0	\$400
		Murrelet, Marbled	<i>Brachyramphus marmoratus</i>	U.S.A. (CA, OR, WA)	\$53,337	\$0	\$53,337

		Owl, Mexican Spotted	<i>Strix occidentalis lucida</i>	Wherever found	\$20,938	\$0	\$20,938
		Owl, Northern Spotted	<i>Strix occidentalis caurina</i>	Wherever found	\$311,520	\$0	\$311,520
		Palila (honeycreeper)	<i>Loxioides bailleui</i>	Wherever found	\$2,840	\$0	\$2,840
		Parrotbill, Maui (kiwikiu)	<i>Pseudonestor xanthophrys</i>	Wherever found	\$13,007	\$0	\$13,007
		Petrel, Hawaiian	<i>Pterodroma sandwichensis</i>	Wherever found	\$400	\$0	\$400
		Plover, Piping	<i>Charadrius melodus</i>	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$319,729	\$0	\$319,729
		Plover, Piping	<i>Charadrius melodus</i>	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$10,600	\$0	\$10,600
		Plover, Western Snowy	<i>Charadrius nivosus nivosus</i>	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$12,218	\$0	\$12,218
		Rail, California Clapper	<i>Rallus longirostris obsoletus</i>	Wherever found	\$109,886	\$0	\$109,886
		Rail, Light-footed Clapper	<i>Rallus longirostris levipes</i>	Wherever found	\$21,000	\$0	\$21,000
		Rail, Yuma Ridgways	<i>Rallus obsoletus</i> [= <i>longirostris</i> ] <i>yumanensis</i>	Wherever found	\$33,121	\$0	\$33,121
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Wherever found	\$9,000	\$0	\$9,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Wherever found	\$400	\$0	\$400
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	Wherever found	\$18,547	\$0	\$18,547
		Swiftlet, Mariana Gray	<i>Aerodramus vanikorensis bartschi</i>	Wherever found	\$12,496	\$0	\$12,496
		Tern, Roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$1,418	\$0	\$1,418
		Vireo, Least Bell's	<i>Vireo bellii pusillus</i>	Wherever found	\$127,000	\$0	\$127,000
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i> )	Wherever found	\$3,000	\$0	\$3,000

		Warbler, Nightingale Reed (old World Warbler)	Acrocephalus luscini	Wherever found	\$18,183	\$0	\$18,183
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$400	\$0	\$400
	<i>Birds subtotal</i>				<i>\$1,880,231</i>	<i>\$0</i>	<i>\$1,880,231</i>
	Clams	Clubshell	Pleurobema clava	Wherever found; Except where listed as Experimental Populations	\$30,261	\$0	\$30,261
		Heelsplitter, Inflated	Potamilus inflatus	Wherever found	\$17,292	\$0	\$17,292
		Hornshell, Texas	Popenaias popeii	Wherever found	\$12,969	\$0	\$12,969
		Mapleleaf, Winged	Quadrula fragosa	Wherever found, except where listed as an experimental population	\$156,443	\$0	\$156,443
		Moccasinshell, Ochlockonee	Medionidus simpsonianus	Wherever found	\$12,969	\$0	\$12,969
		Moccasinshell, Suwannee	Medionidus walkeri	Wherever found	\$8,646	\$0	\$8,646
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$9,146	\$0	\$9,146
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$95,322	\$0	\$95,322
	<i>Clams subtotal</i>				<i>\$343,048</i>	<i>\$0</i>	<i>\$343,048</i>
	Corals	Coral, Boulder Star	Orbicella franksi	Wherever found	\$27,044	\$0	\$27,044
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$27,044	\$0	\$27,044
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$27,044	\$0	\$27,044
	<i>Corals subtotal</i>				<i>\$81,132</i>	<i>\$0</i>	<i>\$81,132</i>
	Fishes	Chub, Gila	Gila intermedia	Wherever found	\$28,560	\$0	\$28,560
		Chub, Humpback	Gila cypha	Wherever found	\$29,000	\$0	\$29,000
		Chub, Virgin River	Gila seminuda (=robusta)	Wherever found	\$26,105	\$0	\$26,105
		Darter, Candy	Etheostoma osburni	Wherever found	\$37,500	\$0	\$37,500
		Darter, Okaloosa	Etheostoma okaloosae	Wherever found	\$102,129	\$0	\$102,129
		Logperch, Roanoke	Percina rex	Wherever found	\$142,500	\$0	\$142,500
		Pupfish, Desert	Cyprinodon macularius	Wherever found	\$3,000	\$0	\$3,000
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$15,000	\$0	\$15,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Central Valley spring-run ESU	\$3,750	\$0	\$3,750
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$77,628	\$0	\$77,628
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Columbia spring-run ESU	\$15,000	\$0	\$15,000



		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$3,750	\$0	\$3,750
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$11,250	\$0	\$11,250
		Salmon, Chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$16,034	\$0	\$16,034
		Smelt, Delta	<i>Hypomesus transpacificus</i>	Wherever found	\$45,384	\$0	\$45,384
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$16,034	\$0	\$16,034
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$3,750	\$0	\$3,750
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$11,250	\$0	\$11,250
		Stickleback, Unarmored Threespine	<i>Gasterosteus aculeatus williamsoni</i>	Wherever found	\$12,000	\$0	\$12,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$115,000	\$0	\$115,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$22,888	\$0	\$22,888
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Carolina DPS	\$128,883	\$0	\$128,883
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	New York Bight DPS	\$22,888	\$0	\$22,888
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	South Atlantic DPS	\$22,888	\$0	\$22,888
		Sturgeon, Pallid	<i>Scaphirhynchus albus</i>	Wherever found	\$383,883	\$0	\$383,883
		Sturgeon, Shortnose	<i>Acipenser brevirostrum</i>	Wherever found	\$155,043	\$0	\$155,043
		Sturgeon, White	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$7,500	\$0	\$7,500
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$60,095	\$0	\$60,095
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	Wherever found	\$6,000	\$0	\$6,000
		Trout, Bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous, lower 48 states	\$293,719	\$0	\$293,719
		Trout, Bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous, lower 48 states	\$15,000	\$0	\$15,000
		Trout, Lahontan Cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Wherever found	\$47,561	\$0	\$47,561

		Woundfin	Plagopterus argentissimus	Wherever found, except where listed as an experimental population	\$5,938	\$0	\$5,938
	<i>Fishes subtotal</i>				<i>\$1,886,910</i>	<i>\$0</i>	<i>\$1,886,910</i>
	Flowering Plants	Barberry, Island	Berberis pinnata ssp. insularis	Wherever found	\$1,935	\$0	\$1,935
		Bear-poppy, Dwarf	Arctomecon humilis	Wherever found	\$5,938	\$0	\$5,938
		Bedstraw, Island	Galium buxifolium	Wherever found	\$3,952	\$0	\$3,952
		Bird's-beak, Salt Marsh	Cordylanthus maritimus ssp. maritimus	Wherever found	\$10,000	\$0	\$10,000
		Bush-mallow, Santa Cruz Island	Malacothamnus fasciculatus var. nesioticus	Wherever found	\$5,945	\$0	\$5,945
		Cactus, Siler Pincushion	Pediocactus (=Echinocactus,=Utahia) sileri	Wherever found	\$5,938	\$0	\$5,938
		Cliffrose, Arizona	Purshia (=Cowania) subintegra	Wherever found	\$27,000	\$0	\$27,000
		Evening-primrose, Antioch Dunes	Oenothera deltooides ssp. howellii	Wherever found	\$16,800	\$0	\$16,800
		Gilia, Hoffmann's Slender-flowered	Gilia tenuiflora ssp. hoffmannii	Wherever found	\$4,313	\$0	\$4,313
		Haha	Cyanea copelandii ssp. haleakalaensis	Wherever found	\$17,502	\$0	\$17,502
		Malacothrix, Santa Cruz Island	Malacothrix indecora	Wherever found	\$1,936	\$0	\$1,936
		Mallow, Gierisch	Sphaeralcea gierischii	Wherever found	\$5,938	\$0	\$5,938
		Manzanita, Santa Rosa Island	Arctostaphylos confertiflora	Wherever found	\$32,315	\$0	\$32,315
		Milk-vetch, Holmgren	Astragalus holmgreniorum	Wherever found	\$5,938	\$0	\$5,938
		Milk-vetch, Shivwits	Astragalus ampullarioides	Wherever found	\$5,938	\$0	\$5,938
		Paintbrush, Soft-leaved	Castilleja mollis	Wherever found	\$15,162	\$0	\$15,162
		Phacelia, Island	Phacelia insularis ssp. insularis	Wherever found	\$5,945	\$0	\$5,945
		Phacelia, North Park	Phacelia formosula	Wherever found	\$5,938	\$0	\$5,938
		Rock-cress, Hoffmann's	Arabis hoffmannii	Wherever found	\$34,308	\$0	\$34,308
		Rush-rose, Island	Helianthemum greenei	Wherever found	\$14,588	\$0	\$14,588
		Sedge, Navajo	Carex specuicola	Wherever found	\$15,000	\$0	\$15,000
		Skyrocket, Pagosa	Ipomopsis polyantha	Wherever found	\$25,000	\$0	\$25,000

		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$16,564	\$0	\$16,564
	<i>Flowering Plants subtotal</i>				\$283,890	\$0	\$283,890
	Insects	Beetle, Coffin Cave Mold	Batrisodes texanus	Wherever found	\$18,000	\$0	\$18,000
		Beetle, Helotes Mold	Batrisodes venyivi	Wherever found	\$1,147	\$0	\$1,147
		Beetle, Kretschmarr Cave Mold	Texamaurops reddelli	Wherever found	\$18,000	\$0	\$18,000
		Bumble Bee, Rusty Patched	Bombus affinis	Wherever found	\$84,000	\$0	\$84,000
		Butterfly, Karner Blue	Lycaeides melissa samuelis	Wherever found	\$4,975	\$0	\$4,975
		Butterfly, Oregon Silverspot	Speyeria zerene hippolyta	Wherever found	\$7,500	\$0	\$7,500
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$24,739	\$0	\$24,739
		Skipperling, Poweshiek	Oarisma poweshiek	Wherever found	\$24,739	\$0	\$24,739
		Tiger Beetle, Northeastern Beach	Cicindela dorsalis dorsalis	Wherever found	\$1,925	\$0	\$1,925
		Tiger Beetle, Puritan	Cicindela puritana	Wherever found	\$1,925	\$0	\$1,925
	<i>Insects subtotal</i>				\$186,950	\$0	\$186,950
	Lichens	Lichen, Rock Gnome	Gymnoderma lineare	Wherever found	\$21,690	\$0	\$21,690
	<i>Lichens subtotal</i>				\$21,690	\$0	\$21,690
	Mammals	Bat, Florida Bonneted	Eumops floridanus	Wherever found	\$4,959	\$0	\$4,959
		Bat, Gray	Myotis grisescens	Wherever found	\$15,000	\$0	\$15,000
		Bat, Gray	Myotis grisescens	Wherever found	\$5,059	\$0	\$5,059
		Bat, Hawaiian Hoary	Lasiurus cinereus semotus	Wherever found	\$170,597	\$0	\$170,597
		Bat, Indiana	Myotis sodalis	Wherever found	\$61,480	\$0	\$61,480
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$195,472	\$0	\$195,472
		Bat, Ozark Big-eared	Corynorhinus (=Plecotus) townsendii ingens	Wherever found	\$4,959	\$0	\$4,959
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$4,959	\$0	\$4,959
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$250,131	\$0	\$250,131
		Bear, Polar	Ursus maritimus	Wherever found	\$2,008,393	\$0	\$2,008,393
		Deer, Columbian White-tailed	Odocoileus virginianus leucurus	Columbia River DPS	\$5,000	\$0	\$5,000

		Ferret, Black-footed	<i>Mustela nigripes</i>	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$400	\$0	\$400
		Ferret, Black-footed	<i>Mustela nigripes</i>	Wherever found, except where listed as an experimental population	\$155,725	\$0	\$155,725
		Jaguar	<i>Panthera onca</i>	Wherever found	\$6,000	\$0	\$6,000
		Kangaroo Rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )	Wherever found	\$3,000	\$0	\$3,000
		Lynx, Canada	<i>Lynx canadensis</i>	Wherever Found in Contiguous U.S.	\$41,447	\$0	\$41,447
		Manatee, West Indian	<i>Trichechus manatus</i>	Wherever found	\$272,132	\$0	\$272,132
		Mouse, Pacific Pocket	<i>Perognathus longimembris pacificus</i>	Wherever found	\$29,211	\$0	\$29,211
		Mouse, Salt Marsh Harvest	<i>Reithrodontomys raviventris</i>	wherever found	\$35,000	\$0	\$35,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	wherever found	\$6,000	\$0	\$6,000
		Otter, Northern Sea	<i>Enhydra lutris kenyonis</i>	Southwest Alaska DPS	\$59,200	\$0	\$59,200
		Otter, Southern Sea	<i>Enhydra lutris nereis</i>	Wherever found	\$456,485	\$0	\$456,485
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	Wherever found	\$3,000	\$0	\$3,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Wherever found, except where listed as an experimental population	\$3,000	\$0	\$3,000
		Puma (=mountain Lion)	<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i> )	FL	\$3,000	\$0	\$3,000
		Rabbit, Riparian Brush	<i>Sylvilagus bachmani riparius</i>	Wherever found	\$32,900	\$0	\$32,900
		Sea Lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$15,000	\$0	\$15,000
		Sheep, Sierra Nevada Bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$4,000	\$0	\$4,000
		Squirrel, Carolina Northern Flying	<i>Glaucomys sabrinus coloratus</i>	Wherever found	\$7,500	\$0	\$7,500
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Wherever found	\$4,779	\$0	\$4,779

		Wolf, Gray	Canis lupus	U.S.A.: All of AL, AK, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and	\$15,000	\$0	\$15,000
		Wolf, Gray	Canis lupus	MN	\$7,500	\$0	\$7,500
		Wolf, Mexican	Canis lupus baileyi	Wherever found, except where listed as an experimental population	\$800	\$0	\$800
		Wolf, Mexican	Canis lupus baileyi	Wherever found, except where listed as an experimental population	\$6,000	\$0	\$6,000
		Wolf, Red	Canis rufus	U.S.A. (portions of NC and TN)	\$1,200	\$0	\$1,200
	<i>Mammals subtotal</i>				<i>\$3,894,289</i>	<i>\$0</i>	<i>\$3,894,289</i>
	Reptiles	Crocodile, American	Crocodylus acutus	U.S.A. (FL)	\$240,000	\$0	\$240,000
		Gartersnake, Narrow-headed	Thamnophis rufipunctatus	Wherever found	\$15,000	\$0	\$15,000
		Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$15,000	\$0	\$15,000
		Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$10,000	\$0	\$10,000
		Sea Turtle, Green	Chelonia mydas	East Pacific DPS	\$400	\$0	\$400
		Sea Turtle, Green	Chelonia mydas	FL, Mexico nesting pops.	\$7,500	\$0	\$7,500
		Sea Turtle, Green	Chelonia mydas	North Atlantic DPS	\$22,500	\$0	\$22,500
		Sea Turtle, Green	Chelonia mydas	Central North Pacific DPS	\$111,840	\$0	\$111,840
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$7,480	\$0	\$7,480
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$59,840	\$0	\$59,840
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$16,500	\$0	\$16,500
		Sea Turtle, Loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS	\$16,500	\$0	\$16,500
		Sea Turtle, Loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS	\$59,840	\$0	\$59,840

		Skink, Slevin's	Emoia slevini	Wherever found	\$19,000	\$0	\$19,000
		Snake, Giant Garter	Thamnophis gigas	Wherever found	\$119,000	\$0	\$119,000
		Snake, San Francisco Garter	Thamnophis sirtalis tetrataenia	Wherever found	\$13,000	\$0	\$13,000
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$7,037	\$0	\$7,037
		Tortoise, Desert	Gopherus agassizii	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	\$702,377	\$0	\$702,377
		Tortoise, Gopher	Gopherus polyphemus	Wherever found	\$18,000	\$0	\$18,000
		Turtle, Sonoyta Mud	Kinosternon sonoriense longifemorale	Wherever found	\$3,000	\$0	\$3,000
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$5,000	\$0	\$5,000
		<i>Reptiles subtotal</i>			<i>\$1,468,814</i>	<i>\$0</i>	<i>\$1,468,814</i>
		<b>Domestic Subtotal</b>			<b>\$11,469,089</b>	<b>\$0</b>	<b>\$11,469,089</b>
Foreign	Amphibians	Frog, Goliath	Conraua goliath	Wherever found	\$1,500	\$0	\$1,500
		<i>Amphibians subtotal</i>			<i>\$1,500</i>	<i>\$0</i>	<i>\$1,500</i>
	Birds	Macaw, Military	Ara militaris	Wherever found	\$6,000	\$0	\$6,000
		Penguin, Southern Rockhopper	Eudyptes chrysocome	New Zealand-Australia DPS	\$2,000	\$0	\$2,000
		<i>Birds subtotal</i>			<i>\$8,000</i>	<i>\$0</i>	<i>\$8,000</i>
	Mammals	Oryx, Arabian	Oryx leucoryx	Wherever found	\$1,500	\$0	\$1,500
		<i>Mammals subtotal</i>			<i>\$1,500</i>	<i>\$0</i>	<i>\$1,500</i>
	Reptiles	Iguana, Fiji Banded	Brachylophus fasciatus	Wherever found	\$4,000	\$0	\$4,000
		Iguana, Fiji Crested	Brachylophus vitiensis	Wherever found	\$12,000	\$0	\$12,000
		Sea Turtle, Loggerhead	Caretta caretta	Northeast Atlantic Ocean DPS	\$52,000	\$0	\$52,000
		Turtle, Spotted Pond	Geoclemys hamiltonii	Wherever found	\$472,804	\$0	\$472,804
		<i>Reptiles subtotal</i>			<i>\$540,804</i>	<i>\$0</i>	<i>\$540,804</i>
		<b>Foreign Subtotal</b>			<b>\$551,804</b>	<b>\$0</b>	<b>\$551,804</b>
	Multi-Species				\$668,000	\$0	\$668,000
		<b>Multi-Species subtotal</b>			<b>\$668,000</b>	<b>\$0</b>	<b>\$668,000</b>
		<b>Grand Total</b>			<b>\$12,688,893</b>	<b>\$0</b>	<b>\$12,688,893</b>

## DOI National Park Service - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$22,000	\$0	\$22,000
		Frog, Mountain Yellow-legged	Rana muscosa	Northern California DPS	\$299,100	\$0	\$299,100
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$5,000	\$0	\$5,000
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$299,300	\$0	\$299,300
		Hellbender, Ozark	Cryptobranchus alleganiensis bishopi	Wherever found	\$10,130	\$0	\$10,130
		Salamander, Jemez Mountains	Plethodon neomexicanus	Wherever found	\$55,000	\$0	\$55,000
		Salamander, Shenandoah	Plethodon shenandoah	Wherever found	\$50,000	\$0	\$50,000
	<i>Amphibians subtotal</i>				<i>\$740,530</i>	<i>\$0</i>	<i>\$740,530</i>
	Birds	ʻiʻiwi	Drepanis coccinea	Wherever found	\$66,400	\$0	\$66,400
		Condor, California	Gymnogyps californianus	U.S.A. only, except where listed as an experimental population	\$334,200	\$0	\$334,200
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$24,500	\$0	\$24,500
		Coot, Hawaiian	Fulica americana alai	Wherever found	\$119,944	\$0	\$119,944
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$19,659	\$0	\$19,659
		Falcon, Northern Aplomado	Falco femoralis septentrionalis	Wherever found, except where listed as an experimental population	\$170	\$0	\$170
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$75,140	\$0	\$75,140
		Goose, Hawaiian	Branta (=Nesochen) sandvicensis	Wherever found	\$137,684	\$0	\$137,684
		Honeycreeper, (akohekohe) Crested	Palmeria dolei	Wherever found	\$66,400	\$0	\$66,400
		Kite, Everglade Snail	Rostrhamus sociabilis plumbeus	Wherever found	\$7,500	\$0	\$7,500
		Knot, Red	Calidris canutus rufa	Wherever found	\$11,248	\$0	\$11,248
		Murrelet, Marbled	Brachyramphus marmoratus	U.S.A. (CA, OR, WA)	\$35,700	\$0	\$35,700
		Owl, Mexican Spotted	Strix occidentalis lucida	Wherever found	\$94,050	\$0	\$94,050

## DOI National Park Service - FY 2020

		Owl, Northern Spotted	<i>Strix occidentalis caurina</i>	Wherever found	\$484,653	\$0	\$484,653	
		Parrotbill, Maui (kiwikiu)	<i>Pseudonestor xanthophrys</i>	Wherever found	\$98,800	\$0	\$98,800	
		Petrel, Hawaiian	<i>Pterodroma sandwichensis</i>	Wherever found	\$137,189	\$0	\$137,189	
		Plover, Piping	<i>Charadrius melodus</i>	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$34,802	\$0	\$34,802	
		Plover, Piping	<i>Charadrius melodus</i>	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$758,821	\$0	\$758,821	
		Plover, Western Snowy	<i>Charadrius nivosus nivosus</i>	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$103,470	\$0	\$103,470	
		Sage-grouse, Gunnison	<i>Centrocercus minimus</i>	Wherever found	\$76,624	\$0	\$76,624	
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Wherever found	\$5,000	\$0	\$5,000	
		Sparrow, Cape Sable Seaside	<i>Ammodramus maritimus mirabilis</i>	Wherever found	\$400,000	\$0	\$400,000	
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	Wherever found	\$119,944	\$0	\$119,944	
		Stork, Wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$40,500	\$0	\$40,500	
		Storm-petrel, Band-rumped	<i>Oceanodroma castro</i>	USA (HI)	\$28,200	\$0	\$28,200	
		Tern, Roseate	<i>Sterna dougallii dougallii</i>	Northeast U.S. nesting population	\$5,300	\$0	\$5,300	
		Tern, Roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$2,500	\$0	\$2,500	
		Woodpecker, Red-cockaded	<i>Picoides borealis</i>	Wherever found	\$7,750	\$0	\$7,750	
		<i>Birds subtotal</i>			\$3,296,148	\$0	\$3,296,148	
		Clams	Bean, Rayed	<i>Villosa fabalis</i>	Wherever found	\$900	\$0	\$900



## DOI National Park Service - FY 2020

		Clubshell	Pleurobema clava	Wherever found; Except where listed as Experimental Populations	\$900	\$0	\$900
		Fanshell	Cyprogenia stegaria	Wherever found	\$900	\$0	\$900
		Higgins Eye (pearlymussel)	Lampsilis higginsii	Wherever found	\$18,600	\$0	\$18,600
		Mapleleaf, Winged	Quadrula fragosa	Wherever found, except where listed as an experimental population	\$8,400	\$0	\$8,400
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$900	\$0	\$900
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$900	\$0	\$900
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$25,900	\$0	\$25,900
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$900	\$0	\$900
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$25,900	\$0	\$25,900
		Riffleshell, Northern	Epioblasma torulosa rangiana	Wherever found	\$900	\$0	\$900
		Ring Pink (mussel)	Obovaria retusa	Wherever found	\$900	\$0	\$900
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$900	\$0	\$900
		Wartyback, White (pearlymussel)	Plethobasus cicatricosus	Wherever found	\$900	\$0	\$900
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$3,000	\$0	\$3,000
	<i>Clams subtotal</i>				<i>\$90,800</i>	<i>\$0</i>	<i>\$90,800</i>
	Corals	Coral, Boulder Star	Orbicella franksi	Wherever found	\$18,000	\$0	\$18,000
		Coral, Elkhorn	Acropora palmata	Wherever found	\$38,500	\$0	\$38,500
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$25,000	\$0	\$25,000
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$28,000	\$0	\$28,000
		Coral, Pillar	Dendrogyra cylindrus	Wherever found	\$19,500	\$0	\$19,500
		Coral, Rough Cactus	Mycetophyllia ferox	Wherever found	\$15,000	\$0	\$15,000
		Coral, Staghorn	Acropora cervicornis	Wherever found	\$81,500	\$0	\$81,500
		No Common Name	Acropora jacquelineae	Wherever found	\$500	\$0	\$500
		No Common Name	Acropora globiceps	Wherever found	\$700	\$0	\$700
		No Common Name	Acropora speciosa	Wherever found	\$500	\$0	\$500
		No Common Name	Isopora crateriformis	Wherever found	\$700	\$0	\$700
		No Common Name	Euphyllia paradivisa	Wherever found	\$700	\$0	\$700

## DOI National Park Service - FY 2020

	No Common Name	Acropora retusa	Wherever found	\$1,000	\$0	\$1,000
	<i>Corals subtotal</i>			\$229,600	\$0	\$229,600
Crustaceans	Amphipod, Hay's Spring	Stygobromus hayi	Wherever found	\$2,500	\$0	\$2,500
	Shrimp, Anchialine Pool	Procaris hawaiana	Wherever found	\$1,000	\$0	\$1,000
	Shrimp, California Freshwater	Syncaris pacifica	Wherever found	\$5,000	\$0	\$5,000
	Shrimp, Kentucky Cave	Palaemonias ganteri	Wherever found	\$12,000	\$0	\$12,000
	<i>Crustaceans subtotal</i>			\$20,500	\$0	\$20,500
Ferns and Allies	Kupukupu Makalii	Cyclosorus boydiae	Wherever found	\$12,000	\$0	\$12,000
	No Common Name	Asplenium peruvianum var. insulare	Wherever found	\$24,000	\$0	\$24,000
	No Common Name	Microlepia strigosa var. mauiensis	Wherever found	\$24,000	\$0	\$24,000
	Wawae'iole	Huperzia mannii	Wherever found	\$12,000	\$0	\$12,000
	<i>Ferns and Allies subtotal</i>			\$72,000	\$0	\$72,000
Fishes	Chub, Humpback	Gila cypha	Wherever found	\$402,605	\$0	\$402,605
	Darter, Diamond	Crystallaria cincotta	Wherever found	\$200	\$0	\$200
	Darter, Duskytail	Etheostoma percnurum	Wherever found	\$8,917	\$0	\$8,917
	Gambusia, Big Bend	Gambusia gaigei	Wherever found	\$1,500	\$0	\$1,500
	Goby, Tidewater	Eucyclogobius newberryi	Wherever found	\$6,000	\$0	\$6,000
	Grouper, Nassau	Epinephelus striatus	UNK	\$100	\$0	\$100
	Madtom, Smoky	Noturus baileyi	Wherever found	\$8,917	\$0	\$8,917
	Madtom, Yellowfin	Noturus flavipinnis	Wherever found, except where listed as an experimental population	\$8,917	\$0	\$8,917
	Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Wherever found, except where listed as an experimental population	\$500	\$0	\$500
	Pupfish, Desert	Cyprinodon macularius	Wherever found	\$2,651	\$0	\$2,651
	Pupfish, Devils Hole	Cyprinodon diabolis	Wherever found	\$418,000	\$0	\$418,000
	Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$254,323	\$0	\$254,323
	Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Central Valley spring-run ESU	\$1,500	\$0	\$1,500
	Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$1,600	\$0	\$1,600

## DOI National Park Service - FY 2020

		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Puget Sound ESU	\$253,000	\$0	\$253,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU	\$1,600	\$0	\$1,600
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU	\$1,600	\$0	\$1,600
		Salmon, Chum	Oncorhynchus keta	Columbia River ESU	\$1,600	\$0	\$1,600
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Southern Oregon - Northern California Coast ESU	\$2,000	\$0	\$2,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Central California Coast ESU	\$554,500	\$0	\$554,500
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU	\$1,600	\$0	\$1,600
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$30,000	\$0	\$30,000
		Sawfish, Smalltooth	Pristis pectinata	US DPS - Smalltooth sawfish originating from U.S. waters.	\$25,000	\$0	\$25,000
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$65,000	\$0	\$65,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Northern California DPS	\$1,000	\$0	\$1,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	California Central Valley DPS	\$1,500	\$0	\$1,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,600	\$0	\$1,600
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS	\$469,500	\$0	\$469,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$1,600	\$0	\$1,600
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Willamette River DPS	\$1,600	\$0	\$1,600
		Steelhead	Oncorhynchus (=Salmo) mykiss	Puget Sound DPS	\$257,000	\$0	\$257,000

## DOI National Park Service - FY 2020

		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrhynchus) desotoi	Wherever found	\$2,906	\$0	\$2,906
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$400	\$0	\$400
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$200	\$0	\$200
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$9,500	\$0	\$9,500
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$1,300	\$0	\$1,300
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$361,300	\$0	\$361,300
		Trout, Greenback Cutthroat	Oncorhynchus clarkii stomias	Wherever found	\$35,000	\$0	\$35,000
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$1,000	\$0	\$1,000
		Tui Chub, Mohave	Gila bicolor ssp. mohavensis	Wherever found	\$46,656	\$0	\$46,656
		<i>Fishes subtotal</i>			<i>\$3,243,692</i>	<i>\$0</i>	<i>\$3,243,692</i>
	Flowering Plants	`ahinahina	Argyroxiphium sandwicense ssp. macrocephalum	Wherever found	\$125,000	\$0	\$125,000
		`aiea	Nothoestrum latifolium	Wherever found	\$12,000	\$0	\$12,000
		`aku	Cyanea tritomantha	Wherever found	\$500	\$0	\$500
		`anunu	Sicyos albus	Wherever found	\$2,500	\$0	\$2,500
		`anunu	Sicyos macrophyllus	Wherever found	\$2,500	\$0	\$2,500
		`awikiwiki	Canavalia molokaiensis	Wherever found	\$500	\$0	\$500
		`ena`ena	Pseudognaphalium sandwicense var. molokaiense	Wherever found	\$500	\$0	\$500
		`oha Wai	Clermontia peleana	Wherever found	\$7,500	\$0	\$7,500
		`oha Wai	Clermontia lindseyana	Wherever found	\$1,500	\$0	\$1,500
		`oha Wai	Clermontia samuelii	Wherever found	\$60,000	\$0	\$60,000
		`ohe	Joinvillea ascendens ascendens	Wherever found	\$36,000	\$0	\$36,000
		Alani	Melicope zahlbruckneri	Wherever found	\$1,000	\$0	\$1,000
		Alani	Melicope ovalis	Wherever found	\$24,000	\$0	\$24,000

## DOI National Park Service - FY 2020

		Alopecurus, Sonoma	Alopecurus aequalis var. sonomensis	Wherever found	\$1,000	\$0	\$1,000
		Amaranth, Seabeach	Amaranthus pumilus	Wherever found	\$102,355	\$0	\$102,355
		Avens, Spreading	Geum radiatum	Wherever found	\$3,350	\$0	\$3,350
		Barberry, Island	Berberis pinnata ssp. insularis	Wherever found	\$5,000	\$0	\$5,000
		Bladderpod, Missouri	Physaria filiformis	Wherever found	\$25,000	\$0	\$25,000
		Blazingstar, Heller's	Liatris helleri	Wherever found	\$4,750	\$0	\$4,750
		Bully, Everglades	Sideroxylon reclinatum ssp. austrofloridense	Wherever found	\$39,200	\$0	\$39,200
		Cactus, Acuna	Echinomastus erectocentrus var. acunensis	Wherever found	\$372	\$0	\$372
		Cactus, Florida Semaphore	Consolea corallicola	Wherever found	\$3,500	\$0	\$3,500
		Cactus, Lee Pincushion	Coryphantha sneedii var. leei	Wherever found	\$400	\$0	\$400
		Cactus, Sneed Pincushion	Coryphantha sneedii var. sneedii	Wherever found	\$400	\$0	\$400
		Cactus, Winkler	Pediocactus winkleri	Wherever found	\$34,000	\$0	\$34,000
		Cactus, Wright Fishhook	Sclerocactus wrightiae	Wherever found	\$34,000	\$0	\$34,000
		Crabgrass, Florida Pineland	Digitaria pauciflora	Wherever found	\$39,200	\$0	\$39,200
		Daisy, Parish's	Erigeron parishii	Wherever found	\$3,000	\$0	\$3,000
		Dudleya, Santa Cruz Island	Dudleya nesiotica	Wherever found	\$5,000	\$0	\$5,000
		Dudleya, Verity's	Dudleya verityi	Wherever found	\$4,000	\$0	\$4,000
		Fescue, Guadalupe	Festuca ligulata	Wherever found	\$500	\$0	\$500
		Fringepod, Santa Cruz Island	Thysanocarpus conchuliferus	Wherever found	\$5,000	\$0	\$5,000
		Geranium, Hawaiian Red-flowered	Geranium arboreum	Wherever found	\$36,000	\$0	\$36,000
		Grass, Eureka Dune	Swallenia alexandrae	UNK	\$5,000	\$0	\$5,000
		Ha`iwale	Cyrtandra giffardii	Wherever found	\$500	\$0	\$500
		Haha	Cyanea shipmanii	Wherever found	\$3,500	\$0	\$3,500
		Haha	Cyanea asplenifolia	Wherever found	\$36,000	\$0	\$36,000
		Haha	Cyanea kunthiana	Wherever found	\$24,000	\$0	\$24,000
		Haha	Cyanea stictophylla	Wherever found	\$3,500	\$0	\$3,500

## DOI National Park Service - FY 2020

	Haha	Cyanea maritae	Wherever found	\$12,000	\$0	\$12,000
	Haha	Cyanea hamatiflora ssp. hamatiflora	Wherever found	\$24,000	\$0	\$24,000
	Haha	Cyanea glabra	Wherever found	\$12,000	\$0	\$12,000
	Haha	Cyanea copelandii ssp. haleakalaensis	Wherever found	\$48,000	\$0	\$48,000
	Haiwale	Cyrtandra ferripilosa	Wherever found	\$36,000	\$0	\$36,000
	Hala Pepe	Pleomele hawaiiensis	Wherever found	\$3,000	\$0	\$3,000
	Hau Kuahiwi	Hibiscadelphus giffardianus	Wherever found	\$1,500	\$0	\$1,500
	Heau	Exocarpos menziesii	UNK	\$500	\$0	\$500
	Hoawa	Pittosporum halophilum	Wherever found	\$6,000	\$0	\$6,000
	Hoawa	Pittosporum hawaiiense	Wherever found	\$500	\$0	\$500
	Holei	Ochrosia haleakalae	Wherever found	\$1,500	\$0	\$1,500
	Honohono	Haplostachys haplostachya	Wherever found	\$500	\$0	\$500
	Ihi	Portulaca villosa	Wherever found	\$500	\$0	\$500
	Ischaemum, Hilo	Ischaemum byrone	Wherever found	\$12,000	\$0	\$12,000
	Ko`oko`olau	Bidens micrantha ssp. ctenophylla	Wherever found	\$300	\$0	\$300
	Ko`oko`olau	Bidens micrantha ssp. kalealaha	Wherever found	\$36,000	\$0	\$36,000
	Ko`oko`olau	Bidens campylotheca ssp. pentamera	Wherever found	\$36,000	\$0	\$36,000
	Ko`oko`olau	Bidens campylotheca ssp. waihoiensis	Wherever found	\$36,000	\$0	\$36,000
	Koki`o	Kokia drynarioides	Wherever found	\$500	\$0	\$500
	Kuahiwi Laukahi	Plantago princeps	Wherever found	\$36,000	\$0	\$36,000
	Kuahiwi Laukahi	Plantago hawaiiensis	Wherever found	\$500	\$0	\$500
	Kula Wahine Noho	Isodendron pyrifolium	Wherever found	\$100	\$0	\$100
	Layia, Beach	Layia carnosa	Wherever found	\$1,500	\$0	\$1,500
	Liveforever, Santa Barbara Island	Dudleya traskiae	Wherever found	\$36,283	\$0	\$36,283
	Lo`ulu	Pritchardia maideniana	Wherever found	\$3,050	\$0	\$3,050
	Lupine, Clover	Lupinus tidestromii	Wherever found	\$1,000	\$0	\$1,000

## DOI National Park Service - FY 2020

	Ma`o Hau Hele, (=native Yellow Hibiscus)	Hibiscus brackenridgei	Wherever found	\$100	\$0	\$100
	Makou	Peucedanum sandwicense	Wherever found	\$1,000	\$0	\$1,000
	Malacothrix, Island	Malacothrix squalida	Wherever found	\$5,000	\$0	\$5,000
	Malacothrix, Santa Cruz Island	Malacothrix indecora	Wherever found	\$5,000	\$0	\$5,000
	Manzanita, Santa Rosa Island	Arctostaphylos confertiflora	Wherever found	\$5,000	\$0	\$5,000
	Milk-vetch, Shivwits	Astragalus ampullarioides	Wherever found	\$5,240	\$0	\$5,240
	Milk-vetch, Triple-ribbed	Astragalus tricarinatus	Wherever found	\$3,000	\$0	\$3,000
	Monkey-flower, Michigan	Mimulus michiganensis	Wherever found	\$23,500	\$0	\$23,500
	Nanu	Gardenia remyi	Wherever found	\$12,000	\$0	\$12,000
	Naupaka, Dwarf	Scaevola coriacea	Wherever found	\$3,000	\$0	\$3,000
	No Common Name	Phyllostegia stachyoides	Wherever found	\$1,000	\$0	\$1,000
	No Common Name	Wikstroemia villosa	Wherever found	\$12,000	\$0	\$12,000
	No Common Name	Phyllostegia bracteata	Wherever found	\$48,000	\$0	\$48,000
	No Common Name	Sanicula sandwicensis	Wherever found	\$36,500	\$0	\$36,500
	No Common Name	Neraudia ovata	Wherever found	\$6,817	\$0	\$6,817
	No Common Name	Schiedea haleakalensis	Wherever found	\$61,000	\$0	\$61,000
	No Common Name	Stenogyne angustifolia var. angustifolia	Wherever found	\$6,817	\$0	\$6,817
	No Common Name	Tetramolopium rockii	Wherever found	\$500	\$0	\$500
	No Common Name	Phyllostegia haliakalae	Wherever found	\$48,000	\$0	\$48,000
	No Common Name	Schiedea diffusa ssp. macraei	Wherever found	\$500	\$0	\$500
	No Common Name	Phyllostegia brevidens	Wherever found	\$36,000	\$0	\$36,000
	No Common Name	Schiedea diffusa subsp. diffusa	Wherever found	\$36,000	\$0	\$36,000
	Nohoanu	Geranium hanaense	Wherever found	\$36,000	\$0	\$36,000
	Nohoanu	Geranium multiflorum	Wherever found	\$12,000	\$0	\$12,000
	Nui, Haha	Cyanea horrida	Wherever found	\$12,000	\$0	\$12,000
	Ohai	Sesbania tomentosa	Wherever found	\$500	\$0	\$500
	Orchid, Western Prairie Fringed	Platanthera praeclara	Wherever found	\$8,000	\$0	\$8,000
	Paintbrush, Golden	Castilleja levisecta	Wherever found	\$3,500	\$0	\$3,500
	Pentachaeta, Lyon's	Pentachaeta lyonii	Wherever found	\$5,000	\$0	\$5,000

## DOI National Park Service - FY 2020

		Phacelia, Island	Phacelia insularis ssp. insularis	Wherever found	\$5,000	\$0	\$5,000
		Phlox, Texas Trailing	Phlox nivalis ssp. texensis	Wherever found	\$5,000	\$0	\$5,000
		Pink, Swamp	Helonias bullata	Wherever found	\$4,750	\$0	\$4,750
		Pitcher-plant, Green	Sarracenia oreophila	Wherever found	\$9,800	\$0	\$9,800
		Po`e	Portulaca sclerocarpa	Wherever found	\$3,500	\$0	\$3,500
		Pogonia, Small Whorled	Isotria medeoloides	Wherever found	\$2,250	\$0	\$2,250
		Popolo	Solanum nelsonii	Wherever found	\$500	\$0	\$500
		Potato-bean, Prices	Apios priceana	UNK	\$500	\$0	\$500
		Prickly-apple, Fragrant	Cereus eriophorus var. fragrans	Wherever found	\$2,000	\$0	\$2,000
		Pua `ala	Brighamia rockii	Wherever found	\$500	\$0	\$500
		Reedgrass, Maui	Calamagrostis expansa	Wherever found	\$12,000	\$0	\$12,000
		Rock-cress, Hoffmann's	Arabis hoffmannii	Wherever found	\$40,000	\$0	\$40,000
		Rosemary, Cumberland	Conradina verticillata	Wherever found	\$15,600	\$0	\$15,600
		Silversword, Mauna Loa (=ka'u)	Argyroxiphium kauense	Wherever found	\$7,500	\$0	\$7,500
		Skullcap, Large-flowered	Scutellaria montana	Wherever found	\$1,000	\$0	\$1,000
		Spineflower, Sonoma	Chorizanthe valida	Wherever found	\$1,000	\$0	\$1,000
		Spiraea, Virginia	Spiraea virginiana	Wherever found	\$18,700	\$0	\$18,700
		Spurge, Garber's	Chamaesyce garberi	Wherever found	\$16,100	\$0	\$16,100
		Sunflower, Whorled	Helianthus verticillatus	UNK	\$1,200	\$0	\$1,200
		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$17,100	\$0	\$17,100
		Thoroughwort, Cape Sable	Chromolaena frustrata	Wherever found	\$16,100	\$0	\$16,100
		<i>Flowering Plants subtotal</i>			<i>\$1,650,334</i>	<i>\$0</i>	<i>\$1,650,334</i>
	Insects	Butterfly, Bartram's Hairstreak	Strymon acis bartrami	Wherever found	\$64,800	\$0	\$64,800
		Butterfly, Florida Leafwing	Anaea troglodyta floralis	Wherever found	\$64,800	\$0	\$64,800
		Butterfly, Karner Blue	Lycaeides melissa samuelis	Wherever found	\$300	\$0	\$300
		Butterfly, Mission Blue	Icaricia icarioides missionensis	Wherever found	\$130,000	\$0	\$130,000
		Butterfly, Mitchell's Satyr	Neonympha mitchellii mitchellii	Wherever found	\$100	\$0	\$100
		Butterfly, San Bruno Elfin	Callophrys mossii bayensis	Wherever found	\$6,000	\$0	\$6,000



## DOI National Park Service - FY 2020

		Butterfly, Schaus Swallowtail	Heraclides aristodemus ponceanus	Wherever found	\$27,000	\$0	\$27,000
		Damselfly, Orangeblack Hawaiian	Megalagrion xanthomelas	Wherever found	\$1,000	\$0	\$1,000
		Tiger Beetle, Northeastern Beach	Cicindela dorsalis dorsalis	Wherever found	\$3,900	\$0	\$3,900
	<i>Insects subtotal</i>				\$297,900	\$0	\$297,900
	Lichens	Lichen, Rock Gnome	Gymnoderma lineare	Wherever found	\$3,000	\$0	\$3,000
	<i>Lichens subtotal</i>				\$3,000	\$0	\$3,000
	Mammals	Bat, Florida Bonneted	Eumops floridanus	Wherever found	\$30,000	\$0	\$30,000
		Bat, Gray	Myotis grisescens	Wherever found	\$131,000	\$0	\$131,000
		Bat, Hawaiian Hoary	Lasiurus cinereus semotus	Wherever found	\$28,400	\$0	\$28,400
		Bat, Indiana	Myotis sodalis	Wherever found	\$341,300	\$0	\$341,300
		Bat, Mexican Long-nosed	Leptonycteris nivalis	Wherever found	\$500	\$0	\$500
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$640,689	\$0	\$640,689
		Bat, Ozark Big-eared	Corynorhinus (=Plecotus) townsendii ingens	Wherever found	\$5,000	\$0	\$5,000
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$4,700	\$0	\$4,700
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$2,085,416	\$0	\$2,085,416
		Ferret, Black-footed	Mustela nigripes	Wherever found, except where listed as an experimental population	\$42,500	\$0	\$42,500
		Ferret, Black-footed	Mustela nigripes	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$252,600	\$0	\$252,600
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$126,819	\$0	\$126,819
		Manatee, West Indian	Trichechus manatus	Wherever found	\$20,200	\$0	\$20,200
		Mouse, Anastasia Island Beach	Peromyscus polionotus phasma	Wherever found	\$900	\$0	\$900
		Mouse, New Mexico Meadow Jumping	Zapus hudsonius luteus	Wherever found	\$25,370	\$0	\$25,370

## DOI National Park Service - FY 2020

		Mouse, Perdido Key Beach	Peromyscus polionotus trissyllepsis	Wherever found	\$7,200	\$0	\$7,200
		Mouse, Southeastern Beach	Peromyscus polionotus niveiventris	wherever found	\$10,000	\$0	\$10,000
		Panther, Florida	Puma (=Felis) concolor coryi	Wherever found	\$50,000	\$0	\$50,000
		Pronghorn, Sonoran	Antilocapra americana sonoriensis	Wherever found, except where listed as an experimental population	\$6,340	\$0	\$6,340
		Seal, Bearded	Erignathus barbatus nauticus	Beringia DPS	\$300	\$0	\$300
		Seal, Hawaiian Monk	Monachus schauinslandi	Wherever found	\$6,800	\$0	\$6,800
		Seal, Ringed	Phoca (=Pusa) hispida hispida	Wherever found	\$300	\$0	\$300
		Sheep, Sierra Nevada Bighorn	Ovis canadensis sierrae	Sierra Nevada	\$113,800	\$0	\$113,800
		Squirrel, Carolina Northern Flying	Glaucomys sabrinus coloratus	Wherever found	\$3,500	\$0	\$3,500
		Whale, Finback	Balaenoptera physalus	Wherever found	\$100	\$0	\$100
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$279,703	\$0	\$279,703
		Whale, North Atlantic Right	Eubalaena glacialis	Wherever found	\$16,800	\$0	\$16,800
		<i>Mammals subtotal</i>			<i>\$4,230,237</i>	<i>\$0</i>	<i>\$4,230,237</i>
	Reptiles	Alligator, American	Alligator mississippiensis	Wherever found	\$103,500	\$0	\$103,500
		Crocodile, American	Crocodylus acutus	U.S.A. (FL)	\$102,400	\$0	\$102,400
		Lizard, St. Croix Ground	Ameiva polops	Wherever found	\$2,500	\$0	\$2,500
		Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$1,300	\$0	\$1,300
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$500	\$0	\$500
		Sea Turtle, Green	Chelonia mydas	Central North Pacific DPS	\$1,400	\$0	\$1,400
		Sea Turtle, Green	Chelonia mydas	Central West Pacific DPS	\$200	\$0	\$200
		Sea Turtle, Green	Chelonia mydas	North Atlantic DPS	\$444,996	\$0	\$444,996
		Sea Turtle, Green	Chelonia mydas	South Atlantic DPS	\$2,500	\$0	\$2,500
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$198,188	\$0	\$198,188
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$1,111,400	\$0	\$1,111,400
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$6,500	\$0	\$6,500

## DOI National Park Service - FY 2020

		Sea Turtle, Loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS	\$660,991	\$0	\$660,991
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$7,500	\$0	\$7,500
		Snake, San Francisco Garter	Thamnophis sirtalis tetrataenia	Wherever found	\$8,000	\$0	\$8,000
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$237,244	\$0	\$237,244
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$1,500	\$0	\$1,500
		Turtle, Bog	Clemmys muhlenbergii	U.S.A. (GA, NC, SC, TN, VA)	\$45,000	\$0	\$45,000
		Turtle, Bog	Clemmys muhlenbergii	Wherever found, except GA, NC, SC, TN, VA	\$600	\$0	\$600
		Turtle, Sonoyta Mud	Kinosternon sonoriense longifemorale	Wherever found	\$4,663	\$0	\$4,663
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$5,900	\$0	\$5,900
	<i>Reptiles subtotal</i>				<i>\$2,946,782</i>	<i>\$0</i>	<i>\$2,946,782</i>
	Snails	[no Common Name] Snail	Ostodes strigatus	Wherever found	\$1,500	\$0	\$1,500
		[no Common Name] Snail	Eua zebrina	Wherever found	\$5,000	\$0	\$5,000
		Abalone, White	Haliotis sorenseni	North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	\$2,800	\$0	\$2,800
		Snail, Guam Tree	Partula radiolata	Wherever found	\$200	\$0	\$200
	<i>Snails subtotal</i>				<i>\$9,500</i>	<i>\$0</i>	<i>\$9,500</i>
<b>Domestic Subtotal</b>					<b>\$16,831,023</b>	<b>\$0</b>	<b>\$16,831,023</b>
Foreign	Fishes	Blindcat, Mexican (catfish)	Prietella phreatophila	Wherever found	\$45,000	\$0	\$45,000
	<i>Fishes subtotal</i>				<i>\$45,000</i>	<i>\$0</i>	<i>\$45,000</i>
<b>Foreign Subtotal</b>					<b>\$45,000</b>	<b>\$0</b>	<b>\$45,000</b>
<b>Grand Total</b>					<b>\$16,876,023</b>	<b>\$0</b>	<b>\$16,876,023</b>

## DOT Federal Aviation Administration - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Gnatcatcher, Coastal California	Polioptila californica californica	Wherever found	\$2,000	\$0	\$2,000
		Horned Lark, Streaked	Eremophila alpestris strigata	Wherever found	\$67,000	\$0	\$67,000
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$200	\$0	\$200
	<i>Birds subtotal</i>				\$69,200	\$0	\$69,200
	Flowering Plants	Lily, Western	Lilium occidentale	Wherever found	\$3,000	\$0	\$3,000
		Sunflower, Whorled	Helianthus verticillatus	UNK	\$3,500	\$0	\$3,500
	<i>Flowering Plants subtotal</i>				\$6,500	\$0	\$6,500
	Mammals	Prairie Dog, Utah	Cynomys parvidens	Wherever found	\$14,500	\$0	\$14,500
	<i>Mammals subtotal</i>				\$14,500	\$0	\$14,500
	Reptiles	Sea Turtle, Green	Chelonia mydas	Central North Pacific DPS	\$1,700	\$0	\$1,700
	<i>Reptiles subtotal</i>				\$1,700	\$0	\$1,700
<b><i>Domestic Subtotal</i></b>					<b><i>\$91,900</i></b>	<b><i>\$0</i></b>	<b><i>\$91,900</i></b>
Multi-Species					\$739,500	\$0	\$739,500
<b><i>Multi-Species subtotal</i></b>					<b><i>\$739,500</i></b>	<b><i>\$0</i></b>	<b><i>\$739,500</i></b>
<b>Grand Total</b>					<b>\$831,400</b>	<b>\$0</b>	<b>\$831,400</b>

## Environmental Protection Agency - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Knot, Red	Calidris canutus rufa	Wherever found	\$2,377	\$0	\$2,377
		Plover, Piping	Charadrius melodus	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$3,177	\$0	\$3,177
	<i>Birds subtotal</i>				\$5,554	\$0	\$5,554
	Clams	Bean, Rayed	Villosa fabalis	Wherever found	\$1,010	\$0	\$1,010
		Catspaw, White (pearlymussel)	Epioblasma obliquata perobliqua	Wherever found	\$450	\$0	\$450
		Clubshell	Pleurobema clava	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,010	\$0	\$1,010
		Fanshell	Cyprogenia stegaria	Wherever found	\$450	\$0	\$450
		Higgins Eye (pearlymussel)	Lampsilis higginsii	Wherever found	\$1,367	\$0	\$1,367
		Mapleleaf, Winged	Quadrula fragosa	Wherever found, except where listed as an experimental population	\$1,367	\$0	\$1,367
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$1,818	\$0	\$1,818
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$1,818	\$0	\$1,818
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$450	\$0	\$450
		Pocketbook, Fat	Potamilus capax	Wherever found	\$450	\$0	\$450
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$450	\$0	\$450
		Riffleshell, Northern	Epioblasma torulosa rangiana	Wherever found	\$450	\$0	\$450
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$1,367	\$0	\$1,367
	<i>Clams subtotal</i>				\$12,457	\$0	\$12,457
	Fishes	Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$800	\$0	\$800
	<i>Fishes subtotal</i>				\$800	\$0	\$800
	Flowering Plants	Lily, Minnesota Dwarf Trout	Erythronium propullans	Wherever found	\$621	\$0	\$621
		Milkweed, Mead's	Asclepias meadii	Wherever found	\$450	\$0	\$450

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Orchid, Eastern Prairie Fringed	Platanthera leucophaea	Wherever found	\$450	\$0	\$450
		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$450	\$0	\$450
		<i>Flowering Plants subtotal</i>			\$1,971	\$0	\$1,971
	Insects	Butterfly, Mitchell's Satyr	Neonympha mitchellii mitchellii	Wherever found	\$450	\$0	\$450
		Dragonfly, Hine's Emerald	Somatochlora hineana	Wherever found	\$745	\$0	\$745
		Skipperling, Poweshiek	Oarisma poweshiek	Wherever found	\$1,367	\$0	\$1,367
		<i>Insects subtotal</i>			\$2,562	\$0	\$2,562
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$1,650	\$0	\$1,650
		Bat, Indiana	Myotis sodalis	Wherever found	\$2,210	\$0	\$2,210
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$1,822	\$0	\$1,822
		<i>Mammals subtotal</i>			\$5,682	\$0	\$5,682
	Reptiles	Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$1,755	\$0	\$1,755
		Snake, Copperbelly Water	Nerodia erythrogaster neglecta	Indiana north of 40 degrees north latitude, Michigan, Ohio	\$1,010	\$0	\$1,010
		<i>Reptiles subtotal</i>			\$2,765	\$0	\$2,765
<b>Domestic Subtotal</b>					<b>\$31,791</b>	<b>\$0</b>	<b>\$31,791</b>
Multi-Species					\$4,662,000	\$0	\$4,662,000
<b>Multi-Species subtotal</b>					<b>\$4,662,000</b>	<b>\$0</b>	<b>\$4,662,000</b>
<b>Grand Total</b>					<b>\$4,693,791</b>	<b>\$0</b>	<b>\$4,693,791</b>

## Federal Energy Regulatory Commission - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$4,000	\$0	\$4,000
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$200	\$0	\$200
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$3,000	\$0	\$3,000
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$5,000	\$0	\$5,000
		Salamander, Frosted Flatwoods	Ambystoma cingulatum	Wherever found	\$2,500	\$0	\$2,500
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$200	\$0	\$200
	<i>Amphibians subtotal</i>				\$14,900	\$0	\$14,900
	Arachnids	Spider, Spruce-fir Moss	Microhexura montivaga	Wherever found	\$500	\$0	\$500
	<i>Arachnids subtotal</i>				\$500	\$0	\$500
	Birds	Albatross, Short-tailed	Phoebastria (=Diomedea) albatrus	Wherever found	\$200	\$0	\$200
		Condor, California	Gymnogyps californianus	U.S.A. only, except where listed as an experimental population	\$200	\$0	\$200
		Crane, Whooping	Grus americana	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	\$1,500	\$0	\$1,500
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$500	\$0	\$500
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$200	\$0	\$200
		Knot, Red	Calidris canutus rufa	Wherever found	\$1,100	\$0	\$1,100
		Murrelet, Marbled	Brachyramphus marmoratus	U.S.A. (CA, OR, WA)	\$300	\$0	\$300
		Owl, Northern Spotted	Strix occidentalis caurina	Wherever found	\$300	\$0	\$300
		Plover, Piping	Charadrius melodus	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$1,700	\$0	\$1,700
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$800	\$0	\$800
		Tern, California Least	Sterna antillarum browni	Wherever found	\$1,400	\$0	\$1,400
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$5,000	\$0	\$5,000
	<i>Birds subtotal</i>				<i>\$15,200</i>	<i>\$0</i>	<i>\$15,200</i>
	Clams	Bean, Cumberland (pearlymussel)	Villosa trabalis	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$800	\$0	\$800
		Bean, Rayed	Villosa fabalis	Wherever found	\$300	\$0	\$300
		Clubshell	Pleurobema clava	Wherever found; Except where listed as Experimental Populations	\$1,600	\$0	\$1,600
		Clubshell, Ovate	Pleurobema perovatum	Wherever found	\$500	\$0	\$500
		Clubshell, Southern	Pleurobema decusum	Wherever found	\$500	\$0	\$500
		Fanshell	Cyprogenia stegaria	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,000	\$0	\$1,000
		Heelsplitter, Carolina	Lasmigona decorata	Wherever found	\$4,000	\$0	\$4,000
		Kidneyshell, Triangular	Ptychobranthus greenii	Wherever found	\$500	\$0	\$500
		Lampmussel, Alabama	Lampsilis virescens	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$800	\$0	\$800
		Lance, Yellow	Elliptio lanceolata	Wherever found	\$400	\$0	\$400
		Lilliput, Pale (pearlymussel)	Toxolasma cylindrellus	Wherever found	\$800	\$0	\$800
		Moccasinshell, Alabama	Medionidus acutissimus	Wherever found	\$500	\$0	\$500
		Moccasinshell, Coosa	Medionidus parvulus	Wherever found	\$500	\$0	\$500
		Mucket, Orangenacre	Lampsilis perovalis	Wherever found	\$100	\$0	\$100



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$100	\$0	\$100
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$900	\$0	\$900
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$3,000	\$0	\$3,000
		Pigtoe, Finerayed	Fusconaia cuneolus	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$800	\$0	\$800
		Pigtoe, Georgia	Pleurobema hanleyianum	Wherever found	\$500	\$0	\$500
		Pigtoe, Shiny	Fusconaia cor	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$800	\$0	\$800
		Pigtoe, Southern	Pleurobema georgianum	Wherever found	\$1,300	\$0	\$1,300
		Pocketbook, Fat	Potamilus capax	Wherever found	\$400	\$0	\$400
		Pocketbook, Finelined	Lampsilis altilis	Wherever found	\$1,300	\$0	\$1,300
		Purple Cat's Paw (=purple Cat's Paw Pearlymussel)	Epioblasma obliquata obliquata	Wherever found; Except where listed as Experimental Populations	\$900	\$0	\$900
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$1,700	\$0	\$1,700
		Spinymussel, Tar River	Elliptio steinstansana	Wherever found	\$300	\$0	\$300
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$1,100	\$0	\$1,100
		<i>Clams subtotal</i>			<i>\$25,400</i>	<i>\$0</i>	<i>\$25,400</i>
	Crustaceans	Crayfish, Shasta	Pacifastacus fortis	Wherever found	\$1,600	\$0	\$1,600
		Fairy Shrimp, Conservancy	Branchinecta conservatio	Wherever found	\$300	\$0	\$300
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$1,100	\$0	\$1,100
		<i>Crustaceans subtotal</i>			<i>\$3,000</i>	<i>\$0</i>	<i>\$3,000</i>
	Ferns and Allies	Quillwort, Black Spored	Isoetes melanospora	Wherever found	\$1,700	\$0	\$1,700
		Quillwort, Mat-forming	Isoetes tegetiformans	Wherever found	\$1,500	\$0	\$1,500
		<i>Ferns and Allies subtotal</i>			<i>\$3,200</i>	<i>\$0</i>	<i>\$3,200</i>
	Fishes	Chub, Spotfin	Erimonax monachus	U.S.A. (TN-specified portions of the Tellico River; see 17.84(m)(1)(i))	\$800	\$0	\$800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, Candy	Etheostoma osburni	Wherever found	\$1,800	\$0	\$1,800
		Darter, Goldline	Percina aurolineata	Wherever found	\$100	\$0	\$100
		Darter, Kentucky Arrow	Etheostoma spilotum	Wherever found	\$600	\$0	\$600
		Logperch, Roanoke	Percina rex	Wherever found	\$1,700	\$0	\$1,700
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$17,000	\$0	\$17,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	California Coastal ESU	\$22,000	\$0	\$22,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$600	\$0	\$600
		Shiner, Blue	Cyprinella caerulea	Wherever found	\$100	\$0	\$100
		Shiner, Palezone	Notropis albizonatus	Wherever found	\$800	\$0	\$800
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$200	\$0	\$200
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$1,400	\$0	\$1,400
		Steelhead	Oncorhynchus (=Salmo) mykiss	Central California Coast DPS	\$35,000	\$0	\$35,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$300	\$0	\$300
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrhynchus) desotoi	Wherever found	\$200	\$0	\$200
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	South Atlantic DPS	\$5,000	\$0	\$5,000
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$7,000	\$0	\$7,000
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$100	\$0	\$100
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$6,000	\$0	\$6,000
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$200	\$0	\$200
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$100	\$0	\$100
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$4,000	\$0	\$4,000
		Trout, Apache	Oncorhynchus apache	Wherever found	\$6,000	\$0	\$6,000
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$1,700	\$0	\$1,700
		<i>Fishes subtotal</i>			<i>\$112,700</i>	<i>\$0</i>	<i>\$112,700</i>
	Flowering Plants	Amphianthus, Little	Amphianthus pusillus	Wherever found	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Arrowhead, Bunched	Sagittaria fasciculata	Wherever found	\$1,500	\$0	\$1,500
		Barbara's Buttons, Mohr's	Marshallia mohrii	Wherever found	\$200	\$0	\$200
		Bladderpod, Short's	Physaria globosa	Wherever found	\$300	\$0	\$300
		Bladderpod, White	Lesquerella pallida	Wherever found	\$100	\$0	\$100
		Bluet, Roan Mountain	Hedyotis purpurea var. montana	Wherever found	\$500	\$0	\$500
		Brodiaea, Chinese Camp	Brodiaea pallida	Wherever found	\$200	\$0	\$200
		Bulrush, Northeastern	Scirpus ancistrochaetus	Wherever found	\$200	\$0	\$200
		Bush-clover, Prairie	Lespedeza leptostachya	Wherever found	\$200	\$0	\$200
		Butterweed, Layne's	Senecio layneae	Wherever found	\$200	\$0	\$200
		Chaffseed, American	Schwalbea americana	Wherever found	\$1,500	\$0	\$1,500
		Clarkia, Springville	Clarkia springvillensis	Wherever found	\$200	\$0	\$200
		Clover, Running Buffalo	Trifolium stoloniferum	UNK	\$1,600	\$0	\$1,600
		Coneflower, Smooth	Echinacea laevigata	Wherever found	\$4,000	\$0	\$4,000
		Dropwort, Canby's	Oxypolis canbyi	Wherever found	\$1,900	\$0	\$1,900
		Gladecress, Texas Golden	Leavenworthia texana	Wherever found	\$200	\$0	\$200
		Gooseberry, Miccosukee	Ribes echinellum	Wherever found	\$200	\$0	\$200
		Grass, Colusa	Neostapfia colusana	Wherever found	\$200	\$0	\$200
		Grass, Tennessee Yellow-eyed	Xyris tennesseensis	Wherever found	\$200	\$0	\$200
		Hau Kuahiwi	Hibiscadelphus woodii	Wherever found	\$1,700	\$0	\$1,700
		Heartleaf, Dwarf-flowered	Hexastylis naniflora	Wherever found	\$2,000	\$0	\$2,000
		Irisette, White	Sisyrinchium dichotomum	Wherever found	\$1,200	\$0	\$1,200
		Ladies'-tresses, Ute	Spiranthes diluvialis	Wherever found	\$200	\$0	\$200
		Leather Flower, Alabama	Clematis socialis	Wherever found	\$200	\$0	\$200
		Loosestrife, Rough-leaved	Lysimachia asperulaefolia	Wherever found	\$1,900	\$0	\$1,900
		Lupine, Kincaid's	Lupinus sulphureus ssp. kincaidii	Wherever found	\$100	\$0	\$100
		Milk-vetch, Applegate's	Astragalus applegatei	Wherever found	\$300	\$0	\$300
		Orchid, Western Prairie Fringed	Platanthera praeclara	Wherever found	\$200	\$0	\$200
		Orchid, White Fringeless	Platanthera integrilabia	UNK	\$3,000	\$0	\$3,000
		Orcutt Grass, Slender	Orcuttia tenuis	Wherever found	\$100	\$0	\$100
		Pink, Swamp	Helonias bullata	Wherever found	\$1,200	\$0	\$1,200
		Pinkroot, Gentian	Spigelia gentianoides	Wherever found	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pitcher-plant, Alabama Canebrake	Sarracenia rubra ssp. alabamensis	Wherever found	\$200	\$0	\$200
		Pitcher-plant, Green	Sarracenia oreophila	Wherever found	\$200	\$0	\$200
		Pitcher-plant, Mountain Sweet	Sarracenia rubra ssp. jonesii	Wherever found	\$1,200	\$0	\$1,200
		Pogonia, Small Whorled	Isotria medeoloides	Wherever found	\$3,000	\$0	\$3,000
		Pondberry	Lindera melissifolia	Wherever found	\$1,500	\$0	\$1,500
		Potato-bean, Prices	Apios priceana	UNK	\$500	\$0	\$500
		Rock Cress, Shale Barren	Arabis serotina	Wherever found	\$200	\$0	\$200
		Rockcress, Georgia	Arabis georgiana	Wherever found	\$200	\$0	\$200
		Skullcap, Large-flowered	Scutellaria montana	Wherever found	\$200	\$0	\$200
		Spiraea, Virginia	Spiraea virginiana	Wherever found	\$800	\$0	\$800
		Spurge, Hoover's	Chamaesyce hooveri	Wherever found	\$200	\$0	\$200
		Sumac, Michaux's	Rhus michauxii	Wherever found	\$500	\$0	\$500
		Sunburst, Hartweg's Golden	Pseudobahia bahiifolia	Wherever found	\$200	\$0	\$200
		Sunflower, Whorled	Helianthus verticillatus	UNK	\$200	\$0	\$200
		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$200	\$0	\$200
		Trillium, Relict	Trillium reliquum	Wherever found	\$400	\$0	\$400
		Tuctoria, Greene's	Tuctoria greenei	Wherever found	\$200	\$0	\$200
		Vervain, Red Hills	Verbena californica	Wherever found	\$200	\$0	\$200
		Water-plantain, Kral's	Sagittaria secundifolia	Wherever found	\$200	\$0	\$200
		<i>Flowering Plants subtotal</i>			\$38,100	\$0	\$38,100
	Insects	Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$600	\$0	\$600
		Bumble Bee, Rusty Patched	Bombus affinis	Wherever found	\$100	\$0	\$100
		Butterfly, Mitchell's Satyr	Neonympha mitchellii mitchellii	Wherever found	\$200	\$0	\$200
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$100	\$0	\$100
		<i>Insects subtotal</i>			\$1,000	\$0	\$1,000
	Lichens	Lichen, Rock Gnome	Gymnoderma lineare	Wherever found	\$1,200	\$0	\$1,200
		<i>Lichens subtotal</i>			\$1,200	\$0	\$1,200
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$3,000	\$0	\$3,000
		Bat, Indiana	Myotis sodalis	Wherever found	\$15,000	\$0	\$15,000
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$37,500	\$0	\$37,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$1,300	\$0	\$1,300
		Fox, San Joaquin Kit	Vulpes macrotis mutica	wherever found	\$1,700	\$0	\$1,700
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$1,300	\$0	\$1,300
		Manatee, West Indian	Trichechus manatus	Wherever found	\$600	\$0	\$600
		Sea Lion, Steller	Eumetopias jubatus	Western DPS	\$2,000	\$0	\$2,000
		Squirrel, Northern Idaho Ground	Urocitellus brunneus	Wherever found	\$500	\$0	\$500
		Whale, Blue	Balaenoptera musculus	Wherever found	\$200	\$0	\$200
		Whale, Finback	Balaenoptera physalus	Wherever found	\$100	\$0	\$100
		Whale, Gray	Eschrichtius robustus	Western North Pacific DPS	\$2,500	\$0	\$2,500
		Whale, Humpback	Megaptera novaeangliae	Western North Pacific	\$2,500	\$0	\$2,500
		Whale, Killer	Orcinus orca	Southern Resident DPS	\$2,500	\$0	\$2,500
		Whale, North Pacific Right	Eubalaena japonica	Wherever found	\$100	\$0	\$100
		Whale, Sei	Balaenoptera borealis	Wherever found	\$300	\$0	\$300
		Whale, Sperm	Physeter catodon (=macrocephalus)	Wherever found	\$100	\$0	\$100
		Wolf, Red	Canis rufus	Wherever found, except where listed as an experimental population	\$200	\$0	\$200
	<i>Mammals subtotal</i>				<i>\$71,400</i>	<i>\$0</i>	<i>\$71,400</i>
	Reptiles	Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$800	\$0	\$800
		Sea Turtle, Green	Chelonia mydas	Central North Pacific DPS	\$500	\$0	\$500
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$200	\$0	\$200
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$200	\$0	\$200
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$1,200	\$0	\$1,200
		Sea Turtle, Olive Ridley	Lepidochelys olivacea	Wherever found, except when listed as endangered under 50 CFR 224.101	\$200	\$0	\$200
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$300	\$0	\$300
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$400	\$0	\$400
		Turtle, Bog	Clemmys muhlenbergii	Wherever found, except GA, NC, SC, TN, VA	\$3,000	\$0	\$3,000
		<i>Reptiles subtotal</i>			<i>\$7,100</i>	<i>\$0</i>	<i>\$7,100</i>
	Snails	Elimia, Lacy (snail)	Elimia crenatella	Wherever found	\$600	\$0	\$600
		Hornsnail, Rough	Pleurocera foremani	Wherever found	\$1,100	\$0	\$1,100
		Lioplax, Cylindrical (snail)	Lioplax cyclostomaformis	Wherever found	\$600	\$0	\$600
		Pebblesnail, Flat	Lepyrium showalteri	Wherever found	\$500	\$0	\$500
		Rocksnail, Interrupted (=georgia)	Leptoxis foremani	Wherever found	\$600	\$0	\$600
		Rocksnail, Painted	Leptoxis taeniata	Wherever found	\$900	\$0	\$900
		Rocksnail, Round	Leptoxis ampla	Wherever found	\$400	\$0	\$400
		Snail, Tulotoma	Tulotoma magnifica	Wherever found	\$1,100	\$0	\$1,100
		<i>Snails subtotal</i>			<i>\$5,800</i>	<i>\$0</i>	<i>\$5,800</i>
<b>Domestic Subtotal</b>					<b>\$299,500</b>	<b>\$0</b>	<b>\$299,500</b>
Foreign	Reptiles	Sea Turtle, Loggerhead	Caretta caretta	South Pacific Ocean DPS	\$500	\$0	\$500
		<i>Reptiles subtotal</i>			<i>\$500</i>	<i>\$0</i>	<i>\$500</i>
<b>Foreign Subtotal</b>					<b>\$500</b>	<b>\$0</b>	<b>\$500</b>
Grand Total					\$300,000	\$0	\$300,000

## Tennessee Valley Authority - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$400	\$0	\$400
	<i>Birds subtotal</i>				\$400	\$0	\$400
	Clams	Kidneyshell, Fluted	Ptychobranchus subtentus	Wherever found	\$47,000	\$0	\$47,000
		Lampmussel, Alabama	Lampsilis virescens	Wherever found; Except where listed as Experimental Populations	\$8,500	\$0	\$8,500
		Lilliput, Pale (pearlymussel)	Toxolasma cylindrellus	Wherever found	\$8,500	\$0	\$8,500
		Monkeyface, Cumberland (pearlymussel)	Quadrula intermedia	Wherever found; Except where listed as Experimental Populations	\$47,000	\$0	\$47,000
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$8,500	\$0	\$8,500
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$55,500	\$0	\$55,500
		Pearlymussel, Birdwing	Lemiox rimosus	U.S.A. (TN - specified portions of the French Broad and Holston Rivers: see 17.85(b)(1))	\$47,000	\$0	\$47,000
		Pearlymussel, Cracking	Hemistena lata	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$47,000	\$0	\$47,000
		Pearlymussel, Littlewing	Pegias fabula	Wherever found	\$300	\$0	\$300
		Pearlymussel, Slabside	Pleuronaia dolabelloides	Wherever found	\$55,500	\$0	\$55,500
		Pigtoe, Cumberland	Pleurobema gibberum	Wherever found	\$1,200	\$0	\$1,200
		Pigtoe, Finerayed	Fusconaia cuneolus	U.S.A. (TN - specified portions of the French Broad and Holston Rivers: see 17.85(b)(1))	\$47,000	\$0	\$47,000
		Pigtoe, Shiny	Fusconaia cor	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$55,500	\$0	\$55,500

		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$55,500	\$0	\$55,500
	<i>Clams subtotal</i>				<i>\$484,000</i>	<i>\$0</i>	<i>\$484,000</i>
	Fishes	Darter, Bluemask	Etheostoma akatulo	Wherever found	\$3,200	\$0	\$3,200
		Darter, Boulder	Etheostoma wapiti	Wherever found	\$42,500	\$0	\$42,500
	<i>Fishes subtotal</i>				<i>\$45,700</i>	<i>\$0</i>	<i>\$45,700</i>
	Flowering Plants	Bladderpod, Spring Creek	Lesquerella perforata	Wherever found	\$1,000	\$0	\$1,000
		Gladecress, Fleshy-fruit	Leavenworthia crassa	Wherever found	\$3,500	\$0	\$3,500
		Ground-plum, Guthrie's (=pyne's)	Astragalus bibullatus	Wherever found	\$1,000	\$0	\$1,000
		Orchid, White Fringeless	Platanthera integrilabia	UNK	\$1,000	\$0	\$1,000
		Prairie-clover, Leafy	Dalea foliosa	Wherever found	\$500	\$0	\$500
		Skullcap, Large-flowered	Scutellaria montana	Wherever found	\$5,500	\$0	\$5,500
		Sunflower, Whorled	Helianthus verticillatus	UNK	\$1,000	\$0	\$1,000
	<i>Flowering Plants subtotal</i>				<i>\$13,500</i>	<i>\$0</i>	<i>\$13,500</i>
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$64,750	\$0	\$64,750
		Bat, Indiana	Myotis sodalis	Wherever found	\$95,000	\$0	\$95,000
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$95,000	\$0	\$95,000
		Bat, Ozark Big-eared	Corynorhinus (=Plecotus) townsendii ingens	Wherever found	\$900	\$0	\$900
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$900	\$0	\$900
	<i>Mammals subtotal</i>				<i>\$256,550</i>	<i>\$0</i>	<i>\$256,550</i>
<b>Domestic Subtotal</b>					<b>\$800,150</b>	<b>\$0</b>	<b>\$800,150</b>
<b>Grand Total</b>					<b>\$800,150</b>	<b>\$0</b>	<b>\$800,150</b>



## USDA Animal and Plant Health Inspection Service - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, Chiricahua Leopard	Rana chiricahuensis	Wherever found	\$8,700	\$0	\$8,700
		Frog, Dusky Gopher	Rana sevosa	Wherever found	\$200	\$0	\$200
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$400	\$0	\$400
		Salamander, Cheat Mountain	Plethodon nettingi	Wherever found	\$400	\$0	\$400
		Salamander, Frosted Flatwoods	Ambystoma cingulatum	Wherever found	\$700	\$0	\$700
		Salamander, Red Hills	Phacognathus hubrichti	Wherever found	\$100	\$0	\$100
		Salamander, Reticulated Flatwoods	Ambystoma bishopi	Wherever found	\$300	\$0	\$300
		Salamander, Shenandoah	Plethodon shenandoah	Wherever found	\$100	\$0	\$100
		Salamander, Sonora Tiger	Ambystoma tigrinum stebbinsi	Wherever found	\$8,500	\$0	\$8,500
		Waterdog, Black Warrior (=sipsey Fork)	Necturus alabamensis	Wherever found	\$100	\$0	\$100
	<i>Amphibians subtotal</i>				<i>\$19,500</i>	<i>\$0</i>	<i>\$19,500</i>
	Arachnids	Spider, Spruce-fir Moss	Microhexura montivaga	Wherever found	\$100	\$0	\$100
	<i>Arachnids subtotal</i>				<i>\$100</i>	<i>\$0</i>	<i>\$100</i>
	Birds	ʻiʻiwi	Drepanis coccinea	Wherever found	\$100	\$0	\$100
		Akepa, Hawaii	Loxops coccineus	Wherever found	\$100	\$0	\$100
		Albatross, Short-tailed	Phoebastria (=Diomedea) albatrus	Wherever found	\$300	\$0	\$300
		Condor, California	Gymnogyps californianus	U.S.A. only, except where listed as an experimental population	\$200	\$0	\$200
		Coot, Hawaiian	Fulica americana alai	Wherever found	\$100	\$0	\$100
		Crane, Mississippi Sandhill	Grus canadensis pulla	Wherever found	\$200	\$0	\$200
		Crane, Whooping	Grus americana	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	\$7,800	\$0	\$7,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Creeper, Oahu	Paroreomyza maculata	Wherever found	\$100	\$0	\$100
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$12,000	\$0	\$12,000
		Duck, Hawaiian (=koloa)	Anas wyvilliana	Wherever found	\$100	\$0	\$100
		Elepaio, Oahu	Chasiempis ibidis	Wherever found	\$100	\$0	\$100
		Falcon, Northern Aplomado	Falco femoralis septentrionalis	U.S.A (AZ, NM)	\$73,600	\$0	\$73,600
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$32,600	\$0	\$32,600
		Gallinule, Hawaiian Common	Gallinula galeata sandvicensis	Wherever found	\$100	\$0	\$100
		Goose, Hawaiian	Branta (=Nesochen) sandvicensis	Wherever found	\$100	\$0	\$100
		Horned Lark, Streaked	Eremophila alpestris strigata	Wherever found	\$1,200	\$0	\$1,200
		Kite, Everglade Snail	Rostrhamus sociabilis plumbeus	Wherever found	\$1,100	\$0	\$1,100
		Knot, Red	Calidris canutus rufa	Wherever found	\$9,800	\$0	\$9,800
		Murrelet, Marbled	Brachyramphus marmoratus	U.S.A. (CA, OR, WA)	\$1,200	\$0	\$1,200
		Owl, Mexican Spotted	Strix occidentalis lucida	Wherever found	\$200	\$0	\$200
		Owl, Northern Spotted	Strix occidentalis caurina	Wherever found	\$400	\$0	\$400
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as <i>endangered</i>	\$2,400	\$0	\$2,400
		Plover, Piping	Charadrius melodus	[Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	\$7,800	\$0	\$7,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$300	\$0	\$300
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$8,700	\$0	\$8,700
		Shearwater, Newell's Townsend's	Puffinus auricularis newelli	Wherever found	\$100	\$0	\$100
		Sparrow, Cape Sable Seaside	Ammodramus maritimus mirabilis	Wherever found	\$1,100	\$0	\$1,100
		Stilt, Hawaiian	Himantopus mexicanus knudseni	Wherever found	\$100	\$0	\$100
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$1,550	\$0	\$1,550
		Storm-petrel, Band-rumped	Oceanodroma castro	USA (HI)	\$100	\$0	\$100
		Tern, California Least	Sterna antillarum browni	Wherever found	\$200	\$0	\$200
		Tern, Roseate	Sterna dougallii dougallii	Northeast U.S. nesting population	\$1,000	\$0	\$1,000
		Warbler (=wood), Bachman's	Vermivora bachmanii	Wherever found	\$500	\$0	\$500
		Warbler (=wood), Golden-cheeked	Dendroica chrysoparia	Wherever found	\$7,100	\$0	\$7,100
		Warbler, Kirtland's	Setophaga kirtlandii (=Dendroica kirtlandii)	Wherever found	\$100	\$0	\$100
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$700	\$0	\$700
		<i>Birds subtotal</i>			<i>\$173,150</i>	<i>\$0</i>	<i>\$173,150</i>
	Clams	Acornshell, Southern	Epioblasma othcaloogensis	Wherever found	\$100	\$0	\$100
		Bankclimber, Purple (mussel)	Elliptoideus sloatianus	Wherever found	\$100	\$0	\$100
		Bean, Choctaw	Villosa choctawensis	Wherever found	\$100	\$0	\$100
		Bean, Cumberland (pearlymussel)	Villosa trabalis	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Bean, Purple	Villosa perpurpurea	Wherever found	\$100	\$0	\$100
		Bean, Rayed	Villosa fabalis	Wherever found	\$1,100	\$0	\$1,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Blossom, Green (pearlymussel)	Epioblasma torulosa gubernaculum	Wherever found	\$100	\$0	\$100
		Blossom, Tubercled (pearlymussel)	Epioblasma torulosa torulosa	Wherever found; Except where listed as Experimental Populations	\$500	\$0	\$500
		Catspaw, White (pearlymussel)	Epioblasma obliquata perobliqua	Wherever found	\$300	\$0	\$300
		Clubshell	Pleurobema clava	Wherever found; Except where listed as Experimental Populations	\$1,200	\$0	\$1,200
		Clubshell, Black	Pleurobema curtum	Wherever found	\$100	\$0	\$100
		Clubshell, Ovate	Pleurobema perovatum	Wherever found	\$100	\$0	\$100
		Clubshell, Southern	Pleurobema decisum	Wherever found	\$700	\$0	\$700
		Combshell, Cumberlandian	Epioblasma brevidens	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Combshell, Southern	Epioblasma penita	Wherever found	\$100	\$0	\$100
		Combshell, Upland	Epioblasma metastrata	Wherever found	\$100	\$0	\$100
		Ebonysshell, Round	Fusconaia rotulata	Wherever found	\$100	\$0	\$100
		Fanshell	Cyprogenia stegaria	Wherever found	\$500	\$0	\$500
		Heelsplitter, Carolina	Lasmigona decorata	Wherever found	\$100	\$0	\$100
		Heelsplitter, Inflated	Potamilus inflatus	Wherever found	\$100	\$0	\$100
		Hornshell, Texas	Popenaias popeii	Wherever found	\$7,400	\$0	\$7,400
		Kidneyshell, Fluted	Ptychobranthus subtentus	Wherever found	\$100	\$0	\$100
		Kidneyshell, Southern	Ptychobranthus jonesi	Wherever found	\$100	\$0	\$100
		Kidneyshell, Triangular	Ptychobranthus greenii	Wherever found	\$100	\$0	\$100
		Lampmussel, Alabama	Lampsilis virescens	Wherever found; Except where listed as Experimental Populations	\$100	\$0	\$100
		Lance, Yellow	Elliptio lanceolata	Wherever found	\$300	\$0	\$300
		Lilliput, Pale (pearlymussel)	Toxolasma cylindrellus	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Moccasinshell, Alabama	Medionidus acutissimus	Wherever found	\$600	\$0	\$600
		Moccasinshell, Coosa	Medionidus parvulus	Wherever found	\$100	\$0	\$100
		Moccasinshell, Gulf	Medionidus penicillatus	Wherever found	\$100	\$0	\$100
		Moccasinshell, Ochlockonee	Medionidus simpsonianus	Wherever found	\$100	\$0	\$100
		Moccasinshell, Suwannee	Medionidus walkeri	Wherever found	\$100	\$0	\$100
		Monkeyface, Appalachian (pearlymussel)	Quadrula sparsa	Wherever found	\$100	\$0	\$100
		Monkeyface, Cumberland (pearlymussel)	Quadrula intermedia	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Mucket, Orangenacre	Lampsilis perovalis	Wherever found	\$100	\$0	\$100
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$900	\$0	\$900
		Mussel, Oyster	Epioblasma capsaeformis	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Mussel, Scaleshell	Leptodea leptodon	Wherever found	\$200	\$0	\$200
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$1,300	\$0	\$1,300
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$1,300	\$0	\$1,300
		Pearlshell, Alabama	Margaritifera marrianae	Wherever found	\$100	\$0	\$100
		Pearlymussel, Birdwing	Lemiox rimosus	Wherever found; Except where listed as Experimental Populations	\$100	\$0	\$100
		Pearlymussel, Cracking	Hemistena lata	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Pearlymussel, Dromedary	Dromus dromas	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Pearlymussel, Littlewing	Pegias fabula	Wherever found	\$200	\$0	\$200
		Pearlymussel, Slabside	Pleuroaia dolabelloides	Wherever found	\$200	\$0	\$200
		Pigtoe, Dark	Pleurobema furvum	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, Finerayed	Fusconaia cuneolus	Wherever found; Except where listed as Experimental Populations	\$200	\$0	\$200
		Pigtoe, Flat	Pleurobema marshalli	Wherever found	\$300	\$0	\$300
		Pigtoe, Fuzzy	Pleurobema strodeanum	Wherever found	\$100	\$0	\$100
		Pigtoe, Georgia	Pleurobema hanleyianum	Wherever found	\$300	\$0	\$300
		Pigtoe, Heavy	Pleurobema taitianum	Wherever found	\$100	\$0	\$100
		Pigtoe, Narrow	Fusconaia escambia	Wherever found	\$300	\$0	\$300
		Pigtoe, Oval	Pleurobema pyriforme	Wherever found	\$100	\$0	\$100
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$200	\$0	\$200
		Pigtoe, Shiny	Fusconaia cor	Wherever found; Except where listed as Experimental Populations	\$500	\$0	\$500
		Pigtoe, Southern	Pleurobema georgianum	Wherever found	\$100	\$0	\$100
		Pigtoe, Tapered	Fusconaia burkei	Wherever found	\$100	\$0	\$100
		Pimpleback, Orangefoot (pearlymussel)	Plethobasus cooperianus	Wherever found	\$100	\$0	\$100
		Pocketbook, Fat	Potamilus capax	Wherever found	\$100	\$0	\$100
		Pocketbook, Finelined	Lampsilis altilis	Wherever found	\$100	\$0	\$100
		Pocketbook, Shinyrayed	Lampsilis subangulata	Wherever found	\$100	\$0	\$100
		Pocketbook, Speckled	Lampsilis streckeri	Wherever found	\$600	\$0	\$600
		Purple Cat's Paw (=purple Cat's Paw Pearlymussel)	Epioblasma obliquata obliquata	Wherever found; Except where listed as Experimental Populations	\$400	\$0	\$400
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$800	\$0	\$800
		Rabbitsfoot, Rough	Quadrula cylindrica strigillata	Wherever found	\$100	\$0	\$100
		Riffleshell, Northern	Epioblasma torulosa rangiana	Wherever found	\$1,100	\$0	\$1,100
		Riffleshell, Tan	Epioblasma florentina walkeri (=E. walkeri)	Wherever found	\$200	\$0	\$200
		Ring Pink (mussel)	Obovaria retusa	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sandshell, Southern	Hamiota australis	Wherever found	\$100	\$0	\$100
		Slabshell, Chipola	Elliptio chipolaensis	Wherever found	\$100	\$0	\$100
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$600	\$0	\$600
		Spinymussel, Altamaha	Elliptio spinosa	Wherever found	\$100	\$0	\$100
		Spinymussel, James	Pleurobema collina	Wherever found	\$500	\$0	\$500
		Stirrupshell	Quadrula stapes	Wherever found	\$100	\$0	\$100
		Threeridge, Fat (mussel)	Amblema neislerii	Wherever found	\$100	\$0	\$100
		Wartyback, White (pearlymussel)	Plethobasus cicatricosus	Wherever found	\$100	\$0	\$100
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$800	\$0	\$800
	<i>Clams subtotal</i>				\$29,000	\$0	\$29,000
	Conifers and Cycads	Torreya, Florida	Torreya taxifolia	Wherever found	\$200	\$0	\$200
	<i>Conifers and Cycads subtotal</i>				\$200	\$0	\$200
	Crustaceans	Amphipod, Hay's Spring	Stygobromus hayi	Wherever found	\$100	\$0	\$100
		Crayfish, Big Sandy	Cambarus callainus	Wherever found	\$500	\$0	\$500
		Crayfish, Guyandotte River	Cambarus veteranus	Wherever found	\$400	\$0	\$400
		Isopod, Lee County Cave	Lirceus usdagalun	Wherever found	\$100	\$0	\$100
		Isopod, Madison Cave	Antrolana lira	Wherever found	\$500	\$0	\$500
		Shrimp, Alabama Cave	Palaemonias alabamae	Wherever found	\$100	\$0	\$100
	<i>Crustaceans subtotal</i>				\$1,700	\$0	\$1,700
	Ferns and Allies	Diellia, Asplenium-leaved	Asplenium dielirectum	Wherever found	\$100	\$0	\$100
		Fern, Alabama Streak-sorus	Thelypteris pilosa var. alabamensis	Wherever found	\$100	\$0	\$100
		Fern, American Hart's-tongue	Asplenium scolopendrium var. americanum	Wherever found	\$100	\$0	\$100
		Ihi` ihi	Marsilea villosa	Wherever found	\$100	\$0	\$100
		Kupukupu Makalii	Cyclosorus boydiae	Wherever found	\$100	\$0	\$100
		No Common Name	Asplenium unisorum	Wherever found	\$100	\$0	\$100
		No Common Name	Doryopteris takeuchii	Wherever found	\$100	\$0	\$100
		No Common Name	Pteris lidgatei	Wherever found	\$100	\$0	\$100
		No Common Name	Microlepidia strigosa var. mauiensis	Wherever found	\$100	\$0	\$100
		Pauoa	Ctenitis squamigera	Wherever found	\$100	\$0	\$100
		Quillwort, Black Spored	Isoetes melanospora	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Quillwort, Louisiana	Isoetes louisianensis	Wherever found	\$200	\$0	\$200
		Quillwort, Mat-forming	Isoetes tegetiformans	Wherever found	\$100	\$0	\$100
		Wawae'iole	Huperzia nutans	Wherever found	\$100	\$0	\$100
	<i>Ferns and Allies subtotal</i>				<i>\$1,500</i>	<i>\$0</i>	<i>\$1,500</i>
	Fishes	Bocaccio	Sebastes paucispinis	Puget Sound - Georgia Basin DPS	\$200	\$0	\$200
		Cavefish, Alabama	Speoplatyrhinus poulsoni	Wherever found	\$100	\$0	\$100
		Chub, Borax Lake	Gila boraxobius	Wherever found	\$100	\$0	\$100
		Chub, Gila	Gila intermedia	Wherever found	\$200	\$0	\$200
		Chub, Humpback	Gila cypha	Wherever found	\$200	\$0	\$200
		Chub, Hutton Tui	Gila bicolor ssp.	Wherever found	\$100	\$0	\$100
		Chub, Slender	Erimystax cahni	Wherever found	\$100	\$0	\$100
		Chub, Spotfin	Erimonax monachus	Wherever found, except where listed as an experimental population	\$200	\$0	\$200
		Chub, Virgin River	Gila seminuda (=robusta)	Wherever found	\$200	\$0	\$200
		Dace, Ash Meadows Speckled	Rhinichthys osculus nevadensis	Wherever found	\$600	\$0	\$600
		Dace, Blackside	Phoxinus cumberlandensis	Wherever found	\$100	\$0	\$100
		Darter, Amber	Percina antesella	Wherever found	\$200	\$0	\$200
		Darter, Bayou	Etheostoma rubrum	Wherever found	\$200	\$0	\$200
		Darter, Boulder	Etheostoma wapiti	Wherever found	\$200	\$0	\$200
		Darter, Candy	Etheostoma osburni	Wherever found	\$500	\$0	\$500
		Darter, Cherokee	Etheostoma scotti	Wherever found	\$200	\$0	\$200
		Darter, Cumberland	Etheostoma susanae	Wherever found	\$100	\$0	\$100
		Darter, Diamond	Crystallaria cincotta	Wherever found	\$400	\$0	\$400
		Darter, Duskytail	Etheostoma percnum	Wherever found	\$100	\$0	\$100
		Darter, Etowah	Etheostoma etowahae	Wherever found	\$200	\$0	\$200
		Darter, Goldline	Percina aurolineata	Wherever found	\$200	\$0	\$200
		Darter, Maryland	Etheostoma sellare	Wherever found	\$100	\$0	\$100
		Darter, Pearl	Percina aurora	Wherever found	\$200	\$0	\$200
		Darter, Rush	Etheostoma phytophilum	Wherever found	\$200	\$0	\$200
		Darter, Slackwater	Etheostoma boschungii	Wherever found	\$200	\$0	\$200



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, Snail	Percina tanasi	Wherever found	\$200	\$0	\$200
		Darter, Vermilion	Etheostoma chermocki	Wherever found	\$200	\$0	\$200
		Darter, Watercress	Etheostoma nuchale	Wherever found	\$100	\$0	\$100
		Eulachon	Thaleichthys pacificus	Southern DPS	\$200	\$0	\$200
		Logperch, Conasauga	Percina jenkinsi	Wherever found	\$100	\$0	\$100
		Logperch, Roanoke	Percina rex	Wherever found	\$100	\$0	\$100
		Madtom, Scioto	Noturus trautmani	Wherever found	\$300	\$0	\$300
		Madtom, Smoky	Noturus baileyi	Wherever found	\$100	\$0	\$100
		Madtom, Yellowfin	Noturus flavipinnis	U.S.A. (TN, VA-specified portions of the Holston River and watershed; see 17.84(e)(1)(i))	\$100	\$0	\$100
		Madtom, Yellowfin	Noturus flavipinnis	Wherever found, except where listed as an experimental population	\$100	\$0	\$100
		Minnow, Devils River	Dionda diaboli	Wherever found	\$7,100	\$0	\$7,100
		Minnow, Loach	Tiaroga cobitis	Wherever found	\$200	\$0	\$200
		Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Wherever found, except where listed as an experimental population	\$8,700	\$0	\$8,700
		Pupfish, Ash Meadows Amargosa	Cyprinodon nevadensis mionectes	Wherever found	\$600	\$0	\$600
		Pupfish, Desert	Cyprinodon macularius	Wherever found	\$200	\$0	\$200
		Pupfish, Devils Hole	Cyprinodon diabolis	Wherever found	\$600	\$0	\$600
		Pupfish, Warm Springs	Cyprinodon nevadensis pectoralis	Wherever found	\$600	\$0	\$600
		Rockfish, Yelloweye	Sebastes ruberrimus	Puget Sound - Georgia Basin DPS	\$200	\$0	\$200
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$300	\$0	\$300
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Puget Sound ESU	\$1,700	\$0	\$1,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Columbia spring-run ESU	\$300	\$0	\$300
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU	\$200	\$0	\$200
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU	\$300	\$0	\$300
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$200	\$0	\$200
		Salmon, Chum	Oncorhynchus keta	Columbia River ESU	\$200	\$0	\$200
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU	\$200	\$0	\$200
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$200	\$0	\$200
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Snake River ESU	\$200	\$0	\$200
		Sculpin, Pygmy	Cottus paulus (=pygmaeus)	Wherever found	\$100	\$0	\$100
		Shiner, Blue	Cyprinella caerulea	Wherever found	\$100	\$0	\$100
		Shiner, Cahaba	Notropis cahabae	Wherever found	\$100	\$0	\$100
		Shiner, Cape Fear	Notropis mekistocholas	Wherever found	\$100	\$0	\$100
		Shiner, Palezone	Notropis albizonatus	Wherever found	\$100	\$0	\$100
		Shiner, Topeka	Notropis topeka (=tristis)	U.S.A. (MO-specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.04.18(1)(2))	\$200	\$0	\$200
		Silverside, Waccamaw	Menidia extensa	Wherever found	\$100	\$0	\$100
		Spikedace	Meda fulgida	Wherever found	\$200	\$0	\$200
		Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	\$200	\$0	\$200
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$200	\$0	\$200
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS	\$300	\$0	\$300
		Steelhead	Oncorhynchus (=Salmo) mykiss	Puget Sound DPS	\$200	\$0	\$200
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$300	\$0	\$300
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrinchus) desotoi	Wherever found	\$100	\$0	\$100
		Sturgeon, Alabama	Scaphirhynchus suttkusi	Wherever found	\$100	\$0	\$100
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$1,200	\$0	\$1,200
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	South Atlantic DPS	\$1,000	\$0	\$1,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	Carolina DPS	\$1,500	\$0	\$1,500
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	Chesapeake Bay DPS	\$500	\$0	\$500
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$200	\$0	\$200
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$600	\$0	\$600
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$2,700	\$0	\$2,700
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$100	\$0	\$100
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$8,700	\$0	\$8,700
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$100	\$0	\$100
		Sucker, Warner	Catostomus warnerensis	Wherever found	\$100	\$0	\$100
		Sucker, Zuni Bluehead	Catostomus discobolus varrowi	Wherever found	\$200	\$0	\$200
		Sunfish, Spring Pygmy	Elassoma alabamae	Wherever found	\$100	\$0	\$100
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$200	\$0	\$200
		Trout, Apache	Oncorhynchus apache	Wherever found	\$200	\$0	\$200
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$2,700	\$0	\$2,700
		Trout, Bull	Salvelinus confluentus	Clackamas River subbasin experimental population	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Gila	Oncorhynchus gilae	Wherever found	\$200	\$0	\$200
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$100	\$0	\$100
		Woundfin	Plagopterus argentissimus	Wherever found, except where listed as an experimental population	\$200	\$0	\$200
	<i>Fishes subtotal</i>				<i>\$52,100</i>	<i>\$0</i>	<i>\$52,100</i>
	Flowering Plants	`aiea	Nothoestrum latifolium	Wherever found	\$100	\$0	\$100
		`akoko	Euphorbia celastroides var. kaenana	Wherever found	\$100	\$0	\$100
		`akoko	Euphorbia haeleeleana	Wherever found	\$100	\$0	\$100
		`akoko	Euphorbia deppeana	Wherever found	\$100	\$0	\$100
		`akoko, Ewa Plains	Euphorbia skottsbergii var. skottsbergii	Wherever found	\$100	\$0	\$100
		`anaunau	Lepidium arbuscula	Wherever found	\$100	\$0	\$100
		`ohe	Joinvillea ascendens ascendens	Wherever found	\$100	\$0	\$100
		Alani	Melicope makahae	Wherever found	\$100	\$0	\$100
		Alani	Melicope christophersenii	Wherever found	\$100	\$0	\$100
		Alani	Melicope saint-johnii	Wherever found	\$100	\$0	\$100
		Alani	Melicope lydgatei	Wherever found	\$100	\$0	\$100
		Amaranth, Seabeach	Amaranthus pumilus	Wherever found	\$900	\$0	\$900
		Ambrosia, South Texas	Ambrosia cheiranthifolia	Wherever found	\$7,400	\$0	\$7,400
		Amphianthus, Little	Amphianthus pusillus	Wherever found	\$100	\$0	\$100
		Arrowhead, Bunched	Sagittaria fasciculata	Wherever found	\$100	\$0	\$100
		Aupaka	Isodendrion longifolium	Wherever found	\$100	\$0	\$100
		Aupaka	Isodendrion laurifolium	Wherever found	\$100	\$0	\$100
		Avens, Spreading	Geum radiatum	Wherever found	\$600	\$0	\$600
		Ayenia, Texas	Ayenia limitaris	Wherever found	\$7,400	\$0	\$7,400
		Barbara's Buttons, Mohr's	Marshallia mohrii	Wherever found	\$200	\$0	\$200
		Beaked-rush, Knieskern's	Rhynchospora knieskernii	Wherever found	\$200	\$0	\$200
		Birch, Virginia Round-leaf	Betula uber	Wherever found	\$100	\$0	\$100
		Bittercress, Small-anthered	Cardamine micranthera	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bladderpod, Lyrate	<i>Lesquerella lyrata</i>	Wherever found	\$100	\$0	\$100
		Bladderpod, White Bluffs	<i>Physaria douglasii</i> ssp. <i>tuplashensis</i>	Wherever found	\$300	\$0	\$300
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	Wherever found	\$7,400	\$0	\$7,400
		Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>	Wherever found	\$100	\$0	\$100
		Buckwheat, Umtanum Desert	<i>Eriogonum codium</i>	Wherever found	\$300	\$0	\$300
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	Wherever found	\$1,000	\$0	\$1,000
		Cactus, Arizona Hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	Wherever found	\$200	\$0	\$200
		Cactus, Black Lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	Wherever found	\$7,100	\$0	\$7,100
		Cactus, Brady Pincushion	<i>Pediocactus bradyi</i>	Wherever found	\$200	\$0	\$200
		Cactus, Fickeisen Plains	<i>Pediocactus peeblesianus fickeiseniae</i>	Wherever found	\$200	\$0	\$200
		Cactus, Siler Pincushion	<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>	Wherever found	\$200	\$0	\$200
		Cactus, Star	<i>Astrophytum asterias</i>	Wherever found	\$7,400	\$0	\$7,400
		Cactus, Tobusch Fishhook	<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>	Wherever found	\$7,100	\$0	\$7,100
		Campion, Fringed	<i>Silene polypetala</i>	Wherever found	\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>	Wherever found	\$400	\$0	\$400
		Ceanothus, Coyote	<i>Ceanothus ferrisae</i>	Wherever found	\$600	\$0	\$600
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	Wherever found	\$600	\$0	\$600
		Ceanothus, Vail Lake	<i>Ceanothus ophiochilus</i>	Wherever found	\$600	\$0	\$600
		Chaffseed, American	<i>Schwalbea americana</i>	Wherever found	\$900	\$0	\$900
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	Wherever found	\$300	\$0	\$300
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>	Wherever found	\$300	\$0	\$300
		Cliffrose, Arizona	<i>Purshia</i> (=Cowania) <i>subintegra</i>	Wherever found	\$800	\$0	\$800
		Clover, Running Buffalo	<i>Trifolium stoloniferum</i>	UNK	\$1,100	\$0	\$1,100
		Coneflower, Smooth	<i>Echinacea laevigata</i>	Wherever found	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cycladenia, Jones	Cycladenia humilis var. jonesii	Wherever found	\$300	\$0	\$300
		Daisy, Lakeside	Hymenoxys herbacea	Wherever found	\$300	\$0	\$300
		Desert-parsley, Bradshaw's	Lomatium bradshawii	Wherever found	\$300	\$0	\$300
		Dogweed, Ashy	Thymophylla tephroleuca	Wherever found	\$7,400	\$0	\$7,400
		Dropwort, Canby's	Oxypolis canbyi	Wherever found	\$600	\$0	\$600
		Four-o'clock, Macfarlane's	Mirabilis macfarlanei	Wherever found	\$100	\$0	\$100
		Fritillary, Gentner's	Fritillaria gentneri	Wherever found	\$100	\$0	\$100
		Gardenia (=na`u), Hawaiian	Gardenia brighamii	Wherever found	\$100	\$0	\$100
		Gerardia, Sandplain	Agalinis acuta	Wherever found	\$100	\$0	\$100
		Gladecress, Fleshy-fruit	Leavenworthia crassa	Wherever found	\$250	\$0	\$250
		Gooseberry, Miccosukee	Ribes echinellum	Wherever found	\$100	\$0	\$100
		Gourd, Okeechobee	Cucurbita okeechobeensis ssp. okeechobeensis	Wherever found	\$1,100	\$0	\$1,100
		Grass, Tennessee Yellow-eyed	Xyris tennesseensis	Wherever found	\$200	\$0	\$200
		Ha`iwale	Cyrtandra subumbellata	Wherever found	\$100	\$0	\$100
		Ha`iwale	Cyrtandra dentata	Wherever found	\$100	\$0	\$100
		Ha`iwale	Cyrtandra polyantha	Wherever found	\$100	\$0	\$100
		Ha`iwale	Cyrtandra viridiflora	Wherever found	\$100	\$0	\$100
		Ha`iwale	Cyrtandra kaulantha	Wherever found	\$100	\$0	\$100
		Haha	Cyanea lanceolata	Wherever found	\$100	\$0	\$100
		Haha	Cyanea purpurellifolia	Wherever found	\$100	\$0	\$100
		Haha	Cyanea st.-johnii	Wherever found	\$100	\$0	\$100
		Haha	Cyanea humboldtiana	Wherever found	\$100	\$0	\$100
		Haha	Cyanea calycina	Wherever found	\$100	\$0	\$100
		Haha	Cyanea crispa	Wherever found	\$100	\$0	\$100
		Harperella	Ptilimnium nodosum	Wherever found	\$800	\$0	\$800
		Heartleaf, Dwarf-flowered	Hexastylis naniflora	Wherever found	\$200	\$0	\$200
		Howellia, Water	Howellia aquatilis	UNK	\$300	\$0	\$300
		Irisette, White	Sisyrinchium dichotomum	Wherever found	\$200	\$0	\$200
		Ivesia, Ash Meadows	Ivesia kingii var. eremica	Wherever found	\$600	\$0	\$600
		Ivesia, Webber's	Ivesia webberi	Wherever found	\$600	\$0	\$600
		Joint-vetch, Sensitive	Aeschynomene virginica	Wherever found	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kamanomano	<i>Cenchrus agrimonioides</i>	Wherever found	\$100	\$0	\$100
		Kauila	<i>Colubrina oppositifolia</i>	Wherever found	\$100	\$0	\$100
		Kaulu	<i>Pteralyxia macrocarpa</i>	Wherever found	\$100	\$0	\$100
		Kio`ele	<i>Kadua coriacea</i>	Wherever found	\$100	\$0	\$100
		Ko`oloa`ula	<i>Abutilon menziesii</i>	Wherever found	\$100	\$0	\$100
		Kuahiwi Laukahi	<i>Plantago princeps</i>	Wherever found	\$100	\$0	\$100
		Kula Wahine Noho	<i>Isodendrion pyrifolium</i>	Wherever found	\$100	\$0	\$100
		Kulu`i	<i>Nototrichium humile</i>	Wherever found	\$100	\$0	\$100
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	Wherever found	\$1,900	\$0	\$1,900
		Leather Flower, Alabama	<i>Clematis socialis</i>	Wherever found	\$300	\$0	\$300
		Leather Flower, Morefields	<i>Clematis morefieldii</i>	UNK	\$100	\$0	\$100
		Loosestrife, Rough-leaved	<i>Lysimachia asperulaefolia</i>	Wherever found	\$200	\$0	\$200
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>	Wherever found	\$300	\$0	\$300
		Ma`o Hau Hele, (=native Yellow Hibiscus)	<i>Hibiscus brackenridgei</i>	Wherever found	\$100	\$0	\$100
		Ma`oli`oli	<i>Schiedea kealiae</i>	Wherever found	\$100	\$0	\$100
		Mahoe	<i>Alectryon macrococcus</i>	Wherever found	\$100	\$0	\$100
		Makou	<i>Peucedanum sandwicense</i>	Wherever found	\$100	\$0	\$100
		Mallow, Gierisch	<i>Sphaeralcea gierischii</i>	Wherever found	\$200	\$0	\$200
		Mallow, Peter's Mountain	<i>Iliamna corei</i>	Wherever found	\$100	\$0	\$100
		Manioc, Walker's	<i>Manihot walkerae</i>	Wherever found	\$7,100	\$0	\$7,100
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	Wherever found	\$300	\$0	\$300
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	Wherever found	\$100	\$0	\$100
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	Wherever found	\$200	\$0	\$200
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	Wherever found	\$200	\$0	\$200
		Milkweed, Welsh's	<i>Asclepias welshii</i>	Wherever found	\$200	\$0	\$200
		Monkshood, Northern Wild	<i>Aconitum noveboracense</i>	Wherever found	\$300	\$0	\$300
		Mountain-mahogany, Catalina Island	<i>Cercocarpus traskiae</i>	Wherever found	\$600	\$0	\$600
		Nehe	<i>Lipochaeta lobata</i> var. <i>leptophylla</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Neraudia angulata</i>	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No Common Name	<i>Schiedea trinervis</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Schiedea hookeri</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Stenogyne kanchoana</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Silene lanceolata</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Stenogyne kaalae</i> ssp. <i>sherffii</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Lobelia koolauensis</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Sanicula purpurea</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Lobelia niihauensis</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Schiedea obovata</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Abutilon sandwicense</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Gouania meyenii</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Bonamia menziesii</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Kadua parvula</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Silene alexandri</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Hesperomannia arbuscula</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Tetramolopium filiforme</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Lysimachia filifolia</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Gouania vitifolia</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Hesperomannia arborescens</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Lobelia oahuensis</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Schiedea kaalae</i>	Wherever found	\$100	\$0	\$100
		No Common Name	<i>Phyllostegia hirsuta</i>	Wherever found	\$100	\$0	\$100
		Oha	<i>Delissea subcordata</i>	Wherever found	\$100	\$0	\$100
		Orchid, Eastern Prairie Fringed	<i>Platanthera leucophaea</i>	Wherever found	\$400	\$0	\$400
		Orchid, Western Prairie Fringed	<i>Platanthera praeclara</i>	Wherever found	\$1,100	\$0	\$1,100
		Orchid, White Fringeless	<i>Platanthera integrilabia</i>	UNK	\$100	\$0	\$100
		Orcutt Grass, Slender	<i>Orcuttia tenuis</i>	Wherever found	\$100	\$0	\$100
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	Wherever found	\$100	\$0	\$100
		Penstemon, Blowout	<i>Penstemon haydenii</i>	Wherever found	\$200	\$0	\$200
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>	UNK	\$1,400	\$0	\$1,400
		Pink, Swamp	<i>Helonias bullata</i>	Wherever found	\$500	\$0	\$500



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pinkroot, Gentian	<i>Spigelia gentianoides</i>	Wherever found	\$100	\$0	\$100
		Pitcher-plant, Alabama Canebrake	<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>	Wherever found	\$100	\$0	\$100
		Pitcher-plant, Green	<i>Sarracenia oreophila</i>	Wherever found	\$200	\$0	\$200
		Pitcher-plant, Mountain Sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>	Wherever found	\$100	\$0	\$100
		Plum, Scrub	<i>Prunus geniculata</i>	Wherever found	\$600	\$0	\$600
		Pogonia, Small Whorled	<i>Isotria medeoloides</i>	Wherever found	\$2,000	\$0	\$2,000
		Pondberry	<i>Lindera melissifolia</i>	Wherever found	\$1,600	\$0	\$1,600
		Potato-bean, Prices	<i>Apios priceana</i>	UNK	\$200	\$0	\$200
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>	Wherever found	\$600	\$0	\$600
		Prairie-clover, Leafy	<i>Dalea foliosa</i>	Wherever found	\$200	\$0	\$200
		Rattleweed, Hairy	<i>Baptisia arachnifera</i>	Wherever found	\$200	\$0	\$200
		Rock Cress, Shale Barren	<i>Arabis serotina</i>	Wherever found	\$500	\$0	\$500
		Rockcress, Georgia	<i>Arabis georgiana</i>	Wherever found	\$100	\$0	\$100
		Sandwort, Marsh	<i>Arenaria paludicola</i>	Wherever found	\$300	\$0	\$300
		Schiedea, Diamond Head	<i>Schiedea adamantis</i>	Wherever found	\$100	\$0	\$100
		Sedge, Golden	<i>Carex lutea</i>	Wherever found	\$100	\$0	\$100
		Skullcap, Florida	<i>Scutellaria floridana</i>	Wherever found	\$100	\$0	\$100
		Skullcap, Large-flowered	<i>Scutellaria montana</i>	Wherever found	\$100	\$0	\$100
		Sneezeweed, Virginia	<i>Helenium virginicum</i>	Wherever found	\$100	\$0	\$100
		Snowbells, Texas	<i>Styrax texanus</i>	Wherever found	\$7,100	\$0	\$7,100
		Spiraea, Virginia	<i>Spiraea virginiana</i>	Wherever found	\$1,500	\$0	\$1,500
		Stickseed, Showy	<i>Hackelia venusta</i>	Wherever found	\$300	\$0	\$300
		Sumac, Michaux's	<i>Rhus michauxii</i>	Wherever found	\$400	\$0	\$400
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	Wherever found	\$100	\$0	\$100
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	Wherever found	\$200	\$0	\$200
		Sunflower, Whorled	<i>Helianthus verticillatus</i>	UNK	\$100	\$0	\$100
		Thelypody, Howell's Spectacular	<i>Thelypodium howellii</i> ssp. <i>spectabilis</i>	Wherever found	\$100	\$0	\$100
		Trillium, Persistent	<i>Trillium persistens</i>	Wherever found	\$200	\$0	\$200
		Trillium, Relict	<i>Trillium reliquum</i>	Wherever found	\$100	\$0	\$100
		Tuctoria, Greene's	<i>Tuctoria greenei</i>	Wherever found	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Uhi Uhi	Mezoneuron kavaiense	Wherever found	\$100	\$0	\$100
		Water-plantain, Kral's	Sagittaria secundifolia	Wherever found	\$100	\$0	\$100
		Wire-lettuce, Malheur	Stephanomeria malheurensis	Wherever found	\$100	\$0	\$100
		Ziziphus, Florida	Ziziphus celata	Wherever found	\$600	\$0	\$600
	<i>Flowering Plants subtotal</i>				<i>\$109,250</i>	<i>\$0</i>	<i>\$109,250</i>
	Insects	Beetle, [no Common Name]	Rhadine exilis	Wherever found	\$300	\$0	\$300
		Beetle, [no Common Name]	Rhadine infernalis	Wherever found	\$300	\$0	\$300
		Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$1,100	\$0	\$1,100
		Beetle, American Burying	Nicrophorus americanus	Ex Pop, SW Missouri	\$300	\$0	\$300
		Beetle, Casey's June	Dinacoma caseyi	Wherever found	\$300	\$0	\$300
		Beetle, Coffin Cave Mold	Batrisodes texanus	Wherever found	\$300	\$0	\$300
		Beetle, Comal Springs Dryopid	Stygoparnus comalensis	Wherever found	\$300	\$0	\$300
		Beetle, Comal Springs Riffle	Heterelmis comalensis	Wherever found	\$300	\$0	\$300
		Beetle, Delta Green Ground	Elaphrus viridis	Wherever found	\$300	\$0	\$300
		Beetle, Helotes Mold	Batrisodes venyivi	Wherever found	\$300	\$0	\$300
		Beetle, Hungerford's Crawling Water	Brychius hungerfordi	Wherever found	\$300	\$0	\$300
		Beetle, Kretschmarr Cave Mold	Texamaurops reddelli	Wherever found	\$300	\$0	\$300
		Beetle, Mount Hermon June	Polyphylla barbata	Wherever found	\$300	\$0	\$300
		Beetle, Tooth Cave Ground	Rhadine persephone	Wherever found	\$300	\$0	\$300
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$300	\$0	\$300
		Bumble Bee, Rusty Patched	Bombus affinis	Wherever found	\$2,000	\$0	\$2,000
		Butterfly, Bartram's Hairstreak	Strymon acis bartrami	Wherever found	\$300	\$0	\$300
		Butterfly, Bay Checkerspot	Euphydryas editha bayensis	Wherever found	\$400	\$0	\$400
		Butterfly, Behren's Silverspot	Speyeria zerene behrensii	Wherever found	\$400	\$0	\$400
		Butterfly, Callippe Silverspot	Speyeria callippe callippe	Wherever found	\$400	\$0	\$400
		Butterfly, Cassius Blue	Leptotes cassius theonus	Wherever found	\$300	\$0	\$300
		Butterfly, Ceraunus Blue	Hemiargus ceraunus antibubastus	Wherever found	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, El Segundo Blue	<i>Euphilotes battoides allyni</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Fender's Blue	<i>Icaricia icarioides fenderi</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Florida Leafwing	<i>Anaea troglodyta floralis</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Karner Blue	<i>Lycaeides melissa samuelis</i>	Wherever found	\$800	\$0	\$800
		Butterfly, Lange's Metalmark	<i>Apodemia mormo langei</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Lotis Blue	<i>Lycaeides argyrognomon lotis</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Mariana Eight-spot	<i>Hypolimnias octocula marianensis</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Mariana Wandering	<i>Vagrans egistina</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Mission Blue	<i>Icaricia icarioides missionensis</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Mitchell's Satyr	<i>Neonympha mitchellii mitchellii</i>	Wherever found	\$800	\$0	\$800
		Butterfly, Mount Charleston Blue	<i>Icaricia (Plebejus) shasta charlestonensis</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Myrtle's Silverspot	<i>Speyeria zerene myrtleae</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Nickerbean Blue	<i>Cyclargus ammon</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Oregon Silverspot	<i>Speyeria zerene hippolyta</i>	UNK	\$300	\$0	\$300
		Butterfly, Oregon Silverspot	<i>Speyeria zerene hippolyta</i>	Wherever found	\$700	\$0	\$700
		Butterfly, Palos Verdes Blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Quino Checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Saint Francis' Satyr	<i>Neonympha mitchellii francisci</i>	Wherever found	\$400	\$0	\$400
		Butterfly, San Bruno Elfin	<i>Callophrys mossii bayensis</i>	Wherever found	\$300	\$0	\$300
		Butterfly, Schaus Swallowtail	<i>Heraclides aristodemus ponceanus</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Smith's Blue	<i>Euphilotes enoptes smithi</i>	Wherever found	\$400	\$0	\$400
		Butterfly, Uncompahgre Fritillary	<i>Boloria acrocneuma</i>	Wherever found	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Checkerspot, Taylor's (=whulge)	<i>Euphydryas editha taylori</i>	Wherever found	\$400	\$0	\$400
		Damselfly, Blackline Hawaiian	<i>Megalagrion nigrohamatum nigrolineatum</i>	Wherever found	\$400	\$0	\$400
		Damselfly, Crimson Hawaiian	<i>Megalagrion leptodemas</i>	Wherever found	\$400	\$0	\$400
		Damselfly, Flying Earwig Hawaiian	<i>Megalagrion nesiotis</i>	Wherever found	\$300	\$0	\$300
		Damselfly, Oceanic Hawaiian	<i>Megalagrion oceanicum</i>	Wherever found	\$400	\$0	\$400
		Damselfly, Orangeblack Hawaiian	<i>Megalagrion xanthomelas</i>	Wherever found	\$400	\$0	\$400
		Damselfly, Pacific Hawaiian	<i>Megalagrion pacificum</i>	Wherever found	\$300	\$0	\$300
		Damselfly, Rota Blue	<i>Ischnura luta</i>	Wherever found	\$300	\$0	\$300
		Dragonfly, Hine's Emerald	<i>Somatochlora hineana</i>	Wherever found	\$300	\$0	\$300
		Fly, Delhi Sands Flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	Wherever found	\$300	\$0	\$300
		Fly, Hawaiian Picture-wing	<i>Drosophila heteroneura</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila differens</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila mulli</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila substenoptera</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila musaphilia</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila ochrobasis</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila aglaia</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila digressa</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila hemipeza</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila tarphytrichia</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila sharpi</i>	Wherever found	\$400	\$0	\$400
		Fly, Hawaiian Picture-wing	<i>Drosophila obatai</i>	Wherever found	\$400	\$0	\$400
		Grasshopper, Zayante Band-winged	<i>Trimerotropis infantilis</i>	Wherever found	\$300	\$0	\$300
		Moth, Blackburn's Sphinx	<i>Manduca blackburni</i>	Wherever found	\$300	\$0	\$300
		Moth, Kern Primrose Sphinx	<i>Euproserpinus euterpe</i>	Wherever found	\$400	\$0	\$400
		Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	Wherever found	\$900	\$0	\$900
		Picture-wing Fly, Hawaiian	<i>Drosophila montgomeryi</i>	Wherever found	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Picture-wing Fly, Hawaiian	Drosophila neoclavisetae	Wherever found	\$400	\$0	\$400
		Skipper, Carson Wandering	Pseudocopaodes eunus obscurus	Wherever found	\$300	\$0	\$300
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$1,200	\$0	\$1,200
		Skipper, Laguna Mountains	Pyrgus ruralis lagunae	Wherever found	\$400	\$0	\$400
		Skipper, Pawnee Montane	Hesperia leonardus montana	Wherever found	\$400	\$0	\$400
		Skipperling, Poweshiek	Oarisma poweshiek	Wherever found	\$600	\$0	\$600
		Tiger Beetle, Miami	Cicindelia floridana	Wherever found	\$300	\$0	\$300
		Tiger Beetle, Northeastern Beach	Cicindela dorsalis dorsalis	Wherever found	\$700	\$0	\$700
		Tiger Beetle, Ohlone	Cicindela ohlone	Wherever found	\$300	\$0	\$300
		Tiger Beetle, Puritan	Cicindela puritana	Wherever found	\$400	\$0	\$400
		Tiger Beetle, Salt Creek	Cicindela nevadica lincolniana	Wherever found	\$500	\$0	\$500
		Yellow-faced Bee, Anthracinan	Hylaeus anthracinus	Wherever found	\$300	\$0	\$300
		Yellow-faced Bee, Assimulans	Hylaeus assimulans	Wherever found	\$300	\$0	\$300
		Yellow-faced Bee, Easy	Hylaeus facilis	Wherever found	\$300	\$0	\$300
		Yellow-faced Bee, Hawaiian	Hylaeus kuakea	Wherever found	\$300	\$0	\$300
		Yellow-faced Bee, Hawaiian	Hylaeus mana	Wherever found	\$300	\$0	\$300
		Yellow-faced Bee, Hawaiian	Hylaeus longiceps	Wherever found	\$300	\$0	\$300
		Yellow-faced Bee, Hilaris	Hylaeus hilaris	Wherever found	\$300	\$0	\$300
	<i>Insects subtotal</i>				<i>\$37,100</i>	<i>\$0</i>	<i>\$37,100</i>
	Lichens	Lichen, Rock Gnome	Gymnoderma lineare	Wherever found	\$100	\$0	\$100
	<i>Lichens subtotal</i>				<i>\$100</i>	<i>\$0</i>	<i>\$100</i>
	Mammals	Bat, Florida Bonneted	Eumops floridanus	Wherever found	\$1,100	\$0	\$1,100
		Bat, Gray	Myotis grisescens	Wherever found	\$600	\$0	\$600
		Bat, Hawaiian Hoary	Lasiurus cinereus semotus	Wherever found	\$100	\$0	\$100
		Bat, Indiana	Myotis sodalis	Wherever found	\$2,000	\$0	\$2,000
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$3,400	\$0	\$3,400
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bear, Grizzly	<i>Ursus arctos horribilis</i>	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$151,700	\$0	\$151,700
		Caribou, Woodland	<i>Rangifer tarandus caribou</i>	Southern Mountain DPS	\$300	\$0	\$300
		Deer, Columbian White-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$300	\$0	\$300
		Ferret, Black-footed	<i>Mustela nigripes</i>	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(e)(9))	\$40,000	\$0	\$40,000
		Ferret, Black-footed	<i>Mustela nigripes</i>	Wherever found, except where listed as an experimental population	\$700	\$0	\$700
		Jaguar	<i>Panthera onca</i>	Wherever found	\$200	\$0	\$200
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) vagouaroundsi cacomitli</i>	Wherever found	\$7,400	\$0	\$7,400
		Lynx, Canada	<i>Lynx canadensis</i>	Wherever Found in Contiguous U.S.	\$1,800	\$0	\$1,800
		Manatee, West Indian	<i>Trichechus manatus</i>	Wherever found	\$8,000	\$0	\$8,000
		Mouse, Alabama Beach	<i>Peromyscus polionotus ammobates</i>	Wherever found	\$200	\$0	\$200
		Mouse, New Mexico Meadow Jumping	<i>Zapus hudsonius luteus</i>	Wherever found	\$200	\$0	\$200
		Mouse, Perdido Key Beach	<i>Peromyscus polionotus trissyllepsis</i>	Wherever found	\$200	\$0	\$200
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	wherever found	\$11,800	\$0	\$11,800
		Panther, Florida	<i>Puma (=Felis) concolor corvi</i>	Wherever found	\$1,100	\$0	\$1,100
		Pocket Gopher, Olympia	<i>Thomomys mazama pugetensis</i>	Wherever found	\$300	\$0	\$300
		Pocket Gopher, Roy Prairie	<i>Thomomys mazama glacialis</i>	Wherever found	\$300	\$0	\$300
		Pocket Gopher, Tenino	<i>Thomomys mazama tumuli</i>	Wherever found	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pocket Gopher, Yelm	Thomomys mazama yelmensis	Wherever found	\$300	\$0	\$300
		Rabbit, Columbia Basin Pygmy	Brachylagus idahoensis	Columbia Basin DPS	\$300	\$0	\$300
		Squirrel, Carolina Northern Flying	Glaucomys sabrinus coloratus	Wherever found	\$100	\$0	\$100
		Squirrel, Northern Idaho Ground	Urocitellus brunneus	Wherever found	\$1,400	\$0	\$1,400
		Vole, Amargosa	Microtus californicus scirpensis	Wherever found	\$700	\$0	\$700
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$200	\$0	\$200
		Whale, Humpback	Megaptera novaeangliae	Central America DPS	\$200	\$0	\$200
		Whale, Killer	Orcinus orca	Southern Resident DPS	\$200	\$0	\$200
		Wolf, Mexican	Canis lupus baileyi	U.S.A. (portions of AZ and NM)see 17.84(k)	\$190,000	\$0	\$190,000
		Wolf, Mexican	Canis lupus baileyi	Wherever found, except where listed as an experimental population	\$300,400	\$0	\$300,400
	<i>Mammals subtotal</i>				<i>\$726,300</i>	<i>\$0</i>	<i>\$726,300</i>
	Reptiles	Gartersnake, Narrow-headed	Thamnophis rufipunctatus	Wherever found	\$200	\$0	\$200
		Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$8,700	\$0	\$8,700
		Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$700	\$0	\$700
		Rattlesnake, New Mexican Ridge-nosed	Crotalus willardi obscurus	Wherever found	\$100	\$0	\$100
		Sea Turtle, Green	Chelonia mydas	South Atlantic DPS	\$14,000	\$0	\$14,000
		Sea Turtle, Green	Chelonia mydas	North Atlantic DPS	\$1,000	\$0	\$1,000
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$13,400	\$0	\$13,400
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$16,600	\$0	\$16,600
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$8,300	\$0	\$8,300
		Sea Turtle, Loggerhead	Caretta caretta	Northwest Atlantic Ocean DPS	\$12,600	\$0	\$12,600
		Snake, Black Pine	Pituophis melanoleucus lodingi	Wherever found	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snake, Copperbelly Water	Nerodia erythrogaster neglecta	Indiana north of 40 degrees north latitude, Michigan, Ohio	\$300	\$0	\$300
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$300	\$0	\$300
		Tortoise, Desert	Gopherus agassizii	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	\$200	\$0	\$200
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$5,400	\$0	\$5,400
		Turtle, Alabama Red-bellied	Pseudemys alabamensis	Wherever found	\$100	\$0	\$100
		Turtle, Bog	Clemmys muhlenbergii	Wherever found, except GA, NC, SC, TN, VA	\$700	\$0	\$700
		Turtle, Flattened Musk	Sternotherus depressus	Black Warrior R. system upstream from Bankhead Dam	\$100	\$0	\$100
		Turtle, Ringed Map	Graptemys oculifera	Wherever found	\$100	\$0	\$100
		Turtle, Yellow-blotched Map	Graptemys flavimaculata	Wherever found	\$100	\$0	\$100
	<i>Reptiles subtotal</i>				\$83,200	\$0	\$83,200
	Snails	Ambersnail, Kanab	Oxyloma haydeni kanabensis	Wherever found	\$200	\$0	\$200
		Campeloma, Slender	Campeloma decampi	Wherever found	\$100	\$0	\$100
		Elimia, Lacy (snail)	Elimia crenatella	Wherever found	\$100	\$0	\$100
		Hornsnail, Rough	Pleurocera foremani	Wherever found	\$100	\$0	\$100
		Limpet, Banbury Springs	Lanx sp.	Wherever found	\$1,400	\$0	\$1,400
		Lioplax, Cylindrical (snail)	Lioplax cyclostomaformis	Wherever found	\$100	\$0	\$100
		Pebblesnail, Flat	Lepyrium showalteri	Wherever found	\$100	\$0	\$100
		Riversnail, Anthony's	Athearnia anthonyi	Wherever found; Except where listed as Experimental Populations	\$100	\$0	\$100
		Rocksnail, Interrupted (=georgia)	Leptoxis foremani	Wherever found	\$100	\$0	\$100



Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rocksnail, Painted	Leptoxis taeniata	Wherever found	\$100	\$0	\$100
		Rocksnail, Plicate	Leptoxis plicata	Wherever found	\$100	\$0	\$100
		Rocksnail, Round	Leptoxis ampla	Wherever found	\$100	\$0	\$100
		Snail, Armored	Pyrgulopsis (=Marstonia) pachyta	Wherever found	\$100	\$0	\$100
		Snail, Bliss Rapids	Taylorconcha serpenticola	Wherever found	\$1,400	\$0	\$1,400
		Snail, Flat-spined Three-toothed	Triodopsis platysayoides	Wherever found	\$400	\$0	\$400
		Snail, Tulotoma	Tulotoma magnifica	Wherever found	\$100	\$0	\$100
		Snail, Virginia Fringed Mountain	Polygyriscus virginianus	Wherever found	\$100	\$0	\$100
		Springsnail, Bruneau Hot	Pyrgulopsis bruneauensis	Wherever found	\$1,400	\$0	\$1,400
	<i>Snails subtotal</i>				<i>\$6,100</i>	<i>\$0</i>	<i>\$6,100</i>
<b>Domestic Subtotal</b>					<b>\$1,239,300</b>	<b>\$0</b>	<b>\$1,239,300</b>
Foreign	Insects	Butterfly, Corsican Swallowtail	Papilio hospiton	Wherever found	\$300	\$0	\$300
		Butterfly, Homerus Swallowtail	Papilio homerus	Wherever found	\$300	\$0	\$300
		Butterfly, Luzon Peacock Swallowtail	Papilio chikae	Wherever found	\$300	\$0	\$300
		Butterfly, Queen Alexandra's Birdwing	Troides alexandrae	Wherever found	\$300	\$0	\$300
	<i>Insects subtotal</i>				<i>\$1,200</i>	<i>\$0</i>	<i>\$1,200</i>
	Reptiles	Crocodile, American	Crocodylus acutus	Wherever found, except in U.S.A. (FL)	\$1,100	\$0	\$1,100
		Lizard, Maria Island Ground	Cnemidophorus vanzoi	Wherever found	\$5,000	\$0	\$5,000
		Sea Turtle, Loggerhead	Caretta caretta	South Pacific Ocean DPS	\$14,000	\$0	\$14,000
	<i>Reptiles subtotal</i>				<i>\$20,100</i>	<i>\$0</i>	<i>\$20,100</i>
<b>Foreign Subtotal</b>					<b>\$21,300</b>	<b>\$0</b>	<b>\$21,300</b>
Multi-species					\$605,800	\$0	\$605,800
<b>Multi-species Subtotal</b>					<b>\$605,800</b>	<b>\$0</b>	<b>\$605,800</b>
<b>Grand Total</b>					<b>\$1,866,400</b>	<b>\$0</b>	<b>\$1,866,400</b>

## USDA Forest Service - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total	
Domestic	Amphibians	Frog, Dusky Gopher	Rana sevosia	Wherever found	\$163,183	\$0	\$163,183	
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$78,289	\$0	\$78,289	
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$186,693	\$0	\$186,693	
		Salamander, Cheat Mountain	Plethodon nettingi	Wherever found	\$8,000	\$0	\$8,000	
		Toad, Yosemite	Anaxyrus canorus	Wherever found	\$11,000	\$0	\$11,000	
		<i>Amphibians subtotal</i>				<i>\$447,165</i>	<i>\$0</i>	<i>\$447,165</i>
		Birds		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$1,680	\$0
Murrelet, Marbled	Brachyramphus marmoratus			U.S.A. (CA, OR, WA)	\$127,802	\$0	\$127,802	
Owl, Mexican Spotted	Strix occidentalis lucida			Wherever found	\$3,336,337	\$0	\$3,336,337	
Owl, Northern Spotted	Strix occidentalis caurina			Wherever found	\$1,472,921	\$0	\$1,472,921	
Palila (honeycreeper)	Loxioides bailleui			Wherever found	\$5,000	\$0	\$5,000	
Parrot, Puerto Rican	Amazona vittata			Wherever found	\$50,000	\$0	\$50,000	
Sage-grouse, Gunnison	Centrocercus minimus			Wherever found	\$29,400	\$0	\$29,400	
Scrub-jay, Florida	Aphelocoma coerulescens			Wherever found	\$31,391	\$0	\$31,391	
Warbler (=wood), Golden-cheeked	Dendroica chrysoparia			Wherever found	\$35,000	\$0	\$35,000	
Warbler, Kirtland's	Setophaga kirtlandii (= Dendroica kirtlandii)			Wherever found	\$20,225	\$0	\$20,225	
Woodpecker, Red-cockaded	Picoides borealis			Wherever found	\$4,034,117	\$0	\$4,034,117	
<i>Birds subtotal</i>						<i>\$9,143,873</i>	<i>\$0</i>	<i>\$9,143,873</i>
Clams				Bean, Cumberland (pearlymussel)	Villosa trabalis	Wherever found; Except where listed as Experimental Populations	\$20,000	\$0
		Heelsplitter, Carolina	Lasmigona decorata	Wherever found	\$80,497	\$0	\$80,497	
		Kidneyshell, Fluted	Ptychobranthus subtentus	Wherever found	\$10,000	\$0	\$10,000	
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$2,000	\$0	\$2,000	
		Pearlymussel, Littlewing	Pegias fabula	Wherever found	\$4,000	\$0	\$4,000	
		<i>Clams subtotal</i>				<i>\$116,497</i>	<i>\$0</i>	<i>\$116,497</i>

	Conifers and Cycads	Torreya, Florida	Torreya taxifolia	Wherever found	\$50,000	\$0	\$50,000
	<i>Conifers and Cycads subtotal</i>				\$50,000	\$0	\$50,000
	Ferns and Allies	Fern, American Hart's-tongue	Asplenium scolopendrium var. americanum	Wherever found	\$5,500	\$0	\$5,500
		Quillwort, Louisiana	Isoetes louisianensis	Wherever found	\$50,000	\$0	\$50,000
	<i>Ferns and Allies subtotal</i>				\$55,500	\$0	\$55,500
	Fishes	Catfish, Yaqui	Ictalurus pricei	Wherever found	\$1,000	\$0	\$1,000
		Chub, Gila	Gila intermedia	Wherever found	\$250	\$0	\$250
		Eulachon	Thaleichthys pacificus	Southern DPS	\$1,180	\$0	\$1,180
		Minnow, Loach	Tiaroga cobitis	Wherever found	\$53,500	\$0	\$53,500
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$5,000	\$0	\$5,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Lower Columbia River ESU	\$62,046	\$0	\$62,046
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River spring/summer-run ESU	\$492,121	\$0	\$492,121
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Upper Columbia spring-run ESU	\$81,180	\$0	\$81,180
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$1,180	\$0	\$1,180
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Puget Sound ESU	\$54,473	\$0	\$54,473
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$2,363	\$0	\$2,363
		Salmon, Chum	Oncorhynchus keta	Columbia River ESU	\$17,180	\$0	\$17,180
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Southern Oregon - Northern California Coast ESU	\$80,450	\$0	\$80,450
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Lower Columbia River ESU	\$40,522	\$0	\$40,522
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$160,000	\$0	\$160,000
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Snake River ESU	\$1,180	\$0	\$1,180
		Spikedace	Meda fulgida	Wherever found	\$54,500	\$0	\$54,500
		Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	\$469,975	\$0	\$469,975
		Steelhead	Oncorhynchus (=Salmo) mykiss	Upper Columbia River DPS	\$62,380	\$0	\$62,380

		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$30,815	\$0	\$30,815
		Steelhead	Oncorhynchus (=Salmo) mykiss	Puget Sound DPS	\$52,940	\$0	\$52,940
		Steelhead	Oncorhynchus (=Salmo) mykiss	Snake River Basin DPS	\$260,064	\$0	\$260,064
		Steelhead	Oncorhynchus (=Salmo) mykiss	Northern California DPS	\$30,000	\$0	\$30,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Middle Columbia River DPS	\$815,550	\$0	\$815,550
		Sucker, Santa Ana	Catostomus santaanae	3 CA river basins	\$82	\$0	\$82
		Sucker, Warner	Catostomus warnerensis	Wherever found	\$5,000	\$0	\$5,000
		Sucker, Zuni Bluehead	Catostomus discobolus yarrowi	Wherever found	\$1,000	\$0	\$1,000
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$1,250	\$0	\$1,250
		Trout, Apache	Oncorhynchus apache	Wherever found	\$16,000	\$0	\$16,000
		Trout, Bull	Salvelinus confluentus	U.S.A., conterminous, lower 48 states	\$1,753,409	\$0	\$1,753,409
		Trout, Gila	Oncorhynchus gilae	Wherever found	\$505,000	\$0	\$505,000
		Trout, Greenback Cutthroat	Oncorhynchus clarkii stomias	Wherever found	\$136,000	\$0	\$136,000
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$38,000	\$0	\$38,000
		Trout, Paiute Cutthroat	Oncorhynchus clarkii seleniris	Wherever found	\$1,000	\$0	\$1,000
		<i>Fishes subtotal</i>			<i>\$5,286,590</i>	<i>\$0</i>	<i>\$5,286,590</i>
	Flowering Plants	Avens, Spreading	Geum radiatum	Wherever found	\$900	\$0	\$900
		Barberry, Nevin's	Berberis nevinii	Wherever found	\$1,200	\$0	\$1,200
		Bear-poppy, Dwarf	Arctomecon humilis	Wherever found	\$110,000	\$0	\$110,000
		Beargrass, Britton's	Nolina brittoniana	Wherever found	\$500	\$0	\$500
		Beauty, Harper's	Harperocallis flava	Wherever found	\$18,000	\$0	\$18,000
		Birds-in-a-nest, White	Macbridea alba	Wherever found	\$8,200	\$0	\$8,200
		Blazingstar, Heller's	Liatris helleri	Wherever found	\$1,200	\$0	\$1,200
		Bluegrass, San Bernardino	Poa atropurpurea	Wherever found	\$250	\$0	\$250
		Bluet, Roan Mountain	Hedyotis purpurea var. montana	Wherever found	\$1,300	\$0	\$1,300
		Bonamia, Florida	Bonamia grandiflora	Wherever found	\$1,500	\$0	\$1,500

		Brodiaea, Thread-leaved	Brodiaea filifolia	Wherever found	\$250	\$0	\$250
		Buckwheat, Scrub	Eriogonum longifolium var. gnaphalifolium	Wherever found	\$3,017	\$0	\$3,017
		Butterweed, Layne's	Senecio layneae	Wherever found	\$2,400	\$0	\$2,400
		Butterwort, Godfrey's	Pinguicula ionantha	Wherever found	\$4,900	\$0	\$4,900
		Cactus, Bakersfield	Opuntia treleasei	Wherever found	\$1,500	\$0	\$1,500
		Cactus, Kuenzler Hedgehog	Echinocereus fendleri var. kuenzleri	Wherever found	\$1,000	\$0	\$1,000
		Cactus, Lee Pincushion	Coryphantha sneedii var. leei	Wherever found	\$1,000	\$0	\$1,000
		Capa Rosa	Callicarpa ampla	Wherever found	\$700	\$0	\$700
		Catchfly, Spalding's	Silene spaldingii	Wherever found	\$8,200	\$0	\$8,200
		Chaffseed, American	Schwalbea americana	Wherever found	\$16,000	\$0	\$16,000
		Checker-mallow, Keck's	Sidalcea keckii	Wherever found	\$100	\$0	\$100
		Checkermallow, Wenatchee Mountains	Sidalcea oregana var. calva	Wherever found	\$1,800	\$0	\$1,800
		Chupacallos	Pleodendron macranthum	Wherever found	\$300	\$0	\$300
		Clarkia, Springville	Clarkia springvillensis	Wherever found	\$500	\$0	\$500
		Cliffrose, Arizona	Purshia (=Cowania) subintegra	Wherever found	\$16,000	\$0	\$16,000
		Clover, Running Buffalo	Trifolium stoloniferum	UNK	\$21,800	\$0	\$21,800
		Coneflower, Smooth	Echinacea laevigata	Wherever found	\$12,000	\$0	\$12,000
		Daisy, Lakeside	Hymenoxys herbacea	Wherever found	\$1,600	\$0	\$1,600
		Dropwort, Canby's	Oxypolis canbyi	Wherever found	\$2,000	\$0	\$2,000
		Flannelbush, Mexican	Fremontodendron mexicanum	Wherever found	\$16,000	\$0	\$16,000
		Four-o'clock, Macfarlane's	Mirabilis macfarlanei	Wherever found	\$3,000	\$0	\$3,000
		Fritillary, Gentner's	Fritillaria gentneri	Wherever found	\$5,000	\$0	\$5,000
		Goldenrod, Blue Ridge	Solidago spithamaea	Wherever found	\$200	\$0	\$200
		Goldenrod, Houghton's	Solidago houghtonii	Wherever found	\$800	\$0	\$800
		Gooseberry, Miccosukee	Ribes echinellum	Wherever found	\$1,000	\$0	\$1,000
		Heather, Mountain Golden	Hudsonia montana	Wherever found	\$3,000	\$0	\$3,000
		Ipomopsis, Holy Ghost	Ipomopsis sancti-spiritus	Wherever found	\$33,000	\$0	\$33,000
		Iris, Dwarf Lake	Iris lacustris	Wherever found	\$1,350	\$0	\$1,350
		Jewelflower, California	Caulanthus californicus	Wherever found	\$100	\$0	\$100
		Loosestrife, Rough-leaved	Lysimachia asperulaefolia	Wherever found	\$900	\$0	\$900

		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>	Wherever found	\$400	\$0	\$400
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	Wherever found	\$90,000	\$0	\$90,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	Wherever found	\$15,000	\$0	\$15,000
		Milkweed, Mead's	<i>Asclepias meadii</i>	Wherever found	\$19,000	\$0	\$19,000
		No Common Name	<i>Ilex sintenisii</i>	Wherever found	\$300	\$0	\$300
		No Common Name	<i>Lepanthes eltoroensis</i>	Wherever found	\$500	\$0	\$500
		Orchid, Eastern Prairie Fringed	<i>Platanthera leucophaea</i>	Wherever found	\$68,000	\$0	\$68,000
		Orchid, Western Prairie Fringed	<i>Platanthera praeclara</i>	Wherever found	\$11,000	\$0	\$11,000
		Orchid, White Fringeless	<i>Platanthera integrilabia</i>	UNK	\$1,500	\$0	\$1,500
		Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>	Wherever found	\$1,000	\$0	\$1,000
		Penstemon, Blowout	<i>Penstemon haydenii</i>	Wherever found	\$15,000	\$0	\$15,000
		Phacelia, Clay	<i>Phacelia argillacea</i>	Wherever found	\$31,300	\$0	\$31,300
		Pigeon Wings	<i>Clitoria fragrans</i>	Wherever found	\$500	\$0	\$500
		Pink, Swamp	<i>Helonias bullata</i>	Wherever found	\$4,000	\$0	\$4,000
		Pogonia, Small Whorled	<i>Isotria medeoloides</i>	Wherever found	\$31,000	\$0	\$31,000
		Polygala, Lewton's	<i>Polygala lewtonii</i>	Wherever found	\$5,043	\$0	\$5,043
		Pondberry	<i>Lindera melissifolia</i>	Wherever found	\$195,000	\$0	\$195,000
		Poppy, Sacramento Prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>	Wherever found	\$3,100	\$0	\$3,100
		Potato-bean, Prices	<i>Apios priceana</i>	UNK	\$9,000	\$0	\$9,000
		Prairie-clover, Leafy	<i>Dalea foliosa</i>	Wherever found	\$28,000	\$0	\$28,000
		Ragwort, San Francisco Peaks	<i>Packera franciscana</i>	Wherever found	\$10,000	\$0	\$10,000
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	Wherever found	\$800	\$0	\$800
		Rose-mallow, Neches River	<i>Hibiscus dasycalyx</i>	Wherever found	\$1,500	\$0	\$1,500
		Skullcap, Florida	<i>Scutellaria floridana</i>	Wherever found	\$5,000	\$0	\$5,000
		Sneezeweed, Virginia	<i>Helenium virginicum</i>	Wherever found	\$8,000	\$0	\$8,000
		Spineflower, Slender-horned	<i>Dodecahema leptoceras</i>	Wherever found	\$1,200	\$0	\$1,200
		Spiraea, Virginia	<i>Spiraea virginiana</i>	Wherever found	\$2,400	\$0	\$2,400
		Stickseed, Showy	<i>Hackelia venusta</i>	Wherever found	\$800	\$0	\$800
		Sunburst, San Joaquin Adobe	<i>Pseudobahia peirsonii</i>	Wherever found	\$100	\$0	\$100
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	Wherever found	\$1,700	\$0	\$1,700
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>	Wherever found	\$32,000	\$0	\$32,000
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	Wherever found	\$31,200	\$0	\$31,200
		Uvillo	<i>Eugenia haematocarpa</i>	Wherever found	\$1,000	\$0	\$1,000

	<i>Flowering Plants subtotal</i>				\$926,810	\$0	\$926,810
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$201,000	\$0	\$201,000
		Butterfly, Karner Blue	Lycaeides melissa samuelis	Wherever found	\$54,149	\$0	\$54,149
		Butterfly, Oregon Silverspot	Speyeria zerene hippolyta	Wherever found	\$10,950	\$0	\$10,950
		Moth, Blackburn's Sphinx	Manduca blackburni	Wherever found	\$3,000	\$0	\$3,000
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$480	\$0	\$480
	<i>Insects subtotal</i>				\$269,579	\$0	\$269,579
	Lichens	Lichen, Rock Gnome	Gymnoderma lineare	Wherever found	\$1,000	\$0	\$1,000
	<i>Lichens subtotal</i>				\$1,000	\$0	\$1,000
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$156,030	\$0	\$156,030
		Bat, Indiana	Myotis sodalis	Wherever found	\$228,923	\$0	\$228,923
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$271,411	\$0	\$271,411
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$1,100	\$0	\$1,100
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$228,711	\$0	\$228,711
		Ferret, Black-footed	Mustela nigripes	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$106,000	\$0	\$106,000
		Jaguar	Panthera onca	Wherever found	\$5,000	\$0	\$5,000
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$119,084	\$0	\$119,084
		Manatee, West Indian	Trichechus manatus	Wherever found	\$6,700	\$0	\$6,700
		Mountain Beaver, Point Arena	Aplodontia rufa nigra	Wherever found	\$1,900	\$0	\$1,900
		Mouse, New Mexico Meadow Jumping	Zapus hudsonius luteus	Wherever found	\$33,100	\$0	\$33,100
		Ocelot	Leopardus (=Felis) pardalis	wherever found	\$1,000	\$0	\$1,000
		Panther, Florida	Puma (=Felis) concolor coryi	Wherever found	\$3,000	\$0	\$3,000

	<i>Mammals subtotal</i>				<i>\$1,161,959</i>	<i>\$0</i>	<i>\$1,161,959</i>
	Reptiles	Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$22,120	\$0	\$22,120
		Pinesnake, Louisiana	Pituophis ruthveni	Wherever found	\$668,995	\$0	\$668,995
		Skink, Sand	Neoseps reynoldsi	Wherever found	\$3,043	\$0	\$3,043
		Snake, Black Pine	Pituophis melanoleucus lodingi	Wherever found	\$393,333	\$0	\$393,333
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$1,517	\$0	\$1,517
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$1,191,290	\$0	\$1,191,290
		Turtle, Bog	Clemmys muhlenbergii	U.S.A. (GA, NC, SC, TN, VA)	\$9,000	\$0	\$9,000
	<i>Reptiles subtotal</i>				<i>\$2,289,298</i>	<i>\$0</i>	<i>\$2,289,298</i>
	Snails	Cavesnail, Tumbling Creek	Antrobia culveri	Wherever found	\$800	\$0	\$800
		Snail, Snake River Physa	Physa natricina	Wherever found	\$10,000	\$0	\$10,000
	<i>Snails subtotal</i>				<i>\$10,800</i>	<i>\$0</i>	<i>\$10,800</i>
<b>Domestic Subtotal</b>					<b><i>\$19,759,071</i></b>	<b><i>\$0</i></b>	<b><i>\$19,759,071</i></b>
Foreign	Mammals	Bear, Brown	Ursus arctos arctos	Italy	\$10,000	\$0	\$10,000
		Cat, Asian Golden (=temmnick's)	Catopuma (=Felis) temminckii	Wherever found	\$5,000	\$0	\$5,000
		Cat, Flat-headed	Prionailurus (=Felis) planiceps	Wherever found	\$1,000	\$0	\$1,000
		Cat, Leopard	Prionailurus (=Felis) bengalensis bengalensis	Wherever found	\$1,000	\$0	\$1,000
		Cat, Marbled	Pardofelis (=Felis) marmorata	Wherever found	\$5,000	\$0	\$5,000
		Cheetah	Acinonyx jubatus	Wherever found	\$1,000	\$0	\$1,000
		Elephant, African	Loxodonta africana	Wherever found	\$10,000	\$0	\$10,000
		Elephant, Asian	Elephas maximus	Wherever found	\$10,000	\$0	\$10,000
		Leopard	Panthera pardus	except where threatened	\$1,000	\$0	\$1,000
		Leopard, Clouded	Neofelis nebulosa	Wherever found	\$5,000	\$0	\$5,000
		Leopard, Snow	Uncia (=Panthera) uncia	Wherever found	\$10,000	\$0	\$10,000
		Orangutan	Pongo pygmaeus	Wherever found	\$2,000	\$0	\$2,000
		Tiger	Panthera tigris	Wherever found	\$5,000	\$0	\$5,000
	<i>Mammals subtotal</i>				<i>\$66,000</i>	<i>\$0</i>	<i>\$66,000</i>



<i>Foreign Subtotal</i>	<i>\$66,000</i>	<i>\$0</i>	<i>\$66,000</i>
<b>Grand Total</b>	<b>\$19,825,071</b>	<b>\$0</b>	<b>\$19,825,071</b>

## USDA Natural Resources Conservation Service - FY 2020

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Multi-Species					\$0	\$336,000	<b>\$336,000</b>
<i>Multi-Species subtotal</i>					<i>\$0</i>	<i>\$336,000</i>	<i>\$336,000</i>
<i>Grand Total</i>					<b>\$0</b>	<b>\$336,000</b>	<b>\$336,000</b>

## Appendix C. Expenditures Reported by States for FY 2020

Through the Association of Fish and Wildlife Agencies, States voluntarily provided annual ESA expenditures directly into the Service's Web-based system. This report includes collective expenditure data from all responding State agencies.

<b>States Provided Expenditure Data for FY 2020</b>	<b>States Did Not Provided Expenditure Data for FY 2020</b>
Arkansas	Alaska
Colorado	Alabama
Florida	American Samoa
Georgia	Arizona
Guam	California
Indiana	Connecticut
Iowa	Delaware
Louisiana	District of Columbia
Massachusetts	Hawaii
Minnesota	Idaho
Missouri	Illinois
Montana	Kansas
Nebraska	Kentucky
New Hampshire	Maine
New Jersey	Maryland
New York	Michigan
North Carolina	Mississippi
North Dakota	New Mexico
Oregon	Nevada
South Carolina	Northern Mariana Islands
South Dakota	Ohio
Texas	Oklahoma
U.S. Virgin Islands	Pennsylvania
Utah	Puerto Rico
Washington	Rhode Island
Wyoming	Tennessee
	Vermont
	Virginia
	West Virginia
	Wisconsin

### Appendix C. Expenditures Reported by the States for FY 2020

Group Name	Common Name	Scientific Name	General Expenses	Land Expenses
Amphibians	Frog, Dusky Gopher -- Wherever found	Rana sevosia	\$1,350	\$0
	Frog, Oregon Spotted -- Wherever found	Rana pretiosa	\$24,800	\$0
	Hellbender, Ozark -- Wherever found	Cryptobranchus alleganiensis bishopi	\$43,400	\$0
	Salamander, Frosted Flatwoods -- Wherever found	Ambystoma cingulatum	\$37,064	\$49,290
	Salamander, Reticulated Flatwoods -- Wherever found	Ambystoma bishopi	\$25,724	\$49,290
	Toad, Wyoming -- Wherever found	Bufo hemiophrys baxteri	\$16,205	\$0
<b>Amphibians subtotal</b>			<b>\$148,543</b>	<b>\$98,580</b>
Arachnids	Spider, Spruce-fir Moss -- Wherever found	Microhexura montivaga	\$300	\$0
<b>Arachnids subtotal</b>			<b>\$300</b>	<b>\$0</b>
Birds	Condor, California -- U.S.A. only, except where listed as an experimental population	Gymnogyps californianus	\$7,690	\$0
	Crane, Whooping -- U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half	Grus americana	\$103,027	\$0
	Crane, Whooping -- Wherever found, except where listed as an experimental population	Grus americana	\$10,401	\$0
	Falcon, Eurasian Peregrine -- Wherever found	Falco peregrinus peregrinus	\$1,226	\$0
	Flycatcher, Southwestern Willow -- Wherever found	Empidonax traillii extimus	\$4,862	\$0
	Kingfisher, Guam Micronesian -- Wherever found	Halcyon cinnamomina cinnamomina	\$264,092	\$0
	Kite, Everglade Snail -- Wherever found	Rostrhamus sociabilis plumbeus	\$133,266	\$3,217
	Knot, Red -- Wherever found	Calidris canutus rufa	\$10,310	\$0
	Moorhen, Mariana Common -- Wherever found	Gallinula chloropus guami	\$52,294	\$0
	Murrelet, Marbled -- U.S.A. (CA, OR, WA)	Brachyramphus marmoratus	\$230,700	\$0
	Owl, Northern Spotted -- Wherever found	Strix occidentalis caurina	\$353,100	\$60,000
	Plover, Piping -- [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	Charadrius melodus	\$600,607	\$0
	Plover, Piping -- [Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	Charadrius melodus	\$50,000	\$0

<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenses</b>	<b>Land Expenses</b>
	Plover, Western Snowy -- Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	Charadrius nivosus nivosus	\$31,500	\$0
	Rail, Guam -- Rota	Rallus owstoni	\$51,565	\$0
	Rail, Guam -- Wherever found, except where listed as an experimental population	Rallus owstoni	\$295,474	\$0
	Sage-grouse, Gunnison -- Wherever found	Centrocercus minimus	\$392,878	\$0
	Scrub-jay, Florida -- Wherever found	Aphelocoma coerulescens	\$172,019	\$43,458
	Sparrow, Florida Grasshopper -- Wherever found	Ammodramus savannarum floridanus	\$163,209	\$166,658
	Stork, Wood -- AL, FL, GA, MS, NC, SC	Mycteria americana	\$72,700	\$0
	Swiftlet, Mariana Gray -- Wherever found	Aerodramus vanikorensis bartschi	\$4,252	\$0
	Tern, California Least -- Wherever found	Sterna antillarum browni	\$1,000	\$0
	Tern, Roseate -- Northeast U.S. nesting population	Sterna dougallii dougallii	\$30,000	\$0
	Tern, Roseate -- Western Hemisphere except NE U.S.	Sterna dougallii dougallii	\$5,000	\$0
	Warbler (=wood), Golden-cheeked -- Wherever found	Dendroica chrysoparia	\$19,111	\$0
	Woodpecker, Red-cockaded -- Wherever found	Picoides borealis	\$258,139	\$2,348,322
<b>Birds subtotal</b>			<b>\$3,318,421</b>	<b>\$2,621,655</b>
Clams	Anby -- Wherever found	Elliptio spinosa	\$315	\$0
	Bankclimber, Purple (mussel) -- Wherever found	Elliptoideus sloatianus	\$18,890	\$0
	Bean, Choctaw -- Wherever found	Villosa choctawensis	\$5,435	\$0
	Bean, Rayed -- Wherever found	Villosa fabalis	\$5,000	\$0
	Clubshell -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	Pleurobema clava	\$5,000	\$0
	Clubshell -- Wherever found; Except where listed as Experimental Populations	Pleurobema clava	\$600	\$0
	Clubshell, Southern -- Wherever found	Pleurobema decisum	\$2,430	\$0
	Ebonysell, Round -- Wherever found	Fusconaia rotulata	\$5,435	\$0
	Elktoe, Appalachian -- Wherever found	Alasmidonta raveneliana	\$10,300	\$0
	Fatmucket, Arkansas -- Wherever found	Lampsilis powellii	\$4,200	\$429,000
	Heelsplitter, Carolina -- Wherever found	Lasmigona decorata	\$163,600	\$0
	Higgins Eye (pearlymussel) -- Wherever found	Lampsilis higginsii	\$65,000	\$0
	Kidneyshell, Southern -- Wherever found	Ptychobranhus jonesi	\$5,435	\$0

<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenses</b>	<b>Land Expenses</b>
	Kidneyshell, Triangular -- Wherever found	<i>Ptychobranhus greenii</i>	\$1,980	\$0
	Lance, Yellow -- Wherever found	<i>Elliptio lanceolata</i>	\$15,700	\$0
	Mapleleaf, Winged -- U.S.A. (AL-specified portions of the Tennessee River; see 17.85(a)(1))	<i>Quadrula fragosa</i>	\$600	\$0
	Moccasinshell, Alabama -- Wherever found	<i>Medionidus acutissimus</i>	\$1,890	\$0
	Moccasinshell, Coosa -- Wherever found	<i>Medionidus parvulus</i>	\$3,330	\$0
	Moccasinshell, Gulf -- Wherever found	<i>Medionidus penicillatus</i>	\$23,660	\$0
	Moccasinshell, Ochlockonee -- Wherever found	<i>Medionidus simpsonianus</i>	\$5,435	\$0
	Moccasinshell, Suwannee -- Wherever found	<i>Medionidus walkeri</i>	\$5,435	\$0
	Mucket, Neosho -- Wherever found	<i>Lampsilis rafinesqueana</i>	\$200	\$0
	Mucket, Pink (pearlymussel) -- Wherever found	<i>Lampsilis abrupta</i>	\$300	\$0
	Mussel, Scaleshell -- Wherever found	<i>Leptodea leptodon</i>	\$300	\$0
	Mussel, Sheepnose -- Wherever found	<i>Plethobasus cyphus</i>	\$1,500	\$0
	Mussel, Snuffbox -- Wherever found	<i>Epioblasma triquetra</i>	\$12,100	\$0
	Pearlshell, Louisiana -- Wherever found	<i>Margaritifera hembeli</i>	\$6,460	\$0
	Pearlymussel, Curtis -- Wherever found	<i>Epioblasma florentina curtisii</i>	\$200	\$0
	Pigtoe, Fuzzy -- Wherever found	<i>Pleurobema strodeanum</i>	\$5,435	\$0
	Pigtoe, Georgia -- Wherever found	<i>Pleurobema hanleyianum</i>	\$2,250	\$0
	Pigtoe, Narrow -- Wherever found	<i>Fusconaia escambia</i>	\$5,435	\$0
	Pigtoe, Oval -- Wherever found	<i>Pleurobema pyriforme</i>	\$13,310	\$0
	Pigtoe, Southern -- Wherever found	<i>Pleurobema georgianum</i>	\$2,430	\$0
	Pigtoe, Tapered -- Wherever found	<i>Fusconaia burkei</i>	\$5,435	\$0
	Pocketbook, Finelined -- Wherever found	<i>Lampsilis altilis</i>	\$2,475	\$0
	Pocketbook, Ouachita Rock -- Wherever found	<i>Arkansia wheeleri</i>	\$9,600	\$0
	Pocketbook, Shinyrayed -- Wherever found	<i>Lampsilis subangulata</i>	\$5,975	\$0
	Pocketbook, Speckled -- Wherever found	<i>Lampsilis streckeri</i>	\$11,700	\$0
	Rabbitsfoot -- Wherever found	<i>Quadrula cylindrica cylindrica</i>	\$2,000	\$0
	Riffleshell, Northern -- Wherever found	<i>Epioblasma torulosa rangiana</i>	\$600	\$0
	Sandshell, Southern -- Wherever found	<i>Hamiota australis</i>	\$5,435	\$0
	Spectaclecase (mussel) -- Wherever found	<i>Cumberlandia monodonta</i>	\$2,400	\$0
	Spinymussel, James -- Wherever found	<i>Pleurobema collina</i>	\$2,300	\$0
	Spinymussel, Tar River -- Wherever found	<i>Elliptio steinstansana</i>	\$5,700	\$0
	Threeridge, Fat (mussel) -- Wherever found	<i>Amblema neislerii</i>	\$14,660	\$0
	Wedgemussel, Dwarf -- Wherever found	<i>Alasmidonta heterodon</i>	\$14,400	\$0

Group Name	Common Name	Scientific Name	General Expenses	Land Expenses
<b>Clams subtotal</b>			<b>\$482,270</b>	<b>\$429,000</b>
Conifers and Cycads	Torreya, Florida -- Wherever found	Torreya taxifolia	\$1,800	\$0
<b>Conifers and Cycads subtotal</b>			<b>\$1,800</b>	<b>\$0</b>
Ferns and Allies	Quillwort, Black Spored -- Wherever found	Isoetes melanospora	\$2,295	\$0
	Quillwort, Louisiana -- Wherever found	Isoetes louisianensis	\$1,000	\$0
	Quillwort, Mat-forming -- Wherever found	Isoetes tegetiformans	\$225	\$0
<b>Ferns and Allies subtotal</b>			<b>\$3,520</b>	<b>\$0</b>
Fishes	Bocaccio -- Puget Sound - Georgia Basin DPS	Sebastes paucispinis	\$129,093	\$0
	Bonytail -- Wherever found	Gila elegans	\$136,670	\$0
	Cavefish, Ozark -- Wherever found	Amblyopsis rosae	\$2,000	\$0
	Chub, Humpback -- Wherever found	Gila cypha	\$136,670	\$0
	Chub, Spotfin -- Wherever found, except where listed as an experimental population	Erimonax monachus	\$5,100	\$0
	Darter, Amber -- Wherever found	Percina antesella	\$24,570	\$0
	Darter, Cherokee -- Wherever found	Etheostoma scotti	\$34,965	\$0
	Darter, Etowah -- Wherever found	Etheostoma etowahae	\$12,375	\$0
	Darter, Goldline -- Wherever found	Percina aurolineata	\$18,045	\$0
	Darter, Leopard -- Wherever found	Percina pantherina	\$18,400	\$0
	Darter, Niangua -- Wherever found	Etheostoma nianguae	\$4,500	\$0
	Darter, Snail -- Wherever found	Percina tanasi	\$2,340	\$0
	Darter, Yellowcheek -- Wherever found	Etheostoma moorei	\$2,200	\$0
	Eulachon -- Southern DPS	Thaleichthys pacificus	\$66,311	\$0
	Logperch, Conasauga -- Wherever found	Percina jenkinsi	\$11,700	\$0
	Logperch, Roanoke -- Wherever found	Percina rex	\$50,000	\$0
	Pikeminnow (=squawfish), Colorado -- Wherever found, except where listed as an experimental population	Ptychocheilus lucius	\$136,670	\$0
	Rockfish, Canary -- Puget Sound - Georgia Basin DPS	Sebastes pinniger	\$157,196	\$0
	Rockfish, Yelloweye -- Puget Sound - Georgia Basin DPS	Sebastes ruberrimus	\$157,196	\$0
	Salmon, Chinook -- Lower Columbia River ESU	Oncorhynchus (=Salmo) tshawytscha	\$4,100,676	\$0
	Salmon, Chinook -- Puget Sound ESU	Oncorhynchus (=Salmo) tshawytscha	\$34,508,169	\$0
	Salmon, Chinook -- Snake River fall-run ESU	Oncorhynchus (=Salmo) tshawytscha	\$177,463	\$0

Group Name	Common Name	Scientific Name	General Expenses	Land Expenses
	Salmon, Chinook -- Snake River spring/summer-run ESU	Oncorhynchus (=Salmo) tshawytscha	\$1,149,158	\$0
	Salmon, Chinook -- Upper Columbia spring-run ESU	Oncorhynchus (=Salmo) tshawytscha	\$2,547,681	\$0
	Salmon, Chinook -- Upper Willamette River ESU	Oncorhynchus (=Salmo) tshawytscha	\$409,474	\$0
	Salmon, Chum -- Columbia River ESU	Oncorhynchus keta	\$608,370	\$0
	Salmon, Chum -- Hood Canal summer-run ESU	Oncorhynchus keta	\$1,900,125	\$0
	Salmon, Coho -- Lower Columbia River ESU	Oncorhynchus (=Salmo) kisutch	\$1,455,926	\$0
	Salmon, Coho -- Oregon Coast ESU	Oncorhynchus (=Salmo) kisutch	\$1,100,000	\$0
	Salmon, Coho -- Southern Oregon - Northern California Coast ESU	Oncorhynchus (=Salmo) kisutch	\$900,000	\$0
	Salmon, Sockeye -- Ozette Lake ESU	Oncorhynchus (=Salmo) nerka	\$81,685	\$0
	Salmon, Sockeye -- Snake River ESU	Oncorhynchus (=Salmo) nerka	\$10,213	\$0
	Sawfish, Smalltooth -- US DPS - Smalltooth sawfish originating from U.S. waters.	Pristis pectinata	\$265,788	\$2,776
	Shark, Scalloped Hammerhead -- Eastern Atlantic DPS	Sphyrna lewini	\$51,200	\$0
	Shiner, Arkansas River -- Arkansas River Basin (AR, KS, NM, OK, TX)	Notropis girardi	\$2,605	\$0
	Shiner, Blue -- Wherever found	Cyprinella caerulea	\$43,740	\$0
	Shiner, Cape Fear -- Wherever found	Notropis mekistocholas	\$3,500	\$0
	Shiner, Sharpnose -- Wherever found	Notropis oxyrhynchus	\$2,605	\$0
	Shiner, Smalleye -- Wherever found	Notropis buccula	\$2,605	\$0
	Shiner, Topeka -- U.S.A. (MO-specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.84(d)(1)(i))	Notropis topeka (=tristis)	\$21,000	\$0
	Shiner, Topeka -- Wherever found, except where listed as an experimental population	Notropis topeka (=tristis)	\$1,089	\$0
	Silverside, Waccamaw -- Wherever found	Menidia extensa	\$3,300	\$0
	Steelhead -- Lower Columbia River DPS	Oncorhynchus (=Salmo) mykiss	\$1,000,219	\$400,000
	Steelhead -- Middle Columbia River DPS	Oncorhynchus (=Salmo) mykiss	\$1,307,218	\$400,000
	Steelhead -- Puget Sound DPS	Oncorhynchus (=Salmo) mykiss	\$1,244,565	\$0
	Steelhead -- Snake River Basin DPS	Oncorhynchus (=Salmo) mykiss	\$900,020	\$0
	Steelhead -- Upper Columbia River DPS	Oncorhynchus (=Salmo) mykiss	\$1,497,943	\$400,000



<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenses</b>	<b>Land Expenses</b>
	Steelhead -- Upper Willamette River DPS	Oncorhynchus (=Salmo) mykiss	\$420,521	\$0
	Sturgeon (gulf Subspecies), Atlantic -- Wherever found	Acipenser oxyrinchus (=oxyrhynchus) desotoi	\$1,125	\$0
	Sturgeon, Atlantic -- Carolina DPS	Acipenser oxyrinchus oxyrinchus	\$1,550	\$0
	Sturgeon, Atlantic -- New York Bight DPS	Acipenser oxyrinchus oxyrinchus	\$25,500	\$0
	Sturgeon, Green -- Southern DPS	Acipenser medirostris	\$1,591	\$0
	Sturgeon, Pallid -- Wherever found	Scaphirhynchus albus	\$120,585	\$0
	Sturgeon, Shortnose -- Wherever found	Acipenser brevirostrum	\$63,925	\$0
	Sturgeon, Shovelnose -- Wherever found	Scaphirhynchus platyrhynchus	\$30,000	\$0
	Sturgeon, White -- U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	Acipenser transmontanus	\$1,100	\$0
	Sucker, June -- Wherever found	Chasmistes liorus	\$20,792	\$0
	Sucker, Lost River -- Wherever found	Deltistes luxatus	\$19,000	\$0
	Sucker, Razorback -- Wherever found	Xyrauchen texanus	\$136,670	\$0
	Sucker, Shortnose -- Wherever found	Chasmistes brevirostris	\$19,000	\$0
	Sucker, Warner -- Wherever found	Catostomus warnerensis	\$90,000	\$0
	Trout, Bull -- U.S.A., conterminous, lower 48 states	Salvelinus confluentus	\$1,367,807	\$400,000
	Trout, Greenback Cutthroat -- Wherever found	Oncorhynchus clarkii stomias	\$260,087	\$0
	Trout, Lahontan Cutthroat -- Wherever found	Oncorhynchus clarkii henshawi	\$9,000	\$0
<b><i>Fishes subtotal</i></b>			<b>\$58,990,591</b>	<b>\$1,602,776</b>
Flowering Plants	Amaranth, Seabeach -- Wherever found	Amaranthus pumilus	\$100	\$0
	Amphianthus, Little -- Wherever found	Amphianthus pusillus	\$990	\$0
	Arrowhead, Bunched -- Wherever found	Sagittaria fasciculata	\$3,500	\$0
	Avens, Spreading -- Wherever found	Geum radiatum	\$300	\$0
	Barbara's Buttons, Mohr's -- Wherever found	Marshallia mohrii	\$45	\$0
	Bladderpod, Short's -- Wherever found	Physaria globosa	\$500	\$0
	Bladderpod, White Bluffs -- Wherever found	Physaria douglasii ssp. tuplashensis	\$100	\$0
	Blazingstar, Heller's -- Wherever found	Liatris helleri	\$1,500	\$0
	Bluet, Roan Mountain -- Wherever found	Hedyotis purpurea var. montana	\$350	\$0
	Buckwheat, Umtanum Desert -- Wherever found	Eriogonum codium	\$2,300	\$0
	Bulrush, Northeastern -- Wherever found	Scirpus ancistrochaetus	\$800	\$0
	Bush-clover, Prairie -- Wherever found	Lespedeza leptostachya	\$1,300	\$0
	Butterfly Plant, Colorado -- Wherever found	Gaura neomexicana var. coloradensis	\$1,000	\$0

Group Name	Common Name	Scientific Name	General Expenses	Land Expenses
	Cactus, Chisos Mountain Hedgehog -- Wherever found	Echinocereus chisoensis var. chisoensis	\$4,488	\$0
	Cactus, Lloyd's Mariposa -- Wherever found	Echinomastus mariposensis	\$4,488	\$0
	Campion, Fringed -- Wherever found	Silene polypetala	\$1,530	\$0
	Catchfly, Spalding's -- Wherever found	Silene spaldingii	\$100	\$0
	Chaffseed, American -- Wherever found	Schwalbea americana	\$100	\$0
	Checker-mallow, Nelson's -- Wherever found	Sidalcea nelsoniana	\$100	\$0
	Checkermallow, Wenatchee Mountains -- Wherever found	Sidalcea oregana var. calva	\$540	\$0
	Clover, Running Buffalo -- UNK	Trifolium stoloniferum	\$900	\$0
	Coneflower, Smooth -- Wherever found	Echinacea laevigata	\$3,155	\$0
	Cory Cactus, Bunched -- Wherever found	Coryphantha ramillosa	\$4,488	\$0
	Desert-parsley, Bradshaw's -- Wherever found	Lomatium bradshawii	\$100	\$0
	Dropwort, Canby's -- Wherever found	Oxypolis canbyi	\$4,945	\$0
	Fescue, Guadalupe -- Wherever found	Festuca ligulata	\$4,488	\$0
	Gerardia, Sandplain -- Wherever found	Agalinis acuta	\$1,000	\$0
	Goldenrod, Blue Ridge -- Wherever found	Solidago spithamea	\$100	\$0
	Goldenrod, Short's -- Wherever found	Solidago shortii	\$900	\$0
	Grass, Tennessee Yellow-eyed -- Wherever found	Xyris tennesseensis	\$3,735	\$0
	Harperella -- Wherever found	Ptilimnium nodosum	\$1,180	\$0
	Heartleaf, Dwarf-flowered -- Wherever found	Hexastylis naniflora	\$600	\$0
	Heather, Mountain Golden -- Wherever found	Hudsonia montana	\$1,700	\$0
	Howellia, Water -- UNK	Howellia aquatilis	\$500	\$0
	Irisette, White -- Wherever found	Sisyrinchium dichotomum	\$1,300	\$0
	Joint-vetch, Sensitive -- Wherever found	Aeschynomene virginica	\$450	\$0
	Ladies'-tresses, Ute -- Wherever found	Spiranthes diluvialis	\$400	\$0
	Leather Flower, Alabama -- Wherever found	Clematis socialis	\$495	\$0
	Leather Flower, Morefields -- UNK	Clematis morefieldii	\$225	\$0
	Loosestrife, Rough-leaved -- Wherever found	Lysimachia asperulaefolia	\$1,900	\$0
	Lupine, Kincaid's -- Wherever found	Lupinus sulphureus ssp. kincaidii	\$100	\$0
	Manioc, Walker's -- Wherever found	Manihot walkerae	\$11,321	\$0
	Meadowrue, Cooley's -- Wherever found	Thalictrum cooleyi	\$600	\$0
	Milkweed, Mead's -- Wherever found	Asclepias meadii	\$40,700	\$0
	Monkshood, Northern Wild -- Wherever found	Aconitum noveboracense	\$500	\$0

<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenses</b>	<b>Land Expenses</b>
	No Common Name -- Wherever found	Geocarpon minimum	\$1,500	\$0
	Orchid, Eastern Prairie Fringed -- Wherever found	Platanthera leucophaea	\$1,500	\$0
	Orchid, Western Prairie Fringed -- Wherever found	Platanthera praecleara	\$26,796	\$0
	Orchid, White Fringeless -- UNK	Platanthera integrilabia	\$3,870	\$0
	Paintbrush, Golden -- Wherever found	Castilleja levisecta	\$2,800	\$0
	Penstemon, Blowout -- Wherever found	Penstemon haydenii	\$6,000	\$0
	Phlox, Texas Trailing -- Wherever found	Phlox nivalis ssp. texensis	\$7,837	\$0
	Pink, Swamp -- Wherever found	Helonias bullata	\$1,950	\$0
	Pitcher-plant, Green -- Wherever found	Sarracenia oreophila	\$495	\$0
	Pitcher-plant, Mountain Sweet -- Wherever found	Sarracenia rubra ssp. jonesii	\$2,200	\$0
	Pogonia, Small Whorled -- Wherever found	Isotria medeoloides	\$1,990	\$0
	Pondberry -- Wherever found	Lindera melissifolia	\$11,410	\$0
	Rattleweed, Hairy -- Wherever found	Baptisia arachnifera	\$2,025	\$0
	Rockcress, Georgia -- Wherever found	Arabis georgiana	\$14,040	\$0
	Sandwort, Marsh -- Wherever found	Arenaria paludicola	\$1,400	\$0
	Sedge, Golden -- Wherever found	Carex lutea	\$450	\$0
	Skullcap, Large-flowered -- Wherever found	Scutellaria montana	\$2,655	\$0
	Sneezeweed, Virginia -- Wherever found	Helenium virginicum	\$300	\$0
	Spiraea, Virginia -- Wherever found	Spiraea virginiana	\$1,865	\$0
	Stickseed, Showy -- Wherever found	Hackelia venusta	\$100	\$0
	Sumac, Michaux's -- Wherever found	Rhus michauxii	\$3,235	\$0
	Sunflower, Schweinitz's -- Wherever found	Helianthus schweinitzii	\$3,800	\$0
	Sunflower, Whorled -- UNK	Helianthus verticillatus	\$720	\$0
	Trillium, Persistent -- Wherever found	Trillium persistens	\$450	\$0
	Trillium, Relict -- Wherever found	Trillium reliquum	\$5,805	\$0
	Water-plantain, Kral's -- Wherever found	Sagittaria secundifolia	\$900	\$0
<b>Flowering Plants subtotal</b>			<b>\$216,006</b>	<b>\$0</b>
Insects	Beetle, American Burying -- Wherever found, except where listed as an experimental population	Nicrophorus americanus	\$173,600	\$0
	Beetle, Comal Springs Dryopid -- Wherever found	Stygoparnus comalensis	\$13,942	\$0
	Bumble Bee, Rusty Patched -- Wherever found	Bombus affinis	\$9,500	\$0
	Butterfly, Karner Blue -- Wherever found	Lycæides melissa samuelis	\$165,300	\$0
	Butterfly, Mariana Eight-spot -- Wherever found	Hypolimnas octocula marianensis	\$1,275	\$0

Group Name	Common Name	Scientific Name	General Expenses	Land Expenses
	Butterfly, Mitchell's Satyr -- Wherever found	Neonympha mitchellii mitchellii	\$300	\$0
	Butterfly, Oregon Silverspot -- UNK	Speyeria zerene hippolyta	\$1,000	\$0
	Checkerspot, Taylor's (=whulge) -- Wherever found	Euphydryas editha taylori	\$25,000	\$0
	Skipper, Dakota -- Wherever found	Hesperia dacotae	\$77,903	\$0
	Skipperling, Poweshiek -- Wherever found	Oarisma poweshiek	\$2,614	\$0
	Tiger Beetle, Salt Creek -- Wherever found	Cicindela nevadica lincolniana	\$9,800	\$0
<b><i>Insects subtotal</i></b>			<b>\$480,234</b>	<b>\$0</b>
Lichens	Lichen, Rock Gnome -- Wherever found	Gymnoderma lineare	\$250	\$0
<b><i>Lichens subtotal</i></b>			<b>\$250</b>	<b>\$0</b>
Mammals	Bat, Florida Bonneted -- Wherever found	Eumops floridanus	\$235,541	\$2,776
	Bat, Gray -- Wherever found	Myotis grisescens	\$113,675	\$35,937
	Bat, Indiana -- Wherever found	Myotis sodalis	\$762,905	\$0
	Bat, Mariana Fruit (=mariana Flying Fox) -- Wherever found	Pteropus mariannus mariannus	\$9,573	\$0
	Bat, Northern Long-eared -- Wherever found	Myotis septentrionalis	\$225,074	\$374,000
	Bat, Ozark Big-eared -- Wherever found	Corynorhinus (=Plecotus) townsendii ingens	\$1,500	\$0
	Bear, Grizzly -- U.S.A., conterminous (lower 48) States, except where listed as an experimental population	Ursus arctos horribilis	\$806,658	\$50,000
	Ferret, Black-footed -- U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	Mustela nigripes	\$2,900	\$0
	Ferret, Black-footed -- Wherever found, except where listed as an experimental population	Mustela nigripes	\$293,192	\$0
	Gray Wolf? -- MN	Canis lupus	\$149,411	\$0
	Lynx, Canada -- Wherever Found in Contiguous U.S.	Lynx canadensis	\$409,336	\$0
	Manatee, West Indian -- Wherever found	Trichechus manatus	\$4,815,241	\$16,311
	Mouse, Anastasia Island Beach -- Wherever found	Peromyscus polionotus phasma	\$47,724	\$1,388
	Mouse, Choctawhatchee Beach -- Wherever found	Peromyscus polionotus allophrys	\$31,816	\$925
	Mouse, Perdido Key Beach -- Wherever found	Peromyscus polionotus trissyllepsis	\$31,816	\$925
	Mouse, Preble's Meadow Jumping -- wherever found	Zapus hudsonius preblei	\$35,832	\$0

<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenses</b>	<b>Land Expenses</b>
	Mouse, Southeastern Beach -- wherever found	Peromyscus polionotus niveiventris	\$47,724	\$1,388
	Mouse, St. Andrew Beach -- Wherever found	Peromyscus polionotus peninsularis	\$31,816	\$925
	Panther, Florida -- Wherever found	Puma (=Felis) concolor coryi	\$761,451	\$3,277
	Pocket Gopher, Olympia -- Wherever found	Thomomys mazama pugetensis	\$4,500	\$0
	Pocket Gopher, Roy Prairie -- Wherever found	Thomomys mazama glacialis	\$4,500	\$0
	Pocket Gopher, Tenino -- Wherever found	Thomomys mazama tumuli	\$4,500	\$0
	Pocket Gopher, Yelm -- Wherever found	Thomomys mazama yelmensis	\$4,500	\$0
	Rabbit, Columbia Basin Pygmy -- Columbia Basin DPS	Brachylagus idahoensis	\$169,000	\$0
	Squirrel, Carolina Northern Flying -- Wherever found	Glaucomys sabrinus coloratus	\$4,100	\$0
	Whale, Blue -- Wherever found	Balaenoptera musculus	\$119,000	\$0
	Whale, Finback -- Wherever found	Balaenoptera physalus	\$120,000	\$0
	Whale, Humpback -- Western North Pacific	Megaptera novaeangliae	\$119,000	\$0
	Whale, Killer -- Southern Resident DPS	Orcinus orca	\$1,305,000	\$0
	Whale, North Atlantic Right -- Wherever found	Eubalaena glacialis	\$847,547	\$2,776
	Wolf, Red -- U.S.A. (portions of NC and TN)	Canis rufus	\$3,000	\$0
<b><i>Mammals subtotal</i></b>			<b>\$11,517,832</b>	<b>\$490,628</b>
Reptiles	Alligator, American -- Wherever found	Alligator mississippiensis	\$1,470,225	\$2,794
	Crocodile, American -- U.S.A. (FL)	Crocodylus acutus	\$143,478	\$2,776
	Massasauga (=rattlesnake), Eastern -- Wherever found	Sistrurus catenatus	\$47,100	\$0
	Pinesnake, Louisiana -- Wherever found	Pituophis ruthveni	\$7,696	\$1,335,000
	Sea Turtle, Green -- Central North Pacific DPS	Chelonia mydas	\$2,520	\$0
	Sea Turtle, Green -- Central West Pacific DPS	Chelonia mydas	\$42,728	\$0
	Sea Turtle, Green -- North Atlantic DPS	Chelonia mydas	\$341,332	\$2,776
	Sea Turtle, Hawksbill -- Wherever found	Eretmochelys imbricata	\$361,813	\$2,776
	Sea Turtle, Kemp's Ridley -- Wherever found	Lepidochelys kempii	\$321,292	\$2,776
	Sea Turtle, Leatherback -- Wherever found	Dermochelys coriacea	\$321,202	\$2,776
	Sea Turtle, Loggerhead -- Northeast Atlantic Ocean DPS	Caretta caretta	\$33,430	\$0
	Sea Turtle, Loggerhead -- Northwest Atlantic Ocean DPS	Caretta caretta	\$318,032	\$2,776
	Sea Turtle, Loggerhead -- South Pacific Ocean DPS	Caretta caretta	\$1,530	\$0

<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenses</b>	<b>Land Expenses</b>
	Snake, Copperbelly Water -- Indiana north of 40 degrees north latitude, Michigan, Ohio	Nerodia erythrogaster neglecta	\$100	\$0
	Snake, Eastern Indigo -- Wherever found	Drymarchon corais couperi	\$43,714	\$2,776
	Tortoise, Desert -- Wherever found, except AZ south and east of Colorado R., and Mexico	Gopherus agassizii		\$269,922
	Tortoise, Gopher -- West of Mobile and Tombigbee Rivers	Gopherus polyphemus	\$12,735	\$10,720
	Turtle, Bog -- U.S.A. (GA, NC, SC, TN, VA)	Clemmys muhlenbergii	\$25,000	\$0
	Turtle, Bog -- Wherever found, except GA, NC, SC, TN, VA	Clemmys muhlenbergii	\$146,300	\$0
	Turtle, Plymouth Redbelly -- Wherever found	Pseudemys rubriventris bangsi	\$5,000	\$0
<b><i>Reptiles subtotal</i></b>			<b>\$3,645,227</b>	<b>\$1,637,868</b>
Snails	Cavesnail, Tumbling Creek -- Wherever found	Antrobia culveri	\$8,500	\$0
	Elimia, Lacy (snail) -- Wherever found	Elimia crenatella	\$5,435	\$0
	Rocksail, Interrupted (=georgia) -- Wherever found	Leptoxis foremani	\$1,890	\$0
	Snail, Chittenango Ovate Amber -- Wherever found	Succinea chittenangoensis	\$1,000	\$0
	Snail, Fragile Tree -- Wherever found	Samoana fragilis	\$15,043	\$0
	Snail, Guam Tree -- Wherever found	Partula radiolata	\$15,043	\$0
	Snail, Humped Tree -- Wherever found	Partula gibba	\$15,043	\$0
<b><i>Snails subtotal</i></b>			<b>\$61,954</b>	<b>\$0</b>
<b><i>Multi-Species subtotal</i></b>			<b>\$42,775,625</b>	<b>\$7,508</b>
<b><i>Total State Expenditures</i></b>			<b>\$121,642,573</b>	<b>\$6,888,015</b>