

FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



Fiscal Year 2019

TABLE OF CONTENTS

ENDANGERED AND THREATENED SPECIES EXPENDITURES FISCAL YEAR 2019	
PURPOSE.....	3
BACKGROUND	4
SECTION 18(1), FEDERAL EXPENDITURES	5
SECTION 18(2), STATE EXPENDITURES.....	5
SUMMARY OF DATA.....	5
COMPARISON TO PREVIOUS REPORTS.....	6
Table 1. FY 2019 Reported Expenditures for Endangered and Threatened Species.....	7
Table 2. Species Ranked in Descending Order of Total FY 2019 Reported Expenditures.....	111
Table 3. FY 2019 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....	178
Table 4. FY 2019 Expenditures Reported by Individual Federal Agencies and the States.....	182
Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species.....	184
Appendix B. Reports Provided by Other Federal Agencies.....	188
Appendix C. Expenditures Reported by the States.....	268

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2019

PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) (Act) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the U.S. Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report annually on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

(1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 31st report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2019 (October 1, 2018 - September 30, 2019), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To assist Federal and State agencies with more accurate accounting of expenditures, a multi-species reporting category was added to the fiscal year 2012 and subsequent reports. This option gives agencies another way to report expenditures when it is not possible to determine individual species costs for those species that are part of a multi-species conservation activity.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "State agency" as used in this report is defined in section 3(18) of the Act to mean any State agency, department, board, commission, or other governmental entity which is responsible for the management and conservation of fish, plant, or wildlife resources within a State.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2019 are reported for 1,776 domestic threatened and endangered species of the 1,895 domestic species that were listed under United States jurisdiction in 50 CFR Part 17 during FY 2019 up through September 30, 2019 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species¹, subspecies², Distinct Population Segment (DPS)³, or Evolutionarily Significant Unit (ESU)⁴, as identified in the Act's implementing regulations at 50 CFR 17.11 and 17.12.

These expenditures are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For this annual report, the Service requests that all reporting agencies submit their data directly onto the formatted species list spreadsheet provided. At the time of submission, the reporting agencies certify that their information is accurate. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies. We do not verify an agency's data after the data are submitted to us.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses that are not incurred primarily for the conservation of listed species, such as those for litigation, are not reported.

¹ **Species** For purposes of the ESA, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

² **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

³ **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

⁴ **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

SECTION 18(1), FEDERAL EXPENDITURES

Expenditures Reported by the Fish and Wildlife Service

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, international conservation, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultation, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

Expenditures Reported by other Federal Agencies

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2019, the Service and 7 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species and multi-species conservation activities are tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States responding to this data call do so by reporting their data by species directly onto the species list spreadsheet provided. Collective results from all responding State agencies are included in Appendix C. For FY 2019, 28 State agencies identified expenditures for the conservation of individual threatened and endangered species.

SUMMARY OF DATA

Table 1 reports the activity-related expenditures that are reasonably identifiable to specific individual species as well as multi-species activity costs by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisition (Table 3) are not included in this tabulation. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

Table 2 ranks each species in descending order of the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land purchased for multi-species conservation activities are listed at the end of the table. Table 3 also provides the rank for land expenditures by species.

Table 4 shows the combined total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and multi-species conservation activities are included.

Total expenditures reported for domestic and foreign species in **FY 2019** were **\$ 757,353,271**, of which **\$ 651,235,990** was reported by Federal agencies and **\$ 106,117,281** was reported by the States (Table 4).

COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

TABLE 1. FY 2019 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Amphibians, Arachnids, Birds, Clams, Conifer and Cycads, Corals, Crustaceans, Ferns and Allies, Fishes, Mammals, Reptiles, Fishes, Flowering Plants, Insects, Lichens, Mammals, Reptiles and Snails.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in the Code of Federal Regulations at [50 CFR 17.11 \(list of wildlife\)](#) or [17.12 \(list of plants\)](#), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Federal Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Multi-species conservation activity-related expenditures are tabulated at the end of Table 1.

TABLE 1. REPORTED EXPENDITURES FOR FY 2019 FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Amphibians	1064	Black Warrior (=sipsey Fork) Waterdog (Necturus alabamensis) - Wherever found	E	\$0	\$737	\$737	\$0	\$737
	923	Black Warrior Waterdog (Necturus alabamensis) - Wherever found	E	\$0	\$10,761	\$10,761	\$0	\$10,761
	917	Coqui, Golden (Eleutherodactylus jasperii) - Wherever found	T	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	522	Coqui, Llanero (Eleutherodactylus juanariveroi) - Wherever found	E	\$8,500	\$25,000	\$33,500	\$7,488	\$40,988
	142	Frog, California Red-legged (Rana draytonii) - Wherever found	T	\$64,100	\$386,439	\$450,539	\$0	\$450,539
	127	Frog, Chiricahua Leopard (Rana chiricahuensis) - Wherever found	T	\$295,500	\$215,374	\$510,874	\$0	\$510,874
	198	Frog, Dusky Gopher (Rana sevosia) - Wherever found	E	\$176,500	\$38,340	\$214,840	\$22,000	\$236,840
	950	Frog, Goliath (Conraua goliath) - Wherever found	T	\$0	\$1,500	\$1,500	\$7,488	\$8,988
	992	Frog, Israel Painted (Discoglossus nigriventer) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	121	Frog, Mountain Yellow-legged (Rana muscosa) - Northern California DPS	E	\$235,742	\$285,494	\$521,236	\$29,952	\$551,188
	67	Frog, Oregon Spotted (Rana pretiosa) - Wherever found	T	\$673,164	\$488,428	\$1,161,592	\$18,088	\$1,179,680
	992	Frog, Panamanian Golden (Atelopus varius zeteki) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	108	Frog, Sierra Nevada Yellow-legged (Rana sierrae) - Wherever found	E	\$267,695	\$334,021	\$601,716	\$7,488	\$609,204
	992	Frog, Stephen Island (Leiopelma hamiltoni) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	803	Guajon (Eleutherodactylus cooki) - Wherever found	T	\$9,000	\$0	\$9,000	\$7,488	\$16,488
	492	Hellbender, Ozark (Cryptobranchus alleganiensis bishopi) - Wherever found	E	\$17,500	\$11,000	\$28,500	\$18,388	\$46,888
	1025	Salamander, Austin Blind (Eurycea waterlooensis) - Wherever found	E	\$0	\$0	\$0	\$4,062	\$4,062
	1023	Salamander, Barton Springs (Eurycea sosorum) - Wherever found	E	\$0	\$420	\$420	\$4,062	\$4,482

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	292	Salamander, California Tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$500	\$116,482	\$116,982	\$0	\$116,982
	890	Salamander, Desert Slender (<i>Batrachoseps aridus</i>) - Wherever found	E	\$0	\$12,400	\$12,400	\$0	\$12,400
	177	Salamander, Frosted Flatwoods (<i>Ambystoma cingulatum</i>) - Wherever found	T	\$245,000	\$43,540	\$288,540	\$7,488	\$296,028
	906	Salamander, Georgetown (<i>Eurycea naufragia</i>) - Wherever found	T	\$0	\$0	\$0	\$11,550	\$11,550
	992	Salamander, Japanese Giant (<i>Andrias japonicus (=davidianus j.)</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	304	Salamander, Jemez Mountains (<i>Plethodon neomexicanus</i>) - Wherever found	E	\$50,000	\$53,000	\$103,000	\$7,488	\$110,488
	906	Salamander, Jollyville Plateau (<i>Eurycea tonkawae</i>) - Wherever found	T	\$0	\$0	\$0	\$11,550	\$11,550
	709	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>) - Wherever found	T	\$11,500	\$2,370	\$13,870	\$7,488	\$21,358
	335	Salamander, Reticulated Flatwoods (<i>Ambystoma bishopi</i>) - Wherever found	E	\$89,500	\$0	\$89,500	\$7,488	\$96,988
	992	Salamander, Salado (<i>Eurycea chisholmensis</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	965	Salamander, San Marcos (<i>Eurycea nana</i>) - Wherever found	T	\$0	\$840	\$840	\$7,488	\$8,328
	860	Salamander, Santa Cruz Long-toed (<i>Ambystoma macrodactylum croceum</i>) - Wherever found	E	\$4,728	\$1,600	\$6,328	\$7,488	\$13,816
	265	Salamander, Shenandoah (<i>Plethodon shenandoah</i>) - Wherever found	E	\$60,000	\$69,200	\$129,200	\$7,488	\$136,688
	992	Salamander, Sonora Tiger (<i>Ambystoma tigrinum stebbinsi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	979	Salamander, Texas Blind (<i>Typhlomolge rathbuni</i>) - Wherever found	E	\$0	\$420	\$420	\$7,488	\$7,908
	470	Toad, Arroyo (=arroyo Southwestern) (<i>Anaxyrus californicus</i>) - Wherever found	E	\$0	\$51,924	\$51,924	\$0	\$51,924
	287	Toad, Houston (<i>Bufo houstonensis</i>) - Wherever found	E	\$81,165	\$2,100	\$83,265	\$36,031	\$119,296
	992	Toad, Monte Verde Golden (<i>Bufo periglenes</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	614	Toad, Puerto Rican Crested (<i>Peltophryne lemur</i>) - Wherever found	T	\$23,000	\$0	\$23,000	\$7,488	\$30,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	185	Toad, Wyoming (<i>Bufo hemiophrys baxteri</i>) - Wherever found	E	\$206,921	\$49,392	\$256,313	\$12,644	\$268,957
	330	Toad, Yosemite (<i>Anaxyrus canorus</i>) - Wherever found	T	\$0	\$98,315	\$98,315	\$0	\$98,315
	549	Waterdog, Black Warrior (=sipsey Fork) (<i>Necturus alabamensis</i>) - Wherever found	E	\$37,500	\$0	\$37,500	\$0	\$37,500
Amphibians subtotal				\$2,561,015	\$2,299,097	\$4,860,112	\$325,575	\$5,185,687
Arachnids	1054	Harvestman, Bone Cave (<i>Texella reyesi</i>) - Wherever found	E	\$0	\$1,355	\$1,355	\$0	\$1,355
	150	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>) - Wherever found	E	\$0	\$410,000	\$410,000	\$0	\$410,000
	992	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Meshweaver, Madla Cave (<i>Cicurina madla</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Spider, Kandy Parachute (<i>Poecilotheria smithi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	627	Spider, Kauai Cave Wolf Or Pe'e Pe'e Maka 'ole (<i>Adelocosa anops</i>) - Wherever found	E	\$21,368	\$0	\$21,368	\$7,488	\$28,856
	992	Spider, Pedersen's Tiger (<i>Poecilotheria vittata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	540	Spider, Spruce-fir Moss (<i>Microhexura montivaga</i>) - Wherever found	E	\$22,000	\$8,708	\$30,708	\$7,488	\$38,196
	992	Spider, Tooth Cave (<i>Neoleptoneta myopica</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tarantula, Fringed Ornamental (<i>Poecilotheria ornata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tarantula, Ivory Ornamental (<i>Poecilotheria subfusca</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tarantula, Sri Lankan Ornamental (<i>Poecilotheria fasciata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
Arachnids subtotal				\$43,368	\$420,063	\$463,431	\$97,344	\$560,775

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Birds	579	(honeyeater), Mao (= Maomao) (<i>Gymnomyza samoensis</i>) - Wherever found	E	\$27,021	\$0	\$27,021	\$7,488	\$34,509
	203	'i'iwi (<i>Drepanis coccinea</i>) - Wherever found	T	\$114,070	\$98,659	\$212,729	\$7,488	\$220,217
	778	'o'o, Kauai (honeyeater) (<i>Moho braccatus</i>) - Wherever found	E	\$10,213	\$0	\$10,213	\$7,488	\$17,701
	763	'o'u (honeycreeper) (<i>Psittirostra psittacea</i>) - Wherever found	E	\$10,852	\$0	\$10,852	\$7,488	\$18,340
	992	Adjutant, Greater (<i>Leptoptilos dubius</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	270	Akekee (<i>Loxops caeruleirostris</i>) - Wherever found	E	\$57,425	\$77,362	\$134,787	\$0	\$134,787
	417	Akepa, Hawaii (<i>Loxops coccineus</i>) - Wherever found	E	\$51,057	\$7,455	\$58,512	\$7,488	\$66,000
	257	Akepa, Maui (<i>Loxops ochraceus</i>) - Wherever found	E	\$72,689	\$61,100	\$133,789	\$7,488	\$141,277
	662	Akialoa, Kauai (honeycreeper) (<i>Akialoa stejnegeri</i>) - 0	NS	\$17,543	\$0	\$17,543	\$7,488	\$25,031
	514	Akiapolaau (<i>Hemignathus wilsoni</i>) - Wherever found	E	\$12,340	\$30,121	\$42,461	\$0	\$42,461
	321	Akikiki (<i>Oreomystis bairdi</i>) - Wherever found	E	\$25,647	\$77,362	\$103,009	\$0	\$103,009
	227	Albatross, Short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>) - Wherever found	E	\$167,377	\$1,989	\$169,366	\$7,488	\$176,854
	992	Alethe, Thyolo (<i>Alethe choloensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	355	Blackbird, Yellow-shouldered (<i>Agelaius xanthomus</i>) - Wherever found	E	\$90,500	\$0	\$90,500	\$0	\$90,500
	50	Bobwhite, Masked (quail) (<i>Colinus virginianus ridgwayi</i>) - Wherever found	E	\$1,650,500	\$6,000	\$1,656,500	\$7,488	\$1,663,988
	992	Bristlebird, Western (<i>Dasyornis longirostris (=brachypterus L.)</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bristlebird, Western Rufous (<i>Dasyornis broadbenti littoralis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bulbul, Mauritius Olivaceous (<i>Hypsipetes borbonicus olivaceus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bullfinch, Sao Miguel (finch) (<i>Pyrrhula pyrrhula murina</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bush-shrike, Ulugura (<i>Malaconotus alius</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bushwren, New Zealand (<i>Xenicus longipes</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Bustard, Great Indian (<i>Ardeotis (=Choriotis) nigriceps</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	170	Caracara, Audubon's Crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$291,500	\$30,125	\$321,625	\$0	\$321,625
	992	Cinclodes, Royal (<i>Cinclodes aricomae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cockatoo, Philippine (<i>Cacatua haematuropygia</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cockatoo, Salmon-crested (<i>Cacatua moluccensis</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	69	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$541,051	\$604,256	\$1,145,307	\$0	\$1,145,307
	992	Conure, Golden (<i>Aratinga guarouba</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	168	Coot, Hawaiian (<i>Fulica americana alai</i>) - Wherever found	E	\$199,331	\$137,519	\$336,850	\$7,488	\$344,338
	992	Courser, Jerdon's (<i>Rhinoptilus bitorquatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Crane, Hooded (<i>Grus monacha</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Crane, Japanese (<i>Grus japonensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	183	Crane, Mississippi Sandhill (<i>Grus canadensis pulla</i>) - Wherever found	E	\$250,000	\$20,027	\$270,027	\$7,888	\$277,915
	992	Crane, Siberian White (<i>Grus leucogeranus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	57	Crane, Whooping (<i>Grus americana</i>) - U.S.A (Southwestern Louisiana)	EXPN	\$541,182	\$668,896	\$1,210,078	\$179,342	\$1,389,420
	410	Creepers, Hawaii (<i>Oreomystis mana</i>) - Wherever found	E	\$52,071	\$7,455	\$59,526	\$7,488	\$67,014
	725	Creepers, Molokai (<i>Paroreomyza flammea</i>) - Wherever found	E	\$12,937	\$0	\$12,937	\$7,488	\$20,425
	763	Creepers, Oahu (<i>Paroreomyza maculata</i>) - Wherever found	E	\$10,852	\$0	\$10,852	\$7,488	\$18,340
	231	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>) - Wherever found	E	\$104,577	\$60,942	\$165,519	\$7,488	\$173,007
	61	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>) - Wherever found	E	\$1,272,182	\$0	\$1,272,182	\$7,488	\$1,279,670

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1034	Crow, White-necked (<i>Corvus leucognaphalus</i>) - Wherever found	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	992	Cuckoo, Southeastern Rufous-vented Ground (<i>Neomorphus geoffroyi dulcis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	42	Cuckoo, Yellow-billed (<i>Coccyzus americanus</i>) - Western U.S. DPS	T	\$243,035	\$2,310,914	\$2,553,949	\$72,500	\$2,626,449
	992	Cuckoo-shrike, Mauritius (<i>Coquus typicus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cuckoo-shrike, Reunion (<i>Coquus newtoni</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Curassow, Razor-billed (<i>Mitu mitu mitu</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Curassow, Red-billed (<i>Crax blumenbachii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Curassow, Trinidad White-headed (<i>Pipile pipile pipile</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Curlew, Slender-billed (<i>Numenius tenuirostris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Dove, Grenada Gray-fronted (<i>Leptotila rufaxilla wellsi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	190	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>) - Wherever found	E	\$82,984	\$167,130	\$250,114	\$7,488	\$257,602
	412	Duck, Laysan (<i>Anas laysanensis</i>) - Wherever found	E	\$59,243	\$0	\$59,243	\$7,488	\$66,731
	992	Duck, Pink-headed (<i>Rhodonessa caryophyllacea</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eagle, Greenland White-tailed (<i>Haliaeetus albicilla groenlandicus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eagle, Harpy (<i>Harpia harpyja</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eagle, Madagascar Sea (<i>Haliaeetus vociferoides</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eagle, Madagascar Serpent (<i>Eutriorchis astur</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eagle, Philippine (<i>Pithecophaga jefferyi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eagle, Spanish Imperial (<i>Aquila heliaca adalberti</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	84	Eider, Spectacled (<i>Somateria fischeri</i>) - Wherever found	T	\$593,500	\$205,875	\$799,375	\$7,488	\$806,863

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	74	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$826,000	\$226,455	\$1,052,455	\$7,488	\$1,059,943
	479	Elepaio, Oahu (<i>Chasiempis ibidis</i>) - Wherever found	E	\$42,647	\$0	\$42,647	\$7,488	\$50,135
	1057	Falcon, Eurasian Peregrine (<i>Falco peregrinus peregrinus</i>) - Wherever found	E	\$0	\$0	\$0	\$1,077	\$1,077
	174	Falcon, Northern Aplomado (<i>Falco femoralis septentrionalis</i>) - Wherever found, except where listed as an experimental population	E	\$251,754	\$37,950	\$289,704	\$14,976	\$304,680
	582	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>) - Wherever found	E	\$17,311	\$9,480	\$26,791	\$7,488	\$34,279
	568	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>) - Wherever found	E	\$18,832	\$9,480	\$28,312	\$7,488	\$35,800
	992	Fire-eye, Fringe-backed (<i>Pyriglena atra</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Flycatcher, Seychelles Paradise (<i>Terpsiphone corvina</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	31	Flycatcher, Southwestern Willow (<i>Empidonax traillii extimus</i>) - Wherever found	E	\$116,000	\$3,508,164	\$3,624,164	\$10,488	\$3,634,652
	992	Flycatcher, Tahiti (<i>Pomarea nigra</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Fody, Mauritius (<i>Foudia rubra</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Fody, Rodrigues (<i>Foudia flavicans</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Fody, Seychelles (weaver-finch) (<i>Foudia sechellarum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Freira (<i>Pterodroma madeira</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	301	Gallinule, Hawaiian Common (<i>Gallinula galeata sandvicensis</i>) - Wherever found	E	\$104,401	\$0	\$104,401	\$7,488	\$111,889
	58	Gnatcatcher, Coastal California (<i>Polioptila californica californica</i>) - Wherever found	T	\$0	\$1,378,301	\$1,378,301	\$0	\$1,378,301
	105	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>) - Wherever found	E	\$452,175	\$162,900	\$615,075	\$7,488	\$622,563
	992	Goshawk, Queen Charlotte (<i>Accipiter gentilis laingi</i>) - Wherever found	RT	\$0	\$0	\$0	\$7,488	\$7,488
	992	Grackle, Slender-billed (<i>Quiscalus palustris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Grebe, Junin (<i>Podiceps taczanowskii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Greenshank, Nordmann's (<i>Tringa guttifer</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	491	Ground-dove, Friendly (<i>Gallicolumba stairi</i>) - American Samoa DPS	E	\$39,415	\$0	\$39,415	\$7,488	\$46,903
	992	Guan, Horned (<i>Oreophasis derbianus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Guineafowl, White-breasted (<i>Agelastes meleagrides</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gull, Relict (<i>Larus relictus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1004	Gunnison Sage-grouse (<i>Centrocercus minimus</i>) - Wherever found	T	\$0	\$6,400	\$6,400	\$0	\$6,400
	992	Hawk, Galapagos (<i>Buteo galapagoensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	464	Hawk, Hawaiian (=‘lo) (<i>Buteo solitarius</i>) - Wherever found	E	\$0	\$53,727	\$53,727	\$0	\$53,727
	429	Hawk, Puerto Rican Broad-winged (<i>Buteo platypterus</i> <i>brunnescens</i>) - Wherever found	E	\$55,500	\$0	\$55,500	\$7,488	\$62,988
	220	Hawk, Puerto Rican Sharp-shinned (<i>Accipiter striatus</i> <i>venator</i>) - Wherever found	E	\$138,500	\$42,020	\$180,520	\$7,488	\$188,008
	992	Hermit, Hook-billed (hummingbird) (<i>Ramphodon</i> <i>(=Glaucis) dohrnii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Hermit, Margaretta's (<i>Phaethornis malaris</i> <i>margarettae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	224	Honeycreeper, (akohekohe) Crested (<i>Palmeria dolei</i>) - Wherever found	E	\$96,570	\$83,200	\$179,770	\$0	\$179,770
	992	Honeyeater, Helmeted (<i>Lichenostomus melanops</i> <i>cassidix</i> (=Meliphaga c.)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	527	Hornbill, Helmeted (<i>Buceros</i> (=Rhinoplax) <i>vigil</i>) - Wherever found	E	\$32,725	\$0	\$32,725	\$7,488	\$40,213
	78	Horned Lark, Streaked (<i>Eremophila alpestris strigata</i>) - Wherever found	T	\$809,608	\$98,297	\$907,905	\$35,488	\$943,393
	992	Hummingbird, Honduran Emerald (<i>Amazilia luciae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Ibis, Giant (<i>Pseudibis gigantea</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Ibis, Japanese Crested (<i>Nipponia nippon</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Ibis, Northern Bald (<i>Geronticus eremita</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Kagu (<i>Rhynochetos jubatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Kakapo (<i>Strigops habroptilus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Kestrel, Mauritius (<i>Falco punctatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Kestrel, Seychelles (<i>Falco araea</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	416	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>) - Wherever found	E	\$58,579	\$0	\$58,579	\$7,488	\$66,067
	166	Kite, Everglade Snail (<i>Rostrhamus sociabilis plumbeus</i>) - Wherever found	E	\$286,500	\$65,689	\$352,189	\$0	\$352,189
	992	Kite, Grenada Hook-billed (<i>Chondrohierax uncinatus mirus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	163	Knot, Red (<i>Calidris canutus rufa</i>) - Wherever found	T	\$259,585	\$88,712	\$348,297	\$18,117	\$366,414
	153	Knott, Red (<i>Calidris canutus rufa</i>) - Wherever found	T	\$0	\$399,586	\$399,586	\$0	\$399,586
	992	Kokako (wattlebird) (<i>Callaeas cinerea</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Lark, Raso (<i>Alauda razae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaw, Glaucous (<i>Anodorhynchus glaucus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaw, Great Green (<i>Ara ambiguus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaw, Hyacinth (<i>Anodorhynchus hyacinthinus</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaw, Indigo (<i>Anodorhynchus leari</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaw, Little Blue (<i>Cyanopsitta spixii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	867	Macaw, Military (<i>Ara militaris</i>) - Wherever found	E	\$0	\$6,000	\$6,000	\$7,488	\$13,488
	992	Macaw, Scarlet (<i>Ara macao</i> ssp. <i>cyanopterus</i>) - Northern DPS	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaw, Scarlet (<i>Ara macao</i> ssp. <i>macao</i>) - Southern DPS	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Magpie-robin, Seychelles (thrush) (<i>Copsychus sechellarum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Malimbe, Ibadan (<i>Malimbus ibadanensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Malkoha, Red-faced (cuckoo) (<i>Phaenicophaeus pyrrhocephalus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Megapode, Maleo (Macrocephalon maleo) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	548	Megapode, Micronesian (Megapodius laperouse) - Wherever found	E	\$30,037	\$0	\$30,037	\$7,488	\$37,525
	484	Millerbird, Nihoa (old World Warbler) (Acrocephalus familiaris kingi) - Wherever found	E	\$31,203	\$9,480	\$40,683	\$7,488	\$48,171
	992	Mockingbird, Socorro (Mimus graysoni) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1020	Moorhen, Hawaiian Common (Gallinula galeata sandvicensis) - Wherever found	E	\$0	\$4,904	\$4,904	\$0	\$4,904
	589	Moorhen, Mariana Common (Gallinula chloropus guami) - Wherever found	E	\$25,700	\$0	\$25,700	\$7,488	\$33,188
	20	Murrelet, Marbled (Brachyramphus marmoratus) - U.S.A. (CA, OR, WA)	T	\$2,158,772	\$1,221,223	\$3,379,995	\$1,531,488	\$4,911,483
	639	Nightjar, Puerto Rican (Caprimulgus noctitherus) - Wherever found	E	\$6,500	\$13,500	\$20,000	\$7,488	\$27,488
	685	Nukupuu, Kauai (Hemignathus hanapepe) - Wherever found	E	\$15,515	\$0	\$15,515	\$7,488	\$23,003
	766	Nukupuu, Maui (Hemignathus affinis) - Wherever found	E	\$10,649	\$0	\$10,649	\$7,488	\$18,137
	992	Ostrich, West African (Struthio camelus spatzi) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Owl, Giant Scops (Mimizuku (=Otus) gurneyi) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Owl, Madagascar Red (Tyto soumagnei) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	118	Owl, Mexican Spotted (Strix occidentalis lucida) - Wherever found	T	\$162,990	\$395,023	\$558,013	\$7,488	\$565,501
	13	Owl, Northern Spotted (Strix occidentalis caurina) - Wherever found	T	\$2,374,006	\$4,090,987	\$6,464,993	\$914,890	\$7,379,883
	992	Owl, Seychelles Scops (Otus magicus (=insularis) insularis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Owlet, Morden's (Otus irenaeae) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	424	Palila (honeycreeper) (Loxioides bailleui) - Wherever found	E	\$56,955	\$0	\$56,955	\$7,488	\$64,443
	992	Parakeet, Forbes' (Cyanoramphus auriceps forbesi) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parakeet, Golden-shouldered (Psephotus chrysopterygius) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Parakeet, Mauritius (<i>Psittacula echo</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parakeet, Norfolk Island (<i>Cyanoramphus cookii</i> (=novaezelandiae c.)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parakeet, Orange-bellied (<i>Neophema chrysogaster</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parakeet, Paradise (<i>Psephotus pulcherrimus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Ground (<i>Pezoporus wallicus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Imperial (<i>Amazona imperialis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Night (=australian) (<i>Geopsittacus occidentalis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	56	Parrot, Puerto Rican (<i>Amazona vittata</i>) - Wherever found	E	\$1,502,000	\$0	\$1,502,000	\$7,488	\$1,509,488
	992	Parrot, Red-browed (<i>Amazona rhodocorytha</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Red-capped (<i>Pionopsitta pileata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Red-necked (<i>Amazona arausiaca</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Red-spectacled (<i>Amazona pretrei pretrei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Red-tailed (<i>Amazona brasiliensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Seychelles Lesser Vasa (<i>Coracopsis nigra barklyi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, St Vincent (<i>Amazona guildingii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, St. Lucia (<i>Amazona versicolor</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Thick-billed (<i>Rhynchopsitta pachyrhyncha</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Parrot, Vinaceous-breasted (<i>Amazona vinacea</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	200	Parrotbill, Maui (<i>kiwikiu</i>) (<i>Pseudonestor xanthophrys</i>) - Wherever found	E	\$133,364	\$83,200	\$216,564	\$7,488	\$224,052

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Penguin, Fiordland Crested (<i>Eudyptes pachyrhynchus</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Penguin, Galapagos (<i>Spheniscus mendiculus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Penguin, Humboldt (<i>Spheniscus humboldti</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Penguin, Southern Rockhopper (<i>Eudyptes chrysocome</i>) - New Zealand-Australia DPS	T	\$0	\$0	\$0	\$7,488	\$7,488
	1026	Petrel, Bermuda (<i>Pterodroma cahow</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	992	Petrel, Fiji (<i>Pseudobulweria macgillivrayi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Petrel, Galapagos (<i>Pterodroma phaeopygia</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	107	Petrel, Hawaiian (<i>Pterodroma sandwichensis</i>) - Wherever found	E	\$449,023	\$158,900	\$607,923	\$7,488	\$615,411
	992	Petrel, Magenta (<i>Pterodroma magentae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Petrel, Mascarene Black (<i>Pterodroma aterrima</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	116	Pheasant, Elliot's (<i>Syrnaticus ellioti</i>) - Wherever found	E	\$0	\$571,000	\$571,000	\$0	\$571,000
	992	Pheasant, Imperial (<i>Lophura imperialis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pheasant, Mikado (<i>Syrnaticus mikado</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pheasant, Palawan Peacock (<i>Polyplectron emphanum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pheasant, Sclater's Monal (<i>Lophophorus sclateri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pheasant, Swinhoe's (<i>Lophura swinhoii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pheasant, Western Tragopan (<i>Tragopan melanocephalus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pigeon, Marquesas (<i>Ducula galeata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pigeon, Mindoro Imperial (=zone-tailed) (<i>Ducula mindorensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pigeon, Pink (<i>Columba mayeri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	457	Pigeon, Puerto Rican Plain (<i>Columba inornata wetmorei</i>) - Wherever found	E	\$15,500	\$32,585	\$48,085	\$7,488	\$55,573
	992	Pitta, Gurney's (<i>Pitta gurneyi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Pitta, Koch's (<i>Pitta kochi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Plantcutter, Peruvian (<i>Phytotoma raimondii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Plover, New Zealand Shore (<i>Thinornis novaeseelandiae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	12	Plover, Piping (<i>Charadrius melodus</i>) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$1,431,384	\$5,839,692	\$7,271,076	\$206,280	\$7,477,356
	55	Plover, Western Snowy (<i>Charadrius nivosus nivosus</i>) - Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$528,697	\$897,239	\$1,425,936	\$93,488	\$1,519,424
	689	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>) - Wherever found	E	\$15,378	\$0	\$15,378	\$7,488	\$22,866
	992	Pochard, Madagascar (<i>Aythya innotata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	82	Prairie-chicken, Attwater's Greater (<i>Tympanuchus cupido attwateri</i>) - Wherever found	E	\$821,744	\$0	\$821,744	\$0	\$821,744
	992	Quail, Merriam's Montezuma (<i>Cyrtonyx montezumae merriami</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Quetzal, Resplendent (<i>Pharomachrus mocinno</i> ssp. <i>mocinno</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	353	Rail, California Clapper (<i>Rallus longirostris obsoletus</i>) - Wherever found	E	\$0	\$90,926	\$90,926	\$0	\$90,926
	276	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$111,640	\$0	\$111,640	\$14,976	\$126,616
	992	Rail, Junin (<i>Laterallus tuerosi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	870	Rail, Light-footed Clapper (<i>Rallus longirostris levipes</i>) - Wherever found	E	\$0	\$5,816	\$5,816	\$7,488	\$13,304
	992	Rail, Lord Howe Wood (<i>Gallirallus</i> (=Tricholimnas) <i>sylvestris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1007	Rail, Ridgway's (<i>Rallus obsoletus</i> [=longirostris] <i>yumanensis</i>) - Wherever found	E	\$0	\$6,000	\$6,000	\$0	\$6,000
	128	Rail, Yuma Ridgways (<i>Rallus obsoletus</i> [=longirostris] <i>yumanensis</i>) - Wherever found	E	\$6,500	\$497,960	\$504,460	\$3,000	\$507,460

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Rhea, Lesser (incl. Darwin's) (Rhea (=Pterocnemia pennata) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Robin, Scarlet-breasted (flycatcher) (Petroica multicolor multicolor) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rockfowl, Grey-necked (Picathartes oreas) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Roller, Long-tailed Ground (Uratelornis chimaera) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	49	Sage-grouse, Gunnison (Centrocercus minimus) - Wherever found	T	\$187,729	\$1,474,608	\$1,662,337	\$7,488	\$1,669,825
	992	Scrub-bird, Noisy (Atrichornis clamosus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	111	Scrub-jay, Florida (Aphelocoma coerulescens) - Wherever found	T	\$551,000	\$31,873	\$582,873	\$7,488	\$590,361
	992	Shearwater, Heinroth's (Puffinus heinrothi) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	146	Shearwater, Newell's Townsend's (Puffinus auricularis newelli) - Wherever found	T	\$350,276	\$73,100	\$423,376	\$7,488	\$430,864
	992	Shrike, San Clemente Loggerhead (Lanius ludovicianus mearnsi) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Siskin, Red (Carduelis cucullata) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	64	Sparrow, Cape Sable Seaside (Ammodramus maritimus mirabilis) - Wherever found	E	\$755,000	\$479,460	\$1,234,460	\$0	\$1,234,460
	91	Sparrow, Florida Grasshopper (Ammodramus savannarum floridanus) - Wherever found	E	\$736,000	\$2,550	\$738,550	\$7,488	\$746,038
	992	Sparrow, San Clemente Sage (Amphispiza belli clementeae) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Starling, Ponape Mountain (Aplonis pelzelni) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Starling, Rothschild's (myna) (Leucopsar rothschildi) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	162	Stilt, Hawaiian (Himantopus mexicanus knudseni) - Wherever found	E	\$241,753	\$117,519	\$359,272	\$7,488	\$366,760
	992	Stork, Oriental White (Ciconia boyciana (=ciconia b.)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	92	Stork, Wood (Mycteria americana) - AL, FL, GA, MS, NC, SC	T	\$478,500	\$247,454	\$725,954	\$17,400	\$743,354
	172	Storm-petrel, Band-rumped (Oceanodroma castro) - USA (HI)	E	\$233,227	\$86,400	\$319,627	\$0	\$319,627

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Sunbird, Marungu (<i>Nectarinia prigoginei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	206	Swiftlet, Mariana Gray (<i>Aerodramus vanikorensis bartschi</i>) - Wherever found	E	\$51,695	\$154,500	\$206,195	\$7,488	\$213,683
	327	Tern, California Least (<i>Sterna antillarum browni</i>) - Wherever found	E	\$0	\$98,947	\$98,947	\$0	\$98,947
	19	Tern, Least (<i>Sterna antillarum</i>) - interior pop.	E	\$157,305	\$4,762,973	\$4,920,278	\$28,235	\$4,948,513
	451	Tern, Least (coastal) (<i>Sterna antillarum</i>) - interior pop.	E	\$0	\$56,720	\$56,720	\$0	\$56,720
	269	Tern, Roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$44,100	\$47,610	\$91,710	\$43,476	\$135,186
	992	Thrasher, White-breasted (<i>Ramphocinclus brachyurus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	311	Thrush, Large Kauai (=kamao) (<i>Myadestes myadestinus</i>) - Wherever found	E	\$99,571	\$0	\$99,571	\$7,488	\$107,059
	725	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>) - Wherever found	E	\$12,937	\$0	\$12,937	\$7,488	\$20,425
	992	Thrush, New Zealand (wattlebird) (<i>Turnagra capensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	375	Thrush, Small Kauai (=puaiohi) (<i>Myadestes palmeri</i>) - Wherever found	E	\$71,484	\$0	\$71,484	\$7,488	\$78,972
	992	Thrush, St. Lucia Forest (<i>Cichlherminia iherminieri santaeluciae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Thrush, Taita (<i>Turdus olivaceus helleri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tinamou, Solitary (<i>Tinamus solitarius</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tit-spinetail, White-browed (<i>Leptasthenura xenothorax</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tody-tyrant, Kaempfer's (<i>Hemitriccus kaempferi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	950	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>) - Wherever found	T	\$0	\$1,500	\$1,500	\$7,488	\$8,988
	992	Tree-finch, Floreana (<i>Camarhynchus pauper</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Trembler, Martinique (thrasher) (<i>Cinlocerthia ruficauda gutturalis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle Dove, Seychelles (<i>Streptopelia picturata rostrata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Vanga, Pollen's (<i>Xenopirostris polleni</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Vanga, Van Dam's (<i>Xenopirostris damii</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	158	Vireo, Least Bell's (<i>Vireo bellii pusillus</i>) - Wherever found	E	\$0	\$373,766	\$373,766	\$7,488	\$381,254
	992	Wanderer, Plains (=collared-hemipode) (<i>Pedionomus torquatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	998	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>) - Wherever found	E	\$6,500	\$0	\$6,500	\$400	\$6,900
	674	Warbler (=wood), Golden-cheeked (<i>Dendroica chrysoparia</i>) - Wherever found	E	\$9,180	\$7,640	\$16,820	\$7,488	\$24,308
	992	Warbler (=wood), Semper's (<i>Leucopezza semperi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	907	Warbler, Elfin-woods (<i>Setophaga angelae</i>) - Wherever found	T	\$11,500	\$0	\$11,500	\$0	\$11,500
	610	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)) - Wherever found	E	\$0	\$30,935	\$30,935	\$0	\$30,935
	992	Warbler, Long-legged (<i>Trichocichla rufa</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	670	Warbler, Nightingale Reed (old World Warbler) (<i>Acrocephalus luscini</i>) - Wherever found	E	\$16,983	\$0	\$16,983	\$7,488	\$24,471
	992	Warbler, Rodrigues (old World Warbler) (<i>Bebornis rodericanus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Warbler, Seychelles (old World Warbler) (<i>Bebornis sechellensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Whipbird, Western (<i>Psophodes nigrogularis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	948	White-eye, Bridled (<i>Zosterops conspicillatus conspicillatus</i>) - Wherever found	E	\$9,053	\$0	\$9,053	\$0	\$9,053
	992	White-eye, Norfolk Island (<i>Zosterops albogularis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	White-eye, Ponape Greater (<i>Rukia longirostra</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	536	White-eye, Rota Bridled (<i>Zosterops rotensis</i>) - Wherever found	E	\$31,098	\$0	\$31,098	\$7,488	\$38,586
	992	White-eye, Seychelles (<i>Zosterops modesta</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Wood-quail, Gorgeted (<i>Odontophorus strophium</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Woodpecker, Imperial (<i>Campephilus imperialis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	450	Woodpecker, Ivory-billed (<i>Campephilus principalis</i>) - Wherever found	E	\$44,000	\$5,564	\$49,564	\$7,488	\$57,052
	48	Woodpecker, Red-cockaded (<i>Picoides borealis</i>) - Wherever found	E	\$1,535,786	\$136,895	\$1,672,681	\$108,388	\$1,781,069
	992	Woodpecker, Tristam's (<i>Dryocopus javensis richardsi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Wren, Guadeloupe House (<i>Troglodytes aedon</i> <i>guadeloupensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Wren, St. Lucia House (<i>Troglodytes aedon</i> <i>mesoleucus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	131	Yellow-billed Cuckoo (<i>Coccyzus americanus</i>) - Western U.S. DPS	T	\$0	\$486,160	\$486,160	\$0	\$486,160
Birds subtotal				\$25,697,015	\$33,344,157	\$59,041,172	\$4,956,745	\$63,997,917
Clams	894	Acornshell, Southern (<i>Epioblasma othcaloogensis</i>) - Wherever found	E	\$3,000	\$1,712	\$4,712	\$7,488	\$12,200
	171	Bankclimber, Purple (mussel) (<i>Elliptoideus</i> <i>sloatianus</i>) - Wherever found	T	\$164,000	\$148,528	\$312,528	\$7,488	\$320,016
	594	Bean, Choctaw (<i>Villosa choctawensis</i>) - Wherever found	E	\$10,000	\$22,734	\$32,734	\$0	\$32,734
	402	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Wherever found; Except where listed as Experimental Populations	E	\$43,890	\$4,910	\$48,800	\$20,000	\$68,800
	578	Bean, Purple (<i>Villosa perpurpurea</i>) - Wherever found	E	\$14,400	\$12,673	\$27,073	\$7,488	\$34,561
	279	Bean, Rayed (<i>Villosa fabalis</i>) - Wherever found	E	\$82,200	\$24,839	\$107,039	\$17,488	\$124,527
	972	Blossom, Green (pearlymussel) (<i>Epioblasma torulosa</i> <i>gubernaculum</i>) - Wherever found	E	\$600	\$0	\$600	\$7,488	\$8,088
	714	Blossom, Tubercled (pearlymussel) (<i>Epioblasma</i> <i>torulosa torulosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties. AL	EXPN	\$2,500	\$3,746	\$6,246	\$14,976	\$21,222
	727	Blossom, Turgid (pearlymussel) (<i>Epioblasma</i> <i>turgidula</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties. AL	EXPN	\$5,000	\$345	\$5,345	\$14,976	\$20,321

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1045	Blossom, Yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Wherever found; Except where listed as Experimental Populations	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	986	Catspaw, White (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>) - Wherever found	E	\$0	\$269	\$269	\$7,488	\$7,757
	415	Clubshell (<i>Pleurobema clava</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$19,300	\$33,712	\$53,012	\$13,088	\$66,100
	533	Clubshell, Black (<i>Pleurobema curtum</i>) - Wherever found	E	\$1,500	\$36,847	\$38,347	\$400	\$38,747
	426	Clubshell, Ovate (<i>Pleurobema perovatum</i>) - Wherever found	E	\$5,500	\$50,516	\$56,016	\$7,888	\$63,904
	433	Clubshell, Southern (<i>Pleurobema decisum</i>) - Wherever found	E	\$4,500	\$49,542	\$54,042	\$7,888	\$61,930
	423	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$41,890	\$2,866	\$44,756	\$20,000	\$64,756
	366	Combshell, Southern (<i>Epioblasma penita</i>) - Wherever found	E	\$40,000	\$37,445	\$77,445	\$7,888	\$85,333
	831	Combshell, Upland (<i>Epioblasma metastrata</i>) - Wherever found	E	\$3,500	\$4,103	\$7,603	\$7,488	\$15,091
	720	Ebonysshell, Round (<i>Fusconaia rotulata</i>) - Wherever found	E	\$8,500	\$4,782	\$13,282	\$7,488	\$20,770
	382	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>) - Wherever found	E	\$61,000	\$3,646	\$64,646	\$10,300	\$74,946
	702	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>) - Wherever found	E	\$13,890	\$2,943	\$16,833	\$5,000	\$21,833
	309	Fanshell (<i>Cyprogenia stegaria</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers: see 17.85(b)(1))	EXPN	\$40,800	\$47,485	\$88,285	\$18,976	\$107,261
	640	Fatmucket, Arkansas (<i>Lampsilis powellii</i>) - Wherever found	T	\$7,000	\$7,663	\$14,663	\$12,400	\$27,063
	407	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>) - Wherever found	T	\$0	\$67,918	\$67,918	\$0	\$67,918
	186	Heelsplitter, Carolina (<i>Lasmigona decorata</i>) - Wherever found	E	\$133,000	\$853	\$133,853	\$134,100	\$267,953
	665	Heelsplitter, Inflated (<i>Potamilus inflatus</i>) - Wherever found	T	\$14,500	\$2,500	\$17,000	\$7,888	\$24,888

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	68	Higgins Eye (pearlymussel) (<i>Lampsilis higginsii</i>) - Wherever found	E	\$154,000	\$972,640	\$1,126,640	\$36,488	\$1,163,128
	300	Hornshell, Texas (<i>Popenaias popeii</i>) - Wherever found	E	\$70,555	\$16,300	\$86,855	\$26,391	\$113,246
	333	Kidneyshell, Fluted (<i>Ptychobranhus subtentum</i>) - Wherever found	E	\$44,000	\$43,000	\$87,000	\$10,488	\$97,488
	1008	Kidneyshell, Fluted (<i>Ptychobranhus subtentus</i>) - Wherever found	E	\$1,390	\$4,580	\$5,970	\$0	\$5,970
	373	Kidneyshell, Southern (<i>Ptychobranhus jonesi</i>) - Wherever found	E	\$49,500	\$22,734	\$72,234	\$7,488	\$79,722
	792	Kidneyshell, Triangular (<i>Ptychobranhus greenii</i>) - Wherever found	E	\$5,500	\$4,103	\$9,603	\$7,488	\$17,091
	882	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,500	\$9,287	\$12,787	\$0	\$12,787
	571	Lance, Yellow (<i>Elliptio lanceolata</i>) - Wherever found	T	\$20,500	\$0	\$20,500	\$15,000	\$35,500
	487	Lilliput, Pale (pearlymussel) (<i>Toxolasma cylindrellus</i>) - Wherever found	E	\$31,000	\$9,114	\$40,114	\$7,488	\$47,602
	404	Mapleleaf, Winged (<i>Quadrula fragosa</i>) - Wherever found, except where listed as an experimental population	E	\$45,100	\$22,469	\$67,569	\$1,000	\$68,569
	473	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>) - Wherever found	T	\$6,000	\$45,244	\$51,244	\$400	\$51,644
	1006	Moccasinshell, Coosa (<i>Medionidus parvulus</i>) - Wherever found	E	\$4,500	\$1,712	\$6,212	\$0	\$6,212
	673	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>) - Wherever found	E	\$11,500	\$5,353	\$16,853	\$7,488	\$24,341
	604	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>) - Wherever found	E	\$24,500	\$0	\$24,500	\$7,488	\$31,988
	453	Moccasinshell, Suwannee (<i>Medionidus walkeri</i>) - Wherever found	T	\$29,000	\$20,000	\$49,000	\$7,488	\$56,488
	1053	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,200	\$172	\$1,372	\$0	\$1,372

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	441	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$18,000	\$40,672	\$58,672	\$0	\$58,672
	455	Mucket, Neosho (<i>Lampsilis rafinesqueana</i>) - Wherever found	E	\$48,606	\$0	\$48,606	\$7,688	\$56,294
	466	Mucket, Orangenacre (<i>Lampsilis perovalis</i>) - Wherever found	T	\$4,500	\$41,121	\$45,621	\$7,488	\$53,109
	215	Mucket, Pink (pearlymussel) (<i>Lampsilis abrupta</i>) - Wherever found	E	\$133,190	\$48,958	\$182,148	\$17,488	\$199,636
	465	Mussel, Oyster (<i>Epioblasma capsaeformis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$12,890	\$3,115	\$16,005	\$37,440	\$53,445
	385	Mussel, Scaleshell (<i>Leptodea leptodon</i>) - Wherever found	E	\$52,500	\$12,575	\$65,075	\$9,488	\$74,563
	374	Mussel, Sheepnose (<i>Plethobasus cyphus</i>) - Wherever found	E	\$10,800	\$52,722	\$63,522	\$15,988	\$79,510
	119	Mussel, Snuffbox (<i>Epioblasma triquetra</i>) - Wherever found	E	\$431,800	\$99,371	\$531,171	\$31,388	\$562,559
	629	Pearlshell, Alabama (<i>Margaritifera marrianae</i>) - Wherever found	E	\$28,500	\$0	\$28,500	\$0	\$28,500
	160	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>) - Wherever found	T	\$363,000	\$3,206	\$366,206	\$11,829	\$378,035
	313	Pearlymussel, Birdwing (<i>Lemiox rimosus</i>) - Wherever found; Except where listed as Experimental Populations	E	\$14,500	\$40,500	\$55,000	\$0	\$55,000
	#N/A	Pearlymussel, Cracking (<i>Hemistena lata</i>) - Wherever found; Except where listed as Experimental Populations	E	\$9,500	\$41,318	\$50,818	\$0	\$50,818
	1026	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>) - Wherever found	E	\$3,000	\$0	\$3,000	\$1,000	\$4,000
	648	Pearlymussel, Dromedary (<i>Dromus dromas</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$22,890	\$3,220	\$26,110	\$0	\$26,110
	613	Pearlymussel, Littlewing (<i>Pegias fabula</i>) - Wherever found	E	\$15,390	\$2,770	\$18,160	\$12,488	\$30,648
	992	Pearlymussel, Nicklin's (<i>Megaloniais nicklineana</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	336	Pearlymussel, Slabside (<i>Pleuroaia dolabelloides</i>) - Wherever found	E	\$38,500	\$50,400	\$88,900	\$7,888	\$96,788
	992	Pearlymussel, Tampico (<i>Cyrtonaias tampicoensis</i> <i>tecomatensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1037	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>) - Wherever found	E	\$1,900	\$862	\$2,762	\$0	\$2,762
	419	Pigtoe, Dark (<i>Pleurobema furvum</i>) - Wherever found	E	\$59,500	\$5,967	\$65,467	\$0	\$65,467
	329	Pigtoe, Finerayed (<i>Fusconaia cuneolus</i>) - AL; Free- Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$18,500	\$42,494	\$60,994	\$37,440	\$98,434
	941	Pigtoe, Flat (<i>Pleurobema marshalli</i>) - Wherever found	E	\$1,500	\$0	\$1,500	\$7,888	\$9,388
	526	Pigtoe, Fuzzy (<i>Pleurobema strodeanum</i>) - Wherever found	T	\$10,000	\$22,734	\$32,734	\$7,488	\$40,222
	840	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>) - Wherever found	E	\$5,500	\$1,712	\$7,212	\$7,488	\$14,700
	472	Pigtoe, Heavy (<i>Pleurobema taitianum</i>) - Wherever found	E	\$4,500	\$39,837	\$44,337	\$7,488	\$51,825
	756	Pigtoe, Narrow (<i>Fusconaia escambia</i>) - Wherever found	T	\$5,000	\$6,087	\$11,087	\$7,488	\$18,575
	210	Pigtoe, Oval (<i>Pleurobema pyriforme</i>) - Wherever found	E	\$29,000	\$173,048	\$202,048	\$7,488	\$209,536
	337	Pigtoe, Rough (<i>Pleurobema plenum</i>) - Wherever found	E	\$50,800	\$25,948	\$76,748	\$18,976	\$95,724
	310	Pigtoe, Shiny (<i>Fusconaia cor</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$19,500	\$50,131	\$69,631	\$37,440	\$107,071
	781	Pigtoe, Southern (<i>Pleurobema georgianum</i>) - Wherever found	E	\$6,000	\$4,103	\$10,103	\$7,488	\$17,591
	605	Pigtoe, Tapered (<i>Fusconaia burkei</i>) - Wherever found	T	\$9,000	\$15,452	\$24,452	\$7,488	\$31,940
	338	Pimpleback, Orangefoot (pearlymussel) (<i>Plethobasus</i> <i>cooperianus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$51,500	\$23,060	\$74,560	\$21,079	\$95,639
	261	Pocketbook, Fat (<i>Potamilus capax</i>) - Wherever found	E	\$56,000	\$70,151	\$126,151	\$11,488	\$137,639

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	747	Pocketbook, Finelined (<i>Lampsilis altilis</i>) - Wherever found	T	\$6,500	\$5,299	\$11,799	\$7,488	\$19,287
	280	Pocketbook, Ouachita Rock (<i>Arkansia wheeleri</i>) - Wherever found	E	\$94,000	\$1,525	\$95,525	\$28,288	\$123,813
	653	Pocketbook, Shinyrayed (<i>Lampsilis subangulata</i>) - Wherever found	E	\$15,500	\$2,853	\$18,353	\$7,488	\$25,841
	509	Pocketbook, Speckled (<i>Lampsilis streckeri</i>) - Wherever found	E	\$23,500	\$2,500	\$26,000	\$16,788	\$42,788
	393	Purple Cat's Paw (=purple Cat's Paw Pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$20,000	\$17,314	\$37,314	\$34,976	\$72,290
	149	Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) - Wherever found	T	\$132,541	\$274,497	\$407,038	\$17,188	\$424,226
	915	Rabbitsfoot, Rough (<i>Quadrula cylindrica strigillata</i>) - Wherever found	E	\$3,000	\$517	\$3,517	\$7,488	\$11,005
	565	Riffleshell, Northern (<i>Epioblasma torulosa rangiana</i>) - Wherever found	E	\$5,000	\$21,036	\$26,036	\$10,088	\$36,124
	447	Riffleshell, Tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri)) - Wherever found	E	\$32,890	\$2,521	\$35,411	\$22,488	\$57,899
	347	Ring Pink (mussel) (<i>Obovaria retusa</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers: see 17.85(b)(1))	EXPN	\$47,300	\$22,247	\$69,547	\$16,976	\$86,523
	538	Sandshell, Southern (<i>Hamiota australis</i>) - Wherever found	T	\$9,500	\$21,539	\$31,039	\$7,488	\$38,527
	233	Slabshell, Chipola (<i>Elliptio chipolaensis</i>) - Wherever found	T	\$17,500	\$149,855	\$167,355	\$0	\$167,355
	282	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>) - Wherever found	E	\$37,592	\$39,431	\$77,023	\$45,388	\$122,411
	928	Spinymussel, Altamaha (<i>Elliptio spinosa</i>) - Wherever found	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	672	Spinymussel, James (<i>Pleurobema collina</i>) - Wherever found	E	\$11,000	\$2,272	\$13,272	\$11,088	\$24,360
	440	Spinymussel, Tar River (<i>Elliptio steinstansana</i>) - Wherever found	E	\$41,500	\$3,241	\$44,741	\$13,988	\$58,729
	941	Stirrupshell (<i>Quadrula stapes</i>) - Wherever found	E	\$1,500	\$0	\$1,500	\$7,888	\$9,388
	1049	Suwannee Moccasinshell (<i>Medionidus walkeri</i>) - Wherever found	T	\$0	\$1,585	\$1,585	\$0	\$1,585

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1067	Texas Hornshell (<i>Popenaias popeii</i>) - Wherever found	E	\$0	\$420	\$420	\$0	\$420
	204	Threeridge, Fat (mussel) (<i>Amblema neislerii</i>) - Wherever found	E	\$58,500	\$148,792	\$207,292	\$8,591	\$215,883
	1031	Wartyback, White (pearlymussel) (<i>Plethobasus cicatricosus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$2,500	\$818	\$3,318	\$0	\$3,318
	266	Wedgemussel, Dwarf (<i>Alasmidonta heterodon</i>) - Wherever found	E	\$15,500	\$114,477	\$129,977	\$6,600	\$136,577
	1002	Yellow Lance (<i>Elliptio lanceolata</i>) - Wherever found	T	\$0	\$6,511	\$6,511	\$0	\$6,511
Clams subtotal				\$3,345,804	\$3,510,069	\$6,855,873	\$1,132,530	\$7,988,403
Conifers and Cycads	992	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	319	Fadang (<i>Cycas micronesica</i>) - Wherever found	T	\$103,219	\$0	\$103,219	\$0	\$103,219
	992	Fir, Guatemalan (=pinabete) (<i>Abies guatemalensis</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	482	Torreya, Florida (<i>Torreya taxifolia</i>) - Wherever found	E	\$41,000	\$0	\$41,000	\$8,088	\$49,088
Conifers and Cycads subtotal				\$144,219	\$0	\$144,219	\$30,552	\$174,771
Corals	130	Coral, Boulder Star (<i>Orbicella franksi</i>) - Wherever found	T	\$12,298	\$475,355	\$487,653	\$0	\$487,653
	102	Coral, Elkhorn (<i>Acropora palmata</i>) - Wherever found	T	\$32,500	\$605,317	\$637,817	\$0	\$637,817
	126	Coral, Lobed Star (<i>Orbicella annularis</i>) - Wherever found	T	\$22,500	\$485,557	\$508,057	\$7,488	\$515,545
	148	Coral, Mountainous Star (<i>Orbicella faveolata</i>) - Wherever found	T	\$18,500	\$398,832	\$417,332	\$7,488	\$424,820
	141	Coral, Pillar (<i>Dendrogyra cylindrus</i>) - Wherever found	T	\$19,000	\$429,505	\$448,505	\$7,488	\$455,993
	135	Coral, Rough Cactus (<i>Mycetophyllia ferox</i>) - Wherever found	T	\$10,300	\$453,815	\$464,115	\$7,488	\$471,603
	89	Coral, Staghorn (<i>Acropora cervicornis</i>) - Wherever found	T	\$83,500	\$656,363	\$739,863	\$7,488	\$747,351
	156	No Common Name (<i>Acropora globiceps</i>) - Wherever found	T	\$500	\$376,500	\$377,000	\$7,488	\$384,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	156	No Common Name (Acropora jacquelinae) - Wherever found	T	\$500	\$376,500	\$377,000	\$7,488	\$384,488
	992	No Common Name (Acropora lokani) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	No Common Name (Acropora pharaonis) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	156	No Common Name (Acropora retusa) - Wherever found	T	\$500	\$376,500	\$377,000	\$7,488	\$384,488
	992	No Common Name (Acropora rudis) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	156	No Common Name (Acropora speciosa) - Wherever found	T	\$500	\$376,500	\$377,000	\$7,488	\$384,488
	992	No Common Name (Acropora tenella) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	No Common Name (Anacropora spinosa) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	No Common Name (Cantharellus noumeae) - 0	E	\$0	\$0	\$0	\$7,488	\$7,488
	156	No Common Name (Euphyllia paradivisa) - Wherever found	T	\$500	\$376,500	\$377,000	\$7,488	\$384,488
	156	No Common Name (Isopora crateriformis) - Wherever found	T	\$500	\$376,500	\$377,000	\$7,488	\$384,488
	992	No Common Name (Montipora australiensis) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	No Common Name (Pavona diffluens) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	No Common Name (Porites napopora) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	157	No Common Name (Seriatopora aculeata) - Wherever found	T	\$0	\$376,000	\$376,000	\$7,488	\$383,488
	992	No Common Name (Siderastrea glynni) - none	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	No Common Name (Tubastraea floreana) - 0	E	\$0	\$0	\$0	\$7,488	\$7,488
Corals subtotal				\$201,598	\$6,139,744	\$6,341,342	\$172,224	\$6,513,566
Crustaceans	1056	Amphipod, Diminutive (Gammarus hyalleloides) - Wherever found	E	\$0	\$1,200	\$1,200	\$0	\$1,200
	344	Amphipod, Hay's Spring (Stygobromus hayi) - Wherever found	E	\$42,800	\$42,800	\$85,600	\$7,488	\$93,088
	992	Amphipod, Illinois Cave (Gammarus acherondytes) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	617	Amphipod, Kauai Cave (<i>Spelaeorchestia koloana</i>) - Wherever found	E	\$22,439	\$0	\$22,439	\$7,488	\$29,927
	863	Amphipod, Noel's (<i>Gammarus desperatus</i>) - Wherever found	E	\$0	\$6,200	\$6,200	\$7,488	\$13,688
	992	Amphipod, Peck's Cave (<i>Stygobromus (=Stygonectes)</i> <i>pecki</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Amphipod, Pecos (<i>Gammarus pecos</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1044	Big Sandy Crayfish (<i>Cambarus callainus</i>) - Wherever found	T	\$0	\$2,278	\$2,278	\$0	\$2,278
	883	Crayfish, Benton County Cave (<i>Cambarus aculabrum</i>) - Wherever found	E	\$12,500	\$0	\$12,500	\$200	\$12,700
	783	Crayfish, Big Sandy (<i>Cambarus callainus</i>) - Wherever found	T	\$17,500	\$0	\$17,500	\$0	\$17,500
	992	Crayfish, Guyandotte River (<i>Cambarus veteranus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	877	Crayfish, Hell Creek Cave (<i>Cambarus zophonastes</i>) - Wherever found	E	\$5,500	\$0	\$5,500	\$7,488	\$12,988
	606	Crayfish, Nashville (<i>Orconectes shoupi</i>) - Wherever found	E	\$20,000	\$4,265	\$24,265	\$7,488	\$31,753
	992	Crayfish, Shasta (<i>Pacifastacus fortis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	697	Fairy Shrimp, Conservancy (<i>Branchinecta</i> <i>conservatio</i>) - Wherever found	E	\$1,091	\$21,118	\$22,209	\$0	\$22,209
	898	Fairy Shrimp, Longhorn (<i>Branchinecta longiantenna</i>) - Wherever found	E	\$1,091	\$3,500	\$4,591	\$7,488	\$12,079
	951	Fairy Shrimp, Riverside (<i>Streptocephalus woottoni</i>) - Wherever found	E	\$1,091	\$300	\$1,391	\$7,488	\$8,879
	866	Fairy Shrimp, San Diego (<i>Branchinecta</i> <i>sandiegonensis</i>) - Wherever found	E	\$1,091	\$4,953	\$6,044	\$7,488	\$13,532
	222	Fairy Shrimp, Vernal Pool (<i>Branchinecta lynchi</i>) - Wherever found	T	\$58,182	\$116,047	\$174,229	\$7,488	\$181,717
	992	Isopod, Lee County Cave (<i>Lirceus usdagalun</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Isopod, Madison Cave (<i>Antrolana lira</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	963	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>) - Wherever found	E	\$0	\$1,000	\$1,000	\$7,488	\$8,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1019	Shrimp, Alabama Cave (<i>Palaemonias alabamiae</i>) - Wherever found	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	837	Shrimp, Anchialine Pool (<i>Procaris hawaiiiana</i>) - Wherever found	E	\$13,958	\$1,000	\$14,958	\$0	\$14,958
	922	Shrimp, Anchialine Pool (<i>Vetericaris chaceorum</i>) - Wherever found	E	\$10,873	\$0	\$10,873	\$0	\$10,873
	495	Shrimp, California Freshwater (<i>Syncaris pacifica</i>) - Wherever found	E	\$20,000	\$25,600	\$45,600	\$0	\$45,600
	835	Shrimp, Kentucky Cave (<i>Palaemonias ganteri</i>) - Wherever found	E	\$5,000	\$2,500	\$7,500	\$7,488	\$14,988
	992	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingi</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	307	Tadpole Shrimp, Vernal Pool (<i>Lepidurus packardii</i>) - Wherever found	E	\$1,091	\$99,915	\$101,006	\$7,488	\$108,494
Crustaceans subtotal				\$239,207	\$332,676	\$571,883	\$149,960	\$721,843
Ferns and Allies	869	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	918	Diellia, Asplenium-leaved (<i>Asplenium dielrectum</i>) - Wherever found	E	\$10,953	\$0	\$10,953	\$0	\$10,953
	994	Fern, Alabama Streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>) - Wherever found	T	\$2,500	\$4,782	\$7,282	\$0	\$7,282
	765	Fern, Aleutian Shield (<i>Polystichum aleuticum</i>) - Wherever found	E	\$8,288	\$10,000	\$18,288	\$0	\$18,288
	1029	Fern, American Hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>) - Wherever found	T	\$3,500	\$0	\$3,500	\$0	\$3,500
	916	Fern, Elfin Tree (<i>Cyathea dryopteroides</i>) - Wherever found	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	956	Fern, Florida Bristle (<i>Trichomanes punctatum</i> ssp. <i>floridanum</i>) - Wherever found	E	\$0	\$0	\$0	\$8,788	\$8,788
	865	Fern, Pendant Kihi (<i>Adenophorus periens</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	827	Hohiu (<i>Dryopteris glabra</i> var. <i>pusilla</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	507	Ihi`ihi (<i>Marsilea villosa</i>) - Wherever found	E	\$35,726	\$0	\$35,726	\$7,488	\$43,214
	552	Kupukupu Makalii (<i>Cyclosorus boydiae</i>) - Wherever found	E	\$17,819	\$12,000	\$29,819	\$7,488	\$37,307
	917	No Common Name (<i>Adiantum vivesii</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	786	No Common Name (<i>Asplenium dielfalcatum</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	869	No Common Name (<i>Asplenium diellaciniatum</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	No Common Name (<i>Asplenium dielmannii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	No Common Name (<i>Asplenium dielpallidum</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	525	No Common Name (<i>Asplenium peruvianum</i> var. <i>insulare</i>) - Wherever found	E	\$20,895	\$12,000	\$32,895	\$7,488	\$40,383
	786	No Common Name (<i>Asplenium unisorum</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	869	No Common Name (<i>Deparia kaalaana</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	850	No Common Name (<i>Diplazium molokaiense</i>) - Wherever found	E	\$6,810	\$0	\$6,810	\$7,488	\$14,298
	742	No Common Name (<i>Doryopteris angelica</i>) - Wherever found	E	\$11,960	\$0	\$11,960	\$7,488	\$19,448
	828	No Common Name (<i>Doryopteris takeuchii</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	917	No Common Name (<i>Elaphoglossum serpens</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	822	No Common Name (<i>Huperzia stemmermanniae</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	515	No Common Name (<i>Microlepia strigosa</i> var. <i>mauiensis</i>) - Wherever found	E	\$22,946	\$12,000	\$34,946	\$7,488	\$42,434
	572	No Common Name (<i>Polystichum calderonense</i>) - Wherever found	E	\$28,000	\$0	\$28,000	\$7,488	\$35,488
	869	No Common Name (<i>Pteris lidgatei</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	917	No Common Name (<i>Tectaria estremerana</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	917	No Common Name (<i>Thelypteris inabonensis</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	917	No Common Name (<i>Thelypteris verecunda</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	917	No Common Name (<i>Thelypteris yaucoensis</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	855	Olua (<i>Hypolepis hawaiiensis</i> var. <i>mauiensis</i>) - Wherever found	E	\$6,580	\$0	\$6,580	\$7,488	\$14,068
	805	Pauoa (<i>Ctenitis squamigera</i>) - Wherever found	E	\$8,936	\$0	\$8,936	\$7,488	\$16,424
	1029	Quillwort, Black Spored (<i>Isoetes melanospora</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	655	Quillwort, Louisiana (<i>Isoetes louisianensis</i>) - Wherever found	E	\$1,500	\$16,725	\$18,225	\$7,488	\$25,713
	917	Quillwort, Mat-forming (<i>Isoetes tegetiformans</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	552	Wawae`iole (<i>Huperzia mannii</i>) - Wherever found	E	\$17,819	\$12,000	\$29,819	\$7,488	\$37,307
	869	Wawae`iole (<i>Huperzia nutans</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
Ferns and Allies subtotal				\$337,981	\$79,507	\$417,488	\$240,916	\$658,404
Fishes	361	Blindcat, Mexican (catfish) (<i>Prietella phreatophila</i>) - Wherever found	E	\$40,000	\$40,000	\$80,000	\$7,488	\$87,488
	97	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound - Georgia Basin DPS	E	\$0	\$485,235	\$485,235	\$205,800	\$691,035
	30	Bonytail (<i>Gila elegans</i>) - Wherever found	E	\$416,086	\$3,219,999	\$3,636,085	\$1,500	\$3,637,585
	992	Catfish, Thailand Giant (<i>Pangasianodon gigas</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1059	Catfish, Yaqui (<i>Ictalurus pricei</i>) - Wherever found	T	\$1,000	\$0	\$1,000	\$0	\$1,000
	1045	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>) - Wherever found	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	255	Cavefish, Ozark (<i>Amblyopsis rosae</i>) - Wherever found	T	\$121,701	\$13,000	\$134,701	\$7,588	\$142,289
	996	Chub, Bonytail (<i>Gila elegans</i>) - Wherever found	E	\$0	\$7,200	\$7,200	\$0	\$7,200
	176	Chub, Borax Lake (<i>Gila boraxobius</i>) - Wherever found	E	\$264,860	\$5,350	\$270,210	\$26,000	\$296,210
	1029	Chub, Chihuahua (<i>Gila nigrescens</i>) - Wherever found	T	\$0	\$3,500	\$3,500	\$0	\$3,500
	459	Chub, Gila (<i>Gila intermedia</i>) - Wherever found	E	\$0	\$47,484	\$47,484	\$7,488	\$54,972
	24	Chub, Humpback (<i>Gila cypha</i>) - Wherever found	E	\$446,668	\$3,686,817	\$4,133,485	\$7,488	\$4,140,973
	398	Chub, Hutton Tui (<i>Gila bicolor</i> ssp.) - Wherever found	T	\$63,620	\$0	\$63,620	\$7,488	\$71,108
	675	Chub, Owens Tui (<i>Gila bicolor</i> ssp. <i>snyderi</i>) - Wherever found	E	\$0	\$16,700	\$16,700	\$7,488	\$24,188
	904	Chub, Pahrnagat Roundtail (<i>Gila robusta jordani</i>) - Wherever found	E	\$0	\$500	\$500	\$11,188	\$11,688
	795	Chub, Slender (<i>Erimystax cahni</i>) - Wherever found	T	\$2,000	\$0	\$2,000	\$14,976	\$16,976

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Chub, Sonora (<i>Gila ditaenia</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	258	Chub, Spotfin (<i>Erimonax monachus</i>) - U.S.A. (TN-specified portions of the French Broad and Holston Rivers: see 17.84(m)(1)(iii))	EXPN	\$39,500	\$21,131	\$60,631	\$79,880	\$140,511
	288	Chub, Virgin River (<i>Gila seminuda</i> (=robusta)) - Wherever found	E	\$19,000	\$89,100	\$108,100	\$10,988	\$119,088
	1003	Chub, Yaqui (<i>Gila purpurea</i>) - Wherever found	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	341	Cui-ui (<i>Chasmistes cujus</i>) - Wherever found	E	\$0	\$94,000	\$94,000	\$0	\$94,000
	1062	Dace, Ash Meadows Speckled (<i>Rhinichthys osculus nevadensis</i>) - Wherever found	E	\$0	\$0	\$0	\$800	\$800
	273	Dace, Blackside (<i>Phoxinus cumberlandensis</i>) - Wherever found	T	\$124,900	\$5,307	\$130,207	\$0	\$130,207
	1065	Dace, Clover Valley Speckled (<i>Rhinichthys osculus oligoporus</i>) - Wherever found	E	\$0	\$0	\$0	\$600	\$600
	252	Dace, Desert (<i>Eremichthys acros</i>) - Wherever found	T	\$0	\$146,050	\$146,050	\$700	\$146,750
	1027	Dace, Foskett Speckled (<i>Rhinichthys osculus</i> ssp.) - Wherever found	T	\$0	\$3,750	\$3,750	\$0	\$3,750
	885	Dace, Independence Valley Speckled (<i>Rhinichthys osculus lethoporus</i>) - Wherever found	E	\$0	\$5,000	\$5,000	\$7,688	\$12,688
	218	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>) - Wherever found	E	\$80,504	\$105,960	\$186,464	\$7,488	\$193,952
	518	Dace, Laurel (<i>Chrosomus saylori</i>) - Wherever found	E	\$34,000	\$0	\$34,000	\$7,488	\$41,488
	488	Dace, Moapa (<i>Moapa coriacea</i>) - Wherever found	E	\$0	\$35,000	\$35,000	\$12,588	\$47,588
	871	Darter, Amber (<i>Percina antesella</i>) - Wherever found	E	\$11,000	\$2,287	\$13,287	\$0	\$13,287
	1066	Darter, Bayou (<i>Etheostoma rubrum</i>) - Wherever found	T	\$0	\$100	\$100	\$400	\$500
	1022	Darter, Bluemask (<i>Etheostoma akatulo</i>) - Wherever found	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	1052	Darter, Bluemask (=jewel) (<i>Etheostoma akatulo</i>) - Wherever found	E	\$0	\$1,380	\$1,380	\$0	\$1,380
	493	Darter, Boulder (<i>Etheostoma wapiti</i>) - Wherever found	E	\$6,000	\$40,500	\$46,500	\$0	\$46,500
	549	Darter, Candy (<i>Etheostoma osburni</i>) - Wherever found	E	\$0	\$37,500	\$37,500	\$0	\$37,500
	812	Darter, Cherokee (<i>Etheostoma scotti</i>) - Wherever found	T	\$14,000	\$2,087	\$16,087	\$0	\$16,087

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	445	Darter, Cumberland (<i>Etheostoma susanae</i>) - Wherever found	E	\$45,500	\$11,690	\$57,190	\$1,000	\$58,190
	1059	Darter, Diamond (<i>Crystallaria cincotta</i>) - Wherever found	E	\$500	\$500	\$1,000	\$0	\$1,000
	199	Darter, Duskytail (<i>Etheostoma percnum</i>) - Tellico River, TN	EXPN	\$23,606	\$213,027	\$236,633	\$0	\$236,633
	820	Darter, Etowah (<i>Etheostoma etowahae</i>) - Wherever found	E	\$13,500	\$2,187	\$15,687	\$0	\$15,687
	965	Darter, Fountain (<i>Etheostoma fonticola</i>) - Wherever found	E	\$0	\$840	\$840	\$7,488	\$8,328
	875	Darter, Goldline (<i>Percina aurolineata</i>) - Wherever found	T	\$5,000	\$637	\$5,637	\$7,488	\$13,125
	651	Darter, Kentucky Arrow (<i>Etheostoma spilotum</i>) - Wherever found	T	\$18,000	\$0	\$18,000	\$7,988	\$25,988
	383	Darter, Leopard (<i>Percina pantherina</i>) - Wherever found	T	\$55,500	\$0	\$55,500	\$19,088	\$74,588
	992	Darter, Maryland (<i>Etheostoma sellare</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	240	Darter, Niangua (<i>Etheostoma nianguae</i>) - Wherever found	T	\$155,000	\$0	\$155,000	\$7,488	\$162,488
	293	Darter, Okaloosa (<i>Etheostoma okaloosae</i>) - Wherever found	T	\$34,500	\$73,560	\$108,060	\$7,488	\$115,548
	342	Darter, Pearl (<i>Percina aurora</i>) - Wherever found	T	\$81,500	\$4,782	\$86,282	\$7,488	\$93,770
	513	Darter, Relict (<i>Etheostoma chienense</i>) - Wherever found	E	\$34,500	\$0	\$34,500	\$7,988	\$42,488
	560	Darter, Rush (<i>Etheostoma phytophilum</i>) - Wherever found	E	\$22,500	\$6,615	\$29,115	\$7,488	\$36,603
	917	Darter, Slackwater (<i>Etheostoma boschungii</i>) - Wherever found	T	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	380	Darter, Snail (<i>Percina tanasi</i>) - Wherever found	T	\$49,500	\$19,286	\$68,786	\$7,488	\$76,274
	524	Darter, Trispot (<i>Etheostoma trisella</i>) - Wherever found	T	\$33,000	\$0	\$33,000	\$7,488	\$40,488
	925	Darter, Vermilion (<i>Etheostoma chermocki</i>) - Wherever found	E	\$2,500	\$737	\$3,237	\$7,488	\$10,725
	259	Darter, Watercress (<i>Etheostoma nuchale</i>) - Wherever found	E	\$130,500	\$1,195	\$131,695	\$7,488	\$139,183
	650	Darter, Yellowcheek (<i>Etheostoma moorei</i>) - Wherever found	E	\$21,500	\$2,500	\$24,000	\$2,000	\$26,000
	100	Eulachon (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$0	\$564,360	\$564,360	\$90,600	\$654,960

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1045	Gambusia, Big Bend (Gambusia gaigei) - Wherever found	E	\$1,000	\$1,000	\$2,000	\$0	\$2,000
	754	Gambusia, Pecos (Gambusia nobilis) - Wherever found	E	\$0	\$11,250	\$11,250	\$7,488	\$18,738
	992	Gambusia, San Marcos (Gambusia georgei) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	400	Goby, Tidewater (Eucyclogobius newberryi) - Wherever found	E	\$11,000	\$51,467	\$62,467	\$7,488	\$69,955
	1039	Logperch, Conasauga (Percina jenkinsi) - Wherever found	E	\$2,000	\$637	\$2,637	\$0	\$2,637
	236	Logperch, Roanoke (Percina rex) - Wherever found	E	\$10,000	\$142,222	\$152,222	\$11,588	\$163,810
	770	Madtom, Chucky (Noturus crypticus) - Wherever found	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	418	Madtom, Neosho (Noturus placidus) - Wherever found	T	\$49,017	\$9,466	\$58,483	\$7,488	\$65,971
	486	Madtom, Pygmy (Noturus stanauli) - Wherever found	E	\$32,500	\$172	\$32,672	\$14,976	\$47,648
	992	Madtom, Scioto (Noturus trautmani) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	458	Madtom, Smoky (Noturus baileyi) - Tellico River, TN	EXPN	\$32,106	\$8,106	\$40,212	\$14,976	\$55,188
	399	Madtom, Yellowfin (Noturus flavipinnis) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(e)(1)(ii))	EXPN	\$62,106	\$8,106	\$70,212	\$0	\$70,212
	232	Minnow, Loach (Tiaroga cobitis) - Wherever found	E	\$0	\$164,915	\$164,915	\$7,488	\$172,403
	8	Minnow, Rio Grande Silvery (Hybognathus amarus) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$300	\$10,669,300	\$10,669,600	\$14,976	\$10,684,576
	892	Nassau Grouper (Epinephelus striatus) - 0	T	\$0	\$12,314	\$12,314	\$0	\$12,314
	992	Nekogigi (catfish) (Coreobagrus ichikawai) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	34	Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - Salt and Verde R. drainages, AZ	EXPN	\$45,200	\$2,996,271	\$3,041,471	\$300	\$3,041,771
	456	Poolfish, Pahump (Empetrichthys latos) - Wherever found	E	\$0	\$45,100	\$45,100	\$10,588	\$55,688

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1042	Pupfish, Ash Meadows Amargosa (Cyprinodon nevadensis mionectes) - Wherever found	E	\$0	\$0	\$0	\$2,400	\$2,400
	1019	Pupfish, Comanche Springs (Cyprinodon elegans) - Wherever found	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	405	Pupfish, Desert (Cyprinodon macularius) - Wherever found	E	\$9,892	\$58,461	\$68,353	\$0	\$68,353
	81	Pupfish, Devils Hole (Cyprinodon diabolis) - Wherever found	E	\$420,000	\$400,000	\$820,000	\$7,600	\$827,600
	992	Pupfish, Leon Springs (Cyprinodon bovinus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	436	Pupfish, Owens (Cyprinodon radiosus) - Wherever found	E	\$0	\$52,000	\$52,000	\$7,488	\$59,488
	963	Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) - Wherever found	E	\$0	\$0	\$0	\$8,488	\$8,488
	191	Rockfish, Canary (Sebastes pinniger) - Puget Sound - Georgia Basin DPS	T	\$0	\$9,837	\$9,837	\$245,000	\$254,837
	95	Rockfish, Yelloweye (Sebastes ruberrimus) - Puget Sound - Georgia Basin DPS	T	\$0	\$474,127	\$474,127	\$245,000	\$719,127
	16	Salmon, Atlantic (Salmo salar) - Gulf of Maine DPS	E	\$67,000	\$6,543,846	\$6,610,846	\$0	\$6,610,846
	1	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$2,276,200	\$105,861,344	\$108,137,544	\$15,994,400	\$124,131,944
	7	Salmon, Chum (Oncorhynchus keta) - Hood Canal summer-run ESU	T	\$34,850	\$10,137,005	\$10,171,855	\$1,672,400	\$11,844,255
	3	Salmon, Coho (Oncorhynchus (=Salmo) kisutch) - Oregon Coast ESU	T	\$1,093,306	\$41,392,880	\$42,486,186	\$3,105,200	\$45,591,386
	6	Salmon, Sockeye (Oncorhynchus (=Salmo) nerka) - Ozette Lake ESU	T	\$35,000	\$12,743,395	\$12,778,395	\$188,576	\$12,966,971
	992	Sawfish, Green (Pristis zijsron) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Sawfish, Largetooth (Pristis pristis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Sawfish, Narrow (Anoxypristis cuspidata) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	80	Sawfish, Smalltooth (Pristis pectinata) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$15,350	\$809,545	\$824,895	\$29,952	\$854,847
	977	Sculpin, Grotto (Cottus specus) - Wherever found	E	\$0	\$464	\$464	\$7,488	\$7,952
	927	Sculpin, Pygmy (Cottus paulus (=pygmaeus)) - Wherever found	T	\$2,500	\$637	\$3,137	\$7,488	\$10,625
	237	Shark, Scalloped Hammerhead (Sphyrna lewini) - Central and Southwest Atlantic DPS	T	\$0	\$4,852	\$4,852	\$158,904	\$163,756

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	278	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas River Basin (AR, KS, NM, OK, TX)	T	\$113,879	\$10,800	\$124,679	\$0	\$124,679
	1000	Shiner, Beautiful (<i>Cyprinella formosa</i>) - Wherever found	T	\$6,000	\$800	\$6,800	\$0	\$6,800
	959	Shiner, Blue (<i>Cyprinella caerulea</i>) - Wherever found	T	\$4,500	\$4,153	\$8,653	\$0	\$8,653
	1033	Shiner, Cahaba (<i>Notropis cahabae</i>) - Wherever found	E	\$2,500	\$587	\$3,087	\$0	\$3,087
	193	Shiner, Cape Fear (<i>Notropis mekistocholas</i>) - Wherever found	E	\$240,000	\$4,834	\$244,834	\$4,700	\$249,534
	743	Shiner, Palezone (<i>Notropis albizonatus</i>) - Wherever found	E	\$11,500	\$440	\$11,940	\$7,488	\$19,428
	77	Shiner, Pecos Bluntnose (<i>Notropis simus pecosensis</i>) - Wherever found	T	\$0	\$1,011,285	\$1,011,285	\$7,488	\$1,018,773
	597	Shiner, Sharpnose (<i>Notropis oxyrhynchus</i>) - Wherever found	E	\$11,221	\$0	\$11,221	\$21,333	\$32,554
	597	Shiner, Smalleye (<i>Notropis buccula</i>) - Wherever found	E	\$11,221	\$0	\$11,221	\$21,333	\$32,554
	76	Shiner, Topeka (<i>Notropis topeka</i> (=tristis)) - Wherever found, except where listed as an experimental population	E	\$897,490	\$114,769	\$1,012,259	\$17,976	\$1,030,235
	843	Silverside, Waccamaw (<i>Menidia extensa</i>) - Wherever found	T	\$4,000	\$0	\$4,000	\$10,588	\$14,588
	33	Smelt, Delta (<i>Hypomesus transpacificus</i>) - Wherever found	T	\$0	\$3,125,139	\$3,125,139	\$0	\$3,125,139
	229	Spikedace (<i>Meda fulgida</i>) - Wherever found	E	\$0	\$166,665	\$166,665	\$7,488	\$174,153
	1032	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>) - Wherever found	T	\$0	\$2,500	\$2,500	\$700	\$3,200
	900	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>) - Wherever found	T	\$0	\$4,547	\$4,547	\$7,488	\$12,035
	993	Spinedace, White River (<i>Lepidomeda albivallis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,300	\$7,300
	596	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>) - Wherever found	E	\$0	\$21,592	\$21,592	\$11,088	\$32,680
	861	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>) - Wherever found	T	\$0	\$1,823	\$1,823	\$11,988	\$13,811
	864	Springfish, White River (<i>Crenichthys baileyi baileyi</i>) - Wherever found	E	\$0	\$10,000	\$10,000	\$3,600	\$13,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	2	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Lower Columbia River DPS	T	\$1,765,813	\$101,291,100	\$103,056,913	\$8,095,668	\$111,152,581
	677	Stickleback, Unarmored Threespine (<i>Gasterosteus aculeatus williamsoni</i>) - Wherever found	E	\$1,000	\$15,366	\$16,366	\$7,488	\$23,854
	70	Sturgeon (gulf Subspecies), Atlantic (<i>Acipenser oxyrinchus</i> (=oxyrhynchus) desotoi) - Wherever found	T	\$459,000	\$655,092	\$1,114,092	\$20,000	\$1,134,092
	462	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>) - Wherever found	E	\$47,000	\$7,323	\$54,323	\$0	\$54,323
	29	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - New York Bight DPS	E	\$600	\$3,702,460	\$3,703,060	\$0	\$3,703,060
	32	Sturgeon, Atlantic (gulf Subspecies) (<i>Acipenser oxyrinchus</i> (=oxyrhynchus) desotoi) - Wherever found	T	\$0	\$3,629,123	\$3,629,123	\$0	\$3,629,123
	325	Sturgeon, Beluga (<i>Huso huso</i>) - Wherever found	T	\$100,079	\$0	\$100,079	\$0	\$100,079
	14	Sturgeon, Green (<i>Acipenser medirostris</i>) - Southern DPS	T	\$0	\$7,095,196	\$7,095,196	\$38,888	\$7,134,084
	992	Sturgeon, Kaluga (<i>Huso dauricus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	4	Sturgeon, Pallid (<i>Scaphirhynchus albus</i>) - Wherever found	E	\$1,290,681	\$30,669,577	\$31,960,258	\$93,573	\$32,053,831
	992	Sturgeon, Sakhalin (<i>Acipenser mikadoi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	62	Sturgeon, Shortnose (<i>Acipenser brevirostrum</i>) - Wherever found	E	\$4,600	\$1,262,851	\$1,267,451	\$7,488	\$1,274,939
	132	Sturgeon, White (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$221,842	\$108,062	\$329,904	\$152,900	\$482,804
	234	Sucker, June (<i>Chasmistes liorus</i>) - Wherever found	E	\$83,500	\$75,050	\$158,550	\$7,488	\$166,038
	21	Sucker, Lost River (<i>Deltistes luxatus</i>) - Wherever found	E	\$62,310	\$4,655,800	\$4,718,110	\$24,488	\$4,742,598
	23	Sucker, Razorback (<i>Xyrauchen texanus</i>) - Wherever found	E	\$359,802	\$4,235,575	\$4,595,377	\$15,388	\$4,610,765
	115	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$0	\$568,474	\$568,474	\$7,488	\$575,962
	22	Sucker, Shortnose (<i>Chasmistes brevirostris</i>) - Wherever found	E	\$5,539	\$4,656,500	\$4,662,039	\$24,488	\$4,686,527

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	90	Sucker, Warner (<i>Catostomus warnerensis</i>) - Wherever found	T	\$180,500	\$486,600	\$667,100	\$79,788	\$746,888
	1059	Sucker, Zuni Bluehead (<i>Catostomus discobolus yarrowi</i>) - Wherever found	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	858	Sunfish, Spring Pygmy (<i>Elassoma alabamae</i>) - Wherever found	T	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	992	Tango, Miyako (=toyko Bitterling) (<i>Tanakia tanago</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Temoleh, Ikan (minnow) (<i>Probarbus jullieni</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1045	Topminnow, Barrens (<i>Fundulus julisia</i>) - Wherever found	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	110	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - Wherever found	E	\$6,800	\$586,937	\$593,737	\$7,488	\$601,225
	992	Totoaba (seatrout Or Weakfish) (<i>Cynoscion macdonaldi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	722	Trout, Apache (<i>Oncorhynchus apache</i>) - Wherever found	T	\$20,500	\$0	\$20,500	\$0	\$20,500
	5	Trout, Bull (<i>Salvelinus confluentus</i>) - Clackamas River subbasin experimental population	EXPN	\$7,624,127	\$17,369,730	\$24,993,857	\$2,622,300	\$27,616,157
	572	Trout, Gila (<i>Oncorhynchus gilae</i>) - Wherever found	T	\$27,500	\$500	\$28,000	\$7,488	\$35,488
	122	Trout, Greenback Cutthroat (<i>Oncorhynchus clarkii stomias</i>) - Wherever found	T	\$474,859	\$64,429	\$539,288	\$7,488	\$546,776
	83	Trout, Lahontan Cutthroat (<i>Oncorhynchus clarkii henshawi</i>) - Wherever found	T	\$50,000	\$666,933	\$716,933	\$100,988	\$817,921
	992	Trout, Little Kern Golden (<i>Oncorhynchus aguabonita whitei</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Trout, Paiute Cutthroat (<i>Oncorhynchus clarkii seleniris</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	353	Tui Chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>) - Wherever found	E	\$34,219	\$49,219	\$83,438	\$7,488	\$90,926
	302	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$19,000	\$89,200	\$108,200	\$3,500	\$111,700
Fishes subtotal				\$20,795,354	\$388,052,603	\$408,847,957	\$34,029,099	\$442,877,056
Flowering Plants	980	'akoko (<i>Euphorbia halemanui</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	1010	'awiwi (<i>Kadua cookiana</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	195	'ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>) - Wherever found	T	\$128,158	\$120,000	\$248,158	\$0	\$248,158

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	999	`ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>) - Wherever found	E	\$6,883	\$0	\$6,883	\$0	\$6,883
	961	`aiakeakua, Popolo (<i>Solanum sandwicense</i>) - Wherever found	E	\$8,588	\$0	\$8,588	\$0	\$8,588
	936	`aiea (<i>Nothocestrum breviflorum</i>) - Wherever found	E	\$9,875	\$0	\$9,875	\$0	\$9,875
	452	`aiea (<i>Nothocestrum latifolium</i>) - Wherever found	E	\$44,592	\$12,000	\$56,592	\$0	\$56,592
	980	`aiea (<i>Nothocestrum peltatum</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	958	`akoko (<i>Euphorbia celastroides</i> var. <i>kaenana</i>) - Wherever found	E	\$8,657	\$0	\$8,657	\$0	\$8,657
	983	`akoko (<i>Euphorbia deppeana</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$0	\$7,847
	980	`akoko (<i>Euphorbia eleanoriae</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	980	`akoko (<i>Euphorbia haelecleana</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	983	`akoko (<i>Euphorbia herbstii</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$0	\$7,847
	919	`akoko (<i>Euphorbia kuwaleana</i>) - Wherever found	E	\$10,946	\$0	\$10,946	\$0	\$10,946
	1010	`akoko (<i>Euphorbia remyi</i> var. <i>kauaiensis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	943	`akoko (<i>Euphorbia remyi</i> var. <i>remyi</i>) - Wherever found	E	\$9,318	\$0	\$9,318	\$0	\$9,318
	983	`akoko (<i>Euphorbia rockii</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$0	\$7,847
	356	`akoko, Ewa Plains (<i>Euphorbia skottsbergii</i> var. <i>skottsbergii</i>) - Wherever found	E	\$90,387	\$0	\$90,387	\$0	\$90,387
	970	`aku (<i>Cyanea tritomantha</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$0	\$8,158
	970	`aku`aku (<i>Cyanea platyphylla</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$0	\$8,158
	987	`ala `ala Wai Nui (<i>Peperomia subpetiolata</i>) - Wherever found	E	\$7,695	\$0	\$7,695	\$0	\$7,695
	983	`anaunau (<i>Lepidium arbuscula</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$0	\$7,847
	785	`anunu (<i>Sicyos albus</i>) - Wherever found	E	\$14,953	\$2,500	\$17,453	\$0	\$17,453
	880	`anunu (<i>Sicyos macrophyllus</i>) - Wherever found	E	\$10,404	\$2,500	\$12,904	\$0	\$12,904
	1010	`awikiwiki (<i>Canavalia molokaiensis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	1010	`awikiwiki (<i>Canavalia napaliensis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	946	`awikiwiki (<i>Canavalia pubescens</i>) - Wherever found	E	\$9,115	\$0	\$9,115	\$0	\$9,115
	1011	`ena`ena (<i>Pseudognaphalium sandwicensium</i> var. <i>molokaiense</i>) - Wherever found	E	\$5,748	\$0	\$5,748	\$0	\$5,748

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	869	`oha Wai (Clermontia drepanomorpha) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	865	`oha Wai (Clermontia lindseyana) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	865	`oha Wai (Clermontia oblongifolia ssp. brevipes) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	741	`oha Wai (Clermontia oblongifolia ssp. mauiensis) - Wherever found	E	\$12,011	\$0	\$12,011	\$7,488	\$19,499
	601	`oha Wai (Clermontia peleana) - Wherever found	E	\$15,470	\$9,397	\$24,867	\$7,488	\$32,355
	822	`oha Wai (Clermontia pyrularia) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	268	`oha Wai (Clermontia samuelii) - Wherever found	E	\$67,904	\$60,000	\$127,904	\$7,488	\$135,392
	359	`ohe (Joinvillea ascendens ascendens) - Wherever found	E	\$44,895	\$36,000	\$80,895	\$7,488	\$88,383
	786	`ohe`ohe (Polyscias gymnocarpa) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	970	A`e (Zanthoxylum dipetalum var. tomentosum) - Wherever found	E	\$8,158	\$0	\$8,158	\$0	\$8,158
	969	A`e (Zanthoxylum hawaiiense) - Wherever found	E	\$8,167	\$0	\$8,167	\$0	\$8,167
	983	A`e (Zanthoxylum oahuense) - Wherever found	E	\$7,847	\$0	\$7,847	\$0	\$7,847
	982	Alani (Melicope adscendens) - Wherever found	E	\$7,856	\$0	\$7,856	\$0	\$7,856
	960	Alani (Melicope balloui) - Wherever found	E	\$8,641	\$0	\$8,641	\$0	\$8,641
	934	Alani (Melicope christophersenii) - Wherever found	E	\$9,932	\$0	\$9,932	\$0	\$9,932
	1010	Alani (Melicope degeneri) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	980	Alani (Melicope haupuensis) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	934	Alani (Melicope hiiakae) - Wherever found	E	\$9,932	\$0	\$9,932	\$0	\$9,932
	978	Alani (Melicope knudsenii) - Wherever found	E	\$7,913	\$0	\$7,913	\$0	\$7,913
	934	Alani (Melicope lydgatei) - Wherever found	E	\$9,932	\$0	\$9,932	\$0	\$9,932
	934	Alani (Melicope makahae) - Wherever found	E	\$9,932	\$0	\$9,932	\$0	\$9,932
	1010	Alani (Melicope mucronulata) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	350	Alani (Melicope munroi) - Wherever found	E	\$91,757	\$0	\$91,757	\$0	\$91,757
	444	Alani (Melicope ovalis) - Wherever found	E	\$34,548	\$24,000	\$58,548	\$0	\$58,548
	1010	Alani (Melicope pallida) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	1010	Alani (Melicope paniculata) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	952	Alani (Melicope puberula) - Wherever found	E	\$8,861	\$0	\$8,861	\$0	\$8,861

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	952	Alani (Melicope quadrangularis) - Wherever found	E	\$8,861	\$0	\$8,861	\$0	\$8,861
	929	Alani (Melicope reflexa) - Wherever found	E	\$10,439	\$0	\$10,439	\$0	\$10,439
	983	Alani (Melicope saint-johnii) - Wherever found	E	\$7,847	\$0	\$7,847	\$0	\$7,847
	1010	Alani (Melicope zahlbruckneri) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	369	Alopecurus, Sonoma (Alopecurus aequalis var. sonomensis) - Wherever found	E	\$36,224	\$37,824	\$74,048	\$7,488	\$81,536
	178	Amaranth, Seabeach (Amaranthus pumilus) - Wherever found	T	\$93,167	\$194,099	\$287,266	\$7,738	\$295,004
	876	Ambrosia, San Diego (Ambrosia pumila) - Wherever found	E	\$0	\$5,588	\$5,588	\$7,488	\$13,076
	511	Ambrosia, South Texas (Ambrosia cheiranthifolia) - Wherever found	E	\$35,246	\$0	\$35,246	\$7,488	\$42,734
	992	Amole, Purple (Chlorogalum purpureum) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	867	Amphianthus, Little (Amphianthus pusillus) - Wherever found	T	\$6,000	\$0	\$6,000	\$7,488	\$13,488
	497	Aplokating-palaoan (Psychotria malaspinae) - Wherever found	E	\$45,389	\$0	\$45,389	\$0	\$45,389
	585	Arrowhead, Bunched (Sagittaria fasciculata) - Wherever found	E	\$30,000	\$0	\$30,000	\$4,000	\$34,000
	663	Aster, Decurrent False (Boltonia decurrens) - Wherever found	T	\$0	\$25,000	\$25,000	\$0	\$25,000
	499	Aster, Florida Golden (Chrysopsis floridana) - Wherever found	E	\$28,000	\$4,000	\$32,000	\$12,988	\$44,988
	740	Aster, Ruth's Golden (Pityopsis ruthii) - Wherever found	E	\$5,500	\$6,587	\$12,087	\$7,488	\$19,575
	999	Aupaka (Isodendrion hosakae) - Wherever found	E	\$6,883	\$0	\$6,883	\$0	\$6,883
	920	Aupaka (Isodendrion laurifolium) - Wherever found	E	\$10,889	\$0	\$10,889	\$0	\$10,889
	995	Aupaka (Isodendrion longifolium) - Wherever found	T	\$7,233	\$0	\$7,233	\$0	\$7,233
	638	Avens, Spreading (Geum radiatum) - Wherever found	E	\$15,350	\$4,558	\$19,908	\$7,788	\$27,696
	980	Awiji (Schenkia sebaeoides) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	736	Ayenia, Texas (Ayenia limitaris) - Wherever found	E	\$12,328	\$0	\$12,328	\$7,488	\$19,816
	544	Barbara's Buttons, Mohr's (Marshallia mohrii) - Wherever found	T	\$30,500	\$0	\$30,500	\$7,488	\$37,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	937	Barberry, Island (<i>Berberis pinnata</i> ssp. <i>insularis</i>) - Wherever found	E	\$0	\$2,280	\$2,280	\$7,488	\$9,768
	976	Barberry, Nevin's (<i>Berberis nevinii</i>) - Wherever found	E	\$0	\$500	\$500	\$7,488	\$7,988
	1013	Bariaco (<i>Trichilia triacantha</i>) - Wherever found	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	992	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	768	Bean, Sea (<i>Mucuna sloanei</i> var. <i>persericea</i>) - Wherever found	E	\$10,585	\$0	\$10,585	\$7,488	\$18,073
	475	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>) - Wherever found	E	\$24,500	\$26,900	\$51,400	\$0	\$51,400
	502	Beardtongue, Parachute (<i>Penstemon debilis</i>) - Wherever found	T	\$31,000	\$5,900	\$36,900	\$7,488	\$44,388
	546	Beardtongue, Penland (<i>Penstemon penlandii</i>) - Wherever found	E	\$12,500	\$17,786	\$30,286	\$7,488	\$37,774
	1013	Beargrass, Britton's (<i>Nolina brittoniana</i>) - Wherever found	E	\$1,500	\$0	\$1,500	\$4,000	\$5,500
	961	Beauty, Harper's (<i>Harperocallis flava</i>) - Wherever found	E	\$700	\$0	\$700	\$7,888	\$8,588
	758	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>) - Wherever found	E	\$0	\$18,500	\$18,500	\$0	\$18,500
	896	Bedstraw, Island (<i>Galium buxifolium</i>) - Wherever found	E	\$0	\$4,654	\$4,654	\$7,488	\$12,142
	888	Bellflower, Brooksville (<i>Campanula robinsiae</i>) - Wherever found	E	\$7,000	\$0	\$7,000	\$5,500	\$12,500
	992	Birch, Virginia Round-leaf (<i>Betula uber</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	947	Bird's Beak, Palmate-bracted (<i>Cordylanthus</i> <i>palmatus</i>) - Wherever found	E	\$0	\$1,600	\$1,600	\$7,488	\$9,088
	974	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>) - Wherever found	E	\$0	\$510	\$510	\$7,488	\$7,998
	784	Bird's-beak, Salt Marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>) - Wherever found	E	\$0	\$10,000	\$10,000	\$7,488	\$17,488
	737	Bird's-beak, Soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>) - Wherever found	E	\$0	\$12,200	\$12,200	\$7,488	\$19,688
	688	Birds-in-a-nest, White (<i>Macbridea alba</i>) - Wherever found	T	\$4,500	\$9,300	\$13,800	\$9,088	\$22,888
	984	Bittercress, Small-anthered (<i>Cardamine micranthera</i>) - Wherever found	E	\$0	\$0	\$0	\$7,838	\$7,838

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	409	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>) - Wherever found	T	\$34,000	\$33,696	\$67,696	\$0	\$67,696
	843	Bladderpod, Kodachrome (<i>Lesquerella tumulosa</i>) - Wherever found	E	\$2,000	\$5,100	\$7,100	\$7,488	\$14,588
	950	Bladderpod, Lyrate (<i>Lesquerella lyrata</i>) - Wherever found	T	\$1,500	\$0	\$1,500	\$7,488	\$8,988
	235	Bladderpod, Missouri (<i>Physaria filiformis</i>) - Wherever found	T	\$81,500	\$75,250	\$156,750	\$7,588	\$164,338
	992	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	351	Bladderpod, Short's (<i>Physaria globosa</i>) - Wherever found	E	\$70,500	\$12,592	\$83,092	\$8,588	\$91,680
	848	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>) - Wherever found	E	\$4,500	\$2,472	\$6,972	\$7,488	\$14,460
	845	Bladderpod, White (<i>Lesquerella pallida</i>) - Wherever found	E	\$7,073	\$0	\$7,073	\$7,488	\$14,561
	378	Bladderpod, White Bluffs (<i>Physaria douglasii</i> ssp. <i>tuplashensis</i>) - Wherever found	T	\$66,650	\$0	\$66,650	\$10,888	\$77,538
	1017	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>) - Wherever found	E	\$5,229	\$0	\$5,229	\$0	\$5,229
	530	Blazingstar, Heller's (<i>Liatris helleri</i>) - Wherever found	T	\$25,250	\$4,750	\$30,000	\$9,888	\$39,888
	799	Blazingstar, Scrub (<i>Liatris ohlingerae</i>) - Wherever found	E	\$1,200	\$0	\$1,200	\$15,488	\$16,688
	448	Blue-star, Kearney's (<i>Amsonia kearneyana</i>) - Wherever found	E	\$31,000	\$18,700	\$49,700	\$7,488	\$57,188
	869	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Bluegrass, Mann's (<i>Poa mannii</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	992	Bluegrass, Napa (<i>Poa napensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	976	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>) - Wherever found	E	\$0	\$500	\$500	\$7,488	\$7,988
	608	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>) - Wherever found	E	\$22,500	\$345	\$22,845	\$8,188	\$31,033
	902	Bonamia, Florida (<i>Bonamia grandiflora</i>) - Wherever found	T	\$1,500	\$0	\$1,500	\$10,488	\$11,988
	772	Boxwood, Vahl's (<i>Buxus vahlii</i>) - Wherever found	E	\$10,500	\$0	\$10,500	\$7,488	\$17,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	940	Brickell-bush, Florida (<i>Brickellia mosieri</i>) - Wherever found	E	\$800	\$0	\$800	\$8,688	\$9,488
	992	<i>Brodiaea</i> , Thread-leaved (<i>Brodiaea filifolia</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	916	Buckwheat, Cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>) - Wherever found	E	\$0	\$11,000	\$11,000	\$0	\$11,000
	992	Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	772	Buckwheat, Scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>) - Wherever found	T	\$7,500	\$0	\$7,500	\$10,488	\$17,988
	910	Buckwheat, Steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>) - Wherever found	E	\$0	\$3,933	\$3,933	\$7,488	\$11,421
	253	Buckwheat, Umtanum Desert (<i>Eriogonum codium</i>) - Wherever found	T	\$130,870	\$0	\$130,870	\$15,488	\$146,358
	286	Bully, Everglades (<i>Sideroxylon reclinatum</i> ssp. <i>austrofloridense</i>) - Wherever found	T	\$60,700	\$60,000	\$120,700	\$700	\$121,400
	656	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>) - Wherever found	E	\$0	\$3,073	\$3,073	\$22,509	\$25,582
	917	Bush-clover, Prairie (<i>Lespedeza leptostachya</i>) - Wherever found	T	\$0	\$0	\$0	\$10,988	\$10,988
	992	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	846	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>) - Wherever found	E	\$0	\$7,001	\$7,001	\$7,488	\$14,489
	928	Buttercup, Autumn (<i>Ranunculus aestivalis</i> (= <i>acriiformis</i>)) - Wherever found	E	\$5,500	\$5,000	\$10,500	\$0	\$10,500
	678	Butterweed, Layne's (<i>Senecio layneae</i>) - Wherever found	T	\$0	\$16,210	\$16,210	\$7,488	\$23,698
	752	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>) - Wherever found	T	\$0	\$10,092	\$10,092	\$8,788	\$18,880
	1047	Button, Mohr's Barbara (<i>Marshallia mohrii</i>) - Wherever found	T	\$0	\$1,612	\$1,612	\$0	\$1,612
	992	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1021	Cactus, Acuna (<i>Echinomastus erectocentrus</i> var. <i>acunensis</i>) - Wherever found	E	\$2,336	\$2,336	\$4,672	\$0	\$4,672
	1050	Cactus, Bakersfield (<i>Opuntia treleasei</i>) - Wherever found	E	\$0	\$1,500	\$1,500	\$0	\$1,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	710	Cactus, Black Lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>) - Wherever found	E	\$6,579	\$0	\$6,579	\$14,749	\$21,328
	164	Cactus, Brady Pincushion (<i>Pediocactus bradyi</i>) - Wherever found	E	\$0	\$361,000	\$361,000	\$0	\$361,000
	1019	Cactus, Cochise Pincushion (<i>Coryphantha robbinsiorum</i>) - Wherever found	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	230	Cactus, Colorado Hookless (<i>Sclerocactus glaucus</i>) - Wherever found	T	\$70,500	\$102,542	\$173,042	\$0	\$173,042
	658	Cactus, Fickeisen Plains (<i>Pediocactus peeblesianus fickeiseniae</i>) - Wherever found	E	\$0	\$18,000	\$18,000	\$7,488	\$25,488
	765	Cactus, Florida Semaphore (<i>Consolea corallicola</i>) - Wherever found	E	\$3,800	\$2,500	\$6,300	\$11,988	\$18,288
	654	Cactus, Key Tree (<i>Pilosocereus robinii</i>) - Wherever found	E	\$7,000	\$237	\$7,237	\$18,488	\$25,725
	748	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>) - Wherever found	E	\$0	\$11,750	\$11,750	\$7,488	\$19,238
	312	Cactus, Kuenzler Hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>) - Wherever found	T	\$1,000	\$97,500	\$98,500	\$7,488	\$105,988
	602	Cactus, Lee Pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>) - Wherever found	T	\$0	\$24,800	\$24,800	\$7,488	\$32,288
	976	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>) - Wherever found	T	\$500	\$0	\$500	\$7,488	\$7,988
	680	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>) - Wherever found	T	\$0	\$16,000	\$16,000	\$7,488	\$23,488
	889	Cactus, Nellie Cory (<i>Coryphantha minima</i>) - Wherever found	E	\$5,000	\$0	\$5,000	\$7,488	\$12,488
	639	Cactus, Nichol's Turk's Head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>) - Wherever found	E	\$0	\$20,000	\$20,000	\$7,488	\$27,488
	535	Cactus, Pariette (<i>Sclerocactus brevispinus</i>) - Wherever found	T	\$26,500	\$4,600	\$31,100	\$7,488	\$38,588
	314	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>) - Wherever found	E	\$0	\$98,150	\$98,150	\$7,488	\$105,638
	247	Cactus, Pima Pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>) - Wherever found	E	\$133,500	\$8,382	\$141,882	\$7,488	\$149,370
	631	Cactus, San Rafael (<i>Pediocactus despainii</i>) - Wherever found	E	\$17,000	\$3,900	\$20,900	\$7,488	\$28,388
	649	Cactus, Siler Pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>) - Wherever found	T	\$0	\$18,600	\$18,600	\$7,488	\$26,088

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	931	Cactus, Sneed Pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>) - Wherever found	E	\$0	\$2,800	\$2,800	\$7,488	\$10,288
	774	Cactus, Star (<i>Astrophytum asterias</i>) - Wherever found	E	\$10,441	\$0	\$10,441	\$7,488	\$17,929
	632	Cactus, Tobusch Fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>) - Wherever found	T	\$20,000	\$840	\$20,840	\$7,488	\$28,328
	694	Cactus, Uinta Basin Hookless (<i>Sclerocactus wetlandicus</i>) - Wherever found	T	\$0	\$15,000	\$15,000	\$7,488	\$22,488
	316	Cactus, Winkler (<i>Pediocactus winkleri</i>) - Wherever found	T	\$63,700	\$41,400	\$105,100	\$0	\$105,100
	284	Cactus, Wright Fishhook (<i>Sclerocactus wrightiae</i>) - Wherever found	E	\$54,200	\$67,600	\$121,800	\$0	\$121,800
	904	Campion, Fringed (<i>Silene polypetala</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$8,188	\$11,688
	1022	Capa Rosa (<i>Callicarpa ampla</i>) - Wherever found	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	889	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>) - Wherever found	E	\$5,000	\$0	\$5,000	\$7,488	\$12,488
	145	Catchfly, Spalding's (<i>Silene spaldingii</i>) - Wherever found	T	\$305,626	\$67,810	\$373,436	\$64,288	\$437,724
	669	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>) - Wherever found	E	\$0	\$17,000	\$17,000	\$7,488	\$24,488
	992	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Centaury, Spring-loving (<i>Centaurium namophilum</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	346	Chaff-flower, Round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>) - Wherever found	E	\$85,374	\$0	\$85,374	\$7,488	\$92,862
	305	Chaffseed, American (<i>Schwalbea americana</i>) - Wherever found	E	\$105,500	\$2,500	\$108,000	\$1,840	\$109,840
	921	Checker-mallow, Keck's (<i>Sidalcea keckii</i>) - Wherever found	E	\$0	\$3,390	\$3,390	\$7,488	\$10,878
	992	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	207	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>) - Wherever found	T	\$186,701	\$16,000	\$202,701	\$10,888	\$213,589
	992	Checker-mallow, Pedate (<i>Sidalcea pedata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	217	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>) - Wherever found	E	\$187,800	\$0	\$187,800	\$10,888	\$198,688

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	858	Chumbo, Higo (<i>Harrisia portoricensis</i>) - Wherever found	T	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	997	Chupacallos (<i>Pleodendron macranthum</i>) - Wherever found	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	989	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>) - Wherever found	E	\$0	\$127	\$127	\$7,488	\$7,615
	842	Clarkia, Presidio (<i>Clarkia franciscana</i>) - Wherever found	E	\$3,600	\$3,600	\$7,200	\$7,488	\$14,688
	984	Clarkia, Springville (<i>Clarkia springvillensis</i>) - Wherever found	T	\$0	\$350	\$350	\$7,488	\$7,838
	992	Clarkia, Vine Hill (<i>Clarkia imbricata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1016	Cliffrose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>) - Wherever found	E	\$0	\$5,300	\$5,300	\$0	\$5,300
	992	Clover, Monterey (<i>Trifolium trichocalyx</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	349	Clover, Running Buffalo (<i>Trifolium stoloniferum</i>) - 0	E	\$40,500	\$38,774	\$79,274	\$12,540	\$91,814
	947	Clover, Showy Indian (<i>Trifolium amoenum</i>) - Wherever found	E	\$0	\$1,600	\$1,600	\$7,488	\$9,088
	991	Cobana Negra (<i>Stahlia monosperma</i>) - Wherever found	T	\$7,500	\$0	\$7,500	\$0	\$7,500
	394	Coneflower, Smooth (<i>Echinacea laevigata</i>) - Wherever found	E	\$59,000	\$1,422	\$60,422	\$11,388	\$71,810
	275	Crabgrass, Florida Pineland (<i>Digitaria pauciflora</i>) - Wherever found	T	\$60,100	\$60,000	\$120,100	\$7,688	\$127,788
	992	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	615	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>) - Wherever found	T	\$3,500	\$19,000	\$22,500	\$7,488	\$29,988
	833	Daisy, Lakeside (<i>Hymenoxys herbacea</i>) - Wherever found	T	\$0	\$7,528	\$7,528	\$7,488	\$15,016
	630	Daisy, Parish's (<i>Erigeron parishii</i>) - Wherever found	T	\$3,500	\$17,500	\$21,000	\$7,488	\$28,488
	194	Daisy, Willamette (<i>Erigeron decumbens</i>) - Wherever found	E	\$77,401	\$172,100	\$249,501	\$0	\$249,501
	757	Dawn-flower, Texas Prairie (<i>Hymenoxys texana</i>) - Wherever found	E	\$6,034	\$5,000	\$11,034	\$7,488	\$18,522

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	113	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>) - Wherever found	E	\$82,521	\$497,300	\$579,821	\$3,400	\$583,221
	953	Dogweed, Ashy (<i>Thymophylla tephroleuca</i>) - Wherever found	E	\$8,853	\$0	\$8,853	\$0	\$8,853
	621	Dropwort, Canby's (<i>Oxypolis canbyi</i>) - Wherever found	E	\$28,000	\$0	\$28,000	\$1,500	\$29,500
	901	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>) - Wherever found	T	\$6,000	\$6,000	\$12,000	\$0	\$12,000
	742	Dudleya, Marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>) - Wherever found	T	\$6,000	\$6,000	\$12,000	\$7,488	\$19,488
	992	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	742	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>) - Wherever found	T	\$6,000	\$6,000	\$12,000	\$7,488	\$19,488
	742	Dudleya, Verity's (<i>Dudleya verityi</i>) - Wherever found	T	\$6,000	\$6,000	\$12,000	\$7,488	\$19,488
	935	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>) - Wherever found	T	\$1,200	\$1,200	\$2,400	\$7,488	\$9,888
	1029	Erubia (<i>Solanum drymophilum</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	598	Evening-primrose, San Benito (<i>Camissonia</i> <i>benitensis</i>) - Wherever found	T	\$0	\$25,000	\$25,000	\$7,488	\$32,488
	760	Fescue, Guadalupe (<i>Festuca ligulata</i>) - Wherever found	E	\$10,500	\$500	\$11,000	\$7,488	\$18,488
	992	Fiddleneck, Large-flowered (<i>Amsinckia grandiflora</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	966	Flannelbush, Mexican (<i>Fremontodendron</i> <i>mexicanum</i>) - Wherever found	E	\$0	\$800	\$800	\$7,488	\$8,288
	835	Flannelbush, Pine Hill (<i>Fremontodendron</i> <i>californicum</i> ssp. <i>decumbens</i>) - Wherever found	E	\$0	\$7,500	\$7,500	\$7,488	\$14,988
	1005	Flax, Carter's Small-flowered (<i>Linum carteri</i> <i>carteri</i>) - Wherever found	E	\$5,000	\$0	\$5,000	\$1,300	\$6,300
	862	Flax, Sand (<i>Linum arenicola</i>) - Wherever found	E	\$5,000	\$0	\$5,000	\$8,788	\$13,788
	991	Fleabane, Zuni (<i>Erigeron rhizomatus</i>) - Wherever found	T	\$0	\$7,500	\$7,500	\$0	\$7,500
	245	Four-o'clock, Macfarlane's (<i>Mirabilis macfarlanei</i>) - Wherever found	T	\$116,861	\$28,500	\$145,361	\$7,488	\$152,849

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	644	Fringe-tree, Pygmy (<i>Chionanthus pygmaeus</i>) - Wherever found	E	\$12,000	\$158	\$12,158	\$14,488	\$26,646
	992	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	181	Fritillary, Gentner's (<i>Fritillaria gentneri</i>) - Wherever found	E	\$93,000	\$179,000	\$272,000	\$7,488	\$279,488
	652	Gardenia (=na'u), Hawaiian (<i>Gardenia brighamii</i>) - Wherever found	E	\$18,459	\$0	\$18,459	\$7,488	\$25,947
	1015	Georgia Rockcress (<i>Arabis georgiana</i>) - Wherever found	T	\$0	\$5,399	\$5,399	\$0	\$5,399
	365	Geranium, Hawaiian Red-flowered (<i>Geranium arboreum</i>) - Wherever found	E	\$42,073	\$36,000	\$78,073	\$7,488	\$85,561
	789	Gerardia, Sandplain (<i>Agalinis acuta</i>) - Wherever found	E	\$0	\$1,800	\$1,800	\$15,488	\$17,288
	887	Gilia, Hoffmann's Slender-flowered (<i>Gilia tenuiflora ssp. hoffmannii</i>) - Wherever found	E	\$0	\$5,080	\$5,080	\$7,488	\$12,568
	940	Gilia, Monterey (<i>Gilia tenuiflora ssp. arenaria</i>) - Wherever found	E	\$0	\$2,000	\$2,000	\$7,488	\$9,488
	664	Glade Cress, Kentucky (<i>Leavenworthia exigua laciniata</i>) - Wherever found	T	\$15,500	\$2,000	\$17,500	\$7,488	\$24,988
	950	Gladecress, Fleshy-fruit (<i>Leavenworthia crassa</i>) - Wherever found	E	\$1,500	\$0	\$1,500	\$7,488	\$8,988
	609	Gladecress, Texas Golden (<i>Leavenworthia texana</i>) - Wherever found	E	\$23,461	\$0	\$23,461	\$7,488	\$30,949
	949	Goetzea, Beautiful (<i>Goetzea elegans</i>) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	856	Goldenrod, Blue Ridge (<i>Solidago spithamaea</i>) - Wherever found	T	\$13,500	\$345	\$13,845	\$200	\$14,045
	992	Goldenrod, Houghton's (<i>Solidago houghtonii</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	789	Goldenrod, Short's (<i>Solidago shortii</i>) - Wherever found	E	\$9,000	\$0	\$9,000	\$8,288	\$17,288
	660	Goldfields, Burke's (<i>Lasthenia burkei</i>) - Wherever found	E	\$0	\$25,200	\$25,200	\$0	\$25,200
	964	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>) - Wherever found	E	\$0	\$8,400	\$8,400	\$0	\$8,400
	968	Gooseberry, Miccosukee (<i>Ribes echinellum</i>) - Wherever found	T	\$200	\$0	\$200	\$7,988	\$8,188

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	669	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>) - Wherever found	E	\$7,500	\$0	\$7,500	\$16,988	\$24,488
	975	Grass, Colusa (<i>Neostapfia colusana</i>) - Wherever found	T	\$0	\$7,992	\$7,992	\$0	\$7,992
	734	Grass, Eureka Dune (<i>Swallenia alexandrae</i>) - 0	T	\$10,000	\$10,000	\$20,000	\$0	\$20,000
	992	Grass, Solano (<i>Tuctoria mucronata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	667	Grass, Tennessee Yellow-eyed (<i>Xyris tennesseensis</i>) - Wherever found	E	\$14,500	\$2,807	\$17,307	\$7,488	\$24,795
	460	Ground-plum, Guthrie's (=pyne's) (<i>Astragalus bibullatus</i>) - Wherever found	E	\$47,000	\$250	\$47,250	\$7,488	\$54,738
	828	Ha`iwale (<i>Cyrtandra crenata</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	828	Ha`iwale (<i>Cyrtandra dentata</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	637	Ha`iwale (<i>Cyrtandra filipes</i>) - Wherever found	E	\$20,356	\$0	\$20,356	\$7,488	\$27,844
	822	Ha`iwale (<i>Cyrtandra giffardii</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	796	Ha`iwale (<i>Cyrtandra hematos</i>) - Wherever found	E	\$9,425	\$0	\$9,425	\$7,488	\$16,913
	779	Ha`iwale (<i>Cyrtandra kaulantha</i>) - Wherever found	E	\$10,186	\$0	\$10,186	\$7,488	\$17,674
	732	Ha`iwale (<i>Cyrtandra limahuliensis</i>) - Wherever found	T	\$12,633	\$0	\$12,633	\$7,488	\$20,121
	724	Ha`iwale (<i>Cyrtandra munroi</i>) - Wherever found	E	\$12,992	\$0	\$12,992	\$7,488	\$20,480
	827	Ha`iwale (<i>Cyrtandra oenobarba</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	562	Ha`iwale (<i>Cyrtandra oxybapha</i>) - Wherever found	E	\$28,837	\$0	\$28,837	\$7,488	\$36,325
	786	Ha`iwale (<i>Cyrtandra polyantha</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	786	Ha`iwale (<i>Cyrtandra sessilis</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	828	Ha`iwale (<i>Cyrtandra subumbellata</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	865	Ha`iwale (<i>Cyrtandra tintinnabula</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	828	Ha`iwale (<i>Cyrtandra viridiflora</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	786	Haha (<i>Cyanea acuminata</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	869	Haha (<i>Cyanea asarifolia</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	324	Haha (<i>Cyanea asplenifolia</i>) - Wherever found	E	\$56,782	\$36,000	\$92,782	\$7,488	\$100,270
	575	Haha (<i>Cyanea calycina</i>) - Wherever found	E	\$10,946	\$16,642	\$27,588	\$7,488	\$35,076
	869	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	359	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>) - Wherever found	E	\$44,895	\$36,000	\$80,895	\$7,488	\$88,383
	786	Haha (<i>Cyanea crispa</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	827	Haha (<i>Cyanea dolichopoda</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	822	Haha (<i>Cyanea dunbariae</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	633	Haha (<i>Cyanea duvalliorum</i>) - Wherever found	E	\$20,782	\$0	\$20,782	\$7,488	\$28,270
	827	Haha (<i>Cyanea eleeleensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	Haha (<i>Cyanea gibsonii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	525	Haha (<i>Cyanea glabra</i>) - Wherever found	E	\$20,895	\$12,000	\$32,895	\$7,488	\$40,383
	865	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	779	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>) - Wherever found	E	\$10,186	\$0	\$10,186	\$7,488	\$17,674
	822	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	525	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>) - Wherever found	E	\$20,895	\$12,000	\$32,895	\$7,488	\$40,383
	779	Haha (<i>Cyanea humboldtiana</i>) - Wherever found	E	\$10,186	\$0	\$10,186	\$7,488	\$17,674
	827	Haha (<i>Cyanea kolekoleensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	786	Haha (<i>Cyanea koolauensis</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	869	Haha (<i>Cyanea kuhihewa</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	388	Haha (<i>Cyanea kunthiana</i>) - Wherever found	E	\$42,477	\$24,000	\$66,477	\$7,488	\$73,965
	828	Haha (<i>Cyanea lanceolata</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	801	Haha (<i>Cyanea lobata</i>) - Wherever found	E	\$9,189	\$0	\$9,189	\$7,488	\$16,677
	786	Haha (<i>Cyanea longiflora</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	647	Haha (<i>Cyanea magnicalyx</i>) - Wherever found	E	\$18,697	\$0	\$18,697	\$7,488	\$26,185
	827	Haha (<i>Cyanea mannii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	478	Haha (<i>Cyanea maritae</i>) - Wherever found	E	\$30,697	\$12,000	\$42,697	\$7,488	\$50,185
	822	Haha (<i>Cyanea marksii</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	633	Haha (<i>Cyanea mauiensis</i>) - Wherever found	E	\$20,782	\$0	\$20,782	\$7,488	\$28,270
	807	Haha (<i>Cyanea mceldowneyi</i>) - Wherever found	E	\$8,895	\$0	\$8,895	\$7,488	\$16,383
	768	Haha (<i>Cyanea munroi</i>) - Wherever found	E	\$10,585	\$0	\$10,585	\$7,488	\$18,073
	767	Haha (<i>Cyanea obtusa</i>) - Wherever found	E	\$10,642	\$0	\$10,642	\$7,488	\$18,130
	786	Haha (<i>Cyanea pinnatifida</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	822	Haha (<i>Cyanea procera</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	633	Haha (<i>Cyanea profuga</i>) - Wherever found	E	\$20,782	\$0	\$20,782	\$7,488	\$28,270
	786	Haha (<i>Cyanea purpurellifolia</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	827	Haha (<i>Cyanea recta</i>) - Wherever found	T	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	865	Haha (<i>Cyanea remyi</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	827	Haha (<i>Cyanea rivularis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	318	Haha (<i>Cyanea shipmanii</i>) - Wherever found	E	\$92,926	\$3,000	\$95,926	\$7,488	\$103,414
	779	Haha (<i>Cyanea st.-johnii</i>) - Wherever found	E	\$10,186	\$0	\$10,186	\$7,488	\$17,674
	315	Haha (<i>Cyanea stictophylla</i>) - Wherever found	E	\$95,011	\$3,000	\$98,011	\$7,488	\$105,499
	322	Haha (<i>Cyanea superba</i>) - Wherever found	E	\$93,785	\$0	\$93,785	\$7,488	\$101,273
	828	Haha (<i>Cyanea truncata</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	827	Haha (<i>Cyanea undulata</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	339	Haiwale (<i>Cyrtandra ferripilosa</i>) - Wherever found	E	\$51,655	\$36,000	\$87,655	\$7,488	\$95,143
	824	Haiwale (<i>Cyrtandra gracilis</i>) - Wherever found	E	\$8,101	\$0	\$8,101	\$7,488	\$15,589
	869	Haiwale (<i>Cyrtandra paliku</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	786	Haiwale (<i>Cyrtandra waiolani</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	731	Hala Pepe (<i>Pleomele fernaldii</i>) - Wherever found	E	\$12,670	\$0	\$12,670	\$7,488	\$20,158
	828	Hala Pepe (<i>Pleomele forbesii</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	671	Hala Pepe (<i>Pleomele hawaiiensis</i>) - Wherever found	E	\$13,889	\$3,000	\$16,889	\$7,488	\$24,377
	474	Halomtano, Berenghenas (<i>Solanum guamense</i>) - Wherever found	E	\$51,574	\$0	\$51,574	\$0	\$51,574
	414	Halumtano, Cebello (<i>Bulbophyllum guamense</i>) - Wherever found	T	\$66,614	\$0	\$66,614	\$0	\$66,614
	928	Harebells, Avon Park (<i>Crotalaria avonensis</i>) - Wherever found	E	\$1,000	\$0	\$1,000	\$9,500	\$10,500
	550	Harperella (<i>Ptilimnium nodosum</i>) - Wherever found	E	\$19,000	\$3,445	\$22,445	\$15,046	\$37,491
	726	Hau Kuahiwi (<i>Hibiscadelphus giffardianus</i>) - Wherever found	E	\$10,404	\$2,500	\$12,904	\$7,488	\$20,392
	822	Hau Kuahiwi (<i>Hibiscadelphus hualalaiensis</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	827	Hau Kuahiwi (<i>Hibiscadelphus woodii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	577	Heartleaf, Dwarf-flowered (<i>Hexastylis naniflora</i>) - Wherever found	T	\$22,000	\$12,084	\$34,084	\$750	\$34,834

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	700	Heather, Mountain Golden (<i>Hudsonia montana</i>) - Wherever found	T	\$14,500	\$0	\$14,500	\$7,488	\$21,988
	788	Heau (<i>Exocarpos luteolus</i>) - Wherever found	E	\$9,875	\$0	\$9,875	\$7,488	\$17,363
	865	Heau (<i>Exocarpos menziesii</i>) - 0	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	980	Hibiscus, Clay's (<i>Hibiscus clayi</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	902	Higuero De Sierra (<i>Crescentia portoricensis</i>) - Wherever found	E	\$4,500	\$0	\$4,500	\$7,488	\$11,988
	808	Ho'awa (<i>Pittosporum napaliense</i>) - Wherever found	E	\$8,861	\$0	\$8,861	\$7,488	\$16,349
	592	Hoawa (<i>Pittosporum halophilum</i>) - Wherever found	E	\$20,314	\$5,000	\$25,314	\$7,488	\$32,802
	822	Hoawa (<i>Pittosporum hawaiiense</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	817	Holei (<i>Ochrosia haleakalae</i>) - Wherever found	E	\$8,355	\$0	\$8,355	\$7,488	\$15,843
	869	Holei (<i>Ochrosia kilauaeensis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	962	Holly, Cook's (<i>Ilex cookii</i>) - Wherever found	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	865	Honohono (<i>Haplostachys haplostachya</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	260	Howellia, Water (<i>Howellia aquatilis</i>) - 0	T	\$75,100	\$3,184	\$78,284	\$59,388	\$137,672
	786	Hulumoa (<i>Korthalsella degeneri</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	694	Hypericum, Highlands Scrub (<i>Hypericum cumulicola</i>) - Wherever found	E	\$10,500	\$0	\$10,500	\$11,988	\$22,488
	469	Iagu, Hayun (=guam), Tronkon Guafi (rota)) (<i>Serianthes nelsonii</i>) - Wherever found	E	\$45,040	\$0	\$45,040	\$7,488	\$52,528
	744	Ihi (<i>Portulaca villosa</i>) - Wherever found	E	\$11,903	\$0	\$11,903	\$7,488	\$19,391
	980	Iliau, Dwarf (<i>Wilkesia hobdyi</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$0	\$7,904
	992	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1059	Iris, Dwarf Lake (<i>Iris lacustris</i>) - Wherever found	T	\$0	\$0	\$0	\$1,000	\$1,000
	838	Irisette, White (<i>Sisyrinchium dichotomum</i>) - Wherever found	E	\$13,000	\$0	\$13,000	\$1,900	\$14,900
	537	Ischaemum, Hilo (<i>Ischaemum byrone</i>) - Wherever found	E	\$19,087	\$12,000	\$31,087	\$7,488	\$38,575
	443	Ivesia, Webber's (<i>Ivesia webberi</i>) - Wherever found	T	\$0	\$51,134	\$51,134	\$7,488	\$58,622
	1012	Jacquemontia, Beach (<i>Jacquemontia reclinata</i>) - Wherever found	E	\$100	\$0	\$100	\$5,500	\$5,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	955	Jewelflower, California (<i>Caulanthus californicus</i>) - Wherever found	E	\$0	\$8,800	\$8,800	\$0	\$8,800
	992	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> <i>ssp. albidus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Jewelflower, Tiburon (<i>Streptanthus niger</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	841	Joint-vetch, Sensitive (<i>Aeschynomene virginica</i>) - Wherever found	T	\$7,000	\$210	\$7,210	\$7,488	\$14,698
	828	Kamakahala (<i>Labordia cyrtandrae</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	827	Kamakahala (<i>Labordia helleri</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	761	Kamakahala (<i>Labordia lydgatei</i>) - Wherever found	E	\$10,946	\$0	\$10,946	\$7,488	\$18,434
	827	Kamakahala (<i>Labordia pumila</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	869	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	Kamakahala (<i>Labordia triflora</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	769	Kamanomano (<i>Cenchrus agrimonioides</i>) - Wherever found	E	\$10,548	\$0	\$10,548	\$7,488	\$18,036
	693	Kamapua'a (<i>Kadua fluviatilis</i>) - Wherever found	E	\$15,047	\$0	\$15,047	\$7,488	\$22,535
	827	Kauai Hau Kuahiwi (<i>Hibiscadelphus distans</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	706	Kauila (<i>Colubrina oppositifolia</i>) - Wherever found	E	\$14,006	\$0	\$14,006	\$7,488	\$21,494
	828	Kaulu (<i>Pteralyxia kauaiensis</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	828	Kaulu (<i>Pteralyxia macrocarpa</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	827	Kio'ele (<i>Kadua coriacea</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	Kiponapona (<i>Phyllostegia racemosa</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	570	Ko'oko'olau (<i>Bidens amplexans</i>) - Wherever found	E	\$28,056	\$0	\$28,056	\$7,488	\$35,544
	340	Ko'oko'olau (<i>Bidens campylotheca</i> <i>ssp. pentamera</i>) - Wherever found	E	\$51,584	\$36,000	\$87,584	\$7,488	\$95,072
	340	Ko'oko'olau (<i>Bidens campylotheca</i> <i>ssp. waihoiensis</i>) - Wherever found	E	\$51,584	\$36,000	\$87,584	\$7,488	\$95,072
	283	Ko'oko'olau (<i>Bidens conjuncta</i>) - Wherever found	E	\$114,704	\$0	\$114,704	\$7,488	\$122,192
	569	Ko'oko'olau (<i>Bidens micrantha</i> <i>ssp. ctenophylla</i>) - Wherever found	E	\$27,599	\$500	\$28,099	\$7,488	\$35,587

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	360	Ko'oko'olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>) - Wherever found	E	\$44,799	\$36,000	\$80,799	\$7,488	\$88,287
	872	Ko'oko'olau (<i>Bidens wiebkei</i>) - Wherever found	E	\$5,748	\$0	\$5,748	\$7,488	\$13,236
	708	Ko'oloa'ula (<i>Abutilon menziesii</i>) - Wherever found	E	\$13,988	\$0	\$13,988	\$7,488	\$21,476
	815	Kohe Malama Malama O Kanaloa (<i>Kanaloa</i> <i>kahoolawensis</i>) - Wherever found	E	\$8,411	\$0	\$8,411	\$7,488	\$15,899
	827	Koholapehu (<i>Dubautia latifolia</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	791	Koki'o (<i>Kokia drynarioides</i>) - Wherever found	E	\$9,728	\$0	\$9,728	\$7,488	\$17,216
	827	Koki'o (<i>Kokia kauaiensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	659	Koki'o Ke'oke'o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>) - Wherever found	E	\$12,904	\$5,000	\$17,904	\$7,488	\$25,392
	751	Koki'o Ke'oke'o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>) - Wherever found	E	\$11,548	\$0	\$11,548	\$7,488	\$19,036
	1010	Koki'o, Cooke's (<i>Kokia cookei</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	869	Kolea (<i>Myrsine fosbergii</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	828	Kolea (<i>Myrsine juddii</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	869	Kolea (<i>Myrsine knudsenii</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	735	Kolea (<i>Myrsine linearifolia</i>) - Wherever found	T	\$12,360	\$0	\$12,360	\$7,488	\$19,848
	869	Kolea (<i>Myrsine mezii</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	713	Kolea (<i>Myrsine vaccinioides</i>) - Wherever found	E	\$13,758	\$0	\$13,758	\$7,488	\$21,246
	869	Kopa (<i>Kadua cordata</i> <i>remyi</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Kopiko (<i>Psychotria grandiflora</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	786	Kopiko (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	827	Kopiko (<i>Psychotria hobdyi</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	865	Kuahiwi Laukahi (<i>Plantago hawaiiensis</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	354	Kuahiwi Laukahi (<i>Plantago princeps</i>) - Wherever found	E	\$47,206	\$36,000	\$83,206	\$7,488	\$90,694
	786	Kuawawaenuhu (<i>Schiedea lychnoides</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	628	Kula Wahine Noho (<i>Isodendron pyriformium</i>) - Wherever found	E	\$20,515	\$500	\$21,015	\$7,488	\$28,503
	827	Kulu'i (<i>Nototrichium humile</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	1001	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>) - Wherever found	E	\$0	\$6,515	\$6,515	\$0	\$6,515

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	154	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>) - Wherever found	T	\$197,805	\$185,748	\$383,553	\$10,988	\$394,541
	642	Ladies-tresses, Navasota (<i>Spiranthes parksii</i>) - Wherever found	E	\$19,530	\$0	\$19,530	\$7,488	\$27,018
	992	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	786	Lau `ehu (<i>Panicum niihauense</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	828	Laulihilihi (<i>Schiedea stellarioides</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	254	Layia, Beach (<i>Layia carnosa</i>) - Wherever found	E	\$500	\$142,100	\$142,600	\$0	\$142,600
	1005	Lead-plant, Crenulate (<i>Amorpha crenulata</i>) - Wherever found	E	\$300	\$0	\$300	\$6,000	\$6,300
	939	Leather Flower, Alabama (<i>Clematis socialis</i>) - Wherever found	E	\$8,000	\$1,612	\$9,612	\$0	\$9,612
	917	Leather Flower, Morefield's (<i>Clematis morefieldii</i>) - 0	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	869	Lehua Makanoe (<i>Lysimachia daphnoides</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	701	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>)) - Wherever found	E	\$7,200	\$7,200	\$14,400	\$7,488	\$21,888
	869	Liliwai (<i>Acaena exigua</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	985	Lily, Minnesota Dwarf Trout (<i>Erythronium propullans</i>) - Wherever found	E	\$0	\$0	\$0	\$7,788	\$7,788
	992	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	508	Lily, Western (<i>Lilium occidentale</i>) - Wherever found	E	\$8,310	\$27,200	\$35,510	\$7,488	\$42,998
	992	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	784	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>) - Wherever found	E	\$5,000	\$5,000	\$10,000	\$7,488	\$17,488
	827	Lo`ulu (<i>Pritchardia hardyi</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	828	Lo`ulu (<i>Pritchardia kaalae</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	832	Lo`ulu (<i>Pritchardia lanigera</i>) - Wherever found	E	\$7,577	\$0	\$7,577	\$7,488	\$15,065
	845	Lo`ulu (<i>Pritchardia maideniana</i>) - Wherever found	E	\$6,573	\$500	\$7,073	\$7,488	\$14,561
	827	Lo`ulu (<i>Pritchardia munroi</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	761	Lo`ulu (<i>Pritchardia napaliensis</i>) - Wherever found	E	\$10,946	\$0	\$10,946	\$7,488	\$18,434
	696	Lo`ulu (<i>Pritchardia remota</i>) - Wherever found	E	\$14,844	\$0	\$14,844	\$7,488	\$22,332

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	865	Lo`ulu (Pritchardia schattaueri) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	827	Lo`ulu (Pritchardia viscosa) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	976	Locoweed, Fassett's (Oxytropis campestris var. chartacea) - Wherever found	T	\$0	\$0	\$0	\$7,988	\$7,988
	296	Lomatium, Cook's (Lomatium cookii) - Wherever found	E	\$26,901	\$87,500	\$114,401	\$0	\$114,401
	387	Loosestrife, Rough-leaved (Lysimachia asperulaefolia) - Wherever found	E	\$38,000	\$26,534	\$64,534	\$9,988	\$74,522
	992	Lotus, San Clemente Island (Acmispon dendroideus var. traskiae (=Lotus d. ss) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	1010	Loulu, Baker's (Pritchardia bakeri) - Wherever found	E	\$5,819	\$0	\$5,819	\$0	\$5,819
	992	Lousewort, Furbish (Pedicularis furbishiae) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	912	Love Grass, Fosberg's (Eragrostis fosbergii) - Wherever found	E	\$3,819	\$0	\$3,819	\$7,488	\$11,307
	1045	Lupine, Clover (Lupinus tidestromii) - Wherever found	E	\$1,000	\$1,000	\$2,000	\$0	\$2,000
	136	Lupine, Kincaid's (Lupinus sulphureus ssp. kincaidii) - Wherever found	T	\$249,711	\$205,950	\$455,661	\$10,888	\$466,549
	992	Lupine, Nipomo Mesa (Lupinus nipomensis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	963	Lupine, Scrub (Lupinus aridorum) - Wherever found	E	\$800	\$0	\$800	\$7,688	\$8,488
	797	Ma`o Hau Hele, (=native Yellow Hibiscus) (Hibiscus brackenridgei) - Wherever found	E	\$8,837	\$500	\$9,337	\$7,488	\$16,825
	827	Ma`oli`oli (Schiedea apokremnos) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	822	Ma`oli`oli (Schiedea hawaiiensis) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	786	Ma`oli`oli (Schiedea kealiae) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	810	Ma`oli`oli (Schiedea pubescens) - Wherever found	E	\$8,665	\$0	\$8,665	\$7,488	\$16,153
	800	Mahoe (Alectryon macrococcus) - Wherever found	E	\$9,198	\$0	\$9,198	\$7,488	\$16,686
	657	Makou (Peucedanum sandwicense) - Wherever found	T	\$13,056	\$5,000	\$18,056	\$7,488	\$25,544

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	547	Makou (<i>Ranunculus hawaiiensis</i>) - Wherever found	E	\$18,073	\$12,000	\$30,073	\$7,488	\$37,561
	505	Makou (<i>Ranunculus mauiensis</i>) - Wherever found	E	\$24,011	\$12,000	\$36,011	\$7,488	\$43,499
	992	Malacothrix, Island (<i>Malacothrix squalida</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	937	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>) - Wherever found	E	\$0	\$2,280	\$2,280	\$7,488	\$9,768
	651	Mallow, Gierisch (<i>Sphaeralcea gierischii</i>) - Wherever found	E	\$0	\$18,500	\$18,500	\$7,488	\$25,988
	992	Mallow, Kern (<i>Eremalche kernensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Mallow, Peter's Mountain (<i>Iliamna corei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	908	Manaca, Palma De (<i>Calyptronoma rivalis</i>) - Wherever found	T	\$4,000	\$0	\$4,000	\$7,488	\$11,488
	431	Manioc, Walker's (<i>Manihot walkerae</i>) - Wherever found	E	\$40,936	\$0	\$40,936	\$21,407	\$62,343
	498	Manzanita, Franciscan (<i>Arctostaphylos franciscana</i>) - Wherever found	E	\$18,800	\$18,800	\$37,600	\$7,488	\$45,088
	930	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>) - Wherever found	T	\$0	\$2,875	\$2,875	\$7,488	\$10,363
	976	Manzanita, Morro (<i>Arctostaphylos morroensis</i>) - Wherever found	T	\$0	\$500	\$500	\$7,488	\$7,988
	944	Manzanita, Pallid (<i>Arctostaphylos pallida</i>) - Wherever found	T	\$0	\$1,800	\$1,800	\$7,488	\$9,288
	688	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>) - Wherever found	E	\$7,700	\$7,700	\$15,400	\$7,488	\$22,888
	529	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>) - Wherever found	E	\$2,720	\$29,756	\$32,476	\$7,488	\$39,964
	869	Mapele (<i>Cyrtandra cyaneoides</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	992	Mariposa Lily, Tiburon (<i>Calochortus tiburonensis</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	545	Meadowfoam, Large-flowered Woolly (<i>Limnanthes pumila</i> ssp. <i>grandiflora</i>) - Wherever found	E	\$30,310	\$0	\$30,310	\$7,488	\$37,798
	611	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>) - Wherever found	E	\$0	\$23,400	\$23,400	\$7,488	\$30,888
	753	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>) - Wherever found	E	\$17,000	\$0	\$17,000	\$1,800	\$18,800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	591	Mehamehame (<i>Flueggea neowawraea</i>) - Wherever found	E	\$25,356	\$0	\$25,356	\$7,488	\$32,844
	992	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1061	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>) - Wherever found	E	\$810	\$0	\$810	\$0	\$810
	116	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>) - Wherever found	E	\$0	\$571,000	\$571,000	\$0	\$571,000
	449	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>) - Wherever found	E	\$0	\$57,068	\$57,068	\$0	\$57,068
	916	Milk-vetch, Cushenbury (<i>Astragalus albens</i>) - Wherever found	E	\$0	\$11,000	\$11,000	\$0	\$11,000
	826	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>) - Wherever found	T	\$0	\$8,000	\$8,000	\$7,488	\$15,488
	669	Milk-vetch, Heliotrope (<i>Astragalus montii</i>) - Wherever found	T	\$17,000	\$0	\$17,000	\$7,488	\$24,488
	411	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>) - Wherever found	E	\$24,500	\$34,800	\$59,300	\$7,488	\$66,788
	981	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>) - Wherever found	E	\$0	\$373	\$373	\$7,488	\$7,861
	506	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>) - Wherever found	E	\$0	\$36,000	\$36,000	\$7,488	\$43,488
	877	Milk-vetch, Mancos (<i>Astragalus humillimus</i>) - Wherever found	E	\$0	\$5,500	\$5,500	\$7,488	\$12,988
	133	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>) - Wherever found	T	\$0	\$475,000	\$475,000	\$7,488	\$482,488
	408	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>) - Wherever found	E	\$30,200	\$30,200	\$60,400	\$7,488	\$67,888
	432	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>) - Wherever found	E	\$23,676	\$31,076	\$54,752	\$7,488	\$62,240
	765	Milk-vetch, Triple-ribbed (<i>Astragalus tricarinatus</i>) - Wherever found	E	\$3,500	\$7,300	\$10,800	\$7,488	\$18,288
	992	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	950	Milkpea, Small's (<i>Galactia smallii</i>) - Wherever found	E	\$1,300	\$0	\$1,300	\$7,688	\$8,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	564	Milkvetch, Osterhout (<i>Astragalus osterhoutii</i>) - Wherever found	E	\$5,000	\$23,696	\$28,696	\$7,488	\$36,184
	666	Milkweed, Mead's (<i>Asclepias meadii</i>) - Wherever found	T	\$14,221	\$2,590	\$16,811	\$7,988	\$24,799
	501	Milkweed, Welsh's (<i>Asclepias welshii</i>) - Wherever found	T	\$0	\$37,000	\$37,000	\$7,488	\$44,488
	723	Mint, Garrett's (<i>Dicerandra christmanii</i>) - Wherever found	E	\$11,000	\$0	\$11,000	\$9,488	\$20,488
	690	Mint, Lakela's (<i>Dicerandra immaculata</i>) - Wherever found	E	\$600	\$0	\$600	\$21,988	\$22,588
	809	Mint, Longspurred (<i>Dicerandra cornutissima</i>) - Wherever found	E	\$8,500	\$0	\$8,500	\$7,688	\$16,188
	737	Mint, Scrub (<i>Dicerandra frutescens</i>) - Wherever found	E	\$10,500	\$0	\$10,500	\$9,188	\$19,688
	854	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>) - Wherever found	E	\$3,300	\$3,300	\$6,600	\$7,488	\$14,088
	992	Monkeyflower, Vandenberg (<i>Diplacus vandenbergensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	811	Monkshood, Northern Wild (<i>Aconitum noveboracense</i>) - Wherever found	T	\$0	\$5,835	\$5,835	\$10,288	\$16,123
	717	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>) - Wherever found	E	\$0	\$13,514	\$13,514	\$7,488	\$21,002
	992	Mountainbalm, Indian Knob (<i>Eriodictyon altissimum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	783	Mustard, Carter's (<i>Warea carteri</i>) - Wherever found	E	\$12,000	\$0	\$12,000	\$5,500	\$17,500
	422	Mustard, Penland Alpine Fen (<i>Eutrema penlandii</i>) - Wherever found	T	\$15,500	\$42,000	\$57,500	\$7,488	\$64,988
	992	Mustard, Slender-petaled (<i>Thelypodium stenopetalum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	828	Na`ena`e (<i>Dubautia herbstobatae</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	869	Na`ena`e (<i>Dubautia imbricata</i> ssp. <i>imbricata</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Na`ena`e (<i>Dubautia pauciflorula</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	869	Na`ena`e (Dubautia plantaginea ssp. magnifolia) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Na`ena`e (Dubautia waialealae) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Naenae (Dubautia kalalauensis) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	Naenae (Dubautia kenwoodii) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	Nani Wai`ale`ale (Viola kauaiensis var. wahiawaensis) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	786	Nanu (Gardenia manni) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	521	Nanu (Gardenia remyi) - Wherever found	E	\$21,520	\$12,000	\$33,520	\$7,488	\$41,008
	496	Naupaka, Dwarf (Scaevola coriacea) - Wherever found	E	\$40,479	\$5,000	\$45,479	\$0	\$45,479
	992	Navarretia, Few-flowered (Navarretia leucocephala ssp. pauciflora (=N. pau) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Navarretia, Many-flowered (Navarretia leucocephala ssp. plieantha) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Navarretia, Spreading (Navarretia fossalis) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	869	Nehe (Lipochaeta fauriei) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	828	Nehe (Lipochaeta lobata var. leptophylla) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	869	Nehe (Lipochaeta micrantha) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Nehe (Lipochaeta waimeaensis) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	Nehe (Melanthera kamolensis) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	786	Nehe (Melanthera tenuifolia) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	828	Nioi (Eugenia koolauensis) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	625	Niterwort, Amargosa (Nitrophila mohavensis) - Wherever found	E	\$0	\$29,000	\$29,000	\$0	\$29,000
	849	No Common Name (Abutilon eremitopetalum) - Wherever found	E	\$6,833	\$0	\$6,833	\$7,488	\$14,321
	786	No Common Name (Abutilon sandwicense) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	173	No Common Name (Achyranthes mutica) - Wherever found	E	\$310,857	\$0	\$310,857	\$7,488	\$318,345
	858	No Common Name (Agave eggersiana) - Wherever found	E	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	782	No Common Name (Amaranthus brownii) - Wherever found	E	\$10,027	\$0	\$10,027	\$7,488	\$17,515

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	784	No Common Name (<i>Aristida chaseae</i>) - Wherever found	E	\$10,000	\$0	\$10,000	\$7,488	\$17,488
	917	No Common Name (<i>Auerodendron pauciflorum</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	829	No Common Name (<i>Bidens hillebrandiana</i> ssp. <i>hillebrandiana</i>) - Wherever found	E	\$7,833	\$0	\$7,833	\$7,488	\$15,321
	687	No Common Name (<i>Bonamia menziesii</i>) - Wherever found	E	\$15,438	\$0	\$15,438	\$7,488	\$22,926
	803	No Common Name (<i>Calyptanthes thomasiana</i>) - Wherever found	E	\$9,000	\$0	\$9,000	\$7,488	\$16,488
	908	No Common Name (<i>Catesbaea melanocarpa</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$7,488	\$11,488
	917	No Common Name (<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	867	No Common Name (<i>Cordia bellonis</i>) - Wherever found	E	\$6,000	\$0	\$6,000	\$7,488	\$13,488
	917	No Common Name (<i>Cranichis ricartii</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	839	No Common Name (<i>Cyanea kauaulaensis</i>) - Wherever found	E	\$7,340	\$0	\$7,340	\$7,488	\$14,828
	827	No Common Name (<i>Cyperus fauriei</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	839	No Common Name (<i>Cyperus neokunthianus</i>) - Wherever found	E	\$7,340	\$0	\$7,340	\$7,488	\$14,828
	827	No Common Name (<i>Cyperus pennatiformis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	844	No Common Name (<i>Cyrtandra nanawaleensis</i>) - Wherever found	E	\$7,087	\$0	\$7,087	\$7,488	\$14,575
	822	No Common Name (<i>Cyrtandra wagneri</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	813	No Common Name (<i>Daphnopsis helleriana</i>) - Wherever found	E	\$8,500	\$0	\$8,500	\$7,488	\$15,988
	742	No Common Name (<i>Delissea rhytidosperra</i>) - Wherever found	E	\$11,960	\$0	\$11,960	\$7,488	\$19,448
	822	No Common Name (<i>Delissea undulata</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	289	No Common Name (<i>Dendrobium guamense</i>) - Wherever found	T	\$111,274	\$0	\$111,274	\$7,488	\$118,762

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	427	No Common Name (Eugenia bryanii) - Wherever found	E	\$55,707	\$0	\$55,707	\$7,488	\$63,195
	803	No Common Name (Eugenia woodburyana) - Wherever found	E	\$9,000	\$0	\$9,000	\$7,488	\$16,488
	865	No Common Name (Festuca hawaiiensis) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	750	No Common Name (Festuca molokaiensis) - Wherever found	E	\$11,599	\$0	\$11,599	\$7,488	\$19,087
	532	No Common Name (Geocarpon minimum) - Wherever found	T	\$25,000	\$4,952	\$29,952	\$8,988	\$38,940
	784	No Common Name (Gesneria pauciflora) - Wherever found	T	\$10,000	\$0	\$10,000	\$7,488	\$17,488
	867	No Common Name (Gonocalyx concolor) - Wherever found	E	\$6,000	\$0	\$6,000	\$7,488	\$13,488
	873	No Common Name (Gouania hillebrandii) - Wherever found	E	\$5,718	\$0	\$5,718	\$7,488	\$13,206
	873	No Common Name (Gouania meyenii) - Wherever found	E	\$5,718	\$0	\$5,718	\$7,488	\$13,206
	830	No Common Name (Gouania vitifolia) - Wherever found	E	\$7,803	\$0	\$7,803	\$7,488	\$15,291
	869	No Common Name (Hesperomannia arborescens) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	No Common Name (Hesperomannia arbuscula) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	No Common Name (Hesperomannia lydgatei) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	917	No Common Name (Ilex sintenisii) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	828	No Common Name (Kadua degeneri) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	788	No Common Name (Kadua hauptuensis) - Wherever found	E	\$9,875	\$0	\$9,875	\$7,488	\$17,363
	786	No Common Name (Kadua parvula) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	869	No Common Name (Kadua st.-johnii) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	909	No Common Name (Keysseria (=Lagenifera) erici) - Wherever found	E	\$3,947	\$0	\$3,947	\$7,488	\$11,435

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	942	No Common Name (<i>Keysseria</i> (=Lagenifera) <i>helenae</i>) - Wherever found	E	\$1,862	\$0	\$1,862	\$7,488	\$9,350
	869	No Common Name (<i>Labordia</i> <i>lorenciana</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	686	No Common Name (<i>Lepanthes</i> <i>eltoroensis</i>) - Wherever found	E	\$15,500	\$0	\$15,500	\$7,488	\$22,988
	878	No Common Name (<i>Lepidium</i> <i>orbiculare</i>) - Wherever found	E	\$5,495	\$0	\$5,495	\$7,488	\$12,983
	908	No Common Name (<i>Leptocereus</i> <i>grantianus</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$7,488	\$11,488
	791	No Common Name (<i>Lipochaeta</i> <i>venosa</i>) - Wherever found	E	\$9,728	\$0	\$9,728	\$7,488	\$17,216
	786	No Common Name (<i>Lobelia</i> <i>koolauensis</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	828	No Common Name (<i>Lobelia</i> <i>monostachya</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	827	No Common Name (<i>Lobelia</i> <i>niihauensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	828	No Common Name (<i>Lobelia</i> <i>oahuensis</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	784	No Common Name (<i>Lyonia</i> <i>truncata</i> var. <i>proctorii</i>) - Wherever found	E	\$10,000	\$0	\$10,000	\$7,488	\$17,488
	869	No Common Name (<i>Lysimachia</i> <i>filifolia</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	No Common Name (<i>Lysimachia</i> <i>iniki</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	No Common Name (<i>Lysimachia</i> <i>lydgatei</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	No Common Name (<i>Lysimachia</i> <i>maxima</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	No Common Name (<i>Lysimachia</i> <i>pendens</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	No Common Name (<i>Lysimachia</i> <i>scopulensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	827	No Common Name (<i>Lysimachia</i> <i>venosa</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	391	No Common Name (<i>Maesa</i> <i>walkeri</i>) - Wherever found	T	\$65,148	\$0	\$65,148	\$7,488	\$72,636

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	917	No Common Name (<i>Mitracarpus maxwelliae</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	917	No Common Name (<i>Mitracarpus polycladus</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	917	No Common Name (<i>Myrcia paganii</i>) - Wherever found	E	\$3,500	\$0	\$3,500	\$7,488	\$10,988
	828	No Common Name (<i>Neraudia angulata</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	603	No Common Name (<i>Neraudia ovata</i>) - Wherever found	E	\$18,358	\$6,398	\$24,756	\$7,488	\$32,244
	827	No Common Name (<i>Neraudia sericea</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	421	No Common Name (<i>Nervilia jacksoniae</i>) - Wherever found	T	\$57,613	\$0	\$57,613	\$7,488	\$65,101
	583	No Common Name (<i>Nesogenes rotensis</i>) - Wherever found	E	\$26,705	\$0	\$26,705	\$7,488	\$34,193
	878	No Common Name (<i>Osmoxylon mariannense</i>) - Wherever found	E	\$5,495	\$0	\$5,495	\$7,488	\$12,983
	574	No Common Name (<i>Phyllanthus saffordii</i>) - Wherever found	E	\$27,644	\$0	\$27,644	\$7,488	\$35,132
	264	No Common Name (<i>Phyllostegia bracteata</i>) - Wherever found	E	\$69,294	\$60,000	\$129,294	\$7,488	\$136,782
	267	No Common Name (<i>Phyllostegia brevidens</i>) - Wherever found	E	\$68,918	\$60,000	\$128,918	\$7,488	\$136,406
	806	No Common Name (<i>Phyllostegia floribunda</i>) - Wherever found	E	\$8,918	\$0	\$8,918	\$7,488	\$16,406
	804	No Common Name (<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>) - Wherever found	E	\$8,968	\$0	\$8,968	\$7,488	\$16,456
	262	No Common Name (<i>Phyllostegia haliakalae</i>) - Wherever found	E	\$69,882	\$60,000	\$129,882	\$7,488	\$137,370
	827	No Common Name (<i>Phyllostegia helleri</i>) - 0	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	786	No Common Name (<i>Phyllostegia hirsuta</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	822	No Common Name (<i>Phyllostegia hispida</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	786	No Common Name (<i>Phyllostegia kaalaensis</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	827	No Common Name (<i>Phyllostegia knudsenii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	822	No Common Name (<i>Phyllostegia mannii</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	786	No Common Name (<i>Phyllostegia mollis</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	827	No Common Name (<i>Phyllostegia parviflora</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	787	No Common Name (<i>Phyllostegia pilosa</i>) - Wherever found	E	\$9,882	\$0	\$9,882	\$7,488	\$17,370
	761	No Common Name (<i>Phyllostegia renovans</i>) - Wherever found	E	\$10,946	\$0	\$10,946	\$7,488	\$18,434
	855	No Common Name (<i>Phyllostegia stachyoides</i>) - Wherever found	E	\$6,580	\$0	\$6,580	\$7,488	\$14,068
	827	No Common Name (<i>Phyllostegia velutina</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	869	No Common Name (<i>Phyllostegia waimeae</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	822	No Common Name (<i>Phyllostegia warshaueri</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	732	No Common Name (<i>Phyllostegia wawrana</i>) - Wherever found	E	\$12,633	\$0	\$12,633	\$7,488	\$20,121
	512	No Common Name (<i>Platanthera holochila</i>) - Wherever found	E	\$23,020	\$12,000	\$35,020	\$7,488	\$42,508
	786	No Common Name (<i>Platydesma cornuta</i> var. <i>cornuta</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	786	No Common Name (<i>Platydesma cornuta</i> var. <i>decurrens</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	865	No Common Name (<i>Platydesma remyi</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	869	No Common Name (<i>Poa siphonoglossa</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	777	No Common Name (<i>Polyscias bisattenuata</i>) - Wherever found	E	\$10,275	\$0	\$10,275	\$7,488	\$17,763
	827	No Common Name (<i>Polyscias flynnii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	828	No Common Name (<i>Polyscias lydgatei</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	786	No Common Name (<i>Polyscias racemosa</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	827	No Common Name (<i>Remya kauaiensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	869	No Common Name (<i>Remya montgomeryi</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	828	No Common Name (<i>Sanicula mariversa</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	869	No Common Name (<i>Sanicula purpurea</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	363	No Common Name (<i>Sanicula sandwicensis</i>) - Wherever found	E	\$42,556	\$36,000	\$78,556	\$7,488	\$86,044
	869	No Common Name (<i>Santalum involutum</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	No Common Name (<i>Schiedea attenuata</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	822	No Common Name (<i>Schiedea diffusa</i> ssp. <i>macraei</i>) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	358	No Common Name (<i>Schiedea diffusa</i> subsp. <i>diffusa</i>) - Wherever found	E	\$45,402	\$36,000	\$81,402	\$7,488	\$88,890
	362	No Common Name (<i>Schiedea haleakalensis</i>) - Wherever found	E	\$43,904	\$36,000	\$79,904	\$7,488	\$87,392
	827	No Common Name (<i>Schiedea helleri</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	869	No Common Name (<i>Schiedea hookeri</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	695	No Common Name (<i>Schiedea jacobii</i>) - Wherever found	E	\$14,895	\$0	\$14,895	\$7,488	\$22,383
	786	No Common Name (<i>Schiedea kaalae</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	733	No Common Name (<i>Schiedea kauaiensis</i>) - Wherever found	E	\$12,619	\$0	\$12,619	\$7,488	\$20,107
	768	No Common Name (<i>Schiedea laui</i>) - Wherever found	E	\$10,585	\$0	\$10,585	\$7,488	\$18,073
	869	No Common Name (<i>Schiedea lydgatei</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	828	No Common Name (<i>Schiedea membranacea</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	798	No Common Name (<i>Schiedea nuttallii</i>) - Wherever found	E	\$9,318	\$0	\$9,318	\$7,488	\$16,806

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	786	No Common Name (Schiedea obovata) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	793	No Common Name (Schiedea salicaria) - Wherever found	E	\$9,571	\$0	\$9,571	\$7,488	\$17,059
	869	No Common Name (Schiedea sarmentosa) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	869	No Common Name (Schiedea spergulina var. leiopoda) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	769	No Common Name (Schiedea spergulina var. spergulina) - Wherever found	T	\$10,548	\$0	\$10,548	\$7,488	\$18,036
	828	No Common Name (Schiedea trinervis) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	712	No Common Name (Schiedea verticillata) - Wherever found	E	\$13,830	\$0	\$13,830	\$7,488	\$21,318
	828	No Common Name (Schiedea viscosa) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	858	No Common Name (Schoepfia arenaria) - Wherever found	T	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	827	No Common Name (Sicyos lanceoloideus) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	869	No Common Name (Silene alexandri) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	822	No Common Name (Silene hawaiiensis) - Wherever found	T	\$8,158	\$0	\$8,158	\$7,488	\$15,646
	869	No Common Name (Silene lanceolata) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	828	No Common Name (Silene perlmanii) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	865	No Common Name (Spermolepis hawaiiensis) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	295	No Common Name (Stenogyne angustifolia var. angustifolia) - Wherever found	E	\$107,672	\$0	\$107,672	\$7,488	\$115,160
	334	No Common Name (Stenogyne bifida) - Wherever found	E	\$89,926	\$0	\$89,926	\$7,488	\$97,414
	827	No Common Name (Stenogyne campanulata) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	822	No Common Name (Stenogyne cranwelliae) - Wherever found	E	\$8,158	\$0	\$8,158	\$7,488	\$15,646

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	827	No Common Name (<i>Stenogyne kaalae</i> ssp. <i>sherffii</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	786	No Common Name (<i>Stenogyne kanehoana</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	684	No Common Name (<i>Stenogyne kauaulaensis</i>) - Wherever found	E	\$15,719	\$0	\$15,719	\$7,488	\$23,207
	322	No Common Name (<i>Stenogyne kealiae</i>) - Wherever found	E	\$93,785	\$0	\$93,785	\$7,488	\$101,273
	371	No Common Name (<i>Tabernaemontana rotensis</i>) - Wherever found	T	\$73,249	\$0	\$73,249	\$7,488	\$80,737
	908	No Common Name (<i>Ternstroemia subsessilis</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$7,488	\$11,488
	865	No Common Name (<i>Tetramolopium arenarium</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	786	No Common Name (<i>Tetramolopium filiforme</i>) - Wherever found	E	\$9,932	\$0	\$9,932	\$7,488	\$17,420
	869	No Common Name (<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	779	No Common Name (<i>Tetramolopium remyi</i>) - Wherever found	E	\$10,186	\$0	\$10,186	\$7,488	\$17,674
	326	No Common Name (<i>Tetramolopium rockii</i>) - Wherever found	T	\$92,011	\$0	\$92,011	\$7,488	\$99,499
	439	No Common Name (<i>Tinospora homosepala</i>) - Wherever found	E	\$51,574	\$0	\$51,574	\$7,488	\$59,062
	834	No Common Name (<i>Trematolobelia singularis</i>) - Wherever found	E	\$7,523	\$0	\$7,523	\$7,488	\$15,011
	294	No Common Name (<i>Tuberolabium guamense</i>) - Wherever found	T	\$107,719	\$0	\$107,719	\$7,488	\$115,207
	517	No Common Name (<i>Varronia rupicola</i>) - Wherever found	T	\$34,500	\$0	\$34,500	\$7,488	\$41,988
	794	No Common Name (<i>Vernonia proctorii</i>) - Wherever found	E	\$9,500	\$0	\$9,500	\$7,488	\$16,988
	773	No Common Name (<i>Vigna o-wahuensis</i>) - Wherever found	E	\$10,448	\$0	\$10,448	\$7,488	\$17,936
	869	No Common Name (<i>Viola helenae</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	827	No Common Name (<i>Viola lanaiensis</i>) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	828	No Common Name (<i>Viola oahuensis</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	869	No Common Name (<i>Wikstroemia skottsbergiana</i>) - 0	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	480	No Common Name (<i>Wikstroemia villosa</i>) - Wherever found	E	\$30,477	\$12,000	\$42,477	\$7,488	\$49,965
	808	No Common Name (<i>Xylosma crenatum</i>) - Wherever found	E	\$8,861	\$0	\$8,861	\$7,488	\$16,349
	483	Nohoanu (<i>Geranium hanaense</i>) - Wherever found	E	\$28,980	\$12,000	\$40,980	\$7,488	\$48,468
	534	Nohoanu (<i>Geranium hillebrandii</i>) - Wherever found	E	\$31,193	\$0	\$31,193	\$7,488	\$38,681
	869	Nohoanu (<i>Geranium kauaiense</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	542	Nohoanu (<i>Geranium multiflorum</i>) - Wherever found	E	\$18,556	\$12,000	\$30,556	\$7,488	\$38,044
	480	Nui, Haha (<i>Cyanea horrida</i>) - Wherever found	E	\$30,477	\$12,000	\$42,477	\$7,488	\$49,965
	889	Oak, Hinckley (<i>Quercus hinckleyi</i>) - Wherever found	T	\$5,000	\$0	\$5,000	\$7,488	\$12,488
	699	Oha (<i>Delissea subcordata</i>) - Wherever found	E	\$14,661	\$0	\$14,661	\$7,488	\$22,149
	377	Ohai (<i>Sesbania tomentosa</i>) - Wherever found	E	\$70,691	\$0	\$70,691	\$7,488	\$78,179
	869	Olulu (<i>Brighamia insignis</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	992	Onion, Munz's (<i>Allium munzii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	828	Opuhe (<i>Urera kaalae</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	489	Orchid, Eastern Prairie Fringed (<i>Platanthera leucophaea</i>) - Wherever found	T	\$0	\$22,385	\$22,385	\$24,900	\$47,285
	390	Orchid, Western Prairie Fringed (<i>Platanthera praeclara</i>) - Wherever found	T	\$19,180	\$24,704	\$43,884	\$29,488	\$73,372
	331	Orchid, White Fringeless (<i>Platanthera integrilabia</i>) - 0	T	\$88,000	\$10,042	\$98,042	\$0	\$98,042
	893	Orcutt Grass, Hairy (<i>Orcuttia pilosa</i>) - Wherever found	E	\$0	\$4,806	\$4,806	\$7,488	\$12,294
	926	Orcutt Grass, Sacramento (<i>Orcuttia viscida</i>) - Wherever found	E	\$0	\$3,200	\$3,200	\$7,488	\$10,688
	886	Orcutt Grass, San Joaquin (<i>Orcuttia inaequalis</i>) - Wherever found	T	\$0	\$5,154	\$5,154	\$7,488	\$12,642
	863	Orcutt Grass, Slender (<i>Orcuttia tenuis</i>) - Wherever found	T	\$0	\$6,200	\$6,200	\$7,488	\$13,688
	853	Owl's-clover, Fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>) - Wherever found	T	\$0	\$6,644	\$6,644	\$7,488	\$14,132

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	916	Oxytheca, Cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>) - Wherever found	E	\$0	\$11,000	\$11,000	\$0	\$11,000
	869	Pa' iniu (<i>Astelia waialealae</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	117	Paintbrush, Golden (<i>Castilleja levisecta</i>) - Wherever found	T	\$532,130	\$6,300	\$538,430	\$30,488	\$568,918
	992	Paintbrush, San Clemente Island (<i>Castilleja grisea</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	715	Paintbrush, Soft-leaved (<i>Castilleja mollis</i>) - Wherever found	E	\$0	\$13,729	\$13,729	\$7,488	\$21,217
	935	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>) - Wherever found	E	\$1,200	\$1,200	\$2,400	\$7,488	\$9,888
	908	Palo Colorado (<i>Ternstroemia luquillensis</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$7,488	\$11,488
	867	Palo De Jazmin (<i>Styrax portoricensis</i>) - Wherever found	E	\$6,000	\$0	\$6,000	\$7,488	\$13,488
	847	Palo De Nigua (<i>Cornutia obovata</i>) - Wherever found	E	\$7,000	\$0	\$7,000	\$7,488	\$14,488
	794	Palo De Ramon (<i>Banara vanderbiltii</i>) - Wherever found	E	\$9,500	\$0	\$9,500	\$7,488	\$16,988
	858	Palo De Rosa (<i>Ottoschulzia rhodoxylon</i>) - Wherever found	E	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	865	Pamakani (<i>Tetramolopium capillare</i>) - Wherever found	E	\$6,073	\$0	\$6,073	\$7,488	\$13,561
	828	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>) - Wherever found	E	\$7,847	\$0	\$7,847	\$7,488	\$15,335
	818	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>) - Wherever found	E	\$10,819	\$5,000	\$15,819	\$0	\$15,819
	788	Papala (<i>Charpentiera densiflora</i>) - Wherever found	E	\$9,875	\$0	\$9,875	\$7,488	\$17,363
	558	Paudedo (<i>Hedyotis megalantha</i>) - Wherever found	E	\$29,221	\$0	\$29,221	\$7,488	\$36,709
	567	Pawpaw, Beautiful (<i>Deeringothamnus pulchellus</i>) - Wherever found	E	\$32,000	\$2,500	\$34,500	\$1,400	\$35,900
	813	Pawpaw, Four-petal (<i>Asimina tetramera</i>) - Wherever found	E	\$700	\$7,300	\$8,000	\$7,988	\$15,988
	700	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>) - Wherever found	E	\$7,500	\$0	\$7,500	\$14,488	\$21,988
	1018	Pea, Big Pine Partridge (<i>Chamaecrista lineata kevensis</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$1,200	\$5,200
	794	Pelos Del Diablo (<i>Aristida portoricensis</i>) - Wherever found	E	\$9,500	\$0	\$9,500	\$7,488	\$16,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	588	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>) - Wherever found	E	\$0	\$25,800	\$25,800	\$7,488	\$33,288
	454	Penstemon, Blowout (<i>Penstemon haydenii</i>) - Wherever found	E	\$1,000	\$47,099	\$48,099	\$8,200	\$56,299
	595	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>) - Wherever found	E	\$10,000	\$15,207	\$25,207	\$7,488	\$32,695
	1042	Pentachaeta, White-rayed (<i>Pentachaeta bellidiflora</i>) - Wherever found	E	\$0	\$2,400	\$2,400	\$0	\$2,400
	858	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>) - Wherever found	E	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	175	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>) - 0	T	\$153,842	\$112,500	\$266,342	\$33,888	\$300,230
	1007	Phacelia, Clay (<i>Phacelia argillacea</i>) - Wherever found	E	\$5,500	\$500	\$6,000	\$0	\$6,000
	384	Phacelia, Debeque (<i>Phacelia submutica</i>) - Wherever found	T	\$55,500	\$19,075	\$74,575	\$0	\$74,575
	816	Phacelia, Island (<i>Phacelia insularis</i> ssp. <i>insularis</i>) - Wherever found	E	\$680	\$7,681	\$8,361	\$7,488	\$15,849
	320	Phacelia, North Park (<i>Phacelia formosula</i>) - Wherever found	E	\$61,500	\$34,196	\$95,696	\$7,488	\$103,184
	645	Phlox, Texas Trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>) - Wherever found	E	\$14,129	\$5,000	\$19,129	\$7,488	\$26,617
	658	Pigeon Wings (<i>Clitoria fragrans</i>) - Wherever found	T	\$12,000	\$0	\$12,000	\$13,488	\$25,488
	138	Pilo (<i>Kadua laxiflora</i>) - Wherever found	E	\$10,953	\$443,000	\$453,953	\$7,488	\$461,441
	112	Pilo Kea Lau Li`i (<i>Platydesma rostrata</i>) - Wherever found	E	\$9,932	\$571,000	\$580,932	\$7,488	\$588,420
	612	Pink, Swamp (<i>Helonias bullata</i>) - Wherever found	T	\$12,250	\$7,990	\$20,240	\$10,488	\$30,728
	718	Pinkroot, Gentian (<i>Spigelia gentianoides</i>) - Wherever found	E	\$12,500	\$587	\$13,087	\$7,888	\$20,975
	1028	Pitcher-plant, Alabama Canebrake (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>) - Wherever found	E	\$3,000	\$587	\$3,587	\$0	\$3,587
	381	Pitcher-plant, Green (<i>Sarracenia oreophila</i>) - Wherever found	E	\$47,500	\$20,662	\$68,162	\$8,088	\$76,250
	555	Pitcher-plant, Mountain Sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>) - Wherever found	E	\$25,500	\$1,706	\$27,206	\$9,888	\$37,094
	835	Plum, Scrub (<i>Prunus geniculata</i>) - Wherever found	E	\$2,000	\$0	\$2,000	\$12,988	\$14,988
	711	Po`e (<i>Portulaca sclerocarpa</i>) - Wherever found	E	\$10,333	\$3,500	\$13,833	\$7,488	\$21,321

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	442	Pogonia, Small Whorled (<i>Isotria medeoloides</i>) - Wherever found	T	\$17,200	\$29,508	\$46,708	\$11,915	\$58,623
	703	Polygala, Lewton's (<i>Polygala lewtonii</i>) - Wherever found	E	\$1,300	\$0	\$1,300	\$20,488	\$21,788
	891	Polygala, Tiny (<i>Polygala smallii</i>) - Wherever found	E	\$4,500	\$0	\$4,500	\$7,888	\$12,388
	992	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	332	Pondberry (<i>Lindera melissifolia</i>) - Wherever found	E	\$79,000	\$4,563	\$83,563	\$14,088	\$97,651
	976	Pondweed, Little Aguja (=creek) (<i>Potamogeton clystocarpus</i>) - Wherever found	E	\$500	\$0	\$500	\$7,488	\$7,988
	214	Popcornflower, Rough (<i>Plagiobothrys hirtus</i>) - Wherever found	E	\$191,360	\$3,000	\$194,360	\$7,488	\$201,848
	633	Popolo (<i>Cyanea solanacea</i>) - Wherever found	E	\$20,782	\$0	\$20,782	\$7,488	\$28,270
	420	Popolo (<i>Solanum nelsonii</i>) - Wherever found	E	\$52,622	\$5,000	\$57,622	\$7,488	\$65,110
	376	Popolo Ku Mai (<i>Solanum incompletum</i>) - Wherever found	E	\$59,073	\$12,000	\$71,073	\$7,488	\$78,561
	992	Poppy, Sacramento Prickly (<i>Argemone pleiacantha ssp. pinnatisecta</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	976	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>) - Wherever found	E	\$500	\$0	\$500	\$7,488	\$7,988
	598	Potato-bean, Price's (<i>Apios priceana</i>) - 0	T	\$22,000	\$2,500	\$24,500	\$7,988	\$32,488
	1036	Potato-bean, Price's (<i>Apios priceana</i>) - 0	T	\$0	\$2,800	\$2,800	\$0	\$2,800
	663	Potato-bean, Prices (<i>Apios priceana</i>) - 0	T	\$12,500	\$12,500	\$25,000	\$0	\$25,000
	357	Potentilla, Hickman's (<i>Potentilla hickmanii</i>) - Wherever found	E	\$40,000	\$42,400	\$82,400	\$7,488	\$89,888
	707	Prairie-clover, Florida (<i>Dalea carthagenensis floridana</i>) - Wherever found	E	\$6,500	\$2,000	\$8,500	\$12,988	\$21,488
	587	Prairie-clover, Leafy (<i>Dalea foliosa</i>) - Wherever found	E	\$21,500	\$4,363	\$25,863	\$7,488	\$33,351
	1036	Prickly-apple, Aboriginal (<i>Harrisia (=Cereus) aboriginum (=gracilis)</i>) - Wherever found	E	\$800	\$0	\$800	\$2,000	\$2,800
	858	Prickly-apple, Fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>) - Wherever found	E	\$1,000	\$1,000	\$2,000	\$11,988	\$13,988
	902	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>) - Wherever found	E	\$4,500	\$0	\$4,500	\$7,488	\$11,988
	877	Primrose, Maguire (<i>Primula maguirei</i>) - Wherever found	T	\$5,500	\$0	\$5,500	\$7,488	\$12,988

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	844	Pu`uka`a (Cyperus trachysanthos) - Wherever found	E	\$7,087	\$0	\$7,087	\$7,488	\$14,575
	827	Pua`ala (Brighamia rockii) - Wherever found	E	\$7,904	\$0	\$7,904	\$7,488	\$15,392
	992	Pussypaws, Mariposa (Calyptidium pulchellum) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Ragwort, San Francisco Peaks (Packera franciscana) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	803	Rattleweed, Hairy (Baptisia arachnifera) - Wherever found	E	\$9,000	\$0	\$9,000	\$7,488	\$16,488
	1066	Reed-mustard, Barneby (Schoenocrambe barnebyi) - Wherever found	E	\$0	\$500	\$500	\$0	\$500
	991	Reed-mustard, Clay (Schoenocrambe argillacea) - Wherever found	T	\$7,500	\$0	\$7,500	\$0	\$7,500
	772	Reed-mustard, Shrubby (Schoenocrambe suffrutescens) - Wherever found	E	\$10,500	\$0	\$10,500	\$7,488	\$17,988
	600	Reedgrass, Hillebrand's (Calamagrostis hillebrandii) - Wherever found	E	\$24,880	\$0	\$24,880	\$7,488	\$32,368
	520	Reedgrass, Maui (Calamagrostis expansa) - Wherever found	E	\$21,672	\$12,000	\$33,672	\$7,488	\$41,160
	869	Remya, Maui (Remya mauiensis) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	1070	Rhododendron, Chapman (Rhododendron chapmanii) - Wherever found	E	\$0	\$0	\$0	\$200	\$200
	949	Ridge-cress, Barneby (Lepidium barnebyanum) - Wherever found	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	874	Rock Cress, Shale Barren (Arabis serotina) - Wherever found	E	\$0	\$0	\$0	\$13,176	\$13,176
	140	Rock-cress, Braun's (Arabis perstellata) - Wherever found	E	\$12,500	\$443,922	\$456,422	\$0	\$456,422
	556	Rock-cress, Hoffmann's (Arabis hoffmannii) - Wherever found	E	\$0	\$29,383	\$29,383	\$7,488	\$36,871
	992	Rock-cress, Mcdonald's (Arabis macdonaldiana) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	742	Rockcress, Georgia (Arabis georgiana) - Wherever found	T	\$12,000	\$0	\$12,000	\$7,488	\$19,488
	992	Rockcress, Santa Cruz Island (Sibara filifolia) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	776	Rose-mallow, Neches River (Hibiscus dasycalyx) - Wherever found	T	\$10,404	\$0	\$10,404	\$7,488	\$17,892

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1068	Rosemary, Apalachicola (<i>Conradina glabra</i>) - Wherever found	E	\$0	\$0	\$0	\$400	\$400
	682	Rosemary, Cumberland (<i>Conradina verticillata</i>) - Wherever found	T	\$13,700	\$9,717	\$23,417	\$0	\$23,417
	758	Rosemary, Etonia (<i>Conradina etonia</i>) - Wherever found	E	\$15,500	\$0	\$15,500	\$3,000	\$18,500
	897	Rosemary, Short-leaved (<i>Conradina brevifolia</i>) - Wherever found	E	\$100	\$0	\$100	\$11,988	\$12,088
	992	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rush-pea, Slender (<i>Hoffmannseggia tenella</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	721	Rush-rose, Island (<i>Helianthemum greenei</i>) - Wherever found	T	\$0	\$13,047	\$13,047	\$7,488	\$20,535
	618	Sand-verbena, Large-fruited (<i>Abronia macrocarpa</i>) - Wherever found	E	\$21,905	\$420	\$22,325	\$7,488	\$29,813
	780	Sandalwood, Lanai (= `iliahi) (<i>Santalum haleakalae</i> var. <i>lanaiense</i>) - Wherever found	E	\$10,120	\$0	\$10,120	\$7,488	\$17,608
	913	Sandlace (<i>Polygonella myriophylla</i>) - Wherever found	E	\$1,300	\$0	\$1,300	\$9,988	\$11,288
	947	Sandmat, Pineland (<i>Chamaesyce deltoidea</i> <i>pinetorum</i>) - Wherever found	T	\$400	\$0	\$400	\$8,688	\$9,088
	679	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>) - Wherever found	E	\$23,500	\$172	\$23,672	\$0	\$23,672
	759	Sandwort, Marsh (<i>Arenaria paludicola</i>) - Wherever found	E	\$1,200	\$6,407	\$7,607	\$10,888	\$18,495
	971	Schiedea, Diamond Head (<i>Schiedea adamantis</i>) - Wherever found	E	\$8,101	\$0	\$8,101	\$0	\$8,101
	1048	Seablite, California (<i>Suaeda californica</i>) - 0	E	\$0	\$1,600	\$1,600	\$0	\$1,600
	205	Seagrass, Johnson's (<i>Halophila johnsonii</i>) - Wherever found	T	\$0	\$205,855	\$205,855	\$7,988	\$213,843
	701	Sedge, Golden (<i>Carex lutea</i>) - Wherever found	E	\$14,000	\$0	\$14,000	\$7,888	\$21,888
	771	Sedge, Navajo (<i>Carex specuicola</i>) - Wherever found	T	\$3,500	\$7,008	\$10,508	\$7,488	\$17,996
	991	Silverbush, Blodgett's (<i>Argythamnia blodgettii</i>) - Wherever found	T	\$4,500	\$0	\$4,500	\$3,000	\$7,500
	561	Silversword, Mauna Loa (=ka'u) (<i>Argyroxiphium</i> <i>kauense</i>) - Wherever found	E	\$18,911	\$10,000	\$28,911	\$7,488	\$36,399

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	485	Skullcap, Florida (<i>Scutellaria floridana</i>) - Wherever found	T	\$30,500	\$9,300	\$39,800	\$8,288	\$48,088
	539	Skullcap, Large-flowered (<i>Scutellaria montana</i>) - Wherever found	T	\$22,000	\$8,957	\$30,957	\$7,488	\$38,445
	658	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>) - Wherever found	E	\$18,000	\$0	\$18,000	\$7,488	\$25,488
	913	Snakeroot (<i>Eryngium cuneifolium</i>) - Wherever found	E	\$1,300	\$0	\$1,300	\$9,988	\$11,288
	988	Sneezeweed, Virginia (<i>Helenium virginicum</i>) - Wherever found	T	\$0	\$0	\$0	\$7,688	\$7,688
	976	Snowbells, Texas (<i>Styrax texanus</i>) - Wherever found	E	\$500	\$0	\$500	\$7,488	\$7,988
	992	Spineflower, Howell's (<i>Chorizanthe howellii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	903	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>) - Wherever found	T	\$0	\$4,400	\$4,400	\$7,488	\$11,888
	966	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>) - Wherever found	E	\$400	\$400	\$800	\$7,488	\$8,288
	947	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>) - Wherever found	E	\$0	\$1,600	\$1,600	\$7,488	\$9,088
	992	Spineflower, Scotts Valley (<i>Chorizanthe robusta</i> var. <i>hartwegii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	802	Spineflower, Slender-horned (<i>Dodecahema leptoceras</i>) - Wherever found	E	\$0	\$9,144	\$9,144	\$7,488	\$16,632
	963	Spineflower, Sonoma (<i>Chorizanthe valida</i>) - Wherever found	E	\$500	\$500	\$1,000	\$7,488	\$8,488
	541	Spiraea, Virginia (<i>Spiraea virginiana</i>) - Wherever found	T	\$13,500	\$5,121	\$18,621	\$19,478	\$38,099
	1005	Spurge, Deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>) - Wherever found	E	\$5,000	\$0	\$5,000	\$1,300	\$6,300
	746	Spurge, Garber's (<i>Chamaesyce garberi</i>) - Wherever found	T	\$5,500	\$5,000	\$10,500	\$8,788	\$19,288
	911	Spurge, Hoover's (<i>Chamaesyce hooveri</i>) - Wherever found	T	\$0	\$3,902	\$3,902	\$7,488	\$11,390
	626	Spurge, Telephus (<i>Euphorbia telephioides</i>) - Wherever found	T	\$17,000	\$0	\$17,000	\$11,988	\$28,988
	885	Spurge, Wedge (<i>Chamaesyce deltoidea serpyllum</i>) - Wherever found	E	\$4,000	\$0	\$4,000	\$8,688	\$12,688

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	226	Stickseed, Showy (<i>Hackelia venusta</i>) - Wherever found	E	\$159,410	\$0	\$159,410	\$17,488	\$176,898
	992	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	446	Sumac, Michaux's (<i>Rhus michauxii</i>) - Wherever found	E	\$46,000	\$2,178	\$48,178	\$9,888	\$58,066
	762	Sunburst, Hartweg's Golden (<i>Pseudobahia bahiifolia</i>) - Wherever found	E	\$0	\$10,896	\$10,896	\$7,488	\$18,384
	973	Sunburst, San Joaquin Adobe (<i>Pseudobahia peirsonii</i>) - Wherever found	T	\$0	\$563	\$563	\$7,488	\$8,051
	551	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>) - Wherever found	T	\$0	\$30,000	\$30,000	\$7,488	\$37,488
	992	Sunflower, San Mateo Woolly (<i>Eriophyllum latilobum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	348	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>) - Wherever found	E	\$60,500	\$17,344	\$77,844	\$13,988	\$91,832
	745	Sunflower, Whorled (<i>Helianthus verticillatus</i>) - 0	E	\$16,200	\$3,185	\$19,385	\$0	\$19,385
	630	Sunshine, Sonoma (<i>Blennosperma bakeri</i>) - Wherever found	E	\$0	\$21,000	\$21,000	\$7,488	\$28,488
	992	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	819	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>) - Wherever found	T	\$0	\$8,301	\$8,301	\$7,488	\$15,789
	935	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>) - Wherever found	T	\$0	\$2,400	\$2,400	\$7,488	\$9,888
	563	Thelypody, Howell's Spectacular (<i>Thelypodium howellii</i> ssp. <i>spectabilis</i>) - Wherever found	T	\$28,810	\$0	\$28,810	\$7,488	\$36,298
	992	Thistle, Fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	884	Thistle, La Graciosa (<i>Cirsium loncholepis</i>) - Wherever found	E	\$0	\$5,207	\$5,207	\$7,488	\$12,695
	109	Thistle, Loch Lomond Coyote (<i>Eryngium constancei</i>) - Wherever found	E	\$0	\$571,000	\$571,000	\$37,488	\$608,488
	364	Thistle, Pitcher's (<i>Cirsium pitcheri</i>) - Wherever found	T	\$13,000	\$64,130	\$77,130	\$8,588	\$85,718
	992	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	932	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>) - Wherever found	E	\$0	\$2,600	\$2,600	\$7,488	\$10,088

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	990	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>) - Wherever found	E	\$0	\$100	\$100	\$7,488	\$7,588
	643	Thoroughwort, Cape Sable (<i>Chromolaena frustrata</i>) - Wherever found	E	\$23,500	\$1,500	\$25,000	\$2,000	\$27,000
	619	Townsendia, Last Chance (<i>Townsendia aprica</i>) - Wherever found	T	\$10,100	\$12,200	\$22,300	\$7,488	\$29,788
	990	Trillium, Persistent (<i>Trillium persistens</i>) - Wherever found	E	\$100	\$0	\$100	\$7,488	\$7,588
	517	Trillium, Relict (<i>Trillium reliquum</i>) - Wherever found	E	\$34,500	\$0	\$34,500	\$7,488	\$41,988
	945	Tuctoria, Greene's (<i>Tuctoria greenei</i>) - Wherever found	E	\$0	\$1,798	\$1,798	\$7,488	\$9,286
	481	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>) - Wherever found	T	\$14,000	\$35,696	\$49,696	\$0	\$49,696
	395	Ufa-halomtano (<i>Heritiera longipetiolata</i>) - Wherever found	E	\$64,123	\$0	\$64,123	\$7,488	\$71,611
	646	Uhi Uhi (<i>Mezoneuron kavaense</i>) - Wherever found	E	\$18,854	\$0	\$18,854	\$7,488	\$26,342
	794	Uvillo (<i>Eugenia haematocarpa</i>) - Wherever found	E	\$9,500	\$0	\$9,500	\$7,488	\$16,988
	622	Vervain, Red Hills (<i>Verbena californica</i>) - Wherever found	T	\$17,000	\$4,824	\$21,824	\$7,488	\$29,312
	728	Vetch, Hawaiian (<i>Vicia menziesii</i>) - Wherever found	E	\$12,713	\$0	\$12,713	\$7,488	\$20,201
	869	Wahane (<i>Pritchardia aylmer-robinsonii</i>) - Wherever found	E	\$5,819	\$0	\$5,819	\$7,488	\$13,307
	576	Wallflower, Menzies' (<i>Erysimum menziesii</i>) - Wherever found	E	\$0	\$27,400	\$27,400	\$7,488	\$34,888
	723	Walnut (=nogal), West Indian (<i>Juglans jamaicensis</i>) - Wherever found	E	\$13,000	\$0	\$13,000	\$7,488	\$20,488
	857	Warea, Wide-leaf (<i>Warea amplexifolia</i>) - Wherever found	E	\$0	\$0	\$0	\$14,000	\$14,000
	580	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>) - Wherever found	T	\$21,500	\$5,369	\$26,869	\$7,488	\$34,357
	494	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>) - Wherever found	E	\$0	\$38,400	\$38,400	\$7,488	\$45,888
	1069	Water-willow, Cooley's (<i>Justicia cooleyi</i>) - Wherever found	E	\$0	\$0	\$0	\$300	\$300

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	884	Watercress, Gambel's (<i>Rorippa gambellii</i>) - Wherever found	E	\$0	\$5,207	\$5,207	\$7,488	\$12,695
	664	Whitlow-wort, Papery (<i>Paronychia chartacea</i>) - Wherever found	T	\$12,000	\$0	\$12,000	\$12,988	\$24,988
	668	Wild Buckwheat, Clay-loving (<i>Eriogonum pelinophilum</i>) - Wherever found	E	\$0	\$24,765	\$24,765	\$0	\$24,765
	298	Wild-buckwheat, Gypsum (<i>Eriogonum gypsophilum</i>) - Wherever found	T	\$0	\$106,500	\$106,500	\$7,488	\$113,988
	992	Wild-buckwheat, Southern Mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	764	Wild-rice, Texas (<i>Zizania texana</i>) - Wherever found	E	\$10,000	\$840	\$10,840	\$7,488	\$18,328
	651	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>) - Wherever found	E	\$16,500	\$2,000	\$18,500	\$7,488	\$25,988
	1024	Wireweed (<i>Polygonella basiramia</i>) - Wherever found	E	\$1,300	\$0	\$1,300	\$3,000	\$4,300
	992	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	790	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>) - Wherever found	E	\$0	\$9,779	\$9,779	\$7,488	\$17,267
	192	Wooly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>) - Wherever found	E	\$0	\$244,300	\$244,300	\$7,488	\$251,788
	477	Yellowhead, Desert (<i>Yermo xanthocephalus</i>) - Wherever found	T	\$30,200	\$20,000	\$50,200	\$0	\$50,200
	992	Yerba Santa, Lompoc (<i>Eriodictyon capitatum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	434	Ziziphus, Florida (<i>Ziziphus celata</i>) - Wherever found	E	\$22,500	\$0	\$22,500	\$38,488	\$60,988
Flowering Plants subtotal				\$13,708,414	\$9,875,374	\$23,583,788	\$6,003,762	\$29,587,550
Insects	1046	Anthricinan Yellow-faced Bee (<i>Hylaeus anthracinus</i>) - Wherever found	E	\$0	\$1,668	\$1,668	\$0	\$1,668
	1046	Assimulans Yellow-faced Bee (<i>Hylaeus assimulans</i>) - Wherever found	E	\$0	\$1,668	\$1,668	\$0	\$1,668
	992	Beetle, [no Common Name] (<i>Rhadine exilis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Beetle, [no Common Name] (<i>Rhadine infernalis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	103	Beetle, American Burying (<i>Nicrophorus americanus</i>) - Wherever found, except where listed as an experimental population	E	\$348,795	\$164,864	\$513,659	\$112,171	\$625,830
	1035	Beetle, Casey's June (<i>Dinacoma caseyi</i>) - Wherever found	E	\$0	\$2,813	\$2,813	\$0	\$2,813
	1055	Beetle, Coffin Cave Mold (<i>Batrisodes texanus</i>) - Wherever found	E	\$0	\$1,353	\$1,353	\$0	\$1,353
	1009	Beetle, Comal Springs Dryopid (<i>Stygoparnus comalensis</i>) - Wherever found	E	\$0	\$0	\$0	\$5,856	\$5,856
	1060	Beetle, Comal Springs Riffle (<i>Heterelmis comalensis</i>) - Wherever found	E	\$0	\$840	\$840	\$0	\$840
	1062	Beetle, Delta Green Ground (<i>Elaphrus viridis</i>) - Wherever found	T	\$0	\$800	\$800	\$0	\$800
	992	Beetle, Helotes Mold (<i>Batrisodes venyivi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Beetle, Hungerford's Crawling Water (<i>Brychius hungerfordi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Beetle, Kretschmarr Cave Mold (<i>Texamaurops reddelli</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	954	Beetle, Tooth Cave Ground (<i>Rhadine persephone</i>) - Wherever found	E	\$0	\$1,355	\$1,355	\$7,488	\$8,843
	241	Beetle, Valley Elderberry Longhorn (<i>Desmocerus californicus dimorphus</i>) - Wherever found	T	\$0	\$154,232	\$154,232	\$7,488	\$161,720
	271	Bumble Bee, Rusty Patched (<i>Bombus affinis</i>) - Wherever found	E	\$7,000	\$84,054	\$91,054	\$42,388	\$133,442
	248	Butterfly, Bartram's Hairstreak (<i>Strymon acis bartrami</i>) - Wherever found	E	\$84,500	\$64,000	\$148,500	\$0	\$148,500
	996	Butterfly, Callippe Silverspot (<i>Speyeria callippe callippe</i>) - Wherever found	E	\$0	\$7,200	\$7,200	\$0	\$7,200
	143	Butterfly, El Segundo Blue (<i>Euphilotes battoides allyni</i>) - Wherever found	E	\$0	\$443,000	\$443,000	\$0	\$443,000
	101	Butterfly, Fender's Blue (<i>Icaricia icarioides fenderi</i>) - Wherever found	E	\$512,043	\$131,571	\$643,614	\$7,488	\$651,102
	251	Butterfly, Florida Leafwing (<i>Anaea troglodyta floridalis</i>) - Wherever found	E	\$75,500	\$64,000	\$139,500	\$7,488	\$146,988
	992	Butterfly, Homerus Swallowtail (<i>Papilio homerus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	246	Butterfly, Karner Blue (<i>Lycaeides melissa samuelis</i>) - Wherever found	E	\$100	\$29,398	\$29,498	\$121,788	\$151,286
	992	Butterfly, Lange's Metalmark (<i>Apodemia mormo langei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Butterfly, Lotis Blue (<i>Lycaeides argyrognomon lotis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Butterfly, Luzon Peacock Swallowtail (<i>Papilio chikae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	389	Butterfly, Mariana Eight-spot (<i>Hypolimnas octocula marianensis</i>) - Wherever found	E	\$65,061	\$1,000	\$66,061	\$7,488	\$73,549
	256	Butterfly, Mariana Wandering (<i>Vagrans egistina</i>) - Wherever found	E	\$134,625	\$0	\$134,625	\$7,488	\$142,113
	680	Butterfly, Miami Blue (<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>) - Wherever found	E	\$16,000	\$0	\$16,000	\$7,488	\$23,488
	189	Butterfly, Mission Blue (<i>Icaricia icarioides missionensis</i>) - Wherever found	E	\$125,000	\$126,600	\$251,600	\$7,488	\$259,088
	661	Butterfly, Mitchell's Satyr (<i>Neonympha mitchellii mitchellii</i>) - Wherever found	E	\$2,000	\$12,509	\$14,509	\$10,588	\$25,097
	992	Butterfly, Mount Charleston Blue (<i>Icaricia (Plebejus) shasta charlestonensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	935	Butterfly, Myrtle's Silverspot (<i>Speyeria zerene myrtleae</i>) - Wherever found	E	\$0	\$2,400	\$2,400	\$7,488	\$9,888
	114	Butterfly, Oregon Silverspot (<i>Speyeria zerene hippolyta</i>) - 0	EXPN	\$546,590	\$18,700	\$565,290	\$14,976	\$580,266
	992	Butterfly, Palos Verdes Blue (<i>Glaucopsyche lygdamus palosverdesensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Butterfly, Queen Alexandra's Birdwing (<i>Troides alexandrae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	379	Butterfly, Quino Checkerspot (<i>Euphydryas editha quino (=E. e. wrighti)</i>) - Wherever found	E	\$0	\$69,841	\$69,841	\$7,488	\$77,329
	826	Butterfly, Saint Francis' Satyr (<i>Neonympha mitchellii francisci</i>) - Wherever found	E	\$8,000	\$0	\$8,000	\$7,488	\$15,488
	749	Butterfly, San Bruno Elfin (<i>Callophrys mossii bayensis</i>) - Wherever found	E	\$5,000	\$6,600	\$11,600	\$7,488	\$19,088
	290	Butterfly, Schaus Swallowtail (<i>Heraclides aristodemus ponceanus</i>) - Wherever found	E	\$59,500	\$51,637	\$111,137	\$7,488	\$118,625
	935	Butterfly, Smith's Blue (<i>Euphilotes enoptes smithi</i>) - Wherever found	E	\$0	\$2,400	\$2,400	\$7,488	\$9,888

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	716	Butterfly, Uncompahgre Fritillary (<i>Boloria acrocneuma</i>) - Wherever found	E	\$2,500	\$11,100	\$13,600	\$7,488	\$21,088
	93	Checkerspot, Taylor's (=whulge) (<i>Euphydryas editha taylori</i>) - Wherever found	E	\$656,792	\$0	\$656,792	\$83,488	\$740,280
	1030	Dakota Skipper (<i>Hesperia dacotae</i>) - Wherever found	T	\$0	\$3,323	\$3,323	\$0	\$3,323
	616	Damselfly, Blackline Hawaiian (<i>Megalagrion nigrohamatum nigrolineatum</i>) - Wherever found	E	\$29,936	\$0	\$29,936	\$0	\$29,936
	636	Damselfly, Crimson Hawaiian (<i>Megalagrion leptodemas</i>) - Wherever found	E	\$27,908	\$0	\$27,908	\$0	\$27,908
	730	Damselfly, Flying Earwig Hawaiian (<i>Megalagrion nesiotes</i>) - Wherever found	E	\$12,698	\$0	\$12,698	\$7,488	\$20,186
	573	Damselfly, Oceanic Hawaiian (<i>Megalagrion oceanicum</i>) - Wherever found	E	\$27,908	\$0	\$27,908	\$7,488	\$35,396
	528	Damselfly, Orangeblack Hawaiian (<i>Megalagrion xanthomelas</i>) - Wherever found	E	\$31,697	\$1,000	\$32,697	\$7,488	\$40,185
	425	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>) - Wherever found	E	\$36,754	\$20,000	\$56,754	\$7,488	\$64,242
	463	Damselfly, Rota Blue (<i>Ischnura luta</i>) - Wherever found	E	\$46,259	\$0	\$46,259	\$7,488	\$53,747
	221	Dragonfly, Hine's Emerald (<i>Somatochlora hineana</i>) - Wherever found	E	\$51,500	\$128,000	\$179,500	\$7,738	\$187,238
	1046	Easy Yellow-faced Bee (<i>Hylaeus facilis</i>) - Wherever found	E	\$0	\$1,668	\$1,668	\$0	\$1,668
	623	Fly, Hawaiian Picture-wing (<i>Drosophila aglaia</i>) - Wherever found	E	\$21,571	\$0	\$21,571	\$7,488	\$29,059
	620	Fly, Hawaiian Picture-wing (<i>Drosophila differens</i>) - Wherever found	E	\$22,078	\$0	\$22,078	\$7,488	\$29,566
	634	Fly, Hawaiian Picture-wing (<i>Drosophila digressa</i>) - Wherever found	E	\$20,557	\$0	\$20,557	\$7,488	\$28,045
	299	Fly, Hawaiian Picture-wing (<i>Drosophila hemipeza</i>) - Wherever found	E	\$106,438	\$0	\$106,438	\$7,488	\$113,926
	620	Fly, Hawaiian Picture-wing (<i>Drosophila heteroneura</i>) - Wherever found	E	\$22,078	\$0	\$22,078	\$7,488	\$29,566
	593	Fly, Hawaiian Picture-wing (<i>Drosophila mulli</i>) - Wherever found	T	\$25,286	\$0	\$25,286	\$7,488	\$32,774
	859	Fly, Hawaiian Picture-wing (<i>Drosophila musaphilia</i>) - Wherever found	E	\$6,361	\$0	\$6,361	\$7,488	\$13,849

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	623	Fly, Hawaiian Picture-wing (<i>Drosophila obatai</i>) - Wherever found	E	\$21,571	\$0	\$21,571	\$7,488	\$29,059
	634	Fly, Hawaiian Picture-wing (<i>Drosophila ochrobasis</i>) - Wherever found	E	\$20,557	\$0	\$20,557	\$7,488	\$28,045
	859	Fly, Hawaiian Picture-wing (<i>Drosophila sharpi</i>) - Wherever found	E	\$6,361	\$0	\$6,361	\$7,488	\$13,849
	623	Fly, Hawaiian Picture-wing (<i>Drosophila</i> <i>substenoptera</i>) - Wherever found	E	\$21,571	\$0	\$21,571	\$7,488	\$29,059
	627	Fly, Hawaiian Picture-wing (<i>Drosophila</i> <i>tarphytrichia</i>) - Wherever found	E	\$21,368	\$0	\$21,368	\$7,488	\$28,856
	285	Moth, Blackburn's Sphinx (<i>Manduca blackburni</i>) - Wherever found	E	\$121,648	\$0	\$121,648	\$0	\$121,648
	895	Moth, Kern Primrose Sphinx (<i>Euproserpinus euterpe</i>) - Wherever found	T	\$0	\$4,659	\$4,659	\$7,488	\$12,147
	623	Picture-wing Fly, Hawaiian (<i>Drosophila</i> <i>montgomeryi</i>) - Wherever found	E	\$21,571	\$0	\$21,571	\$7,488	\$29,059
	634	Picture-wing Fly, Hawaiian (<i>Drosophila</i> <i>neoclavisetae</i>) - Wherever found	E	\$20,557	\$0	\$20,557	\$7,488	\$28,045
	1051	Poweshiek Skipperling (<i>Oarisma poweshiek</i>) - Wherever found	E	\$0	\$1,423	\$1,423	\$0	\$1,423
	905	Rusty Patched Bumble Bee (<i>Bombus affinis</i>) - Wherever found	E	\$0	\$11,670	\$11,670	\$0	\$11,670
	406	Skipper, Carson Wandering (<i>Pseudocopaeodes eunus</i> <i>obscurus</i>) - Wherever found	E	\$0	\$67,994	\$67,994	\$0	\$67,994
	169	Skipper, Dakota (<i>Hesperia dacotae</i>) - Wherever found	T	\$210,000	\$51,057	\$261,057	\$82,739	\$343,796
	992	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	705	Skipper, Pawnee Montane (<i>Hesperia leonardus</i> <i>montana</i>) - Wherever found	T	\$14,000	\$200	\$14,200	\$7,488	\$21,688
	435	Skipperling, Poweshiek (<i>Oarisma poweshiek</i>) - Wherever found	E	\$35,000	\$200	\$35,200	\$25,102	\$60,302
	976	Stonefly, Meltwater Lednian (<i>Lednia tumana</i>) - Wherever found	T	\$500	\$0	\$500	\$7,488	\$7,988
	966	Stonefly, Western Glacier (<i>Zapada glacier</i>) - Wherever found	T	\$800	\$0	\$800	\$7,488	\$8,288
	707	Tiger Beetle, Miami (<i>Cicindelidia floridana</i>) - Wherever found	E	\$14,000	\$0	\$14,000	\$7,488	\$21,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	738	Tiger Beetle, Northeastern Beach (<i>Cicindela dorsalis dorsalis</i>) - Wherever found	T	\$1,000	\$11,169	\$12,169	\$7,488	\$19,657
	992	Tiger Beetle, Ohlone (<i>Cicindela ohlone</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	698	Tiger Beetle, Puritan (<i>Cicindela puritana</i>) - Wherever found	T	\$0	\$14,699	\$14,699	\$7,488	\$22,187
	624	Tiger Beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>) - Wherever found	E	\$0	\$5,856	\$5,856	\$23,188	\$29,044
	372	Yellow-faced Bee, Anthricinan (<i>Hylaeus anthracinus</i>) - Wherever found	E	\$80,437	\$0	\$80,437	\$0	\$80,437
	476	Yellow-faced Bee, Assimulans (<i>Hylaeus assimulans</i>) - Wherever found	E	\$50,634	\$0	\$50,634	\$0	\$50,634
	691	Yellow-faced Bee, Easy (<i>Hylaeus facilis</i>) - Wherever found	E	\$22,585	\$0	\$22,585	\$0	\$22,585
	859	Yellow-faced Bee, Hawaiian (<i>Hylaeus kuakea</i>) - Wherever found	E	\$6,361	\$0	\$6,361	\$7,488	\$13,849
	554	Yellow-faced Bee, Hawaiian (<i>Hylaeus longiceps</i>) - Wherever found	E	\$29,683	\$0	\$29,683	\$7,488	\$37,171
	859	Yellow-faced Bee, Hawaiian (<i>Hylaeus mana</i>) - Wherever found	E	\$6,361	\$0	\$6,361	\$7,488	\$13,849
	623	Yellow-faced Bee, Hilaris (<i>Hylaeus hilaris</i>) - Wherever found	E	\$21,571	\$0	\$21,571	\$7,488	\$29,059
Insects subtotal				\$3,886,171	\$1,778,521	\$5,664,692	\$979,302	\$6,643,994
Lichens	543	Cladonia, Florida Perforate (<i>Cladonia perforata</i>) - Wherever found	E	\$5,500	\$15,050	\$20,550	\$17,488	\$38,038
	490	Lichen, Rock Gnome (<i>Gymnoderma lineare</i>) - Wherever found	E	\$9,500	\$30,265	\$39,765	\$7,488	\$47,253
Lichens subtotal				\$15,000	\$45,315	\$60,315	\$24,976	\$85,291
Mammals	992	Anoa, Lowland (<i>Bubalus depressicornis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Anoa, Mountain (<i>Bubalus quarlesi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Antelope Tibetan (<i>Panthalops hodgsonii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Antelope, Giant Sable (<i>Hippotragus niger variani</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Armadillo, Giant (<i>Priodontes maximus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Armadillo, Pink Fairy (<i>Chlamyphorus truncatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Baboon, Gelada (<i>Theropithecus gelada</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bandicoot, Lesser Rabbit (<i>Macrotis leucura</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bandicoot, Pig-footed (<i>Chaeropus ecaudatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bandicoot, Rabbit (<i>Macrotis lagotis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	99	Bat, Florida Bonneted (<i>Eumops floridanus</i>) - Wherever found	E	\$477,000	\$182,944	\$659,944	\$7,488	\$667,432
	86	Bat, Gray (<i>Myotis grisescens</i>) - Wherever found	E	\$408,957	\$337,648	\$746,605	\$15,888	\$762,493
	85	Bat, Hawaiian Hoary (<i>Lasiurus cinereus semotus</i>) - Wherever found	E	\$508,056	\$262,427	\$770,483	\$7,488	\$777,971
	45	Bat, Indiana (<i>Myotis sodalis</i>) - Wherever found	E	\$713,511	\$1,167,980	\$1,881,491	\$314,138	\$2,195,629
	519	Bat, Little Mariana Fruit (<i>Pteropus tokudae</i>) - Wherever found	E	\$33,735	\$0	\$33,735	\$7,488	\$41,223
	352	Bat, Mariana Fruit (=mariana Flying Fox) (<i>Pteropus mariannus mariannus</i>) - Rota, etc.	RT	\$83,671	\$0	\$83,671	\$7,488	\$91,159
	531	Bat, Mexican Long-nosed (<i>Leptonycteris nivalis</i>) - Wherever found	E	\$500	\$29,000	\$29,500	\$10,016	\$39,516
	39	Bat, Northern Long-eared (<i>Myotis septentrionalis</i>) - Wherever found	T	\$1,486,860	\$1,150,338	\$2,637,198	\$239,362	\$2,876,560
	53	Bat, Northern Long-eared (<i>Myotis septentrionalis</i>) - Wherever found	T	\$0	\$1,600,249	\$1,600,249	\$0	\$1,600,249
	197	Bat, Ozark Big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>) - Wherever found	E	\$205,757	\$22,400	\$228,157	\$8,688	\$236,845
	397	Bat, Pacific Sheath-tailed (<i>Emballonura semicaudata rotensis</i>) - Wherever found	E	\$63,750	\$0	\$63,750	\$7,488	\$71,238
	467	Bat, Pacific Sheath-tailed (<i>Emballonura semicaudata semicaudata</i>) - American Samoa	E	\$45,499	\$0	\$45,499	\$7,488	\$52,987
	992	Bat, Rodrigues Fruit (=flying Fox) (<i>Pteropus rodricensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Bat, Singapore Roundleaf Horseshoe (<i>Hipposideros ridleyi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	367	Bat, Virginia Big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>) - Wherever found	E	\$58,600	\$10,475	\$69,075	\$15,788	\$84,863

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	879	Bear, Brown (Ursus arctos pruinosus) - Wherever found	E	\$0	\$12,911	\$12,911	\$0	\$12,911
	10	Bear, Grizzly (Ursus arctos horribilis) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$5,209,549	\$2,889,350	\$8,098,899	\$964,452	\$9,063,351
	992	Bear, Mexican Grizzly (Ursus arctos) - Mexico	E	\$0	\$0	\$0	\$7,488	\$7,488
	28	Bear, Polar (Ursus maritimus) - Wherever found	T	\$2,254,100	\$1,514,910	\$3,769,010	\$7,488	\$3,776,498
	590	Bison, Wood (Bison bison athabasca) - Wherever found	T	\$31,000	\$2,000	\$33,000	\$0	\$33,000
	992	Bobcat, Mexican (Lynx (=Felis) rufus escuinapae) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	202	Caribou, Woodland (Rangifer tarandus caribou) - Southern Mountain DPS	E	\$220,183	\$1,000	\$221,183	\$0	\$221,183
	992	Cat, Flat-headed (Prionailurus (=Felis) planiceps) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cat, Iriomote (Prionailurus (=Felis) bengalensis iriomotensis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cat, Leopard (Prionailurus (=Felis) bengalensis bengalensis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cat, Marbled (Pardofelis (=Felis) marmorata) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cat, Pakistan Sand (Felis margarita scheffeli) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Cat, Tiger (Leopardus (=Felis) tigrinus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	213	Cheetah (Acinonyx jubatus) - Wherever found	E	\$206,556	\$0	\$206,556	\$0	\$206,556
	98	Chimpanzee (Pan troglodytes) - Wherever found	E	\$675,152	\$0	\$675,152	\$0	\$675,152
	889	Chimpanzee, Pygmy (Pan paniscus) - Wherever found	E	\$5,000	\$0	\$5,000	\$7,488	\$12,488
	992	Civet, Malabar Large-spotted (Viverra civettina (=megaspila c.)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	125	Deer, Columbian White-tailed (Odocoileus virginianus leucurus) - Columbia River DPS	T	\$502,285	\$15,318	\$517,603	\$0	\$517,603
	992	Deer, Formosan Sika (Cervus nippon taiouanus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Indochina Hog (Axis porcinus annamiticus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	243	Deer, Key (Odocoileus virginianus clavium) - Wherever found	E	\$148,500	\$1,162	\$149,662	\$7,488	\$157,150

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Deer, Kuhl's (=bawean) (<i>Axis porcinus kuhli</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Marsh (<i>Blastocerus dichotomus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, McNeill's (<i>Cervus elaphus macneilii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Musk (<i>Moschus</i> spp. (all species)) - Afghanistan, Bhutan, Burma, China [Tibet, Yunnan], India, Nepal, Pakistan, Sikkim	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, North China Sika (<i>Cervus nippon mandarinus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Pampas (<i>Ozotoceros bezoarticus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Persian Fallow (<i>Dama mesopotamica</i> (=dama m.)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Ryukyu Sika (<i>Cervus nippon keramae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Shansi Sika (<i>Cervus nippon grassianus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, South China Sika (<i>Cervus nippon kopschi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Swamp (<i>Cervus duvauceli</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Deer, Visayan (<i>Cervus alfredi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	216	Deer, Yarkand (<i>Cervus elaphus yarkandensis</i>) - Wherever found	E	\$199,500	\$0	\$199,500	\$0	\$199,500
	992	Dolphin, Maui (<i>Cephalorhynchus hectori maui</i>) - none	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Dolphin, South Asian River (<i>Platanista gangetica</i> minor) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Dolphin, South Island Hector's (<i>Cephalorhynchus</i> hectori hectori) - none	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Duiker, Jentink's (<i>Cephalophus jentinki</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Eland, Western Giant (<i>Taurotragus derbianus</i> derbianus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	104	Elephant, African (<i>Loxodonta africana</i>) - Wherever found	T	\$625,570	\$0	\$625,570	\$0	\$625,570

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	47	Elephant, Asian (<i>Elephas maximus</i>) - Wherever found	E	\$1,815,453	\$0	\$1,815,453	\$0	\$1,815,453
	40	Ferret, Black-footed (<i>Mustela nigripes</i>) - U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	EXPN	\$2,146,507	\$638,220	\$2,784,727	\$61,862	\$2,846,589
	992	Fox, Northern Swift (<i>Vulpes velox hebes</i>) - Canada	E	\$0	\$0	\$0	\$7,488	\$7,488
	75	Fox, San Joaquin Kit (<i>Vulpes macrotis mutica</i>) - wherever found	E	\$0	\$1,035,781	\$1,035,781	\$7,488	\$1,043,269
	992	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Fox, Simien (<i>Canis simensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Mhorr (<i>Gazella dama mhorr</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Moroccan (<i>Gazella dorcas massaesyala</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Mountain (=cuvier's) (<i>Gazella cuvieri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Pelzeln's (<i>Gazella dorcas pelzelni</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Rio De Oro Dama (<i>Gazella dama lozanoi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Sand (<i>Gazella subgutturosa marica</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Saudi Arabian (<i>Gazella dorcas saudiya</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gazelle, Slender-horned (<i>Gazella leptoceros</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	139	Gibbons (<i>Hylobates</i> spp. (including <i>Nomascus</i>)) - Wherever found	E	\$449,019	\$0	\$449,019	\$7,488	\$456,507
	992	Goral (<i>Naemorhedus goral</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	79	Gorilla (<i>Gorilla gorilla</i>) - Wherever found	E	\$860,016	\$0	\$860,016	\$7,488	\$867,504
	1041	Grizzly Bear (<i>Ursus arctos horribilis</i>) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$0	\$2,490	\$2,490	\$0	\$2,490
	992	Hare, Hispid (<i>Caprolagus hispidus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Hartebeest, Swayne's (<i>Alcelaphus buselaphus swaynei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Hartebeest, Tora (<i>Alcelaphus buselaphus tora</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Hog, Pygmy (<i>Sus salvanius</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Horse, Przewalski's (<i>Equus przewalskii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Huemul, North Andean (<i>Hippocamelus antisensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Huemul, South Andean (<i>Hippocamelus bisulcus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	244	Humpback Whale (<i>Megaptera novaeangliae</i>) - Mexico DPS	T	\$0	\$153,428	\$153,428	\$0	\$153,428
	992	Hutia, Large-eared (<i>Capromys auritus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Hutia, Little Earth (<i>Capromys sanfelipensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Ibex, Pyrenean (<i>Capra pyrenaica pyrenaica</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Ibex, Walia (<i>Capra walie</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	272	Jaguar (<i>Panthera onca</i>) - Wherever found	E	\$31,000	\$92,700	\$123,700	\$7,488	\$131,188
	992	Jaguarundi, Guatemalan (<i>Herpailurus (=Felis) vagouarundi fossata</i>) - Mexico, Nicaragua	E	\$0	\$0	\$0	\$7,488	\$7,488
	641	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) vagouarundi cacomitli</i>) - Wherever found	E	\$19,540	\$0	\$19,540	\$7,488	\$27,028
	992	Jaguarundi, Panamanian (<i>Herpailurus (=Felis) vagouarundi panamensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Jaguarundi, Sinaloan (<i>Herpailurus (=Felis) vagouarundi tolteca</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	868	Kangaroo Rat, Fresno (<i>Dipodomys nitratooides exilis</i>) - Wherever found	E	\$0	\$5,925	\$5,925	\$7,488	\$13,413
	499	Kangaroo Rat, Giant (<i>Dipodomys ingens</i>) - Wherever found	E	\$0	\$37,500	\$37,500	\$7,488	\$44,988
	992	Kangaroo Rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	635	Kangaroo Rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>) - Wherever found	E	\$0	\$20,447	\$20,447	\$7,488	\$27,935
	250	Kangaroo Rat, Stephens' (<i>Dipodomys stephensi (incl. D. cascus)</i>) - Wherever found	E	\$0	\$139,750	\$139,750	\$7,488	\$147,238
	88	Kangaroo Rat, Tipton (<i>Dipodomys nitratooides nitratooides</i>) - Wherever found	E	\$0	\$743,159	\$743,159	\$7,488	\$750,647

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Kangaroo, Tasmanian Forester (<i>Macropus giganteus tasmaniensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Koala (<i>Phascolarctos cinereus</i>) - Australia	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Kouprey (<i>Bos sauveli</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Langur, Francois' (<i>Trachypithecus (=Presbytis) francoisi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Langur, Golden (<i>Trachypithecus (=Presbytis) geei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Langur, Gray (=entellus) (<i>Semnopithecus (=Presbytis) entellus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Langur, Long-tailed (<i>Presbytis potenziani</i>) - Indonesia	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Langur, Pagi Island (<i>Nasalis concolor</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Langur, Purple-faced (<i>Presbytis senex</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Lechwe, Red (<i>Kobus leche</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Lemur, Indri (<i>Indri indri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Lemurs (<i>Lemuridae</i> (incl. genera <i>Lemur</i> , <i>Phaner</i> , <i>Hapalemur</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	187	Leopard (<i>Panthera pardus</i>) - except where threatened	E	\$248,013	\$0	\$248,013	\$14,976	\$262,989
	323	Leopard, Snow (<i>Uncia (=Panthera) uncia</i>) - Wherever found	E	\$92,842	\$0	\$92,842	\$7,488	\$100,330
	992	Linsang, Spotted (<i>Prionodon pardicolor</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	510	Lion (<i>Panthera leo</i> ssp. <i>leo</i>) - Wherever found	E	\$35,272	\$0	\$35,272	\$7,488	\$42,760
	134	Lion (<i>Panthera leo</i> ssp. <i>melanochaita</i>) - Wherever found	T	\$465,756	\$0	\$465,756	\$7,488	\$473,244
	992	Loris, Lesser Slow (<i>Nycticebus pygmaeus</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	54	Lynx, Canada (<i>Lynx canadensis</i>) - Wherever Found in Contiguous U.S.	T	\$795,458	\$347,782	\$1,143,240	\$442,301	\$1,585,541
	992	Lynx, Spanish (<i>Felis pardina</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaque, Formosan Rock (<i>Macaca cyclopis</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaque, Japanese (<i>Macaca fuscata</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Macaque, Lion-tailed (<i>Macaca silenus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaque, Stump-tailed (<i>Macaca arctoides</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Macaque, Toque (<i>Macaca sinica</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	947	Manatee, West African (<i>Trichechus senegalensis</i>) - Wherever found	T	\$0	\$0	\$0	\$9,088	\$9,088
	46	Manatee, West Indian (<i>Trichechus manatus</i>) - Wherever found	T	\$840,056	\$1,178,593	\$2,018,649	\$7,488	\$2,026,137
	992	Mandrill (<i>Mandrillus</i> (=Papio) sphinx) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Mangabey, Tana River (<i>Cercocebus galeritus galeritus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Margay (<i>Leopardus</i> (=Felis) wiedii) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Markhor, Straight-horned (<i>Capra falconeri megaceros</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Marmoset, Goeldi's (<i>Callimico goeldii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Marmot, Vancouver Island (<i>Marmota vancouverensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Marsupial-mouse, Large Desert (<i>Sminthopsis psammophila</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Marsupial-mouse, Long-tailed (<i>Sminthopsis longicaudata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Marten, Formosan Yellow-throated (<i>Martes flavigula chrysospila</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Guizhou Snub-nosed (<i>Rhinopithecus brelichi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, L'hoest's (<i>Cercopithecus lhoesti</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Mantled Howler (<i>Alouatta palliata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Preuss' Red Colobus (<i>Procolobus</i> (=Colobus) preussi (=badius p.)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Proboscis (<i>Nasalis larvatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Monkey, Red-backed Squirrel (<i>Saimiri oerstedii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Red-bellied (<i>Cercopithecus erythrogaster</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Red-eared Nose-spotted (<i>Cercopithecus erythrotis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Sichuan Snub-nosed (<i>Rhinopithecus roxellana</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Spider (<i>Ateles geoffroyi frontatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Spider (<i>Ateles geoffroyi panamensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Tana River Red Colobus (<i>Procolobus (=Colobus) rufomitratus (=badius r.)</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monkey, Tonkin Snub-nosed (<i>Rhinopithecus avunculus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	889	Mountain Beaver, Point Arena (<i>Aplodontia rufa nigra</i>) - Wherever found	E	\$0	\$5,000	\$5,000	\$7,488	\$12,488
	211	Mouse, Alabama Beach (<i>Peromyscus polionotus ammobates</i>) - Wherever found	E	\$190,500	\$17,511	\$208,011	\$0	\$208,011
	523	Mouse, Anastasia Island Beach (<i>Peromyscus polionotus phasma</i>) - Wherever found	E	\$39,800	\$800	\$40,600	\$0	\$40,600
	500	Mouse, Choctawhatchee Beach (<i>Peromyscus polionotus allophrys</i>) - Wherever found	E	\$43,000	\$1,500	\$44,500	\$0	\$44,500
	992	Mouse, Field's (<i>Pseudomys fieldi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Mouse, Gould's (<i>Pseudomys gouldii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	386	Mouse, Key Largo Cotton (<i>Peromyscus gossypinus allapaticola</i>) - Wherever found	E	\$64,000	\$3,053	\$67,053	\$7,488	\$74,541
	992	Mouse, New Holland (<i>Pseudomys novaehollandiae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	297	Mouse, New Mexico Meadow Jumping (<i>Zapus hudsonius luteus</i>) - Wherever found	E	\$21,600	\$85,150	\$106,750	\$7,488	\$114,238
	557	Mouse, Pacific Pocket (<i>Perognathus longimembris pacificus</i>) - Wherever found	E	\$0	\$29,302	\$29,302	\$7,488	\$36,790
	396	Mouse, Perdido Key Beach (<i>Peromyscus polionotus trissyllepsis</i>) - Wherever found	E	\$49,700	\$14,197	\$63,897	\$7,488	\$71,385

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	196	Mouse, Preble's Meadow Jumping (<i>Zapus hudsonius preblei</i>) - wherever found	T	\$154,240	\$71,982	\$226,222	\$12,743	\$238,965
	317	Mouse, Salt Marsh Harvest (<i>Reithrodontomys raviventris</i>) - wherever found	E	\$0	\$96,320	\$96,320	\$7,488	\$103,808
	992	Mouse, Shark Bay (<i>Pseudomys praeconis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Mouse, Shortridge's (<i>Pseudomys shortridgei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Mouse, Smoky (<i>Pseudomys fumeus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	208	Mouse, Southeastern Beach (<i>Peromyscus polionotus niveiventris</i>) - wherever found	T	\$199,000	\$6,167	\$205,167	\$7,488	\$212,655
	437	Mouse, St. Andrew Beach (<i>Peromyscus polionotus peninsularis</i>) - Wherever found	E	\$48,500	\$3,387	\$51,887	\$7,488	\$59,375
	992	Mouse, Western (<i>Pseudomys occidentalis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Muntjac, Fea's (<i>Muntiacus feae</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Numbat (<i>Myrmecobius fasciatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	228	Ocelot (<i>Leopardus (=Felis) pardalis</i>) - wherever found	E	\$74,823	\$92,200	\$167,023	\$7,488	\$174,511
	238	Orangutan (<i>Pongo pygmaeus</i>) - Wherever found	E	\$156,145	\$0	\$156,145	\$7,488	\$163,633
	1050	Oryx, Arabian (<i>Oryx leucoryx</i>) - Wherever found	E	\$0	\$1,500	\$1,500	\$0	\$1,500
	992	Oryx, Scimitar-horned (<i>Oryx dammah</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Otter, Giant (<i>Pteronura brasiliensis</i>) - South America	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Otter, Long-tailed (<i>Lontra (=Lutra) longicaudis</i> (incl. <i>platensis</i>)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Otter, Marine (<i>Lontra (=Lutra) felina</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	124	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - Southwest Alaska DPS	T	\$404,106	\$118,366	\$522,472	\$7,488	\$529,960
	992	Otter, Southern River (<i>Lontra (=Lutra) provocax</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	129	Otter, Southern Sea (<i>Enhydra lutris nereis</i>) - Wherever found	T	\$0	\$498,017	\$498,017	\$7,488	\$505,505

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Panda, Giant (<i>Ailuropoda melanoleuca</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	219	Pangolin, Temnick's Ground (<i>Manis temminckii</i>) - Wherever found	E	\$180,892	\$0	\$180,892	\$7,488	\$188,380
	59	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>) - Wherever found	E	\$1,264,000	\$81,251	\$1,345,251	\$7,488	\$1,352,739
	992	Planigale, Little (<i>Planigale ingrami subtilissima</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Planigale, Southern (<i>Planigale tenuirostris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	155	Pocket Gopher, Olympia (<i>Thomomys mazama pugetensis</i>) - Wherever found	T	\$380,923	\$0	\$380,923	\$7,488	\$388,411
	179	Pocket Gopher, Roy Prairie (<i>Thomomys mazama glacialis</i>) - Wherever found	T	\$280,870	\$0	\$280,870	\$7,488	\$288,358
	179	Pocket Gopher, Tenino (<i>Thomomys mazama tumuli</i>) - Wherever found	T	\$280,870	\$0	\$280,870	\$7,488	\$288,358
	180	Pocket Gopher, Yelm (<i>Thomomys mazama yelmensis</i>) - Wherever found	T	\$280,870	\$0	\$280,870	\$0	\$280,870
	992	Porcupine, Thin-spined (<i>Chaetomys subspinosus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Possam, Leadbeater's (<i>Gymnobelideus leadbeateri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Possam, Mountain Pygmy (<i>Burramys parvus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Possam, Scaly-tailed (<i>Wyulda squamicaudata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Prairie Dog, Mexican (<i>Cynomys mexicanus</i>) - Mexico	E	\$0	\$0	\$0	\$7,488	\$7,488
	161	Prairie Dog, Utah (<i>Cynomys parvidens</i>) - Wherever found	T	\$160,555	\$199,455	\$360,010	\$7,488	\$367,498
	992	Pronghorn, Peninsular (<i>Antilocapra americana peninsularis</i>) - Mexico (Baja California)	E	\$0	\$0	\$0	\$7,488	\$7,488
	137	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - Wherever found, except where listed as an experimental population	E	\$283,877	\$164,637	\$448,514	\$14,976	\$463,490
	992	Pudu (<i>Pudu pudu</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1034	Puma (=mountain Lion) (<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$0	\$3,000	\$3,000	\$0	\$3,000
	992	Quokka (<i>Setonix brachyurus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	147	Rabbit, Columbia Basin Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$337,860	\$0	\$337,860	\$88,000	\$425,860
	413	Rabbit, Lower Keys Marsh (<i>Sylvilagus palustris hefneri</i>) - Wherever found	E	\$55,000	\$4,160	\$59,160	\$7,488	\$66,648
	966	Rabbit, Riparian Brush (<i>Sylvilagus bachmani riparius</i>) - Wherever found	E	\$0	\$800	\$800	\$7,488	\$8,288
	992	Rabbit, Ryukyu (<i>Pentalagus furnessi</i>) - Japan (Ryukyu Islands)	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rabbit, Volcano (<i>Romerolagus diazi</i>) - Mexico	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rat, Stick-nest (<i>Leporillus conditor</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rat-kangaroo, Gaimard's (<i>Bettongia gaimardi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rat-kangaroo, Lesueur's (<i>Bettongia lesueur</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Rat-kangaroo, Queensland (<i>Bettongia tropica</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	516	Rhinoceros, Black (<i>Diceros bicornis</i>) - Africa	E	\$42,327	\$0	\$42,327	\$0	\$42,327
	225	Rhinoceros, Great Indian (<i>Rhinoceros unicornis</i>) - Nepal, India	E	\$171,966	\$0	\$171,966	\$7,488	\$179,454
	223	Rhinoceros, Javan (<i>Rhinoceros sondaicus</i>) - Sikkim, Thailand, Malaysia, Indonesia, Indochina, Burma, Bangladesh	E	\$173,711	\$0	\$173,711	\$7,488	\$181,199
	676	Rhinoceros, Northern White (<i>Ceratotherium simum cottoni</i>) - Zaire, Uganda, Sudan, Central African Republic	E	\$16,385	\$0	\$16,385	\$7,488	\$23,873
	123	Rhinoceros, Sumatran (<i>Dicerorhinus sumatrensis</i>) - Wherever found	E	\$534,488	\$0	\$534,488	\$7,488	\$541,976
	1058	Rice Rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$0	\$1,032	\$1,032	\$0	\$1,032
	586	Rice Rat, Silver (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$24,000	\$2,500	\$26,500	\$7,488	\$33,988
	992	Saiga, Mongolian (antelope) (<i>Saiga tatarica mongolica</i>) - Mongolia	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Saki, Southern Bearded (<i>Chiropotes satanas satanas</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	17	Sea Lion, Steller (<i>Eumetopias jubatus</i>) - Western DPS	E	\$0	\$5,584,262	\$5,584,262	\$7,488	\$5,591,750

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	617	Seal, Arctic Ringed (<i>Phoca (=Pusa) hispida hispida</i>) - Wherever found	T	\$0	\$29,927	\$29,927	\$0	\$29,927
	52	Seal, Bearded (<i>Erignathus barbatus nauticus</i>) - Okhotsk DPS	T	\$300	\$1,627,600	\$1,627,900	\$0	\$1,627,900
	303	Seal, Guadalupe Fur (<i>Arctocephalus townsendi</i>) - Wherever found	T	\$0	\$104,200	\$104,200	\$7,488	\$111,688
	26	Seal, Hawaiian Monk (<i>Monachus schauinslandi</i>) - Wherever found	E	\$90,353	\$3,718,543	\$3,808,896	\$7,488	\$3,816,384
	992	Seal, Mediterranean Monk (<i>Monachus monachus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Seal, Ringed (<i>Phoca (=Pusa) hispida botnica</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	51	Seal, Ringed (<i>Phoca (=Pusa) hispida hispida</i>) - Wherever found	T	\$300	\$1,622,300	\$1,622,600	\$7,488	\$1,630,088
	992	Seal, Ringed (<i>Phoca (=Pusa) hispida ladogensis</i>) - Ladoga subspecies	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Seal, Ringed (<i>Phoca (=Pusa) hispida ochotensis</i>) - Okhotsk subspecies	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Seal, Saimaa (<i>Phoca hispida saimensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	719	Seal, Spotted (<i>Phoca largha</i>) - Southern DPS	T	\$0	\$13,322	\$13,322	\$7,488	\$20,810
	992	Seledang (<i>Bos gaurus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Serow (<i>Naemorhedus (=Capricornis) sumatraensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Shapo (<i>Ovis vignei vignei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	306	Sheep, Peninsular Bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$0	\$101,900	\$101,900	\$7,488	\$109,388
	159	Sheep, Sierra Nevada Bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$182,184	\$189,097	\$371,281	\$7,488	\$378,769
	992	Shou (<i>Cervus elaphus wallichi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1043	Shrew, Buena Vista Lake Ornate (<i>Sorex ornatus relictus</i>) - Wherever found	E	\$0	\$2,350	\$2,350	\$0	\$2,350
	992	Siamang (<i>Symphalangus syndactylus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Sifakas (<i>Propithecus spp.</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Solenodon, Haitian (<i>Solenodon paradoxus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	403	Squirrel, Carolina Northern Flying (<i>Glaucomys sabinus coloratus</i>) - Wherever found	E	\$37,100	\$12,980	\$50,080	\$18,600	\$68,680

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Squirrel, Mount Graham Red (<i>Tamiasciurus hudsonicus grahamensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	152	Squirrel, Northern Idaho Ground (<i>Uroditellus brunneus</i>) - Wherever found	T	\$290,458	\$10,500	\$300,958	\$105,488	\$406,446
	992	Stag, Kashmir (<i>Cervus elaphus hanglu</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tamaraw (<i>Bubalus mindorensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tamarin, Golden-rumped (<i>Leontopithecus</i> spp.) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tamarin, Pied (<i>Saguinus bicolor</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tapir, Mountain (<i>Tapirus pinchaque</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tapir, South American (=brazilian) (<i>Tapirus terrestris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tarsier, Philippine (<i>Tarsius syrichta</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	71	Tiger (<i>Panthera tigris</i>) - Wherever found	E	\$1,125,271	\$0	\$1,125,271	\$7,488	\$1,132,759
	992	Tiger, Tasmanian (<i>Thylacinus cynocephalus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Uakari (all Species) (<i>Cacajao</i> spp.) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Urial (<i>Ovis musimon ophion</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	836	Vicuna (<i>Vicugna vicugna</i>) - Entire, except Ecuador	T	\$0	\$0	\$0	\$14,976	\$14,976
	401	Vole, Amargosa (<i>Microtus californicus scirpensis</i>) - Wherever found	E	\$0	\$69,000	\$69,000	\$0	\$69,000
	461	Vole, Florida Salt Marsh (<i>Microtus pennsylvanicus dukecampbelli</i>) - Wherever found	E	\$47,000	\$0	\$47,000	\$7,488	\$54,488
	992	Wallaby, Parma (<i>Macropus parma</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Wallaby, Western Hare (<i>Lagorchestes hirsutus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	43	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$0	\$2,550,476	\$2,550,476	\$0	\$2,550,476
	65	Whale, Blue (<i>Balaenoptera musculus</i>) - Wherever found	E	\$0	\$1,196,535	\$1,196,535	\$0	\$1,196,535
	167	Whale, Bowhead (<i>Balaena mysticetus</i>) - Wherever found	E	\$0	\$345,139	\$345,139	\$0	\$345,139

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	96	Whale, False Killer (<i>Pseudorca crassidens</i>) - Main Hawaiian Islands Insular DPS	E	\$37,500	\$670,139	\$707,639	\$0	\$707,639
	60	Whale, Finback (<i>Balaenoptera physalus</i>) - Wherever found	E	\$100	\$1,344,200	\$1,344,300	\$7,488	\$1,351,788
	692	Whale, Gray (<i>Eschrichtius robustus</i>) - Western North Pacific DPS	E	\$0	\$15,088	\$15,088	\$7,488	\$22,576
	44	Whale, Humpback (<i>Megaptera novaeangliae</i>) - Mexico DPS	T	\$322,803	\$1,797,403	\$2,120,206	\$141,296	\$2,261,502
	38	Whale, Killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$0	\$1,665,457	\$1,665,457	\$1,215,488	\$2,880,945
	9	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>) - Wherever found	E	\$400	\$9,168,863	\$9,169,263	\$7,488	\$9,176,751
	144	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Wherever found	E	\$0	\$432,715	\$432,715	\$7,488	\$440,203
	73	Whale, Sei (<i>Balaenoptera borealis</i>) - Wherever found	E	\$0	\$1,094,884	\$1,094,884	\$7,488	\$1,102,372
	992	Whale, Southern Right (<i>Eubalaena australis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	72	Whale, Sperm (<i>Physeter catodon</i> (=macrocephalus)) - Wherever found	E	\$0	\$1,112,706	\$1,112,706	\$7,488	\$1,120,194
	36	Wolf, Gray (<i>Canis lupus</i>) - MN	T	\$1,156,430	\$1,029,618	\$2,186,048	\$787,010	\$2,973,058
	992	Wolf, Maned (<i>Chrysocyon brachyurus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	35	Wolf, Mexican (<i>Canis lupus baileyi</i>) - Wherever found, except where listed as an experimental population	E	\$2,448,012	\$514,000	\$2,962,012	\$14,976	\$2,976,988
	66	Wolf, Red (<i>Canis rufus</i>) - Wherever found, except where listed as an experimental population	E	\$1,165,500	\$0	\$1,165,500	\$15,076	\$1,180,576
	992	Wombat, Queensland Hairy-nosed (incl. Barnard's) (<i>Lasiorhinus krefftii</i> (formerly <i>L. barnardi</i> and <i>L.</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	343	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>) - Wherever found	E	\$79,500	\$6,125	\$85,625	\$7,488	\$93,113
	966	Woodrat, Riparian (=san Joaquin Valley) (<i>Neotoma fuscipes riparia</i>) - Wherever found	E	\$0	\$800	\$800	\$7,488	\$8,288
	992	Zebra, Grevy's (<i>Equus grevyi</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Zebra, Hartmann's Mountain (<i>Equus zebra hartmannae</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Zebra, Mountain (<i>Equus zebra zebra</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
Mammals subtotal				\$34,859,442	\$51,127,303	\$85,986,745	\$6,307,332	\$92,294,077
Reptiles	212	Alligator, American (<i>Alligator mississippiensis</i>) - Wherever found	SAT	\$103,000	\$103,819	\$206,819	\$0	\$206,819
	962	Anole, Culebra Island Giant (<i>Anolis roosevelti</i>) - Wherever found	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	814	Black Pine Snake (<i>Pituophis melanoleucus lodingi</i>) - Wherever found	T	\$0	\$15,907	\$15,907	\$0	\$15,907
	992	Boa, Jamaican (<i>Epicrates subflavus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	858	Boa, Mona (<i>Epicrates monensis monensis</i>) - Wherever found	T	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	277	Boa, Puerto Rican (<i>Epicrates inornatus</i>) - Wherever found	E	\$98,000	\$19,500	\$117,500	\$7,488	\$124,988
	992	Boa, Round Island Bolyeria (<i>Bolyeria multocarinata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Boa, Round Island Casarea (<i>Casarea dussumieri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	468	Boa, Virgin Islands Tree (<i>Epicrates monensis granti</i>) - Wherever found	E	\$16,000	\$0	\$16,000	\$36,600	\$52,600
	992	Chuckwalla, San Esteban Island (<i>Sauromalus varius</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	852	Crocodile, African Dwarf (<i>Osteolaemus tetraspis tetraspis</i>) - Wherever found	E	\$14,242	\$0	\$14,242	\$0	\$14,242
	852	Crocodile, African Slender-snouted (<i>Crocodylus cataphractus</i>) - Wherever found	E	\$14,242	\$0	\$14,242	\$0	\$14,242
	120	Crocodile, American (<i>Crocodylus acutus</i>) - U.S.A. (FL)	T	\$161,400	\$398,165	\$559,565	\$0	\$559,565
	852	Crocodile, Congo Dwarf (<i>Osteolaemus tetraspis osborni</i>) - Wherever found	E	\$14,242	\$0	\$14,242	\$0	\$14,242
	992	Crocodile, Mugger (<i>Crocodylus palustris palustris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	704	Crocodile, Nile (<i>Crocodylus niloticus</i>) - Wherever found	T	\$14,242	\$0	\$14,242	\$7,488	\$21,730
	992	Crocodile, Orinoco (<i>Crocodylus intermedius</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Crocodile, Philippine (<i>Crocodylus novaeguineae mindorensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	836	Crocodile, Saltwater (<i>Crocodylus porosus</i>) - Australia	T	\$0	\$0	\$0	\$14,976	\$14,976
	992	Crocodile, Siamese (<i>Crocodylus siamensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	281	Gartersnake, Narrow-headed (<i>Thamnophis rufipunctatus</i>) - Wherever found	T	\$0	\$115,020	\$115,020	\$7,488	\$122,508
	188	Gartersnake, Northern Mexican (<i>Thamnophis eques megalops</i>) - Wherever found	T	\$26,500	\$226,932	\$253,432	\$7,488	\$260,920
	992	Gavial (<i>Gavialis gangeticus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gecko, Round Island Day (<i>Phelsuma guentheri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Gecko, Serpent Island (<i>Cyrtodactylus serpensinsula</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	63	Green Sea Turtle (<i>Chelonia mydas</i>) - Central South Pacific DPS	E	\$0	\$1,266,959	\$1,266,959	\$0	\$1,266,959
	992	Iguana, Fiji Banded (<i>Brachylophus fasciatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Iguana, Fiji Crested (<i>Brachylophus vitiensis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Iguana, Grand Cayman Ground (<i>Cyclura lewisi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Iguana, Jamaican (<i>Cyclura collei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Iguana, Mayaguana (<i>Cyclura carinata bartschi</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	858	Iguana, Mona Ground (<i>Cyclura stejnegeri</i>) - Wherever found	T	\$6,500	\$0	\$6,500	\$7,488	\$13,988
	992	Iguana, Turks and Caicos (<i>Cyclura carinata carinata</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	992	Iguana, Watling Island Ground (<i>Cyclura rileyi rileyi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	182	Lizard, Blunt-nosed Leopard (<i>Gambelia silus</i>) - Wherever found	E	\$0	\$279,157	\$279,157	\$0	\$279,157
	328	Lizard, Coachella Valley Fringe-toed (<i>Uma inornata</i>) - Wherever found	T	\$0	\$98,559	\$98,559	\$0	\$98,559
	992	Lizard, Hierro Giant (<i>Gallotia simonyi simonyi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Lizard, Ibiza Wall (<i>Podarcis pityusensis</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Lizard, Maria Island Ground (Cnemidophorus vanzoi) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	566	Lizard, St. Croix Ground (Ameiva polops) - Wherever found	E	\$26,000	\$2,500	\$28,500	\$7,488	\$35,988
	1071	Louisiana Pine Snake (Pituophis ruthveni) - Wherever found	T	\$0	\$129	\$129	\$0	\$129
	263	Massasauga (=rattlesnake), Eastern (Sistrurus catenatus) - Wherever found	T	\$1,200	\$47,200	\$48,400	\$88,799	\$137,199
	992	Monitor, Indian (=bengal) (Varanus bengalensis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Monitor, Komodo Island (Varanus komodoensis) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	165	Pinesnake, Louisiana (Pituophis ruthveni) - Wherever found	T	\$340,952	\$2,500	\$343,452	\$10,761	\$354,213
	1038	Plymouth Red-bellied Turtle (Pseudemys rubriventris bangsi) - Wherever found	E	\$0	\$2,746	\$2,746	\$0	\$2,746
	992	Python, Indian (Python molurus molurus) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	291	Rattlesnake, Eastern Massasauga (Sistrurus catenatus) - Wherever found	T	\$0	\$118,132	\$118,132	\$0	\$118,132
	308	Rattlesnake, New Mexican Ridge-nosed (Crotalus willardi obscurus) - Wherever found	T	\$0	\$100,320	\$100,320	\$7,488	\$107,808
	15	Sea Turtle, Green (Chelonia mydas) - Central South Pacific DPS	E	\$960,656	\$5,350,960	\$6,311,616	\$556,624	\$6,868,240
	37	Sea Turtle, Hawksbill (Eretmochelys imbricata) - Wherever found	E	\$453,108	\$2,422,482	\$2,875,590	\$10,488	\$2,886,078
	18	Sea Turtle, Kemp's Ridley (Lepidochelys kempii) - Wherever found	E	\$1,178,818	\$3,858,821	\$5,037,639	\$16,488	\$5,054,127
	25	Sea Turtle, Leatherback (Dermochelys coriacea) - Wherever found	E	\$698,841	\$3,259,309	\$3,958,150	\$12,488	\$3,970,638
	11	Sea Turtle, Loggerhead (Caretta caretta) - North Pacific Ocean DPS	E	\$1,757,262	\$6,001,085	\$7,758,347	\$307,008	\$8,065,355
	87	Sea Turtle, Olive Ridley (Lepidochelys olivacea) - Wherever found, except when listed as endangered under 50 CFR 224.101	T	\$278,974	\$461,843	\$740,817	\$14,976	\$755,793
	274	Skink, Bluetail Mole (Eumeces egregius lividus) - Wherever found	T	\$125,000	\$3,067	\$128,067	\$0	\$128,067
	992	Skink, Round Island (Leiopisma telfairi) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	184	Skink, Sand (<i>Neoseps reynoldsi</i>) - Wherever found	T	\$256,000	\$7,777	\$263,777	\$7,488	\$271,265
	438	Skink, Slevin's (<i>Emoia slevini</i>) - Wherever found	E	\$51,765	\$0	\$51,765	\$7,488	\$59,253
	731	Snake, Atlantic Salt Marsh (<i>Nerodia clarkii taeniata</i>) - Wherever found	T	\$16,000	\$4,158	\$20,158	\$0	\$20,158
	1014	Snake, Black Pine (<i>Pituophis melanoleucus lodingi</i>) - Wherever found	T	\$5,000	\$0	\$5,000	\$400	\$5,400
	471	Snake, Copperbelly Water (<i>Nerodia erythrogaster neglecta</i>) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$0	\$0	\$0	\$51,874	\$51,874
	94	Snake, Eastern Indigo (<i>Drymarchon corais couperi</i>) - Wherever found	T	\$541,500	\$179,229	\$720,729	\$0	\$720,729
	209	Snake, Giant Garter (<i>Thamnophis gigas</i>) - Wherever found	T	\$0	\$203,252	\$203,252	\$7,488	\$210,740
	992	Snake, Maria Island (<i>Liophus ornatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	572	Snake, San Francisco Garter (<i>Thamnophis sirtalis tetrataenia</i>) - Wherever found	E	\$8,000	\$20,000	\$28,000	\$7,488	\$35,488
	992	Tartaruga (<i>Podocnemis expansa</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Terrapin, River (<i>Batagur baska</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tomistoma (<i>Tomistoma schlegelii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	27	Tortoise, Desert (<i>Gopherus agassizii</i>) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$476,252	\$3,293,091	\$3,769,343	\$10,100	\$3,779,443
	992	Tortoise, Galapagos (<i>Geochelone nigra</i> (=elephantopus)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	151	Tortoise, Gopher (<i>Gopherus polyphemus</i>) - West of Mobile and Tombigbee Rivers	T	\$223,500	\$168,719	\$392,219	\$14,584	\$406,803
	992	Tortoise, Madagascar Radiated (<i>Geochelone radiata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tracaja (<i>Podocnemis unifilis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tuatara (<i>Sphenodon punctatus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	599	Turtle, Alabama Red-bellied (<i>Pseudemys alabamensis</i>) - Wherever found	E	\$32,000	\$0	\$32,000	\$400	\$32,400
	607	Turtle, Alabama Red-belly (<i>Pseudemys alabamensis</i>) - Wherever found	E	\$0	\$31,232	\$31,232	\$0	\$31,232

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	370	Turtle, Bog (<i>Clemmys muhlenbergii</i>) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$6,400	\$6,400	\$12,800	\$68,403	\$81,203
	249	Turtle, Bog (=muhlenberg) (<i>Clemmys muhlenbergii</i>) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$0	\$147,239	\$147,239	\$0	\$147,239
	729	Turtle, Flattened Musk (<i>Sternotherus depressus</i>) - Black Warrior R. system upstream from Bankhead Dam	T	\$2,500	\$10,202	\$12,702	\$7,488	\$20,190
	992	Turtle, Geometric (<i>Psammobates geometricus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle, Inagua Island (<i>Trachemys stejnegeri malonei</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle, Indian Sawback (<i>Kachuga tecta tecta</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle, Indian Softshell (<i>Trionyx gangeticus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle, Peacock Softshell (<i>Trionyx hurum</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	944	Turtle, Plymouth Redbelly (<i>Pseudemys rubriventris bangsi</i>) - Wherever found	E	\$0	\$0	\$0	\$9,288	\$9,288
	899	Turtle, Ringed Map (<i>Graptemys oculifera</i>) - Wherever found	T	\$2,500	\$1,656	\$4,156	\$7,888	\$12,044
	992	Turtle, Short-necked Or Western Swamp (<i>Pseudemys umbrina</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	581	Turtle, Sonoyta Mud (<i>Kinosternon sonoriense longifemorale</i>) - Wherever found	E	\$11,911	\$14,911	\$26,822	\$7,488	\$34,310
	992	Turtle, South American Red-lined (<i>Trachemys scripta callirostris</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle, Spotted Pond (<i>Geoclemys hamiltonii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Turtle, Three-keeled Asian (<i>Melanochelys tricarinata</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	957	Turtle, Yellow-blotched Map (<i>Graptemys flavimaculata</i>) - Wherever found	T	\$0	\$8,292	\$8,292	\$400	\$8,692
	992	Viper, Lar Valley (<i>Vipera latifii</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	584	Whipsnake (=striped Racer), Alameda (<i>Masticophis lateralis euryxanthus</i>) - Wherever found	T	\$0	\$34,100	\$34,100	\$0	\$34,100
Reptiles subtotal				\$7,937,507	\$28,285,370	\$36,222,877	\$1,659,361	\$37,882,238

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Snails	553	[no Common Name] Snail (<i>Eua zebrina</i>) - Wherever found	E	\$22,254	\$7,500	\$29,754	\$7,488	\$37,242
	683	[no Common Name] Snail (<i>Ostodes strigatus</i>) - Wherever found	E	\$14,740	\$1,000	\$15,740	\$7,488	\$23,228
	106	Abalone, Black (<i>Haliotis cracherodii</i>) - Wherever found	E	\$20,778	\$599,091	\$619,869	\$0	\$619,869
	41	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$2,800	\$2,696,800	\$2,699,600	\$7,488	\$2,707,088
	504	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>) - Wherever found	E	\$35,500	\$600	\$36,100	\$7,488	\$43,588
	933	Campeloma, Slender (<i>Campeloma decampi</i>) - Wherever found	E	\$2,500	\$0	\$2,500	\$7,488	\$9,988
	992	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	755	Elimia, Lacy (snail) (<i>Elimia crenatella</i>) - Wherever found	T	\$10,500	\$637	\$11,137	\$7,488	\$18,625
	825	Hornsnail, Rough (<i>Pleurocera foremani</i>) - Wherever found	E	\$4,500	\$3,505	\$8,005	\$7,488	\$15,493
	239	Limpet, Banbury Springs (<i>Lanx</i> sp.) - Wherever found	E	\$161,095	\$1,800	\$162,895	\$0	\$162,895
	1040	Lioplax, Cylindrical (snail) (<i>Lioplax cyclostomaformis</i>) - Wherever found	E	\$1,900	\$637	\$2,537	\$0	\$2,537
	847	Marstonia, Royal (snail) (<i>Pyrgulopsis ogmorhapse</i>) - Wherever found	E	\$7,000	\$0	\$7,000	\$7,488	\$14,488
	950	Pebblesnail, Flat (<i>Lepyrium showalteri</i>) - Wherever found	E	\$1,500	\$0	\$1,500	\$7,488	\$8,988
	#N/A	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Wherever found; Except where listed as Experimental Populations	E	\$4,500	\$862	\$5,362	\$0	\$5,362
	851	Rocksail, Interrupted (=georgia) (<i>Leptoxis foremani</i>) - Wherever found	E	\$5,000	\$1,762	\$6,762	\$7,488	\$14,250
	914	Rocksail, Painted (<i>Leptoxis taeniata</i>) - Wherever found	T	\$1,900	\$1,712	\$3,612	\$7,488	\$11,100
	938	Rocksail, Plicate (<i>Leptoxis plicata</i>) - Wherever found	E	\$1,500	\$637	\$2,137	\$7,488	\$9,625
	723	Rocksail, Round (<i>Leptoxis ampla</i>) - Wherever found	T	\$13,000	\$0	\$13,000	\$7,488	\$20,488

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	1029	Snail, Armored (Pyrgulopsis (=Marstonia) pachyta) - Wherever found	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	242	Snail, Bliss Rapids (Taylorconcha serpenticola) - Wherever found	T	\$154,327	\$6,819	\$161,146	\$0	\$161,146
	992	Snail, Flat-spined Three-toothed (Triodopsis platysayoides) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	430	Snail, Fragile Tree (Samoana fragilis) - Wherever found	E	\$55,153	\$0	\$55,153	\$7,488	\$62,641
	428	Snail, Guam Tree (Partula radiolata) - Wherever found	E	\$55,454	\$200	\$55,654	\$7,488	\$63,142
	392	Snail, Humped Tree (Partula gibba) - Wherever found	E	\$64,963	\$100	\$65,063	\$7,488	\$72,551
	992	Snail, Iowa Pleistocene (Discus macclintocki) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	681	Snail, Lanai Tree (Partulina semicarinata) - Wherever found	E	\$15,943	\$0	\$15,943	\$7,488	\$23,431
	681	Snail, Lanai Tree (Partulina variabilis) - Wherever found	E	\$15,943	\$0	\$15,943	\$7,488	\$23,431
	503	Snail, Langford's Tree (Partula langfordi) - Wherever found	E	\$36,727	\$0	\$36,727	\$7,488	\$44,215
	992	Snail, Manus Island Tree (Papustyla pulcherrima) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	976	Snail, Morro Shoulderband (=banded Dune) (Helminthoglypta walkeriana) - Wherever found	E	\$0	\$500	\$500	\$7,488	\$7,988
	775	Snail, Newcomb's (Erinna newcombi) - Wherever found	T	\$10,417	\$0	\$10,417	\$7,488	\$17,905
	551	Snail, Noonday (Mesodon clarki nantahala) - Wherever found	T	\$30,000	\$0	\$30,000	\$7,488	\$37,488
	902	Snail, Painted Snake Coiled Forest (Anguispira picta) - Wherever found	T	\$4,500	\$0	\$4,500	\$7,488	\$11,988
	924	Snail, Pecos Assiminea (Assiminea pecos) - Wherever found	E	\$0	\$3,250	\$3,250	\$7,488	\$10,738
	201	Snail, Snake River Physa (Physa natricina) - Wherever found	E	\$156,827	\$56,335	\$213,162	\$9,988	\$223,150
	559	Snail, Stock Island Tree (Orthalicus reses (not incl. nesodryas)) - Wherever found	T	\$27,500	\$1,657	\$29,157	\$7,488	\$36,645
	881	Snail, Tulotoma (Tulotoma magnifica) - Wherever found	T	\$2,500	\$2,857	\$5,357	\$7,488	\$12,845

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
	992	Snail, Virginia Fringed Mountain (<i>Polygyriscus virginianus</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	1063	Springsnail, Alamosa (<i>Tryonia alamosae</i>) - Wherever found	E	\$0	\$750	\$750	\$0	\$750
	345	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>) - Wherever found	E	\$85,770	\$7,300	\$93,070	\$0	\$93,070
	1063	Springsnail, Chupadera (<i>Pyrgulopsis chupadera</i>) - Wherever found	E	\$0	\$750	\$750	\$0	\$750
	821	Springsnail, Koster's (<i>Juturnia kosteri</i>) - Wherever found	E	\$0	\$8,169	\$8,169	\$7,488	\$15,657
	992	Springsnail, Phantom (<i>Pyrgulopsis texana</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	823	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>) - Wherever found	E	\$0	\$8,119	\$8,119	\$7,488	\$15,607
	992	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>) - Wherever found	T	\$0	\$0	\$0	\$7,488	\$7,488
	967	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>) - Wherever found	E	\$0	\$750	\$750	\$7,488	\$8,238
	992	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	739	Tree Snail, Newcomb's (<i>Newcombia cumingi</i>) - Wherever found	E	\$12,147	\$0	\$12,147	\$7,488	\$19,635
	992	Tryonia, Gonzales (<i>Tryonia circumstriata</i> (=stocktonensis)) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
	992	Tryonia, Phantom (<i>Tryonia cheatumi</i>) - Wherever found	E	\$0	\$0	\$0	\$7,488	\$7,488
Snails subtotal				\$1,042,638	\$3,414,099	\$4,456,737	\$309,508	\$4,766,245
Multi-Species subtotal				\$1,492,182	\$2,424,507	\$3,916,689	\$38,243,734	\$42,160,423
Total Species Expenditures				\$116,306,915	\$531,128,405	\$647,435,320	\$94,662,920	\$742,098,240

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2019
REPORTED EXPENDITURES**

Species are arranged in descending rank order of total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked species totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition or multi-species conservation activities.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Separate populations of the same species may be ranked differently. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2019 REPORTED EXPENDITURES,
NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$124,131,944.00	\$124,131,944.00
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Lower Columbia River DPS	T	\$111,152,581.00	\$235,284,525.00
3	Salmon, Coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Oregon Coast ESU	T	\$45,591,386.00	\$280,875,911.00
4	Sturgeon, Pallid (<i>Scaphirhynchus albus</i>) - Wherever found	E	\$32,053,831.00	\$312,929,742.00
5	Trout, Bull (<i>Salvelinus confluentus</i>) - Clackamas River subbasin experimental population	EXP N	\$27,616,157.00	\$340,545,899.00
6	Salmon, Sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Ozette Lake ESU	T	\$12,966,971.00	\$353,512,870.00
7	Salmon, Chum (<i>Oncorhynchus keta</i>) - Hood Canal summer-run ESU	T	\$11,844,255.00	\$365,357,125.00
8	Minnow, Rio Grande Silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXP N	\$10,684,576.00	\$376,041,701.00
9	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>) - Wherever found	E	\$9,176,751.00	\$385,218,452.00
10	Bear, Grizzly (<i>Ursus arctos horribilis</i>) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$9,063,351.00	\$394,281,803.00
11	Sea Turtle, Loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$8,065,355.00	\$402,347,158.00
12	Plover, Piping (<i>Charadrius melodus</i>) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$7,477,356.00	\$409,824,514.00
13	Owl, Northern Spotted (<i>Strix occidentalis caurina</i>) - Wherever found	T	\$7,379,883.00	\$417,204,397.00
14	Sturgeon, Green (<i>Acipenser medirostris</i>) - Southern DPS	T	\$7,134,084.00	\$424,338,481.00
15	Sea Turtle, Green (<i>Chelonia mydas</i>) - Central South Pacific DPS	E	\$6,868,240.00	\$431,206,721.00
16	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine DPS	E	\$6,610,846.00	\$437,817,567.00
17	Sea Lion, Steller (<i>Eumetopias jubatus</i>) - Western DPS	E	\$5,591,750.00	\$443,409,317.00
18	Sea Turtle, Kemp's Ridley (<i>Lepidochelys kempii</i>) - Wherever found	E	\$5,054,127.00	\$448,463,444.00
19	Tern, Least (<i>Sterna antillarum</i>) - interior pop.	E	\$4,948,513.00	\$453,411,957.00
20	Murrelet, Marbled (<i>Brachyramphus marmoratus</i>) - U.S.A. (CA, OR, WA)	T	\$4,911,483.00	\$458,323,440.00
21	Sucker, Lost River (<i>Deltistes luxatus</i>) - Wherever found	E	\$4,742,598.00	\$463,066,038.00
22	Sucker, Shortnose (<i>Chasmistes brevirostris</i>) - Wherever found	E	\$4,686,527.00	\$467,752,565.00
23	Sucker, Razorback (<i>Xyrauchen texanus</i>) - Wherever found	E	\$4,610,765.00	\$472,363,330.00
24	Chub, Humpback (<i>Gila cypha</i>) - Wherever found	E	\$4,140,973.00	\$476,504,303.00
25	Sea Turtle, Leatherback (<i>Dermochelys coriacea</i>) - Wherever found	E	\$3,970,638.00	\$480,474,941.00
26	Seal, Hawaiian Monk (<i>Monachus schauinslandi</i>) - Wherever found	E	\$3,816,384.00	\$484,291,325.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
27	Tortoise, Desert (<i>Gopherus agassizii</i>) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$3,779,443.00	\$488,070,768.00
28	Bear, Polar (<i>Ursus maritimus</i>) - Wherever found	T	\$3,776,498.00	\$491,847,266.00
29	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - New York Bight DPS	E	\$3,703,060.00	\$495,550,326.00
30	Bonytail (<i>Gila elegans</i>) - Wherever found	E	\$3,637,585.00	\$499,187,911.00
31	Flycatcher, Southwestern Willow (<i>Empidonax traillii extimus</i>) - Wherever found	E	\$3,634,652.00	\$502,822,563.00
32	Sturgeon, Atlantic (gulf Subspecies) (<i>Acipenser oxyrinchus (=oxyrhynchus) desotoi</i>) - Wherever found	T	\$3,629,123.00	\$506,451,686.00
33	Smelt, Delta (<i>Hypomesus transpacificus</i>) - Wherever found	T	\$3,125,139.00	\$509,576,825.00
34	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXP N	\$3,041,771.00	\$512,618,596.00
35	Wolf, Mexican (<i>Canis lupus baileyi</i>) - Wherever found, except where listed as an experimental population	E	\$2,976,988.00	\$515,595,584.00
36	Wolf, Gray (<i>Canis lupus</i>) - MN	T	\$2,973,058.00	\$518,568,642.00
37	Sea Turtle, Hawksbill (<i>Eretmochelys imbricata</i>) - Wherever found	E	\$2,886,078.00	\$521,454,720.00
38	Whale, Killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$2,880,945.00	\$524,335,665.00
39	Bat, Northern Long-eared (<i>Myotis septentrionalis</i>) - Wherever found	T	\$2,876,560.00	\$527,212,225.00
40	Ferret, Black-footed (<i>Mustela nigripes</i>) - U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	EXP N	\$2,846,589.00	\$530,058,814.00
41	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$2,707,088.00	\$532,765,902.00
42	Cuckoo, Yellow-billed (<i>Coccyzus americanus</i>) - Western U.S. DPS	T	\$2,626,449.00	\$535,392,351.00
43	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$2,550,476.00	\$537,942,827.00
44	Whale, Humpback (<i>Megaptera novaeangliae</i>) - Mexico DPS	T	\$2,261,502.00	\$540,204,329.00
45	Bat, Indiana (<i>Myotis sodalis</i>) - Wherever found	E	\$2,195,629.00	\$542,399,958.00
46	Manatee, West Indian (<i>Trichechus manatus</i>) - Wherever found	T	\$2,026,137.00	\$544,426,095.00
47	Elephant, Asian (<i>Elephas maximus</i>) - Wherever found	E	\$1,815,453.00	\$546,241,548.00
48	Woodpecker, Red-cockaded (<i>Picoides borealis</i>) - Wherever found	E	\$1,781,069.00	\$548,022,617.00
49	Sage-grouse, Gunnison (<i>Centrocercus minimus</i>) - Wherever found	T	\$1,669,825.00	\$549,692,442.00
50	Bobwhite, Masked (quail) (<i>Colinus virginianus ridgwayi</i>) - Wherever found	E	\$1,663,988.00	\$551,356,430.00
51	Seal, Ringed (<i>Phoca (=Pusa) hispida hispida</i>) - Wherever found	T	\$1,630,088.00	\$552,986,518.00
52	Seal, Bearded (<i>Erignathus barbatus nauticus</i>) - Okhotsk DPS	T	\$1,627,900.00	\$554,614,418.00
53	Bat, Northern Long-eared (<i>Myotis septentrionalis</i>) - Wherever found	T	\$1,600,249.00	\$556,214,667.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
54	Lynx, Canada (<i>Lynx canadensis</i>) - Wherever Found in Contiguous U.S.	T	\$1,585,541.00	\$557,800,208.00
55	Plover, Western Snowy (<i>Charadrius nivosus nivosus</i>) - Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$1,519,424.00	\$559,319,632.00
56	Parrot, Puerto Rican (<i>Amazona vittata</i>) - Wherever found	E	\$1,509,488.00	\$560,829,120.00
57	Crane, Whooping (<i>Grus americana</i>) - U.S.A (Southwestern Louisiana)	EXP N	\$1,389,420.00	\$562,218,540.00
58	Gnatcatcher, Coastal California (<i>Polioptila californica californica</i>) - Wherever found	T	\$1,378,301.00	\$563,596,841.00
59	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>) - Wherever found	E	\$1,352,739.00	\$564,949,580.00
60	Whale, Finback (<i>Balaenoptera physalus</i>) - Wherever found	E	\$1,351,788.00	\$566,301,368.00
61	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>) - Wherever found	E	\$1,279,670.00	\$567,581,038.00
62	Sturgeon, Shortnose (<i>Acipenser brevirostrum</i>) - Wherever found	E	\$1,274,939.00	\$568,855,977.00
63	Green Sea Turtle (<i>Chelonia mydas</i>) - Central South Pacific DPS	E	\$1,266,959.00	\$570,122,936.00
64	Sparrow, Cape Sable Seaside (<i>Ammodramus maritimus mirabilis</i>) - Wherever found	E	\$1,234,460.00	\$571,357,396.00
65	Whale, Blue (<i>Balaenoptera musculus</i>) - Wherever found	E	\$1,196,535.00	\$572,553,931.00
66	Wolf, Red (<i>Canis rufus</i>) - Wherever found, except where listed as an experimental population	E	\$1,180,576.00	\$573,734,507.00
67	Frog, Oregon Spotted (<i>Rana pretiosa</i>) - Wherever found	T	\$1,179,680.00	\$574,914,187.00
68	Higgins Eye (pearlymussel) (<i>Lampsilis higginsii</i>) - Wherever found	E	\$1,163,128.00	\$576,077,315.00
69	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXP N	\$1,145,307.00	\$577,222,622.00
70	Sturgeon (gulf Subspecies), Atlantic (<i>Acipenser oxyrinchus (=oxyrhyinchus) desotoi</i>) - Wherever found	T	\$1,134,092.00	\$578,356,714.00
71	Tiger (<i>Panthera tigris</i>) - Wherever found	E	\$1,132,759.00	\$579,489,473.00
72	Whale, Sperm (<i>Physeter catodon (=macrocephalus)</i>) - Wherever found	E	\$1,120,194.00	\$580,609,667.00
73	Whale, Sei (<i>Balaenoptera borealis</i>) - Wherever found	E	\$1,102,372.00	\$581,712,039.00
74	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,059,943.00	\$582,771,982.00
75	Fox, San Joaquin Kit (<i>Vulpes macrotis mutica</i>) - wherever found	E	\$1,043,269.00	\$583,815,251.00
76	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>) - Wherever found, except where listed as an experimental population	E	\$1,030,235.00	\$584,845,486.00
77	Shiner, Pecos Bluntnose (<i>Notropis simus pecosensis</i>) - Wherever found	T	\$1,018,773.00	\$585,864,259.00
78	Horned Lark, Streaked (<i>Eremophila alpestris strigata</i>) - Wherever found	T	\$943,393.00	\$586,807,652.00
79	Gorilla (<i>Gorilla gorilla</i>) - Wherever found	E	\$867,504.00	\$587,675,156.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
80	Sawfish, Smalltooth (<i>Pristis pectinata</i>) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$854,847.00	\$588,530,003.00
81	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>) - Wherever found	E	\$827,600.00	\$589,357,603.00
82	Prairie-chicken, Attwater's Greater (<i>Tympanuchus cupido attwateri</i>) - Wherever found	E	\$821,744.00	\$590,179,347.00
83	Trout, Lahontan Cutthroat (<i>Oncorhynchus clarkii henshawi</i>) - Wherever found	T	\$817,921.00	\$590,997,268.00
84	Eider, Spectacled (<i>Somateria fischeri</i>) - Wherever found	T	\$806,863.00	\$591,804,131.00
85	Bat, Hawaiian Hoary (<i>Lasiurus cinereus semotus</i>) - Wherever found	E	\$777,971.00	\$592,582,102.00
86	Bat, Gray (<i>Myotis grisescens</i>) - Wherever found	E	\$762,493.00	\$593,344,595.00
87	Sea Turtle, Olive Ridley (<i>Lepidochelys olivacea</i>) - Wherever found, except when listed as endangered under 50 CFR 224.101	T	\$755,793.00	\$594,100,388.00
88	Kangaroo Rat, Tipton (<i>Dipodomys nitratoideus nitratoideus</i>) - Wherever found	E	\$750,647.00	\$594,851,035.00
89	Coral, Staghorn (<i>Acropora cervicornis</i>) - Wherever found	T	\$747,351.00	\$595,598,386.00
90	Sucker, Warner (<i>Catostomus warnerensis</i>) - Wherever found	T	\$746,888.00	\$596,345,274.00
91	Sparrow, Florida Grasshopper (<i>Ammodramus savannarum floridanus</i>) - Wherever found	E	\$746,038.00	\$597,091,312.00
92	Stork, Wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	T	\$743,354.00	\$597,834,666.00
93	Checkerspot, Taylor's (=whulge) (<i>Euphydryas editha taylori</i>) - Wherever found	E	\$740,280.00	\$598,574,946.00
94	Snake, Eastern Indigo (<i>Drymarchon corais couperi</i>) - Wherever found	T	\$720,729.00	\$599,295,675.00
95	Rockfish, Yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound - Georgia Basin DPS	T	\$719,127.00	\$600,014,802.00
96	Whale, False Killer (<i>Pseudorca crassidens</i>) - Main Hawaiian Islands Insular DPS	E	\$707,639.00	\$600,722,441.00
97	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound - Georgia Basin DPS	E	\$691,035.00	\$601,413,476.00
98	Chimpanzee (<i>Pan troglodytes</i>) - Wherever found	E	\$675,152.00	\$602,088,628.00
99	Bat, Florida Bonneted (<i>Eumops floridanus</i>) - Wherever found	E	\$667,432.00	\$602,756,060.00
100	Eulachon (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$654,960.00	\$603,411,020.00
101	Butterfly, Fender's Blue (<i>Icaricia icarioides fenderi</i>) - Wherever found	E	\$651,102.00	\$604,062,122.00
102	Coral, Elkhorn (<i>Acropora palmata</i>) - Wherever found	T	\$637,817.00	\$604,699,939.00
103	Beetle, American Burying (<i>Nicrophorus americanus</i>) - Wherever found, except where listed as an experimental population	E	\$625,830.00	\$605,325,769.00
104	Elephant, African (<i>Loxodonta africana</i>) - Wherever found	T	\$625,570.00	\$605,951,339.00
105	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>) - Wherever found	E	\$622,563.00	\$606,573,902.00
106	Abalone, Black (<i>Haliotis cracherodii</i>) - Wherever found	E	\$619,869.00	\$607,193,771.00
107	Petrel, Hawaiian (<i>Pterodroma sandwichensis</i>) - Wherever found	E	\$615,411.00	\$607,809,182.00
108	Frog, Sierra Nevada Yellow-legged (<i>Rana sierrae</i>) - Wherever found	E	\$609,204.00	\$608,418,386.00
109	Thistle, Loch Lomond Coyote (<i>Eryngium constancei</i>) - Wherever found	E	\$608,488.00	\$609,026,874.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
110	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - Wherever found	E	\$601,225.00	\$609,628,099.00
111	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>) - Wherever found	T	\$590,361.00	\$610,218,460.00
112	Pilo Kea Lau Li'i (<i>Platydesma rostrata</i>) - Wherever found	E	\$588,420.00	\$610,806,880.00
113	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>) - Wherever found	E	\$583,221.00	\$611,390,101.00
114	Butterfly, Oregon Silverspot (<i>Speyeria zerene hippolyta</i>) - 0	EXP N	\$580,266.00	\$611,970,367.00
115	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$575,962.00	\$612,546,329.00
116	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>) - Wherever found	E	\$571,000.00	\$613,117,329.00
116	Pheasant, Elliot's (<i>Syrnaticus ellioti</i>) - Wherever found	E	\$571,000.00	\$613,688,329.00
117	Paintbrush, Golden (<i>Castilleja levisecta</i>) - Wherever found	T	\$568,918.00	\$614,257,247.00
118	Owl, Mexican Spotted (<i>Strix occidentalis lucida</i>) - Wherever found	T	\$565,501.00	\$614,822,748.00
119	Mussel, Snuffbox (<i>Epioblasma triquetra</i>) - Wherever found	E	\$562,559.00	\$615,385,307.00
120	Crocodile, American (<i>Crocodylus acutus</i>) - U.S.A. (FL)	T	\$559,565.00	\$615,944,872.00
121	Frog, Mountain Yellow-legged (<i>Rana muscosa</i>) - Northern California DPS	E	\$551,188.00	\$616,496,060.00
122	Trout, Greenback Cutthroat (<i>Oncorhynchus clarkii stomias</i>) - Wherever found	T	\$546,776.00	\$617,042,836.00
123	Rhinoceros, Sumatran (<i>Dicerorhinus sumatrensis</i>) - Wherever found	E	\$541,976.00	\$617,584,812.00
124	Otter, Northern Sea (<i>Enhydra lutris kenyonii</i>) - Southwest Alaska DPS	T	\$529,960.00	\$618,114,772.00
125	Deer, Columbian White-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	T	\$517,603.00	\$618,632,375.00
126	Coral, Lobed Star (<i>Orbicella annularis</i>) - Wherever found	T	\$515,545.00	\$619,147,920.00
127	Frog, Chiricahua Leopard (<i>Rana chiricahuensis</i>) - Wherever found	T	\$510,874.00	\$619,658,794.00
128	Rail, Yuma Ridgways (<i>Rallus obsoletus [=longirostris] yumanensis</i>) - Wherever found	E	\$507,460.00	\$620,166,254.00
129	Otter, Southern Sea (<i>Enhydra lutris nereis</i>) - Wherever found	T	\$505,505.00	\$620,671,759.00
130	Coral, Boulder Star (<i>Orbicella franksi</i>) - Wherever found	T	\$487,653.00	\$621,159,412.00
131	Yellow-billed Cuckoo (<i>Coccyzus americanus</i>) - Western U.S. DPS	T	\$486,160.00	\$621,645,572.00
132	Sturgeon, White (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$482,804.00	\$622,128,376.00
133	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>) - Wherever found	T	\$482,488.00	\$622,610,864.00
134	Lion (<i>Panthera leo</i> ssp. <i>melanochaita</i>) - Wherever found	T	\$473,244.00	\$623,084,108.00
135	Coral, Rough Cactus (<i>Mycetophyllia ferox</i>) - Wherever found	T	\$471,603.00	\$623,555,711.00
136	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>) - Wherever found	T	\$466,549.00	\$624,022,260.00
137	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - Wherever found, except where listed as an experimental population	E	\$463,490.00	\$624,485,750.00
138	Pilo (<i>Kadua laxiflora</i>) - Wherever found	E	\$461,441.00	\$624,947,191.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
139	Gibbons (<i>Hylobates</i> spp. (including <i>Nomascus</i>)) - Wherever found	E	\$456,507.00	\$625,403,698.00
140	Rock-cress, Braun's (<i>Arabis perstellata</i>) - Wherever found	E	\$456,422.00	\$625,860,120.00
141	Coral, Pillar (<i>Dendrogyra cylindrus</i>) - Wherever found	T	\$455,993.00	\$626,316,113.00
142	Frog, California Red-legged (<i>Rana draytonii</i>) - Wherever found	T	\$450,539.00	\$626,766,652.00
143	Butterfly, El Segundo Blue (<i>Euphilotes battoides allyni</i>) - Wherever found	E	\$443,000.00	\$627,209,652.00
144	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Wherever found	E	\$440,203.00	\$627,649,855.00
145	Catchfly, Spalding's (<i>Silene spaldingii</i>) - Wherever found	T	\$437,724.00	\$628,087,579.00
146	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>) - Wherever found	T	\$430,864.00	\$628,518,443.00
147	Rabbit, Columbia Basin Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$425,860.00	\$628,944,303.00
148	Coral, Mountainous Star (<i>Orbicella faveolata</i>) - Wherever found	T	\$424,820.00	\$629,369,123.00
149	Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) - Wherever found	T	\$424,226.00	\$629,793,349.00
150	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>) - Wherever found	E	\$410,000.00	\$630,203,349.00
151	Tortoise, Gopher (<i>Gopherus polyphemus</i>) - West of Mobile and Tombigbee Rivers	T	\$406,803.00	\$630,610,152.00
152	Squirrel, Northern Idaho Ground (<i>Uroditellus brunneus</i>) - Wherever found	T	\$406,446.00	\$631,016,598.00
153	Knott, Red (<i>Calidris canutus rufa</i>) - Wherever found	T	\$399,586.00	\$631,416,184.00
154	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>) - Wherever found	T	\$394,541.00	\$631,810,725.00
155	Pocket Gopher, Olympia (<i>Thomomys mazama pugetensis</i>) - Wherever found	T	\$388,411.00	\$632,199,136.00
156	No Common Name (<i>Acropora globiceps</i>) - Wherever found	T	\$384,488.00	\$632,583,624.00
156	No Common Name (<i>Acropora jacquelinae</i>) - Wherever found	T	\$384,488.00	\$632,968,112.00
156	No Common Name (<i>Acropora retusa</i>) - Wherever found	T	\$384,488.00	\$633,352,600.00
156	No Common Name (<i>Acropora speciosa</i>) - Wherever found	T	\$384,488.00	\$633,737,088.00
156	No Common Name (<i>Euphyllia paradivisa</i>) - Wherever found	T	\$384,488.00	\$634,121,576.00
156	No Common Name (<i>Isopora crateriformis</i>) - Wherever found	T	\$384,488.00	\$634,506,064.00
157	No Common Name (<i>Seriatopora aculeata</i>) - Wherever found	T	\$383,488.00	\$634,889,552.00
158	Vireo, Least Bell's (<i>Vireo bellii pusillus</i>) - Wherever found	E	\$381,254.00	\$635,270,806.00
159	Sheep, Sierra Nevada Bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$378,769.00	\$635,649,575.00
160	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>) - Wherever found	T	\$378,035.00	\$636,027,610.00
161	Prairie Dog, Utah (<i>Cynomys parvidens</i>) - Wherever found	T	\$367,498.00	\$636,395,108.00
162	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>) - Wherever found	E	\$366,760.00	\$636,761,868.00
163	Knot, Red (<i>Calidris canutus rufa</i>) - Wherever found	T	\$366,414.00	\$637,128,282.00
164	Cactus, Brady Pincushion (<i>Pediocactus bradyi</i>) - Wherever found	E	\$361,000.00	\$637,489,282.00
165	Pinesnake, Louisiana (<i>Pituophis ruthveni</i>) - Wherever found	T	\$354,213.00	\$637,843,495.00
166	Kite, Everglade Snail (<i>Rostrhamus sociabilis plumbeus</i>) - Wherever found	E	\$352,189.00	\$638,195,684.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
167	Whale, Bowhead (<i>Balaena mysticetus</i>) - Wherever found	E	\$345,139.00	\$638,540,823.00
168	Coot, Hawaiian (<i>Fulica americana alai</i>) - Wherever found	E	\$344,338.00	\$638,885,161.00
169	Skipper, Dakota (<i>Hesperia dacotae</i>) - Wherever found	T	\$343,796.00	\$639,228,957.00
170	Caracara, Audubon's Crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$321,625.00	\$639,550,582.00
171	Bankclimber, Purple (mussel) (<i>Elliptoideus sloatianus</i>) - Wherever found	T	\$320,016.00	\$639,870,598.00
172	Storm-petrel, Band-rumped (<i>Oceanodroma castro</i>) - USA (HI)	E	\$319,627.00	\$640,190,225.00
173	No Common Name (<i>Achyranthes mutica</i>) - Wherever found	E	\$318,345.00	\$640,508,570.00
174	Falcon, Northern Aplomado (<i>Falco femoralis septentrionalis</i>) - Wherever found, except where listed as an experimental population	E	\$304,680.00	\$640,813,250.00
175	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>) - 0	T	\$300,230.00	\$641,113,480.00
176	Chub, Borax Lake (<i>Gila boraxobius</i>) - Wherever found	E	\$296,210.00	\$641,409,690.00
177	Salamander, Frosted Flatwoods (<i>Ambystoma cingulatum</i>) - Wherever found	T	\$296,028.00	\$641,705,718.00
178	Amaranth, Seabeach (<i>Amaranthus pumilus</i>) - Wherever found	T	\$295,004.00	\$642,000,722.00
179	Pocket Gopher, Roy Prairie (<i>Thomomys mazama glacialis</i>) - Wherever found	T	\$288,358.00	\$642,289,080.00
179	Pocket Gopher, Tenino (<i>Thomomys mazama tumuli</i>) - Wherever found	T	\$288,358.00	\$642,577,438.00
180	Pocket Gopher, Yelm (<i>Thomomys mazama yelmensis</i>) - Wherever found	T	\$280,870.00	\$642,858,308.00
181	Fritillary, Gentner's (<i>Fritillaria gentneri</i>) - Wherever found	E	\$279,488.00	\$643,137,796.00
182	Lizard, Blunt-nosed Leopard (<i>Gambelia silus</i>) - Wherever found	E	\$279,157.00	\$643,416,953.00
183	Crane, Mississippi Sandhill (<i>Grus canadensis pulla</i>) - Wherever found	E	\$277,915.00	\$643,694,868.00
184	Skink, Sand (<i>Neoseps reynoldsi</i>) - Wherever found	T	\$271,265.00	\$643,966,133.00
185	Toad, Wyoming (<i>Bufo hemiophrys baxteri</i>) - Wherever found	E	\$268,957.00	\$644,235,090.00
186	Heelsplitter, Carolina (<i>Lasmigona decorata</i>) - Wherever found	E	\$267,953.00	\$644,503,043.00
187	Leopard (<i>Panthera pardus</i>) - except where threatened	E	\$262,989.00	\$644,766,032.00
188	Gartersnake, Northern Mexican (<i>Thamnophis eques megalops</i>) - Wherever found	T	\$260,920.00	\$645,026,952.00
189	Butterfly, Mission Blue (<i>Icaricia icarioides missionensis</i>) - Wherever found	E	\$259,088.00	\$645,286,040.00
190	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>) - Wherever found	E	\$257,602.00	\$645,543,642.00
191	Rockfish, Canary (<i>Sebastes pinniger</i>) - Puget Sound - Georgia Basin DPS	T	\$254,837.00	\$645,798,479.00
192	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>) - Wherever found	E	\$251,788.00	\$646,050,267.00
193	Shiner, Cape Fear (<i>Notropis mekistocholas</i>) - Wherever found	E	\$249,534.00	\$646,299,801.00
194	Daisy, Willamette (<i>Erigeron decumbens</i>) - Wherever found	E	\$249,501.00	\$646,549,302.00
195	'ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>) - Wherever found	T	\$248,158.00	\$646,797,460.00
196	Mouse, Preble's Meadow Jumping (<i>Zapus hudsonius preblei</i>) - wherever found	T	\$238,965.00	\$647,036,425.00
197	Bat, Ozark Big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>) - Wherever found	E	\$236,845.00	\$647,273,270.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
198	Frog, Dusky Gopher (<i>Rana sevosa</i>) - Wherever found	E	\$236,840.00	\$647,510,110.00
199	Darter, Duskytail (<i>Etheostoma percnum</i>) - Tellico River, TN	EXP N	\$236,633.00	\$647,746,743.00
200	Parrotbill, Maui (kiwiku) (<i>Pseudonestor xanthophrys</i>) - Wherever found	E	\$224,052.00	\$647,970,795.00
201	Snail, Snake River Physa (<i>Physa natricina</i>) - Wherever found	E	\$223,150.00	\$648,193,945.00
202	Caribou, Woodland (<i>Rangifer tarandus caribou</i>) - Southern Mountain DPS	E	\$221,183.00	\$648,415,128.00
203	'i'iwi (<i>Drepanis coccinea</i>) - Wherever found	T	\$220,217.00	\$648,635,345.00
204	Threeridge, Fat (mussel) (<i>Amblema neislerii</i>) - Wherever found	E	\$215,883.00	\$648,851,228.00
205	Seagrass, Johnson's (<i>Halophila johnsonii</i>) - Wherever found	T	\$213,843.00	\$649,065,071.00
206	Swiftlet, Mariana Gray (<i>Aerodramus vanikorensis bartschi</i>) - Wherever found	E	\$213,683.00	\$649,278,754.00
207	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>) - Wherever found	T	\$213,589.00	\$649,492,343.00
208	Mouse, Southeastern Beach (<i>Peromyscus polionotus niveiventris</i>) - wherever found	T	\$212,655.00	\$649,704,998.00
209	Snake, Giant Garter (<i>Thamnophis gigas</i>) - Wherever found	T	\$210,740.00	\$649,915,738.00
210	Pigtoe, Oval (<i>Pleurobema pyriforme</i>) - Wherever found	E	\$209,536.00	\$650,125,274.00
211	Mouse, Alabama Beach (<i>Peromyscus polionotus ammobates</i>) - Wherever found	E	\$208,011.00	\$650,333,285.00
212	Alligator, American (<i>Alligator mississippiensis</i>) - Wherever found	SAT	\$206,819.00	\$650,540,104.00
213	Cheetah (<i>Acinonyx jubatus</i>) - Wherever found	E	\$206,556.00	\$650,746,660.00
214	Popcornflower, Rough (<i>Plagiobothrys hirtus</i>) - Wherever found	E	\$201,848.00	\$650,948,508.00
215	Mucket, Pink (pearlymussel) (<i>Lampsilis abrupta</i>) - Wherever found	E	\$199,636.00	\$651,148,144.00
216	Deer, Yarkand (<i>Cervus elaphus yarkandensis</i>) - Wherever found	E	\$199,500.00	\$651,347,644.00
217	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>) - Wherever found	E	\$198,688.00	\$651,546,332.00
218	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>) - Wherever found	E	\$193,952.00	\$651,740,284.00
219	Pangolin, Temnick's Ground (<i>Manis temminckii</i>) - Wherever found	E	\$188,380.00	\$651,928,664.00
220	Hawk, Puerto Rican Sharp-shinned (<i>Accipiter striatus venator</i>) - Wherever found	E	\$188,008.00	\$652,116,672.00
221	Dragonfly, Hine's Emerald (<i>Somatochlora hineana</i>) - Wherever found	E	\$187,238.00	\$652,303,910.00
222	Fairy Shrimp, Vernal Pool (<i>Branchinecta lynchi</i>) - Wherever found	T	\$181,717.00	\$652,485,627.00
223	Rhinoceros, Javan (<i>Rhinoceros sondaicus</i>) - Sikkim, Thailand, Malaysia, Indonesia, Indochina, Burma, Bangladesh	E	\$181,199.00	\$652,666,826.00
224	Honeycreeper, (akohekohe) Crested (<i>Palmeria dolei</i>) - Wherever found	E	\$179,770.00	\$652,846,596.00
225	Rhinoceros, Great Indian (<i>Rhinoceros unicornis</i>) - Nepal, India	E	\$179,454.00	\$653,026,050.00
226	Stickseed, Showy (<i>Hackelia venusta</i>) - Wherever found	E	\$176,898.00	\$653,202,948.00
227	Albatross, Short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>) - Wherever found	E	\$176,854.00	\$653,379,802.00
228	Ocelot (<i>Leopardus (=Felis) pardalis</i>) - wherever found	E	\$174,511.00	\$653,554,313.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
229	Spikedace (<i>Meda fulgida</i>) - Wherever found	E	\$174,153.00	\$653,728,466.00
230	Cactus, Colorado Hookless (<i>Sclerocactus glaucus</i>) - Wherever found	T	\$173,042.00	\$653,901,508.00
231	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>) - Wherever found	E	\$173,007.00	\$654,074,515.00
232	Minnnow, Loach (<i>Tiaroga cobitis</i>) - Wherever found	E	\$172,403.00	\$654,246,918.00
233	Slabshell, Chipola (<i>Elliptio chipolaensis</i>) - Wherever found	T	\$167,355.00	\$654,414,273.00
234	Sucker, June (<i>Chasmistes liorus</i>) - Wherever found	E	\$166,038.00	\$654,580,311.00
235	Bladderpod, Missouri (<i>Physaria filiformis</i>) - Wherever found	T	\$164,338.00	\$654,744,649.00
236	Logperch, Roanoke (<i>Percina rex</i>) - Wherever found	E	\$163,810.00	\$654,908,459.00
237	Shark, Scalloped Hammerhead (<i>Sphyrna lewini</i>) - Central and Southwest Atlantic DPS	T	\$163,756.00	\$655,072,215.00
238	Orangutan (<i>Pongo pygmaeus</i>) - Wherever found	E	\$163,633.00	\$655,235,848.00
239	Limpet, Banbury Springs (<i>Lanx</i> sp.) - Wherever found	E	\$162,895.00	\$655,398,743.00
240	Darter, Niangua (<i>Etheostoma nianguae</i>) - Wherever found	T	\$162,488.00	\$655,561,231.00
241	Beetle, Valley Elderberry Longhorn (<i>Desmocerus californicus dimorphus</i>) - Wherever found	T	\$161,720.00	\$655,722,951.00
242	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>) - Wherever found	T	\$161,146.00	\$655,884,097.00
243	Deer, Key (<i>Odocoileus virginianus clavium</i>) - Wherever found	E	\$157,150.00	\$656,041,247.00
244	Humpback Whale (<i>Megaptera novaeangliae</i>) - Mexico DPS	T	\$153,428.00	\$656,194,675.00
245	Four-o'clock, Macfarlane's (<i>Mirabilis macfarlanei</i>) - Wherever found	T	\$152,849.00	\$656,347,524.00
246	Butterfly, Karner Blue (<i>Lycaeides melissa samuelis</i>) - Wherever found	E	\$151,286.00	\$656,498,810.00
247	Cactus, Pima Pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>) - Wherever found	E	\$149,370.00	\$656,648,180.00
248	Butterfly, Bartram's Hairstreak (<i>Strymon acis bartrami</i>) - Wherever found	E	\$148,500.00	\$656,796,680.00
249	Turtle, Bog (=muhlenberg) (<i>Clemmys muhlenbergii</i>) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$147,239.00	\$656,943,919.00
250	Kangaroo Rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cactus</i>)) - Wherever found	E	\$147,238.00	\$657,091,157.00
251	Butterfly, Florida Leafwing (<i>Anaea troglodyta florldalis</i>) - Wherever found	E	\$146,988.00	\$657,238,145.00
252	Dace, Desert (<i>Eremichthys acros</i>) - Wherever found	T	\$146,750.00	\$657,384,895.00
253	Buckwheat, Umtanum Desert (<i>Eriogonum codium</i>) - Wherever found	T	\$146,358.00	\$657,531,253.00
254	Layia, Beach (<i>Layia carnosa</i>) - Wherever found	E	\$142,600.00	\$657,673,853.00
255	Cavefish, Ozark (<i>Amblyopsis rosae</i>) - Wherever found	T	\$142,289.00	\$657,816,142.00
256	Butterfly, Mariana Wandering (<i>Vagrans egistina</i>) - Wherever found	E	\$142,113.00	\$657,958,255.00
257	Akepa, Maui (<i>Loxops ochraceus</i>) - Wherever found	E	\$141,277.00	\$658,099,532.00
258	Chub, Spotfin (<i>Erimonax monachus</i>) - U.S.A. (TN-specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXP N	\$140,511.00	\$658,240,043.00
259	Darter, Watercress (<i>Etheostoma nuchale</i>) - Wherever found	E	\$139,183.00	\$658,379,226.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
260	Howellia, Water (<i>Howellia aquatilis</i>) - 0	T	\$137,672.00	\$658,516,898.00
261	Pocketbook, Fat (<i>Potamilus capax</i>) - Wherever found	E	\$137,639.00	\$658,654,537.00
262	No Common Name (<i>Phyllostegia haliakalae</i>) - Wherever found	E	\$137,370.00	\$658,791,907.00
263	Massasauga (=rattlesnake), Eastern (<i>Sistrurus catenatus</i>) - Wherever found	T	\$137,199.00	\$658,929,106.00
264	No Common Name (<i>Phyllostegia bracteata</i>) - Wherever found	E	\$136,782.00	\$659,065,888.00
265	Salamander, Shenandoah (<i>Plethodon shenandoah</i>) - Wherever found	E	\$136,688.00	\$659,202,576.00
266	Wedgemussel, Dwarf (<i>Alasmidonta heterodon</i>) - Wherever found	E	\$136,577.00	\$659,339,153.00
267	No Common Name (<i>Phyllostegia brevidens</i>) - Wherever found	E	\$136,406.00	\$659,475,559.00
268	`oha Wai (<i>Clermontia samuelii</i>) - Wherever found	E	\$135,392.00	\$659,610,951.00
269	Tern, Roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$135,186.00	\$659,746,137.00
270	Akekee (<i>Loxops caeruleirostris</i>) - Wherever found	E	\$134,787.00	\$659,880,924.00
271	Bumble Bee, Rusty Patched (<i>Bombus affinis</i>) - Wherever found	E	\$133,442.00	\$660,014,366.00
272	Jaguar (<i>Panthera onca</i>) - Wherever found	E	\$131,188.00	\$660,145,554.00
273	Dace, Blackside (<i>Phoxinus cumberlandensis</i>) - Wherever found	T	\$130,207.00	\$660,275,761.00
274	Skink, Bluetail Mole (<i>Eumeces egregius lividus</i>) - Wherever found	T	\$128,067.00	\$660,403,828.00
275	Crabgrass, Florida Pineland (<i>Digitaria pauciflora</i>) - Wherever found	T	\$127,788.00	\$660,531,616.00
276	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXP N	\$126,616.00	\$660,658,232.00
277	Boa, Puerto Rican (<i>Epicrates inornatus</i>) - Wherever found	E	\$124,988.00	\$660,783,220.00
278	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas River Basin (AR, KS, NM, OK, TX)	T	\$124,679.00	\$660,907,899.00
279	Bean, Rayed (<i>Villosa fabalis</i>) - Wherever found	E	\$124,527.00	\$661,032,426.00
280	Pocketbook, Ouachita Rock (<i>Arkansia wheeleri</i>) - Wherever found	E	\$123,813.00	\$661,156,239.00
281	Gartersnake, Narrow-headed (<i>Thamnophis rufipunctatus</i>) - Wherever found	T	\$122,508.00	\$661,278,747.00
282	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>) - Wherever found	E	\$122,411.00	\$661,401,158.00
283	Ko`oko`olau (<i>Bidens conjuncta</i>) - Wherever found	E	\$122,192.00	\$661,523,350.00
284	Cactus, Wright Fishhook (<i>Sclerocactus wrightiae</i>) - Wherever found	E	\$121,800.00	\$661,645,150.00
285	Moth, Blackburn's Sphinx (<i>Manduca blackburni</i>) - Wherever found	E	\$121,648.00	\$661,766,798.00
286	Bully, Everglades (<i>Sideroxylon reclinatum</i> ssp. <i>austrofloridense</i>) - Wherever found	T	\$121,400.00	\$661,888,198.00
287	Toad, Houston (<i>Bufo houstonensis</i>) - Wherever found	E	\$119,296.00	\$662,007,494.00
288	Chub, Virgin River (<i>Gila seminuda</i> (=robusta)) - Wherever found	E	\$119,088.00	\$662,126,582.00
289	No Common Name (<i>Dendrobium guamense</i>) - Wherever found	T	\$118,762.00	\$662,245,344.00
290	Butterfly, Schaus Swallowtail (<i>Heraclides aristodemus ponceanus</i>) - Wherever found	E	\$118,625.00	\$662,363,969.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
291	Rattlesnake, Eastern Massasauga (<i>Sistrurus catenatus</i>) - Wherever found	T	\$118,132.00	\$662,482,101.00
292	Salamander, California Tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$116,982.00	\$662,599,083.00
293	Darter, Okaloosa (<i>Etheostoma okaloosae</i>) - Wherever found	T	\$115,548.00	\$662,714,631.00
294	No Common Name (<i>Tuberolabium guamense</i>) - Wherever found	T	\$115,207.00	\$662,829,838.00
295	No Common Name (<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>) - Wherever found	E	\$115,160.00	\$662,944,998.00
296	Lomatium, Cook's (<i>Lomatium cookii</i>) - Wherever found	E	\$114,401.00	\$663,059,399.00
297	Mouse, New Mexico Meadow Jumping (<i>Zapus hudsonius luteus</i>) - Wherever found	E	\$114,238.00	\$663,173,637.00
298	Wild-buckwheat, Gypsum (<i>Eriogonum gypsophilum</i>) - Wherever found	T	\$113,988.00	\$663,287,625.00
299	Fly, Hawaiian Picture-wing (<i>Drosophila hemipeza</i>) - Wherever found	E	\$113,926.00	\$663,401,551.00
300	Hornshell, Texas (<i>Popenaias popeii</i>) - Wherever found	E	\$113,246.00	\$663,514,797.00
301	Gallinule, Hawaiian Common (<i>Gallinula galeata sandvicensis</i>) - Wherever found	E	\$111,889.00	\$663,626,686.00
302	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXP N	\$111,700.00	\$663,738,386.00
303	Seal, Guadalupe Fur (<i>Arctocephalus townsendi</i>) - Wherever found	T	\$111,688.00	\$663,850,074.00
304	Salamander, Jemez Mountains (<i>Plethodon neomexicanus</i>) - Wherever found	E	\$110,488.00	\$663,960,562.00
305	Chaffseed, American (<i>Schwalbea americana</i>) - Wherever found	E	\$109,840.00	\$664,070,402.00
306	Sheep, Peninsular Bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$109,388.00	\$664,179,790.00
307	Tadpole Shrimp, Vernal Pool (<i>Lepidurus packardi</i>) - Wherever found	E	\$108,494.00	\$664,288,284.00
308	Rattlesnake, New Mexican Ridge-nosed (<i>Crotalus willardi obscurus</i>) - Wherever found	T	\$107,808.00	\$664,396,092.00
309	Fanshell (<i>Cyprogenia stegaria</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$107,261.00	\$664,503,353.00
310	Pigtoe, Shiny (<i>Fusconaia cor</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$107,071.00	\$664,610,424.00
311	Thrush, Large Kauai (=kamao) (<i>Myadestes myadestinus</i>) - Wherever found	E	\$107,059.00	\$664,717,483.00
312	Cactus, Kuenzler Hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>) - Wherever found	T	\$105,988.00	\$664,823,471.00
313	Pearlymussel, Birdwing (<i>Lemiox rimosus</i>) - Wherever found; Except where listed as Experimental Populations	E	\$105,818.00	\$664,929,289.00
314	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>) - Wherever found	E	\$105,638.00	\$665,034,927.00
315	Haha (<i>Cyanea stictophylla</i>) - Wherever found	E	\$105,499.00	\$665,140,426.00
316	Cactus, Winkler (<i>Pediocactus winkleri</i>) - Wherever found	T	\$105,100.00	\$665,245,526.00
317	Mouse, Salt Marsh Harvest (<i>Reithrodontomys raviventris</i>) - wherever found	E	\$103,808.00	\$665,349,334.00
318	Haha (<i>Cyanea shipmanii</i>) - Wherever found	E	\$103,414.00	\$665,452,748.00
319	Fadang (<i>Cycas micronesica</i>) - Wherever found	T	\$103,219.00	\$665,555,967.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
320	Phacelia, North Park (<i>Phacelia formosula</i>) - Wherever found	E	\$103,184.00	\$665,659,151.00
321	Akikiki (<i>Oreomystis bairdi</i>) - Wherever found	E	\$103,009.00	\$665,762,160.00
322	Haha (<i>Cyanea superba</i>) - Wherever found	E	\$101,273.00	\$665,863,433.00
322	No Common Name (<i>Stenogyne kealiae</i>) - Wherever found	E	\$101,273.00	\$665,964,706.00
323	Leopard, Snow (<i>Uncia (=Panthera) uncia</i>) - Wherever found	E	\$100,330.00	\$666,065,036.00
324	Haha (<i>Cyanea asplenifolia</i>) - Wherever found	E	\$100,270.00	\$666,165,306.00
325	Sturgeon, Beluga (<i>Huso huso</i>) - Wherever found	T	\$100,079.00	\$666,265,385.00
326	No Common Name (<i>Tetramolopium rockii</i>) - Wherever found	T	\$99,499.00	\$666,364,884.00
327	Tern, California Least (<i>Sterna antillarum browni</i>) - Wherever found	E	\$98,947.00	\$666,463,831.00
328	Lizard, Coachella Valley Fringe-toed (<i>Uma inornata</i>) - Wherever found	T	\$98,559.00	\$666,562,390.00
329	Pigtoe, Finerayed (<i>Fusconaia cuneolus</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$98,434.00	\$666,660,824.00
330	Toad, Yosemite (<i>Anaxyrus canorus</i>) - Wherever found	T	\$98,315.00	\$666,759,139.00
331	Orchid, White Fringeless (<i>Platanthera integrilabia</i>) - 0	T	\$98,042.00	\$666,857,181.00
332	Pondberry (<i>Lindera melissifolia</i>) - Wherever found	E	\$97,651.00	\$666,954,832.00
333	Kidneyshell, Fluted (<i>Ptychobranthus subtentum</i>) - Wherever found	E	\$97,488.00	\$667,052,320.00
334	No Common Name (<i>Stenogyne bifida</i>) - Wherever found	E	\$97,414.00	\$667,149,734.00
335	Salamander, Reticulated Flatwoods (<i>Ambystoma bishopi</i>) - Wherever found	E	\$96,988.00	\$667,246,722.00
336	Pearlymussel, Slabside (<i>Pleuronaia dolabelloides</i>) - Wherever found	E	\$96,788.00	\$667,343,510.00
337	Pigtoe, Rough (<i>Pleurobema plenum</i>) - Wherever found	E	\$95,724.00	\$667,439,234.00
338	Pimpleback, Orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$95,639.00	\$667,534,873.00
339	Haiwale (<i>Cyrtandra ferripilosa</i>) - Wherever found	E	\$95,143.00	\$667,630,016.00
340	Ko`oko`olau (<i>Bidens campylotheca</i> ssp. <i>pentamera</i>) - Wherever found	E	\$95,072.00	\$667,725,088.00
340	Ko`oko`olau (<i>Bidens campylotheca</i> ssp. <i>waihoiensis</i>) - Wherever found	E	\$95,072.00	\$667,820,160.00
341	Cui-ui (<i>Chasmistes cujus</i>) - Wherever found	E	\$94,000.00	\$667,914,160.00
342	Darter, Pearl (<i>Percina aurora</i>) - Wherever found	T	\$93,770.00	\$668,007,930.00
343	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>) - Wherever found	E	\$93,113.00	\$668,101,043.00
344	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>) - Wherever found	E	\$93,088.00	\$668,194,131.00
345	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>) - Wherever found	E	\$93,070.00	\$668,287,201.00
346	Chaff-flower, Round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>) - Wherever found	E	\$92,862.00	\$668,380,063.00
347	Ring Pink (mussel) (<i>Obovaria retusa</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$91,885.00	\$668,471,948.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
348	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>) - Wherever found	E	\$91,832.00	\$668,563,780.00
349	Clover, Running Buffalo (<i>Trifolium stoloniferum</i>) - 0	E	\$91,814.00	\$668,655,594.00
350	Alani (<i>Melicope munroi</i>) - Wherever found	E	\$91,757.00	\$668,747,351.00
351	Bladderpod, Short's (<i>Physaria globosa</i>) - Wherever found	E	\$91,680.00	\$668,839,031.00
352	Bat, Mariana Fruit (=mariana Flying Fox) (<i>Pteropus mariannus mariannus</i>) - Rota, etc.	RT	\$91,159.00	\$668,930,190.00
353	Rail, California Clapper (<i>Rallus longirostris obsoletus</i>) - Wherever found	E	\$90,926.00	\$669,021,116.00
353	Tui Chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>) - Wherever found	E	\$90,926.00	\$669,112,042.00
354	Kuahiwi Laukahi (<i>Plantago princeps</i>) - Wherever found	E	\$90,694.00	\$669,202,736.00
355	Blackbird, Yellow-shouldered (<i>Agelaius xanthomus</i>) - Wherever found	E	\$90,500.00	\$669,293,236.00
356	`akoko, Ewa Plains (<i>Euphorbia skottsbergii</i> var. <i>skottsbergii</i>) - Wherever found	E	\$90,387.00	\$669,383,623.00
357	Potentilla, Hickman's (<i>Potentilla hickmanii</i>) - Wherever found	E	\$89,888.00	\$669,473,511.00
358	No Common Name (<i>Schiedea diffusa</i> subsp. <i>diffusa</i>) - Wherever found	E	\$88,890.00	\$669,562,401.00
359	`ohe (<i>Joinvillea ascendens ascendens</i>) - Wherever found	E	\$88,383.00	\$669,650,784.00
359	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>) - Wherever found	E	\$88,383.00	\$669,739,167.00
360	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>) - Wherever found	E	\$88,287.00	\$669,827,454.00
361	Blindcat, Mexican (catfish) (<i>Prietella phreatophila</i>) - Wherever found	E	\$87,488.00	\$669,914,942.00
362	No Common Name (<i>Schiedea haleakalensis</i>) - Wherever found	E	\$87,392.00	\$670,002,334.00
363	No Common Name (<i>Sanicula sandwicensis</i>) - Wherever found	E	\$86,044.00	\$670,088,378.00
364	Thistle, Pitcher's (<i>Cirsium pitcheri</i>) - Wherever found	T	\$85,718.00	\$670,174,096.00
365	Geranium, Hawaiian Red-flowered (<i>Geranium arboreum</i>) - Wherever found	E	\$85,561.00	\$670,259,657.00
366	Combshell, Southern (<i>Epioblasma penita</i>) - Wherever found	E	\$85,333.00	\$670,344,990.00
367	Bat, Virginia Big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>) - Wherever found	E	\$84,863.00	\$670,429,853.00
369	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>) - Wherever found	E	\$81,536.00	\$670,511,389.00
370	Turtle, Bog (<i>Clemmys muhlenbergii</i>) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$81,203.00	\$670,592,592.00
371	No Common Name (<i>Tabernaemontana rotensis</i>) - Wherever found	T	\$80,737.00	\$670,673,329.00
372	Yellow-faced Bee, Anthricinan (<i>Hylaeus anthracinus</i>) - Wherever found	E	\$80,437.00	\$670,753,766.00
373	Kidneyshell, Southern (<i>Ptychobranhus jonesi</i>) - Wherever found	E	\$79,722.00	\$670,833,488.00
374	Mussel, Sheepnose (<i>Plethobasus cyphus</i>) - Wherever found	E	\$79,510.00	\$670,912,998.00
375	Thrush, Small Kauai (=puaiohi) (<i>Myadestes palmeri</i>) - Wherever found	E	\$78,972.00	\$670,991,970.00
376	Popolo Ku Mai (<i>Solanum incompletum</i>) - Wherever found	E	\$78,561.00	\$671,070,531.00
377	Ohai (<i>Sesbania tomentosa</i>) - Wherever found	E	\$78,179.00	\$671,148,710.00
378	Bladderpod, White Bluffs (<i>Physaria douglasii</i> ssp. <i>tuplashensis</i>) - Wherever found	T	\$77,538.00	\$671,226,248.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
379	Butterfly, Quino Checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrighti)) - Wherever found	E	\$77,329.00	\$671,303,577.00
380	Darter, Snail (<i>Percina tanasi</i>) - Wherever found	T	\$76,274.00	\$671,379,851.00
381	Pitcher-plant, Green (<i>Sarracenia oreophila</i>) - Wherever found	E	\$76,250.00	\$671,456,101.00
382	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>) - Wherever found	E	\$74,946.00	\$671,531,047.00
383	Darter, Leopard (<i>Percina pantherina</i>) - Wherever found	T	\$74,588.00	\$671,605,635.00
384	Phacelia, Debeque (<i>Phacelia submutica</i>) - Wherever found	T	\$74,575.00	\$671,680,210.00
385	Mussel, Scaleshell (<i>Leptodea leptodon</i>) - Wherever found	E	\$74,563.00	\$671,754,773.00
386	Mouse, Key Largo Cotton (<i>Peromyscus gossypinus allapaticola</i>) - Wherever found	E	\$74,541.00	\$671,829,314.00
387	Loosestrife, Rough-leaved (<i>Lysimachia asperulaefolia</i>) - Wherever found	E	\$74,522.00	\$671,903,836.00
388	Haha (<i>Cyanea kunthiana</i>) - Wherever found	E	\$73,965.00	\$671,977,801.00
389	Butterfly, Mariana Eight-spot (<i>Hypolimnas octocula marianensis</i>) - Wherever found	E	\$73,549.00	\$672,051,350.00
390	Orchid, Western Prairie Fringed (<i>Platanthera praeclara</i>) - Wherever found	T	\$73,372.00	\$672,124,722.00
391	No Common Name (<i>Maesa walkeri</i>) - Wherever found	T	\$72,636.00	\$672,197,358.00
392	Snail, Humped Tree (<i>Partula gibba</i>) - Wherever found	E	\$72,551.00	\$672,269,909.00
393	Purple Cat's Paw (=purple Cat's Paw Pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$72,290.00	\$672,342,199.00
394	Coneflower, Smooth (<i>Echinacea laevigata</i>) - Wherever found	E	\$71,810.00	\$672,414,009.00
395	Ufa-halomtano (<i>Heritiera longipetiolata</i>) - Wherever found	E	\$71,611.00	\$672,485,620.00
396	Mouse, Perdido Key Beach (<i>Peromyscus polionotus trissyllepsis</i>) - Wherever found	E	\$71,385.00	\$672,557,005.00
397	Bat, Pacific Sheath-tailed (<i>Emballonura semicaudata rotensis</i>) - Wherever found	E	\$71,238.00	\$672,628,243.00
398	Chub, Hutton Tui (<i>Gila bicolor</i> ssp.) - Wherever found	T	\$71,108.00	\$672,699,351.00
399	Madtom, Yellowfin (<i>Noturus flavipinnis</i>) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(e)(1)(ii))	EXP N	\$70,212.00	\$672,769,563.00
400	Goby, Tidewater (<i>Eucyclogobius newberryi</i>) - Wherever found	E	\$69,955.00	\$672,839,518.00
401	Vole, Amargosa (<i>Microtus californicus scirpensis</i>) - Wherever found	E	\$69,000.00	\$672,908,518.00
402	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Wherever found; Except where listed as Experimental Populations	E	\$68,800.00	\$672,977,318.00
403	Squirrel, Carolina Northern Flying (<i>Glaucomys sabrinus coloratus</i>) - Wherever found	E	\$68,680.00	\$673,045,998.00
404	Mapleleaf, Winged (<i>Quadrula fragosa</i>) - Wherever found, except where listed as an experimental population	E	\$68,569.00	\$673,114,567.00
405	Pupfish, Desert (<i>Cyprinodon macularius</i>) - Wherever found	E	\$68,353.00	\$673,182,920.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
406	Skipper, Carson Wandering (<i>Pseudocopaeodes eunus obscurus</i>) - Wherever found	E	\$67,994.00	\$673,250,914.00
407	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>) - Wherever found	T	\$67,918.00	\$673,318,832.00
408	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>) - Wherever found	E	\$67,888.00	\$673,386,720.00
409	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>) - Wherever found	T	\$67,696.00	\$673,454,416.00
410	Creepers, Hawaii (<i>Oreomystis mana</i>) - Wherever found	E	\$67,014.00	\$673,521,430.00
411	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>) - Wherever found	E	\$66,788.00	\$673,588,218.00
412	Duck, Laysan (<i>Anas laysanensis</i>) - Wherever found	E	\$66,731.00	\$673,654,949.00
413	Rabbit, Lower Keys Marsh (<i>Sylvilagus palustris hefneri</i>) - Wherever found	E	\$66,648.00	\$673,721,597.00
414	Halumtano, Cebello (<i>Bulbophyllum guamense</i>) - Wherever found	T	\$66,614.00	\$673,788,211.00
415	Clubshell (<i>Pleurobema clava</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$66,100.00	\$673,854,311.00
416	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>) - Wherever found	E	\$66,067.00	\$673,920,378.00
417	Akepa, Hawaii (<i>Loxops coccineus</i>) - Wherever found	E	\$66,000.00	\$673,986,378.00
418	Madtom, Neosho (<i>Noturus placidus</i>) - Wherever found	T	\$65,971.00	\$674,052,349.00
419	Pigtoe, Dark (<i>Pleurobema furvum</i>) - Wherever found	E	\$65,467.00	\$674,117,816.00
420	Popolo (<i>Solanum nelsonii</i>) - Wherever found	E	\$65,110.00	\$674,182,926.00
421	No Common Name (<i>Nervilia jacksoniae</i>) - Wherever found	T	\$65,101.00	\$674,248,027.00
422	Mustard, Penland Alpine Fen (<i>Eutrema penlandii</i>) - Wherever found	T	\$64,988.00	\$674,313,015.00
423	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$64,756.00	\$674,377,771.00
424	Palila (honeycreeper) (<i>Loxioides bailleui</i>) - Wherever found	E	\$64,443.00	\$674,442,214.00
425	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>) - Wherever found	E	\$64,242.00	\$674,506,456.00
426	Clubshell, Ovate (<i>Pleurobema perovatum</i>) - Wherever found	E	\$63,904.00	\$674,570,360.00
427	No Common Name (<i>Eugenia bryanii</i>) - Wherever found	E	\$63,195.00	\$674,633,555.00
428	Snail, Guam Tree (<i>Partula radiolata</i>) - Wherever found	E	\$63,142.00	\$674,696,697.00
429	Hawk, Puerto Rican Broad-winged (<i>Buteo platypterus brunnescens</i>) - Wherever found	E	\$62,988.00	\$674,759,685.00
430	Snail, Fragile Tree (<i>Samoana fragilis</i>) - Wherever found	E	\$62,641.00	\$674,822,326.00
431	Manioc, Walker's (<i>Manihot walkerae</i>) - Wherever found	E	\$62,343.00	\$674,884,669.00
432	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>) - Wherever found	E	\$62,240.00	\$674,946,909.00
433	Clubshell, Southern (<i>Pleurobema decisum</i>) - Wherever found	E	\$61,930.00	\$675,008,839.00
434	Ziziphus, Florida (<i>Ziziphus celata</i>) - Wherever found	E	\$60,988.00	\$675,069,827.00
435	Skipperling, Poweshiek (<i>Oarisma poweshiek</i>) - Wherever found	E	\$60,302.00	\$675,130,129.00
436	Pupfish, Owens (<i>Cyprinodon radiosus</i>) - Wherever found	E	\$59,488.00	\$675,189,617.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
437	Mouse, St. Andrew Beach (<i>Peromyscus polionotus peninsularis</i>) - Wherever found	E	\$59,375.00	\$675,248,992.00
438	Skink, Slevin's (<i>Emoia slevini</i>) - Wherever found	E	\$59,253.00	\$675,308,245.00
439	No Common Name (<i>Tinospora homosepala</i>) - Wherever found	E	\$59,062.00	\$675,367,307.00
440	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>) - Wherever found	E	\$58,729.00	\$675,426,036.00
441	Monkeyface, Cumberland (pearly mussel) (<i>Quadrula intermedia</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$58,672.00	\$675,484,708.00
442	Pogonia, Small Whorled (<i>Isotria medeoloides</i>) - Wherever found	T	\$58,623.00	\$675,543,331.00
443	Ivesia, Webber's (<i>Ivesia webberi</i>) - Wherever found	T	\$58,622.00	\$675,601,953.00
444	Alani (<i>Melicope ovalis</i>) - Wherever found	E	\$58,548.00	\$675,660,501.00
445	Darter, Cumberland (<i>Etheostoma susanae</i>) - Wherever found	E	\$58,190.00	\$675,718,691.00
446	Sumac, Michaux's (<i>Rhus michauxii</i>) - Wherever found	E	\$58,066.00	\$675,776,757.00
447	Riffleshell, Tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri)) - Wherever found	E	\$57,899.00	\$675,834,656.00
448	Blue-star, Kearney's (<i>Amsonia kearneyana</i>) - Wherever found	E	\$57,188.00	\$675,891,844.00
449	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>) - Wherever found	E	\$57,068.00	\$675,948,912.00
450	Woodpecker, Ivory-billed (<i>Campephilus principalis</i>) - Wherever found	E	\$57,052.00	\$676,005,964.00
451	Tern, Least (coastal) (<i>Sterna antillarum</i>) - interior pop.	E	\$56,720.00	\$676,062,684.00
452	'aiea (<i>Nothocestrum latifolium</i>) - Wherever found	E	\$56,592.00	\$676,119,276.00
453	Moccasinshell, Suwannee (<i>Medionidus walkeri</i>) - Wherever found	T	\$56,488.00	\$676,175,764.00
454	Penstemon, Blowout (<i>Penstemon haydenii</i>) - Wherever found	E	\$56,299.00	\$676,232,063.00
455	Mucket, Neosho (<i>Lampsilis rafinesqueana</i>) - Wherever found	E	\$56,294.00	\$676,288,357.00
456	Poolfish, Pahrump (<i>Empetrichthys latos</i>) - Wherever found	E	\$55,688.00	\$676,344,045.00
457	Pigeon, Puerto Rican Plain (<i>Columba inornata wetmorei</i>) - Wherever found	E	\$55,573.00	\$676,399,618.00
458	Madtom, Smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXP N	\$55,188.00	\$676,454,806.00
459	Chub, Gila (<i>Gila intermedia</i>) - Wherever found	E	\$54,972.00	\$676,509,778.00
460	Ground-plum, Guthrie's (=pyne's) (<i>Astragalus bibullatus</i>) - Wherever found	E	\$54,738.00	\$676,564,516.00
461	Vole, Florida Salt Marsh (<i>Microtus pennsylvanicus dukecampbelli</i>) - Wherever found	E	\$54,488.00	\$676,619,004.00
462	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>) - Wherever found	E	\$54,323.00	\$676,673,327.00
463	Damselfly, Rota Blue (<i>Ischnura luta</i>) - Wherever found	E	\$53,747.00	\$676,727,074.00
464	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>) - Wherever found	E	\$53,727.00	\$676,780,801.00
465	Mussel, Oyster (<i>Epioblasma capsaeformis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$53,445.00	\$676,834,246.00
466	Mucket, Orangenacre (<i>Lampsilis perovalis</i>) - Wherever found	T	\$53,109.00	\$676,887,355.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
467	Bat, Pacific Sheath-tailed (<i>Emballonura semicaudata semicaudata</i>) - American Samoa	E	\$52,987.00	\$676,940,342.00
468	Boa, Virgin Islands Tree (<i>Epicrates monensis granti</i>) - Wherever found	E	\$52,600.00	\$676,992,942.00
469	Iagu, Hayun (=guam), Tronkon Guafi (rota) (<i>Serianthes nelsonii</i>) - Wherever found	E	\$52,528.00	\$677,045,470.00
470	Toad, Arroyo (=arroyo Southwestern) (<i>Anaxyrus californicus</i>) - Wherever found	E	\$51,924.00	\$677,097,394.00
471	Snake, Copperbelly Water (<i>Nerodia erythrogaster neglecta</i>) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$51,874.00	\$677,149,268.00
472	Pigtoe, Heavy (<i>Pleurobema taitianum</i>) - Wherever found	E	\$51,825.00	\$677,201,093.00
473	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>) - Wherever found	T	\$51,644.00	\$677,252,737.00
474	Halomtano, Berenghenas (<i>Solanum guamense</i>) - Wherever found	E	\$51,574.00	\$677,304,311.00
475	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>) - Wherever found	E	\$51,400.00	\$677,355,711.00
476	Yellow-faced Bee, Assimulans (<i>Hylaeus assimulans</i>) - Wherever found	E	\$50,634.00	\$677,406,345.00
477	Yellowhead, Desert (<i>Yermo xanthocephalus</i>) - Wherever found	T	\$50,200.00	\$677,456,545.00
478	Haha (<i>Cyanea maritae</i>) - Wherever found	E	\$50,185.00	\$677,506,730.00
479	Elepaio, Oahu (<i>Chasiempis ibidis</i>) - Wherever found	E	\$50,135.00	\$677,556,865.00
480	No Common Name (<i>Wikstroemia villosa</i>) - Wherever found	E	\$49,965.00	\$677,606,830.00
480	Nui, Haha (<i>Cyanea horrida</i>) - Wherever found	E	\$49,965.00	\$677,656,795.00
481	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>) - Wherever found	T	\$49,696.00	\$677,706,491.00
482	Torreya, Florida (<i>Torreya taxifolia</i>) - Wherever found	E	\$49,088.00	\$677,755,579.00
483	Nohoanu (<i>Geranium hanaense</i>) - Wherever found	E	\$48,468.00	\$677,804,047.00
484	Millerbird, Nihoa (old World Warbler) (<i>Acrocephalus familiaris kingi</i>) - Wherever found	E	\$48,171.00	\$677,852,218.00
485	Skullcap, Florida (<i>Scutellaria floridana</i>) - Wherever found	T	\$48,088.00	\$677,900,306.00
486	Madtom, Pygmy (<i>Noturus stanauli</i>) - Wherever found	E	\$47,648.00	\$677,947,954.00
487	Lilliput, Pale (pearlymussel) (<i>Toxolasma cylindrellus</i>) - Wherever found	E	\$47,602.00	\$677,995,556.00
488	Dace, Moapa (<i>Moapa coriacea</i>) - Wherever found	E	\$47,588.00	\$678,043,144.00
489	Orchid, Eastern Prairie Fringed (<i>Platanthera leucophaea</i>) - Wherever found	T	\$47,285.00	\$678,090,429.00
490	Lichen, Rock Gnome (<i>Gymnoderma lineare</i>) - Wherever found	E	\$47,253.00	\$678,137,682.00
491	Ground-dove, Friendly (<i>Gallicolumba stairi</i>) - American Samoa DPS	E	\$46,903.00	\$678,184,585.00
492	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>) - Wherever found	E	\$46,888.00	\$678,231,473.00
493	Darter, Boulder (<i>Etheostoma wapiti</i>) - Wherever found	E	\$46,500.00	\$678,277,973.00
494	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>) - Wherever found	E	\$45,888.00	\$678,323,861.00
495	Shrimp, California Freshwater (<i>Syncaris pacifica</i>) - Wherever found	E	\$45,600.00	\$678,369,461.00
496	Naupaka, Dwarf (<i>Scaevola coriacea</i>) - Wherever found	E	\$45,479.00	\$678,414,940.00
497	Aplokating-palaoan (<i>Psychotria malaspinae</i>) - Wherever found	E	\$45,389.00	\$678,460,329.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
498	Manzanita, Franciscan (<i>Arctostaphylos franciscana</i>) - Wherever found	E	\$45,088.00	\$678,505,417.00
499	Aster, Florida Golden (<i>Chrysopsis floridana</i>) - Wherever found	E	\$44,988.00	\$678,550,405.00
499	Kangaroo Rat, Giant (<i>Dipodomys ingens</i>) - Wherever found	E	\$44,988.00	\$678,595,393.00
500	Mouse, Choctawhatchee Beach (<i>Peromyscus polionotus allophrys</i>) - Wherever found	E	\$44,500.00	\$678,639,893.00
501	Milkweed, Welsh's (<i>Asclepias welshii</i>) - Wherever found	T	\$44,488.00	\$678,684,381.00
502	Beardtongue, Parachute (<i>Penstemon debilis</i>) - Wherever found	T	\$44,388.00	\$678,728,769.00
503	Snail, Langford's Tree (<i>Partula langfordi</i>) - Wherever found	E	\$44,215.00	\$678,772,984.00
504	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>) - Wherever found	E	\$43,588.00	\$678,816,572.00
505	Makou (<i>Ranunculus mauiensis</i>) - Wherever found	E	\$43,499.00	\$678,860,071.00
506	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>) - Wherever found	E	\$43,488.00	\$678,903,559.00
507	Ihi`ihi (<i>Marsilea villosa</i>) - Wherever found	E	\$43,214.00	\$678,946,773.00
508	Lily, Western (<i>Lilium occidentale</i>) - Wherever found	E	\$42,998.00	\$678,989,771.00
509	Pocketbook, Speckled (<i>Lampsilis streckeri</i>) - Wherever found	E	\$42,788.00	\$679,032,559.00
510	Lion (<i>Panthera leo</i> ssp. <i>leo</i>) - Wherever found	E	\$42,760.00	\$679,075,319.00
511	Ambrosia, South Texas (<i>Ambrosia cheiranthifolia</i>) - Wherever found	E	\$42,734.00	\$679,118,053.00
512	No Common Name (<i>Platanthera holochila</i>) - Wherever found	E	\$42,508.00	\$679,160,561.00
513	Darter, Relict (<i>Etheostoma chienense</i>) - Wherever found	E	\$42,488.00	\$679,203,049.00
514	Akiapolaau (<i>Hemignathus wilsoni</i>) - Wherever found	E	\$42,461.00	\$679,245,510.00
515	No Common Name (<i>Microlepidia strigosa</i> var. <i>mauiensis</i>) - Wherever found	E	\$42,434.00	\$679,287,944.00
516	Rhinoceros, Black (<i>Diceros bicornis</i>) - Africa	E	\$42,327.00	\$679,330,271.00
517	No Common Name (<i>Varronia rupicola</i>) - Wherever found	T	\$41,988.00	\$679,372,259.00
517	Trillium, Relict (<i>Trillium reliquum</i>) - Wherever found	E	\$41,988.00	\$679,414,247.00
518	Dace, Laurel (<i>Chrosomus saylori</i>) - Wherever found	E	\$41,488.00	\$679,455,735.00
519	Bat, Little Mariana Fruit (<i>Pteropus tokudae</i>) - Wherever found	E	\$41,223.00	\$679,496,958.00
520	Reedgrass, Maui (<i>Calamagrostis expansa</i>) - Wherever found	E	\$41,160.00	\$679,538,118.00
521	Nanu (<i>Gardenia remyi</i>) - Wherever found	E	\$41,008.00	\$679,579,126.00
522	Coqui, Llanero (<i>Eleutherodactylus juanariveroi</i>) - Wherever found	E	\$40,988.00	\$679,620,114.00
523	Mouse, Anastasia Island Beach (<i>Peromyscus polionotus phasma</i>) - Wherever found	E	\$40,600.00	\$679,660,714.00
524	Darter, Trispot (<i>Etheostoma trisella</i>) - Wherever found	T	\$40,488.00	\$679,701,202.00
525	Haha (<i>Cyanea glabra</i>) - Wherever found	E	\$40,383.00	\$679,741,585.00
525	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>) - Wherever found	E	\$40,383.00	\$679,781,968.00
525	No Common Name (<i>Asplenium peruvianum</i> var. <i>insulare</i>) - Wherever found	E	\$40,383.00	\$679,822,351.00
526	Pigtoe, Fuzzy (<i>Pleurobema strodeanum</i>) - Wherever found	T	\$40,222.00	\$679,862,573.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
527	Hornbill, Helmeted (<i>Buceros (=Rhinoplax) vigil</i>) - Wherever found	E	\$40,213.00	\$679,902,786.00
528	Damselfly, Orangeblack Hawaiian (<i>Megalagrion xanthomelas</i>) - Wherever found	E	\$40,185.00	\$679,942,971.00
529	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>) - Wherever found	E	\$39,964.00	\$679,982,935.00
530	Blazingstar, Heller's (<i>Liatris helleri</i>) - Wherever found	T	\$39,888.00	\$680,022,823.00
531	Bat, Mexican Long-nosed (<i>Leptonycteris nivalis</i>) - Wherever found	E	\$39,516.00	\$680,062,339.00
532	No Common Name (<i>Geocarpon minimum</i>) - Wherever found	T	\$38,940.00	\$680,101,279.00
533	Clubshell, Black (<i>Pleurobema curtum</i>) - Wherever found	E	\$38,747.00	\$680,140,026.00
534	Nohoanu (<i>Geranium hillebrandii</i>) - Wherever found	E	\$38,681.00	\$680,178,707.00
535	Cactus, Pariette (<i>Sclerocactus brevispinus</i>) - Wherever found	T	\$38,588.00	\$680,217,295.00
536	White-eye, Rota Bridled (<i>Zosterops rotensis</i>) - Wherever found	E	\$38,586.00	\$680,255,881.00
537	Ischaemum, Hilo (<i>Ischaemum byrone</i>) - Wherever found	E	\$38,575.00	\$680,294,456.00
538	Sandshell, Southern (<i>Hamiota australis</i>) - Wherever found	T	\$38,527.00	\$680,332,983.00
539	Skullcap, Large-flowered (<i>Scutellaria montana</i>) - Wherever found	T	\$38,445.00	\$680,371,428.00
540	Spider, Spruce-fir Moss (<i>Microhexura montivaga</i>) - Wherever found	E	\$38,196.00	\$680,409,624.00
541	Spiraea, Virginia (<i>Spiraea virginiana</i>) - Wherever found	T	\$38,099.00	\$680,447,723.00
542	Nohoanu (<i>Geranium multiflorum</i>) - Wherever found	E	\$38,044.00	\$680,485,767.00
543	Cladonia, Florida Perforate (<i>Cladonia perforata</i>) - Wherever found	E	\$38,038.00	\$680,523,805.00
544	Barbara's Buttons, Mohr's (<i>Marshallia mohrii</i>) - Wherever found	T	\$37,988.00	\$680,561,793.00
545	Meadowfoam, Large-flowered Woolly (<i>Limnanthes pumila</i> ssp. <i>grandiflora</i>) - Wherever found	E	\$37,798.00	\$680,599,591.00
546	Beardtongue, Penland (<i>Penstemon penlandii</i>) - Wherever found	E	\$37,774.00	\$680,637,365.00
547	Makou (<i>Ranunculus hawaiiensis</i>) - Wherever found	E	\$37,561.00	\$680,674,926.00
548	Megapode, Micronesian (<i>Megapodius laperouse</i>) - Wherever found	E	\$37,525.00	\$680,712,451.00
549	Darter, Candy (<i>Etheostoma osburni</i>) - Wherever found	E	\$37,500.00	\$680,749,951.00
549	Waterdog, Black Warrior (=sipsey Fork) (<i>Necturus alabamensis</i>) - Wherever found	E	\$37,500.00	\$680,787,451.00
550	Harperella (<i>Ptilimnium nodosum</i>) - Wherever found	E	\$37,491.00	\$680,824,942.00
551	Snail, Noonday (<i>Mesodon clarki</i> nantahala) - Wherever found	T	\$37,488.00	\$680,862,430.00
551	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>) - Wherever found	T	\$37,488.00	\$680,899,918.00
552	Kupukupu Makalii (<i>Cyclosorus boydiae</i>) - Wherever found	E	\$37,307.00	\$680,937,225.00
552	Wawae`iole (<i>Huperzia mannii</i>) - Wherever found	E	\$37,307.00	\$680,974,532.00
553	[no Common Name] Snail (<i>Eua zebrina</i>) - Wherever found	E	\$37,242.00	\$681,011,774.00
554	Yellow-faced Bee, Hawaiian (<i>Hylaeus longiceps</i>) - Wherever found	E	\$37,171.00	\$681,048,945.00
555	Pitcher-plant, Mountain Sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>) - Wherever found	E	\$37,094.00	\$681,086,039.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
556	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>) - Wherever found	E	\$36,871.00	\$681,122,910.00
557	Mouse, Pacific Pocket (<i>Perognathus longimembris pacificus</i>) - Wherever found	E	\$36,790.00	\$681,159,700.00
558	Paudedo (<i>Hedyotis megalantha</i>) - Wherever found	E	\$36,709.00	\$681,196,409.00
559	Snail, Stock Island Tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)) - Wherever found	T	\$36,645.00	\$681,233,054.00
560	Darter, Rush (<i>Etheostoma phytophilum</i>) - Wherever found	E	\$36,603.00	\$681,269,657.00
561	Silversword, Mauna Loa (=ka'u) (<i>Argyroxiphium kauense</i>) - Wherever found	E	\$36,399.00	\$681,306,056.00
562	Ha`iwale (<i>Cyrtandra oxybapha</i>) - Wherever found	E	\$36,325.00	\$681,342,381.00
563	Thelypody, Howell's Spectacular (<i>Thelypodium howellii</i> ssp. <i>spectabilis</i>) - Wherever found	T	\$36,298.00	\$681,378,679.00
564	Milkvetch, Osterhout (<i>Astragalus osterhoutii</i>) - Wherever found	E	\$36,184.00	\$681,414,863.00
565	Riffleshell, Northern (<i>Epioblasma torulosa rangiana</i>) - Wherever found	E	\$36,124.00	\$681,450,987.00
566	Lizard, St. Croix Ground (<i>Ameiva polops</i>) - Wherever found	E	\$35,988.00	\$681,486,975.00
567	Pawpaw, Beautiful (<i>Deeringothamnus pulchellus</i>) - Wherever found	E	\$35,900.00	\$681,522,875.00
568	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>) - Wherever found	E	\$35,800.00	\$681,558,675.00
569	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>ctenophylla</i>) - Wherever found	E	\$35,587.00	\$681,594,262.00
570	Ko`oko`olau (<i>Bidens amplexans</i>) - Wherever found	E	\$35,544.00	\$681,629,806.00
571	Lance, Yellow (<i>Elliptio lanceolata</i>) - Wherever found	T	\$35,500.00	\$681,665,306.00
572	No Common Name (<i>Polystichum calderonense</i>) - Wherever found	E	\$35,488.00	\$681,700,794.00
572	Snake, San Francisco Garter (<i>Thamnophis sirtalis tetrataenia</i>) - Wherever found	E	\$35,488.00	\$681,736,282.00
572	Trout, Gila (<i>Oncorhynchus gilae</i>) - Wherever found	T	\$35,488.00	\$681,771,770.00
573	Damselfly, Oceanic Hawaiian (<i>Megalagrion oceanicum</i>) - Wherever found	E	\$35,396.00	\$681,807,166.00
574	No Common Name (<i>Phyllanthus saffordii</i>) - Wherever found	E	\$35,132.00	\$681,842,298.00
575	Haha (<i>Cyanea calycina</i>) - Wherever found	E	\$35,076.00	\$681,877,374.00
576	Wallflower, Menzies' (<i>Erysimum menziesii</i>) - Wherever found	E	\$34,888.00	\$681,912,262.00
577	Heartleaf, Dwarf-flowered (<i>Hexastylis naniflora</i>) - Wherever found	T	\$34,834.00	\$681,947,096.00
578	Bean, Purple (<i>Villosa perpurpurea</i>) - Wherever found	E	\$34,561.00	\$681,981,657.00
579	(honeyeater), Mao (= Maomao) (<i>Gymnomyza samoensis</i>) - Wherever found	E	\$34,509.00	\$682,016,166.00
580	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>) - Wherever found	T	\$34,357.00	\$682,050,523.00
581	Turtle, Sonoyta Mud (<i>Kinosternon sonoriense longifemorale</i>) - Wherever found	E	\$34,310.00	\$682,084,833.00
582	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>) - Wherever found	E	\$34,279.00	\$682,119,112.00
583	No Common Name (<i>Nesogenes rotensis</i>) - Wherever found	E	\$34,193.00	\$682,153,305.00
584	Whipsnake (=striped Racer), Alameda (<i>Masticophis lateralis euryxanthus</i>) - Wherever found	T	\$34,100.00	\$682,187,405.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
585	Arrowhead, Bunched (<i>Sagittaria fasciculata</i>) - Wherever found	E	\$34,000.00	\$682,221,405.00
586	Rice Rat, Silver (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$33,988.00	\$682,255,393.00
587	Prairie-clover, Leafy (<i>Dalea foliosa</i>) - Wherever found	E	\$33,351.00	\$682,288,744.00
588	Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>) - Wherever found	E	\$33,288.00	\$682,322,032.00
589	Moorhen, Mariana Common (<i>Gallinula chloropus guami</i>) - Wherever found	E	\$33,188.00	\$682,355,220.00
590	Bison, Wood (<i>Bison bison athabasca</i>) - Wherever found	T	\$33,000.00	\$682,388,220.00
591	Mehamehame (<i>Flueggea neowawraea</i>) - Wherever found	E	\$32,844.00	\$682,421,064.00
592	Hoawa (<i>Pittosporum halophilum</i>) - Wherever found	E	\$32,802.00	\$682,453,866.00
593	Fly, Hawaiian Picture-wing (<i>Drosophila mulli</i>) - Wherever found	T	\$32,774.00	\$682,486,640.00
594	Bean, Choctaw (<i>Villosa choctawensis</i>) - Wherever found	E	\$32,734.00	\$682,519,374.00
595	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>) - Wherever found	E	\$32,695.00	\$682,552,069.00
596	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>) - Wherever found	E	\$32,680.00	\$682,584,749.00
597	Shiner, Sharpnose (<i>Notropis oxyrhynchus</i>) - Wherever found	E	\$32,554.00	\$682,617,303.00
597	Shiner, Smalleye (<i>Notropis buccula</i>) - Wherever found	E	\$32,554.00	\$682,649,857.00
598	Evening-primrose, San Benito (<i>Camissonia benitensis</i>) - Wherever found	T	\$32,488.00	\$682,682,345.00
598	Potato-bean, Price's (<i>Apios priceana</i>) - 0	T	\$32,488.00	\$682,714,833.00
599	Turtle, Alabama Red-bellied (<i>Pseudemys alabamensis</i>) - Wherever found	E	\$32,400.00	\$682,747,233.00
600	Reedgrass, Hillebrand's (<i>Calamagrostis hillebrandii</i>) - Wherever found	E	\$32,368.00	\$682,779,601.00
601	`oha Wai (<i>Clermontia peleana</i>) - Wherever found	E	\$32,355.00	\$682,811,956.00
602	Cactus, Lee Pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>) - Wherever found	T	\$32,288.00	\$682,844,244.00
603	No Common Name (<i>Neraudia ovata</i>) - Wherever found	E	\$32,244.00	\$682,876,488.00
604	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>) - Wherever found	E	\$31,988.00	\$682,908,476.00
605	Pigtoe, Tapered (<i>Fusconaia burkei</i>) - Wherever found	T	\$31,940.00	\$682,940,416.00
606	Crayfish, Nashville (<i>Orconectes shoupi</i>) - Wherever found	E	\$31,753.00	\$682,972,169.00
607	Turtle, Alabama Red-belly (<i>Pseudemys alabamensis</i>) - Wherever found	E	\$31,232.00	\$683,003,401.00
608	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>) - Wherever found	E	\$31,033.00	\$683,034,434.00
609	Gladecress, Texas Golden (<i>Leavenworthia texana</i>) - Wherever found	E	\$30,949.00	\$683,065,383.00
610	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)) - Wherever found	E	\$30,935.00	\$683,096,318.00
611	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>) - Wherever found	E	\$30,888.00	\$683,127,206.00
612	Pink, Swamp (<i>Helonias bullata</i>) - Wherever found	T	\$30,728.00	\$683,157,934.00
613	Pearlymussel, Littlewing (<i>Pegias fabula</i>) - Wherever found	E	\$30,648.00	\$683,188,582.00
614	Toad, Puerto Rican Crested (<i>Peltophryne lemur</i>) - Wherever found	T	\$30,488.00	\$683,219,070.00
615	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>) - Wherever found	T	\$29,988.00	\$683,249,058.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
616	Damselfly, Blackline Hawaiian (<i>Megalagrion nigrohamatum nigrolineatum</i>) - Wherever found	E	\$29,936.00	\$683,278,994.00
617	Amphipod, Kauai Cave (<i>Spelaeorchestia koloana</i>) - Wherever found	E	\$29,927.00	\$683,308,921.00
617	Seal, Arctic Ringed (<i>Phoca (=Pusa) hispida hispida</i>) - Wherever found	T	\$29,927.00	\$683,338,848.00
618	Sand-verbena, Large-fruited (<i>Abronia macrocarpa</i>) - Wherever found	E	\$29,813.00	\$683,368,661.00
619	Townsendia, Last Chance (<i>Townsendia aprica</i>) - Wherever found	T	\$29,788.00	\$683,398,449.00
620	Fly, Hawaiian Picture-wing (<i>Drosophila differens</i>) - Wherever found	E	\$29,566.00	\$683,428,015.00
620	Fly, Hawaiian Picture-wing (<i>Drosophila heteroneura</i>) - Wherever found	E	\$29,566.00	\$683,457,581.00
621	Dropwort, Canby's (<i>Oxypolis canbyi</i>) - Wherever found	E	\$29,500.00	\$683,487,081.00
622	Vervain, Red Hills (<i>Verbena californica</i>) - Wherever found	T	\$29,312.00	\$683,516,393.00
623	Fly, Hawaiian Picture-wing (<i>Drosophila aglaia</i>) - Wherever found	E	\$29,059.00	\$683,545,452.00
623	Fly, Hawaiian Picture-wing (<i>Drosophila obatai</i>) - Wherever found	E	\$29,059.00	\$683,574,511.00
623	Fly, Hawaiian Picture-wing (<i>Drosophila substenoptera</i>) - Wherever found	E	\$29,059.00	\$683,603,570.00
623	Picture-wing Fly, Hawaiian (<i>Drosophila montgomeryi</i>) - Wherever found	E	\$29,059.00	\$683,632,629.00
623	Yellow-faced Bee, Hilaris (<i>Hylaeus hilaris</i>) - Wherever found	E	\$29,059.00	\$683,661,688.00
624	Tiger Beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>) - Wherever found	E	\$29,044.00	\$683,690,732.00
625	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>) - Wherever found	E	\$29,000.00	\$683,719,732.00
626	Spurge, Telephus (<i>Euphorbia telephioides</i>) - Wherever found	T	\$28,988.00	\$683,748,720.00
627	Fly, Hawaiian Picture-wing (<i>Drosophila tarphytrichia</i>) - Wherever found	E	\$28,856.00	\$683,777,576.00
627	Spider, Kauai Cave Wolf Or Pe'e Pe'e Maka 'ole (<i>Adelocosa anops</i>) - Wherever found	E	\$28,856.00	\$683,806,432.00
628	Kula Wahine Noho (<i>Isodendrion pyrifolium</i>) - Wherever found	E	\$28,503.00	\$683,834,935.00
629	Pearlshell, Alabama (<i>Margaritifera marrianae</i>) - Wherever found	E	\$28,500.00	\$683,863,435.00
630	Daisy, Parish's (<i>Erigeron parishii</i>) - Wherever found	T	\$28,488.00	\$683,891,923.00
630	Sunshine, Sonoma (<i>Blennosperma bakeri</i>) - Wherever found	E	\$28,488.00	\$683,920,411.00
631	Cactus, San Rafael (<i>Pediocactus despainii</i>) - Wherever found	E	\$28,388.00	\$683,948,799.00
632	Cactus, Tobusch Fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>) - Wherever found	T	\$28,328.00	\$683,977,127.00
633	Haha (<i>Cyanea duvalliorum</i>) - Wherever found	E	\$28,270.00	\$684,005,397.00
633	Haha (<i>Cyanea mauiensis</i>) - Wherever found	E	\$28,270.00	\$684,033,667.00
633	Haha (<i>Cyanea profuga</i>) - Wherever found	E	\$28,270.00	\$684,061,937.00
633	Popolo (<i>Cyanea solanacea</i>) - Wherever found	E	\$28,270.00	\$684,090,207.00
634	Fly, Hawaiian Picture-wing (<i>Drosophila digressa</i>) - Wherever found	E	\$28,045.00	\$684,118,252.00
634	Fly, Hawaiian Picture-wing (<i>Drosophila ochrobasis</i>) - Wherever found	E	\$28,045.00	\$684,146,297.00
634	Picture-wing Fly, Hawaiian (<i>Drosophila neoclavisetae</i>) - Wherever found	E	\$28,045.00	\$684,174,342.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
635	Kangaroo Rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>) - Wherever found	E	\$27,935.00	\$684,202,277.00
636	Damselfly, Crimson Hawaiian (<i>Megalagrion leptodemas</i>) - Wherever found	E	\$27,908.00	\$684,230,185.00
637	Ha`iwale (<i>Cyrtandra filipes</i>) - Wherever found	E	\$27,844.00	\$684,258,029.00
638	Avens, Spreading (<i>Geum radiatum</i>) - Wherever found	E	\$27,696.00	\$684,285,725.00
639	Cactus, Nichol's Turk's Head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>) - Wherever found	E	\$27,488.00	\$684,313,213.00
639	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>) - Wherever found	E	\$27,488.00	\$684,340,701.00
640	Fatmucket, Arkansas (<i>Lampsilis powellii</i>) - Wherever found	T	\$27,063.00	\$684,367,764.00
641	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i>) - Wherever found	E	\$27,028.00	\$684,394,792.00
642	Ladies-tresses, Navasota (<i>Spiranthes parksii</i>) - Wherever found	E	\$27,018.00	\$684,421,810.00
643	Thoroughwort, Cape Sable (<i>Chromolaena frustrata</i>) - Wherever found	E	\$27,000.00	\$684,448,810.00
644	Fringe-tree, Pygmy (<i>Chionanthus pygmaeus</i>) - Wherever found	E	\$26,646.00	\$684,475,456.00
645	Phlox, Texas Trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>) - Wherever found	E	\$26,617.00	\$684,502,073.00
646	Uhi Uhi (<i>Mezoneuron kavaiense</i>) - Wherever found	E	\$26,342.00	\$684,528,415.00
647	Haha (<i>Cyanea magnicalyx</i>) - Wherever found	E	\$26,185.00	\$684,554,600.00
648	Pearlymussel, Dromedary (<i>Dromus dromas</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$26,110.00	\$684,580,710.00
649	Cactus, Siler Pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>) - Wherever found	T	\$26,088.00	\$684,606,798.00
650	Darter, Yellowcheek (<i>Etheostoma moorei</i>) - Wherever found	E	\$26,000.00	\$684,632,798.00
651	Darter, Kentucky Arrow (<i>Etheostoma spilotum</i>) - Wherever found	T	\$25,988.00	\$684,658,786.00
651	Mallow, Gierisch (<i>Sphaeralcea gierischii</i>) - Wherever found	E	\$25,988.00	\$684,684,774.00
651	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>) - Wherever found	E	\$25,988.00	\$684,710,762.00
652	Gardenia (=na`u), Hawaiian (<i>Gardenia brighamii</i>) - Wherever found	E	\$25,947.00	\$684,736,709.00
653	Pocketbook, Shinyrayed (<i>Lampsilis subangulata</i>) - Wherever found	E	\$25,841.00	\$684,762,550.00
654	Cactus, Key Tree (<i>Pilosocereus robinii</i>) - Wherever found	E	\$25,725.00	\$684,788,275.00
655	Quillwort, Louisiana (<i>Isoetes louisianensis</i>) - Wherever found	E	\$25,713.00	\$684,813,988.00
656	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>) - Wherever found	E	\$25,582.00	\$684,839,570.00
657	Makou (<i>Peucedanum sandwicense</i>) - Wherever found	T	\$25,544.00	\$684,865,114.00
658	Cactus, Fickeisen Plains (<i>Pediocactus peeblesianus fickeiseniae</i>) - Wherever found	E	\$25,488.00	\$684,890,602.00
658	Pigeon Wings (<i>Clitoria fragrans</i>) - Wherever found	T	\$25,488.00	\$684,916,090.00
658	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>) - Wherever found	E	\$25,488.00	\$684,941,578.00
659	Koki`o Ke`oke`o (<i>Hibiscus arnotianus</i> ssp. <i>immaculatus</i>) - Wherever found	E	\$25,392.00	\$684,966,970.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
660	Goldfields, Burke's (<i>Lasthenia burkei</i>) - Wherever found	E	\$25,200.00	\$684,992,170.00
661	Butterfly, Mitchell's Satyr (<i>Neonympha mitchellii mitchellii</i>) - Wherever found	E	\$25,097.00	\$685,017,267.00
662	Akialoa, Kauai (honeycreeper) (<i>Akialoa stejnegeri</i>) - 0	NS	\$25,031.00	\$685,042,298.00
663	Aster, Decurrent False (<i>Boltonia decurrens</i>) - Wherever found	T	\$25,000.00	\$685,067,298.00
663	Potato-bean, Prices (<i>Apios priceana</i>) - 0	T	\$25,000.00	\$685,092,298.00
664	Glade Cress, Kentucky (<i>Leavenworthia exigua laciniata</i>) - Wherever found	T	\$24,988.00	\$685,117,286.00
664	Whitlow-wort, Papery (<i>Paronychia chartacea</i>) - Wherever found	T	\$24,988.00	\$685,142,274.00
665	Heelsplitter, Inflated (<i>Potamilus inflatus</i>) - Wherever found	T	\$24,888.00	\$685,167,162.00
666	Milkweed, Mead's (<i>Asclepias meadii</i>) - Wherever found	T	\$24,799.00	\$685,191,961.00
667	Grass, Tennessee Yellow-eyed (<i>Xyris tennesseensis</i>) - Wherever found	E	\$24,795.00	\$685,216,756.00
668	Wild Buckwheat, Clay-loving (<i>Eriogonum pelinophilum</i>) - Wherever found	E	\$24,765.00	\$685,241,521.00
669	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>) - Wherever found	E	\$24,488.00	\$685,266,009.00
669	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>) - Wherever found	E	\$24,488.00	\$685,290,497.00
669	Milk-vetch, Heliotrope (<i>Astragalus montii</i>) - Wherever found	T	\$24,488.00	\$685,314,985.00
670	Warbler, Nightingale Reed (old World Warbler) (<i>Acrocephalus luscini</i> a) - Wherever found	E	\$24,471.00	\$685,339,456.00
671	Hala Pepe (<i>Pleomele hawaiiensis</i>) - Wherever found	E	\$24,377.00	\$685,363,833.00
672	Spinymussel, James (<i>Pleurobema collina</i>) - Wherever found	E	\$24,360.00	\$685,388,193.00
673	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>) - Wherever found	E	\$24,341.00	\$685,412,534.00
674	Warbler (=wood), Golden-cheeked (<i>Dendroica chrysoparia</i>) - Wherever found	E	\$24,308.00	\$685,436,842.00
675	Chub, Owens Tui (<i>Gila bicolor</i> ssp. <i>snyderi</i>) - Wherever found	E	\$24,188.00	\$685,461,030.00
676	Rhinoceros, Northern White (<i>Ceratotherium simum cottoni</i>) - Zaire, Uganda, Sudan, Central African Republic	E	\$23,873.00	\$685,484,903.00
677	Stickleback, Unarmored Threespine (<i>Gasterosteus aculeatus williamsoni</i>) - Wherever found	E	\$23,854.00	\$685,508,757.00
678	Butterweed, Layne's (<i>Senecio layneae</i>) - Wherever found	T	\$23,698.00	\$685,532,455.00
679	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>) - Wherever found	E	\$23,672.00	\$685,556,127.00
680	Butterfly, Miami Blue (<i>Cyclargus</i> (=Hemiargus) <i>thomasi bethunebakeri</i>) - Wherever found	E	\$23,488.00	\$685,579,615.00
680	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>) - Wherever found	T	\$23,488.00	\$685,603,103.00
681	Snail, Lanai Tree (<i>Partulina semicarinata</i>) - Wherever found	E	\$23,431.00	\$685,626,534.00
681	Snail, Lanai Tree (<i>Partulina variabilis</i>) - Wherever found	E	\$23,431.00	\$685,649,965.00
682	Rosemary, Cumberland (<i>Conradina verticillata</i>) - Wherever found	T	\$23,417.00	\$685,673,382.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
683	[no Common Name] Snail (<i>Ostodes strigatus</i>) - Wherever found	E	\$23,228.00	\$685,696,610.00
684	No Common Name (<i>Stenogyne kauaulaensis</i>) - Wherever found	E	\$23,207.00	\$685,719,817.00
685	Nukupuu, Kauai (<i>Hemignathus hanapepe</i>) - Wherever found	E	\$23,003.00	\$685,742,820.00
686	No Common Name (<i>Lepanthes eltoroensis</i>) - Wherever found	E	\$22,988.00	\$685,765,808.00
687	No Common Name (<i>Bonamia menziesii</i>) - Wherever found	E	\$22,926.00	\$685,788,734.00
688	Birds-in-a-nest, White (<i>Macbridea alba</i>) - Wherever found	T	\$22,888.00	\$685,811,622.00
688	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>) - Wherever found	E	\$22,888.00	\$685,834,510.00
689	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>) - Wherever found	E	\$22,866.00	\$685,857,376.00
690	Mint, Lakela's (<i>Dicerandra immaculata</i>) - Wherever found	E	\$22,588.00	\$685,879,964.00
691	Yellow-faced Bee, Easy (<i>Hylaeus facilis</i>) - Wherever found	E	\$22,585.00	\$685,902,549.00
692	Whale, Gray (<i>Eschrichtius robustus</i>) - Western North Pacific DPS	E	\$22,576.00	\$685,925,125.00
693	Kamapua`a (<i>Kadua fluviatilis</i>) - Wherever found	E	\$22,535.00	\$685,947,660.00
694	Cactus, Uinta Basin Hookless (<i>Sclerocactus wetlandicus</i>) - Wherever found	T	\$22,488.00	\$685,970,148.00
694	Hypericum, Highlands Scrub (<i>Hypericum cumulicola</i>) - Wherever found	E	\$22,488.00	\$685,992,636.00
695	No Common Name (<i>Schiedea jacobii</i>) - Wherever found	E	\$22,383.00	\$686,015,019.00
696	Lo`ulu (<i>Pritchardia remota</i>) - Wherever found	E	\$22,332.00	\$686,037,351.00
697	Fairy Shrimp, Conservancy (<i>Branchinecta conservatio</i>) - Wherever found	E	\$22,209.00	\$686,059,560.00
698	Tiger Beetle, Puritan (<i>Cicindela puritana</i>) - Wherever found	T	\$22,187.00	\$686,081,747.00
699	Oha (<i>Delissea subcordata</i>) - Wherever found	E	\$22,149.00	\$686,103,896.00
700	Heather, Mountain Golden (<i>Hudsonia montana</i>) - Wherever found	T	\$21,988.00	\$686,125,884.00
700	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>) - Wherever found	E	\$21,988.00	\$686,147,872.00
701	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>)) - Wherever found	E	\$21,888.00	\$686,169,760.00
701	Sedge, Golden (<i>Carex lutea</i>) - Wherever found	E	\$21,888.00	\$686,191,648.00
702	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>) - Wherever found	E	\$21,833.00	\$686,213,481.00
703	Polygala, Lewton's (<i>Polygala lewtonii</i>) - Wherever found	E	\$21,788.00	\$686,235,269.00
704	Crocodile, Nile (<i>Crocodylus niloticus</i>) - Wherever found	T	\$21,730.00	\$686,256,999.00
705	Skipper, Pawnee Montane (<i>Hesperia leonardus montana</i>) - Wherever found	T	\$21,688.00	\$686,278,687.00
706	Kauila (<i>Colubrina oppositifolia</i>) - Wherever found	E	\$21,494.00	\$686,300,181.00
707	Prairie-clover, Florida (<i>Dalea carthagenensis floridana</i>) - Wherever found	E	\$21,488.00	\$686,321,669.00
707	Tiger Beetle, Miami (<i>Cicindelidia floridana</i>) - Wherever found	E	\$21,488.00	\$686,343,157.00
708	Ko`oloa`ula (<i>Abutilon menziesii</i>) - Wherever found	E	\$21,476.00	\$686,364,633.00
709	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>) - Wherever found	T	\$21,358.00	\$686,385,991.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
710	Cactus, Black Lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>) - Wherever found	E	\$21,328.00	\$686,407,319.00
711	Po'e (<i>Portulaca sclerocarpa</i>) - Wherever found	E	\$21,321.00	\$686,428,640.00
712	No Common Name (<i>Schiedea verticillata</i>) - Wherever found	E	\$21,318.00	\$686,449,958.00
713	Kolea (<i>Myrsine vaccinioides</i>) - Wherever found	E	\$21,246.00	\$686,471,204.00
714	Blossom, Tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$21,222.00	\$686,492,426.00
715	Paintbrush, Soft-leaved (<i>Castilleja mollis</i>) - Wherever found	E	\$21,217.00	\$686,513,643.00
716	Butterfly, Uncompahgre Fritillary (<i>Boloria acrocneuma</i>) - Wherever found	E	\$21,088.00	\$686,534,731.00
717	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>) - Wherever found	E	\$21,002.00	\$686,555,733.00
718	Pinkroot, Gentian (<i>Spigelia gentianoides</i>) - Wherever found	E	\$20,975.00	\$686,576,708.00
719	Seal, Spotted (<i>Phoca largha</i>) - Southern DPS	T	\$20,810.00	\$686,597,518.00
720	Ebonyshell, Round (<i>Fusconaia rotulata</i>) - Wherever found	E	\$20,770.00	\$686,618,288.00
721	Rush-rose, Island (<i>Helianthemum greenei</i>) - Wherever found	T	\$20,535.00	\$686,638,823.00
722	Trout, Apache (<i>Oncorhynchus apache</i>) - Wherever found	T	\$20,500.00	\$686,659,323.00
723	Mint, Garrett's (<i>Dicerandra christmanii</i>) - Wherever found	E	\$20,488.00	\$686,679,811.00
723	Rocksnailed, Round (<i>Leptoxis ampla</i>) - Wherever found	T	\$20,488.00	\$686,700,299.00
723	Walnut (=nogal), West Indian (<i>Juglans jamaicensis</i>) - Wherever found	E	\$20,488.00	\$686,720,787.00
724	Ha'iwale (<i>Cyrtandra munroi</i>) - Wherever found	E	\$20,480.00	\$686,741,267.00
725	Creeper, Molokai (<i>Paroreomyza flammea</i>) - Wherever found	E	\$20,425.00	\$686,761,692.00
725	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>) - Wherever found	E	\$20,425.00	\$686,782,117.00
726	Hau Kuahiwi (<i>Hibiscadelphus giffardianus</i>) - Wherever found	E	\$20,392.00	\$686,802,509.00
727	Blossom, Turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$20,321.00	\$686,822,830.00
728	Vetch, Hawaiian (<i>Vicia menziesii</i>) - Wherever found	E	\$20,201.00	\$686,843,031.00
729	Turtle, Flattened Musk (<i>Sternotherus depressus</i>) - Black Warrior R. system upstream from Bankhead Dam	T	\$20,190.00	\$686,863,221.00
730	Damselfly, Flying Earwig Hawaiian (<i>Megalagrion nesiotes</i>) - Wherever found	E	\$20,186.00	\$686,883,407.00
731	Hala Pepe (<i>Pleomele fernaldii</i>) - Wherever found	E	\$20,158.00	\$686,903,565.00
731	Snake, Atlantic Salt Marsh (<i>Nerodia clarkii taeniata</i>) - Wherever found	T	\$20,158.00	\$686,923,723.00
732	Ha'iwale (<i>Cyrtandra limahuliensis</i>) - Wherever found	T	\$20,121.00	\$686,943,844.00
732	No Common Name (<i>Phyllostegia wawrana</i>) - Wherever found	E	\$20,121.00	\$686,963,965.00
733	No Common Name (<i>Schiedea kauaiensis</i>) - Wherever found	E	\$20,107.00	\$686,984,072.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
734	Grass, Eureka Dune (<i>Swallenia alexandrae</i>) - 0	T	\$20,000.00	\$687,004,072.00
735	Kolea (<i>Myrsine linearifolia</i>) - Wherever found	T	\$19,848.00	\$687,023,920.00
736	Ayenia, Texas (<i>Ayenia limitaris</i>) - Wherever found	E	\$19,816.00	\$687,043,736.00
737	Bird's-beak, Soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>) - Wherever found	E	\$19,688.00	\$687,063,424.00
737	Mint, Scrub (<i>Dicerandra frutescens</i>) - Wherever found	E	\$19,688.00	\$687,083,112.00
738	Tiger Beetle, Northeastern Beach (<i>Cicindela dorsalis dorsalis</i>) - Wherever found	T	\$19,657.00	\$687,102,769.00
739	Tree Snail, Newcomb's (<i>Newcombia cumingi</i>) - Wherever found	E	\$19,635.00	\$687,122,404.00
740	Aster, Ruth's Golden (<i>Pityopsis ruthii</i>) - Wherever found	E	\$19,575.00	\$687,141,979.00
741	`oha Wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>) - Wherever found	E	\$19,499.00	\$687,161,478.00
742	Dudleya, Marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>) - Wherever found	T	\$19,488.00	\$687,180,966.00
742	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>) - Wherever found	T	\$19,488.00	\$687,200,454.00
742	Dudleya, Verity's (<i>Dudleya verityi</i>) - Wherever found	T	\$19,488.00	\$687,219,942.00
742	Rockcress, Georgia (<i>Arabis georgiana</i>) - Wherever found	T	\$19,488.00	\$687,239,430.00
742	No Common Name (<i>Delissea rhytidosperma</i>) - Wherever found	E	\$19,448.00	\$687,258,878.00
742	No Common Name (<i>Doryopteris angelica</i>) - Wherever found	E	\$19,448.00	\$687,278,326.00
743	Shiner, Palezone (<i>Notropis albizonatus</i>) - Wherever found	E	\$19,428.00	\$687,297,754.00
744	Ihi (<i>Portulaca villosa</i>) - Wherever found	E	\$19,391.00	\$687,317,145.00
745	Sunflower, Whorled (<i>Helianthus verticillatus</i>) - 0	E	\$19,385.00	\$687,336,530.00
746	Spurge, Garber's (<i>Chamaesyce garberi</i>) - Wherever found	T	\$19,288.00	\$687,355,818.00
747	Pocketbook, Finelined (<i>Lampsilis altilis</i>) - Wherever found	T	\$19,287.00	\$687,375,105.00
748	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>) - Wherever found	E	\$19,238.00	\$687,394,343.00
749	Butterfly, San Bruno Elfin (<i>Callophrys mossii bayensis</i>) - Wherever found	E	\$19,088.00	\$687,413,431.00
750	No Common Name (<i>Festuca molokaiensis</i>) - Wherever found	E	\$19,087.00	\$687,432,518.00
751	Koki`o Ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>) - Wherever found	E	\$19,036.00	\$687,451,554.00
752	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>) - Wherever found	T	\$18,880.00	\$687,470,434.00
753	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>) - Wherever found	E	\$18,800.00	\$687,489,234.00
754	Gambusia, Pecos (<i>Gambusia nobilis</i>) - Wherever found	E	\$18,738.00	\$687,507,972.00
755	Elimia, Lacy (snail) (<i>Elimia crenatella</i>) - Wherever found	T	\$18,625.00	\$687,526,597.00
756	Pigtoe, Narrow (<i>Fusconaia escambia</i>) - Wherever found	T	\$18,575.00	\$687,545,172.00
757	Dawn-flower, Texas Prairie (<i>Hymenoxys texana</i>) - Wherever found	E	\$18,522.00	\$687,563,694.00
758	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>) - Wherever found	E	\$18,500.00	\$687,582,194.00
758	Rosemary, Etonia (<i>Conradina etonia</i>) - Wherever found	E	\$18,500.00	\$687,600,694.00
759	Sandwort, Marsh (<i>Arenaria paludicola</i>) - Wherever found	E	\$18,495.00	\$687,619,189.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
760	Fescue, Guadalupe (<i>Festuca ligulata</i>) - Wherever found	E	\$18,488.00	\$687,637,677.00
761	Kamakahala (<i>Labordia lydgatei</i>) - Wherever found	E	\$18,434.00	\$687,656,111.00
761	Lo`ulu (<i>Pritchardia napaliensis</i>) - Wherever found	E	\$18,434.00	\$687,674,545.00
761	No Common Name (<i>Phyllostegia renovans</i>) - Wherever found	E	\$18,434.00	\$687,692,979.00
762	Sunburst, Hartweg's Golden (<i>Pseudobahia bahiifolia</i>) - Wherever found	E	\$18,384.00	\$687,711,363.00
763	`o`u (honeycreeper) (<i>Psittirostra psittacea</i>) - Wherever found	E	\$18,340.00	\$687,729,703.00
763	Creeper, Oahu (<i>Paroreomyza maculata</i>) - Wherever found	E	\$18,340.00	\$687,748,043.00
764	Wild-rice, Texas (<i>Zizania texana</i>) - Wherever found	E	\$18,328.00	\$687,766,371.00
765	Cactus, Florida Semaphore (<i>Consolea corallicola</i>) - Wherever found	E	\$18,288.00	\$687,784,659.00
765	Fern, Aleutian Shield (<i>Polystichum aleuticum</i>) - Wherever found	E	\$18,288.00	\$687,802,947.00
765	Milk-vetch, Triple-ribbed (<i>Astragalus tricarinatus</i>) - Wherever found	E	\$18,288.00	\$687,821,235.00
766	Nukupuu, Maui (<i>Hemignathus affinis</i>) - Wherever found	E	\$18,137.00	\$687,839,372.00
767	Haha (<i>Cyanea obtusa</i>) - Wherever found	E	\$18,130.00	\$687,857,502.00
768	Bean, Sea (<i>Mucuna sloanei</i> var. <i>persericea</i>) - Wherever found	E	\$18,073.00	\$687,875,575.00
768	Haha (<i>Cyanea munroi</i>) - Wherever found	E	\$18,073.00	\$687,893,648.00
768	No Common Name (<i>Schiedea laui</i>) - Wherever found	E	\$18,073.00	\$687,911,721.00
769	Kamanomano (<i>Cenchrus agrimonioides</i>) - Wherever found	E	\$18,036.00	\$687,929,757.00
769	No Common Name (<i>Schiedea spergulina</i> var. <i>spergulina</i>) - Wherever found	T	\$18,036.00	\$687,947,793.00
770	Madtom, Chucky (<i>Noturus crypticus</i>) - Wherever found	E	\$18,000.00	\$687,965,793.00
771	Sedge, Navajo (<i>Carex specuicola</i>) - Wherever found	T	\$17,996.00	\$687,983,789.00
772	Boxwood, Vahl's (<i>Buxus vahlii</i>) - Wherever found	E	\$17,988.00	\$688,001,777.00
772	Buckwheat, Scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>) - Wherever found	T	\$17,988.00	\$688,019,765.00
772	Reed-mustard, Shrubby (<i>Schoenocrambe suffrutescens</i>) - Wherever found	E	\$17,988.00	\$688,037,753.00
773	No Common Name (<i>Vigna o-wahuensis</i>) - Wherever found	E	\$17,936.00	\$688,055,689.00
774	Cactus, Star (<i>Astrophytum asterias</i>) - Wherever found	E	\$17,929.00	\$688,073,618.00
775	Snail, Newcomb's (<i>Erinna newcombi</i>) - Wherever found	T	\$17,905.00	\$688,091,523.00
776	Rose-mallow, Neches River (<i>Hibiscus dasycalyx</i>) - Wherever found	T	\$17,892.00	\$688,109,415.00
777	No Common Name (<i>Polyscias bisattenuata</i>) - Wherever found	E	\$17,763.00	\$688,127,178.00
778	`o`o, Kauai (honeyeater) (<i>Moho braccatus</i>) - Wherever found	E	\$17,701.00	\$688,144,879.00
779	Ha`iwale (<i>Cyrtandra kaulantha</i>) - Wherever found	E	\$17,674.00	\$688,162,553.00
779	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>) - Wherever found	E	\$17,674.00	\$688,180,227.00
779	Haha (<i>Cyanea humboldtiana</i>) - Wherever found	E	\$17,674.00	\$688,197,901.00
779	Haha (<i>Cyanea st.-johnii</i>) - Wherever found	E	\$17,674.00	\$688,215,575.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
779	No Common Name (<i>Tetramolopium remyi</i>) - Wherever found	E	\$17,674.00	\$688,233,249.00
780	Sandalwood, Lanai (= `iliali) (<i>Santalum haleakalae</i> var. <i>lanaiense</i>) - Wherever found	E	\$17,608.00	\$688,250,857.00
781	Pigtoe, Southern (<i>Pleurobema georgianum</i>) - Wherever found	E	\$17,591.00	\$688,268,448.00
782	No Common Name (<i>Amaranthus brownii</i>) - Wherever found	E	\$17,515.00	\$688,285,963.00
783	Crayfish, Big Sandy (<i>Cambarus callainus</i>) - Wherever found	T	\$17,500.00	\$688,303,463.00
783	Mustard, Carter's (<i>Warea carteri</i>) - Wherever found	E	\$17,500.00	\$688,320,963.00
784	Bird's-beak, Salt Marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>) - Wherever found	E	\$17,488.00	\$688,338,451.00
784	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>) - Wherever found	E	\$17,488.00	\$688,355,939.00
784	No Common Name (<i>Aristida chaseae</i>) - Wherever found	E	\$17,488.00	\$688,373,427.00
784	No Common Name (<i>Gesneria pauciflora</i>) - Wherever found	T	\$17,488.00	\$688,390,915.00
784	No Common Name (<i>Lyonia truncata</i> var. <i>proctorii</i>) - Wherever found	E	\$17,488.00	\$688,408,403.00
785	`anunu (<i>Sicyos albus</i>) - Wherever found	E	\$17,453.00	\$688,425,856.00
786	`ohe`ohe (<i>Polyscias gymnocarpa</i>) - Wherever found	E	\$17,420.00	\$688,443,276.00
786	Ha`iwale (<i>Cyrtandra polyantha</i>) - Wherever found	E	\$17,420.00	\$688,460,696.00
786	Ha`iwale (<i>Cyrtandra sessilis</i>) - Wherever found	E	\$17,420.00	\$688,478,116.00
786	Haha (<i>Cyanea acuminata</i>) - Wherever found	E	\$17,420.00	\$688,495,536.00
786	Haha (<i>Cyanea crispa</i>) - Wherever found	E	\$17,420.00	\$688,512,956.00
786	Haha (<i>Cyanea koolauensis</i>) - Wherever found	E	\$17,420.00	\$688,530,376.00
786	Haha (<i>Cyanea longiflora</i>) - Wherever found	E	\$17,420.00	\$688,547,796.00
786	Haha (<i>Cyanea pinnatifida</i>) - Wherever found	E	\$17,420.00	\$688,565,216.00
786	Haha (<i>Cyanea purpurellifolia</i>) - Wherever found	E	\$17,420.00	\$688,582,636.00
786	Haiwale (<i>Cyrtandra waiolani</i>) - Wherever found	E	\$17,420.00	\$688,600,056.00
786	Hulumoa (<i>Korthalsella degeneri</i>) - Wherever found	E	\$17,420.00	\$688,617,476.00
786	Kopiko (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>) - Wherever found	E	\$17,420.00	\$688,634,896.00
786	Kuawawaenuhu (<i>Schiedea lychnoides</i>) - Wherever found	E	\$17,420.00	\$688,652,316.00
786	Lau`ehu (<i>Panicum niihauense</i>) - Wherever found	E	\$17,420.00	\$688,669,736.00
786	Ma`oli`oli (<i>Schiedea kealiae</i>) - Wherever found	E	\$17,420.00	\$688,687,156.00
786	Nanu (<i>Gardenia mannii</i>) - Wherever found	E	\$17,420.00	\$688,704,576.00
786	Nehe (<i>Melanthera tenuifolia</i>) - Wherever found	E	\$17,420.00	\$688,721,996.00
786	No Common Name (<i>Abutilon sandwicense</i>) - Wherever found	E	\$17,420.00	\$688,739,416.00
786	No Common Name (<i>Asplenium dielfalcatum</i>) - Wherever found	E	\$17,420.00	\$688,756,836.00
786	No Common Name (<i>Asplenium unisorum</i>) - Wherever found	E	\$17,420.00	\$688,774,256.00
786	No Common Name (<i>Kadua parvula</i>) - Wherever found	E	\$17,420.00	\$688,791,676.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
786	No Common Name (<i>Lobelia koolauensis</i>) - Wherever found	E	\$17,420.00	\$688,809,096.00
786	No Common Name (<i>Phyllostegia hirsuta</i>) - Wherever found	E	\$17,420.00	\$688,826,516.00
786	No Common Name (<i>Phyllostegia kaalaensis</i>) - Wherever found	E	\$17,420.00	\$688,843,936.00
786	No Common Name (<i>Phyllostegia mollis</i>) - Wherever found	E	\$17,420.00	\$688,861,356.00
786	No Common Name (<i>Platydesma cornuta</i> var. <i>cornuta</i>) - Wherever found	E	\$17,420.00	\$688,878,776.00
786	No Common Name (<i>Platydesma cornuta</i> var. <i>decurrens</i>) - Wherever found	E	\$17,420.00	\$688,896,196.00
786	No Common Name (<i>Polyscias racemosa</i>) - Wherever found	E	\$17,420.00	\$688,913,616.00
786	No Common Name (<i>Schiedea kaalae</i>) - Wherever found	E	\$17,420.00	\$688,931,036.00
786	No Common Name (<i>Schiedea obovata</i>) - Wherever found	E	\$17,420.00	\$688,948,456.00
786	No Common Name (<i>Stenogyne kanehoana</i>) - Wherever found	E	\$17,420.00	\$688,965,876.00
786	No Common Name (<i>Tetramolopium filiforme</i>) - Wherever found	E	\$17,420.00	\$688,983,296.00
787	No Common Name (<i>Phyllostegia pilosa</i>) - Wherever found	E	\$17,370.00	\$689,000,666.00
788	Heau (<i>Exocarpos luteolus</i>) - Wherever found	E	\$17,363.00	\$689,018,029.00
788	No Common Name (<i>Kadua haupuensis</i>) - Wherever found	E	\$17,363.00	\$689,035,392.00
788	Papala (<i>Charpentiera densiflora</i>) - Wherever found	E	\$17,363.00	\$689,052,755.00
789	Gerardia, Sandplain (<i>Agalinis acuta</i>) - Wherever found	E	\$17,288.00	\$689,070,043.00
789	Goldenrod, Short's (<i>Solidago shortii</i>) - Wherever found	E	\$17,288.00	\$689,087,331.00
790	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>) - Wherever found	E	\$17,267.00	\$689,104,598.00
791	Koki`o (<i>Kokia drynarioides</i>) - Wherever found	E	\$17,216.00	\$689,121,814.00
791	No Common Name (<i>Lipochaeta venosa</i>) - Wherever found	E	\$17,216.00	\$689,139,030.00
792	Kidneyshell, Triangular (<i>Ptychobranthus greenii</i>) - Wherever found	E	\$17,091.00	\$689,156,121.00
793	No Common Name (<i>Schiedea salicaria</i>) - Wherever found	E	\$17,059.00	\$689,173,180.00
794	No Common Name (<i>Vernonia proctorii</i>) - Wherever found	E	\$16,988.00	\$689,190,168.00
794	Palo De Ramon (<i>Banara vanderbiltii</i>) - Wherever found	E	\$16,988.00	\$689,207,156.00
794	Pelos Del Diablo (<i>Aristida portoricensis</i>) - Wherever found	E	\$16,988.00	\$689,224,144.00
794	Uvillo (<i>Eugenia haematocarpa</i>) - Wherever found	E	\$16,988.00	\$689,241,132.00
795	Chub, Slender (<i>Erimystax cahni</i>) - Wherever found	T	\$16,976.00	\$689,258,108.00
796	Ha`iwale (<i>Cyrtandra hematos</i>) - Wherever found	E	\$16,913.00	\$689,275,021.00
797	Ma`o Hau Hele, (=native Yellow Hibiscus) (<i>Hibiscus brackenridgei</i>) - Wherever found	E	\$16,825.00	\$689,291,846.00
798	No Common Name (<i>Schiedea nuttallii</i>) - Wherever found	E	\$16,806.00	\$689,308,652.00
799	Blazingstar, Scrub (<i>Liatris ohlingerae</i>) - Wherever found	E	\$16,688.00	\$689,325,340.00
800	Mahoe (<i>Alectryon macrococcus</i>) - Wherever found	E	\$16,686.00	\$689,342,026.00
801	Haha (<i>Cyanea lobata</i>) - Wherever found	E	\$16,677.00	\$689,358,703.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
802	Spineflower, Slender-horned (<i>Dodecahema leptoceras</i>) - Wherever found	E	\$16,632.00	\$689,375,335.00
803	Guajon (<i>Eleutherodactylus cooki</i>) - Wherever found	T	\$16,488.00	\$689,391,823.00
803	No Common Name (<i>Calyptanthus thomasiana</i>) - Wherever found	E	\$16,488.00	\$689,408,311.00
803	No Common Name (<i>Eugenia woodburyana</i>) - Wherever found	E	\$16,488.00	\$689,424,799.00
803	Rattleweed, Hairy (<i>Baptisia arachnifera</i>) - Wherever found	E	\$16,488.00	\$689,441,287.00
804	No Common Name (<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>) - Wherever found	E	\$16,456.00	\$689,457,743.00
805	Pauoa (<i>Ctenitis squamigera</i>) - Wherever found	E	\$16,424.00	\$689,474,167.00
806	No Common Name (<i>Phyllostegia floribunda</i>) - Wherever found	E	\$16,406.00	\$689,490,573.00
807	Haha (<i>Cyanea mceldowneyi</i>) - Wherever found	E	\$16,383.00	\$689,506,956.00
808	Ho`awa (<i>Pittosporum napaliense</i>) - Wherever found	E	\$16,349.00	\$689,523,305.00
808	No Common Name (<i>Xylosma crenatum</i>) - Wherever found	E	\$16,349.00	\$689,539,654.00
809	Mint, Longspurred (<i>Dicerandra cornutissima</i>) - Wherever found	E	\$16,188.00	\$689,555,842.00
810	Ma`oli`oli (<i>Schiedea pubescens</i>) - Wherever found	E	\$16,153.00	\$689,571,995.00
811	Monkshood, Northern Wild (<i>Aconitum noveboracense</i>) - Wherever found	T	\$16,123.00	\$689,588,118.00
812	Darter, Cherokee (<i>Etheostoma scotti</i>) - Wherever found	T	\$16,087.00	\$689,604,205.00
813	No Common Name (<i>Daphnopsis helleriana</i>) - Wherever found	E	\$15,988.00	\$689,620,193.00
813	Pawpaw, Four-petal (<i>Asimina tetramera</i>) - Wherever found	E	\$15,988.00	\$689,636,181.00
814	Black Pine Snake (<i>Pituophis melanoleucus lodingi</i>) - Wherever found	T	\$15,907.00	\$689,652,088.00
815	Kohe Malama Malama O Kanaloa (<i>Kanaloa kahoowawensis</i>) - Wherever found	E	\$15,899.00	\$689,667,987.00
816	Phacelia, Island (<i>Phacelia insularis</i> ssp. <i>insularis</i>) - Wherever found	E	\$15,849.00	\$689,683,836.00
817	Holei (<i>Ochrosia haleakalae</i>) - Wherever found	E	\$15,843.00	\$689,699,679.00
818	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>) - Wherever found	E	\$15,819.00	\$689,715,498.00
819	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>) - Wherever found	T	\$15,789.00	\$689,731,287.00
820	Darter, Etowah (<i>Etheostoma etowahae</i>) - Wherever found	E	\$15,687.00	\$689,746,974.00
821	Springsnail, Koster's (<i>Juturnia kosteri</i>) - Wherever found	E	\$15,657.00	\$689,762,631.00
822	`oha Wai (<i>Clermontia pyrularia</i>) - Wherever found	E	\$15,646.00	\$689,778,277.00
822	Ha`iwale (<i>Cyrtandra giffardii</i>) - Wherever found	E	\$15,646.00	\$689,793,923.00
822	Haha (<i>Cyanea dunbariae</i>) - Wherever found	E	\$15,646.00	\$689,809,569.00
822	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>) - Wherever found	E	\$15,646.00	\$689,825,215.00
822	Haha (<i>Cyanea marksii</i>) - Wherever found	E	\$15,646.00	\$689,840,861.00
822	Haha (<i>Cyanea procera</i>) - Wherever found	E	\$15,646.00	\$689,856,507.00
822	Hau Kuahiwi (<i>Hibiscadelphus hualalaiensis</i>) - Wherever found	E	\$15,646.00	\$689,872,153.00
822	Hoawa (<i>Pittosporum hawaiiense</i>) - Wherever found	E	\$15,646.00	\$689,887,799.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
822	Ma`oli`oli (<i>Schiedea hawaiiensis</i>) - Wherever found	E	\$15,646.00	\$689,903,445.00
822	No Common Name (<i>Cyrtandra wagneri</i>) - Wherever found	E	\$15,646.00	\$689,919,091.00
822	No Common Name (<i>Delissea undulata</i>) - Wherever found	E	\$15,646.00	\$689,934,737.00
822	No Common Name (<i>Huperzia stemmermanniae</i>) - Wherever found	E	\$15,646.00	\$689,950,383.00
822	No Common Name (<i>Phyllostegia hispida</i>) - Wherever found	E	\$15,646.00	\$689,966,029.00
822	No Common Name (<i>Phyllostegia mannii</i>) - Wherever found	E	\$15,646.00	\$689,981,675.00
822	No Common Name (<i>Phyllostegia warshaueri</i>) - Wherever found	E	\$15,646.00	\$689,997,321.00
822	No Common Name (<i>Schiedea diffusa</i> ssp. <i>macraei</i>) - Wherever found	E	\$15,646.00	\$690,012,967.00
822	No Common Name (<i>Silene hawaiiensis</i>) - Wherever found	T	\$15,646.00	\$690,028,613.00
822	No Common Name (<i>Stenogyne cranwelliae</i>) - Wherever found	E	\$15,646.00	\$690,044,259.00
823	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>) - Wherever found	E	\$15,607.00	\$690,059,866.00
824	Haiwale (<i>Cyrtandra gracilis</i>) - Wherever found	E	\$15,589.00	\$690,075,455.00
825	Hornsnail, Rough (<i>Pleurocera foremani</i>) - Wherever found	E	\$15,493.00	\$690,090,948.00
826	Butterfly, Saint Francis' Satyr (<i>Neonympha mitchellii francisci</i>) - Wherever found	E	\$15,488.00	\$690,106,436.00
826	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>) - Wherever found	T	\$15,488.00	\$690,121,924.00
827	Ha`iwale (<i>Cyrtandra oenobarba</i>) - Wherever found	E	\$15,392.00	\$690,137,316.00
827	Haha (<i>Cyanea dolichopoda</i>) - Wherever found	E	\$15,392.00	\$690,152,708.00
827	Haha (<i>Cyanea eleeleensis</i>) - Wherever found	E	\$15,392.00	\$690,168,100.00
827	Haha (<i>Cyanea gibsonii</i>) - Wherever found	E	\$15,392.00	\$690,183,492.00
827	Haha (<i>Cyanea kolekoleensis</i>) - Wherever found	E	\$15,392.00	\$690,198,884.00
827	Haha (<i>Cyanea mannii</i>) - Wherever found	E	\$15,392.00	\$690,214,276.00
827	Haha (<i>Cyanea recta</i>) - Wherever found	T	\$15,392.00	\$690,229,668.00
827	Haha (<i>Cyanea rivularis</i>) - Wherever found	E	\$15,392.00	\$690,245,060.00
827	Haha (<i>Cyanea undulata</i>) - Wherever found	E	\$15,392.00	\$690,260,452.00
827	Hau Kuahiwi (<i>Hibiscadelphus woodii</i>) - Wherever found	E	\$15,392.00	\$690,275,844.00
827	Hohiu (<i>Dryopteris glabra</i> var. <i>pusilla</i>) - Wherever found	E	\$15,392.00	\$690,291,236.00
827	Kamakahala (<i>Labordia helleri</i>) - Wherever found	E	\$15,392.00	\$690,306,628.00
827	Kamakahala (<i>Labordia pumila</i>) - Wherever found	E	\$15,392.00	\$690,322,020.00
827	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>) - Wherever found	E	\$15,392.00	\$690,337,412.00
827	Kamakahala (<i>Labordia triflora</i>) - Wherever found	E	\$15,392.00	\$690,352,804.00
827	Kauai Hau Kuahiwi (<i>Hibiscadelphus distans</i>) - Wherever found	E	\$15,392.00	\$690,368,196.00
827	Kio`ele (<i>Kadua coriacea</i>) - Wherever found	E	\$15,392.00	\$690,383,588.00
827	Kiponapona (<i>Phyllostegia racemosa</i>) - Wherever found	E	\$15,392.00	\$690,398,980.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
827	Koholapehu (<i>Dubautia latifolia</i>) - Wherever found	E	\$15,392.00	\$690,414,372.00
827	Koki'o (<i>Kokia kauaiensis</i>) - Wherever found	E	\$15,392.00	\$690,429,764.00
827	Kopiko (<i>Psychotria hobdyi</i>) - Wherever found	E	\$15,392.00	\$690,445,156.00
827	Kulu'i (<i>Nototrichium humile</i>) - Wherever found	E	\$15,392.00	\$690,460,548.00
827	Lo'ulu (<i>Pritchardia hardyi</i>) - Wherever found	E	\$15,392.00	\$690,475,940.00
827	Lo'ulu (<i>Pritchardia munroi</i>) - Wherever found	E	\$15,392.00	\$690,491,332.00
827	Lo'ulu (<i>Pritchardia viscosa</i>) - Wherever found	E	\$15,392.00	\$690,506,724.00
827	Ma'oli'oli (<i>Schiedea apokremnos</i>) - Wherever found	E	\$15,392.00	\$690,522,116.00
827	Na'ena'e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>) - Wherever found	E	\$15,392.00	\$690,537,508.00
827	Naenae (<i>Dubautia kenwoodii</i>) - Wherever found	E	\$15,392.00	\$690,552,900.00
827	Nani Wai'ale'ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>) - Wherever found	E	\$15,392.00	\$690,568,292.00
827	No Common Name (<i>Asplenium dielmannii</i>) - Wherever found	E	\$15,392.00	\$690,583,684.00
827	No Common Name (<i>Asplenium dielpallidum</i>) - Wherever found	E	\$15,392.00	\$690,599,076.00
827	No Common Name (<i>Cyperus fauriei</i>) - Wherever found	E	\$15,392.00	\$690,614,468.00
827	No Common Name (<i>Cyperus pennatiformis</i>) - Wherever found	E	\$15,392.00	\$690,629,860.00
827	No Common Name (<i>Hesperomannia lydgatei</i>) - Wherever found	E	\$15,392.00	\$690,645,252.00
827	No Common Name (<i>Lobelia niihauensis</i>) - Wherever found	E	\$15,392.00	\$690,660,644.00
827	No Common Name (<i>Lysimachia lydgatei</i>) - Wherever found	E	\$15,392.00	\$690,676,036.00
827	No Common Name (<i>Lysimachia maxima</i>) - Wherever found	E	\$15,392.00	\$690,691,428.00
827	No Common Name (<i>Lysimachia pendens</i>) - Wherever found	E	\$15,392.00	\$690,706,820.00
827	No Common Name (<i>Lysimachia scopulensis</i>) - Wherever found	E	\$15,392.00	\$690,722,212.00
827	No Common Name (<i>Lysimachia venosa</i>) - Wherever found	E	\$15,392.00	\$690,737,604.00
827	No Common Name (<i>Neraudia sericea</i>) - Wherever found	E	\$15,392.00	\$690,752,996.00
827	No Common Name (<i>Phyllostegia helleri</i>) - 0	E	\$15,392.00	\$690,768,388.00
827	No Common Name (<i>Phyllostegia knudsenii</i>) - Wherever found	E	\$15,392.00	\$690,783,780.00
827	No Common Name (<i>Phyllostegia parviflora</i>) - Wherever found	E	\$15,392.00	\$690,799,172.00
827	No Common Name (<i>Phyllostegia velutina</i>) - Wherever found	E	\$15,392.00	\$690,814,564.00
827	No Common Name (<i>Polyscias flynnii</i>) - Wherever found	E	\$15,392.00	\$690,829,956.00
827	No Common Name (<i>Remya kauaiensis</i>) - Wherever found	E	\$15,392.00	\$690,845,348.00
827	No Common Name (<i>Schiedea helleri</i>) - Wherever found	E	\$15,392.00	\$690,860,740.00
827	No Common Name (<i>Sicyos lanceoloideus</i>) - Wherever found	E	\$15,392.00	\$690,876,132.00
827	No Common Name (<i>Stenogyne campanulata</i>) - Wherever found	E	\$15,392.00	\$690,891,524.00
827	No Common Name (<i>Stenogyne kaalae</i> ssp. <i>sherffii</i>) - Wherever found	E	\$15,392.00	\$690,906,916.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
827	No Common Name (<i>Viola lanaiensis</i>) - Wherever found	E	\$15,392.00	\$690,922,308.00
827	Pua `ala (<i>Brighamia rockii</i>) - Wherever found	E	\$15,392.00	\$690,937,700.00
828	Ha`iwale (<i>Cyrtandra crenata</i>) - Wherever found	E	\$15,335.00	\$690,953,035.00
828	Ha`iwale (<i>Cyrtandra dentata</i>) - Wherever found	E	\$15,335.00	\$690,968,370.00
828	Ha`iwale (<i>Cyrtandra subumbellata</i>) - Wherever found	E	\$15,335.00	\$690,983,705.00
828	Ha`iwale (<i>Cyrtandra viridiflora</i>) - Wherever found	E	\$15,335.00	\$690,999,040.00
828	Haha (<i>Cyanea lanceolata</i>) - Wherever found	E	\$15,335.00	\$691,014,375.00
828	Haha (<i>Cyanea truncata</i>) - Wherever found	E	\$15,335.00	\$691,029,710.00
828	Hala Pepe (<i>Pleomele forbesii</i>) - Wherever found	E	\$15,335.00	\$691,045,045.00
828	Kamakahala (<i>Labordia cyrtandrae</i>) - Wherever found	E	\$15,335.00	\$691,060,380.00
828	Kaulu (<i>Pteralyxia kauaiensis</i>) - Wherever found	E	\$15,335.00	\$691,075,715.00
828	Kaulu (<i>Pteralyxia macrocarpa</i>) - Wherever found	E	\$15,335.00	\$691,091,050.00
828	Kolea (<i>Myrsine juddii</i>) - Wherever found	E	\$15,335.00	\$691,106,385.00
828	Lauhilihi (<i>Schiedea stellarioides</i>) - Wherever found	E	\$15,335.00	\$691,121,720.00
828	Lo`ulu (<i>Pritchardia kaalae</i>) - Wherever found	E	\$15,335.00	\$691,137,055.00
828	Na`ena`e (<i>Dubautia herbstobatae</i>) - Wherever found	E	\$15,335.00	\$691,152,390.00
828	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>) - Wherever found	E	\$15,335.00	\$691,167,725.00
828	Nioi (<i>Eugenia koolauensis</i>) - Wherever found	E	\$15,335.00	\$691,183,060.00
828	No Common Name (<i>Doryopteris takeuchii</i>) - Wherever found	E	\$15,335.00	\$691,198,395.00
828	No Common Name (<i>Kadua degeneri</i>) - Wherever found	E	\$15,335.00	\$691,213,730.00
828	No Common Name (<i>Lobelia monostachya</i>) - Wherever found	E	\$15,335.00	\$691,229,065.00
828	No Common Name (<i>Lobelia oahuensis</i>) - Wherever found	E	\$15,335.00	\$691,244,400.00
828	No Common Name (<i>Neraudia angulata</i>) - Wherever found	E	\$15,335.00	\$691,259,735.00
828	No Common Name (<i>Polyscias lydgatei</i>) - Wherever found	E	\$15,335.00	\$691,275,070.00
828	No Common Name (<i>Sanicula mariversa</i>) - Wherever found	E	\$15,335.00	\$691,290,405.00
828	No Common Name (<i>Schiedea membranacea</i>) - Wherever found	E	\$15,335.00	\$691,305,740.00
828	No Common Name (<i>Schiedea trinervis</i>) - Wherever found	E	\$15,335.00	\$691,321,075.00
828	No Common Name (<i>Schiedea viscosa</i>) - Wherever found	E	\$15,335.00	\$691,336,410.00
828	No Common Name (<i>Silene perlmanii</i>) - Wherever found	E	\$15,335.00	\$691,351,745.00
828	No Common Name (<i>Viola oahuensis</i>) - Wherever found	E	\$15,335.00	\$691,367,080.00
828	Opuhe (<i>Urera kaalae</i>) - Wherever found	E	\$15,335.00	\$691,382,415.00
828	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>) - Wherever found	E	\$15,335.00	\$691,397,750.00
829	No Common Name (<i>Bidens hillebrandiana</i> ssp. <i>hillebrandiana</i>) - Wherever found	E	\$15,321.00	\$691,413,071.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
830	No Common Name (<i>Gouania vitifolia</i>) - Wherever found	E	\$15,291.00	\$691,428,362.00
831	Combshell, Upland (<i>Epioblasma metastrata</i>) - Wherever found	E	\$15,091.00	\$691,443,453.00
832	Lo`ulu (<i>Pritchardia lanigera</i>) - Wherever found	E	\$15,065.00	\$691,458,518.00
833	Daisy, Lakeside (<i>Hymenoxys herbacea</i>) - Wherever found	T	\$15,016.00	\$691,473,534.00
834	No Common Name (<i>Trematolobelia singularis</i>) - Wherever found	E	\$15,011.00	\$691,488,545.00
835	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>) - Wherever found	E	\$14,988.00	\$691,503,533.00
835	Plum, Scrub (<i>Prunus geniculata</i>) - Wherever found	E	\$14,988.00	\$691,518,521.00
835	Shrimp, Kentucky Cave (<i>Palaemonias ganteri</i>) - Wherever found	E	\$14,988.00	\$691,533,509.00
836	Crocodile, Saltwater (<i>Crocodylus porosus</i>) - Australia	T	\$14,976.00	\$691,548,485.00
836	Vicuna (<i>Vicugna vicugna</i>) - Entire, except Ecuador	T	\$14,976.00	\$691,563,461.00
837	Shrimp, Anchialine Pool (<i>Procaris hawaiana</i>) - Wherever found	E	\$14,958.00	\$691,578,419.00
838	Irisette, White (<i>Sisyrinchium dichotomum</i>) - Wherever found	E	\$14,900.00	\$691,593,319.00
839	No Common Name (<i>Cyanea kauaulaensis</i>) - Wherever found	E	\$14,828.00	\$691,608,147.00
839	No Common Name (<i>Cyperus neokunthianus</i>) - Wherever found	E	\$14,828.00	\$691,622,975.00
840	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>) - Wherever found	E	\$14,700.00	\$691,637,675.00
841	Joint-vetch, Sensitive (<i>Aeschynomene virginica</i>) - Wherever found	T	\$14,698.00	\$691,652,373.00
842	Clarkia, Presidio (<i>Clarkia franciscana</i>) - Wherever found	E	\$14,688.00	\$691,667,061.00
843	Bladderpod, Kodachrome (<i>Lesquerella tumulosa</i>) - Wherever found	E	\$14,588.00	\$691,681,649.00
843	Silverside, Waccamaw (<i>Menidia extensa</i>) - Wherever found	T	\$14,588.00	\$691,696,237.00
844	No Common Name (<i>Cyrtandra nanawaleensis</i>) - Wherever found	E	\$14,575.00	\$691,710,812.00
844	Pu`uka`a (<i>Cyperus trachysanthos</i>) - Wherever found	E	\$14,575.00	\$691,725,387.00
845	Bladderpod, White (<i>Lesquerella pallida</i>) - Wherever found	E	\$14,561.00	\$691,739,948.00
845	Lo`ulu (<i>Pritchardia maideniana</i>) - Wherever found	E	\$14,561.00	\$691,754,509.00
846	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>) - Wherever found	E	\$14,489.00	\$691,768,998.00
847	Marstonia, Royal (snail) (<i>Pyrgulopsis ogmorhappe</i>) - Wherever found	E	\$14,488.00	\$691,783,486.00
847	Palo De Nigua (<i>Cornutia obovata</i>) - Wherever found	E	\$14,488.00	\$691,797,974.00
848	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>) - Wherever found	E	\$14,460.00	\$691,812,434.00
849	No Common Name (<i>Abutilon eremitopetalum</i>) - Wherever found	E	\$14,321.00	\$691,826,755.00
850	No Common Name (<i>Diplazium molokaiense</i>) - Wherever found	E	\$14,298.00	\$691,841,053.00
851	Rocksnailed, Interrupted (=georgia) (<i>Leptoxis foremani</i>) - Wherever found	E	\$14,250.00	\$691,855,303.00
852	Crocodile, African Dwarf (<i>Osteolaemus tetraspis tetraspis</i>) - Wherever found	E	\$14,242.00	\$691,869,545.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
852	Crocodile, African Slender-snouted (<i>Crocodylus cataphractus</i>) - Wherever found	E	\$14,242.00	\$691,883,787.00
852	Crocodile, Congo Dwarf (<i>Osteolaemus tetraspis osborni</i>) - Wherever found	E	\$14,242.00	\$691,898,029.00
853	Owl's-clover, Fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>) - Wherever found	T	\$14,132.00	\$691,912,161.00
854	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>) - Wherever found	E	\$14,088.00	\$691,926,249.00
855	No Common Name (<i>Phyllostegia stachyoides</i>) - Wherever found	E	\$14,068.00	\$691,940,317.00
855	Olua (<i>Hypolepis hawaiiensis</i> var. <i>mauiensis</i>) - Wherever found	E	\$14,068.00	\$691,954,385.00
856	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>) - Wherever found	T	\$14,045.00	\$691,968,430.00
857	Warea, Wide-leaf (<i>Warea amplexifolia</i>) - Wherever found	E	\$14,000.00	\$691,982,430.00
858	Boa, Mona (<i>Epicrates monensis monensis</i>) - Wherever found	T	\$13,988.00	\$691,996,418.00
858	Chumbo, Higo (<i>Harrisia portoricensis</i>) - Wherever found	T	\$13,988.00	\$692,010,406.00
858	Iguana, Mona Ground (<i>Cyclura stejnegeri</i>) - Wherever found	T	\$13,988.00	\$692,024,394.00
858	No Common Name (<i>Agave eggersiana</i>) - Wherever found	E	\$13,988.00	\$692,038,382.00
858	No Common Name (<i>Schoepfia arenaria</i>) - Wherever found	T	\$13,988.00	\$692,052,370.00
858	Palo De Rosa (<i>Ottoschulzia rhodoxylon</i>) - Wherever found	E	\$13,988.00	\$692,066,358.00
858	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>) - Wherever found	E	\$13,988.00	\$692,080,346.00
858	Prickly-apple, Fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>) - Wherever found	E	\$13,988.00	\$692,094,334.00
858	Sunfish, Spring Pygmy (<i>Elassoma alabamae</i>) - Wherever found	T	\$13,988.00	\$692,108,322.00
859	Fly, Hawaiian Picture-wing (<i>Drosophila musaphilia</i>) - Wherever found	E	\$13,849.00	\$692,122,171.00
859	Fly, Hawaiian Picture-wing (<i>Drosophila sharpi</i>) - Wherever found	E	\$13,849.00	\$692,136,020.00
859	Yellow-faced Bee, Hawaiian (<i>Hylaeus kuakea</i>) - Wherever found	E	\$13,849.00	\$692,149,869.00
859	Yellow-faced Bee, Hawaiian (<i>Hylaeus mana</i>) - Wherever found	E	\$13,849.00	\$692,163,718.00
860	Salamander, Santa Cruz Long-toed (<i>Ambystoma macrodactylum croceum</i>) - Wherever found	E	\$13,816.00	\$692,177,534.00
861	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>) - Wherever found	T	\$13,811.00	\$692,191,345.00
862	Flax, Sand (<i>Linum arenicola</i>) - Wherever found	E	\$13,788.00	\$692,205,133.00
863	Amphipod, Noel's (<i>Gammarus desperatus</i>) - Wherever found	E	\$13,688.00	\$692,218,821.00
863	Orcutt Grass, Slender (<i>Orcuttia tenuis</i>) - Wherever found	T	\$13,688.00	\$692,232,509.00
864	Springfish, White River (<i>Crenichthys baileyi baileyi</i>) - Wherever found	E	\$13,600.00	\$692,246,109.00
865	`oha Wai (<i>Clermontia lindseyana</i>) - Wherever found	E	\$13,561.00	\$692,259,670.00
865	`oha Wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>) - Wherever found	E	\$13,561.00	\$692,273,231.00
865	Fern, Pendant Kihī (<i>Adenophorus periens</i>) - Wherever found	E	\$13,561.00	\$692,286,792.00
865	Ha`iwale (<i>Cyrtandra tintinnabula</i>) - Wherever found	E	\$13,561.00	\$692,300,353.00
865	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>) - Wherever found	E	\$13,561.00	\$692,313,914.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
865	Haha (<i>Cyanea remyi</i>) - Wherever found	E	\$13,561.00	\$692,327,475.00
865	Heau (<i>Exocarpos menziesii</i>) - 0	E	\$13,561.00	\$692,341,036.00
865	Honohono (<i>Haplostachys haplostachya</i>) - Wherever found	E	\$13,561.00	\$692,354,597.00
865	Kuahiwi Laukahi (<i>Plantago hawaiiensis</i>) - Wherever found	E	\$13,561.00	\$692,368,158.00
865	Lo`ulu (<i>Pritchardia schattaueri</i>) - Wherever found	E	\$13,561.00	\$692,381,719.00
865	No Common Name (<i>Festuca hawaiiensis</i>) - Wherever found	E	\$13,561.00	\$692,395,280.00
865	No Common Name (<i>Platydesma remyi</i>) - Wherever found	E	\$13,561.00	\$692,408,841.00
865	No Common Name (<i>Spermolepis hawaiiensis</i>) - Wherever found	E	\$13,561.00	\$692,422,402.00
865	No Common Name (<i>Tetramolopium arenarium</i>) - Wherever found	E	\$13,561.00	\$692,435,963.00
865	Pamakani (<i>Tetramolopium capillare</i>) - Wherever found	E	\$13,561.00	\$692,449,524.00
866	Fairy Shrimp, San Diego (<i>Branchinecta sandiegonensis</i>) - Wherever found	E	\$13,532.00	\$692,463,056.00
867	Amphanthus, Little (<i>Amphanthus pusillus</i>) - Wherever found	T	\$13,488.00	\$692,476,544.00
867	Macaw, Military (<i>Ara militaris</i>) - Wherever found	E	\$13,488.00	\$692,490,032.00
867	No Common Name (<i>Cordia bellonis</i>) - Wherever found	E	\$13,488.00	\$692,503,520.00
867	No Common Name (<i>Gonocalyx concolor</i>) - Wherever found	E	\$13,488.00	\$692,517,008.00
867	Palo De Jazmin (<i>Styrax portoricensis</i>) - Wherever found	E	\$13,488.00	\$692,530,496.00
868	Kangaroo Rat, Fresno (<i>Dipodomys nitratooides exilis</i>) - Wherever found	E	\$13,413.00	\$692,543,909.00
869	`oha Wai (<i>Clermontia drepanomorpha</i>) - Wherever found	E	\$13,307.00	\$692,557,216.00
869	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>) - Wherever found	E	\$13,307.00	\$692,570,523.00
869	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>) - Wherever found	E	\$13,307.00	\$692,583,830.00
869	Bluegrass, Mann's (<i>Poa mannii</i>) - Wherever found	E	\$13,307.00	\$692,597,137.00
869	Haha (<i>Cyanea asarifolia</i>) - Wherever found	E	\$13,307.00	\$692,610,444.00
869	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>) - Wherever found	E	\$13,307.00	\$692,623,751.00
869	Haha (<i>Cyanea kuhihewa</i>) - Wherever found	E	\$13,307.00	\$692,637,058.00
869	Haiwale (<i>Cyrtandra paliku</i>) - Wherever found	E	\$13,307.00	\$692,650,365.00
869	Holei (<i>Ochrosia kilaueaensis</i>) - Wherever found	E	\$13,307.00	\$692,663,672.00
869	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>) - Wherever found	E	\$13,307.00	\$692,676,979.00
869	Kolea (<i>Myrsine fosbergii</i>) - Wherever found	E	\$13,307.00	\$692,690,286.00
869	Kolea (<i>Myrsine knudsenii</i>) - Wherever found	E	\$13,307.00	\$692,703,593.00
869	Kolea (<i>Myrsine mezii</i>) - Wherever found	E	\$13,307.00	\$692,716,900.00
869	Kopa (<i>Kadua cordata remyi</i>) - Wherever found	E	\$13,307.00	\$692,730,207.00
869	Kopiko (<i>Psychotria grandiflora</i>) - Wherever found	E	\$13,307.00	\$692,743,514.00
869	Lehua Makanoe (<i>Lysimachia daphnoides</i>) - Wherever found	E	\$13,307.00	\$692,756,821.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
869	Liliwai (<i>Acaena exigua</i>) - Wherever found	E	\$13,307.00	\$692,770,128.00
869	Mapele (<i>Cyrtandra cyaneoides</i>) - Wherever found	E	\$13,307.00	\$692,783,435.00
869	Na`ena`e (<i>Dubautia imbricata</i> ssp. <i>imbricata</i>) - Wherever found	E	\$13,307.00	\$692,796,742.00
869	Na`ena`e (<i>Dubautia pauciflorula</i>) - Wherever found	E	\$13,307.00	\$692,810,049.00
869	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>magnifolia</i>) - Wherever found	E	\$13,307.00	\$692,823,356.00
869	Na`ena`e (<i>Dubautia waialealae</i>) - Wherever found	E	\$13,307.00	\$692,836,663.00
869	Naenae (<i>Dubautia kalalauensis</i>) - Wherever found	E	\$13,307.00	\$692,849,970.00
869	Nehe (<i>Lipochaeta fauriei</i>) - Wherever found	E	\$13,307.00	\$692,863,277.00
869	Nehe (<i>Lipochaeta micrantha</i>) - Wherever found	E	\$13,307.00	\$692,876,584.00
869	Nehe (<i>Lipochaeta waimeaensis</i>) - Wherever found	E	\$13,307.00	\$692,889,891.00
869	Nehe (<i>Melanthera kamolensis</i>) - Wherever found	E	\$13,307.00	\$692,903,198.00
869	No Common Name (<i>Asplenium diellaciniatum</i>) - Wherever found	E	\$13,307.00	\$692,916,505.00
869	No Common Name (<i>Deparia kaalaana</i>) - Wherever found	E	\$13,307.00	\$692,929,812.00
869	No Common Name (<i>Hesperomannia arborescens</i>) - Wherever found	E	\$13,307.00	\$692,943,119.00
869	No Common Name (<i>Hesperomannia arbuscula</i>) - Wherever found	E	\$13,307.00	\$692,956,426.00
869	No Common Name (<i>Kadua st.-johnii</i>) - Wherever found	E	\$13,307.00	\$692,969,733.00
869	No Common Name (<i>Labordia lorenciana</i>) - Wherever found	E	\$13,307.00	\$692,983,040.00
869	No Common Name (<i>Lysimachia filifolia</i>) - Wherever found	E	\$13,307.00	\$692,996,347.00
869	No Common Name (<i>Lysimachia iniki</i>) - Wherever found	E	\$13,307.00	\$693,009,654.00
869	No Common Name (<i>Phyllostegia waimeae</i>) - Wherever found	E	\$13,307.00	\$693,022,961.00
869	No Common Name (<i>Poa siphonoglossa</i>) - Wherever found	E	\$13,307.00	\$693,036,268.00
869	No Common Name (<i>Pteris lidgatei</i>) - Wherever found	E	\$13,307.00	\$693,049,575.00
869	No Common Name (<i>Remya montgomeryi</i>) - Wherever found	E	\$13,307.00	\$693,062,882.00
869	No Common Name (<i>Sanicula purpurea</i>) - Wherever found	E	\$13,307.00	\$693,076,189.00
869	No Common Name (<i>Santalum involutum</i>) - Wherever found	E	\$13,307.00	\$693,089,496.00
869	No Common Name (<i>Schiedea attenuata</i>) - Wherever found	E	\$13,307.00	\$693,102,803.00
869	No Common Name (<i>Schiedea hookeri</i>) - Wherever found	E	\$13,307.00	\$693,116,110.00
869	No Common Name (<i>Schiedea lydgatei</i>) - Wherever found	E	\$13,307.00	\$693,129,417.00
869	No Common Name (<i>Schiedea sarmentosa</i>) - Wherever found	E	\$13,307.00	\$693,142,724.00
869	No Common Name (<i>Schiedea spergulina</i> var. <i>leiopoda</i>) - Wherever found	E	\$13,307.00	\$693,156,031.00
869	No Common Name (<i>Silene alexandri</i>) - Wherever found	E	\$13,307.00	\$693,169,338.00
869	No Common Name (<i>Silene lanceolata</i>) - Wherever found	E	\$13,307.00	\$693,182,645.00
869	No Common Name (<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>) - Wherever found	E	\$13,307.00	\$693,195,952.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
869	No Common Name (<i>Viola helenae</i>) - Wherever found	E	\$13,307.00	\$693,209,259.00
869	No Common Name (<i>Wikstroemia skottsbergiana</i>) - 0	E	\$13,307.00	\$693,222,566.00
869	Nohoanu (<i>Geranium kauaiense</i>) - Wherever found	E	\$13,307.00	\$693,235,873.00
869	Olulu (<i>Brighamia insignis</i>) - Wherever found	E	\$13,307.00	\$693,249,180.00
869	Pa`iniu (<i>Astelia waialealae</i>) - Wherever found	E	\$13,307.00	\$693,262,487.00
869	Remya, Maui (<i>Remya mauiensis</i>) - Wherever found	E	\$13,307.00	\$693,275,794.00
869	Wahane (<i>Pritchardia aylmer-robinsonii</i>) - Wherever found	E	\$13,307.00	\$693,289,101.00
869	Wawae`iole (<i>Huperzia nutans</i>) - Wherever found	E	\$13,307.00	\$693,302,408.00
870	Rail, Light-footed Clapper (<i>Rallus longirostris levipes</i>) - Wherever found	E	\$13,304.00	\$693,315,712.00
871	Darter, Amber (<i>Percina antesella</i>) - Wherever found	E	\$13,287.00	\$693,328,999.00
872	Ko`oko`olau (<i>Bidens wiebkei</i>) - Wherever found	E	\$13,236.00	\$693,342,235.00
873	No Common Name (<i>Gouania hillebrandii</i>) - Wherever found	E	\$13,206.00	\$693,355,441.00
873	No Common Name (<i>Gouania meyenii</i>) - Wherever found	E	\$13,206.00	\$693,368,647.00
874	Rock Cress, Shale Barren (<i>Arabis serotina</i>) - Wherever found	E	\$13,176.00	\$693,381,823.00
875	Darter, Goldline (<i>Percina aurolineata</i>) - Wherever found	T	\$13,125.00	\$693,394,948.00
876	Ambrosia, San Diego (<i>Ambrosia pumila</i>) - Wherever found	E	\$13,076.00	\$693,408,024.00
877	Crayfish, Hell Creek Cave (<i>Cambarus zophonastes</i>) - Wherever found	E	\$12,988.00	\$693,421,012.00
877	Milk-vetch, Mancos (<i>Astragalus humillimus</i>) - Wherever found	E	\$12,988.00	\$693,434,000.00
877	Primrose, Maguire (<i>Primula maguirei</i>) - Wherever found	T	\$12,988.00	\$693,446,988.00
878	No Common Name (<i>Lepidium orbiculare</i>) - Wherever found	E	\$12,983.00	\$693,459,971.00
878	No Common Name (<i>Osmoxylon mariannense</i>) - Wherever found	E	\$12,983.00	\$693,472,954.00
879	Bear, Brown (<i>Ursus arctos pruinosus</i>) - Wherever found	E	\$12,911.00	\$693,485,865.00
880	`anunu (<i>Sicyos macrophyllus</i>) - Wherever found	E	\$12,904.00	\$693,498,769.00
881	Snail, Tulotoma (<i>Tulotoma magnifica</i>) - Wherever found	T	\$12,845.00	\$693,511,614.00
882	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXP N	\$12,787.00	\$693,524,401.00
883	Crayfish, Benton County Cave (<i>Cambarus aculabrum</i>) - Wherever found	E	\$12,700.00	\$693,537,101.00
884	Thistle, La Graciosa (<i>Cirsium loncholepis</i>) - Wherever found	E	\$12,695.00	\$693,549,796.00
884	Watercress, Gambel's (<i>Rorippa gambellii</i>) - Wherever found	E	\$12,695.00	\$693,562,491.00
885	Dace, Independence Valley Speckled (<i>Rhinichthys osculus lethoporus</i>) - Wherever found	E	\$12,688.00	\$693,575,179.00
885	Spurge, Wedge (<i>Chamaesyce deltoidea serpyllum</i>) - Wherever found	E	\$12,688.00	\$693,587,867.00
886	Orcutt Grass, San Joaquin (<i>Orcuttia inaequalis</i>) - Wherever found	T	\$12,642.00	\$693,600,509.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
887	Gilia, Hoffmann's Slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>) - Wherever found	E	\$12,568.00	\$693,613,077.00
888	Bellflower, Brooksville (<i>Campanula robinsiae</i>) - Wherever found	E	\$12,500.00	\$693,625,577.00
889	Cactus, Nellie Cory (<i>Coryphantha minima</i>) - Wherever found	E	\$12,488.00	\$693,638,065.00
889	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>) - Wherever found	E	\$12,488.00	\$693,650,553.00
889	Chimpanzee, Pygmy (<i>Pan paniscus</i>) - Wherever found	E	\$12,488.00	\$693,663,041.00
889	Mountain Beaver, Point Arena (<i>Aplodontia rufa nigra</i>) - Wherever found	E	\$12,488.00	\$693,675,529.00
889	Oak, Hinckley (<i>Quercus hinckleyi</i>) - Wherever found	T	\$12,488.00	\$693,688,017.00
890	Salamander, Desert Slender (<i>Batrachoseps aridus</i>) - Wherever found	E	\$12,400.00	\$693,700,417.00
891	Polygala, Tiny (<i>Polygala smallii</i>) - Wherever found	E	\$12,388.00	\$693,712,805.00
892	Nassau Grouper (<i>Epinephelus striatus</i>) - 0	T	\$12,314.00	\$693,725,119.00
893	Orcutt Grass, Hairy (<i>Orcuttia pilosa</i>) - Wherever found	E	\$12,294.00	\$693,737,413.00
894	Acornshell, Southern (<i>Epioblasma othcaloogensis</i>) - Wherever found	E	\$12,200.00	\$693,749,613.00
895	Moth, Kern Primrose Sphinx (<i>Euproserpinus euterpe</i>) - Wherever found	T	\$12,147.00	\$693,761,760.00
896	Bedstraw, Island (<i>Galium buxifolium</i>) - Wherever found	E	\$12,142.00	\$693,773,902.00
897	Rosemary, Short-leaved (<i>Conradina brevifolia</i>) - Wherever found	E	\$12,088.00	\$693,785,990.00
898	Fairy Shrimp, Longhorn (<i>Branchinecta longiantenna</i>) - Wherever found	E	\$12,079.00	\$693,798,069.00
899	Turtle, Ringed Map (<i>Graptemys oculifera</i>) - Wherever found	T	\$12,044.00	\$693,810,113.00
900	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>) - Wherever found	T	\$12,035.00	\$693,822,148.00
901	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>) - Wherever found	T	\$12,000.00	\$693,834,148.00
902	Bonamia, Florida (<i>Bonamia grandiflora</i>) - Wherever found	T	\$11,988.00	\$693,846,136.00
902	Higuero De Sierra (<i>Crescentia portoricensis</i>) - Wherever found	E	\$11,988.00	\$693,858,124.00
902	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>) - Wherever found	E	\$11,988.00	\$693,870,112.00
902	Snail, Painted Snake Coiled Forest (<i>Anguispira picta</i>) - Wherever found	T	\$11,988.00	\$693,882,100.00
903	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>) - Wherever found	T	\$11,888.00	\$693,893,988.00
904	Campion, Fringed (<i>Silene polypetala</i>) - Wherever found	E	\$11,688.00	\$693,905,676.00
904	Chub, Pahrnagat Roundtail (<i>Gila robusta jordani</i>) - Wherever found	E	\$11,688.00	\$693,917,364.00
905	Rusty Patched Bumble Bee (<i>Bombus affinis</i>) - Wherever found	E	\$11,670.00	\$693,929,034.00
906	Salamander, Georgetown (<i>Eurycea naufragia</i>) - Wherever found	T	\$11,550.00	\$693,940,584.00
906	Salamander, Jollyville Plateau (<i>Eurycea tonkawae</i>) - Wherever found	T	\$11,550.00	\$693,952,134.00
907	Warbler, Elfin-woods (<i>Setophaga angelae</i>) - Wherever found	T	\$11,500.00	\$693,963,634.00
908	Manaca, Palma De (<i>Calyptronoma rivalis</i>) - Wherever found	T	\$11,488.00	\$693,975,122.00
908	No Common Name (<i>Catesbaea melanocarpa</i>) - Wherever found	E	\$11,488.00	\$693,986,610.00
908	No Common Name (<i>Leptocereus grantianus</i>) - Wherever found	E	\$11,488.00	\$693,998,098.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
908	No Common Name (<i>Ternstroemia subsessilis</i>) - Wherever found	E	\$11,488.00	\$694,009,586.00
908	Palo Colorado (<i>Ternstroemia luquillensis</i>) - Wherever found	E	\$11,488.00	\$694,021,074.00
909	No Common Name (<i>Keysseria</i> (=Lagenifera) <i>erici</i>) - Wherever found	E	\$11,435.00	\$694,032,509.00
910	Buckwheat, Steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>) - Wherever found	E	\$11,421.00	\$694,043,930.00
911	Spurge, Hoover's (<i>Chamaesyce hooveri</i>) - Wherever found	T	\$11,390.00	\$694,055,320.00
912	Love Grass, Fosberg's (<i>Eragrostis fosbergii</i>) - Wherever found	E	\$11,307.00	\$694,066,627.00
913	Sandlace (<i>Polygonella myriophylla</i>) - Wherever found	E	\$11,288.00	\$694,077,915.00
913	Snakeroot (<i>Eryngium cuneifolium</i>) - Wherever found	E	\$11,288.00	\$694,089,203.00
914	Rocksnaill, Painted (<i>Leptoxis taeniata</i>) - Wherever found	T	\$11,100.00	\$694,100,303.00
915	Rabbitsfoot, Rough (<i>Quadrula cylindrica strigillata</i>) - Wherever found	E	\$11,005.00	\$694,111,308.00
916	Buckwheat, Cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>) - Wherever found	E	\$11,000.00	\$694,122,308.00
916	Fern, Elfin Tree (<i>Cyathea dryopteroides</i>) - Wherever found	E	\$11,000.00	\$694,133,308.00
916	Milk-vetch, Cushenbury (<i>Astragalus albens</i>) - Wherever found	E	\$11,000.00	\$694,144,308.00
916	Oxytheca, Cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>) - Wherever found	E	\$11,000.00	\$694,155,308.00
917	Bush-clover, Prairie (<i>Lespedeza leptostachya</i>) - Wherever found	T	\$10,988.00	\$694,166,296.00
917	Coqui, Golden (<i>Eleutherodactylus jasperi</i>) - Wherever found	T	\$10,988.00	\$694,177,284.00
917	Darter, Slackwater (<i>Etheostoma boschungii</i>) - Wherever found	T	\$10,988.00	\$694,188,272.00
917	Leather Flower, Morefield's (<i>Clematis morefieldii</i>) - 0	E	\$10,988.00	\$694,199,260.00
917	No Common Name (<i>Adiantum vivesii</i>) - Wherever found	E	\$10,988.00	\$694,210,248.00
917	No Common Name (<i>Auerodendron pauciflorum</i>) - Wherever found	E	\$10,988.00	\$694,221,236.00
917	No Common Name (<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>) - Wherever found	E	\$10,988.00	\$694,232,224.00
917	No Common Name (<i>Cranichis ricartii</i>) - Wherever found	E	\$10,988.00	\$694,243,212.00
917	No Common Name (<i>Elaphoglossum serpens</i>) - Wherever found	E	\$10,988.00	\$694,254,200.00
917	No Common Name (<i>Ilex sintenisii</i>) - Wherever found	E	\$10,988.00	\$694,265,188.00
917	No Common Name (<i>Mitracarpus maxwelliae</i>) - Wherever found	E	\$10,988.00	\$694,276,176.00
917	No Common Name (<i>Mitracarpus polycladus</i>) - Wherever found	E	\$10,988.00	\$694,287,164.00
917	No Common Name (<i>Myrcia paganii</i>) - Wherever found	E	\$10,988.00	\$694,298,152.00
917	No Common Name (<i>Tectaria estremerana</i>) - Wherever found	E	\$10,988.00	\$694,309,140.00
917	No Common Name (<i>Thelypteris inabonensis</i>) - Wherever found	E	\$10,988.00	\$694,320,128.00
917	No Common Name (<i>Thelypteris verecunda</i>) - Wherever found	E	\$10,988.00	\$694,331,116.00
917	No Common Name (<i>Thelypteris jaucoensis</i>) - Wherever found	E	\$10,988.00	\$694,342,104.00
917	Quillwort, Mat-forming (<i>Isoetes tegetiformans</i>) - Wherever found	E	\$10,988.00	\$694,353,092.00
918	Diellia, Asplenium-leaved (<i>Asplenium dielirectum</i>) - Wherever found	E	\$10,953.00	\$694,364,045.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
919	`akoko (<i>Euphorbia kuwaleana</i>) - Wherever found	E	\$10,946.00	\$694,374,991.00
920	Aupaka (<i>Isodendron laurifolium</i>) - Wherever found	E	\$10,889.00	\$694,385,880.00
921	Checker-mallow, Keck's (<i>Sidalcea keckii</i>) - Wherever found	E	\$10,878.00	\$694,396,758.00
922	Shrimp, Anchialine Pool (<i>Vetericaris chaceorum</i>) - Wherever found	E	\$10,873.00	\$694,407,631.00
923	Black Warrior Waterdog (<i>Necturus alabamensis</i>) - Wherever found	E	\$10,761.00	\$694,418,392.00
924	Snail, Pecos Assiminea (<i>Assiminea pecos</i>) - Wherever found	E	\$10,738.00	\$694,429,130.00
925	Darter, Vermilion (<i>Etheostoma chermocki</i>) - Wherever found	E	\$10,725.00	\$694,439,855.00
926	Orcutt Grass, Sacramento (<i>Orcuttia viscida</i>) - Wherever found	E	\$10,688.00	\$694,450,543.00
927	Sculpin, Pygmy (<i>Cottus paulus</i> (=pygmaeus)) - Wherever found	T	\$10,625.00	\$694,461,168.00
928	Buttercup, Autumn (<i>Ranunculus aestivalis</i> (=acriformis)) - Wherever found	E	\$10,500.00	\$694,471,668.00
928	Harebells, Avon Park (<i>Crotalaria avonensis</i>) - Wherever found	E	\$10,500.00	\$694,482,168.00
928	Spinymussel, Altamaha (<i>Elliptio spinosa</i>) - Wherever found	E	\$10,500.00	\$694,492,668.00
929	Alani (<i>Melicope reflexa</i>) - Wherever found	E	\$10,439.00	\$694,503,107.00
930	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>) - Wherever found	T	\$10,363.00	\$694,513,470.00
931	Cactus, Sneed Pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>) - Wherever found	E	\$10,288.00	\$694,523,758.00
932	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>) - Wherever found	E	\$10,088.00	\$694,533,846.00
933	Campeloma, Slender (<i>Campeloma decampi</i>) - Wherever found	E	\$9,988.00	\$694,543,834.00
934	Alani (<i>Melicope christophersenii</i>) - Wherever found	E	\$9,932.00	\$694,553,766.00
934	Alani (<i>Melicope hiiakae</i>) - Wherever found	E	\$9,932.00	\$694,563,698.00
934	Alani (<i>Melicope lydgatei</i>) - Wherever found	E	\$9,932.00	\$694,573,630.00
934	Alani (<i>Melicope makahae</i>) - Wherever found	E	\$9,932.00	\$694,583,562.00
935	Butterfly, Myrtle's Silverspot (<i>Speyeria zerene myrtleae</i>) - Wherever found	E	\$9,888.00	\$694,593,450.00
935	Butterfly, Smith's Blue (<i>Euphilotes enoptes smithi</i>) - Wherever found	E	\$9,888.00	\$694,603,338.00
935	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>) - Wherever found	T	\$9,888.00	\$694,613,226.00
935	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>) - Wherever found	E	\$9,888.00	\$694,623,114.00
935	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>) - Wherever found	T	\$9,888.00	\$694,633,002.00
936	`aiea (<i>Nothocestrum breviflorum</i>) - Wherever found	E	\$9,875.00	\$694,642,877.00
937	Barberry, Island (<i>Berberis pinnata</i> ssp. <i>insularis</i>) - Wherever found	E	\$9,768.00	\$694,652,645.00
937	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>) - Wherever found	E	\$9,768.00	\$694,662,413.00
938	Rocksail, Plicate (<i>Leptoxis plicata</i>) - Wherever found	E	\$9,625.00	\$694,672,038.00
939	Leather Flower, Alabama (<i>Clematis socialis</i>) - Wherever found	E	\$9,612.00	\$694,681,650.00
940	Brickell-bush, Florida (<i>Brickellia mosieri</i>) - Wherever found	E	\$9,488.00	\$694,691,138.00
940	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>) - Wherever found	E	\$9,488.00	\$694,700,626.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
941	Pigtoe, Flat (<i>Pleurobema marshalli</i>) - Wherever found	E	\$9,388.00	\$694,710,014.00
941	Stirrupshell (<i>Quadrula stapes</i>) - Wherever found	E	\$9,388.00	\$694,719,402.00
942	No Common Name (<i>Keysseria (=Lagenifera) helenae</i>) - Wherever found	E	\$9,350.00	\$694,728,752.00
943	`akoko (<i>Euphorbia remyi</i> var. <i>remyi</i>) - Wherever found	E	\$9,318.00	\$694,738,070.00
944	Manzanita, Pallid (<i>Arctostaphylos pallida</i>) - Wherever found	T	\$9,288.00	\$694,747,358.00
944	Turtle, Plymouth Redbelly (<i>Pseudemys rubriventris bangsi</i>) - Wherever found	E	\$9,288.00	\$694,756,646.00
945	Tuctoria, Greene's (<i>Tuctoria greenei</i>) - Wherever found	E	\$9,286.00	\$694,765,932.00
946	`awikiwiki (<i>Canavalia pubescens</i>) - Wherever found	E	\$9,115.00	\$694,775,047.00
947	Bird's Beak, Palmate-bracted (<i>Cordylanthus palmatus</i>) - Wherever found	E	\$9,088.00	\$694,784,135.00
947	Clover, Showy Indian (<i>Trifolium amoenum</i>) - Wherever found	E	\$9,088.00	\$694,793,223.00
947	Manatee, West African (<i>Trichechus senegalensis</i>) - Wherever found	T	\$9,088.00	\$694,802,311.00
947	Sandmat, Pineland (<i>Chamaesyce deltoidea pinetorum</i>) - Wherever found	T	\$9,088.00	\$694,811,399.00
947	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>) - Wherever found	E	\$9,088.00	\$694,820,487.00
948	White-eye, Bridled (<i>Zosterops conspicillatus conspicillatus</i>) - Wherever found	E	\$9,053.00	\$694,829,540.00
949	Goetzea, Beautiful (<i>Goetzea elegans</i>) - Wherever found	E	\$9,000.00	\$694,838,540.00
949	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>) - Wherever found	E	\$9,000.00	\$694,847,540.00
950	Bladderpod, Lyrate (<i>Lesquerella lyrata</i>) - Wherever found	T	\$8,988.00	\$694,856,528.00
950	Frog, Goliath (<i>Conraua goliath</i>) - Wherever found	T	\$8,988.00	\$694,865,516.00
950	Gladecress, Fleshy-fruit (<i>Leavenworthia crassa</i>) - Wherever found	E	\$8,988.00	\$694,874,504.00
950	Milkpea, Small's (<i>Galactia smallii</i>) - Wherever found	E	\$8,988.00	\$694,883,492.00
950	Pebblesnail, Flat (<i>Lepyrium showalteri</i>) - Wherever found	E	\$8,988.00	\$694,892,480.00
950	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>) - Wherever found	T	\$8,988.00	\$694,901,468.00
951	Fairy Shrimp, Riverside (<i>Streptocephalus woottoni</i>) - Wherever found	E	\$8,879.00	\$694,910,347.00
952	Alani (<i>Melicope puberula</i>) - Wherever found	E	\$8,861.00	\$694,919,208.00
952	Alani (<i>Melicope quadrangularis</i>) - Wherever found	E	\$8,861.00	\$694,928,069.00
953	Dogweed, Ashy (<i>Thymophylla tephroleuca</i>) - Wherever found	E	\$8,853.00	\$694,936,922.00
954	Beetle, Tooth Cave Ground (<i>Rhadine persephone</i>) - Wherever found	E	\$8,843.00	\$694,945,765.00
955	Jewelflower, California (<i>Caulanthus californicus</i>) - Wherever found	E	\$8,800.00	\$694,954,565.00
956	Fern, Florida Bristle (<i>Trichomanes punctatum</i> ssp. <i>floridanum</i>) - Wherever found	E	\$8,788.00	\$694,963,353.00
957	Turtle, Yellow-blotched Map (<i>Graptemys flavimaculata</i>) - Wherever found	T	\$8,692.00	\$694,972,045.00
958	`akoko (<i>Euphorbia celastroides</i> var. <i>kaenana</i>) - Wherever found	E	\$8,657.00	\$694,980,702.00
959	Shiner, Blue (<i>Cyprinella caerulea</i>) - Wherever found	T	\$8,653.00	\$694,989,355.00
960	Alani (<i>Melicope balloui</i>) - Wherever found	E	\$8,641.00	\$694,997,996.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
961	`aiakeakua, Popolo (<i>Solanum sandwicense</i>) - Wherever found	E	\$8,588.00	\$695,006,584.00
961	Beauty, Harper's (<i>Harperocallis flava</i>) - Wherever found	E	\$8,588.00	\$695,015,172.00
962	Anole, Culebra Island Giant (<i>Anolis roosevelti</i>) - Wherever found	E	\$8,500.00	\$695,023,672.00
962	Holly, Cook's (<i>Ilex cookii</i>) - Wherever found	E	\$8,500.00	\$695,032,172.00
963	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>) - Wherever found	E	\$8,488.00	\$695,040,660.00
963	Lupine, Scrub (<i>Lupinus aridorum</i>) - Wherever found	E	\$8,488.00	\$695,049,148.00
963	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>) - Wherever found	E	\$8,488.00	\$695,057,636.00
963	Spineflower, Sonoma (<i>Chorizanthe valida</i>) - Wherever found	E	\$8,488.00	\$695,066,124.00
964	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>) - Wherever found	E	\$8,400.00	\$695,074,524.00
965	Darter, Fountain (<i>Etheostoma fonticola</i>) - Wherever found	E	\$8,328.00	\$695,082,852.00
965	Salamander, San Marcos (<i>Eurycea nana</i>) - Wherever found	T	\$8,328.00	\$695,091,180.00
966	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>) - Wherever found	E	\$8,288.00	\$695,099,468.00
966	Rabbit, Riparian Brush (<i>Sylvilagus bachmani riparius</i>) - Wherever found	E	\$8,288.00	\$695,107,756.00
966	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>) - Wherever found	E	\$8,288.00	\$695,116,044.00
966	Stonefly, Western Glacier (<i>Zapada glacier</i>) - Wherever found	T	\$8,288.00	\$695,124,332.00
966	Woodrat, Riparian (=san Joaquin Valley) (<i>Neotoma fuscipes riparia</i>) - Wherever found	E	\$8,288.00	\$695,132,620.00
967	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>) - Wherever found	E	\$8,238.00	\$695,140,858.00
968	Gooseberry, Miccosukee (<i>Ribes echinellum</i>) - Wherever found	T	\$8,188.00	\$695,149,046.00
969	A`e (<i>Zanthoxylum hawaiiense</i>) - Wherever found	E	\$8,167.00	\$695,157,213.00
970	`aku (<i>Cyanea tritomantha</i>) - Wherever found	E	\$8,158.00	\$695,165,371.00
970	`aku`aku (<i>Cyanea platyphylla</i>) - Wherever found	E	\$8,158.00	\$695,173,529.00
970	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>) - Wherever found	E	\$8,158.00	\$695,181,687.00
971	Schiedea, Diamond Head (<i>Schiedea adamantis</i>) - Wherever found	E	\$8,101.00	\$695,189,788.00
972	Blossom, Green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>) - Wherever found	E	\$8,088.00	\$695,197,876.00
973	Sunburst, San Joaquin Adobe (<i>Pseudobahia peirsonii</i>) - Wherever found	T	\$8,051.00	\$695,205,927.00
974	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>) - Wherever found	E	\$7,998.00	\$695,213,925.00
975	Grass, Colusa (<i>Neostapfia colusana</i>) - Wherever found	T	\$7,992.00	\$695,221,917.00
976	Barberry, Nevin's (<i>Berberis nevinii</i>) - Wherever found	E	\$7,988.00	\$695,229,905.00
976	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>) - Wherever found	E	\$7,988.00	\$695,237,893.00
976	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>) - Wherever found	T	\$7,988.00	\$695,245,881.00
976	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>) - Wherever found	T	\$7,988.00	\$695,253,869.00
976	Manzanita, Morro (<i>Arctostaphylos morroensis</i>) - Wherever found	T	\$7,988.00	\$695,261,857.00
976	Pondweed, Little Aguja (=creek) (<i>Potamogeton clystocarpus</i>) - Wherever found	E	\$7,988.00	\$695,269,845.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
976	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>) - Wherever found	E	\$7,988.00	\$695,277,833.00
976	Snail, Morro Shoulderband (=banded Dune) (<i>Helminthoglypta walkeriana</i>) - Wherever found	E	\$7,988.00	\$695,285,821.00
976	Snowbells, Texas (<i>Styrax texanus</i>) - Wherever found	E	\$7,988.00	\$695,293,809.00
976	Stonefly, Meltwater Lednian (<i>Lednia tumana</i>) - Wherever found	T	\$7,988.00	\$695,301,797.00
977	Sculpin, Grotto (<i>Cottus specus</i>) - Wherever found	E	\$7,952.00	\$695,309,749.00
978	Alani (<i>Melicope knudsenii</i>) - Wherever found	E	\$7,913.00	\$695,317,662.00
979	Salamander, Texas Blind (<i>Typhlomolge rathbuni</i>) - Wherever found	E	\$7,908.00	\$695,325,570.00
980	`aiea (<i>Nothocestrum peltatum</i>) - Wherever found	E	\$7,904.00	\$695,333,474.00
980	`akoko (<i>Euphorbia eleanoriae</i>) - Wherever found	E	\$7,904.00	\$695,341,378.00
980	`akoko (<i>Euphorbia haeleleana</i>) - Wherever found	E	\$7,904.00	\$695,349,282.00
980	"akoko (<i>Euphorbia halemanui</i>) - Wherever found	E	\$7,904.00	\$695,357,186.00
980	Alani (<i>Melicope haupuensis</i>) - Wherever found	E	\$7,904.00	\$695,365,090.00
980	Awiwi (<i>Schenkia sebaeoides</i>) - Wherever found	E	\$7,904.00	\$695,372,994.00
980	Hibiscus, Clay's (<i>Hibiscus clayi</i>) - Wherever found	E	\$7,904.00	\$695,380,898.00
980	Iliau, Dwarf (<i>Wilkesia hobdyi</i>) - Wherever found	E	\$7,904.00	\$695,388,802.00
981	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>) - Wherever found	E	\$7,861.00	\$695,396,663.00
982	Alani (<i>Melicope adscendens</i>) - Wherever found	E	\$7,856.00	\$695,404,519.00
983	`akoko (<i>Euphorbia deppeana</i>) - Wherever found	E	\$7,847.00	\$695,412,366.00
983	`akoko (<i>Euphorbia herbstii</i>) - Wherever found	E	\$7,847.00	\$695,420,213.00
983	`akoko (<i>Euphorbia rockii</i>) - Wherever found	E	\$7,847.00	\$695,428,060.00
983	`anaunau (<i>Lepidium arbuscula</i>) - Wherever found	E	\$7,847.00	\$695,435,907.00
983	A`e (<i>Zanthoxylum oahuense</i>) - Wherever found	E	\$7,847.00	\$695,443,754.00
983	Alani (<i>Melicope saint-johnii</i>) - Wherever found	E	\$7,847.00	\$695,451,601.00
984	Bittercress, Small-anthered (<i>Cardamine micranthera</i>) - Wherever found	E	\$7,838.00	\$695,459,439.00
984	Clarkia, Springville (<i>Clarkia springvillensis</i>) - Wherever found	T	\$7,838.00	\$695,467,277.00
985	Lily, Minnesota Dwarf Trout (<i>Erythronium propullans</i>) - Wherever found	E	\$7,788.00	\$695,475,065.00
986	Catspaw, White (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>) - Wherever found	E	\$7,757.00	\$695,482,822.00
987	`ala `ala Wai Nui (<i>Peperomia subpetiolata</i>) - Wherever found	E	\$7,695.00	\$695,490,517.00
988	Sneezeweed, Virginia (<i>Helenium virginicum</i>) - Wherever found	T	\$7,688.00	\$695,498,205.00
989	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>) - Wherever found	E	\$7,615.00	\$695,505,820.00
990	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>) - Wherever found	E	\$7,588.00	\$695,513,408.00
990	Trillium, Persistent (<i>Trillium persistens</i>) - Wherever found	E	\$7,588.00	\$695,520,996.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
991	Cobana Negra (<i>Stahlia monosperma</i>) - Wherever found	T	\$7,500.00	\$695,528,496.00
991	Fleabane, Zuni (<i>Erigeron rhizomatus</i>) - Wherever found	T	\$7,500.00	\$695,535,996.00
991	Reed-mustard, Clay (<i>Schoenocrambe argillacea</i>) - Wherever found	T	\$7,500.00	\$695,543,496.00
991	Silverbush, Blodgett's (<i>Argythamnia blodgettii</i>) - Wherever found	T	\$7,500.00	\$695,550,996.00
992	Adjutant, Greater (<i>Leptoptilos dubius</i>) - Wherever found	E	\$7,488.00	\$695,558,484.00
992	Alethe, Thyolo (<i>Alethe choloensis</i>) - Wherever found	E	\$7,488.00	\$695,565,972.00
992	Amole, Purple (<i>Chlorogalum purpureum</i>) - Wherever found	T	\$7,488.00	\$695,573,460.00
992	Amphipod, Illinois Cave (<i>Gammarus acherondytes</i>) - Wherever found	E	\$7,488.00	\$695,580,948.00
992	Amphipod, Peck's Cave (<i>Stygobromus (=Stygonectes) pecki</i>) - Wherever found	E	\$7,488.00	\$695,588,436.00
992	Amphipod, Pecos (<i>Gammarus pecos</i>) - Wherever found	E	\$7,488.00	\$695,595,924.00
992	Anoa, Lowland (<i>Bubalus depressicornis</i>) - Wherever found	E	\$7,488.00	\$695,603,412.00
992	Anoa, Mountain (<i>Bubalus quarlesi</i>) - Wherever found	E	\$7,488.00	\$695,610,900.00
992	Antelope Tibetan (<i>Panthalops hodgsonii</i>) - Wherever found	E	\$7,488.00	\$695,618,388.00
992	Antelope, Giant Sable (<i>Hippotragus niger variani</i>) - Wherever found	E	\$7,488.00	\$695,625,876.00
992	Armadillo, Giant (<i>Priodontes maximus</i>) - Wherever found	E	\$7,488.00	\$695,633,364.00
992	Armadillo, Pink Fairy (<i>Chlamyphorus truncatus</i>) - Wherever found	E	\$7,488.00	\$695,640,852.00
992	Baboon, Gelada (<i>Theropithecus gelada</i>) - Wherever found	T	\$7,488.00	\$695,648,340.00
992	Bandicoot, Lesser Rabbit (<i>Macrotis leucura</i>) - Wherever found	E	\$7,488.00	\$695,655,828.00
992	Bandicoot, Pig-footed (<i>Chaeropus ecaudatus</i>) - Wherever found	E	\$7,488.00	\$695,663,316.00
992	Bandicoot, Rabbit (<i>Macrotis lagotis</i>) - Wherever found	E	\$7,488.00	\$695,670,804.00
992	Bat, Rodrigues Fruit (=flying Fox) (<i>Pteropus rodricensis</i>) - Wherever found	E	\$7,488.00	\$695,678,292.00
992	Bat, Singapore Roundleaf Horseshoe (<i>Hipposideros ridleyi</i>) - Wherever found	E	\$7,488.00	\$695,685,780.00
992	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>) - Wherever found	T	\$7,488.00	\$695,693,268.00
992	Bear, Mexican Grizzly (<i>Ursus arctos</i>) - Mexico	E	\$7,488.00	\$695,700,756.00
992	Beetle, [no Common Name] (<i>Rhadine exilis</i>) - Wherever found	E	\$7,488.00	\$695,708,244.00
992	Beetle, [no Common Name] (<i>Rhadine infernalis</i>) - Wherever found	E	\$7,488.00	\$695,715,732.00
992	Beetle, Helotes Mold (<i>Batrisodes venyivi</i>) - Wherever found	E	\$7,488.00	\$695,723,220.00
992	Beetle, Hungerford's Crawling Water (<i>Brychius hungerfordi</i>) - Wherever found	E	\$7,488.00	\$695,730,708.00
992	Beetle, Kretschmarr Cave Mold (<i>Texamaurops reddelli</i>) - Wherever found	E	\$7,488.00	\$695,738,196.00
992	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>) - Wherever found	E	\$7,488.00	\$695,745,684.00
992	Birch, Virginia Round-leaf (<i>Betula uber</i>) - Wherever found	T	\$7,488.00	\$695,753,172.00
992	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>) - Wherever found	E	\$7,488.00	\$695,760,660.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Bluegrass, Napa (<i>Poa napensis</i>) - Wherever found	E	\$7,488.00	\$695,768,148.00
992	Boa, Jamaican (<i>Epicrates subflavus</i>) - Wherever found	E	\$7,488.00	\$695,775,636.00
992	Boa, Round Island Bolyeria (<i>Bolyeria multocarinata</i>) - Wherever found	E	\$7,488.00	\$695,783,124.00
992	Boa, Round Island Casarea (<i>Casarea dussumieri</i>) - Wherever found	E	\$7,488.00	\$695,790,612.00
992	Bobcat, Mexican (<i>Lynx (=Felis) rufus escuinapae</i>) - Wherever found	E	\$7,488.00	\$695,798,100.00
992	Bristlebird, Western (<i>Dasyornis longirostris (=brachypterus I.)</i>) - Wherever found	E	\$7,488.00	\$695,805,588.00
992	Bristlebird, Western Rufous (<i>Dasyornis broadbenti littoralis</i>) - Wherever found	E	\$7,488.00	\$695,813,076.00
992	Brodiaea, Thread-leaved (<i>Brodiaea filifolia</i>) - Wherever found	T	\$7,488.00	\$695,820,564.00
992	Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>)) - Wherever found	E	\$7,488.00	\$695,828,052.00
992	Bulbul, Mauritius Olivaceous (<i>Hypsipetes borbonicus olivaceus</i>) - Wherever found	E	\$7,488.00	\$695,835,540.00
992	Bullfinch, Sao Miguel (finch) (<i>Pyrrhula pyrrhula murina</i>) - Wherever found	E	\$7,488.00	\$695,843,028.00
992	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>) - Wherever found	E	\$7,488.00	\$695,850,516.00
992	Bush-shrike, Ulugura (<i>Malaconotus alius</i>) - Wherever found	T	\$7,488.00	\$695,858,004.00
992	Bushwren, New Zealand (<i>Xenicus longipes</i>) - Wherever found	E	\$7,488.00	\$695,865,492.00
992	Bustard, Great Indian (<i>Ardeotis (=Choriotis) nigriceps</i>) - Wherever found	E	\$7,488.00	\$695,872,980.00
992	Butterfly, Homerus Swallowtail (<i>Papilio homerus</i>) - Wherever found	E	\$7,488.00	\$695,880,468.00
992	Butterfly, Lange's Metalmark (<i>Apodemia mormo langei</i>) - Wherever found	E	\$7,488.00	\$695,887,956.00
992	Butterfly, Lotis Blue (<i>Lycacides argyrognomon lotis</i>) - Wherever found	E	\$7,488.00	\$695,895,444.00
992	Butterfly, Luzon Peacock Swallowtail (<i>Papilio chikae</i>) - Wherever found	E	\$7,488.00	\$695,902,932.00
992	Butterfly, Mount Charleston Blue (<i>Icaricia (Plebejus) shasta charlestonensis</i>) - Wherever found	E	\$7,488.00	\$695,910,420.00
992	Butterfly, Palos Verdes Blue (<i>Glaucopsyche lygdamus palosverdesensis</i>) - Wherever found	E	\$7,488.00	\$695,917,908.00
992	Butterfly, Queen Alexandra's Birdwing (<i>Troides alexandrae</i>) - Wherever found	E	\$7,488.00	\$695,925,396.00
992	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>) - Wherever found	E	\$7,488.00	\$695,932,884.00
992	Cat, Flat-headed (<i>Prionailurus (=Felis) planiceps</i>) - Wherever found	E	\$7,488.00	\$695,940,372.00
992	Cat, Iriomote (<i>Prionailurus (=Felis) bengalensis iriomotensis</i>) - Wherever found	E	\$7,488.00	\$695,947,860.00
992	Cat, Leopard (<i>Prionailurus (=Felis) bengalensis bengalensis</i>) - Wherever found	E	\$7,488.00	\$695,955,348.00
992	Cat, Marbled (<i>Pardofelis (=Felis) marmorata</i>) - Wherever found	E	\$7,488.00	\$695,962,836.00
992	Cat, Pakistan Sand (<i>Felis margarita scheffeli</i>) - Wherever found	E	\$7,488.00	\$695,970,324.00
992	Cat, Tiger (<i>Leopardus (=Felis) tigrinus</i>) - Wherever found	E	\$7,488.00	\$695,977,812.00
992	Catfish, Thailand Giant (<i>Pangasianodon gigas</i>) - Wherever found	E	\$7,488.00	\$695,985,300.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>) - Wherever found	E	\$7,488.00	\$695,992,788.00
992	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>) - Wherever found	T	\$7,488.00	\$696,000,276.00
992	Centaury, Spring-loving (<i>Centaureum namophilum</i>) - Wherever found	T	\$7,488.00	\$696,007,764.00
992	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>) - Wherever found	E	\$7,488.00	\$696,015,252.00
992	Checker-mallow, Pedate (<i>Sidalcea pedata</i>) - Wherever found	E	\$7,488.00	\$696,022,740.00
992	Chub, Sonora (<i>Gila ditaenia</i>) - Wherever found	T	\$7,488.00	\$696,030,228.00
992	Chuckwalla, San Esteban Island (<i>Sauromalus varius</i>) - Wherever found	E	\$7,488.00	\$696,037,716.00
992	Cinclodes, Royal (<i>Cinclodes aricomae</i>) - Wherever found	E	\$7,488.00	\$696,045,204.00
992	Civet, Malabar Large-spotted (<i>Viverra civettina</i> (= <i>megaspila</i> c.)) - Wherever found	E	\$7,488.00	\$696,052,692.00
992	Clarkia, Vine Hill (<i>Clarkia imbricata</i>) - Wherever found	E	\$7,488.00	\$696,060,180.00
992	Clover, Monterey (<i>Trifolium trichocalyx</i>) - Wherever found	E	\$7,488.00	\$696,067,668.00
992	Cockatoo, Philippine (<i>Cacatua haematuropygia</i>) - Wherever found	E	\$7,488.00	\$696,075,156.00
992	Cockatoo, Salmon-crested (<i>Cacatua moluccensis</i>) - Wherever found	T	\$7,488.00	\$696,082,644.00
992	Conure, Golden (<i>Aratinga guarouba</i>) - Wherever found	E	\$7,488.00	\$696,090,132.00
992	Courser, Jerdon's (<i>Rhinoptilus bitorquatus</i>) - Wherever found	E	\$7,488.00	\$696,097,620.00
992	Crane, Hooded (<i>Grus monacha</i>) - Wherever found	E	\$7,488.00	\$696,105,108.00
992	Crane, Japanese (<i>Grus japonensis</i>) - Wherever found	E	\$7,488.00	\$696,112,596.00
992	Crane, Siberian White (<i>Grus leucogeranus</i>) - Wherever found	E	\$7,488.00	\$696,120,084.00
992	Crayfish, Guyandotte River (<i>Cambarus veteranus</i>) - Wherever found	E	\$7,488.00	\$696,127,572.00
992	Crayfish, Shasta (<i>Pacifastacus fortis</i>) - Wherever found	E	\$7,488.00	\$696,135,060.00
992	Crocodile, Mugger (<i>Crocodylus palustris palustris</i>) - Wherever found	E	\$7,488.00	\$696,142,548.00
992	Crocodile, Orinoco (<i>Crocodylus intermedius</i>) - Wherever found	E	\$7,488.00	\$696,150,036.00
992	Crocodile, Philippine (<i>Crocodylus novaeguineae mindorensis</i>) - Wherever found	E	\$7,488.00	\$696,157,524.00
992	Crocodile, Siamese (<i>Crocodylus siamensis</i>) - Wherever found	E	\$7,488.00	\$696,165,012.00
992	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>) - Wherever found	E	\$7,488.00	\$696,172,500.00
992	Cuckoo, Southeastern Rufous-vented Ground (<i>Neomorphus geoffroyi dulcis</i>) - Wherever found	E	\$7,488.00	\$696,179,988.00
992	Cuckoo-shrike, Mauritius (<i>Coquus typicus</i>) - Wherever found	E	\$7,488.00	\$696,187,476.00
992	Cuckoo-shrike, Reunion (<i>Coquus newtoni</i>) - Wherever found	E	\$7,488.00	\$696,194,964.00
992	Curassow, Razor-billed (<i>Mitu mitu mitu</i>) - Wherever found	E	\$7,488.00	\$696,202,452.00
992	Curassow, Red-billed (<i>Crax blumenbachii</i>) - Wherever found	E	\$7,488.00	\$696,209,940.00
992	Curassow, Trinidad White-headed (<i>Pipile pipile pipile</i>) - Wherever found	E	\$7,488.00	\$696,217,428.00
992	Curlew, Slender-billed (<i>Numenius tenuirostris</i>) - Wherever found	E	\$7,488.00	\$696,224,916.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>) - Wherever found	T	\$7,488.00	\$696,232,404.00
992	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>) - Wherever found	T	\$7,488.00	\$696,239,892.00
992	Darter, Maryland (<i>Etheostoma sellare</i>) - Wherever found	E	\$7,488.00	\$696,247,380.00
992	Deer, Formosan Sika (<i>Cervus nippon taiouanus</i>) - Wherever found	E	\$7,488.00	\$696,254,868.00
992	Deer, Indochina Hog (<i>Axis porcinus annamiticus</i>) - Wherever found	E	\$7,488.00	\$696,262,356.00
992	Deer, Kuhl's (=bawean) (<i>Axis porcinus kuhli</i>) - Wherever found	E	\$7,488.00	\$696,269,844.00
992	Deer, Marsh (<i>Blastocerus dichotomus</i>) - Wherever found	E	\$7,488.00	\$696,277,332.00
992	Deer, Mcneill's (<i>Cervus elaphus macneilii</i>) - Wherever found	E	\$7,488.00	\$696,284,820.00
992	Deer, Musk (<i>Moschus</i> spp. (all species)) - Afghanistan, Bhutan, Burma, China [Tibet, Yunnan], India, Nepal, Pakistan, Sikkim	E	\$7,488.00	\$696,292,308.00
992	Deer, North China Sika (<i>Cervus nippon mandarinus</i>) - Wherever found	E	\$7,488.00	\$696,299,796.00
992	Deer, Pampas (<i>Ozotoceros bezoarticus</i>) - Wherever found	E	\$7,488.00	\$696,307,284.00
992	Deer, Persian Fallow (<i>Dama mesopotamica</i> (=dama m.)) - Wherever found	E	\$7,488.00	\$696,314,772.00
992	Deer, Ryukyu Sika (<i>Cervus nippon keramae</i>) - Wherever found	E	\$7,488.00	\$696,322,260.00
992	Deer, Shansi Sika (<i>Cervus nippon grassianus</i>) - Wherever found	E	\$7,488.00	\$696,329,748.00
992	Deer, South China Sika (<i>Cervus nippon kopschi</i>) - Wherever found	E	\$7,488.00	\$696,337,236.00
992	Deer, Swamp (<i>Cervus duvauceli</i>) - Wherever found	E	\$7,488.00	\$696,344,724.00
992	Deer, Visayan (<i>Cervus alfredi</i>) - Wherever found	E	\$7,488.00	\$696,352,212.00
992	Dolphin, Maui (<i>Cephalorhynchus hectori maui</i>) - none	E	\$7,488.00	\$696,359,700.00
992	Dolphin, South Asian River (<i>Platanista gangetica minor</i>) - Wherever found	E	\$7,488.00	\$696,367,188.00
992	Dolphin, South Island Hector's (<i>Cephalorhynchus hectori hectori</i>) - none	T	\$7,488.00	\$696,374,676.00
992	Dove, Grenada Gray-fronted (<i>Leptotila rufaxilla wellsi</i>) - Wherever found	E	\$7,488.00	\$696,382,164.00
992	Duck, Pink-headed (<i>Rhodonessa caryophyllacea</i>) - Wherever found	E	\$7,488.00	\$696,389,652.00
992	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>) - Wherever found	E	\$7,488.00	\$696,397,140.00
992	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>) - Wherever found	T	\$7,488.00	\$696,404,628.00
992	Duiker, Jentink's (<i>Cephalophus jentinki</i>) - Wherever found	E	\$7,488.00	\$696,412,116.00
992	Eagle, Greenland White-tailed (<i>Haliaeetus albicilla groenlandicus</i>) - Wherever found	E	\$7,488.00	\$696,419,604.00
992	Eagle, Harpy (<i>Harpia harpyja</i>) - Wherever found	E	\$7,488.00	\$696,427,092.00
992	Eagle, Madagascar Sea (<i>Haliaeetus vociferoides</i>) - Wherever found	E	\$7,488.00	\$696,434,580.00
992	Eagle, Madagascar Serpent (<i>Eutriorchis astur</i>) - Wherever found	E	\$7,488.00	\$696,442,068.00
992	Eagle, Philippine (<i>Pithecophaga jefferyi</i>) - Wherever found	E	\$7,488.00	\$696,449,556.00
992	Eagle, Spanish Imperial (<i>Aquila heliaca adalberti</i>) - Wherever found	E	\$7,488.00	\$696,457,044.00
992	Eland, Western Giant (<i>Taurotragus derbianus derbianus</i>) - Wherever found	E	\$7,488.00	\$696,464,532.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Fiddleneck, Large-flowered (<i>Amsinckia grandiflora</i>) - Wherever found	E	\$7,488.00	\$696,472,020.00
992	Fir, Guatemalan (=pinabete) (<i>Abies guatemalensis</i>) - Wherever found	T	\$7,488.00	\$696,479,508.00
992	Fire-eye, Fringe-backed (<i>Pyriglena atra</i>) - Wherever found	E	\$7,488.00	\$696,486,996.00
992	Flycatcher, Seychelles Paradise (<i>Terpsiphone corvina</i>) - Wherever found	E	\$7,488.00	\$696,494,484.00
992	Flycatcher, Tahiti (<i>Pomarea nigra</i>) - Wherever found	E	\$7,488.00	\$696,501,972.00
992	Fody, Mauritius (<i>Foudia rubra</i>) - Wherever found	E	\$7,488.00	\$696,509,460.00
992	Fody, Rodrigues (<i>Foudia flavicans</i>) - Wherever found	E	\$7,488.00	\$696,516,948.00
992	Fody, Seychelles (weaver-finch) (<i>Foudia sechellarum</i>) - Wherever found	E	\$7,488.00	\$696,524,436.00
992	Fox, Northern Swift (<i>Vulpes velox hebes</i>) - Canada	E	\$7,488.00	\$696,531,924.00
992	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - Wherever found	T	\$7,488.00	\$696,539,412.00
992	Fox, Simien (<i>Canis simensis</i>) - Wherever found	E	\$7,488.00	\$696,546,900.00
992	Freira (<i>Pterodroma madeira</i>) - Wherever found	E	\$7,488.00	\$696,554,388.00
992	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>) - Wherever found	E	\$7,488.00	\$696,561,876.00
992	Frog, Israel Painted (<i>Discoglossus nigriventer</i>) - Wherever found	E	\$7,488.00	\$696,569,364.00
992	Frog, Panamanian Golden (<i>Atelopus varius zeteki</i>) - Wherever found	E	\$7,488.00	\$696,576,852.00
992	Frog, Stephen Island (<i>Leiopelma hamiltoni</i>) - Wherever found	E	\$7,488.00	\$696,584,340.00
992	Gambusia, San Marcos (<i>Gambusia georgei</i>) - Wherever found	E	\$7,488.00	\$696,591,828.00
992	Gavial (<i>Gavialis gangeticus</i>) - Wherever found	E	\$7,488.00	\$696,599,316.00
992	Gazelle, Mhorr (<i>Gazella dama mhorr</i>) - Wherever found	E	\$7,488.00	\$696,606,804.00
992	Gazelle, Moroccan (<i>Gazella dorcas massaesyla</i>) - Wherever found	E	\$7,488.00	\$696,614,292.00
992	Gazelle, Mountain (=cuvier's) (<i>Gazella cuvieri</i>) - Wherever found	E	\$7,488.00	\$696,621,780.00
992	Gazelle, Pelzeln's (<i>Gazella dorcas pelzelni</i>) - Wherever found	E	\$7,488.00	\$696,629,268.00
992	Gazelle, Rio De Oro Dama (<i>Gazella dama lozanoi</i>) - Wherever found	E	\$7,488.00	\$696,636,756.00
992	Gazelle, Sand (<i>Gazella subgutturosa marica</i>) - Wherever found	E	\$7,488.00	\$696,644,244.00
992	Gazelle, Saudi Arabian (<i>Gazella dorcas saudiya</i>) - Wherever found	E	\$7,488.00	\$696,651,732.00
992	Gazelle, Slender-horned (<i>Gazella leptoceros</i>) - Wherever found	E	\$7,488.00	\$696,659,220.00
992	Gecko, Round Island Day (<i>Phelsuma guentheri</i>) - Wherever found	E	\$7,488.00	\$696,666,708.00
992	Gecko, Serpent Island (<i>Cyrtodactylus serpensinsula</i>) - Wherever found	T	\$7,488.00	\$696,674,196.00
992	Goldenrod, Houghton's (<i>Solidago houghtonii</i>) - Wherever found	T	\$7,488.00	\$696,681,684.00
992	Goral (<i>Naemorhedus goral</i>) - Wherever found	E	\$7,488.00	\$696,689,172.00
992	Goshawk, Queen Charlotte (<i>Accipiter gentilis laingi</i>) - Wherever found	RT	\$7,488.00	\$696,696,660.00
992	Grackle, Slender-billed (<i>Quisicalus palustris</i>) - Wherever found	E	\$7,488.00	\$696,704,148.00
992	Grass, Solano (<i>Tuctoria mucronata</i>) - Wherever found	E	\$7,488.00	\$696,711,636.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Grebe, Junin (<i>Podiceps taczanowskii</i>) - Wherever found	E	\$7,488.00	\$696,719,124.00
992	Greenshank, Nordmann's (<i>Tringa guttifer</i>) - Wherever found	E	\$7,488.00	\$696,726,612.00
992	Guan, Horned (<i>Oreophasis derbianus</i>) - Wherever found	E	\$7,488.00	\$696,734,100.00
992	Guineafowl, White-breasted (<i>Agelastes meleagrides</i>) - Wherever found	T	\$7,488.00	\$696,741,588.00
992	Gull, Relict (<i>Larus relictus</i>) - Wherever found	E	\$7,488.00	\$696,749,076.00
992	Hare, Hispid (<i>Caprolagus hispidus</i>) - Wherever found	E	\$7,488.00	\$696,756,564.00
992	Hartebeest, Swayne's (<i>Alcelaphus buselaphus swaynei</i>) - Wherever found	E	\$7,488.00	\$696,764,052.00
992	Hartebeest, Tora (<i>Alcelaphus buselaphus tora</i>) - Wherever found	E	\$7,488.00	\$696,771,540.00
992	Hawk, Galapagos (<i>Buteo galapagoensis</i>) - Wherever found	E	\$7,488.00	\$696,779,028.00
992	Hermit, Hook-billed (hummingbird) (<i>Ramphodon (=Glaucis) dohrnii</i>) - Wherever found	E	\$7,488.00	\$696,786,516.00
992	Hermit, Margaretta's (<i>Phaethornis malaris margarettae</i>) - Wherever found	E	\$7,488.00	\$696,794,004.00
992	Hog, Pygmy (<i>Sus salvanius</i>) - Wherever found	E	\$7,488.00	\$696,801,492.00
992	Honeyeater, Helmeted (<i>Lichenostomus melanops cassidix (=Meliphaga c.)</i>) - Wherever found	E	\$7,488.00	\$696,808,980.00
992	Horse, Przewalski's (<i>Equus przewalskii</i>) - Wherever found	E	\$7,488.00	\$696,816,468.00
992	Huemul, North Andean (<i>Hippocamelus antisensis</i>) - Wherever found	E	\$7,488.00	\$696,823,956.00
992	Huemul, South Andean (<i>Hippocamelus bisulcus</i>) - Wherever found	E	\$7,488.00	\$696,831,444.00
992	Hummingbird, Honduran Emerald (<i>Amazilia luciae</i>) - Wherever found	E	\$7,488.00	\$696,838,932.00
992	Hutia, Large-eared (<i>Capromys auritus</i>) - Wherever found	E	\$7,488.00	\$696,846,420.00
992	Hutia, Little Earth (<i>Capromys sanfelipensis</i>) - Wherever found	E	\$7,488.00	\$696,853,908.00
992	Ibex, Pyrenean (<i>Capra pyrenaica pyrenaica</i>) - Wherever found	E	\$7,488.00	\$696,861,396.00
992	Ibex, Walia (<i>Capra walie</i>) - Wherever found	E	\$7,488.00	\$696,868,884.00
992	Ibis, Giant (<i>Pseudibis gigantea</i>) - Wherever found	E	\$7,488.00	\$696,876,372.00
992	Ibis, Japanese Crested (<i>Nipponia nippon</i>) - Wherever found	E	\$7,488.00	\$696,883,860.00
992	Ibis, Northern Bald (<i>Geronticus eremita</i>) - Wherever found	E	\$7,488.00	\$696,891,348.00
992	Iguana, Fiji Banded (<i>Brachylophus fasciatus</i>) - Wherever found	E	\$7,488.00	\$696,898,836.00
992	Iguana, Fiji Crested (<i>Brachylophus vitiensis</i>) - Wherever found	E	\$7,488.00	\$696,906,324.00
992	Iguana, Grand Cayman Ground (<i>Cyclura lewisi</i>) - Wherever found	E	\$7,488.00	\$696,913,812.00
992	Iguana, Jamaican (<i>Cyclura collei</i>) - Wherever found	E	\$7,488.00	\$696,921,300.00
992	Iguana, Mayaguana (<i>Cyclura carinata bartschi</i>) - Wherever found	T	\$7,488.00	\$696,928,788.00
992	Iguana, Turks and Caicos (<i>Cyclura carinata carinata</i>) - Wherever found	T	\$7,488.00	\$696,936,276.00
992	Iguana, Watling Island Ground (<i>Cyclura rileyi rileyi</i>) - Wherever found	E	\$7,488.00	\$696,943,764.00
992	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>) - Wherever found	E	\$7,488.00	\$696,951,252.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Isopod, Lee County Cave (<i>Lirceus usdagalun</i>) - Wherever found	E	\$7,488.00	\$696,958,740.00
992	Isopod, Madison Cave (<i>Antrolana lira</i>) - Wherever found	T	\$7,488.00	\$696,966,228.00
992	Jaguarundi, Guatemalan (<i>Herpailurus</i> (=Felis) <i>yagouaroundsi fossata</i>) - Mexico,Nicaragua	E	\$7,488.00	\$696,973,716.00
992	Jaguarundi, Panamanian (<i>Herpailurus</i> (=Felis) <i>yagouaroundsi panamensis</i>) - Wherever found	E	\$7,488.00	\$696,981,204.00
992	Jaguarundi, Sinaloan (<i>Herpailurus</i> (=Felis) <i>yagouaroundsi tolteca</i>) - Wherever found	E	\$7,488.00	\$696,988,692.00
992	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>) - Wherever found	E	\$7,488.00	\$696,996,180.00
992	Jewelflower, Tiburon (<i>Streptanthus niger</i>) - Wherever found	E	\$7,488.00	\$697,003,668.00
992	Kagu (<i>Rhynchotos jubatus</i>) - Wherever found	E	\$7,488.00	\$697,011,156.00
992	Kakapo (<i>Strigops habroptilus</i>) - Wherever found	E	\$7,488.00	\$697,018,644.00
992	Kangaroo Rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>) - Wherever found	E	\$7,488.00	\$697,026,132.00
992	Kangaroo, Tasmanian Forester (<i>Macropus giganteus tasmaniensis</i>) - Wherever found	E	\$7,488.00	\$697,033,620.00
992	Kestrel, Mauritius (<i>Falco punctatus</i>) - Wherever found	E	\$7,488.00	\$697,041,108.00
992	Kestrel, Seychelles (<i>Falco araea</i>) - Wherever found	E	\$7,488.00	\$697,048,596.00
992	Kite, Grenada Hook-billed (<i>Chondrohierax uncinatus mirus</i>) - Wherever found	E	\$7,488.00	\$697,056,084.00
992	Koala (<i>Phascolarctos cinereus</i>) - Australia	T	\$7,488.00	\$697,063,572.00
992	Kokako (wattlebird) (<i>Callaeas cinerea</i>) - Wherever found	E	\$7,488.00	\$697,071,060.00
992	Kouprey (<i>Bos sauveli</i>) - Wherever found	E	\$7,488.00	\$697,078,548.00
992	Langur, Francois' (<i>Trachypithecus</i> (=Presbytis) <i>francoisi</i>) - Wherever found	E	\$7,488.00	\$697,086,036.00
992	Langur, Golden (<i>Trachypithecus</i> (=Presbytis) <i>geei</i>) - Wherever found	E	\$7,488.00	\$697,093,524.00
992	Langur, Gray (=entellus) (<i>Semnopithecus</i> (=Presbytis) <i>entellus</i>) - Wherever found	E	\$7,488.00	\$697,101,012.00
992	Langur, Long-tailed (<i>Presbytis potenzi</i>) - Indonesia	T	\$7,488.00	\$697,108,500.00
992	Langur, Pagi Island (<i>Nasalis concolor</i>) - Wherever found	E	\$7,488.00	\$697,115,988.00
992	Langur, Purple-faced (<i>Presbytis senex</i>) - Wherever found	T	\$7,488.00	\$697,123,476.00
992	Lark, Raso (<i>Alauda razae</i>) - Wherever found	E	\$7,488.00	\$697,130,964.00
992	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>) - Wherever found	E	\$7,488.00	\$697,138,452.00
992	Lechwe, Red (<i>Kobus leche</i>) - Wherever found	T	\$7,488.00	\$697,145,940.00
992	Lemur, Indri (<i>Indri indri</i>) - Wherever found	E	\$7,488.00	\$697,153,428.00
992	Lemurs (<i>Lemuridae</i> (incl. genera <i>Lemur</i> , <i>Phaner</i> , <i>Hapalemur</i>) - Wherever found	E	\$7,488.00	\$697,160,916.00
992	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>) - Wherever found	E	\$7,488.00	\$697,168,404.00
992	Linsang, Spotted (<i>Prionodon pardicolor</i>) - Wherever found	E	\$7,488.00	\$697,175,892.00
992	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>) - Wherever found	T	\$7,488.00	\$697,183,380.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Lizard, Hierro Giant (<i>Gallotia simonyi simonyi</i>) - Wherever found	E	\$7,488.00	\$697,190,868.00
992	Lizard, Ibiza Wall (<i>Podarcis pityusensis</i>) - Wherever found	T	\$7,488.00	\$697,198,356.00
992	Lizard, Maria Island Ground (<i>Cnemidophorus vanzoi</i>) - Wherever found	E	\$7,488.00	\$697,205,844.00
992	Loris, Lesser Slow (<i>Nycticebus pygmaeus</i>) - Wherever found	T	\$7,488.00	\$697,213,332.00
992	Lotus, San Clemente Island (<i>Acemispion dendroideus</i> var. <i>traskiae</i> (=Lotus d. ss) - Wherever found	T	\$7,488.00	\$697,220,820.00
992	Lousewort, Furbish (<i>Pedicularis furbishiae</i>) - Wherever found	E	\$7,488.00	\$697,228,308.00
992	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>) - Wherever found	E	\$7,488.00	\$697,235,796.00
992	Lynx, Spanish (<i>Felis pardina</i>) - Wherever found	E	\$7,488.00	\$697,243,284.00
992	Macaque, Formosan Rock (<i>Macaca cyclopis</i>) - Wherever found	T	\$7,488.00	\$697,250,772.00
992	Macaque, Japanese (<i>Macaca fuscata</i>) - Wherever found	T	\$7,488.00	\$697,258,260.00
992	Macaque, Lion-tailed (<i>Macaca silenus</i>) - Wherever found	E	\$7,488.00	\$697,265,748.00
992	Macaque, Stump-tailed (<i>Macaca arctoides</i>) - Wherever found	T	\$7,488.00	\$697,273,236.00
992	Macaque, Toque (<i>Macaca sinica</i>) - Wherever found	T	\$7,488.00	\$697,280,724.00
992	Macaw, Glaucous (<i>Anodorhynchus glaucus</i>) - Wherever found	E	\$7,488.00	\$697,288,212.00
992	Macaw, Great Green (<i>Ara ambiguus</i>) - Wherever found	E	\$7,488.00	\$697,295,700.00
992	Macaw, Hyacinth (<i>Anodorhynchus hyacinthinus</i>) - Wherever found	T	\$7,488.00	\$697,303,188.00
992	Macaw, Indigo (<i>Anodorhynchus leari</i>) - Wherever found	E	\$7,488.00	\$697,310,676.00
992	Macaw, Little Blue (<i>Cyanopsitta spixii</i>) - Wherever found	E	\$7,488.00	\$697,318,164.00
992	Macaw, Scarlet (<i>Ara macao</i> ssp. <i>cyanopterus</i>) - Northern DPS	T	\$7,488.00	\$697,325,652.00
992	Macaw, Scarlet (<i>Ara macao</i> ssp. <i>macao</i>) - Southern DPS	T	\$7,488.00	\$697,333,140.00
992	Madtom, Scioto (<i>Noturus trautmani</i>) - Wherever found	E	\$7,488.00	\$697,340,628.00
992	Magpie-robin, Seychelles (thrush) (<i>Copsychus sechellarum</i>) - Wherever found	E	\$7,488.00	\$697,348,116.00
992	Malacothrix, Island (<i>Malacothrix squalida</i>) - Wherever found	E	\$7,488.00	\$697,355,604.00
992	Malimbe, Ibadan (<i>Malimbus ibadanensis</i>) - Wherever found	E	\$7,488.00	\$697,363,092.00
992	Malkoha, Red-faced (cuckoo) (<i>Phaenicophaeus pyrrhocephalus</i>) - Wherever found	E	\$7,488.00	\$697,370,580.00
992	Mallow, Kern (<i>Eremalche kernensis</i>) - Wherever found	E	\$7,488.00	\$697,378,068.00
992	Mallow, Peter's Mountain (<i>Iliamna corei</i>) - Wherever found	E	\$7,488.00	\$697,385,556.00
992	Mandrill (<i>Mandrillus</i> (=Papio) <i>sphinx</i>) - Wherever found	E	\$7,488.00	\$697,393,044.00
992	Mangabey, Tana River (<i>Cercocebus galeritus galeritus</i>) - Wherever found	E	\$7,488.00	\$697,400,532.00
992	Margay (<i>Leopardus</i> (=Felis) <i>wiedii</i>) - Wherever found	E	\$7,488.00	\$697,408,020.00
992	Mariposa Lily, Tiburon (<i>Calochortus tiburonensis</i>) - Wherever found	T	\$7,488.00	\$697,415,508.00
992	Markhor, Straight-horned (<i>Capra falconeri megaceros</i>) - Wherever found	T	\$7,488.00	\$697,422,996.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Marmoset, Goeldi's (<i>Callimico goeldii</i>) - Wherever found	E	\$7,488.00	\$697,430,484.00
992	Marmot, Vancouver Island (<i>Marmota vancouverensis</i>) - Wherever found	E	\$7,488.00	\$697,437,972.00
992	Marsupial-mouse, Large Desert (<i>Sminthopsis psammophila</i>) - Wherever found	E	\$7,488.00	\$697,445,460.00
992	Marsupial-mouse, Long-tailed (<i>Sminthopsis longicaudata</i>) - Wherever found	E	\$7,488.00	\$697,452,948.00
992	Marten, Formosan Yellow-throated (<i>Martes flavigula chrysospila</i>) - Wherever found	E	\$7,488.00	\$697,460,436.00
992	Megapode, Maleo (<i>Macrocephalon maleo</i>) - Wherever found	E	\$7,488.00	\$697,467,924.00
992	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>) - Wherever found	E	\$7,488.00	\$697,475,412.00
992	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>) - Wherever found	E	\$7,488.00	\$697,482,900.00
992	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>) - Wherever found	E	\$7,488.00	\$697,490,388.00
992	Meshweaver, Madla Cave (<i>Cicurina madla</i>) - Wherever found	E	\$7,488.00	\$697,497,876.00
992	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>) - Wherever found	E	\$7,488.00	\$697,505,364.00
992	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>) - Wherever found	E	\$7,488.00	\$697,512,852.00
992	Mockingbird, Socorro (<i>Mimus graysoni</i>) - Wherever found	E	\$7,488.00	\$697,520,340.00
992	Monitor, Indian (=bengal) (<i>Varanus bengalensis</i>) - Wherever found	E	\$7,488.00	\$697,527,828.00
992	Monitor, Komodo Island (<i>Varanus komodoensis</i>) - Wherever found	E	\$7,488.00	\$697,535,316.00
992	Monkey, Guizhou Snub-nosed (<i>Rhinopithecus brelichi</i>) - Wherever found	E	\$7,488.00	\$697,542,804.00
992	Monkey, L'hoest's (<i>Cercopithecus lhoesti</i>) - Wherever found	E	\$7,488.00	\$697,550,292.00
992	Monkey, Mantled Howler (<i>Alouatta palliata</i>) - Wherever found	E	\$7,488.00	\$697,557,780.00
992	Monkey, Preuss' Red Colobus (<i>Procolobus</i> (=Colobus) <i>preussi</i> (=badius p.)) - Wherever found	E	\$7,488.00	\$697,565,268.00
992	Monkey, Proboscis (<i>Nasalis larvatus</i>) - Wherever found	E	\$7,488.00	\$697,572,756.00
992	Monkey, Red-backed Squirrel (<i>Saimiri oerstedii</i>) - Wherever found	E	\$7,488.00	\$697,580,244.00
992	Monkey, Red-bellied (<i>Cercopithecus erythrogaster</i>) - Wherever found	E	\$7,488.00	\$697,587,732.00
992	Monkey, Red-eared Nose-spotted (<i>Cercopithecus erythrotis</i>) - Wherever found	E	\$7,488.00	\$697,595,220.00
992	Monkey, Sichuan Snub-nosed (<i>Rhinopithecus roxellana</i>) - Wherever found	E	\$7,488.00	\$697,602,708.00
992	Monkey, Spider (<i>Ateles geoffroyi frontatus</i>) - Wherever found	E	\$7,488.00	\$697,610,196.00
992	Monkey, Spider (<i>Ateles geoffroyi panamensis</i>) - Wherever found	E	\$7,488.00	\$697,617,684.00
992	Monkey, Tana River Red Colobus (<i>Procolobus</i> (=Colobus) <i>rufomitratu</i> (=badius r.)) - Wherever found	E	\$7,488.00	\$697,625,172.00
992	Monkey, Tonkin Snub-nosed (<i>Rhinopithecus avunculus</i>) - Wherever found	E	\$7,488.00	\$697,632,660.00
992	Monkeyflower, Vandenberg (<i>Diplacus vandenbergensis</i>) - Wherever found	E	\$7,488.00	\$697,640,148.00
992	Mountainbalm, Indian Knob (<i>Eriodictyon altissimum</i>) - Wherever found	E	\$7,488.00	\$697,647,636.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Mouse, Field's (<i>Pseudomys fieldi</i>) - Wherever found	E	\$7,488.00	\$697,655,124.00
992	Mouse, Gould's (<i>Pseudomys gouldii</i>) - Wherever found	E	\$7,488.00	\$697,662,612.00
992	Mouse, New Holland (<i>Pseudomys novaehollandiae</i>) - Wherever found	E	\$7,488.00	\$697,670,100.00
992	Mouse, Shark Bay (<i>Pseudomys praeconis</i>) - Wherever found	E	\$7,488.00	\$697,677,588.00
992	Mouse, Shortridge's (<i>Pseudomys shortridgei</i>) - Wherever found	E	\$7,488.00	\$697,685,076.00
992	Mouse, Smoky (<i>Pseudomys fumeus</i>) - Wherever found	E	\$7,488.00	\$697,692,564.00
992	Mouse, Western (<i>Pseudomys occidentalis</i>) - Wherever found	E	\$7,488.00	\$697,700,052.00
992	Muntjac, Fea's (<i>Muntiacus feae</i>) - Wherever found	E	\$7,488.00	\$697,707,540.00
992	Mustard, Slender-petaled (<i>Thelypodium stenopetalum</i>) - Wherever found	E	\$7,488.00	\$697,715,028.00
992	Navarretia, Few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. pau) - Wherever found	E	\$7,488.00	\$697,722,516.00
992	Navarretia, Many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>) - Wherever found	E	\$7,488.00	\$697,730,004.00
992	Navarretia, Spreading (<i>Navarretia fossalis</i>) - Wherever found	T	\$7,488.00	\$697,737,492.00
992	Nekogigi (catfish) (<i>Coreobagrus ichikawai</i>) - Wherever found	E	\$7,488.00	\$697,744,980.00
992	No Common Name (<i>Acropora lokani</i>) - Wherever found	T	\$7,488.00	\$697,752,468.00
992	No Common Name (<i>Acropora pharaonis</i>) - Wherever found	T	\$7,488.00	\$697,759,956.00
992	No Common Name (<i>Acropora rudis</i>) - Wherever found	T	\$7,488.00	\$697,767,444.00
992	No Common Name (<i>Acropora tenella</i>) - Wherever found	T	\$7,488.00	\$697,774,932.00
992	No Common Name (<i>Anacropora spinosa</i>) - Wherever found	T	\$7,488.00	\$697,782,420.00
992	No Common Name (<i>Cantharellus noumeae</i>) - 0	E	\$7,488.00	\$697,789,908.00
992	No Common Name (<i>Montipora australiensis</i>) - Wherever found	T	\$7,488.00	\$697,797,396.00
992	No Common Name (<i>Pavona diffluens</i>) - Wherever found	T	\$7,488.00	\$697,804,884.00
992	No Common Name (<i>Porites napopora</i>) - Wherever found	T	\$7,488.00	\$697,812,372.00
992	No Common Name (<i>Siderastrea glynni</i>) - none	E	\$7,488.00	\$697,819,860.00
992	No Common Name (<i>Tubastraea floreana</i>) - 0	E	\$7,488.00	\$697,827,348.00
992	Numbat (<i>Myrmecobius fasciatus</i>) - Wherever found	E	\$7,488.00	\$697,834,836.00
992	Onion, Munz's (<i>Allium munzii</i>) - Wherever found	E	\$7,488.00	\$697,842,324.00
992	Oryx, Scimitar-horned (<i>Oryx dammah</i>) - Wherever found	E	\$7,488.00	\$697,849,812.00
992	Ostrich, West African (<i>Struthio camelus spatzi</i>) - Wherever found	E	\$7,488.00	\$697,857,300.00
992	Otter, Giant (<i>Pteronura brasiliensis</i>) - South America	E	\$7,488.00	\$697,864,788.00
992	Otter, Long-tailed (<i>Lontra</i> (=Lutra) <i>longicaudis</i> (incl. <i>platensis</i>)) - Wherever found	E	\$7,488.00	\$697,872,276.00
992	Otter, Marine (<i>Lontra</i> (=Lutra) <i>felina</i>) - Wherever found	E	\$7,488.00	\$697,879,764.00
992	Otter, Southern River (<i>Lontra</i> (=Lutra) <i>provocax</i>) - Wherever found	E	\$7,488.00	\$697,887,252.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Owl, Giant Scops (Mimizuku (=Otus) gurneyi) - Wherever found	E	\$7,488.00	\$697,894,740.00
992	Owl, Madagascar Red (Tyto soumagnei) - Wherever found	E	\$7,488.00	\$697,902,228.00
992	Owl, Seychelles Scops (Otus magicus (=insularis) insularis) - Wherever found	E	\$7,488.00	\$697,909,716.00
992	Owlet, Morden's (Otus ireneae) - Wherever found	E	\$7,488.00	\$697,917,204.00
992	Paintbrush, San Clemente Island (Castilleja grisea) - Wherever found	T	\$7,488.00	\$697,924,692.00
992	Panda, Giant (Ailuropoda melanoleuca) - Wherever found	E	\$7,488.00	\$697,932,180.00
992	Parakeet, Forbes' (Cyanoramphus auriceps forbesi) - Wherever found	E	\$7,488.00	\$697,939,668.00
992	Parakeet, Golden-shouldered (Psephotus chrysopterygius) - Wherever found	E	\$7,488.00	\$697,947,156.00
992	Parakeet, Mauritius (Psittacula echo) - Wherever found	E	\$7,488.00	\$697,954,644.00
992	Parakeet, Norfolk Island (Cyanoramphus cookii (=novaezelandiae c.)) - Wherever found	E	\$7,488.00	\$697,962,132.00
992	Parakeet, Orange-bellied (Neophema chrysogaster) - Wherever found	E	\$7,488.00	\$697,969,620.00
992	Parakeet, Paradise (Psephotus pulcherrimus) - Wherever found	E	\$7,488.00	\$697,977,108.00
992	Parrot, Ground (Pezoporus wallicus) - Wherever found	E	\$7,488.00	\$697,984,596.00
992	Parrot, Imperial (Amazona imperialis) - Wherever found	E	\$7,488.00	\$697,992,084.00
992	Parrot, Night (=australian) (Geopsittacus occidentalis) - Wherever found	E	\$7,488.00	\$697,999,572.00
992	Parrot, Red-browed (Amazona rhodocorytha) - Wherever found	E	\$7,488.00	\$698,007,060.00
992	Parrot, Red-capped (Pionopsitta pileata) - Wherever found	E	\$7,488.00	\$698,014,548.00
992	Parrot, Red-necked (Amazona arausiaca) - Wherever found	E	\$7,488.00	\$698,022,036.00
992	Parrot, Red-spectacled (Amazona pretrei pretrei) - Wherever found	E	\$7,488.00	\$698,029,524.00
992	Parrot, Red-tailed (Amazona brasiliensis) - Wherever found	E	\$7,488.00	\$698,037,012.00
992	Parrot, Seychelles Lesser Vasa (Coracopsis nigra barklyi) - Wherever found	E	\$7,488.00	\$698,044,500.00
992	Parrot, St Vincent (Amazona guildingii) - Wherever found	E	\$7,488.00	\$698,051,988.00
992	Parrot, St. Lucia (Amazona versicolor) - Wherever found	E	\$7,488.00	\$698,059,476.00
992	Parrot, Thick-billed (Rhynchopsitta pachyrhyncha) - Wherever found	E	\$7,488.00	\$698,066,964.00
992	Parrot, Vinaceous-breasted (Amazona vinacea) - Wherever found	E	\$7,488.00	\$698,074,452.00
992	Pearlymussel, Nicklin's (Megaloniais nicklineana) - Wherever found	E	\$7,488.00	\$698,081,940.00
992	Pearlymussel, Tampico (Cyrtoniais tampicoensis tecomatensis) - Wherever found	E	\$7,488.00	\$698,089,428.00
992	Penguin, Fiordland Crested (Eudyptes pachyrhynchus) - Wherever found	T	\$7,488.00	\$698,096,916.00
992	Penguin, Galapagos (Spheniscus mendiculus) - Wherever found	E	\$7,488.00	\$698,104,404.00
992	Penguin, Humboldt (Spheniscus humboldti) - Wherever found	T	\$7,488.00	\$698,111,892.00
992	Penguin, Southern Rockhopper (Eudyptes chrysocome) - New Zealand-Australia DPS	T	\$7,488.00	\$698,119,380.00
992	Penny-cress, Kneeland Prairie (Thlaspi californicum) - Wherever found	E	\$7,488.00	\$698,126,868.00
992	Petrel, Fiji (Pseudobulweria macgillivrayi) - Wherever found	E	\$7,488.00	\$698,134,356.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Petrel, Galapagos (<i>Pterodroma phaeopygia</i>) - Wherever found	T	\$7,488.00	\$698,141,844.00
992	Petrel, Magenta (<i>Pterodroma magentae</i>) - Wherever found	E	\$7,488.00	\$698,149,332.00
992	Petrel, Mascarene Black (<i>Pterodroma aterrima</i>) - Wherever found	E	\$7,488.00	\$698,156,820.00
992	Pheasant, Imperial (<i>Lophura imperialis</i>) - Wherever found	E	\$7,488.00	\$698,164,308.00
992	Pheasant, Mikado (<i>Syrmaticus mikado</i>) - Wherever found	E	\$7,488.00	\$698,171,796.00
992	Pheasant, Palawan Peacock (<i>Polyplectron emphanum</i>) - Wherever found	E	\$7,488.00	\$698,179,284.00
992	Pheasant, Sclater's Monal (<i>Lophophorus sclateri</i>) - Wherever found	E	\$7,488.00	\$698,186,772.00
992	Pheasant, Swinhoe's (<i>Lophura swinhoii</i>) - Wherever found	E	\$7,488.00	\$698,194,260.00
992	Pheasant, Western Tragopan (<i>Tragopan melanocephalus</i>) - Wherever found	E	\$7,488.00	\$698,201,748.00
992	Pigeon, Marquesas (<i>Ducula galeata</i>) - Wherever found	E	\$7,488.00	\$698,209,236.00
992	Pigeon, Mindoro Imperial (=zone-tailed) (<i>Ducula mindorensis</i>) - Wherever found	E	\$7,488.00	\$698,216,724.00
992	Pigeon, Pink (<i>Columba mayeri</i>) - Wherever found	E	\$7,488.00	\$698,224,212.00
992	Pitta, Gurney's (<i>Pitta gurneyi</i>) - Wherever found	E	\$7,488.00	\$698,231,700.00
992	Pitta, Koch's (<i>Pitta kochi</i>) - Wherever found	E	\$7,488.00	\$698,239,188.00
992	Planigale, Little (<i>Planigale ingrami subtilissima</i>) - Wherever found	E	\$7,488.00	\$698,246,676.00
992	Planigale, Southern (<i>Planigale tenuirostris</i>) - Wherever found	E	\$7,488.00	\$698,254,164.00
992	Plantcutter, Peruvian (<i>Phytotoma raimondii</i>) - Wherever found	E	\$7,488.00	\$698,261,652.00
992	Plover, New Zealand Shore (<i>Thinornis novaeseelandiae</i>) - Wherever found	E	\$7,488.00	\$698,269,140.00
992	Pochard, Madagascar (<i>Aythya innotata</i>) - Wherever found	E	\$7,488.00	\$698,276,628.00
992	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>) - Wherever found	E	\$7,488.00	\$698,284,116.00
992	Poppy, Sacramento Prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>) - Wherever found	E	\$7,488.00	\$698,291,604.00
992	Porcupine, Thin-spined (<i>Chaetomys subspinosus</i>) - Wherever found	E	\$7,488.00	\$698,299,092.00
992	Possum, Leadbeater's (<i>Gymnobelideus leadbeateri</i>) - Wherever found	E	\$7,488.00	\$698,306,580.00
992	Possum, Mountain Pygmy (<i>Burramys parvus</i>) - Wherever found	E	\$7,488.00	\$698,314,068.00
992	Possum, Scaly-tailed (<i>Wyulda squamicaudata</i>) - Wherever found	E	\$7,488.00	\$698,321,556.00
992	Prairie Dog, Mexican (<i>Cynomys mexicanus</i>) - Mexico	E	\$7,488.00	\$698,329,044.00
992	Pronghorn, Peninsular (<i>Antilocapra americana peninsularis</i>) - Mexico (Baja California)	E	\$7,488.00	\$698,336,532.00
992	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>) - Wherever found	E	\$7,488.00	\$698,344,020.00
992	Pudu (Pudu pudu) - Wherever found	E	\$7,488.00	\$698,351,508.00
992	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>) - Wherever found	E	\$7,488.00	\$698,358,996.00
992	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>) - Wherever found	T	\$7,488.00	\$698,366,484.00
992	Python, Indian (<i>Python molurus molurus</i>) - Wherever found	E	\$7,488.00	\$698,373,972.00
992	Quail, Merriam's Montezuma (<i>Cyrtonyx montezumae merriami</i>) - Wherever found	E	\$7,488.00	\$698,381,460.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Quetzal, Resplendent (<i>Pharomachrus mocinno</i> ssp. <i>mocinno</i>) - Wherever found	E	\$7,488.00	\$698,388,948.00
992	Quokka (<i>Setonix brachyurus</i>) - Wherever found	E	\$7,488.00	\$698,396,436.00
992	Rabbit, Ryukyu (<i>Pentalagus furnessi</i>) - Japan (Ryukyu Islands)	E	\$7,488.00	\$698,403,924.00
992	Rabbit, Volcano (<i>Romerolagus diazi</i>) - Mexico	E	\$7,488.00	\$698,411,412.00
992	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>) - Wherever found	T	\$7,488.00	\$698,418,900.00
992	Rail, Junin (<i>Laterallus tuerosi</i>) - Wherever found	E	\$7,488.00	\$698,426,388.00
992	Rail, Lord Howe Wood (<i>Gallirallus</i> (=Tricholimnas) <i>sylvestris</i>) - Wherever found	E	\$7,488.00	\$698,433,876.00
992	Rat, Stick-nest (<i>Leporillus conditor</i>) - Wherever found	E	\$7,488.00	\$698,441,364.00
992	Rat-kangaroo, Gaimard's (<i>Bettongia gaimardi</i>) - Wherever found	E	\$7,488.00	\$698,448,852.00
992	Rat-kangaroo, Lesueur's (<i>Bettongia lesueur</i>) - Wherever found	E	\$7,488.00	\$698,456,340.00
992	Rat-kangaroo, Queensland (<i>Bettongia tropica</i>) - Wherever found	E	\$7,488.00	\$698,463,828.00
992	Rhea, Lesser (incl. Darwin's) (<i>Rhea</i> (=Pterocnemias) <i>pennata</i>) - Wherever found	E	\$7,488.00	\$698,471,316.00
992	Robin, Scarlet-breasted (flycatcher) (<i>Petroica multicolor multicolor</i>) - Wherever found	E	\$7,488.00	\$698,478,804.00
992	Rock-cress, Mcdonald's (<i>Arabis macdonaldiana</i>) - Wherever found	E	\$7,488.00	\$698,486,292.00
992	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>) - Wherever found	E	\$7,488.00	\$698,493,780.00
992	Rockfowl, Grey-necked (<i>Picathartes oreas</i>) - Wherever found	E	\$7,488.00	\$698,501,268.00
992	Roller, Long-tailed Ground (<i>Uratelornis chimaera</i>) - Wherever found	E	\$7,488.00	\$698,508,756.00
992	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>) - Wherever found	T	\$7,488.00	\$698,516,244.00
992	Rush-pea, Slender (<i>Hoffmannseggia tenella</i>) - Wherever found	E	\$7,488.00	\$698,523,732.00
992	Saiga, Mongolian (antelope) (<i>Saiga tatarica mongolica</i>) - Mongolia	E	\$7,488.00	\$698,531,220.00
992	Saki, Southern Bearded (<i>Chiropotes satanas satanas</i>) - Wherever found	E	\$7,488.00	\$698,538,708.00
992	Salamander, Japanese Giant (<i>Andrias japonicus</i> (=davidianus j.)) - Wherever found	E	\$7,488.00	\$698,546,196.00
992	Salamander, Salado (<i>Eurycea chisholmensis</i>) - Wherever found	T	\$7,488.00	\$698,553,684.00
992	Salamander, Sonora Tiger (<i>Ambystoma tigrinum stebbinsi</i>) - Wherever found	E	\$7,488.00	\$698,561,172.00
992	Sawfish, Green (<i>Pristis zijsron</i>) - Wherever found	E	\$7,488.00	\$698,568,660.00
992	Sawfish, Largetooth (<i>Pristis pristis</i>) - Wherever found	E	\$7,488.00	\$698,576,148.00
992	Sawfish, Narrow (<i>Anoxypristis cuspidata</i>) - Wherever found	E	\$7,488.00	\$698,583,636.00
992	Scrub-bird, Noisy (<i>Atrichornis clamosus</i>) - Wherever found	E	\$7,488.00	\$698,591,124.00
992	Seal, Mediterranean Monk (<i>Monachus monachus</i>) - Wherever found	E	\$7,488.00	\$698,598,612.00
992	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida botnica</i>) - Wherever found	T	\$7,488.00	\$698,606,100.00
992	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida ladogensis</i>) - Ladoga subspecies	E	\$7,488.00	\$698,613,588.00
992	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida ochotensis</i>) - Okhotsk subspecies	T	\$7,488.00	\$698,621,076.00
992	Seal, Saimaa (<i>Phoca hispida saimensis</i>) - Wherever found	E	\$7,488.00	\$698,628,564.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Seledang (<i>Bos gaurus</i>) - Wherever found	E	\$7,488.00	\$698,636,052.00
992	Serow (<i>Naemorhedus (=Capricornis) sumatraensis</i>) - Wherever found	E	\$7,488.00	\$698,643,540.00
992	Shapo (<i>Ovis vignei vignei</i>) - Wherever found	E	\$7,488.00	\$698,651,028.00
992	Shearwater, Heinroth's (<i>Puffinus heinrothi</i>) - Wherever found	T	\$7,488.00	\$698,658,516.00
992	Shou (<i>Cervus elaphus wallichi</i>) - Wherever found	E	\$7,488.00	\$698,666,004.00
992	Shrike, San Clemente Loggerhead (<i>Lanius ludovicianus mearnsi</i>) - Wherever found	E	\$7,488.00	\$698,673,492.00
992	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>) - Wherever found	T	\$7,488.00	\$698,680,980.00
992	Siamang (<i>Symphalangus syndactylus</i>) - Wherever found	E	\$7,488.00	\$698,688,468.00
992	Sifakas (<i>Propithecus spp.</i>) - Wherever found	E	\$7,488.00	\$698,695,956.00
992	Siskin, Red (<i>Carduelis cucullata</i>) - Wherever found	E	\$7,488.00	\$698,703,444.00
992	Skink, Round Island (<i>Leiopisma telfairi</i>) - Wherever found	T	\$7,488.00	\$698,710,932.00
992	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>) - Wherever found	E	\$7,488.00	\$698,718,420.00
992	Snail, Flat-spined Three-toothed (<i>Triodopsis platysayoides</i>) - Wherever found	T	\$7,488.00	\$698,725,908.00
992	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>) - Wherever found	E	\$7,488.00	\$698,733,396.00
992	Snail, Manus Island Tree (<i>Papustyla pulcherrima</i>) - Wherever found	E	\$7,488.00	\$698,740,884.00
992	Snail, Virginia Fringed Mountain (<i>Polygyriscus virginianus</i>) - Wherever found	E	\$7,488.00	\$698,748,372.00
992	Snake, Maria Island (<i>Liophus ornatus</i>) - Wherever found	E	\$7,488.00	\$698,755,860.00
992	Solenodon, Haitian (<i>Solenodon paradoxus</i>) - Wherever found	E	\$7,488.00	\$698,763,348.00
992	Sparrow, San Clemente Sage (<i>Amphispiza belli clementeae</i>) - Wherever found	T	\$7,488.00	\$698,770,836.00
992	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>) - Wherever found	E	\$7,488.00	\$698,778,324.00
992	Spider, Kandy Parachute (<i>Poecilotheria smithi</i>) - Wherever found	E	\$7,488.00	\$698,785,812.00
992	Spider, Pedersen's Tiger (<i>Poecilotheria vittata</i>) - Wherever found	E	\$7,488.00	\$698,793,300.00
992	Spider, Tooth Cave (<i>Neoleptoneta myopica</i>) - Wherever found	E	\$7,488.00	\$698,800,788.00
992	Spineflower, Howell's (<i>Chorizanthe howellii</i>) - Wherever found	E	\$7,488.00	\$698,808,276.00
992	Spineflower, Scotts Valley (<i>Chorizanthe robusta</i> var. <i>hartwegii</i>) - Wherever found	E	\$7,488.00	\$698,815,764.00
992	Springsnail, Phantom (<i>Pyrgulopsis texana</i>) - Wherever found	E	\$7,488.00	\$698,823,252.00
992	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>) - Wherever found	T	\$7,488.00	\$698,830,740.00
992	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>) - Wherever found	E	\$7,488.00	\$698,838,228.00
992	Squirrel, Mount Graham Red (<i>Tamiasciurus hudsonicus grahamensis</i>) - Wherever found	E	\$7,488.00	\$698,845,716.00
992	Stag, Kashmir (<i>Cervus elaphus hanglu</i>) - Wherever found	E	\$7,488.00	\$698,853,204.00
992	Starling, Ponape Mountain (<i>Aplonis pelzelni</i>) - Wherever found	E	\$7,488.00	\$698,860,692.00
992	Starling, Rothschild's (<i>myna</i>) (<i>Leucopsar rothschildi</i>) - Wherever found	E	\$7,488.00	\$698,868,180.00
992	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>) - Wherever found	E	\$7,488.00	\$698,875,668.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Stork, Oriental White (<i>Ciconia boyciana</i> (=ciconia b.)) - Wherever found	E	\$7,488.00	\$698,883,156.00
992	Sturgeon, Kaluga (<i>Huso dauricus</i>) - Wherever found	E	\$7,488.00	\$698,890,644.00
992	Sturgeon, Sakhalin (<i>Acipenser mikadoi</i>) - Wherever found	E	\$7,488.00	\$698,898,132.00
992	Sunbird, Marungu (<i>Nectarinia prigoginei</i>) - Wherever found	E	\$7,488.00	\$698,905,620.00
992	Sunflower, San Mateo Woolly (<i>Eriophyllum latilobum</i>) - Wherever found	E	\$7,488.00	\$698,913,108.00
992	Tamaraw (<i>Bubalus mindorensis</i>) - Wherever found	E	\$7,488.00	\$698,920,596.00
992	Tamarin, Golden-rumped (<i>Leontopithecus</i> spp.) - Wherever found	E	\$7,488.00	\$698,928,084.00
992	Tamarin, Pied (<i>Saguinus bicolor</i>) - Wherever found	E	\$7,488.00	\$698,935,572.00
992	Tango, Miyako (=toyko Bitterling) (<i>Tanakia tanago</i>) - Wherever found	E	\$7,488.00	\$698,943,060.00
992	Tapir, Mountain (<i>Tapirus pinchaque</i>) - Wherever found	E	\$7,488.00	\$698,950,548.00
992	Tapir, South American (=brazilian) (<i>Tapirus terrestris</i>) - Wherever found	E	\$7,488.00	\$698,958,036.00
992	Tarantula, Fringed Ornamental (<i>Poecilotheria ornata</i>) - Wherever found	E	\$7,488.00	\$698,965,524.00
992	Tarantula, Ivory Ornamental (<i>Poecilotheria subfusca</i>) - Wherever found	E	\$7,488.00	\$698,973,012.00
992	Tarantula, Sri Lankan Ornamental (<i>Poecilotheria fasciata</i>) - Wherever found	E	\$7,488.00	\$698,980,500.00
992	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. villosa) - Wherever found	E	\$7,488.00	\$698,987,988.00
992	Tarsier, Philippine (<i>Tarsius syrichta</i>) - Wherever found	T	\$7,488.00	\$698,995,476.00
992	Tartaruga (<i>Podocnemis expansa</i>) - Wherever found	E	\$7,488.00	\$699,002,964.00
992	Temoleh, Ikan (minnow) (<i>Probarbus jullieni</i>) - Wherever found	E	\$7,488.00	\$699,010,452.00
992	Terrapin, River (<i>Batagur baska</i>) - Wherever found	E	\$7,488.00	\$699,017,940.00
992	Thistle, Fountain (<i>Cirsium fontinale</i> var. fontinale) - Wherever found	E	\$7,488.00	\$699,025,428.00
992	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>) - Wherever found	T	\$7,488.00	\$699,032,916.00
992	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>) - Wherever found	T	\$7,488.00	\$699,040,404.00
992	Thrasher, White-breasted (<i>Ramphocinclus brachyurus</i>) - Wherever found	E	\$7,488.00	\$699,047,892.00
992	Thrush, New Zealand (wattlebird) (<i>Turnagra capensis</i>) - Wherever found	E	\$7,488.00	\$699,055,380.00
992	Thrush, St. Lucia Forest (<i>Cichlherminia iherminieri santealuciaae</i>) - Wherever found	E	\$7,488.00	\$699,062,868.00
992	Thrush, Taita (<i>Turdus olivaceus helleri</i>) - Wherever found	E	\$7,488.00	\$699,070,356.00
992	Tiger Beetle, Ohlone (<i>Cicindela ohlone</i>) - Wherever found	E	\$7,488.00	\$699,077,844.00
992	Tiger, Tasmanian (<i>Thylacinus cynocephalus</i>) - Wherever found	E	\$7,488.00	\$699,085,332.00
992	Tinamou, Solitary (<i>Tinamus solitarius</i>) - Wherever found	E	\$7,488.00	\$699,092,820.00
992	Tit-spinetail, White-browed (<i>Leptasthenura xenothorax</i>) - Wherever found	E	\$7,488.00	\$699,100,308.00
992	Toad, Monte Verde Golden (<i>Bufo periglenes</i>) - Wherever found	E	\$7,488.00	\$699,107,796.00
992	Tody-tyrant, Kaempfer's (<i>Hemitriccus kaempferi</i>) - Wherever found	E	\$7,488.00	\$699,115,284.00
992	Tomistoma (<i>Tomistoma schlegelii</i>) - Wherever found	E	\$7,488.00	\$699,122,772.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Tortoise, Galapagos (<i>Geochelone nigra</i> (=elephantopus)) - Wherever found	E	\$7,488.00	\$699,130,260.00
992	Tortoise, Madagascar Radiated (<i>Geochelone radiata</i>) - Wherever found	E	\$7,488.00	\$699,137,748.00
992	Totoaba (seatrout Or Weakfish) (<i>Cynoscion macdonaldi</i>) - Wherever found	E	\$7,488.00	\$699,145,236.00
992	Tracaja (<i>Podocnemis unifilis</i>) - Wherever found	E	\$7,488.00	\$699,152,724.00
992	Tree-finch, Floreana (<i>Camarhynchus pauper</i>) - Wherever found	E	\$7,488.00	\$699,160,212.00
992	Trembler, Martinique (thrasher) (<i>Cinclocerthia ruficauda gutturalis</i>) - Wherever found	E	\$7,488.00	\$699,167,700.00
992	Trout, Little Kern Golden (<i>Oncorhynchus aguabonita whitei</i>) - Wherever found	T	\$7,488.00	\$699,175,188.00
992	Trout, Paiute Cutthroat (<i>Oncorhynchus clarkii seleniris</i>) - Wherever found	T	\$7,488.00	\$699,182,676.00
992	Tryonia, Gonzales (<i>Tryonia circumstriata</i> (=stocktonensis)) - Wherever found	E	\$7,488.00	\$699,190,164.00
992	Tryonia, Phantom (<i>Tryonia cheatumi</i>) - Wherever found	E	\$7,488.00	\$699,197,652.00
992	Tuatara (<i>Sphenodon punctatus</i>) - Wherever found	E	\$7,488.00	\$699,205,140.00
992	Turtle Dove, Seychelles (<i>Streptopelia picturata rostrata</i>) - Wherever found	E	\$7,488.00	\$699,212,628.00
992	Turtle, Geometric (<i>Psammobates geometricus</i>) - Wherever found	E	\$7,488.00	\$699,220,116.00
992	Turtle, Inagua Island (<i>Trachemys stejnegeri malonei</i>) - Wherever found	E	\$7,488.00	\$699,227,604.00
992	Turtle, Indian Sawback (<i>Kachuga tecta tecta</i>) - Wherever found	E	\$7,488.00	\$699,235,092.00
992	Turtle, Indian Softshell (<i>Trionyx gangeticus</i>) - Wherever found	E	\$7,488.00	\$699,242,580.00
992	Turtle, Peacock Softshell (<i>Trionyx hurum</i>) - Wherever found	E	\$7,488.00	\$699,250,068.00
992	Turtle, Short-necked Or Western Swamp (<i>Pseudemys umbrina</i>) - Wherever found	E	\$7,488.00	\$699,257,556.00
992	Turtle, South American Red-lined (<i>Trachemys scripta callirostris</i>) - Wherever found	E	\$7,488.00	\$699,265,044.00
992	Turtle, Spotted Pond (<i>Geoclemys hamiltonii</i>) - Wherever found	E	\$7,488.00	\$699,272,532.00
992	Turtle, Three-keeled Asian (<i>Melanochelys tricarinata</i>) - Wherever found	E	\$7,488.00	\$699,280,020.00
992	Uakari (all Species) (<i>Cacajao</i> spp.) - Wherever found	E	\$7,488.00	\$699,287,508.00
992	Urial (<i>Ovis musimon ophion</i>) - Wherever found	E	\$7,488.00	\$699,294,996.00
992	Vanga, Pollen's (<i>Xenopirostris polleni</i>) - Wherever found	T	\$7,488.00	\$699,302,484.00
992	Vanga, Van Dam's (<i>Xenopirostris damii</i>) - Wherever found	T	\$7,488.00	\$699,309,972.00
992	Viper, Lar Valley (<i>Vipera latifii</i>) - Wherever found	E	\$7,488.00	\$699,317,460.00
992	Wallaby, Parma (<i>Macropus parma</i>) - Wherever found	E	\$7,488.00	\$699,324,948.00
992	Wallaby, Western Hare (<i>Lagorchestes hirsutus</i>) - Wherever found	E	\$7,488.00	\$699,332,436.00
992	Wanderer, Plains (=collared-hemipode) (<i>Pedionomus torquatus</i>) - Wherever found	E	\$7,488.00	\$699,339,924.00
992	Warbler (=wood), Semper's (<i>Leucopezza semperi</i>) - Wherever found	E	\$7,488.00	\$699,347,412.00
992	Warbler, Long-legged (<i>Trichocichla rufa</i>) - Wherever found	E	\$7,488.00	\$699,354,900.00
992	Warbler, Rodrigues (old World Warbler) (<i>Bebrornis rodericanus</i>) - Wherever found	E	\$7,488.00	\$699,362,388.00
992	Warbler, Seychelles (old World Warbler) (<i>Bebrornis sechellensis</i>) - Wherever found	E	\$7,488.00	\$699,369,876.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Whale, Southern Right (<i>Eubalaena australis</i>) - Wherever found	E	\$7,488.00	\$699,377,364.00
992	Whipbird, Western (<i>Psophodes nigrogularis</i>) - Wherever found	E	\$7,488.00	\$699,384,852.00
992	White-eye, Norfolk Island (<i>Zosterops albogularis</i>) - Wherever found	E	\$7,488.00	\$699,392,340.00
992	White-eye, Ponape Greater (<i>Rukia longirostra</i>) - Wherever found	E	\$7,488.00	\$699,399,828.00
992	White-eye, Seychelles (<i>Zosterops modesta</i>) - Wherever found	E	\$7,488.00	\$699,407,316.00
992	Wild-buckwheat, Southern Mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>) - Wherever found	T	\$7,488.00	\$699,414,804.00
992	Wolf, Maned (<i>Chrysocyon brachyurus</i>) - Wherever found	E	\$7,488.00	\$699,422,292.00
992	Wombat, Queensland Hairy-nosed (incl. Barnard's) (<i>Lasiorhinus krefftii</i> (formerly <i>L. barnardi</i> and <i>L.</i>) - Wherever found	E	\$7,488.00	\$699,429,780.00
992	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>) - Wherever found	E	\$7,488.00	\$699,437,268.00
992	Woodpecker, Imperial (<i>Campephilus imperialis</i>) - Wherever found	E	\$7,488.00	\$699,444,756.00
992	Woodpecker, Tristram's (<i>Dryocopus javensis richardsi</i>) - Wherever found	E	\$7,488.00	\$699,452,244.00
992	Wood-quail, Gorgeted (<i>Odontophorus strophium</i>) - Wherever found	E	\$7,488.00	\$699,459,732.00
992	Wren, Guadeloupe House (<i>Troglodytes aedon guadeloupensis</i>) - Wherever found	E	\$7,488.00	\$699,467,220.00
992	Wren, St. Lucia House (<i>Troglodytes aedon mesoleucus</i>) - Wherever found	E	\$7,488.00	\$699,474,708.00
992	Yerba Santa, Lompoc (<i>Eriodictyon capitatum</i>) - Wherever found	E	\$7,488.00	\$699,482,196.00
992	Zebra, Grevy's (<i>Equus grevyi</i>) - Wherever found	T	\$7,488.00	\$699,489,684.00
992	Zebra, Hartmann's Mountain (<i>Equus zebra hartmannae</i>) - Wherever found	T	\$7,488.00	\$699,497,172.00
992	Zebra, Mountain (<i>Equus zebra zebra</i>) - Wherever found	E	\$7,488.00	\$699,504,660.00
993	Spinedace, White River (<i>Lepidomeda albivallis</i>) - Wherever found	E	\$7,300.00	\$699,511,960.00
994	Fern, Alabama Streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>) - Wherever found	T	\$7,282.00	\$699,519,242.00
995	Aupaka (<i>Isodendron longifolium</i>) - Wherever found	T	\$7,233.00	\$699,526,475.00
996	Butterfly, Callippe Silverspot (<i>Speyeria callippe callippe</i>) - Wherever found	E	\$7,200.00	\$699,533,675.00
996	Chub, Bonytail (<i>Gila elegans</i>) - Wherever found	E	\$7,200.00	\$699,540,875.00
997	Chupacallos (<i>Pleodendron macranthum</i>) - Wherever found	E	\$7,000.00	\$699,547,875.00
998	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>) - Wherever found	E	\$6,900.00	\$699,554,775.00
999	ʻahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>) - Wherever found	E	\$6,883.00	\$699,561,658.00
999	Aupaka (<i>Isodendron hosakae</i>) - Wherever found	E	\$6,883.00	\$699,568,541.00
1000	Shiner, Beautiful (<i>Cyprinella formosa</i>) - Wherever found	T	\$6,800.00	\$699,575,341.00
1001	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>) - Wherever found	E	\$6,515.00	\$699,581,856.00
1002	Yellow Lance (<i>Elliptio lanceolata</i>) - Wherever found	T	\$6,511.00	\$699,588,367.00
1003	Chub, Yaqui (<i>Gila purpurea</i>) - Wherever found	E	\$6,500.00	\$699,594,867.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1004	Gunnison Sage-grouse (<i>Centrocercus minimus</i>) - Wherever found	T	\$6,400.00	\$699,601,267.00
1005	Flax, Carter's Small-flowered (<i>Linum carteri carteri</i>) - Wherever found	E	\$6,300.00	\$699,607,567.00
1005	Lead-plant, Crenulate (<i>Amorpha crenulata</i>) - Wherever found	E	\$6,300.00	\$699,613,867.00
1005	Spurge, Deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>) - Wherever found	E	\$6,300.00	\$699,620,167.00
1006	Moccasinshell, Coosa (<i>Medionidus parvulus</i>) - Wherever found	E	\$6,212.00	\$699,626,379.00
1007	Phacelia, Clay (<i>Phacelia argillacea</i>) - Wherever found	E	\$6,000.00	\$699,632,379.00
1007	Rail, Ridgway's (<i>Rallus obsoletus</i> [=longirostris] <i>yumanensis</i>) - Wherever found	E	\$6,000.00	\$699,638,379.00
1008	Kidneyshell, Fluted (<i>Ptychobranthus subtentus</i>) - Wherever found	E	\$5,970.00	\$699,644,349.00
1009	Beetle, Comal Springs Dryopid (<i>Stygoparnus comalensis</i>) - Wherever found	E	\$5,856.00	\$699,650,205.00
1010	`akoko (<i>Euphorbia remyi</i> var. <i>kauaiensis</i>) - Wherever found	E	\$5,819.00	\$699,656,024.00
1010	`awikiwiki (<i>Canavalia molokaiensis</i>) - Wherever found	E	\$5,819.00	\$699,661,843.00
1010	`awikiwiki (<i>Canavalia napaliensis</i>) - Wherever found	E	\$5,819.00	\$699,667,662.00
1010	Alani (<i>Melicope degeneri</i>) - Wherever found	E	\$5,819.00	\$699,673,481.00
1010	Alani (<i>Melicope mucronulata</i>) - Wherever found	E	\$5,819.00	\$699,679,300.00
1010	Alani (<i>Melicope pallida</i>) - Wherever found	E	\$5,819.00	\$699,685,119.00
1010	Alani (<i>Melicope paniculata</i>) - Wherever found	E	\$5,819.00	\$699,690,938.00
1010	Alani (<i>Melicope zahlbruckneri</i>) - Wherever found	E	\$5,819.00	\$699,696,757.00
1010	'awiwi (<i>Kadua cookiana</i>) - Wherever found	E	\$5,819.00	\$699,702,576.00
1010	Koki`o, Cooke's (<i>Kokia cookei</i>) - Wherever found	E	\$5,819.00	\$699,708,395.00
1010	Loulu, Baker's (<i>Pritchardia bakeri</i>) - Wherever found	E	\$5,819.00	\$699,714,214.00
1011	`ena`ena (<i>Pseudognaphalium sandwicensium</i> var. <i>molokaiense</i>) - Wherever found	E	\$5,748.00	\$699,719,962.00
1012	Jacquemontia, Beach (<i>Jacquemontia reclinata</i>) - Wherever found	E	\$5,600.00	\$699,725,562.00
1013	Bariaco (<i>Trichilia triacantha</i>) - Wherever found	E	\$5,500.00	\$699,731,062.00
1013	Beargrass, Britton's (<i>Nolina brittoniana</i>) - Wherever found	E	\$5,500.00	\$699,736,562.00
1014	Snake, Black Pine (<i>Pituophis melanoleucus lodingi</i>) - Wherever found	T	\$5,400.00	\$699,741,962.00
1015	Georgia Rockcress (<i>Arabis georgiana</i>) - Wherever found	T	\$5,399.00	\$699,747,361.00
1016	Cliffrose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>) - Wherever found	E	\$5,300.00	\$699,752,661.00
1017	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>) - Wherever found	E	\$5,229.00	\$699,757,890.00
1018	Pea, Big Pine Partridge (<i>Chamaecrista lineata keyensis</i>) - Wherever found	E	\$5,200.00	\$699,763,090.00
1019	Cactus, Cochise Pincushion (<i>Coryphantha robbinsiorum</i>) - Wherever found	T	\$5,000.00	\$699,768,090.00
1019	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>) - Wherever found	E	\$5,000.00	\$699,773,090.00
1019	Shrimp, Alabama Cave (<i>Palaemonias alabamae</i>) - Wherever found	E	\$5,000.00	\$699,778,090.00
1020	Moorhen, Hawaiian Common (<i>Gallinula galeata sandwicensis</i>) - Wherever found	E	\$4,904.00	\$699,782,994.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1021	Cactus, Acuna (<i>Echinomastus erectocentrus</i> var. <i>acunensis</i>) - Wherever found	E	\$4,672.00	\$699,787,666.00
1022	Capa Rosa (<i>Callicarpa ampla</i>) - Wherever found	E	\$4,500.00	\$699,792,166.00
1022	Darter, Bluemask (<i>Etheostoma akatulo</i>) - Wherever found	E	\$4,500.00	\$699,796,666.00
1023	Salamander, Barton Springs (<i>Eurycea sosorum</i>) - Wherever found	E	\$4,482.00	\$699,801,148.00
1024	Wireweed (<i>Polygonella basiramia</i>) - Wherever found	E	\$4,300.00	\$699,805,448.00
1025	Salamander, Austin Blind (<i>Eurycea waterlooensis</i>) - Wherever found	E	\$4,062.00	\$699,809,510.00
1026	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>) - Wherever found	E	\$4,000.00	\$699,813,510.00
1026	Petrel, Bermuda (<i>Pterodroma cahow</i>) - Wherever found	E	\$4,000.00	\$699,817,510.00
1027	Dace, Foskett Speckled (<i>Rhinichthys osculus</i> ssp.) - Wherever found	T	\$3,750.00	\$699,821,260.00
1028	Pitcher-plant, Alabama Canebroke (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>) - Wherever found	E	\$3,587.00	\$699,824,847.00
1029	Chub, Chihuahua (<i>Gila nigrescens</i>) - Wherever found	T	\$3,500.00	\$699,828,347.00
1029	Erubia (<i>Solanum drymophilum</i>) - Wherever found	E	\$3,500.00	\$699,831,847.00
1029	Fern, American Hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>) - Wherever found	T	\$3,500.00	\$699,835,347.00
1029	Quillwort, Black Spored (<i>Isoetes melanospora</i>) - Wherever found	E	\$3,500.00	\$699,838,847.00
1029	Snail, Armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>) - Wherever found	E	\$3,500.00	\$699,842,347.00
1030	Dakota Skipper (<i>Hesperia dacotae</i>) - Wherever found	T	\$3,323.00	\$699,845,670.00
1031	Wartyback, White (pearlymussel) (<i>Plethobasus cicatricosus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$3,318.00	\$699,848,988.00
1032	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>) - Wherever found	T	\$3,200.00	\$699,852,188.00
1033	Shiner, Cahaba (<i>Notropis cahabae</i>) - Wherever found	E	\$3,087.00	\$699,855,275.00
1034	Crow, White-necked (<i>Corvus leucognaphalus</i>) - Wherever found	E	\$3,000.00	\$699,858,275.00
1034	Puma (=mountain Lion) (<i>Puma</i> (=Felis) <i>concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$3,000.00	\$699,861,275.00
1035	Beetle, Casey's June (<i>Dinacoma caseyi</i>) - Wherever found	E	\$2,813.00	\$699,864,088.00
1036	Potato-bean, Price's (<i>Apios priceana</i>) - 0	T	\$2,800.00	\$699,866,888.00
1036	Prickly-apple, Aboriginal (<i>Harrisia</i> (=Cereus) <i>aboriginum</i> (=gracilis)) - Wherever found	E	\$2,800.00	\$699,869,688.00
1037	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>) - Wherever found	E	\$2,762.00	\$699,872,450.00
1038	Plymouth Red-bellied Turtle (<i>Pseudemys rubriventris bangsi</i>) - Wherever found	E	\$2,746.00	\$699,875,196.00
1039	Logperch, Conasauga (<i>Percina jenkinsi</i>) - Wherever found	E	\$2,637.00	\$699,877,833.00
1040	Lioplax, Cylindrical (snail) (<i>Lioplax cyclostomaformis</i>) - Wherever found	E	\$2,537.00	\$699,880,370.00
1041	Grizzly Bear (<i>Ursus arctos horribilis</i>) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$2,490.00	\$699,882,860.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1042	Pentachaeta, White-rayed (<i>Pentachaeta bellidiflora</i>) - Wherever found	E	\$2,400.00	\$699,885,260.00
1042	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>) - Wherever found	E	\$2,400.00	\$699,887,660.00
1043	Shrew, Buena Vista Lake Ornate (<i>Sorex ornatus relictus</i>) - Wherever found	E	\$2,350.00	\$699,890,010.00
1044	Big Sandy Crayfish (<i>Cambarus callainus</i>) - Wherever found	T	\$2,278.00	\$699,892,288.00
1045	Blossom, Yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Wherever found; Except where listed as Experimental Populations	E	\$2,000.00	\$699,894,288.00
1045	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>) - Wherever found	E	\$2,000.00	\$699,896,288.00
1045	Gambusia, Big Bend (<i>Gambusia gaigei</i>) - Wherever found	E	\$2,000.00	\$699,898,288.00
1045	Lupine, Clover (<i>Lupinus tidestromii</i>) - Wherever found	E	\$2,000.00	\$699,900,288.00
1045	Topminnow, Barrens (<i>Fundulus julisia</i>) - Wherever found	E	\$2,000.00	\$699,902,288.00
1046	Anthricinan Yellow-faced Bee (<i>Hylaeus anthracinus</i>) - Wherever found	E	\$1,668.00	\$699,903,956.00
1046	Assimulans Yellow-faced Bee (<i>Hylaeus assimulans</i>) - Wherever found	E	\$1,668.00	\$699,905,624.00
1046	Easy Yellow-faced Bee (<i>Hylaeus facilis</i>) - Wherever found	E	\$1,668.00	\$699,907,292.00
1047	Button, Mohr's Barbara (<i>Marshallia mohrii</i>) - Wherever found	T	\$1,612.00	\$699,908,904.00
1048	Seablite, California (<i>Suaeda californica</i>) - 0	E	\$1,600.00	\$699,910,504.00
1049	Suwannee Moccasinshell (<i>Medionidus walkeri</i>) - Wherever found	T	\$1,585.00	\$699,912,089.00
1050	Cactus, Bakersfield (<i>Opuntia treleasei</i>) - Wherever found	E	\$1,500.00	\$699,913,589.00
1050	Oryx, Arabian (<i>Oryx leucoryx</i>) - Wherever found	E	\$1,500.00	\$699,915,089.00
1051	Poweshiek Skipperling (<i>Oarisma poweshiek</i>) - Wherever found	E	\$1,423.00	\$699,916,512.00
1052	Darter, Bluemask (=jewel) (<i>Etheostoma akatulo</i>) - Wherever found	E	\$1,380.00	\$699,917,892.00
1053	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXP N	\$1,372.00	\$699,919,264.00
1054	Harvestman, Bone Cave (<i>Texella reyesi</i>) - Wherever found	E	\$1,355.00	\$699,920,619.00
1055	Beetle, Coffin Cave Mold (<i>Batrisodes texanus</i>) - Wherever found	E	\$1,353.00	\$699,921,972.00
1056	Amphipod, Diminutive (<i>Gammarus hyalleoides</i>) - Wherever found	E	\$1,200.00	\$699,923,172.00
1057	Falcon, Eurasian Peregrine (<i>Falco peregrinus peregrinus</i>) - Wherever found	E	\$1,077.00	\$699,924,249.00
1058	Rice Rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$1,032.00	\$699,925,281.00
1059	Catfish, Yaqui (<i>Ictalurus pricei</i>) - Wherever found	T	\$1,000.00	\$699,926,281.00
1059	Darter, Diamond (<i>Crystallaria cincotta</i>) - Wherever found	E	\$1,000.00	\$699,927,281.00
1059	Iris, Dwarf Lake (<i>Iris lacustris</i>) - Wherever found	T	\$1,000.00	\$699,928,281.00
1059	Sucker, Zuni Bluehead (<i>Catostomus discobolus yarrowi</i>) - Wherever found	E	\$1,000.00	\$699,929,281.00
1060	Beetle, Comal Springs Riffle (<i>Heterelmis comalensis</i>) - Wherever found	E	\$840.00	\$699,930,121.00

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1061	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>) - Wherever found	E	\$810.00	\$699,930,931.00
1062	Beetle, Delta Green Ground (<i>Elaphrus viridis</i>) - Wherever found	T	\$800.00	\$699,931,731.00
1062	Dace, Ash Meadows Speckled (<i>Rhinichthys osculus nevadensis</i>) - Wherever found	E	\$800.00	\$699,932,531.00
1063	Springsnail, Alamosa (<i>Tryonia alamosae</i>) - Wherever found	E	\$750.00	\$699,933,281.00
1063	Springsnail, Chupadera (<i>Pyrgulopsis chupadera</i>) - Wherever found	E	\$750.00	\$699,934,031.00
1064	Black Warrior (=sipsey Fork) Waterdog (<i>Necturus alabamensis</i>) - Wherever found	E	\$737.00	\$699,934,768.00
1065	Dace, Clover Valley Speckled (<i>Rhinichthys osculus oligoporus</i>) - Wherever found	E	\$600.00	\$699,935,368.00
1066	Darter, Bayou (<i>Etheostoma rubrum</i>) - Wherever found	T	\$500.00	\$699,935,868.00
1066	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>) - Wherever found	E	\$500.00	\$699,936,368.00
1067	Texas Hornshell (<i>Popenaias popeii</i>) - Wherever found	E	\$420.00	\$699,936,788.00
1068	Rosemary, Apalachicola (<i>Conradina glabra</i>) - Wherever found	E	\$400.00	\$699,937,188.00
1069	Water-willow, Cooley's (<i>Justicia cooleyi</i>) - Wherever found	E	\$300.00	\$699,937,488.00
1070	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>) - Wherever found	E	\$200.00	\$699,937,688.00
1071	Louisiana Pine Snake (<i>Pituophis ruthveni</i>) - Wherever found	T	\$129.00	\$699,937,817.00
Total Ranked Species Expenditures				\$699,937,817.00

**TABLE 3. FY 2019 REPORTED LAND ACQUISITION EXPENDITURES FOR
ENDANGERED AND THREATENED SPECIES**

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2019 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported. Land acquisition costs for multi-species conservation activities are tabulated at the end of Table 3. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

TABLE 3. REPORTED LAND ACQUISITION EXPENDITURES FOR FY 2019 FOR ENDANGERED AND THREATENED SPECIES

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	State Total	Species Total
Amphibians	292	Salamander, California Tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$0.00	\$85,000.00	\$85,000.00	\$0.00	\$85,000.00
	965	Salamander, San Marcos (<i>Eurycea nana</i>) - Wherever found	T	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
	979	Salamander, Texas Blind (<i>Typhlomolge rathbuni</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
Amphibians				\$0.00	\$85,000.00	\$85,000.00	\$171,918.00	\$256,918.00
Birds	42	Cuckoo, Yellow-billed (<i>Coccyzus americanus</i>) - Western U.S. DPS	T	\$0.00	\$811,000.00	\$811,000.00	\$0.00	\$811,000.00
	31	Flycatcher, Southwestern Willow (<i>Empidonax traillii extimus</i>) - Wherever found	E	\$0.00	\$811,000.00	\$811,000.00	\$0.00	\$811,000.00
	12	Plover, Piping (<i>Charadrius melodus</i>) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$0.00	\$22,977.00	\$22,977.00	\$0.00	\$22,977.00
	451	Tern, Least (<i>Sterna antillarum</i>) - interior pop.	E	\$0.00	\$22,977.00	\$22,977.00	\$0.00	\$22,977.00
	674	Warbler (=wood), Golden-cheeked (<i>Dendroica chrysoparia</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
	48	Woodpecker, Red-cockaded (<i>Picoides borealis</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$797,916.00	\$797,916.00
Birds subtotal				\$0.00	\$1,667,954.00	\$1,667,954.00	\$883,875.00	\$2,551,829.00
Clams	119	Mussel, Snuffbox (<i>Epioblasma triquetra</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$76,500.00	\$76,500.00
Clams subtotal				\$0.00	\$0.00	\$0.00	\$76,500.00	\$76,500.00
Crustaceans	697	Fairy Shrimp, Conservancy (<i>Branchinecta conservatio</i>) - Wherever found	E	\$0.00	\$88,000.00	\$88,000.00	\$0.00	\$88,000.00
	222	Fairy Shrimp, Vernal Pool (<i>Branchinecta lynchi</i>) - Wherever found	T	\$0.00	\$88,000.00	\$88,000.00	\$0.00	\$88,000.00
	307	Tadpole Shrimp, Vernal Pool (<i>Lepidurus packardi</i>) - Wherever found	E	\$0.00	\$85,000.00	\$85,000.00	\$0.00	\$85,000.00
Crustaceans				\$0.00	\$261,000.00	\$261,000.00	\$0.00	\$261,000.00
Fishes	965	Darter, Fountain (<i>Etheostoma fonticola</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00

	992	Gambusia, San Marcos (<i>Gambusia georgei</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
	436	Pupfish, Owens (<i>Cyprinodon radiosus</i>) - Wherever found	E	\$0.00	\$7,000.00	\$7,000.00	\$0.00	\$7,000.00
	1	Salmon, Chinook (<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$0.00	\$90,491.00	\$90,491.00	\$0.00	\$90,491.00
	33	Smelt, Delta (<i>Hypomesus transpacificus</i>) - Wherever found	T	\$0.00	\$53,300.00	\$53,300.00	\$0.00	\$53,300.00
	2	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - Lower Columbia River DPS	T	\$0.00	\$1,063,491.00	\$1,063,491.00	\$1,560,000.00	\$2,623,491.00
	4	Sturgeon, Pallid (<i>Scaphirhynchus albus</i>) - Wherever found	E	\$0.00	\$122,998.00	\$122,998.00	\$0.00	\$122,998.00
	5	Trout, Bull (<i>Salvelinus confluentus</i>) - Clackamas River subbasin experimental population	EXPN	\$0.00	\$491.00	\$491.00	\$1,560,000.00	\$1,560,491.00
	83	Trout, Lahontan Cutthroat (<i>Oncorhynchus clarkii</i> <i>henshawi</i>) - Wherever found	T	\$0.00	\$1,245.00	\$1,245.00	\$0.00	\$1,245.00
	Fishes subtotal			\$0.00	\$1,339,016.00	\$1,339,016.00	\$3,291,918.00	\$4,630,934.00
Flowering Plants	530	Blazingstar, Heller's (<i>Liatris helleri</i>) - Wherever found	T	\$0.00	\$0.00	\$0.00	\$304,122.00	\$304,122.00
	312	Cactus, Kuenzler Hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>) - Wherever found	T	\$0.00	\$4,000.00	\$4,000.00	\$0.00	\$4,000.00
	602	Cactus, Lee Pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>) - Wherever found	T	\$0.00	\$2,000.00	\$2,000.00	\$0.00	\$2,000.00
	145	Catchfly, Spalding's (<i>Silene spaldingii</i>) - Wherever found	T	\$0.00	\$0.00	\$0.00	\$218,000.00	\$218,000.00
	621	Dropwort, Canby's (<i>Oxypolis canbyi</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$245,329.00	\$245,329.00
	975	Grass, Colusa (<i>Neostapfia colusana</i>) - Wherever found	T	\$0.00	\$85,400.00	\$85,400.00	\$0.00	\$85,400.00
	133	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>) - Wherever found	T	\$0.00	\$50,000.00	\$50,000.00	\$0.00	\$50,000.00
	853	Owl's-clover, Fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>) - Wherever found	T	\$0.00	\$85,400.00	\$85,400.00	\$0.00	\$85,400.00
	945	Tuctoria, Greene's (<i>Tuctoria greenei</i>) - Wherever found	E	\$0.00	\$85,400.00	\$85,400.00	\$0.00	\$85,400.00
	764	Wild-rice, Texas (<i>Zizania texana</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
	Flowering Plants			\$0.00	\$312,200.00	\$312,200.00	\$853,410.00	\$1,165,610.00
Insects	103	Beetle, American Burying (<i>Nicrophorus americanus</i>) - Wherever found, except where listed as an experimental population	E	\$0.00	\$0.00	\$0.00	\$272,000.00	\$272,000.00

	1009	Beetle, Comal Springs Dryopid (<i>Stygoparnus comalensis</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
	1060	Beetle, Comal Springs Riffle (<i>Heterelmis comalensis</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$85,959.00	\$85,959.00
	246	Butterfly, Karner Blue (<i>Lycaeides melissa samuelis</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$171,000.00	\$171,000.00
	624	Tiger Beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$572,000.00	\$572,000.00
Insects subtotal				\$0.00	\$0.00	\$0.00	\$1,186,918.00	\$1,186,918.00
Mammals	45	Bat, Indiana (<i>Myotis sodalis</i>) - Wherever found	E	\$0.00	\$0.00	\$0.00	\$1,432,589.00	\$1,432,589.00
	39	Bat, Northern Long-eared (<i>Myotis septentrionalis</i>) - Wherever found	T	\$0.00	\$0.00	\$0.00	\$1,798,233.00	\$1,798,233.00
	1041	Bear, Grizzly (<i>Ursus arctos horribilis</i>) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$0.00	\$0.00	\$0.00	\$153,000.00	\$153,000.00
	75	Fox, San Joaquin Kit (<i>Vulpes macrotis mutica</i>) - wherever found	E	\$0.00	\$85,500.00	\$85,500.00	\$0.00	\$85,500.00
	36	Wolf, Gray (<i>Canis lupus</i>) - MN	T	\$0.00	\$0.00	\$0.00	\$1,530,000.00	\$1,530,000.00
Mammals subtotal				\$0.00	\$85,500.00	\$85,500.00	\$4,913,822.00	\$4,999,322.00
Reptiles	11	Sea Turtle, Loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$0.00	\$0.00	\$0.00	\$76,000.00	\$76,000.00
	27	Tortoise, Desert (<i>Gopherus agassizii</i>) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$0.00	\$50,000.00	\$50,000.00	\$0.00	\$50,000.00
Reptiles subtotal				\$0.00	\$50,000.00	\$50,000.00	\$76,000.00	\$126,000.00
Multi-species				\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Total Land				\$0.00	\$3,800,670.00	\$3,800,670.00	\$11,454,361.00	\$15,255,031.00

TABLE 4. FY 2019 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

This table displays combined species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included, as well as costs for multi-species conservation activities.

TABLE 4. FY 2019 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

Agency Type	Expense Type	Agency	Species Total	Land Total	Cumulative Total
Federal	Federal Domestic Expenditures	DOC National Oceanic and Atmospheric Administration	\$195,738,000		\$195,738,000
		DOD Army Corp of Engineers	\$144,500,666	\$170,425	\$144,671,091
		DOI Bureau of Land Management	\$26,062,963	\$114,245	\$26,177,208
		DOI Bureau of Reclamation	\$130,544,452	\$3,516,000	\$134,060,452
		DOI Fish and Wildlife Service	\$106,505,627		\$106,505,627
		DOI Geological Survey	\$12,663,435		\$12,663,435
		DOI National Parks Service	\$17,851,471		\$17,851,471
		Tennessee Valley Authority	\$710,000		\$710,000
	<i>Federal Domestic Expenditures subtotal</i>		<i>\$634,576,614</i>	<i>\$3,800,670</i>	<i>\$638,377,284</i>
	Federal Foreign Expenditures	DOC National Oceanic and Atmospheric Administration	\$571,000		\$571,000
		DOD Army Corp of Engineers	\$12,911		\$12,911
		DOI Fish and Wildlife Service	\$8,309,106		\$8,309,106
		DOI Geological Survey	\$9,000		\$9,000
		DOI National Parks Service	\$40,000		\$40,000
	<i>Federal Foreign Expenditures subtotal</i>		<i>\$8,942,017</i>		<i>\$8,942,017</i>
	Federal Multi-species	DOD Army Corp of Engineers	\$2,264,507		\$2,264,507
		DOI Fish and Wildlife Service	\$1,492,182		\$1,492,182
		DOI Geological Survey	\$160,000		\$160,000
	<i>Federal Multi-species subtotal</i>		<i>\$3,916,689</i>	<i>\$0</i>	<i>\$3,916,689</i>
	<i>Federal Domestic and Foreign Expenditures subtotal</i>		<i>\$647,435,320</i>	<i>\$3,800,670</i>	<i>\$651,235,990</i>
State	State Domestic Expenditures	State Governments	\$53,361,405	\$11,454,361	\$64,815,766
	State Foreign Expenditures	State Governments	\$3,057,781		\$3,057,781
	State Multi-species Expenditures	State Governments	\$38,243,734		\$38,243,734
	<i>State Domestic and Foreign Expenditures subtotal</i>		<i>\$94,662,920</i>	<i>\$11,454,361</i>	<i>\$106,117,281</i>
Total Federal and State Domestic and Foreign Expenditures			\$742,098,240	\$15,255,031	\$757,353,271

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species -- FY 2019

Overview

This reporting guidance provides information on how to report expenditures attributable to individual species to the extent this information is reasonably available. The Congress requested information for this report on a primarily species-by-species basis. However, to provide the most accurate account of expenditures for the conservation of species listed under the Endangered Species Act, a “multi-species” reporting feature was added. This option allows the reporting of lump sum costs for multi-species conservation activities **when it is not possible to account accurately for individual species.**

The ESA Expenditures Report to Congress is an annual report and the current data call is requesting expenditures from Federal Fiscal Year 2019. The standard procedure for data submission would involve direct entry of expenditures into the ECOS Expenditures module. However, due to the delayed data call for FY 2018, the system is not available for FY19 data entry. This guidance outlines a method of requesting data to be submitted on the customized spreadsheet provided.

The FY 2019 spreadsheet is the year’s full Threatened & Endangered Species list that has been formatted with fields for General and Land Expenditures, and follows the format for the bulk upload. The bulk upload of all spreadsheets will be facilitated by FWS upon the close of the reporting window.

Data Reporting Instruction

FY 2019 Reporting Instruction

Each agency must report FY 2019 data using the customized spreadsheet (<https://ecos.fws.gov/docs/expenditures/ExpendituresSpeciesList2019.xlsx>). The customized spreadsheet will be locked to prevent changes to species information. Agencies will have access to enter expenditures for each species in the designated cells. Information on the scope of the activities to report is provided in the “Data Gathering Instruction” section below.

Completed FY 2019 spreadsheets should be emailed to fwhq_es_bbs@fws.gov with a subject line of “FY 2019 Expenditures Report Data Submission.”

Data Gathering Instruction

Background

- Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, “...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--

(1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."

- The conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:
 - Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
 - The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
 - Generalized dollar estimates will suffice.
 - Amendment does not apply to expenditures for delisted, proposed, and candidate species.
 - Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
 - Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
 - Only salary costs that can be reasonably identified as applicable to listed species need be reported.
 - For other Federal and State agencies, a good faith effort to collect information is expected.
 - Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
 - Only one data set per agency should be submitted for any given fiscal year.

Data Format

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

Scope of Expenditures to Report

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of Federal fiscal year 2019 (October 1, 2018 to September 30,

2019) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for delisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.

- Only reasonably identifiable expenditures for listed species will be compiled for this report. Extraordinary accounting to track funds expended on listed species is not expected. **Funds reported should be those actually expended, not obligated.**
- Examples of reportable expenditures include status surveys, habitat management, habitat acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. **Projects must primarily benefit listed species** and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. **When it is not possible to determine individual listed species costs in a multi-species project by prorating, those costs should be entered, according to the following instruction:**
 - **FY 2019:** Enter the cost in total, in the multi-species tab of the spreadsheet. The comment box, which is part of this feature, should be used to identify the species covered by this expenditure amount.
- General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the portion of costs that benefit listed species.
- Expenditures associated with consultations pursuant to Section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, should be reported under that or those species. **Consultation costs not readily attributable to individual species can be reported in the multi-species category.**

- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species. **Costs meeting the criteria in (1) and (2), but not readily identifiable to individual species can be reported in the multi-species category.**
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly. **Staff costs for work on multi-species activities that cannot be identified to particular species can be reported in the multi-species category.**
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable, or **may report such costs in the multi-species category.**
- All State agencies (e.g., fish and wildlife, parks, heritage programs, forests, highways) should report their expenditures, but only a single, collective report from each State should be submitted. **Expenditures should include conservation costs for fish, wildlife, and plants.** For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- For reimbursable funds, the paying or disbursing agency should report the expenditure.
- **Litigation costs should not be reported.**

Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2019

Department of Agriculture:

- Animal and Plant Health Inspection Service*
- Farm Service Agency*
- Forest Service*
- Natural Resources Conservation Service*

Department of Commerce:

- National Oceanic and Atmospheric Administration

Department of Defense:

- Office of the Under Secretary
 - Representing: Air Force*, Army* (includes Defense Logistics Agency),
Marine Corps*, Navy*, and Army Corps of Engineers

Department of Energy:

- Bonneville Power Administration*
- Southeastern Power Administration*
- Southwestern Power Administration*
- Western Area Power Administration*

Department of Homeland Security

- Coast Guard*
- Customs and Border Protection*
- Federal Emergency Management Agency*
- Office of Science and Technology*

Department of the Interior:

- Bureau of Indian Affairs*
- Bureau of Land Management
- Bureau of Ocean Energy Management*
- Bureau of Reclamation
- Bureau of Safety and Environmental Enforcement*
- National Park Service
- Office of Surface Mining*
- U.S. Geological Survey

Department of Transportation:

- Federal Aviation Administration*
- Federal Highway Administration*

Independent Agencies:

Environmental Protection Agency*
Federal Communications Commission*
Federal Energy Regulatory Commission*
Nuclear Regulatory Commission*
Smithsonian Institution*
Tennessee Valley Authority

* Agencies with no expenditures data submitted for FY 2019

DOC National Oceanic and Atmospheric Administration - FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Arachnids	Meshweaver, Braken Bat Cave	Cicurina venii	Wherever found	\$410,000	\$0	\$410,000
	<i>Arachnids subtotal</i>				\$410,000	\$0	\$410,000
	Corals	Coral, Boulder Star	Orbicella franksi	Wherever found	\$443,000	\$0	\$443,000
		Coral, Elkhorn	Acropora palmata	Wherever found	\$571,000	\$0	\$571,000
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$443,000	\$0	\$443,000
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$360,000	\$0	\$360,000
		Coral, Pillar	Dendrogyra cylindrus	Wherever found	\$410,000	\$0	\$410,000
		Coral, Rough Cactus	Mycetophyllia ferox	Wherever found	\$443,000	\$0	\$443,000
		Coral, Staghorn	Acropora cervicornis	Wherever found	\$571,000	\$0	\$571,000
		No Common Name	Isopora crateriformis	Wherever found	\$376,000	\$0	\$376,000
		No Common Name	Seriatopora aculeata	Wherever found	\$376,000	\$0	\$376,000
		No Common Name	Euphyllia paradivisa	Wherever found	\$376,000	\$0	\$376,000
		No Common Name	Acropora retusa	Wherever found	\$376,000	\$0	\$376,000
		No Common Name	Acropora globiceps	Wherever found	\$376,000	\$0	\$376,000
		No Common Name	Acropora speciosa	Wherever found	\$376,000	\$0	\$376,000
		No Common Name	Acropora jacquelineae	Wherever found	\$376,000	\$0	\$376,000
	<i>Corals subtotal</i>				\$5,873,000	\$0	\$5,873,000
	Fishes	Bocaccio	Sebastes paucispinis	Puget Sound - Georgia Basin DPS	\$463,000	\$0	\$463,000
		Eulachon	Thaleichthys pacificus	Southern DPS	\$509,000	\$0	\$509,000
		Rockfish, Yelloweye	Sebastes ruberrimus	Puget Sound - Georgia Basin DPS	\$463,000	\$0	\$463,000
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$6,330,000	\$0	\$6,330,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,633,000	\$0	\$3,633,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$5,304,000	\$0	\$5,304,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,504,000	\$0	\$3,504,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$6,550,000	\$0	\$6,550,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$5,103,000	\$0	\$5,103,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,536,000	\$0	\$3,536,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$4,379,000	\$0	\$4,379,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,709,000	\$0	\$3,709,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,633,000	\$0	\$3,633,000
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$5,018,000	\$0	\$5,018,000
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$4,379,000	\$0	\$4,379,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$5,194,000	\$0	\$5,194,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$3,775,000	\$0	\$3,775,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$3,633,000	\$0	\$3,633,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$5,304,000	\$0	\$5,304,000
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$3,485,000	\$0	\$3,485,000
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$4,379,000	\$0	\$4,379,000
		Sawfish, Smalltooth	Pristis pectinata	US DPS - Smalltooth sawfish originating from U.S. waters.	\$646,000	\$0	\$646,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,617,000	\$0	\$3,617,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$5,138,000	\$0	\$5,138,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,488,000	\$0	\$3,488,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$6,534,000	\$0	\$6,534,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,617,000	\$0	\$3,617,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,520,000	\$0	\$3,520,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$4,363,000	\$0	\$4,363,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,617,000	\$0	\$3,617,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$5,288,000	\$0	\$5,288,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,488,000	\$0	\$3,488,000
		Steelhead	Oncorhynchus (=Salmo) myk	Lower Columbia River DPS	\$3,814,000	\$0	\$3,814,000
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyr	Wherever found	\$559,000	\$0	\$559,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrin	New York Bight DPS	\$559,000	\$0	\$559,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrin	New York Bight DPS	\$418,000	\$0	\$418,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrin	New York Bight DPS	\$957,000	\$0	\$957,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrin	New York Bight DPS	\$610,000	\$0	\$610,000
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrin	New York Bight DPS	\$514,000	\$0	\$514,000
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$450,000	\$0	\$450,000
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$768,000	\$0	\$768,000
	<i>Fishes subtotal</i>				\$134,248,000	\$0	\$134,248,000
	Flowering Plants	Cactus, Brady Pincushion	Pediocactus bradyi	Wherever found	\$360,000	\$0	\$360,000
		Desert-parsley, Bradshaw's	Lomatium bradshawii	Wherever found	\$443,000	\$0	\$443,000
		Milk-vetch, Braunton's	Astragalus brauntonii	Wherever found	\$571,000	\$0	\$571,000
		Pilo	Kadua laxiflora	Wherever found	\$443,000	\$0	\$443,000
		Pilo Kea Lau Li'i	Platydesma rostrata	Wherever found	\$571,000	\$0	\$571,000
		Rock-cress, Braun's	Arabis perstellata	Wherever found	\$443,000	\$0	\$443,000
		Seagrass, Johnson's	Halophila johnsonii	Wherever found	\$139,000	\$0	\$139,000
		Thistle, Loch Lomond Coyote	Eryngium constancei	Wherever found	\$571,000	\$0	\$571,000
	<i>Flowering Plants subtotal</i>				\$3,541,000	\$0	\$3,541,000
	Insects	Butterfly, El Segundo Blue	Euphilotes battoides allyni	Wherever found	\$443,000	\$0	\$443,000
	<i>Insects subtotal</i>				\$443,000	\$0	\$443,000
	Mammals	Sea Lion, Steller	Eumetopias jubatus	Western DPS	\$5,481,000	\$0	\$5,481,000
		Seal, Bearded	Erignathus barbatus nauticus	Okhotsk DPS	\$1,622,000	\$0	\$1,622,000
		Seal, Guadalupe Fur	Arctocephalus townsendi	Wherever found	\$101,000	\$0	\$101,000
		Seal, Hawaiian Monk	Monachus schauinslandi	Wherever found	\$3,707,000	\$0	\$3,707,000
		Seal, Ringed	Phoca (=Pusa) hispida hispid	Wherever found	\$1,622,000	\$0	\$1,622,000
		Whale, Beluga	Delphinapterus leucas	Cook Inlet DPS	\$2,509,000	\$0	\$2,509,000
		Whale, Blue	Balaenoptera musculus	Wherever found	\$1,182,000	\$0	\$1,182,000
		Whale, Bowhead	Balaena mysticetus	Wherever found	\$329,000	\$0	\$329,000
		Whale, False Killer	Pseudorca crassidens	Main Hawaiian Islands Insular DPS	\$670,000	\$0	\$670,000
		Whale, Finback	Balaenoptera physalus	Wherever found	\$1,271,000	\$0	\$1,271,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$637,000	\$0	\$637,000
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$406,000	\$0	\$406,000
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$430,000	\$0	\$430,000
		Whale, Killer	Orcinus orca	Southern Resident DPS	\$1,354,000	\$0	\$1,354,000
		Whale, North Atlantic Right	Eubalaena glacialis	Wherever found	\$8,996,000	\$0	\$8,996,000
		Whale, North Pacific Right	Eubalaena japonica	Wherever found	\$406,000	\$0	\$406,000
		Whale, Sei	Balaenoptera borealis	Wherever found	\$1,088,000	\$0	\$1,088,000
		Whale, Sperm	Physeter catodon (=macrocep	Wherever found	\$1,088,000	\$0	\$1,088,000
	<i>Mammals subtotal</i>				\$32,899,000	\$0	\$32,899,000
	Reptiles	Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$1,219,000	\$0	\$1,219,000
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$1,060,000	\$0	\$1,060,000
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$1,176,000	\$0	\$1,176,000
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$575,000	\$0	\$575,000
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$778,000	\$0	\$778,000
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$1,944,000	\$0	\$1,944,000
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$1,287,000	\$0	\$1,287,000
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$2,637,000	\$0	\$2,637,000
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$1,702,000	\$0	\$1,702,000
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$443,000	\$0	\$443,000
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$2,005,000	\$0	\$2,005,000
		Sea Turtle, Olive Ridley	Lepidochelys olivacea	Wherever found, except when listed as endangered under 50 CFR 224.101	\$457,000	\$0	\$457,000
	<i>Reptiles subtotal</i>				\$15,283,000	\$0	\$15,283,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Snails	Abalone, Black	Haliotis cracherodii	Wherever found	\$347,000	\$0	\$347,000
		Abalone, White	Haliotis sorenseni	North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	\$2,694,000	\$0	\$2,694,000
	<i>Snails subtotal</i>				\$3,041,000	\$0	\$3,041,000
<i>Domestic Species Total</i>					\$195,738,000	\$0	\$195,738,000
Foreign	Birds	Pheasant, Elliot's	Syrmaticus ellioti	Wherever found	\$571,000	\$0	\$571,000
	<i>Birds subtotal</i>				\$571,000	\$0	\$571,000
<i>Foreign Species Total</i>					\$571,000	\$0	\$571,000
Grand Total					\$196,309,000	\$0	\$196,309,000

US Army Corp of Engineers FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Black Warrior (=sipsey Fork) Waterdog	Necturus alabamensis	Wherever found	\$737	\$0	\$737
		Black Warrior Waterdog	Necturus alabamensis	Wherever found	\$10,761	\$0	\$10,761
		Frog, California Red-legged	Rana draytonii	Wherever found	\$217,223	\$0	\$217,223
		Frog, Chiricahua Leopard	Rana chiricahuensis	Wherever found	\$1,924	\$0	\$1,924
		Frog, Dusky Gopher	Rana sevosa	Wherever found	\$38,340	\$0	\$38,340
		Frog, Mountain Yellow-legged	Rana muscosa	Northern California DPS	\$800	\$0	\$800
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$318	\$0	\$318
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$4,000	\$0	\$4,000
		Salamander, Barton Springs	Eurycea sosorum	Wherever found	\$420	\$0	\$420
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$71,982	\$0	\$71,982
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$31,000	\$0	\$31,000
		Salamander, Frosted Flatwoods	Ambystoma cingulatum	Wherever found	\$792	\$0	\$792
		Salamander, Red Hills	Phaeognathus hubrichti	Wherever found	\$2,370	\$0	\$2,370
		Salamander, San Marcos	Eurycea nana	Wherever found	\$840	\$0	\$840
		Salamander, Santa Cruz Long-toed	Ambystoma macrodactylum croceum	Wherever found	\$1,600	\$0	\$1,600
		Salamander, Texas Blind	Typhlomolge rathbuni	Wherever found	\$420	\$0	\$420
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$40,124	\$0	\$40,124
		Toad, Houston	Bufo houstonensis	Wherever found	\$2,100	\$0	\$2,100
		Toad, Yosemite	Anaxyrus canorus	Wherever found	\$800	\$0	\$800
		<i>Amphibians subtotal</i>			<i>\$426,551</i>	<i>\$0</i>	<i>\$426,551</i>
	Arachnids	Harvestman, Bone Cave	Texella reyesi	Wherever found	\$1,355	\$0	\$1,355
		Spider, Spruce-fir Moss	Microhexura montivaga	Wherever found	\$1,208	\$0	\$1,208
		<i>Arachnids subtotal</i>			<i>\$2,563</i>	<i>\$0</i>	<i>\$2,563</i>
	Birds	Albatross, Short-tailed	Phoebastria (=Diomedea) albatrus	Wherever found	\$1,989	\$0	\$1,989
		Caracara, Audubon's Crested	Polyborus plancus audubonii	FL pop.	\$27,625	\$0	\$27,625

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$4,670	\$0	\$4,670
		Coot, Hawaiian	<i>Fulica americana alai</i>	Wherever found	\$4,904	\$0	\$4,904
		Crane, Mississippi Sandhill	<i>Grus canadensis pulla</i>	Wherever found	\$20,027	\$0	\$20,027
		Crane, Whooping	<i>Grus americana</i>	U.S.A (Southwestern Louisiana)	\$15,000	\$0	\$15,000
		Crane, Whooping	<i>Grus americana</i>	U.S.A (Southwestern Louisiana)	\$50,020	\$0	\$50,020
		Crane, Whooping	<i>Grus americana</i>	U.S.A (Southwestern Louisiana)	\$43,002	\$0	\$43,002
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Wherever found	\$4,904	\$0	\$4,904
		Eider, Spectacled	<i>Somateria fischeri</i>	Wherever found	\$81,125	\$0	\$81,125
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$84,455	\$0	\$84,455
		Flycatcher, Southwestern Willow	<i>Empidonax traillii extimus</i>	Wherever found	\$1,018,703	\$0	\$1,018,703
		Gnatcatcher, Coastal California	<i>Poliptila californica californica</i>	Wherever found	\$1,368,001	\$0	\$1,368,001
		Gunnison Sage-grouse	<i>Centrocercus minimus</i>	Wherever found	\$6,400	\$0	\$6,400
		Horned Lark, Streaked	<i>Eremophila alpestris strigata</i>	Wherever found	\$78,297	\$0	\$78,297
		Kite, Everglade Snail	<i>Rostrhamus sociabilis plumbeus</i>	Wherever found	\$26,689	\$0	\$26,689
		Knott, Red	<i>Calidris canutus rufa</i>	Wherever found	\$399,586	\$0	\$399,586
		Moorhen, Hawaiian Common	<i>Gallinula galeata sandvicensis</i>	Wherever found	\$4,904	\$0	\$4,904
		Murrelet, Marbled	<i>Brachyramphus marmoratus</i>	U.S.A. (CA, OR, WA)	\$44,236	\$0	\$44,236
		Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	Wherever found	\$13,500	\$0	\$13,500
		Owl, Mexican Spotted	<i>Strix occidentalis lucida</i>	Wherever found	\$7,826	\$0	\$7,826
		Owl, Northern Spotted	<i>Strix occidentalis caurina</i>	Wherever found	\$10,741	\$0	\$10,741
		Plover, Piping	<i>Charadrius melodus</i>	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$33,556	\$0	\$33,556

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$4,377,883	\$22,977	\$4,400,860
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$266,905	\$0	\$266,905
		Rail, California Clapper	Rallus longirostris obsoletus	Wherever found	\$75,482	\$0	\$75,482
		Rail, Ridgway's	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$6,000	\$0	\$6,000
		Scrub-jay, Florida	Aphelocoma coerulescens	Wherever found	\$18,073	\$0	\$18,073
		Sparrow, Florida Grasshopper	Ammodramus savannarum floridanus	Wherever found	\$2,550	\$0	\$2,550
		Stilt, Hawaiian	Himantopus mexicanus knudseni	Wherever found	\$4,904	\$0	\$4,904
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$176,154	\$0	\$176,154
		Tern, California Least	Sterna antillarum browni	Wherever found	\$96,913	\$0	\$96,913
		Tern, Least	Sterna antillarum	interior pop.	\$4,690,460	\$22,977	\$4,713,437
		Tern, Least (coastal)	Sterna antillarum	interior pop.	\$56,720	\$0	\$56,720
		Tern, Roseate	Sterna dougallii dougallii	Western Hemisphere except NE U.S.	\$30,810	\$0	\$30,810
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$295,016	\$0	\$295,016
		Warbler (=wood), Golden-cheeked	Dendroica chrysoparia	Wherever found	\$7,640	\$0	\$7,640
		Warbler, Kirtland's	Setophaga kirtlandii (= Dendroica kirtlandii)	Wherever found	\$16,935	\$0	\$16,935
		Woodpecker, Ivory-billed	Campephilus principalis	Wherever found	\$2,064	\$0	\$2,064
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$90,260	\$0	\$90,260
		Yellow-billed Cuckoo	Coccyzus americanus	Western U.S. DPS	\$486,160	\$0	\$486,160
	<i>Birds subtotal</i>				<i>\$14,051,089</i>	<i>\$45,954</i>	<i>\$14,097,043</i>
	Clams	Acornshell, Southern	Epioblasma othcaloogensis	Wherever found	\$1,712	\$0	\$1,712

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bankclimber, Purple (mussel)	Elliptoideus sloatianus	Wherever found	\$148,528	\$0	\$148,528
		Bean, Choctaw	Villosa choctawensis	Wherever found	\$6,367	\$0	\$6,367
		Bean, Cumberland (pearlymussel)	Villosa trabalis	Wherever found; Except where listed as Experimental Populations	\$3,520	\$0	\$3,520
		Bean, Purple	Villosa perpurpurea	Wherever found	\$173	\$0	\$173
		Bean, Rayed	Villosa fabalis	Wherever found	\$24,839	\$0	\$24,839
		Blossom, Tubercled (pearlymussel)	Epioblasma torulosa torulosa	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$3,746	\$0	\$3,746
		Blossom, Turgid (pearlymussel)	Epioblasma turgidula	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$345	\$0	\$345
		Catspaw, White (pearlymussel)	Epioblasma obliquata perobliqua	Wherever found	\$269	\$0	\$269
		Clubshell	Pleurobema clava	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$26,299	\$0	\$26,299
		Clubshell	Pleurobema clava	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$613	\$0	\$613
		Clubshell, Black	Pleurobema curtum	Wherever found	\$36,847	\$0	\$36,847
		Clubshell, Ovate	Pleurobema perovatum	Wherever found	\$50,516	\$0	\$50,516
		Clubshell, Southern	Pleurobema decisum	Wherever found	\$49,542	\$0	\$49,542
		Combshell, Cumberlandian	Epioblasma brevidens	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,476	\$0	\$1,476

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Combshell, Southern	Epioblasma penita	Wherever found	\$37,445	\$0	\$37,445
		Combshell, Upland	Epioblasma metastrata	Wherever found	\$4,103	\$0	\$4,103
		Ebonysshell, Round	Fusconaia rotulata	Wherever found	\$4,782	\$0	\$4,782
		Elktoe, Appalachian	Alasmidonta raveneliana	Wherever found	\$3,646	\$0	\$3,646
		Elktoe, Cumberland	Alasmidonta atropurpurea	Wherever found	\$1,553	\$0	\$1,553
		Fanshell	Cyprogenia stegaria	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,132	\$0	\$1,132
		Fanshell	Cyprogenia stegaria	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$32,053	\$0	\$32,053
		Fatmucket, Arkansas	Lampsilis powellii	Wherever found	\$5,163	\$0	\$5,163
		Heelsplitter, Alabama (=inflated)	Potamilus inflatus	Wherever found	\$67,918	\$0	\$67,918
		Heelsplitter, Carolina	Lasmigona decorata	Wherever found	\$853	\$0	\$853
		Higgins Eye (pearlymussel)	Lampsilis higginsii	Wherever found	\$952,140	\$0	\$952,140
		Kidneyshell, Fluted	Ptychobranhus subtentus	Wherever found	\$3,190	\$0	\$3,190
		Kidneyshell, Southern	Ptychobranhus jonesi	Wherever found	\$6,367	\$0	\$6,367
		Kidneyshell, Triangular	Ptychobranhus greenii	Wherever found	\$4,103	\$0	\$4,103
		Lampmussel, Alabama	Lampsilis virescens	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$787	\$0	\$787
		Lilliput, Pale (pearlymussel)	Toxolasma cylindrellus	Wherever found	\$614	\$0	\$614
		Mapleleaf, Winged	Quadrula fragosa	Wherever found, except where listed as an experimental population	\$1,969	\$0	\$1,969
		Moccasinshell, Alabama	Medionidus acutissimus	Wherever found	\$42,744	\$0	\$42,744
		Moccasinshell, Coosa	Medionidus parvulus	Wherever found	\$1,712	\$0	\$1,712
		Moccasinshell, Gulf	Medionidus penicillatus	Wherever found	\$2,853	\$0	\$2,853

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Monkeyface, Appalachian (pearlymussel)	Quadrula sparsa	USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$172	\$0	\$172
		Monkeyface, Cumberland (pearlymussel)	Quadrula intermedia	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$172	\$0	\$172
		Mucket, Orangenacre	Lampsilis perovalis	Wherever found	\$41,121	\$0	\$41,121
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$34,768	\$0	\$34,768
		Mussel, Oyster	Epioblasma capsaeformis	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,725	\$0	\$1,725
		Mussel, Scaleshell	Leptodea leptodon	Wherever found	\$5,475	\$0	\$5,475
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$50,922	\$0	\$50,922
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$24,071	\$0	\$24,071
		Pearlshell, Louisiana	Margaritifera hembeli	Wherever found	\$706	\$0	\$706
		Pearlymussel, Cracking	Hemistena lata	Wherever found; Except where listed as Experimental Populations	\$518	\$0	\$518
		Pearlymussel, Cracking	Hemistena lata	Wherever found; Except where listed as Experimental Populations	\$300	\$0	\$300
		Pearlymussel, Dromedary	Dromus dromas	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,380	\$0	\$1,380
		Pearlymussel, Dromedary	Dromus dromas	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$450	\$0	\$450
		Pearlymussel, Littlewing	Pegias fabula	Wherever found	\$1,380	\$0	\$1,380
		Pearlymussel, Slabside	Pleuronaia dolabelliformis	Wherever found	\$1,400	\$0	\$1,400
		Pigtoe, Cumberland	Pleurobema gibberum	Wherever found	\$862	\$0	\$862
		Pigtoe, Dark	Pleurobema furvum	Wherever found	\$5,967	\$0	\$5,967

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, Finerayed	Fusconaia cuneolus	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,994	\$0	\$1,994
		Pigtoe, Fuzzy	Pleurobema strodeanum	Wherever found	\$6,367	\$0	\$6,367
		Pigtoe, Georgia	Pleurobema hanleyianum	Wherever found	\$1,712	\$0	\$1,712
		Pigtoe, Heavy	Pleurobema taitianum	Wherever found	\$39,837	\$0	\$39,837
		Pigtoe, Narrow	Fusconaia escambia	Wherever found	\$3,587	\$0	\$3,587
		Pigtoe, Oval	Pleurobema pyriforme	Wherever found	\$152,048	\$0	\$152,048
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$2,090	\$0	\$2,090
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$19,558	\$0	\$19,558
		Pigtoe, Shiny	Fusconaia cor	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,131	\$0	\$1,131
		Pigtoe, Southern	Pleurobema georgianum	Wherever found	\$4,103	\$0	\$4,103
		Pigtoe, Tapered	Fusconaia burkei	Wherever found	\$1,585	\$0	\$1,585
		Pimpleback, Orangefoot (pearlymussel)	Plethobasus cooperianus	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$23,060	\$0	\$23,060
		Pocketbook, Fat	Potamilus capax	Wherever found	\$67,651	\$0	\$67,651
		Pocketbook, Finelined	Lampsilis altilis	Wherever found	\$5,299	\$0	\$5,299
		Pocketbook, Ouachita Rock	Arkansia wheeleri	Wherever found	\$1,525	\$0	\$1,525
		Pocketbook, Shinyrayed	Lampsilis subangulata	Wherever found	\$2,853	\$0	\$2,853
		Purple Cat's Paw (=purple Cat's Paw Pearlymussel)	Epioblasma obliquata obliquata	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$17,314	\$0	\$17,314
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$42,697	\$0	\$42,697
		Rabbitsfoot, Rough	Quadrula cylindrica strigillata	Wherever found	\$517	\$0	\$517

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Riffleshell, Northern	Epioblasma torulosa rangiana	Wherever found	\$21,036	\$0	\$21,036
		Riffleshell, Tan	Epioblasma florentina walkeri (=E. walkeri)	Wherever found	\$1,131	\$0	\$1,131
		Ring Pink (mussel)	Obovaria retusa	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$20,447	\$0	\$20,447
		Sandshell, Southern	Hamiota australis	Wherever found	\$5,172	\$0	\$5,172
		Slabshell, Chipola	Elliptio chipolaensis	Wherever found	\$149,855	\$0	\$149,855
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$25,141	\$0	\$25,141
		Spinymussel, James	Pleurobema collina	Wherever found	\$2,272	\$0	\$2,272
		Spinymussel, Tar River	Elliptio steinstansana	Wherever found	\$3,241	\$0	\$3,241
		Suwannee Moccasinshell	Medionidus walkeri	Wherever found	\$1,585	\$0	\$1,585
		Texas Hornshell	Popenaias popeii	Wherever found	\$420	\$0	\$420
		Threeridge, Fat (mussel)	Amblema neislerii	Wherever found	\$148,792	\$0	\$148,792
		Wartyback, White (pearlymussel)	Plethobasus cicatricosus	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$818	\$0	\$818
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$46,794	\$0	\$46,794
		Yellow Lance	Elliptio lanceolata	Wherever found	\$6,511	\$0	\$6,511
	<i>Clams subtotal</i>				<i>\$2,529,451</i>	<i>\$0</i>	<i>\$2,529,451</i>
	Corals	Coral, Boulder Star	Orbicella franksi	Wherever found	\$532	\$0	\$532
		Coral, Elkhorn	Acropora palmata	Wherever found	\$1,817	\$0	\$1,817
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$532	\$0	\$532
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$807	\$0	\$807
		Coral, Pillar	Dendrogyra cylindrus	Wherever found	\$505	\$0	\$505
		Coral, Rough Cactus	Mycetophyllia ferox	Wherever found	\$515	\$0	\$515
		Coral, Staghorn	Acropora cervicornis	Wherever found	\$1,863	\$0	\$1,863
	<i>Corals subtotal</i>				<i>\$6,571</i>	<i>\$0</i>	<i>\$6,571</i>
	Crustaceans	Big Sandy Crayfish	Cambarus callainus	Wherever found	\$2,278	\$0	\$2,278
		Crayfish, Nashville	Orconectes shoupi	Wherever found	\$4,265	\$0	\$4,265
		Fairy Shrimp, Conservancy	Branchinecta conservatio	Wherever found	\$21,118	\$0	\$21,118

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fairy Shrimp, San Diego	Branchinecta sandiegonensis	Wherever found	\$4,953	\$0	\$4,953
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$82,247	\$0	\$82,247
		Shrimp, California Freshwater	Syncaris pacifica	Wherever found	\$5,600	\$0	\$5,600
		Tadpole Shrimp, Vernal Pool	Lepidurus packardii	Wherever found	\$62,415	\$0	\$62,415
	<i>Crustaceans subtotal</i>				<i>\$182,876</i>	<i>\$0</i>	<i>\$182,876</i>
	Ferns and Allies	Fern, Alabama Streak-sorus	Thelypteris pilosa var. alabamensis	Wherever found	\$4,782	\$0	\$4,782
		Quillwort, Louisiana	Isoetes louisianensis	Wherever found	\$16,725	\$0	\$16,725
	<i>Ferns and Allies subtotal</i>				<i>\$21,507</i>	<i>\$0</i>	<i>\$21,507</i>
	Fishes	Bocaccio	Sebastes paucispinis	Puget Sound - Georgia Basin DPS	\$22,235	\$0	\$22,235
		Cavefish, Ozark	Amblyopsis rosae	Wherever found	\$13,000	\$0	\$13,000
		Chub, Bonytail	Gila elegans	Wherever found	\$7,200	\$0	\$7,200
		Chub, Humpback	Gila cypha	Wherever found	\$7,200	\$0	\$7,200
		Chub, Spotfin	Erimonax monachus	U.S.A. (TN-specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	\$1,131	\$0	\$1,131
		Chub, Virgin River	Gila seminuda (=robusta)	Wherever found	\$2,400	\$0	\$2,400
		Dace, Blackside	Phoxinus cumberlandensis	Wherever found	\$4,907	\$0	\$4,907
		Darter, Amber	Percina antesella	Wherever found	\$2,287	\$0	\$2,287
		Darter, Bayou	Etheostoma rubrum	Wherever found	\$100	\$0	\$100
		Darter, Bluemask (=jewel)	Etheostoma akatulo	Wherever found	\$1,380	\$0	\$1,380
		Darter, Cherokee	Etheostoma scotti	Wherever found	\$2,087	\$0	\$2,087
		Darter, Cumberland	Etheostoma susanae	Wherever found	\$11,690	\$0	\$11,690
		Darter, Duskytail	Etheostoma percnum	Tellico River, TN	\$204,921	\$0	\$204,921
		Darter, Etowah	Etheostoma etowahae	Wherever found	\$2,187	\$0	\$2,187
		Darter, Fountain	Etheostoma fonticola	Wherever found	\$840	\$0	\$840
		Darter, Goldline	Percina aurolineata	Wherever found	\$637	\$0	\$637
		Darter, Pearl	Percina aurora	Wherever found	\$4,782	\$0	\$4,782
		Darter, Rush	Etheostoma phytophilum	Wherever found	\$6,615	\$0	\$6,615
		Darter, Snail	Percina tanasi	Wherever found	\$2,286	\$0	\$2,286

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, Vermilion	Etheostoma chermocki	Wherever found	\$737	\$0	\$737
		Darter, Watercress	Etheostoma nuchale	Wherever found	\$1,195	\$0	\$1,195
		Eulachon	Thaleichthys pacificus	Southern DPS	\$53,560	\$0	\$53,560
		Goby, Tidewater	Eucyclogobius newberryi	Wherever found	\$40,467	\$0	\$40,467
		Logperch, Conasauga	Percina jenkinsi	Wherever found	\$637	\$0	\$637
		Logperch, Roanoke	Percina rex	Wherever found	\$4,722	\$0	\$4,722
		Madtom, Neosho	Noturus placidus	Wherever found	\$1,500	\$0	\$1,500
		Madtom, Pygmy	Noturus stanauli	Wherever found	\$172	\$0	\$172
		Minnow, Rio Grande Silvery	Hybognathus amarus	Rio Grande, from Little Box Canyon to Amistad Dam	\$665,000	\$0	\$665,000
		Nassau Grouper	Epinephelus striatus	0	\$12,314	\$0	\$12,314
		Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Salt and Verde R. drainages, AZ	\$11,009	\$0	\$11,009
		Rockfish, Canary	Sebastes pinniger	Puget Sound - Georgia Basin DPS	\$9,837	\$0	\$9,837
		Rockfish, Yelloweye	Sebastes ruberrimus	Puget Sound - Georgia Basin DPS	\$11,127	\$0	\$11,127
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$116,846	\$0	\$116,846
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$1,231,189	\$0	\$1,231,189
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$14,828,183	\$491	\$14,828,674
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$2,055,114	\$0	\$2,055,114
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$56,600	\$0	\$56,600
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$426,342	\$0	\$426,342
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,773,322	\$0	\$3,773,322
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$687,120	\$0	\$687,120
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$3,759,840	\$0	\$3,759,840

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$419,525	\$0	\$419,525
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$16,282	\$0	\$16,282
		Salmon, Chum	Oncorhynchus keta	Hood Canal summer-run ESU	\$717,523	\$0	\$717,523
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$949,138	\$0	\$949,138
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$719,446	\$0	\$719,446
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$28,093	\$0	\$28,093
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$2,684,363	\$0	\$2,684,363
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$2,258	\$0	\$2,258
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$3,756,174	\$0	\$3,756,174
		Sawfish, Smalltooth	Pristis pectinata	US DPS - Smalltooth sawfish originating from U.S. waters.	\$148,195	\$0	\$148,195
		Sculpin, Grotto	Cottus specus	Wherever found	\$464	\$0	\$464
		Sculpin, Pygmy	Cottus paulus (=pygmaeus)	Wherever found	\$637	\$0	\$637
		Shark, Scalloped Hammerhead	Sphyrna lewini	Central and Southwest Atlantic DPS	\$2,413	\$0	\$2,413
		Shark, Scalloped Hammerhead	Sphyrna lewini	Central and Southwest Atlantic DPS	\$2,439	\$0	\$2,439
		Shiner, Arkansas River	Notropis girardi	Arkansas River Basin (AR, KS, NM, OK, TX)	\$10,000	\$0	\$10,000
		Shiner, Blue	Cyprinella caerulea	Wherever found	\$4,153	\$0	\$4,153
		Shiner, Cahaba	Notropis cahabae	Wherever found	\$587	\$0	\$587
		Shiner, Cape Fear	Notropis mekistocholas	Wherever found	\$4,834	\$0	\$4,834
		Shiner, Palezone	Notropis albizonatus	Wherever found	\$440	\$0	\$440
		Shiner, Pecos Bluntnose	Notropis simus pecosensis	Wherever found	\$1,285	\$0	\$1,285

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$38,969	\$0	\$38,969
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$1,172,789	\$0	\$1,172,789
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$2,648,087	\$0	\$2,648,087
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$762,082	\$0	\$762,082
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$719,287	\$0	\$719,287
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$2,209,357	\$0	\$2,209,357
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$31,200	\$0	\$31,200
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$14,202,606	\$491	\$14,203,097
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$3,788,760	\$0	\$3,788,760
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$19,000	\$0	\$19,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,376,876	\$0	\$1,376,876
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,090,892	\$0	\$1,090,892
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$44,450	\$0	\$44,450
		Stickleback, Unarmored Threespine	Gasterosteus aculeatus williamsoni	Wherever found	\$7,366	\$0	\$7,366
		Sturgeon, Alabama	Scaphirhynchus suttkusi	Wherever found	\$7,323	\$0	\$7,323
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$269,208	\$0	\$269,208
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$307,592	\$0	\$307,592
		Sturgeon, Atlantic (gulf Subspecies)	Acipenser oxyrinchus (=oxyrinchus) desotoi	Wherever found	\$3,629,123	\$0	\$3,629,123
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$215,196	\$0	\$215,196
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$29,309,193	\$122,998	\$29,432,191

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$271,945	\$0	\$271,945
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$66,562	\$0	\$66,562
		Sucker, June	Chasmistes liorus	Wherever found	\$800	\$0	\$800
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$11,809	\$0	\$11,809
		Sucker, Santa Ana	Catostomus santaanae	3 CA river basins	\$560,474	\$0	\$560,474
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$5,588	\$0	\$5,588
		Trout, Bull	Salvelinus confluentus	Clackamas River subbasin experimental population	\$15,549,444	\$491	\$15,549,935
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$26,404	\$0	\$26,404
		Woundfin	Plagopterus argentissimus	Gila R. drainage, AZ, NM	\$3,200	\$0	\$3,200
	<i>Fishes subtotal</i>				<i>\$115,858,549</i>	<i>\$124,471</i>	<i>\$115,983,020</i>
	Flowering Plants	Alopecurus, Sonoma	Alopecurus aequalis var. sonomensis	Wherever found	\$1,600	\$0	\$1,600
		Amaranth, Seabeach	Amaranthus pumilus	Wherever found	\$129,932	\$0	\$129,932
		Ambrosia, San Diego	Ambrosia pumila	Wherever found	\$5,588	\$0	\$5,588
		Aster, Decurrent False	Boltonia decurrens	Wherever found	\$25,000	\$0	\$25,000
		Aster, Florida Golden	Chrysopsis floridana	Wherever found	\$1,500	\$0	\$1,500
		Aster, Ruth's Golden	Pityopsis ruthii	Wherever found	\$587	\$0	\$587
		Avens, Spreading	Geum radiatum	Wherever found	\$1,208	\$0	\$1,208
		Bird's Beak, Palmate-bracted	Cordylanthus palmatus	Wherever found	\$1,600	\$0	\$1,600
		Bird's-beak, Pennell's	Cordylanthus tenuis ssp. capillaris	Wherever found	\$510	\$0	\$510
		Bird's-beak, Soft	Cordylanthus mollis ssp. mollis	Wherever found	\$12,200	\$0	\$12,200
		Bladderpod, Missouri	Physaria filiformis	Wherever found	\$250	\$0	\$250
		Bladderpod, Short's	Physaria globosa	Wherever found	\$12,592	\$0	\$12,592
		Bladderpod, Spring Creek	Lesquerella perforata	Wherever found	\$2,472	\$0	\$2,472
		Bluet, Roan Mountain	Hedyotis purpurea var. montana	Wherever found	\$345	\$0	\$345
		Bulrush, Northeastern	Scirpus ancistrochaetus	Wherever found	\$573	\$0	\$573
		Butterwort, Godfrey's	Pinguicula ionantha	Wherever found	\$792	\$0	\$792

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Button, Mohr's Barbara	Marshallia mohrii	Wherever found	\$1,612	\$0	\$1,612
		Cactus, Key Tree	Pilosocereus robinii	Wherever found	\$237	\$0	\$237
		Cactus, Pima Pineapple	Coryphantha scheeri var. robustispina	Wherever found	\$8,382	\$0	\$8,382
		Cactus, Siler Pincushion	Pediocactus (=Echinocactus,=Utahia) sileri	Wherever found	\$800	\$0	\$800
		Cactus, Tobusch Fishhook	Sclerocactus brevihamatus ssp. tobuschii	Wherever found	\$840	\$0	\$840
		Catchfly, Spalding's	Silene spaldingii	Wherever found	\$31,310	\$0	\$31,310
		Checker-mallow, Keck's	Sidalcea keckii	Wherever found	\$3,390	\$0	\$3,390
		Clarkia, Pismo	Clarkia speciosa ssp. immaculata	Wherever found	\$127	\$0	\$127
		Clarkia, Springville	Clarkia springvillensis	Wherever found	\$100	\$0	\$100
		Clover, Running Buffalo	Trifolium stoloniferum	0	\$38,774	\$0	\$38,774
		Clover, Showy Indian	Trifolium amoenum	Wherever found	\$1,600	\$0	\$1,600
		Coneflower, Smooth	Echinacea laevigata	Wherever found	\$1,422	\$0	\$1,422
		Daisy, Lakeside	Hymenoxys herbacea	Wherever found	\$7,528	\$0	\$7,528
		Daisy, Willamette	Erigeron decumbens	Wherever found	\$100,100	\$0	\$100,100
		Dawn-flower, Texas Prairie	Hymenoxys texana	Wherever found	\$5,000	\$0	\$5,000
		Desert-parsley, Bradshaw's	Lomatium bradshawii	Wherever found	\$21,300	\$0	\$21,300
		Fringe-tree, Pygmy	Chionanthus pygmaeus	Wherever found	\$158	\$0	\$158
		Georgia Rockcress	Arabis georgiana	Wherever found	\$5,399	\$0	\$5,399
		Gerardia, Sandplain	Agalinis acuta	Wherever found	\$1,800	\$0	\$1,800
		Glade Cress, Kentucky	Leavenworthia exigua laciniata	Wherever found	\$2,000	\$0	\$2,000
		Goldenrod, Blue Ridge	Solidago spithamea	Wherever found	\$345	\$0	\$345
		Goldfields, Burke's	Lasthenia burkei	Wherever found	\$25,200	\$0	\$25,200
		Goldfields, Contra Costa	Lasthenia conjugens	Wherever found	\$6,400	\$0	\$6,400
		Grass, Colusa	Neostapfia colusana	Wherever found	\$7,992	\$0	\$7,992
		Grass, Tennessee Yellow-eyed	Xyris tennesseensis	Wherever found	\$2,807	\$0	\$2,807
		Ground-plum, Guthrie's (=pyne's)	Astragalus bibullatus	Wherever found	\$250	\$0	\$250
		Harperella	Ptilimnium nodosum	Wherever found	\$3,445	\$0	\$3,445

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Heartleaf, Dwarf-flowered	<i>Hexastylis naniflora</i>	Wherever found	\$12,084	\$0	\$12,084
		Howellia, Water	<i>Howellia aquatilis</i>	0	\$184	\$0	\$184
		Jewelflower, California	<i>Caulanthus californicus</i>	Wherever found	\$800	\$0	\$800
		Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>	Wherever found	\$210	\$0	\$210
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	Wherever found	\$6,515	\$0	\$6,515
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	Wherever found	\$31,560	\$0	\$31,560
		Layia, Beach	<i>Layia carnosa</i>	Wherever found	\$3,600	\$0	\$3,600
		Leather Flower, Alabama	<i>Clematis socialis</i>	Wherever found	\$1,612	\$0	\$1,612
		Lily, Western	<i>Lilium occidentale</i>	Wherever found	\$1,200	\$0	\$1,200
		Loosestrife, Rough-leaved	<i>Lysimachia asperulaefolia</i>	Wherever found	\$26,534	\$0	\$26,534
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>	Wherever found	\$35,700	\$0	\$35,700
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>	Wherever found	\$1,803	\$0	\$1,803
		Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	Wherever found	\$23,400	\$0	\$23,400
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>	Wherever found	\$10,668	\$0	\$10,668
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	Wherever found	\$800	\$0	\$800
		Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	Wherever found	\$373	\$0	\$373
		Milkweed, Mead's	<i>Asclepias meadii</i>	Wherever found	\$2,590	\$0	\$2,590
		Monkshood, Northern Wild	<i>Aconitum noveboracense</i>	Wherever found	\$5,835	\$0	\$5,835
		No Common Name	<i>Geocarpon minimum</i>	Wherever found	\$2,452	\$0	\$2,452
		Orchid, Eastern Prairie Fringed	<i>Platanthera leucophaea</i>	Wherever found	\$22,385	\$0	\$22,385
		Orchid, Western Prairie Fringed	<i>Platanthera praeclara</i>	Wherever found	\$8,891	\$0	\$8,891
		Orchid, White Fringeless	<i>Platanthera integrilabia</i>	0	\$3,042	\$0	\$3,042
		Orcutt Grass, Hairy	<i>Orcuttia pilosa</i>	Wherever found	\$3,706	\$0	\$3,706
		Orcutt Grass, Sacramento	<i>Orcuttia viscida</i>	Wherever found	\$3,200	\$0	\$3,200
		Orcutt Grass, San Joaquin	<i>Orcuttia inaequalis</i>	Wherever found	\$4,904	\$0	\$4,904
		Orcutt Grass, Slender	<i>Orcuttia tenuis</i>	Wherever found	\$3,200	\$0	\$3,200
		Owl's-clover, Fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>	Wherever found	\$5,294	\$0	\$5,294
		Paintbrush, Golden	<i>Castilleja levisecta</i>	Wherever found	\$1,300	\$0	\$1,300
		Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	Wherever found	\$5,207	\$0	\$5,207
		Pentachaeta, White-rayed	<i>Pentachaeta bellidiflora</i>	Wherever found	\$2,400	\$0	\$2,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pink, Swamp	<i>Helonias bullata</i>	Wherever found	\$3,240	\$0	\$3,240
		Pinkroot, Gentian	<i>Spigelia gentianoides</i>	Wherever found	\$587	\$0	\$587
		Pitcher-plant, Alabama Canebrake	<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>	Wherever found	\$587	\$0	\$587
		Pitcher-plant, Green	<i>Sarracenia oreophila</i>	Wherever found	\$1,662	\$0	\$1,662
		Pitcher-plant, Mountain Sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>	Wherever found	\$1,706	\$0	\$1,706
		Pogonia, Small Whorled	<i>Isotria medeoloides</i>	Wherever found	\$21,808	\$0	\$21,808
		Pondberry	<i>Lindera melissifolia</i>	Wherever found	\$2,063	\$0	\$2,063
		Potato-bean, Price's	<i>Apios priceana</i>	0	\$2,800	\$0	\$2,800
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>	Wherever found	\$2,400	\$0	\$2,400
		Prairie-clover, Leafy	<i>Dalea foliosa</i>	Wherever found	\$4,363	\$0	\$4,363
		Rock-cress, Braun's	<i>Arabis perstellata</i>	Wherever found	\$922	\$0	\$922
		Rosemary, Cumberland	<i>Conradina verticillata</i>	Wherever found	\$517	\$0	\$517
		Sand-verbena, Large-fruited	<i>Abronia macrocarpa</i>	Wherever found	\$420	\$0	\$420
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	Wherever found	\$172	\$0	\$172
		Sandwort, Marsh	<i>Arenaria paludicola</i>	Wherever found	\$5,207	\$0	\$5,207
		Seablite, California	<i>Suaeda californica</i>	0	\$1,600	\$0	\$1,600
		Seagrass, Johnson's	<i>Halophila johnsonii</i>	Wherever found	\$38,055	\$0	\$38,055
		Skullcap, Large-flowered	<i>Scutellaria montana</i>	Wherever found	\$2,957	\$0	\$2,957
		Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>	Wherever found	\$2,400	\$0	\$2,400
		Spineflower, Robust	<i>Chorizanthe robusta</i> var. <i>robusta</i>	Wherever found	\$1,600	\$0	\$1,600
		Spineflower, Slender-horned	<i>Dodecahema leptoceras</i>	Wherever found	\$9,144	\$0	\$9,144
		Spiraea, Virginia	<i>Spiraea virginiana</i>	Wherever found	\$3,621	\$0	\$3,621
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>	Wherever found	\$2,502	\$0	\$2,502
		Sumac, Michaux's	<i>Rhus michauxii</i>	Wherever found	\$2,178	\$0	\$2,178
		Sunburst, Hartweg's Golden	<i>Pseudobahia bahiifolia</i>	Wherever found	\$10,896	\$0	\$10,896
		Sunburst, San Joaquin Adobe	<i>Pseudobahia peirsonii</i>	Wherever found	\$563	\$0	\$563
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	Wherever found	\$500	\$0	\$500
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	Wherever found	\$17,344	\$0	\$17,344
		Sunflower, Whorled	<i>Helianthus verticillatus</i>	0	\$1,985	\$0	\$1,985

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sunshine, Sonoma	Blennosperma bakeri	Wherever found	\$21,000	\$0	\$21,000
		Tarplant, Otay	Deinandra (=Hemizonia) conjugens	Wherever found	\$8,001	\$0	\$8,001
		Tarplant, Santa Cruz	Holocarpha macradenia	Wherever found	\$2,400	\$0	\$2,400
		Thistle, La Graciosa	Cirsium loncholepis	Wherever found	\$5,207	\$0	\$5,207
		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$2,750	\$0	\$2,750
		Thistle, Suisun	Cirsium hydrophilum var. hydrophilum	Wherever found	\$2,600	\$0	\$2,600
		Thornmint, San Mateo	Acanthomintha obovata ssp. duttonii	Wherever found	\$100	\$0	\$100
		Tuctoria, Greene's	Tuctoria greenei	Wherever found	\$398	\$0	\$398
		Wallflower, Menzies'	Erysimum menziesii	Wherever found	\$2,400	\$0	\$2,400
		Water-plantain, Kral's	Sagittaria secundifolia	Wherever found	\$5,369	\$0	\$5,369
		Watercress, Gambel's	Rorippa gambellii	Wherever found	\$5,207	\$0	\$5,207
		Wild-rice, Texas	Zizania texana	Wherever found	\$840	\$0	\$840
		Woolly-star, Santa Ana River	Eriastrum densifolium ssp. sanctorum	Wherever found	\$9,779	\$0	\$9,779
		Wooly-threads, San Joaquin	Monolopia (=Lembertia) congdonii	Wherever found	\$800	\$0	\$800
	<i>Flowering Plants</i>				<i>\$917,166</i>	<i>\$0</i>	<i>\$917,166</i>
	Insects	Anthricinan Yellow-faced Bee	Hylaeus anthracinus	Wherever found	\$1,668	\$0	\$1,668
		Assimulans Yellow-faced Bee	Hylaeus assimulans	Wherever found	\$1,668	\$0	\$1,668
		Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$143,764	\$0	\$143,764
		Beetle, Casey's June	Dinacoma caseyi	Wherever found	\$2,413	\$0	\$2,413
		Beetle, Coffin Cave Mold	Batrisodes texanus	Wherever found	\$1,353	\$0	\$1,353
		Beetle, Comal Springs Riffle	Heterelmis comalensis	Wherever found	\$840	\$0	\$840
		Beetle, Delta Green Ground	Elaphrus viridis	Wherever found	\$800	\$0	\$800
		Beetle, Tooth Cave Ground	Rhadine persephone	Wherever found	\$1,355	\$0	\$1,355
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$37,032	\$0	\$37,032
		Butterfly, Callippe Silverspot	Speyeria callippe callippe	Wherever found	\$7,200	\$0	\$7,200
		Butterfly, Fender's Blue	Icaricia icarioides fenderi	Wherever found	\$63,200	\$0	\$63,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Karner Blue	<i>Lycaeides melissa samuelis</i>	Wherever found	\$12,298	\$0	\$12,298
		Butterfly, Mission Blue	<i>Icaricia icarioides missionensis</i>	Wherever found	\$1,600	\$0	\$1,600
		Butterfly, Mitchell's Satyr	<i>Neonympha mitchellii mitchellii</i>	Wherever found	\$1,509	\$0	\$1,509
		Butterfly, Myrtle's Silverspot	<i>Speyeria zerene myrtleae</i>	Wherever found	\$2,400	\$0	\$2,400
		Butterfly, Quino Checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	Wherever found	\$10,541	\$0	\$10,541
		Butterfly, San Bruno Elfin	<i>Callophrys mossii bayensis</i>	Wherever found	\$1,600	\$0	\$1,600
		Butterfly, Schaus Swallowtail	<i>Heraclides aristodemus ponceanus</i>	Wherever found	\$2,637	\$0	\$2,637
		Butterfly, Smith's Blue	<i>Euphilotes enoptes smithi</i>	Wherever found	\$2,400	\$0	\$2,400
		Dakota Skipper	<i>Hesperia dacotae</i>	Wherever found	\$3,323	\$0	\$3,323
		Dragonfly, Hine's Emerald	<i>Somatochlora hineana</i>	Wherever found	\$128,000	\$0	\$128,000
		Easy Yellow-faced Bee	<i>Hylaeus facilis</i>	Wherever found	\$1,668	\$0	\$1,668
		Moth, Kern Primrose Sphinx	<i>Euproserpinus euterpe</i>	Wherever found	\$2,159	\$0	\$2,159
		Poweshiek Skipperling	<i>Oarisma poweshiek</i>	Wherever found	\$1,423	\$0	\$1,423
		Rusty Patched Bumble Bee	<i>Bombus affinis</i>	Wherever found	\$11,670	\$0	\$11,670
		Tiger Beetle, Northeastern Beach	<i>Cicindela dorsalis dorsalis</i>	Wherever found	\$2,470	\$0	\$2,470
		Tiger Beetle, Puritan	<i>Cicindela puritana</i>	Wherever found	\$7,000	\$0	\$7,000
		Tiger Beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	Wherever found	\$5,856	\$0	\$5,856
		<i>Insects subtotal</i>			\$459,847	\$0	\$459,847
	Lichens	Cladonia, Florida Perforate	<i>Cladonia perforata</i>	Wherever found	\$750	\$0	\$750
		Lichen, Rock Gnome	<i>Gymnoderma lineare</i>	Wherever found	\$345	\$0	\$345
		<i>Lichens subtotal</i>			\$1,095	\$0	\$1,095
	Mammals	Bat, Florida Bonneted	<i>Eumops floridanus</i>	Wherever found	\$155,444	\$0	\$155,444
		Bat, Gray	<i>Myotis grisescens</i>	Wherever found	\$151,048	\$0	\$151,048
		Bat, Hawaiian Hoary	<i>Lasiurus cinereus semotus</i>	Wherever found	\$4,904	\$0	\$4,904
		Bat, Indiana	<i>Myotis sodalis</i>	Wherever found	\$707,180	\$0	\$707,180
		Bat, Nothern Long-eared	<i>Myotis septentrionalis</i>	Wherever found	\$1,600,249	\$0	\$1,600,249
		Bat, Ozark Big-eared	<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>	Wherever found	\$14,900	\$0	\$14,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$2,375	\$0	\$2,375
		Bear, Polar	Ursus maritimus	Wherever found	\$81,932	\$0	\$81,932
		Deer, Columbian White-tailed	Odocoileus virginianus leucurus	Columbia River DPS	\$318	\$0	\$318
		Deer, Key	Odocoileus virginianus clavium	Wherever found	\$1,162	\$0	\$1,162
		Ferret, Black-footed	Mustela nigripes	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$1,900	\$0	\$1,900
		Fox, San Joaquin Kit	Vulpes macrotis mutica	wherever found	\$35,281	\$0	\$35,281
		Grizzly Bear	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$2,490	\$0	\$2,490
		Humpback Whale	Megaptera novaeangliae	Mexico DPS	\$4,292	\$0	\$4,292
		Humpback Whale	Megaptera novaeangliae	Mexico DPS	\$1,962	\$0	\$1,962
		Humpback Whale	Megaptera novaeangliae	Mexico DPS	\$126,174	\$0	\$126,174
		Humpback Whale	Megaptera novaeangliae	Mexico DPS	\$21,000	\$0	\$21,000
		Kangaroo Rat, Fresno	Dipodomys nitratoideis exilis	Wherever found	\$5,925	\$0	\$5,925
		Kangaroo Rat, San Bernardino Merriam's	Dipodomys merriami parvus	Wherever found	\$20,447	\$0	\$20,447
		Kangaroo Rat, Stephens'	Dipodomys stephensi (incl. D. cascus)	Wherever found	\$2,413	\$0	\$2,413
		Kangaroo Rat, Tipton	Dipodomys nitratoideis nitratoideis	Wherever found	\$2,159	\$0	\$2,159
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$29,557	\$0	\$29,557
		Manatee, West Indian	Trichechus manatus	Wherever found	\$649,612	\$0	\$649,612
		Mouse, Alabama Beach	Peromyscus polionotus ammobates	Wherever found	\$10,611	\$0	\$10,611
		Mouse, Choctawhatchee Beach	Peromyscus polionotus allophrys	Wherever found	\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, Key Largo Cotton	<i>Peromyscus gossypinus allapaticola</i>	Wherever found	\$3,053	\$0	\$3,053
		Mouse, New Mexico Meadow Jumping	<i>Zapus hudsonius luteus</i>	Wherever found	\$12,400	\$0	\$12,400
		Mouse, Perdido Key Beach	<i>Peromyscus polionotus trissyllepsis</i>	Wherever found	\$4,497	\$0	\$4,497
		Mouse, Preble's Meadow Jumping	<i>Zapus hudsonius preblei</i>	wherever found	\$64,701	\$0	\$64,701
		Mouse, Salt Marsh Harvest	<i>Reithrodontomys raviventris</i>	wherever found	\$81,320	\$0	\$81,320
		Mouse, Southeastern Beach	<i>Peromyscus polionotus niveiventris</i>	wherever found	\$1,167	\$0	\$1,167
		Mouse, St. Andrew Beach	<i>Peromyscus polionotus peninsularis</i>	Wherever found	\$3,387	\$0	\$3,387
		Otter, Northern Sea	<i>Enhydra lutris kenyonii</i>	Southwest Alaska DPS	\$15,266	\$0	\$15,266
		Otter, Southern Sea	<i>Enhydra lutris nereis</i>	Wherever found	\$37,805	\$0	\$37,805
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	Wherever found	\$40,751	\$0	\$40,751
		Rabbit, Lower Keys Marsh	<i>Sylvilagus palustris hefneri</i>	Wherever found	\$1,660	\$0	\$1,660
		Rabbit, Riparian Brush	<i>Sylvilagus bachmani riparius</i>	Wherever found	\$800	\$0	\$800
		Rice Rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$1,032	\$0	\$1,032
		Sea Lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$85,362	\$0	\$85,362
		Seal, Arctic Ringed	<i>Phoca (=Pusa) hispida hispida</i>	Wherever found	\$29,927	\$0	\$29,927
		Seal, Guadalupe Fur	<i>Arctocephalus townsendi</i>	Wherever found	\$3,200	\$0	\$3,200
		Seal, Hawaiian Monk	<i>Monachus schauinslandi</i>	Wherever found	\$5,043	\$0	\$5,043
		Seal, Spotted	<i>Phoca largha</i>	Southern DPS	\$13,322	\$0	\$13,322
		Sheep, Sierra Nevada Bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$2,413	\$0	\$2,413
		Shrew, Buena Vista Lake Ornate	<i>Sorex ornatus relictus</i>	Wherever found	\$100	\$0	\$100
		Squirrel, Carolina Northern Flying	<i>Glaucomys sabrinus coloratus</i>	Wherever found	\$1,380	\$0	\$1,380
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$38,476	\$0	\$38,476
		Whale, Blue	<i>Balaenoptera musculus</i>	Wherever found	\$13,735	\$0	\$13,735

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Whale, Bowhead	Balaena mysticetus	Wherever found	\$13,539	\$0	\$13,539
		Whale, False Killer	Pseudorca crassidens	Main Hawaiian Islands Insular DPS	\$139	\$0	\$139
		Whale, Finback	Balaenoptera physalus	Wherever found	\$72,300	\$0	\$72,300
		Whale, Gray	Eschrichtius robustus	Western North Pacific DPS	\$14,288	\$0	\$14,288
		Whale, Killer	Orcinus orca	Southern Resident DPS	\$46,957	\$0	\$46,957
		Whale, North Atlantic Right	Eubalaena glacialis	Wherever found	\$157,294	\$0	\$157,294
		Whale, North Pacific Right	Eubalaena japonica	Wherever found	\$25,915	\$0	\$25,915
		Whale, Sei	Balaenoptera borealis	Wherever found	\$6,884	\$0	\$6,884
		Whale, Sperm	Physeter catodon (=macrocephalus)	Wherever found	\$23,906	\$0	\$23,906
		Wolf, Gray	Canis lupus	MN	\$31,169	\$0	\$31,169
		Woodrat, Key Largo	Neotoma floridana smalli	Wherever found	\$3,625	\$0	\$3,625
		Woodrat, Riparian (=san Joaquin Valley)	Neotoma fuscipes riparia	Wherever found	\$800	\$0	\$800
	<i>Mammals subtotal</i>				<i>\$4,492,448</i>	<i>\$0</i>	<i>\$4,492,448</i>
	Reptiles	Alligator, American	Alligator mississippiensis	Wherever found	\$819	\$0	\$819
		Black Pine Snake	Pituophis melanoleucus lodingi	Wherever found	\$15,907	\$0	\$15,907
		Boa, Puerto Rican	Epicrates inornatus	Wherever found	\$19,500	\$0	\$19,500
		Crocodile, American	Crocodylus acutus	U.S.A. (FL)	\$48,461	\$0	\$48,461
		Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$31,927	\$0	\$31,927
		Green Sea Turtle	Chelonia mydas	Central South Pacific DPS	\$103,652	\$0	\$103,652
		Green Sea Turtle	Chelonia mydas	Central South Pacific DPS	\$27,000	\$0	\$27,000
		Green Sea Turtle	Chelonia mydas	Central South Pacific DPS	\$653,648	\$0	\$653,648
		Green Sea Turtle	Chelonia mydas	Central South Pacific DPS	\$326,595	\$0	\$326,595
		Green Sea Turtle	Chelonia mydas	Central South Pacific DPS	\$156,064	\$0	\$156,064
		Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$12,557	\$0	\$12,557
		Lizard, Coachella Valley Fringe-toed	Uma inornata	Wherever found	\$2,159	\$0	\$2,159
		Louisiana Pine Snake	Pituophis ruthveni	Wherever found	\$129	\$0	\$129
		Plymouth Red-bellied Turtle	Pseudemys rubriventris bangsi	Wherever found	\$2,746	\$0	\$2,746

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rattlesnake, Eastern Massasauga	<i>Sistrurus catenatus</i>	Wherever found	\$118,132	\$0	\$118,132
		Sea Turtle, Hawksbill	<i>Eretmochelys imbricata</i>	Wherever found	\$295,489	\$0	\$295,489
		Sea Turtle, Kemp's Ridley	<i>Lepidochelys kempii</i>	Wherever found	\$1,206,601	\$0	\$1,206,601
		Sea Turtle, Leatherback	<i>Dermochelys coriacea</i>	Wherever found	\$581,179	\$0	\$581,179
		Sea Turtle, Loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$194,339	\$0	\$194,339
		Sea Turtle, Loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$3,200	\$0	\$3,200
		Sea Turtle, Loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$307,338	\$0	\$307,338
		Sea Turtle, Loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$580,028	\$0	\$580,028
		Sea Turtle, Olive Ridley	<i>Lepidochelys olivacea</i>	Wherever found, except when listed as endangered under 50 CFR 224.101	\$4,843	\$0	\$4,843
		Skink, Bluetail Mole	<i>Eumeces egregius lividus</i>	Wherever found	\$3,067	\$0	\$3,067
		Skink, Sand	<i>Neoseps reynoldsi</i>	Wherever found	\$7,777	\$0	\$7,777
		Snake, Atlantic Salt Marsh	<i>Nerodia clarkii taeniata</i>	Wherever found	\$1,658	\$0	\$1,658
		Snake, Eastern Indigo	<i>Drymarchon corais couperi</i>	Wherever found	\$170,829	\$0	\$170,829
		Snake, Giant Garter	<i>Thamnophis gigas</i>	Wherever found	\$57,252	\$0	\$57,252
		Snake, San Francisco Garter	<i>Thamnophis sirtalis tetrataenia</i>	Wherever found	\$12,000	\$0	\$12,000
		Tortoise, Desert	<i>Gopherus agassizii</i>	Wherever found, except AZ south and east of Colorado R., and Mexico	\$100	\$0	\$100
		Tortoise, Desert	<i>Gopherus agassizii</i>	Wherever found, except AZ south and east of Colorado R., and Mexico	\$10,426	\$0	\$10,426
		Tortoise, Gopher	<i>Gopherus polyphemus</i>	West of Mobile and Tombigbee Rivers	\$121,077	\$0	\$121,077
		Turtle, Alabama Red-belly	<i>Pseudemys alabamensis</i>	Wherever found	\$31,232	\$0	\$31,232
		Turtle, Bog (=muhlenberg)	<i>Clemmys muhlenbergii</i>	U.S.A. (GA, NC, SC, TN, VA)	\$8,456	\$0	\$8,456
		Turtle, Bog (=muhlenberg)	<i>Clemmys muhlenbergii</i>	U.S.A. (GA, NC, SC, TN, VA)	\$138,783	\$0	\$138,783

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Turtle, Flattened Musk	Sternotherus depressus	Black Warrior R. system upstream from Bankhead Dam	\$10,202	\$0	\$10,202
		Turtle, Ringed Map	Graptemys oculifera	Wherever found	\$1,656	\$0	\$1,656
		Turtle, Yellow-blotched Map	Graptemys flavimaculata	Wherever found	\$8,292	\$0	\$8,292
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$21,600	\$0	\$21,600
	<i>Reptiles subtotal</i>				\$5,296,720	\$0	\$5,296,720
	Snails	Abalone, Black	Haliotis cracherodii	Wherever found	\$231,313	\$0	\$231,313
		Elimia, Lacy (snail)	Elimia crenatella	Wherever found	\$637	\$0	\$637
		Hornsnail, Rough	Pleurocera foremani	Wherever found	\$3,505	\$0	\$3,505
		Lioplax, Cylindrical (snail)	Lioplax cyclostomaformis	Wherever found	\$637	\$0	\$637
		Riversnail, Anthony's	Athearnia anthonyi	Wherever found; Except where listed as Experimental Populations	\$862	\$0	\$862
		Rocksnailed, Interrupted (=georgia)	Leptoxis foremani	Wherever found	\$1,762	\$0	\$1,762
		Rocksnailed, Painted	Leptoxis taeniata	Wherever found	\$1,712	\$0	\$1,712
		Rocksnailed, Plicate	Leptoxis plicata	Wherever found	\$637	\$0	\$637
		Snail, Bliss Rapids	Taylorconcha serpenticola	Wherever found	\$3,819	\$0	\$3,819
		Snail, Snake River Physa	Physa natricina	Wherever found	\$4,835	\$0	\$4,835
		Snail, Stock Island Tree	Orthalicus reses (not incl. nesodryas)	Wherever found	\$1,657	\$0	\$1,657
		Snail, Tulotoma	Tulotoma magnifica	Wherever found	\$2,857	\$0	\$2,857
	<i>Snails subtotal</i>				\$254,233	\$0	\$254,233
Domestic Subtotal					\$144,500,666	\$170,425	\$144,671,091
Foreign	Mammals	Bear, Brown	Ursus arctos pruinosus	Wherever found	\$12,911	\$0	\$12,911
	<i>Mammals subtotal</i>				\$12,911	\$0	\$12,911
Foreign Subtotal					\$12,911	\$0	\$12,911
Multi-species					\$2,264,507	\$0	\$2,264,507
Multi-Species subtotal					\$2,264,507	\$0	\$2,264,507
Grand Total					\$146,778,084	\$170,425	\$146,948,509

DOI Bureau of Land Management - FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$62,990	\$0	\$62,990
		Frog, Chiricahua Leopard	Rana chiricahuensis	Wherever found	\$141,550	\$0	\$141,550
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$16,300	\$0	\$16,300
		Hellbender, Ozark	Cryptobranchus alleganiensis bishopi	Wherever found	\$2,500	\$0	\$2,500
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$2,000	\$0	\$2,000
		Salamander, Desert Slender	Batrachoseps aridus	Wherever found	\$12,400	\$0	\$12,400
		Salamander, Jemez Mountains	Plethodon neomexicanus	Wherever found	\$3,000	\$0	\$3,000
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$800	\$0	\$800
		Toad, Wyoming	Bufo hemiophrys baxteri	Wherever found	\$43,392	\$0	\$43,392
	<i>Amphibians subtotal</i>				\$284,932	\$0	\$284,932
	Birds	Caracara, Audubon's Crested	Polyborus plancus audubonii	FL pop.	\$2,500	\$0	\$2,500
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$10,000	\$0	\$10,000
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$21,550	\$0	\$21,550
		Crane, Whooping	Grus americana	U.S.A (Southwestern Louisiana)	\$7,300	\$0	\$7,300
		Crane, Whooping	Grus americana	U.S.A (Southwestern Louisiana)	\$5,387	\$0	\$5,387
		Crane, Whooping	Grus americana	U.S.A (Southwestern Louisiana)	\$3,626	\$0	\$3,626
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$1,033,414	\$0	\$1,033,414
		Eider, Spectacled	Somateria fischeri	Wherever found	\$77,250	\$0	\$77,250
		Eider, Steller's	Polysticta stelleri	AK breeding pop.	\$42,000	\$0	\$42,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Falcon, Northern Aplomado	Falco femoralis septentrionalis	Wherever found, except where listed as an experimental population	\$37,500	\$0	\$37,500
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$1,203,715	\$0	\$1,203,715
		Gnatcatcher, Coastal California	Polioptila californica californica	Wherever found	\$300	\$0	\$300
		Horned Lark, Streaked	Eremophila alpestris strigata	Wherever found	\$5,000	\$0	\$5,000
		Kite, Everglade Snail	Rostrhamus sociabilis plumbeus	Wherever found	\$2,500	\$0	\$2,500
		Knot, Red	Calidris canutus rufa	Wherever found	\$14,500	\$0	\$14,500
		Murrelet, Marbled	Brachyramphus marmoratus	U.S.A. (CA, OR, WA)	\$962,528	\$0	\$962,528
		Owl, Mexican Spotted	Strix occidentalis lucida	Wherever found	\$268,207	\$0	\$268,207
		Owl, Northern Spotted	Strix occidentalis caurina	Wherever found	\$3,296,977	\$0	\$3,296,977
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$34,514	\$0	\$34,514
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$529,000	\$0	\$529,000
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$185,500	\$0	\$185,500
		Sage-grouse, Gunnison	Centrocercus minimus	Wherever found	\$1,417,608	\$0	\$1,417,608
		Scrub-jay, Florida	Aphelocoma coerulescens	Wherever found	\$4,800	\$0	\$4,800
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$5,700	\$0	\$5,700
		Tern, Least	Sterna antillarum	interior pop.	\$29,713	\$0	\$29,713
		Towhee, Inyo California	Pipilo crissalis eremophilus	Wherever found	\$1,500	\$0	\$1,500
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$32,250	\$0	\$32,250
		Woodpecker, Ivory-billed	Campephilus principalis	Wherever found	\$2,500	\$0	\$2,500
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$22,000	\$0	\$22,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Birds subtotal</i>				\$9,259,339	\$0	\$9,259,339
	Clams	Bean, Choctaw	Villosa choctawensis	Wherever found	\$2,500	\$0	\$2,500
		Clubshell	Pleurobema clava	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$2,500	\$0	\$2,500
		Clubshell	Pleurobema clava	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$2,500	\$0	\$2,500
		Fanshell	Cyprogenia stegaria	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$2,500	\$0	\$2,500
		Fatmucket, Arkansas	Lampsilis powellii	Wherever found	\$2,500	\$0	\$2,500
		Heelsplitter, Inflated	Potamilus inflatus	Wherever found	\$2,500	\$0	\$2,500
		Hornshell, Texas	Popenaias popeii	Wherever found	\$16,300	\$0	\$16,300
		Kidneyshell, Fluted	Ptychobranhus subtentum	Wherever found	\$2,500	\$0	\$2,500
		Kidneyshell, Southern	Ptychobranhus jonesi	Wherever found	\$2,500	\$0	\$2,500
		Mapleleaf, Winged	Quadrula fragosa	Wherever found, except where listed as an experimental population	\$2,500	\$0	\$2,500
		Moccasinshell, Alabama	Medionidus acutissimus	Wherever found	\$2,500	\$0	\$2,500
		Moccasinshell, Gulf	Medionidus penicillatus	Wherever found	\$2,500	\$0	\$2,500
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$2,500	\$0	\$2,500
		Mussel, Scaleshell	Leptodea leptodon	Wherever found	\$2,500	\$0	\$2,500
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$2,500	\$0	\$2,500
		Pearlshell, Louisiana	Margaritifera hembeli	Wherever found	\$2,500	\$0	\$2,500
		Pigtoe, Fuzzy	Pleurobema strodeanum	Wherever found	\$2,500	\$0	\$2,500
		Pigtoe, Narrow	Fusconaia escambia	Wherever found	\$2,500	\$0	\$2,500
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$2,500	\$0	\$2,500
		Pocketbook, Fat	Potamilus capax	Wherever found	\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pocketbook, Speckled	Lampsilis streckeri	Wherever found	\$2,500	\$0	\$2,500
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$2,500	\$0	\$2,500
		Sandshell, Southern	Hamiota australis	Wherever found	\$2,500	\$0	\$2,500
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$2,500	\$0	\$2,500
	<i>Clams subtotal</i>				<i>\$73,800</i>	<i>\$0</i>	<i>\$73,800</i>
	Crustaceans	Amphipod, Diminutive	Gammarus hyalleloides	Wherever found	\$1,200	\$0	\$1,200
		Amphipod, Noel's	Gammarus desperatus	Wherever found	\$6,200	\$0	\$6,200
		Fairy Shrimp, Longhorn	Branchinecta longiantenna	Wherever found	\$3,500	\$0	\$3,500
		Fairy Shrimp, Riverside	Streptocephalus woottoni	Wherever found	\$300	\$0	\$300
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$33,800	\$0	\$33,800
		Isopod, Socorro	Thermosphaeroma thermophilus	Wherever found	\$1,000	\$0	\$1,000
		Shrimp, Kentucky Cave	Palaemonias ganteri	Wherever found	\$2,500	\$0	\$2,500
		Tadpole Shrimp, Vernal Pool	Lepidurus packardi	Wherever found	\$30,000	\$0	\$30,000
	<i>Crustaceans subtotal</i>				<i>\$78,500</i>	<i>\$0</i>	<i>\$78,500</i>
	Fishes	Bonytail	Gila elegans	Wherever found	\$77,999	\$0	\$77,999
		Chub, Borax Lake	Gila boraxobius	Wherever found	\$1,600	\$0	\$1,600
		Chub, Chihuahua	Gila nigrescens	Wherever found	\$3,500	\$0	\$3,500
		Chub, Gila	Gila intermedia	Wherever found	\$47,484	\$0	\$47,484
		Chub, Humpback	Gila cypha	Wherever found	\$73,762	\$0	\$73,762
		Chub, Owens Tui	Gila bicolor ssp. snyderi	Wherever found	\$16,700	\$0	\$16,700
		Chub, Pahrnagat Roundtail	Gila robusta jordani	Wherever found	\$500	\$0	\$500
		Chub, Virgin River	Gila seminuda (=robusta)	Wherever found	\$86,700	\$0	\$86,700
		Dace, Desert	Eremichthys acros	Wherever found	\$146,050	\$0	\$146,050
		Dace, Independence Valley Speckled	Rhinichthys osculus lethoporus	Wherever found	\$5,000	\$0	\$5,000
		Dace, Moapa	Moapa coriacea	Wherever found	\$35,000	\$0	\$35,000
		Darter, Snail	Percina tanasi	Wherever found	\$2,500	\$0	\$2,500
		Darter, Yellowcheck	Etheostoma moorei	Wherever found	\$2,500	\$0	\$2,500
		Gambusia, Pecos	Gambusia nobilis	Wherever found	\$6,250	\$0	\$6,250
		Minnow, Loach	Tiaroga cobitis	Wherever found	\$11,915	\$0	\$11,915

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Minnow, Rio Grande Silvery	Hybognathus amarus	Rio Grande, from Little Box Canyon to Amistad Dam	\$4,000	\$0	\$4,000
		Pikeminnow (=squawfish), Colorado	Ptychocheilus lucius	Salt and Verde R. drainages, AZ	\$84,762	\$0	\$84,762
		Poolfish, Pahrump	Empetrichthys latos	Wherever found	\$45,100	\$0	\$45,100
		Pupfish, Desert	Cyprinodon macularius	Wherever found	\$28,569	\$0	\$28,569
		Pupfish, Owens	Cyprinodon radiosus	Wherever found	\$52,000	\$7,000	\$59,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$43,000	\$0	\$43,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$251,613	\$0	\$251,613
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$6,000	\$0	\$6,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$89,000	\$0	\$89,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$36,000	\$0	\$36,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$10,000	\$0	\$10,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$143,200	\$0	\$143,200
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$6,000	\$0	\$6,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$72,500	\$0	\$72,500
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$20,000	\$0	\$20,000
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$1,901,356	\$0	\$1,901,356
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$619,465	\$0	\$619,465
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$87,630	\$0	\$87,630
		Shiner, Arkansas River	Notropis girardi	Arkansas River Basin (AR, KS, NM, OK, TX)	\$800	\$0	\$800
		Shiner, Beautiful	Cyprinella formosa	Wherever found	\$800	\$0	\$800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shiner, Pecos Bluntnose	Notropis simus pecosensis	Wherever found	\$10,000	\$0	\$10,000
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$4,000	\$0	\$4,000
		Spikedace	Meda fulgida	Wherever found	\$13,665	\$0	\$13,665
		Spinedace, Big Spring	Lepidomeda mollispinis pratensis	Wherever found	\$2,500	\$0	\$2,500
		Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	\$1,547	\$0	\$1,547
		Springfish, Hiko White River	Crenichthys baileyi grandis	Wherever found	\$21,592	\$0	\$21,592
		Springfish, Railroad Valley	Crenichthys nevadae	Wherever found	\$1,823	\$0	\$1,823
		Springfish, White River	Crenichthys baileyi baileyi	Wherever found	\$10,000	\$0	\$10,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$20,000	\$0	\$20,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$215,500	\$0	\$215,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$56,000	\$0	\$56,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$74,500	\$0	\$74,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$10,000	\$0	\$10,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$6,000	\$0	\$6,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$363,313	\$0	\$363,313
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$223,250	\$0	\$223,250
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrinchus) desotoi	Wherever found	\$2,500	\$0	\$2,500
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$21,314	\$0	\$21,314
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$2,000	\$0	\$2,000
		Sucker, June	Chasmistes liorus	Wherever found	\$250	\$0	\$250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$7,300	\$0	\$7,300
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$115,759	\$0	\$115,759
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$8,000	\$0	\$8,000
		Sucker, Warner	Catostomus warnerensis	Wherever found	\$486,600	\$0	\$486,600
		Sucker, Zuni Bluehead	Catostomus discobolus yarrowi	Wherever found	\$1,000	\$0	\$1,000
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$35,049	\$0	\$35,049
		Trout, Bull	Salvelinus confluentus	Clackamas River subbasin experimental population	\$772,838	\$0	\$772,838
		Trout, Gila	Oncorhynchus gilae	Wherever found	\$500	\$0	\$500
		Trout, Greenback Cutthroat	Oncorhynchus clarkii stomias	Wherever found	\$19,431	\$0	\$19,431
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$466,158	\$1,245	\$467,403
		Tui Chub, Mohave	Gila bicolor ssp. mohavensis	Wherever found	\$15,000	\$0	\$15,000
		Woundfin	Plagopterus argentissimus	Gila R. drainage, AZ, NM	\$86,000	\$0	\$86,000
		<i>Fishes subtotal</i>			<i>\$7,092,644</i>	<i>\$8,245</i>	<i>\$7,100,889</i>
	Flowering Plants	Aster, Florida Golden	Chrysopsis floridana	Wherever found	\$2,500	\$0	\$2,500
		Barberry, Nevin's	Berberis nevinii	Wherever found	\$500	\$0	\$500
		Bear-poppy, Dwarf	Arctomecon humilis	Wherever found	\$26,900	\$0	\$26,900
		Beardtongue, Parachute	Penstemon debilis	Wherever found	\$5,900	\$0	\$5,900
		Beardtongue, Penland	Penstemon penlandii	Wherever found	\$17,786	\$0	\$17,786
		Bedstraw, El Dorado	Galium californicum ssp. sierrae	Wherever found	\$18,500	\$0	\$18,500
		Birds-in-a-nest, White	Macbridea alba	Wherever found	\$9,300	\$0	\$9,300
		Bladderpod, Dudley Bluffs	Lesquerella congesta	Wherever found	\$33,696	\$0	\$33,696
		Bladderpod, Kodachrome	Lesquerella tumulosa	Wherever found	\$5,100	\$0	\$5,100
		Blue-star, Kearney's	Amsonia kearneyana	Wherever found	\$18,700	\$0	\$18,700
		Bluegrass, San Bernardino	Poa atropurpurea	Wherever found	\$500	\$0	\$500
		Buckwheat, Cushenbury	Eriogonum ovalifolium var. vineum	Wherever found	\$11,000	\$0	\$11,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Buckwheat, Steamboat	Eriogonum ovalifolium var. williamsiae	Wherever found	\$3,933	\$0	\$3,933
		Bulrush, Northeastern	Scirpus ancistrochaetus	Wherever found	\$2,500	\$0	\$2,500
		Buttercup, Autumn	Ranunculus aestivalis (=acriiformis)	Wherever found	\$4,000	\$0	\$4,000
		Butterweed, Layne's	Senecio layneae	Wherever found	\$16,210	\$0	\$16,210
		Butterwort, Godfrey's	Pinguicula ionantha	Wherever found	\$9,300	\$0	\$9,300
		Cactus, Bakersfield	Opuntia treleasei	Wherever found	\$500	\$0	\$500
		Cactus, Brady Pincushion	Pediocactus bradyi	Wherever found	\$1,000	\$0	\$1,000
		Cactus, Colorado Hookless	Sclerocactus glaucus	Wherever found	\$90,667	\$0	\$90,667
		Cactus, Fickeisen Plains	Pediocactus peeblesianus fickeiseniae	Wherever found	\$18,000	\$0	\$18,000
		Cactus, Knowlton's	Pediocactus knowltonii	Wherever found	\$11,750	\$0	\$11,750
		Cactus, Kuenzler Hedgehog	Echinocereus fendleri var. kuenzleri	Wherever found	\$97,500	\$4,000	\$101,500
		Cactus, Lee Pincushion	Coryphantha sneedii var. leei	Wherever found	\$24,800	\$2,000	\$26,800
		Cactus, Mesa Verde	Sclerocactus mesae-verdae	Wherever found	\$16,000	\$0	\$16,000
		Cactus, Nichol's Turk's Head	Echinocactus horizontalonius var. nicholii	Wherever found	\$20,000	\$0	\$20,000
		Cactus, Pariette	Sclerocactus brevispinus	Wherever found	\$4,600	\$0	\$4,600
		Cactus, Peebles Navajo	Pediocactus peeblesianus var. peeblesianus	Wherever found	\$98,150	\$0	\$98,150
		Cactus, San Rafael	Pediocactus despainii	Wherever found	\$3,900	\$0	\$3,900
		Cactus, Siler Pincushion	Pediocactus (=Echinocactus,=Utahia) sileri	Wherever found	\$17,800	\$0	\$17,800
		Cactus, Sneed Pincushion	Coryphantha sneedii var. sneedii	Wherever found	\$2,800	\$0	\$2,800
		Cactus, Uinta Basin Hookless	Sclerocactus wetlandicus	Wherever found	\$15,000	\$0	\$15,000
		Cactus, Winkler	Pediocactus winkleri	Wherever found	\$2,200	\$0	\$2,200
		Cactus, Wright Fishhook	Sclerocactus wrightiae	Wherever found	\$28,400	\$0	\$28,400
		Catchfly, Spalding's	Silene spaldingii	Wherever found	\$36,500	\$0	\$36,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	Wherever found	\$17,000	\$0	\$17,000
		Chaffseed, American	<i>Schwalbea americana</i>	Wherever found	\$2,500	\$0	\$2,500
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	Wherever found	\$16,000	\$0	\$16,000
		Clarkia, Springville	<i>Clarkia springvillensis</i>	Wherever found	\$250	\$0	\$250
		Cliffrose, Arizona	<i>Purshia (=Cowania) subintegra</i>	Wherever found	\$5,300	\$0	\$5,300
		Cycladenia, Jones	<i>Cycladenia humilis</i> var. <i>jonesii</i>	Wherever found	\$17,500	\$0	\$17,500
		Daisy, Parish's	<i>Erigeron parishii</i>	Wherever found	\$14,000	\$0	\$14,000
		Daisy, Willamette	<i>Erigeron decumbens</i>	Wherever found	\$72,000	\$0	\$72,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	Wherever found	\$33,000	\$0	\$33,000
		Evening-primrose, San Benito	<i>Camissonia benitensis</i>	Wherever found	\$25,000	\$0	\$25,000
		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	Wherever found	\$800	\$0	\$800
		Flannelbush, Pine Hill	<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>	Wherever found	\$7,500	\$0	\$7,500
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>	Wherever found	\$7,500	\$0	\$7,500
		Four-o'clock, Macfarlane's	<i>Mirabilis macfarlanei</i>	Wherever found	\$28,500	\$0	\$28,500
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>	Wherever found	\$179,000	\$0	\$179,000
		Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>	Wherever found	\$2,000	\$0	\$2,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	Wherever found	\$2,000	\$0	\$2,000
		Howellia, Water	<i>Howellia aquatilis</i>	0	\$3,000	\$0	\$3,000
		Ivesia, Webber's	<i>Ivesia webberi</i>	Wherever found	\$51,134	\$0	\$51,134
		Jewelflower, California	<i>Caulanthus californicus</i>	Wherever found	\$8,000	\$0	\$8,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	Wherever found	\$131,188	\$0	\$131,188
		Layia, Beach	<i>Layia carnosa</i>	Wherever found	\$138,000	\$0	\$138,000
		Lily, Western	<i>Lilium occidentale</i>	Wherever found	\$26,000	\$0	\$26,000
		Lomatium, Cook's	<i>Lomatium cookii</i>	Wherever found	\$87,500	\$0	\$87,500
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>	Wherever found	\$132,250	\$0	\$132,250
		Mallow, Gierisch	<i>Sphaeralcea gierischii</i>	Wherever found	\$18,500	\$0	\$18,500
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>	Wherever found	\$1,072	\$0	\$1,072

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>	Wherever found	\$500	\$0	\$500
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>	Wherever found	\$46,400	\$0	\$46,400
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>	Wherever found	\$11,000	\$0	\$11,000
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>	Wherever found	\$8,000	\$0	\$8,000
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	Wherever found	\$34,000	\$0	\$34,000
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	Wherever found	\$36,000	\$0	\$36,000
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>	Wherever found	\$5,500	\$0	\$5,500
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>	Wherever found	\$475,000	\$50,000	\$525,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	Wherever found	\$22,900	\$0	\$22,900
		Milk-vetch, Triple-ribbed	<i>Astragalus tricarinatus</i>	Wherever found	\$3,800	\$0	\$3,800
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>	Wherever found	\$23,696	\$0	\$23,696
		Milkweed, Welsh's	<i>Asclepias welshii</i>	Wherever found	\$37,000	\$0	\$37,000
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	Wherever found	\$13,514	\$0	\$13,514
		Mustard, Penland Alpine Fen	<i>Eutrema penlandii</i>	Wherever found	\$42,000	\$0	\$42,000
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	Wherever found	\$29,000	\$0	\$29,000
		No Common Name	<i>Geocarpon minimum</i>	Wherever found	\$2,500	\$0	\$2,500
		Orchid, Western Prairie Fringed	<i>Platanthera praeclara</i>	Wherever found	\$8,813	\$0	\$8,813
		Orchid, White Fringeless	<i>Platanthera integrilabia</i>	0	\$2,500	\$0	\$2,500
		Orcutt Grass, San Joaquin	<i>Orcuttia inaequalis</i>	Wherever found	\$250	\$0	\$250
		Orcutt Grass, Slender	<i>Orcuttia tenuis</i>	Wherever found	\$3,000	\$0	\$3,000
		Owl's-clover, Fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>	Wherever found	\$250	\$0	\$250
		Oxytheca, Cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>	Wherever found	\$11,000	\$0	\$11,000
		Pawpaw, Beautiful	<i>Deeringothamnus pulchellus</i>	Wherever found	\$2,500	\$0	\$2,500
		Pawpaw, Four-petal	<i>Asimina tetramera</i>	Wherever found	\$7,300	\$0	\$7,300
		Pennyroyal, Todsens'	<i>Hedeoma todsenii</i>	Wherever found	\$25,800	\$0	\$25,800
		Penstemon, Blowout	<i>Penstemon haydenii</i>	Wherever found	\$47,099	\$0	\$47,099
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>	0	\$112,500	\$0	\$112,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Phacelia, Clay	Phacelia argillacea	Wherever found	\$500	\$0	\$500
		Phacelia, Debeque	Phacelia submutica	Wherever found	\$7,200	\$0	\$7,200
		Phacelia, North Park	Phacelia formosula	Wherever found	\$34,196	\$0	\$34,196
		Pogonia, Small Whorled	Isotria medeoloides	Wherever found	\$2,500	\$0	\$2,500
		Pondberry	Lindera melissifolia	Wherever found	\$2,500	\$0	\$2,500
		Popcornflower, Rough	Plagiobothrys hirtus	Wherever found	\$3,000	\$0	\$3,000
		Potato-bean, Price's	Apios priceana	0	\$2,500	\$0	\$2,500
		Reed-mustard, Barneby	Schoenocrambe barnebyi	Wherever found	\$500	\$0	\$500
		Seagrass, Johnson's	Halophila johnsonii	Wherever found	\$28,800	\$0	\$28,800
		Sedge, Navajo	Carex specuicola	Wherever found	\$7,008	\$0	\$7,008
		Skullcap, Florida	Scutellaria floridana	Wherever found	\$9,300	\$0	\$9,300
		Spineflower, Monterey	Chorizanthe pungens var. pungens	Wherever found	\$2,000	\$0	\$2,000
		Sunflower, Pecos (=puzzle, =paradox)	Helianthus paradoxus	Wherever found	\$29,500	\$0	\$29,500
		Tarplant, Otay	Deinandra (=Hemizonia) conjugens	Wherever found	\$300	\$0	\$300
		Townsendia, Last Chance	Townsendia aprica	Wherever found	\$2,100	\$0	\$2,100
		Twinpod, Dudley Bluffs	Physaria obcordata	Wherever found	\$35,696	\$0	\$35,696
		Vervain, Red Hills	Verbena californica	Wherever found	\$4,824	\$0	\$4,824
		Wallflower, Menzies'	Erysimum menziesii	Wherever found	\$25,000	\$0	\$25,000
		Water-umbel, Huachuca	Lilacopsis schaffneriana var. recurva	Wherever found	\$38,400	\$0	\$38,400
		Wild Buckwheat, Clay-loving	Eriogonum pelinophilum	Wherever found	\$24,765	\$0	\$24,765
		Wild-buckwheat, Gypsum	Eriogonum gypsophilum	Wherever found	\$106,500	\$0	\$106,500
		Wire-lettuce, Malheur	Stephanomeria malheurensis	Wherever found	\$2,000	\$0	\$2,000
		Wooly-threads, San Joaquin	Monolopia (=Lembertia) congdonii	Wherever found	\$242,500	\$0	\$242,500
		Yellowhead, Desert	Yermo xanthocephalus	Wherever found	\$20,000	\$0	\$20,000
		<i>Flowering Plants subtotal</i>			\$3,345,797	\$56,000	\$3,401,797
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$17,600	\$0	\$17,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, Casey's June	Dinacoma caseyi	Wherever found	\$400	\$0	\$400
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$11,000	\$0	\$11,000
		Butterfly, Fender's Blue	Icaricia icarioides fenderi	Wherever found	\$30,371	\$0	\$30,371
		Butterfly, Oregon Silverspot	Speyeria zerene hippolyta	0	\$5,000	\$0	\$5,000
		Butterfly, Quino Checkerspot	Euphydryas editha quino (=E. e. wrighti)	Wherever found	\$59,300	\$0	\$59,300
		Butterfly, Uncompahgre Fritillary	Boloria acrocnema	Wherever found	\$11,100	\$0	\$11,100
		Moth, Kern Primrose Sphinx	Euproserpinus euterpe	Wherever found	\$2,500	\$0	\$2,500
		Skipper, Carson Wandering	Pseudocopaeodes eunus obscurus	Wherever found	\$67,994	\$0	\$67,994
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$21,000	\$0	\$21,000
		Skipper, Pawnee Montane	Hesperia leonardus montana	Wherever found	\$200	\$0	\$200
	<i>Insects subtotal</i>				\$226,465	\$0	\$226,465
	Lichens	Cladonia, Florida Perforate	Cladonia perforata	Wherever found	\$14,300	\$0	\$14,300
	<i>Lichens subtotal</i>				\$14,300	\$0	\$14,300
	Mammals	Bat, Florida Bonneted	Eumops floridanus	Wherever found	\$2,500	\$0	\$2,500
		Bat, Gray	Myotis grisescens	Wherever found	\$3,100	\$0	\$3,100
		Bat, Indiana	Myotis sodalis	Wherever found	\$2,800	\$0	\$2,800
		Bat, Mexican Long-nosed	Leptonycteris nivalis	Wherever found	\$28,500	\$0	\$28,500
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$47,888	\$0	\$47,888
		Bat, Ozark Big-eared	Corynorhinus (=Plecotus) townsendii ingens	Wherever found	\$2,500	\$0	\$2,500
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$2,500	\$0	\$2,500
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$207,546	\$0	\$207,546
		Bear, Polar	Ursus maritimus	Wherever found	\$209,000	\$0	\$209,000
		Bison, Wood	Bison bison athabascae	Wherever found	\$2,000	\$0	\$2,000
		Caribou, Woodland	Rangifer tarandus caribou	Southern Mountain DPS	\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ferret, Black-footed	<i>Mustela nigripes</i>	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$94,009	\$0	\$94,009
		Ferret, Black-footed	<i>Mustela nigripes</i>	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$283,112	\$0	\$283,112
		Fox, San Joaquin Kit	<i>Vulpes macrotis mutica</i>	wherever found	\$66,500	\$0	\$66,500
		Jaguar	<i>Panthera onca</i>	Wherever found	\$6,700	\$0	\$6,700
		Kangaroo Rat, Giant	<i>Dipodomys ingens</i>	Wherever found	\$37,500	\$0	\$37,500
		Kangaroo Rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Wherever found	\$134,337	\$0	\$134,337
		Kangaroo Rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	Wherever found	\$11,500	\$0	\$11,500
		Lynx, Canada	<i>Lynx canadensis</i>	Wherever Found in Contiguous U.S.	\$200,325	\$0	\$200,325
		Manatee, West Indian	<i>Trichechus manatus</i>	Wherever found	\$25,800	\$0	\$25,800
		Mountain Beaver, Point Arena	<i>Aplodontia rufa nigra</i>	Wherever found	\$5,000	\$0	\$5,000
		Mouse, Alabama Beach	<i>Peromyscus polionotus ammobates</i>	Wherever found	\$6,900	\$0	\$6,900
		Mouse, New Mexico Meadow Jumping	<i>Zapus hudsonius luteus</i>	Wherever found	\$52,750	\$0	\$52,750
		Mouse, Perdido Key Beach	<i>Peromyscus polionotus trissyllepsis</i>	Wherever found	\$2,500	\$0	\$2,500
		Mouse, Preble's Meadow Jumping	<i>Zapus hudsonius preblei</i>	wherever found	\$6,781	\$0	\$6,781
		Mouse, Southeastern Beach	<i>Peromyscus polionotus niveiventris</i>	wherever found	\$2,500	\$0	\$2,500
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	wherever found	\$5,700	\$0	\$5,700
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	Southwest Alaska DPS	\$2,100	\$0	\$2,100
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	Wherever found	\$2,500	\$0	\$2,500
		Prairie Dog, Utah	<i>Cynomys parvidens</i>	Wherever found	\$165,400	\$0	\$165,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pronghorn, Sonoran	Antilocapra americana sonoriensis	Wherever found, except where listed as an experimental population	\$157,760	\$0	\$157,760
		Rabbit, Lower Keys Marsh	Sylvilagus palustris hefneri	Wherever found	\$2,500	\$0	\$2,500
		Rice Rat, Silver	Oryzomys palustris natator	lower FL Keys	\$2,500	\$0	\$2,500
		Sea Lion, Steller	Eumetopias jubatus	Western DPS	\$2,900	\$0	\$2,900
		Seal, Bearded	Erignathus barbatus nauticus	Okhotsk DPS	\$5,300	\$0	\$5,300
		Sheep, Peninsular Bighorn	Ovis canadensis nelsoni	Peninsular CA pop.	\$101,900	\$0	\$101,900
		Sheep, Sierra Nevada Bighorn	Ovis canadensis sierrae	Sierra Nevada	\$4,500	\$0	\$4,500
		Shrew, Buena Vista Lake Ornate	Sorex ornatus relictus	Wherever found	\$2,250	\$0	\$2,250
		Squirrel, Northern Idaho Ground	Uroditellus brunneus	Wherever found	\$10,500	\$0	\$10,500
		Vole, Amargosa	Microtus californicus scirpensis	Wherever found	\$69,000	\$0	\$69,000
		Whale, Blue	Balaenoptera musculus	Wherever found	\$800	\$0	\$800
		Whale, Bowhead	Balaena mysticetus	Wherever found	\$2,600	\$0	\$2,600
		Whale, Finback	Balaenoptera physalus	Wherever found	\$800	\$0	\$800
		Whale, Gray	Eschrichtius robustus	Western North Pacific DPS	\$800	\$0	\$800
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$800	\$0	\$800
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$800	\$0	\$800
		Whale, North Pacific Right	Eubalaena japonica	Wherever found	\$800	\$0	\$800
		Whale, Sperm	Physeter catodon (=macrocephalus)	Wherever found	\$800	\$0	\$800
		Wolf, Gray	Canis lupus	MN	\$25,000	\$0	\$25,000
		Wolf, Mexican	Canis lupus baileyi	Wherever found, except where listed as an experimental population	\$508,000	\$0	\$508,000
		Woodrat, Key Largo	Neotoma floridana smalli	Wherever found	\$2,500	\$0	\$2,500
	<i>Mammals subtotal</i>				<i>\$2,524,058</i>	<i>\$0</i>	<i>\$2,524,058</i>
	Reptiles	Gartersnake, Narrow-headed	Thamnophis rufipunctatus	Wherever found	\$115,020	\$0	\$115,020
		Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$191,005	\$0	\$191,005

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$154,100	\$0	\$154,100
		Lizard, Coachella Valley Fringe-toed	Uma inornata	Wherever found	\$71,400	\$0	\$71,400
		Pinesnake, Louisiana	Pituophis ruthveni	Wherever found	\$2,500	\$0	\$2,500
		Rattlesnake, New Mexican Ridge-nosed	Crotalus willardi obscurus	Wherever found	\$100,320	\$0	\$100,320
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$2,500	\$0	\$2,500
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$2,500	\$0	\$2,500
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$2,500	\$0	\$2,500
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$2,500	\$0	\$2,500
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$9,600	\$0	\$9,600
		Snake, Atlantic Salt Marsh	Nerodia clarkii taeniata	Wherever found	\$2,500	\$0	\$2,500
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$3,400	\$0	\$3,400
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$2,466,033	\$50,000	\$2,516,033
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$5,400	\$0	\$5,400
	<i>Reptiles subtotal</i>				<i>\$3,131,278</i>	<i>\$50,000</i>	<i>\$3,181,278</i>
	Snails	Ambersnail, Kanab	Oxyloma haydeni kanabensis	Wherever found	\$600	\$0	\$600
		Limpet, Banbury Springs	Lanx sp.	Wherever found	\$1,800	\$0	\$1,800
		Snail, Bliss Rapids	Taylorconcha serpenticola	Wherever found	\$3,000	\$0	\$3,000
		Snail, Morro Shoulderband (=banded Dune)	Helminthoglypta walkeriana	Wherever found	\$500	\$0	\$500
		Snail, Pecos Assiminea	Assiminea pecos	Wherever found	\$3,250	\$0	\$3,250
		Snail, Snake River Physa	Physa natricina	Wherever found	\$6,500	\$0	\$6,500
		Springsnail, Alamosa	Tryonia alamosae	Wherever found	\$750	\$0	\$750
		Springsnail, Bruneau Hot	Pyrgulopsis bruneauensis	Wherever found	\$7,300	\$0	\$7,300
		Springsnail, Chupadera	Pyrgulopsis chupaderae	Wherever found	\$750	\$0	\$750
		Springsnail, Koster's	Juturnia kosteri	Wherever found	\$3,350	\$0	\$3,350
		Springsnail, Roswell	Pyrgulopsis roswellensis	Wherever found	\$3,300	\$0	\$3,300
		Springsnail, Socorro	Pyrgulopsis neomexicana	Wherever found	\$750	\$0	\$750

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Snails subtotal</i>				\$31,850	\$0	\$31,850
Domestic Species Total					\$26,062,963	\$114,245	\$26,177,208
Grand Total					\$26,062,963	\$114,245	\$26,177,208

DOI Bureau of Reclamation - FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic Species	Amphibians	Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$149,000	\$0	\$149,000
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$500	\$0	\$500
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$2,500	\$0	\$2,500
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$8,500	\$85,000	\$93,500
	<i>Amphibians subtotal</i>				<i>\$160,500</i>	<i>\$85,000</i>	<i>\$245,500</i>
	Birds	Crane, Whooping	Grus americana	U.S.A (Southwestern Louisiana)	\$11,652	\$0	\$11,652
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$1,252,000	\$811,000	\$2,063,000
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$1,211,000	\$811,000	\$2,022,000
		Knot, Red	Calidris canutus rufa	Wherever found	\$200	\$0	\$200
		Owl, Northern Spotted	Strix occidentalis caurina	Wherever found	\$33,000	\$0	\$33,000
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$15,800	\$0	\$15,800
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$183,000	\$0	\$183,000
		Tern, Least	Sterna antillarum	interior pop.	\$12,300	\$0	\$12,300
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$6,500	\$0	\$6,500
	<i>Birds subtotal</i>				<i>\$2,725,452</i>	<i>\$1,622,000</i>	<i>\$4,347,452</i>
	Crustaceans	Fairy Shrimp, Conservancy	Branchinecta conservatio	Wherever found	\$0	\$88,000	\$88,000
		Fairy Shrimp, Vernal Pool	Branchinecta lynchi	Wherever found	\$0	\$88,000	\$88,000
		Tadpole Shrimp, Vernal Pool	Lepidurus packardi	Wherever found	\$7,500	\$85,000	\$92,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Crustaceans subtotal</i>				\$7,500	\$261,000	\$268,500
	Fishes	Bonytail	<i>Gila elegans</i>	Wherever found	\$3,142,000	\$0	\$3,142,000
		Chub, Humpback	<i>Gila cypha</i>	Wherever found	\$3,200,000	\$0	\$3,200,000
		Cui-ui	<i>Chasmistes cujus</i>	Wherever found	\$94,000	\$0	\$94,000
		Eulachon	<i>Thaleichthys pacificus</i>	Southern DPS	\$1,800	\$0	\$1,800
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Wherever found	\$5,000	\$0	\$5,000
		Minnow, Loach	<i>Tiaroga cobitis</i>	Wherever found	\$153,000	\$0	\$153,000
		Minnow, Rio Grande Silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$10,000,000	\$0	\$10,000,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$2,900,000	\$0	\$2,900,000
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	Wherever found	\$5,000	\$0	\$5,000
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$3,000	\$0	\$3,000
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$13,040,100	\$0	\$13,040,100
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$15,260,000	\$45,000	\$15,305,000
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$3,281,000	\$0	\$3,281,000
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$1,035,000	\$0	\$1,035,000
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$1,349,900	\$45,000	\$1,394,900
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$874,000	\$0	\$874,000
		Salmon, Chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$3,246,000	\$0	\$3,246,000
		Salmon, Chum	<i>Oncorhynchus keta</i>	Hood Canal summer-run ESU	\$3,000	\$0	\$3,000
		Salmon, Coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$10,218,000	\$0	\$10,218,000
		Salmon, Coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$60,000	\$0	\$60,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$5,690,000	\$0	\$5,690,000
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$874,000	\$0	\$874,000
		Shiner, Pecos Bluntnose	Notropis simus pecosensis	Wherever found	\$1,000,000	\$0	\$1,000,000
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$2,300	\$0	\$2,300
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$1,948,600	\$53,300	\$2,001,900
		Spikedace	Meda fulgida	Wherever found	\$153,000	\$0	\$153,000
		Spinedace, Little Colorado	Lepidomeda vittata	Wherever found	\$3,000	\$0	\$3,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$11,684,000	\$1,063,000	\$12,747,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$2,008,000	\$0	\$2,008,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,840,000	\$0	\$1,840,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$3,337,000	\$0	\$3,337,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$3,627,000	\$0	\$3,627,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$3,000	\$0	\$3,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$27,500	\$0	\$27,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$3,636,000	\$0	\$3,636,000
		Sturgeon, Green	Acipenser medirostris	Southern DPS	\$6,430,000	\$0	\$6,430,000
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$975,200	\$0	\$975,200
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MI), Canada (B.C.), Kootenai R. system	\$3,000	\$0	\$3,000
		Sucker, June	Chasmistes liorus	Wherever found	\$74,000	\$0	\$74,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$4,591,000	\$0	\$4,591,000
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$4,043,000	\$0	\$4,043,000
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$4,591,000	\$0	\$4,591,000
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$539,000	\$0	\$539,000
		Trout, Bull	Salvelinus confluentus	Clackamas River subbasin experimental population	\$239,700	\$0	\$239,700
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$94,500	\$0	\$94,500
	<i>Fishes subtotal</i>				<i>\$125,284,600</i>	<i>\$1,206,300</i>	<i>\$126,490,900</i>
	Flowering Plants	Buttercup, Autumn	Ranunculus aestivalis (=acriiformis)	Wherever found	\$1,000	\$0	\$1,000
		Cactus, Bakersfield	Opuntia treleasei	Wherever found	\$1,000	\$0	\$1,000
		Grass, Colusa	Neostapfia colusana	Wherever found	\$0	\$85,400	\$85,400
		Ladies'-tresses, Ute	Spiranthes diluvialis	Wherever found	\$23,000	\$0	\$23,000
		Lupine, Kincaid's	Lupinus sulphureus ssp. kincaidii	Wherever found	\$38,000	\$0	\$38,000
		Manzanita, Pallid	Arctostaphylos pallida	Wherever found	\$1,800	\$0	\$1,800
		Orcutt Grass, Hairy	Orcuttia pilosa	Wherever found	\$1,100	\$0	\$1,100
		Owl's-clover, Fleshy	Castilleja campestris ssp. succulenta	Wherever found	\$1,100	\$85,400	\$86,500
		Spurge, Hoover's	Chamaesyce hooveri	Wherever found	\$1,400	\$0	\$1,400
		Tuctoria, Greene's	Tuctoria greenei	Wherever found	\$1,400	\$85,400	\$86,800
		Wooly-threads, San Joaquin	Monolopia (=Lembertia) congdonii	Wherever found	\$1,000	\$0	\$1,000
	<i>Flowering Plants sub</i>				<i>\$70,800</i>	<i>\$256,200</i>	<i>\$327,000</i>
	Insects	Beetle, American Burying	Nicrophorus americanus	Wherever found, except where listed as an experimental population	\$3,500	\$0	\$3,500
		Beetle, Valley Elderberry Longhorn	Desmocerus californicus dimorphus	Wherever found	\$106,200	\$0	\$106,200
		Butterfly, Fender's Blue	Icaricia icarioides fenderi	Wherever found	\$38,000	\$0	\$38,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Skipper, Dakota	Hesperia dacotae	Wherever found	\$700	\$0	\$700
		Skipperling, Poweshiek	Oarisma poweshiek	Wherever found	\$200	\$0	\$200
	<i>Insects subtotal</i>				<i>\$148,600</i>	<i>\$0</i>	<i>\$148,600</i>
	Mammals	Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$16,300	\$0	\$16,300
		Fox, San Joaquin Kit	Vulpes macrotis mutica	wherever found	\$934,000	\$85,500	\$1,019,500
		Kangaroo Rat, Tipton	Dipodomys nitratoide nitratoide	Wherever found	\$729,500	\$0	\$729,500
		Mouse, Preble's Meadow Jumping	Zapus hudsonius preblei	wherever found	\$500	\$0	\$500
		Whale, Killer	Orcinus orca	Southern Resident DPS	\$264,500	\$0	\$264,500
		Wolf, Gray	Canis lupus	MN	\$200	\$0	\$200
	<i>Mammals subtotal</i>				<i>\$1,945,000</i>	<i>\$85,500</i>	<i>\$2,030,500</i>
	Reptiles	Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$102,500	\$0	\$102,500
		Snake, Giant Garter	Thamnophis gigas	Wherever found	\$52,000	\$0	\$52,000
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$2,500	\$0	\$2,500
	<i>Reptiles subtotal</i>				<i>\$157,000</i>	<i>\$0</i>	<i>\$157,000</i>
	Snails	Snail, Snake River Physa	Physa natricina	Wherever found	\$45,000	\$0	\$45,000
	<i>Snails subtotal</i>				<i>\$45,000</i>	<i>\$0</i>	<i>\$45,000</i>
	<i>Domestic Species Total</i>				<i>\$130,544,452</i>	<i>\$3,516,000</i>	<i>\$134,060,452</i>
Grand Total					\$130,544,452	\$3,516,000	\$134,060,452

DOI National Parks Service - FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Frog, California Red-legged	Rana draytonii	Wherever found	\$64,100	\$0	\$64,100
		Frog, Mountain Yellow-legged	Rana muscosa	Northern California DPS	\$235,742	\$0	\$235,742
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$267,695	\$0	\$267,695
		Hellbender, Ozark	Cryptobranchus alleganiensis bishopi	Wherever found	\$8,500	\$0	\$8,500
		Salamander, California Tiger	Ambystoma californiense	U.S.A. (Central CA DPS)	\$500	\$0	\$500
		Salamander, Jemez Mountains	Plethodon neomexicanus	Wherever found	\$50,000	\$0	\$50,000
		Salamander, Shenandoah	Plethodon shenandoah	Wherever found	\$60,000	\$0	\$60,000
	<i>Amphibians subtotal</i>				\$686,537	\$0	\$686,537
	Birds	ʻiʻiwi	Drepanis coccinea	Wherever found	\$83,200	\$0	\$83,200
		Akepa, Maui	Loxops ochraceus	Wherever found	\$61,100	\$0	\$61,100
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$404,280	\$0	\$404,280
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$30,000	\$0	\$30,000
		Coot, Hawaiian	Fulica americana alai	Wherever found	\$100,000	\$0	\$100,000
		Cuckoo, Yellow-billed	Coccyzus americanus	Western U.S. DPS	\$25,500	\$0	\$25,500
		Falcon, Northern Aplomado	Falco femoralis septentrionalis	Wherever found, except where listed as an experimental population	\$450	\$0	\$450
		Flycatcher, Southwestern Willow	Empidonax traillii extimus	Wherever found	\$52,500	\$0	\$52,500
		Goose, Hawaiian	Branta (=Nesochen) sandvicensis	Wherever found	\$162,900	\$0	\$162,900
		Honeycreeper, (akohekohe) Crested	Palmeria dolei	Wherever found	\$83,200	\$0	\$83,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kite, Everglade Snail	<i>Rostrhamus sociabilis plumbeus</i>	Wherever found	\$6,500	\$0	\$6,500
		Knot, Red	<i>Calidris canutus rufa</i>	Wherever found	\$17,512	\$0	\$17,512
		Murrelet, Marbled	<i>Brachyramphus marmoratus</i>	U.S.A. (CA, OR, WA)	\$146,700	\$0	\$146,700
		Owl, Mexican Spotted	<i>Strix occidentalis lucida</i>	Wherever found	\$103,990	\$0	\$103,990
		Owl, Northern Spotted	<i>Strix occidentalis caurina</i>	Wherever found	\$453,076	\$0	\$453,076
		Parrotbill, Maui (kiwikiu)	<i>Pseudonestor xanthophrys</i>	Wherever found	\$83,200	\$0	\$83,200
		Petrel, Hawaiian	<i>Pterodroma sandwichensis</i>	Wherever found	\$158,900	\$0	\$158,900
		Plover, Piping	<i>Charadrius melodus</i>	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$36,400	\$0	\$36,400
		Plover, Piping	<i>Charadrius melodus</i>	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$1,002,658	\$0	\$1,002,658
		Plover, Western Snowy	<i>Charadrius nivosus nivosus</i>	Pacific Coast population DPS- U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$99,300	\$0	\$99,300
		Rail, Yuma Ridgways	<i>Rallus obsoletus</i> [=longirostris] yumanensis	Wherever found	\$6,500	\$0	\$6,500
		Sage-grouse, Gunnison	<i>Centrocercus minimus</i>	Wherever found	\$17,000	\$0	\$17,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Wherever found	\$73,100	\$0	\$73,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sparrow, Cape Sable Seaside	Ammodramus maritimus mirabilis	Wherever found	\$400,000	\$0	\$400,000
		Stilt, Hawaiian	Himantopus mexicanus knudseni	Wherever found	\$100,000	\$0	\$100,000
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$65,500	\$0	\$65,500
		Storm-petrel, Band-rumped	Oceanodroma castro	USA (HI)	\$86,400	\$0	\$86,400
		Tern, Least	Sterna antillarum	interior pop.	\$24,500	\$0	\$24,500
		Tern, Roseate	Sterna dougallii dougallii	Western Hemisphere except NE U.S.	\$11,600	\$0	\$11,600
		Tern, Roseate	Sterna dougallii dougallii	Western Hemisphere except NE U.S.	\$2,500	\$0	\$2,500
		Woodpecker, Ivory-billed	Campephilus principalis	Wherever found	\$1,000	\$0	\$1,000
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$11,500	\$0	\$11,500
	<i>Birds subtotal</i>				<i>\$3,910,966</i>	<i>\$0</i>	<i>\$3,910,966</i>
	Clams	Bean, Cumberland (pearlymussel)	Villosa trabalis	Wherever found; Except where listed as Experimental Populations	\$1,390	\$0	\$1,390
		Bean, Purple	Villosa perpurpurea	Wherever found	\$12,500	\$0	\$12,500
		Clubshell	Pleurobema clava	AL, Free-flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,800	\$0	\$1,800
		Combshell, Cumberlandian	Epioblasma brevidens	AL, Free-flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,390	\$0	\$1,390
		Elktoe, Cumberland	Alasmodonta atropurpurea	Wherever found	\$1,390	\$0	\$1,390

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fanshell	Cyprogenia stegaria	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,800	\$0	\$1,800
		Higgins Eye (pearlymussel)	Lampsilis higginsii	Wherever found	\$20,500	\$0	\$20,500
		Kidneyshell, Fluted	Ptychobranthus subtentus	Wherever found	\$1,390	\$0	\$1,390
		Mapleleaf, Winged	Quadrula fragosa	Wherever found, except where listed as an experimental population	\$18,000	\$0	\$18,000
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$3,190	\$0	\$3,190
		Mussel, Oyster	Epioblasma capsaeformis	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,390	\$0	\$1,390
		Mussel, Sheepnose	Plethobasus cyphus	Wherever found	\$1,800	\$0	\$1,800
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$23,800	\$0	\$23,800
		Pearlymussel, Dromedary	Dromus dromas	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,390	\$0	\$1,390
		Pearlymussel, Littlewing	Pegias fabula	Wherever found	\$1,390	\$0	\$1,390
		Pigtoe, Rough	Pleurobema plenum	Wherever found	\$1,800	\$0	\$1,800
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$23,800	\$0	\$23,800
		Riffleshell, Tan	Epioblasma florentina walkeri (=E. walkeri)	Wherever found	\$1,390	\$0	\$1,390

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ring Pink (mussel)	Obovaria retusa	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$1,800	\$0	\$1,800
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$7,190	\$0	\$7,190
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$2,500	\$0	\$2,500
	<i>Clams subtotal</i>				<i>\$131,600</i>	<i>\$0</i>	<i>\$131,600</i>
	Corals	Coral, Boulder Star	Orbicella franksi	Wherever found	\$12,298	\$0	\$12,298
		Coral, Elkhorn	Acropora palmata	Wherever found	\$32,500	\$0	\$32,500
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$22,500	\$0	\$22,500
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$18,500	\$0	\$18,500
		Coral, Pillar	Dendrogyra cylindrus	Wherever found	\$19,000	\$0	\$19,000
		Coral, Rough Cactus	Mycetophyllia ferox	Wherever found	\$10,300	\$0	\$10,300
		Coral, Staghorn	Acropora cervicornis	Wherever found	\$83,500	\$0	\$83,500
		No Common Name	Acropora jacquelineae	Wherever found	\$500	\$0	\$500
		No Common Name	Euphyllia paradivisa	Wherever found	\$500	\$0	\$500
		No Common Name	Acropora globiceps	Wherever found	\$500	\$0	\$500
		No Common Name	Acropora speciosa	Wherever found	\$500	\$0	\$500
		No Common Name	Acropora retusa	Wherever found	\$500	\$0	\$500
		No Common Name	Isopora crateriformis	Wherever found	\$500	\$0	\$500
	<i>Corals subtotal</i>				<i>\$201,598</i>	<i>\$0</i>	<i>\$201,598</i>
	Crustaceans	Amphipod, Hay's Spring	Stygobromus hayi	Wherever found	\$42,800	\$0	\$42,800
		Shrimp, Anchialine Pool	Procaris hawaiiiana	Wherever found	\$1,000	\$0	\$1,000
		Shrimp, California Freshwater	Syncaris pacifica	Wherever found	\$20,000	\$0	\$20,000
	<i>Crustaceans subtotal</i>				<i>\$63,800</i>	<i>\$0</i>	<i>\$63,800</i>
	Ferns and Allies	Kupukupu Makalii	Cyclosorus boydiae	Wherever found	\$12,000	\$0	\$12,000
		No Common Name	Asplenium peruvianum var. insulare	Wherever found	\$12,000	\$0	\$12,000
		No Common Name	Microlepia strigosa var. mauiensis	Wherever found	\$12,000	\$0	\$12,000
		Wawae`iole	Huperzia mannii	Wherever found	\$12,000	\$0	\$12,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Ferns and Allies subtotal</i>				\$48,000	\$0	\$48,000
	Fishes	Chub, Humpback	<i>Gila cypha</i>	Wherever found	\$405,855	\$0	\$405,855
		Dace, Blackside	<i>Phoxinus cumberlandensis</i>	Wherever found	\$400	\$0	\$400
		Darter, Diamond	<i>Crystallaria cincotta</i>	Wherever found	\$500	\$0	\$500
		Darter, Duskytail	<i>Etheostoma percnurum</i>	Tellico River, TN	\$8,106	\$0	\$8,106
		Gambusia, Big Bend	<i>Gambusia gaigei</i>	Wherever found	\$1,000	\$0	\$1,000
		Goby, Tidewater	<i>Eucyclogobius newberryi</i>	Wherever found	\$11,000	\$0	\$11,000
		Madtom, Smoky	<i>Noturus baileyi</i>	Tellico River, TN	\$8,106	\$0	\$8,106
		Madtom, Yellowfin	<i>Noturus flavipinnis</i>	U.S.A. (TN-specified portions of the Tellico River; see 17.84(e)(1)(ii))	\$8,106	\$0	\$8,106
		Minnow, Rio Grande Silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$300	\$0	\$300
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$500	\$0	\$500
		Pupfish, Desert	<i>Cyprinodon macularius</i>	Wherever found	\$9,892	\$0	\$9,892
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	Wherever found	\$400,000	\$0	\$400,000
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$67,000	\$0	\$67,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$1,600	\$0	\$1,600
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$1,600	\$0	\$1,600
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$250,000	\$0	\$250,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$1,500	\$0	\$1,500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$25,000	\$0	\$25,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$1,600	\$0	\$1,600
		Salmon, Chum	<i>Oncorhynchus keta</i>	Hood Canal summer-run ESU	\$3,200	\$0	\$3,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$491,500	\$0	\$491,500
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$1,600	\$0	\$1,600
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$25,000	\$0	\$25,000
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$35,000	\$0	\$35,000
		Sawfish, Smalltooth	Pristis pectinata	US DPS - Smalltooth sawfish originating from U.S. waters.	\$15,350	\$0	\$15,350
		Shiner, Topeka	Notropis topeka (=tristis)	Wherever found, except where listed as an experimental population	\$69,500	\$0	\$69,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,500	\$0	\$1,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$416,500	\$0	\$416,500
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,600	\$0	\$1,600
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$25,000	\$0	\$25,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,600	\$0	\$1,600
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$256,000	\$0	\$256,000
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,600	\$0	\$1,600
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$600	\$0	\$600
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$600	\$0	\$600
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$9,500	\$0	\$9,500
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$1,300	\$0	\$1,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Bull	Salvelinus confluentus	Clackamas River subbasin experimental population	\$385,000	\$0	\$385,000
		Trout, Greenback Cutthroat	Oncorhynchus clarkii stomias	Wherever found	\$44,998	\$0	\$44,998
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$1,000	\$0	\$1,000
		Tui Chub, Mohave	Gila bicolor ssp. mohavensis	Wherever found	\$34,219	\$0	\$34,219
	<i>Fishes subtotal</i>				<i>\$3,024,232</i>	<i>\$0</i>	<i>\$3,024,232</i>
	Flowering Plants	`ahinahina	Argyroxiphium sandwicense ssp. macrocephalum	Wherever found	\$120,000	\$0	\$120,000
		`aiea	Nothocestrum latifolium	Wherever found	\$12,000	\$0	\$12,000
		`anunu	Sicyos albus	Wherever found	\$2,500	\$0	\$2,500
		`anunu	Sicyos macrophyllus	Wherever found	\$2,500	\$0	\$2,500
		`oha Wai	Clermontia samuelii	Wherever found	\$60,000	\$0	\$60,000
		`oha Wai	Clermontia peleana	Wherever found	\$9,397	\$0	\$9,397
		`ohe	Joinvillea ascendens ascendens	Wherever found	\$36,000	\$0	\$36,000
		Alani	Melicope ovalis	Wherever found	\$24,000	\$0	\$24,000
		Alopecurus, Sonoma	Alopecurus aequalis var. sonomensis	Wherever found	\$36,224	\$0	\$36,224
		Amaranth, Seabeach	Amaranthus pumilus	Wherever found	\$64,167	\$0	\$64,167
		Avens, Spreading	Geum radiatum	Wherever found	\$3,350	\$0	\$3,350
		Bladderpod, Missouri	Physaria filiformis	Wherever found	\$75,000	\$0	\$75,000
		Blazingstar, Heller's	Liatris helleri	Wherever found	\$4,750	\$0	\$4,750
		Bully, Everglades	Sideroxylon reclinatum ssp. austrofloridense	Wherever found	\$60,000	\$0	\$60,000
		Cactus, Acuna	Echinomastus erectocentrus var. acunensis	Wherever found	\$2,336	\$0	\$2,336
		Cactus, Florida Semaphore	Consolea corallicola	Wherever found	\$2,500	\$0	\$2,500
		Cactus, Winkler	Pediocactus winkleri	Wherever found	\$39,200	\$0	\$39,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Wright Fishhook	<i>Sclerocactus wrightiae</i>	Wherever found	\$39,200	\$0	\$39,200
		Clarkia, Presidio	<i>Clarkia franciscana</i>	Wherever found	\$3,600	\$0	\$3,600
		Crabgrass, Florida Pineland	<i>Digitaria pauciflora</i>	Wherever found	\$60,000	\$0	\$60,000
		Cycladenia, Jones	<i>Cycladenia humilis</i> var. <i>jonesii</i>	Wherever found	\$1,500	\$0	\$1,500
		Daisy, Parish's	<i>Erigeron parishii</i>	Wherever found	\$3,500	\$0	\$3,500
		Dudleya, Conejo	<i>Dudleya abramsii</i> ssp. <i>parva</i>	Wherever found	\$6,000	\$0	\$6,000
		Dudleya, Marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>	Wherever found	\$6,000	\$0	\$6,000
		Dudleya, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>	Wherever found	\$6,000	\$0	\$6,000
		Dudleya, Verity's	<i>Dudleya verityi</i>	Wherever found	\$6,000	\$0	\$6,000
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	Wherever found	\$1,200	\$0	\$1,200
		Fescue, Guadalupe	<i>Festuca ligulata</i>	Wherever found	\$500	\$0	\$500
		Geranium, Hawaiian Red-flowered	<i>Geranium arboreum</i>	Wherever found	\$36,000	\$0	\$36,000
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>	0	\$10,000	\$0	\$10,000
		Haha	<i>Cyanea stictophylla</i>	Wherever found	\$3,000	\$0	\$3,000
		Haha	<i>Cyanea asplenifolia</i>	Wherever found	\$36,000	\$0	\$36,000
		Haha	<i>Cyanea shipmanii</i>	Wherever found	\$3,000	\$0	\$3,000
		Haha	<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>	Wherever found	\$36,000	\$0	\$36,000
		Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>	Wherever found	\$12,000	\$0	\$12,000
		Haha	<i>Cyanea glabra</i>	Wherever found	\$12,000	\$0	\$12,000
		Haha	<i>Cyanea maritae</i>	Wherever found	\$12,000	\$0	\$12,000
		Haha	<i>Cyanea kunthiana</i>	Wherever found	\$24,000	\$0	\$24,000
		Haiwale	<i>Cyrtandra ferripilosa</i>	Wherever found	\$36,000	\$0	\$36,000
		Hala Pepe	<i>Pleomele hawaiiensis</i>	Wherever found	\$3,000	\$0	\$3,000
		Hau Kuahiwi	<i>Hibiscadelphus giffardianus</i>	Wherever found	\$2,500	\$0	\$2,500
		Hoawa	<i>Pittosporum halophilum</i>	Wherever found	\$5,000	\$0	\$5,000
		Ischaemum, Hilo	<i>Ischaemum byrone</i>	Wherever found	\$12,000	\$0	\$12,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ko`oko`olau	<i>Bidens campylotheca</i> ssp. pentamera	Wherever found	\$36,000	\$0	\$36,000
		Ko`oko`olau	<i>Bidens micrantha</i> ssp. ctenophylla	Wherever found	\$500	\$0	\$500
		Ko`oko`olau	<i>Bidens campylotheca</i> ssp. waihoiensis	Wherever found	\$36,000	\$0	\$36,000
		Ko`oko`olau	<i>Bidens micrantha</i> ssp. kalealaha	Wherever found	\$36,000	\$0	\$36,000
		Koki`o Ke`oke`o	<i>Hibiscus arnottianus</i> ssp. immaculatus	Wherever found	\$5,000	\$0	\$5,000
		Kuahiwi Laukahi	<i>Plantago princeps</i>	Wherever found	\$36,000	\$0	\$36,000
		Kula Wahine Noho	<i>Isodendrion pyriformium</i>	Wherever found	\$500	\$0	\$500
		Layia, Beach	<i>Layia carnosa</i>	Wherever found	\$500	\$0	\$500
		Lessingia, San Francisco	<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>)	Wherever found	\$7,200	\$0	\$7,200
		Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	Wherever found	\$5,000	\$0	\$5,000
		Lo`ulu	<i>Pritchardia maideniana</i>	Wherever found	\$500	\$0	\$500
		Lupine, Clover	<i>Lupinus tidestromii</i>	Wherever found	\$1,000	\$0	\$1,000
		Ma`o Hau Hele, (=native Yellow Hibiscus)	<i>Hibiscus brackenridgei</i>	Wherever found	\$500	\$0	\$500
		Makou	<i>Peucedanum sandwicense</i>	Wherever found	\$5,000	\$0	\$5,000
		Makou	<i>Ranunculus mauianus</i>	Wherever found	\$12,000	\$0	\$12,000
		Makou	<i>Ranunculus hawaiiensis</i>	Wherever found	\$12,000	\$0	\$12,000
		Manzanita, Franciscan	<i>Arctostaphylos franciscana</i>	Wherever found	\$18,800	\$0	\$18,800
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>	Wherever found	\$7,700	\$0	\$7,700
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	Wherever found	\$2,720	\$0	\$2,720
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	Wherever found	\$30,200	\$0	\$30,200
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	Wherever found	\$8,176	\$0	\$8,176
		Milk-vetch, Triple-ribbed	<i>Astragalus tricarinatus</i>	Wherever found	\$3,500	\$0	\$3,500
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>	Wherever found	\$3,300	\$0	\$3,300
		Nanu	<i>Gardenia remyi</i>	Wherever found	\$12,000	\$0	\$12,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Naupaka, Dwarf	<i>Scaevola coriacea</i>	Wherever found	\$5,000	\$0	\$5,000
		No Common Name	<i>Wikstroemia villosa</i>	Wherever found	\$12,000	\$0	\$12,000
		No Common Name	<i>Neraudia ovata</i>	Wherever found	\$6,398	\$0	\$6,398
		No Common Name	<i>Phyllostegia bracteata</i>	Wherever found	\$60,000	\$0	\$60,000
		No Common Name	<i>Platanthera holochila</i>	Wherever found	\$12,000	\$0	\$12,000
		No Common Name	<i>Sanicula sandwicensis</i>	Wherever found	\$36,000	\$0	\$36,000
		No Common Name	<i>Schiedea haleakalensis</i>	Wherever found	\$36,000	\$0	\$36,000
		No Common Name	<i>Phyllostegia brevidens</i>	Wherever found	\$60,000	\$0	\$60,000
		No Common Name	<i>Phyllostegia haliakalae</i>	Wherever found	\$60,000	\$0	\$60,000
		No Common Name	<i>Schiedea diffusa</i> subsp. <i>diffusa</i>	Wherever found	\$36,000	\$0	\$36,000
		Nohoanu	<i>Geranium hanaense</i>	Wherever found	\$12,000	\$0	\$12,000
		Nohoanu	<i>Geranium multiflorum</i>	Wherever found	\$12,000	\$0	\$12,000
		Nui, Haha	<i>Cyanea horrida</i>	Wherever found	\$12,000	\$0	\$12,000
		Orchid, Western Prairie Fringed	<i>Platanthera praeclara</i>	Wherever found	\$7,000	\$0	\$7,000
		Orchid, White Fringeless	<i>Platanthera integrilabia</i>	0	\$1,000	\$0	\$1,000
		Paintbrush, Golden	<i>Castilleja levisecta</i>	Wherever found	\$5,000	\$0	\$5,000
		Paintbrush, Tiburon	<i>Castilleja affinis</i> ssp. <i>neglecta</i>	Wherever found	\$1,200	\$0	\$1,200
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	Wherever found	\$5,000	\$0	\$5,000
		Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	Wherever found	\$10,000	\$0	\$10,000
		Phacelia, Island	<i>Phacelia insularis</i> ssp. <i>insularis</i>	Wherever found	\$680	\$0	\$680
		Phlox, Texas Trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>	Wherever found	\$5,000	\$0	\$5,000
		Pink, Swamp	<i>Helonias bullata</i>	Wherever found	\$4,750	\$0	\$4,750
		Pitcher-plant, Green	<i>Sarracenia oreophila</i>	Wherever found	\$19,000	\$0	\$19,000
		Po'e	<i>Portulaca sclerocarpa</i>	Wherever found	\$3,500	\$0	\$3,500
		Pogonia, Small Whorled	<i>Isotria medeoloides</i>	Wherever found	\$5,200	\$0	\$5,200
		Popolo	<i>Solanum nelsonii</i>	Wherever found	\$5,000	\$0	\$5,000
		Popolo Ku Mai	<i>Solanum incompletum</i>	Wherever found	\$12,000	\$0	\$12,000
		Potato-bean, Prices	<i>Apios priceana</i>	0	\$12,500	\$0	\$12,500
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>	Wherever found	\$40,000	\$0	\$40,000
		Prairie-clover, Florida	<i>Dalea carthagenensis</i> <i>floridana</i>	Wherever found	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Prickly-apple, Fragrant	Cereus eriophorus var. fragrans	Wherever found	\$1,000	\$0	\$1,000
		Reedgrass, Maui	Calamagrostis expansa	Wherever found	\$12,000	\$0	\$12,000
		Rosemary, Cumberland	Conradina verticillata	Wherever found	\$9,200	\$0	\$9,200
		Sandwort, Marsh	Arenaria paludicola	Wherever found	\$1,200	\$0	\$1,200
		Silversword, Mauna Loa (=ka'u)	Argyroxiphium kauense	Wherever found	\$10,000	\$0	\$10,000
		Skullcap, Large-flowered	Scutellaria montana	Wherever found	\$1,000	\$0	\$1,000
		Spineflower, Orcutt's	Chorizanthe orcuttiana	Wherever found	\$400	\$0	\$400
		Spineflower, Sonoma	Chorizanthe valida	Wherever found	\$500	\$0	\$500
		Spiraea, Virginia	Spiraea virginiana	Wherever found	\$1,500	\$0	\$1,500
		Spurge, Garber's	Chamaesyce garberi	Wherever found	\$5,000	\$0	\$5,000
		Sunflower, Whorled	Helianthus verticillatus	0	\$1,200	\$0	\$1,200
		Thistle, Pitcher's	Cirsium pitcheri	Wherever found	\$13,000	\$0	\$13,000
		Thoroughwort, Cape Sable	Chromolaena frustrata	Wherever found	\$1,500	\$0	\$1,500
		Townsendia, Last Chance	Townsendia aprica	Wherever found	\$10,100	\$0	\$10,100
		<i>Flowering Plants subtotal</i>			<i>\$1,775,848</i>	<i>\$0</i>	<i>\$1,775,848</i>
	Insects	Butterfly, Bartram's Hairstreak	Strymon acis bartrami	Wherever found	\$64,000	\$0	\$64,000
		Butterfly, Florida Leafwing	Anaea troglodyta florldalis	Wherever found	\$64,000	\$0	\$64,000
		Butterfly, Karner Blue	Lycaeides melissa samuelis	Wherever found	\$100	\$0	\$100
		Butterfly, Mariana Eight-spot	Hypolimnas octocula marianensis	Wherever found	\$1,000	\$0	\$1,000
		Butterfly, Mission Blue	Icaricia icarioides missionensis	Wherever found	\$125,000	\$0	\$125,000
		Butterfly, Mitchell's Satyr	Neonympha mitchellii mitchellii	Wherever found	\$500	\$0	\$500
		Butterfly, Oregon Silverspot	Speyeria zerene hippolyta	0	\$6,200	\$0	\$6,200
		Butterfly, San Bruno Elfin	Callophrys mossii bayensis	Wherever found	\$5,000	\$0	\$5,000
		Butterfly, Schaus Swallowtail	Heraclides aristodemus ponceanus	Wherever found	\$49,000	\$0	\$49,000
		Damselfly, Orangeblack Hawaiian	Megalagrion xanthomelas	Wherever found	\$1,000	\$0	\$1,000
		Damselfly, Pacific Hawaiian	Megalagrion pacificum	Wherever found	\$20,000	\$0	\$20,000
		Tiger Beetle, Northeastern Beach	Cicindela dorsalis dorsalis	Wherever found	\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Insects subtotal</i>				\$336,800	\$0	\$336,800
	Mammals	Bat, Florida Bonneted	Eumops floridanus	Wherever found	\$25,000	\$0	\$25,000
		Bat, Gray	Myotis grisescens	Wherever found	\$137,000	\$0	\$137,000
		Bat, Hawaiian Hoary	Lasiurus cinereus semotus	Wherever found	\$20,000	\$0	\$20,000
		Bat, Indiana	Myotis sodalis	Wherever found	\$366,000	\$0	\$366,000
		Bat, Mexican Long-nosed	Leptonycteris nivalis	Wherever found	\$500	\$0	\$500
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$790,232	\$0	\$790,232
		Bat, Ozark Big-eared	Corynorhinus (=Plecotus) townsendii ingens	Wherever found	\$5,000	\$0	\$5,000
		Bat, Virginia Big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	\$5,600	\$0	\$5,600
		Bear, Grizzly	Ursus arctos horribilis	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$2,001,708	\$0	\$2,001,708
		Ferret, Black-footed	Mustela nigripes	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$40,000	\$0	\$40,000
		Ferret, Black-footed	Mustela nigripes	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$205,000	\$0	\$205,000
		Lynx, Canada	Lynx canadensis	Wherever Found in Contiguous U.S.	\$117,900	\$0	\$117,900
		Manatee, West Indian	Trichechus manatus	Wherever found	\$16,000	\$0	\$16,000
		Mouse, Anastasia Island Beach	Peromyscus polionotus phasma	Wherever found	\$800	\$0	\$800
		Mouse, New Mexico Meadow Jumping	Zapus hudsonius luteus	Wherever found	\$20,000	\$0	\$20,000
		Mouse, Perdido Key Beach	Peromyscus polionotus trissyllepsis	Wherever found	\$7,200	\$0	\$7,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, Southeastern Beach	Peromyscus polionotus niveiventris	wherever found	\$2,500	\$0	\$2,500
		Ocelot	Leopardus (=Felis) pardalis	wherever found	\$500	\$0	\$500
		Otter, Northern Sea	Enhydra lutris kenyoni	Southwest Alaska DPS	\$1,000	\$0	\$1,000
		Panther, Florida	Puma (=Felis) concolor coryi	Wherever found	\$35,000	\$0	\$35,000
		Prairie Dog, Utah	Cynomys parvidens	Wherever found	\$34,055	\$0	\$34,055
		Pronghorn, Sonoran	Antilocapra americana sonoriensis	Wherever found, except where listed as an experimental population	\$3,877	\$0	\$3,877
		Seal, Bearded	Erignathus barbatus nauticus	Okhotsk DPS	\$300	\$0	\$300
		Seal, Hawaiian Monk	Monachus schauinslandi	Wherever found	\$6,500	\$0	\$6,500
		Seal, Ringed	Phoca (=Pusa) hispida hispida	Wherever found	\$300	\$0	\$300
		Sheep, Sierra Nevada Bighorn	Ovis canadensis sierrae	Sierra Nevada	\$182,184	\$0	\$182,184
		Squirrel, Carolina Northern Flying	Glaucomys sabrinus coloratus	Wherever found	\$4,100	\$0	\$4,100
		Whale, Finback	Balaenoptera physalus	Wherever found	\$100	\$0	\$100
		Whale, Humpback	Megaptera novaeangliae	Mexico DPS	\$322,803	\$0	\$322,803
		Whale, North Atlantic Right	Eubalaena glacialis	Wherever found	\$400	\$0	\$400
		Wolf, Gray	Canis lupus	MN	\$444,500	\$0	\$444,500
		Wolf, Gray	Canis lupus	MN	\$40,000	\$0	\$40,000
	<i>Mammals subtotal</i>				<i>\$4,836,059</i>	<i>\$0</i>	<i>\$4,836,059</i>
	Reptiles	Alligator, American	Alligator mississippiensis	Wherever found	\$103,000	\$0	\$103,000
		Crocodile, American	Crocodylus acutus	U.S.A. (FL)	\$102,400	\$0	\$102,400
		Gartersnake, Northern Mexican	Thamnophis eques megalops	Wherever found	\$4,000	\$0	\$4,000
		Lizard, St. Croix Ground	Ameiva polops	Wherever found	\$2,500	\$0	\$2,500
		Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$1,200	\$0	\$1,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$500	\$0	\$500
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$3,000	\$0	\$3,000
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$200	\$0	\$200
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$428,400	\$0	\$428,400
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$2,500	\$0	\$2,500
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$75,870	\$0	\$75,870
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$1,116,400	\$0	\$1,116,400
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$4,900	\$0	\$4,900
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$647,720	\$0	\$647,720
		Snake, Eastern Indigo	Drymarchon corais couperi	Wherever found	\$5,000	\$0	\$5,000
		Snake, San Francisco Garter	Thamnophis sirtalis tetrataenia	Wherever found	\$8,000	\$0	\$8,000
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R., and Mexico	\$279,752	\$0	\$279,752
		Turtle, Bog	Clemmys muhlenbergii	U.S.A. (GA, NC, SC, TN, VA)	\$6,400	\$0	\$6,400
		Turtle, Sonoyta Mud	Kinosternon sonoriense longifemorale	Wherever found	\$11,911	\$0	\$11,911
	<i>Reptiles subtotal</i>				<i>\$2,803,653</i>	<i>\$0</i>	<i>\$2,803,653</i>
	Snails	[no Common Name] Snail	Eua zebrina	Wherever found	\$7,500	\$0	\$7,500
		[no Common Name] Snail	Ostodes strigatus	Wherever found	\$1,000	\$0	\$1,000
		Abalone, Black	Haliotis cracherodii	Wherever found	\$20,778	\$0	\$20,778

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Abalone, White	Haliotis sorenseni	North America (West Coast from Point Conception, CA, U.S.A., to Punta Abrejos, Baja California, Mexico)	\$2,800	\$0	\$2,800
		Snail, Guam Tree	Partula radiolata	Wherever found	\$200	\$0	\$200
		Snail, Humped Tree	Partula gibba	Wherever found	\$100	\$0	\$100
	<i>Snails subtotal</i>				\$32,378	\$0	\$32,378
Domestic Species Total					\$17,851,471	\$0	\$17,851,471
Foreign	Fishes	Blindcat, Mexican (catfish)	Prietella phreatophila	Wherever found	\$40,000	\$0	\$40,000
	<i>Fishes subtotal</i>				\$40,000	\$0	\$40,000
Foreign Species Total					\$40,000	\$0	\$40,000
Grand Total					\$17,891,471	\$0	\$17,891,471

DOI Geological Survey - FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Amphibians	Coqui, Llanero	Eleutherodactylus juanariveroi	Wherever found	\$25,000	\$0	\$25,000
		Frog, California Red-legged	Rana draytonii	Wherever found	\$42,126	\$0	\$42,126
		Frog, Chiricahua Leopard	Rana chiricahuensis	Wherever found	\$71,900	\$0	\$71,900
		Frog, Mountain Yellow-legged	Rana muscosa	Northern California DPS	\$36,126	\$0	\$36,126
		Frog, Mountain Yellow-legged	Rana muscosa	Northern California DPS	\$12,826	\$0	\$12,826
		Frog, Oregon Spotted	Rana pretiosa	Wherever found	\$322,810	\$0	\$322,810
		Frog, Sierra Nevada Yellow-legged	Rana sierrae	Wherever found	\$61,826	\$0	\$61,826
		Salamander, Frosted Flatwoods	Ambystoma cingulatum	Wherever found	\$42,748	\$0	\$42,748
		Salamander, Shenandoah	Plethodon shenandoah	Wherever found	\$9,200	\$0	\$9,200
		Toad, Arroyo (=arroyo Southwestern)	Anaxyrus californicus	Wherever found	\$11,000	\$0	\$11,000
		Toad, Wyoming	Bufo hemiophrys baxteri	Wherever found	\$6,000	\$0	\$6,000
		Toad, Yosemite	Anaxyrus canorus	Wherever found	\$97,515	\$0	\$97,515
	<i>Amphibians subtotal</i>				<i>\$739,077</i>	<i>\$0</i>	<i>\$739,077</i>
	Arachnids	Spider, Spruce-fir Moss	Microhexura montivaga	Wherever found	\$7,500	\$0	\$7,500
	<i>Arachnids subtotal</i>				<i>\$7,500</i>	<i>\$0</i>	<i>\$7,500</i>
	Birds	'i'iwi	Drepanis coccinea	Wherever found	\$15,459	\$0	\$15,459
		Akekee	Loxops caeruleirostris	Wherever found	\$77,362	\$0	\$77,362
		Akepa, Hawaii	Loxops coccineus	Wherever found	\$7,455	\$0	\$7,455
		Akiapolaau	Hemignathus wilsoni	Wherever found	\$30,121	\$0	\$30,121
		Akikiki	Oreomystis bairdi	Wherever found	\$77,362	\$0	\$77,362
		Bobwhite, Masked (quail)	Colinus virginianus ridgwai	Wherever found	\$6,000	\$0	\$6,000
		Condor, California	Gymnogyps californianus	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$133,756	\$0	\$133,756
		Coot, Hawaiian	Fulica americana alai	Wherever found	\$32,615	\$0	\$32,615
		Crane, Whooping	Grus americana	U.S.A (Southwestern Louisiana)	\$307,500	\$0	\$307,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, Whooping	<i>Grus americana</i>	U.S.A (Southwestern Louisiana)	\$201,409	\$0	\$201,409
		Crane, Whooping	<i>Grus americana</i>	U.S.A (Southwestern Louisiana)	\$4,000	\$0	\$4,000
		Creeper, Hawaii	<i>Oreomystis mana</i>	Wherever found	\$7,455	\$0	\$7,455
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	Wherever found	\$60,942	\$0	\$60,942
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Wherever found	\$162,226	\$0	\$162,226
		Eider, Spectacled	<i>Somateria fischeri</i>	Wherever found	\$47,500	\$0	\$47,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$100,000	\$0	\$100,000
		Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	Wherever found	\$9,480	\$0	\$9,480
		Finch, Nihoa (honeycreeper)	<i>Telespyza ultima</i>	Wherever found	\$9,480	\$0	\$9,480
		Flycatcher, Southwestern Willow	<i>Empidonax traillii extimus</i>	Wherever found	\$22,246	\$0	\$22,246
		Gnatcatcher, Coastal California	<i>Polioptila californica californica</i>	Wherever found	\$10,000	\$0	\$10,000
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	Wherever found	\$53,727	\$0	\$53,727
		Hawk, Puerto Rican Sharp-shinned	<i>Accipiter striatus venator</i>	Wherever found	\$42,020	\$0	\$42,020
		Horned Lark, Streaked	<i>Eremophila alpestris strigata</i>	Wherever found	\$15,000	\$0	\$15,000
		Kite, Everglade Snail	<i>Rostrhamus sociabilis plumbeus</i>	Wherever found	\$30,000	\$0	\$30,000
		Knot, Red	<i>Calidris canutus rufa</i>	Wherever found	\$56,500	\$0	\$56,500
		Millerbird, Nihoa (old World Warbler)	<i>Acrocephalus familiaris kingi</i>	Wherever found	\$9,480	\$0	\$9,480
		Murrelet, Marbled	<i>Brachyramphus marmoratus</i>	U.S.A. (CA, OR, WA)	\$67,759	\$0	\$67,759
		Owl, Mexican Spotted	<i>Strix occidentalis lucida</i>	Wherever found	\$15,000	\$0	\$15,000
		Owl, Northern Spotted	<i>Strix occidentalis caurina</i>	Wherever found	\$297,193	\$0	\$297,193
		Pigeon, Puerto Rican Plain	<i>Columba inornata wetmorei</i>	Wherever found	\$32,585	\$0	\$32,585
		Plover, Piping	<i>Charadrius melodus</i>	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$311,820	\$0	\$311,820

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$26,661	\$0	\$26,661
		Plover, Western Snowy	Charadrius nivosus nivosus	Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	\$2,034	\$0	\$2,034
		Rail, California Clapper	Rallus longirostris obsoletus	Wherever found	\$15,444	\$0	\$15,444
		Rail, Light-footed Clapper	Rallus longirostris levipes	Wherever found	\$5,816	\$0	\$5,816
		Rail, Yuma Ridgways	Rallus obsoletus [=longirostris] yumanensis	Wherever found	\$122,960	\$0	\$122,960
		Sage-grouse, Gunnison	Centrocercus minimus	Wherever found	\$40,000	\$0	\$40,000
		Scrub-jay, Florida	Aphelocoma coerulescens	Wherever found	\$9,000	\$0	\$9,000
		Sparrow, Cape Sable Seaside	Ammodramus maritimus mirabilis	Wherever found	\$79,460	\$0	\$79,460
		Stilt, Hawaiian	Himantopus mexicanus knudseni	Wherever found	\$12,615	\$0	\$12,615
		Swiftlet, Mariana Gray	Aerodramus vanikorensis bartschi	Wherever found	\$154,500	\$0	\$154,500
		Tern, California Least	Sterna antillarum browni	Wherever found	\$2,034	\$0	\$2,034
		Tern, Roseate	Sterna dougallii dougallii	Western Hemisphere except NE U.S.	\$1,350	\$0	\$1,350
		Tern, Roseate	Sterna dougallii dougallii	Western Hemisphere except NE U.S.	\$1,350	\$0	\$1,350
		Vireo, Least Bell's	Vireo bellii pusillus	Wherever found	\$40,000	\$0	\$40,000
		Warbler, Kirtland's	Setophaga kirtlandii (= Dendroica kirtlandii)	Wherever found	\$14,000	\$0	\$14,000
		Woodpecker, Red-cockaded	Picoides borealis	Wherever found	\$13,135	\$0	\$13,135
		<i>Birds subtotal</i>			<i>\$2,793,811</i>	<i>\$0</i>	<i>\$2,793,811</i>
	Clams	Bean, Choctaw	Villosa choctawensis	Wherever found	\$13,867	\$0	\$13,867

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fanshell	Cyprogenia stegaria	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$10,000	\$0	\$10,000
		Kidneyshell, Southern	Ptychobranchus jonesi	Wherever found	\$13,867	\$0	\$13,867
		Moccasinshell, Suwannee	Medionidus walkeri	Wherever found	\$20,000	\$0	\$20,000
		Mussel, Scaleshell	Leptodea leptodon	Wherever found	\$4,600	\$0	\$4,600
		Pigtoe, Fuzzy	Pleurobema strodeanum	Wherever found	\$13,867	\$0	\$13,867
		Pigtoe, Oval	Pleurobema pyriforme	Wherever found	\$21,000	\$0	\$21,000
		Pigtoe, Tapered	Fusconaia burkei	Wherever found	\$13,867	\$0	\$13,867
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$156,500	\$0	\$156,500
		Sandshell, Southern	Hamiota australis	Wherever found	\$13,867	\$0	\$13,867
		Spectaclecase (mussel)	Cumberlandia monodonta	Wherever found	\$4,600	\$0	\$4,600
		Wedgemussel, Dwarf	Alasmidonta heterodon	Wherever found	\$65,183	\$0	\$65,183
	<i>Clams subtotal</i>				<i>\$351,218</i>	<i>\$0</i>	<i>\$351,218</i>
	Corals	Coral, Boulder Star	Orbicella franksi	Wherever found	\$19,525	\$0	\$19,525
		Coral, Lobed Star	Orbicella annularis	Wherever found	\$19,525	\$0	\$19,525
		Coral, Mountainous Star	Orbicella faveolata	Wherever found	\$19,525	\$0	\$19,525
	<i>Corals subtotal</i>				<i>\$58,575</i>	<i>\$0</i>	<i>\$58,575</i>
	Ferns and Allies	Fern, Aleutian Shield	Polystichum aleuticum	Wherever found	\$10,000	\$0	\$10,000
	<i>Ferns and Allies sub</i>				<i>\$10,000</i>	<i>\$0</i>	<i>\$10,000</i>
	Fishes	Chub, Borax Lake	Gila boraxobius	Wherever found	\$3,750	\$0	\$3,750
		Dace, Foskett Speckled	Rhinichthys osculus ssp.	Wherever found	\$3,750	\$0	\$3,750
		Dace, Kendall Warm Springs	Rhinichthys osculus thermalis	Wherever found	\$105,960	\$0	\$105,960
		Darter, Candy	Etheostoma osburni	Wherever found	\$37,500	\$0	\$37,500
		Darter, Okaloosa	Etheostoma okaloosae	Wherever found	\$73,560	\$0	\$73,560
		Logperch, Roanoke	Percina rex	Wherever found	\$137,500	\$0	\$137,500
		Madtom, Neosho	Noturus placidus	Wherever found	\$7,966	\$0	\$7,966
		Pupfish, Desert	Cyprinodon macularius	Wherever found	\$20,000	\$0	\$20,000
		Salmon, Atlantic	Salmo salar	Gulf of Maine DPS	\$30,000	\$0	\$30,000
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$1,531	\$0	\$1,531

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$177,201	\$0	\$177,201
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$12,781	\$0	\$12,781
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$25,349	\$0	\$25,349
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$1,531	\$0	\$1,531
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$8,721	\$0	\$8,721
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$36,599	\$0	\$36,599
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$9,031	\$0	\$9,031
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$1,531	\$0	\$1,531
		Salmon, Chinook	Oncorhynchus (=Salmo) tshawytscha	Snake River fall-run ESU	\$43,721	\$0	\$43,721
		Salmon, Coho	Oncorhynchus (=Salmo) kisutch	Oregon Coast ESU	\$6,419	\$0	\$6,419
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$122,196	\$0	\$122,196
		Salmon, Sockeye	Oncorhynchus (=Salmo) nerka	Ozette Lake ESU	\$2,137	\$0	\$2,137
		Smelt, Delta	Hypomesus transpacificus	Wherever found	\$3,750	\$0	\$3,750
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,531	\$0	\$1,531
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,531	\$0	\$1,531
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$9,031	\$0	\$9,031
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,531	\$0	\$1,531
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,531	\$0	\$1,531
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,531	\$0	\$1,531

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$1,531	\$0	\$1,531
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$9,304	\$0	\$9,304
		Steelhead	Oncorhynchus (=Salmo) mykiss	Lower Columbia River DPS	\$52,119	\$0	\$52,119
		Stickleback, Unarmored Threespine	Gasterosteus aculeatus williamsoni	Wherever found	\$8,000	\$0	\$8,000
		Sturgeon (gulf Subspecies), Atlantic	Acipenser oxyrinchus (=oxyrinchus) desotoi	Wherever found	\$93,592	\$0	\$93,592
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$11,912	\$0	\$11,912
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$11,912	\$0	\$11,912
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$19,412	\$0	\$19,412
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$11,912	\$0	\$11,912
		Sturgeon, Atlantic	Acipenser oxyrinchus oxyrinchus	New York Bight DPS	\$11,912	\$0	\$11,912
		Sturgeon, Pallid	Scaphirhynchus albus	Wherever found	\$363,870	\$0	\$363,870
		Sturgeon, Shortnose	Acipenser brevirostrum	Wherever found	\$222,306	\$0	\$222,306
		Sturgeon, White	Acipenser transmontanus	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$36,500	\$0	\$36,500
		Sucker, Lost River	Deltistes luxatus	Wherever found	\$57,500	\$0	\$57,500
		Sucker, Razorback	Xyrauchen texanus	Wherever found	\$55,507	\$0	\$55,507
		Sucker, Santa Ana	Catostomus santaanae	3 CA river basins	\$8,000	\$0	\$8,000
		Sucker, Shortnose	Chasmistes brevirostris	Wherever found	\$57,500	\$0	\$57,500
		Topminnow, Gila (incl. Yaqui)	Poeciliopsis occidentalis	Wherever found	\$6,000	\$0	\$6,000
		Trout, Bull	Salvelinus confluentus	Clackamas River subbasin experimental population	\$422,748	\$0	\$422,748
		Trout, Lahontan Cutthroat	Oncorhynchus clarkii henshawi	Wherever found	\$78,871	\$0	\$78,871
		<i>Fishes subtotal</i>			<i>\$2,429,578</i>	<i>\$0</i>	<i>\$2,429,578</i>
	Flowering Plants	Barberry, Island	Berberis pinnata ssp. insularis	Wherever found	\$2,280	\$0	\$2,280
		Bedstraw, Island	Galium buxifolium	Wherever found	\$4,654	\$0	\$4,654

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bird's-beak, Salt Marsh	<i>Cordylanthus maritimus</i> <i>ssp. maritimus</i>	Wherever found	\$10,000	\$0	\$10,000
		Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>	Wherever found	\$7,001	\$0	\$7,001
		Cactus, Colorado Hookless	<i>Sclerocactus glaucus</i>	Wherever found	\$11,875	\$0	\$11,875
		Gilia, Hoffmann's Slender-flowered	<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>	Wherever found	\$5,080	\$0	\$5,080
		Haha	<i>Cyanea calycina</i>	Wherever found	\$16,642	\$0	\$16,642
		Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	Wherever found	\$2,280	\$0	\$2,280
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	Wherever found	\$27,036	\$0	\$27,036
		Paintbrush, Soft-leaved	<i>Castilleja mollis</i>	Wherever found	\$13,729	\$0	\$13,729
		Phacelia, Debeque	<i>Phacelia submutica</i>	Wherever found	\$11,875	\$0	\$11,875
		Phacelia, Island	<i>Phacelia insularis</i> ssp. <i>insularis</i>	Wherever found	\$7,001	\$0	\$7,001
		Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	Wherever found	\$29,383	\$0	\$29,383
		Rush-rose, Island	<i>Helianthemum greenei</i>	Wherever found	\$13,047	\$0	\$13,047
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>	Wherever found	\$48,380	\$0	\$48,380
	<i>Flowering Plants sub</i>				\$210,263	\$0	\$210,263
	Insects	Bumble Bee, Rusty Patched	<i>Bombus affinis</i>	Wherever found	\$84,054	\$0	\$84,054
		Butterfly, Karner Blue	<i>Lycaeides melissa samuelis</i>	Wherever found	\$17,000	\$0	\$17,000
		Butterfly, Mitchell's Satyr	<i>Neonympha mitchellii</i> <i>mitchellii</i>	Wherever found	\$10,500	\$0	\$10,500
		Butterfly, Oregon Silverspot	<i>Speyeria zerene hippolyta</i>	0	\$7,500	\$0	\$7,500
		Skipper, Dakota	<i>Hesperia dacotae</i>	Wherever found	\$29,357	\$0	\$29,357
		Tiger Beetle, Northeastern Beach	<i>Cicindela dorsalis dorsalis</i>	Wherever found	\$7,699	\$0	\$7,699
		Tiger Beetle, Puritan	<i>Cicindela puritana</i>	Wherever found	\$7,699	\$0	\$7,699
	<i>Insects subtotal</i>				\$163,809	\$0	\$163,809
	Lichens	Lichen, Rock Gnome	<i>Gymnoderma lineare</i>	Wherever found	\$29,920	\$0	\$29,920
	<i>Lichens subtotal</i>				\$29,920	\$0	\$29,920
	Mammals	Bat, Gray	<i>Myotis grisescens</i>	Wherever found	\$15,000	\$0	\$15,000
		Bat, Hawaiian Hoary	<i>Lasiurus cinereus semotus</i>	Wherever found	\$237,523	\$0	\$237,523
		Bat, Indiana	<i>Myotis sodalis</i>	Wherever found	\$22,500	\$0	\$22,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bat, Northern Long-eared	<i>Myotis septentrionalis</i>	Wherever found	\$226,918	\$0	\$226,918
		Bear, Grizzly	<i>Ursus arctos horribilis</i>	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	\$680,096	\$0	\$680,096
		Bear, Polar	<i>Ursus maritimus</i>	Wherever found	\$1,223,978	\$0	\$1,223,978
		Deer, Columbian White-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$15,000	\$0	\$15,000
		Ferret, Black-footed	<i>Mustela nigripes</i>	U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	\$14,199	\$0	\$14,199
		Jaguar	<i>Panthera onca</i>	Wherever found	\$86,000	\$0	\$86,000
		Kangaroo Rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Wherever found	\$3,000	\$0	\$3,000
		Manatee, West Indian	<i>Trichechus manatus</i>	Wherever found	\$487,181	\$0	\$487,181
		Mouse, Pacific Pocket	<i>Perognathus longimembris pacificus</i>	Wherever found	\$29,302	\$0	\$29,302
		Mouse, Salt Marsh Harvest	<i>Reithrodontomys raviventris</i>	wherever found	\$15,000	\$0	\$15,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	wherever found	\$86,000	\$0	\$86,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	Southwest Alaska DPS	\$50,000	\$0	\$50,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	Southwest Alaska DPS	\$25,000	\$0	\$25,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	Southwest Alaska DPS	\$25,000	\$0	\$25,000
		Otter, Southern Sea	<i>Enhydra lutris nereis</i>	Wherever found	\$460,212	\$0	\$460,212
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	Wherever found	\$3,000	\$0	\$3,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Wherever found, except where listed as an experimental population	\$3,000	\$0	\$3,000
		Puma (=mountain Lion)	<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>)	FL	\$3,000	\$0	\$3,000
		Sea Lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$15,000	\$0	\$15,000
		Squirrel, Carolina Northern Flying	<i>Glaucomys sabrinus coloratus</i>	Wherever found	\$7,500	\$0	\$7,500
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$3,000	\$0	\$3,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Whale, North Atlantic Right	Eubalaena glacialis	Wherever found	\$15,169	\$0	\$15,169
		Wolf, Gray	Canis lupus	MN	\$410,187	\$0	\$410,187
		Wolf, Gray	Canis lupus	MN	\$7,500	\$0	\$7,500
		Wolf, Gray	Canis lupus	MN	\$71,062	\$0	\$71,062
		Wolf, Mexican	Canis lupus baileyi	Wherever found, except where listed as an experimental population	\$6,000	\$0	\$6,000
	<i>Mammals subtotal</i>				<i>\$4,246,327</i>	<i>\$0</i>	<i>\$4,246,327</i>
	Reptiles	Crocodile, American	Crocodylus acutus	U.S.A. (FL)	\$247,304	\$0	\$247,304
		Lizard, Blunt-nosed Leopard	Gambelia silus	Wherever found	\$10,000	\$0	\$10,000
		Lizard, Coachella Valley Fringe-toed	Uma inornata	Wherever found	\$25,000	\$0	\$25,000
		Massasauga (=rattlesnake), Eastern	Sistrurus catenatus	Wherever found	\$46,000	\$0	\$46,000
		Sea Turtle, Green	Chelonia mydas	Central South Pacific DPS	\$105,860	\$0	\$105,860
		Sea Turtle, Hawksbill	Eretmochelys imbricata	Wherever found	\$104,623	\$0	\$104,623
		Sea Turtle, Kemp's Ridley	Lepidochelys kempii	Wherever found	\$246,320	\$0	\$246,320
		Sea Turtle, Leatherback	Dermochelys coriacea	Wherever found	\$33,730	\$0	\$33,730
		Sea Turtle, Loggerhead	Caretta caretta	North Pacific Ocean DPS	\$108,860	\$0	\$108,860
		Snake, Giant Garter	Thamnophis gigas	Wherever found	\$94,000	\$0	\$94,000
		Tortoise, Desert	Gopherus agassizii	Wherever found, except AZ south and east of Colorado R. and Mexico	\$536,780	\$0	\$536,780
		Tortoise, Gopher	Gopherus polyphemus	West of Mobile and Tombigbee Rivers	\$42,242	\$0	\$42,242
		Turtle, Sonoyta Mud	Kinosternon sonoriense longifemorale	Wherever found	\$3,000	\$0	\$3,000
		Whipsnake (=striped Racer), Alameda	Masticophis lateralis euryxanthus	Wherever found	\$10,000	\$0	\$10,000
	<i>Reptiles subtotal</i>				<i>\$1,613,719</i>	<i>\$0</i>	<i>\$1,613,719</i>
	Snails	Springsnail, Koster's	Juturnia kosteri	Wherever found	\$4,819	\$0	\$4,819
		Springsnail, Roswell	Pyrgulopsis roswellensis	Wherever found	\$4,819	\$0	\$4,819
	<i>Snails subtotal</i>				<i>\$9,638</i>	<i>\$0</i>	<i>\$9,638</i>
Domestic Subtotal					\$12,663,435	\$0	\$12,663,435
Foreign	Amphibians	Frog, Goliath	Conraua goliath	Wherever found	\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	<i>Amphibians subtotal</i>				\$1,500	\$0	\$1,500
	Birds	Macaw, Military	Ara militaris	Wherever found	\$6,000	\$0	\$6,000
	<i>Birds subtotal</i>				\$6,000	\$0	\$6,000
	Mammals	Oryx, Arabian	Oryx leucoryx	Wherever found	\$1,500	\$0	\$1,500
	<i>Mammals subtotal</i>				\$1,500	\$0	\$1,500
Foreign Subtotal					\$9,000	\$0	\$9,000
Multi-species					\$160,000		\$160,000
Multi-Species Subtotal					\$160,000		\$160,000
Grand Tota					\$160,000		\$160,000

Tennessee Valley Authority - FY 2019

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Crane, Whooping	Grus americana	U.S.A (Southwestern Louisiana)	\$20,000	\$0	\$20,000
		Plover, Piping	Charadrius melodus	[Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	\$400	\$0	\$400
		Stork, Wood	Mycteria americana	AL, FL, GA, MS, NC, SC	\$100	\$0	\$100
		Tern, Least	Sterna antillarum	interior pop.	\$6,000	\$0	\$6,000
	<i>Birds subtotal</i>				<i>\$26,500</i>	<i>\$0</i>	<i>\$26,500</i>
	Clams	Kidneyshell, Fluted	Ptychobranchnus subtentum	Wherever found	\$40,500	\$0	\$40,500
		Lampmussel, Alabama	Lampsilis virescens	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$8,500	\$0	\$8,500
		Lilliput, Pale (pearlymussel)	Toxolasma cylindrellus	Wherever found	\$8,500	\$0	\$8,500
		Monkeyface, Cumberland (pearlymussel)	Quadrula intermedia	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$40,500	\$0	\$40,500
		Mucket, Pink (pearlymussel)	Lampsilis abrupta	Wherever found	\$8,500	\$0	\$8,500
		Mussel, Snuffbox	Epioblasma triquetra	Wherever found	\$49,000	\$0	\$49,000
		Pearlymussel, Birdwing	Lemiox rimosus	Wherever found; Except where listed as Experimental Populations	\$40,500	\$0	\$40,500
		Pearlymussel, Cracking	Hemistena lata	Wherever found; Except where listed as Experimental Populations	\$40,500	\$0	\$40,500
		Pearlymussel, Slabside	Pleuroaia dolabelloides	Wherever found	\$49,000	\$0	\$49,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, Finerayed	Fusconaia cuneolus	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$40,500	\$0	\$40,500
		Pigtoe, Shiny	Fusconaia cor	U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	\$49,000	\$0	\$49,000
		Rabbitsfoot	Quadrula cylindrica cylindrica	Wherever found	\$49,000	\$0	\$49,000
	<i>Clams subtotal</i>				<i>\$424,000</i>	<i>\$0</i>	<i>\$424,000</i>
	Fishes	Chub, Spotfin	Erimonax monachus	U.S.A. (TN-specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	\$20,000	\$0	\$20,000
		Darter, Boulder	Etheostoma wapiti	Wherever found	\$40,500	\$0	\$40,500
		Darter, Snail	Percina tanasi	Wherever found	\$14,500	\$0	\$14,500
	<i>Fishes subtotal</i>				<i>\$75,000</i>	<i>\$0</i>	<i>\$75,000</i>
	Flowering Plants	Aster, Ruth's Golden	Pityopsis ruthii	Wherever found	\$6,000	\$0	\$6,000
		Orchid, White Fringeless	Platanthera integrilabia	0	\$3,500	\$0	\$3,500
		Skullcap, Large-flowered	Scutellaria montana	Wherever found	\$5,000	\$0	\$5,000
	<i>Flowering Plants subtotal</i>				<i>\$14,500</i>	<i>\$0</i>	<i>\$14,500</i>
	Mammals	Bat, Gray	Myotis grisescens	Wherever found	\$31,500	\$0	\$31,500
		Bat, Indiana	Myotis sodalis	Wherever found	\$69,500	\$0	\$69,500
		Bat, Northern Long-eared	Myotis septentrionalis	Wherever found	\$69,000	\$0	\$69,000
	<i>Mammals subtotal</i>				<i>\$170,000</i>	<i>\$0</i>	<i>\$170,000</i>
	<i>Domestic Species Total</i>				<i>\$710,000</i>	<i>\$0</i>	<i>\$710,000</i>
	Grand Total				\$710,000	\$0	\$710,000

Appendix C. Expenditures Reported by States for FY 2019

Through the Association of Fish and Wildlife Agencies, States voluntarily provided annual ESA expenditures directly to the Service. This report includes collective expenditure data from all responding State agencies.

States Provided Expenditure Data for FY 2019	States Did Not Provided Expenditure Data for FY 2019
Arkansas	Alaska
Florida	Alabama
Idaho	American Samoa
Indiana	Arizona
Iowa	California
Kentucky	Colorado
Louisiana	Connecticut
Massachusettes	Delaware
Minnesota	District of Columbia
Mississippi	Georgia
Montana	Guam
Nebraska	Hawaii
Nevada	Illinois
New Hampshire	Kansas
New Jersey	Maine
North Carolina	Maryland
North Dakota	Michigan
Ohio	Missouri
Oregon	New Mexico
Pennsylvania	New York
South Carolina	Northern Mariana Islands
South Dakota	Oklahoma
Texas	Puerto Rico
U.S. Virgin Islands	Rhode Island
Washington	Tennessee
West Virginia	Utah
Wisconsin	Vermont
Wyoming	Virginia

TABLE 4. FY 2019 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

Agency Type	Expense Type	Agency	Species Total	Land Total	Cumulative Total
Federal	Federal Domestic Expenditures	DOC National Oceanic and Atmospheric Administration	\$195,738,000	\$0	\$195,738,000
		DOD Army Corp of Engineers	\$144,500,666	\$170,425	\$144,671,091
		DOI Bureau of Land Management	\$26,062,963	\$114,245	\$26,177,208
		DOI Bureau of Reclamation	\$130,544,452	\$3,516,000	\$134,060,452
		DOI Geological Survey	\$12,663,435	\$0	\$12,663,435
		DOI National Parks Service	\$17,851,471	\$0	\$17,851,471
		Tennessee Valley Authority	\$710,000	\$0	\$710,000
	<i>Federal Domestic Expenditures subtotal</i>		<i>\$528,070,987</i>	<i>\$3,800,670</i>	<i>\$531,871,657</i>
	Federal Foreign Expenditures	DOC National Oceanic and Atmospheric Administration	\$571,000	\$0	\$571,000
		DOD Army Corp of Engineers	\$12,911	\$0	\$12,911
		DOI Geological Survey	\$9,000	\$0	\$9,000
		DOI National Parks Service	\$40,000	\$0	\$40,000
	<i>Federal Foreign Expenditures subtotal</i>		<i>\$632,911</i>	<i>\$0</i>	<i>\$632,911</i>
	Federal Multi-species	DOD Army Corp of Engineers	\$2,264,507	\$0	\$2,264,507
		DOI Geological Survey	\$160,000	\$0	\$160,000
	<i>Federal Multi-species subtotal</i>		<i>\$2,424,507</i>	<i>\$0</i>	<i>\$2,424,507</i>
	<i>Federal Domestic and Foreign Expenditures subtotal</i>		<i>\$531,128,405</i>	<i>\$3,800,670</i>	<i>\$534,929,075</i>
State	State Domestic Expenditures	State Governments	\$53,361,405	\$11,454,361	\$64,815,766
	State Foreign Expenditures	State Governments	\$3,057,781		\$3,057,781
	State Multi-species Expenditures	State Governments	\$38,243,734		\$38,243,734
	<i>State Domestic and Foreign Expenditures subtotal</i>		<i>\$94,662,920</i>	<i>\$11,454,361</i>	<i>\$106,117,281</i>
Total Federal and State Domestic and Foreign Expenditures			\$625,791,325	\$15,255,031	\$641,046,356