competency evaluations for all staff members who routinely perform, or affect the quality of the testing or calibration for which accreditation is sought. The assessor need not be given information which violates individual privacy, such as salary, medical information, or performance reviews outside the scope of the accreditation program. The staff information may be kept in the laboratory's official personnel folders or separate folders that contain only the information that the NVLAP assessor needs to review.

- (4) At the conclusion of the assessment, the assessor conducts an exit briefing to discuss observations and any deficiencies with the authorized representative who signed the NVLAP application and other responsible laboratory staff.
- (d) Assessment report. At the exit briefing, the assessor submits a written report on the compliance of the laboratory with the accreditation requirements, together with the completed checklists, where appropriate.
- (e) Deficiency notification and resolution. (1) Laboratories are informed of deficiencies during the on-site assessment, and deficiencies are documented in the assessment report (see paragraph (d) of this section).
- (2) A laboratory shall, within thirty days of the date of the assessment report, provide documentation that the specified deficiencies have either been corrected and/or a plan of corrective actions as described in the NVLAP handbooks.
- (3) If substantial deficiencies have been cited, NVLAP may require an additional on-site assessment, at additional cost to the laboratory, prior to granting accreditation. All deficiencies and resolutions will be subject to thorough review and evaluation prior to an accreditation decision.
- (4) After the assessor submits their final report, NVLAP reviews the report and the laboratory's response to determine if the laboratory has met all of the on-site assessment requirements.

§ 285.8 Proficiency testing.

(a) NVLAP proficiency testing is consistent with the provisions contained in ISO/IEC Guide 43 (Parts 1 and 2), Proficiency testing by interlaboratory

comparisons, where applicable, including revisions from time to time. Proficiency testing may be organized by NVLAP itself or a NVLAP-approved provider of services. Laboratories must participate in proficiency testing as specified for each LAP in the NVLAP program handbooks.

- (b) Analysis and reporting. Proficiency testing data are analyzed by NVLAP and reports of the results are made known to the participants. Summary results are available upon request to other interested parties; e.g., professional societies and standards writing bodies. The identity and performance of individual laboratories are kept confidential.
- (c) Proficiency testing deficiencies. (1) Unsatisfactory participation in any NVLAP proficiency testing program is a technical deficiency which must be resolved in order to obtain initial accreditation or maintain accreditation.
- (2) Proficiency testing deficiencies are defined as, but not limited to, one or more of the following:
- (i) Failure to meet specified proficiency testing performance requirements prescribed by NVLAP;
- (ii) Failure to participate in a regularly scheduled "round" of proficiency testing for which the laboratory has received instructions and/or materials;
- (iii) Failure to submit laboratory control data as required; and
- (iv) Failure to produce acceptable test or calibration results when using NIST Standard Reference Materials or special artifacts whose properties are well-characterized and known to NIST/NVLAP.
- (3) NVLAP will notify the laboratory of proficiency testing deficiencies and actions to be taken to resolve the deficiencies. Denial or suspension of accreditation will result from failure to resolve deficiencies.

§285.9 Granting accreditation.

- (a) The Chief of NVLAP is responsible for all NVLAP accreditation actions, including granting, denying, renewing, suspending, and revoking any NVLAP accreditation.
- (b) Initial accreditation is granted when a laboratory has met all NVLAP requirements. One of four accreditation renewal dates (January 1, April 1, July