

# United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

## SERVICE AND REGULATORY ANNOUNCEMENTS

### LIST OF INTERCEPTED PLANT PESTS, 1934

(List of Pests Recorded During the Period July 1, 1933, to June 30, 1934, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory)

#### INTRODUCTION

This is the fortieth paper of a series issued under various names and at more or less irregular intervals and listing intercepted plant pests. The present list covers the twenty-first year of the period since the lists were started and includes intercepted plant pests for which determinations were received and indexed during the period specified, including those intercepted in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not imported through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments reaching the mainland from Hawaii and Puerto Rico.

The list is compiled in the Washington office from files maintained here. The information summarized was furnished by workers of the Bureau of Plant Quarantine<sup>1</sup> and collaborators (State and customs officials) of the Bureau. Most of the insect determinations are made by specialists of the Bureau and many of the plant-disease determinations by specialists of the Bureau of Plant Industry. The States of California and Florida and the Territory of Hawaii maintain their own staffs of specialists and make many of their own determinations. Frequently the intercepted material is in a stage that is not determinable or is too badly damaged or is inadequate for determination. Many times the only organisms recognized are innocuous. Such interceptions, numbering some thousands, are omitted from the list.

As pointed out in previous lists of interceptions, statement as to the origin of fruits and vegetables carried as ships' stores, as well as of plants used for decorative purposes and of plant material carried by passengers, cannot always be verified, but every effort is made to give the origin of such plants and plant products as accurately as possible.

#### FRUIT FLIES

The following fruit flies were intercepted: *Acidia* sp. (pupa) in a celery leaf from England; <sup>2</sup> Mexican fruit fly (*Anastrepha ludens*) in lime, mango, orange, sour orange, and sweet lime from Mexico; Central American fruit fly (*A. striata*) in guava from Mexico; *Anastrepha* sp. in jobo from American Virgin Islands, orange from Brazil, mango from Ecuador and Haiti, sapodilla and sapote from Guatemala, mango and star-apple from Honduras, hog plum, mango, and vi-apple from Jamaica, guava, mamey, mango, orange, peach, pear, pomegranate, quince, and sapote from Mexico, cherimoya and mango from Panama, guava and mango from Puerto Rico, grapefruit, nispero, and orange from Trinidad, and custard-apple from the West Indies; melon fly (*Bactrocera cucurbitae*) in cucumber from Hawaii; Mediterranean fruit fly (*Ceratitis capitata*) in apple, loquat, orange, and sorbe apple, and in sawdust packing around sorbe apples from Azores, coffee and mango from Hawaii, fig, sour orange, and tangerine from Italy, apple, grape, orange, and peach, and (pupae) on shelf of fruit locker on which was the debris of grapes and apples from Spain; *Ceratitis* sp. in loquat from the Azores, orange from Brazil, peach from France, *Opuntia* sp. and tangerine from Italy; olive fruit fly (*Dacus oleae*) in olive from Greece and in olive and in bag containing green olives from Italy; *Dacus* sp. in olive and in package containing olives from Italy; apple maggot (*Rhagoletis pomonella*) in apple from Mexico; *R. cerasi* in dry sour cherry

<sup>1</sup> The Bureau of Plant Quarantine and the Bureau of Entomology were consolidated, effective July 1, 1934, to form the present Bureau of Entomology and Plant Quarantine.

<sup>2</sup> For details of interceptions mentioned in the text see lists under the countries named.

from Yugoslavia; *Rhagoletis* sp. in sour cherry from Italy and Yugoslavia, hawthorn from Mexico, and apple from Nova Scotia; papaya fruit fly (*Toxotrypana curvicauda*) in papaya from the Bahamas, Cuba, and Panama; trypetid in orange from Brazil, pricklypear from Italy, and pear and quince from Mexico.

### MISCELLANEOUS INSECTS

Larvae of the vine moth (*Polychrosis botrana*) were intercepted in grapes from Italy. The rhododendron whitefly (*Dialeurodes chittendeni*) was taken on rhododendrons from England. Cipollini from Morocco were infested with *Exosoma lusitanica* (Chrysomelidae). The Asiatic rice borer (*Chilo simplex*) arrived with rice straw from China and Japan. *Apion carduorum* (Curculionidae) infested globe artichokes from Italy. *Leptoglossus chilensis* (Coreidae) was taken on grapes from Chile. *Ceutorhynchus ericae* (Curculionidae) arrived with heather from Ireland and Scotland. The European corn borer (*Pyrausta nubilalis*) was intercepted in green corn and string beans from Japan.

The pink bollworm (*Pectinophora gossypiella*) was intercepted in cotton bolls from Antigua, cottonseed from Egypt, India, Mexico, and the Orient, seed cotton from China and Mexico, and (adult) in a pillow containing raw cotton from Brazil. *Epicaerus* sp. (Curculionidae) was found in potatoes from Mexico. *Kalotermes malatensis* (termite) infested wood used as a base for orchids from the Philippines. Broomcorn from Italy was infested with the durra stem borer (*Sesamia cretica*). *Epilachna borealis distincta* (Coccinellidae) arrived with banana debris from Mexico. The bean pod borer (*Maruca testulalis*) was intercepted in a string bean from China and in lima beans from Cuba. *Chionaspis yanonensis* (Coccidae) was taken on orange and tangerine from Japan. The coffee berry borer (*Stephanoderes hampei*) arrived in unroasted coffee from Brazil and Sumatra.

Larvae of the tobacco wireworm (*Agriotes lineatus*) were intercepted on dahlia roots from Norway. *Laspeyresia splendana* (Olethreutidae) arrived in chestnuts from France, Japan, Portugal, Spain, Switzerland, and U. S. S. R. The turnip gall weevil (*Ceutorhynchus pleurostigma*) infested cauliflower from Belgium and turnips from England and the Netherlands. Seed cotton from China was infested with *Oxycarenus hyalinipennis* (Lygaeidae). The West Indian sweetpotato weevil (*Euscepes batatae*) was taken in sweetpotatoes from Brazil, Jamaica, Mexico, and St. Lucia. The citrus blackfly (*Aleurocanthus woglumi*) was intercepted on orange leaves from the Bahamas and Jamaica. Bamboo canes from China were infested with *Harmolita phyllostachitis* (Eurytomidae). *Psylliodes chrysocephala* (Chrysomelidae) was intercepted in turnips from the Canal Zone, Denmark, England, and Norway, and in brussels sprouts from Denmark.

Avacados from Mexico were infested with *Conotrachelus aguacatae* and *C. perseae* (Curculionidae). The gladiolus thrips (*Taeniothrips gladioli*) was intercepted on gladiolus from Australia, Bermuda, Hawaii, and New Zealand. The coffee leaf miner (*Leucoptera coffeella*) was taken in coffee leaves from Costa Rica and Guatemala. The Philippine orange moth (*Prays citri*) was intercepted in the rind of a pomelo from the Philippines. Mangoes from Hawaii and the Philippines were infested with the mango weevil (*Sternochetus mangiferae*). *Scolytus multistriatus* and *S. scolytus* (Scolytidae) were intercepted in elm logs from France.

### MISCELLANEOUS PLANT DISEASES

The Dutch elm disease (*Ceratostomella (Graphium) ulmi*) with insect vectors was intercepted in burl elm logs from France at several ports, thus indicating the probable mode of entry of this serious disease. Citrus canker (*Bacterium citri*) was intercepted on *Citrus* spp. from China, Japan, and south India; *Cerotelium desmum* on *Gossypium* sp. from the West Indies; *Elsinoe piri* on apple from Switzerland; *Entomosporium maculatum* on *Raphiolepis delacourii* from Argentina; *Gloeosporium beyrodtii* on *Vanda sanderiana* from the Philippines; *G. sorauerianum* on *Codiaeum* sp. from Japan; *Glomerella cingulata* on *Fatsia japonica* from Japan; *Hemileia* sp. on *Oncidium* sp. from Dutch Guiana; *Leptosphaeria heterospora* on *Iris* sp. from England; *Macrophoma(?) aucubana* and *Mycosphaerella* sp. on *Aucuba japonica* from Japan; *Pestalozzia neglecta* on *Euonymus obovatus variegatus* from Japan; *Phoma citricarpa* on fresh fruit of *Citrus nobilis* from China and *C. sinensis junos* from Japan; *Phomopsis arecae* on palm seed from Cuba; *Physalospora eucalyptina* on *Eucalyptus* sp. from Mexico; *Septoria citri* on citrus fruits from Australia, Egypt, France, Greece, Italy, and Spain; *S. pittospori* on *Pittosporum* sp. from Scotland; *Sphaceloma fawcettii* var. *viscosa* on orange from Brazil; *Uredo epidendri* and *U. nigropunctata* on orchids from Costa Rica; *Uredo* sp. on orchids from Columbia.

Interceptions of nematodes included *Anguillulina (Tylenchus) dipsaci* on various hosts from Belgium, Danzig, Denmark, England (including *Iris histrioides major* new host), France, Germany, Italy(?), Morocco (new locality), Netherlands, New Brunswick, Norway, Union of Soviet Socialist Republics (new locality), Scotland, and Sweden; *A. intermedia* in ginger from China; *A. pratensis* from Argentina, Germany, and Japan; *A. robusta* in *Hosta* sp. from Italy; (*Aphelenchoides bicaudatus* in *Eryngium foetidum* offered for export from Puerto Rico to the mainland and hence interception not shown in list); *A. parietinus* from Brazil, China, Danzig, England, France, Germany, Italy, Japan, Netherlands, Norway, Scotland, Sweden, and Wales; *A. tenuicaudatus* in ginger from China and in yam from Japan; *Aphelenchoides* sp. from Belgium, Japan, and Lithuania; *Aphelenchus avenae* from England, Germany, Hungary, Italy, Japan (in Puerto Rico in material offered for export to mainland), and Sweden; (*Dorylaimus* n. sp. in *Hosta* sp. from Italy, not a plant parasite and hence not in list), *Hoplolaimus bradys* in yam from Puerto Rico; *Paraphelenchus amblyurus* in yam from Japan; *P. maupasi* in hyacinth from the Netherlands.

The interceptions of root-knot nematode (*Heterodera marioni*) are not shown in the main list but included the following new hosts: *Hydrangea opuloides* from Azores; *Antennaria dioica tomentosa*, *Convolvulus limatus*, *Gentiana acaulis*, *Geum hybridum*, *Lamium orvala alba*, and *Raphithamnus cyanocarpus* from England; *Epiphyllum* sp., *Rehmannia bergi*, and *Iris laevigata* from Japan; *Helenium pumilum* from the Netherlands; *Spathoglottis parsoni* from the Philippines.

For a number of diseases the causal organism could be determined to genus only because it was an undescribed species or appeared to be so because it did not agree with the description of any species reported as occurring on the host or related plants. Among these were *Ascochyta* sp. on *Fatsia japonica* from Japan; *Ceratostomella* sp. on ginger from China; *Cylindrosporium* sp. on *Aspidistra lurida* from Japan; *Gloeosporium* sp. on *F. japonica* from Japan; *Leptothyrium* sp. on *Paeonia suffruticosa* from Japan; *Linochora* sp. on *Ficus* sp. from Guatemala; *Mycosphaerella* sp. on *Wisteria multijuga* from Japan; *Paraphelenchus* sp. (later described as *P. amblyurus*) in yam from Japan; *Pestalozzia* sp. on *F. japonica* from Japan; *Phoma* sp. on *Aucuba japonica* from Japan; *Phomatospora* sp. on *F. japonica* from Japan; *Phomopsis* sp. on *Eriobotrya japonica* from Italy and on *Sciadopitys verticillata* from Japan; *Phyllosticta* sp. on *Codiaeum* sp. from South Africa; *Sclerotium*, n. sp., on *Narcissus* sp. from the Netherlands; and *Selenophoma* sp. on *Dendrobium ashworthiae* from England.

### AIRCRAFT INTERCEPTIONS

Two hundred and four interceptions of insects were made. Among these were the following: *Anastrepha* sp. (Tryptidae) in nispero from Trinidad; *Aspidiotus cicotiphagus* (Coccidae) on coconut from the Bahamas; *Coccus viridis* (Coccidae) on Cape-jasmine, and *Lawsonia alba* from Cuba; *Frankliniella cubensis* (thrips) on *Rosa* sp. from Cuba; *F. insularis* on Cape-jasmine from Cuba; *Pseudischnaspis alienus* (Coccidae) on orchid from the Canal Zone; and *Targionia hartii* (Coccidae) on yam from Cuba.

Four plant-disease interceptions were made: *Cephaleuros virescens* (alga) on an orchid from Costa Rica; *Colletotrichum* sp. on coconut from the Bahamas (2) and on an orchid from Brazil. Scale insects on an orchid from Costa Rica were infected with *Aschersonia cubensis* and scale insects on cherimoya from Cuba with *Cephalosporium lecanii*.

### COMMON PESTS INTERCEPTED

In addition to the pests named in the itemized list which makes up the body of this report, there were numerous interceptions of cosmopolitan pests that are more or less prevalent in this country. While it is true that many of these interceptions may represent forms or strains not yet introduced and potentially dangerous, it is not believed essential to the purposes of this list to include the details of their interception. They are, however, included in brief form in this preliminary text. Following each pest name are two figures in parenthesis and separated by a dash, the first indicating the number of countries from which the pest was intercepted and the second the total number of interceptions. The customary data regarding this material are on file and available to anyone interested.

## INSECTS

*Aspidiotus camelliae* (4-6), *A. cyanophylli* (9-21), *A. hederae* (20-191), *A. lataniae* (19-71), *A. perniciosus* (4-9), *Aulacaspis pentagona* (10-26), *A. rosae* (3-3), *Carpocapsa pomonella* (10-34), *Cerataphis lataniae* (4-31), *Ceroptastes floridensis* (1-18), *Chionaspis citri* (12-28), *C. euonymi* (4-16), *Chrysomphalus aonidum* (36-645), *C. aurantii* (25-375), *C. dictyospermi* (20-176), *Coccus elongatus* (3-21), *C. hesperidum* (19-53), *Diaspis boisduvalii* (17-106), *D. bromeliae* (7-141), *D. echinocacti* (3-8), *D. echinocacti opuntiae* (3-6), *Ephestia* sp. (36-181), *Etiella zinckenella* (4-13), *Gnorimoschema operculella* (20-70), *Heliothis obsoleta* (8-1,020), *H. virescens* (6-73), *Heliothrips hemorrhoidalis* (10-16), *Hemichionaspis aspidistrae* (18-88), *H. minor* (16-116), *Howardia biclavis* (6-31), *Ischnaspis longirostris* (10-18), *Lepidosaphes beckii* (65-1,395), *L. gloverii* (23-306), *L. ulmi* (13-29), *Parlatoria pergandii* (39-337), *P. proteus* (8-30), *Pseudococcus adonidum* (9-26), *P. brevipes* (20-242), *P. citri* (15-36), *P. maritimus* (13-31), *P. nipae* (9-11), *Rhizoglyphus hyacinthi* (10-45), *Saissetia hemisphaerica* (19-43), *S. nigra* (8-36), *S. oleae* (11-27): Total of these insect interceptions, 6,205.

## DISEASES

*Actinomyces scabies* (48-681), *Alternaria* sp. (27-134), *Aspergillus niger* (41-224), *Bacillus carotovorus* (28-221), *Bacteriaceae* (48-679), *Bacterium tumefaciens* (13-72), *Botrytis* sp. (31-202), *Cephalothecium roseum* (8-19), *Cladosporium herbarum* (3-4) *Cladosporium* sp. (36-294), *Colletotrichum gloeosporioides* (21-109), *C. lindemuthianum* (9-20), *Coniothyrium fuckelii* (6-9), *Diaporthe phaseolorum* (1-2), *Fusarium* sp. (63-1,347), *Heterodera marioni* (15-52), *Macrosporium* sp. (32-260), *Oospora pustulans* (14-50), *Penicillium digitatum* (28-91), *P. expansum* (20-45), *P. italicum* (20-46), *Penicillium* sp. (71-1,269), *Phomopsis citri* (39-213), *Phytophthora infestans* (20-137), *Rhizoctonia solani* (51-765), *Rhizopus nigricans* (31-99), *Rhizopus* sp. (8-91), *Spondylocladium atrovirens* (41-549), *Spongospora subterranea* (14-60), *Venturia inaequalis* (28-135), *Verticillium cinnabarinum* (27-109): Total of these disease interceptions, 7,988.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934 inclusive

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>AFRICA</b>							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Palm</i> .				1		Ga.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Solanum tuberosum</i>					1	Ala.
Noctuid	<i>Crotalaria</i> sp.	1					D. C.
Diseases:							
<i>Puccina ornithogali-thyrsoides</i>	<i>Ornithogalum thyrsoides</i> (chin-kerichee).		1				Pa.
<b>ALGERIA</b>							
Insects:							
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Eriobotrya japonica</i> (loquat)		1				D. C.
<i>Chilo</i> sp. (Pyralidae)	<i>Oryza sativa</i> (rice)			1			Md.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)					1	Do.
<b>AMERICAN SAMOA</b>							
Diseases:							
<i>Ganoderma polychormium</i>	<i>Aleurites moluccana</i> (candle-nut tree).			1			Calif.*
<b>AMERICAN VIRGIN ISLANDS</b>							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Spondias mombin</i> (jobo)			1			Do. *

<sup>1</sup> The common names for the following have been omitted: *Ananas sativus* (pineapple), *Brassica oleracea capitata* (cabbage), *Capsicum annuum* (pepper), *Lycopersicum esculentum* (tomato), *Saccharum officinarum* (sugarcane), and *Solanum tuberosum* (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

*List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued*

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ANTIGUA</b>							
Insects:							
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cotton boll)	1					Mass.
<i>Rhizoglyphus</i> sp. (mite)	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)		1				Do.
<i>Targionia</i> sp. (Coccidae)	<i>Zingiber officinale</i> (ginger)	1					Do.
<b>ARABIA</b>							
Insects:							
<i>Bruchidius</i> sp. (Bruchidae)	<i>Sesbania</i> sp.	1					D. C.
<b>ARGENTINA</b>							
Insects:							
<i>Agromyza</i> sp. (Agromyzidae)	<i>Brassica rapa</i> (turnip)				1		N. Y.
<i>Alphitophagus</i> sp. (Tenebrionidae)	In box of grapes	1					Do.
Do	On packing material in box of grapes.	1					Do.
<i>Anthomyiid</i>	<i>Cucumis sativus</i> (cucumber)				1		La.
<i>Aspidotus</i> sp. (Coccidae)	<i>Ceiba</i> sp.	1					D. C.
<i>Ataenius picinus</i> (Scarabaeidae)	In packing for grapes	1					N. Y.
<i>Blapstinus punctulatus</i> (Tenebrionidae).	On packing material in box of grapes.	1					Do.
<i>Bostrychulus</i> sp. (Bostrichidae)	<i>Vitis</i> sp. (grape)	1					Do.
<i>Camponotus</i> sp. (ant)	On packing material in box of grapes.	1					Do.
<i>Carpocapsa</i> sp. (Olethreutidae)	<i>Prunus domestica</i> (plum)	1					Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)	1					Do.
Do							
Curculionid	<i>Laurus nobilis</i> (Grecian laurel)				1		Do.
Do	<i>Brassica rapa</i> (turnip)				1		Pa.
Do	<i>Citrus grandis</i> (grapefruit)	1					N. Y.
	In soil around roots of <i>Tabebuia flavesens</i> .	1					D. C.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Solanum tuberosum</i>				1		N. Y.
<i>Diaphania</i> sp. (Pyralidae)	<i>Cucumis sativus</i> (cucumber)				2		La.
<i>Distraea</i> sp. (Pyralidae)	<i>Holcus sorghum</i> var. (broomcorn).	2					N. Y.
<i>Dysdercus</i> sp. (Pyrrhocoridae)	<i>Gossypium</i> sp. (cottonseed and lint).	1					D. C.
<i>Edessa</i> sp. (Pentatomidae)	<i>Allium cepa</i> (onion)				1		Ala.
<i>Euxesta</i> sp. (Ortalidae)	<i>Solanum tuberosum</i>				1		La.
<i>Glischrochilus</i> sp. (Nitidulidae)	<i>Zea mays</i> (corn)				1		Do.
<i>Hylemyia poeciloptera</i> (Anthomyidae).	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Lorelus</i> sp. (Tenebrionidae)	<i>Solanum tuberosum</i>				1		Miss.
<i>Oedaleothrips</i> sp. (thrips)	<i>Acacia farnesiana</i> (sweet acacia).	1					D. C.
<i>Orthezia</i> sp. (Coccidae)	<i>Coleus</i> sp.				1		Pa.
<i>Phycitinae</i> (Pyralidae)	<i>Chomelia brasiliiana</i>	1					D. C.
<i>Plodia</i> sp. (Pyralidae)	do	1					Do.
Do	<i>Guettarda uruguayensis</i>	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				1		Ala.
Do	do				1		Mass.
Do	<i>Ipomoea batatas</i> (sweetpotato)				1		La.
Do	<i>Solanum tuberosum</i>				2		Mass.
<i>Salax lacordairei</i> (Tenebrionidae)	In excelsior packing around grapes.	1					N. Y.
<i>Saulaspis graphica</i> (Chrysomelidae)	do						Do.
<i>Tetranychoides</i> sp. (mite)	<i>Lagunaria patersonii</i>	1					D. C.
<i>Tetranychus</i> sp. (mite)	<i>Solanum tuberosum</i>				1		Wash.
<i>Tomaspis</i> sp. (Cercopidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>				1		La.
Do	do				1		Pa.
<i>Anguillulina pratensis</i>	<i>Solanum tuberosum</i>				1		Md.
<i>Botryosphaeria ribis</i>	<i>Poinciana</i> sp.	1					D. C.
<i>Colletotrichum</i> sp.	<i>Capsicum annum</i>				1		La.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Do.
<i>Entomosporium maculatum</i>	<i>Raphiolepis delacourii</i>	1			1		D. C.
<i>Oleocellosis</i>	<i>Citrus sinensis</i> (orange)						La.
<i>Phoma</i> sp.	Unidentified leaf	1			1		Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ARGENTINA—Continued</b>							
Diseases—Continued.							
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)						Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)	1					Do.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)	1					N. Y.
Do	<i>Capsicum annum</i> (pepper)	1					Mass.
Do	<i>Daucus carota</i> (carrot)	1					La.
Do	do						Tex.
Do	<i>Lactuca sativa</i> (lettuce)	1					Pa.
<i>Sclerotium</i> sp.	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				1		Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)				1		Tex.
<i>Sphaceloma</i> sp.	do				1		La.
Do	<i>Citrus sinensis</i> (orange)				1		N. Y.
<b>AUSTRALIA</b>							
Insects:							
<i>Apachyus</i> sp. (earwig)	<i>Juglans</i> sp. (walnut)	1					Calif.*
<i>Aspidiotus ostreaeformis</i> (Coccidae)	<i>Malus sylvestris</i> (apple)		2				Pa.
<i>Aspidiotus</i> sp. (Coccidae)	do		1				Md.
Do	do		1				N. Y.
Blastobasid	<i>Macrozamia</i> sp.	1					Calif.*
<i>Brachypeplus</i> sp. (Nitidulidae)	<i>Juglans</i> sp. (walnut)	1					Do.*
<i>Brontes australis</i> (Cucujidae)	do	2					Va.
<i>Bryobia</i> sp. (mite)	<i>Malus sylvestris</i> (apple)				1		Pa.
<i>Camponotus</i> sp. (ant)	<i>Juglans</i> sp. (walnut)	1					Calif.*
<i>Ceropria</i> sp. (Tenebrionidae)	<i>Acer</i> sp. (maple)	1					Md.
<i>Chrysomphalus rossi</i> (Coccidae)	<i>Dendrobium superbiens</i> (orchid)	1					Hawaii.*
Do	<i>Strelitzia reginae</i> (bird-of-paradise-flower)			1			Do.*
Cicadellid	do			1			Do.*
<i>Coccotrypes dactyliperda</i> (Scolytidae)	Palm		1				Calif.*
<i>Cryptorhynchinae</i> (Curculionidae)	<i>Juglans</i> sp. (walnut)	1					Va.
Curculionid	<i>Acer</i> sp. (maple)	1					Md.
Do	<i>Callistemon lanceolatus</i> (lemon bottle-brush)		1				D. C.
Do	<i>Dendrobium senile</i> (orchid)		1				Hawaii.*
Do	<i>Juglans</i> sp. (walnut)	1					Calif.*
Do	do	4					Va.
<i>Elaphidion</i> sp. (Cerambycidae)	do	1					Do.
Elaterid	<i>Alcicorium</i> sp. (staghorn fern)			1			Calif.*
Do	<i>Dendrobium falcorostrum</i> (orchid)	1					Hawaii.*
Do	<i>Juglans</i> sp. (walnut)	1					Calif.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Dendrobium superbiens</i> (orchid)	1					Hawaii.*
Melolonthinae (Scarabaeidae)	In soil	1					Calif.*
<i>Meracantha</i> sp. (Tenebrionidae)	<i>Acer</i> sp. (maple)	1					Md.
Mirid	<i>Juglans</i> sp. (walnut)	1					Calif.*
<i>Necrobia</i> sp. (Corynetidae)	do	1					Va.
Nitidulid	do	2					Calif.*
<i>Orthorrhinus cylindirostris</i> (Curculionidae)	do	1					Do.*
<i>Pheidole</i> sp. (ant)	<i>Acacia</i> sp.		1				Do.*
Do	<i>Juglans</i> sp. (walnut)	1					Do.*
<i>Phenacaspis</i> sp. (Coccidae)	Palm				7		Do.*
Phycitinae (Pyralidae)	<i>Plumeria</i> sp. (frangipani)		1				Do.*
<i>Platydema tetraspilota</i> (Tenebrionidae)	<i>Acer</i> sp. (maple)	1					Md.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Alcicorium</i> sp. (staghorn fern)			1			Calif.*
Do	<i>Macrozamia</i> sp.	1					Do.*
Do	Palm				1		Do.*
Psychid	do				1		Do.*
Psyllid	<i>Boronia</i> sp.			1			Hawaii.*
<i>Saperda</i> sp. (Cerambycidae)	<i>Juglans</i> sp. (walnut)	1					Va.
<i>Silvanus</i> sp. (Cucujidae)	do	1					Calif.*
<i>Spongiphora australiana</i> (earwig)	<i>Acer</i> sp. (maple)	2					Md.
Do	<i>Juglans</i> sp. (walnut)	1					Calif.*
Do	Log	1					Do.*
<i>Spongiphora</i> sp. (earwig)	<i>Juglans</i> sp. (walnut)	1					Do.*
<i>Taeniothrips gladioli</i> (gladiolus thrips)	<i>Gladiolus</i> sp.			1			Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection.]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>AUSTRALIA—Continued</b>							
Insects—Continued.							
Tenebrionid	<i>Dendrobium falcorostrum</i> (orchid).		1				Hawaii.*
Do	<i>Juglans</i> sp. (walnut)	1					Calif.*
<i>Tenebroides</i> sp. (Ostomidae)	Botanical specimen	1					Do.*
Do	<i>Kentia</i> sp. (palm)	1					Do.*
Tetranychid (mite)	<i>Citrus</i> sp.			1			Do.*
Do	In soil			1			Do.*
<i>Xyleborus morigerus</i> (Scolytidae)	<i>Dendrobium phalaenopsis schroederianum</i> (orchid).			1			Hawaii.*
Diseases:							
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		1				D. C.
Bitter pit	<i>Malus sylvestris</i> (apple)					1	Mass.
<i>Gloeosporium cinctum?</i>	<i>Dendrobium</i> sp. (orchid)	1					D. C.
Internal blackening	<i>Solanum tuberosum</i>					1	Mass.
Oleocellosis	<i>Citrus sinensis</i> (orange)					1	Md.
Do	do					1	Pa.
<i>Pestalozzia</i> sp.	<i>Dendrobium</i> sp.	1					D. C.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		2				Do.
Russetting	<i>Malus sylvestris</i> (apple)					1	Mass.
<i>Sclerotium gladioli</i>	<i>Gladiolus</i> sp.		2				D. C.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)					1	Md.
<i>Stemphylium</i> sp.	<i>Dendrobium</i> sp.	1					D. C.
<i>Ustilago avenae</i>	<i>Avena sativa</i> (oats)		1				Do.
<b>AUSTRIA</b>							
Insects:							
<i>Anthonomus rectirostris</i> (Curculionidae).	<i>Prunus avium</i> (mazzard)		1				Do.
Do	<i>Prunus mahaleb</i> (mahaleb cherry)		1				Do.
Do	<i>Prunus padus</i> (European bird cherry)	1					Pa.
<i>Blastodacna</i> sp. (Cosmopterygidae)	<i>Malus sylvestris</i> (apple)		1				D. C.
<i>Brachyrhinus porcatus</i> (Curculionidae).	<i>Dahlia</i> sp.		1				Pa.
Bruchid	<i>Cytisus hirsutus</i>			1			D. C.
<i>Bruchidius villosus</i> (Bruchidae)	<i>Cytisus sessilifolius</i> (sessile broom)		1				Do.
Do	<i>Cytisus supinus</i>		1				Do.
Do	<i>Laburnum vulgare</i> (goldenchain)	1					Pa.
<i>Chlorochroa juniperina</i> (Pentatomidae).	<i>Juniperus</i> sp. (juniper)		1				Do.
<i>Coleophora</i> sp. (Coleophoridae)	<i>Malus</i> sp.		1				D. C.
<i>Curculio</i> sp. (Curculionidae)	<i>Corylus colurna</i> (tree hazelnut)	1					Pa.
Gelechiid	<i>Picea excelsa</i> (Norway spruce)	1					Do.
<i>Phyllotreta</i> sp. (Chrysomelidae)	In soil around dahlia tubers		1				Do.
Diseases:							
<i>Phoma</i> sp.	<i>Syringa vulgaris flora alba</i>		1				Do.
<b>AZORES</b>							
Insects:							
<i>Blastobasid</i>	<i>Eriobotrya japonica</i> (loquat)		1				Mass.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus sinensis</i> (orange)		1				N. Y.
Do	<i>Eriobotrya japonica</i>					2	R. I.
Do	<i>Malus sylvestris</i> (apple)			1			N. Y.
Do	<i>Sorbus</i> sp. (sorbe apple)			1			Mass.
Do	In sawdust packing around sorbe apple.			1			Do.
<i>Ceratitis</i> sp. (Tryptidae)	<i>Eriobotrya japonica</i>			1			N. Y.
Do	do			1			R. I.
<i>Chrysomphalus dictyospermi</i> var. (Coccoidea).	<i>Citrus limonia</i> (lemon)			1			Do.
Curculionid	<i>Malus sylvestris</i>			1			N. Y.
<i>Fiorinia fioriniae</i> (Coccoidea)	<i>Camellia</i> sp.		1				Mass.
Do	do			1			R. I.
<i>Iridomyrmex humilis</i> (Argentine ant)	<i>Eriobotrya japonica</i>			1			Do.
Do	Fern			1			Do.
<i>Marmara</i> sp. (Gracillariidae)	<i>Malus sylvestris</i>			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Colocasia esculenta</i> (dasheen)	1					Mass.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
<b>AZORES—Continued</b>									
<b>Insects—Continued.</b>									
<i>Sitophilus</i> sp. (Curculionidae)	<i>Malus sylvestris</i> (apple)			1			N. Y.		
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i> (pineapple)	1				1	Mass.		
Do	do					1	N. Y.		
Tenebrionid	Palm			1			R. I.		
Tineid	<i>Begonia</i> sp.		1				Do.		
<b>Diseases:</b>									
<i>Puccinia sorghi</i>	<i>Zea mays</i> (corn)					1	Pa.		
<b>BAHAMAS</b>									
<b>Insects:</b>									
<i>Aleurocanthus woglumi</i> (citrus black-fly).	<i>Citrus sinensis</i> (orange)		1				Fla.*		
<i>Aphis</i> sp. (aphid)	<i>Rosa</i> sp.		1				Do.*		
<i>Aspidiotus cecotiphagus</i> (Coccidae)	<i>Casuarina equisetifolia</i> (Australian pine).		1				Do.*		
Do	<i>Cocos nucifera</i> (coconut)		7				Do.*		
Do	<i>Cycas revoluta</i> (sago cycas)		1				Do.*		
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		3				Do.*		
Do	<i>Rosa</i> sp.		1				Do.*		
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Poinciana regia</i> (royal poinciana).		1				Do.*		
<i>Asterolecanium pustulans</i> (Coccidae)	<i>Achras sapota</i> (sapodilla)		1		1		Do.*		
Do	<i>Nerium oleander</i> (oleander)		1	1			Do.*		
<i>Coccus</i> sp. (Coccidae)	<i>Achras sapota</i>				1		Do.*		
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i>		1				Do.*		
<i>Ereunetis minuscula</i> (Tineidae)	<i>Poinciana regia</i>		1				N. Y.		
<i>Frankliniella cubensis</i> (thrips)	Bouquet		1				Fla.*		
<i>Frankliniella insularis</i> (thrips)	Rose and snapdragon		1				Do.*		
<i>Lepidosaphes alba</i> (Coccidae)	<i>Poinsettia pulcherrima</i> (poinsettia).		1				Do.*		
Ortalid	<i>Zea mays</i> (corn)			1			Do.*		
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Annona squamosa</i> (sugar-apple).		1				Do.*		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Agave indagatorum</i>	1					D. C.		
Do	<i>Saccharum officinarum</i>		1				Fla.*		
Pyralid	<i>Holcus sorghum</i> var. (kafir corn).		1				Do.*		
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Poinciana regia</i>		1				N. Y.		
Syrphid	<i>Holcus sorghum</i> var. (kafir corn).		1				Fla.*		
<i>Targionia sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>			1			Do.*		
Tineid	<i>Poinciana regia</i> (royal poinciana).		1				N. Y.		
<i>Toxotrypana curvicauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya)		1				Fla.*		
<b>Diseases:</b>									
<i>Colletotrichum falcatum</i>	<i>Saccharum officinarum</i>		1				Do.*		
<i>Colletotrichum</i> sp.	<i>Cocos nucifera</i> (coconut)		2				Do.*		
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)				1		Do.*		
<b>BARBADOS</b>									
<b>Insects:</b>									
<i>Diatraea</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>		1				Mass.		
<i>Metamasius sericeus</i> (silky cane weevil).	do		1				Do.		
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)		1				Do.		
Do	<i>Citrus sinensis</i> (orange)				1		Do.		
<i>Pseudococcus</i> (Coccidae)	<i>Bryophyllum</i> sp.	1					Do.		
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1					Do.		
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)	1	3				Do.		
<i>Wasmannia auropunctata</i> (ant)	<i>Eryngium</i> sp.	1					Do.		
<b>Diseases:</b>									
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i> (lime)		1				Do..		
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		1				Do..		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM							
Insects:							
Agromyzid	<i>Cichorium intybus</i> (witloof)	2					N. Y.
Do	do					1	Pa.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Aechmea drakeana</i>	1					D. C.
Do	<i>Aechmea weilbachii</i>	1					Do.
Do	<i>Billbergia speciosa</i>	1					Do.
Do	<i>Billbergia thyrsoides</i>	1					Do.
Do	<i>Nidularium marechali</i>	1					Do.
Do	<i>Nidularium</i> sp.	1					Do.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Miss.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
<i>Chrysomphalus personatus</i> (Cocidae).	<i>Vriesia rubida</i>	1					D. C.
Do	<i>Vriesia saundersi</i>	1					Do.
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Oryza sativa</i> (rice)	2					La.
<i>Diaspis</i> sp. (Coccidae)	<i>Bromelia humilis</i>	1					D. C.
Do	<i>Nidularium chlorostictum</i>	1					Do.
Elaterid	<i>Allium cepa</i> (onion)					1	Fla.*
<i>Gymnaspis aechmeae</i> (Coccidae)	<i>Aechmea colestis</i>	1					D. C.
<i>Hepialus</i> sp. (Hepialidae)	<i>Stachys sieboldi</i> (chorogi)		1				Pa.
<i>Histiostoma</i> sp. (mite)	<i>Allium cepa</i>					1	Ala.
Do	<i>Solanum tuberosum</i>					1	La.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	do					1	Pa.
<i>Hypnoidus</i> sp. (Elateridae)	<i>Allium porrum</i> (leek)					1	Do.
<i>Ludius</i> sp. (Elateridae)	<i>Apium graveolens</i> (celery)					1	Do.
<i>Rhabdophaga</i> sp. (Cecidomyiidae)	<i>Salix discolor</i> (pussy willow)				1		Do.
<i>Rhizophagus ferrugineus minor</i> (Rizophagidae).	<i>Solanum tuberosum</i>					1	Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i>					1	Ala.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
Do	<i>Solanum tuberosum</i>					2	Pa.
Syrphid	<i>Apium graveolens</i> (celery)					1	Do.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					1	Do.
<i>Tinea</i> sp. (Tineidae)	Bagging	1					Md.
Do	<i>Cichorium intybus</i> (witloof)	3					La.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Anguillulina dipsaci</i>	<i>Allium cepa</i> (onion)					1	Miss.
<i>Aphelenchoides</i> sp.	<i>Beta vulgaris</i> (beet)					1	Ala.
<i>Fusarium oxysporum</i>	<i>Solanum tuberosum</i>					1	Fla.*
<i>Gloeodes</i> sp.	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Heterosporium</i> sp.	<i>Avena sativa</i> (oats)	1					Do.
Internal blackening	<i>Solanum tuberosum</i>					1	Tex.
Mosaic?	<i>Allium porrum</i> (leek)					1	Pa.
Oedema	<i>Brassica oleracea capitata</i>					1	Do.
<i>Pestalozzia guepini</i>	<i>Camellia</i> sp.	1					D. C.
Petrification	<i>Solanum tuberosum</i>					1	Tex.
<i>Phoma lingam</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Phyllosticta</i> sp.	<i>Apium graveolens</i> (celery)					1	Do.
<i>Plasmiodiphora brassicae</i>	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)					1	Md.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					4	Ala.
Do	do					2	Ga.
Do	do					1	Miss.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)					1	Ala.
Do	<i>Daucus carota</i>					1	Pa.
Do	<i>Lycopersicum esculentum</i>					1	N. Y.
<i>Sclerotium</i> sp.	<i>Cichorium intybus</i> (witloof)	1					Do.
Do	<i>Pastinaca sativa</i> (parsnip)					1	Do.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					4	Pa.
<i>Sphaerotheca humuli</i>	<i>Rosa</i> sp.						D. C.
Spindle tuber	<i>Solanum tuberosum</i>	1				3	Fla.*
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.					1	D. C.
<i>Verticillium</i> sp.	<i>Beta vulgaris</i> (beet)					1	Ala.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BERMUDA							
Insects:							
<i>Agromyzid</i>	<i>Brassica oleracea acephala</i> (kale)	1					N. Y.
<i>Ceroplastes</i> sp. (Coccidae)	<i>Duranta repens</i>		1				Do.
<i>Heliothis</i> sp. (Noctuidae)	<i>Pelargonium</i> sp. (geranium)		1				Mass.
Noctuid	<i>Lilium</i> sp.	1					Pa.
<i>Phenacoccus gossypii</i> (Coccidae)	<i>Pelargonium</i> sp. (geranium)		1				Mass.
<i>Phenacoccus</i> sp. (Coccidae)	do		1				Do.
<i>Phycitinae</i> (Pyralidae)	<i>Eriobotrya japonica</i> (loquat)		1				N. Y.
<i>Prodenia</i> sp. (Noctuidae)	<i>Lilium</i> sp.			1			Do.
<i>Pulvinaria psidii</i> (Coccidae)	<i>Duranta repens</i>		1				Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Pelargonium</i> sp. (geranium)		1				Mass.
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Gladiolus</i> sp.		1				Do.
<i>Taeniothrips</i> sp. (thrips)	<i>Amaryllis</i> sp.			1			Do.
Tetranychid (mite)	<i>Lilium</i> sp.	1					Calif.*
Diseases:							
<i>Colletotrichum</i> sp.	<i>Theobroma cacao</i> (cacao)		1				Mass.
<i>Diplodia cacaoicola</i>	do		1				Do.
<i>Phylosticta</i> sp.	<i>Nerium oleander</i> (oleander)		1				N. Y.
<i>Pythium</i> sp.	<i>Bryophyllum</i> sp.	1					Pa.
BRAZIL							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae)	Bean				1		Mass.
<i>Acrolophus</i> sp. (Acrolophidae)	<i>Solanum tuberosum</i>			1			La.
<i>Aleurothrixus floccosus</i> (whitefly)	<i>Citrus sinensis</i> (orange)		1		1		Do.
<i>Anastrepha</i> sp. (Tryptidae)	do			1			Md.
Anthomyiid	Log	1					La.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Pa.
<i>Aspidiotus tamarindi</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				1		Tex.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)				1		N. Y.
<i>Ataenius</i> sp. (Scarabaeidae)	Hardwood log	1					Va.
<i>Autographa</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>				1		N. Y.
<i>Brachyrhinus sulcatus</i> (black vine weevil).	Bean				1		Mass.
Brentid	Hardwood log	1					Va.
Cerambycid	<i>Bertholletia nobilis</i> (Brazil nut)		1				La.
<i>Ceratitis</i> sp. (Tryptidae)	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Coccus viridis</i> (Coccidae)	do				1		N. Y.
<i>Colopterus abdominalis</i> (Nitidulidae)	In package with potatoes		1				D. C.
Curculionid	<i>Ipomoea batatas</i> (sweetpotato)				1		N. Y.
Do	<i>Solanum tuberosum</i> (potato)				1		Md.
Do	do				1		N. Y.
<i>Diatraea</i> sp. (Pyralidae)	<i>Zea mays</i> (corn)				1		Do.
<i>Eusceptes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				1		Md.
Do	do						N. Y.
<i>Euxesta</i> sp. (Ortalidae)	<i>Citrus sinensis</i> (orange)		1			1	La.
Do	Unidentified log	1					Do.
<i>Hemichionaspis minor strachani</i> (Coccidae)	<i>Citrus sinensis</i> (orange)				1		N. Y.
<i>Histiostoma</i> sp. (mite)	<i>Allium cepa</i> (onion)				1		Mass.
Mirid	<i>Swietenia</i> sp. (mahogany)	1					La.
<i>Murmidius</i> sp. (Murmidiidae)	Unidentified log	1					Do.
Mycetophilid	<i>Solanum melongena</i> (eggplant)				1		N. Y.
Olethreutid	<i>Citrus sinensis</i>				1		Do.
<i>Orthezia insignis</i> (greenhouse orthelia).	<i>Begonia</i> sp.				2		La.
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus sinensis</i>		1	1	2		Fla.*
Do	do				1		Mass.
Do	do				1		Pa.
Do	<i>Citrus</i> sp.				1		Md.
<i>Pectinophora gossypiella</i> (pink bollworm).	In a pillow containing raw cotton.		1				La.
<i>Pinnaspis buxi</i> (Coccidae)	Palm				1		N. Y.
<i>Platydema picicorne</i> (Tenebrionidae)	Hardwood log	1					Va.
<i>Psalis americana</i> (earwig)	<i>Cucurbita pepo</i> (pumpkin)				1		La.
<i>Pseudaonidia duplex</i> (camphor scale)	<i>Codiaeum</i> sp. (croton)				1		Tex.
<i>Pseudaonidia trilobitiformis</i> (Coccoidea).	<i>Mangifera indica</i> (mango)				1		N. Y.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Solanum melongena</i> (eggplant)				1		Do.

*List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued*

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>BRAZIL—Continued</b>							
Insects—Continued.							
<i>Pyraustinæ</i> (Pyralidae)	<i>Lycopersicum esculentum</i>					1	La.
Do	Unidentified log	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Ala.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Capsicum annuum</i>					1	La.
<i>Solenopsis</i> sp. (ant)	<i>Cucurbita pepo</i> (pumpkin)					1	Mass.
Do	Orchid			1			La.
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.	1					N. Y.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Cassia fistula</i> (golden-shower)			1			La.
Do	<i>Zea mays</i> (corn)		1				Calif.*
<i>Temnochila</i> sp. (Ostomidae)	Hardwood log	1					Va.
Tenebrionid	do	1					Do.
<i>Tenebroides</i> sp. (Ostomidae)	do	1					Do.
Tipulid	Log	1					La.
Trypetid	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Xyleborus affinis</i> (Scolytidae)	<i>Serjania grandiflora</i>	1					N. Y.
<i>Xyleborus grenadensis</i> (Scolytidae)	do	1					Do.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica olearcea capitata</i>					1	La.
<i>Aphelenchoïdes parietinus</i>	<i>Chayota edulis</i> (chayote)		1				Pa.
Do	<i>Daucus carota</i> (carrot)					1	La.
<i>Capnodium citri</i>	<i>Citrus nobilis deliciosa</i> (tangerine)					1	N. Y.
<i>Colletotrichum lagenarium</i>	<i>Chayota edulis</i>		1				Pa.
Do	<i>Cucurbita maxima</i> (squash)					1	Do.
Do	<i>Cucurbita pepo</i> (pumpkin)					1	Md.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>					1	Do.
<i>Colletotrichum</i> sp.	Orchid	1					Fla.*
Do	do		1				N. Y.
<i>Corticium</i> sp.	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Diplodia cacaoicola</i>	<i>Persea americana</i> (avocado)					1	La.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)					1	Fla.*
<i>Gloeosporium</i> sp.	Orchid					1	La.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)					1	Do.
Do	do					1	N. Y.
Oleocellosis	<i>Citrus aurantifolia</i> (lime)					1	Pa.
Do	do					1	La.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Oospora citri-aurantii</i>	do					1	Do.
<i>Phoma</i> sp.	<i>Chayota edulis</i> (chayote)		1				Do.
<i>Phyllosticta</i> sp.	Unidentified leaf			1			N. Y.
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)					6	Md.
Russetting	<i>Malus sylvestris</i> (apple)					1	Tex.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Schizophyllum commune</i>	Hardwood log						Va.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)	1					La.
<i>Sclerotinia</i> sp.	<i>Apium graveolens</i> (celery)					1	Do.
Do	<i>Capsicum annuum</i>					1	Md.
Do	<i>Chayota edulis</i> (chayote)					1	La.
Do	do					1	Miss.
Do	<i>Cucurbita pepo</i> (pumpkin)					1	Pa.
Do	<i>Daucus carota</i> (carrot)					3	La.
Do	<i>Pisum sativum</i> (pea)					1	Do.
Do	<i>Raphanus sativus</i> (radish)					1	Pa.
Do	<i>Solanum tuberosum</i> (potato)					1	La.
<i>Sclerotium</i> sp.	<i>Solanum</i> sp. (tuber)					1	N. Y.
<i>Septobasidium</i> sp.	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)					1	Tex.
Do	<i>Citrus limetta</i> (sweet lime)					1	Do.
Do	<i>Citrus limonia</i> (lemon)					3	Calif.*
Do	do					1	La.
Do	do					1	N. Y.
Do	do					1	Tex.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)					1	La.
<i>Sphaceloma fawcettii</i> var. <i>viscosa</i>	do					1	Do.
Do	do					1	Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
BRAZIL—Continued									
Diseases—Continued.									
<i>Sphaceloma fawcettii</i> var. <i>viscosa</i> (?)	<i>Citrus sinensis</i> (orange)					2	Md.		
<i>Sphaceloma</i> sp.	<i>Citrus limonia</i> (lemon)					1	N. Y.		
Do	<i>Citrus sinensis</i>				1		La.		
Do	do				2		Md.		
Do	do				1		N. Y.		
Do	<i>Vitis</i> sp.				1		Md.		
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>				1		La.		
BRITISH COLUMBIA									
Insects:									
<i>Aspidiotus britannicus</i> (Coccidae)	<i>Ilex</i> sp. (holly)	1					Calif.*		
<i>Brachyrhinus sulcatus</i> (black vine weevil).	<i>Viola</i> sp. (violet)	1					Do.*		
<i>Brachyrhinus</i> sp. (Curculionidae)	<i>Fragaria</i> sp. (strawberry)	1					Do.*		
<i>Dorytomus</i> sp. (Curculionidae)	<i>Salix discolor</i> (pussy willow)	1					Minn.		
<i>Epuraea</i> sp. (Nitidulidae)	Cut flowers	1					Calif.*		
<i>Frankliniella</i> sp. (thrips)	do	1					Do.*		
Do	<i>Iris</i> sp.	1					D. C.		
<i>Lioligus nitidus</i> (Byrrhidae)	<i>Aster</i> sp.	1					Calif.*		
Olethreutid	do	1					Do.*		
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Ilex</i> sp. (holly)	1	1				Do.*		
<i>Prociphilus</i> sp. (aphid)	<i>Rheum rhabonticum</i> (rhubarb)			1			Wash.		
Syrphid	<i>Aster</i> sp.	1					Calif.*		
Tetranychid	Salix cuttings and sphagnum moss packing.	1					Do.*		
BRITISH GUIANA									
Insects:									
<i>Eucalymnatus tessellatus</i> (Coccidae)	<i>Caryota urens</i> (toddy palm)			1			Mass.		
<i>Histiostoma</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Pa.		
<i>Lasioderma</i> sp. (Anobiidae)	<i>Oryza sativa</i> (paddy rice)			1			Mass.		
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i>					1	Pa.		
<i>Xyleborus affinus</i> (Scolytidae)	<i>Borassus flabellifer</i>				1		D. C.		
Diseases:									
<i>Diplodia cacaoicola</i>	<i>Nipa fruticans</i>		1				Do.		
Do	<i>Orbignya speciosa</i>		1				Do.		
BRITISH HONDURAS									
Insects:									
<i>Camponotus angulatus</i> (ant)	Banana debris	1					Pa.		
Do	<i>Musa</i> sp. (banana)	1					S. C.		
<i>Camponotus</i> sp. (ant)	Banana debris	1					Pa.		
<i>Chrysomphalus perseae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Fla.*		
<i>Colopterus denticulatus</i> (Nitidulidae)	<i>Zea mays</i> (corn)				1		La.		
Curculionid	<i>Bactris</i> sp.		1				D. C.		
<i>Diatraea</i> sp. (Pyralidae)	<i>Zea mays</i> (corn)				1		La.		
<i>Euxesta</i> sp. (Ortalidae)	do				1		Do.		
<i>Iridomyrmex</i> sp. (ant)	Banana debris	1					Pa.		
<i>Mecistorhinus tripterus</i> (Pentatomidae)	do	1					Do.		
<i>Pheidole</i> sp. (ant)	do	2					Do.		
Do	<i>Musa</i> sp. (banana)	1					S. C.		
Psychid	Banana debris	1					Pa.		
<i>Tapinoma</i> sp. (ant)	do	1					Do.		
<i>Telephanus setulosus</i> (Cucujidae)	do	1					Do.		
BRITISH ISLES									
Insects:									
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Calluna vulgaris</i> (heather)		1				Do.		
<i>Taeniothrips ericae</i> (thrips)	do		4				Do.		
BRITISH WEST INDIES									
Insects:									
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.		
<i>Oncometopia</i> sp. (Cicadellidae)	<i>Ixora coccinea</i> (scarlet ixora)			1			Do.		
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)				1		Do.		
Diseases:									
Oleocellosis	<i>Citrus aurantifolia</i> (lime)	2					Do.		
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)				1		Do.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mall	Baggage	Quarters	Stores	
<b>CANADA</b>							
Insects:							
<i>Agriotes</i> sp. (Elateridae)	In soil around roots of fern, ivy, and cactus plants.			1			Mass.
<i>Camponotus</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Dilachnus</i> sp. (aphid)	<i>Picea canadensis</i> (white spruce)	1					Mich.
Elaterid	<i>Fragaria</i> sp. (strawberry)		1				Calif.*
Emphytinae (sawfly)	<i>Gypsophila</i> sp. (Bristol fairy)	1					Hawaii.*
<i>Histiostoma</i> sp. (mite)	<i>Solanum tuberosum</i>					1	Pa.
<i>Lioligus nitidus</i> (Byrrhidae)	<i>Fragaria</i> sp. (strawberry)		1				Calif.*
<i>Lygus</i> sp. (Miridae)	Cut flowers		1				Do.*
Noctuid	In soil around roots of fern, ivy, and cactus plants.			1			Mass.
Do	<i>Picea excelsa</i> (Norway spruce)	1					Mich.
<i>Peronea emarginata</i> (Tortricidae)	In packing around plants		1				D. C.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Ilex aquifolium</i> (English holly)		1				Calif.*
Do	<i>Ilex</i> sp. (holly)		1				Do.*
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)				1		Pa.
<i>Rhizoglyphus</i> sp. (mite)	do				1		Do.
<i>Sciara</i> sp. (Mycetophilidae)	In soil around roots of fern			1			Mass.
<i>Sericus</i> sp. (Elateridae)	In soil around roots of evergreen tree.			1			Do.
Tetranychid	<i>Dahlia</i> sp.		1				Calif.*
Diseases:							
<i>Alternaria brassicaceae</i>	<i>Brassica oleracea capitata</i>			2			Pa.
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	2					D. C.
<i>Botrytis tulipae</i>	<i>Tulipa</i> sp.	1					Do.
<i>Gloeodes pomigena</i>	<i>Malus sylvestris</i> (apple)			1			Pa.
<i>Leptothyrium pomi</i>	do			1			Do.
<i>Mycosphaerella fragariae</i>	<i>Fragaria</i> sp. (strawberry)	1					Mich.
<i>Penicillium gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
<i>Phoma</i> sp.	<i>Beta vulgaris</i> (beet)				1		La.
<i>Plasmodiophora brassicæ</i>	<i>Raphanus sativus</i> (radish)				1		Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)				1		Ala.
Do	do				1		La.
Do	do				1		Pa.
<i>Septoria</i> sp.	<i>Veronica crispata</i>	1					Wash.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.		8				D. C.
<b>CANAL ZONE</b>							
Insects:							
<i>Aspidiotus cocotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)			1		1	Calif.*
Blastobasid	In packing with <i>Eugenia</i> seeds		1				D. C.
<i>Camponotus angulatus</i> (ant)	<i>Musa</i> sp. (banana)	1					La.
<i>Camponotus</i> sp. (ant)	do	2					Calif.*
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)				1		N. Y.
<i>Chilo</i> sp. (Pyralidae)	Bamboo				1		Calif.*
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Eugenia</i> sp.		1				D. C.
<i>Crematogaster</i> sp. (ant)	Bamboo				1		Calif.*
Curculionid	<i>Pisum sativum</i> (pea)		1				Do.*
<i>Discocephala humilis</i> (Pentatomidae)	<i>Musa</i> sp. (banana)	2					Do.*
Elaterid	do	1					Do.*
<i>Frankliniella</i> sp. (thrips)	<i>Sobralia panamensis</i> (orchid)			1			Hawaii.*
<i>Heliothis</i> sp. (Noctuidae)	<i>Pisum sativum</i> (pea)		1				Calif.*
<i>Ips</i> sp. (Scolytidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Liothrips</i> sp. (thrips)	<i>Dracontomelon sinensis</i>		1				D. C.
<i>Lorelus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Lygus</i> sp. (Miridae)	do	1					Calif.*
<i>Metamasius sericeus</i> (silky cane weevil)	do	1					Do.*
Noctuid	do	1					Do.*
Phytiniae (Pyralidae)	<i>Carica papaya</i> (papaya)				1		La.
Do	<i>Pisum sativum</i> (pea)		1				Calif.*
<i>Pseudaonidia articulatus</i> (rufous scale)	<i>Citrus grandis</i> (grapefruit)				1		Mass.
<i>Pseudischnaspis alienus</i> (Coccidae)	Orchid	1					Fla.*
<i>Psylliodes chrysocephala</i> (Chrysomelidae)	<i>Brassica rapa</i> (turnip)				1		N. Y.
Pyralid	Bamboo				1		Calif.*
Do	<i>Dracontomelon sinensis</i>		1				D. C.
Do	<i>Tabebuia guayacan</i>		1				Hawaii.*
<i>Stigmaeodes</i> sp. (mite)	<i>Ananas sativus</i> (pineapple)		1				Do.*
<i>Telephanus sculosus</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of inter-cceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>CANAL ZONE—Continued</b>							
Diseases:							
Oleocellosis	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Oospora citri-aurantii</i>	do					1	Pa.
Saccharomycetaceae	<i>Mangifera indica</i> (mango)	1					Do.
<b>CANARY ISLANDS</b>							
Insects:							
Gelechiid	<i>Beta vulgaris</i> (beet)					1	La.
Tineid	do					1	Do.
Tyroglyphid (mite)	Peat used as packing for potatoes.	1					P. R.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>					1	Pa.
<i>Oospora lactis parasitica</i>	do					2	Do.
<i>Sclerotinia</i> sp.	do					1	Fla.*
<i>Sclerotium</i> sp.	<i>Phaseolus</i> sp. (stringbean)					1	Pa.
<b>CAPE OF GOOD HOPE</b>							
Insects:							
<i>Frankliniella</i> sp. (thrips)	Flower seed	1					Calif.*
<i>Prociphilus</i> sp. (aphid)	<i>Haworthia</i> sp.	1					D. C.
Psyllid	do	1					Do.
<i>Trionymus</i> sp. (Coccidae)	<i>Apicra deltoidea</i>	1					Do.
<b>CENTRAL AMERICA</b>							
Insects:							
<i>Chrysomphalus perseae</i> (Coccidae)	<i>Musa</i> sp. (banana)					1	Hawaii.*
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Coscineuta</i> sp. (Acrididae)	<i>Musa</i> sp. (banana)	1					Do.*
Elaterid	<i>Guaiacum officinale</i> (lignum-vitae).	1					Do.*
<i>Labia</i> sp. (earwig)	do	1					Do.*
Mordellid	do	1					Do.*
Tenebrionid	do	1					Do.*
<i>Xyleborus</i> sp. (Scolytidae)	do	1					Do.*
<b>CEYLON</b>							
Insects:							
<i>Coniopteryx</i> sp. (Coniopterygidae)	<i>Citrus limonia</i> (lemon)					1	Pa.
Galleriinae (Pyralidae)	<i>Pometia eximia</i>	1					D. C.
Diseases:							
<i>Colletotrichum</i> sp.	<i>Vanda caerulea</i> (orchid)	1					Do.
<i>Gloeosporium</i> sp.	do	1					Do.
<i>Phyllosticta</i> sp.?	<i>Amherstia nobilis</i>	1					Do.
<b>CHILE</b>							
Insects:							
<i>Aspidiottus</i> sp. (Coccidae)	<i>Malus sylvestris</i> (apple)	1					N. Y.
<i>Blapstinus punctulatus</i> (Tenebrio-nidae).	<i>Cucumis melo</i> (melon)	2					Do.
Do	On packing around melons	1					Do.
<i>Cryptohypnus</i> sp. (Elateridae)	<i>Vitis</i> sp. (grape)	1					Do.
Curculionid	<i>Solanum tuberosum</i>					1	S. C.
<i>Euxesta</i> sp. (Ortalidae)	<i>Allium sativum</i> (garlic)	1					La.
<i>Grammophorus</i> sp. (Elateridae)	In packing for melons	1					N. Y.
<i>Heliophygus</i> sp. (Tenebrionidae)	do	1					Do.
<i>Leptoglossus chileneis</i> (Coreidae)	<i>Vitis</i> sp. (grape)	2					Do.
Olethreutid	<i>Prunus domestica</i> (plum)	1					Do.
Do	<i>Vitis</i> sp. (grape)	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Punica granatum</i> (pomegranate).			1			Do.
<i>Tetranychus</i> sp. (mite)	<i>Malus sylvestris</i> (apple)	1					Do.
<i>Tribolium</i> sp. (Tenebrionidae)	<i>Cucumis melo</i> (melon)	1					Do.
Diseases:							
Erinose	<i>Amygdalus persica nectarina</i> (nectarine).	1					Do.
<i>Tranzschelia punctata</i>	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>CHINA</b>							
Insects:							
Aegeriid	Medicinal wood		1				Calif.*
Agromyzid	<i>Meconopsis</i> sp.		1				Hawaii.*
<i>Anisolabis marginalis</i> (earwig)	<i>Mangifera indica</i> (mango)	1					Do.*
<i>Anisolabis</i> sp. (earwig)	<i>Aglaonema</i> sp.	1					D. C.
Anobiid	On bark of dry wood		1				Hawaii.*
Anobiini (Anobiidae)	In rice straw packing for pictures.	1					La.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Castanea mollissima</i>		1				D. C.
Do	<i>Castanea</i> sp.		1				Do.
<i>Blastinus</i> sp. (Tenebrionidae)	<i>Oryza sativa</i> (rice)		1				Pa.
Bostrichid	<i>Ginkgo biloba</i> (maidenhair-tree)	1					Calif.*
Do	Herb			1			Do.*
Bostrichini (Bostrichidae)	Bamboo	1					N. Y.
<i>Bruchus</i> sp. (Bruchidae)	<i>Albizia julibrissin</i> (silktree)		1				Calif.*
Buprestid	Medicinal wood		1				Do.*
Cecidomyiid	<i>Meconopsis</i> sp.		1				Hawaii.*
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)		1				Pa.
Do	Rice straw used as packing	1					Ill.
Do	do	3					La.
Do	do	1					Md.
Do	do			1			Pa.
<i>Chilo</i> sp. (Pyralidae)	On case of bean cake	1					Calif.*
<i>Chionaspis</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)		2				Wash.
<i>Chrysomelini</i> (Chrysomelidae)	<i>Brassica juncea</i> (leaf-mustard)					1	Do.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	La.
<i>Creontiades</i> sp. (Miridae)	<i>Zingiber officinale</i> (ginger)	1					N. Y.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	1					D. C.
Curculionid	<i>Meconopsis</i> sp.		1				Hawaii.*
<i>Cylas formicarius</i> (sweetpotato-weevil).	<i>Ipomoea batatas</i> (sweetpotato)		2			1	Calif.*
Do	do					1	Va.
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo	1					La.
Do	do	1					N. Y.
<i>Fiorinia</i> sp. (Coccidae)	<i>Litchi chinensis</i> (lychee)	3					Oreg.
Do	do	1					Pa.
<i>Forficula</i> sp. (earwig)	<i>Eleocharis tuberosa</i> (waternut)	1					Calif.*
<i>Gryllodes</i> sp. (Gryllidae)	<i>Pueraria thunbergiana</i> (kudzu)	1					Mass
<i>Harmolita phyllostachitis</i> (Eurytomidae).	Bamboo cane	1					N. Y.
<i>Homoeogryllus japonicus</i> (Gryllidae)	Baggage			1			Calif
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Gossypium</i> sp. (seed cotton)	1					Oreg
Do	<i>Oryza sativa</i> (rice)	1					N. Y
Lyonetiid	Medicinal wood		1				Calif.*
<i>Maruca testulalis</i> (bean pod borer)	<i>Phaseolus</i> sp. (string bean)				1		Wash.
<i>Merodon</i> sp. (Syrphidae)	<i>Narcissus tazetta orientalis</i> (Chinese sacred lily).			1			Do.
<i>Minthea rugicollis</i> (Lyctidae)	Herb			1			Calif.*
<i>Nikkaspis</i> sp. (Coccidae)	Bamboo	1					Do.*
<i>Oecanthus</i> sp. (Gryllidae)	<i>Aglaonema</i> sp.	1					D. C.
<i>Orycarenus hyalinipennis</i> (Lygaeidae).	<i>Gossypium</i> sp. (seed cotton)	1					Oreg.
<i>Orycarenus</i> sp. (Lygaeidae)	do	1					Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)	1			20		Calif.*
Do	do				1		Md.
Do	do				1		Wash.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (seed cotton)	1					Oreg.
<i>Pheidole</i> sp. (ant)	Fiber packing			1			Calif.*
<i>Prolabia arachidis</i> (earwig)	<i>Eleocharis tuberosa</i> (waternut)	1					Mass.
<i>Prolabia</i> sp. (earwig)	<i>Colocasia esculenta</i> (taro)	1					Calif.*
<i>Psammoecus</i> sp. (Cucujidae)	<i>Aglaonema</i> sp.	2					D. C.
<i>Pseudaonidia duplex</i> (camphor scale)	<i>Citrus grandis</i> (pomelo)	1			2		Calif.*
<i>Pseudococcus comstocki</i> (Coccidae)	<i>Aglaonema costatum</i>	1					D. C.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Aglaonema</i> sp.			1			Wash.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				2		Pa.
Do	<i>Colocasia esculenta</i> (taro)	1					Calif.*
Do	<i>Eleocharis tuberosa</i> (waternut)	5					Mass.
Do	do	3					N. Y.
Do	<i>Pueraria thunbergiana</i> (kudzu)	3					Mass.
Do	<i>Zingiber officinale</i> (ginger)	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Insects—Continued.							
<i>Rhizoglyphus</i> sp. (mite)	<i>Zingiber officinale</i> (ginger)	1					N. Y.
Do	do	1					Wash.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Aglaonema</i> sp.	2					Mich.
Do	<i>Colocasia esculenta</i> (taro)	1					Mass.
Do	do	1					Wash.
<i>Taeniothrips</i> sp. (thrips)	<i>Allium sativum</i> (garlic)			1			Do.
<i>Tinea</i> sp. (Tineidae)	do			1			Do.
<i>Tyroglyphid</i> (mite)	<i>Eleocharis tuberosa</i> (waternut)	1					Calif.*
<i>Urophorus humeralis</i> (Nitidulidae)	do	1					Do.*
Do	Legume	1					Do.*
Diseases:							
<i>Acrothecium bicolor</i>	Bamboo	1					N. Y.
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i> (cabbage)					1	Pa.
<i>Anguillulina intermedia</i>	<i>Zingiber officinale</i> (ginger)	1					Mass.
Do	do	1					N. Y.
<i>Aphelenchoides parietinus</i>	<i>Eleocharis tuberosa</i> (waternut)	1					Do.
Do	<i>Pueraria thunbergiana</i> (kudzu)	1					Mass.
Do	<i>Zingiber officinale</i> (ginger)	3					Do.
Do	do	5					N. Y.
<i>Aphelenchoides tenuicaudatus</i>	do	1					Mass.
Do	do	1					N. Y.
<i>Bacterium citri</i>	<i>Citrus aurantifolia</i> (lime)			1			Calif.*
Do	<i>Citrus grandis</i> (pomelo)	1					Do.*
<i>Cephaleuros</i> sp.	<i>Litchi chinensis</i> (lychee)	1					Oreg.
<i>Ceratostomella adiposum</i>	<i>Eleocharis tuberosa</i> (waternut)	15					Mass.
Do	do	1					Mich.
Do	do	53					N. Y.
Do	do	1					Pa.
Do	<i>Zingiber officinale</i> (ginger)	1					N. Y.
<i>Ceratostomella</i> sp.	do	2					Do.
<i>Colletotrichum</i> sp.	<i>Aglaonema</i> sp.			3			Wash.
Do	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
<i>Coniothyrium</i> sp.	<i>Aglaonema</i> sp.			1			Do.
<i>Diplodia</i> sp.	<i>Colocasia esculenta</i> (taro)	1					Mass.
<i>Epicoccum</i> sp.	<i>Aglaonema</i> sp.			3			Wash.
<i>Gloeosporium</i> sp.	do			3			Do.
<i>Heterosporium</i> sp.	do			1			Do.
Internal blackening	<i>Solanum tuberosum</i>					1	Mass.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			1			Wash.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)					1	Pa.
<i>Myxomycetes</i>	<i>Aglaonema</i> sp.	1					Mich.
Do	Legume	1					N. Y.
<i>Phoma citricarpa</i>	<i>Citrus nobilis</i>			1			Wash.
Do	<i>Citrus sinensis</i> (orange)	1				1	Calif.*
Do	do	1					Pa.
Do	do			1			Wash.
<i>Phytophthora</i> sp.	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
<i>Physarum compressum</i>	<i>Aglaonema costatum</i>	1					D. C.
<i>Rhizoctonia</i> sp.	<i>Eleocharis tuberosa</i>	1					Mass.
<i>Saccharomyctaceae</i>	do	1					N. Y.
Do	<i>Ipomoea batatas</i> (sweetpotato)					1	Va.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Sclerotinia</i> sp.	<i>Colocasia esculenta</i> (taro)	1					N. Y.
Do	<i>Eleocharis tuberosa</i>	2					Mass.
Do	do	3					N. Y.
Do	Legume	1					Do.
Do	<i>Litchi chinensis</i> (lychee)	1					Oreg.
Do	<i>Zingiber officinale</i> (ginger)	1					Mass.
Do	do	1					N. Y.
<i>Sclerotium</i> sp.	<i>Colocasia esculenta</i> (taro)	3					Do.
Do	<i>Eleocharis tuberosa</i>	1					Do.
Do	<i>Zingiber officinale</i> (ginger)	2					Do.
<i>Sphaelomia fawcettii</i>	<i>Citrus sinensis</i> (orange)					1	Calif.*
<i>Sphaeronema</i> sp.?	<i>Colocasia esculenta</i>	1					Mass.
<i>Stachybotrys</i> sp.	<i>Zingiber officinale</i> (ginger)	1					N. Y.
<i>Stilbum incarnatum</i>	<i>Pueraria thunbergiana</i> (kudzu)	1					Do.
Do	<i>Trapa bicornis</i>	1					Wash.
<i>Thielariopsis paradoxa</i>	<i>Eleocharis tuberosa</i> (waternut)	6					Mass.
Do	do						N. Y.
		40					

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases—Continued.							
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)			1			
<i>Verticillium</i> sp.	<i>Eleocharis tuberosa</i>	3					Wash.
Do	do	2					Mass.
Do	<i>Lilium</i> sp.	1					N. Y.
Do	<i>Zingiber officinale</i> (ginger)	4					Mass.
COLOMBIA							
Insects:							
<i>Camponotus</i> sp. (ant)	<i>Cattleya warscewiczii sandiana</i> (orchid)	1					D. C.
Do	<i>Cattleya</i> sp.	1					Do.
Cecidomyiid	<i>Cattleya warscewiczii sandiana</i>	1					Do.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Cattleya dowiana aurea</i>	1					Do.
<i>Cryptocerus</i> sp. (ant)	<i>Cattleya</i> sp. (orchid)	1					Do.
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo	1					Do.
<i>Eurytoma</i> sp. (Eurytomidae)	<i>Cattleya</i> sp.	1					Do.
Noctuid	<i>Gossypium</i> sp. (cotton)			1			Calif.*
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Pheidole</i> sp. (ant)	<i>Cattleya warscewiczii sandiana</i>	1					D. C.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus limetta</i> (sweet lime)	1					Fla.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Solenopsis</i> sp. (ant)	<i>Cattleya</i> sp.	1					D. C.
Do	Fern packing for plants	1					Do.
Do	In case with orchid plants	1					Do.
<i>Syninas</i> sp. (Miridae)	<i>Cattleya</i> sp.	1					Do.
Diseases:							
<i>Gloeosporium</i> sp.	<i>Cattleya dowiana aurea</i>	1					Do.
Do	Orchid	1					Do.
<i>Stilbella flava</i>	<i>Coffea</i> sp.	1					N. Y.
<i>Uredo</i> sp.	<i>Epidendrum</i> sp. (orchid)	1					D. C.
Do	<i>Odontoglossum</i> sp. (orchid)	1					Do.
Do	<i>Oncidium</i> sp. (orchid)	1					Do.
COSTA RICA							
Insects:							
<i>Acanalonia</i> sp. (Fulgoridae)	<i>Coffea</i> sp.	1					N. Y.
<i>Camponotus angulatus</i> (ant)	Banana debris	1					S. C.
<i>Camponotus</i> sp. (ant)	do	1					Mass.
Do	do	3					S. C.
Do	<i>Musa</i> sp. (banana)	22					Calif.*
Cecidomyiid	<i>Guilielma utilis</i>		1				Mich.
Do	Orchid			1			La.
<i>Cephaloleia puncticollis</i> (Chrysomelidae).	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Cephaloleia</i> sp. (Chrysomelidae)	do	2					Do.*
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Guilielma utilis</i>		1				Mich.
<i>Coccus</i> sp. (Coccidae)	Orchid	1					Fla.*
<i>Crematogaster</i> sp. (ant)	<i>Musa</i> sp. (banana)	3					S. C.
<i>Dialeurodes citri</i> (citrus whitefly)	<i>Oncidium carthaginense</i> (orchid)		1				D. C.
<i>Diaspis</i> sp. (Coccidae)	<i>Guilielma utilis</i>		1				
<i>Dinocoris tripterus</i> (Pentatomidae)	<i>Musa</i> sp. (banana)	1					Mich.
<i>Ciscocephala humilis</i> (Pentatomidae).	do	13					Calif.*
<i>Dolichoderus bispinosus</i> (ant)	Banana debris	1					Do.*
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Dolichoderus</i> sp. (ant)	Banana debris	1					Do.
<i>Geotrupes</i> sp. (Scarabaeidae)	do	1					Mass.
<i>Homalodisca</i> sp. (Cicadellidae)	<i>Coffea</i> sp.	1					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	Banana debris	1					N. Y.
<i>Leptobyrsa plicata</i> (Tingitidae)	<i>Cattleya dowiana aurea</i> (orchid)	1					Mass.
<i>Leucoptera coffeella</i> (coffee leaf miner).	<i>Coffea</i> sp.	2					D. C.
							N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
COSTA RICA—Continued							
Insects—Continued.							
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	2					S. C.
Do	<i>Musa</i> sp. (banana)	6					Calif.*
Do	do	3					N. Y.
<i>Metriona propinqua</i> (Chrysomelidae).	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Neoponera</i> sp. (ant)	do	1					Do.*
<i>Odontomachus</i> sp. (ant)	Orchid	1					D. C.
<i>Pheidole anastasii</i> (ant)	<i>Trichopilia suavis</i> (orchid)		1				Do.
<i>Pheidole</i> sp. (ant)	In packing around orchids		1				Do.
<i>Pityophthorus</i> sp. (Scolytidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Platamus debilis</i> (Cucujidae)	Banana debris	1					S. C.
<i>Ponera</i> sp. (ant)	Orchid	1					D. C.
Do	do		1				La.
<i>Prenolepis</i> sp. (ant)	do	1					D. C.
<i>Priapismus</i> sp. (Pentatomidae)	Banana debris	1					Mass.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)					1	Calif.*
Do							
<i>Pseudococcus virgatus</i> (Coccoidea)	<i>Cocos nucifera</i> (coconut)					1	Do.*
<i>Pseudococcus</i> sp. (Coccoidea)	<i>Coffea</i> sp	1					N. Y.
Psychid	Orchid	1					D. C.
<i>Selenis sparsa</i> (Noctuidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Solenopsis</i> sp. (ant)	do	1					Calif.*
Syntomid	Orchid	1					D. C.
<i>Syninas floridulus</i> (Miridae)	Banana debris	1					S. C.
<i>Telephanus setulosus</i> (Cucujidae)	In packing around orchids		1				D. C.
Tineid	Orchid leaf	1					La.
<i>Tytthomimus rofotestaceus</i> (Curculionidae).	In packing around orchids	1					D. C.
	Banana debris	2					S. C.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i> (lime)					1	Do.
<i>Capnodium</i> sp	Orchid		1				D. C.
<i>Cephaleuros virescens</i>	do	1					Fla.*
<i>Colletotrichum</i> sp	do		1				La.
<i>Diplodia cacaicola</i>	<i>Theobroma cacao</i> (cacao)			1			Mass.
<i>Gloeosporium</i> sp	Orchid (several genera)	2	4				D. C.
Oil burning	<i>Citrus aurantifolia</i> (lime)					1	S. C.
<i>Podonectria coccicola</i>	<i>Lepidosaphes beckii</i> on orange					1	Fla.*
<i>Sterigmatocystis</i> sp	<i>Diospyros</i> sp. (persimmon)		1				Mich.
Tuberculariaceae	<i>Manihot esculenta</i> (cassava)		1				D. C.
<i>Uredo epidendri</i>	<i>Epidendrum endressi</i> (orchid)		1				Do.
<i>Uredo nigropunctata</i>	<i>Stanhopea oculata</i> (orchid)		1				Do.
CUBA							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae)	<i>Lysiloma latisiliqua</i>		1				D. C.
Agromyzid	<i>Brassica</i> sp. (mustard greens)	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Do.
<i>Aleurodicus cardini</i> (whitefly)	<i>Psidium guajava</i> (guava)			1			Fla.*
<i>Aleurothrixus howardii</i> (woolly whitefly).	<i>Rosa</i> sp.				1		Do.*
<i>Allocorhynus</i> sp. (Curculionidae)	<i>Zamia kickxii</i>	1					D. C.
<i>Anisolabis minuta</i> (earwig)	<i>Lycopersicum esculentum</i>	1					La.
<i>Aspidiotus cocotiphagus</i> (Coccidae)	<i>Annona cherimola</i> (cherimoya)			1			N. Y.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Rosa</i> sp.				1		Fla.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Syngonium auritum</i>	1					D. C.
<i>Asterolecanium pustulans</i> (Curculionidae).	<i>Gardenia florida</i> (Cape-jasmine).			1			Fla.*
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Lycopersicum esculentum</i>	1					La.
<i>Aulacaspis major</i> (Coccidae)	<i>Salix chinensis</i>	1					D. C.
<i>Baris</i> sp. (Curculionidae)	<i>Brassica chinensis</i> (pakchoi cabbage).					1	Pa.
<i>Bephrata cubensis</i> (Eurytomidae)	<i>Annona cherimola</i> (cherimoya)			1			Tex.
Do	<i>Annona muricata</i> (soursop)			1			La.
<i>Brontes</i> sp. (Cucujidae)	Banana debris	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Camponotus</i> sp. (ant)	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
Cecidomyiid.	<i>Ananas sativus</i> (pineapple)	6					La.
Do	do	1					Mich.
<i>Ceratocombus</i> sp. (Cryptostemmatidae).	Banana debris	1					Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica</i> sp.					1	Do.
<i>Chrysauginae</i> (Pyralidae)	Incased on inside of burlap bag containing calabash.				1		N. Y.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)					1	Mass.
Do	<i>Citrus sinensis</i> (orange)		1				D. C.
Do	<i>Gardenia florida</i> (Cape-jasmine).			6	3		Fla.*
Do	<i>Lawsonia alba</i>				1		Do.*
Do	<i>Psidium guajava</i> (guava)					1	Do.*
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Hibiscus esculentus</i> (okra)	1					La.
<i>Crematogaster</i> sp. (ant)	<i>Ananas sativus</i> (pineapple)	1					Do.
<i>Crocidosema plebeiana</i> (Olethreutidae).	<i>Hibiscus esculentus</i> (okra)	2					Do.
<i>Crocidosema</i> sp. (Olethreutidae)	do				3		Do.
Do	do				1		N. Y.
<i>Cryptotermes</i> sp. (termite)	<i>Ananas sativus</i> (pineapple)	2					La.
<i>Cueujid</i>	Banana debris	1					Pa.
<i>Cyclocephala cubana</i> (Scarabaeidae)	On floor of car of pineapples	1					N. Y.
<i>Cycloptilum antillarum</i> (Gryllidae)	<i>Ananas sativus</i>	1					La.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Fla.*
Do	do					2	N. Y.
Do	do					2	Pa.
Do	do					1	Tex.
Do	do					2	Va.
<i>Diaphania</i> sp. (Pyralidae)	<i>Cucumis sativus</i> (cucumber)	1					N. Y.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i> (sugarcane).		1				Fla.*
<i>Diatraea</i> sp. (Pyralidae)	do			2			La.
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Ananas sativus</i> (pineapple)	3					Do.
<i>Epuraea</i> sp. (Nitidulidae)	do	1					Do.
<i>Eucalymnatus tessellatus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).				1		Fla.*
<i>Eucalymnatus</i> sp. (Coccidae)	<i>Annona cherimola</i> (cherimoya)			1			Do.
Eupodid (mite)	Banana debris	1					Pa.
<i>Frankliniella cubensis</i> (thrips)	<i>Rosa</i> sp.			1			Fla.*
<i>Frankliniella insularis</i> (thrips)	<i>Gardenia florida</i>			1			Do.*
<i>Gynaikothrips uzeli</i> (thrips)	<i>Ficus indica</i>			1			N. Y.
<i>Hellula</i> sp. (Pyralidae)	<i>Brassica</i> sp. (mustard)	1					Do.
<i>Hypothenemus</i> sp. (Scolytidae)	<i>Musa</i> sp. (banana)	1					Pa.
<i>Icerya purchasi</i> (cottony-cushion scale).	<i>Rosa</i> sp.				1		Fla.*
<i>Kalotermes</i> sp. (termite)	<i>Ananas sativus</i>	1					La.
<i>Labia curvicauda</i> (earwig)	Banana debris	1					Pa.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					N. Y.
<i>Maruca testulalis</i> (bean pod borer)	do				56		Do.
<i>Metamasius sericeus</i> (silky cane weevil).	do				1		Do.
<i>Monanus concinnulus</i> (Cueujidae)	<i>Ananas sativus</i>		1				La.
Do	Banana debris		7				Pa.
Do	<i>Musa</i> sp. (banana)		3				Md.
Do	do		1				Pa.
<i>Monanus</i> sp. (Cueujidae)	Banana debris		2				Do.
<i>Monocrepidius bisroveatus</i> (Elateridae).	<i>Ananas sativus</i>		1				La.
<i>Monocrepidius</i> sp. (Elateridae)	<i>Capsicum annuum</i>		1				N. Y.
<i>Monomerium minutum</i> var. (ant)	<i>Musa</i> sp. (banana)		1				Pa.
<i>Nasutitermes ripperti</i> (termite)	<i>Coccoloba uvifera</i> (seagrape)					1	Ala.
<i>Neoconocephalus affinis</i> (Tettigoniidae).	<i>Musa</i> sp. (banana)						Md.
Noctuid	<i>Ananas sativus</i>		1				La.
Do	do		1				N. Y.
Do	<i>Brassica chinensis</i> (pakchoi cabbage).					1	Pa.
Do	<i>Solanum melongena</i> (eggplant)						La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
Olethreutid.	<i>Phaseolus lunatus macrocarpus</i> .	1					N. Y.
<i>Oliarus</i> sp. (Fulgoridae).	<i>Ananas sativus</i> .	1					La.
<i>Orthetzia insignis</i> (Coccidae).	<i>Pelargonium graveolens</i> (rose geranium).			1			Fla.*
<i>Phlyctaenia</i> sp. (Pyralidae).	<i>Lycopersicum esculentum</i> .	1					La.
<i>Phycitinae</i> (Pyralidae).	<i>Ananas sativus</i> .	6					Do.
Do.	do	2					N. Y.
Do.	Banana debris.	1					Pa.
<i>Phyllotreta</i> sp. (Chrysomelidae).	<i>Ananas sativus</i> .	1					La.
<i>Platynota</i> sp. (Tortricidae).	<i>Capsicum annuum</i> .	1					Do.
<i>Prodenia</i> sp. (Noctuidae).	Banana debris.	1					Pa.
Do.	<i>Lycopersicum esculentum</i> .	2					La.
<i>Protopulvinaria pyriformis</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine).	3					Fla.*
Do.	<i>Jasminum</i> sp. (jasmine).			1			Do.*
<i>Psalis americana</i> (earwig).	Palm.		1				D. C.
<i>Pseudaonidia articulatus</i> (rufous sca'e).	<i>Citrus aurantifolia</i> (lime).			1			Fla.*
Do.	<i>Citrus grandis</i> (grapefruit).			1			Do.*
Do.	<i>Citrus nobilis</i> (King orange).	1					La.
Do.	<i>Gardenia florida</i> (Cape-jasmine).			1			Fla.*
Do.	<i>Rosa</i> sp.			1			Do.*
Do.	<i>Tamarindus indica</i> (tamarind).			1			La.
<i>Pseudischnaspis alienus</i> (Coccidae).	<i>Agave sisalana</i> (sisal).			1			Fla.*
<i>Pseudococcus virgatus</i> (Coccidae).	<i>Hibiscus esculentus</i> (okra).	2					La.
<i>Pseudococcus</i> sp. (Coccidae).	<i>Ananas sativus</i> .	2					Do.
Do.	Banana debris.	1					Pa.
Do.	<i>Lycopersicum esculentum</i> .	1					La.
Do.	<i>Musa</i> sp. (banana).	1					Pa.
Psychid.	<i>Hibiscus esculentus</i> .	1					La.
<i>Pyralinae</i> (Pyralidae).	<i>Musa</i> sp. (banana).	1					Pa.
<i>Pyraustinae</i> (Pyralidae).	<i>Ananas sativus</i> .	1					La.
Do.	<i>Lycopersicum esculentum</i> .	1					N. Y.
<i>Pyroderces</i> sp. (Cosmopterygidae).	<i>Ananas sativus</i> .	20					La.
<i>Rhizoglyphus</i> sp. (mite).	<i>Musa</i> sp. (banana).	1					Mass.
<i>Rhopalosiphum</i> sp. (aphid).	<i>Raphanus sativus</i> (radish).					1	Pa.
<i>Rhyncolus</i> sp. (Curculionidae).	<i>Hevea</i> sp.			1			D. C.
<i>Sciara</i> sp. (Mycetophilidae).	Banana debris.	1					Pa.
<i>Silvanus</i> sp. (Cucujidae).	<i>Ananas sativus</i> .	1					La.
<i>Sitophilus</i> sp. (Curculionidae).	<i>Tamarindus indica</i> (tamarind).		1				Fla.*
<i>Stephanoderes</i> sp. (Scolytidae).	Banana debris.	1					Pa.
Do.	<i>Ficus</i> sp.	1					La.
Do.	<i>Poinciana regia</i> (royal poinciana).			1			Do.
<i>Tapinoma</i> sp. (ant).	<i>Musa</i> sp. (banana).	1					Fla.*
<i>Targonia bromeliae</i> (Coccidae).	<i>Ananas sativus</i> .	1					Mich.
Do.	do	1					N. Y.
<i>Targonia hartii</i> (Coccidae).	<i>Dioscorea</i> sp. (yam).			1			Fla.*
<i>Telephanus minutus</i> (Cucujidae).	Banana debris.	1					Pa.
<i>Telephanus</i> sp. (Cucujidae).	do	5					Do.
Do.	<i>Musa</i> sp. (banana).	1					Do.
Tenebrionid.	do	1					Md.
<i>Tinea</i> sp. (Tineidae).	Banana debris.	2					Pa.
Do.	<i>Musa</i> sp. (banana).	2					Md.
Do.	<i>Poinciana regia</i> .			1			Ia.
Tineid.	Banana debris.	6					Pa.
Tipulid.	do	1					Do.
Tortricid.	<i>Ananas sativus</i> .	4					La.
Do.	<i>Lycopersicum esculentum</i> .	1					N. Y.
Do.	<i>Ficus indica</i> used as packing for cut flowers.		1				Do.
<i>Toxotrypana curvicauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya).			1			La.
<i>Trichothrips</i> sp. (thrips).	Banana debris.	1					Pa.
<i>Uleiota</i> sp. (Cucujidae).	do	1					Do.
<i>Wasmannia auropunctata</i> (ant).	<i>Ananas sativus</i> .	1					La.
Do.	Banana debris.	2					Pa.
<i>Zygoothrips</i> sp. (thrips).	<i>Ananas sativus</i> .					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases:							
<i>Albugo candida</i>	<i>Brassica pekinensis</i> (Chinese cabbage).	2					N. Y.
Do	<i>Brassica</i> sp. (mustard)	1					Do.
<i>Alternaria brassicae</i>	<i>Brassica chinensis</i> (pakchoi cabbage).	1					Do.
Do	do					1	Pa.
<i>Alternaria solani</i>	<i>Lycopersicum esculentum</i>					1	N. Y.
<i>Bacterium maculicolum</i>	<i>Brassica</i> sp.					1	Pa.
<i>Bacterium phaseoli</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	7					N. Y.
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>	2					La.
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)	2					Do.
Do	do					1	Pa.
<i>Capnodium</i> sp	<i>Saccharum officinarum</i>					1	La.
Do	do					2	Va.
<i>Cephaeluros virescens</i>	<i>Citrus grandis</i> (grapefruit)					1	La.
<i>Cephaeluros</i> sp	<i>Codiaeum</i> sp. (croton)				1		N. Y.
<i>Cephalosporium lecanii</i>	<i>Eucalymnatus tessellatus</i> on cherimoya.				1		Fla.*
<i>Cercospora beticola</i>	<i>Beta cicla</i> (Swiss chard)					1	N. Y.
<i>Cercospora rosaecola</i>	<i>Rosa</i> sp.					1	Do.
<i>Cercospora</i> sp	<i>Capsicum annuum</i>	1					La.
Do	<i>Rosa</i> sp.			1			N. Y.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>	1					La.
<i>Colletotrichum agaves</i>	<i>Agave</i> sp.	1					Pa.
<i>Colletotrichum falcatum</i>	<i>Saccharum officinarum</i>			1			Fla.*
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.				1		La.
<i>Diplodia natalensis</i>	Palm		1				Fla.*
<i>Dothidiaceae</i>	Unknown leaf	1					Pa.
<i>Elsinoe phaseoli</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	21					N. Y.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)			1			Fla.*
<i>Gloeosporium</i> sp	<i>Euphorbia</i> sp.		1				D. C.
Do	<i>Ficus carica</i> (fig)		1				Fla.*
Do	<i>Livistona rotundifolia</i> (Java fan palm).		1				D. C.
<i>Helminthosporium</i> sp	<i>Oryza sativa</i> (rice)			1			Fla.*
<i>Macrosporium</i> tomato	<i>Lycopersicum esculentum</i>	1				1	La.
Do	do						N. Y.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				2		La.
Do	do				1		Pa.
Do	do				3		Va.
<i>Meliola</i> sp	<i>Holcus sorghum</i> (sorghum)		1				Fla.*
<i>Microcera</i> sp	<i>Lepidosaphes beckii</i> on grapefruit.	1					La.
<i>Myriangium duriae</i>	<i>Citrus sinensis</i> (orange)	1					Do.
<i>Oidium</i> sp	<i>Rosa</i> sp.			1			Do.
<i>Oil burning</i>	<i>Citrus aurantifolia</i> (lime)				1		Pa.
<i>Oleocellosis</i>	do				1		Do.
<i>Oospora lactis parasitica</i>	<i>Capsicum annuum</i>	1					La.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>	4					Do.
<i>Phoma</i> sp	<i>Vinca rosea</i> (Madagascar periwinkle).				1		Pa.
<i>Phomopsis arecae</i>	Palm		2				D. C.
<i>Phomopsis vexans</i>	<i>Solanum melongena</i> (eggplant)	1					La.
<i>Phomopsis</i> sp	<i>Livistona rotundifolia</i> (Java fan palm).		3				D. C.
<i>Phytophthora</i> sp	<i>Cucurbita</i> sp. (snake gourd)	1					N. Y.
<i>Puccinia purpurea</i>	<i>Holcus sorghum sudanensis</i> (Sudan grass).	1					La.
<i>Sclerotinia</i> sp	<i>Ipomoea batatas</i> (sweetpotato)					1	Tex.
<i>Sclerotium</i> sp	<i>Lycopersicum esculentum</i>					1	Pa.
<i>Sphaeloloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)					1	Ga.
<i>Sphaeropsis</i> sp	Palm					1	Pa.
<i>Sphaerostilbe coccophila</i>	<i>Citrus sinensis</i> (orange)	1					La.
<i>Stilbella flavida</i>	<i>Gardenia</i> sp.			1			N. Y.
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>					1	Pa.
Do	do		1				La.
Do	<i>Saccharum officinarum</i>				1		Md.
Do	do				1		Pa.
Do	do				1		Va.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>CYPRUS</b>							
Diseases:							
Oleocellosis	<i>Citrus limonia</i> (lemon)						Pa.
Petrification	<i>Solanum tuberosum</i>						Mass.
<b>CZECHOSLOVAKIA</b>							
Insects:							
<i>Acalypta</i> sp. (Tingitidae)	In packing around rose plants	1					D. C.
Adelid	do	1					Do.
<i>Apion seniculus</i> (Curculionidae)	do	1					Do.
<i>Apion</i> sp. (Curculionidae)	do	1					Calif.*
Do	<i>Rosa</i> sp.	1					Do.*
<i>Brachyrhinus scaber</i> (Curculionidae)	In packing around rose plants	1					D. C.
Cecidomyiid	<i>Vitis</i> sp. (grape)			1			Md.
<i>Ceutorhynchus atomus</i> (Curculionidae).	In packing around rose plants	1					D. C.
<i>Ceutorhynchus floralis</i> (Curculionidae).	do	1					Do.
<i>Chaetocnema hortensis</i> (Chrysomelidae).	do	1					Do.
<i>Chaetocnema</i> sp. (Chrysomelidae)	do	1					Calif.*
Chrysomelid	<i>Rosa</i> sp.	3					Do.*
<i>Drymus sylvaticus</i> (Lygaeidae)	In packing around rose plants	1					D. C.
<i>Epuraea melina</i> (Nitidulidae)	do	1					Do.
<i>Haplothrips aculeatus</i> (thrips)	do	1					Do.
Do	<i>Rosa</i> sp.	1					Calif.*
<i>Hylemyia</i> sp. (Anthomyiidae)	In soil around roots of narcissus	1					Pa.
<i>Lecanium coryli</i> (Coccidae)	<i>Malus sylvestris</i> (apple)	1					D. C.
<i>Limothrips denticornis</i> (thrips)	In packing around rose plants	1					Do.
<i>Lygus</i> sp. (Miridae)	<i>Rosa</i> sp.	1					Calif.*
<i>Meligethes umbrosus</i> (Nitidulidae)	In packing around rose plants	1					D. C.
<i>Meligethes</i> sp. (Nitidulidae)	do	1					Calif.*
<i>Newsteadia floccosa</i> (Coccidae)	do	1					D. C.
<i>Pheidole</i> sp. (ant)	In moss used as packing around grape cuttings.			1			Md.
<i>Phyllotreta atra</i> (Chrysomelidae)	In packing around rose plants	1					Calif.*
<i>Phyllotreta nemorum</i> (Chrysomelidae).	do	1					Do.*
Do	do	1					D. C.
<i>Phytobius quadrituberculatus</i> (Curculionidae).	do	1					Do.
Psyllid	<i>Euphorbia</i> sp.	1					Pa.
<i>Pyraustinae</i> (Pyralidae)	In packing around rose plants	1					D. C.
<i>Rhyparochromus chiragra</i> (Lygaeidae).	do	1					Do.
Scolytid	<i>Euphorbia</i> sp.	1					Pa.
<i>Strophosoma rufipes</i> (Curculionidae).	In packing around rose plants	1					D. C.
<i>Strophosoma</i> sp. (Curculionidae)	do	1					Do.
Tenebrionid	<i>Rosa</i> sp.	1					Calif.*
<i>Thamnurgus euphoriae</i> (Scolytidae).	<i>Euphorbia</i> sp.	1					Pa.
Diseases:							
<i>Septoria</i> sp.	do	1					Do.
<i>Stysanus</i> sp.	<i>Rosa</i> sp.	1					D. C.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	3					Do.
<b>DANZIG</b>							
Insects:							
<i>Sciara</i> sp. (Mycetophilidae)	<i>Apium graveolens</i> (celery)					1	La.
Diseases:							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>					1	Do.
<i>Aphelenchoides parietinus</i>	do					1	Do.
<b>DENMARK</b>							
Insects:							
<i>Anthonomus rectirostris</i> (Curculionidae).	<i>Prunus avium</i> (mazzard)		1				D. C.
<i>Ceutorhynchus</i> sp.	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Haplothrips aculeatus</i> (thrips)	<i>Allium porrum</i> (leek)					1	Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i>					1	Do.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Picea</i> sp. (spruce)		1				Mich.
Oecophorid	Hay used as packing		1				Minn.
Olethreutid	<i>Juglans</i> sp. (walnut)		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
<b>DENMARK—Continued</b>									
Insects—Continued.									
<i>Psila rosae</i> (carrot rust fly) -----	<i>Daucus carota</i> (carrot) -----					1	Pa.		
<i>Psylliodes chrysocephala</i> (Chrysomelidae). -----	<i>Brassica oleracea gemmifera</i> (brussels sprouts) -----					1	Do.		
Do -----	<i>Brassica rapa</i> (turnip) -----					2	Do.		
<i>Sciara</i> sp. (Mycetophilidae) -----	<i>Brassica campestris</i> (rutabaga) -----					1	Do.		
<i>Thrips tabaci pullus</i> (thrips) -----	<i>Allium porrum</i> (leek) -----					2	Do.		
<i>Urophorus humeralis</i> (Nitidulidae) -----	<i>Brassica rapa</i> -----					1	La.		
Diseases:									
<i>Alternaria brassicae</i> -----	<i>Brassica oleracea capitata</i> -----					3	Pa.		
<i>Anguillulina dipsaci</i> -----	<i>Solanum tuberosum</i> -----					2	Do.		
<i>Cercospora</i> sp. -----	<i>Hedera</i> sp. (ivy) -----	1					Wash.		
<i>Cladosporium fulvum</i> -----	<i>Lycopersicum esculentum</i> -----					1	Pa.		
<i>Puccinia</i> sp. -----	<i>Allium porrum</i> (leek) -----					1	Do.		
<i>Saccharomyctaceae</i> -----	<i>Solanum tuberosum</i> -----					1	La.		
<i>Sclerotinia sclerotiorum</i> -----	<i>Daucus carota</i> (carrot) -----					1	Pa.		
<i>Sclerotinia</i> sp. -----	<i>Brassica rapa</i> (turnip) -----					1	Do.		
Do -----	<i>Cucumis sativus</i> (cucumber) -----					1	Do.		
Do -----	<i>Daucus carota</i> (carrot) -----					1	Do.		
Do -----	<i>Solanum tuberosum</i> -----					1	Do.		
<b>DOMINICA</b>									
Insects:									
<i>Pseudaonidia articulatus</i> (rufous scale). -----	<i>Citrus aurantifolia</i> (lime) -----					1	Mass.		
Do -----	<i>Citrus sinensis</i> (orange) -----					1	Fla.*		
Do -----	do -----					1	Mass.		
<i>Pseudaonidia trilobitiformis</i> (Coccidae). -----	<i>Mangifera indica</i> (mango) -----					1	Do.		
<i>Targionia hartii</i> (Coccidae) -----	<i>Dioscorea</i> sp. (yam) -----					1	N. Y.		
Diseases:									
<i>Capnodium citricola</i> -----	<i>Citrus sinensis</i> -----					1	Mass.		
<i>Diplodia cacaoicola</i> -----	<i>Citrus limonia</i> (lemon) -----	2					Do.		
Oleocellosis -----	<i>Citrus sinensis</i> -----					1	Md.		
<b>DOMINICAN REPUBLIC</b>									
Insects:									
<i>Brenthus</i> sp. (Brentidae) -----	<i>Musa paradisiaca</i> (plantain) -----	1					P. R.		
<i>Corcyra cephalonica</i> (Pyralidae) -----	<i>Theobroma cacao</i> (cacao) -----	1					Calif.*		
<i>Diaphania</i> sp. (Pyralidae) -----	<i>Chayota edulis</i> (chayote) -----	1					N. Y.		
<i>Hemiclionaspis minor strachani</i> (Coccidae). -----	<i>Cucurbita pepo</i> (pumpkin) -----	1					Do.		
<i>Metamasius sericeus</i> (silky cane weevil). -----	<i>Musa</i> sp. (banana) -----	1					P. R.		
<i>Monanus concinnulus</i> (Cucujidae) -----	do -----	1					Do.		
<i>Pseudoparlatoria ostreata</i> (Coccidae) -----	<i>Oncidium henckenii</i> (orchid) -----		1				D. C.		
Diseases:									
<i>Cercospora</i> sp. -----	<i>Capsicum annuum</i> -----					1	Tex.		
<i>Colletotrichum nigrum</i> -----	do -----					1	Do.		
<i>Diplodia cacaoicola</i> -----	<i>Cocos nucifera</i> (coconut) -----			1			N. Y.		
<i>Gloeosporium</i> sp. -----	<i>Orchid</i> -----	1					D. C.		
<i>Melanconium sacchari</i> -----	<i>Saccharum officinarum</i> -----				1		Va.		
<i>Phoma destructiva</i> -----	<i>Capsicum annuum</i> -----					1	Tex.		
<b>DUTCH GUIANA</b>									
Insects:									
<i>Pseudaonidia articulatus</i> (rufous scale). -----	<i>Citrus grandis</i> (grapefruit) -----					1	Ala.		
Diseases:									
<i>Hemileia</i> sp. -----	<i>Oncidium</i> sp. (orchid) -----	1					D. C.		
<b>DUTCH WEST INDIES</b>									
Diseases:									
<i>Diplodia cacaoicola</i> -----	<i>Cocos nucifera</i> (coconut) -----					1	Md.		
<b>EAST AFRICA</b>									
Insects:									
<i>Brachypeplus rubidus</i> (Nitidulidae) -----	<i>Juglans nigra</i> (black walnut) -----	3					Do.		
<i>Crematogaster</i> sp. (ant) -----	do -----	1					Do.		
<i>Silvanus</i> sp. (Cucujidae) -----	do -----	1					Do.		
<i>Xyleborus affinus</i> (Scolytidae) -----	do -----	1					Do.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
<b>ECUADOR</b>									
<b>Insects:</b>									
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)						1 Wash.		
<i>Aspidiotus palmae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.		
<i>Camponotus</i> sp. (ant)	do	2					Calif.*		
<i>Cephaloleia</i> sp. (Chrysomelidae)	Banana debris	1					Ala.		
Do	<i>Musa</i> sp. (banana)	1					Calif.*		
<i>Ceramidia</i> sp. (Syntomidae)	do	1					Ala.		
Do	do	3					Calif.*		
<i>Cicadella</i> sp. (Cicadellidae)	do	1					Do.*		
<i>Crematogaster</i> sp. (ant)	<i>Ananas sativus</i>	1					Do.*		
Do	<i>Musa sapientum</i> (banana)	1					Wash.		
Do	<i>Musa</i> sp. (banana)	1					Calif.*		
<i>Dinocoris tripterus</i> (Pentatomidae)	do	1					Do.*		
<i>Lethocerus camposi</i> (Belostomatidae)	do	1					Wash.		
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	1					Do.		
Do	<i>Musa</i> sp. (banana)	2					Ala.		
Do	do	4					Calif.*		
Do	do	1					Wash.		
<i>Neoconocephalus</i> sp. (Tettigoniidae)	do	1					Calif.*		
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)				1		Ala.		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	2					Do.		
Do	do	1					Wash.		
Pyralid	do	1					Calif.*		
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)					1	N. Y.		
Do	<i>Persea</i> sp.					1	Wash.		
<i>Stephanodes guatemalensis</i> (Scolytidae).	<i>Musa</i> sp. (banana)	1					Ala.		
Tineid	do					1	Calif.*		
<b>EGYPT</b>									
<b>Insects:</b>									
<i>Curculionid</i>	<i>Brassica rapa</i> (turnip)					1	Pa.		
<i>Fiorinia theae</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Mass.		
Gelechiid	<i>Beta vulgaris</i> (beet)					1	Pa.		
<i>Lixus</i> sp. (Curculionidae)	do					1	Do.		
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Mass.		
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Pa.		
Do	<i>Citrus sinensis</i> (orange)					1	Mass.		
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)	1					Ill.		
Do	do	2	1				N. Y.		
<i>Prolabia arachidis</i> (earwig)	<i>Solanum tuberosum</i>					1	Mass.		
<i>Pyraustinae</i> (Pyralidae)	<i>Brassica rapa</i> (turnip)					1	Pa.		
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				2		Do.		
Do	<i>Solanum tuberosum</i>	do				1	N. Y.		
Do	<i>Zingiber officinale</i> (ginger)					1	Pa.		
<i>Sciara</i> sp. (Mycetophilidae)	<i>Solanum tuberosum</i>					1	Mass.		
<i>Tetranychus</i> sp. (mite)	<i>Allium porrum</i> (leek)					1	Pa.		
<b>Diseases:</b>									
Internal blackening	<i>Solanum tuberosum</i>					1	Do.		
Oil burning	<i>Citrus sinensis</i> (orange)					1	Pa.		
Oleocellosis	<i>Citrus aurantiifolia</i> (lime)					1	Do.		
Do	<i>Citrus limonia</i> (lemon)				3		Do.		
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Ga.		
<i>Sclerotinia</i> sp.	<i>Citrus aurantiifolia</i> (lime)					1	Mass.		
<i>Sclerotium</i> sp.	<i>Brassica rapa</i> (turnip)					1	Ala.		
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)					1	Pa.		
<i>Sphaceloma fawcettii?</i>	<i>Citrus aurantiifolia</i> (lime)					1	S. C.		
Do	<i>Citrus limonia</i>					1	Pa.		
<b>ENGLAND</b>									
<b>Insects:</b>									
<i>Acidia</i> sp. (Tryptidae)	<i>Apium graveolens</i> (celery)					2	Do.		
Agromyzid	<i>Brassica oleracea acephala</i> (kale)					1	Mass.		
Do	<i>Brassica oleracea capitata</i>					1	Pa.		
<i>Aspidiotus</i> sp. (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)				1		Mass.		
Do	<i>Stapelia grandiflora</i>				1		D. O.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ENGLAND—Continued</b>							
Insects—Continued.							
<i>Blastodacna</i> sp. (Cosmopterygidae)	<i>Malus sylvestris</i> (apple)	1					D. C.
<i>Brachyrhinus</i> sp. (Curculionidae)	Around living plants	1					Pa.
Cercopid	<i>Sidalcea</i> sp.	1					D. C.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	do					1	Mass.
Do	do					3	N. Y.
Do	do					2	Pa.
Do	do					1	Tex.
<i>Ceutorhynchus sulcicollis</i> (Curculionidae).	do					1	Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica campestris</i> (rutabaga)					1	Md.
Do	<i>Brassica oleracea capitata</i>					2	Pa.
Do	<i>Brassica rapa</i>					1	Ala.
Do	do					4	La.
Do	do					4	Md.
Do	do					5	Mass.
Do	do					8	N. Y.
Do	do					10	Pa.
Do	do					2	Tex.
Chloropid	<i>Daucus carota</i> (carrot)					1	La.
Cicadellid	<i>Polypodium vulgare</i> (polypody)	1					D. C.
<i>Coccus</i> sp. (Coccidae)	<i>Dendrobium phalaenopsis schroederianum</i>	2					Hawaii.*
<i>Curculio</i> sp. (Curculionidae)	<i>Corylus maxima</i> (cob nut)		1				D. C.
<i>Dialeurodes chittendeni</i> (rhododendron whitefly).	<i>Rhododendron loderi</i>	1					Wash.
Do	<i>Rhododendron</i> sp.	2					D. C.
<i>Dryocoetes villosus</i> (Scolytidae)	<i>Quercus</i> sp. (oak)	2					N. Y.
<i>Emphytus cinctus</i> (sawfly)	<i>Rosa chinensis manetti</i>	2					Conn.*
Do	do	1					Ill.*
<i>Endrosis lacteella</i> (Oecophoridae)	<i>Anemone fulgens</i> (flame anemone)		1				D. C.
<i>Euxesta</i> sp. (Ortalidae)	<i>Solanum tuberosum</i>					1	Tex.
<i>Frankliniella pallida</i> (thrips)	<i>Sempervivum</i> spp.		1				D. C.
<i>Frankliniella tenuicornis</i> (thrips)	<i>Hemerocallis forrestii</i>		1				Do.
Do	<i>Hemerocallis mulleri</i>		1				Do.
Geometrid	<i>Clematis orientalis</i>		1				Do.
Gracilariid	<i>Quercus ilex</i> (holly)	1					Do.
<i>Gryllodes sigillatus</i> (Gryllidae)	Packing material for orchids	1					Hawaii.
<i>Heliothis</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Histiostoma</i> sp. (mite)	<i>Brassica rapa</i> (turnip)					1	Do.
Do	<i>Malus sylvestris</i> (apple)		1				Mich.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					1	N. Y.
Do	do					2	Pa.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica campestris</i> (rutabaga)					1	Md.
<i>Illinoia</i> sp. (aphid)	<i>Calluna vulgaris</i> (heather)		1				Pa.
<i>Lecanium corni</i> (European fruit lecanium).	<i>Veronica bayliana</i>	1					D. C.
Do	<i>Veronica bidwillii</i>		1				Do.
<i>Lepidosaphes tuberculata</i> (Coccoidea)	<i>Cymbidium</i> sp. (orchid)	2					Do.
<i>Liothrips vaneeckei</i> (thrips)	<i>Lilium pyrenaicum</i>		1				Do.
Liparid	<i>Ilex</i> sp. (holly)		1				Pa.
<i>Macrosiphum lutea</i> (aphid)	Orchid	1					D. C.
<i>Merodon</i> sp. (Syrphidae)	<i>Narcissus</i> sp.		1				Pa.
Mordellid	<i>Pyrus communis</i> (pear)	1					Va.
Mycetophilid	<i>Helianthemum</i> sp. (sunrose)	1					Calif.*
Do	Moss packing	1					Do.*
Noctuid	<i>Allium porrum</i> (leek)					1	Mass.
Do	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	In box of <i>Althaea</i> cuttings		1				N. Y.
Notodontid	<i>Pyrus communis</i> (pear)	1					Va.
Oecophorid	<i>Quercus</i> sp. (oak)	1					N. Y.
Do	<i>Ulmus</i> sp. (elm)	2					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
Olethreutid							
Do	<i>Cytisus scoparius</i> (Scotch broom)		1				Pa.
<i>Parallelodiplosis cattleyae</i> (cattleya midge)	<i>Prunus incisa x sargentii</i>		1				D. C.
Do	<i>Cattleya mendeli</i> (orchid)	1					Hawaii.*
Do	<i>Cattleya triumphans</i> (orchid)	1					Do.*
Do	<i>Cattleya warscewiczii</i> (orchid)	1					Do.*
Do	<i>Laeliocattleya</i> sp. (orchid)	1					Do.*
<i>Parthenothrips dracaenae</i> (thrips)	<i>Sobralia colmanae</i> (orchid)	1					Do.*
<i>Pheidole</i> sp. (ant)	<i>Lactuca sativa</i> (lettuce)					1	Mass.
<i>Phorodon</i> sp. (aphid)	<i>Mentha</i> sp. (mint)					1	Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Pa.
Do	<i>Brassica oleracea capitata</i>					2	Do.
<i>Ponera</i> sp. (ant)	<i>Sobralia xantholeuca</i> (orchid)	1					Hawaii.*
<i>Pseudococcus gahani</i> (citophilus mealybug)	<i>Clematis</i> sp.		1				D. C.
<i>Pseudococcus</i> sp. (Coccidae)	Orchid		1				Do.
<i>Pseudopeltaria parlatorioides</i> (Coccidae)	<i>Cypripedium</i> sp. (orchid)	1					Do.
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Psila</i> sp. (Psilidae)	<i>Apium graveolens</i> (celery)					2	Do.
<i>Psylliodes chrysocephala</i> (Chrysomelidae)	<i>Brassica rapa</i> (turnip)					2	La.
Do	do					1	N. Y.
Do	do					1	Pa.
<i>Pulvinaria fiocciifera</i> (Coccidae)	<i>Dendrobium nobile virginale</i> (orchid)	1					D. C.
Do	<i>Odontonia olga</i> (orchid)		1				Do.
<i>Pulvinaria</i> sp. (Coccidae)	<i>Anguloa ruckeri</i> (rucker cradle-orchid)	1					Do.
Do	<i>Davidia involucrata</i>		1				Wash.
<i>Pyraustinae</i> (Pyralidae)	In box of <i>Althaea</i> cuttings		1				N. Y.
<i>Pyrophorinae</i> (Elateridae)	<i>Camellia reticulata</i>		1				Calif.*
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Pa.
Do	<i>Barbarea</i> sp.		1				Do.
Do	<i>Brassica rapa</i> (turnip)					1	Tex.
<i>Rhizophagus bipustulatus</i> (Rhizophagidae)	<i>Quercus</i> sp. (oak)		1				N. Y.
<i>Scatella</i> sp. (Ephydriidae)	<i>Brassica oleracea capitata</i>					1	Ala.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i>					1	Pa.
Do	<i>Daucus carota</i> (carrot)					1	Mass.
Do	do					1	Pa.
Do	<i>Solanum tuberosum</i>					2	N. Y.
<i>Scolopostethus</i> sp. (Lygaeidae)	Sphagnum moss around holly plant.	1					Do.
<i>Silvanus</i> sp. (Cucujidae)	<i>Robinia</i> sp. (locust)		1				La.
<i>Sitona lineata</i> (Curculionidae)	<i>Cytisus scoparius</i> (Scotch broom)		1				Pa.
Syrphid	<i>Brassica oleracea capitata</i>					1	Mass.
Do	do					1	Miss.
Do	do					3	Pa.
Do	<i>Mentha</i> sp. (mint)					1	Mass.
<i>Syrphus</i> sp. (Syrphidae)	<i>Brassica oleracea capitata</i>					2	Do.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		1				Pa.
<i>Thrips tabaci pullus</i> (thrips)	<i>Aster</i> sp.		1				D. C.
Do	<i>Brassica oleracea capitata</i>					1	Mass.
Do	<i>Hemerocallis forrestii</i>		1				D. C.
Do	<i>Hemerocallis mulleri</i>		1				Do.
<i>Tinea</i> sp. (Tineidae)	<i>Quercus</i> sp. (oak)		1				N. Y.
<i>Tipula</i> sp. (Tipulidae)	Among moss packing with aster plants.		1				D. C.
Do	In soil around roots of primrose plant.		1				Mich.
Tipulid	<i>Brassica oleracea capitata</i>					1	Ala.
Tortricid	<i>Rhododendron</i> sp.	1					D. C.
<i>Trialeurodes vaporariorum</i> (greenhouse whitefly)	<i>Chrysanthemum</i> sp.				1		Mass.
Do	<i>Fuchsia</i> sp.				1		Do.
<i>Typhlocyba</i> sp. (Cicadellidae)	<i>Mentha</i> sp. (mint)				1		Do.
<i>Xestobium</i> sp. (Anobiidae)	<i>Scilla</i> sp.				1		Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	do					1	Pa.
<i>Alternaria dianthi</i>	<i>Dianthus</i> sp		1				D. C.
<i>Anguillulina dipsaci</i>	<i>Allium cepa</i> (onion)					1	S. C.
Do	<i>Iris histrioides major</i>		1				D. C.
Do	<i>Narcissus</i> sp		2				Do.
Do	<i>Solanum tuberosum</i>					1	Mass.
<i>Aphelenchoides parietinus</i>	<i>Beta vulgaris</i> (beet)					1	Md.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
Do	<i>Daucus carota</i> (carrot)					1	Pa.
Do	<i>Helianthemum alpestre</i> (Alpine sunrose).	1					Calif.*
<i>Aphelenchus avenae</i>	<i>Allium cepa</i> (onion)					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	La.
Do	<i>Lulipa</i> sp		1				Mich.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					3	Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Md.
<i>Colletotrichum hedericola</i>	<i>Hedera aurea maculata</i>	1					D. C.
<i>Colletotrichum</i> sp	<i>Galanthus</i> sp	1					Do.
Do	<i>Lilium monodelphum</i>	1					Do.
<i>Didymellina iridis</i>	<i>Iris</i> sp	1					Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp			1			N. Y.
Erinose	<i>Sorbus</i> sp		1				Mich.
<i>Eurotium</i> sp	<i>Brassica rapa</i> (turnip)					1	Ala.
<i>Exobasidium vaccinii</i>	<i>Azalea indica</i> (Indica azalea)					1	N. Y.
<i>Fumago vagans</i>	<i>Laurus nobilis</i> (Grecian laurel)					1	Mass.
<i>Gloeosporium</i> sp	<i>Cymbidium</i> sp. (orchid)	1					D. C.
<i>Hysterographium</i> sp	<i>Viburnum tinus lucidum</i>	1					Do.
Internal blackening	<i>Solanum tuberosum</i>					1	Ga.
Do	do					1	La.
Do	do					1	Pa.
Do	do					1	Tex.
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)					1	Do.
<i>Leptosphaeria heterospora</i>	<i>Iris</i> sp	1					D. C.
<i>Oospora</i> sp	<i>Daucus carota</i> (carrot)					1	La.
<i>Pestalozzia</i> sp	<i>Camellia kelwingtonia</i>	1					N. Y.
Do	<i>Rhododendron radicans</i>	1					Wash.
Petrification	<i>Solanum tuberosum</i>					1	Pa.
<i>Phyllachora</i> sp	<i>Rosa</i> sp		1				Md.
<i>Phyllosticta</i> sp	<i>Arbutus unedo rubra</i>	1					D. C.
<i>Phytophthora</i> sp	<i>Daucus carota</i> (carrot)					1	Md.
<i>Plasmodiophora brassicae</i>	<i>Brassica rapa</i> (turnip)					1	Pa.
Do	do					2	Tex.
<i>Puccinia porri</i>	<i>Allium vineale</i>		1				Ill.
<i>Puccinia</i> sp	<i>Hordeum vulgare</i> (barley)					1	Md.
<i>Sclerotinia gladioli</i>	<i>Tritonia</i> sp		1				D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i>					2	Ala.
Do	do					1	Miss.
Do	do					7	Pa.
<i>Sclerotinia</i> sp	<i>Allium cepa</i> (onion)					1	Do.
Do	<i>Beta vulgaris</i> (beet)					1	Ala.
Do	do					1	La.
Do	do					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	Fla.*
Do	do					2	Pa.
Do	<i>Cynara scolymus</i> (globe artichoke).					1	Mass.
Do	<i>Daucus carota</i> (carrot)					1	Ala.
Do	do					1	Md.
Do	do					1	Miss.
Do	do					1	Pa.
Do	<i>Solanum tuberosum</i>					1	Ala.
<i>Sclerotium</i> sp	<i>Brassica rapa</i>					1	Do.
Do	<i>Daucus carota</i>					1	Pa.
<i>Selenophoma</i> n. sp	<i>Dendrobium ashworthiae</i>	1					D. C.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					6	Pa.
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp					1	D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
<i>Septoria</i> sp.	<i>Primula acaulis</i> (English primrose).		1				Pa.
<i>Sphaeropsis</i> sp.	<i>Viburnum tinus lucidum</i>	1					D. C.
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp.	1					Do.
<i>Vermicularia liliacearum</i>	<i>Hemerocallis</i> sp. (day lily)		1				Do.
<i>Verticillium</i> sp.	<i>Allium cepa</i> (onion)				1		La.
Do	<i>Beta vulgaris</i> (beet)				1		Md.
Do	<i>Brassica rapa</i> (turnip)				1		S. C.
Do	<i>Solanum tuberosum</i>				2		Tex.
FIJI ISLANDS							
Insects:							
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Phytelephas macrocarpa</i> (ivory-nut palm).			1			Hawaii.*
FRANCE							
Insects:							
<i>Ahasverus</i> sp. (Cucujidae)	<i>Zea mays</i> (corn).		1				Calif.*
<i>Aleyrodes brassicae</i> (whitefly)	<i>Brassica oleracea capitata</i>				2		Pa.
<i>Aleyrodes spiraeoides</i> (whitefly)	do				1		Do.
<i>Anthomyiid</i>	<i>Rosa chinensis manetti</i>	1					N. Y.
<i>Arctiid</i>	<i>Ulmus</i> sp. (elm)	1					Do.
<i>Athetis selini</i> (Noctuidae)	do	1					Do.
<i>Baris</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)				1		Do.
<i>Blastodacna</i> sp. (Cosmopterygidae)	<i>Malus sylvestris</i> (apple)			2			Do.
<i>Brachyrhinus rugosostriatus</i> (Curculionidae).	<i>Ulmus</i> sp. (elm)	1					Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Desmodium elegans</i>		1				D. C.
Do	<i>Desmodium pulchellum</i>		1				Do.
Do	<i>Laburnum alpinum</i>		1				Do.
Do	<i>Trifolium alexandrinum</i>		1				Do.
<i>Bruchus</i> sp. (Bruchidae)	<i>Cicer arietinum</i> (chickpea)	1					La.
<i>Cemistoma</i> sp. (Lyonetiidae)	<i>Genista</i> sp.		1				D. C.
<i>Ceratitis</i> sp. (Tryptidae)	<i>Amygdalus persica</i> (peach)				1		N. Y.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica campestris</i> (rutabaga)				1		Md.
Do	<i>Brassica oleracea capitata</i>				1		Ala.
Do	do				1		Pa.
Do	<i>Brassica rapa</i> (turnip)				1		N. Y.
Do	do				4		Pa.
Do	do				1		Tex.
<i>Chermid</i>	<i>Brassica oleracea capitata</i>				1		Pa.
<i>Cixius</i> sp. (Fulgoridae)	do				1		Tex.
<i>Coccotrypes dactyliperda</i> (Scolytidae)	<i>Phoenix tenuis</i>		1				D. C.
<i>Coccotrypes thrinacis</i> (Scolytidae)	<i>Thrinax altissima</i>		1				Do.
<i>Colydiid</i>	<i>Ulmus</i> sp. (elm)	1					Md.
Do	do	7					N. Y.
Do	do	2					Va.
<i>Colydiini</i> (Colydiidae)	do	1					Do.
<i>Cryptocephalus</i> sp. (Chrysomelidae)	do	1					Md.
<i>Ctesias serra</i> (Dermestidae)	do	2					Do.
Do	do	1					N. Y.
Do	do	1					Va.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	1					Calif.*
Do	do		1				Mass.
<i>Emphytus cinctus</i> (sawfly)	<i>Rosa chinensis manetti</i>	1					Conn.*
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Amygdalus persica</i> (peach)		1				D. C.
<i>Eumerus</i> sp. (Syrphidae)	<i>Lilium candidum</i> (Madonna lily).	1					N. Y.
<i>Forficula auricularia</i> (European earwig).	<i>Ulmus</i> sp. (elm)	1					La.
Do	do	1					N. Y.
<i>Forficula auricularia forcipata</i> (earwig).	<i>Lilium</i> sp.	1					Do.
Do	<i>Ulmus</i> sp. (elm)	1					Do.
<i>Geometrid</i>	do	1					Do.
<i>Grapholita</i> sp. (Olethreutidae)	<i>Amygdalus persica</i> (peach)		1				Do.
<i>Histostoma</i> sp. (mite)	<i>Howea belmoreana</i>		1				Hawaii.*
Do	<i>Lilium candidum</i> (Madonna lily).	1					N. Y.
Do	<i>Solanum tuberosum</i>				1		Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>FRANCE—Continued</b>							
Insects—Continued.							
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Castanea</i> sp. (chestnut)	1					Calif.*
<i>Magdalalis armigera</i> (Curculionidae)	<i>Ulmus</i> sp. (elm)	2					Va.
<i>Magdalalis</i> sp. (Curculionidae)	do	1					Md.
<i>Melanotus</i> sp. (Elateridae)	<i>Lilium</i> sp.	1					N. Y.
<i>Mononychus ireos</i> (Curculionidae)	<i>Iris</i> sp.		1				D. C.
Noctuid	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Olethreutid	<i>Stachys sieboldii</i>		1				D. C.
Do	<i>Ulmus</i> sp. (elm)	1					Md.
Do	do	1					Va.
<i>Parthenothrips dracaenae</i> (thrips)	<i>Laeliocattleya britannia alba</i> (orchid).	1					D. C.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Ilex</i> sp. (holly)		1				Pa.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	do					3	Pa.
Do	do					1	Tex.
<i>Pioneeria</i> sp. (Pyralidae)	do					1	Ala.
<i>Polyergus rufescens</i> (ant)	do					1	Tex.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Hoya lasiantha</i>		1				D. C.
<i>Pteleophius kraatzi</i> (Scolytidae)	<i>Ulmus</i> sp. (elm)	1					Md.
Pyralinae (Pyralidae)	<i>Syringa</i> sp.	1					D. C.
<i>Pyralis</i> sp. (Pyralidae)	<i>Lilium</i> sp.	1					N. Y.
Pyraustinae (Pyralidae)	<i>Ulmus</i> sp. (elm)	1					Do.
<i>Saperda</i> sp. (Cerambycidae)	do	2					Do.
<i>Sciara</i> sp. (Mycetophilidae)	Straw used as packing	1					Pa.
Scolytid	<i>Ulmus</i> sp. (elm)	1					Va.
<i>Scolytus multistriatus</i> (Scolytidae)	do	3					Md.
Do	do	6					N. Y.
Do	do	1				1	Va.
<i>Scolytus scolytus</i> (Scolytidae)	do		1				La.
Do	do		9				Md.
Do	do		13				N. Y.
Do	do		8				Va.
<i>Scolytus</i> sp. (Scolytidae)	do		3				N. Y.
Do	do		2				Va.
<i>Silvanini</i> (Cucujidae)	do		1				N. Y.
Syrphid	<i>Brassica oleracea capitata</i>					1	Do.
<i>Tarsonemus</i> sp. (mite)	<i>Ulmus</i> sp. (elm)	1					Do.
<i>Thrips tabaci atricornis</i> (thrips)	<i>Helianthus tuberosus</i> (Jerusalem artichoke).					1	Mass.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Tinea</i> sp. (Tineidae)	<i>Lilium</i> sp.	1					N. Y.
Tine'd	<i>Allium porrum</i>					1	Ala.
Do	<i>Pyrus communis</i> (pear)	1					Va.
Tortricid	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Tribolium</i> sp. (Tenebrionidae)	<i>Pistacia vera</i> (pistache)		1				D. C.
<i>Triozia</i> sp. (Chermidae)	<i>Brassica oleracea capitata</i>					1	Pa.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Md.
Do	do					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Anguillulina dipsaci</i>	<i>Allium sativum</i> (garlic)					1	La.
Do	<i>Hyacinthus</i> sp.	1					N. Y.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Aphelenchoides parietinus</i>	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Beta vulgaris</i> (beet)					1	Pa.
<i>Bacterium campestre</i>	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Do.
<i>Botrytis cinerea</i>	do					1	Do.
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Ceratostomella ulmi</i>	<i>Ulmus</i> sp. (elm)	1					La.
Do	do	2					Md.
Do	do	1					N. Y.
Do	do	3				1	Va.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Diseases—Continued.							
<i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple)			1			N. Y.
Do	do						Tex.
Internal brown streak	<i>Solanum tuberosum</i>						Do.
<i>Monochaetia</i> sp.	<i>Paeonia</i> sp. (peony)		1				D. C.
Do	<i>Vitis</i> sp.		1				Do.
<i>Mycospharella pinodes</i>	<i>Pisum sativum</i> (pea)		1				Do.
<i>Oidium</i> sp.	<i>Syringa</i> sp. (lilac)		1				N. Y.
<i>Pestalozzia quepini</i>	<i>Camellia</i> sp.	2					D. C.
<i>Pestalozzia</i> sp.	<i>Paeonia</i> sp. (peony)	1					Do.
<i>Pezizella lythri</i>	<i>Loropetalum chinensis</i>	1					Do.
Do	<i>Paeonia</i> sp. (peony)		1				Do.
<i>Phoma pterophila</i>	<i>Fraxinus excelsior pendulata</i>		1				Do.
<i>Phoma</i> sp.	<i>Beta vulgaris</i> (beet)					1	La.
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i> (apple)					1	Fla.*
<i>Phytophthora</i> sp.	<i>Brassica rapa</i> (turnip)					1	La.
<i>Plasmodiophora brassicae</i>	do					1	Pa.
Russetting	<i>Solanum tuberosum</i>					1	N. Y.
<i>Sclerotinia cepivorum</i>	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Do.
Do	do					1	Ga.
Do	do					1	La.
Do	do					1	Pa.
Do	do					1	Tex.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)					1	La.
Do	<i>Brassica rapa</i> (turnip)					1	Pa.
Do	<i>Cynara scolymus</i> (globe artichoke)					2	Do.
<i>Sclerotium</i> sp.	<i>Phaseolus</i> sp. (string bean)					1	Mass.
<i>Septoria citri</i>	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Septoria</i> sp.	<i>Euonymus obovatus</i> (running euonymus)				1		Wash.
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)					1	N. Y.
Do	do					1	Pa.
FRENCH INDO-CHINA							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Calif.*
GERMANY							
Insects:							
Anthomyiid	<i>Solanum tuberosum</i> (potato)					1	Fla.*
<i>Aspidiotus abietis</i> (Coccidae)	<i>Abies</i> sp. (fir)		1				Pa.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Malus sylvestris</i> (apple)		1				Md.
<i>Brachyrhinus sulcatus</i> (black vine weevil).	In box containing ivy plants and soil.		1				Pa.
<i>Brachyrhinus</i> sp. (Curculionidae)	<i>Poinsettia pulcherrima</i> (poinsettia).		1				Calif.*
<i>Bruchidius villosus</i> (Bruchidae)	<i>Cytisus capitatus</i>		1				D. C.
Cecidomyiid	In gall on willow twig used as packing for lily-of-the-valley pips.	1					Calif.*
Do	<i>Inula</i> sp.		1				Pa.
Do	<i>Picea</i> sp. (spruce)		1				Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
Do	do					1	Tex.
<i>Chionaspis salicis</i> (Coccidae)	<i>Fraxinus monophylla</i>	1					D. C.
<i>Coccus</i> sp. (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)			1			N. Y.
Do	<i>Polygala chamaebuxus</i>	1					D. C.
<i>Corymbites aeneus</i> (Elateridae)	<i>Solanum tuberosum</i>					1	N. Y.
Crambinae (Pyralidae)	Willow twig used as packing for lily-of-the-valley pips.	1					Calif.
<i>Crambus</i> sp. (Pyralidae)	<i>Brassica oleracea capitata</i>					1	Mass.
<i>Cryptocephalus</i> sp. (Chrysomelidae)	<i>Castanea</i> sp. (chestnut)		1				Ill.
<i>Diaspis echinocacti cacti</i> (Coccidae)	<i>Epiphyllum</i> sp.		1				D. C.
<i>Dioryctria</i> sp. (Pyralidae)	<i>Pinus sylvestris</i> (Scotch pine)			1			N. Y.
<i>Emporia</i> sp. (Pyralidae)	<i>Cassia fistula</i> (golden-shower)		1				Pa.
<i>Eriococcus</i> sp. (Coccidae)	<i>Cereus chosicensis</i> (cactus)		1				Calif.*
Do	<i>Cereus decumbens</i> (cactus)		1				Do.*
Do	<i>Cereus sextonianus</i> (cactus)		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
<i>Ernobius abietus</i> (Anobiidae)	<i>Picea excelsa</i> (Norway spruce)	2					Md.
Do	<i>Picea</i> sp. (spruce)	1					Mich.
<i>Euxesta</i> sp. (Ortalidae)	<i>Solanum tuberosum</i>					1	La.
<i>Frankliniella intonsa</i> (thrips)	<i>Picea</i> sp. (spruce)	1					Pa.
<i>Histiostoma</i> sp. (mite)	<i>Solanum tuberosum</i>					1	Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)	1					N. Y.
<i>Laspeyresia strobilella</i> (Olethreutidae).	In box of apples	1					Md.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Picea abies</i>		1				Do.
Do	<i>Picea</i> sp. (spruce)		1				Pa.
<i>Lecanium</i> sp. (Coccidae)	<i>Aesculus chinensis</i>		1				D. C.
<i>Lepidosaphes</i> sp. (Coccidae)	do		1				Do.
<i>Macrosiphum kaltenbachii</i> (aphid)	<i>Lactuca sativa</i> (lettuce)					1	Mass.
Noctuid	<i>Brassica oleracea capitata</i>					1	Do.
Olethreutid	Willow twig used as packing for lily-of-the-valley pips.	1					Calif.*
<i>Oligotrophus annulipes</i> (Cecidomyiidae).	<i>Fagus</i> sp. (beech)			1			N. Y.
Ortalid	<i>Solanum tuberosum</i>					1	Tex.
<i>Phycitinae</i> (Pyralidae)	<i>Anthemis nobilis</i>		1				Pa.
Do	<i>Berula erecta</i>	1					N. Y.
Do	<i>Inula</i> sp.		1				Pa.
<i>Physokermes piceae</i> (Coccidae)	<i>Abies</i> sp. (fir)		1				Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Ala.
<i>Pseudaonidia</i> sp. (Coccidae)	<i>Euphorbia</i> sp.		1				Calif.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Brunfelsia</i> sp.	1					N. Y.
Do	<i>Epiphyllum phyllantoides</i> <i>grandiflorum</i> (cactus).		1				D. C.
<i>Psila</i> sp. (Psilidae)	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Ptinus sexpunctatus</i> (Ptinidae)	In bag with poplar seed	1					D. C.
<i>Rhabdophaga</i> sp. (Cecidomyiidae)	<i>Salix discolor</i> (pussy willow)					1	Mass.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Ala.
Do	do					1	Pa.
Do	<i>Solanum tuberosum</i>	1					Mich.
Do	do					1	Wash.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i>					1	La.
Do	<i>Hyacinthus</i> sp.			1			N. Y.
Syrphid	<i>Picea excelsa</i> (Norway spruce)		1				Pa.
<i>Taeniothrips ericae</i> (thrips)	Wreath of heather and statice		1				Do.
<i>Taeniothrips firmus</i> (thrips)	<i>Picea</i> sp. (spruce)		1				Do.
<i>Tersonemus</i> sp. (mite)	<i>Malus sylvestris</i> (apple)		1				Mass.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Tinea</i> sp. (Tineidae)	<i>Lapageria rosea</i> (red Chile-bells).		1				D. C.
Tortricid	<i>Prunus domestica</i> (plum)		1				Do.
<i>Trionymus</i> sp. (Coccidae)	<i>Echinocactus chrysacanthus</i> (cactus).	1					Calif.*
Do	<i>Rebutia</i> sp. (cactus)		1				Do.*
Tyroglyphid (mite)	<i>Poinsettia pulcherrima</i> (poinsettia).		1				Do.*
Diseases:							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>					5	Ala.
Do	do					2	Ga.
Do	do					3	La.
Do	do					1	Mass.
Do	do					1	N. Y.
Do	do					6	Pa.
Do	do					1	S. C.
Do	do					6	Tex.
Do	do					1	Va.
<i>Anguillulina pratensis</i>	<i>Convallaria majalis</i> (lily-of-the-valley).	2					N. Y.
<i>Aphelenchoides parietinus</i>	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Beta vulgaris</i> (beet)					1	Pa.
Do	<i>Convallaria majalis</i> (lily-of-the-valley).	2					N. Y.
Do	<i>Solanum tuberosum</i>					1	Ga.
Do	do					2	Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
GERMANY—Continued									
<b>Diseases—Continued.</b>									
<i>Aphelenchoides parietinus</i>	<i>Solanum tuberosum</i>					1	Pa.		
Do	do					1	Tex.		
<i>Aphelenchus avenae</i>	<i>Convallaria majalis</i> (lily-of-the-valley)	1					N. Y.		
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Md.		
<i>Bacterium</i> sp.	<i>Allium cepa</i> (onion)					1	Fla.*		
<i>Colletotrichum lagenarium</i>	<i>Cucumis sativus</i> (cucumber)					1	Pa.		
<i>Cumminsella sanguinea</i>	<i>Mahonia</i> sp.		1				D. C.		
<i>Cystospora</i> sp.	<i>Salix</i> sp.	1					Wash.		
<i>Diaporthe umbrina</i>	<i>Rosa</i> sp.	1					D. C.		
<i>Diplocarpon rosae</i>	do			1			N. Y.		
Do	do		2				Pa.		
<i>Helminthosporium</i> sp.	<i>Solanum tuberosum</i>					1	Md.		
<i>Hexameris</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.		
Hollow heart	<i>Solanum tuberosum</i>					1	Ala.		
<i>Leptosphaeria</i> sp.	<i>Secale cereale</i> (rye)					1	Wash.		
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)					1	Pa.		
<i>Metasphaeria</i> sp.	<i>Rosa</i> sp.	1					D. C.		
<i>Monochaetia</i> sp.	do	1					Do.		
<i>Nectria</i> sp.	<i>Brassica rapa</i> (turnip)					1	Miss.		
Petrification	<i>Solanum tuberosum</i>					1	Tex.		
<i>Phoma</i> sp.	<i>Picea abies</i> (Norway spruce)	1					Md.		
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i>		1				Do.		
<i>Phytophthora</i> sp.	<i>Daucus carota</i> (carrot)					1	Ala.		
<i>Puccinia arenariae</i>	<i>Dianthus barbatus</i>			1			N. Y.		
<i>Puccinia graminis</i>	<i>Phragmites communis</i>	1					D. C.		
Do	<i>Secale cereale</i> (rye)					1	Wash.		
<i>Puccinia phragmitis</i>	<i>Phragmites communis</i>	1					N. Y.		
<i>Ramularia</i> sp.	<i>Begonia</i> sp.	1					D. C.		
<i>Sclerotinia sclerotiorum</i>	<i>Apium graveolens</i> (celery)					1	Pa.		
Do	<i>Daucus carota</i> (carrot)					1	Ala.		
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)					1	Pa.		
Do	<i>Brassica rapa</i> (turnip)					1	Ala.		
Do	<i>Radicula armoracia</i> (horse-radish)					1	Fla.*		
Do	<i>Solanum tuberosum</i>	1					Tex.		
<i>Sclerotium</i> sp.	<i>Citrus limonia</i> (lemon)					1	Pa.		
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Do.		
<i>Urocystis cepulae</i>	<i>Allium cepa</i> (onion)					1	Ga.		
<i>Uromyces pisi</i>	<i>Lathyrus</i> sp. (sweet pea)	1					N. Y.		
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)	1					Md.		
Do	do	2					Mich.		
<i>Verticillium albo-atrum</i>	<i>Dahtia</i> sp.	1					D. C.		
GIBRALTAR									
<b>Insects:</b>									
<i>Rhizoglyphus</i> sp. (mite)	<i>Lactuca sativa</i> (lettuce)					1	Mass.		
Syrphid	<i>Brassica oleracea capitata</i>					1	Do.		
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.		
<b>Diseases:</b>									
<i>Cerospora apii</i>	<i>Apium graveolens</i> (celery)					1	Pa.		
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>					1	Do.		
GRAND CAYMAN									
<b>Insects:</b>									
<i>Lepidosaphes alba</i> (Coccidae)	<i>Manihot esculenta</i> (cassava)	1					D. C.		
GREAT BRITAIN									
<b>Insects:</b>									
<i>Pseudococcus</i> sp. (Coccidae)	<i>Epiphyllum</i> sp.		1				D. C.		
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		3				Pa.		
<i>Thrips flavus</i> (thrips)	<i>Chrysanthemum, aster, oxeye</i> daisy cuttings.		1				Do.		
<i>Thrips tabaci atricornis</i> (thrips)	do					1	Do.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection.]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>GREECE</b>							
Insects:							
<i>Bruchidius biguttatus</i> (Bruchidae)	<i>Cistus villosus</i>	1					Pa.
<i>Bruchus tristiculus</i> (Bruchidae)	Legume seed	1					D. C.
Curculionid	<i>Cistus villosus</i>	1					Pa.
Cynipid	<i>Sideritis euboaea</i>	1					N. Y.
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)		2				Md.
<i>Myelois</i> sp. (Pyralidae)	<i>Ceratonia siliqua</i> (St. Johns-bread).	3					N. Y.
Do	<i>Juglans regia</i> (English walnut)	1					Tex.
Do	<i>Robinia</i> sp. (locust)	1					Va.
Phycitinae (Pyralidae)	<i>Malus sylvestris</i> (apple)		1				N. Y.
Diseases:							
<i>Phoma</i> sp.?	Unknown stem	1					Pa.
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)		3				Md.
Do	do		1				N. Y.
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)	1					Do.
<i>Septoria citri</i>	<i>Citrus sinensis</i> (orange)		1				Do.
<b>GUADELOUPE</b>							
Insects:							
<i>Calendrinae</i> (Curculionidae)	<i>Musa</i> sp. (banana)		1				P. R.
<i>Pheidole</i> sp. (ant)	do		1				Do.
<b>GUAM</b>							
Insects:							
<i>Ahasverus</i> sp. (Cucujidae)	<i>Areca catechu</i> (betel palm)	1					Calif.*
<i>Labia</i> sp. (earwig)	Tree seed	1					Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Areca catechu</i>	1					Do.*
<i>Phloeophthorus</i> sp. (Scolytidae)	<i>Hibiscus</i> sp.	1					Do.*
<i>Sciara</i> sp. (Mycetophilidae)	do	1					Do.*
<b>GUATEMALA</b>							
Insects:							
<i>Adraneothrips alternatus</i> (thrips)	Banana debris	1					Pa.
<i>Agallia lingula</i> (Cicadellidae)	do	1					Do.
<i>Agallia</i> sp. (Cicadellidae)	do	1					Do.
<i>Anaedus</i> sp. (Tenebrionidae)	do	2					Md.
Do	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Anasa andresi</i> (Coreidae)	Banana debris	1					Do.
<i>Anastrepha</i> sp. (Trypetidae)	<i>Achras sapota</i> (sapodilla)	1		1	1		La.
Do	<i>Lucuma mammosa</i> (sapote)		1				N. Y.
<i>Anechura varia</i> (earwig)	Banana debris	1					Md.
<i>Apion</i> sp. (Curculionidae)	do	1					Pa.
<i>Aspidiotus palmae</i> (Coccidae)	do	1					Do.
<i>Berginus nigricolor</i> (Lyctidae)	do	1					Do.
<i>Blastobasis</i> sp. (Blastobasidae)	do	1					Do.
<i>Camponotus angulatus</i> (ant)	do	1					Md.
Do	de	7					Pa.
Do	do	4					S. C.
Do	<i>Musa</i> sp. (banana)	1					Md.
Do	do		1				Pa.
Do	do	8					S. C.
Camponotus angulatus var. (ant)	do	1					Do.
<i>Camponotus abdominalis</i> var. (ant)	Banana debris	1					Do.
<i>Camponotus</i> sp.	do	5					Md.
Do	do	28					Pa.
Do	do	17					S. C.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
Do	do	1					La.
Do	do	2					Md.
Do	do	11					S. C.
Do	<i>Tabebuia</i> sp.	1					La.
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	1					Md.
Do	do	2					S. C.
Do	<i>Musa</i> sp. (banana)	2					Do.
Do	do	1					Md.
<i>Carneocephala sagittifera</i> (Cicadellidae).	Banana debris	1					Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>GUATEMALA—Continued</b>							
Insects—Continued.							
<i>Catolethrus longulus</i> (Curculionidae)	Banana debris	2					Md.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	do	1					S. C.
<i>Catorama</i> sp. (Anobiidae)	<i>Cyclocarpa</i> sp.		1				D. C.
<i>Cautophilus</i> sp. (Curculionidae)	Banana debris	1					Pa.
<i>Ceramidia musicola</i> (Syntomidae)	do	3					Do.
Do	do	1					S. C.
<i>Ceramidia</i> sp. (Syntomidae)	do	1					Md.
Do	do	1					Pa.
<i>Chelymorpha pubescens</i> (Chrysomelidae).	do	1					Do.
Chloropid	do	1					Do.
<i>Ciocizius dorsivittatus</i> (Fulgoridae)	do	1					Do.
<i>Colopterus latus</i> (Nitidulidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Colopterus posticus</i> (Nitidulidae)	Banana debris	1					Pa.
<i>Colopterus</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					Do.
Coreid	Banana debris	1					Do.
<i>Crematogaster brevispinosa</i> var. (ant)	do	1					Do.
<i>Crematogaster parabiotica</i> (ant)	do	2					Do.
<i>Crematogaster</i> sp. (ant)	do	7					Do.
Do	<i>Musa</i> sp. (banana)	1					S. C.
Do	do	2					Md.
Do	Banana debris	1					S. C.
<i>Cryptothrips</i> sp. (thrips)	<i>Guaiacum officinale</i> (lignum-vitae)	2					Pa.
Cucujid							Calif.*
<i>Cycloptilum antillarum</i> (Gryllidae)	Banana debris	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Cylloepus barberi</i> (Dryopidae)	Banana debris	1					Pa.
<i>Delphacodes</i> sp. (Delphacidae)	do	1					Do.
<i>Diabrotica</i> sp. (Chrysomelidae)	do	1					Do.
<i>Diaspis echinocacti cacti</i> (Coccidae)	Cactus		2				Md.
<i>Diatraea saccharalis</i> (sugarcane borer).	Banana debris	1					Pa.
<i>Disonycha</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Dolichoderus bispinosus</i> (ant)	Banana debris	3					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Dolichoderus debilis</i> (ant)	Banana debris	3					Pa.
<i>Dolichoderus</i> sp. (ant)	do	3					Do.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Doliema plana</i> (Tenebrionidae)	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
<i>Edessa</i> sp. (Pentatomidae)	Banana debris	1					Md.
Elaterid	<i>Guaiacum officinale</i>	1					Calif.*
<i>Empoasca</i> sp. (Cicadellidae)	Banana debris	2					Pa.
Eneopterinae (Gryllidae)	do	1					Do.
<i>Epilachna virgata</i> (Coccinellidae)	do	1					Do.
<i>Estola</i> sp. (Cerambycidae)	do	1					Do.
<i>Euryophthalmus longulus</i> (Pyrrhocoridae).	do	1					Do.
<i>Formica</i> sp. (ant)	<i>Guaiacum officinale</i>	1					Calif.*
<i>Geranomyia</i> sp. (Tipulidae)	Banana debris	1					Pa.
<i>Gypona</i> sp. (Cicadellidae)	do	1					Do.
<i>Haplothrips</i> sp. (thrips)	do	1					Do.
<i>Hypnoidus quadriplagiatus</i> (Elateridae).	do	1					Do.
<i>Hypothenemus</i> sp. (Scolytidae)	do	2					Do.
<i>Iridomyrmex</i> sp. (ant)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	2					S. C.
<i>Kalotermes</i> sp. (termite)	Banana debris	1					Pa.
Lamiinae (Cerambycidae)	<i>Musa</i> sp. (banana)		1				Do.
<i>Leucoptera coffeeella</i> (coffee leaf miner).	<i>Coffea</i> sp.	1					Do.
<i>Lorelus trapeziderus</i> (Tenebrionidae).	Banana debris	1					Md.
Do	do	1					N. Y.
Do	do	9					Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>GUATEMALA—Continued</b>							
Insects—Continued.							
<i>Lorelus trapeziderus</i> (Tenebrionidae)	Banana debris	5					S. C.
Do	<i>Musa</i> sp. (banana)	6					Md.
Do	do	13					S. C.
<i>Lorelus</i> sp. (Tenebrionidae)	Banana debris	1					Md.
Do	do	5					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Md.
Do	do	1					Pa.
Do	do	3					S. C.
<i>Lycaenid</i>	Banana debris	1					Pa.
<i>Marmara</i> sp. (Gracilariidae)	do	1					Do.
<i>Mecistorhinus sepulcralis</i> (Pentatomidae).	do	1					Do.
<i>Metamasius sericeus</i> (silky cane weevil).	do	3					Do.
Do	do	3					S. C.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
Do	do	1					S. C.
<i>Metamasius sericeus carbonarius</i> (Curculionidae).	Banana debris	1					Md.
<i>Metriona erratica</i> (Chrysomelidae)	do	1					Do.
Mirid	do	1					Pa.
<i>Monanthia monotropidia</i> (Tingidae).	do	5					Do.
<i>Monanus concinnulus</i> (Cucujidae)	do	8					Do.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Monomorium</i> sp. (ant)	Banana debris	3					Pa.
<i>Mormidea</i> sp. (Pentatomidae)	do	1					Md.
<i>Myochrous melancholicus</i> (Chrysomelidae).	<i>Musa</i> sp. (banana)	1					S. C.
<i>Neocattarus gracilis</i> (Lygaeidae)	Banana debris	1					Pa.
<i>Neoponera unidentata</i> (ant)	do	3					S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Neoponera</i> sp. (ant)	Banana debris	9					Pa.
Do	do	2					S. C.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	do	5					S. C.
<i>Neuroctenus litigiosus</i> (Aradidae)	<i>Guaiacum officinale</i> (lignum-vitae).	1					Calif.*
<i>Opogona</i> sp. (Tineidae)	Banana debris	1					Pa.
<i>Ozophora</i> sp. (Lygaeidae)	do	1					Do.
<i>Pachycondyla</i> sp. (ant)	do	1					S. C.
<i>Paratenetus</i> sp. (Tenebrionidae)	do	1					Md.
Do	do	11					Pa.
Do	<i>Musa</i> sp. (banana)	1					Md.
<i>Parmenonta valida</i> (Cerambycidae)	Banana debris	1					Pa.
Pentatomid	do	1					Do.
<i>Phalangopsinae</i> (Gryllidae)	do	1					Do.
<i>Phaneropterinae</i> (Tettigoniidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Pheidole anastasii</i> (ant)	Banana debris	8					Pa.
<i>Pheidole flavens</i> var. (ant)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Pheidole</i> sp. (ant)	Banana debris	3					Md.
Do	do	8					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
Do	do	1					S. C.
Do	Palm	14				1	Pa.
<i>Phloeothrips</i> sp. (thrips)	Banana debris	1					Do.
<i>Phycitinae</i> (Pyralidae)	<i>Paullinia</i> sp.		1				D. C.
<i>Prenolepis</i> sp. (ant)	Banana debris	1					Md.
Do	do	5					Pa.
Do	<i>Musa</i> sp. (banana)	4					S. C.
<i>Psalis americana</i> (earwig)	Banana debris	1					Pa.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Cocos nucifera</i> (coconut)				2	1	Calif.*
Do	<i>Coffea</i> sp.					1	Do.*
Do	<i>Musa</i> sp. (banana)	1					Md.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>GUATEMALA—Continued</b>							
Insects—Continued.							
<i>Pseudococcus</i> sp. (Coccidae)	Banana debris	1					Pa.
<i>Pseudomyrma flavidula</i> (ant)	Twig	1					La.
<i>Pseudomyrma gracilis mexicana</i> (ant)	Banana debris	1					Pa.
Psychid	do	1					La.
Do	do	1					Md.
Do	do	16					Pa.
Do	do	5					S. C.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	2					Md.
Do	do				1		Pa.
Do	do	3					S. C.
Pyralid	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Pyroderces</i> sp. (Cosmopterygidae)	Banana debris	1					Pa.
<i>Pyrophorus</i> sp. (Elateridae)	Orchid		1				D. C.
<i>Rhinanisus</i> sp. (Curculionidae)	<i>Musa</i> sp. (banana)			1			Pa.
<i>Schizoptera</i> sp. (Schizopteridae)	Banana debris	1					Do.
<i>Sciara</i> sp. (Mycetophilidae)	do	2					Md.
<i>Silvanus vulgaris</i> (Cucujidae)	do	3					Pa.
<i>Silvanus</i> sp. (Cucujidae)	do	2					Do.
Do	<i>Guaiacum officinale</i> (lignumvitae)	2					Calif.*
<i>Solenopsis</i> sp. (ant)	Banana debris	3					Pa.
Do	<i>Musa</i> sp. (banana)	2					S. C.
Do	Palm				1		Pa.
Do	<i>Saccharum officinarum</i> (sugarcane)	1					Do.
<i>Stenomimus</i> sp. (Curculionidae)	Banana debris	1					Do.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	do	3		1			Do.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
<i>Stephanoderes</i> sp. (Scolytidae)	Banana debris	2					Do.
Syntomid	do	1					Md.
<i>Tapinoma</i> sp. (ant.)	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	1					Md.
Do	do	3					Pa.
Do	do						S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Telephanus costaricensis</i> (Cucujidae)	Banana debris	2					Pa.
<i>Telephanus setulosus</i> (Cucujidae)	<i>Ananas sativus</i> (pineapple)	1					Hawaii.*
Do	Banana debris	6					Md.
Do	do	1					N. Y.
Do	do	24					Pa.
Do	do	5					S. C.
Do	<i>Musa</i> sp. (banana)	7					Md.
Do	do				1		Pa.
Do	do	16					S. C.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	1					Md.
Do	do	1					N. Y.
Do	do	7					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	do	8					S. C.
<i>Thionia</i> sp. (Fulgoridae)	Banana debris	1					Pa.
Tineid	<i>Guaiacum officinale</i> (lignumvitae)	1					Calif.*
<i>Tomaspis</i> sp. (Cercopidae)	Banana debris	1					Md.
Tortricid	do	1					Do.
Do	do	2					Pa.
<i>Typhlomimus rufotestaceus</i> (Curculionidae)	do	1					S. C.
<i>Typhlomimus</i> sp. (Curculionidae)	do						Do.
<i>Wasemannia auropunctata</i> (ant)	do						Pa.
Do	<i>Musa</i> sp. (banana)	3					Md.
Do	do	5					S. C.
<i>Xyleborus affinis</i> (Scolytidae)	Banana debris	2					Pa.
<i>Xyleborus conspersus</i> (Scolytidae)	do	1					Do.
<i>Zygothrips</i> sp. (thrips)	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Diseases:							
Ascomycetes	<i>Musa</i> sp. (banana)	1					Md.
<i>Coscinaria</i> sp.	Unknown leaf	1					Do.
<i>Crepidotus</i> sp.	<i>Musa</i> sp. (banana)	1					Pa.
<i>Diplodia</i> sp.	Unknown leaf	1					Md.
<i>Hypomyces terrestris?</i>	<i>Musa</i> sp. (banana)	1					Pa.
<i>Linchora</i> sp.	<i>Ficus</i> sp.	1					Do.
<i>Marasmius</i> sp.	Banana debris	1					Do.
Myxomycetes	<i>Musa</i> sp. (banana)	1					Md.
Do	do	4					Pa.
Do	Unknown leaf	1					Do.
Oleocellosis	<i>Citrus aurantifolia</i> (lime)				2		Do.
<i>Oospora citri-aurantii</i>	do				1		Do.
<i>Sclerotinia</i> sp.	do				1		Do.
<i>Septoria</i> sp.	Unknown leaf	1					Do.
Sphaeriaceae	<i>Musa</i> sp. (banana)	1					Md.
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i> (pineapple)					1	Pa.
GUERNSEY							
Diseases:							
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>				1		Do.
<i>Sclerotinia gladioli</i>	<i>Tritenia</i> sp.		1				D. C.
HAITI							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)			1			N. Y.
<i>Coccus viridus</i> (Coccidae)	<i>Coffea</i> sp.		1				Fla.*
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)			1	2		Do.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Dioscorea bulbifera</i> (airpotato)	1					D. C.
<i>Tinea</i> sp. (Tineidae)	<i>Musa</i> sp. (banana)	1					N. Y.
Diseases:							
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			Do.
Oleocellosis	<i>Citrus sinensis</i> (orange)				1		Tex.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i> (sugarcane).			1			Pa.
HAWAII							
Insects:							
<i>Asterolecanium pustulans</i> (Coccidae).	<i>Bougainvillea</i> sp.		1				Calif.*
Do	<i>Hibiscus</i> sp.		1	1			Do.*
Do	<i>Tecomaria capensis</i> (Cape-honeysuckle).		1				Do.*
<i>Bactrocera cucurbitae</i> (melon fly)	<i>Cucumis sativus</i> (cucumber)				1		Do.*
<i>Bruchus</i> sp. (Bruchidae)	<i>Prosopis chilensis</i>		1				Do.*
Do	do		1				D. C.
<i>Caryodon fuscus</i> (Bruchidae)	<i>Cascara sagrada</i> (cascara)		1	1			Calif.*
Do	<i>Tamarindus indica</i> (tamarind)			1			Do.*
Cerambycid.	<i>Aleurites moluccana</i> (kukui nut).		1				Do.*
Do	<i>Rosa woodsi</i> (Woods rose)			1			Do.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Coffea</i> sp.			2			Do.*
Do	<i>Mangifera indica</i> (mango)			1	1		Do.*
<i>Ceroplastes rubens</i> (Coccidae)	Leaf lei			1			Do.*
<i>Ceroplastes</i> sp. (Coccidae)	Palm				1		Do.*
<i>Chelisoches morio</i> (earwig)	<i>Ananas sativus</i> (pineapple)	2			1		Do.*
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).			2			Do.*
<i>Coccus elongatus</i> (Coccidae)	<i>Acalypha</i> sp. (copperleaf)			1			Do.*
Do	<i>Areca catechu</i> (betel palm)	4					Do.*
Do	<i>Codiaeum</i> sp. (croton)	1			3		Do.*
Do	<i>Dracaena</i> sp.				1		Do.*
Do	<i>Euphorbia</i> sp.		1				Do.*
Do	<i>Gardenia</i> sp.			1			Do.*
Do	<i>Hibiscus</i> sp.			1	1		Do.*
Do	<i>Poinsettia pulcherrima</i> (poinsettia).				1		Do.*
<i>Coccus viridis</i> (Coccoidea)	<i>Coffea</i> sp.				1		Do.*
Do	<i>Tecomaria capensis</i> (Cape-honeysuckle).		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
<i>Coccus</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)	2					Calif.*
Do	<i>Gardenia</i> sp.	1					Do.*
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo			1			Do.*
<i>Diocalandra taitensis</i> (Tahitian coconut weevil).	<i>Cocos nucifera</i> (coconut)	1					Do.*
Do	<i>Hibiscus</i> sp.		1				Do.*
<i>Ereunetis flavistriata</i> (sugarcane bud worm).	<i>Ananas sativus</i> (pineapple)	9					Do.*
Do	<i>Areca catechu</i> (betel palm)	1					Do.*
Do	<i>Cocos nucifera</i> (coconut)	2	27	6			Do.*
<i>Ereunetis minuscula</i> (Tineidae)	<i>Ananas sativus</i> (pineapple)	3				1	Do.*
<i>Ereunetis</i> sp. (Tineidae)	do	2		1	2		Do.*
Do	<i>Cocos nucifera</i> (coconut)			1			Do.*
<i>Haplothrips gowdeyi</i> (thrips)	<i>Ananas sativus</i> (pineapple)	1					Do.*
Do	Cut flowers			1			Do.*
Do	Flower lei		1	1			Do.*
<i>Lepidosaphes auriculata</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)	1	2	1	9		Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Gardenia</i> sp.				1		Do.*
<i>Minthea rugicollis</i> (Lyctidae)	Chinese herb	1					Do.*
Mirid	<i>Ananas sativus</i> (pineapple)	1					Do.*
<i>Monomorium</i> sp. (ant)	do			1			Do.*
Noctuid	Flower lei			1			Do.*
<i>Opogona aurisquamosa</i> (Tineidae)	<i>Aleurites moluccana</i> (kukui nut).		1				Do.*
Do	<i>Cocos nucifera</i> (coconut)				1		Do.*
<i>Opogona</i> sp. (Tineidae)	<i>Ananas sativus</i> (pineapple)	3					Do.*
Ortalid	<i>Lycopersicum esculentum</i>					1	Pa.
<i>Parlatoria mytilaspiformis</i> (Coccidae).	<i>Codiaeum</i> sp. (croton)	1	1		2		Calif.*
<i>Phenacaspis</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)		1	10	6		Do.*
Do	<i>Mangifera indica</i> (mango)			2	1		Do.*
Do	Palm				1		Do.*
Phycitinae (Pryalidae)	<i>Cascara sagrada</i> (cascara)			1			Do.*
<i>Pheidole mactavishi</i> (ant)	<i>Cocos nucifera</i> (coconut)			1			Do.*
Do	Flower lei			1			Do.*
<i>Psammoecus insularis</i> (Cucujidae)	<i>Ananas sativus</i> (pineapple)	1					Do.*
<i>Pseudaonidia clavigera</i> (Coccidae)	<i>Acalypha</i> sp. (copperleaf)			1			Do.*
Do	<i>Codiaeum</i> sp. (croton)			1			Do.*
Do	<i>Hibiscus</i> sp.	1	2	3			Do.*
<i>Pseudaonidia tesserata</i> (Coccidae)	<i>Calliandra</i> sp.			1			Do.*
Do	<i>Hibiscus</i> sp.	6	5	1			Do.*
<i>Pseudaonidia</i> sp. (Coccidae)	<i>Gardenia</i> sp.			1			Do.*
<i>Pseudococcus kraunhiae</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				2		Do.*
Do	<i>Dracaena</i> sp.			1			Do.*
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Areca catechu</i> (betel palm)	6					Do.*
Do	<i>Codiaeum</i> sp. (croton)				1		Do.*
Do	<i>Piper betle</i> (betel pepper)	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)			1			Do.*
Do	<i>Codiaeum</i> sp. (croton)			1			Do.*
Pyralid	<i>Ananas sativus</i> (pineapple)	1					Do.*
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>			1			Do.*
<i>Rhyncolus longulus</i> (Curculionidae)	<i>Aleurites moluccana</i> (kukui nut).		1				Do.*
<i>Ripersia palmarum</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	4		32	13		Do.*
Do	Palm			1			Do.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Aleurites moluccana</i> (kukui nut).		1				Do.*
<i>Sternochetus mangiferae</i> (mango weevil).	<i>Mangifera indica</i> (mango)			10	1	1	Do.*
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Gladiolus</i> sp.			1			Do.*
<i>Taeniothrips hawaiiensis</i> (thrips)	Flower lei			1	1		Do.*
Tarsonemid (mite)	<i>Cocos nucifera</i> (coconut)				1		Do.*
Tetranychid (mite)	do			1			Do.*
Tyroglyphid (mite)	do			2	1		Do.*
Do	<i>Codiaeum</i> sp. (croton)			1			Do.*
Do	<i>Macadamia</i> sp.		1				Do.*
Do	<i>Polyanthes tuberosa</i> (tuberose).	1					Do.*
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Ananas sativus</i> (pineapple)	3			1		Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS							
Insects:							
<i>Aeolus yucatanus</i> (Elateridae)	<i>Musa</i> sp. (banana)	1					La.
<i>Anaedus</i> sp. (Tenebrionidae)	Banana debris	1					Pa.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Chrysophyllum cainito</i> (star-apple)			1			La.
Do	<i>Mangifera indica</i> (mango)				1		Do.
<i>Anomala attenuata</i> (Scarabaeidae)	Banana debris	1					Pa.
Anthomyiid	do	1					Do.
<i>Aspidiota palmae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Aspidiota</i> sp. (Coccidae)	do	1					Md.
<i>Asterolecanium bambusae</i> (Coccidae)	Bamboo			1			La.
<i>Asterolecanium</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)				2		Do.
<i>Ataenius cibrithorax</i> (Scarabaeidae)	Banana debris	1					Pa.
<i>Aulacizes mutans</i> (Cicadellidae)	do	1					Do.
<i>Calendra</i> sp. (Curculionidae)	<i>Musa</i> sp. (banana)				1		La.
<i>Camponotus abdominalis stercorarius</i> (ant)	Banana debris	2					S. C.
<i>Camponotus angulatus</i> (ant)	do						Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Camponotus</i> sp. (ant)	Banana debris	2					La.
Do	do	5					Mass.
Do	do	2					Pa.
Do	do	2					S. C.
Do	<i>Coccoloba uvifera</i> (seagrape)					2	Ala.
Do	<i>Mangifera indica</i> (mango)					1	Do.
Do	<i>Musa</i> sp. (banana)	12					La.
Do	do	2					S. C.
Do	do	1					Tex.
Do	do	1					Pa.
<i>Camptodes</i> sp. (Nitidulidae)		1					La.
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	1					Do.
Cecidomyiid	<i>Musa</i> sp. (banana)	1					Pa.
<i>Cedusa</i> sp. (Fulgoridae)	Banana debris	1					Do.
<i>Cephaloleia</i> sp. (Chrysomelidae)	do	1					Do.
<i>Ceramidia</i> sp. (Syntomidae)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).			2			La.
<i>Colaspis</i> sp. (Chrysomelidae)	Banana debris	1					Pa.
<i>Colopterus posticus</i> (Nitidulidae)	<i>Musa paradisica</i> (plantain)	1					N. Y.
<i>Colopterus</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	2					La.
Coreid	do	1					Do.
<i>Crematogaster brevispinosa</i> var. (ant)	do	1					Do.
<i>Crematogaster</i> sp. (ant)	do	1					Do.
Do	do	1					S. C.
<i>Cryptaracha</i> sp. (Nitidulidae)	Banana debris	1					Pa.
<i>Cryptorhopalum</i> sp. (Dermestidae)	<i>Musa</i> sp. (banana)	1					La.
Curculionid	do				1		Do.
<i>Cycloptilum conlectum</i> (Gryllidae)	do	1					S. C.
<i>Dialeurodes citri</i> (citrus whitefly)	<i>Gardenia florida</i> (Cape-jasmine).			1			La.
<i>Dictyophara brachyrhina</i> (Fulgoridae)	Banana debris	1					Pa.
<i>Dinoderus minutus</i> (Bostrichidae)	do	1					Do.
<i>Draeculacephala lenticula</i> (Cicadelidae)	do	1					Do.
<i>Eciton infumatum</i> (ant)	do	1					Mass.
<i>Empoasca</i> sp. (Cicadellidae)	do	1					Pa.
<i>Epipaschiinae</i> (Pyralidae)	do	1					La.
Do	do	1					Md.
<i>Galgupha punctifer</i> (Cynidae)	do	1					Ala.
Do	do	1					La.
Do	do	1					Pa.
<i>Glischrochilus</i> sp. (Nitidulidae)	<i>Crescentia cujete</i> (calabash-tree)			1			La.
<i>Gypona signoreti</i> (Cicadellidae)	Banana debris	1					Pa.
<i>Gypona</i> sp. (Cicadellidae)	do	1					Do.
<i>Heilipus</i> sp. (Curculionidae)	<i>Persea americana</i> (avocado)				1		La.
<i>Hypothenemus</i> sp. (Scolytidae)	Banana debris	2					Mass.
<i>Kalotermes</i> sp. (termite)	do	1					Pa.
Do	<i>Coccoloba uvifera</i> (seagrape)					2	Ala.
<i>Labia arcuata</i> (earwig)	<i>Musa</i> sp. (banana)	1					La.
Do	do						S. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
<b>HONDURAS—Continued</b>									
Insects—Continued.									
<i>Lasioderma</i> sp. (Anobiidae)	Banana debris	1					Md.		
<i>Lorelus trapeziderus</i> (Tenebrionidae)	do	2					Pa.		
Do	<i>Musa</i> sp. (banana)	1					La.		
Do	do	1					Pa.		
<i>Lorelus</i> sp. (Tenebrionidae)	Banana debris	1					La.		
Do	do	1					Md.		
Do	do	2					Pa.		
Do	<i>Musa</i> sp. (banana)	1					La.		
Do	do	1					Md.		
<i>Lygus</i> sp. (Miridae)	Banana debris	1					La.		
<i>Metamasius sericeus</i> (silky cane weevil).	do	2					Ala.		
Do	do	2					Mass.		
Do	do	9					Pa.		
Do	<i>Musa</i> sp. (banana)	5					La.		
Do	do	2					N. Y.		
<i>Metriona trisignata</i> (Chrysomelidae)	Banana debris	1					Pa.		
<i>Monanus concinnulus</i> (Cucujidae)	do	1					Mass.		
Do	do	2					Pa.		
<i>Monocrepidus rodriguezi</i> (Elateridae).	<i>Musa</i> sp. (banana)	1					La.		
<i>Monomorium ebeninum</i> var. (ant)	Banana debris	1					Mass.		
<i>Myndus</i> sp. (Fulgoridae)	do	1					Pa.		
<i>Nasutitermes cornigera</i> (termite)	do	2					La.		
<i>Nasutitermes</i> sp. (termite)	do	2					Do.		
<i>Neocoenocephalus</i> sp. (Tettigoniidae)	do	1					S. C.		
Noctuid	do	1					Mass.		
Do	<i>Musa</i> sp. (banana)	2					La.		
<i>Ogdoecosta</i> sp. (Chrysomelidae)	do	1					Do.		
<i>Opatriinus</i> sp. (Tenebrionidae)	Banana debris	1					Mass.		
<i>Opsiphanes</i> sp. (Nymphalidae)	<i>Musa</i> sp. (banana)	1					La.		
Ortalid	do	1					Do.		
<i>Orthezia</i> sp. (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine)		1				Do.		
<i>Paratenetus</i> sp. (Tenebrionidae)	Banana debris	1					Mass.		
Do	do	2					Pa.		
Do	<i>Musa</i> sp. (banana)	2					La.		
Do	do	1					S. C.		
<i>Parmenonta valida</i> (Cerambycidae)	do	1					La.		
Pentatomid	<i>Rosa</i> sp.				1		Do.		
<i>Pheidole anastasii</i> (ant)	Banana debris	1					Md.		
<i>Pheidole flavens</i> var. (ant)	do	1					S. C.		
<i>Pheidole</i> sp. (ant)	do	1					Pa.		
Do	<i>Coccoloba uvifera</i> (seagrape)					1	Ala.		
Do	<i>Musa</i> sp. (banana)	1					S. C.		
<i>Phlugis</i> sp. (Tettigoniidae)	Banana debris	1					La.		
Phycitinae (Pyralidae)	<i>Cassia grandis</i> (pink-shower)				1		Do.		
<i>Platypus rugulosus</i> (Scolytidae)	Banana debris	1					Mass.		
<i>Prenolepis</i> sp. (ant)	do	1					La.		
Do	do	1					Pa.		
Do	do	1					S. C.		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine)		1				La.		
Psychid	Banana debris	6					Do.		
Do	do	1					Mass.		
Do	do	14					Pa.		
Do	do	5					S. C.		
Do	do	1					Tex.		
Do	<i>Musa</i> sp. (banana)	9					Ala.		
Do	do	27					La.		
Do	do	1					N. Y.		
Do	do	1					Pa.		
<i>Pyroderces</i> sp. (Cosmopterygidae)	Banana debris	1					N. Y.		
Do	<i>Musa</i> sp. (banana)	2					S. C.		
<i>Rhinanisus</i> sp. (Curculionidae)	<i>Cocos nucifera</i> (coconut)				1		La.		
<i>Solenopsis</i> sp. (ant)	Banana debris	2					Pa.		
Do	<i>Musa</i> sp. (banana)	1					S. C.		
<i>Soronia</i> sp. (Nitidulidae)	Banana debris	1					Pa.		
<i>Stelidota</i> sp. (Nitidulidae)	do	1					Do.		
<i>Stephanoderes guatemalensis</i> (Scolytidae).	Banana debris	1					Do.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>HONDURAS—Continued</b>							
Insects—Continued.							
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Poinciana regia</i> (flamboyant)				1		La.
<i>Stigmaeodes floridanus</i> (pineapple mite).	<i>Ananas sativus</i> (pineapple)			1			Pa.
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	1					Do.
<i>Telephanus setulosus</i> (Cucujidae)	do	2					Ala.
Do	do	3					La.
Do	do	1					Md.
Do	do	1					Mass.
Do	do	1					N. Y.
Do	do	9					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	26					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	1					S. C.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	2					Mass.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	2					Md.
<i>Tenebrio</i> sp. (Tenebrionidae)	do	1					La.
<i>Tomaspis jugata</i> (Cercopidae)	Banana debris	1					Pa.
Tortricid	<i>Musa</i> sp. (banana)	1					La.
<i>Tragopa</i> sp. (Membracidae)	do	1					Do.
<i>Trichothrips</i> sp. (thrips)	Banana debris	1					Pa.
<i>Urophorus humeralis</i> (Nitidulidae)	do	1					Do.
<i>Wasemannia auropunctata</i> (ant)	do	1					Mass.
<i>Zygothrips</i> sp. (thrips)	do	1					Do.
Do	do	1					Pa.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus aurantiifolia</i> (lime)	1					La.
Do	<i>Citrus grandis</i> (grapefruit)		1				Do.
<i>Diplodia natalensis</i>	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Gloeosporium</i> sp.	<i>Musa</i> sp. (banana)	1					Pa.
Myxomycetes	Do	2					La.
Oleocellosis	<i>Citrus sinensis</i> (orange)			2			Do.
<i>Oospora citri-aurantii</i>	<i>Citrus aurantiifolia</i> (lime)				1		Do.
<i>Sclerotium</i> sp.	<i>Dioscorea</i> sp. (yam)				1		Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantiifolia</i> (lime)				1		Do.
Do	<i>Citrus grandis</i> (grapefruit)				1		Do.
<b>HUNGARY</b>							
Insects:							
<i>Bruchus brachialis</i> (Bruchidae)	<i>Vicia villosa</i> (hairy vetch)		2				D. C.
<i>Paranthrene</i> sp. (Aegeriidae)	<i>Populus</i> sp.	1					Do.
<i>Synanthedon</i> sp. (Aegeriidae)	<i>Populus balsamifera</i> (balsam poplar)	1					Do.
Diseases:							
<i>Aphelenchus avenae</i>	<i>Allium sativum</i> (garlic)	1					Pa.
<b>INDIA</b>							
Insects:							
<i>Anisolabis</i> sp. (earwig)	<i>Myristica fragrans</i> (nutmeg)	1					Calif.*
Anobiid	In wood used for cases of canned shelled nuts.	1					Pa.
<i>Apion</i> sp. (Curculionidae)	<i>Zea mays</i> (corn)		1				Calif.*
<i>Aspidiotus destructor</i> (Coccidae)	Palm			1			N. Y.
Bostrichid	<i>Oryza sativa</i> (paddy rice)				1		Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Cassia didymobotrya</i>		1				D. G.
Do	Medicinal plant		1				Do.
<i>Callosobruchus</i> sp. (Bruchidae)	<i>Cicer arietinum</i> (chickpea)				1		N. Y.
Chloropid	Rice straw packing	1					Pa.
<i>Cryphalus</i> sp. (Scolytidae)	Branches used as Dunnage			2			Do.
Do	Unidentified wood				1		La.
Curculionid	Branches used as Dunnage				1		Pa.
<i>Cylas formicarius</i> (sweetpotato weevil)	<i>Ipomoea batatas</i> (sweetpotato)					1	Mass.
Do	do				1		N. Y.
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo					1	Md.
<i>Eriophyes</i> sp. (mite)	<i>Laurus nobilis</i> (Grecian laurel)					1	Do.
<i>Eurytoma</i> sp. (Eurytomidae)	<i>Acacia modesta</i>		1				D. C.
<i>Hilipomorphus</i> sp. (Curculionidae)	<i>Cyperorchis mastersii</i> (orchid)		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
INDIA—Continued									
<b>Insects—Continued.</b>									
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	N. Y.		
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)	1					Calif.*		
Psychid	Palm				1		Pa.		
<i>Pulvinaria</i> sp. (Coccidae)	<i>Nephelaphyllum pulchrum</i> (orchid)		1				Calif.*		
<i>Sinoxylon conigerum</i> (Bostrichidae)	In wood used for cases of canned shelled nuts.	1					Pa.		
Tortricid	<i>Linum</i> sp. (flax)	1					Calif.*		
<b>Diseases:</b>									
<i>Bacterium citri</i>	<i>Citrus</i> sp.		1				Do.*		
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Pa.		
<i>Colletotrichum lagenarium</i>	<i>Cucurbita ovisera</i> (snakegourd)		1				D. C.		
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			Mass.		
<i>Gloeosporium gloeosporioides?</i>	<i>Cinchona</i> sp.						D. C.		
<i>Gloeosporium</i> sp.	Orchid						Do.		
<i>Phoma</i> sp.	Bark of unidentified tree				1		Pa.		
<i>Phytophthora</i> sp.	<i>Lilium</i> sp.	1					N. Y.		
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i> (apple)			1			Do.		
<i>Phyllosticta</i> sp.	<i>Pittosporum</i> sp.			1			Do.		
<i>Puccinia graminis</i>	<i>Triticum</i> sp.		1				Pa.		
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					2	Do.		
<i>Septoria vincae</i>	<i>Vinca</i> sp. (periwinkle)			1			N. Y.		
<i>Septoria</i> sp.	<i>Veronica</i> sp. (speedwell)			1			Do.		
IRELAND									
<b>Insects:</b>									
<i>Brachyrhinus sulcatus</i> (black vine weevil).	In soil around roots of primrose plant.			1			Mass.		
Cecidomyiid	<i>Rosa</i> sp.	1					Md.		
<i>Ceutorhynchus ericae</i> (Curculionidae).	<i>Calluna vulgaris</i> (heather)	1					Pa.		
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)				1		Do.		
Geometrid	<i>Calluna vulgaris</i> (heather)	1					Do.		
<i>Gracilaria</i> sp. (Gracilariidae)	Around rose and cut flowers	1					Md.		
<i>Hepialus</i> sp. (Hepialidae)	<i>Dahlia</i> sp.			1			N. Y.		
<i>Ludius</i> sp. (Elateridae)	<i>Solanum tuberosum</i>					1	Pa.		
Noctuid	<i>Begonia</i> sp.			1			N. Y.		
Do.	<i>Rosa</i> sp.	1					Md.		
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					1	Pa.		
Do.	<i>Rosa</i> sp.	1					Md.		
<i>Rhizoglyphus</i> sp. (mite)	In soil around roots of primrose plant.			1			Mass.		
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)	2					Pa.		
<i>Tipula</i> sp. (Tipulidae)	In case of rose plants with sphagnum moss packing.	1					D. C.		
<i>Typhlocyba</i> sp. (Cicadellidae)	<i>Rosa</i> sp.			1			Mass.		
ITALY									
<b>Insects:</b>									
Agromyzid	<i>Brassica oleracea capitata</i>				1		Do.		
<i>Anarsia</i> sp. (Gelechiidae)	<i>Prunus domestica</i> (plum)	1					Calif.*		
Anobiid	<i>Agaricus campestris</i> (mushroom).	1					Do.*		
Anthomyiid	<i>Allium cepa</i> (onion)				1		La.		
<i>Aonidia lauri</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)	2					Do.		
<i>Apion carduorum</i> (Curculionidae)	<i>Cynara scolymus</i> (globe artichoke).		1				N. Y.		
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Sorbus</i> sp. (sorbe apple)			1			Do.		
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Pa.		
Do.	<i>Citrus</i> sp.					1	Md.		
Do.	<i>Malus sylvestris</i> (apple)					1	N. Y.		
<i>Blastodacna</i> sp. (Cosmopterygidae)	do			1			Do.		
<i>Brachyrhinus armadillo</i> (Curculionidae).	Unknown plant leaf				1		Wash.		
<i>Bruchidius lividimanus</i> (Bruchidae)	<i>Cytisus stenopetalus</i>	1					D. C.		
<i>Bruchidius villosus</i> (Bruchidae)	<i>Cytisus sessilifolius</i> (sessile broom).	1					Do.		
<i>Bruchus</i> sp. (Bruchidae)	<i>Lens esculenta</i> (lentil)			1			Calif.*		
Do.	Bean	1					Do.*		
Do.	In package of <i>Pimpinella anisum</i> .	1					Pa.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
<i>Bruchus</i> sp. (Bruchidae)	In packing around fruit trees	1					D. C.
Do	<i>Pisum sativum</i> (pea)		1				Calif.*
Do	<i>Vicia faba</i> (horsebean)		1				Do.*
<i>Carpoglyphus</i> sp. (mite)	<i>Citrus limonia</i> (lemon)	1					Pa.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus aurantium</i> (bitter orange)		3				N. Y.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)	1		1			Do.
Do	<i>Ficus carica</i> (fig)			1			Do.
<i>Ceratitis</i> sp. (Tryptidae)	<i>Citrus nobilis deliciosa</i> (tangerine)					1	Pa.
Do	<i>Opuntia</i> sp.		1				Mich.
Cercopid	<i>Cynara scolymus</i> (globe artichoke)					1	N. Y.
<i>Ceroplastes</i> sp. (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)		1				Pa.
Do	<i>Citrus</i> sp.					1	Mass.
Do	<i>Cydonia oblonga</i> (quince)			1			N. Y.
Do	<i>Ficus carica</i>			1			Do.
Do	<i>Gardenia</i> sp.		1				Calif.*
<i>Cetonia aurata</i> (Scarabaeidae)	Peat					1	Do.*
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)				2		N. Y.
Chloropid	<i>Juglans</i> sp. (walnut)	1					Pa.
Do	<i>Sisymbrium nasturtium-aquaticum</i>					1	N. Y.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus aurantium</i> (Seville orange)					1	Tex.
Do	<i>Citrus limonia</i> (lemon)	1					La.
Do	do					1	Mass.
Do	<i>Citrus sinensis</i> (orange)					1	Ala.
Do	do					1	Mass.
Do	<i>Hedera</i> sp. (ivy)			1			N. Y.
<i>Crematogaster</i> sp. (ant)	<i>Cydonia oblonga</i> (quince)			1			Do.
<i>Cryptoblabes</i> sp. (Pyralidae)	<i>Punica granatum</i> (pomegranate)			1			Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)		2				Calif.*
Do	do		1				D. C.
Do	do		1				Ill.
Do	do		1				Minn.
Do	do		2	3			N. Y.
Do	do	1	2				Pa.
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)			1			Md.
Do	do	1					Mass.
Do	do			1			N. Y.
Do	do	1	1				Pa.
Do	In bag containing green olives		1				N. Y.
<i>Dacus</i> sp. (Tryptidae)	<i>Olea europaea</i> (olive)		1				Calif.*
Do	do	1					Pa.
<i>Diaspis carueli</i> (Coccidae)	In package containing olives			1			Do.
<i>Empoasca decipiens</i> (Cicadellidae)	<i>Juniperus</i> sp. (juniper)	2					N. Y.
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Lactuca sativa</i> (lettuce)					1	Mass.
Do	<i>Malus sylvestris</i> (apple)	2					D. C.
Eumolpini (Chrysomelidae)	do			1			Mass.
<i>Euresta</i> sp. (Ortalidae)	do			1		1	N. Y.
<i>Fiorinia fioriniae</i> (Coccidae)	do		1				Pa.
<i>Fiorinia</i> sp. (Coccidae)	<i>Prunus domestica</i> (plum)		1				Calif.*
Forficula auricularia (European earwig).	<i>Rosa</i> sp.			1			N. Y.
Forficula pubescens (earwig)	<i>Ficus carica</i> (fig)		1				Pa.
Gastropacha sp. (Lasiocampidae)	<i>Camellia</i> sp.			1			N. Y.
Grapholitha sp. (Olethreutidae)	<i>Nerium oleander</i> (oleander)				1		Calif.*
Haltica sp. (Chrysomelidae)	Leaf		1				Pa.
Histiostoma sp. (mite)	<i>Opuntia compressa</i> (prickly-pear)			1			N. Y.
Do	<i>Malus sylvestris</i> (apple)	1					D. C.
	<i>Mespilus germanica</i> (medlar)			1			N. Y.
	<i>Rosa</i> sp.		1				Calif.*
	<i>Allium cepa</i> (onion)					1	La.
	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
<i>Hydroecia</i> sp. (Noctuidae)	<i>Cynara scolymus</i> (globe artichoke).					1	N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut).	4					Calif.*
Do	do		1				Md.
Do	do		1				Mass.
Do	do	3	2	2			N. Y.
Do	do	2				1	Pa.
Do	do	1					Do.
<i>Lepidosaphes conchiformis</i> (Coccoidea).	<i>Olea europaea</i> (olive).			1			N. Y.
<i>Lepidosaphes ficus</i> (Coccoidea).	<i>Ficus carica</i> (fig).		1				D. C.
Do	do			1			N. Y.
<i>Liparoscelis</i> sp. (Tettigoniidae).	<i>Rosa</i> sp.		1				Calif.*
Lygaeid	<i>Gardenia</i> sp.		1				Do.*
<i>Macrosiphum gei</i> (aphid)	<i>Lactuca sativa</i> (lettuce).					1	Fla.*
<i>Myelois ceratoniae</i> (Pyralidae)	<i>Ceratonia siliqua</i> (carob bean).				1		Do.*
<i>Myelois</i> sp. (Pyralidae)	do						N. Y.
Do	do	1					Pa.
Do	<i>Juglans</i> sp. (walnut).	1					Do.
Do	<i>Punica granatum</i> (pomegranate).			1			N. Y.
Noctuid	<i>Helianthus tuberosa</i> (Jerusalem artichoke).	1					Do.
<i>Ochetostethus nanus</i> (Cydnidae)	Straw and sphagnum used as packing for grape cuttings.	1					Do.
Olethreutid	<i>Punica granatum</i> (pomegranate).			1			Do.
<i>Opatrium sabulosum</i> (Tenebrionidae)	In packing material for pottery.	1					Mass.
<i>Orthezia</i> sp. (Coccidae)	<i>Gardenia</i> sp.		1				Calif.*
<i>Parlatoria oleae</i> (Coccidae)	<i>Diospyros</i> sp. (persimmon).			1			N. Y.
Do	<i>Malus sylvestris</i> (apple).		1				Md.
Do	<i>Mespilus germanica</i> (medlar).			1			N. Y.
Do	do		1				Pa.
Do	<i>Prunus domestica</i> (plum).					1	N. Y.
Do	<i>Pyrus communis</i> (pear).			1			Do.
Do	<i>Citrus aurantium</i> (bitter orange).		1				Do.
Parlatoria ziziphus (Coccidae)	<i>Citrus limetta</i> (sweet lime).				1		Do.
Do	<i>Citrus limonia</i> (lemon).					3	Ala.
Do	do					12	Calif.*
Do	do					3	Fla.*
Do	do					1	La.
Do	do					4	Mass.
Do	do					2	N. Y.
Do	do					2	Tex.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Calif.*
Do	do					1	Pa.
Do	<i>Citrus sinensis</i> (orange).					3	Calif.*
Do	do					1	Md.
Do	do					7	N. Y.
Do	do						Pa.
Peritelus suturellus (Curculionidae)	Straw and sphagnum used as packing for grape cuttings.	1					N. Y.
Phycitinae (Pyralidae)	<i>Citrus grandis</i> (grapefruit).			1			Do.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).			1			Do.
Do	<i>Daucus carota</i> (carrot).	1					Calif.*
Do	<i>Juglans</i> sp. (walnut).			1			N. Y.
Do	<i>Olea europaea</i> (olive).	1					Pa.
Do	<i>Opuntia compressa</i> (prickly pear).			1			N. Y.
Do	<i>Punica granatum</i> (pomegranate).			2			# Do.
Do	<i>Vitis</i> sp. (grape).			1			Do.
Do	do			1			Do.
Polychrosis botrana (vine moth)	<i>Citrus sinensis</i> (orange).			1		1	Pa.
Pseudococcus sp. (Coccidae)							

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
<i>Ptinus</i> sp. (Ptinidae)	Dry flowers		1				Pa.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Prunus cerasus</i> (sour cherry)	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	1					Mass.
Do	do					1	Pa.
Do	<i>Allium sativum</i> (garlic)					1	Fla.*
Do	do	1					Mass.
Do	do	2					N. Y.
Do	<i>Scilla</i> sp. (squill)	1					Pa.
<i>Rhynchites</i> sp. (Curculionidae)	<i>Pyrus communis</i> (pear)			1			N. Y.
<i>Rhyparochromus chiragra</i> (Lygaeidae)	Straw and sphagnum used as packing for grape cuttings.	1					Do.
<i>Saissetia</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i> (onion)					1	Do.
Do	<i>Scilla</i> sp. (red squill)						
<i>Sesamia cretica</i> (durra stem borer)	<i>Holcus sorghum</i> var. (broomcorn).			1			N. Y.
Syrphid	<i>Brassica oleracea botrytis</i> (broccoli).					1	Do.
<i>Tapinoma erraticum</i> (ant)	<i>Beta vulgaris</i> (beet)					1	Ala.
Do	<i>Daucus carota</i> (carrot)					1	Do.
Tetranychid	<i>Gardenia</i> sp.	1					Calif.*
<i>Tinea</i> sp. (Tineidae)	<i>Malus sylvestris</i> (apple)			1			N. Y.
Tineid	<i>Allium sativum</i> (garlic)					1	La.
Tipulid	In soil around assorted cuttings.		1				Md.
Tortricid	<i>Gardenia</i> sp.			1			N. Y.
Do	<i>Pyrus communis</i> (pear)			1			Do.
Do	<i>Vitis</i> sp. (grape)			1			Do.
<i>Trialeurodes</i> sp. (whitefly)	<i>Laurus nobilis</i> (Grecian laurel)	1					Pa.
Trypetid	<i>Opuntia compressa</i> (prickly pear).			1			N. Y.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Allium cepa</i> (onion)					1	La.
Do	<i>Solanum tuberosum</i>					1	Tex.
<i>Zeuzera pyrina</i> (leopard moth)	<i>Forsythia</i> sp.		1				N. Y.
Diseases:							
<i>Alternaria solani</i>	<i>Capsicum annuum</i> (pepper)					1	Pa.
<i>Anguillulina dipsaci</i>	<i>Allium sativum</i> (garlic)					1	Do.
<i>Anguillulina robusta</i>	<i>Hosta</i> sp.		1				N. Y.
<i>Aphelenchoides parietinus</i>	<i>Allium sativum</i>					1	Pa.
Do	<i>Amaryllis</i> sp.			1			N. Y.
Do	<i>Amygdalus persica</i> (peach)		1				Calif.*
<i>Aphelenchus arenae</i>	do		1				Do.*
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)	1					La.
Do	do					1	Md.
Do	do					1	Mass.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Ga.
Do	<i>Citrus sinensis</i> (orange)		1				Pa.
Do	do					1	Tex.
<i>Cercospora beticola</i>	<i>Beta cicla</i> (chard)					1	N. Y.
Chlorosis	<i>Citrus limonia</i> (lemon)						Pa.
<i>Colletotrichum circinans</i>	<i>Allium sativum</i> (garlic)	1					Fla.*
<i>Coniothyrium</i> sp.	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Coryneum beijerinckii</i>	<i>Amygdalus persica</i> (peach)					1	N. Y.
<i>Diplodia</i> sp.	<i>Citrus limonia</i> (lemon)					1	Fla.*
Do	<i>Juniperus oxycedrus</i> (prickly juniper).		1				D. C.
<i>Eurotium</i> sp.	<i>Allium sativum</i> (garlic)					1	La.
Do	<i>Laurus nobilis</i> (Grecian laurel)	1					Pa.
<i>Fusarium oxysporum</i>	<i>Solanum tuberosum</i>					1	Fla.*
<i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Helminthosporium</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Heterosporium</i> sp.	<i>Allium sativum</i>					1	Do.
<i>Macrosporium sarcinula</i> parasiticum.	do					1	Fla.*
<i>Macrosporium</i> tomato	<i>Lycopersicum esculentum</i>					1	Pa.
<i>Mycosphaerella fragariae</i>	<i>Fragaria</i> sp.				1		N. Y.
<i>Oidium euonymi-japonici</i>	<i>Euonymus</i> sp.					1	Wash.
<i>Oidium</i> sp.	do					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ITALY—Continued</b>							
Diseases—Continued.							
Oil burning	<i>Citrus sinensis</i> (orange)	1					Pa.
Oleocellosis	<i>Citrus limonia</i> (lemon)					1	La.
Do	do					2	Mass.
Do	<i>Citrus limonia</i>					1	S. C.
Do	do					5	Tex.
Do	<i>Citrus sinensis</i> (orange)	1				1	Pa.
Do	do					1	Tex.
<i>Phoma</i> sp.	<i>Citrus limonia</i> (lemon)					1	Md.
Do	do					1	Pa.
<i>Phomopsis</i> sp.	<i>Eriobotrya japonica</i> (loquat)	1					D. C.
<i>Phyllosticta</i> sp.	<i>Citrus limonia</i>					1	Md.
Do	<i>Ilex</i> sp.			1			N. Y.
Do	<i>Ruscus</i> sp.	2					Pa.
<i>Plasmopara viticola</i>	<i>Vitis</i> sp. (grape)			1			N. Y.
<i>Puccinia graminis</i>	Barley or wheat stems		1				P. R.
Do	<i>Triticum aestivum</i> (wheat)			1			N. Y.
Do	do	1	1				Pa.
<i>Puccinia malvacearum</i>	<i>Malva</i> sp.		2				Do.
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)					2	Md.
Do	do	2					N. Y.
Do	do					2	Pa.
Do	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Pythium</i> sp.	<i>Lactuca sativa</i> (lettuce)					1	Mass.
<i>Rhizoctonia</i> sp.	<i>Ficus carica</i> (fig)			1			N. Y.
Russetting	<i>Malus sylvestris</i> (apple)					1	Mass.
<i>Sclerotinia</i> sp.	<i>Allium sativum</i> (garlic)					1	Fla.*
Do	<i>Brassica rapa</i> (turnip)					2	Tex.
Do	<i>Cucumis sativus</i> (cucumber)					1	Mass.
<i>Sclerotium cepivorum</i>	<i>Allium sativum</i>					1	Ala.
Do	do					2	Fla.*
<i>Sclerotium</i> sp.	do		1			1	Pa.
Do	do					1	S. C.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Pa.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)					1	Ga.
<i>Septoria</i> sp.	<i>Nerium oleander</i> (oleander)		1				N. Y.
<i>Sphaceloma fawcettii</i>	<i>Citrus limetta</i> (sweet lime)			1			Do.
Do	<i>Citrus limonia</i> (lemon)					1	S. C.
Do	<i>Pyrus communis</i> (pear)					1	Tex.
<i>Venturia pyrina</i>	<i>Solanum tuberosum</i>					1	N. Y.
<i>Verticillium</i> sp.							Tex.
<b>JAMAICA</b>							
Insects:							
<i>Aleurocanthus woglumi</i> (citrus black-fly).	<i>Citrus sinensis</i> (orange)				1	2	Pa.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)			1			N. Y.
Do	<i>Spondias dulcis</i> (vi-apple)				1		Pa.
Do	<i>Spondias mombin</i> (hog plum)	1					Do.
<i>Asterolecanium bambusae</i> (Coccidae)	Bamboo			1			La.
<i>Caryedon fuscus</i> (Bruchidae)	<i>Tamarindus indica</i> (tamarind)	1					Pa.
<i>Cathartus</i> sp. (Cucujidae)	do	1					Do.
Cecidomyiid	<i>Eugenia uniflora</i> (Surinam-cherry).			1			N. Y.
Do	<i>Quassia</i> sp.	1					Fla.*
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)			1			N. Y.
<i>Haplothrips gowdeyi</i> (thrips)	Green leaf		1				Pa.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Do.
<i>Monomorium carbonarium ebeninum</i> (ant).	<i>Ananas sativus</i> (pineapple)				1		La.
Do	Banana debris	1					Pa.
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					La.
<i>Prolabia jamaicana</i> (earwig)	do	1					N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	do					1	Mass.
Do	do					1	Wash.
Do	<i>Citrus grandis</i> (grapefruit)				1	1	Fla.*
Do	do					1	Mass.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).				1		Fla.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAMAICA—Continued</b>							
Insects—Continued.							
<i>Pseudaonidia articulatus</i> (rufus scale)	<i>Citrus sinensis</i> (orange)-----			6	10	1	Fla.*
Do-----	do-----					2	Mass.
<i>Pseudaonidia trilobitiformis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)-----					1	Do.
<i>Pseudococcus</i> sp. (Coccidae)-----	Cactus-----	1					Pa.
<i>Ptinus huesanus</i> (Ptinidae)-----	Evergreen twig-----		1				Do.
<i>Rhizoglyphus</i> sp. (mite)-----	<i>Zingiber officinale</i> (ginger)-----		1				Mass.
<i>Sitophilus linearis</i> (tamarind pod borer).-----	<i>Tamarindus indica</i> (tamarind)-----		1				Pa.
<i>Tapinoma</i> sp. (ant)-----	Banana leaf debris-----	2					Do.
<i>Targionia hartii</i> (Coccidae)-----	<i>Dioscorea</i> sp. (yam)-----			1			N. Y.
<i>Telephanus minutus</i> (Cucujidae)-----	Banana debris-----	1					Pa.
Diseases:							
<i>Alternaria solani</i> -----	<i>Capsicum annuum</i> (pepper)-----					1	Mass.
<i>Capnodium citri</i> -----	<i>Citrus aurantifolia</i> (lime)-----			1			La.
Do-----	<i>Citrus grandis</i> (grapefruit)-----			1			Pa.
Do-----	<i>Citrus limonia</i> (lemon)-----				1		Ala.
Do-----	<i>Citrus sinensis</i> (orange)-----				4		Mass.
Do-----	do-----			1			Pa.
<i>Cercospora</i> sp.-----	<i>Codiaeum</i> sp. (croton)-----		1				Tex.
<i>Collectotrichum</i> sp.-----	<i>Tamarindus indica</i> (tamarind)-----		1				Pa.
<i>Diplodia cacaoicola</i> -----	<i>Persea americana</i> (avocado)-----			1			Do.
<i>Gloeosporium</i> sp.-----	<i>Oncidium</i> sp. (orchid)-----			1			Do.
Oleocellosis-----	<i>Citrus aurantifolia</i> (lime)-----	1					La.
Do-----	<i>Citrus sinensis</i> (orange)-----				2		Mass.
Do-----	do-----			1			Pa.
Do-----	do-----				1		Tex.
<i>Phomopsis vexans</i> -----	<i>Solanum melongena</i> (eggplant)-----				1		Mass.
<i>Pythium</i> sp.-----	<i>Bryophyllum</i> sp.-----		1				Pa.
<i>Sclerotinia</i> sp.-----	<i>Citrus aurantifolia</i> (lime)-----				1		Mass.
Do-----	Herb-----		1				Pa.
Do-----	<i>Spondias mombin</i> (hog plum)-----		1				Do.
<i>Sphaceloma fawcettii</i> -----	<i>Citrus aurantifolia</i> (lime)-----				1		Wash.
<i>Verticillium</i> sp.-----	<i>Musa</i> sp. (banana)-----	1					Pa.
<b>JAPAN</b>							
Insects:							
<i>Adaxophyes</i> sp. (Tortricidae)-----	<i>Begonia</i> sp.-----				1		Wash.
<i>Agrotis</i> sp. (Noctuidae)-----	<i>Beta cicla</i> (Swiss chard)-----					1	Md.
<i>Aleurotuberculatus</i> sp. (whitefly)-----	<i>Rhododendron hymenanthes</i> -----		1				Wash.
<i>Androthrips</i> sp. (thrips)-----	<i>Citrus sinensis</i> (orange)-----				1		N. Y.
<i>Anisolabis littorea</i> (earwig)-----	<i>Solanum tuberosum</i> -----					1	Tex.
<i>Anisolabis marginalis</i> (earwig)-----	<i>Lilium</i> sp.-----	1					Wash.
<i>Anisolabis</i> sp. (earwig)-----	In soil used as packing for lily bulbs-----	1					Do.
Anobiid-----	<i>Capsicum annuum</i> -----		1				Calif.*
Do-----	<i>Phaseolus</i> sp. (bean)-----		1				Do.*
<i>Antonina crawi</i> (Coccidae)-----	<i>Arundinaria japonica</i> (arrow bamboo)-----			1			Wash.
<i>Antonina</i> sp. (Coccidae)-----	Bamboo-----				1		Calif.*
<i>Anuraphis</i> sp. (aphid)-----	<i>Azalea</i> sp.-----				1		Do.*
<i>Aspidiotus destructor</i> (Coccidae)-----	<i>Cycas revoluta</i> (sago cycas)-----				1		N. Y.
Do-----	do-----	1					Pa.
Do-----	<i>Livistona chinensis</i> (Chinese fan palm)-----				1		Hawaii.*
Blastobasid-----	<i>Ipomoea batatas</i> (sweetpotato)-----					1	Miss.
Bostrichid-----	<i>Magnolia obovata</i> -----		1				Calif.*
<i>Brachypeplus</i> sp. (Nitidulidae)-----	Rice straw used for packing-----	1					Va.
<i>Bruchus</i> sp. (Bruchidae)-----	<i>Albizia julibrissin</i> (silktree)-----		1				Calif.*
Do-----	<i>Pisum sativum</i> (pea)-----		1				Do.*
<i>Bucculatrix</i> sp. (Lyonetiidae)-----	<i>Aucuba</i> sp.-----			1			Wash.
Do-----	<i>Fatsia</i> sp.-----			1			Pa.
Do-----	<i>Pinus</i> sp.-----			1			Calif.*
<i>Cacoecia</i> sp. (Tortricidae)-----	<i>Azalea</i> sp.-----				1		Do.*
<i>Capitophorus formosanus</i> (aphid)-----	<i>Chrysanthemum</i> sp.-----				1		Wash.
Cerambycid-----	<i>Aralia</i> sp.-----				1		Calif.*
Cerambycinae (Cerambycidae)-----	<i>Acer</i> sp. (maple)-----	1					Do.*
Cercopid-----	<i>Aralia</i> sp.-----				1		Do.*
Do-----	<i>Fatsia japonica</i> (fatsia)-----				1		Wash.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAPAN—Continued</b>							
Insects—Continued.							
<i>Ceroplastes ceriferus</i> (Coccidae)	<i>Camellia</i> sp.				1		Calif.*
Do	<i>Euonymus</i> sp.				2		Do.*
Do	<i>Fatsia japonica</i> (fatsia)				1		La.
Do	<i>Gardenia</i> sp.				1		Calif.*
<i>Ceroplastes rubens</i> (Coccidae)	<i>Aralia</i> sp.				1		Do.*
Do	<i>Aucuba</i> sp.				1		Do.*
Do	<i>Buxus</i> sp. (boxwood)				1		Pa.
Do	<i>Camellia</i> sp.				1		Mass.
Do	<i>Citrus nobilis</i> var.	1					Wash.
Do	<i>Fatsia japonica</i> (fatsia)				4		La.
Do	do				1		Pa.
Do	do				2		Wash.
<i>Chilo simplex</i> (Asiatic rice borer)	Rice straw packing	3					Calif.*
Do	do	1					Mass.
Do	do	8					Pa.
Do	do	1					Va.
<i>Chionaspis yanonensis</i> (Coccidae)	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Calif.*
Do	<i>Citrus sinensis</i> (orange)		1			4	Do.*
Do	do	1	1				Wash.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Codiaeum</i> sp. (croton)				2		La.
Do	<i>Cycas revoluta</i> (sago cycas)	1					Pa.
Do	Palm					1	N. Y.
Do	do				1		Wash.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Aucuba</i> sp.				1		Calif.*
Cicadellid	<i>Chrysanthemum</i> sp.				1		Do.*
Do	do				1		Hawaii.*
<i>Coccus elongatus</i> (Coccidae)	<i>Codiaeum</i> sp.				1		Calif.*
<i>Coccus pseudomagnoliarum</i> (Coccidae).	<i>Aralia</i> sp.				2		Do.*
Do	<i>Citrus</i> sp.					2	Do.*
<i>Coccus</i> sp. (Coccidae)	<i>Codiaeum</i> sp.				1		Wash.
<i>Coptotermes formosanus</i> (termite)	Wooden slippers	1					Hawaii.*
<i>Crematogaster</i> sp. (ant)	<i>Brassica oleracea capitata</i>					1	Mass.
Do	<i>Lilium giganteum</i> (giant lily)	1					Wash.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea crenata</i> (Japanese chestnut).		1				Calif.*
Do	<i>Castanea</i> sp. (chestnut)	24		1		1	Do.*
Do	do			2			Hawaii.*
Do	do	1					N. Y.
Do	do	3					Wash.
Do	<i>Quercus</i> sp. (acorn)		1				Calif.*
Do	do		1				Hawaii.*
Curculionid	<i>Castanea</i> sp. (marron)	1					Wash.
Do	<i>Quercus</i> sp. (acorn)		1				Hawaii.*
<i>Dialeurodes citri</i> (citrus whitefly)	<i>Citrus</i> sp.				1		Calif.*
Do	<i>Gardenia</i> sp.				3		Do.*
<i>Diatraea</i> sp. (Pyralidae)	<i>Brassica</i> sp.					1	Mass.
<i>Dilachnus</i> sp. (aphid)	<i>Pinus</i> sp.				1		Wash.
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo container	1					Calif.*
<i>Doliema</i> sp. (Tenebrionidae)	Rice straw packing	1					Va.
<i>Dryocoetes</i> sp. (Scolytidae)	<i>Cryptomeria</i> sp.	1					Wash.
Elaterid	<i>Lilium</i> sp.	1					Calif.*
<i>Eriococcus onukii</i> (Coccidae)	<i>Arundinaria japonica</i> (arrow bamboo).				1		Wash.
<i>Eriococcus</i> sp. (Coccidae)	<i>Cephalocereus celdianus</i> .		1				Calif.*
Do	<i>Mammillaria pusilla</i>		1				Do.*
<i>Euponera solitaria</i> (ant)	In soil used as packing for lily	1					Wash.
Do	<i>Lilium</i> sp.	1					Do.
<i>Eupteryx</i> sp. (Cicadellidae)	<i>Chrysanthemum</i> sp.				1		Wash.
Galerucinae (Chrysomelidae)	On top of soil in a pot containing a pine.				1		Do.
Gelechiid	<i>Amygdalus persica</i> var. (flowering peach).				2		Calif.*
Do	<i>Citrus sinensis junos</i>					1	Pa.
Geometrid	<i>Cryptomeria</i> sp.				1		Calif.*
Do	<i>Punica granatum</i> (pomegranate).				1		Do.*
<i>Gracilaria azaleella</i> (azalea leaf miner)	<i>Rhododendron indicum</i>		1				D. C.

*List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued*

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAPAN—Continued</b>							
Insects—Continued.							
<i>Gracilaria</i> sp. (Gracilariidae)	<i>Azalea</i> sp.	1					Wash.
<i>Grapholita</i> sp. (Olethreutidae)	<i>Pyrus communis</i> (pear)		1				Do.
<i>Heliothis</i> sp. (Noctuidae)	<i>Capsicum annuum</i>				1		Md.
<i>Hemichionaspis</i> sp. (Coccidae)	<i>Ophiopogon jaburan</i> (jaburan)				1		Wash.
<i>Histiostoma</i> sp. (mite)	<i>Allium cepa</i> (onion)				3		Pa.
Do	<i>Dioscorea batatas</i> (cinnamon-vine)				1		N. Y.
Do	<i>Radicula armoracia</i> (horseradish).				1		Pa.
	Caged pet		1				Calif.*
<i>Homoeogryllus japonicus</i> (Gryllidae)	<i>Brassica oleracea capitata</i>				1		Mass.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Aucuba</i> sp.				1		Calif.*
<i>Hyponomeuta</i> sp. (Hyponomeutidae).							
Do	<i>Euonymus obovatus variegatus</i>				2		Wash.
<i>Lasius niger</i> subsp. (ant)	In soil		1				Calif.*
<i>Lasius</i> sp. (ant)	<i>Euonymus obovatus variegatus</i>		1	1			Wash.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	2	1				Calif.*
<i>Laspeyresia</i> sp. (Olethreutidae)	do			2			Hawaii.
Do	<i>Quercus</i> sp.		1				Do.*
<i>Lecanium persicae</i> (European peach scale).	<i>Berberis</i> sp.					1	Pa.
<i>Lecanium</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)					1	N. Y.
<i>Lema</i> sp. (Chrysomelidae)	Rice straw packing	1					Pa.
<i>Lepidosaphes camelliae</i> (Coccidae)	<i>Camellia</i> sp.		1	3			Calif.*
<i>Lepidosaphes conchiformis</i> (Coccidae)	<i>Berberis</i> sp.				1		Pa.
Do	<i>Pyrus communis</i> (pear)				1		Wash.
<i>Lepidosaphes ficus</i> (Coccidae)	<i>Pyrus pyrifolia</i> (sandpear)				1		Hawaii.*
<i>Lepidosaphes pallida</i> (Coccidae)	<i>Sciadopitys verticillata</i> (umbrella-pine)				1		Calif.*
<i>Lepidosaphes tubulorum</i> (Coccidae)	<i>Diospyros</i> sp. (persimmon)				1		Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Cymbidium</i> sp. (orchid)		1				Wash.
Do	<i>Epiphyllum ackermannii</i>		1				Do.
Do	<i>Ilex</i> sp.				1		Md.
<i>Leucaspis bambusae</i> (Coccidae)	Bamboo					1	Fla.*
<i>Loxostege</i> sp. (Pyralidae)	<i>Chrysanthemum</i> sp.				1		Wash.
<i>Lyctoxylon japonum</i> (Lyctidae)	Bamboo	2					N. Y.
Lymantriid	<i>Chrysanthemum</i> sp.				1		Calif.*
<i>Macrosiphum</i> sp. (aphid)	<i>Aucuba japonica</i>				1		Wash.
Do	<i>Chrysanthemum</i> sp.				1		Calif.*
<i>Melanotus</i> sp. (Elateridae)	<i>Lilium</i> sp.	1					N. Y.
Do	do	1					Wash.
<i>Monomorium</i> sp. (ant)	<i>Chrysanthemum</i> sp.				1		Calif.*
Noctuid	<i>Beta cicla</i> (Swiss chard)					2	Md.
Do	<i>Brassica chinensis</i> (pakchoi cabbage)					1	Wash.
Do	<i>Chrysanthemum</i> sp.						Calif.*
Do	<i>Pelargonium</i> sp. (geranium)				1		Wash.
Do	<i>Prunus</i> sp. (cherry)		1				Hawaii.*
Olethreutid	<i>Castanea</i> sp. (chestnut)	2					Calif.*
Do	<i>Podocarpus macrophylla</i> (yew podocarpus)		1				Do.
Do	do		1				D. C.
Do	<i>Prunus</i> sp. (cherry)		1				Hawaii.*
<i>Paratetranychus</i> sp. (mite)	<i>Amygdalus</i> sp. (dwarf peach)				1		Wash.
Do	<i>Citrus nobilis</i> var.	1					Do.
<i>Parlatoria pergandii camelliae</i> (Coccidae)	<i>Camellia japonica</i> (camellia)				1		N. Y.
Do	do				1		
<i>Parlatoria theae</i> (Coccoidea)	<i>Acer</i> sp. (maple)				1		Pa.
Do	<i>Camellia</i> sp.		1				Wash.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)				1		Calif.*
Do	<i>Citrus grandis</i> (pomelo)				4		Do.*
Do	do					1	Md.
Do	do					1	Pa.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)				1		Calif.*
Do	<i>Citrus sinensis</i> (orange)					1	Do.*
Pheidole	<i>Physalis</i> sp. (ground cherry)		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Phenacaspis aucubae</i> (Coccidae) . . . . .	<i>Aucuba</i> sp . . . . .				1		Calif.*
<i>Phenacaspis kentiae</i> (Coccidae) . . . . .	Palm . . . . .				1		Do.*
<i>Phenacaspis</i> sp. (Coccidae) . . . . .	do . . . . .				8		Do.*
<i>Phenacoccus</i> sp. (Coccidae) . . . . .	<i>Mammillaria bocasana</i> . . . . .	1					Do.*
Do . . . . .	<i>Prunus</i> sp . . . . .				1		Do.*
Do . . . . .	<i>Sciadopitys verticillata</i> (umbrella-pine) . . . . .				1		Do.*
<i>Phloeosinus</i> sp. (Scolytidae) . . . . .	<i>Sequoia sempervirens</i> (red-wood) . . . . .	1					Hawaii.*
<i>Phloeothrips</i> sp. (thrips) . . . . .	<i>Aspidistra elatior</i> . . . . .				1		Calif.*
<i>Phycitinae</i> (Pyralidae) . . . . .	<i>Amygdalus persica</i> var. (flowering peach) . . . . .				2		Do.*
Do . . . . .	<i>Prunus</i> sp. (flowering) . . . . .				2		Do.*
Do . . . . .	Rice straw packing . . . . .	1					Pa.
<i>Phytometra</i> sp. (Noctuidae) . . . . .	<i>Chrysanthemum</i> sp . . . . .				1		Wash.
<i>Poliaspis pini</i> (Coccidae) . . . . .	<i>Pinus</i> sp . . . . .				2		Calif.*
Do . . . . .	<i>Pinus</i> sp. (fiveleaf pine) . . . . .				1		Hawaii.*
<i>Protopulvinaria longivalvata</i> (Coccidae) . . . . .	<i>Aralia</i> sp . . . . .				1		Calif.*
<i>Pseudaonidia duplex</i> (camphor scale) . . . . .	<i>Citrus sinensis junos</i> . . . . .					1	Md.
Do . . . . .	<i>Citrus medica</i> (citron) . . . . .					1	Calif.*
Do . . . . .	<i>Citrus nobilis deliciosa</i> (tangerine) . . . . .					1	Do.*
Do . . . . .	<i>Citrus nobilis deliciosa</i> (mandarin orange) . . . . .				1		Wash.
Do . . . . .	<i>Citrus</i> sp . . . . .					2	Do.
Do . . . . .	<i>Codiaeum</i> sp. (croton) . . . . .					31	Calif.*
Do . . . . .	<i>Diospyros</i> sp. (persimmon) . . . . .				1		N. Y.
<i>Pseudaonidia paeoniae</i> (Coccidae) . . . . .	<i>Azalea</i> sp . . . . .	1				1	Pa.
Do . . . . .	<i>Camellia</i> sp . . . . .					1	Wash.
Do . . . . .	<i>Paeonia</i> sp. (peony) . . . . .				1		Calif.*
Do . . . . .	<i>Rhododendron</i> sp . . . . .	1				1	Wash.
<i>Pseudococcus azaleae</i> (Coccidae) . . . . .	<i>Azalea</i> sp . . . . .				1		Calif.*
<i>Pseudococcus comstocki</i> (Coccidae) . . . . .	<i>Aralia</i> sp . . . . .				8		Do.*
Do . . . . .	<i>Buxus japonica</i> (Japanese box) . . . . .				1		Wash.
Do . . . . .	<i>Euonymus</i> sp . . . . .				1		Calif.*
Do . . . . .	Palm . . . . .				2		Do.*
<i>Pseudococcus kraunhiae</i> (Coccidae) . . . . .	<i>Aralia</i> sp . . . . .				1		Do.*
Do . . . . .	<i>Citrus sinensis</i> (orange) . . . . .					1	Do.*
Do . . . . .	<i>Citrus</i> sp . . . . .					1	Do.*
Do . . . . .	<i>Codiaeum</i> sp. (croton) . . . . .				2		Do.*
Do . . . . .	<i>Pandanus</i> sp . . . . .				1		Do.*
<i>Pseudococcus pini</i> (Coccidae) . . . . .	<i>Pinus</i> sp. (fiveleaf pine) . . . . .	1					Hawaii.*
<i>Pseudococcus</i> sp. (Coccidae) . . . . .	Cactus . . . . .	1					Calif.*
Do . . . . .	<i>Coleus</i> sp . . . . .				1		Wash.
Do . . . . .	<i>Diospyros</i> sp. (persimmon) . . . . .				1		Calif.*
Do . . . . .	do . . . . .				1		Wash.
Do . . . . .	<i>Euonymus obovatus</i> variegatus . . . . .				1		Do.
Do . . . . .	<i>Fatsia japonica</i> (fatsia) . . . . .					1	S. C.
Do . . . . .	do . . . . .				2		Wash.
Do . . . . .	<i>Ginkgo biloba</i> (maidenhair-tree) . . . . .				1		Do.
Do . . . . .	Palm . . . . .				1		Calif.*
Do . . . . .	<i>Pinus</i> sp . . . . .				1		Do.*
Psychid . . . . .	<i>Citrus grandis</i> (pomelo) . . . . .					1	Do.*
Do . . . . .	<i>Euonymus</i> sp . . . . .				3		Do.*
Do . . . . .	do . . . . .				1		Wash.
Do . . . . .	Palm . . . . .				1		N. Y.
Do . . . . .	<i>Prunus glandulosa</i> (flowering almond) . . . . .				1		Calif.*
Do . . . . .	<i>Punica granatum</i> (pomegranate) . . . . .				1		Do.*
Psyllia sp. (Psyllidae) . . . . .	<i>Fatsia japonica</i> (fatsia) . . . . .				1		Wash.
<i>Pulvinaria psidii</i> (Coccidae) . . . . .	do . . . . .				1		La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAPAN—Continued</b>							
Insects—Continued.							
Pyralid	<i>Prunus</i> sp. (flowering cherry)				1		Calif.*
Do	Rice straw packing	1					Do.*
Do	do	1					Wash.
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Phaseolus</i> sp. (string bean)					1	Do.
Do	<i>Zea mays</i> (corn)					1	Calif.*
Do	do					1	Wash.
<i>Pyraustinae</i> (Pyralidae)	<i>Beta cicla</i> (Swiss chard)					1	Md.
Do	<i>Brassica oleracea caulo-rapa</i> (kohlrabi).					1	Do.
<i>Reticulitermes</i> sp. (termite)	In soil used as packing for lily bulbs.	1					Wash.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				1		Pa.
Do	<i>Colocasia esculenta</i> (taro)				1		La.
Do	do				1		Wash.
Do	<i>Lilium giganteum</i> (giant lily)	3					Do.
Do	<i>Lilium</i> sp	4					Calif.*
Do	do	3					Wash.
Do	<i>Zingiber officinale</i> (ginger)					1	Pa.
<i>Saissetia</i> sp. (Coccidae)	<i>Fatsia japonica</i> (fatsia)				1		La.
Do	<i>Zygompetalum mackayi</i> (orchid)		1				Hawaii.*
<i>Sciara</i> sp (Mycetophilidae)	<i>Arctium lappa</i> (gobo)					1	Wash.
Do	<i>Colocasia esculenta</i> (taro)				2		La.
Do	<i>Lilium</i> sp				1		Wash.
Do	<i>Zingiber officinale</i> (ginger)				2		Pa.
Do	do				1		Tex.
<i>Sitophilus</i> sp. (Curculionidae)	Rice straw packing	1					Pa.
<i>Solenopsis</i> sp. (ant)	In moss used as packing for lily bulbs.		1				Md.
Syrphid	<i>Beta cicla</i> (Swiss chard)				4		Do.
Do	<i>Brassica pekinensis</i> (Chinese cabbage)				1		Wash.
Do	<i>Lactuca sativa</i> (lettuce)				1		Do.
<i>Taeniothrips</i> sp. (thrips)	<i>Allium porrum</i> (leek)				1		Pa.
Tarsonemid (mite)	<i>Lilium</i> sp	1					Calif.*
<i>Tenebroides</i> sp. (Ostomidae)	<i>Oryza sativa</i> (rice)				1		La.
<i>Tetramorium</i> sp. (ant)	<i>Lilium</i> sp	1					Wash.
Tetranychid (mite)	<i>Citrus sinensis</i> (orange)				1		Calif.*
<i>Tetranychus</i> sp. (mite)	<i>Aspidistra elatior</i>				1		Do.*
Do	<i>Capsicum</i> sp				1		Pa.
<i>Thrips abdominalis</i> (thrips)	<i>Chrysanthemum</i> sp				1		Calif.*
<i>Thrips japonicus</i> (thrips)	do				1		Wash.
Do	<i>Senecio cruentus</i> (cineraria)				1		Do.
<i>Tinea</i> sp. (Tineidae)	<i>Oryza sativa</i> (rice)	1				1	N. Y.
Tineid	<i>Dioscorea</i> sp					1	Calif.*
Do	Bean				1		Do.*
Tortricid	<i>Chamaecyparis</i> sp				1		Wash.
Do	<i>Diospyros</i> sp. (persimmon)				1		Do.
Do	<i>Euonymus obovatus variegatus</i>				1		Do.
Do	<i>Fatsia japonica</i> (fatsia)				1		Do.
Do	<i>Prunus glandulosa</i> (flowering almond)				1		Calif.*
Do	<i>Raphiolepis umbellata</i> (yeddo-hawthorn)	1					Do.*
Do	<i>Sciadopitys verticillata</i> (umbrella-pine)				1		Do.*
Tyroglyphid (mite)	<i>Citrus sinensis</i> (orange)					1	Do.*
Do	Rice straw packing	1					Pa.
Do	<i>Lilium</i> sp	1					Calif.*
<i>Uloma fracticollis</i> (Tenebrionidae)	In soil used as packing for giant lily bulbs.	1					Wash.
Yponomeutid	<i>Aralia</i> sp				1		Calif.*
<i>Zabrotes subfasciatus</i> (Bruchidae)	In sack with inhames					1	Md.
Diseases:	<i>Dioscorea</i> sp. (yam)					1	Do.
<i>Anguillulina pratensis</i>	do					1	Pa.
Do	<i>Allium sativum</i> (garlic)					1	Do.
<i>Aphelenchoides parietinus</i>	<i>Colocasia esculenta</i> (taro)					1	Md.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Aphelenchoides parthenus</i>	<i>Colocasia esculenta</i> (taro)					2	S. C.
Do	<i>Ipomoea batatas</i> (sweetpotato)					1	N. Y.
Do	<i>Lilium</i> sp.	1				1	Pa.
Do	<i>Zingiber officinale</i> (ginger)					1	Md.
Do	do					1	Pa.
<i>Aphelenchoides tenuicaudatus</i>	<i>Dioscorea batatas</i> (cinnamon-vine)					1	Do.
<i>Aphelenchoides</i> sp.	do					1	Do.
<i>Aphelenchus avenae</i>	<i>Lilium</i> sp.					1	Do.
<i>Ascochyta</i> sp.	<i>Fatsia japonica</i> (fatsia)				1		Wash.
<i>Bacterium citri</i>	<i>Citrus sinensis</i> (orange)			1		3	Calif.*
<i>Bacterium phaseoli</i>	<i>Phaseolus</i> sp. (string bean)					1	Do.*
<i>Capnodium citri</i>	<i>Citrus sinensis junos</i>					2	Pa.
<i>Capnodium</i> sp.	<i>Oryza sativa</i> (rice)	1					Do.
<i>Cercospora</i> sp.	<i>Lilium</i> sp.					1	La.
Do	<i>Narcissus</i> sp.		1				Wash.
<i>Chrysomyxa</i> sp.?	<i>Rhododendron chrysanthemum</i>		1				Do.
<i>Colletotrichum</i> sp.	<i>Aucuba japonica variegata</i>				1		Do.
<i>Cylindrosporium</i> sp.	<i>Aspidistra lurida</i> (aspidistra)				1		Do.
<i>Eurotium</i> sp.	<i>Triticum aestivum</i> (wheat)	1					La.
Exanthema	<i>Anthurium scherzerianum</i>				1		Md.
<i>Gloeosporium sorauerianum</i>	<i>Codiaeum</i> sp. (croton)				1		La.
<i>Gloeosporium</i> sp.	<i>Fatsia japonica</i>				1		Wash.
Do	Palm				1		Do.
<i>Glomerella cingulata</i>	<i>Fatsia japonica</i>				3		Do.
<i>Helminthosporium</i> sp.	<i>Oryza sativa</i> (rice)	1					Pa.
Do	do		1	1			Wash.
<i>Leptothyrium</i> sp.	<i>Citrus grandis</i> (pomelo)					1	Md.
Do	<i>Paeonia</i> sp.		5				Wash.
<i>Lophodermium</i> sp.	<i>Pinus</i> sp.					1	Do.
<i>Macrophoma aucubana?</i>	<i>Aucuba japonica</i>					1	Do.
<i>Monochaetia paeoniae</i>	<i>Paeonia</i> sp.	1					Do.
<i>Mycosphaerella moutan</i>	do		2				Do.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium cepa</i> (onion)					1	Md.
Do	do					1	Pa.
Do	<i>Allium fistulosum</i> (Welsh onion).					4	Do.
Do	<i>Allium porrum</i> (leek)	1				17	Md.
Do	do					1	N. Y.
Do	do					9	Pa.
<i>Mycosphaerella</i> sp.	<i>Aucuba japonica</i>				1		Wash.
Do	<i>Paeonia</i> sp.		2				Do.
Do	<i>Wisteria multijuga</i> (longcluster wisteria).	1					Do.
<i>Nectria</i> sp.	<i>Capsicum annuum</i>					1	Pa.
<i>Oidium euonymi-japonici</i>	<i>Euonymus</i> sp.				1		Wash.
Oleocellosis	<i>Citrus sinensis junos</i>					3	Md.
Do	do					1	Pa.
Do	<i>Citrus sinensis</i> (orange)					1	La.
Do	do					1	Md.
Do	do					1	Pa.
<i>Paraphelenchus</i> n. sp.	<i>Dioscorea batatas</i> (cinnamon-vine).					1	Do.
<i>Peronospora effusa</i>	<i>Spinacia</i> sp. (spinach)					1	Wash.
<i>Pestalozzia neglecta</i>	<i>Euonymus obovatus variegatus</i>				1		Do.
<i>Pestalozzia</i> sp.	<i>Aucuba japonica variegata</i>				1		Do.
Do	<i>Fatsia japonica</i>				2		Do.
Do	<i>Jasminum</i> sp.				1		Md.
Do	<i>Paeonia</i> sp.		3				Wash.
Do	<i>Pittosporum tobira</i>				1		Do.
<i>Phaeomarsonia</i> sp.	<i>Cymbidium virens sinensis</i> (orchid).		1				Do.
<i>Phoma citricarpa</i>	<i>Citrus sinensis junos</i>					1	Pa.
Do	<i>Citrus sinensis</i> (orange)					2	Calif.*
<i>Phoma</i> sp.	<i>Aucuba japonica</i> (Japanese aucuba).					1	Wash.
Do	<i>Magnolia stellata</i> (star magnolia).	1					Do.
Do	<i>Paeonia suffruticosa</i> (tree peony).		1				Do.

*List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued*

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>JAPAN—Continued</b>							
Diseases—Continued.							
<i>Phomatospora</i> sp.	<i>Fatsia japonica</i> (fatsia)				1		Wash.
<i>Phomopsis aucubicola</i>	<i>Aucuba japonica</i>				1		Do.
<i>Phomopsis</i> sp.	<i>Sciadopitys verticillata</i>				1		Do.
<i>Phyllosticta</i> sp.	<i>Calanthe discolor</i> (orchid)	2					Do.
Do	<i>Camellia japonica</i>				1		Mass.
Do	do	1				1	Wash.
Do							Do.
<i>Phytophthora</i> sp.	<i>Magnolia</i> sp. (?)				1		Mass.
Do	<i>Colocasia esculenta</i> (taro)				1		Pa.
Do	do				1		Do.
Do	<i>Nymphaea</i> sp. (water lily)				1		Md.
Do	<i>Zingiber officinale</i> (ginger)				1		Pa.
Do	do				1		
<i>Puccinia anomala</i>	<i>Hordeum vulgare</i> (barley)				1		Md.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Pa.
<i>Puccinia</i> sp.	<i>Allium fistulosum</i> (Welsh onion)				1		Do.
Do	<i>Allium porrum</i> (leek)				2		Md.
Do	do				1		Pa.
<i>Rhizoctonia</i> sp.	<i>Brassica rapa</i> (turnip)				1		Do.
Do	<i>Colocasia esculenta</i> (taro)				1		La.
Do	<i>Lilium</i> sp.	1					Md.
Saccharomyctaceae	<i>Allium porrum</i>				1		Do.
Do	<i>Lactuca sativa</i> (lettuce)				1		Pa.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				1		Ala.
Do	do				1		Pa.
Do	<i>Arctium lappa</i> (gobo)				1		Do.
Do	<i>Colocasia esculenta</i> (taro)				1		Do.
Do	<i>Cucurbita pepo</i> (pumpkin)				1		Do.
Do	<i>Dioscorea</i> sp. (yam)				2		Do.
Do	<i>Nymphaea</i> sp. (water lily)				2		Do.
Do	Unknown root				1		Do.
<i>Sclerotium</i> sp.	<i>Allium porrum</i> (leek)				1		Md.
Do	<i>Sagittaria</i> sp.				1		Pa.
Do	<i>Scirpus</i> sp. (bulrush)	1					Wash.
<i>Septoria evonymi</i>	<i>Euonymus</i> sp.				1		Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus sinensis junos</i>				2		Md.
Do	<i>Citrus sinensis</i> (orange)				1		Calif.*
Do	do				1		N. Y.
Do	do			1			Wash.
<i>Sphaeropsis malorum</i>	<i>Malus sylvestris</i> (apple)				1		La.
<i>Sphaerulina aucubae?</i>	<i>Aucuba japonica</i>				1		Wash.
<i>Sporotrichum</i> sp.	<i>Citrus sinensis</i>				1		Calif.*
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)	1			1		Md.
<i>Verticillium</i> sp.	<i>Dioscorea batatas</i> (cinnamon-vine)				1		N. Y.
Do	<i>Lilium giganteum</i> (giant lily)	1					Wash.
Do	<i>Lilium</i> sp.	1					Pa.
Do	do	2					Wash.
<b>JAVA</b>							
Insects:							
<i>Aleurotuberculatus</i> sp. (whitefly)	<i>Myristica fragrans</i> (nutmeg)	1					D. C.
<i>Aspidiotus palmae</i> (Coccidae)	do	1					Do.
<i>Aspidiotus</i> sp. (Coccidae)	do	1					Do.
Cerambycid	<i>Dendrobium</i> sp. (orchid)	1					Do.
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo stems used as dunnage						La.
<i>Eurytoma</i> sp. (Eurytomidae)	<i>Citrus grandis</i> (pomegranate)				1		Pa.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Myristica fragrans</i>	1					D. C.
Mirid	<i>Aerides crassifolium</i> (orchid)	1					Do.
<i>Pseudaonidia</i> sp. (Coccidae)	<i>Myristica fragrans</i>	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	do	1					Do.
<i>Saissetia psidii</i> (Coccidae)	do	1					Do.
<i>Sybra</i> sp. (Cerambycidae)	<i>Dendrobium</i> sp. (orchid)	1					Do.
<i>Xylosandrus</i> sp. (Scolytidae)	do	1					Do.
Diseases:							
<i>Colletotrichum</i> sp.	<i>Capsicum annuum</i>				1		Pa.
Do	Orchid	1					D. C.
<i>Diplodia cacaoicola</i>	<i>Arachnanthe rosae</i> (orchid)	1					Do.
<i>Eutypella</i> sp.	Bamboo				1		La.
<i>Gloeosporium</i> sp.	Orchid	2					D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
LATVIA							
Diseases:							
Internal blackening	<i>Solanum tuberosum</i>					1	Tex.
LIBERIA							
Insects:							
<i>Capritermes</i> sp. (termite)	<i>Hevea brasiliensis</i> (Para rubber tree).	1					N. Y.
<i>Heterotarsus</i> sp. (Tenebrionidae)	do	1					Do.
<i>Propsephus</i> sp. (Elateridae)	do	1					Do.
Tenebrionid	do	1					Do.
LITHUANIA							
Diseases:							
<i>Aphelenchoides</i> sp.	<i>Pyrus communis</i> (pear)		1				D. C.
MALTA							
Insects:							
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>					1	Mass.
MANCHURIA							
Insects:							
<i>Carposinid</i>	<i>Magnolia conspicua</i>	1					Calif.*
Do	<i>Magnolia kobus</i> (kobus magnolia).	2					Do.*
<i>Curculio</i> sp. (Curculionidae)	<i>Quercus glandulifera</i>	1					Do.*
Do	<i>Quercus mongolica grosseserrata</i> (shallowcup Mongolian oak).	1					Do.*
Tyroglyphid (mite)	<i>Lilium</i> sp.	1					Do.*
MEXICO							
Insects:							
<i>Ababa</i> sp. (Corynetidae)	Banana debris	1					Pa.
<i>Aeolothrips</i> sp. (thrips)	<i>Lycopersicum esculentum</i>	1					Calif.*
<i>Aeolus pulchellus</i> (Elateridae)	<i>Holcus sorghum</i> (sorghum)		1				Tex.
<i>Aeolus yucatanus</i> (Elateridae)	<i>Musa</i> sp. (banana)	1					La.
Do	<i>Solanum tuberosum</i>		2				Tex.
<i>Aeolus</i> sp. (Elateridae)	Banana debris	2					Pa.
<i>Agallia producta</i> (Cicadellidae)	In airplane			1			Tex.
Agromyzid	<i>Lycopersicum esculentum</i>	5					Ariz.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Tex.
Do	<i>Pisum sativum</i> (pea)	1					Calif.*
<i>Aknisus multispinus</i> (Neididae)	<i>Lactuca sativa</i> (lettuce)		1				Ariz.
<i>Aleuroplatus</i> sp. (whitefly)	<i>Musa</i> sp. (banana)	1					La.
<i>Aleurothrixus howardi</i> (woolly white-fly).	Banana debris	1					Pa.
<i>Amphibolips nigra</i> (Cynipidae)	<i>Quercus hypolema</i>		1				Tex.
<i>Anaedus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Anastrepha ludens</i> (Mexican fruit fly).	<i>Citrus aurantifolia</i> (lime)		1				Tex.
Do	<i>Citrus aurantium</i> (sour orange)		2				Do.
Do	<i>Citrus limetta</i> (sweet lime)		1				Do.
Do	<i>Citrus sinensis</i> (orange)			1			La.
Do	do		24	1			Tex.
<i>Anastrepha striata</i> (Tryptidae)	<i>Mangifera indica</i> (mango)		16				Do.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Psidium guajava</i> (guava)		3				Do.
Do	<i>Amygdalus persica</i> (peach)		3				Do.
Do	<i>Citrus sinensis</i> (orange)		10				Do.
Do	<i>Cydonia oblonga</i> (quince)		3				Do.
Do	<i>Mammea americana</i> (mamey)		1				Do.
Do	<i>Mangifera indica</i> (mango)		11				Do.
Do	<i>Psidium guajava</i> (guava)		1				Do.
Do	<i>Punica granatum</i> (pomegranate).		1				Do.
Do	<i>Pyrus communis</i> (pear)		1				Do.
Do	Sapote		1				Do.
<i>Andricus furnessae</i> (Cynipidae)	<i>Quercus</i> sp.		1				Ariz.
<i>Anoplotermes</i> sp. (termite)	<i>Pastinaca sativa</i> (parsnip)		1				Tex.
Anthomyiid	In soil around rose bush				1		La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Insects—Continued.							
<i>Anthonomus eugenii</i> (pepper weevil)	<i>Capsicum annuum</i>					1	La.
Do	do	12		6			Tex.
<i>Anthonomus grandis</i> (boll weevil)	<i>Gossypium</i> sp. (cotton) (boll)			2			Do.
<i>Anthonomus</i> sp. (Curculionidae)	<i>Gossypium</i> sp. (cotton)			2			Do.
Do	<i>Phaseolus</i> sp. (green bean)	1					Do.
<i>Aphaenogaster</i> sp. (ant)	<i>Astrophytum myriostigma</i> (bishop's-hood).		1				Calif.*
Do	<i>Cactus</i>		1				Do.*
Arctiid	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Armalia variabilis</i> (Tenebrionidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Aspidiotus palmae</i> (Coccidae)	do	1					Pa.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)			1			Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do					1	N. Y.
Do	<i>Persea americana</i> (avocado)			1			Tex.
Do	<i>Psidium guajava</i> (guava)			1			Do.
Do	<i>Lactuca sativa</i> (lettuce)			1			Do.
<i>Autographa</i> sp. (Noctuidae)	Banana debris	2					Pa.
<i>Axylophilus</i> sp. (Euglenidae)	do	1					Do.
<i>Azteca</i> sp. (ant)	<i>Poinsettia pulcherrima</i> (poinsettia).			1			Tex.
<i>Bemisia</i> sp. (whitefly)	In soil around <i>Rubus</i> sp.			1			Calif.
<i>Blapstinus</i> sp. (Tenebrionidae)	<i>Malus sylvestris</i> (apple)			1			Tex.
<i>Blastobasid</i>	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Blastobasis</i> sp. (Blastobasidae)	<i>Psidium guajava</i> (guava)			2			Tex.
<i>Brachyrhinini</i> (Curculionidae)	<i>Musa</i> sp. (banana)	1					Pa.
<i>Camponotus abdominalis sternoceratus</i> (ant).	Banana debris						
<i>Camponotus angulatus</i> (ant)	do	8					Do.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Camponotus</i> sp. (ant)	Banana debris	1					La.
Do	do	15					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	7					La.
Do	do	1					Pa.
Do	do	2					Tex.
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	1					La.
Do	do	5					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Catolethrus longulus</i> (Curculionidae)	do	1					Ala.
Do	do	1					La.
Cecidomyiid.	Banana debris	2					Pa.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Lactuca sativa</i> (lettuce)			1			Tex.
Do	<i>Lycopersicum esculentum</i>	6					Ariz.
Do	do			1			Tex.
Do	<i>Plumeria</i> sp.		1				D. C.
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					Calif.
Do	do	1					La.
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Zea mays</i> (corn)			1			Ariz.
Do	do			1			La.
<i>Charisterus moestus</i> (Coreidae)	Banana debris	1					Pa.
<i>Chelinidea</i> sp. (Coreidae)	Cactus			1			Calif.
<i>Chelymorpha</i> sp. (Chrysomelidae)	In soil around violet and larkspur plants.			1			Ariz.
<i>Chilo</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>			1			Do.
Chloropid.	<i>Brassica oleracea capitata</i>				1		Do.
Do	<i>Zea mays</i> (corn)			1			Do.
<i>Chrysobothris</i> sp. (Buprestidae)	<i>Prosopis</i> sp. (mesquite)			1			Tex.
Chrysomelid.	<i>Solanum tuberosum</i>			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Citrus sinensis</i> (orange)		1				Do.
Do	<i>Ficus</i> sp.			1			Calif.
<i>Chrysomphalus scutiformis</i> (Coccidae).	<i>Citrus aurantifolia</i>	1					Calif.*
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus aurantium</i> (sour orange)			1			Tex.
Do	<i>Persea americana</i> (avocado)			1			N. Y.
Cicadellid.	<i>Vitis</i> sp. (grape)			1			Calif.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Coccus</i> sp. (Coccidae)	<i>Carica papaya</i> (papaya)		1				Ariz.
Do	<i>Cocos nucifera</i> (coconut)					1	Calif.*
<i>Compsus</i> sp. (Curculionidae)	In soil			1			Tex.
<i>Conotelus mexicanus</i> (fruit bud beetle).	<i>Ananas sativus</i> (pineapple)	1					Do.
Do	<i>Cydonia oblonga</i> (quince)			1			Do.
Do	<i>Physalis</i> sp. (husk tomato)	1					Do.
<i>Conotelus</i> sp. (Nitidulidae)	<i>Zea mays</i> (corn)			1			Ariz.
Do	do			1			Tex.
<i>Conotrachelus aguacatae</i> (Curculionidae).	<i>Persea americana</i> (avocado)			1			Do.
<i>Conotrachelus perseae</i> (Curculionidae).	do			1			Ariz.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Castanopsis</i> sp. (chinquapin)			1			Tex.
Do	<i>Persea americana</i> (avocado)			6			Do.
Do	<i>Prunus domestica</i> (plum)			1			Do.
Do	<i>Quercus</i> sp. (acorn)			18			Ariz.
Do	do			1			Tex.
<i>Coptotermes</i> sp. (termite)	do			1			Ariz.
Coreid	Banana debris	1					Pa.
Do	<i>Gardenia florida</i> (Cape-jasmine)	1					Calif.
<i>Cossoninae</i> (Curculionidae)	<i>Ipomoea batatas</i> (sweetpotato)					1	N. Y.
<i>Crematogaster brevispinosa</i> var. (ant)	Banana debris	1					Pa.
<i>Crematogaster lineolata laeviuscula</i> (ant).	<i>Cydonia oblonga</i> (quince)			1			Tex.
Do		1					
<i>Crematogaster victimae</i> (ant)	<i>Musa</i> sp. (banana)						La.
<i>Crematogaster</i> sp. (ant)	do	1					Ala.
Do	Banana debris	2					Pa.
Do	<i>Lycopersicum esculentum</i>	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					Pa.
	<i>Punica granatum</i> (pomegranate).			1			Ariz.
Do	<i>Saccharum officinarum</i>			1			Tex.
Do	<i>Swietenia</i> sp. (mahogany)	1					La.
<i>Crophius</i> sp. (Lygaeidae)	Cactus		1				Calif.*
<i>Cryptarcha</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Cryptothrips</i> sp. (thrips)	Banana debris	1					Pa.
<i>Curculio</i> sp. (Curculionidae)	<i>Quercus velutina</i> (black oak)			1			Ariz.
Do	<i>Quercus</i> sp. (acorn)			7			Do.
Do	do	1					Calif.
Curculionid	<i>Annona cherimola</i> (cherimoya)			1			Tex.
Do	<i>Castilla elastica</i>	1					Do.
Do	<i>Hippeastrum</i> sp.	1				1	Calif.*
Do	<i>Ipomoea batatas</i> (sweetpotato)						N. Y.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	<i>Phaseolus</i> sp. (string bean)			1			Ariz.
Do	<i>Quercus</i> sp. (acorn)			1			Do.
Do	<i>Sempervivum</i> sp. (houseleek)			1			Tex.
Do	<i>Solanum tuberosum</i>			1			Do.
Do	<i>Solidago</i> sp. (goldenrod)			1			Ariz.
Do	<i>Swietenia</i> sp. (mahogany)			6			La.
Curculioninae (Curculionidae)	Cactus		1				Calif.*
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)			33			Tex.
<i>Cylas</i> sp. (Curculionidae)	do			2			Do.
Cynipid	<i>Quercus</i> sp. (acorn)	1		5			Ariz.
<i>Delphacodes</i> sp. (Delphacidae)	Banana debris	1					La.
<i>Ceraeocoris</i> sp. (Miridae)	In airplane				1		Tex.
<i>Diabrotica lepida</i> (Chrysomelidae)	Banana debris	1					Pa.
<i>Diabrotica</i> sp. (Chrysomelidae)	<i>Capsicum annuum</i>	2					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
Do	<i>Zea mays</i> (corn)			1			Do.
Dialeurodes citrifolii (cloudy-winged whitefly).	<i>Citrus sinensis</i> (orange)			1			Tex.
<i>Diaphania</i> sp. (Pyralidae)	<i>Cucumis sativus</i> (cucumber)	2					Do.
Do	<i>Cucurbita maxima</i> (squash)	7		1			Do.
Do	<i>Cucurbita pepo</i> (pumpkin)	2		1			Do.
<i>Diaspis echinocacti cacti</i> (Coccidae)	Cactus	1					Ariz.
Do	<i>Cereus</i> sp.		1				Tex.
Do	<i>Epiphyllum</i> sp.				1		Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Diaspis</i> sp. (Coccidae)	<i>Persea americana</i> (avocado)			1			N. Y.
Do	<i>Stanhopea graveolens</i> (orchid)		1				Hawaii.*
<i>Diatraea</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>			8			Tex.
Do	<i>Zea mays</i> (corn)	1					Ariz.
Do	do			1			La.
<i>Dinoderus</i> sp. (Bostrichidae)	Cactus		1				Calif.*
<i>Disonycha antennata</i> (Chrysomelidae)	<i>Musa</i> sp. (banana)	3					La.
<i>Disonycha dorsata</i> (Chrysomelidae)	do		1				Do.
<i>Dolichoderus bispinosus</i> (ant)	Banana debris	1					Pa.
<i>Dolichoderus</i> sp. (ant)	do	5					Do.
<i>Drasterius simiolus</i> (Elateridae)	do	1					Do.
<i>Dryocosmus coxii</i> (Cynipidae)	<i>Quercus undulata</i>			1			Ariz.
<i>Edessa</i> sp. (Pentatomidae)	Banana debris	1					Pa.
<i>Elaphrothrips longiceps</i> (thrips)	do	2					Do.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Ariz.
Do	<i>Physalis</i> sp. (husk tomato)			1			Tex.
<i>Epicaerus</i> sp. (Curculionidae)	<i>Solanum tuberosum</i>				1		Do.
<i>Epilachna borealis distincta</i> (Coccinellidae)	Banana debris	1					Pa.
<i>Epuraea</i> sp. (Nitidulidae)	<i>Punica granatum</i> (pomegranate)			1			Tex.
<i>Eriococcus</i> sp. (Coccidae)	Cactus	8	5				Calif.*
<i>Eriphia</i> sp. (Cosmopterygidae)	In airplane				1		Tex.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil)	<i>Ipomoea batatas</i> (sweetpotato)			1			Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Citrus aurantiifolia</i> (lime)			1			Do.
Do	<i>Citrus limetta</i> (sweet lime)			1			Do.
Do	<i>Citrus sinensis</i> (orange)			3			Do.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Persea americana</i> (avocado)			2			Do.
Do	<i>Swietenia</i> sp. (mahogany)	2					La.
<i>Fiorinia fioriniae</i> (Coccidae)	<i>Camellia japonica</i>			1			Ariz.
<i>Frankliniella ameliae</i> (thrips)	<i>Capsicum annuum</i>	1					Tex.
<i>Frankliniella diffcilis</i> (thrips)	<i>Citrus sinensis</i> (orange)			1			Fla.*
<i>Frankliniella insularis</i> (thrips)	<i>Rosa</i> sp.			1			La.
<i>Galleriinae</i> (Pyralidae)	<i>Ananas sativus</i> (pineapple)	1					Do.
Do	do			1			Tex.
Do	<i>Musa</i> sp. (banana)			1			Do.
Gelechiid	Banana debris	1					Pa.
Geometrid	<i>Citrus</i> sp.			1			Ariz.
<i>Glischrochilus</i> sp. (Nitidulidae)	<i>Allium sativum</i> (garlic)			1			Tex.
Do	<i>Zea mays</i> (corn)			1			Ariz.
Do	do			1			La.
<i>Gnorimoschema gudmannella</i> (Gelechiidae)	<i>Capsicum annuum</i>	1					Ariz.
<i>Gnorimoschema lycopersicella</i> (Gelechiidae)	<i>Lycopersicum esculentum</i>	654		17			Do
Do	do						Calif.*
Do	do	24					Pa.
Do	do	2					Tex.
Do	do	2					Ariz.
Do	<i>Zea mays</i> (corn)			1			Do.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Capsicum annuum</i>	6					Calif.*
Do	do	1					Ariz.
Do	<i>Lycopersicum esculentum</i>	3					Do.
Do	<i>Solanum tuberosum</i>			1			Tex.
Gracillariid	Orchid		1				D. C.
<i>Grapholita</i> sp. (Olethreutidae)	<i>Cydonia oblonga</i> (quince)			4			Tex.
Do	<i>Prunus domestica</i> (plum)			1			Do.
<i>Heliothis</i> sp. (Noctuidae)	<i>Capsicum annuum</i>	1					Do.
Do	<i>Lycopersicum esculentum</i>	4					Ariz.
Do	do	1					Tex.
Do	<i>Vicia faba</i> (horsebean)			2			Do.
<i>Holcocera</i> sp. (Blastobasidae)	<i>Ananas sativus</i> (pineapple)	3		1			Do.
Do	<i>Punica granatum</i> (pomegranate)			2			Do.
<i>Homophyla</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Hymenia</i> sp. (Pyralidae)	In airplane				1		Tex.
Do	<i>Spinacia oleracea</i> (spinach)			1			Ariz.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection.]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Insects—Continued.							
<i>Hyperodes</i> sp. (Curculionidae)	In airplane				1		Tex.
<i>Hypothenemus ferrugineus</i> (Scolytidae)	Banana debris	1					Pa.
<i>Hypothenemus</i> sp. (Scolytidae)	do	2					Do.
<i>Hypselonotus fulvus</i> (Coreidae)	<i>Zea mays</i> (corn)			1			Tex.
<i>Icerya purchasi</i> (cottony-cushion scale).	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Icerya</i> sp. (Coccidae)	do			1			Do.
Do	<i>Citrus</i> sp.			1			Ariz.
<i>Idiocerus</i> sp. (Cicadellidae)	<i>Lactuca sativa</i> (lettuce)			1			Do.
Do	<i>Populus</i> sp. (cottonwood)			1			Do.
<i>Iridomyrmex</i> sp. (ant)	Banana debris	3					Pa.
<i>Kalotermes hubbardi</i> (termite)	In lath stripping	1					Ariz.
<i>Lamiinae</i> (Cerambycidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					La.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Cydonia oblonga</i> (quince)			1			Tex.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Phaseolus</i> sp. (string bean)	2					Do.
<i>Lepidosaphes philococcus</i> (Coccidae)	Cactus	1					Do.
<i>Leptostylus</i> sp. (Cerambycidae)	<i>Swietenia</i> sp. (mahogany)	1					Ia.
<i>Liparoscelis nigrispinus</i> (Tettigoniidae)	Banana debris	1					Pa.
<i>Lobiopa</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)		1				La.
<i>Longitarsus</i> sp. (Chrysomelidae)	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Lorelus trapeziderus</i> (Tenebrionidae)	Banana debris	1					Pa.
Lycaenid	<i>Phaseolus</i> sp. (string bean)			1			Tex.
<i>Macropygium reticulare</i> (Pentatomidae)	<i>Capsicum annuum</i>	3					Ariz.
<i>Macrosiphum</i> sp. (aphid)	<i>Lycopersicum esculentum</i>	1					Calif.*
<i>Marmara</i> sp. (Gracillariidae)	<i>Citrullus vulgaris</i> (watermelon)	1					Ariz.
Do	<i>Persea americana</i> (avocado)	4		27			Tex.
Megalopygid	<i>Musa</i> sp. (banana)	1					La.
<i>Melissopus latiferreanus</i> (Olethreutidae)	<i>Quercus</i> sp. (acorn)			10			Ariz.
<i>Meltitara</i> sp. (Pyralidae)	Cactus		1				Calif.*
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	1					Ala.
Do	do	1					Pa.
<i>Microcentrum</i> sp. (Tettigoniidae)	<i>Populus</i> sp. (cottonwood)			1			Ariz.
<i>Microcephalothrips abdominalis</i> (thrips).	<i>Solidago</i> sp. (goldenrod)			1			Do.
Mirid	Cactus		1				Calif.*
Do	<i>Laelia autumnalis</i> (orchid)		1				Hawaii.*
Do	<i>Odontoglossum cordatum</i> (orchid)		1				Do.*
Do	<i>Pelargonium</i> sp. (geranium)			1			Tex.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	3					Pa.
Do	<i>Ipomoea batatas</i> (sweetpotato)				1		Do.
Do	<i>Musa</i> sp. (banana)	1					Tex.
<i>Monomorium carbonarium ebeninum</i> (ant).	Banana debris	1					Pa.
<i>Monomorium minutum</i> var. (ant)	do	1					Do.
<i>Monomorium</i> sp. (ant)	do	1					Do.
<i>Myelois</i> sp. (Pyralidae)	<i>Citrus sinensis</i> (orange)			1			Tex.
Do	<i>Tamarindus indica</i> (tamarind)				1		La.
<i>Namacus</i> sp. (Coreidae)	Banana debris	1					Pa.
<i>Neocattarus</i> sp. (Lygaeidae)	do	1					Do.
<i>Neocoelidia</i> sp. (Cicadellidae)	<i>Viola</i> sp. (violet)			1			Tex.
<i>Neoponera</i> sp. (ant)	Banana debris	4					Pa.
Nitidulid	<i>Psidium guajava</i> (guava)			1			Tex.
Noctuid	<i>Capsicum annuum</i>	5					Ariz.
Do	do	1					Calif.*
Do	<i>Lactuca sativa</i> (lettuce)			1			Tex.
Do	<i>Lycopersicum esculentum</i>	112					Ariz.
Do	do	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					La.
Do	<i>Neomammillaria</i> sp. (cactus)	1					Ariz.
Do	<i>Nymphaea</i> sp. (water lily)			1			Tex.
Do	<i>Pisum sativum</i> (pea)	1					Ariz.
Do	<i>Zea mays</i> (corn)			1			Do.
<i>Nysius</i> sp. (Lygaeidae)	Cactus	1					Tex.
Do	<i>Capsicum annuum</i>	1					Calif.*

*List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued*

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Insects—Continued.							
<i>Oberea</i> sp. (Cerambycidae)	<i>Mentha</i> sp. (mint)		2				
<i>Oedopeza pogonocherooides</i> (Cerambycidae)	<i>Swietenia</i> sp. (mahogany)	2					Ariz. La.
<i>Oeme</i> sp. (Cerambycidae)	<i>Lactuca sativa</i> (lettuce)		1				Tex.
Olethreutid	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Crataegus</i> sp. (red haw)		1				Tex.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
Do	<i>Punica granatum</i> (pomegranate)		1				Ariz.
Ortalid	<i>Citrus sinensis</i> (orange)		1				Tex.
Do	<i>Swietenia</i> sp. (mahogany)	1					La.
Oscinid	<i>Cactus</i>		1				Calif.*
<i>Pangaeus</i> sp. (Cydnidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Parallaxis</i> sp. (Cicadellidae)	<i>Citrus</i> sp.		1				Tex.
<i>Paratenetus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
Do	Banana debris	4					Do.
<i>Parlatoria cinerea</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)	5				1	Calif.*
Do	<i>Citrus sinensis</i> (orange)		1			1	Do.*
<i>Parlatoria</i> sp. (Coccidae)	do						Tex.
<i>Parthenothrips dracaenae</i> (thrips)	<i>Lasiacis ruscifolia</i>		1				Do.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)	11	3				Do.
Do	<i>Gossypium</i> sp. (seed cotton)		1				Do.
Pentatomid	Banana debris	1					Pa.
Do	<i>Capsicum annuum</i>	3					Ariz.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
<i>Petrova</i> sp. (Olethreutidae)	<i>Pinus</i> sp.			1			Tex.
<i>Pheidole anastasii</i> (ant)	Banana debris	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	do	1					Tex.
<i>Pheidole flavens</i> var. (ant)	Banana debris	1					Pa.
<i>Pheidole</i> sp. (ant)	do	1					Do.
Do	In airplane				1		Tex.
Do	In soil around parsnips			1			Do.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Phenacoccus gossypii</i> (Coccidae)	<i>Coleus</i> sp.			1			Ariz.
Do	<i>Pelargonium</i> sp. (geranium)			1			Tex.
<i>Phenacoccus</i> sp. (Coccidae)	<i>Cactus</i>	1	3				Calif.*
<i>Phloeothonips</i> sp. (thrips)	Banana debris	2					Pa.
<i>Phlyctaenia</i> sp. (Pyralidae)	<i>Lycopersicum esculentum</i>	1					Ariz.
Phycitinae (Pyralidae)	<i>Cactus</i>			1			Calif.
Do	do			1			Tex.
Do	<i>Mamea americana</i> (mamey)			1			Do.
Do	<i>Musa</i> sp. (banana)			1			Ariz.
Do	<i>Prosopis</i> sp. (mesquite)	1					Do
Do	do			1			Tex.
Do	<i>Punica granatum</i> (pomegranate)			1			Ariz.
Do	<i>Solidago</i> sp. (goldenrod)			1			Do.
Do	<i>Tamarindus indica</i> (tamarind)				1		La.
Pierid	<i>Brassica</i> sp. (mustard)	1					Ariz.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>	1		1			Do.
<i>Platynota stultana</i> (Tortricidae)	<i>Capsicum annuum</i>	9					Do.
Do	do	3					Calif.*
Do	<i>Lycopersicum esculentum</i>	2					Ariz.
<i>Platynota</i> sp. (Tortricidae)	<i>Begonia</i> sp.			1			Tex.
Do	<i>Capsicum annuum</i>	33		3			Ariz.
Do	<i>Lycopersicum esculentum</i>	5					Do.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Platypus rugulosus</i> (Platypodidae)	<i>Swietenia</i> sp. (mahogany)	1					La.
<i>Platypus</i> sp. (Platypodidae)	do	2					Do.
<i>Plesiothrips perplexus</i> (thrips)	<i>Holcus sorghum</i> (sorghum)			1			Tex.
<i>Podothrips</i> sp. (thrips)	<i>Prunus domestica</i> (plum)			1			Do.
<i>Pogonomyrmex</i> sp. (ant)	<i>Cactus</i>			1			Calif.*
<i>Prenolepis</i> sp. (ant)	Banana debris	9					Pa.
Do	<i>Lycopersicum esculentum</i>	1					Ariz.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Insects—Continued.							
<i>Prociphilus venafuscus</i> (aphid)	<i>Populus</i> sp. (cottonwood)		1				Ariz.
<i>Prodenia</i> sp. (Noctuidae)	<i>Lycopersicum esculentum</i>	4					Do.
<i>Prolabia</i> sp. (earwig)	<i>Citrus aurantifolia</i> (lime)	1					Calif.*
<i>Psalis americana</i> (earwig)	<i>Allium sativum</i> (garlic)			1			Tex.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
Do	do					1	Pa.
Do	<i>Citrus grandis</i> (grapefruit)					1	Fla.*
Do	do					1	N. Y.
Do	<i>Citrus limetta</i> (sweet lime)				1		Tex.
Do	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Pseudococcus boninsis</i> (Coccidae)	<i>Saccharum officinarum</i> (sugar-cane)		1				Do.
<i>Pseudococcus virgatus</i> (Coccoidea)	<i>Musa</i> sp. (banana)	2					La.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Ananas sativus</i> (pineapple)	12					Tex.
Do	<i>Citrus aurantifolia</i> (lime)	1					Calif.*
Do	do	1					Tex.
Do	<i>Citrus sinensis</i> (orange)			1		2	Calif.*
Do	<i>Echinocactus orthacanthus</i> (cactus).	1					Do.*
Do	<i>Escobaria chlorantha</i>	1					Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine).			1			Ariz.
Do	<i>Mammillaria geminispina</i>	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do				1		Pa.
Do	<i>Punica granatum</i> (pomegranate).		1				Tex.
Do	<i>Solanum melongena</i> (eggplant)	1					Ariz.
Do	<i>Solisia pectinata</i> (cactus)	1					Calif.*
<i>Pseudomyrma gracilis mexicana</i> (ant).	In airplane				1		Tex.
<i>Pseudomyrma</i> sp. (ant)	<i>Acacia</i> sp.			1			Do.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).	<i>Persea americana</i> (avocado)		1				N. Y.
Psychid	Banana debris	6					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	6					La.
Do	do	1					Pa.
<i>Ptinus</i> sp. (Ptinidae)	<i>Punica granatum</i> (pomegranate).			2			Ariz.
Pyralid	Cactus		3				Calif.*
Do	<i>Citrus sinensis</i> (orange)			1			Tex.
Do	<i>Zea mays</i> (corn)			1			La.
Pyralinae (Pyralidae)	<i>Cyperus</i> sp. (flat-sedge)			1			Tex.
Do	<i>Musa</i> sp. (banana)			1			Ariz.
Do	<i>Zea mays</i> (corn)			1			La.
Pyraustinae (Pyralidae)	Banana debris	1					Pa.
Do	<i>Cephalocereus</i> sp. (cactus)	1					Ariz.
Do	<i>Cucurbita maxima</i> (squash)	2					Tex.
Do	<i>Phaseolus</i> sp. (green bean)	2					Do.
Do	<i>Saccharum officinarum</i>			1			Do.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Allium sativum</i> (garlic)			1			Do.
Do	<i>Ananas sativus</i> (pineapple)			1			Do.
Do	<i>Musa</i> sp. (banana)	5					La.
<i>Pyrophorus</i> sp. (Elateridae)	<i>Mentha</i> sp. (mint)			1			Ariz.
<i>Rhagoletis pomonella</i> (apple maggot)	<i>Malus sylvestris</i> (apple)			1			Tex.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Crataegus</i> sp. (hawthorn)			1			Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>			1			Ariz.
<i>Saissetia</i> sp. (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).	1					Calif.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Ananas sativus</i> (pineapple)	1					Tex.
Do	<i>Capsicum annuum</i> (pepper)	1					Ariz.
Do	In cabin of airplane						Tex.
Do	<i>Ipomoea batatas</i> (sweetpotato)				1		N. Y.
Do	<i>Lycopersicum esculentum</i>	4					Ariz.
Do	<i>Musa</i> sp. (banana)	1					La.
Scolytid	<i>Swietenia</i> sp. (mahogany)	1					Do.
<i>Silvaninus nitidus</i> (Cucujidae)	Banana debris	1					Pa.
<i>Silvanus vulgaris</i> (Cucujidae)	do	3					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Insects—Continued.							
<i>Silvanus</i> sp. (Cucujidae)	Log	1					Calif.*
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1					Calif.
Do	do						La.
Do	do	1		1			Tex.
<i>Solenopsis</i> sp. (ant)	Banana debris	1					La.
Do	do	5					Pa.
Do	<i>Hylocereus ocamponis</i> (cactus)	1					Calif.*
Do	Log	1					Do.*
Do	In soil	1					Do.*
<i>Solubea insularis</i> (Pentatomidae)	Banana debris	1					Pa.
<i>Stelidota</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)				1		Do.
Do	<i>Psidium guajava</i> (guava)			2			Tex.
<i>Stephanoderes guatemalensis</i> (Scolytidae).	Banana debris	6					Pa.
Do	<i>Musa</i> sp. (banana)	4					La.
<i>Stephanoderes</i> sp. (Scolytidae)	do	1					Do.
<i>Steriphanus latus</i> (Tenebrionidae)	<i>Neomammillaria</i> sp. (cactus)	1					Ariz.
<i>Strongylotes</i> sp. (Curculionidae)	Grass		1				Calif.*
Syrphid	<i>Brassica rapa</i> (turnip)	1					Tex.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Gardenia</i> sp.			1			Do.
Do	<i>Swietenia</i> sp. (mahogany)	1					La.
<i>Tapinoma</i> sp. (ant)	Banana debris	5					Pa.
Do	<i>Cereus</i> sp.	1					Ariz.
Do	<i>Gardenia</i> sp.			1			Tex.
Do	<i>Musa</i> sp. (banana)	2					La.
Do	do	2					Tex.
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	14					Pa.
Do	<i>Musa</i> sp. (banana)	4					La.
Do	do	2					Tex.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	1					La.
Do	do	9				1	Pa.
Do	do	1					Tex.
<i>Tenebroides</i> sp. (Ostomidae)	<i>Musa</i> sp. (banana)	8					La.
<i>Tetraleurodes mori arizonensis</i> (whitefly).	In soil around plant			1			Tex.
Do	<i>Citrus sinensis</i> (orange)			6			Do.
<i>Tetraleurodes</i> sp. (whitefly)	<i>Citrus</i> sp.			1			Do.
Do	<i>Arctostaphylos</i> sp. (manzanita)			1			Calif.*
<i>Tetranychus</i> sp. (mite)	<i>Persea americana</i> (avocado)			1			N. Y.
<i>Tinea</i> sp. (Tineidae)	<i>Capsicum annuum</i>	1					Ariz.
Tineid	Banana debris	1					Pa.
Tortricid	do	1					Do.
Do	<i>Amygdalus persica</i> (peach)			1			Ariz.
Do	<i>Annona cherimola</i> (cherimoya)			1			Tex.
Do	Banana debris	1					Pa.
Do	<i>Lycopersicum esculentum</i>	1					Calif.*
Do	<i>Punica granatum</i> (pomegranate).			1			Ariz.
Do	do			1			Tex.
<i>Trichothrips</i> sp. (thrips)	Banana debris	1					Pa.
<i>Trionymus</i> sp. (Coccidae)	<i>Echinocactus scheeri</i> (cactus)	1					Calif.*
Do	<i>Mammillaria sempervivi</i>	1					Do.*
<i>Trox</i> sp. (Scarabaeidae)	In soil			1			Tex.
Trypetid	<i>Cydonia oblonga</i> (quince)			1			Do.
Do	<i>Pyrus communis</i> (pear)			3			Do.
<i>Typophorus</i> sp. (Chrysomelidae)	<i>Ipomoea batatas</i> (sweetpotato)			1			Do.
Tyroglyphid (mite)	<i>Echinocereus knippelianus</i> (cactus).	1					Calif.*
<i>Typhlomimus</i> sp. (Curculionidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Allium sativum</i> (garlic)	1					Calif.
<i>Wasemannia auropunctata</i> (ant)	Banana debris	2					Pa.
<i>Xyleborus grenadensis</i> (Scolytidae)	<i>Swietenia</i> sp. (mahogany)	3					La.
<i>Zabrotes subfasciatus</i> (Bruchidae)	Bean			1			Ariz.
Do	do			1			Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Diseases:							
<i>Alternaria solani</i>	<i>Capsicum annuum</i>	1					Tex.
Do	<i>Lycopersicum esculentum</i>	5					Ariz.
Do	do	1					Tex.
<i>Ascochyta</i> sp. ?	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Bacillus</i> sp.	<i>Solanum tuberosum</i>			1			Do.
<i>Bacterium phaseoli</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	3					Do.
Do	<i>Phaseolus</i> sp. (string bean)	1		1		1	Do.
Do	<i>Phaseolus</i> sp. (frijole bean)			1			Do.
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>					1	La.
Do	<i>Lycopersicum esculentum</i>	1		1			Ariz.
Do	do			1			Tex.
<i>Basisporium gallarum</i>	<i>Saccharum officinarum</i>			1			Ariz.
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i> (lime)	1					La.
Do	<i>Citrus sinensis</i> (orange)					2	Tex.
<i>Capnodium</i> sp.	<i>Psidium guajava</i> (guava)			1			Do.
Do	<i>Apium graveolens</i> (celery)					1	Pa.
<i>Cercospora apii</i>	Leaf	1					Do.
<i>Cercospora</i> sp.	<i>Saccharum officinarum</i>			1			Tex.
<i>Colletotrichum falcatum</i>	<i>Chayota edulis</i> (chayote)					1	La.
<i>Colletotrichum lagenarium</i>	<i>Capsicum annuum</i>			1			Tex.
<i>Colletotrichum nigrum</i>	<i>Pisum sativum</i> (pea)			2			Do.
<i>Colletotrichum pisi</i>	<i>Capsicum annuum</i>	3					Ariz.
<i>Colletotrichum</i> sp.	<i>Capsicum fastigiatum</i>					1	Tex.
Do	<i>Carica papaya</i> (papaya)			1			Ariz.
Do	<i>Lycopersicum esculentum</i>	7					Do.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	<i>Persea americana</i> (avocado)				2		Ariz.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
Do	<i>Pyrus communis</i> (pear)			1			Tex.
<i>Corticium</i> sp.	<i>Lycopersicum esculentum</i>	15					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	3					Do.
<i>Cronartium</i> sp.	<i>Pinus</i> sp. (pine)			1			Tex.
<i>Cryptosporella viticola</i>	<i>Vitis</i> sp. (grape)			1			Do.
<i>Cylindrosporium juglandis</i>	<i>Juglans</i> sp. (walnut)			1			Do.
<i>Cylindrosporium</i> sp.	do			1			Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			Do.
<i>Diplodia cacaoicola</i>	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	La.
<i>Dothideaceae</i>	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	Unknown leaf	2					Do.
<i>Epicoccum</i> sp.	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Lycopersicum esculentum</i>	2					Do.
Do	<i>Phaseolus lunatus macrocarpus</i>	2					Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
<i>Erysiphe polygoni</i>	<i>Pisum sativum</i> (pea)	6		2			Do.
<i>Eurotium</i> sp.	<i>Yucca schottii</i>			1			Do.
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Tex.
<i>Gloeosporium</i> sp.	<i>Ananas sativus</i> (pineapple)					1	Pa.
Do	<i>Musa</i> sp. (banana)			2			Ariz.
<i>Glomerella</i> sp.	<i>Amygdalus persica</i> (peach)			1			Do.
Do	<i>Capsicum annuum</i>	1					Do.
<i>Helminthosporium</i> sp.	<i>Lycopersicum esculentum</i>	1				1	Do.
<i>Heterodera schachtii</i>	<i>Beta vulgaris</i> (beet)						Tex.
<i>Heterodera</i> sp.	do	2					Ariz.
<i>Hypomyces</i> sp.	Banana leaf debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)					1	Tex.
<i>Macrosporium</i> tomato	<i>Lycopersicum esculentum</i>	1					Ariz.
Do	do			1			Tex.
<i>Monilia</i> sp.	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Myriangium duriae</i>	<i>Citrus aurantifolia</i> (lime)					1	Do.
<i>Myxomycetes</i>	<i>Musa</i> sp. (banana)	2					La.
Do	do	3					Pa.
<i>Nectria</i> foliicola?	do	1					Do.

*List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued*

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MEXICO—Continued</b>							
Diseases—Continued.							
<i>Oidium</i> sp.	<i>Cydonia oblonga</i> (quince)			1			Tex.
Do	<i>Gardenia</i> sp.			1			Do.
Do	<i>Pisum sativum</i> (pea)	5					Ariz.
Oleocellosis	<i>Citrus aurantifolia</i> (lime)	1		1			Do.
Do	do					1	Pa.
Do	do	1					Tex.
Do	<i>Citrus grandis</i> (grapefruit)			1			Do.
Do	<i>Citrus sinensis</i> (orange)			2	3	1	Do.
Do	do				3		La.
<i>Oospora citri-aurantii</i>	<i>Citrus limonia</i> (lemon)			3			Ariz.
<i>Oospora</i> sp.	<i>Lycopersicum esculentum</i>	11					Do.
Do	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Periconia pycnospora</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	3					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
<i>Pestalozzia</i> sp.	<i>Luehea</i> sp.	1					Pa.
Do	<i>Psidium guajava</i>			8			Tex.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>	3		1			Ariz.
Do	do			1			Tex.
Do	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Phoma</i> sp.	<i>Lycopersicum esculentum</i>	9					Ariz.
Do	do	1					Tex.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	2					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	2					Do.
<i>Phyllachora graminis</i>	Grass	1					Tex.
<i>Phyllosticta</i> sp.	<i>Gardenia florida</i> (Cape-jasmine)	2					Calif.
Do	<i>Phaseolus</i> sp. (string bean)	1					Tex.
<i>Physalospora eucalyptina</i>	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Phytophthora</i> sp.	<i>Eucalyptus</i> sp.			1			Do.
Do	<i>Lycopersicum esculentum</i>	30					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
<i>Puccinia chrysanthemi</i>	<i>Pisum sativum</i> (pea)	2					Do.
<i>Puccinia</i> sp.	<i>Chrysanthemum</i> sp.			1			Do.
<i>Rhizoctonia</i> sp.	<i>Zea mays</i> (corn)	1					Do.
Do	<i>Beta vulgaris</i> (beet)	1					Tex.
Do	<i>Lycopersicum esculentum</i>	18					Ariz.
<i>Rhytisma</i> sp.	<i>Neomammillaria stanleyi</i> (cactus)	1					Do.
<i>Saccharomyctaceae</i>	Leaf		1				Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Solanum tuberosum</i>				1		Tex.
<i>Sclerotinia</i> sp.	<i>Daucus carota</i> (carrot)				1		Ala.
Do	<i>Allium cepa</i> (onion)				1		Do.
Do	<i>Citrus aurantifolia</i> (lime)				1		Pa.
Do	<i>Lycopersicum esculentum</i>	1		1			Ariz.
Do	do						Tex.
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Tex.
Do	<i>Pisum sativum</i> (pea)	1					Do.
Do	<i>Psidium guajava</i> (guava)			1			Do.
<i>Sclerotium</i> sp.	<i>Daucus carota</i> (carrot)				1		La.
Do	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Septoria</i> sp.	Banana debris	1					Pa.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)				1		Do.
Do	do	3		2	1		Tex.
Do	<i>Citrus sinensis</i> (orange)				1		Ala.
Do	do				1		La.
Do	do				1		Tex.
<i>Sphaceloma</i> sp.	<i>Citrus grandis</i> (grapefruit)			1			La.
<i>Sterigmatocystis</i> sp.	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Thielaviopsis paradoxa</i>	<i>Musa</i> sp. (banana)			1			Do.
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)	15					Do.
Do	do	2					Calif.
Do	do	1		2			Tex.
<i>Verticillium</i> sp.	<i>Lycopersicum esculentum</i>	6					Ariz.
Do	<i>Musa</i> sp. (banana)	1					Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>MONTSERRAT</b>							
Insects:							
<i>Brachymyrmex</i> sp. (ant)	<i>Amaryllis</i> sp.			1			Mass.
<i>Coccotrypes trinitatis</i> (Scolytidae)	<i>Zingiber officinale</i> (ginger)		1				Do.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Marmara</i> sp. (Gracilariidae)	do	1					Do.
<i>Ponera</i> sp. (ant)	<i>Amaryllis</i> sp.			1			Mass.
<i>Pseudaonidia trilobitiformis</i> (Coccidae)	<i>Rosa</i> sp.			1			Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Amaryllis</i> sp.			1			Do.
<i>Targionia hartii</i> (Coccidae)	<i>Zingiber officinale</i> (ginger)		1				Do.
Diseases:							
Erinose	<i>Passiflora edulis</i> (passion-flower)		1				Do.
<b>MOROCCO</b>							
Insects:							
<i>Exosoma lusitanica</i> (Chrysomelidae)	<i>Muscati comosum</i> (cipollino)	1					Do.
Do	do		5				N. Y.
Do	do		1				Pa.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Solanum melongena</i> (eggplant)					1	Do.
<i>Histiostoma</i> sp. (mite)	<i>Muscati comosum</i>	1					Do.
<i>Merodon</i> sp. (Syrphidae)	do	1					Calif.*
Do	do		1				Mass.
Do	do		20				N. Y.
Do	do		1				Pa.
<i>Rhizoglyphus</i> sp. (mite)	do		2				Calif.*
Do	do		2				Pa.
<i>Sciara</i> sp. (Mycetophilidae)	do		1				N. Y.
Tyroglyphid (mite)	do		1				Calif.*
Diseases:							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>				1		Md.
<i>Sclerotinia</i> sp.	<i>Solanum melongena</i> (eggplant)				1		Pa.
<b>MOZAMBIQUE</b>							
Diseases:							
<i>Plenodomus</i> sp.	<i>Euphorbia</i> sp.		1				D. C.
<b>NETHERLANDS</b>							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae)	<i>Allium porrum</i> (leek)				1		Do.
<i>Aphis</i> sp. (aphid)	<i>Chionodoxa</i> sp.	1					N. Y.
<i>Athous niger</i> (Elateridae)	In soil around roots of <i>Helleborus niger</i> .	1					D. C.
<i>Barathra brassicae</i> (Noctuidae)	<i>Brassica oleracea capitata</i>			1			Mass.
Cecidomyiid.	<i>Allium cepa</i> (onion)			1			Fla.*
Do	<i>Aster amellus</i> (Italian aster)	1					D. C.
Do	<i>Crocus</i> sp.	1					Pa.
Do	<i>Hyacinthus</i> sp.	1					N. Y.
Do	do	1					Pa.
Do	<i>Scilla</i> sp.	1					Do.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica rapa</i> (turnip)			1			Va.
<i>Ceutorhynchus</i> sp. (Curculionidae)	do					1	Pa.
<i>Cinaria</i> sp. (aphid)	<i>Juniperus communis prostrata</i>	1					D. C.
<i>Emphytus cinctus</i> (sawfly)	<i>Rosa chinensis manetti</i>	6					Conn.*
Do	do	1					Ill.*
Do	do	1					Pa.*
Do	do	3					Tenn.*
<i>Empoasca</i> sp. (Cicadellidae)	<i>Cryptomeria japonica jindaiengi</i>	1					D. C.
<i>Endrosis lacteella</i> (Oecophoridae)	<i>Narcissus</i> sp.	1					N. Y.
Do	<i>Pisum sativum</i> (pea)				1		Wash.
<i>Eumerus</i> sp. (Syrphidae)	<i>Lilium</i> sp.	1					N. Y.
<i>Forficula auricularia</i> (European earwig).	<i>Hyacinthus</i> sp.	1					Do.
Gelechiid.	<i>Carum carvi</i> (caraway)		1				Ill.
Geometrid.	<i>Juniperus sabina fastigiata</i>	1					D. C.
Do	<i>Narcissus</i> sp.	1					N. Y.
<i>Haplothrips aculeatus</i> (thrips)	<i>Rhododendron</i> sp.	1					D. C.
<i>Histiostoma</i> sp. (mite)	<i>Hyacinthus</i> sp.	1					Pa.
Do	<i>Ixia</i> sp.	1					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Solanum tuberosum</i>				1		Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>NETHERLANDS—Continued</b>							
Insects—Continued.							
<i>Limothrips cerealium</i> (thrips)	<i>Iris</i> sp.	1					D. C.
Do	<i>Rhododendron</i> sp.	1					Do.
<i>Macrosiphum</i> sp. (aphid)	<i>Cichorium intybus</i> (witloof)					1	Mass.
<i>Merodon</i> sp. (Syrphidae)	<i>Leucojum vernum</i> (spring snowflake)	1					Calif.*
Do	<i>Leucojum vernum carpaticum</i>		1				D. C.
Do	<i>Narcissus</i> sp.	3					N. Y.
Do	do	3					Va.
<i>Mikiola sagi</i> (Cecidomyiidae)	<i>Fagus sylvatica purpurea</i> (copper beech).				1		Pa.
Noctuid	In soil around roots of phlox	1					D. C.
Do	<i>Narcissus</i> sp.	1					N. Y.
Olethreutid	<i>Taxus baccata</i> chestnutensis	1					D. C.
<i>Phycitinae</i> (Pyralidae)	<i>Pisum sativum</i> (pea)					1	Wash.
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Md.
<i>Polia</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>					1	Pa.
Pterophorid	<i>Scabiosa</i> sp.	1					D. C.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	N. Y.
Do	do					1	Ga.
Do	<i>Chionodoxa sardensis</i>	1					Pa.
Do	<i>Crocus</i> sp.	1					Mich.
Do	<i>Galanthus</i> sp.	1					Pa.
Do	<i>Hyacinthus</i> sp.	2					Do.
Do	<i>Ixia</i> sp.	1					Do.
Do	<i>Muscari</i> sp.	2					Do.
Do	<i>Scilla hispanica</i> (Spanish scilla)	1					Do.
Do	<i>Scilla</i> sp.	1					Mass.
Do	<i>Solanum tuberosum</i>					2	Fla.*
Do	<i>Tulipa</i> sp.	3					Calif.*
Do	do	2					Pa.
Do	do	1					Wash.
Do	do	1					N. Y.
<i>Rhopalosiphoninus tulipaella</i> (aphid)	<i>Brassica rapa</i> (turnip)					1	Va.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Hyacinthus</i> sp.	1					Calif.*
Do	do	2					Mich.
Do	do	2					Pa.
Do	<i>Lilium</i> sp.	1					Md.
Do	do	1					Mass.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					1	Tex.
Do	<i>Tulipa</i> sp.	3					Calif.*
<i>Thrips nigropilosus brachyptera</i> (thrips).	<i>Aster</i> sp.		4				D. C.
<i>Thrips physapus</i> (thrips)	<i>Cichorium intybus</i> (witloof)					1	Mass.
<i>Thrips tabaci atricornis</i> (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Tinea</i> sp. (Tineidae)	<i>Hyacinthus</i> sp.	1					Md.
Tortricid	<i>Phlox</i> sp.	1					D. C.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Md.
<i>Alternaria radicina</i>	<i>Daucus carota</i> (carrot)					1	Fla.*
<i>Anguillulina dipsaci</i>	<i>Chionodoxa</i> sp. (glory-of-the-snow).	2					Pa.
Do	<i>Hyacinthus</i> sp.	1					Md.
Do	do	4					N. Y.
Do	do	2					Pa.
Do	<i>Iris</i> sp.	4	2				D. C.
Do	<i>Muscari</i> sp.	1					N. Y.
Do	<i>Narcissus</i> sp.		1				D. C.
Do	do	1					N. Y.
Do	<i>Solanum tuberosum</i>					1	Ala.
Do	do					1	Md.
Do	do					1	Pa.
Do	do					1	S. C.
<i>Aphelenchoides parietinus</i>	<i>Daucus carota</i> (carrot)					1	Pa.
Do	<i>Hyacinthus</i> sp.	1					Md.
Do	<i>Iris warleyensis</i>		1				D. C.
Do	<i>Solanum tuberosum</i>					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>NETHERLANDS—Continued</b>							
Diseases—Continued.							
<i>Bacterium hyacinthi</i>	<i>Hyacinthus</i> sp.	4					N. Y.
Do	do	2					Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Md.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Do.
<i>Bacterium</i> sp.	<i>Tritonia</i> sp.		1				D. C.
<i>Badhamia ovispora</i>	<i>Allium cepa</i> (onion)					1	Pa.
<i>Botrytis galanthina</i>	<i>Galanthus</i> sp.	1					Mich.
Do	do	1					N. Y.
Do	do	1					Pa.
<i>Botrytis tulipae</i>	<i>Tulipa</i> sp.	1				1	Do.
<i>Coniothyrium hellebori</i>	<i>Helleborus niger</i> (Christmas rose).	1					D. C.
<i>Coniothyrium</i> sp.	<i>Rhododendron</i> sp.	1					Do.
<i>Diaporthe crassiuscula</i>	<i>Berberis</i> dealbata	1					Do.
<i>Helminthosporium</i> sp.	<i>Phlox</i> sp.		1				Do.
Internal blackening	<i>Solanum tuberosum</i>		1			1	Pa.
<i>Oidium</i> sp.	<i>Azalea</i> sp.				1		Do.
<i>Paraphelenchus maupasi</i>	<i>Hyacinthus</i> sp.	1					N. Y.
<i>Pestalozzia macrotrichum</i>	<i>Rhododendron</i> sp.	1					D. C.
Petrification	<i>Crocus</i> sp.	1					N. Y.
Do	do	4					Pa.
Do	<i>Fritillaria</i> sp.	1					Do.
Do	<i>Ixia</i> sp.	1					Do.
Do	<i>Solanum tuberosum</i>					1	Tex.
Do	<i>Tulipa</i> sp.	2					Pa.
<i>Phoma</i> sp.	<i>Brassica oleracea capitata</i>					1	La.
Do	<i>Narcissus</i> sp.		1				D. C.
<i>Phyllosticta</i> sp.	<i>Rhododendron</i> sp.	2					Do.
<i>Rhizoctonia</i> sp.	<i>Lilium</i> sp.		1				Md.
Russetting	<i>Solanum tuberosum</i>					1	Mass.
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
Do	<i>Tritonia</i> sp.		1				Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Ala.
Do	do					1	Ga.
Do	do					1	La.
Do	do					4	Pa.
Do	do					4	Tex.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Daucus carota</i> (carrot)					1	Do.
Do	do					1	La.
Do	<i>Solanum tuberosum</i>					1	Tex.
<i>Sclerotium</i> n. sp.	<i>Narcissus</i> sp.	1					N. Y.
<i>Sclerotium</i> sp.	<i>Tulipa</i> sp.			1			Pa.
Spindle tuber	<i>Solanum tuberosum</i>					1	Fla.*
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)		1				Ill.
Do	do					1	Mass.
<i>Vermicularia</i> sp.	<i>Phlox</i> sp.		1				D. C.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	1					Do.
<i>Verticillium</i> sp.	<i>Daucus carota</i> (carrot)					1	Tex.
Do	<i>Tulipa</i> sp.	1					Pa.
<b>NEW BRUNSWICK</b>							
Diseases:							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>	1					Do.
<b>NEW CALEDONIA</b>							
Diseases:							
<i>Pestalozzia</i> sp.	<i>Cocos nucifera</i> (coconut)					1	Md.
<b>NEWFOUNDLAND</b>							
Insects:							
Geometrid	<i>Vaccinium vitisidaea</i> (lingonberry).	1					Mich.
Olethreutid	do	3					Do.
Do	do	4					N. Y.
Syrphid	<i>Vaccinium</i> sp. (blueberry)	1					Mich.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>NEW ZEALAND</b>							
Insects:							
<i>Achopera</i> sp. (Curculionidae)	<i>Juglans</i> sp. (walnut)	1					N. Y.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Passiflora</i> sp.	1					Hawaii.*
<i>Chelisoches morio</i> (earwig)	<i>Juglans</i> sp. (walnut)	1					N. Y.
<i>Dialeurodes</i> sp. (whitefly)	<i>Lomatia ilicifolia</i>	1					Calif.*
<i>Forficula auricularia</i> (European ear-wig).	<i>Dierama</i> sp.		1				Do.*
Gracillariid	<i>Lomatia silaifolia</i>	3					Do.*
<i>Lecanium</i> sp. (Coccidae)	<i>Podocarpus totara</i>		1				Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Dacrydium colensoi</i>		1				Do.*
Do	<i>Podocarpus ferruginea</i>		1				Do.*
Do	<i>Podocarpus hallii</i>		1				Do.*
Do	<i>Podocarpus totara</i>		1				Do.*
<i>Phenacaspis</i> sp. (Coccidae)	<i>Lomatia silaifolia</i>	1					Do.*
Do	Palm				2		Do.*
Psychid	do				1		Do.*
<i>Saissetia</i> sp. (Coccidae)	<i>Garrya elliptica</i> (silktassel-bush).	1					Hawaii.*
Do	<i>Goyazia lyallii</i>	1					Do.*
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Gladiolus</i> sp.		2				Calif.*
Tarsonemid (mite)	<i>Dierama</i> sp.		1				Do.*
Tenebrionid	<i>Juglans</i> sp. (walnut)	1					N. Y.
Tyroglyphid (mite)	<i>Calla</i> sp.		1				Calif.*
Do	<i>Dahlia</i> sp.		1				Do.*
Do	<i>Narcissus</i> sp.		1				Do.*
Do	<i>Zantedeschia rehmannii</i>		1				Do.*
Diseases:							
Internal browning	<i>Solanum tuberosum</i>					1	N. Y.
<i>Sclerotium gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
<i>Sclerotium</i> sp.	<i>Quercus</i> sp. (oak)	1					N. Y.
<b>NICARAGUA</b>							
Insects:							
<i>Camponotus</i> sp. (ant)	Banana debris	8					Ala.
Do	do	1					Pa.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.
Cicadellid	Banana debris	1					Do.
<i>Cocconotus</i> sp. (Tettigoniidae)	<i>Codiaeum</i> sp. (croton)	1				1	Pa.
<i>Colaspis prasina</i> (Chrysomelidae)	Banana debris	1					Ala.
<i>Crematogaster victimae</i> (ant)	<i>Musa</i> sp. (banana)	1					Do.
<i>Crematogaster</i> sp. (ant)	Banana debris	3					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Cryptocerus</i> sp. (ant)	Banana debris	1					Do.
Curculionid	<i>Epidendrum stamfordianum</i> (orchid).		1				D. C.
	Banana debris	1					Ala.
<i>Dicaethalips brevicornis</i> (thrips)	<i>Musa</i> sp. (banana)	1					Do.
<i>Diestostemma rugicolis</i> (Cicadellidae)							
<i>Dolichoderus</i> sp. (ant)	Banana debris	1					Do.
<i>Dryptcephala</i> sp. (Pentatomidae)	do	2					Do.
<i>Edessa cornuta</i> (Pentatomidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Epitrix</i> sp. (Chrysomelidae)	Banana debris	1					Ala.
<i>Iridomyrmex</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					La.
<i>Labia arcuata</i> (earwig)	Banana debris	2					Ala.
<i>Lorelus trapeziderus</i> (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Lorelus</i> sp. (Tenebrionidae)	do	1					La.
Do	do	1					Ala.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	4					Do.
Do							Do.
	<i>Musa</i> sp. (banana)	2					
	do	1					
<i>Metriiona judaica</i> (Chrysomelidae)	do	1					La.
Mirid	Banana debris	1					Ala.
<i>Monocrepidius</i> sp. (Elateridae)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Monopis</i> sp. (Tineidae)	Banana debris	1					Do.
<i>Myochrous</i> sp. (Chrysomelidae)	do	3					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Nasutitermes</i> sp. (termite)	Banana debris	1					Do.
<i>Neoponera</i> sp. (ant)	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
<b>NICARAGUA—Continued</b>									
<b>Insects—Continued.</b>									
Noctuid	Banana debris	1					Ala.		
<i>Odontomachus hastatus</i> (ant)	do	1					Do.		
Oecophorid	do	1					Do.		
<i>Ogdoecosta catenulata</i> (Chrysomelidae).	do	1					Do.		
Do									
<i>Oncometopia</i> sp. (Cicadellidae)	<i>Musa</i> sp. (banana)	2					Do.		
<i>Orocharis</i> sp. (Gryllidae)	Banana debris	2					Do.		
Ortalid	do	1					Do.		
do		1					Do.		
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				2	2	Pa.		
<i>Paroecanthus mexicanus</i> (Gryllidae)	<i>Musa</i> sp. (banana)	1					La.		
Pentatomid	do	2					Ala.		
<i>Pheidole</i> sp. (ant)	Banana debris	1					Do.		
<i>Prenolepis</i> sp. (ant)	do	3					Do.		
<i>Psalis americana</i> (earwig)	do	1					Do.		
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)				1		Do.		
Do									
Do	<i>Cocos nucifera</i> (coconut)				1		Calif.*		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.		
Psychid	<i>Epidendrum stamfordianum</i> (orchid)		1				D. C.		
<i>Rhabdopterus</i> sp. (Chrysomelidae)	Banana debris	1					Ala.		
<i>Sciara</i> sp. (Mycetophilidae)	<i>Musa</i> sp. (banana)	1					Do.		
<i>Solenopsis</i> sp. (ant)	Banana debris	1					Do.		
Do	do	2					Pa.		
<i>Telephanus barberi</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					Tex.		
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	1					Ala.		
<i>Telephanus diabolicus</i> (Cucujidae)	do	1					Do.		
<i>Telephanus setulosus</i> (Cucujidae)	do	1					Do.		
<i>Tinea</i> sp. (Tineidae)	do	3					Do.		
<i>Tytthomimus rufotestaceus</i> (Curculionidae).	<i>Musa</i> sp. (banana)	1					Do.		
<i>Urophorus humeralis</i> (Nitidulidae)	do	1					Do.		
<i>Wasemannia auropunctata</i> (ant)	<i>Musa</i> sp. (banana)	2					Do.		
Do		2					Do.		
<b>Diseases:</b>									
<i>Gloeosporium</i> sp.	<i>Ananas sativus</i> (pineapple)				1		Pa.		
Do	<i>Orchid</i>	1					D. C.		
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>				1		La.		
<b>NORWAY</b>									
<b>Insects:</b>									
<i>Agriotes lineatus</i> (tobacco wire-worm).	<i>Dahlia</i> sp.			1			Tex.		
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Pa.		
<i>Curculio nucum</i> (Curculionidae)	<i>Corylus avellana</i> (filbert)		1				N. Y.		
<i>Dilachnus</i> sp. (aphid)	<i>Picea</i> sp. (spruce)	1					Minn.		
<i>Macrosiphum</i> sp. (aphid)	<i>Hydrangea</i> sp.		1				N. Y.		
<i>Myzus</i> sp. (aphid)	<i>Myrtus</i> sp. (myrtle)		1				Do.		
Noctuid	<i>Brassica oleracea botrytis</i> (cauliflower).			1			Pa.		
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip)			1			Do.		
<i>Sciara</i> sp. (Mycetophilidae)	<i>Solanum tuberosum</i>				1		La.		
<i>Serica brunnea</i> (Scarabaeidae)	In soil around roots of plants	1					Mass.		
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		2				Pa.		
<i>Thrips flavus</i> (thrips)	do	1					Do.		
<i>Thrips fuscipennis</i> (thrips)	do	1					Do.		
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)				1		Do.		
<b>Diseases:</b>									
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).				1		N. Y.		
Do	do					1	Pa.		
<i>Anguillulina dipsaci</i>	<i>Allium cepa</i> (onion)					1	Do.		
<i>Aphelenchoïdes parietinus</i>	<i>Solanum tuberosum</i>				1		Md.		
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i>				1		Pa.		
<i>Cercospora</i> sp.	do					1	Do.		
<i>Melampsoridium betulinum</i>	<i>Betula nana</i>			1			D. C.		

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NORWAY—Continued							
Diseases—Continued.							
<i>Papulospora</i> sp.	<i>Daucus carota</i> (carrot)					1	S. C.
<i>Saccharomycetaceae</i>	<i>Apium graveolens rapaceum</i> (celeriac)					1	Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Ga.
Do	do					1	Mich.
Do	do					1	N. Y.
Do	do					2	Pa.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)					1	Ga.
Do	<i>Beta vulgaris</i> (beet)					1	Ala.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
Do	<i>Daucus carota</i> (carrot)					1	Do.
Do	<i>Solanum tuberosum</i>					1	Ga.
<i>Sclerotium</i> sp.	<i>Apium graveolens rapaceum</i> (celeriac)					1	Pa.
Do	<i>Brassica campestris</i> (rutabaga)					1	Do.
<i>Verticillium</i> sp.	<i>Dahlia</i> sp.		1				Tex.
NOVA SCOTIA							
Insects:							
<i>Heliothis</i> sp. (Noctuidae)	<i>Zea mays</i> (corn)					1	Pa.
<i>Melanotus</i> sp. (Elateridae)	In soil at base of spruce tree					1	Do.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Malus sylvestris</i> (apple)					1	Do.
Diseases:							
<i>Leptothyrium pomi</i>	do				1	1	Do.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Do.
ONTARIO							
Insects:							
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Gladiolus</i> sp.		1				D. C.
ORIENT							
Insects:							
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (cottonseed)		1				Calif.*
Diseases:							
<i>Phoma citricarpa</i>	<i>Citrus sinensis</i> (orange)				1		Do.*
PALESTINE							
Insects:							
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)					1	Calif.*
Diseases:							
<i>Capnodium citri</i>	do					1	Mass.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Pa.
<i>Ustilago tritici</i>	do	1					Do.
PANAMA							
Insects:							
<i>Acloides</i> sp. (Gryllidae)	Banana debris	1					Ala.
<i>Adetus muticus</i> (Cerambycidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Aegialia</i> sp. (Scarabaeidae)	do	2					Do.*
<i>Amblydisca</i> sp. (Cicadellidae)	Banana debris	1					Ala.
<i>Anasa bellator</i> (Coreidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Anasa</i> sp. (Coreidae)	do	1					Do.*
<i>Anastrepha</i> sp. (Tryptidae)	<i>Annona cherimola</i> (cherimoya)		1				N. Y.
Do	<i>Mangifera indica</i> (mango)			1			Va.
<i>Anaxiphia</i> sp. (Gryllidae)	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Anthonomus</i> sp. (Curculionidae)	do	8					Do.*
<i>Aphodius</i> sp. (Scarabaeidae)	do	16					Do.*
<i>Apion</i> sp. (Curculionidae)	do	6					Do.*
<i>Arescus</i> sp. (Chrysomelidae)	do	1					Do.*
<i>Aspidiotus cocomiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)			1			Do.*
<i>Aspidiotus destructor</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Athous</i> sp. (Elateridae)	do	1					Wash.
<i>Augocoris illustris</i> (Scutelleridae)	do	1					Calif.*
<i>Azteca</i> sp. (ant)	do	2					Do.*
<i>Camponotus abdominalis stercorarius</i> (ant).	Banana debris	1					Pa.
<i>Camponotus angulatus</i> (ant)	<i>Musa</i> sp. (banana)	1					La.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Camponotus</i> sp. (ant)	Banana debris	5					Ala.
Do	do	2					Mass.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	78					Calif.*
Do	do	2					La.
<i>Campylenchia</i> sp. (Membracidae)	do	1					Calif.*
<i>Cephaloleia puncticollis</i> (Chrysomelidae)	do	1					Ala.
Do	do	17					Calif.*
<i>Cephaloleia</i> sp. (Chrysomelidae)	do	19					Do.*
<i>Ceramidia viridis</i> (Syntomidae)	do	4					Ala.
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	9					Do.
Do	<i>Musa</i> sp. (banana)	3					Do.
<i>Ceresa</i> sp. (Membracidae)	do	1					Calif.*
<i>Cerotoma facialis</i> (Chrysomelidae)	Banana debris	1					Ala.
<i>Chirisia distincta</i> (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Do.
Chrysomelid	do	4					Calif.*
<i>Chrysomphalus perseae</i> (Coccidae)	do	1					Do.*
<i>Cicadella laudata</i> (Cicadellidae)	do	1					Do.*
<i>Cicadella pulchella</i> (Cicadellidae)	do	6					Do.*
<i>Cicadella</i> sp. (Cicadellidae)	do	9					Do.*
Cicadellid	do	1					Do.
<i>Clastoptera</i> sp. (Cercopidae)	do	1					Do.*
<i>Cloeotus</i> sp. (Scarabaeidae)	do	6					Do.*
<i>Cocconotus</i> sp. (Tettigoniidae)	do	6					Do.*
<i>Coccotrypes</i> sp. (Scolytidae)	do	1					Do.*
<i>Coccus acuminatus</i> (Coccidae)	<i>Ixora</i> sp.		1				Do.*
<i>Coccus</i> sp. (Coccidae)	<i>Coffea</i> sp.		1				Do.*
<i>Coelosternus consputus</i> (Curculionidae)	Banana debris	1					Mass.
<i>Colastus</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Colopterus</i> sp. (Nitidulidae)	do	1					Do.*
<i>Conotelus</i> sp. (Nitidulidae)	do	9					Do.*
<i>Corixa</i> sp. (Corixidae)	do					1	La.
<i>Corizus</i> sp. (Coreidae)	do	1					Calif.*
<i>Crematogaster</i> sp. (ant)	Banana debris	3					Pa.
Do	do	1					Mass.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	45					Calif.*
<i>Cryptorhopalum septemsignatum</i> (Dermestidae)	do	6					Do.*
<i>Cryptorhopalum</i> sp. (Dermestidae)	do						Do.*
<i>Cylindrocopturus</i> sp. (Curculionidae)	do	15					Do.*
<i>Diabrotica speciosa</i> (Chrysomelidae)	Banana debris	1					Ala.
<i>Diabrotica</i> sp. (Chrysomelidae)	do	2					Do.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Dictyophara</i> sp. (Fulgoridae)	Banana debris	1					Ala.
<i>Dinocoris tripterus</i> (Pentatomidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Dinoderus</i> sp. (Bostrichidae)	do	1					Do.*
<i>Discocephala humilis</i> (Pentatomidae)	do	11					Do.*
<i>Discocephala</i> sp. (Pentatomidae)	do	37					Do.*
<i>Disonycha</i> sp. (Chrysomelidae)	do	1					Do.*
<i>Dolichoderus bispinosus</i> (ant)	do	1					La.
<i>Dolichoderus</i> sp. (ant)	do	1					Do.
<i>Dorcasta oryx</i> (Cerambycidae)	do	1					Calif.*
<i>Draeculacephala</i> sp. (Cicadellidae)	do	8					Do.*
<i>Dysdercus</i> sp. (Pyrrhocoridae)	do	1					Do.*
<i>Edessa affinis</i> (Pentatomidae)	do	1					Do.*
<i>Edessa heymonsi</i> (Pentatomidae)	do	1					Do.*
<i>Edessa obscura</i> (Pentatomidae)	do	1					Do.*
<i>Edessa rixosa</i> (Pentatomidae)	do	1					Do.*
<i>Edessa</i> sp. (Pentatomidae)	do	5					Do.*
Elaterid	do	4					Do.*
<i>Empoasca</i> sp. (Cicadellidae)	do	1					Ala.
<i>Epuraea</i> sp. (Nitidulidae)	do	1					Calif.*
<i>Eremocoris</i> sp. (Lygaeidae)	do	1					Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PANAMA—Continued</b>							
Insects—Continued.							
Fulgorid	<i>Musa</i> sp. (banana)	3					Calif.*
<i>Geraeus lineellus</i> (Curculionidae)	do	1					Do.*
<i>Geraeus trilineatus</i> (Curculionidae)	do	1					Do.*
<i>Geraeus</i> sp. (Curculionidae)	do	1					Do.*
<i>Gypona</i> sp. (Cicadellidae)	do	6					Do.*
<i>Haltica</i> sp. (Chrysomelidae)	do	4					Do.*
<i>Helicopatra</i> sp. (Fulgoridae)	do	1					Do.*
<i>Ips</i> sp. (Scolytidae)	do	3					Do.*
<i>Kolla</i> sp. (Cicadellidae)	do	8					Do.*
<i>Laemophloeus iteratus</i> (Cucujidae)	do	1					Do.*
<i>Laemophloeus</i> sp. (Cucujidae)	do	12					Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (croton)		1				Do.*
<i>Ligyrocoris</i> sp. (Lygaeidae)	<i>Musa</i> sp. (banana)	9					Do.*
<i>Lissomus inopinatus</i> (Throscidae)	do	1					Do.*
<i>Lissomus punctulatus</i> (Throscidae)	do	1					Do.*
<i>Lorelus</i> sp. (Tenebrionidae)	do	2					La.
Lygaeid	do	1					Calif.*
<i>Lygaeus</i> sp. (Lygaeidae)	do	4					Do.*
<i>Lygus</i> sp. (Miridae)	do	4					Do.*
<i>Megasoma elephas</i> (Scarabaeidae)	do	1					Do.*
<i>Mesomphalia</i> sp. (Chrysomelidae)	do	1					Do.*
<i>Metachroma</i> sp. (Chrysomelidae)	do	1					Do.*
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	2					Ala.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	do	34					Calif.*
Do	do	1					La.
<i>Metamasius</i> sp. (Curculionidae)	do	1					Calif.*
<i>Mordellistena</i> sp. (Mordellidae)	do	2					Do.*
<i>Myochrouus</i> sp. (Chrysomelidae)	Banana debris	1					Ala.
<i>Nasutitermes cornigera</i> (termite)	do	2					Do.
<i>Nasutitermes</i> sp. (termite)	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Neoponera</i> sp. (ant)	do	1					Calif.*
<i>Nezara scutellata</i> (Pentatomidae)	do	1					Do.*
Noctuid	do	2					Do.*
<i>Orthaea</i> sp. (Lygaeidae)	do	1					Do.*
<i>Pachybrachis</i> sp. (Chrysomelidae)	do	2					Do.*
<i>Parandra glabra</i> (Cerambycidae)	do	1					Do.*
<i>Paratenetus</i> sp. (Tenebrionidae)	Banana debris	1					Ala.
<i>Parlatoria cinerea</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)		1	2			Calif.*
Do	<i>Citrus grandis</i> (grapefruit)		1				Do.*
<i>Pheidole anastasii</i> (ant)	Banana debris	1					Pa.
<i>Pheidole</i> sp. (ant)	do	2					Do.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Phloeoethrips</i> sp. (thrips)	do	14					Do.*
<i>Phyllophaga</i> sp. (Scarabaeidae)	In soil		2				Do.*
<i>Pinnaspis</i> sp. (Coccidae)	<i>Licuala grandis</i>		1				Do.*
<i>Platamus sharpi</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Platypus rugulosus</i> (Platypodidae)	do	3					Do.*
<i>Platypus</i> sp. (Platypodidae)	do	15					Do.*
<i>Prenolepis</i> sp. (ant)	Banana debris	1					Ala.
Do	<i>Chrysalidocarpus lutescens</i> (yellow palm).		1				Calif.*
<i>Pseudacamptus</i> sp. (Curculionidae)	Banana debris	1					Ala.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)				3		Calif.*
Do	<i>Citrus sinensis</i> (orange)			1			Ala.
Do	do			3			Calif.*
Do	<i>Cocos nucifera</i> (coconut)		1	1			Do.*
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	Palm				1		Calif.*
Psychid	Banana debris	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					La.
Pyralid	do	5					Calif.*
<i>Reticulitermes</i> sp. (termite)	do	2					Do.*
Scolytid	Hardwood log	1					Va.
Do	<i>Musa</i> sp. (banana)	1					Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Silvaninus nitidus</i> (Cucujidae)	Banana debris	1					Pa.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)				1		La.
<i>Solenopsis</i> sp. (ant)	Banana debris	1					Ala.
Do	do	1					Pa.
<i>Soronia</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)				1		Pa.
<i>Stephanoderes guatemalensis</i> (Scolytidae).	Banana debris	1					La.
Do	do	1					Pa.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Musa</i> sp. (banana)	25					Do.
Do	do	2					Calif.*
Syrphid	do	1					Do.*
<i>Systema</i> sp. (Chrysomelidae)	do	1					Do.*
<i>Tachygonus</i> sp. (Curculionidae)	do	1					Do.*
<i>Tapinoma</i> sp. (ant)	Banana debris	1					Ala.
<i>Teleonemia</i> sp. (Tingitidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Telephanus barberi</i> (Cucujidae)	do	2					La.
<i>Telephanus brontoides</i> (Cucujidae)	do	22					Calif.*
<i>Telephanus sellatus</i> (Cucujidae)	Banana debris	1					Ala.
<i>Telephanus setulosus</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Telephanus</i> sp. (Cucujidae)	do	27					Calif.*
<i>Telenomus</i> sp. (Scelionidae)	do	1					La.
<i>Tenebroides</i> sp. (Ostomidae)	do	2					Calif.*
Tineid	do	2					Do.*
Tipulid	do	1					Do.*
<i>Toxotrypana curvicauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya)				1		Md.
<i>Tythromimus</i> sp. (Curculionidae)	Banana debris	1					Ala.
Do	<i>Musa</i> sp. (banana)	23					Calif.*
<i>Wasemannia auropunctata</i> (ant)	Banana debris	1					Pa.
<i>Xyleborus confusus</i> (Scolytidae)	do	1					Ala.
<i>Xyleborus grenadensis</i> (Scolytidae)	Hardwood log	1					Va.
<i>Xyleborus</i> sp. (Scolytidae)	<i>Musa</i> sp. (banana)	39					Calif.*
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Carica papaya</i> (papaya)				1		Md.
<i>Eutypa turnerae</i>	<i>Turnera</i> sp.		1				D. C.
Myxomycetes	<i>Musa</i> sp. (banana)	1					Pa.
Oleocellosis	<i>Citrus sinensis</i> (orange)				1		Mass.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>				1		Md.
<i>Sclerotium</i> sp.	<i>Phaseolus</i> sp. (string bean)				1		Va.
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)				1		Md.
Stilbellaceae	<i>Musa</i> sp. (banana)	1					Pa.
<i>Stilbum</i> sp.	<i>Gardenia florida</i> (Cape-jasmine).				1		La.
PARAGUAY							
Insects:							
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Oryza sativa</i> (rice)	1					N. Y.
PERU							
Insects:							
<i>Acrocercops</i> sp. (Gracilariidae)	<i>Gossypium</i> sp. (cotton)	1					D. C.
<i>Cicadella</i> sp. (Cicadellidae)	do	1					Do.
Delphacid	do	1					Do.
<i>Empoasca</i> sp. (Cicadellidae)	do	1					Do.
<i>Gypona</i> sp. (Cicadellidae)	do	1					Do.
<i>Jassus</i> sp. (Cicadellidae)	do	1					Do.
<i>Portanus</i> sp. (Cicadellidae)	do	1					Do.
Pyraustinae (Pyralidae)	<i>Capsicum annuum</i>				1		Md.
<i>Scaphoideus</i> sp. (Cicadellidae)	<i>Gossypium</i> sp. (cotton)	1					D. C.
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)				1		Wash.
<i>Xyleborus confusus</i> (Scolytidae)	<i>Gossypium</i> sp. (cotton)	1					D. C.
PHILIPPINES							
Insects:							
<i>Acythopeus aterrimus</i> (Curculionidae).	<i>Grammatophyllum speciosum</i> (orchid).		1				Calif.*
Do	<i>Rhynchostylis retusa</i> (orchid)		1				Hawaii.*
Do	<i>Stauropsis lissochilooides</i> (orchid)		1				Do.*
Do	<i>Vanda luzonica</i> (orchid)		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PHILIPPINES—Continued</b>							
Insects—Continued.							
<i>Acythopeus gilvonotatus</i> (Curculionidae).	<i>Phalaenopsis stuartiana</i> (orchid).	2					Calif.
<i>Acythopeus</i> sp. (Curculionidae).	Orchid (several genera).....	1	4				Do.*
Do.....	do.....		6				Hawaii.*
<i>Allothrips</i> sp. (thrips).....	<i>Vanda limbata</i> (orchid).....		1				Do.*
<i>Anobiid</i> .....	<i>Phalaenopsis amabilis</i> (orchid).....	1					Calif.*
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Chrysalidocarpus</i> sp.....				1		N. Y.
Do.....	<i>Cocos nucifera</i> (coconut).....	1	1		4		Calif.*
<i>Aspidiotus orientalis</i> (Coccidae).....	do.....				1		Do.*
<i>Aspidiotus palmae</i> (Coccidae).....	<i>Chrysalidocarpus lutescens</i> .....				1		N. Y.
<i>Aspidiotus spinosus</i> (Coccidae).....	<i>Dendrobium superbum</i> (orchid).....		1				Calif.*
<i>Aspidiotus</i> sp. (Coccidae).....	<i>Dendrobium dearei</i> (orchid).....	1					Hawaii.*
<i>Blastobasid</i> .....	<i>Dendrobium heterocarpum</i> (orchid).....		1				Do.*
<i>Camponotus</i> sp. (ant).....	<i>Ananas sativus</i> .....		1				Wash.
<i>Cerambycinae</i> (Cerambycidae).....	Wood base for orchids.....		1				Calif.*
<i>Ceroplastes</i> sp. (Coccidae).....	<i>Mangifera indica</i> (mango).....		1				Hawaii.*
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Staurochilus davisi</i> (orchid).....		1				Do.*
<i>Chrysomphalus rossi</i> (Coccidae).....	Orchid (several genera).....	4					Calif.*
Do.....	<i>Phalaenopsis leucorrhoda</i> (orchid).....	1					Hawaii.*
Do.....	<i>Phalaenopsis mariae</i> (orchid).....				1		Do.*
<i>Crematogaster</i> sp. (ant).....	<i>Aerides lawrenceiae</i> (orchid).....		1				Calif.*
Do.....	<i>Grammatophyllum multiflorum</i> (orchid).....		1				Do.*
Do.....	<i>Grammatophyllum speciosum</i> .....		1				Do.*
Do.....	Orchid (several genera).....	2	8				Hawaii.*
<i>Cryphalus</i> sp. (Scolytidae).....	<i>Hevea brasiliensis</i> (Para rubber tree).....				1		Calif.*
Curculionid.....	Orchid (several genera).....	2	10	2			Hawaii.*
<i>Cylas formicarius</i> (sweetpotato weevil).....	<i>Grammatophyllum speciosum</i> (orchid).....		1				Calif.*
<i>Dicaiothrips</i> sp. (thrips).....	<i>Renanthera moschera</i> (orchid).....						Hawaii.*
Do.....	<i>Staurochilus davisi</i> (orchid).....		1				Do.*
<i>Disphinctus</i> sp. (Miridae).....	<i>Dendrobium superbum</i> (orchid).....	1					Calif.*
<i>Dolichoderus</i> sp. (ant).....	<i>Vanda luzonica</i> (orchid).....	1					Hawaii.*
<i>Hemichionaspis townsendi</i> (Coccidae).....	Orchid (several genera).....	1	5				Do.*
<i>Hemichionaspis</i> sp. (Coccidae).....	<i>Aerides odoratum</i> (orchid).....		1				Do.*
Do.....	<i>Staurochilus davisi</i> (orchid).....		2				Do.*
Do.....	<i>Vanda sanderiana</i> (orchid).....		1				Calif.*
<i>Heterobostrychus</i> sp. (Bostrichidae).....	<i>Swietenia mahogani</i> (Philipine mahogany).....		1				Pa.
<i>Icerya seychellarum</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....				1		La.
<i>Kalotermes malatensis</i> (termite).....	In wood used as base for orchids.....	1					Calif.*
<i>Labidura</i> sp. (earwig).....	<i>Aerides lawrenceiae</i> (orchid).....		1				Do.*
<i>Lamiinae</i> (Cerambycidae).....	<i>Phalaenopsis grandiflora</i> (orchid).....	1					Do.*
<i>Lepidosaphes mcgregori</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....			2	1		Do.*
<i>Lepidosaphes</i> sp. (Coccidae).....	do.....		1	1			Do.*
<i>Liothrips vaneckeii</i> (thrips).....	<i>Lilium</i> sp.....		1				Do.*
Do.....	do.....		1				Wash.
<i>Lyctoxylon japonum</i> (Lyctidae).....	<i>Phalaenopsis sanderiana</i> (orchid).....		1				Calif.*
Lygaeid.....	<i>Ficus</i> sp.....		1				Do.*
<i>Macrotermes gilvus</i> (termite).....	<i>Hevea brasiliensis</i> (Para rubber tree).....			1			Do.*
<i>Minthea rugicollis</i> (Lyctidae).....	<i>Phalaenopsis sanderiana</i> (orchid).....		1				Do.*
Mirid.....	<i>Dendrobium superbum</i> (orchid).....		1				Do.*
Do.....	<i>Ficus</i> sp.....		1				Do.*
Do.....	Orchid (several genera).....	1	2				Hawaii.*
Do.....	<i>Phalaenopsis stuartiana</i> (orchid).....	1					Calif.*
<i>Monanus concinnulus</i> (Cucujidae).....	<i>Hevea brasiliensis</i> (Para rubber tree).....			1			Do.*
<i>Monanus</i> sp. (Cucujidae).....	do.....			1			Do.*
<i>Monomorium</i> sp. (ant).....	<i>Phalaenopsis sanderiana</i> (orchid).....		1				Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PHILIPPINES—Continued</b>							
Insects—Continued.							
<i>Parlatoria pseudaspidotus</i> (Coccidae).	Orchid (several genera)	3	2				Hawaii.*
Do	<i>Vanda</i> sp. (orchid)	1					Calif.*
<i>Parlatoria</i> sp. (Coccidae)	Orchid (several genera)	3					Hawaii.*
Do	<i>Vanda luzonica</i> (orchid)	1					Calif.*
Do	<i>Vanda sanderiana</i> (orchid)	1					Do.*
Pentatomid	<i>Dendrobium lyonii</i> (orchid)	1					Hawaii.*
<i>Phenacaspis</i> sp. (Coccidae)	<i>Vanda luzonica</i> (orchid)	1					Calif.*
<i>Phloeoethrips</i> sp. (thrips)	do	1					Do.*
<i>Pinnaspis</i> sp. (Coccidae)	<i>Vanda sanderiana</i> (orchid)	1					Do.*
<i>Polyrhachis</i> sp. (ant)	do	1					Do.*
<i>Prays citri</i> (Philippine orange moth)	<i>Citrus grandis</i> (pomelo)					1	Do.*
<i>Prenolepis</i> sp. (ant)	Orchid (several genera)	5					Do.*
<i>Pseudococcus lilacinus</i> (Coccidae)	Orchid	1					Do.*
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	1					Hawaii.*
Do	Orchid (several genera)	2	3	1			Do.*
Do	<i>Mangifera indica</i> (mango)	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae)	Orchid (several genera)	3					Calif.*
Do	do	1	4				Hawaii.*
Psychid	<i>Renanthera storiei</i> (orchid)	1					Calif.*
Pyralid	<i>Ficus</i> sp.	1					Do.*
<i>Rhizoglyphus</i> sp. (mite)	<i>Phalaenopsis stuartiana</i> (orchid)	1					Hawaii.*
<i>Saissetia</i> sp. (Coccidae)	<i>Phalaenopsis amabilis</i> (orchid)	1					Calif.*
Do	<i>Phalaenopsis schilleriana</i> (orchid)	1					Hawaii.*
Do	<i>Phalaenopsis stuartiana</i> (orchid)	1					Do.*
<i>Sciara</i> sp. (Mycetophilidae)	<i>Hevea brasiliensis</i> (Para rubbertree)			1			Calif.*
<i>Scirtothrips</i> sp. (thrips)	Orchid (several genera)	3					Hawaii.*
Scolytid	<i>Ficus</i> sp.	1					Calif.*
Do	Wood base for orchids	2					Do.*
<i>Solenopsis</i> sp. (ant)	<i>Phalaenopsis</i> sp. (orchid)	1					Do.*
Do	<i>Renanthera storiei</i> (orchard)	1					Do.*
<i>Sternochetus mangiferae</i> (mango weevil)	<i>Mangifera indica</i> (mango)			1			Do.*
<i>Taeniothrips</i> sp. (thrips)	<i>Phalaenopsis sanderiana</i> (orchid)	2					Hawaii.*
Do	<i>Phalaenopsis schilleriana</i> (orchid)	2					Do.*
<i>Technomyrmex albipes</i> (ant)	<i>Dendrobium densiflorum</i> (orchid)	1					Do.*
Do	Orchid (several genera)	2	3				Calif.*
Do	<i>Rhynchostylis retusa</i> (orchid)	1					Hawaii.*
Tenebrionid	<i>Oryza sativa</i> (rice)	1					Do.*
<i>Tetramorium</i> sp. (ant)	<i>Spathoglottis chrysanthra</i> (orchid)	1					Do.*
Do	<i>Spathoglottis</i> sp. (orchid)	1					Do.*
<i>Tinea</i> sp. (Tineidae)	<i>Ananas sativus</i> (pineapple)	1					Wash.
Do	Orchid debris	1					Hawaii.*
Tineid	<i>Hevea brasiliensis</i> (Para rubbertree)			1			Calif.*
Tyroglyphid (mite)	<i>Cocos nucifera</i> (coconut)				1		Do.*
Do	<i>Hevea brasiliensis</i> (Para rubbertree)			1			Do.*
<i>Xylosandrus luzonicus</i> (Scolytidae)	<i>Dendrobium taurinum</i> (orchid)	1					Hawaii.*
<i>Xylosandrus</i> sp. (Scolytidae)	<i>Dendrobium superbum</i> (orchid)		1				Calif.*
Do	<i>Vanda luzonica</i> (orchid)	1					Hawaii.*
Diseases:							
<i>Bacterium citri</i>	<i>Citrus aurantiifolia</i> (lime)					1	Calif.*
Do	<i>Citrus grandis</i> (pomelo)					1	Do.*
<i>Cercospora</i> sp.	<i>Vanda sanderiana</i> (orchid)		1				Do.*
<i>Colletotrichum orchidearum</i>	<i>Phalaenopsis sanderiana</i> (orchid)		1				Hawaii.*
Do	<i>Phalaenopsis schilleriana</i> (orchid)		1				Do.*
Do	<i>Phalaenopsis stuartiana</i> (orchid)		1				Do.*
Do	<i>Renanthera storiei</i> (orchid)	1					Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PHILIPPINES—Continued</b>							
Diseases—Continued.							
<i>Gloeosporium beyrodtii</i>	<i>Vanda sanderiana</i> (orchid)	1					Calif.*
<i>Gloeosporium</i> sp.	do		1				Do.*
<i>Helminthosporium</i> sp.	do		1				Do.*
<i>Ustilaginoidea virens</i>	<i>Oryza sativa</i> (rice)		1				Wash.
<b>POLAND</b>							
Insects:							
<i>Blastodacna</i> sp. (Cosmopterygidae)	<i>Malus sylvestris</i> (apple)		1				D. C.
<i>Trialeurodes vaporariorum</i> (green-house whitefly).	<i>Pelargonium</i> sp. (geranium)			1			N. Y.
Diseases:							
<i>Claviceps microcephala</i>	<i>Poa fertilis serotina</i>		1				D. C.
Do	<i>Poa pratensis</i> (Kentucky blue-grass)		1				Do.
<i>Claviceps purpurea</i>	<i>Secale cereale</i> (rye)	1					Pa.
<i>Melanconium stromaticum?</i>	<i>Pyrus communis</i> (pear)		1				N. Y.
<b>PORTUGAL</b>							
Insects:							
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	4					N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae)	do	9					Do.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Corylus</i> sp. (hazelnut)		1				Calif.*
<i>Myelois</i> sp. (Pyralidae)	<i>Cydonia oblonga</i> (quince)			1			Mass.
<i>Rhizoglyphus</i> sp. (mite)	do			1			R. I.
<b>PUERTO RICO</b>							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Magnifera indica</i> (mango)		1				N. Y.
Do	<i>Psidium guajava</i> (guava)		3				Do.
<i>Aspidiotus coccotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	1				1	Do.
Do	do				1		Pa.
<i>Ceratocombus minutus</i> (Crypto-stemmatidae)	Banana debris	1			2		Do.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus</i> sp.	1					N. Y.
<i>Comodica zebra</i> (Tineidae)	Banana debris					1	Pa.
<i>Diatraea</i> sp. (Pyralidae)	<i>Tripsacum laxum</i>			1			N. Y.
<i>Eriophyes</i> sp. (mite)	<i>Pluchea odorata</i>	1					Do.
<i>Frankliniella</i> sp. (thrips)	<i>Rosa</i> sp.			1			Pa.
<i>Galleriinae</i> (Pyralidae)	<i>Cassia fistula</i> (golden-shower)	2					N. Y.
<i>Haplothrips</i> sp. (thrips)	<i>Gardenia florida</i> (Cape-jasmine)				1		Pa.
<i>Holcocera</i> sp. (Blastobasidae)	<i>Pisum sativum</i> (pea)					1	N. Y.
<i>Hypothenemus</i> sp. (Scolytidae)	Banana debris					1	Pa.
<i>Labia arcuata</i> (earwig)	do					1	Do.
<i>Leucaspis indica</i> (Coccidae)	<i>Mangifera indica</i> (mango)		1				D. C.
<i>Lorelus</i> sp. (Tenebrionidae)	Banana debris					1	Pa.
<i>Monanus concinnulus</i> (Cucujidae)	do					1	Do.
<i>Monanus</i> sp. (Cucujidae)	do					1	Do.
<i>Myelois ceratoniae</i> (Pyralidae)	<i>Tamarindus indica</i> (tamarind)	1					N. Y.
<i>Petizioides</i> sp. (Lygaeidae)	Banana debris	1					Pa.
<i>Ponera</i> sp. (ant)	do	1					Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)					1	Ala.
Do	do					5	Calif.*
Do	do					1	La.
Do	do					1	Md.
Do	do					2	N. Y.
Do	do					5	Pa.
Do	<i>Citrus limetta</i> (sweet lime)			1			Fla.*
Do	<i>Citrus sinensis</i> (orange)			1			Ala.
Do	do					1	Calif.*
Do	do			1			Fla.*
Do	do				1		Ga.
Do	do					1	Pa.
Do	do					1	Tex.
Do	<i>Citrus</i> sp.	1					N. Y.
<i>Pseudococcus</i> sp. (Coccidae)	do				1		Do.
Do	<i>Cocos nucifera</i> (coconut)	1					Do.
Do	<i>Solanum melongena</i> (eggplant)					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>PUERTO RICO—Continued</b>							
Insects—Continued.							
<i>Pyraustinae</i> (Pyralidae).....	<i>Solanum melongena</i> (eggplant)					1	N. Y.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1					Do.
<i>Telephanus pallidulus</i> (Cucujidae).....	Banana debris.....		1				Pa.
<i>Telephanus</i> sp. (Cucujidae).....	do.....					1	Do.
<i>Tinea</i> sp. (Tineidae).....	<i>Carica papaya</i> (papaya)			1			N. Y.
Do.....	Banana debris.....					2	Pa.
Do.....	<i>Musa</i> sp. (banana)					1	Do.
Tineid.....	<i>Hura crepitans</i> (sandboxtree).....			1			Do.
Do.....	<i>Poinciana regia</i> (royal poinciana).....				1		Do.
Do.....	<i>Saccharum officinarum</i> .....			3			Do.
<i>Trionymus</i> sp. (Coccidae).....	do.....		1				D. C.
<i>Wasemannia auropunctata</i> (ant).....	Banana debris.....					1	Pa.
Diseases:							
<i>Capnodium citri</i> .....	<i>Citrus grandis</i> (grapefruit).....			1		3	Do.
Do.....	<i>Citrus sinensis</i> (orange).....					2	La.
Do.....	do.....					1	Pa.
Do.....	<i>Saccharum officinarum</i> .....					3	Tex.
<i>Capnodium</i> sp.....	<i>Achras sapota</i> (sapodilla).....						Pa.
<i>Diplodia cacaoicola</i> .....	<i>Hura crepitans</i> (sandboxtree).....			1			Ga.
Do.....	<i>Persea americana</i> (avocado).....					1	Pa.
Do.....	<i>Phaseolus lunatus macrocarpus</i> (lima bean).....					1	Ga.
<i>Elsinoe phaseoli</i> .....	<i>Dioscorea</i> sp. (yam).....			1			Pa.
<i>Hoplolaimus bradyi</i> .....	<i>Saccharum officinarum</i> .....		1	1			Do.
<i>Melanconium sacchari</i> .....	<i>Citrus grandis</i> (grapefruit).....					1	Tex.
<i>Microcera</i> sp.....	do.....					1	Pa.
<i>Myriangium</i> sp.....	<i>Citrus aurantifolia</i> (lime).....					1	Tex.
Oil burning.....	<i>Citrus grandis</i> (grapefruit).....			1			Pa.
Oleocellosis.....	<i>Citrus sinensis</i> (orange).....					1	Do.
Do.....	<i>Citrus grandis</i> (grapefruit).....					1	Tex.
Do.....	do.....					1	Pa.
<i>Oospora citri-aurantii</i> .....	<i>Citrus grandis</i> (grapefruit).....					1	Do.
<i>Pestalozzia</i> sp.....	<i>Psidium guajava</i> (guava).....	1					N. Y.
<i>Phomopsis vexans</i> .....	<i>Solanum melongena</i> (eggplant).....					1	Tex.
<i>Phyllosticta</i> sp.....	<i>Hibiscus esculentus</i> (okra).....					1	Pa.
<i>Saccharomyctaceae</i> .....	<i>Mangifera indica</i> (mango).....					1	N. Y.
<i>Sclerotinia</i> sp.....	<i>Citrus sinensis</i> (orange).....					1	Pa.
<i>Sphaceloma fawcettii</i> .....	<i>Citrus grandis</i> (grapefruit).....	2	1	9			Do.
Do.....	do.....					2	Tex.
Do.....	do.....					1	Va.
<i>Sphaerostilbe aurantiicola</i> .....	do.....					1	Pa.
<i>Sphaerostilbe coccophila</i> .....	do.....					1	Do.
<i>Stilbum</i> sp.....	<i>Psidium guajava</i> (guava).....	1					N. Y.
<b>RHODESIA</b>							
Insects:							
Tineid.....	<i>Allium cepa</i> (onion).....					1	Pa.
<i>Urophorus humeralis</i> (Nitidulidae).....	do.....					1	Do.
<b>RUMANIA</b>							
Diseases:							
<i>Sclerotinia</i> sp.....	<i>Beta vulgaris</i> (beet).....					1	N. Y.
<b>ST. KITTS</b>							
Insects:							
<i>Cecidomyiid</i> .....	<i>Pisum sativum</i> (pea).....						Mass.
Gelechiid.....	do.....						Do.
<i>Phycitinae</i> (Pyralidae).....	do.....						Do.
<i>Prodenia</i> sp. (Noctuidae).....	<i>Bryophyllum</i> sp.....						Do.
<i>Rhizoglyphus</i> sp. (mite).....	<i>Dioscorea</i> sp. (yam).....					1	Do.
<i>Targionia hartii</i> (Coccidae).....	do.....					2	Do.
<i>Wasemannia auropunctata</i> (ant).....	<i>Zingiber officinale</i> (ginger).....					1	Do.
Diseases:							
<i>Diplodia tubericola</i> .....	<i>Ipomoea batatas</i> (sweetpotato).....					1	Do.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>ST. LUCIA</b>							
Insects:							
<i>Aulacaspis</i> sp. (Coccidae)	<i>Mangifera indica</i> (mango)	1					N. Y.
<i>Euscepes batatae</i> (West Indian sweet-potato weevil)	<i>Ipomoea batatas</i>	1					Do.
<i>Pseudaonidia trilobitiformis</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)				1		Fla.*
Do	<i>Citrus grandis</i> (grapefruit)				1		Do.*
Do	<i>Citrus sinensis</i> (orange)				1		Do.*
Do	<i>Mangifera indica</i> (mango)				1		Mass.
Diseases:							
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)				1		Fla.*
<b>ST. VINCENT</b>							
Insects:							
Chloropid	<i>Dioscorea</i> sp. (yam)	1					Mass.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Citrus sinensis</i> (orange)				4		Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Cucumis sativus</i> (cucumber)				1		Do.
<b>SALVADOR</b>							
Insects:							
<i>Cyphomyrmex rimosus</i> var. (ant)	In soil around Caladium plant				1		Pa.
<i>Nasutitermes cornigera</i> (termite)	<i>Swietenia</i> sp. (mahogany)	1					N. Y.
<i>Nasutitermes</i> sp. (termite)	do	1					Do.
<i>Prolabia</i> sp. (earwig)	<i>Tamarindus indica</i> (tamarind)		1				Calif.*
<i>Pyrophorus</i> sp. (Elateridae)	In soil around croton plant				1		Pa.
<i>Sciara</i> sp. (Mycetophilidae)	In soil around <i>Tradescantia fluminensis</i>				1		Do.
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Swietenia</i> sp. (mahogany)	1					N. Y.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1					Calif.*
<b>SCOTLAND</b>							
Insects:							
<i>Anuraphis</i> sp. (aphid)	In box of heather and thistle heads.	1					Pa.
Cecidomyiid	<i>Calluna vulgaris</i> (heather)	1					Do.
<i>Ceutorhynchus ericae</i> (Curculionidae)	do	2					Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	do	1					Do.
Do	<i>Brassica rapa</i> (turnip)				1		Do.
Do	do				1		Tex.
Gelechiid	<i>Calluna vulgaris</i> (heather)	1					Pa.
Geometrid	<i>Sorbus</i> sp.	1					D. C.
<i>Ludius</i> sp. (Elateridae)	In soil around roots of heather	1					Pa.
Olethreutid	In box of heather and thistle heads.	1					Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Md.
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)				1		Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i> (turnip)				1		Do.
Syrphid	<i>Brassica oleracea capitata</i>				1		Do.
<i>Taeniothrips atratus</i> (thrips)	<i>Calluna vulgaris</i>	2					Do.
<i>Taeniothrips ericae</i> (thrips)	do	2					Hawaii.
Do	do	32					Pa.
Do	In box of heather and thistle heads.	1					Do.
<i>Taeniothrips vulgarissimus</i> (thrips)	<i>Sorbus</i> sp.	1					Do.
<i>Thrips dilatatus</i> (thrips)	<i>Calluna vulgaris</i> (heather)	1					Do.
<i>Thrips flavus</i> (thrips)	do	3					Do.
<i>Thrips tabaci pullus</i> (thrips)	do	1					Do.
<i>Ulopa</i> sp. (Cicadellidae)	do	1					Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea capitata</i>				1		Do.
<i>Alternaria brassicae</i>	do				1		Do.
<i>Anguillulina dipsaci</i>	<i>Sprekelia formosissima</i> (St. Jameslily)	1					D. C.
<i>Aphelenchoides parietinus</i>	<i>Daucus carota</i> (carrot)				1		Pa.
Bitter pit	<i>Malus sylvestris</i> (apple)				1		La.
Erinose	<i>Sorbus</i> sp.	1					Pa.
<i>Plasmodiophora brassicae</i>	<i>Brassica campestris</i> (rutabaga)				1		Do.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				1		Ga.
Do	<i>Daucus carota</i> (carrot)				1		Pa.
<i>Septoria pittospori</i>	<i>Pittosporum</i> sp.		1				N. Y.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>SIAM</b>							
Insects:							
<i>Crematogaster</i> sp. (ant)-----	<i>Cymbidium finlaysonianum</i> (orchid)	1					Hawaii.*
Do-----	<i>Dendrobium crassinode</i> (orchid)	1					Do.*
Do-----	<i>Dendrobium formosum giganteum</i> (orchid)	1					Do.*
<i>Parlatoria ziziphus</i> (Coccidae)-----	<i>Citrus grandis</i> (pomelo)					1	Pa.
<i>Pseudococcus</i> sp. (Coccidae)-----	<i>Dendrobium</i> sp. (orchid)	2					D. C.
<b>SIERRA LEONE</b>							
Insects:							
<i>Cylas</i> sp. (Curculionidae)-----	<i>Ipomoea batatas</i> (sweetpotato)					1	Pa.
Tineid-----	<i>Zingiber officinale</i> (ginger)	1					Do.
<b>SOCIETY ISLANDS</b>							
Insects:							
<i>Aleuroplatus samoanus</i> (whitefly)-----	<i>Citrus aurantifolia</i> (lime)		1				Calif.*
Buprestid-----	<i>Plumeria</i> sp.		1				Do.*
<i>Caryedon fuscus</i> (Bruchidae)-----	<i>Lycopodium</i> sp.		1				Do.*
Do-----	<i>Tamarindus indica</i> (tamarind)		1				Do.*
<i>Prenolepis</i> sp. (ant)-----	<i>Lycopodium</i> sp.		1				Do.*
Tetranychid (mite)-----	<i>Gardenia</i> sp.		1				Do.*
<b>SPAIN</b>							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly)-----	<i>Amygdalus persica</i> (peach)					1	Md.
Do-----	<i>Citrus sinensis</i> (orange)					1	P. R.
Do-----	<i>Malus sylvestris</i> (apple)					1	Pa.
Do-----	On shelf of fruit locker on which was the debris of grapes and apples.					1	Do.
Do-----	<i>Vitis</i> sp. (grape)					1	Ga.
<i>Chrysomelinae</i> (Chrysomelidae)-----	<i>Citrus sinensis</i> (orange)					1	Mass.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)-----	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do-----	do					1	Pa.
Do-----	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Coccus</i> sp. (Coccidae)-----	do						Calif.*
<i>Curculio</i> sp. (Curculionidae)-----	<i>Castanea</i> sp. (chestnut)		1				Fla.*
Do-----	do						N. Y.
<i>Diaspis</i> sp. (Coccidae)-----	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Dryomyia coccifera</i> (Tionididae)-----	<i>Quercus suber</i> (cork oak)	1					Pa.
<i>Euistostoma</i> sp. (mite)-----	<i>Solanum tuberosum</i>					1	Do.
<i>Laspeyresia splendana</i> (Olethreutidae)-----	<i>Castanea</i> sp. (chestnut)	3					N. Y.
Olethreutid-----	<i>Amygdalus persica</i> (peach)					2	Md.
<i>Parlatoria ziziphus</i> (Coccidae)-----	<i>Citrus sinensis</i> (orange)					1	Fla.*
Do-----	do					1	Pa.
Phycitinae (Pyralidae)-----	do					1	Do.
<i>Rhizoglyphus</i> sp. (mite)-----	<i>Allium cepa</i> (onion)					1	Do.
Do-----	do					1	Tex.
Do-----	<i>Allium sativum</i> (garlic)	1					P. R.
Diseases:							
<i>Alternaria solani</i> -----	<i>Capsicum annuum</i>					1	Pa.
Do-----	<i>Solanum melongena</i> (eggplant)					1	Do.
<i>Capnodium citri</i> -----	<i>Citrus limonia</i> (lemon)					1	Tex.
Do-----	<i>Citrus sinensis</i> (orange)					3	Md.
Do-----	do					2	Pa.
<i>Capnodium</i> sp.-----	do					1	N. Y.
<i>Cercospora beticola</i> -----	<i>Beta cicla</i> (chard)					1	Do.
<i>Colletotrichum</i> sp.-----	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Diplodia</i> sp.-----	<i>Citrus limonia</i> (lemon)					1	Wash.
Do-----	<i>Citrus sinensis</i> (orange)					1	Do.
Internal blackening-----	<i>Solanum tuberosum</i>					1	Ala.
<i>Neotylenchus abulbosus</i> -----	<i>Castanea</i> sp. (chestnut)		1				Fla.*
Oil burning-----	<i>Citrus sinensis</i>					1	Md.
Do-----	do					1	Pa.
Oleocellosis-----	<i>Citrus limonia</i> (lemon)					1	Tex.
Do-----	<i>Citrus sinensis</i>					1	Md.
Do-----	do					2	Pa.
Do-----	do					4	Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—				Collected in—
		Cargo	Mail	Baggage	Quarters	
SPAIN—Continued						
Diseases—Continued.						
<i>Oospora lactis parasitica</i>	<i>Capsicum annuum</i>				1	Ala.
Petrification	<i>Solanum tuberosum</i>				1	La.
<i>Phomopsis vexans</i>	<i>Solanum melongena</i> (eggplant)				1	Fla.*
Do	do				1	Pa.
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i> (apple)	1				N. Y.
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)				1	Md.
Do	<i>Allium sativum</i> (garlic)				1	Do.
Do	do				3	Pa.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				2	Do.
Do	<i>Daucus carota</i> (carrot)				1	La.
Do	do				3	Pa.
Do	<i>Solanum tuberosum</i>				1	Ala.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				1	Pa.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)				1	Tex.
Do	<i>Citrus sinensis</i> (orange)				1	Md.
Do	do				1	Pa.
<i>Uredo</i> sp.	Stem of reed				1	Do.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)				1	N. Y.
SPITZBERGEN						
Insects:						
<i>Orthezia cataphracta</i> (Coccidae)	<i>Pellaea crispus</i>	1				D. C.
STRAITS SETTLEMENTS						
Insects:						
<i>Anisolabis</i> sp. (earwig)	<i>Allium sativum</i> (garlic)				1	Pa.
Do	<i>Capsicum annuum</i>	1				Calif.*
<i>Aspidiotus orientalis</i> (Coccidae)	<i>Areca</i> sp.		1			Do.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Ga.
<i>Camponotus</i> sp. (ant)	<i>Saccharum officinarum</i> (sugar-cane)				1	N. Y.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Pa.
<i>Cylas formicarius</i> (sweetpotato weevil)	<i>Ipomoea batatas</i> (sweetpotato)	2				N. Y.
<i>Diocalandra</i> sp. (Curculionidae)	<i>Cocos nucifera</i> (coconut)		1			Hawaii.*
Hepialid	<i>Colocasia esculenta</i> (taro)				1	Mass.
<i>Lepidosaphes mcgregori</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		1			Hawaii.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Md.
Do	do				2	Mass.
Do	do				3	N. Y.
Do	do				1	Pa.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)				1	Do.
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Mass.
Tineid	<i>Cocos nucifera</i> (coconut)		1			Hawaii.*
Diseases:						
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit)				1	Md.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)				2	Pa.
Oleocellosis	<i>Citrus grandis</i> (pomelo)				1	Do.
Do	<i>Citrus nobilis deliciosa</i>				1	Do.
<i>Pestalozzia</i> sp.	<i>Garcinia mangostana</i> (mango-steen)				1	Mass.
SUMATRA						
Insects:						
<i>Stephanoderes hampei</i> (coffee berry borer)	<i>Coffea</i> sp.	2				N. Y.
SWEDEN						
Insects:						
<i>Curculio</i> sp. (Curculionidae)	<i>Corylus americana</i> (American hazelnut)		1			Calif.*
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)				1	La.
Do	do				1	Pa.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				1	Do.
Do	<i>Solanum tuberosum</i>				1	Mass.
Tetranychid (mite)	<i>Malus sylvestris</i> (apple)				1	Md.
<i>Tipula</i> sp. (Tipulidae)	<i>Pinus</i> sp. (pine)				1	Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>SIAM</b>							
Insects:							
<i>Crematogaster</i> sp. (ant)	<i>Cymbidium finlaysonianum</i> (orchid).		1				Hawaii.*
Do	<i>Dendrobium crassinode</i> (orchid)		1				Do.*
Do	<i>Dendrobium formosum giganteum</i> (orchid).		1				Do.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Pa.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Dendrobium</i> sp. (orchid)	2					D. C.
<b>SIERRA LEONE</b>							
Insects:							
<i>Cylas</i> sp. (Curculionidae)	<i>Ipomoea batatas</i> (sweetpotato).					1	Pa.
Tineid	<i>Zingiber officinale</i> (ginger)	1					Do.
<b>SOCIETY ISLANDS</b>							
Insects:							
<i>Aleuroplatus samoanus</i> (whitefly)	<i>Citrus aurantiifolia</i> (lime)		1				Calif.*
Buprestid	<i>Plumeria</i> sp.		1				Do.*
<i>Caryedon fuscus</i> (Bruchidae)	<i>Lycopodium</i> sp.		1				Do.*
Do	<i>Tamarindus indica</i> (tamarind)		1				Do.*
<i>Prenolepis</i> sp. (ant)	<i>Lycopodium</i> sp.		1				Do.*
Tetranychid (mite)	<i>Gardenia</i> sp.		1				Do.*
<b>SPAIN</b>							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)					1	Md.
Do	<i>Citrus sinensis</i> (orange)					1	P. R.
Do	<i>Malus sylvestris</i> (apple)					1	Pa.
Do	On shelf of fruit locker on which was the debris of grapes and apples.					1	Do.
Do	<i>Vitis</i> sp. (grape)					1	Ga.
<i>Chrysomelinae</i> (Chrysomelidae)	<i>Citrus sinensis</i> (orange)					1	Mass.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do	do					1	Pa.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Coccus</i> sp. (Coccidae)	do				1		
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)			1			
Do	do						Calif.*
<i>Diaspis</i> sp. (Coccidae)	1						N. Y.
<i>Dryomyia coccifera</i> (Itonididae)	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Fistiosistema</i> sp. (mite)	<i>Quercus suber</i> (cork oak)	1					Pa.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Solanum tuberosum</i>					1	Do.
Olethreutid.	<i>Castanea</i> sp. (chestnut)	3					N. Y.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Amygdalus persica</i> (peach)					2	Md.
Do	<i>Citrus sinensis</i> (orange)					1	Fla.*
<i>Phycitinae</i> (Pyralidae)	do					1	Pa.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Do.
Do	do					1	Do.
Do	<i>Allium sativum</i> (garlic)	1					Tex.
Diseases:							
<i>Alternaria solani</i>	<i>Capsicum annuum</i>					1	P. R.
Do	<i>Solanum melongena</i> (eggplant)					1	Do.
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)					1	Tex.
Do	<i>Citrus sinensis</i> (orange)					3	Md.
Do	do				2		Pa.
<i>Capnodium</i> sp.	do					1	N. Y.
<i>Cercospora beticola</i>	<i>Beta cicla</i> (chard)					1	Do.
<i>Colletotrichum</i> sp.	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Diplodia</i> sp.	<i>Citrus limonia</i> (lemon)					1	Wash.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
Internal blackening.	<i>Solanum tuberosum</i>					1	Ala.
<i>Neotylenchus bulbosus</i>	<i>Castanea</i> sp. (chestnut)				1	Fla.*	
Oil burning.	<i>Citrus sinensis</i>					1	Md.
Do	do					1	Pa.
Oleocellosis.	<i>Citrus limonia</i> (lemon)					1	Tex.
Do	<i>Citrus sinensis</i>					1	Md.
Do	do					2	Pa.
Do	do					4	Tex.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection.]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>SPAIN—Continued</b>							
Diseases—Continued.							
<i>Oospora lactis parasitica</i>	<i>Capsicum annuum</i>					1	Ala.
Petrification	<i>Solanum tuberosum</i>					1	La.
<i>Phomopsis vexans</i>	<i>Solanum melongena</i> (eggplant)					1	Fla.*
Do	do					1	Pa.
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i> (apple)		1			1	N. Y.
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
Do	<i>Allium sativum</i> (garlic)					1	Do.
<i>Sclerotinia</i> sp.	do					3	Pa.
Do	<i>Allium cepa</i> (onion)					2	Do.
Do	<i>Daucus carota</i> (carrot)					1	La.
Do	do					3	Pa.
<i>Septoria apii</i>	<i>Solanum tuberosum</i>					1	Ala.
<i>Septoria citri</i>	<i>Apium graveolens</i> (celery)					1	Pa.
Do	<i>Citrus limonia</i> (lemon)					1	Tex.
Do	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Uredo</i> sp.	do					1	Pa.
<i>Venturia pyrina</i>	Stem of reed					1	Do.
	<i>Pyrus communis</i> (pear)					1	N. Y.
<b>SPITZBERGEN</b>							
Insects:							
<i>Orthezia cataphracta</i> (Coccidae)	<i>Pellaea crispus</i>	1					D. C.
<b>STRAITS SETTLEMENTS</b>							
Insects:							
<i>Anisolabis</i> sp. (earwig)	<i>Allium sativum</i> (garlic)				1	Pa.	
Do	<i>Capsicum annuum</i>	1					Calif.*
<i>Aspidiotus orientalis</i> (Coccidae)	<i>Areca</i> sp.	1					Do.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Ga.	
<i>Camponotus</i> sp. (ant)	<i>Saccharum officinarum</i> (sugar-cane).			1			N. Y.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Pa.	
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)	2					N. Y.
<i>Diocalandra</i> sp. (Curculionidae)	<i>Cocos nucifera</i> (coconut)	1					Hawaii.*
Hepialid	<i>Colocasia esculenta</i> (taro)				1	Mass.	
<i>Lepidosaphes mgregori</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	1					Hawaii.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)				1	Md.	
Do	do				2	Mass.	
Do	do				3	N. Y.	
Do	do				1	Pa.	
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus nobilis deliciosa</i> (tangerine).				1	Do.	
Tineid	<i>Citrus grandis</i> (pomelo)				1	Mass.	
Diseases:	<i>Cocos nucifera</i> (coconut)	1					Hawaii.*
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit)				1	Md.	
Do	<i>Citrus nobilis deliciosa</i> (tangerine).				2	Pa.	
Oleocellosis	<i>Citrus grandis</i> (pomelo)				1	Do.	
Do	<i>Citrus nobilis deliciosa</i>				1	Do.	
<i>Pestalozzia</i> sp.	<i>Garcinia mangostana</i> (mango-steen).				1	Mass.	
<b>SUMATRA</b>							
Insects:							
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.	2					N. Y.
<b>SWEDEN</b>							
Insects:							
<i>Curculio</i> sp. (Curculionidae)	<i>Corylus americana</i> (American hazelnut).		1				Calif.*
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)				1	La.	
Do	do				1	Pa.	
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				1	Do.	
Do	<i>Solanum tuberosum</i>				1	Mass.	
Tetranychid (mite)	<i>Malus sylvestris</i> (apple)				1	Md.	
<i>Tipula</i> sp. (Tipulidae)	<i>Pinus</i> sp. (pine)			1			Calif.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934,  
inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SWEDEN—Continued							
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>					1	Ala.
Do	do					1	La.
Do	do					2	Md.
Do	do					3	Mass.
Do	do					1	Pa.
Do	do					3	Tex.
<i>Aphelenchoides parietinus</i>	<i>Apium graveolens</i> (celery)					1	Md.
Do	<i>Beta vulgaris</i> (beet)					2	Pa.
Do	<i>Brassica rapa</i> (turnip)					2	Md.
Do	<i>Daucus carota</i> (carrot)					1	Do.
Do	do					1	Pa.
Do	<i>Solanum tuberosum</i>					1	La.
<i>Aphelenchus avenae</i>	<i>Apium graveolens</i> (celery)					1	Md.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Mich.
<i>Rhizoctonia</i> sp.	<i>Brassica campestris</i> (rutabaga)					1	Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					2	Do.
Do	do					1	Tex.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)					1	Pa.
Do	<i>Brassica campestris</i> (rutabaga)					1	Do.
Do	<i>Daucus carota</i> (carrot)					2	Do.
Do	<i>Pastinaca sativa</i> (parsnip)					1	La.
Do	do					1	Mass.
Do	<i>Solanum tuberosum</i>					1	Pa.
<i>Sclerotium</i> sp.	<i>Pastinaca sativa</i>					1	Ga.
Do	do					2	Md.
<i>Verticillium</i> sp.	<i>Solanum tuberosum</i>					1	Pa.
SWITZERLAND							
Insects:							
<i>Bruchus</i> sp. (Bruchidae)	<i>Pisum sativum</i> (pea)	1					Calif.*
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	1					Do.*
Do	<i>Quercus ilex</i> (holly oak)	1					D. C.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Castanea</i> sp. (chestnut)	1					Calif.*
<i>Solenopsis</i> sp. (ant)	In soil	1					Do.*
Diseases:							
<i>Elsinoe piri</i>	<i>Malus sylvestris</i>	1					Pa.
<i>Leptothyrium pomi?</i>	<i>Malus sylvestris</i> (apple)	1					Do.
SYRIA							
Insects:							
<i>Ceroplastes</i> sp. (Coccidae)	<i>Cedrus libani</i> (cedar of Lebanon)	1					D. C.
Diseases:							
<i>Sclerotinia</i> sp.	<i>Cucurbita pepo</i> (vegetable marrow)				1		Mass.
TAHITI							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)			2			Calif.*
<i>Dialeurodes kirkaldyi</i> (whitefly)	<i>Randia tahitensis</i>	1					D. C.
<i>Dinoderus</i> sp. (Bostrichidae)	Bamboo			1			Calif.*
<i>Ereunetis</i> sp. (Tineidae)	<i>Cocos nucifera</i> (coconut)			1			Do.*
<i>Icerya</i> sp. (Coccidae)	<i>Randia tahitensis</i>	1					D. C.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Cocos nucifera</i>				1		Calif.*
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Randia tahitensis</i>	1					D. C.
<i>Ripersia</i> sp. (Coccidae)	<i>Cocos nucifera</i>				1		Calif.*
<i>Saissetia</i> sp. (Coccidae)	<i>Randia tahitensis</i>	1					D. C.
<i>Xyleborus</i> sp. (Scolytidae)	Log	1					Calif.*
TAIWAN							
Insects:							
<i>Aspidiotus</i> sp. (Coccidae)	<i>Ananas sativus</i> (pineapple)	1					Hawaii.*
<i>Diaspis bromeliae</i> (Coccidae)	do	1					Do.*

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>TRINIDAD</b>							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae)	<i>Pisum sativum</i> (pea)	1					Mass.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Achras sapota</i> (mispero)		1				P. R.
Do	<i>Citrus grandis</i> (grapefruit)						La.
Do	<i>Citrus sinensis</i> (orange)			1			N. Y.
<i>Callosobruchus</i> sp. (Bruchidae)	<i>Pisum sativum</i> (pea)	1					Mass.
<i>Ceroputo</i> sp. (Coccidae)	<i>Oncidium papilio majus</i> (orchid)	1					D. C.
Chloropid	<i>Colocasia esculenta</i> (dasheen)		1				N. Y.
Do	<i>Xanthosoma</i> sp. (malanga)		1				Do.
<i>Diaphania</i> sp. (Pyralidae)	<i>Cucumis sativus</i> (cucumber)				1		Pa.
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Colocasia esculenta</i> (caladium)				1		N. Y.
<i>Euxesta</i> sp. (Ortalidae)	<i>Citrus nobilis decliciosa</i> (tangerine)			1			Pa.
Gracilariid	<i>Citrus grandis</i> (grapefruit)			1			Do.
Ortalid	<i>Musa</i> sp. (banana)		1				N. Y.
<i>Pheidole</i> sp. (ant)	<i>Colocasia esculenta</i>				1		Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i>				1		Mass.
Do	<i>Citrus sinensis</i> (orange)			1			N. Y.
Syphid	<i>Musa</i> sp. (banana)			1			Do.
<i>Tapinoma</i> sp. (ant)	Beneath bark of stem holding orchids.	1					D. C.
Diseases:							
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>	1					Pa.
<i>Cercospora</i> sp.	<i>Spinacia oleracea</i> (spinach)				1		N. Y.
<i>Diplodia cacaoicola</i>	<i>Theobroma cacao</i> (cacao)		1				Pa.
Oleocellosis	<i>Citrus aurantifolia</i> (lime)				1		La.
Do	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Phytophthora</i> sp.	<i>Theobroma cacao</i>	1					N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)				1		Ala.
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)				2		La.
<b>TURKEY</b>							
Insects:							
<i>Callirhytis glandium</i> (Cynipidae)	<i>Quercus</i> sp. (valonia)	12					N. Y.
<i>Curculio</i> sp. (Curculionidae)	do	2					Do.
<i>Histiostoma</i> sp. (mite)	<i>Solanum tuberosum</i>				1		Pa.
<i>Phycitinae</i> (Pyralidae)	<i>Phoenix dactylifera</i> (date)				1		Do.
<i>Sitophilus</i> sp. (Curculionidae)	<i>Quercus</i> sp. (valonia)	1					N. Y.
<b>UNION OF SOUTH AFRICA</b>							
Insects:							
Cecidomyiid	<i>Ornithogalum thyrsoides</i> (chink-erichee).		3				Pa.
Colydiid	<i>Juglans</i> sp. (walnut)	1					Md.
<i>Frankliniella schultzei</i> (thrips)	<i>Ornithogalum thyrsoides</i>		1				Pa.
Do	<i>Ornithogalum</i> sp.		1				Do.
<i>Frankliniella</i> sp. (thrips)	<i>Protea</i> sp.			1			N. Y.
<i>Haplothrips bagnali</i> (thrips)	<i>Ornithogalum thyrsoides</i>				1		Pa.
<i>Hemichionaspis</i> sp. (Coccoidae)	<i>Nephrolepis</i> sp.				1		Do.
<i>Limothrips cerealium</i> (thrips)	<i>Ornithogalum thyrsoides</i>		1				Do.
<i>Macrosiphum</i> sp. (aphid)	Cut flowers		1				Calif.*
Oecophorid	<i>Juglans</i> sp. (walnut)	1					Md.
Olethreutid	<i>Citrus grandis</i> (grapefruit)				1		N. Y.
<i>Parlatoria</i> sp. (Coccoidae)	<i>Citrus sinensis</i> (orange)				1		Pa.
<i>Rhizoglyphus</i> sp. (mite)	<i>Helianthus tuberosus</i> (Jerusalem artichoke).				1		Mass.
<i>Sitona</i> sp. (Curculionidae)	<i>Cucumis sativus</i> (cucumber)				1		Do.
<i>Tapinoma</i> sp. (ant)	<i>Ornithogalum thyrsoides</i> (chink-erichee).		2				Pa.
<i>Tetraleurodes mori</i> (mulberry white-fly).	<i>Acacia horrida</i>		1				D. C.
<i>Tetranychus</i> sp. (mite)	<i>Codiaeum</i> sp. (croton)				1		Pa.
<i>Xyleborus</i> sp. (Scolytidae)	<i>Juglans</i> sp. (walnut)	1					Md.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)					1	Mass.
<i>Heterosporium ornithigali</i>	<i>Ornithogalum thyrsoides</i> (chink-erichee).		1				Do.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>UNION OF SOUTH AFRICA—Con.</b>							
Diseases—Continued.							
Oleocellosis	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Phyllosticta</i> sp.	<i>Codiaeum</i> sp. (croton)				1		Do.
<i>Plasmodiophora brassicae</i>	<i>Brassica rapa</i> (turnip)				1		Do.
<i>Puccinia ornithogali-thrysoides</i>	<i>Ornithogalum thrysoides</i>	2					Ill.
Do	do	1					Mass.
Do	do	1					Mich.
Do	do	6			1		Pa.
<i>Sclerotium</i> sp.	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Sphaceloma fawcettii</i>	do					1	Md.
<i>Sphaceloma</i> sp.	do					1	La.
<b>UNION OF SOVIET SOCIALIST REPUBLICS</b>							
Insects:							
Anobiid	<i>Juniperus excelsa</i>		1				D. C.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea sativa</i> (Spanish chestnut)		1				Do.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Castanea</i> sp. (chestnut)	1					Calif.*
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Castanea sativa</i>	1					D. C.
Diseases							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>				1		Md.
<i>Claviceps pupurea</i>	<i>Secale cereale</i> (rye)	1					D. C.
<i>Pleospora salsolae</i>	<i>Salsola</i> sp.	1					Do.
<i>Pleospora</i> sp.	<i>Carex physodes</i>	1					Do.
<i>Rhabdospora</i> sp.	<i>Ephedra strobacea</i>	1					Do.
<b>URUGUAY</b>							
Diseases:							
<i>Cercospora beticola</i>	<i>Beta cicla</i> (chard)				1		Pa.
<i>Diplodia</i> sp.	<i>Tipuana speciosa</i> (tipu-tree)	1					D. C.
<i>Macrophoma</i> sp.	<i>Fraxinus excelsior</i> (European ash)	1					Do.
<i>Pestalozzia funerea?</i>	<i>Araucaria angusti</i>	1					Do.
<i>Phoma</i> sp.	<i>Acer negundo</i> (boxelder)	1					Do.
<b>VENEZUELA</b>							
Insects:							
<i>Anobium</i> sp. (Anobiidae)	<i>Guazuma ulmifolia</i>			1			N. Y.
<i>Camponotus</i> sp. (ant)	<i>Cattleya mossiae</i> (orchid)	1					P. R.
Do	<i>Cattleya</i> sp. (orchid)	1					D. C.
<i>Clerada apicornis</i> (Lygaeidae)	In packing with <i>Cattleya</i> plants	1					Do.
<i>Cryptocerus</i> sp. (ant)	<i>Cattleya superba</i> (orchid)	1					P. R.
Curculionid	<i>Cattleya</i> sp. (orchid)	1					D. C.
<i>Diaspis</i> sp. (Coccidae)	do	1					Do.
<i>Euxestus</i> sp. (Colydiidae)	<i>Cattleya lawrenceana</i> (orchid)	1					P. R.
Do	<i>Cattleya lueddemanniana</i> (orchid)	1					Do.
<i>Furcaspis biformis</i> (Coccidae)	Orchid	1					N. Y.
<i>Labia arcuata</i> (earwig)	do	1					P. R.
<i>Melanodermus picipes</i> (Pentatomidae)	In packing with <i>Cattleya</i> plants	1					D. C.
<i>Mordella</i> sp. (Mordellidae)	Orchid	1					Do.
<i>Neolobophora bogotensis</i> (earwig)	<i>Cattleya</i> sp. (orchid)	1					Do.
<i>Pachycondyla</i> sp. (ant)	In case with <i>Cattleya</i> plants	1					Do.
Phycitinae (Pyralidae)	<i>Guazuma ulmifolia</i>			1			N. Y.
<i>Prenolepis</i> sp. (ant)	In case with <i>Cattleya</i> plants	1					D. C.
<i>Psalis americana</i> (earwig)	Orchid	1					P. R.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)				1		Ga.
<i>Solenopsis</i> sp. (ant)	<i>Cattleya</i> sp. (orchid)	1					D. C.
Do	In case with <i>Cattleya</i> plants	1					Do.
<i>Spermophagus</i> sp. (Bruchidae)	<i>Guazuma ulmifolia</i>				1		N. Y.
<i>Syninas floridulus</i> (Miridae)	In packing with <i>Cattleya</i> plants	1					D. C.
<i>Syninas</i> sp. (Miridae)	<i>Cattleya mossiae</i> (orchid)	1					P. R.
Do	<i>Cattleya percivaliana</i> (orchid)	1					Do.
Do	<i>Cattleya</i> sp. (orchid)	1					D. C.
Do	Orchid	1					Do.
<i>Tapinoma</i> sp. (ant)	do	1					P. R.
Tineid	<i>Cattleya</i> sp. (orchid)	1					D. C.

List, by countries, of pests collected and reported from July 1, 1933, to June 30, 1934, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Number of inter-cceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
<b>VENEZUELA—Continued</b>							
Diseases:							
• <i>Diplodia</i> sp.	<i>Opuntia</i> sp.				1		D. C.
• <i>Gloeosporium cattleyae</i>	<i>Cattleya mossiae</i> (orchid)	2					P. R.
Do	<i>Cattleya percivaliana</i> (orchid)	1					Do.
<i>Gloeosporium</i> sp.	<i>Cattleya</i> sp. (orchid)	1					D. C.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>					1	N. Y.
<b>VIRGIN ISLANDS</b>							
Insects:							
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)					1	Calif.*
<b>WALES</b>							
Diseases:							
<i>Aphelenchoides parietinus</i>	<i>Narcissus</i> sp.	1					D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Mass
<b>WEST AFRICA</b>							
Diseases:							
<i>Oospora citri-aurantii</i>	<i>Citrus aurantifolia</i> (lime)				1	1	Pa.
<i>Sclerotinia</i> sp.	<i>Citrus sinensis</i> (orange)				1	1	Do.
<b>WEST INDIES</b>							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Annona reticulata</i> (custard-apple)		1				N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)					1	Fla.*
Do	<i>Citrus sinensis</i> (orange)				1	1	Calif.*
Syrphid	<i>Musa</i> sp. (banana)				1		N. Y.
Diseases:							
<i>Cerotelium desmum</i>	<i>Gossypium</i> sp. (cotton)	1					D. C.
<b>YUGOSLAVIA</b>							
Insects:							
<i>Diaspis carueli</i> (Coccidae)	<i>Juniperus cedrus</i>		1				Calif.*
Ephydrid	<i>Ceratonia siliqua</i> (St. Johns-bread).		1				Do.*
<i>Pheidole</i> sp. (ant)	do		1				Do.*
<i>Rhagoletis cerasi</i> (Tryptidae)	<i>Prunus cerasus</i> (sour cherry)	1					Pa.
<i>Rhagoletis</i> sp. (Tryptidae)	do	1					Md.
Do	do	3					Pa.
Diseases:							
<i>Gloeodes pomigena</i>	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Leptothyrium pomi</i>	do			1			Do.



3 1262 09082 5000

*Summary of interceptions by continents and subdivisions*

Country	Insects	Diseases	Country	Insects	Diseases			
Number	Number	Number	Number	Number	Number			
<b>Africa:</b>								
Africa	3	1	Europe—Continued.					
Algeria	2	1	Switzerland	5	1			
Canary Islands	3	7	Union of Soviet Socialist Republics	4	2			
Cape of Good Hope	4	0	Wales	0	2			
East Africa	6	0	Yugoslavia	8	5			
Egypt	20	12	<b>North America:</b>					
Liberia	4	0	Bermuda	13	4			
Morocco	38	2	Canada	18	23			
Mozambique	0	1	British Columbia	14	0			
Rhodesia	2	0	New Brunswick	0	1			
Sierra Leone	2	0	Nova Scotia	3	3			
Union of South Africa	21	20	Ontario	1	0			
West Africa	0	3	Central America	8	0			
<b>Asia:</b>								
Arabia	1	0	British Honduras	16	0			
Ceylon	2	3	Canal Zone	32	3			
China	114	199	Costa Rica	99	17			
Cyprus	0	2	Guatemala	369	20			
French Indo-China	1	0	Honduras	304	12			
India	25	16	Mexico	1,761	305			
Japan	413	169	Nicaragua	96	3			
Manchuria	6	0	Panama	776	9			
Orient	1	1	Salvador	8	0			
Palestine	1	3	Newfoundland	9	0			
Siam	6	0	West Indies	4	1			
Straits Settlements	21	6	American Virgin Islands	1	0			
Syria	1	1	Antigua	4	0			
Turkey	17	0	Bahamas	37	4			
<b>Australasia (including Pacific Islands):</b>								
American Samoa	0	1	Barbados	11	2			
Australia	67	15	British West Indies	3	3			
Fiji Islands	1	0	Cuba	271	100			
Guam	5	0	Dominica	5	4			
Hawaii	275	0	Dominican Republic	7	6			
Java	12	6	Dutch West Indies	0	1			
New Calendonia	0	1	Grand Cayman	1	0			
New Zealand	27	3	Guadeloupe	2	0			
Philippines	186	11	Haiti	7	3			
Society Islands	6	0	Jamaica	52	26			
Sumatra	2	0	Montserrat	8	1			
Tahiti	11	0	Puerto Rico	68	49			
Taiwan	2	0	St. Kitts	8	1			
<b>Europe:</b>								
Austria	14	1	St. Lucia	6	1			
Azores	23	1	St. Vincent	7	0			
Belgium	38	37	Trinidad	18	0			
British Isles	5	0	Virgin Islands	1	9			
Czechoslovakia	38	5	<b>South America:</b>					
Danzig	1	2	Argentina	41	21			
Denmark	15	14	Brazil	63	67			
England	173	92	British Guiana	5	2			
France	149	53	Chile	16	2			
Germany	68	78	Colombia	16	6			
Gibraltar	3	2	Dutch Guiana	1	1			
Great Britain	6	0	Ecuador	34	0			
Greece	12	7	Paraguay	1	0			
Guernsey	0	2	Peru	11	0			
Hungary	4	1	Uruguay	0	5			
Ireland	17	0	Venezuela	29	6			
Italy	220	86	<b>Total:</b>					
Latvia	0	1	Africa	105	47			
Lithuania	0	1	Asia	609	400			
Malta	1	0	Australasia	594	37			
Netherlands	97	93	Europe	1,027	610			
Norway	15	22	North America	4,048	611			
Poland	2	4	South America	217	110			
Portugal	16	0	Total	6,600	1,815			
Rumania	0	1	Total (common pests, p. 4)	6,205	7,988			
Scotland	59	10	Total insects	12,805				
Spain	26	48	Total diseases		9,803			
Spitzbergen	1	0	Grand total		22,608			
Sweden	7	39						