

1  
Ag84Ah  
c.2

5

# A Checklist of Names for 3,000 Vascular Plants of Economic Importance

USDA  
NATL. AGRIC. LIBRARY  
1977 JAN 15 P 4: 18  
NATIONAL AGRICULTURAL RESEARCH  
SERVICE



United States  
Department of  
Agriculture

PREPARED BY  
Agricultural  
Research  
Service

Agriculture  
Handbook  
Number 505



A CHECKLIST OF NAMES  
FOR 3,000 VASCULAR PLANTS  
OF ECONOMIC IMPORTANCE

By Edward E. Terrell

Agriculture Handbook No. 505

Agricultural Research Service  
UNITED STATES DEPARTMENT OF AGRICULTURE

Washington, D.C.

Issued May 1977

---

## ACKNOWLEDGMENTS

I thank the following botanists for their suggestions on the nomenclature and taxonomy of certain plant groups: G. Buchheim, Hunt Botanical Library, Pittsburgh, Pa.; W. J. Dress and P. A. Hyppio, L. H. Bailey Hortorium, Ithaca, N.Y.; H. S. Gentry, Desert Botanical Garden, Phoenix, Ariz.; C. B. Heiser, Jr., Indiana University, Bloomington; C. F. Reed, Reed Herbarium, Baltimore, Md.; J. D. Sauer, University of California at Los Angeles; B. G. Schubert, Arnold Arboretum of Harvard University, Cambridge, Mass.; E. S. Ayensu, F. R. Fosberg, D. B. Lellinger, D. H. Nicolson, R. W. Read, and D. C. Wasshausen, Smithsonian Institution, Washington, D.C.; and the following botanists in the U.S. Department of Agriculture: R. A. Darrow, Vegetation Control Division, Fort Detrick, Md.; P. A. Fryxell, Texas A. and M. University, College Station; E. L. Little, Jr., Forest Service, Washington, D.C.; T. R. Dudley and F. G. Meyer, U.S. National Arboretum, Washington, D.C.; and A. S. Barclay, Medicinal Plant Resources Laboratory, and J. A. Duke and C. R. Gunn, Plant Taxonomy Laboratory, Plant Genetics and Germplasm Institute, Beltsville, Md. The technical assistance of Delia Barnes and Janet Kluge, University of California at Davis, is also appreciated.

## CONTENTS

|   | Page |
|---|------|
| Common names.....                         | 1    |
| Family names.....                         | 2    |
| Abbreviations for authors.....            | 2    |
| Symbols and abbreviations.....            | 3    |
| Part I. Scientific and common names.....  | 3    |
| Part II. Common and scientific names..... | 126  |
| Literature cited.....                     | 189  |
| Appendix.....                             | 196  |

A CHECKLIST OF NAMES  
FOR 3,000 VASCULAR PLANTS  
OF ECONOMIC IMPORTANCE

By Edward E. Terrell<sup>1/</sup>

This checklist provides up-to-date scientific names for over 3,000 taxa of economically important vascular plants. Included also are approximately 700 synonyms. Common names are given for most of the taxa. The checklist is arranged alphabetically by scientific name (part I) and by common name (part II). Scientific names follow the regulations in the "International Code of Botanical Nomenclature" (Stafleu et al. 1972).<sup>2/</sup>

The precursor of this checklist was a list of 1,000 world crop species (Duke and Terrell 1974). To these have been added many other species mentioned in various publications on economic plants and weeds. The present list includes many major and minor crop plants grown anywhere in the world for food, fiber, or medicine, many common weeds, and other miscellaneous species, especially those used for timber or ornament. The word "economic" refers here to plants of negative as well as of positive value and thus includes weeds.

Many authoritative floras, monographs, and other references were consulted to determine correct scientific names. Although many of the references cited here are floras and other secondary sources, they indicate which taxonomic opinion was followed or point the way to primary sources. Some unsubstantiated name changes were not included pending future confirmations. For brevity, the authors of individual parts of "Flora Europaea" and other large floras usually are not given. Specialists were consulted for certain genera, as noted in the acknowledgments. Scientific and common names of American trees generally follow Little (1953). Other especially helpful nonfloristic, nonrevisionary works included Mansfeld (1959), Encke and Buchheim (1972), and, for economic data, Purseglove (1968, 1972). "Hortus Third" was published by the L. H. Bailey Hortorium staff in December 1976 when this checklist was nearly ready for publication. It provided additional changes in scientific names, although I did not follow it if other authoritative data disagreed with any particular change.

COMMON NAMES

There are no official regulations for the choice and spelling of common names, and this publication purposely avoids any attempt to standardize common

---

<sup>1/</sup>Plant Taxonomy Laboratory, Plant Genetics and Germplasm Institute, Northeastern Region, Agricultural Research Service, Beltsville, Md.

<sup>2/</sup>The year after the authors' names refers to Literature Cited, p. 189.

names. Sometimes a particular common name has been used for more than one taxon. When two or more common names are listed for one taxon, the order in which they appear does not imply an order of preference. Although names were obtained from a great variety of sources, many of the weed names were taken from the "Composite List of Weeds" (Weed Science Society of America 1971).

In selecting spellings and hyphenizations, the suggestions of Little (1953), Rickett (1965), Hamilton (1969), and Wyman (1974) provided some guidance. Misapplied or fanciful names are hyphenated, e.g., Jerusalem-cherry, ram's-horn. Names are frequently compounded, e.g., orchardgrass; however, when long or awkward compounds result, hyphens are inserted, e.g., morning-glory, brown-eyed-susan. The names mustard, cress, and rocket refer here to any member of the Brassicaceae, and bean and pea to any Fabaceae, not just to certain genera. The names ivy and jute do not refer to any particular plant family.

#### FAMILY NAMES

The choice of family names follows traditional lines, as in "Gray's Manual" (Fernald 1950) and "Zander" (Encke and Buchheim 1972). For uniformity and in accordance with some recent taxonomic practice, alternative family names with "--aceae" endings were adopted for eight families; however, the older family names are still valid and may be used if desired (Article 18, note 3, Stafleu et al. 1972). The alternative family names are Apiaceae for Umbelliferae, Arecaceae for Palmae, Asteraceae for Compositae, Brassicaceae for Cruciferae, Clusiaceae for Guttiferae, Fabaceae for Leguminosae, Lamiaceae for Labiatae, and Poaceae for Gramineae.

#### ABBREVIATIONS FOR AUTHORS

Names of authors (authorities or describers of species and other taxa) are abbreviated, following usual practice. There are no regulated or internationally uniform abbreviations; however, many of these abbreviations are fairly well standardized. Some names have two or three accepted abbreviations, e.g., Beauv., P. Beauv., or P. B. for A. M. F. J. Palisot de Beauvois. The abbreviations in this checklist are not necessarily used internationally and those in modern publications differ from one publication to another. Authors' names, dates, and abbreviations are listed in several publications, including Bailey (1949), Fernald (1950), Munz and Keck (1968), and Encke and Buchheim (1972).

When certain scientific names have "ex" connecting two authors' names, the first author proposed the name but did not publish it; later another person published the same name and usually cited the first author. Recommendation 46C (Stafleu et al. 1972) allows optional omission of the name of the proposing author. In the present checklist, both authors' names are given for the sake of completeness, except Oryzopsis miliacea (see appendix). However, users of this checklist may wish to omit the proposing author's name and thus shorten and simplify the scientific name, e.g., Bouteloua gracilis (Willd. ex H.B.K.) Lag. ex Griffiths becomes Bouteloua gracilis (H.B.K.) Griffiths.

## SYMBOLS AND ABBREVIATIONS

|              |   |
|--------------|---|
| =            | precedes correct name but does not necessarily imply nomenclatural equality   |
| ( )          | encloses species names in part I to denote synonyms   |
| auct.        | author(s)   |
| auct. non L. | in the sense of other authors besides Linnaeus  |
| Br.          | British   |
| commun.      | oral or written communication (see appendix)  |
| cv.          | cultivar  |
| f.           | forma   |
| in part      | in part I indicates common names used for more than one species; following scientific names, indicates that original description applied only partly to the taxon |
| incl.        | including   |
| [NC]         | scientific name is controversial  |
| nom. ambig.  | ambiguous or confused name  |
| sens. auct.  | in the sense of various authors   |
| sens. lat.   | in the broad sense  |
| spp.         | species (plural)  |
| subsp.       | subspecies (singular)   |
| syn.         | synonym   |
| [TN]         | see Taxonomic and Nomenclatural Notes (appendix)  |
| var.         | variety   |
| X            | hybrid or hybrid binomial   |

## PART I. SCIENTIFIC AND COMMON NAMES

Abelmoschus (Malvaceae) [TN]  
 esculentus (L.) Moench--okra  
 manihot (L.) Medik.  
 moschatus Medik.--ambrette

Aberia (Flacourtiaceae)  
 (gardneri Clos) = Dovyalis hebecarpa

Abies (Pinaceae) [TN]  
 alba Mill.--silver fir  
 balsamea (L.) Mill.--balsam fir  
 concolor (Gord. & Glend.) Lindl. ex Hildebr.--white fir  
 grandis (Dougl. ex D. Don) Lindl.--grand fir, lowland white f.  
 lasiocarpa (Hook.) Nutt.--subalpine fir, alpine f.  
 magnifica A. Murr.--California red fir  
 procera Rehd.--noble fir

Abrus (Fabaceae)  
 precatorius L.--precatory bean, jequirity b., rosary pea, crab's-eyes

Abutilon (Malvaceae)  
 (avicennae Gaertn.) = A. theophrasti

Abutilon (continued)

theophrasti Medik.--velvetleaf, China jute, butterprint

Acacia (Fabaceae) [TN]

albida Del.--apple-ring acacia  
(arabica (Lam.) Willd.) = A. nilotica  
auriculiformis A. Cunn. ex Benth.  
baileyana F. v. Muell.--Cootamundra wattle  
berlandieri Benth.--guajillo  
catechu (L. f.) Willd.--black cutch, catechu  
dealbata Link--silver wattle  
decurrens (Wendl.) Willd.--green wattle--[TN]  
(decurrens (Wendl.) Willd. var. mollis Lindl.) = A. mearnsii  
farnesiana (L.) Willd.--huisache, sweet acacia, cassie  
greggii A. Gray--catclaw acacia, catclaw  
mearnsii De Wild.--black wattle--[TN]  
melanoxylon R. Br.--blackwood  
nilotica (L.) Del.--babul--[TN]  
pycnantha Benth.--golden wattle  
rehmanniana Schinz  
senegal (L.) Willd.--gum arabic (in part), Senegal gum, kher  
seyal Del.--shittim-wood  
(verek Guill. & Perr.) = A. senegal

Acalypha (Euphorbiaceae)

hispidula Burm. f.--chenille copperleaf  
rhomboidea Raf.--rhombic copperleaf  
virginica L.--Virginia copperleaf  
wilkesiana Muell.-Arg.--painted copperleaf

Acer (Aceraceae)

circinatum Pursh--vine maple  
macrophyllum Pursh--bigleaf maple  
negundo L.--boxelder, box-elder, ash-leaved maple  
nigrum Michx. f.--black maple  
pensylvanicum L.--striped maple  
platanoides L.--Norway maple  
pseudo-platanus L.--sycamore maple  
rubrum L.--red maple  
saccharinum L.--silver maple, soft m., white m.  
saccharum Marsh.--sugar maple, rock m., hard m.  
spicatum Lam.--mountain maple

Achillea (Asteraceae)

ageratifolia (Sibth. & Sm.) Boiss.--[TN]  
millefolium L.--yarrow

Achras (Sapotaceae)

(Achras lucuma Blanco) = Pouteria sapota  
(Achras mammosa L.) = Pouteria sapota  
(Achras zapota L.) = Manilkara zapota  
(Achras zapotilla (Jacq.) Nutt.) = Manilkara zapota



Acioa (Chrysobalanaceae)  
barteri Engler

Aconitum (Ranunculaceae)  
(lycoctonum auct.) = A. vulparia  
napellus L.--aconite, monkshood, friar's-cap  
vulparia Reichenb.--wolfsbane--[TN]

Acorus (Araceae)  
calamus L.--sweetflag, calamus, flagroot

Acroceras (Poaceae)  
macrum Stapf--Nile grass

Acrocomia (Arecaceae)  
totali Mart.--gru-gru palm, totali p.  
vinifera Oerst.

Actinidia (Actinidiaceae)  
chinensis Planch.--Chinese-gooseberry, kiwi

Adansonia (Bombacaceae)  
digitata L.--baobab, monkey-bread

Adenocarpus (Fabaceae)  
decorticans Boiss.--flatpod

Adenostoma (Rosaceae)  
fasciculatum Hook. & Arn.--chamise

Adhatoda (Acanthaceae)  
(vasica Nees) = Justicia adhatoda L.

Aechmea (Bromeliaceae)  
chantinii (Carr.) Baker  
orlandiana L. B. Sm.

Aegilops (Poaceae)  
cylindrica Host--jointed goatgrass  
triuncialis L.--barb goatgrass

Aegle (Rutaceae)  
marmelos (L.) Corr.--Indian bael, bael tree

Aegopodium (Apiaceae)  
podagraria L.--bishop's goutweed, goutweed

Aerva (Amaranthaceae)  
lanata (L.) Juss.

Aeschynomene (Fabaceae)  
americana L.--joint-vetch

Aeschynomene (continued)  
 (bispinosa Jacq.) = Sesbania bispinosa  
 elaphroxylon (Guill. & Perr.) Taub.--ambatch

Aesculus (Hippocastanaceae)  
 californica (Spach) Nutt.--California buckeye  
 glabra Willd.--Ohio buckeye  
 hippocastanum L.--horsechestnut  
 octandra Marsh.--yellow buckeye  
 pavia L.--red buckeye  
 turbinata Bl.--Japanese horsechestnut

Aframomum (Zingiberaceae) [TN]  
 (granum-paradisi K. Schum.) = A. sceptrum  
 melegueta K. Schum.--Melegueta-pepper  
 sceptrum (Oliv. & Hanb.) K. Schum.--grains-of-paradise, baboon-spice

Afzelia (Fabaceae)  
 africana Sm. ex Pers.  
 bella Harms

Agapanthus (Amaryllidaceae)  
 africanus (L.) Hoffmng.--lily-of-the-Nile

Agathis (Araucariaceae)  
 dammara (Lamb.) L. C. Rich.

Agathosma (Rutaceae) [TN]  
 betulina (Berg.) Pillans--buchu  
 crenulata (L.) Pillans--buchu

Agave (Agavaceae) [TN]  
 americana L.--century-plant  
 atrovirens Karw. ex Salm-Dyck--maguey  
 cantala Roxb.--cantala  
 fourcroydes Lem.--henequen  
 (heteracantha Zucc.) = A. xylonacantha  
 lecheguilla Torr.--lechuguilla, tula istle, Tampico fiber  
 sisalana Perr.--sisal  
 xylonacantha Salm-Dyck

Ageratum (Asteraceae)  
 houstonianum Mill.--ageratum  
 (mexicanum Sims) = A. houstonianum

Aglaonema (Araceae)  
 modestum Schott ex Engl.--Chinese evergreen

Agropyron (Poaceae) [TN]  
 cristatum (L.) Gaertn.--fairway crested wheatgrass  
 dasystachyum (Hook.) Scribn.--thickspike wheatgrass  
 desertorum (Fisch. ex Link) Schult.--standard crested wheatgrass

elongatum (Host) Beauv.--tall wheatgrass  
(inermis (Scribn. & Sm.) Rydb.) = *A. spicatum* f. *inermis*  
intermedium (Host) Beauv. var. *intermedium*--intermediate wheatgrass  
intermedium var. *trichophorum* (Link) Halac.--pubescent wheatgrass  
repens (L.) Beauv.--quackgrass, couchgrass, couch (Br.), twitch (Br.)  
riparium Scribn. & Sm.--streambank wheatgrass  
sibiricum (Willd.) Beauv.--Siberian wheatgrass  
smithii Rydb.--western wheatgrass  
spicatum (Pursh) Scribn. & Sm.--bluebunch wheatgrass  
spicatum f. *inermis* (Scribn. & Sm.) Beetle--beardless wheatgrass  
trachycaulum (Link) Malte ex H. F. Lewis--slender wheatgrass  
(*trichophorum* (Link) Richt.) = *A. intermedium* var. *trichophorum*

*Agrostemma* (Caryophyllaceae)  
*githago* L.--corn cockle

*Agrostis* (Poaceae)  
(*alba* sens. Amer. auct.) = *A. gigantea*  
*canina* L.--velvet bentgrass  
*gigantea* Roth--redtop--[TN]  
(*nigra* With.) = *A. gigantea*  
(*palustris* Huds.) = *A. stolonifera* var. *palustris*  
*scabra* Willd.--rough bentgrass  
(*semiverticillata* (Forsk.) C. Chr.) = *Polypogon semiverticillatus*  
(*spica-venti* L.) = *Apera spica-venti*  
*stolonifera* L.--(sens. lat. incl.) var. *palustris* (Huds.) Farw.--  
creeping bentgrass  
(*stolonifera* var. *major* (Gaud.) Farw.) = *A. gigantea*  
*tenuis* Sibth.--colonial bentgrass, browntop, Rhode Island bentgrass

*Ailanthus* (Simaroubaceae)  
*altissima* (Mill.) Swingle--tree-of-heaven, ailanthus

*Albizia* (Fabaceae) [TN]  
*carbonaria* Britt.  
*chinensis* (Osbeck) Merr.  
(*falcata* (L.) Backer) = *A. falcataria*  
*falcataria* (L.) Fosb.--[TN]  
*ferruginea* (Guill. & Perr.) Benth.  
*julibrissin* Durazz.--silktree albizia, silktree, mimosa  
*lebbeck* (L.) Benth.--lebbeck  
*odoratissima* (L. f.) Benth.  
*procera* (Roxb.) Benth.  
(*stipulata* (Roxb.) Boiv.) = *A. chinensis*  
*zygia* (DC.) Macbr.

(*Albizzia*) = *Albizia*

*Alcea* (Malvaceae)  
*rosea* L.--hollyhock

Alchemilla (Rosaceae)  
orbiculata Ruiz & Pavon

Aleurites (Euphorbiaceae)  
fordii Hemsl.--tung-oil-tree  
moluccana (L.) Willd.--candlenut, candleberry  
montana (Lour.) Wils.--mu-oil-tree  
(triloba J. R. & G. Forst.) = A. moluccana  
trisperma Blanco--Philippine tung

Alhagi (Fabaceae) [TN]  
(camelorum Fisch.) = A. pseudalhagi  
pseudalhagi (Bieb.) Desv.--camelthorn

Alkanna (Boraginaceae)  
tinctoria (L.) Tausch--alkanna

Allamanda (Apocynaceae)  
cathartica L.--allamanda

Allanblackia (Clusiaceae)  
floribunda Oliv.

Alliaria (Brassicaceae)  
(officinalis Andr. ex Bieb.) = A. petiolata  
petiolata (Bieb.) Cavara & Grande--garlic mustard--[TN]

Allium (Amaryllidaceae) [TN]  
ampeloprasum L.--(sens. lat. incl.) leek, elephant garlic,  
great-headed g., kurrat  
(ampeloprasum var. porrum (L.) Regel) = A. ampeloprasum  
(ascalonicum L.) = A. cepa  
bakeri Regel  
canadense L.--wild onion  
cepa L.--(sens. lat. incl.) onion, shallot, potato o.,  
multiplier o., top o., tree o., Egyptian o.  
(cepa var. aggregatum G. Don) = A. cepa  
(cepa var. proliferum (Moench) Aschers.) = A. cepa  
(cepa var. solaninum Alef.) = A. cepa  
(cepa var. viviparum (Metz.) Alef.) = A. cepa  
cepa X A. fistulosum--Beltsville bunching onion  
chinense G. Don--rakkyo  
fistulosum L.--Welsh onion, Japanese bunching o.  
(porrum L.) = A. ampeloprasum  
sativum L.--garlic  
schoenoprasum L.--chives  
(sibiricum L.) = A. schoenoprasum  
tricoccum Ait.--wild leek, ramp  
tuberosum Rottl. ex Spreng.--Chinese chives, oriental garlic  
vineale L.--wild garlic, field g.

Alnus (Betulaceae) [TN]

glutinosa (L.) Gaertn.--European alder  
incana (L.) Moench--white alder  
rubra Bong.--red alder  
rugosa (DuRoi) Spreng.--speckled alder  
serrulata (Ait.) Willd.--hazel alder  
sinuata (Regel) Rydb.--Sitka alder

*Alocasia* (Araceae)

(alba Schott) = *A. macrorrhiza* (L.) G. Don  
(crassifolia Engler) = *A. macrorrhiza* (L.) G. Don  
macrorrhiza (L.) G. Don--giant taro, giant alocasia--[TN]  
(macrorrhiza (L.) Schott) = *A. macrorrhiza* (L.) G. Don

*Aloe* (Liliaceae) [TN]

arborescens Mill.--candelabra aloe  
barbadensis Mill.--Barbados aloe, Mediterranean a., true a.--[NC], [TN]  
ferox Mill.--Cape aloe  
perryi Baker  
(vera (L.) Webb ) = *A. barbadensis*  
(vulgaris Lam.) = *A. barbadensis*

*Alopecurus* (Poaceae)

arundinaceus Poir.--creeping foxtail  
geniculatus L.--water foxtail  
pratensis L.--meadow foxtail

*Aloysia* (Verbenaceae)

lycioides Cham.--whitebrush  
triphylla (L'Hér.) Britt.--lemon verbena

*Alpinia* (Zingiberaceae)

galanga (L.) Willd.--greater galanga  
officinarum Hance--lesser galanga

*Alternanthera* (Amaranthaceae)

(amoena (Lem.) Voss) = *A. ficoidea*  
brasiliiana (L.) Ktze.  
ficoidea (L.) R. Br. ex Roem. & Schult.  
hasslerana Chod. ex Chod. & Hassl.  
philoxeroides (Mart.) Griseb.--alligatorweed  
sessilis (L.) R. Br. ex DC.

*Althaea* (Malvaceae)

officinalis L.--marsh-mallow  
(rosea (L.) Cav.) = *Alcea rosea*

*Alysicarpus* (Fabaceae)

vaginalis (L.) DC.--alyceclover, oneleaf-clover

*Alyssum* (Brassicaceae)

(maritimum (L.) Lam.) = *Lobularia maritima*  
(saxatile L.) = *Aurinia saxatilis*

Amaranthus (Amaranthaceae) [TN]

albus L.--tumble pigweed, tumbleweed  
blitoides S. Wats.--prostrate pigweed  
caudatus L.--love-lies-bleeding, Inca-wheat  
cruentus L.  
deflexus L.  
dubius Mart. ex Thell.  
(edulis Speg.) = A. caudatus  
(gangeticus L.) = A. tricolor  
graecizans L.  
hybridus L.--smooth pigweed  
hypochondriacus L.--princess-feather  
(leucocarpus S. Wats.) = A. hypochondriacus  
lividus L.--livid amaranth, wild blite  
palmeri S. Wats.--careless-weed, Palmer amaranth  
(paniculatus L.) = A. cruentus  
retroflexus L.--redroot pigweed, rough p.  
spinosus L.--spiny amaranth  
tricolor L.--Chinese amaranth, tampala  
viridis L.--slender amaranth

Ambrosia (Asteraceae) [TN]

artemisiifolia L.--common ragweed  
grayi (A. Nels.) Shinners--woollyleaf bursage  
peruviana Willd.  
psilostachya DC.--western ragweed  
tomentosa Nutt.--skeletonleaf bursage  
trifida L.--giant ragweed, buffaloweed

Amelanchier (Rosaceae)

alnifolia (Nutt.) Nutt.--Saskatoon serviceberry  
arborea (Michx. f.) Fern.--downy serviceberry  
laevis Wieg.--Allegheny serviceberry

Amherstia (Fabaceae)

nobilis Wall.--pride-of-Burma

Ammi (Apiaceae)

(copticum L.) = Trachyspermum ammi  
majus L.--greater ammi  
visnaga (L.) Lam.--toothpick ammi, khella

Ammocallis (Apocynaceae)

(rosea (L.) Small) = Catharanthus roseus

Ammophila (Poaceae)

arenaria (L.) Link--European beachgrass, marram grass (Br.)  
breviligulata Fern.--American beachgrass

Amomum (Zingiberaceae)

compactum Soland. ex Maton--round cardamom  
(kepulaga Sprague & Burk.) = A. compactum

Amorphophallus (Araceae)  
   *campanulatus* (Roxb.) Bl. ex Decne.--whitespot giant arum  
   *rivieri* Dur.--devil's-tongue

Amygdalus (Rosaceae)  
   (*communis* L.) = *Prunus dulcis*  
   (*dulcis* Mill.) = *Prunus dulcis*

Amyris (Rutaceae)  
   *balsamifera* L.--balsam amyris  
   *elemifera* L.--sea amyris

Anacardium (Anacardiaceae)  
   *occidentale* L.--cashew

Anacharis (Hydrocharitaceae)  
   (*canadensis* (Michx.) Planch.) = *Elodea canadensis*  
   (*densa* (Planch.) Marie-Vict.) = *Egeria densa*

Anagallis (Primulaceae)  
   *arvensis* L.--scarlet pimpernel

Ananas (Bromeliaceae)  
   *comosus* (L.) Merr.--pineapple

Anaphalis (Asteraceae)  
   *margaritacea* (L.) Benth. & Hook. f.--pearly everlasting

Andropogon (Poaceae) [TN]  
   (*annulatus* Forsk.) = *Dichanthium annulatum*  
   (*barbinodis* Lag.) = *Bothriochloa barbinodis*  
   *bicornis* L.--West Indian foxtailgrass, ridging grass  
   (*caucasicus* Trin.) = *Bothriochloa caucasica*  
   (*citratus* DC.) = *Cymbopogon citratus*  
   (*flexuosus* Nees ex Steud.) = *Cymbopogon flexuosus*  
   (*furcatus* Muhl.) = *A. gerardii*  
   *gayanus* Kunth  
   *gerardii* Vitm.--big bluestem  
   *hallii* Hack.--sand bluestem  
   (*intermedius* R. Br.) = *Bothriochloa intermedia*  
   (*ischaemum* L.) = *Bothriochloa ischaemum*  
   (*martinii* Roxb.) = *Cymbopogon martinii*  
   (*nardus* L.) = *Cymbopogon nardus*  
   (*nodosus* (Willem.) Nash) = *Dichanthium aristatum*  
   (*pertusus* (L.) Willd.) = *Bothriochloa pertusa*  
   *rhizomatus* Swallen  
   (*saccharoides* Sw.) = *Bothriochloa saccharoides*  
   (*scoparius* Michx.) = *Schizachyrium scoparium*  
   (*sericeus* R. Br.) = *Dichanthium sericeum*  
   *virginicus* L.--broomsedge

Anemone (Ranunculaceae)  
 hupehensis var. japonica (Thunb.) Bowles & Stearn--Japanese anemone  
 nemorosa L.--European wood anemone

Anethum (Apiaceae)  
 graveolens L.--dill

Angelica (Apiaceae)  
 archangelica L.--garden angelica

Annona (Annonaceae)  
 cherimola Mill.--cherimoya  
 diversifolia Saff.--ilama  
 glabra L.--pond-apple  
 montana Macfad.--mountain soursop  
 muricata L.--soursop  
 reticulata L.--custard-apple, bullock's-heart, corazon  
 senegalensis Pers.--wild custard-apple  
 squamosa L.--sugar-apple, sweetsop

Anoda (Malvaceae)  
 cristata (L.) Schlecht.--spurred anoda

Anogeissus (Combretaceae)  
 latifolia (Roxb. ex DC.) Wall. ex Bedd.--gum ghatti

Antelaea (Meliaceae)  
 (azadirachta (L.) Adelbert) = Azadirachta indica

Anthemis (Asteraceae)  
 arvensis L.--corn chamomile  
 cotula L.--mayweed, dogfennel, stinking m., mayweed chamomile  
 (nobilis L.) = Chamaemelum nobile  
 tinctoria L.--yellow chamomile

Anthoxanthum (Poaceae)  
 odoratum L.--sweet vernalgrass

Anthriscus (Apiaceae)  
 cerefolium (L.) Hoffm.--chervil  
 (longirostris Bertol.) = A. cerefolium

Anthyllis (Fabaceae)  
 vulneraria L.--kidney-vetch

Antidesma (Euphorbiaceae)  
 bunius (L.) Spreng.--bignay, Chinese laurel, salamander-tree

Antirrhinum (Scrophulariaceae)  
 majus L.--snapdragon

Apera (Poaceae)



- spica-venti (L.) Beauv.--windgrass, loose silky bent (Br.)
- Aphelandra (Acanthaceae)  
suarrosa Nees--zebra-plant
- Apios (Fabaceae)  
americana Medik.--American potato bean
- Apium (Apiaceae)  
(dulce Mill.) = A. graveolens var. dulce  
graveolens L. var. dulce (Mill.) Pers.--celery  
graveolens var. rapaceum (Mill.) Gaudich.--celeriac, turnip-rooted  
celery, knob c., celery-root  
leptophyllum (Pers.) F. v. Muell. ex Benth.--wild celery, slender c.  
(petroselinum L.) = Petroselinum crispum  
(rapaceum Mill.) = A. graveolens var. rapaceum
- Apocynum (Apocynaceae)  
androsaemifolium L.--spreading dogbane  
cannabinum L.--hemp dogbane, Indian hemp
- Aquilegia (Ranunculaceae)  
vulgaris L.--European columbine
- Arabidopsis (Brassicaceae)  
thaliana (L.) Heynh.--mouse-ear cress
- Arachis (Fabaceae)  
hypogaea L.--peanut, groundnut, goober, mani
- Aralia (Araliaceae)  
cordata Thunb.--udo, spikenard, oudo  
(edulis Sieb. & Zucc.) = A. cordata  
spinosa L.--devil's-walkingstick, Hercules-club
- Araucaria (Araucariaceae)  
angustifolia (Bertol.) Ktze.--Parana-pine  
araucana (Mol.) K. Koch--monkey-puzzle-tree  
bidwillii Hook.--bunya-bunya  
cunninghamii D. Don--Moreton Bay-pine
- Araujia (Asclepiadaceae)  
sericofera Brot.--bladder-flower
- Arbutus (Ericaceae)  
menziesii Pursh--Pacific madrone
- Archangelica (Apiaceae)  
(officinalis Hoffm.) = Angelica archangelica
- Arctium (Asteraceae) [TN]  
lappa L.--great burdock, edible b.

Arctium (continued)  
     minus Bernh.--common burdock, lesser b.

Arctostaphylos (Ericaceae)  
     uva-ursi (L.) Spreng.--bearberry

Areca (Arecaceae) [TN]  
     catechu L.--betel-nut, betel palm, areca-nut  
     (cathecu L.) = A. catechu

Arecastrum (Arecaceae)  
     romanzoffianum (Cham.) Becc.--queen palm

Arenaria (Caryophyllaceae)  
     serpyllifolia L.--thymeleaf sandwort

Arenga (Arecaceae)  
     pinnata (Wurmb) Merr.--sugar palm  
     (saccharifera Labill.) = A. pinnata

Argemone (Papaveraceae)  
     mexicana L.--Mexican pricklepoppy, Mexican prickly-poppy

Argyreia (Convolvulaceae) [TN]  
     nervosa (Burm. f.) Boj.--elephant-climber  
     (speciosa (L. f.) Sweet) = A. nervosa

Aristoclesia (Clusiaceae)  
     (esculenta (Arr. Cam.) Stuntz) = Platonina esculenta

Armoracia (Brassicaceae)  
     (lapathifolia Gilib. ex Usteri) = A. rusticana  
     rusticana Gaertn., Mey. & Scherb.--horseradish--[TN]

Arnica (Asteraceae)  
     montana L.--arnica, European a.

Arracacia (Apiaceae)  
     (esculenta DC.) = A. xanthorrhiza  
     xanthorrhiza Bancroft--arracacha, Peruvian-carrot

Arrhenatherum (Poaceae)  
     elatus (L.) Beauv. ex J. & C. Presl--tall oatgrass--[TN]  
     (elatus Mert. & Koch) = A. elatus (L.) Beauv. ex J. & C. Presl

Artemisia (Asteraceae)  
     abrotanum L.--southernwood, southern wormwood  
     absinthium L.--wormwood, absinthe w., absinthium, absinthe  
     annua L.--annual wormwood  
     arbuscula Nutt.--low sagebrush  
     californica Less.--California sagebrush  
     cana Pursh--silver sagebrush

cina Berg & Schmidt--santonica  
douglasiana Bess.  
dracunculus L.--tarragon  
frigida Willd.--fringed sagebrush  
ludoviciana Nutt.--Louisiana wormwood, western mugwort  
maritima L.--sea wormwood  
tridentata Nutt.--big sagebrush  
vulgaris L.--mugwort

Arthrophyllum (Araliaceae)

(pinnatum (Lam.) C. B. Clarke) = Polyscias rumphiana

Artocarpus (Moraceae) [TN]

altilis (Parkins.) Fosb.--breadfruit  
(champeden (Lour.) Spreng.) = A. integer  
(champeden (Lour.) Stokes) = A. integer  
(communis J. R. Forst.) = A. altilis  
elasticus Reinw. ex Bl.  
heterophyllus Lam.--jackfruit, jack  
hirsutus Lam.  
integer (Thunb.) Merr.--chempedak  
(integrifolius auct. non L. f.) = A. heterophyllus  
(integrifolius L. f.) = A. integer  
mariamensis Trecul  
rigidus Bl.--monkey jack  
tamaran Becc.

Arum (Araceae)

(esculentum L.) = Colocasia esculenta

Arundinaria (Poaceae) [TN]

amabilis McClure--Tonkin cane, Tonkin bamboo  
gigantea (Walt.) Muhl. subsp. gigantea--giant cane  
gigantea subsp. tecta (Walt.) McClure--switch cane  
(longifolia Fourn.) = Bambusa longifolia  
simonii (Carr.) A. & C. Riv.--Simon bamboo  
(tectata (Walt.) Muhl.) = A. gigantea subsp. tecta

Arundo (Poaceae)

donax L.--giant reed

Asclepias (Asclepiadaceae)

curassavica L.--bloodflower milkweed, false ipecac  
subulata Decne.--desert milkweed  
syriaca L.--common milkweed  
verticillata L.--eastern whorled milkweed

Asimina (Annonaceae)

triloba (L.) Dunal--pawpaw

Asparagus (Liliaceae)

africanus Lam.  
densiflorus (Kunth) Jessop--[TN]

Asparagus (continued)  
     *officinalis* L.--garden asparagus  
     (*sprengeri* Regel) = *A. densiflorus* cv. *Sprengeri*

Asperula (Rubiaceae)  
     (*odorata* L.) = *Galium odoratum*

Asphodelus (Liliaceae)  
     *albus* Mill.  
     (*sphaerocarpus* Gren. & Godr.) = *A. albus*

Aster (Asteraceae)  
     *ericoides* L.--heath aster

Astragalus (Fabaceae)  
     *cicer* L.--cicer milkvetch  
     *edulis* Dur. ex Bunge  
     *gummifer* Labill.--gum tragacanth (in part)  
     *mollissimus* Torr.--woolly loco

Atriplex (Chenopodiaceae)  
     *canescens* (Pursh) Nutt.--fourwing saltbush, chamisa  
     *confertifolia* (Torr. & Frem.) S. Wats.--shadscale  
     *halimus* L.  
     (*hastata* L.) = *A. patula* subsp. *hastata*  
     *hortensis* L.--garden orach, orach, orache  
     *nummularia* Lindl.--old man saltbush  
     *patula* L. subsp. *hastata* (L.) Hall & Clem.--halberdleaf orach--[TN]  
     *patula* subsp. *patula*--spreading orach  
     (*patula* var. *hastata* (L.) A. Gray) = *A. patula* subsp. *hastata*

Atropa (Solanaceae)  
     *bella-donna* L.--belladonna, deadly nightshade

Attalea (Arecaceae)  
     (*cohune* Mart.) = *Orbignya cohune*  
     *funifera* Mart. ex Spreng.--Bahia piassaba palm

Aucuba (Cornaceae)  
     *japonica* Thunb.--Japanese aucuba

Aurinia (Brassicaceae)  
     *saxatilis* (L.) Desv.--basket-of-gold

Avena (Poaceae)  
     *abyssinica* Hochst. ex A. Rich.--Abyssinian oat  
     (*barbata* Brot.) = *A. barbata* Pott ex Link  
     *barbata* Pott ex Link--slender oat  
     *byzantina* K. Koch--red oat, Mediterranean o., Algerian o.  
     (*elatior* L.) = *Arrhenatherum elatius*  
     *fatua* L.--wild oat  
     *nuda* L.--naked oat

sativa L.--oat, oats, common o.  
sterilis L.--animated oat  
strigosa Schreb.--bristle oat, sand o., small o.

Averrhoa (Oxalidaceae)  
bilimbi L.--bilimbi  
carambola L.--carambola, starfruit

Avicennia (Avicenniaceae)  
africana Beauv.  
germinans (L.) L.--black mangrove  
(nitida Jacq.) = A. germinans

Axonopus (Poaceae)  
affinis Chase--carpetgrass  
compressus (Sw.) Beauv.--tropical carpetgrass  
purpusii (Mez) Chase  
scoparius (Fluegge) Hitchc.

Axyris (Chenopodiaceae)  
amaranthoides L.--Russian pigweed

Azadirachta (Meliaceae)  
indica A. Juss.--neem, margosa

Azolla (Salviniaceae)  
caroliniana Willd.--azolla, waterfern

Baccaurea (Euphorbiaceae)  
motleyana (Muell.-Arg.) Muell.-Arg.--rambai  
racemosa (Bl.) Muell.-Arg.--menteng, kapundung  
ramiflora Lour.  
(sapida (Roxb.) Muell.-Arg.) = B. ramiflora

Bacopa (Scrophulariaceae)  
monnieri (L.) Pennell

Bactris (Arecaceae)  
gasipaés H.B.K.--peach palm

Baeckea (Myrtaceae)  
frutescens L.

Baillonella (Sapotaceae)  
toxisperma Pierre

Balanites (Zygophyllaceae)  
aegyptiaca (L.) Del.--desert-date

Balsamita (Asteraceae)  
(major Desf.) = Chrysanthemum balsamita

- Bambusa (Poaceae)  
 beecheyana Munro  
 longifolia (Fourn.) McClure  
 longispiculata Gamble ex Brandis  
 multiplex (Lour.) Raeusch.--hedge bamboo  
 polymorpha Munro  
 textilis McClure  
 tulda Roxb.  
 tuldoides Munro--puntingpole bamboo  
 vulgaris Schrad. ex Wendl.
- Banisteriopsis (Malpighiaceae)  
 caapi (Spruce ex Griseb.) Morton--ayahuasca, caapi, yajé  
 inebrians Morton--caapi  
 quitensis (Niedz.) Morton
- Baphia (Fabaceae)  
 nitida Lodd.--camwood, barwood
- Barbarea (Brassicaceae)  
 (praecox (Sm.) R. Br.) = B. verna  
 verna (Mill.) Aschers.--early wintercress  
 vulgaris R. Br.--yellow rocket, wintercress, upland cress
- Barleria (Acanthaceae)  
 opaca (Vahl) Nees--kwahu
- Barosma (Rutaceae)  
 (betulina (Berg.) Bartl. & Wendl. f.) = Agathosma betulina  
 (crenulata (L.) Hook.) = Agathosma crenulata  
 (serratifolia (Curt.) Willd.) = Agathosma crenulata
- Basella (Basellaceae)  
 alba L.--Malabar-spinach, vine-spinach  
 (rubra L.) = B. alba
- Bassia (Sapotaceae)  
 (butyracea Roxb.) = Madhuca butyracea  
 (latifolia Roxb.) = Madhuca indica  
 (longifolia L.) = Madhuca longifolia
- Bauhinia (Fabaceae)  
 esculenta Burchell--camel's-foot, gemsbok bean  
 (fassoglensis Schweinf.) = Tylosema fassoglensis  
 purpurea L.--purple bauhinia
- Beaumontia (Apocynaceae)  
 grandiflora (Roxb.) Wall.--herald's-trumpet
- Beckmannia (Poaceae)  
 syzigachne (Steud.) Fern.--sloughgrass
- Bellis (Asteraceae)

perennis L.--English daisy

Benincasa (Cucurbitaceae)  
 (cerifera Savi) = *B. hispida*  
*hispida* (Thumb.) Cogn.--waxgourd

Berberis (Berberidaceae)  
*canadensis* Mill.--American barberry  
*thunbergii* DC.--Japanese barberry  
*vulgaris* L.--European barberry

Berteroa (Brassicaceae)  
*incana* (L.) DC.--hoary alyssum

Bertholletia (Lecythidaceae)  
*excelsa* Humb. & Bonpl.--brazilnut, Brazil-nut

Beta (Chenopodiaceae) [TN]  
*vulgaris* L.--(sens. lat. incl.) (1) Beet Group: beet, garden b.,  
 beetroot (Br.); sugar beet; mangel, mangold; (2) Cicla Group:  
 chard, Swiss c.  
 (*vulgaris* var. *cicla* L.) = *B. vulgaris* (Cicla Group)

Betula (Betulaceae)  
*alleghaniensis* Britt.--yellow birch  
*lenta* L.--sweet birch, black b.  
 (*lutea* Michx. f.) = *B. alleghaniensis*  
*papyrifera* Marsh.--paper birch  
*pendula* Roth--European white birch  
*pubescens* Ehrh.

Bidens (Asteraceae)  
*bipinnata* L.--Spanish needles, beggarticks  
*cernua* L.--nodding beggarticks  
*comosa* (A. Gray) Wieg.--leafybract beggarticks  
*connata* Muhl.--purplestem beggarticks  
*frondosa* L.--devils beggarticks  
*pilosa* L.--hairy beggarticks  
*polylepis* Blake--coreopsis beggarticks  
*vulgata* Greene--tall beggarticks

Bixa (Bixaceae)  
*orellana* L.--annatto

Blighia (Sapindaceae)  
*sapida* Koen.--akee

Blumea (Asteraceae)  
*balsamifera* (L.) DC.--Nagi camphor  
*lacera* (Burm. f.) DC.

- Boehmeria (Urticaceae)  
 nivea (L.) Gaudich.--ramie
- Boerhavia (Nyctaginaceae)  
 diffusa L.
- Bombax (Bombacaceae)  
 ceiba L.--red silk-cotton  
 (malabaricum DC.) = *Salmalia malabarica*  
 (pentandrum L.) = *Ceiba pentandra*
- Borago (Boraginaceae)  
 officinalis L.--borage
- Borassus (Arecaceae)  
 aethiopum Mart.  
 flabellifer L.--Palmyra palm, African fan p.
- Boronia (Rutaceae)  
 megastigma Nees ex Bartl.--sweet boronia
- Boscia (Capparaceae)  
 senegalensis (Pers.) Lam. ex Poir.
- Boswellia (Burseraceae)  
 carteri Birdw.--frankincense
- Bothriochloa (Poaceae) [TN]  
 barbinodis (Lag.) Herter--cane bluestem  
 caucasica (Trin.) C. E. Hubb.--Caucasian bluestem  
 decipiens (Hack.) C. E. Hubb.  
 insculpta (Hochst.) A. Camus--sweet-pitted grass  
 intermedia (R. Br.) A. Camus  
 ischaemum (L.) Keng var. *ischaemum*--yellow bluestem  
 ischaemum var. *songarica* (Rupr. ex Fisch. & Mey.) Celar. & Harlan--  
 King Ranch bluestem  
 pertusa (L.) A. Camus--comagueyana, hurricane grass, pitted bluestem  
 saccharoides (Sw.) Rydb.--silver bluestem
- Bouchea (Verbenaceae)  
 prismatica (L.) Ktze.
- Bouteloua (Poaceae)  
 curtispindula (Michx.) Torr.--side-oats grama  
 eriopoda (Torr.) Torr.--black grama  
 gracilis (Willd. ex H.B.K.) Lag. ex Griffiths--blue grama--[TN]  
 hirsuta Lag.--hairy grama
- Bouvardia (Rubiaceae)  
 longiflora (Cav.) H.B.K.
- Brachiaria (Poaceae)  
 brizantha (Hochst. ex A. Rich.) Stapf--palisade grass, signal g.



decumbens Stapf  
deflexa (Schumach.) C. E. Hubb. ex Robyns  
mutica (Forsk.) Stapf--paragrass, Para grass  
ramosa (L.) Stapf--browntop millet

Brachypodium (Poaceae)

pinnatum (L.) Beauv.--chalk false brome (Br.), torgrass (Br.)  
sylvaticum (Huds.) Beauv.--slender false brome (Br.)

Brasenia (Nymphaeaceae)

schreberi J. F. Gmel.--watershield

Brassica (Brassicaceae) [TN]

(alba (L.) Rabenh.) = Sinapis alba  
(alboglabra L. H. Bailey) = B. oleracea (Alboglabra Group)  
(arvensis (L.) Rabenh.) = Sinapis arvensis  
(campestris L.) = B. rapa  
carinata A. Br.--Abyssinian mustard  
(caulorapa (DC.) Pasq.) = B. oleracea (Gongylodes Group)  
(chinensis L.) = B. rapa (Chinensis Group)  
(hirta Moench) = Sinapis alba  
juncea (L.) Czern. & Coss.--Indian mustard, mustard greens--[TN]  
(kaber (DC.) Wheeler) = Sinapis arvensis  
(napobrassica (L.) Mill.) = B. napus (Napobrassica Group)  
napus L.--rape, colza  
    Napobrassica Group--rutabaga, swede  
    Pabularia Group--Siberian kale, Hanover-salad  
(napus var. napobrassica (L.) Reichenb.) = B. napus (Napobrassica Group)  
narinosa L. H. Bailey--broad-beaked mustard  
nigra (L.) Koch--black mustard  
oleracea L.--wild cabbage  
    Acephala Group--collards, borecole, kale  
    Alboglabra Group--Chinese kale  
    Botrytis Group--broccoli, cauliflower  
    Capitata Group--cabbage, savoy c.  
    Gemmifera Group--brussels-sprouts  
    Gongylodes Group--kohlrabi  
    Italica Group--sprouting broccoli, asparagus b.  
    Tronchuda Group--tronchuda kale, tronchuda cabbage  
(oleracea var. acephala DC.) = B. oleracea (Acephala Group)  
(oleracea var. botrytis L.) = B. oleracea (Botrytis Group)  
(oleracea var. capitata L.) = B. oleracea (Capitata Group)  
(oleracea var. gemmifera DC.) = B. oleracea (Gemmifera Group)  
(oleracea var. gongylodes L.) = B. oleracea (Gongylodes Group)  
(oleracea var. italica Plenck) = B. oleracea (Italica Group)  
parachinensis L. H. Bailey--false pak-choi  
(pekinensis (Lour.) Rupr.) = B. rapa (Pekinensis Group)  
(perviridis (L. H. Bailey) L. H. Bailey) = B. rapa (Perviridis Group)  
rapa L.  
    Chinensis Group--pak-choi  
    Pekinensis Group--pe-tsai, Chinese cabbage  
    Perviridis Group--spinach mustard  
    Rapifera Group--turnip

Brassica (continued)

Ruvo Group--ruvo kale

(septicaeps (L. H. Bailey) L. H. Bailey) = *B. rapa* (Rapifera Group)

Briza (Poaceae)

*humilis* Bieb.

*maxima* L.--big quaking grass

*media* L.--perennial quaking grass

*minor* L.--little quaking grass

(*spicata* Sibth. & Sm.) = *B. humilis*

Bromelia (Bromeliaceae)

(*comosa* L.) = *Ananas comosus*

Bromus (Poaceae)

*arenarius* Labill.--Australian chess, sand brome

*arvensis* L.--field brome

*biebersteinii* Roem. & Schult.

(*brizaeformis* Fisch. & Mey.) = *B. briziformis*

*briziformis* Fisch. & Mey.--rattlesnake chess, rattlesnake brome

*carinatus* Hook. & Arn.--California brome

(*catharticus* Vahl) = *B. unioloides*

*commutatus* Schrad.--hairy chess

*erectus* Huds.--meadow brome, upright b. (Br.)

(*haenkeanus* (Presl) Kunth) = *B. unioloides*

*inermis* Leyss.--smooth brome

*japonicus* Thunb. ex Murr.--Japanese brome, Japanese chess

*madritensis* L.--Spanish brome, compact b., Madrid b.

*marginatus* Nees ex Steud.--mountain brome

*mollis* L.--soft chess, soft brome

*racemosus* L.

*rigidus* Roth--ripgut brome, ripgut grass

*rubens* L.--red brome, foxtail chess, foxtail b.

*secalinus* L.--cheat, cheatgrass, chess, rye brome (Br.)

*sterilis* L.--poverty brome, barren b., sterile b.

*tectorum* L.--downy brome, downy chess, cheatgrass, drooping b. (Br.)

*unioloides* H.B.K.--rescue grass--[TN]

(*willdenowii* Kunth) = *B. unioloides*

Brosimum (Moraceae) [TN]

*alicastrum* Sw. subsp. *alicastrum*--ramon, breadnut

*alicastrum* subsp. *bolivarense* (Pitt.) C. C. Berg

(*aubletii* Poepp. & Endl.) = *B. guianense*

*guianense* (Aubl.) Huber

(*uleanum* Mildbr.) = *B. alicastrum* subsp. *bolivarense*

*utile* (H.B.K.) Pitt.--cow-tree

Broussonetia (Moraceae)

*papyrifera* (L.) Vent.--paper-mulberry

Browallia (Solanaceae)

*speciosa* Hook.

Brugmansia (Solanaceae) [TN]  
     arborea (L.) Lagerheim  
     candida Pers.  
     sanguinea (Ruiz & Pavon) D. Don  
     suaveolens (Humb. & Bonpl. ex Willd.) Bercht. & Presl

Brunnichia (Polygonaceae)  
     cirrhosa Gaertn.--redvine, buckwheat-vine

Brya (Fabaceae)  
     ebenus (L.) DC.--coccus wood, American ebony, West Indian e.

Buchanania (Anacardiaceae)  
     latifolia Roxb.--chirauli-nut

Buchloë (Poaceae)  
     dactyloides (Nutt.) Engelm.--buffalograss

Bulnesia (Zygophyllaceae)  
     sarmienti Lorentz ex Griseb.--balsamo

Bumelia (Sapotaceae)  
     lanuginosa (Michx.) Pers.--gum bumelia

Bursera (Burseraceae)  
     simaruba (L.) Sarg.--gumbo-limbo

Butea (Fabaceae)  
     monosperma (Lam.) Taub.--Bengal kino

Butyrospermum (Sapotaceae) [TN]  
     paradoxum (Gaertn. f.) Hepper subsp. parkii (G. Don) Hepper--  
         shea-butter, butterseed  
     (parkii (G. Don) Kotschy) = B. paradoxum subsp. parkii

Buxus (Buxaceae)  
     microphylla Sieb. & Zucc.--littleleaf boxwood  
     sempervirens L.--common boxwood, Turkish b.

Byrsonima (Malpighiaceae)  
     coccolobifolia H.B.K.  
     crassifolia (L.) H.B.K.  
     lucida (Mill.) DC.--plumberry, locustberry  
     spicata (Cav.) DC.

Cabomba (Nymphaeaceae)  
     caroliniana A. Gray--fanwort, cabomba

Cacabus (Solanaceae)  
     prostratus Bernh.

- Cacao (Sterculiaceae)  
 (bicolor (Humb. & Bonpl.) Poir.) = *Theobroma bicolor*
- Cadaba (Capparaceae)  
 farinosa Forsk.
- Caesalpinia (Fabaceae)  
 bonduc (L.) Roxb.--yellow nickers, gray nickerbean  
 coriaria (Jacq.) Willd.--divi-divi  
 echinata Lam.--brazilwood  
 pulcherrima (L.) Sw.--pride-of-Barbados, paradise-flower  
 sappan L.--sappanwood  
 spinosa (Mol.) Ktze.--tara
- Cajanus (Fabaceae)  
 cajan (L.) Huth--pigeon pea--[TN]  
 (cajan (L.) Millsp.) = *C. cajan* (L.) Huth  
 (indicus Spreng.) = *C. cajan* (L.) Huth
- Cakile (Brassicaceae)  
 edentula (Bigel.) Hook. subsp. edentula--American sea-rocket
- Caladium (Araceae)  
 bicolor (Ait.) Vent.
- Calamovilfa (Poaceae)  
 longifolia (Hook.) Scribn.--prairie sandreed
- Calamus (Arecaceae)  
 deerratus Mann & Wendl.  
 rotang L.--rattan
- Calathea (Marantaceae)  
 allouia (Aubl.) Lindl.--leren, sweet corm-root, allouya  
 lutea (Aubl.) G. F. W. Mey.--cauassu, cachibou
- Calendula (Asteraceae)  
 officinalis L.--pot-marigold
- Calliandra (Fabaceae)  
 cumingii Benth.  
 haematocephala Hassk.  
 surinamensis Benth.
- Callicarpa (Verbenaceae)  
 americana L.--American beautyberry, French-mulberry
- Callistemon (Myrtaceae)  
 citrinus (Curt.) Stapf--crimson bottlebrush  
 rigidus R. Br.
- Callistephus (Asteraceae)

chinensis (L.) Nees--China-aster  
 Calluna (Ericaceae)  
   vulgaris (L.) Hull--heather  
 Calocarpum (Sapotaceae)  
   (mammosum Pierre) = Pouteria sapota  
   (sapota (Jacq.) Merr.) = Pouteria sapota  
   (viride Pitt.) = Pouteria viridis  
 Calocedrus (Cupressaceae) [TN]  
   decurrens (Torr.) Florin--incense-cedar  
 Caloncoba (Flacourtiaceae)  
   echinata (Oliv.) Gilg  
 Calonyction (Convolvulaceae)  
   (aculeatum (L.) House) = Ipomoea alba  
 Calophyllum (Clusiaceae)  
   (antillanum Britt.) = C. brasiliense  
   brasiliense Camb.--maria  
   inophyllum L.--Indian laurel, laurelwood, tamanu, ati  
 Calopogonium (Fabaceae)  
   mucunoides Desv.  
 Caltha (Ranunculaceae)  
   palustris L.--marsh-marigold  
 Calycophyllum (Rubiaceae)  
   candidissimum (Vahl) DC.--degame, dagame  
 Camassia (Liliaceae)  
   quamash (Pursh) Greene--common camas  
 Camelina (Brassicaceae)  
   microcarpa Andrz. ex DC.--smallseed falseflax  
   sativa (L.) Crantz--largeseed falseflax  
 Camellia (Theaceae)  
   japonica L.--common camellia  
   sasanqua Thunb.--sasanqua camellia  
   sinensis (L.) Ktze.--tea  
   sinensis var. assamica (Mast.) Kitamura--Assam tea  
   (thea Link) = C. sinensis  
   (theifera Griff.) = C. sinensis  
 Campanula (Campanulaceae)  
   rapunculus L.--rampion

- Campsis (Bignoniaceae)  
 radicans (L.) Seem. ex Bur.--trumpet-creeper, trumpet-vine--[TN]
- Camptotheca (Nyssaceae)  
 acuminata Decne.
- Cananga (Annonaceae)  
 odorata (Lam.) Hook. f. & Thoms.--ylang-ylang
- Canarium (Burseraceae)  
 indicum L.--Java-almond, kanari  
 schweinfurthii Engler  
 strictum Roxb.--black damar
- Canavalia (Fabaceae) [TN]  
 ensiformis (L.) DC.--jackbean, horsebean, swordbean  
 gladiata (Jacq.) DC.--swordbean  
 maritima (Aubl.) Thou.  
 plagiosperma Piper--oblique-seed jackbean  
 (rosea (Sw.) DC.) = C. maritima  
 virosa (Roxb.) Wight & Arn.
- Canella (Canellaceae)  
 (alba Murr.) = C. winterana  
 winterana (L.) Gaertn.--canella
- Canna (Cannaceae)  
 edulis Ker--Queensland arrowroot, edible canna, gruya
- Cannabis (Moraceae)  
 sativa L.--marijuana, marihuana, hemp
- Caperonia (Euphorbiaceae)  
 castaneifolia (L.) St. Hil.  
 palustris (L.) St. Hil.
- Capparis (Capparaceae)  
 corymbosa Lam.  
 (rupestris Sibth. & Sm.) = C. spinosa  
 spinosa L.--caper
- Capsella (Brassicaceae)  
 bursa-pastoris (L.) Medik.--shepherd's-purse, shepherdspurse
- Capsicum (Solanaceae) [TN]  
 annum L. var. annum--bell pepper, green p., mango p., paprika p.,  
 chili p.  
 annum var. glabriusculum (Dunal) Heiser & Pickersgill--chilipiquin,  
 bird pepper  
 baccatum L. var. pendulum (Willd.) Eshbaugh--aji  
 chinense Jacq.--aji  
 frutescens L.--tabasco pepper, bird p., chili p.

(pendulum Willd.) = *C. baccatum* var. *pendulum*  
*pubescens* Ruiz & Pavon--rocoto

*Carapa* (Meliaceae)  
*guianensis* Aubl.--crabwood

*Cardaria* (Brassicaceae)  
*draba* (L.) Desv.--hoary cress

*Carduus* (Compositae)  
*acanthoides* L.--plumeless thistle  
*nutans* L.--musk thistle

*Carica* (Caricaceae)  
*papaya* L.--papaya  
*pubescens* Lenné & K. Koch--mountain papaya

*Carissa* (Apocynaceae) [TN]  
*carandas* L.--karanda  
*edulis* Vahl--Egyptian carissa  
(*grandiflora* (E. Mey.) A. DC.) = *C. macrocarpa*  
*macrocarpa* (Eckl.) A. DC.--Natal-plum

*Carludovica* (Cyclanthaceae)  
*palmata* Ruiz & Pavon--Panama hat palm

*Carnegiea* (Cactaceae)  
(*gigantea* (Engelm.) Britt. & Rose) = *Cereus giganteus* Engelm.

*Carpinus* (Betulaceae)  
*betulus* L.--European hornbeam  
*caroliniana* Walt.--American hornbeam, blue beech

*Carthamus* (Asteraceae)  
*tinctorius* L.--safflower

*Carum* (Apiaceae)  
*carvi* L.--caraway  
(*copticum* (L.) Benth. & Hook. f. ex C. B. Clarke) = *Trachyspermum ammi*  
(*petroselinum* Benth. & Hook. f.) = *Petroselinum crispum*  
(*velenovskiy* Rohl.) = *C. carvi*

*Carya* (Juglandaceae)  
(*alba* (L.) K. Koch) = *C. tomentosa*  
*cordiformis* (Wangenh.) K. Koch--bitternut hickory, pignut  
*glabra* (Mill.) Sweet--pignut hickory  
*illinoensis* (Wangenh.) K. Koch--pecan--[TN]  
(*illinoensis* (Wangenh.) K. Koch) = *C. illinoensis*  
*laciniosa* (Michx. f.) Loud.--shellbark hickory  
*myristiciformis* (Michx. f.) Nutt.--nutmeg hickory  
(*oliviformis* (Michx.) Nutt.) = *C. illinoensis*  
*ovata* (Mill.) K. Koch--shagbark hickory

Carya (continued)

(pecan (Marsh.) Engl. & Graebn.) = *C. illinoensis*  
*texana* Buckl.--black hickory  
*tomentosa* (Poir.) Nutt.--mockernut hickory

Caryocar (Caryocaraceae) [TN]

*amygdaliferum* Mutis--achotillo  
*brasiliense* Camb.--pequi  
*nuciferum* L.--souari-nut

Caryophyllus (Myrtaceae)

(*aromaticus* L.) = *Syzygium aromaticum*

Caryota (Arecaceae)

*urens* L.--fishtail palm

Casimiroa (Rutaceae)

*edulis* Llave & Lex.--white sapote, Mexican-apple

Cassia (Fabaceae) [TN]

(*acutifolia* Del.) = *C. senna*  
*alata* L.--ringworm-bush  
(*angustifolia* Vahl) = *C. senna*  
*auriculata* L.--avaram  
*fasciculata* Michx.--partridge pea  
*fistula* L.--Indian-laburnum, purging cassia, golden-shower  
*floribunda* Cav.  
*grandis* L. f.  
(*laevigata* Willd.) = *C. floribunda*  
(*marginata* Roxb.) = *C. roxburghii*  
*mimosoides* L.  
*obtusifolia* L.--sicklepod  
*occidentalis* L.--coffee senna, negro-coffee  
(*robusta* (Pollard) Heller) = *C. fasciculata*  
*roxburghii* DC.  
*senna* L.--Alexandrian senna  
*siamea* Lam.--Siamese senna  
*sturtii* R. Br.  
*tora* L.--sickle senna

Cassytha (Lauraceae)

*filiformis* L.

Castanea (Fagaceae)

(*americana* (Michx.) Raf.) = *C. dentata*  
(*bungeana* Bl.) = *C. mollissima*  
*crenata* Sieb. & Zucc.--Japanese chestnut  
*dentata* (Marsh.) Borkh.--American chestnut  
(*formosana* (Hayata) Hayata) = *C. mollissima*  
(*japonica* Bl.) = *C. crenata*  
*mollissima* Bl.--Chinese chestnut  
(*pubinervis* (Hassk.) Schneid.) = *C. crenata*



*pumila* (L.) Mill.--Allegheny chinkapin (chinquapin)  
*sativa* Mill.--European chestnut  
(*stricta* Sieb. & Zucc.) = *C. crenata*  
(*vesca* Gaertn.) = *C. sativa*  
(*vulgaris* Lam.) = *C. sativa*

*Castanopsis* (Fagaceae)

*chrysophylla* (Dougl.) A. DC.--golden chinkapin (chinquapin)  
*sempervirens* (Kell.) Dudl.--Sierra chinkapin (chinquapin), bush c.,  
California c.

*Castilla* (Moraceae) [TN]

*elastica* Sessé subsp. *elastica*--castilloa rubber  
*elastica* subsp. *costaricana* (Liebm.) C. C. Berg  
(*panamensis* O. F. Cook) = *C. elastica* subsp. *costaricana*  
*ulei* Warb.--caucho rubber

*Casuarina* (Casuarinaceae)

*equisetifolia* J. R. & G. Forst.--beefwood-tree, Australian-pine

*Catalpa* (Bignoniaceae) [TN]

*bignonioides* Walt.--southern catalpa, Indian bean c.  
*speciosa* (Warder ex Barney) Warder ex Engelm.--northern catalpa,  
catawba-tree, western c.

*Catha* (Celastraceae) [TN]

*edulis* (Vahl) Forsk. ex Endl.--khat

*Catharanthus* (Apocynaceae)

*roseus* (L.) G. Don--Madagascar periwinkle, bright-eyes

*Cecropia* (Urticaceae)

*peltata* L.--trumpet-tree

*Cedrela* (Meliaceae)

*odorata* L.--Spanish-cedar, West Indian-cedar, cigar-box-cedar, cedro

*Ceiba* (Bombacaceae)

*acuminata* (S. Wats.) Rose  
*aesculifolia* (H.B.K.) Britten & Baker--pochote  
*pentandra* (L.) Gaertn.--kapok, silk-cotton-tree, ceiba

*Celastrus* (Celastraceae)

(*edulis* Vahl) = *Catha edulis*

*Celosia* (Amaranthaceae) [TN]

*argentea* L.  
*crispata* L.--cockscomb

*Celtis* (Ulmaceae)

*occidentalis* L.--hackberry  
*pallida* Torr.--granjeno, desert hackberry

*Celtis* (continued)

*reticulata* Torr.--netleaf hackberry

*Cenchrus* (Poaceae) [TN]

*biflorus* Roxb.

*brownii* Roem. & Schult.

*ciliaris* L.--buffelgrass

*echinatus* L.--southern sandbur, hedgehog grass

*incertus* M. A. Curtis--field sandbur, burgrass

*longispinus* (Hack.) Fern.--longspine sandbur

(*pauciflorus* Benth.) = *C. incertus*

*setigerus* Vahl

*tribuloides* L.--dune sandbur

*Centaurea* (Asteraceae)

*cyanus* L.--cornflower

*diffusa* Lam.--diffuse knapweed

*jacea* L.--brown knapweed

*maculosa* Lam.--spotted knapweed

*nigra* L.--black knapweed

*repens* L.--Russian knapweed

*solstitialis* L.--yellow starthistle

*Centaurium* (Gentianaceae)

*erythraea* Rafn--centaury

(*minus* auct.) = *C. erythraea*

*Centella* (Apiaceae)

*asiatica* (L.) Urb.--Asiatic pennywort

*Centrosema* (Fabaceae)

*plumieri* (Turp. ex Pers.) Benth.

*pubescens* Benth.

*Cephaëlis* (Rubiaceae)

*ipecacuanha* (Brot.) A. Rich.--ipecac

*Cephalanthus* (Rubiaceae)

*occidentalis* L.--buttonbush

*Cephalonema* (Tiliaceae)

(*polyandrum* K. Schum. ex Sprague) = *Clappertonia polyandra*

*Cerastium* (Caryophyllaceae)

*arvense* L.--field chickweed

*vulgatum* L.--mouse-ear chickweed

*Cerasus* (Rosaceae)

(*laurocerasus* (L.) Loisel.) = *Prunus laurocerasus*

*Ceratonia* (Fabaceae)

*siliqua* L.--carob, St. John's-bread

Ceratophyllum (Ceratophyllaceae)  
     demersum L.--coontail

Ceratotheca (Pedaliaceae)  
     sesamoides Endl.--false sesame, bungu

Cercis (Fabaceae)  
     canadensis L.--eastern redbud

Cereus (Cactaceae)  
     giganteus Engelm.--saguaro

Ceroxylon (Arecaceae)  
     alpinum Bonpl. ex DC.--wax palm  
     (amicola Humb. & Bonpl.) = C. alpinum

Cestrum (Solanaceae)  
     nocturnum L.--night jessamine

Chaenorrhinum (Scrophulariaceae)  
     minus (L.) Lange--dwarf snapdragon

Chaerophyllum (Apiaceae)  
     bulbosum L.--turnip-rooted chervil

Chamaebatia (Rosaceae)  
     foliolosa Benth.--bearmat

Chamaebatiaria (Rosaceae)  
     millefolium (Torr.) Maxim.--fernbush

Chamaecyparis (Cupressaceae)  
     lawsoniana (A. Murr.) Parl.--Port-Orford-cedar  
     nootkatensis (D. Don) Spach--Alaska-cedar  
     obtusa (Sieb. & Zucc.) Sieb. & Zucc. ex Endl.--Hinoki false cypress  
     thyoides (L.) B.S.P.--Atlantic white-cedar, southern white-cedar

Chamaedorea (Arecaceae)  
     elegans Mart.--parlor palm

Chamaemelum (Asteraceae)  
     nobile (L.) All.--chamomile, garden c., Roman c.

Chamaerops (Arecaceae)  
     humilis L.--European fan palm

Chasmanthium (Poaceae) [TN]  
     latifolium (Michx.) Yates

Cheiranthus (Brassicaceae)  
     cheiri L.--wallflower

- Chelidonium (Papaveraceae)  
 majus L.--greater celandine
- Chenopodium (Chenopodiaceae)  
 album L.--lambquarters, lamb's-quarters  
 amaranticolor Coste & Reyn.  
 ambrosioides L.--Mexican tea, wormseed  
 bonus-henricus L.--perennial goosefoot, Good-King-Henry  
 botrys L.--Jerusalem-oak goosefoot  
 giganteum D. Don  
 murale L.--nettleleaf goosefoot  
 (nuttalliae Safford) = C. quinoa  
 pallidicaule Aellen  
 polyspermum L.--many-seeded goosefoot  
 quinoa Willd.--quinoa  
 rubrum L.--red goosefoot
- Chloris (Poaceae) [TN]  
 gayana Kunth--rhodesgrass, Rhodes grass  
 radiata (L.) Sw.--radiate fingergrass  
 verticillata Nutt.--windmill grass, tumble windmill g.  
 virgata Sw.--feather fingergrass
- Chlorogalum (Liliaceae)  
 pomeridianum (DC.) Kunth--soap-plant, amole
- Chlorophora (Moraceae) [TN]  
 excelsa (Welw.) Benth.--African teak  
 tinctoria (L.) Gaudich. ex Benth. & Hook. f.--fustic-mulberry
- Chondrodendron (Menispermaceae)  
 tomentosum Ruiz & Pavon--pareira
- Chrozophora (Euphorbiaceae)  
 tinctoria (L.) A. Juss.--giradol
- Chrysalidocarpus (Arecaceae)  
 lutescens (Bory) Wendl.--Madagascar palm
- Chrysanthemum (Asteraceae)  
 balsamita L.--costmary  
 carinatum Schousb.--chopsuy greens, shungiku  
 cinerariifolium (Trevir.) Vis.--pyrethrum  
 coccineum Willd.--Persian insect-flower  
 coronarium L.  
 indicum L.  
 leucanthemum L.--oxeye daisy  
 morifolium Ramat.--florist's chrysanthemum  
 (roseum Adam) = C. coccineum  
 spatiosum Bailey  
 (vulgare (L.) Bernh.) = Tanacetum vulgare
- Chrysobalanus (Chrysobalanaceae)

icaco L.--cocoplum, icaco  
 Chrysophyllum (Sapotaceae)  
   (africanum A. DC.) = C. delevoyi  
   cainito L.--star-apple  
   delevoyi De Wild.--African star-apple  
 Chrysothamnus (Asteraceae)  
   nauseosus (Pall.) Britt.--rubber rabbitbrush  
   viscidiflorus (Hook.) Nutt.--Douglas rabbitbrush  
 Cicer (Fabaceae)  
   arietinum L.--chickpea, garbanzo  
   (lens Willd.) = Lens culinaris  
 Cichorium (Asteraceae)  
   endivia L.--endive  
   intybus L.--chicory  
 Cicuta (Apiaceae)  
   maculata L.--spotted waterhemlock  
 Cinchona (Rubiaceae)  
   calisaya Wedd.--quinine  
   officinalis L.--quinine  
   pubescens Vahl--quinine  
   (succirubra Pav. ex Kl.) = C. pubescens  
 Cinnamomum (Lauraceae) [TN]  
   aromaticum Nees--cassia  
   burmannii (Nees) Bl.--padang-cassia  
   camphora (L.) J. S. Presl--camphor-tree  
   (cassia Nees ex Bl.) = C. aromaticum  
   tamala (Buch.-Ham.) Nees & Oberm.--Indian-bark  
   verum J. S. Presl--cinnamon  
   (zeylanicum Garc. ex Bl.) = C. verum  
 Cirsium (Asteraceae)  
   arvense (L.) Scop.--Canada thistle  
   vulgare (Savi) Ten.--bull thistle  
 Cissus (Vitaceae)  
   rhombifolia Vahl--grape ivy  
 Citrullus (Cucurbitaceae)  
   colocynthis (L.) Schrad.--colocynth  
   (lanatus (Thunb.) Mansf.) = C. lanatus (Thunb.) Matsum. & Nakai  
   lanatus (Thunb.) Matsum. & Nakai--watermelon--[TN]  
   lanatus var. citroides (Bailey) Mansf.--citron (melon), preserving  
   melon, stock m.  
   (vulgaris Schrad.) = C. lanatus  
   (vulgaris var. citroides Bailey) = C. lanatus var. citroides

Citrus (Rutaceae) [TN]  
   aurantiifolia (Christm.) Swingle--lime  
   aurantium L.--sour orange, Seville o.  
   (aurantium var. sinensis L.) = C. sinensis  
   grandis (L.) Osb.--pummelo, shaddock  
   limon (L.) Burm. f.--lemon  
   (limonum Risso) = C. limon  
   medica L.--citron  
   mitis Blanco  
   (nobilis Andr.) = C. reticulata  
   X nobilis Lour.--king orange  
   paradisi Macfad.--grapefruit  
   paradisi X C. reticulata--tangelo  
   reticulata Blanco--tangerine, mandarin  
   reticulata X C. sinensis--temple orange, tangors  
   sinensis (L.) Osb.--sweet orange  
   tachibana (Makino) Tanaka--tachibana orange  
   (trifoliata L.) = Poncirus trifoliata  
   (vulgaris Risso) = C. aurantium

Cladium (Cyperaceae)  
   jamaicense Crantz--sawgrass  
   mariscoides (Muhl.) Torr.--smooth sawgrass

Clappertonia (Tiliaceae)  
   ficifolia (Willd.) Decne.--bolo-bolo  
   polyandra (K. Schum.) Becherer

Clausena (Rutaceae)  
   dentata (Willd.) Roem.  
   lansium (Lour.) Skeels--wampi

Claytonia (Portulacaceae) [TN]  
   perfoliata Donn ex Willd.--miner's-lettuce, winter purslane  
   virginica L.--spring-beauty

Cleome (Capparaceae)  
   hasslerana Chod.--spiderflower  
   spinosa Jacq.--spiny spiderflower  
   viscosa L.--wild caia

Clidemia (Melastomataceae)  
   hirta (L.) D. Don--soapbush, curse

Clitoria (Fabaceae)  
   laurifolia Poir.  
   ternatea L.--butterfly pea, Asian pigeon-wings

Cnicus (Asteraceae)  
   benedictus L.--blessed thistle

Cnidoscolus (Euphorbiaceae)

aconitifolius (Mill.) I. M. Johnst.--chaya, copapayo  
chayamansa McVaugh--chaya  
stimulosus (Michx.) Engelm. & A. Gray--bullnettle  
texanus (Muell.-Arg.) Small--Texas bullnettle  
urens (L.) Arthur

Coccinia (Cucurbitaceae) [TN]  
grandis (L.) Voigt--ivy gourd  
(indica Wight & Arn.) = C. grandis

Coccoloba (Polygonaceae)  
uvifera (L.) L.--seagrape

Coccothrinax (Arecaceae)  
argentata (Jacq.) Bailey--Florida silver palm

Cochlearia (Brassicaceae)  
(armoracia L.) = Armoracia rusticana

Cocos (Arecaceae)  
(coronata Mart.) = Syagrus coronata  
nucifera L.--coconut

Codiaeum (Euphorbiaceae)  
variegatum (L.) Bl.--garden croton

Coelococcus (Arecaceae)  
(amicarum (Wendl.) W. F. Wight) = Metroxylon amicarum

Coffea (Rubiaceae) [TN]  
arabica L.--coffee  
bengalensis Roxb. ex Heyne & Willd.--Bengal coffee  
canephora Pierre ex Froehner--robusta coffee  
congensis Froehner--Congo coffee  
(dewevrei De Wild. & Dur.) = C. liberica  
(excelsa A. Chev.) = C. liberica  
liberica Bull ex Hiern--liberica coffee  
(robusta Linden ex De Wild.) = C. canephora  
stenophylla G. Don

Coix (Poaceae)  
lacryma-jobi L.--Job's-tears, adlay, adlay millet

Cola (Sterculiaceae) [TN]  
acuminata (Beauv.) Schott & Endl.  
anomala K. Schum.  
nitida (Vent.) Schott & Endl.  
pachycarpa K. Schum.  
verticillata (Thonn.) Stapf ex A. Chev.

Colchicum (Liliaceae)  
autumnale L.--autumn crocus, meadow saffron

Coleus (Lamiaceae)  
   amboinicus Lour.--Indian borage  
   barbatus (Andrews) Benth.  
   blumei Benth.--coleus  
   (dysentericus Baker) = Solenostemon rotundifolius  
   (esculentus (N. E. Br.) Taylor) = Plectranthus esculentus  
   parviflorus Benth.--ratala, country-potato--[TN]  
   (rotundifolius (Poir.) A. Chev. & E. Perrot) = Solenostemon rotundifolius  
   (tuberosus (Bl.) Benth.) = C. parviflorus

Colocasia (Araceae)  
   (antiquorum Schott) = C. esculenta  
   esculenta (L.) Schott--taro, dasheen, eddoe

Colocynthis (Cucurbitaceae)  
   (citrullus (L.) Ktze.) = Citrullus lanatus  
   (vulgaris Schrad.) = Citrullus colocynthis

Commelina (Commelinaceae)  
   benghalensis L.  
   coelestis Willd.  
   communis L.--dayflower  
   diffusa Burm. f.  
   tuberosa L.  
   virginica L.

Comptonia (Myricaceae)  
   peregrina (L.) J. M. Coult.--sweetfern

Conium (Apiaceae)  
   maculatum L.--poison-hemlock

Conocarpus (Combretaceae)  
   erectus L.--button mangrove

Conringia (Brassicaceae)  
   orientalis (L.) Dumort.--hare's-ear mustard

Consolida (Ranunculaceae) [TN]  
   ambigua (L.) P. W. Ball & Heywood--larkspur  
   orientalis (Gay) Schrod.  
   regalis S. F. Gray

Convallaria (Liliaceae)  
   majalis L.--lily-of-the-valley

Convolvulus (Convolvulaceae)  
   arvensis L.--field bindweed  
   scammonia L.--scammony  
   sepium L.--hedge bindweed

Conyza (Asteraceae)



canadensis (L.) Cronq.--horseweed, hogweed, butterweed

Copaifera (Fabaceae)  
 multijuga Hayne  
 officinalis (Jacq.) L.--copaiba

Copernicia (Arecaceae)  
 alba Morong  
 (australis Becc.) = C. alba  
 (cerifera (Arr. Cam.) Mart.) = C. prunifera  
 prunifera (Mill.) H. E. Moore--carnauba wax palm

Corchorus (Tiliaceae)  
 aestuans L.  
 capsularis L.--white jute  
 olitorius L.--nalta jute, tussa j.  
 orinocensis H.B.K.  
 tridens L.  
 trilocularis L.

Cordyline (Agavaceae)  
 terminalis (L.) Kunth--ti

Coreopsis (Asteraceae)  
 tinctoris Nutt.--plains coreopsis

Coriandrum (Apiaceae)  
 sativum L.--coriander

Cornus (Cornaceae)  
 canadensis L.--bunchberry  
 drummondii C. A. Mey.--roughleaf dogwood  
 florida L.--flowering dogwood

Coronilla (Fabaceae)  
 emerus L.--scorpion-senna  
 varia L.--crownvetch, trailing c.

Coronopus (Brassicaceae)  
 didymus (L.) Sm.--swinecress

Corozo (Arecaceae)  
 (oleifera (H.B.K.) Bailey) = Elaeis oleifera

Cortaderia (Poaceae)  
 selloana (Schult.) Aschers. & Graebn.--pampasgrass

Corylus (Betulaceae)  
 americana Walt.--American hazel  
 avellana L.--European filbert  
 chinensis Franch.--Chinese hazel, Chinese filbert  
 colurna L.--Turkish hazel, Turkish filbert

Corylus (continued)  
   cornuta Marsh.--beaked hazel  
   cornuta var. californica (A. DC.) Sharp--California hazel  
   ferox Wall.--Himalayan hazel  
   heterophylla Fisch. ex Besser--Siberian hazel  
   maxima Mill.--giant filbert  
   (rostrata Ait.) = C. cornuta  
   tibetica Batal.--Tibetan hazel

Cotinus (Anacardiaceae)  
   cogygria Scop.--common smoke-tree

Coumarouna (Fabaceae)  
   (odora Aubl.) = Dipteryx odorata

Couroupita (Lecythidaceae)  
   guianensis Aubl.--cannonball-tree

Crambe (Brassicaceae)  
   abyssinica Hochst. ex R. E. Fries--crambe, colewort  
   hispanica L.  
   maritima L.--seakale

Crassocephalum (Asteraceae)  
   rubens (Juss. ex Jacq.) S. Moore

(Crataeva) = Crateva

Crateva (Capparaceae)  
   (adansonii Oliv.) = C. religiosa  
   religiosa G. Forst.

Crepis (Asteraceae)  
   tectorum L.--narrowleaf hawksbeard

Crescentia (Bignoniaceae)  
   alata H.B.K.--morrito  
   cujete L.--calabash

Crocus (Iridaceae)  
   sativus L.--saffron crocus

Crotalaria (Fabaceae) [TN]  
   alata D. Don  
   bialata Schrank  
   brevidens Benth. var. brevidens  
   brevidens var. intermedia (Kotschy) Polhill  
   breviflora DC.  
   (intermedia Kotschy) = C. brevidens var. intermedia  
   juncea L.--sunn hemp  
   lanceolata E. Mey.--lanceleaf crotalaria  
   (mucronata Desv.) = C. pallida

mysorensis Roth  
pallida Ait.--smooth crotalaria  
paulina Schrank  
retusa L.  
spectabilis Roth--showy crotalaria  
(striata DC.) = *C. pallida*  
(usaramoënsis Baker f.) = *C. zanzibarica*  
vitellina Ker  
zanzibarica Benth.

Croton (Euphorbiaceae)  
capitatus Michx.--woolly croton  
eluteria (L.) Sw.--cascarilla  
tiglium L.--purging croton

Cryptotaenia (Apiaceae)  
canadensis (L.) DC.--honestwort  
japonica Hassk.

Cucumeropsis (Cucurbitaceae)  
(edulis (Hook. f.) Cogn.) = *C. mannii*  
mannii Naud.

Cucumis (Cucurbitaceae) [TN]  
anguria L.--West Indian gherkin  
(colocynthis L.) = *Citrullus colocynthis*  
dipsaceus Ehrenb. ex Spach--hedgehog gourd, teasel g.  
ficifolius A. Rich.  
melo L.--(sens. lat. incl.) melons, muskmelon, cantaloupe, honeydew,  
casaba  
metuliferus E. Mey. ex Naud.--African horned cucumber  
prophetarum L.  
sativus L.--cucumber

Cucurbita (Cucurbitaceae) [TN]  
(andreana Naud.) = *C. maxima*  
ficifolia Bouché--figleaf gourd, Malabar g.  
foetidissima H.B.K.--buffalo gourd  
maxima Duch.--(incl.) pumpkins, squashes, marrows  
(maxima var. turbaniformis Alef.) = *C. maxima*  
mixta Pang.--(incl.) pumpkins, squashes  
moschata (Duch.) Duch. ex Poir.--(incl.) pumpkins, squashes  
pepo L.--(sens. lat. incl.) pumpkins, squashes, marrows  
(siceraria Mol.) = *Lagenaria siceraria*  
texana A. Gray--wild marrow, Texas gourd

Cuminum (Apiaceae)  
cyminum L.--cumin  
(odorum Salisb.) = *C. cyminum*

Cupressus (Cupressaceae)  
sempervirens L.--Italian cypress

Curcuma (Zingiberaceae)

amada Roxb.--mango-ginger, amada  
angustifolia Roxb.

domestica Val.--turmeric--[NC], [TN]

(longa L.) = C. domestica

zedoaria (Christm.) Roscoe--shoti, zedoary--[TN]

Cuscuta (Convolvulaceae)

approximata Bab.--smallseed dodder

campestris Yuncker--field dodder

coryli Engelm.--hazel dodder

epilinum Weihe--flax dodder

epithymum (L.) L.--clover dodder

gronovii Willd.--swamp dodder

indecora Choisy--largeseed dodder

Cyamopsis (Fabaceae)

(psoralioides DC.) = C. tetragonoloba

tetragonoloba (L.) Taub.--guar, clusterbean

Cycas (Cycadaceae)

circinalis L.--queen sago

Cyclamen (Primulaceae)

persicum Mill.--florist's cyclamen

Cyclanthera (Cucurbitaceae)

pedata (L.) Schrad.

(pedata var. edulis (Naud.) Cogn.) = C. pedata

Cydonia (Rosaceae)

oblonga Mill.--quince

Cymbalaria (Scrophulariaceae)

muralis Gaertn., Mey. & Scherb.--Kenilworth ivy

Cymbopogon (Poaceae) [TN]

citratu (DC.) Stapf--West Indian lemongrass

flexuosus (Nees ex Steud.) W. Wats.--East Indian lemongrass

martinii (Roxb.) W. Wats.--rosha grass, palmarosa

nardus (L.) Rendle--citronella grass

schoenanthus (L.) Spreng.--camel grass

winteranus Jowitt

Cynanchum (Asclepiadaceae)

vincetoxicum (L.) Pers.--white swallow-wort, swallow-wort

Cynara (Asteraceae)

cardunculus L.--cardoon

scolymus L.--globe artichoke, artichoke

Cynodon (Poaceae)

dactylon (L.) Pers.--bermudagrass, Bermuda grass, devilgrass  
dactylon var. aridus Harlan & deWet--giant bermudagrass--[TN]  
nlemfuënsis Vanderyst  
plectostachyus (K. Schum.) Pilg.--stargrass  
transvaalensis Burttt Davy--African bermudagrass

Cynoglossum (Boraginaceae)

amabile Stapf & Drumm.--Chinese forget-me-not  
officinale L.--hound's-tongue

Cynosurus (Poaceae)

cristatus L.--crested dogtail grass

Cyperus (Cyperaceae)

alternifolius L.--umbrella-plant  
brevifolius (Rottb.) Hassk.--green kyllinga  
dentatus Torr.  
diffusus Vahl  
esculentus L.--yellow nutsedge, chufa, tigernut  
ferax L. C. Rich.  
papyrus L.--papyrus  
rotundus L.--purple nutsedge, nutsedge, nutgrass  
strigosus L.--false nutsedge  
tenerrimus Liebm.

Cyphomandra (Solanaceae)

betacea (Cav.) Sendt.--tree-tomato  
costaricensis Donn. Sm.

Cyrtosperma (Araceae)

chamissonis (Schott) Merr.--swamp taro, gallan  
(edule Schott) = C. chamissonis

Cytisus (Fabaceae)

proliferus L. f.--tree lucerne  
scoparius (L.) Link--Scotch broom

Dacrydium (Podocarpaceae)

cupressinum Soland. ex Lamb.--New Zealand red-pine  
franklinii Hook. f.--huon-pine

Dacryodes (Burseraceae)

edulis (G. Don) H. J. Lam--eben-tree

Dactylis (Poaceae)

glomerata L.--orchardgrass, cocksfoot

Dactyloctenium (Poaceae)

aegyptium (L.) Beauv.--crowfoot grass

Dalbergia (Fabaceae)

cubilquitzensis (Donn. Sm.) Pitt.

Dalbergia (continued)

latifolia Roxb. ex DC.--Indian rosewood  
sissoo Roxb. ex DC.--sisu, sissoo, Indian rosewood

Daniellia (Fabaceae)

ogea (Harms) Rolfe ex Holland--gum copal-tree, Accra copal, Benin c.  
oliveri (Rolfe) Hutch. & Dalz.--African copaiba balsam-tree  
thurifera Bennett--Niger copal-tree, frankincense-tree, Sierra Leone  
frankincense

Danthonia (Poaceae)

spicata (L.) Beauv. ex Roem. & Schult.--poverty oatgrass, povertygrass

Daphne (Thymelaeaceae)

mezereum L.--mezereon, February daphne

Datisca (Datiscaceae)

cannabina L.--akalbir

Datura (Solanaceae) [TN]

(arborea L.) = Brugmansia arborea  
(candida (Pers.) Saff.) = Brugmansia candida  
discolor Bernh.  
ferox L.  
innoxia Mill.--[TN]  
kymatocarpa A. S. Barclay  
leichhardtii F. v. Muell ex Benth..  
metel L.--Hindu datura, metel  
pruinosa Greenm.  
quercifolia H.B.K.  
reburra A. S. Barclay  
(sanguinea Ruiz & Pavon) = Brugmansia sanguinea  
stramonium L.--jimson weed  
wrightii Regel

Daucus (Apiaceae) [TN]

carota L. subsp. carota--wild carrot, Queen Anne's-lace  
carota subsp. sativus (Hoffm.) Arcang.--carrot  
pusillus Michx.--rattlesnake-weed

Delonix (Fabaceae)

regia (Boj. ex Hook.) Raf.--royal poinciana, flamboyant-tree,  
flame-tree

Delphinium (Ranunculaceae)

(ajacis auct. non L.) = Consolida ambigua  
(consolida L.) = Consolida regalis  
(orientale Gay) = Consolida orientalis  
zalil Aitch. & Hemsl.--zalil

Dendrocalamus (Poaceae)

asper (Schult. f.) Backer ex Heyne

latiflorus Munro  
 strictus (Roxb.) Nees--male bamboo

Dennettia (Annonaceae)  
 tripetala Baker f.

Derris (Fabaceae)  
 elliptica (Roxb.) Benth.--derris  
 ferruginea (Roxb.) Benth.--derris  
 trifoliata Lour.  
 (uliginosa (Willd.) Benth.) = D. trifoliata

Deschampsia (Poaceae)  
 (caespitosa) = caespitosa  
 caespitosa (L.) Beauv.--tufted hairgrass--[TN]

Descurainia (Brassicaceae)  
 pinnata (Walt.) Britt.--tansy mustard  
 sophia (L.) Webb ex Prantl--flixweed

Desmodium (Fabaceae)  
 adscendens (Sw.) DC.  
 canum (J. F. Gmel.) Schinz & Thell.--kaimi-clover  
 intortum (Mill.) Fawc. & Rendle--beggarlice, greenleaf desmodium  
 (ovalifolium Guill. & Perr.) = D. adscendens  
 (purpureum (Mill.) Fawc. & Rendle) = D. tortuosum  
 sericophyllum Schlecht.  
 tortuosum (Sw.) DC.--Florida beggarweed  
 triflorum (L.) DC.--threeflower beggarweed  
 uncinatum (Jacq.) DC.--Spanish tickclover

Dialium (Fabaceae)  
 guineense Willd.

Dianthus (Caryophyllaceae)  
 armeria L.--Deptford pink  
 barbatus L.--sweet-william  
 caryophyllus L.--carnation

Dichanthium (Poaceae)  
 annulatum (Forsk.) Stapf--diaz bluestem  
 aristatum (Poir.) C. E. Hubb.--angleton bluestem  
 (nodosum Willem.) = D. aristatum  
 papillosum (Hochst. ex A. Rich.) Stapf--medio bluestem  
 sericeum (R. Br.) A. Camus--silky bluestem

Dichondra (Convolvulaceae) [TN]  
 micrantha Urb.--dichondra

Dictamnus (Rutaceae)  
 albus L.--gas-plant

Dieffenbachia (Araceae) [TN]  
   *maculata* (Lodd.) G. Don--spotted dumbcane  
   (*picta* (Lodd.) Schott) = *D. maculata*  
   *seguine* (Jacq.) Schott

Diervilla (Caprifoliaceae)  
   *lonicera* Mill.--bush honeysuckle

Digitalis (Scrophulariaceae)  
   *grandiflora* Mill.  
   *lanata* Ehrh.--digitalis  
   *lutea* L.  
   *purpurea* L.--foxglove

Digitaria (Poaceae)  
   (*adscendens* (H.B.K.) Henr.) = *D. ciliaris*  
   *ciliaris* (Retz.) Koel.--[TN]  
   *decumbens* Stent--pangolagrass  
   *didactyla* Willd.  
   *exilis* (Kippist) Stapf--fonio, hungry-rice  
   *iburuia* Stapf--black fonio, hungry-rice  
   *ischaemum* (Schreb.) Schreb. ex Muhl.--smooth crabgrass  
   *macroglossa* Henr.  
   *milanjiana* (Rendle) Stapf  
   *pentzii* Stent--woolly fingergrass  
   *polevansii* Stent  
   *sanguinalis* (L.) Scop.--large crabgrass, hairy c.  
   *setivalva* Stent  
   *smutsii* Stent  
   *valida* Stent

Dimocarpus (Sapindaceae) [TN]  
   *longan* Lour.--longan

Diodia (Rubiaceae)  
   *teres* Walt.--buttonweed, poorjoe

Dioscorea (Dioscoreaceae) [TN]  
   (*aculeata* L.) = *D. esculenta*  
   *alata* L.--greater yam, water y., winged y., ten months y.  
   (*batatas* Decne.) = *D. oppositifolia*  
   *bulbifera* L.--potato yam, aerial y., bulbil-bearing y., airpotato  
   *cayenensis* Lam.--yellow guinea yam, yellow y., twelve months y.  
   *composita* Hemsl.  
   *convolvulacea* Cham. & Schlecht.  
   *dumetorum* (Kunth) Pax--bitter yam, cluster y.  
   *esculenta* (Lour.) Burk.--lesser yam, Asiatic y.  
   *floribunda* Mart. & Gal.  
   *hispidula* Dennst.--intoxicating yam, nami  
   *japonica* Thunb.  
   *macrostachya* Benth.  
   *nummularia* Lam.



(opposita Thunb.) = *D. oppositifolia*  
oppositifolia L.--Chinese yam, cinnamon-vine--[TN]  
pentaphylla L.  
polygonoides Humb. & Bonpl. ex Willd.  
praehensilis Benth.--bush yam, forest y.  
preussii Pax  
rotundata Poir.--white yam, white Guinea y., Guinea y., eboe y.  
spiculiflora Hemsl.  
trifida L. f.--cush-cush yam, aja, yampi, mapuey

*Dioscoreophyllum* (Menispermaceae)  
*cumminsii* (Stapf) Diels--serendipity-berry

*Diospyros* (Ebenaceae)  
(*chinensis* Bl.) = *D. kaki*  
*digyna* Jacq.--black sapote--[TN]  
*discolor* Willd.  
(*ebenaster* Retz.) = *D. ebenum*  
*ebenum* Koenig ex Retz.--ebony  
*kaki* L. f.--Japanese persimmon, kaki p.  
Texas Scheele--texas persimmon, Mexican p., black p., chapote  
*virginiana* L.--common persimmon, American p.

*Dipsacus* (Dipsacaceae)  
*sylvestris* Huds.--teasel

*Dipteryx* (Fabaceae)  
*odorata* (Aubl.) Willd.--tonka bean  
*oppositifolia* (Aubl.) Willd.--tonka bean

*Dirca* (Thymelaeaceae)  
*palustris* L.--leatherwood

*Distichlis* (Poaceae)  
*spicata* (L.) Greene--seashore saltgrass, spike grass  
*stricta* (Torr.) Rydb.--desert saltgrass

*Dizygotheca* (Araliaceae)  
*elegantissima* (Veitch) Vig. & Guill.--threadleaf false aralia

*Dolichos* (Fabaceae)  
(*angularis* Willd.) = *Vigna angularis*  
(*biflorus* L.) = *Vigna unguiculata* subsp. *unguiculata*  
(*biflorus* auct. non L.) = *D. uniflorus*  
(*hosei* Craib) = *Vigna hosei*  
*lablab* L.--hyacinth bean, lablab b., bonavist b.--[NC], [TN]  
(*lobatus* Willd.) = *Pueraria lobata*  
(*soja* L.) = *Glycine max*  
(*stenocarpa* Hochst. ex A. Rich.) = *Sphenostylis stenocarpa*  
(*uniflorus* Lam.) = *Macrotyloma uniflorum*

*Dorema* (Apiaceae)  
*ammoniacum* D. Don--ammoniakum

*Dovyalis* (Flacourtiaceae)  
*abyssinica* (A. Rich.) Warb.--koshum  
*caffra* (Hook. f. & Harv.) Warb.--kei-apple, umkokolo  
*hebecarpa* (Gardn.) Warb.--ketembilla, Ceylon-gooseberry, quetembila

*Doxantha* (Bignoniaceae)  
*(unguis-cati)* (L.) Miers) = *Macfadyena unguis-cati*

*Dracaena* (Agavaceae)  
*cinnabari* Balf. f.--Socotra dragon-tree  
*draco* L.--dragon-tree  
*marginata* Lam.

*Dracocephalum* (Lamiaceae)  
*parviflorum* Nutt.--dragonhead

*Dracontomelon* (Anacardiaceae)  
*mangiferum* Bl.--Argus pheasant-tree

*Drimys* (Winteraceae)  
*winteri* J. R. & G. Forst.--Winter's-bark

*Drosera* (Droseraceae)  
*rotundifolia* L.--round-leaved sundew

*Dryobalanops* (Dipterocarpaceae)  
*aromatica* Gaertn. f.--Borneo camphor

*Duboisia* (Solanaceae) [TN]  
*hopwoodii* F. v. Muell.--pituri  
*leichhardtii* F. v. Muell.  
*myoporoides* R. Br.--corkwood-tree

*Duchesnea* (Rosaceae)  
*indica* (Andr.) Focke--false strawberry, Indian s.

*Dudleya* (Crassulaceae)  
*farinosa* (Lindl.) Britt. & Rose  
*greenei* Rose

*Durio* (Bombacaceae)  
*zibethinus* Murr.--durian

*Dyera* (Apocynaceae)  
*costulata* (Miq.) Hook. f.--jelutong

*Ecballium* (Cucurbitaceae)  
*elaterium* (L.) A. Rich.--squirting cucumber

Echinocactus (Cactaceae)

(wislizenii Engelm.) = Ferocactus wislizenii

Echinochloa (Poaceae)

colinum (L.) Link--junglerice, jungle ricegrass, shama millet

crusgalli (L.) Beauv. var. crusgalli--barnyardgrass

crusgalli var. frumentacea (Link) W. F. Wight--billion dollar grass,  
Japanese millet--[NC], [TN]

(frumentacea Link) = E. crusgalli var. frumentacea

polystachya (H.B.K.) Hitchc.

pyramidalis (Lam.) Hitchc. & Chase--antelope grass

Echium (Boraginaceae)

vulgare L.--blueweed

Eclipta (Asteraceae)

alba (L.) Hassk.--eclipta

Edgeworthia (Thymelaeaceae)

papyrifera Sieb. & Zucc.

Egeria (Hydrocharitaceae) [TN]

densa Planch.--egeria

Ehrharta (Poaceae)

calycina Sm.--perennial veldtgrass

Eichhornia (Pontederiaceae)

azurea (Sw.) Kunth--anchored waterhyacinth

crassipes (Mart.) Solms--waterhyacinth

(Eichornia) = Eichhornia

Elaeagnus (Eleagnaceae)

angustifolia L.--Russian olive, oleaster

commutata Bernh. ex Rydb.--silverberry

philippensis Perrot.

umbellata Thunb.

Elaeis (Arecaceae)

guineensis Jacq.--African oil palm

oleifera (H.B.K.) Cortes

Eleocharis (Cyperaceae)

acicularis (L.) Roem. & Schult.--slender spikerush

dulcis (Burm. f.) Trin. ex Henschel--Chinese waterchestnut, waternut

(tuberosa (Roxb.) Schult.) = E. dulcis

Elettaria (Zingiberaceae)

cardamomum (L.) Maton--cardamom, cardamon

Eleusine (Poaceae)

coracana (L.) Gaertn.--finger millet, African m., ragi  
indica (L.) Gaertn.--goosegrass, yardgrass

Elodea (Hydrocharitaceae)

canadensis Michx.--elodea  
(densa (Planch.) Caspary) = Egeria densa

Elymus (Poaceae)

angustus Trin.--Altai wildrye  
canadensis L.--Canada wildrye  
(caput-medusae sens. auct. in part) = Taeniatherum asperum  
cinereus Scribn. & Merr.--basin wildrye  
condensatus Presl.--giant wildrye  
giganteus Vahl.--mammoth wildrye  
glaucus Buckl.--blue wildrye  
(junceus Fisch.) = Psathyrostachys juncea  
(sabulosus Bieb.) = E. giganteus  
triticoides Buckl.--beardless wildrye  
villosus Muhl.--hairy wildrye  
virginicus L.--Virginia wildrye

Emilia (Asteraceae) [TN]

(coccinea (Sims) Sweet) = E. javanica  
javanica (Burm. f.) Merr.  
sonchifolia (L.) DC.--red tasselflower

Ensete (Musaceae)

(edule Horan.) = E. ventricosum  
ventricosum (Welw.) Cheesem.--Abyssinian banana, ensete

Entada (Fabaceae)

abyssinica Steud. ex A. Rich.  
gigas (L.) Fawc. & Rendle

Enterolobium (Fabaceae)

cyclocarpum (Jacq.) Griseb.--earpod-tree, guanacaste

Ephedra (Ephedraceae)

distachya L.  
equisetina Bunge--ma-huang  
gerardiana Wall. ex Stapf  
nevadensis S. Wats.--gray ephedra, Nevada e.  
sinica Stapf--Chinese ephedra  
trifurca Torr.--longleaf ephedra  
viridis Cov.--green ephedra, Mormon tea (in part)

Epicampes (Poaceae)

(macroura (H.B.K.) Benth.) = Muhlenbergia macroura

Equisetum (Equisetaceae)

arvense L.--field horsetail

hyemale L.--scouring-rush

Eragrostis (Poaceae)

(atherstonei Stapf) = E. trichophora  
capillaris (L.) Nees--lacegrass  
chloromelas Steud.--Boer lovegrass  
cilianensis (All.) E. Mosher--stinkgrass  
ciliaris (L.) R. Br.  
curvula (Schrad.) Nees--weeping lovegrass  
hypnoides (Lam.) B.S.P.  
lehmanniana Nees--Lehmann lovegrass  
(major Host) = E. cilianensis  
minor Host--little lovegrass--[TN]  
pectinacea (Michx.) Nees--tufted lovegrass  
pilosa (L.) Beauv.--India lovegrass  
(poeoides Beauv.) = E. minor  
superba Peyr.--Wilman lovegrass  
teff (Zuccagni) Trotter--teff  
trichodes (Nutt.) Wood--sand lovegrass  
trichophora Coss. & Dur.--[TN]  
virescens Presl

Erechtites (Asteraceae)

hieracifolia (L.) Raf. ex DC.--burnweed, American b.

Eremochloa (Poaceae)

ophiuroides (Munro) Hack.--centipede grass

Eremocitrus (Rutaceae)

glauca (Lindl.) Swingle--Australian desert lime

Eremospatha (Arecaceae)

macrocarpa (Mann. & Wendl.) Wendl.--rattan palm

Erica (Ericaceae)

arborea L.--briar-root

Erigeron (Asteraceae)

annuus (L.) Pers.--annual fleabane, whitetop  
bonariensis L.  
(canadensis L.) = Conyza canadensis

Eriobotrya (Rosaceae)

japonica (Thunb.) Lindl.--loquat

Eriochloa (Poaceae)

polystachya H.B.K.--caribgrass  
villosa (Thunb.) Kunth--woolly cupgrass

Eriodendron (Bombacaceae)

(anfractuosum DC. var. indicum DC.) = Ceiba pentandra

Erodium (Geraniaceae) [TN]  
   botrys (Cav.) Bertol.--broadleaf filaree  
   cicutarium (L.) L'Hér. ex Ait.--redstem filaree, alfilaria  
   moschatum (L.) L'Hér. ex Ait.--whitestem filaree

Eruca (Brassicaceae) [TN]  
   (sativa Mill.) = E. vesicaria subsp. sativa  
   vesicaria (L.) Cav. subsp. sativa (Mill.) Thell.--garden rocket,  
   rocket-salad, roquette, roka

Ervum (Fabaceae)  
   (lens L.) = Lens culinaris

Eryngium (Apiaceae)  
   creticum Lam.  
   foetidum L.--false coriander

Erysimum (Brassicaceae)  
   cheiranthoides L.--wormseed mustard  
   perofskianum Fisch. & Mey.--Afghan erysimum  
   repandum L.--bushy wallflower, treacle mustard

Erythraea (Gentianaceae)  
   (centaurium auct.) = Centaurium erythraea

Erythrina (Fabaceae) [TN]  
   abyssinica Lam. ex DC.  
   fusca Lour.  
   (glauca Willd.) = E. fusca  
   (indica Lam.) = E. variegata  
   (lithosperma Miq.) = E. subumbrans  
   poeppigiana (Walp.) O. F. Cook--mountain immortelle  
   subumbrans (Hassk.) Merr.  
   variegata L.

Erythrophleum (Fabaceae) [TN]  
   (guineense G. Don) = E. suaveolens  
   suaveolens (Guill. & Perrot.) Brenan--sasswood, ordeal-tree, red  
   water-tree

(Erythroxyllum) = Erythroxyllum

Erythroxyllum (Erythroxyllaceae) [TN]  
   coca Lam.--coca  
   novogranatense (Morris) Hieron.

Escallonia (Escalloniaceae)  
   rubra (Ruiz & Pavon) Pers.--red escallonia

Eschscholzia (Papaveraceae)  
   californica Cham.--California poppy

Eucalyptus (Myrtaceae)  
   alba Reinw. ex Bl.  
   camaldulensis Dehnh.  
   fruticetorum F. v. Muell.  
   globulus Labill.--blue gum  
   (rostrata Schlecht.) = E. camaldulensis  
   smithii R. T. Baker  
   tereticornis Sm.

Euchlaena (Poaceae)  
   (mexicana Schrad.) = Zea mays subsp. mexicana

Eucryphia (Eucryphiaceae)  
   cordifolia Cav.--ulmo

Eugeissona (Arecaceae)  
   utilis Becc.--kadjatoa

Eugenia (Myrtaceae)  
   aggregata (Vell.) Kiaersk.  
   (aquea Burm. f.) = Syzygium aqueum  
   (aromatica (L.) Baill.) = Syzygium aromaticum  
   (brasiliensis Lam.) = Eugenia dombeyi  
   (caryophyllata Thunb.) = Syzygium aromaticum  
   (caryophyllus (Spreng.) Bull. & Harr.) = Syzygium aromaticum  
   (cauliflora DC.) = Myrciaria cauliflora  
   (cumini (L.) Druce) = Syzygium cumini  
   dombeyi (Spreng.) Skeels--grumichama  
   eucalyptoides F. v. Muell.  
   (jambolana Lam.) = Syzygium cumini  
   (jambos L.) = Syzygium jambos  
   (javanica Lam.) = Syzygium samarangense  
   (malaccensis L.) = Syzygium malaccense  
   (michellii Lam.) = E. uniflora  
   uniflora L.--Surinam-cherry, pitanga

Eulaliopsis (Poaceae)  
   binata (Retz.) C. E. Hubb.

Euonymus (Celastraceae) [TN]  
   alata (Thunb.) Sieb.--winged euonymus  
   americana L.--strawberry-bush  
   atropurpurea Jacq.--eastern wahoo, wahoo, burning-bush  
   fortunei (Turcz.) Hand.-Mazz.  
   japonica Thunb.

Eupatorium (Asteraceae)  
   capillifolium (Lam.) Small--dogfennel  
   perfoliatum L.--boneset  
   rugosum Houtt.--white snakeroot  
   triplinerve Vahl

Euphorbia (Euphorbiaceae)

antisiphilitica Zucc.--candelilla  
corollata L.--flowering spurge  
cyparissias L.--cypress spurge  
esula L.--leafy spurge  
heterophylla L.--painted spurge  
hirta L.--garden spurge  
lathyrus L.--caper spurge, mole-plant  
(lathyrus L.) = E. lathyrus  
maculata L.--spotted spurge, nodding s.  
marginata Pursh--snow-on-the-mountain  
milii Desmoulins--crown-of-thorns  
peplus L.--petty spurge  
pulcherrima Willd. ex Kl.--poinsettia  
resinifera Berg  
(supina Raf. ex Boiss.) = E. maculata  
tirucalli L.--milkbush

Euphoria (Sapindaceae)

(longan (Lour.) Steud.) = Dimocarpus longan  
(longana Lam.) = Dimocarpus longan

Euryale (Nymphaeaceae)

ferox Salisb.--euryale, foxnut

Eusideroxylon (Lauraceae)

lauriflora (Blanco) J. Schulze-Motel--Bornean ironwood  
(zwageri Teijsm & Binn.) = E. lauriflora

Euterpe (Arecaceae)

oleracea Mart.--cabbage palm

Eutrema (Brassicaceae)

wasabi (Sieb.) Maxim.--wasabi

Evolvulus (Convolvulaceae)

alsinoides (L.) L.

Faba (Fabaceae)

(vulgaris Moench) = Vicia faba

Fabiana (Solanaceae)

imbricata Ruiz & Pavon--pichi-pichi

Fagopyrum (Polygonaceae)

esculentum Moench--buckwheat--[TN]  
(sagittatum Gilib.) = F. esculentum  
tataricum (L.) Gaertn.--Tartary buckwheat  
(vulgare T. Nees) = F. esculentum

Fagus (Fagaceae)

(americana Sweet) = F. grandifolia



(ferruginea Ait.) = *F. grandifolia*  
*grandifolia* Ehrh.--American beech  
*sylvatica* L.--European beech

*Falcaria* (Apiaceae)  
(rivini Host) = *F. vulgaris*  
*vulgaris* Bernh.

*Faucaria* (Aizoaceae)  
*tigrina* (Haw.) Schwant.--tiger's-jaw

*Feijoa* (Myrtaceae)  
*sellowiana* Berg

*Ferocactus* (Cactaceae)  
*wislizenii* (Engelm.) Britt. & Rose--fish-hook cactus

*Feronia* (Rutaceae)  
*limonia* (L.) Swingle--Indian wood-apple

*Ferula* (Apiaceae)  
*assa-foetida* L.--asafetida  
(*galbaniflua* Boiss. & Buhse) = *F. gummosa*  
*gummosa* Boiss.--galbanum

*Festuca* (Poaceae) [TN]  
*arizonica* Vasey--Arizona fescue  
*arundinacea* Schreb.--tall fescue--[TN]  
(*capillata* Lam.) = *F. tenuifolia*  
(*duriuscula* L.) = *F. longifolia*  
(*elatior* L. nom. ambig.) = *F. arundinacea* (in part), *F. pratensis*  
(in part)  
(*elatior* sens. Hitchcock 1951) = *F. pratensis*  
*heterophylla* Lam.--shade fescue  
*idahoensis* Elmer--Idaho fescue  
*longifolia* Thuill.--hard fescue  
(*megalura* Nutt.) = *Vulpia megalura*  
(*myuros* L.) = *Vulpia myuros*  
(*octoflora* Walt.) = *Vulpia octoflora*  
*ovina* L.--sheep fescue  
*ovina* var. *brachyphylla* (Schult.) Piper--alpine fescue  
(*ovina* var. *duriuscula* (L.) Koch) = *F. longifolia*  
(*ovina* subsp. *tenuifolia* (Sibth.) Peterm.) = *F. tenuifolia*  
(*ovina* var. *tenuifolia* (Sibth.) Dum.) = *F. tenuifolia*  
*pratensis* Huds.--meadow fescue--[TN]  
*rubra* L. subsp. *rubra*--red fescue  
*rubra* subsp. *commutata* Gaud.--Chewings fescue  
(*rubra* var. *heterophylla* (Lam.) Mut.) = *F. heterophylla*  
*tenuifolia* Sibth.--hair fescue, slender f.  
(*trachyphylla* (Hack.) Kraj.) = *F. longifolia*  
*viridula* Vasey--green fescue

- Fibraurea (Menispermaceae)  
 tinctoria Lour.
- Ficus (Moraceae)  
 benghalensis L.--Indian banyan  
 benjamina L.--weeping fig  
 carica L.--common fig  
 elastica Roxb. ex Hornem.--rubber-plant, India rubber fig  
 (nitida Thunb.) = F. benjamina  
 pumila L.--creeping fig  
 religiosa L.--peepul-tree, bo-tree  
 (repens Rottl.) = F. pumila  
 retusa L.--Indian laurel fig  
 vogelii (Miq.) Miq.
- Filipendula (Rosaceae)  
 ulmaria (L.) Maxim.--queen-of-the-meadow
- Fimbristylis (Cyperaceae)  
 globulosa (Retz.) Kunth
- Firmiana (Sterculiaceae)  
 simplex (L.) W. F. Wight--Chinese parasol-tree, phoenix-tree
- Flacourtia (Flacourtiaceae)  
 indica (Burm. f.) Merr.--governor's-plum  
 inermis Roxb.
- Flourensia (Asteraceae)  
 cernua DC.--tarbush, varnish-bush
- Foeniculum (Apiaceae)  
 vulgare Mill.--fennel, Florence f., finocchio
- Forestiera (Oleaceae)  
 acuminata (Michx.) Poir.--swamp privet
- Fortunella (Rutaceae)  
 crassifolia Swingle--meiwa kumquat  
 hindsii (Champ.) Swingle--Hongkong kumquat  
 japonica (Thunb.) Swingle--round kumquat  
 margarita (Lour.) Swingle--oval kumquat
- Fragaria (Rosaceae)  
 (americana (Porter) Britt.) = F. vesca var. americana  
 X ananassa Duch.--(F. chiloensis X F. virginiana)--garden strawberry  
 chiloensis (L.) Duch.--Chilean strawberry  
 vesca L.--European strawberry  
 vesca var. americana Porter--woodland strawberry  
 virginiana Duch.--Virginia strawberry
- Frangula (Rhamnaceae) [TN]

alnus Mill.--(syn. Rhamnus frangula L.)--glossy buckthorn, alder b.

Franklinia (Theaceae)

alatomaha Bartr. ex Marsh.--franklinia

Franseria (Asteraceae)

(discolor Nutt.) = Ambrosia tomentosa

(tomentosa A. Gray) = Ambrosia grayi

Fraxinus (Oleaceae)

americana L.--white ash

chinensis Roxb.

excelsior L.--European ash

latifolia Benth.--Oregon ash

mariesii Hook. f.

nigra Marsh.--black ash

(oregona Nutt.) = F. latifolia

ornus L.--flowering ash, manna a.

pennsylvanica Marsh.--green ash

(pennsylvanica var. subintegerrima (Vahl) Fern.) = F. pennsylvanica

quadrangulata Michx.--blue ash

Fumaria (Fumariaceae)

officinalis L.--fumitory

Funtumia (Apocynaceae)

africana (Benth.) Stapf--Lagos silk-rubber

elastica (Preuss) Stapf--Lagos silk-rubber

Furcraea (Agavaceae)

foetida (L.) Haw.--Mauritius hemp

(gigantea Vent.) = F. foetida

hexapetala (Jacq.) Urb.--Cuban hemp

macrophylla Baker--fique, wild sisal

Galanthus (Amaryllidaceae)

nivalis L.--snowdrop

Galega (Fabaceae)

officinalis L.--goat's-rue, galega

Galeopsis (Lamiaceae)

tetrahit L.--hempnettle

Galinsoga (Asteraceae)

ciliata (Raf.) Blake--hairy galinsoga

parviflora Cav.--smallflower galinsoga

Galium (Rubiaceae)

aparine L.--cleavers, catchweed bedstraw

boreale L.--northern bedstraw

mollugo L.--smooth bedstraw

- Galium (continued)  
 odoratum (L.) Scop.--woodruff, sweet w., waldmeister
- Garcia (Euphorbiaceae)  
 nutans Rohr
- Garcinia (Clusiaceae)  
 dulcis (Roxb.) Kurz  
 hanburyi Hook. f.--gamboge  
 indica (Thou.) Choisy  
 kola Heckel  
 lateriflora Bl.  
 livingstonei T. Anders.  
 mangostana L.--mangosteen  
 multiflora Champ. ex Benth.  
 (tinctoria (DC.) W. F. Wight) = G. xanthochymus  
 xanthochymus Hook. f. ex T. Anders.
- Gardenia (Rubiaceae)  
 (florida L.) = G. jasminoides  
 jasminoides Ellis--Cape-jasmine  
 thunbergia L. f.
- Gaultheria (Ericaceae)  
 procumbens L.--wintergreen  
 shallon Pursh--salal
- Gaura (Onagraceae)  
 biennis L.--biennial gaura
- Gaylussacia (Ericaceae)  
 baccata (Wangenh.) K. Koch--black huckleberry  
 dumosa (Andr.) Torr. & A. Gray--dwarf huckleberry  
 frondosa (L.) Torr. & A. Gray--dangleberry
- Genipa (Rubiaceae)  
 americana L.--marmelade-box, genipap
- Genista (Fabaceae)  
 tinctoria L.--dyer's-greenweed
- Gentiana (Gentianaceae)  
 lutea L.--yellow gentian
- Geranium (Geraniaceae)  
 carolinianum L.--Carolina geranium  
 dissectum L.--cutleaf geranium  
 maculatum L.--wild geranium, spotted g.  
 molle L.--dovefoot geranium
- Geum (Rosaceae)  
 urbanum L.--avens

Gigantochloa (Poaceae)  
 apus (Schult. f.) Kurz ex Munro  
 verticillata (Willd.) Munro

Ginkgo (Ginkgoaceae)  
 biloba L.--ginkgo

Glechoma (Lamiaceae)  
 hederacea L.--ground ivy, gill-over-the-ground

Gleditsia (Fabaceae)  
 triacanthos L.--honeylocust, honey-locust

Gluta (Anacardiaceae)  
 renghas L.--rengas

Glyceria (Poaceae)  
 fluitans (L.) R. Br.--water mannagrass  
 maxima (Hartm.) Holmb.  
 striata (Lam.) Hitchc.--fowl mannagrass

Glycine (Fabaceae) [TN]  
 (gracilis Skvortz.) = G. max  
 (hispida (Moench) Maxim.) = G. max  
 (javanica auct. non L.) = G. wightii  
 (javanica L.) = Pueraria montana  
 max (L.) Merr.--soybean  
 soja Sieb. & Zucc.  
 (subterranea L.) = Voandzeia subterranea  
 tabacina (Labill.) Benth.  
 tomentella Hayata  
 (tomentosa (Benth.) Benth.) = G. tomentella  
 (ussuriensis Regel & Maack) = G. soja  
 wightii (Grah. ex Wight & Arn.) Verdc.

Glycyrrhiza (Fabaceae)  
 glabra L.--common licorice  
 lepidota Pursh--wild licorice, American l.

Gnaphalium (Asteraceae)  
 obtusifolium L.--fragrant cudweed  
 uliginosum L.--low cudweed

Gnetum (Gnetaceae)  
 africanum Welw.  
 buchholzianum Engler--joint-fir  
 gnemon L.

Gomphrena (Amaranthaceae)  
 globosa L.--globe-amaranth

Gordonia (Theaceae)

lasianthus (L.) Ellis--loblolly-bay

Gossypium (Malvaceae) [TN]

anomalum Wawra ex Wawra & Peyr.

arboreum L.

areysianum Deflers

aridum (Rose & Standl.) Skovsted

armourianum Kearn.

australe F. v. Muell.

barbadense L.--Sea Island cotton, American-Egyptian c., extra long staple c.

barbosanum Phill. & Clem.

gossypioides (Ulbr.) Standl.

harknessii Brandegee

herbaceum L.

hirsutum L.--cotton, upland c.

incanum (Schwartz) Hillcoat

klotzschianum Anderss.

lobatum H. S. Gentry

longicalyx Hutch. & Lee

(mexicanum Tod.) = G. hirsutum

(nanking Meyen) = G. arboreum

(obtusifolium Roxb.) = G. herbaceum

(peruvianum Cav.) = G. barbadense

raimondii Ulbrich

robinsonii F. v. Muell.

somalense (Gürke) Hutch.

stocksii Mast.

sturtianum J. H. Willis--Sturt's desert-rose

(sturtii F. v. Muell.) = G. sturtianum

thurberi Tod.

tomentosum Nutt. ex Seem.--Hawaiian cotton

trilobum (Sessé & Moc. ex DC.) Skovsted

triphyllum (Harv. ex Harv. & Sond.) Hochr.

(vitifolium Lam.) = G. barbadense

Gratiola (Scrophulariaceae)

officinalis L.--hedge hyssop

Grevillea (Proteaceae)

robusta A. Cunn. ex R. Br.--silk-oak

Grewia (Tiliaceae)

asiatica L.--phalsa

Grindelia (Asteraceae)

camporum Greene

Grossularia (Saxifragaceae)

(reclinata (L.) Mill.) = Ribes uva-crispa

Guadua (Poaceae)  
     *angustifolia* Kunth

Guaiacum (Zygophyllaceae)  
     *officinale* L.--*lignum-vitae*  
     *sanctum* L.--*hollywood lignum-vitae*, *lignum-vitae*

Guarea (Meliaceae)  
     (*guara* (Jacq.) P. Wils.) = *G. trichilioides*  
     *trichilioides* L.--*guaraguao*, American muskwood

Guilielma (Arecaceae)  
     (*gasipaës* (H.B.K.) Bailey) = *Bactris gasipaes*  
     (*speciosa* Mart.) = *Bactris gasipaës*

Guizotia (Asteraceae)  
     *abyssinica* (L. f.) Cass.--Niger-seed

Gundelia (Asteraceae)  
     *tournefortii* L.

Gunnera (Haloragaceae) [TN]  
     (*chilensis* Lam.) = *G. tinctoria*  
     *tinctoria* (Mol.) Mirbel

Gutierrezia (Asteraceae)  
     *dracunculoides* (DC.) Blake--broomweed  
     *sarothrae* (Pursh) Britt. & Rusby--broom snakeweed, broom snakeroot

Gymnema (Asclepiadaceae) [TN]  
     *sylvestre* (Retz.) Schult.--miracle-fruit

Gymnocladus (Fabaceae) [TN]  
     *dioica* (L.) K. Koch--Kentucky coffee-tree

Gynandropsis (Capparidaceae)  
     *gynandra* (L.) Briq.--African spiderflower

Gynerium (Poaceae)  
     *sagittatum* (Aubl.) Beauv.--uva grass

Gynura (Asteraceae)  
     *aurantiaca* (Bl.) DC.--velvetplant

Gypsophila (Caryophyllaceae)  
     *arrostii* Guss.  
     *muralis* L.

Haematoxylum (Fabaceae)  
     *campechianum* L.--logwood

- Halogeton (Chenopodiaceae)  
glomeratus (Bieb.) C. A. Mey.--halogeton, barilla
- Hamamelis (Hamamelidaceae)  
virginiana L.--witch-hazel
- Hancornia (Apocynaceae)  
speciosa Gomes--mangabeira
- Haplopappus (Asteraceae)  
arborescens (A. Gray) Hall--fleece goldenweed, golden-fleece  
canus (A. Gray) Blake  
spinulosus (Pursh) DC.  
tenuisectus (Greene) Blake ex Benson--burroweed
- Hedeoma (Lamiaceae)  
pulegioides (L.) Pers.--American pennyroyal
- Hedera (Araliaceae)  
helix L.--English ivy
- Hedysarum (Fabaceae)  
coronarium L.  
(onobrychis L.) = Onobrychis viciifolia
- Heisteria (Olacaceae)  
parvifolia Sm.
- Helenium (Asteraceae)  
amarum (Raf.) H. Rock--bitter sneezeweed, bitterweed  
(tenuifolium Nutt.) = H. amarum
- Helianthus (Asteraceae)  
annuus L.--sunflower  
annuus X H. tuberosus L.--sunchoke  
ciliaris DC.  
decapetalus L.  
tuberosus L.--Jerusalem-artichoke, girasole
- Heliotropium (Boraginaceae)  
curassavicum L.--seaside heliotrope  
indicum L.--Indian heliotrope, turnsole, alacransillo  
peruvianum L.
- Helleborus (Ranunculaceae)  
niger L.--Christmas-rose
- Helminthostachys (Ophioglossaceae)  
zeylanica (L.) Hook.--kamraj
- Hemarthria (Poaceae)  
altissima (Poir.) Stapf & C. E. Hubb.--limpo grass



Hemigraphis (Acanthaceae)  
reptans T. Anders. ex Hemsl.

Herniaria (Caryophyllaceae)  
glabra L.--rupturewort

Hesperis (Brassicaceae)  
matronalis L.--dame's-rocket

Heteranthera (Pontederiaceae)  
dubia (Jacq.) MacM.--water stargrass

Heteropogon (Poaceae)  
contortus (L.) Beauv. ex Roem. & Schult.--tanglehead

Hevea (Euphorbiaceae)  
benthamiana Muell.-Arg.  
brasiliensis (Willd. ex A. Juss.) Muell.-Arg.--rubber-tree  
[source of commercial rubber]

Hibiscus (Malvaceae) [TN]  
(abelmoschus L.) = Abelsonia moschatus  
cannabinus L.--kenaf  
elatus Sw.--Cuban bast, mountain mahoe, blue m.  
(esculentus L.) = Abelsonia esculentus  
kitaibelifolius St. Hil.  
lunarifolius Willd.  
(manihot L.) = Abelsonia manihot  
moscheutos L. subsp. moscheutos--swamp rose-mallow, mallow-rose  
moscheutos subsp. palustris (L.) R. Clausen--swamp rose-mallow,  
mallow-rose, marsh-mallow  
mutabilis L.--cotton-rose, confederate-rose  
(palustris L.) = H. moscheutos subsp. palustris  
rosa-sinensis L.--Chinese hibiscus, rose-of-China, Hawaiian h.  
rostellatus Guill. & Perr.  
sabdarriffa L.--roselle  
schizopetalus (Mast.) Hook. f.  
syriacus L.--shrub althea, rose-of-Sharon  
tiliaceus L.--sea hibiscus, mahoe, majagua  
trionum L.--Venice mallow, flower-of-an-hour

Hicoria (Juglandaceae)  
(pecan (Marsh.) Britt.) = Carya illinoensis

Hieracium (Asteraceae)  
aurantiacum L.--orange hawkweed, devil's-paintbrush  
florentinum All.--king devil hawkweed  
floribundum Wimm. & Grab.--yellow devil hawkweed  
pilosella L.--mouse-ear hawkweed  
pratense Tausch--yellow hawkweed  
vulgatum Fries--common hawkweed

Hierochloë (Poaceae)  
 odorata (L.) Beauv.--sweetgrass

Hilaria (Poaceae)  
 belangeri (Steud.) Nash--curly mesquite  
 jamesii (Torr.) Benth.--galleta grass  
 mutica (Buckl.) Benth.--tobosa grass

Hippocrepis (Fabaceae)  
 commutata Pau--hippocrepis

Hippomane (Euphorbiaceae)  
 mancinella L.--manchineel

Hitchenia (Zingiberaceae)  
 caulina (Grah.) Baker--chavar

Holcus (Poaceae)  
 lanatus L.--velvetgrass, Yorkshire fog (Br.)  
 mollis L.--German velvetgrass, creeping soft grass (Br.)

Homolepis (Poaceae)  
 aturensis (H.B.K.) Chase

Honckenya (Tiliaceae)  
 (H. ficifolia Willd.) = Clappertonia ficifolia

Hordeum (Poaceae)  
 bulbosum L.--bulbous barley  
 (distichon L.) = H. vulgare  
 (hexastichon L.) = H. vulgare  
 (irregulare Åberg & Wiebe) = H. vulgare  
 jubatum L.--foxtail barley  
 murinum L.--wall barley  
 pusillum Nutt.--little barley  
 (sativum Pers.) = H. vulgare  
 spontaneum K. Koch  
 vulgare L.--barley

Houttuynia (Saururaceae)  
 cordata Thunb.

Howea (Arecaceae) [TN]  
 belmoreana (C. Moore & F. v. Muell.) Becc.  
 forsterana (C. Moore & F. v. Muell.) Becc.--sentry palm

Hoya (Asclepiadaceae)  
 carnosa (L. f.) R. Br.--waxplant

Humulus (Moraceae)  
 lupulus L.--hops

Hyacinthus (Liliaceae)  
 orientalis L.--common hyacinth

Hydnocarpus (Flacourtiaceae)  
 alcalae C. DC.  
 anthelmintica Pierre ex Laness.  
 kurzii (King) Warb.--chaulmoogra  
 laurifolia (Dennst.) Sleum.  
 (wightiana Bl.) = H. laurifolia

Hydrangea (Hydrangeaceae)  
 arborescens L.--smooth hydrangea

Hydrastis (Ranunculaceae)  
 canadensis L.--goldenseal

Hydrilla (Hydrocharitaceae)  
 verticillata (L. f.) Royle--hydrilla

Hydrocotyle (Apiaceae)  
 sibthorpioides Lam.--lawn pennywort, lawn water p.  
 umbellata L.--water pennywort

Hymenaea (Fabaceae)  
 courbaril L.--West Indian-locust

Hymenoxys (Asteraceae)  
 odorata DC.--bitter rubberweed

Hyoscyamus (Solanaceae)  
 muticus L.  
 niger L.--black henbane, henbane

Hyparrhenia (Poaceae)  
 filipendula (Hochst.) Stapf  
 hirta (L.) Stapf  
 rufa (Nees) Stapf--jaragua grass

Hypericum (Clusiaceae)  
 perforatum L.--common St. John's-wort  
 punctatum Lam.--spotted St. John's-wort

Hyphaene (Arecaceae)  
 thebaica (L.) Mart.--dour palm

Hypochoeris (Asteraceae)  
 glabra L.--smooth cat's-ear  
 radicata L.--spotted cat's-ear, flatweed

Hyptis (Lamiaceae)  
 spicigera Lam.  
 suaveolens (L.) Poit.--wild spikenard

**Hyssopus** (Lamiaceae)  
*officinalis* L.--hyssop

**Iberis** (Brassicaceae)  
*amara* L.--rocket candytuft  
*umbellata* L.--globe candytuft

**Icacina** (Icacinaceae)  
*senegalensis* A. Juss.--false yam

**Ilex** (Aquifoliaceae)  
*aquifolium* L.--English holly  
*cassine* L.--dahoon, dahoon holly  
*cornuta* Lindl. & Paxt.--Chinese holly  
*crenata* Thunb.--Japanese holly  
*glabra* (L.) A. Gray--inkberry, gallberry  
*krugiana* Loes.--tawnyberry holly, Krug's h.  
*opaca* Ait.--American holly  
*paraguariensis* St. Hil.--maté  
*vomitorea* Ait.--yaupon

**Illicium** (Illiciaceae)  
*verum* Hook. f.--star anise-tree

**Impatiens** (Balsaminaceae)  
*balsamina* L.--garden balsam

**Imperata** (Poaceae)  
*(arundinacea* Cyr.) = *I. cylindrica*  
*cylindrica* (L.) Beauv.--cogongrass

**Indigofera** (Fabaceae)  
*arrecta* Hochst. ex A. Rich.  
*(endecaphylla* Lam.) = *I. spicata*  
*(hendecaphylla* Jacq.) = *I. spicata*  
*hirsuta* L.--hairy indigo  
*spicata* Forsk.  
*subulata* Poir.  
*suffruticosa* Mill.  
*(sumatrana* Gaertn.) = *I. tinctoria*  
*teysmannii* Miq.  
*tinctoria* L.--indigo

**Inga** (Fabaceae)  
*edulis* Mart.--ice cream bean  
*vera* Willd.

**Inula** (Asteraceae)  
*helenium* L.--elecampane

**Ipomoea** (Convolvulaceae)  
*alba* L.--moonflower

aquatica Forsk.--swamp morning-glory  
 batatas (L.) Lam.--sweet potato  
 (bona-nox L.) = *I. alba*  
 cairica (L.) Sweet--Cairo morning-glory  
 eriocarpa R. Br.  
 (fastigiata (Roxb.) Sweet) = *I. tiliacea*  
 gracilis R. Br.  
 hederacea (L.) Jacq.--ivy leaf morning-glory  
 (hispida (Vahl) Roem. & Schult.) = *I. eriocarpa*  
 horsfalliae Hook.  
 nil (L.) Roth  
 pandurata (L.) G. F. W. Mey.--bigroot morning-glory  
 pes-caprae (L.) R. Br.--beach morning-glory--[TN]  
 (pes-caprae (L.) Sweet) = *I. pes-caprae* (L.) R. Br.  
 pes-tigridis L.  
 purga (Wender.) Hayne--jalap  
 purpurea (L.) Roth--tall morning-glory, common morning-glory  
 quamoclit L.--cypressvine morning-glory  
 (reptans (L.) Poir.) = *I. aquatica*  
 stolonifera (Cyrill.) J. F. Gmel.--seafoam morning-glory  
 tiliacea (Willd.) Choisy  
 trichocarpa Ell.  
 tricolor Cav.  
 trifida (H.B.K.) G. Don  
 tuba (Schlecht.) G. Don  
 turbinata Lag.--purple moonflower--[TN]  
 (turpethum (L.) R. Br.) = *Operculina turpethum*  
 (violacea L.) = *I. tricolor*

Iris (Iridaceae) [TN]

(florentina L.) = *I. X germanica* var. *florentina*  
*X germanica* L. var. *florentina* (L.) Dykes--orris  
 pseudacorus L.--yellowflag iris

Isatis (Brassicaceae)

tinctoria L.--dyer's-woad, woad

Ischaemum (Poaceae)

(angustifolium (Trin.) Hack.) = *Eulaliopsis binata*  
 (ciliare Retz.) = *I. indicum*  
 indicum (Houtt.) Merr.

Isonandra (Sapotaceae)

(gutta Hook.) = *Palaquium gutta*

Iva (Asteraceae)

frutescens var. *oraria* (Bart.) Fern. & Grisc.  
 xanthifolia Nutt.--marsh-elder

Ixophorus (Poaceae)

unisetus (C. Presl) Schlecht.

Ixora (Rubiaceae)  
     *coccinea* L.--flame-of-the-woods

Jacaranda (Bignoniaceae)  
     *mimosifolia* D. Don--jacaranda

Jarilla (Caricaceae)  
     *chocola* Standl.

Jasminum (Oleaceae) [TN]  
     *azoricum* L.  
     *grandiflorum* L.--royal jasmine  
     *mesnyi* Hance--Japanese jasmine  
     *nudiflorum* Lindl.--winter jasmine  
     *officinale* L.--poet's jessamine  
     (*primulinum* Hemsl.) = *J. mesnyi*  
     *sambac* (L.) Ait.

Jateorhiza (Menispermaceae)  
     (*miersii* Oliv.) = *J. palmata*  
     *palmata* (Lam.) Miers

Jatropha (Euphorbiaceae)  
     (*aconitifolia* Mill.) = *Cnidoscolus aconitifolius*  
     *curcas* L.  
     *dioica* Cerv.--leatherstem, sangre-de-drago  
     (*manihot* L.) = *Manihot esculenta*  
     (*urens* L.) = *Cnidoscolus urens*

Jubaea (Arecaceae)  
     *chilensis* (Mol.) Baill.--Chile coco palm

Juglans (Juglandaceae)  
     *ailantifolia* Carr.--[TN]  
     *boliviana* (C. DC.) Dode  
     *californica* S. Wats.--California walnut  
     (*californica* var. *hindsii* Jeps.) = *J. hindsii*  
     *cinerea* L.--butternut  
     *hindsii* Jeps. ex R. E. Sm.--Hind's walnut--[TN]  
     *honorei* Dode--Ecuador walnut  
     *nigra* L.--black walnut  
     *regia* L.--English walnut, Persian w.  
     (*sieboldiana* Maxim.) = *J. ailantifolia*

Juncus (Juncaceae)  
     *balticus* Willd.--Baltic rush  
     *bufonius* L.--toad rush  
     *effusus* L.--soft rush  
     *maritimus* Lam.--sparto  
     *tenuis* Willd.--slender rush, path r.

Juniperus (Cupressaceae)

chinensis L.--Chinese juniper  
communis L.--common juniper  
monosperma (Engelm.) Sarg.--one-seed juniper  
pinchotii Sudw.--redberry juniper, Pinchot j.  
sabina L.--savin  
virginiana L.--eastern red-cedar

Jussiaea (Onagraceae)  
(decurrens (Walt.) DC.) = Ludwigia decurrens  
(repens L. var. glabrescens Ktze.) = Ludwigia peploides subsp. peploides  
(uruguayensis Camb.) = Ludwigia uruguayensis

Justicia (Acanthaceae)  
adhatoda L.--Malabar-nut

Kaempferia (Zingiberaceae)  
galanga L.--galanga  
rotunda L.

Kalanchoë (Crassulaceae)  
tomentosa Baker

Kalmia (Ericaceae)  
angustifolia L.--sheep laurel, lambkill  
latifolia L.--mountain laurel

Kerstingiella (Fabaceae)  
geocarpa Harms--Kersting's groundnut, geocarpa g.

Kigelia (Bignoniaceae)  
africana (Lam.) Benth.--sausage-tree--[TN]  
(pinnata (Jacq.) DC.) = K. africana

Kochia (Chenopodiaceae) [TN]  
scoparia (L.) Schrad.--kochia, summer-cypress

Koelreuteria (Sapindaceae)  
paniculata Laxm.--goldenrain-tree

Kyllinga (Cyperaceae)  
(brevifolia Rottb.) = Cyperus brevifolius

Lablab (Fabaceae)  
(niger Medik.) = Dolichos lablab  
(purpureus (L.) Sweet) = Dolichos lablab  
(vulgaris Savi) = Dolichos lablab

Lactuca (Asteraceae)  
canadensis L.--tall lettuce, Canada wild l.  
indica L.  
pulchella (Pursh) DC.--blue lettuce  
saligna L.--willowleaf lettuce

Lactuca (continued)

sativa L.--(sens. lat. incl.) garden lettuce, celtuce  
(scariola L.) = L. serriola  
serriola L.--prickly lettuce  
virosa L.

Lagenaria (Cucurbitaceae)

(leucantha (Duch.) Rusby) = L. siceraria  
siceraria (Mol.) Standl.--white-flowered gourd, calabash g.  
(vulgaris Ser.) = L. siceraria

Lagetta (Thymelaeaceae)

lagetta (Sw.) Nash--lacebark, lagetto  
(linteraria Lam.) = L. lagetto

Laguncularia (Combretaceae)

racemosa (L.) Gaertn. f.--white mangrove

Lamium (Lamiaceae)

album L.--white deadnettle  
amplexicaule L.--henbit  
maculatum L.--spotted deadnettle  
purpureum L.--purple deadnettle, red d.

Landolphia (Apocynaceae)

heudelotii A. DC.--Landolphia rubber  
kirkii Dyer  
owariensis Beauv.

Languas (Zingiberaceae)

(galanga (L.) Stuntz) = Alpinia galanga  
(officinarum (Hance) Farw.) = Alpinia officinarum

Lansium (Meliaceae)

domesticum Corr.--langsat

Lantana (Verbenaceae)

camara L.--lantana

Lappa (Asteraceae)

(major Gaertn.) = Arctium lappa

Lappula (Boraginaceae)

echinata Gilib.--European sticktight, stickseed

Lapsana (Asteraceae)

communis L.--nipplewort

Larix (Pinaceae)

decidua Mill.--European larch  
kaempferi (Lamb.) Carr.--Japanese larch  
laricina (Du Roi) K. Koch--tamarack  
occidentalis Nutt.--western larch



Larrea (Zygophyllaceae)  
(mexicana Moric.) = L. tridentata  
tridentata (DC.) Cov.--creosote-bush

Lasiurus (Poaceae)  
sindicus Henr.

Lathyrus (Fabaceae)  
aphaca L.--yellow pea  
cicera L.  
hirsutus L.--rough pea, Caley p.  
latifolius L.--everlasting pea, perennial p.  
odoratus L.--sweet pea  
sativus L.--grass pea, chickling vetch, chickling p.  
sylvestris L.--flat pea, flat peavine  
tingitanus L.--Tangier pea

Laurocerasus (Rosaceae)  
(officinalis M. J. Roem.) = Prunus laurocerasus

Laurus (Lauraceae)  
(camphora L.) = Cinnamomum camphora  
nobilis L.--bay, laurel, Grecian l.

Lavandula (Lamiaceae) [TN]  
angustifolia Mill.--lavender  
latifolia Medik.--broad-leaved lavender  
(officinalis Chaix) = L. angustifolia  
stoechas L.--French lavender  
(vera DC.) = L. angustifolia

Lawsonia (Lythraceae)  
(alba Lam.) = L. inermis  
inermis L.--henna

Lecythis (Lecythidaceae)  
(elliptica H.B.K.) = L. minor  
minor Jacq.  
ollaria L.  
zabucajo Aubl.--paradise-nut, sapucaia-nut

Leersia (Poaceae)  
hexandra Sw.--southern cutgrass  
oryzoides (L.) Sw.--rice cutgrass

Lemna (Lemnaceae)  
gibba L.  
minor L.--common duckweed  
parodiana Giardelli  
trisulca L.--star duckweed

Lens (Fabaceae)

culinaris Medik.--lentil--[TN]  
(esculenta Moench) = L. culinaris

Leonurus (Lamiaceae)

cardiaca L.--motherwort

Leopoldinia (Arecaceae)

piassaba Wallace--Para piassava

Lepidium (Brassicaceae)

campestre (L.) R. Br.--field pepperweed  
meyenii Walp.--maca  
sativum L.--garden cress  
virginicum L.--Virginia pepperweed, peppergrass

Leptochloa (Poaceae)

filiformis (Lam.) Beauv.--red sprangletop

Leptocoryphium (Poaceae)

lanatus (H.B.K.) Nees

Leptospermum (Myrtaceae)

laevigatum (Gaertn.) F. v. Muell.--Australian tea-tree

Lespedeza (Fabaceae)

bicolor Turcz.--bicolor lespedeza  
capitata Michx.  
cuneata (Dum.) G. Don--sericea lespedeza  
cyrtobotrya Miq.  
intermedia (S. Wats.) Britt.  
(sericea (Thunb.) Miq.) = L. cuneata  
stipulacea Maxim.--Korean lespedeza  
striata (Thunb. ex Murr.) Hook. & Arn.--common lespedeza, striate l.,  
Japanese l.  
thunbergii (DC.) Nakai  
virginica (L.) Britt.

Lesquerella (Brassicaceae)

fendleri (A. Gray) S. Wats.--Fendler bladderpod  
gordonii (A. Gray) S. Wats.--Gordon bladderpod

Leucaena (Fabaceae)

(glauca auct.) = L. leucocephala  
leucocephala (Lam.) de Wit--leucaena, leadtree, jumbie bean--[TN]

Leucophyllum (Scrophulariaceae)

frutescens (Berland.) I. M. Johnst.--ceniza

Levisticum (Apiaceae)

officinale W.D.J. Koch--lovage

- Liatris (Asteraceae)  
 spicata (L.) Willd.--blazing-star
- Libocedrus (Cupressaceae)  
 (decurrens Torr.) = Calocedrus decurrens
- Licania (Chrysobalanaceae)  
 arborea Seem.  
 platypus (Hemsl.) Fritsch  
 rigida Benth.--oiticica
- Ligustrum (Oleaceae) [TN]  
 amurense Carr.--Amur privet  
 lucidum Ait.--glossy privet  
 obtusifolium Sieb. & Zucc.  
 ovalifolium Hassk.--California privet  
 quihoui Carr.  
 sempervirens (Franch.) Linglesh.  
 sinense Lour.  
 vulgare L.--common privet
- Lilium (Liliaceae)  
 candidum L.--Madonna lily  
 longiflorum Thunb.--trumpet lily  
 martagon L.--martagon lily
- Limnanthes (Limnanthaceae)  
 alba Hartw.--meadowfoam  
 bakeri J. T. Howell--meadowfoam  
 douglasii R. Br.--meadowfoam
- Limnobium (Hydrocharitaceae)  
 spongia (Bosc) Steud.--frogbit
- Linaria (Scrophulariaceae) [TN]  
 canadensis (L.) Dumont--oldfield toadflax  
 (dalmatica (L.) Mill.) = L. genistifolia subsp. dalmatica  
 genistifolia (L.) Mill. subsp. dalmatica (L.) Maire & Petitmengin--  
 Dalmatian toadflax  
 vulgaris Mill.--yellow toadflax, butter-and-eggs
- Lindera (Lauraceae)  
 benzoin (L.) Bl.--spicebush
- Linum (Linaceae)  
 usitatissimum L.--flax
- Lippia (Verbenaceae)  
 (citriodora (Ort.) Pers.) = Aloysia triphylla  
 graveolens H.B.K.--oregano (in part)  
 micromera Schau.--Spanish thyme  
 (nodiflora (L.) Michx.) = Phyla nodiflora

Lippia (continued)  
 (triphylla (L'Hér.) Ktze.) = Aloysia triphylla

Liquidambar (Altingiaceae)  
 orientalis Mill.  
 styraciflua L.--sweetgum

Liriodendron (Magnoliaceae)  
 tulipifera L.--yellow-poplar, tuliptree, tulip-poplar

Litchi (Sapindaceae)  
 chinensis Somn.--litchi, lychee

Lithospermum (Boraginaceae)  
 arvense L.--corn gromwell  
 ruderale Dougl. ex Lehm.--western gromwell

Litsea (Lauraceae)  
 cubeba (Lour.) Pers.

Lobelia (Campanulaceae)  
 inflata L.--Indian-tobacco

Lobularia (Brassicaceae)  
 maritima (L.) Desv.--sweet alyssum

Lochnera (Apocynaceae)  
 (rosea (L.) Reichenb.) = Catharanthus roseus

Lolium (Poaceae) [TN]  
 multiflorum Lam.--annual ryegrass, Italian r.  
 perenne L.--perennial ryegrass, English r.  
 persicum Boiss. & Hohen. ex Boiss.--Persian darnel  
 rigidum Gaud.--Wimmera ryegrass (in part)  
 rigidum X L. multiflorum--Wimmera ryegrass (in part)  
 temulentum L.--darnel

Lonchocarpus (Fabaceae)  
 cyaneus (Schum. & Thonn.) Benth.  
 nicou (Aubl.) DC.  
 urucu Killip & A. C. Sm.  
 utilis A. C. Sm.

Lonicera (Caprifoliaceae)  
 japonica Thunb.--Japanese honeysuckle

Lophophora (Cactaceae)  
 williamsii (Lem. ex Salm-Dyck) Coult.--peyote--[TN]

Lotus (Fabaceae) [TN]  
 corniculatus L.--birdsfoot trefoil  
 micranthus Benth.

pedunculatus Cav.  
(pedunculatus auct. non Cav.) = *L. uliginosus*  
tenuis Waldst. & Kit. ex Willd.--narrowleaf trefoil  
(tetragonolobus L.) = *Tetragonolobus purpureus*  
uliginosus Schkuhr

Lucuma (Sapotaceae)  
(nervosa A. DC.) = *Pouteria campechiana*

Ludwigia (Onagraceae)  
decurrens Walt.--winged waterprimrose  
palustris (L.) Ell.--waterpurslane  
peplodes (H.B.K.) Raven subsp. peplodes--creeping waterprimrose  
uruguayensis (Camb.) Hara

Luffa (Cucurbitaceae) [TN]  
acutangula (L.) Roxb.--angled luffa, singkwa towelgourd  
aegyptiaca Mill.--luffa, loofah, vegetable sponge, smooth loofah  
(cylindrica M. J. Roem.) = *L. aegyptiaca*  
operculata (L.) Cogn.

Lunaria (Brassicaceae)  
annua L.--honesty

Lupinus (Fabaceae)  
albus L.--white lupine, Egyptian l.  
angustifolius L.--European blue lupine  
luteus L.--European yellow lupine  
(termis Forsk.) = *L. albus*

Lychnis (Caryophyllaceae)  
(alba Mill.) = *Silene alba*

Lycium (Solanaceae)  
chinense Mill.--gow-kee

Lycopersicon (Solanaceae) [TN]  
cheesmanii Riley  
(chilense Dunal) = *L. peruvianum* var. *dentatum*  
esculentum Mill.--tomato--[NC], [TN]  
esculentum var. *cerasiforme* (Dunal) A. Gray--cherry tomato  
(esculentum var. *commune* Bailey) = *L. esculentum*  
(esculentum var. *grandifolium* Bailey) = *L. esculentum*  
(esculentum var. *pyriforme* (Dunal) Alef.) = *L. esculentum* f. *pyriforme*  
esculentum f. *pyriforme* (Dunal) C. H. Muller--pear tomato  
(esculentum var. *validum* Bailey) = *L. esculentum*  
glandulosum C. H. Muller  
hirsutum Humb. & Bonpl.  
(lycopersicum (L.) Farw.) = *L. esculentum*  
peruvianum (L.) Mill. var. *peruvianum*  
peruvianum var. *dentatum* (Dunal) Dunal  
peruvianum var. *humifusum* C. H. Muller

Lycopersicon (continued)  
   pimpinellifolium (L.) Mill.--currant tomato

Lygeum (Poaceae)  
   spartum Loefl. ex L.

Lysimachia (Primulaceae)  
   nummularia L.--moneywort  
   terrestris (L.) B.S.P.--swamp loosestrife

Lythrum (Lythraceae)  
   salicaria L.--purple loosestrife, spiked l.

Maackia (Fabaceae)  
   amurensis Rupr. & Maxim.--amur maackia

Macadamia (Proteaceae) [TN]  
   integrifolia Maiden & Betche--macadamia-nut (cultivated)  
   ternifolia F. v. Muell.--gympie-nut  
   tetraphylla L. Johnson--macadamia-nut (cultivated)

Macfadyena (Bignoniaceae)  
   unguis-cati (L.) A. Gentry--catclaw-vine

Maclura (Moraceae)  
   pomifera (Raf.) Schneid.--osage-orange

Macroptilium (Fabaceae) [TN]  
   atropurpureum (DC.) Urb.--siratro, purple bean, conchito  
   lathyroides (L.) Urb.

Macrotyloma (Fabaceae)  
   axillare (E. Mey.) Verdc.  
   uniflorum (Lam.) Verdc.--horse gram

Madhuca (Sapotaceae)  
   butyracea (Roxb.) Macbr.  
   indica Gmel.--moa-tree  
   (latifolia (Roxb.) Macbr.) = M. indica  
   longifolia (L.) Macbr.--mahua

Madia (Asteraceae)  
   sativa Mol.--Chilean tarweed, coast t.

Magnolia (Magnoliaceae)  
   acuminata (L.) L.--cucumbertree  
   fraseri Walt.--Fraser magnolia  
   grandiflora L.--southern magnolia  
   X soulangiana Soul.  
   stellata (Sieb. & Zucc.) Maxim.--star magnolia  
   virginiana L.--sweetbay magnolia, sweetbay

Majorana (Lamiaceae)

(hortensis Moench) = *Origanum majorana*  
(onites (L.) Benth.) = *Origanum onites*

*Malpighia* (Malpighiaceae) [TN]

*coccigera* L.

*glabra* L.--huesito, Barbados-cherry, acerola

*punicifolia* L.--acerola, West Indian-cherry, Barbados-cherry

*Malus* (Rosaceae)

*angustifolia* (Ait.) Michx.--southern crabapple (or crab-apple, crab apple)

*baccata* (L.) Borkh.--Siberian crabapple

*coronaria* (L.) Mill.--sweet crabapple

(*domestica* Borkh.) = *M. sylvestris* var. *domestica*

*ioensis* (Wood) Britt.--prairie crabapple

(*pumila* Mill.) = *M. sylvestris*

X *soulardii* (Bailey) Britt.--(*M. ioensis* X *M. sylvestris*)--Soulard crabapple

*sylvestris* Mill.--(sens. lat. incl. var. *domestica* (Borkh.) Mansf.)--apple--[NC], [TN]

*Malva* (Malvaceae) [TN]

*moschata* L.--musk mallow

*neglecta* Wallr.--common mallow, cheeses

*parviflora* L.--little mallow

*pusilla* Sm.--dwarf mallow

(*rotundifolia* L.) = *M. pusilla*

(*rotundifolia* auct. non L.) = *M. neglecta*

*sylvestris* L.--high mallow

*Mammea* (Clusiaceae)

*africana* Sabine--African mammy-apple

*americana* L.--mammy-apple, mammee-apple

*Mandragora* (Solanaceae) [TN]

*autumnalis* Bertol.--mandrake

*officinarum* L.--mandrake

*vernalis* Bertol.--mandrake

*Mangifera* (Anacardiaceae)

*caesia* Jack ex Wall.

*foetida* Lour.

*indica* L.--mango

*odorata* Griff.

*Manihot* (Euphorbiaceae) [TN]

(*aipi* Pohl) = *M. esculenta*

*caerulescens* Pohl subsp. *caerulescens*--manicoba

*catingae* Ule--manicoba brava

*dichotoma* Ule--manicoba rubber

(*dulcis* (J. F. Gmel.) Pax) = *M. esculenta*

*esculenta* Crantz--cassava, manioc, yuca, tapioca-plant

Manihot (continued)

glaziovii Muell.-Arg.--ceara rubber-tree  
(melanobasis Muell.-Arg.) = M. esculenta  
(piauhensis Ule) = M. caerulescens subsp. caerulescens  
(saxicola Lanj.) = M. tristis subsp. saxicola  
tristis Muell.-Arg. subsp. saxicola (Lanj.) Rogers & Appan  
(utilissima Pohl) = M. esculenta

Manilkara (Sapotaceae)

(achras (Mill.) Fosb.) = M. zapota  
bidentata (A. DC.) A. Chev.--balata  
zapota (L.) van Royen--sapodilla, chicle, nispero, naseberry--[TN]  
(zapotilla (Jacq.) Gilly) = M. zapota

Manisuris (Poaceae)

(altissima (Poir.) Hitchc.) = Hemarthria altissima

Maranta (Marantaceae)

arundinacea L.--arrowroot

Marantochloa (Marantaceae)

cuspidata (Rosc.) Milne-Redh.  
(flexuosa (Benth.) Hutch.) = M. cuspidata  
ramosissima (Benth.) Hutch.

Marrubium (Lamiaceae)

vulgare L.--horehound, white h.

Marsdenia (Asclepiadaceae)

reichenbachii Triana--condorvine

Martynia (Martyniaceae)

(louisiana Mill.) = Proboscidea louisianica  
(proboscidea Glox.) = Proboscidea louisianica

Matricaria (Asteraceae) [TN]

chamomilla L.--wild chamomile, sweet false c., German c.  
(discoidea DC.) = M. matricarioides  
inodora L.--scentless mayweed  
matricarioides (Less.) Porter--pineapple-weed

Matthiola (Brassicaceae)

incana (L.) R. Br.--stock

Mauritia (Arecaceae)

flexuosa L. f.--muriti  
(vinifera Mart.) = M. flexuosa

Medicago (Fabaceae) [TN]

arabica (L.) Huds.--spotted burclover  
(denticulata Willd.) = M. polymorpha  
falcata L.--yellow-flowered alfalfa



(hispidula Gaertn.) = *M. polymorpha*  
littoralis Rohde ex Loisel.  
lupulina L.--black medic  
(maculata Sibth.) = *M. arabica*  
(media Pers.) = *M. sativa* subsp. *varia*  
minima (L.) Bartal.--little burclover  
orbicularis (L.) Bartal.--buttonclover  
(polycarpa Willd.) = *M. polymorpha*  
polymorpha L.--(incl. var. *vulgaris* (Benth.) Shinnery)--California  
burclover  
rigidula (L.) All.--Tifton burclover  
rugosa Desr.  
sativa L. subsp. *sativa*--alfalfa, lucerne  
sativa subsp. *varia* (Martyn) Arc.  
scutellata (L.) Mill.--snail medic  
(tribuloides Desr. ex Lam.) = *M. truncatula*  
truncatula Gaertn.--barrelclover  
(X *varia* Martyn) = *M. sativa* subsp. *varia*

Melaleuca (Myrtaceae) [TN]  
cajuputi Powell--cajeput  
leucadendron (L.) L.--cajeput

Melanorrhoea (Anacardiaceae)  
usitata Wall.--Burmese lacquer

Melia (Meliaceae)  
(azadirachta L.) = *Azadirachta indica*  
azedarach L.--chinaberry

Melicoccus (Sapindaceae) [TN]  
bijugatus Jacq.--Spanish lime

Melilotus (Fabaceae)  
alba Medik.--white sweetclover--[TN]  
altissima Thuill.--tall yellow sweetclover  
indica (L.) All.--sourclover, Indian sweetclover, annual yellow  
sweetclover  
officinalis Lam.--yellow sweetclover--[NC], [TN]  
segetalis (Brot.) Ser.  
suaveolens Ledeb.

Melinis (Poaceae)  
minutiflora Beauv.--molasses grass

Melissa (Lamiaceae)  
officinalis L.--lemon balm

Mentha (Lamiaceae) [TN]  
aquatica L.  
arvensis L.--field mint, Japanese m., corn m.  
(cardiaca (S. F. Gray) Baker) = *M. X gentilis*

Mentha (continued)

- (citrata Ehrh.) = M. X piperita var. citrata
- X gentilis L.--(M. arvensis X M. spicata)--red mint, Scotch spearmint
- X piperita L.--(M. aquatica X M. spicata)--peppermint
- X piperita var. citrata (Ehrh.) Briq.--lemon mint
- pulegium L.--European pennyroyal
- requienii Benth.
- rotundifolia (L.) Huds.--applemint
- spicata L.--spearmint
- (viridis (L.) L.) = M. spicata

Mesembryanthemum (Aizoaceae)

- crystallinum L.--ice-plant

Mespilus (Rosaceae)

- germanica L.--medlar

Metasequoia (Taxodiaceae)

- glyptostroboides Hu & Cheng--dawn redwood

Metroxylon (Arecaceae)

- amicarum (Wendl.) Becc.--Caroline ivory nut palm
- (rumphii (Willd.) Mart.) = M. sagu
- sagu Rottb.--sago palm

Michelia (Magnoliaceae)

- champaca L.

Micrandra (Euphorbiaceae)

- minor Benth.

Mikania (Asteraceae)

- scandens (L.) Willd.--climbing hempweed

Mimosa (Fabaceae)

- (farnesiana L.) = Acacia farnesiana
- pigra L.
- pudica L.--sensitive-plant
- schomburgkii Benth.

Mirabilis (Nyctaginaceae)

- jalapa L.--common four-o'clock

Miscanthus (Poaceae)

- sinensis Anderss.--miscanthus

Mollugo (Aizoaceae)

- verticillata L.--carpetweed

Momordica (Cucurbitaceae)

- balsamina L.--balsam-apple, wonder-apple
- charantia L.--bitter gourd, balsam-pear, balsam-apple

cochinchinensis (Lour.) Spreng.  
dioica Roxb. ex Willd.

Monarda (Lamiaceae)  
didyma L.--Oswego tea  
fistulosa L.--wild bergamot  
punctata L.--spotted beebalm, horsemint

Monodora (Annonaceae)  
myristica (Gaertn.) Dunal--calabash nutmeg

Monstera (Araceae)  
deliciosa Liebm.--ceriman, monstera

Montia (Portulacaceae)  
(perfoliata (Donn ex Willd.) Howell) = Claytonia perfoliata

Morinda (Rubiaceae)  
citrifolia L.--Indian-mulberry

Moringa (Moringaceae)  
oleifera Lam.--horseradish-tree  
(pterygosperma Gaertn.) = M. oleifera

Morrenia (Asclepiadaceae)  
odorata (Hook. & Arn.) Lindl.--strangler-vine

Morus (Moraceae)  
alba L.--white mulberry  
nigra L.--black mulberry  
rubra L.--red mulberry

Mucuna (Fabaceae) [TN]  
aterrima (Piper & Tracy) Holland--Mauritius bean, Bengal b.  
deeringiana (Bort) Merr.--velvetbean  
pruriens (L.) DC.--cowage velvetbean  
rostrata Benth.  
sloanei Fawc. & Rendle

Muhlenbergia (Poaceae)  
asperifolia (Nees & Mey.) Parodi--alkali muhly, scratchgrass  
macroura (H.B.K.) Hitchc.  
mexicana (L.) Trin.--Mexican muhly  
schreberi Gmel.--nimblewill  
wrightii Vasey--spike muhly

Murraya (Rutaceae)  
koenigii (L.) Spreng.--curry-leaf-tree  
paniculata (L.) Jack--orange jessamine

Musa (Musaceae) [TN]  
acuminata Colla--dwarf banana

Musa (continued)

balbisiana Colla

(cavendishii Lamb. & Paxt.) = *M. acuminata*

(ensete Gmel.) = *Ensete ventricosum*

X paradisiaca L.--banana, plantain--[NC], [TN]

(paradisiaca var. sapientum (L.) Ktze.) = *M. X paradisiaca*

(sapientum L.) = *M. X paradisiaca*

textilis Néé--abaca, Manila hemp

Myrciaria (Myrtaceae) [TN]

cauliflora (Mart.) Berg--jaboticaba, Brazilian grape-tree

Myriophyllum (Haloragaceae)

brasiliense Camb.--parrotfeather

exalbescens Fern.--northern watermilfoil

heterophyllum Michx.--broadleaf watermilfoil, variable w.

spicatum L.--Eurasian watermilfoil

verticillatum L.--whorled watermilfoil

Myristica (Myristicaceae)

fragrans Houtt.--nutmeg, mace

(officinalis L. f.) = *M. fragrans*

Myroxylon (Fabaceae)

balsamum (L.) Harms--balsam-of-Tolu, Tolu balsam

balsamum var. pereirae (Royle) Harms--balsam-of-Peru

(pereirae (Royle) Kl.) = *M. balsamum* var. *pereirae*

Myrrhis (Apiaceae)

odorata (L.) Scop.--myrrh

Myrtus (Myrtaceae)

communis L.--myrtle, Indian buchu

Najas (Najadaceae)

flexilis (Willd.) Rostk. & Schmidt--slender naiad

guadalupensis (Spreng.) Magnus--southern naiad

marina L.--hollyleaf naiad, spiny n., marine n.

Narcissus (Amaryllidaceae)

jonquilla L.--jonquil

poeticus L.--poet's narcissus

pseudonarcissus L.--common daffodil

tazetta L.--polyanthus narcissus

Nasturtium (Brassicaceae)

(armoracia (L.) Fries) = *Armoracia rusticana*

microphyllum (Boenn.) Reichenb.

(nasturtium-aquaticum (L.) Karst.) = *N. officinale*

officinale R. Br.--watercress

Nelumbium (Nymphaeaceae)

(nelumbo (L.) Druce) = *Nelumbo nucifera*  
(speciosum Willd.) = *Nelumbo nucifera*

*Nelumbo* (Nymphaeaceae)

*lutea* (Willd.) Pers.--American lotus  
*nucifera* Gaertn.--lotus, sacred l., East Indian l.

*Nepeta* (Lamiaceae)

*cataria* L.--catnip  
(*hederacea* (L.) Trev.) = *Glechoma hederacea*

*Nephelium* (Sapindaceae)

*lappaceum* L.--rambutan  
(*litchi* Camb.) = *Litchi chinensis*  
*mutabile* Bl.--pulasan

*Nephrolepis* (Davalliaceae)

*exaltata* (L.) Schott--sword fern

*Nerium* (Apocynaceae)

*oleander* L.--oleander

*Nicandra* (Solanaceae)

*physalodes* (L.) Gaertn.--apple-of-Peru

*Nicotiana* (Solanaceae) [TN]

*alata* Link & Otto--winged tobacco  
*attenuata* Torr. ex S. Wats.  
*bigelovii* (Torr.) S. Wats.  
*clevelandii* A. Gray  
*debneyi* Domin  
*excelsior* (Black) Black  
*forgetiana* Hort. ex Hemsley  
*glauca* Grah.--tree tobacco  
*glutinosa* L.  
*gossei* Domin  
*ingulba* Black  
*langsdorffii* Weinm.  
*longiflora* Cav.  
*megalosiphon* Heurck & Muell.-Arg.  
*otophora* Griseb.  
*paniculata* L.  
*plumbaginifolia* Viv.  
*repanda* Willd. ex Lehm.  
*rustica* L.--Aztec tobacco  
X *sanderæ* Hort. ex W. Wats.  
*suaveolens* Lehm.  
*sylvestris* Speg. & Comes  
*tabacum* L.--tobacco  
*tomentosa* Ruiz & Pavon  
*tomentosiformis* Goodsp.  
*undulata* Ruiz & Pavon

- Nigella (Ranunculaceae)  
 hispanica L.--Spanish-fennel  
 sativa L.--black cumin
- Nopalea (Cactaceae)  
 cochenillifera (L.) Salm-Dyck--cochineal cactus
- Nothopanax (Araliaceae)  
 (fruticosum (L.) Miq.) = Polyscias fruticosa  
 (pinnata (Lam.) Miq.) = Polyscias rumphiana
- Nuphar (Nymphaeaceae) [TN]  
 luteum (L.) Sibth. & Sm.--spatterdock
- Nymphaea (Nymphaeaceae)  
 lotus L.--Egyptian lotus  
 odorata Ait.--fragrant waterlily
- Nyssa (Nyssaceae)  
 aquatica L.--water tupelo  
 sylvatica Marsh.--black tupelo, black gum, sourg., tupelo
- Ocimum (Lamiaceae) [TN]  
 (americanum L.) = O. basilicum (in part), O. canum (in part)  
 basilicum L.--basil  
 canum Sims--hoary basil  
 gratissimum L.  
 kilimandscharicum Guercke--hoary basil, camphor b.  
 sanctum L.--holy basil  
 (viride Willd.) = O. gratissimum
- Oenanthe (Apiaceae)  
 javanica (Bl.) DC.--water dropwort  
 (stolonifera Wall.) = O. javanica
- Oenothera (Onagraceae)  
 biennis L.--common evening-primrose  
 laciniata Hill--cutleaf evening-primrose
- Olea (Oleaceae)  
 europaea L.--olive
- Oncoba (Flacourtiaceae)  
 (echinata Oliv.) = Caloncoba echinata
- Ongokea (Olacaceae)  
 gore (Hua) Pierre--boleko-nut  
 (klaineana Pierre) = O. gore
- Onobrychis (Fabaceae)  
 (sativa Lam.) = O. viciifolia  
 (viciaefolia) = O. viciifolia

*viciifolia* Scop.--sainfoin  
*Onopordum* (Asteraceae)  
*acanthium* L.--Scotch thistle  
*Onosma* (Boraginaceae)  
*echioides* L.  
*Operculina* (Convolvulaceae)  
*turpethum* (L.) Manso--Indian jalap  
*Ophiopogon* (Liliaceae)  
*japonicus* (L. f.) Ker--dwarf lilyturf, snake's-beard  
*Opuntia* (Cactaceae)  
*ficus-indica* (L.) Mill.--Indianfig pricklypear  
*lindheimeri* Engelm.--Lindheimer pricklypear, Texas p.  
*megacantha* Salm-Dyck--mission pricklypear  
*tuna* (L.) Mill.--elephant-ear pricklypear  
*vulgaris* Mill.  
*Orbignya* (Arecaceae) [TN]  
*barbosiana* Burret--babassu  
*cohune* (Mart.) Dahlgr. ex Standl.--cohune palm  
*oleifera* Burret  
(*speciosa* (Mart.) Barb. Rodr.) = *O. barbosiana*  
*Origanum* (Lamiaceae) [TN]  
*majorana* L.--sweet marjoram  
*maru* L.--Egyptian marjoram  
*onites* L.--pot marjoram  
*vulgare* L.--wild marjoram, oregano (in part)  
*Ornithogalum* (Liliaceae)  
*umbellatum* L.--star-of-Bethlehem  
*Ornithopus* (Fabaceae)  
*sativus* Brot.--serradella  
*Orobanche* (Orobanchaceae)  
*minor* Sm.--clover broomrape  
*ramosa* L.--hemp broomrape  
*Oryza* (Poaceae)  
*glaberrima* Steud.--African rice  
*sativa* L.--rice  
*Oryzopsis* (Poaceae)  
*holciformis* (Bieb.) Hack.  
*hymenoides* (Roem. & Schult.) Ricker--Indian ricegrass  
*miliacea* (L.) Aschers. & Schweinf.--smilgrass--[TN]

Osmanthus (Oleaceae)

X fortunei Carr.--Fortune's osmanthus  
fragrans (Thunb.) Lour.--sweet osmanthus  
heterophyllus (G. Don) P. S. Green--holly osmanthus  
(ilicifolius (Hassk.) Mouillef.) = O. heterophyllus

Osmunda (Osmundaceae)

cinnamomea L.--cinnamon fern  
claytoniana L.--interrupted fern  
regalis L.--royal fern

Ostrya (Betulaceae)

virginiana (Mill.) K. Koch--eastern hophornbeam

Oxalis (Oxalidaceae)

acetosella L.  
(cernua Thunb.) = O. pes-caprae  
corniculata L.--creeping woodsorrel, creeping lady's-sorrel  
corymbosa DC.--pink woodsorrel  
europaea Jordan--common yellow woodsorrel, upright yellow sorrel  
(martiana Zucc.) = O. corymbosa  
pes-caprae L.--buttercup oxalis, Bermuda-buttercup  
(repens Thunb.) = O. corniculata  
rubra St. Hil.--rose woodsorrel  
stricta L.--yellow woodsorrel, common yellow w.  
tuberosa Mol.--oca

Oxandra (Annonaceae)

lanceolata (Sw.) Baill.--lancewood

Oxydendrum (Ericaceae)

arboreum (L.) DC.--sourwood

Oxytenanthera (Poaceae)

abyssinica (A. Rich.) Munro

Oxytropis (Fabaceae)

lambertii Pursh--Lambert loco, Lambert crazyweed

Pachyrhizus (Fabaceae) [TN]

ahipa (Wedd.) Parodi--yam bean  
(angulatus L. C. Rich. ex DC.) = P. erosus  
(bulbosus (L.) Kurz) = P. erosus  
erosus (L.) Urb.--jicama, yam bean  
tuberosus (Lam.) Spreng.--ajipo, yam bean

(Pachyrrhizus) = Pachyrhizus

Palaquium (Sapotaceae)

gutta (Hook.) Baill.--gutta-percha

Panax (Araliaceae) [TN]



(ginseng C. A. Mey.) = *P. pseudoginseng*  
(ginseng var. japonicus (T. Nees) Makino) = *P. japonicus*  
japonicus (T. Nees) C. A. Mey.  
pseudoginseng Wall.--ginseng  
quinquefolius L.--American ginseng  
(schinseng Nees) = *P. pseudoginseng*

*Panicum* (Poaceae)

antidotale Retz.--blue panicgrass  
(barbinode Trin.) = *Brachiaria mutica*  
bartowense Scribn. & Merr.  
bulbosum H.B.K.--bulb panicgrass  
capillare L.--witchgrass  
coloratum L.--kleingrass  
(crus-galli L.) = *Echinochloa crusgalli*  
deustum Thunb.  
dichotomiflorum Michx.--fall panicum  
fasciculatum Sw.--browntop panicum  
(frumentaceum Roxb.) = *Echinochloa crusgalli* var. *frumentacea*  
hemitomon Schult.--maidencane  
maximum Jacq.--guineagrass  
miliaceum L.--proso millet, common m., broom m., hog m.  
(miliare Lam.) = *P. sumatrense*  
(muticum Forsk.) = *Brachiaria mutica*  
obtusum H.B.K.--vine mesquitegrass  
(purpurascens Raddi) = *Brachiaria mutica*  
(ramosum L.) = *Brachiaria ramosa*  
repens L.--torpedograss  
sumatrense Roth ex Roem. & Schult.--little millet--[TN]  
texanum Buckl.--Texas panicum, Texas millet  
trichoides Sw.  
virgatum L.--switchgrass

*Papaver* (Papaveraceae) [TN]

bracteatum Lindl.--Oriental poppy  
orientale L.--Oriental poppy  
pseudo-orientale (Fedde) Medw.--Oriental poppy  
rheas L.--corn poppy  
sommiferum L.--opium poppy

*Papaya* (Caricaceae)

(carica Gaertn.) = *Carica papaya*

*Parietaria* (Urticaceae)

pennsylvanica Muhl.--Pennsylvania pellitory

*Parkia* (Fabaceae) [TN]

(africana R. Br.) = *P. clappertoniana*  
bicolor A. Chev.  
clappertoniana Keay  
filicoidea Welw. ex Oliv.--African locust bean  
speciosa Hassk.

Parmentiera (Bignoniaceae) [TN]

aculeata (H.B.K.) L. Wms.--cuachilote  
cerifera Seem.--candletree  
(edulis DC.) = P. aculeata

Parthenium (Asteraceae)

argentatum A. Gray--guayule

Parthenocissus (Vitaceae)

inserta (Kerner) K. Fritsch--Virginia-creeper  
quinquefolia (L.) Planch.--Virginia-creeper  
tricuspidata (Sieb. & Zucc.) Planch.--Boston ivy

Paspalum (Poaceae)

ciliatifolium Michx.--fringeleaf paspalum  
commersonii Lam.--koda millet  
conjugatum Berg.--sour paspalum, sourgrass  
dilatatum Poir.--dallisgrass  
distichum L.--knotgrass  
fasciculatum Willd. ex Fluegge  
fimbriatum H.B.K.--Panama paspalum  
fluitans (Ell.) Kunth--water paspalum  
guenoarum var. rojasii (Hack.) Parodi  
laeve Michx.--field paspalum  
nicorae Parodi--brunswickgrass, Brunswick grass  
notatum Fluegge--bahiagrass, Bahia grass  
plicatulum Michx.  
racemosum Lam.  
(rojasii Hack.) = P. guenoarum var. rojasii  
scrobiculatum L.--kodo, kodo millet, kodra  
urvillei Steud.--vaseygrass, Vasey grass  
vaginatum Sw.  
virgatum L.

Passiflora (Passifloraceae) [TN]

alata Dryand.  
antioquiensis Karst.  
caerulea L.  
caeruleo-racemosa Sabine  
cincinnata Mast.--Crato passion-vine  
coccinea Aubl.  
X colvillii Sweet--(P. caerulea X P. incarnata)  
edulis Sims--purple granadilla  
edulis f. flavicarpa Deg.  
foetida L.  
incarnata L.--maypop passion-flower, maypop  
laurifolia L.--yellow granadilla, waterlemon  
ligularis Juss.--granadilla, sweet g.  
lutea L.  
maliformis L.  
mixta L. f.  
mollissima (H.B.K.) L. H. Bailey--banana passion-fruit

morifolia Mast.  
quadrangularis L.--giant granadilla  
racemosa Brot.  
sexflora Juss.  
suberosa L.  
(van-volxemii (Lem.) Triana & Planch.) = P. antioquiensis  
vitifolia H.B.K.  
warmingii Mast.

Pastinaca (Apiaceae)  
sativa L.--parsnip, wild p.

Paullinia (Sapindaceae)  
cupana Kunth ex H.B.K.--guarana  
yoco Schult. & Killip--yoco

Paulownia (Scrophulariaceae)  
tomentosa (Thumb.) Steud.--royal paulownia, princess-tree

Pavetta (Rubiaceae)  
crassipes K. Schum.

Peganum (Zygophyllaceae)  
harmala L.--African-rue, harmel piganum

Pelargonium (Geraniaceae)  
graveolens L'Hér. ex Ait.--rose geranium  
inquinans (L.) L'Hér. ex Ait.  
odoratissimum (L.) L'Hér. ex Ait.--apple geranium, nutmeg g.  
peltatum (L.) L'Hér. ex Ait.--ivy geranium  
zonale (L.) L'Hér. ex Ait.--zonal geranium, horseshoe g.

Peltandra (Araceae) [TN]  
(virginica (L.) Kunth) = P. virginica (L.) Schott & Endl.  
virginica (L.) Schott & Endl.--arrow-arum

Peltophorum (Fabaceae)  
(inerme (Roxb.) Naves ex Villar) = P. pterocarpum  
pterocarpum (DC.) Back. ex K. Heyne

Pennisetum (Poaceae)  
(americanum (L.) K. Schum.) = P. americanum (L.) Leeke  
americanum (L.) Leeke--pearl millet, bulrush m.--[TN]  
(ciliare (L.) Link) = Cenchrus ciliaris  
clandestinum Hochst. ex Chiov.--kikuyu grass  
(glaucum (L.) R. Br. sens. Amer. auct.) = P. americanum (L.) Leeke  
purpureum Schumach.--elephant grass, napier g.  
(spicatum (L.) Koern.) = P. americanum (L.) Leeke  
(typhoides (Burm. f.) Stapf & C. E. Hubb.) = P. americanum (L.) Leeke  
(typhoideum L. C. Rich.) = P. americanum (L.) Leeke  
villosum R. Br. ex Fresen.--feathertop

Pentaclethra (Fabaceae)  
     macrophylla Benth.--oil-bean-tree, owala oil

Pentadesma (Clusiaceae)  
     butyracea Sabine--butter-tree

Pentzia (Asteraceae)  
     virgata Less.

Peperomia (Piperaceae)  
     obtusifolia (L.) A. Dietr.--oval-leaf peperomia  
     pellucida H.B.K.  
     pereskiifolia (Jacq.) H.B.K.  
     (viridispica Trel.) = P. pereskiifolia

Pergularia (Asclepiadaceae)  
     (africana N. E. Br.) = Telosma africanum  
     daemia (Forsk.) Chiov.

Perilla (Lamiaceae)  
     (arguta Benth.) = P. frutescens  
     frutescens (L.) Britt.--perilla  
     (ocymoides L.) = P. frutescens

Persea (Lauraceae)  
     americana Mill.--avocado  
     borbonia (L.) Spreng.--redbay  
     (gratissima Gaertn. f.) = P. americana  
     schiedeana Nees--coyo

Petasites (Asteraceae)  
     japonicus (Sieb. & Zucc.) Fr. Schmidt--butterbur

Petroselinum (Apiaceae) [TN]  
     crispum (Mill.) Nym. ex A. W. Hill--parsley  
     (hortense auct. non Hoffm.) = P. crispum  
     (sativum Hoffm.) = P. crispum

Petunia (Solanaceae)  
     axillaris (Lam.) B.S.P.--large white petunia, whitemoon p.  
     X hybrida Vilm.--(P. axillaris X P. violacea)--garden petunia  
     violacea Lindl.--violet-flowered petunia

Peumus (Monimiaceae)  
     boldus Mol.--boldo

Phalaris (Poaceae) [TN]  
     aquatica L.--bulbous canarygrass  
     arundinacea L.--reed canarygrass  
     canariensis L.--canarygrass  
     coerulescens Desf.--sunolgrass  
     minor Retz.--littleseed canarygrass

paradoxa L.--hood canarygrass  
stenoptera Hack.--Harding grass--(P. aquatica X P. arundinacea ?)  
(tuberosa L.) = P. aquatica  
(tuberosa var. hirtiglumis (Batt. & Trab.) Batt. & Trab.) = P. aquatica  
(tuberosa var. stenoptera (Hack.) Hitchc.) = P. stenoptera

Pharbitis (Convolvulaceae)

(nil (L.) Choisy) = Ipomoea nil

Phaseolus (Fabaceae)

(aconitifolius Jacq.) = Vigna aconitifolia  
acutifolius A. Gray--tepary bean  
(acutifolius var. latifolius Freeman) = P. acutifolius  
(angularis (Willd.) W. F. Wight) = Vigna angularis  
(atropurpureus Moc. & Sessé ex DC.) = Macroptilium atropurpureum  
(aureus Roxb.) = Vigna radiata  
(calcaratus Roxb.) = Vigna umbellata  
(caracalla L.) = Vigna caracalla  
coccineus L.--scarlet runner bean  
(cylindricus L.) = Vigna unguiculata subsp. cylindrica  
(inamoenus L.) = P. lunatus  
(lathyroides L.) = Macroptilium lathyroides  
(latifolius (Freeman) Freeman) = P. acutifolius  
(limensis Macf.) = P. lunatus  
lunatus L.--lima bean, butter b.  
(max L.) = Glycine max  
metcalfei Woot. & Standl.  
(multiflorus Willd.) = P. coccineus  
(mungo L.) = Vigna mungo  
polystachios (L.) B.S.P.--beanvine, wild bean, thicket b.  
(radiatus L.) = Vigna radiata  
(sublobatus Roxb.) = Vigna radiata var. sublobata  
(trinervius Wight & Arn.) = Vigna radiata var. sublobata  
(tunkinensis Lour.) = P. lunatus  
vulgaris L.--garden bean, green b., kidney b., haricot b.

Philodendron (Araceae)

(pertusum Kunth & Bouché) = Monstera deliciosa  
scandens K. Koch & Sello--heart-leaf philodendron  
selloum K. Koch

Philoxerus (Amaranthaceae)

portulacoides St. Hil.  
vermicularis (L.) Beauv.

Phleum (Poaceae)

bertolonii DC.--diploid timothy, turf t.  
(nodosum L.) = P. pratense  
(nodosum auct.) = P. bertolonii  
pratense L.--timothy

- Phoenix (Arecaceae)  
 canariensis Hort. ex Chaub.--Canary Island date palm  
 dactylifera L.--date palm  
 loureirii Kunth  
 reclinata Jacq.--Senegal date palm  
 roebelenii O'Brien--pigmy date palm  
 sylvestris (L.) Roxb.--wild date
- Phormium (Agavaceae)  
 tenax J. R. & G. Forst.--New Zealand-flax
- Phragmites (Poaceae)  
 australis (Cav.) Trin. ex Steud.--common reed--[TN]  
 (communis Trin.) = P. australis
- Phyla (Verbenaceae)  
 nodiflora (L.) Greene--fog-fruit
- Phyllanthus (Euphorbiaceae)  
 acidus (L.) Skeels--Otaheite gooseberry-tree, Indian-gooseberry  
 (distichus (L.) Muell.-Arg.) = P. acidus  
 emblica L.--emblic, myrobalan  
 niruri L.--niruri
- Phyllocladus (Podocarpaceae)  
 trichomanoides D. Don--celery-pine
- Phyllostachys (Poaceae)  
 bambusoides Sieb. & Zucc.--Japanese timber bamboo  
 dulcis McClure--sweetshoot bamboo  
 meyeri McClure--Meyer bamboo  
 pubescens Mazel ex H. de Leh.  
 (sulphurea A. & C. Riv.) = P. bambusoides  
 viridis (Young) McClure
- Physalis (Solanaceae)  
 alkekengi L.--Chinese lantern-plant  
 (edulis Sims) = P. peruviana  
 heterophylla Nees--clammy groundcherry  
 ixocarpa Brot. ex Hornem.--tomatillo, husk-tomato, tomatillo  
 groundcherry  
 peruviana L.--Cape-gooseberry, Peruvian-cherry, Peruvian groundcherry  
 pruinosa L.--hairy groundcherry, dwarf Cape-gooseberry  
 pubescens L.--downy groundcherry
- Physocarpus (Rosaceae)  
 opulifolius (L.) Maxim.--ninebark
- Physostigma (Fabaceae)  
 venenosum Balf.--calabar bean
- Phytelephas (Arecaceae)

macrocarpa Ruiz & Pavon--ivory nut palm, tagua p.

Phytolacca (Phytolaccaceae)  
americana L.--pokeweed, poke  
(decandra L.) = P. americana  
dodecandra L'Hér.

Picea (Pinaceae)  
abies (L.) Karst.--Norway spruce  
engelmannii Parry ex Engelm.--Engelmann spruce  
glauca (Moench) Voss--white spruce  
mariana (Mill.) B.S.P.--black spruce  
rubens Sarg.--red spruce  
sitchensis (Bong.) Carr.--Sitka spruce

Picrasma (Simaroubaceae)  
excelsa (Sw.) Planch.--Jamaican quassia, bitterwood

Picrosia (Asteraceae)  
longifolia D. Don

Pieris (Ericaceae)  
japonica (Thunb.) D. Don ex G. Don--Japanese andromeda

Pilea (Urticaceae)  
microphylla (L.) Liebm.--artillery-plant, artilleryweed

Pilocarpus (Rutaceae)  
jaborandi Holmes

Pimenta (Myrtaceae)  
(acris Kostel.) = P. racemosa  
dioica (L.) Merr.--allspice  
(officinalis Lindl.) = P. dioica  
racemosa (Mill.) J. W. Moore--bay-rum-tree

Pimpinella (Apiaceae)  
anisum L.--anise

Pinus (Pinaceae) [TN]  
(australis Michx. f.) = P. palustris  
banksiana Lamb.--jack pine  
caribaea Morelet--Caribbean pine  
cembra L.--Swiss stone pine  
cembroides Zucc.--Mexican pinyon  
(cembroides var. edulis (Engelm.) Voss) = P. edulis  
contorta Dougl. ex Loud.--lodgepole pine  
echinata Mill.--shortleaf pine  
edulis Engelm.--pinyon, pinyon pine  
elliottii Engelm.--slash pine  
halepensis Mill.--Aleppo pine  
jeffreyi Grev. & Balf.--Jeffrey pine

Pinus (continued)

lambertiana Dougl.--sugar pine  
merkusii Jungh. & De Vr.--Merkus pine  
monophylla Torr. & Frem.--singleleaf pinyon  
(montana Mill.) = P. mugo  
monticola Dougl. ex D. Don--western white pine  
mugo Turra--Swiss mountain pine  
nigra Arnold--Austrian pine, black p., Corsican p.  
palustris Mill.--longleaf pine--[TN]  
pinaster Ait.--maritime pine  
pinea L.--Italian stone pine  
ponderosa Dougl. ex P. & C. Lawson--ponderosa pine  
pungens Lamb.--table mountain pine  
quadrifolia Parl. ex Sudw.--Parry pinyon  
radiata D. Don--Monterey pine  
resinosa Ait.--red pine, Norway p.  
rigida Mill.--pitch pine  
sabiniana Dougl. ex D. Don--digger pine  
serotina Michx.--pond pine  
strobis L.--eastern white pine  
sylvestris L.--Scotch pine  
taeda L.--loblolly pine  
thunbergiana Franco--Japanese black pine  
torreyana Parry ex Carr.--Torrey pine  
virginiana Mill.--Virginia pine

Piper (Piperaceae)

aduncum L.--spiked pepper  
angustifolium Lam.  
betel L.--betel pepper  
cubeba L.f.--cubeb  
guineense Schumach. & Thonn.  
longifolium Ruiz & Pavon  
longum L.--Indian long pepper  
methysticum G. Forst.--kava  
nigrum L.--black pepper  
(officinatum (Miq.) DC.) = P. retrofractum  
ornatum N. E. Br.--Celebes pepper  
retrofractum Vahl--Javanese long pepper  
(umbellatum L.) = Pothomorphe umbellata

Pistacia (Anacardiaceae)

atlantica Desf.  
(cabulica Stocks) = P. atlantica  
lentiscus L.--mastic  
terebinthus L.  
vera L.--pistachio-nut

Pistia (Araceae)

stratiotes L.--waterlettuce

Pisum (Fabaceae)

(arvense L.) = P. sativum



sativum L.--(sens. lat. incl.) garden pea, field p.  
(sativum var. arvense (L.) Poir.) = *P. sativum*

Pithecellobium (Fabaceae)

dulce (Roxb.) Benth.  
jiringa (Jack) Mansf.  
(saman (Jacq.) Benth.) = *Samanea saman*

Pittosporum (Pittosporaceae)

pentandrum (Blanco) Merr.  
undulatum Vent.--Victorian-box, pittosporum

Plantago (Plantaginaceae) [TN]

aristata Michx.--bracted plantain  
lanceolata L.--buckhorn plantain, English p.  
major L.--broadleaf plantain, common p., great p. (Br.)  
media L.--hoary plantain  
psyllium L.  
rugelii Decne.--blackseed plantain, Rugel's p.  
virginica L.--paleseed plantain

Platanus (Platanaceae) [TN]

X acerifolia (Ait.) Willd.--London planetree--(*P. occidentalis*  
X *P. orientalis*)  
occidentalis L.--American sycamore  
orientalis L.--Oriental planetree

Platonia (Clusiaceae)

esculenta (Arr. Cam.) Rickett & Stafl.--bacury  
(insignis Mart.) = *P. esculenta*

Plectranthus (Lamiaceae)

esculentus N. E. Br.--kaffir-potato

Plumeria (Apocynaceae)

rubra L.--frangipani

Poa (Poaceae)

alpina L.--alpine bluegrass  
ampla Merr.--big bluegrass  
annua L.--annual bluegrass  
arachnifera Torr.--Texas bluegrass  
arida Vasey--plains bluegrass  
bulbosa L.--bulbous bluegrass  
canbyi (Scribn.) Piper--Canby bluegrass  
compressa L.--Canada bluegrass  
fendleriana (Steud.) Vasey--mutton bluegrass  
glaucantha Gaud.--upland bluegrass, glaucantha b.  
nemoralis L.--wood bluegrass  
nervosa (Hook.) Vasey--Wheeler bluegrass  
nevadensis Vasey ex Scribn.--Nevada bluegrass  
palustris L.--fowl bluegrass

- Poa (continued)  
 pratensis L.--Kentucky bluegrass  
 secunda Presl--Sandberg bluegrass  
 trivialis L.--roughstalk bluegrass
- Podocarpus (Podocarpaceae)  
 dacrydioides A. Rich.--kahika  
 totara D. Don--totara
- Podophyllum (Berberidaceae)  
 peltatum L.--mayapple, may-apple
- Pogostemon (Lamiaceae)  
 cablin (Blanco) Benth.--patchouli
- Poinciana (Fabaceae)  
 (regia Boj. ex Hook.) = Delonix regia
- Poinsettia (Euphorbiaceae)  
 (pulcherrima (Willd. ex Kl.) Grah.) = Euphorbia pulcherrima
- Polanisia (Capparaceae)  
 dodecandra (L.) DC.--clammyweed  
 (graveolens Raf.) = P. dodecandra
- Polianthes (Agavaceae)  
 tuberosa L.--tuberose
- Polygala (Polygalaceae)  
 crotalarioides Buch.-Ham. ex DC.  
 senega L.--Seneca snakeroot
- Polygonum (Polygonaceae)  
 amphibium L.--water smartweed  
 argyrocoleon Steud. ex Kunze--silversheath knotweed  
 aviculare L.--prostrate knotweed  
 cespitosum Bl. var. longisetum (De Bruyn) Stewart  
 coccineum Muhl.--swamp smartweed  
 convolvulus L.--black bindweed, wild buckwheat  
 cuspidatum Sieb. & Zucc.--Japanese knotweed  
 erectum L.--erect knotweed  
 (heterophyllum Lindman) = P. aviculare  
 hydropiper L.--marshpepper smartweed  
 pennsylvanicum L.--Pennsylvania smartweed  
 persicaria L.--ladysthumb  
 punctatum Ell.--dotted smartweed  
 sagittatum L.--arrow-leaved tearthumb  
 salicifolium Brouss. ex Willd.
- Polymnia (Asteraceae)  
 sonchifolia Poepp. & Endl.--yacon
- Polypogon (Poaceae)

monspeliensis (L.) Desf.--rabbitfoot grass  
 semiverticillatus (Forsk.) Hy1.--[TN]

Polypremum (Loganiaceae)  
 procumbens L.--polypremen

Polyscias (Araliaceae) [TN]  
 fruticosa (L.) Harms  
 rumphiana Harms

Poncirus (Rutaceae)  
 trifoliata (L.) Raf.--trifoliolate-orange

Pongamia (Fabaceae)  
 (glabra Vent.) = P. pinnata  
 pinnata (L.) Pierre--pongam

Pontederia (Pontederiaceae) [TN]  
 cordata L. var. cordata--pickerelweed  
 cordata var. lancifolia (Muhl.) Torr.--lanceleaf pickerelweed  
 (lanceolata Nutt.) = P. cordata var. lancifolia

Populus (Salicaceae)  
 alba L.--white poplar  
 deltoides Bartr. ex Marsh.--eastern cottonwood  
 grandidentata Michx.--bigtooth aspen, large-toothed a.  
 nigra L.--black poplar  
 sargentii Dode--plains cottonwood  
 tremuloides Michx.--quaking aspen, trembling a.

Porana (Convolvulaceae)  
 paniculata Roxb.--porana-vine

Portlandia (Rubiaceae)  
 grandiflora L.

Portulaca (Portulacaceae)  
 grandiflora Hook.  
 oleracea L.--purslane

Portulacaria (Portulacaceae)  
 afra (L.) Jacq.--elephant-bush

Potamogeton (Potamogetonaceae)  
 crispus L.--curlyleaf pondweed  
 foliosus Raf.--leafy pondweed  
 illinoensis Morong--Illinois pondweed  
 nodosus Poir.--American pondweed  
 pectinatus L.--sago pondweed  
 pusillus L.--small pondweed  
 richardsonii (A. Benn.) Rydb.--Richardson pondweed

- Potentilla (Rosaceae)  
 anserina L.--silverweed cinquefoil, silverweed  
 canadensis L.--common cinquefoil  
 norvegica L.--rough cinquefoil  
 recta L.--sulphur cinquefoil, upright c.
- Poterium (Rosaceae)  
 (sanguisorba L.) = Sanguisorba minor
- Pothomorphe (Piperaceae)  
 umbellata (L.) Miq.--cowfoot
- Pouteria (Sapotaceae) [TN]  
 campechiana (H.B.K.) Baehni--egg-fruit-tree, canistel  
 sapota (Jacq.) H. E. Moore & Stearn--sapote, mamee s.  
 viridis (Pitt.) Cronq.
- Proboscidea (Martyniaceae)  
 (jussieui sens. auct.) = P. louisianica  
 (louisiana (Mill.) Woot. & Standl.) = P. louisianica  
 louisianica (Mill.) Thell.--devilsclaw, unicorn-plant, proboscis-flower,  
 ram's-horn
- Prosopis (Fabaceae) [TN]  
 africana (Guill. & Perr.) Taub.  
 chilensis (Mol.) Stuntz--algaroba, mesquite  
 glandulosa Torr. var. glandulosa--honey mesquite  
 glandulosa var. torreyana (L. Benson) M. C. Johnst.--western honey  
 mesquite  
 juliflora (Sw.) DC.--mesquite  
 tamarugo Phil.--tamarugo
- Prunella (Lamiaceae)  
 vulgaris L.--heal-all, self-heal
- Prunus (Rosaceae)  
 americana Marsh.--American plum  
 (amygdalus Batsch) = P. dulcis  
 angustifolia Marsh.--chickasaw plum  
 armeniaca L.--apricot  
 avium (L.) L.--sweet cherry, mazzard c.  
 cerasifera Ehrh.--myrobalan plum  
 cerasus L.--sour cherry  
 (communis (L.) Arcang.) = P. dulcis  
 domestica L.--garden plum, common p., European p., prune p.  
 (domestica subsp. insititia (L.) Schneid.) = P. insititia  
 dulcis (Mill.) D. A. Webb--almond--[TN]  
 hortulana L. H. Bailey--hortulan plum  
 insititia L.--bullace plum, damson p.  
 laurocerasus L.--cherry-laurel  
 mahaleb L.--mahaleb cherry  
 maritima Marsh.--beach plum

mume Sieb. & Zucc.--Japanese apricot  
nigra Ait.--Canada plum  
pennsylvanica L. f.--pin cherry  
persica (L.) Batsch--(sens. lat. incl.) peach, nectarine  
(persica var. nectarina (Ait.) Maxim.) = *P. persica*  
salicina Lindl.--Japanese plum  
serotina Ehrh.--black cherry  
serrulata Lindl.--Japanese flowering cherry  
spinosa L.--sloe, blackthorn  
subcordata Benth.--Klamath plum, Pacific p.  
(triflora Roxb.) = *P. salicina*  
virginiana L.--chokecherry

Psathyrostachys (Poaceae) [TN]  
juncea (Fisch.) Nevski--Russian wildrye

Pseudotsuga (Pinaceae)  
menziesii (Mirbel) Franco--Douglas-fir  
(mucronata (Raf.) Sudw.) = *P. menziesii*

Psidium (Myrtaceae)  
(araca Raddi) = *P. guineense*  
cattleianum Sabine--strawberry guava, purple g.  
friedrichsthalianum (Berg) Niedz.--wild guava  
guajava L.--common guava  
guineense Sw.--Guinea guava  
(littorale Raddi) = *P. cattleianum*  
(littorale var. lucidum Deg.) = *P. cattleianum*  
montanum Sw.--mountain guava

Psophocarpus (Fabaceae)  
(longepedunculatus Hassk.) = *P. palustris*  
(palmettorum Guill. & Perr.) = *P. palustris*  
palustris Desv.  
tetragonolobus (L.) DC.--winged bean, goa b., asparagus pea

Psoralea (Fabaceae)  
bituminosa L.--Arabian scurfpea  
tenuiflora Pursh--scurfy psoralea

Psychotria (Rubiaceae)  
(ipecacuanha (Brot.) Stokes) = *Cephaelis ipecacuanha*

Pteridium (Dennstaedtiaceae)  
aquilinum (L.) Kuhn--bracken fern

Pterocarpus (Fabaceae)  
erinaceus Poir.--barwood  
indicus Willd.  
marsupium Roxb.--Malabar kino  
osun Craib  
santalinus L. f.--red sandalwood

- Pterocarpus (continued)  
 soyauxii Taub.--barwood
- Puccinellia (Poaceae)  
 airoides (Nutt.) S. Wats. & Coult.--Nuttall alkaligrass  
 distans (L.) Parl.--weeping alkaligrass, alkaligrass
- Pueraria (Fabaceae)  
 (hirsuta (Thunb.) Schneid.) = P. lobata  
 lobata (Willd.) Ohwi--kudzu  
 montana (Lour.) Merr.--[TN]  
 phaseoloides (Roxb.) Benth.--tropical kudzu  
 (thunbergiana (Sieb. & Zucc.) Benth.) = P. lobata
- Punica (Punicaceae)  
 granatum L.--pomegranate
- Pyracantha (Rosaceae)  
 coccinea M. J. Roem.--scarlet firethorn
- Pyrethrum (Asteraceae)  
 (cinerariifolium Trev.) = Chrysanthemum cinerariifolium
- Pyrostegia (Bignoniaceae)  
 venusta (Ker) Miers--orange-trumpet
- Pyrrhopappus (Asteraceae)  
 carolinianus (Walt.) DC.--Carolina false dandelion
- Pyrus (Rosaceae)  
 (baccata L.) = Malus baccata  
 calleryana Decne.--Callery pear  
 communis L.--pear  
 (cydonia L.) = Cydonia oblonga  
 glabra Boiss.  
 (malus L.) = Malus sylvestris  
 pyrifolia (Burm. f.) Nakai--sand pear, Japanese p., Oriental p.,  
 Chinese p.
- Quassia (Simaroubaceae)  
 amara L.--bitterwood
- Quercus (Fagaceae) [TN]  
 acutissima Carruth.--sawtooth oak  
 (aegilops auct.) = Q. macrolepis  
 agrifolia Née--California live oak, coast live o.  
 alba L.--white oak  
 bicolor Willd.--swamp white oak  
 (borealis var. maxima (Marsh.) Sarg.) = Q. rubra  
 brantii Lindl.  
 (catesbaei Michx.) = Q. laevis  
 cerris L.--European turkey oak

coccinea Muenchh.--scarlet oak  
(conferta Kit.) = *Q. frainetto*  
falcata Michx.--southern red oak, Spanish o.  
frainetto Ten.  
ilex L.--holly oak  
imbricaria Michx.--shingle oak  
infectoria Olivier--Aleppo oak  
laevis Walt.--turkey oak, Catesby's o.  
lyrata Walt.--overcup oak, swamp post o.  
macrocarpa Michx.--bur oak, mossy cup o.  
macrolepis Kotschy  
marilandica Muenchh.--blackjack oak  
(montana Willd.) = *Q. prinus*  
nigra L.--water oak, possum o.  
palustris Muenchh.--pin oak  
(persica Jaub. & Spach) = *Q. brantii*  
petraea (Mattuschka) Liebl.--durmast oak  
phellos L.--willow oak  
prinus L.--chestnut oak, rock chestnut o.  
robur L.--English oak  
rubra L.--northern red oak  
(sessiliflora Salisb.) = *Q. petraea*  
stellata Wangenh.--post oak  
suber L.--cork oak  
velutina Lam.--black oak  
virginiana Mill.--live oak  
wislizenii A. DC.--interior live oak

Quillaja (Rosaceae)

saponaria Mol.--soapbark

Ranunculus (Ranunculaceae)

abortivus L.--smallflower buttercup, small-flowered crowfoot, kidneyleaf b.  
acris L.--tall buttercup  
arvensis L.--corn buttercup  
bulbosus L.--bulbous buttercup  
repens L.--creeping buttercup  
sceleratus L.--cursed crowfoot

Raphanus (Brassicaceae)

raphanistrum L.--wild radish  
sativus L.--radish

Raphia (Arecaceae)

farinifera (Gaertn.) Hyl.--raffia palm  
hookeri Mann & Wendl.--Ivory Coast raphia palm  
(pedunculata Beauv.) = *R. farinifera*  
sudanica A. Chev.  
vinifera Beauv.--West African piassava palm, wine p.

Rauvolfia (Apocynaceae) [TN]

(canescens L.) = *R. tetraphylla*

- Rauvolfia (continued)  
 serpentina (L.) Benth. ex Kurz  
 tetraphylla L.
- Reseda (Resedaceae)  
 luteola L.--dyer's-rocket, weld  
 odorata L.--common mignonette
- Reussia (Pontederiaceae)  
 rotundifolia (L. f.) Castell.
- Reynoutria (Polygonaceae)  
 (japonica Houtt.) = Polygonum cuspidatum
- Rhamnus (Rhamnaceae) [TN]  
 catharticus L.--European buckthorn  
 (frangula L.) = Frangula alnus  
 globosus Bunge--lokao  
 purshianus DC.--cascara buckthorn  
 utilis Decne.--lokao, Chinese buckthorn
- Rheum (Polygonaceae)  
 officinale Baill.--Chinese rhubarb  
 palmatum L.--Chinese rhubarb  
 rhabarbarum L.--rhubarb--[TN]
- Rhizophora (Rhizophoraceae)  
 mangle L.--mangrove, red m., American m.
- Rhododendron (Ericaceae)  
 calendulaceum (Michx.) Torr.--flame azalea  
 canadense (L.) Torr.--rhodora, Canadian rhododendron  
 catawbiense Michx.--Catawba rhododendron, mountain rosebay, purple  
 laurel  
 maximum L.--rosebay rhododendron, great r., great laurel
- Rhus (Anacardiaceae)  
 chinensis Mill.--Chinese sumac  
 copallina L.--dwarf sumac, shining s., winged s.  
 coriaria L.--Sicilian sumac  
 (diversiloba Torr. & A. Gray) = Toxicodendron diversilobum  
 glabra L.--smooth sumac  
 (radicans L.) = Toxicodendron radicans  
 (succedanea L.) = Toxicodendron succedaneum  
 typhina L.--staghorn sumac  
 (verniciflua Stokes) = Toxicodendron vernicifluum  
 (vernix L.) = Toxicodendron vernix
- Rhynchelytrum (Poaceae)  
 repens (Willd.) C. E. Hubb.--natalgrass, Natal grass  
 (roseum (Nees) Stapf & C. E. Hubb. ex Bews) = R. repens



Rhynchosia (Fabaceae)

minima (L.) DC.

totta (Thumb.) DC.

Rhynchospora (Cyperaceae)

nervosa (Vahl) Boeck.

Ribes (Grossulariaceae) [TN]

americanum Mill.--American black currant, wild black c.

aureum Pursh--golden currant

cynosbati L.--pasture gooseberry, prickly g., dogberry  
(grossularia L.) = R. uva-crispa

hirtellum Michx.--hairy gooseberry

multiflorum Kit. ex Roem. & Schult.

nigrum L.--black currant

odoratum H. L. Wendl.--Missouri currant, buffalo c.

petraeum Wulf.

rubrum L.--red currant, white c.

sanguineum Pursh--red-flowered currant

(sativum (Reichenb.) Syme) = R. rubrum

spicatum Robson

uva-crispa L.--European gooseberry

Richardia (Rubiaceae)

scabra L.--Florida pusley, Mexican-clover

Ricinodendron (Euphorbiaceae)

rautanenii Schinz--manketti

Ricinus (Euphorbiaceae)

communis L.--castorbean

Rivea (Convolvulaceae)

(corymbosa (L.) Hall. f.) = Turbina corymbosa

Rivina (Phytolaccaceae)

humilis L.--rougeplant

Robinia (Fabaceae)

pseudoacacia L.--black locust

Rorippa (Brassicaceae)

(armoracia (L.) Hitchc.) = Armoracia rusticana

islandica (Oeder) Borkas--marshcress

(nasturtium-aquaticum (L.) Hayek) = Nasturtium officinale

sylvestris (L.) Bess.--yellow fieldcress, creeping yellowcress

Rosa (Rosaceae) [TN]

X alba L.

arkansana Porter--Arkansas rose

bracteata Wendl.--Macartney rose

canina L.--dog rose

Rosa (continued)

centifolia L.--cabbage rose  
damascena Mill.--damask rose  
gallica L.--French rose  
laevigata Michx.--Cherokee rose  
multiflora Thunb. ex Murr.--multiflora rose  
(pomifera Herrm.) = *R. villosa*  
rugosa Thunb.  
setigera Michx.--prairie rose  
villosa L.

Rosmarinus (Lamiaceae)

officinalis L.--rosemary

Rottboellia (Poaceae)

(altissima Poir.) = *Hemarthria altissima*  
exaltata L. f.--itchgrass

Rubia (Rubiaceae)

tinctorum L.--madder

Rubus (Rosaceae) [TN]

allegheniensis Porter--Allegheny blackberry, common b.  
argutus Link  
chamaemorus L.--cloudberry  
flagellaris Willd.--northern dewberry  
fruticosus L.--European blackberry  
idaeus L. var. idaeus--European red raspberry, red r.  
idaeus var. strigosus (Michx.) Maxim.--American red raspberry  
laciniatus Willd.--cutleaf blackberry, evergreen b.  
(loganobaccus L. H. Bailey) = *R. ursinus* var. *loganobaccus*  
occidentalis L.--black raspberry  
occidentalis L. X *R. idaeus* L.--purple raspberry  
odoratus L.--purple-flowering raspberry, thimbleberry  
parviflorus Nutt.--western thimbleberry  
phoenicolasius Maxim.--wineberry  
rosifolius Sm.  
spectabilis Pursh--salmonberry  
trivialis Michx.--southern dewberry  
ursinus Cham. & Schlecht.--California blackberry, dewberry, Pacific b.  
ursinus var. *loganobaccus* (L. H. Bailey) L. H. Bailey--boysenberry,  
loganberry

Rumex (Polygonaceae)

acetosa L.--sorrel, garden s.  
acetosella L.--red sorrel, common s., sheep s.  
conglomeratus Murr.--cluster dock, sharp d.  
crispus L.--curly dock, yellow d.  
hymenosepalus Torr.--canaigre, tanner's dock  
longifolius DC.  
obtusifolius L.--broadleaf dock, bitter d.  
patientia L.--spinach dock, patience d.

- scutatus L.--French sorrel
- Ruppia (Zosteraceae)  
maritima L.--widgeongrass
- Ruta (Rutaceae)  
graveolens L.--common rue
- Sabal (Arecaceae)  
causiarum (Cook) Becc.--Puerto Rico hat palm  
palmetto (Walt.) Lodd. ex Schult. & Schult. f.--cabbage palmetto,  
Florida cabbage palm
- Saccharum (Poaceae)  
officinarum L.--sugarcane  
robustum Brandes & Jeswiet ex Grassl  
sinense Roxb.  
spontaneum L.
- Sagina (Caryophyllaceae)  
procumbens L.--bird's-eye pearlwort, pearlwort
- Sagittaria (Alismataceae)  
(chinensis Pursh) = S. latifolia  
graminea Michx.--slender arrowhead  
latifolia Willd.--common arrowhead  
montevidensis Cham. & Schlecht.  
sagittifolia L.--Chinese arrowhead
- Saintpaulia (Gesneriaceae)  
ionantha Wendl.--African-violet
- Salacca (Arecaceae)  
edulis Reinw.
- Salix (Salicaceae)  
alba L.--white willow  
amygdaloides Anderss.--peachleaf willow  
babylonica L.--weeping willow  
caprea L.--goat willow  
discolor Muhl.--pussy willow  
fragilis L.--crack willow  
interior Rowlee--sandbar willow, ditchbank w.  
nigra Marsh.--black willow  
purpurea L.--purple osier, purple willow  
viminalis L.--basket willow
- Salmalia (Bombacaceae) [TN]  
malabarica (DC.) Schott & Endl.
- Salsola (Chenopodiaceae) [TN]  
kali L.--Russian thistle

Salvia (Lamiaceae)  
 (chia Fern.) = *S. potus*  
*columbariae* Benth.--California chia, chia  
*divinorum* Epling & Jativa--yerba-de-la-pastora  
*hispanica* L.--chia  
*lyrata* L.--lyre-leaved sage  
*officinalis* L.--sage  
*potus* Epling--chia  
*reflexa* Hornem.  
*sclarea* L.--clary  
*splendens* F. Sellow ex Roem. & Schult.--scarlet sage--[TN]

Salvinia (Salviniaceae)  
*auriculata* Aubl.  
*molesta* D. S. Mitchell  
*natans* (L.) All.  
*rotundifolia* Willd.--salvinia

Samanea (Fabaceae)  
*saman* (Jacq.) Merr.--saman, rain-tree

Sambucus (Caprifoliaceae) [TN]  
*canadensis* L.--American elder, American elderberry  
*(cerulea Raf.) = S. glauca*  
*glauca* Nutt.--blueberry elder, blue elderberry, western elderberry  
*nigra* L.--European elder  
*racemosa* L.--European red elder

Sanguisorba (Rosaceae)  
*minor* Scop.--small burnet, burnet

Sansevieria (Agavaceae)  
*longiflora* Sims  
*senegambica* Baker--bowstring hemp  
*trifasciata* Prain--snake-plant

Santalum (Santalaceae)  
*album* L.--sandalwood

Santolina (Asteraceae)  
*chamaecyparissus* L.--lavender-cotton

Sapindus (Sapindaceae)  
*saponaria* L.--wingleaf soapberry

Sapium (Euphorbiaceae)  
*sebiferum* (L.) Roxb.--tallow-tree, Chinese tallow-tree

Saponaria (Caryophyllaceae)  
*officinalis* L.--bouncing-bet, soapwort

Sapota (Sapotaceae)

(achras Mill.) = *Manilkara zapota*

*Sarcobatus* (Chenopodiaceae)  
*vermiculatus* (Hook.) Torr.--greasewood

*Sarcophrynium* (Marantaceae)  
*macrophyllum* (K. Schum.) Hutch.

*Saritaea* (Bignoniaceae)  
*magnifica* (Sprague ex Steenis) Dugand

*Sarothamnus* (Fabaceae)  
*(scoparius (L.) Wimmer ex Koch) = Cytisus scoparius*

*Sassafras* (Lauraceae)  
*albidum* (Nutt.) Nees--sassafras  
*(officinale Nees & Eberm.) = S. albidum*  
*(variifolium (Salisb.) Ktze.) = S. albidum*

*Satureja* (Lamiaceae)  
*hortensis* L.--summer savory  
*montana* L.--winter savory

*Schinopsis* (Anacardiaceae) [TN]  
*balansae* Engler--quebracho  
*haenkeana* Engler  
*(lorentzii (Griseb.) Engler) = S. quebracho-colorado*  
*quebracho-colorado (Schlecht.) Barkl. & T. Meyer--red quebracho*

*Schinus* (Anacardiaceae)  
*molle* L.--California peppertree  
*terebinthifolius* Raddi--Brazilian peppertree

*Schizachyrium* (Poaceae) [TN]  
*scoparium* (Michx.) Nash--little bluestem

*Schleichera* (Sapindaceae)  
*oleosa* (Lour.) Merr.--lac-tree

*Scirpus* (Cyperaceae)  
*acutus* Muhl.--hardstem bulrush  
*americanus* Pers.--common threesquare, American bulrush  
*californicus* (C. A. Mey.) Steud.--southern bulrush, California b.  
*cyperinus* (L.) Kunth--woolgrass bulrush  
*(tuberosus Roxb.) = Eleocharis dulcis*

*Scleranthus* (Caryophyllaceae)  
*annuus* L.--knawel

*Sclerocarya* (Anacardiaceae)  
*caffra* Sond.

- Scolymus (Asteraceae)  
hispanicus L.--Spanish oyster-plant, golden thistle
- Scopolia (Solanaceae)  
carniolica Jacq.
- Scorzonera (Asteraceae)  
hispanica L.--black salsify, black oyster-plant, Spanish s.
- Secale (Poaceae)  
cereale L.--rye  
montanum Guss.
- Sechium (Cucurbitaceae)  
edule (Jacq.) Sw.--chayote
- Sedum (Crassulaceae)  
acre L.--mossy stonecrop
- Semecarpus (Anacardiaceae)  
anacardium L. f.--marking-nut
- Sempervivum (Crassulaceae)  
tectorum L.--hen-and-chickens
- Senecio (Asteraceae)  
X hybridus (Willd.) Regel--florist's cineraria  
jacobaea L.--tansy ragwort  
mikanioides Otto ex Walp.--German ivy  
vulgaris L.--common groundsel
- Sequoia (Taxodiaceae)  
(gigantea (Lindl.) Decne.) = Sequoiadendron giganteum  
sempervirens (D. Don) Endl.--redwood, coast r.
- Sequoiadendron (Taxodiaceae)  
giganteum (Lindl.) Buchh.--giant sequoia, bigtree
- Serenoa (Arecaceae)  
repens (Bartr.) Small--saw palmetto
- Sesamum (Pedaliaceae)  
alatum Thonn.  
indicum L.--sesame  
(orientale L.) = S. indicum  
radiatum Schumach.
- Sesbania (Fabaceae)  
(aculeata (Willd.) Pers.) = S. bispinosa  
bispinosa (Jacq.) W. F. Wight--[TN]  
exaltata (Raf.) Rydb.  
sesban (L.) Merr.

- Sesuvium (Aizoaceae)  
 portulacastrum (L.) L.--sesuvium
- Setaria (Poaceae)  
 anceps Stapf ex Massey  
 faberi Herrm.--giant foxtail  
 geniculata (Lam.) Beauv.--knotroot foxtail  
 glauca (L.) Beauv.--yellow foxtail--[TN]  
 italica (L.) Beauv.--foxtail millet, Italian m., German m., Hungarian m.  
 (lutescens (Weigel) F. T. Hubb.) = S. glauca  
 neglecta De Wit  
 sphacelata (Schum.) Stapf & C. E. Hubb. ex M. B. Moss  
 splendida Stapf  
 verticillata (L.) Beauv.--bristly foxtail  
 viridis (L.) Beauv.--green foxtail
- Sherardia (Rubiaceae)  
 arvensis L.--field madder
- Shorea (Dipterocarpaceae)  
 wiesneri Schiffn.--Batavian damar
- Sicana (Cucurbitaceae)  
 odorifera (Vell.) Naud.--casabanana
- Sida (Malvaceae)  
 acuta Burm. f.--southern sida  
 hederacea (Dougl.) Torr.--alkali sida, alkali mallow  
 rhombifolia L.--arrowleaf sida, Cuba jute  
 spinosa L.--prickly sida
- Silene (Caryophyllaceae)  
 alba (Mill.) Krause--white campion, white cockle, evening lychnis  
 antirrhina L.--sleepy catchfly  
 noctiflora L.--night-flowering catchfly
- Silybum (Asteraceae)  
 marianum (L.) Gaertn.--milk thistle
- Simarouba (Simaroubaceae)  
 glauca DC.--paradise-tree, aceituna
- Simmondsia (Buxaceae)  
 chinensis (Link) Schneid.--jojoba
- Sinapis (Brassicaceae) [TN]  
 alba L.--white mustard  
 arvensis L.--charlock  
 (juncea L.) = Brassica juncea
- Sinningia (Gesneriaceae)  
 speciosa (Lodd.) Hiern--gloxinia

Siphonia (Euphorbiaceae)  
 (brasiliensis H.B.K.) = Hevea brasiliensis

Sisymbrium (Brassicaceae)  
 altissimum L.--tumble mustard  
 officinale (L.) Scop.--hedge mustard  
 (sophia L.) = Descurainia sophia

Sitanion (Poaceae)  
 hystrix (Nutt.) J. G. Sm.--squirreltail

Sium (Apiaceae)  
 sisarum L.--skirret

Smilax (Liliaceae)  
 aristolochiifolia Mill.--sarsaparilla  
 china L.--China-root  
 glauca Walt.--cat greenbrier, sawbrier, catbrier  
 regelii Killip & Morton--Jamaican sarsaparilla  
 rotundifolia L.--common greenbrier, bullbrier, catbrier

Smyrniium (Apiaceae)  
 olusatrum L.--alexanders

Soja (Fabaceae)  
 (hispidia Moench) = Glycine max  
 (max (L.) Piper) = Glycine max

Solanum (Solanaceae) [TN]  
 aculeastrum Dunal--soda-apple nightshade  
 aethiopicum L.  
 americanum Mill.  
 aviculare G. Forst.  
 burbankii Bitter--wonderberry  
 caribaeum Dunal  
 carolinense L.--horsenettle  
 chacoense Bitter  
 chacoense f. pilosulum Hassl.  
 commersonii Dunal ex Poir.  
 demissum Lindl.  
 dulcamara L.--bitter nightshade  
 elaeagnifolium Cav.--silverleaf nightshade  
 ferox L.  
 gilo Raddi--gilo  
 hirsutissimum Standl.  
 (horovitzii Buk.) = S. chacoense f. pilosulum  
 hyporhodium A. Br. & Bouché--cocona  
 incanum L.  
 indicum L.  
 (intrusum Soria) = S. melanocerasum  
 jasminoides Paxt.  
 khasianum C. B. Clarke



laciniatum Ait.  
(lycopersicon L.) = Lycopersicon esculentum  
macrocarpon L.  
mammosum L.  
melanocerasum All.--garden-huckleberry  
melongena L.--eggplant, aubergine  
muricatum Ait.--pepino, melon-pear  
nigrum L.--black nightshade  
(phureja Juz. & Buk.) = S. tuberosum  
pseudocapsicum L.--Jerusalem-cherry  
quitoense Lam.--naranjilla, lulo  
rostratum Dunal--buffalobur  
sarrachoides Sendt.--hairy nightshade  
seaforthianum Andr.  
sisymbriifolium Lam.  
topiro Humb. & Bonpl. ex Dunal--cocona, topiro  
torvum Sw.--terongan, turkeyberry  
tuberosum L.--potato, white p., Irish p.  
wendlandii Hook. f.

Solenostemon (Lamiaceae) [TN]  
rotundifolius (Poir.) J. K. Morton--hausa-potato, coleus-potato

Solidago (Asteraceae)  
altissima L.--tall goldenrod  
canadensis L.--Canada goldenrod  
graminifolia (L.) Salisb.  
leavenworthii Torr. & A. Gray--Leavenworth goldenrod  
odora Ait.--sweet goldenrod

Sonchus (Asteraceae)  
arvensis L.--perennial sowthistle  
asper (L.) Hill--spiny sowthistle, spiny-leaved s.  
oleraceus L.--annual sowthistle, common s.

Sophora (Fabaceae)  
japonica L.--Japanese pagoda-tree

Sorbus (Rosaceae)  
aucuparia L.--European mountain-ash, rowan  
domestica L.--service-tree

Sorghastrum (Poaceae)  
nutans (L.) Nash--indiangrass, Indian grass--[NC], [TN]

Sorghum (Poaceae) [TN]  
X alnum Parodi--alnum sorghum, Columbus grass  
arundinaceum (Willd.) Stapf  
bicolor (L.) Moench--(sens. lat. incl.) grain sorghums, milo, sweet s.,  
broomcorn, durra, kaffir-corn, guinea-corn, shattercane  
(caffrorum (Retz.) Beauv.) = S. bicolor  
(dochna (Forsk.) Snowden) = S. bicolor

Sorghum (continued)

- (drummondii (Steud.) Millsp. & Chase) = S. bicolor
- (durra (Forsk.) Stapf) = S. bicolor
- (guineense Stapf) = S. bicolor
- halepense (L.) Pers.--johnsongrass, Johnson grass
- miliaceum (Roxb.) Snowden
- (nervosum Bess. ex Schult.) = S. bicolor
- sudanense (Piper) Stapf--sudangrass, Sudan grass
- verticilliflorum (Steud.) Stapf
- virgatum (Hack.) Stapf--tunisgrass, Tunis grass
- (vulgare Pers.) = S. bicolor

Spartina (Poaceae)

- alterniflora Loisel.--smooth cordgrass, salt-marsh c.
- patens (Ait.) Muhl.--salt-meadow cordgrass

Spartium (Fabaceae)

- junceum L.--Spanish broom

Spathodea (Bignoniaceae)

- campanulata Beauv.--African tuliptree

Spergula (Caryophyllaceae)

- arvensis L.--corn spurry

Spergularia (Caryophyllaceae)

- marina (L.) Griseb.
- rubra (L.) J. & C. Presl--red sandspurry

Sphenostylis (Fabaceae)

- stenocarpa (Hochst. ex A. Rich.) Harms--African yam bean, yam pea

Spigelia (Loganiaceae)

- marilandica L.--Indian pink

Spilanthes (Asteraceae)

- acmella (L.) Murr.--Para cress
- oleracea L.

Spinacia (Chenopodiaceae)

- oleracea L.--spinach

Spiraea (Rosaceae)

- tomentosa L.--hardhack, steeplebush

Spirodela (Lemnaceae)

- intermedia Koch
- polyrhiza (L.) Schleid.--giant duckweed, great d.

Spondias (Anacardiaceae) [TN]

- (cytherea Sonn.) = S. dulcis
- dulcis Parkins.--Jew-plum, golden-apple

(lutea L.) = *S. mombin*  
mombin L.--hog-plum  
purpurea L.--red mombin  
tuberosa Arr. Cam. ex Koster--imbu

*Sporobolus* (Poaceae)

airoides (Torr.) Torr.--alkali sacaton  
buckleyi Vasey  
cryptandrus (Torr.) A. Gray--sand dropseed  
heterolepis (A. Gray) A. Gray--prairie dropseed  
indicus (L.) R. Br.  
neglectus Nash--annual dropseed  
poiretii (Roem. & Schult.) Hitchc.--smutgrass  
vaginiflorus (Torr.) Wood--poverty dropseed  
wrightii Munro ex Scribn.--sacaton

*Stachys* (Lamiaceae)

affinis Bunge--artichoke betony, Chinese artichoke-- [TN]  
(sieboldii Miq.) = *S. affinis*  
(tuberifera Naud.) = *S. affinis*

*Stachytarpheta* (Verbenaceae)

cayennensis (L. C. Rich.) Vahl

*Stellaria* (Caryophyllaceae) [TN]

graminea L.--little starwort, lesser starwort, lesser stitchwort  
(media (L.) Cyrill.) = *S. media* (L.) Vill.  
media (L.) Vill.--common chickweed

*Stenotaphrum* (Poaceae)

secundatum (Walt.) Ktze.--St. Augustine grass

*Sterculia* (Sterculiaceae)

foetida L.--hazel sterculia, Java-olive  
(platanifolia L. f.) = *Firmiana simplex*  
setigera Del.  
tragacantha Lindl.  
urens Roxb.

*Stevia* (Asteraceae)

rebaudiana (Bertoni) Bertoni

*Stewartia* (Theaceae) [TN]

malacodendron L.--Virginia stewartia  
ovata (Cav.) Weatherby--mountain stewartia  
(pentagyna L'Hér.) = *S. ovata*

*Stipa* (Poaceae)

avenacea L.--blackseed needlegrass, black oatgrass  
comata Trin. & Rupr.--needle-&-thread grass  
pulchra Hitchc.--purple needlegrass, California n.  
spartea Trin.--porcupine grass

- Stipa (continued)  
 tenacissima L.--esparto  
 viridula Trin.--green needlegrass, feather bunchgrass
- X Stiporyzopsis (Poaceae)  
 cadauca (Beal) B. L. Johnson & Rogler--(Stipa viridula X Oryzopsis  
 hymenoides)--Mandan ricegrass
- Stizolobium (Fabaceae)  
 (deeringianum Bort) = Mucuna deeringiana
- Stokesia (Asteraceae)  
 laevis (Hill) Greene--Stokes' aster
- Strelitzia (Musaceae)  
 reginae Ait.--bird-of-paradise
- Striga (Scrophulariaceae)  
 asiatica (L.) Ktze.--witchweed--[TN]  
 densiflora (Benth.) Benth.  
 gesnerioides (Willd.) Vatke  
 hermontheca (Del.) Benth.  
 (lutea Lour.) = S. asiatica
- Strophanthus (Apocynaceae) [TN]  
 gratus (Wall. & Hook. ex Benth.) Baill.--ouabain  
 hispidus DC.  
 kombe Oliv.  
 sarmentosus DC.
- Strychnos (Loganiaceae)  
 nux-vomica L.--strychnine-tree  
 toxifera Schomb. ex Benth.
- Stryphnodendron (Fabaceae)  
 adstringens (Mart.) Cov.  
 (barbatimam Mart.) = S. adstringens
- Stylosanthes (Fabaceae) [TN]  
 erecta Beauv.  
 fruticosa (Retz.) Alst.  
 (gracilis H.B.K.) = S. guianensis  
 guianensis (Aubl.) Sw.--Brazilian lucerne  
 (guineensis Schumach.) = S. erecta  
 hamata (L.) Taub.--Caribbean stylo  
 humilis H.B.K.--Townsville stylo  
 (mucronata Willd.) = S. fruticosa  
 scabra Vog.  
 subsericea Blake  
 viscosa Sw.
- Styrax (Styracaceae) [TN]

- benzoides Craib--Siam benzoin  
 benzoin Dryand.--styrax  
 tonkinensis (Pierre) Craib ex Hartwich--Siam benzoin
- Suckleya (Chenopodiaceae)  
 suckleyana (Torr.) Rydb.--poison suckleya
- Sutherlandia (Fabaceae)  
 frutescens (L.) R. Br.
- Swietenia (Meliaceae)  
 macrophylla King  
 mahagoni (L.) Jacq.--West Indies mahogany
- Syagrus (Arecaceae)  
 coronata (Mart.) Becc.--ouricury palm
- Symphytum (Boraginaceae)  
 asperum Lepech.--prickly comfrey  
 officinale L.--common comfrey  
 (peregrinum Ledeb.) = S. X uplandicum  
 X uplandicum Nym.--Quaker comfrey, Russian c., blue c.
- Synsepalum (Sapotaceae)  
 dulcificum (Schumach. & Thonn.) Daniell ex S. Bell--miraculous-berry--[TN]  
 stipulatum (Radlk.) Engler
- Syringa (Oleaceae)  
 vulgaris L.--common lilac
- Syzygium (Myrtaceae) [TN]  
 aqueum (Burm. f.) Alst.--watery rose-apple  
 aromaticum (L.) Merr. & Perry--clove  
 cumini (L.) Skeels--Java-plum  
 (jambolanum DC.) = S. cumini  
 jambos (L.) Alst.--rose-apple, jambos  
 javanicum Miq.  
 malaccense (L.) Merr. & Perry  
 samarangense (Bl.) Merr. & Perry
- Tacca (Taccaceae)  
 (involucrata Schum. & Thonn.) = T. leontopetaloides  
 leontopetaloides (L.) Ktze.--East Indian arrowroot, tacca, Fiji a.  
 (pinnatifida J. R. Forst.) = T. leontopetaloides
- Tacsonia (Passifloraceae)  
 (mollissima H.B.K.) = Passiflora mollissima
- Taeniatherum (Poaceae)  
 asperum (Simonkai) Nevski--(syn.: Elymus caput-medusae sens. auct.  
 in part)--medusa-head

- Tagetes (Asteraceae)  
 erecta L.--marigold  
 lucida Cav.--sweet-scented marigold  
 minuta L.--wild marigold, Muster-John-Henry  
 patula L.--French marigold  
 (signata Bartl.) = *T. tenuifolia*  
 tenuifolia Cav.
- Talinum (Portulacaceae)  
 triangulare (Jacq.) Willd.--fameflower
- Talisia (Sapindaceae)  
 oliviformis (H.B.K.) Radlk.
- Tamarindus (Fabaceae)  
 indica L.--tamarind
- Tamarix (Tamaricaceae)  
 aphylla (L.) Karst.--athel tamarisk  
 (articulata Vahl) = *T. aphylla*  
 dioica Roxb. ex Roth  
 gallica L.--French tamarisk, tamarisk  
 (pentandra Pall.) = *T. ramosissima*  
 ramosissima Ledeb.--saltcedar
- Tanacetum (Asteraceae)  
 (cinerariifolium (Trevir.) Sch. Bip.) = *Chrysanthemum cinerariifolium*  
 vulgare L.--tansy
- Taraktogenos (Flacourtiaceae)  
 (kurzii King) = *Hydnocarpus kurzii*
- Taraxacum (Asteraceae)  
 (erythrospermum Andrz.) = *T. laevigatum*  
 kok-saghyz Rodin--Russian dandelion  
 laevigatum (Willd.) DC.--redseed dandelion  
 officinale Wiggers--common dandelion--[TN]  
 (vulgare (Lam.) Schrank) = *T. officinale*
- Taxodium (Taxodiaceae)  
 ascendens Brongn.--pond-cypress  
 distichum (L.) L. C. Rich.--bald-cypress
- Taxus (Taxaceae)  
 baccata L.--English yew  
 brevifolia Nutt.--Pacific yew  
 canadensis Marsh.--American yew  
 cuspidata Sieb. & Zucc.--Japanese yew
- Tecoma (Bignoniaceae)  
 stans (L.) Juss. ex H.B.K.--trumpet-flower, yellow-bells

- Tecomaria (Bignoniaceae)  
capensis (Thunb.) Spach--Cape-honeysuckle
- Tectona (Verbenaceae)  
grandis L. f.--teak
- Telfairia (Cucurbitaceae)  
occidentalis Hook. f.--oysternut  
pedata (Sm. ex Sims) Hook.--oysternut
- Telosma (Asclepiadaceae)  
africanum (N. E. Br.) Colville
- Tephrosia (Fabaceae)  
candida (Roxb.) DC.  
sinapou (Buc'hoz) A. Chev.  
(toxicaria (Sw.) Pers.) = T. sinapou  
virginiana (L.) Pers.  
vogelii Hook. f.
- Teramnus (Fabaceae)  
labialis (L. f.) Spreng.
- Terminalia (Combretaceae)  
bellirica (Gaertn.) Roxb.  
catappa L.--tropical-almond, Indian-almond  
chebula (Gaertn.) Retz.  
superba Engler & Diels
- Tetracarpidium (Euphorbiaceae)  
conophorum (Muell.-Arg.) Hutch. & Dalz.
- Tetraclinis (Cupressaceae)  
articulata (Vahl) Mast.--arar-tree, sandarac
- Tetragonia (Aizoaceae)  
(expansa Murr.) = T. tetragonioides  
tetragonioides (Pall.) Ktze.--New Zealand-spinach--[TN]
- Tetragonolobus (Fabaceae)  
purpureus Moench--winged pea, asparagus p.
- Tetrapanax (Araliaceae) [TN]  
papyrifera (Hook.) K. Koch--rice-paper-plant
- Thalia (Marantaceae)  
geniculata L.
- Thaumatococcus (Marantaceae)  
daniellii (Benn.) Benth.--miracle-fruit

- Thea* (Theaceae)  
 (bohea L.) = *Camellia sinensis*  
 (sinensis L.) = *Camellia sinensis*  
 (viridis L.) = *Camellia sinensis*
- Theobroma* (Sterculiaceae) [TN]  
 angustifolium Moc. & Sessé ex DC.  
 bicolor Humb. & Bonpl.  
 cacao L. subsp. cacao--cacao  
 cacao subsp. sphaerocarpum (A. Chev.) Cuatr.  
 grandiflorum (Willd. ex Spreng.) K. Schum.  
 (leiocarpum Bernoulli) = *T. cacao* (sens. lat.)  
 mammosum Cuatr. & Leon  
 (pentagonum Bernoulli) = *T. cacao* (sens. lat.)  
 (sativa (Aubl.) Lign, & Le Bey) = *T. cacao* (sens. lat.)  
 simiarum Donn. Smith  
 (sphaerocarpum A. Chev.) = *T. cacao* subsp. sphaerocarpum
- Thevetia* (Apocynaceae)  
 peruviana (Pers.) K. Schum.--yellow oleander, lucky-nut
- Thlaspi* (Brassicaceae)  
 arvense L.--field pennycress  
 perfoliatum L.--thoroughwort pennycress
- Thuja* (Cupressaceae)  
 occidentalis L.--northern white-cedar, arbor-vitae  
 plicata Donn ex D. Don--western red-cedar
- Thymus* (Lamiaceae)  
 capitatus (L.) Hoffm. & Link  
 serpyllum L.--creeping thyme  
 vulgaris L.--common thyme
- Tilia* (Tiliaceae)  
 americana L.--American basswood, linden  
 cordata Mill.--littleleaf linden  
 X europaea L.--(*T. cordata* X *T. platyphyllos*)--European linden  
 (glabra Vent.) = *T. americana*  
 platyphyllos Scop.--bigleaf linden
- Tillandsia* (Bromeliaceae)  
 usneoides (L.) L.--Spanish-moss
- Tithonia* (Asteraceae)  
 rotundifolia (Mill.) Blake  
 (speciosa Hook.) = *T. rotundifolia*
- Torreya* (Taxaceae)  
 nucifera (L.) Sieb. & Zucc.--Japanese torreyia
- Toxicodendron* (Anacardiaceae) [TN]



diversilobum (Torr. & A. Gray) Greene--Pacific poison-oak, western  
 poison-oak  
 radicans (L.) Ktze.--poison ivy  
 succedaneum (L.) Ktze.--wax-tree  
 vernicifluum (Stokes) Barkl.--Chinese lacquer, urushi  
 vernix (L.) Ktze.--poison sumac

Trachylobium (Fabaceae) [TN]  
 verrucosum (Gaertn.) Oliv.--Zanzibar copal

Trachypogon (Poaceae)  
 secundus (C. Presl) Scribn.--crinkle-awn  
 vestitus Anderss.

Trachyspermum (Apiaceae) [TN]  
 ammi (L.) Sprague ex Turrill  
 (copticum (L.) Link) = T. ammi

Tradescantia (Commelinaceae)  
 crassifolia Cav.  
 fluminensis Vell.  
 virginiana L.--common spiderwort

Tragopogon (Asteraceae)  
 dubius Scop.--western salsify  
 (major Jacq.) = T. dubius  
 porrifolius L.--salsify, oyster-plant, vegetable-oyster  
 pratensis L.--meadow salsify, goatsbeard

Trapa (Trapaceae) [TN]  
 bicornis Osb.--horn-nut  
 bispinosa Roxb.--singhara-nut  
 natans L.--caltrop, waterchestnut

Treculia (Moraceae)  
 africana Decne.--African breadfruit

Tribulus (Zygophyllaceae)  
 terrestris L.--puncture-vine

Trichilia (Meliaceae)  
 (emetica Vahl) = T. roka  
 roka (Forsk.) Chiov.

Tricholaena (Poaceae)  
 (rosea Nees) = Rhynchelytrum repens

Trichosanthes (Cucurbitaceae)  
 anguina L.--snakegourd  
 cucumerina L.--snakegourd

Tridens (Poaceae)

flavus (L.) Hitchc.--purpletop

Trifolium (Fabaceae) [TN]

africanum Ser.

(agrarium L., nom. ambig.) = T. aureum (in part)

alexandrinum L.--berseem clover, Egyptian c.

ambiguum Bieb.--kura clover

arvense L.--rabbitfoot clover

aureum Poll.--hop clover

campestre Schreb.--large hop clover

dubium Sibth.--small hop clover

fragiferum L.--strawberry clover

glomeratum L.--cluster clover

hirtum All.--rose clover

hybridum L.--alsike clover

incarnatum L.--crimson clover

lappaceum L.--lappa clover

medium L.--zigzag clover

melchiorianum Savi

nigrescens Viv.--ball clover

pratense L.--red clover

(procumbens L., nom. ambig.) = T. campestre (in part)

repens L.--white clover, ladino c.

resupinatum L.--Persian clover, reversed c.

rueppellianum Fresen.

semipilosum Fresen.--Kenya clover

striatum L.--striate clover, knotted c.

subterraneum L.--sub clover, subterranean c.

uniflorum L.

variegatum Nutt.--whitetip clover

vesiculosum Savi--arrowleaf clover

willdenovii Spreng.--seaside clover

Trigonella (Fabaceae)

foenum-graecum L.--fenugreek

Triphasia (Rutaceae)

(glauca Lindl.) = Eremocitrus glauca

trifolia (Burm. f.) P. Wils.--limeberry

Tripogandra (Commelinaceae)

elongata (G. F. W. Mey.) Woodson

Tripsacum (Poaceae) [TN]

dactyloides (L.) L.--eastern gamagrass

fasciculatum Trin. ex Aschers.

latifolium Hitchc.

(laxum Nash) = T. fasciculatum

Trisetum (Poaceae)

flavescens (L.) Beauv.

X Triticosecale (Poaceae)--(Triticum X Secale)--triticale--[TN]

Triticum (Poaceae) [TN]

aestivum L.--common wheat, bread w.  
boeoticum Boiss.--wild einkorn  
carthlicum Nevski--Persian wheat  
compactum Host--club wheat  
dicoccoides (Koern. ex Aschers. & Graebn.) Aaronsohn--wild emmer  
dicoccon Schrank--emmer  
(dicoccum Schrank) = T. dicoccon  
(dicoccum Schuebl.) = T. dicoccon  
durum Desf.--durum wheat  
macha Dek. & Men.  
monococcum L.--einkorn  
(orientale Perc.) = T. turanicum  
polonicum L.--Polish wheat  
(sativum Lam.) = T. aestivum  
spelta L.--spelt  
sphaerococcum Perc.--shot wheat  
timopheevii (Zhuk.) Zhuk.  
turanicum Jakubz.--Oriental wheat  
turgidum L.--poulard wheat, cone w., rivet w.  
vavilovii Jakubz.  
(vulgare Vill.) = T. aestivum

Triumfetta (Tiliaceae)

cordifolia A. Rich.  
rhomboidea Jacq.  
semitriloba Jacq.--Sacramento bur  
tomentosa Boj.

Tropaeolum (Tropaeolaceae)

majus L.--garden nasturtium, Indian-cress  
minus L.  
peltophorum Benth.--shield nasturtium  
tuberosum Ruiz & Pavon--anu, capucine

Tsuga (Pinaceae)

canadensis (L.) Carr.--eastern hemlock  
heterophylla (Raf.) Sarg.--western hemlock  
mertensiana (Bong.) Carr.--mountain hemlock

Tulipa (Liliaceae)

gesnerana L.--common tulip

Turbina (Convolvulaceae) [TN]

corymbosa (L.) Raf.--Christmas pops

Turnera (Turneraceae)

(aphrodisiaca L. F. Ward) = T. diffusa  
diffusa Willd.--damiana  
(microphylla Desv.) = T. diffusa

Turnera (continued)  
     *ulmifolia* L.

Tussilago (Asteraceae)  
     *farfara* L.--coltsfoot

Tylosema (Fabaceae)  
     *fassoglensis* (Schweinf.) Torre & Hillc.

Typha (Typhaceae)  
     *angustifolia* L.--narrowleaf cattail  
     *latifolia* L.--common cattail

Ulex (Fabaceae)  
     *europaeus* L.--gorse

Ullucus (Basellaceae)  
     *tuberosus* Caldas--ullucu

Ulmus (Ulmaceae)  
     *alata* Michx.--winged elm  
     *americana* L.--American elm  
     (*fulva* Michx.) = *U. rubra*  
     *parvifolia* Jacq.--Chinese elm  
     *procera* Salisb.--English elm  
     *pumila* L.--Siberian elm  
     (*racemosa* Thomas) = *U. thomasi*  
     *rubra* Muhl.--slippery elm  
     *thomasi* Sarg.--rock elm

Umbellularia (Lauraceae)  
     *californica* (Hook. & Arn.) Nutt.--California laurel

Uncaria (Rubiaceae)  
     *gambir* (Hunter) Roxb.--gambier

Uniola (Poaceae)  
     (*latifolia* Michx.) = *Chasmanthium latifolium*  
     *paniculata* L.--sea-oats

Urena (Malvaceae)  
     *lobata* L.--cadillo, caesarweed, aramina

Urera (Urticaceae)  
     *obovata* Benth.

Urginea (Liliaceae)  
     *maritima* (L.) Baker--red squill, sea-onion  
     (*scilla* Steinh.) = *U. maritima*

Urochloa (Poaceae)  
     *mosambicensis* (Hack.) Dandy

Urtica (Urticaceae)

- dioica L.--European nettle, stinging n.
- urens L.--dog nettle, burning n.

Utricularia (Lentibulariaceae)

- vulgaris L.--common bladderwort

Vaccinium (Ericaceae)

- angustifolium Ait.--lowbush blueberry, low sweet b., late sweet b.
- ashei Reade--rabbit-eye blueberry
- atrococcum (A. Gray) A. Heller--black highbush blueberry  
(australe Small) = *V. corymbosum*
- corymbosum L.--highbush blueberry
- macrocarpon Ait.--cranberry (cultivated), large c., American c.
- myrtilloides Michx.--sourtop blueberry, velvetleaf b.
- myrtilus L.--bilberry, whortleberry
- oxycoccus L.--small cranberry
- vacillans Torr.--low blueberry, early sweet b.
- vitis-idaea L.--mountain cranberry, cowberry, rock cranberry, lingen

Valeriana (Valerianaceae)

- officinalis L.--common valerian, garden heliotrope

Valerianella (Valerianaceae)

- eriocarpa Desv.--Italian cornsalad  
(locusta (L.) Betcke) = *V. locusta* (L.) Laterrade
- locusta (L.) Laterrade--cornsalad, lamb's-lettuce, European c.--[TN]
- (olitoria (L.) Poll.) = *V. locusta*

Vallisneria (Hydrocharitaceae)

- americana Michx.--water-celery, vallisneria
- spiralis L.

Vangueria (Rubiaceae)

- madagascariensis J. F. Gmel.--voavanga

Vanilla (Orchidaceae)

- (fragrans (Salisb.) Ames) = *V. planifolia*
- planifolia Andr.--vanilla--[TN]

Vateria (Dipterocarpaceae)

- indica L.--white dammar

Vaupesia (Euphorbiaceae)

- cataractarum R. E. Schult.

Veratrum (Liliaceae)

- viride Ait.--false hellebore, white h.

Verbascum (Scrophulariaceae)

- blattaria L.--moth mullein
- thapsus L.--mullein

Verbena (Verbenaceae)

bracteata Lag. & Rodr.--prostrate vervain  
stricta Vent.--hoary vervain

Vernonia (Asteraceae)

altissima Nutt.--tall ironweed  
anthelmintica (L.) Willd.  
baldwinii Torr.--western ironweed

Veronica (Scrophulariaceae)

agrestis L.--field speedwell  
arvensis L.--corn speedwell  
officinalis L.--common speedwell, gypsyweed  
peregrina L.--purslane speedwell, neckweed  
serpyllifolia L.--thymeleaf speedwell

Vetiveria (Poaceae)

zizanioides (L.) Nash ex Small--vetiver

Viburnum (Caprifoliaceae)

dentatum L.--arrow-wood viburnum, arrow-wood  
lantana L.--wayfaring-tree  
lentago L.--nannyberry, sweet viburnum, sheepberry  
opulus L.--European cranberry-bush, guelder-rose  
prunifolium L.--blackhaw  
rufidulum Raf.--rusty blackhaw  
suspensum Lindl.

Vicia (Fabaceae) [TN]

(angustifolia L.) = V. sativa subsp. nigra  
articulata Hornem.--single-flowered vetch  
(atropurpurea Desf.) = V. benghalensis  
benghalensis L.--purple vetch  
cracca L.--boreal vetch, bird v.  
(dasycarpa Ten.) = V. villosa  
ervilia (L.) Willd.--bitter vetch  
faba L.--broadbean, horse bean, fava b., windsor b.  
hirsuta (L.) S. F. Gray--tiny vetch  
lathyroides L.--spring vetch  
lutea L.--yellow vetch  
monantha Retz.--bard vetch  
narbonensis L.--Narbonne vetch  
pannonica Crantz--Hungarian vetch  
sativa L. subsp. nigra (L.) Ehrh.--blackpod vetch  
sativa L. subsp. sativa--common vetch  
(tetrasperma (L.) Moench) = V. tetrasperma (L.) Schreb.  
tetrasperma (L.) Schreb.--sparrow vetch  
villosa Roth--(sens. lat. incl.) winter vetch, hairy v.

Vigna (Fabaceae) [TN]

aconitifolia (Jacq.) Marechal--moth bean, mat b.  
angularis (Willd.) Ohwi & Ohashi--adzuki bean

(baoulensis A. Chev.) = *V. unguiculata* subsp. *dekindtiana*  
*caracalla* (L.) Verdc.--bertoni bean, snailflower  
 (catjang (Burm. f.) Walp.) = *V. unguiculata* subsp. *cylindrica*  
 (cylindrica (L.) Skeels) = *V. unguiculata* subsp. *cylindrica*  
*hosei* (Craib) Backer  
*marina* (Burm.) Merr.  
*minima* (Roxb.) Ohwi & Ohashi  
*mungo* (L.) Hepper--black gram  
 (ornata Welw. ex Baker) = *Sphenostylis stenocarpa*  
*radiata* (L.) Wilczek var. *radiata*--mung bean, green gram  
*radiata* var. *sublobata* (Roxb.) Verdc.  
 (sesquipedalis (L.) Fruw.) = *V. unguiculata* subsp. *sesquipedalis*  
 (sinensis (L.) Savi ex Hassk.) = *V. unguiculata* subsp. *unguiculata*  
 (sinensis subsp. *sesquipedalis* (L.) van Eseltine) = *V. unguiculata*  
 subsp. *sesquipedalis*  
*umbellata* (Thunb.) Ohwi & Ohashi--rice bean  
*unguiculata* subsp. *cylindrica* (L.) Verdc.--catjang  
*unguiculata* subsp. *dekindtiana* (Harms) Verdc.  
*unguiculata* subsp. *sesquipedalis* (L.) Verdc.--yard-long bean,  
 asparagus b.  
*unguiculata* (L.) Walp. subsp. *unguiculata*--southern pea, cowpea,  
 black-eyed p., crowder p.  
*vexillata* (L.) A. Rich.

*Vinca* (Apocynaceae)

*minor* L.--common periwinkle, running myrtle  
 (*rosea* L.) = *Catharanthus roseus*

*Viola* (Violaceae)

*arvensis* Murr.--field violet, European field pansy  
*lanceolata* L.--lance-leaved violet  
*odorata* L.--English violet, sweet v.  
*tricolor* L.--pansy, wild violet

*Virola* (Myristicaceae)

*calophylla* (Spruce) Warb.--virola  
*calophylloidea* Markgr.  
*sebifera* Aubl.  
*theiodora* (Spruce ex Benth.) Warb.

*Vitellaria* (Sapotaceae)

*paradoxa* Gaertn. f.

*Vitis* (Vitaceae)

*aestivalis* Michx.--summer grape  
*labrusca* L.--fox grape  
*riparia* Michx.--riverbank grape  
*rotundifolia* Michx.--muscadine grape  
*rupestris* Scheele--sand grape  
*vinifera* L.--wine grape  
*vulpina* L.--frost grape, winter g.

- Voandzeia (Fabaceae) [TN]  
 subterranea (L.) Thou.--bambarra groundnut
- Vulpia (Poaceae) [TN]  
 bromoides (L.) S. F. Gray--squirreltail fescue  
 (megalura (Nutt.) Rydb.) = V. myuros var. hirsuta  
 myuros (L.) C. C. Gmel.--rattail fescue  
 myuros var. hirsuta Hack.--foxtail fescus  
 octoflora (Walt.) Rydb.--six-weeks fescue
- Warczewiczia (Rubiaceae)  
 coccinea (Vahl) Kl.--chaconier
- Weigela (Caprifoliaceae)  
 florida (Bunge) A. DC.--pink weigela
- Withania (Solanaceae)  
 somnifera (L.) Dunal
- Wolffia (Lemnaceae)  
 columbiana Karst.--watermeal
- Xanthium (Asteraceae)  
 (pensylvanicum Wallr.) = X. strumarium  
 spinosum L.--spiny cocklebur  
 strumarium L.--common cocklebur
- Xanthosoma (Araceae)  
 brasiliense (Desf.) Engler  
 robustum Schott  
 sagittifolium (L.) Schott--yautia, ocumo, tannia  
 violaceum Schott
- Xylopia (Annonaceae)  
 aethiopica (Dunal) A. Rich.--negro-pepper, African-pepper
- Yucca (Agavaceae)  
 elata Engelm.--soaptree yucca  
 elephantipes Regel  
 filamentosa L.--Adam's-needle, spoonleaf yucca  
 whipplei Torr.
- Zamia (Cycadaceae)  
 floridana A. DC.--coontie
- Zantedeschia (Araceae)  
 aethiopica (L.) Spreng.--common calla
- Zea (Poaceae) [TN]  
 (mays var. everta (Sturtev.) Bailey)--(popcorn) = Z. mays subsp. mays  
 (mays var. indentata (Sturtev.) Bailey)--(dent corn) = Z. mays  
 subsp. mays



(mays var. *indurata* (Sturtev.) Bailey)--(flint corn) = *Z. mays*  
subsp. *mays*  
(mays var. *japonica* (Van Houtte) Wood) = *Z. mays* subsp. *mays*  
(mays var. *saccharata* (Sturtev.) Bailey)--(sweet corn) = *Z. mays*  
subsp. *mays*  
(mays var. *tunicata* Larr. ex St. Hil.)--(pod corn) = *Z. mays*  
subsp. *mays*  
*mays* L. subsp. *mays*--corn, maize  
*mays* subsp. *mexicana* (Schrad.) Iltis--teosinte  
(*mexicana* (Schrad.) Ktze.) = *Z. mays* subsp. *mexicana*  
(*mexicana* (Schrad.) Reeves & Mangelsd.) = *Z. mays* subsp. *mexicana*  
*perennis* (Hitchc.) Reeves & Mangelsd.--perennial teosinte

*Zebrina* (Commelinaceae)  
*pendula* Schnizl.--wandering-jew (in part)

*Zelkova* (Ulmaceae)  
*serrata* (Thunb.) Makino--Japanese zelkova

*Zingiber* (Zingiberaceae)  
*officinale* Roscoe--ginger

*Zinnia* (Asteraceae)  
*elegans* Jacq.--zinnia

*Zizania* (Poaceae) [TN]  
*aquatica* L.--southern wildrice (not cultivated)  
*latifolia* (Griseb.) Turcz. ex Stapf--Manchurian wildrice  
*palustris* L.--northern wildrice (cultivated)

*Zizaniopsis* (Poaceae)  
*miliacea* (Michx.) Doell & Aschers.--giant cutgrass

*Ziziphus* (Rhamnaceae)  
*jujuba* Mill.--common jujube  
*mauritiana* Lam.

*Zostera* (Zosteraceae)  
*marina* L.--eelgrass

*Zoysia* (Poaceae)  
*japonica* Steud.--zoysia, Japanese lawngrass  
*matrella* (L.) Merr.--Manila grass  
*tenuifolia* Willd. ex Thiele--mascarene grass--[TN]  
(*tenuifolia* Willd. ex Trin.) = *Z. tenuifolia* Willd. ex Thiele

PART II. COMMON AND SCIENTIFIC NAMES

abaca--*Musa textilis* Néé  
 absinthe--*Artemisia absinthium* L.  
 absinthium--*A. absinthium* L.  
 acacia, apple-ring--*Acacia albida* Del.  
     catclaw--*A. greggii* A. Gray  
     sweet--*A. farnesiana* (L.) Willd.  
 aceituna--*Simarouba glauca* DC.  
 acerola--*Malpighia puniceifolia* L., *M. glabra* L.  
 achotillo--*Caryocar amygdaliferum* Mutis  
 aconite--*Aconitum napellus* L.  
 Adam's-needle--*Yucca filamentosa* L.  
 adlay--*Coix lacryma-jobi* L.  
 African-pepper--*Xylopiia aethiopica* (Dunal) A. Rich.  
 African-rue--*Peganum harmala* L.  
 African-violet--*Saintpaulia ionantha* Wendl.  
 ageratum--*Ageratum houstonianum* Mill.  
 ailanthus--*Ailanthus altissima* (Mill.) Swingle  
 airpotato--*Dioscorea bulbifera* L.  
 aja--*D. trifida* L. f.  
 aji--*Capsicum baccatum* L. var. *pendulum* (Willd.) Eshbaugh, *C. chinense* Jacq.  
 ajipo--*Pachyrhizus tuberosus* (Lam.) Spreng.  
 akalbir--*Datisca cannabina* L.  
 akee--*Blighia sapida* Koenig  
 alacransillo--*Heliotropium indicum* L.  
 Alaska-cedar--*Chamaecyparis nootkatensis* (D. Don) Spach  
 albizia, silktree--*Albizia julibrissin* Durazz.  
 alder, European--*Alnus glutinosa* (L.) Gaertn.  
     hazel--*A. serrulata* (Ait.) Willd.  
     red--*A. rubra* Bong.  
     Sitka--*A. sinuata* (Regel) Rydb.  
     speckled--*A. rugosa* (DuRoi) Spreng.  
     white--*A. incana* (L.) Moench  
 alexanders--*Smyrniium olusatrum* L.  
 alfalfa--*Medicago sativa* L.  
     yellow-flowered--*M. falcata* L.  
 alfilaria--*Erodium cicutarium* (L.) L'Hér. ex Ait.  
 algaroba--*Prosopis chilensis* (Mol.) Stuntz  
 alkaligrass--*Puccinellia distans* (L.) Parl.  
     Nuttall--*P. airoides* (Nutt.) S. Wats. & Coult.  
     weeping--*P. distans* (L.) Parl.  
 alkanna--*Alkanna tinctoria* (L.) Tausch  
 allamanda--*Allamanda cathartica* L.  
 alligatorweed--*Alternanthera philoxeroides* (Mart.) Griseb.  
 allouya--*Calathea allouia* (Aubl.) Lindl.  
 allspice--*Pimenta dioica* (L.) Merr.  
 almond--*Prunus dulcis* (Mill.) D. A. Webb  
     Indian--*Terminalia catappa* L.  
     Java--*Canarium indicum* L.  
     tropical--*Terminalia catappa* L.

alocasia, giant--*Alocasia macrorrhiza* (L.) G. Don  
aloe, Barbados--*Aloe barbadensis* Mill.  
  candelabra--*A. arborescens* Mill.  
  Cape--*A. ferox* Mill.  
  Mediterranean--*A. barbadensis* Mill.  
  true--*A. barbadensis* Mill.  
althea, shrub--*Hibiscus syriacus* L.  
alyceclover--*Alysicarpus vaginalis* (L.) DC.  
alyssum, hoary--*Berteroa incana* (L.) DC.  
  sweet--*Lobularia maritima* (L.) Desv.  
amada--*Curcuma amada* Roxb.  
amaranth, Chinese--*Amaranthus tricolor* L.  
  globe--*Gomphrena globosa* L.  
  livid--*Amaranthus lividus* L.  
  Palmer--*A. palmeri* S. Wats.  
  slender--*A. viridis* L.  
  spiny--*A. spinosus* L.  
ambatch--*Aeschynomene elaphroxylon* (Guill. & Perr.) Taub.  
ambrette--*Abelmoschus moschatus* Medik.  
ammi, greater--*Ammi majus* L.  
  toothpick--*A. visnaga* (L.) Lam.  
ammoniakum--*Dorema ammoniacum* D. Don  
amole--*Chlorogalum pomeridianum* (DC.) Kunth  
amyris, balsam--*Amyris balsamifera* L.  
andromeda, Japanese--*Pieris japonica* (Thunb.) D. Don ex G. Don  
anemone, European wood--*Anemone nemorosa* L.  
  Japanese--*A. hupehensis* var. *japonica* (Thunb.) Bowles & Stearn  
angelica, garden--*Angelica archangelica* L.  
anise--*Pimpinella anisum* L.  
anise-tree, star--*Illicium verum* Hook. f.  
annatto--*Bixa orellana* L.  
anoda, spurred--*Anoda cristata* (L.) Schlecht.  
anu--*Tropaeolum tuberosum* Ruiz & Pavon  
apple--*Malus sylvestris* Mill.  
  balsam--*Momordica balsamina* L., *M. charantia* L.  
  crab--(see crabapple)  
  custard--*Annona reticulata* L.  
  custard, wild--*A. senegalensis* Pers.  
  golden--*Spondias dulcis* Parkins.  
  kei--*Dovyalis caffra* (Hook. f. & Harv.) Warb.  
  mammee (mammy)--*Mammea americana* L.  
  mammy, African--*M. africana* Sabine  
  may--*Podophyllum peltatum* L.  
  Mexican--*Casimiroa edulis* Llave & Lex.  
  pond--*Annona glabra* L.  
  rose--*Syzygium jambos* (L.) Alst.  
  rose, watery--*S. aqueum* (Burm. f.) Alst.  
  star--*Chrysophyllum câinito* L.  
  star, African--*C. delevoyi* De Wild.  
  sugar--*Annona squamosa* L.  
  wonder--*Momordica balsamina* L.  
  wood, Indian--*Feronia limonia* (L.) Swingle

applemint--*Mentha rotundifolia* (L.) Huds.  
 apple-of-Peru--*Nicandra physalodes* (L.) Gaertn.  
 apricot--*Prunus armeniaca* L.  
     Japanese--*P. mume* Sieb. & Zucc.  
 aralia, threadleaf false--*Dizygotheca elegantissima* (Veitch) Vig. & Guill.  
 aramina--*Urena lobata* L.  
 arar-tree--*Tetraclinis articulata* (Vahl) Mast.  
 arbor-vitae--*Thuja occidentalis* L.  
 areca-nut--*Areca catechu* L.  
 arnica--*Arnica montana* L.  
     European--*A. montana* L.  
 arracacha--*Arracacia xanthorrhiza* Bancroft  
 arrow-arum--*Peltandra virginica* (L.) Schott & Endl.  
 arrowhead, Chinese--*Sagittaria sagittifolia* L.  
     common--*S. latifolia* Willd.  
     slender--*S. graminea* Michx.  
 arrowroot--*Maranta arundinacea* L.  
     East Indian--*Tacca leontopetaloides* (L.) Ktze.  
     Fiji--*T. leontopetaloides* (L.) Ktze.  
     Queensland--*Canna edulis* Ker  
 arrow-wood--*Viburnum dentatum* L.  
 artichoke--*Cynara scolymus* L.  
     Chinese--*Stachys affinis* Bge.  
     globe--*Cynara scolymus* L.  
     Jerusalem--*Helianthus tuberosus* L.  
 artillery-plant--*Pilea microphylla* (L.) Liebm.  
 artilleryweed--*P. microphylla* (L.) Liebm.  
 arum, whitespot giant--*Amorphophallus campanulatus* (Roxb.) Bl. ex Decne.  
 asafetida--*Ferula assa-foetida* L.  
 ash, black--*Fraxinus nigra* Marsh.  
     blue--*F. quadrangulata* Michx.  
     European--*F. excelsior* L.  
     flowering--*F. ornus* L.  
     green--*F. pennsylvanica* Marsh.  
     manna--*F. ornus* L.  
     Oregon--*F. latifolia* Benth.  
     white--*F. americana* L.  
 asparagus, garden--*Asparagus officinalis* L.  
 aspen, bigtooth--*Populus grandidentata* Michx.  
     large-toothed--*P. grandidentata* Michx.  
     quaking--*P. tremuloides* Michx.  
     trembling--*P. tremuloides* Michx.  
 aster, China--*Callistephus chinensis* (L.) Nees  
     Stokes'--*Stokesia laevis* (Hill) Greene  
 ati--*Calophyllum inophyllum* L.  
 aubergine--*Solanum melongena* L.  
 aucuba, Japanese--*Aucuba japonica* Thunb.  
 Australian-pine--*Casuarina equisetifolia* J. R. & G. Forst.  
 avaram--*Cassia auriculata* L.  
 avens--*Geum urbanum* L.  
 avocado--*Persea americana* Mill.  
 ayahuasca--*Banisteriopsis caapi* (Spruce ex Griseb.) Morton

azalea, flame--*Rhododendron calendulaceum* (Michx.) Torr.  
 azolla--*Azolla caroliniana* Willd.  
 babassu--*Orbignya barbosiana* Burret  
 baboon-spice--*Aframomum sceptrum* (Oliv. & Hanb.) K. Schum.  
 babul--*Acacia nilotica* (L.) Del.  
 bacury--*Platonia esculenta* (Arr. Cam.) Rickett & StafI.  
 bael, Indian--*Aegle marmelos* (L.) Corr.  
 bael-tree--*A. marmelos* (L.) Corr.  
 bahiagrass--*Paspalum notatum* Fluegge  
 balata--*Manilkara bidentata* (A. DC.) A. Chev.  
 bald-cypress--*Taxodium distichum* (L.) L. C. Rich.  
 balm, lemon--*Melissa officinalis* L.  
 balsam, garden--*Impatiens balsamina* L.  
     Tolu--*Myroxylon balsamum* (L.) Harms  
 balsam-apple--*Momordica* spp.  
 balsam-of-Peru--*Myroxylon balsamum* var. *pereirae* (Royle) Harms  
 balsam-of-Tolu--*M. balsamum* (L.) Harms  
 balsam-pear--*Momordica charantia* L.  
 balsam-tree, African copaiba--*Daniellia oliveri* (Rolfe) Hutch. & Dalz.  
 balsamo--*Bulnesia sarmienti* Lorentz ex Griseb.  
 bamboo, hedge--*Bambusa multiplex* (Lour.) Raeusch.  
     Japanese timber--*Phyllostachys bambusoides* Sieb. & Zucc.  
     male--*Dendrocalamus strictus* (Roxb.) Nees  
     Meyer--*Phyllostachys meyeri* McClure  
     puntingpole--*Bambusa tuldoidea* Munro  
     Simon--*Arundinaria simonii* (Carr.) A. & C. Riv.  
     sweet shoot--*Phyllostachys dulcis* McClure  
     Tonkin--*Arundinaria amabilis* McClure  
 banana--*Musa X paradisiaca* L.  
     Abyssinian--*Ensete ventricosum* (Welw.) Cheesem.  
     dwarf--*Musa acuminata* Colla  
 banyan, Indian--*Ficus benghalensis* L.  
 baobab--*Adansonia digitata* L.  
 Barbados-cherry--*Malpighia* spp.  
 barberry, American--*Berberis canadensis* Mill.  
     European--*B. vulgaris* L.  
     Japanese--*B. thunbergii* DC.  
 barilla--*Halogeton glomeratus* (Bieb.) C. A. Mey.  
 barley--*Hordeum vulgare* L.  
     bulbous--*H. bulbosum* L.  
     foxtail--*H. jubatum* L.  
     little--*H. pusillum* Nutt.  
     wall--*H. murinum* L.  
 barnyardgrass--*Echinochloa crusgalli* (L.) Beauv.  
 barrelclover--*Medicago truncatula* Gaertn.  
 barwood--*Baphia nitida* Lodd., *Pterocarpus erinaceus* Poir., *P. soyauxii* Taub.  
 basil--*Ocimum basilicum* L.  
     camphor--*O. kilimandscharicum* Guercke  
     hoary--*O. canum* Sims, *O. kilimandscharicum* Guercke  
     holy--*O. sanctum* L.  
 basket-of-gold--*Aurinia saxatilis* (L.) Desv.  
 basswood, American--*Tilia americana* L.

bast, Cuban--*Hibiscus elatus* Sw.  
 bauhinia, purple--*Bauhinia purpurea* L.  
 bay--*Laurus nobilis* L.  
     loblolly--*Gordonia lasianthus* (L.) Ellis  
 bay-rum-tree--*Pimenta racemosa* (Mill.) J. W. Moore  
 beachgrass, American--*Ammophila breviligulata* Fern.  
     European--*A. arenaria* (L.) Link  
 bean, adzuki--*Vigna angularis* (Willd.) Ohwi & Ohashi  
     African locust--*Parkia filicoidea* Welw. ex Oliv.  
     African yam--*Sphenostylis stenocarpa* (Hochst. ex A. Rich.) Harms  
     asparagus--*Vigna unguiculata* subsp. *sesquipedalis* (L.) Verdc.  
     Bengal--*Mucuna aterrima* (Piper & Tracy) Holland  
     bertoni--*Vigna caracalla* (L.) Verdc.  
     bonavist--*Dolichos lablab* L.  
     butter--*Phaseolus lunatus* L.  
     calabar--*Physostigma venenosum* Balf.  
     fava--*Vicia faba* L.  
     garden--*Phaseolus vulgaris* L.  
     gemsbok--*Bauhinia esculenta* Burchell  
     goa--*Psophocarpus tetragonolobus* (L.) DC.  
     green--*Phaseolus vulgaris* L.  
     haricot--*P. vulgaris* L.  
     horse--*Vicia faba* L.  
     hyacinth--*Dolichos lablab* L.  
     ice cream--*Inga edulis* Mart.  
     jequirity--*Abrus precatorius* L.  
     jumbie--*Leucaena leucocephala* (Lam.) De Wit  
     kidney--*Phaseolus vulgaris* L.  
     lablab--*Dolichos lablab* L.  
     lima--*Phaseolus lunatus* L.  
     mat--*Vigna aconitifolia* (Jacq.) Marechal  
     Mauritius--*Mucuna aterrima* (Piper & Tracy) Holland  
     moth--*Vigna aconitifolia* (Jacq.) Marechal  
     mung--*V. radiata* (L.) Wilczek var. *radiata*  
     precatory--*Abrus precatorius* L.  
     purple--*Macroptilium atropurpureum* (DC.) Urb.  
     rice--*Vigna umbellata* (Thunb.) Ohwi & Ohashi  
     scarlet runner--*Phaseolus coccineus* L.  
     tepany--*P. acutifolius* A. Gray  
     thicket--*P. polystachios* (L.) B.S.P.  
     tonka--*Dipteryx odorata* (Aubl.) Willd., *D. oppositifolia* (Aubl.) Willd.  
     wild--*Phaseolus polystachios* (L.) B.S.P.  
     windsor--*Vicia faba* L.  
     winged--*Psophocarpus tetragonolobus* (L.) DC.  
     yam--*Pachyrhizus* spp.  
     yard-long--*Vigna unguiculata* subsp. *sesquipedalis* (L.) Verdc.  
 beanvine--*Phaseolus polystachios* (L.) B.S.P.  
 bearberry--*Arctostaphylos uva-ursi* (L.) Spreng.  
 bearmat--*Chamaebatia foliolosa* Benth.  
 beautyberry, American--*Callicarpa americana* L.  
 bedstraw, catchweed--*Galium aparine* L.  
     northern--*G. boreale* L.

smooth--*G. mollugo* L.  
 beebalm, spotted--*Monarda punctata* L.  
 beech, American--*Fagus grandifolia* Ehrh.  
     blue--*Carpinus caroliniana* Walt.  
     European--*Fagus sylvatica* L.  
 beefwood-tree--*Casuarina equisetifolia* J. R. & G. Forst.  
 beet, garden--*Beta vulgaris* L.  
     sugar--*B. vulgaris* L.  
 beetroot--*B. vulgaris* L.  
 beggarlice--*Desmodium intortum* (Mill.) Fawc. & Rendle  
 beggarticks--*Bidens bipinnata* L.  
     coreopsis--*B. polylepis* Blake  
     devils--*B. frondosa* L.  
     hairy--*B. pilosa* L.  
     leafybract--*B. comosa* (A. Gray) Wieg.  
     nodding--*B. cernua* L.  
     purplestem--*B. connata* Muhl.  
     tall--*B. vulgata* Greene  
 beggarweed, Florida--*Desmodium tortuosum* (Sw.) DC.  
     threeflower--*D. triflorum* (L.) DC.  
 belladonna--*Atropa bella-donna* L.  
 bent, loose silky--*Apera spica-venti* (L.) Beauv.  
 bentgrass, colonial--*Agrostis tenuis* Sibth.  
     creeping--*A. stolonifera* L. sens. lat.  
     Rhode Island--*A. tenuis* Sibth.  
     rough--*A. scabra* Willd.  
     velvet--*A. canina* L.  
 benzoin, Siam--*Styrax tonkinensis* (Pierre) Craib ex Hartwich, *S. benzoides*  
     Craib  
 bergamot, wild--*Monarda fistulosa* L.  
 Bermuda-buttercup--*Oxalis pes-caprae* L.  
 bermudagrass--*Cynodon dactylon* (L.) Pers.  
     African--*C. transvaalensis* Burtt Davy  
     giant--*C. dactylon* var. *aridus* Harlan & de Wet  
 betel-nut--*Areca catechu* L.  
 betony, artichoke--*Stachys affinis* Bge.  
 bignay--*Antidesma bunius* (L.) Spreng.  
 bigtree--*Sequoiadendron giganteum* (Lindl.) Buchh.  
 bilberry--*Vaccinium myrtillus* L.  
 bilimbi--*Averrhoa bilimbi* L.  
 bindweed, black--*Polygonum convolvulus* L.  
     field--*Convolvulus arvensis* L.  
     hedge--*C. sepium* L.  
 birch, black--*Betula lenta* L.  
     European white--*B. pendula* Roth  
     paper--*B. papyrifera* Marsh.  
     sweet--*B. lenta* L.  
     yellow--*B. alleghaniensis* Britton  
 bird-of-paradise--*Strelitzia reginae* Ait.  
 bitterweed--*Helenium amarum* (Raf.) H. Rock  
 bitterwood--*Picrasma excelsa* (Sw.) Planch., *Quassia amara* L.  
 blackberry, Allegheny--*Rubus allegheniensis* Porter

blackberry (continued)  
   California--*R. ursinus* Cham. & Schlecht.  
   common--*R. allegheniensis* Porter  
   cutleaf--*R. laciniatus* Willd.  
   European--*R. fruticosus* L.  
   evergreen--*R. laciniatus* Willd.  
   Pacific--*R. ursinus* Cham. & Schlecht.  
 blackhaw--*Viburnum prunifolium* L.  
   rusty--*V. rufidulum* Raf.  
 blackthorn--*Prunus spinosa* L.  
 blackwood--*Acacia melanoxylon* R. Br.  
 bladder-flower--*Araujia sericofera* Brot.  
 bladderpod, Fendler--*Lesquerella fendleri* (A. Gray) S. Wats.  
   Gordon--*L. gordonii* (A. Gray) S. Wats.  
 bladderwort, common--*Utricularia vulgaris* L.  
 blazing-star--*Liatris spicata* (L.) Willd.  
 blite, wild--*Amaranthus lividus* L.  
 blueberry, black highbush--*Vaccinium atrococcum* (A. Gray) A. Heller  
   early sweet--*V. vacillans* Torr.  
   highbush--*V. corymbosum* L.  
   late sweet--*V. angustifolium* Ait.  
   low--*V. vacillans* Torr.  
   lowbush--*V. angustifolium* Ait.  
   low sweet--*V. angustifolium* Ait.  
   rabbit-eye--*V. ashei* Reade  
   sourtop--*V. myrtilloides* Michx.  
   velvetleaf--*V. myrtilloides* Michx.  
 bluegrass, alpine--*Poa alpina* L.  
   annual--*P. annua* L.  
   big--*P. ampla* Merr.  
   bulbous--*P. bulbosa* L.  
   Canada--*P. compressa* L.  
   Canby--*P. canbyi* (Scribn.) Piper  
   fowl--*P. palustris* L.  
   glaucantha--*P. glaucantha* Gaud.  
   Kentucky--*P. pratensis* L.  
   mutton--*P. fendleriana* (Steud.) Vasey  
   Nevada--*P. nevadensis* Vasey ex Scribn.  
   plains--*P. arida* Vasey  
   roughstalk--*P. trivialis* L.  
   Sandberg--*P. secunda* Presl  
   Texas--*P. arachnifera* Torr.  
   upland--*P. glaucantha* Gaud.  
   Wheeler--*P. nervosa* (Hook.) Vasey  
   wood--*P. nemoralis* L.  
 bluestem, angleton--*Dichanthium aristatum* (Poir.) C. E. Hubb.  
   big--*Andropogon gerardii* Vitm.  
   cane--*Bothriochloa barbinodis* (Lag.) Herter  
   Caucasian--*B. caucasica* (Trin.) C. E. Hubb.  
   diaz--*Dichanthium annulatum* (Forsk.) Stapf  
   King ranch--*Bothriochloa ischaemum* var. *songarica* (Rupr. ex Fisch. & Mey.)  
   Celar. & Harlan



little--*Schizachyrium scoparium* (Michx.) Nash  
 medio--*Dichanthium papillosum* (Hochst. ex A. Rich.) Stapf  
 pitted--*Bothriochloa pertusa* (L.) A. Camus  
 sand--*Andropogon hallii* Hack.  
 silky--*Dichanthium sericeum* (R. Br.) Camus  
 silver--*Bothriochloa saccharoides* (Sw.) Rydb.  
 yellow--*B. ischaemum* (L.) Keng var. *ischaemum*  
 blueweed--*Echium vulgare* L.  
 bo-tree--*Ficus religiosa* L.  
 boldo--*Peumus boldus* Mol.  
 boleko-nut--*Ongokea gore* (Hua) Pierre  
 bolo-bolo--*Clappertonia ficifolia* (Willd.) Decne.  
 boneset--*Eupatorium perfoliatum* L.  
 borage--*Borago officinalis* L.  
     Indian--*Coleus amboinicus* Lour.  
 borecole--*Brassica oleracea* (Acephala Group)  
 boronia, sweet--*Boronia megastigma* Nees ex Bartl.  
 bottlebrush, crimson--*Callistemon citrinus* (Curt.) Stapf  
 bouncing-bet--*Saponaria officinalis* L.  
 boxelder--*Acer negundo* L.  
 boxwood, common--*Buxus sempervirens* L.  
     littleleaf--*B. microphylla* Sieb. & Zucc.  
     Turkish--*B. sempervirens* L.  
 boysenberry--*Rubus ursinus* var. *loganobaccus* (L. H. Bailey) L. H. Bailey  
 brazilnut, Brazil-nut--*Bertholletia excelsa* Humb. & Bonpl.  
 brazilwood--*Caesalpinia echinata* Lam.  
 breadfruit--*Artocarpus altilis* (Parkins.) Fosb.  
     African--*Treculia africana* Decne.  
 breadnut--*Brosimum alicastrum* Sw. subsp. *alicastrum*  
 briar-root--*Erica arborea* L.  
 bright-eyes--*Catharanthus roseus* (L.) G. Don  
 broadbean--*Vicia faba* L.  
 broccoli--*Brassica oleracea* (Botrytis Group)  
     asparagus--*B. oleracea* (Italica Group)  
     sprouting--*B. oleracea* (Italica Group)  
 brome, barren--*Bromus sterilis* L.  
     California--*B. carinatus* Hook. & Arn.  
     compact--*B. madritensis* L.  
     downy--*B. tectorum* L.  
     drooping--*B. tectorum* L.  
     chalk false--*Brachypodium pinnatum* (L.) Beauv.  
     field--*Bromus arvensis* L.  
     foxtail--*B. rubens* L.  
     Japanese--*B. japonicus* Thunb. ex Murr.  
     Madrid--*B. madritensis* L.  
     meadow--*B. erectus* Huds.  
     mountain--*B. marginatus* Nees ex Steud.  
     poverty--*B. sterilis* L.  
     rattlesnake--*B. briziformis* Fisch. & Mey.  
     red--*B. rubens* L.  
     ripgut--*B. rigidus* Roth  
     rye--*B. secalinus* L.

brome (continued)  
   sand--*B. arenarius* Labill.  
   slender false--*Brachypodium sylvaticum* (Huds.) Beauv.  
   smooth--*Bromus inermis* Leyss.  
   soft--*B. mollis* L.  
   Spanish--*B. madritensis* L.  
   sterile--*B. sterilis* L.  
   upright--*B. erectus* Huds.  
 broom, Scotch--*Cytisus scoparius* (L.) Link  
   Spanish--*Spartium junceum* L.  
 broomcorn--*Sorghum bicolor* (L.) Moench  
 broomrape, clover--*Orobanche minor* Sm.  
   hemp--*O. ramosa* L.  
 broomsedge--*Andropogon virginicus* L.  
 broomweed--*Gutierrezia dracunculoides* (DC.) Blake  
 browntop--*Agrostis tenuis* Sibth.  
 brunswickgrass--*Paspalum nicorae* Parodi  
 brussels-sprouts--*Brassica oleracea* (Gemifera Group)  
 buchu--*Agathosma* spp.  
   Indian--*Myrtus communis* L.  
 buckeye, California--*Aesculus californica* (Spach) Nutt.  
   Ohio--*A. glabra* Willd.  
   red--*A. pavia* L.  
   yellow--*A. octandra* Marsh.  
 buckthorn, alder--*Frangula alnus* Mill.  
   cascara--*Rhamnus purshianus* DC.  
   Chinese--*R. utilis* Decne.  
   European--*R. catharticus* L.  
   glossy--*Frangula alnus* Mill.  
 buckwheat--*Fagopyrum esculentum* Moench  
   Tartary--*F. tataricum* (L.) Gaertn.  
   wild--*Polygonum convolvulus* L.  
 buckwheat, ine--*Brunnichia cirrhosa* Gaertn.  
 buffalobur--*Solanum rostratum* Dun.  
 buffalograss--*Buchloe dactyloides* (Nutt.) Engelm.  
 buffaloweed--*Ambrosia trifida* L.  
 buffelgrass--*Cenchrus ciliaris* L.  
 bullbrier--*Smilax rotundifolia* L.  
 bullnettle--*Cnidocolus stimulosus* (Michx.) Engelm. & A. Gray  
   Texas--*C. texanus* (Muell.-Arg.) Small  
 bullock's-heart--*Annona reticulata* L.  
 bulrush, American--*Scirpus americanus* Pers.  
   California--*S. californicus* (C. A. Mey.) Steud.  
   hardstem--*S. acutus* Muhl.  
   southern--*S. californicus* (C. A. Mey.) Steud.  
   woolgrass--*S. cyperinus* (L.) Kunth  
 bumelia, gum--*Bumelia lanuginosa* (Michx.) Pers.  
 bunchberry--*Cornus canadensis* L.  
 bunchgrass, feather--*Stipa viridula* Trin.  
 bungu--*Ceratotheca sesamoides* Endl.  
 bunya-bunya--*Araucaria bidwillii* Hook.  
 bur, Sacramento--*Triumfetta semitriloba* Jacq.

burclover, California--*Medicago polymorpha* L.  
     little--*M. minima* (L.) Bartal.  
     spotted--*M. arabica* (L.) Huds.  
     Tifton--*M. rigidula* (L.) All.  
 burdock, common--*Arctium minus* Bernh.  
     edible--*A. lappa* L.  
     great--*A. lappa* L.  
     lesser--*A. minus* Bernh.  
 burgrass--*Cenchrus incertus* M. A. Curtis  
 burnet--*Sanguisorba minor* Scop.  
     small--*S. minor* Scop.  
 burning-bush--*Euonymus atropurpurea* Jacq.  
 burnweed--*Erechtites hieracifolia* (L.) Raf. ex DC.  
     American--*E. hieracifolia* (L.) Raf. ex DC.  
 burweed--*Haplopappus tenuisectus* (Greene) Blake ex Benson  
 bursage, skeletonleaf--*Ambrosia tomentosa* Nutt.  
     woollyleaf--*A. grayi* (A. Nels.) Shinners  
 butter-and-eggs--*Linaria vulgaris* Mill.  
 butterbur--*Petasites japonicus* (Sieb. & Zucc.) Fr. Schmidt  
 buttercup, bulbous--*Ranunculus bulbosus* L.  
     corn--*R. arvensis* L.  
     creeping--*R. repens* L.  
     kidneyleaf--*R. abortivus* L.  
     smallflower--*R. abortivus* L.  
     tall--*R. acris* L.  
 butternut--*Juglans cinerea* L.  
 butterprint--*Abutilon theophrasti* Medik.  
 butterseed--*Butyrospermum paradoxum* (Gaertn. f.) Hepper subsp. *parkii*  
     (G. Don) Hepper  
 butter-tree--*Pentadesma butyracea* Sabine  
 butterweed--*Conyza canadensis* (L.) Cronq.  
 buttonbush--*Cephalanthus occidentalis* L.  
 buttonclover--*Medicago orbicularis* (L.) Bartal.  
 buttonweed--*Diodia teres* Walt.  
 caapi--*Banisteriopsis caapi* (Spruce ex Griseb.) Morton, *B. inebrians* Morton  
 cabbage--*Brassica oleracea* (Capitata Group)  
     Chinese--*B. rapa* (Pekinensis Group)  
     savoy--*B. oleracea* (Capitata Group)  
     trinchuda--*B. oleracea* (Trinchuda Group)  
     wild--*B. oleracea* L.  
 cabomba--*Cabomba caroliniana* A. Gray  
 cacao--*Theobroma cacao* L. subsp. *cacao*  
 cachibou--*Calathea lutea* (Aubl.) G. F. W. Mey.  
 cactus, cochineal--*Nopalea cochenillifera* (L.) Salm-Dyck  
     fish-hook--*Ferocactus wislizenii* (Engelm.) Britt. & Rose  
 cadillo--*Urena lobata* L.  
 caesarweed--*U. lobata*  
 caia, wild--*Cleome viscosa* L.  
 cajeput--*Melaleuca cajuputi* Powell, *M. leucadendron* (L.) L.  
 calabash--*Crescentia cujete* L.  
 calamus--*Acorus calamus* L.  
 calla, common--*Zantedeschia aethiopica* (L.) Spreng.

caltrop--*Trapa natans* L.  
 camas, common--*Camassia quamash* (Pursh) Greene  
 camellia, common--*Camellia japonica* L.  
     sasanqua--*C. sasanqua* Thunb.  
 camel's-foot--*Bauhinia esculenta* Burchell  
 camelthorn--*Alhagi pseudalhagi* (Bieb.) Desv.  
 camphor, Borneo--*Dryobalanops aromatica* Gaertn. f.  
     Nagi--*Blumea balsamifera* (L.) DC.  
 camphor-tree--*Cinnamomum camphora* (L.) J. S. Presl  
 campion, white--*Silene alba* (Mill.) Krause  
 camwood--*Baphia nitida* Lodd.  
 canaigre--*Rumex hymenosepalus* Torr.  
 canarygrass--*Phalaris canariensis* L.  
     bulbous--*P. aquatica* L.  
     hood--*P. paradoxa* L.  
     littleseed--*P. minor* Retz.  
     reed--*P. arundinacea* L.  
 candelilla--*Euphorbia antisyphilitica* Zucc.  
 candleberry--*Aleurites moluccana* (L.) Willd.  
 candlenut--*A. moluccana* (L.) Willd.  
 candletree--*Parmentiera cerifera* Seem.  
 candytuft, globe--*Iberis umbellata* L.  
     rocket--*I. amara* L.  
 cane, giant--*Arundinaria gigantea* (Walt.) Muhl. subsp. *gigantea*  
     switch--*A. gigantea* (Walt.) Muhl. subsp. *tecta* (Walt.) McClure  
     Tonkin--*A. amabilis* McClure  
 canella--*Canella winterana* (L.) Gaertn.  
 canistel--*Pouteria campechiana* (H.B.K.) Baehni  
 canna, edible--*Canna edulis* Ker  
 cannonball-tree--*Couroupita guianensis* Aubl.  
 cantala--*Agave cantala* (Haw.) Roxb.  
 cantaloupe--*Cucumis melo* L.  
 Cape-gooseberry--*Physalis peruviana* L.  
     dwarf--*P. pruinosa* L.  
 Cape-honeysuckle--*Tecomaria capensis* (Thunb.) Spach  
 Cape-jasmine--*Gardenia jasminoides* Ellis  
 caper--*Capparis spinosa* L.  
 capucine--*Tropaeolum tuberosum* Ruiz & Pavon  
 carambola--*Averrhoa carambola* L.  
 caraway--*Carum carvi* L.  
 cardamom--*Elettaria cardamomum* (L.) Maton  
     round--*Anomum compactum* Soland. ex Maton  
 cardamon--*Elettaria cardamomum* (L.) Maton  
 cardoon--*Cynara cardunculus* L.  
 careless-weed--*Amaranthus palmeri* S. Wats.  
 caribgrass--*Eriochloa polystachya* H.B.K.  
 carissa, Egyptian--*Carissa edulis* Vahl  
 carnation--*Dianthus caryophyllus* L.  
 carob--*Ceratonia siliqua* L.  
 carpetgrass--*Axonopus affinis* Chase  
     tropical--*A. compressus* (Sw.) Beauv.  
 carpetweed--*Mollugo verticillata* L.

carrot--*Daucus carota* L. subsp. *sativus* (Hoffm.) Arcang.  
     Peruvian--*Arracacia xanthorrhiza* Bancroft  
 wild--*Daucus carota* L. subsp. *carota*  
 casaba--*Cucumis melo* L.  
 casabanana--*Sicana odorifera* (Vell.) Naud.  
 cascarilla--*Croton eluteria* (L.) Sw.  
 cashew--*Anacardium occidentale* L.  
 cassava--*Manihot esculenta* Crantz  
 cassia--*Cinnamomum aromaticum* Nees  
     padang--*C. burmannii* (Nees) Bl.  
     purging--*Cassia fistula* L.  
 cassie--*Acacia farnesiana* (L.) Willd.  
 castorbean--*Ricinus communis* L.  
 catalpa, Indian bean--*Catalpa bignonioides* Walt.  
     northern--*C. speciosa* (Warder ex Barney) Warder ex Engelm.  
     southern--*C. bignonioides* Walt.  
     western--*C. speciosa* (Warder ex Barney) Warder ex Engelm.  
 catawba-tree--*C. speciosa* (Warder ex Barney) Warder ex Engelm.  
 catbrier--*Smilax glauca* Walt., *S. rotundifolia* L.  
 catchfly, night-flowering--*Silene noctiflora* L.  
     sleepy--*S. antirrhina* L.  
 catclaw--*Acacia greggii* A. Gray  
 catclaw-vine--*Macfadyena unguis-cati* (L.) A. Gentry  
 catechu--*Acacia catechu* (L. f.) Willd.  
 catjang--*Vigna unguiculata* subsp. *cylindrica* (L.) Verdc.  
 catnip--*Nepeta cataria* L.  
 cat's-ear, smooth--*Hypochoeris glabra* L.  
     spotted--*H. radicata* L.  
 cattail, common--*Typha latifolia* L.  
     narrowleaf--*T. angustifolia* L.  
 cauassu--*Calathea lutea* (Aubl.) G. F. W. Mey.  
 cauliflower--*Brassica oleracea* (Botrytis Group)  
 cedar, Alaska--*Chamaecyparis nootkatensis* (D. Don) Spach  
     Atlantic white--*C. thyoides* (L.) B.S.P.  
     cigar box--*Cedrela odorata* L.  
     eastern red--*Juniperus virginiana* L.  
     incense--*Calocedrus decurrens* (Torr.) Florin  
     northern white--*Thuja occidentalis* L.  
     Port Orford--*Chamaecyparis lawsoniana* (A. Murr.) Parl.  
     southern white--*C. thyoides* (L.) B.S.P.  
     Spanish--*Cedrela odorata* L.  
     West Indian--*C. odorata* L.  
     western red--*Thuja plicata* Donn ex D. Don  
 cedro--*Cedrela odorata* L.  
 ceiba--*Ceiba pentandra* (L.) Gaertn.  
 celandine, greater--*Chelidonium majus* L.  
 celeriac--*Apium graveolens* L. var. *rapaceum* (Mill.) Gaudich.  
 celery--*A. graveolens* L. var. *dulce* (Mill.) Pers.  
     knob--*A. graveolens* var. *rapaceum* (Mill.) Gaudich.  
     slender--*A. leptophyllum* (Pers.) F. v. Muell. ex Benth.  
     turnip-rooted--*A. graveolens* var. *rapaceum* (Mill.) Gaudich.  
     wild--*A. leptophyllum* (Pers.) F. v. Muell. ex Benth.

celery-pine--*Phyllocladus trichomanoides* G. Don  
 celery-root--*Apium graveolens* var. *rapaceum* (Mill.) Gaudich.  
 celtuce--*Lactuca sativa* L.  
 ceniza--*Leucophyllum frutescens* (Berland.) I. M. Johnst.  
 centaury--*Centaureum erythraea* Rafn  
 century-plant--*Agave americana* L.  
 ceriman--*Monstera deliciosa* Liebm.  
 Ceylon-gooseberry--*Dovyalis hebecarpa* (Gardn.) Warb.  
 chaconier--*Warszewiczia coccinea* (Vahl) Kl.  
 chamisa--*Atriplex canescens* (Pursh) Nutt.  
 chamise--*Adenostoma fasciculatum* Hook. & Arn.  
 chamomile--*Chamaemelum nobile* (L.) All.  
     corn--*Anthemis arvensis* L.  
     garden--*Chamaemelum nobile* (L.) All.  
     German--*Matricaria chamomilla* L.  
     mayweed--*Anthemis cotula* L.  
     Roman--*Chamaemelum nobile* (L.) All.  
     sweet false--*Matricaria chamomilla* L.  
     wild--*M. chamomilla* L.  
     yellow--*Anthemis tinctoria* L.  
 chapote--*Diospyros texana* Scheele  
 chard--*Beta vulgaris* L.  
     Swiss--*B. vulgaris* L.  
 charlock--*Sinapis arvensis* L.  
 chaulmoogra--*Hydnocarpus kurzii* (King) Warb.  
 chavar--*Hitchenia caulina* (Grah.) Baker  
 chaya--*Cnidioscolus aconitifolius* (Mill.) I. M. Johnst., *C. chayamansa* McVaugh  
 chayote--*Sechium edule* (Jacq.) Sw.  
 cheat--*Bromus secalinus* L.  
 cheatgrass--*B. secalinus* L., *B. tectorum* L.  
 cheeses--*Malva neglecta* Wallr.  
 chempedak--*Artocarpus integer* (Thunb.) Merr.  
 cherimoya--*Annona cherimola* Mill.  
 cherry, Barbados--*Malpighia glabra* L., *M. puniceifolia* L.  
     black--*Prunus serotina* Ehrh.  
     Japanese flowering--*P. serrulata* Lindl.  
     Jerusalem--*Solanum pseudocapsicum* L.  
     mahaleb--*Prunus mahaleb* L.  
     mazzard--*P. avium* (L.) L.  
     Peruvian--*Physalis peruviana* L.  
     pin--*Prunus pensylvanica* L. f.  
     sour--*P. cerasus* L.  
     Surinam--*Eugenia uniflora* L.  
     sweet--*Prunus avium* (L.) L.  
     West Indian--*Malpighia puniceifolia* L.  
 cherry-laurel--*Prunus laurocerasus* L.  
 chervil--*Anthriscus cerefolium* (L.) Hoffm.  
     turnip-rooted--*Chaerophyllum bulbosum* L.  
 chess--*Bromus secalinus* L.  
     Australian--*B. arenarius* Labill.  
     downy--*B. tectorum* L.  
     foxtail--*B. rubens* L.

hairy--*B. commutatus* Schrad.  
 Japanese--*B. japonicus* Thunb. ex Murr.  
 rattlesnake--*B. briziformis* Fisch. & Mey.  
 soft--*B. mollis* L.  
 chestnut, American--*Castanea dentata* (Marsh.) Borkh.  
     Chinese--*C. mollissima* Blume  
     European--*C. sativa* Mill.  
     Japanese--*C. crenata* Sieb. & Zucc.  
 chia--*Salvia* spp.  
     California--*S. columbariae* Benth.  
 chickpea--*Cicer arietinum* L.  
 chickweed, common--*Stellaria media* (L.) Vill.  
     field--*Cerastium arvense* L.  
     mouse-ear--*C. vulgatum* L.  
 chicle--*Manilkara zapota* (L.) van Royen  
 chicory--*Cichorium intybus* L.  
 chilipiquin--*Capsicum annuum* var. *glabriusculum* (Dunal) Heiser  
     & Pickersgill  
 China-aster--*Callistephus chinensis* (L.) Nees  
 China-root--*Smilax china* L.  
 chinaberry--*Melia azedarach* L.  
 Chinese-artichoke--*Stachys affinis* Bge.  
 Chinese-gooseberry--*Actinidia chinensis* Planch.  
 chinkapin (chinquapin), Allegheny--*Castanea pumila* (L.) Mill.  
     bush--*Castanopsis sempervirens* (Kell.) Dudl.  
     California--*C. sempervirens* (Kell.) Dudl.  
     golden--*C. chrysophylla* (Dougl.) A. DC.  
     Sierra--*C. sempervirens* (Kell.) Dudl.  
 chirauli-nut--*Buchanania latifolia* Roxb.  
 chives--*Allium schoenoprasum* L.  
     Chinese--*A. tuberosum* Rottl. ex Spreng.  
 chokecherry--*Prunus virginiana* L.  
 chopsuy greens--*Chrysanthemum carinatum* Schousb.  
 Christmas-rose--*Helleborus niger* L.  
 chrysanthemum, florist's--*Chrysanthemum morifolium* Ramat.  
 chufa--*Cyperus esculentus* L.  
 cigar-box-cedar--*Cedrela odorata* L.  
 cineraria, florist's--*Senecio X hybridus* (Willd.) Regel  
 cinnamon--*Cinnamomum verum* J. S. Presl  
 cinnamon-vine--*Dioscorea oppositifolia* L.  
 cinquefoil, common--*Potentilla canadensis* L.  
     rough--*P. norvegica* L.  
     silverweed--*P. anserina* L.  
     sulphur--*P. recta* L.  
     upright--*P. recta* L.  
 citron--*Citrus medica* L.  
 citron (melon)--*Citrullus lanatus* var. *citroides* (Bailey) Mansf.  
 clammyweed--*Polanisia dodecandra* (L.) DC.  
 clary--*Salvia sclarea* L.  
 cleavers--*Galium aparine* L.  
 cloudberry--*Rubus chamaemorus* L.  
 clove--*Syzygium aromaticum* (L.) Merr. & Perry

clover, alsike--*Trifolium hybridum* L.  
 alyce--*Alysicarpus vaginalis* (L.) DC.  
 arrowleaf--*Trifolium vesiculosum* Savi  
 ball--*T. nigrescens* Viv.  
 berseem--*T. alexandrinum* L.  
 cluster--*T. glomeratum* L.  
 crimson--*T. incarnatum* L.  
 Egyptian--*T. alexandrinum* L.  
 hop--*T. aureum* Poll.  
 kaimi--*Desmodium canum* (J. F. Gmel.) Schinz & Thell.  
 Kenya--*Trifolium semipilosum* Fresen.  
 knotted--*T. striatum* L.  
 kura--*T. ambiguum* Bieb.  
 ladino--*T. repens* L.  
 lappa--*T. lappaceum* L.  
 large hop--*T. campestre* Schreb.  
 Mexican--*Richardia scabra* L.  
 oneleaf--*Alysicarpus vaginalis* (L.) DC.  
 Persian--*Trifolium resupinatum* L.  
 rabbit foot--*T. arvense* L.  
 red--*T. pratense* L.  
 reversed--*T. resupinatum* L.  
 rose--*T. hirtum* All.  
 seaside--*T. willdenovii* Spreng.  
 small hop--*T. dubium* Sibth.  
 strawberry--*T. fragiferum* L.  
 striate--*T. striatum* L.  
 sub--*T. subterraneum* L.  
 subterranean--*T. subterraneum* L.  
 white--*T. repens* L.  
 whitetip--*T. variegatum* Nutt.  
 zigzag--*T. medium* L.  
 clusterbean--*Cyamopsis tetragonoloba* (L.) Taub.  
 coca--*Erythroxylum coca* Lam.  
 coccus-wood--*Brya ebenus* (L.) DC.  
 cockle, corn--*Agrostemma githago* L.  
     white--*Silene alba* (Mill.) Krause  
 cocklebur, common--*Xanthium strumarium* L.  
     spiny--*X. spinosum* L.  
 cockscomb--*Celosia cristata* L.  
 cocksfoot--*Dactylis glomerata* L.  
 cocona--*Solanum hyporhodium* A. Br. & Bouché, *S. topiro* Humb. & Bonpl.  
     ex Dunal  
 coconut--*Cocos nucifera* L.  
 cocoplum--*Chrysobalanus icaco* L.  
 coffee--*Coffea arabica* L.  
     Bengal--*C. bengalensis* Roxb. ex Heyne & Willd.  
     Congo--*C. congensis* Froehner  
     liberica--*C. liberica* Bull ex Hiern  
     negro--*Cassia occidentalis* L.  
     robusta--*Coffea canephora* Pierre ex Froehner  
 coffee-tree, Kentucky--*Gymnocladus dioica* (L.) K. Koch



cogongrass--*Imperata cylindrica* (L.) Beauv.  
 coleus--*Coleus blumei* Benth.  
 coleus-potato--*Solenostemon rotundifolius* (Poir.) J. K. Morton  
 colewort--*Crambe abyssinica* Hochst. ex R. E. Fries  
 collards--*Brassica oleracea* (Acephala Group)  
 colocynth--*Citrullus colocynthis* (L.) Schrad.  
 coltsfoot--*Tussilago farfara* L.  
 columbine, European--*Aquilegia vulgaris* L.  
 colza--*Brassica napus* L.  
 comfrey, blue--*Symphytum X uplandicum* Nym.  
     common--*S. officinale* L.  
     prickly--*S. asperum* Lepech.  
     Quaker--*S. X uplandicum* Nym.  
     Russian--*S. X uplandicum* Nym.  
 conchito--*Macroptilium atropurpureum* (DC.) Urb.  
 condorvine--*Marsdenia reichenbachii* Triana  
 confederate-rose--*Hibiscus mutabilis*  
 coontail--*Ceratophyllum demersum* L.  
 coontie--*Zamia floridana* A. DC.  
 copaiba--*Copaifera officinalis* (Jacq.) L.  
 copal, Accra--*Daniellia ogea* (Harms) Rolfe ex Holland  
     Benin--*D. ogea* (Harms) Rolfe ex Holland  
     Zanzibar--*Trachylobium verrucosum* (Gaertn.) Oliv.  
 copal-tree, gum--*Daniellia ogea* (Harms) Rolfe ex Holland  
     Niger--*D. thurifera* Bennett  
 copapayo--*Cnidioscolus aconitifolius* (Mill.) I. M. Johnst.  
 copperleaf, chenille--*Acalypha hispida* Burm. f.  
     painted--*A. wilkesiana* Muell.-Arg.  
     rhombic--*A. rhomboidea* Raf.  
     Virginia--*A. virginica* L.  
 corazon--*Annona reticulata* L.  
 cordgrass, salt-marsh--*Spartina alterniflora* Loisel.  
     salt-meadow--*S. patens* (Ait.) Muhl.  
     smooth--*S. alterniflora* Loisel.  
 coreopsis, plains--*Coreopsis tinctoria* Nutt.  
 coriander--*Coriandrum sativum* L.  
     false--*Eryngium foetidum* L.  
 corkwood-tree--*Duboisia myoporoides* R. Br.  
 corm-root, sweet--*Calathea allouia* (Aubl.) Lindl.  
 corn--*Zea mays* L. subsp. *mays*  
     guinea--*Sorghum bicolor* (L.) Moench  
     kaffir--*S. bicolor* (L.) Moench  
 cornflower--*Centaurea cyanus* L.  
 cornsalad--*Valerianella locusta* (L.) Laterrade  
     European--*V. locusta* (L.) Laterrade  
     Italian--*V. eriocarpa* Desv.  
 costmary--*Chrysanthemum balsamita* L.  
 cotton--*Gossypium hirsutum* L.  
     American-Egyptian--*G. barbadense* L.  
     extra long staple--*G. barbadense* L.  
     Hawaiian--*G. tomentosum* Nutt. ex Seem.  
     Sea Island--*G. barbadense* L.

cotton (continued)  
   upland--*G. hirsutum* L.  
 cotton-rose--*Hibiscus mutabilis* L.  
 cottonwood, eastern--*Populus deltoides* Bartr. ex Marsh.  
   plains--*P. sargentii* Dode  
 couchgrass--*Agropyron repens* (L.) Beauv.  
 country-potato--*Coleus parviflorus* Benth.  
 cowberry--*Vaccinium vitis-idaea* L.  
 cowfoot--*Pothomorphe umbellata* (L.) Miq.  
 cowpea--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*  
 cow-tree--*Brosimum utile* (H.B.K.) Pitt.  
 coyo--*Persea schiedeana* Nees  
 crabapple, prairie--*Malus ioensis* (Wood) Britt.  
   Siberian--*M. baccata* (L.) Borkh.  
   Soulard--*M. X soulardii* (Bailey) Britt.  
   southern--*M. angustifolia* (Ait.) Michx.  
   sweet--*M. coronaria* (L.) Mill.  
 crabgrass, hairy--*Digitaria sanguinalis* (L.) Scop.  
   large--*D. sanguinalis* (L.) Scop.  
   smooth--*D. ischaemum* (Schreb.) Schreb. ex Muhl.  
 crab's-eyes--*Abrus precatorius* L.  
 crabwood--*Carapa guianensis* Aubl.  
 crambe--*Crambe abyssinica* Hochst. ex R. E. Fries  
 cranberry--*Vaccinium macrocarpon* Ait.  
   American--*V. macrocarpon* Ait.  
   large--*V. macrocarpon* Ait.  
   mountain--*V. vitis-idaea* L.  
   rock--*V. vitis-idaea* L.  
   small--*V. oxycoccus* L.  
 cranberry-bush, European--*Viburnum opulus* L.  
 crazyweed, Lambert--*Oxytropis lambertii* Pursh  
 creeper, Virginia--*Parthenocissus inserta* (Kerner) K. Fritsch, P.  
   *quinquefolia* (L.) Planch.  
 creosote-bush--*Larrea tridentata* (DC.) Cov.  
 cress, garden--*Lepidium sativum* L.  
   hoary--*Cardaria draba* (L.) Desv.  
   Indian--*Tropaeolum majus* L.  
   mouse-ear--*Arabidopsis thaliana* (L.) Heynh.  
   Para--*Spilanthus acmella* (L.) Murr.  
   upland--*Barbarea vulgaris* R. Br.  
 crinkle-awn--*Trachypogon secundus* (Presl) Scribn.  
 crocus, autumn--*Colchicum autumnale* L.  
   saffron--*Crocus sativus* L.  
 crotalaria, lanceleaf--*Crotalaria lanceolata* E. Mey.  
   showy--*C. spectabilis* Roth  
   smooth--*C. pallida* Ait.  
 croton, garden--*Codiaeum variegatum* (L.) Bl.  
   purging--*Croton tiglium* L.  
   woolly--*C. capitatus* Michx.  
 crowfoot, cursed--*Ranunculus sceleratus* L.  
   small-flowered--*R. abortivus* L.  
 crown-of-thorns--*Euphorbia milii* Desmoulins

crownvetch--*Coronilla varia* L.  
     trailing--*C. varia* L.  
 cuachilote--*Parmentiera aculeata* (H.B.K.) L. Wms.  
 cubeb--*Piper cubeba* L. f.  
 cucumber--*Cucumis sativus* L.  
     African horned--*C. metuliferus* E. Mey. ex Naud.  
     squirting--*Ecballium elaterium* (L.) A. Rich.  
 cucumbertree--*Magnolia acuminata* (L.) L.  
 cudweed, fragrant--*Gnaphalium obtusifolium* L.  
     low--*G. uliginosum* L.  
 cumin--*Cuminum cyminum* L.  
     black--*Nigella sativa* L.  
 cupgrass, woolly--*Eriochloa villosa* (Thunb.) Kunth  
 currant, American black--*Ribes americanum* Mill.  
     black--*R. nigrum* L.  
     buffalo--*R. odoratum* H. L. Wendl.  
     golden--*R. aureum* Pursh  
     Missouri--*R. odoratum* H. L. Wendl.  
     red--*R. rubrum* L.  
     red-flowered--*R. sanguineum* Pursh  
     white--*R. rubrum* L.  
     wild black--*R. americanum* Mill.  
 curry-leaf-tree--*Murraya koenigii* (L.) Spreng.  
 curse--*Clidemia hirta* (L.) D. Don  
 custard-apple--*Annona reticulata* L.  
     wild--*A. senegalensis* Pers.  
 cutch, black--*Acacia catechu* (L. f.) Willd.  
 cutgrass, giant--*Zizaniopsis miliacea* (Michx.) Doell & Aschers.  
     rice--*Leersia oryzoides* (L.) Sw.  
     southern--*L. hexandra* Sw.  
 cyclamen, florist's--*Cyclamen persicum* Mill.  
 cypress, bald--*Taxodium distichum* (L.) L. C. Rich.  
     Hinoki false--*Chamaecyparis obtusa* (Sieb. & Zucc.) Sieb. & Zucc. ex Endl.  
     Italian--*Cupressus sempervirens* L.  
     pond--*Taxodium ascendens* Brongn.  
 daffodil, common--*Narcissus pseudonarcissus* L.  
 dagame--*Calycophyllum candidissimum* (Vahl) DC.  
 dahoon--*Ilex cassine* L.  
 daisy, English--*Bellis perennis* L.  
     oxeye--*Chrysanthemum leucanthemum* L.  
 dallisgrass--*Paspalum dilatatum* Poir.  
 damar, Batavian--*Shorea wiesneri* Schiffn.  
     black--*Canarium strictum* Roxb.  
 dame's-rocket--*Hesperis matronalis* L.  
 damiana--*Turnera diffusa* Willd.  
 dammar, white--*Vateria indica* L.  
 dandelion, Carolina false--*Pyrrhopappus carolinianus* (Walt.) DC.  
     common--*Taraxacum officinale* Wiggers  
     redseed--*T. laevigatum* (Willd.) DC.  
     Russian--*T. kok-saghyz* Rodin  
 dangleberry--*Gaylussacia frondosa* (L.) Torr. & A. Gray  
 darnel--*Lolium temulentum* L.

darnel (continued)

Persian--*L. persicum* Boiss. & Hohen. ex Boiss.  
dasheen--*Colocasia esculenta* (L.) Schott  
date, desert--*Balanites aegyptiaca* (L.) Del.  
wild--*Phoenix sylvestris* (L.) Roxb.  
datura, Hindu--*Datura metel* L.  
dayflower--*Commelina communis* L.  
deadnettle, purple--*Lamium purpureum* L.  
red--*L. purpureum* L.  
spotted--*L. maculatum* L.  
white--*L. album* L.  
degame--*Calycophyllum candidissimum* (Vahl) DC.  
derris--*Derris* spp.  
desert-date--*Balanites aegyptiaca* (L.) Del.  
desert-rose, Sturt's--*Gossypium sturtianum* J. H. Willis  
desmodium, greenleaf--*Desmodium intortum* (Mill.) Fawc. & Rendle  
devilgrass--*Cynodon dactylon* (L.) Pers.  
devilsclaw--*Proboscidea louisianica* (Mill.) Thell.  
devil's-paintbrush--*Hieracium aurantiacum* L.  
devil's-tongue--*Amorphophallus rivieri* Dur.  
devil's-walkingstick--*Aralia spinosa* L.  
dewberry--*Rubus ursinus* Cham. & Schlecht.  
northern--*R. flagellaris* Willd.  
southern--*R. trivialis* Michx.  
dichondra--*Dichondra micrantha* Urb.  
digitalis--*Digitalis lanata* Ehrh.  
dill--*Anethum graveolens* L.  
divi-divi--*Caesalpinia coriaria* (Jacq.) Willd.  
dock, bitter--*Rumex obtusifolius* L.  
broadleaf--*R. obtusifolius* L.  
cluster--*R. conglomeratus* Murr.  
curly--*R. crispus* L.  
patience--*R. patientia* L.  
sharp--*R. conglomeratus* Murr.  
spinach--*R. patientia* L.  
tanner's--*R. hymenosepalus* Torr.  
yellow--*R. crispus* L.  
dodder, clover--*Cuscuta epithimum* (L.) L.  
field--*C. campestris* Yuncker  
flax--*C. epilinum* Weihe  
hazel--*C. coryli* Engelm.  
largeseed--*C. indecora* Choisy  
smallseed--*C. approximata* Bab.  
swamp--*C. gronovii* Willd.  
dogbane, hemp--*Apocynum cannabinum* L.  
spreading--*A. androsaemifolium* L.  
dogberry--*Ribes cynosbati* L.  
dogfennel--*Eupatorium capillifolium* (Lam.) Small, *Anthemis cotula* L.  
dogwood, flowering--*Cornus florida* L.  
roughleaf--*C. drummondii* C. A. Meyer  
Douglas-fir--*Pseudotsuga menziesii* (Mirbel) Franco  
dragonhead--*Dracocephalum parviflorum* Nutt.

dragon-tree--*Dracaena draco* L.  
     Socotra--*D. cinnabari* Balf. f.  
 dropseed, annual--*Sporobolus neglectus* Nash  
     poverty--*S. vaginiflorus* (Torr.) Wood  
     prairie--*S. heterolepis* (A. Gray) A. Gray  
     sand--*S. cryptandrus* (Torr.) A. Gray  
 dropwort, water--*Oenanthe javanica* (Bl.) DC.  
 duckweed, common--*Lemna minor* L.  
     giant--*Spirodela polyrhiza* (L.) Schleid.  
     great--*S. polyrhiza* (L.) Schleid.  
     star--*Lemna trisulca* L.  
 dumbcane, spotted--*Dieffenbachia maculata* (Lodd.) G. Don  
 durian--*Durio zibethinus* Murr.  
 durra--*Sorghum bicolor* (L.) Moench  
 dyer's-greenweed--*Genista tinctoria* L.  
 dyer's-rocket--*Reseda luteola* L.  
 dyer's-woad--*Isatis tinctoria* L.  
 earpod-tree--*Enterolobium cyclocarpum* (Jacq.) Griseb.  
 eben-tree--*Dacryodes edulis* (G. Don) H. J. Lam  
 ebony--*Diospyros ebenum* Koenig ex Retz.  
     American--*Brya ebenus* (L.) DC.  
     West Indian--*B. ebenus* (L.) DC.  
 eclipta--*Eclipta alba* (L.) Hassk.  
 eddoe--*Colocasia esculenta* (L.) Schott  
 eelgrass--*Zostera marina* L.  
 egeria--*Egeria densa* Planch.  
 egg-fruit-tree--*Pouteria campechiana* (H.B.K.) Baehni  
 eggplant--*Solanum melongena* L.  
 einkorn--*Triticum monococcum* L.  
     wild--*T. boeoticum* Boiss.  
 elder, American--*Sambucus canadensis* L.  
     blueberry--*S. glauca* Nutt.  
     European--*S. nigra* L.  
     European red--*S. racemosa* L.  
 elderberry, American--*S. canadensis* L.  
     blue--*S. glauca* Nutt.  
     western--*S. glauca* Nutt.  
 elecampane--*Inula helenium* L.  
 elephant-bush--*Portulacaria afra* (L.) Jacq.  
 elephant-climber--*Argyrea nervosa* (Burm. f.) Boj.  
 elm, American--*Ulmus americana* L.  
     Chinese--*U. parvifolia* Jacq.  
     English--*U. procera* Salisb.  
     rock--*U. thomasi* Sarg.  
     Siberian--*U. pumila* L.  
     slippery--*U. rubra* Muhl.  
     winged--*U. alata* Michx.  
 elodea--*Elodea canadensis* Michx.  
 emblic--*Phyllanthus emblica* L.  
 emmer--*Triticum dicoccon* Schrank  
     wild--*T. dicoccoides* (Koern. ex Aschers. & Graebn.) Aaronsohn  
 endive--*Cichorium endivia* L.

ensete--*Ensete ventricosum* (Welw.) Cheesem.  
 ephedra, Chinese--*Ephedra sinica* Stapf  
     gray--*E. nevadensis* S. Wats.  
     green--*E. viridis* Cov.  
     longleaf--*E. trifurca* Torr.  
 erysimum, Afghan--*Erysimum perofskianum* Fisch. & Mey.  
 escallonia, red--*Escallonia rubra* (Ruiz & Pavon) Pers.  
 esparto--*Stipa tenacissima* L.  
 euonymus, winged--*Euonymus alata* (Thunb.) Sieb.  
 euryale--*Euryale ferox* Salisb.  
 evening-primrose, common--*Oenothera biennis* L.  
     cutleaf--*O. laciniata* Hill  
 evergreen, Chinese--*Aglaonema modestum* Schott ex Engl.  
 everlasting, pearly--*Anaphalis margaritacea* (L.) Benth. & Hook. f.  
 falseflax, largeseed--*Camelina sativa* (L.) Crantz  
     smallseed--*C. microcarpa* Andr. ex DC.  
 fameflower--*Talinum triangulare* (Jacq.) Willd.  
 fanwort--*Cabomba caroliniana* A. Gray  
 feathertop--*Pennisetum villosum* R. Br. ex Fresen.  
 fennel--*Foeniculum vulgare* Mill.  
     Florence--*F. vulgare* Mill.  
     Spanish--*Nigella hispanica* L.  
 fenugreek--*Trigonella foenum-graecum* L.  
 fern, bracken--*Pteridium aquilinum* (L.) Kuhn  
     cinnamon--*Osmunda cinnamomea* L.  
     interrupted--*O. claytoniana* L.  
     royal--*O. regalis* L.  
     sword--*Nephrolepis exaltata* (L.) Schott  
 fernbush--*Chamaebatiaria millefolium* (Torr.) Maxim.  
 fescue, alpine--*Festuca ovina* L. var. *brachyphylla* (Schult.) Piper  
     Arizona--*F. arizonica* Vasey  
     chewings--*F. rubra* subsp. *commutata* Gaud.  
     foxtail--*Vulpia myuros* var. *hirsuta* Hack.  
     green--*Festuca viridula* Vasey  
     hair--*F. tenuifolia* Sibth.  
     hard--*F. longifolia* Thuill.  
     Idaho--*F. idahoensis* Elmer  
     meadow--*F. pratensis* Huds.  
     rattail--*Vulpia myuros* (L.) C. C. Gmel.  
     red--*Festuca rubra* L.  
     shade--*F. heterophylla* Lam.  
     sheep--*F. ovina* L.  
     six-weeks--*Vulpia octoflora* (Walt.) Rydb.  
     slender--*Festuca tenuifolia* Sibth.  
     squirreltail--*Vulpia bromoides* (L.) S. F. Gray  
     tall--*Festuca arundinacea* Schreb.  
 fiber, Tampico--*Agave lecheguilla* Torr.  
 fieldcress, yellow--*Rorippa sylvestris* (L.) Bess.  
 fig, common--*Ficus carica* L.  
     creeping--*F. pumila* L.  
     India rubber--*F. elastica* Roxb. ex Hornem.  
     Indian laurel--*F. retusa* L.

weeping--*F. benjamina* L.  
 filaree, broadleaf--*Erodium botrys* (Cav.) Bertol.  
   redstem--*E. cicutarium* (L.) L'Hér. ex Ait.  
   whitestem--*E. moschatum* (L.) L'Hér. ex Ait.  
 filbert, Chinese--*Corylus chinensis* Franch.  
   European--*C. avellana* L.  
   giant--*C. maxima* Mill.  
   Turkish--*C. colurna* L.  
 fingergrass, feather--*Chloris virgata* Sw.  
   radiate--*C. radiata* (L.) Sw.  
   woolly--*Digitaria pentzii* Stent  
 finocchio--*Foeniculum vulgare* Mill.  
 fique--*Furcraea macrophylla* Baker  
 fir, alpine--*Abies lasiocarpa* (Hook.) Nutt.  
   balsam--*A. balsamea* (L.) Mill.  
   California red--*A. magnifica* A. Murr.  
   Douglas--*Pseudotsuga menziesii* (Mirbel) Franco  
   grand--*Abies grandis* (Dougl. ex D. Don) Lindl.  
   lowland white--*A. grandis* (Dougl. ex D. Don) Lindl.  
   noble--*A. procera* Rehder  
   silver--*A. alba* Mill.  
   subalpine--*A. lasiocarpa* (Hook.) Nutt.  
   white--*A. concolor* (Gord. & Glend.) Lindl. ex Hildebr.  
 firethorn, scarlet--*Pyracantha coccinea* M. J. Roem.  
 flagroot--*Acorus calamus* L.  
 flamboyant-tree--*Delonix regia* (Boj. ex Hook.) Raf.  
 flame-of-the-woods--*Ixora coccinea* L.  
 flame-tree--*Delonix regia* (Boj. ex Hook.) Raf.  
 flatpod--*Adenocarpus decorticans* Boiss.  
 flatweed--*Hypochoeris radicata* L.  
 flax--*Linum usitatissimum* L.  
   New Zealand--*Phormium tenax* J. R. & G. Forst.  
 fleabane, annual--*Erigeron annuus* (L.) Pers.  
 flixweed--*Descurainia sophia* (L.) Webb ex Prantl  
 flower-of-an-hour--*Hibiscus trionum* L.  
 fog, Yorkshire--*Holcus lanatus* L.  
 fog-fruit--*Phyla nodiflora* (L.) Greene  
 fonio--*Digitaria exilis* (Kippist) Stapf  
   black--*D. iburua* Stapf  
 forget-me-not, Chinese--*Cynoglossum amabile* Stapf & Drumm.  
 four-o'clock, common--*Mirabilis jalapa* L.  
 foxglove--*Digitalis purpurea* L.  
 foxnut--*Euryale ferox* Salisb.  
 foxtail, bristly--*Setaria verticillata* (L.) Beauv.  
   creeping--*Alopecurus arundinaceus* Poir.  
   giant--*Setaria faberi* Herrm.  
   green--*S. viridis* (L.) Beauv.  
   knotroot--*S. geniculata* (Lam.) Beauv.  
   meadow--*Alopecurus pratensis* L.  
   water--*A. geniculatus* L.  
   yellow--*Setaria glauca* (L.) Beauv.  
 foxtailgrass, West Indian--*Andropogon bicornis* L.

frangipani--*Plumeria rubra* L.  
 frankincense--*Boswellia carteri* Birdw.  
     Sierra Leone--*Daniellia thurifera* Bennett  
 frankincense-tree--*D. thurifera* Bennett  
 franklinia--*Franklinia alatamaha* Bartr. ex Marsh.  
 French-mulberry--*Callicarpa americana* L.  
 friar's-cap--*Aconitum napellus* L.  
 frogbit--*Limnium spongia* (Bosc) Steud.  
 fumitory--*Fumaria officinalis* L.  
 fustic-mulberry--*Chlorophora tinctoria* (L.) Gaudich. ex Benth. & Hook. f.  
 galanga--*Kaempferia galanga* L.  
     greater--*Alpinia galanga* (L.) Willd.  
     lesser--*A. officinarum* Hance  
 galbanum--*Ferula gummosa* Boiss.  
 galega--*Galega officinalis* L.  
 galinsoga, hairy--*Galinsoga ciliata* (Raf.) Blake  
     smallflower--*G. parviflora* Cav.  
 gallan--*Cyrtosperma chamissonis* (Schott) Merr.  
 gallberry--*Ilex glabra* (L.) A. Gray  
 gamagrass, eastern--*Tripsacum dactyloides* (L.) L.  
 gambier--*Uncaria gambir* (Hunter) Roxb.  
 gamboge--*Garcinia hanburyi* Hook. f.  
 garbanzo--*Cicer arietinum* L.  
 garden-huckleberry--*Solanum melanocerasum* All.  
 garlic--*Allium sativum* L.  
     elephant--*A. ampeloprasum* L.  
     field--*A. vineale* L.  
     great-headed--*A. ampeloprasum* L.  
     oriental--*A. tuberosum* Rottl. ex Spreng.  
     wild--*A. vineale* L.  
 gas-plant--*Dictamnus albus* L.  
 gaura, biennial--*Gaura biennis* L.  
 genipap--*Genipa americana* L.  
 gentian, yellow--*Gentiana lutea* L.  
 geranium, apple--*Pelargonium odoratissimum* (L.) L'Hér. ex Ait.  
     Carolina--*Geranium carolinianum* L.  
     cutleaf--*G. dissectum* L.  
     dovefoot--*G. molle* L.  
     horseshoe--*Pelargonium zonale* (L.) L'Hér. ex Ait.  
     ivy--*P. peltatum* (L.) L'Hér. ex Ait.  
     nutmeg--*P. odoratissimum* (L.) L'Hér. ex Ait.  
     rose--*P. graveolens* L'Hér. ex Ait.  
     spotted--*Geranium maculatum* L.  
     wild--*G. maculatum* L.  
     zonal--*Pelargonium zonale* (L.) L'Hér. ex Ait.  
 gherkin, West Indian--*Cucumis anguria* L.  
 gill-over-the-ground--*Glechoma hederacea* L.  
 gilo--*Solanum gilo* Raddi  
 ginger--*Zingiber officinale* Roscoe  
     mango--*Curcuma amada* Roxb.  
 ginkgo--*Ginkgo biloba* L.  
 ginseng--*Panax pseudoginseng* Wall.



American--*P. quinquefolius* L.  
 giradol--*Chrozophora tinctoria* (L.) A. Juss.  
 girasole--*Helianthus tuberosus* L.  
 globe-amaranth--*Gomphrena globosa* L.  
 gloxinia--*Sinningia speciosa* (Lodd.) Hiern  
 goatgrass, barb--*Aegilops triuncialis* L.  
     jointed--*A. cylindrica* Host  
 goatsbeard--*Tragopogon pratensis* L.  
 goat's-rue--*Galega officinalis* L.  
 golden-apple--*Spondias dulcis* Parkins.  
 golden-fleece--*Haplopappus arborescens* (A. Gray) Hall  
 goldenrain-tree--*Koelreuteria paniculata* Laxm.  
 goldenrod, Canada--*Solidago canadensis* L.  
     Leavenworth--*S. leavenworthii* Torr. & A. Gray  
     sweet--*S. odora* Ait.  
     tall--*S. altissima* L.  
 goldenseal--*Hydrastis canadensis* L.  
 golden-shower--*Cassia fistula* L.  
 goldenweed, fleece--*Haplopappus arborescens* (A. Gray) Hall  
 goober--*Arachis hypogaea* L.  
 Good-King-Henry--*Chenopodium bonus-henricus* L.  
 gooseberry, Cape--*Physalis peruviana* L.  
     Ceylon--*Dovyalis hebecarpa* (Gardn.) Warb.  
     Chinese--*Actinidia chinensis* Planch.  
     dwarf Cape--*Physalis pruinosa* L.  
     European--*Ribes uva-crispa* L.  
     hairy--*R. hirtellum* Michx.  
     Indian--*Phyllanthus acidus* (L.) Skeels  
     pasture--*Ribes cynosbati* L.  
     prickly--*R. cynosbati* L.  
 gooseberry-tree, Otaheite--*Phyllanthus acidus* (L.) Skeels  
 goosefoot, Jerusalem-oak--*Chenopodium botrys* L.  
     many-seeded--*C. polyspermum* L.  
     nettleleaf--*C. murale* L.  
     perennial--*C. bonus-henricus* L.  
     red--*C. rubrum* L.  
 goosegrass--*Eleusine indica* (L.) Gaertn.  
 gorse--*Ulex europaeus* L.  
 gourd, bitter--*Momordica charantia* L.  
     buffalo--*Cucurbita foetidissima* H.B.K.  
     calabash--*Lagenaria siceraria* (Mol.) Standl.  
     figleaf--*Cucurbita ficifolia* Bouché  
     hedgehog--*Cucumis dipsaceus* Ehrenb. ex Spach  
     ivy--*Coccinia grandis* (L.) Voigt  
     Malabar--*Cucurbita ficifolia* Bouché  
     teasel--*Cucumis dipsaceus* Ehrenb. ex Spach  
     Texas--*Cucurbita texana* A. Gray  
     white-flowered--*Lagenaria siceraria* (Mol.) Standl.  
 goutweed--*Aegopodium podagraria* L.  
     bishop's--*A. podagraria* L.  
 governor's-plum--*Flacourtia indica* (Burm. f.) Merr.  
 gow-kee--*Lycium chinense* Mill.

grains-of-paradise--*Aframomum sceptrum* (Oliv. & Hanb.) K. Schum.  
 gram, black--*Vigna mungo* (L.) Hepper  
     green--*V. radiata* (L.) Wilczek var. *radiata*  
     horse--*Macrotyloma uniflorum* (Lam.) Verdc.  
 grama, black--*Bouteloua eriopoda* (Torr.) Torr.  
     blue--*B. gracilis* (Willd. ex H.B.K.) Lag. ex Griffiths  
     hairy--*B. hirsuta* Lag.  
     side-oats--*B. curtipendula* (Michx.) Torr.  
 granadilla--*Passiflora ligularis* Juss.  
     giant--*P. quadrangularis* L.  
     purple--*P. edulis* Sims  
     sweet--*P. ligularis* Juss.  
     yellow--*P. laurifolia* L.  
 granjeno--*Celtis pallida* Torr.  
 grape, fox--*Vitis labrusca* L.  
     frost--*V. vulpina* L.  
     muscadine--*V. rotundifolia* Michx.  
     riverbank--*V. riparia* Michx.  
     sand--*V. rupestris* Scheele  
     summer--*V. aestivalis* Michx.  
     wine--*V. vinifera* L.  
     winter--*V. vulpina* L.  
 grapefruit--*Citrus paradisi* Macfad.  
 grape-tree, Brazilian--*Myrciaria cauliflora* (Mart.) Berg  
 grass, antelope--*Echinochloa pyramidalis* (Lam.) Hitchc. & Chase  
     Bahia--*Paspalum notatum* Fluegge  
     barnyard--*Echinochloa crusgalli* (L.) Beauv.  
     Bermuda--*Cynodon dactylon* (L.) Pers.  
     big quaking--*Briza maxima* L.  
     billion dollar--*Echinochloa crusgalli* (L.) Beauv. var. *frumentacea*  
         (Link) W. F. Wight  
     Brunswick--*Paspalum nicorae* Parodi  
     camel--*Cymbopogon schoenanthus* (L.) Spreng.  
     centipede--*Eremochloa ophiuroides* (Munro) Hack.  
     citronella--*Cymbopogon nardus* (L.) Rendle  
     Columbus--*Sorghum X alnum* Parodi  
     creeping soft--*Holcus mollis* L.  
     crested dogtail--*Cynosurus cristatus* L.  
     crowfoot--*Dactyloctenium aegyptium* (L.) Beauv.  
     elephant--*Pennisetum purpureum* Schumach.  
     galleta--*Hilaria jamesii* (Torr.) Benth.  
     Harding--*Phalaris stenoptera* Hack.  
     hedgehog--*Cenchrus echinatus* L.  
     hurricane--*Bothriochloa pertusa* (L.) A. Camus  
     Indian--*Sorghastrum nutans* (L.) Nash  
     jaragua--*Hyparrhenia rufa* (Nees) Stapf  
     Johnson--*Sorghum halepense* (L.) Pers.  
     limpo--*Hemarthria altissima* (Poir.) Stapf & C. E. Hubb.  
     little quaking--*Briza minor* L.  
     Manila--*Zoysia matrella* (L.) Merr.  
     marram--*Ammophila arenaria* (L.) Link  
     mascarene--*Zoysia tenuifolia* Willd. ex Thiele

molasses--*Melinis minutiflora* Beauv.  
 napier--*Pennisetum purpureum* Schumach.  
 Natal--*Rhynchelytrum repens* (Willd.) C. E. Hubb.  
 Nile--*Acroceras macrum* Stapf  
 palisade--*Brachiaria brizantha* (Hochst. ex A. Rich.) Stapf  
 Para--*B. mutica* (Forsk.) Stapf  
 perennial quaking--*Briza media* L.  
 porcupine--*Stipa spartea* Trin.  
 rabbitfoot--*Polypogon monspeliensis* (L.) Desf.  
 rescue--*Bromus unioloides* H.B.K.  
 Rhodes--*Chloris gayana* Kunth  
 ridging--*Andropogon bicornis* L.  
 ripgut--*Bromus rigidus* Roth  
 rosha--*Cymbopogon martinii* (Roxb.) W. Wats.  
 St. Augustine--*Stenotaphrum secundatum* (Walt.) Ktze.  
 signal--*Brachiaria brizantha* (Hochst. ex A. Rich.) Stapf  
 spike--*Distichlis spicata* (L.) Greene  
 Sudan--*Sorghum sudanense* (Piper) Stapf  
 sweet-pitted--*Bothriochloa insculpta* (Hochst.) A. Camus  
 tobosa--*Hilaria mutica* (Buckl.) Benth.  
 tor--*Brachypodium pinnatum* (L.) Beauv.  
 tumble windmill--*Chloris verticillata* Nutt.  
 Tunis--*Sorghum virgatum* (Hack.) Stapf  
 uva--*Gynerium sagittatum* (Aubl.) Beauv.  
 Vasey--*Paspalum urvillei* Steud.  
 windmill--*Chloris verticillata* Nutt.  
 greasewood--*Sarcobatus vermiculatus* (Hook.) Torr.  
 greenbrier, cat--*Smilax glauca* Walt.  
     common--*S. rotundifolia* L.  
 greens, mustard--*Brassica juncea* (L.) Czern. & Coss.  
 gromwell, corn--*Lithospermum arvense* L.  
     western--*L. ruderale* Dougl. ex Lehm.  
 groundcherry, clammy--*Physalis heterophylla* Nees  
     downy--*P. pubescens* L.  
     hairy--*P. pruinosa* L.  
     Peruvian--*P. peruviana* L.  
     tomatillo--*P. ixocarpa* Brot. ex Hornem.  
 groundnut--*Arachis hypogaea* L.  
     Bambarra--*Voandzeia subterranea* (L.) Thou.  
     geocarpa--*Kerstingiella geocarpa* Harms  
     Kersting's--*K. geocarpa* Harms  
 groundsel, common--*Senecio vulgaris* L.  
 grumichama--*Eugenia dombeyi* (Spreng.) Skeels  
 gruya--*Canna edulis* Ker  
 guajillo--*Acacia berlandieri* Benth.  
 guanacaste--*Enterolobium cyclocarpum* (Jacq.) Griseb.  
 guar--*Cyamopsis tetragonoloba* (L.) Taub.  
 guaraguao--*Guarea trichilioides* L.  
 guarana--*Paullinia cupana* Kunth ex H.B.K.  
 guava, common--*Psidium guajava* L.  
     Guinea--*P. guineense* Sw.  
     mountain--*P. montanum* Sw.  
     purple--*P. cattleianum* Sabine

guava (continued)  
     strawberry--*P. cattleianum* Sabine  
     wild--*P. friedrichsthalianum* (Berg) Niedz.  
 guayule--*Parthenium argentatum* A. Gray  
 guelder-Rose--*Viburnum opulus* L.  
 guinea-corn--*Sorghum bicolor* (L.) Moench  
 guineagrass--*Panicum maximum* Jacq.  
 gum, black--*Nyssa sylvatica* Marsh.  
     blue--*Eucalyptus globulus* Labill.  
     Senegal--*Acacia senegal* (L.) Willd.  
     sour--*Nyssa sylvatica* Marsh.  
 gum arabic--*Acacia senegal* (L.) Willd.  
 gum ghatti--*Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Bedd.  
 gum tragacanth--*Astragalus gummifer* Labill.  
 gumbo-limbo--*Bursera simaruba* (L.) Sarg.  
 gutta-percha--*Palaquium gutta* (Hook.) Baill.  
 gympie-nut--*Macadamia ternifolia* F. v. Muell.  
 gypsyweed--*Veronica officinalis* L.  
 hackberry--*Celtis occidentalis* L.  
     desert--*C. pallida* Torr.  
     netleaf--*C. reticulata* Torr.  
 hairgrass, tufted--*Deschampsia cespitosa* (L.) Beauv.  
 halogeton--*Halogeton glomeratus* (Bieb.) C. A. Mey.  
 Hanover-salad--*Brassica napus* (Pabularia Group)  
 hardhack--*Spiraea tomentosa* L.  
 hausa-potato--*Solenostemon rotundifolius* (Poir.) J. K. Morton  
 hawksbeard, narrowleaf--*Crepis tectorum* L.  
 hawkweed, common--*Hieracium vulgatum* Fries  
     king devil--*H. florentinum* All.  
     mouse-ear--*H. pilosella* L.  
     orange--*H. aurantiacum* L.  
     yellow--*H. pratense* Tausch  
     yellowdevil--*H. floribundum* Wimm. & Grab.  
 hazel, American--*Corylus americana* Walt.  
     beaked--*C. cornuta* Marsh.  
     California--*C. cornuta* var. *californica* (A. DC.) Sharp  
     Chinese--*C. chinensis* Franch.  
     Himalayan--*C. ferox* Wall.  
     Siberian--*C. heterophylla* Fisch. ex Besser  
     Tibetan--*C. tibetica* Batal.  
     Turkish--*C. columna* L.  
 hazelnut, Chinese--*C. chinensis* Franch.  
 heal-all--*Prunella vulgaris* L.  
 heather--*Calluna vulgaris* (L.) Hull  
 heliotrope, garden--*Valeriana officinalis* L.  
     Indian--*Heliotropium indicum* L.  
     seaside--*H. curassavicum* L.  
 hellebore, false--*Veratrum viride* Ait.  
     white--*V. viride* Ait.  
 hemlock, eastern--*Tsuga canadensis* (L.) Carr.  
     mountain--*T. mertensiana* (Bong.) Carr.  
     poison--*Conium maculatum* L.

western--*Tsuga heterophylla* (Raf.) Sarg.  
 hemp--*Cannabis sativa* L.  
   bowstring--*Sansevieria senegambica* Baker  
   Cuban--*Furcraea hexapetala* (Jacq.) Urb.  
   Indian--*Apocynum cannabinum* L.  
   Manila--*Musa textilis* Néé  
   Mauritius--*Furcraea foetida* (L.) Haw.  
   sunn--*Crotalaria juncea* L.  
 hempnettle--*Galeopsis tetrahit* L.  
 hempweed, climbing--*Mikania scandens* (L.) Willd.  
 hen-and-chickens--*Sempervivum tectorum* L.  
 henbane--*Hyoscyamus niger* L.  
   black--*H. niger* L.  
 henbit--*Lamium amplexicaule* L.  
 henequen--*Agave fourcroydes* Lem.  
 henna--*Lawsonia inermis* L.  
 herald's-trumpet--*Beaumontia grandiflora* (Roxb.) Wall.  
 Hercules-club--*Aralia spinosa* L.  
 hibiscus, Chinese--*Hibiscus rosa-sinensis* L.  
   Hawaiian--*H. rosa-sinensis* L.  
   sea--*H. tiliaceus* L.  
 hickory, bitternut--*Carya cordiformis* (Wangenh.) K. Koch  
   black--*C. texana* Buckl.  
   mockernut--*C. tomentosa* (Poir.) Nutt.  
   nutmeg--*C. myristiciformis* (Michx. f.) Nutt.  
   pignut--*C. glabra* (Mill.) Sweet  
   shagbark--*C. ovata* (Mill.) K. Koch  
   shellbark--*C. laciniosa* (Michx. f.) Loud.  
 hippocrepis--*Hippocrepis commutata* Pau  
 hog-plum--*Spondias mombin* L.  
 hogweed--*Conyza canadensis* (L.) Cronq.  
 holly, American--*Ilex opaca* Ait.  
   Chinese--*I. cornuta* Lindl. & Paxt.  
   dahoon--*I. cassine* L.  
   English--*I. aquifolium* L.  
   Japanese--*I. crenata* Thunb.  
   Krug's--*I. krugiana* Loes.  
   tawnyberry--*I. krugiana* Loes.  
 hollyhock--*Alcea rosea* L.  
 honesty--*Lunaria annua* L.  
 honewort--*Cryptotaenia canadensis* (L.) DC.  
 honeydew--*Cucumis melo* L.  
 honeylocust--*Gleditsia triacanthos* L.  
 honeysuckle, bush--*Diervilla lonicera* Mill.  
   Cape--*Tecomaria capensis* (Thunb.) Spach  
   Japanese--*Lonicera japonica* Thunb.  
 hophornbeam, eastern--*Ostrya virginiana* (Mill.) K. Koch  
 hops--*Humulus lupulus* L.  
 horehound--*Marrubium vulgare* L.  
   white--*M. vulgare* L.  
 hornbeam, American--*Carpinus caroliniana* Walt.  
   European--*C. betulus* L.

horn-nut--*Trapa bicornis* Osb.  
 horsebean--*Canavalia ensiformis* (L.) DC.  
 horsechestnut--*Aesculus hippocastanum* L.  
     Japanese--*A. turbinata* Bl.  
 horsemint--*Monarda punctata* L.  
 horsenettle--*Solanum carolinense* L.  
 horseradish--*Armoracia rusticana* Gaertn., Mey., & Scherb.  
 horseradish-tree--*Moringa oleifera* Lam.  
 horsetail, field--*Equisetum arvense* L.  
 horseweed--*Conyza canadensis* (L.) Cronq.  
 hound's-tongue--*Cynoglossum officinale* L.  
 huckleberry, black--*Gaylussacia baccata* (Wangenh.) K. Koch  
     dwarf--*G. dumosa* (Andr.) Torr. & A. Gray  
 huesito--*Malpighia glabra* L.  
 huisache--*Acacia farnesiana* (L.) Willd.  
 hungry-rice--*Digitaria* spp.  
 huon-pine--*Dacrydium franklinii* Hook. f.  
 husk-tomato--*Physalis ixocarpa* Brot. ex Hornem.  
 hyacinth, common--*Hyacinthus orientalis* L.  
 hydrangea, smooth--*Hydrangea arborescens* L.  
 hydrilla--*Hydrilla verticillata* (L. f.) Royle  
 hyssop--*Hyssopus officinalis* L.  
     hedge--*Gratiola officinalis* L.  
 icaco--*Chrysobalanus icaco* L.  
 ice-plant--*Mesembryanthemum crystallinum* L.  
 ilama--*Annona diversifolia* Saff.  
 imbu--*Spondias tuberosa* Arr. Cam. ex Koster  
 immortelle, mountain--*Erythrina poeppigiana* (Walp.) O. F. Cook  
 Inca-wheat--*Amaranthus caudatus* L.  
 incense-cedar--*Calocedrus decurrens* (Torr.) Florin  
 Indian-almond--*Terminalia catappa* L.  
 Indian-bark--*Cinnamomum tamala* (Buch.-Ham.) Nees & Oberm.  
 Indian-cress--*Tropaeolum majus* L.  
 Indian-gooseberry--*Phyllanthus acidus* (L.) Skeels  
 indiangrass--*Sorghastrum nutans* (L.) Nash  
 Indian-laburnum--*Cassia fistula* L.  
 Indian-mulberry--*Morinda citrifolia* L.  
 Indian-tobacco--*Lobelia inflata* L.  
 indigo--*Indigofera tinctoria* L.  
     hairy--*I. hirsuta* L.  
 inkberry--*Ilex glabra* (L.) Gray  
 insect-flower, Persian--*Chrysanthemum coccineum* Willd.  
 ipecac--*Cephaelis ipecacuanha* (Brot.) A. Rich.  
     false--*Asclepias curassavica* L.  
 iris, yellowflag--*Iris pseudacorus* L.  
 ironweed, tall--*Vernonia altissima* Nutt.  
     western--*V. baldwinii* Torr.  
 ironwood, Bornean--*Eusideroxylon lauriflora* (Blanco) J. Schulze-Motel  
 istle, tula--*Agave lecheguilla* Torr.  
 itchgrass--*Rottboellia exaltata* L. f.  
 ivy, Boston--*Parthenocissus tricuspidata* (Sieb. & Zucc.) Planch.  
     English--*Hedera helix* L.  
     German--*Senecio mikanioides* Otto ex Walp.

grape--*Cissus rhombifolia* Vahl  
 ground--*Glechoma hederacea* L.  
 Kenilworth--*Cymbalaria muralis* Gaertn., Mey. & Scherb.  
 poison--*Toxicodendron radicans* (L.) Ktze.  
 jaboticaba--*Myrciaria cauliflora* (Mart.) Berg  
 jacaranda--*Jacaranda mimosifolia* D. Don  
 jack--*Artocarpus heterophyllus* Lam.  
 monkey--*A. rigidus* Bl.  
 jackbean--*Canavalia ensiformis* (L.) DC.  
 oblique-seed--*C. plagiosperma* Piper  
 jackfruit--*Artocarpus heterophyllus* Lam.  
 jalap--*Ipomoea purga* (Wender.) Hayne  
 Indian--*Operculina turpethum* (L.) Manso  
 jambos--*Syzygium jambos* (L.) Alst.  
 jasmine, Cape--*Gardenia jasminoides* Ellis  
 Japanese--*Jasminum mesnyi* Hance  
 royal--*J. grandiflorum* L.  
 winter--*J. nudiflorum* Lindl.  
 Java-almond--*Canarium indicum* L.  
 Java-olive--*Sterculia foetida* L.  
 Java-plum--*Syzygium cumini* (L.) Skeels  
 jelutong--*Dyera costulata* (Miq.) Hook. f.  
 Jerusalem-artichoke--*Helianthus tuberosus* L.  
 Jerusalem-cherry--*Solanum pseudocapsicum* L.  
 jessamine, night--*Cestrum nocturnum* L.  
 orange--*Murraya paniculata* (L.) Jack  
 poet's--*Jasminum officinale* L.  
 Jew-plum--*Spondias dulcis* Parkins.  
 jicama--*Pachyrhizus erosus* (L.) Urb.  
 jimsonweed--*Datura stramonium* L.  
 Job's-tears--*Coix lacryma-jobi* L.  
 johnsongrass--*Sorghum halepense* (L.) Pers.  
 joint-fir--*Gnetum buchholzianum* Engler  
 joint-vetch--*Aeschynomene americana* L.  
 jojoba--*Simmondsia chinensis* (Link) C. Schneid.  
 jonquil--*Narcissus jonquilla* L.  
 jujube, common--*Ziziphus jujuba* Mill.  
 junglerice--*Echinochloa colonum* (L.) Link  
 juniper, Chinese--*Juniperus chinensis* L.  
 common--*J. communis* L.  
 one-seed--*J. monosperma* (Engelm.) Sarg.  
 pinchot--*J. pinchotii* Sudw.  
 redberry--*J. pinchotii* Sudw.  
 jute, China--*Abutilon theophrasti* Medik.  
 Cuba--*Sida rhombifolia* L.  
 nalta--*Corchorus olitorius* L.  
 tussa--*C. olitorius* L.  
 white--*C. capsularis* L.  
 kadjatoa--*Eugeissona utilis* Becc.  
 kaffir-corn--*Sorghum bicolor* (L.) Moench  
 kaffir-potato--*Plectranthus esculentus* N. E. Br.  
 kahika--*Podocarpus dacrydioides* A. Rich.  
 kaimi-clover--*Desmodium canum* (J. F. Gmel.) Schinz & Thell.

kale--*Brassica oleracea* L. (Acephala Group)  
     Chinese--*B. oleracea* (Alboglabra Group)  
     ruvo--*B. rapa* (Ruvo Group)  
     Siberian--*B. napus* (Pabularia Group)  
     tranchuda--*B. oleracea* (Tranchuda Group)  
 kamraj--*Helminthostachys zeylanica* (L.) Hook.  
 kanari--*Canarium indicum* L.  
 kapok--*Ceiba pentandra* (L.) Gaertn.  
 kapundung--*Baccaurea racemosa* (Bl.) Muell.-Arg.  
 karanda--*Carissa carandas* L.  
 kava--*Piper methysticum* G. Forst.  
 kei-apple--*Dovyalis caffra* (Hook. f. & Harv.) Warb.  
 kenaf--*Hibiscus cannabinus* L.  
 ketembilla--*Dovyalis hebecarpa* (Gardn.) Warb.  
 khat--*Catha edulis* (Vahl) Forsk. ex Endl.  
 khella--*Ammi visnaga* (L.) Lam.  
 kher--*Acacia senegal* (L.) Willd.  
 kidney-vetch--*Anthyllis vulneraria* L.  
 kikyugrass--*Pennisetum clandestinum* Hochst. ex Chiov.  
 kino--*Eucalyptus camaldulensis* Dehnh.  
     Bengal--*Butea monosperma* (Lam.) Taub.  
     Malabar--*Pterocarpus marsupium* Roxb.  
 kiwi--*Actinidia chinensis* Planch.  
 kleingrass--*Panicum coloratum* L.  
 knapweed, black--*Centaurea nigra* L.  
     brown--*C. jacea* L.  
     diffuse--*C. diffusa* Lam.  
     Russian--*C. repens* L.  
     spotted--*C. maculosa* Lam.  
 knawel--*Scleranthus annuus* L.  
 knotgrass--*Paspalum distichum* L.  
 knotweed, erect--*Polygonum erectum* L.  
     Japanese--*P. cuspidatum* Sieb. & Zucc.  
     prostrate--*P. aviculare* L.  
     silversheath--*P. argyrocoleon* Steud. ex Kunze  
 kochia--*Kochia scoparia* (L.) Schrad.  
 kodo--*Paspalum scrobiculatum* L.  
 kodra--*P. scrobiculatum* L.  
 kohlrabi--*Brassica oleracea* (Gongylodes Group)  
 koshum--*Dovyalis abyssinica* (A. Rich.) Warb.  
 kudzu--*Pueraria lobata* (Willd.) Ohwi  
     tropical--*P. phaseoloides* (Roxb.) Benth.  
 kumquat, Hongkong--*Fortunella hindsii* (Champ.) Swingle  
     Meiwa--*F. crassifolia* Swingle  
     oval--*F. margarita* (Lour.) Swingle  
     round--*F. japonica* (Thunb.) Swingle  
 kurrat--*Allium ampeloprasum* L.  
 kwahu--*Barleria opaca* (Vahl) Nees  
 kyllinga, green--*Cyperus brevifolius* (Rottb.) Hassk.  
 laburnum, Indian--*Cassia fistula* L.  
 lac-tree--*Schleichera oleosa* (Lour.) Merr.  
 lacebark--*Lagetta lagetto* (Sw.) Nash.



lacegrass--*Eragrostis capillaris* (L.) Nees  
lacquer, Burmese--*Melanorrhoea usitata* Wall.  
Chinese--*Toxicodendron vernicifluum* (Stokes) Barkl.  
lady's-sorrel, creeping--*Oxalis corniculata* L.  
ladysthumb--*Polygonum persicaria* L.  
lagetto--*Lagetta lagetto* (Sw.) Nash.  
lambkill--*Kalmia angustifolia* L.  
lamb's-lettuce--*Valerianella locusta* (L.) Laterrade  
lambsquarters, lamb's-quarters--*Chenopodium album* L.  
lancewood--*Oxandra lanceolata* (Sw.) Baill.  
langsat--*Lansium domesticum* Corr.  
lantana--*Lantana camara* L.  
lantern-plant, Chinese--*Physalis alkekengi* L.  
larch, European--*Larix decidua* Mill.  
Japanese--*L. kaempferi* (Lamb.) Carr.  
western--*L. occidentalis* Nutt.  
larkspur--*Consolida ambigua* (L.) P. W. Ball & Heywood  
laurel--*Laurus nobilis* L.  
California--*Umbellularia californica* (Hook. & Arn.) Nutt.  
cherry--*Prunus laurocerasus* L.  
Chinese--*Antidesma bunius* (L.) Spreng.  
great--*Rhododendron maximum* L.  
Grecian--*Laurus nobilis* L.  
Indian--*Calophyllum inophyllum* L.  
mountain--*Kalmia latifolia* L.  
purple--*Rhododendron catawbiense* Michx.  
sheep--*Kalmia angustifolia* L.  
laurelwood--*Calophyllum inophyllum* L.  
lavender--*Lavandula angustifolia* Mill.  
broad-leaved--*L. latifolia* Medik.  
French--*L. stoechas* L.  
lavender-cotton--*Santolina chamaecyparissus* L.  
lawngrass, Japanese--*Zoysia japonica* Steud.  
leadtree--*Leucaena leucocephala* (Lam.) De Wit  
leatherstem--*Jatropha dioica* Cerv.  
leatherwood--*Dirca palustris* L.  
lebbeck--*Albizia lebbeck* (L.) Benth.  
lechuguilla--*Agave lecheguilla* Torr.  
leek--*Allium ampeloprasum* L.  
wild--*A. tricoccum* Ait.  
lemon--*Citrus limon* (L.) Burm. f.  
lemongrass, East Indian--*Cymbopogon flexuosus* (Nees ex Steud.) W. Wats.  
West Indian--*C. citratus* (DC.) Stapf  
lentil--*Lens culinaris* Medik.  
leren--*Calathea allouia* (Aubl.) Lindl.  
lespedeza, bicolor--*Lespedeza bicolor* Turcz.  
common--*L. striata* (Thunb.) Hook. & Arn.  
Japanese--*L. striata* (Thunb.) Hook. & Arn.  
Korean--*L. stipulacea* Maxim.  
sericea--*L. cuneata* (Dum.) G. Don  
striate--*L. striata* (Thunb.) Hook. & Arn.  
lettuce--*Lactuca sativa* L.

lettuce (continued)  
 blue--*L. pulchella* (Pursh) DC.  
 Canada wild--*L. canadensis* L.  
 prickly--*L. serriola* L.  
 tall--*L. canadensis* L.  
 willowleaf--*L. saligna* L.  
 leucaena--*Leucaena leucocephala* (Lam.) de Wit  
 licorice, American--*Glycyrrhiza lepidota* Pursh  
 common--*G. glabra* L.  
 wild--*G. lepidota* Pursh  
 lignum-vitae--*Guaiacum* spp.  
 holywood--*G. sanctum* L.  
 lilac, common--*Syringa vulgaris* L.  
 lily, Madonna--*Lilium candidum* L.  
 martagon--*L. martagon* L.  
 trumpet--*L. longiflorum* Thunb.  
 lily-of-the-Nile--*Agapanthus africanus* (L.) Hoffm. & G.  
 lily-of-the-valley--*Convallaria majalis* L.  
 lilyturf, dwarf--*Ophiopogon japonicus* (L. f.) Ker  
 lime--*Citrus aurantiifolia* (Christm.) Swingle  
 Australian desert--*Eremocitrus glauca* (Lindl.) Swingle  
 Spanish--*Melicoccus bijugatus* Jacq.  
 limeberry--*Triphasia trifolia* (Burm. f.) P. Wils.  
 linden--*Tilia americana* L.  
 bigleaf--*T. platyphyllos* Scop.  
 European--*T. X europaea* L.  
 littleleaf--*T. cordata* Mill.  
 lingen--*Vaccinium vitis-idaea* L.  
 litchi--*Litchi chinensis* Sonn.  
 loblolly-bay--*Gordonia lasianthus* (L.) Ellis  
 loco, Lambert--*Oxytropis lambertii* Pursh  
 woolly--*Astragalus mollissimus* Torr.  
 locust, black--*Robinia pseudoacacia* L.  
 locustberry--*Byrsonima lucida* (Mill.) DC.  
 loganberry--*Rubus ursinus* var. *loganobaccus* (L. H. Bailey) L. H. Bailey  
 logwood--*Haematoxylum campechianum* L.  
 lokao--*Rhamnus* spp.  
 longan--*Dimocarpus longan* Lour.  
 loofah--*Luffa aegyptiaca* Mill.  
 smooth--*L. aegyptiaca* Mill.  
 loosestrife, purple--*Lythrum salicaria* L.  
 spiked--*L. salicaria* L.  
 swamp--*Lysimachia terrestris* (L.) B.S.P.  
 loquat--*Eriobotrya japonica* (Thunb.) Lindl.  
 lotus--*Nelumbo nucifera* Gaertn.  
 American--*N. lutea* (Willd.) Pers.  
 East Indian--*N. nucifera* Gaertn.  
 Egyptian--*Nymphaea lotus* L.  
 sacred--*Nelumbo nucifera* Gaertn.  
 lovage--*Levisticum officinale* W. D. J. Koch  
 lovegrass, Boer--*Eragrostis chloromelas* Steud.  
 India--*E. pilosa* (L.) Beauv.

Lehmann--*E. lehmanniana* Nees  
 little--*E. minor* Host  
 sand--*E. trichodes* (Nutt.) Wood  
 tufted--*E. pectinacea* (Michx.) Nees  
 weeping--*E. curvula* (Schrad.) Nees  
 Wilman--*E. superba* Peyr.  
 love-lies-bleeding--*Amaranthus caudatus* L.  
 lucerne--*Medicago sativa* L. subsp. *sativa*  
     Brazilian--*Stylosanthes guianensis* (Aubl.) Sw.  
 tree--*Cytisus proliferus* L. f.  
 lucky-nut--*Thevetia peruviana* (Pers.) K. Schum.  
 luffa--*Luffa aegyptiaca* Mill.  
     angled--*L. acutangula* (L.) Roxb.  
 lulo--*Solanum quitoense* Lam.  
 lupine, Egyptian--*Lupinus albus* L.  
     European blue--*L. angustifolius* L.  
     European yellow--*L. luteus* L.  
     white--*L. albus* L.  
 lychee--*Litchi chinensis* Sonn.  
 lychnis, evening--*Silene alba* (Mill.) Krause  
 maackia, amur--*Maackia amurensis* Rupr. & Maxim.  
 maca--*Lepidium meyenii* Walp.  
 macadamia-nut--*Macadamia* spp.  
 mace--*Myristica fragrans* Houtt.  
 madder--*Rubia tinctorum* L.  
     field--*Sherardia arvensis* L.  
 madrone, Pacific--*Arbutus menziesii* Pursh  
 magnolia, Fraser--*Magnolia fraseri* Walt.  
     southern--*M. grandiflora* L.  
     star--*M. stellata* (Sieb. & Zucc.) Maxim.  
     sweetbay--*M. virginiana* L.  
 maguey--*Agave atrovirens* Karw. ex Salm-Dyck  
 mahoe--*Hibiscus tiliaceus* L.  
     blue--*H. elatus* Sw.  
     mountain--*H. elatus* Sw.  
 mahogany, West Indies--*Swietenia mahagoni* (L.) Jacq.  
 mahua--*Madhuca longifolia* (L.) Macbr.  
 ma-huang--*Ephedra equisetina* Bunge  
 maidencane--*Panicum hemitomon* Schult.  
 maize--*Zea mays* L. subsp. *mays*  
 majagua--*Hibiscus tiliaceus* L.  
 Malabar-nut--*Justicia adhatoda* L.  
 Malabar-spinach--*Basella alba* L.  
 mallow, alkali--*Sida hederacea* (Dougl.) Torr.  
     common--*Malva neglecta* Wallr.  
     dwarf--*M. pusilla* Sm.  
     high--*M. sylvestris* L.  
     little--*M. parviflora* L.  
     musk--*M. moschata* L.  
     swamp rose--*Hibiscus moscheutos* L.  
     Venice--*H. trionum* L.  
 mallow-rose--*H. moscheutos* L.

mammee-apple, mammy-apple--*Mammea americana* L.  
     African--*M. africana* Sabine  
 manchineel--*Hippomane mancinella* L.  
 mandarin--*Citrus reticulata* Blanco  
 mandrake--*Mandragora* spp.  
 mangabeira--*Hancornia speciosa* Gomes  
 mangel--*Beta vulgaris* L.  
 mango--*Mangifera indica* L.  
 mango-ginger--*Curcuma amada* Roxb.  
 mangold--*Beta vulgaris* L.  
 mangosteen--*Garcinia mangostana* L.  
 mangrove--*Rhizophora mangle* L.  
     American--*R. mangle* L.  
     black--*Avicennia germinans* (L.) L.  
     button--*Conocarpus erectus* L.  
     red--*Rhizophora mangle* L.  
     white--*Laguncularia racemosa* (L.) Gaertn. f.  
 mani--*Arachis hypogaea* L.  
 manicoba--*Manihot caerulescens* Pohl subsp. *caerulescens*  
 manicoba brava--*M. catingae* Ule  
 manicoba rubber--*M. dichotoma* Ule  
 manioc--*M. esculenta* Crantz  
 manketti--*Ricinodendron rautanenii* Schinz  
 mannagrass, fowl--*Glyceria striata* (Lam.) Hitchc.  
     water--*G. fluitans* (L.) R. Br.  
 maple, ash-leaved--*Acer negundo* L.  
     bigleaf--*A. macrophyllum* Pursh  
     black--*A. nigrum* Michx. f.  
     hard--*A. saccharum* Marsh.  
     mountain--*A. spicatum* Lam.  
     Norway--*A. platanoides* L.  
     red--*A. rubrum* L.  
     rock--*A. saccharum* Marsh.  
     silver--*A. saccharinum* L.  
     soft--*A. saccharinum* L.  
     striped--*A. pensylvanicum* L.  
     sugar--*A. saccharum* Marsh.  
     sycamore--*A. pseudoplatanus* L.  
     vine--*A. circinatum* Pursh  
     white--*A. saccharinum* L.  
 mapuey--*Dioscorea trifida* L. f.  
 margosa--*Azadirachta indica* A. Juss.  
 maria--*Calophyllum brasiliense* Camb.  
 marigold--*Tagetes erecta* L.  
     French--*T. patula* L.  
     marsh--*Caltha palustris* L.  
     pot--*Calendula officinalis* L.  
     sweet-scented--*Tagetes lucida* Cav.  
     wild--*T. minuta* L.  
 marihuana--*Cannabis sativa* L.  
 marijuana--*C. sativa* L.  
 marjoram, Egyptian--*Origanum maru* L.

pot--O. onites L.  
 sweet--O. majorana L.  
 wild--O. vulgare L.  
 marking-nut--Semecarpus anacardium L. f.  
 marmelade-box--Genipa americana L.  
 marrow, wild--Cucurbita texana A. Gray  
 marrows--Cucurbita spp.  
 marshcress--Rorippa islandica (Oeder) Borbas  
 marsh-elder--Iva xanthifolia Nutt.  
 marsh-mallow--Althaea officinalis L., Hibiscus moscheutos subsp.  
     palustris (L.) R. Clausen  
 marsh-marigold--Caltha palustris L.  
 mastic--Pistacia lentiscus L.  
 maté--Ilex paraguariensis St. Hil.  
 mayapple; may-apple--Podophyllum peltatum L.  
 maypop--Passiflora incarnata L.  
 mayweed--Anthemis cotula L.  
     scentless--Matricaria inodora L.  
     stinking--Anthemis cotula L.  
 meadowfoam--Limnanthes spp.  
 medic, black--Medicago lupulina L.  
     snail--M. scutellata (L.) Mill.  
 medlar--Mespilus germanica L.  
 medusahead--Taeniatherum asperum (Simonkai) Nevski  
 Melegueta-pepper--Aframomum melegueta K. Schum.  
 melon, preserving--Citrullus lanatus var. citroides (Bailey) Mansf.  
     stock--C. lanatus var. citroides (Bailey) Mansf.  
 melon-pear--Solanum muricatum Ait.  
 melons--Cucumis melo L.  
 menteng--Baccaurea racemosa (Bl.) Muell.-Arg.  
 mesquite--Prosopis spp.  
     curly--Hilaria belangeri (Steud.) Nash  
     honey--Prosopis glandulosa Torr. var. glandulosa  
     western honey--P. glandulosa var. torreyana (L. Benson) M. C. Johnst.  
 mesquitegrass, vine--Panicum obtusum H.B.K.  
 metel--Datura metel L.  
 Mexican-clover--Richardia scabra L.  
 mezereon--Daphne mezereum L.  
 mignonette, common--Reseda odorata L.  
 milkbush--Euphorbia tirucalli L.  
 milkvetch, cicer--Astragalus cicer L.  
 milkweed, bloodflower--Asclepias curassavica L.  
     common--A. syriaca L.  
     desert--A. subulata Decne.  
     eastern whorled--A. verticillata L.  
 millet, adlay--Coix lacryma-jobi L.  
     African--Eleusine coracana (L.) Gaertn.  
     broom--Panicum miliaceum L.  
     browntop--Brachiaria ramosa (L.) Stapf  
     bulrush--Pennisetum americanum (L.) Leeke  
     common--Panicum miliaceum L.  
     finger--Eleusine coracana (L.) Gaertn.

millet (continued)

- foxtail--*Setaria italica* (L.) Beauv.
- German--*S. italica* (L.) Beauv.
- hog--*Panicum miliaceum* L.
- Hungarian--*Setaria italica* (L.) Beauv.
- Italian--*S. italica* (L.) Beauv.
- Japanese--*Echinochloa crusgalli* var. *frumentacea* (Link) W. F. Wight
- koda--*Paspalum commersonii* Lam.
- kodo--*P. scrobiculatum* L.
- little--*Panicum sumatrense* Roth ex Roem. & Schult.
- pearl--*Pennisetum americanum* (L.) Leeke
- proso--*Panicum miliaceum* L.
- shama--*Echinochloa colonum* (L.) Link
- Texas--*Panicum texanum* Buckl.
- milo--*Sorghum bicolor* (L.) Moench
- mimosa--*Albizia julibrissin* Durazz.
- miner's-lettuce--*Claytonia perfoliata* Donn ex Willd.
- mint, corn--*Mentha arvensis* L.
  - field--*M. arvensis* L.
  - Japanese--*M. arvensis* L.
  - lemon--*M. X piperita* var. *citrata* (Ehrh.) Briq.
  - red--*M. X gentilis* L.
- miracle-fruit--*Thaumatococcus daniellii* (Benn.) Benth., *Gymnema sylvestre* (Retz.) Schult.
- miraculous-berry--*Synsepalum dulcificum* (Schum.) Daniell
- miscanthus--*Miscanthus sinensis* Anderss.
- moa-tree--*Madhuca indica* Gmel.
- mole-plant--*Euphorbia lathyris* L.
- mombin, red--*Spondias purpurea* L.
- moneywort--*Lysimachia nummularia* L.
- monkey-bread--*Adansonia digitata* L.
- monkey-puzzle-tree--*Araucaria araucana* (Mol.) K. Koch
- monkshood--*Aconitum napellus* L.
- monstera--*Monstera deliciosa* Liebm.
- moonflower--*Ipomoea alba* L.
  - purple--*I. turbinata* Lag.
- Moreton Bay-pine--*Araucaria cunninghamii* D. Don
- morning-glory, beach--*Ipomoea pes-caprae* (L.) R. Br.
  - bigroot--*I. pandurata* (L.) G. F. W. Mey.
  - Cairo--*I. cairica* (L.) Sweet
  - common--*I. purpurea* (L.) Roth
  - cypressvine--*I. quamoclit* L.
  - ivy-leaf--*I. hederacea* (L.) Jacq.
  - seafoam--*I. stolonifera* (Cyrill.) J. F. Gmel.
  - swamp--*I. aquatica* Forsk.
  - tall--*I. purpurea* (L.) Roth
- morrito--*Crescentia alata* H.B.K.
- moss, Spanish--*Tillandsia usneoides* (L.) L.
- motherwort--*Leonurus cardiaca* L.
- mountain-ash, European--*Sorbus aucuparia* L.
- mu-oil-tree--*Aleurites montana* (Lour.) Wils.
- mugwort--*Artemisia vulgaris* L.

western--*A. ludoviciana* Nutt.  
 muhly, alkali--*Muhlenbergia asperifolia* (Nees & Mey.) Parodi  
     Mexican--*M. mexicana* (L.) Trin.  
     spike--*M. wrightii* Vasey  
 mulberry, black--*Morus nigra* L.  
     French--*Callicarpa americana* L.  
     fustic--*Chlorophora tinctoria* (L.) Gaudich. ex Benth. & Hook. f.  
     Indian--*Morinda citrifolia* L.  
     paper--*Broussonetia papyrifera* (L.) Vent.  
     red--*Morus rubra* L.  
     white--*M. alba* L.  
 mullein--*Verbascum thapsus* L.  
     moth--*V. blattaria* L.  
 muriti--*Mauritia flexuosa* L. f.  
 muskmelon--*Cucumis melo* L.  
 muskwood, American--*Guarea trichilioides* L.  
 mustard, Abyssinian--*Brassica carinata* A. Br.  
     black--*B. nigra* (L.) Koch  
     broad-beaked--*B. narinosa* L. H. Bailey  
     garlic--*Alliaria petiolata* (Bieb.) Cavara & Grande  
     hare's-ear--*Conringia orientalis* (L.) Dumort.  
     hedge--*Sisymbrium officinale* (L.) Scop.  
     Indian--*Brassica juncea* (L.) Czern. & Coss.  
     spinach--*B. rapa* (Perviridis Group)  
     tansy--*Descurainia pinnata* (Walt.) Britt.  
     treacle--*Erysimum repandum* L.  
     tumble--*Sisymbrium altissimum* L.  
     white--*Sinapis alba* L.  
     wormseed--*Erysimum cheiranthoides* L.  
 Muster-John-Henry--*Tagetes minuta* L.  
 myrobalan--*Phyllanthus emblica* L.  
 myrrh--*Myrrhis odorata* (L.) Scop.  
 myrtle--*Myrtus communis* L.  
     running--*Vinca minor* L.  
 naiad, hollyleaf--*Najas marina* L.  
     marine--*N. marina* L.  
     slender--*N. flexilis* (Willd.) Rostk. & Schmidt  
     southern--*N. guadalupensis* (Spreng.) Magnus  
     spiny--*N. marina* L.  
 nami--*Dioscorea hispida* Dennst.  
 nannyberry--*Viburnum lentago* L.  
 naranjilla--*Solanum quitoense* Lam.  
 narcissus, poet's--*Narcissus poeticus* L.  
     polyanthus--*N. tazetta* L.  
 naseberry--*Manilkara zapota* (L.) van Royen  
 nasturtium, garden--*Tropaeolum majus* L.  
     shield--*T. peltophorum* Benth.  
 natalgrass--*Rhynchelytrum repens* (Willd.) C. E. Hubb.  
 Natal-plum--*Carissa macrocarpa* (Eckl.) A. DC.  
 neckweed--*Veronica peregrina* L.  
 nectarine--*Prunus persica* (L.) Batsch  
 needle-and-thread grass--*Stipa comata* Trin. & Rupr.

needlegrass, blackseed--*S. avenacea* L.  
     California--*S. pulchra* Hitchc.  
     green--*S. viridula* Trin.  
     purple--*S. pulchra* Hitchc.  
 needles, Spanish--*Bidens bipinnata* L.  
 neem--*Azadirachta indica* A. Juss.  
 negro-coffee--*Cassia occidentalis* L.  
 negro-pepper--*Xylopia aethiopica* (Dunal) A. Rich.  
 nettle, burning--*Urtica urens* L.  
     dog--*U. urens* L.  
     European--*U. dioica* L.  
     stinging--*U. dioica* L.  
 New Zealand-flax--*Phormium tenax* J. R. & G. Forst.  
 New Zealand-spinach--*Tetragonia tetragonioides* (Pall.) Ktze.  
 nickerbean, gray--*Caesalpinia bonduc* (L.) Roxb.  
 nickers, yellow--*C. bonduc* (L.) Roxb.  
 Niger-seed--*Guizotia abyssinica* (L. f.) Cass.  
 nightshade, bitter--*Solanum dulcamara* L.  
     black--*S. nigrum* L.  
     deadly--*Atropa bella-donna* L.  
     hairy--*Solanum sarrachoides* Sendt.  
     silverleaf--*S. elaeagnifolium* Cav.  
     soda-apple--*S. aculeastrum* Dunal  
 nimblewill--*Muhlenbergia schreberi* Gmel.  
 ninebark--*Physocarpus opulifolius* (L.) Maxim.  
 nipplewort--*Lapsana communis* L.  
 niruri--*Phyllanthus niruri* L.  
 nispero--*Manilkara zapota* (L.) van Royen  
 nut, areca--*Areca catechu* L.  
     betel--*A. catechu* L.  
     boleko--*Ongokea gore* (Hua) Pierre  
     Brazil--*Bertholletia excelsa* Humb. & Bonpl.  
     Chirauli--*Buchanania latifolia* Roxb.  
     gympie--*Macadamia ternifolia* F. v. Muell.  
     horn--*Trapa bicornis* Osb.  
     lucky--*Thevetia peruviana* (Pers.) K. Schum.  
     macadamia--*Macadamia integrifolia* Maiden & Betche, *M. tetraphylla*  
         L. Johnson  
     Malabar--*Justicia adhatoda* L.  
     marking--*Semecarpus anacardium* L. f.  
     paradise--*Lecythis zabucajo* Aubl.  
     pistachio--*Pistacia vera* L.  
     sapucaia--*Lecythis zabucajo* Aubl.  
     singhara--*Trapa bispinosa* Roxb.  
     souari--*Caryocar nuciferum* L.  
 nutgrass--*Cyperus rotundus* L.  
 nutmeg--*Myristica fragrans* Houtt.  
     calabash--*Monodora myristica* (Gaertn.) Dunal  
 nutsedge--*Cyperus rotundus* L.  
     false--*C. strigosus* L.  
     purple--*C. rotundus* L.  
     yellow--*C. esculentus* L.



oak, Aleppo--*Quercus infectoria* Olivier.  
 black--*Q. velutina* Lam.  
 blackjack--*Q. marilandica* Muenchh.  
 bur--*Q. macrocarpa* Michx.  
 California live--*Q. agrifolia* Née  
 Catesby's--*Q. laevis* Walt.  
 chestnut--*Q. prinus* L.  
 coast live--*Q. agrifolia* Née  
 cork--*Q. suber* L.  
 durmast--*Q. petraea* (Mattuschka) Liebl.  
 English--*Q. robur* L.  
 European turkey--*Q. cerris* L.  
 holly--*Q. ilex* L.  
 interior live--*Q. wislizenii* A. DC.  
 live--*Q. virginiana* Mill.  
 mossy cup--*Q. macrocarpa* Michx.  
 northern red--*Q. rubra* L.  
 overcup--*Q. lyrata* Walt.  
 pin--*Q. palustris* Muenchh.  
 possum--*Q. nigra* L.  
 post--*Q. stellata* Wangenh.  
 rock chestnut--*Q. prinus* L.  
 sawtooth--*Q. acutissima* Carruth.  
 scarlet--*Q. coccinea* Muenchh.  
 shingle--*Q. imbricaria* Michx.  
 silk--*Grevillea robusta* A. Cunn. ex R. Br.  
 southern red--*Quercus falcata* Michx.  
 Spanish--*Q. falcata* Michx.  
 swamp post--*Q. lyrata* Walt.  
 swamp white--*Q. bicolor* Willd.  
 turkey--*Q. laevis* Walt.  
 water--*Q. nigra* L.  
 white--*Q. alba* L.  
 willow--*Q. phellos* L.

oat (oats)--*Avena sativa* L.  
 Abyssinian--*A. abyssinica* Hochst. ex A. Rich.  
 Algerian--*A. byzantina* K. Koch  
 animated--*A. sterilis* L.  
 bristle--*A. strigosa* Schreb.  
 common--*A. sativa* L.  
 Mediterranean--*A. byzantina* K. Koch  
 naked--*A. nuda* L.  
 red--*A. byzantina* K. Koch  
 sand--*A. strigosa* Schreb.  
 slender--*A. barbata* Pott ex Link  
 small--*A. strigosa* Schreb.  
 wild--*A. fatua* L.

oatgrass, black--*Stipa avenacea* L.  
 poverty--*Danthonia spicata* (L.) Beauv. ex Roem. & Schult.  
 tall--*Arrhenatherum elatius* (L.) Beauv. ex J. & C. Presl

oats, sea--*Uniola paniculata* L.  
 oca--*Oxalis tuberosa* Mol.

ocumo--*Xanthosoma sagittifolium* (L.) Schott  
 oil-bean-tree--*Pentaclethra macrophylla* Benth.  
 oiticica--*Licania rigida* Benth.  
 okra--*Abelmoschus esculentus* (L.) Moench  
 oleander--*Nerium oleander* L.  
     yellow--*Thevetia peruviana* (Pers.) K. Schum.  
 oleaster--*Elaeagnus angustifolia* L.  
 olive--*Olea europaea* L.  
     Java--*Sterculia foetida* L.  
     Russian--*Elaeagnus angustifolia* L.  
 oneleaf-clover--*Alysicarpus vaginalis* (L.) DC.  
 onion--*Allium cepa* L.  
     Beltsville bunching--*A. cepa* L. X *A. fistulosum* L.  
     Egyptian--*A. cepa* L.  
     Japanese bunching--*A. fistulosum* L.  
     multiplier--*A. cepa* L.  
     potato--*A. cepa* L.  
     top--*A. cepa* L.  
     tree--*A. cepa* L.  
     Welsh--*A. fistulosum* L.  
     wild--*A. canadense* L.  
 orach--*Atriplex hortensis* L.  
     garden--*A. hortensis* L.  
     halberdleaf--*A. patula* subsp. *hastata* (L.) Hall & Clem.  
     spreading--*A. patula* L. subsp. *patula*  
 orache--*A. hortensis* L.  
 orange, King--*Citrus X nobilis* Lour.  
     Seville--*C. aurantium* L.  
     sour--*C. aurantium* L.  
     sweet--*C. sinensis* (L.) Osb.  
     tachibana--*C. tachibana* (Makino) Tanaka  
     temple--*C. reticulata* Blanco X *C. sinensis* (L.) Osb.  
     trifoliolate--*Poncirus trifoliata* (L.) Raf.  
 orange-trumpet--*Pyrostegia venusta* (Ker) Miers  
 orchardgrass--*Dactylis glomerata* L.  
 ordeal-tree--*Erythrophleum suaveolens* (Guill. & Perrot.) Brenan  
 oregano--*Origanum vulgare* L., *Lippia* spp.  
 orris--*Iris X germanica* var. *florentina* (L.) Dykes  
 osage-orange--*Maclura pomifera* (Raf.) Schneid.  
 osier, purple--*Salix purpurea* L.  
 osmanthus, Fortune's--*Osmanthus X fortunei* Carr.  
     holly--*O. heterophyllus* (G. Don) P. S. Green  
     sweet--*O. fragrans* (Thunb.) Lour.  
 ouabain--*Strophanthus gratus* (Wall. & Hook. ex Benth.) Baill.  
 oudo--*Aralia cordata* Thunb.  
 owala oil--*Pentaclethra macrophylla* Benth.  
 oxalis, buttercup--*Oxalis pes-caprae* L.  
 oyster-plant--*Tragopogon porrifolius* L.  
     black--*Scorzonera hispanica* L.  
     Spanish--*Scolymus hispanicus* L.  
 oysternut--*Telfairia* spp.  
 padang-cassia--*Cinnamomum burmannii* (Nees) Bl.

pagoda-tree, Japanese--*Sophora japonica* L.  
 paintbrush, devils--*Hieracium aurantiacum* L.  
 pak-choi--*Brassica rapa* (Chinensis Group)  
     false--*B. parachinensis* L. H. Bailey  
 palm, African fan--*Borassus flabellifer* L.  
     African oil--*Elaeis guineensis* Jacq.  
     Bahia piassaba--*Attalea funifera* Mart. ex Spreng.  
     betel--*Areca catechu* L.  
     cabbage--*Euterpe oleracea* Mart.  
     Canary Island date--*Phoenix canariensis* Hort. ex Chaub.  
     carnauba wax--*Copernicia prunifera* (Mill.) H. E. Moore  
     Chile coco--*Jubaea chilensis* (Mol.) Baill.  
     cohune--*Orbignya cohune* (Mart.) Dahlgr. ex Standl.  
     date--*Phoenix dactylifera* L.  
     doum--*Hyphaene thebaica* (L.) Mart.  
     European fan--*Chamaerops humilis* L.  
     fishtail--*Caryota urens* L.  
     Florida cabbage--*Sabal palmetto* (Walt.) Lodd. ex Schult. & Schult. f.  
     Florida silver--*Coccothrinax argentata* (Jacq.) Bailey  
     gru-gru--*Acrocomia totai* Mart.  
     Ivory Coast raphia--*Raphia hookeri* Mann & Wendl.  
     ivory nut--*Phytelephas macrocarpa* Ruiz & Pavon  
         Caroline--*Metroxylon amicarum* (Wendl.) Becc.  
     Madagascar--*Chrysalidocarpus lutescens* (Bory) Wendl.  
     ouricury--*Syagrus coronata* (Mart.) Becc.  
     Palmyra--*Borassus flabellifer* L.  
     Panama hat--*Carludovica palmata* Ruiz & Pavon  
     parlor--*Chamaedorea elegans* Mart.  
     peach--*Bactris gasipaes* H.B.K.  
     pigmy date--*Phoenix roebelenii* O'Brien  
     Puerto Rico hat--*Sabal causiarum* (Cook) Becc.  
     queen--*Arecastrum romanzoffianum* (Cham.) Becc.  
     raffia--*Raphia farinifera* (Gaertn.) Hyl.  
     rattan--*Eremospatha macrocarpa* (Mann & Wendl.) Wendl.  
     sago--*Metroxylon sagu* Rottb.  
     Senegal date--*Phoenix reclinata* Jacq.  
     sentry--*Howea forsterana* (C. Moore & F. v. Muell.) Becc.  
     sugar--*Arenga pinnata* (Wurmb) Merr.  
     tagua--*Phytelephas macrocarpa* Ruiz & Pavon  
     totai--*Acrocomia totai* Mart.  
     wax--*Ceroxylon alpinum* Bonpl.  
     West African piassava--*Raphia vinifera* Beauv.  
     wine--*R. vinifera* Beauv.  
 palmarosa--*Cymbopogon martinii* (Roxb.) W. Wats.  
 palmetto, cabbage--*Sabal palmetto* (Walt.) Lodd. ex Schult. & Schult. f.  
     saw--*Serenoa repens* (Bartr.) Small  
 pampasgrass--*Cortaderia selloana* (Schult.) Aschers. & Graebn.  
 pangolagrass--*Digitaria decumbens* Stent  
 panicgrass, blue--*Panicum antidotale* Retz.  
     bulb--*P. bulbosum* H.B.K.  
 panicum, browntop--*P. fasciculatum* Sw.  
     fall--*P. dichotomiflorum* Michx.

panicum (continued)  
   Texas--*P. texanum* Buckl.  
 pansy--*Viola tricolor* L.  
   European field--*V. arvensis* Murr.  
 papaya--*Carica papaya* L.  
   mountain--*C. pubescens* Lenné & K. Koch  
 papyrus--*Cyperus papyrus* L.  
 paradise-flower--*Caesalpinia pulcherrima* (L.) Sw.  
 paradise-nut--*Lecythis zabucajo* Aubl.  
 paradise-tree--*Simarouba glauca* DC.  
 paragrass--*Brachiaria mutica* (Forsk.) Stapf  
 Parana-pine--*Araucaria angustifolia* (Bertol.) Ktze.  
 parasol-tree, Chinese--*Firmiana simplex* (L.) W. F. Wight  
 pareira--*Chondrodendron tomentosum* Ruiz & Pavon  
 parrotfeather--*Myriophyllum brasiliense* Camb.  
 parsley--*Petroselinum crispum* (Mill.) Nym. ex A. W. Hill  
 parsnip--*Pastinaca sativa* L.  
   wild--*P. sativa* L.  
 paspalum, field--*Paspalum laeve* Michx.  
   fringeleaf--*P. ciliatifolium* Michx.  
   Panama--*P. fimbriatum* H.B.K.  
   sour--*P. conjugatum* Berg.  
   water--*P. fluitans* (Ell.) Kunth  
 passion-flower, maypop--*Passiflora incarnata* L.  
 passion-fruit, banana--*P. mollissima* (H.B.K.) L. H. Bailey  
 passion-vine, Crato--*P. cincinnata* Mast.  
 patchouli--*Pogostemon cablin* (Blanco) Benth.  
 paulownia, royal--*Paulownia tomentosa* (Thunb.) Steud.  
 pawpaw--*Asimina triloba* (L.) Dunal  
 pea, asparagus--*Psophocarpus tetragonolobus* (L.) DC., *Tetragonolobus*  
   *purpureus* Moench  
   black-eyed--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*  
   butterfly--*Clitoria ternatea* L.  
   Caley--*Lathyrus hirsutus* L.  
   chickling--*L. sativus* L.  
   crowder--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*  
   everlasting--*Lathyrus latifolius* L.  
   field--*Pisum sativum* L.  
   flat--*Lathyrus sylvestris* L.  
   garden--*Pisum sativum* L.  
   grass--*Lathyrus sativus* L.  
   partridge--*Cassia fasciculata* Michx.  
   perennial--*Lathyrus latifolius* L.  
   pigeon--*Cajanus cajan* (L.) Huth  
   rosary--*Abrus precatorius* L.  
   rough--*Lathyrus hirsutus* L.  
   southern--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*  
   sweet--*Lathyrus odoratus* L.  
   Tangier--*L. tingitanus* L.  
   winged--*Tetragonolobus purpureus* Moench  
   yam--*Sphenostylis stenocarpa* (Hochst. ex A. Rich.) Harms  
   yellow--*Lathyrus aphaca* L.

peach--*Prunus persica* (L.) Batsch  
 peanut--*Arachis hypogaea* L.  
 pear--*Pyrus communis* L.  
     Callery--*P. calleryana* Decne.  
     Chinese--*P. pyrifolia* (Burm. f.) Nakai  
     Japanese--*P. pyrifolia* (Burm. f.) Nakai  
     Oriental--*P. pyrifolia* (Burm. f.) Nakai  
     sand--*P. pyrifolia* (Burm. f.) Nakai  
 pearlwort--*Sagina procumbens* L.  
     bird's-eye--*S. procumbens* L.  
 peavine, flat--*Lathyrus sylvestris* L.  
 pecan--*Carya illinoensis* (Wangenh.) K. Koch  
 peepul tree--*Ficus religiosa* L.  
 pellitory, Pennsylvania--*Parietaria pensylvanica* Muhl.  
 pennycress, field--*Thlaspi arvense* L.  
     thoroughwort--*T. perfoliatum* L.  
 pennyroyal, American--*Hedeoma pulegioides* (L.) Pers.  
     European--*Mentha pulegium* L.  
 pennywort, Asiatic--*Centella asiatica* (L.) Urb.  
     lawn--*Hydrocotyle sibthorpioides* Lam.  
     water--*H. umbellata* L.  
 peperomia, oval-leaf--*Peperomia obtusifolia* (L.) A. Dietr.  
 pepino--*Solanum muricatum* Ait.  
 pepper, African--*Xylopia aethiopica* (Dunal) A. Rich.  
     bell--*Capsicum annum* L. var. *annuum*  
     betel--*Piper betel* L.  
     bird--*Capsicum annum* var. *glabriusculum* (Dunal) Heiser & Pickersgill,  
         *C. frutescens* L.  
     black--*Piper nigrum* L.  
     Celebes--*P. ornatum* N. E. Br.  
     chili--*Capsicum annum* L. var. *annuum*, *C. frutescens* L.  
     green--*C. annum* L. var. *annuum*  
     Indian long--*Piper longum* L.  
     Javanese long--*P. retrofractum* Vahl  
     mango--*Capsicum annum* L. var. *annuum*  
     Melegueta--*Aframomum melegueta* (Rosc.) K. Schum.  
     negro--*Xylopia aethiopica* (Dunal) A. Rich.  
     paprika--*Capsicum annum* L. var. *annuum*  
     spiked--*Piper aduncum* L.  
     tabasco--*Capsicum frutescens* L.  
 peppergrass--*Lepidium virginicum* L.  
 peppermint--*Mentha X piperita* L.  
 peppertree, Brazil--*Schinus terebinthifolius* Raddi  
     California--*S. molle* L.  
 pepperweed, field--*Lepidium campestre* (L.) R. Br.  
     Virginia--*L. virginicum* L.  
 pequi--*Caryocar brasiliense* Camb.  
 perilla--*Perilla frutescens* (L.) Britt.  
 periwinkle, common--*Vinca minor* L.  
     Madagascar--*Catharanthus roseus* (L.) G. Don  
 persimmon, American--*Diospyros virginiana* L.  
     black--*D. texana* Scheele

persimmon (continued)

- common--*D. virginiana* L.
- Japanese--*D. kaki* L. f.
- kaki--*D. kaki* L. f.
- Mexican--*D. texana* Scheele
- Texas--*D. texana* Scheele
- Peruvian-carrot--*Arracacia xanthorrhiza* Bancroft
- Peruvian-cherry--*Physalis peruviana* L.
- pe-tsai--*Brassica rapa* (Pekinensis Group)
- petunia, garden--*Petunia hybrida* Vilm.
  - large white--*P. axillaris* (Lam.) B.S.P.
  - violet-flowered--*P. violacea* Lindl.
  - whitemoon--*P. axillaris* (Lam.) B.S.P.
- peyote--*Lophophora williamsii* (Lem. ex Salm-Dyck) Coult.
- phalsa--*Grewia asiatica* L.
- pheasant-tree, Argus--*Dracontomelon mangiferum* Bl.
- philodendron, heart-leaf--*Philodendron scandens* K. Koch & Sello
- phoenix-tree--*Firmiana simplex* (L.) W. F. Wight
- piassava, Para--*Leopoldinia piassaba* Wallace
- pichi-pichi--*Fabiana imbricata* Ruiz & Pavon
- pickerelweed--*Pontederia cordata* L. var. *cordata*
  - lanceleaf--*P. cordata* var. *lancifolia* (Muhl.) Torr.
- piganum, harmel--*Peganum harmala* L.
- pigeon-wings, Asian--*Clitoria ternatea* L.
- pignut--*Carya cordiformis* (Wangenh.) K. Koch
- pigweed, prostrate--*Amaranthus blitoides* S. Wats.
  - redroot--*A. retroflexus* L.
  - rough--*A. retroflexus* L.
  - Russian--*Axyris amaranthoides* L.
  - smooth--*Amaranthus hybridus* L.
  - tumble--*A. albus* L.
- pimpernel, scarlet--*Anagallis arvensis* L.
- pine, Aleppo--*Pinus halepensis* Mill.
  - Australian--*Casuarina equisetifolia* J. R. & G. Forst.
  - Austrian--*Pinus nigra* Arnold
  - black--*P. nigra* Arnold
  - Caribbean--*P. caribaea* Morelet
  - celery--*Phyllocladus trichomanoides* D. Don
  - Corsican--*Pinus nigra* Arnold
  - digger--*P. sabiniana* Dougl. ex D. Don
  - eastern white--*P. strobus* L.
  - huon--*Dacrydium franklinii* Hook. f.
  - Italian stone--*Pinus pinea* L.
  - jack--*P. banksiana* Lamb.
  - Japanese black--*P. thunbergiana* Franco
  - Jeffrey--*P. jeffreyi* Grev. & Balf.
  - loblolly--*P. taeda* L.
  - lodgepole--*P. contorta* Dougl. ex Loud.
  - longleaf--*P. palustris* Mill.
  - maritime--*P. pinaster* Ait.
  - Merkus--*P. merkusii* Jungh. & De Vr.
  - Monterey--*P. radiata* D. Don

Moreton Bay--*Araucaria cunninghamii* D. Don  
 New Zealand red--*Dacrydium cupressinum* Soland. ex Lamb.  
 Norway--*Pinus resinosa* Ait.  
 Parana--*Araucaria angustifolia* (Bertol.) Ktze.  
 pinyon--*Pinus edulis* Engelm.  
 pitch--*P. rigida* Mill.  
 pond--*P. serotina* Michx.  
 ponderosa--*P. ponderosa* Dougl. ex P. & C. Laws.  
 red--*P. resinosa* Ait.  
 Scotch--*P. sylvestris* L.  
 shortleaf--*P. echinata* Mill.  
 slash--*P. elliottii* Engelm.  
 sugar--*P. lambertiana* Dougl.  
 Swiss mountain--*P. mugo* Turra  
 Swiss stone--*P. cembra* L.  
 table mountain--*P. pungens* Lamb.  
 Torrey--*P. torreyana* Parry ex Carr.  
 Virginia--*P. virginiana* Mill.  
 western white--*P. monticola* Dougl. ex D. Don  
 pineapple--*Ananas comosus* (L.) Merr.  
 pineapple-weed--*Matricaria matricarioides* (Less.) Porter  
 pink, Indian--*Spigelia marilandica* L.  
 pinyon--*Pinus edulis* Engelm.  
     Mexican--*P. cembroides* Zucc.  
     Parry--*P. quadrifolia* Parl. ex Sudw.  
     singleleaf--*P. monophylla* Torr. & Frem.  
 pistachio-nut--*Pistacia vera* L.  
 pitanga--*Eugenia uniflora* L.  
 pittosporum--*Pittosporum undulatum* Vent.  
 pituri--*Duboisia hopwoodii* F. v. Muell.  
 planetree, London--*Platanus X acerifolia* (Ait.) Willd.  
     Oriental--*P. orientalis* L.  
 plantain--*Musa X paradisiaca* L., *Plantago* spp.  
     blackseed--*Plantago rugelii* Decne.  
     bracted--*P. aristata* Michx.  
     broadleaf--*P. major* L.  
     buckhorn--*P. lanceolata* L.  
     common--*P. major* L.  
     English--*P. lanceolata* L.  
     great--*P. major* L.  
     hoary--*P. media* L.  
     paleseed--*P. virginica* L.  
     Rugel's--*P. rugelii* Decne.  
 plum, American--*Prunus americana* Marsh.  
     beach--*P. maritima* Marsh.  
     bullace--*P. insititia* L.  
     Canada--*P. nigra* Ait.  
     chickasaw--*P. angustifolia* Marsh.  
     common--*P. domestica* L.  
     damson--*P. insititia* L.  
     European--*P. domestica* L.  
     garden--*P. domestica* L.

plum (continued)

- governor's--*Flacourtia indica* (Burm. f.) Merr.
- hog--*Spondias mombin* L.
- hortulan--*Prunus hortulana* L. H. Bailey
- Japanese--*P. salicina* Lindl.
- Java--*Syzygium cumini* (L.) Skeels
- Jew--*Spondias dulcis* Parkins.
- Klamath--*Prunus subcordata* Benth.
- myrobalan--*P. cerasifera* Ehrh.
- Natal--*Carissa macrocarpa* (Eckl.) A. DC.
- Pacific--*Prunus subcordata* Benth.
- prune--*P. domestica* L.
- plumberry--*Byrsonima lucida* (Mill.) DC.
- pochote--*Ceiba aesculifolia* (H.B.K.) Britten and Baker
- poinciana, royal--*Delonix regia* (Boj. ex Hook.) Raf.
- poinsettia--*Euphorbia pulcherrima* Willd. ex Kl.
- poison-hemlock--*Conium maculatum* L.
- poison-oak, Pacific--*Toxicodendron diversilobum* (Torr. & A. Gray) Greene
- western--*T. diversilobum* (Torr. & A. Gray) Greene
- poke--*Phytolacca americana* L.
- pokeweed--*P. americana* L.
- polypremen--*Polypremum procumbens* L.
- pomegranate--*Punica granatum* L.
- pond-apple--*Annona glabra* L.
- pond-cypress--*Taxodium ascendens* Brongn.
- pondweed, American--*Potamogeton nodosus* Poir.
  - curlyleaf--*P. crispus* L.
  - Illinois--*P. illinoensis* Morong
  - leafy--*P. foliosus* Raf.
  - Richardson--*P. richardsonii* (A. Benn.) Rydb.
  - sago--*P. pectinatus* L.
  - small--*P. pusillus* L.
- pongam--*Pongamia pinnata* (L.) Pierre
- poorjoe--*Diodia teres* Walt.
- poplar, black--*Populus nigra* L.
  - tulip--*Liriodendron tulipifera* L.
  - white--*Populus alba* L.
  - yellow--*Liriodendron tulipifera* L.
- poppy, California--*Eschscholzia californica* Cham.
  - corn--*Papaver rhoeas* L.
  - Mexican prickly--*Argemone mexicana* L.
  - opium--*Papaver somniferum* L.
  - Oriental--*P. bracteatum* Lindl., *P. orientale* L., *P. pseudo-orientale* (Fedde) Medw.
- pops, Christmas--*Turbina corymbosa* (L.) Raf.
- porana-vine--*Porana paniculata* Roxb.
- Port Oxford-cedar--*Chamaecyparis lawsoniana* (A. Murr.) Parl.
- potato--*Solanum tuberosum* L.
  - coleus--*Solenostemon rotundifolius* (Poir.) J. K. Morton
  - country--*Coleus parviflorus* Benth.
  - hausa--*Solenostemon rotundifolius* (Poir.) J. K. Morton
  - Irish--*Solanum tuberosum* L.



kaffir--*Plectranthus esculentus* N. E. Br.  
 sweet--*Ipomoea batatas* (L.) Lam.  
 white--*Solanum tuberosum* L.  
 potato bean, American--*Apios americana* Medik.  
 pot-marigold--*Calendula officinalis* L.  
 povertygrass--*Danthonia spicata* (L.) Beauv. ex Roem. & Schult.  
 pricklepoppy, Mexican--*Argemone mexicana* L.  
 pricklypear, elephant-ear--*Opuntia tuna* (L.) Mill.  
     Indianfig--*O. ficus-indica* (L.) Mill.  
     Lindheimer--*O. lindheimeri* Engelm.  
     mission--*O. megacantha* Salm-Dyck  
     Texas--*O. lindheimeri* Engelm.  
 prickly-poppy, Mexican--*Argemone mexicana* L.  
 pride-of-Barbados--*Caesalpinia pulcherrima* (L.) Sw.  
 pride-of-Burma--*Amherstia nobilis* Wall.  
 princess-feather--*Amaranthus hypochondriacus* L.  
 princess-tree--*Paulownia tomentosa* (Thunb.) Steud.  
 privet, amur--*Ligustrum amurense* Carr.  
     California--*L. ovalifolium* Hassk.  
     common--*L. vulgare* L.  
     glossy--*L. lucidum* Ait.  
     swamp--*Forestiera acuminata* (Michx.) Poir.  
 proboscis-flower--*Proboscidea louisianica* (Mill.) Thell.  
 psoralea, scurfy--*Psoralea tenuiflora* Pursh  
 pulasan--*Nephelium mutabile* Bl.  
 pummelo--*Citrus grandis* (L.) Osb.  
 pumpkin--*Cucurbita* spp.  
 puncture-vine--*Tribulus terrestris* L.  
 purpletop--*Tridens flavus* (L.) Hitchc.  
 purslane--*Portulaca oleracea* L.  
     winter--*Claytonia perfoliata* Donn ex Willd.  
 pusley, Florida--*Richardia scabra* L.  
 pyrethrum--*Chrysanthemum cinerariifolium* (Trevir.) Vis.  
 quackgrass--*Agropyron repens* (L.) Beauv.  
 quassia, Jamaican--*Picrasma excelsa* (Sw.) Planch.  
 quebracho--*Schinopsis balansae* Engl.  
     red--*S. quebracho-colorado* (Schlecht.) Barkl. & T. Meyer  
 Queen Anne's-lace--*Daucus carota* L. subsp. *carota*  
 queen-of-the-meadow--*Filipendula ulmaria* (L.) Maxim.  
 quetembila--*Dovyalis hebecarpa* (Gardn.) Warb.  
 quince--*Cydonia oblonga* Mill.  
 quinine--*Cinchona* spp.  
 quinoa--*Chenopodium quinoa* Willd.  
 rabbitbrush, Douglas--*Chrysothamnus viscidiflorus* (Hook.) Nutt.  
     rubber--*C. nauseosus* (Pall.) Britt.  
 radish--*Raphanus sativus* L.  
     wild--*R. raphanistrum* L.  
 ragi--*Eleusine coracana* (L.) Gaertn.  
 ragweed, common--*Ambrosia artemisiifolia* L.  
     giant--*A. trifida* L.  
     western--*A. psilostachya* DC.  
 ragwort, tansy--*Senecio jacobaea* L.

rain-tree--*Samanea saman* (Jacq.) Merr.  
 rakkyo--*Allium chinense* G. Don  
 rambai--*Baccaurea motleyana* (Muell.-Arg.) Muell.-Arg.  
 rambutan--*Nephelium lappaceum* L.  
 ramie--*Boehmeria nivea* (L.) Gaudich.  
 ramon--*Brosimum alicastrum* Sw. subsp. *alicastrum*  
 ramp--*Allium tricoccum* Ait.  
 rampion--*Campanula rapunculus* L.  
 ram's-horn--*Proboscidea louisianica* (Mill.) Thell.  
 rape--*Brassica napus* L.  
 raspberry, American red--*Rubus idaeus* L. var. *strigosus* (Michx.) Maxim.  
     black--*R. occidentalis* L.  
     European red--*R. idaeus* L. var. *idaeus*  
     purple--*R. occidentalis* L. X *R. idaeus* L.  
     purple-flowering--*R. odoratus* L.  
     red--*R. idaeus* L. var. *idaeus*  
 ratala--*Coleus parviflorus* Benth.  
 rattan--*Calamus rotang* L.  
 rattlesnake-weed--*Daucus pusillus* Michx.  
 redbay--*Persea borbonia* (L.) Spreng.  
 redbud, eastern--*Cercis canadensis* L.  
 red-cedar, eastern--*Juniperus virginiana* L.  
     western--*Thuja plicata* Donn ex G. Don  
 red-pine, New Zealand--*Dacrydium cupressinum* Soland. ex Lamb.  
 redtop--*Agrostis gigantea* Roth  
 redvine--*Brunnichia cirrhosa* Gaertn.  
 redwood--*Sequoia sempervirens* (D. Don) Endl.  
     coast--*S. sempervirens* (D. Don) Endl.  
     dawn--*Metasequoia glyptostroboides* Hu & Cheng  
 reed, common--*Phragmites australis* (Cav.) Trin. ex Steud.  
     giant--*Arundo donax* L.  
 rengas--*Gluta renghas* L.  
 rhodesgrass--*Chloris gayana* Kunth  
 rhododendron, Canadian--*Rhododendron canadense* (L.) Torr.  
     Catawba--*R. catawbiense* Michx.  
     great--*R. maximum* L.  
     rosebay--*R. maximum* L.  
 rhodora--*R. canadense* (L.) Torr.  
 rhubarb--*Rheum rhabarbarum* L.  
     Chinese--*R. officinale* Baill., *R. palmatum* L.  
 rice--*Oryza sativa* L.  
     African--*O. glaberrima* Steud.  
     hungry--*Digitaria exilis* (Kippist) Stapf, D. iburua Stapf  
 rice-paper-plant--*Tetrapanax papyrifer* (Hook.) K. Koch  
 ricegrass, Indian--*Oryzopsis hymenoides* (Roem. & Schult.) Ricker  
     jungle--*Echinochloa colonum* (L.) Link  
     Mandan--*X Stiporyzopsis caduca* (Beal) B. L. Johnson & Rogler  
 ringworm-bush--*Cassia alata* L.  
 rocket, dame's--*Hesperis matronalis* L.  
     dyer's--*Reseda luteola* L.  
     garden--*Eruca vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
     yellow--*Barbarea vulgaris* R. Br.

rocket-salad--*Eruca vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
 rocoto--*Capsicum pubescens* Ruiz & Pavon  
 roka--*Eruca vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
 roquette--*E. vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
 rose, Arkansas--*Rosa arkansana* Porter  
     cabbage--*R. centifolia* L.  
     Cherokee--*R. laevigata* Michx.  
     damask--*R. damascena* Mill.  
     dog--*R. canina* L.  
     French--*R. gallica* L.  
     Macartney--*R. bracteata* Wendl.  
     multiflora--*R. multiflora* Thunb. ex Murr.  
     prairie--*R. setigera* Michx.  
 rose-apple--*Syzygium jambos* (L.) Alst.  
     watery--*S. aqueum* (Burm. f.) Alst.  
 rosebay, mountain--*Rhododendron catawbiense* Michx.  
 roselle--*Hibiscus sabdariffa* L.  
 rose-mallow, swamp--*H. moscheutos* L.  
 rosemary--*Rosmarinus officinalis* L.  
 rose-of-China--*Hibiscus rosa-sinensis* L.  
 rose-of-Sharon--*H. syriacus* L.  
 rosewood, Indian--*Dalbergia* spp.  
 rougeplant--*Rivina humilis* L.  
 rowan--*Sorbus aucuparia* L.  
 rubber, castilloa--*Castilla elastica* Sessé subsp. *elastica*  
     caucho--*C. ulei* Warb.  
     Lagos silk--*Funtumia africana* (Benth.) Stapf, *F. elastica* (Preuss) Stapf  
     Landolphia--*Landolphia heudelotii* A. DC.  
 rubber-plant--*Ficus elastica* Roxb. ex Hornem.  
 rubber-tree--*Hevea brasiliensis* (Willd. ex A. Juss.) Muell.-Arg.  
     ceara--*Manihot glaziovii* Muell.-Arg.  
 rubberweed, bitter--*Hymenoxys odorata* DC.  
 rue, African--*Peganum harmala* L.  
     common--*Ruta graveolens* L.  
 rupturewort--*Herniaria glabra* L.  
 rush, Baltic--*Juncus balticus* Willd.  
     path--*J. tenuis* Willd.  
     slender--*J. tenuis* Willd.  
     soft--*J. effusus* L.  
     toad--*J. bufonius* L.  
 rutabaga--*Brassica napus* (Napobrassica Group)  
 rye--*Secale cereale* L.  
 ryegrass, annual--*Lolium multiflorum* Lam.  
     English--*L. perenne* L.  
     Italian--*L. multiflorum* Lam.  
     perennial--*L. perenne* L.  
     Wimmera--*L. rigidum* Gaud., *L. rigidum* Gaud. X *L. multiflorum* Lam.  
 sacaton--*Sporobolus wrightii* Munro ex Scribn.  
     alkali--*S. airoides* (Torr.) Torr.  
 safflower--*Carthamus tinctorius* L.  
 saffron, meadow--*Colchicum autumnale* L.  
 sage--*Salvia officinalis* L.

sage (continued)  
 lyre-leaved--*S. lyrata* L.  
 scarlet--*S. splendens* F. Sellow ex Roem. & Schult.  
 sagebrush, big--*Artemisia tridentata* Nutt.  
 California--*A. californica* Less.  
 fringed--*A. frigida* Willd.  
 low--*A. arbuscula* Nutt.  
 silver--*A. cana* Pursh  
 sago, queen--*Cycas circinalis* L.  
 saguaro--*Cereus giganteus* Engelm.  
 sainfoin--*Onobrychis viciifolia* Scop.  
 St. John's-bread--*Ceratonia siliqua* L.  
 St. John's-wort, common--*Hypericum perforatum* L.  
 spotted--*H. punctatum* Lam.  
 salal--*Gaultheria shallon* Pursh  
 salamander-tree--*Antidesma bunius* (L.) Spreng.  
 salmonberry--*Rubus spectabilis* Pursh  
 salsify--*Tragopogon porrifolius* L.  
 black--*Scorzonera hispanica* L.  
 meadow--*Tragopogon pratensis* L.  
 Spanish--*Scorzonera hispanica* L.  
 western--*Tragopogon dubius* Scop.  
 saltbush, fourwing--*Atriplex canescens* (Pursh) Nutt.  
 old man--*A. nummularia* Lindl.  
 saltcedar--*Tamarix ramosissima* Ledeb.  
 saltgrass, desert--*Distichlis stricta* (Torr.) Rydb.  
 seashore--*D. spicata* (L.) Greene  
 salvinia--*Salvinia rotundifolia* Willd.  
 saman--*Samanea saman* (Jacq.) Merr.  
 sandalwood--*Santalum album* L.  
 red--*Pterocarpus santalinus* L. f.  
 sandarac--*Tetraclinis articulata* (Vahl) Mast.  
 sandbur, dune--*Cenchrus tribuloides* L.  
 field--*C. incertus* M.A. Curtis  
 longspine--*C. longispinus* (Hack.) Fern.  
 southern--*C. echinatus* L.  
 sandreed, prairie--*Calamovilfa longifolia* (Hook.) Scribn.  
 sandspurry, red--*Spergularia rubra* (L.) J. & C. Presl  
 sandwort, thymeleaf--*Arenaria serpyllifolia* L.  
 sangre-de-drago--*Jatropha dioica* Cerv.  
 santonica--*Artemisia cina* Berg & Schmidt  
 sapodilla--*Manilkara zapota* (L.) van Royen  
 sapote--*Pouteria sapota* (Jacq.) H. E. Moore & Stearn  
 black--*Diospyros digyna* Jacq.  
 mammee--*Pouteria sapota* (Jacq.) H. E. Moore & Stearn  
 white--*Casimiroa edulis* Llave & Lex.  
 sappanwood--*Caesalpinia sappan* L.  
 sapucaia-nut--*Lecythis zabucajo* Aubl.  
 sarsaparilla--*Smilax aristolochiifolia* Mill.  
 Jamaican--*S. regelii* Killip & Morton  
 sassafras--*Sassafras albidum* (Nutt.) Nees  
 sasswood--*Erythrophleum suaveolens* (Guill. & Perrot.) Brenan  
 sausage-tree--*Kigelia africana* (Lam.) Benth.

savin--*Juniperus sabina* L.  
 savory, summer--*Satureja hortensis* L.  
     winter--*S. montana* L.  
 sawbrier--*Smilax glauca* Walt.  
 sawgrass--*Cladium jamaicense* Crantz  
     smooth--*C. mariscoides* (Muhl.) Torr.  
 scammony--*Convolvulus scammonia* L.  
 scorpion-senna--*Coronilla emerus* L.  
 scouring-rush--*Equisetum hyemale* L.  
 scratchgrass--*Muhlenbergia asperifolia* (Nees & Mey.) Parodi  
 scurfpea, Arabian--*Psoralea bituminosa* L.  
 seagrape--*Coccoloba uvifera* (L.) L.  
 seakale--*Crambe maritima* L.  
 sea-oats--*Uniola paniculata* L.  
 sea-onion--*Urginea maritima* (L.) Baker  
 sea-rocket, American--*Cakile edentula* (Bigel.) Hook. subsp. *edentula*  
 self-heal--*Prunella vulgaris* L.  
 senna, Alexandrian--*Cassia senna* L.  
     coffee--*C. occidentalis* L.  
     scorpion--*Coronilla emerus* L.  
     Siamese--*Cassia siamea* Lam.  
     sickle--*C. tora* L.  
 sensitive plant--*Mimosa pudica* L.  
 sequoia, giant--*Sequoiadendron giganteum* (Lindl.) Buchh.  
 serendipity-berry--*Dioscoreophyllum cumminsii* (Stapf) Diels  
 serradella--*Ornithopus sativus* Brot.  
 service, tree--*Sorbus domestica* L.  
 serviceberry, Allegheny--*Amelanchier laevis* Wieg.  
     downy--*A. arborea* (Michx. f.) Fern.  
     Saskatoon--*A. alnifolia* (Nutt.) Nutt.  
 sesame--*Sesamum indicum* L.  
     false--*Ceratotheca sesamoides* Endl.  
 sesuvium--*Sesuvium portulacastrum* (L.) L.  
 shaddock--*Citrus grandis* (L.) Osb.  
 shadscale--*Atriplex confertifolia* (Torr. & Frem.) S. Wats.  
 shallot--*Allium cepa* L.  
 shattercane--*Sorghum bicolor* (L.) Moench  
 shea-butter--*Butyrospermum paradoxum* (Gaertn. f.) Hepper subsp. *parkii*  
     (G. Don) Hepper  
 sheepberry--*Viburnum lentago* L.  
 shepherd's-purse; shepherdspurse--*Capsella bursa-pastoris* (L.) Medik.  
 shittim-wood--*Acacia seyal* Del.  
 shoti--*Curcuma zedoaria* (Berg.) Roscoe  
 shungiku--*Chrysanthemum carinatum* Schousb.  
 sicklepod--*Cassia obtusifolia* L.  
 sida, alkali--*Sida hederacea* (Dougl.) Torr.  
     arrowleaf--*S. rhombifolia* L.  
     prickly--*S. spinosa* L.  
     southern--*S. acuta* Burm. f.  
 silk-cotton, red--*Bombax ceiba* L.  
 silk-cotton-tree--*Ceiba pentandra* (L.) Gaertn.  
 silk-oak--*Grevillea robusta* A. Cunn. ex R. Br.

silktree--*Albizia julibrissin* Durazz.  
 silverberry--*Elaeagnus commutata* Bernh. ex Rydb.  
 silverweed--*Potentilla anserina* L.  
 singhara-nut--*Trapa bispinosa* Roxb.  
 siratro--*Macroptilium atropurpureum* (DC.) Urb.  
 sisal--*Agave sisalana* Perr.  
     wild--*Furcraea macrophylla* Baker  
 sissoo--*Dalbergia sissoo* Roxb. ex DC.  
 sisu--*D. sissoo* Roxb. ex DC.  
 skirret--*Sium sisarum* L.  
 sloe--*Prunus spinosa* L.  
 sloughgrass--*Beckmannia syzigachne* (Steud.) Fern.  
 smartweed, dotted--*Polygonum punctatum* Ell.  
     marshpepper- *P. hydropiper* L.  
     Pennsylvania--*P. pensylvanicum* L.  
     swamp--*P. coccineum* Muhl.  
     water--*P. amphibium* L.  
 smilgrass--*Oryzopsis miliacea* (L.) Aschers. & Schweinf.  
 smoke-tree, common--*Cotinus coggygria* Scop.  
 smutgrass--*Sporobolus poiretii* (Roem. & Schult.) Hitchc.  
 snailflower--*Vigna caracalla* (L.) Verdc.  
 snakegourd--*Trichosanthes anguina* L., *T. cucumerina* L.  
 snake-plant--*Sansevieria trifasciata* Prain  
 snakeroot, broom--*Gutierrezia sarothrae* (Pursh) Britt. & Rusby  
     Seneca--*Polygala senega* L.  
     white--*Eupatorium rugosum* Houtt.  
 snake's-beard--*Ophiopogon japonicus* (L. f.) Ker  
 snakeweed, broom--*Gutierrezia sarothrae* (Pursh) Britt. & Rusby  
 snapdragon--*Antirrhinum majus* L.  
     dwarf--*Chaenorrhinum minus* (L.) Lange  
 sneezeweed, bitter--*Helenium amarum* (Raf.) H. Rock  
 snow-on-the-mountain--*Euphorbia marginata* Pursh  
 snowdrop--*Galanthus nivalis* L.  
 soapbark--*Quillaja saponaria* Mol.  
 soapberry, wingleaf--*Sapindus saponaria* L.  
 soapbush--*Clidemia hirta* (L.) D. Don  
 soap-plant--*Chlorogalum pomeridianum* (DC.) Kunth  
 soapwort--*Saponaria officinalis* L.  
 sorghum, alnum--*Sorghum X alnum* Parodi  
     grain--*S. bicolor* (L.) Moench  
     sweet--*S. bicolor* (L.) Moench  
 sorrel--*Rumex acetosa* L.  
     common--*R. acetosella* L.  
     French--*R. scutatus* L.  
     garden--*R. acetosa* L.  
     red--*R. acetosella* L.  
     sheep--*R. acetosella* L.  
     upright yellow--*Oxalis europaea* Jordan  
 sourclover--*Melilotus indica* (L.) All.  
 sourgrass--*Paspalum conjugatum* Berg.  
 soursop--*Annona muricata* L.  
     mountain--*A. montana* Macfad.

sourwood--*Oxydendrum arboreum* (L.) DC.  
 southernwood--*Artemisia abrotanum* L.  
 sowthistle, annual--*Sonchus oleraceus* L.  
     common--*S. oleraceus* L.  
     perennial--*S. arvensis* L.  
     spiny--*S. asper* (L.) Hill  
     spiny-leaved--*S. asper* (L.) Hill  
 soybean--*Glycine max* (L.) Merr.  
 Spanish-cedar--*Cedrela odorata* L.  
 Spanish-fennel--*Nigella hispanica* L.  
 Spanish-moss--*Tillandsia usneoides* (L.) L.  
 sparto--*Juncus maritimus* Lam.  
 spatterdock--*Nuphar luteum* (L.) Sibth. & Sm.  
 spearmint--*Mentha spicata* L.  
     Scotch--*M. X gentilis* L.  
 speedwell, common--*Veronica officinalis* L.  
     corn--*V. arvensis* L.  
     field--*V. agrestis* L.  
     purslane--*V. peregrina* L.  
     thymeleaf--*V. serpyllifolia* L.  
 spelt--*Triticum spelta* L.  
 spicebush--*Lindera benzoin* (L.) Bl.  
 spiderflower--*Cleome hasslerana* Chod.  
     African--*Gynandropsis gynandra* (L.) Briq.  
     spiny--*Cleome spinosa* Jacq.  
 spiderwort, common--*Tradescantia virginiana* L.  
 spikenard--*Aralia cordata* Thunb.  
     wild--*Hyptis suaveolens* (L.) Poit.  
 spikerush, slender--*Eleocharis acicularis* (L.) Roem. & Schult.  
 spinach--*Spinacia oleracea* L.  
     Malabar--*Basella alba* L.  
     New Zealand--*Tetragonia tetragonioides* (Pall.) Ktze.  
     vine--*Basella alba* L.  
 sponge, vegetable--*Luffa aegyptiaca* Mill.  
 sprangletop, red--*Leptochloa filiformis* (Lam.) Beauv.  
 spring-beauty--*Claytonia virginica* L.  
 spruce, black--*Picea mariana* (Mill.) B.S.P.  
     Engelmann--*P. engelmannii* Parry ex Engelm.  
     Norway--*P. abies* (L.) Karst.  
     red--*P. rubens* Sarg.  
     Sitka--*P. sitchensis* (Bong.) Carr.  
     white--*P. glauca* (Moench) Voss  
 spurge, caper--*Euphorbia lathyris* L.  
     cypress--*E. cyparissias* L.  
     flowering--*E. corollata* L.  
     garden--*E. hirta* L.  
     leafy--*E. esula* L.  
     nodding--*E. maculata* L.  
     painted--*E. heterophylla* L.  
     petty--*E. peplus* L.  
     spotted--*E. maculata* L.  
 spurry, corn--*Spergula arvensis* L.

squash--*Cucurbita* spp.  
 squill, red--*Urginea maritima* (L.) Baker  
 squirreltail--*Sitanion hystrix* (Nutt.) J. G. Sm.  
 star-apple--*Chrysophyllum cainito* L.  
     African--*C. delevoiyi* De Wild.  
 starfruit--*Averrhoa carambola* L.  
 stargrass--*Cynodon plectostachyus* (K. Schum.) Pilg.  
     water--*Heteranthera dubia* (Jacq.) MacM.  
 star-of-Bethlehem--*Ornithogalum umbellatum* L.  
 starthistle, yellow--*Centaurea solstitialis* L.  
 starwort, lesser--*Stellaria graminea* L.  
     little--*S. graminea* L.  
 steplebush--*Spiraea tomentosa* L.  
 sterculia, hazel--*Sterculia foetida* L.  
 stewartia, mountain--*Stewartia ovata* (Cav.) Weatherby  
     Virginia--*S. malacodendron* L.  
 stickseed--*Lappula echinata* Gilib.  
 sticktight, European--*L. echinata* Gilib.  
 stinkgrass--*Eragrostis cilianensis* (All.) E. Mosher  
 stitchwort, lesser--*Stellaria graminea* L.  
 stock--*Matthiola incana* (L.) R. Br.  
 stonecrop, mossy--*Sedum acre* L.  
 strangler-vine--*Morrenia odorata* (Hook. & Arn.) Lindl.  
 strawberry, Chilean--*Fragaria chiloensis* (L.) Duch.  
     European--*F. vesca* L.  
     false--*Duchesnea indica* (Andr.) Focke  
     garden--*Fragaria X ananassa* Duch.  
     Indian--*Duchesnea indica* (Andr.) Focke  
     Virginia--*Fragaria virginiana* Duch.  
     woodland--*F. vesca* var. *americana* Porter  
 strawberry-bush--*Euonymus americana* L.  
 strychnine-tree--*Strychnos nux-vomica* L.  
 stylo, Caribbean--*Stylosanthes hamata* (L.) Taub.  
     Townsville--*S. humilis* H.B.K.  
 styrax--*Styrax benzoin* Dryand.  
 suckleya, poison--*Suckleya suckleyana* (Torr.) Rydb.  
 sudangrass--*Sorghum sudanense* (Piper) Stapf  
 sugar-apple--*Annona squamosa* L.  
 sugarcane--*Saccharum officinarum* L.  
 sumac, Chinese--*Rhus chinensis* Mill.  
     dwarf--*R. copallina* L.  
     poison--*Toxicodendron vernix* (L.) Ktze.  
     shining--*Rhus copallina* L.  
     Sicilian--*R. coriaria* L.  
     smooth--*R. glabra* L.  
     staghorn--*R. typhina* L.  
     winged--*R. copallina* L.  
 summer-cypress--*Kochia scoparia* (L.) Schrad.  
 sunchoke--*Helianthus annuus* L. X *H. tuberosus* L.  
 sundew, round-leaved--*Drosera rotundifolia* L.  
 sunflower--*Helianthus annuus* L.  
 sunolgrass--*Phalaris coerulescens* Desf.



Surinam-cherry--*Eugenia uniflora* L.  
 swallow-wort--*Cynanchum vincetoxicum* (L.) Pers.  
     white--*C. vincetoxicum* (L.) Pers.  
 swede--*Brassica napus* (Napobrassica Group)  
 sweetbay--*Magnolia virginiana* L.  
 sweetclover, annual yellow--*Melilotus indica* (L.) All.  
     Indian--*M. indica* (L.) All.  
     tall yellow--*M. altissima* Thuill.  
     white--*M. alba* Medik.  
     yellow--*M. officinalis* Lam.  
 sweetfern--*Comptonia peregrina* (L.) J. M. Coult.  
 sweetflag--*Acorus calamus* L.  
 sweetgrass--*Hierochloë odorata* (L.) Beauv.  
 sweetgum--*Liquidambar styraciflua* L.  
 sweetsop--*Annona squamosa* L.  
 sweet-william--*Dianthus barbatus* L.  
 swinecress--*Coronopus didymus* (L.) Sm.  
 switchgrass--*Panicum virgatum* L.  
 swordbean--*Canavalia ensiformis* (L.) DC., *C. gladiata* (Jacq.) DC.  
 sycamore, American--*Platanus occidentalis* L.  
 tacca--*Tacca leontopetaloides* (L.) Ktze.  
 tallow-tree--*Sapium sebiferum* (L.) Roxb.  
     Chinese--*S. sebiferum* (L.) Roxb.  
 tamanu--*Calophyllum inophyllum* L.  
 tamarack--*Larix laricina* (Du Roi) K. Koch  
 tamarind--*Tamarindus indica* L.  
 tamarisk--*Tamarix gallica* L.  
     athel--*T. aphylla* (L.) Karst.  
     French--*T. gallica* L.  
 tamarugo--*Prosopis tamarugo* Phil.  
 tampala--*Amaranthus tricolor* L.  
 tangelo--*Citrus paradisi* Macfad. X *C. reticulata* Blanco  
 tangerine--*C. reticulata* Blanco  
 tanglehead--*Heteropogon contortus* (L.) Beauv. ex Roem. & Schult.  
 tangors--*Citrus reticulata* Blanco X *C. sinensis* (L.) Osb.  
 tannia--*Xanthosoma sagittifolium* (L.) Schott  
 tansy--*Tanacetum vulgare* L.  
 tapioca-plant--*Manihot esculenta* Crantz  
 tara--*Caesalpinia spinosa* (Mol.) Ktze.  
 tarbush--*Flourensia cernua* DC.  
 taro--*Colocasia esculenta* (L.) Schott  
     giant--*Alocasia macrorrhiza* (L.) G. Don  
     swamp--*Cyrtosperma chamissonis* (Schott) Merr.  
 tarragon--*Artemisia dracunculus* L.  
 tarweed, Chilean--*Madia sativa* Mol.  
     coast--*M. sativa* Mol.  
 tasselflower, red--*Emilia sonchifolia* (L.) DC.  
 tea--*Camellia sinensis* (L.) Ktze.  
     Assam--*C. sinensis* var. *assamica* (Mast.) Kitamura  
     Mexican--*Chenopodium ambrosioides* L.  
     Mormon--*Ephedra viridis* Cov., *Ephedra* spp.  
     Oswego--*Monarda didyma* L.

tea-tree, Australian--*Leptospermum laevigatum* (Gaertn.) F. v. Muell.  
 teak--*Tectona grandis* L. f.  
     African--*Chlorophora excelsa* (Welw.) Benth.  
 tearthumb, arrow-leaved--*Polygonum sagittatum* L.  
 teasel--*Dipsacus sylvestris* Huds.  
 teff--*Eragrostis tef* (Zuccagni) Trotter  
 teosinte--*Zea mays* subsp. *mexicana* (Schrad.) Iltis  
 terongan--*Solanum torvum* Sw.  
 thimbleberry--*Rubus odoratus* L.  
     western--*R. parviflorus* Nutt.  
 thistle, blessed--*Cnicus benedictus* L.  
     bull--*Cirsium vulgare* (Savi) Ten.  
     Canada--*C. arvense* (L.) Scop.  
     golden--*Scolymus hispanicus* L.  
     milk--*Silybum marianum* (L.) Gaertn.  
     musk--*Carduus nutans* L.  
     plumeless--*C. acanthoides* L.  
     Russian--*Salsola kali* L.  
     Scotch--*Onopordum acanthium* L.  
 threesquare, common--*Scirpus americanus* Pers.  
 thyme, common--*Thymus vulgaris* L.  
     creeping--*T. serpyllum* L.  
     Spanish--*Lippia micromera* Schau.  
 ti--*Cordyline terminalis* (L.) Kunth  
 tickclover, Spanish--*Desmodium uncinatum* (Jacq.) DC.  
 tigernut--*Cyperus esculentus* L.  
 tiger's-jaw--*Faucaria tigrina* (Haw.) Schwant.  
 timothy--*Phleum pratense* L.  
     diploid--*P. bertolonii* DC.  
     turf--*P. bertolonii* DC.  
 toadflax, Dalmatian--*Linaria genistifolia* (L.) Mill. subsp.  
     dalmatica (L.) Maire & Petitmengin  
     oldfield--*L. canadensis* (L.) Dumont  
     yellow--*L. vulgaris* Mill.  
 tobacco--*Nicotiana tabacum* L.  
     Aztec--*N. rustica* L.  
     Indian--*Lobelia inflata* L.  
     tree--*Nicotiana glauca* Grah.  
     winged--*N. alata* Link & Otto  
 tomatillo--*Physalis ixocarpa* Brot. ex Hornem.  
 tomato--*Lycopersicon esculentum* Mill.  
     cherry--*L. esculentum* var. *cerasiforme* (Dunal) A. Gray  
     currant--*L. pimpinellifolium* (L.) Mill.  
     husk--*Physalis ixocarpa* Brot. ex Hornem.  
     pear--*Lycopersicon esculentum* f. *pyriforme* (Dunal) C. H. Muller  
     tree--*Cyphomandra betacea* (Cav.) Sendt.  
 topiro--*Solanum topiro* Humb. & Bonpl. ex Dunal  
 torpedograss--*Panicum repens* L.  
 torreya, Japanese--*Torreya nucifera* (L.) Sieb. & Zucc.  
 totara--*Podocarpus totara* D. Don  
 towelgourd, singkwa--*Luffa acutangula* (L.) Roxb.  
 tree-of-heaven--*Ailanthus altissima* (Mill.) Swingle

tree-tomato--*Cyphomandra betacea* (Cav.) Sendt.  
 trefoil, birdsfoot--*Lotus corniculatus* L.  
     narrowleaf--*L. tenuis* Waldst. & Kit. ex Willd.  
 trifoliolate-orange--*Poncirus trifoliata* (L.) Raf.  
 triticale--X *Triticosecale*  
 tropical-almond--*Terminalia catappa* L.  
 trumpet, orange--*Pyrostegia venusta* (Ker) Miers  
 trumpet-creeper--*Campsis radicans* (L.) Seem. ex Bur.  
 trumpet-flower--*Tecoma stans* (L.) Juss. ex H.B.K.  
 trumpet-tree--*Cecropia peltata* L.  
 trumpet-vine--*Campsis radicans* (L.) Seem. ex Bur.  
 tuberose--*Polianthes tuberosa* L.  
 tulip, common--*Tulipa gesneriana* L.  
 tulip-poplar--*Liriodendron tulipifera* L.  
 tuliptree--*L. tulipifera* L.  
     African--*Spathodea campanulata* Beauv.  
 tumbleweed--*Amaranthus albus* L.  
 tung, Philippine--*Aleurites trisperma* Blanco  
 tung-oil-tree--*A. fordii* Hemsl.  
 tunisgrass--*Sorghum virgatum* (Hack.) Stapf  
 tupelo--*Nyssa sylvatica* Marsh.  
     black--*N. sylvatica* Marsh.  
     water--*N. aquatica* L.  
 turkeyberry--*Solanum torvum* Sw.  
 turmeric--*Curcuma domestica* Val.  
 turnip--*Brassica rapa* (Rapifera Group)  
 turnsole--*Heliotropium indicum* L.  
 udo--*Aralia cordata* Thunb.  
 ullucu--*Ullucus tuberosus* Caldas  
 ulmo--*Eucryphia cordifolia* Cav.  
 umbrella-plant--*Cyperus alternifolius* L.  
 umkokolo--*Dovyalis caffra* (Hook. f. & Harv.) Warb.  
 unicorn-plant--*Proboscidea louisianica* (Mill.) Thell.  
 urushi--*Toxicodendron verniciflum* (Stokes) Barkl.  
 valerian, common--*Valeriana officinalis* L.  
 vallisneria--*Vallisneria americana* Michx.  
 vanilla--*Vanilla planifolia* Andr.  
 varnish-bush--*Flourensia cernua* DC.  
 vaseygrass--*Paspalum urvillei* Steud.  
 vegetable-oyster--*Tragopogon porrifolius* L.  
 veldtgrass, perennial--*Ehrharta calycina* Sm.  
 velvetbean--*Mucuna deeringiana* (Bort) Merr.  
     cowage--*M. pruriens* (L.) DC.  
 velvetgrass--*Holcus lanatus* L.  
     German--*H. mollis* L.  
 velvetleaf--*Abutilon theophrasti* Medik.  
 velvetplant--*Gynura aurantiaca* (Bl.) DC.  
 verbena, lemon--*Aloysia triphylla* (L'Hér.) Britt.  
 vernalgrass, sweet--*Anthoxanthum odoratum* L.  
 vervain, hoary--*Verbena stricta* Vent.  
     prostrate--*V. bracteata* Lag. & Rodr.  
 vetch, bard--*Vicia monantha* Retz.

vetch (continued)

- bird--*V. cracca* L.
- bitter--*V. ervilia* (L.) Willd.
- blackpod--*V. sativa* L. subsp. *nigra* (L.) Ehrh.
- boreal--*V. cracca* L.
- chickling--*Lathyrus sativus* L.
- common--*Vicia sativa* L. subsp. *sativa*
- hairy--*V. villosa* Roth
- Hungarian--*V. pannonica* Crantz
- joint--*Aeschynomene americana* L.
- kidney--*Anthyllis vulneraria* L.
- Narbonne--*Vicia narbonensis* L.
- purple--*V. benghalensis* L.
- single-flowered--*V. articulata* Hornem.
- sparrow--*V. tetrasperma* (L.) Schreb.
- spring--*V. lathyroides* L.
- tiny--*V. hirsuta* (L.) S. F. Gray
- winter--*V. villosa* Roth
- yellow--*V. lutea* L.
- vetiver--*Vetiveria zizanioides* (L.) Nash ex Small
- viburnum, arrow-wood--*Viburnum dentatum* L.
  - sweet--*V. lentago* L.
- Victorian-box--*Pittosporum undulatum* Vent.
- vine-spinach--*Basella alba* L.
- violet, African--*Saintpaulia ionantha* Wendl.
  - English--*Viola odorata* L.
  - field--*V. arvensis* Murr.
  - lance-leaved--*V. lanceolata* L.
  - sweet--*V. odorata* L.
  - wild--*V. tricolor* L.
- Virginia-creeper--*Parthenocissus* spp.
- virola--*Virola calophylla* (Spruce) Warb.
- voavanga--*Vangueria madagascariensis* J. F. Gmel.
- wahoo--*Euonymus atropurpurea* Jacq.
  - eastern--*E. atropurpurea* Jacq.
- waldmeister--*Galium odoratum* (L.) Scop.
- wallflower--*Cheiranthus cheiri* L.
  - bushy--*Erysimum repandum* L.
- walnut, black--*Juglans nigra* L.
  - California--*J. californica* S. Wats.
  - Ecuador--*J. honorei* Dode
  - English--*J. regia* L.
  - Hind's--*J. hindsii* Jeps. ex R. E. Sm.
  - Persian--*J. regia* L.
- wampi--*Clausena lansium* (Lour.) Skeels
- wandering-jew--*Zebrina pendula* Schnizl.
- wasabi--*Eutrema wasabi* (Sieb.) Maxim.
- watercelery--*Vallisneria americana* Michx.
- waterchestnut--*Trapa natans* L.
  - Chinese--*Eleocharis dulcis* (Burm. f.) Trin. ex Henschel
- watercress--*Nasturtium officinale* R. Br.
- waterfern--*Azolla caroliniana* Willd.

waterhemlock, spotted--*Cicuta maculata* L.  
 waterhyacinth--*Eichhornia crassipes* (Mart.) Solms  
     anchored--*E. azurea* (Sw.) Kunth  
 waterlemon--*Passiflora laurifolia* L.  
 waterlettuce--*Pistia stratiotes* L.  
 waterlily, fragrant--*Nymphaea odorata* Ait.  
 watermeal--*Wolffia columbiana* Karst.  
 watermelon--*Citrullus lanatus* (Thumb.) Matsum. & Nakai  
 watermilfoil, broadleaf--*Myriophyllum heterophyllum* Michx.  
     Eurasian--*M. spicatum* L.  
     northern--*M. exalbescens* Fern.  
     variable--*M. heterophyllum* Michx.  
     whorled--*M. verticillatum* L.  
 waternut--*Eleocharis dulcis* (Burm. f.) Trin. ex Henschel  
 waterpennywort, lawn--*Hydrocotyle sibthorpioides* Lam.  
 waterprimrose, creeping--*Ludwigia peploides* (H.B.K.) Raven subsp. *peploides*  
     winged--*L. decurrens* Walt.  
 waterpurslane--*L. palustris* (L.) Ell.  
 watershield--*Brasenia schreberi* J. F. Gmel.  
 water-tree, red--*Erythrophleum suaveolens* (Guill. & Perrot.) Brenan  
 wattle, black--*Acacia mearnsii* De Wild.  
     Cootamundra--*A. baileyana* F. v. Muell.  
     golden--*A. pycnantha* Benth.  
     green--*A. decurrens* (Wendl.) Willd.  
     silver--*A. dealbata* Link  
 waxgourd--*Benincasa hispida* (Thumb.) Cogn.  
 waxplant--*Hoya carnososa* (L. f.) R. Br.  
 wax-tree--*Toxicodendron succedaneum* (L.) Ktze.  
 wayfaring-tree--*Viburnum lantana* L.  
 weigela, pink--*Weigela florida* (Bunge) A. DC.  
 weld--*Reseda luteola* L.  
 West Indian-cedar--*Cedrela odorata* L.  
 West Indian-cherry--*Malpighia puniceifolia* L.  
 West Indian-locust--*Hymenaea courbaril* L.  
 wheat, bread--*Triticum aestivum* L.  
     club--*T. compactum* Host  
     common--*T. aestivum* L.  
     cone--*T. turgidum* L.  
     durum--*T. durum* Desf.  
     Oriental--*T. turanicum* Jakubz.  
     Persian--*T. carthlicum* Nevski  
     Polish--*T. polonicum* L.  
     poulard--*T. turgidum* L.  
     rivet--*T. turgidum* L.  
     shot--*T. sphaerococcum* Perc.  
 wheatgrass, beardless--*Agropyron spicatum* f. *inerme* (Scribn. & Sm.) Beetle  
     bluebunch--*A. spicatum* (Pursh) Scribn. & Sm.  
     fairway crested--*A. cristatum* (L.) Gaertn.  
     intermediate--*A. intermedium* (Host) Beauv. var. *intermedium*  
     pubescent--*A. intermedium* var. *trichophorum* (Link) Halac.  
     Siberian--*A. sibiricum* (Willd.) Beauv.  
     slender--*A. trachycaulum* (Link) Malte ex H. F. Lewis

wheatgrass (continued)

- standard crested--*A. desertorum* (Fisch. ex Link) Schult.
- streambank--*A. riparium* Scribn. & Sm.
- tall--*A. elongatum* (Host) Beauv.
- thickspike--*A. dasystachyum* (Hook.) Scribn.
- western--*A. smithii* Rydb.
- whitebrush--*Aloysia lycioides* Cham.
- white-cedar, Atlantic--*Chamaecyparis thyoides* (L.) B.S.P.
- northern--*Thuja occidentalis* L.
- southern--*Chamaecyparis thyoides* (L.) B.S.P.
- whitetop--*Erigeron annuus* (L.) Pers.
- whortleberry--*Vaccinium myrtillus* L.
- widgeongrass--*Ruppia maritima* L.
- wildrice, Manchurian--*Zizania latifolia* (Griseb.) Turcz. ex Stapf
- northern--*Z. palustris* L.
- southern--*Z. aquatica* L.
- wildrye, Altai--*Elymus angustus* Trin.
- basin--*E. cinereus* Scribn. & Merr.
- beardless--*E. triticoides* Buckl.
- blue--*E. glaucus* Buckl.
- Canada--*E. canadensis* L.
- giant--*E. condensatus* Presl
- hairy--*E. villosus* Muhl.
- mammoth--*E. giganteus* Vahl
- Russian--*Psathyrostachys juncea* (Fisch.) Nevski
- Virginia--*Elymus virginicus* L.
- willow, basket--*Salix viminalis* L.
- black--*S. nigra* Marsh.
- crack--*S. fragilis* L.
- ditchbank--*S. interior* Rowlee
- goat--*S. caprea* L.
- peachleaf--*S. amygdaloides* Anderss.
- purple--*S. purpurea* L.
- pussy--*S. discolor* Muhl.
- sandbar--*S. interior* Rowlee
- weeping--*S. babylonica* L.
- white--*S. alba* L.
- windgrass--*Apera spica-venti* (L.) Beauv.
- wineberry--*Rubus phoenicolasius* Maxim.
- wintercress--*Barbarea vulgaris* R. Br.
- early--*B. verna* (Mill.) Aschers.
- wintergreen--*Gaultheria procumbens* L.
- Winter's-bark--*Drimys winteri* J. R. & G. Forst.
- witchgrass--*Panicum capillare* L.
- witch-hazel--*Hamamelis virginiana* L.
- witchweed--*Striga asiatica* (L.) Ktze
- woad--*Isatis tinctoria* L.
- wolfsbane--*Aconitum vulparia* Reichenb.
- wonder-apple--*Momordica balsamina* L.
- wonderberry--*Solanum burbankii* Bitter
- wood-apple, Indian--*Feronia limonia* (L.) Swingle
- woodruff--*Galium odoratum* (L.) Scop.

sweet--*G. odoratum* (L.) Scop.  
 woodsorrel, common yellow--*Oxalis* spp.  
   creeping--*O. corniculata* L.  
   pink--*O. corymbosa* DC.  
   rose--*O. rubra* St. Hil.  
   yellow--*O. stricta* L.  
 wormseed--*Chenopodium ambrosioides* L.  
 wormwood--*Artemisia absinthium* L.  
   absinthe--*A. absinthium* L.  
   annual--*A. annua* L.  
   Louisiana--*A. ludoviciana* Nutt.  
   sea--*A. maritima* L.  
   southern--*A. abrotanum* L.  
 yacon--*Polymnia sonchifolia* Poepp. & Endl.  
 yajé--*Banisteriopsis caapi* (Spruce ex Griseb.) Morton  
 yam, aerial--*Dioscorea bulbifera* L.  
   Asiatic--*D. esculentum* (Lour.) Burk.  
   bitter--*D. dumetorum* (Kunth) Pax  
   bulbil-bearing--*D. bulbifera* L.  
   bush--*D. praehensilis* Benth.  
   Chinese--*D. oppositifolia* L.  
   cluster--*D. dumetorum* (Kunth) Pax  
   cush-cush--*D. trifida* L. f.  
   eboe--*D. rotundata* Poir.  
   false--*Icacina senegalensis* A. Juss.  
   forest--*Dioscorea praehensilis* Benth.  
   greater--*D. alata* L.  
   Guinea--*D. rotundata* Poir.  
   intoxicating--*D. hispida* Dennst.  
   lesser--*D. esculenta* (Lour.) Burk.  
   potato--*D. bulbifera* L.  
   ten months--*D. alata* L.  
   twelve months--*D. cayenensis* Lam.  
   water--*D. alata* L.  
   white--*D. rotundata* Poir.  
   white Guinea--*D. rotundata* Poir.  
   winged--*D. alata* L.  
   yellow--*D. cayenensis* Lam.  
   yellow Guinea--*D. cayenensis* Lam.  
 yampi--*D. trifida* L. f.  
 yardgrass--*Eleusine indica* (L.) Gaertn.  
 yarrow--*Achillea millefolium* L.  
 yaupon--*Ilex vomitoria* Ait.  
 yautia--*Xanthosoma sagittifolium* (L.) Schott  
 yellow-bells--*Tecoma stans* (L.) Juss. ex H.B.K.  
 yellowcress, creeping--*Rorippa sylvestris* (L.) Bess.  
 yellow-poplar--*Liriodendron tulipifera* L.  
 yerba-de-la-pastora--*Salvia divinorum* Epling & Jativa  
 yew, American--*Taxus canadensis* Marsh.  
   English--*T. baccata* L.  
   Japanese--*T. cuspidata* Sieb. & Zucc.  
   Pacific--*T. brevifolia* Nutt.  
 ylang-ylang--*Cananga odorata* (Lam.) Hook. f. & Thoms.

yoco--*Paullinia yoco* Schult. & Killip  
yuca--*Manihot esculenta* Crantz  
yucca, soaptree--*Yucca elata* Engelm.  
    spoonleaf--*Y. filamentosa* L.  
zalil--*Delphinium zalil* Aitch. & Hemsl.  
zebra-plant--*Aphelandra squarrosa* Nees  
zedoary--*Curcuma zedoaria* (Berg.) Roscoe  
zelkova, Japanese--*Zelkova serrata* (Thunb.) Makino  
zinnia--*Zinnia elegans* Jacq.  
zoysia--*Zoysia japonica* Steud.



## LITERATURE CITED

- Adams, C. D. 1972. Flowering plants of Jamaica. 848 pp. Univ. West Indies, Mono, Jamaica.
- Anderson, D. E. 1961. Taxonomy and distribution of the genus Phalaris. Iowa State Jour. Sci. 36: 1-96.
- \_\_\_\_\_. 1974. Taxonomy of the genus Chloris (Gramineae). Brigham Young Univ. Sci. Bul., Biol. Ser. 19, No. 2, 133 pp.
- Ayensu, E. S., and Coursey, D. G. 1972. Guinea yams--the botany, ethnobotany, use, and possible future of yams in West Africa. Econ. Bot. 26: 301-318.
- Backer, C. A., and Bakhuizen van den Brink, R. C., Jr. 1963-68. Flora of Java. 3 v. N. V. P. Noordhoff, Groningen, Netherlands.
- Bailey, L. H. 1949. Manual of cultivated plants. Rev. ed., 1116 pp. Macmillan Co., New York.
- Barclay, A. S. 1959. New considerations in an old genus: Datura. Bot. Mus. Leaflets 18: 245-272.
- Barnard, C. 1952. The duboisias of Australia. Econ. Bot. 6: 3-17.
- Bassett, I. J. 1973. The plantains of Canada. Canada Dept. Agr. Monog. 7, 47 pp.
- Bates, D. M. 1965. Notes on the cultivated Malvaceae. I. Hibiscus. Bailey 13: 57-130.
- \_\_\_\_\_. 1968. Notes on the cultivated Malvaceae. 2. Abelmoschus. Bailey 16: 99-112.
- Baum, B. R. 1967. Kalm's specimens of North American grasses--their evaluation for typification. Canad. Jour. Bot. 45: 1845-1852.
- \_\_\_\_\_. 1971. Proposal to conserve the "generic name" Triticale Müntzing. Taxon 20: 644-645.
- Beal, E. O. 1956. Taxonomic revision of the genus Nuphar Sm. of North America and Europe. Elisha Mitchell Sci. Soc. Jour. 72: 317-346.
- Berg, C. C. 1972. Olmedieae, Brosimeae (Moraceae). Flora Neotrop. Monog. 7: 1-228.
- Blackwell, W. H., Jr. 1972. The combination Peltandra virginica (L.) Schott and Endlicher. Rhodora 74: 516-518.
- Blake, S. T. 1968. A revision of Melaleuca leucodendron and its allies (Myrtaceae). Queensland Herb. Contrib. 1: 1-114.
- Bor, N. L. 1960. The grasses of Burma, Ceylon, India, and Pakistan. 767 pp. Pergamon Press, New York.
- \_\_\_\_\_. 1970. Gramineae. In Rechinger, K. H., Flora Iranica, 573 pp. Akad. Druck- u. Verlagsanst., Graz, Austria.
- Bowden, W. M. 1965. Cytotaxonomy of the species and interspecific hybrids of the genus Agropyron in Canada and neighboring areas. Canad. Jour. Bot. 43: 1421-1448.
- Brenan, J. P. M., and Melville, R. 1960. The Latin name of the black wattle. Kew Bul. 14: 37-39.
- Brizicky, G. K. 1963. The genera of Sapindales in the Southeastern United States. Arnold Arboretum Jour. 44: 462-501.
- Bullock, A. A. 1961. Sorghum vulgare Pers. Sorghum Newsletter 4: 75.
- Bunting, G. S., and Nicolson, D. H. 1963. The Alocasia plumbea confusion. Bailey 11: 142-146.

- Burbidge, N. T., and Gray, M. 1970. Flora of the Australian Capital Territory. 447 pp. Austral. Natl. Univ. Press, Canberra.
- Clapham, A. R., Tutin, T. G., and Warburg, E. F. 1962. Flora of the British Isles. Ed. 2, 1269 pp. Cambridge Univ. Press, Cambridge, England.
- Clausen, R. T. 1944. A botanical study of the yam beans (Pachyrrhizus). Cornell Univ. Agr. Expt. Sta. Mem. 264, 38 pp.
- Clayton, W. D. 1961. Proposal to conserve the generic name Sorghum Moench (Gramineae) versus Sorgum Adans. (Gramineae). Taxon 10: 242-243.
- \_\_\_\_\_. 1968. The correct name of the common reed. Taxon 17: 168-169.
- Coursey, D. G. 1967. Yams. 230 pp. Longmans, Green and Co., Ltd., London.
- Critchfield, W. B., and Little, E. L., Jr. 1966. Geographic distribution of the pines of the world. U.S. Dept. Agr. Forest Serv. Misc. Pub. 991, 97 pp.
- Cuatrecasas, J. 1964. Cacao and its allies--a taxonomic revision of the genus Theobroma. U.S. Natl. Herb. Contrib. 35: 379-614.
- D'Arcy, W. G., and Eshbaugh, W. H. 1974. New World peppers (Capsicum-Solanaceae) north of Colombia: A résumé. Baileya 19: 93-105.
- Davis, P. H., ed. 1965-75. Flora of Turkey and the East Aegean Islands. 5 v. Edinburgh Univ. Press, Edinburgh, Scotland.
- DeLisle, D. G. 1963. Taxonomy and distribution of the genus Cenchrus. Iowa State Jour. Sci. 37: 259-351.
- de Wet, J. M. J., Gray, J. R., and Harlan, J. R. 1976. Systematics of Tripsacum (Gramineae). Phytologia 33: 203-227.
- \_\_\_\_\_. Harlan, J. R., and Grant, C. A. 1971. Origin and evolution of teosinte (Zea mexicana (Schrad.) Kuntze). Euphytica 20: 255-265.
- \_\_\_\_\_. and Huckabay, J. P. 1967. The origin of Sorghum bicolor. II. Distribution and domestication. Evolution 21: 787-802.
- de Wilde, W. J. J. O. 1972. Passiflora. In Steenis, C. G. G. J. van, ed., Flora Malesiana, ser. 1, v. 7., pt. 2, pp. 405-434. Wolters-Noordhoff, Groningen, Netherlands.
- de Wit, H. C. D. 1975. Typification of Leucaena leucocephala (Lam.) de Wit, Lysiloma latisiliquum (L.) Bth., and Acacia glauca (L.) Moench. Taxon 24: 349-352.
- Dore, W. G. 1969. Wild-rice. Canada Dept. Agr. Pub. 1393, 84 pp.
- Duke, J. A., and Terrell, E. E. 1974. Crop diversification matrix: Introduction. Taxon 23: 759-799.
- Edmonds, J. M. 1972. A synopsis of the taxonomy of Solanum Sect. Solanum (Maurella) in South America. Kew Bul. 27: 95-114.
- Ehrendorfer, F., ed. 1973. Liste der Gefäßpflanzen Mitteleuropas. 318 pp. Gustav Fischer, Stuttgart, Germany.
- Elias, T. S. 1972. The genera of Juglandaceae in the Southeastern United States. Arnold Arboretum Jour. 53: 26-51.
- Encke, F., and Buchheim, G. 1972. Zander--Handwörterbuch der Pflanzennamen. Ed. 10, 744 pp. Eugen Ulmer, Stuttgart, Germany.
- Eshbaugh, W. H. 1970. A biosystematic and evolutionary study of Capsicum baccatum (Solanaceae). Brittonia 22: 31-43.
- Exell, A. W. 1961. Abelmoschus, Malvaceae. In Exell, A. W., and Wild, H., eds., Flora Zambesiaca, v. 1, pt. 2, 581 pp. Crown Agents, London.
- Fernald, M. L. 1950. Gray's manual of botany. Ed. 8, 1632 pp. Amer. Book Co., New York.
- Fosberg, F. R. 1960. Introgression in Artocarpus (Moraceae) in Micronesia. Brittonia 12: 101-113.

- \_\_\_\_\_ 1966. The correct name of the horseradish (Cruciferae). *Baileya* 14: 60.
- Fryxell, P. A. 1969. A classification of Gossypium L. (Malvaceae). *Taxon* 18: 585-591.
- Gillis, W. T. 1971. The systematics and ecology of poison-ivy and the poison-oaks (Toxicodendron, Anacardiaceae). *Rhodora* 73: 72-159, 161-237, 370-443, 465-540.
- \_\_\_\_\_ and Stearn, W. T. 1974. Typification of the names of the species of Leucaena and Lysiloma in the Bahamas. *Taxon* 23: 185-191.
- Gleason, H. A. 1952. The new Britton and Brown illustrated flora of the Northeastern United States and adjacent Canada. V. 2, 655 pp. N.Y. Bot. Gard., New York.
- Goldblatt, P. 1974. Biosystematic studies in Papaver Section Oxytona. *Mo. Bot. Gard. Ann.* 61: 264-296.
- Goodspeed, T. H. 1954. The genus Nicotiana. *Chron. Bot.* 16: 1-536.
- Gould, F. W. 1967. The grass genus Andropogon in the United States. *Brittonia* 19: 70-76.
- \_\_\_\_\_ Ali, M. A., and Fairbrothers, D. E. 1972. A revision of Echinochloa in the United States. *Amer. Midland Nat.* 87: 36-59.
- Graham, S. A. 1966. The genera of Araliaceae in the Southeastern United States. *Arnold Arboretum Jour.* 47: 126-136.
- Gunn, C. R. 1969. History and taxonomy of the purple moonflower, Ipomoea turbinata Lagasca y Segura. *Assoc. Off. Seed Anal. Proc.* 59: 116-123.
- Hamilton, R. A. 1969. The spelling of common names. In Canada Weed Committee, ed., *Common and Botanical Names of Weeds in Canada*. Canada Dept. Agr. Pub. 1397, 67 pp.
- Hanson, A. A. 1972. Grass varieties in the United States. U.S. Dept. Agr. *Agr. Agr. Handb.* 170, 124 pp.
- Hara, H., compiler. 1966. The flora of the eastern Himalaya. 744 pp. Tokyo Univ. Press, Tokyo, Japan.
- \_\_\_\_\_ 1969. The correct author's name of Citrullus lanatus (Cucurbitaceae). *Taxon* 18: 346-347.
- Harlan, J. R., and de Wet, J. M. J. 1969. Sources of variation in Cynodon dactylon (L.) Pers. *Crop Sci.* 9: 774-778.
- \_\_\_\_\_ and de Wet, J. M. J. 1972. A simplified classification of cultivated sorghum. *Crop Sci.* 12: 172-176.
- Heiser, C. B., Jr., and Pickersgill, B. 1969. Names for the cultivated Capsicum species (Solanaceae). *Taxon* 18: 277-283.
- \_\_\_\_\_ and Pickersgill, B. 1975. Names for the bird peppers (Capsicum-Solanaceae). *Baileya* 19: 151-156.
- Hepper, F. N. 1963. Plants of the 1957-58 West African expedition: II. *Kew Bul.* 16: 398-407.
- \_\_\_\_\_ 1974. Parasitic witchweed: Striga asiatica versus S. lutea (Scrophulariaceae). *Rhodora* 76: 45-47.
- Hermann, F. J. 1962. A revision of the genus Glycine and its immediate allies. U.S. Dept. Agr. *Tech. Bul.* 1268, 82 pp.
- Hill, A. F. 1942. Recent changes in the names of economic plants. *Bot. Mus. Leaflets* 10: 141-172.
- Hitchcock, A. S. 1951. Manual of grasses of the United States. Ed. 2, rev. by A. Chase. U.S. Dept. Agr. *Misc. Pub.* 200, 1051 pp.
- Hodge, W. H. 1953. The drug aloes of commerce, with special reference to the Cape species. *Econ. Bot.* 7: 99-129.

- Howard, R. A. 1961. The correct names for "Diospyros ebenaster." Arnold Arboretum Jour. 42: 430-436.
- \_\_\_\_\_ and Norlindh, T. 1962. The typification of Diospyros ebenum and Diospyros ebenaster. Arnold Arboretum Jour. 43: 94-102.
- Howell, J. T. 1973. A lectotype for the Hinds walnut. Madrono 22: 144.
- Hubbard, C. E. 1968. Grasses--a guide to their structure, identification, uses, and distribution in the British Isles. Rev. ed., 463 pp. Penguin Books, London.
- Hutchinson, J., and Dalziel, J. M. 1954 et seq. Flora of West Tropical Africa. Ed. 2, rev. by R. W. J. Keay and F. N. Hepper, eds. Crown Agents, London.
- Huttleston, D. G. 1970. The names of three commonly cultivated ornamental asparagus (Liliaceae). Baileya 17: 58-63.
- Iltis, H. H. 1972. The taxonomy of Zea mays (Gramineae). Phytologia 23: 248-249.
- Isely, D. 1973. Leguminosae of the United States: I. Subfamily Mimosoideae. N.Y. Bot. Gard. Mem. 25 (1): 1-152.
- \_\_\_\_\_ 1975. Leguminosae of the United States: II. Subfamily Caesalpinioideae. N.Y. Bot. Gard. Mem. 25 (2): 1-228.
- Jarrett, F. M. 1959. Studies in Artocarpus and allied genera. I, II, III. Arnold Arboretum Jour. 40: 1-37, 113-155, 298-368.
- Johnston, M. C. 1962. The North American mesquites, Prosopis Sect. Algarobia (Leguminosae). Brittonia 14: 72-90.
- Jones, H. A., and Mann, L. K. 1963. Onions and their allies. 286 pp. Intersci. Pub., Inc., New York.
- Krukoff, B. A., and Barneby, R. C. 1974. Conspectus of species of the genus Erythrina. Lloydia 37: 332-459.
- Launert, E. 1971. Gramineae. In Fernandes, A., et al., eds., Flora Zambesiaca, v. 10, pt. 1, 152 pp. Crown Agents, London.
- Lawrence, G. H. M. 1949. Article 1. Discussions in botanical names of cultivated plants. Gentes Herb. 8: 3-76.
- \_\_\_\_\_ 1960a. Names of Passiflora hybrids. Baileya 8: 118-120.
- \_\_\_\_\_ 1960b. Identification of the cultivated passionflowers. Baileya 8: 121-132.
- Leenhouts, P. W. 1971. A revision of Dimocarpus (Sapindaceae). Blumea 19: 113-131.
- L. H. Bailey Hortorium staff. 1976. Hortus third. 1290 pp. Macmillan Co., Inc., New York.
- Li, Hui-Lin. 1942. The Araliaceae of China. Sargentia 2: 1-134.
- Little, E. L., Jr. 1953. Check list of native and naturalized trees of the United States (including Alaska). U.S. Dept. Agr. Agr. Handb. 41, 472 pp.
- \_\_\_\_\_ 1974. Proposal 146. Taxon 23: 878.
- \_\_\_\_\_ Woodbury, R. O., and Wadsworth, F. H. 1974. Trees of Puerto Rico and the Virgin Islands. V. 2, 1024 pp. U.S. Dept. Agr. Agr. Handb. 449.
- Lock, J. M. 1976. Notes on some East African species of Aframomum (Zingiberaceae). Kew Bul. 31: 263-271.
- Lockwood, T. E. 1973. Generic recognition of Brugmansia. Bot. Mus. Leaflets 23: 273-284.
- Lonard, R. I., and Gould, F. W. 1974. The North American species of Vulpia (Gramineae). Madrono 22: 217-230.
- Lowden, R. M. 1973. Revision of the genus Pontederia L. Rhodora 75: 426-487.

- McClure, F. A. 1973. Genera of bamboos native to the New World (Gramineae: Bambusoideae). Ed. by T. R. Soderstrom. Smithsn. Inst. Contrib. Bot. 9, 148 pp.
- McVaugh, R. 1973. Report on proposals for conservation. Taxon 22: 155.
- Magness, J. R., Markle, G. M., and Compton, C. C. 1971. Food and feed crops of the United States. N.J. Agr. Expt. Sta. Bul. 828, 255 pp.
- Mansfeld, R. 1959. Vorläufiges Verzeichnis Landwirtschaftlich oder Gaertnerisch Kultivierter Pflanzenarten. Die Kulturpflanze Beih. 2, 659 pp.
- Maw, C. C. 1974. A note on Bromus unioloides and B. willdenowii (Gramineae). Kew Bul. 29: 431-434.
- Meyer, T., and Barkley, F. A. 1973. Revision del genero Schinopsis (Anacardiaceae). Lilloa 33: 207-258.
- Mohlenbrock, R. H. 1957. A revision of the genus Stylosanthes. Mo. Bot. Gard. Ann. 44: 299-355.
- Moore, H. E., Jr. 1963. An annotated checklist of cultivated palms. Principes 7: 119-184.
- \_\_\_\_\_ and Stearn, W. T. 1967. The identity of Achras zapota L. and the names for the sapodilla and the sapote. Taxon 16: 382-395.
- Morton, J. K. 1962. Cytotaxonomic studies on the West African Labiatae. Linn. Soc. London, Jour. Bot. 58: 231-283.
- Muller, C. H. 1940. A revision of the genus Lycopersicon. U.S. Dept. Agr. Misc. Pub. 382, 29 pp.
- Munz, P. A. 1968. Supplement to 'A California flora.' 224 pp. Univ. Calif. Press, Berkeley.
- \_\_\_\_\_ and Keck, D. D. 1968. A California flora. 1681 pp. Univ. Calif. Press, Berkeley.
- Nicolson, D. H. 1975. Paratautonyms, a comment on proposal 146. Taxon 24: 389-390.
- Payne, W. W. 1964. A reevaluation of the genus Ambrosia. Arnold Arboretum Jour. 45: 401-438.
- Phillipson, W. R. 1937. A revision of the British species of the genus Agrostis L. Linn. Soc. London, Jour. Bot. 51: 73-151.
- Pillans, N. S. 1950. A revision of Agathosma. Jour. So. African Bot. 1950: 55-183.
- Polhill, R. M., and Stearn, W. T. 1976. Linnaeus's notes on Plumier's drawings with special reference to Mimosa latisiliqua. Taxon 25: 323-325.
- Prance, G. T., and da Silva, M. F. 1973. Caryocaraceae. Flora Neotrop. Monog. 12: 1-77.
- Purseglove, J. W. 1968. Tropical crops. Dicotyledons. 2 v. John Wiley and Sons, Inc., New York.
- \_\_\_\_\_ 1972. Tropical crops. Monocotyledons. 2 v. John Wiley and Sons, Inc., New York.
- Raven, P. H., Shetler, S. G., and Taylor, R. L. 1974. Nomenclature proposals to the Leningrad Congress. I. Taxon 23: 828-831.
- Rickett, H. W. 1965. The English names of plants. Torrey Bot. Club Bul. 92: 137-139.
- Robson, N. 1965. New and little known species from the Flora Zambesiaca area. XVI. Soc. Broteriana Bol. 39, ser. 2: 33-34.
- Rogers, D. J., and Appan, S. G. 1973. Manihot, Manihotoides (Euphorbiaceae). Flora Neotrop. Monog. 13: 1-272.

- Rowell, C. M., Jr. 1969. The taxonomy and phytogeography of the genus Prosopis L. In Schuster, J. L., ed., Literature on the Mesquite (Prosopis L.) of North America, an Annotated Bibliography, Spec. Rpt. 26, 84 pp. Internatl. Cent. for Arid and Semi-Arid Land Studies, Tex. Tech. Univ., Lubbock.
- Saldanha, C. J., and Nicholson, D. H., eds. 1976. Flora of Hassan District, Karnataka, India. 915 pp. Amerind Pub. Co., New Delhi, India.
- Sauer, J. D. 1950. The grain amaranths: A survey of their history and classification. *Mo. Bot. Gard. Ann.* 37: 561-632.
- \_\_\_\_\_. 1964. Revision of Canavalia. *Brittonia* 16: 106-181.
- \_\_\_\_\_. 1967. The grain amaranths and their relatives: A revised taxonomic and geographical survey. *Mo. Bot. Gard. Ann.* 54: 103-137.
- Schmid, R. 1972. A resolution of the Eugenia-Syzygium controversy (Myrtaceae). *Amer. Jour. Bot.* 59: 423-436.
- Schubert, B. G., and Buchheim, G. 1975. Report of the Standing Committee on Stabilization of Specific Names. *Taxon* 24: 171-177.
- Schultze-Motel, J. 1966. Verzeichnis Forstlich Kultivierter Pflanzenarten. *Die Kulturpflanze Beih.* 4, 486 pp.
- Shaw, E. A., and Schubert, B. G. 1976. A reinterpretation of Leucaena and Lysiloma. *Arnold Arboretum Jour.* 57: 113-118.
- Shiners, L. H. 1954. Notes on north Texas grasses. *Rhodora* 56: 25-38.
- \_\_\_\_\_. 1956. Illegitimacy of the name Sorghum vulgare Pers. (Gramineae). *Baileya* 4: 141-142.
- Smith, A. W. 1972. A gardener's dictionary of plant names. Rev. and enlarged by W. T. Stearn and I. L. L. Smith. 391 pp. St. Martin's Press, New York.
- Stafleu, F. A., Bonner, C. E. B., McVaugh, R., et al., eds. 1972. International code of botanical nomenclature. 426 pp. Internatl. Bur. Plant Taxon. and Nomencl., Utrecht, Netherlands.
- Storey, W. B. 1965. The ternifolia group of Macadamia species. *Pacific Sci.* 19: 507-514.
- \_\_\_\_\_. 1969. Macadamia. In Jaynes, R. A., ed., Handbook of North American Nut Trees, pp. 321-335. North. Nut Growers Assoc., Knoxville, Tenn.
- Swanson, J. R. 1966. A synopsis of relationships in Montioideae (Portulacaceae). *Brittonia* 18: 229-241.
- Swingle, W. T. 1943. The botany of Citrus and its wild relatives of the orange subfamily (family Rutaceae, subfamily Aurantioideae). Pp. 1-474, 953-1021. Univ. Calif. Press, Berkeley.
- Terrell, E. E. 1967. Meadow fescue: Festuca elatior L. or F. pratensis Hudson? *Brittonia* 19: 129-132.
- \_\_\_\_\_. 1968a. Notes on Festuca arundinacea and F. pratensis in the United States. *Rhodora* 70: 564-568.
- \_\_\_\_\_. 1968b. A taxonomic revision of the genus Lolium. U.S. Dept. Agr. Tech. Bul. 1392, 65 pp.
- \_\_\_\_\_. 1976. The correct names for pearl millet and yellow foxtail. *Taxon* 25: 297-304.
- \_\_\_\_\_. 1977. The name for the tomato. *Taxon* 26: (in press).
- \_\_\_\_\_. and Winters, H. F. 1974. Changes in scientific names for certain crop plants. *HortScience* 9: 324-325.
- Turrill, W. B., and Milne-Redhead, E., eds. 1952 et seq. Flora of Tropical East Africa. Crown Agents, London.

- Tutin, T. G., Heywood, V. H., Burges, N. A., et al., eds. 1964-76. *Flora Europaea*. 4 v. Cambridge Univ. Press, Cambridge, England.
- Vaughan, J. G. 1977. A multidisciplinary study of the taxonomy and origin of Brassica crops. *BioScience* 27: 35-40.
- Verdcourt, B. 1966. A proposal concerning Glycine L. *Taxon* 15: 34-36.
- \_\_\_\_\_. 1970a. Studies in the Leguminosae-Papilionoideae for the 'Flora of Tropical East Africa': II. *Kew Bul.* 24: 235-307.
- \_\_\_\_\_. 1970b. Studies in the Leguminosae-Papilionoideae for the 'Flora of Tropical East Africa': III. *Kew Bul.* 24: 380-447.
- \_\_\_\_\_. 1970c. Studies in the Leguminosae-Papilionoideae for the 'Flora of Tropical East Africa': IV. *Kew Bul.* 24: 507-569.
- Vickery, J. W. 1975. Gramineae. In Johnson, L. A. S., *Flora of New South Wales*, pt. 2, pp. 137-306. New South Wales Dept. Agr., Sydney, Australia.
- Ward, D. B. 1974. On the scientific name of the longleaf pine. *Rhodora* 76: 20-24.
- Webb, D. A. 1967. Rosaceae. In Heywood, V. H., ed., *Flora Europaea Notulae Systematicae* No. 6. *Feddes Repert.* 74: 24.
- Weed Science Society of America, Subcommittee on Standardization of Common and Botanical Names of Weeds. 1971. Report. Composite list of weeds. *Weed Sci.* 19 (4): 435-476.
- Westphal, E. 1975. The proposed retypification of Dolichos L.--a review. *Taxon* 24: 189-192.
- Whitaker, T. W., and Davis, G. N. 1962. Cucurbits--botany, cultivation, and utilization. 249 pp. Intersci. Pub., Inc., New York.
- Wilkes, H. G. 1967. Teosinte: The closest relative of maize. 159 pp. Bussey Inst., Harvard Univ., Cambridge, Mass.
- Williams, L. O. 1973. Bignoniaceae of tropical North America. *Fieldiana: Bot.* 36: 21-29.
- Wilson, K. A., and Wood, C. E., Jr. 1959. The genera of Oleaceae in the Southeastern United States. *Arnold Arboretum Jour.* 40: 369-384.
- Wood, C. E., Jr. 1959. The genera of Theaceae of the Southeastern United States. *Arnold Arboretum Jour.* 40: 413-419.
- Wyman, D. 1974. *Wyman's gardening encyclopedia*. 1222 pp. Macmillan Co., Inc., New York.
- Yates, H. O. 1966. Revision of grasses traditionally referred to Uniola. II. Chasmanthium. *Southwest. Nat.* 11: 415-455.

## APPENDIX

### Taxonomic and Nomenclatural Notes

These notes provide references substantiating the choice of names and indicate which taxonomic treatments were followed. The notation "commun." following botanists' names (see acknowledgments) refers to either oral or written communication.

These abbreviations are included in the appendix for titles of frequently used references from the Literature Cited.

FB-----Clapham et al. (1962)  
FC-----Munz and Keck (1968)  
FC sup.-----Munz (1968)  
FE-----Tutin et al. (1964-76)  
FJam-----Adams (1972)  
FJava-----Backer and Bakhuizen van den Brink (1963-68)  
FT-----Davis (1965-75)  
FTEA-----Turrill and Milne-Redhead (1952 et seq.)  
FWTA-----Hutchinson and Dalziel (1954 et seq.)  
HT-----L. H. Bailey Hortorium staff (1976)  
ICBN-----Stafleu et al. (1972)  
Z-----Encke and Buchheim (1972)

Abelmoschus: Exell 1961, Bates 1968, FE

Abies: Little 1953

Acacia: Brenan and Melville 1960, Purseglove 1968, Burbidge and Gray 1970, FTEA, Z, Isely 1973; common names for A. decurrens and A. mearnsii and author for A. nilotica follow Isely 1973.

Achillea ageratifolia: FE

Aconitum: FE; A. lycoctonum is wolfsbane in HT.

Aframomum: FWTA, Lock 1976

Agathosma: Pillans 1950

Agave: Gentry commun.

Agropyron: Bowden 1965; common names follow Hanson 1972.

Agrostis gigantea: Phillipson 1937, Hubbard 1968

Albizia: Generic spelling--Lawrence 1949, Isely 1973; A. falcataria--FJava

Alhagi: FE, FT

Alliaria petiolata: FE, FT

Allium: Jones and Mann 1963, Magness et al. 1971, Purseglove 1972

Alnus: Little 1953

Alocasia macrorrhiza: Bunting and Nicolson 1963

Aloe: Lawrence 1949, Hodge 1953, Mansfeld 1959; A. barbadensis vs.

A. vera--correct name problematical

Amaranthus: Sauer 1950, 1967, commun.

Ambrosia: Payne 1964

Andropogon: Gould 1967



Arctium: FE  
Areca: Moore 1963  
Argyreia: HT  
Armoracia rusticana: Fosberg 1966  
Arrhenatherum elatius: Hubbard 1968  
Artocarpus: Lawrence 1949, Jarrett 1959, Fosberg 1960, commun.  
Arundinaria: McClure 1973  
Asparagus densiflorus: Huttleston 1970  
Atriplex patula: FC  
Beta: FE, Magness et al. 1971  
Bothriochloa: Gould 1967  
Bouteloua gracilis: Shinnors 1954  
Brassica: Mostly following HT; B. juncea authors according to Mansfeld 1959 and Z; see also Sinapis.  
Bromus unioloides: FTEA, Launert 1971, Maw 1974  
Brosimum: Berg 1972  
Brugmansia: Lockwood 1973  
Butyrospermum: FWTA  
Cajanus cajan: Nicolson 1975  
Calocedrus: FC sup.  
Campsis radicans: Authors according to HT  
Canavalia: Sauer 1964  
Capsicum: Heiser and Pickersgill 1969, 1975, Eshbaugh 1970, D'Arcy and Eshbaugh 1974, Heiser commun.  
Carissa: FWTA, FJava, Z  
Carya illinoensis: Little 1953, Elias 1972, Terrell and Winters 1974  
Caryocar: Prance and Da Silva 1973  
Cassia: In part following FTEA  
Castilla: Berg 1972  
Catalpa: Schultze-Motel 1966  
Catha: Robson 1965  
Celosia: HT  
Cenchrus: DeLisle 1963  
Chasmanthium: Yates 1966  
Chloris: Anderson 1974  
Chlorophora: FWTA, Z  
Cinnamomum: Mansfeld 1959, FJava, Z, Nicolson commun., Schubert and Buchheim 1975  
Citrullus lanatus: Hara 1969  
Citrus: Swingle 1943; C. aurantiifolia according to HT  
Claytonia: Swanson 1966  
Coccinia: HT  
Coffea: FWTA  
Cola: FWTA  
Coleus parviflorus: FJava  
Consolida: FE  
Crotalaria: FJava, FTEA, FJam  
Cucumis: Whitaker and Davis 1962  
Cucurbita: Whitaker and Davis 1962  
Curcuma domestica vs. C. longa: Nicolson commun.; recent literature prefers former, but correct name problematical; C. zedoaria--Dress commun.  
Cymbopogon: Bor 1960

Cynodon dactylon var. aridus: Harlan and de Wet 1969  
Datura: Barclay 1959 and commun., Lockwood 1973; D. innoxia spelling--  
FE, FJam, FWTA, Z; FWTA states that innoxia is the original pre-Linnaean  
spelling.  
Daucus: FE  
Deschampsia cespitosa: Schubert and Buchheim 1975  
Dichondra: HT  
Dieffenbachia: HT  
Digitaria ciliaris: Bor 1970  
Dimocarpus: Leenhouts 1971, Schubert and Buchheim 1975  
Dioscorea: Coursey 1967, Ayensu and Coursey 1972; D. oppositifolia--  
Schubert and Buchheim 1975  
Diospyros digyna: Howard 1961, Howard and Norlindh 1962  
Dolichos lablab vs. Lablab purpureus: Verdcourt 1970b, Westphal 1975;  
until this controversy is settled, we are using the long established name.  
Duboisia: Barnard 1952  
Echinochloa crusgalli var. frumentacea: Gould et al. 1972; according to  
Vickery 1975, this name is not correct.  
Egeria: FB, FC  
Emilia: FJam  
Eragrostis minor: Schubert and Buchheim 1975; E. trichophora--FWTA  
Erodium: FE  
Eruca: FE  
Erythrina: Krukoff and Barneby 1974  
Erythrophleum: FTEA  
Erythroxyllum: Generic spelling--Hill 1942, Terrell and Winters 1974  
Euonymus: Gender following HT  
Fagopyrum esculentum vs. F. sagittatum: Terrell and Winters 1974  
Festuca: Hubbard 1968; F. arundinacea, F. pratensis--Terrell 1967, 1968a  
Frangula: FB, FE  
Glycine: Lawrence 1949, Hermann 1962, Verdcourt 1966, 1970a, Schubert  
and Buchheim 1975  
Gossypium: Fryxell 1969, commun.  
Gunnera: FE  
Gymnema: FWTA  
Gymnocladus: Gender--Isely 1975  
Hibiscus: Bates 1965  
Howea: HT  
Ipomoea pes-caprae: FJam, Z; I. turbinata--Gunn 1969  
Iris: HT  
Jasminum: HT  
Juglans ailantifolia: Mansfeld 1959, Z; J. hindsii--Howell 1973  
Kigelia: FWTA  
Kochia: FE  
Lavandula: FE  
Lens culinaris: Lawrence 1949, Terrell and Winters 1974, Schubert and  
Buchheim 1975  
Leucaena leucocephala vs. L. latisiliqua: Gillis and Stearn 1974,  
de Wit 1975, Shaw and Schubert 1976, Polhill and Stearn 1976  
Ligustrum: Wilson and Wood 1959, HT  
Linaria: FE  
Lolium: Terrell 1968b

Lophophora williamsii: Hill 1942  
Lotus: FE  
Luffa: FJam, FWTA, Z, Schubert and Buchheim 1975  
Lycopersicon: Muller 1940; L. esculentum vs. L. lycopersicum--Little 1974,  
Nicolson 1975, Terrell 1977  
Macadamia: Storey 1965, 1969  
Macroptilium: Verdcourt 1970c, FJam  
Malpighia: FJam, Little et al. 1974  
Malus sylvestris: Mansfeld 1959, FB, FT, Z, Ehrendorfer 1973  
Malva: FE  
Mandragora: FE  
Manihot: Rogers and Appan 1973  
Manilkara zapota: Moore and Stearn 1967  
Matricaria: Recent treatments in FE, FT, HT are not in agreement; M.  
matricarioides--Schubert and Buchheim 1975  
Medicago: FE, FT  
Melaleuca: Blake 1968  
Melicoccus: Brizicky 1963  
Melilotus: M. alba, M. officinalis--Buchheim commun.  
Mentha: FE  
Mucuna: FJam, Z  
Musa: Purseglove 1972; M. X paradisiaca--FJava, Z  
Myrciaria: Mansfeld 1959  
Nicotiana: Goodspeed 1954  
Nuphar: Beal 1956  
Ocimum: FJava, FWTA  
Orbignya: HT  
Origanum: FE, HT  
Oryzopsis: The name O. miliacea (L.) Benth. & Hook. f. ex Aschers. &  
Schweinf. is shortened in part I, following ICBN Rec. 46C.  
Pachyrhizus: Clausen 1944; generic spelling--ICBN  
Panax: Li 1942, Hara 1966, Graham 1966, HT  
Panicum sumatrense: Bor 1960  
Papaver: Goldblatt 1974  
Parkia: FWTA  
Parmentiera aculeata: Williams 1973; P. cerifera spelling--FJava  
Passiflora: Lawrence 1960a, 1960b, de Wilde 1972  
Peltandra virginica: Blackwell 1972  
Pennisetum americanum: Terrell 1976  
Petroselinum crispum: FE, Schubert and Buchheim 1975  
Phalaris: Anderson 1961, FTEA  
Phragmites australis: Clayton 1968  
Pinus: Little 1953, Critchfield and Little 1966, FC, FE, Z; P. palustris--  
Ward 1974  
Plantago: Bassett 1973  
Platanus: HT  
Polypogon semiverticillatus: Bor 1970  
Polyscias: FJava  
Pontederia: Lowden 1973  
Pouteria: Moore and Stearn 1967  
Prosopis: Johnston 1962, Rowell 1969  
Prunus dulcis: Webb 1967

Psathyrostachys: Bor 1970  
Pueraria montana: Verdcourt 1966  
Quercus: Little 1953, FE, Z  
Rauvolfia: FJava  
Rhamnus: Gender masculine in FB, FE, Z, Smith 1972  
Rheum rhubarbarum: FE, HT  
Ribes: FE  
Rosa: FE, HT  
Rubus: Gleason 1952, Mansfeld 1959, FC, FE, Z, HT  
Salmalia: Saldanha and Nicolson 1976  
Salsola: Using established name pending more definitive data on the taxonomy  
Salvia splendens: HT  
Sambucus: Little 1953  
Schinopsis: Meyer and Barkley 1973  
Schizachyrium: Gould 1967  
Sesbania bispinosa: FTEA, FWTA  
Setaria glauca: Terrell 1976  
Sinapis: Recent European and Asian floras consider this a separate genus; see also Vaughan 1977.  
Solanum: S. americanum, S. sarrachoides--Edmonds 1972; S. burbankii--Heiser commun.  
Solenostemon: Morton 1962  
Sorghastrum nutans vs. S. avenaceum: Baum 1967, Schubert and Buchheim 1975  
Sorghum: S. bicolor nomenclature--Shinners 1956, Bullock 1961, Clayton 1961; De Wet and Huckabay 1967 and Harlan and de Wet 1972 have an alternative view of the taxonomy of the cultivated species.  
Spondias: FJam, Z  
Stachys affinis: HT  
Stellaria: FE  
Stewartia: Wood 1959  
Striga asiatica: Hepper 1974  
Strophanthus: Mansfeld 1959, Z  
Stylosanthes: Mohlenbrock 1957, FTEA  
Styrax: Z  
Synsepalum: HT  
Syzygium: Lawrence 1949, Schmid 1972  
Taraxacum officinale: Author--Buchheim commun.  
Tetragonia: FE  
Tetrapanax: Gender--FJava, Smith 1972  
Theobroma: Cuatrecasas 1964  
Toxicodendron: Gillis 1971  
Trachylobium: FTEA  
Trachyspermum: FJava  
Trapa: Mansfeld 1959  
Trifolium: FE, FT  
Tripsacum: de Wet et al. 1976  
X Triticosecale: Baum 1971, McVaugh 1973  
Triticum: Using established names pending more definitive data on the taxonomy  
Turbina: FJam  
Valerianella locusta: Raven et al. 1974

Vanilla planifolia: Hill 1942  
Vicia: FE, FT, Gunn commun.  
Vigna: Verdcourt 1970c  
Voandzeia: Hepper 1963  
Vulpia: Lonard and Gould 1974  
Zea: Wilkes 1967, de Wet et al. 1971, Iltis 1972  
Zizania: Dore 1969  
Zoysia tenuifolia: Author--Mansfeld 1959

☆U.S. GOVERNMENT PRINTING OFFICE:1 9 8 6 - 4 9 0 - 9 2 0 - - 4 0 0 1 9















