

# PROFI COOK

Supreme quality meets innovative design



Product catalogue – April 2022





## Where quality meets innovative design

Do you know why you start to have fun in your kitchen with ProfiCook?

Because from the very beginning you can rely on everything that has to do with technology, functionality and quality. Here a timeless stainless steel look is combined with robust workmanship and elegant design.

With ProfiCook your kitchen becomes a room in which you not only work effectively, but also with a great deal of pleasure. A room in which you will still enjoy the functional equipment and durable quality even after many years.

**PROFI**  **COOK**®

Supreme quality meets innovative design

# Vintage



## PC-WKS 1192

- > High-quality kettle in an appealing vintage look
- > Solid metal housing (painted) with high-quality chrome applications
- > Capacity up to 1.7 litres
- > Base station with cord storage
- > Simple handling due to cable-free technology and 360° connector
- > Limescale fine filter (removable)
- > Stainless steel lid with viewing window
- > On/off switch (illuminated)
- > Incl. temperature display
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

## PC-UM 1195

- > Robust universal mixer in an appealing vintage look for pureeing, beating, chopping, shaking and mixing
- > Solid metal housing (painted) with high-quality chrome applications
- > Powerful long-life professional motor (800 watt)
- > Ice crush- and turbo function
- > 4 speed levels (0-1-2 + pulse/turbo function)
- > Removable solid glass mixing jug with scale (1.5 litres)
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (5 cl)
- > 4-fold stainless steel blade with „piranha“ cut removable for easy cleaning (rustproof)
- > Rotary switch (illuminated)
- > Safety circuit – operation only possible with attached container
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 800 W, 18.000 rpm max.

## PC-TA 1193

- > High-quality 2-slice toaster in an appealing vintage look
- > Solid metal housing (painted) with high-quality chrome applications
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Massive 2 in 1 bread roll attachment incl. cool touch handles, also suitable for serving
- > Defrost/reheat/quick-stop function (illuminated)
- > Continuously adjustable browning level
- > Incl. browning level display
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 685–815 W




### PC-TA 1194

- > High-quality 4-slice toaster in an appealing vintage look
- > Solid metal housing (painted) with high-quality chrome applications
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Massive 2 in1 bread roll attachment incl. cool touch handles, also suitable for serving
- > Automatic and manual switch-off
- > 2 separate controls for individual use
- > 2 continuously adjustable toasting controllers
- > 2x individual browning level display
- > 2x centring function for even browning
- > 2x defrost function (illuminated)
- > 2x reheat function (illuminated)
- > 2x quick-stop function (illuminated)
- > 1x bread roll attachment (removable)
- > 2x crumb drawer (removable)
- > Cord storage
- > 220–240 V, 50/60 Hz, 1370–1630 W

### PC-KM 1197

- > Powerful kneading machine with high-performance long-life professional motor (1200 watt)
- > Massive aluminium die-cast housing lid (painted) for high stability
- > Sturdy special gear
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Illuminated rotary control
- > 5.0 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- > Swivelling multi-purpose arm with unlocking mechanism
- > Transparent splash protection lid with refill opening (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast kneading hook for heavy dough like yeast dough or bread dough
- > Aluminium die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > High stability due to suction feet
- > Quick-action chuck for holding the tools
- > 220–240 V, 50/60 Hz, 1200 W



<b>PC-ES 1209</b>	<b>Espresso machine</b>	
Professional espresso machine		
Constant pump pressure of up to 20 bar		
Stainless steel housing		

- > Professional espresso machine for coffee specialties such as:
  - Espresso / Ristretto
  - Latte Macchiato / Caffè Latte
  - Cappuccino
  - Mocha
  - Coffee Crema
  - Caffè Americano
- > Stainless steel housing
- > Original italian professional espresso pump
- > Constant pump pressure of up to 20 bar
- > Analogue temperature/ready display for:
  - Espresso
  - Foaming function
- > High-quality die-cast aluminium sieve support
- > Swivelling stainless steel steam nozzle with foaming function
- > Steam quantity continuously adjustable



Cup warming function



Swivelling stainless steel steam nozzle with foaming function



High-quality die-cast aluminium sieve support

- > Steam nozzle tip removable for easy cleaning
- > Cup warming function with stainless steel insert
- > 1.8 litres transparent water tank (removable)
- > External water level indicator
- > Stainless steel collection container with stainless steel drip grid (removable)
- > 2 indicator lights
- > Secure stand due to rubberized feet
- > Accessories: filter holder with 2 stainless steel filter inserts (1 and 2 cups), coffee measure, tamper
- > 220–240 V, 50/60 Hz, 850 W



Analogue temperature/ready display for espresso and foaming function

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-ES 1209	501 209	720 / 1400 / 2096
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 095	200 x 300 x 280 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 120 905	320 x 338 x 260 mm





<b>PC-KA 1169</b>	<b>Coffee machine</b>	
Stainless steel housing		
Electronic aroma selection function		
Sensor touch operation		

- > For 12–14 cups of coffee (approx. 1.5 litres)
- > Stainless steel housing
- > Programmable 24 hours LED digital timer (blue illuminated)
- > Electronic aroma selection function (3 steps)
- > Anti-drip protection
- > Filter holder (removable)
- > Sensor touch operation
- > 5 control buttons
- > 2 indicator lights
- > Heating plate with automatic switch-off
- > Water level indicator
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 900 W



Programmable 24 hours LED digital timer

Fitting accessories  
(not included):

**PC-TA 1170 – Toaster**  
Article no.: 501 170 (page 26)

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KA 1169	501 169	1700 / 3620 / 4110
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 011 692	253 x 328 x 167 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 039 320	243 x 331 x 175 mm




**PC-KA 1191 Thermo coffee machine**

Stainless steel housing

Stainless steel thermo jug (double-walled) with flavour seal

Electronic aroma selection function



- > For 8–10 cups of coffee (approx. 1.2 litres)
- > Stainless steel thermo jug (double-walled) with flavour seal – no temperature loss
- > Stainless steel housing
- > Programmable 24 hours LED digital timer (blue illuminated)
- > Electronic aroma selection function (3 steps)
- > Anti-drip protection
- > Filter holder (removable)
- > Sensor touch operation
- > 5 control buttons
- > 2 indicator lights
- > Water level indicator
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 800 W



Programmable 24 hours LED digital timer



Stainless steel thermo jug (double-walled) with flavour seal

Fitting accessories (not included):

**PC-TA 1170 – Toaster**  
 Article no.: 501 170 (page 26)


Product:	Art. no:	20" / 40" / HQ-Container:
PC-KA 1191	501 191	1600 / 3420 / 3862
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 119 107	180 x 329 x 215 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 077 773	247 x 337 x 179 mm



4 006160 119107





2  
in  
1**PC-KA 1138** Coffee machine with grinder

2 in 1 – Coffee grinding and brewing in one

High-quality stainless steel conical grinder

Stainless steel front



Incl. adjustable grinder (1–14 grades)



Sensor touch control panel with LED display (blue illuminated)



Dismountable grinder for easy cleaning

- > 2 in 1 – Coffee grinding and brewing in one
- > Coffee machine with grinder; freshly ground coffee for perfect coffee flavour every day
- > High-quality stainless steel conical grinder for aroma gentle grinding
- > Filling capacity approx. 1.25 litres for approx. 8–10 cups of coffee
- > Non-stop filling – re-filling of coffee beans during grinding possible
- > Coffee bean container for approx. 150 g of coffee beans
- > Coffee strength is regulated by the adjustable grinder (1–14 grades); the finer the grinding degree, the stronger the coffee)
- > Dismountable grinder for easy cleaning
- > 5-stage coffee powder preselection for 2–10 cups to vary the intensity of the coffee taste
- > Also usable with pre-ground coffee powder
- > Stainless steel front
- > Removable filter insert with anti-drip protection

- > Electronic sensor touch control panel
- > High-quality LED display (blue illuminated)
- > Programmable 24 hours LED digital timer with two programmable timer
- > External water level indicator
- > Heating plate with automatic switch-off (programmable, 5–40 minutes)
- > Cord storage
- > Secure stand due to rubberized feet
- > Accessories: cleaning brush
- > 220–240 V, 50/60 Hz, 900 W max.)\*

\*) Total power of all components

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KA 1138	501 138	758 / 1568 / 1700
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 211 382	175 x 390 x 320 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 348 156	363 x 440 x 213 mm





2<sup>in</sup>  
1



### PC-KSW 1216 Electric coffee mill

- Stainless steel housing
- 2-fold stainless steel beater blade
- Safety circuit



### PC-KSW 1021 N Electric coffee mill

- 2 in 1 – Coffee mill and chopper in one
- 2 extra large stainless steel container
- Powerful 200 watt motor



- > Stainless steel housing
- > 40 g capacity
- > 2-fold stainless steel beater blade for coffee beans
- > Lid with viewing window to control the degree of grinding
- > 150 watt motor
- > On/off switch in stainless steel look (illuminated)
- > Safety circuit – operation only possible with attached lid
- > Grinding degree can be selected by the length of operation
- > Cord storage
- > 220–240 V, 50/60 Hz, 150 W

- > 2 in 1 – coffee mill and chopper in one
- > Stainless steel housing
- > 2 extra large stainless steel container
- > Capacity for up to 75 g coffee beans
- > 2-fold stainless steel beater blade for coffee beans
- > 4-fold stainless steel chopping knife e.g. for condiment, nuts or herbs
- > Transparent lid
- > Powerful 200 watt motor
- > Safety circuit – operation only possible with attached lid
- > Safety button also for pulse function
- > Grinding degree can be selected by the length of operation
- > Cord storage
- > 220–240 V, 50/60 Hz, 200 W



2-fold stainless steel beater blade for coffee beans



On/off switch in stainless steel look (illuminated)



2-fold stainless steel beater blade for coffee beans



4-fold stainless steel chopping knife e.g. for condiment, nuts or herbs

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KSW 1216	501 216	10000 / 20000 / 22880
Colour:	Art. EAN:	Device (Ø x H):
Stainless steel	4 006 160 102 925	Ø 90 mm x 175 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 009	105 x 190 x 105 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KSW 1021 N	501 021	4280 / 8760 / 9636
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 123	H: 210 mm; Ø 115 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 832	223 x 210 x 123 mm



4 006 160 102 925



4 006 160 102 123





<b>PC-EKM 1205</b>	<b>Electric coffee grinder</b>	
Professional stainless steel conical grinder		
16-stage, adjustable grinding degree		
Stainless steel housing		

<b>PC-MS 1032</b>	<b>Milk frother</b>	
Stainless steel housing and mixing container		
6 functions		
Hot and cold function		

- > Electric coffee grinder for discerning connoisseurs
- > Suitable for example for filter or strainer carriers, hand filtration, turkish coffee, french press, mocha
- > Stainless steel housing
- > Electronic timer for setting the desired cup quantity (illuminated)
- > Professional stainless steel conical grinder – removable for easy cleaning
- > Adjustable cup quantity (1–12 cups)
- > Capacity for up to 230 g coffee beans
- > Bean container with aroma protection lid
- > Removable powder container (125 g)
- > Powerful 200 watt motor
- > 16-stage, adjustable grinding degree (coarse to extra fine)
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 200 W



16-stage, adjustable grinding degree (coarse to extra fine)



Professional stainless steel conical grinder – removable for easy cleaning

- > Milk frother with high-quality stainless steel housing incl. stainless steel mixing container and stainless steel handle
- > No preheating of the milk thanks to the integrated heating function
- > Suitable for various types of milk such as: Lactose-free, almond, soy or goat's milk
- > Creates perfect foamed milk in seconds
- > Also suitable for hot and cold chocolate
- > Stainless steel mixing container (900 ml max.)
- > Milk foam quantity: approx. 500 ml
- > 3 illuminated function switches:
  - Frothing the milk warm
  - Frothing the milk cold – ideal for iced coffee
  - Heating the milk
- > 6 functions:
  - cold / warm / hot foaming
  - cold / warm / hot mixing
- > Concealed heating element
- > Automatic switch-off
- > Incl. lid with splash protection function and extra whisk/mixing attachment integrated in the housing
- > Stainless steel mixing container and lid removable for easy cleaning (dishwasher-safe)
- > 220–240 V, 50–60 Hz, 550–650 W



Mixing container and lid removable for easy cleaning



3 illuminated function switches

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-EKM 1205	501 205	2142 / 3850 / 4400
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Black / inox	4 006 160 120 509	155 x 270 x 205 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 043 211	200 x 310 x 197 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-MS 1032	501 033	4268 / 8800 / 9600
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 678 635	170 x 130 x 150 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 035 018	205 x 190 x 142 mm



2 in 1

**PC-TK 1165** Tea maker / Kettle

Glass/stainless steel housing

360° connector

Permanent stainless steel tea filter

**PC-WKS 1123** Kettle

Ideal for single households

Stainless steel housing

Capacity up to 0.8 litre



- > 2 in 1 – Tea maker and kettle in one
- > Electronic temperature setting (70 °C, 80 °C, 90 °C and 100 °C)
- > Temperature display in real time
- > Keep warm function
- > Simple handling due to cable-free technology – easy to pour in and out
- > Thanks to the noble design suitable as a serving jug
- > Water container made of heat-resistant safety glass
- > 360° connector allows convenient operation for right and left handers
- > Up to 0.5 litre capacity
- > BPA free
- > Permanent stainless steel tea filter (can be raised and lowered)
- > Automatic and manual switch-off
- > Concealed stainless steel heating element
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 900–1100 W



Electronic temperature setting / Temperature display in real time



Permanent stainless steel tea filter (can be raised and lowered)

- > Stainless steel housing
- > Capacity up to 0.8 litre
- > Simple handling due to cable-free technology and 360° connector
- > Lockable stainless steel lid with one-hand operation
- > On/off switch (blue illuminated)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Internal water level indicator
- > Base station with cord storage (stainless steel sheathed)
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1680–2000 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-TK 1165	501 165	4496 / 9210 / 10408
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 654	170 x 230 x 135 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 871	170 x 216 x 135 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1123	501 123	3184 / 6540 / 7360
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 541 274	210 x 195 x 150 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 038 743	216 x 193 x 176 mm



4 006160 011654



4 006160 541274





NEW!

<b>PC-WKS 1106</b>	<b>Kettle</b>	
Stainless steel housing		
360° connector		
Stainless steel base station with cord storage		

<b>PC-WKS 1228 G</b>	<b>Glass kettle</b>	
Ideal for single households		
Glass/stainless steel housing		
Capacity up to 0.5 litre		

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Capacity up to 1.0 litre
- > Simple handling due to cable-free technology and 360° connector
- > Lockable stainless steel lid with one-hand operation
- > On/off switch (blue illuminated)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

- > Handy 0.5 litre glass water kettle
  - Ideal for quick and daily use
  - Less space required and reduces unnecessary water consumption
- > Glass/stainless steel housing
- > Base station with cord storage (stainless steel sheathed)
- > Capacity up to 0.5 litre
- > One-hand operation – self-closing filling opening in the lid
- > Simple handling due to cable-free technology and 360° connector
- > On/off switch (blue illuminated)
- > Water tank (blue illuminated)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Water level indicator
- > Water container made of heat-resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50–60 Hz, 900–1100 W



External water level indicator



One-hand operation – self-closing filling opening in the lid

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1106	501 106	3464 / 6500 / 8000
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 011 067	210 x 185 x 145 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 227 482	220 x 198 x 158 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1228 G	501 228	4422 / 9102 / 10272
<b>Colour:</b> Glass /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 286	170 x 187 x 107 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 212 280	196 x 206 x 138 mm



4 006160 011067



4 006160 012286





NEW!

<b>PC-WKS 1229 G</b>	<b>Glass kettle</b>	
Ideal for single households		
Glass/stainless steel housing		
Capacity up to 1.0 litre		

- > Handy 1.0 litre glass water kettle
  - Ideal for quick and daily use
  - Less space required and reduces unnecessary water consumption
- > Glass/stainless steel housing
- > Base station with cord storage (stainless steel sheathed)
- > Capacity up to 1.0 litre
- > One-hand operation – self-closing filling opening in the lid
- > Simple handling due to cable-free technology and 360° connector
- > On/off switch (blue illuminated)
- > Water tank (blue illuminated)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Water level indicator
- > Water container made of heat-resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50–60 Hz, 1400–1600 W

One-hand operation –  
self-closing filling opening  
in the lid



<b>PC-WKS 1107 G</b>	<b>Glass kettle</b>	
Glass/stainless steel housing		
360° connector		
Stainless steel base station with cord storage		

- > Glass/stainless steel housing
- > Stainless steel base station with cord storage
- > Capacity up to 1.5 litres
- > Simple handling due to cable-free technology and 360° connector
- > Lockable stainless steel lid with one-hand operation
- > On/off switch (illuminated)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Water level indicator
- > Water container made of heat-resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

Water container  
made of heat resistant  
safety glass



<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1229 G	501 229	3336 / 6864 / 7776
<b>Colour:</b> Glass /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 122 923	200 x 240 x 125 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 212 297	192 x 223 x 170 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1107 G	501 107	2936 / 5700 / 6660
<b>Colour:</b> Glass /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 011 074	225 x 210 x 152 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 227 154	225 x 225 x 167 mm



4 006160 122923



4 006160 011074





<b>PC-WKS 1190 G</b>	<b>Glass kettle</b>	
Glass/stainless steel housing		
5-colored, temperature-dependent water tank lighting		
360° connector		

<b>PC-WKS 1215 G</b>	<b>Glass kettle</b>	
Satinized glass/stainless steel housing		
Self-closing filling opening in the lid		
360° connector		

- > Glass/stainless steel housing
- > Base station with cord storage (stainless steel sheathed)
- > Capacity up to 1.7 litres
- > One-hand operation – self-closing filling opening in the lid
- > Simple handling due to cable-free technology and 360° connector
- > 5-colored, temperature-dependent water tank lighting (50°C, 70°C, 80°C, 90°C and 100°C)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Water level indicator
- > Water container made of heat-resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

- > Satinized glass/stainless steel housing
- > Stainless steel base station with cord storage
- > Capacity up to 1.7 litres
- > One-hand operation – self-closing filling opening in the lid
- > Simple handling due to cable-free technology and 360° connector
- > On/off switch (blue illuminated)
- > BPA free
- > Water tank (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Water level indicator
- > Water container made of heat-resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

5-colored water tank lighting				
50°C – green	70°C – light blue	80°C – dark blue	90°C – purple	100°C – red



One-hand operation – self-closing filling opening in the lid



Water tank (blue illuminated) – satinized glass



One-hand operation – self-closing filling opening in the lid

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1190 G	501 190	2448 / 5048 / 5680
<b>Colour:</b> Glass /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 119 008	215 x 245 x 165 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 224 443	234 x 250 x 170 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1215 G	501 215	2344 / 4872 / 5520
<b>Colour:</b> Glass /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 170	240 x 280 x 160 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 212 150	225 x 240 x 185 mm




4 006160 119008



4 006160 012170





<b>PC-WKS 1192</b>	<b>Kettle</b>	
Solid metal housing (painted)		
2200 watt max.		
Capacity up to 1.7 litres		



Incl. temperature display



On/off switch (illuminated)

- > High-quality kettle in an appealing vintage look
- > Solid metal housing (painted) with high-quality chrome applications
- > Capacity up to 1.7 litres
- > Base station with cord storage
- > Simple handling due to cable-free technology and 360° connector
- > Limescale fine filter (removable)
- > Stainless steel lid with viewing window
- > On/off switch (illuminated)
- > BPA free
- > Incl. temperature display
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W



Can be also used as a suitable set

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1192	501 192	1532 / 3120 / 3520
Colour: Red /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 119 206	240 x 277 x 210 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 499	230 x 320 x 230 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1192	511 192	1532 / 3120 / 3520
Colour: Anthracite/	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 119 213	240 x 277 x 210 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 512	230 x 320 x 230 mm







<b>PC-WKS 1119</b>	<b>Kettle</b>	
Stainless steel housing		
360° connector		
Stainless steel base station with cord storage		

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Capacity up to 1.7 litres
- > Simple handling due to cable-free technology and 360° connector
- > Lockable stainless steel lid with one-hand operation
- > On/off switch (blue illuminated)
- > BPA free
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W



External water level indicator

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WKS 1119	501 119	2500 / 5200 / 6000
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 111 194	215 x 235 x 155 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 231 212	225 x 248 x 167 mm





Sensor touch operation



Safety hinged lid with one-hand operation



Double-walled thermo housing with high-quality stainless steel container



NEW!

<b>PC-WKS 1243</b>	<b>Kettle</b>	
Double-walled thermo housing		
Electronic temperature setting		
360° connector		

- > Double-walled thermo housing with high-quality stainless steel container – 100% BPA-free
- > Capacity up to 1.7 litres
- > Large LED display
  - Sensor touch operation
  - Electronic temperature setting (50 °C, 70 °C, 80 °C and 100 °C)
  - Temperature display in real time
  - "Keep warm" function
- > Ideally suitable for preparing different types of tea, e.g. green tea, black tea and jasmine tea
- > Simple handling due to cable-free technology and 360° connector
- > Safety hinged lid with one-hand operation
- > Base station with cord storage
- > Concealed stainless steel heating element
- > Automatic and manual switch-off
- > Internal water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

Fitting accessories  
(not included):**PC-TA 1244 – Toaster**  
Article no.: 501 244 (page 29)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1243	501 243	2550 / 5094 / 5712
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 112 436	Data follows
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 233 339	Data follows

Ideally suitable for preparing different types of tea, e.g. green tea, black tea and jasmine tea



**3** in  
**1**



<b>PC-TKS 1056</b>	<b>Tea/coffee station</b>	
3 in 1 – Glass kettle, tea and coffee maker		
Stainless steel housing		
Scratch-resistant glass plate		



#### Kettle:

- > Capacity up to 1.7 litres
- > Simple handling due to cable-free technology and 360° connector
- > Lockable safety stainless steel lid
- > Glass water kettle with integrated heating element and lime filter
- > BPA free
- > Automatic and manual switch-off, external water level indicator
- > Evaporation/overheating protection, On/off switch

#### Glass jug:

- > For tea and coffee making (capacity up to 0.8 litre)
- > Heat-resistant glass, removable stainless steel tea filter

#### Base:

- > Electronic keep warm function (250 watt)
- > Heating plate (non-stick coated), scratch-resistant glass plate
- > Electronic sensor touch control panel with display for comfortable operation
- > Automatic and manual temperature setting (automatic setting for coffee mode: 85 °C, automatic setting tea mode: 80 °C, manual setting adjustable in 1 °C steps from 70–90 °C)
- > Heat-insulated handles, non-slip stand
- > 220–240 V, 50 Hz, 1850–2200 W



Electronic sensor touch control panel with display

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-TKS 1056	501 056	850 / 1764 / 1996
<b>Colour:</b> Glass /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 105 698	385 x 265 x 220 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 037 708	430 x 265 x 260 mm



**2** in  
**1**



**ETM TESTMAGAZIN - URTEIL**

Proficook Glas-Tee-Wasserkocher  
2 in 1 PC-WKS 1020 G

**GUT**

**90,15 %**

Im Test: 7 Teebereiter  
Testurteile: 1× sehr gut, 6× gut  
www.etm-testmagazin.de

Heft 02/2017



**PC-WKS 1020 G** Glass tea and water kettle

2 in 1 – tea maker and kettle in one

Incl. raised and lowered stainless steel tea filter

Electronic temperature setting (selectable)

- > Incl. stainless steel tea filter (can be raised and lowered)
- > Capacity up to 1.7 litres
- > Temperature can be set electronically between 70 °C and 100 °C or quick start function without preset temperature (100 °C)
- > Heat-retaining function (temperature can be set between 70 °C and 90 °C in 10 ° steps)
- > Signal when reaching the preselected temperature
- > Simple handling due to cable-free technology and 360° connector
- > Safety lid opens at the push of a button
- > Concealed stainless steel heating element
- > Non-slip rubberized handle

- > Glass/stainless steel housing
- > Stainless steel base station with cord storage
- > Water container made of heat-resistant safety glass
- > Automatic and manual switch-off
- > On/off switch (illuminated)
- > BPA free
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 3000 W max.



Electronic temperature setting

Incl. stainless steel tea filter (can be raised and lowered)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1020 G	501 020	2336 / 4774 / 5448
Colour: Glass /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 017	210 x 230 x 140 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 833	230 x 238 x 187 mm



4 006 160 102 017



Free App:



2 in 1



<b>PC-WKS 1167 G</b>	<b>Glass tea and water kettle</b>
2 in 1 – tea maker and kettle in one	
Stainless steel housing	
Free app available	

- > WiFi control – easily in a home wireless or via the Internet on the go
- > Additional functions via smartphone and tablet PC<sup>1)</sup> by free download a separate app<sup>2)</sup> via
- > Additional app functions:
  - Temperature display in real time
  - Timer function
  - Display of cooking time end / remaining term
  - Tea preparation programs
  - Target temperature individually and exact adjustable (30°C–95°C)
  - Keep warm function (holding water up to 2 hours at the preset temperature)
- > Touch key functions on the device:
  - Quick start without default temperature (100°C)
  - Electronic temperature settings (45°C, 60°C and 85°C) with automatic keep warm function
  - Programmable keep warm function
  - Electronic temperature control (100°C) with automatic re-boiling function (3 min.)
- > BPA free

- > Capacity up to 1.5 litres (10–12 cups)
- > Incl. removable stainless steel tea filter
- > Signal when reaching the preselected temperature
- > Simple handling due to cable-free technology – easy to pour in and out
- > Thanks to the noble design suitable as a serving jug
- > 360° connector allows convenient operation for right and left handers
- > Concealed stainless steel heating element
- > Transparent handle
- > Glass/stainless steel housing, stainless steel base station with cord storage
- > Water container made of heat-resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

<sup>1)</sup> Smartphone and tablet PC not included  
<sup>2)</sup> Apple system requirements: iOS 8.0 or higher + Bluetooth 4.0  
 Android system requirements: Android 4.4 or higher + Bluetooth 4.0



Electronic temperature setting (45°C, 60°C and 85°C) / Stainless steel base station with cord storage

Incl. removable stainless steel tea filter



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1167 G	501 167	2236 / 4774 / 5532
Colour: Glass / Stainless steel	Art. EAN:	Device (W x H x D):
	4 006 160 011 678	215 x 255 x 195 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 552 362	230 x 232 x 187 mm




**PC-HWS 1145 Hot water dispenser**

Stainless steel housing

High-speed water dispenser

Capacity up to 4 litres

- > Stainless steel housing
- > High-speed water dispenser – hot water at the touch of a button
- > ECO-Save – 50 % time savings compared to conventional kettles (energy-saving)
- > 100 °C in approx. 3 seconds
- > 6 temperature levels (45 °C / 55 °C / 65 °C / 75 °C / 85 °C / 100 °C)
- > Capacity up to 4 litres
- > Water level indicator (blue illuminated)
- > Adjustable amount of water 100 ml / 200 ml / 300 ml / 400 ml / 500 ml / continuous
- > LED display (blue illuminated)
- > Water dispenser / storage area (blue illuminated)
- > Sensor touch operation
- > 4 indicator lights (blue illuminated)
- > Lock function/Child lock
- > Incl. insert for low cups
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 2200–2600 W


 LED display /  
Sensor touch operation

 Hot water in  
approx. 3 seconds

**PC-HWS 1168 Hot water dispenser**

Stainless steel insert

High-speed water dispenser

ECO-Save – 50 % time saving

- > Stainless steel insert
- > High-speed water dispenser – hot water at the touch of a button
- > ECO-Save – 50 % time savings compared to conventional kettles (energy-saving)
- > 100 °C in approx. 3 seconds
- > Variable temperature level (from 45 °C to 100 °C)
- > Capacity up to 2.2 litres
- > Water tank (removable)
- > Water level indicator with scale
- > Arbitrary amount of water
- > On/off switch
- > 2-color indicator light
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 2200–2600 W



Hot water at the touch of a button


 Hot water in  
approx. 3 seconds

Product:	Art. no:	20" / 40" / HQ-Container:
PC-HWS 1145	501 145	900 / 1842 / 2116
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 522	190 x 340 x 280 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 215 342	313 x 388 x 226 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-HWS 1168	501 168	1220 / 2400 / 2950
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 116 854	165 x 310 x 270 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 589 658	291 x 335 x 200 mm



4 006160 114522



4 006160 116854





2 juicing cones (50 and 80 mm Ø)



<b>PC-ZP 1018</b>	<b>Citrus juicer</b>	
Stainless steel housing		
Long-life professional motor		
Incl. stainless steel sieve		

- > Citrus juicer in high-quality stainless steel housing
- > Powerful long-life professional motor (100 watt max.)
- > Automatic start/stop function by pressing the juicing cone
- > Open stainless steel juice spout
- > Drip-stop function (no splashing and no wiping)
- > Stainless steel sieve
- > Can be fully disassembled for quick and easy cleaning (dishwasher-safe)
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 100 W max.

<b>PC-ZP 1154</b>	<b>Citrus juicer</b>	
Stainless steel housing		
Long-life professional motor (160 watt)		
Incl. stainless steel sieve		

- > Citrus juicer in high-quality stainless steel housing
- > Ideal for all citrus fruits such as lemons, oranges or grapefruits etc.
- > Lever / press arm (aluminium) for optimal juice yield
- > Soft touch handle with practical start automatic
- > Stainless steel fruit hood removable for easy cleaning (dishwasher-safe)
- > High-performance, long-life professional motor (160 watt)
- > Incl. 2 juicing cones for e.g. lemons, oranges, limes etc.
- > Open stainless steel juice spout
- > Drip-stop function (no splashing and no wiping)
- > Stainless steel sieve
- > Can be fully disassembled for quick and easy cleaning (dishwasher-safe)
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 160 W



Drip-stop function



Stainless steel sieve



Soft touch handle with practical start automatic



Drip-stop function

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-ZP 1018	501 018	1632 / 3340 / 3764
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 101 812	215 x 260 x 215 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 012 743	235 x 285 x 235 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-ZP 1154	501 154	1240 / 2570 / 2940
<b>Colour: Black /</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 115 437	197 x 288 x 281 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 039 672	302 x 312 x 224 mm



4 006 160 101 812



4 006 160 115 437






NEW!

<b>PC-WA 1240</b>	<b>Waffle maker</b>	
2-fold waffle maker		
Large baking surfaces (approx. 25.0 x 17.0 cm)		
3 stainless steel inserts		

- > Brussels waffle maker for traditional Belgian waffles
- > 2 large baking surfaces, each approx. 25.0 x 17.0 cm (non-stick coated)
- > 2 rectangular waffles for each baking process
- > 3 stainless steel inserts: lid, handle and front
- > Preparation in a few minutes
- > Heat-insulated handle
- > Continuously adjustable browning level
- > 2 indicator lights for power and heating (baking lights)
- > Extra easy cleaning:
  - Non-stick coated baking surfaces
  - Enclosing overflow protection channel catches excess batter
- > Secure stand due to rubberized feet
- > Overheating protection
- > Safety shutdown
- > Cord storage
- > 230 V, 50 Hz, 1000 W



3 stainless steel inserts: lid, handle and front

"Flow Channel"

Non-stick coating




Extra easy cleaning:  
- Non-stick coated baking surfaces  
- "Flow Channel"

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WA 1240	501 240	2038 / 4392 / 5176
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 124 002	260 x 110 x 265 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 691 382	289 x 288 x 131 mm







**NEW!**

<b>PC-WA 1241</b>	<b>Waffle maker</b>	
4-fold waffle maker		
Large baking surfaces (approx. 24.0 x 24.0 cm)		
3 stainless steel inserts		

- > Brussels waffle maker for traditional Belgian waffles
- > 2 large baking surfaces, each approx. 24.0 x 24.0 cm (non-stick coated)
- > 4 square waffles for each baking process
- > 3 stainless steel inserts: lid, handle and front
- > Preparation in a few minutes
- > Heat-insulated handle
- > Continuously adjustable browning level
- > 2 indicator lights for power and heating (baking lights)
- > Extra easy cleaning:
  - Non-stick coated baking surfaces
  - Enclosing overflow protection channel catches excess batter
- > Secure stand due to rubberized feet
- > Overheating protection
- > Safety shutdown
- > Cord storage
- > 230 V, 50 Hz, 1200 W



3 stainless steel inserts: lid, handle and front

"Flow Channel"

Non-stick coating



Extra easy cleaning:  
- Non-stick coated baking surfaces  
- "Flow Channel"

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WA 1241	501 241	1624 / 3500 / 4124
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 124 101	250 x 105 x 335 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 692 426	279 x 362 x 135 mm



**XXL**

**American  
toast slices  
14.5 cm x 14.5 cm**




<b>PC-ST 1092</b>	<b>Sandwich toaster</b>	
Extra large sandwich plates		
Suitable for toast slices of approx. 9 cm to 14.5 cm		
Stainless steel insert		

- > Stainless steel insert
- > Extra large sandwich plates for american XXL toast slices (approx. 14.5 cm x 14.5 cm)
- > Suitable for toast slices of approx. 9 cm to 14.5 cm
- > Non-stick coating
- > Heat-insulated handle
- > Automatic temperature controller
- > 2 indicator lights for power and heating (baking lights)
- > Secure stand due to rubberized feet
- > Locking system
- > Overheating protection
- > Cord storage
- > 220–240 V, 50/60 Hz, 900 W



Triangle XXL sandwich plates



Suitable for toast slices of approx. 9 cm (standard) to 14.5 cm (XXL)

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-ST 1092	501 092	2360 / 4900 / 5760
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 010 923	300 x 105 x 245 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 683 196	314 x 265 x 122 mm






<b>PC-TA 1194</b>	<b>Toaster</b>	
High-quality 4-slice toaster		
Solid metal housing (painted)		
„Wide slot“ – extra wide toast slots (40 mm)		



- > High-quality 4-slice toaster in an appealing vintage look
- > Solid metal housing (painted) with high-quality chrome applications
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Massive 2 in 1 bread roll attachment incl. cool touch handles, also suitable for serving
- > Automatic and manual switch-off
- > 2 separate controls for individual use
- > 2 continuously adjustable toasting controllers
- > 2x individual browning level display
- > 2x centring function for even browning
- > 2x defrost function (illuminated)
- > 2x reheat function (illuminated)
- > 2x quick-stop function (illuminated)
- > 1x bread roll attachment (removable)
- > 2x crumb drawer (removable)
- > Cord storage
- > 220–240 V, 50/60 Hz, 1370–1630 W



Massive 2 in 1 bread roll attachment incl. cool touch handles, also suitable for serving



Incl. 2x individual browning level display



Can be also used as a suitable set

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-TA 1194	501 194	854 / 1754 / 1936
<b>Colour:</b> Red /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 119 404	292 x 265 x 180 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 227 772	425 x 318 x 215 mm


<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-TA 1194	511 194	854 / 1754 / 1936
<b>Colour:</b> Anthracite/	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 119 411	292 x 265 x 180 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 227 895	425 x 318 x 215 mm





<b>PC-TA 1193</b>	<b>Toaster</b>	
High-quality 2-slice toaster		
Solid metal housing (painted)		
„Wide slot“ – extra wide toast slots (40 mm)		

- > High-quality 2-slice toaster in an appealing vintage look
- > Solid metal housing (painted) with high-quality chrome applications
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Massive 2 in 1 bread roll attachment incl. cool touch handles, also suitable for serving
- > Defrost/reheat/quick-stop function (illuminated)
- > Continuously adjustable browning level
- > Incl. browning level display
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 685–815 W



Massive 2 in 1 bread roll attachment incl. cool touch handles, also suitable for serving

Incl. browning level display



Can be also used as a suitable set

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-TA 1193	501 193	1110 / 2384 / 2664
<b>Colour:</b> Red /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 119 305	300 x 180 x 192 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 589 221	425 x 265 x 203 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-TA 1193	511 193	1110 / 2384 / 2664
<b>Colour:</b> Anthracite/	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 119 312	300 x 180 x 192 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 584 561	425 x 265 x 203 mm





Defrost/reheat/  
quick-stop/bagel and  
baguette function  
(blue illuminated)



NEW!

<b>PC-TA 1244</b>	<b>Toaster</b>	
Stainless steel housing		
„Wide slot“ – extra wide toast slots (40 mm)		
Sensor touch operation		

- > 2-slice toaster
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Sensor touch operation
- > Bread roll attachment (removable)
- > Defrost/reheat/quick-stop/bagel and baguette function (blue illuminated)
- > 7 adjustable browning levels
- > Centring function for even browning
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 770–920 W



LED display (blue illuminated)  
with sensor touch operation

Fitting accessories  
(not included):  
**PC-WKS 1243 –  
Wasserkocher**  
Article no.: 501 243 (page 18)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1244	501 244	1630 / 3490 / 3946
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 012 446	281 x 188 x 167 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 512 441	315 x 230 x 200 mm



4 006160 012446





Defrost/reheat/  
quick-stop/bagel and  
baguette function  
(blue illuminated)



Digital adjustment of  
the browning level (level 1–7)



<b>PC-TA 1170</b>	<b>Toaster</b>	
Stainless steel housing		
„Wide slot“ – extra wide toast slots (40 mm)		
Sensor touch operation		

- > 2-slice toaster
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Sensor touch operation
- > Bread roll attachment (removable)
- > Defrost/reheat/quick-stop/bagel and baguette function (blue illuminated)

- > 7 adjustable browning levels
- > Centring function for even browning
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 770–920 W



LED display  
(blue illuminated)  
with sensor touch  
operation

Fitting accessories  
(not included):

**PC-KA 1169**  
**Coffee machine**  
Art. no.: 501 169 (page 7)



Fitting accessories  
(not included):

**PC-KA 1191**  
**Coffee machine**  
Art. no.: 501 191 (page 8)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1170	501 170	1630 / 3490 / 3946
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 708	256 x 176 x 170 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 589 450	315 x 230 x 200 mm



4 006160 011708





PC-TAZ 1110	Toaster with sandwich tongs
Stainless steel housing	
„Wide slot“ – extra wide toast slots (40 mm)	
2 stainless steel tongs for removing the slices of toast	

- > 2-slice toaster with sandwich tongs
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > 2 stainless steel tongs for removing the toast slices
- > Cool touch tong handles
- > Bread roll attachment (integrated)
- > Defrost/reheat/quick-stop function (blue illuminated)
- > Continuously adjustable browning level
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > 220–240 V, 50/60 Hz, 860–1050 W



2 stainless steel tongs  
with cool touch handles



Bread roll attachment  
(integrated)



Can also be used as a  
conventional toaster

Product:	Art. no:	20" / 40" / HQ-Container:
PC-TAZ 1110	501 110	1512 / 3088 / 3544
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 026	275 x 185 x 155 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 224 412	320 x 210 x 252 mm





Today the chef recommends:

Kneading, cooking or mixing –  
ProfiCook for every culinary  
taste





<b>TESTMAGAZIN · URTEIL</b>	
ProfiCook PC-KM 1063 Kompaktküchenmaschine	
<b>GUT</b>	82,0 %
Im Test: 11 Kompakt-Küchenmaschinen Testurteile: 2x sehr gut, 8x gut, 1x befriedigend www.etm-testmagazin.de	Heft 02/2016

**3** in  
**1**

**PC-KM 1063 Compact food processor**

Food processor, mixer and citrus juicer

Powerful 1200 watt max.

Continuously speed control



- > High-performance food processor with 1200 watt max.
- > Stainless steel housing
- > Continuously speed control
- > Turbo function
- > Safety circuit
- > Working container: 1.2 litres capacity with scale and refill opening
- > Mixing container: 1.75 litres capacity with scale and refill opening
- > Cover for the refill opening can also be used as a measuring cup (3 cl)
- > High-quality, interchangeable stainless steel inserts and discs



1.75 litres mixing container



Citrus juicer insert

- > 11 accessories: citrus juicer insert, 2x grating and cutting discs (fine & coarse), potato grating disc, chipping/julienne disc, stainless steel beater blade, special kneading/stirring attachment, stainless steel metal whisk, dough scraper
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 1200 W max.

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1063	501 063	596 / 1226 / 1436
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 312	250 x 370 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 784	460 x 365 x 250 mm





*Vintage*



Illuminated rotary control

**PC-KM 1197**

**Kneading machine**

High-performance kneading machine

Massive aluminium die-cast housing lid (painted)

Sturdy special gear



- > High-performance kneading machine with powerful long-life professional motor (1200 watt)
- > Massive aluminium die-cast housing lid (painted) for high stability
- > Sturdy special gear
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Illuminated rotary control
- > 5.0 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- > Swivelling multifunction arm with unlocking mechanism
- > Transparent splash protection lid with refill opening (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast stirring hook – for light dough like short pastry dough, crumble dough or sponge mixture
- > Aluminium die-cast dough hook – for heavy dough like yeast dough, bread dough or pasta dough
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > Secure stand due to suction feet
- > Quick-action chuck for holding the tools
- > 220–240 V, 50/60 Hz, 1200 W



Aluminium die-cast stirring hook



Aluminium die-cast dough hook



Stainless steel whisk



35° swivelling multifunction arm



Can be also used as a suitable set

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1197	501 197	630 / 1303 / 1528
Colour: Red /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 119 718	390 x 360 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 556 315	413 x 384 x 244 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1197	511 197	630 / 1303 / 1528
Colour: Anthracite/	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 119 725	390 x 360 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 556 322	413 x 384 x 244 mm



4 006 160 119 718



4 006 160 119 725





**NEW!**

<b>PC-KM 1222 W</b>	<b>Kneading machine</b>	
High-performance kneading machine		
Massive aluminium die-cast housing lid (painted)		
Sturdy special gear		

- > High-performance kneading machine with powerful long-life professional motor (1200 watt)
- > Massive aluminium die-cast housing lid (painted) for high stability
- > Sturdy special gear
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Illuminated rotary control
- > 5.0 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- > Swivelling multifunction arm with unlocking mechanism
- > Transparent splash protection lid with refill opening (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast stirring hook – for light dough like short pastry dough, crumble dough or sponge mixture

- > Aluminium die-cast dough hook – for heavy dough like yeast dough, bread dough or pasta dough
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > Secure stand due to suction feet
- > Quick-action chuck for holding the tools
- > 220–240 V, 50/60 Hz, 1200 W

**Digital kitchen scale**

- > Extra-flat digital kitchen scale
- > Weighing surface made of stainless steel
- > Extra large LCD display (blue illuminated)
- > Measurement range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: kg, g, lb, oz
- > Automatic shutdown increases battery life
- > On/off switch
- > Tare function (additive weighed function)
- > Practical hanging loop
- > Low battery indication
- > Battery-operated: 2x AAA (batteries not included)
- > Dimensions (W x H x D): 165 x 15 x 220 mm



Aluminium die-cast stirring hook    Aluminium die-cast dough hook    Stainless steel whisk    35° swivelling multifunction arm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KM 1222 W	501 222	630 / 1303 / 1528
<b>Colour:</b> Silver /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 224	390 x 360 x 230 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 556 346	413 x 384 x 244 mm



## XXL stainless steel bowl (6 litres capacity)



### PC-KM 1188 Kneading machine

- Massive aluminium die-cast housing
- Long-life professional motor (1500 watt)
- Professional metal gear



- > Robust kneading machine with aluminium die-cast housing and resistant metal gear
- > High-performance long-life professional motor (1500 watt)
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Illuminated rotary controls
- > Large 6 litres stainless steel bowl for max. 3–3.5 kg dough preparation
- > Swivelling multifunction arm with unlocking mechanism
- > Transparent splash protection lid with refill opening (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast stirring hook – for light dough like short pastry dough, crumble dough or sponge mixture
- > Aluminium die-cast dough hook – for heavy dough like yeast dough, bread dough or pasta dough
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > Secure stand due to suction feet
- > Quick-action chuck for holding the tools
- > 220–240 V, 50/60 Hz, 1500 W




Aluminium die-cast stirring hook



Aluminium die-cast dough hook



Stainless steel whisk



Professional metal gear

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1188	501 188	838 / 1756 / 1990
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 118 803	379 x 287 x 238 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 039 917	396 x 315 x 250 mm



4 006160 118803



**XXXL**  
**stainless steel bowl**  
 (10 litres capacity for max.  
 7–7.5 kg dough preparation)

ETM TESTMAGAZIN • URTEIL	
ProfiCook PC-KM 1096	
<b>GUT</b>	83,7 %
Im Test: 10 Rührmaschinen Testurteile: 5× sehr gut, 5× gut www.etm-testmagazin.de	Heft 11/2017



PC-KM 1096	Kneading machine
Massive aluminium die-cast housing	
Long-life professional motor (1500 watt)	
Powerful and robust metal gear	



- > Robust kneading machine with aluminium die-cast housing and resistant metal gear
- > High-performance long-life professional motor (1500 watt)
- > Electronic timer function
- > LCD display
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Extra-large 10 litre stainless steel bowl with 2 handles for max. 7–7.5 kg dough preparation
- > Swivelling multifunction arm with unlocking mechanism
- > Transparent splash protection lid with refill opening
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast stirring hook – for light dough like short pastry dough, crumble dough or sponge mixture
- > Special double dough hook – for heavy dough like yeast dough, bread dough or pasta dough
- > Stainless steel whisk with splash protection for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 1500 W



Aluminium die-cast stirring hook    Special double dough hook    Stainless steel whisk    LCD display

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1096	501 096	310 / 640 / 750
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 961	437 x 420 x 167 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 221	475 x 515 x 340 mm



4 006160 010961



**XXL stainless steel bowl**

(6.7 litres capacity)



Kneading machine



Mixer



Mincer

**PC-KM 1189****Kneading machine**

3 in 1 – Kneading machine, mixer and mincer

Massive aluminium die-cast housing

Long-life professional motor (1500 watt)



- > Robust multi-kneading machine with aluminium die-cast housing and resistant metal gear
- > High-performance long-life professional motor (1500 Watt)
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Illuminated rotary controls
- > Large 6.7 litres stainless steel bowl for max. 3–3.5 kg dough preparation
- > Swivelling multifunction arm with unlocking mechanism
- > Transparent splash protection lid with refill opening (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast stirring hook – for light dough like short pastry dough, crumble dough or sponge mixture

- > Aluminium die-cast dough hook – for heavy dough like yeast dough, bread dough or pasta dough
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > Secure stand due to suction feet
- > Quick-action chuck for holding the tools

**Mixer**

- > Glass mixing container with scale and refill opening (1.5 litres)
- > For pureeing, beating, chopping, shaking, mixing
- > Ideal for preparing fruit and fitness drinks, milkshakes, cocktails, soups, salsa sauces and baby food as well as smoothies, vegetable purees, dips, spice pastes and many more
- > 4-bladed stainless steel knife for problem-free mixing, removable for cleaning
- > Safety circuit – operation only possible with attached container

**Mincer**

- > Metal tube, metal cutter, 3 stainless steel mincing disks, stainless steel cutter, sausage filler accessory, biscuit attachment (4 molds), kebbe attachment for oriental dumplings, metal refill tray
- > 220–240 V, 50/60 Hz, 1500 W



Aluminium die-cast stirring hook



Aluminium die-cast dough hook



Stainless steel whisk



Incl. extensive accessories



Professional metal gear

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1189	501 189	380 / 800 / 900
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 118 902	460 x 580 x 253 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 039 900	586 x 385 x 285 mm



4 006160 118902



# XXL stainless steel bowl (6.5 litres capacity)

ETM TESTMAGAZIN · URTEIL	
Proficook PC-KM 1151	
<b>GUT</b>	84,4 %
Im Test: 9 Rührmaschinen Testurteile: 3x sehr gut, 6x gut www.etm-testmagazin.de	
Heft 04/2019	

ETM TESTMAGAZIN · URTEIL	
Profi Cook PC-FW 1060	
<b>GUT</b>	88,8 %
Im Test: 13 Fleischwölfe Testurteile: 1x sehr gut, 12x gut www.etm-testmagazin.de	
Heft 11/2015	



<b>PC-KM 1151</b>	<b>Kneading machine</b>	
2 in 1 – Kneading machine and mincer		
Massive aluminium die-cast housing		
Long-life professional motor (1300 watt)		

<b>PC-FW 1060</b>	<b>Professional mincer</b>	
Stainless steel housing		
Forward and reverse function		
1000 watt max.		


- > Robust multi-kneading machine with aluminium die-cast housing and robust metal gear
- > High-performance long-life professional motor (1300 watt)
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse) / Soft start for slow mixing
- > Large 6.5 litre stainless steel bowl for max. 3–3.5 kg dough preparation
- > Swivelling multifunction arm with unlocking mechanism
- > Transparent splash protection lid with refill opening (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminium die-cast stirring hook – for light dough like short pastry dough, crumble dough or sponge mixture
- > Aluminium die-cast dough hook – for heavy dough like yeast dough, bread dough or pasta dough
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > Secure stand due to suction feet
- > Quick-action chuck for holding the tools

### Mincer

- > Stainless steel cutter, metal tube, metal cutter, 3 stainless steel mincing disks, metal refill tray, sausage filler accessory, biscuit attachment, kebbe attachment for oriental dumplings
- > 220–240 V, 50/60 Hz, 1300 W



Mincer



Incl. sausage filler accessory



Aluminium die-cast stirring hook



Aluminium die-cast dough hook



Stainless steel whisk



Incl. extensive accessories

- > Stainless steel housing
- > Forward and reverse function
- > Stainless steel refill tray
- > Metal neck
- > Metal snail
- > 3 steel mincing disks
- > Stainless steel blade
- > Kebbe attachment for the oriental cuisine
- > Biscuit/cookies attachment
- > Sausage filler accessory
- > On/off switch
- > Secure stand due to suction feet
- > 220–240 V, 50 Hz, 1000 W max.



Incl. cookies attachment



Incl. kebbe attachment

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KM 1151	501 151	510 / 1030 / 1235
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 115 109	370 x 375 x 240 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 038 798	408 x 403 x 286 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-FW 1060	501 060	1038 / 2230 / 2516
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 106 015	340 x 315 x 160 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 037 777	430 x 264 x 200 mm



4 006160 115109



4 006160 106015




**XXL closure ring**
**XXL opening (6.5 cm)**
**3 stainless steel mincing discs**
**PC-FW 1172**
**Professional mincer**

Massive aluminium die-cast housing

Professional metal gear

1800 watt max.



- > Robust professional mincer with aluminium die-cast housing and durable metal gear for optimum power transmission
- > Professional metal gear (gearbox and gears)
- > Forward and reverse function
- > Fast processing of large quantities (approx. 2 kg/min.)
- > Preparing mince (tartar) from meat and fish, as well as kebbe and sausage possible
- > Metal refill tray (rotatable)
- > Metal neck / Metal snail
- > 3 metal mincing disks (Ø approx. 5.5 cm) for fine, normal and coarse handling
  - 3 mm (fine)
  - 5 mm (normal)
  - 7 mm (coarse)
- > 4-bladed stainless steel knife
- > Kebbe attachment for the oriental cuisine
- > Sausage filler accessory / On/off switch / Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 1800 W max.



Metal refill tray (rotatable)



Professional metal gear (gearbox and gears)

**PC-FW 1173**
**Professional mincer**

XXL outlet opening (6.5 cm)

Professional metal gear

2000 watt max.



- > Robust professional mincer with aluminium die-cast housing and durable metal gear for optimum power transmission
- > Professional metal gear (gearbox and gears)
- > XXL closure ring – faster and easier exchange of accessories
- > Extra-catchy professional locking mechanism (metal)
- > Forward and reverse function
- > Fast processing of large quantities (approx. 2.3 kg/min.)
- > Preparing mince (tartar) from meat and fish, as well as kebbe and sausage possible
- > Metal refill tray (rotatable)
- > XL metal neck / XL metal snail
- > 3 stainless steel mincing disks (extra large – Ø approx. 6.5 cm) for fine, normal and coarse handling
  - 3 mm (fine)
  - 5 mm (normal)
  - 8 mm (coarse)
- > 4-bladed stainless steel knife
- > Kebbe attachment for the oriental cuisine
- > Sausage filler accessory / On/off switch / Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 2000 W max.



XXL outlet opening (6.5 cm) with XXL closure ring



Professional metal gear (gearbox and gears)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FW 1172	501 172	878 / 1794 / 1988
Colour:	Art. EAN:	Device (W x H x D):
Aluminium	4 006 160 011 722	278 x 214 x 216 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 589 627	444 x 280 x 243 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FW 1173	501 173	806 / 1638 / 1794
Colour:	Art. EAN:	Device (W x H x D):
Aluminium	4 006 160 011 739	278 x 214 x 216 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 589 641	475 x 280 x 242 mm



4 006160 011722



4 006160 011739





Room for creativity




**2**  
in  
**1**

**NEW!**
**PC-SMS 1237 A Cordless hand blender**

Flexible working in the kitchen without cables

Stainless steel housing

Long-life professional motor


**NEW!**
**PC-SMS 1238 A Cordless hand blender set**

2 in 1 – Cordless hand blender and stainless steel whisk

Stainless steel housing

Long-life professional motor



- > Cordless hand blender
- > Powerful lithium ion battery with 7.4 V
- > Flexible working in the kitchen without cables
- > Stainless steel housing with ergonomic soft touch handle
- > LED display:
  - Battery control (1–3)
  - Speed levels (1–3)
  - Ready indicator
  - Charging indicator
- > Powerful long-life professional motor
- > Stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-wide mixing head for safe mincing without splashing
- > 3 speed levels
- > Also suitable for hot dishes / hot pots
- > Removable stainless steel mixing rod (easy to clean)
- > Battery running time up to 25 minutes
- > Battery charging time approx. 2.5 hours
- > Accessories: USB-C charging cable and power supply unit
- > 220–240 V, 50/60 Hz, 200 W, 7.4 V / rechargeable battery (Li-Ion), 2000 mAh  
(Rechargeable battery: 1x lithium-ion, 86.6 g)

- > 2 in 1 – Cordless hand blender set – stainless steel hand blender and whisk
- > Powerful lithium ion battery with strong 11.1 V
- > Flexible working in the kitchen without cables
- > Stainless steel housing with ergonomic soft touch handle
- > Multifunction LED display:
  - Speed levels (0–10)
  - Battery control (charging level in %)
  - Operating display
- > Powerful long-life professional motor
- > 4-fold stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-wide mixing head for safe mincing without splashing
- > Continuously speed control (0–10)
- > Stepless touch control
- > Also suitable for hot dishes / hot pots
- > Incl. stainless steel whisk
- > Removable stainless steel mixing rod (easy to clean)
- > Battery running time up to 30 minutes
- > Battery charging time approx. 3.5 hours
- > Accessories: USB-C charging cable and power supply unit
- > 220–240 V, 50/60 Hz, 200 W, 11.1 V / rechargeable battery (Li-Ion), 2000 mAh  
(Rechargeable battery: 1x lithium-ion, 146.00 g)



Stainless steel mixing rod



Incl. stainless steel whisk



Ready indicator, charging indicator



Battery control, speed levels



Standard USB-C charging port



Multifunction LED display



4-fold stainless steel blade



Standard USB-C charging port

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1237 A	501 237	7318 / 15160 / 17774
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 123 715	60 x 400 x 60 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 212 327	150 x 250 x 80 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SMS 1238 A	501 238	5078 / 10480 / 11790
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 123 807	60 x 445 x 60 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 212 334	130 x 260 x 130 mm



4 006160 123715



4 006160 123807



<b>ETM TESTMAGAZIN · URTEIL</b>	
ProfiCook PC-SM 1094	
<b>GUT</b>	<b>85,2 %</b>
Im Test: 6 Stabmixer Testurteile: 4x gut, 2x befriedigend www.etm-testmagazin.de	Heft 11/2017

<b>Stiftung Warentest</b> <b>test</b>	<b>GUT (2,4)</b>
	Im Test: 15 Stabmixer, 8 einfache und 7 Stabmixer-Sets 1x sehr gut 10x gut 4x befriedigend Ausgabe 07/2021 www.test.de

21T038



**2 in 1**




**NEW!**

<b>PC-SM 1094</b>	<b>Hand blender</b>	
Stainless steel housing and 4-fold stainless steel blade		
Long-life professional motor (1000 watt)		
Extra-long stainless steel mixing rod (approx. 27 cm)		


<b>PC-SMS 1220</b>	<b>Hand blender set</b>	
2 in 1 – Hand blender and stainless steel whisk		
Stainless steel housing		
Long-life professional motor (1000 watt)		

- > Stainless steel housing with ergonomic soft touch handle
- > Powerful long-life professional motor (1000 watt)
- > 4-fold stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-long stainless steel mixing rod, for high and narrow mixing vessels (approx. 27 cm)
- > Extra-wide mixing head for safe mincing without splashing
- > Continuously speed control
- > Push-button switch (blue illuminated)
- > Also suitable for hot dishes / hot pots
- > Extra-long coiled cable (space-saving)
- > Removable stainless steel mixing rod (easy to clean)
- > Hanging loop
- > 220–240 V, 50/60 Hz, 1000 W

- > 2 in 1 – Hand blender set – stainless steel hand blender and whisk
- > Stainless steel housing with ergonomic soft touch handle
- > Powerful long-life professional motor (1000 watt)
- > 4-fold stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-long stainless steel mixing rod, for high and narrow mixing vessels (approx. 27 cm)
- > Extra-wide mixing head for safe mincing without splashing
- > Continuously speed control
- > Push-button switch (blue illuminated)
- > Incl. stainless steel whisk
- > Also suitable for hot dishes / hot pots
- > Extra-long coiled cable (space-saving)
- > Removable stainless steel mixing rod (easy to clean)
- > Hanging loop
- > 220–240 V, 50/60 Hz, 1000 W



Extra-long stainless steel mixing rod (approx. 27 cm)



Extra-long stainless steel mixing rod (approx. 27 cm)



4-fold stainless steel blade



Extra-long coiled cable (space-saving)



4-fold stainless steel blade



Extra-long coiled cable (space-saving)



Incl. stainless steel whisk

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-SM 1094	501 094	6000 / 12400 / 15000
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 010 947	63 x 465 x 63 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 659 238	140 x 370 x 70 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-SMS 1220	501 220	3048 / 6312 / 7400
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 122 077	65 x 470 x 70 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 221 794	140 x 370 x 140 mm



4 006160 010947



4 006160 122077




2 in 1




NEW!

<b>PC-SMS 1226</b>	<b>Hand blender set</b>	
2 in 1 – Hand blender and stainless steel whisk		
Stainless steel housing		
Silent motor with 1000 watt max.		

- > 2 in 1 – Hand blender set – stainless steel hand blender and whisk
- > Stainless steel housing with ergonomic soft touch handle
- > Silent DC motor with 1000 watt max.
- > 4-fold stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-wide mixing head for safe mincing without splashing
- > Continuously speed control + pulse/turbo function
- > Incl. stainless steel whisk
- > Also suitable for hot dishes / hot pots
- > Removable stainless steel mixing rod (easy to clean)
- > Hanging loop
- > 220–240 V, 50–60 Hz, 700–1000 W



Stainless steel mixing rod



Incl. stainless steel whisk



4-fold stainless steel blade

2 in 1



<b>PC-MZ 1150</b>	<b>Multi chopper</b>	
2 in 1 – Multi chopper and ice crusher		
Stainless steel housing		
Combination knife for 2 or 4 blade operation		

- > 2 in 1 – Multi chopper and ice crusher in one
- > Mixing container made of glass (1 litre)
- > 2 removable stainless steel blades (rustproof)
- > Combination knife for 2 or 4 blade operation
- > 2 speed levels
- > Incl. ice crush function
- > Easy to clean
- > High stability
- > 220–240 V, 50 Hz, 400 W



Combination knife for 2 or 4 blade operation

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SMS 1226	501 226	4320 / 9120 / 10720
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 012 262	59 x 440 x 85 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 030	298 x 393 x 304 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MZ 1150	501 150	2284 / 4860 / 5616
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 115 000	195 x 245 x 160 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 038 804	196 x 255 x 196 mm



4 006 160 012 262



4 006 160 115 000



**2** in  
**1**



**NEW!**

**2** in  
**1**



<b>PC-MZ 1227</b>	<b>Multi chopper</b>	
2 in 1 – Multi chopper and ice crusher		
Stainless steel housing		
Shock-resistant stainless steel container (XL – 1.7 litres)		

<b>PC-KSW 1021 N</b>	<b>Electric coffee mill</b>	
2 in 1 – Coffee mill and chopper		
2 extra large stainless steel container		
200 watt		

- > 2 in 1 – Multi chopper and ice crusher in one
- > XL stainless steel container
  - Shock-resistant
  - 1.7 litres capacity
  - Dishwasher-safe
  - Low weight
- > 2 removable stainless steel blades (rustproof)
- > Combination knife for 2 or 4 blade operation
- > 2 speed levels
- > Incl. ice crush function
- > Easy to clean
- > High stability due to non-slip rubber ring
- > 220–240 V, 50/60 Hz, 500 W

- > 2 in 1 – coffee mill and chopper in one
- > Stainless steel housing
- > 2 extra large stainless steel container (350 ml capacity)
- > Capacity for up to 75 g coffee beans
- > 2-fold stainless steel beater blade for coffee beans
- > 4-fold stainless steel chopping knife e.g. for condiment, nuts or herbs
- > Transparent lid
- > Powerful 200 watt motor
- > Safety circuit – operation only possible with attached lid
- > Safety button also for pulse function
- > Grinding degree can be selected by the length of operation
- > Cord storage
- > 220–240 V, 50/60 Hz, 200 W



Combination knife for 2 or 4 blade operation



2-fold stainless steel beater blade for coffee beans



4-fold stainless steel chopping knife e.g. for condiment, nuts or herbs

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-MZ 1227	501 227	2968 / 5876 / 6880
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 279	220 x 250 x 180 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 589 054	183 x 265 x 183 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KSW 1021 N	501 021	6682 / 5230 / 8760
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 102 123	H: 210 mm; Ø 115 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 589 832	223 x 210 x 123 mm



**XL filler spout (75 mm Ø)**

**PC-AE 1156**
**Automatic juicer**

Long-life professional motor (800 watt)

18.000 rpm max.

Stainless steel housing



- > Professional automatic juicer with high-quality stainless steel housing
- > Fruit and vegetable juices freshly prepared in seconds. Rich in minerals vital to well-being, health and fitness
- > Juice whole apples, carrots and other fruit in seconds without chopping
- > Powerful long-life professional motor
- > Extra large stainless steel filler spout (75 mm Ø)
- > Juice container (approx. 1 litre) with foam remover, pour opening, measuring scale, handle and lid
- > Open stainless steel spout
- > Height-adjustable juice spout
- > High volume pulp container (approx. 1.8 litres)
- > 5 step, electronic speed control can be selected for hard and soft fruits for optimum juicing
- > Incl. turbo function
- > Sensor touch operation
- > LED multifunction display (blue illuminated)
- > Stainless steel strainer/centrifuge for very high quality juice
- > Can be fully disassembled for quick and easy cleaning
- > Stainless steel lock with safety switch
- > Secure stand due to rubberized suction feet
- > 220–240 V, 50/60 Hz, 800 W; 18.000 rpm max.


 Sensor touch operation /  
LED multifunction display

 Extra large stainless steel  
filler spout (75 mm Ø)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-AE 1156	501 156	620 / 1280 / 1474
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 115 604	260 x 400 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 039 634	365 x 423 x 267 mm



4 006160 115604





Incl. 2 removable mixing containers (600 ml each)



<b>PC-SM 1153</b>	<b>Smoothie maker</b>	
Ideal for pureeing, beating, chopping up, shaking		
Stainless steel housing and stainless steel blade		
Incl. 2 removable mixing containers (600 ml each)		

<b>PC-UM 1213</b>	<b>Universal mixer</b>	
Compact universal mixer with 1 litre capacity		
Stainless steel housing		
6-fold stainless steel blade with „piranha“ cut (rustproof)		

- > Smoothie maker for pureeing, beating, chopping up, shaking and mixing, consisting of base, 2 mixing containers and lid with drinking aperture
- > „Mix & Go“ – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- > Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- > Stainless steel housing
- > Incl. recipe suggestions
- > Mixing container made of tritan (BPA free) also suitable as drinking cup
- > Incl. lid with drinking aperture
- > Ideal for kitchen, bar and on the road
- > Powerful 400 watt motor
- > 1 speed level (pulse function)
- > 2 removable mixing containers made of tritan (BPA free) (600 ml each)
- > Stainless steel blade (rustproof)
- > Safety circuit – operation only possible with attached container
- > Secure stand due to rubberized suction feet
- > 220–240 V, 50/60 Hz, 400 W



2 mixing containers made of tritan (BPA free) also suitable as drinking cups

- > Compact universal mixer with stainless steel housing for pureeing, beating, chopping up, shaking and mixing
- > Ice crush function
- > Incl. pulse/turbo function
- > 4 speed levels (0/1/2 + pulse/turbo function)
- > Removable solid glass mixing container with scale (1 litre)
- > BPA free
- > Lid with refill opening (approx. 45 mm Ø)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > Stainless steel rotary switch
- > Safety circuit – operation only possible with attached container
- > Secure stand due to rubberized feet
- > 220–240 V, 50/60 Hz, 500 W, 20.000 rpm max.



6-fold stainless steel blade with „piranha“ cut



Ice crush function

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-SM 1153	501 153	1400 / 2872 / 3360
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 115 383	130 x 375 x 130 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 039 696	201 x 388 x 201 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-UM 1213	501 213	1512 / 3072 / 3618
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 132	170 x 365 x 145 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
3	4 006 160 050 134	195 x 450 x 175 mm




4 006 160 115 383



4 006 160 012 132





<b>PC-UM 1195</b>	<b>Universal mixer</b>	
Solid metal housing (painted)		
Powerful long-life professional motor (800 W)		
Ice crush function		

- > Robust universal mixer in an appealing vintage look for pureeing, beating, chopping up, shaking and mixing
- > Solid metal housing (painted) with high-quality chrome applications
- > Powerful long-life professional motor (800 watt)
- > Ice crush- and turbo function
- > 4 speed levels (0/1/2 + pulse/turbo function)
- > Removable solid glass mixing container with scale (1.5 litres)
- > BPA free
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (5 cl)
- > 4-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > Rotary switch (illuminated)
- > Safety circuit – operation only possible with attached container
- > Secure stand due to suction feet
- > 220–240 V, 50/60 Hz, 800 W, 18.000 rpm max.



Rotary switch (illuminated)



4-fold stainless steel blade with „piranha“ cut (rustproof)



Can be also used as a suitable set

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-UM 1195	501 195	1800 / 3800 / 4250
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Rot	4 006 160 119 541	160 x 390 x 160 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 039 870	190 x 390 x 187 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-UM 1195	511 195	1800 / 3800 / 4250
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Anthrazit	4 006 160 119 558	160 x 390 x 160 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 039 887	190 x 390 x 187 mm





## XL mixing container



### PC-UM 1207 Universal mixer

Powerful long-life professional motor (1200 watt)

6-fold stainless steel blade with „piranha“ cut (rustproof)

Stainless steel housing



- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping up, shaking and mixing
- > Powerful long-life professional motor (1200 watt)
- > 3 electronic programs for:
  - Ice crushing
  - Smoothies/milk shakes
  - Grinding/pureeing
- > Incl. pulse/turbo function
- > Stepless, electronic speed control
- > Removable XL solid glass mixing container (1.75 litres) with stainless steel insert, incl. scale
- > BPA free
- > Lockable lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (4 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > Chromed rotary switch (blue illuminated)
- > Safety circuit – operation only possible with attached container
- > Secure stand due to rubberized suction feet
- > 220–240 V, 50/60 Hz, 1200 W, 21.000 rpm max.



6-fold stainless steel blade with „piranha“ cut



Chromed rotary switch (blue illuminated)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1207	501 207	800 / 1650 / 1930
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 012 071	180 x 440 x 200 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 043 228	250 x 495 x 240 mm



## XL mixing container



6-fold stainless steel blade with „piranha“ cut (rustproof)



Electronic



## PC-UM 1006

## Universal mixer

Powerful long-life professional motor (1200 watt max.)

6-fold stainless steel blade with „piranha“ cut (rustproof)

Stainless steel housing



- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping up, shaking and mixing
- > Powerful long-life professional motor (1200 watt max.)
- > 5 electronic speed levels plus ice crush and turbo function
- > Removable XL solid glass mixing container with scale (1.8 litres)
- > BPA free
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (2 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > LCD display (blue illuminated)
- > Easy-to-clean soft touch panel
- > Safety circuit – operation only possible with attached container
- > Acoustic finish signal
- > Cable compartment on the base section
- > Secure stand due to rubberized feet
- > 220–240 V, 50–60 Hz, 1200 W max., 20.000 rpm max.

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1006	501 006	1008 / 2100 / 2340
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 655	210 x 400 x 200 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 534 658	245 x 485 x 215 mm




4 006160 100655



**TESTURTEIL**  
**Haus & Garten Test**  
 Endnote 1,8  
**gut**  
 ProfiCook  
 PC-UM 1127  
**Schnelles Eiscrushen und gute Milchshakes**  
 Im Test: Hochleistungsmbler  
 Ausgabe 4/2019 · www.hausgartentest.de

**XL mixing container**



8-fold stainless steel cross knife



XL mixing container – 2.0 litres (BPA free)



Electronic – High-quality multifunction display



<b>PC-UM 1127</b>	<b>Profi mixer / Smoothie maker</b>
Powerful long-life professional motor (2000 Watt)	
Electronic speed control (8 speed levels)	
9 functions	



- > Robust professional mixer/smoothie maker with aluminium die-cast housing for pureeing, beating, chopping up, shaking and mixing
- > Fruit and especially green vegetable juices prepared quickly and freshly. Rich in essential minerals for well-being, fitness and health
- > Mix and puree fruits and vegetables in seconds without crushing, also well suited for soups
- > Ideal for the preparation of vegan recipes – quick and fine shredding of the mixture like leaf green for healthy, easily digested and wholesome food
- > Powerful long-life professional motor (2000 watt) for high speeds and a flexible speed range
- > Electronic – High-quality multifunction display
- > Electronic sensor touch control panel with multifunctional display for easy operation
- > 9 functions: timer function, smoothie function (ideal for green smoothies), ice crush function, start/stop function, shake function, chop function (grinding/crushing), cleaning function, pulse function, speed
- > Electronic speed control (8 speed levels)
- > Removable XL mixing container made of tritan (BPA free) with scale (2.0 litres)
- > BPA free
- > Lid with refill opening (approx. 50 mm Ø)
- > Robust, specially ground 8-fold stainless steel cross knife for mixing/pureeing without problems
- > Secure stand due to rubberized feet
- > Incl. recipe suggestions
- > 220–240 V, 50/60 Hz, 2000 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1127	501 127	660 / 1340 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 272	190 x 470 x 210 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 885 699	290 x 505 x 260 mm



4 006160 011272





NEW!

<b>PC-KW 1247</b>	<b>Retro kitchen scale</b>	
Stainless steel housing		
Measurement range up to 5000 g		
No batteries or power supply necessary		

- > Precise stainless steel kitchen scale in nostalgic retro design
- > Stainless steel housing and bowl (polished)
- > Suitable for weighing ingredients e.g. in restaurants and bakeries
- > Bowl with approx. 0.8 litre capacity (removable)
- > Solid weighing mechanism
- > Large and easy to read analogue scale
- > Measurement range up to 5000 g
- > Tare function (additive weighing function)
- > Secure stand
- > No batteries or power supply necessary



Large and easy to read analogue scale

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KW 1247	501 247	2200 / 4500 / 5200
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 124 705	<a href="#">Data follows</a>
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 110 401	<a href="#">Data follows</a>





<b>PC-KW 1040</b>	<b>Digital kitchen scale</b>	
Stainless steel housing		
Measuring range up to 5000 g (in 1 g steps)		
Tare function (additive weighing function)		

<b>PC-KW 1061</b>	<b>Digital kitchen scale</b>	
Weighing surface made of stainless steel		
Extra large LCD display (black/white)		
On/off switch		

- > Stainless steel housing, bowl and weighing area
- > Bowl with approx. 2 litres capacity
- > Easy to read, high-quality multifunction LCD display (5-digit, blue illuminated)
- > Measurement range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: gr, ml, lb.oz, fl.oz
- > Tare function (additive weighing function)
- > Automatic shutdown increases battery life
- > On/off switch
- > Secure stand
- > Battery operation: 2x 1.5 V (AA) (batteries not included)

- > Extra-flat digital kitchen scale
- > Weighing surface made of stainless steel
- > Extra large LCD display (black/white)
- > Measurement range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: kg, g, lb, oz
- > Automatic shutdown increases battery life
- > On/off switch
- > Tare function (additive weighed function)
- > Low battery indication
- > Battery operation: 2x CR2032 (batteries included)  
*(Batteries: 2x lithium, 2.87 g)*



Multifunction LCD display (5-digit, blue illuminated)



Extra large LCD display (black/white)

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KW 1040	501 040	5200 / 9900 / 11000
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 104 011	205 x 130 x 210 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
4	4 006 160 036 350	210 x 100 x 210 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KW 1061	501 061	21996 / 43992 / 60000
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 106 114	165 x 15 x 220 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
6	4 006 160 225 464	168 x 25 x 225 mm





<b>PC-LW 1214</b>	<b>Digital spoon scale</b>	
Stainless steel housing		
Tare function (additive weighing function)		
Hold function		

- > Digital spoon scale (BPA-free) for precise weighing of small quantities of e.g. spices, tea, herbs, food supplements, flour, sugar, etc.
- > Simply portion the ingredients out of the pack, no transferring necessary
- > Also for measuring liquids (45 ml)
- > Stainless steel housing
- > LCD display
- > Easy cleaning due to removable weighing spoon
- > Measurement range up to 300 g (in 0.1 g steps)
- > Adjustable unit of measurement: g, oz
- > Tare function (additive weighed function)
- > Automatic shutdown increases battery life
- > Hold function – comfortable freezing of the measurement result
- > Handle with hanging loop
- > Low battery indication
- > Battery operation: 2x 1.5 AAA (batteries not included)



Also suitable for liquids



LCD display



<b>PC-DHT 1039</b>	<b>Digital household thermometer</b>
Stainless steel	
Temperature range: –45 °C–200 °C	
Storage function of the last measured temperature	

- > Digital household thermometer, ideal for testing cooked foods, such as roasts, meat fish and drinks such as wine, champagne, sparkling wine
- > Stainless steel
- > Temperature range: –45 °C to 200 °C
- > Quick reaction and measuring time
- > High measurement accuracy
- > Temperature can be shown in °C and in F°
- > Storage function of the last measured temperature
- > LCD display (blue illuminated)
- > Incl. silicone protection cover
- > Incl. practical hanging loop
- > Battery operation: 3x button cell (LR44) (batteries included)  
*(Batteries: 3x alkaline manganese, 1.90 g)*



LCD display (blue illuminated)



Sales-promoting display box

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-LW 1214	501 214	34000 / 69000 / 97000
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 149	63 x 255 x 30 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
10	4 006 160 729 672	90 x 255 x 30 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-DHT 1039	501 039	40200 / 88800 / 104400
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 103 915	H: 230 mm; Ø 16,5 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
12	4 006 160 036 343	62 x 250 x 27 mm



4 006160 012149



4 006160 103915



**2** in **1**



**2er Set**



<b>PC-PSM 1031</b>	<b>Electric pepper and salt mill</b>	
High-quality precision ceramic grinder		
Stainless steel housing		
Incl. light for optimum dosing		


<b>PC-PSM 1160</b>	<b>Pepper and salt mill set</b>	
2er Set – Pepper and salt mill set		
Stainless steel housing		
One-hand operation		

- > High-quality precision ceramic grinder (adjustable from coarse to fine)
- > Consistent grinding quality
- > Simple refilling
- > One-hand operating
- > Stainless steel housing
- > Incl. light for optimum dosing of the condiment
- > Battery operation: 4x 1.5 V AA/Mignon/LR/AM3 (batteries not included)

- > Pepper and salt mill set, consisting of 2 mills
- > Stainless steel housing
- > Due to its purely mechanical functioning, no batteries are needed
- > Ingenious technology: practical one-hand operation with sprung plunger
- > High-quality stainless steel grinding cylinder for salt, pepper and various spices, such as curry, garlic etc.
- > Simple refilling
- > Light and compact
- > Capacity: each approx. 30 ml



Incl. light for optimum dosing



<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-PSM 1031	501 032	11712 / 24480 / 28860
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 010 329	H: 310 mm; Ø 53 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
6	4 006 160 227 589	112 x 315 x 60 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-PSM 1160	501 160	25452 / 50904 / -
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 011 609	H: 152 mm; Ø 27 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
6	4 006 160 557 930	120 x 160 x 40 mm



## *Relaxed throughout the day*



### **> Perfect timing, impressive performance**

*Sometimes things have to happen quickly. Cooking is (often) a case of time management. If you have to reach the finishing line quickly, the hot plates, microwaves and table grills made by ProfiCook are the right sprinters for the starting line-up.*

*With impressive performances which are available to you without any long warming-up period.*

*And if you prefer to precook items or a few portions are left over, the ProfiCook vacuum sealer will help you as well to store your creations quickly and safely.*



7 litres



16 litres



<b>PC-HGA 1196</b>	<b>Hot drinks machine</b>	
Hot drinks, tea and mulled wine machine		
Stainless steel housing		
7 litres tank capacity (35 cups à 0,2 litre)		

- > High-quality hot drinks machine in continuous stainless steel housing
- > Ideal for mulled wine, tea and coffee
- > Also suitable for keeping warm or serving e.g. soups
- > 7 litres tank capacity (35 cups à 0,2 litre)
- > 1500 watt
- > 2 indicator lights
- > Lockable safety stainless steel container
- > Concealed stainless steel heating element
- > Variable, electronic temperatur control (30°C–100°C)
- > Keep warm function
- > External level indicator
- > Tap and level indicator removable for easy cleaning
- > Plastic handles (heat-insulated)
- > On/off switch (illuminated) / Overheating protection
- > 230 V, 50 Hz, 1500 W



Tap  
(removable)

Level indicator removable  
for easy cleaning



<b>PC-HGA 1111</b>	<b>Hot drinks machine</b>	
Hot drinks, tea and mulled wine machine (16 litres)		
Stainless steel housing		
Solid metal tap, chrome-plated (removable)		

- > High-quality hot drinks machine in continuous stainless steel housing
- > Ideal for mulled wine, tea and coffee
- > Also suitable for keeping warm or serving e.g. soups
- > 16 litres tank capacity (80 cups à 0,2 litre)
- > 1500 watt
- > 2 indicator lights
- > Lockable safety stainless steel container
- > Concealed stainless steel heating element
- > Variable, electronic temperatur control (30°C–100°C)
- > Solid metal tap, chrome-plated (removable)
- > Keep warm function / External level indicator
- > Tap and level indicator removable for easy cleaning
- > Plastic handles (heat-insulated)
- > On/off switch / Overheating protection
- > 230 V, 50 Hz, 1500 W



Solid metal tap, chrome-  
plated (removable)

Level indicator removable  
for easy cleaning



<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-HGA 1196	501 196	866 / 1773 / 2000
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 119 602	280 x 390 x 290 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 359 336	265 x 440 x 265 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-HGA 1111	501 111	479 / 1120 / 1260
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 111 125	340 x 470 x 335 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 225 570	335 x 515 x 335 mm



4 006160 119602



4 006160 111125



## INCL.

Yogurt maker function

Keep warm function

Defrost function



Sensor touch operation

**Sous Vide***The new trend in five star cuisine – precise vacuum cooking**Gentle method of food preparation for rich flavoured results.**Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.*

For all heat-resistant vessels with a height of approx. 15 cm or more



LED multifunction display



PC-SV 1126

Sous vide cooker

Precise cooking of food

Stainless steel housing

Sensor touch control panel



- > Stainless steel housing with ergonomic soft touch handle (IPX7)
- > Pinpoint cooking of food by electronic temperature control (max. deviation +/- 0.5 °C)
- > Vitamins, nutrients and flavours are retained
- > Incl. yoghurt maker function, keep warm function and defrost function
- > Water circulation: 7–8 l/min.
- > LED multifunction display for:
  - Selected temperature
  - Actual temperature
  - Timer
- > Sensor touch control panel
- > Temperature setting 40 °C–90 °C (in 0,5 °C steps)
- > Automatic switch-off at low water level
- > 99 hours timer
- > For all heat-resistant vessels from approx. 15 cm height
- > Integrated fixing clamp
- > User-friendly and easy to clean
- > 220–240 V, 50/60 Hz, 800 W



Fitting accessories:

see pages 61–64 – not included

**Vacuum sealer**  
 PC-VK 1080 | PC-VK 1133 | PC-VK 1134 | PC-VK 1146


Product:	Art. no:	20" / 40" / HQ-Container:
PC-SV 1126	501 126	3644 / 7288 / 8156
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 265	390 x 70 x 105 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 874 372	130 x 450 x 110 mm

Spare bags PC-VK 1015/1080/1133/1134/1146



- 50 pcs. à 22 x 30 cm  
Art. no.: 8910151  
Art. EAN: 4 006 160 101 515
- 50 pcs. à 28 x 40 cm  
Art. no.: 8910152  
Art. EAN: 4 006 160 101 522

Foil rolls PC-VK 1015/1080/1133/1134/1146



- 2 rolls à 28 cm x 6 m  
Art. no.: 8910155  
Art. EAN: 4 006 160 101 553



4 006160 011265



**Sous Vide**

*The new trend in five star cuisine – precise vacuum cooking  
Gentle method of food preparation for rich flavoured results.  
Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.*

**TESTMAGAZIN - URTEIL**  
Proficook PC-SV 1159 WiFi - Sous Vide Garer

<b>GUT</b>	<b>88,1 %</b>
Im Test: 10 Sous-Vide-Sticks Testurteile: 5x sehr gut, 5x gut www.dtm-testmagazin.de	Heft 05/2019



**Free App:**



**INCL.**

Yogurt maker function

Keep warm function

Defrost function



<b>PC-SV 1159</b>	<b>WiFi-Sous vide cooker</b>
Sous vide cooker with WLAN function	
Precise cooking of food	
Free App available	



- > Sous vide cooker with WLAN<sup>1)</sup> function
- > Additional functionality via smartphone and tablet PC<sup>2)</sup> with free app<sup>3)</sup> via
- > Incl. numerous app-controlled automatic programs for precise cooking of various foodstuffs
- > Vitamins, nutrients and flavours are retained
- > Automatic temperature and time adjustment via selected program
- > Waterproof aluminium case with integrated fixing clamp (IPX7)
- > Pinpoint cooking of food by electronic temperature control (max. deviation +/- 0.5 °C)
- > Incl. yoghurt maker function, keep warm function and defrost function
- > Water circulation: 7–8 l/min.
- > LED multifunction display for: – selected temperature; – actual temperature; – timer
- > Individual near use of the appliance without app-control possible
- > Sensor touch control panel
- > Temperature setting 0 °C–90 °C (in 0,5 °C steps)
- > Automatic switch-off at low water level
- > 99 hours timer
- > For all heat-resistant vessels from approx. 15 cm height
- > User-friendly and easy to clean
- > 220–240 V, 50/60 Hz, 1000 W

<sup>1)</sup> 2.4 GHz WLAN (the 5 GHz standard is unsupported)  
<sup>2)</sup> Smartphone and tablet PC not included  
<sup>3)</sup> Apple system requirements: iOS 9.0 or higher;  
Android system requirements: Android 4.4 or higher

**Fitting accessories:** see pages 61–64 – not included

**Vacuum sealer**  
PC-VK 1080 | PC-VK 1133 | PC-VK 1134 | PC-VK 1146

For all heat-resistant vessels with a height of approx. 15 cm or more



LED multifunction display



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SV 1159	501 159	5000 / 10000 / 12000
Colour:	Art. EAN:	Device (W x H x D):
Aluminium	4 006 160 115 918	310 x 88 x 53 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 039 504	370 x 105 x 105 mm



### Sous Vide

*The new trend in five star cuisine – precise vacuum cooking  
Gentle method of food preparation for rich flavoured results.  
Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.*

### INCL.

Gentle cooking function

Yogurt maker function

Keep warm function



Incl. stainless steel rack and tong



### PC-SV 1112 Sous vide cooker

Precise cooking of food

Stainless steel housing

8.5 litres capacity



LCD display (blue illuminated)



Incl. stainless steel rack to insert the food

- > Stainless steel housing
- > Pinpoint cooking of food by electronic temperature control (max. deviation +/- 0.5°C)
- > Vitamins, nutrients and flavours are retained
- > Incl. gentle cooking function, yoghurt maker function and keep warm function
- > LCD display (blue illuminated)
- > Temperature setting 45°C–90°C
- > 72 hours timer
- > 8.5 litres capacity
- > Cooking tray (non-stick coated)
- > Large viewing window in the lid
- > Incl. tong and stainless steel rack to insert the food
- > 220–240 V, 50/60 Hz, 520 W

Fitting accessories:

see pages 61–64 – not included

### Vacuum sealer

PC-VK 1080 | PC-VK 1133 | PC-VK 1134 | PC-VK 1146



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SV 1112	501 112	716 / 1472 / 1656
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 224	410 x 210 x 300 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 210	450 x 230 x 330 mm

Spare bags PC-VK 1015/1080/1133/1134/1146



- 50 pcs. à 22 x 30 cm  
Art. no.: 8910151  
Art. EAN: 4 006 160 101 515
- 50 pcs. à 28 x 40 cm  
Art. no.: 8910152  
Art. EAN: 4 006 160 101 522

Foilrolls PC-VK 1015/1080/1133/1134/1146



- 2 rolls à 28 cm x 6 m  
Art. no.: 8910155  
Art. EAN: 4 006 160 101 553



4 006 160 111 224



**Sous Vide**

*The new trend in five star cuisine – vacuum cooking*

*Gentle method of food preparation for rich flavoured results. Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.*

**ETM TESTMAGAZIN - URTEIL**

Proficook PC-VK 1146	
<b>GUT</b>	<b>86,9 %</b>
Im Test: 16 Vakuumierer Testurteile: 6x sehr gut, 10x gut www.etm-testmagazin.de	Heft 05/2019



Preservation and freshness without preservatives



<b>PC-VK 1146</b>	<b>Vacuum sealer</b>	
Stainless steel housing		
Suction power: 12 litres/min.		
Vacuum cooking – extremely careful preparation		

- Sealing:**
- > Shelf life and freshness without preservatives
  - > Space-saving storage
  - > No freezer burn
  - > More intensive aroma
  - > Vacuum cooking

- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space-saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a more intensive aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, sturdy weld seam for reliable storage
- > Electronic sensor touch control panel
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 12 litres/min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories: additional spare bags and foil rolls (see pages 65 and 96)

- > Incl. 18 professional airtight bags with diagonally corrugated structure for optimum sealing results (10 pieces at 22 cm x 30 cm / 8 pieces at 28 cm x 40 cm, also available as accessories)
- > Suitable for cooking and microwave
- > 4 indicator lights
- > Drip tray for residual moisture (removable)
- > Secure stand
- > 220–240 V, 50–60 Hz, 120 W max.

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-VK 1146	501 146	2646 / 5384 / 6298
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 114 607	375 x 75 x 160 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 552 317	412 x 190 x 115 mm



Drip tray for residual moisture (removable)



Electronic sensor touch control panel



### Sous Vide

*The new trend in five star cuisine – vacuum cooking*

*Gentle method of food preparation for rich flavoured results. Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.*



*Preservation and freshness without preservatives*



#### PC-VK 1080

#### Vacuum sealer

Stainless steel housing

Suction power: 12 litres/min.

Vacuum cooking – extremely careful preparation



#### Sealing:

- > Shelf life and freshness without preservatives
- > Space-saving storage
- > No freezer burn
- > More intensive aroma
- > Vacuum cooking

- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space-saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a more intensive aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, sturdy weld seam for reliable storage
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 12 litres/min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories:  
additional spare bags and foil rolls (see pages 65 and 96)

- > Incl. 18 professional airtight bags with diagonally corrugated structure for optimum sealing results (10 pieces at 22 cm x 30 cm / 8 pieces at 28 cm x 40 cm, also available as accessories)
- > Suitable for cooking and microwave
- > 6 indicator lights
- > Drip channel for residual moisture
- > Cord storage
- > Secure stand
- > 220–240 V, 50 Hz, 120 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1080	501 080	3840 / 7800 / 8920
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 800	380 x 63 x 155 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 357	385 x 210 x 75 mm



**SIEGER PREIS/LEISTUNG**  
**Haus & Garten Test**  
 Endnote 1,6  
**gut**  
 ProfiCook  
 PC-VK 1133  
**Hochwertiges Gerät mit zwei Vakuu-  
 mierschichten für einen günstigen Preis**  
 Im Test: Vakuuierer der Oberklasse  
 Ausgabe 5/2018 - www.hausgartentest.de

**Sous Vide**  
*The new trend in five star cuisine – vacuum cooking*  
 Gentle method of food preparation for rich flavoured results.  
 Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.



Preservation and freshness without preservatives



<b>PC-VK 1133</b>	<b>Vacuum sealer</b>	
Stainless steel housing		
Suction power: 12 litres/min.		
Vacuum cooking – extremely careful preparation		

- Sealing:**
- > Shelf life and freshness without preservatives
  - > Space-saving storage
  - > No freezer burn
  - > More intensive aroma
  - > Vacuum cooking

- > Fully automatic and powerful vacuum sealer with stainless steel housing (vertical design)
- > Ideal for dividing large quantities of food into smaller portions
- > Space-saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a more intensive aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, sturdy weld seam for reliable storage
- > Electronic sensor touch control panel
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 12 litres/min.
- > Approx. 90% vacuum, -0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories: additional spare bags and foil rolls (see pages 65 and 96)

- > Incl. 10 professional airtight bags with diagonally corrugated structure for optimum sealing results (5 pieces at 22 cm x 30 cm / 5 pieces at 28 cm x 40 cm + 1x foil roll 20 x 200 cm, also available as accessories)
- > Suitable for cooking and microwave
- > 4 indicator lights
- > Drip tray for residual moisture (removable)
- > Cord storage
- > Secure stand
- > 220–240 V, 50/60 Hz, 110 W

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-VK 1133	501 133	1870 / 3870 / 4240
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 113 303	450 x 170 x 85 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 573 190	470 x 220 x 120 mm



Drip tray for residual moisture (removable)



Electronic sensor touch control panel





### Sous Vide

The new trend in five star cuisine – vacuum cooking

Gentle method of food preparation for rich flavoured results.

Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.



### PC-VK 1134

### Vacuum sealer

Stainless steel housing

Suction power: 24 litres/min.

Vacuum cooking – extremely careful preparation



### Sealing:

- > Shelf life and freshness without preservatives
- > Space-saving storage
- > No freezer burn
- > More intensive aroma
- > Vacuum cooking


- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space-saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a more intensive aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, sturdy weld seam for reliable storage
- > Electronic sensor touch control panel
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 24 litres/min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories:  
 additional spare bags and  
 foil rolls (see pages 65 and 96)

- > Incl. 10 professional airtight bags with diagonally corrugated structure for optimum sealing results (5 pieces at 22 cm x 30 cm / 5 pieces at 28 cm x 40 cm + 1x foil roll 20 x 200 cm, also available as accessories)
- > Space-saving foil depot with integrated cutting knife for precise cutting of the foil to size
- > Suitable for cooking and microwave
- > 8 indicator lights
- > Drip channel for residual moisture
- > Cord storage
- > 220–240 V, 50/60 Hz, 120 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1134	501 134	1400 / 2900 / 3276
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 340	430 x 100 x 210 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 223 705	460 x 255 x 140 mm



Drip channel for  
 residual moisture



Space-saving foil reel with  
 integrated cutting knife



Electronic sensor touch  
 control panel



4 006160 011340





## Vacuum & Sous Vide Accessories

### Fresh for up to 8 times longer – Thanks to ProfiCook!

Health is currently extremely popular – Our vacuum foils keep food fresh for longer, saving you time, and with the assistance of ProfiCook helping you maintain a healthy diet. Start the freshness initiative.

All bags come with a diagonal rib structure for great stability and tensile strength.

Whether as a foil bag for direct processing or as a foil roll, here you will find the right accessories.

More benefits at a glance:

- The freshness and shelf life of food is extended by up to 8 times
- Perfect for portioning food
- Suitable for cooking and the microwave
- Usable in the oven (up to 100 °C / 212 °F) as well
- Washable
- Tear-resistant due to high foil strength
- Sturdy weld seam
- No preservatives
- Food stays fresh longer / preserve their nutrients and ingredients
- No freezer burn and loss of flavour
- Rib structure for an ideal vacuum
- Odourless and tasteless

Sous Vide – Cooking in a vacuum bag for a tasty and gentle preparation



#### Spare bags for:

**PC-VK 1015/1080/1133/1134/1146**

- 50 pieces à 22 x 30 cm

Art. no.: 8910151

Art. EAN: 4 006 160 101 515

- 50 pieces à 28 x 40 cm

Art. no.: 8910152

Art.-EAN: 4 006 160 101 522



#### Foil rolls for:

**PC-VK 1015/1080/1133/1134/1146**

- 2 rolls à 28 cm x 6 m

Art. no.: 8910155

Art. EAN: 4 006 160 101 553



Sensor touch-control panel



### PC-DR 1218

### Stainless steel food dryer

LED display with sensor touch operation

Electronic timer (30 min. to 24 hrs.)

Heat-insulated stainless steel housing (double-walled)



- > Stainless steel food dryer for drying fruit, vegetables, herbs, meat, mushrooms, fish and more. Rich in essential minerals for well-being, fitness and health
- > Drying is a very gentle method – all ingredients are preserved
- > Preparation of e.g. muesli bars, beef jerky, dried vegetable broth, granola or vegetable chips possible
- > **HIGH-PERFORMANCE:** Dries fruit, vegetables, meat and other foods in record time to produce delicious, long-lasting snacks and ingredients without food additives.
- > **RIGHT TEMPERATURE:** Whether preparing vitamin-rich dried fruit such as apple and banana chips or healthy vegetables such as dried tomatoes – the right temperature can be set for every taste.
- > **AIRFLOW CIRCULATION:** Even heat distribution thanks to 360° airflow circulation and a digital thermostat ensure that no water remains in the food and that the drying time is short.
- > **EASY CLEANING:** Cleaning after the drying process is not complicated at all: the 6 stainless steel storage grids, the non-stick insert and the drip tray can be rinsed off easily.
- > Also suitable for preparing high-quality pet food/treats such as dried meat
- > Large interior with up to 6 usable levels (0.6 m<sup>2</sup>\*)
- > Comes with 6 stainless steel storage grids (33 x 30.5 cm per grid) for various dried foods (durable, food safe, hygienic, easy to clean, dishwasher-safe)




Incl. 6 stainless steel storage grids/  
drying trays for various dried foods



**AIRFLOW CIRCULATION:** Even heat distribution thanks to 360° airflow circulation and a digital thermostat

- > Heat-insulated stainless steel housing (double-walled)
- > Glass door with large viewing window
- > Temperature setting: 35–75 °C in 5 °C steps
- > Digital thermostat included
- > Electronic temperature display (°C)
- > Electronic timer (30 min.–24 hrs.) with digital display for remaining time
- > Switch-off function with beep
- > LED display with sensor touch operation
- > Convenient recessed handles
- > Overheating protection
- > Accessories: 6x stainless steel storage grids, 1x non-stick insert, 1x drip tray for fat residues and crumbs (BPA-free)
- > 220–240 V, 50–60 Hz, 550–650 W

\*) For processing/drying foods that contain large amounts of water such as apples, pineapple etc.



**Large interior with up to 6 usable levels (0.6 m<sup>2</sup>\*)**

Product:	Art. no:	20" / 40" / HQ-Container:
PC-DR 1218	501 218	390 / 780 / 900
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 012 187	340 x 315 x 455 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 221 756	485 x 356 x 375 mm



4 006160 012187





<b>PC-DR 1116</b>	<b>Food dryer</b>	
Stainless steel housing		
7-step, electronic temperature setting		
Circulation fan, air circulation function		

<b>PC-MWG 1208</b>	<b>Microwave with grill</b>	
17 litres capacity		
900 watt grill / 700 watt microwave		
Stainless steel handle		

- > Foot dryer for drying fruit, vegetables, herbs, meat etc.  
Rich in essential minerals for well-being, fitness and health
- > 7 step, electronic temperature setting (40–70 °C)
- > Electronic temperature display (switchable °C / °F)
- > Electronic timer (1–48 hours) with time remaining indicator
- > LCD display
- > Variable use due to 4 large (32 x 25 cm), transparent and stackable levels (easy cleaning) for up to 2 kg of food to be dried\*)
- > Circulation fan, air circulation function
- > Overheating protection
- > Non-slip stand due to rubberized feet
- > 230 V, 50/60 Hz, 350 W

\*) For processing/drying foods that contain large amounts of water such as apples, pineapple etc.

- > 900 watt grill power
- > 700 watt microwave power
- > 17 litres oven capacity
- > 6 microwave power levels incl. defrost function
- > 3 levels in combined operation grill/microwave
- > 1 grill level
- > 30 minutes timer with end signal
- > Rotating plate: Ø approx. 24.5 cm
- > Oven compartment light
- > Stainless steel handle
- > Rotary knobs with high-quality chrome applications
- > Large viewing window
- > 230 V, 50 Hz, 1150 W

**Foot dryer for drying fruit, vegetables, herbs, meat etc. Rich in essential minerals for well-being, fitness and health.**



Variable use due to 4 large and stackable levels



LCD display (temperature and time remaining indicator)

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-DR 1116	501 116	798 / 1634 / 1852
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 501 117	340 x 260 x 260 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 874 365	373 x 293 x 300 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-MWG 1208	501 208	462 / 924 / 1186
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Black	4 006 160 012 088	446 x 243 x 323 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 050 127	466 x 268 x 395 mm



**2**<sup>in</sup>  
1

**3**<sup>in</sup>  
1

*Reflecting glass front*

*Reflecting glass front*
**PC-MWG 1175 Microwave with grill**

20 litres capacity

1000 watt grill / 800 watt microwave

Reflecting glass front



- > Large 20 litres oven capacity
- > 1000 watt grill power, 800 watt microwave power
- > Stainless steel interior
- > Reflecting glass front
- > Quick start function
- > 2 levels in combined operation grill/microwave
- > 5 microwave power levels
- > 1 grill level
- > 9 automatic programs incl. defrost program
- > Timer function with up to 24 h time delay
- > 60 minutes timer with end signal
- > Rotating plate: Ø approx. 27.0 cm
- > Grilling grid: Ø approx. 22.0 cm
- > Multifunction display with digital clock
- > Child lock
- > Oven compartment light
- > 230 V, 50 Hz, 1280 W

*Reflecting glass front  
with multifunction  
display and digital clock*

**PC-MWG 1176 H Microwave, grill and convection**

23 litres capacity

2300 watt convection / 1300 watt grill / 800 watt microwave

Reflecting glass front



- > Large 23 litres oven capacity
- > 2300 watt convection, 1300 watt grill power, 800 watt microwave power
- > Stainless steel interior
- > Reflecting glass front
- > Quick start function
- > 5 microwave power levels
- > 7 convection temperature levels
- > 1 grill level
- > 2 levels in combined operation grill/microwave
- > 2 levels in combined operation microwave / convection oven
- > 9 automatic programs incl. defrost program
- > Timer function with up to 24 h time delay
- > 60 minutes timer with end signal
- > Rotating plate: Ø approx. 27.0 cm
- > Grilling grid: Ø approx. 22.0 cm
- > Multifunction display with digital clock
- > Child lock
- > Oven compartment light
- > 230 V, 50 Hz, 2300 W

*Reflecting glass front  
with multifunction  
display and digital clock*


<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-MWG 1175	501 175	540 / 1100 / 1230
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Silver	4 006 160 011 753	450 x 255 x 340 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 590 012	478 x 288 x 382 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-MWG 1176 H	501 176	380 / 780 / 880
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Silver	4 006 160 011 760	490 x 276 x 395 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 589 689	545 x 306 x 436 mm



4 006160 011753




4 006160 011760



## Vertical door opening



Reflecting glass front



<b>PC-MWG 1204</b>	<b>Microwave with grill</b>	
23 litre scapacity		
Glass-ceramic bottom		
Reflecting glass front		


<b>PC-EKP 1210</b>	<b>Infrared single hotplate</b>	
Stainless steel housing		
Glass-ceramic cooking surface		
2000 watt		

- > Large 23 litres oven capacity
- > Flat cooking chamber bottom for maximum flexibility
- > Glass-ceramic bottom, thus 55% bigger amount of usable space – also suitable for square plates and great for all casserole dishes
- > Convenient, vertically opening mirror door
- > Double glazed vertical door with high-quality stainless steel handle
- > Easy Clean – Easy to clean due to the flat bottom
- > Special Power Boost Technology – Concentrated microwave power on the premium-quality Easy Clean glass ceramic bottom
- > 800 watt microwave power
- > 1000 watt grill power
- > Reflecting glass front
- > Quick start function
- > 5 microwave power levels
- > 1 grill level
- > 2 levels in combined operation grill/microwave
- > 8 automatic programs / 3 defrost programs
- > Timer function with up to 24 h time delay
- > 60 minutes timer with end signal
- > Grilling grid: 24 x 24 cm
- > Multifunction display with digital clock
- > Simple operation
- > Child lock
- > Oven compartment light
- > 230 V, 50 Hz, 1280 W



55% larger usable area due to omission of the turntable

- > Infrared single hotplate with high-quality glass-ceramic cooking surface
- > Infrared technology:
  - Energy saving
  - Short preheating phase
  - Significantly faster heating
  - Faster reaction time
- > Scratch-resistant smooth cooking surface (very easy to clean)
- > Suitable for all types of pots
- > Stepless temperature control via stainless steel control knob
- > LED indicator light
- > Robust aluminium handles (heat-insulated)
- > Overheating protection
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 2000 W



Scratch-resistant smooth cooking surface (very easy to clean)

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-MWG 1204	501 204	335 / 685 / 765
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Black	4 006 160 212 044	495 x 295 x 400 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 050 110	550 x 345 x 435 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-EKP 1210	501 210	1838 / 3774 / 4386
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 012 101	380 x 79 x 326 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 120 912	406 x 350 x 95 mm



4 006 160 212 044



4 006 160 012 101





### PC-DKP 1211 Infrared double hotplate

Stainless steel housing  
Glass-ceramic cooking surface  
2800 watt



### PC-EKI 1062 Induction single hotplate

Heating only takes seconds thanks to induction technology  
Eco-friendly glass-ceramic cooking surface  
2000 watt



- > Infrared double hotplate with high-quality glass-ceramic cooking surface
- > Infrared technology:
  - Energy saving
  - Short preheating phase
  - Significantly faster heating
  - Faster reaction time
- > Scratch-resistant smooth cooking surface (very easy to clean)
- > Suitable for all types of pots
- > Stepless temperature control via stainless steel control knob
- > LED indicator light
- > Robust aluminium handles (heat-insulated)
- > Overheating protection
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 2800 W



Scratch-resistant smooth cooking surface (very easy to clean)

- > Induction single hotplate with high-quality, eco friendly glass-ceramic cooking surface
- > Scratch-resistant smooth cooking surface (very easy to clean)
- > Heating only takes seconds thanks to induction technology
- > ECO-Save – 55% time savings compared to conventional hotplates, no preheating phase, energy saving
- > Automatic pot detection – automatic switch-off in the case of non-induction pots
- > 10 power levels and 10 temperature levels with LED indication (60°C–240°C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 3 LED indicator lights
- > 180 minutes timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot
- > Child lock
- > High stability due to non-slip feet
- > Overheating protection
- > 220–240 V, 50/60 Hz, 2000 W

Electronic sensor touch control panel with display for comfortable operation



Product:	Art. no:	20" / 40" / HQ-Container:
PC-DKP 1211	501 211	1082 / 2224 / 2584
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 012 118	661 x 68 x 296 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 120 929	684 x 350 x 95 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-EKI 1062	501 062	1992 / 3998 / 4660
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 206	290 x 65 x 370 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 982	320 x 413 x 90 mm




4 006160 012118



4 006160 106206





<b>PC-DKI 1067</b>	<b>Induction double hotplate</b>	
2x 6 power levels and 10 temperature levels		
High-quality, eco-friendly glass-ceramic cooking surface		
3500 watt max.		

<b>PC-ITG 1130</b>	<b>Induction table grill</b>	
2 in 1 – Induction table grill and induction single hotplate		
High-quality, eco-friendly glass-ceramic cooking surface		
2000 watt		

- > Induction double hotplate with high-quality, eco-friendly glass-ceramic cooking surface
- > Scratch-resistant smooth cooking surface (very easy to clean)
- > Heating only takes seconds thanks to induction technology
- > ECO-Save – 55 % time savings compared to conventional hotplates, no preheating phase, energy saving
- > Automatic pot detection – automatic switch-off in the case of non-induction pots
- > LED display
- > Each hob with 16 function levels – 6 power levels and 10 temperature levels (60°C–240°C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 2x 3 LED indicator lights
- > 180 minutes timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot
- > High stability due to non-slip feet
- > Overheating protection
- > 220–240 V, 50/60 Hz, 3500 W max.

- Induction single hotplate:**
- > High-quality, eco-friendly glass-ceramic cooking surface
  - > Scratch-resistant smooth cooking surface (very easy to clean)
  - > Automatic pot detection – automatic switch-off in the case of non-induction pots
- General:**
- > 2 in 1 – Induction table grill and induction single hotplate
  - > Heating only takes seconds thanks to induction technology
  - > ECO-Save – 55 % time savings compared to conventional hotplates, no preheating phase, energy saving
  - > 10 power levels and 10 temperature levels with LED display (60°C–240°C)
  - > Electronic sensor touch control panel with display for comfortable operation
  - > 3 LED indicator lights
  - > 180 minutse timer with automatic switch-off and end signal
  - > Countdown indication on the LED display
  - > Automatic switch-off after 120 min. without operation
  - > Automatic switch-off after removal of the pot/plate
  - > Child lock
  - > High stability due to non-slip feet
  - > 220–240 V, 50/60 Hz, 2000 W max.
- Grill plate:**
- > Scratch-resistant, ceramic coated aluminium grill plate with extra deep grooves for strong grill pattern and optimal fat drain – retains and distributes the heat perfectly (easy to clean)
  - > Fat-free, odourless and clean
  - > Ideal for roasting, cooking and braising fish, meat and vegetables
  - > Grill area: approx. 25 x 23 cm



Electronic sensor touch control panel with display for comfortable operation



Scratch-resistant, ceramic coated aluminium grill plate with extra deep grooves for strong grill pattern and optimal fat drain  
Induction single hotplate



<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-DKI 1067	501 067	986 / 1976 / 2410
<b>Colour:</b> Black /	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 106 701	605 x 65 x 365 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 038 064	635 x 420 x 90 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-ITG 1130	501 130	1240 / 2580 / 3096
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Black	4 006 160 011 302	290 x 65 x 370 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 224 900	340 x 140 x 413 mm





Product video



<b>PC-KG 1029</b>	<b>Contact grill</b>	
2000 watt		
Stainless steel housing		
Continuously adjustable thermostat		

- > Contact grill for double-sided, fat-free grilling
- > Barbecue grill – 180° opening enables grilling on a double surface
- > 2000 watt
- > Stainless steel housing
- > Central fat drainage channel and collecting tray (tray removable for easy cleaning)
- > Continuously adjustable thermostat
- > Short cooking times
- > Non-stick grill plates with extra deep grooves for strong grill pattern and optimal fat drain
- > Grill plates removable for easy cleaning
- > Large, heat-insulated handle with soft touch insert
- > On/off switch
- > 2 indicator lights for power and heating
- > Temperature „ready“ display
- > Large grilling surfaces: 23 x 29 cm
- > Versatile, can be used for e. g. panini, steaks, fish, vegetables, eggs or desserts
- > 220–240 V, 50/60 Hz, 2000 W



Continuously adjustable thermostat



180° opening enables grilling on a double surface

<b>PC-TYG 1143</b>	<b>Grill / Teppanyaki grill</b>	
High-quality, environmentally-friendly bamboo frame		
Removable stainless steel fat collecting tray		
Continuously adjustable thermostat		

- > High-quality and environmentally-friendly bamboo frame connects a natural appearance and traditional Japanese cuisine
- > Grill/Teppanyaki grill with appealing bamboo design
- > Japanese barbecue on the table (healthy and low in calories)
- > Combined grill plate for grilling fish (smooth surface) or meat (extra deep grooves for an intense grill pattern)
- > Grill area: approx. 51 x 25 cm
- > Fat-free, odour-neutral and clean
- > Continuously adjustable thermostat (removable)
- > Scratch-resistant, ceramic-coated grill plate – stores and distributes the heat in an optimal way
- > Grill plate removable (easy to clean)
- > Innovative fat drain system – different-height fluting for better fat draining
- > Drainage channel for excess fat
- > Removable stainless steel fat collecting tray (easy to clean)
- > Secure stand
- > 220–230 V, 50/60 Hz, 2000–2200 W



Removable stainless steel fat collecting tray (easy to clean)

Continuously adjustable thermostat (removable)



<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-KG 1029	501 029	916 / 1900 / 2230
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 102 918	340 x 145 x 320 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
2	4 006 160 227 840	400 x 375 x 176 mm

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-TYG 1143	501 143	1240 / 2500 / 2730
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Wood / Black	4 006 160 114 300	580 x 60 x 300 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 063 875	625 x 330 x 92 mm



4 006 160 1029 18



4 006 160 114300







<b>PC-RG 1144</b>	<b>2 in 1 – Raclette grill</b>
2 in 1 – Hot stone and raclette grill for up to 10 persons	
Natural grill stone for a healthy, low-fat grilling	
Continuously adjustable thermostat	



- > 2 in 1 – Raclette grill with hot stone and turning cast-iron plate
- > For grilling and baking
- > Turning cast-iron plate – combined grill surface for grilling of fish (smooth surface) or meat (extra deep grooves for strong grill pattern)
- > Natural grill stone for a healthy, low-fat grilling
- > Total grill area: approx. 48.5 x 24 cm (2x approx. 24 x 24 cm)
- > 10 small pans, 10 wooden spatula
- > Stainless steel handles (heat-insulated)
- > Continuously adjustable thermostat
- > Indicator light (blue illuminated)
- > Grill plates and pans non-stick coated (easy to clean)
- > 220–240 V, 50/60 Hz, 1700 W



Combined grill surface for grilling of fish or meat (turning cast-iron plate)



Natural grill stone for a healthy and low-fat grilling

Continuously adjustable thermostat

Product:	Art. no:	20" / 40" / HQ-Container:
PC-RG 1144	501 144	772 / 1564 / 1850
Colour:	Art. EAN:	Device (W x H x D):
Edelstahl	4 006 160 114 409	622 x 133 x 241 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 013 412	640 x 186 x 273 mm



4 006160 114409



**2** in  
1**8****Stainless steel pot****NEW!****PC-RG/FD 1245 Raclette/fondue combination**

2 in 1 Raclette/fondue combination

Practical keep-warm function (natural stone)

2 continuously adjustable heating elements

- > Practical 2 in 1 raclette/fondue combination
- > 2 continuously adjustable thermostats
- > 2 separate heating circuits: raclette and fondue can be switched independently
- > Raclette:
  - Grill area incl. fat collecting groove: approx. Ø 40.0 cm
  - 8 pans, 8 wooden spatulas
  - For grilling and browning
- > Fondue:
  - Filling capacity up to 0.6 litre
  - Splash protection with fork holder (removable)
  - 8 forks
  - Also perfect for cheese or chocolate fondue
  - Stainless steel (rustproof)
  - Dishwasher-safe
- > Incl. natural stone (Ø approx. 13 cm) to keep ready-grilled food warm and cooking fish and vegetables gently
- > 3 indicator lights
- > Grill plate and pans non-stick coated (easy to clean)
- > Flexible use due to extra-long comfort cable (approx. 2 m)
- > 220–240 V, 50–60 Hz, 1900 W



Raclette



Fondue

*Also suitable for keeping sauces, dips and soups warm**Incl. natural stone: Gentle cooking of fish and vegetables / Keep-warm zone*

Product:	Art. no:	20" / 40" / HQ-Container:
PC-RG/FD 1245	501 245	550 / 1140 / 1300
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 409	409 x 225 x 407 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 013 412	624 x 450 x 167 mm





High-quality stainless steel front and hood



Foldable, space-saving side tables – also ideal for balcony (approx. 61 cm wide)

<b>PC-GG 1128</b>	<b>Gas grill</b>	
2 stainless steel burners		
High-quality stainless steel front and hood		
Folding side tables		

- > 2 heating zones for separate temperature control
- > Stainless steel control panel
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Massive control knobs for continuous temperature setting
- > 43 x 39 cm grill area, consisting of 2 enamelled grilling grids
- > 43 cm stainless steel warming rack
- > Large, extractable fat collecting tray for easy cleaning
- > The operating height of 85 cm allows for easy and ergonomic operation
- > Large housing cabinet (suitable to fit a 5 kg gas cylinder)
- > 2 stainless steel burners
- > Enamelled steel burner cover
- > Housing cabinet and side trays made of powder-coated steel
- > Side tables (foldable)
- > 2 wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria



Incl. temperature display



Separated grill area:  
2 enamelled grilling grids

<b>Specifications</b>	
Burners: 2	Main burner: 2x 12,000 BTU / 3.15 kW; 24,000 BTU / 6.3 kW
Gas consumption: 450 gr/h	Operating pressure: 50 mbar
Gas category: I3B/P(50)	Ignition: Piezo ignition system
Gas type: butane, propane or their mixtures	Target destinations: D, A
CE certification: ITS institute, certification number: 0359CT03067	

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-GG 1128	501 128	168 / 354 / 413
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 011 289	1120 x 1110 x 570 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	-	502 x 895 x 367 mm





High-quality stainless steel front, doors and hood

### PC-GG 1219 Gas grill

3 stainless steel burners + additional cooking area (3+1)

High-quality stainless steel front, doors and hood

Large grill area: 66 x 38 cm




- > 3 heating zones for separate temperature control
- > Additional cooking area
- > Stainless steel control panel
- > Integrated bottle opener made of stainless steel
- > Incl. 2 cast-iron grilling grids – optimally store the heat for the perfect preparation of the food to be grilled
- > Soft touch control knobs for continuous temperature setting
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > 66 x 38 cm grill area, consisting of 2 cast-iron grilling grids
- > 66 cm warming rack (enamelled)
- > Large, extractable fat collecting tray for easy cleaning
- > The operating height of 85 cm allows for easy and ergonomic operation
- > Foldable side shelf on the left for space-saving storage
- > Large housing cabinet with two doors and magnetic lock (suitable to fit a 5 kg gas cylinder)
- > 3 stainless steel burners + additional cooking area (3+1)
- > Stainless steel burner cover
- > Housing cabinet and side trays made of powder-coated steel
- > 4 wheels (2 wheels with brakes) for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria



Soft touch control knobs for continuous temperature setting



Accessories (optional): Cast-iron turning plate



Large grill area: 66 x 38 cm, 2 cast-iron grilling grids



Incl. temperature display

#### Specifications

Burners: 4 | Main burner: 3x 11,260 BTU / 3.3 kW; 33,780 BTU / 9.9 kW  
 Main burner: 1x 10,500 BTU / 3.1 kW | Gas consumption: main burner: 720 gr/h, cooking area: 226 gr/h  
 Operating pressure: 50 mbar | Ignition: Piezo ignition system | Gas category: I3B/P(50)  
 Gas type: butane, propane or their mixtures | Target destinations: D, A  
 CE certification: KIWA institute, certification number: 0063CS7068

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1219	501 219	112 / 240 / 298
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 012 194	1300 x 1110 x 530 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	770 x 520 x 570 mm



4 006 160 012 194



High-quality stainless steel front, doors and hood

<b>PC-GG 1181</b>	<b>Gas grill</b>
4 stainless steel burners + additional cooking area (4+1)	
High-quality stainless steel front, doors and hood	
Large grill area: 66 x 38 cm	




- > 4 heating zones for separate temperature control
- > Additional cooking area
- > Stainless steel control panel
- > Incl. bottle opener made of stainless steel
- > Incl. 2 cast-iron grilling grids – optimally store the heat for the perfect preparation of the food to be grilled
- > Soft touch control knobs for continuous temperature setting
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > 66 x 38 cm grill area, consisting of 2 cast-iron grilling grids
- > 66 cm warming rack (enamelled)
- > Large, extractable fat collecting tray for easy cleaning
- > The operating height of 85 cm allows for easy and ergonomic operation
- > Foldable side shelf on the left for space-saving storage
- > Large housing cabinet with two stainless steel doors and magnetic lock (suitable to fit a 5 kg gas cylinder)
- > 4 stainless steel burners + additional cooking area (4+1)
- > Stainless steel burner cover
- > 4 wheels (2 wheels with brakes) for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria



Soft touch control knobs for continuous temperature setting



Accessories (optional): Cast-iron turning plate



Large grilling area: 66 x 38 cm, two cast-iron grill grates



Incl. temperature display

**Specifications**

Burners: 5 | Main burner: 4x 10,500 BTU / 3,1 kW; 42,000 BTU / 12,4 kW  
 Main burner: 1x 10,500 BTU / 3.1 kW | Gas consumption: main burner: 902 gr/h, cooking area: 226 gr/h  
 Operating pressure: 50 mbar | Ignition: Piezo ignition system | Gas category: I3B/P(50)  
 Gas type: butane, propane or their mixtures | Target destinations: D, A  
 CE certification: KIWA institute, certification number: 0063CS7068

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1181	501 181	112 / 240 / 298
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 814	1300 x 1110 x 530 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	770 x 520 x 570 mm



**TESTMAGAZIN - URTEIL**

Profi Cook PC-FR 1038

**GUT**

90,7 %

 Im Test: 8 Kaltzonen-Fritteusen  
 Testurteile: 1x sehr gut, 7x gut  
 www.etm-testmagazin.de

Heft 03/2016


**PC-FR 1038**
**Double deep fat fryer**

Stainless steel housing

5 litres capacity

3270 watt max



- > Professional double deep fat fryer with 2 baskets and one large frying basket for various types of food
- > Housing, lid, heating coil and fat container made of stainless steel
- > Cold zone technology – heating coil immersed directly in the oil for rapid heating and for odourless frying
- > Capacity: 5 litres of oil/frying fat
- > Continuously adjustable thermostat (130°C–190°C)
- > Incl. 30 minutes timer
- > Removable stainless steel container for easy cleaning
- > Lid with viewing window
- > Permanent odour and fumes filter
- > 2 indicator lights for power and heating
- > Cord storage
- > Overheating protection
- > 220–240 V, 50/60 Hz, 3270 W max.



Incl. large frying basket



Incl. 2 small frying baskets for various types of food

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1038	501 038	630 / 1290 / 1500
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 203	350 x 250 x 450 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 036 237	376 x 273 x 376 mm



4 006160 011203



**XL – 3.5 litres capacity**



**PC-FR 1115 H Hot air fryer**

Stainless steel front

3.5 litres capacity

Time and energy-saving cooking



- > Oil and fat free hot air fryer
- > Stainless steel front
- > Low emission of fumes and odours
- > Time and energy-saving cooking
- > Cool touch handle
- > Capacity: 3.5 litres
- > Removable container (non-stick coated) with safety switch
- > Continuously adjustable thermostat (80 °C–200 °C)
- > 60 minutes timer with end signal
- > 2 indicator lights for temperature/operation
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1500 W



Capacity: 3.5 litres



Continuously adjustable thermostat (80 °C–200 °C)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1115 H	501 115	504 / 1044 / 1218
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 156	320 x 330 x 380 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 885 651	390 x 355 x 350 mm





Sensor touch  
operation



**PC-FR 1147 H**

**Hot air fryer**

Stainless steel front

7 programs for frying + var. time program + var. temperature program


Time and energy-saving cooking



- > Oil and fat free hot air fryer
- > Stainless steel front
- > 7 programs for frying + variable time program + variable temperature program
- > Low emission of fumes and odours
- > Time and energy-saving cooking
- > Cool touch handle
- > Capacity: 2.5 litres
- > LED display with sensor touch operation
- > Removable container (non-stick coated) with safety switch
- > Continuously adjustable thermostat (80°C–200°C)
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1500 W



Capacity: 2.5 litres



LED display with sensor touch operation

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1147 H	501 147	720 / 1440 / 1680
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 706	304 x 263 x 330 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 552 324	350 x 330 x 307 mm



4 006160 114706





**XXL – 5.5 litres capacity**



Sensor touch operation



**NEW!**

**PC-FR 1239 H Hot air fryer**

Stainless steel front and lid

7 automatic programs


Time and energy-saving cooking



- > XXL capacity: approx. 5.5 litres
- > Oil and fat free hot air fryer
- > Stainless steel front and lid
- > Programs/functions:
  - 7 automatic programs
  - Variable defrost and keep warm function
  - Individual time/temperature setting
- > Low emission of fumes and odours
- > Time and energy-saving cooking
- > Cool touch handle
- > LED display with sensor touch operation
- > Non-stick coated container
- > Continuously adjustable thermostat (60 °C–200 °C)
- > Automatic switch-off
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1400 W



XXL capacity: approx. 5.5 litres



LED display with sensor touch operation

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1239 H	501 239	570 / 1140 / 1466
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 123 999	275 x 330 x 350 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 212 341	343 x 372 x 343 mm



**XXL – 5.5 litres capacity**

 Sensor touch  
operation

**PC-FR 1177 H**
**Hot air fryer**

Stainless steel front

9 programs for frying + var. time program + var. temperature program

Time and energy-saving cooking



- > Oil and fat free hot air fryer
- > Stainless steel front
- > 9 programs for frying + variable time program + variable temperature program
- > Low emission of fumes and odours
- > Time and energy-saving cooking
- > Cool touch handle
- > Capacity: approx. 5.5 litres
- > LED display with sensor touch operation
- > Removable container (non-stick coated) with safety switch
- > Continuously adjustable thermostat (80°C–200°C)
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1700 W



Capacity: approx. 5.5 litres



LED display with sensor touch operation

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1177 H	501 177	450 / 900 / 1050
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 777	310 x 330 x 340 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 590 029	415 x 365 x 370 mm



4 006160 011777

**Extra large 9.0 litres total capacity (2x 4.5 litres)**



**NEW!**

<b>PC-FR 1242 H</b>	<b>Double hot air fryer</b>
Stainless steel front	
Single and combined operation	
Time and energy-saving cooking	



2 separate frying containers for simultaneous preparation of different dishes



2 LED displays with sensor touch operation

- > Capacity: approx. 2x 4.5 litres = 9.0 litres
- > Oil and fat free double hot air fryer
  - 2 separate frying containers (2x 4.5 litres capacity)
  - Single and combined operation possible
  - Separate control via 2 sensor touch control panels
  - No flavour mixing due to two separate frying containers
  - Simultaneous frying of 2 different dishes
  - 2 independent cooking zones
- > Stainless steel front

- > Programs/functions:
  - 9 automatic programs
  - Variable defrost/keep-warm function
  - Individual time/temperature setting
- > Low smoke and odour emission
- > Time and energy-saving preparation
- > Cool touch handles
- > 2 LED displays with sensor touch operation
- > Non-stick coated containers
- > 2 continuously adjustable thermostats (40°C–200°C)
- > Automatic switch-off
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1700 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1242 H	501 242	410 / 830 / 1015
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 124 286	Data follows
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 692 433	Data follows





Sensor touch  
operation /  
Electronic



Rotating frying basket



8 rotating meat skewers



Revolving spit for e.g. crispy  
grilled chicken, kebab/gyros



Baking tray /  
fat collecting tray



2 slide-in grilles for  
simultaneous prepare of  
different dishes

### PC-FR 1200 H

### Hot air fryer

Versatile hot air fryer for a low-fat diet

9 automatic programs incl. variable time and temperature settings

Incl. dehydrator function



- > Versatile hot air fryer for a low-fat diet
- > Tasty preparation with up to 80% less fat\*)
- > Low emission of fumes and odours
- > Much healthier, because dishes cooked with hot air get more vitamins and nutrients\*)
- > Stainless steel front and lid
- > 9 automatic programs incl. variable time and temperature settings
- > Incl. dehydrator function – also suitable for vitamin-preserving dehydration of e.g. fruit, vegetables, herbs, meat and more. Rich in vital substances for well-being, fitness and health.
- > Time and energy-saving cooking
- > Cool touch handle
- > Capacity: approx. 11 litres
- > 4 insertion heights for optimum baking results
- > LED display with sensor touch operation

- > Continuously adjustable thermostat (up to 200°C max.)
- > Timer with end signal
- > Large viewing window
- > Oven compartment light switchable
- > Overheating protection
- > Extensive accessories:
  - Rotating frying basket
  - 8 rotating meat skewers
  - Turning spit for e.g. crispy grilled chicken
  - 2 slide-in grilles for simultaneous preparation of different food
  - Baking tray / fat collecting tray
  - Extraction tool
- > 220–240 V, 50/60 Hz, 1500 W

\*) compared to conventional deep fat fryers

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1200 H	501 200	350 / 725 / 870
Colour: Black / stainless steel	Art. EAN:	Device (W x H x D):
	4 006 160 312 003	340 x 370 x 330 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 556 384	380 x 430 x 380 mm



4 006160 312003



**PC-ICM 1140****Ice cream maker**

For up to 1800 ml ice cream

Stainless steel housing

Electronic sensor touch control panel



- > Ice cream maker for preparation of ice cream, frozen yoghurt and sorbet
- > Stainless steel housing
- > LED display
- > Digital timer with automatic switch-off
- > Variable time setting (5–45 min.)
- > Preparation time (ice cream): 20–45 min.
- > Electronic sensor touch control panel
- > Lid with refill opening
- > Incl. recipe suggestions
- > For up to 1800 ml ice cream
- > Double-walled ice cream maker with cold storage, removable for easy cleaning (H: 14.3 cm; Ø 19.2 cm)
- > Stirring element with powerful, quiet motor
- > Secure stand due to rubberized feet
- > 220–240 V, 50 Hz, 12 W



Lid with refill opening and LED display



For up to 1800 ml ice cream

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ICM 1140	501 140	1454 / 2950 / 3376
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 010	210 x 235 x 210 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 063 820	240 x 310 x 236 mm



**ETM TESTMAGAZIN · URTEIL**

ProfiCook PC-ICM 1091

**GUT****90,6 %**

Im Test: 8 Eismaschinen mit Kompressor  
 Testurteile: 2× sehr gut, 5× gut,  
 1× befriedigend  
 www.etm-testmagazin.de

Heft 08/2017

**2** in  
**1**

**PC-ICM 1091 N Ice cream and yoghurt maker**

For up to 1500 ml ice cream / yoghurt

Professional compressor cooling

Stainless steel housing



- > 2 in 1 – Ice cream and yoghurt maker
- > For preparation of ice cream, frozen yoghurt, sorbet and natural yoghurt
- > Stainless steel housing
- > High-quality LCD display (black/white)
- > Digital timer
- > Variable time setting (1–60 min.)
- > Preparation time: 20–25 min.)\*
- > For up to 1500 ml ice cream / yoghurt
- > Electronic control system (START/STOP)
- > Automatic cooling through integrated professional compressor
- > Transparent lid with refill opening
- > Incl. recipe suggestions
- > Removable ice cream maker for easy cleaning (H: 14.5 cm; Ø 14.5 cm)



High-quality LCD display



Transparent lid with refill opening

- > Stirring element with powerful, quiet motor
- > High stability due to rubberized feet
- > Incl. spoon and measuring cup
- > 220–240 V, 50 Hz, 150 W  
\*) for ice cream

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ICM 1091 N	511 091	495 / 1010 / 1180
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 913	400 x 255 x 275 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 590 036	455 x 332 x 334 mm



4 006160 110913





<b>PC-EWB 1187</b>	<b>Ice cube maker</b>	
High-quality stainless steel housing		
Coloured sensor touch control panel		
Approx. 10–15 kg ice cubes in 24 hours		



*Incl. ice scoop*

- > Compact ice cube machine in high-quality stainless steel housing
- > Ideal for camping, office, kitchen or house bar
- > Fast and easy preparation of ice cubes
- > Coloured sensor touch control panel
- > No additional water supply required (ready-for-use) – just fill the tank with water (approx. 1.7 litres water tank, incl. water refill container)
- > Approx. 10–15 kg of ice cubes in 24 hours (ice cubes ready in just a few minutes)
- > 3 ice cube sizes selectable (small, medium, large)
- > Indicator light and acoustic signal when ice cube container is full or water tank is empty
- > ECO Save energy saving mode – automatic switch-off after the program has finished
- > Mobile use thanks to convenient carrying handles



*Coloured sensor touch control panel*



*Easy handling – drawer and ice scoop for taking out the ice cubes*


- > Easy handling – drawer and ice scoop for taking out the ice cubes
- > Accessories: Ice scoop, water refill container
- > 220–240 V, 50 Hz, 0.68 A

<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-EWB 1187	501 187	624 / 1284 / 1498
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Stainless steel	4 006 160 211 870	260 x 332 x 332 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	4 006 160 040 074	387 x 367 x 305 mm





Control panel with LCD display



Blue LED interior light




Open

**NEW!**

<b>PC-WK 1230</b>	<b>Glass door refrigerator</b>	
Bottle capacity: 6 à 0.75 litre		
Control panel with LCD display		
Sensor touch operation		



- > Bottle capacity: 6 à 0.75 litre
- > Net capacity: 17 litres
- > Thermoelectric cooling (without compressor)
- > Anti-vibration system (low-noise ≤ 26 dB)
- > Sensor touch operation
- > Control panel with LCD display (blue illuminated)
- > Electronical temperature setting and control
- > Digital temperature settings and display
- > Temperature setting: +11 °C to +18 °C (the reachable value cannot be higher than the ambient temperature at the place of installation)
- > Blue LED interior light (separate switchable)
- > 3 storage levels with 2 removable curved chrome racks
- > UV protected glass door (triple-glazed)
- > Housing colour: black
- > Door stop at the right
- > Adjustable feet
- > Climate class: N (+16 °C to +32 °C)
- > Coolant: R600a
- > Energy consumption / 24 h: 0.518 kWh
- > Energy consumption / year: 189 kWh
- > 220–240 V, 50 Hz, 0.42 A



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WK 1230	501 230	410 / 850 / 1030
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 012 309	246 x 395 x 500 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	--	295 x 415 x 550 mm




4 006160 012309







## Herstellerbild (finale Bilder folgen)



Control panel with LED display



Blue LED interior light




Open

**NEW!**

<b>PC-WK 1231</b>	<b>Glass door refrigerator</b>	
Bottle capacity: 6 à 0.75 litre		
Control panel with LCD display		
Stainless steel door frame and handle		




- > Bottle capacity: 6 à 0.75 litre
- > Net capacity: 17 litres
- > Thermoelectric cooling (without compressor)
- > Anti-vibration system (low-noise ≤ 26 dB)
- > Push-button operation
- > Control panel with LED display (blue illuminated)
- > Electronical temperature setting and control
- > Digital temperature settings and display
- > Temperature setting: +11 °C to +18 °C (the reachable value cannot be higher than the ambient temperature at the place of installation)
- > Blue LED interior light (separate switchable)
- > 3 storage levels with 2 removable curved chrome racks
- > UV protected glass door (triple-glazed)
- > Housing colour: black
- > Door stop at the right
- > Adjustable feet
- > Climate class: N (+16 °C to +32 °C)
- > Coolant: R600a
- > Energy consumption / 24 h: 0.518 kWh
- > Energy consumption / year: 189 kWh
- > 220–240 V, 50 Hz, 0.42 A




Product:	Art. no:	20" / 40" / HQ-Container:
PC-WK 1231	501 231	410 / 850 / 1030
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 012 316	246 x 395 x 500 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	--	295 x 415 x 550 mm




## Herstellerbild (finale Bilder folgen)



Control panel with LCD display



Blue LED interior light




Open

**NEW!**

<b>PC-WK 1232</b>	<b>Glass door refrigerator</b>	
Bottle capacity: 8 à 0.75 litre		
Control panel with LCD display		
Sensor touch operation		



- > Bottle capacity: 8 à 0.75 litre
- > Net capacity: 23 litres
- > Thermoelectric cooling (without compressor)
- > Anti-vibration system (low-noise  $\leq 26$  dB)
- > Sensor touch operation
- > Control panel with LCD display (blue illuminated)
- > Electronical temperature setting and control
- > Digital temperature settings and display
- > Temperature setting:  $+11^{\circ}\text{C}$  to  $+18^{\circ}\text{C}$   
(the reachable value cannot be higher than the ambient temperature at the place of installation)
- > Blue LED interior light (separate switchable)
- > 4 storage levels with 3 removable curved chrome racks
- > UV protected glass door (triple-glazed)
- > Housing colour: black
- > Door stop at the right
- > Adjustable feet
- > Climate class: N ( $+16^{\circ}\text{C}$  to  $+32^{\circ}\text{C}$ )
- > Coolant: R600a
- > Energy consumption / 24 h: 0.521 kWh
- > Energy consumption / year: 190 kWh
- > 220–240 V, 50 Hz, 0.55 A



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WK 1232	501 232	328 / 688 / 860
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 012 323	260 x 480 x 495 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	--	300 x 505 x 535 mm



4 006160 012323





Control panel with LED display



Blue LED interior light



Open


**NEW!**

<b>PC-WK 1233</b>	<b>Glass door refrigerator</b>	
Bottle capacity: 8 à 0.75 litre		
Control panel with LCD display		
Stainless steel door frame and handle		



- > Bottle capacity: 8 à 0.75 litre
- > Net capacity: 23 litres
- > Thermoelectric cooling (without compressor)
- > Anti-vibration system (low-noise ≤ 26 dB)
- > Push button operation
- > Control panel with LED display (blue illuminated)
- > Electronical temperature setting and control
- > Digital temperature settings and display
- > Temperature setting: +11 °C to +18 °C (the reachable value cannot be higher than the ambient temperature at the place of installation)

- > Blue LED interior light (separate switchable)
- > 4 storage levels with 3 removable curved chrome racks
- > UV protected glass door (triple-glazed)
- > Housing colour: black
- > Door stop at the right
- > Adjustable feet
- > Climate class: N (+16 °C to +32 °C)
- > Coolant: R600a
- > Energy consumption / 24 h: 0.521 kWh
- > Energy consumption / year: 190 kWh
- > 220–240 V, 50 Hz, 0.55 A



<b>Product:</b>	<b>Art. no:</b>	<b>20" / 40" / HQ-Container:</b>
PC-WK 1233	501 233	328 / 688 / 860
<b>Colour:</b>	<b>Art. EAN:</b>	<b>Device (W x H x D):</b>
Black	4 006 160 012 330	260 x 480 x 495 mm
<b>PU:</b>	<b>Export carton EAN:</b>	<b>Packaging (W x H x D):</b>
1	--	300 x 505 x 535 mm





Control panel with LED display



Blue LED interior light



Open


**NEW!**

<b>PC-WK 1235</b>	<b>Wine cooler</b>	
Bottle capacity: 36 à 0.75 litre		
Control panel with LCD display		
Sensor touch operation		



- > Bottle capacity: 36 à 0.75 litre
- > Net capacity: 95 litres
- > Compressor cooling
- > Anti-vibration system
- > Sensor touch operation
- > Control panel with LED display (blue illuminated)
- > Electronical temperature setting and control
- > Digital temperature settings and display
- > Temperature setting: +4°C to +18°C (the reachable value cannot be higher than the ambient temperature at the place of installation)

- > Blue LED interior light (separate switchable)
- > 7 storage levels with 6 removable wooden racks
- > UV protected glass door (double-glazed)
- > Housing colour: black
- > Door stop at the right
- > Adjustable feet
- > Climate class: SN/N (+10°C to +32°C)
- > Coolant: R600a
- > Energy consumption / 24 h: 0.383 kWh
- > Energy consumption / year: 140 kWh
- > 220–240 V, 50 Hz, 0.55 A



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WK 1235	501 235	112 / 236 / 276
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 012 354	482 x 840 x 470 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	--	520 x 870 x 510 mm



## Product overview

For sophistication at breakfast

				
<p><b>PC-ES 1209</b> Espresso machine</p> <ul style="list-style-type: none"> <li>– Professional espresso machine</li> <li>– Constant pump pressure of up to 20 bar</li> <li>– Stainless steel housing</li> </ul>	<p><b>PC-KA 1169</b> Coffee machine</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Electronic aroma selection function</li> <li>– Sensor touch operation</li> </ul>	<p><b>PC-KA 1191</b> Coffee machine</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Stainless steel thermo coffee pot (double-walled) with flavour seal</li> <li>– Electronic aroma selection function</li> </ul>	<p><b>PC-KA 1138</b> Coffee machine with grinder</p> <ul style="list-style-type: none"> <li>– 2 in 1 – Coffee grinding and brewing</li> <li>– High-quality stainless steel conical grinder</li> </ul>	<p><b>PC-KSW 1216</b> Electric coffee mill</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– 2-fold stainless steel beater blade</li> <li>– Safety circuit</li> </ul>
				
<p><b>PC-KSW 1021 N</b> Electric coffee mill</p> <ul style="list-style-type: none"> <li>– 2 in 1 – Coffee mill and chopper</li> <li>– 2 extra large stainless steel container (350 ml capacity)</li> <li>– 200 watt</li> </ul>	<p><b>PC-EKM 1205</b> Electric coffee grinder</p> <ul style="list-style-type: none"> <li>– Professional stainless steel cone grinder</li> <li>– 14-stage, adjustable grinding degree (coarse to extra fine)</li> <li>– Stainless steel housing</li> </ul>	<p><b>PC-MS 1032</b> Milk frother</p> <ul style="list-style-type: none"> <li>– Stainless steel housing and mixing vessel</li> <li>– 6 functions</li> <li>– Hot and cold function</li> </ul>	<p><b>PC-TK 1165</b> Tea / water maker</p> <ul style="list-style-type: none"> <li>– Glass/stainless steel housing</li> <li>– 360° connector</li> <li>– Permanent stainless steel filter</li> </ul>	<p><b>PC-WKS 1123</b> Kettle</p> <ul style="list-style-type: none"> <li>– Ideal for single households</li> <li>– Stainless steel housing</li> <li>– 0.8 litre</li> </ul>
				
<p><b>PC-WKS 1106</b> Kettle</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– 360° connector</li> <li>– Stainless steel base station with cord storage</li> </ul>	<p><b>PC-WKS 1228 G</b> Glass kettle</p> <ul style="list-style-type: none"> <li>– Ideal for single households</li> <li>– Glass/stainless steel housing</li> <li>– Capacity up to 0.5 litre</li> <li>– 360° connector</li> </ul>	<p><b>PC-WKS 1229 G</b> Glass kettle</p> <ul style="list-style-type: none"> <li>– Ideal for single households</li> <li>– Glass/stainless steel housing</li> <li>– Capacity up to 1.0 litres</li> <li>– 360° connector</li> </ul>	<p><b>PC-WKS 1107 G</b> Glass kettle</p> <ul style="list-style-type: none"> <li>– Glass/stainless steel housing</li> <li>– 360° connector</li> <li>– Stainless steel base station with cord storage</li> </ul>	<p><b>PC-WKS 1190 G</b> Glass kettle</p> <ul style="list-style-type: none"> <li>– Glass/stainless steel housing</li> <li>– 5-colored water tank lighting</li> <li>– 360° connector</li> </ul>
				
<p><b>PC-WKS 1215 G</b> Glass kettle</p> <ul style="list-style-type: none"> <li>– Satinized glass/stainless steel housing</li> <li>– Self-closing filling opening in the lid</li> <li>– 360° connector</li> </ul>	<p><b>PC-WKS 1119</b> Kettle</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– 360° connector</li> <li>– Stainless steel base station with cord storage</li> </ul>	<p><b>PC-WKS 1192</b> Kettle</p> <ul style="list-style-type: none"> <li>– Solid metal housing (painted)</li> <li>– 2200 watt</li> <li>– Up to 1.7 litre capacity</li> </ul>	<p><b>PC-WKS 1243</b> Kettle</p> <ul style="list-style-type: none"> <li>– Double-walled thermo housing</li> <li>– Electronic temperature setting</li> <li>– 360° connector</li> </ul>	<p><b>PC-TKS 1056</b> Tea/Coffee station</p> <ul style="list-style-type: none"> <li>– 3 in 1 – Glass kettle, tea and coffee maker</li> <li>– Stainless steel housing</li> <li>– Scratch-resistant glass plate</li> </ul>
				
<p><b>PC-WKS 1020 G</b> Glass tea kettle</p> <ul style="list-style-type: none"> <li>– 2 in 1 – tea and water heater</li> <li>– Incl. raised and lowered stainless steel tea filter</li> <li>– Electronic temperature setting (selectable)</li> </ul>	<p><b>PC-WKS 1167 G</b> Glass tea kettle</p> <ul style="list-style-type: none"> <li>– 2 in 1 – tea and water heater</li> <li>– Glass/stainless steel housing</li> <li>– Free App available</li> </ul>	<p><b>PC-HWS 1145</b> Hot water dispenser</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Hot water at your fingertips</li> <li>– Up to 4 litre capacity</li> </ul>	<p><b>PC-HWS 1168</b> Hot water dispenser</p> <ul style="list-style-type: none"> <li>– Stainless steel insert</li> <li>– Hot water at the touch of a button</li> <li>– ECO-Save – 50% time saving</li> </ul>	<p><b>PC-ZP 1018</b> Citrus juicer</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Long-life professional motor</li> <li>– Incl. stainless steel sieve</li> </ul>
				
<p><b>PC-ZP 1154</b> Citrus juicer</p> <ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Long-life professional motor</li> <li>– Incl. stainless steel sieve</li> </ul>	<p><b>PC-WA 1240</b> Waffelautomat</p> <ul style="list-style-type: none"> <li>– 2-fold waffle maker</li> <li>– Large baking surfaces, approx. 25.0 x 17.0 cm</li> <li>– 3 stainless steel inserts</li> </ul>	<p><b>PC-WA 1241</b> Waffelautomat</p> <ul style="list-style-type: none"> <li>– 4-fold waffle maker</li> <li>– Large baking surfaces, approx. 24.0 x 24.0 cm</li> <li>– 3 stainless steel inserts</li> </ul>	<p><b>PC-ST 1092</b> Sandwich toaster</p> <ul style="list-style-type: none"> <li>– Extra large sandwich plates for american XXL toast slices</li> <li>– Suitable for toast slices of approx. 9 to 14.5 cm</li> <li>– Stainless steel insert</li> </ul>	<p><b>PC-TA 1194</b> Toaster</p> <ul style="list-style-type: none"> <li>– High-quality 4-slice toaster</li> <li>– Solid metal housing (painted)</li> <li>– „Wide slot“ – extra wide toast slots (40 mm)</li> </ul>

### For sophistication at breakfast

			
<b>PC-TA 1193 Toaster</b> – High-quality 2-slice toaster – Solid metal housing (painted) – „Wide slot“ – extra wide toast slots (40 mm)	<b>PC-TA 1244 Toaster</b> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – Sensor touch operation	<b>PC-TA 1170 Toaster</b> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – Sensor touch operation	<b>PC-TAZ 1110 Toaster with sandwich tongs</b> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – 2 stainless steel tongs for removing the slices of toast

### Kneading, cooking or mixing – ProfiCook for every culinary taste

					
<b>PC-KM 1063 Compact food processor</b> – Food processor, mixer and citrus juicer – Powerful 1200 watt max. – Continuously speed control	<b>PC-KM 1197 Kneading machine</b> – High-performance kneading machine with powerful 1200 watt – Massive aluminium die-cast housing lid (painted) – Sturdy special gear	<b>PC-KM 1222 W Kneading machine set</b> – High-performance kneading machine + stainless steel scale – Long-life professional motor (1200 watt) – Sturdy special gear	<b>PC-KM 1188 Kneading machine</b> – Massive aluminium die-cast housing – Long-life professional motor (1500 watt) – Professional metal gear	<b>PC-KM 1096 Kneading machine</b> – Massive aluminium die-cast housing – Long-life professional motor (1500 watt) – Powerful and robust metal gear	
					
<b>PC-KM 1189 Kneading machine</b> – 3 in 1 – Kneading machine, mixer and mincer – Massive aluminium die-cast housing – Professional metal gear	<b>PC-KM 1151 Kneading machine</b> – 2 in 1 – Kneading machine and mincer – Massive aluminium die-cast housing – Robust metal gear	<b>PC-FW 1060 Professional mincer</b> – Stainless steel housing – Forward and reverse function – 1000 watt max.	<b>PC-FW 1172 Professional mincer</b> – Massive aluminium die-cast housing – Professional metal gear – 1800 watt max.	<b>PC-FW 1173 Professional mincer</b> – XXL outlet opening (6,5 cm) – Massive aluminium die-cast housing – Professional metal gear – 2000 watt max.	
					
<b>PC-SMS 1237 A Accu hand blender</b> – Flexible working in the kitchen without cables – Stainless steel housing – Long-life professional motor	<b>PC-SMS 1238 A Accu hand blender set</b> – 2 in 1 – Accu hand blender and stainless steel whisk – Stainless steel housing – Long-life professional motor	<b>PC-SM 1094 Hand blender</b> – Stainless steel housing and 4-fold stainless steel blade – Long-life professional motor (1000 watt) – Extra-long mixing rod (27 cm)	<b>PC-SMS 1220 Hand blender set</b> – 2 in 1 – Hand blender and stainless steel whisk – Stainless steel housing – Long-life professional motor (1000 watt)	<b>PC-SMS 1226 Hand blender set</b> – 2 in 1 – Hand blender and stainless steel whisk – Stainless steel housing – Smooth-running motor with 1000 watt max.	<b>PC-MZ 1150 Multi chopper</b> – 2 in 1 – Multi chopper and ice crusher – Stainless steel housing – Combination knife for 2 or 4 blade operation
					
<b>PC-MZ 1227 Multi chopper</b> – 2 in 1 – Multi chopper and ice crusher – Powerful long-life professional motor (1200 watt) – Shockproof stainless steel container (XL – 1.7 litres)	<b>PC-KSW 1021 N Electric coffee mill</b> – 2 in 1 – Coffee mill and chopper – 2 extra large stainless steel container (350 ml capacity) – 200 watt	<b>PC-AE 1156 Automatic juicer</b> – Long-life professional motor (800 watt) – 18.000 rpm max. – Stainless steel housing	<b>PC-SM 1153 Smoothie maker</b> – Ideal for pureeing, beating, chopping up, shaking and mixing – Stainless steel housing and blade – Incl. 2 removable mixing cups (à 600 ml)	<b>PC-UM 1213 Universal mixer</b> – Compact universal mixer with 1 litre capacity – Stainless steel housing – 6-fold stainless steel blade with „piranha“ cut (rustproof)	
					
<b>PC-UM 1195 Universal mixer</b> – Solid metal housing (painted) – Powerful long-life professional motor (800 W) – Ice crush function	<b>PC-UM 1207 Universal mixer</b> – Powerful long-life professional motor (1200 watt) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing	<b>PC-UM 1006 Universal mixer</b> – Powerful long-life professional motor (1200 watt max.) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing	<b>PC-UM 1127 Profi mixer / Smoothie maker</b> – Powerful long-life professional motor (2000 watt) – Electronic speed control (8 speeds) – 9 functions	<b>PC-KW 1247 Retro kitchen scale</b> – Stainless steel housing! – Measuring range up to 5000 g – No batteries or power supply necessary	

## Perfect timing, impressive performance

					
<b>PC-KW 1040</b> Digital kitchen scale	<b>PC-KW 1061</b> Kitchen scale	<b>PC-LW 1214</b> Digital spoon scales	<b>PC-DHT 1039</b> Digital household thermometer	<b>PC-PSM 1031</b> Electric pepper/salt mill	<b>PC-PSM 1160</b> Pepper/salt mill set
<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Measuring range up to 5000 g (in 1 g steps)</li> <li>– Tare function (additive weighing function)</li> </ul>	<ul style="list-style-type: none"> <li>– Weighing surface made of stainless steel</li> <li>– Extra large LCD display (black/white)</li> <li>– On/off switch</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Tare function (additive weighing function)</li> <li>– Hold function</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel</li> <li>– Temperature range: –45 °C–200 °C</li> <li>– Storage function of the last measured temperature</li> </ul>	<ul style="list-style-type: none"> <li>– High-quality precision ceramic grinder</li> <li>– Stainless steel housing</li> <li>– Incl. light for optimum dosing</li> </ul>	<ul style="list-style-type: none"> <li>– 2er Set – Pepper and salt mill set</li> <li>– Stainless steel housing</li> <li>– One-hand operation</li> </ul>
					
<b>PC-HGA 1196</b> Hot drinks machine	<b>PC-HGA 1111</b> Hot drinks machine	<b>PC-SV 1126</b> Sous vide cooker	<b>PC-SV 1159</b> WiFi - Sous vide cooker	<b>PC-SV 1112</b> Sous vide cooker	
<ul style="list-style-type: none"> <li>– Hot drinks, tea and mulled wine machine</li> <li>– Stainless steel housing</li> <li>– 7 litre tank capacity (35 cups á 0,2 litre)</li> </ul>	<ul style="list-style-type: none"> <li>– Hot drinks and mulled wine machine (16 litre)</li> <li>– Stainless steel housing</li> <li>– Solid metal tap, chrome-plated (removable)</li> </ul>	<ul style="list-style-type: none"> <li>– Precise cooking of food</li> <li>– Stainless steel housing</li> <li>– Sensor touch control panel</li> </ul>	<ul style="list-style-type: none"> <li>– Sous Vide Cooker with WLAN function</li> <li>– Precise cooking of food</li> <li>– Free app available</li> </ul>	<ul style="list-style-type: none"> <li>– Precise cooking of food</li> <li>– Stainless steel housing</li> <li>– 8.5 litre capacity</li> </ul>	
					
<b>PC-VK 1146</b> Vacuum sealer	<b>PC-VK 1080</b> Vacuum sealer	<b>PC-VK 1133</b> Vacuum sealer	<b>PC-VK 1134</b> Vacuum sealer	<b>PC-DR 1116</b> Food dryer	
<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Suction power: 12 litre / min.</li> <li>– Vacuum cooking – extremely careful preparation</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Suction power: 12 litre / min.</li> <li>– Vacuum cooking – extremely careful preparation</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Suction power: 12 litre / min.</li> <li>– Vacuum cooking – extremely careful preparation</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Suction power: 24 litre / min.</li> <li>– Vacuum cooking – extremely careful preparation</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– 7-step, electronic temperature setting</li> <li>– Circulation fan, air circulation function</li> </ul>	
					
<b>PC-DR 1218</b> Stainless steel food dryer	<b>PC-MWG 1208</b> Microwave with grill	<b>PC-MWG 1175</b> Microwave with grill	<b>PC-MWG 1176 H</b> Microwave with grill / convection	<b>PC-MWG 1204</b> Microwave with grill	
<ul style="list-style-type: none"> <li>– LCD display with sensor touch operation</li> <li>– Electronic timer (30 min. to 24 hrs.)</li> <li>– Stainless steel housing</li> </ul>	<ul style="list-style-type: none"> <li>– 17 litre capacity</li> <li>– 900 watt grill / 700 watt microwave</li> <li>– Stainless steel handle</li> </ul>	<ul style="list-style-type: none"> <li>– 20 litre capacity</li> <li>– 1000 watt grill / 800 watt microwave</li> <li>– Reflective glass front</li> </ul>	<ul style="list-style-type: none"> <li>– 23 litre capacity</li> <li>– 2300 watt convection / 1300 watt grill / 800 watt microwave</li> <li>– Reflective glass front</li> </ul>	<ul style="list-style-type: none"> <li>– 23 litre capacity</li> <li>– Glas-ceramic bottom, thus 55% larger usable area</li> <li>– Reflective glass front</li> </ul>	
					
<b>PC-EKP 1210</b> Infrared single cooking plate	<b>PC-DKP 1211</b> Infrared double cooking plate	<b>PC-EKI 1062</b> Single induction cooking plate	<b>PC-DKI 1067</b> Double induction cooking plate		
<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Glass-ceramic surface</li> <li>– 2000 watt</li> </ul>	<ul style="list-style-type: none"> <li>– Stainless steel housing</li> <li>– Glass-ceramic surface</li> <li>– 2800 watt</li> </ul>	<ul style="list-style-type: none"> <li>– Heating takes only seconds thanks to induction technology</li> <li>– Eco-friendly glass-ceramic surface</li> <li>– 2000 watt</li> </ul>	<ul style="list-style-type: none"> <li>– 2x 6 power and 10 temperature levels</li> <li>– High-quality, eco-friendly glass-ceramic surface</li> <li>– 3500 watt max</li> </ul>		
					
<b>PC-ITG 1130</b> Induction table grill	<b>PC-KG 1029</b> Contact grill	<b>PC-TYG 1143</b> Grill / Teppanyaki grill	<b>PC-RG 1144</b> 2in 1 Raclette-Grill		
<ul style="list-style-type: none"> <li>– 2 in 1 – Induction table grill and single induction hotplate</li> <li>– High-quality, eco-friendly glass-ceramic surface</li> <li>– 2000 watt</li> </ul>	<ul style="list-style-type: none"> <li>– 2000 watt</li> <li>– Stainless steel housing</li> <li>– Continuously adjustable thermostat</li> </ul>	<ul style="list-style-type: none"> <li>– High-quality and eco-friendly bamboo frame</li> <li>– Removable stainless steel fat collecting tray (easy to clean)</li> <li>– Continuously adjustable thermostat</li> </ul>	<ul style="list-style-type: none"> <li>– 2 in 1 – Hot stone and raclette grill for up to 10 persons</li> <li>– Natural grill stone for a healthy, low-fat grilling</li> <li>– Continuously adjustable thermostat</li> </ul>		

### Perfect timing, impressive performance

				
<p><b>PC-RG/FD 1245</b> Raclette/ fondue combination</p> <ul style="list-style-type: none"> <li>- 2 in 1 – Raclette/fondue combination</li> <li>- Practical keep-warm function (natural stone)</li> <li>- 2 continuously adjustable heating elements</li> </ul>	<p><b>PC-GG 1128</b> Gas grill</p> <ul style="list-style-type: none"> <li>- 2x stainless steel burners</li> <li>- High-quality stainless steel front and hood</li> <li>- Folding side tables</li> </ul>	<p><b>PC-GG 1219</b> Gas grill</p> <ul style="list-style-type: none"> <li>- 3x stainless steel burners + additional cooking area (3+1)</li> <li>- High-quality stainless steel front and hood</li> <li>- Large grill area: 66 x 38 cm</li> </ul>	<p><b>PC-GG 1181</b> Gas grill</p> <ul style="list-style-type: none"> <li>- 4x stainless steel burners + additional cooking area (4+1)</li> <li>- High-quality stainless steel front and hood</li> <li>- Large grill area: 66 x 38 cm</li> </ul>	
				
<p><b>PC-FR 1038</b> Double deep fat fryer</p> <ul style="list-style-type: none"> <li>- Stainless steel housing</li> <li>- 5 litres capacity</li> <li>- 3000 watt</li> </ul>	<p><b>PC-FR 1115 H</b> Hot air fryer</p> <ul style="list-style-type: none"> <li>- Stainless steel front</li> <li>- 3.5 litres capacity</li> <li>- Time and energy-saving cooking</li> </ul>	<p><b>PC-FR 1147 H</b> Hot air fryer</p> <ul style="list-style-type: none"> <li>- Stainless steel front</li> <li>- 7 programs for frying + var. time program + var. temperature program</li> <li>- Time and energy-saving cooking</li> </ul>	<p><b>PC-FR 1239 H</b> Hot air fryer</p> <ul style="list-style-type: none"> <li>- Stainless steel front and lid</li> <li>- 7 automatic programs</li> <li>- Time and energy-saving cooking</li> </ul>	<p><b>PC-FR 1177 H</b> Hot air fryer</p> <ul style="list-style-type: none"> <li>- Stainless steel front</li> <li>- 5.5 litres capacity</li> <li>- Time and energy-saving cooking</li> </ul>
				
<p><b>PC-FR 1242 H</b> Double hot air fryer</p> <ul style="list-style-type: none"> <li>- Stainless steel front</li> <li>- Single and combined operation</li> <li>- Time and energy-saving cooking</li> </ul>	<p><b>PC-FR 1200 H</b> Hot air fryer</p> <ul style="list-style-type: none"> <li>- Versatile hot-air fryer for a low-fat diet</li> <li>- 9 programs for frying + var. time program + var. temperature program</li> <li>- Incl. dehydrator function</li> </ul>	<p><b>PC-ICM 1140</b> Ice cream maker</p> <ul style="list-style-type: none"> <li>- For up to 1800 ml ice cream</li> <li>- Stainless steel housing</li> <li>- Electronic sensor touch control panel</li> </ul>	<p><b>PC-ICM 1091 N</b> Ice cream and yoghurt maker</p> <ul style="list-style-type: none"> <li>- For up to 1500 ml ice cream / yoghurt</li> <li>- Professional compressor cooling</li> <li>- Stainless steel housing</li> </ul>	<p><b>PC-EWB 1187</b> Ice cube maker</p> <ul style="list-style-type: none"> <li>- High-quality stainless steel housing</li> <li>- Colored sensor touch control panel</li> <li>- Approx. 10–15 kg ice cubes in 24 h</li> </ul>
				
<p><b>PC-WK 1230</b> Glass door refrigerator</p> <ul style="list-style-type: none"> <li>- Bottle capacity: 6 à 0.75 litre</li> <li>- Control panel with LCD display</li> <li>- Sensor touch operation</li> </ul>	<p><b>PC-WK 1231</b> Glass door refrigerator</p> <ul style="list-style-type: none"> <li>- Bottle capacity: 6 à 0.75 litre</li> <li>- Control panel with LCD display</li> <li>- Stainless steel door frame and handle</li> </ul>	<p><b>PC-WK 1232</b> Glass door refrigerator</p> <ul style="list-style-type: none"> <li>- Bottle capacity: 8 à 0.75 litre</li> <li>- Control panel with LCD display</li> <li>- Sensor touch operation</li> </ul>	<p><b>PC-WK 1233</b> Glass door refrigerator</p> <ul style="list-style-type: none"> <li>- Bottle capacity: 8 à 0.75 litre</li> <li>- Control panel with LCD display</li> <li>- Stainless steel door frame and handle</li> </ul>	<p><b>PC-WK 1235</b> Wine cooler</p> <ul style="list-style-type: none"> <li>- Bottle capacity: 36 à 0.75 litre</li> <li>- Control panel with LCD display</li> <li>- Sensor touch operation</li> </ul>

### Accessories

	
<p><b>Spare bags for:</b> PC-VK 1015/1080/1133/1134/1146</p> <ul style="list-style-type: none"> <li>- 50 pcs. à 22 x 30 cm Art. no.: 8910151 Art. EAN: 4 006 160 101 515</li> <li>- 50 pcs. à 28 x 40 cm Art. no.: 8910152 Art. EAN: 4 006 160 101 522</li> </ul>	<p><b>Foil rolls for:</b> PC-VK 1015/1080/1133/1134/1146</p> <ul style="list-style-type: none"> <li>- 2 rolls à 28 cm x 6 m Art. no.: 8910155 Art. EAN: 4 006 160 101 553</li> </ul>





## Company presentation



ProfiCook

Industriering Ost 40 | D-47906 Kempen/Germany | [www.proficook-germany.de](http://www.proficook-germany.de)  
Phone +49.(0)2152.2006-0 | Fax +49.(0)2152.2006-1999 | [www.proficook-germany.de/service](http://www.proficook-germany.de/service)