

DRAG SPECIALTIES



BASIC TIRE INFORMATION

SAFETY INFORMATION: THE FOLLOWING INFORMATION MUST BE GIVEN TO PURCHASING PERSONNEL, MOTORCYCLE TECHNICIANS, TIRE FITTERS AND CUSTOMERS.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS


MERCHANDISING

CROSS REFERENCE

INDEX

TYPICAL TIRE MARKINGS

- Nominal section width, expressed in metric, inch or alpha; see size chart below.
- Ratio between tire section height and nominal section width. This ratio is not indicated when section width is expressed in inches (eg. 3.50-18).
- Code for tire construction (- = Bias, R = Radial, B = Bias Belted).
- Nominal rim diameter size in inches.
- "Motorcycle" in abbreviated form. Differentiates motorcycle tires and rims from those designed for other vehicles. Shown on some models only.
- Speed symbol. Indicates the tire's speed; see speed rating chart below.
- Tubeless (TL) or tubetype (TT), as applicable.
- Expresses the tire's maximum load capacity (pounds) at the pressure indicated (psi); see load index chart below.
- Indicates where the tire was produced.
- Abbreviation of "US Department of Transportation." Serves to indicate that the tire conforms to the regulations issued by the US Department of Transportation. Includes the serial # for the tire, and the last 3 or 4 numbers represent the date. Example 3805 means the tire was produced in the 38th week of 2005.
- The arrows indicate the direction of rotation of the tire according to the fitting position (Front-rear); applicable for directional tires only.
- Number of plies and material.
- Tread Wear Indicator, as applicable



Note: Tire markings on chart are representational, and actual tire markings may differ from shown. Markings may vary by manufacturer.

SPEED RATING CHART

MPH	J	L	M	P	Q	R	S	T	H	V/VB	(V)/(VB)	W	(W)
	62	74	81	93	100	106	112	118	130	149	149+	168	168+

LOAD INDEX CHART

47 = 386 lb.	53 = 454 lb.	59 = 536 lb.	65 = 639 lb.	71 = 761 lb.	77 = 908 lb.	83 = 1,074 lb.
48 = 397 lb.	54 = 467 lb.	60 = 551 lb.	66 = 661 lb.	72 = 783 lb.	78 = 937 lb.	84 = 1,102 lb.
49 = 408 lb.	55 = 481 lb.	61 = 567 lb.	67 = 677 lb.	73 = 805 lb.	79 = 963 lb.	85 = 1,135 lb.
50 = 414 lb.	56 = 494 lb.	62 = 584 lb.	68 = 694 lb.	74 = 827 lb.	80 = 992 lb.	86 = 1,168 lb.
51 = 430 lb.	57 = 507 lb.	63 = 600 lb.	69 = 716 lb.	75 = 853 lb.	81 = 1,019 lb.	87 = 1,202 lb.
52 = 441 lb.	58 = 520 lb.	64 = 617 lb.	70 = 739 lb.	76 = 882 lb.	82 = 1,047 lb.	

SIZE

Size may be indicated in inches, metric, or by letters (alpha). The chart shows the approximate comparison of the different size indications.

STREET TIRE SIZE CONVERSION CHART

INCH:	2.75/3.00	3.25	3.50	3.75/4.00	4.25/4.50	5.00/5.10	5.50	6.00
METRIC:	80	90	100	110	120	130	140	150
ALPHA:	MH	MJ	MM	MN/MP	MR	MT	MU	MV

MOTORCYCLE OFF-ROAD TIRE SIZE CONVERSION CHART

METRIC	FRONT TIRES	METRIC	INCH	METRIC	REAR TIRES	METRIC	INCH	METRIC	FRONT TIRES	METRIC	INCH	METRIC	REAR TIRES	METRIC	INCH
60/100	90/80	2.50/2.75	80/100	80/90	2.50/3.60	80/100	100/80	3.00/3.25	100/100	130/80	4.00/4.50				
70/100	90/80	2.75/3.00	90/100	110/90	3.60/4.10	-	-	-	120/100	140/80	5.00/5.10				

SAFETY WARNING:

MAINTAIN RECOMMENDED TIRE PRESSURE AND FOLLOW OWNER'S MANUAL.

FAILURE TO FOLLOW MANUFACTURER'S RECOMMENDATIONS AND REQUIREMENTS CAN CAUSE TIRE FAILURE RESULTING IN SERIOUS INJURY OR DEATH.

ALL TIRES SHOULD BE MOUNTED ONLY BY TRAINED PERSONNEL. ONLY PROPERLY TRAINED PERSONNEL USING PROPER TOOLS AND SAFETY EQUIPMENT SHOULD UNDERTAKE MOUNTING OF TIRES AND THEY SHOULD FOLLOW RECOMMENDED PROCEDURES, ESPECIALLY FOR ATV/UTV TIRES, INCLUDING BUT NOT LIMITED TO THE FOLLOWING: (I) USE ONLY A CLIP-ON STYLE AIR CHUCK WITH A LONG EXTENSION HOSE, REMOTE FILLER AND INFLATION GAUGE; (II) USING A TIRE MOUNTING LUBRICANT, LUBE THE TIRE AND RIM BEAD SEAT; (III) THE TIRE AND WHEEL MUST BE LOCATED AWAY FROM ALL PERSONNEL USING A SOLID BARRIER LIKE A BLOCK WALL OR TIRE MOUNTING CAGE BETWEEN THE TIRE/WHEEL ASSEMBLY AND THE INSTALLER WITH THE TIRE/WHEEL ASSEMBLY BEING OUT OF "LINE OF SIGHT" DURING THE INFLATION PROCESS; (IV) DETERMINE THE TIRE'S MAXIMUM RECOMMENDED TIRE INFLATION PRESSURE; (V) REMOVE THE VALVE CORE FROM THE VALVE, INFLATE THE TIRE UNTIL THE BEADS' SEAT SNAP OR UNTIL THE MANUFACTURER'S MAXIMUM RECOMMENDED TIRE PRESSURE IS REACHED BUT NEVER EXCEED THE TIRE MANUFACTURER'S MAXIMUM PRESSURE; (VI) IF THE TIRE BEADS DO NOT SNAP, STOP AND RELEASE ALL AIR FROM THE TIRE/WHEEL ASSEMBLY AND CALL THE MANUFACTURER FOR HELP; (VII) ONCE THE TIRE BEAD IS SEATED, DISCONNECT THE CHUCK, RE-INSTALL THE VALVE CORE AND INFLATE TO PROPER OPERATING PRESSURE.



DRAG SPECIALTIES TIRE SIZE APPLICATION GUIDE

• Tires in this guide are listed in order, sorted by rim diameter (small to large), overall section width/aspect ratio, market application and front and/or rear applications. Simply find the size, front or rear and market application of tire for your vehicle.

The Application corresponds to the following codes:

CRS/TOUR – Cruiser bike/touring bike applications
 DUALSPORT – Dual sport/adventure touring applications
 CUSTOM – Cruiser/custom bikes
 GEN – Commuting/general all-purpose street tire
 OEM – OE replacement tire as suggested by the manufacturer
 RACE – High-performance track/street
 SIDECAR – General-purpose sidecar applications

SPORT – Sport riding/performance tire
 SPRTNG – Sport-touring
 SPRSPRT – Sport riding/track day tire
 NWS – Narrow white stripe sidewall
 WS – White stripe sidewall
 WWW – Wide white wall

NOTE: The information provided here is not warranted as to the truth or accuracy by Drag Specialties or its parent company, LeMans Corporation. The information is collected from the tire manufacturer and published for your reference. Any additional information or questions regarding this information or questions about the fitment and maintenance of the tires should be obtained from the tire manufacturers.

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
15"						
CONTINENTAL	0306-0285	CONTI MILESTONE	140/9015	R	CRS/TOUR	127
METZELER	0306-0413	ME888	140/90B15	R	CRS/TOUR	109
CONTINENTAL	0306-0286	CONTI MILESTONE	150/90-15	R	CRS/TOUR	127
CONTINENTAL	0306-0287	CONTI MILESTONE	170/8015	R	CRS/TOUR	127
METZELER	0306-0311	ME888	170/80B15	R	CRS/TOUR	109
METZELER	0306-0412	ME888	170/80B15	R	CRS/TOUR	109
DUNLOP		SIGNATURE				
	0304-0219	SERIES TRIKE	205/65R15	R	TRIKE	102
AVON	AV046	AM21	230/60B15	R	CUSTOM	119
16"						
IRC	IRC-110	GS-11	4.60S-16	R	GEN	128
AVON	AV004	SM MARK II	5.00S-16	R	GEN	120
DUNLOP	320F-62	K330	100/80S-16	F	SPORT/OEM	104
PIRELLI	MT75-03	MT75	100/80T-16	F	GEN/OEM	115
DUNLOP	320F-68	K330	120/80S-16	R	SPORT/OEM	104
PIRELLI	MT75-04	MT75	120/80T-16	R	GEN/OEM	115
MICHELIN	0305-0280	COMMANDER II	130/80H-16	F	CRS/TOUR	105
METZELER	0306-0417	ME888	130/90B16	R	CRS/TOUR/WWW	109
METZELER	0306-0313	ME888	130/90B16	R	CRS/TOUR	109
BRIDGESTONE	0306-0201	S11 SPITFIRE	130/90-16	R	SPRTNG	123
CONTINENTAL	0306-0098	CONTI GO!	130/90-16	R	GEN	127
METZELER	0305-0296	ME888	130/90-16	F	CRS/TOUR	109
METZELER	0305-0386	ME888	130/90-16	F	CRS/TOUR/WWW	109
PIRELLI	0305-0285	NIGHT DRAGON	130/90-16	F	GEN	114
BRIDGESTONE	0305-0229	EXEDRA MAX	130/90B16	F	CRS/TOUR	123
PIRELLI	0306-0090	NIGHT DRAGON	130/90B16	R	GEN	114
DUNLOP	3016-40	D401	130/90B16	R	CRS/TOUR	102
DUNLOP	0305-0392	ELITE 3	130/90B16	F	CRS/TOUR/CUSTOM	104
AVON	AV-086	AM20	130/90H-16	F	GEN	119
BRIDGESTONE	B1100	SE11	130/90H-16	F	CRS/TOUR	123
BRIDGESTONE	B2120	SE11	130/90H-16	R	CRS/TOUR	123
CONTINENTAL	98007	MILESTONE	130/90H-16	F	CRS/TOUR	127
CONTINENTAL	98013	MILESTONE	130/90H-16	F	CRS/TOUR/WWW	127
DURO	HF261-02	EXCURSION	130/90H-16	F/R	GEN	129
DURO	HF296-01	BOULEVARD	130/90H-16	F	GEN	129
DURO	HF296-54	BOULEVARD	130/90H-16	R	GEN	129
IRC	IRC-304	RS-310	130/90H-16	R	GEN	128
IRC	IRC-704	WF-920	130/90H-16	F	CRS/TOUR	128
IRC	IRC-720	WF-920	130/90H-16	R	CRS/TOUR	128
IRC	0305-0053	WF-920HD	130/90H-16	F	CRS/TOUR	128
IRC	0306-0050	WF-920HD	130/90H-16	R	CRS/TOUR	128
KENDA	K67127	CRUISER	130/90H-16	R	GEN	129
KENDA	K673-01	KRUZ	130/90H-16	F	GEN	129
KENDA	K673-02	KRUZ	130/90H-16	R	GEN	129
MICHELIN	0305-0278	COMMANDER II	130/90H-16	F	CRS/TOUR	105
MICHELIN	0306-0297	COMMANDER II	130/90H-16	R	CRS/TOUR	105
PIRELLI	MT66-01	ROUTE	130/90H-16	F	CRS/TOUR	115
PIRELLI	MT66-24	ROUTE	130/90H-16	R	CRS/TOUR	115
BRIDGESTONE	BQ-4713	BATTLAX BT-45	1230/90V-16	R	SPRTNG	125
CONTINENTAL	97960	TKV12	130/90V-16	R	GEN	127
DUNLOP	3023-40	K591	130/90V-16	R	SPORT/OEM	101
METZELER	0306-0030	LASERTEC	130/90V-16	R	GEN	112
PIRELLI	1403600	SPORT DEMON	130/90V-16	R	GEN	115
CONTINENTAL	0306-0406	CM2 PLUS	MU85B16	R	CRS/TOUR	127
CONTINENTAL	0306-0407	CM2 PLUS	MU85B16	R	CRS/TOUR/WWW	127
METZELER	0306-0415	ME888	MU85B16	R	CRS/TOUR/WWW	109
PIRELLI	0306-0092	NIGHT DRAGON	MU85B16	R	GEN	114

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
16" (CONT)						
DUNLOP	0306-0425	AMERICAN ELITE	MU85B16	R	CRS/TOUR	101
DUNLOP	0306-0426	AMERICAN ELITE	MU85B16	R	CRS/TOUR/NWS	101
DUNLOP	0306-0427	AMERICAN ELITE	MU85B16	R	CRS/TOUR/WWW	101
DUNLOP	0308-0001	D402	MU85H-16	R	CRS/TOUR/OEM	102
DUNLOP	0308-0002	D402	MU85H-16	R	CRS/TOUR/OEM/WS	102
DUNLOP					CRS/TOUR/	
	3019-23	D402	MU85H-16	R	OEM/WWW	102
AVON	0306-0052	ROADRIDER	MT90-16	R	GEN	121
AVON	0305-0267	AV71 COBRA	MT90B16	F	CRS/TOUR	118
AVON	0305-0268	AV71 COBRA	MT90B16	F	CRS/TOUR/WWW	118
AVON	0306-0271	AV72 COBRA	MT90B16	R	CRS/TOUR	118
AVON	0306-0272	AV72 COBRA	MT90B16	R	CRS/TOUR/WWW	118
CONTINENTAL	0305-0379	CM1 FRONT	MT90B16	F	CRS/TOUR	127
CONTINENTAL	0305-0378	CM1 FRONT	MT90B16	F	CRS/TOUR/WWW	127
CONTINENTAL	0306-0404	CM2 PLUS	MT90B16	R	CRS/TOUR	127
CONTINENTAL	0306-0405	CM2 PLUS	MT90B16	R	CRS/TOUR/WWW	127
DUNLOP	0305-0393	AMERICAN ELITE	MT90B16	F	CRS/TOUR	101
DUNLOP	0305-0394	AMERICAN ELITE	MT90B16	F	CRS/TOUR/NWS	101
DUNLOP	0305-0395	AMERICAN ELITE	MT90B16	F	CRS/TOUR/WWW	101
DUNLOP	0306-0422	AMERICAN ELITE	MT90B16	R	CRS/TOUR	101
DUNLOP	0306-0423	AMERICAN ELITE	MT90B16	R	CRS/TOUR/NWS	101
DUNLOP	0306-0424	AMERICAN ELITE	MT90B16	R	CRS/TOUR/WWW	101
AVON	AV040	AM21	MT90H-16	R	GEN	119
METZELER	0305-0295	ME888	MT90B16	F	CRS/TOUR	109
METZELER			MT90B16			
	0305-0385	ME888	WWW	F	CRS/TOUR	109
METZELER	0306-0416	ME888	MT90B16	R	CRS/TOUR/WWW	109
METZELER	0306-0315	ME888	MT90B16	R	CRS/TOUR	109
PIRELLI	0305-0080	NIGHT DRAGON	MT90B16	F	GEN	114
AVON	AV012	GANGSTER	MT90H-16	F/R	GEN/WWW	120
CONTINENTAL	97110	K112	MT90H-16	R	GEN	127
DUNLOP	3017-91	D402	MT90H-16	R	CRS/TOUR/OEM	102
DUNLOP	3018-91	D402	MT90H-16	R	CRS/TOUR/SWS	102
DUNLOP	3019-91	D402	MT90H-16	R	CRS/TOUR/WWW	102
DUNLOP	3020-91	D402	MT90B16	F	CRS/TOUR/OEM	102
DUNLOP					CRS/TOUR/	
	3021-91	D402	MT90B16	F	OEM/SWS	102
DUNLOP					CRS/TOUR/	
	3022-91	D402	MT90B16	F	OEM/WWW	102
DUNLOP	0306-0038	ELITE 3	MT90HB-16	R	CRS/TOUR	104
PIRELLI	0306-0091	NIGHT DRAGON	MT90HB-16	R	GEN	114
DUNLOP	0306-0039	ELITE 3	MU90HB-16	R	CRS/TOUR	104
METZELER	0306-0312	ME888	MU90B-16	R	CRS/TOUR	109
BRIDGESTONE	0306-0202	S11 SPITFIRE	140/90-16	R	SPRTNG	123
KENDA	0306-0047	KRUZ	140/90-16	R	GEN	129
AVON	0306-0273	AV72 COBRA	140/90B16	R	CRS/TOUR	118
AVON	0306-0274	AV72 COBRA	140/90B16	R	CRS/TOUR/WWW	118
DUNLOP	0306-0467	AMERICAN ELITE	140/90B16	R	CRS/TOUR	101
METZELER	0306-0419	ME888	140/90B16	R	CRS/TOUR	109
METZELER	0306-0420	ME888	140/90B16	R	CRS/TOUR/WWW	109
DURO	HF261-03	EXCURSION	140/90H-16	F/R	GEN	129
IRC	IRC-721	WF-920	140/90H-16	R	CRS/TOUR	128
MICHELIN	0306-0298	COMMANDER II	140/90H-16	R	CRS/TOUR	105
PIRELLI	MT66-25	ROUTE	140/90H-16	R	CRS/TOUR	115
KENDA	0305-0199	KRUZ	150/80-16	F	GEN	129
KENDA	0306-0048	KRUZ	150/80-16	R	GEN	129
AVON	0306-0275	AV72 COBRA	150/80B16	R	CRS/TOUR	118

DRAG SPECIALTIES TIRE SIZE APPLICATION GUIDE continued on next page

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



DRAG SPECIALTIES TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
16" (CONT)						
AVON	0306-0276	AV72 COBRA	150/80B16	R	CRS/TOUR/WWW	118
BRIDGESTONE	0306-0241	EXEDRA MAX	150/80B16	R	CRS/TOUR	123
CONTINENTAL	0306-0408	CM2 PLUS	150/80B16	R	CRS/TOUR	127
CONTINENTAL	0306-0409	CM2 PLUS	150/80B16	R	CRS/TOUR/WWW	127
DUNLOP	0306-0428	AMERICAN ELITE	150/80B16	R	CRS/TOUR	101
METZELER	110-10420	ME880	150/80B16	R	CRS/TOUR	110
METZELER	0306-0314	ME888	150/80B16	R	CRS/TOUR	109
METZELER	0306-0414	ME888	150/80B16	R	CRS/TOUR/WWW	109
MICHELIN	0306-0299	COMMANDER 2	150/80B16	R	CRS/TOUR	105
PIRELLI	0306-0093	NIGHT DRAGON	150/80B16	R	GEN	114
DUNLOP	3016-91	D401	150/80B16	R	CRS/TOUR	102
DUNLOP					CRS/TOUR/	
	0306-0429	D401	150/80B16	R	OEM/MWV	102
DUNLOP	0306-0430	D401	150/80B16	R	CRS/TOUR/WWW	102
IRC	0306-0074	WF-920HD	150/80H-16	R	CRS/TOUR	128
METZELER	110-14152	ME880	150/80H-16	F	CRS/TOUR/WWW	110
PIRELLI	MT66-26	ROUTE	150/80H-16	R	CRS/TOUR	115
BRIDGESTONE	BQ-4710	BATTLAX BT-45V	150/80V-16	R	SPRTRNG	125
DUNLOP	3023-91	K591	150/80V-16	R	SPORT/OEM	101
PIRELLI	1342300	SPORT DEMON	150/80V-16	R	GEN	115
METZELER	0306-0031	LASERTEC	150/80VB-16	R	GEN	112
KENDA	0306-0049	KRUZ	160/80-16	R	GEN	129
METZELER	110-13412	ME880 XXL	160/80B16	R	CRS/TOUR	111
METZELER	0306-0462	ME888	170/70B-16	R	CRS/TOUR	109
METZELER	0302-0842	ME888	180/80R16	F	CRS/TOUR	109
AVON	0306-0197	AV72	180/65B-16	R	CRS/TOUR	118
CONTINENTAL	0306-0410	CM2 PLUS	180/65B16	R	CRS/TOUR	127
CONTINENTAL	0306-0411	CM2 PLUS	180/65B16	R	CRS/TOUR/WWW	127
DUNLOP	0306-0324	AMERICAN ELITE	180/65B-16	R	CRS/TOUR	101
DUNLOP	0306-0325	AMERICAN ELITE	180/65B-16	R	CRS/TOUR/NWS	101
DUNLOP	0306-0326	AMERICAN ELITE	180/65B-16	R	CRS/TOUR/WWW	101
PIRELLI	0306-0302	NIGHT DRAGON	180/65B-16	R	GEN	114
METZELER	0306-0310	ME888	180/65B-16	R	CRS/TOUR	109
METZELER	0306-0418	ME888	180/65B-16	R	CRS/TOUR/WWW	109
MICHELIN	0306-0300	COMMANDER II	180/65H-16	R	CRS/TOUR	105
AVON	0302-0165	AV72	180/70HR-16	R	CRS/TOUR	118
PIRELLI	0304-0198	NIGHT DRAGON	180/70R-16	R	GEN	114
METZELER	110-13075	ME880	200/60VR-16	R	CUSTOM	111
AVON	0302-0167	AV72	240/50VR-16	R	CRS/TOUR	118
METZELER	110-10431	ME880	240/50VR-16	R	CUSTOM	111
17"						
DUNLOP	0301-0485	SPORTMAX Q3	120/60ZR17	F	SPRSPT	103
MICHELIN	0301-0501	PILOT ROAD 4	120/60ZR17	F	SPORT	107
MICHELIN	0301-0575	PILOT POWER 2CT	120/65Z17	F	SPRSPT	106
AVON	0301-0350	3D ULTRA SPORT	120/70R-17	F	SPORT	122
AVON		3D ULTRA				
	0301-0347	SUPERSPORT	120/70R-17	F	SPRSPT	122
AVON	0301-0486	STORM 3D	120/70R17	F	SPRTRNG	121
METZELER	110-20447	ME880	120/70VR-17	F	CRS/TOUR	110
CONTINENTAL	0301-0355	SPORT ATTACK 2	120/70R-17	F	SPORT	122
BRIDGESTONE	0301-0214	BT-003	120/70ZR17	F	SPRSPT	125
BRIDGESTONE	0301-0336	BT-016 PRO	120/70ZR17	F	RACE	125
BRIDGESTONE	0301-0577	BATTLAX RS10	120/70ZR17	F	SPRSPT	124
BRIDGESTONE	0301-0571	BATTLAX S20	120/70ZR17	F	SPRSPT	124
BRIDGESTONE	0301-0492	BATTLAX T30	120/70ZR17	F	SPRTRNG	124
BRIDGESTONE	0301-0493	BATTLAX T30	120/70ZR17	F	SPRTRNG	124
CONTINENTAL	0301-0277	ROAD ATTACK 2	120/70ZR17	F	SPORT	126
CONTINENTAL	0301-0134	CONTI MOTION	120/70ZR17	F	GEN	126
DUNLOP	0301-0342	QUALIFIER	120/70ZR17	F	SPRSPT	103
DUNLOP	0301-0372	ROADSMART II	120/70ZR17	F	SPORT	104
DUNLOP	0301-0484	SPORTMAX Q3	120/70ZR17	F	SPRSPT	103
METZELER	0301-0514	M7 RR SPORTEC	120/70ZR17	F	SPRSPT	112
METZELER	0301-0011	ROADTEC Z6	120/70ZR17	F	SPRTRNG	113
METZELER	0301-0055	SPORTEC M3	120/70ZR17	F	SPRSPT	112
METZELER	0301-0422	Z8 INTERACT	120/70ZR17	F	SPRTRNG	113
MICHELIN	0301-0023	PILOT POWER	120/70ZR17	F	SPRSPT	107
MICHELIN	0301-0081	PILOT POWER 2CT	120/70ZR17	F	SPRSPT	106
MICHELIN	0301-0430	PILOT POWER 3	120/70ZR17	F	SPRSPT	106
MICHELIN	0301-0101	PILOT ROAD 2	120/70ZR17	F	SPRTRNG	108
MICHELIN	0301-0285	PILOT ROAD 3	120/70ZR17	F	SPORT	108
MICHELIN	0301-0502	PILOT ROAD 4	120/70ZR17	F	SPORT	107
MICHELIN	0301-0503	PILOT ROAD 4 CT	120/70ZR17	F	SPRTRNG	108

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
17" (CONT)						
MICHELIN		POWER SUPERSPORT				
	0301-0574	EVO	120/70ZR17	F	SPRSPT	106
PIRELLI	0301-0424	ANGEL GT	120/70ZR17	F	SPRTRNG	117
PIRELLI	1430700	DIABLO	120/70ZR17	F	SPORT/OEM	116
PIRELLI		DIABLO CORSA				
	0301-0234	ROSSO	120/70ZR17	F	SPORT	116
PIRELLI	0303-0178	DIABLO ROSSO II	120/70ZR17	F	SPORT	116
PIRELLI	0301-0236	SCORPION TRAIL	120/70ZR17	F	DUALSPORT/OEM	117
BRIDGESTONE	BQ-4715	BATTLAX BT-45V	120/90V-17	R	SPRTRNG	125
DUNLOP	0305-0397	D402	130/70B17	F	CRS/TOUR/OEM	102
DUNLOP	0305-0308	AMERICAN ELITE	130/70B-17	F	CRS/TOUR	101
AVON	0305-0194	AV71 COBRA	130/80B17	F	CRS/TOUR	118
CONTINENTAL	0305-0380	CM1 FRONT	130/80B17	F	CRS/TOUR	127
CONTINENTAL	0305-0381	CM1 FRONT	130/80B17	F	CRS/TOUR/WWW	127
DUNLOP	0305-0305	AMERICAN ELITE	130/80B-17	F	CRS/TOUR	101
DUNLOP	0305-0306	AMERICAN ELITE	130/80B-17	F	CRS/TOUR/NWS	101
METZELER	0305-0294	ME888	130/80-17	F	CRS/TOUR	109
METZELER	0305-0387	ME888	130/80-17	F	CRS/TOUR/WWW	109
PIRELLI	0305-0283	NIGHT DRAGON	130/80B-17	F	GEN	114
AVON	0305-0269	AV71 COBRA	130/80R-17	F	CRS/TOUR	118
DUNLOP	0305-0307	AMERICAN ELITE	130/90B-17	F	CRS/TOUR	101
BRIDGESTONE	0302-0345	BT-003	140/70ZR17	R	SPRSPT	125
DUNLOP	0303-0190	AMERICAN ELITE	140/75R-17	F	CRS/OEM	101
METZELER	0301-0225	ME880	140/75R-17	F	CRS/TOUR	110
MICHELIN	0305-0188	COMMANDER II	140/75R-17	F	CRS/TOUR	105
PIRELLI	0301-0143	NIGHT DRAGON	140/75R-17	F	GEN	114
MICHELIN	0305-0404	COMMANDER 2	140/80B17	F	CRS/TOUR	105
PIRELLI	0306-0303	NIGHT DRAGON	160/60-17	R	GEN	114
BRIDGESTONE	0302-0833	BATTLEAX T30	160/60ZR17	R	SPRTRNG	124
DUNLOP	0302-0821	SPORTMAX Q3	160/60ZR17	R	SPRSPT	103
PIRELLI		DIABLO CORSA				
	0302-0390	ROSSO	160/60ZR17	R	SPORT	116
BRIDGESTONE	0302-0834	BATTLEAX T30	160/70ZR17	R	SPRTRNG	124
METZELER	0306-0421	ME888	160/70B17	R	CRS/TOUR	109
MICHELIN	0306-0301	COMMANDER II	160/70H-17	R	CRS/TOUR	105
DUNLOP	0306-0431	D401	160/80B17	R	CRS/TOUR/OEM	102
DUNLOP	3023-96	K591	160/70V-17	R	SPORT/OEM	101
METZELER	0308-0006	LASERTEC	160/70VB-17	R	GEN	112
AVON	0302-0934	3D STORM	170/60ZR17	6	SPRTRNG	121
BRIDGESTONE	0302-0835	BATTLEAX T30	170/60ZR17	R	SPRTRNG	124
PIRELLI	0304-0199	NIGHT DRAGON	170/60R-17	R	GEN	114
METZELER	0302-0238	ME880	170/60R17	R	CRS/TOUR	110
CONTINENTAL	0302-0463	ROAD ATTACK 2	170/60ZR17	R	SPORT	126
DUNLOP	0302-0613	ROADSMART II	170/60ZR17	R	SPORT	104
MICHELIN	0302-0040	PILOT POWER	170/60ZR17	R	SPRSPT	107
MICHELIN	0302-0849	PILOT ROAD 4 GT	170/60ZR17	R	SPRTRNG	108
PIRELLI	0302-0701	ANGEL GT	170/60ZR17	R	SPRTRNG	117
AVON	0302-0581	3D ULTRA SPORT	180/55R-17	R	SPORT	122
AVON		3D ULTRA				
	0302-0576	SUPERSPORT	180/55R-17	R	SPRSPT	122
AVON	0302-0824	STORM 3D	180/55ZR17	R	SPRTRNG	121
BRIDGESTONE	0302-0555	BT-016 PRO	180/55R-17	R	RACE	125
BRIDGESTONE	0302-0945	BATTLAX S20	180/55ZR17	R	SPRSPT	124
BRIDGESTONE	0302-0836	BATTLAX T30	180/55ZR17	R	SPRTRNG	124
BRIDGESTONE	0302-0837	BATTLAX T30	180/55ZR17	R	SPRTRNG	124
BRIDGESTONE	0302-0348	BT-003	180/55ZR17	R	SPRSPT	125
BRIDGESTONE	0304-0023	G850	180/55ZR-17	R	SPRTRNG/OEM	123
CONTINENTAL	0302-0464	ROAD ATTACK 2	180/55ZR17	R	SPORT	126
CONTINENTAL	0302-0591	SPORT ATTACK 2	180/55ZR17	R	SPORT	126
CONTINENTAL	0302-0235	CONTI MOTION	180/55ZR17	R	GEN	122
DUNLOP	0302-0570	QUALIFIER	180/55ZR17	R	SPRSPT	103
DUNLOP	0302-0614	ROADSMART II	180/55ZR17	R	SPORT	104
DUNLOP	0302-0818	SPORTMAX Q3	180/55ZR17	R	SPRSPT	103
METZELER		M5 SPORTEC				
	0302-0717	INTERACT	180/55ZR17	R	SPRSPT	102
METZELER	0302-0868	M7 RR SPORTEC	180/55ZR17	R	SPRSPT	112
METZELER	0302-0012	ROADTEC Z6	180/55ZR17	R	SPRTRNG	113
METZELER	0302-0096	SPORTEC M3	180/55ZR17	R	SPR	



DRAG SPECIALTIES TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
17" (CONT)						
MICHELIN	0302-0475	PILOT ROAD 3	180/55ZR17	R	SPORT	108
MICHELIN	0302-0846	PILOT ROAD 4	180/55ZR17	R	SPORT	107
MICHELIN	0302-0850	PILOT ROAD 4 GT	180/55ZR17	R	SPRTNG	108
MICHELIN	0302-0137	POWER RACE 2CT	180/55ZR17	R	SPRSPT	106
MICHELIN		POWER SUPERSPORT				
	0302-0949	EVO	180/55ZR17	R	SPRSPT	106
PIRELLI	0302-0698	ANGEL GT	180/55ZR17	R	SPRTNG	117
PIRELLI	0302-0700	ANGEL GT	180/55ZR17	R	SPRTNG	117
PIRELLI	0302-0495	DIABLO	180/55ZR17	R	SPORT	116
PIRELLI	0304-0183	DIABLO ROSSO II	180/55ZR17	R	SPORT	116
PIRELLI	0302-0493	SCORPION TRAIL	180/55ZR17	R	DUALSPORT	117
MICHELIN		POWER SUPERSPORT				
	0302-0950	EVO	180/60ZR17	R	SPRSPT	106
PIRELLI	0306-0094	NIGHT DRAGON	180/60HB-17	R	GEN	114
AVON	0302-0582	3D ULTRA SPORT	190/50R-17	R	SPORT	122
AVON		3D ULTRA				
	0302-0577	SUPERSPORT	190/50ZR17	R	SPRSPT	122
AVON	0302-0825	STORM 3D	190/50ZR17	R	SPRTNG	121
BRIDGESTONE	0302-0349	BT-003	190/50ZR17	R	SPRSPT	125
BRIDGESTONE	0302-0556	BT-016 PRO	190/50ZR17	R	RACE	125
BRIDGESTONE	0302-0946	BATTLAX S20	190/50ZR17	R	SPRSPT	124
BRIDGESTONE	0302-0838	BATTLAX T30	190/50ZR17	R	SPRTNG	124
CONTINENTAL	0302-0465	ROAD ATTACK 2	190/50ZR17	R	SPORT	126
CONTINENTAL	0302-0592	SPORT ATTACK 2	190/50ZR17	R	SPORT	126
CONTINENTAL	0302-0236	CONTI MOTION	190/50ZR17	R	GEN	122
DUNLOP	0302-0571	QUALIFIER	190/50ZR17	R	SPRSPT	103
DUNLOP	0302-0615	ROADSMART II	190/50ZR17	R	SPORT	104
DUNLOP	0302-0819	SPORTMAX Q3	190/50ZR17	R	SPRSPT	103
METZELER	0302-0869	M7 RR SPORTEC	190/50ZR17	R	SPRSPT	112
METZELER	0302-0097	SPORTEC M3	190/50ZR17	R	SPRSPT	112
METZELER	0302-0692	Z8 INTERACT	190/50ZR17	R	SPRTNG	113
METZELER	0302-0957	Z8 INTERACT	190/50ZR17	R	SPRTNG	113
MICHELIN	0302-0053	PILOT POWER	190/50ZR17	R	SPRSPT	107
MICHELIN	0302-0727	PILOT POWER 3	190/50ZR17	R	SPRSPT	106
MICHELIN	0302-0177	PILOT ROAD 2	190/50ZR17	R	SPRTNG	108
MICHELIN	0302-0476	PILOT ROAD 3	190/50ZR17	R	SPORT	108
MICHELIN	0302-0847	PILOT ROAD 4	190/50ZR17	R	SPORT	107
MICHELIN	0302-0851	PILOT ROAD 4 GT	190/50ZR17	R	SPRTNG	108
MICHELIN	0302-0138	POWER RACE 2CT	190/50ZR17	R	SPRSPT	106
MICHELIN		POWER SUPERSPORT				
	0302-0951	EVO	190/50ZR17	R	SPRSPT	106
PIRELLI	0302-0704	ANGEL GT	190/50ZR17	R	SPRTNG	117
PIRELLI	0302-0496	DIABLO	190/50ZR17	R	SPORT	116
PIRELLI		DIABLO CORSA				
	0302-0391	ROSSO	190/50ZR17	R	SPORT	116
PIRELLI	0302-0559	DIABLO ROSSO II	190/50ZR17	R	SPORT	116
AVON	0302-0583	3D ULTRA SPORT	190/55ZR17	R	SPORT	122
AVON		3D ULTRA				
	0302-0578	SUPERSPORT	190/55ZR17	R	SPRSPT	122
AVON	0302-0935	STORM 3D	190/55ZR17	R	SPRTNG	121
BRIDGESTONE	0302-0350	BT-003	190/55ZR17	R	SPRSPT	125
BRIDGESTONE	0302-0557	BT-016 PRO	190/55ZR17	R	RACE	125
BRIDGESTONE	0302-0954	BATTLAX RS10	190/55ZR17	R	SPRSPT	124
BRIDGESTONE	0302-0947	BATTLAX S20	190/55ZR17	R	SPRSPT	124
BRIDGESTONE	0302-0839	BATTLAX T30	190/55ZR17	R	SPRTNG	124
BRIDGESTONE	0302-0840	BATTLAX T30	190/55ZR17	R	SPRTNG	124
CONTINENTAL	0302-0593	SPORT ATTACK 2	190/55ZR17	R	SPORT	126
DUNLOP	0302-0820	SPORTMAX Q3	190/55ZR17	R	SPRSPT	103
METZELER	0302-0870	M7 RR SPORTEC	190/55ZR17	R	SPRSPT	112
MICHELIN	0302-0139	PILOT POWER 2CT	190/55ZR17	R	SPRSPT	106
MICHELIN	0302-0728	PILOT POWER 3	190/55ZR17	R	SPRSPT	106
MICHELIN	0302-0848	PILOT ROAD 4	190/55ZR17	R	SPORT	107
MICHELIN	0302-0852	PILOT ROAD 4 GT	190/55ZR17	R	SPRTNG	108
MICHELIN		POWER SUPERSPORT				
	0302-0952	EVO	190/55ZR17	R	SPRSPT	106
PIRELLI	0302-0705	ANGEL GT	190/55ZR17	R	SPRTNG	117
PIRELLI	0304-0210	ANGEL GT	190/55ZR17	R	SPRTNG	117
PIRELLI		DIABLO CORSA				
	0302-0392	ROSSO	190/55ZR17	R	SPORT	116

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
17" (CONT)						
PIRELLI	0302-0560	DIABLO ROSSO II	190/55ZR17	R	SPORT	116
DUNLOP	0302-0822	SPORTMAX Q3	200/50ZR17	R	SPRSPT	103
BRIDGESTONE	0302-0955	BATTLAX RS10	200/55ZR17	R	SPRSPT	124
BRIDGESTONE	0302-0948	BATTLAX S20	200/55ZR17	R	SPRSPT	124
DUNLOP	0304-0200	AMERICAN ELITE	200/55R-17	R	CRS/OEM	101
AVON	0302-0168	COBRA	200/55VR-17	R	CRS/TOUR	118
AVON	0302-0936	3D STORM	200/55ZR17	R	SPRTNG	121
METZELER	0302-0376	ME880	200/55ZR-17	R	CRS/TOUR	110
METZELER	0302-0872	M7 RR SPORTEC	200/55ZR17	R	SPRSPT	112
MICHELIN	0304-0197	COMMANDER II	200/55ZR-17	R	CRS/TOUR	105
MICHELIN		POWER SUPERSPORT				
	0302-0953	EVO	200/55ZR17	R	SPRSPT	106
PIRELLI	0302-0247	NIGHT DRAGON	200/55ZR-17	R	GEN	114
DUNLOP	0302-0823	SPORTMAX Q3	240/40ZR17	R	SPRSPT	103
AVON	0302-0035	VENOM R	330/30VR-17	R	CUSTOM	119
18"						
IRC	IRC-10	GS-11	4.00H-18	R	GEN	128
AVON	AV005	SM MARK II	4.00S-18	R	GEN	120
METZELER	0308-0007	LASERTEC	4.00V-18	R	GEN	112
MICHELIN	0305-0405	COMMANDER 2	110/90B-18	F	CRS/TOUR	105
PIRELLI	1404500	SPORT DEMON	110/90H-18	R	GEN	115
BRIDGESTONE	0301-0495	BATTLEAX T30	120/70ZR-18	F	SPRTNG	124
MICHELIN	0301-0504	PILOT ROAD 4 GT	120/70ZR18	F	SPRTNG	108
AVON	0306-0057	ROADRIDER	120/90-18	R	GEN	121
KENDA	0306-0044	KRUZ	120/90-18	F	GEN	129
BRIDGESTONE	B2145	SE11	120/90V-18	R	CRS/TOUR	123
IRC	IRC-309	RS-310	120/90H-18	R	GEN	128
METZELER	110-10409	ME880	120/90V-18	F	CRS/TOUR	111
BRIDGESTONE	BQ-4740	BATTLAX BT-45V	120/90V-18	R	SPRTNG	125
METZELER	0308-0008	LASERTEC	120/90V-18	R	GEN	112
MICHELIN	0306-0112	PILOT ACTIV	120/90V-18	R	SPRTNG	107
PIRELLI	1404700	SPORT DEMON	120/90V-18	R	GEN	115
CONTINENTAL	0305-0382	CM1 FRONT	130/70B18	F	CRS/TOUR	127
CONTINENTAL	0305-0383	CM1 FRONT	130/70B18	F	CRS/TOUR/WWW	127
MICHELIN	0305-0302	COMMANDER 2	130/70B18	F	CRS/TOUR	105
PIRELLI	0305-0288	NIGHT DRAGON	130/70B18	F	GEN	114
METZELER	110-13141	ME880	130/70H-18	F	CRS/TOUR	111
AVON	0301-0097	COBRA AV71	130/70HR-18	F	CRS/TOUR	118
METZELER	0301-0405	ME880	130/70R18	F	CRS/TOUR	110
METZELER	0305-0431	ME888	130/70B18	F	CRS/TOUR	109
METZELER	0308-0010	LASERTEC	130/80V-18	R	GEN	112
METZELER	0305-0097	ME880	140/70-18	F	CRS/TOUR	111
PIRELLI	0305-0083	NIGHT DRAGON	140/70HB-18	F	GEN	127
PIRELLI	1405000	SPORT DEMON	140/70V-18	R	GEN	115
AVON	0301-0477	AV71 COBRA	140/75R17	F	CRS/TOUR	118
MICHELIN	0306-0322	COMMANDER 2	150/70B-18	R	CRS/TOUR	105
PIRELLI	0306-0095	NIGHT DRAGON	150/70HB-18	R	GEN	114
METZELER	0306-0108	ME880	150/70VB-18	R	CRS/TOUR	111
METZELER	0302-0028	ME880	160/60VR-18	R	CRS/TOUR	111
AVON	0302-0169	COBRA	180/55ZR-18	R	CRS/TOUR	118
AVON	0302-0445	AM42R	180/55ZR-18	R	CRS/TOUR	119
DUNLOP	3001-31	D207	180/55ZR-18	R	SPORT/OEM	103
METZELER	110-14351	ME880	180/55ZR-18	R	CRS/TOUR	110
PIRELLI	0302-0246	NIGHT DRAGON	180/55R-18	R	GEN	114
DUNLOP	0302-0406	ELITE 3	200/50R-18	R	CRS/TOUR	104
METZELER	110-13074	ME880	200/50ZR-18	R	CRS/TOUR	111
AVON	0302-0170	COBRA	200/55VR-18	R	CRS/TOUR	118
BRIDGESTONE	0304-0173	G852R	210/40VR-18	R	CRS	123
METZELER	0304-0055	ME880	210/40VR-18	R	CRS/TOUR	111
MICHELIN	0302-0729	COMMANDER 2	240/40R18	R	CRS/TOUR	105
PIRELLI	0302-0253	NIGHT DRAGON	240/40R18	R	CRS/TOUR/CUSTOM	114
AVON	0302-0171	COBRA	240/40VR-18	R	CRS/TOUR	118
AVON	0302-0172	COBRA AV72	250/40VR-18	R	CRS/TOUR	118
DUNLOP	0302-0041	ELITE 3	250/40VR-18	R	CRS/TOUR	104
DUNLOP						103-
	0302-0110	ELITE 3	240/40VR-18	R	CRS/TOUR/CUSTOM	104
METZELER	110-10430	ME880	240/40VR-18	R	CUSTOM	111
METZELER	0302-0055	ME880	260/40VR-18	R	CRS/TOUR	111
METZELER	110-14885	ME880	280/35VR-18	R	CUSTOM	111
AVON	0302-0173	COBRA	300/35VR-18	R	CRS/TOUR	118
METZELER	0302-0070	ME880	300/35R-18	R	CUSTOM	111

DRAG SPECIALTIES TIRE SIZE APPLICATION GUIDE continued on next page

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



DRAG SPECIALTIES TIRE SIZE APPLICATION GUIDE (CONT)

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
19"						
CONTINENTAL	0305-0086	CONTI GO!	3.25-19	F	GEN	127
CONTINENTAL	97190	RB2	3.25H-19	F	GEN	127
IRC	IRC-12	SPEEDMASTER GS-11	3.25H-19	F	GEN	128
METZELER	0305-0039	LASERTEC	3.25H-19	F	GEN	112
MICHELIN	0305-0107	PILOT ACTIV	3.25H-19	F	SPRTNG	107
AVON	AV001	SPEEDMASTER	3.25S-19	F	GEN	120
METZELER	0305-0043	LASERTEC	3.25V-19	F	GEN	112
AVON	AV006	SIDECAR	3.5-19	F	SIDECAR	120
AVON	AV-400	SM MARK II	3.5-19	F/R	GEN	120
IRC	IRC-13	GS-11	3.50H-19	F	GEN	128
METZELER	0305-0040	LASERTEC	3.50H-19	F	GEN	112
AVON	AV002	SPEEDMASTER	3.50S-19	F	GEN	120
METZELER	0305-0044	LASERTEC	3.50V-19	F	GEN	112
AVON	0306-0308	AM7	4.00-19	R	GEN	119
AVON	AV007	ROAD RUNNER	4.10H-19	F/R	GEN	119
AVON	0305-0063	ROADRIDER	90/90-19	F	GEN	121
DUNLOP	3016-19	D401	90-90-19	F	CRS/TOUR	102
AVON	AV026	AM20	90/90H-19	F	GEN	119
PIRELLI	MT66-04	ROUTE	90/90H-19	F	CRS/TOUR	115
AVON	0305-0270	AV71 COBRA	100/90-19	F	CRS/TOUR	118
AVON	0305-0271	AV71 COBRA	100/90-19	F	CRS/TOUR/WWW	118
AVON	0306-0072	ROADRIDER	100/90-19	F	GEN	121
BRIDGESTONE	0305-0198	S11 SPITFIRE	100/90-19	F	SPRTNG	123
BRIDGESTONE	0305-0233	EXEDRA MAX	100/90-19	F	CRS/TOUR	123
CONTINENTAL	0305-0095	CONTI GO!	100/90-19	F	GEN	127
DUNLOP	0305-0396	AMERICAN ELITE	110/90-19	F	CRS/TOUR	101
METZELER	0305-0297	ME888	100/90-19	F	CRS/TOUR	109
METZELER	0305-0388	ME888	100/90-19	F	CRS/TOUR/WWW	109
BRIDGESTONE	B1150	SE11	100/90H-19	F	CRS/TOUR	123
CONTINENTAL	98008	MILESTONE	100/90H-19	F	CRS/TOUR	127
DUNLOP	3016-25	D401	100/90-19	F	CRS/TOUR	102
DUNLOP	0305-0399	D401	100/90-19	F	CRS/TOUR/WWW	102
DURO	HF261-09	EXCURSION	100/90H-19	F/R	GEN	129
DURO	HF296-03	BOULEVARD	100/90H-19	F	GEN	129
IRC	IRC-701	WF-920	100/90H-19	F	CRS/TOUR	128
IRC	IRC-294	RS-310	100/90H-19	F	GEN	128
KENDA	K673-03	KRUZ	100/90H-19	F	GEN	129
KENDA	K673-03	KRUZ	100/90H-19	F	GEN	129
MICHELIN	0305-0281	COMMANDER II	100/90H-19	F	CRS/TOUR	105
PIRELLI	MT66-05	ROUTE	100/90H-19	F	CRS/TOUR	115
PIRELLI	0305-0081	NIGHT DRAGON	100/90H-19	F	GEN	114
BRIDGESTONE	B0-3745	BATTLAX BT-45V	100/90V-19	F	SPRTNG	125
DUNLOP	3023-25	K591	100/90V-19	F	SPORT/OEM	101
METZELER	0305-0042	LASERTEC	100/90V-19	F	GEN	112
MICHELIN	0305-0106	PILOT ACTIV	100/90V-19	F	SPRTNG	107
PIRELLI	1405200	SPORT DEMON	100/90V-19	F	GEN	115
BRIDGESTONE	0305-0234	EXEDRA MAX	110/90-19	F	CRS/TOUR	123
KENDA	0305-0052	KRUZ	110/90-19	F	GEN	129
PIRELLI	0305-0284	NIGHT DRAGON	110/90-19	F	GEN	114
BRIDGESTONE	B1160	SE11	110/90H-19	F	CRS/TOUR	123
CONTINENTAL	98009	MILESTONE	110/90H-19	F	CRS/TOUR	127

BRAND	PART #	MODEL	SIZE & RATING	F/R	APPLICATION	PAGE #
19" (CONT)						
METZELER	110-10411	ME880	110/90H-19	F	CRS/TOUR	111
PIRELLI	MT66-06	ROUTE	110/90H-19	F	CRS/TOUR	115
BRIDGESTONE	0303-0023	EXEDRA G850	120/70ZR19	F	SPRTNG	123
AVON	0301-0098	COBRA AV71	120/70ZR-19	F	CRS/TOUR	118
DUNLOP	0303-0063	D208	120/70ZR-19	F	OEM	103
PIRELLI	0301-0144	NIGHT DRAGON	120/70ZR-19	F	GEN	114
MICHELIN	0301-0436	COMMANDER 2	120/70ZR-19	F	CRS/TOUR	105
DUNLOP	0305-0425	AMERICAN ELITE	130/60B19	F	CRS/TOUR	101
21"						
CONTINENTAL	0305-0108	CONTI GO!	3.00-21	F	GEN	127
AVON	AV003	SPEEDMASTER	3.00S-21	F	GEN	120
IRC	IRC-700	WF-920	80/90H-21	F	CRS/TOUR	128
BRIDGESTONE	0305-0235	EXEDRA MAX	80/90-21	F	CRS/TOUR	123
CONTINENTAL	98010	MILESTONE	80/90H-21	F	CRS/TOUR	127
DURO	HF296-05	BOULEVARD	80/90H-21	F	GEN	129
KENDA	K673-04	KRUZ	80/90H-21	F	GEN	129
MICHELIN	0305-0282	COMMANDER II	80/90-21	F	CRS/TOUR	105
PIRELLI	MT66-07	ROUTE	80/90H-21	F	CRS/TOUR	115
AVON	0305-0060	ROADRIDER	90/90-21	F	GEN	121
BRIDGESTONE	0305-0236	EXEDRA MAX	90/90-21	F	CRS/TOUR	123
CONTINENTAL	0305-0096	CONTI GO!	90/90-21	F	GEN	127
MICHELIN	0305-0303	COMMANDER 2	90/90-21	F	CRS/TOUR	105
PIRELLI	0305-0193	NIGHT DRAGON	90/90-21	F	GEN	114
AVON	AV029	AM20	90/90H-21	F	GEN	119
BRIDGESTONE	0305-0049	BT-45V	90/90H-21	F	SPRTNG	125
DUNLOP	0305-0055	ELITE 3	90/90H-21	F	CRS/TOUR/CUSTOM	104
METZELER	0305-0011	ME880	90/90H-21	F	CRS/TOUR	110
METZELER	0305-0041	LASERTEC	90/90H-21	F	GEN	112
METZELER	0305-0390	ME888	MH90-21	F	CRS/TOUR	109
METZELER	0305-0389	ME888	MH90-21	F	CRS/TOUR/WWW	109
AVON	0305-0088	AV71 COBRA	MH90-21	F	CRS/TOUR/CUSTOM	118
AVON	0305-0272	AV71 COBRA	MH90-21	F	CRS/TOUR/WWW	118
DUNLOP	0305-0309	AMERICAN ELITE	MH90-21	F	CRS/TOUR	101
DUNLOP	3017-63	D402	MH90H-21	F	CRS/TOUR	102
DUNLOP	0305-0398	D402	MH90H-21	F	CRS/TOUR/MWWW/OEM	102
PIRELLI	0305-0082	NIGHT DRAGON	MH90H-21	F	GEN	114
AVON	0305-0261	AV71 COBRA	120/70-21	F	CRS/TOUR	118
AVON	0305-0432	AV71 COBRA	120/70-21	F	CRS/TOUR WWW	118
BRIDGESTONE	0307-0050	G721	120/70-21	F	GEN	123
METZELER	0307-0014	ME880	120/70-21	F	CRS/TOUR	111
METZELER	0305-0289	ME880 XXL	120/70-21	F	CRS/TOUR	111
PIRELLI	0305-0287	NIGHT DRAGON	120/70B-21	F	GEN	114
MICHELIN	0305-0304	COMMANDER 2	120/70B-21	F	CRS/TOUR	105
DUNLOP	0301-0092	ELITE 3	120/70HB-21	F	CRS	104
23"						
AVON	0301-0099	COBRA AV71	130/60R23	F/R	CRS/TOUR	118
METZELER	0305-0391	ME888	130/30-23	F	CRS/TOUR	109
PIRELLI	0305-0384	NIGHT DRAGON	130/60B23	F	CUSTOM	114
26"						
METZELER	0305-0438	ME888	120/55R26	F	CUSTOM	109

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

DUNLOP TIRES

•For nearly 30 years, Dunlop has provided tires for Harley-Davidson® – and more importantly, for Harley-Davidson® owners – that help Harley riders enjoy their bikes to the fullest. Dunlop's commitment to Harley-Davidson® riders grows even deeper with the introduction of the American Elite line of aftermarket tires, which incorporates Dunlop's exclusive Made-in-America experience, along with MT Multi-Tread technology to help deliver impressive mileage and handling.



American Elite Front/Rear

American Elite NWS Front/Rear

American Elite WWW Front/Rear

**AMERICAN ELITE™
PREMIUM REPLACEMENT TOURING TIRES**



- High mileage premium replacement tires
- The only replacement motorcycle tire for Harley-Davidson® bikes that is designed in America, made in America and tested in America
- Dunlop's decades-long engineering experience with H-D bikes is the foundation for the Dunlop American Elite line of replacement tires
- Tread design provides even tread wear and quiet operation in all conditions, both wet and dry
- Rear tires built with Multi-Tread Compound technology with long-wearing center compound and lateral-grip shoulder compounds for enhanced cornering performance, class leading grip and feel
- Tubeless
- Available in blackwall (BLK), narrow white stripe (NWS) and wide whitewall (WWW) for select applications
- Made in the U.S.A.
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL
FRONT					FRONT (CONT)					REAR (MULTI-TREAD COMPOUND) (CONT)				
MT90B16 BLK	72H	TL	0305-0393	\$191.95	100/90-19 BLK	57H	TL	0305-0396	\$170.95	MU85B16 BLK	77H	TL	0306-0425	\$241.95
MT90B16 NWS	72H	TL	0305-0394	225.95	130/60B19 BLK	61H	TL	0305-0425	176.95	MU85B16 NWS	77H	TL	0306-0426	282.95
MT90B16 WWW	72H	TL	0305-0395	234.95	MH90-21	54H	TL	0305-0309	161.95	MU85B16 WWW	77H	TL	0306-0427	292.95
130/90B16 WWW	67H	TL	0305-0307	242.95	REAR (MULTI-TREAD COMPOUND)					150/80B16 BLK	77H	TL	0306-0428	231.95
130/80B17 BLK	65H	TL	0305-0305	231.95	140/90B16 WWW	77H	TL	0306-0467	293.95	180/65B16 BLK	81H	TL	0306-0324	322.95
130/80B17 NWS	65H	TL	0305-0306	241.95	MT90B16 BLK	74H	TL	0306-0422	232.95	180/65B16 NWS	81H	TL	0306-0325	323.95
140/75 BLK	67V	TL	0303-0190	237.95	MT90B16 NWS	74H	TL	0306-0423	280.95	180/65B16 WWW	81H	TL	0306-0326	326.95
130/70B18 BLK	63H	TL	0305-0308	219.95	MT90B16 WWW	74H	TL	0306-0424	270.95	200/55R17 BLK	78V	TL	0304-0200	268.95



**THE DUNLOP HARLEY-DAVIDSON®
K591™ TIRE SERIES**

- The approved Harley-Davidson® sport tire; the only Harley-Davidson sport tire that is made in the U.S.A.
- Originally designed for racing but now incorporating refinements to meet the demands of street riders, K591 delivers optimum grip in wet or dry weather for confident cornering
- Available in front and rear sizes to fit Harley-Davidson Dyna, Sportster Sport and Deuce models
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph
- Made in the U.S.A.



K591 Front/Rear

SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
FRONT			
100/90-19	51V	3023-25	\$178.95
REAR			
130/90B16	64V	3023-40	206.95

SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
REAR (CONT)			
150/80B16	71V	3023-91	\$246.95
160/70B17	73V	3023-96	263.95



**DUNLOP
BROCHURES**

- Supplies basic features and fitment information
- Available at no charge with any Parts Unlimited or Drag Specialties order
- Shipped as a 25-pack

PART # 9901-0335

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



THE DUNLOP HARLEY-DAVIDSON® D401™ TIRE SERIES

- The approved Harley-Davidson® cruiser tire; the only Harley-Davidson cruiser tire that is made in the U.S.A.
- Advanced tread pattern and specifically formulated compound deliver outstanding grip in wet or dry weather and provide long tire life
- Available in 90/90-19 front sizes and 130/90B-16 and 150/80B-16 rear sizes to fit Harley-Davidson Dyna and Sportsters
- Tubeless
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.



D401 Front/Rear

D401 WWW Front/Rear

D401 MWW Rear

SIZE	LOAD SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
90/90-19 BLK	52H	TL	3016-19	\$162.95
100/90-19 BLK	57H	TL	3016-25	165.95
100/90-19 WWW	57H	TL	0305-0399	182.95
REAR				
130/90B16 BLK	73H	TL	3016-40	198.95

SIZE	LOAD SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
150/80B16 BLK	71H	TL	3016-91	\$225.95
150/80B16 MWW	71H	TL	0306-0429¹	247.95
150/80B16 WWW	71H	TL	0306-0430	247.95
160/80B17 BLK	73H	TL	0306-0431²	271.95
200/55R17 BLK	78V	TL	0302-0407	266.95

¹ For Harley-Davidson® Seventy-Two. ² For Harley-Davidson® Switchback.



D402 Front

D402 SWS Front

D402 WWW Front

D402 MWW Front

D402 Rear

D402 SWS Rear

D402 WWW Rear

THE DUNLOP HARLEY-DAVIDSON® D402™ TIRE SERIES

- Approved Harley-Davidson® touring tire
- Built with a three-ply polyester casing with two fiberglass belts, the D402 offers great load-carrying capacity, stability and long life
- Computer-optimized tread pattern with offset center groove improves rider confidence in all conditions and reduces cupping for long, even wear
- Available in front and rear black, single white-bar, and wide white sidewall versions
- Tubeless
- H-rated for speed up to 130 mph
- Made in the U.S.A.



SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
FRONT			
MT90B16 BLK	72H	3020-91	\$191.95
MT90B16 SWS	72H	3021-91	225.95
MT90B16 WWW	72H	3022-91	234.95
130/70B18 BLK	63H	0305-0397¹	237.95
MH90-21 BLK	54H	3017-63	161.95
MH90-21 MWW	54H	0305-0398²	178.95

SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
REAR			
MU85B16 WWW	77H	3019-23	\$278.95
MU85B16 BLK	77H	0308-0001	234.95
MU85B16 SWS	77H	0308-0002	268.95
MT90B16 BLK	74H	3017-91	225.95
MT90B16 SWS	74H	3018-91	257.95
MT90B16 WWW	74H	3019-91	267.95

¹ For Harley-Davidson® Switchback. ² For Harley-Davidson® Seventy-Two.



Signature Tire

SIGNATURE™ SERIES TRIKE REAR TIRE

- Engineered grooves in a highly detailed tread pattern quickly evacuate water for all weather performance you can trust
- Blackwall
- T-rated for speeds up to 118 mph
- Made in the U.S.A.

SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
P205/65R15	92T	0304-0219	\$189.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



SPORTMAX® Q3 RADIALS

- Features Carbon Fiber Technology (CFT)
- Exhibits exceptional cornering stability, especially at high lean angles, responsive and precise steering characteristics, and predictable, smooth transitional-steering performance and impressive performance in dry conditions as a result of CFT
- New tread pattern utilizes Dunlop's cosecant-curve but with fewer grooves that are longer-track-proven to greatly enhance wet-weather performance
- Incorporates MT Multi-Tread technology providing a cool-running, long-wearing compound in the center for long tread life, enhanced straight-line stability and excellent traction, while the sides feature lateral grip compounds to enhance traction at moderate-to-maximum lean angles
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Q3 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17	(55W)	TL	0301-0485	\$165.95
120/70ZR17	(58W)	TL	0301-0484	170.95
REAR				
160/60ZR17	(69W)	TL	0302-0821	204.95
180/55ZR17	(73W)	TL	0302-0818	219.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
190/50ZR17	(73W)	TL	0302-0819	\$255.95
190/55ZR17	(75W)	TL	0302-0820	262.95
200/50ZR17	(75W)	TL	0302-0822	289.95
240/40ZR18	(79W)	TL	0302-0823	290.95

D208/D207ZR/ELITE 3® RADIAL TIRES FOR THE HARLEY-DAVIDSON® V-ROD AND STREET ROD

- Dunlop offers a special version of the D208 designed for the Harley-Davidson® V-Rod and Street Rod
- Rear tire 240/40-18 fits special edition V-Rods and Street Rods
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.



D208 Front

D207ZR Rear

Elite 3 Rear

SIZE	LOAD/SPEED INDEX	PART #	SUG. RETAIL
FRONT			
120/70ZR19 D208	(60W)	0303-0063	\$254.95
REAR			
180/55ZR18 D207ZR	(74W)	3001-31	316.95
240/40R18 Elite 3	79V	0302-0110	302.95

QUALIFIER™

- Exceptional performance and great value
- Jointless band (JLB) rear tire construction utilizes a continuously-wound steel belt for reduced carcass distortion
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph
- Made in the U.S.A.



Qualifier Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0342	\$149.95
REAR				
180/55ZR17	(73W)	TL	0302-0570	192.95
190/50ZR17	(73W)	TL	0302-0571	223.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



Elite 3 Radial Front/Rear

Elite 3 Bias Front/Rear

Elite 3 Radial Rear (Wide)

ELITE® 3



- Next generation long-distance tire with improved performance and longer wear
- E3 tread pattern provides class-leading wet-pavement performance and is not affected by rain grooves, steel bridge decks or tar stripes
- Better response and a solid feel through turns for confident cornering
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
130/90B16, bias-ply	73H	TL	0305-0392	\$198.95
90/90-21, bias-ply	54H	TL	0305-0055	172.95
120/70R21, radial	62V	TL	0301-0092	223.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
MT90B16, bias-ply	74H	TL	0306-0038	\$224.95
MU90B16, bias-ply	78H	TL	0306-0039	228.95
200/50R18, radial	76H	TL	0302-0406	308.95
240/40R18, radial	79V	TL	0302-0110	302.95
250/40R18, radial	81V	TL	0302-0041	293.95



Roadsmart II Front/Rear

ROADSMART® II



- Sportmax® Roadsmart II takes the sport touring tire goals of mileage, sport handling, and wet grip to the next level
- Front and rear tread patterns feature long lateral grooves to provide excellent water drainage on wet surfaces
- Multi-directional sub grooves optimize contact pressure for long mileage, even wear and good water drainage
- Rear tire features Dunlop's MT Multi-Tread construction
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17 (58W)		TL	0301-0372	\$172.95
REAR				
170/60ZR17 (72W)		TL	0302-0613	209.95
180/55ZR17 (73W)		TL	0302-0614	225.95
190/50ZR17 (73W)		TL	0302-0615	244.95



K330 Front/Rear

K330

- OEM replacement tires for Buell Blast
- Blackwall
- Tubeless
- S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/80-16	50S	TL	320F-62	\$132.95
REAR				
120/80-16	60S	TL	320F-68	163.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV


TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



Conventional 71-thread ply

Commander II 90-thread ply is 25% more dense than conventional plies

Square bead wires improve casing rigidity, handling and ease of installation.



COMMANDER II® CRUISER TIRES

- Michelin states, "Provides nearly twice the mileage of competitive cruiser tires (based on independent testing)"
- Radically different tread pattern for head-turning looks; premium sidewall treatment complements cruiser styling
- All-new rubber compounds provide remarkable wet grip without compromising durability
- Square bead wires improve casing rigidity, handling and ease of installation
- Amplified Density Technology, a highly dense, more-rigid tire casing, helps deliver excellent feedback and handling
- Commander II tires designed for dramatically extended mileage and feature Aramid tread plies to resist centrifugal growth, reduce weight and provide excellent stability
- Blackwall
- Tubeless (TL) or Tube Type (TT)
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph; W-rated for speeds up to 168 mph



Commander II® Front/Rear



SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90B16, reinforced (MT90 B16)	73H	TL/TT	0305-0278	\$196.95
130/80B17	65H	TL/TT	0305-0280	223.95
140/75R17	67V	TL	0303-0188	234.95
140/80B17	69H	TL/TT	0305-0404	268.95
110/90B18	61H	TL/TT	0305-0405	218.95
130/70B18	63H	TL/TT	0305-0302	280.95
100/90B19	57H	TL/TT	0305-0281	170.95
120/70ZR-19	60W	TL	0301-0436	228.95
80/90-21 (MH90-21)	54H	TL/TT	0305-0282	166.95
90/90-21	54H	TL/TT	0305-0303	183.95
120/70B21	68H	TL/TT	0305-0304	261.95
REAR				
130/90B16, reinforced (MT90 B16)	73H	TL/TT	0306-0297	233.95
140/90B16, reinforced (MU85 B16)	77H	TL/TT	0306-0298	242.95
150/80B16, reinforced	77H	TL/TT	0306-0299	232.95
180/65B16, reinforced	81H	TL/TT	0306-0300	306.95
160/70B17 TL	73V	TL/TT	0306-0301	273.95
200/55R17 TL	78V	TL	0304-0197	278.95
150/70B18	76H	TL/TT	0306-0322	322.95
240/40R18	79V	TL	0302-0729	351.95

For a complete look at the Michelin line, please see a Drag Specialties sales rep for a 25-pack of this brochure; available at no charge with any Drag Specialties order.

DESCRIPTION	PART #
Michelin brochures (25-pk.)	9901-0342

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



POWZR SuperSport Evo

POWER SUPERSPORT EVO

- Excellent handling from an optimized front tire profile that improves feel and confidence
- 2CT (Two Compound Technology) front tire construction
- Rear tire features new 2CT+ compound technology for added stability and handling even at full lean
- Incorporates ACT (Adaptive Casing Technology) developed from Michelin race tires
- Outstanding grip in wet or dry conditions
- Adaptable low-pressure tire casing ensures a larger contact patch for added grip and higher performance when used on race tracks
- Blackwall
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



Pilot® Power SuperSport Evo Front/Rear



SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0574	\$244.95
REAR				
180/55ZR17	(73W)	TL	0302-0949	345.95
180/60ZR17	(75W)	TL	0302-0950	349.95

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/50ZR17	(73W)	TL	0302-0951	\$354.95
190/55ZR17	(75W)	TL	0302-0952	363.95
200/55ZR17	(78W)	TL	0302-0953	392.95

Pilot POWZR 3

PILOT POWER 3 DUAL-COMPOUND SPORTBIKE STREET TIRES

- Tread pattern designed to inhibit irregular wear
- 20% longer tread life than MICHELIN® Pilot Power 2CT™
- 2CT+ technology on rear tire enhances tread rigidity and cornering stability
- Casing profile optimized for excellent feedback and handling
- Compound provides exceptional wet grip
- Semi-slick tread design maximizes contact patch for dry grip
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph




Pilot® Power 3 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0430	\$186.95
REAR				
180/55ZR17	(73W)	TL	0302-0726	239.95
190/50ZR17	(73W)	TL	0302-0727	280.95
190/55ZR17	(75W)	TL	0302-0728	292.95

2CT *Pilot POWER 2CT*

PILOT® POWER 2CT DUAL COMPOUND SPORT RADIAL TIRES

- Tubeless dual-compound radial for track or performance street riding
- Tread surface divided into three separate areas featuring two different rubber compounds
- Softer shoulder rubber provides phenomenal cornering grip
- Lean angles up to 51.2°
- Blackwall
- (W)-rated for speeds of 168+ mph



Pilot® Power 2CT Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/65ZR17	(56W)	TL	0301-0575	\$167.95
120/70ZR17	(58W)	TL	0301-0081	167.95
REAR				
180/55ZR17	(73W)	TL	0302-0137	214.95
190/50ZR17	(73W)	TL	0302-0138	250.95
190/55ZR17	(75W)	TL	0302-0139	261.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



PILOT® POWER

- Tubeless (TL) high-performance radial for track or performance street riding
- Unprecedented lean angles: 50.6° on dry pavement, 41.9° on wet pavement
- Progressive handling even in extreme situations; offers superb feedback at the limit and maintains stability under hard acceleration
- Blackwall
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0023	\$159.95
REAR				
170/60ZR17	(72W)	TL	0302-0040	194.95



Pilot® Power Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	(73W)	TL	0302-0032	\$203.95
190/50ZR17	(73W)	TL	0302-0033	238.95



PILOT® ACTIV

- Sets a new standard for bias-ply sport touring tires;
- 20% greater tread life than earlier Michelin bias-ply tires
- Significantly improved wet and dry grip due to increased rubber contact with road and advanced rubber mix
- Optimum performance throughout life of tire
- Available in a wide range of sizes; perfect for older bikes
- Blackwall
- Tubeless (TL) or Tube Type (TT)
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90-19	57V	TL/TT	0305-0106	\$157.95
3.25-19	54H	TL/TT	0305-0107	139.95



Pilot® Activ Front/Rear


SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
120/90-18	65V	TL/TT	0306-0112	\$195.95



PILOT® ROAD 4

DUAL COMPOUND SPORT-TOURING RADIAL TIRES

- For all-around sport touring use
- Stop shorter in the wet vs. the leading competitive sport touring tires and the Pilot® Road 3
- Up to 20% longer tread life than Michelin Pilot® Road 3 tires (for a single set)
- 2 Compound Technology with all-new silica-charged rubber compounds for excellent grip from 23°F to 113°F
- New XST+ siping and enhanced tread patterns for optimum grip at all lean angles
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



Rubber hardness
 1 SOFT
 2
 3 HARD



Pilot® Road 4 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/60ZR17	(55W)	TL	0301-0501	\$228.95
120/70ZR17	(58W)	TL	0301-0502	233.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
180/55ZR17	(73W)	TL	0302-0846	\$299.95
190/50ZR17	(73W)	TL	0302-0847	325.95
190/55ZR17	(75W)	TL	0302-0848	337.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX




Pilot Road 4



PILOT® ROAD 4 GT

DUAL-COMPOUND SPORT TOURING RADIALS

- Design features a stiffer casing with a patented new technology for motorcycle tires that delivers the stability you need for heavier GT-class bikes while riding solo, two-up or with luggage, and the comfort you desire
- Stop shorter in the wet vs. the leading competitive sport touring tires and the Michelin Pilot® Road 3
- Up to 20% longer tread life than Michelin Pilot® Road 3 tires (for a single set)
- 2 Compound Technology with all-new silica-charged rubber compounds for excellent grip from 23°F to 113°F
- New XST+ siping and enhanced tread patterns for optimum grip at all lean angles
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



Pilot® Road 4 GT Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0503	\$247.95
120/70ZR18	(59W)	TL	0301-0504	250.95
REAR				
170/60ZR17	(72W)	TL	0302-0849	307.95


SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	(73W)	TL	0302-0850	\$318.95
190/50ZR17	(73W)	TL	0302-0851	344.95
190/55ZR17	(75W)	TL	0302-0852	357.95

Pilot Road 3



PILOT® ROAD 3

- Dual-compound sport touring radial
- Revolutionary X Sipe technology delivers all-weather performance without compromising tread life or handling
- 2CT two compound technology in both front and rear tires
- Features a soft rubber compound on the tread shoulders and a wear-resistant compound down the middle; front tire features a wider soft-compound than the Pilot® Road 2
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Pilot® Road 3 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70R17	(58W)	TL	0301-0285	\$218.95


SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
180/55R17	(73W)	TL	0302-0475	\$280.95
190/50R17	(73W)	TL	0302-0476	303.95

Pilot Road 2



PILOT® ROAD 2

- Dual-compound sport touring radial
- Innovative front and rear tread designs
- Features a soft rubber compound on the tread shoulders and a wear-resistant compound down the middle
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Pilot® Road 2 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0101	\$193.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
180/55ZR17	(73W)	TL	0302-0176	\$247.95
190/50ZR17	(73W)	TL	0302-0177	268.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



**METZELER MOTORCYCLE TIRES:
150 YEARS OF PERFORMANCE**

In its 150 year history, Metzeler has always satisfied the needs of the motorcycle rider with German innovation and technological prowess. Metzeler has proven it again for the V-Twin world with the launching of the all-new ME888 Marathon Ultra, now in Whitewall for those riders wanting a classic look. Through the use of the latest in tire design and compounding technology, Metzeler has created a tire that satisfies the demands of the modern day V-Twin owners. Delivering mileage that is equivalent to, and in some cases greater than any motorcycle tire on the market, the ME 888 does so without compromising performance that Metzeler riders demand. The new ME888 Marathon Ultra, ultra mileage, no excuses. For custom and unique sizing, Metzeler continues to offer the ME 880 Marathon. The ME 880 has been the tire upgrade choice for many years for V-Twin riders across North America and around the world. No other tire company has the fitment range and tested upgrade choices offered in the ME880 line. As always, our best spokespeople are our customers. The next time you see someone running Metzeler tires on their motorcycle, ask them about the difference our technology has made for their riding enjoyment.



STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



ME888 Front/Rear




ME888 WWW Front/Rear

**ME 888 MARATHON ULTRA
ULTRA MILEAGE – NO COMPROMISE**



- Ultra high mileage coupled with Metzeler performance and handling
- Developed in Germany for the roads of America
- Specifically designed for custom touring bikes
- Technology offering consistent performance throughout the tire's life
- Outstanding high- and low-speed stability and smooth handling
- Tubeless
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
MT90B16	72H	TL	0305-0295	\$186.95
MT90B16 WWW	72H	TL	0305-0385	243.95
130/90-16	67H	TL	0305-0296	186.95
130/90-16 WWW	67H	TL	0305-0386	243.95
130/80B-17	65H	TL	0305-0294	217.95
130/80B-17 WWW	65H	TL	0305-0387	243.95
130/70B18	63H	TL	0305-0431	265.95
100/90-19	57H	TL	0305-0297	180.95
100/90-19 WWW	57H	TL	0305-0388	231.95
MH90-21	54H	TL	0305-0390	159.95
MH90-21 WWW	54H	TL	0305-0389	230.95
130/60-23	65H	TL	0305-0391	250.95
120/55R26	67H	TL	0305-0438	281.95
REAR				
140/90B15	70H	TL	0306-0413	247.95
170/80B15	77H	TL	0306-0311	244.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
170/80B15 WWW	77H	TL	0306-0412	\$285.95
MU85B16	77H	TL	0306-0312	230.95
MU85B16 WWW	77H	TL	0306-0415	288.95
MT90B16	74H	TL	0306-0315	217.95
MT90B16 WWW	74H	TL	0306-0416	281.95
130/90B16 (reinforced)	73H	TL	0306-0313	209.95
130/90B16 WWW	73H	TL	0306-0417	281.95
140/90B16	77H	TL	0306-0419	222.95
140/90B16 WWW	77H	TL	0306-0420	288.95
150/80B16 (reinforced)	77H	TL	0306-0314	231.95
150/80B16 WWW	77H	TL	0306-0414	296.95
170/70B16	75H	TL	0306-0462	285.95
180/60R16	74H	TL	0302-0842	327.95
180/65B16 (reinforced)	81H	TL	0306-0310	293.95
180/65B16 WWW	81H	TL	0306-0418	316.95
160/70B17	79V	TL	0306-0421	296.95

Ask your Parts Unlimited/ Drag Specialties sales rep for copies of Metzeler's full-line brochure. Available at no charge with any Parts Unlimited order. Shipped as a 10-pack.

PART # 9901-0764

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



ME880 Front/Rear

ME880 WWW Front



ME880 MARATHON – HIGH MILEAGE CRUISER TOURING TIRES FOR GENERAL REPLACEMENT AND MODEL-SPECIFIC APPLICATIONS

- Premium line dedicated to cruiser and heavy touring bikes, featuring high-tech construction not found in other cruiser tires
- Machine-specific carcass construction for exceptional riding comfort and stability at all speeds, even under heavy load
- Built to handle the higher loads and handling characteristics of cruiser and touring bikes
- Front tires feature rounded tread profile for smooth, neutral steering
- Rear tires feature flatter tread profile and larger contact patch for better traction and mileage
- Computer-designed tread pattern with offset groove alignment for uniform wear characteristics, low noise
- Tread pattern has excellent water displacement ability and stability over rain grooves and under hard braking
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT					REAR				
150/80-16 WWW	71H	TL	110-14152	\$244.95	150/80B16	71H	TL	110-10420	\$233.95
120/70R-17	58V	TL	110-20447	252.95	170/60R17	78V	TL	0302-0238	321.95
140/75R-17	67V	TL	0301-0225¹	225.95	200/55R-17	78V	TL	0302-0376¹	270.95
130/70R18	63V	TL	0301-0405	245.95	180/55ZR-18	(74W)	TL	110-14351	334.95
110/90-19	62H	TL	110-10411	200.95					
90/90-21	54H	TL	0305-0011	167.95					

¹ For Fat Boy models originally fitted with this size tire.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



ME880 XXL CUSTOM

- The ME880 is the fastest and most affordable way to upgrade your American V-twin
- ME880 continues to be the tire choice of the world's top custom builders
- Most ME880 radials feature the patented 0° steel-belt technology
- The latest in silica compounding delivers phenomenal wet grip
- Please see the upgrade chart below for sizing
- ME880's unique tread design prevents the wandering and following of rain grooves
- Blackwall
- Tubeless (TL)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds of 149+ mph, W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph

NOTE: It is not recommended that a radial front tire be used with a bias-ply rear tire.



ME880 XXL Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					REAR					REAR (CONT)				
120/90B18	65H	TL	110-10409	\$234.95	150/80B16	71H	TL	110-10420	\$233.95	210/40R18	73H	TL	0304-0055	\$371.95
130/70B18	63H	TL	110-13141	260.95	160/80B16	75H	TL	110-13142	317.95	240/40R18	(79V)	TL	110-10430	342.95
140/70-18 (reinforced)	73H	TL	0305-0097	316.95	200/60R16	79V	TL	110-13075	351.95	260/40R18	(84V)	TL	0302-0055	436.95
110/90-19	62H	TL	110-10411	200.95	240/50R16	84V	TL	110-10431	440.95	280/35R18	(84V)	TL	110-14885	469.95
90/90-21	54H	TL	0305-0011	167.95	200/55R-17	78V	TL	0302-0376	270.95	300/35R18	(87V)	TL	0302-0070	516.95
120/70-21	62H	TL	0307-0014	250.95	150/70B18 (reinforced)	76H	TL	0306-0108	316.95					
120/70B21 (reinforced)	68H	TL	0305-0289	236.95	160/60R-18 (reinforced)	76V	TL	0302-0028	344.95					
					200/50R18	(76W)	TL	110-13074	347.95					



Stage I



Stage II

**ME880 MARATHON/
ME880 XXL TIRE SIZING GUIDE**

- Stage I front and rear applications normally do not require any modifications
- Stage II front applications may require wheel size changes or slight modifications such as wheel spacing; may also require a fender change
- Stage II rear applications may require wheel size changes, wheel spacing, pulley spacing or installing a narrower rear belt; may also require a fender change
- Stage III rear applications require major changes, such as a wide frame kit, a wide swingarm kit, transmission offset and fender changes



Stage III

FRONT

STAGE I	STAGE II	RECOMMENDED RIM WIDTH (INCHES)	RIM RANGE
0305-0011 (90/90-21)	110-13141 (130/70B-18)	3.50	3.00-4.50
	0305-0097 (140/70-18)	3.50	3.00-4.50
	110-10411 (110/90-19)	2.50	2.15-3.00
	0305-0289 (120/70B21)	3.50	3.00-3.75

REAR

STAGE I - FITS STOCK RIM	STAGE II - UPGRADE	RECOMMENDED RIM WIDTH (INCHES)	RIM RANGE	STAGE III - UPGRADE	RECOMMENDED RIM WIDTH (INCHES)	RIM RANGE
-	0306-0108 (150/70B18)	4.00	3.50-4.50	110-13075 (200/60R16)	5.50	5.50-6.25
110-13142 (160/80B16) ¹	0302-0028 (160/60R18)	4.25	4.25-5.00	110-10431 (240/50R16)	7.50	7.00-8.00
0302-0055 (260/40R18)	110-13074 (200/50R18)	6.00	5.50-6.50	110-13074 (200/50R18)	6.00	5.50-6.50
				110-10430 (240/40R18)	8.50	8.00-9.00
				0302-0055 (260/40R18)	9.00	8.50-9.50
				110-14885 (280/35R18)	10.00	9.50-10.50
				0302-0070 (300/35R18)	10.50	10.00-11.00

¹ For 04-08 models with an OEM 150 series rear tire.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX





STREET



LASERTEC – SPORT TOURING BIAS TIRES

- Proven tread patterns for all-weather riding
- Tread pattern design provides excellent water drainage that reduces hydroplaning, enhancing wet performance for safe riding in all weather conditions
- Compounds ensure higher braking performance on both wet and dry surfaces
- Classic tread pattern is designed to prevent irregular wear and cupping
- Multiple-Radius Contour Design is tuned specifically for the bias-tire touring segment and provides radial-type handling
- High silica content of the compounds helps provide outstanding grip in all weather conditions and reduces rolling resistance to improve mileage
- Blackwall
- Tubeless (TL)
- H-rated for speeds up to 130 mph or (V)-rated to 149+ mph



Lasertec Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
3.25-19	54H	TL	0305-0039	\$169.95
3.25-19	54V	TL	0305-0043	195.95
3.50-19	57H	TL	0305-0040	183.95
3.50-19	57V	TL	0305-0044	208.95
100/90-19	57V	TL	0305-0042	204.95
90/90-21	54H	TL	0305-0041	171.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
130/90-16	67V	TL	0306-0030	\$207.95
150/80-16	(71V)	TL	0306-0031	227.95
160/70-17	73V	TL	0308-0006	248.95
4.00-18	64V	TL	0308-0007	208.95
120/90-18	65V	TL	0308-0008	214.95
130/80-18	(66V)	TL	0308-0010	219.95

DRAG SPECIALTIES

OFFROAD

ATV/UTV



SPORTEC™ M7 RR

- Derived from the experience gained in road racing activities
- Designed to offer high levels of handling and safety, including wet, bumpy and dirty tarmac
- New profiles, revolutionary materials, new compounds and a brand new tread pattern
- Sporty handling
- Grip on wet
- Increased mileage
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds 168+ mph



M7 RR Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0514	\$168.95
REAR				
180/55ZR17	(73W)	TL	0302-0868	215.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/50ZR17	(73W)	TL	0302-0869	\$245.95
190/55ZR17	(75W)	TL	0302-0870	255.95
200/55ZR17	(78W)	TL	0302-0872	272.95



SPORTEC M3 – HIGH PERFORMANCE, HIGH VALUE TIRES

- Highest performance for dollar supersport tire on the market
- New compound technology now found in proven M3 tread pattern
- New compound offers increases in dry grip performance on both the road and on the racetrack
- Progressive handling behavior delivered by the Metzeler patented 0° steel belt and the Multiradius technology development
- Tread pattern design and differentiated compound between front and rear ensuring high wet safety feeling and extended mileage
- Blackwall
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



Sportec M3 Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0055	\$150.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
180/55ZR17	(73W)	TL	0302-0096	\$192.95
190/50ZR17	(73W)	TL	0302-0097	224.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



ROADTEC Z6


ROADTEC Z6 – VALUE PRICED SPORT TOURING TIRES

- CMT (Contour Modeling Technology) combines different profiles to optimize handling at all lean angles
- Patented 0° steel belt technology provides stiffer carcass for perfect balance of performance for one- and two-up riding; minimized stand-up behavior under mid-corner braking situations
- Unmatched tread life thanks to the combination of carcass, compound and tread design to provide you with a totally balanced performance during the entire life of the tire
- Blackwall
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0011	\$174.95
REAR				
180/55VR17	(73W)	TL	0302-0012	225.95



Roadtec Z6 Front/Rear



ROADTEC INTERACT™ Z8
MULTI-COMPOUND



3 "tension zones"



Roadtec Z8 Front/Rear

ROADTEC Z8 INTERACT™ – SPORT TOURING TIRES

- Rear tires feature Metzeler multi-zone compound
- The Roadtec Z8 Interact also incorporates three tensions zones to provide best in-segment mileage and optimal wet performance throughout the tire's life thanks to an innovative tread pattern, a widened and more elliptical footprint, and a host of wear-resistant technologies not normally seen in motorcycle tires
- New O-spec replacement for BMW K 1600 GT and K 1600 GTL
- Everything about the new Roadtec Z8 Interact™ has been designed to put the rider in control; it responds like an extension of the rider's instincts, creating an invigorating blend of precise riding feel and effortless handling
- High-silica compound with nano-particles increases performance and safety in all weather conditions
- All-new profile matched with new patented tread design provides easy handling and reduced push steering for maximum confidence in all maneuvers
- A final footprint area 8% wider as compared to its predecessor
- O-Spec rears feature a 2-ply carcass for heavy sport-touring bikes
- M-Spec rears feature dual-compound construction
- Metzeler's patented tread pattern reduces front tire land-sea ratio to 11% and the rear tire land-sea ratio to 13%. Strategically placed longitudinal central grooves provide ideal drainage for more than 3/4 of all lean angles in the wet. The remaining tread grooves work to add tread flexibility, extending the footprint for stability in the dry
- The updated design of the Roadtec Z8 improves wear regularity, which gives riders the benefit of a consistent riding performance across the tire's entire life
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17 "M Spec"	(58W)	TL	0301-0422	\$209.95
REAR				
180/55ZR17 "O Spec"	(73W)	TL	0302-0690	285.95
180/55ZR17 "M Spec"	(73W)	TL	0302-0812	282.95
190/50ZR17 "O Spec"	(73W)	TL	0302-0692	299.95
190/50ZR17 "M Spec"	(75W)	TL	0302-0957	287.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



PIRELLI TIRES: PASSION AND PERFORMANCE

Because passion is as important as performance, Pirelli is a brand admired worldwide. From Formula 1, World Superbike, AMA Supercross, and World MX Championships – Pirelli's image inspires the imagination. Manufacturing tires at 23 factories located in 11 countries, Pirelli is the world leader in the field of tires for high-performance cars and motorcycle tires, for both original equipment and replacement. The Pirelli range includes tires for cars, motorcycles, scooters, bicycles and commercial vehicles, and among the company's strengths is its commitment to developing products with ever greater reliability and higher performance.

Pirelli has 19 World Rally Championships and 62 World MX GP Championships. Pirelli Moto is the exclusive tire supplier for all the teams competing in the World Superbike and Supersport, British Superbike Series and Supersport Championships, and competes with top teams like Joe Gibbs Racing in the AMA Supercross Championship. Pirelli's investment and commitment as the spec-tire for World Superbike competition has led to numerous innovations that made their way into the Diablo™ family such as the Supercorsa, Rosso Corsa, Diablo Rosso II as well as the Angel GT multi-compound Extended Mileage Sport tire.



Night Dragon Front/Rear


NIGHT DRAGON

PERFORMANCE CRUISER TOURING TIRES

- Pirelli's Night Dragon answers the modern cruiser rider's demands. Let a rider and his bike reach their full potential without sacrificing mileage
- Check out our new sizes for modern cruisers
- Utilizing Pirelli's DNA of performance, the Night Dragon is the modern tire for modern cruisers
- Record-setting land speed records with the cooperation of Klock Werks Custom Cycles
- The Night Dragon increases not only wet and dry grip but gives you noticeably better handling on backroads and the interstate
- Modern tread pattern combines high-performance attributes and a great new style
- Outstanding grip at all lean angles
- Special compounds offer incredible straight-line acceleration and traction
- New structural designs provide great stability and comfort
- Tube/tubeless (TL); blackwall
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph; (V)-rated for speeds of 149+ mph; W-rated for speeds up to 168 mph; (W)-rated for speeds of 168+ mph



NIGHT DRAGON



For a complete look at the Pirelli line, order one 10-pack of this brochure. Available at no charge with any Parts Unlimited order. Qty. 10 per pack.

PART # 9901-0763

SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL
FRONT				
130/90-16	67H	TL	0305-0285	\$176.95
MT90B16	72H	TL	0305-0080	192.95
130/80B17	65H	TL	0305-0283	214.95
140/75R17	67V	TL	0301-0143	228.95
130/70B18	63H	TL	0305-0288	248.95
140/70B18	73H	TL	0305-0083¹	291.95
100/90-19	57H	TL	0305-0081	171.95
110/90-19	62H	TL	0305-0284	187.95
120/70ZR-19	(60W)	TL	0301-0144	254.95
90/90-21	54H	TL	0305-0193	170.95
MH90-21	54H	TL	0305-0082	169.95
120/70B21 (reinforced)	68H	TL	0305-0287	241.95
130/60B23	65H	TL	0305-0384	255.95

SIZE	LOAD/SPEED INDEX	TT/ TL	PART #	SUG. RETAIL
REAR				
130/90B16	73H	TL	0306-0090¹	\$210.95
MT90B16	74H	TL	0306-0091	227.95
MU85B16	77H	TL	0306-0092	230.95
150/80B16	77H	TL	0306-0093¹	222.95
180/70R16	77H	TL	0304-0198	341.95
180/65B16 (reinforced)	81H	TL	0306-0302	295.95
160/70-17	73V	TL	0306-0303	282.95
170/60R17 (reinforced)	78V	TL	0304-0199	294.95
180/60B17	81H	TL	0306-0094^{1, 2}	316.95
200/55R17	78V	TL	0302-0247	273.95
150/70B18 (reinforced)	76H	TL	0306-0095¹	294.95
180/55R18	(74W)	TL	0302-0246	323.95
240/40R18	(79V)	TL	0302-0253	348.95

¹ Reinforced carcass. ² Plus one fitment for Dyna and Deuce.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



MT66 Front/Rear

ROUTE MT66 – PRICE POINT CRUISER TIRES

- Classic design with modern compounds developed for cruiser bikes of all sizes
- Improving a motorcycle's handling characteristics at a value price point
- Designed for wet grip, exceptional handling, riding comfort and durability
- Designed to provide a smooth ride with superior stability
- Exceptional performance at an exceptional value
- Blackwall
- TT=tube type; TL=tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
130/90-16	67H	TL	MT66-01	\$144.95
90/90-19	52H	TL	MT66-04	129.95
100/90-19	57H	TL	MT66-05	122.95
110/90-19	62H	TL	MT66-06	140.95
80/90-21	48H	TT	MT66-07	118.95



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
130/90-16	73H	TL	MT66-24	\$144.95
140/90-16	71H	TL	MT66-25	165.95
150/80-16	71H	TL	MT66-26	180.95



Sport Demon Front/Rear

SPORT DEMON BIAS SPORT/TOURING TIRES

- Specially designed front tire – profile is designed to greatly improve handling; excellent water evacuation thanks to central sine-wave groove
- Multiple-radius rear tire profile provides lighter and more precise handling and stability in all riding conditions – radial-like handling from bias-ply tires
- Blackwall
- Tubeless (TL)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds of 149+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
100/90-19	57V	TL	1405200	\$177.95
REAR				
130/90-16	67V	TL	1403600	203.95
150/80-16	(71V)	TL	1342300	225.95
110/90-18	61H	TL	1404500	174.95
120/90-18	65V	TL	1404700	193.95
140/70-18	67V	TL	1405000	211.95



MT 75 Front/Rear

MT 75 SPORT TIRES

- Modern, aggressive tread pattern for a high level of dry- and wet-weather performance
- Excellent handling, superior grip and traction in corners and good mileage
- Blackwall
- Tubeless (TL)
- T-rated for speeds up to 118 mph

OEM TIRES FOR ALL BUELL BLAST

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
100/80-16	50T	TL	MT75-03	\$115.95
REAR				
120/80-16	60T	TL	MT75-04	139.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



DIABLO ROSSO


DIABLO ROSSO II

- The ultimate sport tire for absolute road use
- Front tire's design is derived from the Diablo Rosso Corsa to provide improved drainage, better wear regularity and efficient braking
- Bi-Compound rear tire combining long lasting mileage with excellent grip at full lean
- Pirelli Enhanced Patch Technology (EPT) optimizing the contact patch for improved grip
- Functional Groove Design (FGD) to optimize wet behavior
- Slick shoulder area for maximum grip at full lean, providing confidence and top performance
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Diablo Rosso II Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0303-0178	\$166.95
REAR				
180/55ZR17	(73W)	TL	0304-0183	223.95
190/50ZR17	(73W)	TL	0302-0559	259.95
190/55ZR17	(75W)	TL	0302-0560	264.95



Diablo Rosso Corsa Front/Rear

DIABLO ROSSO CORSA HIGH-PERFORMANCE TIRES

- Profiles and structures set the new benchmark, ensure high support while cornering and fast stand-up while accelerating out of the turn
- Feature Pirelli's patented EPT (Enhanced Patch Technology), matched with a three-zone compound, optimizes the contact patch for the best grip on the road and on the racetrack
- Pure racetrack performance combined with the comfort and predictability you expect from a high-performance street tire
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph (270+ kph)

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0234	\$195.95
REAR				
180/55ZR17	(73W)	TL	0302-0390	251.95
190/50ZR17	(73W)	TL	0302-0391	285.95
190/55ZR17	(75W)	TL	0302-0392	306.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



Diablo Supersport Front/Rear




DIABLO - SUPER VALUE SUPERSPORT TIRES

- Supersport performance for any level of rider
- Fantastic dry grip and quick warm-up time thanks to a rear tread pattern optimized in the mid-crown and shoulder area
- Optimized Land/Sea ratio provides outstanding grip and traction in wet and dry conditions, plus improved tread wear and performance throughout the tire's life
- Silica-Silan matrix compound and multi-radius are some of the innovative R&D racing attributes engineered into the Diablo
- Blackwall
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	1430700	\$159.95
REAR				
180/55ZR17	(73W)	TL	0302-0495	204.95
190/50ZR17	(73W)	TL	0302-0496	240.95

All part numbers in **BOLD MAGENTA** are new this year.



ANGEL GT

- Includes multi-compound technology from the World Superbike Championship on 160/60ZR17, 180/55ZR17, 190/50ZR17, 190/55ZR17
- "A Spec" rear tires denote a reinforced carcass for heavy-duty sport touring models
- Incorporates Pirelli's multi-compound technology derived from World Superbike Championship racing
- Extended Mileage Sport (EMS) – best in class for mileage and grip
- Improved wet grip performance
- Ideal for sport bikes that require increased mileage without sacrificing grip and traction
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph



Angel GT Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0424	\$205.95
REAR				
170/60ZR17	(72W)	TL	0302-0701	255.95
180/55ZR17	(73W)	TL	0302-0698	266.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17 "A Spec"	(73W)	TL	0302-0700	\$292.95
190/50ZR17 "A Spec"	(73W)	TL	0302-0704	290.95
190/55ZR17	(75W)	TL	0302-0705	290.95
190/55ZR17 "A Spec"	(75W)	TL	0304-0210	302.95



SCORPION TRAIL PERFORMANCE TOURING/ DUAL-SPORT TIRES 95% ON 5% OFF

- Replacement tires for various Buell models – replaces Scorpion Sync
- Revolutionary tread pattern combines high performance with a very innovative look
- Patented 0° steel belt technology on the front and rear offers maximum stability and excellent handling on every kind of terrain
- Latest generation of materials and compound for improved grip in all weather conditions
- Carcass designed to promote road holding at high speed and maximum comfort in varied terrain
- Replaces Scorpion Sync
- Blackwall
- Tubeless
- DOT approved; W-rated for speeds up to 168 mph



Scorpion Trail Front/Rear

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	58W	TL	0301-0236	\$220.95

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
REAR				
180/55R17	73W	TL	0302-0493	\$275.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



AV71 Front

AV71 WWW Front

AV72 Rear

AV72 WWW Rear

AV71/AV72 COBRA

- Features a snakeskin effect sidewall that complements the Cobra logo and tread design; a truly unique custom look
- Advanced Variable Belt Density (A-VBD) rear construction on most radial rears uses a densely-wrapped belt in the center of the tire for stability, wear and mileage, belt is less dense on the shoulder for a huge, compliant contact patch
- Force Following Grooves (FFG) for reduced tire noise, increased wear resistance, improved mileage, improved stability and better resistance to cupping
- Lifetime Profile Engineering (LPE) for consistent handling and stability for the full life of the tire
- Wide Custom Tread Arc (WCTA) tire profile for improved maneuverability at all speeds
- Enhanced Aqua Flow (EAF) tread pattern gives optimal water dispersal
- Enhanced Stability System (ES) design reduces tire flex for improved grip and stability
- Tubeless
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph or (W)-rated for speeds of 168+ mph

BIAS PLY

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AV71 FRONT				
MT90B16 BLK (reinforced)	74H	TL	0305-0267	\$176.95
MT90B16 WWW (reinforced)	74H	TL	0305-0268	213.95
130/80B17 BLK	65H	TL	0305-0194	192.95
100/90-19 BLK	57H	TL	0305-0270	147.95
100/90-19 WWW	57H	TL	0305-0271	192.95
MH90-21 BLK (reinforced)	56V	TL	0305-0088	149.95
MH90-21 WWW (reinforced)	56V	TL	0305-0272	197.95
120/70-21 BLK (reinforced)	68V	TL	0305-0261	203.95
120/70-21 WWW (reinforced)	68V	TL	0305-0432	248.95
AV72 REAR				
MT90B16 BLK (reinforced)	74H	TL	0306-0271	186.95
MT90B16 WWW (reinforced)	74H	TL	0306-0272	233.95
140/90B16 BLK (reinforced)	77H	TL	0306-0273	210.95
140/90B16 WWW (reinforced)	77H	TL	0306-0274	260.95
150/80B16 BLK (reinforced)	77V	TL	0306-0275	225.95
150/80B16 WWW (reinforced)	77V	TL	0306-0276	262.95
180/65B16 BLK (reinforced)	81H	TL	0306-0197	\$258.95

RADIAL

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AV71 FRONT				
140/75R17 BLK	67V	TL	0301-0477	197.95
130/70R18 BLK	63H	TL	0301-0097	231.95
130/70R18 BLK	63V	TL	0305-0269	235.95
120/70ZR19 BLK	(60W)	TL	0301-0098	237.95
AV72 REAR				
180/70R16 BLK	77H	TL	0302-0165	276.95
240/50R16 BLK	84V	TL	0302-0167	385.95
200/55R17 BLK	78V	TL	0302-0168	274.95
180/55ZR18 BLK	(74W)	TL	0302-0169	294.95
200/55R18 BLK	(79V)	TL	0302-0170	299.95
240/40R18 BLK	(79V)	TL	0302-0171	306.95
250/40R18 BLK	(81V)	TL	0302-0172	311.95
300/35R18 BLK	(87V)	TL	0302-0173	368.95
UNIVERSAL				
130/60R23 BLK	65V	TL	0301-0099¹	219.95

¹ Universal fitment front or rear.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



AM42 VENOM-R REAR RADIAL

- Unique sequential tread pattern produces a quiet ride
- Advanced casing technology for low rolling resistance, cooler running and high mileage
- Multi-arc tread contour for light, neutral turn-in and cornering stability
- 330-series tire recommended rim size is 12", 11.5" rim size minimum and 12.25" rim size maximum; tire outside diameter is approximately 634mm (25"), tire outside width is approximately 330mm (12.9")
- 180-series rear tire is for custom bikes with tight clearances
- Blackwall
- Tubeless
- V-rated to speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
330/30R17	87V	TL	0302-0035	\$461.95
180/55R18	74V	TL	0302-0445¹	290.95

¹ 177mm width.

Venom R Rear

AM20/AM21 CRUISER/TOURING

- All-weather tire made of 4-ply nylon for long wear
- Designed for the cruising or touring rider
- Specially designed tread rubber compound allows for superior wet grip and improved braking and handling
- 230-series rear tire designed for fitment on 5.5" to 7" wide rims
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM20 FRONT				
130/90-16 (reinforced)	73H	TL	AV-086	\$183.95
90/90-19	52H	TL	AV026	153.95
90/90-21 (not for FXSTS models)	54H	TL	AV029	162.95
AM21 REAR				
230/60B15 (belted)	86H	TL	AV046	398.95
(130) MT90-16 (reinforced)	74H	TL	AV040	191.95



AM20 Front

AM21 Rear

AM9 UNIVERSAL

- Designated for front or rear applications
- High mileage and low profile characteristics provide excellent stability through corners as well as rapid acceleration and braking
- Blackwall
- Tube type
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
4.10-19 61H		TT	AV007	\$189.95



•For a complete look at the Avon tire line, order one 25-pack of brochure PART #9901-0954. Available at no charge with any Parts Unlimited order.

DESCRIPTION	PART #
Avon Tyre brochure. 25 per pack.	9901-0954

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX

GANGSTER UNIVERSAL

- Special application tire with a 2³/₄" wide whitewall for nostalgic appearance
- Can be used on both front and rear wheels
- AM9 Universal tread design for great performance
- Recommended for 16" Harley-Davidson® wheels
- Reinforced bias-ply construction
- Tubeless
- H-rated for speeds up to 130 mph



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
MT90-16 WWW	74H	TL	AV012	\$357.95

AM7 SAFETY MILEAGE

- Provides excellent handling and a smooth ride
- Perfect mate to Speedmaster front rib
- Can be used on sidecars
- Blackwall
- Tube type
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph



SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
5.00-16 TT	69S	TT	AV004	\$222.95	3.50-19 TT	57S	TT	AV-400	\$163.95
4.00-18 TT	64S	TT	AV005	198.95	4.00-19 TT	65H	TT	0306-0308	252.95



AM6 Front

AM6 SPEEDMASTER

- Great for positive steering, featuring a unique contour for long life and even wear
- Continuous sipe and uninterrupted tread ribs for added braking and handling capabilities
- An ideal match for our Safety Mileage rear tires
- Blackwall
- Tube type
- S-rated for speeds up to 112 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3.25-19 TT	54S	TT	AV001	\$140.95
3.50-19 TT	57S	TT	AV002	142.95
3.00-21 TT	57S	TT	AV003 ¹	142.95

¹ Reinforced construction.

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.



SIDECAR TRIPLE-DUTY

- Designed with stability in mind
- Flat tread profile guarantees maximum contact with road surface
- Center rib provides positive steering capabilities
- Blackwall
- Tube type
- L-rated for speeds up to 75 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3.50L-19 TT	57L	TT	AV006	\$184.95



AM26 Front/Rear

AM26 ROADRIDER

- Large contact patch for excellent grip at all lean angles
- Interrupted center groove to resist tracking
- Special rubber compound formulated for excellent grip
- Bias-ply construction
- Wide range of sizes and matching tread design front and rear
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
AM26 FRONT				
90/90-19	52V	TL	0305-0063	\$131.95
100/90-19	57V	TL	0306-0072¹	140.95
90/90-21	54V	TL	0305-0060²	151.95
AM26 REAR				
MT90-16 (reinforced)	74V	TL	0306-0052	181.95
120/90-18	65V	TL	0306-0057	173.95

¹ Universal fitment, can be used as front or rear tire.
² Not for fitment on Springer Softails.



3D Storm X-M Front/Rear

3D STORM X-M RADIALS

- Performance plus extended mileage
- Delivers 15%-20% extra mileage compared to the current Storm range
- Interlocking three-dimensional points hidden in the sipes improve stability and grip, limit tread flex and allow the tire to warm up quickly
- High-performance single and multi-compound super-rich silica tread enhances wet grip (SRS)
- Superb handling and stability characteristics
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
3D X-M FRONT				
120/70R17	(58W)	TL	0301-0486	\$201.95
3D X-M REAR				
170/60ZR17	(72W)	TL	0302-0934	253.95
180/55R17	(73W)	TL	0302-0824	258.95
190/50R17	(73W)	TL	0302-0825	271.95
190/55ZR17	(75W)	TL	0302-0955	280.95
200/50ZR17	(75W)	TL	0302-0936	287.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

- STREET
- DRAG SPECIALTIES**
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX



3D Ultra Sport Front/Rear

3D ULTRA SPORT RADIALS

- Outstanding handling characteristics
- Large footprint at extreme lean angles
- 3D siping with interlocking three-dimensional points to improve stability and grip, limit tread flex, and allow the tire to warm up quickly
- Multi-compound
- Triple Extrusion (TE) tread compounds – durable rubber material in the tire center to aid mileage, and softer compounds on the tire shoulder to aid grip; a third compound underneath binds the two compounds together for cooler running and increased longevity
- Ideal for use on high-performance motorcycles; good balance of mileage versus grip
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	(58W)	TL	0301-0350	\$154.95
REAR				
180/55R17	(73W)	TL	0302-0581	189.95
190/50R17	(73W)	TL	0302-0582	203.95
190/55R17	(75W)	TL	0302-0583	212.95



3D Ultra Supersport Front/Rear

3D ULTRA SUPERSPORT RADIALS

- Super performance on the road; also suitable for track day use
- High-performance tread compound
- Precise handling characteristics
- 3D siping with interlocking three-dimensional points to improve stability and grip, limit tread flex, and allow tire to warm up quickly
- New design wind-on belt material used in the rear tire increases the footprint size at all lean angles, improving grip
- Blackwall
- Tubeless
- (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT				
120/70R17	(58W)	TL	0301-0347	\$165.95
REAR				
180/55R17	(73W)	TL	0302-0576	208.95
190/50R17	(73W)	TL	0302-0577	237.95
190/55R17	(75W)	TL	0302-0578	252.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



G721F Front

G852R Rear

EXEDRA G721F BIAS-PLY AND EXEDRA G852 RADIAL CRUISER TIRES

- 120/70-21 front and 210/40R18 rear
- Performance radials (rear) designed for large cruisers, offer solid performance and mileage
- Silica enriched compound (rear) offers a high level of grip on both wet and dry surfaces
- Aramid mono-spiral belt construction (rear) offers high-speed stability and shock absorption
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	CODE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
G721F FRONT					
120/70-21	G721	62H	TL	0307-0050	\$196.95
G852 REAR					
210/40R-18	G852R	73H	TL	0304-0173	274.95



Exedra Max Front/Rear



EXEDRA MAX CRUISER AND TOURING REPLACEMENT TIRES

- Specific rubber compound for cruiser applications provides long mileage
- Unique wide shape of tire profile supports touring-type riding while reducing fatigue
- Belt package construction provides linear handling even for heavy bike and 2-up riding
- Purpose-built rubber compounds and tread patterns enhance water evacuation and both dry and wet grip
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90B16	67H	TL	0305-0229	\$191.95
100/90-19	57H	TL	0305-0233	134.95
110/90-19	62H	TL	0305-0234	160.95
80/90-21	48H	TL	0305-0235	136.95
90/90-21	54H	TL	0305-0236	136.95
REAR				
150/80B16	71H	TL	0306-0241	244.95



G851 Front

G850 Rear



EXEDRA G850 V-ROD AND STREET ROD REPLACEMENT REAR RADIAL TIRE

- Performance radial designed for large V-Rod and street rod cruisers
- Solid performance and high-mileage tire
- Silica-enriched compound offers exceptional level of grip on both wet and dry surfaces
- Kevlar® mono-spiral belt construction (rear) offers high-speed stability and improved shock absorption
- Tubeless
- W-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
G851 FRONT				
120/70ZR-19	(60W)	TL	0303-0023	\$164.95
G850 REAR				
180/55ZR-18	74W	TL	0304-0023	203.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



S11 Front/Rear

S11 SPITFIRE SERIES SPORT TOURING TIRES

- Tubeless design for any rim
- Blackwall or raised white letter sidewalls
- Four-ply casing uses insert plies, a refined belt technology that keeps the tire round and cool, even at top speeds
- Tubeless
- H-rated to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
130/90H-16 BLK	67H	TL	B1100	\$180.95
100/90H-19 BLK	57H	TL	B1150	150.95
100/90H-19 RWL	57H	TL	0305-0198	176.95
110/90H-19 BLK	62H	TL	B1160	156.95
REAR				
140/90H-16 RWL	71H	TL	0306-0202	226.95
130/90H-16 BLK	67H	TL	B2120	178.95
130/90H-16 RWL	67H	TL	0306-0201	208.95
120/90H-18 BLK	65H	TL	B2145	176.95

STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



STREET

BATTLAX RS10 RACING STREET HYPERSPORT/TRACK DAY TIRES

- High-performance sport radials optimized for high-grip and handling performance on dry surfaces
- Bridgestone's MotoGP development analysis was used to determine the placement of new 3-D tread grooves to improve stability, grip and handling by optimizing block stiffness
- Specially formulated rubber compounds front and rear offer sure grip as well as increased durability
- Front tire uses a Mono-Spiral Belt constructed with stiffer steel to enhance rigidity of the tread area for upgraded response and stability
- Rear profile enables a larger contact patch for improved grip in mid to high lean angles
- Cap and base on rear tire adds tread stiffness for stability when braking and accelerating
- Rear tire has softer sidewall construction incorporated for better damping to improve handling
- Rear is lighter than BT-003RS to lessen gyro effect for better handling
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



RS10 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0577	\$173.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
190/55ZR17	(75W)	TL	0302-0954	\$269.95
200/55ZR17	(78W)	TL	0302-0955	277.95

OFFROAD

ATV/UTV

BATTLAX S20 EVO

HYPERSPORT/ULTRA-HIGH PERFORMANCE SPORT RADIALS

- Ultra-High performance radials improving upon the S20 to enhance handling performance and cornering using existing tread patterns with updated construction and rubber technology from MotoGP
- Handling and stability are improved by optimized stiffness of both front and rear tires
- Wear life is enhanced without losing performance of S20
- S20 EVO (front) has Dual Compound (3LC) technology plus a high strength belt package
- Rear tire re-introduces Triple Compound (5LC) technology originally introduced in the Battlax BT-016 to provide both good grip and wear life
- Rear tire center compound provides good stability, the shoulder compound transfers power to the road with strong traction and the edge compound offers high grip and a secure contact feel
- Rear grip is also enhanced by providing a compliant contact patch
- Other technologies used include: (MS-Belt) Mono-Spiral Belt, (HTSPC) High Tensile Super Penetrated Cord and Enhanced Bead Filler, to achieve high levels of all-around sport bike performance
- Tubeless
- Blackwall
- (W)-rated for speeds of 168+ mph



S20 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0571	\$161.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
180/55ZR17	(73W)	TL	0302-0945	\$216.95
190/50ZR17	(73W)	TL	0302-0946	243.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/55ZR17	(75W)	TL	0302-0947	\$249.95
200/55ZR17	(75W)	TL	0302-0948	256.95

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

BATTLAX T30 SPORT TOURING RADIALS

- Sport Touring tires developed to replace BT-023 with wide-range riding enjoyment
- T30 offers improved handling with light feel, linear response and better dry grip
- New tread pattern supplies handling and grip improvements by utilizing optimized stiffness and contact patch features
- Updated Carcass Construction inspires confidence in cornering by providing increased footprint on the road, plus light, predictable handling and good line-holding
- New front rubber compound (rear is dual compound) developed using MotoGP analysis brings improved performance range of operating temperatures by utilizing RC polymer/NanoPro-Tech technology
- "GT" Spec available in five sizes (front has modified tread pattern) to suit heavyweight motorcycles
- Tubeless
- (W)-rated for speeds of 168+ mph



T30 Front/Rear

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17 (58W)		TL	0301-0492	\$171.95
120/70ZR17 (58W) (GT Spec)		TL	0301-0493	171.95
120/70ZR18 (59W) (GT Spec)		TL	0301-0495	176.95

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
160/60ZR17 (69W)		TL	0302-0833	\$203.95
160/70ZR17 (73W)		TL	0302-0834	208.95
170/60ZR17 (72W) (GT Spec)		TL	0302-0835	208.95
180/55ZR17 (73W)		TL	0302-0836	225.95

SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17 (73W) (GT Spec)		TL	0302-0837	\$225.95
190/50ZR17 (73W)		TL	0302-0838	243.95
190/55ZR17 (75W)		TL	0302-0839	246.95
190/55ZR17 (75W) (GT Spec)		TL	0302-0840	246.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

INDEX



**BATTLAX
BT-016 PRO
HYPERSPORT**

BATTLAX BT-016 PRO HYPERSPORT

- Ultra-high-performance radials designed to maximize the performance of all sport bikes on the road today
- BT016 utilizes a multi-compound formulated with technology from Bridgestone's latest MotoGP technology ("Silica Rich EX", "RC Polymer"), for outstanding grip in all conditions
- Silica Rich contains a combination of two special components to improve dry/wet/life performance
- RC Polymer controls the change of properties of rubber in any temperature and assists the Silica effect
- Front: uses dual-compound to provide grip in all riding modes and the parallel S-shaped grooves provide optimal cornering force
- Rear: uses a double-compound to provide stronger traction and the L-shaped grooves enhance shock absorption
- 3-D-C.T.D.M. (Comprehensive Tire Design Method) is advanced tire design technology that enables dynamic, three-dimensional simulations of tire performance at all lean angles
- Includes good bump absorption, grip and stability during high-speed riding
- Tubeless
- W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR-17	(58W)	TL	0301-0336	\$146.95
REAR				
180/55ZR-17	(73W)	TL	0302-0555	196.95

**BATTLAX
BT-003
RACING STREET**

BATTLAX BT-003RS

- Combination of MotoGP-derived multi-compound technology (3LC) and Ultrtraction Compound
- 3LC (dual compound) construction on both the front and rear tire
- Medium compound center for increased durability and soft compound shoulder for increased traction
- Ultrtraction compound ("Ultrtraction" stands for Ultra + Traction) applied in shoulder of front and rear tire achieves both powerful grip in braking and cornering plus high-intensity traction coming out of corners
- HTSPC-MSB (High Tensile Super Penetrated Cord - Mono Spiral Belt) technology in front and rear tire improves stability, bump absorption and reduces heat generation
- DOT approved hypersport street/track day tire
- Tubeless
- W-rated for speeds up to 168 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	58W	TL	0301-0214	\$173.95
REAR				
140/70ZR17	66W	TL	0302-0345	184.95

BATTLAX BT-45V

- Sport Touring Bias-Ply tires for mid-sized sport-touring bikes and older sport bikes
- Feature silica-enriched compound for wet and dry grip
- Dual Tread Compound (DTC) in the rear allows for longer mileage and better stability from center, while edges offer grip and performance while cornering
- Larger crown contributes to stability for high speed touring
- Innovative singular sidewall improves shock absorption and neutralizes handling
- Tubeless; blackwall
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90V-19	57V	TL	BQ-3745	\$172.95
90/90H-21	54H	TL	0305-0049	131.95



BT-016 Pro Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
190/50ZR-17	(73W)	TL	0302-0556	\$220.95
190/55ZR-17	(75W)	TL	0302-0557	225.95



BT-003RS Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR (CONT)				
180/55ZR17	73W	TL	0302-0348	\$239.95
190/50ZR17	73W	TL	0302-0349	260.95
190/55ZR17	75W	TL	0302-0350	269.95



BT-45V Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
150/80V-16	71V	TL	BQ-4710	\$228.95
130/90V-16	67V	TL	BQ-4713	197.95
120/90V-18	65V	TL	BQ-4740	189.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

CONTI MOTION

- Sport touring all-season radial with high-end performance at a lower price
- Ideal for entry-level riders and economic-minded veterans
- Offers safe, reliable feedback on dry or wet roads
- Newly formulated polymers in the compound deliver an impressive cost/mileage ratio
- 0° steel-belt construction for improved stability and a smooth ride
- Tubeless
- (W)-rated for speeds over 168 mph



Conti Motion Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0134	\$98.95
REAR				
180/55ZR17	(73W)	TL	0302-0235	131.95
190/50ZR17	(73W)	TL	0302-0236	137.95

OFFROAD

CONTI SPORT ATTACK 2

- Extraordinary light handling with outstanding grip and stability during cornering
- Exceptional control, riding performance, and optimal feedback when riding at the limit
- 0°-steel belt construction front and rear for higher stability and feedback when braking and accelerating out of corners
- "Black Chili" compound specially designed for supersport bikes consisting of highly structured racing black carbon for excellent cold grip and quick tire warm-up, grip resins for short braking distances and silica constituents for superior wet traction
- Multi-Grip Technology ensures high mileage and maximum grip in extreme lean angles up to 51°
- Traction Skin, a revolutionary tactile tread surface with a micro-roughness that optimizes the mechanical adhesion to the road, offering the safest and fastest tire break-in available
- Tubeless
- (W)-rated for speeds over 168 mph



Conti Sport Attack 2 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0355	\$176.95
REAR				
180/55ZR17	(73W)	TL	0302-0591	226.95
190/50ZR17	(73W)	TL	0302-0592	235.95
190/55ZR17	(75W)	TL	0302-0593	242.95

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

CONTI ROAD ATTACK 2

- Revolutionary new technology that offers a level of grip, confidence, mileage and dynamics never known before in the sport-touring radial market
- Multi-Grip Technology – a single compound is used that through a temperature-controlled curing process delivers the benefits of a multi-compound tire without the abrupt transition between the different compounds that other multi-compound tires are known for; Center Tread Area, wear resistant = Mileage; Shoulder Tread Area = Increased grip from center to shoulder; Continuous Transition from Center to Shoulder = Smooth and predictable performance
- "Black Chili" compound for quick warm-up, short braking distance on wet and dry roads
- Traction Skin, the revolutionary new micro-toughness of the tread, optimizes the mechanical adhesion and offers the fastest break-in period in the market
- Features DynamicRideTechnology, a patented steel belt construction with a unique contour to improve overall handling and control
- Tubeless
- (W)-rated for speeds over 168 mph



Conti Road Attack 2 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
120/70ZR17	(58W)	TL	0301-0277	\$180.95
REAR				
180/55ZR17	(73W)	TL	0302-0464	\$214.95
190/50ZR17	(73W)	TL	0302-0465	217.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

INDEX



CM1 Front CM2 Plus Rear Blackwall CM1 Front CM2 Plus Rear Wide White Stripe



**CONTI MILESTONE AND MILESTONE MILEAGE PLUS
HIGH-PERFORMANCE CRUISER/TOURING TIRES**



- Wide range of applications for heavy touring and cruiser bikes
- Exclusive activated silica compound delivers exceptional high mileage and wet grip
- Reinforced casing for extra load carrying capacity
- Extra-deep tread patterns give improved grip on wet roads
- Front and rear tread patterns have a unique, performance-enhancing design to complement any bike
- Advanced carcass design technology yields unmatched comfort, handling and stability
- Milestone Mileage Plus rear tires feature a new compound that significantly extends mileage while maintaining exceptional handling
- Tubeless
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
CM1 FRONT				
MT90B16 BLK	74H	TL	0305-0379	\$156.95
MT90B16 WWW	74H	TL	0305-0378	192.95
130/90-16 BLK	67H	TL	98007	146.95
130/90-16, WWW	67H	TL	98013	185.95
130/80B17 BLK	65H	TL	0305-0380	174.95
130/80B17 WWW	65H	TL	0305-0381	192.95
130/70B18 BLK	65H	TL	0305-0382	178.95
130/70B18 WWW	65H	TL	0305-0383	221.95
100/90-19 BLK	57H	TL	98008	127.95
110/90-19 BLK	62H	TL	98009	126.95
80/90-21 BLK	48H	TL	98010	111.95

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
CM2 PLUS REAR				
140/90-15 BLK	70H	TL	0306-0285	\$169.95
150/90-15 BLK	80H	TL	0306-0286	196.95
170/80-15 BLK	77H	TL	0306-0287	189.95
MT90B16	74H	TL	0306-0404	187.95
MT90B16 WWW	74H	TL	0306-0405	209.95
MU85B16	77H	TL	0306-0406	185.95
MU85B16 WWW	77H	TL	0306-0407	207.95
150/80B16	77H	TL	0306-0408	189.95
150/80B16 WWW	77H	TL	0306-0409	221.95
180/65B16	81H	TL	0306-0410	253.95
180/65B16 WWW	81H	TL	0306-0411	286.95

**CONTI TWIN
K112/RB2**

- Highly sought-after tires for Harley customs and hardtails
- Designed to complement each other
- Long mileage and predictable handling
- Blackwall
- Tube/tubeless design
- H-rated for speeds up to 130 mph



Conti Twin Rb2 Front/K112 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
RB2 FRONT				
3.25H-19	54H	TL	97190	\$148.95
K112 REAR				
MT90-16	71H	TL	97110	203.95

**CONTI ULTRA
TKV12 REAR**

- TKV12 tread design ensures maximum contact patch, even at extreme lean angles
- Blackwall
- Tubeless
- V-rated for speeds up to 149 mph



Conti Ultra TKV12 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
130/90V-16	67V	TL	97960	\$130.95



Conti GO! Front/Rear

**CONTI GO!
GENERAL REPLACEMENT BIAS PLY TIRES**

- Cross-ply tire for all-round use
- Developed as modern technology to meet the growing popularity of older machines
- Provides the perfect grip under all weather conditions for all-year-round use
- Up-to-date compound technology ensures excellent mileage
- Innovative tread pattern design for even wear and good water dispersion
- Improved carcass construction for easy handling and high stability
- Blackwall
- Tubeless
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
3.25-19	54H	TL	0305-0086	\$111.95
100/90-19	57V	TL	0305-0095	124.95
90/90-21	54H	TL	0305-0096	128.95
3.00-21	51H	TL	0305-0108	105.95
REAR				
130/90-16	67V	TL	0306-0098	172.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.

STREET

DRAG
SPECIALTIES

OFFROAD

ATV/UTV

TUBES &
ACCESSORIES

SERVICE
TOOLS

MERCHANDISING

CROSS
REFERENCE

INDEX



STREET

DRAG SPECIALTIES

OFFROAD

ATV/UTV

TUBES & ACCESSORIES

SERVICE TOOLS

MERCHANDISING

CROSS REFERENCE

INDEX



WF920 WILD FLARE

- Fantastic look with performance to match
- Reliable performance and durability
- Also available in heavy-duty version that was developed for use on Harley-Davidson models; added reinforcement to sidewall helps prevent torsional-flexing under heavy loads, which provides extra mileage
- H-rated for speeds up to 130 mph
- Blackwall
- Tubeless

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
WF920 FRONT				
130/90-16	67H	TL	IRC-704	\$134.95
100/90-19	57H	TL	IRC-701	127.95
80/90-21	48H	TL	IRC-700	127.95
WF920 REAR				
130/90-16	67H	TL	IRC-720	154.95
140/90-16	71H	TL	IRC-721	171.95



WF920 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
WF920HD FRONT (HEAVY DUTY)				
130/90-16	73H	TL	0305-0053	\$145.95
WF920HD REAR (HEAVY DUTY)				
130/90-16	73H	TL	0306-0050	187.95
150/80-16	71H	TL	0306-0074	182.95

RS310 DUROTOUR

- Designed for long-distance touring
- Low profile provides extra-large contact patch
- Tread compound is formulated for extended mileage
- Available in blackwall (BLK) style
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90H-19 BLK	57H	TL	IRC-294	\$131.95



RS310 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
130/90H-16 BLK	67H	TL	IRC-304	\$168.95
120/90H-18 BLK	65H	TL	IRC-309	156.95

GS-11 ALL-WEATHER TIRES

- Designed for the demanding
- Tube-type; provide good traction, cornering and excellent mileage
- Blackwall
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
3.25H-19 BLK	54H	TT	IRC-12	\$104.95
3.50H-19 BLK	57H	TT	IRC-13	105.95



GS-11 Front/Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
REAR				
4.60S-16 BLK	60S	TT	IRC-110	\$101.95
4.00H-18 BLK	64H	TT	IRC-10	122.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



K673 Front/Rear



K673 KRUZ

- Designed to meet the needs and looks of the very popular cruiser market
- Tread design, front and rear, with deep wide grooves for all-weather cruising
- 3+2 casing design, front and rear, for improved handling and high-load carrying capacity
- Unique rubber compound for improved mileage and all-weather traction
- Revolutionary inflated tire shapes for improved straight-line stability and cornering performance
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL	SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT					REAR				
130/90-16	72H	TL	K673-01	\$110.95	130/90-16	74H	TL	K673-02	\$117.95
150/80-16	71H	TL	0305-0199	138.99	140/90-16	77H	TL	0306-0047	146.95
100/90-19	57H	TL	K673-03	80.95	150/80-16	71H	TL	0306-0048	138.95
120/90-18	71H	TL	0306-0044	88.95	160/80-16	75H	TL	0306-0049	146.95
110/90-19	62H	TL	0305-0052	81.95					
80/90-21	48H	TL	K673-04	80.95					



HF261A Front/Rear



HF261A EXCURSION

- Tire construction designed for front or rear application
- Long-wearing rubber compound and rain-fighting groove tread design
- Tires have been known to run 10,000 miles or more under ideal conditions
- Tubeless, but will accept inner tubes for tube-type rims
- With inner tubes, speed rating is reduced 15%
- Blackwall
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
FRONT/REAR				
130/90-16	67H	TL	HF261-02	\$88.95
140/90-16	71H	TL	HF261-03	101.95
100/90-19	57H	TL	HF261-09	76.95

SAFETY WARNING: For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BOLD MAGENTA** are new this year.



K671 Front/Rear



K671 CRUISER

- Aggressive tread design provides excellent traction and performance
- Matched front/rear pattern for superior stability and maximum handling
- Deep, offset tread sipes deliver outstanding water dispersion and wet-weather traction
- Tubeless construction for touring and cruiser bikes
- Low-profile sport tire design
- Strong, six-ply-rated carcass
- Wide contact patch for superior traction and increased mileage
- Not designed for high-load carrying vehicles
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SUG. RETAIL
FRONT				
100/90-19	57H	TL	K67105	\$76.95
REAR				
130/90-16	74H	TL	K67127	97.95



HF296A Front/Rear



HF296 DURO BLVD

- Premium-quality cruiser or touring tire
- Stronger, lighter weight tire with higher thread-cord count in a cross-ply reinforced arrangement
- Heavy-load capacity and deep water-shedding grooves will satisfy the most demanding rider
- Tubeless
- Blackwall
- H-rated for speeds up to 130 mph

SIZE	LOAD/SPEED INDEX	TT/TL	PART #	SUG. RETAIL
HF296A FRONT				
130/90-16	67H	TL	HF296-01	\$104.95
100/90-19	57H	TL	HF296-03	78.95
80/90-21	56H	TL	HF296-05	74.95
HF296C REAR				
130/90-16	73H	TL	HF296-54	104.95

- STREET
- DRAG SPECIALTIES**
- OFFROAD
- ATV/UTV
- TUBES & ACCESSORIES
- SERVICE TOOLS
- MERCHANDISING
- CROSS REFERENCE
- INDEX