

Publications from Tvärminne Zoological Station 1984-2022:

- 757. Ranta, E. & Nuutinen, V. 1984: Zooplankton predation by rock-pool fish (*Tinca tinca* L. and *Pungitius pungitius* L.): an experimental study. – Ann. Zool. Fennici 21: 441–449.
- 758. Pekkarinen, M. 1984: Trematode metacercariae in the extrapallial space of *Macoma balthica* (Bivalvia) in brackish water (southwestern Finland, Baltic Sea). – Ann. Zool. Fennici 21: 473–480.
- 759. Pekkarinen, M. 1984: Anatomy, histology and maturing of the metacercaria of *Lacunovermis macomae* (Trematoda: Gymnophallidae) from brackish-water *Macoma balthica* (southwestern Finland Baltic Sea). – Ann. Zool. Fennici 21: 481–498.
- 760. Hälfors, G., Kangas, P. & Niemi, Å. 1984: Recent changes in the phytal at the south coast of Finland. – Ophelia, Suppl. 3: 51–59.
- 761. Kuparinen, J. 1984: Glucose assimilation: its contribution to carbon flux in the pelagic and use in monitoring heterotrophic activity. – Arch. Hydrobiol. Beih. Ergebn. Limnol. 19: 15–22.
- 762. Tamminen, T., Kuparinen, J. & Lignell, R. 1984: Diurnal cycles of phytoplankton exudation and bacterial uptake of organic substrates. – Arch. Hydrobiol. Beih. Ergebn. Limnol. 19: 267–279.
- 763. Tamminen, T. 1984: Ammonium effluent tests with phytoplankton and bacterioplankton communities and with a test alga. – Ecological Bulletins 36: 120–124.
- 764. Kaitala, S. & Maximov, V. N. 1984: A factorial experimental approach for investigation of toxicant stress on a planktonic community in experimental enclosures. – Ecological Bulletins 36: 125–129.
- 765. Kuparinen, J. & Niemi, M. 1984: The effect of effluents from a sulphite cellulose factory on microbial heterotrophic activity in fresh water. – Ecological Bulletins 36: 143–149.
- 766. Heliövaara, K. & Väisänen, R. 1984: The biogeographical mystery of the alternate-year populations of *Aradus cinnamomeus* (Heteroptera, Aradidae). – Journal of Biogeography 11: 491–499.
- 767. Zimmermann, B., Moestrup, O. & Hälfors, G. 1984: Chrysophyte or heliozoon: ultrastructural studies on a cultured species of *Pseudopedinella* (Pedinellales ord. nov.) with comments on species taxonomy. – Protistologica 20:4, 591–612.
- 768. Ranta, E. & Nuutinen, V. 1985: Foraging by the smooth newt (*Triturus vulgaris*) on zooplankton: functional responses and diet choice. – J. Animal Ecology 54: 275–293.
- 769. Tamminen, T., Kaitala, S., Kivi, K. & Kuparinen, J. 1985: Response of a planktonic brackish water community to single and combined additions of ammonium and phosphate in a factorial mesocosm experiment. – In: Gray, J. S. & Christiansen, M. E. (Eds.), Marine biology of polar regions and effects of stress on marine organisms: 363–378. John Wiley & Sons Ltd.

770. Tamminen, T. & Leskinen, E. 1985: Comparison of planktonic and periphytic microalgal parameters as indicators of eutrophication in a Baltic archipelago: Annual succession of community parameters. – *Verh. Internat. Verein. Limnol.* 22: 2195–2202.
771. Oulasvirta, P., Rissanen, J. & Parmanne, R. 1985: Spawning of Baltic herring (*Clupea harengus* L.) in the western part of the Gulf of Finland. – *Finnish Fish. Res.* 5: 41–54.
772. Sunila, I. & Lindström, R. 1985: The structure of the interfilamentar junction of the mussel (*Mytilus edulis* L.) and its uncoupling by copper and cadmium exposures. – *Comp. Biochem. Physiol.* 81C: 267–272.
773. Russell, G. 1985: Some anatomical and physiological differences in *Corda filum* from coastal waters of Finland and Great Britain. – *J. Mar. Biol. Ass. U.K.* 65: 343–349.
774. Russell, G. 1985: Recent evolutionary changes in the algae of the Baltic Sea. – *Br. Phycol. J.* 20: 87–104.
775. Hagerman, L. & Oksama, M. 1985: Haemocyanin concentration, carrying capacity and haemolymph pH under hypoxia in *Mesidotea entomon* (L.) (Isopoda, Crustacea). – *Ophelia* 24: 47–52.
776. Salemaa, H. 1985: Karyological studies in *Idotea* spp. (Isopoda, Valvifera). – *Crustaceana* 48: 74–87.
777. Vepsäläinen, K., Kaitala, A. & Kaitala, V. 1985: Reproductive tactics of the water strider *Gerris thoracicus* in unpredictable environments: a simulation study. – *Oikos* 45: 266–272.
778. Niemi, Å., Melvasalo, T. & Heinonen, P. 1985: Phytoplankton counting techniques and primary production measurements – comments on the results of intercalibration. – *Aqua Fennica* 15: 89–103.
779. Kangas, P. & Niemi, Å. 1985: Observations of recolonization by the bladderwrack, *Fucus vesiculosus*, on the southern coast of Finland. – *Aqua Fennica* 15: 133–141.
780. Virtanen, A. 1985: Bacterial numbers, biomass, activity and production at a site in the Tvärminne area of the Gulf of Finland. – *Aqua Fennica* 15: 143–160.
781. Pekkarinen, M. 1985: Exoskeletons of kinorhynchs in tissues of the bivalve *Macoma balthica* in the Baltic Sea – *Ann. Zool. Fennici* 22: 407–410.
782. Koli, L., Rask, M. & Aro, E. 1985: Growth, age distribution and year class strength of perch, *Perca fluviatilis* L., at Tvärminne, northern Baltic Sea. – *Aqua Fennica* 15: 161–167.
783. Vepsäläinen, K. & Nummelin, M. 1985: Female territoriality in the waterstriders *Gerris najas* and *G. cinereus*. – *Ann. Zool. Fennici* 22: 433–439.
784. Vepsäläinen, K. & Nummelin, M. 1985: Male territoriality in the waterstrider *Limnoporus rufoscutellatus*. – *Ann. Zool. Fennici* 22: 441–448.
785. Korpelainen, H. 1985: Ecological and evolutionary genetics of *Daphnia* (Crustacea: Cladocera). – Ph. D. Thesis, Dept. Genetics, Univ. Helsinki. 15 pp.
786. Korpelainen, H. 1985: Genetic differentiation of *Daphnia magna* populations. – *Hereditas* 101: 209–216.

787. Kuparinen, J. 1985: Production and respiration of pelagic plankton. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. No. 5: 1–12.
788. Ailus, K., Palosuo, T. & Brummer-Korvenkontio, M. 1985: Demonstration of antibodies to mosquito antigens in man by immunodiffusion and ELISA. – Int. Archs. Allergy appl. Immun. 78: 375–379.
- 788.a Keynäs, K. 1985: Botanisk forskning i Västnyland förr och i dag. – Västnyländsk årsbok 9: 5–31 (in Swedish).
- 788.b Niemi, Å. 1985: Havet och skärgårdsvattnen. – Västnyländsk årsbok 9: 33–43 (in Swedish).
- 788.c Holmberg, R. 1985: Föroringssituationen i de Västnyländska kustvattnen. – Västnyländsk årsbok 9: 45–50 (in Swedish).
- 788.d Munsterhjelm, R. 1985: Flador och glon i den västnyländska skärgården och deras vattenvegetation. – Västnyländsk årsbok 9: 51–73 (in Swedish).
- 788.e Helminen, O. 1985: Läppträsk. – Västnyländsk årsbok 9: 75–76 (in Swedish).
- 788.f Tolonen, K. 1985: Forna skeden och det tidiga jordbruket kring Läppträsk. – Västnyländsk årsbok 9: 77–82 (in Swedish).
- 788.g Kurtto, A. 1985: Vegetationen i och kring Läppträsk. – Västnyländsk årsbok 9: 83–93 (in Swedish).
- 788.h Helminen, O. & Walls, S. 1985: Läppträsk, Nylands främsta fågelsjö. – Västnyländsk årsbok 9: 95–100 (in Swedish).
789. Hällfors, S. & Thomsen, H. A. 1985: *Chrysochromulina brachycylindra* sp. nov. (Prymnesiophyceae) from Finnish coastal waters. – Nord. J. Bot. 5: 499–504.
790. Sunila, I. & Lindström, R. 1985: Survival, growth and shell deformities of copper- and cadmium-exposed mussels (*Mytilus edulis* L.) in brackish water. – Estuarine Coastal Shelf Sci. 21: 555–565.
791. Kangas, P. & Hällfors, G. 1985: On the decline of *Fucus vesiculosus* at the south coast of Finland. – Hydrobiol. Res. 15: 127–134.
- 791.a Munsterhjelm, R. 1985: Flador och glon. – Nordenskiöldsamfundets tidskrift 45: 22–49.
792. Kaitala, S. & Maximov, V. N. 1986: The desirability function in evaluation of the response of phytoplankton communities to toxicants. – Toxicity Assessment: An International Quarterly 1: 85–101.
793. Pekkarinen, A. & Teräs, I. 1986: Melanism in *Bombus veteranus* and *B. soroeensis* (Hymenoptera: Apidae) in southern Finland. – Notulae Entomol. 66: 49–53.
794. Sunila, I. 1986: Histopathological changes in the mussel *Mytilus edulis* L. at the outlet from a titanium dioxide plant in Northern Baltic. – Ann. Zool. Fennici 23: 61–70.
795. Pekkarinen, M. 1986: Notes on the spawning, egg cleavage and early development of the bivalve *Macoma balthica*. – Ann. Zool. Fennici 23: 71–75.
796. Pekkarinen, M. 1986: Histology of the siphons of *Macoma balthica* (Bivalvia: Tellinidae). – Ann. Zool. Fennici 23: 77–95.
797. Pajunen, V. I. 1986: Distributional dynamics of *Daphnia* species in a rock-pool environment. – Ann. Zool. Fennici 23: 131–140.

798. Väinölä, R. 1986: Sibling species and phylogenetic relationships of *Mysis relicta* (Crustacea: Mysidacea). – Ann. Zool. Fennici 23: 207–221.
799. Pekkarinen, M. 1986: Development of the cercaria of *Lacunovermis macomae* (Trematoda: Gymnophallidae) to the metacercaria in brackish-water *Macoma balthica* (Bivalvia). – Ann. Zool. Fennici 23: 237–250.
800. Sunila, I. 1986: Chronic histopathological effects of shortterm copper and cadmium exposure on the gill of the mussel, *Mytilus edulis*. – J. Invertebr. Pathol. 47: 125–142.
801. Salemaa, H. 1986: Karyology of the northern Baltic peracardian Crustacea. – Sarsia 71: 17–25.
802. Salemaa, H. 1986: Ecological and genetic adaptations of *Idotea* spp. (Isopoda, Crustacea). – Ph.D. Thesis, Dept of Genetics and Hydrobiol. Lab., Univ. Helsinki. 46 pp.
803. Vepsäläinen, K. & Krajewski, S. 1986: Identification of the waterstrider (Gerridae) nymphs of Northern Europe. – Ann. Entomol. Fennici 52: 63–77.
804. Huttunen, M. & Niemi, Å. 1986: Sea-ice algae in the Northern Baltic Sea. – Memoranda Soc. Fauna Flora Fennica 62: 58–62.
805. Bergström, I. & Sarvala, J. 1986: Seasonal course of soft-bottom community respiration in a northern Baltic archipe lago. – Ophelia, Suppl. 4: 17–26.
806. Huttunen, M. & Kuparinen, J. 1986: Species succession and productivity of ultraphytoplankton in the pelagic off Tvärminne, SW coast of Finland. – Ophelia, Suppl. 4: 73–83.
807. Kivi, K. 1986: Annual succession of pelagic protozoans and rotifers in the Tvärminne Storfjärden, SW coast of Finland. – Ophelia, Suppl. 4: 101–110.
808. Kuosa, H. 1986: The phytoplankton of a small brackish-water bay, Tvärminne Byviken, southern Finland. – Ophelia, Suppl. 4: 119–127.
809. Wulff, F., Aertebjerg, G., Nicolaus, G., Niemi, Å., Ciszewski, P., Schulz, S. & Kaiser, W. 1986: The changing pelagic ecosystem of the Baltic Sea. – Ophelia, Suppl. 4: 299–319.
810. Ranta, E., Saloheimo, M. & Nuutinen, V. 1986: Orientation of the smooth newt (*Triturus vulgaris*) foraging on zooplankton. – Ann. Zool. Fennici 23: 281–287.
811. Nuutinen, V. & Ranta, E. 1986: Size-selective predation on zooplankton by the smooth newt, *Triturus vulgaris*. – Oikos 47: 83–91.
812. Pajunen, V.I. 1986: How to construct and use realistic physiological time scales: an analysis of larval mortality in rock-pool corixids (Hemiptera). – Oikos 47: 239–250.
813. Tolonen, K., Liukkonen, M., Harjula, R. & Pätilä, A. 1986: Acidification of small lakes in Finland documented by sedimentary diatom and chrysophycean remains. – Developments in Hydrobiology 29: 169–199.
814. Sarvala, J. 1986: Interannual variation of growth and recruitment in *Pontoporeia affinis* (Lindström) (Crustacea: Amphipoda) in relation to abundance fluctuations. – J. Exp. Mar. Biol. Ecol. 101: 41–59.
815. Kairesalo, T. & Leskinen, E. 1986: Measurements of metabolic activities within a Baltic *Fucus vesiculosus* community: the contribution of fouling microalgae and grazers. – In: Evans, L.V. & Hoagland, K.D. (eds.), Algal Biofouling: 301–312. Elsevier, Amsterdam.
- 815.a Niemi, Å. 1986: Algsamhällen i havsisen. – Nordenskiöld-samfundets tidskrift 46: 3–19 (in Swedish)

816. Ranta, E. & Nuutinen, V. 1986: Experience affects performance of ten-spined sticklebacks foraging on zooplankton. – *Hydrobiologia* 140: 161–166.
817. Heliövaara, K. & Väisänen, R. 1986: Abundance relationships of bark invertebrates of Scots pine saplings. – *Ann. Entomol. Fennici* 52: 121–128.
818. Heliövaara, K. & Väisänen, R. 1986: Bugs in bags: intraspecific competition affects the biogeography of the alternate- year populations of *Aradus cinnamomeus* (Heteroptera). – *Oikos* 47: 327–334.
819. Vepsäläinen, K. & Nummelin, M. 1986: Habitat selection by waterstrider larvae (Heteroptera: Gerridae) in relation to food and imagoes. – *Oikos* 47: 374–381.
820. Laihonens, P. & Furman, E.R. 1986: The site of settlement indicates commensalism between bluemussel and its epibiont. – *Oecologia* 71: 38–40.
821. Kononen, K. & Niemi, Å. 1986: Variation in phytoplankton and hydrography in the outer archipelago at the entrance to the Gulf of Finland in 1968–1975. – *Finnish Mar. Res.* 253: 35–51.
822. Kaitala, A. 1987: Dynamic life-history strategy of the waterstrider *Gerris thoracicus* as an adaptation to food and habitat variation. – *Oikos* 48: 125–131.
823. Nummelin, M. 1987: Spatial competition in waterstriders (Heteroptera: Gerridae). – Ph. D. Thesis, Dept Zool., Univ. Helsinki, Finland. 22 pp.
824. Kuparinen, J. 1987: Production and respiration of overall plankton and ultraplankton communities at the entrance to the Gulf of Finland in the Baltic Sea. – *Marine Biology* 93: 591–607.
825. Bell, R. 1987: Further verification of the isotope dilution approach for estimating the degree of participation of (3H)thymidine in DNA synthesis in studies of aquatic bacterial production. – *Appl. Environm. Microbiol.* 52: 1212–1214.
826. Pekkarinen, M. 1987: Notes on a gymnophallid trematode, assumed to be *Parvatrema affinis* (Jameson & Nicoll, 1913) from *Macoma balthica* (L.) (Bivalvia). – *Ann. Zool. Fennici* 24: 29–37.
827. Sunila, I. 1987: Histopathology of mussels (*Mytilus edulis* L.) from the Tvärminne area, The Gulf of Finland (Baltic Sea). – *Ann. Zool. Fennici* 24: 55–69.
828. Ranta, E., Tjossem, S. & Leikola, N. 1987: Female–male activity and zooplankton foraging by the smooth newt (*Triturus vulgaris*). – *Ann. Zool. Fennici* 24: 79–88.
829. Nummelin, M. 1987: Ripple signals of the waterstrider *Limnoporus rufoscutellatus* (Heteroptera, Gerridae). – *Ann. Entomol. Fennici* 53: 17–22.
830. Vähä-Piikkiö, I. & Salemaa, M. 1987: Hietikkosaran *Carex arenaria* demografiasta. – *Memoranda Soc. Fauna Flora Fennica* 63: 23–27.
831. Ranta, E. & Tjossem, S.F. 1987: Size and shape of *Daphnia longispina* in rockpools. – *Hydrobiologia* 145: 259–268.
832. Leskinen, E. 1986: Keinoalustojen käyttö vedenlaadun seurantamenetelmänä murtovedessä. II. Ekspointisyvyyden ja vuodenajan vaikutus periphytonin kolonisaatioon (Summary: The effect of depth and season on the colonization of periphytic organisms on artificial substrata). – *Vesihallituksen monistesarja* No. 401: 1–16.
833. Leskinen, E., Leppänen, J.-M., Kuparinen, J., Kangas, P., Grönlund, L., Ilus E. & Vuolas, E. 1986: The monitoring value of primary production capacity measurement in the state of the Baltic Sea. – *Baltic Sea Envir. Proc.* 19: 210–232.

834. Salemaa, H., Tyystjärvi-Muuronen, K. & Aro, E. 1986: Life histories, distribution and abundance of *Mysis mixta* and *Mysis relicta* in the Northern Baltic Sea. – *Ophelia*, Suppl.4: 239– 247.
835. Munsterhjelm, R. 1987: Flads and gloes in the archipelago. – *Geol. Surv. Finland, Spec. Paper* 2: 55–61.
836. Halkka, L., Söderlund, V., Skaren, U. & Heikkilä, J. 1987: Chromosomal polymorphism and racial evolution of *Sorex araneus* L. in Finland. – *Hereditas* 106: 257–275.
837. Halkka, L. & Söderlund, V. 1987: Random NOR-activation in polymorphic and stable chromosomes of *Sorex araneus* L. – *Hereditas* 106: 293–294.
838. Kaitala, S., Kivi, K. & Kuosa, H. 1987: Nutrient and zooplankton control on phytoplankton succession. – *Baltic Sea Env. Proc.* 19: 350–358.
839. Niemi, Å. & Åström, A.-M. 1987: Ecology of phytoplankton in the Tvärminne area, SW coast of Finland. IV. Environmental conditions, chlorophyll a and phytoplankton in winter and spring 1984 at Tvärminne Storfjärd. – *Ann. Bot. Fennici* 24: 333–352.
840. von Wachenfeldt, T., Kangas, P. & Waldemarsson, S. 1987: Changes in the littoral communities along the Baltic Sea coasts. – *Baltic Sea Env. Proc.* 19: 394–403.
841. Salemaa, H. 1987: Herbivory and microhabitat preferences of *Idotea* spp. (Isopoda) in the Northern Baltic Sea. – *Ophelia* 27: 1–15.
842. Niemelä, J., Haila, Y., Ranta, E., Tiainen, J., Vepsäläinen, K. & Ås, S. 1987: Distribution of carabid beetles in four boreal archipelagoes. – *Ann. Zool. Fennici* 24: 89–100.
843. Pekkarinen, M. 1987: The cercaria of *Lacunovermis macomae* (Lebour, 1908) (Trematoda: Gymnophallidae), and its penetration into the bivalve *Macoma balthica* (L.) in experimental conditions. – *Ann. Zool. Fennici* 24: 101–121.
844. Pekkarinen, M. 1987: The cercaria and metacercaria of *Gymnophallus gibberosus* Loos-Franck, 1971 (Trematoda: Gymnophallidae) in *Macoma balthica* (L.) (Bivalvia) in the Baltic brackish water (southwestern Finland). – *Ann. Zool. Fennici* 24: 123–136.
845. Ranta, E., Hällfors, S., Nuutinen, V., Hällfors, G. & Kivi, K. 1987: A field manipulation of trophic interactions in rock-pools. – *Oikos* 50: 336–346.
846. Pamilo, P. 1987: Population genetics of the *Formica rufa* group. – In: Eder, J. & Rembold, H. (eds.), *Chemistry & biology of social insects*: 68–70. Verlag Peperny.
847. Sarvala, J. 1987: Production of *Harmothoe sarsi* (Polychaeta) at a soft-bottom locality near Tvärminne, southern Finland. – *Proc. 4th Symp. of the Baltic Marine Biologists*. Gdansk, Poland, Oct. 13–18, 1975: 227–234.
848. Kangas, P. & Autio, H. 1986: Macroalgae as indicators of heavy metal pollution. – *Publications of the Water Research Institute, National Board of Waters, Finland*, No. 68: 183–188.
849. Lindström, R. 1986: Deformation of *Mytilus edulis* L. shells as index of water quality. – *Publications of the Water Research Institutue, National Board of Waters, Finland*, No. 68: 194–196.
850. Sunila, I. & Lindström, R. 1986: Effectsof copper and cadmium on the shell morphology, length growth and survival of the mussel *Mytilus edulis* L. – *Publications of the Water Research Institute, National Board of Waters, Finland*, No. 68: 211–214.

851. Sunila, I. 1987: Histopathological effects of environmental pollutants on the common mussel, *Mytilus edulis* L. (Baltic Sea), and their application in marine monitoring. – Ph. D. Thesis, Dept. Zool., Div. Physiol., Univ. Helsinki. 73 pp.
852. Kukk, E. & Niemi, Å. 1987: Finnish-Soviet intercalibration of phytoplankton identification used for monitoring the conditions of the Gulf of Finland. – Meri 13: 7–42.
853. Hällfors, G., Viitasalo, I. & Niemi, Å. 1987: Macrophyte vegetation and trophic status of the Gulf of Finland – a review of Finnish investigations. – Meri 13: 111–158.
854. Järvinen, O. & Ranta, E. 1987. Patterns and processes in species assemblage on Northern Baltic islands. – Ann. Zool. Fennici 24: 249–266.
855. Pajunen, V. I. & Ukkonen, M. 1987: Intra- and interspecific predation in rockpool corixids (Hemiptera, Corixidae). – Ann. Zool. Fennici 24: 295–304.
856. Donner, K.O., Lindström, A. & Lindström, M. 1987: Seasonal variation in the vertical migration of *Pontoporeia affinis* (Crustacea, Amphipoda). – Ann. Zool. Fennici 24: 305–313.
857. Kuosa, H. 1987: Finnish records of the green algal genus *Scenedesmus* (Chlorococcales) from coastal waters and rock-pools. – Ann. Bot. Fennici 24: 395–402.
858. Palmgren, J. 1987: Skärgårdsfåglarnas utbredning och numerär i Ekenäs–Tvärminne området. – Västnyländsk Årsbok 11: 3–30 (in Swedish).
859. Kaitala, S. 1987: Experimental studies of nutrient and zooplankton control on phytoplankton succession by project PELAG. – In: Eutrofiering av havs- och kustområden. 22. Nordiska symposiet om vattenforskning. Laugarvatn 1986–08–26–29. Nordforsk, Miljövårdsserien, Publikation 1/1987: 347–356.
860. Savolainen, R. & Vepsäläinen, K. 1988: A competition hierarchy among boreal ants: impact on resource partitioning and community structure. – Oikos 51: 135–155.
861. Nummelin, M. & Vepsäläinen, K. 1988: Does size and abundance distribution of food explain habitat segregation among developmental stages of waterstriders (Heteroptera, Gerridae)? – Ann. Ent. Fennici 54: 69–71.
862. Kuosa, H. 1988: Occurrence of autotrophic picoplankton along an open sea – inner archipelago gradient in the Gulf of Finland, Baltic Sea. – Ophelia 28: 85–93.
863. Kuosa, H. 1988: Horizontal mesoscale distribution of phytoplankton in the Tvärminne sea area, southern Finland. – Hydrobiologia 161: 69–73.
864. Kuosa, H. & Marcussen, B. 1988: Grazing of bacteria and phytoplankton by heterotrophic nanoflagellates in a Baltic Sea sample. – Hydrobiologia 161: 211–216.
865. Lignell, R. & Kuosa, H. 1988: Sources of error in algal exudation measurements. – Arch. Hydrobiol. Beih. Ergebn. Limnol. 31: 97–104.
866. Kuosa, H. 1988: Enumeration of autotrophic and heterotrophic flagellates in Baltic Sea samples – a comparison of microscopical methods. – Arch. Hydrobiol. Beih. Ergebn. Limnol. 31: 301–306.
867. Leskinen, E. & Sarvala, J. 1988: Community analysis of diatom colonization on artificial substrata in a northern Baltic Sea archipelago: A comparison of methods. – Ann. Bot. Fennici 25: 21–32.
868. Kuosa, H. 1988: Some planktonic rock-pool algae from the Tvärminne archipelago, SW coast of Finland. – Ann. Bot. Fennici 25: 111–116.

869. Russell, G. & Thomas, D. N. 1988: The Baltic Sea: A cradle of plant evolution? – *Plants Today* (May–June 1988): 77–82.
870. Autio, R., Kuparinen, J. & Kaitala, S. 1988: Factorial experiments used to analyse nutrient and grazing control of phyto- and bacterioplankton. – *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 31: 253–263.
871. Lindström, K. 1988: Male–male competition for nest sites in the sand goby, *Pomatoschistus minutus*. – *Oikos* 53: 67–73.
872. Varvio, S.-L., Koehn, R.K. & Väinölä, R. 1988: Evolutionary genetics of the *Mytilus edulis* complex in the North Atlantic region. – *Marine Biology* 98: 51–60.
873. Pajunen, V. I. & Salmi, J. 1988: The winter habitats and spring dispersal of rock-pool corixids (Heteroptera, Corixidae). – *Ann. Ent. Fennici* 54: 97–102.
874. Kaitala, A. 1988: Wing muscle dimorphism: two reproductive pathways of the waterstrider *Gerris thoracicus* in relation to habitat instability. – *Oikos* 53: 222–228.
875. Sunila, I. 1988: Acute histological responses of the gill of the mussel, *Mytilus edulis*, to exposure by environmental pollutants. – *J. Invertebr. Pathol.* 52: 137–141.
876. Lindström, M. & Nilsson, H. L. & Meyer-Rochow, V. B. 1988: Recovery from light-induced sensitivity loss in the eye of the crustacean *Mysis relicta* in relation to temperature: a study of ERG-determined V/log I relationships and morphology at 4°C and 14°C. – *Zool. Sci.* 5: 743–757.
877. Pekkarinen, M. 1988: Gymnophallid trematode parasites in the Baltic clam *Macoma balthica* (L.) off the southwest coast of Finland. – Ph. D. Thesis, Div. Physiol., Dep. Zool., Univ. Helsinki. 56 pp.
878. Lindström, M. & Nilsson, H. L. 1988: Eye function of *Mysis relicta* Loven (Crustacea) from two photic environments. Spectral sensitivity and light tolerance. – *J. Exp. Mar. Biol. Ecol.* 120: 23–37.
879. Aschan, M. 1988: Soft bottom macrobenthos in a Baltic archipelago: Spatial variation and optimal sampling strategy. – *Ann. Zool. Fennici* 25: 153–164.
880. Kuosa, H. 1988: Estimating the proportion of active blue-green algal heterocysts in Baltic Sea samples by the TTC method. – *Ann. Bot. Fennici* 25: 233–236.
881. Nielsen, R. 1988: Small green algae from brackish water in the Tvärminne area, southern Finland. – *Ann. Bot. Fennici* 25: 237–257.
882. Van Wijk, R.J. 1988: Ecological studies on *Potamogeton pectinatus* L. I. General characteristics, biomass production and life cycles under field conditions. – *Aquatic Botany* 31: 211–258.
883. Kuosa, H. 1988: First record of *Paulinella chromatophora* (Testacea, Rhizopoda) from the northern Baltic Sea. – *Memoranda Soc. Fauna Flora Fennica* 64: 77–78.
884. Kuosa, H. 1988: Levät ja alkueläimet – ehdotus terminologiaksi (Abstract: Algae and protozoa – a proposal for the terminology). – *Memoranda Soc. Fauna Flora Fennica* 64: 79–81.
885. Kuosa, H. 1988: Some species of the green-algal genus *Scenedesmus* Meyen (Chlorococcales) in Finnish coastal waters. – *Arch. Hydrobiol. Suppl.* 78: 475–481.
886. Kuosa, H. 1988: Observations on the taxonomy and ecology of *Monoraphidium* (Chlorophyceae, Chlorococcales) and *Koliella* (Chlorophyceae, Ulotrichales) species in the Tvärminne Sea area, SW coast of Finland. – *Arch. Protistenkd.* 135: 45–53.

887. Nummelin, M., Spence, J. R. & Vepsäläinen, K. 1988: Infection of gerrid eggs (Heteroptera: Gerridae) by the parasitoid *Tiphodytes gerriphagus* Marchal (Hymenoptera: Scelionidae) in Finland. – Ann. Zool. Fennici 25:299–302.
888. Hietanen, B., Sunila, I. & Kristoffersson, R. 1988: Toxic effects of zinc on the common mussel *Mytilus edulis* L. (Bivalvia) in brackish water. I. Physiological and histopathological studies. – Ann. Zool. Fennici 25:341–347.
889. Hietanen, B., Sunila, I. & Kristoffersson, R. 1988: Toxic effects of zinc on the common mussel *Mytilus edulis* L. (Bivalvia) in brackish water. II. Accumulation studies. – Ann. Zool. Fennici 25: 349–352
890. Raivio, S. 1988: The peninsular effect and habitat structure: bird communities in coniferous forests of the Hanko Peninsula, southern Finland. – Ornis Fennica 65: 129–149.
891. Wassmann, P. & Heiskanen, A.-S. (eds.) 1988: Sediment trap studies in the Nordic countries 1. Proceedings of the workshop "Use of sediment traps for studies of vertical flux of particulate matter in the sea". Tväärminne Zoological Station, Hanko, Finland, 24–28 Febr. 1988. – Yliopistopaino, Helsinki. 207 pp.
892. Koli, L., Rask, M., Viljanen, M. & Aro, E. 1988: The diet of perch, *Perca fluviatilis* L., at Tväärminne, Northern Baltic Sea, and a comparison with two lakes. – Aqua Fennica 18: 185–191.
893. Russell, G. 1988: The seaweed flora of a young semienclosed sea: The Baltic. Salinity as a possible agent of flora divergence. – Helgoländer Meeresunters. 42: 243–250.
894. Nummelin, M. 1988: Waterstriders (Het: Gerridae) as predators of hatching mosquitoes. – Bicovas 1: 121–125.
895. Kuuppo-Leinikki, P. & Kuosa, H. 1989: Preservation of picoplanktonic cyanobacteria and heterotrophic nanoflagellates for epifluorescence microscopy. – Arch. Hydrobiol. 114: 631–636.
896. Sunila, I. 1989: Cystic kidneys in copper exposed mussels. – Diseases of Aquatic Organisms 6: 63–66.
897. Ranta, E. & Espo, J. 1989: Predation by the rock-pool insects *Arctocoris carinata*, *Callicorixa producta* (Het. Corixidae) and *Potamonectes griseostriatus* (Col. Dytiscidae). – Ann. Zool. Fennici 26: 53–60.
898. Kaitala, A. 1989: Reproductive behaviour of long-winged waterstriders (Heteroptera, Gerridae) in relation to food and habitat variation. – Ph. D. Thesis, Dept. Zoology, Univ. Helsinki, 30 pp.
899. Kuosa, H. & Kivi, K. 1989: Bacteria and heterotrophic flagellates in the pelagic carbon cycle in the northern Baltic Sea. – Mar. Ecol. Prog. Ser. 53: 93–100.
900. Nummelin, M. 1989: Cannibalism in waterstriders (Heteroptera: Gerridae): is there kin recognition? – Oikos 56: 87–90.
901. Hälfors, G. & Niemi, Å. 1989: Den marina vattenvegetationen vid Gloholmen. – Nordenskiöld-samfundets tidskrift 48: 3–21 (in Swedish).
902. Rask, M. 1989: A note on the diet of roach, *Rutilus rutilus* L., and other cyprinids at Tväärminne, northern Baltic Sea. – Aqua Fennica 19: 19–27.
903. Savolainen, R. 1989: Ant communities in the taiga biome: testing the structuring role of interference competition. – Ph. D. Thesis, Dept. Zoology, Univ. Helsinki. 8 pp.

904. Savolainen, R. & Vepsäläinen, K. 1989: Niche differentiation of ant species within territories of the wood ant *Formica polyctena*. – Oikos 56: 3–16.
905. Kaitala, S., Haario, H., Kivi, K. & Kuosa, H. 1989: Effects of environmental parameters on planktonic communities. – Chemometrics and Intelligent Laboratory Systems 7: 153–162.
906. Väinölä, R. & Varvio, S.-L. 1989: Molecular divergence and evolutionary relationships in *Pontoporeia* (Crustacea: Amphipoda). – Can. J. Fish. Aquat. Sci. 46: 1705–1713.
907. Väinölä, R. & Varvio, S.-L. 1989: Biosystematics of *Macoma balthica* in northwestern Europe. – In: Ryland, J. S. & Tyler, P. A. (eds.), Reproduction, genetics and distributions of marine organisms. 23rd European Marine Biology Symposium: 309–316. Olsen & Olsen, Fredensborg, Denmark.
908. Tamminen, T. 1989: Dissolved organic phosphorus regeneration by bacterioplankton: 5'-nucleotidase activity and subsequent phosphate uptake in a mesocosm enrichment experiment. – Mar. Ecol. Prog. Ser. 58: 89–100.
909. Kuosa, H. 1989: Effect of oxygen concentration on the activity and survival of a copepod, *Acartia bifilosa* (GIESBR.). – Aqua Fennica 19: 47–50.
910. Kuparinen, J. 1988: Development of bacterioplankton during winter and early spring at the entrance to the Gulf of Finland, Baltic Sea. – Verh. Internat. Verein. Limnol. 23: 1869–1878.
911. Heliövaara, K. & Laurema, S. 1988: Interaction of *Aradus cinnamomeus* (Heteroptera, Aradidae) with *Pinus sylvestris*: the role of free amino acids. – Scand. J. For. Res. 3: 515–525.
912. Heliövaara, K. & Väisänen, R. 1988: Crowding in fourth-instar larvae does not induce macroptery in *Aradus cinnamomeus* (Heteroptera, Aradidae). – Ann. Entomol. Fennici 54: 115–119.
913. Pisarski, B. & Vepsäläinen, K. 1989: Competition hierarchies in ant communities (Hymenoptera, Formicidae). – Annales Zoologici (Warsaw) 42: 321–329.
914. Hällfors, G. & Niemi, Å. 1989: *Anabaena lemmermanni* P. Richter (Nostocophyceae). Baltic Sea Phytoplankton Identification Sheet No. 1. – Ann. Bot. Fennici 26: 89–90.
915. Hällfors, G. 1989: *Chrysochromulina birgeri* G. Hällfors & Niemi (Prymnesiophyceae). Baltic Sea Phytoplankton Identification Sheet No. 2. – Ann. Bot. Fennici 26: 91–92.
916. Kuosa, H. 1988: Occurrence of autotrophic picoplankton along an open seainner archipelago gradient in the Gulf of Finland, Baltic Sea. – Ophelia 28: 85–93.
917. Furman, E. 1989: Enzyme genetic variation in *Balanus improvisus* Darwin (Crustacea: Cirripedia) in the Baltic Sea. – Ophelia 30: 35–45.
918. Furman, E. R. & Crisp, D. J. 1989: Biometrical changes during growth of isolated individuals of *Balanus improvisus*. – J. Mar. Biol. Ass. U.K. 69: 511–521.
919. Sundström, L. 1989: Genetic relatedness and population structure in *Formica truncorum* Fabr. (Hymenoptera, Formicidae). – Actes coll. Insectes Sociaux 5: 93–100.
920. PELAG-project. Ecological plankton research of the Baltic Sea. Final Reaport 1987–1989. 172 pp. + 4 app. Pelag Press, 1990. Helsinki.
921. Autio, R. 1990: Bacterioplankton in filtered brackish water cultures: some physical and chemical parameters affecting community properties. – Arch. Hydrobiol. 117: 437–451.

922. Tamminen, T. 1990: Eutrophication and the Baltic Sea. Studies on phytoplankton, bacterioplankton, and pelagic nutrient cycles. – Ph. D. Thesis, Dept. Environ. Conserv., Univ. Helsinki. 22 pp.
923. Vepsäläinen, K. & Savolainen, R. 1990: The effect of interference by formicine ants on the foraging of *Myrmica*. – J. Animal. Ecol. 59: 643–654.
924. Savolainen, R. 1990: Colony success of the submissive ant *Formica fusca* within territories of the dominant *Formica polyctena*. – Ecological Entomology 15: 79–85.
925. Hälfors, G. & Niemi, Å. 1990: Hällkaren på Gloholmen vid Lill-Skälö och deras algflora. – Nordenskiöld-samf. tidskr. 49: 90–114 (in Swedish).
926. Lignell, R. 1990: Algal exudation and its relation to bacterial production during vernal phytoplankton blooms. – Arch. Hydrobiol. Beih. Ergeb. Limnol. 34: 53–59.
927. Autio, R. 1990: Pelagic bacterioplankton in the Baltic proper. – Arch. Hydrobiol. Beih. Ergeb. Limnol. 34: 217–226.
928. Kuuppo-Leinikki, P. 1990: Protozoan grazing on planktonic bacteria and its impact on bacterial population. – Mar. Ecol. Prog. Ser. 63: 227–238.
929. Kuosa, H. 1990: Subsurface chlorophyll maximum in the northern Baltic Sea. – Arch. Hydrobiol. 118: 437–447.
930. Thomas, D. N., Collins, J. C. & Russell, G. 1990: Interpopulation differences in the salt tolerance of two *Cladophora* species. – Estuarine, Coastal and Shelf Science 30: 201–206.
931. Lindström, M. 1990: Light tolerance in crustaceans especially the opossum shrimp *Mysis relicta* (Mysidacea) and the isopod *Cirolana borealis* (Flabellifera). – Acta Acad. Aboensis, Ser.B. 50: 113–120.
932. Kuuppo-Leinikki, P. & Kuosa, H. 1990: Estimation of flagellate grazing on bacteria by size fractionation in the Northern Baltic Sea. – Arch. Hydrobiol. Beih. Ergeb. Limnol. 34: 283–290.
933. Niemimaa, J. & Pokki, J. 1990: Minkin ravinnosta Suomenlahden ulkosaaristossa (Summary: Food habits of the mink in the outer archipelago of the Gulf of Finland). – Suomen Riista 36: 18–30.
934. Halkka, O. & Halkka, L. 1990. Population genetics of the polymorphic meadow spittlebug, *Philaenus spumarius* (L.). – Evolutionary Biology 24: 149–191.
935. Turunen, S. & Pekkarinen, M. 1990: Fatty acid profile of the digestive gland and mantle in the bivalve *Macoma balthica*. – Comp. Biochem. Physiol. 97 B: 269–273.
936. Kuosa, H. 1990: Protozoan grazing on pico- and nanophytoplankton in the northern Baltic Sea: direct evidence from epifluorescence microscopy. – Arch. Hydrobiol. 119: 257–265.
937. Kuosa, H. 1990: Picoplanktonic cyanobacteria in the northern Baltic Sea: role in the phytoplankton community. – In: Barnes, M. & Gibson, R.N. (eds.), Trophic relationships in the marine environment. Proc. 24th Eur. Mar. Biol. Symp.: 11–17.
938. Kuosa, H. & Hälfors, G. 1990: *Koliella spiralis* Kuosa (Chlorophyceae, Ulotrichales). – Ann. Bot. Fennici 27: 353–354.
939. Furman, E. R. & Yule, A. B. 1990: Self-fertilisation in *Balanus improvisus* Darwin. – J. Exp. Mar. Biol. Ecol. 144: 235–239.

940. Furman, E.R. 1990: Geographical variation of *Balanus improvisus* in biochemical and morphometric characters. – J. Mar. Biol. Ass. U.K. 70: 721–740.
941. Lignell, R. 1990: Excretion of organic carbon by phytoplankton: its relation to algal biomass, primary productivity and bacterial secondary productivity in the Baltic Sea. – Mar. Ecol. Prog. Ser. 68: 85–99.
942. Salemaa, H. & Heino, T. 1990: Chromosome numbers of Fennoscandian glacial relict Crustacea. – Ann. Zool. Fennici 27: 207–210.
943. Väinölä, R. 1990: Molecular time scales for evolution in *Mysis* and *Pontoporeia*. – Ann. Zool. Fennici 27: 211–214.
944. Haahtela, I. 1990: What do Baltic studies tell us about the isopod *Saduria entomon* (L.)? – Ann. Zool. Fennici 27: 269–278.
945. Uitto, A. & Sarvala, J. 1990: Perspectives on the ecological factors regulating *Pontoporeia* populations in the northern Baltic Sea. – Ann. Zool. Fennici 27: 297–301.
946. Lindström, M. & Fortelius, W. 1990: Some factors affecting the horizontal migration of *Pontoporeia affinis* (Crustacea, Amphipoda) in laboratory conditions. – Ann. Zool. Fennici 27: 309–312.
947. Aschan, M. 1990: Changes in softbottom macrofauna communities along environmental gradients. – Ann. Zool. Fennici 27: 329–336.
948. Pajunen, V.I. 1990: The population dynamics of rock-pool corixids living on supplementary food (Hemiptera, Corixidae). – Ann. Zool. Fennici 27: 337–350.
949. Snoeijs, P., Leskinen, E., Sundbäck, K., Kylenstierna, M., Witkowsky, A. & Hällfors, G. 1990: Microphytobenthic cell density and species composition in the surface sediment in a shallow brackish-water bay (Gulf of Finland). – Aqua Fennica 20: 103–114.
950. Kilpi, M., Lindström, K., Candolin, U. & Roslin, T. 1990: Distribution of eider (*Somateria mollissima*) broods off the Hanko peninsula during the breeding season. – Memoranda Soc. Fauna Flora Fennica 66: 67–75.
951. Ranta, E. & Lindström, K. 1990: Assortative schooling in three-spined sticklebacks? – Ann. Zool. Fennici 27: 67–75.
952. Ranta, E., McManus, J. & Leikola, N. 1990: Non-visual detection of prey patches by the smooth newt (*Triturus vulgaris*). – J. Herpetology 24: 202–204.
953. Kaitala, A. & Hulden, L. 1990: Significance of spring migration and flexibility in flight-muscle histolysis in waterstriders (Heteroptera, Gerridae). – Ecological Entomology 15: 409–418.
954. Pajunen, V. I. & Pajunen, I. 1991: Oviposition and egg cannibalism in rockpool corixids (Hemiptera: Corixidae). – Oikos 60: 83–90.
955. Savolainen, R. 1991: Interference by wood ant influences size selection and retrieval rate of prey by *Formica fusca*. – Behav. Ecol. Sociobiol. 28: 1–7.
956. Kuosa, H. 1991: Microbes in the pelagic carbon cycle: picoplanktonic algae and heterotrophic nanoflagellates in the northern Baltic ecosystem. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 6: 1–14.
957. Pekkarinen, M. 1991: A coccidian hyperparasite in bucephalid trematode sporocysts in brackish water (Baltic Sea) *Mytilus edulis*. – J. Invertebrate Pathology 57: 292–293.

958. Kuosa, H. 1991: Picoplanktonic algae in the northern Baltic Sea: seasonal dynamics and flagellate grazing. – *Mar. Ecol. Prog. Ser.* 73: 269–276.
959. Lindström, M. 1991: Factors affecting the horizontal migration of the amphipod *Pontoporeia affinis* Lindström. I. Recording method and response to water currents. – *J. Exp. Mar. Biol. Ecol.* 150: 149–162.
960. Väinölä, R. & Hvilsom, M.M. 1991: Genetic divergence and a hybrid zone between Baltic and North Sea *Mytilus* populations (Mylidae: Mollusca). – *Biol. J. Linnean Soc.* 43: 127–148.
961. Russell, G. 1991: Environmental constraints on microevolution in *Prasiola stipitata* s.lat. (Prasiolales: Clorophyta). – *Nord. J. Bot.* 11: 487–492.
962. Pajunen, V.I. & Salmi, J. 1991: The influence of corixids on the bottom fauna of rock-pools. – *Hydrobiologia* 222: 77–84.
963. Lindström, K. 1991: Factors affecting the reproductive success of male sandgobies, *Pomatoschistus minutus*. – Ph. D. Thesis, Dept. Zoology, Univ. Helsinki. 14 pp.
964. Sarvala, J. & Uitto, A. 1991: Production of the benthic amphipods *Pontoporeia affinis* and *P. femorata* in a Baltic archipelago. – *Ophelia* 34: 71–90.
965. Lindström, M., Fortelius, W. & Meyer-Rochow, V.B. 1991: Exposure to bright light has little effect on eye sensitivity and ultrastructure of *Saduria entomon* (Crustacea; Isopoda; Valvifera). – *Zool. Sci.* 8: 653–663.
966. Heiskanen, A.-S. 1991: Spring bloom dynamics and sedimentation in the coastal northern Baltic Sea. – In: Wassman, P., Heiskanen, A.-S. & Lindahl, O. (eds.), *Sediment trap studies in the Nordic countries 2*. Kristineberg Marine Biological Station, Sweden, 21–25 Nov. 1990: 157–175.
967. Setälä, O. 1991: Ciliates in the anoxic deep water layer of the Baltic. – *Arch. Hydrobiol.* 122: 483–492.
968. Uitto, A. & Sarvala, J. 1991: Seasonal growth of the benthic amphipods *Pontoporeia affinis* and *P. femorata* in a Baltic archipelago in relation to environmental factors. – *Mar. Biol.* 111: 237–246.
969. Keynäs, K. 1991: Biotopvård och hotade arter på Hangöudd. – *Memoranda Soc. Fauna Flora Fennica* 67: 123–127 (in Swedish).
970. Bäck, S., Collins, J.C. & Russell, G. 1990: Aspects of reproductive biology of *Fucus vesiculosus* from SW coast of Finland. – *Ophelia* 34: 129–141.
971. Kuosa, H. 1991: Enumeration of pelagic ciliates with epifluorescence microscopy. – *Betr. Meereskd.* 62: 119–121.
972. Kuosa, H. 1991: A bloom of the blue-green alga, *Anabaena lemmermannii* var. *minor* (Nostocophyceae), in the Gennarbyviken fresh-water reservoir, southern Finland. – *Memoranda Soc. Fauna Flora Fennica* 67: 147–149.
973. Bonn, T. 1992: Vegetation och flora i Skärgårdsmiljöstiftelsens område. – *Nordenskiöld-samf. tidskr.* 51: 35–60 (in Swedish).
974. Lindström, M. 1992: The migration behaviour of the amphipod *Pontoporeia affinis* Lindström. – *Dissert.*, Walter and Andrée de Nottbeck Found. Sci. Rep. 7: 1–18.

975. Leskinen, E. & Hällfors, G. 1990: Community structure of epiphytic diatoms in relation to eutrophication by the Hanko peninsula, S coast of Finland. – In: Simola, H. (ed.), Proceedings of the Tenth International Diatom Symposium: 323–333. Koeltz Scientific Books, Koenigstein.
976. Czechowski, W. 1990. Interspecific conflict in *Formica exsecta* NYL. (Hymenoptera, Formicidae). – *Memorabilia Zoologica* 44: 71–81.
977. Snoeijs, P., Hällfors, G. & Leskinen, E. 1991: Taxonomy and ecology of *Catacombas obtusa* comb. nov. – *Diatom Research* 6: 155–164.
978. Snoeijs, P., Hällfors, G. & Leskinen, E. 1991: The transfer of two epipsammic diatom species to the genus *Martyana*. – *Diatom Research* 6: 165–173.
979. Bäck, S. 1991: Comparative autecology of Baltic and Atlantic *Fucus vesiculosus* L. – Ph. D. Thesis, Dept. Envir. & Evol. Biol., Univ. Liverpool. 140 pp.
980. Bäck, S. Collins, J.C. & Russell, G. 1992: Effects of salinity on growth of Baltic and Atlantic *Fucus vesiculosus*. – *Br. phycol. J.* 27: 39–47.
981. Bäck, S. Collins, J.C. & Russell, G. 1992: Recruitment of the Baltic flora: the *Fucus aranoides* Enigma. – *Botanica Marina* 35: 53–59.
982. Lindström, M. & Fortelius, W. 1992: Factors affecting the horizontal migration of the amphipod *Pontoporeia affinis* Lindström. II. Effects of temperature, salinity and substratum. – *J. Exp. Mar. Biol. Ecol.* 158: 231–248.
983. Hällfors, G. & Heikkonen, K. 1992: *Chorda tomentosa* Lyngbye in Finnish coastal waters. – *Acta Phytogeogr. Suec.* 78: 79–84.
984. Leskinen, E., Mäkinen, A., Fortelius, W., Lindström, M. & Salemaa, H. 1992: Primary production of macroalgae in relation to the spectral range and sublittoral light conditions in the Tvärminne archipelago, northern Baltic Sea. – *Acta Phytogeogr. Suec.* 78: 85–93.
985. Lignell, R. 1992: Problems in filtration fractionation of ^{14}C primary productivity samples. – *Limnol. Oceanogr.* 37: 172–178.
986. Lignell, R., Kaitala, S. & Kuosa, H. 1992: Factors controlling phyto- and bacterioplankton in late spring on a salinity gradient in the northern Baltic. – *Mar. Ecol. Prog. Ser.* 84: 121–131.
987. Vørs, N. 1992: Heterotrophic amoebae, flagellates and heliozoa from the Tvärminne area, Gulf of Finland in 1988–1990. – Ph. D. Thesis, Inst. Sporeplanter, Univ. Copenhagen. *Ophelia* 36: 1–109.
988. Autio, R. 1992: Temperature regulation of brackish water bacterioplankton. – *Arch. Hydrobiol. Beih. Ergebni. Limnol.* 37: 253–263.
989. Lignell, R. & Lindqvist, K. 1992: Effect of nutrient enrichment and temperature on intracellular partitioning of $^{14}\text{CO}_2$ in a summer phytoplankton community in the northern Baltic. – *Mar. Ecol. Prog. Ser.* 86: 273–281.
990. Bäck, S., Collins, J.C. & Russell, G. 1992: Comparative ecophysiology of Baltic and Atlantic *Fucus vesiculosus*. – *Mar. Ecol. Prog. Ser.* 84: 71–82.
991. Kilpi, M., Lindström, K. & Wuorinen, J.D. 1992: A change in clutch size in the arctic tern *Sterna paradisaea* in the northern Baltic. – *Ornis Fennica* 69: 88–91.
992. Wuorinen, J.D. 1992: Do arctic skuas *Stercorarius parasiticus* exploit and follow terns during fall migration? – *Ornis Fennica* 69: 198–200.

993. Ranta, E. 1992: Gregariousness versus solitude: another look on parasite faunal richness in Canadian freshwater fishes. – *Oecologia* 89: 150–152.
994. Ranta, E., Lindström, K. & Peuhkuri, N. 1992: Size matters when three spined sticklebacks go to school. – *Anim. Behav.* 43: 160–162.
995. Lindström, K. & Ranta, E. 1992: Predation by birds affect population structure in breeding sand goby males, *Potamoschistus minutus*. – *Oikos* 64: 527–532.
996. Ranta, E. & Lindström, K. 1992: Järviikohtaisen kalansaaliin ennustamisesta. – *Suomen Kalatalous* 60: 159–174.
997. Ranta, E., Juvonen, S.-K. & Peuhkuri, N. 1992: Further evidence for assortative schooling in sticklebacks. – *J. Fish. Biol.* 41: 627–630.
998. Kilpi, M. 1992: Responses of herring gulls *Larus argentatus* and common gulls *L. canus* to warm years: early migration and early breeding. – *Ornis Fennica* 69: 82–91.
999. Pajunen, V. I. & Pajunen, I. 1992: Field evidence of intra- and interspecific predation in rock-pool corixids (Heteroptera, Corixidae). – *Entomol. Fennica* 3: 15–19.
1000. Viitasalo, M. 1992: Calanoid resting eggs in the Baltic Sea: implications for the population dynamics of *Acartia bifilosa* (Copepoda). – *Mar. Biol.* 114: 397–405.
1001. Grönlund, L. & Leppänen, J.-M. 1992: Variability in the nutrient reserves and pelagic productivity in the western Gulf of Finland. – *ICES Mar. Sci. Symp.* 195: 499–506.
1002. Lindström, M. 1992: Spectral sensitivity and light tolerance of mysid species in the Baltic area. – In: Köhn, J., Jones, M. B. & Moffat, A. (eds.), *Taxonomy, biology and ecology of (Baltic) mysids (Mysidacea: Crustacea)*: 120–126. Rostock.
1003. Salemaa, H. 1992: The nurse cells and the origin of spermatidic filaments in Mysidacea (Peracarida, Crustacea). – In: Köhn, J., Jones, M. B. & Moffat, A. (eds.), *Taxonomy, biology and ecology of (Baltic) mysids (Mysidacea: Crustacea)*: 38–44. Rostock.
1004. Väinölä, R. 1992: The two Baltic species of the *Mysis relicta* species group. – In: Köhn, J., Jones, M.B. & Moffat, A. (eds.), *Taxonomy, biology and ecology of (Baltic) mysids (Mysidacea: Crustacea)*: 33–37. Rostock.
1005. Väinölä, R. 1992: Evolutionary genetics of marine *Mysis* spp. (Crustacea: Mysidae). – *Mar. Biol.* 114: 539–550.
1006. Viitasalo, M. 1992: Mesozooplankton of the Gulf of Finland and northern Baltic proper. – A review of monitoring data. – *Ophelia* 35: 147–168.
1007. Vørs, N. 1992: Ultrastructure and autecology in the marine, heterotrophic flagellate *Leucocryptos marina* (Braarud) Butcher 1967 Katablepharidaceae/Kathablepharidaceae), with a discussion of the genera *Leucocryptos* and *Katablepharis/Kathablepharis*. – *European J. Protistology* 28: 369–389.
1008. Kuuppo-Leinikki, P. 1993: Horizontal distribution of photo- and heterotrophic micro-organisms on the coastal area of the northern Baltic Sea – a case study. – *J. Plankton Res.* 15: 27–35.
1009. Leskinen, E. 1993: Ecology of attached microalgal communities on the SW coast of Finland, the Baltic Sea. – *Dissert.*, Walter and Andrée de Nottbeck Found. Sci. Rep. 8: 1–14.
1010. Pekkarinen, M. 1993: Neoplastic diseases in the baltic *Macoma balthica* (Bivalvia) off the Finnish coast. – *J. Invertebrate Pathology* 61: 138–146.

1011. Pekkarinen, M. 1993: Bucephalid trematode sporocysts in brackish-water *Mytilus edulis*, new host of a *Helicosporidium* sp. (Protozoa: Helicosporida). A note. – J. Invertebrate Pathology 61: 214–216.
1012. Lignell, R. 1993: Effect of vertical cycling on photosynthesis during the annual algal succession in the northern Baltic. – Hydrobiologia 254: 159–167.
1013. Lignell, R., Heiskanen, A.-S., Kuosa, H., Gundersen, K., Kuuppo-Leinikki, P., Pajuniemi, R. & Uitto, A. 1993: Fate of a phytoplankton spring bloom: sedimentation and carbon flow in the planktonic food web in the northern Baltic. – Mar. Ecol. Prog. Ser. 94: 239–252.
1014. Heiskanen, A.-S. 1993: Mass encystment and sinking of dinoflagellates during a spring bloom. – Mar. Biol. 116: 161–167.
1015. Bonn, T. 1993: Några sällsynta skärgårdsväxters utbredningsbild i västra Nyland. – Nordenskiöld-samfundets tidskrift 52: 21–48.
1016. Niemi, Å. 1993: Ecological problems and the state of the Baltic Sea, especially of the Gulf of Finland. – In: Punning, J.-M. & Hult, J. (eds.), Human impact on environment. Pilot study in Baltic. Inst. Ecol. Estonian Academy of sciences, Publication 1: 108–125. Tallinn.
1017. Babichenco, S., Poryvkina, L., Arikese, V., Kaitala, S. & Kuosa, H. 1993: Remote sensing of phytoplankton using laser-induced fluorescence. – Remote Sens. Environ. 44: 1–10.
1018. Saloniemi, I. 1993: An environmental explanation for the character displacement pattern in *Hydrobia* snails. – Oikos 67: 75–80.
1019. Kuparinen, J. & Kuosa, H. 1993: Autotrophic and heterotrophic picoplankton in the Baltic Sea. – Adv. Mar. Biol. 29: 73–128.
1020. Kuparinen, J. & Heinänen, A. 1993: Inorganic nutrient and carbon controlled bacterioplankton growth in the Baltic Sea. – Estuarine, Coastal and Shelf Sci. 37: 271–285.
1021. Thomsen, H., Hälfors, G., Hälfors, S. & Ikävalko, J. 1993: New observations on the heterotrophic protist genus *Thaumatomastix* (Thaumatomastigaceae, Protista incertae sedis), with particular emphasis on material from the Baltic Sea. – Ann. Bot. Fennici 30: 87–109.
1022. Bäck, S. 1993: Applied phycological research in Finland. – Applied Phycol. Forum 10: 5–6.
1023. Kivi, K., Kaitala, S., Kuosa, H., Kuparinen, J., Leskinen, E., Lignell, R., Marcussen, B. & Tamminen, T. 1993: Nutrient limitation and grazing control of the Baltic plankton community during annual succession. – Limnology and Oceanography 38: 893–905.
1024. Lindström, M. 1993: Extremes of dark adaptation as measured from ERG records in pelagic crustaceans. – In: Wiese, K., Gribakin, F.G., Popov, A.V. & Renninger, G. (eds.), Sensory systems of arthropods: 170–178. Birkhäuser Verl., Basel.
1025. Pajunen, V. I. & Pajunen, I. 1993: Competitive interactions limiting the number of species in rock pools: experiments with *Sigara nigrolineata*. – Oecologia 95: 220–225.
1026. Pekkarinen, M. 1993: Chick chorioallantoic membrane as an experimental medium for rearing two gymnophallid trematodes to maturity. – Parasitol. Res. 79: 346–348.
1027. Bäck, S. 1993: Morphological variation of northern Baltic *Fucus vesiculosus* along the exposure gradient. – Ann. Bot. Fennici 30: 275–283.
1028. Salemaa, H. & Hietalahti, V. 1993: *Hemimysis anomala* G.O. Sars (Crustacea: Mysidacea) – Immigration of a Pontocaspian mysid into the Baltic Sea. – Ann. Zool. Fennici 30: 271–276.

1029. Lignell, R. 1993: Carbon flow supplied by algae and bacteria in the planktonic food web off the SW coast of Finland. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 9: 1–55.
1030. Bäck, S., Lehvo, A. & Kiirikki, M. 1993: The occurrence of macroalgal mass blooms on the Finnish Baltic coast. – In: Rijstenbil, J. W. & Haritonidis, S. (eds.), Macroalgae, eutrophication and the trace metal cycling in estuaries and lagoons. Proceedings of the COST-48 Symposium of Sub Group III, Tessaloniki, 24–26 September 1993: 18–21. Commission of the European Communities. Brussels.
1031. Bäck, S., Collins, J.C. & Russell, G. 1993: Comparative reproductive biology of the Gulf of Finland and the Irish Sea *Fucus vesiculosus* L. – *Sarsia* 78: 265–272.
1032. Sundström, L. 1993: Foraging responses of *Formica truncorum* (Hymenoptera; Formicidae); exploiting stable vs spatially and temporally variable resources. – *Insectes Sociaux* 40: 147–161.
1033. Sundström, L. 1993: Genetic population structure and sociogenetic organisation in *Formica truncorum* (Hymenoptera; Formicidae). – *Behav. Ecol. Sociobiol.* 33: 345–354.
1034. Ikävalko, J. 1994: Observations on silica-scaled flagellates (Chrysophyceae and Synurophyceae) in the brackish water of Pojo Bay, SW coast of Finland. – *Ann. Bot. Fennici* 31:1–27.
1035. Vepsäläinen, K. & Savolainen, R. 1994: Ant–aphid interaction and territorial dynamics of wood ants. – *Memorabilia Zoologica* 48: 251–259.
1036. Sundström, L. 1993: Intraspecific variation in sociogenetic organisation and worker–queen conflict in the ant *Formica truncorum*. – Dissert., Univ. Helsinki, Dept. Zoology, 1–14 + 5 articles.
1037. Fortelius, W. 1994: Reproductive biology in the wood ant genus *Formica* (Hymenoptera, Formicidae). – Dissert., Univ. Helsinki, Dept. Zoology, 1–16 + 6 articles.
1038. Väinölä, R. 1994: Molecular systematics and zoogeography of the "glacial relict" element. – Dissert., Univ. Helsinki, Dept. Genetics, 1–16 + 6 articles.
1039. Väinölä, R., Valtonen, E.T. & Gibson, D.I. 1994: Molecular systematics in the acanthocephalan genus *Echinorhynchus* (sensu lato) in northern Europe. – *Parasitology* 108: 105–114.
1040. Seppä, P. 1994: Social and genetic structure of *Myrmica* populations. – Dissert., Univ. Helsinki, Dept. Genetics, 1–11 + 5 articles.
1041. Seppä, P. 1994: Sociogenetic organization of the ants *Myrmica ruginodis* and *Myrmica lobicornis*: Number, relatedness and longevity of reproducing individuals. – *J. Evol. Biol.* 7: 71–95.
1042. Donner, K-O., Langer, H., Lindström, M. & Schlecht, P. 1994: Visual pigment, dark adaptation and rhodopsin renewal in the eye of *Pontoporeia affinis* (Crustacea, Amphipoda). – *J. Comp. Physiol. A* 174: 451–459.
1043. Kuuppo-Leinikki, P., Autio, R., Hällfors, S., Kuosa, H., Kuparinen, J. & Pajuniemi, R. 1994: Trophic interactions and carbon flow between picoplankton and protozoa in pelagic enclosures manipulated with nutrients and a top predator. – *Mar. Ecol. Prog. Ser.* 107: 89–102.
1044. Sundström, L. 1994: Sex ratio bias, relatedness asymmetry and queen mating frequency in ants. – *Nature* 367: 266–268.

1045. Russell, G. 1994: A Baltic variant of *Pilayella littoralis* (Algae, Fucophyceae). – Ann. Bot. Fennici 31: 127–138.
1046. Heiskanen, A.-S. & Kononen, K. 1994: Sedimentation of vernal and late summer phytoplankton communities in the coastal Baltic Sea. – Arch. Hydrobiol. 131: 175–198.
1047. Kuuppo, P. 1994: Heterotrophic nanoflagellates in the microbial food web of the SW coast of Finland, the Baltic Sea. Grazing on planktonic bacteria. – Dissert., Walter and André de Nottbeck Found. Sci. Rep. 10: 1–20 + 7 articles.
1048. Kivi, K. & Kuosa, H. 1994: Late winter microbial communities in the western Weddell Sea (Antarctica). – Polar Biol. 14: 389–399.
1049. Halkka, L., Vakula, N. & Kaikusalo, A. 1994: Polymorphic and stable chromosomes of *Sorex araneus* L. differ in centromere constitution (R-banding): Evolutionary aspects. – Ann. Zool. Fennici 31: 289–296.
1050. Hillström, L., Kilpi, M. & Lindström, K. 1994: Diet of herring gulls *Larus argentatus* during chick rearing in the Gulf of Finland. – Ornis Fennica 71: 95–101.
1051. Migula, P., Nuorteva, P., Nuorteva, S.-L., Glowacka, E. & Oja, A. 1993: Physiological disturbances in ants (*Formica aquilonia*) from excess of cadmium and mercury in a Finnish forest. – The Science of the Total Environment, Suppl. Part 2: 1305–1314 (Proc. Second European Conference on Ecotoxicology).
1052. Russell, G. & Pedersen, P.M. 1994: *Microspongium globosum* (Algae: Fucophyceae). An addition to the marine flora of Finland. – Ann. Bot. Fennici 31: 143–146.
1053. Pekkarinen, M. & Lei Ching, H. 1994: Comparisons of gymnophallid digeneans from north Pacific and Baltic clams, *Macoma balthica* (Bivalvia). – J. Parasitol. 80: 630–636.
1054. Pamilo, P. & Seppä, P. 1994: Reproductive competition and conflicts in colonies of the ant *Formica sanguinea*. – Anim. Behav. 48: 1201–1206.
1055. Pamilo, P., Sundström, L., Fortelius, W. & Rosengren, R. 1994: Diploid males and colony-level selection in *Formica* ants. – Ethology Ecology & Evolution 6: 221–235.
1056. Leskinen, E. & Hällfors, G. 1994: Dynamics of epiphytic diatoms on *Cladophora glomerata* in the Tvärminne archipelago, Northern Baltic Sea. – Memoirs of the California Acad. Sci. 17: 425–435. (Proc. 11th Int. Diatom Symp. 1990)
1057. Sundström, L. 1994: Ant sex ratios – a reply to Sherman and Shellman-Reeve. – Nature 370: 257–258.
1058. Väinölä, R., Riddoch, B. J., Ward, R. D. & Jones, R. I. 1994: Genetic zoogeography of the *Mysis relicta* species group (Crustacea: Mysidacea) in northern Europe and North America. – Can. J. Fish. Aquat. Sci. 51: 1490–1505.
1059. Sundell, J. 1994: Dynamics and composition of littoral fish fauna along the coast of SW-Finland. – Aqua Fennica 24: 37–49.
1060. Kuuppo, P. 1994: Annual variation in the abundance and size of heterotrophic nanoflagellates on the SW coast of Finland, the Baltic Sea. – J. Plankton Res. 16: 1525–1542.
1061. Viitasalo, M. 1994: Seasonal succession and long-term changes of mesozooplankton in the northern Baltic Sea. – Finnish Mar. Res. 263: 1–39 + 7 articles.
1062. Viitasalo, M., Katajisto, T. & Vuorinen, I. 1994: Seasonal dynamics of *Acartia bifilosa* and *Eurytemora affinis* (Copepoda: Calanoida) in relation to abiotic factors in the northern Baltic Sea. – Hydrobiologia 292/293: 415–422.

1063. Viitasalo, M. & Katajisto, T. 1994: Mesozooplankton resting eggs in the Baltic Sea: identification and vertical distribution in laminated and mixed sediments. – Mar. Biol. 120: 455–465.
1064. Mappes, J. 1994: Maternal care and reproductive tactics in shield bugs. – Biol. Res. Rep. Univ. Jyväskylä 40: 1–30 +6 articles.
1065. Poryvkina, L., Babichenko, S., Kaitala, S., Kuosa, H. & Shalapjonok, A. 1994: Spectral fluorescence signatures in characterisation of phytoplankton community composition. – J. Plankton Res. 16: 1315–1327.
1066. Lindström, K. & Wennström, C. 1994: Parental behaviour and expected fitness in the sand goby, *Potamoschistus minutus*. – J. Fish. Biol. 44: 469–477
1067. Fortelius, W. 1994: Mating and phototaxis in the wood ant, *Formica lugubris* Zett. (Hymenoptera, Formicidae). – Memorabilia Zool. 48: 69–80.
1068. Haapala, J. 1994. Upwelling and its influence on nutrient concentration in the coastal area of the Hanko Peninsula, entrance of the Gulf of Finland. – Estuarine, Coastal and Shelf Science 38: 507–521.
1069. Tanskanen, S. 1994: Seasonal variability in the individual carbon content of the calanoid copepod *Acartia bifilosa* from the northern Baltic Sea. – Hydrobiologia 292/293: 397–403.
1070. Kaitala, S., Babichenko, S., Poryvkina, L. & Leeben, A. 1994: Fluorescent analysis of pigment composition of natural phytoplankton. – MTS Journal 28: 50–58.
1071. Ikävalko, J., Kristiansen, J. & Thomsen, H. A. 1994: A revision of the taxonomic position of *Syncrypta glomerifera* (Chrysophyceae), establishment of a new genus *Lepidochrysis* and observations on the occurrence of *L. glomerata* comb. nov. in brackish water. – Nord. J. Bot. 14: 339–344.
1072. Setälä, O., Kuuppo, P., Ekebom, J., Kuosa, H. & Patterson, D. J. 1995: Workbook on protist ecology and taxonomy. Proceedings from the 1st Protistological Workshop at Tvärminne Zoological Station 1992. – Yliopistonpaino. Helsinki. 161 pp.
1073. Kivi, K. & Setälä, O. 1995: Simultaneous measurement of food particle selection and clearance rates of planktonic oligotrich ciliates (Ciliophora: Oligotrichina). – Mar. Ecol. Prog. Ser. 119: 125–137.
1074. Tamminen, T. 1995: Nitrate and ammonium depletion rates and preferences during a Baltic spring bloom. – Mar. Ecol. Prog. Ser. 120: 123–133.
1075. Heiskanen, A.-S. 1995: Contamination of sediment trap fluxes by vertically migrating phototrophic micro-organisms in the coastal Baltic Sea. – Mar. Ecol. Prog. Ser. 122: 45–58.
1076. Niemimaa, Jukka. 1995: Activity patterns and home ranges of the American mink *Mustela vison* in the Finnish outer archipelago. – Ann. Zool. Fennici 32: 117–121.
1077. Kilpi, M. 1995: Variation in laying synchrony in a small Herring Gull colony. – Ornis Fennica 72: 37–42.
1078. Kilpi, M. & Byholm, P. 1995: The odd colour of the last laid egg in Herring Gull *Larus argentatus* clutches: does it reflect egg quality? – Ornis Fennica 72: 85–88.
1079. Kilpi, M. 1995: Breeding success, predation and local dynamics of colonial Common Gull, *Larus canus*. – Ann. Zool. Fennici 32: 175–182.
1080. Kilpi, M. 1995: Egg size asymmetry within Herring Gull clutches predicts fledging success. – Colonial Waterbirds 18: 41–46.

1081. Pitkänen, H. & Tamminen, T. 1995: Nitrogen and phosphorus as production limiting factors in the estuarine waters of the eastern Gulf of Finland. – Mar. Ecol. Prog. Ser. 129: 283–294.
1082. Russell, G. 1995: Pyrolysis mass spectrometry: a fresh approach to old problems in brown algal systematics? – Marine Biology 123: 153–157.
1083. Englund, V.P.M. & Heino, M.P. 1994: In situ measurement of seasonal variation in burial depth of *Mya arenaria* Linné. – J. Moll. Stud. 60: 465–467.
1084. Larsen, J., Kuosa, H., Ikävalko, J., Kivi, K. & Hälfors, S. 1995: A redescription of *Scripsiella hangoei* (Schiller) comb. nov. – a “red tide” dinoflagellate from the northern Baltic. – Phycologia 34: 135–144.
1085. Kilpi, M. & Byholm, P. 1995: Diet of courtship feeding herring gulls in the Gulf of Finland. – Ornis Fennica 72: 135–137.
1086. Tuomi, P., Fagerbakke, K.M., Bratbak, G. & Heldal, M. 1995: Nutritional enrichment of a microbial community: the effects on activity, elemental composition, community structure and virus production. – FEMS Microbiology Ecology 16: 123–134
1087. Heiskanen, A.-S. 1995: Resting stages. – In: Setälä, O., Kuuppo, P., Ekebom, J., Kuosa, H. & Patterson, D.J. (eds.), Workbook on protist ecology and taxonomy. Proceedings from the 1st workshop on Protistology, Tvärminne Zoological Station 1992: 68–72.
1088. Heiskanen, A.-S., Olli, K., Tuomi, P., Boikova, E., Ekebom, J. & Jämlich, S. 1995: The impact of phytoplankton and heterotrophic micro-organisms on the formation and fate of settling organic matter in the Gulf of Riga. – In: Wassman, P. (ed.), Pelagic eutrophication and sedimentation. Preliminary report for the years 1993 & 1994. Nordisk Miljöforskningsprogram, Miljöforskningsarbetet i Östersjöområdet, part.1:1–18 + appendix with 4 tables and 30 figs.
1089. Floderus, S., Heiskanen, A.-S., Olesen, M. & Wassman, P. (eds.) 1995: Sediment trap studies in the Nordic Countries 3. Proceedings of a workshop held at the Helsingør Marine Biological Laboratory, Denmark, 21–26 January 1994. – 216 pp. Nurmiprint, Nurmijärvi.
1090. Olli, K. 1995: Euglenids. – In: Setälä, O., Kuuppo, P., Ekebom, J., Kuosa, H. & Patterson, D.J. (eds.), Workbook on protist ecology and taxonomy. Proceedings from the 1st workshop on Protistology, Tvärminne Zoological Station 1992: 39–47.
1091. Ekebom, J. 1995: Heterotrophic flagellates in sediments. – In: Setälä, O., Kuuppo, P., Ekebom, J., Kuosa, H. & Patterson, D.J. (eds.), Workbook on protist ecology and taxonomy. Proceedings from the 1st workshop on Protistology, Tvärminne Zoological Station 1992: 48–67.
1092. Ekebom, J., Patterson, D.J., Vørs, N. 1995/96: Heterotrophic flagellates from coral reef sediments (Great Barrier Reef, Australia). – Arch. Protistenkunde 146: 251–272.
1093. Nygaard, K. & Kuuppo, P. 1995: Methods for the study of flagellates: Numbers of flagellates by epifluorescence microscopy. – In: Setälä, O., Kuuppo, P., Ekebom, J., Kuosa, H. & Patterson, D.J. (eds.), Workbook on protist ecology and taxonomy. Proceedings from the 1st workshop on Protistology, Tvärminne Zoological Station 1992: 25–29.
1094. Auf dem Venne, H., Dale, T., Kivi, K., Lavrentyev, P., Setälä, O., Stensdottir-Blomberg, U. & Stoecker, D.K. 1995: Ciliates found at Tvärminne and Pojo Bay in late September 1992. – In: Setälä, O., Kuuppo, P., Ekebom, J., Kuosa, H. & Patterson, D.J. (eds.), Workbook on protist ecology and taxonomy. Proceedings from the 1st workshop on Protistology, Tvärminne Zoological Station 1992: 111–130.

1095. Kauppila, P., Hällfors, G., Kangas, P., Kokkonen, P. & Basova, S. 1995: Late summer phytoplankton species composition and biomasses in the eastern Gulf of Finland. – *Ophelia* 42: 179–191.
1096. Kankaanpää, H., Laurén, M., Mattson, M. & Lindström, M. 1995: Effects of bleached kraft mill effluents on the swimming activity of *Monoporeia affinis* (Crustacea, Amphipoda) Lindström. – *Chemosphere* 31: 4455–4473.
1097. Heiskanen, A.-S. & Leppänen, J.-M. 1995: Estimation of export production in the coastal Baltic Sea: effect of resuspension and microbial decomposition on sedimentation measurements. – *Hydrobiologia* 316: 211–224.
1098. Viitasalo, M., Vuorinen, I. & Saesmaa, S. 1995: Mesozooplankton dynamics in the northern Baltic Sea: implications of variations in hydrography and climate. – *J. Plankton Res.* 17: 1857–1878.
1099. Mappes, J. & Kaitala, A. 1995: Host-plant selection and predation risk for offspring of the parent bug. – *Ecology* 76: 2668–2670.
1100. Mappes, J., Kaitala, A. & Alatalo, R.V. 1995: Joint brood guarding in parent bugs – an experiment on defence against predation. – *Behav. Ecol. Sociobiol.* 36: 343–347.
1101. Uitto, A., Kaitala, S., Kuosa, H. & Pajuniemi, R. 1995: Effect of nutrient addition and predation of mysid shrimp (*Neomysis integer*) on a Baltic plankton community in a short-term enclosure experiment. – *Aqua Fennica* 25: 23–31.
1102. Peuhkuri, N., Ranta, E., Juvonen, S.-K. & Lindström, K. 1995: Schooling affects growth in the three-spined stickleback, *Gasterosteus aculeatus*. – *J. Fish Biol.* 46: 221–226.
1103. Bonsdorff, E., Norkko, A. & Boström, C. 1995: Recruitment and population maintenance of the bivalve *Macoma balthica* (L.) – factors affecting settling success and early survival on shallow sandy bottoms. – In: Eleftheriou, A., Ansell, D. & Smith, C. (eds.), *Biology and ecology of shallow coastal waters*. Proc. 28th European Mar. Biol. Symp. 1993: 253–260. Olsen & Olsen, Fredensborg.
1104. Heiskanen, A.-S. 1995: Impact of dinoflagellates on the flux of organic matter collected by sediment traps in the Gulf of Finlands (Baltic Sea). – In: Floderus, S., Heiskanen, A.-S., Olesen, M. & Wassman, P. (eds.), *Sediment trap studies in the Nordic Countries 3*. Proceedings of a workshop held at the Helsingør Marine Biological Laboratory, Denmark, 21–26 January 1994: 153–167. NurmiPrint.
1105. Sundström, L. 1995: Dispersal polymorphism and physiological condition of males and females in the ant *Formica truncorum*. – *Behav. Ecol.* 2: 132–139
1106. Sundström, L. 1995: Sex allocation and colony maintenance in monogyne and polygyne colonies of *Formica truncorum* (Hymenoptera: Formicidae); The impact of kinship and mating structure. – *American Naturalist* 146: 182–201.
1107. Seppä, P., Sundström, L. & Punttila, P. 1995: Facultative polygyny and habitat succession in boreal ants. – *Biol. J. Linnean Soc.* 56: 533–551.
1108. Viitasalo, M., Koski, M., Pellikka, K. & Johansson, S. 1995: Seasonal and long-term variations in planktonic copepod body size in the northern Baltic Sea. – *Mar. Biol.* 123: 241–250.
1109. Kilpi, M. 1995: Further comments on nest density effects in large gulls. – *J. Avian Biol.* 26: 264–266.

1110. Stipa, T. 1996: Water renewal and vertical circulation of Pohja Bay. – Report Series in Geophysics 34: 1–59.
1111. Tamminen, T. & Irmisch, A. 1996: Urea uptake kinetics of a midsummer planktonic community on the SW coast of Finland. – Mar. Ecol. Prog. Ser. 130: 201–211.
1112. Pynnönen, K. 1996: Heavy metal-induced changes in the feeding and burrowing behaviour of a Baltic isopod, *Saduria (Mesidotea) entomon* L. – Mar. Envir. Res. 41: 145–156.
1113. Kiirikki, M. 1996: Experimental evidence that *Fucus vesiculosus* (Phaeophyta) controls filamentous algae by means of the whiplash effect. – Eur. J. Phycol. 31: 61–66.
1114. Kiirikki, M. & Ruuskanen, A. 1996: How does *Fucus vesiculosus* survive ice scraping? – Botanica Marina 39: 133–139.
1115. Katajisto, T. 1996: Copepod eggs survive a decade in the sediments of the Baltic Sea. – Hydrobiologia 320: 153–159.
1116. Väinölä, R. 1996: Origin and recent endemic divergence of a caspian *Mysis* species flock with affinities to the “glacial relict” crustaceans in boreal lakes. – Evolution 49: 1215–1223.
1117. Kilpi, M., Hillström, L. & Lindström, K. 1996: Egg-size variation and reproductive success in the herring-gull *Larus argentatus*: adaptive or constrained size of the last egg? – Ibis 138: 212–217.
1118. Kivi, K., Kuosa, H. & Tanskanen, S. 1996: An experimental study on the role of crustacean and microprotozoan grazers in the planktonic food web. – Mar. Ecol. Progr. Ser. 136: 59–68.
1119. Ugolini, A., Vignali, B., Castellini, C. & Lindström, M. 1996: Zonal orientation and spectral filtering in *Talitrus saltator* (Amphipoda, Talitridae). – J. mar. biol. Ass. U.K. 76: 377–389.
1120. Kivi, K. 1996: On the ecology of planktonic microprotozoans in the Gulf of Finland, northern Baltic Sea. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 11: 1–36 + 5 articles.
1121. Kiirikki, M. 1996: Mechanisms affecting macroalgal zonation in the northern Baltic Sea. – Eur. J. Phycol. 31: 225–232.
1122. Olli, K. 1996: Resting cyst formation of *Eutreptiella gymnastica* (Euglenophyceae) in the northern coastal Baltic Sea. – J. Phycol. 32: 535–542.
1123. Uitto, A. 1996: Summertime herbivory of coastal mesozooplankton and metazoan microplankton in the northern Baltic. – Mar. Ecol. Prog. Ser. 132: 47–56.
1124. Heldal, M., Fagerbakke, K.M., Tuomi, P. & Bratbak, G. 1996: Abundant populations of iron and manganese sequestering bacteria in coastal water. – Aquatic Microbial Ecol. 11: 127–133.
1125. Forsgren, E., Kvarnemo, C. & Lindström, K. 1996: Mode of sexual selection determined by resource abundance in two sand goby populations. – Evolution 50: 646–654.
1126. Kiirikki, M. 1996: Dynamics of macroalgal vegetation in the northern Baltic Sea – evaluatig the effects of weather and eutrophication. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 12: 15 pp. + 5 articles.
1127. Uitto, A. 1996: Contribution of nanoprotists to metazooplankton diet in a mesocosm experiment in the coastal northern Baltic. – J. Plankton Res. 18: 2119–2137.
1128. Lindström, K. & Seppä, T. 1996: The environmental potential for polygyny and sexual selection in the sand goby. – Proc. R. Soc. London B 263: 1319–1323.

1129. Lindström, K. & Kangas, N. 1996: Egg presence, egg loss and female mate preferences in the sand goby. – *Behavioral Ecology* 7: 213–217.
1130. Sundström, L., Chapuisat, M. & Keller, L. 1996: Conditional manipulation of sex ratios by ant workers: A test of kin selection theory. – *Science* 274: 993–995.
1131. Czechowski, W. 1996: Mechanisms of emancipation of atypical slaves in nests of *Formica sanguinea* Latr. (Hymenoptera: Formicidae). II. Queen replacement. – *Ann. Upper. Siles. Mus., Entomol.* 7/8: 59–80.
1132. Czechowski, W. 1996: Colonies of hybrids and mixed colonies; interspecific nest takeover in wood ants (Hymenoptera, Formicidae). – *Memorabilia Zool.* 50: 1–136.
1133. Olli, K., Heiskanen, A.-S. & Seppälä, J. 1996: Development and fate of *Eutreptiella gymnastica* bloom in nutrient enriched enclosures in the coastal Baltic Sea. – *J. Plankton Res.* 18: 1587–1604.
1134. Leskinen, E. 1996: Effect of ammonium load on the growth of attached microalgae in the northern Baltic Sea. – *J. Appl. Phycol.* 8: 217–227.
1135. Autio, R., Kuosa, H., Kuuppo, P., Setälä, O. & Tanskanen, S. 1996: Potential effects of climate change on coastal pelagic ecosystems in the Gulf of Finland. – In: Roos, J. (ed.), The finnish research programme on climatic change. Final report. Publications of the Academy of Finland 4/96: 202–207. Edita. Helsinki.
1136. Kiirikki, M. & Blomster, J. 1996: Wind induced upwelling as a possible explanation for mass occurrences of epiphytic *Ectocarpus siliculosus* (Phaeophyta) in the northern Baltic Proper. – *Marine Biology* 127: 353–358.
1137. Heiskanen, A.-S., Tamminen, T. & Gundersen, K. 1996: Impact of planktonic food web structure on nutrient retention and loss from a late summer pelagic system in the coastal northern Baltic Sea. – *Mar. Ecol. Prog. Ser.* 145: 195–208.
1138. Heiskanen, A.-S., Olli, K. 1996: Sedimentation and buoyancy of *Aphanizomenon cf. flos-aquae* (Nostocales, Cyanophyta) in a nutrient replete and nutrient depleted coastal area of the Baltic Sea. – *Phycologia* 35: 94–101.
1139. Uitto, A. 1997: The role of metazooplankton grazing in the pelagic food web of the northern Baltic Sea. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 13: 1–41 + 6 articles.
1140. Öst, M. & Kilpi, M. 1997: A recent change in size distribution of blue mussels (*Mytilus edulis*) in the western part of the Gulf of Finland. – *Ann. Zool. Fennici* 34: 31–36.
1141. Laurila, A. & Aho, T. 1997: Do female common frogs choose their breeding habitat to avoid predation on tadpoles? – *Oikos* 78: 585–591.
1142. Laurila, A., Kujasalo, J. & Ranta, E. 1997: Different antipredator behaviour in two anuran tadpoles: effects of predator diet. – *Behav. Ecol. Sociobiol.* 40: 329–336.
1143. Peuhkuri, N., Ranta, E. & Seppä, P. 1997: Size-assortative schooling in freeranging sticklebacks. - *Ethology* 103: 318–324.
1144. Hirvonen, H. & Ranta, E. 1996: Prey to predator size ratio influences foraging efficiency of larval *Aeschna juncea* dragonflies. – *Oecologia* 106: 407–415.
1145. Hirvonen, H. & Ranta, E. 1996: Within-bout dynamics of diet choice. – *Behavioral Ecology* 7: 494–500.
1146. Leskinen, E. & Pamilo, P. 1997: Evolution of the ITS sequences of ribosomal DNA in *Enteromorpha* (Chlorophyceae). – *Hereditas* 126: 17–23.

1147. Stigzelius, J., Laine, A., Rissanen, J., Andersin, A.-B. & Ilus, E. 1997: The introduction of *Marenzelleria viridis* (Polychaeta, Spionidae) into the Gulf of Finland and the Gulf of Bothnia (northern Baltic Sea). – Ann. Zool. Fennici 34: 205–212.
1148. Uitto, A. & Hällfors, S. 1997: Grazing by mesozooplankton and metazoan microplankton on nanophytoplankton in a mesocosm experiment in the northern Baltic. – J. Plankton Res. 19: 655–673.
1149. Uitto, A., Heiskanen, A.-S., Lignell, R., Autio, R. & Pajuniemi, R. 1997: Summer dynamics of the coastal planktonic food web in the northern Baltic Sea. – Mar. Ecol. Prog. Ser. 151: 27–41.
1150. Kiirikki, M. & Lehvo, A. 1997: Life strategies of filamentous algae in the northern Baltic Proper. – Sarsia 82: 259–267.
1151. Laamanen, M. J. 1997: Environmental factors affecting the occurrence of different morphological forms of cyanoprokaryotes in the northern Baltic Sea. – J. Plankton Res. 19: 1385–1403.
1152. Glowacka, E., Migula, P., Nuorteva, S.-L., Nuorteva, P. & Tulisalo, E. 1997: Psyllids as a potential source of heavy metals for predators. – Arch. Environ. Contam. Toxicol. 32: 376–382.
1153. Tuomi, P. 1997: Bacterial carbon production in the northern Baltic: a comparison of thymidine incorporation and FDC based methods. – Mar. Ecol. Prog. Ser. 153: 59–66.
1154. Walin, L. 1997: Colony characteristics and worker-queen conflicts in *Myrmica ants*. – Dissert., Univ. Helsinki, Dept. Ecology and Systematics, 1–20 + 5 reprints.
1155. Olli, K. 1997: Evolutionary life-strategies of autotrophic planktonic microorganisms in the Baltic Sea. – Dissertationes Biologicae Universitatis Tartuensis 25, 1–65 + 6 reprints.
1156. Russell, G. & Veltkamp, C. J. 1997: Algal ecotypes: what they are and what they are not. – Nordic J. Botany 17: 331–336.
1157. Laurila, A. 1997: Breeding habitat choice and larval ecology in two anurans. – Dissert., Univ. Helsinki, Dept. Ecology and Systematics, Div. Popul. Biol., 1–17 + 6 reprints.
1158. Peuhkuri, N. 1997: Size-assortative shoaling in three-spined sticklebacks. – Dissert., Univ. Helsinki, Dept. Ecology and Systematics, Div. Popul. Biol., 1–18 + 6 reprints.
1159. Peuhkuri, N. 1997: Size-assortative shoaling in fish: the effect of oddity on foraging behaviour. – Animal Behaviour 54: 271–278.
1160. Raymond, M., Väätö, R. L., Thomas, F., Rousset, F., Meetis, T. & Renaud, F. 1997: Heterozygote deficiency in the mussel *Mytilus edulis* species complex revisited. – Mar. Ecol. Prog. Ser. 156: 225–237.
1161. Migula, P., Glowacka, E., Nuorteva, S.-L., Nuorteva, P. & Tulisalo, E. 1997: Time-related effects of intoxication with cadmium and mercury in the red wood ant. – Ecotoxicology 6: 307–320.
1162. Kuosa, H., Autio, R., Kuuppo, P., Setälä, O. & Tanskanen, S. 1997: Nitrogen, silicon and zooplankton controlling the Baltic spring bloom: an experimental study. – Estuarine, Coastal and Shelf Sci. 45: 813–821.
1163. Hirvonen, H. 1997: Behavioural mechanisms of predation rate and prey choice. – Dissert., Univ. Helsinki, Dept. Ecology and Systematics, Div. Popul. Biol. 1–31 + 5 reprints.

1164. Ikävalko, J. 1997: Studies of nanoflagellate communities in the sea ice of the Baltic and the Greenland Sea. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 14: 1–24 + 6 reprints.
1165. Meyer-Rochow, V. B. & Lindström, M. 1997: Light-induced photoreceptor sensitivity loss and recovery at 4° C and 14° C in *Mysis relicta* Lovén (Crustacea: Percarida) from Pojoviken Bay (Finland). – Annals Limnol. 33: 45–51.
1166. Nummelin, M., Lodenius, M. & Tulisalo, E. 1997: Water striders (Heteroptera, Gerridae) as bioindicators of heavy metal pollution. – Entomol. Fennica 8: 185–191.
1167. Czechowski, W. & Rotkiewicz, W. 1997: Relations between *Formica sanguinea* Latr. and *Formica cinerea cinerea* Mayr (Hymenoptera, Formicidae) – an unusual form of dulosis. – Annales Zoologici 47: 469–478.
1168. Sundström, L. 1997: Queen acceptance and nestmate recognition in monogyne and polygyne colonies of the ant *Formica truncorum*. – Anim. Behav. 53: 499–510.
1169. Keller, L., Sundström, L. & Chapuisat, M. 1997: Male reproductive success: paternity contribution to queens and workers in *Formica* ants. – Behav. Ecol. Sociobiol. 41: 11–15.
1170. Lindqvist, K. & Lignell, R. 1997: Intracellular partitioning of $^{14}\text{CO}_2$ in phytoplankton during a growth season in the northern Baltic. – Mar. Ecol. Prog. Ser. 152: 41–50.
1171. Pimiä, V., Kankaanpää, H. & Kononen, K. 1997: The first observation of ocadaic acid in *Mytilus edulis* from the Gulf of Finland. – Boreal Envir. Res. 2: 381–385.
1172. Thingstad, T.F. & Lignell, R. 1997: Theoretical models for the control of bacterial growth rate, abundance and carbon demand. – Aquat. Microb. Ecol. 13: 13–27.
1173. Chapuisat, M., Sundström, L. & Keller, L. 1997: Sex-ratio regulation: the economics of fratricide in ants. – Proc. R. Soc. Lond. B 264: 1255–1260.
1174. Leskinen, E. & Hälfors, G. 1997: *Tabularia waernii* (Diatomophyceae) in the northern Baltic Sea. – Ann. Bot. Fennici 34: 141–147.
1175. Candolin, U. 1997: Predation risk affects courtship and attractiveness of competing threespine stickleback males. – Behav. Ecol. Sociobiol. 41: 81–87.
1176. Kuuppo, P., Autio, R., Kuosa, H., Setälä, O. & Tanskanen, S. 1998: Nitrogen, silicate and zooplankton control of the planktonic food-web in spring. – Estuarine, Coastal and Self Science 46: 65–75.
1177. Seppälä, J., Johnsen, G., Leeben, A. & Shalapyonok, A. 1998: In vivo light absorption by photosynthetic and photoprotective algal pigments: methodology and effects of light acclimation and nutrient limitation. – Report Series in Geophysics 38 (Proc. 4th Finnish-Estonian Seminar On Underwater Optics With Applications, Lammi 22–24 April 1997): 47–58.
1178. Autio, R. 1998: Response of seasonally cold-water bacterioplankton to temperature and substrate treatments. – Estuarine, Coastal and Self Science 46: 465–474.
1179. Laurila, A. & Seppä, P. 1998: Multiple paternity in the common frog (*Rana temporaria*): genetic evidence from tadpole kin groups. – Biol. J. Linnean Soc. 63: 221–232.
1180. Peuhkuri, N. & Seppä, P. 1998: Do three-spined sticklebacks group with kin? – Ann. Zool. Fennici 35: 21–27.
1181. Kilpi, M. & Öst, M. 1998: Reduced availability of refuse and breeding output in a herring gull (*Larus argentatus*) colony. – Ann. Zool. Fennici 35: 37–42.

1182. Öst, M. & Kilpi, M. 1998: Blue mussels *Mytilus edulis* in the Baltic: good news for foraging eiders *Somateria mollissima*. – Wildl. Biol. 4: 81–89.
1183. Heiskanen, A.-S. 1998: Factors governing sedimentation and pelagic nutrient cycles in the northern Baltic Sea. – Dissert., Monographs of the Boreal Envir. Res. 8: 1–80 + 9 reprints.
1184. Olli, K., Heiskanen, A.-S. & Lohikari, K. 1998: Vertical migration of autotrophic micro-organisms during a vernal bloom at the coastal Baltic Sea – coexistence through niche separation. – Hydrobiologia 363: 179–189.
1185. Katajisto, T., Viitasalo, M. & Koski, M. 1998: Seasonal occurrence and hatching of calanoid eggs in sediments of the northern Baltic Sea. – Mar. Ecol. Prog. Ser. 163: 133–143.
1186. Flinkman, J., Aro, E., Vuorinen, I. & Viitasalo, M. 1998: Changes in northern Baltic zooplankton and herring nutrition from 1980s to 1990s: top-down and bottom-up processes at work. – Mar. Ecol. Prog. Ser. 165: 127–137.
1187. Sundström L. & Ratnieks, L. W. 1998: Sex ratio conflicts, mating frequency, and queen fitness in the ant *Formica truncorum*. – Behav. Ecol. 9: 116–121.
1188. Boomsma, J. J. & Sundström. L. 1998: Patterns of paternity skew in *Formica* ants. – Behav. Ecol. Sociobiol. 42: 85–92.
1189. Saccheri, I., Kuussaari, M., Kankare, M., Vikman, P., Fortelius, W. & Hanski, I. 1998: Inbreeding and extinction in a butterfly metapopulation. – Nature 392: 491–494.
1190. Heiskanen, A.-S., Haapala, J. & Gundersen, K. 1998: Sedimentation and pelagic retention of particulate C, N and P in the coastal northern Baltic Sea. – Estuarine, Coastal and Self Science 46: 703–712.
1191. Candolin, U. 1998: Reproduction under predation risk and the trade-off between current and future reproduction in the threespine stickleback. – Proc. Royal Soc London B, Biol. Sciences 265:1171–1175.
1192. Candolin, U. 1998: Constraints on sexual signalling in the threespine stickleback. – Dissert., Ann. Univ. Turkuensis Ser. AII - Tom. 111, 23 pp. + 5 reprints.
1193. Laurila, A. 1998: Breeding habitat selection and larval performance of two anurans in fresh-water rock-pools. – Ecography 21: 484–494.
1194. Laurila, A., Kujasalo, J. & Ranta, E. 1998: Predator induced changes in life history in two anuran tadpoles: effects of predatory diet. – Oikos 83: 307–317.
1195. Väinölä, R. & Vainio, J.K. 1998: Distributions, life cycles and hybridization of two *Mysis relicta* group species (Crustacea: Mysida) in the northern Baltic Sea and Lake Båven. – Hydrobiologia 368: 137–148.
1196. Ferris, C., King, R.A., Väinölä, R. & Hewitt, G.M. 1998: Chloroplast DNA recognizes three refugial sources of European oaks and suggests independent eastern and western immigrations to Finland. – Heredity 80: 584–593.
1197. Kononen, K., Hällfors, S., Kokkonen, M., Kuosa, H., Laanemets, J., Pavelson, J., & Autio, R. 1998: Development of a subsurface chlorophyll maximum at the entrance to the Gulf of Finland, Baltic Sea. – Limnol. Oceanogr. 43: 1089–1106.
1198. Ikävalko, J. 1998: Microbial communities in sea ice. – Memoranda Soc. Fauna Flora Fennica 74: 61–66.
1199. Tuomi, P. 1998: Bacterial and viral dynamics in microbial food webs of planktonic ecosystems. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 15: 1–66 + 4 reprints.

1200. Hollmén, T., Fransson, J.C., Poppenga, R.H., Hario, M. & Kilpi, M. 1998: Lead poisoning and trace elements in common eiders *Somateria mollissima* from Finland. – Wildlife Biology 4: 193–203.
1201. Tallberg, P. & Heiskanen, A.-S. 1998: Species-specific phytoplankton sedimentation in relation to primary production along an inshore-offshore gradient in the Baltic Sea. – J. Plankton Research 20: 2053–2070.
1202. Russell, G., Ruuskanen, A. & Kiirikki, M. 1998: Sunlight, shade and tidal night: photoadaptation in *Fucus vesiculosus* L. – Sarsia 83: 381–386.
1203. Viitasalo, M. & Rautio, M. 1998: Zooplanktivory by *Praunus flexuosus* (Crustacea: Mysidacea): functional responses ans prey selection in relation to prey escape responses. – Mar. Ecol. Prog. Ser. 174: 77–87.
1204. Viitasalo, M., Kiørboe, T., Flinkman, J., Pedersen, L., Visser, A.W. 1998: Predation vulnerability of planktonic copepods: sequences of predator foraging strategies and prey sensory abilities. – Mar. Ecol. Prog. Ser. 175: 129–142.
1205. Lunetta, P., Perttilä, A. & Hälfors, G. 1998: Scanning and transmission electron microscopical evidence on the capacity of diatoms to penetrate the alveolocapillary barrier in drowning. – International Journal of Legal Medicine 111: 229-237.
1206. Golemansky, Vassil 1998: Interstitial testate amoebae (Rhizopoda: Arcellinida and Gromida) from the Finnish coast of the Baltic Sea and summary check list of the interstitial testate amoebae in the Baltic Sea. – Acta Protozoologica 37: 133-137.
1207. Candolin, U. & Voigt, H.-R. 1998: Predator-induced nest site preference: safe nests allow courtship in sticklebacks. - Animal Behaviour 56: 1205-1211.
1208. Peuhkuri, N. 1998: Shoal composition, body size and foraging in sticklebacks. – Behav. Ecol. Sociobiol. 43: 333-337.
1209. Peuhkuri, N. 1998: Body size and food-patch finding in a stickleback shoal. – J. Fish Biol. 53: 687-689.
1210. Ruuskanen, A. & Bäck, S. 1999: Morphological variation of northern Baltic Sea *Fucus vesiculosus* L. – Ophelia 50:43–59.
1211. Dontsov, A.E., Fedorovich, I.B., Lindström, M. & Ostrovsky, M.A. 1999: Comparative study of spectral and antioxidant properties of pigments from the eyes of two *Mysis relicta* (Crustacea, Mysidacea) populations with different light damage resistance. – J. Comp. Physiol. B 169:157–164.
1212. Koski, M., Viitasalo, M. & Kuosa, H. 1999: Seasonal development of mesozooplankton biomass and production on the SW coast of Finland. – Ophelia 50: 69–91.
1213. Koski, M. 1999: Feeding and production of common planktonic copepods: the effect of food and temperature. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 16: 1–34 + 7 reprints.
1214. Candolin, U. 1999: Male–male competition facilitates female choice in sticklebacks. – Proc. R. Soc. London B 266: 785–789.
1215. Öst, M. 1999: Within-season and between-year variation in the structure of Common Eider broods. – The Condor 101: 598–606.
1216. Tuomi, P. & Kuuppo, P. 1999: Viral lysis and grazing loss of bacteria in nutrient and carbon manipulated brackish water enclosures. – J. Plankton Res. 21: 923–937.

1217. Tuomi, P., Suominen, K. & Autio, R. 1999: Phytoplankton and bacterioplankton production and bacterial biomass in a fjord-like bay – open sea gradient. – *Hydrobiologia* 393: 141–150.
1218. Czechowski, W. 1999: *Lasius fuliginosus* (Latr.) on a sandy dune – its living conditions and interference during raids of *Formica sanguinea* Latr. (Hymenoptera, Formicidae). – *Ann. Zoologici (Warszawa)* 49: 117–123.
1219. Czechowski, W. & Vepsäläinen, K. 1999: Plesiobiosis between *Formica fusca* L. and *Formica aquilonia* Yarr. (Hymenoptera, Formicidae). – *Ann. Zoologici (Warszawa)* 49: 125–127.
1220. Koski, M. 1999: Carbon:nitrogen ratios of Baltic Sea copepods – indication of mineral limitation? – *J. Plankton Res.* 21:1565–1573.
1221. Viitasalo, M., Rosenberg, M., Heiskanen, A.-S. & Koski, M. 1999: Sedimentation of copepod fecal material in the coastal northern Baltic Sea: where did all the pellets go? – *Limnology and Oceanography* 44: 1388–1399.
1222. Roslin, T. 1999: Spatial ecology of dung beetles. – *Dissert., Dept. Ecology & Systematics, Div. Popul. Biol., University of Helsinki*, 25 pp + 4 reprints.
1223. Kremp, A. & Heiskanen, A.-S. 1999: Sexuality and cyst formation of the springbloom dinoflagellate *Scrippsiella hangoei* in the coastal northern Baltic Sea. – *Marine Biology* 134: 771–777.
1224. Seppä, P. & Laurila, A. 1999: Genetic structure of island populations in the anurans *Rana temporaria* and *Bufo bufo*. – *Heredity* 82: 309–317.
1225. Laurila, A. & Kujasalo, J. 1999: Habitat duration, predation risk and phenotypic plasticity in common frog tadpoles. – *J. Animal Ecology* 68: 1123–1132.
1226. Karjalainen, M. 1999: Effect of nutrient loading on the development of the state of the Baltic Sea – an overview. – *Walter and Andrée de Nottbeck Found. Sci. Rep.* 17: 1–35.
1227. Candolin, U. 1999: The relationship between signal quality and physical condition: is sexual signalling honest in the threespine stickleback? – *Animal Behav.* 58: 1261–1267.
1228. Ekebom, J. 1999: Heterotrophic nanoflagellates and bacteria in sediment of a brackish water sill basin in the Baltic Sea. – *Hydrobiologia* 393: 151–161.
1229. Öst, M. & Kilpi, M. 1999: Parental care influences the feeding behaviour of female eiders *Somateria mollissima*. – *Ann. Zool. Fennici* 36: 195–204.
1230. Flinkman, J. 1999: Interactions between plankton and planktivores of the northern Baltic Sea: selective predation and predation avoidance. – *Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep.* 18: 1–24 + 6 reprints.
1231. Koski, M. & Kuosa, H. 1999: The effect of temperature, food concentration and female size on the egg production of the planktonic copepod *Acartia bifilosa*. – *J. Plankton Res.* 21: 1779–1789.
1232. Koski, M., Engström, J. & Viitasalo, M. 1999: Reproduction and survival of the calanoid copepod *Eurytemora affinis* fed with toxic and non-toxic cyanobacteria. – *Mar. Ecol. Prog. Ser.* 186: 187–197.
1233. Heiskanen, A.-S. & Tallberg, P. 1999: Sedimentation and particulate nutrient dynamics along a coastal gradient from a fjord-like by to the open sea. – *Hydrobiologia* 393: 127–140.
1234. Wassman, P. & Tamminen, T. 1999: pelagic eutrophication and sedimentation in the Gulf of Riga: an introduction. – *J. Marine Systems* 23: 1–10.

1235. Stipa, T., Tamminen, T. & Seppälä, J. 1999: On the creation and maintenance of stratification in the Gulf of Riga. – *J. Marine Systems* 23: 27–49.
1236. Seppälä, J. & Balode, M. 1999: Spatial distribution of phytoplankton in the Gulf of Riga during spring and summer stages. – *J. Marine Systems* 23: 51–67.
1237. Babichenco, S., Kaitala, S., Leeben, A., Poryvkina, L. & Seppälä, J. 1999: Phytoplankton pigments and dissolved organic matter distribution in the Gulf of Riga. – *J. Marine Systems* 23: 69–82.
1238. Tamminen, T. & Seppälä, J. 1999: Nutrient pools, transformations, ratios and limitation in the Gulf of Riga, the Baltic Sea, during four successional stages. – *J. Marine Systems* 23: 83–106.
1239. Seppälä, J., Tamminen, T. & Kaitala, S. 1999: Experimental evaluation of nutrient limitation of phytoplankton communities in the Gulf of Riga. – *J. Marine Systems* 23: 107–126.
1240. Olli, K. 1999: Diel vertical migration of phytoplankton and heterotrophic flagellates in the Gulf of Riga. – *J. Marine Systems* 23: 145–163.
1241. Olli, K. & Heiskanen, A.-S. 1999: Seasonal stages of phytoplankton community structure and sinking loss in the Gulf of Riga. – *J. Marine Systems* 23: 165–184.
1242. Tuomi, P., Lundsgaard, C., Ekebom, J., Olli, K. & Künnis, K. 1999: The production and potential loss mechanisms of bacterial biomass in the southern Gulf of Riga. – *J. Marine Systems* 23: 185–196.
1243. Lundsgaard, C., Olesen, M., Reigstad, M. & Olli, K. 1999: Sources of settling material: aggregation and zooplankton mediated fluxes in the Gulf of Riga. – *J. Marine Systems* 23: 197–210.
1244. Reigstad, M., Heiskanen, A.-S. & Wassman, P. 1999: Seasonal and spatial variation of suspended and sedimented nutrients (C, N, P) in the pelagic system of the Gulf of Riga. – *J. Marine Systems* 23: 211–232.
1245. Floderus, S., Jähmlich, S., Ekebom, J. & Saarso, M. 1999: Particle flux and properties affecting the fate of bacterial productivity in the benthic boundary layer at a mud-bottom site in South-Central Gulf of Riga. – *J. Marine Systems* 23: 233–250.
1246. Donali, E., Olli, K., Heiskanen, A.-S. & Andersen, T. 1999: Carbon flow patterns in the planktonic food web of the Gulf of Riga, the Baltic Sea: a reconstruction by the inverse method. – *J. Marine Systems* 23: 251–268.
1247. Wassman, P. & Tamminen, T. 1999: Pelagic eutrophication and sedimentation in the Gulf of Riga: a synthesis. – *J. Marine Systems* 23: 269–283.
1248. Heiskanen, A.-S., Lundsgaard, C., Reigstad, M., Floderus, S. & Olli, K. (eds.) 1999: Sedimentation and recycling in aquatic ecosystems – the impact of pelagic processes and planktonic food web structure. - The Finnish Environment. International cooperation 263. Finnish Environment Institute, Helsinki. 119 pp.
1249. Tallberg, P. & Heiskanen, A.-S. 1999: Phytoplankton sedimentation dynamics and export production along an in-shore off-shore gradient in the SW coast of Finland, Baltic Sea. – In: Heiskanen, A.-S., Lundsgaard, C., Reigstad, M., Floderus, S. & Olli, K. (eds.) 1999, Sedimentation and recycling in aquatic ecosystems – the impact of pelagic processes and planktonic food web structure. – The Finnish Environment. International cooperation 263: 31–37.

1250. Heiskanen, A.-S. 1999: Sedimentation in open and enclosed water columns: the effect of algal blooms, planktonic food web, and resuspension on the quality of settling organic matter in the coastal northern Baltic Sea. – In: Heiskanen, A.-S., Lundsgaard, C., Reigstad, M., Floderus, S. & Olli, K. (eds.) 1999, Sedimentation and recycling in aquatic ecosystems – the impact of pelagic processes and planktonic food web structure. – The Finnish Environment. International cooperation 263: 69–77.
1251. Ruuskanen, A. & Bäck, S. 1999: Does environmental stress affect fertility and frond regeneration of *Fucus vesiculosus*? – Ann. Bot. Fennici 36: 285–290.
1252. Reinikainen, M., Hietala, J. & Walls, M. 1999: Reproductive allocation in *Daphnia* exposed to toxic cyanobacteria. – J. Plankton Res. 21: 1553– 1564.
1253. Sandberg-Kilpi, E., Vismann, B. & Hagerman, L. 1999: Tolerance of the Baltic amphipod *Monoporeia affinis* to hypoxia, anoxia and hydrogen sulfide. – Ophelia 50: 61–68.
1254. Tallqvist, M., Sandberg-Kilpi, E. & Bonsdorff, E. 1999: Juvenile flounder, *Platichthys flesus* (L.), under hypoxia: effects on tolerance, ventilation rate and predation efficiency. – J. Exp. Mar. Biol. Ecol. 242: 75–93.
1255. Stålnacke, P., Vagstad, N., Tamminen, T., Wassman, P., Jansons, V. Loigu, E. 1999: Nutrient runoff and transfer from land and rivers to the Gulf of Riga. – Hydrobiologia 410: 111–119.
1256. Munsterhjelm, R. 1997: The aquatic macrophyte vegetation of flads and gloes, S coast of Finland. – Acta Bot. Fennica 157: 1–68.
1257. Ruuskanen, A., Bäck, S. & Reitalu, T. 1999: A comparison of two cartographic exposure methods using *Fucus vesiculosus* as an indicator. – Mar. Biol. 134: 139–145.
1258. Hario, M., Hollmén, T., Kilpi, M., Lehtonen, J.T., Mustonen, O., Westerbom, M. & Öst, M. 1999: Riittääkö haahkalle ravintoa Suomenlahdella? (Summary: Are northern Baltic eiders food-limited?). – Suomen Riista 45: 34–43.
1259. Stipa, T. 1999: Water exchange and mixing in a semi-enclosed coastal basin (Pohja Bay). – Boreal Envir. Res. 4: 307–317.
1260. Uitto, A., Gorokhova, E. & Välimäki, P. 1999: Distribution of the nonindigenous *Cercopagis pengoi* in the coastal waters of the eastern Gulf of Finland. – ICES J. Mar. Sci. 56 Suppl.: 49–57.
1261. Koski, M., Rosenberg, M., Viitasalo, M., Tanskanen, S. & Sjölund, U. 1999: Is *Prymnesium patelliferum* toxic for copepods? – Grazing, egg production, and egestion of the calanoid copepod *Eurytemora affinis* in mixtures of “good” and “bad” food. – ICES J. Mar. Sci. 56 Suppl.: 131–139.
1262. Voigt, H.-R. 1999: Concentrations of heavy metals in fish from coastal waters around the Baltic Sea (Extended abstract). – ICES J. Mar. Sci. 56 Suppl.: 140–141.
1263. Granskog, M. A. 1999: Baltic Sea ice as a medium for storage of particulate matter and elements. – ICES J. Mar. Sci. 56 Suppl.: 172–175.
1264. Laurila, A. 2000: Competitive ability and the coexistence of anuran larvae in freshwater rock-pools. – Freshwater Biology 43: 161–174.
1265. Laurila, A. 2000: Behavioural responses to predator chemical cues and local variation in antipredator performance in *Rana temporaria* tadpoles. – Oikos 88: 159–168.
1266. Öst, M. 2000: Feeding constraints and parental care in female eiders. – Dissert., Univ. Helsinki, Dept Ecol. & Systematics, Div. Instruct. Swedish, 34 pp. + 5 reprints.

1267. Autio, R. 2000: Studies on bacteriopankton in the Baltic Sea with special emphasis on the regulation of growth. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 19: 1–34 + 5 reprints.
1268. Lindström, M. 2000: Eye function of Mysidacea (Crustacea) in the northern Baltic Sea. – J. Exp. Mar. Biol. Ecol. 246: 85–101.
1269. Bäck, S. & Ruuskanen, A. 2000: Distribution and maximum growth depth of *Fucus vesiculosus* along the Gulf of Finland. – Mar. Biol. 136: 303–307.
1270. Viherluoto, M., Kuosa, H., Flinkman, J. & Viitasalo, M. 2000: Food utilization of pelagic mysids, *Mysis mixta* and *M. relicta*, during their growing season in the northern Baltic Sea. – Mar. Biol. 136: 553–559.
1271. Franson, J.C., Hollmén, T., Poppenga, R.H., Hario, M., Kilpi, M. & Smith, M. R. 2000: Selected trace elements and organochlorines: some findings in blood and eggs of nesting common eiders (*Somateria mollissima*) from Finland. – Environmental Toxicology and Chemistry 19: 1340–1347.
1272. Ruuskanen, A. 2000: Ecological responses of *Fucus vesiculosus* L. along environmental gradients in the northern Baltic Sea. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 21: 1 – 20 + 5 reprints.
1273. Hillström, L., Kilpi, M. & Lindström, K. 2000: Is asynchronous hatching adaptive in herring gulls (*Larus argentatus*)? – Behav. Ecol. Sociobiol. 47: 304–311.
1274. Öst, M. & Kilpi, M. 2000: Eider females and broods from neighboring colonies use segregated local feeding areas. – Waterbirds 23: 24–32.
1275. Franson, J. C., Hollmén, T., Poppenga, R. H., Hario, M. & Kilpi, M. 2000: Metals and trace elements in tissues of common eiders (*Somateria mollissima*) from the Finnish archipelago. – Ornis Fennica 77: 57–63.
1276. Uitto, A. 2000: Diurnal and vertical grazing activity of mesozooplankton during summer on the SW coast of Finland. – Boreal Env. Res. 5: 137–146.
1277. Hollmén, T., Kilpi, M., Hario, M., Creekmore, L. H. & Petersen, M. R. 2000: Infectious bursal disease virus antibodies in eider ducks and herring gull. – The Condor 102: 688–691.
1278. Ruuskanen, A. & Kiirikki, M. 2000: Does fluctuating salinity induce branching of *Fucus vesiculosus*? – Hydrobiologia 426: 169–172.
1279. Haahela, I. 2000: Mate guarding of the isopod *Saduria entomon* (L.) – In: Styczynska-Jurewicz, E. (ed.), 2000, Crustacea – relict and rare species. – Crangon – Issues of the Marine Biology Centre in Gdynia 4: 7–12.
1280. Engström, J., Koski, M., Viitasalo, M., Reinikainen, M., Repka, S. & Sivonen, K. 2000: Feeding interactions of the copepods *Eurytemora affinis* and *Acartia bifilosa* with the cyanobacteria *Nodularia* sp. – J. Plankton Res. 22: 1403–1409.
1281. Lindström, K. 2000: The evolution of filial cannibalism and female mate choice strategies as resolutions to sexual conflict in fishes. – Evolution 54: 617–627.
1282. Lindström, K. & Lugli, M. 2000: A quantitative analysis of the courtship acoustic behaviour and sound patterning in male sand goby, *Pomatoschistus minutus*. – Environmental Biology of Fishes 58: 411–424.
1283. Candolin, U. 2000: Increased signalling effort when survival prospects decrease: male–male competition ensures honesty. – Animal Behaviour 60: 417–422.

1284. Candolin, U. 2000: Male–male competition ensures honest signaling of male parental ability in the three-spined stickleback, *Gasterosteus aculeatus*. – Behav. Ecol. Sociobiol. 49: 57–61.
1285. Candolin, U. 2000: Changes in expression and honesty of sexual signalling over the reproductive lifetime of sticklebacks. – Proc. R. Soc. Lond. B 267: 2425–2430.
1286. Kremp, A. 2000: The role of life cycle in the population dynamics of the bloom forming dinoflagellates *Scrippsiella hangoei* and *Peridinella catenata* in the Baltic Sea. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 22: 1–31 + 5 reprints.
1287. Kangas, N. 2000: Mechanisms of sexual selection in the sand goby, *Potamoschistus minutus*. – Dissert., Univ. Helsinki. Dept Ecol. & Systematics, Div. Popul. Biol., 25 pp. + 5 reprints.
1288. Sundström, L. & Boomsma, J.J. 2000: Reproductive alliances and posthumous fitness enhancement in male ants. – Proc. R. Soc. Lond. B. 267: 1439–1444.
1289. Kawamura, T., Shirasawa, K., Ishikawa, N., Lindsfors, A., Rasmus, K., Leppäranta, M., Martma, T. & Vaikmae, R. 2000: Sea ice observations in the Pojo Bay, the Gulf of Finland – effect of salt on ice structure. – Proc. 15th Conf. On Ohotsk Sea and Sea Ice, pp. 301–309. Ohotsk Sea Cold Ocean Association, Mombetsu, Hokkaido, Japan.
1290. Ishikawa, N., Takizawa, A., Kawamura, T., Shirasawa, K. & Leppäranta, M. 2000: Changes in the radiation property with sea ice growth in Saroma lagoon and the Baltic Sea. – Proc. 15th Conf. On Ohotsk Sea and Sea Ice, pp. 310–320. Ohotsk Sea Cold Ocean Association, Mombetsu, Hokkaido, Japan.
1291. Lindström, M. 2000: Seasonal changes in the underwater light milieu in a Finnish Baltic Sea coastal locality. – Geophysica 36: 215–232.
1292. Hirvonen, H., Ranta, E., Rita, H. & Peuhkuri, N. 1999: Significance of memory properties in prey choice decisions. – Ecol. Model. 115: 177–189.
1293. Hirvonen, H. 1999: Shifts in foraging tactics of larval damselflies: effects of prey density. – Oikos 86: 443–452.
1294. Peuhkuri, N. 1999: Size-assorted fish shoals and the majority’s choice. – Behav. Ecol. & Sociobiol. 46: 307–312.
1295. Blomster, J. 2000: Molecular and morphological approaches to the evolutionary history of the *Enteromorpha–Ulva* species complex. – Walter and Andrée de Nottbeck Found. Sci. Rep. 20: 1–24.
1296. Voigt, H-R. 2000: Water quality and fish in two freshwater reservoirs (Gennarby and Sysilax) on the SW Coast of Finland. – Acta Univ. Carolinae. Environmetalica 14: 31–59.
1297. Crone, E. E., Doak, D. & Pokki, J. 2001: Ecological influences on the dynamics of a field vole metapopulation. – Ecology 82: 831–843.
1298. Babichenco, S., Leeben, A., Poryvkina, L., Shalapyonok, A. & Seppälä, J. 2001: Variability of *Chlorella* sp. fluorescence in response to different nitrogen conditions. – Int. J. Remote Sensing 22: 403–414.
1299. Candolin, U. & Voigt, H-R. 2001: No effect of a parasite on reproduction in stickleback males: a laboratory artefact? – Parasitology 122: 457–464.
1300. Kaartokallio, H. 2001: Evidence for active microbial nitrogen transformations in sea ice (Gulf of Bothnia, Baltic Sea) in midwinter. – Polar Biol. 24: 21–28.

1301. Czechowski, W. 2001: Mixed colony of *Formica pratensis* Retz. + *Formica cinerea* Mayr + *Formica sanguinea* Latr. (Hymenoptera: Formicidae) and its presumed origin. – Ann. Zool. 51: 205–209.
1302. Czechowski, W. & Vepsäläinen, K. 2001: *Formica rufa* L. protects indirectly *F. fusca* L. against raids of *F. sanguinea* Latr. (Hymenoptera: Formicidae). – Ann. Zool. 51: 267–273.
1303. Engström, J., Viherluoto, M., Viitasalo, M. 2001: Effects of toxic and non-toxic cyanobacteria on grazing, zooplanktivory and survival of the mysid shrimp *Mysis mixta*. – J. Exp. Mar. Biol. Ecol. 257: 269–280.
1304. Lindström, M. & Fortelius, W. 2001: Swimming behaviour in *Monoporeia affinis* (Crustacea: Amphipoda) – dependence on temperature and population density. – J. Exp. Mar. Biol. Ecol. 256: 73–83.
1305. Kangas, N. & Lindström, K. 2001: Male interactions and female mate choice in the sand goby, *Potamoschistus minutus*. – Animal Behav. 61: 425–430.
1306. Kilpi, M., Öst, M., Lindström K. & Rita, H. 2001: Female characteristics and parental care mode in the crèching system of eiders, *Somateria mollissima*. – Animal Behav. 62: 527–534.
1307. Lappalainen, A. & Rask, M.. 2001: Fish and fisheries. – In: Kauppila, P. & Bäck, S. (eds.), The state of Finnish coastal waters in the 1990s. – The Finnish Environment 472: 89–93.
1308. Lappalainen, A., Rask, M., Koponen, H. & Vesala, S. 2001: Relative abundance, diet and growth of perch (*Perca fluviatilis*) and roach (*Rutilus rutilus*) at Tvärminne, northern Baltic Sea, in 1975 and 1997: responses to eutrophication? – Boreal Environ. Res. 6: 107–118.
1309. Kukk, E., Hällfors, G. & Niemi, Å. 2001: *Scytonema alatum* (Carmichael) Borzi (Nostophyceae, Nostocales) in a lake in Kuusamo, NE Finland. – Algol. Studies 103: 47–61.
1310. Raateoja, M. & Seppälä, J. 2001: Light utilization and photosynthetic efficiency of *Nannochloris* sp. (Chlorophyceae) approached by spectral absorption characteristics and Fast Repetition Rate Fluorometry (FRRF). – Boreal Environ. Res. 6: 205–220.
1311. Sipiä, V. 2001: Accumulation of cyanobacterial hepatotoxins and ocadaic acid in mussel and fish tissues from the Baltic Sea. – Dissert., Finnish Inst. Mar. Res., Contributions 3: 1–51 + 6 reprints.
1312. Viherluoto, M. & Viitasalo, M. 2001: Effect of light on the feeding rates of pelagic and littoral mysis shrimps: a trade-off between feeding success and predation avoidance. – J. Exp. Mar. Biol. Ecol. 261: 237–244.
1313. Viherluoto, M. & Viitasalo, M. 2001: Temporal variability in functional responses and prey selectivity of the pelagic mysid, *Mysis mixta*, in natural prey assemblages. – Mar. Biol. 138: 575–583.
1314. Viherluoto, M. 2001: Food selection and feeding behaviour of Baltic Sea mysid shrimps. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 23: 1–35 + 5 reprints.
1315. Viitasalo, M., Flinkman, J., Viherluoto, M. 2001: Zooplanktivory in the Baltic Sea: a comparison of prey selectivity by *Clupea harengus* and *Mysis mixta*, with reference to prey escape reactions. – Mar. Ecol. Prog. Ser. 216: 191–200.
1316. Voigt, H-R. 2001: High summer concentrations of mercury in big perch (*Perca fluviatilis* L) from the Tvärminne archipelago (SW Finland) and Nåtö (Åland Islands) Baltic Sea. – Nahrung/Food 45: 109–113.

1317. Kremp, A. 2001: Effects of cyst suspension on germination and seeding of two bloom-forming dinoflagellates in the Baltic Sea. – Mar. Ecol. Prog. Ser. 216: 57–66.
1318. Roslin, T. & Koivunen, A. 2001: Distribution and abundance of dung beetles in fragmented landscapes. – Oecologia 127: 69–77.
1319. Keller, L., Lautard, C., Reuter, M., Brown, W. D., Sundström, L. & Chapuisat, M. 2001: Sex ratio and *Wolbachia* infection in the ant *Formica exsecta*. – Heredity 87: 227–233.
1320. Sundström, L. & Boomsma, J. J. 2001: Conflicts and alliances in insect families. – Heredity 86: 515–521.
1321. Walin, L., Seppä, P. & Sundström, L. 2001: Reproductive allocation within apolygynous, polydomous colony of the ant *Myrmica rubra*. – Ecol. Entomol. 26: 537–546.
1322. Kotta, J., Orav, H. & Sandberg-Kilpi, E. 2001: Ecological consequence of the introduction of the polychaete *Marenzelleria* cf. *viridis* into a shallow-water biotope of the northern Baltic Sea. – J. Sea Res. 46: 273–280.
1323. Malavasi, S., Lindström, K. & Sundström, L. 2001: Behaviour and success of sneaker males in the sand goby, *Potamoschistus minutus*. – Acta Ethol. 4: 3–9.
1324. Olli, K. & Seppälä, J. 2001: Vertical niche separation of phytoplankton: large scale mesocosm experiment. – Mar. Ecol. Prog. Ser. 217: 219–233.
1325. Blomqvist, S. & Heiskanen, A.-S. 2001: The challenge of sedimentation in the Baltic Sea. – In: Wulff, F., Rahm, L. & Larsson, P. (eds.), A systems of analysis of the Baltic Sea. Ecological Studies 148. Springer-Verlag, Berlin Heidelberg, pp. 211–227.
1326. Kontula, T. & Väinölä, R. 2001: Postglacial colonization of Northern Europe by distinct phylogeographic lineages of the bullhead, *Cottus gobio*. – Molecular Ecology 10: 1983–2002.
1327. Jones, A. G., Walker D., Kvarnemo, C., Lindström, K. & Avise, J. C. 2001: How cuckoldry can decrease the opportunity for sexual selection: Data and theory from a genetic parentage analysis of the sand goby, *Potamoschistus minutus*. – Proc. National Acad. Sci. 98: 9151–9156.
1328. Lindström, K. 2001: Effects of resource distribution on sexual selection and the cost of reproduction. – American Naturalist 158: 64–74.
1329. Hollmén, T., Franson, J. C., Hario, M., Sankari, S., Kilpi, M., & Lindström, K. 2001: Use of serum biochemistry to evaluate nutritional status and health of incubating common eiders (*Somateria mollissima*) in Finland. – Physiol. Biochem. Zool. 74: 333–342.
1330. Jones, A. G., Walker D., Lindström, K., Kvarnemo, C. & Avise, J. C. 2001: Surprising similarity of sneaking rates and genetic mating patterns in two populations of the sand goby experiencing disparate sexual selection regimes. – Molecular Ecology 10: 461–470.
1331. Candolin, U. & Voigt, H.-R. 2001: Correlation between male size and territory quality: consequence of male competition or predation susceptibility? – Oikos 95: 225–230.
1332. Haikola, S., Fortelius, W., O'Hara, R.B., Kuussaari, M., Wahlberg, N., Saccheri, I.J., Singer, M.C. & Hanski, I. 2001: Inbreeding depression and the maintenance of genetic load in *Melitaea cinxia* metapopulations. – Conservation Genetics 2: 325–335.
1333. Halkka, O., Halkka, L. & Roukka, K. 2001: Selection often overrides the effects of random processes in island populations of *Philaenus spumarius* (Homoptera). – Biol. J. Linnean Soc. 74: 571–580.

1334. Kawamura, T., Shirasawa, K., Ishikawa, N., Lindfors, A., Rasmus, K., Granskog, M. A., Leppäranta, M., Martma, T. & Vaikmäe, R. 2001: Time series observations of the structure and properties of brackish ice in the Gulf of Finland, the Baltic Sea. – Ann. Glaciology 33: 1–4.
1335. Granskog, M. A. & Virkanen, J. 2001: Observations of sea ice and surface water geochemistry – implications for importance of sea ice in geochemical cycles in the northern Baltic Sea. – Ann. Glaciology 33: 311–316.
1336. Koistinen, M. & Munsterhjelm, R. 2001: Charophytes of the Finnish coastal waters. – Schriftenr. Landschaftspflege Naturschutz 72: 27–29.
1337. Stipa, T. 2001: Heat anomalies are driven by freshwater fluxes in the shivering Baltic. – Int. Baltex Secretariat Publ. 20. 2 pp.
1338. Reinikainen, M., Meriluoto, J.A.O., Spoof, L. & Harada, K.-I. 2001: The toxicities of a polyunsaturated fatty acid and a microcystin to *Daphnia magna*? – Environ. Toxicol. 16: 444–448.
1339. Ebert, D., Hottinger, J. & Pajunen, V. I. 2001: Temporal and spatial dynamics of parasite richness in a *Daphnia* metapopulation. – Ecology 82: 3417–3434.
1340. Olsen, Y., Reinertsen, H., Vadstein, O., Andersen, T., Gismervik, I., Duarte, C., Agusti, S., Stibor, H., Sommer, U., Lignell, R., Tamminen, T., Lancelof, C., Rousseau, V., Hoell, E. & Sanderud, K.A. 2001: Comparative analysis of food webs based on flow networks: effects of nutrient supply on structure and function of coastal plankton communities. – Continental Shelf Res. 21: 2043–2053.
1341. Reinikainen, M., Lindvall, F., Meriluoto, J.A.O., Repka, S., Sivonen, K., Spoof, L. & Wahlsten, M. 2002: Effects of dissolved cyanobacterial toxins on the survival and egg hatching of estuarine calanoid copepods. – Mar. Biol. 140: 577–583.
1342. Westerbom, M., Kilpi, M. & Mustonen, O. 2002: Blue mussels, *Mytilus edulis*, at the edge of the range: population structure, growth and biomass along a salinity gradient in the north-eastern Baltic Sea. – Mar. Biol. 140: 991–999.
1343. Engström-Öst, J. 2002: Effects of cyanobacteria on plankton and planktivores. – Dissert., Walter and Andrée de Nottbeck Found. Sci. Rep. 24: 1–39 + 5 reprints.
1344. Koski, M., Schmidt, K., Engström-Öst, J., Viitasalo, M., Jónasdóttir, S.H., Repka, S. & Sivonen, K. 2002: Calanoid copepods feed and produce in the presence of toxic cyanobacteria *Nodularia spumigena*. – Limnol. Oceanogr. 46: 878–885.
1345. Haag, C., Hottinger, J., Riek, M. & Ebert, D. 2002: Strong inbreeding depression in a *Daphnia* metapopulation. – Evolution 56: 518–526.
1346. Ebert, D., Haag, C., Kirkpatrick, M., Riek, M., Hottinger, J. & Pajunen, V.I. 2002: A selective advantage to immigrant genes in a *Daphnia* metapopulation. – Science 295: 485–488.
1347. Meyer-Rochow, V.B., Gottstein, S. & Lindström, M. 2002: Is *Troglocaris anophthalmus* (Crustacea, Decapoda, Atyidae) blind, eyeless or both? – Int. J. Subterranean Biol. 28: 145–152.
1348. Ugolini, A., Meucci, L., Tiribilli, B. & Lindström, M. 2002: The local optical factor as an orientation cue for the sandhopper *Talitrus saltator* Montagu (Amphipoda, Talitridae). – Mar. Fresh. Behav. Physiol. 35: 27–36.
1349. Laamanen, M. 2002: Genetic and species diversity of planktonic cyanobacteria in the northern Baltic Sea. – Dissert., Finnish Inst. Mar. Res., Contributions 4: 1–51 + 4 reprints.

1350. Engström-Öst, J., Koski, M., Schmidt, K., Viitasalo, M., Jónasdóttir, S.H., Kokkonen, M., Repka, S. & Sivonen, K. 2002: Effects of toxic cyanobacteria on a plankton assemblage: community development during decay of *Nodularia spumigena*. – Mar. Ecol. Prog. Ser. 232: 1–14.
1351. Hollmén, T. 2002: Biomarkers of health and disease in common eiders (*Somateria mollissima*) in Finland. – Helsinki Univ. Biomed. Dissert. 12: 1–59 + 6 reprints.
1352. Stipa, T. 2002: Freshwater, density gradients and biological processes in cold, brackish seas: Aspects of the biogeophysical fluid dynamics characterising the Baltic Sea. – Dissert., Stockholm Univ., Dept Meteorology, 1–42 + 7 reprints.
1353. Tallqvist, Minna. 2001: Burrowing behaviour of the Baltic clam *Macoma balthica*: effects of sediment type, hypoxia and predator presence. – Mar Ecol Prog Ser 212: 183–191.
1354. Ruuskanen, A. & Bäck, S. 2002: Morphological changes in submerged *Fucus vesiculosus* (L.) (Phaeophyta) along the salinity gradient of the River Keret estuary, Russia. – Sarsia 87: 185–188.
1355. Lehtiniemi, M., Viitasalo, M. & Kuosa, H. 2002: Diet composition influences the growth of the pelagic mysid shrimp, *Mysis mixta* (Mysidacea). – Boreal Envir. Res. 7: 121–128.
1356. Wenseleers, T., Sundström, L. & Billen, J. 2002: Deleterious *Wolbachia* in the ant *Formica truncorum*. – Proc. Roy. Soc. Lond. B 269: 623–629.
1357. Schmidt, K., Koski, M. Engström-Öst, J. & Atkinson, A. 2002: Development of Baltic Sea zooplankton in the presence of a toxic cyanobacterium: a mesocosm approach. – J. Plankton Res. 24: 979–992.
1358. Väinölä, R., Audzijonyte, A. & Riddoch, B.J. 2002: Morphometric discrimination among four species of the *Mysis relicta* group. – Arch. Hydrobiol. 155: 493–515.
1359. Boström, C., Bonsdorff, E., Kangas, P. & Norkko, A. 2002: Long-term changes of a brackish-water eelgrass (*Zostera marina* L.) community indicate effects of coastal eutrophication. – Estuarine, Coastal and Shelf Sci. 55: 795–804.
1360. Czechowski, W., Godzinska, E.J., Kozłowski, M. 2002: Rescue behavior shown by workers of *Formica sanguinea* latr., *F. fusca* L. and *F. cinerea* Mayr (Hymenoptera: Formicidae) in response to their nestmates caught by an ant lion larva. – Ann. Zool. (Warszawa) 52: 423–431.
1361. Hannonen, M. 2002: Proximate and ultimate determinants of reproductive skew in the polygyne ant *Formica fusca*. – Dissert., Univ. Helsinki, Dept Ecol. & Systematics, Div. Popul. Biol. 1–33 + 5 reprints.
1362. Franson, J.C., Hollmén, T., Hario, M., Kilpi, M. & Finley, D.L. 2002: Lead and delta-aminolevulinic acid dehydratase in blood of Common Eiders (*Somateria mollissima*) from the Finnish archipelago. – Ornis Fennica 79: 87–91.
1363. Hollmén, T., Franson, J.C., Kilpi, M., Docherty, D.E., Hansen, W.R. & Hario, M. 2002: Isolation and characterization of a reovirus from common eiders (*Somateria mollisima*) from Finland. – Avian diseases 46: 478–484.
1364. Pertola, S., Koski, M. & Viitasalo, M. 2002: Stoichiometry of mesozooplankton in N- and P-limited areas of the Baltic Sea. – Mar. Biol. 140: 425–434.
1365. Engström-Öst, J., Lehtiniemi, M., Green, S., Kozłowsky-Suzuki, B. & Viitasalo, M. 2002: Does cyanobacterial toxin accumulate in mysid shrimps and fish via copepods? – J. Exp. Mar. Biol. Ecol. 276: 95–107.

1366. Lehtiniemi, M., Engström-Öst, J., Karjalainen, M., Kozlowsky-Suzuki, B. & Viitasalo, M. 2002: Fate of cyanobacterial toxins in the pelagic food web: transfer to copepods or to faecal pellets? – Mar. Ecol. Progr. Ser. 241: 13–21.
1367. Brown, W. D., Keller, L. & Sundström, L. 2002: Sex allocation in mound-building ants: the roles of resources and queen replenishment. – Ecology, 83: 1945–1952.
1368. Hannonen, M., Sledge, M., Turillazzi, S. & Sundström, L. 2002: Queen fecundity, chemical signalling and worker behaviour in polygynous colonies of the ant *Formica fusca*. – Animal Behaviour 64: 477–485.
1369. Cahan, S.H., Blumstein, D.T., Sundström, L., Liebig, J. & Griffin, A. 2002: Social trajectories and the evolution of social behaviour. – Oikos 96: 206–216.
1370. Hannonen, M., & Sundström, L. 2002: Proximate determinants of reproductive skew in polygynous colonies of the ant *Formica fusca*. – Ethology 108: 961–973.
1371. Rasmus, K., Ehn, J., Granskog, M., Lindfors, A., Pelkonen, A., Rasmus, S., Leppäranta, M. & Reinart, A. 2002: Optical measurements of sea ice in Tvarminne, Gulf of Finland. – Nordic Hydrology 33: 207–226.
1372. Kawamura, T., Granskog, M., Lindfors, A., Ehn, J., Martma, T., Vaikmäe, R., Ishikawa, N., Shirasawa, K. & Leppäranta, M. 2002: Study on brackish ice in the Gulf of Finland – effect of salt on sea ice structure. – Proc. 15th IAHR Ice Symposium, Dunedin, New Zealand 2: 268–274.
1373. Öst, M., Mantila, L. & Kilpi, M. 2002: Shared care provides time-budgeting advantages for female eiders. – Animal Behaviour 64: 223–231.
1374. Hario, M. & Öst, M. 2002: Does heavy investment in foraging implicate low food acquisition for female common eiders *Somateria mollissima*? – Ornis Fennica 79: 111–120.
1375. Hannonen, M. & Sundström, L. 2003: Worker nepotism among polygynous ants. – Nature 421: 910.
1376. Erm, A., Reinart, A., Arst, H., Sipelgas, L. & Leppäranta, M. 2003: Optical properties of lake and sea ice. – Report series in Geophysics 46: 93–100.
1377. Ehn, J. 2003: Optical properties of the sea ice and seawater in Santala bay. – Report series in Geophysics 46: 101–106.
1378. Kawamura, T., Shirasawa, K., Ishikawa, N., Lindfors, A., Rasmus, K., Granskog, M. A., Ehn, J., Leppäranta, M., Martma, T. & Vaikmäe, R. 2003: Time series observations of the structure and properties of brackish ice in the Gulf of Finland, the Baltic Sea. – Report series in Geophysics 46: 115–134.
1379. Kawamura, T., Shirasawa, K., Ishikawa, N., Lindfors, A., Rasmus, K., Martma, T. & Vaikmäe, R. 2003: Sea ice observation in the Pohja Bay, the Gulf of Finland. Effect of salt on ice structure. – Report series in Geophysics 46: 135–145.
1380. Ishikawa, N., Takizawa, A., Kawamura, T., Shirasawa, K. & Leppäranta, M. 2003: Changes of the radiation property with sea ice growth in Saroma Lagoon and the Baltic Sea. – Report series in Geophysics 46: 147–160.
1381. Ikävalko, J., Ehn, J., Forsström, L., Kaartokallio, H. & Spilling, K. 2003: Sea ice – water processes and interactions in the SW coast of Finland. – Report series in Geophysics 46: 187–188.

1382. Granskog, M., Martma, T. & Kaartokallio, H. 2003: Stable oxygen isotopic composition and biochemical properties of landfast sea ice in Santala Bay in spring 2000. – Report series in Geophysics 46: 207–212.
1383. Candolin, U. & Voigt, H.-R. 2003: Size-dependent selection on arrival times in sticklebacks: why small males arrive first. – Evolution 57: 862–871.
1384. Laine, A., Luodekari, K., Poikonen, M. & Viitasalo, M. 2003: A comparison between 1928 and 2000 indicates major changes in the macrozoobenthos species composition and abundance on the SW coast of Finland (Baltic Sea). – Proc. Estonian Acad. Sci. Biol. Ecol. 52: 3–16.
1385. Katajisto, T. 2003: Development of *Acartia bifilosa* (Copepoda: Calanoida) eggs in the northern Baltic Sea with special reference to dormancy. – J. Plankton Res. 25: 357–364.
1386. Karjalainen, M., Reinikainen, M., Lindvall, F., Spoof, L. & Meriliuoto, J.A.O. 2003: Uptake and accumulation of dissolved, radiolabeled nodularian in Baltic Sea zooplankton. – Environ. Toxicol. 18: 52–60.
1387. Kozlowsky-Suzuki, B., Karjalainen, M., Lehtiniemi, M., Engström-Öst, J., Koski, M. & Carlsson, P. 2003: Feeding, reproduction and toxin accumulation by the copepods *Acartia bifilosa* and *Eurytemora affinis* in the presence of the toxic cyanobacterium *Nodularia spumigena*. – Mar. Ecol. Prog. Ser. 249: 237–249.
1388. Lignell, R., Seppälä, J., Kuuppo, P., Tamminen, T., Andersen, T. & Gismervik, I. 2003: Beyond bulk properties: responses of coastal summer plankton communities to nutrient enrichment in the northern Baltic Sea. – Limnol. Oceanogr. 48: 189–209.
1389. Öst, M., Ydenberg, R., Kilpi, M. & Lindström, K. 2003: Condition and coalition formation by brood-rearing common eider females. – Behav. Ecol. 14: 311–317.
1390. Lehtoranta, J. & Heiskanen, A.-S. 2003: Dissolved iron: phosphate ratio as an indicator of phosphate release to toxic water of the inner and outer coastal Baltic Sea. – Hydrobiologia 492: 69–84.
1391. Lehtoranta, J. 2003: Dynamics of sediment phosphorus in the brackish Gulf of Finland. – Monographs of the boreal environment research 24: 1–58.
1392. Granskog, M. A., Kaartokallio, H. & Shirasawa, K. 2003: Nutrient status of Baltic Sea ice: Evidence for control by snow-ice formation, ice permeability, and ice algae. – J. Geophysical Research 108, 10 pp.
1393. Lehtonen, K., Kankaanpää, H., Leiniö, S., Sipiä, V. O., Pflugmacher, S. & Sandberg-Kilpi, E. 2003: Accumulation of nodularin-like compounds from the cyanobacterium *Nodularia spumigena* and changes in acetylcholinesterase activity in the clam *Macoma balthica* during short-term laboratory exposure. – Aquatic Toxicology 64: 461–476.
1394. Péténian, F. & Nève, G. 2003: Influence of spatial structure on genetic isolation in *Plebejus argus* populations (Lepidoptera: Lycaenidae). – Hereditas 138: 179–186.
1395. Leppäranta, M., Reinart, A., Erm, A., Arst, H., Hussainov, M. & Sipelgas, L. 2003: Investigation of ice and water properties and under-ice light fields in fresh and brackish water bodies. – Nordic Hydrology 34: 245–266.
1396. Pajunen, V. I. & Pajunen, I. 2003: Habitat selection in rock pool corixids: the effect of local density on dispersal. – Hydrobiologia 495: 73–78.
1397. Kilpi, M., Öst, M., Lehikoinen, A. & Vattulainen, A. 2003: Male sex bias in eiders *Somateria mollissima* during spring migration into the Gulf of Finland. – Ornis Fennica 80: 137–142.

1398. Pajunen, V. I. & Pajunen, I. 2003: Long-term dynamics in rock pool *Daphnia* metapopulations. – *Ecography* 26: 731–738.
1399. Haikola, S. 2003: Inbreeding depression in the Glanville fritillary butterfly (*Melitaea cinxia*). – *Dissert., Univ. Helsinki, Dept Ecol. & Systematics, Div. Popul. Biol.*, 1–21 + 5 reprints.
1400. Haikola, S., Angelstam, P. 2003: Effects of inbreeding in the Glanville fritillary butterfly (*Melitaea cinxia*). – *Ann. Zool. Fennici* 40: 483–493.
1401. Lindén, E., Lehtiniemi, M. & Viitasalo, M. 2003: Predator avoidance behavior of Baltic littoral mysids *Neomysis integer* and *Praunus flexuosus*. – *Marine Biology* 143: 845–850.
1402. Voigt, H.-R. 2003: Concentrations of mercury and cadmium in some coastal fishes from the Finnish and Estonian parts of the Gulf of Finland. – *Proc. Estonian Acad. Sci. Biol. Ecol.* 52: 305–318.
1403. Boström, C., Baden, S.P. & Krause-Jensen, D. 2003: The seagrasses of Scandinavia and the Baltic Sea. – In: Green, Edmund P. & Short, Frederick T. (eds.), *World atlas of seagrasses*: 27–37. Univ. California Press. USA.
1404. Reinikainen, M. & Repka, S. 2003: Phenotypic plasticity in life-history traits and feeding appendages in two species of *Daphnia* fed a natural phytoplankton assemblage. – *Aquatic Ecology* 37: 409–415.
1405. Lehtonen, K. & Leiniö, S. 2003: Effects of exposure to copper and malathion on metallothionein levels and acetylcholinesterase activity of the mussel *Mytilus edulis* and the clam *Macoma balthica* from the northern Baltic Sea. – *Bull. Environ. Contam. Toxicol.* 71: 489–496.
1406. Väinölä, R. 2003: Repeated trans-Arctic invasions in littoral bivalves: molecular zoogeography of the *Macoma balthica* complex. – *Mar. Biol.* 143: 935–946.
1407. Kontula, T. & Väinölä, R. 2003: Relationships of palearctic and nearctic "glacial relict" *Myoxocephalus sculpins* from mitochondrial DNA data. – *Molecular Ecology* 12: 3179–3184.
1408. Nikula, R. & Väinölä, R. 2003: Phylogeography of *Cerastoderma glaucum* (Bivalvia: Cardiidae) across Europe: a major break in the Eastern Mediterranean. – *Mar. Biol.* 143: 339–350.
1409. Kuuppo, P., Samuelsson, K., Lignell, R., Seppälä, J., Tamminen, T. & Andersson, A. 2003: Fate of increased production due to nutrient enrichment in late summer plankton communities of Baltic Proper. – *Aquat. Micr. Ecol.* 32: 47–60.
1410. Öst, M., Ydenberg, R., Lindström, K. & Kilpi, M. 2003: Body condition and the grouping behavior of brood-caring female common eiders (*Somateria mollissima*). – *Behavioral Ecology and Sociobiology* 54: 451–457.
1411. Öst, M. & Bäck, A. 2003: Spatial structure and parental aggression in eider broods. – *Animal Behaviour* 66: 1069–1075.
1412. Sundström, L., Keller, L. & Chapuisat, M. 2003: Inbreeding and sex-based gene flow in the ant *Formica exsecta*. – *Evolution* 57: 1552–1561.
1413. Boomsma, J. J., Nielsen, J., Sundström, L., Oldham, N. J., Tentschert, J., Petersen, H. C. & Morgan, E. D. 2003: Informational constraints on optimal sex allocation in ants. – *Proc. National Acad. Sci.* 100: 8799–8804.
1414. Hannonen, M. & Sundström, L. 2003: Reproductive sharing among queens in the ant *Formica fusca*. – *Behavioral Ecology* 14: 870–875.

1415. Candolin, U. & Voigt, H.-R. 2003: Do changes in risk-taking affect habitat shifts of sticklebacks? – *Behav. Ecol. Sociobiol.* 55: 42–49.
1416. Martin, G., Torn, K., Blindow, I., Schubert, H., Munsterhjelm, R. & Henricson, C. 2003: Introduction to charophytes. – In: Schubert, H. & Blindow, I. (eds.), *Charophytes of the Baltic Sea*. The Baltic Marine Biologists Publication No. 19: 3–14. A.R.G. Gantner Verlag. Ruggell.
1417. Sinceviciène, Z., Blindow, I., Dekere, Z., Koistinen, M., Munsterhjelm, R., Schubert, H. & Urbaniak, J. 2003: *Chara globularis* Thuill. 1799. – In: Schubert, H. & Blindow, I. (eds.), *Charophytes of the Baltic Sea*. The Baltic Marine Biologists Publication No. 19: 99–106. A.R.G. Gantner Verlag. Ruggell.
1418. Torn, K., Martin, G. & Munsterhjelm, R. 2003: *Chara tomentosa* L. 1753. – In: Schubert, H. & Blindow, I. (eds.), *Charophytes of the Baltic Sea*. The Baltic Marine Biologists Publication No. 19: 131–141. A.R.G. Gantner Verlag. Ruggell.
1419. Blindow, I., Garniel, A., Munsterhjelm, R. & Nielsen, R. 2003: Conservation and threats. – In: Schubert, H. and Blindow, I. (eds.), *Charophytes of the Baltic Sea*. The Baltic Marine Biologists Publication No. 19: 251–260. A.R.G. Gantner Verlag. Ruggell.
1420. Tamsalu, R., Zalesny, V., Ennet, P. & Kuosa, H. 2003: The modeling of ecosystem processes in the Gulf of Finland. – *Proc. Estonian Acad. Sci. Biol.* 52: 332–345.
1421. Pertola, S., Faust, M.A., Kuosa, H. & Hälfors, G. 2003: Morphology of *Prorocentrum minimum* (Dinophyceae) in the Baltic Sea and in Chesapeake Bay: Comparison of cell shapes and thecal ornamentation. – *Bot. Mar.* 46: 477–486.
1422. Werner, I. & Auel, H. 2004: Environmental conditions and overwintering strategies of planktonic metazoans in and below coastal fast ice in the Gulf of Finland (Baltic Sea). – *Sarsia* 89: 102–116.
1423. Lindén, E. & Kuosa, H. 2004: Effects of grazing and excretion by pelagic mysids (*Mysis* spp.) on the size structure and biomass of the phytoplanktonic community. – *Hydrobiologia* 514:73–78.
1424. Lappalainen, A., Westerbom, M. & Vesala, S. 2004: Blue mussels (*Mytilus edulis*) in the diet of roach (*Rutilus rutilus*) in outer archipelago areas of the western Gulf of Finland, Baltic Sea. – *Hydrobiologia* 514: 87–92.
1425. Bäck, S. & Likolammi, M. 2004: Phenology of *Ceramium tenuicorne* in the SW Gulf of Finland, northern Baltic Sea. – *Ann. Bot. Fennici* 41: 95–101.
1426. Kukk, E. & Hälfors, G. 2004: *Cosmarium taxillus* (Desmidiaceae) in Finnish Lapland. – *Ann. Bot. Fennici* 41: 47–51.
1427. Kontula, T. & Väinölä, R. 2004: Molecular and morphological analysis of secondary contact zones of *Cottus cobio* in Fennoscandia: geographical discordance of character transitions. – *Biol. J. Linnean Soc.* 81:535–552.
1428. Markó, B. & Czechowski, W. 2004: *Lasius psammophilus* Seifert and *Formica cinerea* Mayr (Hymenoptera: Formicidae) on sand dunes: conflicts and coexistence. – *Annales Zoologici (Warszawa)* 54: 365–378.
1429. Raateoja, M., Seppälä, J. & Kuosa, H. 2004: Bio-optical modelling of primary production in the SW Finnish coastal zone, Baltic Sea: fast repetition rate fluorometry in Case 2 waters. – *Mar. Ecol. Prog. Ser.* 267: 9–26.

1430. Ikävalko, J., Werner, I., Roine, T., Karel, K., Granskog, M. & Ehn, J. 2004: Sea ice biota in the northern Baltic Sea in February and April 2002. – In: 17th Int. Symposium on Ice. St. Petersburg, Russia 21-25 June 2004. International Association of Hydraulic Engineering and Research: 18-20.
1431. Engström-Öst, J. & Lehtiniemi, M. 2004: Threat-sensitive predator avoidance by pike larvae. – *Journal of Fish Biology* 65: 251–261.
1432. Raateoja, M., Seppälä, J. & Ylöstalo, P. 2004: Fast repetition rate fluorometry is not applicable to studies of filamentous Cyanobacteria from the Baltic Sea. – *Limnology and Oceanography* 49: 1006–1012.
1433. Haag, C. & Ebert, D. 2004: A new hypothesis to explain geographic parthenogenesis. – *Ann. Zool. Fennici* 41: 539–544.
1434. Granskog, M. 2004: Investigations into the physical and chemical properties of Baltic Sea ice. – Dissert., Univ. Helsinki, Dept of Physical Sciences, Div. of Geophysics. 1–36 + 5 reprints.
1435. Haag, C. 2004: Evolutionary genetics of *Daphnia* metapopulations. – Dissert., Universität Freiburg (Schweiz), Dept Biology, 59 pp.
1436. Waldeck, P., Kilpi, M., Öst, M. & Andersson, M. 2004: Brood parasitism in a population of common eider (*Somateria mollissima*). – *Behaviour* 141: 725–739.
1437. Kaartokallio, H. 2004: Food web components, and physical and chemical properties of Baltic Sea ice. – *Mar. Ecol. Prog. Ser.* 273: 49–63.
1438. Lehtonen, T. & Lindström, K. 2004: Changes in sexual selection resulting from novel habitat use in the sand goby. – *Oikos* 104: 327–335.
1439. Bargum, K., Boomsma, J., Sundström, L. 2004: A genetic component to size in queens of the ant, *Formica truncorum*. – *Behav. Ecol. Sociobiol.* 57: 9–16.
1440. Hannonen, M., Helanterä, H. & Sundström, L. 2004: Habitat age, breeding system and kinship in the ant *Formica fusca*. – *Molecular Ecology* 13: 1579–1588.
1441. Viitasalo, S. & Viitasalo, M. 2004: Predation by the mysid shrimps *Mysis mixta* and *M. relicta* on benthic eggs of *Bosmina longispina maritima* (Cladocera) in the northern Baltic Sea. – *Mar. Ecol. Prog. Ser.* 281: 155–163.
1442. Katajisto, T. 2004: Effects of anoxia and hypoxia on the dormancy and survival of subitaneous eggs of *Acartia bifilosa* (Copepoda: Calanoida). – *Mar. Biol.* 145: 751–757.
1443. Pampoulie, C., Lindström, K. & St. Mary, C. 2004: Have your cake and eat it too: male sand gobies show more parental care in the presence of female partners. – *Behavioral Ecology* 15: 199–204.
1444. Matson, C., Franson, J. C., Hollmén, T., Kilpi, M., Hario, M., Flint, P. & Bickham, J. 2004: Evidence of chromosomal damage in common eiders (*Somateria mollissima*) from the Baltic Sea. – *Mar. Poll. Bull.* 49: 1066–1071.
1445. Järvenpää, M. & Lindström, K. 2004: Water turbidity by algal blooms causes mating system breakdown in a shallow-water fish, the sand goby *Pomatochistus minutus*. – *Proc. Royal Soc. London B* 271: 2361–2365.
1446. Granskog, M. & Kaartokallio, H. 2004: An estimation of the potential fluxes of nitrogen, phosphorus, cadmium and lead from sea ice and snow in the northern Baltic Sea. – *Water, Air, and Soil Pollution* 154: 331–347.

1447. Helanterä, Heikki. 2004: Kinship and conflicts over male production in *Formica* ants. – Dissert., Univ. Helsinki, Dept Biological and Environmental Sciences, 1–22 + 6 reprints.
1448. Setälä, Outi. 2004: Studies on planktonic brackish water microprotozoans with special emphasis on the role of ciliates as grazers. – Dissert., Walter and André de Nottbeck Foundation Sci. Rep. 25: 1–48 + 5 reprints.
1449. Leskinen, E., Alström-Raport, C. & Pamilo, P. 2004: Phylogeographical structure, distribution and genetic variation of the green algae *Ulva intestinalis* and *U. compressa* (Chlorophyta) in the Baltic Sea area. – Molecular Ecology 13: 2257–2263.
1450. Candolin, U. 2004: Effects of algae cover on egg acquisition in male three-spined stickleback. – Behaviour 141: 1389–1399.
1451. Voigt, H-R. 2004: Concentrations of mercury (Hg) and cadmium (Cd), and the condition of some coastal Baltic fishes. – Dissert., HU Faculty of Biosciences, Dept Biol. Envir. Sci. 1-24 + 8 reprints.
1452. Tamelander, T. & Heiskanen, A.-S. 2004: Effects of spring bloom phytoplankton dynamics and hydrography on the composition of settling material in the coastal northern Baltic Sea. – J. Marine Systems 52: 217–234.
1453. Czechowski, W. 2004: Scarcity of sites suitable for nesting promotes plesiobiosis in ants (Hymenoptera: Formicidae). – Entomol. Fennica 15: 211–218.
1454. Lavikainen, T. & Laine, A. O. 2004: First record of the invasive prawn *Palaemon elegans* in the brackish northern Baltic Sea. - Memoranda Soc. Fauna Flora Fennica 80: 14–16.
1455. Suikkanen, S., Fistarol, G.O. & Granéli, E. 2004: Allelopathic effects of the Baltic cyanobacteria *Nodularia spumigena*, *Aphanizomenon flos-aquae* and *Anabaena lemmermannii* on algal monocultures. – J. Exp. Mar. Biol. Ecol. 308: 85–101.
1456. Raateoja, M. 2004: Fast repetition rate fluorometry (FRRF) measuring phytoplankton productivity: A case study at the entrance to the Gulf of Finland, Baltic Sea. – Bor. Env. Res. 9: 263–276.
1457. Kotta, J., Orav-Kotta, H. & Sandberg-Kilpi, E. 2004: Changes in the feeding behaviour of benthic invertebrates: effect of the introduced polychaete *Marenzelleria viridis* on the Baltic clam *Macoma balthica*. – Proc. Estonian Acad. Sci. Biol. Ecol. 53: 269–275.
1458. Kotta, J., Orav-Kotta, H., Vuorinen, I. 2005: Field measurements on the variability in biodeposition and grazing pressure of suspension feeding bivalves in the northern Baltic Sea. – In: Dame, R. & Olenin, S. (eds.) The Comparative Roles of Suspension Feeders in Ecosystems: 11–29. Kluwer Academic Publishers, The Netherlands, Dordrecht.
1459. Seppälä, J., Ylöstalo, P. & Kuosa, H. 2005: Spectral absorption and fluorescence characteristics of phytoplankton in different size fractions across a salinity gradient in the Baltic Sea. – International Journal of Remote Sensing 26: 387–414.
1460. Laamanen, M. & Kuosa, H. 2005: Annual variability of biomass and heterocysts of the N₂ - fixing cyanobacterium *Aphanizomenon flos-aquae* in the Baltic Sea with reference to *Anabaena* spp. and *Nodularia spumigena*. – Boreal Envir. Res. 10:19–30.
1461. Ruuskanen, A. & Nappu, N. 2005: Morphological differences in *Fucus gardneri* between two shores with equal cartographic exposure values but different levels of wave action. – Ann. Bot. Fennici 42: 27–33.

1462. Setälä, O., Autio, R. & Kuosa, H. 2005: Predator-prey interactions between a planktonic ciliate *Strombidium* sp. (Ciliophora, Oligotrichida) and the dinoflagellate *Pfiesteria piscicida* (Dinamoebiales, Pyrrophyta). – Harmful Algae 4: 235–247.
1463. Setälä, O., Autio, R., Kuosa, H., Rintala, J. & Ylöstalo, P. 2005: Survival and photosynthetic activity of different *Dinophysis acuminata* populations in the northern Baltic Sea. – Harmful Algae 4: 337–350.
1464. Munsterhjelm, R. 2005: Natural succession and human-induced changes in the soft-bottom macrovegetation of shallow brackish bays on the southern coast of Finland. – Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep. 26: 1–53 + 4 reprints.
1465. Lindén, E. & Lehtiniemi, M. 2005: The lethal and sublethal effects of the aquatic macrophyte *Myriophyllum spicatum* on Baltic littoral planktivores. – Limnol. Oceanogr. 50: 405–411.
1466. Lehtiniemi, M. 2005: Swim or hide: predator cues cause species specific reactions in young fish larvae. – J. Fish Biol. 66: 1285–1299
1467. Lehtiniemi, M., Engström-Öst, J. & Viitasalo, M. 2005: Turbidity decreases antipredator behaviour in pike larvae (*Esox lucius*). – Env. Biol. Fishes 37 (1): 1–8.
1468. Czechowski, W., Czechowska, W. & Vepsäläinen, K. 2005: Structure and succession of *Lasius* s. str. (Hymenoptera: Formicidae) assemblages in a Finnish sand dune area – reassessment after taxonomic revisions of the subgenus. – Entomol. Fennica 16: 2–7.
1469. Sengco, M.R., Hagström, J. A., Granéli, E. & Anderson, D.M. 2005: Removal of *Prymnesium parvum* (Haptophyceae) and its toxins using clay minerals. – Harmful Algae 4: 261–274.
1470. Rasmus, S. 2005: Snow pack structure characteristics in Finland – measurement and modelling. – Report Series in Geophysics 48: 1–237.
1471. Lindström, K. & Pampoulie, C. 2005: Effects of resource holding potential and resource value on tenure at nest sites in sand gobies. – Behavioral Ecology, 16: 70–74.
1472. Kremp, A., Elbrächter, M., Schweikert, M., Wolny, J.L. & Gottschling, M. 2005: *Woloszynskia halophila* (Biecheler) comb. nov.- a bloom-forming coldwater dinoflagellate co-occurring with *Scrippsiella hangoei* (Dinophyceae) in the Baltic Sea. – J. Phycol. 41: 629–642.
1473. Sundell, J. 2005: Comparison of two sampling methods, the beach seining and the plexiglas trapping, to investigate littoral fish fauna. – Memoranda Soc. Fauna Flora Fennica 81: 89–96.
1474. Fortelius, W. 2005: Mating behaviour in the polygonous/polydomous wood ant *Formica aquilonia*. – Ann. Zool. Fennici 42: 213–224.
1475. Johnson, C.A., Sundström, L. & Billen, J. 2005: Development of alary muscles in single- and multiplequeen populations of the wood ant *Formica truncorum*. – Ann. Zool. Fennici 42: 225–234.
1476. Raateoja, M., Seppälä, J., Kuosa, H. & Myrberg, K. 2005: Recent changes in trophic state of the Baltic Sea along SW coast of Finland. – Ambio 34:188–191.
1477. Lappalainen, A., Westerbom, M. & Heikinheimo, O. 2005: Roach (*Rutilus rutilus*) as an important predator on blue mussel (*Mytilus edulis*) populations in a brackish water environment, the northern Baltic Sea. – Mar. Biol. 147: 323–330.
1478. Haag, C. R., Riek, M., Hottinger, J., Pajunen, V.I. & Ebert, D. 2005: Genetic diversity and genetic differentiation in *Daphnia* metapopulations with subpopulations of known age. – Genetics 170: 1809–1820.

1479. Engström-Öst, J., Lehtiniemi, M., Jonasdottir, S. H. & Viitasalo, M. 2005: Growth of pike larvae (*Esox lucius*) under different conditions of food quality and salinity. – *Ecology of Freshwater Fish* 14: 385–393.
1480. Leiniö, S. & Lehtonen, K. 2005: Seasonal variability in biomarkers in the bivalves *Mytilus edulis* and *Macoma balthica* from the northern Baltic Sea. – *Comp. Biochem. Physiol.* 140: 408–421.
1481. Czechowski, W. & Markó, B. 2005: Competition between *Formica cinerea* Mayr (Hymenoptera: Formicidae) and co-occurring ant species with special reference to *Formica rufa* L.: direct and indirect interferences. – *Polish J. Ecology* 53: 467–489.
1482. Kankaanpää, H., Turunen, A.-K., Karlsson, K., Bylund, G., Meriluoto, J. & Sipiä, V. 2005: Heterogeneity of nodularin bioaccumulation in northern Baltic Sea flounders in 2002. – *Chemosphere* 59: 1091–1097.
1483. Kuzmina, N., Rudels, B., Stipa, T. & Zhurbas, V. 2005: The structure and driving mechanisms of the Baltic intrusions. – *J. Phys. Oceanogr.* 35: 1120–1137.
1484. Kaartokallio, H. 2005: Sea-ice ecology in the Baltic Sea with special emphasis on bacteria. – *Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep.* 27: 1–41 + 5 reprints.
1485. Kaartokallio, H., Laamanen, M. & Sivonen, K. 2005: Responses of Baltic sea-ice and open-water natural bacterial communities to salinity change. – *Appl. Environ. Microbiol.* 71: 4364–4371.
1486. Viitasalo S., Sassi J., Rytkönen J. & Leppäkoski E. 2005: Ozone, ultraviolet light, ultrasound and hydrogen peroxide as ballast water treatments – Experiments with mesozooplankton in low-saline brackish water. – *J. Marine Env. Eng.* 8: 35–55.
1487. Sassi, J., Viitasalo, S., Rytkönen, J. & Leppäkoski, E. 2005: Experiments with ultraviolet light, ultrasound and ozone technologies for onboard ballast water treatment. – *VTT Research Notes* 2313, 80 pp. + app. 2 pp.
1488. Uronen, P., Lehtinen, S., Legrand, C., Kuuppo, P. & Tamminen, T. 2005: Haemolytic activity and allelopathy of the haptophyte *Prymnesium parvum* in nutrient-limited and balanced growth conditions. – *Mar. Ecol. Prog. Ser.* 299: 137–148.
1489. Hajdu, S., Pertola, S. & Kuosa, H. 2005: *Prorocentrum minimum* (Dinophyceae) in the Baltic Sea: morphology, occurrence – a review. – *Harmful Algae* 4: 471–480.
1490. Pertola, S., Kuosa, H. & Olsonen, R. 2005: In the invasion of *Procentrum minimum* (Dinophyceae) related to the nitrogen enrichment of the Baltic Sea? – *Harmful Algae* 4: 481–492.
1491. Sengco, M.R., Hagström, J.A., Granéli, E. & Anderson, D.M. & Kuuppo, P. 2005: Corrigendum to “Removal of *Prymnesium parvum* (Haptophyceae) and its toxins using clay minerals” [Harmful Algae 4 (2005): 261–274]. – *Harmful Algae* 4: 801.
1492. Helanterä, H. & Sundström, L. 2005: Worker reproduction in the ant *Formica fusca*. – *J. Evol. Biol.* 18: 162–171.
1493. Öst, M., Vitikainen, E., Waldeck, P., Sundström, L., Lindström, K., Hollmén, T., Franson, C. & Kilpi M. 2005: Eider females form non-kin brood-rearing coalitions. – *Molecular Ecology* 14: 3903–3908.

1494. Audzijonyte A. & Väinölä R. 2005: Diversity and distributions of circumpolar fresh- and brackish-water *Mysis* (Crustacea: Mysida): descriptions of *M. relicta* Lovén, 1862, *M. salemaai* n. sp., *M. segerstralei* n. sp. and *M. diluviana* n. sp., based on molecular and morphological characters. – *Hydrobiologia* 544: 89–141.
1495. Audzijonyte A., Damgaard, J., Varvio, S.-L., Vainio, J.K. & Väinölä R. 2005: Phylogeny of *Mysis* (Crustacea, Mysid): history of continental invasions inferred from molecular and morphological data. – *Cladistics* 21: 575–596.
1496. Audzijonyte A., Pahlberg J., Väinölä R. & Lindström M. 2005: Spectral sensitivity differences in two *Mysis* sibling species (Crustacea, Mysida): Adaptation or phylogenetic constraints? – *J. Exp. Mar. Biol. Ecol.* 325: 228–239.
1497. Stoecker, D., Autio, R., Kuosa, H. & Rintala, J. 2005: Ecto-cellular enzyme activity associated with Cyanobacterial colonies in the Baltic. – *Aquat. Microb. Ecol.* 40: 151–161.
1498. Vepsäläinen J., Pyhälahti T., Rantajärvi E., Kallio K., Pertola, S., Stipa T., Kiirikki M., Pulliainen J. & Seppälä J. 2005: The combined use of optical remote sensing data and unattended flow-through fluorometer measurements in the Baltic Sea. – *Int. J. Remote Sensing* 26: 261–282.
1499. Ikävalko, J., Dieckmann, G. & Gerdes, B. 2005: An experimental study of the effects of Stafjord crude oil, abd application of Inipol and fish meal on the sea ice biota in Svalbard in February-April 2004. – *Arctic and Marine Oil Spill Program* 28: 993–1003.
1500. Karjalainen, M., Reinikainen, M., Spoof, L., Meriluoto, J.A.O., Sivonen, K. & Viitasalo, M. 2005: Trophic transfer of cyanobacterial toxins from zooplankton to planktivores: consequences for pike larvae and mysid shrimps. – *Environ. Toxicol.* 20: 354–362.
1501. Granskog, M. A., Kaartokallio, H., Thomas, D.N. & Kuosa, H. 2005. Influence of freshwater inflow on the inorganic nutrient and dissolved organic matter within coastal sea ice and underlying waters in the Gulf of Finland (Baltic Sea). – *Estuarine Coast. Shelf Sci.* 65: 109–122.
1502. Granskog, M.A., Kaartokallio, H., Kuosa, H., Thomas, D.N., Ehn, J. & Sonninen, E. 2005. Scales of horizontal patchiness in chlorophyll a, chemical and physical properties of landfast sea ice in the Gulf of Finland (Baltic Sea). – *Polar Biol.* 28: 276–283.
1503. Haag, C.R. & Ebert, D. 2004: Parasite-mediated selection in experimental metapopulations of *Daphnia magna*. – *Proc. R. Soc. Lond. B* 271: 2149
1504. Haag, C.R., Saastamoinen, M., Marden, J.H. & Hanski, I. 2005: A candidate locus for variation in dispersal rate in a butterfly metapopulation. – *Proc. R. Soc. Lond. B* 272: 2449–2456.
1505. Lehikoinen, A. 2005: Prey-switching and diet of the great cormorant during the breeding season in the Gulf of Finland. – *Waterbirds* 28: 511–515.
1506. Barreiro, A., Guisande, C., Maneiro, I., Phuong L. T., Legrand, C., Tamminen, T., Lehtinen, S., Uronen, P. & Granéli, E. 2005: Relative importance of the different negative effects of the toxic haptophyte *Prymnesium parvum* on *Rhodomonas salina* and *Brachionus plicatilis*. – *Aquatic Microb. Ecol.* 38: 259–267.
1507. Ikävalko, J. & Marttinien, E. 2005: Community structure and summer-time succession of chrysophytes in a small, shallow lake in the Tammisaari Archipelago Nature Reserve, SW Finland in 2003. – *Nova Hedwigia, Beiheft* 128: 189–196.

1508. Karjalainen, M. 2005: Fate and effects of *Nodularia spumigena* and its toxin, nodularin, in Baltic Sea planktonic food webs. – Dissert., Finnish Inst. Mar. Res. – Contributions 10. 34 p. + 5 reprints.
1509. Pahlberg, J., Lindström, M., Ala-Laurila, P., Fyhrquist-Vanni, N., Koskelainen, A. & Donner, K. 2005: The photoactivation energy of the visual pigment in two spectrally different populations of *Mysis relicta* (Crustacea, Mysida). – J. Comp. Physiol. A 191: 837-844.
1510. Jokela-Määttä, M., Pahlberg, J., Lindström, M., Zak, P.P., Porter, M., Ostrovsky, P.A., Cronin, T. W. & Donner, C. 2005: Visual pigment absorbance and spectral sensitivity of the *Mysis relicta* species group (Crustacea, Mysida) in different light environments. – J. Comp. Physiol. A. 191: 1087-1097.
1511. Suikkanen, S., Fistarol, G.O. & Graneli, E. 2005: Effects of cyanobacterial allelochemicals on a natural plankton community. – Mar. Ecol. Prog. Ser. 287: 1-9.
1512. Kuosa, H. & Kaartokallio, H. 2006: Experimental evidence on nutrient and substrate limitation of Baltic Sea sea-ice algae and bacteria. – Hydrobiologia 554: 1-10.
1513. Rintala, J.-M., Piiparinne, J., Ehn, J. Autio, R. & Kuosa, H. 2006: Changes in phytoplankton biomass and nutrient quantities in sea ice as responses to light/dark manipulations during different phases of the Baltic winter 2003. – Hydrobiologia 554: 11-24.
1514. Audzijonyte, A. 2006: Diversity and zoogeography of continental mysid crustaceans. – Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep. 28 1-46 + 6 reprints.
1515. Katajisto, T. 2006: Benthic resting eggs in the life cycles of calanoid copepods in the northern Baltic Sea. – Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep. 29: 1-46 + 5 reprints.
1516. Westerbom, M. & Jattu, S. 2006: Effects of wave exposure on the sublittoral distribution of blue mussels *Mytilus edulis* in a heterogenous archipelago. – Mar Ecol Prog Ser 306: 191-200.
1517. Brettar, I., Labrenz, M., Flavier, S., Bötel, J., Kuosa, H., Christen, R. & Höfle, M.G. 2006: Identification of a *Thiomicrospira denitrificatus* - like epsilonproteobacterium as a catalyst for autotrophic denitrification in the central Baltic Sea. – Appl. Environ. Microbiol. 72: 1364-1372.
1518. Lehikoinen, A. 2006: Cormorants in the Finnish archipelago. – Ornis Fennica 83: 34-46.
1519. Karjalainen, M., Kozlowsky-Suzuki, B., Lehtiniemi, M., Engström-Öst, J., Kankaanpää, H. & Viitasalo, M. 2006: Nodularin accumulation during cyanobacterial blooms and experimental deputation in zooplankton. – Mar. Biol. 148: 683-691.
1520. Suikkanen, S., Engström-Öst, J., Jokela, J., Sivonen, K. & Viitasalo, M. 2006: Allelopathy of Baltic Sea cyanobacteria: no evidence for the role of nodularin. – J. Plankton Res. 28: 543-550.
1521. Haag, C., Riek, M., Hottinger, J.W., Pajunen, V.I. & Ebert, D. 2006: Founder events as determinants of within-island and among-island genetic structure of *Daphnia* metapopulations. – Heredity 96: 150-158.
1522. Lass, S. & Ebert, D. 2006: Apparent seasonality of parasite dynamics: analysis of cyclic prevalence patterns. – Proc. R. Soc. London B. 273: 199-206.
1523. Meyer-Rochow, B., Müller, Carsten H.G. & Lindström, Magnus. 2006: Spectral sensitivity of the eye of *Scutigera coleoptrata* (Linnaeus, 1758) (Chilopoda: Scutigeromorpha:Scutigeridae). – App. Entomol. Zool. 41: 117-122.

1524. Spilling, K., Kremp, A. & Tamelander, T. 2006: Vertical distribution and cyst production of *Peridiniella catenata* (Dinophyceae) during a spring bloom in the Baltic Sea. – J. Plankton Res. 28: 659-665.
1525. Pertola, S. 2006: Diffusive and ship-mediated spread of dinoflagellates in the Baltic Sea with *Prorocentrum minimum* as a special case. – Dissert., Finnish Inst. Mar. Res. – Contributions 11. 33 p. + 5 reprints.
1526. Ask, J., Reinikainen, M. & Båmstedt, U. 2006: Variation in hatching success and egg production of *Eurytemora affinis* (Calanoida, Copepoda) from the Gulf of Bothnia, Baltic Sea, in relation to abundance and clonal differences of diatoms. – J. Plankton Res. 28: 683-694.
1527. Engström-Öst, J. & Isaksson, I. 2006: Effects of macroalgal exudates and oxygen deficiency on survival and behaviour of fish larvae. – J. Exp. Mar. Biol. Ecol. 335: 227-234.
1528. Engström-Öst, J., Karjalainen, M. & Viitasalo, M. 2006: Feeding and refuge use by small fish in the presence of cyanobacterial blooms. – Environ. Biol. Fish. 76: 109-117.
1529. Korpinen, S., Karjalainen, M. & Viitasalo, M. 2006: Effects of cyanobacteria on survival and reproduction of the littoral crustacean *Gammarus zaddachi* (Amphipoda). – Hydrobiologia 559: 285-295.
1530. Kremp, A. & Parrow, M.W. 2006: Evidence for asexual resting cysts in the life cycle of the marine peridinoid dinoflagellate, *Scrippsiella hangoei*. – J. Phycol 42: 400-409.
1531. Lehikoinen, A., Kilpi, M. & Öst, M. 2006: Winter climate affects subsequent breeding success of common eiders. – Global Change Biology 12: 1355-1365.
1532. Lindén, E. 2006: Antipredator behaviour of Baltic planktivores. – Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep. 30: 1-58 + 4 reprints.
1533. Kuuppo, P., Uronen, P., Petermann, A., Tamminen, T. & Granéli, E. 2006: Pectenotoxin-2 and dinophysistoxin-1 in suspended and sedimenting organic matter in the Baltic Sea. – Limnol. Oceanogr. 51: 2300-2307.
1534. Czechowski, W. & Radchenko, A. 2006: *Formica lusatica* Seifert, 1997 (Hymenoptera: Formicidae), an ant species new to Finland, with notes on its biology and the description of males. – Myrmecologische Nachrichten 8: 257-262.
1535. Wester bom, M. 2006: Population dynamics of blue mussels in a variable environment at the edge of their range. – HU Faculty of Biosciences, Dept. Biol. & Envir. Sci., 62 p. + 5 reprints.
1536. Audzijonyte, A. & Väinölä, R. 2006: Phylogeographic analyses of a circumarctic coastal and a boreal lacustrine mysid crustacean, and evidence of fast postglacial mtDNA rates. – Molecular Ecology 15: 3287-3301.
1537. Kijewski, T. K. , Zbawicka, M., Väinölä, R. & Wenne, R. 2006: Introgression and mitochondrial DNA heteroplasmy in the Baltic populations of mussels *Mytilus trossulus* and *M. edulis*. – Marine Biology 149: 1371-1385.
1538. Raateoja, M. 2006: Photobiological studies of Baltic Sea phytoplankton. – Finnish Inst. Mar. Res.-Contributions 12: 1-45 + 4 reprints.
1539. Sipiä, V., Sjövall, O., Valtonen, T., Barnaby, D.L., Codd, G.A., Metcalf, J.S., Kilpi, M., Mustonen, O. & Meriluoto, Jussi A.O. 2006: Analysis of nodularin-R in eider (*Somateria mollissima*), roach (*Rutilus rutilus* L.), and flounder (*Platichthys flesus* L.) liver and muscle samples from the western Gulf of Finland, northern Baltic Sea. – Environmental Toxicology and Chemistry 25: 2834-2839.

1540. Henricson, C., Sandberg-Kilpi, E. & Munsterhjelm, R. 2006: Experimental studies on the impact of turbulence, turbidity and sedimentation on *Chara tomentosa* L. – Cryptogamie, Algol., 27: 419-434.
1541. Lappalainen, A. & Urho, L. 2006: Young-of-the-year fish species composition in small coastal bays in the northern Baltic Sea, surveyed with beach seine and small underwater detonations. – Boreal Envir. Res. 11: 431-440.
1542. Remerie, T., Gysels, E., Vierstraete, A., Vanfleteren, J. & Vanreusel, A. 2006: Evidence of genetic differentiation of the brackish water mysid *Neomysis integer* (Crustacea, Mysida) concordant with pleistocene glaciations. – Vie et Milieu 56: 15-22.
1543. Hirvenoja, M., Palmén, E. & Hirvenoja, E. 2006: The emergence of *Halocladius variabilis* (Staeger) (Diptera: Chironomidae) in the surroundings of the Tvärminnen Biological Station in the northern Baltic Sea. – Entomol. Fennica 17: 87-89.
1544. Leblond, D.J., Anderson, B., Kofink, D., Rengefors, K., Logares, R. & Kremp, A. 2006: Fatty acid and sterol composition of two evolutionarily closely related dinoflagellate morphospecies from cold Scandinavian brackish and freshwaters. – Eur. J. Phycol. 41: 303-311.
1545. Ikävalko, J., Suni, S., Koskinen, K., Aalto, A., Jääneimo, J. & Romantschuk, M. 2006: The use of cotton grass as oil sorbent in marine environmental protection - preliminary results from experiments. – Water Pollution VIII: Modelling and management. WIT Transactions on Ecology and the Environment 95: 283-290.
1546. Westerbom, M., Lappalainen, A. & Mustonen O. 2006: Invariant size selection of blue mussels by roach despite variable prey size distributions. – Mar. Ecol. Prog. Ser. 328: 161-170.
1547. Kiirikki, M., Lehtoranta, J., Inkala, A., Pitkänen, H., Hietanen, S., Hall P.O.J., Tengberg, A., Koponen, J. & Sarkkula, J. 2006: A simple sediment process description suitable for 3D-ecosystem modelling. Development and testing in the Gulf of Finland. – J. Mar. Systems 61: 55-66.
1548. Sopanen, S., Koski, M., Kuuppo, P., Uronen, P., Legrand, C. & Tamminen, T. 2006: Toxic haptophyte *Prymnesium parvum* affects grazing, survival, egestion, and egg production of the calanoid copepods *Eurytemora affinis* and *Acartia bifilosa*. – Mar. Ecol. Prog. Ser. 327: 223-232.
1549. Kuuppo P., Tamminen T., Voss M. & Schulte U. 2006: Nitrogenous discharges to the eastern Gulf of Finland, the Baltic Sea: elemental flows, stable isotope signatures, and their estuarine modification. – J. Mar. Systems 63: 191-208.
1550. Voss, M., Deutsch, B., Elmgren, R., Humborg, C., Kuuppo, P., Pastuszak M., Rolf, C. & Schulte U. 2006: Source identification of nitrate by means of isotopic tracers in the Baltic Sea catchments. – Biogeosciences Discuss. 3: 475–511.
1551. Olsen, Y., Agustí, S., Andersen, T., Duarte, C. M., Gasol, J. M., Gismervik, I., Heiskanen, A-S., Hoell, E., Kuuppo, P., Lignell, R., Reinertsen, H., Sommer, U., Stibor, H., Tamminen, T., Vadstein, O., Vaqué, D., Vidal, M. 2006: A comparative study of responses in plankton food web structure and function in contrasting European coastal waters exposed to experimental nutrient addition. – Limnol. Oceanogr. 51(1:2), 488-503.
1552. Arst, H., Erm, A., Leppäranta, M. & Reinart, A. 2006: Radiative characteristics of ice-covered freshwater and brackish water bodies. – Proc. Estonian Acad. Sci. Geology, 55: 3-23.
1553. Granskog, M, Kaartokallio, H, Kuosa, H., Thomas, D. & Vainio, J. 2006. Sea ice in the Baltic Sea: A review. – Est Coast Shelf Sci 70: 145-160.

1554. Pertola, S., Faust, M.A. & Kuosa, H. 2006: Survey on the germination and species composition of dinoflagellates from ballast tanks and recent sediments in ports on the South Coast of Finland, North-Eastern Baltic Sea. – *Mar Poll Bull* 52: 900-911.
1555. Fiala, M., Kuosa, H., Kopczynska, E., Oriol, L. & Delille, D. 2006: Spatial and seasonal heterogeneity of sea ice microbial communities in the first-year ice of Terre Adélie area (Antarctica). – *Aquatic Microb Ecol* 43: 95-106.
1556. Tanaka, T., Henriksen, P., Lignell, R., Olli, K., Seppälä, J., Tamminen, T. & Thingstad, F. 2006: Specific affinity for phosphate uptake and specific alkaline phosphatase activity as diagnostic tools of detecting phosphorus-limited phytoplankton and bacteria. – *Estuaries and Coasts* 29: 1226-1241.
1557. Lehtiniemi, M. & Lindén, E. 2006: *Cercopagis pengoi* and *Mysis* spp. alter their feeding rate and prey selection under predation risk of herring (*Clupea harengus membras*). – *Marine Biology* 149: 845-854.
1558. Halkka, A., Halkka, L. Halkka, O., Roukka, K. & Pokki, J. 2006: Lagged effects of North Atlantic Oscillation on spittlebug *Philaenus spumarius* (Homoptera) abundance and survival. – *Global Change Biology* 12: 2250-2262.
1559. Nummelin, M., Lodenius, M., Tulisalo, E., Hirvonen, H. & Alanko, T. 2007: Predatory insects as bioindicators of heavy metal pollution. – *Environm. Pollution* 145: 339-347.
1560. Öst, M., Clark, C. W, Kilpi, M. & Ydenberg, R. 2007: Parental effort and reproductive skew in coalitions of brood rearing female common eiders. – *American Naturalist* 169: 73-86.
1561. Kaartokallio, H., Kuosa, H., Thomas, D.N, Granskog, M. & Kivi, K. 2007: Biomass composition and activity of organism assemblages along a salinity gradient in sea-ice subjected to river discharge in the Baltic Sea. – *Polar Biol* 30: 183-197.
1562. Lehtonen, T. 2007: Context dependent mate choice in the sand goby, *Pomatoschistus minutus*. – *Dissert.*, Helsinki University, Dept. Ecol. & Envir. Sci. 1-22 + 5 reprints.
1563. Spilling, K. 2007: On the ecology of cold-water phytoplankton in the Baltic Sea. – *Dissert.*, Walter and Andrée de Nottbeck Foundation. *Sci. Rep.* 31: 1-59 + 5 reprints
1564. Lehtonen, T., Rintakoski,S. & Lindström, K. 2007: Mate preference for multiple cues: interplay between male and nest size in the sand goby, *Pomatoschistus minutus*. – *Behav Ecol* 18: 696-700.
1565. Pajunen, V.I. & Pajunen, I. 2007: Harbital charactereistics contributing to local occupancy and habitat use in rock pool *Daphnia* metapopulations.– *Hydrobiologia* 592: 291-302.
1566. Voigt, H.-R. 2007: Heavy metal concentrations in four-horn sculpin *Triglopsis quadricornis* (L.) (Pisces), its main food organism *Saduria entomon* L. (Crustacea), and in bottom sediments in the Archipelago Sea and the Gulf of Finland (Baltic Sea). – *Proc.Estonian Acad. Sci. Biol. Ecol.* 3: 224-238.
1567. Voigt, H.-R.2007: Heavy metal (Hg, Cd, Zn) concentrations and condition of eelpout (*Zoarces viviparous* L.), around Baltic Sea. – *Polish J. of Environ. Stud.* 16: 909-917.
1568. Czechowski, W. & Radchenko, A. 2007: Do dependent foundresses of *Formica pratensis* Retz. (Hymenoptera: Formicidae) need a ‘pass’ to be adopted by a host colony? – *Ann. Zool. (Warszawa)* 57: 319-324.
1569. Nikula, R., Strelkov, P. & Väinölä, R. 2007: Diversity and trans-arctic invasion history of mitochondrial lineages in the North Atlantic *Macoma balthica* complex (Bivalvia: Tellinidae). – *Evolution* 61: 928-941.

1570. Altermatt, F. & Ebert, D. 2007: The genotype specific competitive ability does not correlate with infection in natural *Daphnia magna* populations. – PLoS ONE 2: e1280.
1571. Haag, C. & Ebert, D. 2007. Genotypic selection in *Daphnia* populations consisting of inbred sibships. – Journal of Evolutionary Biology 20: 881-891.
1572. Audzijonyte, A. & Väinölä, R. 2007. *Mysis nordenskioldi* n. sp. (Crustacea, Mysida), a circumpolar mysid separated from the NE Pacific *M. litoralis* (Banner, 1948). – Polar Biology 30: 1137-1157.
1573. Engström-Öst, J. & Candolin, U. 2007. Human induced water turbidity alerts selection on sexual displays in sticklebacks. – Behavioral Ecology 18: 393-398.
1574. Engström-Öst, J., Immonen, E., Candolin, U. & Mattila, J. 2007. The indirect effects of eutrophication on habitat choice and survival of fish larvae in the Baltic Sea. – Marine Biology 151: 393-400.
1575. Karjalainen, M. Engström-Öst, J., Korpinen, S., Peltonen, H., Pääkkönen, J.-P., Rönkkönen, S. & Viitasalo, M. 2007. Ecosystem consequences of cyanobacteria in the Northern Baltic Sea. – Ambio 36 (2-3): 195-202.
1576. Helanterä, H. & Sundström, L. 2007. Worker reproduction in *Formica* ants. – The American Naturalist: E14-E25.
1577. Helanterä, H., Martin, S.J. & Ratnieks, F.L.W. 2007. Prior experience with eggs laid by non-nestmate queens induces egg acceptance errors in ant workers. – Behav. Ecol. Sociobiol. 62: 223-228.
1578. Helanterä, H. & Sundström, L. 2007. Worker policing and nestmate recognition in the ant *Formica fusca*. – Behav. Ecol. Sociobiol. 61: 1143-1149.
1579. Hietanen, S. & Lukkari, K. 2007. Effects of short-term anoxia on benthic denitrification, nutrient fluxes and phosphorus forms in coastal Baltic sediment. – Aquatic Microbial Ecology 49: 293-302.
1580. Kankaanpää, H., Leiniö, S., Olin, M., Sjövall, O., Meriluoto, J. & Lehtonen, K.K. 2007. Accumulation and depuration of cyanobacterial toxin nodularin and biomarker responses in the mussel *Mytilus edulis*. – Chemosphere 68: 1210-1217.
1581. Pflugmacher, S., Olin, M., & Kankaanpää, H. 2007. Nodularin induces oxidative stress in the Baltic Sea brown alga *Fucus vesiculosus* (Phaeophyceae). – Marine Environmental Research 64: 149-159.
1582. Kozlowsky-Suzuki, B., Karjalainen, M., Koski, M., Carlsson, P., Stolte, W., Balode, M. & Granéli, E. 2007. Disruption of the microbial food web and inhibition of metazooplankton development in the presence of iron- and DOM-stimulated Baltic Sea cyanobacteria. – Marine Ecology Progress Series 337: 15-26.
1583. Lehtiniemi, M., Pääkkönen, J. P., Flinkman, J., Katajisto, T., Gorokhova, E., Karjalainen, M., Viitasalo, S. & Björk, H. 2007. Distribution and abundance of the American comb jelly (*Mnemiopsis leidyi*) – A rapid invasion to the northern Baltic Sea during 2007. – Aquatic Invasions 2: 445-449.
1584. Logares, R., Rengefors, K., Kremp, A., Shalchian-Tabrizi, K., Boltovskoy, A., Tengs, T., Shurtliff, A., & Klaveness, D. 2007. Phenotypically different microalgal morphospecies with identical ribosomal DNA: A case of rapid adaptive evolution? Microbial Ecology 53: 549-561.

1585. Kaartokallio, H., Kuosa H., Thomas, D.N., Granskog, M. & Kivi, Kai. 2007. Biomass, composition and activity of organism assemblages along a salinity gradient in sea-ice subjected to river discharge in the Baltic Sea. – *Polar Biol* 30: 183-197.
1586. Vahtera, E., Conley, D.J., Gustafsson, B.G., Kuosa, H., Pitkänen, H., Savchuk, O.P., Tamminen, T., Viitasalo, M., Voss, M., Wasmund, N. & Wulff, F. 2007. Internal ecosystem feedbacks enhance nitrogen-fixing cyanobacteria blooms and complicate management in the Baltic Sea. – *Ambio* 36: 186-194.
1587. Kuparinen, J., Kuosa, H., Andersson, A., Autio, R., Granskog, M.A., Ikävalko, J., Kaartokallio, H., Karell, K., Leskinen, E., Piiparien, J., Rintala J.-M. & Tuomainen, J. 2007. Role of sea-ice biota in nutrient and organic material cycles in the northern Baltic Sea. – *Ambio* 36: 149-154.
1588. Papadimitriou, S., Thomas, D.N., Kennedy, H., Haas, C., Kuosa, H., Krell, A., Dieckmann, G.S. 2007. Biogeochemical composition of natural sea ice brines from the Weddell Sea during early austral summer. – *Limnol Oceanogr* 52: 1809-1823.
1589. Stedmon, C., Thomas, D., Granskog, M., Kaartokallio, H., Papadimitriou S., & Kuosa H. 2007. Characteristics of dissolved organic matter in Baltic coastal sea ice: Allochthonous or autochthonous origins? – *Environ Sci Technol* 41: 7273-7279.
1590. Lehtonen, T.K. & Lindström, K. 2007. Mate compatibility, parental allocation and fitness consequences of mate choice in the sand goby *Pomatoschistus minutus*. – *Behav Ecol Sociobiol* 61:1581-1588.
1591. Wong, Bob B. M., Candolin, Ulrika & Kai Lindström, Kai. 2007. Environmental deterioration compromises socially enforced signals of male quality in three-spined sticklebacks. – *American Naturalist* 170: 184-189.
1592. Kraufvelin, P., Ruuskanen, A.T., Nappu, N. & Kiirikki, M. 2007. Winter colonisation and succession of filamentous macroalgae on artificial substrates and possible relationships to *Fucus vesiculosus* settlement in early summer. – *Estuarine, Coastal and Shelf Science* 72: 665-674.
1593. Seppälä, J., Ylöstalo, P., Kaitala, S., Hällfors, S., Raateoja, M. & Maunula P. 2007. Ship-of-opportunity based phycocyanin fluorescence monitoring of the filamentous cyanobacteria bloom dynamics in the Baltic Sea. – *Estuarine, Coastal and Shelf Science* 73: 489-500.
1594. Spilling, K. 2007. Dense sub-ice bloom of dinoflagellates in the Baltic Sea, potentially limited by high pH. – *Journal of Plankton Research* 29: 895-901.
1595. Trontti, K., Thurin, N., Sundström, L. & Aron S. 2007. Mating for convenience or genetic diversity? Mating patterns in the polygynous ant *Plagiolepis pygmaea*. – *Behavioral Ecology* 18: 298-303.
1596. Bargum, K., Helanterä, H., & Sundström, L. 2007. Genetic population structure, queen supersEDURE and social polymorphism in a social Hymenoptera. – *Journal of Evolutionary Biology* 20: 1351-1360.
1597. Bargum, K. & Sundström, L. 2007. Multiple breeders, breeder shifts and inclusive fitness returns in an ant. – *Proc. R. Soc. B* 274: 1547-1551.
1598. Viitasalo, S., Katajisto, T. & Viitasalo, M. 2007. Bioturbation changes the patterns of benthic emergence in zooplankton. *Limnol. Oceanogr.* – 52: 2325-2339.

1599. Viitasalo, S. 2007. Effects of bioturbation by three macrozoobenthic species and predation by necto-benthic mysids on cladoceran benthic eggs. – *Marine Ecology Progress Series* 336: 131-140.
1600. Öst, M., Jaatinen, K., & Steele, B. 2007. Aggressive females seize central positions and show increased vigilance in brood-rearing coalitions of eiders. – *Animal Behaviour* 73: 239-247.
1601. Steele, B.B., Lehikoinen, A., Öst, M. & Kilpi, M. 2007. The cost of mate guarding in the Common Eider. – *Ornis Fennica* 84: 49-56.
1602. Bargum, K. 2007. Kin selection, social polymorphism, and reproductive allocation in ants. – *Dissert.*, HU Faculty of Biosciences, Dept. Biol. & Envir. Sci., 32 p. + 5 reprints.
1603. Uronen, P. 2007. Harmful algae in the planktonic food web of the Baltic Sea. – *Dissert.*, Monographs of the Boreal Environment Research 28: 1-44 + 4 reprints.
1604. Pahlberg, J. 2007. Spectral Tuning and Adaptation to Different Light Environments of Mysid Visual Pigments.. – *Dissert.*, HU Faculty of Biosciences, Dept. Biol. & Envir. Sci., 52 p. + 4 reprints.
1605. Viitasalo, S. 2007. Benthic-pelagic coupling in the northern Baltic Sea: importance of bioturbation and benthic predation. – *Dissert.*, Contributions of Finnish Institute of Marine Research 14: 1-45 + 4 reprints.
1606. Öst, M., Clark, C.W., Kilpi, M. & Ydenberg R. 2007. Parental Effort and Reproductive Skew in Coalitions of Brood Rearing Female Common Eiders. – *Am. Nat.* 169: 73–86.
1607. Kangro, K., Olli, K., Tamminen, T., & Lignell R. 2007. Species-specific responses of a Cyanobacteria-dominated phytoplankton community to artificial nutrient limitation in the Baltic Sea. . – *Marine Ecology Progress Series* 336: 15-27.
1608. Altermatt, F. & Ebert, D. 2008. Genetic diversity of *Daphnia magna* populations enhances resistance to parasites. – *Ecology Letters* 11: 918-928.
1609. Altermatt, F. & Ebert, D. 2008. The influence of pool volume and summer desiccation on the production of the resting and dispersal stage in a *Daphnia* metapopulation. – *Oecologia* 157: 441-452.
1610. Altermatt, F., Pajunen, V.I. & Ebert, D. 2008. Climate change affects colonization dynamics in a metacommunity of three *Daphnia* species. – *Global Change Biology* 14: 1209-1220.
1611. Lehikoinen, A., Öst, M., Hollmén, T. & Kilpi, M. 2008. Does sex-specific duckling mortality contribute to male bias in adult common eiders? – *The Condor* 110: 574-578.
1612. Engström-Öst, J. & Mattila, J. 2008. Foraging, growth and habitat choice in turbid water: and experimental study with fish larvae in the Baltic Sea. – *Marine ecology progress series* 359: 275-281.
1613. Öst, M., Smith, B.D. & Kilpi, M. 2008. Social and maternal factors affecting duckling survival in eiders *Somateria mollissima*. – *Journal of Animal Ecology* 77: 315-325.
1614. Öst, M., Wickman, M. & Matulionis, E. 2008. Habitat-specific clutch size and cost of incubation in eiders reconsidered. – *Oecologia* 158: 205-216.
1615. Munsterhjelm, R., Henricson, C. & Sandberg-Kilpi, E. 2008. The decline of a charophyte – occurrence dynamics of *Chara tomentosa* L. at the southern coast of Finland. – *Fauna Flora Fennica* 84: 56-80.
1616. Waldeck, P., Andersson, M., Kilpi, M. & Öst, M. 2008. Spatial relatedness and brood parasitism in a female-philopatric bird population. – *Behavioral Ecology* 19: 67-73.

1617. Lehikoinen, A., Kjær Christensen, T., Öst, M., Kilpi, M., Saurola, P. & Vattulainen, A. 2008. Large-scale change in the sex ratio of a declining eider *Somateria mollissima* population. – Wildlife Biology 14:288-301.
1618. Lignell, R., Hoikkala, L. & Lahtinen, T. 2008. Effects of inorganic nutrients, glucose and solar radiation on bacterial growth and exploitation of dissolved organic carbon and nitrogen in the northern Baltic Sea. – Aquatic Microbial Ecology 51:209-221.
1619. Altermatt, F. 2008. Ecological and evolutionary dynamics in *Daphnia* metapopulations. – PhD thesis, Universität Basel, Schweiz. Privatdruck.
1620. Olli, K., Clarke, A., Danielsson, Å., Aigars, J., Conley, D.C. & Tamminen, T. 2008. Diatom stratigraphy and long-term dissolved silica concentrations in the Baltic Sea. Journal of Marine Systems 73: 284-299.
1621. Nikula, R. 2008. Phylogeography and hybrid swarms: history of brackish water bivalve diversity in North European marginal seas. – Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep. 32: 1-35 + 4 reprints.
1622. Kostamo, K. 2008. The life cycle and genetic structure of the red alga *Furcellaria lumbricalis* on a salinity gradient. – Dissert., Walter and Andrée de Nottbeck Foundation. Sci. Rep. 33: 1-34 + 4 reprints.
1623. Suikkanen, S. 2008. Allelopathic effects of filamentous cyanobacteria on phytoplankton in the Baltic Sea. – Dissert., Contributions of Finnish Institute of Marine Research 15: 1-41 + 4 reprints.
1624. Candolin, U., Engström-Öst, J., & Salesto, T. 2008. Human-induced eutrophication enhances reproductive success through effects on parenting ability in sticklebacks. – Oikos 117: 459-465.
1625. Audzijonyte, A., Wittmann, K.J. & Väinölä, R. 2008. Tracing recent invasions of the Ponto-Caspian mysid shrimp *Hemimysis anomala* across Europe and North America with mitochondrial DNA. – Diveristy and distributions. 14: 179-186.
1626. Kremp, A., Tamminen, T. & Spilling, K. 2008. Dinoflagellate bloom formation in natural assemblages with diatoms: nutrient competition and growth strategies in Baltic spring phytoplankton. – Aquat. Microb. Ecol. 50:181-196.
1627. Logares, R., Daubjerg, N., Boltovskoy, A., Kremp, A., Laybourn-Parry, J. & Rengefors, K. 2008. Recent diversification of a cold-water protist lineage. – Environ. Microb. 10: 1231-1243
1628. Heubel, K.U., Lindström K., & Kokko H. 2008. Females increase current reproductive effort when future access to males is uncertain. – Biology Letters 4: 224-227.
1629. Viitasalo, S., Lehtiniemi, M., & Katajisto, T. 2008: The invasive ctenophore *Mnemiopsis leidyi* overwinters in high abundances in the subarctic Baltic Sea. – J. Plankton Res. 30: 1431–1436.
1630. Torniainen, J. & Lehtiniemi, M. 2008. Predation pressure of littoral mysids on herring eggs and yolk sac larvae. – J. Exp. Mar. Biol. Ecol. 367: 247-252.
1631. Lehtiniemi, M. & Nordström, H. 2008. Feeding differences among common littoral mysids, *Neomysis integer*, *Praunus flexuosus* and *P. inermis*. – Hydrobiologia 614: 309-320.
1632. Järvi-Laturi, M., Lehtonen T.K., Pampoulie, C. & Lindström, K. 2008. Paternal care behaviour of sand gobies is determined by habitat related nest structure. – Behaviour 145: 39-50.

1633. Klug, H. & Lindström, K. 2008. Hurry-up and hatch: Selective filial cannibalism of slower developing eggs. – *Biology Letters* 4: 160-162
1634. Lehtonen, T.K., & Lindström, K. 2008. Repeatability of mating preferences in the sand goby. *Animal Behaviour* – 75: 55-61.
1635. Wong, B.B.M., Lehtonen T.K. & Lindström K. 2008. Male nest choice in sand gobies, *Pomatoschistus minutus*. – *Ethology* 114: 575-581.
1636. Lindström K. & St.Mary C.M. 2008. Parental care and sexual selection. In: Magnhagen, C., Braithwaite, Victoria A., Forsgren, Elisabet, and Kapoor, B. G. (eds) *Fish Behaviour*. Science Publisher, Inc., Enfield, NH, pp 377-409.
1637. Hietanen S. & Kuparinen, J. 2008. Seasonal and short-term variation in denitrification and anamox at a coastal station on the Gulf of Finland, Baltic Sea. – *Hydrobiologia* 596: 67-77.
1638. Soomere, T., Myrberg, K., Leppäranta, M. & Nekrasov, A. 2008. Progress in physical oceanography of the Gulf of Finland, Baltic Sea. – *Oceanologia* 50: 287-392.
1639. Arst, H., Erm, A., Herlevi, A., Kutser, T., Leppäranta, M., Reinart, A. & Virta, J. 2008. Optical properties of boreal lake waters in Finland and Estonia. – *Boreal Environment Research* 13: 133–158.
1640. Seppälä, J. & Olli, K. 2008. Multivariate analysis of phytoplankton spectral *in vivo* fluorescence : estimation of phytoplankton biomass during a mesocosm study in the Baltic Sea. – *Marine Ecology Progress Series* 370: 69-85.
1641. Kaitala, S., Zibodi, G., Mélin, F., Seppälä, J., & Ylöstalo, P. 2008. Coastal water monitoring and remote sensing products validation using ferrybox and above-water radiometric measurements. – *EARSeL eProceedings* 7: 75-80.
1642. Waldeck, P., Andersson, M., Kilpi M. & Öst, M. 2008. Spatial relatedness and brood parasitism in a female-philopatric bird. – *Behavioral Ecology* 19: 67-73
1643. Lappalainen, A., Härmä M., Kuningas S. & Urho L. 2008. Reproduction of pike (*Esox lucius*) in reed belt shores of the SW coast of Finland, Baltic Sea: a new survey approach. – *Boreal Environment Research* 13: 370-380.
1644. Härmä M., Lappalainen A. & Urho L. 2008. Reproduction areas of roach (*Rutilus rutilus*) in the northern Baltic Sea: potential effects of climate change. – *Canadian Journal of Fisheries and Aquatic Sciences* 65: 2678-2688.
1645. Nikula, R., Strelkov, P. & Väinölä, R. 2008. A broad transition zone between an inner Baltic hybrid swarm and a pure North Sea subspecies of *Macoma baltica* (Mollusca, Bivalvia). – *Molecular Ecology* 17: 1508-1522.
1646. Lindström, M. & Sandberg-Kilpi, E. 2008. Breaking the boundary – The key to bottom recovery? The role of mysid crustaceans in oxygenizing bottom sediments. – *Journal of Experimental Marine Biology and ecology* 354: 161-168.
1647. Czechowski, W. 2008. Around-nest “cemeteries” of *Myrmica schencki* EM. (Hymenoptera: Formicidae): their origin and a possible significance. – *Polish Journal of Ecology* 56: 359-363.
1648. Martin, S.J., Vitikainen, E., Helanterä, H., Drijfhout, F.P. 2008. Chemical basis of nestmate discrimination in the ant *Formica exsecta*. – *Proceedings of the Royal Society B* 275: 1271-1278.

1649. Spilling, K. & Lindström, M. 2008. Phytoplankton life cycle transformations lead to species-specific effects on sediment processes in the Baltic Sea. – *Continental Shelf Research* 28: 2488-2495.
1650. Martin, S.J., Helanterä, H. & Drijfhout, F.P. 2008. Evolution of species-specific cuticular hydrocarbon patterns in *Formica* ants. – *Biological Journal of the Linnean Society* 95: 131-140.
1651. Martin, S.J., Helanterä, H. & Drijfhout, F.P. 2008. Colony-specific hydrocarbons identify kin in two species of *Formica* ant. – *Journal of Chemical Ecology* 34: 1072-1080.
1652. Lodenius, M., Raukola, T., Soltanpour-Gargari, A., Tulisalo, E. & Voigt, H.R. 2008. Diatom and metal stratigraphy of a small and shallow lake in Southern Finland. – *Acta Universitatis Carolinae Environmentalica* 22: 65-80.
1653. Zemmelink H.J., Houghton L., Dacey J.W.H., Stefels J., Koch B.P., Schröder M., Wisotzki A., Scheltz A., Thomas D.N., Papadimitriou S., Kennedy H., Kuosa H. & Dittmar T. 2008. Stratification and the distribution of phytoplankton, nutrients, inorganic carbon, and sulfur in the surface waters of Weddell Sea leads. – *Deep Sea Research Part II: Topical Studies in Oceanography* 55: 988-999
1654. Kaartokallio H., Tuomainen J., Kuosa H., Kuparinen J., Martikainen P.J. & Servomaa K. 2008. Succession of sea-ice bacterial communities in the Baltic Sea fast ice. – *Polar Biology* 31: 783-793
1655. Fleming-Lehtinen V., Laamanen M., Kuosa H., Haahti H. & Olsonen R. 2008. Long-term development of inorganic nutrients and chlorophyll α in the open Northern Baltic Sea. *Ambio* 37: 86-92
1656. Candolin, U. & Wong, B.B.M. 2008: Mate choice. In: Magnhagen, C., Braithwaite, Victoria A., Forsgren, E. & Kapoor, B. G. (eds), *Fish Behaviour*. Science Publisher, Inc., Enfield, NH., pp 337–376.
1657. Voigt, H.-R. 2008: Concentrations of nickel (Ni) in some coastal Baltic fish. – *Memoranda Soc. Fauna Flora Fennica* 84: 41-48
1658. Sopanen, S., Koski, M., Uronen, P., Kuuppo, P., Lehtinen, S., Legrand, C. & Tamminen, T. 2008: *Prymnesium parvum* exotoxins affect the grazing and viability of the calanoid copepod *Eurytemora affinis*. – *Mar. Ecol. Prog. Ser.* 361: 191–202.
1659. Sopanen, S. 2008: The effect of temperature on the development and hatching of resting eggs of non-indigenous predatory cladoceran *Cercopagis pengoi* in the Gulf of Finland, Baltic Sea. – *Marine Biology* 154: 99–108.
1660. Audzijonyte, A., Ovcarenko, I., Bastrop, R. & Väinölä, R. 2008: Two cryptic species of the *Hediste diversicolor* group (Polychaeta, Nereididae) in the Baltic Sea, with different mitochondrial signatures of population history. – *Marine Biology* 155: 599-612.
1661. Uusikivi, J., Vähäalto, A., Granskog, M. & Tapias, M.G.. 2008: Optical and colored dissolved organic matter properties of landfast ice in the Baltic Sea. – *Proceedings 19th IAHR International Symposium on Ice*, Vancouver, Canada, p. 1017–1028.
1662. Altermatt, F. & Ebert, D. 2008: Genetic diversity of *Daphnia magna* populations enhances resistance to parasites. – *Ecology Letters* 11: 918–928.
1663. Altermatt, F. & Ebert, D. 2008: The influence of pool volume and summer desiccation on the production of the resting and dispersal stage in a *Daphnia* metapopulation. – *Oecologia* 157: 441–452.

1664. Altermatt, F., Pajunen, V.I. & Ebert, D. 2008: Climate change affects colonization dynamics in a metacommunity of three *Daphnia* species. – Global Change Biology 14: 1209–1220.
1665. Lehikoinen, A., Öst, M., Hollmén, T. & Kilpi, M. 2008: Does sex-specific duckling mortality contribute to male bias in adult common eiders? – The Condor 110: 574–578.
1666. Engström-Öst, J. & Mattila, J. 2008: Foraging, growth and habitat choice in turbid water: and experimental study with fish larvae in the Baltic Sea. – Marine Ecology Progress Series 359: 275–281.
1667. Öst, M., Smith, B.D. & Kilpi, M. 2008: Social and maternal factors affecting duckling survival in eiders *Somateria mollissima*. – Journal of Animal Ecology 77: 315–325.
1668. Öst, M., Wickman, M. & Matulionis, E. 2008: Habitat-specific clutch size and cost of incubation in eiders reconsidered. – Oecologia 158: 205–216.
1669. Munsterhjelm, R., Henricson, C. & Sandberg-Kilpi, E. 2008: The decline of a charophyte – occurrence dynamics of *Chara tomentosa* L. at the southern coast of Finland. – Memoranda Soc. Fauna Flora Fennica 84: 56–80.
1670. Zbinden, M., Haag, C. R. & Ebert, D. 2008: Experimental evolution of field populations of *Daphnia magna* in response to parasite treatment. – J. Evol. Biol. 21: 1068–1078.
1671. Candolin, U. & Heuschele, J. 2008: Is sexual selection beneficial during adaptation to environmental change. – Trends in Ecology and Evolution 23: 446–452.
1672. Kaartokallio, H., Tuomainen, J., Kuosa, H., Kuparinen, J., Martikainen, P.J. & Servomaa, K. 2008: Succession of sea-ice bacterial communities in the Baltic Sea fast ice. – Polar Biology 31: 783–793
1673. Fleming-Lehtinen, V., Laamanen, M., Kuosa, H., Haahti, H. & Olsonen, R. 2008: Long-term development of inorganic nutrients and chlorophyll α in the open Northern Baltic Sea. – Ambio 37: 86–92
1674. Helanterä, H. & Ratnieks, F.L.W. 2009: Two independent mechanisms of egg recognition in worker *Formica fusca* ants. – Behavioural Ecology and Sociobiology 63: 573–580.
1675. Martin, S. J., Helanterä, H., Kiss, K., Lee, Y. & Drijfhout, F.P. 2009: Polygyny reduces rather than increases nestmate discrimination cue diversity in *Formica exsecta* ants. – Insectes Sociaux 56: 375–383.
1676. Haag-Liautard C., Vitikainen, E., Keller L. & Sundström L. 2009: Fitness and the level of homozygosity in a social insect. – Journal of Evolutionary Biology 22: 134–142
1677. Hoikkala, L., Aarnos, H. & Lignell, R. 2009: Changes in nutrient and carbon availability and temperature as factors controlling bacterial growth in the northern Baltic Sea. – Estuaries and Coasts 32: 720–733.
1678. Lehtonen, H., Leskinen, E., Selen, R. & Reinikainen, M. 2009: Potential reasons for the changes in the abundance of pike, *Esox lucius* L. in the western Gulf of Finland, 1939–2007. – Fisheries Management and Ecology 16: 484–491.
1679. Biegler, A. & Ebert, D. 2009: Expression of parasite virulence at different host population densities under natural conditions. – Oecologia 160: 247–255.
1680. Altermatt, F., Pajunen, V.I. & Ebert, D. 2009: Desiccation of rock pool habitats and its influence on popultaion persistence in a *Daphnia* metacommunity. PLOS ONE 4: e4703.

1681. Gorokhova, E., Lehtiniemi, M., Viitasalo-Frosen, S. & Haddock S.H.D. 2009: Molecular evidence for the occurrence of ctenophore *Mertensia ovum* in the northern Baltic Sea and implications for the status of the *Mnemiopsis leidyi* invasion. – Limnology and Oceanography 54: 2025–2033.
1682. Viitasalo-Frosen, S., Laine, A.O. & Lehtiniemi, M. 2009: Habitat modification mediated by motile surface stirrers versus semi-motile burrowers: potential for a positive feedback mechanism in a eutrophied ecosystem. – Marine Ecology Progress Series 376: 21–32.
1683. Lehtiniemi, M., Kiljunen, M. & Jones, R.I. 2009: Winter food utilisation by sympatric mysids in the Baltic Sea, studied by combined gut content and stable isotope analyses. – Marine Biology 156: 619–628.
1684. Karlsson, A.M.L. & Viitasalo-Frosen, S. 2009: Assimilation of C-14-labelled zooplankton benthic eggs by macrobenthos. – Journal of Plankton Research 31: 459–463.
1685. Salonen, M., Urho, L. & Engström-Öst, J. 2009: Effects of turbidity and zooplankton availability on the condition and prey selection of pike larvae. – Boreal Environment Research 14: 981–989.
1686. Gorokhova, E. & Engström-Öst, J. 2009: Toxin concentration in *Nodularia spumigena* is modulated by mesozooplankton grazers. – Journal of Plankton Research 31: 1235–1247.
1687. Engström-Öst, J., Öst, M. & Yli-Renko, M. 2009: Balancing algal toxicity and turbidity with predation risk in the three-spined stickleback. – Journal of Experimental Marine Biology and Ecology 377: 54–59.
1688. Majaneva, M., Autio, R., Huttunen, M., Kuosa, H. & Kuparinen, J. 2009: Phytoplankton monitoring: the effect of sampling methods used during different stratification and bloom conditions in the Baltic Sea. – Boreal Env. Res. 14: 313–322.
1689. Soomere, T., Leppäranta, M. & Myrberg, K. 2009: Highlights of the physical oceanography of the Gulf of Finland reflecting potential climate change. – Boreal Environment Research 14: 152–165.
1690. Öst, M. & Steele, B. 2009: Age-specific nest-site preference and success in Eiders. – Oecologia 162: 59–69.
1691. Lehikoinen, A., Jaatinen, K. & Öst, M. 2009: Do female ornaments indicate quality in eider ducks? – Biology Letters. doi: 10.1098/rsbl.2009.0744
1692. Kremp, A., Rengefors, K. & Montresor, M. 2009: Species-specific encystment patterns in three Baltic cold-water dinoflagellates: The role of multiple cues in resting cyst formation. – Limnol. Oceanogr. 54: 1125–1138
1693. Sundström, A., Kremp, A., Daugbjerg, N., Moestrup, Ø., Ellegaard, M., Hajdu, S. & Hansen, R. 2009: *Gymnodinium corollarium* sp. nov. (Dinophyceae) – a new cold-water dinoflagellate responsible for cyst sedimentation events in the Baltic Sea. – J. Phycol. 45: 938–952.
1694. Kremp, A., Lindholm, T., Dressler, N., Erler, K., Gerdts, G., Eirtovaara, S. & Leskinen, E. 2009: Bloom forming *Alexandrium ostenfeldii* (Dinophyceae) in shallow waters of the Åland Archipelago, Northern Baltic Sea. – Harmful Algae 8: 318–328
1695. Candolin, U. & Salesto, T. 2009: Does competition allow male mate choosiness in threespine sticklebacks? – American Naturalist 173: 273–277.
1696. Heuschele, J., Mannerla, M., Gienapp, Ph. & Candolin, U. 2009: Environment-dependent use of mate choice cues in sticklebacks. – Behavioral Ecology 20: 1223–1227.

1697. Vlieger, L. & Candolin, U. 2009: How not to be seen: does eutrophication influence stickleback sneaking behaviour? – *Journal of Fish Biology* 75: 2163–2174.
1642. Candolin, U. 2009: Population responses to anthropogenic disturbance: lessons from three-spined sticklebacks *Gasterosteus aculeatus* in eutrophied habitats. – *Journal of Fish Biology* 75: 2108–2121.
1698. Sopanen, S., Uronen, P., Kuuppo, P., Svensen, C., Rühl, A., Tamminen, T., Granéli, E. & Legrand, C. 2009: Transfer of nodularin to the copepod *Eurytemora affinis* through the microbial food web. – *Aquat. Microb. Ecol.* 55: 115–130.
1699. Setälä, O., Sopanen, S., Autio, R. & Erler, K. 2009: Grazing and food selection of the calanoid copepods *Eurytemora affinis* and *Acartia bifilosa* feeding on plankton assemblages containing *Dinophysis* spp. – *Boreal Environment Research* 14: 837–849.
1700. Lehtonen, T.K., Wong B.B.M. & Lindström, K. 2010: Fluctuating mate preferences in a marine fish. – *Biology Letters* 6: 21–23.
1701. Saaristo, M., Craft, J.A., Lehtonen, K.K. & Lindström, K. 2009: Sand goby (*Pomatoschistus minutus*) males exposed to an endocrine disrupting chemical fail in nest and mate competition. – *Hormones and Behaviour* 56: 315–321.
1702. Wong, B.B.M., Järvenpää, M. & Lindström, K. 2009: Risk-sensitive mating decisions in a visually-compromised environment. – *Biology Letters* 5: 600–602.
1703. Chin-Baarstad, A., Klug, K. & Lindström, K. 2009: Should you eat your offspring before someone else does? Effect of an egg predator on filial cannibalism in the sand goby. – *Animal Behaviour* 78: 203–208.
1704. Ala-Honkola, O., Uddström, A., Diaz, B. & Lindström, K. 2009: Strong inbreeding depression in male mating behaviour in a Poeciliid fish. – *Journal of Evolutionary Biology* 22: 1396–1406.
1705. Saaristo, M., Craft, J.A., Lehtonen, K.K., Björk, H. & Lindström, K. 2009: Disruption of sexual selection in sand gobies (*Pomatoschistus minutus*) by 17 α -ethinyl estradiol, an endocrine disruptor. – *Hormones and Behaviour* 55: 530–537.
1706. Lehtonen, T.K. & Lindström, K. 2009: Females decide whether size matters: plastic mate preferences tuned to the intensity of male-male competition. – *Behavioral Ecology* 20: 195–199.
1707. Conley, D.J., Björck, S., Bonsdorff, E., Carstensen, J., Destouni, G., Gustafsson, B.G., Hietanen, S., Kortekaas, M., Kuosa, H., Meier, H.E.M., Müller-Karulis, B., Nordberg, G., Norkko, A., Nürnberg, G., Pitkänen, H., Rabalais, N.N., Rosenberg, R., Savchuk, O.P., Slomp, C.P., Voss, M., Wulff, F. & Zillén, L. 2009: Hypoxia-related processes in the Baltic Sea. – *Environmental Science & Technology* 43: 3412–3420.
1708. Papadimitriou, S., Thomas, D.N., Kennedy, H., Kuosa, H. & Dieckmann, G.S. 2009: Inorganic carbon removal and isotopic enrichment in Antarctic sea ice gap layers during early austral summer. – *Marine Ecology Progress Series* 386: 15–27.
1709. Raateoja, M., Kuosa, H., Pääkkönen J.-P. & Perttilä, M. 2009: Role and extent of metalimnetic oxygen minimum zone in the late summer Baltic Sea. – *Journal of Marine Systems*, doi: 10.1016/j.jmarsys.2009.06.005.
1710. Heuschele, J. 2009: The influence of eutrophication on sexual selection in sticklebacks. – *Dissert.*, HU, Faculty of Biosciences, Dept Biol. & Envir. Sci., 29 p. + 6 reprints.

1711. Niitpõld, Kr. 2009: Flight metabolic rate in the Glanville fritillary butterfly. – Dissert., HU, Faculty of Biosciences, Dept Biol. & Envir. Sci., 27 p. + 4 reprints.
1712. Rintala, J.-M. 2009: A systematic-ecological approach to Baltic Sea ice studies of algae and protists. – Dissert., Walter and Andrée de Nottbeck Foundation Sci. Rep. 34: 1– 48 + 4 reprints.
1713. Saaristo, M. 2009: Effects of 17 α -ethinyl estradiol on the mating system of the sand goby (*Pomatoschistus minutus*). – Dissert., HU, Faculty of Biosciences, Dept Biol. & Envir. Sci., 50 p. + 4 reprints.
1714. Seppälä, J. 2009: Fluorescence properties of Baltic Sea phytoplankton. – Dissert., Monographs of the Boreal Environment Research 34: 1 – 80 + 7 reprints.
1715. Sopanen, S. 2009: Interactions between harmful algae and calanoid copepods in the Baltic Sea. – Dissert., Walter and Andrée de Nottbeck Foundation Sci. Rep. 35: 1 – 58 + 4 reprints.
1716. Lehikoinen, A. 2009: Climate forcing on avian life history. – Dissert., HU, Faculty of Biosciences, Dept Biol. & Envir. Sci., 37 p. + 5 reprints.
- 1716b. Lehtonen, T.K. & Wong, B.B.M. 2009: Should females prefer males with elaborate nests? – Behavioral Ecology 20: 1015–1019.
1717. Lehikoinen, A., Jaatinen, K. & Öst, M. 2009: Do female ornaments indicate quality in eider ducks? – Biology Letters 6: 225–228.
1718. Norkko, J., Norkko, A., Thrush, S.F., Valanko, S. & Suurkuukka, H. 2010: Conditional responses to increasing scales of disturbance: and potential implications for threshold dynamics in soft-sediment communities. – Marine Ecology Progress Series 413: 253–266.
1719. Penna, A., Battocchi, C., Garces, E., Angles, S., Cucchiari, E., Totti, C., Kremp, A., Satta, C., Giacobbe, M.G., Bravo, I. & Bastianini, M. 2010: Detection of microalgal resting cysts in European coastal sediments using a PCR-based assay. – Deep-Sea research part II – Tropical studies in oceanography 57: 288–300.
1720. Sundström, A. M., Kremp, A., Tammilehto, A., Tuimala, J. & Larsson, U. 2010: Detection of the bloom-forming cold-water dinoflagellate *Biecheleria baltica* in the Baltic Sea using LSU rRNA probes. – Aquatic Microbial Ecology 61: 129–140.
1721. Korczynska, J., Gajewska, M., Pilot, M., Czechowski, W. & Radchenko, A. 2010: Genetic polymorphism in "mixed" colonies of wood ants (Hymenoptera: Formicidae) in southern Finland and its possible origin. – European Journal of Entomology 107: 157–167.
1722. Koivisto, M.E. & Westerbom, M. 2010: Habitat structure and complexity as determinants of biodiversity in blue mussel beds on sublittoral rocky shores. – Marine Biology 157: 1463–1474.
1723. Raateoja, M., Kuosa, H., Flinkman, J., Pääkkönen, J. & Perttilä, M. 2010: Late summer metalimnetic oxygen minimum zone in the northern Baltic Sea. – Journal of Marine Systems 80: 1–7.
1724. Spilling, K., Titelman, J., Greve, T.M. & Kuhl, M. 2010: Microsensor measurements of the external and internal microenvironment of *Fucus vesiculosus* (Phaeophyceae). – Journal of Phycology. 46, s. 1350–1355.
1725. Korpinen, S. & Westerbom, M. 2010: Microhabitat segregation of the amphipod genus *Gammarus* (Crustacea: Amphipoda) in the Northern Baltic Sea. – Marine Biology 157: 361–370.

1726. Spilling, K., Tamminen, T., Andersen, T. & Kremp, A. 2010: Nutrient kinetics modeled from time series of substrate depletion and growth: dissolved silicate uptake of Baltic Sea spring diatoms. – *Marine Biology* 157: 427–436.
1727. Ptacnik, R., Andersen, T. & Tamminen, T. 2010: Performance of the Redfield Ratio and a family of nutrient limitation indicators as thresholds for phytoplankton N vs. P limitation. – *Ecosystems* 13: 1201–1214.
1728. Altermatt, F. & Ebert, D. 2010: Populations in small, ephemeral habitat patches may drive dynamics in a *Daphnia magna* metapopulation. – *Ecology* 91: 2975–2982.
1729. Valanko, S., Norkko, A. & Norkko, J. 2010: Rates of post-larval bedload dispersal in a non-tidal soft-sediment system. – *Marine Ecology Progress Series* 416: 145–163.
1730. Ljunggren, L., Sandström, A., Bergström, U., Mattila, J., Lappalainen, A., Johansson, G., Sundblad, G., Casini, M., Kaljuste, O. & Eriksson, B. K. 2010: Recruitment failure of coastal predatory fish in the Baltic Sea coincident with an offshore ecosystem regime shift. – *ICES Journal of Marine Science* 67: 1587–1595.
1731. Rosqvist, K., Mattila, J., Sandström, A., Snickars, M. & Westerbom, M. 2010: Regime shifts in vegetation composition of Baltic Sea coastal lagoons. – *Aquatic Botany* 93: 39–46.
1732. Khamidakh, A., Demchuk, A., Zak, P., Ostrovsky, M. & Lindström, M. 2010: Shortwave light filtration effect on spectral sensitivity of two shrimp populations of *M. relicta* (Mysida). – *Moscow University Biological Sciences Bulletin* 65: 51–55.
1733. Gorokhova, E., Löf, M., Halldorsson, H. P., Tjarnlund, U., Lindström, M., Elfwing, T. & Sundelin, B. 2010: Single and combined effects of hypoxia and contaminated sediments on the amphipod *Monoporeia affinis* in laboratory toxicity bioassays based on multiple biomarkers. – *Aquatic Toxicology* 99: 263–274.
1734. Valanko, S., Norkko, A. & Norkko, J. 2010: Strategies of post-larval dispersal in non-tidal soft-sediment communities. – *Journal of Experimental Marine Biology and Ecology* 384: 51–60.
1735. Piiparinens, J., Kuosa, H. & Rintala, J. 2010: Winter-time ecology in the Bothnian Bay, Baltic Sea: nutrients and algae in fast ice. – *Polar Biology* 33: 1445–1461.
1736. Myrberg, K., Ryabchenko, V., Isaev, A., Vankevich, R., Andrejev, O., Bendtsen, J., Erichsen, A., Funkquist, L., Inkala, A., Neelov, I., Rasmus, K., Medina, M. R., Raudsepp, U., Passenko, J., Soederkvist, J., Sokolov, A., Kuosa, H., Anderson, Th., Lehmann, A. & Skogen, M.D. 2010: Validation of three-dimensional hydrodynamic models of the Gulf of Finland. – *Boreal Environment Research* 15: 453–479.
1737. Humble, J.L., Craft J.A., de Cerio, O.D., Saaristo, M., Lehtonen, K., Lindström, K. & Cancio, I. 2010: Characterization of multiple vitellogenins and their transcripts in the liver of sand goby (*Pomatoschistus minutus*). – *Comparative Biochemistry and Physiology. Part A: Molecular & Integrative Physiology* 157: 30.
1738. Feldman, T., Yakovleva, M., Lindström, M., Donner, K. & Ostrovsky, M. 2010: Eye adaptation to different light environments in two populations of *mysis relicta*: a comparative study of carotenoids and retinoids. – *Journal of Crustacean Biology* 30: 636–642.
1739. Saaristo, M., Craft, J.A., Lehtonen, K.K. & Lindström, K. 2010: Exposure to 17 alpha-ethinyl estradiol impairs courtship and aggressive behaviour of male sand gobies (*Pomatoschistus minutus*). – *Chemosphere* 79: 541–546.

1740. Saaristo, M., Craft, J.A., Lehtonen, K.K. & Lindström, K. 2010: An endocrine disrupting chemical changes courtship and parental care in the sand goby. – *Aquatic toxicology* 97: 285–292.
1741. Suikkanen, S., Kaartokallio, H., Hällfors, S., Huttunen, M., & Laamanen, M. 2010: Life cycle strategies of bloom-forming, filamentous cyanobacteria in the Baltic Sea. – *Deep Sea Research Part II: Topical Studies in Oceanography* 57: 199–209.
1742. Lehtinen, S., Sopanen, S. & Tamminen, T. 2010: Community-level and species-specific responses of coastal phytoplankton to the presence of two mesozooplanktonic grazers. – *Marine Biology* 157: 1555–1565.
1743. Heuschele, J & Candolin, U. 2010: Reversed parasite-mediated selection in sticklebacks from eutrophied habitats. – *Behavioral Ecology and Sociobiology* 64: 1229–1237.
1744. Kallasvuo, M., Salonen, M. & Lappalainen, A. 2010: Does the zooplankton prey availability limit the larval habitats of pike in the Baltic Sea? – *Estuarine, Coastal and Shelf Science*: 148–156.
1745. Väänänen, S., Vepsäläinen, K. & Savolainen, R. 2010: Indirect effects in boreal ant assemblages: territorial wood ants protect potential slaves against enslaving ants. – *Annales Zoologici* 60: 57–67.
1746. Pflugmacher, St., Olin, M. & Kankaanpää, H. 2010: Oxidative stress response in the red alga *Furcellaria lumbricalis* (Huds.) Lamour. due to exposure and uptake of the cyanobacterial toxin nodularin from *Nodularia spumigena*. – *Harmful Algae* 10: 49–55.
1747. Rintala, J.-M., Hällfors, H., Hällfors, S., Majaneva, M. & Blomster, J. 2010: *Heterocapsa arctica* subsp *frigida* subsp nov (Peridiniales, Dinophyceae) - Description of a new dinoflagellate and its occurrence in the Baltic Sea. – *Journal of Phycology* 46: 751–762.
1748. Kuivikko, M., Sorsa K., Kukkonen, J.V.K., Akkanen, J., Kotiaho, T. & Vähätilo, A.V. 2010: Partitioning of tetra- and pentabromo diphenyl ether and benzo[a]pyrene among water and dissolved and particulate organic carbon along a salinity gradient in coastal waters. – *Environmental Toxicology and Chemistry* 29: 2443–2449.
1749. Uusikivi, J., Vähätilo, A.V., Granskog, M.A. & Sommaruga, R. 2010: Contribution of mycosporine-like amino acids and colored dissolved and particulate matter to sea ice optical properties and ultraviolet attenuation. – *Limnol. Oceanogr.* 55: 703–713.
1750. Vlieger, L. 2010: The effects of eutrophication on alternative reproductive tactics in threespine sticklebacks. – *Dissert.*, HU, Faculty of Biological and Environmental Sciences, Department of Biosciences, 29 p. + 5 reprints.
1751. Kallasvuo, M. 2010: Coastal environmental gradients – Key to reproduction habitat mapping of freshwater fish in the Baltic Sea. – *Dissert.*, HU, Faculty of Biological and Environmental Sciences, Department of Environmental Sciences, 38 p. + 5 reprints.
1752. Mitikka, V. 2010: The range expansion of the European map butterfly in Finland. – *Dissert.*, HU, Faculty of Biological and Environmental Sciences, Department of Biosciences, 26 p. + 4 reprints.
1753. Vitikainen, E. 2010: Causes and consequences of inbreeding in the ant *Formica exsecta*. – *Dissert.*, HU, Faculty of Biological and Environmental Sciences, Department of Biosciences, 22 p. + 5 reprints.
1754. Extra number?

1755. Brutemark, A., Engström-Öst, J., & Vehmaa, A. (2011). Long-term monitoring data reveal pH dynamics, trends and variability in the western Gulf of Finland. *Oceanological and Hydrobiological Studies*, 40(3), 91-94.

1756. Chernenko, A., Helanterä, H. O., & Sundström, L. (2011). Egg recognition and social parasitism in *Formica* ants. *Ethology*, 117(12), 1081-1092.
1757. Engström-Öst, J., Repka, S., & Mikkonen, M. (2011). Interactions between plankton and cyanobacterium *Anabaena* with focus on salinity, growth and toxin production. *Harmful algae*, 10, 530-535.
1758. Engström-Öst, J., Högfors, H., El-Shehawy, R., De Stasio, B., Vehmaa, A., & Gorokhova, E. (2011). Toxin-producing cyanobacterium *Nodularia spumigena*, potential competitors and grazers: testing mechanisms of reciprocal interactions. *Aquatic Microbial Ecology*, 62, 39-48.
1759. Haag, K. L., Larsson, J. I. R., Refardt, D., & Ebert, D. (2011). Cytological and molecular description of *Hamiltosporidium tvaerminnensis* gen. et sp. nov., a microsporidian parasite of *Daphnia magna*, and establishment of *Hamiltosporidium magnivora* comb. nov.. *Parasitology*, 138, 447-462.
1760. Helanterä, H. O., Lee, Y. R., Drijfhout, F. P., & Martin, S. J. (2011). Genetic diversity, colony chemical phenotype, and nest mate recognition in the ant *Formica fusca*. *Behavioral Ecology*, 22, 710-716.
1761. Hälfors, H., Hajdu, S., Kuosa, H., & Larsson, U. (2011). Vertical and temporal distribution of the dinoflagellates *Dinophysis acuminata* and *D. norvegica* in the Baltic Sea. *Boreal Environment Research*, 16, 121-135.
1762. Jaatinen, K., Öst, M., & Lehikoinen, A. (2011). Adult predation risk drives shifts in parental care strategies: a long-term study. *Journal of Animal Ecology*, 80(1), 49-56.
1763. Jaatinen, K., & Öst, M. (2011). Experience attracts: the role of age in the formation of cooperative brood-rearing coalitions in eiders. *Animal Behaviour*, 81, 1289-1294.
1764. Jäntti, H., Stange, F., Leskinen, E., & Hietanen, S. (2011). Seasonal variation in nitrification and nitrate-reduction pathways in coastal sediments in the Gulf of Finland, Baltic Sea. *Aquatic Microbial Ecology*, 63(2), 171-181.
1765. Järvenpää, M., & Lindström, K. (2011). Algal blooms decrease care but increase egg survival in a fish with paternal care. *Behavioral Ecology and Sociobiology*, 65, 2023-2028.
1766. Järvi-Laturi, M., Lindström, K., Kvarnemo, C., & Svensson, O. (2011). Sand goby males trade off between defence against egg predators and sneak intrusions. *Journal of Zoology*, 283, 269-275.
1767. Kallasvuo, M., Lappalainen, A., & Urho, L. (2011). Coastal reed belts as fish reproduction habitats. *Boreal Environment Research. Monographs*, 16, 114.
1768. Koivisto, M. (2011). *Blue mussel beds as biodiversity hotspots on the rocky shores of the northern Baltic Sea*. PhD thesis, University of Helsinki, Helsinki University Print, 47 pp.
1769. Koivisto, M., Westerbom, M., & Arnkil, A. (2011). Quality or quantity: small-scale patch structure affects patterns of biodiversity in a sublittoral blue mussel community. *Aquatic Biology*, 12, 261-270.

1770. Koivisto, M., Westerbom, M., & Riihimäki, A. (2011). Succession-driven facilitation of macrofaunal communities in sublittoral blue mussel habitats. *Marine Biology*, 158, 945-954.
1771. Kuparinen, J., Autio, R., & Kaartokallio, H. (2011). Sea ice bacterial growth rate, growth efficiency and preference for inorganic nitrogen sources in the Baltic Sea. *Polar Biology*, 34, 1361-1373.
1772. Lehikoinen, A., Heikinheimo, O., & Lappalainen, A. (2011). Temporal changes in the diet of great cormorant on the southern coast of Finland - comparison to available fish data. *Boreal Environment Research*, 16 (suppl. B), 61–70.
1773. Leino, M., Ruuskanen, A. T., Flinkman, J., Kaasinen, J., Klemela, U. E., Hietala, R., & Nappu, N. (2011). The natural environment of the shipwreck Vrouw Maria (1771) in the northern Baltic Sea: an assessment of her state of preservation. *International Journal of Nautical Archaeology*, 40, 133-150.
1774. Lenz, M., da Gama, B. A. P., Gerner, N. V., Gobin, J., Groener, F., Harry, A., Jenkins, S. R., Kraufvelin, P., Mummelthei, C., Sareyka, J., Xavier, E. A., & Wahl, M. (2011). Non-native marine invertebrates are more tolerant towards environmental stress than taxonomically related native species: Results from a globally replicated study. *Environmental Research*, 111, 943-952.
1775. Mareš, J., Leskinen, E., Sitkowska, M., Skácelová, O., & Blomster, J. (2011). True identity of the European freshwater *Ulva* (Chlorophyta, Ulvophyceae) revealed by a combined molecular and morphological approach. *Journal of Phycology*, 47(6), 1177–1192.
1776. Martin, S. J., Helanterä, H. O., & Drijfhout, F. P. (2011). Is parasite pressure a driver of chemical cue diversity in ants? *Proceedings of the Royal Society B. Biological Sciences*, 278(1705), 496-503.
1777. Mueller, S., Vähätalo, A., Granskog, M., Autio, R., & Kaartokallio, H. (2011). Behaviour of dissolved organic matter during formation of natural and artificially grown Baltic Sea ice. *Annals of Glaciology*, 52(57), 233-241.
1778. Piiparinens, J. P. (2011). *Fast- and drift-ice communities in the Bothnian Bay and the impact of UVA radiation on the Baltic Sea ice ecology*. PhD thesis, University of Helsinki, Walter and Andrée de Nottbeck Foundation Scientific Reports 36, 57 pp.
1779. Piiparinens, J., & Kuosa, H. (2011). Impact of UVA radiation on algae and bacteria in Baltic Sea ice. *Aquatic Microbial Ecology*, 63(1), 75-87.
1780. Raateoja, M., Kuosa, H., & Hallfors, S. (2011). Fate of excess phosphorus in the Baltic Sea: A real driving force for cyanobacterial blooms? *Journal of Sea Research*, 65, 315-321.
1781. Robinson, J. D. (2011). *Extinction in the Finnish Daphnia magna metapopulation*. PhD thesis, The University of Georgia, 117 pp.
1782. Sareyka, J., Kraufvelin, P., Lenz, M., Lindström, M., Tollrian, R., & Wahl, M. (2011). Differences in stress tolerance and brood size between a non-indigenous and an indigenous gammarid in the northern Baltic Sea. *Marine Biology*, 158, 2001-2008.

1783. Setälä, O., Sopanen, S., Autio, R., Kankaanpää, H., & Erler, K. (2011). Dinoflagellate toxins in northern Baltic Sea phytoplankton and zooplankton assemblages. *Boreal Environment Research*, 16, 509-520.
1784. Sopanen, S., Setälä, O., Piiparinen, J., Erler, K., & Kremp, A. (2011). The toxic dinoflagellate *Alexandrium ostenfeldii* promotes incapacitation of the calanoid copepods *Eurytemora affinis* and *Acartia bifilosa* from the northern Baltic Sea. *Journal of Plankton Research*, 33, 1564-1573.
1785. Spilling, K., Seppälä, J., & Tamminen, T. (2011). Inducing autoflocculation in the diatom *Phaeodactylum tricornutum* through CO₂ regulation. *Journal of Applied Phycology*, 23(6), 959-966.
1786. Suikkanen, S., Hakanen, P., Spilling, K., & Kremp, A. (2011). Allelopathic effects of Baltic Sea spring bloom dinoflagellates on co-occurring phytoplankton. *Marine Ecology - Progress Series*, 439, 45-55.
1787. Vehmaa, A., Larsson, P., Vidoudez, C., Pohnert, G., Reinikainen, M., & Engström-Öst, J. (2011). How will increased dinoflagellate:diatom ratios affect copepod egg production? - A case study from the Baltic Sea. *Journal of Experimental Marine Biology and Ecology*, 401(1-2), 134-140.
1788. Villnäs, A., & Norkko, A. (2011). Benthic diversity gradients and shifting baselines: implications for assessing environmental status. *Ecological Applications*, 21, 2172-2186.
1789. Vitikainen, E., Haag-Liautard, C., & Sundström, L. (2011). Inbreeding and reproductive investment in the ant *Formica exsecta*. *Evolution*, 65(7), 2026-2037.
1790. Vitikainen, E., & Sundström, L. (2011). Inbreeding and caste-specific variation in immune defence in the ant *Formica exsecta*. *Behavioral Ecology and Sociobiology*, 65, 899-907.
1791. Väinölä, R., & Strelkov, P. (2011). *Mytilus trossulus* in Northern Europe. *Marine Biology*, 158(4), 817-833.
1792. Vähätalo, A. V., Aarnos, H., Hoikkala, L., & Lignell, R. (2011). Photochemical transformation of terrestrial dissolved organic matter supports hetero- and autotrophic production in coastal waters. *Marine Ecology - Progress Series*, 423, 1-14.
1793. Wahl, M., Link, H., Alexandridis, N., Thomason, J. C., Cifuentes, M., Costello, M. J., da Gama, B. A. P., Hillock, K., Hobday, A. J., Kaufmann, M. J., Keller, S., Kraufvelin, P., Kruger, I., Lauterbach, L., Antunes, B. L., Molis, M., Nakaoka, M., Nyström, J., bin Radzi, Z., Stockhausen, B., Thiel, M., Vance, T., Weseloh, A., Whittle, M., Wiesmann, L., Wunderer, L., Yamakita, T., & Lenz, M. (2011). Re-structuring of marine communities exposed to environmental change: A global study on the interactive effects of species and functional richness. *PLoS One*, 6, -.
1794. Åhlén, E., Byström, P., Korsman, T., Persson, L., & Reinikainen, M. (2011). Relationships between planktivore community capacity (PCC) and cladoceran microfossils in northern Swedish lakes. *Fundamental and Applied Limnology*, 178, 315-324.

1795. Öst, M., & Tierarchical, T. (2011). Synchronized vigilance while feeding in common eider brood-rearing coalitions. *Behavioral Ecology*, 22, 378-384.
1796. Öst, M., Lehtinen, A., Jaatinen, K., & Kilpi, M. (2011). Causes and consequences of breeding dispersal in a female-philopatric species. *Oecologia*, 166, 327-336.
1797. Czechowski, W., Markó, B., Eros, K., & Csata, E. (2011). Pollenivory in ants (Hymenoptera: Formicidae) seems to be much more common than it was thought. *Annales Zoologici*, 61(3), 519-525.
1798. Ahkola, H. (2012). Passive Sampling in Monitoring of Nonylphenol Ethoxylates and Nonylphenol in Aquatic Environments. PhD thesis, University of Jyväskylä, Research Report 152, 92 pp.
1799. Aslam, S. N., Underwood, G. J. C., Kaartokallio, H., Norman, L., Autio, R., Fischer, M., Kuosa, H., Dieckmann, G. S., & Thomas, D. N. (2012). Dissolved extracellular polymeric substances (dEPS) dynamics and bacterial growth during sea ice formation in an ice tank study. *Polar Biology*, 35(5), 661-676.
1800. Candolin, U., & Wong, B. (2012). Sexual selection in changing environments: consequences for individuals and populations. Candolin, U., & Wong, B. (Eds.), In: Behavioural responses to a changing world: mechanisms and consequences (pp. 201-215). Oxford University Press.
1801. Chernenko, A., Helanterä, H. O., & Sundström, L. (2012). Colony kin structure and queen recruitment in the ant *Formica fusca* (Hymenoptera: Formicidae). *Myrmecological news*, 16, 93-100.
1802. Chernenko, A., Holman, L., Helanterä, H. O., & Sundström, L. (2012). Cuticular Chemistry Of Males And Females In The Ant *Formica fusca*. *Journal of Chemical Ecology*, 38(12), 1474-1482.
1803. Ekeroth, N., Lindstrom, M., Blomqvist, S., & Hall, P. O. J. (2012). Recolonisation by macrobenthos mobilises organic phosphorus from reoxidised Baltic Sea sediments. *Aquatic Geochemistry*, 18(6), 499-513.
1804. Ekroos, J., Ost, M., Karel, P., Jaatinen, K., & Kilpi, M. (2012). Philopatric predisposition to predation-induced ecological traps: habitat-dependent mortality of breeding eiders. *Oecologia*, 170(4), 979-986.
1805. Ekroos, J., Fox, A. D., Christensen, T. K., Petersen, I. K., Kilpi, M., Jonsson, J. E., Green, M., Laursen, K., Cervencl, A., de Boer, P., Nilsson, L., Meissner, W., Garthe, S., & Ost, M. (2012). Declines amongst breeding Eider *Somateria mollissima* numbers in the Baltic/Wadden Sea flyway. *Ornis Fennica*, 89(2), 81-90.
1806. Haapaniemi, K., & Pamilo, P. (2012). Reproductive conflicts in polyandrous and polygynous ant *Formica sanguinea*. *Molecular Ecology*, 21(2), 421-430.
1807. Heuschele, J., Salminen, T., & Candolin, U. (2012). Habitat change influences mate search behaviour in three-spined sticklebacks. *Animal Behaviour*, 83(6), 1505-1510.
1808. Hoikkala, L. (2012). Dynamics of dissolved organic matter and its bioavailability to heterotrophic bacteria in the Gulf of Finland, northern Baltic Sea. PhD thesis, University of Helsinki, Walter and Andrée de Nottbeck Foundation Scientific Reports 37, 62 pp.
1809. Hoikkala, L., Lahtinen, T., Perttilä, M., & Lignell, R. (2012). Seasonal dynamics of dissolved organic matter on a coastal salinity gradient in the northern Baltic Sea. *Continental Shelf Research*, 45, 1-14.

1810. Hosia, A., Granhag, L., Katajisto, T., & Lehtiniemi, M. (2012). Experimental feeding rates of gelatinous predators *Aurelia aurita* and *Mnemiopsis leidyi* at low northern Baltic Sea salinity. *Boreal Environment Research*, 17(6), 473-483.
1811. Jaatinen, K., Noreikiene, K., Merilä, J., & Öst, M. (2012). Kin association during brood care in a facultatively social bird: active discrimination or by-product of partner choice and demography? *Molecular Ecology*, 21(13), 3341-3351.
1812. Japoshvili, B., Lehtonen, T. K., Wong, B. B. M., & Lindström, K. (2012). Repeatability of nest size choice and nest building in sand gobies. *Animal Behaviour*, 84(4), 913-917.
1813. Johnson, C., & Sundström, L. (2012). Cuticular chemistry of two social forms in a facultatively polygynous ant (Hymenoptera: Formicidae: *Formica truncorum*). *Annales Zoologici Fennici*, 49(1-2), 1-17.
1814. Josefson, A. B., Norkko, J., & Norkko, A. (2012). Burial and decomposition of plant pigments in surface sediments of the Baltic Sea: role of oxygen and benthic fauna. *Marine Ecology Progress Series*, 455, 33-49.
1815. Jäntti, H., & Hietanen, S. (2012). The effects of hypoxia on sediment nitrogen cycling in the Baltic Sea. *Ambio*, 41, 161-169.
1816. Jäntti, H., Leskinen, E., Stange, F., & Hietanen, S. (2012). Measuring nitrification in sediments - comparison of two techniques and three $^{15}\text{NO}_3^-$ measurement methods. *Isotopes in Environmental and Health Studies*, 2012(1), 1-14.
1817. Jäntti, H. (2012). The roles of nitrification and nitrate reduction pathways in nitrogen cycling of Baltic Sea. PhD thesis, University of Helsinki, 60 pp.
1818. Koivisto, M., & Wester bom, M. (2012). Invertebrate communities associated with blue mussel beds in a patchy environment: a landscape ecology approach. *Marine Ecology Progress Series*, 471, 101-110.
1819. Kraufvelin, P., Ruuskanen, A. T., Bäck, S., & Russell, G. (2012). Increased seawater temperature and light during early springs accelerate receptacle growth of *Fucus vesiculosus* in the northern Baltic proper. *Marine Biology*, 159(8), 1795-1807.
1820. Lehtonen, T. K. (2012). Signal value of male courtship effort in a fish with paternal care. *Animal Behaviour*, 83(5), 1153-1161.
1821. Majaneva, M., Rintala, J-M., Piisila, M., Fewer, D. P., & Blomster, J. (2012). Comparison of wintertime eukaryotic community from sea ice and open water in the Baltic Sea, based on sequencing of the 18S rRNA gene. *Polar Biology*, 35(6), 875-889.
1822. Majaneva, M., Rintala, J-M., Hajdu, S., Hällfors, S., Hällfors, G., Skjevik, A-T., Gromisz, S., Kownacka, J., Busch, S., & Blomster, J. (2012). The extensive bloom of alternate-stage *Prymnesium polylepis* (Haptophyta) in the Baltic Sea during autumn-spring 2007-2008. *European Journal of Phycology*, 47(3), 310-320.
1823. Marko, B., & Czechowski, W. (2012). Space use, foraging success and competitive relationships in *Formica cinerea* (Hymenoptera Formicidae) on sand dunes in southern Finland. *Ethology Ecology & Evolution*, 24(2), 149-164.
1824. Martin, S. J., Shemilt, S., & Drijfhout, F. P. (2012). Effect of time on colony odour stability in the ant *Formica exsecta*. *Naturwissenschaften*, 99(4), 327-331.
1825. Norkko, J., Reed, D. C., Timmermann, K., Norkko, A., Gustafsson, B. G., Bonsdorff, E., Slomp, C. P., Carstensen, J., & Conley, D. J. (2012). A welcome can of worms? Hypoxia mitigation by an invasive species. *Global Change Biology*, 18(2), 422-434.

1826. Reinikainen, M. J., & Åhlén, E. (2012). Resurrected *Ceriodaphnia quadrangula* highlight differences between pheno- and genotypic expressions. *Ecology and Evolution*, 2(12), 2989-2998.
1827. Robinson, J. D., Haag, C. R., Hall, D. W., Pajunen, I., & Wares, J. P. (2012). Genetic estimates of population age in the water flea, *Daphnia magna*. *Journal of Heredity*, 103(6), 887-897.
1828. Salonen, M. (2012). The Effect of Turbidity on the Ecology of Pike Larvae. PhD thesis, University of Helsinki, Walter and Andrée de Nottbeck Foundation Scientific Reports 38, 38 pp.
1829. Seltmann, M. W., Öst, M., Jaatinen, K., Atkinson, S., Mashburn, K., & Hollmen, T. (2012). Stress responsiveness, age and body condition interactively affect flight initiation distance in breeding female eiders. *Animal Behaviour*, 84(4), 889-896.
1830. Tahvanainen, P., Alperman, T. J., Figueroa, R. I., John, U., Hakanen, P., Nagai, S., Blomster, J., & Kremp, A. (2012). Patterns of post-glacial genetic differentiation in marginal populations of a marine micro-alga. *PLoS One*, 7(12), e53602.
1831. Timmermann, K., Norkko, J., Janas, U., Norkko, A., Gustafsson, B. G., & Bonsdorff, E. (2012). Modelling macrofaunal biomass in relation to hypoxia and nutrient loading. *Journal of Marine Systems*, 105-108, 60-69.
1832. Tuomainen, U. (2012). Behavioural responses to anthropogenic disturbances. PhD thesis, University of Helsinki, 31 pp.
1833. Valanko, S. (2012). Dispersal and metacommunity dynamics in a soft-sediment benthic system – how well is the seafloor connected? PhD thesis, Åbo Akademi University, 52 pp.
1834. Vehmaa, A., Kremp, A., Tamminen, T., Högfors, H., Spilling, K., & Engstrom-Öst, J. (2012). Copepod reproductive success in spring-bloom communities with modified diatom and dinoflagellate dominance. *ICES Journal of Marine Science*, 69(3), 351-357.
1835. Vehmaa, A., Brutemark, A., & Engstrom-Öst, J. (2012). Maternal effects may act as an adaptation mechanism for copepods facing pH and temperature changes. *PLoS One*, 7(10).
1836. Vehmaa, A. (2012). Climate driven changes in temperature, pH and food quality. Effects on copepod reproduction. PhD thesis, Åbo Akademi University, 33 pp.
1837. Villnäs, A., Norkko, J., Lukkari, K., Hewitt, J. E., & Norkko, A. (2012). Consequences of increasing hypoxic disturbance on benthic communities and ecosystem functioning. *PLoS One*, 7(10), e44920.
1838. Walser, B., & Haag, C. R. (2012). Strong intraspecific variation in genetic diversity and genetic differentiation in *Daphnia magna*: the effects of population turnover and population size. *Molecular Ecology*, 21(4), 851-861.
1839. Wong, B., Tuomainen, U., & Candolin, U. (2012). Algal blooms impact the quality of nest construction in three-spined sticklebacks. *Animal Behaviour*, 84(6), 1541-1545.
1840. Volkenborn, N., Meile, C., Polerecky, L., Pilditch, C. A., Norkko, A., Norkko, J., Hewitt, J. E., Thrush, S. F., Wethey, D. S., & Woodin, S. A. (2012). Intermittent bioirrigation and oxygen dynamics in permeable sediments: An experimental and modeling study of three tellinid bivalves. *Journal of Marine Research*, 70(6), 794-823.

Numbering system has been changed from the beginning of 2013. Publications missing from previous years are now added in this slot, between the two numbering systems (not in chronological order, only separated into before and after year 2000).

- TZS-19XX-1 Vepsäläinen, K., & Pisarski, B. (1982). Assembly of island and communities. *Annales Zoologici Fennici*, 19, 327-335.
- TZS-19XX-2 Gallé, L. (1991). Structure and succession of ant assemblages in a north European sand dune area. *Holarctic Ecology*, 14, 31-37.
- TZS-19XX-3 Czechowski, W. (1990). Aggression of *Formica aquilonia* Yarr. to *Camponotus ligniperdus* (Latr.) (Hymenoptera, Formicidae) under the conditions of artificial colonization. *Memorabilia Zoologica*, 44, 83-91.
- TZS-19XX-4 Czechowski, W., Vepsäläinen, K. (1999). Plesiobiosis between *Formica fusca* L. and wood ants (Hymenoptera, Formicidae). *Przegląd Zoologiczny*, 43, 215-218. [In Polish].
-

- TZS-20XX-1 Kulmuni, J., Seifert, B., & Pamilo, P. (2010). Segregation distortion causes large-scale differences between male and female genomes in hybrid ants. *Proceedings of the National Academy of Sciences of the United States of America*, 107(16), 7371-7376.
- TZS-20XX-2 Czechowski, W., & Radchenko, A. (2006). Do permanently mixed colonies of wood ants (Hymenoptera: Formicidae) really exist? *Annales Zoologici (Warszawa)*, 56(4), 667-673.
- TZS-20XX-3 Czechowski, W., Markó, B., & Radchenko, A. (2008). Rubbish dumps reveal the diet of ant colonies: *Myrmica schenki* Em. and *Myrmica rubra* (L.) (Hymenoptera: Formicidae) as facultative pollen-eaters. *Polish Journal of Ecology*, 56(4), 737-741.
- TZS-20XX-4 Czechowski, W., & Vepsäläinen, K. (2009). Territory size of wood ants (Hymenoptera: Formicidae): A search for limits of existence of *Formica polycetena* Först., an inherently polygynic and polycalic species. *Annales Zoologici (Warszawa)*, 59(2), 179-187.
- TZS-20XX-5 Czechowski, W., Markó, B., & Godzińska, E.J. (2009). Corpse carrying in ants (Hymenoptera: Formicidae): Behavioural side effects of aggressive arousal or competitive signalling? *Polish Journal of Ecology*, 57(2), 341-352.
- TZS-20XX-6 Czechowski, W., & Vepsäläinen, K. (2010). Replacement of species in wood ant colonies artificially established on islands in southern Finland. *Polish Journal of Ecology*, 58(4), 793-799.
- TZS-20XX-7 Voigt, H.-R. (2007) Concentrations of heavy metals in sediments and benthos of Tvärminne Storfjärd, Finnish western Gulf of Finland (Baltic Sea). *Memoranda Soc. Fauna Flora Fennica*, 83, 9-16.

- TZS-20XX-8 Czechowski, W. (2000). Interference of territorial ant species in the course of raids of *Formica sanguinea* Latr. (Hymenoptera, Formicidae). *Annales Zoologici (Warszawa)*, 50, 35-38.
- TZS-20XX-9 Czechowski, W. (2002). Plesiobiosis between *Formica fusca* L. and wood ants (Hymenoptera, Formicidae) as a sign of nest competition. *Przegląd Zoologiczny*, 46, 81-86. [In Polish].
- TZS-20XX-10 Czechowski, W. (2002). *Lasius fuliginosus* (Latr.) (Hymenoptera, Formicidae) as a facultative myrmecophagan. *Przegląd Zoologiczny*, 46, 243-246. [In Polish].
- TZS-20XX-11 Czechowski, W. (2003). Plesiobiosis between *Formica fusca* L. and *Myrmica rubra* (L.) (Hymenoptera, Formicidae). *Przegląd Zoologiczny*, 47, 115-118. [In Polish].
- TZS-20XX-12 Czechowski, W. (2004). Submissive posture of *Myrmica rugulosa* Nyl. in its interspecific relations (Hymenoptera, Formicidae). *Przegląd Zoologiczny*, 48, 19-28. [In Polish].

TZS publications in 2013

- TZS-2013-1 Badouin, H., Belkhir, K., Gregson, E., Galindo, J., Sundström, L., Martin, S. J., Butlin, R. K., & Smadja, C. M. (2013). Transcriptome characterisation of the ant *Formica exsecta* with new insights into the evolution of desaturase genes in social Hymenoptera. *PLoS One*, 8(7), e68200.
- TZS-2013-2 Brutemark, A., & Engström-Öst, J. M. (2013). Does the presence of zooplankton influence growth and toxin production of *Nodularia spumigena*? *International Review of Hydrobiology*, 98, 225-234.
- TZS-2013-3 Candolin, U., & Vlieger, L. (2013). Should Attractive Males Sneak: The Trade-Off between Current and Future Offspring. *PLoS One*, 8(3), e57992.
- TZS-2013-4 Candolin, U., & Vlieger, L. (2013). Estimating the Dynamics of Sexual Selection in Changing Environments. *Evolutionary Biology*, 40(4), 589-600.
- TZS-2013-5 Chernenko, A., Vidal-Garcia, M., Helanterä, H. O., & Sundström, L. (2013). Colony take-over and brood survival in temporary social parasites of the ant genus *Formica*. *Behavioral Ecology and Sociobiology*, 67(5), 727-735.
- TZS-2013-6 Czechowski, W., Marko, B., Radchenko, A., & Slipinski, P. (2013). Long-term partitioning of space between two territorial species of ants (Hymenoptera: Formicidae) and their effect on subordinate species. *European Journal of Entomology*, 110(2), 327-337.
- TZS-2013-7 Czechowski, W., Vepsäläinen, K., & Radchenko, A. (2013). Ants on skerries: *Lasius* assemblages along primary succession. *Insectes Sociaux*, 60(2), 147-153.
- TZS-2013-8 Ebert, D., Hottinger, J. W., & Pajunen, V. I. (2013). Unsuitable habitat patches lead to severe underestimation of dynamics and gene flow in a zooplankton metapopulation. *Journal of Animal Ecology*, 82, 759-769.

- TZS-2013-9 Engström-Öst, J., Autio, R., Setälä, O., Sopanen, S., & Suikkanen, S. (2013). Plankton community dynamics during decay of a cyanobacteria bloom: a mesocosm experiment. *Hydrobiologia*, 701, 25-35.
- TZS-2013-10 Engström-Öst, J., Repka, S., Brutemark, A., & Nieminen, A. (2013). Clay- and algae-induced effects on biomass, cell size and toxin concentration of a brackish-water cyanobacterium. *Hydrobiologia*, 714(1), 85-92.
- TZS-2013-11 Forsius, M., Anttila, S., Arvola, L., Bergström, I., Hakola, H., Heikkilä, H. I., Helenius, J., Hyvärinen, M., Jylhä, K., Karjalainen, J., Keskinen, T., Laine, K., Nikinmaa, E., Peltonen-Sainio, P., Rankinen, K., Reinikainen, M. J., Setälä, H. M., & Vuorenmaa, J. (2013). Impacts and adaptation options of climate change on ecosystem services in Finland: a model based study. *Current Opinion in Environmental Sustainability*, 5(1), 26-40.
- TZS-2013-12 Gorokhova, E., Löf, M., Reutgard, M., Lindström, M., & Sundelin, B. (2013). Exposure to contaminants exacerbates oxidative stress in amphipod *Monoporeia affinis* subjected to fluctuating hypoxia. *Aquatic Toxicology*, 127, 46-53.
- TZS-2013-13 Helenius, L. K., Borg, J., Nurminen, L., Leskinen, E., & Lehtonen, H. (2013). The effects of turbidity on prey consumption and selection of zooplanktivorous *Gasterosteus aculeatus* L. *Aquatic Ecology*, 47(3), 349-356.
- TZS-2013-14 Horppila, J., Kaitaranta, J., Joensuu, L., & Nurminen, L. (2013). Influence of emergent macrophyte (*Phragmites australis*) density on water turbulence and erosion of organic-rich sediment. *Journal of Hydrodynamics*, 2013(25), 288-293.
- TZS-2013-15 Humble, J. L., Hands, E., Saaristo, M., Lindström, K., Lehtonen, K. K., Diaz de Cerio, O., Cancio, I., Wilson, G., & Craft, J. A. (2013). Characterisation of genes transcriptionally upregulated in the liver of sand goby (*Pomatoschistus minutus*) by 17 alpha-ethinyloestradiol: Identification of distinct vitellogenin and zona radiata protein transcripts. *Chemosphere*, 90(11), 2722-2729.
- TZS-2013-16 Hälfors, H., Backer, H., Leppänen, J.-M., Hälfors, S., Hälfors, G., & Kuosa, H. (2013). The northern Baltic Sea phytoplankton communities in 1903-1911 and 1993-2005: a comparison of historical and modern species data. *Hydrobiologia*, 707(1), 109-133.
- TZS-2013-17 Hälfors, H. (2013). *Studies on dinoflagellates in the northern Baltic Sea*. PhD thesis, University of Helsinki, 71 pp.
- TZS-2013-18 Jaatinen, K., & Öst, M. (2013). Brood size matching: A novel perspective on predator dilution. *American Naturalist*, 181(2), 171-181.
- TZS-2013-19 Jaatinen, K., Seltmann, M. W., Hollmen, T., Atkinson, S., Mashburn, K., & Ost, M. (2013). Context dependency of baseline glucocorticoids as indicators of individual quality in a capital breeder. *General and Comparative Endocrinology*, 191, 231-238.

- TZS-2013-20 Jansson, A., Norkko, J., & Norkko, A. (2013). Effects of reduced pH on *Macoma balthica* larvae from a system with naturally fluctuating pH-dynamics. *PLoS One*, 8(6), [e68198].
- TZS-2013-21 Johansson, H., Dhaygude, K., Lindström, S., Helanterä, H. O., Sundström, L., & Trontti, K. (2013). A metatranscriptomic approach to the identification of microbiota associated with the ant *Formica exsecta*. *PLoS One*. 8(11), [e79777].
- TZS-2013-22 Kaitaranta, J., Nurminen, L., Niemistö, J., & Buhvestova, O. (2013). Quantifying sediment resuspension and internal phosphorus loading in shallow near-shore areas in the Gulf of Finland. *Boreal Environment Research*, 18, 473-487.
- TZS-2013-23 Katajisto, T., Karjala, L., & Lehtiniemi, M. (2013). Fifteen years after invasion: egg bank of the predatory cladoceran *Cercopagis pengoi* in the Baltic Sea. *Marine Ecology Progress Series*, 482, 81-92.
- TZS-2013-24 Katajisto, T., Kotta, J., Lehtiniemi, M., Malavin, S. A., & Panov, V. E. (2013). *Palaemon elegans* Rathke, 1837 (Caridea: Palaemonoidea: Palaemonidae) established in the Gulf of Finland. *BioInvasions Records*, 2, 125–132.
- TZS-2013-25 Kenning, M., & Harzsch, S. (2013). Brain anatomy of the marine isopod *Saduria entomon* Linnaeus, 1758 (Valvifera, Isopoda) with special emphasis on the olfactory pathway. *Frontiers in neuroanatomy*, 7.
- TZS-2013-26 Keränen, J., Ahkola, H., Knuutinen, J., Herve, S., Reinikainen, M., & Koistinen, J. (2013). Formation of PFOA from 8:2 FTOH in closed-bottle experiments with brackish water. *Environmental Science and Pollution Research International*, 20(11), 8001-8012.
- TZS-2013-27 Lehtonen, T. K., Lindstrom, K., & Wong, B. B. M. (2013). Effect of egg predator on nest choice and nest construction in sand gobies. *Animal Behaviour*, 86(4), 867-871.
- TZS-2013-28 Lignell, R. R., Haario, H., Laine, M., & Thingstad, T. F. (2013). Getting the "right" parameter values for models of the pelagic microbial food web. *Limnology and Oceanography*, 58(1), 301-313.
- TZS-2013-29 Lindström, K., & Lehtonen, T. K. (2013). Mate sampling and choosiness in the sand goby. *Proceedings of the Royal Society B. Biological Sciences*, 280, 20130983.
- TZS-2013-30 Majaneva, M. (2013). *Linking taxonomy and environmental 18S-rRNA-gene sequencing of Baltic Sea protists*. PhD thesis, University of Helsinki, 49 pp.
- TZS-2013-31 Marko, B., Czechowski, W., & Radchenko, A. (2013). Combining competition with predation: drastic effect of *Lasius fuliginosus* (Latr.) on subordinate ant species at the northern limit of its distribution. *Annales Zoologici (Warszawa)*, 63(1), 107-111.

- TZS-2013-32 Martin, S. J., Vitikainen, E., Shemilt, S., Drijfhout, F. P., & Sundström, L. (2013). Sources of variation in cuticular hydrocarbons in the ant *Formica exsecta*. *Journal of Chemical Ecology*, 39(11-12), 1415-1423.
- TZS-2013-33 Merkouriadi , I., Leppäranta, M., & Shirasawa, K. (2013). Seasonal and annual heat budgets offshore the Hanko Peninsula, Gulf of Finland. *Boreal Environment Research*, 18, 89-108.
- TZS-2013-34 Norkko, A., Villnäs, A., Norkko, J., Valanko, S., & Pilditch, C. (2013). Size matters: implications of the loss of large individuals for ecosystem function. *Scientific Reports*, 3, 2646.
- TZS-2013-35 Öst, M., & Jaatinen, K. (2013). Relative importance of social status and physiological need in determining leadership in a social forager. *PLoS One*, 8(5), [64778].
- TZS-2013-36 Ozan, M., Helanterä, H., & Sundström, L. (2013). The value of oviposition timing, queen presence and kinship in a social insect. *Proceedings of the Royal Society B. Biological Sciences*, 280, 20131231.
- TZS-2013-37 Pitkänen, H., Peuraniemi, M., Westerbom, M., Kilpi, M., & von Numers, M. (2013). Long-term changes in distribution and frequency of aquatic vascular plants and charophytes in an estuary in the Baltic Sea. *Annales Botanici Fennici*, 50 (Supplement A), 1-54.
- TZS-2013-38 Rousi, H., Laine, A. O., Peltonen, H., Kangas, P., Andersin, A-B., Rissanen, J., Sandberg-Kilpi, E., & Bonsdorff, E. (2013). Long-term changes in coastal zoobenthos in the northern Baltic Sea: the role of abiotic environmental factors. *ICES Journal of Marine Science*, 70, 440–451.
- TZS-2013-39 Ruuskanen, A., Karell, K. V., Viitasaari, S., Järvinen, L., & Kekäläinen, P. (2013). Environmental properties of the water-filled Ojamo limestone quarry, southern Finland. *Underwater Technology*, 31(4), 167-177.
- TZS-2013-40 Salonen, M., & Engstrom-Öst, J. (2013). Growth of pike larvae: effects of prey, turbidity and food quality. *Hydrobiologia*, 717(1), 169-175.
- TZS-2013-41 Schwenk, D., Seppälä, J., Spilling, K., Virkki, A., Tamminen, T., Oksman-Caldentey, K-M., & Rischer, H. (2013). Lipid content in 19 brackish and marine microalgae: influence of growth phase, salinity and temperature. *Aquatic Ecology*, 47(4), 415-424.
- TZS-2013-42 Seltmann, M. W., Jaatinen, K., Steele, B. B., & Öst, M. (2013). Boldness and stress responsiveness as drivers of nest-site selection in a ground-nesting bird. *Ethology*, 119, 1-13.
- TZS-2013-43 Suikkanen, S., Pulina, S., Engström-Öst, J., Lehtiniemi, M., Lehtinen, S., & Brutemark, A. (2013). Climate change and eutrophication induced shifts in northern summer plankton communities. *PLoS One*, 8(6), [e66475].

- TZS-2013-44 Tallberg, P., Lehtoranta, J., & Hietanen, S. (2013). Silicate release from sand-manipulated sediment cores: Biogenic or adsorbed Si? *Silicon*, 5(1), 67-74.
- TZS-2013-45 Tuomainen, U., & Candolin, U. (2013). Environmental change and extended phenotypes: Does eutrophication influence nest building in sticklebacks? *Ethology*, 119(6), 503-510.
- TZS-2013-46 Vehmaa, A., Högfors, H., Gorokhova, E., Brutemark, A., Holmborn, T., & Engström-Öst, J. M. (2013). Projected marine climate change: effects on copepod oxidative status and reproduction. *Ecology and Evolution*, 3(13), 4548-4557.
- TZS-2013-47 Villnäs, A., Norkko, J., Hietanen, S., Josefson, A., Lukkari, K., & Norkko, A. (2013). The role of recurrent disturbances for ecosystem multifunctionality. *Ecology*, 94, 2275-2287.
- TZS-2013-48 Villnäs, A. (2013). *Disturbance and ecosystem functioning – the role of changes in benthic biological traits*. PhD thesis, Åbo Akademi University, 48 pp.
- TZS-2013-49 Zak, P., Lindström, M., Demchuk, J., Donner, K., & Ostrovsky, M. (2013). The eye of the opossum shrimp *Mysis relicta* (Crustacea, Mysidae) contains two visual pigments located in different photoreceptor cells. *Doklady Biological Sciences*, 2013 / 449, 68-72.

TZS publications in 2014

- TZS-2014-1 Almén A-K, Vehmaa A, Brutemark A, Engström-Öst J (2014) Coping with climate change? Copepods experience drastic variations in their physicochemical environment on a diurnal basis. *Journal of Experimental Marine Biology and Ecology* 460:120-128
- TZS-2014-2 Asmala E (2014) Transformation and removal of riverine dissolved organic matter in Baltic Sea estuaries. PhD thesis, University of Helsinki, 26 pp.
- TZS-2014-3 Asmala E, Bowers DG, Autio R, Kaartokallio H, Thomas DN (2014) Qualitative changes of riverine dissolved organic matter at low salinities due to flocculation. *Journal of Geophysical Research: Biogeosciences* 119:1919-1933
- TZS-2014-4 Belikov N, Yakovleva M, Feldman T, Demina O, Khodonov A, Lindström M, Donner K, Ostrovsky M (2014) Lake and sea populations of *Mysis relicta* (Crustacea, Mysida) with different visual-pigment absorbance spectra use the same A1 chromophore. *PLoS One* 9(2):e88107
- TZS-2014-5 Borg J, Westerbom M, Lehtonen H (2014) Sex-specific distribution and diet of *Platichthys flesus* at the end of spawning in the northern Baltic Sea. *Journal of Fish Biology* 84:937-951
- TZS-2014-6 Candolin U, Nieminen A, Nyman J (2014) Indirect effects of human-induced environmental change on offspring production mediated by behavioural responses. *Oecologia* 174:87-97
- TZS-2014-7 Carstensen J, Conley DJ, Bonsdorff E, Gustafsson BG, Hietanen S, Janas U,

- Jilbert T, Maximov A, Norkko A, Norkko J, Reed DC, Slomp CP, Timmermann K, Voss M (2014) Hypoxia in the Baltic Sea: Biogeochemical cycles, benthic fauna, and management. *Ambio* 43:26-36
- TZS-2014-8 Engstrom-Öst J, Holmborn T, Brutemark A, Hogfors H, Vehmaa A, Gorokhova E (2014) The effects of short-term pH decrease on the reproductive output of the copepod *Acartia bifilosa* - a laboratory study. *Marine and Freshwater Behaviour and Physiology* 47:173-183
- TZS-2014-9 Freitak D, Bos N, Stucki D, Sundström L (2014) Inbreeding-related trade-offs in stress resistance in the ant *Formica exsecta*. *Biology Letters* 10
- TZS-2014-10 Gustafsson C, Boström C (2014) Algal mats reduce eelgrass (*Zostera marina* L.) growth in mixed and monospecific meadows. *Journal of Experimental Marine Biology and Ecology* 461:85-92
- TZS-2014-11 Hogfors H, Motwani NH, Hajdu S, El-Shehawy R, Holmborn T, Vehmaa A, Engström-Öst J, Brutemark A, Gorokhova E (2014) Bloom-Forming Cyanobacteria Support Copepod Reproduction and Development in the Baltic Sea. *PLoS One* 9(11):e112692
- TZS-2014-12 Humble JL, Saaristo M, Lindstrom K, Lehtonen KK, Craft JA (2014) Effects of 17 alpha-ethinyl estradiol exposure on estrogen receptors alpha and beta and vitellogenins A, B and C mRNA expression in the liver of sand goby (*Pomatoschistus minutus*). *Marine Environmental Research* 96:12-18
- TZS-2014-13 Jaatinen K, Seltmann MW, Öst M (2014) Context-dependent stress responses and their connections to fitness in a landscape of fear. *Journal of Zoology* 294:147-153
- TZS-2014-14 Jungerstam J, Erlandsson J, McQuaid CD, Porri F, Westerbom M, Kraufvelin P (2014) Is habitat amount important for biodiversity in rocky shore systems? A study of South African mussel assemblages. *Marine Biology* 161:1507-1519
- TZS-2014-15 Kennedy P, Uller T, Helanterä H (2014) Are ant supercolonies crucibles of a new major transition in evolution? *Journal of Evolutionary Biology* 27:1784-1796
- TZS-2014-16 Kremp A, Tahvanainen P, Litaker W, Krock B, Suikkanen S, Leaw CP, Tomas C (2014) Phylogenetic relationships, morphological variation, and toxin patterns in the *Alexandrium ostenfeldii* (Dinophyceae) complex: implications for species boundaries and identities. *Journal of Phycology* 50:81-100
- TZS-2014-17 Kulmuni J, Pamilo P (2014) Introgression in hybrid ants is favored in females but selected against in males. *Proceedings of the National Academy of Sciences of the United States of America* 111:12805-12810
- TZS-2014-18 Larsson K, Hajdu S, Kilpi M, Larsson R, Leito A, Lyngs P (2014) Effects of an extensive *Prymnesium polylepis* bloom on breeding eiders in the Baltic Sea. *Journal of Sea Research* 88:21-28
- TZS-2014-19 Lohr JN, David P, Haag CR (2014) Reduced lifespan and increased ageing driven by genetic drift in small populations. *Evolution* 68:2494-2508
- TZS-2014-20 Luhtanen A-M, Eronen-Rasimus E, Kaartokallio H, Rintala J-M, Autio R, Roine E (2014) Isolation and characterization of phage-host systems from the Baltic Sea ice. *Extremophiles* 18:121-130
- TZS-2014-21 Luijckx P, Duneau D, Andras JP, Ebert D (2014) Cross-species infection trials

- reveal cryptic parasite varieties and a putative polymorphism shared among host species. *Evolution* 68:577-586
- TZS-2014-22 Majaneva M, Remonen I, Rintala J-M, Belevich I, Kremp A, Setälä O, Jokitalo E, Blomster J (2014) *Rhinomonas nottbecki* n. sp (Cryptomonadales) and molecular phylogeny of the family Pyrenomonadaceae. *Journal of Eukaryotic Microbiology* 61:480-492
- TZS-2014-23 Majaneva S (2014) Understanding the biodiversity and ecological importance of ctenophores - Lessons from Arctic and Baltic *Mertensia ovum*. PhD thesis, University of Helsinki, 74 pp.
- TZS-2014-24 Merkouriadi I (2014) The influence of seasonal sea ice on the physics of the coastal waters – Gulf of Finland. PhD thesis, University of Helsinki, 32 pp.
- TZS-2014-25 Merkouriadi I, Leppäranta M (2014) Long-term analysis of hydrography and sea-ice data in Tvärminne, Gulf of Finland, Baltic Sea. *Climatic Change* 124:849-859
- TZS-2014-26 Morandin C, Havukainen H, Kulmuni J, Dhaygude K, Trontti K, Helanterä H (2014) Not only for egg yolk - functional and evolutionary insights from expression, selection, and structural analyses of *Formica* ant vitellogenins. *Molecular Biology and Evolution* 31:2181-2193
- TZS-2014-27 Rakko A, Seppälä J (2014) Effect of salinity on the growth rate and nutrient stoichiometry of two Baltic Sea filamentous cyanobacterial species. *Estonian Journal of Ecology* 63:55-70
- TZS-2014-28 Rintala J-M, Piiparinen J, Blomster J, Majaneva M, Müller S, Uusikivi J, Autio R (2014) Fast direct melting of brackish sea-ice samples results in biologically more accurate results than slow buffered melting. *Polar Biology* 37:1811-1822
- TZS-2014-29 Rodrigues ASB, Silva SE, Marabuto E, Silva DN, Wilson MR, Thompson V, Yurtsever S, Halkka A, Borges PAV, Quartau JA, Paulo OS, Seabra SG (2014) New mitochondrial and nuclear evidences support recent demographic expansion and an atypical phylogeographic pattern in the spittlebug *Philaenus spumarius* (Hemiptera, Aphrophoridae). *PLoS One* 9(6):e98375
- TZS-2014-30 Sainmont J, Gislason A, Heuschele J, Webster CN, Sylvander P, Wang M, Varpe O (2014) Inter- and intra-specific diurnal habitat selection of zooplankton during the spring bloom observed by Video Plankton Recorder. *Marine Biology* 161:1931-1941
- TZS-2014-31 Schultner E, Gardner A, Karhunen M, Helanterä H (2014) Ant larvae as players in social conflict: Relatedness and individual identity mediate cannibalism intensity. *The American Naturalist* 184:E161-E174
- TZS-2014-32 Seltman M (2014) Of milquetoasts and daredevils? Personalities in female eiders. PhD thesis, Åbo Akademi University, 55 pp.
- TZS-2014-33 Setälä O, Fleming-Lehtinen V, Lehtiniemi M (2014) Ingestion and transfer of microplastics in the planktonic food web. *Environmental Pollution* 185:77-83
- TZS-2014-34 Setälä O, Lehtinen S, Kremp A, Hakanen P, Kankaanpää H, Erler K, Suikkanen S (2014) Bioaccumulation of PSTs produced by *Alexandrium ostenfeldii* in the northern Baltic Sea. *Hydrobiologia* 726:143-154
- TZS-2014-35 Snelgrove PVR, Thrush SF, Wall DH, Norkko A (2014) Real world biodiversity-ecosystem functioning: a seafloor perspective. *Trends in Ecology & Evolution*

29:398-405

- TZS-2014-36 Sobrino C, Segovia M, Neale PJ, Mercado JM, Garcia-Gomez C, Kulk G, Lorenzo MR, Camarena T, van de Poll WH, Spilling K, Ruan Z (2014) Effect of CO₂, nutrients and light on coastal plankton. IV. Physiological responses. *Aquatic Biology* 22:77-93
- TZS-2014-37 Spilling K, Kremp A, Klais R, Olli K, Tamminen T (2014) Spring bloom community change modifies carbon pathways and C : N : P : Chl *a* stoichiometry of coastal material fluxes. *Biogeosciences* 11:7275-7289
- TZS-2014-38 Voigt H-R (2014) Concentrations of lead in some coastal fishes from the Baltic Sea. *Estonian Journal of Ecology* 63:39-52
- TZS-2014-39 Vuorinen PJ, Kiviranta H, Koistinen J, Pöyhönen O, Ikonen E, Keinänen M (2014) Organohalogen concentrations and feeding status in Atlantic salmon (*Salmo salar* L.) of the Baltic Sea during the spawning run. *Science of the Total Environment* 468:449-456
- TZS-2014-40 Ylöstalo P, Kallio K, Seppälä J (2014) Absorption properties of in-water constituents and their variation among various lake types in the boreal region. *Remote Sensing of Environment* 148:190-205

TZS publications in 2015

- TZS-2015-1 Bos N, Sundström L, Fuchs S, Freitak D. 2015. Ants medicate to fight disease. *Evolution* 69:2979-2984.
- TZS-2015-2 Brutemark A, Engstrom-Öst J, Vehmaa A, Gorokhova E. 2015a. Growth, toxicity and oxidative stress of a cultured cyanobacterium (*Dolichospermum* sp.) under different CO₂/pH and temperature conditions. *Phycological Research* 63:56-63.
- TZS-2015-3 Brutemark A, Vandannoote A, Engstrom-Öst J, Suikkanen S. 2015b. A less saline Baltic Sea promotes cyanobacterial growth, hampers intracellular microcystin production, and leads to strain-specific differences in allelopathy. *PLoS One* 10:e0128904.
- TZS-2015-4 Budria A. 2015. Swimming through troubled waters. Eutrophication of the Baltic Sea and parasites of the threespine stickleback. PhD thesis, University of Helsinki, 26 pp.
- TZS-2015-5 Budria A, Candolin U. 2015a. Do algae blooms dilute the risk of trematode infections in threespine sticklebacks? *Current Zoology* 61:991-995.
- TZS-2015-6 Budria A, Candolin U. 2015b. Human-induced eutrophication maintains high parasite prevalence in breeding threespine stickleback populations. *Parasitology* 142:719-727.
- TZS-2015-7 Candolin U, Tukiainen L. 2015. The sexual selection paradigm: have we overlooked other mechanisms in the evolution of male ornaments? *Proceedings of the Royal Society B* 282:20151987.
- TZS-2015-8 Díaz ER, Erlandsson J, Westerbom M, Kraufvelin P. 2015. Depth-related spatial patterns of sublittoral blue mussel beds and their associated macrofaunal diversity revealed by geostatistical analyses. *Marine Ecology Progress Series* 540:121-134.

- TZS-2015-9 Duffy JE, Reynolds PL, Boström C, Coyer JA, Cusson M, Donadi S, Douglass JG, Eklöf JS, Engelen AH, Eriksson BK, Fredriksen S, Gamfeldt L, Gustafsson C, Hoarau G, Hori M, Hovel K, Iken K, Lefcheck JS, Moksnes PO, Nakaoka M, O'Connor MI, Olsen JL, Richardson JP, Ruesink JL, Sotka EE, Thormar J, Whalen MA, Stachowicz JJ. 2015. Biodiversity mediates top-down control in eelgrass ecosystems: a global comparative-experimental approach. *Ecology Letters* 18:696-705.
- TZS-2015-10 Enberg S, Piiparinne J, Majaneva M, Vähäalo AV, Autio R, Rintala JM. 2015. Solar PAR and UVR modify the community composition and photosynthetic activity of sea ice algae. *Fems Microbiology Ecology* 91:fiv102.
- TZS-2015-11 Engström-Öst J, Brutemark A, Vehmaa A, Motwani NH, Katajisto T. 2015a. Consequences of a cyanobacteria bloom for copepod reproduction, mortality and sex ratio. *Journal of Plankton Research* 37:388-398.
- TZS-2015-12 Engström-Öst J, Rasic IS, Brutemark A, Rancken R, Simic GS, Laugen AT. 2015b. Can *Cylindrospermopsis raciborskii* invade the Baltic Sea? *Environmental Reviews* 23:161-169.
- TZS-2015-13 Eronen-Rasimus E. 2015. Ice formation, growth and associated substrate supply determine sea-ice bacterial community dynamics. PhD thesis, University of Helsinki, 37 pp.
- TZS-2015-14 Eronen-Rasimus E, Lyra C, Rintala JM, Jürgens K, Ikonen V, Kaartokallio H. 2015. Ice formation and growth shape bacterial community structure in Baltic Sea drift ice. *Fems Microbiology Ecology* 91.
- TZS-2015-15 Fox AD, Jónsson JE, Aarvak T, Bregnalle T, Christensen TK, Clausen KK, Clausen P, Dalby L, Holm TE, Pavón-Jordan D, Laursen K, Lehtinen A, Lorentsen SH, Møller AP, Nordström M, Öst M, Söderquist P, Therkildsen OR. 2015. Current and potential threats to Nordic duck populations - a horizon scanning exercise. *Annales Zoologici Fennici* 52:193-220.
- TZS-2015-16 Heino J, Melo AS, Siqueira T, Soininen J, Valanko S, Bini LM. 2015. Metacommunity organisation, spatial extent and dispersal in aquatic systems: patterns, processes and prospects. *Freshwater Biology* 60:845-869.
- TZS-2015-17 Helanterä H, d'Ettorre P. 2015. A comparative study of egg recognition signature mixtures in *Formica* ants. *Evolution* 69:520-529.
- TZS-2015-18 Helenius L. 2015. The role of zooplankton in littoral communities: diversity and food web interactions in the Baltic Sea. PhD thesis, University of Helsinki, 80 pp.
- TZS-2015-19 Helenius LK, Padrós AA, Leskinen E, Lehtonen H, Nurminen L. 2015. Strategies of zooplanktivory shape the dynamics and diversity of littoral plankton communities: a mesocosm approach. *Ecology and Evolution* 5:2021-2035.
- TZS-2015-20 Hobson KA, Jaatinen K, Öst M. 2015. Differential contributions of endogenous and exogenous nutrients to egg components in wild Baltic Common Eiders (*Somateria mollissima*): A test of alternative stable isotope approaches. *The Auk* 132:624-633.
- TZS-2015-21 Hopkins J, Baudry G, Candolin U, Kaitala A. 2015. I'm sexy and I glow it: female ornamentation in a nocturnal capital breeder. *Biology Letters* 11:20150599.
- TZS-2015-22 Hosia A, Augustin CB, Dinasquet J, Granhag L, Paulsen ML, Riemann L, Rintala JM, Setälä O, Talvitie J, Titelman J. 2015. Autumnal bottom-up and top-down

impacts of *Cyanea capillata*: a mesocosm study. *Journal of Plankton Research* 37:1042-1055.

- TZS-2015-23 Jansson A, Norkko J, Dupont S, Norkko A. 2015. Growth and survival in a changing environment: Combined effects of moderate hypoxia and low pH on juvenile bivalve *Macoma balthica*. *Journal of Sea Research* 102:41-47.
- TZS-2015-24 Jokinen H, Wennhage H, Lappalainen A, Ådgers K, Rask M, Norkko A. 2015a. Decline of flounder (*Platichthys flesus* (L.)) at the margin of the species' distribution range. *Journal of Sea Research* 105:1-9.
- TZS-2015-25 Jokinen H, Wennhage H, Ollus V, Aro E, Norkko A. 2015b. Juvenile flatfish in the northern Baltic Sea - long-term decline and potential links to habitat characteristics. *Journal of Sea Research* 107:67-75.
- TZS-2015-26 Kauppi L, Norkko A, Norkko J. 2015. Large-scale species invasion into a low-diversity system: spatial and temporal distribution of the invasive polychaetes *Marenzelleria* spp. in the Baltic Sea. *Biological Invasions* 17:2055-2074.
- TZS-2015-27 Kenning M, Lehmann P, Lindström M, Harzsch S. 2015. Heading which way? Y-maze chemical assays: not all crustaceans are alike. *Helgoland Marine Research* 69:305-311.
- TZS-2015-28 Lange B, Kaufmann AP, Ebert D. 2015. Genetic, ecological and geographic covariables explaining host range and specificity of a microsporidian parasite. *Journal of Animal Ecology* 84:1711-1719.
- TZS-2015-29 Lehtonen TK, Kvarnemo C. 2015a. Density effects on fish egg survival and infections depend on salinity. *Marine Ecology Progress Series* 540:183-191.
- TZS-2015-30 Lehtonen TK, Kvarnemo C. 2015b. Infections may select for filial cannibalism by impacting egg survival in interactions with water salinity and egg density. *Oecologia* 178:673-683.
- TZS-2015-31 Lehtonen TK, Kvarnemo C. 2015c. Odour cues from suitors' nests determine mating success in a fish. *Biology Letters* 11.
- TZS-2015-32 Lehtonen TK, Lindström K, Wong BBM. 2015. Body size mediates social and environmental effects on nest building behaviour in a fish with paternal care. *Oecologia* 178:699-706.
- TZS-2015-33 Lindén A, Rapeli L, Brutemark A. 2015. Community attachment and municipal economy: Public attitudes towards wind power in a local context. *Environmental Science & Policy* 54:10-14.
- TZS-2015-34 Lohr JN, Haag CR. 2015. Genetic load, inbreeding depression, and hybrid vigor covary with population size: An empirical evaluation of theoretical predictions. *Evolution* 69:3109-3122.
- TZS-2015-35 Majaneva M, Hyttiäinen K, Varvio SL, Nagai S, Blomster J. 2015. Bioinformatic amplicon read processing strategies strongly affect eukaryotic diversity and the taxonomic composition of communities. *PLoS One* 10:e0130035.
- TZS-2015-36 Maximov A, Bonsdorff E, Eremina T, Kauppi L, Norkko A, Norkko J. 2015. Context-dependent consequences of *Marenzelleria* spp. (Spionidae: Polychaeta) invasion for nutrient cycling in the Northern Baltic Sea. *Oceanologia* 57:342-348.

- TZS-2015-37 Merkouriadi I, Leppäranta M. 2015. Influence of sea ice on the seasonal variability of hydrography and heat content in Tvärminne, Gulf of Finland. *Annals of Glaciology* 56:274-284.
- TZS-2015-38 Michailova P, Hirvenoja M. 2015. Larval morphology and karyotype of Chironomid larvae (Diptera, Chironomidae) from the brackish water of Tvärminne area, Finland. *Comptes rendus de l'Academie bulgare des Sciences* 68:729-736.
- TZS-2015-39 Morandin C, Dhaygude K, Paviala J, Trontti K, Wheat C, Helanterä H. 2015. Caste-biases in gene expression are specific to developmental stage in the ant *Formica exsecta*. *Journal of Evolutionary Biology* 28:1705-1718.
- TZS-2015-40 Müller S. 2015. Dissolved organic matter in sea ice; from biogeochemical processes during ice formation to bio-optical modelling. PhD thesis, University of Helsinki, 43 pp.
- TZS-2015-41 Mustamäki N, Jokinen H, Scheinin M, Bonsdorff E, Mattila J. 2015. Seasonal small-scale variation in distribution among depth zones in a coastal Baltic Sea fish assemblage. *ICES Journal of Marine Science* 72:2374-2384.
- TZS-2015-42 Nagai S, Yasuike M, Nakamura Y, Tahvanainen P, Kremp A. 2015. Development of ten microsatellite markers for *Alexandrium ostenfeldii*, a bloom-forming dinoflagellate producing diverse phycotoxins. *Journal of Applied Phycology* 27:2333-2339.
- TZS-2015-43 Norkko J, Gammal J, Hewitt JE, Josefson AB, Carstensen J, Norkko A. 2015. Seafloor ecosystem function relationships: *In situ* patterns of change across gradients of increasing hypoxic stress. *Ecosystems* 18:1424-1439.
- TZS-2015-44 Öst M, Jaatinen K. 2015. Smart and safe? Antipredator behavior and breeding success are related to head size in a wild bird. *Behavioral Ecology* 26:1371-1378.
- TZS-2015-45 Öst M, Seltmann MW, Jaatinen K. 2015. Personality, body condition and breeding experience drive sociality in a facultatively social bird. *Animal Behaviour* 100:166-173.
- TZS-2015-46 Paul AJ, Bach LT, Schulz KG, Boxhammer T, Czerny J, Achterberg EP, Hellemann D, Trencse Y, Nausch M, Sswat M, Riebesell U. 2015. Effect of elevated CO₂ on organic matter pools and fluxes in a summer Baltic Sea plankton community. *Biogeosciences* 12:6181-6203.
- TZS-2015-47 Piiparinens J, Enberg S, Rintala JM, Sommaruga R, Majaneva M, Autio R, Vähätalo AV. 2015. The contribution of mycosporine-like amino acids, chromophoric dissolved organic matter and particles to the UV protection of sea-ice organisms in the Baltic Sea. *Photochemical & Photobiological Sciences* 14:1025-1038.
- TZS-2015-48 Pilditch CA, Valanko S, Norkko J, Norkko A. 2015. Post-settlement dispersal: the neglected link in maintenance of soft-sediment biodiversity. *Biology Letters* 11:20140795.
- TZS-2015-49 Roulin AC, Mariadassou M, Hall MD, Walser JC, Haag C, Ebert D. 2015. High genetic variation in resting-stage production in a metapopulation: Is there evidence for local adaptation? *Evolution* 69:2747-2756.
- TZS-2015-50 Ruuskanen AT, Kraufvelin P, Alvik R, Díaz ER, Honkonen J, Kanerva J, Karell K, Kekäläinen R, Lappalainen J, Mikkola R, Mustasaari T, Nappu N, Nieminen A, Roininen J, Svahnback K. 2015. Benthic conditions around a historic shipwreck:

- Vrouw Maria* (1771) in the northern Baltic proper. *Continental Shelf Research* 98:1-12.
- TZS-2015-51 Scheinin M, Riebesell U, Rynearson TA, Lohbeck KT, Collins S. 2015. Experimental evolution gone wild. *Journal of the Royal Society Interface* 12.
- TZS-2015-52 Sencilo A, Luhtanen AM, Saarijärvi M, Bamford DH, Roine E. 2015. Cold-active bacteriophages from the Baltic Sea ice have diverse genomes and virus-host interactions. *Environmental Microbiology* 17:3628-3641.
- TZS-2015-53 Sjöqvist C. 2015. Genetic diversity and phenotypic variability of phytoplankton populations in the Baltic Sea. PhD thesis, Åbo Akademi University, 71 pp.
- TZS-2015-54 Sohel S, Lindström K. 2015. Algal turbidity reduces risk assessment ability of the three-spined stickleback. *Ethology* 121:548-555.
- TZS-2015-55 Spilling K, Ylöstalo P, Simis S, Seppälä J. 2015. Interaction effects of light, temperature and nutrient limitations (N, P and Si) on growth, stoichiometry and photosynthetic parameters of the cold-water diatom *Chaetoceros wighamii*. *PLoS One* 10:e0126308.
- TZS-2015-56 Valanko S, Heino J, Wester bom M, Viitasalo M, Norkko A. 2015a. Complex metacommunity structure for benthic invertebrates in a low-diversity coastal system. *Ecology and Evolution* 5:5203-5215.
- TZS-2015-57 Valanko S, Norkko J, Norkko A. 2015b. Does stability in local community composition depend on temporal variation in rates of dispersal and connectivity? *Journal of Sea Research* 98:24-32.
- TZS-2015-58 Vetterli A, Hyttiainen K, Ahjos M, Auvinen P, Paulin L, Hietanen S, Leskinen E. 2015. Seasonal patterns of bacterial communities in the coastal brackish sediments of the Gulf of Finland, Baltic Sea. *Estuarine Coastal and Shelf Science* 165:86-96.
- TZS-2015-59 Viitasalo M, Blenckner T, Gårdmark A, Kaartokallio H, Kautsky L, Kuosa H, Lindegren M, Norkko A, Olli K, Wikner J. 2015. Environmental impacts - marine ecosystems. Pages 363-380 in The BACC II Author Team, editors. Second assessment of climate change for the Baltic Sea basin. Springer Open.
- TZS-2015-60 Villnäs A, Hewitt J, Norkko A. 2015. Evaluating the performance of benthic multi-metric indices across broad-scale environmental gradients. *Ecological Indicators* 58:382-391.
- TZS-2015-61 Vitikainen EIK, Haag-Liautard C, Sundstroem L. 2015. Natal Dispersal, Mating Patterns, and Inbreeding in the Ant *Formica exsecta*. *American Naturalist* 186:716-727.
- TZS-2015-62 Webb A. 2015. The effects of elevated CO₂ and ocean acidification on the production of marine biogenic trace gases. PhD thesis, University of East Anglia, 392 pp.
- TZS-2015-63 Webster CN, Hansson S, Didrikas T, Gorokhova E, Peltonen H, Brierley AS, Lehtiniemi M. 2015a. Stuck between a rock and a hard place: zooplankton vertical distribution and hypoxia in the Gulf of Finland, Baltic Sea. *Marine Biology* 162:1429-1440.
- TZS-2015-64 Webster CN, Varpe O, Falk-Petersen S, Berge J, Stübner E, Brierley A. 2015b. Moonlit swimming: vertical distributions of macrozooplankton and nekton during the polar night. *Polar Biology* 38:75-85.

TZS-2015-65 Wong BBM, Candolin U. 2015. Behavioral responses to changing environments. *Behavioral Ecology* 26:665-673.

TZS publications in 2016

- TZS-2016-1 Almén A-K, Vehmaa A, Brutemark A, Bach L, Lischka S, Stuhr A, Furuhagen S, Paul A, Bermudez JR, Riebesell U, Engström-Öst J. 2016. Negligible effects of ocean acidification on *Eurytemora affinis* (Copepoda) offspring production. *Biogeosciences* 13:1037-1048.
- TZS-2016-2 Asmala E, Kaartokallio H, Carstensen J, Thomas DN. 2016. Variation in riverine inputs affect dissolved organic matter characteristics throughout the estuarine gradient. *Frontiers in Marine Science* 2:125.
- TZS-2016-3 Bermúdez R, Winder M, Stuhr A, Almén AK, Engström-Öst J, Riebesell U. 2016. Effect of ocean acidification on the structure and fatty acid composition of a natural plankton community in the Baltic Sea. *Biogeosciences* 13:6625-6635.
- TZS-2016-4 Bernard G, Duchene J-C, Romero-Ramirez A, Lecroart P, Maire O, Ciutat A, Deflandre B, Grémare A. 2016. Experimental assessment of the effects of temperature and food availability on particle mixing by the bivalve *Abra alba* using new image analysis techniques. *PLoS One* 11(4):e0154270.
- TZS-2016-5 Bos N, Pulliainen U, Sundström L, Freitak D. 2016. Starvation resistance and tissue-specific gene expression of stress-related genes in a naturally inbred ant population. *Royal Society Open Science* 3:160062.
- TZS-2016-6 Candolin U, Johanson A, Budria A. 2016a. The influence of stickleback on the accumulation of primary production: a comparison of field and experimental data. *Estuaries and Coasts* 39:248-257.
- TZS-2016-7 Candolin U, Tukiainen I, Bertell E. 2016b. Environmental change disrupts communication and sexual selection in a stickleback population. *Ecology* 97:969-979.
- TZS-2016-8 Deal NDS, Gravolin I, Wong BBM. 2016. The influence of parental status on courtship effort in a paternal caring fish. *Ethology* 122:902-911.
- TZS-2016-9 Donner K, Zak P, Viljanen M, Lindström M, Feldman T, Ostrovsky M. 2016. Eye spectral sensitivity in fresh- and brackish-water populations of three glacial-relict *Mysis* species (Crustacea). *Journal of Comparative Physiology A*. 202:297-312.
- TZS-2016-10 Eronen-Rasimus E, Piiparinen J, Karkman A, Lyra C, Gerland S, Kaartokallio H. 2016. Bacterial communities in Arctic first-year drift ice during the winter/spring transition. *Environmental microbiology reports* 8:527-535.
- TZS-2016-11 Fenstad A. 2016. Pollutant levels, antioxidants and potential genotoxic effects in incubating female common eiders (*Somateria mollissima*). PhD thesis, Norges teknisk-naturvitenskapelige universitet.
- TZS-2016-12 Fenstad AA, Bustnes JO, Bingham CG, Öst M, Jaatinen K, Moe B, Hanssen SA, Moody AJ, Gabrielsen KM, Herzke D, Lierhagen S, Jenssen BM, Krokje A. 2016a. DNA double-strand breaks in incubating female common eiders (*Somateria mollissima*): Comparison between a low and a high polluted area. *Environmental Research* 151:297-303.

- TZS-2016-13 Fenstad AA, Jenssen BM, Gabrielsen KM, Öst M, Jaatinen K, Bustnes JO, Hanssen SA, Moe B, Herzke D, Krokje A. 2016b. Persistent organic pollutant levels and the importance of source proximity in Baltic and Svalbard breeding common eiders. *Environmental Toxicology and Chemistry* 35:1526-1533.
- TZS-2016-14 Fenstad AA, Moody AJ, Öst M, Jaatinen K, Bustnes JO, Moe B, Hanssen SA, Gabrielsen KM, Herzke D, Lierhagen S, Jenssen BM, Krokje A. 2016c. Antioxidant responses in relation to persistent organic pollutants and metals in a low- and a high-exposure population of seabirds. *Environmental Science & Technology* 50:4817-4825.
- TZS-2016-15 Gustafsson C, Norkko A. 2016. Not all plants are the same: Exploring metabolism and nitrogen fluxes in a benthic community composed of different aquatic plant species. *Limnology and Oceanography* 61:1787-1799.
- TZS-2016-16 Helanterä H, Kulmuni J, Pamilo P. 2016. Sex allocation conflict between queens and workers in *Formica pratensis* wood ants predicts seasonal sex ratio variation. *Evolution* 70:2387-2394.
- TZS-2016-17 Hewitt JE, Norkko J, Kauppi L, Villnäs A, Norkko A. 2016. Species and functional trait turnover in response to broad-scale change and an invasive species. *Ecosphere* 7:e01289.
- TZS-2016-18 Hoikkala L, Tammert H, Lignell R, Eronen-Rasimus E, Spilling K, Kisand V. 2016. Autochthonous dissolved organic matter drives bacterial community composition during a bloom of filamentous cyanobacteria. *Frontiers in Marine Science* 3:111.
- TZS-2016-19 Holman L, Trontti K, Helanterä H. 2016. Queen pheromones modulate DNA methyltransferase activity in bee and ant workers. *Biology Letters* 12:20151038.
- TZS-2016-20 Jaatinen K, Öst M. 2016. Brain size-related breeding strategies in a seabird. *Oecologia* 180:67-76.
- TZS-2016-21 Jaatinen K, Öst M, Hobson KA. 2016. State-dependent capital and income breeding. *Frontiers in Zoology* 13:24.
- TZS-2016-22 Jansson A, Lischka S, Boxhammer T, Schulz KG, Norkko J. 2016. Survival and settling of larval *Macoma balthica* in a large-scale mesocosm experiment at different $f\text{CO}_2$ levels. *Biogeosciences* 13:3377-3385.
- TZS-2016-23 Johnson MD, Beaudoin DJ, Laza-Martinez A, Dyhrman ST, Fensin E, Lin S, Merculief A, Nagai S, Pompeu M, Setälä O, Stoecker DK. 2016. The genetic diversity of *Mesodinium* and associated cryptophytes. *Frontiers in Microbiology* 7:2017.
- TZS-2016-24 Kaartokallio H, Asmala E, Autio R, Thomas DN. 2016. Bacterial production, abundance and cell properties in boreal estuaries. *Aquatic Sciences* 78:525-540.
- TZS-2016-25 Kalb N, Lindström K, Sprenger D, Anthes N, Heubel KU. 2016. Male personality and female spawning consistency in a goby with exclusive male care. *Behavioral Ecology and Sociobiology* 70:683-693.
- TZS-2016-26 Kremp A, Oja J, LeTortorec AH, Hakanen P, Tahvanainen P, Tuimala J, Suikkanen S. 2016. Diverse seed banks favour adaptation of microalgal populations to future climate conditions. *Environmental Microbiology* 18:679-691.

- TZS-2016-27 Le Tortorec AH, Tahvanainen P, Kremp A, Simis SGH. 2016. Diversity of luciferase sequences and bioluminescence production in Baltic Sea *Alexandrium ostenfeldii*. *European Journal of Phycology* 51:317-327.
- TZS-2016-28 Lehtonen TK, Wong BBM, Kvarnemo C. 2016. Effects of salinity on nest-building behaviour in a marine fish. *BMC Ecology* 16:7.
- TZS-2016-29 Lindholm-Lehto PC, Ahkola HSJ, Knuutinen JS, Koistinen J, Lahti K, Vahtera H, Herve SH. 2016. Suitability of passive sampling for the monitoring of pharmaceuticals in Finnish surface waters. *Environmental Science and Pollution Research* 23:18043-18054.
- TZS-2016-30 Lohrer AM, Townsend M, Hailes SF, Franco Rodil I, Cartner K, Pratt DR, Hewitt JE. 2016. Influence of New Zealand cockles (*Austrovenus stutchburyi*) on primary productivity in sandflat-seagrass (*Zostera muelleri*) ecotones. *Estuarine, Coastal and Shelf Science* 181:238-248.
- TZS-2016-31 Morandin C, Tin MMY, Abril S, Gomez C, Pontieri L, Schiott M, Sundström L, Tsuji K, Pedersen JS, Helanterä H, Mikheyev AS. 2016. Comparative transcriptomics reveals the conserved building blocks involved in parallel evolution of diverse phenotypic traits in ants. *Genome Biology* 17:43.
- TZS-2016-32 Mück IS. 2016. The role of an environmental gradient in driving population divergence in common gobies (*Pomatoschistus microps*). PhD thesis, Universität Tübingen, 142 pp.
- TZS-2016-33 Mueller S, Vähäalto AV, Uusikivi J, Majaneva MAM, Majaneva S, Autio R, Rintala J-M. 2016. Primary production calculations for sea ice from bio-optical observations in the Baltic Sea. *Elementa: Science of the Anthropocene* 4:1-21.
- TZS-2016-34 Mustamäki N, Jokinen H, Matias S, Bonsdorff E, Mattila J. 2016. Seasonal shifts in the vertical distribution of fish in a shallow coastal area. *ICES Journal of Marine Science* 73:2278-2287.
- TZS-2016-35 Nausch M, Bach LT, Czerny J, Goldstein J, Grossart H-P, Hellemann D, Hornick T, Achterberg EP, Schulz K-G, Riebesell U. 2016. Effects of CO₂ perturbation on phosphorus pool sizes and uptake in a mesocosm experiment during a low productive summer season in the northern Baltic Sea. *Biogeosciences* 13:3035-3050.
- TZS-2016-36 Neggazi SA, Noreikiene K, Öst M, Jaatinen K. 2016. Reproductive investment is connected to innate immunity in a long-lived animal. *Oecologia* 182:347-356.
- TZS-2016-37 Noreikiene K. 2016. Physiological stress and life-history strategies in the eider (*Somateria mollissima*). PhD thesis, University of Helsinki, 42 pp.
- TZS-2016-38 Orsini L, Gilbert D, Podicheti R, Jansen M, Brown JB, Solari OS, Spanier KI, Colbourne JK, Rush D, Decaestecker E, Asselman J, De Schampheleere KAC, Ebert D, Haag CR, Kvist J, Laforsch C, Petrusek A, Beckerman AP, Little TJ, Chaturvedi A, Pfrender ME, De Meester L, Frilander MJ. 2016. *Daphnia magna* transcriptome by RNA-Seq across 12 environmental stressors. *Scientific data* 3:160030.
- TZS-2016-39 Öst M, Lehikoinen A, Pöysä H, Lindén A. 2016a. European ducks in a changing world. *Ornis Fennica* 93:1-2.
- TZS-2016-40 Öst M, Ramula S, Lindén A, Karell P, Kilpi M. 2016b. Small-scale spatial and temporal variation in the demographic processes underlying the large-scale decline of eiders in the Baltic Sea. *Population Ecology* 58:121-133.

- TZS-2016-41 Pamilo PK, Seppä PV, Helanterä HO. 2016. Population genetics of wood ants. Pages 51-80. In: Wood ant ecology and conservation. Cambridge University Press.
- TZS-2016-42 Paul AJ, Achterberg EP, Bach LT, Boxhammer T, Czerny J, Haunost M, Schulz K-G, Stuhr A, Riebesell U. 2016. No observed effect of ocean acidification on nitrogen biogeochemistry in a summer Baltic Sea plankton community. *Biogeosciences* 13:3901-3913.
- TZS-2016-43 Puntila R. 2016. Trophic interactions and impacts of non-indigenous species in Baltic Sea coastal ecosystems. PhD thesis, University of Helsinki, 48 pp.
- TZS-2016-44 Putkuri N, Kantele A, Levanov L, Kivistö I, Brummer-Korvenkontio M, Vaheri A, Vapalahti O. 2016. Acute Human Inkoo and Chatanga Virus Infections, Finland. *Emerging Infectious Diseases* 22:810-817.
- TZS-2016-45 Rodil IF, Jaramillo E, Acuna E, Manzano M, Velasquez C. 2016. Long-term responses of sandy beach crustaceans to the effects of coastal armouring after the 2010 Maule earthquake in South Central Chile. *Journal of Sea Research* 108:10-18.
- TZS-2016-46 Romero-Ramirez A, Grémare A, Bernard G, Pascal L, Maire O, Duchene JC. 2016. Development and validation of a video analysis software for marine benthic applications. *Journal of Marine Systems* 162:4-17.
- TZS-2016-47 Salo T, Gustafsson C. 2016. The effect of genetic diversity on ecosystem functioning in vegetated coastal ecosystems. *Ecosystems* 19:1429-1444.
- TZS-2016-48 Schultner EK, Saramäki J, Helanterä HO. 2016. Genetic structure of native ant supercolonies varies in space and time. *Molecular Ecology* 25:6196-6213.
- TZS-2016-49 Setälä O, Norkko J, Lehtiniemi M. 2016. Feeding type affects microplastic ingestion in a coastal invertebrate community. *Marine Pollution Bulletin* 102:95-101.
- TZS-2016-50 Spilling K, Paul AJ, Virkkala N, Hastings T, Lischka S, Stuhr A, Bermudez R, Czerny J, Boxhammer T, Schulz KG, Ludwig A, Riebesell U. 2016a. Ocean acidification decreases plankton respiration. *Biogeosciences* 13:4707-4719.
- TZS-2016-51 Spilling K, Schulz KG, Paul AJ, Boxhammer T, Achterberg EP, Hornick T, Lischka S, Stuhr A, Bermudez R, Czerny J, Crawfurd K, Brussard CPD, Grossart H-P, Riebesell U. 2016b. Effects of ocean acidification on pelagic carbon fluxes in a mesocosm experiment. *Biogeosciences* 13:6081-6093.
- TZS-2016-52 Vallon M, Anthes N, Heubel KU. 2016a. Water mold infection but not paternity induces selective filial cannibalism in a goby. *Ecology and Evolution* 6:7221-7229.
- TZS-2016-53 Vallon M, Grom C, Kalb N, Sprenger D, Anthes N, Lindström K, Heubel KU. 2016b. You eat what you are. *Ecology and Evolution* 6:1340-1352.
- TZS-2016-54 Vallon M, Heubel KU. 2016. Old but gold: males preferentially cannibalize young eggs. *Behavioral Ecology and Sociobiology* 70:569-573.
- TZS-2016-55 Vehmaa A, Almén A-K, Brutemark A, Paul A, Riebesell U, Furuhagen S, Engström-Öst J. 2016. Ocean acidification challenges copepod phenotypic plasticity. *Biogeosciences* 13:6171-6182.
- TZS-2016-56 Vetterli A, Hietanen S, Leskinen E. 2016. Spatial and temporal dynamics of ammonia oxidizers in the sediments of the Gulf of Finland, Baltic Sea. *Marine Environmental Research* 113:153-163.

- TZS-2016-57 Webb AL, Leedham-Elvidge E, Hughes C, Hopkins FE, Malin G, Bach LT, Schulz K, Crawfurd K, Brussaard CPD, Stuhr A, Riebesell U, Liss PS. 2016. Effect of ocean acidification and elevated $f\text{CO}_2$ on trace gas production by a Baltic Sea summer phytoplankton community. *Biogeosciences* 13:4595-4613.
- TZS-2016-58 Wolf JI. 2016. Genetic and behavioural divergence of queen size morphs in the red ant *Myrmica ruginodis*. PhD thesis, University of Helsinki, 28 pp.
- TZS-2016-59 Wolf JI, Seppä PV. 2016. Dispersal and mating in a size-dimorphic ant. *Behavioral Ecology and Sociobiology* 70:1267-1276.
- TZS-2016-60 Ylöstalo P, Seppälä J, Kaitala S, Maunula P, Simis S. 2016. Loadings of dissolved organic matter and nutrients from the Neva River into the Gulf of Finland - Biogeochemical composition and spatial distribution within the salinity gradient. *Marine Chemistry* 186:58-71.

TZS publications 2017

- TZS-2017-1 Almén A-K. 2017. Copepods in a changing sea: Ocean acidification, long-term changes and short-term variability. PhD thesis, Åbo Akademi University, 33 pp.
- TZS-2017-2 Almén A-K, Brutemark A, Jutfelt F, Riebesell U, Engström-Öst J. 2017. Ocean acidification causes no detectable effect on swimming activity and body size in a common copepod. *Hydrobiologia* 802:235-243.
- TZS-2017-3 Andersen JH, Carstensen J, Conley DJ, Dromph K, Fleming-Lehtinen V, Gustafsson BG, Josefson AB, Norkko A, Villnäs A, Murray C. 2017. Long-term temporal and spatial trends in eutrophication status of the Baltic Sea. *Biological Reviews* 92:135-149.
- TZS-2017-4 Bento G, Routtu J, Fields PD, Bourgeois Y, Du Pasquier L, Ebert D. 2017. The genetic basis of resistance and matching-allele interactions of a host-parasite system. *PLoS Genetics* 13.
- TZS-2017-5 Beresford J, Elias M, Pluckrose L, Sundström L, Butlin RK, Pamilo P, Kulmuni J. 2017. Widespread hybridization within mound-building wood ants in Southern Finland results in cytonuclear mismatches and potential for sex-specific hybrid breakdown. *Molecular Ecology* 26:4013-4026.
- TZS-2017-6 Deal NDS, Lehtonen TK, Lindström K, Wong BBM. 2017. Paternal investment with an uncertain future. *Animal Behaviour* 132:81-90.
- TZS-2017-7 Dhaygude KU, Trontti NK, Paviala JK, Morandin CM, Wheat CW, Sundström LB, Helanterä HO. 2017. Transcriptome sequencing reveals high isoform diversity in the ant *Formica exsecta*. *PeerJ* 5.
- TZS-2017-8 Enberg SS. 2017. Natural succession of microalgal communities during the cold-water season and the impact of increased solar irradiance on sea ice algae. PhD thesis, University of Helsinki, 50 pp.
- TZS-2017-9 Engström-Öst J, Barrett N, Brutemark A, Vehmaa A, Dwyer A, Almén A-K, De Stasio BT. 2017. Feeding, survival, and reproduction of two populations of *Eurytemora* (Copepoda) exposed to local toxic cyanobacteria. *Journal of Great Lakes Research* 43:1091-1100.
- TZS-2017-10 Eronen-Rasimus E, Luhtanen A-M, Rintala J-M, Delille B, Dieckmann G, Karkman A, Tison J-L. 2017. An active bacterial community linked to high chl-a concentrations in Antarctic winter-pack ice and evidence for the

- development of an anaerobic sea-ice bacterial community. *ISME Journal* 11:2345-2355.
- TZS-2017-11 Fenstad AA, Bustnes JO, Lierhagen S, Gabrielsen KM, Öst M, Jaatinen K, Hanssen SA, Moe B, Jenssen BM, Krokje A. 2017. Blood and feather concentrations of toxic elements in a Baltic and an Arctic seabird population. *Marine Pollution Bulletin* 114:1152-1158.
- TZS-2017-12 Gammal J, Norkko J, Pilditch CA, Norkko A. 2017. Coastal hypoxia and the importance of benthic macrofauna communities for ecosystem functioning. *Estuaries and Coasts* 40:457-468.
- TZS-2017-13 Glippa O, Brutemark A, Johnson J, Spilling K, Candolin U, Engström-Öst J. 2017. Early development of the threespine stickleback in relation to water pH. *Frontiers in Marine Science* 4.
- TZS-2017-14 Griffiths JR, Kadin M, Nascimento FJA, Tamelander T, Törnroos A, Bonaglia S, Bonsdorff E, Bruchert V, Gårdmark A, Järnström M, Kotta J, Lindegren M, Nordström MC, Norkko A, Olsson J, Weigel B, Zydelis R, Blenckner T, Niiranen S, Winder M. 2017. The importance of benthic-pelagic coupling for marine ecosystem functioning in a changing world. *Global Change Biology* 23:2179-2196.
- TZS-2017-15 Grubisic LM, Bertilsson S, Eiler A, Heinrich F, Brutemark A, Alonso-Saez L, Andersson AF, Gantner S, Riemann L, Beier S. 2017. Lake bacterioplankton dynamics over diurnal timescales. *Freshwater Biology* 62:191-204.
- TZS-2017-16 Helenius LK, Leskinen ET, Lehtonen HVT, Nurminen LKL. 2017. Spatial patterns of littoral zooplankton assemblages along a salinity gradient in a brackish sea. *Estuarine, Coastal and Shelf Science* 198:400-412.
- TZS-2017-17 Helenius LK, Saiz E. 2017. Feeding behaviour of the nauplii of the marine calanoid copepod *Paracartia grani* Sars. *PLoS One* 12.
- TZS-2017-18 Hornick T, Bach LT, Crawfurd KJ, Spilling K, Achterberg EP, Woodhouse JN, Schulz KG, Brussaard CPD, Riebesell U, Grossart H-P. 2017. Ocean acidification impacts bacteria-phytoplankton coupling at low-nutrient conditions. *Biogeosciences* 14:1-15.
- TZS-2017-19 Hrustic E, Lignell R, Riebesell U, Thingstad TF. 2017. Exploring the distance between nitrogen and phosphorus limitation in mesotrophic surface waters using a sensitive bioassay. *Biogeosciences* 14:379-387.
- TZS-2017-20 Jansson A. 2017. Ocean acidification in the Baltic Sea – Implications for the bivalve *Macoma balthica*. PhD thesis, Åbo Akademi University, 47 pp.
- TZS-2017-21 Kauppi L, Norkko J, Ikonen J, Norkko A. 2017. Seasonal variability in ecosystem functions: quantifying the contribution of invasive species to nutrient cycling in coastal ecosystems. *Marine Ecology. Progress Series* 572:193-207.
- TZS-2017-22 Lehikoinen P, Lehikoinen A, Mikkola-Roos M, Jaatinen K. 2017. Counteracting wetland overgrowth increases breeding and staging bird abundances. *Scientific Reports* 7.
- TZS-2017-23 Lischka S, Bach LT, Schulz K-G, Riebesell U. 2017. Ciliate and mesozooplankton community response to increasing CO₂ levels in the Baltic Sea. *Biogeosciences* 14:447-466.
- TZS-2017-24 Lucena-Moya P, Duggan IC. 2017. Correspondence between zooplankton assemblages and the Estuary Environment Classification system. *Estuarine, Coastal and Shelf Science* 184:1-9.
- TZS-2017-25 Lucena-Moya P, Gascon S, Boix D, Pardo I, Sala J, Quintana XD. 2017. Crustacean assemblages of coastal wetlands from fragmented and scarcely

- isolated islands compared with the mainland. *Marine and Freshwater Research* 68:889-899.
- TZS-2017-26 Luhtanen AM. 2017. Virus-host systems in sea ice. PhD thesis, University of Helsinki, 47 pp.
- TZS-2017-27 Majaneva M, Blomster J, Mueller S, Autio R, Majaneva S, Hyytiainen K, Nagai S, Rintala J-M. 2017. Sea-ice eukaryotes of the Gulf of Finland, Baltic Sea, and evidence for herbivory on weakly shade-adapted ice algae. *European Journal of Protistology* 57:1-15.
- TZS-2017-28 Momigliano P, Jokinen H, Fraimout A, Florin A-B, Norkko A, Merilä J. 2017. Extraordinarily rapid speciation in a marine fish. *Proceedings of the National Academy of Sciences of the United States of America* 114:6074-6079.
- TZS-2017-29 Morandin C, Mikheyev AS, Pedersen JS, Helanterä H. 2017. Evolutionary constraints shape caste-specific gene expression across 15 ant species. *Evolution* 71:1273-1284.
- TZS-2017-30 Nääkki P, Setälä O, Lehtiniemi M. 2017. Bioturbation transports secondary microplastics to deeper layers in soft marine sediments of the northern Baltic Sea. *Marine Pollution Bulletin* 119:255-261.
- TZS-2017-31 Noreikiene K, Öst M, Seltmann MW, Boner W, Monaghan P, Jaatinen K. 2017. Nest cover and faecal glucocorticoid metabolites are linked to hatching success and telomere length in breeding Common Eiders (*Somateria mollissima*). *Canadian Journal of Zoology* 95:695-703.
- TZS-2017-32 Rodil IF, Lucena-Moya P, Jokinen HM, Ollus V, Wennhage H, Villnäs APM, Norkko A. 2017. The role of dispersal mode and habitat specialization for metacommunity structure of shallow beach invertebrates. *PLoS One* 12.
- TZS-2017-33 Sampaio E, Franco Rodil I, Vaz-Pinto F, Fernandez A, Arenas F. 2017. Interaction strength between different grazers and macroalgae mediated by ocean acidification over warming gradients. *Marine Environmental Research* 125:25-33.
- TZS-2017-34 Schultner E, Oettler J, Helanterä H. 2017. The role of brood in eusocial hymenoptera. *Quarterly Review of Biology* 92:39-78.
- TZS-2017-35 Sohel S, Mattila J, Lindström K. 2017. Effects of turbidity on prey choice of three-spined stickleback *Gasterosteus aculeatus*. *Marine Ecology. Progress Series* 566:159-167.
- TZS-2017-36 Strelkov P, Katolikova M, Vainola R. 2017. Temporal change of the Baltic Sea-North Sea blue mussel hybrid zone over two decades. *Marine Biology* 164.
- TZS-2017-37 Stucki D. 2017. Individual stress-resistance in the ant *Formica exsecta*. PhD thesis, University of Helsinki, 38 pp.
- TZS-2017-38 Stucki D, Freitak D, Sundstrom L. 2017. Survival and gene expression under different temperature and humidity regimes in ants. *PLoS One* 12.
- TZS-2017-39 Stucki D, Sundstrom L, Freitak D. 2017. Caste-specific expression of constitutive and Beauveria bassiana induced immunity in the ant *Formica exsecta* (Hymenoptera). *Myrmecological news* 25:83-93.
- TZS-2017-40 Suutari M, Leskinen E, Spilling K, Kostamo K, Seppala J. 2017. Nutrient removal by biomass accumulation on artificial substrata in the northern Baltic Sea. *Journal of Applied Phycology* 29:1707-1720.
- TZS-2017-41 Takolander AA, Leskinen ET, Cabeza-Jaimejan MDM. 2017. Synergistic effects of extreme temperature and low salinity on foundational macroalga *Fucus vesiculosus* in the northern Baltic Sea. *Journal of Experimental Marine Biology and Ecology* 495:110-118.

- TZS-2017-42 Tallberg P, Heiskanen A-S, Niemistö J, Hall POJ, Lehtoranta J. 2017. Are benthic fluxes important for the availability of Si in the Gulf of Finland? *Journal of Marine Systems* 171:89-100.
- TZS-2017-43 Tamelander T, Spilling K, Winder M. 2017. Organic matter export to the seafloor in the Baltic Sea: Drivers of change and future projections. *Ambio* 46:842-851.
- TZS-2017-44 Thomas DN, Kaartokallio H, Tedesco L, Majaneva MAM, Piiparinen J, Eronen-Rasimus E, Rintala J-M, Kuosa H, Blomster LJ, Vainio J, Granskog MA. 2017. Life associated with Baltic Sea ice. Pp. 333-357. *Biological Oceanography of the Baltic Sea*. Springer.
- TZS-2017-45 Tison JL, Schwegmann S, Dieckmann G, Rintala JM, Meyer H, Moreau S, Vancoppenolle M, Nomura D, Engberg S, Blomster LJ, Hendrickx S, Uhlig C, Luhtanen AM, de Jong J, Janssens J, Carnat G, Zhou J, Delille B. 2017. Biogeochemical impact of snow cover and cyclonic intrusions on the winter Weddell Sea ice pack. *Journal of Geophysical Research - Oceans* 122:9548-9571.
- TZS-2017-46 Viljanen MLM, Nevala NE, Calais-Grano CL, Lindstrom KMW, Donner K. 2017. Increasing the illumination slowly over several weeks protects against light damage in the eyes of the crustacean *Mysis relicta*. *Journal of Experimental Biology* 220:2798-2808.
- TZS-2017-47 Virta L, Soininen J. 2017. Distribution patterns of epilithic diatoms along climatic, spatial and physicochemical variables in the Baltic Sea. *Helgoland Marine Research* 71.

TZS publications 2018

- TZS-2018-1 Alvarez-Fernandez S, Bach LT, Taucher J, Riebesell U, Sommer U, Aberle N, Brussaard CPD, Boersma M. 2018. Plankton responses to ocean acidification: The role of nutrient limitation. *Progress in Oceanography* 165:11-18.
- TZS-2018-2 Angove C, Norkko A, Gustafsson C. 2018. Assessing the efficiencies and challenges for nutrient uptake by aquatic plants. *Journal of Experimental Marine Biology and Ecology* 507:23-30.
- TZS-2018-3 Asmala E, Haraguchi L, Jakobsen HH, Massicotte P, Carstensen J. 2018. Nutrient availability as major driver of phytoplankton-derived dissolved organic matter transformation in coastal environment. *Biogeochemistry* 137:93-104.
- TZS-2018-4 Asmala E, Haraguchi L, Markager S, Massicotte P, Riemann B, Staehr PA, Carstensen J. 2018. Eutrophication leads to accumulation of recalcitrant autochthonous organic matter in coastal environment. *Global Biogeochemical Cycles* 32:1673-1687.
- TZS-2018-5 Attard KM, Søgaard DH, Piontek J, Lange BA, Katlein C, Sørensen HL, McGinnis DF, Rovelli L, Rysgaard S, Wenzhofer F, Glud RN. 2018. Oxygen fluxes beneath Arctic land-fast ice and pack ice: towards estimates of ice productivity. *Polar Biology* 41:2119-2134.
- TZS-2018-6 Booksmythe I, Gerber N, Ebert D, Kokko H. 2018. Daphnia females adjust sex allocation in response to current sex ratio and density. *Ecology Letters* 21:629-637.
- TZS-2018-7 Brandão LPM, Brighenti LS, Staehr PA, Asmala E, Massicotte P, Tonetta D, Barbosa FAR, Pujoni D, Bezerra-Neto JF. 2018. Distinctive effects of allochthonous and autochthonous organic matter on CDOM spectra in a tropical lake. *Biogeosciences* 15:2931-2943.
- TZS-2018-8 Camarena-Gomez MT, Lipsewers T, Piiparinen J, Eronen-Rasimus E, Perez-Quemalinos D, Hoikkala L, Sobrino C, Spilling K. 2018. Shifts in phytoplankton community structure modify bacterial production, abundance and community composition. *Aquatic Microbial Ecology* 81:149-170.

- TZS-2018-9 Carstensen J, Chierici M, Gustafsson BG, Gustafsson E. 2018. Long-term and seasonal trends in estuarine and coastal carbonate systems. *Global Biogeochemical Cycles* 32:497-513.
- TZS-2018-10 Cummings VJ, Hewitt JE, Thrush SF, Marriott PM, Halliday NJ, Norkko A. 2018. Linking Ross Sea coastal benthic communities to environmental conditions: Documenting baselines in a spatially variable and changing world. *Frontiers in Marine Science* 5:232-232.
- TZS-2018-11 Darwall W, Bremerich V, De Wever A, Dell AI, Freyhof J, Gessner MO, Grossart HP, Harrison I, Irvine K, Jahnig SC, Jeschke JM, Lee JJ, Lu C, Lewandowska AM, Monaghan MT, Nejstgaard JC, Patricio H, Schmidt-Kloiber A, Stuart SN, Thieme M, Tockner K, Turak E, Weyl O. 2018. The Alliance for Freshwater Life: A global call to unite efforts for freshwater biodiversity science and conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems* 28:1015-1022.
- TZS-2018-12 Enberg S, Majaneva M, Autio R, Blomster J, Rintala JM. 2018. Phases of microalgal succession in sea ice and the water column in the Baltic Sea from autumn to spring. *Marine Ecology Progress Series* 599:19-34.
- TZS-2018-13 Fransner F, Gustafsson E, Tedesco L, Vichi M, Hordoir R, Roquet F, Spilling K, Kuznetsov I, Eilola K, Mörth CM, Humborg C, Nylander J. 2018. Non-redfieldian dynamics explain seasonal pCO₂ drawdown in the Gulf of Bothnia. *Journal of Geophysical Research-Oceans* 123:166-188.
- TZS-2018-14 Fuchs S, Sundström L, Bos N, Stucki D, Freitak D. 2018. Induced immune responses in *Formica fusca* (Hymenoptera: Formicidae). *Myrmecological news* 28:53-66.
- TZS-2018-15 Gerber N, Kokko H, Ebert D, Booksmythe I. 2018. *Daphnia* invest in sexual reproduction when its relative costs are reduced. *Proceedings of the Royal Society B-Biological Sciences* 285.
- TZS-2018-16 Glippa O, Engström-Öst J, Kanerva M, Rein A, Vuori K. 2018. Oxidative stress and antioxidant defense responses in *Acartia* copepods in relation to environmental factors. *PLoS One* 13.
- TZS-2018-17 Hakala SM, Seppä P, Heikkilä M, Punttila P, Sorvari J, Helanterä H. 2018. Genetic analysis reveals Finnish *Formica fennica* populations do not form a separate genetic entity from *F. exsecta*. *PeerJ* 6.
- TZS-2018-18 Hansen G, Daugbjerg N, Moestrup O. 2018. The rainwater rock-pool dinoflagellate *Nottbeckia ochracea* gen. et comb. nov (syn.: *Hemidinium ochraceum*) - A fine-structural and molecular study with emphasis on the motile stage. *Protist* 169:280-306.
- TZS-2018-19 Heubel K. 2018. Female mating competition alters female mating preferences in common gobies. *Current Zoology* 64:351-361.
- TZS-2018-20 Hopkins J. 2018. The costs and consequences of female sexual signals. PhD thesis, University of Oulu, 41 pp.
- TZS-2018-21 Jacobsen L, Engström-Öst J. 2018. Coping with environments; vegetation, turbidity and abiotics. Pages 32-61 in P. A. Nilsson and C. Skov, editors. *Biology and Ecology of Pike*. Boca Raton: CRC Press.
- TZS-2018-22 Jager HI, Novello RC, Dale VH, Villnäs A, Rose KA. 2018. Unnatural hypoxic regimes. *Ecosphere* 9.
- TZS-2018-23 Jilbert T, Asmala E, Schröder C, Tiihonen R, Myllykangas JP, Virtasalo JJ, Kotilainen A, Peltola P, Ekholm P, Hietanen S. 2018. Impacts of flocculation on the distribution and diagenesis of iron in boreal estuarine sediments. *Biogeosciences* 15:1243-1271.
- TZS-2018-24 Joensuu M, Pilditch CA, Harris R, Hietanen S, Pettersson H, Norkko A. 2018. Sediment properties, biota, and local habitat structure explain variation in the erodibility of coastal sediments. *Limnology and Oceanography* 63:173-186.
- TZS-2018-25 Johansson H, Seppä P, Helanterä E, Trontti K, Sundström L. 2018. Weak population structure in the ant *Formica fusca*. *PeerJ* 6.

- TZS-2018-26 Karvonen A, Lindström K. 2018. Spatiotemporal and gender-specific parasitism in two species of gobiid fish. *Ecology and Evolution* 8:6114-6123.
- TZS-2018-27 Kauppi L. 2018. Exploring the unknown in a well-known system: Ecology and ecosystem effects of the invasive polychaete genus *Marenzelleria* spp. in the northern Baltic Sea. PhD thesis, University of Helsinki, 60 pp.
- TZS-2018-28 Kauppi L, Bernard G, Bastrop R, Norkko A, Norkko J. 2018. Increasing densities of an invasive polychaete enhance bioturbation with variable effects on solute fluxes. *Scientific Reports* 8.
- TZS-2018-29 Kauppi L, Norkko A, Norkko J. 2018. Seasonal population dynamics of the invasive polychaete genus *Marenzelleria* spp. in contrasting soft-sediment habitats. *Journal of Sea Research* 131:46-60.
- TZS-2018-30 Kilpi M, Jaatinen K, Öst M. 2018. Suomen haahkakannan kato – mitä oikein tapahtui? *Suomen Riista* 64:7-20.
- TZS-2018-31 Koistinen J, Sjöblom M, Spilling K. 2017. Determining inorganic and organic carbon. Pages 1-8 in Methods in Molecular Biology. Humana Press.
- TZS-2018-32 Koistinen J, Sjöblom M, Spilling K. 2017. Determining inorganic and organic phosphorus. Pages 1-8 in Methods in Molecular Biology. Humana Press.
- TZS-2018-33 Koistinen J, Sjöblom M, Spilling K. 2018. Determining inorganic and organic nitrogen. Pages 1-10 in Methods in Molecular Biology. Humana Press.
- TZS-2018-34 Koistinen J, Sjöblom M, Spilling K. 2018. Determining dissolved and biogenic silica. Pages 1-7 in Methods in Molecular Biology. Humana Press.
- TZS-2018-35 Kraufvelin P, Pekcan-Hekim Z, Bergström U, Florin AB, Lehikoinen A, Mattila J, Arula T, Briekmane L, Brown EJ, Celmer Z, Dainys J, Jokinen H, Kääria P, Kallasvuo M, Lappalainen A, Lozys L, Möller P, Orio A, Rohtla M, Saks L, Snickars M, Støttrup J, Sundblad G, Taal I, Ustups D, Verliin A, Vetemaa M, Winkler H, Wozniczka A, Olsson J. 2018. Essential coastal habitats for fish in the Baltic Sea. *Estuarine Coastal and Shelf Science* 204:14-30.
- TZS-2018-36 Larsson J, Smolarz K, Swiezak J, Turower M, Czerniawska N, Grahn M. 2018. Multi biomarker analysis of pollution effect on resident populations of blue mussels from the Baltic Sea. *Aquatic Toxicology* 198:240-256.
- TZS-2018-37 Lastra M, Lopez J, Rodil IF. 2018. Warming intensify CO₂ flux and nutrient release from algal wrack subsidies on sandy beaches. *Global Change Biology* 24:3766-3779.
- TZS-2018-38 Lehtiniemi M, Hartikainen S, Näkki P, Engström-Öst J, Koistinen A, Setälä O. 2018. Size matters more than shape: Ingestion of primary and secondary microplastics by small predators. *Food Webs* 16:e00097.
- TZS-2018-39 Lehtonen TK, Vesakoski O, Yli-Rosti J, Saarinen A, Lindström K. 2018. The impact of an invasive mud crab on brood success of nest-building fish in the Northern Baltic Sea. *Biological Invasions* 20:981-993.
- TZS-2018-40 Lenz M, Ahmed Y, Canning-Clode J, Diaz E, Eichhorn S, Fabritzek AG, da Gama BAP, Garcia M, von Juterzenka K, Kraufvelin P, Machura S, Oberschelp L, Paiva F, Penna MA, Ribeiro FV, Thiel M, Wohlgemuth D, Zamani NP, Wahl M. 2018. Heat challenges can enhance population tolerance to thermal stress in mussels: a potential mechanism by which ship transport can increase species invasiveness. *Biological Invasions* 20:3107-3122.
- TZS-2018-41 Lindström S, Rowe O, Timonen S, Sundström L, Johansson H. 2018. Trends in bacterial and fungal communities in ant nests observed with Terminal-Restriction Fragment Length Polymorphism (T-RFLP) and Next Generation Sequencing (NGS) techniques-validity and compatibility in ecological studies. *PeerJ* 6:5289.
- TZS-2018-42 Lipsewers T, Spilling K. 2018. Microzooplankton, the missing link in Finnish plankton monitoring programs. *Boreal Environment Research* 23:127-137.

- TZS-2018-43 Luhtanen AM, Eronen-Rasimus E, Oksanen HM, Tison JL, Delille B, Dieckmann GS, Rintala JM, Bamford DH. 2018. The first known virus isolates from Antarctic sea ice have complex infection patterns. *Fems Microbiology Ecology* 94:fify028.
- TZS-2018-44 Markussen T, Happel EM, Teikari JE, Huchaiah V, Alneberg J, Andersson AF, Sivonen K, Riemann L, Middelboe M, Kisand V. 2018. Coupling biogeochemical process rates and metagenomic blueprints of coastal bacterial assemblages in the context of environmental change. *Environmental Microbiology* 20:3083-3099.
- TZS-2018-45 McCrackin ML, Gustafsson BG, Hong B, Howarth RW, Humborg C, Savchuk OP, Svanbäck A, Swaney DP. 2018. Opportunities to reduce nutrient inputs to the Baltic Sea by improving manure use efficiency in agriculture. *Regional Environmental Change* 18:1843-1854.
- TZS-2018-46 McCrackin ML, Müller-Karulis B, Gustafsson BG, Howarth RW, Humborg C, Svanbäck A, Swaney DP. 2018. A century of legacy phosphorus dynamics in a large drainage basin. *Global Biogeochemical Cycles* 32:1107-1122.
- TZS-2018-47 Meier HEM, Edman MK, Eilola KJ, Placke M, Neumann T, Andersson HC, Brunnabend SE, Dieterich C, Frauen C, Friedland R, Gröger M, Gustafsson BG, Gustafsson E, Isaev A, Kniebusch M, Kuznetsov I, Müller-Karulis B, Omstedt A, Ryabchenko V, Saraiva S, Savchuk OP. 2018. Assessment of eutrophication abatement scenarios for the Baltic Sea by multi-model ensemble simulations. *Frontiers in Marine Science* 5:440.
- TZS-2018-48 Momigliano P, Denys GPJ, Jokinen H, Merilä J. 2018. *Platichthys solemdali* sp. nov. (Actinopterygii, Pleuronectiformes): A new flounder species from the Baltic Sea. *Frontiers in Marine Science* 5:225.
- TZS-2018-49 Morandin C, Pulliainen U, Bos N, Schultner E. 2018. *De novo* transcriptome assembly and its annotation for the black ant *Formica fusca* at the larval stage. *Scientific data* 5:180282.
- TZS-2018-50 Mück I, Heubel KU. 2018. Ecological variation along the salinity gradient in the Baltic Sea Area and its consequences for reproduction in the common goby. *Current Zoology* 64:259-270.
- TZS-2018-51 Nausch M, Achterberg EP, Bach LT, Brussaard CPD, Crawfurd KJ, Fabian J, Riebesell U, Stuhr A, Unger J, Wannicke N. 2018. Concentrations and uptake of dissolved organic phosphorus compounds in the Baltic Sea. *Frontiers in Marine Science* 5:386.
- TZS-2018-52 Niemistö J, Kononets M, Ekeroth N, Tallberg P, Tengberg A, Hall POJ. 2018. Benthic fluxes of oxygen and inorganic nutrients in the archipelago of Gulf of Finland, Baltic Sea - Effects of sediment resuspension measured in situ. *Journal of Sea Research* 135:95-106.
- TZS-2018-53 Öst M, Lindén A, Karell P, Ramula S, Kilpi M. 2018. To breed or not to breed: drivers of intermittent breeding in a seabird under increasing predation risk and male bias. *Oecologia* 188:129-138.
- TZS-2018-54 Pulliainen U, Bos N, d'Ettorre P, Sundström L. 2018. Caste-dependent brood retrieval by workers in the ant *Formica exsecta*. *Animal Behaviour* 140:151-159.
- TZS-2018-55 Railo S, Talvitie J, Setälä O, Koistinen A, Lehtiniemi M. 2018. Application of an enzyme digestion method reveals microlitter in *Mytilus trossulus* at a wastewater discharge area. *Marine Pollution Bulletin* 130:206-214.
- TZS-2018-56 Ramula S, Öst M, Lindén A, Karell P, Kilpi M. 2018. Increased male bias in eider ducks can be explained by sex-specific survival of prime-age breeders. *PLoS One* 13:e0195415.
- TZS-2018-57 Rodil IF, Lucena-Moya P, Lastra M. 2018. The importance of environmental and spatial factors in the metacommunity dynamics of exposed sandy beach benthic invertebrates. *Estuaries and Coasts* 41:206-217.
- TZS-2018-58 Rovelli L, Attard KM, Heppell CM, Binley A, Trimmer M, Glud RN. 2018. Headwater gas exchange quantified from O₂ mass balances at the reach scale. *Limnology and Oceanography: Methods* 16:696-709.

- TZS-2018-59 Snelgrove PVR, Soetaert K, Solan M, Thrush S, Wei CL, Danovaro R, Fulweiler RW, Kitazato H, Ingole B, Norkko A, Parkes RJ, Volkenborn N. 2018. Global carbon cycling on a heterogeneous seafloor. *Trends in Ecology & Evolution* 33:96-105.
- TZS-2018-60 Spilling K, Olli K, Lehtoranta J, Kremp A, Tedesco L, Tamelander T, Klais R, Peltonen H, Tamminen T. 2018. Shifting diatom-dinoflagellate dominance during spring bloom in the Baltic Sea and its potential effects on biogeochemical cycling. *Frontiers in Marine Science* 5:327.
- TZS-2018-61 Staehr PA, Asmala E, Carstensen J, Krause-Jensen D, Reader H. 2018. Ecosystem metabolism of benthic and pelagic zones of a shallow productive estuary: spatio-temporal variability. *Marine Ecology Progress Series* 601:15-32.
- TZS-2018-62 Takolander A. 2018. Assessing the effects of climate change on Baltic Sea macroalgae – implications for the foundation species *Fucus vesiculosus* L. PhD thesis, University of Helsinki, 60 pp.
- TZS-2018-63 Van Colen C, Jansson A, Saunier A, Lacoue-Labathe T, Vincx M. 2018. Biogeographic vulnerability to ocean acidification and warming in a marine bivalve. *Marine Pollution Bulletin* 126:308-311.
- TZS-2018-64 Vehmaa A, Katajisto T, Candolin U. 2018. Long-term changes in a zooplankton community revealed by the sediment archive. *Limnology and Oceanography* 63:2126-2139.
- TZS-2018-65 Viljanen M. 2018. Adaptation to environmental light conditions in mysid shrimps. PhD thesis, University of Helsinki, 62 pp.
- TZS-2018-66 Villnäs A, Hewitt J, Snickars M, Westerbom M, Norkko A. 2018. Template for using biological trait groupings when exploring large-scale variation in seafloor multifunctionality. *Ecological Applications* 28:78-94.
- TZS-2018-67 von Scheibner M, Herlemann DPR, Lewandowska AM, Jürgens K. 2018. Phyto- and bacterioplankton during early spring conditions in the Baltic Sea and response to short-term experimental warming. *Frontiers in Marine Science* 5:231.
- TZS-2018-68 Westerbom M, Lappalainen A, Mustonen O, Norkko A. 2018. Trophic overlap between expanding and contracting fish predators in a range margin undergoing change. *Scientific Reports* 8:7895.
- TZS-2018-69 Wolf JI, Puntila P, Seppä P. 2018. Life-history trait variation in a queen-size dimorphic ant. *Ecological Entomology* 43:763-773.
- TZS-2018-70 Wong BBM, Lehtonen TK, Lindström K. 2018. Spatial and temporal patterns of nest distribution influence sexual selection in a marine fish. *Oikos* 127:1104-1112.

TZS publications 2019

- TZS-2019-1 Asmala E, Carstensen J, Räike A. 2019. Multiple anthropogenic drivers behind upward trends in organic carbon concentrations in boreal rivers. *Environmental Research Letters* 14:124018.
- TZS-2019-2 Asmala E, Gustafsson C, Krause-Jensen D, Norkko A, Reader H, Staehr PA, Carstensen J. 2019. Role of eelgrass in the coastal filter of contrasting Baltic Sea environments. *Estuaries and Coasts* 42:1882-1895.
- TZS-2019-3 Attard KM, Rodil IF, Berg P, Norkko J, Norkko AM, Glud R. 2019. Seasonal metabolism and carbon export potential of a key coastal habitat. *The perennial canopy-forming macroalga Fucus vesiculosus* 64:149-164.
- TZS-2019-4 Attard KM, Rodil IF, Glud RN, Berg P, Norkko J, Norkko A. 2019. Seasonal ecosystem metabolism across shallow benthic habitats measured by aquatic eddy covariance. *Limnology and oceanography letters* 4:79-86.
- TZS-2019-5 Ávila MP, Brandão LPM, Brighenti LS, Tonetta D, Reis MP, Staehr PA, Asmala E, Amado AM, Barbosa FAR, Bezerra-Neto JF, Nascimento AMA. 2019. Linking shifts in bacterial community with changes in dissolved organic matter pool in a tropical lake. *Science of the Total Environment* 672:990-1003.

- TZS-2019-6 Barboza FR, Kotta J, Weinberger F, Jormalainen V, Kraufvelin P, Molis M, Schubert H, Pavia H, Nylund GM, Kautsky L, Schagerström E, Rickert E, Saha M, Fredriksen S, Martin G, Torn K, Ruuskanen A, Wahl M. 2019. Geographic variation in fitness-related traits of the bladderwrack *Fucus vesiculosus* along the Baltic Sea-North Sea salinity gradient. *Ecology and Evolution* 9:9225-9238.
- TZS-2019-7 Bauer B, Gustafsson BG, Hyttiäinen K, Meier MHE, Müller-Karulis B, Saraiva S, Tomczak MT. 2019. Food web and fisheries in the future Baltic Sea. *Ambio* 48:1337-1349.
- TZS-2019-8 Bernard G, Gammal J, Järnström M, Norkko J, Norkko A. 2019. Quantifying bioturbation across coastal seascapes: Habitat characteristics modify effects of macrofaunal communities. *Journal of Sea Research* 152:101766.
- TZS-2019-9 Borshagovski AM, Baudry G, Hopkins J, Kaitala A. 2019. Pale by comparison: competitive interactions between signaling female glow-worms. *Behavioral Ecology* 30:20-26.
- TZS-2019-10 Bos N, Kankaanpää-Kukkonen V, Freitak D, Stucki D, Sundström L. 2019. Comparison of twelve ant species and their susceptibility to fungal infection. *Insects* 10:271.
- TZS-2019-11 Broman E, Asmala E, Carstensen J, Pinhassi J, Dopson M. 2019. Distinct coastal microbiome populations associated with autochthonous- and allochthonous-like dissolved organic matter. *Frontiers in Microbiology* 10:2579.
- TZS-2019-12 Cabalzar AP, Fields PD, Kato Y, Watanabe H, Ebert D. 2019. Parasite-mediated selection in a natural metapopulation of *Daphnia magna*. *Molecular Ecology* 28:4770-4785.
- TZS-2019-13 Camarena-Gomez MT. 2019. Diatoms, dinoflagellates and their distinct effects on the structure and function of the bacterioplankton. PhD thesis, University of Helsinki, 74 pp.
- TZS-2019-14 Cornetti L, Fields PD, Van Damme K, Ebert D. 2019. A fossil-calibrated phylogenomic analysis of *Daphnia* and the Daphniidae. *Molecular Phylogenetics and Evolution* 137:250-262.
- TZS-2019-15 Dhaygude K. 2019. Meta-omics approach to explore microbial community of the wood ant *Formica exsecta*. PhD thesis, University of Helsinki, 32 pp.
- TZS-2019-16 Dhaygude KU, Johansson H, Kulmuni JK, Sundström L. 2019. Genome organization and molecular characterization of the three *Formica exsecta* viruses—FeV1, FeV2 and FeV4. *PeerJ* 7:e6216.
- TZS-2019-17 Dhaygude KU, Nair A, Johansson H, Wurm Y, Sundström L. 2019. The first draft genomes of the ant *Formica exsecta*, and its *Wolbachia* endosymbiont reveal extensive gene transfer from endosymbiont to host. *BMC Genomics* 20:301.
- TZS-2019-18 Ehrnsten E, Bauer B, Gustafsson BG. 2019. Combined effects of environmental drivers on marine trophic groups – A systematic model comparison. *Frontiers in Marine Science* 6:492.
- TZS-2019-19 Ehrnsten E, Norkko A, Timmermann K, Gustafsson BG. 2019. Benthic-pelagic coupling in coastal seas – Modelling macrofaunal biomass and carbon processing in response to organic matter supply. *Journal of Marine Systems* 196:36-47.
- TZS-2019-20 Fransner F, Fransson A, Humborg C, Gustafsson E, Tedesco L, Hordoir R, Nylander J. 2019. Remineralization rate of terrestrial DOC as inferred from CO₂ supersaturated coastal waters. *Biogeosciences* 16:863-879.
- TZS-2019-21 Gammal J. 2019. Spatial variability in benthic macrofauna communities and associated ecosystem functions across coastal habitats. PhD thesis, University of Helsinki, 50 pp.
- TZS-2019-22 Gammal J, Järnström M, Bernard G, Norkko J, Norkko A. 2019. Environmental context mediates biodiversity-ecosystem functioning relationships in coastal soft-sediment habitats. *Ecosystems* 22:137-151.
- TZS-2019-23 Garcia-Berro A, Yliportimo J, Lindström K, Kvarnemo C. 2019. Understanding resource driven female-female competition: ovary and liver size in sand gobies. *Royal Society Open Science* 6:190886.
- TZS-2019-24 Gustafsson CM, Norkko AM. 2019. Quantifying the importance of functional traits for primary production in aquatic plant communities. *Journal of Ecology* 107:154-166.
- TZS-2019-25 Gustafsson E, Hagens M, Sun X, Reed DC, Humborg C, Slomp CP, Gustafsson BG. 2019. Sedimentary alkalinity generation and long-term alkalinity development in the Baltic Sea. *Biogeosciences* 16:437-456.

- TZS-2019-26 Hakala SM, Seppä P, Helanterä H. 2019. Evolution of dispersal in ants (Hymenoptera: Formicidae): a review on the dispersal strategies of sessile superorganisms. *Myrmecological news* 29:35-55.
- TZS-2019-27 Haraguchi L, Asmala E, Jakobsen HH, Carstensen J. 2019. Composition of natural phytoplankton community has minor effects on autochthonous dissolved organic matter characteristics. *Marine Biology Research* 15:357-375.
- TZS-2019-28 Hellermann D. 2019. Nitrogen cycling in aphotic, coastal sandy sediments of the Baltic Sea. PhD thesis, University of Helsinki, 34 pp.
- TZS-2019-29 Hermans M, Lenstra WK, van Helmond NAGM, Behrends T, Egger M, Seguret MJM, Gustafsson E, Gustafsson BG, Slomp CP. 2019. Impact of natural re-oxygenation on the sediment dynamics of manganese, iron and phosphorus in a euxinic Baltic Sea basin. *Geochimica et Cosmochimica Acta* 246:174-196.
- TZS-2019-30 Humborg C, Geibel MC, Sun X, McCrackin M, Mört C-M, Stranne C, Jakobsson M, Gustafsson B, Sokolov A, Norkko A, Norkko J. 2019. High emissions of carbon dioxide and methane from the coastal Baltic Sea at the end of a summer heat wave. *Frontiers in Marine Science* 6:493.
- TZS-2019-31 Jaatinen K, Møller AP, Öst M. 2019. Annual variation in predation risk is related to the direction of selection for brain size in the wild. *Scientific Reports* 9:11847.
- TZS-2019-32 Jansson T, Andersen HE, Gustafsson BG, Hasler B, Höglind L, Choi H. 2019. Baltic Sea eutrophication status is not improved by the first pillar of the European Union Common Agricultural Policy. *Regional Environmental Change* 19:2465–2476.
- TZS-2019-33 Jansson T, Andersen HE, Hasler B, Höglind L, Gustafsson BG. 2019. Can investments in manure technology reduce nutrient leakage to the Baltic Sea? *Ambio* 48:1264–1277.
- TZS-2019-34 Järvenpää M, Pauli BD, Lindström K. 2019. Water turbidity constrains male mating success in a marine fish. *Behavioral Ecology and Sociobiology* 73:140-140.
- TZS-2019-35 Jerney J, Ahonen SA, Hakanen P, Suikkanen S, Kremp A. 2019. Generalist life cycle aids persistence of *Alexandrium ostenfeldii* (Dinophyceae) in seasonal coastal habitats of the Baltic Sea. *Journal of Phycology* 55:1226–1238.
- TZS-2019-36 Jerney J, Suikkanen S, Lindehoff E, Kremp A. 2019. Future temperature and salinity do not exert selection pressure on cyst germination of a toxic phytoplankton species. *Ecology and Evolution* 9:4443-4451.
- TZS-2019-37 Jokinen HM, Momigliano P, Merilä J. 2019. From ecology to genetics and back: the tale of two flounder species in the Baltic Sea. *ICES Journal of Marine Science* 76:2267-2275.
- TZS-2019-38 Kröncke I, Neumann H, Dippner JW, Holbrook S, Lamy T, Miller R, Padedda BM, Pulina S, Reed DC, Reinikainen M, Satta CT, Sechi N, Soltwedel T, Suikkanen S, Lugliè A. 2019. Comparison of biological and ecological long-term trends related to northern hemisphere climate in different marine ecosystems. *Nature Conservation* 34:311-341.
- TZS-2019-39 Laursen K, Møller AP, Haugaard L, Öst M, Vainio J. 2019. Allocation of body reserves during winter in eider *Somateria mollissima* as preparation for spring migration and reproduction. *Journal of Sea Research* 144:49-56.
- TZS-2019-40 Lindström S. 2019. The bacterial and fungal communities in the nests of the ant *Formica exsecta*. PhD thesis, University of Helsinki, 34 pp.
- TZS-2019-41 Lindström S, Timonen S, Sundström L, Johansson H. 2019. Ants reign over a distinct microbiome in forest soil. *Soil Biology & Biochemistry* 139:107529.
- TZS-2019-42 Majaneva M, Enberg S, Autio R, Blomster J, Rintala J-M. 2019. Mamiellophyceae shift in seasonal predominance in the Baltic Sea. *Aquatic Microbial Ecology* 83:181-187.
- TZS-2019-43 Meier HEM, Edman M, Eilola K, Placke M, Neumann T, Andersson HC, Brunnabend S-E, Dieterich C, Frauen C, Friedland R, Gröger M, Gustafsson BG, Gustafsson E, Isaev A, Kniebusch M, Kuznetsov I, Müller-Karulis B, Naumann M, Omstedt A, Ryabchenko V, Saraiva S, Savchuk OP. 2019. Assessment of uncertainties in scenario simulations of biogeochemical cycles in the Baltic Sea. *Frontiers in Marine Science* 6:46.
- TZS-2019-44 Meysick L, Ysebaert T, Jansson A, Montserrat F, Valanko S, Villnäs A, Boström C, Norkko J, Norkko A. 2019. Context-dependent community facilitation in seagrass meadows along a hydrodynamic stress gradient. *Journal of Sea Research* 150-151:8-23.

- TZS-2019-45 Momigliano P, Jokinen H, Calboli F, Aro E, Merilä J. 2019. Cryptic temporal changes in stock composition explain the decline of a flounder (*Platichthys* spp.) assemblage. *Evolutionary Applications* 12:549-559.
- TZS-2019-46 Morandin C, Brendel VP, Sundström L, Helanterä H, Mikheyev AS. 2019. Changes in gene DNA methylation and expression networks accompany caste specialization and age-related physiological changes in a social insect. *Molecular Ecology* 28:1975-1993.
- TZS-2019-47 Morandin C, Hietala A, Helanterä H. 2019. Vitellogenin and vitellogenin-like gene expression patterns in relation to caste and task in the ant *Formica fusca*. *Insectes Sociaux* 66:519-531.
- TZS-2019-48 Murray CJ, Müller-Karulis B, Carstensen J, Conley DJ, Gustafsson BG, Andersen JH. 2019. Past, present and future eutrophication status of the Baltic Sea. *Frontiers in Marine Science* 6:2.
- TZS-2019-49 Nääkki P, Setälä O, Lehtiniemi M. 2019. Seafloor sediments as microplastic sinks in the northern Baltic Sea: Negligible upward transport of buried microplastics by bioturbation. *Environmental Pollution* 249:74-81.
- TZS-2019-50 Nevalainen L, Kivilä EH, Luoto TP, Rantala MV, Van Damme K. 2019. A hidden species becoming visible: biogeography and ecology of *Rhynchotalona latens* (Cladocera, Anomopoda, Chydoridae). *Hydrobiologia* 837:47-59.
- TZS-2019-51 Niemistö J, Lund-Hansen LC. 2019. Instantaneous effects of sediment resuspension on inorganic and organic benthic nutrient fluxes at a shallow water coastal site in the Gulf of Finland, Baltic Sea. *Estuaries and Coasts* 42:2054-2071.
- TZS-2019-52 Norkko J, Pilditch CA, Gammal J, Rosenberg R, Enemar A, Magnussond M, Granberg ME, Lindgren JF, Agrenius S, Norkko A. 2019. Ecosystem functioning along gradients of increasing hypoxia and changing soft-sediment community types. *Journal of Sea Research* 153:101781.
- TZS-2019-53 Peignier M, Pokorný T, Heinze J, Lindgren R, Helanterä H, Schultner E. 2019. Honesty of larval begging signals covaries with colony kin structure in *Formica* ants. *Frontiers in Ecology and Evolution* 7:398.
- TZS-2019-54 Pulliainen OUI, Helanterä HO, Sundström L, Schultner EK. 2019. The possible role of ant larvae in the defence against social parasites. *Proceedings of the Royal Society B. Biological Sciences* 286:20182867.
- TZS-2019-55 Pulliainen U. 2019. The scent of brood recognition in *Formica* ants. PhD thesis, University of Helsinki, 29 pp.
- TZS-2019-56 Pärssinen V, Kalb N, Vallon M, Anthes N, Heubel K. 2019. Male and female preferences for nest characteristics under paternal care. *Ecology and Evolution* 9:7780-7791.
- TZS-2019-57 Rodil IF, Attard KM, Norkko J, Glud RN, Norkko A. 2019. Towards a sampling design for characterizing habitat-specific benthic biodiversity related to oxygen flux dynamics using Aquatic Eddy Covariance. *PLoS One* 14:e0211673.
- TZS-2019-58 Rodil IF, Lastra M, López J, Mucha AP, Fernandes JP, Fernandes SV, Olabarria C. 2019. Sandy beaches as biogeochemical hotspots: the metabolic role of macroalgal wrack on low-productive shores. *Ecosystems* 22:49-63.
- TZS-2019-59 Rovelli L, Attard KM, Cárdenas CA, Glud RN. 2019. Benthic primary production and respiration of shallow rocky habitats: a case study from South Bay (Doumer Island, Western Antarctic Peninsula). *Polar Biology* 42:1459-1474.
- TZS-2019-60 Salonen IS, Chronopoulou PM, Leskinen E, Koho KA. 2019. Metabarcoding successfully tracks temporal changes in eukaryotic communities in coastal sediments. *FEMS Microbiology Ecology* 95:fiy226.
- TZS-2019-61 Sinkko H, Hepolehto I, Lyra C, Rinta-Kanto JM, Villnäs A, Norkko J, Norkko A, Timonen S. 2019. Increasing oxygen deficiency changes rare and moderately abundant bacterial communities in coastal soft sediments. *Scientific Reports* 9:16341.
- TZS-2019-62 Spilling K, Camarena-Gómez M-T, Lipsewers T, Martínez-Varela A, Díaz-Rosas F, Eronen-Rasmus E, Silva N, von Dassow P, Montecino V. 2019. Impacts of reduced inorganic N:P ratio on three distinct plankton communities in the Humboldt upwelling system. *Marine Biology* 166:114.

- TZS-2019-63 Spilling K, Fuentes-Lema A, Quemalinos D, Klais R, Sobrino C. 2019. Primary production, carbon release, and respiration during spring bloom in the Baltic Sea. *Limnology and Oceanography* 64:1779-1789.
- TZS-2019-64 Spilling K, Tedesco L, Klais R, Olli K. 2019. Changing plankton communities: Causes, effects and consequences. *Frontiers in Marine Science* 6:272.
- TZS-2019-65 Stucki D, Freitak D, Bos N, Sundström L. 2019. Stress responses upon starvation and exposure to bacteria in the ant *Formica exsecta*. *PeerJ* 7:6428.
- TZS-2019-66 Svanbäck A, McCrackin ML, Swaney DP, Linefur H, Gustafsson BG, Howarth RW, Humborg C. 2019. Reducing agricultural nutrient surpluses in a large catchment - Links to livestock density. *Science of the Total Environment* 648:1549-1559.
- TZS-2019-67 Takolander A, Cabeza M, Leskinen E. 2019. Seasonal interactive effects of pCO₂ and irradiance on the ecophysiology of brown macroalga *Fucus vesiculosus* L. *European Journal of Phycology* 54:380-392.
- TZS-2019-68 Van Damme K, Nevalainen L. 2019. The most latent cladoceran in the Holarctic revealed-sinking *Unapertura* Sarmaja-Korjonen, Hakojarvi & Korhola, 2000 into the genus *Rhynchotalona* Norman, 1903 (Branchiopoda: Cladocera: Chydoridae). *Zootaxa* 4613:463-476.
- TZS-2019-69 Villnäs A, Janas U, Josefson AB, Kendzierska H, Nygård H, Norkko J, Norkko A. 2019. Changes in macrofaunal biological traits across estuarine gradients: implications for the coastal nutrient filter. *Marine Ecology Progress Series* 622:31-48.
- TZS-2019-70 Villnäs A, Norkko A, Lehtonen KK. 2019. Multi-level responses of *Macoma balthica* to recurring hypoxic disturbance. *Journal of Experimental Marine Biology and Ecology* 510:64-72.
- TZS-2019-71 Virta L, Gammal J, Järnström M, Bernard G, Soininen J, Norkko J, Norkko A. 2019. The diversity of benthic diatoms affects ecosystem productivity in heterogeneous coastal environments. *Ecology* 100:e02765.
- TZS-2019-72 Virtanen EA, Norkko A, Sandman AN, Viitasalo M. 2019. Identifying areas prone to coastal hypoxia - the role of topography. *Biogeosciences* 16:3183-3195.
- TZS-2019-73 Wester bom M, Kraufvelin P, Erlandsson J, Korpinen S, Mustonen O, Díaz E. 2019. Wave stress and biotic facilitation drive community composition in a marginal hard-bottom ecosystem. *Ecosphere* 10:e02883.
- TZS-2019-74 Wester bom M, Mustonen O, Jaatinen K, Kilpi M, Norkko A. 2019. Population dynamics at the range margin: Implications of climate change on sublittoral blue mussels (*Mytilus trossulus*). *Frontiers in Marine Science* 6:292.
- TZS-2019-75 Zanderson M, Hyttiäinen KP, Meier HEM, Tomczak MT, Barbara B, Haapasaari PE, Olesen JE, Gustafsson B, Refsgaard JC, Fridell E, Pihlainen SO, Le Tissier MDA, Kosenius A-KE, van Vuuren DP. 2019. Shared socio-economic pathways extended for the Baltic Sea: exploring long-term environmental problems. *Regional Environmental Change* 19:1073-1086.

TZS publications 2020

- TZS-2020-1 Almén A-K, Tamelander T (2020) Temperature-related timing of the spring bloom and match between phytoplankton and zooplankton. *Marine Biology Research* 16:674-682
- TZS-2020-2 Alsaffar Z, Pearman JK, Curdia J, Ellis J, Calleja ML, Ruiz-Compean P, Roth F, Villalobos R, Jones BH, Moran XAG, Carvalho S (2020) The role of seagrass vegetation and local environmental conditions in shaping benthic bacterial and macroinvertebrate communities in a tropical coastal lagoon. *Scientific Reports* 10:13550
- TZS-2020-3 Angove C (2020) *Relationships between species traits and ecosystem processes in brackish aquatic plant communities*. PhD thesis, University of Helsinki. 85 pp.
- TZS-2020-4 Angove C, Norkko A, Gustafsson C (2020) The fight to capture light: Functional diversity is related to aquatic plant community productivity likely by enhancing light capture. *Frontiers in Marine Science* 7:140

- TZS-2020-5 Attard KM, Glud RN (2020) Technical Note: Estimating light-use efficiency of benthic habitats using underwater O₂ eddy covariance. *Biogeosciences* 17:4343-4353
- TZS-2020-6 Attard KM, Rodil IF, Berg P, Mogg AOM, Westerbom M, Norkko A, Glud RN (2020) Metabolism of a subtidal rocky mussel reef in a high-temperate setting: pathways of organic C flow. *Marine Ecology Progress Series* 645:41-54
- TZS-2020-7 Bernard G, Kauppi L, Lavesque N, Ciutat A, Grémare A, Masse C, Maire O (2020) An invasive mussel (*Arcuatula senhousia*, Benson 1842) interacts with resident biota in controlling benthic ecosystem functioning. *Journal of Marine Science and Engineering* 8:0963
- TZS-2020-8 Borshagovski AM, Saari P, Lehtonen TK, Kaitala A (2020) When night never falls: female sexual signalling in a nocturnal insect along a latitudinal gradient. *Behavioral Ecology and Sociobiology* 74:153
- TZS-2020-9 Broman E, Sun XL, Stranne C, Salgado MG, Bonaglia S, Geibel M, Jakobsson M, Norkko A, Humborg C, Nascimento FJA (2020) Low abundance of methanotrophs in sediments of shallow boreal coastal zones with high water methane concentrations. *Frontiers in Microbiology* 11:1536
- TZS-2020-10 Carstensen J, Conley DJ, Almroth-Rosell E, Asmala E, Bonsdorff E, Fleming-Lehtinen V, Gustafsson BG, Gustafsson C, Heiskanen AS, Janas U, Norkko A, Slomp C, Villnäs A, Voss M, Zilius M (2020) Factors regulating the coastal nutrient filter in the Baltic Sea. *Ambio* 49:1194-1210
- TZS-2020-11 Ehrnsten E (2020) *Quantifying biomass and carbon processing of benthic fauna in a coastal sea: past, present and future*. PhD thesis, University of Helsinki. 62 pp.
- TZS-2020-12 Ehrnsten E, Norkko A, Müller-Karulis B, Gustafsson E, Gustafsson BG (2020) The meagre future of benthic fauna in a coastal sea - Benthic responses to recovery from eutrophication in a changing climate. *Global Change Biology* 26:2235-2250
- TZS-2020-13 Ehrnsten E, Sun XL, Humborg C, Norkko A, Savchuk OP, Slomp CP, Timmermann K, Gustafsson BG (2020) Understanding environmental changes in temperate coastal seas: Linking models of benthic fauna to carbon and nutrient fluxes. *Frontiers in Marine Science* 7:450
- TZS-2020-14 El-Khaled YC, Roth F, Tilstra A, Rädecker N, Karcher DB, Kürten B, Jones BH, Voolstra CR, Wild C (2020) *In situ* eutrophication stimulates dinitrogen fixation, denitrification, and productivity in Red Sea coral reefs. *Marine Ecology Progress Series* 645:55-66
- TZS-2020-15 Elgert C, Hopkins J, Kaitala A, Candolin U (2020) Reproduction under light pollution: maladaptive response to spatial variation in artificial light in a glow-worm. *Proceedings of the Royal Society B* 287:20200806
- TZS-2020-16 Elovaara S (2020) *Cycling of dissolved and particulate organic matter in the pelagic marine environment: Impact of phytoplankton community mortality and microbial degradation*. PhD thesis, University of Helsinki. 88 pp.
- TZS-2020-17 Elovaara S, Degerlund M, Franklin DJ, Kaartokallio H, Tamelander T (2020) Seasonal variation in estuarine phytoplankton viability and its relationship with carbon dynamics in the Baltic Sea. *Hydrobiologia* 847:2485-2501
- TZS-2020-18 Feldman T, Yakovleva M, Viljanen M, Lindström M, Donner K, Ostrovsky M (2020) Dark-adaptation in the eyes of a lake and a sea population of opossum shrimp (*Mysis relicta*): retinoid isomer dynamics, rhodopsin regeneration, and recovery of light sensitivity. *Journal of Comparative Physiology A* 206:871-889
- TZS-2020-19 Forsblom L (2020) *Drivers of plankton populations in the Baltic Sea*. PhD thesis, Åbo Akademi University. 37 pp.
- TZS-2020-20 Gammal J, Hewitt J, Norkko J, Norkko A, Thrush S (2020) Does the use of biological traits predict a smooth landscape of ecosystem functioning? *Ecology and Evolution* 10:10395-10407
- TZS-2020-21 Gladstone-Gallagher RV, Mangan S, Thrush SF, Pilditch CA (2020) Porewater nutrient enrichment alters benthic-pelagic coupling on intertidal sandflats. *Journal of Sea Research* 159:101876
- TZS-2020-22 Gustafsson E, Gustafsson BG (2020) Future acidification of the Baltic Sea – A sensitivity study. *Journal of Marine Systems* 211:103397

- TZS-2020-23 Hajializadeh P, Safaei M, Naderloo R, Shojaei MG, Gammal J, Villnäs A, Norkko A (2020) Species composition and functional traits of macrofauna in different mangrove habitats in the Persian Gulf. *Frontiers in Marine Science* 7:575480
- TZS-2020-24 Hakala SM (2020) *Social polymorphism and dispersal in Formica ants*. PhD thesis, University of Helsinki. 33 pp.
- TZS-2020-25 Hakala SM, Ittonen M, Seppä P, Helanterä H (2020) Limited dispersal and an unexpected aggression pattern in a native supercolonial ant. *Ecology and Evolution* 10:3671-3685
- TZS-2020-26 Halkka A (2020) *Changing climate and the Baltic region biota*. PhD thesis, University of Helsinki. 50 pp.
- TZS-2020-27 Hedlund J, Ehrnsten E, Hayward C, Lehmann P, Hayward A (2020) New records of the Paleotropical migrant *Hemianax ephippiger* in the Caribbean and a review of its status in the Neotropics. *International Journal of Odonatology* 23:315-325
- TZS-2020-28 Hellermann D, Tallberg P, Aalto SL, Bartoli M, Hietanen S (2020) Seasonal cycle of benthic denitrification and DNRA in the aphotic coastal zone, northern Baltic Sea. *Marine Ecology Progress Series* 637:15-28
- TZS-2020-29 Hentati-Sundberg J, Raymond C, Sköld M, Svensson O, Gustafsson B, Bonaglia S (2020) Fueling of a marine-terrestrial ecosystem by a major seabird colony. *Scientific Reports* 10:15455
- TZS-2020-30 Hillebrand H, Donohue I, Harpole WS, Hodapp D, Kucera M, Lewandowska AM, Merder J, Montoya JM, Freund JA (2020) Thresholds for ecological responses to global change do not emerge from empirical data. *Nature Ecology & Evolution* 4:1502-1509
- TZS-2020-31 Jakobsson M, O'Regan M, Mört CM, Stranne C, Weidner E, Hansson J, Gyllencreutz R, Humborg C, Elfwing T, Norkko A, Norkko J, Nilsson B, Sjöström A (2020) Potential links between Baltic Sea submarine terraces and groundwater seeping. *Earth Surface Dynamics* 8:1-15
- TZS-2020-32 Jansson A, Klais-Peets R, Griniene E, Rubene G, Semenova A, Lewandowska A, Engström-Öst J (2020) Functional shifts in estuarine zooplankton in response to climate variability. *Ecology and Evolution* 10:11591-11606
- TZS-2020-33 Järvenpää M (2020) *Eutrophication interferes with sand goby mating success, sexual selection, and parental care*. PhD thesis, University of Helsinki. 63 pp.
- TZS-2020-34 Jerney J (2020) *Ecological and evolutionary role of seed banks for toxic dinoflagellate Alexandrium ostenfeldii*. PhD thesis, University of Helsinki. 41 pp.
- TZS-2020-35 Joensuu M, Pilditch CA, Norkko A (2020) Temporal Variation in Resuspension Potential and Associated Nutrient Dynamics in Shallow Coastal Environments. *Estuaries and Coasts* 43:1361-1376
- TZS-2020-36 Jokinen H (2020) *Population dynamics of flounders in the northern Baltic Sea: declines, cryptic species and environmental drivers*. PhD thesis, University of Helsinki. 65 pp.
- TZS-2020-37 Jokinen SA, Jilbert T, Tiihonen-Filppula R, Koho K (2020) Terrestrial organic matter input drives sedimentary trace metal sequestration in a human-impacted boreal estuary. *Science of the Total Environment* 717:137047
- TZS-2020-38 Jokinen SA, Koho K, Virtasalo JJ, Jilbert T (2020) Depth and intensity of the sulfate-methane transition zone control sedimentary molybdenum and uranium sequestration in a eutrophic low-salinity setting. *Applied Geochemistry* 122:104767
- TZS-2020-39 Kahma TI, Karlson AML, Sun X, Mört CM, Humborg C, Norkko A, Rodil IF (2020) Macroalgae fuels coastal soft-sediment macrofauna: A triple-isotope approach across spatial scales. *Marine Environmental Research* 162:105163
- TZS-2020-40 Kaikkonen L, Enberg S, Blomster J, Luhtanen AM, Autio R, Rintala JM (2020) Autumn to spring microbial community in the northern Baltic Sea: temporal variability in bacterial, viral and nanoflagellate abundance during the cold-water season. *Polar Biology* 43:1193-1206
- TZS-2020-41 Kamyab E, Goebeler N, Kellermann MY, Rohde S, Reverter M, Striebel M, Schupp PJ (2020) Anti-fouling effects of saponin-containing crude extracts from tropical Indo-Pacific sea cucumbers. *Marine Drugs* 18:181
- TZS-2020-42 Karcher DB, Roth F, Carvalho S, El-Khaled YC, Tilstra A, Kürten B, Struck U, Jones BH, Wild C (2020) Nitrogen eutrophication particularly promotes turf algae in coral reefs of the central Red Sea. *PeerJ* 8:e8737

- TZS-2020-43 Kiljunen M, Peltonen H, Lehtiniemi M, Uusitalo L, Sinisalo T, Norkko J, Kunnasranta M, Torniainen J, Rissanen AJ, Karjalainen J (2020) Benthic-pelagic coupling and trophic relationships in northern Baltic Sea food webs. *Limnology and Oceanography* 65:1706-1722
- TZS-2020-44 Kulmuni J, Nouhaud P, Pluckrose L, Satokangas I, Dhaygude K, Butlin RK (2020) Instability of natural selection at candidate barrier loci underlying speciation in wood ants. *Molecular Ecology* 29:3988-3999
- TZS-2020-45 Lehtinen S (2020) *Phytoplankton functions and community properties in the pelagic food web*. PhD thesis, University of Helsinki. 65 pp.
- TZS-2020-46 Lehtonen TK, Kaitala A (2020) Leave me alone: solitary females attract more mates in a nocturnal insect. *Behavioral Ecology* 31:1040-1045
- TZS-2020-47 Lehtonen TK, Wong BBM (2020) Context-dependent resource choice in a nest-building fish. *Animal Behaviour* 166:297-303
- TZS-2020-48 Lehtonen TK, Wong BBM (2020) Male phenotype and resource type influence nesting behaviour in a fish. *Animal Behaviour* 166:289-296
- TZS-2020-49 Lewandowska AM, Jonkers L, Auel H, Freund JA, Hagen W, Kucera M, Hillebrand H (2020) Scale dependence of temporal biodiversity change in modern and fossil marine plankton. *Global Ecology and Biogeography* 29:1008-1019
- TZS-2020-50 Lipsewers T (2020) *Spring bloom dynamics in the Baltic Sea: from the environment to macroelements and microbial interactions*. PhD thesis, University of Helsinki. 68 pp.
- TZS-2020-51 Lipsewers T, Klais R, Camarena-Gómez MT, Spilling K (2020) Effects of different plankton communities and spring bloom phases on seston C:N:P:Si:chl *a* ratios in the Baltic Sea. *Marine Ecology Progress Series* 644:15-31
- TZS-2020-52 Lohr JN, Haag CR (2020) Parasite-driven replacement of a sexual by a closely related asexual taxon in nature. *Ecology* 101:e03105
- TZS-2020-53 Meysick L (2020) *Facilitation and feedbacks in seagrass communities: testing the role and context-dependency of ecosystem engineers*. PhD thesis, Åbo Akademi University. 58 pp.
- TZS-2020-54 Meysick L, Norkko A, Gagnon K, Gräfnings M, Boström C (2020) Context-dependency of eelgrass-clam interactions: implications for coastal restoration. *Marine Ecology Progress Series* 647:93-108
- TZS-2020-55 Myllykangas JP (2020) *Methane processes in the coastal sediments and water column of the Baltic Sea*. PhD thesis, University of Helsinki. 55 pp.
- TZS-2020-56 Myllykangas JP, Hietanen S, Jilbert T (2020) Legacy effects of eutrophication on modern methane dynamics in a boreal estuary. *Estuaries and Coasts* 43:189-206
- TZS-2020-57 Myllykangas JP, Rissanen AJ, Hietanen S, Jilbert T (2020) Influence of electron acceptor availability and microbial community structure on sedimentary methane oxidation in a boreal estuary. *Biogeochemistry* 148:291-309
- TZS-2020-58 Nygård H, van Beest FM, Bergqvist L, Carstensen J, Gustafsson BG, Hasler B, Schumacher J, Schernewski G, Sokolov A, Zandersen M, Fleming V (2020) Decision-support tools used in the Baltic Sea area: Performance and end-user preferences. *Environmental Management* 66:1024-1038
- TZS-2020-59 Obst M, Exter K, Allcock AL, Arvanitidis C, Axberg A, Bustamante M, Cancio I, Carreira-Flores D, Chatzinikolaou E, Chatzigeorgiou G, Chrismas N, Clark MS, Comtet T, Dailianis T, Davies N, Deneudt K, de Cerio OD, Fortic A, Gerovasileiou V, Hablutzel PI, Keklikoglou K, Kotoulas G, Lasota R, Leite BR, Loisel S, Leveque L, Levy L, Malachowicz M, Mavric B, Meyer C, Mortelmans J, Norkko J, Pade N, Power AM, Ramsak A, Reiss H, Solbakken J, Stoehr PA, Sundberg P, Thyrring J, Troncoso JS, Viard F, Wenne R, Yperifanou EL, Zbawicka M, Pavloudi C (2020) A marine biodiversity observation network for genetic monitoring of hard-bottom communities (ARMS-MBON). *Frontiers in Marine Science* 7:572680
- TZS-2020-60 Paczkowska J, Brugel S, Rowe O, Lefebvre R, Brutemark A, Andersson A (2020) Response of coastal phytoplankton to high inflows of terrestrial matter. *Frontiers in Marine Science* 7:80
- TZS-2020-61 Rodil IF, Attard KM, Norkko J, Glud RN, Norkko A (2020) Estimating respiration rates and secondary production of macrobenthic communities across coastal habitats with contrasting structural biodiversity. *Ecosystems* 23:630-647

- TZS-2020-62 Rodil IF, Lucena-Moya P, Tamelander T, Norkko J, Norkko A (2020) Seasonal variability in benthic-pelagic coupling: Quantifying organic matter inputs to the seafloor and benthic macrofauna using a multi-marker approach. *Frontiers in Marine Science* 7:404
- TZS-2020-63 Roth F, Karcher DB, Rädecker N, Hohn S, Carvalho S, Thomson T, Saalmann F, Voolstra CR, Kürten B, Struck U, Jones BH, Wild C (2020) High rates of carbon and dinitrogen fixation suggest a critical role of benthic pioneer communities in the energy and nutrient dynamics of coral reefs. *Functional Ecology* 34:1991-2004
- TZS-2020-64 Satokangas I, Martin SH, Helanterä H, Saramäki J, Kulmuni J (2020) Multi-locus interactions and the build-up of reproductive isolation. *Philosophical Transactions of the Royal Society B* 375:20190543
- TZS-2020-65 Scheinin M, Asmala E (2020) Ubiquitous patchiness in chlorophyll *a* concentration in coastal archipelago of Baltic Sea. *Frontiers in Marine Science* 7:563
- TZS-2020-66 Schumacher J, Bergqvist L, van Beest FM, Carstensen J, Gustafsson B, Hasler B, Fleming V, Nygård H, Pakalniene K, Sokolov A, Zanderson M, Schernewski G (2020) Bridging the science-policy gap – Toward better integration of decision support tools in coastal and marine policy implementation. *Frontiers in Marine Science* 7:587500
- TZS-2020-67 Sormunen JJ, Andersson T, Aspi J, Bäck J, Cederberg T, Haavisto N, Halonen H, Hänninen J, Inkkinen J, Kulha N, Laaksonen M, Loehr J, Mäkelä S, Mäkinen K, Norkko J, Paavola R, Pajala P, Petäjä T, Puisto A, Sippola E, Snickars M, Sundell J, Tanski N, Uotila A, Vesilahti EM, Vesterinen EJ, Vuorenmaa S, Ylönen H, Ylönen J, Klemola T (2020) Monitoring of ticks and tick-borne pathogens through a nationwide research station network in Finland. *Ticks and Tick-Borne Diseases* 11:101449
- TZS-2020-68 Stockwell JD, Doubek JP, Adrian R, Anneville O, Carey CC, Carvalho L, Domis LND, Dur G, Frassl MA, Grossart HP, Ibelings BW, Lajeunesse MJ, Lewandowska AM, Llames ME, Matsuzaki SIS, Nodine ER, Noges P, Patil VP, Pomati F, Rinke K, Rudstam LG, Rusak JA, Salmaso N, Seltmann CT, Straile D, Thackeray SJ, Thiery W, Urrutia-Cordero P, Venail P, Verburg P, Woolway RI, Zohary T, Andersen MR, Bhattacharya R, Hejzlar J, Janatian N, Kpodonu ATNK, Williamson TJ, Wilson HL (2020) Storm impacts on phytoplankton community dynamics in lakes. *Global Change Biology* 26:2756-2784
- TZS-2020-69 Suutari M (2020) *Potential of filamentous macroalgae and sessile invertebrates for bioremediation and valorization in the northern Baltic Sea*. PhD thesis, University of Helsinki. 44 pp.
- TZS-2020-70 Tjørnløv RS, Ens BJ, Öst M, Jaatinen K, Karell P, Larsson R, Christensen TK, Frederiksen M (2020) Drivers of spatiotemporal variation in survival in a flyway population: A multi-colony study. *Frontiers in Ecology and Evolution* 8:566154
- TZS-2020-71 Vakkari P, Rusanen M, Heikkilä J, Huotari T, Kärkkäinen K (2020) Patterns of genetic variation in leading-edge populations of *Quercus robur*: genetic patchiness due to family clusters. *Tree Genetics & Genomes* 16:73
- TZS-2020-72 Vanharanta M, Elovaara S, Franklin DJ, Spilling K, Tamelander T (2020) Viability of pico- and nanophytoplankton in the Baltic Sea during spring. *Aquatic Ecology* 54:119-135
- TZS-2020-73 Viljakainen L, Borshagovskii AM, Saarenpää S, Kaitala A, Jurvansuu J (2020) Identification and characterisation of common glow-worm RNA viruses. *Virus Genes* 56:236-248
- TZS-2020-74 Virta L (2020) *Exploring the diversity patterns of benthic diatoms along environmental, spatial and temporal gradients in the Baltic Sea*. PhD thesis, University of Helsinki. 40 pp.
- TZS-2020-75 Virta L, Soininen J, Norkko A (2020) Diversity and distribution across a large environmental and spatial gradient: Evaluating the taxonomic and functional turnover, transitions and environmental drivers of benthic diatom communities. *Global Ecology and Biogeography* 29:2214-2228
- TZS-2020-76 Virta L, Soininen J, Norkko A (2020) Stable seasonal and annual alpha diversity of benthic diatom communities despite changing community composition. *Frontiers in Marine Science* 7:88
- TZS-2020-77 Wikström SFA, Hedberg N, Kautsky N, Kumblad L, Ehrnsten E, Gustafsson B, Humborg C, Norkko A, Stadmark J (2020) Letter to editor regarding Kotta et al. 2020: Cleaning up seas using blue growth initiatives: Mussel farming for eutrophication control in the Baltic Sea. *Science of the Total Environment* 727:138665

- TZS-2020-78 Öst M, Noreikiene K, Angelier F, Jaatinen K (2020) Sex-specific effects of the in ovo environment on early-life phenotypes in eiders. *Oecologia* 192:43-54

TZS publications 2021

- TZS-2021-1 Aalto SL, Asmala E, Jilbert T, Hietanen S (2021) Autochthonous organic matter promotes DNRA and suppresses N₂O production in sediments of the coastal Baltic Sea. *Estuarine, Coastal and Shelf Science*, 255:107369
- TZS-2021-2 Asmala E, Massicotte P, Carstensen J (2021) Identification of dissolved organic matter size components in freshwater and marine environments. *Limnology and Oceanography*, 66:1381-1393
- TZS-2021-3 Asmala E, Osburn CL, Paerl RW, Paerl HW (2021) Elevated organic carbon pulses persist in estuarine environment after major storm events. *Limnology and Oceanography Letters*, 6:43-50
- TZS-2021-4 Asmala E, Osburn CL, Paerl RW, Paerl HW (2021) Elevated organic carbon pulses persist in estuarine environment after major storm events. *Limnology and Oceanography Letters*, 6:43-50
- TZS-2021-5 Baumann M, Taucher J, Paul AJ, Heinemann M, Vanharanta M, Bach LT, Spilling K, Ortiz J, Aristegui J, Hernandez-Hernandez N, Banos I, Riebesell U (2021) Effect of intensity and mode of artificial upwelling on particle flux and carbon export. *Frontiers in Marine Science*, 8:742142
- TZS-2021-6 Beresford J (2021) *The role of hybrids in the process of speciation; a study of naturally occurring Formica wood ant hybrids*. PhD thesis, University of Helsinki. 44 pp.
- TZS-2021-7 Borshagovski AM (2021) *Effects of social and visual environments on female sexual signaling*. PhD thesis, University of Oulu. 49 pp.
- TZS-2021-8 Broman E, Bonaglia S, Norkko A, Creer S, Nascimento FJA (2021) High throughput shotgun sequencing of eRNA reveals taxonomic and derived functional shifts across a benthic productivity gradient. *Molecular Ecology*, 30:3023-3039
- TZS-2021-9 Camarena-Gomez MT, Ruiz-Gonzalez C, Piiparinen J, Lipsewers T, Sobrino C, Logares R, Spilling K (2021) Bacterioplankton dynamics driven by interannual and spatial variation in diatom and dinoflagellate spring bloom communities in the Baltic Sea. *Limnology and Oceanography*, 66:255-271
- TZS-2021-10 Camillini N, Attard KM, Eyre BD, Glud RN (2021) Resolving community metabolism of eelgrass *Zostera marina* meadows by benthic flume-chambers and eddy covariance in dynamic coastal environments. *Marine Ecology Progress Series*, 661:97-114
- TZS-2021-11 Candolin U, Jensen I (2021) Phenotypic plasticity in courtship exposed to selection in a human-disturbed environment. *Evolutionary Applications*, 14:2392-2401
- TZS-2021-12 Coppock RL, Lindeque PK, Cole M, Galloway TS, Näkki P, Birgani H, Richards S, Queiros AM (2021) Benthic fauna contribute to microplastic sequestration in coastal sediments. *Journal of Hazardous Materials*, 415:125583
- TZS-2021-13 Diaz Pauli B, Lindström K (2021) Trade-off between mate choice speed and decision accuracy under mating competition in female sand gobies. *Journal of Ethology*, 39:55-64
- TZS-2021-14 Doubek JP, Anneville O, Dur G, Lewandowska AM, Patil VP, Rusak JA, Salmaso N, Seltmann CT, Straile D, Urrutia-Cordero P, Venail P, Adrian R, Alfonso MB, DeGasperi CL, de Eyto E, Feuchtmayr H, Gaiser EE, Girdner SF, Graham JL, Grossart H-P, Hejzlar J, Jacquet S, Kirillin G, Llames ME, Matsuzaki S-IS, Nodine ER, Piccolo MC, Pierson DC, Rimmer A, Rudstam LG, Sadro S, Swain HM, Thackeray SJ, Thiery W, Verburg P, Zohary T, Stockwell JD (2021) The extent and variability of storm-induced temperature changes in lakes measured with long-term and high-frequency data. *Limnology and Oceanography*, 66:1979-1992
- TZS-2021-15 El-Khaled YC, Nafeh R, Roth F, Rädecker N, Karcher DB, Jones BH, Voolstra CR, Wild C (2021) High plasticity of nitrogen fixation and denitrification of common coral reef substrates in response to nitrate availability. *Marine Pollution Bulletin*, 168:112430

- TZS-2021-16 El-Khaled YC, Roth F, Rädecker N, Tilstra A, Karcher DB, Kurten B, Jones BH, Voolstra CR, Wild C (2021) Nitrogen fixation and denitrification activity differ between coral- and algae-dominated Red Sea reefs. *Scientific Reports*, 11:11820
- TZS-2021-17 Elgert CBC, Lehtonen TK, Kaitala AL, Candolin U (2021) Sexual selection for bright females prevails under light pollution. *Current Zoology*, 67:329-331
- TZS-2021-18 Elgert CBC, Lehtonen TK, Kaitala AL, Candolin U (2021) The duration of artificial light defines sexual signalling in the common glow-worm. *Behavioral Ecology and Sociobiology*, 75:154
- TZS-2021-19 Elovaara S, Eronen-Rasimus E, Asmala E, Tamelander T, Kaartokallio H (2021) Contrasting patterns of carbon cycling and dissolved organic matter processing in two phytoplankton-bacteria communities. *Biogeosciences*, 18:6589-6616
- TZS-2021-20 Forsblom L, Lindén A, Engström-Öst J, Lehtiniemi M, Bonsdorff E (2021) Identifying biotic drivers of population dynamics in a benthic–pelagic community. *Ecology and Evolution*, 11:4035-4045
- TZS-2021-21 Gagnon K, Gustafsson C, Salo T, de Rossi F, Gunell S, Richardson JP, Reynolds PL, Duffy JE, Boström C (2021) Role of food web interactions in promoting resilience to nutrient enrichment in a brackish water eelgrass (*Zostera marina*) ecosystem. *Limnology and Oceanography*, 66:2810-2826
- TZS-2021-22 Gladstone-Gallagher RV, Hewitt JE, Thrush SF, Brustolin MC, Villnäs A, Valanko S, Norkko A (2021) Identifying "vital attributes" for assessing disturbance-recovery potential of seafloor communities. *Ecology and Evolution*, 11:6091-6103
- TZS-2021-23 Gravolin I, Lehtonen TK, Deal NDS, Candolin U, Wong B (2021) Male reproductive adjustments to an introduced nest predator. *Behavioral Ecology*, 32:1163-1170
- TZS-2021-24 Harrison JP, Chronopoulou P-M, Salonen IS, Jilbert T, Koho KA (2021) 16S and 18S rRNA gene metabarcoding provide congruent information on the responses of sediment communities to eutrophication. *Frontiers in Marine Science*, 8:708716
- TZS-2021-25 Hopkins J, Lehtonen TK, Baudry G, Kaitala A (2021) Costly mating delays drive female ornamentation in a capital breeder. *Ecology and Evolution*, 11:8863-8868
- TZS-2021-26 Hyytiäinen K, Barbara B, Bly Joyce K, Ehrnsten E, Eilola K, Gustafsson B, Meier M, Norkko A, Saraiva S, Tomczak M, Zanderson M (2021) Provision of aquatic ecosystem services as a consequence of societal changes: The case of the Baltic Sea. *Population Ecology*, 63:61-74
- TZS-2021-27 Jaatinen K, Westerbom M, Norkko A, Mustonen O, Koons DN (2021) Detrimental impacts of climate change may be exacerbated by density-dependent population regulation in blue mussels. *Journal of Animal Ecology*, 90:562-573
- TZS-2021-28 Jilbert T, Cowie G, Lintumäki L, Jokinen S, Asmala E, Sun X, Mört C-M, Norkko A, Humborg C (2021) Anthropogenic inputs of terrestrial organic matter influence carbon loading and methanogenesis in coastal Baltic Sea sediments. *Frontiers in Earth Science*, 9:716416
- TZS-2021-29 Jilbert T, Gustafsson BG, Veldhuijzen S, Reed DC, Helmond NAGM, Hermans M, Slomp CP (2021) Iron-phosphorus feedbacks drive multidecadal oscillations in Baltic Sea hypoxia. *Geophysical Research Letters*, 48:e2021GL095908
- TZS-2021-30 Kahma TI, Karlson AML, Liénart C, Mört C-M, Humborg C, Norkko A, Rodil IF (2021) Food-web comparisons between two shallow vegetated habitat types in the Baltic Sea. *Marine Environmental Research*, 169:105402
- TZS-2021-31 Lehtonen TK, Babic NL, Piepponen T, Valkeeniemi O, Borshagovski A-M, Kaitala A (2021) High road mortality during female-biased larval dispersal in an iconic beetle. *Behavioral Ecology and Sociobiology*, 75:26
- TZS-2021-32 Lindström S, Timonen S, Sundström L (2021) The bacterial and fungal community composition in time and space in the nest mounds of the ant *Formica exsecta* (Hymenoptera: Formicidae). *Microbiologyopen*, 10:e1201
- TZS-2021-33 Lohrer AM, Norkko AM, Thrush SF, Cummings VJ (2021) Climate cascades affect coastal Antarctic seafloor ecosystem functioning. *Global Change Biology*, 27:6181-6191

- TZS-2021-34 Mäkelin SEI, Wahlberg M, Osiecka A, Hermans C, Balsby TJS (2021) Vocal behaviour of the Great Cormorant *Phalacrocorax carbo sinensis* during the breeding season. *Bird Study*, 68:211-219
- TZS-2021-35 Martin-Roy R, Nygård E, Nouhaud P, Kulmuni J (2021) Differences in thermal tolerance between parental species could fuel thermal adaptation in hybrid wood ants. *American Naturalist*, 198:278-294
- TZS-2021-36 Mohring B, Angelier F, Jaatinen K, Parenteau C, Öst M (2021) Parental investment under predation threat in incubating common eiders (*Somateria mollissima*): a hormonal perspective. *Frontiers in Ecology and Evolution*, 9:637561
- TZS-2021-37 Nääkki P (2021) *Micro- and mesoplastics in the northern Baltic Sea: their fate in the seafloor and effects on benthic fauna*. PhD thesis, University of Helsinki. 97 pp.
- TZS-2021-38 Nääkki P, Eronen-Rasimus EL, Kaartokallio H, Kankaanpää H, Setälä O, Vahtera E, Lehtiniemi M (2021) Polycyclic aromatic hydrocarbon sorption and bacterial community composition of biodegradable and conventional plastics incubated in coastal sediments. *The Science of the Total Environment*, 755:143088
- TZS-2021-39 Noreikiene K, Jaatinen K, Steele BB, Öst M (2021) Glucocorticoids, state-dependent reproductive investment and success in the face of danger in a long-lived bird. *Journal of Ornithology*, 162:497-509
- TZS-2021-40 Nybom I, Horlitz G, Gilbert D, Berrojalbiz N, Martens M, Arp HPH, Sobek A (2021) Effects of organic carbon origin on hydrophobic organic contaminant fate in the Baltic Sea. *Environmental Science & Technology*, 55:13061-13071
- TZS-2021-41 Pulliainen U, Bos N, D'Ettorre P, Sundström L (2021) The scent of ant brood: Caste differences in surface hydrocarbons of *Formica exsecta* pupae. *Journal of Chemical Ecology*, 47:513-524
- TZS-2021-42 Rädecker N, Pogoreutz C, Gegner HM, Cardenas A, Roth F, Bougoure J, Guagliardo P, Wild C, Pernice M, Raina J-B, Meibom A, Voolstra CR (2021) Heat stress destabilizes symbiotic nutrient cycling in corals. *Proceedings of the National Academy of Sciences of the United States of America*, 118:e2022653118
- TZS-2021-43 Rodil IF, Attard KM, Gustafsson C, Norkko A (2021) Variable contributions of seafloor communities to ecosystem metabolism across a gradient of habitat-forming species. *Marine Environmental Research*, 167:105321
- TZS-2021-44 Rodil IF, Lohrer AM, Attard KM, Hewitt JE, Thrush SF, Norkko A (2021) Macrofauna communities across a seascape of seagrass meadows: environmental drivers, biodiversity patterns and conservation implications. *Biodiversity and Conservation*, 30:3023-3043
- TZS-2021-45 Rodil IF, Long ZT, Fegley SR, Rodriguez AB, Peterson CH (2021) Benthic community responses to the filling of a hurricane-induced barrier island inlet. *Journal of Coastal Research*, 37:601-610
- TZS-2021-46 Roth F, El-Khaled YC, Karcher DB, Rädecker N, Carvalho S, Duarte CM, Silva L, Calleja ML, Moran XAG, Jones BH, Voolstra CR, Wild C (2021) Nutrient pollution enhances productivity and framework dissolution in algae- but not in coral-dominated reef communities. *Marine Pollution Bulletin*, 168:112444
- TZS-2021-47 Roth F, Rädecker N, Carvalho S, Duarte CM, Saderne V, Anton A, Silva L, Calleja ML, Moran XAG, Voolstra CR, Kuerten B, Jones BH, Wild C (2021) High summer temperatures amplify functional differences between coral- and algae-dominated reef communities. *Ecology*, 102:e03226
- TZS-2021-48 Saderne V, Fusi M, Thomson T, Dunne A, Mahmud F, Roth F, Carvalho S, Duarte CM (2021) Total alkalinity production in a mangrove ecosystem reveals an overlooked Blue Carbon component. *Limnology and Oceanography Letters*, 6:61-67
- TZS-2021-49 Sainio E, Lehtiniemi M, Setälä O (2021) Microplastic ingestion by small coastal fish in the northern Baltic Sea, Finland. *Marine Pollution Bulletin*, 172:12814
- TZS-2021-50 Silva L, Calleja ML, Ivetic S, Huete-Stauffer T, Roth F, Carvalho S, Moran XAG (2021) Heterotrophic bacterioplankton responses in coral- and algae-dominated Red Sea reefs show they might benefit from future regime shift. *The Science of the Total Environment*, 751:141628

- TZS-2021-51 Teittinen A, Virta L (2021) Exploring multiple aspects of taxonomic and functional diversity in microphytobenthic communities: Effects of environmental gradients and temporal changes. *Frontiers in Microbiology*, 12:668993
- TZS-2021-52 Teittinen A, Virta L, Li M, Wang J (2021) Factors influencing the biodiversity of three microbial groups within and among islands of the Baltic Sea. *FEMS Microbiology Ecology*, 97:fiab049
- TZS-2021-53 Thrush S, Hewitt J, Pilditch C, Norkko A (2021) Ecology of Coastal Marine Sediments. Oxford University Press.
- TZS-2021-54 Tilstra A, Roth F, El-Khaled YC, Pogoreutz C, Rädecker N, Voolstra CR, Wild C (2021) Relative abundance of nitrogen cycling microbes in coral holobionts reflects environmental nitrate availability. *Royal Society Open Science*, 8:201835
- TZS-2021-55 Virta L, Norkko A (2021) Do you like to breathe? Diatoms can help you with that! *Frontiers for Young Minds*, 9:553748
- TZS-2021-56 Virta L, Soininen J, Norkko A (2021) Biodiversity loss threatens the current functional similarity of beta diversity in benthic diatom communities. *Microbial Ecology*, 81:293-303
- TZS-2021-57 Virta L, Soininen J, Norkko A (2021) Biodiversity loss threatens the current functional similarity of beta diversity in benthic diatom communities. *Microbial Ecology*, 81:293-303
- TZS-2021-58 Voss M, Asmala E, Bartl I, Carstensen J, Conley DJ, Dippner JW, Humborg C, Lukkari K, Petkuviene J, Reader H, Stedmon C, Vybernaite-Lubiene I, Wannicke N, Zilius M (2021) Origin and fate of dissolved organic matter in four shallow Baltic Sea estuaries. *Biogeochemistry*, 154:385-403
- TZS-2021-59 Wester bom M, Kraufvelin P, Mustonen O, Diaz E (2021) Explaining recruitment stochasticity at a species' range margin. *Frontiers in Marine Science*, 8:659556
- TZS-2021-60 Wood SM, Kremp A, Savela H, Akter S, Varti V-P, Saarni S, Suikkanen S (2021) Cyanobacterial akinete distribution, viability, and cyanotoxin records in sediment archives from the northern Baltic Sea. *Frontiers in Microbiology*, 12:681881

TZS publications 2022

- TZS-2022-1 Angst P, Ameline C, Haag CR, Ben-Ami F, Ebert D, Fields PD (2022) Genetic drift shapes the evolution of a highly dynamic metapopulation. *Molecular Biology and Evolution*, 39:msac264
- TZS-2022-2 Asmala E, Virtasalo JJ, Scheinin M, Newton S, Jilbert T (2022) Role of particle dynamics in processing of terrestrial nitrogen and phosphorus in the estuarine mixing zone. *Limnology and Oceanography*, 67:1-12
- TZS-2022-3 Bäckroos S, Ala-Illomäki LKM, Candolin U (2022) Habitat change alters the expression and efficiency of a female ornament. *Behavioral Ecology*, 33:1133-1140
- TZS-2022-4 Baden S, Fredriksen S, Christie H, Eriander L, Gustafsson C, Holmer M, Olesen B, Thormar J, Boström C (2022) Effects of depth and overgrowth of ephemeral macroalgae on a remote subtidal NE Atlantic eelgrass (*Zostera marina*) community. *Marine Pollution Bulletin*, 177:113497
- TZS-2022-5 Candolin U, Goncalves S, Pant P (2022) Delayed early life effects in the threespine stickleback. *Proceedings of the Royal Society B Biological Sciences*, 289:20220554
- TZS-2022-6 Ehrnsten E, Savchuk OP, Gustafsson BG (2022) Modelling the effects of benthic fauna on carbon, nitrogen and phosphorus dynamics in the Baltic Sea. *Biogeosciences*, 19:3337-3367
- TZS-2022-7 El-Khaled YC, Daraghmeh N, Tilstra A, Roth F, Huettel M, Rossbach F, Casoli E, Koester A, Beck M, Meyer R, Plewka J, Schmidt N, Winkelgrund L, Merk B, Wild C (2022) Fleshy red algae mats act as temporary reservoirs for sessile invertebrate biodiversity. *Communications Biology*, 5:579
- TZS-2022-8 Eronen-Rasmus EL, Näkki PP, Kaartokallio HP (2022) Degradation rates and bacterial community compositions vary among commonly used bioplastic materials in a brackish marine environment. *Environmental Science & Technology*, 56:15760-15769
- TZS-2022-9 Gladstone-Gallagher R, Tylianakis JM, Yletyinen J, Dakos V, Douglas EJ, Greenhalgh S, Hewitt JE, Hikuroa D, Lade SJ, Le Heron R, Norkko A, Perry GLW, Pilditch CA, Schiel D, Siwicka E, Warburton H, Thrush SF (2022) Social-ecological connections across land, water, and sea demand a reprioritization of environmental management. *Elementa: Science of the Anthropocene*, 10:00075

- TZS-2022-10 Goebeler N, Norkko A, Norkko J (2022) Ninety years of coastal monitoring reveals baseline and extreme ocean temperatures are increasing off the Finnish coast. *Communications earth & environment*, 3:215
- TZS-2022-11 Graco-Roza C, Aarnio S, Abrego N, Acosta ATR, Alahuhta J, Altman J, Angiolini C, Aroviita J, Attorre F, Bastrup-Spohr L, Barrera-Alba JJ, Belmaker J, Biurrun I, Bonari G, Bruehlheide H, Burrascano S, Carboni M, Cardoso P, Carvalho JC, Castaldelli G, Christensen M, Correa G, Dembicz I, Dengler J, Dolezal J, Domingos P, Erös T, Ferreira CEL, Filibeck G, Floeter SR, Friedlander AM, Gammal J, Gavioli A, Gossner MM, Granot I, Guarino R, Gustafsson C, Hayden B, He S, Heilmann-Clausen J, Heino J, Hunter JT, Huszar VLM, Janisova M, Jyrkankallio-Mikkola J, Kahilainen KK, Kemppinen J, Kozub L, Kruk C, Kulbiki M, Kuzemko A, Christiaan le Roux P, Lehikoinen A, Teixeira de Lima D, Lopez-Urrutia A, Lukacs BA, Luoto M, Mammola S, Marinho MM, Menezes LS, Milardi M, Miranda M, Moser GAO, Mueller J, Niittynen P, Norkko A, Nowak A, Ometto JP, Ovaskainen O, Overbeck GE, Pacheco FS, Pajunen V, Palpurina S, Picazo F, Prieto JAC, Rodil IF, Sabatini FM, Salingre S, De Sanctis M, Segura AM, da Silva LHS, Stevanovic ZD, Swacha G, Teittinen A, Tolonen KT, Tsiripidis I, Virta L, Wang B, Wang J, Weisser W, Xu Y, Soininen J (2022) Distance decay 2.0-A global synthesis of taxonomic and functional turnover in ecological communities. *Global Ecology and Biogeography*, 31:1399-1421
- TZS-2022-12 Granroth-Wilding HMV, Candolin U (2022) No strong associations between temperature and the host-parasite interaction in wild stickleback. *Journal of Fish Biology*, 101:453-463
- TZS-2022-13 Hall CAM, Lewandowska AM (2022) Zooplankton dominance shift in response to climate-driven salinity change: A mesocosm study. *Frontiers in Marine Science*, 9:861297
- TZS-2022-14 Hintz WD, Arnott SE, Symons CC, Greco DA, McClymont A, Brentrup JA, Canedo-Arguelles M, Derry AM, Downing AL, Gray DK, Melles SJ, Relyea RA, Rusak JA, Searle CL, Astorg L, Baker HK, Beisner BE, Cottingham KL, Ersoy Z, Espinosa C, Franceschini J, Giorgio AT, Göbel N, Hassal E, Hebert M-P, Huynh M, Hylander S, Jonasen KL, Kirkwood AE, Langenheder S, Langvall O, Laudon H, Lind L, Lundgren M, Proia L, Schuler MS, Shurin JB, Steiner CF, Striebel M, Thibodeau S, Urrutia-Cordero P, Vendrell-Puigmitja L, Weyhenmeyer GA (2022) Current water quality guidelines across North America and Europe do not protect lakes from salinization. *Proceedings of the National Academy of Sciences of the United States of America*, 119:e2115033119
- TZS-2022-15 Hopkins J, Kaitala V, Kaitala A (2022) Beauty is in the eye of the beholder: mate choice in glow-worms depends on perceived, not emitted signals. *Oikos*, 2022:e09468
- TZS-2022-16 Hulver AM, Steckbauer A, Ellis JI, Aylagas E, Roth F, Kharbatia N, Thomson T, Carvalho S, Jones BH, Berumen ML (2022) Interaction effects of crude oil and nutrient exposure on settlement of coral reef benthos. *Marine Pollution Bulletin*, 185:114352
- TZS-2022-17 Isotalo T, Rotenbiller L, Candolin U (2022) The importance of considering the duration of extreme temperatures when investigating responses to climate change. *Global Change Biology*, 28:6577-6585
- TZS-2022-18 Jaatinen K, Hermansson I, Mohring B, Steele BB, Öst M (2022) Mitigating impacts of invasive alien predators on an endangered sea duck amidst high native predation pressure. *Oecologia*, 198:543-552
- TZS-2022-19 Jackson R, Monnin D, Patapiou PA, Golding G, Helanterä H, Oettler J, Heinze J, Wurm Y, Economou CK, Chapuisat M, Henry LM (2022) Convergent evolution of a labile nutritional symbiosis in ants. *ISME Journal*, 16:2114-2122
- TZS-2022-20 Jerney J, Rengefors K, Nagai S, Krock B, Sjöqvist C, Suikkanen S, Kremp A (2022) Seasonal genotype dynamics of a marine dinoflagellate: Pelagic populations are homogeneous and as diverse as benthic seed banks. *Molecular Ecology*, 31:512-528
- TZS-2022-21 Kahma TI (2022) *Macroalgal contribution to benthic macrofaunal communities and food webs in shallow coastal habitats of the Baltic Sea*. PhD thesis, University of Helsinki. 51 pp.
- TZS-2022-22 Kauppi L, Villnäs A (2022) Marine heatwaves of differing intensities lead to distinct patterns in seafloor functioning. *Proceedings of the Royal Society B Biological Sciences*, 289:20221159
- TZS-2022-23 Lehtoranta J, Bendtsen J, Lännergren C, Saarijärvi E, Lindström M, Pitkänen H (2022) Different responses to artificial ventilation in two stratified coastal basins. *Ecological Engineering*, 179:106611
- TZS-2022-24 Luo M, Wang S, Saavedra S, Ebert D, Altermatt F (2022) Multispecies coexistence in fragmented landscapes. *Proceedings of the National Academy of Sciences of the United States of America*, 119:e2201503119

- TZS-2022-25 Ma K, Powers LC, Seppälä J, Norkko J, Brandes JA (2022) Effects of added humic substances and nutrients on photochemical degradation of dissolved organic matter in a mesocosm amendment experiment in the Gulf of Finland, Baltic Sea. *Photochemistry and Photobiology*, 98:1025-1042
- TZS-2022-26 Majaneva M, Rintala J-M, Blomster J (2022) Taxonomically and functionally distinct ciliophora assemblages inhabiting Baltic Sea ice. *Microbial Ecology*, 84:974-984
- TZS-2022-27 Mäkelin SEI, Villnäs A (2022) Food sources drive temporal variation in elemental stoichiometry of benthic consumers. *Limnology and Oceanography*, 67:784-799
- TZS-2022-28 Manca F, Mulà C, Gustafsson C, Mauri A, Roslin T, Thomas DN, Benedetti-Cecchi L, Norkko A, Strona G (2022) Unveiling the complexity and ecological function of aquatic macrophyte-animal networks in coastal ecosystems. *Biological Reviews*, 97:1306-1324
- TZS-2022-29 Mohring B, Angelier F, Jaatinen K, Steele B, Lönnberg E, Öst M (2022) Drivers of within- and among-individual variation in risk-taking behaviour during reproduction in a long-lived bird. *Proceedings of the Royal Society B-Biological Sciences*, 289:20221338
- TZS-2022-30 Nouhaud P, Beresford J, Kulmuni J (2022) Assembly of a hybrid *Formica aquilonia* × *F. polyctena* ant genome from a haploid male. *Journal of Heredity*, 113:353-359
- TZS-2022-31 Nouhaud P, Martin SH, Portinha B, Sousa VC, Kulmuni J (2022) Rapid and predictable genome evolution across three hybrid ant populations. *PLoS Biology*, 20:e3001914
- TZS-2022-32 Olofsson M, Almen A-K, Jaatinen K, Scheinin M (2022) Temporal escape-adaptation to eutrophication by *Skeletonema marinoi*. *FEMS Microbiology Letters*, 369:fnac011
- TZS-2022-33 Orizar IDS, Lewandowska AM (2022) Intraspecific trait variability of a diatom and a dinoflagellate along a salinity gradient. *Frontiers in Marine Science*, 9:880309
- TZS-2022-34 Öst M, Lehikoinen A, Jaatinen K (2022) Top-down effects override climate forcing on reproductive success in a declining sea duck. *Oikos*, 2022:e08762
- TZS-2022-35 Petersen HC, Hansen BW, Knott KE, Banta GT (2022) Species and genetic diversity relationships in benthic macroinvertebrate communities along a salinity gradient. *Bmc Ecology and Evolution*, 22:125
- TZS-2022-36 Petersen HC, Knott KE, Banta GT, Hansen BW (2022) Ultra-conserved elements provide insights to the biogeographic patterns of three benthic macroinvertebrate species in the Baltic Sea. *Estuarine Coastal and Shelf Science*, 271:107863
- TZS-2022-37 Portinha B, Avril A, Bernasconi C, Helanterä H, Monaghan J, Seifert B, Sousa VC, Kulmuni J, Nouhaud P (2022) Whole-genome analysis of multiple wood ant population pairs supports similar speciation histories, but different degrees of gene flow, across their European ranges. *Molecular Ecology*, 31:3416-3431
- TZS-2022-38 Preston R, Blomster J, Schagerström E, Seppä P (2022) Clonality, polyploidy and spatial population structure in Baltic Sea *Fucus vesiculosus*. *Ecology and Evolution*, 12:e9336
- TZS-2022-39 Preston R, Seppä P, Schagerström E, Blomster J (2022) Phylogeographic patterns in attached and free-living marine macroalga *Fucus vesiculosus* (Fucaceae, Phaeophyceae) in the Baltic Sea. *Botanica marina*, 65:419-432
- TZS-2022-40 Pulliainen U, Morandin C, Bos N, Sundström L, Schultner E (2022) Social environment affects sensory gene expression in ant larvae. *Insect Molecular Biology*, 31:1-9
- TZS-2022-41 Rädecker N, Pogoreutz C, Gegner HM, Cardenas A, Perna G, Geissler L, Roth F, Bougoure J, Guagliardo P, Struck U, Wild C, Pernice M, Raina J-B, Meibom A, Voolstra CR (2022) Heat stress reduces the contribution of diazotrophs to coral holobiont nitrogen cycling. *ISME Journal*, 16:1110-1118
- TZS-2022-42 Rissanen J, Helanterä H, Freitak D (2022) Pathogen prevalence modulates medication behavior in ant *Formica fusca*. *Frontiers in Insect Science*, 2:870971
- TZS-2022-43 Rissanen J, Helanterä H, Will T, Freitak D (2022) Lack of self-medication by fungus infected *Lasius platythorax* (Formicidae, Formicinae) ants in a multitrophic experiment. *Annales Zoologici Fennici*, 59:205-213
- TZS-2022-44 Rodil IF, Lohrer AM, Attard KM, Thrush SF, Norkko A (2022) Positive contribution of macrofaunal biodiversity to secondary production and seagrass carbon metabolism. *Ecology*, 103:e3648
- TZS-2022-45 Rohlfer EK, Scheer SL, Bergmann MM, Sweetman AK, Hoving HJT (2022) Contrasting residence time and scavenging communities of experimental invertebrate food falls in the Arctic deep sea. *Deep-Sea Research Part 1: Oceanographic Research Papers*, 189:103832

- TZS-2022-46 Roth F, Sun X, Geibel MC, Prytherch J, Bruchert V, Bonaglia S, Broman E, Nascimento F, Norkko A, Humborg C (2022) High spatiotemporal variability of methane concentrations challenges estimates of emissions across vegetated coastal ecosystems. *Global Change Biology*, 28:4308-4322
- TZS-2022-47 Rovelli L, Carreiro-Silva M, Attard KM, Rakka M, Dominguez-Carrio C, Bilan M, Blackbird S, Morato T, Wolff GA, Glud RN (2022) Benthic O₂ uptake by coral gardens at the Condor seamount (Azores). *Marine Ecology Progress Series*, 688:19-31
- TZS-2022-48 Soulié T, Engström-Öst J, Glippa O (2022) Copepod oxygen consumption along a salinity gradient. *Marine and Freshwater Behaviour and Physiology*, 55:107-119
- TZS-2022-49 Spilling K, Asmala E, Haavisto N, Haraguchi L, Kraft K, Lehto A-M, Lewandowska A, Norkko J, Piiparinens J, Seppälä J, Vanharanta M, Vehmaa A, Ylöstalo P, Tamminen T (2022) Brownification affects phytoplankton community composition but not primary productivity in eutrophic coastal waters: A mesocosm experiment in the Baltic Sea. *The Science of the Total Environment*, 841:156510
- TZS-2022-50 Spilling K, Asmala E, Haavisto N, Haraguchi L, Kraft K, Lehto A-M, Lewandowska A, Norkko J, Piiparinens J, Seppälä J, Vanharanta M, Vehmaa A, Ylöstalo P, Tamminen T (2022) Dataset from a mesocosm experiment on brownification in the Baltic Sea. *Data in Brief*, 45:108755
- TZS-2022-51 Sundström L, Vitikainen E (2022) The life history of *Formica exsecta* (Hymenoptera: Formicidae) from an ecological and evolutionary perspective. *Myrmecological news*, 32:23-40
- TZS-2022-52 Svedäng H, Savchuk O, Villnäs A, Norkko A, Gustafsson BG, Wikström SA, Humborg C (2022) On the decline of eastern Baltic cod: we need to take more holistic views into account. Reply to Brander (2022) comment on Svedäng et al. (2022). *ICES Journal of Marine Research*, 79:2157-2158
- TZS-2022-53 Svedäng H, Savchuk OP, Villnäs A, Norkko A, Gustafsson B, Wikström SA, Humborg C (2022) Re-thinking the “ecological envelope” of Eastern Baltic cod (*Gadus morhua*): conditions for productivity, reproduction, and feeding over time. *ICES Journal of Marine Science*, 79:689-708
- TZS-2022-54 Teittinen A, Soininen J, Virta L (2022) Studying biodiversity-ecosystem function relationships in experimental microcosms among islands. *Ecology*, 103:e3664
- TZS-2022-55 Thakur RC, Dada L, Beck LJ, Quelever LLJ, Chan T, Marbouti M, He X-C, Xavier C, Sulo J, Lampilahti J, Lampimäki M, Tham YJ, Sarnela N, Lehtipalo K, Norkko A, Kulmala M, Sipilä M, Jokinen T (2022) An evaluation of new particle formation events in Helsinki during a Baltic Sea cyanobacterial summer bloom. *Atmospheric Chemistry and Physics*, 22:6365-6391
- TZS-2022-56 Tomczak MT, Mueller-Karulis B, Blenckner T, Ehrnsten E, Eero M, Gustafsson B, Norkko A, Otto SA, Timmermann K, Humborg C (2022) Reference state, structure, regime shifts, and regulatory drivers in a coastal sea over the last century: The Central Baltic Sea case. *Limnology and Oceanography*, 67:S266-S284
- TZS-2022-57 Van Damme K, Cornetti L, Fields PD, Ebert D, Bond J (2022) Whole-genome phylogenetic reconstruction as a powerful tool to reveal homoplasy and ancient rapid radiation in waterflea evolution. *Systematic Biology*, 71:777-787
- TZS-2022-58 Villnäs A, Mäkelin SEI, Vanni M (2022) Allometric and stoichiometric traits predict nutrient excretion rates by benthic consumers. *Frontiers in Marine Science*, 9:870308
- TZS-2022-59 Virta L, Teittinen A (2022) Threshold effects of climate change on benthic diatom communities: Evaluating impacts of salinity and wind disturbance on functional traits and benthic biomass. *Science of the Total Environment*, 826:154130
- TZS-2022-60 von Weissenberg E, Jansson A, Vuori KA, Engström-Öst J (2022) Copepod reproductive effort and oxidative status as responses to warming in the marine environment. *Ecology and Evolution*, 12:e8594
- TZS-2022-61 von Weissenberg E, Mottola G, Uurasmaa T-M, Anttila K, Engström-Öst J (2022) Combined effect of salinity and temperature on copepod reproduction and oxidative stress in brackish-water environment. *Frontiers in Marine Science*, 9:952863
- TZS-2022-62 Westerbom M, Koivisto M (2022) Mussels and canopy-forming algae as ecosystem engineers: their contribution to community organization in the rocky sublittoral. *Frontiers in Marine Science*, 9:929899

Total number of publications (end of 2022): 2466