

G. Domina, W. Greuter, P. Mazzola & F.M. Raimondo

Names of Italian vascular plants published by Michele Lojacono Pojero

Abstract

Domina, G., Greuter, W., Mazzola, P. & Raimondo, F.M.: Names of Italian vascular plants published by Michele Lojacono Pojero. — Fl. Medit. 24: 215-232. 2014. — ISSN: 1120-4052 printed, 2240-4538 online.

Michele Lojacono Pojero (1853-1919) is among the most prolific Italian authors of plant names of his era. A list is presented of the names of 581 new Italian (almost invariably Sicilian) vascular plant taxa he published (303 species, 272 varieties, 6 formae), with reference to existing lectotype designations.

Key words: nomenclature, herbaria, flora, Sicily.

Introduction

Michele Lojacono Pojero (* Palermo 1853, † Messina 1919) is among the most prolific Italian authors of plant names between 1878 and 1917. Many published sources of data on his life and work exist (Aghababayan & al. 2012; De Gregorio 1923; Dia, 1987; Domina & al. 2014; Dörfler 1909a, 1909b; Nardi, 1988; Stafleu, 1981; Troia & Raimondo 2007). Even so, many aspects of his life after 1913, when he left Palermo, are still obscure.

Starting in or before 1878, he explored the vascular and avascular flora of Italy, mainly Sicily and its surrounding islands, publishing taxa new to Science in 16 publications, most of them printed in Palermo (Lojacono Pojero 1978a, 1978b, 1881-1884, 1882, 1883, 1883-1884, 1884-1885, 1886, 1886-1887, 1888-1889, 1888-1909, 1889-1990, 1890, 1906a, 1906b, 1917). For the time being, our studies are confined to vascular plant taxa and do not take bryophytes and lichens into consideration.

The project of typification of the names of new taxa published by Lojacono started in 2003, benefiting initially from two grants by the International Foundation pro Herbario Mediterraneo, then continued on a voluntary basis. It resulted in an inventory of names published by Lojacono for species and infraspecific taxa of vascular plants, to provide a basis for the subsequent search for original material in the herbaria. This research has been carried out for the families *Compositae* (Aghababayan & al. 2008) and *Orobanchaceae* (Domina & Mazzola 2007). Additional taxonomic contributions that included the search for further nomenclatural types are: Aghababayan & al. 2007, Bacchetta & al. 2010, Bartolucci & Domina in press, Bartolucci & al. 2013, C. Brullo & al. 2011, S. Brullo 1980,

S. Brullo & Minissale 2002, Diana Corrias 1978, Garbari & Raimondo 1987, Iamónico 2013, Nardi 1984, Peruzzi & Tison 2005, Raimondo & al. 1991, and Troia 1997. Many of these contributions were written in the context of the project *Loci classici census* undertaken by the group for Floristics, Systematics and Evolution of the Italian Botanical Society (Domina & al. 2012; Peruzzi & al. in press). Further contributions of a similar kind, based on the list of names in Appendix I, are planned for the future. As for *Compositae* and *Orobanchaceae*, the search for original material will start from the *Herbarium Siculum* in Palermo (now *Herbarium Mediterraneum Panormitanum*, PAL) and will, when necessary, be extended to the other main Italian and European herbaria, bearing in mind the fact that Lojacono sold Centuriae of his plants to many interested parties (Aghababian & al. 2008; Domina & al. 2014).

Results and conclusions

The names of new vascular plant taxa described from Italy by Michele Lojacono Pojero are listed alphabetically in Annex 1, followed by a reference to their place of publication. When necessary, the spelling has been corrected to conform to the tenets of the ICN (McNeill & al. 2012), e.g., “gasparrini” to “gasparrinii”, “todari” to “todaroi”. When the origin of the plant was described lies outside of Sicily, this is explicitly mentioned. When the type has been confirmed or designated, a reference to the place of confirmation or designation follows at the end.

On the whole, the list comprises the names of Lojacono’s 581 new Italian vascular plants taxa: 303 species, 272 varieties and 6 formae. Almost all (577) are based on material from Sicily and the surrounding small islands, only 5 on plants from the rest of Italy. Perhaps due to Lojacono’s modest financial resources, or to the focus of his interest, he is known to have collected outside Sicily only occasionally. The larger part of his newly described plant taxa rests on the study of material housed in the *Herbarium Siculum* in Palermo, often collected by others rather than Lojacono himself. This is reflected in the large number of names ascribed to Tineo (27) and Todaro (20), or commemorating them (11 and 8, respectively). Indeed, Tineo’s and Todaro’s collections constitute the bulk of the historical core of the herbarium *Herbarium Siculum*. Lojacono had all-embracing floristic interests and studied in depth all families of the Sicilian flora, with particular emphasis on taxonomically critical groups, as documented by the 29 new names in *Mentha*, 28 in *Quercus*, 26 in *Micromeria*, 18 in *Statice*, and 15 in *Juncus*.

Acknowledgements

Financial support from the International Foundation pro Herbario Mediterraneo is gratefully acknowledged.

References

Aghababian, M., Greuter, W. & Raimondo, F.M. 2012: Michele Lojacono-Pojero’s Centuriae in the herbaria and archives in Geneva. – *Bocconea* **24**: 177-193.

- , —, Mazzola, P. & Raimondo, F.M. 2007: Typification of Sicilian *Helichrysum* (*Compositae*) revisited. – *Taxon* **56**: 1285-1288.
- , —, — & — 2008: Typification of names of *Compositae* taxa described from Sicily by Michele Lojacono Pojero. – *Fl. Medit.* **18**: 513-528.
- Bacchetta, G., Brullo, S., Casti, M. & Giusso del Galdo, G. 2010: Taxonomic revision of the *Dianthus sylvestris* group (*Caryophyllaceae*) in central-southern Italy, Sicily and Sardinia. – *Nordic J. Bot.* **28**: 137-173. doi: 10.1111/j.1756-1051.2009.00459.x
- Bartolucci, F. & Domina, G. in press: The genus *Thymus* (*Lamiaceae*) in Sicily. – *Pl. Biosyst.*
- Bartolucci, F., Peruzzi, L. & Passalacqua, N.G. 2013: Taxonomic notes and typification of names within the genus *Thymus* L. (*Lamiaceae*). – *Taxon* **62**: 1308-1312.
- Brullo, C., Brullo, S. & Giusso del Galdo, G. 2011: Lectotipificazione e loci classici di alcuni endemismi della flora sicula. – Pp. 35-39 in: Peccenini, S. & Domina, G. (ed.): Loci classici, taxa critici e monumenti arborei della flora d'Italia. – Firenze.
- Brullo, S. 1980: Taxonomic and nomenclatural notes on the genus *Limonium* in Sicily. – *Bot. Not.* **133**: 281-293.
- Brullo, S. & Minissale, P. 2002: Il gruppo di *Dianthus rupicola* nel Mediterraneo centrale. – *Inform. Bot. Ital.* **33**: 537-542.
- Dia, M. G. 1987: L'opera di Michele Lojacono-Pojero per la illustrazione della Flora Sicula. – Pp. 495-503 in: Liotta, G. (ed.), Atti del Convegno "I Naturalisti e la Cultura Scientifica nell'Ottocento", Palermo 5-7 dicembre 1984. – Palermo.
- De Gregorio, A. 1923: Necrologie – Michele Lojacono. – *Naturalista Sicil.* **24**: 31-32.
- Diana Corrias, S. 1978: Le piante endemiche della Sardegna: 29–32. – *Boll. Soc. Sarda Sci. Nat.* **17**: 267–288.
- Dörfner, I. 1909a: Botaniker-Adressbuch, ed. 3. – Wien.
- 1909b. Dörfner's Botaniker-Adressbuch. III. Auflage. Nachträge und Korrekturen [Januar 1909]. – [Wien].
- Domina, G. & Mazzola, P. 2007. The genus *Orobanche* in Sicily. Taxa described by V. Tineo and M. Lojacono Pojero. – *Boccone* **21**: 223-232.
- , Greuter, W., Mazzola, P., Raimondo, F. M. 2014: La ricerca dei tipi di Michele Lojacono Pojero nell' "Herbarium Mediterraneum Panormitanum". – *Museol. Sci.* **11**: 81-84.
- , Giusso Del Galdo, G., Gargano, D., Labra, M., Peccenini, S., Peruzzi, L. & Raimondo, F.M. 2012. The Italian *Loci Classici Census*. – *Taxon* **61**: 1351.1353.
- Garbari, F. & Raimondo, F.M. 1987: Sulla tipificazione di *Allium lehamannii* Lojac. (*Alliaceae*), specie di Sicilia e di Calabria. – *Giorn. Bot. Ital.* **121**: 47–54.
- Iamonicò, D. 2013: Italian endemic Caryophyllaceae: a review. – *Lagascalìa* **33**: 275-298.
- Lojacono Pojero, M. 1878a: Contributi alla flora di Sicilia. – Palermo.
- 1878b. Monografia dei trifogli di Sicilia, prodromi di una revisione del genere. – Palermo.
- 1881-1884: Criterii sui caratteri delle *Orobanche* ed enumerazione delle nuove specie rinvenute in Sicilia. – *Naturalista Sicil.* **1**: 45-48, 53-56, 90-93, 131-136, 162-165, 169-175, 198-202, 209-216, 255-258; **2**: 11-15, 37-41, 59-64, 80-84, 105-110, 132-136; **3**: 45-48.
- 1882: Due nuove specie di *Erodium* in Sicilia. – *Naturalista Sicil.* **1**: 105-109.
- 1883: Studii su piante critiche, rare o nuove della flora di Sicilia. – *Naturalista Sicil.* **2**: 293-298.
- 1883-84: Primo elenco briologico di Sicilia. – *Naturalista Sicil.* **3**: 62-66, 97-101.
- 1884-1885: Una escursione botanica in Lampedusa. – *Naturalista Sicil.* **3**: 339-343; **4**: 40-44; 63-68; 92-96; 105-109; 133-139.
- 1886: Secondo elenco briologico di Sicilia. – *Naturalista Sicil.* **5**: 245-248.
- 1886-1887: Alcune osservazioni alle *Orobanche* della Flora Italiana del Caruel. – *Naturalista Sicil.* **6**: 56-58, 79-82, 104-106, 130-133.
- 1888-89: Primo elenco epaticologico di Sicilia. – *Naturalista Sicil.* **8**: 211-220, 240-247.

- 1888-1909: *Flora Sicula*, **1-3**. – Palermo.
- 1889-90: Primo elenco dei licheni di Sicilia. – *Naturalista Sicil.* **9**: 154-156, 175-180, 199-201, 225-228, 247-252, 266-271.
- 1890: Terzo elenco briologico di Sicilia. – *Riv. Ital. Sci. Nat.* **10**: 54-57, 65-68.
- 1906a: Addenda et emendanda ad *Floram siculam*. – *Malpighia* **20**: 37-48, 95-119, 180-218, 290-300.
- 1906b: Di alcune specie nuove o critiche per la Flora italiana. – *R. Orto Bot. Palermo* **5**: 99-102.
- 1917*: Della scoperta di due nuove specie di *Euphorbia*. – *Malpighia* **28**: 97-105.
- McNeill, J., Barrie, F.R., Buck, W.R., Demoulin, V., Greuter, W., Hawksworth, D.L., Herenden, P.S., Knapp, S., Marhold, K., Prado, J., Prud'Homme Van Reine, W.F., Smith, G.F., Wiersema, J.H. & Turland, N.J. (eds.) 2012: International Code of Nomenclature for algae, fungi and plants (Melbourne Code) adopted by the Eighteenth International Botanical Congress Melbourne, Australia, July 2011. – *Regnum Veg.*, **154**.
- Nardi, E. 1984: The genus *Aristolochia* in Italy. – *Webbia* **38**: 221-300.
- 1988: La botanica sistematica italiana negli ultimi cento anni (1888-1988). – Pp. 483-518 in: Pedrotti, F. (ed.), 100 anni di ricerche botaniche in Italia (1888-1988). – Firenze.
- Peruzzi, L. & Tison, J.-M. 2005: Typification and taxonomic status of six taxa of *Gagea* Salisb. (*Liliaceae*) described from Sicily and conserved at Palermo (PAL). – *Candollea* **60**: 503-512.
- , Domina, G., Bartolucci, F., Galasso, G., Peccenini, S., Raimondo, F.M., Albano, A., Alessandrini, A., Banfi, E., Barberis, G., Bernardo, L., Bovio, M., Brullo, S., Brundu, G., Brunu, A., Camarda, I., Carta, L., Conti, F., Croce, A., Iamonico, D., Iberite, M., Iiriti, G., Longo, D., Marsili, S., Medagli, P., Pistarino, A., Salmeri, C., Santangelo, A., Scassellati, E., Selvi, F., Soldano, A., Stinca, A., Villani, M., Wagensommer, R.P. & Passalacqua, N.G. in press: An inventory of the names of vascular plants endemic to Italy, their loci classici and types. – *Phytotaxa*.
- Raimondo, F.M., Mazzola, P. & Ottonello, D. 1991: On the taxonomy and distribution of *Brassica* sect. *Brassica* (*Cruciferae*) in Sicily. – *Fl. Medit.* **1**: 63-86.
- Stafleu, F.A. & Cowan, R.S., 1981: Taxonomic literature, ed. 2, **3**. – *Regnum Veg.* **105**.
- Troia, A. 1997: Taxonomic and eco-geographical notes on *Celtis tournefortii* Lam. (*Ulmaceae* *Celtidoideae*) in Sicily. — *Naturalista Sicil.* **21**: 83-92.
- & Raimondo, F. M. 2007: Note biografiche e bibliografiche su Michele Lojacono-Pojero. – P. 394 in: 102° Congr. S.B.I. riass.: 106, Palermo 26-29 settembre 2007.

*this article was written in 1904 but published in 1917.

Address of the authors:

Giannantonio Domina, Werner Greuter, Pietro Mazzola & Francesco M. Raimondo, Herbarium Mediterraneum Panormitanum, via Lincoln, 2. I-90133 Palermo. E-mail: giannantonio.domina@unipa.it; w.greuter@bgbm.org; pietero.mazzola@unipa.it; francesco.raimondo@unipa.it

Annex 1. Names of Italian vascular plants published by Michele Lojacono Pojero

- Abies pectinata* var. *nebrodensis* Lojac., Fl. Sicul. 2(2): 401. 1907.
- Acer aetnense* Tin. ex Lojac. in Malpighia 20: 193. 1906.
- *pseudoplatanus* var. *macropterum* Lojac., Fl. Sicul. 1(1): 223. 1888.
- Aegilops biaristata* Lojac., Fl. Sicul. 3: 370. 1909.
- Agropyrum lepturoides* Lojac., Fl. Sicul. 3: 373. 1909.
- *panormitanum* var. *nebrodense* Lojac., Fl. Sicul. 3: 371. 1909.
- *panormitanum* var. *petraeum* Lojac., Fl. Sicul. 3: 372. 1909.
- *repense* var. *firmum* Lojac., Fl. Sicul. 3: 375. 1909.
- *scirpeum* var. *involutratum* Lojac., Fl. Sicul. 3: 374. 1909.
- Agrostis altissima* Lojac., Fl. Sicul. 3: 279. 1909.
- *altissima* var. *terrestris* Lojac., Fl. Sicul. 3: 279. 1909.
- Aira cupaniana* var. *opaca* Lojac., Fl. Sicul. 3: 297. 1909.
- *lutescens* Lojac., Fl. Sicul. 3: 298. 1909.
- *nebrodensis* Lojac., Fl. Sicul. 3: 296. 1909.
- *sorrentinii* Lojac., Fl. Sicul. 3: 298. 1909.
- *todaroi* Tin. ex Lojac. in Naturalista Sicil. 1: 9. 1882.
- Ajuga lycopsiformis* Lojac., Fl. Sicul. 2(2): 249. 1907.
- Alisma annuum* Lojac., Fl. Sicul. 3: 182. 1909.
- Allium lehmanii* Lojac., Fl. Sicul. 3: 114. 1909. — Lectotype: PAL57670 (Garbari & Raimondo 1987).
- *requieni* Lojac., Fl. Sicul. 3: 111. 1909.
- *tenuispathum* Lojac., Fl. Sicul. 3: 115. 1909.
- Alsine salzmanni* var. *commutata* Lojac. in Malpighia 20: 191. 1906.
- Alyssum myriophyllum* Lojac. in Malpighia 20: 113. 1906.
- Amberboa lippii* var. *subdiscolor* Lojac. in Naturalista Sicil. 4: 133. 1885. — no original material traced (Aghababayan & al. 2008).
- Andropogon collinum* Lojac., Fl. Sicul. 3: 272. 1909.
- Andryala minuta* Lojac., Fl. Sicul. 2(1): 223. 1903. — Lectotype: PAL11870 (Aghababayan & al. 2008).
- Anogramma leptophylla* var. *biformis* Lojac., Fl. Sicul. 3: 393. 1909.
- Anthemis aeolica* Lojac., Fl. Sicul. 2(1): 84. 1903. — no original material traced (Aghababayan & al. 2008).
- *arvensis* var. *parviflora* Tin. ex Lojac., Fl. Sicul. 2(1): 83. 1903. — Holotype: PAL8953 (Aghababayan & al. 2008).
- *brevifolia* Lojac., Fl. Sicul. 2(1): 81. 1903. — Lectotype: PAL9157, isolectotypes: PAL9155, PAL9156 (Aghababayan & al. 2008).
- *concolor* Lojac., Fl. Sicul. 2(1): 87. 1903. — Holotype: PAL9037 (Aghababayan & al. 2008).
- *cotula* var. *arbuscula* Lojac., Fl. Sicul. 2(1): 90. 1903. — Lectotype: PAL9045 (Aghababayan & al. 2008).
- *fuscata* var. *uniflora* Lojac., Fl. Sicul. 2(1): 91. 1903. — Lectotype: PAL9053 (Aghababayan & al. 2008).
- *incrassata* var. *aeolica* Lojac., Fl. Sicul. 2(1): 83. 1903. — Lectotype: PAL8954 (Aghababayan & al. 2008).
- *intermedia* var. *canescens* Lojac., Fl. Sicul. 2(1): 87. 1903. — Lectotype: PAL9045 (Aghababayan & al. 2008).
- *intermedia* var. *nitida* Lojac., Fl. Sicul. 2(1): 87. 1903. — Lectotype: PAL9106, isolectotype: PAL9108 (Aghababayan & al. 2008).
- *intermedia* var. *tenuisecta* Lojac., Fl. Sicul. 2(1): 87. 1903. — Lectotype: PAL9110 (Aghababayan & al. 2008).

- *ismelia* Lojac., Fl. Sicul. 2(1): 78. 1903. — Lectotype in G-BU; isolectotype in G-BU; paralectotype in G-BU (Aghababayan & al. 2008).
- *lopadusana* Lojac., Fl. Sicul. 2(1): 85. 1903. — no original material traced (Aghababayan & al. 2008).
- *mixta* var. *adonidifolia* Lojac., Fl. Sicul. 2(1): 89. 1903. — Lectotype: PAL9124 (Aghababayan & al. 2008).
- *palumboi* Lojac., Fl. Sicul. 2(1): 91. 1903. — Holotype: PAL9062 (Aghababayan & al. 2008).
- *pedunculata* var. *tenuisecta* Lojac., Fl. Sicul. 2(1): 79. 1903. — Lectotype: PAL9169 (Aghababayan & al. 2008).
- *secundiramea* var. *pectinata* Lojac., Fl. Sicul. 2(1): 85. 1903. — no original material traced (Aghababayan & al. 2008).
- Anthriscus glabra* Lojac. in Malpighia 20: 296. 1906.
- Antinoria natans* Lojac., Fl. Sicul. 3: 294. 1909.
- Antirrhinum compositum* Lojac. in Naturalista Sicil. 2: 297. 1883.
- Arabis elegans* Tin. ex Lojac., Fl. Sicul. 1(1): 106. 1888.
- Aristolochia clusii* Lojac., Fl. Sicul. 2(2): 314. 1907. — Lectotype: PAL66335 (Nardi 1984).
- *rotunda* var. *grandiflora* Lojac., Fl. Sicul. 2(2): 313. 1907.
- Asplenium diaphanum* Lojac., Fl. Sicul. 3: 402. 1909.
- *microphyllum* var. *oblongatum* Lojac., Fl. Sicul. 3: 398. 1909.
- *petrarcae* var. *nebrodicum* Lojac., Fl. Sicul. 3: 399. 1909.
- *pimpinelloides* Lojac., Fl. Sicul. 3: 399. 1909.
- Athyrium filix-foemina* var. *elatum* Tod. ex Lojac., Fl. Sicul. 3: 404. 1909.
- Atriplex ambigua* Lojac., Fl. Sicul. 2(2): 286. 1907.
- *dealbata* Lojac., Fl. Sicul. 2(2): 280. 1907.
- *polyphylla* Lojac., Fl. Sicul. 2(2): 282. 1907.
- *rotundifolia* Lojac., Fl. Sicul. 2(2): 282. 1907.
- Avellinia michelii* f. *hispanica* Lojac., Fl. Sicul. 3: 336. 1909.
- Avena barbata* var. *saxatilis* Lojac., Fl. Sicul. 3: 302. 1909.
- *hirsuta* var. *racemosa* Lojac. in Naturalista Sicil. 4: 138. 1885.
- *opulenta* Lojac., Fl. Sicul. 3: 304. 1909.
- *panormitana* Lojac., Fl. Sicul. 3: 303. 1909.
- Ballota sicula* Lojac., Fl. Sicul. 2(2): 229. 1907.
- Barbarea bracteosa* var. *retroflexa* Tin. ex Lojac., Fl. Sicul. 1(1): 103. 1888.
- Bellevalia macrorhiza* Lojac., Fl. Sicul. 3: 92. 1909.
- Bellis annua* var. *caulescens* Lojac., Fl. Sicul. 2(1): 57. 1903. — no original material traced (Aghababayan & al. 2008).
- Botryanthus clarandae* Lojac., Fl. Sicul. 3: 97. 1909.
- *lafarinae* Lojac., Fl. Sicul. 3: 97. 1909.
- *mandraliscae* Lojac., Fl. Sicul. 3: 99. 1909.
- *maximus* Lojac., Fl. Sicul. 3: 98. 1909.
- *todaroi* Lojac., Fl. Sicul. 3: 99. 1909.
- Brachypodium distachyum* var. *elongatum* Lojac., Fl. Sicul. 3: 376. 1909.
- *distachyum* var. *subtile* Lojac., Fl. Sicul. 3: 376. 1909.
- Brassica tineoi* Lojac., Fl. Sicul. 1(1): 113. 1888. — Lectotype in PI (Raimondo & al. 1991).
- Bromus coloratus* Lojac., Fl. Sicul. 3: 354. 1909.
- *fasciculatus* var. *flavescens* Lojac., Fl. Sicul. 3: 355. 1909.
- *myrthensis* Lojac., Fl. Sicul. 3: 353. 1909.
- *ponderosus* Lojac., Fl. Sicul. 3: 355. 1909.
- Buphthalmum spinosum* var. *gracile* Lojac., Fl. Sicul. 2(1): 95. 1903. — Lectotype: PAL8821 (Aghababayan & al. 2008).

- *spinosum* var. *latifolium* Lojac., Fl. Sicul. 2(1): 95. 1903. — no original material traced (Aghababayan & al. 2008).
- Calamintha aetnensis* Lojac., Fl. Sicul. 2(2): 219. 1907.
- *elata* Tod. ex Lojac., Fl. Sicul. 2(2): 221. 1907.
- *gussonei* Tod. ex Lojac., Fl. Sicul. 2(2): 221. 1907.
- *minae* Lojac., Fl. Sicul. 2(2): 220. 1907.
- *spicata* Lojac., Fl. Sicul. 2(2): 222. 1907.
- Callitriche retusa* Lojac., Fl. Sicul. 2(2): 359. 1907.
- *stagnalis* var. *colearis* Lojac., Fl. Sicul. 2(2): 358. 1907.
- *truncata* var. *minor* Lojac., Fl. Sicul. 2(2): 360. 1907.
- Cardamine flaccida* Lojac. in Malpighia 20: 114. 1906.
- Carduncellus caeruleus* var. *acaulis* Lojac., Fl. Sicul. 2(1): 172. 1903. — Holotype: PAL11019 (Aghababayan & al. 2008).
- *caeruleus* var. *integer* Lojac., Fl. Sicul. 2(1): 172. 1903. — no original material traced (Aghababayan & al. 2008).
- *gracilis* Lojac., Fl. Sicul. 2(1): 172. 1903. — Lectotype: PAL11014 (Aghababayan & al. 2008).
- Carduus arabicus* var. *spinosior* Lojac., Fl. Sicul. 2(1): 170. 1903. — Lectotype: PAL10048 (Aghababayan & al. 2008).
- *argyroa* var. *ramosissimus* Lojac. in Naturalista Sicil. 4: 109. 1885.
- *glaberrimus* Lojac., Fl. Sicul. 2(1): 167. 1903. — Lectotype: PAL10060; isolectotypes: PAL10057, 10058, 10059 (Aghababayan & al. 2008).
- *intermedius* Lojac., Fl. Sicul. 2(1): 167. 1903. — Lectotype: PAL10165 (Aghababayan & al. 2008).
- *macrocephalus* var. *chrysacanthus* Lojac., Fl. Sicul. 2(1): 171. 1903. — Lectotype: PAL10140; paralectotype: PAL 10137 (Aghababayan & al. 2008).
- *macrocephalus* var. *longilepis* Lojac., Fl. Sicul. 2(1): 171. 1903. — Lectotype: PAL10133; paralectotypes: PAL 10131, 10132, 10134, 10137, 10138 (Aghababayan & al. 2008).
- *macrocephalus* var. *polycephalus* Lojac., Fl. Sicul. 2(1): 171. 1903. — no original material traced (Aghababayan & al. 2008).
- *membranaceus* Lojac., Fl. Sicul. 2(1): 168. 1903. — Lectotype: PAL10180 right-hand plant; paralectotype: PAL PAL10180 left-hand plant (Aghababayan & al. 2008).
- *pseudosyriacus* Lojac. in Naturalista Sicil. 4: 109. 1885. — Lectotype: PAL10135 (Aghababayan & al. 2008).
- Carex christii* Lojac., Fl. Sicul. 3: 233. 1909.
- *hispida* var. *longearistata* Lojac., Fl. Sicul. 3: 227. 1909.
- *hispida* var. *praelonga* Lojac., Fl. Sicul. 3: 227. 1909.
- *leporina* var. *approximata* Lojac., Fl. Sicul. 3: 221. 1909.
- *nebrodensis* Lojac., Fl. Sicul. 3: 231. 1909.
- *pendulina* Lojac., Fl. Sicul. 3: 224. 1909.
- *scordiae* Lojac., Fl. Sicul. 3: 230. 1909.
- *vulpina* var. *cornicina* Lojac., Fl. Sicul. 3: 219. 1909.
- Celtis asperrima* Lojac., Fl. Sicul. 2(2): 355. 1907. — no original material traced (Troia 1997).
- *betulina* Lojac., Fl. Sicul. 2(2): 355. 1907. — no original material traced (Troia 1997).
- Centaurea aeolica* Guss. ex Lojac., Fl. Sicul. 2(1): 136. 1903. — Lectotype: PAL10639; isolectotype in G-BU; paralectotypes: PAL10636, 10637, 10638 (Aghababayan & al. 2008).
- *busambarensis* var. *prostrata* Lojac., Fl. Sicul. 2(1): 135. 1903. — Lectotype: PAL10796; paralectotypes: PAL10797, 10669, 10800, 10802 (Aghababayan & al. 2008).
- *cineraria* var. *soluntina* Lojac. in Naturalista Sicil. 3: 210. 1884.
- *cyanus* var. *linifolia* Lojac., Fl. Sicul. 2(1): 133. 1903. — Lectotype: PAL10737 (Aghababayan & al. 2008).

- *durieui* Lojac., Fl. Sicul. 2(1): 147. 1903. — Lectotype: PAL10781; paralectotypes: PAL10780, PAL10779 (Aghababayan & al. 2008).
- *filaginoides* Lojac., Fl. Sicul. 2(1): 144. 1903. — Lectotype: PAL10649 right-hand plant (Aghababayan & al. 2008).
- *incana* var. *prostrata* Lojac. in Naturalista Sicil. 3: 209. 1884.
- *lappacea* var. *adunca* Lojac., Fl. Sicul. 2(1): 143. 1903. — Lectotype: Lojac. Fl. Sicul. 2(1): t.17, f. centr. (Aghababayan & al. 2008).
- *macroacantha* var. *autumnalis* Lojac., Fl. Sicul. 2(1): 141. 1903. — Lectotype: PAL10760 (Aghababayan & al. 2008).
- *panormitana* Lojac., Fl. Sicul. 2(1): 137. 1903. — no original material traced (Aghababayan & al. 2008).
- *schouwii* var. *lorata* Lojac., Fl. Sicul. 2(1): 144. 1903.
- *schouwii* var. *rhombea* Lojac., Fl. Sicul. 2(1): 144. 1903.
- *solstitialis* var. *hastifolia* Lojac., Fl. Sicul. 2(1): 143. 1903.
- Cerastium busambarense* Lojac., Fl. Sicul. 1(1): 181. 1888.
- *gussonei* Tod. ex Lojac., Fl. Sicul. 1(1): 178. 1888.
- Cineraria ambigua* var. *glabrata* Lojac., Fl. Sicul. 2(1): 70. 1903. — no original material traced (Aghababayan & al. 2008).
- Cirsium cardoleonis* Lojac., Fl. Sicul. 2(1): 158. 1903. — Lectotype: PAL10188; isolectotype: PAL10189 (Aghababayan & al. 2008).
- *dubium* Lojac., Fl. Sicul. 2(1): 155. 1903. — Lectotype: PAL10475; isolectotypes: PAL10476, 10474; paralectotype: PAL10347 (Aghababayan & al. 2008).
- *empedocleanum* Lojac. in Naturalista Sicil. 3: 284. 1884.
- *giganteum* var. *macrocephalum* Lojac., Fl. Sicul. 2(1): 160. 1903. — Lectotype: PAL10357 (Aghababayan & al. 2008).
- *gigas* var. *eriophorum* Lojac., Fl. Sicul. 2(1): 160. 1903. — Lectotype: PAL10460 (Aghababayan & al. 2008).
- *lanceolatum* var. *subbipinnatum* Lojac., Fl. Sicul. 2(1): 155. 1903. — Lectotype: PAL10370; paralectotypes: PAL10363, 10368 (Aghababayan & al. 2008).
- *lanceolatum* var. *tenuispinum* Lojac., Fl. Sicul. 2(1): 155. 1903. — Lectotype: PAL10367; paralectotypes: PAL10780, 10779 (Aghababayan & al. 2008).
- *lucanicum* Lojac. in Naturalista Sicil. 3: 283. 1884. — Peninsular Italy.
- *polyanthemum* var. *longispinum* Lojac., Fl. Sicul. 2(1): 154. 1903. — Lectotype: PAL10498 (Aghababayan & al. 2008).
- *vallis-demonii* Lojac. in Naturalista Sicil. 3: 267. 1884. — Lectotype: in G-BU; isolectotype in G; paralectotypes: PAL10398, 10508, PAL10509 (Aghababayan & al. 2008).
- Cistus panormitanus* Lojac. in Malpighia 20: 182. 1906.
- *skanbergii* Lojac. in Naturalista Sicil. 4: 95. 1885.
- Colchicum busambarense* Lojac., Fl. Sicul. 3: 139. 1909.
- *gussonei* Lojac., Fl. Sicul. 3: 140. 1909.
- *pseudoparvulum* Lojac., Fl. Sicul. 3: 141. 1909.
- Convolvulus urceolatus* Lojac., Fl. Sicul. 2(2): 96. 1907.
- Crataegus destefanii* Lojac., Fl. Sicul. 1(2): 205. 1891.
- *monogyna* var. *pseudolaciniata* Lojac., Fl. Sicul. 1(2): 202. 1891.
- Crepis bursifolia* var. *laciniulosa* Lojac., Fl. Sicul. 2(1): 212. 1903. — Lectotype: PAL11343 (Aghababayan & al. 2008).
- Crocus longiflorus* var. *parviflorus* Lojac., Fl. Sicul. 3: 56. 1909.
- *pygmaeus* Lojac., Fl. Sicul. 3: 58. 1909.
- Crupina crupinastrum* var. *fasciculata* Lojac., Fl. Sicul. 2(1): 151. 1903. — Lectotype: PAL10717 (Aghababayan & al. 2008).

- Crypsis aculeata* var. *eryngioides* Lojac., Fl. Sicul. 3: 257. 1909.
- Cynoglossum decipiens* Lojac., Fl. Sicul. 2(2): 89. 1907.
- Cynosurus elegans* var. *longearistatus* Lojac., Fl. Sicul. 3: 334. 1909.
- *elegans* var. *pluriflorus* Lojac., Fl. Sicul. 3: 334. 1909.
- *spiralis* Lojac., Fl. Sicul. 3: 334. 1909.
- Cyperus glaber* var. *fasciculariformis* Lojac., Fl. Sicul. 3: 201. 1909.
- *guttnickii* Tin. ex Lojac., Fl. Sicul. 3: 205. 1909.
- *mucronatus* var. *cosstyrensis* Lojac., Fl. Sicul. 3: 199. 1909.
- *parlatoris* Lojac., Fl. Sicul. 3: 204. 1909.
- *parlatoris* var. *difformis* Lojac., Fl. Sicul. 3: 204. 1909.
- *scleropoae* Lojac., Fl. Sicul. 3: 199. 1909.
- *speciosus* Lojac., Fl. Sicul. 3: 206. 1909.
- Dactylis glomerata* var. *subcaulis* Lojac., Fl. Sicul. 3: 333. 1909.
- Daucus ammoides* Lojac. in Malpighia 20: 298. 1906.
- *crithmifolius* Lojac. in Malpighia 20: 297. 1906.
- *drepanensis* Tod. ex Lojac., Fl. Sicul. 1(2): 298. 1891.
- Dianthus aeolicus* Lojac., Fl. Sicul. 1(1): 163. 1888. — Holotype: PAL45047 (Brullo & Minissale 2002).
- *arrostii* var. *latifolius* Lojac., Fl. Sicul. 1(1): 164. 1888.
- *contractus* var. *evolutus* Lojac., Fl. Sicul. 1(1): 165. 1888.
- *paniculatus* Lojac. in Malpighia 20: 188. 1906. — Lectotype: PAL45070 (Bacchetta & al. 2010)
the same specimen is considered Neotype in Iamonico (2013)
- Diplotaxis heterophylla* Lojac. in Malpighia 20: 118. 1906.
- Draba oxycarpa* var. *capsularis* Lojac., Contr. Fl. Sic. 10. 1878.
- Echinochloa colona* var. *glomerulosa* Lojac., Fl. Sicul. 3: 268. 1909.
- Echinosperrum simplex* Lojac., Fl. Sicul. 2(2): 87. 1907.
- Echium delileanum* Lojac., Fl. Sicul. 2(2): 79. 1907.
- *sieberi* Lojac., Fl. Sicul. 2(2): 79. 1907.
- *spurium* Lojac., Fl. Sicul. 2(2): 80. 1907.
- Ephedra distachya* var. *bauhini* Tin. ex Lojac., Fl. Sicul. 2(2): 398. 1907.
- Eragrostis megastachya* var. *ovata* Lojac., Fl. Sicul. 3: 320. 1909.
- *panormitana* Lojac., Fl. Sicul. 3: 322. 1909.
- Erinosma nebrodense* Lojac., Fl. Sicul. 3: 80. 1909.
- Erodium glauco-virens* Lojac. in Naturalista Sicil. 1: 105. 1882.
- Eryngium bocconeii* Lojac. in Malpighia 20: 293. 1906.
- *siculum* Lojac. in Malpighia 20: 294. 1906.
- Euphorbia bivonae* var. *montana* Lojac., Fl. Sicul. 2(2): 332. 1907.
- *bonifaciensis* var. *dianthifolia* Lojac. in Malpighia 28: 103. 1917, nom. altern. — Peninsular Italy.
- *exigua* var. *cymulosa* Lojac., Fl. Sicul. 2(2): 344. 1907.
- *gussoneana* Lojac., Fl. Sicul. 2(2): 334. 1907.
- *libassii* Lojac., Fl. Sicul. 2(2): 329. 1907.
- *pinnulosa* Lojac., Fl. Sicul. 2(2): 329. 1907.
- *pubescens* var. *serrata* Lojac., Fl. Sicul. 2(2): 333. 1907.
- *reichenbachiana* Lojac., Fl. Sicul. 2(2): 330. 1907.
- *reichenbachiana* var. *massiliensis* Lojac., Fl. Sicul. 2(2): 330. 1907.
- *requienii* var. *dianthifolia* Lojac. in Malpighia 28: 103. 1917, nom. altern. — Peninsular Italy.
- *terracina* var. *angustifolia* Tin. ex Guss., Fl. Sicul. 2(2): 341. 1907.
- Evax exigua* var. *longibracteata* Lojac., Fl. Sicul. 2(1): 114. 1903. — no original material traced (Aghababayan & al. 2008).

- *heldreichii* var. *bicolor* Lojac., Fl. Sicul. 2(1): 115. 1903. — no original material traced (Aghababayan & al. 2008).
- Festuca citardae* Lojac., Fl. Sicul. 3: 348. 1909.
- *gussonei* Lojac., Fl. Sicul. 3: 351. 1909.
- Filago cossyrensis* Tin. ex Lojac., Fl. Sicul. 2(1): 110. 1903. — Lectotype: PAL8421; isolectotype PAL8420 (Aghababayan & al. 2008).
- *coassyrensis* Tin. ex Lojac. in Naturalista Sicil. 4:108. 1885. — Lectotype in NAP-Guss.-Sicul.) (Aghababayan & al. 2008).
- *cuneata* Lojac., Fl. Sicul. 2(1): 107, t. 8, f. infer. 1903. — Lectotype: PAL8600; isolectotype PAL8604; paralectotypes: PAL8586, PAL8598, PAL8597 (Aghababayan & al. 2008).
- *gallica* var. *tineoi* Lojac., Fl. Sicul. 2(1): 110. 1903. — Lectotype: PAL8584; isolectotype PAL8583; paralectotypes: PAL8581, PAL8585, PAL8586, PAL8587 (Aghababayan & al. 2008).
- *lagopus* var. *fulvescens* Lojac., Fl. Sicul. 2(1): 111. 1903. — Lectotype: PAL8532; isolectotype PAL8537 (Aghababayan & al. 2008).
- *micropodioides* var. *subulata* Lojac., Fl. Sicul. 2(1): 108. 1903. — no original material traced (Aghababayan & al. 2008).
- Fumaria drepanensis* Lojac. in Malpighia 20: 110. 1906.
- *micrantha* var. *microsepala* Lojac. in Naturalista Sicil. 4: 95. 1885.
- *nemorosa* Lojac. in Naturalista Sicil. 2: 298. 1883.
- *parviflora* var. *tenuisecta* Lojac., Fl. Sicul. 1(1): 65. 1888.
- Gagea longifolia* Lojac., Fl. Sicul. 3: 133. 1909. — Lectotype: PAL56269 right left plant (Peruzzi & Tyson 2005).
- *minae* Lojac., Fl. Sicul. 3: 134. 1909. — Lectotype: PAL56930 the most complete plant with te bulb, two basal leaves and a single-flowered inflorescence (Peruzzi & Tyson 2005).
- *sicula* Lojac., Fl. Sicul. 3: 134. 1909. — Lectotype: PAL56293 plant up on the right (Peruzzi & Tyson 2005).
- Galium divaricatum* var. *minutum* Lojac., Fl. Sicul. 2(1): 19. 1903.
- *messanense* Tin. ex Lojac., Fl. Sicul. 2(1): 23. 1903.
- *terraccianoii* Lojac., Fl. Sicul. 2(1): 16. 1903.
- Genista ephedroides* var. *spatioides* Lojac. in Malpighia 20: 198. 1906.
- Gladiolus gussonei* Lojac., Fl. Sicul. 3: 67. 1909.
- *tineoi* Lojac., Fl. Sicul. 3: 68. 1909.
- Halocnemum drepanensis* Lojac., Fl. Sicul. 2(2): 277. 1907.
- Helianthemum nebrodense* var. *strigosum*, Fl. Sicul. 1(1): 131. 1888.
- Helichrysum pendulum* var. *heldreichii* Lojac. in Naturalista Sicil. 2: 178. 1883.
- *porcarii* Tin. ex Lojac. in Naturalista Sicil. 2: 182. 1883. — Lectotype in NAP-Guss.-Sicul. (Aghababayan & al. 2007).
- *wickstromii* Tineo ex Lojac. in Naturalista Sicil. 2: 182. 1883. — Lectotype in NAP-Guss.-Sicul. (Aghababayan & al. 2007).
- Hermodactylus zambrani* Lojac., Fl. Sicul. 3: 74. 1909.
- Herniaria cinerea* var. *acutifolia* Lojac., Fl. Sicul. 2(2): 263. 1907.
- *cinerea* var. *stipulacea* Lojac., Fl. Sicul. 2(2): 263. 1907.
- *cinerea* var. *strigosissima* Lojac., Fl. Sicul. 2(2): 263. 1907.
- *corrigiolooides* Lojac., Fl. Sicul. 2(2): 262. 1907.
- *empedocleana* Lojac. in Naturalista Sicil. 3: 284. 1884.
- Hieracium cophanense* Lojac., Fl. Sicul. 2(1): 218. 1903. — Lectotype: PAL11481 (Aghababayan & al. 2008).
- *crinitum* var. *caulescens* Lojac., Fl. Sicul. 2(1): 219. 1903. — Lectotype: PAL11510 (Aghababayan & al. 2008).

- *crinitum* var. *eristachyum* Lojac., Fl. Sicul. 2(1): 219. 1903. — Lectotype: PAL11515 (Aghababayan & al. 2008).
- *nebrodense* Lojac., Fl. Sicul. 2(1): 222. 1903. — Lectotype: PAL11600 (Aghababayan & al. 2008).
- Hippomarathrum tineoi* Lojac. in Malpighia 20: 296. 1906.
- Holosteum umbellatum* var. *gracile* Lojac. in Malpighia 20: 192. 1906.
- Hordeum dedegeni* Lojac., Fl. Sicul. 3: 363. 1909.
- Hutchinsia drepanensis* Lojac. in Malpighia 20: 111. 1906.
- Inula montana* var. *incanescens* Lojac., Fl. Sicul. 2(1): 97. 1903. — no original material traced (Aghababayan & al. 2008).
- Juncus bufonius* var. *filiformis* Lojac., Fl. Sicul. 3: 162. 1909.
- *bufonius* var. *gramineus* Lojac., Fl. Sicul. 3: 161. 1909.
- *bufonius* var. *suffocatus* Lojac., Fl. Sicul. 3: 161. 1909.
- *fasciatus* Lojac., Fl. Sicul. 3: 164. 1909.
- *fontanesii* var. *diffusus* Lojac., Fl. Sicul. 3: 159. 1909.
- *fontanesii* var. *distortus* Lojac., Fl. Sicul. 3: 159. 1909.
- *maritimus* var. *biancae* Lojac., Fl. Sicul. 3: 152. 1909.
- *maritimus* var. *luxurians* Lojac., Fl. Sicul. 3: 152. 1909.
- *maritimus* var. *nervatus* Lojac., Fl. Sicul. 3: 153. 1909.
- *nebrodensis* Lojac., Fl. Sicul. 3: 161. 1909.
- *philippi* Lojac., Fl. Sicul. 3: 167. 1909.
- *sylvaticus* var. *brachiatus* Lojac., Fl. Sicul. 3: 158. 1909.
- *sylvaticus* var. *paniculatus* Lojac., Fl. Sicul. 3: 158. 1909.
- *sylvaticus* var. *virescens* Lojac., Fl. Sicul. 3: 158. 1909.
- *vallis-demonis* Lojac., Fl. Sicul. 3: 158. 1909.
- Juniperus sabina* var. *prostrata* Lojac., Fl. Sicul. 2(2): 403. 1907.
- Kentrophyllum lanatum* var. *depressum* Lojac., Fl. Sicul. 2(1): 150. 1903. — Lectotype: PAL10994; paralectotype: PAL10995 (Aghababayan & al. 2008).
- Koeleria sordida* Lojac., Fl. Sicul. 3: 311. 1909.
- *tuberculosa* Lojac., Fl. Sicul. 3: 312. 1909.
- *villosa* var. *phalaroides* Lojac., Fl. Sicul. 3: 311. 1909.
- Lagurus nitens* Lojac., Fl. Sicul. 3: 286. 1909.
- Lamium aeolicum* Lojac., Fl. Sicul. 2(2): 234. 1907.
- *panormitanum* Lojac., Fl. Sicul. 2(2): 234. 1907.
- *pubescens* var. *incisum* Lojac., Fl. Sicul. 2(2): 232. 1907.
- *pubescens* var. *microphyllam* Lojac., Fl. Sicul. 2(2): 232. 1907.
- Lathyrus annuus* var. *multiflorus* Tin. ex Lojac., Fl. Sicul. 1(2): 148. 1891.
- *hirsutus* var. *angustifolius* Lojac., Fl. Sicul. 1(2): 146. 1891.
- Leopoldia anguliflora* Lojac., Fl. Sicul. 3: 93. 1909.
- *bonanniana* Lojac., Fl. Sicul. 3: 94. 1909.
- Lepturus incurvatus* var. *secundus* Lojac., Fl. Sicul. 3: 386. 1909.
- Linaria biancae* Lojac., Rev. Lin. Sect. Elatin. 24. 1881.
- *pseudolaxiflora* Lojac. in Naturalista Sicil. 4: 136. 1885.
- *spuria* var. *glabra* Lojac., Fl. Sicul. 2(2): 136. 1907.
- Linum decumbens* var. *erectum* Lojac., Fl. Sicul. 1(1): 216. 1888.
- *spicatum* var. *capitatum* Lojac., Fl. Sicul. 1(1): 219. 1888.
- Lolium gaudinii* var. *pseudorigidum* Lojac., Fl. Sicul. 3: 382. 1909.
- Lonicera etrusca* var. *glabra* Lojac., Fl. Sicul. 2(1): 7. 1903.
- Malva nicaensis* var. *parvula* Lojac., Fl. Sicul. 1(1): 194. 1888.
- *sylvestris* var. *glabra* Lojac., Fl. Sicul. 1(1): 192. 1888.

- Medicago arabica* var. *minor* Lojac. in *Malpighia* 20: 203. 1906.
 – *decandollei* var. *panormitana* Lojac., *Fl. Sicul.* 1(2): 69. 1891.
 – *helix* var. *spinosa* Lojac. in *Malpighia* 20: 200. 1906.
 – *lupulina* var. *tomentosa* Lojac., *Fl. Sicul.* 1(2): 53. 1891.
 – *sorrentinoi* Tin. ex Lojac., *Fl. Sicul.* 1(2): 62. 1891.
 – *striata* var. *spinulosa* Lojac. in *Malpighia* 20: 201. 1906.
 – *todaroana* Lojac. in *Malpighia* 20: 202. 1906.
Melica cupani var. *malacitana* Lojac. in *Naturalista Sicil.* 1885
 – *lutescens* Lojac., *Fl. Sicul.* 3: 317. 1909.
 – *sorrentinoi* Lojac., *Fl. Sicul.* 3: 315. 1909.
 – *tineoi* Lojac. in *Naturalista Sic.* 1: 14. 1882.
Mentha avellinoides Tod. ex Lojac., *Fl. Sicul.* 2(2): 189. 1907.
 – *basilica* Lojac., *Fl. Sicul.* 2(2): 188. 1907.
 – *castribonensis* Lojac., *Fl. Sicul.* 2(2): 191. 1907.
 – *cymulosa* Lojac., *Fl. Sicul.* 2(2): 191. 1907.
 – *inarimensis* var. *ciliosa* Lojac., *Fl. Sicul.* 2(2): 186. 1907.
 – *integerrima* Matt. & Lojac. in *Boll. Ort. Bot. Palermo* 7: 72. 1908.
 – *lilibaea* Lojac., *Fl. Sicul.* 2(2): 193. 1907.
 – *macrostachya* var. *albida* Lojac., *Fl. Sicul.* 2(2): 184. 1907.
 – *macrostachya* var. *glabrella* Lojac., *Fl. Sicul.* 2(2): 184. 1907.
 – *macrostachya* var. *lanceolata* Lojac., *Fl. Sicul.* 2(2): 184. 1907.
 – *macrostachya* var. *stenostachya* Tod. ex Lojac., *Fl. Sicul.* 2(2): 184. 1907.
 – *macrostachya* var. *tomentosa* Lojac., *Fl. Sicul.* 2(2): 184. 1907.
 – *minae* Lojac., *Fl. Sicul.* 2(2): 183. 1907.
 – *minae* var. *longespicata* Lojac., *Fl. Sicul.* 2(2): 183. 1907.
 – *pachystachya* Lojac., *Fl. Sicul.* 2(2): 183. 1907.
 – *pulegium* var. *diffusa* Lojac., *Fl. Sicul.* 2(2): 192. 1907.
 – *pulegium* var. *tomentella* Lojac., *Fl. Sicul.* 2(2): 192. 1907.
 – *pulegium* var. *viridis* Lojac., *Fl. Sicul.* 2(2): 192. 1907.
 – *pyramidalis* var. *albida* Lojac., *Fl. Sicul.* 2(2): 188. 1907.
 – *scabra* Lojac., *Fl. Sicul.* 2(2): 188. 1907.
 – *sicula* Lojac., *Fl. Sicul.* 2(2): 184. 1907.
 – *tenera* Lojac., *Fl. Sicul.* 2(2): 187. 1907.
 – *tineoi* Lojac., *Fl. Sicul.* 2(2): 183. 1907.
 – *todaroi* Lojac. in *Naturalista Sicil.* 3: 46. 1884.
 – *viridis* var. *agrigena* Lojac., *Fl. Sicul.* 2(2): 185. 1907.
 – *viridis* var. *hirtula* Lojac., *Fl. Sicul.* 2(2): 185. 1907.
 – *viridis* var. *pulchella* Lojac., *Fl. Sicul.* 2(2): 185. 1907.
 – *viridis* var. *rugulosa* Lojac., *Fl. Sicul.* 2(2): 185. 1907.
 – *viridoides* Lojac., *Fl. Sicul.* 2(2): 186. 1907.
Micromeria approximata var. *coespitulosa* Lojac., *Fl. Sicul.* 2(2): 205. 1907.
 – *approximata* var. *graecizans* Lojac., *Fl. Sicul.* 2(2): 205. 1907.
 – *calaminthoides* Lojac., *Fl. Sicul.* 2(2): 212. 1907.
 – *calaminthoides* var. *contracta* Lojac., *Fl. Sicul.* 2(2): 213. 1907.
 – *calaminthoides* var. *elongata* Lojac., *Fl. Sicul.* 2(2): 213. 1907.
 – *consentina* var. *aeolica* Lojac., *Fl. Sicul.* 2(2): 210. 1907.
 – *consentina* var. *chamaepitys* Lojac., *Fl. Sicul.* 2(2): 210. 1907.
 – *consentina* var. *minutissima* Lojac., *Fl. Sicul.* 2(2): 210. 1907.
 – *consentina* var. *pseudotodaroi* Lacaita ex Lojac., *Fl. Sicul.* 2(2): 210. 1907.

- *consentina* var. *rossi* Lojac., Fl. Sicul. 2(2): 210. 1907.
- *diffusa* Lojac., Fl. Sicul. 2(2): 216. 1907.
- *echioides* Lacaita ex Lojac., Fl. Sicul. 2(2): 215. 1907.
- *echioides* var. *angustifolia* Lojac., Fl. Sicul. 2(2): 216. 1907.
- *echioides* var. *gasparrinii* Lojac., Fl. Sicul. 2(2): 216. 1907.
- *echioides* var. *gossypina* Lojac., Fl. Sicul. 2(2): 216. 1907.
- *echioides* var. *griseo-canescens* Lojac., Fl. Sicul. 2(2): 215. 1907.
- *echioides* var. *humillima* Lojac., Fl. Sicul. 2(2): 215. 1907.
- *graeca* var. *canescens* Lojac., Fl. Sicul. 2(2): 208. 1907.
- *grandis* Lojac., Fl. Sicul. 2(2): 213. 1907.
- *inodora* var. *ericoides* Lojac., Fl. Sicul. 2(2): 206. 1907.
- *juliana* var. *cristaeformis* Lojac., Fl. Sicul. 2(2): 207. 1907.
- *juliana* var. *glaberrima* Lojac., Fl. Sicul. 2(2): 206. 1907.
- *juliana* var. *gossypina* Lojac., Fl. Sicul. 2(2): 207. 1907.
- *juliana* var. *gracillima* Lojac., Fl. Sicul. 2(2): 207. 1907.
- *lacaitae* Lojac., Fl. Sicul. 2(2): 214. 1907.
- *rodriquezii* var. *sicula* Lojac., Fl. Sicul. 2(2): 217. 1907.
- Milium willdenowii* Lojac., Fl. Sicul. 3: 292. 1909.
- Molineria palustris* Lojac., Fl. Sicul. 3: 294. 1909.
- Myosotis humilis* Tin. ex Lojac., Fl. Sicul. 2(2): 84. 1907.
- *incrassata* var. *idaea* Lojac., Fl. Sicul. 2(2): 85. 1907.
- *lingulata* var. *anagalloides* Lojac., Fl. Sicul. 2(2): 83. 1907.
- Najas laevis* Lojac., Fl. Sicul. 3: 193. 1909.
- Narcissus elegans* var. *uniflorus* Lojac., Fl. Sicul. 3: 83. 1909.
- *lanzae* Lojac., Fl. Sicul. 3: 84. 1909.
- Nardurus morisonii* Lojac., Fl. Sicul. 3: 385. 1909.
- Nepeta tuberosa* var. *foliosa* Lojac., Fl. Sicul. 2(2): 231. 1907.
- Notobasys syriaca* var. *mitis* Lojac., Fl. Sicul. 2(1): 153. 1903. — Lectotype: PAL10507 (Aghababyan & al. 2008).
- Odontites bocconeii* var. *angustifolius* Lojac., Fl. Sicul. 2(2): 143. 1907.
- *glandulosus* Lojac., Fl. Sicul. 2(2): 146. 1907.
- *siculus* Tod. ex Lojac., Fl. Sicul. 2(2): 146. 1907.
- Ononis cupaniana* Tod. ex Lojac., Fl. Sicul. 1(2): 39. 1891.
- *domati* Lojac., Fl. Sicul. 1(2): 41. 1891.
- *natrix* var. *glaberrima* Lojac. in Malpighia 20: 200. 1906.
- Onopordum mandraliscae* Lojac., Fl. Sicul. 2(1): 162. 1903. — Lectotype: PAL10558; paralectotypes: PAL10559, PAL10560 (Aghababyan & al. 2008).
- Ophrys atrata* var. *ocellata* Lojac., Fl. Sicul. 3: 37. 1909.
- *benoitiana* Tin. ex Lojac., Fl. Sicul. 3: 42. 1909.
- *bertolonii* var. *explanata* Lojac., Fl. Sicul. 3: 35. 1909.
- *bertolonii* var. *flava* Lojac., Fl. Sicul. 3: 35. 1909.
- *destefanii* Lojac., Fl. Sicul. 3: 38. 1909.
- *forestieri* Lojac., Fl. Sicul. 3: 44. 1909.
- *lacaitae* Lojac., Fl. Sicul. 3: 41. 1909.
- *lutea* var. *minor* Lojac., Fl. Sicul. 3: 43. 1909.
- *obaesa* Lojac., Fl. Sicul. 3: 46. 1909.
- *oxyrhynchos* var. *aterrima* Lojac., Fl. Sicul. 3: 40. 1909.
- *sorrentinoi* Lojac., Fl. Sicul. 3: 41. 1909.
- Orchis lactea* var. *peloritana* Lojac., Fl. Sicul. 3: 17. 1909.

- *todaroi* Lojac., Fl. Sicul. 3: 18. 1909.
- Origanum foliosum* Lojac., Fl. Sicul. 2(2): 196. 1907.
- *nebrodense* Tin. ex Lojac., Fl. Sicul. 2(2): 196. 1907.
- Ornithogalum concolor* Lojac., Fl. Sicul. 3: 127. 1909.
- Orobanche chironii* Lojac., Contr. Fl. Sic. 12. 1878. — Lectotype: PAL43117; epitype: PAL56361 (Domina & Mazzola 2007).
- *crinita* var. *Straminea* Lojac. In Naturalista Sicil. 2:107. 1883. — Lectotype: WU-herb.gen.28134 (Domina & Mazzola 2007).
- *levieri* Lojac., Contr. Fl. Sic. 14. 1878. — Peninsular Italy.
- *lutea* Lojac. in Naturalista Sicil. 1: 256. 1882. — Neotype: PAL56360 (Domina & Mazzola 2007).
- *pubescens* var. *campuliflora* Lojac. in Naturalista Sicil. 24: 82. 1883. — Holotype: PAL43240 (Domina & Mazzola 2007).
- *sabulicola* Lojac. in Naturalista Sicil. 2: 61. 1882. — Lectotype: PAL43213 (Domina & Mazzola 2007).
- *sanguinea* var. *maritima* Lojac. in Naturalista Sicil. 2: 199. 1883. — Lectotype in FI (Domina & Mazzola 2007).
- *sicula* Lojac. in Naturalista Sicil. 1: 255. 1882. — Lectotype: PAL43216 (Domina & Mazzola 2007).
- *stenantha* Lojac. in Naturalista Sicil. 23: 62. 1882. — Lectotype: PAL43234 (Domina & Mazzola 2007).
- *thapsoides* Lojac. in Naturalista Sicil. 2: 60. 1882. — Lectotype: PAL43238 (Domina & Mazzola 2007).
- *tineoi* Lojac. in Naturalista Sicil. 6: 133. 1887. — Holotype: PAL43119 (Domina & Mazzola 2007).
- *todaroi* Lojac. in Naturalista Sicil. 1: 215. 1882. — Lectotype: PAL43241 (Domina & Mazzola 2007).
- Pancratium angustifolium* Lojac., Fl. Sicul. 3: 82. 1909.
- Panicum repens* var. *elatum* Lojac., Fl. Sicul. 3: 267. 1909.
- Papaver aegadicum* Lojac. in Malpighia 20: 109. 1906.
- *obtusifolium* var. *angustifolium* Lojac. in Malpighia 20: 108. 1906.
- Parietaria lusitanica* var. *suffruticosa* Lojac., Fl. Sicul. 2(2): 353. 1907.
- Pastorea albiflora* Lojac. in Giorn. Bot. Ital 13: 304. 1881.
- Pennisetum panormitanum* Lojac., Fl. Sicul. 3: 264. 1909.
- Phelipaea elongata* Lojac. in Naturalista Sicil. 2: 133. 1883. — Lectotype in FI (Domina & Mazzola 2007).
- *gussoneana* Lojac. in Naturalista Sicil. 1: 199. 1882. — Lectotype: PAL43009 (Domina & Mazzola 2007).
- *panormitana* Lojac. in Naturalista Sicil. 1: 174. 1882. — Lectotype: PAL43001 (Domina & Mazzola 2007).
- Pimpinella rossi* Lojac. in Malpighia 20: 295. 1906.
- Plantago coronopus* var. *tenuifolia* Lojac., Fl. Sicul. 2(2): 33. 1907.
- *peloritana* Lojac., Fl. Sicul. 2(2): 35. 1907.
- Poa annua* var. *curtifolia* Lojac., Fl. Sicul. 3: 329. 1909.
- *annua* var. *ovalis* Lojac., Fl. Sicul. 3: 329. 1909.
- *todaroi* Lojac., Fl. Sicul. 3: 324. 1909.
- Polygonum crassum* Lojac., Fl. Sicul. 2(2): 308. 1907.
- *crassum* var. *angustifolium* Lojac., Fl. Sicul. 2(2): 309. 1907.
- *crassum* var. *magnum* Lojac., Fl. Sicul. 2(2): 308. 1907.
- *dissitiflorum* var. *minutum* Lojac., Fl. Sicul. 2(2): 311. 1907.
- *dissitiflorum* var. *rufo-ochreactum* Lojac., Fl. Sicul. 2(2): 311. 1907.
- *dissitiflorum* var. *tortuosum* Lojac., Fl. Sicul. 2(2): 311. 1907.
- *dissitiflorum* var. *virgatum* Lojac., Fl. Sicul. 2(2): 311. 1907.
- *divulsum* Lojac., Fl. Sicul. 3: 285. 1909.
- *gussonei* Tod. ex Lojac., Fl. Sicul. 2(2): 309. 1907.
- *insulare* Lojac., Fl. Sicul. 2(2): 308. 1907.
- *intricatum* Tod. ex Lojac., Fl. Sicul. 2(2): 310. 1907.

- *intricatum* var. *densum* Lojac., Fl. Sicul. 2(2): 310. 1907.
- *siculum* Tod. ex Lojac., Fl. Sicul. 2(2): 312. 1907.
- *todaroi* Lojac., Fl. Sicul. 2(2): 307. 1907.
- Polypogon monspeliense* var. *maximum* Lojac., Fl. Sicul. 3: 285. 1909.
- Potamogeton densum* var. *elongatum* Tin. ex Lojac., Fl. Sicul. 3: 187. 1909.
- Prunella coerulescens* Lojac., Fl. Sicul. 2(2): 241. 1907.
- Prunus mahaleb* var. *prostrata* Lojac., Fl. Sicul. 1(2): 164. 1891.
- *spinosa* var. *turbinata* Tin. ex Lojac., Fl. Sicul. 1(2): 163. 1891.
- Puccinellia permixta* var. *concolor* Lojac., Fl. Sicul. 3: 314. 1909.
- Pyrus parviflora* var. *tineoi* Lojac., Fl. Sicul. 1(2): 197. 1891.
- *tineoi* Tod. ex Lojac. in Malpighia 20: 212. 1906.
- *turbinata* Lojac. in Malpighia 20: 213. 1906.
- Quercus cerris* var. *bipinnatifida* Lojac., Fl. Sicul. 2(2): 377. 1907.
- *cerris* var. *maritima* Tod. ex Lojac., Fl. Sicul. 2(2): 378. 1907.
- *cerris* var. *microphylla* Lojac., Fl. Sicul. 2(2): 378. 1907.
- *cerris* var. *obtusifolia* Lojac., Fl. Sicul. 2(2): 377. 1907.
- *congesta* var. *microbalana* Lojac., Fl. Sicul. 2(2): 370. 1907.
- *congesta* var. *oblongiflora* Lojac., Fl. Sicul. 2(2): 370. 1907.
- *congesta* var. *panduriformis* Lojac., Fl. Sicul. 2(2): 370. 1907.
- *dalechampii* var. *angulata* Lojac., Fl. Sicul. 2(2): 371. 1907.
- *dalechampii* var. *breviloba* Lojac., Fl. Sicul. 2(2): 371. 1907.
- *dalechampii* var. *cocleata* Lojac., Fl. Sicul. 2(2): 371. 1907.
- *dalechampii* var. *grandifolia* Lojac., Fl. Sicul. 2(2): 371. 1907.
- *dalechampii* var. *microbalana* Lojac., Fl. Sicul. 2(2): 371. 1907.
- *dalechampii* var. *pallida* Lojac., Fl. Sicul. 2(2): 372. 1907.
- *dalechampii* var. *parvifolia* Lojac., Fl. Sicul. 2(2): 371. 1907.
- *dalechampii* var. *pulchella* Lojac., Fl. Sicul. 2(2): 372. 1907.
- *elegans* Lojac., Fl. Sicul. 2(2): 388. 1907.
- *ilex* var. *cristata* Lojac., Fl. Sicul. 2(2): 384. 1907.
- *ilex* var. *eucalyptoides* Lojac., Fl. Sicul. 2(2): 384. 1907.
- *ilex* var. *polycarpa* Lojac., Fl. Sicul. 2(2): 385. 1907.
- *minae* Lojac., Fl. Sicul. 2(2): 372. 1907.
- *minae* var. *microphylla* Lojac., Fl. Sicul. 2(2): 373. 1907.
- *minae* var. *palmata* Lojac., Fl. Sicul. 2(2): 373. 1907.
- *nicotrae* Lojac., Fl. Sicul. 2(2): 375. 1907.
- *pseudoaustriaca* Lojac., Fl. Sicul. 2(2): 379. 1907.
- *pseudocerris* Lojac., Fl. Sicul. 2(2): 381. 1907.
- *sessiliflora* var. *microbalana* Lojac., Fl. Sicul. 2(2): 367. 1907.
- *sessiliflora* var. *parviflora* Lojac., Fl. Sicul. 2(2): 367. 1907.
- *sicula* Borzi ex Lojac., Fl. Sicul. 2(2): 374. 1907.
- Ranunculus aeolicus* Lojac. in Malpighia 20: 101. 1906.
- *drepanensis* Lojac. in Malpighia 20: 47. 1906.
- *foeniculaceus* Lojac., Fl. Sicul. 1(1): 37. 1888.
- *gasparrinii* Lojac. in Malpighia 20: 95. 1906.
- *luteulus* Lojac. in Malpighia 20: 47. 1906.
- *marchesinii* Lojac. in Giorn. Com. agr. Pal. n.s., 18: 79. 1886.
- *millefoliatus* var. *luxurians* Lojac., Fl. Sicul. 1(1): 39. 1888.
- *philonotis* var. *apioides* Lojac., Fl. Sicul. 1(1): 46. 1888.
- *philonotis* var. *pseudocordigerus* Lojac., Fl. Sicul. 1(1): 47. 1888.

- *philonotis* var. *tenuifolius* Lojac., Fl. Sicul. 1(1): 46. 1888.
- *sennii* Lojac. in Malpighia 20: 104. 1906.
- *vitifolius* Lojac., Fl. Sicul. 1(1): 43. 1888.
- Romulea brunoi* Lojac., Fl. Sicul. 3: 66. 1909.
- *intermedia* Tin. ex Lojac., Fl. Sicul. 3: 66. 1909.
- *longiscapa* Tod. ex Lojac., Fl. Sicul. 3: 62. 1909.
- *longistyla* Lojac., Fl. Sicul. 3: 65. 1909.
- *sicula* Lojac., Fl. Sicul. 3: 61. 1909.
- Roubieva diversifolia* Lojac., Fl. Sicul. 2(2): 290. 1907.
- Rubus cupanianus* var. *grosse-incisus* Lojac. in Naturalista Sicil. 3: 47. 1884.
- *cupanianus* var. *sanctus* Lojac., Fl. Sicul. 1(2): 174. 1891.
- R. gussonei* Lojac., Fl. Sicul. 1(2): 172. 1891.
- *gussonei* var. *microphylla* Lojac., Fl. Sicul. 1(2): 172. 1891.
- *hirtus* var. *discolor* Lojac. in Naturalista Sicil. 3: 46. 1884.
- *oreteus* Lojac., Fl. Sicul. 1(2): 174. 1891.
- Rumex bucephalophorus* var. *uniflorus* Lojac., Fl. Sicul. 2(2): 298. 1907.
- *usticanus* Lojac., Fl. Sicul. 2(2): 297. 1907.
- Ruppia zoosteroides* Lojac., Fl. Sicul. 3: 191. 1909.
- Sagina capillacea* Lojac. in Malpighia 20: 189. 1906.
- *diversifolia* Lojac. in Malpighia 20: 188. 1906.
- *gregaria* Lojac. in Malpighia 20: 189. 1906.
- Salix peloritana* var. *myrtensis* Lojac., Fl. Sicul. 2(2): 394. 1907.
- *purpurea* var. *gallifera* Lojac., Fl. Sicul. 2(2): 394. 1907.
- *purpurea* var. *rutilans* Lojac., Fl. Sicul. 2(2): 394. 1907.
- Salsola controversa* Tod. ex Lojac., Fl. Sicul. 2(2): 271. 1907.
- Saxifraga barbuloidea* Lojac. in Malpighia 20: 291. 1906.
- Scabiosa cephalarioides* Lojac., Fl. Sicul. 2(1): 42. 1903.
- *gussonei* Tod. ex Lojac., Fl. Sicul. 2(1): 40. 1903.
- Scilla australis* Lojac., Fl. Sicul. 3: 122. 1909.
- Scirpus drepanensis* Lojac., Fl. Sicul. 3: 214. 1909.
- *panormitanus* var. *terminalis* Lojac., Fl. Sicul. 3: 217. 1909.
- *siculus* Lojac., Fl. Sicul. 3: 214. 1909.
- Scleranthus vallis-demonis* Lojac., Fl. Sicul. 2(2): 259. 1907.
- Scleropoa zwierleini* Lojac. in Naturalista Sicil. 4: 138. 1885.
- Sedum dasyphyllum* var. *luteum* Lojac., Fl. Sicul. 1(2): 218. 1891.
- Senecio coronopifolius* var. *minutus* Lojac., Fl. Sicul. 2(1): 63. 1903. — no original material traced (Aghababayan & al. 2008).
- *leucanthemifolius* var. *cosyrensis* Lojac., Fl. Sicul. 2(1): 65. 1903. — no original material traced (Aghababayan & al. 2008).
- *lividovulgaris* Lojac., Fl. Sicul. 2(1): 68. 1903. — Lectotype: PAL9749; isolectotypes PAL9750, PAL9751 (Aghababayan & al. 2008).
- *nebrodensis* f. *carnosus* Lojac., Fl. Sicul. 2(1): 60. 1903. — no original material traced (Aghababayan & al. 2008).
- *nebrodensis* f. *collinus* Lojac., Fl. Sicul. 2(1): 60. 1903. — no original material traced (Aghababayan & al. 2008).
- *nebrodensis* f. *grandiflorus* Lojac., Fl. Sicul. 2(1): 60. 1903. — no original material traced (Aghababayan & al. 2008).
- *nebrodensis* f. *maritimus* Lojac., Fl. Sicul. 2(1): 60. 1903. — Lectotype: PAL9671 (Aghababayan & al. 2008).

- *nebrodensis* f. *montanus* Lojac., Fl. Sicul. 2(1): 60. 1903. — no original material traced (Aghababayan & al. 2008).
- *sonchoides* Lojac., Fl. Sicul. 2(1): 66. 1903. — Lectotype: PAL9649; isolectotypes PAL9650, PAL9651 (Aghababayan & al. 2008).
- *vernus* var. *chamedryoides* Lojac., Fl. Sicul. 2(1): 64. 1903. — no original material traced (Aghababayan & al. 2008).
- Serapias pallidiflora* Lojac., Fl. Sicul. 3: 32. 1909.
- Seriola laevigata* var. *grandiflora* Lojac., Fl. Sicul. 2(1): 190. 1903. — no original material traced (Aghababayan & al. 2008).
- *laevigata* var. *media* Lojac., Fl. Sicul. 2(1): 191. 1903. — Lectotype: PAL11753; paralectotypes: PAL11754, PAL11755, PAL11756 (Aghababayan & al. 2008).
- *laevigata* var. *montana* Lojac., Fl. Sicul. 2(1): 191. 1903. — Lectotype: PAL11700; paralectotype: PAL11706 (Aghababayan & al. 2008).
- Serrafalcus siculus* Lojac., Fl. Sicul. 3: 359. 1909.
- *tinei* Lojac., Fl. Sicul. 3: 360. 1909.
- Setaria fallax* Lojac., Fl. Sicul. 3: 265. 1909.
- Sideritis approximata* var. *longibracteata* Lojac., Fl. Sicul. 2(2): 238. 1907.
- Silene pseudocinerea* Lojac. in Malpighia 20: 186. 1906.
- *agrigena* Lojac. in Naturalista Sicil. 2: 295. 1883.
- *porcarii* Tin. ex Lojac., Fl. Sicul. 1(1): 158. 1888.
- Sonchus asper* var. *pinnatisectus* Lojac., Fl. Sicul. 2(1): 205. 1903. — Lectotype: PAL12001 (Aghababayan & al. 2008).
- Sorbus aria* var. *incisa* Lojac., Fl. Sicul. 1(2): 200. 1891.
- Spergularia madoniaca* Lojac. in Malpighia 20: 193. 1906. — Lectotype: FI1583 (Brullo & al. 2011).
- Statice ambigua* Tin. ex Lojac., Fl. Sicul. 2(2): 26. 1907.
- *bocconeii* Lojac., Fl. Sicul. 2(2): 25. 1907.
- *bocconeii* var. *difformis* Tin. ex Lojac., Fl. Sicul. 2(2): 26. 1907.
- *bocconeii* var. *elata* Lojac., Fl. Sicul. 2(2): 26. 1907.
- *bocconeii* var. *gracilis* Lojac., Fl. Sicul. 2(2): 26. 1907.
- *calcarae* Tod. ex Lojac., Fl. Sicul. 2(2): 24. 1907.
- *catanensis* Tin. ex Lojac., Fl. Sicul. 2(2): 27. 1907. — Lectotype in PAL (Brullo 1980).
- *cosyrensis* var. *parvifolia* Lojac., Fl. Sicul. 2(2): 28. 1907.
- *cosyrensis* var. *pygmaea* Lojac., Fl. Sicul. 2(2): 28. 1907.
- *flagellaris* Lojac., Fl. Sicul. 2(2): 27. 1907. — Lectotype in PAL (Brullo 1980).
- *frondosa* Lojac., Fl. Sicul. 2(2): 25. 1907.
- *jankae* Lojac., Fl. Sicul. 2(2): 24. 1907.
- *nicotrae* Lojac. in Boll. Ort. Bot. Palermo 5: 101. 1906. — Sardinia.
- *opulenta* Lojac., Fl. Sicul. 2(2): 23. 1907. — Lectotype in PAL (Brullo 1980).
- *racemosa* Lojac. in Boll. Ort. Bot. Palermo 5: 99. 1906. — Sardinia — Lectotype in PAL (Diana Corrias 1980).
- *secundiramea* Lojac., Fl. Sicul. 2(2): 21. 1907.
- *sicula* Tin. ex Lojac., Fl. Sicul. 2(2): 20. 1907. — Lectotype in PAL (Brullo 1980).
- *tinei* Lojac., Fl. Sicul. 2(2): 18. 1907.
- Stellaria aetnensis* Lojac. in Malpighia 20: 191. 1906.
- Taraxacum caramanicae* Lojac., Fl. Sicul. 2(1): 200. 1903. — Lectotype: PAL11996 (Aghababayan & al. 2008).
- *gasparrinii* Tin. ex Lojac., Fl. Sicul. 2(1): 201. 1903. — Lectotype: PAL11798; paralectotypes: PAL11996, PAL11800, PAL11801, PAL11971- PAL11977 (Aghababayan & al. 2008).
- Teucrium chamaedrys* var. *laetum* Lojac., Fl. Sicul. 2(2): 245. 1907.

- Thymus conspersus* var. *hirsutum* Lojac., Fl. Sicul. 2(2): 200. 1907.
 – *gussonei* Lojac., Fl. Sicul. 2(2): 198. 1907.
 – *gussonei* var. *diminutus* Lojac., Fl. Sicul. 2(2): 198. 1907.
 – *parvulus* Lojac., Fl. Sicul. 2(2): 198. 1907. — Lectotype: PAL68746 (Bartolucci & al. 2013).
 – *pedicallatus* Lojac., Fl. Sicul. 2(2): 200. 1907. — Lectotype: G00096599 (Bartolucci & Domina in press).
 – *rossi* Lojac., Fl. Sicul. 2(2): 201. 1907.
Trifolium leucanthum var. *cinctum* Lojac., Monogr. Trifogli Sicilia 163. 1878.
 – *minae* Lojac., Monogr. Trifogli Sicilia 123. 1878.
 – *pallidum* var. *pseudosupinum* Lojac., Monogr. Trifogli Sicilia 152. 1878.
 – *pratense* var. *montanum* Lojac., Monogr. Trifogli Sicilia 163. 1878.
 – *striatum* var. *elatum* Lojac., Monogr. Trifogli Sicilia 124. 1878.
Trisetum frondosum Lojac., Fl. Sicul. 3: 307. 1909.
Triticum villosum var. *barbulatum* Lojac., Fl. Sicul. 3: 368. 1909.
Typha sicula Lojac., Fl. Sicul. 3: 172. 1909.
Urtica dioica var. *pseudobalearica* Lojac., Fl. Sicul. 2(2): 350. 1907.
Vaillantia filiformis Lojac., Fl. Sicul. 2(1): 10. 1903.
 – *intricata* Lojac., Fl. Sicul. 2(1): 11. 1903.
Verbascum confusum Lojac., Fl. Sicul. 2(2): 118. 1907.
 – *digitalis* Lojac., Fl. Sicul. 2(2): 122. 1907.
 – *myrthense* Lojac., Fl. Sicul. 2(2): 123. 1907.
 – *siculum* Tod. ex Lojac., Fl. Sicul. 2(2): 116. 1907.
Veronica arvensis var. *pseudoarvensis* Tin. ex Lojac., Fl. Sicul. 2(2): 140. 1907.
 – *panormitana* var. *villosa* Lojac., Fl. Sicul. 2(2): 142. 1907.
Vicia disperma var. *major* Lojac., Fl. Sicul. 1(2): 139. 1891.
Viola arvensis var. *madoniae* Lojac. in Malpighia 20: 180. 1906.
Vulneraria heterophylla var. *busambarensis* Lojac., Fl. Sicul. 1(2): 47. 1891. — Lectotype in FI (Brullo & al. 2011).
 – *heterophylla* var. *parvula* Lojac., Fl. Sicul. 1(2): 47. 1891.
Vulpia avenella Lojac., Fl. Sicul. 3: 338. 1909.
 – *crinita* Lojac., Fl. Sicul. 3: 342. 1909.
 – *hackelii* Lojac., Fl. Sicul. 3: 339. 1909.
 – *parlatoris* Lojac., Fl. Sicul. 3: 337. 1909.
 – *uniglumis* var. *parlatoris* Lojac., Fl. Sicul. 3: 343. 1909.
 – *unioloides* Lojac., Fl. Sicul. 3: 344. 1909.
Withania sicula Lojac., Fl. Sicul. 2(2): 107. 1907.
Zannichellia echinata Lojac., Fl. Sicul. 3: 190. 1909.
 – *subulata* Lojac., Fl. Sicul. 3: 190. 1909.