



HercRentals®

HercRentals

MOBILE TOOL

Rental

ProResources Guide

Industrial Tools



HercRentals®

VERSION 1



We equip our customers and communities to build a brighter future.

Herc Rental ProResources provides customers in manufacturing, petroleum refining, pulp and paper processing, power generation and more with an industrial line of products and services that include equipment, supplies, tools, customized mobile tool rooms and high-tech asset management systems. Whether your goal is improved efficiency or a cleaner and safer facility, Herc Rentals can help. With our strategically-placed ProResources locations spread across North America, we can get you the tools you need when you need them.



TABLE OF CONTENTS

AIR TOOLS

Air Drills	13
Air Grinders	13
Air Impact Wrenches	14
Air Manifold	14
Air Powered Fans	15
Air Saws	15
Fans + Blowers	16
Busters	17
Hammers	17
Rock Drills	17

ELECTRICAL TOOLS

Drills	19
Drills Presses	19
Grinders	20
Saws	20

HYDRAULIC TOOLS

Jack + Cylinders	22
Hydrostatic Test Pumps	23
Split Flow Pump	23
Hydraulic Torquing Tools	24
Pneumatic Torquing Tools	24
Manual Torquing + Accessories	25
Tensioning Equipment	25

LIGHTING

Small Portable	28
Hazardous Location	29
Light Towers	31
Lighting Performance	33

MECHANICAL + ELECTRICAL TRADES

Pipe Threading	33
Pipe Groover	33
Pipe Accessories	34
Pipe Beveling Tools	34
Crimpers	35
Pipe Stands + Vises	35
Cable Pulling + Conduit Bending	36
Sheaves	37
Rollers	37
Strut Shear Kit	38
Fusion Machines	39
Flange Spreaders	40

RIGGING

Chain Falls	43
Push and Gear Trolleys	46
Material Contractor lifts	47
Hand Trucks + Dollies	47
Ergonomic Arm	48
EksoZeroG Quick Reference	49

STORAGE + JOB TRAILERS

Containers	47
Mobile Tool Trailer	48

WELDING

Plasma Cutters	51
Welders	52
Welding Solution	54
Welding Quick Reference	55

ProResources Branch Locations	57
-------------------------------	----



Safety First

Safe operation of our rental equipment is a top priority. SAFETY FIRST. SAFETY ALWAYS.

We offer Equipment Safe Operation Training with top-notch instructors for many of the equipment categories we rent.

All courses include hands-on practical training and evaluation. Upon successful course completion, you'll be issued a wallet card and certificate for the following operator certification courses:

- Aerial (Scissor, Boom, Manually Propelled AWP)
- Forklift Class I, IV, V
- Variable Reach & Straight Mast Forklift Class VII

Training is available at your local branch or we can come to your job site.

Rental Terms

Herc Rentals provides daily, weekly, monthly and long-term rentals. Acceptable forms of payment are checks and major credit cards, or if you're a frequent customer, we invite you to open a commercial account with us.

Please note: two forms of identification are required from all customers who do not have a commercial account, preferably a valid driver's license and a major credit card.

For your convenience, visit [HercRentals.com/us/credit](https://www.herc.com/us/credit) to download, or complete our online credit application.

Transportation Services

Herc Rentals has one of the largest equipment delivery and service fleets in North America. Utilizing our special delivery fleet, we ensure your equipment arrives safely and on time.

Rental Protection Plan (RPP)

Herc Rentals provides peace of mind with RPP covering accidental damage or theft of equipment during the rental period. It can also be used to supplement your Certificate of Insurance (COI).

Herc Rentals will limit your liability to a customer contribution of \$500 per item or 10% of the repair cost, whichever is less.

Refueling and Cleaning Services

All equipment is delivered clean and with a full tank of fuel, and if returned in the same condition, no charges apply. For your convenience upon return, we offer cleaning and refueling services.

REFUELING: Customer must refuel to starting level prior to return; or, refuel upon return. Fees will be based on gallons used. Refueling rates include costs for fuel tanks, maintenance, and labor.

CLEANING: Equipment must be cleaned prior to return; if not returned clean, fees will be assessed to bring equipment to rental-ready condition. Cleaning rates include costs for labor and materials.

Preventative Maintenance Services

To maintain the highest level of operating performance of our fleet of generators, pumps, carry deck cranes and similar equipment, Herc Rentals performs preventative maintenance as recommended by the manufacturer. In addition, Herc Rentals complies with all inspection requirements and applies a Preventative Maintenance (PM) Charge associated with performing the maintenance and service. The PM charge is a per hour charge that is applied to every hour the Equipment is operating or running while on rent. The PM charge is between \$1 - \$4 depending on the type and size of the Equipment and the number of hours which is determined by the meter machine installed on the Equipment. PM charges are billed monthly based on 160 hours of use. At time of final invoice, the PM charge for the time on rent will be adjusted up or down to reflect actual hours used. Inspection fees may apply separately or as part of the PM Charge. The PM charge is not a tax, or a government mandated charge and Herc Rentals may change it from time to time in its discretion.



For a complete description of our services and associated charges, visit [HercRentals.com](https://www.herc.com)

At Herc Rentals, we have the equipment safety training where and when you need it. We have a wide range of high quality operator safety training classes. Our classroom and hands-on training sessions help meet your training requirements while preparing each operator to get the job done right.

Familiarization Upon Delivery

Upon delivery, the Driver shall complete the following with the person receiving the Aerial Platform/Forklift:

- Identify the weather resistant compartment (for manual storage)
- Confirm that the manuals, as specified by the manufacturer, are on the Aerial Platform/Forklift.
- Review control functions with the operator or person designated by the customer
- Review safety devices specific to the model Aerial Platform/Forklift being delivered

General Training

Our General Training format includes:

- Formal instruction (e.g., lecture, discussion, written material and manufacturer's training material)
- Practical training (demonstrations and exercises performed by the trainee)
- Evaluation of the operator's performance in the workplace (In collaboration with the customer)

In our courses we review:

- Equipment-related topics
- Workplace-related topics
- Plant/Site specific rules
- Personal protective equipment requirements

Difference Between General Training + Familiarization

GENERAL TRAINING	FAMILIARIZATION
<ul style="list-style-type: none"> • Classroom/Formal Training • Hands-On Evaluation 	<ul style="list-style-type: none"> • Hands-On Instruction only • Time 10-45 minutes

Familiarization Does Not Satisfy Requirements for Certification

Herc Rentals can deliver Equipment Safe Operation Training to our customers using our Qualified Instructors for the following equipment we rent:

Powered Industrial Trucks (Forklifts) as required by OSHA 1910.178 and 1926.602:

- Internal Combustion Engine Trucks (solid/cushion tires) (Class IV)
- Internal Combustion Engine Trucks (pneumatic tires) (Class V)
- Rough Terrain Forklift Trucks (straight/vertical mast and variable/extended reach) (telescopic)(Class VII)
- Electric Motor Rider Trucks (Class I)
- Electric Motor Narrow Aisle Trucks (Class II)
- Electric Motor Hand Trucks or Hand/Rider Trucks (Class III)

Mobile Elevated Aerial Platforms (formerly Aerial Work Platform) covered by ANSI/SIA Standards:

- Vehicle Mounted Towable Boom Lift
- Manually Propelled Elevating Platform
- Boom Supported Elevating Work Platform
- Self-Propelled Elevating Work Platform

Other Equipment Safe Operator Training Courses Offered

- Skid Steer
- Backhoe
- Excavator
- Atrium Boom Lift

Train the Trainer Courses

- Mobile Elevated Work Platform (formerly Aerial Work Platform)
- Powered Industrial Trucks (Forklifts)

Silica Dust Training

- Silica Dust (Table 1)

DELIVERY FLEET

Providing Solutions and Delivering Them Too

Herc Rentals offers a full-service delivery, all trackable from the palm of your hand. You have the ability to monitor the gear from the moment it leaves our yard until it is delivered to your job site. With our wide array of delivery vehicles, we have everything to meet all of your transportation needs.



Automatic Notifications



Real-time Tracking

Improved delivery vehicle routing

Improved fleet productivity

Pickup information is fed back to Herc Team





ProContractor Tools Delivery Truck

Designed for PCT quick delivery. Small enough to make deliveries in metro/city area. Is equipped with a tow package for trailers and towable fleet.



Remediation Delivery Trailer

Great for PCT and Remediation as the trailer is equipped with proper tie down points and fold out ramp/liftgate. When the pick-up or box truck is not large enough you can add the trailer to deliver all your equipment at once.



Remediation Delivery Truck

Designed for Climate and Remediation. Small enough to make deliveries to metro/city area. Equipped with a tow package, fleet can be delivered with just the box truck or box truck and trailer combo.



Mobile Tool Room

Provides an easy and functional way to manage numerous tools on location. Allow Herc Rentals professionals to assist you in our tool management system for your next project.



Roll Off Delivery Truck

Designed for a Classic Branch. Small enough to make deliveries to metro/city area. Medium Duty truck that allows the driver to load/unload on a flat surface to provide extra safety. This truck allows the branch to deliver a wide range of equipment since the bed lays flat on the ground and has a very minimal load degree angle.



Roll Back Delivery Truck

Designed for classic fleet. This is a heavy duty truck solution that has the ability to deliver in the city. This truck is good to use when you cannot fit a tractor trailer onsite.



Delivery Truck with Traveling Trailer

Designed for a Classic Branch. This is the main truck that is used to deliver equipment. This truck has the largest weight capacity and deck space to allow a driver to deliver and pickup numerous pieces of equipment.

NEW INNOVATIVE PRODUCTS

NOW AVAILABLE IN OUR INVENTORY

NEW PRODUCTS


NEW LIGHT TOWER

GENERAC/CUBE+ HYPER



The CUBE+ HYPER light tower is equipped with Omnia® LED Technology allowing the operator to point the floodlights in every direction, to provide 360° illumination.

- Extend run times by 300% compared to Metal Halide
- Power Zone auto light controller for dusk to dawn operation or 7-day scheduler
- Telematics enabled for remote on/off and fuel level monitoring
- Qty (16) fit on a 48-foot truck



.20 gph
FUEL BURN

27.5 ft
MAST HEIGHT

300 hrs
RUNTIME

210 ft
LIGHT RANGE



NEW PROCONTROL TELEMATICS

MOBILE APP

Mobile version of ProControl Telematics is now available. Gain insight to your rentals from your mobile device. It's easy to use and can be launched from the Herc Rentals App.

- View Items on-Rent
- Active Rental Details
- Equipment Location
- Equipment details
- Directions



NEW WELDERS

XMT 350-6 PACK RACK

Conveniently houses multiple power sources, an ideal system for onsite applications including construction and shipbuilding.

- Auto adjusts to supplied input power 208-575V 1PH or 3PH
- Loaded with operator productivity features

ZERO emissions | **ZERO** GPH

Shore Power
Direct power for continuous operation

FUSION MACHINE **NEW**

Rolling 28 fuses HDPE pipe from 2 inch to 8 inch. Fusion machine is offered with either low or high force cylinders, and have a fuse pressure of up to 1,500 psi.

MCELROY/ROLLING 28

- Removable 3 or 4-jaw carriage for in ditch use
- Wheeled chassis allows easy maneuvering on the job site
- Hydraulic facer for facing the heaviest wall pipe with ease
- Serrated jaws & inserts keep pipe from slipping during fusion



NEW TENSIONING EQUIPMENT

The STS imperial bolt tensioner range is designed for topside operation in a wide variety of applications including pipeline flanges, heat exchangers, pressure vessels, compressor covers, boiler feed pumps, anchor bolts and many others.

HI-FORCE/STS

- Nitrocarburised piston
- Single acting design with manual piston retraction
- Dual quick connect couplings for easy connection
- Interchangeable accessories to cover multiple stud bolt sizes using same tensioner

NEW ERGONOMIC ARM

EKSO/ZERO G ARM

EksoZeroG helps ease the physical burden on construction and demolition workers.

The EksoZeroG is a product that attaches to an aerial lift or scaffolding and uses two spring-arms to counterbalance the weight of heavy tools.

- Avoid injury using tools that feel weightless
- Maintain full, active crews and increase productivity
- Keep workers safe



OUR OPERATIONS ON THE ENVIRONMENT

COMMITMENT TO SUSTAINABILITY



Environmental Management Policy

We are committed to minimizing the impact of our equipment rental operations on the environment by implementing programs that incorporate sound environmental policy. We will operate in accordance with all relevant local, state, and federal regulations and will strive to use pollution prevention and best management practices throughout our branches to:

- Handle, store, and dispose of substances that are defined as hazardous material in compliance with local, state, and federal regulation;
- Reduce, reuse, and recycle our waste products as much as possible;
- Minimize water consumption and ensure safe water treatment within our branches by incorporating innovative design of waste water treatment systems;
- Minimize energy consumption by employing energy reducing initiatives;
- Conduct regular training for staff working in and around petroleum storage tanks to inform on hazardous materials stored onsite, as well as regular inspections of storage tanks, dispensers, and critical safety devices;
- When required by local, state, and federal regulations, develop and maintain appropriate emergency and spill response programs;
- Whenever possible, purchase products and services that do the least damage to the environment and communicating this commitment to our vendors;
- Monitor the environmental impact of our business practices and review our progress on a continual basis; and
- Promote environmental stewardship and best management practices to our customers that utilize rental equipment.

YOU'RE COVERED

ProRPP protects you against the cost of damaged or stolen gear.

100% COVERED NO FORMS NO WORRIES

By accepting our rental protection plan, ProRPP, Herc Rentals will waive 100 percent of the repair/replacement cost of damaged or stolen gear. When you return damaged gear or provide a police report for stolen gear, Herc Rentals will cover the damage and replacement cost - no questions asked. This provides you with a truly worry-free rental experience.



ProRPP Saves you money!

Example: A Compact Track Loader is damaged while on rent. The repair costs total is \$8,000:

	WITHOUT PRORPP	WITH PRORPP	
Rental Cost	\$2,000	\$2,000	
RPP Cost (15%)	\$0	\$300	Pay this NOW
Initial Out of Pocket Cost	\$2,000	\$2,300	↓
Repair Cost	\$8,000	\$0	
Out of Pocket Cost	\$10,000	\$2,300	
Savings	\$0	\$7,700	



For more information about our rental protection plans visit HercRentals.com or scan code.

AIR TOOLS

All The Gear You Need.

Crack. Break. Bust. Chip. Power through what you need to do with powerful air tools. Whether you're drilling through rocks, breaking up pavement or busting rivets on your next demo job, these strong, rugged tools use compressed air to help you handle your toughest tasks.

We have a selection of models across multiple categories, so you can rest assured we have the right tool for your projects.



Air Manifold
Air Drills
Air Grinders
Air Saws

Air Impact Wrenches
Air Powered Fans
Fans + Blowers
Busters

Hammers
Rock Drills



hercrentals.com
Call 888-777-2700 for rates and reservations.



AIR DRILLS



IR/1PT38ST4

- Compact and light weight
- Variable speed control
- Contoured rear radius provides comfortable, convenient position for gripping.



CS UNITEC/22404001

- Safety clutch for overloading and jamming
- Hammer drill holes in concrete, brick + masonry
- Straight drilling of steel and wood

MAKE	MODEL	TYPE	SIZE	CFM @ 90PSI	RPM	CAT CLASS
Cleco	15DP	Horizontal	1/2"	15	160 rpm	120-3500
IR	728LA2	Horizontal	3/8"	3.20	3,800 rpm	120-3510
CS Unitec	22404001	Rotary	3"	31	0-625 rpm	100-1180
CS Unitec	ECO80AK	Magnetic	3"	-	4 speed	130-1260

AIR GRINDERS



IR/HD180RG4

- Ideal for heavy duty stock removal
- Vibration dampening handle
- Superior power to weight ratio



IR/HA120RP1045

- Industrial duty material removal with burrs grinding wheels and coated abrasives
- Powerful vane motor
- Optimized for general industrial use



IR/88V60P

- Solid steel motor and arbor housing
- Built-in mist lubricator automatically oils motor
- Heavy-duty, double-row ball bearings

MAKE	MODEL	TYPE	DIAMETER	ARBOR	FREE SPEED	WEIGHT	CAT CLASS
IR	HD180RG4	7" Batwing	1/4" collet	3/8"	600 rpm	8.75 lbs	120-3050
IR	HA120RP1045	4" Right angle	1/4" collet	3/8"	12,000 rpm	3.6 lbs	120-3010
IR	88V60P	Horizontal	1/4" collet	3/8"	6,500 rpm	8.75 lbs	120-3020

AIR IMPACT WRENCHES



IR/2925Ti

- Titanium hammer case
- Pressure fed lubrication mechanism
- Twin hammer mechanism



IR/3955B1Ti

- Titanium hammer case
- Twin hammer mechanism
- 7-vane reverse-bias motor


MAKE	MODEL	DRIVE	MAX TORQUE	SPEED	WEIGHT	CAT CLASS
Cleco	9525	3/8"	510	8,000 rpm	2.9 lbs	135-2560
IR	MP-1700	1/2"	370	6,500 rpm	5.3 lbs	135-2580
IR	2925Ti	3/4"	1,450	5,200 rpm	12 lbs	135-2590
IR	2925B2Ti	1"	1,600	6,500 rpm	15.20 lbs	135-2600
IR	3955B2Ti	1-1/2"	5,000	295 rpm	36.5 lbs	135-2610
IR	3955B1Ti	1-1/2" Spline	5,000	2,750 rpm	34.6 lbs	135-2620

AIR MANIFOLD



TX/TX-2AMF

- Use when there is a need to have multiple outlets of air to supply various pneumatic tools simultaneously
- Drain valve on bottom of tank
- Units can be linked together by replacing the square plug with a hose coupling



MAKE	MODEL	TANK CAPACITY	INLET	OUTLETS	WORKING PRESSURE	WEIGHT	CAT CLASS
Texas Pneumatic	TX-2AMF	15 Gal (ASME)	(1) 2in 4-Prong Coupling	(8) 3/4 in Ball Valves w/ Crows Ft Couplings	200 psi	63 lbs	140-3580
Texas Pneumatic	TX-4AMF	30 Gal (ASME)	(1) 2in 4-Prong Coupling	(8) 3/4 in Ball Valves w/ Crows Ft Couplings	200 psi	115 lbs	140-3580



IR/S80

- Faster removal and tightening of large fasteners
- Precision ball and cam impact mechanism
- Portable, easy to handle or suspend



IR/SRA010A1

- Titanium hammer case
- Pressure fed lubrication mechanism
- Twin hammer mechanism



CS UNITEC/5 1212 0010

- Titanium hammer case
- Twin hammer mechanism
- 7-vane reverse-bias motor

MAKE	MODEL	TYPE	BLADE SIZE	CFM @ 90PSI	CAT CLASS
IR	S80	Circular	8-1/4"	67	120-3600
IR	SRA010A1	Reciprocating	2-3/8"	51	120-3610
CS Unitec	5 1212 0010	Hack saw	2-3/8"	51	120-3620
CS Unitec	5 6003 0010	Portable Band	44-7/8" x 1/2"	21	120-3630

AIR POWERED FANS



TX-PNEU/TX-6-AM

- Used for venting hazardous areas
- Operates on compressed air or steam
- Can be used as a blower or exhauster



TX-PNEU/TX-JF12 JETFAN

- Ventilation of tanks, process vessels, or other confined areas
- Use as blower or exhauster
- 4" blade design produces high airflow at lower RPM

SWING GATES OPTION AVAILABLE



- Used with 20" and 24" Jet Fans.
- Swing Gates allow ventilation ports to be used as additional entry or exit points for confined spaces.

MAKE	MODEL	AIRFLOW	INSIDE DIAMETER	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
Texas Pneumatic	TX-3-AM	60 psig - 863 cfm / 80 psig - 1,067 cfm / 100 psig - 3,698 cfm	3"	32" x 7.3" x 7"	10 lbs	710-1220
Texas Pneumatic	TX-6-AM	60 psig - 2,560 cfm / 80 psig - 3,020 cfm / 100 psig - 3,698 cfm	6"	44" x 11.2" x 12.5"	25 lbs	710-1240
Texas Pneumatic	TX-8-AM	60 psig - 2,560 cfm / 80 psig - 3,020 cfm / 100 psig - 3,698 cfm	8"	46.5" x 14.3" x 14.3"	36 lbs	710-1260
Texas Pneumatic	TX-10-AM	40 psig - 4,898 cfm / 60 psig - 6,182 cfm / 80 psig - 7,304 cfm	10"	48" x 16.8" x 15.8"	43 lbs	710-1280
Texas Pneumatic	TX-JF12	60 psig - 2,161 cfm / 80 psig - 2,550 cfm / 100 psig - 2,866 cfm	12"	11" x 12.3" Diameter	41 lbs	710-1300
Texas Pneumatic	TX-JF20	60 psig - 7,600 cfm / 80 psig - 9,100 cfm / 100 psig - 10,420 cfm	20"	12" x 24.5" Diameter	96 lbs	710-1360
Texas Pneumatic	TX-JF24	60 psig - 11,005 cfm / 80 psig - 12,848 cfm / 100 psig - 16,136 cfm	24"	12" x 31.3" Diameter	131 lbs	710-1320



COPPUS/Vano 175 CV

- Accepts ducting at inlet and outlet ends
- Ideal for ventilating confined spaces
- High Volume - High Static pressure



MASTER/MB-PO813-DC25

- Manhole blower with integrated 25-foot ducting
- Ideal for confined space ventilation
- ETL listed for North American safety standards



SCHAEFER/VKM42-2-B-0

- 2-speed fan and a polyethylene housing for durability
- Portable solution for ventilating large areas
- Ideal for personal comfort or livestock and equipment cooling needs



BREEZER MOBILE COOLING/PB10-A-06B

- Can effectively cool up to 3,000 sq. ft. out to 80 feet
- Used as cooling stations at outdoor special events
- Fan is removable and can be stored in the tank during transport



TEMPEST/24-HD

- EX Model rated for Class I (Group C & D) and Class II (Group F & G) Environments
- Can be ducted up to 500 feet
- Solid steel roll cage frame with 10" rubber wheels

MAKE	MODEL	AIRFLOW	INSIDE DIAMETER	DIMENSIONS (LWH)	AMP DRAW	CAT CLASS
COPPUS	175 CV	1,500 cfm	8"	39" x 11.4" x 13.8"	73 lbs	700-1220
COPPUS	250 CV	3,000 cfm	12"	-	86 lbs	700-1222

MAKE	MODEL	AIRFLOW	DIMENSIONS (LWH)	MOTOR	AMP DRAW	CAT CLASS
TEMPEST	24-HD	13,000 cfm	28.8" x 26" x 34.5"	1 hp	13.4 amps, 115v	700-1180
TEMPEST	24-HD-EP	13,000 cfm	28.8" x 26" x 34.5"	1 hp	13.4 amps, 115v	700-1240
Breezer Mobile Cooling	PB10-A-06B	14,000 cfm	46" x 29.5" x 42"	1 hp	9 amps, 115v	700-1280
Master	MB-PO813-DC25	930 cfm	36.3" x 12.5" x 14.5"	1/3 hp	2.2 amps, 115v	700-1420
Schaefer	VKM42-2-B-0	16,600 - 10,900 cfm	45.5" x 22" x 45.8"	1 hp	12.3 amps, 115v	925-3126

HAMMERS



APT/CHIPPING HAMMER 264H/18671

- Light concrete demolition

BUSTERS



APT/M133CN/18768

- Medium to heavy demolition work
- Meets the weight requirements for bridge deck

MAKE	MODEL	TYPE	HANDLE	SHANK SIZE	STROKE	BPM	CFM	WEIGHT	AIR INLET NPT	CAT CLASS
APT	264H	Hammer	D-Handle	.580 Hex	4"	1,375	34-36 @ 90 psi	15 lbs	7/8-24	120-1520
APT	M133CN/18768	Busters	D-Handle	11 x	8"	1,140	42-46 @ 90 psi	30 lbs	1/2 Female	120-2030

ROCK DRILLS



APT/M115

- Lightweight for drilling holes for anchor bolts
- Converts from a drilling tool to a percussion tool
- Built-in automatic oiler



APT/M137

- Granite, hard-faced rock, quarry drilling
- Adaptable wet drilling application



APT/M155

- Granite, hard-faced rock, quarry drilling
- Adaptable wet drilling application

MAKE	MODEL	SHANK SIZE	STROKE	BPM	CFM	WEIGHT	AIR INLET NPT	CAT CLASS
APT	M115	7/8" X 3-1/4"	1-3/8"	2,900	32-36 @ 90 psi	19 lbs	3/8 Male	120-1760
APT	M137	7/8" X 3-1/4"	2-5/8"	2,300	85-90 @ 90 psi	38 lbs	1/2 Male	120-1780
APT	M155	7/8" X 3-1/4"	3"	2,100	110-120 @ 90 psi	61 lbs	3/4 Male	120-1820

ELECTRIC TOOLS

All The Gear You Need.

Getting the job done right requires the right tool. Make sure you have what you need by checking out our selection of power tools, including saws, grinders, and drills.

Having the proper tools makes it easier for you to finish your projects on schedule. Our rental options help maximize your budget so you can make the most of every dollar.



Drills
Drill Presses

Grinders
Saws



hercrentals.com
Call 888-777-2700 for rates and reservations.

HercRentals[®]



DRILLS

DEWALT

ELECTRIC TOOLS



DEWALT/DW130V

- Variable speed and reverse available for mixing
- Lightweight and soft grip handles for user comfort
- Multiple positions for all drilling and mixing



DEWALT/DW297

- Impact wrench with soft grip handle
- Forward/reverse rocker switch



DEWALT/DW124K

- Stud and joist drill kit with adjustable handles
- Low speed/high torque gear settings

MAKE	MODEL	TYPE	CHUCK SIZE	SPEED RANGE	AMP RATING	WEIGHT	CAT CLASS
Dewalt	DW130V	1/2 in Drill	1/2"	0-550 rpm	9A	7.5 lbs	100-1550
Dewalt	DW124k	Right Angel Drill	1/2"	300-1,200 rpm	11.5A	14 lbs	100-6000
Dewalt	DW297	Impact Wrench	3/4"	1,600 rpm	7.5A	11 lbs	130-1680

DRILL PRESSES

UNITEC *Milwaukee*



MILWAUKEE/4210-1

- Electromagnetic drill press
- 3/4 inch chuck for fast and easy bit changes
- 350 no load RPM geared low for maximum torque



CS UNITEC/MAB 525

- Powerful and reliable
- Quick-change keyless cutter system
- Integrated cutting oil reservoir

MAKE	MODEL	TYPE	SPEED	POWER	WEIGHT	CAT CLASS
Milwaukee	4210-1	Electric Drill Press	350 rpm	120v/12.5A	62 lbs	130-1220
CS Unitec	MAB 525	2" - 2-1/2"	580 rpm	110v	-	130-1250
CS Unitec	EC080AK	3"	4- speed	110v	-	130-1260

GRINDERS

DEWALT

DEWALT/D28131

Versatile tool for a multitude of applications.
Great for grinding, polishing, sanding.

- Quick-Change™ Wheel Release allows tool-free wheel removal
- Vibration-reducing side handle increases comfort for extended use applications
- Keyless adjustable guard provides tool-free guard adjustments to increase productivity



MAKE	MODEL	TYPE	WHEEL DIAMETER	THREAD	AMP RATING	WEIGHT	CAT CLASS
Dewalt	D28131	RGT Angle	4 1/2" - 5"	5/8"	13	6.8 lbs	100-4810



SAWS

DEWALT *Makita*



MAKITA/5402NA

- Ideal for cutting large and treated lumber
- Low noise level (87dB)
- Blade stabilizer for consistent rotation and superior performance



DEWALT/DWM120K

- Steel shroud and rubber bumpers
- 5" deep cutting capacity
- Variable speed for specific applications

MAKE	MODEL	TYPE	BLADE	45° MITER CUT CAPACITY	90° CROSS-CUT CAPACITY	SPEED	AMP RATING	WEIGHT	CAT CLASS
Makita	5402NA	Circular Saw	16-1/4"	4-3/16"	6-3/16"	2,300 rpm	15A	43.5 lbs	100-6530

MAKE	MODEL	TYPE	MAX CAPACITY (ROUND)	MAX CAPACITY (RECTANGULAR)	AMP RATING	WEIGHT	CAT CLASS
Dewalt	DWM120K	Deep Cut Band Saw	5"	5 x 4-3/4"	10A	15 lbs	100-6710

PROCONTRACTOR

HYDRAULIC TORQUING
ALLTITE/A DRIVE

HYDRAULIC TOOLS

All The Gear You Need.

Whether you're driving fasteners, turning bolts, testing water lines, pumping large volumes of liquids or lifting, pushing, pulling, and holding heavy equipment in place, Herc Rentals' hydraulic tools can be used for a variety of industrial applications efficiently and effectively.



Jack + Cylinders
Hydraulic Torquing Tools
Hydrostatic Test Pumps
Manual Torquing + Accessories

Split Flow Pump
Tensioning Equipment



hercrentals.com
Call 888-777-2700 for rates and reservations.



HercRentals[®]



POWERTEAM / P159

- Manual dual action pump
- Electric pumps available for high capacity cylinders
- Compatible with all brands of cylinders



ENERPAC / RSM-50

- Hydraulic cylinders available in hundreds of configurations
- Used for lifting, pushing, pulling, and holding
- Compatible with manual or electric pumps

MAKE	MODEL	CAPACITY	STROKE	HEIGHT	CAT CLASS
Enerpac	RSM-50	5 Ton	5/8"	4.88"	481-1012
PowerTeam	C55C	5 Ton	5-1/4"	5.25"	481-1018
PowerTeam	C57C	5 Ton	6-3/4"	7.25"	481-1024
Enerpac	RSM-100	10 Ton	1"	1.69"	481-1030
Enerpac	RC-102	10 Ton	2-1/8"	4.78"	481-1036
Enerpac	RC-104	10 Ton	4-1/8"	6.75"	481-1040
Enerpac	RC-106	10 Ton	6-1/8"	9.75"	481-1042
Enerpac	RSM100	10 Ton	7/16"	1.69"	481-1030
Enerpac	RC-108	10 Ton	8"	11.75"	481-1048
Enerpac	RSM100	10 Ton	15/32"	2-9/32"	481-1028
Enerpac	RC256	25 Ton	6.25"	10-3/4"	481-1112
Enerpac	RCH-121	12 Ton	1.63"	4.75"	481-1066
Enerpac	RC156	15 Ton	6"	10.69"	481-1076
Enerpac	RSM-200	20 Ton	7/16" Flat	2.03"	481-1090
Enerpac	RSS202	20 Ton	1-3/4"	2.47"	481-1092
Enerpac	RC-252	25 Ton	2"	6.5"	481-1108

MAKE	MODEL	CAPACITY	STROKE	HEIGHT	CAT CLASS
Enerpac	RC-254	25 Ton	4"	6.5"	481-1110
Enerpac	RC-256	25 Ton	6-1/4"	10.25"	481-1112
SPX	C256C	25 Ton	6-5/8"	21"	481-1112
Enerpac	RC-2514	25 Ton	14-1/4"	18.75"	481-1126
Enerpac	RSM-300	30 Ton	1/2"	2.31"	481-1132
Enerpac	RCH-306	30 Ton	6-1/8"	13"	481-1150
Enerpac	RC-504	50 Ton	3.94"	8.94"	481-1169
Enerpac	RSM-500	50 Ton	.63"	2.63"	481-1160
Enerpac	RCS-502	50 Ton	2-1/8"	4.81"	481-1162
Enerpac	RC-506	50 Ton	6-1/4"	11.13"	481-1170
PowerTeam	C556C	55 Ton	6"	11.13"	481-1186
Enerpac	RCS-1002	100 Ton	2"	5.56"	481-1242
Enerpac	RC-1002	100 Ton	2-1/8"	5.56"	481-1238
Enerpac	RC-1006	100 Ton	6-5/8"	14.06"	481-1254
Enerpac	RC-2510	25 Ton	10.25"	14.75"	481-1120
Enerpac	RC-2514	25 Ton	14.25"	18.75"	481-1126



SPLIT FLOW PUMP

Hi-FORCE/HSP34E104

The HSP electric driven, split flow, hydraulic pump is designed to deliver equal volumes of oil from each individual control valve regardless of any variations in the hydraulic pressure.

This technology allows each of the 4 pistons to deliver an equal amount of oil flow per minute regardless of variations in load weight distribution.

- Each valve can be operated independently with use of the electrical pendant
- Maximum working pressure of the HSP pump is 10000 PSI
- Split flow pumps allow for lifting and positioning large, unevenly weighted loads using multiple jacking points in a synchronized, level lift



MAKE	MODEL	RESERVOIR	OIL FLOW PER LINE	MOTOR VOLTAGE	WEIGHT	CAT CLASS
Hi-Force	HSP34E104	55 gallons	36.61"	380/440, 50 or 60Hz	739 lbs	814-1005

HYDROSTATIC TEST PUMPS



RICE/EL1A

- Low volume medium pressure
- Designed for testing sprinkler systems, irrigation lines, pressure vessels, plant process piping, and small diameter water line



RICE/DPH-3B

- Large volume medium pressure
- Recommended for testing water lines up to 24" diameter



RICE/ hp10-B

- High-pressure testing of oil, gas, and steam lines
- Pneumatic driven requiring only 100 psi of air
- Dual pressure gauges for comparison readings

MAKE	MODEL	MAXIMUM PSI	GPM	POWER	INLET	OUTLET	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
Rice	EL1A	500 psi	3 gpm	1 hp Electric Motor, TEFC, 110	3/4"	1/2"	22" x 14" x 14"	76 lbs	125-1210
Rice	DPH-3B	550 psi	11 gpm	6.5 hp Honda Gas	1" hosebarb	1/2"	25" x 21" x 17"	91 lbs	125-1240
Rice	hp10-B	10,000 psi	80 cu in	Compressed air 100 psi	N/A	N/A	26" x 25" x 43"	155 lbs	125-1300

HYDRAULIC TORQUING TOOLS

ALLTITE/A DRIVE

- Hex link that the power head locks into, allowing it to fit onto hex nuts in low profile applications
- Larger reaction area
- A time tested, three-part design
- Consists of the drive pawl, the ratchet and the drive gear
- 10-50 percent faster than other hydraulic wrenches



MAKE	MODEL	DRIVE SIZE	NUT SIZE	BOLT SIZE	CAT CLASS
Alltite	A2-107	3/4"	1-7/16"	7/8"	135-3405
Alltite	A2-110	3/4"	1-5/8"	1"	135-3410
Alltite	A2-113	3/4"	1-13/16"	11/8"	135-3430
Alltite	A2-200	3/4"	2"	11/4"	135-3770
Alltite	A4-113	1"	1-13/16"	11/8"	135-3433
Alltite	A4-206	1"	2-3/8"	1 1/2"	135-3480
Alltite	A4-209	1"	2-9/16"	1 5/8"	135-3750
Alltite	A4-212	1"	2-3/4"	1 3/4"	135-3510
Alltite	A8-206	1-1/2"	2-3/8"	1 1/2"	135-3480
Alltite	A8-215	1-1/2"	2-15/16"	1 7/8"	135-3730
Alltite	A8-302	1-1/2"	3-1/8"	2"	135-3470
Alltite	A16-308	1-1/2"	3-1/2"	2-1/4"	135-4000
Alltite	A16-14	1-1/2"	3-7/8"	2-1/2"	135-4010

PNEUMATIC TORQUING TOOLS

TORCUP/RP-1000

The RAPTOR Series Pneumatic Torque Wrench provides torque settings of up to 6,000 Ft/lbs in clockwise and counter clockwise rotation, and its free joint execution allows for random positioning of the tool.

- Ergonomic pistol grip
- Compact air motor
- Dual operation trigger
- Airflow of 40 to 55 CFMs guarantees optimum performance
- Cast reaction arm — The sturdy "non-welded" construction provides a safe and strong reaction point.



MAKE	MODEL	DRIVE SIZE	TORQUE RANGE	WEIGHT (W/O ARM)	CAT CLASS
TorcUp	Raptor RP-1000	3/4"	1,000 ft/lbs	12 lbs	135-2755
TorcUp	Raptor RP-3000	1"	3,000 ft/lbs	20 lbs	135-2757
TorcUp	Raptor RP-6000	1-1/2"	6,000 ft/lbs	36 lbs	135-2760

MANUAL TORQUING + ACCESSORIES



PROTO/6212

- Reaction system: tubular reaction bar
- Gear system: single stage planetary
- Angle of turn protractor: 5 degree increments



WRIGHT/3477

- Ratchet style head
- Misco-adjustable options



ALLTITE/REVOLUTION

- Two-speed high performance pump
- External adjustable pressure regulator
- Can be used for single or double-acting tools

MAKE	MODEL	TYPE	SIZE	DRIVE	CAT CLASS
Alltite	X4-TD1000	Wrench Multiplier	2,000 ft lbs 1:4 ratio	3.4" (In) 1" (Out)	135-3310
Proto	6212	Wrench Multiplier	1,200 ft lbs 1:6 ratio	1/2" (In) 3/4" (Out)	135-3350
Wright	3477	Manual Torquing Wrench	10-100 ft lbs	3/8"	135-3390
Proto	6020	Manual Torquing Wrench	120-600 ft lbs	3/4"	135-3290
Wright	8447	Manual Torquing Wrench	200-1,000 ft lbs	1"	135-3370
Alltite	Revolution	Electric Hydraulic Pump	67 lbs	N/A	130-1760

NEW TENSIONING EQUIPMENT

Hi-Force
HYDRAULIC TOOLS

HI-FORCE/STS

The STS imperial bolt tensioner range is designed for topside operation in a wide variety of applications including pipeline flanges, heat exchangers, pressure vessels, compressor covers, boiler feed pumps, anchor bolts and many others.

- Single acting design with manual piston retraction
- Nitrocarburised piston
- Dual quick connect couplings for easy connection
- Interchangeable accessories to cover multiple stud bolt sizes using same tensioner



MAKE	MODEL	BOLT THREAD RANGE	CAT CLASS
Hi-Force	STS2	11/4" - 11/2"	135-1140
Hi-Force	STS3	15/8" - 2"	135-1342
Hi-Force	STS4	17/8" - 2"	135-1345

ACCOUNT + FLEET

MANAGEMENT

from your mobile device



The newly enhanced mobile version of ProControl Telematics works with all mobile devices. It's easy to use and customers can launch it directly from the Herc Rentals App.

- Map my equipment
- Equipment near me
- Directions
- Equipment information

PR/CONTROL
By Herc Rentals


LIGHTING

All The Gear You Need.

With our cutting edge line up of lighting solutions, Herc Rentals has the gear you need to stay working safely and efficiently night or day.

Our light towers are equipped with ProControl® Telematics which allows you to:

- Monitor fuel levels
- Turn equipment on/off
- Track GPS Location



Small Portable
Hazardous Location
Metal Halide Tow Behinds
LED Light Towers

Power Connections
Metal Halide VS LED
Solar LED



hercrentals.com
Call 888-777-2700 for rates and reservations.





LIND / **BEACON970**

- As bright as a 500W quartz halogen
- LED chip withstands shocks, vibrations
- IP65 weatherproof rated



LIND / **BEACON360 GO***

- 4 hours at 100%, 8 hours at 50%, 25 hours at 15%
- Eliminate extension cords and generators
- 4-5 hour charge time



PROBUILT / **WOBBLELIGHT V3**

- Self-righting and no hot surfaces
- 36" height for low clearance and high-output
- 360-degree lighting angle



LIND / **BEACON360 BLAZE***

- Replaces a 400W metal halide light
- 25-foot cord, daisy-chain capability
- Three-way rocker switch (100%/off/50%)



LIND / **BEACON980 CART W**

- 12-foot adjustable mast with winch
- Foam-filled rubber tires
- Instant start-up, stays cool to the touch



POWERMOON / **PL600LED**

- Glare free 360-degree lighting
- Indoor or outdoor use
- Umbrella style open/close system, no air inflation

*Optional accessories include floor stand, magnets and clamp

MAKE	MODEL	TYPE	RANGE	LIGHT TYPE	LUMENS	POWER	LIGHTS	CAT CLASS
LIND	BEACON970	Flood	50'	Flood LED	5,000	110v	50W LED	110-1550
LIND	BEACON360 GO	360 Degree	25'	Area LED	6,000	Rechargeable battery	45W LED	110-1577
Probuilt	WOBBLELIGHT V3	Floor	35'	Self-righting LED	8,600	120v	80W LED	110-1570
LIND	BEACON360 BLAZE	360 Degree	50'	Area LED	14,000	110v	60W LED	110-1575
LIND	BEACON980-CART-TD-W	Single Head Cart	120'	Flood LED	30,000	110v	200W LED	110-1553
LIND	BEACON980-CART-W	Dual Head Cart	240'	Flood LED	60,000	110v	(2) 200W LED	110-1555
Powermoon	PL600LED	Diffused	30'	Balloon LED	75,000	110v	600W LED	110-1580

HAZARDOUS LOCATION



LIND / **TLS-80XPLEDRE-LV**

- (8) LED lights on 1 string spaced 10' apart
- 120V input with 12V inline transformer
- Plug and low-voltage transformer must be located outside hazardous location environment



LIND / **XP162LED-50P**

- Single LED handlamp hazardous location rated
- 50' cord with non-explosion proof plug
- Plug must be located outside hazardous location environment



WOLF SAFETY / **A-TL45A**

- Powered by compressed air
- Aluminum housing
- Interchangeable anti-glare diffusers-color filters

MAKE	MODEL	TYPE	VOLTAGE	LUMENS	APPROVALS	CAT CLASS
LIND	XP65LED-50P	LED Tubular Inspection Light	120V	1 x 250	cULus Certified for Class I, Division 1, Group D. Class II, Division 1, Group G	110-2043
LIND	TLS80XPLEDRE-LV	Low Voltage String Light 80' LED	12V	8 x 800	cQPSus listed for Class I, Division 1, Groups C & D hazardous locations (CSA and UL standards)	110-2055
LIND	XP162LED-50P	Hand Lamp LED 50' Cord	120V	1 x 800	cULus Certified for Class I, Division 1, Group D. Class II, Division 1, Group G	110-2000
Wolf Safety	A-TL45A	Flood light	Compressed Air	1 x 6000	Class 1 Div 1 Groups A, B, C, D.	110-2040

LIGHT TOWERS ENGINE DRIVEN METAL HALIDE



WATCH VIDEO

LIGHT TOWERS

Scan code to view our light towers in action during Irma power restoration



GENERAC MOBILE / **MLT6SK**

- Wider wheel base
- Longer tongue for improved towing
- Largest fuel tank in its class



GENERAC MOBILE / **MLT3060K**

- 360-degree mast rotation
- 120v and 240v convenience receptacles
- Withstands 65+ mph winds

MAKE	MODEL	TYPE	MAST HEIGHT	MAST TYPE	GENERATOR	POWER	LIGHTS	RUN TIME	FUEL BURN	WIND SPEED RATING	CAT CLASS
Generac Mobile	MLT6SK	Towable	23'	Vertical	6 kW	Diesel	(4) 1,050W Metal Halide	90 hrs max	.42 gph	65 mph	510-1030
Generac Mobile	MLT3060K	Towable	30'	Horizontal	6 kW	Diesel	(4) 1,050W Metal Halide	64 hrs max	.42 gph	65 mph	510-1035

Modern Lighting Solutions

Longer run times , reduced emissions and maximized efficiency. Modern lighting solutions are all about keeping you working safely and effectively night or day.



ICON KEY Look for these icons in the following pages.

 **Dusk to Dawn Sensor**
Automatically turns the light tower on or off based on the amount of ambient light detected.

 **Digital Controller**
Maximizes efficiency by enabling a light tower to be automatically turned on or off based on predetermined time parameters.

 **Daisy Chain**
Link multiple light towers in a sequence and power from a single source.

 **City Silent**
designed to be used in sensitive work environments where noise pollution must be kept to a minimum.

 **Shore Power**
Allows a light tower to be plugged into a wall or generator.

 **4-Way Forklift Pockets**
Quick and easy maneuvering and mobility.

 **110% Contained**
Double walled and built in weather proof Containment. No need for pans or basins

PRIMARY CONTAINER
SECONDARY CONTAINER

DOUBLE WALLED



GENERAC MOBILE / **MLT6SMD**

- Fuel efficient diesel engine 205 hrs run time
- Dust to dawn operation or 7-day scheduler
- Qty (17) fit on a 48-foot truck



GENERAC MOBILE / **CUBE+ HYPER**

- Extend run times by 300%
- Dusk to dawn operation or 7-day scheduler
- Remote on/off and fuel level monitoring



MAKE	MODEL	TYPE	MAST HEIGHT	GENERATOR	POWER	LIGHTS	RUN TIME	FUEL BURN	WIND SPEED RATING	CAT CLASS
Generac Mobile	MLT6SMD	Towable	23'	5 kW	Diesel	(4) 296W LED	205 hrs	.20 gph	65 mph	510-1055
Generac Mobile	Cube+ Hyper	Skid	27.5'	6 kW	Diesel	(4) 320W LED	300 hrs	.20 gph	50 mph	510-1160



GENERAC MOBILE / **PLT240**

- Fits through standard doorway
- Link 2 towers from a single 120V power source
- Qty (33) fit on a 48-foot truck



ALLMAND / **NIGHT-LITE E-SERIES**

- Electric winch and automatic on/off
- Multi-directional fork pockets for easy deployment
- Qty (41) fit on a 48-foot truck




MAKE	MODEL	TYPE	MAST HEIGHT	GENERATOR	POWER	LIGHTS	RUN TIME	FUEL BURN	WIND SPEED RATING	CAT CLASS
Generac Mobile	PLT240	Manual Push	16'	N/A	120V/15-20A	(4) 240W LED	Unlimited	0 gph	45 mph	510-1080
Allmand	Night-Lite E-Series	Manual Push	23'	N/A	115V/15A	(4) 320W LED	Unlimited	0 gph	50 mph	510-1082

LIGHT TOWERS / SOLAR LED



LIGHTING



NATIONAL / LTS160

- Capable of Year-round Uninterrupted Operation*





WANGO / WLTS-SM

- Capable of Year-round Uninterrupted Operation*



MAKE	MODEL	TYPE	MAST HEIGHT	BATTERY CAPACITY	POWER	LIGHTS	RUN TIME	FUEL BURN	WIND SPEED RATING	CAT CLASS
National	LTS160	Towable Solar	20'	660Ahr	1,000W Solar Array or 115v/15-20a	(4) 160W LED	Unlimited	0 gph	60 mph	510-1015
Wanco	WLTS-SM	Towable Solar	20'	400Ahr	600w Solar Array or 120v/20a	(4) 50W LED	Unlimited	0 gph	60 mph	510-1020

* Runtimes may vary based on brightness settings, sun exposure and usage.




LIGHTING PERFORMANCE CHART

With the advances in lighting technology, the new generation of LED light towers will match or beat the brightness of a traditional 1,000-watt metal-halide light tower at a reduced operating cost.

- 50%+ reduction in energy usage/fuel consumption
- Extend run times up to 300%
- Instant on/off
- Reduced heat
- No bulb-changing
- Digital controller for increased efficiency

	METAL HALIDE		LED LIGHT TOWERS				
							
MODEL	GENERAC MLT6SK	GENERAC MLT6SMD	GENERAC CUBE+ HYPER	GENERAC PLT240	ALLMAND NIGHT-LITE E-SERIES	WANCO WLTS-SM	NATIONAL SIGNAL LTS 160
LUMENS	246,300	172,000	184,000	88,000	154,000	20,100	104,800
FUEL CONSUMPTION PER HOUR	0.42 Gal	0.20 Gal	0.20 Gal	0 Gal	0 Gal	0 Gal	0 Gal
DIESEL PRICE PER GALLON AVG.	\$3.50	\$3.50	\$3.50	n/a	n/a	n/a	n/a
FUEL COST PER HOUR	\$1.47	\$0.70	\$0.70	\$0.10	\$0.13	\$0	\$0
RUN HOURS PER SHIFT	10	10	10	10	10	10	10
OPERATING COST PER MONTH*	\$294	\$140	\$140	\$20	\$26	\$0	\$0
MAX RUN TIME	90 Hrs	205 Hrs	300 Hrs	Unlimited	Unlimited	Unlimited	Unlimited

*10 hour shifts per day x 20 workdays per month



PROCONTRACTOR

PIPE THREADER
RIDGID/300 COMPACT

MECHANICAL + ELECTRICAL TRADES

All The Gear You Need.

Feed, slide, pull or crimp cables, bend or thread pipes, add grooves or and do much more with Herc Rentals equipment for mechanical and electrical trades.



Cable Pulling + Conduit Bending

Crimpers

Flange Spreaders

Fusion Machine

Pipe Accessories

Pipe Beveling Tools

Pipe Locators

Pipe Stand + Vises

Pipe Threading

Rollers

Sheaves

Strut Shear



hercrentals.com

Call 888-777-2700 for rates and reservations.



HercRentals[®]

PIPE THREADING

RIDGID



RIDGID/700

- Heavy-duty hand-held power drive
- Designed for RIDGID® model 12-R die heads
- Lightweight cast aluminum



RIDGID/300 COMPACT

- Self-contained oil system with adjustable flow control
- Lightweight, portable design
- Versatility for threading and grooving



RIDGID/1224 PIPE THREADER

- Two Die Heads (1) 1/4-2" universal die head;
- (1) 2-1/2-4" in receding die head

MAKE	MODEL	TYPE	PIPE CAPACITY	POWER REQUIREMENTS	WEIGHT	CAT CLASS
Ridgid	535	Threading machine	1/2" - 2"	115v 15A	260 lbs	125-2300
Ridgid	1224 Pipe	Threading Machine	1/2 - 4"	120v 15A	509 lbs	125-2310
Ridgid	700	Handheld threader	1/2 - 2"	115v	25 lbs	125-2320
Ridgid	141	Receding Geared	2-1/2 - 4"	Requires 700, 300 PD or 535 to operate	93 lbs	125-2340
Ridgid	161	Receding Geared	4 - 6"	Requires 700, 300 PD or 535 to operate	158 lbs	125-2350
Ridgid	300 Compact	Compact	1/2 - 2"	115v 15A	160 lbs	125-2360

PIPE GROOVER

RIDGID

RIDGID/918

The RIDGID Model 918 Hydraulic Roll Groover forms consistent grooves in steel, copper and plastic pipe up to 12" O.D.

- Compact lightweight design allows for easy transport.
- Extensive grooving capacity for a wide range of applications.
- Rugged, durable housing enables unit to withstand harsh use.
- Two-stage pump plus 15 ton ram permit quick and smooth operation.
- Specifically designed groove and drive rolls product consistent, accurate grooves throughout the capacity range.



MAKE	MODEL	TYPE	POWER REQUIREMENTS TO RUN	WEIGHT	CAT CLASS
Ridgid	918	Pipe Groover	Rigid 535/300/1224	75 lbs	125-2570

PIPE BEVELING TOOLS



RIGID/500

- Set-up and bevel 10" diameter schedule 40 pipe in 45 seconds
- Patent-pending clamp system firmly secures tool to the pipe
- Adjustable land width from 0" to 3/16" to fit welders' requirements



H&M/NO-1

- Durable, lightweight, hard-anodized aluminum for easy transportation
- Cutting and beveling 2" to 36" pipe precisely, quickly and economically, even under the toughest conditions

MAKE	MODEL	CAPACITY	PIPE WALL (MIN)	PLATE THICKNESS (MAX)	LAND WIDTH	DIMENSIONS (LWH)	CAT CLASS
Rigid	500	4" Pipe / Flat Plate	0.188"	0.50"	0" - 3/16" (1/32" increments)	15.8" x 11.5" x 13.3"	125-2230

MAKE	MODEL	PIPE OD	CAT CLASS
H&M	NO-0	2" - 4"	125-2160
H&M	NO-1	3" - 8"	125-2170
H&M	NO-2	6" - 12"	125-2180
H&M	NO-3	12" - 20"	125-2190
H&M	NO-4	20" - 26"	125-2200
H&M	NO-30	30" - 36"	125-2220

PIPE ACCESSORIES



FLANGE WIZARD/53025M

- Establish and mark a centerline at any angle
- Use it as a protractor level
- Remove and use the hardened center punch for other marking jobs



SUMNER/782699

- Enables one man to lift 2,000 lbs
- Carries up to 20" diameter pipe, tool boxes, fittings and valves
- Fits through 35" openings

MAKE	MODEL	TYPE	WEIGHT	CAT CLASS
Flange Wizard	53025M	Pipe Finder	6 lbs	911-5262
Sumner	782699	Grasshopper	165 lbs	912-1510

PIPE STAND + VISES

Multiple head options allow for pipe to be positioned exactly for specific operation like cutting, welding or threading.



MAKE	MODEL	TYPE	CAPACITY	CAT CLASS
Rigid	460	Tripod chain vise	1/8" - 6"	912-1520
Sumner	780395	Jack w/V-Head	3,500 lbs	912-1500

CRIMPERS



GREENLEE/EK1240L11

Equipped with Bluetooth™ Communication enabled via the Greenlee Gator Eye app. Features LED display screen communicating pressure and battery levels as well as tool diagnostics with real-time tool feedback.

- One trigger controls all tool functions
- Crimping head rotates 350°
- 18V lithium ion (Li-ion) battery provides 70% more cycles per charge and faster cycle times
- Intelligent Crimping System Technology includes a pressure sensor that monitors the crimping force of each crimp and provides the operator a visual and audible alert if the force is belows specifications



MAKE	MODEL	TYPE	CRIMPING FORCE	POWER	WIRE SIZE	WEIGHT	CAT CLASS
Greenlee	EK1240111	Crimper	12 Tons	120V Charger/Two 4.0Ah Batteries	8 AWG - 750 Kcmil (copper & aluminum)	15 lbs	130-1950





GREENLEE/UT10 PULLER

- 10,000 lb. pulling force
- 7/8" double braid poly composite
- Rope required



GREENLEE/6810 CABLE FEEDER

- Feeds cable at variable speeds
- Cable ranging in size up to 3.5" (88.9 mm)
- Sets up easily and can be operated by one person



GREENLEE/851 PVC BENDER

- Heavy-duty, insulated metal walls and cover
- Full-length door for easy loading and unloading



GREENLEE/881CT CONDUIT BENDER

- One bender to bend EMT, IMC and Rigid Conduit up to 4"
- One-Shot 90 degree bends
- Optional 881-MBT Mobile Bending Cart



GREENLEE/555 CLASSIC BENDER

- Capable of bending IMC, Ridgid, EMT, and 40 Mil PVC Coated Conduit
- Simple relay controls for easy field repairs
- compact handle design



GREENLEE/854DX

- 1 shoe bends 1/2" to 2" EMT, IMC and Rigid conduit
- Simple switching between vertical and horizontal
- Absolute encoder stops bending at precise angle

MAKE	MODEL	TYPE	CAPACITY	POWER	WEIGHT	CAT CLASS
Greenlee	G6	Cable Puller	6,000 lbs	120v	252 lbs	480-4130
Greenlee	UT10 Puller	Cable Puller	10,000 lbs Max Max Pulling Force	120v	84 lbs	480-4150
Greenlee	6810 Cable Feeder	Electric Cable Feeder	25,000 lbs	115v	280 lbs	480-4155
Greenlee	851 PVC Bender	Electric PVC Bender	1/2 - 4 in PVC All Schedules Pipe	120v	53 lbs	125-1997
Greenlee	555 Classic	Electric Conduit Bender	1/2 - 2 in EMT/IMC/Ridgid/40Mil PVC Coated Conduit	120v	260 lbs	125-2000
Greenlee	881CTE980	Hydraulic Conduit Bender	2-1/2 - 4 in EMT, IMC and Rigid Shoe Groups	Electric Hyd Pump (120v)	999 lbs	125-2010
Greenlee	854 DX	Electric Conduit Bender	1/2 - 2 in EMT/IMC/Ridgid	120v	550 lbs	125-2020

SHEAVES



GREENLEE/8012

- Use UT8, UT5, 6001, UT4 and UT2 cable pullers
- Strong, welded steel frames
- Forged steel closure type hooks with 1" opening



GREENLEE/6036

- Adjustable center sheave for 19-1/2" or 36" radius
- Aluminum frames for lightweight
- Steel yoke is pinned for easy removal



GREENLEE/000

- Welded steel frame with a series of sheaves
- Yokes with cast steel hooks with a 1" opening
- 5" wide aluminum alloy sheaves

MAKE	MODEL	TYPE	CAPACITY	WEIGHT	CAT CLASS
Greenlee	650	6" Hook	4,000 lbs	8.8 lbs	911-3325
Greenlee	8012	12" Hook	8,000 lbs	28 lbs	930-2076
Greenlee	8018	18" Hook	8,000 lbs	2,100 lbs	930-2076
Greenlee	8024	24" Hook	8,000 lbs	16,000 lbs	480-1340
Greenlee	639	Twin Yoke	4,000 lbs	1,000 lbs	930-2236
Greenlee	6036	Triple	6,500 lbs	28 lbs	912-3248
Greenlee	4036	8 Wheel	4,000 lbs	60 lbs	912-3232
Greenlee	4048	10 Wheel	4,000 lbs	83 lbs	912-3234
Greenlee	658	Tray	N/A	11 lbs	912-3246

ROLLERS




GREENLEE/2018S

- Use UT8, UT5, 6001, UT4 and UT2 cable pullers
- Strong, welded steel frames
- Forged steel closure type hooks with 1" opening



GREENLEE/2036R

- Steel ball bearing rollers and less friction
- Steel welded frame
- Adjustment slots and universal mounting brackets



GREENLEE/2024S

- Steel ball bearing rollers and less friction
- Steel welded frame
- Adjustment slots and mounting brackets

MAKE	MODEL	TYPE	WEIGHT	CAT CLASS
Greenlee	2018S	Straight	8 lbs	912-3200
Greenlee	2024S	Straight	10 lbs	912-3202
Greenlee	2030S	Straight	13 lbs	912-3204
Greenlee	2036S	Straight	15 lbs	912-3206
Greenlee	2018R	Radius	8 lbs	912-3210
Greenlee	2024R	Radius	12 lbs	912-3212
Greenlee	2030R	Radius	13 lbs	912-3214
Greenlee	2036R	Radius	41 lbs	912-3216
Greenlee	20249R	Right Angle	41 lbs	912-3220



Shear 30T // Maximize Productivity and Safety - From Preparation to Jobsite.

The Shear 30T was created to provide an effective and efficient solution to shearing strut and threaded rod. Mounted on a mobile work station, the Shear 30T eliminates the slow, costly repercussions of cutting with alternative methods. The strut shear kit is hydraulically powered and uses strong interchangeable dies to produce burrless, precise cuts every time.



- **Material Rest** - Keeps material perpendicular for clean cuts and extended die life
- **Hydraulic Hose Through-Hole** - Safely contains hydraulic hose from the pump to the ram
- **Powerful 30-Ton Hydraulic Ram** - Easily and quickly shears through tough material
- **Hydraulically Powered** - Use with Greenlee 980 electric pump or EHP700L11 battery-powered pump
- **Laser-Marked Measuring System** - Accurately shear each piece to precise length with movable arm and measuring stop
- **Die Grooves** - Ensures the dies are inserted correctly every time
- **Quick Die Change System** - Easily swap out dies with no tools or loose parts
- **Automatic Retraction** - Retaining spring arm brings back dies into starting position for next cut

MAKE	MODEL	TYPE	OPERATING FORCE	CAT CLASS
Greenlee	Shear 30T	Strut & Threaded Rod Hydraulic Shearing Kit	30 Tons	130-1470



McELROY/ROLLING 28

Rolling 28 fuses HDPE pipes from 2 inch to 8 inch. Fusion machine is offered with either low or high force cylinders, and have a fuse pressure of up to 1,500 psi.

- Removable 3 or 4-jaw carriage for in ditch use
- Wheeled chassis allows easy maneuvering on the job site
- Hydraulic facer for facing the heaviest wall pipe with ease
- Serrated jaws & inserts keep pipe from slipping during fusion



MAKE	MODEL	CAPACITY	FORCE	INPUT VOLTAGE	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
McElroy	A860805	2" - 8"	High Cylinder	120V, 60Hz / 1 Phase	65.5" x 38" x 49.5"	575 lbs	821-3020



McELROY/PIT BULL 14

A compact, lightweight, highly reliable and rugged fusion machine. The Pit bull fuses 1 inch to 4 inch pipe.

- Semi-automatic locking cam
- Thrust-bearing equipped clamp knobs, to minimize torque required to clamp and round the pipe
- Reversible jaws, clamp knobs, levers and facer allow operator to fuse from either side of the machine

MAKE	MODEL	CAPACITY	INPUT VOLTAGE	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
McElroy	A430101	1" - 4"	100V - 120V, 50/60Hz / 1 Phase	15.5" x 16.5" x 16"	35 lbs	820-3015



ENERPAC/FS-56

- Lightweight, ergonomic design for ease of use
- Adjustable jaw widths from 2.75" - 6.10" for a wide range of applications
- Single-acting, spring return RC Series cylinders for fast trouble free operation



ENERPAC/WR-5

- Single-acting, spring return
- For use in very confined work areas

MAKE	MODEL	CAPACITY	MAX SPREAD	CYLINDER	CAT CLASS
Enerpac	WR-15	1 Ton	11.5"	2.2"	125-2400
Enerpac	FS-56	5 Ton	6.10"	1.5"	125-2410
Enerpac	WR-5	1 Ton	3.7"	1.00"	125-2420
Enerpac	FS-109	10 Ton	3-3/4"	4.05"	125-2440
Enerpac	FSH-14	14 Ton	3-1/16"	N/A	125-2450
Prytech	PHD0535	15 Ton	5-1/2" - 8.5"	N/A	125-2460

HYDRAULIC FLANGE SPREADERS



GEARENCH/P95-2410

- Lightweight, easy-to-use, durable, and delivers an incredible amount of force
- Simply insert the toes and turn the ratchet handle



GEARENCH/PHD0535

- Extremely easy to use, and durable
- Capable of delivering an incredible amount of force



EQUALIZER/SW14.5TI

- Minimum access gap of 0.25"
- Easy to use and durable
- Recommended that tools are used in pairs giving: 2 x 14.5 T = 29 T

MAKE	MODEL	RANGE	CAPACITY	HEIGHT	WEIGHT	CAT CLASS
Gearench	P95-2410	1/16" - 5-1/4"	10,000 lbs	11.4"	11 lbs	125-2410
Wright	9460	3/4" - 20"	125-300 lbs	N/A	13 lbs	912-5254
Wright	9461	12" - 48"	125-300 lbs	N/A	45 lbs	912-5255

MAKE	MODEL	SPREADING FORCE	CAPACITY	WEIGHT	CAT CLASS
Equalizer	SW14.5TI	10,000 PSI (700 bar)	14.5 Tons	19.8 lbs	125-2450

HERC[+]

THE BEST. BETTER.

You always want the best for your business, we believe you deserve even better. That's why we've created a partnership program that will earn us your business and make Herc Rentals your indispensable partner of choice.

The best team, better

The best gear, better

The best service, better

For more information contact
TheBestBetter@HercRentals.com to begin
your Herc Plus partnership


The logo for Herc Rentals, featuring a yellow swoosh above the word "Herc" in a bold, italicized sans-serif font, followed by "Rentals" in a regular weight of the same font, with a registered trademark symbol (®) to the upper right.

RIGGING

All The Gear You Need.

Call on ProResources to conquer your heavy-lifting needs.

Our hoists, hand trucks, dollies and lifts are durable, easy to maneuver and place heavy, oversized items safely and easily.



Chain Falls

Ergonomic Arm

EksoZeroG Quick Reference

Hand Truck + Dollies

Material Contractor Lifts

Pushed & Geared Trolleys



hercrentals.com

Call 888-777-2700 for rates and reservations.



CHAIN HOISTS

- Capacities half-ton through 100 ton
- All-steel construction for extreme durability
- Low headroom and lightweight design for ease of use
- Slip clutch prevents lifting damaging loads beyond rated capacity
- Limited number of parts simplifies and reduces maintenance



MAKE	MODEL	HEADROOM	DIAMETER	LOAD	CAT CLASS
Harrington	CB005	11.2"	5" x 1"	1/2 Ton	480-2120
Harrington	CB010	12" Hook	6.3" x 1"	1 Ton	480-2220
Harrington	CB015	18" Hook	7.1" x 1"	1-1/2 Ton	480-2240
Harrington	CB020	24" Hook	8" x 1"	2 Ton	480-2320
Harrington	CB030	Triple	7.1" x 2"	3 Ton	480-2400
Harrington	CB050	23.6"	9 x 2	5 Ton	480-2500
Harrington	CB05020	23.6"	9 x 2	5 Ton	480-2540
Harrington	CB080	21.3"	10 x 2	6 Ton	480-2580
Harrington	CB100	29.9"	9 x 4	10 Ton	480-2620

AIR HOISTS

The highest quality materials, coupled with six generations of experience result in a product that is second-to-none. The power hoist is available with rope or push-button control.

The rugged construction and minimum headroom create a small and handy package relative to its capacity.



MAKE	MODEL	PSI	# OF CHAIN STRANDS	CFM	CAPACITY	CAT CLASS
JD Neuhaus	PROFI 1TI	65-85	1	24.7 / 42.4	1 Ton	480-2175
JD Neuhaus	PROFI 2TI	65-85	2	24.7 / 42.4	2 Ton	480-2295
JD Neuhaus	PROFI 3TI	65-85	1	70.7 / 141.3	3.2 Ton	480-2395
JD Neuhaus	PROFI 6TI	65-85	2	70.7 / 141.3	6.3 Ton	480-2575
JD Neuhaus	PROFI 10TI	65-85	2	70.7 / 141.3	10 Ton	480-2615

LEVER HOISTS

Lever hoists combine easy operation with a compact, low headroom design that easily handles real-world demands.

Rated the number 1 selling lever hoist in the U.S., these hoists can be used horizontally, vertically, inverted or at any other load angle and have the strength to get the job done.

- Capacities 3/4 Ton through 9 Ton
- Compact design makes it a perfect fit for use in tight quarters
- Steel body is more durable yet lighter in weight than die cast aluminum models
- Revolutionary freewheeling offers one handed operation
- 360 degree handle rotation and pivot & swivel top hook for easy rigging



MAKE	MODEL	HEADROOM	LOAD	CAT CLASS
Harrington	LB008-SC-10	11"	3/4 Ton	480-1610
Harrington	LB008-SC-20	11"	3/4 Ton	480-1640
Harrington	LB010-SC-10	11.8"	1 Ton	480-1880
Harrington	LB010-SC-20	11.8"	1 Ton	480-1700
Harrington	LB015-SC-10	11.8"	1-1/2 Ton	480-1710
Harrington	LB015-SC-20	13.8"	1-1/2 Ton	480-1740
Harrington	LB020-SC-10	14.8"	2 Tons	480-1770
Harrington	LB020-SC-20	14.8"	2 Tons	480-1780
Harrington	LB028-SC-10	14.8"	2-3/4 Ton	480-1805
Harrington	LB028-SC-20	14.8"	2-3/4 Ton	480-1810
Harrington	LB030-SC-10	15.6"	3 Ton	480-1815
Harrington	LB030-SC-20	15.6"	3 Ton	480-1860
Harrington	LB060-SC-10	21.3"	6 Ton	480-1880
Harrington	LB060-SC-20	21.3"	6 Ton	480-1990
Harrington	LB090-SC-10	26.8"	9 Ton	480-1905
Harrington	LB090-SC-20	26.8"	9 Ton	480-1910

ELECTRIC HOISTS



Electric chain hoists are built for extreme duty applications that require single phase power.

- 60 minute, H4 rated, fan cooled motor for the most demanding applications
- Pull-rotor electric brake is self-adjusting and virtually maintenance-free
- Ability to accommodate very long lifts
- Compact, low headroom design
- Completely sealed body suitable for harsh indoor or outdoor environments



MAKE	MODEL	CHAIN LENGTH	LOAD	POWER	CAT CLASS
Harrington	SNER010S-4	40'	1 Ton	120 v	480-3314
Harrington	SNER010S-5	50'	1 Ton	120 v	480-3316
Harrington	SNER010S-6	60'	1 Ton	120 v	480-3318
Harrington	SNER020L-4	40'	2 Ton	120 v	480-3329
Harrington	SNER020L-5	50'	2 Ton	120 v	480-3331
Harrington	SNER020L-6	60'	2 Ton	120 v	480-3333

PUSH AND GEARED TROLLEYS



Push and geared trolleys help you maneuver easily on your most demanding lifting operations.

They feature specially designed contoured wheels that ensure reliable tracking, and their sealed ball bearings avoid maintenance hassles and provide smooth operation.

- Get sure trolley tracking with specially designed contoured wheels that fit both tapered and flat-flange beams
- Maintenance-free, sealed precision ball bearings are lubed-for-life and offer smooth movement, with low friction and long life
- Get strength and rigidity from a lightweight, compact design
- Easily adjust trolley to fit a wide variety of beam flange widths
- Load equalizing suspension distributes the load to all wheels
- Wide standard flange ranges reduce the need for optional extended shaft kits
- Match the needs of the job with a variety of trolley hoist suspenders



HARRINGTON/MANUAL PUSH TROLLEY

MAKE	MODEL	FLANGE WIDTH (ADJUSTABILITY)	MIN. RADIUS FOR CURVE	LOAD	CAT CLASS
Harrington	PTF2030	3.23" - 6.02"	25.6"	3 Ton	480-3240
Harrington	PTF2050	4.92" - 7.02"	78.7"	5 Ton	480-3260
Harrington	PT100	5.50 - 8.66"	118.1"	10 Ton	480-3280



HARRINGTON/CHAIN DRIVEN GEARED TROLLEY

MAKE	MODEL	FLANGE WIDTH (ADJUSTABILITY)	MIN. RADIUS FOR CURVE	LOAD	CAT CLASS
Harrington	GTF2050	3.23" - 6.02"	78.7"	5 Ton	480-3265
Harrington	GT100	4.92" - 7.02"	118.1"	10 Ton	480-3285

HAND TRUCKS + DOLLIES



HILMAN/KRS-8-4S

- 16,000 lb load capacity
- (4) Swivel-Pad top rollers
- Kit includes (2) 36" handles



GRAINGER/29AK53

- 5,000 lb load capacity
- Steel construction with 5" poly on steel wheels
- Noseplate features 1/2" thick beveled edge

MAKE	MODEL	TYPE	VOLUME CAPACITY	LOAD CAPACITY	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
Hilman	KRS-8-4S	Roller Set	N/A	16,000 lbs	6-1/2" x 4-1/8"	85 lbs	480-1340
Grainger	29AK53	Pry-Lever Dolly	N/A	5,000 lbs	60" 10.5" x 5"	43 lbs	911-3325

MATERIAL + CONTRACTOR LIFTS



EME/4400T

- Can be moved safely while under load
- All aluminum construction
- Various beam lengths available



SKARNES/M-4-6

- Practical method of moving bulky and hard-to-handle loads
- Polyurethane casters
- Use two lifts and side straps for oversize loads

MAKE	MODEL	TYPE	LOAD CAPACITY	BEAM LENGTH	LEG SPAN	DIMENSIONS (L X W X MIN/MAX HEIGHT TO LIFT RING)	WEIGHT	CAT CLASS
EME	4400T	Gantry Crane	4,400 lbs	15 ft	67 in	180" x 61" x 113.5"/153.5"	355 lbs	480-3065
EME	4400M	Gantry Crane	4,400 lbs	8 ft	48 in	96" x 61" x 81.5"/111.5"	240 lbs	480-3065
EME	6600R	Gantry Crane	9,900 lbs	15 ft	70 in	180" x 72" x 106"/162"	575 lbs	480-3080
EME	11000R	Gantry Crane	16,500 lbs	15 ft	70 in	180" x 73" x 105.5"/153.5"	725 lbs	480-3100

MAKE	MODEL	TYPE	LOAD CAPACITY	MAX HEIGHT	POWER TYPE	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
Skarnes	M-4-6	Rol-A-Lift	4,000 lbs / 6,000 lbs	12" / 6"	Hydraulic Jack	10" x 23" x 44"	340 lbs/pair	480-1080

EKSO/ZERO G ARM

EksoZeroG helps ease the physical burden on construction and demolition workers.

The EksoZeroG is a product that attaches to an aerial lift or scaffolding and uses two spring-arms to counterbalance the weight of heavy tools.

- Avoid injury using tools that feel weightless
- Maintain full, active crews and increase productivity
- Keep workers safe



MAKE	MODEL	PAYLOAD SUPPORTED	COMPATIBILITY	WEIGHT	CAT CLASS
EKSO	Zero G Arm	Up to 36.0 lb (Including tool holder)	Fits most AWP's*	34.8 lbs	415-1050



EksoZeroG TOOL HOLDER AND TOOL MATCHES*

    					
TOOLS HOLDERS	COMMON APPLICATIONS	Rivet Busters Chipping Hammers	Demo Hammers Breakers Rotary/ Combihammers	Impact Drivers	Grinders
 <p>Pigtail & Sling</p>	<ul style="list-style-type: none"> • Chipping / Chiseling • Drilling / Doweling • Coring Fastening 				
 <p>Ring Gimbal <small>(to be used with included band clamp)</small></p>	<ul style="list-style-type: none"> • Grinding, Drilling, Fastening 				

AERIAL WORK PLATFORM (AWP)

MODELS APPROVED FOR USE WITH EKSOZEROG*

 <p>SKYJACK <small>simply reliable</small></p> <p>SCISSORS</p> <p>ROUGH TERRAIN</p> <p>Model SJ8841 RT</p>	 <p>mec</p> <p>SCISSORS</p> <p>COMPACT ELECTRIC</p> <p>Model 1330SE</p>	 <p>JLG</p> <p>BOOMS</p> <p>ARTICULATING</p> <p>Model 450AJ</p> <p>Model 600AJ</p> <p>Model 800AJ</p> <p>Model 1250AJP</p>	 <p>JLG</p> <p>BOOMS</p> <p>TELESCOPIC</p> <p>Model 400S</p> <p>Model 460SJ</p> <p>Model 600S</p> <p>Model 660SJ</p> <p>Model 860SJ</p> <p>Model 1500SJ</p> <p>Model 1850SJ</p>
--	---	---	---

* Ignoring these tool holder and aerial work platform (AWP) guidelines may result in operator injury or damage to the product. Ekso Bionics, Inc. does not accept any responsibility for such injury or damage.

STORAGE + JOB TRAILERS

All The Gear You Need.

Organized and safe job sites are critical to success. Herc can help drive your success by providing storage, surveillance and more. Check out all the storage solutions Herc Rentals can offer you today.



Mobile Tool Trailer
Storage Containers



hercrentals.com
Call 888-777-2700 for rates and reservations.



STORAGE CONTAINERS



20 FOOT CONTAINER

- Steel storage container with wood floors
- Lock box cover to deter theft
- Door handles at 36" for opening and closing doors at comfortable level
- 4 air vents for improved air circulation and prevents moisture buildup inside container



40 FOOT CONTAINER

- Steel storage container with wood floors
- Doors on each side of container for ease of access
- Lock box cover to deter theft
- Double door design for flexibility to install dividing wall for office space with separate entrance

WATCH VIDEO

Containers

Store it. Lock it. Protect it.



MODEL	EXTERNAL DIMENSIONS (LWH)	EMPTY WEIGHT	CAT CLASS
20 FT	20' x 8' x 8' 6"	4,800 lbs	610-2810
40 FT	40' x 8' x 8' 6"	8,400 lbs	610-2845



MOBILE TOOL ROOM

ATC/QUEST

Provides an easy and functional way to manage numerous tools on location. Allow Herc Rentals professionals to assist you in our tool management system for your next project.

- Mobile Tool Rooms (MTR) are stocked with customer required tools and supplies for projects
- Delivered to the jobsite, MTR can be managed by a Herc or customer employee
- MTR is ideally for large projects




MAKE	MODEL	GVWR	CAPACITY	DIMENSIONS	CAT CLASS
ATC	QUEST	25,000	14,000	8.5' x 44'	610-2580

SCAN-IN AND

SCAN-OUT FUNCTIONALITY

- **Barcodes Mean Less Wait Time** - Scan your ID, scan the tool and go!
- **Real Time Reporting** - See what equipment is on rent or been returned
- **Experienced Personnel** - Fully trained and safety certified Herc staff
- **Safe Equipment** - Equipment serviced & inspected by trained technicians
- **Cost Saving Solutions** - Ability to minimize lost tool thru scanner tracking system




KITTING + PACKAGING

Herc Rentals offers custom kitting for your project. The kits can be for smaller individual employee kits in portable boxes through complete containerized project kits.

**MOBILE
TOOL ROOM - PROS**

- Convenience
- Tools on site
- Less down time
- Reduction of oversight



STORAGE

- Organize
- Protect
- Secure your tool investment



PROCONTRACTOR

WELDER
MILLER/XMT 350 FIELD PRO

WELDING

All The Gear You Need.

Whatever the size of your operation or job at hand, Herc Rentals has the range of welding equipment to get it done.

Our welding equipment is lightweight, durable and always delivers superior performance.



Plasma Cutters

Welders

Welding Solutions

Welding Quick Reference



hercrentals.com

Call 888-777-2700 for rates and reservations.



HercRentals[®]

PLASMA CUTTERS



HYPERTHERM/POWERMAX 30 AIR

- Built in air compressor
- 120V or 240V single phase input power
- Includes 15-foot cable and torch



HYPERTHERM/POWERMAX 65

- Requires clean, dry, oil-free compressed air or nitrogen
- Single phase or three phase input power
- Includes 10-foot cable and torch



HYPERTHERM/POWERMAX 125

- Requires clean, dry, oil-free compressed air or nitrogen
- Three phase input power
- Includes 10-foot cable and torch

MAKE	MODEL	INPUT POWER	DUTY CYCLE	CAPACITY	WEIGHT	CAT CLASS
Hypertherm	POWERMAX 30 AIR	120-240V 1PH, 29-15 A	20% 120V, 35% 240V	3/8 in Production, 5/8 in Severance	30 lbs	550-3015
Hypertherm	POWERMAX 65	200/208/240/480 V, 1PH 52/50/44/22 A 200/208/240/480/600 V, 3PH 32/31/27/13/13 A	40% @ 65A 200-208V, 50% @ 65A 230-600V, 100% @ 46A 230-600V	3/4 in Production, 1-1/4 in Severance	64 lbs	550-3030
Hypertherm	POWERMAX 125	480/600 V, 3PH 31/24 A	100% @ 125 A	1-3/4 in Production, 2-1/4 in Severance	108 lbs	550-3060





MULTIQUIP/GAW180HEA

- Ideal for remote area service applications
- Honda GX340 gasoline engine
- GFCI protection



MILLER/BOBCAT 250 GAS

- Great for stick and Flux-Cored welding
- Running gear for portability on the job site
- Available in gas and liquid propane



MILLER/TRAILBLAZER 325D

- Wide amp output for Stick and Flux-Core
- Automatically adjusts engine speed to meet actual welding requirements
- Highway trailer mounted

SKID MOUNT OPTION AVAILABLE



MILLER/BIG BLUE 400 PRO

- Simple to set controls
- Ideal for heavy industrial applications
- Highway trailer mounted

FUME EXTRACTOR



MILLER/FILTAIR 130

- Welding fume extractor w/ 8 foot hose
- Flexible funnel magnetic nozzle
- Captures small weld fume particles

MAKE	MODEL	FUEL	PROCESSES	RATED OUTPUT @ DUTY CYCLE %	GENERATOR OUTPUT (PEAK)	WEIGHT (WITH RUNNING GEAR)	CAT CLASS
MULTIQUIP	GAW180HEA	Gas	STICK; FLUX CORED	180A / 27 VDC @ 50%	3,000 watts	246 lbs	550-1540
MILLER	BOBCAT 250 GAS	Gas	STICK; FLUX CORED; DC TIG; MIG	225A / 25 VDC @ 100%	11,000 watts	601 lbs	550-1600
MILLER	BOBCAT 250 LP	LP	STICK; FLUX CORED; DC TIG; MIG	225A / 25 VDC @ 100%	11,000 watts	635 lbs	550-1760
MILLER	TRAILBLAZER 325D	Diesel	STICK; FLUX CORED; DC TIG; MIG; CAC-A	320A / 33 VDC @ 100%	12,000 watts	801 lbs	550-1850
MILLER	BIG BLUE 400 PRO	Diesel	STICK; FLUX CORED; DC TIG; MIG; CAC-A	400A / 24 VDC @ 100%	12,000 watts	1,130 lbs	550-1870

MAKE	MODEL	INPUT POWER	PROCESSES	RATED OUTPUT	DIMENSIONS (LWH)	WEIGHT	CAT CLASS
Miller	Filtair 130	120B	Fume Extractor	132 cfm	12" x 12" x 23"	46 lbs	550-1400



MILLER/CST-280

- Input power 220/230/240/460V
- Same Inverter used with AWP welding capable generators

Available as: Single unit, 4-Pack, 8-Pack

MILLER/XMT 350 FIELD PRO

- Auto adjusts to supplied input power 208-575V 1PH or 3PH
- Loaded with operator productivity features

Available as: Single unit, 4-Pack, 6-Pack

MILLER/MILLERMATIC 141

- Input power 120V 20 A
- Wire feed capabilities with .030-.035 Flux-cored wire or .024-.030 solid wire
- Lightweight for hard to access work sites

Available as: Single unit

MAKE	MODEL	INPUT POWER	PROCESSES	RATED OUTPUT @ DUTY CYCLE %	WEIGHT	CAT CLASS
MILLER	CST-280	220/230/240/460V	Stick; DC TIG	250A / 31.2 VDC @ 35%	41 lbs	550-1280
MILLER	XMT-350 FIELD PRO	208-575V, 1PH OR 3PH	Stick; TIG; MIG; Flux-cored; Arc Gouging	350A / 34 VDC @ 60%	100 lbs	550-1300
MILLER	MILLERMATIC 141	120V/ 20A	MIG; Flux-cored	40A / 16 VDC @ 40%	51 lbs	550-1950

MULTI OPERATOR RACKS

CST RACKS

4
PACK

8
PACK



XMT RACKS

4
PACK

6
PACK



WELDING SOLUTION

WELDING

CST-280 4-PACK RACK + DCA70SSIU4F



MAKE	MODEL	INPUT POWER TO RACK	KVA	KW	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS
Miller	CST-280 4-Pack Rack	220-230/460-575 VAC, 50/60 Hz, 3-Phase	58.4	40.8	27" x 26" x 51"	355 lbs	912-4654

MAKE	MODEL	TIER	STYLE	KW PRIME (STANDBY)	DIMENSIONS (LWH)	DRY WEIGHT	WET WEIGHT	TOTAL FUEL CAPACITY	FUEL CONSUMPTION (FULL LOAD)	RUNTIME	CAT-CLASS
MultiQuip	DCA70SSIU4F	4F	Trailer	56 (62)	166" x 72" x 85"	4,420 lbs	5,300 lbs	103 gal	4.40 GPH	23 hrs	501-1055

CST-280 8-PACK RACK + DCA125SSIU4F



MAKE	MODEL	INPUT POWER TO RACK	KVA	KW	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS
Miller	CST-280 8-Pack Rack	220-230/460-575 VAC, 50/60 Hz, 3-Phase	116.8	81.6	27" x 46" x 51"	640 lbs	912-4658

MAKE	MODEL	TIER	STYLE	KW PRIME (STANDBY)	DIMENSIONS	DRY WEIGHT	WET WEIGHT	TOTAL FUEL CAPACITY	FUEL CONSUMPTION (FULL LOAD)	RUNTIME	CAT-CLASS
MultiQuip	DCA125SSIU4F	4F	Skid	100 (110)	138" x 56" x 96"	6,065 lbs	7,475 lbs	169 gal	7.11 GPH	23 hrs	501-1105

XMT-350 4 PACK RACK + DCA70SSIU4F



MAKE	MODEL	INPUT POWER TO RACK	KVA	KW	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS
Miller	XMT-350 4 Pack Rack	208-575 VAC, 50/60 Hz, 1 or 3 Phase	56.8	54.4	60" x 34" x 32"	520 lbs	912-4650

MAKE	MODEL	TIER	STYLE	KW PRIME (STANDBY)	DIMENSIONS	DRY WEIGHT	WET WEIGHT	TOTAL FUEL CAPACITY	FUEL CONSUMPTION (FULL LOAD)	RUNTIME	CAT-CLASS
MultiQuip	DCA70SSIU4F	4F	Trailer	56 (62)	166" x 72" x 85"	4,420 lbs	5,300 lbs	103 gal	4.40 GPH	23 hrs	501-1055

XMT-350 6 PACK RACK + DCA125SSIU4F



MAKE	MODEL	INPUT POWER TO RACK	KVA	KW	DIMENSIONS (LWH)	WEIGHT	CAT-CLASS
Miller	XMT-350 6 Pack Rack	208-575 VAC, 50/60 Hz, 1 or 3 Phase	85.5	81.6	60" x 43" x 34"	759 lbs	912-4652

MAKE	MODEL	TIER	STYLE	KW PRIME (STANDBY)	DIMENSIONS	DRY WEIGHT	WET WEIGHT	TOTAL FUEL CAPACITY	FUEL CONSUMPTION (FULL LOAD)	RUNTIME	CAT-CLASS
MultiQuip	DCA125SSIU4F	4F	Skid	100 (110)	138" x 56" x 96"	6,065 lbs	7,475 lbs	169 gal	7.11 GPH	23 hrs	501-1105


WELDING QUICK REFERENCE



One 350 amp Multi-operator 6-Pack Rack




Six 325 amp trailer mounted diesel welders



108 Truckload: 108 welders
On a standard 53' flatbed

CAPACITY



15 Truckload: 15 welders
On a standard 53' flatbed

ZERO emissions | **ZERO** GPH

EMISSIONS

T4F emissions | **4.5** GPH
6 welders at .75 gph



Shore Power
Direct power for continuous operation

POWER



Diesel Power
Requires daily refueling

18 total sq ft

FOOT PRINT

240 total sq ft



	ONE 6-PACK OF 350 AMP INVERTERS POWERED BY SHORE POWER	ONE 6-PACK OF 350 AMP INVERTERS POWERED BY 100KW PORTABLE GENERATOR	SIX DIESEL TRAILBLAZER 325D WELDERS
AMPERAGE OUTPUT POTENTIAL	2100 Amps	2100 Amps	1950 Amps
MAX RUN TIME	Unlimited	30 Hours	12 Hours per welder
FUEL CONSUMPTION PER HOUR *	0 Gal	5 Gal	4.5 Gal (.75 GPH per welder x 6 welders)
DIESEL PRICE PER GALLON AVG.	\$3.50	\$3.50	\$3.50
FUEL COST PER HOUR	\$0	\$17.50	\$15.75
WORK HOURS PER MONTH **	200	200	200
FUEL COST PER MONTH	\$0	\$3,500	\$3,150
LABOR COST TO REFUEL PER MONTH	\$0	\$53 ***	\$900 ****
TOTAL FUELING COST PER MONTH	\$0	\$3,553	\$4,050

* Fuel consumption will vary based on welding amperage. Example shown is based on 200 amps @ 100% Duty Cycle

** 10 hour shifts per day x 20 workdays per month

*** 15 minutes to fuel one generator (1) time every 3 days

**** 1.5 Hours per day to refuel (6) welders at \$30 per hour x 20 workdays per month

ACCOUNT + FLEET

MANAGEMENT

from your mobile device



The newly enhanced mobile version of ProControl Telematics works with all mobile devices. It's easy to use and customers can launch it directly from the Herc Rentals App.

- Map my equipment
- Equipment near me
- Directions
- Equipment information

PR/CONTROL
By Herc Rentals

BRANCH LOCATIONS AND INFORMATION



TYPES OF BRANCHES



General Rental - Our classic fleet includes aerial, earthmoving, material handling, trucks and trailers, air compressors, compaction, lighting, and ProContractor specialty equipment includes professional grade tools.



ProSolutions - Industry-specific solutions-based services, includes power generation, climate control, remediation and restoration, and studio and production equipment.



ProResources - Industrial line of products and services that include equipment, supplies, tools, customized mobile tool rooms, and high-tech asset management systems.

OTHER SPECIALITY BRANCHES

ProTrucks - Herc Rentals is the only source you will need for a wide variety of quality commercial trucks and trailers ready for rent. Choose from various cab configurations, capacities, bed lengths, and tow packages

HES - Herc Entertainment specializes in Film, TV, and Live Event rentals. We carry "entertainment specific" products to fit your production's needs. From aerial equipment, forklifts, carts, lighting equipment, generators, ground cover, and climate products.

Alabama

HUEYTOWN

405 Western Circle
Hueytown, AL 35023

9380 - ProSolutions - (205) 774-9199

MADISON

212 Lime Quarry Road
Madison, AL 35758

9355 - General - (256) 461-7384

MOBILE

1907 North Beltline Highway
Mobile, AL 36618

9231 - ProSolutions - (251) 443-7151

9268 - General - (251) 470-8600

PELHAM

2150 Pelham Parkway
Pelham, AL 35124

9354 - General - (205) 988-8530

Arizona

GILBERT

775 East Baseline Road
Gilbert, AZ 85233

9631 - General - (480) 507-1680

PEORIA

12040 North 91st Avenue
Peoria, AZ 85345

9428 - General - (602) 269-5931

9429 - ProSolutions - (602) 269-5931

PHOENIX

2010 North Black Canyon Road
Phoenix, AZ 85009

9630 - General - (714) 533-7694

TUCSON

6902 South Nogales Highway
Tucson, AZ 85706

9632 - General - (520) 573-1344

Arkansas

LITTLE ROCK

10800 I-30 Highway
Little Rock, AR 72209

9237 - General - (501) 455-0009

SPRINGDALE

4269 Wagon Wheel Road
Springdale, AR 72762

9237 - General - (479) 750-3313

California

ANAHEIM

3040 East Miraloma Avenue
Anaheim, CA 92806

9635 - General - (714) 666-3100

9689 - ProTrucks - (714) 533-7694

BAKERSFIELD

6315 Snow Road
Bakersfield, CA 93308

9648 - General - (661) 392-3661

2160 Saturn Court

Bakersfield, CA 93308

9642 - ProSolutions - (661) 99-2463

BENICIA

5251 Industrial Way
Benicia, CA 94510

9748 - General - (707) 747-4444

BERKELEY

1475 Eastshore Highway
Berkeley, CA 01749

9747 - General - (510) 559-4444

BURBANK

3111 Kenwood Street
Burbank, CA 91505

9684 - HES General - (818) 840-8247

9683 - HES ProSolutions - (818) 840-8247

CARSON

22422 South Alameda Street
Carson, CA 90810

9638 - General - (310) 233-5000

9676 - ProSolutions - (310) 233-5000

CHICO

571 Country Road Drive
Chico, CA 95928

9725 - General - (530) 566-9335

CORTE MADERA

5750 Paradise Drive
Corte Madera, CA 94925

9740 - General - (415) 924-4444

FOOTHILL RANCH

25831 West Wright Street
Foothill Ranch, CA 92610

9647 - General - (949) 581-7712

FRENCH CAMP

11285 Valjejo Court
French Camp, CA 95231

9731 - General - (209) 982-9670

FRESNO

3057 South Golden State Frontage
Fresno, CA 93725

9644 - General - (559) 497-1960

GALT

160 Enterprise Court Suite B
Galt, CA 95632

9765 - ProResources - (707) 747-4444

INDIO

81-495 Industrial Place
Indio, CA 92201

9641 - General - (760) 342-9008

LANCASTER

45710 North 23rd Street West
Lancaster, CA 93536

9645 - General - (661) 945-1180

LIVERMORE

5237 Southfront Rd
Livermore, CA 94551

9746 - General - (925) 373-4444



LOS ANGELES

17171 South Western Avenue
Carson, CA 90810

9675 - ProSolutions - (310) 233-5000

MODESTO

2030 Crows Landing Road
Modesto, CA 95358

9733 - General - (209) 581-9782

NORTH HOLLYWOOD

5556 Vineland Avenue
North Hollywood, CA 91601

9633 - General - (818) 762-9282

OAKLAND

7727 Oakport Street
Oakland, CA 94621

9705 - ProSolutions - (510) 633-2040

PACHECO

30 South Buchanan Circle
Pacheco, CA 94553

9726 - General - (925) 680-0316

PASO ROBLES

2140 Tractor Way
Paso Robles, CA 93446

9625 - General - (805) 226-9035

RIVERSIDE

929 West Ladena Drive
Riverside, CA 92501

9634 - General - (951) 684-4991

9674 - ProSolutions - (310) 233-5000

ROHNERT PARK

5500 Commerce Boulevard
Rohnert Park, CA 94928

9741 - General - (707) 586-6491

ROSEVILLE

10680 Industrial Avenue
Roseville, CA 95678

9732 - General - (916) 781-9400

9602 - ProSolutions - (916) 781-9400

SALINAS

718 Abbott Street
Salinas, CA 93901

9735 - General - (831) 751-2444

SAN DIEGO

8014 Miramar Road
San Diego, CA 92126

9637 - General - (858) 566-5500

9679 - ProSolutions - (858) 566-5500

SAN FRANCISCO

435 South Van Ness Avenue
San Francisco, CA 94103

9749 - General - (415) 865-4444

SAN JOSE

1695 North 4th Street
San Jose, CA 95112

9738 - General - (408) 451-9320

SANTA MARIA

3475 Orcutt Road
Santa Maria, CA 93455

9640 - General - (805) 934-0564

TAFT

800A Black Gold Court
Taft, CA 93268

9646 - General - (661) 763-1061

UKIAH

100 West Lake Mendocino Drive
Ukiah, CA 95482

9744 - General - (707) 463-5844

UNION CITY

1333 Atlantic Street
Union City, CA 94582

9729 - General - (510) 324-2444

9761 - ProSolutions - (510) 633-2040

9737 - ProTrucks - (510) 455-0009

VENTURA

3560 Market Street
Ventura, CA 93003

9639 - General - (805) 658-9100

WEST SACRAMENTO

901 Stillwater Road
West Sacramento, CA 95605

9730 - General - (916) 372-2266

Colorado**DENVER**

7750 East 96th Avenue
Henderson, CO 80640

9671 - General - (303) 650-9000

Connecticut**NORTH HAVEN**

440 Sackett Point Road
North Haven, CT 06473

9172 - General - (203) 287-0160

Florida**APOPKA**

2620 West Orange Blossom Trail
Apopka, FL 32712

9379 - General - (407) 553-4400

9397 - ProSolutions - (407) 553-4400

CUTLER BAY

19380 SW 106th Avenue
Cutler Bay, FL 33157

9352 - General - (305) 278-3940

9358 - ProSolutions - (305) 278-3960

FORT MYERS

2401 North Airport Road
Fort Myers, FL 33907

9348 - General - (239) 936-2700

JACKSONVILLE

11451 Phillips Highway
Jacksonville, FL 32256

9373 - General - (904) 262-5838

LAKELAND

4710 Drane Field Road
Lakeland, FL 33811

9301 - ProSolutions - (863) 644-2782

4609 Highway 92 East
Lakeland, FL 33801

9370 - General - (863) 668-0393

MIAMI

5850 NW 77th Court
Miami, FL 33166

9350 - General - (904) 262-5838

ORLANDO

10655 Central Port Drive
Orlando, FL 32824

9372 - General - (407) 240-2132

PANAMA CITY

1329 15th Street
Panama City, FL 32401

9280 - General - (407) 240-2132

9281 - ProSolutions - (407) 240-2132

PENSACOLA

3838 Navy Boulevard
Pensacola, FL 32507

9274 - General - (850) 455-3928

POMPANO BEACH

470 SW 9th Terrace
Pompano Beach, FL 33069

9367 - General - (954) 970-6880

RIVIERA BEACH

3849 West BlueHeron Boulevard
Riviera Beach, FL 33404

9351 - General - (561) 848-4336

SANFORD

1501 West 1st Street
Sanford, FL 32771

9375 - General - (407) 268-3964

SARASOTA

3450 North Washington Boulevard
Sarasota, FL 34234

9371 - General - (941) 360-9552

TAMPA

5725 Adamo Drive
Tampa, FL 33619

9368 - General - (813) 623-6581

TARPON SPRINGS

39418 US Highway 19 N
Tarpon Springs, FL 34689

9369 - General - (727) 938-5922

Georgia

ATHENS

1750 Monroe Highway
Athens, GA 30606

9335 - General - (770) 725-2092

ATLANTA

1361 Southland Circle
Atlanta, GA 30318

9337 - General - (404) 351-5920

AUGUSTA

2017 Rawley Road
Augusta, GA 30906

9333 - General - (706) 796-0823

COLLEGE PARK

4916 Clark Howell Highway
College Park, GA 30349

9336 - General - (404) 765-9226

COVINGTON

11689 GA Highway 142
Covington, GA 30014

9343 - General - (678) 660-7500

EAST POINT

2251 Sylvan Road Suite 700
East Point, GA 30344

9384 - HES General - (404) 762-5636

9310 - ProSolutions - (404) 559-9899

FAYETTEVILLE

500 Sandy Creek Road
Fayetteville, GA 30214

9304 - HES General - (404) 615-7663

LAGRANGE

200 Davis Road
Lagrange, GA 30240

9347 - General - (706) 883-6172

MACON

4690 Broadway Lane
Macon, GA 31206

9327 - General - (478) 788-1333

MARIETTA

1013 Sandy Plains Road
Marietta, GA 30066

9339 - General - (770) 423-0700

NORCROSS

6664 Dawson Boulevard
Norcross, GA 30093

9338 - General - (770) 448-6780

SAVANNAH

514 Bourne Avenue
Garden City, GA 31418

9346 - General - (912) 964-9474

VALDOSTA

1624 James P Rodgers Drive
Valdosta, GA 31601

9342 - General - (229) 244-8301

WINSTON

2750 Strawn Road
Winston, GA 30187

9344 - General - (678) 838-0481

Hawaii

HONOLULU

1176 Mikole Street
Honolulu, HI 96819

9760 - General - (808) 848-1016

KAPOLEI

91-209 Kalaeloa Boulevard
Kapolei, HI 96707

9777 - General - (808) 682-8200

KONA

74-591 Honokohau Street
Kailua Kona, HI 96740

9779 - General - (808) 331-1304

Illinois

CHICAGO

4039 South Peoria Street
Chicago, IL 60609

9113 - General - (773) 247-6297

2424 South Wabash Avenue
Chicago, IL 60616

9137 - General - (312) 842-7114

NAPERVILLE

31W350 Diehl Road
Naperville, IL 60563

9113 - ProSolutions - (630) 369-4100

Indiana

FORT WAYNE

3250 West Coliseum Boulevard
Fort Wayne, IN 46808

9102 - General - (260) 482-2224

INDIANAPOLIS

9010 Corporation Drive
Indianapolis, IN 46256

9132 - General - (317) 849-5124

PORTAGE

6611 Shepherd Drive
Portage, IN 46368

9123 - General - (219) 787-8448

Kentucky

LOUISVILLE

13159 Middletown Indust. Boulevard
Louisville, KY 40223

9166 - General - (502) 245-8211

Louisiana

BATON ROUGE

8080 Airline Highway
Baton Rouge, LA 70815

9240 - General - (225) 926-9239

7250 Exchequer Drive
Baton Rouge, LA 70809

9232 - ProSolutions - (225) 756-0701

BOSSIER CITY

5000 Industrial Extension
Bossier City, LA 71112

9441 - General - (318) 752-4414

GONZALES

37486 Highway 30
Gonzales, LA 70737

9243 - General - (225) 647-2500

HARVEY

1421 MacArthur Avenue
Harvey, LA 70058

9288 - ProSolutions - (504) 371-6631

KENNER

141 West Airline Highway
Kenner, LA 70062

9242 - General - (504) 441-8100

SULPHUR

1853 Patton Street
Sulphur, LA 70665

9445 - General - (337) 625-3551

9483 - ProSolutions - (337) 882-1201

Maine**SCARBOROUGH**

148 Pleasant Hill Road
Scarborough, ME 04074

9180 - General - (207) 885-0101

Mayland**BALTIMORE**

5501 O'Donnell Street
Baltimore, MD 21224

9112 - General - (410) 633-7000

FREDERICK

4622 Wedgewood Boulevard
Frederick, MD 21703

9114 - General - (301) 696-3040

UPPER MARLBORO

8400 Westphalia Rd
Upper Marlboro, MD 20774

9169 - General - (301) 736-8740

9170 - ProSolutions - (301) 996-1415

Massachusetts**BILLERICA**

257 Boston Road
Billerica, MA 01862

9107 - General - (800) 654-6659

9188 - ProSolutions - (800) 654-6659

BOSTON

45 Gerard Street
Boston, MA 02119

9162 - General - (617) 442-4210

9157 - ProSolutions - (617) 442-4210

WORCESTER

183 SW Cutoff
Worcester, MA 01604

9108 - ProSolutions - (508) 757-0620

Michigan**ERIE**

6333 South Dixie Highway
Erie, MI 48133

9127 - General - (734) 848-3092

ROMULUS

29125 Smith Road
Romulus, MI 48174

9128 - General - (734) 595-7075

Mississippi**RICHLAND**

320 Highway 49 South
Richland, MS 39218

9239 - General - (601) 939-0986

TUPELO

1175 D.L. Collums Drive
Tupelo, MS 38801

9213 - General - (662) 680-3183

Missouri**JOPLIN**

2315 East 7th Street
Joplin, MO 64801

9472 - General - (417) 659-8763

KANSAS CITY

707 East 16th Street
Kansas City, MO 64108

9422 - General - (816) 221-7788

1735 Charlotte Street
Kansas City, MO 64108

9424 - ProSolutions - (816) 490-4100

SPRINGFIELD

1907 East Bergman
Springfield, MO 65801

9423 - General - (417) 865-5561

SAINT LOUIS

3030 Market Street
Saint Louis, MO 63103

9456 - General - (314) 534-8300

SAINT PETERS

8016 Veteran's Memorial Parkway
Saint Peters, MO 63376

9426 - General - (636) 696-4004

Nebraska**OMAHA**

5604 Center Street
Omaha, NE 68106

9448 - General - (402) 551-3447

Nevada**LAS VEGAS**

4555 Wynn Road
Las Vegas, NV 89103

9661 - General - (702) 791-1100

9663 - ProSolutions - (702) 791-1100

SPARKS

1610 Kleppe Lane
Sparks, NV 89431

9720 - General - (775) 359-9090

New Jersey**EAST BRUNSWICK**

49 West Ferris Street
East Brunswick, NJ 08816

9173 - General - (732) 432-7210

FAIRFIELD

19-25 Route 46 West
Fairfield, NJ 07004

9140 - General - (973) 439-5641

HACKENSACK

49 Wesley Street
Hackensack, NJ 07606

9175 - General - (201) 968-0991

NEWARK

87 Doremus Avenue
Newark, NJ 07105

9144 - General - (973) 776-9700

9176 - ProSolutions - (973) 776-9700

67-85 Doremus Avenue
Newark, NJ 07105

9167 - General - (973) 589-7540

TOMS RIVER

1408 Lakewood Road
Toms River, NJ 08755

9179 - General - (732) 504-0880

New Mexico**ALBUQUERQUE**

3601 Osuna Road NE
Albuquerque, NJ 87109

9604 - General - (505) 344-5500

New York

ASTORIA

19-01 Steinway Street
Astoria, NY 11105

9151 - General - (718) 777-5126

BRONX

3967 Provost Avenue
Bronx, NY 10466

9181 - ProSolutions - (973) 776-9700

FARMINGDALE

206 NY - 109
Farmingdale, NY 11735

9191 - General - (631) 694-4422

9146 - ProSolutions - (631) 694-4422

LATHAM

3 Avis Drive
Latham, NY 12110

9139 - General - (518) 783-4598

LIVERPOOL

4578 Buckley Road
Liverpool, NY 13088

9145 - General - (315) 622-4939

MOUNT VERNON

802 South 3rd Avenue
Mt. Vernin, NY 10550

9178 - General - (718) 231-7693

TONAWANDA

125 Milens Avenue
Tonawanda, NY 14150

9147 - General - (716) 876-4779

North Carolina

APEX

2016 Lufkin Road
Apex, NC 27539

9319 - General - (919) 303-6758

ARDEN

30 Walden Drive
Arden, NC 28704

9329 - General - (828) 654-7376

AYDEN

5886 Ernest Taylor Road
Ayden, NC 28513

9329 - General - (252) 746-8911

CHARLOTTE

901 Westinghouse Boulevard
Charlotte, NC 28273

9320 - General - (704) 504-8539

9235 - ProResources - (704) 504-8539

9312 - ProSolutions - (704) 504-8539

4429 Equipment
Charlotte, NC 28269

9321 - General - (704) 598-0241

CLAYTON

7950 US-70 Business Hwy West
Clayton, NC 27520

9314 - General - (919) 359-3570

DURHAM

1002 Ellis Road
Durham, NC 27520

9324 - General - (919) 598-1935

FAYETTEVILLE

608 Middle Road
Fayetteville, NC 28312

9340 - General - (910) 483-9666

GREENSBORO

1140 O'Henry Boulevard
Greensboro, NC 27415

9318 - General - (336) 275-0775

KNIGHTDALE

532 Three Sisters Road
Knightdale, NC 27545

9133 - General - (919) 679-6009

9134 - ProSolutions - (919) 679-6009

RALEIGH

1409 Capital Boulevard
Raleigh, NC 27603

9325 - General - (919) 834-2527

SHELBY

1859 East Dixon Boulevard
Shelby, NC 28152

9313 - General - (704) 482-4223

WILMINGTON

5935 Market Street
Wilmington, NC 28405

9326 - General - (910) 799-9751

WINSTON-SALEM

1400 Martin Luther King
Winston-Salem, NC 27107

9323 - General - (336) 788-8640

North Dakota

BISMARCK

3101 Morrison Avenue
Bismarck, ND 58504

9452 - General - (701) 224-3500

WILLISTON

5823 Jefferson Lane
Williston, ND 58801

9461 - General - (701) 609-5561

Ohio

BEDFORD HEIGHTS

21913 Aurora Road
Bedford Heights, OH 44146

9154 - General - (216) 587-4372

CINCINNATI

1438 East Galbraith Road
Cincinnati, OH 45215

9153 - General - (513) 242-8106

COLUMBUS

523 Stimmel Road
Columbus, OH 43223

9131 - General - (614) 443-4547

NEW PHILADELPHIA

1140 West High Avenue
New Philadelphia, OH 44663

9138 - General - (330) 308-0241

Oklahoma

CHICKASHA

725 East Choctaw
Chickasha, OK 73018

9506 - General - (405) 224-0164

DURANT

2800 North 1st Avenue
Durant, OK 74701

9509 - General - (580) 924-5683

ENID

1702 North Van Burden
Enid, OK 73703

9508 - General - (580) 234-7368

NEWCASTLE

3231 North Meridian
Newcastle, OK 73065

9565 - ProSolutions - (405) 482-7024

OKLAHOMA CITY

5222 North Bryant Avenue
Oklahoma City, OK 73121

9460 - General - (405) 424-8822

PONCA CITY

1415 West South Avenue
Ponca City, OK 74601

9501 - General - (580) 765-6956

SHAWNEE

14103 South Highway 177
Shawnee, OK 74804

9502 - General - (405) 273-7530

STILLWATER

123 South Perkins Road
Stillwater, OK 74074

9503 - General - (405) 372-7666

TULSA

4445 South Mingo Road
Tulsa, OK 74146

9459 - General - (918) 622-7150

Oregon**COBURG**

90675 Roberts Road
Coburg, OR 97408

9716 - General - (541) 431-1170

PORTLAND

4939 NE Columbia Boulevard
Portland, OR 97218

9724 - General - (503) 287-5789

9701 - ProSolutions - (503) 287-5789

SALEM

404520 Cherry Avenue NE
Salem, OR 97303

9718 - General - (503) 390-1945

Pennsylvania**ALLENTOWN**

4950 West Tilghman Street
Allentown, PA 18104

9136 - General - (610) 391-1890

GLENSHAW

2001 Williams Fynn Highway
Glenshaw, PA 15116

9161 - Genral - (412) 487-7919

9159 - ProSolutions - (412) 487-7920

HARRISBURG

470 Penhar Road
Harrisburg, PA 17111

9150 - General - (717) 564-5249

PHILADELPHIA

6951 Norwitch Drive
Philadelphia, PA 19153

9163 - General - (215) 749-1290

9183 - ProSolutions - (215) 749-1290

9135 - ProTrucks - (215) 749-1290

South Carolina**COLUMBIA**

131 Court Road
Columbia, SC 29203

9330 - General - (803) 786-2900

GREER

302 East Frontage Road
Greer, SC 29651

9322 - General - (864) 877-1806

MYRTLE BEACH

4805 Highway 501
Myrtle Beach, SC 29579

9316 - General - (843) 236-2369

CHARLESTON

6445 Fain Road
Charleston, SC 29418

9331 - General - (843) 572-5904

Tennessee**CHATTANOOGA**

1913 East 24th Street Place
Chattanooga, TN 37404

9306 - General - (423) 624-6955

KNOXVILLE

2804 John Deere Drive
Knoxville, TN 37917

9307 - General - (856) 546-3700

MEMPHIS

673 East Brooks Road
Memphis, TN 38116

9201 - General - (901) 398-43720

NASHVILLE

1320 Murfreesboro Road
Nashville, TN 37217

9209 - General - (615) 365-8888

9360 - ProSolutions - (615) 365-8888

Texas**AUSTIN**

3737 Airport Boulevard
Austin, TX 78722

9419 - General - (512) 472-5038

BEAUMONT

6325 Highway 347
Beaumont, TX 77705

9419 - General - (409) 727-1390

3440 West Cardinal Drive
Beaumont, TX 77705

9482 - ProSolutions - (409) 842-2294

CLUTE

531 South Brazosport Blvd
Clute, TX 77531

9479 - General - (979) 265-4060

CONROE

777 Interstate 45
Conroe, TX 77301

9409 - General - (936) 441-0501

CORPUS CHRISTI

313 South Padre Island Drive
Corpus Christi, TX 78405

9411 - General - (361) 289-1204

DEER PARK

1002 Clay Court
Deer Park, TX 77536

9481 - General - (218) 478-7921

9049 - [ProResources - \(218\) 478-7921](#)

1110 Howard Park

Deer Park, TX 77536

9480 - ProSolutions - (218) 4478-6394

DENTON

4637 West University
Denton, TX 78405

9504 - General - (940) 484-5288

EL PASO

830 Pendale Road
El Paso, TX 79907

9403 - General - (915) 590-9399

FORT WORTH

4901 Carey Street
Fort Worth, TX 76119

9463 - General - (817) 625-5521

9464 - ProSolutions - (817) 625-5521

HOUSTON

3920 North Freeway
Houston, TX 77022

9404 - General - (713) 884-8066

9405 - ProSolutions - (713) 884-8066

6230 South Loop
Houston, TX 77087

9412 - General - (713) 641-2391

9413 - ProSolutions - (713) 641-2391

LA FERIA

1801 West Expressway 83
La Feria, TX 78559

9410 - General - (956) 797-4747

LONGVIEW

5001 West Loop 281
Longview, TX 75607

9469 - General - (903) 757-4171

MCKINNEY

193 Industrial Boulevard
McKinney, TX 75069

9522 - General - (469) 796-4130

MIDLAND

8282 IH 20 West
Midland, TX 79706

9449 - General - (432) 563-0361

SAN ANTONIO

668 North WW White Road
San Antonio, TX 78219

9416 - General - (210) 661-4281

TEXAS CITY

102 Highway 146 North
Texas City, TX 77590

9407 - General - (409) 945-5131

9406 - ProSolutions - (409) 945-5131

Utah**OREM**

840 N Industrial Park Drive
Orem, UT 84057

9401 - General - (801) 226-1392

WEST VALLEY CITY

2120 South Weste
West Valley City, UT 84119

9615 - General - (801) 977-9944

Virginia**GAINESVILLE**

5529 Wellington Road
Gainesville, VA 20155

9155 - General - (703) 753-9494

RICHMOND

9300 Burge Avenue
Richamond, VA 23237

9160 - General - (804) 271-6473

ROANOKE

2315 Patterson Avenue
Roanoke, VA 24016

9125 - General - (540) 982-0005

STERLING

23745 Pebble Run Place
Sterling, VA 20166

9156 - General - (703) 996-1415

VIRGINIA BEACH

717 South Military Highway
Virginia Beach, VA 23464

9120 - General - (757) 424-2110

Washington**BELLEVUE**

13200 Bel-red Road
Bellevue, WA 98005

9712 - General - (425) 453-4045

BELLINGHAM

1840 North State Street
Bellingham, WA 98225

9769 - General - (360) 734-2900

BURLINGTON

1681 Fisher Lane
Burlington, WA 98233

9719 - General - (360) 707-5571

DES MOINES

22868 Pacific Highway South
Des Moines, WA 98198

9719 - ProSolutions - (206) 878-6482

EVERETT

3516 McDougall Avenue
Evertte, WA 98201

9714 - General - (425) 303-6900

FIFE

4403 20th Street East
Fife, WA 98424

9722 - General - (253) 922-3852

MOSES LAKE

9147 Tydall Road NE
Moses Lake, WA 98837

9755 - ProSolutions

OLYMPIA

9404 Kimmie Street SW
Olympia, WA 98512

9710 - General - (360) 491-9424

RICHLAND

266 Wellsian Way
Richland, WA 99352

9711 - General - (509) 943-1163

SEATTLE

5055 4th Avenue South
Seattle, WA 98134

9721 - General - (206) 934-5700

4233 Leary Way NW
Seattle, WA 98107

9781 - General - (206) 782-4200

SPOKANE VALLEY

328 North Fancher Road
Spokane Valley, WA 99212

9782 - General - (509) 535-4261

West Virginia**SOUTH CHARLESTON**

1000 Kramer Street
South Charleston, WA 25309

9126 - General - (304) 744-7368

Wisconsin**OAK CREEK**

950 West Rawson Avenue
Oak Creek, WA 53154

9141 - General - (414) 768-1811

Wyoming**CHEYENNE**

707 East Fox Farm Road
Cheyenne, WA 82007

9601 - General - (307) 635-1255

Alberta

ANZAC

118 Gilmore Drive
Anzac, AB TOP1J0

8529 - General - (780) 334-2024

8528 - ProSolutions - (780) 334-2024

BONNYVILLE

Unit 103 7301-50 Avenue
Bonnyville, AB T9N 2P3

8516 - General - (780) 812-3433

CALGARY

4747 25 Street S.E.
Calgary, AB T2B 3R9

8504 - General - (403) 287-9494

8526 - ProSolutions - (403) 287-9494

116 Meridian Road SE
Calgary, AB T2A 1X2

8506 - General - (403) 2248-5414

4398 112 Avenue SE

Calgary, AB T2C 2KC

8513 - General - (403) 723-3002

EDMONTON

8660 61 Avenue
Edmonton, AB T6E 5P6

8505 - General - (780) 435-3711

7905 50 Street

Edmonton, AB T6B 1ES

8520 - General - (780) 465-2100

5708 67 Avenue

Edmonton, AB T6BB 3P8

8523 - ProResources - (780) 450-7901

8660 61 Avenue

Edmonton, AB T6E 5P6

8533 - ProSolutions - (780) 400-0998

FORT MCMURRAY

105 MacKay Crescent
Fort McMurray, AB T9H 4C9

8502 - General - (780) 743-6233

FORT SASKATCHEWAN

11230 88 Avenue
Fort Saskatchewan, AB T8L 3W5

8530 - General - (780) 992-7218

GRAND PRAIRIE

10801 78 Avenue
Grand Prairie, AB T8W 2L2

8503 - General - (780) 538-9499

8525 - ProSolutions - (780) 538-9499

HINTON

113 King Street
Hinton, AB T7V 1G7

8576 - General - (780) 740-0236

RED DEER

7899 Gaetz Avenue
Red Deer, AB T4P 2S4

8501 - General - (403) 342-7220

WHITECOURT

5221 59 Street
Whitecourt, AB T7S 1N9

8521 - General - (780) 778-4411

British Columbia

SURREY

12135 86 Avenue
Surrey, BC V3W 3H8

8507 - General - (604) 599-7368

Manitoba

WINNIPEG

1600 Gamble Place
Winnipeg, MB R3T 3L7

8510 - General - (204) 488-4929

New Brunswick

SAINT JOHN

165 McIlveen Drive
Saint John, NB E2J 4Y7

8221 - General - (506) 645-2277

Nova Scotia

DARTMOUTH

590 Windmill Road
Dartmouth, NS B3B 1B5

8232 - General - (902) 468-2277

Ontario

CAMBRIDGE

500 Collier MacMillan Drive
Cambridge, ON N1R 6R5

8240 - General - (519) 624-7940

ETOBICOKE

35 Claireville Drive
Etobicoke, ON M9W 5z7

8225 - ProSolutions - (416) 679-4180

HAMILTON

2418 Barton Street East
Hamilton, ON L8E 2W7

8222 - General - (905) 545-2233

KINGSTON

15 Terry Fox Drive
Kingston, ON K7M 7K5

8208 - General - (905) 545-2233

LONDON

26 Royce Court
London, ON N6E 1L1

8224 - General - (519) 649-7014

OSHAWA

411 Bloor Street
Oshawa, ON L1J 5Y5

8223 - General - (905) 404-8411

OTTAWA

860 Belfast Road
Ottawa, ON K1G 0Z6

8223 - General - (613) 244-4388

8214 - ProSolutions - (613) 244-4388

SARNIA

526 Vidal Street South
Sarnia, ON N7T 2V6

8207 - General - (519) 336-4020

8250 - ProSolutions - (519) 336-4020

SAINT CATHARINES

278 Saint Paul Street
Saint Catharines, ON L2S 2E7

8205 - General - (905) 687-8255

TORONTO

6900 Finch Avenue
Toronto, ON M9W 0A8

8203 - General - (416) 679-4180

WINDSOR

5225 County Road 42
Windsor, ON N8N 2M1

8206 - General - (519) 972-8144

Saskatchewan

REGINA

625 Winnipeg Street
Regina, SK S4P 3C6

8514 - General - (306) 775-2214

SASKATOON

3611 Arthur Rose Avenue
Regina, SK S7P 0A9

8515 - General - (306) 242-5853

ProResources INDEX

A

Air Drills 13
 Air Grinders 13 15
 Air Impact Wrenches 14
 Air Manifold 14
 Air Powered Fans 15
 Air Saws 15
 Air Tools 12

B

Blowers 16

C

Cable Pulling 38
 Chain Hoists 45 46
 Conduit Bending 38
 Cylinders 22

D

Delivery Fleet 6
 Dollies 47
 Drill Press 19 20
 Drills 14

E

Electric Drills 19
 Electric LED Light Towers 31 32
 Electric Saws 20
 Electric Tools 19
 Electric Welders 57

F

Fans 16
 Flange Spreaders 42

G

Grinders 13 15

H

Hand Trucks 47
 Hazardous Location Lighting 29
 Hazardous Location Lights 29
 Hydraulic Torquing 24
 Hydrostatic Test Pumps 23

J

Jacks 22


L

LED Light Towers 31 32
 Light Towers 31 32

M

Metal Halide Light Towers 29 31 32





HercRentals[®]

Call 888-777-2700
for rates and reservations
HercRentals.com