


RETAIL PRICE BOOK

2008/2009



audioquest®



Retail Price Book, 2008/2009.

Terms and Conditions

- Prices are subject to change without notice.
- All prices are in Euro
- VAT included

Contact Information

The Quest Group B.V.
Hogerwerf 4, 4704 RV Roosendaal
The Netherlands

Telephone: +31 165 54 1404

Fax: +31 165 54 7175

Email orders and order related correspondence to sales@audioquest.nl

Email all other correspondence to info@audioquest.nl

Copyright© 2008 The Quest Group
All rights reserved

Table of Contents

Audio Interconnect Cables

2	Alpha-Snake, G-Snake, Sidewinder, Copperhead & Diamondback
3	King Cobra, Columbia, Colorado, Niagara, Sky
4	Mini-Plug Cables: Mini-A, Mini-1 & Mini-3, Mini-5, Mini-7
	A/V-A Cables: AV-A/RCA & AV-A/3.5
	Mini/RCA Splitter/adaptors: Hard Mini/RCA Adaptor – Male 3.5 mm <> 2 Female RCA, FLX-Mini/RCA Adaptor Male 3.5 mm > 2 Female, FLX-Mini Splitter – Male 3.5 mm > Female 3.5 mm
5	Subwoofer Cables: Sub-A, Sub-X, Sub-1 & Sub-3
	RCA Splitters: Male RCA>2 Female RCA, Female RCA>2 Male RCA
	Coupler: RCA<>RCA RCA 90° Adaptor

Speaker Cables

6	How To Order, Speaker Cable Connectors: PSC BiWire Jumpers, Voltage Upgrade Kit for DBS, Binding Post Wrench
7	Speaker Cables-Prepared 4-Series (Meters): Type 4, CV-4, KE-4
8	Speaker Cables-Prepared 8-Series (Meters): Type 8 & CV-8
	Speaker Cables-Prepared Rocket Series (Meters): Rocket 33, Rocket 44, Rocket 88
9	Speaker Cables-Prepared Flat Rock Series, Earth Feature (Counter-Spiral) Series (Meters): Rockefeller, Gibraltar, K2, Mont Blanc, Volcano
10	Uncut, unterminated in retail packaging and on spools: G2, X2, G4, X4, Type 1, CV-1
	Speaker Cables-Prepared-Bulk Spools: G2, X2, G4, X4, Type 1, CV-1, Type 2, Type 4, CV-4, Type 8, CV-8, Rocket 33, Rocket 44, Rocket 88
11	Speaker Cable Connectors: CF Series, PK Series

Digital Audio/Video, Analog Video

12	75Ω S/P-DIF: Hawk Eye, Eagle Eye
	110Ω AES/EBU Balanced: Falcon, Raven
	TosLink Fiber Optic: OptiLink-A, OptiLink-G, OptiLink-1, OptiLink-3, OptiLink-5, Mini-Adaptor
13	SCART: A-SCART, SCART-1, SCART-3, Custom Combination SCART, SCART Plug
14	75Ω Digital Audio/Composite Video/RF Cables: VSM-F, VDM-AR, VDM-AF, VDM-XR, VDM-XF, VDM-1, VDM-3, VDM-5
15	S-Video (Y/C): S-A, S-G, S-X, S-1
	Component Video (Y-Pb-Pr): YIQ-A, YIQ-G, YIQ-X, YIQ-1, YIQ-3, YIQ-5
16	HDMI: HDMI-A, HDMI-G, HDMI-X, HDMI-1, HDMI-3; HDMI Adaptors and Coupler
17	HDMI Wall Plates, HDMI Adaptors, Coupler, Extender; Cat5e Cable IEEE-1394 (aka FireWire or i.Link): 1394-G, 1394-1, 1394-3

Custom Install Cables

18	Instant Tool-less Connectors (ITC) System: 50 Piece Packs; ITC-18, ITC-20, ITC-24, ITC-26
19	Instant Tool-less Connectors (ITC) System: 20 Piece Packs; ID Bands in 10 colors for all ITC Connectors; Instant Tool-less Connectors (ITC) System: Application Specific Retail Packaging
20	ITA & ITV: Instant Tool-less Audio & Visual Cables - ITA-1/1, ITA-3/3, ITA-5/5, ITV-G, ITV-1, ITV-3
	Multi-Application Coax (MAC) Cables: MAC3, MAC6+
	HD6: 18 AWG 75Ω (Video, RF, Subwoofer): HD6-A, HD6-G, HD6-X, HD6-1, HD6-3
21	Speaker Cable CL3/FT4 Custom Installation: Spools: FLX-Series, Rocket Series
	Speaker Cable CL3/FT4 Custom Installation: 4-Series, 8-Series, Rocket 33, Rocket 44, Rocket 88, Full Range pants, Single Bi-wire pants

Analog, Accessories

22	Tonearm Cables & Vinyl Accessories: Wildcat, Cougar, LeoPard; Sorbothane Sheet, Sorbothane Record Mat, Record Brush, HL-5 Headshell Leads
23	Accessories: Q Feet, CleanScreen, Binding Post Wrench, Pre-Amp Jumpers, PSC BiWire Jumpers, DBS Voltage Upgrade Kit

Connectors, AC Power Cables

24	Audio/Video Adaptors, Converters, Couplers, Connectors & Splitters
25	AC Power: IEC-C7, NRG-1, NRG-1.5, IEC-C15, NRG-2, NRG-3, NRG-5, IEC-90/1, IEC-90/2, IEC>3US

How to Order Interconnect Cables


When ordering any factory terminated interconnect cable, please write your order as shown in these examples:

Qty.	Pair or Single	Length	Model	Termination: Sending end		Termination: Receiving end	
2	Pair	1.0 m	G-Snake	RCA	to	RCA	
1	Pair	3.0 m	Columbia	XLR	to	XLR	
1	Single	4.5 m	Diamondback	XLR	to	XLR	

When ordering 3 (or 5 or more) individual cables which are usually sold in pairs, please order:
1 pair + 1 single (or 2 pairs + 1 single, as appropriate)

Audio Interconnect Cables

Pair prices shown. Sidewinder, Copperhead & Diamondback are available in singles (such as for center channel) at 50% of pair price.



	Symmetrical Coax		HyperLitz Shield		Triple Balanced
Geometry	Symmetrical Coax		HyperLitz Shield		Triple Balanced
Metal	Solid LGC Copper		Solid LGC Copper	Solid PSC Copper	Solid PSC Copper
Gauge	24 positive/24 ground		22 positive/19 ground		22/19 RCA, 22/22/22 XLR
Dielectric	PVC		Foamed PE		PE Air-Tubes
Jacket	Black	Blue/black braid	Red/black braid	Green/black braid	Blue/black braid
Termination	RCA				
Noise-Dissipation System	N/A				
	2 layer system				

	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
0.5 m pair 1' 8"	17.00	30.00	50.00	77.50	120.00
0.75 m pair 2' 6"	18.50	32.50	55.00	86.25	135.00
1.0 m pair 3' 4"	20.00	35.00	60.00	95.00	150.00
1.5 m pair 5' 0"	23.00	40.00	70.00	112.50	180.00
2.0 m pair 6' 7"	26.00	45.00	80.00	130.00	210.00
3.0 m pair 9' 10"	32.00	55.00	100.00	165.00	270.00
4.5 m pair 14' 9"	41.00	70.00	130.00	217.50	360.00
6.0 m pair 19' 9"	50.00	85.00	160.00	270.00	450.00
7.5 m pair 24' 8"	59.00	100.00	190.00	322.50	540.00
9.0 m pair 29' 7"	68.00	115.00	220.00	375.00	630.00
12.0 m pair 39' 4"	86.00	145.00	280.00	480.00	810.00
15.0 m pair 49' 2"	104.00	175.00	340.00	585.00	990.00
20.0 m pair 65' 7"	134.00	225.00	440.00	760.00	1,290.00

Audio Interconnect Cables

Pair prices shown. Also available as singles (such as for center channel or subwoofer) at 50% of pair price.



Geometry	Triple Balanced				
Metal	Solid PSC+ Copper			Solid PSS Silver	
Gauge	18/20 RCA, 21/21/20 XLR			20/17 RCA, 20/20/19 XLR	
Dielectric	PE Air-Tubes		Teflon Air-Tubes		50% Larger Teflon Air-Tubes
Jacket	Red/black	Green/gray/black	Red/gray/black	Black/gray/silver	Blue/black
Termination	Cold-Welded RCA or XLR		Cold-Welded Ohno Continuous Casting Copper (OCC) RCA or XLR		
Noise-Dissipation System	2 layer system		3 layer system		

	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
0.5 m pair 1' 8"	175.00	325.00	625.00	1,125.00	1,800.00
0.75 m pair 2' 6"	200.00	362.50	712.50	1,312.50	2,150.00
1.0 m pair 3' 4"	225.00	400.00	800.00	1,500.00	2,500.00
1.5 m pair 5' 0"	275.00	475.00	975.00	1,875.00	3,200.00
2.0 m pair 6' 7"	325.00	550.00	1,150.00	2,250.00	3,900.00
2.5 m pair 8' 2"	375.00	625.00	1,325.00	2,625.00	4,600.00
3.0 m pair 9' 10"	425.00	700.00	1,500.00	3,000.00	5,300.00
3.5 m pair 11' 6"	475.00	775.00	1,675.00	3,375.00	6,000.00
4.0 m pair 13' 2"	525.00	850.00	1,850.00	3,750.00	6,700.00
4.5 m pair 14' 9"	575.00	925.00	2,025.00	4,125.00	7,400.00
5.0 m pair 16' 5"	625.00	1,000.00	2,200.00	4,500.00	8,100.00
5.5 m pair 18' 5"	675.00	1,075.00	2,375.00	4,875.00	8,800.00
6.0 m pair 19' 9"	725.00	1,150.00	2,550.00	5,250.00	9,500.00
6.5 m pair 21' 5"	775.00	1,225.00	2,725.00	5,625.00	10,200.00
7.0 m pair 23' 0"	825.00	1,300.00	2,900.00	6,000.00	10,900.00
7.5 m pair 24' 8"	875.00	1,375.00	3,075.00	6,375.00	11,600.00
8.0 m pair 26' 3"	925.00	1,450.00	3,250.00	6,750.00	12,300.00
8.5 m pair 27' 11"	975.00	1,525.00	3,425.00	7,125.00	13,000.00
9.0 m pair 29' 7"	1,025.00	1,600.00	3,600.00	7,500.00	13,700.00
9.5 m pair 31' 3"	1,075.00	1,675.00	3,775.00	7,875.00	14,400.00
10.0 m pair 32' 10"	1,125.00	1,750.00	3,950.00	8,250.00	15,100.00
11.0 m pair 36' 1"	1,225.00	1,900.00	4,300.00	9,000.00	16,500.00
12.0 m pair 39' 4"	1,325.00	2,050.00	4,650.00	9,750.00	17,900.00
13.0 m pair 42' 8"	1,425.00	2,200.00	5,000.00	10,500.00	19,300.00
14.0 m pair 45' 1"	1,525.00	2,350.00	5,350.00	11,250.00	20,700.00
15.0 m pair 49' 2"	1,625.00	2,500.00	5,700.00	12,000.00	22,100.00
20.0 m pair 65' 7"	2,125.00	3,250.00	7,450.00	15,750.00	29,100.00

Mini-Plug Cables

All models available 4 plug combinations.

Mini/Mini Male



Mini/Mini Female

Only available in 3 m & 5 m lengths.




Mini/RCA



RCA/RCA



Mini-A



Mini-1



Mini-3



Mini-5



Mini-7



48V DBS

Metal	Solid LGC Copper		Solid PSC		Solid PSC+		Solid PSC+	
Dielectric	Foamed PE				Foamed PE			
Jacket	Black with gray stripe	Silver/white braid	Silver/gray braid	Silver/black braid	Black braid			
Noise-Dissipation System	No	No	No	No	Yes			

	EU Retail	EU Retail	EU Retail	EU Retail	US Retail
1.0 m 3' 4"	20.00	35.00	65.00	125.00	300.00
2.0 m 6' 6"	25.00	45.00	85.00	160.00	360.00
3.0 m 9' 10"	30.00	55.00	105.00	195.00	420.00
5.0 m 16' 6"	40.00	75.00	145.00	265.00	540.00
8.0 m 26' 3"	55.00	105.00	205.00	370.00	N/A
12.0 m 39' 4"	75.00	145.00	285.00	510.00	N/A

Combined AV Cables

AV-A/RCA



AV-A/3.5



Geometry	Symm. Coax/75Ω Coax
Metal	Solid LGC/1.25% silver
Dielectric	PVC / Foamed PE
Jacket	Dark-Gray PVC

	EU Retail
1.0 m 3' 4"	30.00
2.0 m 6' 7"	40.00
3.0 m 9' 10"	50.00

Mini Splitters and Mini/RCA Adaptors

Hard Mini/RCA Adaptor
Male 3.5 mm < > 2 Female RCA

EU Retail

10.00



FLX-Mini/RCA Adaptor
Male stereo 3.5 mm < > 2 Female RCA
15 cm. (6"), PSC+ Copper

EU Retail

12.00



FLX-Mini Splitter
Male stereo 3.5 mm < > 2 Female stereo 3.5 mm
15 cm. (6"), PSC+ Copper


EU Retail

12.00



Subwoofer Cables

Subwoofer Cables are single cables with a separate chassis ground connector.



48V DBS

Geometry	Symmetrical Coax		Triple Balanced	
Metal	Solid LGC Copper	Solid 1.25% silver	Solid 2.5% silver	Solid 6.1% silver
Gauge	22 AWG		21 AWG	
Dielectric	PVC	Foamed PE	PE Air-Tubes	
Jacket	Black	Multi color braid	Multi color braid	
Terminations	RCA		Cold-Welded RCA or XLR	

	EU Retail	EU Retail	EU Retail	EU Retail
2.0 m 6' 7"	30.00	55.00	110.00	220.00
3.0 m 9' 10"	35.00	65.00	125.00	250.00
4.5 m 14' 9"	42.50	80.00	147.50	295.00
6.0 m 19' 9"	50.00	95.00	170.00	340.00
7.5 m 24' 8"	57.50	110.00	192.50	385.00
9.0 m 29' 7"	65.00	125.00	215.00	430.00
12.0 m 39' 4"	80.00	155.00	260.00	520.00
15.0 m 49' 2"	95.00	185.00	305.00	610.00

For Subwoofers requiring the use of both RCA input jacks, order FLX-X RCA Splitter (FEMALE RCA > 2 MALE RCAs) in addition to Subwoofer Cable.

RCA Splitters	
Hard RCA Splitter Male RCA <> 2 Female RCA	
EU Retail	
10.00	

FLX-X RCA Splitter Male RCA <> 2 Female RCA 15 cm. (6"), LGC Copper	
EU Retail	
15.00	

FLX-X RCA Splitter Female RCA <> 2 Male RCA 15 cm. (6"), LGC Copper	
EU Retail	
15.00	

Coupler	
RCA<>RCA Female RCA to Female RCA	
EU Retail	
5.00	

90° RCA Adaptor	
RCA 90° Female RCA to Right-Angle Male RCA	
EU Retail	
5.00	




How to Order Prepared Speaker Cables

All AQ terminated speaker cables use Direct-Silver Plated connectors. Direct-Gold may be ordered as a no-cost option.

When ordering any factory terminated speaker cable, please write your order as shown in this example:



Qty.	Pair or Single	Length	Model	FR, SBW or DBW	AMPLIFIER termination	SPEAKER termination
1	Pair	10 ft.	Rocket 88	FR	Spade	to BFA

When ordering 3 (or 5 or 7) individual cables, please order: 1 pair + 1 single (or 2 or 3 pairs + 1 single, as appropriate)

		
Full-Range (FR) (non-BiWire)	Single-BiWire (SBW) See Rockets & Flat Rocks model for availability Same cost as a Full Range cable	Double-BiWire (DBW) Available on all models. Same cost as the 2 pairs of cables separately.

Speaker Cable Connectors

Choose any of the following connectors for any model of speaker cable.
The choice of connector does not affect the price of the finished cable.

Standard Direct-Silver Plated Connectors			Also available: PK and below also available in Gold				
PK-Spade/S 1/4" & 5/16"	PK-BFA/Banana/S	*PK-UNI/Banana/S	P8M 1/4"/5/16" Spade	P814 1/4" Spade	1056 5/16" Spade	PSC Bendable Pin	1010 3/16" Spade
							

* Note: Spade & Pin ends for use with PK-UST/Banana shown separately on page 11

PSC BiWire Jumpers



Solid PSC Copper Jumpers replace stamped cheaters supplied with BiWireable speakers. 4 x 4"

Choose:

- BiWire Jumpers/S (Direct Silver-Plated) or
- BiWire Jumpers/G (Direct Gold-Plated)

Master Carton = 10 sets of 4

EU Retail

20.00/set of 4

Voltage Upgrade Kit for DBS



FOR USE WITH EXISTING DBS CABLES ONLY.

Voltage value is additive.

Kit includes:
2 x 72V DBS packs (inc. batteries)
4 x Velcro bands

EU Retail

150.00/kit

Binding Post Wrench



Quality double ended nut driver with metal inserts.

Fits 7/16" & 1/2" binding posts



Master Carton = 30 pieces

EU Retail

10.00 each

Prepared Speaker Cables: 4-Series

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer or mono) at half pair price.



Geometry	Star-Quad	Star-Quad	Star-Quad
Metal	Solid LGC Copper	Solid PSC+/PSC Copper	Solid PSS Silver
Gauge	15 AWG (1,65 mm ²)	15 AWG (1,65 mm ²)	15 AWG (1,65 mm ²)
SBW?	No	No	No
Braid	Blue/black/gray	Green/black/gray	Silver/black/gray

1.0 m pair
1.5 m pair
2.0 m pair
2.5 m pair
3.0 m pair
3.5 m pair
4.0 m pair
4.5 m pair
5.0 m pair
5.5 m pair
6.0 m pair
6.5 m pair
7.0 m pair
7.5 m pair
8.0 m pair
8.5 m pair
9.0 m pair
9.5 m pair
10.0 m pair
10.5 m pair
11.0 m pair
11.5 m pair
12.0 m pair
12.5 m pair
13.0 m pair
13.5 m pair
14.0 m pair
14.5 m pair

EU Retail
N/A
N/A
N/A
N/A
199.50
212.75
226.00
239.25
252.50
265.75
279.00
292.25
305.50
318.75
332.00
345.25
358.50
371.75
385.00
398.25
411.50
424.75
438.00
451.25
464.50
477.75
491.00
504.25

EU Retail
340.00
372.50
405.00
437.50
470.00
502.50
535.00
567.50
600.00
632.50
665.00
697.50
730.00
762.50
795.00
827.50
860.00
892.50
925.00
957.50
990.00
1,022.50
1,055.00
1,087.50
1,120.00
1,152.50
1,185.00
1,217.50

EU Retail
1,384.00
1,876.00
2,368.00
2,860.00
3,352.00
3,844.00
4,336.00
4,828.00
5,320.00
5,812.00
6,304.00
6,796.00
7,288.00
7,780.00
8,272.00
8,764.00
9,256.00
9,748.00
10,240.00
10,732.00
11,224.00
11,716.00
12,208.00
12,700.00
13,192.00
13,684.00
14,176.00
14,668.00

For pairs over 14,5 m., use formula:

26.50/m. + 120.00

65.00/m. + 275.00



984.00/m. + 400.00

Prepared Speaker Cables: 8-Series, Rocket Series (Meters)

8-Series Speaker Cables

Rocket Series Speaker Cables

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer or mono) at half pair price.



Available with: BFA, Spade, BFA to Spade or UST

Geometry	Circular-Array		Dual-Triple	Double Star-Quad	
	Metal	Solid LGC/PSC	Solid PSC+/PSC	Solid LGC/PSC	Solid PSC/LGC
Gauge	12 AWG (3.31 mm ²)		14 AWG (2.08 mm ²)	13 AWG (2.63 mm ²)	
Single BiWire Capable?	Yes, but SBW Rocket 44 is better at the same cost	Yes, but SBW Rockefeller is better at the same cost	Yes, Recommended		
Jacket	Black/gray/silver braid	Red/silver/black braid	Black with red stripes	Black with black stripes	Black/green/gray braid or Black with green stripes

	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
1.0 m pair	240.00	539.00	N/A	240.00	405.00
1.5 m pair	272.50	621.00	N/A	272.50	457.50
2.0 m pair	305.00	703.00	N/A	305.00	510.00
2.5 m pair	337.50	785.00	232.50	337.50	562.50
3.0 m pair	370.00	867.00	249.00	370.00	615.00
3.5 m pair	402.50	949.00	265.50	402.50	667.50
4.0 m pair	435.00	1,031.00	282.00	435.00	720.00
4.5 m pair	467.50	1,113.00	298.50	467.50	772.50
5.0 m pair	500.00	1,195.00	315.00	500.00	825.00
5.5 m pair	532.50	1,277.00	331.50	532.50	877.50
6.0 m pair	565.00	1,359.00	348.00	565.00	930.00
6.5 m pair	597.50	1,441.00	364.50	597.50	982.50
7.0 m pair	630.00	1,523.00	381.00	630.00	1,035.00
7.5 m pair	662.50	1,605.00	397.50	662.50	1,087.50
8.0 m pair	695.00	1,687.00	414.00	695.00	1,140.00
8.5 m pair	727.50	1,769.00	430.50	727.50	1,192.50
9.0 m pair	760.00	1,851.00	447.00	760.00	1,245.00
9.5 m pair	792.50	1,933.00	463.50	792.50	1,297.50
10.0 m pair	825.00	2,015.00	480.00	825.00	1,350.00
10.5 m pair	857.50	2,097.00	496.50	857.50	1,402.50
11.0 m pair	890.00	2,179.00	513.00	890.00	1,455.00
11.5 m pair	922.50	2,261.00	529.50	922.50	1,507.50
12.0 m pair	955.00	2,343.00	546.00	955.00	1,560.00

For lengths over 12 m, use formula:

65.00/m. + 175.00

164.00/m.+ 375.00

33.00/m.+ 150.00

65.00/m.+ 175.00

105.00/m.+ 300.00

Prepared Speaker Cables: Flat Rock Series, Earth Feature Series (Meters)

Flat Rock Speaker Cables

Earth Feature Speaker Cables

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer or mono) at half pair price.



Geometry	Double Star-Quad			"Earth Features" Counter-Spiral	
Metal	Solid PSC+/PSC	Solid PSC+	Solid PSS	Solid Perfect-Surface Copper+ (PSC+)	
Gauge	12 AWG (3.31 mm ²)			11 AWG (4.17 mm ²)	9 AWG (6.63 mm ²)
Single BiWire Capable?	Yes, Recommended			No	No
Braid	Black/gray/red	Black/dark blue/light blue	Silver/black/gray	Blue/black	Gray/red/black

	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
1.0 m pair	539.00	695.00	3,024.00	990.00	1,648.00
1.5 m pair	621.00	842.50	4,336.00	1,285.00	2,222.00
2.0 m pair	703.00	990.00	5,648.00	1,580.00	2,796.00
2.5 m pair	785.00	1,137.50	6,960.00	1,875.00	3,370.00
3.0 m pair	867.00	1,285.00	8,272.00	2,170.00	3,944.00
3.5 m pair	949.00	1,432.50	9,584.00	2,465.00	4,518.00
4.0 m pair	1,031.00	1,580.00	10,896.00	2,760.00	5,092.00
4.5 m pair	1,113.00	1,727.50	12,208.00	3,055.00	5,666.00
5.0 m pair	1,195.00	1,875.00	13,520.00	3,350.00	6,240.00
5.5 m pair	1,277.00	2,022.50	14,832.00	3,645.00	6,814.00
6.0 m pair	1,359.00	2,170.00	16,144.00	3,940.00	7,388.00
6.5 m pair	1,441.00	2,317.50	17,456.00	4,235.00	7,962.00
7.0 m pair	1,523.00	2,465.00	18,768.00	4,530.00	8,536.00
7.5 m pair	1,605.00	2,612.50	20,080.00	4,825.00	9,110.00
8.0 m pair	1,687.00	2,760.00	21,392.00	5,120.00	9,684.00
8.5 m pair	1,769.00	2,907.50	22,704.00	5,415.00	10,258.00
9.0 m pair	1,851.00	3,055.00	24,016.00	5,710.00	10,832.00
9.5 m pair	1,933.00	3,202.50	25,328.00	6,005.00	11,406.00
10.0 m pair	2,015.00	3,350.00	26,640.00	6,300.00	11,980.00
10.5 m pair	2,097.00	3,497.50	27,952.00	6,595.00	12,554.00
11.0 m pair	2,179.00	3,645.00	29,264.00	6,890.00	13,128.00
11.5 m pair	2,261.00	3,792.50	30,576.00	7,185.00	13,702.00
12.0 m pair	2,343.00	3,940.00	31,888.00	7,480.00	14,276.00

For lengths over 12 m, use formula	164.00/m + 375.00	295.00/m + 400.00	2,624.00/m + 400.00	590.00/m + 400.00	1148.00/m + 500.00
------------------------------------	-------------------	-------------------	---------------------	-------------------	--------------------

Unterminated Speaker Cables: Packaged and on Spools

	G2	X2	G4	X4	Type 1	CV-1
Conductor	Concentric LGC	Concentric LGC	Concentric LGC	Concentric LGC	Solid LGC	Solid PSC+/PSC
Gauge	16 AWG (1.31 mm ²)	14 AWG (2.08 mm ²)	15 AWG (1.65 mm ²)	13 AWG (2.63 mm ²)	16 AWG (1.31 mm ²)	16 AWG (1.31 mm ²)
PVC Jacket Choice	- Dark-Gray - Off-White	- Dark-Gray - Off-White	- Dark-Gray - Off-White	- Dark-Gray - Off-White	- Dark-Gray - Off-White	- Dark-Gray - Off-White
4.5 m (15 ft.) Uncut in a box						
EU Retail	N/A	N/A	N/A	N/A	N/A	120.00
9.0 m (30 ft.) Uncut in a box						
EU Retail	25.00	40.00	N/A	N/A	50.00	190.00
15.0 m (50 ft.) Uncut in a box						
EU Retail	40.00	70.00	N/A	N/A	85.00	N/A
Bulk Spools						
EU Retail	2.50/m	4.00/m	4.00/m	6.00/m	5.00/m	20.00/m
Available in spools of	100 m	100 m	100 m	100 m	100 m	50 m

Rocket 33, Rocket 44 and Rocket 88 on Bulk Spools CL3/FT4

See page 20 for Rocket Termination Pants






	Rocket 33	Rocket 44	Rocket 88
Gauge	14 AWG (2.08 mm ²)	13 AWG (2.63 mm ²)	13 AWG (2.63 mm ²)
Metal	Solid LGC/PSC Copper	Solid PSC/LGC Copper	Solid PSC+/PSC Copper
Jacket	Black with red stripes	Black with black stripes	Black with green stripes
Single Bi-Wire?	Yes	Yes	Yes
Foot Markers	Sequentially numbered 1-164 or 1-328 ft.		
EU Retail	16.50/m	32.50/m	52.50/m
Available in spools of	50 and 100 m	50 m	50 m

Type 2, Type 4, CV-4, Type 8, CV-8 on Bulk Spools CL3/FT4

	Type 2	Type 4	CV-4	Type 8	CV-8
Geometry	Star-Quad	Star-Quad	Star-Quad	Circular-Array	Circular-Array
Metal	Solid LGC	Solid LGC	Solid PSC+/PSC	Solid LGC/PSC	Solid PSC+/PSC
Gauge	16 AWG (1.31 mm ²)	15 AWG (1.65 mm ²)	15 AWG (1.65 mm ²)	12 AWG (3.31 mm ²)	12 AWG (3.31 mm ²)
Single-BiWire?	No	No	No	Possible	Possible
PVC Jacket Choice	- Dark Gray - Off-White	- Blue - Off-White - Blue/black braid	- Black - Off-White - Green/black braid	- Dark-Gray - Gray/black/silver braid	- Black - Red/black/silver braid
Foot Markers	Sequentially numbered 1-164 or 1-328 ft.				
EU Retail	8.25/m	13.25/m	32.50/m	32.50/m	82.00/m
Available in spools of	100 m	100 m	50 m and 100 m	50 m and 100 m	50 m




CF BFA/Banana, Spade, Uni-Banana & Pins

Direct-Silver (S) or Direct-Gold (G) Connectors

	CF-BFA/Banana/S CF-BFA/Banana/G	CF-Spade/S CF-Spade/G	CF-Uni-Banana/S CF-Uni-Banana/G	Uni-Spade/S Uni-Spade/G	Uni-Pin/S Uni-Pin/G
					
Wire Size	Up to 9 AWG			Fits over Uni Banana	
Fits	Banana jack or BFA	1/4" – 5/16" Binding Post	Standard Banana jack	1/4" – 5/16" Binding Post	"Spring-Clip" type jack
EU Retail	25.00/set of 4	45.00/set of 4	25.00/set of 4	30.00/set of 4	15.00/set of 4
Available in	10 sets of 4 / tray of 40	10 sets of 4 / tray of 40	10 sets of 4 / tray of 40	10 sets of 4 / tray of 40	10 sets of 4 / tray of 40





PK BFA/Banana, Spade & Uni-Banana

Similar to CF Connectors but with 1/8" longer barrel & 2 nylon set screws* to secure mesh legs

	PK-BFA/Banana/S PK-BFA/Banana/G	PK-Spade/S PK-Spade/G	PK-Uni-Banana/S PK-Uni-Banana/G
			
EU Retail	28.00/set of 4	48.00/set of 4	28.00/set of 4
Available in	tray of 40	tray of 40	tray of 40








Pins, BFAs & Banana Plugs: Direct-Gold (G) & Direct-Silver (S)

BP10, BP8 & Crimp-BFA supplied with 20 x red & 20 x black 'boots'

	BP10/S BP10/G	BP8/S BP8/G	Crimp-BFA/S Crimp-BFA/G	1002/S 1002/G
				
Wire Size	Up to 10 AWG	Up to 8 AWG	Up to 9 AWG	Fits spade connector
Fits	Bendable Pin fits almost everything		Banana jack or BFA	Standard Banana jack
EU Retail	1.00 each	1.00 each	3.50 each	4.50 each
Available in sets of	bag of 100	bag of 100	bag of 100	bag of 100

Spade Connectors: Direct-Silver (S) & Direct-Gold (G)

Supplied with 20 x red & 20 x black 'boots'


	1410/S 1410/G	1010/S 1010/G	1414/S 1414/G	1014/S 1014/G	1056/S 1056/G	P814/S P814/G	P8M/S P8M/G
							
Wire Size	Up to 14 AWG	Up to 10 AWG	Up to 14 AWG	Up to 10 AWG	Up to 10 AWG	Up to 8 AWG	Up to 8 AWG
Fits	3/16" Binding Post	3/16" Binding Post	1/4" Binding Post	1/4" Binding Post	5/16" Binding Post	1/4" Binding Post	1/4" & 5/16" Post
EU Retail	1.00 each	1.00 each	1.00 each	1.00 each	1.00 each	3.50 each	3.50 each
Available in sets of	bag of 100	bag of 100	bag of 100	bag of 100	bag of 100	bag of 100	bag of 100

Digital Audio Cables

75Ω S/P DIF



110Ω AES/EBU



Geometry
Metal
Gauge
Dielectric
Shield
Jacket
Terminations

75Ω Coax	
100% PSS Silver	
24 AWG	21 AWG
Hard-Cell Foam	
100% coverage (Copper Foil/Silver-Plated Spiral) Noise-Dissipation System	
Black/silver braid	Black/red braid
RCA or BNC	

110Ω Triple Balanced	
1.25% Silver	100% PSS Silver
22 AWG	24 AWG
Hard-Cell Foam	
100% coverage (Silver-Plated Spiral) Noise-Dissipation System	100% coverage (Copper Foil/Silver-Plated Spiral) Noise-Dissipation System
Black mesh over green Teflon	Black/red braid
XLR	

<i>Other lengths made to order</i>	
1.0 m	3' 4"
1.5 m	5' 0"
2.0 m	6' 7"
3.0 m	9' 10"
4.5 m	14' 9"
5.0 m	19' 9"

EU Retail
350.00
412.50
475.00
600.00
787.50
975.00

EU Retail
650.00
800.00
950.00
1,250.00
1,700.00
2,150.00

EU Retail
250.00
300.00
350.00
450.00
600.00
750.00

EU Retail
650.00
800.00
950.00
1,250.00
1,700.00
2,150.00

Toslink Fiber Optic Digital Audio Cables



Type
Conductor
Jacket

Toslink				
Synthetic Polymer	Synth. -0.20 db/m	Synth. -0.16 db/m	Multi-Fiber	Multi-Quartz
Black	Green Braid	Black/blue braid	Black/red braid	Blue/black/gray braid

For use with Portable Devices

1.0 m	3' 4"
2.0 m	6' 7"
3.0 m	9' 10"
4.5 m	14' 9"
6.0 m	19' 9"
7.5 m	24' 8"
9.0 m	29' 7"
12.0 m	39' 4"
15.0 m	49' 2"
20.0 m	65' 7"

EU Retail
25.00
40.00
55.00
77.50
100.00
122.50
145.00
190.00
235.00
310.00

EU Retail
50.00
75.00
100.00
137.50
175.00
212.50
250.00
325.00
400.00
525.00

EU Retail
85.00
125.00
165.00
225.00
285.00
345.00
405.00
525.00
645.00
845.00

EU Retail
200.00
280.00
360.00
480.00
600.00
720.50
840.00
1,080.00
1,320.00
1,720.00

EU Retail
450.00
570.00
690.00
870.00
1,050.00
1,230.00
1,410.00
N/A
N/A
N/A

EU Retail
3.00 each

SCART Audio/Video Cables



Metal (Video)
Metal (Video)
Dielectric
Shield
Jacket
Terminations

1.25%
LGC Copper
Hard-Cell Foam
Tinned Copper + Foil
Gray PVC
<ul style="list-style-type: none"> • SCART To/From SCART • SCART To/From S-Video+ Audio • SCART To/From Composite Video+ Audio • SCART To RGB + SYNC (up to 6.0 m)

2.5% Silver
LGC Copper
Hard-Cell Foam
Silver Plated + Foil
Black/Blue/Red Braid
<ul style="list-style-type: none"> • SCART To/From SCART • SCART To RGB + SYNC

2.5% Silver
PSC Copper
Hard-Cell Foam
Silver Plated + Foil
Black/Gray/Red/Green/Blue Braid
<ul style="list-style-type: none"> • SCART To/From SCART • SCART To RGB + SYNC

1.0 m	3' 4"
1.5 m	4' 9"
2.0 m	6' 7"
3.0 m	9' 10"
4.5 m	14' 9"
6.0 m	19' 9"
7.5 m	24' 8"
9.0 m	29' 7"
12.0 m	39' 4"
15.0 m	49' 2"
20.0 m	65' 7"

EU Retail
50.00
60.00
70.00
85.00
100.00
120.00
140.00
160.00
200.00
240.00
300.00

EU Retail
100.00
120.00
140.00
160.00
200.00
250.00
N/A
N/A
N/A
N/A
N/A

EU Retail
170.00
200.00
240.00
300.00
400.00
500.00
N/A
N/A
N/A
N/A
N/A

SCART PLUG



21 Pin SCART Plug
Requires Soldering
15mm I.D.

EU Retail
20.00

75Ω Digital Audio/Composite Video/RF Cables



Geometry
Metal
Gauge
Dielectric
Shield
Jacket
Terminations

75Ω Coax		
1.25% Silver		
30 AWG	26 AWG	24 AWG
Hard-Cell Foam		
Foil + Tinned Braid	Foil + Tinned Braid	Foil + Silver-Plated Braid
Off-White	Black	Multi-color Braid
F pin	RCA or F pin	RCA or F pin

1.0 m	3' 4"
1.5 m	5' 0"
2.0 m	6' 7"
3.0 m	9' 10"
4.5 m	14' 9"
6.0 m	19' 9"
7.5 m	24' 8"
9.0 m	29' 7"
12.0 m	39' 4"
15.0 m	49' 2"
20.0 m	65' 7"

EU Retail
N/A
N/A
25.00
29.00
35.00
41.00
47.00
53.00
65.00
77.00
97.00

EU Retail
20.00
22.50
25.00
30.00
37.50
45.00
52.50
60.00
75.00
90.00
115.00

EU Retail
35.00
40.00
45.00
55.00
70.00
85.00
100.00
115.00
145.00
175.00
225.00



Geometry
Metal
Gauge
Dielectric
Shield
Jacket
Terminations
Noise-Dissipation System

75Ω Coax		
2.5% Silver	6.1% Silver	100% PSS Silver
24 AWG		
Hard-Cell Foam		
Foil + Silver-Plated Braid		
Multi-color Braid	Multi-color Braid	Black/Silver Braid
RCA, BNC or F Pin		
No	Yes	Yes


1.0 m	3' 4"
1.5 m	5' 0"
2.0 m	6' 7"
3.0 m	9' 10"
4.5 m	14' 9"
6.0 m	19' 9"
7.5 m	24' 8"
9.0 m	29' 7"
12.0 m	39' 4"
15.0 m	49' 2"
20.0 m	65' 7"

EU Retail
65.00
75.00
85.00
105.00
135.00
165.00
195.00
225.00
285.00
345.00
445.00

EU Retail
125.00
145.00
165.00
205.00
265.00
325.00
385.00
445.00
565.00
685.00
885.00

EU Retail
225.00
275.00
325.00
425.00
575.00
725.00
875.00
1,025.00
1,325.00
1,625.00
2,125.00


S-Video (Y/C) Cables



Geometry	2 x 75Ω Coax		
Metal	1.25% Silver	2.5% Silver	
Dielectric	Hard-Cell Foam		
Shield	Foil + Braid	Foil + Silver-Plated Braid	
Jacket	Black	Multi-colored Braid	
Terminations	4-pin mini-DIN S-Video Plug		

	EU Retail	EU Retail	EU Retail	EU Retail
1.0 m 3' 4"	25.00	35.00	65.00	100.00
1.5 m 5' 0"	30.00	42.50	75.00	117.50
2.0 m 6' 7"	35.00	50.00	85.00	135.00
3.0 m 9' 10"	45.00	65.00	105.00	170.00
4.5 m 14' 9"	60.00	87.50	135.00	222.50
6.0 m 19' 9"	75.00	110.00	165.00	275.00
7.5 m 24' 8"	90.00	132.50	195.00	327.50
9.0 m 29' 7"	105.00	155.00	225.00	380.00
12.0 m 39' 4"	135.00	200.00	285.00	485.00
15.0 m 49' 2"	165.00	245.00	345.00	590.00
20.0 m 65' 7"	215.00	320.00	445.00	765.00


Component Video (Y-Pb-Pr) Cables



Geometry	3 x 75Ω Coax					
Metal	1.25% Silver		2.5% Silver	6.1% Silver	100% PSS Silver	
Gauge	26 AWG	26 AWG	24 AWG	24 AWG	24 AWG	24 AWG
Dielectric	Hard-Cell Foam					
Shield	Foil + Tinned Braid			Foil + Silver-Plated Braid		
Jacket	Black	Multi-colored Braid			Black/Silver Braid	
Terminations	RCA			RCA, BNC or DB-15		
Noise-Dissipation System	No			Yes		


	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
1.0 m 3' 4"	30.00	50.00	80.00	125.00	250.00	650.00
1.5 m 5' 0"	37.50	62.50	97.50	150.00	300.00	800.00
2.0 m 6' 7"	45.00	75.00	115.00	175.00	350.00	950.00
3.0 m 9' 10"	60.00	100.00	150.00	225.00	450.00	1,250.00
4.5 m 14' 9"	82.50	137.50	202.50	300.00	600.00	1,700.00
6.0 m 19' 9"	105.00	175.00	255.00	375.00	750.00	2,150.00
7.5 m 24' 8"	127.50	212.50	307.50	450.00	900.00	2,600.00
9.0 m 29' 7"	150.00	250.00	360.00	525.00	1,050.00	3,050.00
12.0 m 39' 4"	195.00	325.00	465.00	675.00	1,350.00	3,950.00
15.0 m 49' 2"	240.00	400.00	570.00	825.00	1,650.00	4,850.00
20.0 m 65' 7"	315.00	525.00	745.00	1,075.00	2,150.00	6,350.00

HDMI Digital Audio/Video Cables: HDMI Full HD 1080p



Metal	Conductive-Coated Copper	Conductive-Coated Copper	Solid 1.25% Silver	Solid 2.5% Silver	Solid 6.1% Silver
Gauge	30 AWG	28 AWG	28 AWG	26 AWG	
Dielectric	Skin-Foam-Skin Polyethylene				
Termination	HDMI Type A connector				






	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
1.0 m 3' 4"	30.00	60.00	95.00	175.00	275.00
2.0 m 6' 7"	40.00	75.00	120.00	225.00	375.00
3.0 m 9' 10"	50.00	90.00	145.00	275.00	475.00



Gauge	26 AWG	26 AWG	25 AWG	24 AWG	
--------------	--------	--------	--------	--------	--

	EU Retail	EU Retail	EU Retail	EU Retail	EU Retail
3.0 m 9' 10"	50.00	90.00	145.00	275.00	475.00
4.5 m 14' 9"	65.00	112.50	182.50	350.00	625.00
6.0 m 19' 9"	80.00	135.00	220.00	425.00	775.00
7.5 m 24' 8"	95.00	157.50	257.50	500.00	925.00
9.0 m 29' 7"	110.00	180.00	295.00	575.00	1,075.00
12.0 m 39' 4"	140.00	225.00	370.00	725.00	1,375.00
15.0 m 49' 2"	N/A	N/A	445.00	875.00	1,675.00
20.0 m 65' 7"	N/A	N/A	N/A	1,125.00	2,175.00

HDMI Adaptors & Couplers

HDMI 90° W Right Angle Wide Adaptor  Part# 69-051-01 EU Retail 15.00 each	HDMI 90° N Right Angle Narrow Adaptor  Part# 69-046-01 EU Retail 15.00 each	HDMI C > A Adaptor Mini [Type C] to Standard [Type A]  Part# 69-044-01 EU Retail 15.00 each	HDMI A > C Adaptor Standard [Type A] to Mini [Type C]  Part# 69-045-01 EU Retail 15.00 each	HDMI Coupler  Part# 69-050-01 EU Retail 15.00 each
---	---	--	--	---

HDMI Wall Plates


HDMI M1/90°
Wall Plate + Right Angle HDMI Jacks



Part# 69-047-01

EU Retail
25.00 each

HDMI M2
Wall Plate + 2 HDMI Jacks



Part# 69-048-01

EU Retail
40.00 each

HDMI M1/F
Wall Plate + Flexible HDMI Jacks




Part# 69-049-01

EU Retail
30.00 each

CAT5e Cable

RJ45-G
CAT5e/Ethernet/Communication Cable



Metal	Long-Grain Copper	
Gauge	24 AWG	
Dielectric	Solid High-Density Polyethylene	
Termination	RJ45 connector	
EU Retail		
1.0 m	3' 4"	25.00
2.0 m	6' 7"	35.00
3.0 m	9' 10"	45.00
5.0 m	16' 4"	65.00
8.0 m	26' 2"	95.00
12.0 m	39' 4"	135.00

HDMI/DVI Adaptors

DVI-IN > HDMI-OUT
F-DVI to M-HDMI



Part # HDMI/DVIM2F

EU Retail
25.00 each

HDMI-IN > DVI-OUT
F-HDMI to M-DVI



Part # HDMI/DVIF2M

EU Retail
25.00 each

HDMI Extender

HDMI Extender
Full HD 1080p



Part # HDMIEXT

EU Retail
225.00 each

IEEE-1394 (aka FireWire or i.Link) Cables

1394-G 4/4 Braid



1394-G 4/6 Braid



1394-1 4/4 Braid



1394-1 4/6 Braid



1394-3 4/4 Braid



1394-3 4/6 Braid




Metal	Solid 1.25% Silver		Solid 2.5% Silver		Solid 6.1% Silver	
Gauge	28 AWG		26 AWG		26 AWG	
Dielectric	Solid High-Density Polyethylene					
Termination	4 pin to 4 pin	4 pin to 6 pin	4 pin to 4 pin	4 pin to 6 pin	4 pin to 4 pin	4 pin to 6 pin
EU Retail						
2.0 m	6' 7"	35.00	75.00	150.00	200.00	275.00
3.0 m	9' 10"	45.00	100.00	200.00	275.00	
4.5 m	14' 9"	60.00	137.50	275.00		

Instant Tool-less Connectors (ITC): Available in 50 pack bags

ITC 50 Pack with Stickers



It's this easy!



ITC-18

Can be used with most 18 AWG RG-6 size coax cables with OD between 6.0mm & 7.2mm.

Nickel		EU Retail
ITC-18N/F		100.00
P/N 68-009-04		2.00 EA
ITC-18N/RCA		175.00
P/N 68-010-04		3.50 EA
ITC-18N/BNC		225.00
P/N 68-011-04		4.50 EA
ITC-18N EU/Coax M		175.00
P/N 68-013-04		3.50 EA
ITC-18N EU/Coax F		175.00
P/N 68-012-04		3.50 EA
Gold		EU Retail
ITC-18G/F		125.00
P/N 68-009-53		2.50 EA
ITC-18G/RCA		225.00
P/N 68-010-53		4.50 EA
ITC-18G/BNC		275.00
P/N 68-011-53		5.50 EA
ITC-18G EU/Coax F		225.00
P/N 68-012-53		4.50 EA
ITC-18G EU/Coax M		225.00
P/N 68-013-53		4.50 EA

ITC-20

Can be used with most 20 AWG RG-59 size coax cables with OD between 4.9mm & 6.3mm.

Nickel		EU Retail
ITC-20N/F		100.00
P/N 68-004-04		2.00 EA
ITC-20N/RCA		175.00
P/N 68-005-04		3.50 EA
ITC-20N/BNC		225.00
P/N 68-006-04		4.50 EA
ITC-20N EU/Coax M		175.00
P/N 68-008-04		3.50 EA
ITC-20N EU/Coax F		175.00
P/N 68-007-04		3.50 EA
Gold		EU Retail
ITC-20G/F		125.00
P/N 68-004-53		2.50 EA
ITC-20G/RCA		225.00
P/N 68-005-53		4.50 EA
ITC-20G/BNC		275.00
P/N 68-006-53		5.50 EA
ITC-20G EU/Coax F		225.00
P/N 68-007-53		4.50 EA
ITC-20G EU/Coax M		225.00
P/N 68-008-53		4.50 EA

ITC-24

Can be used with 24 AWG ITC based coax cables made by AudioQuest.

Nickel		EU Retail
ITC-24N/RCA		175.00
P/N 68-002-04		3.50 EA
ITC-24N/BNC		225.00
P/N 68-003-04		4.50 EA
Gold		EU Retail
ITC-24G/RCA		225.00
P/N 68-002-53		4.50 EA
ITC-24G/BNC		275.00
P/N 68-003-53		5.50 EA

ITC-26

Can be used with most 25 AWG and 26 AWG size coax cables.

Nickel		EU Retail
ITC-26N/RCA		225.00
P/N 68-068-04		4.50 EA
ITC-26N/BNC		275.00
P/N 68-069-04		5.50 EA
Gold		EU Retail
ITC-26G/RCA		275.00
P/N 68-068-53		5.50 EA
ITC-26G/BNC		325.00
P/N 68-069-53		6.50 EA

Instant Tool-less Connectors (ITC) in 20 Piece Packs

	ITC-18/F	ITC-18/RCA	ITC-18/BNC	ITC-18 EU/Coax F	ITC-18 EU/Coax M	ITC-20/F	ITC-20/RCA	ITC-20/BNC	ITC-20 EU/Coax F	ITC-20 EU/Coax M	ITC-24/RCA	ITC-24/BNC
Part #	68-009-52	68-010-52	68-011-52	68-012-52	68-013-52	68-004-52	68-005-52	68-006-52	68-007-52	68-008-52	68-002-52	68-003-52
EU Retail	50.00 2.50 EA	90.00 4.50 EA	110.00 5.50 EA	90.00 4.50 EA	90.00 4.50 EA	50.00 2.50 EA	90.00 4.50 EA	110.00 5.50 EA	90.00 4.50 EA	90.00 4.50 EA	90.00 4.50 EA	110.00 5.50 EA

Color Bands for ITC Connectors



Silicon rubber bands fit all ITC connectors – even after they're attached to the cable – for easy cable identification. Available in bags of 20. One color per bag – no mixed colors. Available in 10 colors (please see above).

EU Retail

3.00
Bag of 20

Instant Tool-less Connectors (ITC): Retail Packaging

OSS-18/24
(ITC One-Step Stripper for 18 & 24 AWG) (68-064-01)

Stripping tool for all ITA, ITV, HD6 & MAC cables.

EU Retail
15.00

Component Video ITC-24/3RCA
(68-014-54)

1 x ITC-24/RCA plug with Red band
1 x ITC-24/RCA plug with Green band
1 x ITC-24/RCA plug with Blue band

EU Retail
16.50/3 pack

Digital Audio/Subwoofer/Video ITC-18/2RCA (68-019-51)

2 x ITC-18/RCA plugs with Purple bands

EU Retail
11.00/2 pack

2 Channel Audio ITC-24/4RCA (68-016-55)

2 x ITC-24/RCA plug with Red bands
2 x ITC-24/RCA plug with White bands

EU Retail
22.00/4 pack

Component Video ITC-24/3BNC (68-015-54)

1 x ITC-24/BNC plug with Red band
1 x ITC-24/BNC plug with Green band
1 x ITC-24/BNC plug with Blue band

EU Retail
19.50/3 pack

Component Video ITC-18/3RCA (68-020-54)

1 x ITC-18/RCA plug with Red band
1 x ITC-18/RCA plug with Green band
1 x ITC-18/RCA plug with Blue band

EU Retail
16.50/3 pack

5.1 Audio ITC-24/12RCA
(68-017-56)

Includes 2 each of red, white, blue, black, green and purple bands

EU Retail
66.00/12 pack

Antenna/Satellite/Cable ITC-18/2F (68-018-51)

2 x ITC-18/F pins with Blue bands

EU Retail
9.00/2 pack

Component Video ITC-18/3BNC
(68-021-54)


1 x ITC-18/BNC plug with Red band
1 x ITC-18/BNC plug with Green band
1 x ITC-18/BNC plug with Blue band

EU Retail
19.50/3 pack

ITC Cables: ITA, ITV, HD-6, MAC3, MAC6+ (CL3/FT4)

ITA: 2 Channel (easy pull-apart) Instant Tool-less Audio – Use ITC-24


ITV: Instant Tool-less Video – Use ITC-24



Center Conductor Metal	Long-Grain Copper	Perfect-Surface Copper	Perfect-Surface Copper+	1.25% Silver	2.5% Silver	6.1% Silver
Neg. Conductor/Shield	LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz	Foil+Tinned Braid	Silver-Plated Braid	Silver-Plated Braid
EU Retail	6.00/m	12.00/m	20.00/m	4.50/m	7.00/m	11.50/m
76 m spool (250 ft.)	N/A	912.00	1520.00	N/A	N/A	N/A
152 m spool (500 ft.)	912.00	N/A	N/A	684.00	1064.00	1748.00
305 m spool (1000 ft.)	1830.00	N/A	N/A	N/A	N/A	N/A


MAC3 and MAC6+: 75Ω Multi-Application Coax – Use ITC-24

MAC3 (3 Video)
3 x 75Ω (Red, Green, Blue)



Dark Gray Off-White

MAC6+ (4 Video/2 Audio + CAT5e)
- 4 x 75Ω Coax (Red, Green, Blue & Yellow) for Video
- 2 x 75Ω Solid Copper Coax (Black & White) for Audio and/or Video
- 1 x CAT 5e/350 MHz



Off White
Dark Gray

MAC3

MAC6



Audio: Metal (MAC6 only)	LGC	LGC	LGC	PSC
Audio: Shield (MAC6 only)	Foil + Al HyperLitz	Foil + LGC HyperLitz		
Noise-Dissipation System	No			Yes
Video: Center Metal	LGC	1.25% Silver	2.5% Silver	6.1% Silver
Video: Shield	Foil + Tinned Braid	Foil + Tinned Braid	Foil + Silver-Plated Braid	
Noise-Dissipation System	No			Yes
Model	MAC3/A	MAC3/G	MAC3/1	MAC3/3
EU Retail	10.00/m	13.00/m	20.00/m	32.50/m
76 m spool (250 ft.)	760.00	1216.00	1520.00	2470.00
152 m spool (500 ft.)	1520.00	1976.00	N/A	N/A
Model	MAC6+/A	MAC6+/G	MAC6+/1	MAC6+/3
EU Retail	19.50/m	25.00/m	35.00/m	50.00/m
30 m spool (100 ft.)	585.00	750.00	1050.00	1500.00
76 m spool (250 ft.)	1520.00	1900.00	2660.00	3800.00

Simple screw on MAC3/MAC6 breakouts

EU Retail

25.00 per 10 pack. (MAC3 or MAC6)

HD6: 18 AWG 75Ω Cables (Video, RF, Subwoofer) – Use ITC-18



Center Metal	Conductive-Coated Copper	1.25% Silver	1.25% Silver	2.5% Silver	6.1% Silver
Shield	100% coverage Triple Shield Foil + 90% Braid + Foil		Foil + 95% Silver-Plated Braid + Foil	Quad Shield: Foil + 95% Silver-Plated Braid + Foil + Carbon Layer	
Jacket Color Choices: CL3/FT4	Off-White	Off-White	Off-White	Off-White	Off-White
	Red	Red Stripe on Black	Red Stripe on Gray	Red Stripe on Blue	Black Stripe on Red
	Green	Green Stripe on Black	Green Stripe on Gray	Green Stripe on Blue	Black Stripe on Green
	Blue	Blue Stripe on Black	Blue Stripe on Gray	Light-Blue Stripe on Blue	Black Stripe on Blue
	Yellow	Yellow Stripe on Black	Yellow Stripe on Gray	Yellow Stripe on Blue	N/A
	Dark-Gray	Light-Gray Stripe on Black	Black Stripe on Gray	Black Stripe on Blue	N/A
EU Retail	2.00/m	4.00/m	6.00/m	10.00/m	20.00/m
76 m spool (250 ft.)	N/A	N/A	456.00	760.00	1520.00
152 m spool (500 ft.)	304.00	608.00	912.00	1520.00	3040.00
305 m spool (1000 ft.)	610.00	1220.00	N/A	N/A	N/A

CL3/FT4 Custom Installation Speaker Cables: Spools



Flexible Series (FLX): CL3/FT4

	FLX-DB 16/2	FLX-DB 16/4	FLX-DB 16/4+ (16/4 + CAT5e)	FLX-DB 14/2	FLX-DB 14/4
Gauge	2 x 16 AWG (1.31 mm ²)	4 x 16 AWG (1.31 mm ²) 2 x 13 AWG (2.63 mm ²)	4 x 16 AWG (1.31 mm ²) 2 x 13 AWG (2.63 mm ²)	2 x 14 AWG (2.08 mm ²)	4 x 14 AWG (2.08 mm ²) 2 x 11 AWG (4.17 mm ²)
Conductors	Semi-Solid Concentric Packing				
Jacket Color	Direct Burial/Off-White				
Metal	Long-Grain Copper				
Foot Markers	Sequentially numbered 1-500 ft. or 1-1000 ft.				
EU Retail	2.63/m	4.28/m	6.58/m	3.62/m	5.92/m
152 m spool (500 ft.)	400.00	650.00	1000.00	550.00	900.00
304 m spool (1000 ft.)	800.00	1300.00	2000.00	1100.00	1800.00
CAT5e bundle	No	No	Yes	No	No

Solid Conductor HyperLitz: CL3/FT4

	4-Series			8-Series	
	Type 2	Type 4	CV-4	Type 8	CV-8
Gauge	16 AWG (1.31 mm ²)	15 AWG (1.65 mm ²)	15 AWG (1.65 mm ²)	13 AWG (2.63 mm ²)	13 AWG (2.63 mm ²)
Metal	Solid LGC			Solid LGC/PSC	
Jacket Colors Choice	- Dark-Gray - Off-White	- Blue - Off-White	- Black - Off-White	- Dark-Gray	- Black
Single Bi-Wire?	No	No	No	Yes	Yes
Foot Markers	Sequentially numbered 1-164 or 1-328 ft.			Sequentially numbered 1-164	
EU Retail	8.25/m	13.25/m	32.50/m	32.50/m	82.00/m
Available in	(100m/328 ft.)	(100m/328 ft.)	(50m/164 ft.)	(50m/164 ft.)	(50m/164 ft.)

	Rocket 33	Rocket 44	Rocket 88
Gauge	14 AWG (2.08 mm ²)	13 AWG (2.63 mm ²)	13 AWG (2.63 mm ²)
Metal	Solid LGC/PSC Copper	Solid PSC/LGC Copper	Solid PSC+/PSC Copper
Jacket Colors Choice	Black with red stripes	Black with black stripes	Black with green stripes
Single Bi-Wire?	Yes	Yes	Yes
Foot Markers	Sequentially numbered 1-164 or 1-328 ft.		
EU Retail	16.50/m	32.50/m	52.50/m
Available in	(50m/164 ft.) (100m/328 ft.)	(50m/164 ft.)	(50m/164 ft.)

Rocket Termination Pants		
	Full Range	
Pants available for Rocket 33, 44, and 88		
	Full Range	Single Bi-Wire
EU Retail	12.00	12.00

Tonearm Cables

Wildcat Tonearm Cable

Retail

75.00/1.5 m

Solid PSC conductors. Silver/gray braided jacket.
5-pin JIS plug to 2 x RCA plugs + ground



Cougar Tonearm Cable with 48V DBS

48V DBS

Retail

300.00/1.5 m

Solid PSC+ conductors. Black braided jacket.
5-pin JIS plug to 2 x RCA plugs + ground



LeoPard Tonearm Cable with 72V DBS

72V DBS

Retail

650.00/1.2 m 900.00/2 m

Solid PSS silver conductors in Teflon Air-Tubes. Noise-Dispersion System. . Right angled or straight machined-barrel 5-pin JIS plug to 2 x RCA plugs + ground.

Also Available with XLRs

Also Available 2 x RCA



Vinyl Accessories

Sorbothane Self Stick Sheet

6" x 6" x 0.10" sheet can be cut to size to damp anything

Master Carton = 10 sheets

Retail

20.00 each



SorboGel Record Mat

Greater clarity and dynamic contrast from damping record and glass or metal platters.

Master Carton = 10 mats

Retail

95.00 each



Record Brush

Contains more than 1,000,000 conductive carbon fibers for effective record cleaning. Works on LCD screens & keyboards, too!

Retail

20.00 each



HL-5 Headshell Leads

Silk wrapped Linear-Crystal Copper litz conductors.


Retail

20.00/set of 4



Accessories

SorboGel Q Feet System



Set of 4 energy absorbing feet with "tray" which improves performance and protects furniture. Each Foot supports up to 8 lbs. (4 kg.)



Master Carton = 10 set

Retail

125.00/set of 4

Glass and Plastic Cleaning Kit



CleanScreen
Video Monitor Cleaning Kit
Alcohol-free, no-drip gel.
Microfiber cloth included.
Safe on all surfaces

Master Carton = 10 pieces

Retail

25.00 each

PSC BiWire Jumpers

Solid PSC Copper Jumpers replace stamped cheaters supplied with BiWirable speakers.

4" x 4"

Choose:

- BiWire Jumpers-G (Direct-Gold Plated)
- or
- BiWire Jumpers-S (Direct-Silver Plated)

Master Carton = 10 sets of 4



Retail

20.00/set of 4

Binding Post Wrench

Quality double-ended nut driver with metal inserts.

Fits 7/16" & 1/2" binding posts.

Master Carton = 30 pieces



Retail

10.00 each

PreAmp Jumpers

Solid PSC+ conductors in PE Air Tubes. Replaces factory fitted "U" jumpers on integrated amps & receivers.

Master Carton = 10 pairs



Retail

25.00 each

Voltage Upgrade Kit for DBS

FOR USE WITH EXISTING DBS CABLES ONLY.

Voltage value is additive.

Kit includes:

- 2 x 72V DBS packs (inc. batteries)
- 4 x Velcro bands



Retail




150.00/kit

Audio/Video Adaptors, Couplers, Connectors & Splitters




Connectors

RCA-300 Fits cables up to 7.0 mm. O.D. Gold plated. Requires soldering.						
	#300 Male	#300 Female				
EU Retail	20.00/Set of 4	20.00/set of 4				
RCA-800 #800 Premium RCA Plugs Fits cables up to 9.0 mm. O.D. Direct-Silver Plated. Requires soldering						
Retail						
50.00/set of 4						
S-20 S-Video Plugs Fits S-Video cables up to 6 mm. X 12 mm. O.D. Gold plated. Requires soldering						
Retail						
20.00/each						
XLR Connectors Fits cables up to 9.0 mm. O.D. Direct-Silver Plated. Requires soldering.						
	#81 Male	#80 Female				
EU Retail	30.00/pair	30.00/pair				
Right-Angle RCA, BNC and F Pin Plugs Fits cables up to 7.5 mm. O.D. Gold plated. Requires soldering.						
	RCA-R/A	BNC-90°	F-90°			
EU Retail	20.00/pair	20.00/pair	20.00/pair	RCA	BNC	F
DB-15 Connectors aka SVGA plugs. Direct-Silver Plated. Requires soldering.						
	Male	Female				
EU Retail	9.00/each	9.00/each				




75Ω Splitters: 5MHz-2GHz

F>2F 1 x Female F to 2 x Female F	
Retail	
15.00	
F>3F 1 x Female F to 3 x Female F	
Retail	
20.00	
F>4F 1 x Female F to 4 x Female F	
Retail	
25.00	




Couplers

HDMI Coupler Part# 69-050-01	
Retail	
15.00/each	
F<>F Female F to Female F	
Retail	
5.00/each	
RCA<>RCA Female RCA to Female RCA	
Retail	
5.00/each	




Video Adaptors

S-Video<>F (2 x Female F to Male S-Video) Solid 2.5% Silver conductor & Silver-Plated shield. 15cm (6") long.	
Retail	
30.00	
DB-15 / YIQ (M or F DB-15) (To or From) (3 RCA or F)	
Retail	
40.00	
DB-15 / RGBHV (M or F DB-15) (To or From) (5 RCA or F)	
Retail	
50.00	

Adaptors

RCA<>BNC Female RCA to Male BNC.	
Retail	
5.00/each	
F>RCA MALE Female F to Male RCA	
Retail	
5.00/each	
F>BNC MALE Female F to Male BNC.	
Retail	
5.00/each	

90° Adaptors

RCA 90° Female RCA to Right-Angle Male RCA.			
Retail			
5.00			
HDMI 90° W Right Angle Wide Adaptor Part# 69-051-01		HDMI 90° N Right Angle Narrow Adaptor Part# 69-046-01	
Retail		Retail	
15.00		15.00	

AC Power Cables

IEC-C7

2 Pole (Wall to IEC-C7)



Geometry

Metal

Gauge

Jacket

Terminations

NRG-1

Star-Quad HyperLitz

Solid LGC

2 x 16 AWG

Black/blue/gray braid

2 pole wall plug to C7 connector

NRG-1.5

Star-Quad HyperLitz

Solid PSC+

2 x 16 AWG

Black/red/gray braid

2 pole wall plug to C7 connector

EU Retail

60.00

75.00

95.00

145.00

EU Retail

105.00

150.00

210.00

360.00

0.9 m 3 ft.

1.8 m 6 ft.

3.0 m 10 ft.

6.1 m 20 ft.

IEC-C15

3 Pole (Wall to IEC-C15)



Geometry

Metal

Gauge

Jacket

Terminations

NRG-2

Counter-Spiral HyperLitz

Solid LGC

3 x 13 AWG

Black/gray/green braid

3 pole wall plug to IEC connector

NRG-3

Counter-Spiral HyperLitz

PSC

3 x 13 AWG

Black/blue/red braid

3 pole wall plug to IEC connector

NRG-5

Counter-Spiral HyperLitz

PSC+

3 x 13 AWG

Black/gray/red braid

3 pole wall plug to IEC connector

EU Retail

105.00

150.00

210.00

360.00

EU Retail

210.00

300.00

420.00

720.00

EU Retail

455.00

650.00

910.00

1,560.00

0.9 m 3 ft.

1.8 m 6 ft.


3.0 m 10 ft.

6.1 m 20 ft.

Female to Right-Angle Male IEC Adaptors

Premium single-piece metal conductors from input to all outputs preserve advantages of superior AudioQuest NRG Series AC cables.


IEC-90/1



EU Retail

15.00

IEC-90/2



EU Retail

15.00

IEC>3US Power Strip



EU Retail

35.00

