

## HP Designjet T1100 MFP

A trusted choice for demanding professionals



Whether you're working with line drawings, maps, images, or posters, this HP multifunction printer helps you copy, scan, and print all your large-format documents quickly using one convenient, integrated device And with HP Vivera inks, you get high-quality results every time.

# Superior color and black-and-white copy, scan, and print results

- Scan any document and see excellent results with 3 CCD camera scanning technology —with up to 9600 dpi resolution and 0.1% line accuracy—achieve a high level of detail, matching your originals.
- Copy anything from line drawings to complex maps or images. See impressive color accuracy—including black and gray tones—over a range of applications.
- Professional prints—HP Vivera inks with the Threeblack ink set produce a wide range of colors and fine detail. With the addition of gray ink in the HP Threeblack ink set, you achieve more accurate color, dark blacks, and true neutral grays, so prints have smooth area fills, more depth, and more subtle contrasts.
- Fast-drying, smudge-resistant prints—HP Vivera inks are designed together with a range of Original HP media. HP Vivera inks achieve excellent dry times, producing prints with excellent smudge-resistance on over 20 Original HP media substrates.

# Quickly and effectively performs three functions in one

- This HP MFP scans, copies, and prints your projects quickly, so you're back to business in no time. Create one A1
   (D)-sized copy up to four times faster than with the HP Designjet 820 MFP¹—and realize even faster speeds when producing numerous high-quality copies of your original documents.
- Print and scan quickly—fast processing speed makes short work of large files. The HP Designjet T1100 MFP comes standard with an integrated, embedded operating system and a fast Intel® Pentium® IV processor. In addition, with this printer's in-printer processing architecture and 40 GB hard disk drive, files are processed in the printer rather than on your workstation so you can send a file reliably to the printer and get back to work quickly.
- Advanced copy features simplify tasks and expand your options. Skew is rarely a problem when you use the autoalignment option to load and preview your original. Use the nesting option to save media, and make extra-large enlargements easily with the paneling option. You can also perform batch scanning with auto-naming and track your output by using the integrated accounting features.

Control printing functions easily and efficiently with the
Job Center and the HP Embedded Web Server. Control the
progress and priorities of your print jobs without walking
to the printer. With batch printing, instead of opening
individual files and changing their settings, drag and drop
your batch of files to the Job Center<sup>2</sup> for easy reprinting.
And, if you're copying, don't worry about losing time;
copy jobs have priority over print jobs.

#### Intuitive, effortless operation

- Easy operation saves training time and costs. Even untrained users can easily master operation and immediately copy, scan, and print large-format documents by using the graphical touchscreen display and intuitive software.
- Assume greater control over your final output. Fast preview
  advanced color and image quality adjustment options not
  only ensure you get the expected quality with your very
  first copy, but they help improve the quality of damaged or
  weathered originals with a background cleaning option.
- Boost productivity with preconfigured drivers and network connectivity—including scan-to-network functionality. This MFP is fully compatible. Easily print scanned documents directly to almost any HP Designjet printer.<sup>3</sup> Built-in scanto-network capabilities foster productivity with fewer steps. Easily save scanned files in PDF, TIFF, JPEG 2000, and DWF file formats.
- Easily maintain and manage this printer and its supplies with HP Easy Printer Care.

# Convenient, integrated single-vendor solution

- Convenient single-vendor solution—built together to work together. Bi-directional capabilities between the printer and scanner provide built-in intelligence, enabling you to get basic printer-status information and access the printer queue.
- Integrated multifunction solution saves valuable workspace with single footprint.
- (1 Using plain paper in best mode for a 36-in. color CAD original
- (2 Files supported by HP-GL/2, CALS G4
- (3 Fully compatible with HP Designjet 500, 800, 1000, 4000, 4500, 5000, 5500, T610, T1100, Z2100, Z3100, Z6100 series products

## HP Designjet T1100 MFP

- Scanning speed of 2-in (50.8 mm) per second for color and 6-in (152 mm) per second for mono originals (400 dpi Turbo)
- 2. Print A1 (D)-sized documents in up to 35 seconds per page
- 15-in touchscreen graphical display for easy, intuitive operation
- Fast preview enables greater control over final output
- **5.** DVD/CD reader/writer to save files directly to disc
- **6.** Built-in fast image processing for excellent copy and scan performance
- Intuitive software provides easyto-use scanning, copying, and network printing
- **8.** The integrated product design saves workspace
- **9.** Print output basket for high volume batch jobs
- **10.** High scanning quality and speeds, excellent 3D scanning capability







- Accurate color
- Dark blacks
- True neutral grays
- Smooth area fills
- · Subtle contrasts, from the most vivid color to the softest tones



#### Triple 4-linear CCDs camera scanning technology

- Superior scanning quality: Color CCD technology includes three digital cameras with four arrays with RGB filters that separate color components and panchromatic BW filter to ensure superior quality on grayscale
- High application versatility
- Better results with previously folded paper
- Lower maintenance costs: modular technology, many customerreplaceable parts
- Can reach high scanning speeds thanks to powerful illumination and processing capabilities
- More tolerant to dust

## A trusted choice for demanding professionals

## **Printing**

### Achieve professional prints a wide range of color and fine details



- 1. Uniform lines
- 2. Neutral grays and deep blacks
- 3. Accurate color
- 4. Crisp text

### Copying

See impressive accuracy for any kind of original

#### Settings specially optimized for:

- CAD
- Map
- Brochure (line and text)
- Photo



Improved quality for damaged document thanks to the background cleaning feature

### Scanning

#### Scan to many different locations







CD/DVD

Scanner har drive

Network

#### Scan original up to 0.6-in thick



# Scan to many industry standard formats



#### Intuitive Software



### Touchscreen fast preview ensure greater control over final output



"The HP Designjet T1100 MFP not only scans and prints at amazing speeds, it includes a host of convenient job management features, like batch printing, queue management, scan to PDF and scan to network, that really save time and greatly simplify our workflow."

Peter Frode Vandrup - Printer Operator - Ramboll

## HP Designjet T1100 MFP

#### **Technical specifications**

int	
Print speed <sup>1</sup>	Line drawings: 35 sec D/A1 on plain media in Fast Economode, 52 D/A1 per hour on plain
	media in Fast mode; Color images: 445 ft²/hr (41 m²/hr) on coated media in Fast mode,
	30 ft²/hr (2.8 m²/hr) on glossy media in Best mode
Print resolution maximum	2400 x 1200 optimized dpi
Margins	<b>Roll:</b> $0.2 \times 0.2 \times 0.2 \times 0.2$ in/5 x 5 x 5 x 5 mm (borderless on photo papers)
	Sheet: 0.2 x 0.67 x 0.2 x 0.2 in/5 x 16.75 x 5 x 5 mm
Technology	HP Thermal Inkjet
Print cartridge colors	Cyan, gray, magenta, matte black, photo black, yellow
Ink types	HP Vivera inks
<b>,</b> '	
Ink drop	6 pl (cyan, magenta, photo black, gray), 9 pl (yellow, matte black)
Ink cartridge size	69 ml (photo black, cyan, magenta, yellow, gray)
	130 ml (matte black, photo black, cyan, magenta, yellow, gray)
Minimum line width	0.002 in/0.0423 mm
Line accuracy	+/- 0.1%2
an	
Scan speed	Color (200 dpi/400 dpi Turbo): 2 in/sec (51 mm/sec)
	Black-and-white (200 dpi/400 dpi Turbo): 6 in/sec (152 mm/sec)
Scan/copy resolution	Enhanced mode: 9600 x 9600 dpi with variable resolution settings from 50 dpi in
	increments of 1 dpi
	Best mode: color and black-and-white: 300 x 300 dpi
	Normal mode: color and black-and-white: 200 x 200 dpi
	<b>Draft mode:</b> color and black-and-white: 150 x 150 dpi
Maximum scan width	42 in (1067 mm)
Maximum scan thickness	0.6 in (15 mm)
Line accuracy	+/- 0.3 % (Y axis), +/- 0.1% (X axis)
,	+/-0.5 % (1 dxis), +/-0.1 % (A dxis)
De duction / orderes	1 +- 100009/
Reduction/enlargement	1 to 10000%
Maximum copies	1000 copies
Copier settings	Type of original, image crop and align preview, lightness, saturation and RGB controls,
	sharpen/blur, mirror copy, enlarge/reduce, paneling, tiling, nesting, accounting, batch
edia handling	
	Printer: Roll feed, sheet feed, automatic cutter
	Scanner: Sheet feed
edia types	
	Printer: Bond and coated paper (bond, coated, heavyweight coated, super heavyweight coated,
	super heavyweight plus matte, colored), photographic paper (satin, gloss, semi-gloss, matte, high-
	gloss), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester),
	backlit, selfadhesive (two-view cling, indoor paper, polypropylene, vinyl)
	Scanner: Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic film, plastic laminate, foam
	board, cardboard. (No plywood, stone plates, metal plates or abrasive, dirty, rough, sharp edged
	metal clamped, burned surfaces, transparencies.)
ococcing and memory	meiar dampea, pomea sonaces, nansparencies.)
ocessing and memory	<b>District</b> Late (0) Contrict (0) and the COO AND Contrict (0) AND Contrict
	Printer: Intel® Centrino® mobile 600 MHz, 256 MB memory, 40 GB hard disk
	Scanner: Intel Pentium 4 2.8 GHz, 1 GB memory, 40 GB hard disk
onnectivity	
Interfaces (standard)	Printer: One 10/100/1000BT Ethernet RJ-45 port, one Hi-Speed USB 2.0 certified port, one EIO
	Jetdirect accessory slot;
	C
	Scanner: One 10/100BT Ethernet RJ-45 port, one Hi-Speed USB 2.0 certified port, one FireWire®
Print languages	Scanner: One 10/100B1 Ethernet RI-45 port, one Hi-Speed USB 2.0 certified port, one HireWire® Adobe® PostScript® 3™, Adobe PDF 1.6, HP-GL2/RTI, CALS G4, TIFF, JPEG, HP PCL 3 GUI
Print languages Drivers (included)	·

(1 Mechanical printing time

(2 ±0.1% of the specified vector length or ±0.1 mm (whichever greater) at 23° C (73° F), 50-60% relative humidity, on E/AO printing material in Best or Normal mode with HP Matte Film

Environmental ranges	
Operating temperature	41 to 104° F / 5 to 40° C
Recommended operating temperature	64 to 90° F/ 18 to 32° C
Storage temperature	-4 to 131° F/ -20 to 55° C
Operating humidity	20 to 80% RH
Acoustic	
Sound pressure, active	55 dB(A)
Sound pressure, standby	42 dB(A)
Sound power, active	6.9 B(A)
Sound power, standby	5.8 B(A)
Power consumption	
Maximum	330 watts
Powersave	44.4 watts
Off	1.69 watts
Power requirements	Input voltage (autoranging): 100 to 240 V ac (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 amp max
Certification	
Safety	Compliant with ITE requirements including USA and Canada (CSA certified), EU (LVD and EN60950-1
	compliant), Russia (GÓST), Singapore (PSB), China (CCC), Argentina (IRAM)
Electromagnetic	Compliance for Class A ITE products: EU (EMC Directive), USA (FCC Rules), Canada (DoC), Australia
, and the second	(ACA), New Zealand (MoC), China (CCC), Japan (VCCI); Certified as Class A product: Korea (MIC),
	Taiwan (BSMI)
Environmental	RoHS, WEEE
Warranty	
	One-year, next-business-day, on-site warranty
Service and support	
Care packs	UH467A/E HP 3 year next business day hardware support
	UH468E HP 4 year next business day hardware support
	UH469E HP 5 year next business day hardware support
	UH473A/E HP 3 year, 4 hour response time, 13x5 same day on-site hardware support
	UH474E HP 4 year, 4 hour response time, 13x5 same day on-site hardware support
	UH475E HP 5 year, 4 hour response time, 13x5 same day on-site hardware support
	UH476PE HP 1 year, post warranty, next business day hardware support
	UH478PE HP 1 year, post warranty, 4 hour response time, 13x5 same day on-site hardware support
	H7604E HP hardware installation
	H4518E HP installation with network configuration

Dimensions (w x d x h)	
MFP	74.8 x 39.4 x 63.0 in
	1900 x 1000 x 1600 mm
Shipping	77.6 x 31.1 x 57.1 in
	1970 x 790 x 1450 mm
Weight	
MFP	440 lb/200 kg
Shippina	588 lb/267 kg

Printer, printheads (3 x 2 colors each), introductory ink cartridges, coated paper sample roll (24 in x 25 ft), 44-in stand, 44-in rear tray, 3-in spindle adaptor kit, quick reference guide, setup poster, legal document, doc and drivers DVD, Autodesk Design Review CD, customer service guide, Ethernet cable, printer power cord, scanner, scanner stand, panel PC, calibration sheet, plastic dust cover, A2 protection transparent sheet, system recovery DVD, keyboard, maintenance kit, assembly kit, USB cable, FireWire cable, scanner power cord

assembly kir, USB cable, Firevvire cable, scanner power cora			
Ordering	; information		
Product			
Q6713A			
Accessories			
Q6709A			
J7934G			
J7997G			
J7961G			
Original HP	printheads Printheads		
C9380A			
C9383A			
C9384A			
	ink cartridges with HP Vivera inks		
C9397A			
C9398A			
C9399A			
C9400A			
C9401A			
C9403A			
C9370A			
C9371A			
C9372A			
C9373A C9374A			
Original HP			
Q6627A	HP Super Heavyweight Plus Matte Paper 36 in x 100 ft		
Q002/A			
Q6628A			
C6030C			
C6569C			
Q1956A			
C6019B			
C6020B			
C6980A			
C6035A			
640044			
C6036A			
C(0104			
C6810A			
Q1397A C3868A			
C3875A			
51642B			
Q1427A			
C.112771			
Q1421A			
Q8834A			
Q1442A			
Q1441 A			
Q1445A			
Q1444A			
More HP	media sizes and weights available at:		

More HP media sizes and weights available at: www.hp.com/go/designjet/supplies















#### VIVERG

© Copyright 2007, 2008 Hewlett-Rackard Development Company, IP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Intel, Pentium, and Intel Centrino are trademarks of Intel Corporation in the U.S. and other countries. Windows is a U.S. registered trademark of Microsoft Corporation. FireVive is a trademark of Apple Computer, Inc., registered in the U.S. and other countries. Adobe and PostScript 3 are trademarks of Adobe Systems Incorporated.

For more information, visit our website at:

www.hp.com/go/designjetT1100MFP

