

Recommended ICY DOCK Storage Kits for HP Z420 Workstation

Choose the category to see product selections



FOR EXTERNAL 5.25" DRIVE BAY



2.5" SSD/HDD CAGES

Ideal for High IOPS Setup

- Fits up to 8x 2.5" SSD/HDD
- Uses only 1x 5.25" drive bay
- Selection from 3 bays to 8 bays

[VIEW ITEMS](#)



3.5" HDD MOBILE RACK

Ideal for SMB Backup or Forensic

- Fits 1x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)



3.5" HDD CAGES

Ideal for High Capacity RAID Setup

- Fits up to 3x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)



5.25" CONVERSION KITS

Ideal for Multimedia Applications

- Converts your external 5.25" drive bay into 2.5" or 3.5" slots
- Hot-swap version is available

[VIEW ITEMS](#)

FOR EXTERNAL 3.5" DRIVE BAY



2.5" SSD MOBILE RACK

Ideal for Hybrid Storage Config

- Fits up to 3x 2.5" SSD/HDD
- Heavy duty full metal design
- Selection from 1 bay to 3 bays

[VIEW ITEMS](#)

FOR INTERNAL 3.5" HARD DRIVE BAY



2.5" SSD/HDD CONVERTERS

Ideal for System Drive Upgrades

- Compatible with HP HDD sled
- Fits 1x 2.5" SSD/HDD
- Tool-less drive installation
- RAID version is available

[VIEW ITEMS](#)



2.5" SSD/HDD MOUNTING KITS

Ideal for System Drive Upgrades

- Compatible with HP HDD sled
- Fits up to 2x 2.5" SSD/HDD
- Tool-less drive installation
- Full metal version is available

[VIEW ITEMS](#)

Highest Storage Density



ICY DOCK ToughArmor MB998SP-B

- Fits up to 8x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 7mm height
- Dual 40mm cooling fans keep drives cool
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x8	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Best Price-Performance Ratio



ICY DOCK ToughArmor MB996SP-6SB

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x6	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Best Drive Compatibility



ICY DOCK ToughArmor MB994SP-4S

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Power Efficient Design



ICY DOCK ToughArmor MB994SP-4SB-1

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Fan On / Off control
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Max Drive Security



ICY DOCK ToughArmor MB994SK-1B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- Key lock for each tray keeps drives secure
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

Best for Multimedia Computing



ICY DOCK ToughArmor MB994IPO-3SB

- Fits up to 2x 2.5" drive + 1 x12.7mm height slim ODD in 1 x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x2 ODD x1	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

Best Value



ICY DOCK ExpressCage MB324SP-B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 12.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

Best Value with Density



ICY DOCK ExpressCage MB326SP-B

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x6	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

High Speed Data Storage



ICY DOCK ToughArmor MB699VP-B

- Fits 4x 2.5" NVMe U.2 SSD in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Dual 40mm cooling fan w/ fan speed control
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

Ideal For High IOPS System



ICY DOCK ToughArmor MB516SP-B

- Fits 16x 2.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Large 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

5.25" Bay x2	2.5" x16	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

Complete Tray-less Design



ICY DOCK flexiDOCK MB524SP-B

- Fits 4x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Individual power & eject buttons
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■

Max Drive Stability



ICY DOCK DataCage Basic MB876SK-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with FatCage series
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Maximum Cooling



ICY DOCK TurboSwap MB171SP-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Slim 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

5.25" Bay x1	3.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Multi-Funtion 3.5" Bay & ODD



ICY DOCK DuoSwap MB971SPO

- Fits 1x 3.5" drive and 1 x ODD in 1x 5.25" bay
- Supports SATA HDDs & Ultra Slim ODD
- Tray-less drive installation, design for hot-swap
- On/off slide switch & drive ejection button
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1 ODD x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Fits both 2.5" & 3.5" Drives



ICY DOCK DuoSwap MB971SP-B

- Fits 1x 2.5" and 1x 3.5" drives in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Individual drive power & drive ejection button
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1 2.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Best Drive Stability



ICY DOCK FatCage MB153SP-B

- Fits up to 3x 3.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- User replaceable 80mm cooling fan
- Hot swappable drive tray design
- ICY DOCK 3-year limited warranty

5.25" Bay x2	3.5" x3	Cooling Efficiency	■ ■ ■ ■ □
		Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Made for Hot Swap



ICY DOCK FlexCage MB973SP-1B

- Fits up to 3x 3.5" drive in 2x 5.25" bay
- Tray-less drive installation, design for hot-swap
- User replaceable 80mm cooling fan
- Fan speed control (high, low & auto)
- Simple version of MB973SP-2B

5.25" Bay x2	3.5" x3	Cooling Efficiency	■ ■ ■ ■ □
		Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

↓ **5.25" BAY CONVERSION KITS**

🏠 **BACK TO HOME**

High Storage Density Design



ICY DOCK FLEX-FIT MB343SP

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device

5.25" Bay x1	3.5" X1 2.5" X2	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Made Easy for Drive Swapping



ICY DOCK ExpressCage MB322SP-B

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Hot-swappable 2.5" drive tray design

5.25" Bay x1	3.5" X1 2.5" X2	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Cost Effective Bracket



ICY DOCK Quattro MB344SP

- Mounts up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Cost-effective solution for drive upgrades
- Can be used as stackable organizing storage rack

5.25" Bay x1	2.5" X4	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Multifunctional Bracket



ICY DOCK Flex-Fit Trio MB343SPO

- Fits 1x 3.5" drive + Ultra Slim ODD in 1x 5.25" bay
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Cost-effective solution for drive upgrades

5.25" Bay x1	2.5" X2 ODD x1	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Best Drive Compatibility



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB991SK-B / MB991SK-B

- Fits 1x 2.5" drive from 5 - 15mm height
- Supports both SAS and SATA HDDs
- Supports SAS dual channel (MB9911K-B)
- Interchangeable drive tray with MB991 & MB994
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Dual Drives



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB992SK-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Data Redundancy Ready



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB992SKR-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD & BIG modes
- Rebuild status light with monitoring software
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Max Storage Density



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB993SK-B

- Fits 3x 2.5" drive from 5 - 7mm
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB993
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x3	Cooling Efficiency	■ ■ ■ ■ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □
		Accessibility	■ ■ ■ ■ □
		Functionality	■ ■ ■ ■ □
		Value	■ ■ ■ ■ □

Dock for Quick Swap



ICY DOCK FlexiDOCK MB521SP-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x1	Cooling Efficiency Drive Protection Accessibility Functionality Value	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
MORE INFO	DATA SHEET		

Dual Docking Design



ICY DOCK FlexiDOCK MB522SP-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency Drive Protection Accessibility Functionality Value	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
MORE INFO	DATA SHEET		

Thumb Screw Lock Design



ICY DOCK ToughArmor EX MB491SKL-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x1	Cooling Efficiency Drive Protection Accessibility Functionality Value	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
MORE INFO	DATA SHEET		

Thumb Screw Lock Design



ICY DOCK ToughArmor EX MB492SKL-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency Drive Protection Accessibility Functionality Value	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
MORE INFO	DATA SHEET		



High Speed Compact Storage



ICY DOCK ToughArmor MB601VK-B

- Fits 1x 2.5" NVMe U.2 SSD from 5-15mm height
- Supports U.2 NVMe / SAS / SATA SSD
- Hot swappable drive tray design
- Extra drive protection - 2 segment key lock
- ICY DOCK 3-year limited warranty

3.5" Bay x1	 2.5" x1	Cooling Efficiency	■ ■ ■ ■ □ □
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■ □ □
		Accessibility	■ ■ ■ ■ □ □
		Functionality	■ ■ ■ ■ □ □
		Value	■ ■ ■ ■ □ □

[↓ 2.5" TO 3.5" SSD CONVERTERS](#)



[BACK TO HOME](#)

Best Compatibility



ICY DOCK EZConvert MB882SP-1S-3B

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Tool-less drive installation design

3.5" HDD Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Max Air Flow



ICY DOCK EZConvert Air MB482SP-3B

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

3.5" HDD Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Full Metal Protection



ICY DOCK EZConvert Pro MB982IP-1S-1 / MB982SP-1S

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7-15mm height
- Supports both SAS and SATA HDDs
- Supports SAS 3.0 Dual Channel(MB982IP-1S-1)
- Heavy duty full metal construction

3.5" Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Data Redundancy Ready



**BUILT-IN
BIG / JBOD
RAID 0 / RAID 1
MODES**

ICY DOCK EZConvert Pro MB982SPR-2S R1

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SATA SSD/HDD from 7 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD and BIG modes
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

3.5" HDD Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Cost Effective Dual Drives



ICY DOCK EZ-Fit Lite MB290SP-B

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Durable ABS with one-piece design
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Dual Drive in Full Metal



ICY DOCK EZ-Fit Pro MB082SP

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Heavy duty full metal construction
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Highest Density 2.5" Drive Kit




ICY DOCK EZ-Fit Trio MB610SP

- Compatible with HP 3.5" drive sled
- Fits 3x 2.5" SSD/HDD from 5 - 7mm height
- Durable ABS with one-piece design
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay x1	2.5" x3	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■

Two Drives in One



ICY DOCK EZ-Fit MB990SP-B

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Lightweight & durable construction
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay x1	2.5" x3	Cooling Efficiency	■ ■ ■ ■
MORE INFO	DATA SHEET	Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■