

Harmful organism under the official control 2005	Host plants: if specified, an organism is quarantine only on listed plant or plant product	Group
<i>Acleris</i> spp. (non-European)		Insecta
<i>Aculops fuchsiae</i> Keifer	<i>Fuchsia</i> L.	Acarina
<i>Aleurocanthus</i> spp.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Alternaria alternata</i> (Fr.) Keissler (non-European pathogenic isolates)	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L	Fungi
<i>Amauromyza maculosa</i> (Malloch)		Insecta
<i>Anastrepha fraterculus</i> (Wiedemann)		Insecta
<i>Anastrepha ludens</i> (Loew)		Insecta
<i>Anastrepha obliqua</i> Macquart		Insecta
<i>Anastrepha suspensa</i> (Loew)		Insecta
<i>Anomala orientalis</i> Waterhouse		Insecta
<i>Anoplophora chinensis</i> (Thomson)		Insecta
<i>Anoplophora malasiaca</i> (Forster)		Insecta
<i>Anthonomus bisignifer</i> (Schenkling)	<i>Fragaria</i> L.	Insecta
<i>Anthonomus grandis</i> (Boh.)	<i>Gossypium</i> L.	Insecta
<i>Anthonomus signatus</i> (Say)	<i>Fragaria</i> L.	Insecta
<i>Aonidiella citrina</i> Coquillet	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Aphelenchoides besseyi</i> Christie	<i>Oryza</i> spp.	Nematoda
<i>Aphelenchoides besseyi</i> Christie	<i>Fragaria</i> L	Nematoda
<i>Apiosporina morbosus</i> (Schwein.) v. Arx	<i>Prunus</i> L.	Fungi
Apple proliferation mycoplasma		Phytoplasma
Apricot chlorotic leafroll mycoplasma (European stonefruit yellows phytoplasma)		Phytoplasma
Arabis mosaic (nepo) virus	<i>Fragaria</i> L. in <i>Rubus</i> L.,	Virus
<i>Arceuthobium</i> spp. (non-European)		Plant
Arracacha virus B, oca strain		Virus
<i>Arrhenodes minutus</i> Drury		Insecta
<i>Aschistonyx eppoi</i> Inouye	<i>Juniperus</i> L.	Insecta
<i>Atropellis</i> spp.	Plants of <i>Pinus</i> L., other than fruit and seeds, isolated bark and wood of <i>Pinus</i> L.	Fungi
Bean golden mosaic (bigemini) virus		Virus
Beet curly top (hybrigemini) virus (non-European isolates)	<i>Beta vulgaris</i> L	Virus
Beet leaf curl (rhabdo) virus	<i>Beta vulgaris</i> L	Virus
Beet necrotic yellow vein (furo) virus		Virus
<i>Bemisia tabaci</i> (I-g) Genn. (non-European populations)		Insecta
<i>Bemisia tabaci</i> Genn. (European populations)		Insecta
Black raspberry latent (ilar) virus	<i>Rubus</i> L.	Virus
Blight and Blight-like	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf..	Virus
Blueberry leaf mottle virus		Virus
<i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i>	<i>Abies</i> Mill., <i>Cedrus</i> Trew., <i>Larix</i> NickleMill., <i>Picea</i> I. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr., <i>Tsuga</i> Carr.,	Nematoda
Cadang-Cadang viroid	Palmae	Viroid
<i>Carneocephala fulgida</i> Nottingham		Insecta
<i>Carposina niponensis</i> Walsingham	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L.	Insecta
<i>Cephalcia lariciphila</i> (Klug)	<i>Larix</i> Mill.	Insecta
<i>Ceratocystis coerulea</i> (Münch) Bakshi	<i>Acer saccharum</i> Marsh.	Fungi
<i>Ceratocystis fagacearum</i> (Bretz) Hunt		Fungi
<i>Ceratocystis fimbriata</i> f. sp. <i>platani</i>	<i>Platanus</i> L.	Fungi

Walter		
<i>Cercoseptoria pini-densiflorae</i> (Hori et Nambu) Deighton	Plants of <i>Pinus</i> L., other than fruit and seeds, and wood of <i>Pinus</i> L.	Fungi
<i>Cercospora angolensis</i> Carv. et Mendes	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Fungi
Cherry leaf roll (nepo) virus	<i>Rubus</i> L.	Virus
Cherry rasp leaf (nepo) virus (American)		Virus
<i>Choristoneura</i> spp. (non-European)		Insecta
Chrysanthemum stunt viroid	<i>Dendranthema</i> (DC.) Des Moul.	Viroid
<i>Chrysomyxa arctostaphyli</i> Dietel		Fungi
<i>Ciborinia cemelliae</i> Kohn	<i>Camellia</i> L.	Fungi
<i>Circulifer haematoceps</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Circulifer tenellus</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
Citrus greening bacterium	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Bacteria
Citrus mosaic (badna) Virus	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
Citrus tristeza Virus (non- European isolates)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
Citrus tristeza Virus (European isolates)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
Citrus tristeza Virus (European isolates)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
Citrus variegated chlorosis	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Bacteria
Citrus vein enation woody gall	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
<i>Clavibacter michiganensis</i> (Smith) Davis <i>et al.</i> ssp. <i>sepedonicus</i> (Speieckermann et Kotthoff) Davis <i>et al.</i>		Bacteria
<i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> (McCulloch) Davis <i>et al.</i>	<i>Medicago sativa</i> L.	Bacteria
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i>	<i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw	Bacteria
<i>Colletotrichum acutatum</i> Simmonds	<i>Fragaria</i> L.	Fungi
<i>Conotrachelus nenuphar</i> (Herbst)		Insecta
Cowpea mild mottle (carla) virus		Virus
<i>Cronartium</i> spp. (non-European)		Fungi
<i>Cryphonectria parasitica</i> (Murrill) Barr	<i>Castanea</i> Mill., <i>Quercus</i> L.	Fungi
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> (Hedges) Collins et Jones	Seeds of <i>Phaseolus vulgaris</i> L. and <i>Dolichos</i> Jacq.	Bacteria
<i>Dacus ciliatus</i> Loew		Insecta
<i>Dacus cucurbitae</i> Coquillett		Insecta
<i>Dacus dorsalis</i> Hendel		Insecta
<i>Dacus tryoni</i> (Froggatt)		Insecta
<i>Dacus tsuneonis</i> Miyake		Insecta
<i>Dacus zonatus</i> Saund.		Insecta
<i>Daktulosphaira vitifoliae</i> (Fitch)	Plants of <i>Vitis</i> L., other than fruit and seeds	Insecta
<i>Dendroctonus micans</i> Kugelan	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.,	Insecta
<i>Diabrotica barberi</i> Smith & Lawrence		Insecta
<i>Diabrotica undecimpunctata howardi</i> Barber		Insecta
<i>Diabrotica undecimpunctata undecimpunctata</i> Mannerheim		Insecta
<i>Diabrotica virgifera virgifera</i> Le Conte		Insecta
<i>Diabrotica virgifera virgifera</i> Le Conte		Insecta
<i>Diaphorina citri</i> Kuway.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta

<i>Diaporthe vaccinii</i> Shear	<i>Vaccinium</i> spp.	Fungi
<i>Didymella ligulicola</i> (Baker, Dimock et Davis) v. Arx	<i>Dendranthema</i> (DC.) Des Moul	Fungi
<i>Ditylenchus destructor</i> Thorne	<i>Crocus</i> L., <i>Gladiolus</i> L., <i>Hyacinthus</i> L., <i>Iris</i> L., <i>Tigridia</i> Juss., <i>Tulipa</i> L. <i>Solanum tuberosum</i> L.	Nematoda
<i>Ditylenchus dipsaci</i> (Kühn) Filipjev	Bulbs and corms of <i>Allium</i> L., <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> , <i>Galanthus</i> L., <i>Galtonia candicans</i> (Baker) Decne, <i>Hyacinthus</i> L., <i>Ismene</i> Herbert, <i>Muscari</i> Miller, <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> L., <i>Tulipa</i> L., and seeds of <i>Medicago sativa</i> L.	Nematoda
<i>Draeculacephala minerva</i> Ball		Insecta
Elm phloem necrosis mycoplasma		Phytoplasma
<i>Elsinoe</i> spp. (Bitanc. et Jenk.) Mendes	<i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. <i>Citrus</i> L.	Fungi
<i>Enarmonia packardi</i> (Zeller)	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L.	Insecta
<i>Enarmonia prunivora</i> Walsh	<i>Crataegus</i> L., <i>Malus</i> Mill., <i>Photinia</i> Ldl., <i>Prunus</i> L. and <i>Rosa</i> L.	Insecta
<i>Endocronartium</i> spp. (non-European)		Fungi
<i>Eotetranychus lewisi</i> McGregor	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf	Acarina
<i>Epochra canadensis</i> (Loew)		Insecta
<i>Erwinia amylovora</i> (Burr.) Winsl. et al.	<i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L. <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L.	Bacteria
<i>Erwinia amylovora</i> (Burr.) Winsl. et al.	<i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L. <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L.	Bacteria
<i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> (Hellmers) Dickey	<i>Dianthus</i> L.	Bacteria
<i>Erwinia stewartii</i> (Smith) Dye	<i>Zea mays</i> L. seeds	Bacteria
Euphorbia mosaic (bigemini) virus		Virus
<i>Eutetranychus orientalis</i> Klein	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Acarina
Florida tomato virus		Virus
<i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kilian et Maire) Gordon	<i>Phoenix</i> spp.	Fungi
<i>Gilpinia hercyniae</i> (Hartig)	<i>Picea</i> l. Dietr.	Insecta
<i>Globodera pallida</i> (Stone) Behrens		Nematoda
<i>Globodera pallida</i> (Stone) Behrens		Nematoda
<i>Globodera rostochiensis</i> (Wollenweber) Behrens		Nematoda
<i>Glomerella gossypii</i> Edgerton	<i>Gossypium</i> L.	Fungi
<i>Gonipterus scutellatus</i> Gyll.	<i>Eucalyptus</i>	Insecta
Grapevine Flavescence dorée MLO	<i>Vitis</i> L.	Phytoplasma
<i>Graphocephala atropunctata</i> (Signoret)		Insecta
<i>Grapholita inopinata</i> Heinrich	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L.	Insecta
<i>Gremmeniella abietina</i> (Lag.) Morelet	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.,	Fungi
<i>Guignardia citricarpa</i> Kiely (all strains pathogenic to citrus)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Fungi
<i>Guignardia loricata</i> (Saw.) Yamamoto et Ito		Fungi
<i>Guignardia piricola</i> (Nosa) Yamamoto	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> YamamotoL.	Fungi
<i>Gymnosporangium</i> spp. (non-European)		Fungi
<i>Heliothis armigera</i> (Hübner)		Insecta
<i>Heliothis zea</i> (Boddie)		Insecta

<i>Hirschmanniella</i> spp. other than <i>Hirschmanniella gracilis</i> (de Man) Luc & Goodey		Insecta
<i>Hishomonus phycitis</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Hypoxyton mammatum</i> (Wahl.) J. Miller	<i>Populus</i> L	Fungi
<i>Inonotus weirii</i> (Murrill) Kotlaba et Pouzar		Fungi
<i>Ips amitinus</i> Eichhof	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr. , <i>Pinus</i> L	Insecta
<i>Ips cembrae</i> Heer	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr. <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.	Insecta
<i>Ips duplicatus</i> Sahlberg	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr. , <i>Pinus</i> L	Insecta
<i>Ips sexdentatus</i> Boerner	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr. , <i>Pinus</i> L	Insecta
<i>Ips typographus</i> Heer	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr. <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.	Insecta
Leprosis	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
<i>Leptinotarsa decemlineata</i> Say		Insecta
Lettuce infectious yellows (clostero) virus		Virus
<i>Leucaspis japonica</i> Ckll.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Liriomyza bryoniae</i> (Kaltenbach)		Insecta
<i>Liriomyza huidobrensis</i> (Blanchard)		Insecta
<i>Liriomyza sativae</i> Blanchard		Insecta
<i>Liriomyza trifolii</i> (Burgess)		Insecta
<i>Listronotus bonariensis</i> (Kuschel)	Cruciferae, Gramineae, <i>Trifolium</i> spp.	Insecta
Little cherry pathogen (non-European isolates)	<i>Prunus</i> spp	Virus
<i>Longidorus diadecturus</i> Eveleigh et Allen		Nematoda
<i>Margarodes prieskaensis</i> Jakubski	<i>Vitis</i> L.	Insecta
<i>Margarodes vitis</i> (Phillipi)	<i>Vitis</i> L	Insecta
<i>Margarodes vredendalensis</i> de Klerk	<i>Vitis</i> L.	Insecta
<i>Matsucoccus feytaudi</i> Duc.	(Coniferales	Insecta
<i>Melampsora farlowii</i> (Arthur) Davis		Fungi
<i>Melampsora medusae</i> Thümen		Fungi
<i>Meloidogyne chitwoodi</i> Golden <i>et al.</i>		Nematoda
<i>Meloidogyne fallax</i> Karssen		Nematoda
<i>Monilinia fructicola</i> (Winter) Honey		Fungi
<i>Monilinia fructicola</i> (Winter) Honey		Fungi
<i>Monochamus</i> spp. (non-European)		Insecta
<i>Mycosphaerella laricis-leptolepis</i> Ito <i>et al.</i>		Fungi
<i>Mycosphaerella populorum</i> G.E. Thompson		Fungi
<i>Myndus crudus</i> Van Duzee		Insecta
<i>Nacobbus aberrans</i> (Thorne) Thorne et Allen		Nematoda
Naturally spreading psorosis	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
Non-European viruses and virus-like organisms	<i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L. and <i>Vitis</i> L.	Virus
<i>Numonia pyrivorella</i> (Matsumura)	<i>Pyrus</i> L.	Insecta
<i>Oligonychus perditus</i> Pritchard et Baker	<i>Juniperus</i> L.,	Acarina
<i>Opogona sacchari</i> (Bojer)		Insecta
Palm lethal yellowing mycoplasm	Palmae	Phytoplasma
<i>Pardalaspis cyanescens</i> Bezzi		Insecta
<i>Pardalaspis quinaria</i> Bezzi		Insecta
Peach mosaic American (clostero) Virus		Virus
Peach phony rickettsia		Vr

Peach rosette mosaic (nepo) virus		Virus
Peach rosette mycoplasma		Phytoplasma
Peach x-disease mycoplasma		Phytoplasma
Peach yellows mycoplasma		Phytoplasma
Pear decline mycoplasma		Phytoplasma
Pepper mild tigre virus		Virus
<i>Phialophora cinerescens</i> (Wollenweber) van Beyma	Dianthus L.	Fungi
<i>Phoma andina</i> Turkensteen		Fungi
<i>Phoma tracheiphila</i> (Petri) Kanchaveli et Gikashvili	Citrus L., Fortunella Swingle, Poncirus Raf.	Fungi
<i>Phyllosticta solitaria</i> Ell. et Ev.		Fungi
<i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i>	Fragaria L.	Fungi
<i>Pissodes</i> spp. (European)	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> L. Dietr., <i>Pinus</i> L., (Coniferales)	Insecta
<i>Pissodes</i> spp. (non-European)	Coniferales	Insecta
<i>Plasmopara halstedii</i> (Farlow) Berl. et de Toni	Seeds <i>Helianthus annuus</i> L. Berl. et de Toni	Fungi
Plum line American pattern (ilar) Virus		Virus
Plum pox (poty) virus	Prunus L	Virus
<i>Popillia Japonica</i> Newman		Insecta
Potato (tricho) virus T		Virus
Potato Andean latent virus		Virus
Potato Andean mottle (como) virus		Virus
Potato black ring spot (nepo) virus		Virus
Potato leaf roll virus (Non European isolates)		Virus
Potato spindle tuber viroid		Viroid
Potato stolbur mycoplasma	Solanaceae	Phytoplasma
Potato Viruses A (Non European isolates)		Virus
Potato Viruses M (Non European isolates)		Virus
Potato Viruses S (Non European isolates)		Virus
Potato Viruses V (Non European isolates)		Virus
Potato Viruses X (Non European isolates)		Virus
Potato Viruses Y (including Yo, Yn and Yc - Non European isolates)		Virus
<i>Premnotrypes</i> spp. (non-European)		Insecta
Prunus necrotic ringspot Virus	<i>Rubus</i> L.	Virus
<i>Pseudomonas /Ralstonia/ solanacearum</i> (Smith) Smith		Bacteria
<i>Pseudomonas caryophylli</i> (Burkholder) Starr et Burkholder	<i>Dianthus</i> L.	Bacteria
<i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al.	<i>Prunus persica</i> , <i>Prunus persica</i> var. <i>nectarina</i>	Bacteria
<i>Pseudopityophthorus minutissimus</i> (Zimmermann)		Insecta
<i>Pseudopityophthorus pruinus</i> (Eichhoff)		Insecta
<i>Pterandrus rosa</i> (Karsch)		Insecta
<i>Puccinia horiana</i> Hennings	<i>Dendranthema</i> (DC.) Des Moul.	Fungi
<i>Puccinia pittieriana</i> Hennings	Solanaceae	Fungi
<i>Radopholus citrophilus</i> Huettel Dickson et Kaplan	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., Araceae, Marantaceae, Musaceae, <i>Persea</i> spp., Strelitziaceae	Nematoda

<i>Radopholus similis</i> (Cobb) Thorne	Araceae, Marantaceae, Muscaceae, <i>Persea</i> Mill., Strelitziaceae	Nematoda
Raspberry leaf curl (luteo) virus (American)		Virus
Raspberry ringspot virus	<i>Fragaria</i> L., <i>Rubus</i> L.,	Virus
<i>Rhacochlaena japonica</i> Ito		Insecta
<i>Rhagoletis cingulata</i> (Loew)		Insecta
<i>Rhagoletis completa</i> Cresson		Insecta
<i>Rhagoletis fausta</i> (Östen-Sacken)		Insecta
<i>Rhagoletis indifferens</i> Curran		Insecta
<i>Rhagoletis mendax</i> Curran		Insecta
<i>Rhagoletis pomonella</i> Walsh		Insecta
<i>Rhagoletis ribicola</i> Doane		Insecta
<i>Rhagoletis suavis</i> (Loew)		Insecta
<i>Rhizoecus hibisci</i> Kawai & Takagi		Insecta
<i>Saissetia nigra</i> (Nietm.)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
Satsuma dwarf (nepo) virus	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
<i>Scaphoideus luteolus</i> (Van Duzee)		Insecta
<i>Scirrhia acicola</i> (Dearn.) Siggers	<i>Pinus</i> L.	Fungi
<i>Scirrhia pini</i> Funk et Parker	<i>Pinus</i> L.	Fungi
<i>Scirtothrips aurantii</i> Faure	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Scirtothrips citri</i> (Moultx)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Scirtothrips dorsalis</i> Hood	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Scolytidae</i> spp. (non-European)	Coniferales	Insecta
<i>Septoria lycopersici</i> Spieg. var. <i>malagutti</i> Ciccarone et Boerema		Fungi
<i>Spiroplasma citri</i> Saglio et al.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Phytoplasma
<i>Spodoptera eridania</i> (Cramer)		Insecta
<i>Spodoptera frugiperda</i> (Smith)		Insecta
<i>Spodoptera littoralis</i> (Boisduval)		Insecta
<i>Spodoptera litura</i> (Fabricius)		Insecta
Squash leaf curl (bigemini) virus		Virus
<i>Sternochetus mangiferae</i> Fabricius	<i>Mangifera</i> spp.	Insecta
Strawberry crinkle (rhabdo) virus	<i>Fragaria</i> L.	Virus
Strawberry latent "C" virus		Virus
Strawberry latent ringspot virus	<i>Fragaria</i> L., <i>Rubus</i> L.	Virus
Strawberry mild yellow edge (luteo) virus	<i>Fragaria</i> L.	Virus
Strawberry vein banding (caulimo) virus		Virus
Strawberry witches' broom mycoplasma		Phytoplasma
<i>Synchytrium endobioticum</i> (Schilbersky) Percival		Fungi
<i>Tachypterellus quadrigibbus</i> Say	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L.	Insecta
Tatter leaf virus	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus
<i>Thaumatopoea pityocampa</i> (Den. et Schiff.)	<i>Pinus</i> L.,	Insecta
<i>Thecaphora solani</i> Barrus		Fungi
<i>Thrips palmi</i> Karny		Insecta
<i>Tilletia indica</i> Mitra		Fungi
Tobacco ringspot (nepo) virus		Virus
Tomato black ring (nepo) virus	<i>Fragaria</i> L. in <i>Rubus</i> L.,	Virus
Tomato ringspot (nepo) virus		Virus
Tomato spotted wilt (tospo) virus		Virus
Tomato spotted wilt (tospo) virus	<i>Apium graveolens</i> L., <i>Capsicum annuum</i> L., <i>Cucumis melo</i>	Virus

	<i>L.</i> , <i>Dendranthema</i> (DC.) Des Moul, <i>Impatiens</i> L., <i>Lactuca sativa</i> L., <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., Nic	
Tomato yellow leaf curl (bigemini) virus	<i>Lycopersicon lycopersicum</i> (L.)	Virus
<i>Toxoptera citricida</i> Kirk.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Trechispora brinkmannii</i> (Bresad.) Rogers		Fungi
<i>Trioza erythrae</i> Del Guercio	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Unaspis citri</i> Comstock	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta
<i>Venturia nashicola</i> Tanaka et Yamamoto	<i>Pyrus</i> L.	Fungi
<i>Verticillium albo-atrum</i> Reinke et Berthold	<i>Humulus lupulus</i> L.	Fungi
<i>Verticillium dahliae</i> Klebahn	<i>Humulus lupulus</i> L.	Fungi
Witches' broom (MLO)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Phytoplasma
<i>Xanthomonas campestris</i> (all strains pathogenic to Citrus)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Bacteria
<i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye and pv. <i>oryzicola</i> (Fang et al.) Dye	<i>Oryza</i> spp.	Bacteria
<i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye	Seeds of <i>Phaseolus</i> L.	Bacteria
<i>Xanthomonas campestris</i> pv. <i>pruni</i> (Smith) Dye	<i>Prunus</i> L.	Bacteria
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (Doidge) Dye	<i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., and <i>Capsicum</i> spp.,	Bacteria
<i>Xanthomonas fragariae</i> Kennedy et King	<i>Fragaria</i> L.	Bacteria
<i>Xiphinema americanum</i> Cobb <i>sensu lato</i> (non-European populations)		Nematoda
<i>Xiphinema californicum</i> Lamberti et Bleve-Zacheo		Nematoda
<i>Xylella fastidiosa</i> (Wells et Raju)		Bacteria
<i>Xylophilus ampelinus</i> (Panagopoulos) Willems et al.	<i>Vitis</i> L.	Bacteria