

# 2018/2019

## Perennial Seeds · Staudensamen



Jelitto®

# Price List 2018 / 2019

(valid for two years)

**Mailing address:**

Jelitto Staudensamen GmbH  
Postfach 1264 · D-29685 Schwarmstedt  
Telefon 0 50 71/98 29-0 · Telefax 0 50 71/98 29-27  
Intern.: Phone +49 50 71/98 29-0 · Fax +49 50 71/98 29-27  
<http://www.jelitto.com> · e-mail: info@jelitto.com

**Delivery address:**

Am Toggraben 3 · D-29690 Schwarmstedt

**Office hours:**

Monday – Friday, 8.00 – 16.45 C.E.T.

**USA Office:**

Jelitto Perennial Seeds  
125 Chenoweth Ln. · Suite 301 · Louisville, KY 40207  
Phone +1/502/895 0807 · Fax +1/502/895 3934  
Manager: Mary Vaananen · e-mail: maryv@jelitto.com

**UK & Ireland Agents:**

Meadows (Fenton) Ltd - Jelitto Perennial Seeds  
P.O. Box 78 · St Ives  
Huntingdon · Cambs PE27 6ZA  
Phone +44 (0) 1480-463 570 · Fax +44 (0) 1480-466 042  
Office: Angela Whiting · e-mail: angela@jelitto.com  
Manager: Luke Whiting · e-mail: Luke@jelitto.com

**Japan Office:**

Oscogarden Japan Inc.  
1137-4, Kusabana, Akiruno-shi  
Tokyo 197-0802  
Phone +81(0) 42-518-7323 · Fax +81(0) 42-518-7324  
e-mail: oscogarden@jelitto.com

**Trade register:** Walsrode HRB 497

**General Manager:** Georg G. Uebelhart

**General directions:**

Prices in EURO/€!

Minimum order value 25 € net. Orders less than 25 € will be charged the difference.

Minimum charge per item 2 € net.

During the busy season Jan./Febr. and May/June please allow 1-2 weeks for order processing. Please order well in advance!

Orders are generally shipped air parcel post but courier service is available upon request.

According to our experience it can take from pick-up to delivery up to 30 days via air parcel post and is impossible to track. By courier it will take 2, to maximum 5 days, and it is possible to track anytime, but is more expensive. The seed offered of endangered plants is not collected in the wild.

Our seed is not edible, and is only suitable for the production of plants. Please note that some seeds and plants are toxic! Jelitto cannot be held responsible if seeds or plants are eaten.

Online-Shop and websites:

<http://www.jelitto.com>

Download Order Form

Our VAT Reg. No. is:

**DE 118576356**

**Payments requested by Credit card!**

Other payment methods with credit approval:

- Direct money transfer in EURO € to one of our bank accounts (see right). All banking charges are for the account of the buyer.
- Check; Draft in EURO € drawn on a German bank. US \$ check drawn on a US-Bank, GBP £ cheque drawn on a UK-Bank. Other currencies cannot be accepted.  
All banking charges are for the account of the buyer.
- For the USA and Canada the invoice will be converted into US \$, for the UK the invoice will be converted into GBP £, according to the actual exchange rate. Conversion table see inside back cover.
- The prices in this list are not binding and exclude tax. Customers outside of Germany in the European-Union who do not have a VAT Reg. No. will be charged additional value added tax (Nov. 2017: 7%).

Please supply us with your VAT Reg. No. when ordering.

**Bank accounts:**

Commerzbank Celle, Germany  
SWIFT-BIC: DRES DE FF257  
IBAN: DE94 2578 0022 0419 9923 00

Kreissparkasse Walsrode, Germany  
SWIFT-BIC: NOLA DE 21WAL  
IBAN: DE32 2515 2375 0008 1280 01

Postbank Hamburg, Germany  
SWIFT-BIC: PBNK DE FF200  
IBAN: DE45 2001 0020 0278 0792 02

Basellandschaftliche Kantonalbank, Switzerland,  
CH-4144 Arlesheim, SWIFT-BIC: BLKB CH 22 769  
CHF-Acc. IBAN: CH37 0076 9016 3103 3751 4  
€-Acc. IBAN: CH54 0076 9016 1443 0948 6

Commerzbank London Branch, UK  
SWIFT-BIC: COBA GB 2X  
GBP/£-Acc. IBAN: GB41 COBA 4062 0130 5094 50



## Outstanding New Varieties

### ECHINACEA purpurea 'Mellow Yellows'

'Mellow Yellows' is the newest in Jelitto's long, successful line of seed-grown ECHINACEA strains. Jelitto took decades to establish this yellow strain. The breeding and trialing process cannot be rushed. There are twists, turns and disappointments, but we are focused on quality, uniqueness and affordability. And that requires patience and vision. 'Mellow Yellows' array includes colorful shades from creamy yellow, lemon yellow to dark yellow. Plants are variable in color and height, and there are no pinks whatsoever.

The cost of tissue-cultured plugs, subsequent production losses, patent royalties and trademark registrations only increase your costs. It needn't be a tough decision. 'Mellow Yellows' joins 'Magnus', 'Magnus Superior', 'Happy Star', 'Green Twister' and 5 other wild species as the sensible, seed-grown alternative to expensive, patented clones.



### GAURA lindheimeri 'Cool Breeze'

The origin of 'Cool Breeze' began with a keen eye and a single offspring from a production field of 3,000 typical GAURAS. This selection was used as the starting point for our breeding work. The stems and buds were greenish-white instead of the pinkish-red coloring on the common GAURA. 'Cool Breeze' has graceful blooms as pure and white as the wind-driven snow.

The wild species, GAURA lindheimeri, has come a long way from its roots in Texas and Louisiana, but its prospects for garden glory across the temperate world were recognized early. The Greek name *gauros* means somehow superb. We wouldn't argue otherwise.

Pure white, vegetatively-grown GAURAS exist in the trade, but 'Cool Breeze' is the first seed-grown strain available. The beautiful, long-blooming 'Cool Breeze' is superb indeed.



# 2018/2019



### GENTIANA septemfida var. lagodechiana 'Bella Alpinella'

GENTIANA 'Bella Alpinella' is a low-mounding, compact form of the popular alpine species that has been called "everyman's gentian." The wild botanical variety is a great rock garden plant that "flourishes without fads or fancies" in evenly moist soils.

Jelitto has always admired the easy-to-grow wild gentian and asked: How can we make it even more appealing to gardeners?

You will love 'Bella Alpinella's tidy compact form – sturdy even in full bloom! 'Bella Alpinella's clusters of blue to blue-purple trumpet-shaped, summery blossoms will have you dreaming of a deep, clear, alpine mountain lake. 'Bella Alpinella' flowers best in its second summer and seed is available in the fast and easy-to-germinate JELITTO GOLD NUGGET SEED® quality.



### HELIOPSIS helianthoides var. scabra 'Bleeding Hearts'

'Bleeding Hearts' continues a parade of Jelitto breakthroughs that began as little more than a dream on a hot summer day in 2004. Dreams come true.

The foliage of HELIOPSIS 'Bleeding Hearts' emerges almost entirely black before settling down to a dark purple. The sturdy stems are black. Excellent for cut flowers. The orange-red blooms contrast magnificently with the dark stems and leaves.

'Bleeding Hearts' is the first HELIOPSIS without a hint of yellow! Flowers start out scarlet before maturing to a bright orange-red, and then to lingering washed tones of bronze.

This fabulous introduction took a long time to come to the market, but will soon be gracing sunny summer borders and meadows everywhere.

The Jelitto-Team: 32 dedicated employees have been working for Jelitto for many years. Their know-how and expertise is crucial to the success of the company. A sure guarantee for our future.



## About us

2018 Allen W. Bush retires.

2016 JELITTO GOLDNUGGET SEED® are sold initially in 1000 seed-units.

2015 the Jelitto shop [www.jelitto.com](http://www.jelitto.com) goes mobile.

2013 the new Jelitto shop [www.jelitto.com](http://www.jelitto.com) goes online.

2012 Martin Bachor becomes proxy holder and reinforces the company management.

2012 spring sees the presentation of our new breeding station.

2007 Jelitto Perennial Seeds celebrated its 50 years anniversary.

2002 Georg Uebelhart is now majority shareholder.

1996 the North American office is opened, followed by an office for the United Kingdom and Ireland in 2000 and Japan in 2007.

1994 JELITTO GOLDNUGGET SEED® is brought to the market. This is the patented preparation process, designed to promote rapid germination of dormant seed.

1992 the company moved to its new location in Schwarmstedt, a northern German town near Hanover, which remains its headquarters. Apart from providing ample room for growth, the new site has a trial field of considerable size, expanded germination laboratories and seed processing equipment as well as the climate-controlled storage facilities and cold store.

1972 Jelitto Perennial Seeds became the first supplier to offer pure seeds of *Anemone sylvestris*, and other varieties with difficult cleaning process, improving the quality, particularly in terms of germination.

1957 Klaus R. Jelitto founds what will later become Jelitto Perennial Seeds in Sweden with company headquarters in Landskrona, later in Rellingen, Hamburg and Wedel.

## The Production

70% of our current perennial assortment originates from our own production, distributed over the entire world in more than 20 countries.

All areas under cultivation are monitored closely and controlled by our qualified personnel for quality.

Why are we so committed to our own production in such a large number of countries?

Only in this way can we try to influence the optimum environment for seed production, taking into account the climate for maintaining the typical characteristics of the different varieties and forms. In this way we can release controlled and healthy seed for production: On the one hand, to safeguard future quality of our perennial seeds and, on the other hand, to safeguard delivery capacity by spreading the risk of harvest failures caused by natural environmental influences.

How important is the selection of the production location? There is an interplay between the climate and soil characteristics. For example, the blue poppy *Meconopsis betonicifolia*, does not grow well in Italy or Kentucky, but does so in Scandinavia. *Stokesia laevis* does not flourish in Scandinavia but does so in Italy and Kentucky.

We attach great importance to the preservation of the natural variability of botanical varieties by hand harvesting of early, as well as late, maturing seeds.

We also produce seed from endangered species under horticultural conditions in order to protect the natural location.

Seed production:  
Jelitto New Varieties





Breeding work on Lupins



Manual Cleaning



Germination testing equipment for perennial seeds

## The Breeding

Since the company was established in 1957, it has been Jelitto Perennial Seeds objective to introduce new and improved perennials to the world market. Careful selection and breeding work is necessary to preserve the characteristics of existing varieties and possibly to improve them. For example, the quality of the deep burgundy-leaved *Heuchera 'Palace Purple'* deteriorated after many generations due to the growing percentage of green-leaved forms. Thanks to systematic breeding work we have been able to offer a good stable strain ever since.

Breeding work takes many years until a new and stable form can be selected. However, we do not shy away from the time and expense involved in achieving genuinely new and improved varieties. For example, *Salvia 'Sky Dance' ('14); Lewisia 'Little Tutti Frutti' ('13); Alcea 'Las Vegas' ('12); Agastache 'Tango' ('11); Alcea Spotlight-Series ('10); Echinacea 'Magnus Superior' ('10); Echinacea 'Happy Star' ('09); Rudbeckia 'Sundance' ('08); Agastache 'Sangria' ('07); Coreopsis 'Elfin Gold' ('06); Penstemon 'Sunburst Amethyst' ('06); Helenium 'Tip Top' ('05); Scabiosa 'Pincushion Pink' ('04); Oenothera 'Silver Wings' ('04); Iberis 'Snow Cushion' ('02); Knautia 'Mars Midget' ('02); Thymus 'Magic Carpet' ('01); Polemonium 'Heavenly Habit' ('99);* to name a few of our newer introductions.

We have also been able to introduce a large number of new varieties in close collaboration with friendly breeders and cultivators, such as *Gaultheria 'Redwood' ('14); Trollius 'Morning Sun' ('12); Agastache 'Globetrotter' ('10); Penstemon 'War Axe' ('09); Salvia 'Twilight Serenade' ('08); Scabiosa 'Moon Dance' ('07); Gaillardia 'Amber Wheels' ('06); Sedum 'Oktoberfest' ('05); Echinacea 'Doubledecker' ('04); Heliopsis 'Summer Nights' ('04); Helleborus Lady-Series ('01); Hibiscus 'Galaxy' ('01); Echinacea 'Rubinstern' ('00); Astrantia 'Ruby Cloud' ('96); Bergenia 'Winterglut' ('95); Achillea 'Colorado' ('93); Echinacea 'Magnus' ('85).*

Just as important as the creation of new varieties is the harvest of elite seed for future seed production.

Elite seed, for stock production, is isolated from cross fertilisation, pollinated by hand often collected individually, observed and appraised over a period of up to five years. It then takes another 3 to 5 years until the first saleable seed can be harvested.



*Trollius 'Golden Queen'* germination comparison: untreated to JELITTO GOLD NUGGET SEED®

## The Seed technology

We concentrate very carefully on the seed technology sector, with special attention to seed cleaning, suitable seed storage, quality control of the seed, as well as innovative germination techniques.

All seeds are carefully dried in Schwarmstedt. They are then cleaned gently to a purity level of over 98%.

Equipment and seed cleaning machines developed especially for us are a prerequisite for processing into pure seed. Examples: Anemone, Limonium, Phragmites.

Particularly important for us is the proper and individual storage of the seed in order to preserve its viability, from harvesting to shipment.

Experience gained over 50 years in storage technology and quality assurance means that we have harvest-fresh seed available in stock nearly all year.

More than 15.000 germination tests are carried out each year in our germination laboratories. Each batch is tested up to three times a year.

Particularly difficult and time consuming are germination tests on cold germinators as these must also go through a process in our laboratories of warm, cold and cool temperatures (according to our sowing instructions).



*Anemone sylvestris: normal – pure seed*

**JELITTO SEED TECHNOLOGY - JET®** represent our improvement in seed cleaning. JET® seeds have been rubbed, peeled, processed into pure seed for better mechanical handling and seed sowing, or heat-treated. The JET® process enhances germination on a growing number of seed items.

**JELITTO GOLD NUGGET SEED®** makes it possible for cold germinators to germinate quickly and uniformly without cold treatment.

In the nineteen seventies Klaus R. Jelitto developed a new procedure for systematically eliminating the natural seed dormancy for cold germinators and presented this innovative product for the first time in his perennial seed catalogue of 1978.

Thanks to extensive research we have been able to significantly extend the range of JELITTO GOLD NUGGET SEED® to more than 300 varieties. See the advantages yourself.

The question remains: germination in 2 to 3 weeks or wait 3 to 6 months? For a growing number of perennial producers the answer is obvious.

## New additions to our range 2018

### Jelitto Gold Nugget Seeds®

- CALAMINTHA grandiflora
- CALTHA palustris var. alba
- GENTIANA sept. var. lagodechiana 'Bella Alpinella'
- GENTIANA verna var. angulosa
- LEWISIA Cotyledon-Hybr. 'Sunset-Strain'
- LEWISIA Longipetala-Hybr. 'Little Snowberry'
- LYSIMACHIA clethroides
- PRIMULA x pubescens
- PULSATILLA vulgaris 'Prima Papagena'

### Perennial Herbs - Culinary, Teas + Medicinal

- ACHILLEA millefolium 'Proa'
- ANGELICA archangelica 'BLBP 01'
- ARTEMISIA absinthium 'Silverado'
- BULBINE frutescens
- CYNARA scolymus 'Tavor'
- GINGIDIA montana
- HYOSCYAMUS niger
- HYOSCYAMUS niger var. pallidus
- RUTA corsica
- SALVIA columbariae
- SIBYLLUM marianum var. albiflorum

### Herb Seeds from Organic Production

- ACHILLEA nobilis
- ARTEMISIA absinthium 'Silverado'
- ARTEMISIA annua
- ATROPA bella-donna
- CENTAUREA montana
- DIANTHUS superbus
- ECHIUM amoenum 'Red Feathers'
- GLAUCIUM flavum
- MENTHA cervina
- ORLAYA grandiflora

### RICINUS communis

- RICINUS communis 'New Zealand Purple'
- RUMEX acetosella
- SALVIA hispanica
- TAGETES patula/erecta Mix
- VERONICA officinalis
- VIOLA tricolor

### Perennials

- ACTAEA pachypoda f. rubrocarpa
- ARGEMONE polyanthemos
- ARISAEMA jacquemontii
- ASARUM caulescens
- BELAMCANDA flabellata 'Hello Yellow'
- Bupleurum longifolium 'Bronze Beauty'
- CAMASSIA leichtlinii ssp. leichtlinii
- CAMPANULA persicifolia var. planiflora
- CASTILLEJA rhexifolia
- CERASTIUM tomentosum var. columnae 'Celine'
- CYCLAMEN coum 'Silver Leaf'
- CYCLAMEN graecum
- CYCLAMEN mirabile
- DELOSPERMA Luckhoffii-Hybr.
- DRACOCEPHALUM imberbe
- ECHINACEA purpurea 'Mellow Yellows'
- ECHINACEA purpurea 'PowWow® Wild Berry'
- ECHINACEA purpurea 'PowWow® White'
- GAILLARDIA aristata 'Mesa Red' F<sub>1</sub>
- GAILLARDIA pinnatifida
- GAURA lindheimeri 'Cool Breeze'
- GENTIANA pneumonanthe forma alba
- GENTIANA sept. var. lagodechiana 'Bella Alpinella'
- HELICHRYSUM bellidioides
- HELIOPSIS helianth. var. scabra 'Bleeding Hearts'
- HELLEBORUS Orient.-Hybr. 'Double Ladies Mixed'

### IPOMOEA leptophylla

- IRIS laevigata
- LEWISIA Cotyledon-Hybr. 'Elise Ruby Red'
- LEWISIA Cotyledon-Hybr. 'Elise White'
- LEWISIA Longipetala-Hybr. 'Little Snowberry'
- LEWISIA tweedyi
- LILIUM mackliniae, Naga form
- LOBELIA speciosa 'Fan-Scarlet'
- LOBELIA speciosa 'Starship Deep Rose'
- LOBELIA speciosa 'Starship Scarlet'
- LOMATIUM columbianum
- LUPINUS Nanus Russell 'Mini-Gallery® Blue'
- LUPINUS Nanus Russell 'Mini-Gallery® Pink'
- LYSIMACHIA clethroides
- MICHauxIA campanuloides
- OMPHALogramma vinciflorum
- PENSTEMON eatonii
- PENSTEMON superbus
- PENSTEMON virens
- PRIMULA clusiana
- PULSATILLA vulgaris 'Prima Papagena'
- RUDbeckIA triloba 'Blackjack Gold'
- SEDUM spurium 'Summer Snow'
- SIBBALDIA procumbens
- STELLERA chamaejasme
- THYMUS comosus
- VERNONIA lettermannii
- VIOLA odorata f. rubra
- VIOLA odorata 'Royal Wedding'

### Ornamental Grasses

- ANDROPOGON scoparius 'Camper'
- CAREX paniculata
- CYPERUS longus
- STIPA ichu

## New additions to our range 2017

### Jelitto Gold Nugget Seeds®

- ARUNCUS dioicus
- LYTHRUM salicaria
- PENSTEMON digitalis
- POLEMONIUM carneum

### Perennial Herbs - Culinary, Teas + Medicinal

- MENTHA requienii
- RUTA graveolens f. variegata

### Herb Seeds from Organic Production

- AGASTACHE rupestris
- AGRIMONIA procera (odorata)

### CARDIOSPERMUM halicacabum

- CODONOPSIS pilosula
- IRIS pseudacorus
- IRIS sibirica, wild form
- LYCHNIS flos-cuculi
- MELISSA officinalis 'Quedlinburger Niederliegende'
- POLEMONIUM caeruleum
- RUMEX scutatus ssp. glaucus 'Silver Leaf'
- SIDERITIS syriaca
- VERBENA bonariensis

### ARABIS caucasica 'Little Treasure Deep Rose'™

- ARABIS caucasica 'Little Treasure White'™
- ECHINACEA purpurea 'Green Twister'
- FUCHSIA procumbens
- IRIS tectorum
- LIATRIS microcephala
- POLYGONATUM falcatum
- SEDUM middendorffianum var. middendorffianum
- VERBASCUM phoeniceum, wild form

### Ornamental Grasses

- PENNISETUM thunbergii
- STIPA pulcherrima



STAUDENSAMEN · PERENNIAL SEEDS · GRAINES DE PLANTES VIVACES

Production – Breeding – Seed Technology

Purchase Order Fax: +49 (0) 5071/982927

Number of pages  
(incl. Cover Sheet):

We order to your terms:

Name:

Street + N°:

City:

Postcode:

Country:

Phone:

Fax:

E-mail:

Customer N°:

VAT REG N°: \_\_\_\_\_

**Payment:**

by Cheque     by Bank Transfer     by Direct Debit (only EURO Zone / We will send you a SEPA Direct Debit Mandate separately)

Charge my Credit Card:



Card Expiry Date:

Credit Card N°:  
(Please fill out all fields)

CVC Code\*:  
(\*on the reverse of your credit card)

Cardholder's name: \_\_\_\_\_

**Notes / Messages:**

May we substitute with a similar item:

Yes

No

Printed Stick In Labels: \_\_\_\_\_ YY 004 Set (Sets)

**Dispatch:**

2-7 working days

(Air) mail:

+ (5-30 days)

Courier:

+ (2-5 days)

**Minimum order value 25 € net**

**Date:** \_\_\_\_\_

**Signature:** \_\_\_\_\_



Name: \_\_\_\_\_

Customer No.:

--	--	--	--	--	--

# STAUDENSAMEN · PERENNIAL SEEDS · GRAINES DE PLANTES VIVACES

## Production – Breeding – Seed Technology

## Throughout the seed list on the following pages you will find:

Signs:

- NEW!** new introduction
- with picture in the catalogue

Examples out of our descriptions:

- |             |   |
|-------------|---|
|             | = Awarded Plant   |
|             | All American Selection,  Award of Garden Merit by RHS,  Fleuro Select,  |
|             | International Hardy Plant Union,  Perennial Plant Association,  |
|             | Plant Select, contact Plant Select for legal use of ® names   |
| 70 cm       | = height of plants  |
| VI-IX       | = flowering June - September  |
| <b>JET®</b> | = <b>JELITTO SEED TECHNOLOGY</b><br>represents our improvement in seed cleaning.<br><b>JET®</b> seeds have been rubbed, peeled or processed into pure seed for better mechanical handling and seed sowing.<br>The <b>JET®</b> process enhances germination on a growing number of seed items.   |
| [ ]         | = These specifications concern cultivar translations, the renaming of existing cultivars, and confusing marketing names given to the botanical species. We deliver the usual trade quality of seed.<br>While these specifications are not complete, they are compiled in good conscience to the best of our knowledge and will be updated online ( <a href="http://www.jelitto.com">www.jelitto.com</a> ).<br>For example:<br><b>ALYSSUM montanum 'Berggold'</b> = translated = <b>[Mountain Gold]</b><br><b>AQUILEGIA vulgaris 'William Guiness'</b> = re-named = <b>[Magpie]</b><br><b>NEPETA nervosa</b> = marketing name = <b>[Blue Moon]</b> |

1. Line: Amount of seeds in gram to get approx. 1000 plants.  
(If sown directly into pots, trays or containers you will need an appropriate larger quantity.)

2. Line: The No of sowing directions, you will find it in English and other languages at the end of the catalogue.  
(D, UK, F, S, NL, J, I)

	ornamental foliage plant		avoid lime
	first year flowering		annual
	second year flowering		biennial
	flowering pot plant		perennial
	creeping, groundcovers		solitary plant
	climbing		decorative fruit
	water or marshplant		toxic plant
	hanging plant		officinal (medicinal) plant
	winterprotection needed (Northern- and Central-Europe)		patio plants (Northern- and Central-Europe)
	Alpinehouse in winter		flowers or seedcapsules
	cushion plant		for flower arrangement
	for the rockgarden		beneficial plant
			honey-bee food plant

Z1 - 11 Winter Hardiness Zones: give an approximate indication of the minimum temperature that a particular species can survive. Use this as a basic but not the end all for determining species suitable for your conditions. Other factors like soil and microclimate can influence winter hardiness to some degree. Source: RHS Index of Garden Plants, USDA Online Plant Database, A. Armitage - Herbaceous Perennial Plants and others.  
Conversion table see inside back cover.

Prices: 1000g = Prices in Euro for 1000 - 9999.9 gramm  
100g = Prices in Euro for 100 - 999.9 gramm  
10g = Prices in Euro for 10 - 99.9 gramm  
1g = Prices in Euro for 0.1 - 9.9 gramm  
1 P = Prices in Euro for 1 Portion (usually sufficient for approx. 50 plants)  
1000 seeds = Prices in Euro for 1000 seeds

**Minimum charge per item 2€ net! Minimum order value 25€ net!**  
See also delivery terms on the inside back cover.

Production – Breeding – Seed Technology

**ACHILLEA**  
AA 029 **millefolium 'Colorado'**, 60 cm, V-X, Z2-9

**Code No.:**  
Please always state our code number  
for each item on your order to prevent delays  
with delivery.

Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
			from 100 g	from 10 g	from 1 g	Portion
1	15		544,00	68,00	8,60	2,80

### Fax Order Form Pages 5 – 6

The Fax Order Form as well as the Purchase Order Form can be downloaded on [www.jelitto.com](http://www.jelitto.com), see „Other“.



### JELITTO GOLD NUGGET SEED® Pages 8 – 12

List of all available GOLD NUGGET SEED with important notes.

### Perennial Herbs - Culinary, Teas and Medicinal Page 13 – 31

Perennial Medicinal-, Aromatic- and Culinary Herbs as well as annual herbs as a supplement to the assortment.



### Herb Seeds from Organic Production Page 32 – 45

Certified seed in compliance with EU Regulation No. 834/2007 + 889/2008

### Perennials Pages 46 – 190

The whole perennial seeds assortment with short plant descriptions, special hints and prices.

### Printed Stick In Labels Page 190

We offer printed stick labels for your seed flats.

### Ornamental Grasses Pages 191 – 208

The whole ornamental grasses assortment with short plant descriptions, special hints and prices.

### Sowing directions pages 209 – 216

Sowing directions in D, UK, F, S, NL, J, I



## Important notes!

This range – identified by G for GOLD NUGGET SEED® as the second letter in the item number – listed on this page and the following, no longer needs a period of low temperature to break dormancy. Depending on the variety, the seeds will germinate even and promptly 14 to 21 days after sowing. (Untreated seed would need two to six months).

The advantage is obvious – a shorter and more controlled growing period with more productive results! JELITTO GOLD NUGGET SEED® are also particularly suitable for sowing direct into cells so that subsequent pricking out can be dispensed with. They require only about half the amount of seed that would be required with untreated seed.

The minimum germination standard of GOLD NUGGET SEED® is >75%, respectively >88% under controlled conditions. Nevertheless, in order to obtain best possible results, we do recommend a multiplication factor of 2 or 3 when calculating seed requirements (3000 seeds for 1000 plants, 2-3 seeds per plant).

You can proceed according to our Sowing Instructions No. 15 or 16. Ideal germination temperature: 22°C (72°F). After germination, the seedlings must be kept cool (+5 to 10°C)(41 to 50°F) in the months with less daylight hours, but must not be exposed to frost. At this time, it is of great benefit if the seedlings can receive at least 8 – 12 hours of light per day. This requires additional lighting in the winter months.

Uncontrolled high temperatures during the summer months can have a deleterious effect on successful germination.

Some species germinate very fast without a cold treatment but need to be sown immediately after harvest. For example Primula rosea and Pulsatilla vulgaris.

JELITTO GOLD NUGGET SEED® is typified with 2% golden coloured seeds.

Please note that JELITTO GOLD NUGGET SEED® "pre-treated seed" should not be stored and should be used as soon as possible after receipt. JELITTO GOLD NUGGET SEED® should be kept in a cool place until it is used.

**Please order Gold Nugget Seed® in number of seeds only. There are no 1000 seed units prepacked! Each order is weighed individually.**

**You are welcome to order any amount, ie. 700 seeds or 15200 seeds. Please bear in mind our minimum quantity per item.**

**Minimum charge per item 2 € net, price will be rounded up accordingly.**

The price per 1000 seed is a fixed price for this number of seeds, while the quantity in weight may vary considerably between different seed lots. The number of seed per gram is counted for each seed lot individually. Seeds are measured according to weight and are not counted each time for every order. Therefore, the number of seed may vary and a ± difference of approx. 5% should be accepted with no compensation in any way due to the technical circumstances.

		Prices in EURO net per 1000 seeds	Minimum order quantity/ seeds	Nº. of the sowing directions	Special Hints	Code Nº
AG 019	<b>ACAENA</b> inermis 'Purpurea'	24,00	100	16	germinates after 5-6 weeks at +26°C .....	AG 019
AG 005	<b>ACAENA</b> microphylla .....	12,00	200	16	germinates after 5-6 weeks at +26°C .....	AG 005
AG 070	<b>ACONITUM</b> anthora .....	18,00	150	15	germinating in 4-6 weeks at 24°C days, 15°C nights	AG 070
AG 090	<b>ACONITUM</b> napellus .....	22,00	100	15	germinating in 4-6 weeks at 24°C days, 15°C nights	AG 090
AG 094	<b>ACONITUM</b> napellus 'Newry Blue'	24,00	100	16	germinating in 4-6 weeks at 24°C days, 15°C nights	AG 094
AG 103	<b>ACORUS</b> calamus .....	22,00	100	16	requires 4-6 weeks for germination .....	AG 103
AG 132	<b>AETHIONEMA</b> grandiflorum (pulchellum)	24,00	100	15	germination occurs in 1-2 weeks .....	AG 132
AG 280	<b>ALCEA (ALTHAEA)</b> Ficifolia-Hybr. [Happy Lights]	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	AG 280
AG 285	<b>ALCEA (ALTHAEA)</b> Ficifolia-Hybr. 'Las Vegas'	22,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	AG 285
AG 286	<b>ALCEA (ALTHAEA)</b> Rosea-Hybr. 'Simplex'	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	AG 286
AG 310	<b>ALCEA (ALTHAEA)</b> rugosa .....	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	AG 310
AG 163	<b>ALCHEMILLA</b> epipsila .....	12,00	200	16	light-germinator, do not cover .....	AG 163
AG 164	<b>ALCHEMILLA</b> erythropoda [Alma]	12,00	200	15	light-germinator, do not cover .....	AG 164
AG 167	<b>ALCHEMILLA</b> mollis [Thriller, Irish Silk]	2,40	1000	15	light-germinator, do not cover .....	AG 167
AG 168	<b>ALCHEMILLA</b> mollis 'Select' [Robustica, Giant Molly]	3,60	500	15	light-germinator, do not cover .....	AG 168
AG 174	<b>ALCHEMILLA</b> sericata 'Gold Strike'	12,00	200	15	light-germinator, do not cover .....	AG 174
AG 178	<b>ALCHEMILLA</b> xanthochlora (vulgaris)	2,40	1000	16	light-germinator, do not cover .....	AG 178
AG 365	<b>AMSONIA</b> hubrichtii .....	72,00	100	15	.....	AG 365
AG 366	<b>AMSONIA</b> tabernaemontana [Stars, Blue Star]	54,00	100	15	.....	AG 366
AG 412	<b>ANDROSACE</b> villosa .....	128,00	50	16	requires 4-6 weeks for germination .....	AG 412
AG 444	<b>ANEMONE</b> hupehensis (japonica)	12,00	200	15	.....	AG 444
AG 460	<b>ANEMONE</b> multifida 'Major' [Annabella White]	12,00	200	15	.....	AG 460
AG 448	<b>ANEMONE</b> multifida 'Rubra' [Annabella Deep Pink]	12,00	200	15	.....	AG 448
AG 544	<b>ANTHYLLIS</b> vulneraria var. coccinea [Red Carpet]	28,00	100	15	germination occurs in 1-2 weeks .....	AG 544
AG 601	<b>AQUILEGIA</b> buergeriana 'Calimero' [Blackcurrant Ice]	18,00	150	16	.....	AG 601
AG 764	<b>AQUILEGIA</b> flabellata var. pumila 'Selection'	18,00	150	15	.....	AG 764
AG 852	<b>ARENARIA</b> montana [Avalanche, Snowwhite]	24,00	100	15	requires 4-6 weeks for germination .....	AG 852
AG 944	<b>ARUNCUS</b> aethnifolius [Noble Spirit]	3,60	500	15	.....	AG 944
<b>NEW!</b> AG 952	<b>ARUNCUS</b> dioicus .....	2,40	500	16	varying temperatures, night 18°C, day 26°C, of benefit.	AG 952
AG 976	<b>ASCLEPIAS</b> incarnata [Soulmate, Cinderella]	22,00	100	15	.....	AG 976
AG 977	<b>ASCLEPIAS</b> incarnata 'Iceballet' [Milkmaid, Ice Follies]	22,00	100	15	.....	AG 977
AG 985	<b>ASCLEPIAS</b> tuberosa ssp. interior .....	32,00	100	15	.....	AG 985
AG 988	<b>ASCLEPIAS</b> tuberosa 'Gay Butterflies'	42,00	100	15	.....	AG 988
AG 014	<b>ASPHODELINE</b> lutea [Gelbe Kerze, Yellow Candle]	72,00	50	15	dark-germinator, must be covered .....	AG 014
BG 015	<b>BAPTISIA</b> australis [Caspian Blue]	58,00	50	15	.....	BG 015
BG 012	<b>BAPTISIA</b> australis 'Alba'	284,00	50	15	.....	BG 012
BG 017	<b>BAPTISIA</b> leucantha (lactea, alba var. macrophylla)	104,00	50	16	germinating in 4-6 weeks at 24°C days, 15°C nights	BG 017
BG 020	<b>BAPTISIA</b> pendula (alba)	162,00	50	15	.....	BG 020
<b>NEW!</b> CG 020	<b>CALAMINTHA</b> grandiflora [Elfin Purple]	24,00	100	16	varying temperatures, night 18°C, day 26°C, of benefit	CG 020
CG 038	<b>CALLIRHOE</b> involucrata [Winecups, Buffalo Rose]	72,00	50	16	requires 4-6 weeks for germination .....	CG 038
CG 043	<b>CALTHA</b> leptosepala .....	24,00	100	15	.....	CG 043
CG 044	<b>CALTHA</b> palustris .....	12,00	200	15	.....	CG 044
<b>NEW!</b> CG 045	<b>CALTHA</b> palustris var. alba .....	32,00	100	15	.....	CG 045
CG 104	<b>CAMPANULA</b> collina .....	6,00	400	15	.....	CG 104
CG 116	<b>CAMPANULA</b> garganica .....	7,20	300	15	dark-germinator, must be covered .....	CG 116
CG 158	<b>CAMPANULA</b> latifolia var. macrantha [Amethyst]	4,20	500	15	.....	CG 158



Production – Breeding – Seed Technology	Prices in EURO net per 1000 seeds	Minimum order quantity/ seeds	Nº. of the sowing directions	Special Hints	Code Nº
CG 162 ☼ <b>CAMPANULA</b> latifolia var. macrantha 'Alba'	4,20	500	15		CG 162
CG 190 <b>CAMPANULA</b> portenschlagiana (muralis)	12,00	300	15	dark-germinator, must be covered	CG 190
CG 194 <b>CAMPANULA</b> poscharskyana	6,00	400	15		CG 194
CG 200 <b>CAMPANULA</b> punctata f. rubriflora	2,40	1000	15		CG 200
CG 370 <b>CHELONE</b> glabra	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	CG 370
CG 372 ☼ <b>CHELONE</b> lyoni 'Pink Temptation'	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	CG 372
CG 374 <b>CHELONE</b> obliqua	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	CG 374
CG 375 <b>CHELONE</b> obliqua var. alba	18,00	150	15	varying temperatures beneficial, day 24°C, night 15°C	CG 375
CG 378 ☼ <b>CHIASTOPHYLLUM</b> oppositifolium [Goldtröpfchen, Solar Yellow]	3,60	1000	15	germinates after 5-6 weeks at +26°C	CG 378
CG 542 ☼ <b>CISTUS</b> incanus ssp. tauricus	12,00	200	15		CG 542
CG 584 <b>CODONOPSIS</b> clematidea [Lilac Eyes]	9,80	300	15		CG 584
CG 629 <b>COREOPSIS</b> rosea [American Dream]	4,20	500	15		CG 629
CG 690 <b>CYCLAMEN</b> coum	72,00	50	16	dark-germinator, must be covered, allow 5-6 weeks	CG 690
CG 695 ☼ <b>CYCLAMEN</b> coum ssp. caucasicum (caucasicum)	162,00	50	16	dark-germinator, must be covered, allow 5-6 weeks	CG 695
CG 692 <b>CYCLAMEN</b> hederifolium (neapolitanum)	72,00	50	16	requires 4-6 weeks for germination	CG 692
CG 694 <b>CYCLAMEN</b> hederifolium 'Perlenteppich' [White Pearls]	162,00	50	16	requires 4-6 weeks for germination	CG 694
CG 698 <b>CYCLAMEN</b> hederifolium 'Rosenteppich' [Pink Pearls]	162,00	50	16	requires 4-6 weeks for germination	CG 698
CG 700 <b>CYCLAMEN</b> purpurascens (europaeum)	162,00	50	16	dark-germinator, must be covered, allow 5-6 weeks	CG 700
DG 420 <b>DODECATHEON</b> meadia	12,00	200	15	varying temperatures beneficial, day 24°C, night 15°C	DG 420
DG 422 <b>DODECATHEON</b> meadia f. album	72,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	DG 422
DG 423 <b>DODECATHEON</b> meadia 'Goliath'	12,00	200	15	varying temperatures beneficial, day 24°C, night 15°C	DG 423
DG 424 <b>DODECATHEON</b> meadia 'Red Colors'	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	DG 424
DG 421 ☼ <b>DODECATHEON</b> meadia Deluxe Mixture	12,00	200	15	varying temperatures beneficial, day 24°C, night 15°C	DG 421
DG 425 <b>DODECATHEON</b> pulchellum	36,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	DG 425
DG 426 <b>DODECATHEON</b> tetrandrum (jeffreyi) 'Rotlicht' [Red Light]	36,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	DG 426
DG 480 ☼ <b>DRACOCEPHALUM</b> argunense 'Fuji Blue'	64,00	50	15		DG 480
DG 482 ☼ <b>DRACOCEPHALUM</b> argunense 'Fuji White'	64,00	50	15		DG 482
EG 003 ☼ <b>ECHINACEA</b> angustifolia	24,00	100	15	germination occurs in 1-2 weeks	EG 003
EG 005 ☼ <b>ECHINACEA</b> pallida 'Hula Dancer'	24,00	100	15	germination occurs in 1-2 weeks	EG 005
EG 006 ☼ <b>ECHINACEA</b> paradoxa var. paradoxa	24,00	100	15	germination occurs in 1-2 weeks	EG 006
EG 007 <b>ECHINACEA</b> simulata	24,00	100	15		EG 007
EG 008 ☼ <b>ECHINACEA</b> tennesseensis 'Rocky Top Hybr.'	24,00	100	15		EG 008
EG 130 ☼ <b>ERODIUM</b> manescavii	98,00	50	16	requires 4-6 weeks for germination	EG 130
EG 202 ☼ <b>EUPATORIUM</b> fistulosum f. albidum 'Ivory Towers'	5,40	400	15		EG 202
EG 206 ☼ <b>EUPATORIUM</b> mac. 'Atropurpureum' (fist. 'Atropurpureum') [Glow]	5,40	400	15		EG 206
EG 212 <b>EUPATORIUM</b> purpureum	5,40	400	15		EG 212
EG 250 ☼ <b>EUPHORBIA</b> characias ssp. wulfenii (veneta)	98,00	50	15	varying temperatures beneficial, day 24°C, night 15°C	EG 250
EG 226 <b>EUPHORBIA</b> coralloides	32,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	EG 226
EG 236 ☼ <b>EUPHORBIA</b> myrsinifolia	58,00	50	15	varying temperatures beneficial, day 24°C, night 15°C	EG 236
EG 240 ☼ <b>EUPHORBIA</b> polychroma (epithymoides)	32,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	EG 240
FG 018 ☼ <b>FILIPENDULA</b> ulmaria	5,40	400	15		FG 018
GG 051 ☼ <b>GAULTHERIA</b> procumbens 'Redwood'™	7,20	300	16	requires 4-6 weeks for germination	GG 051
GG 070 <b>GENTIANA</b> acaulis (kochiana)	12,00	200	15	requires 4-6 weeks for germination	GG 070
GG 083 ☼ <b>GENTIANA</b> angustifolia 'Frei-Hybr.' (acaulis 'Maxima')	18,00	200	15	requires 4-6 weeks for germination	GG 083
GG 086 ☼ <b>GENTIANA</b> asclepiadea	7,20	300	15		GG 086
GG 090 ☼ <b>GENTIANA</b> asclepiadea var. alba	7,20	300	15		GG 090
GG 088 ☼ <b>GENTIANA</b> asclepiadea 'Pink Swallow'	18,00	300	15		GG 088
GG 102 <b>GENTIANA</b> clusii	18,00	200	15	requires 4-6 weeks for germination	GG 102
GG 099 ☼ <b>GENTIANA</b> cruciata 'Blue Cross'	6,00	400	15		GG 099
GG 114 <b>GENTIANA</b> dinarica	18,00	200	16	requires 4-6 weeks for germination	GG 114
GG 134 ☼ <b>GENTIANA</b> lutea	6,00	400	15		GG 134
GG 138 <b>GENTIANA</b> Makinoi-Hybr. 'Royal Blue'	7,20	500	15		GG 138
GG 148 ☼ <b>GENTIANA</b> oschtenica (verna ssp. oschtenica)	48,00	200	15		GG 148
GG 151 ☼ <b>GENTIANA</b> Paradoxa-Hybr. 'Blue Herald'	7,20	500	15		GG 151
GG 172 <b>GENTIANA</b> septemfida var. lagodechiana	3,60	500	15	germination occurs in 1-2 weeks	GG 172
NEW! GG 174 ☼ <b>GENTIANA</b> septemfida var. lagodechiana 'Bella Alpinella'	5,40	500	15	germination occurs in 1-2 weeks	GG 174
GG 173 ☼ <b>GENTIANA</b> septemfida var. lagodechiana 'Select'	5,40	500	15	germination occurs in 1-2 weeks	GG 173
GG 190 <b>GENTIANA</b> triflora var. japonica	4,20	500	15	germination occurs in 1-2 weeks	GG 190
NEW! GG 197 <b>GENTIANA</b> verna var. angulosa	16,00	200	15	germination occurs in 1-2 weeks	GG 197

TROLLIUS chinensis 'Golden Queen'  
germination comparison: untreated to JELITTO GOLD NUGGET SEED®VIOLA sororia 'Freckles'  
germination comparison: untreated to JELITTO GOLD NUGGET SEED®



Production – Breeding – Seed Technology		Prices in EURO net per 1000 seeds	Minimum order quantity/ seeds	Nº of the sowing directions	Special Hints	Code Nº
GG 195	<b>GENTIANA</b> verna var. angulosa 'Alba'.....	18,00	200	15		GG 195
GG 198	<b>GENTIANA</b> verna ssp. tergestina .....	12,00	200	15	requires 4-6 weeks for germination.....	GG 198
GG 204	<b>GERANIUM</b> bohemicum [ <i>Orchid Blue, Blue Rhapsody</i> ].....	64,00	50	15		GG 204
GG 210	<b>GERANIUM</b> endressii .....	64,00	50	15		GG 210
GG 215	<b>GERANIUM</b> macrorrhizum, wild form .....	52,00	50	16		GG 215
GG 256	<b>GERANIUM</b> maderense 'Guernsey White'.....	240,00	50	15		GG 256
GG 209	<b>GERANIUM</b> palustre.....	64,00	50	15		GG 209
GG 218	<b>GERANIUM</b> pratense .....	64,00	50	15		GG 218
GG 227	<b>GERANIUM</b> pratense f. albiflorum .....	128,00	50	15		GG 227
GG 231	<b>GERANIUM</b> pratense 'Dark Reiter'.....	240,00	50	15	germination occurs in 1-2 weeks .....	GG 231
GG 232	<b>GERANIUM</b> pratense 'Mrs. Kendall Clark'.....	128,00	50	15		GG 232
GG 237	<b>GERANIUM</b> pratense 'Painter's Palette'.....	64,00	50	15		GG 237
GG 229	<b>GERANIUM</b> pratense 'Striatum' [ <i>Splish-Splash, Bicolor</i> ] .....	128,00	50	15	germination occurs in 1-2 weeks .....	GG 229
GG 219	<b>GERANIUM</b> pyrenaicum 'Bill Wallis' .....	48,00	50	16		GG 219
GG 222	<b>GERANIUM</b> sanguineum [ <i>Vision Violet</i> ] .....	125,00	50	15		GG 222
GG 223	<b>GERANIUM</b> sanguineum f. nanum .....	240,00	50	15		GG 223
GG 205	<b>GERANIUM</b> sanguineum var. striatum [ <i>Vision Light Pink</i> ] .....	125,00	50	15		GG 205
GG 226	<b>GERANIUM</b> sylvaticum .....	64,00	50	15		GG 226
GG 234	<b>GERANIUM</b> wallichianum 'Buxton's Variety' .....	240,00	50	15		GG 234
GG 243	<b>GERANIUM</b> wlassovianum .....	128,00	50	15	requires 4-6 weeks for germination .....	GG 243
GG 240	<b>GEUM</b> coccineum Borisii-Strain [ <i>Tango, Queen of Orange, Cookie</i> ] .....	18,00	100	15	varying temperatures, night 18°C, day 26°C, of benefit.	GG 240
GG 241	<b>GEUM</b> coccineum 'Koi' .....	28,00	100	15	varying temperatures, night 18°C, day 26°C, of benefit.	GG 241
GG 266	<b>GILLENA</b> trifoliata .....	72,00	50	16	requires 4-6 weeks for germination .....	GG 266
GG 296	<b>GLECHOMA</b> hederaecea .....	4,20	500	16		GG 296
GG 317	<b>GLYCYRRHIZA</b> glabra .....	72,00	50	15	germination occurs in 1-2 weeks .....	GG 317
GG 336	<b>GYPSOPHILA</b> cerastioides [ <i>Pixie Splash</i> ] .....	18,00	100	15	germination occurs in 1-2 weeks .....	GG 336
HG 052	<b>HELIANTHEMUM</b> nummularium [ <i>Evergreen</i> ] .....	7,20	300	15	germination occurs in 1-2 weeks .....	HG 052
HG 181	<b>HEUCHERA</b> americana 'Dale's Strain' .....	2,40	1000	15		HG 181
HG 186	<b>HEUCHERA</b> americana 'Palace Purple Select' .....	2,40	1000	15		HG 186
HG 189	<b>HEUCHERA</b> pulchella .....	2,40	1000	15		HG 189
HG 196	<b>HEUCHERA</b> sanguinea 'Leuchtkäfer' [ <i>Firefly</i> ] .....	2,40	1000	15		HG 196
HG 197	<b>HEUCHERA</b> sanguinea 'White Cloud' .....	2,40	1000	15		HG 197
HG 190	<b>HEUCHERA</b> villosa var. macrorrhiza [ <i>Autumn Bride</i> ] .....	2,40	1000	15		HG 190
HG 208	<b>HIBISCUS</b> coccineus .....	72,00	50	15	dark-germinator, must be covered .....	HG 208
HG 205	<b>HIBISCUS</b> manihot [ <i>Sunset</i> ] .....	72,00	50	15	dark-germinator, must be covered .....	HG 205
HG 210	<b>HIBISCUS</b> moscheutos (palustris) .....	42,00	50	15	dark-germinator, must be covered .....	HG 210
HG 212	<b>HIBISCUS</b> Moscheutos-Hybr. 'Galaxy' .....	72,00	50	15	dark-germinator, must be covered .....	HG 212
HG 280	<b>HUMULUS</b> lupulus .....	24,00	100	15		HG 280
HG 314	<b>HYPERICUM</b> calycinum [ <i>Rose of Sharon</i> ] .....	12,00	200	15	varying temperatures, night 18°C, day 26°C, of benefit.	HG 314
HG 316	<b>HYPERICUM</b> cerastioides (rhodophaeum) [ <i>Silvana</i> ] .....	12,00	200	15	varying temperatures, night 18°C, day 26°C, of benefit.	HG 316
IG 004	<b>IBERIS</b> aurosica 'Sweetheart' .....	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	IG 004
IG 024	<b>IBERIS</b> sempervirens 'Snow Cushion' .....	12,00	200	15	varying temperatures beneficial, day 24°C, night 15°C	IG 024
IG 114	<b>IRIS</b> kaempferi (ensata) .....	28,00	100	16	requires 4-6 weeks for germination .....	IG 114
IG 160	<b>IRIS</b> setosa ssp. canadensis (artica, hookeri, nana) .....	36,00	50	16	temperature +28°C beneficial .....	IG 160
KG 037	<b>KNIPHOFIA</b> caulescens .....	24,00	100	16	requires 4-6 weeks for germination .....	KG 037
KG 041	<b>KNIPHOFIA</b> hirsuta 'Fire Dance' [ <i>Traffic Lights</i> ] .....	24,00	100	15	dark-germinator, must be covered, allow 5-6 weeks.	KG 041
KG 043	<b>KNIPHOFIA</b> rooperi .....	24,00	100	15		KG 043
LG 042	<b>LATHYRUS</b> latifolius 'Pink Pearl' .....	42,00	50	15	varying temperatures beneficial, day 24°C, night 15°C	LG 042
LG 044	<b>LATHYRUS</b> latifolius 'Red Pearl' .....	42,00	50	15	varying temperatures beneficial, day 24°C, night 15°C	LG 044
LG 046	<b>LATHYRUS</b> latifolius 'White Pearl' .....	42,00	50	15	varying temperatures beneficial, day 24°C, night 15°C	LG 046
LG 058	<b>LATHYRUS</b> vernus .....	84,00	50	16	requires 4-6 weeks for germination .....	LG 058
LG 070	<b>LAVANDULA</b> angustifolia (officinalis) .....	3,60	500	15		LG 070
LG 074	<b>LAVANDULA</b> angustifolia Hidcote Blue-Strain .....	5,40	500	15		LG 074
LG 076	<b>LAVANDULA</b> angustifolia 'Hidcote Superior' .....	6,20	500	15		LG 076
LG 078	<b>LAVANDULA</b> angustifolia Munstead-Strain .....	3,60	500	15		LG 078
LG 080	<b>LAVANDULA</b> angustifolia 'Rosea' [ <i>Pink Perfume</i> ] .....	9,80	500	15		LG 080
LG 082	<b>LAVANDULA</b> latifolia (spica) .....	6,20	500	15		LG 082
LG 086	<b>LAVANDULA</b> stoechas .....	9,80	500	15		LG 086
LG 089	<b>LAVATERA</b> cachemiriana .....	24,00	100	15		LG 089
LG 090	<b>LAVATERA</b> thuringiaca .....	24,00	100	15		LG 090
LG 124	<b>LEWISIA</b> Cotyledon-Hybr. 'Regenbogen' [ <i>Rainbow</i> ] .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 124
NEW! LG 131	<b>LEWISIA</b> Cotyledon-Hybr. 'Sunset-Strain' .....	48,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 131
LG 145	<b>LEWISIA</b> Longipetala-Hybr. 'Little Mango' .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 145
LG 140	<b>LEWISIA</b> Longipetala-Hybr. 'Little Peach' .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 140
LG 135	<b>LEWISIA</b> Longipetala-Hybr. 'Little Plum' .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 135
LG 147	<b>LEWISIA</b> Longipetala-Hybr. 'Little Raspberry' .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 147
NEW! LG 148	<b>LEWISIA</b> Longipetala-Hybr. 'Little Snowberry' .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 148
LG 149	<b>LEWISIA</b> Longipetala-Hybr. 'Little Tutti Frutti' .....	72,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	LG 149
LG 292	<b>LINARIA</b> purpurea .....	2,40	1000	15		LG 292
LG 296	<b>LINARIA</b> purpurea 'Canon Went' .....	2,40	1000	15		LG 296
LG 294	<b>LINARIA</b> purpurea 'Springside White' .....	2,40	1000	15		LG 294
LG 322	<b>LINUM</b> capitatum [ <i>Sulphur</i> ] .....	28,00	100	15		LG 322
LG 331	<b>LINUM</b> hypericifolium .....	28,00	100	15		LG 331
LG 332	<b>LINUM</b> narbonense [ <i>Heavenly Blue</i> ] .....	28,00	100	15		LG 332
LG 370	<b>LOBELIA</b> cardinalis .....	3,60	500	16	varying temperatures, night 18°C, day 26°C, of benefit.	LG 370
LG 373	<b>LOBELIA</b> sessilifolia .....	12,00	200	15		LG 373
LG 379	<b>LOBELIA</b> siphilitica 'Alba' .....	2,40	1000	15		LG 379
LG 378	<b>LOBELIA</b> siphilitica 'Blue Selection' .....	2,40	1000	15		LG 378
NEW! LG 522	<b>LYSIMACHIA</b> clethroides [ <i>Lady Jane</i> ] .....	36,00	100	15		LG 522



# JELITTO GOLD NUGGET SEED® for fast germination

STAUDENSAMEN · PERENNIAL SEEDS · GRAINES DE PLANTES VIVACES  
Production – Breeding – Seed Technology



RUDBECKIA fulgida var. sullivantii 'Goldsturm'  
germination comparison: untreated to JELITTO GOLD NUGGET SEED®



RUDBECKIA fulgida var. sullivantii 'Goldsturm'  
germination comparison: untreated to JELITTO GOLD NUGGET SEED®

	Prices in EURO net per 1000 seeds	Minimum order quantity/ seeds	Nº. of the sowing directions	Special Hints	Code Nº
LG 524  LYSIMACHIA punctata.....	3,60	500	15		LG 524
LG 527  LYSIMACHIA vulgaris.....	2,40	500	15		LG 527
NEW! LG 530  LYTHRUM salicaria [Rosy Gem, Red Beauties].....	2,40	1000	16	varying temperatures, night 18°C, day 26°C, of benefit.	LG 530
MG 030  MALVA alcea var. fastigiata .....	9,80	200	15		MG 030
MG 034  MALVA moschata [Rosea, Pink Perfection] .....	5,40	400	15		MG 034
MG 038  MALVA moschata f. alba [White Perfection] .....	5,40	400	15		MG 038
MG 039  MALVA moschata 'Appleblossom' .....	5,40	400	15		MG 039
MG 043  MALVA sylvestris ssp. mauritiana [Bibor Felho] .....	9,80	200	15	germination occurs in 1-2 weeks	MG 043
MG 041  MALVA sylvestris 'Zebra'.....	9,80	200	15	germination occurs in 1-2 weeks	MG 041
MG 060  MECONOPSIS betonicifolia [China Blue] .....	18,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	MG 060
MG 062  MECONOPSIS betonicifolia var. alba.....	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	MG 062
MG 063  MECONOPSIS betonicifolia 'Hensol Violet' .....	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	MG 063
MG 066  MECONOPSIS cambrica.....	7,20	300	15	varying temperatures beneficial, day 24°C, night 15°C	MG 066
MG 075  MECONOPSIS integrifolia.....	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	MG 075
MG 072  MECONOPSIS paniculata.....	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	MG 072
MG 067  MECONOPSIS x sheldoni 'Lingholm' (grandis hort.) [Blue Ice] .....	48,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	MG 067
OG 026  OENOTHERA macrocarpa (missouriensis) .....	16,00	150	15	germination occurs in 1-2 weeks	OG 026
OG 027  OENOTHERA macrocarpa ssp. fremontii 'Silver Wings' .....	32,00	100	15	germination occurs in 1-2 weeks	OG 027
OG 028  OENOTHERA macrocarpa ssp. incana Silver Blade® [Pewter Moon] .....	32,00	100	15	germination occurs in 1-2 weeks	OG 028
OG 062  ONONIS spinosa .....	32,00	100	15		OG 062
PG 200  PENSTEMON cobaea .....	32,00	100	16	requires 4-6 weeks for germination	PG 200
NEW! PG 208  PENSTEMON digitalis .....	3,60	300	15	germination occurs in 1-2 weeks	PG 208
PG 209  PENSTEMON digitalis 'Husker Red Strain' [Mystica] .....	6,20	300	15	germination occurs in 1-2 weeks	PG 209
PG 218  PENSTEMON grandiflorus .....	16,00	150	16	requires 4-6 weeks for germination	PG 218
PG 219  PENSTEMON grandiflorus Prairie Jewel® [War Axe] .....	32,00	100	15		PG 219
PG 222  PENSTEMON heterophyllus 'Blue Springs' [Electric Blue] .....	6,20	300	15		PG 222
PG 224  PENSTEMON heterophyllus 'Züriblau' .....	6,20	300	15		PG 224
PG 229  PENSTEMON hirsutus var. pygmaeus .....	3,60	500	15		PG 229
PG 231  PENSTEMON hirsutus var. pygmaeus f. albus .....	3,60	500	15		PG 231
PG 221  PENSTEMON mensarum .....	32,00	100	15		PG 221
PG 236  PENSTEMON ovatus .....	6,20	300	15		PG 236
PG 204  PENSTEMON serrulatus 'Albus' .....	6,20	300	15		PG 204
PG 250  PENSTEMON smallii [Violet Dusk] .....	3,60	500	15		PG 250
PG 256  PENSTEMON strictus [Bandera] .....	3,60	500	15		PG 256
PG 252  PENSTEMON watsonii .....	6,20	300	16	requires 4-6 weeks for germination	PG 252
PG 258  PENSTEMON whippleanus [Chocolate Drop] .....	6,20	300	15		PG 258
PG 280  PHACELIA sericea .....	12,00	200	15		PG 280
PG 287  PHLOMIS cashmeriana .....	72,00	50	16		PG 287
PG 290  PHLOMIS fruticosa .....	72,00	50	16	requires 4-6 weeks for germination	PG 290
PG 294  PHLOMIS russeliana (samia hort.) .....	42,00	200	15		PG 294
PG 334  PHYSALIS alkekengi var. franchetii 'Zwerg' [Gnome] .....	12,00	200	15	germination occurs in 1-2 weeks	PG 334
PG 360  PHYSOSTEGIA virginica 'Rosea' [Rose Queen, Rose Crown] .....	12,00	200	15		PG 360
NEW! PG 479  POLEMONIUM carneum [Apricot Delight] .....	16,00	150	16	varying temperatures beneficial, day 24°C, night 15°C	PG 479
PG 560  POTENTILLA anserina .....	16,00	200	16		PG 560
PG 742  PRIMULA auricula (alpina) .....	24,00	200	15	varying temperatures beneficial, day 24°C, night 15°C	PG 742
PG 750  PRIMULA beesiana .....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 750
PG 758  PRIMULA x bulleesiana .....	4,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 758
PG 754  PRIMULA bulleyana.....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 754
PG 772  PRIMULA chiomattha.....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 772
PG 774  PRIMULA chungensis .....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 774
PG 804  PRIMULA elatior, wild form .....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 804
PG 808  PRIMULA farinosa .....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 808
PG 844  PRIMULA japonica, Deluxe Mixture [Redfield-Hybr.] .....	4,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 844
PG 846  PRIMULA japonica 'Alba' [Postford White] .....	4,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 846
PG 847  PRIMULA japonica 'Appleblossom' .....	4,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 847
PG 850  PRIMULA japonica 'Millers Crimson' .....	4,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 850
PG 868  PRIMULA parryi .....	12,00	300	15	varying temperatures beneficial, day 24°C, night 15°C	PG 868
PG 872  PRIMULA poissonii .....	12,00	300	15	varying temperatures beneficial, day 24°C, night 15°C	PG 872

Production – Breeding – Seed Technology	Prices in EURO net per 1000 seeds	Minimum order quantity/ seeds	Nº of the sowing directions	Special Hints	Code Nº
PG 874  PRIMULA polyneura.....	12,00	300	15	varying temperatures beneficial, day 24°C, night 15°C	PG 874
NEW! PG 878  PRIMULA x pubescens .....	16,00	150	16	varying temperatures beneficial, day 24°C, night 15°C	PG 878
PG 880  PRIMULA x pubescens 'Kaleidoscope'.....	24,00	100	16	varying temperatures beneficial, day 24°C, night 15°C	PG 880
PG 884  PRIMULA pulverulenta.....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 884
PG 890  PRIMULA rosea 'Gigas'.....	4,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 890
PG 896  PRIMULA secundiflora.....	12,00	300	15	varying temperatures beneficial, day 24°C, night 15°C	PG 896
PG 898  PRIMULA sieboldii.....	24,00	200	16	varying temperatures beneficial, day 24°C, night 15°C	PG 898
PG 902  PRIMULA sinopurpurea (chionantha ssp. sinopurpurea).....	7,20	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 902
PG 910  PRIMULA veris (officinalis).....	3,60	500	15	varying temperatures beneficial, day 24°C, night 15°C	PG 910
PG 916  PRIMULA veris 'Sunset Shades'.....	24,00	100	15	varying temperatures beneficial, day 24°C, night 15°C	PG 916
PG 926  PRIMULA vulgaris (acaulis).....	32,00	100	15	germinating in 4-6 weeks at 24°C days, 15°C nights	PG 926
PG 927  PRIMULA vulgaris ssp. sibthorpii (sibthorpii, woronowii).....	64,00	100	15	germinating in 4-6 weeks at 24°C days, 15°C nights	PG 927
PG 986  PULSATILLA vernalis.....	24,00	100	15	requires 4-6 weeks for germination.....	PG 986
PG 988  PULSATILLA vulgaris.....	16,00	150	15	requires 4-6 weeks for germination.....	PG 988
PG 990  PULSATILLA vulgaris 'Alba' [Weiße Glocke, White Bells, White Swan].....	16,00	150	15	requires 4-6 weeks for germination.....	PG 990
PG 989  PULSATILLA vulgaris 'Blaue Glocke' [Violet Bells].....	16,00	150	15	requires 4-6 weeks for germination.....	PG 989
PG 980  PULSATILLA vulgaris 'Perlen Glocke' [Pearl Bells].....	16,00	150	15	requires 4-6 weeks for germination.....	PG 980
PG 991  PULSATILLA vulgaris 'Rosen Glocke' [Rose Bells].....	16,00	150	15	requires 4-6 weeks for germination.....	PG 991
PG 992  PULSATILLA vulgaris 'Rote Glocke' [Red Bells, Röde Klokke].....	16,00	150	15	requires 4-6 weeks for germination.....	PG 992
NEW! PG 800  PULSATILLA vulgaris 'Prima Papagena'.....	16,00	150	15	requires 4-6 weeks for germination.....	PG 800
RG 036  RANUNCULUS gramineus.....	48,00	50	16	requires 4-6 weeks for germination.....	RG 036
RG 090  RHODIOLA rosea.....	7,20	500	15	.....	RG 090
RG 130  ROSMARINUS officinalis.....	16,00	150	15	.....	RG 130
RG 160  RUDBECKIA fulgida var. deamii.....	12,00	200	15	light-germinator, do not cover, night 18°C, day 26°C.	RG 160
RG 162  RUDBECKIA fulgida var. fulgida.....	12,00	200	16	light-germinator, do not cover, night 18°C, day 26°C.	RG 162
RG 190  RUDBECKIA fulgida var. speciosa (neumannii).....	12,00	200	15	light-germinator, do not cover, night 18°C, day 26°C.	RG 190
RG 164  RUDBECKIA fulgida var. sullivantii 'Goldsturm'.....	7,20	300	15	light-germinator, do not cover, night 18°C, day 26°C.	RG 164
RG 173  RUDBECKIA missouriensis.....	12,00	200	16	light-germinator, do not cover, night 18°C, day 26°C.	RG 173
RG 202  RUELLIA humilis.....	148,00	50	15	.....	RG 202
SG 150  SAPONARIA ocyoides 'Snow Tip'.....	12,00	200	15	.....	SG 150
SG 144  SAPONARIA officinalis.....	12,00	200	15	.....	SG 144
SG 152  SAPONARIA pumilio.....	92,00	50	15	.....	SG 152
SG 400  SEMPERVIVUM hybricum winter hardy varieties.....	3,60	500	15	germination occurs in 1-2 weeks .....	SG 400
SG 432  SIDA hermaphroditica.....	16,00	150	15	.....	SG 432
SG 434  SIDALCEA candida 'Bianca'.....	18,00	150	15	.....	SG 434
SG 436  SIDALCEA Malviflora-Hyb. 'Partygirl' [Rosanna].....	7,20	300	15	.....	SG 436
SG 437  SIDALCEA Malviflora-Hyb. 'Rosaly'.....	18,00	150	15	.....	SG 437
SG 510  SISYRINCHIUM angustifolium.....	16,00	150	16	requires 4-6 weeks for germination .....	SG 510
SG 511  SISYRINCHIUM angustifolium f. album.....	16,00	150	16	requires 4-6 weeks for germination .....	SG 511
SG 522  SISYRINCHIUM californicum [Yellow Stone].....	24,00	100	15	requires 4-6 weeks for germination .....	SG 522
SG 534  SISYRINCHIUM striatum.....	24,00	100	15	requires 4-6 weeks for germination .....	SG 534
SG 560  SOLDANELLA alpina.....	24,00	100	15	requires 4-6 weeks for germination .....	SG 560
SG 562  SOLDANELLA montana.....	48,00	100	15	requires 4-6 weeks for germination .....	SG 562
SG 610  STACHYS macrantha (grandiflora).....	48,00	50	15	.....	SG 610
SG 611  STACHYS macrantha 'Morning Blush'.....	72,00	50	15	.....	SG 611
TG 020  TELLIMA grandiflora.....	2,40	1000	15	.....	TG 020
TG 088  THALICTRUM rochebrunianum [Lavender Mist].....	54,00	50	15	.....	TG 088
TG 096  THERMOPSIS caroliniana (villosa).....	28,00	50	15	.....	TG 096
TG 098  THERMOPSIS chinensis [Sunrise].....	54,00	50	15	.....	TG 098
TG 138  TIARELLA polyphylla 'Filigran'.....	12,00	200	16	requires 4-6 weeks for germination .....	TG 138
TG 140  TIARELLA wherryi (collina) [Silverado, Sugar Scoop].....	12,00	200	16	requires 4-6 weeks for germination .....	TG 140
TG 190  TRICYRTIS hirta.....	12,00	200	15	.....	TG 190
TG 192  TRICYRTIS Hirta-Hyb. 'Miyazaki'.....	24,00	100	15	.....	TG 192
TG 194  TRICYRTIS latifolia (bakeri).....	24,00	100	15	.....	TG 194
TG 240  TROLLIUS chinensis 'Goldköningin' (ledbourii) [Golden Queen].....	12,00	200	15	.....	TG 240
TG 242  TROLLIUS chinensis 'Morning Sun'.....	36,00	100	16	.....	TG 242
TG 244  TROLLIUS x cultorum 'New Moon'.....	36,00	100	15	.....	TG 244
TG 248  TROLLIUS x cultorum 'New Hybrids'.....	12,00	200	15	.....	TG 248
TG 256  TROLLIUS europaeus.....	12,00	200	15	.....	TG 256
TG 257  TROLLIUS europaeus f. compactus 'Lemon Supreme'.....	36,00	100	15	.....	TG 257
TG 258  TROLLIUS laxus var. albiflorus.....	24,00	100	16	.....	TG 258
TG 260  TROLLIUS pumilus.....	24,00	100	15	.....	TG 260
VG 100  VERBENA bonariensis [Buenos Aires, Purple Top].....	6,20	500	15	varying temperatures, night 18°C, day 26°C, of benefit.	VG 100
VG 112  VERBENA hastata 'Blue Spires'.....	6,20	500	15	varying temperatures, night 18°C, day 26°C, of benefit.	VG 112
VG 113  VERBENA hastata 'Pink Spires'.....	6,20	500	15	varying temperatures, night 18°C, day 26°C, of benefit.	VG 113
VG 114  VERBENA hastata 'White Spires'.....	6,20	500	15	varying temperatures, night 18°C, day 26°C, of benefit.	VG 114
VG 120  VERNONIA crinita.....	12,00	200	15	requires 4-6 weeks for germination .....	VG 120
VG 124  VERNONIA noveboracensis.....	12,00	200	15	requires 4-6 weeks for germination .....	VG 124
VG 191  VERONICASTRUM sibiricum.....	3,60	600	15	.....	VG 191
VG 180  VERONICASTRUM virginicum.....	3,60	600	15	.....	VG 180
VG 262  VIOLA elatior.....	12,00	200	15	requires 4-6 weeks for germination .....	VG 262
VG 234  VIOLA labradorica hort. 'Purpurea'.....	24,00	100	16	requires 4-6 weeks for germination .....	VG 234
VG 246  VIOLA sororia 'Albiflora'.....	18,00	150	15	requires 4-6 weeks for germination .....	VG 246
VG 252  VIOLA sororia 'Dark Freckles'.....	18,00	150	15	requires 4-6 weeks for germination .....	VG 252
VG 248  VIOLA sororia 'Freckles'.....	18,00	150	15	requires 4-6 weeks for germination .....	VG 248
VG 247  VIOLA sororia 'Rubra' [Emperor Magenta Red].....	18,00	150	15	requires 4-6 weeks for germination .....	VG 247
VG 263  VIOLA sororia 'Sorority Sisters'.....	12,00	200	15	requires 4-6 weeks for germination .....	VG 263
ZG 004  ZIGADENUS elegans .....	24,00	100	15	.....	ZG 004

## Production – Breeding – Seed Technology

Culinary and medicinal herbs and teas are becoming increasingly popular due to the growing trend towards a healthier lifestyle. In traditional Chinese medicine over 5000 different plants are currently used. Their popularity has led to an increased demand and Chinese medicinal herbs are now being grown successfully in Europe and America. We have decided to expand our original range of herbs by adding a further selection of mainly hardy, culinary and medicinal herbs and teas.

Following notes are made for better understanding:

Ⓐ = Kitchen herbs: herbs which are used for seasoning, as salad plants or ingredients for gourmet cooking.

Ⓣ = Tea herbs: herbs which are used to make herbal teas.

Ⓑ = Bee herbs: bee- and pollinator friendly herbs.

Ⓓ = Herbal drugs: herbs which are used for medicinal purposes.

TCM plant = herbs which are used in traditional Chinese medicine.

BLBP plant provenance = abbreviation for the provenance of plants by the Bayerische Landesanstalt für Landwirtschaft (Bavarian regional authority for agriculture, previously Bayerischen Landesanstalt für Bodenkultur und Pflanzenbau).

These plants are selectively bred with distinctly better properties than normally available plant material. Plants with 'BLBP' provenance have been tested over a period of years on their suitability for field production, particularly with regard to quality and yield and on their botanic identity as stipulated by the pharmacopoeia.

These plants are therefore ideally suited for commercial field production. 'BLBP' certified plants also fulfil all specifications for ingredients stipulated by the Chinese pharmacopoeia. Unauthorised seed propagation is strictly prohibited.

In our new section we have deliberately omitted, toxic or poisonous plants, although many of these herbs are commonly used medicinally. Species not mentioned here may be found in the main assortment under "Special Hints" marked with a "⚠" (Aesclepius staff).

**Warning!** Supposedly non-toxic herbs taken in the wrong quantity can cause damage to health! All herbs should only be used with the appropriate expertise and in compliance with the regulations stipulated in the country of use. The information we have compiled is given in good faith and does not claim to be complete. We give no guarantee and accept no liability for its content.

			Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>ACHILLEA</b> (Asteraceae, Compositae)									
AA 028	millefolium, wild form, Yarrow, 40 cm, white, VI-X, Z2-9 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	128,00	32,00	8,00	2,00	2,00
NEW! AA 033	millefolium 'Proa', 40 cm, pure white, uniform habit, tetraploid cultivar, high oil concentration, VI-VIII, Z2-9 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	768,00	96,00	12,00	3,00	2,00
AA 041	Ⓐ nobilis, Noble Yarrow, 50 cm, cream-yellow, for dry places, VI-IX, Z5-7 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	–	136,00	24,00	4,20	2,00
<b>ACMELLA</b> (Asteraceae, Compositae)									
AA 077	Ⓐ oleracea f. purpurea (SPILANTHES) [Bull's Eye, Electric Buttons, Peek-A-Boo], Purple leaved Paracress, Toothache Plant, 30 cm, brown-yellow flower buds, bronze-green foliage, V-IX, Z9-11 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	–	740,00	82,00	9,40	3,80
AA 076	Ⓐ oleracea f. viridis (SPILANTHES), Green leaved Paracress, Eyeball Plant, 30 cm, yellow flowerheads, green foliage, V-IX, Z9-11 .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	–	580,00	64,00	8,00	3,20
<b>AGASTACHE</b> (Lamiaceae, Labiateae)									
	aurantiaca - see Organic Seed								
AA 154	foeniculum, True Anise-Hyssop, 70 cm, blue, dark green foliage, silvery underneath, true, VII-IX, Z5-9 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	2688,00	384,00	48,00	6,00	3,00
AA 156	rugosa [ <i>Liquorice Blue, Blue Spike</i> ], (Huo Xiang), 60 cm, blue lilac, aromatic, VI-IX, Z6-9, TCM plant (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	2	15	140,00	32,00	8,00	2,00	2,00
AA 157	rugosa 'Alba' [ <i>Liquorice White, Snow Spike</i> ], 60 cm, pure white, VI-IX, Z6-9 .....	Ⓐ Ⓣ ⓒ Ⓞ	2	15	224,00	32,00	8,00	2,00	2,00
AA 149	rugosa (foeniculum) 'Golden Jubilee', (AAS FS), 50 cm, blue, unique golden foliage, attractive foliage plant, VI-X, Z6-9 .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	–	1920,00	240,00	32,00	6,00
AA 162	rugosa 'Korean Zest', Korean Mint, 50 cm, deep violet-blue, narrow blossom panicles, dark stems, compact, bushy habit, VII-IX, Z5-9 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	1	15	–	392,00	56,00	8,00	2,40
	rupestris - see Organic Seed								
<b>AGRIMONIA</b> (Rosaceae)									
AA 155	eupatoria, Common Agrimony, 50 cm, yellow, VI-VIII, Z3-8 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	75	9	128,00	32,00	8,00	2,00	2,00
AA 151	eupatoria var. alba, 50 cm, white flowering form, intense dark green, feathered foliage, VI-VIII, Z3-8 .....	Ⓐ Ⓣ ⓒ Ⓞ	50	9	–	128,00	16,00	2,40	4,00
	procera - see Organic Seed								
<b>AGROSTEMMA</b> - see Organic Seed									
<b>AJUGA</b> (Lamiaceae, Labiateae)									
AA 158	reptans, Creeping Bugle, 15 cm, blue, V-VI, Z3-9 (see also Organic-Seeds) .....	Ⓐ Ⓞ	10	9	–	384,00	48,00	6,00	3,00
<b>ALCEA</b> (ALTHAEA) (Malvaceae)									
AA 308	Ⓐ rosea var. nigra [ <i>Jet Black, Arabian Nights</i> ], Hollyhock, 180 cm, single, black-red, V-X, Z3-9 (see also Organic-Seeds) .....	Ⓐ Ⓣ ⓒ Ⓞ	25	15	320,00	64,00	8,00	2,00	2,00



ACMELLA oleracea f. purpurea



ACMELLA oleracea f. viridis



AGASTACHE rugosa 'Golden Jubilee'



AGASTACHE rugosa 'Korean Zest'



ALLIUM ramosum



ALLIUM tricoccum




ALLIUM ursinum




ANTHOXANTHUM odoratum

			Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>ALCHEMILLA</b> (Rosaceae)									
AA 178	xanthochlora ( <i>vulgaris</i> ), Lady's Mantle, 50 cm, yellow-green, VI-VIII, Z3-8 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i> , .....	pure seed ①	1	1	1120,00	160,00	23,00	3,20	2,00
<b>ALLIUM</b> (Alliaceae, <i>Liliaceae</i> )									
AA 208	fistulosum, Welsh Onion (Cong-Bai), 40 cm, yellowish-white, very large hollow leaves, VII-VIII, Z4-7, TCM plant <i>(see also Organic-Seeds)</i> , .....	② ③ ④	5	16	96,00	24,00	6,00	2,00	2,00
AA 247	ramosum ( <i>odorum</i> ), Fragrant Flowered Garlic, 40 cm, bell shaped white umbels, similar to A. tuberosum, but earlier flowering, VI-VIII, Z5-9 <i>(see also Organic-Seeds)</i> , .....	② ③ ④	10	16	–	168,00	24,00	3,40	2,00
AA 241	schoenoprasum, Chives, 40 cm, lilac, V-VIII, Z3-9 <i>(see also Organic-Seeds)</i> , .....	② ④	3	15	120,00	18,00	6,00	2,00	2,00
AA 239	schoenoprasum 'Polyvit', 40 cm, lilac, medium-sized leaves, upright, V-VIII, Z3-9 <i>(see also Organic-Seeds)</i> , .....	② ④	3	15	396,00	68,00	11,40	2,00	2,00
AA 256	tricoccum, Ramp, Wild Leek, Spring Onions, Chicagoua, 30 cm, blue-green broad foliage, flowering white after foliage has withdrawn, VII-IX, Z3-9 .....	② ③ ④	150	1	1200,00	160,00	22,00	2,80	2,80
AA 260	tuberosum, Chinese Chives, Garlic Chives (Jiu-Zi), 50 cm, white, VI-IX, Z3-10, TCM plant <i>(see also Organic-Seeds)</i> , .....	② ③ ④	8	16	288,00	72,00	12,00	2,00	2,00
AA 258	ursinum, Wood Garlic, Bear Garlic, Ramsons, 25 cm, white, V, Z3-9 <i>(see also Organic-Seeds)</i> , .....	② ③ ④	25	1	430,00	72,00	12,00	2,00	2,00
<b>ALTHAEA</b> - see also <b>ALcea</b> (Malvaceae)									
AT 282	officinalis, Marshmallow, 180 cm, pink, V-IX, Z3-10, <i>(see also Organic-Seeds)</i> , .....	JET® - pure seed ② ③ ④ ⑤	10	8	128,00	32,00	8,00	2,00	2,00
<b>AMMI</b> - see <b>Organic Seed</b>									
<b>AMOMUM</b> (Zingiberaceae)									
AA 358	subulatum, Black Cardamom (Yi Zhi Ren), 150 cm, yellowish-white, dense clumps, broad lanceolate foliage, VI-VII, Z9-10, TCM plant .....	② ④	50	14	480,00	80,00	13,60	2,00	6,80
<b>ANACYCLUS pyrethrum</b> - see <b>Organic Seed</b>									
<b>ANCHUSA</b> (Boraginaceae)									
AA 378	officinalis, Alkanet, 70 cm, carmine to dark violet, VI-IX, Z4-9 ( <i>s. also Organic-Seeds</i> ). ② ③ ④	10	7	396,00	62,00	7,80	2,00	3,00	
<b>ANETHUM</b> (Apiaceae, <i>Umbelliferae</i> )									
AA 484	graveolens, Dill, 60 cm, yellow umbels, VI-VIII, Z6-10, ⊖ ( <i>see also Organic-Seeds</i> ). ② ③ ④	4	15	24,00	6,00	4,00	2,00	2,00	
<b>ANGELICA</b> (Apiaceae, <i>Umbelliferae</i> )									
AA 492	archangelica, Angelica, Holy Ghost, 180 cm, greenish-white to creamy umbels, VI-VIII, Z3-7 <i>(see also Organic-Seeds)</i> , .....	② ③ ④	20	9	120,00	26,00	6,00	2,00	2,00
NEW! AA 494	archangelica 'BLBP 01', Angelica, Holy Ghost, 180 cm, greenish-white umbels, high content of essential oil, very high root yield, very vigorous, low disease risk, VI-VIII, Z3-7 <i>(see also Organic-Seeds)</i> , .....	② ③ ④	20	9	192,00	48,00	12,00	4,00	3,00
AA 523	dahurica 'BLBP 02', Chinese Angelica (Bai Zhi), 180 cm, white umbels, large pinnatifid foliage, high content of essential oil, root extract and imperatorin, high root yield, VII-VIII, Z4-10, TCM plant .....	② ④	15	9	432,00	72,00	12,00	2,00	2,00
<b>ANTHEMIS</b> (Asteraceae, <i>Compositae</i> )									
AA 522	tinctoria ( <i>COTA</i> ), Dyer's Chamomile, 50 cm, golden, VII-IX, Z3-7 <i>(see also Organic-Seeds)</i> , .....	② ③ ⑥	1	15	120,00	24,00	6,00	2,00	2,00
AA 526	tinctoria 'Alba', 40 cm, white, VII-IX, Z3-7 .....	② ④	1	15	–	120,00	16,00	2,40	2,00
AA 524	tinctoria 'Kelwayi', 40 cm, lemon yellow, VI-IX, Z3-7 .....	② ④	1	15	–	98,00	14,00	2,00	2,00
<b>ANTHOXANTHUM</b> (Poaceae, <i>Gramineae</i> )									
ZA 036	odoratum, Sweet Vernal Grass, 30 cm, V-VI, Z4-9 ( <i>s. also Organic-Seeds</i> ), .. pure seed ② ③ ④	5	15	240,00	60,00	12,00	2,00	2,00	
<b>ANTHRISCUS</b> (Apiaceae, <i>Umbelliferae</i> )									
AA 539	cerefolium, Chervil, 50 cm, white, VI-VIII, Z6-9, ⊖-⊖ <i>cerefolium 'Fijne Krul'</i> - see <b>Organic Seed</b> .....	② ④	5	15	26,00	6,00	4,00	2,00	2,00
<b>ANTHYLLIS vulneraria</b> - see <b>Organic Seed</b>									


**ARISTOLOCHIA clematitis**

**ARNICA chamissonis**

**ARNICA montana 'Arbo'**

**ARTEMISIA ludoviciana**

**ASTRAGALUS mongolicus 'BLBP 04'**

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>AQUILEGIA chrysantha, vulgaris - see Organic Seed</b>									
<b>ARCTIUM</b> (Asteraceae, <i>Compositae</i> )									
AA 844 <b>lappa</b> , Great Burdock (Niu-Bang-Zi), 140 cm, panicles with purple flower heads, large leaves, VI-IX, Z2-9, TCM plant ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	30	15	88,00	22,00	5,00	2,00	2,50	
<b>ARISTOLOCHIA</b> (Aristolochiaceae)									
AA 882 <b>clematitis</b> , Birthwort, 80 cm, light yellow, poisonous, V-VII, Z5-9 ( <i>s. also Organic-Seeds</i> ) . . . . .	⑩	80	1	224,00	32,00	8,00	2,00	4,00	
<b>ARNICA</b> (Asteraceae, <i>Compositae</i> )									
AA 904 <b>chamissonis</b> , Leafy Leopard's Bane, 50 cm, yellow, abundant flowers, VI-VIII, Z2-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	3	15	2520,00	360,00	48,00	6,40	3,20	
AA 908 <b>montana</b> , Arnica, Mountain Tobacco, 50 cm, golden, lime-free soil, V-VII, Z5-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	5	15	1560,00	196,00	28,00	4,00	2,00	
AA 907 <b>montana 'Arbo'</b> , Mountain Arnica, 45 cm, large yellow flower heads, rich bloomer, healthy growth, suitable for soil with less than 1.5% CaCO <sub>3</sub> content, specially for field production, high flower crop yield and required ingredients, good essential oil content of root extract, fulfills all medicinal standards, plant variety protection! V-VII, Z5-8 . . . . .	⑧ ⑩	5	15	3980,00	540,00	76,00	9,60	3,20	
<b>ARTEMISIA</b> (Asteraceae, <i>Compositae</i> )									
AA 915 <b>absinthium</b> , Common Wormwood, Absinthe, 80 cm, yellow, grey-green foliage, VI-VIII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	① ⑩	0,5	15	392,00	56,00	8,00	2,00	2,00	
<b>NEW!</b> AA 919 <b>absinthium 'Silverado'</b> , 60 cm, yellowish flower spikes, grey-white feltlike broad pinnatifid foliage, aromatic, sturdy and compact habit, especially hardy and ornamental selection VII-VIII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	① ⑩	0,5	15	—	360,00	48,00	6,40	3,20	
AA 918 <b>annua</b> , Sweet Annie (Qing Hao), 140 cm, yellowish-green, pinnatifid foliage, annual, VIII-X, Z6-10, TCM plant ( <i>see also Organic-Seeds</i> ) . . . . .	① ⑩	0,5	15	—	576,00	72,00	9,40	3,20	
AA 917 <b>dracunculus</b> , Russian Tarragon, 100 cm, greenish, lanceolate foliage, VI-VIII, Z2-9 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	1	15	504,00	72,00	12,00	2,00	2,00	
AA 920 <b>genipi</b> , Black Mugwort, 8 cm, grey felt-like, mat-like cushions, yellow blossom heads, VI-IX, Z3-7 . . . . .	⑧ ⑩ ⑩	0,5	15	—	—	432,00	48,00	7,00	
AA 930 <b>ludoviciana</b> , Western Mugwort, White Prairie Sage, 60 cm, yellowish flowers, grey aromatic leaves, variable, VII-VIII, Z4-9 . . . . .	⑧ ⑩ ⑩	0,5	15	—	128,00	16,00	2,00	2,00	
AA 929 <b>scoparia 'BLBP 01'</b> , Redstem Wormwood (Yin-Chen), 170 cm, greenish white panicles, rich bloomer, bipinnate leaves, high content of essential oil, very aromatic, high herb yield, X-XII, Z7-11, TCM plant, Ø . . . . .	⑩	0,1	16	—	—	—	26,00	6,50	
AA 925 <b>vulgaris</b> , Mugwort, Chinese Moxa (Ai-Ye), 120 cm, red-brown, dark green foliage, VI-VIII, Z2-9, TCM plant . . . . .	⑧ ⑩ ⑩	0,5	15	224,00	32,00	8,00	2,00	2,00	
<b>ASCLEPIAS tuberosa - see Organic Seed</b>									
<b>ASPERULA odorata - see GALIUM odoratum</b>									

Production – Breeding – Seed Technology	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>ASTRAGALUS</b> (Papilionaceae, Leguminosae)							
AB 148 <b>mongolicus</b> ( <i>membranaceus</i> var. <i>mongolicus</i> ) 'BLBP 04', Chinese Milkvetch (Huang Qi), 130 cm, light yellow flowers, inflated red tinged seed husks, pinnatifid foliage, erect growth, high content of astragalosid IV, high root yield, thick roots, VII-VIII, Z5-9, TCM plant ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑨ ⑩	20	8	588,00	98,00	14,00	2,00
<b>ATRIPLEX</b> - see <b>Organic Seed</b>							
<b>ATROPA</b> - see <b>Organic Seed</b>							
<b>BARBAREA</b> (Brassicaceae)							
<b>vulgaris</b> - see <b>Organic Seed</b>							
BA 025 <b>vulgaris</b> 'Variegata' [ <i>Winter Cream</i> ], 60 cm, yellow, green and yellow splashed leaves, V-VII, Z5-8 .....	⑧ ⑨	1	8	–	1390,00	176,00	22,00
<b>BELLIS</b> (Asteraceae, Compositae)							
BA 029 <b>perennis</b> , Common Daisy, English Daisy, 15 cm, white, II-VI, Z3-8 ( <i>s. a. Organic-Seeds</i> ). ⑧ ⑨ ⑩	1	15	1620,00	180,00	20,00	2,40	2,00
<b>BERLANDIERA</b> - see <b>Organic Seed</b>							
<b>BLITUM</b> - see <b>CHENOPODIUM</b>							
<b>BORAGO</b> (Boraginaceae)							
BA 050 <b>officinalis</b> , Borage, 60 cm, blue, VI-IX, Z7-11, ⊖ ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑨ ⑩	50	15	52,00	9,00	4,00	2,00
<b>officinalis</b> 'Alba' - see <b>Organic Seed</b>							
<b>BULBINE</b> (Asphodelaceae, Liliaceae)							
NEW! BA 088 <b>frutescens</b> , Bulbine, Burn Jelly Plant, 40 cm, yellow-orange, succulent, fleshy leaves with characteristics similar to ALOE vera, V-IX, Z9-12 ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑩	5	15	–	320,00	42,00	5,20
<b>CALAMINTHA</b> (Lamiaceae, Labiateae)							
CA 021 <b>nepeta</b> , Nepitella, Lesser Calamint, 40 cm, light blue-pink, permanent flowering, VII-IX, Z5-8 ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑨ ⑩ ⑪	1	15	–	384,00	48,00	6,00
<b>CALENDULA</b> (Asteraceae, Compositae)							
CA 030 <b>officinalis</b> , Pot Marigold, 40 cm, yellow-orange, for the biological disinfection of soil, amount needed 5gr/m², VII-X, Z5-10, ⊖ ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑨ ⑩	50	15	35,00	9,00	4,00	2,00
<b>CALLIRHOE</b> - see <b>Organic Seed</b>							
<b>CALLUNA vulgaris</b> - see <b>Organic Seed</b>							
<b>CALTHA palustris</b> - see <b>Organic Seed</b>							
<b>CAMPANULA</b> (Campanulaceae)							
CA 220 <b>rapunculus</b> , Rampion, 70 cm, blossom panicles blue or white, VII-VIII, Z5-9 ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑨ ⑩ ⑪	1	16	–	192,00	24,00	3,00
<b>CAPPARIS</b> (Capparaceae)							
CA 256 <b>spinosa</b> , Caper, 60 cm, large white flowers with purple filaments, dwarf shrub with large blue-green foliage, for dry walls, V-IX, Z8-11 .....	⑧ ⑩	15	8	1575,00	210,00	28,00	4,20
CA 257 <b>spinosa</b> var. <i>inermis</i> [ <i>Spineless Select</i> ], Spineless Caper Plant, 60 cm, white flowers with purple filaments, blue-green foliage, V-IX, Z7-11 .....	⑧ ⑩	15	8	–	280,00	36,00	5,20
<b>CARDAMINE pratensis</b> - see <b>Organic Seed</b>							
<b>CARDIOSPERMUM</b> - see <b>Organic Seed</b>							
<b>CARLINA acaulis</b> - see <b>Organic Seed</b>							
<b>CARTHAMUS tinctorius</b> - see <b>Organic Seed</b>							
<b>CARUM</b> (Apiaceae, Umbelliferae)							
CA 271 <b>carvi</b> , Caraway, 60 cm, white, VI-VIII, Z2-9, ⊖ ( <i>see also Organic-Seeds</i> ) .....	⑧ ⑨ ⑩	10	15	24,00	6,00	4,00	2,00



BARBAREA vulgaris 'Variegata'



CALAMINTHA nepeta



CENTAURIUM erythraea



CHELIODONIUM majus 'Flore Pleno'



**CICHORIUM intybus var. intybus**



**CIMICIFUGA racemosa**



**CISTUS incanus ssp. tauricus**



**CODONOPSIS pilosula**



**COLCHICUM autumnale**

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>CENTAUREA atropurpurea, cyanus 'Blaue Gefüllte', montana - see Organic Seed</b>								
<b>CENTAURIUM</b> (Gentianaceae) CA 340 ☒ <b>erythraea (umbellatum)</b> , Centaury, Feverwort, 20 cm, pink, VII-X, Z5-9, ☺	1	16	–	336,00	42,00	5,40	2,00	
<b>CHAMAEMELUM</b> (Asteraceae, <i>Compositae</i> ) CA 368 <b>nobile (ANTHEMIS)</b> , Roman Chamomile, 30 cm, silver-white, yellow disc, VI-VIII, Z4-9 ( <i>see also Organic-Seeds</i> )	1	15	432,00	72,00	12,00	2,00	2,00	
<b>CHAMAENERION</b> - see <b>EPILOBIUM</b>								
<b>CHAMOMILLA (MATRICARIA)</b> (Asteraceae, <i>Compositae</i> ) CA 386 <b>recutita</b> , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, V-IX, Z5-10, ☺ ( <i>see also Organic-Seeds</i> )	0,5	15	98,00	24,00	5,60	2,00	2,00	
CA 387 <b>recutita 'Bodegold'</b> , German Chamomile, Scented Mayweek, Matricary, 40 cm, white with yellow disc, tetraploid cultivar with even flower horizon, high yields, large flowering, V-IX, Z5-10, ☺	0,5	15	192,00	32,00	7,20	2,00	2,00	
CA 389 ☒ <b>recutita 'Zloty Lan'</b> , German Chamomile, Scented Mayweek, Matricary, 40 cm, white with yellow disc, tetraploid cultivar with high yields, large flowering, V-IX, Z5-10, ☺ ( <i>see also Organic-Seeds</i> )	0,5	16	132,00	28,00	6,80	2,00	2,00	
<b>CHELIDONIUM</b> (Papaveraceae) CA 365 <b>majus</b> , Greater Celandine (Bai-Qu-Cai), 50 cm, golden flowers, V-IX, Z4-8, TCM plant ( <i>see also Organic-Seeds</i> )	3	19	696,00	174,00	22,00	3,00	2,00	
CA 367 ☒ <b>majus 'Flore Pleno'</b> , 40 cm, golden, double, V-IX, Z4-8	3	19	–	–	42,00	6,00	3,00	
<b>CHENOPODIUM</b> - see <b>Organic Seed</b>								
<b>CHRYSANTHEMUM balsamita, cinerariifolium, parthenium, vulgare - see TANACETUM</b>								
<b>CICHORIUM</b> (Asteraceae, <i>Compositae</i> ) CA 496 ☒ <b>intybus var. intybus</b> , Chicory, Succory, 80 cm, blue, VII-IX, Z2-9 ( <i>see also Organic-Seeds</i> )	3	15	168,00	24,00	6,00	2,00	2,00	
<b>CIMICIFUGA (ACTAEA)</b> (Ranunculaceae) CA 504 ☒ <b>racemosa</b> , ☐ <b>(AGM)</b> , Black Cohosh, 150 cm, white, abundant flowers, VI-VII, Z3-7	5	19	–	208,00	26,00	3,40	2,00	
<b>CISTUS</b> (Cistaceae) CA 542 ☒ <b>incanus ssp. tauricus</b> , Tauric Rock Rose, 100 cm, rose-purple, grey-green leaves, VI-VIII, Z7-10 ( <i>see also GOLD NUGGET SEED®</i> )	3	8	2350,00	336,00	42,00	5,20	2,60	



CRITHMUM maritimum



CYNARA cardunculus



ECHINACEA paradoxa var. paradoxa



EPILOBIUM angustifolium

		Gram to get 1000 plants	Nº of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>CLEMATIS integrifolia</b> - see Organic Seed								
<b>CNICUS benedictus</b> - see Organic Seed								
<b>COCHLEARIA officinalis</b> - see Organic Seed								
<b>CODONOPSIS</b> (Campanulaceae)								
CA 582 ☼ <b>pilosula</b> , Tang Shen (Dong-Sen), up to 120 cm climbing, greenish yellow bellflowers, VI-IX, Z5-8, TCM plant ( <i>see also Organic-Seeds</i> ) .....	①	3	15	–	620,00	78,00	9,60	2,40
<b>COLCHICUM</b> (Colchicaceae, Liliaceae)								
CA 593 ☼ <b>autumnale</b> , Autumn Crocus, 15 cm, lilac, poisonous! VIII-X, Z4-7 ( <i>see also Organic-Seeds</i> ) .....	①	30	6	288,00	48,00	8,00	2,00	2,00
<b>CORIANDRUM</b> (Apiaceae, Umbelliferae)								
CA 640 ☼ <b>sativum</b> , Coriander, 50 cm, white-pink umbels, VI-IX, Z5-10, ⊖ ( <i>see also Organic-Seeds</i> ) .....	① ② ③	30	15	24,00	6,00	4,00	2,00	2,00
CA 641 <b>sativum 'Typ Slowbolt'</b> , Foliage Coriander, 50 cm, productive foliage selection, IX, Z5-10, ⊖ ( <i>see also Organic-Seeds</i> ) .....	① ② ③	30	15	32,00	6,00	4,00	2,00	2,00
<b>COTA tinctoria</b> - see <b>ANTHEMIS tinctoria</b>								
<b>CRAMBE maritima</b> - see Organic Seed								
<b>CRITHMUM</b> (Apiaceae, Umbelliferae)								
CA 677 ☼ <b>maritimum</b> , Sea Samphire, Sea Fennel, 40 cm, yellowish umbels, blue-green, feathery, succulent leaves, VII-IX, Z6-9 .....	④ ⑤	15	16	–	192,00	24,00	3,00	2,30
<b>CRYPTOTAENIA</b> (Apiaceae, Umbelliferae)								
CA 720 <b>japonica f. atropurpurea</b> , Purple-leaved Japanese Parsley, 40 cm, pink, very decorative, trifoliate foliage, entire plant bronze-red, excellent foliage perennial, self seeds! V-VI, Z4-9 .....	⑥	3	8	–	–	–	32,00	6,80
<b>CUMINUM</b> (Apiaceae, Umbelliferae)								
CA 684 <b>cuminum</b> , Cumin, 25 cm, white-pink, VIII-IX, Z8-11, ⊖ .....	④ ⑤	15	16	54,00	18,00	6,00	2,00	2,00
<b>CYMBOPOGON</b> (Poaceae, Gramineae)								
ZA 126 <b>flexuosus</b> , East Indian Lemongrass, 140 cm, foliage with intensive lemon fragrance, VIII-X, Z8-11, .....	pure seed ④ ⑤ ⑥	1	15	–	1360,00	160,00	22,00	6,00
<b>CYNARA</b> (Asteraceae, Compositae)								
CA 704 ☼ <b>cardunculus</b> , (AGM), Cardoon, 100 cm, blue, excellent cut flowers, variable, VII-X, Z6-10 .....	⑦ ⑧ ⑨	80	15	96,00	24,00	5,00	2,00	2,50
CA 705 <b>cardunculus f. scolymus</b> , Globe Artichoke, 150 cm, violet, little spiny, variable, VII-X, Z6-10 .....	⑦ ⑧ ⑨	120	15	228,00	38,00	6,00	2,00	3,00
NEW! CA 706 ☼ <b>cardunculus f. scolymus 'Tavor'</b> [ <i>Green Globe Typ, Imperial Star Typ</i> ], Vegetable Globe Artichoke, 120 cm, very large bright violet blossoms, purple coloured phyllaries, uniform, solid and heavy buds, thornless foliage. Semi-early flowering cultivar especially suited for floral arrangements, VII-X, Z6-10 ( <i>see also Organic-Seeds</i> ) .....	⑦ ⑧ ⑨	100	15	360,00	62,00	12,00	2,00	6,00
<b>CYNOGLOSSUM</b> (Boraginaceae)								
CA 709 <b>officinale</b> , 75 cm, purple-blue, V-VII, Z5-9 ( <i>see also Organic-Seeds</i> ) .....	①	60	8	160,00	32,00	8,00	2,00	4,00
<b>DIANTHUS carthusianorum, superbus</b> - see Organic Seed								
<b>DICTAMNUS</b> - see Organic Seed								
<b>DIGITALIS ambigua, lanata, purpurea</b> - see Organic Seed								
<b>DIPLOTAIXIS tenuifolia</b> - see Organic Seed								
<b>DIPSACUS sylvestris</b> - see Organic Seed								
<b>DORYCNIUM hirsutum</b> - see Organic Seed								
<b>DRACOCEPHALUM moldavica</b> - see Organic Seed								



FILIPENDULA ulmaria



FRAGARIA vesca



FRAGARIA vesca 'Alpine Yellow'



FRAGARIA vesca 'Golden Alexandria'

		Gram to get 1000 plants	Nº of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>ECHINACEA (RUDBECKIA)</b> (Asteraceae, Compositae)								
EA 003 ☼ <i>angustifolia</i> , Narrow Coneflower, up to 50 cm, pink to red, petals shorter but wider than <i>E. pallida</i> , with yellow pollen, VI-X, Z3-8 ( <i>s. also GOLD NUGGET SEED® + Organic-Seeds</i> ) ☺☺	10	9	980,00	144,00	24,00	3,60	3,60	
EA 004 ☼ <i>pallida</i> , Pale Coneflower, 80 cm, pink, long hanging petals, with whitish pollen, VII-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) .....	15	15	340,00	68,00	14,00	2,00	2,00	
EA 006 ☼ <i>paradoxa</i> var. <i>paradoxa</i> , 80 cm, bright yellow, very unusual, VII-X, Z4-9 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) .....	15	9	–	192,00	24,00	3,60	3,60	
RA 180 <i>purpurea</i> (RUDBECKIA), Purple Coneflower, 100 cm, purple-rose, VII-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) .....	10	15	160,00	32,00	8,00	2,00	2,00	
EA 008 ☼ <i>tennesseensis</i> 'Rocky Top Hybr.', 60 cm, pink, bent upward petals, lanceolate foliage, VII-IX, Z4-9 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) .....	12	9	–	192,00	24,00	3,60	3,60	
<b>ECHINOPS ritro</b> - see Organic Seed								
<b>ECHIUM</b> (Boraginaceae)								
amoenum, russicum (rubrum) - see Organic Seed								
EA 020 <i>vulgare</i> , Viper's Bugloss, 80 cm, bright blue, V-VIII, Z3-11, ☺ ( <i>see also Organic-Seeds</i> ) .....	80	5	192,00	32,00	8,00	2,00	2,00	
<b>EPILOBIUM</b> (Onagraceae)								
EA 030 ☼ <i>angustifolium</i> (CHAMAENERION), Rosebay Willowherb, Fire Weed, 110 cm, lilac-rose, VI-IX, Z2-7 ( <i>see also Organic-Seeds</i> ) .....	80	1	15	–	192,00	24,00	3,20	2,00
EA 042 <i>hirsutum</i> , 70 cm, wine-red, VI-VIII, Z3-9 ( <i>see also Organic-Seeds</i> ) .....	80	1	15	–	192,00	24,00	3,20	2,00
<b>ERUCA</b> (Brassicaceae, Cruciferae)								
EA 135 <i>vesicaria</i> ssp. <i>sativa</i> , Italian Rocket Salad, Arugula, 30 cm, white-yellow, pinnately lobed leaves, V-VII, Z6-9, ☺ ( <i>see also Organic-Seeds</i> ) .....	80	10	15	27,00	9,00	4,00	2,00	2,00
<b>ERYNGIUM maritimum</b> - see Organic Seed								
<b>ESCHSCHOLZIA californica</b> - see Organic Seed								
<b>EUPATORIUM cannabinum</b> - see Organic Seed								
<b>EUPHORBIA</b> (Euphorbiaceae)								
EA 232 ☼ <i>lathyrus</i> , 90 cm, yellow-green, decorative, crosswise arranged foliage, VI-VIII, Z5-9, ☺ ( <i>see also Organic-Seeds</i> ) .....	100	1	–	48,00	8,00	2,00	2,60	
<b>FILIPENDULA</b> (Rosaceae)								
FA 018 ☼ <i>ulmaria</i> , Meadowsweet, 150 cm, yellowish-white, VI-VIII, Z3-7 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) .....	80	5	9	432,00	72,00	12,00	2,00	2,00
<b>FOENICULUM</b> (Apiaceae, Umbelliferae)								
FA 008 <i>vulgare</i> , Fennel (Hui-Xiang), 120 cm, yellow umbels, VII-IX, Z6-9, TCM plant ( <i>see also Organic-Seeds</i> ) .....	120	30	15	45,00	9,00	4,00	2,00	2,00
FA 024 <i>vulgare</i> 'Purpureum' (Rubrum) [Smoky, Deco, Bronze], Bronze Leaved Fennel, 80 cm, yellow, VII-IX, Z6-9 ( <i>see also Organic-Seeds</i> ) .....	120	30	15	586,00	98,00	16,00	2,00	2,00
<b>FRAGARIA</b> (Rosaceae)								
indica - see DUCHESNEA								
FA 009 <i>moschata</i> , Musk Strawberry, 30 cm, white, large flowering, dioecious, blood-red berries, well above the foliage, hardly stoloniferous, V-VII, Z4-8 .....	30	2	16	–	–	84,00	9,60	3,20
FA 023 ☼ <i>vesca</i> , Woodland Strawberry, 20 cm, white, often stoloniferous, V-VI, Z4-8 ( <i>see also Organic-Seeds</i> ) .....	20	3	16	1152,00	144,00	18,00	2,40	2,00
FA 025 ☼ <i>vesca</i> var. <i>semperflorens</i> 'Alpine Yellow' [White Delight, White Solemacher Strain], 20 cm, white, white-yellow berries, without stolons, V-VI, Z4-8 .....	20	3	16	–	960,00	120,00	16,00	4,00
FA 011 ☼ <i>vesca</i> var. <i>semperflorens</i> 'Alexandria', Alpine Strawberry, 20 cm, white, productive variety, mostly elongated red berries, without stolons, V-IX, Z4-8 ( <i>see also Organic-Seeds</i> ) .....	20	3	16	–	252,00	32,00	4,20	2,40
FA 012 ☼ <i>vesca</i> var. <i>semperflorens</i> 'Golden Alexandria', Golden Leaved Alpine Strawberry, 20 cm, white, golden foliage in spring, changing to light green, red berries, without stolons, V-IX, Z4-8. ☺☺	20	3	16	–	960,00	120,00	16,00	4,00

continued on the following page

Production – Breeding – Seed Technology			Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>FRAGARIA</b> continuation									
FA 013	<b>vesca</b> var. <b>semperflorens</b> 'Verbesserte Rügen' [Baron Solemacher Strain], Alpine Strawberry, 20 cm, white, long known, productive variety, mostly round red berries, without stolons, V-IX, Z4-8 . . . . .	(®) (T) (D)	3	16	1280,00	160,00	20,00	2,60	2,00
FA 019	<b>vesca</b> var. <b>vesca</b> , Woodland Strawberry, 20 cm, white, berries arching over its foliage, stoloniferous groundcover, V-VI, Z4-8 . . . . .	(®) (T) (D)	3	16	1792,00	224,00	28,00	3,60	2,00
<b>GALEGA</b> (Papilionaceae, Leguminosae)									
GA 030	<b>officinalis</b> , Goat's Rue, 100 cm, lilac with bluish banner, abundant and long blooming, VII-IX, Z3-7 ( <i>see also Organic-Seeds</i> ) . . . . .	(T) (B) (D)	20	16	320,00	68,00	12,00	2,00	2,00
GA 031	<b>officinalis</b> 'Alba', 80 cm, pure white, bushy, upright habit, VII-IX, Z3-7 . . . . .	(T) (B) (D)	20	8	–	–	–	–	4,20
<b>GALIUM</b> (Rubiaceae)									
GA 035	<b>odoratum</b> (ASPERULA odorata), Sweet Woodruff, 15 cm, white, V-VI, Z4-7 ( <i>see also Organic-Seeds</i> ) . . . . .	pure seed (®) (B) (D)	30	1	840,00	120,00	18,00	2,80	2,00
<b>verum</b> - see Organic Seed									
<b>GENTIANA</b> (Gentianaceae)									
asclepiadea - see GOLD NUGGET SEED® + Organic Seed									
GA 134	<b>lutea</b> , Yellow Gentian, Bitterwort, 100 cm, pure yellow, especially decorative and long lasting, VI-VIII, Z3-7 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	(®) (D)	5	1	576,00	96,00	14,00	2,00	2,00
<b>GERANIUM</b> robertianum - see Organic Seed									
<b>GEUM</b> (Rosaceae)									
GA 262	<b>urbanum</b> , Common Avens, 30 cm, yellow, V-X, Z5-9 ( <i>see also Organic-Seeds</i> ) . . . . .	(®) (B) (D)	10	9	360,00	72,00	12,00	2,00	2,00
<b>GINGIDIA</b> (Apiaceae, Umbelliferae)									
NEW! GA 268	<b>montana</b> (ANGELICA gingidium), Mountain Carrot, Maori Aniseed, 40 cm, white umbels, striking pinnate foliage, perennial, VI-VIII, Z6-9 . . . . .	(®) (B)	5	1	–	–	48,00	6,20	3,10
<b>GLAUCIUM</b> - see Organic Seed									
<b>GLECHOMA</b> (Lamiaceae, Labiateae)									
GA 296	<b>hederacea</b> , Ground Ivy, Alehoof, 20 cm, brilliant violet, dark green foliage, IV-V + IX-X, Z2-10 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	(T) (B) (D)	2	1	1800,00	240,00	32,00	4,00	2,00
<b>GLYCYRRHIZA</b> (Papilionaceae, Leguminosae)									
GA 316	<b>echinata</b> , Roman Liquorice, 200 cm, lilac, VI-IX, Z7-10 ( <i>see also Organic-Seeds</i> ) . . . . .	(®) (T) (D)	20	9	–	306,00	36,00	5,20	5,20
GA 317	<b>glabra</b> , Spanish Liquorice, 120 cm, pale blue, VII-IX, Z7-10 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	(®) (T) (D)	20	9	1420,00	240,00	34,00	5,20	5,20
GA 319	<b>uralensis</b> , Chinese Liquorice (Gan-Cao), 100 cm, white-violet, pinnatifid foliage, VI-IX, Z8-10, TCM plant . . . . .	(®) (T) (D)	30	16	980,00	180,00	26,00	3,80	6,50
GA 321	<b>yunnanensis</b> , Yunnan Liquorice, 160 cm, violet, decorative seed heads, pinnatifid foliage, VI-VIII, Z6-10 . . . . .	(®) (T) (D)	30	20	–	480,00	68,00	9,80	4,90
<b>GRATIOLA</b> (Scrophulariaceae)									
GA 320	<b>officinalis</b> , Hedge Hyssop, 30 cm, white-yellow, lanceolate foliage, VI-VIII, Z5-9 . . . . .	(D)	0,1	9	–	–	–	–	6,00
<b>GRINDELIA</b> (Asteraceae, Compositae)									
GA 324	<b>robusta</b> (camporum), Gumlah, Gumplant, Gumweed, 100 cm, yellow umbels, VI-VIII, Z6-10 ( <i>see also Organic-Seeds</i> ) . . . . .	(®) (D)	5	16	–	144,00	18,00	2,40	2,40
<b>HELICHRYSUM</b> (Asteraceae, Compositae)									
HA 082	<b>italicum</b> , (AGM) Italian Everlasting, Curry Plant, 50 cm, yellow, silvery grey-green foliage, VI-VIII, Z7-10 ( <i>see also Organic-Seeds</i> ) . . . . .	(®) (D)	0,5	15	6740,00	864,00	144,00	24,00	6,00
<b>HIBISCUS</b> Moscheutos-Hybr. - see Organic Seed									
<b>HIEROCHLOE</b> (Poaceae, Gramineae)									
ZA 215	<b>odorata</b> , Vanillagrass, 40 cm, loose panicles, reminding of BRIZA, dense clumps, with runners, intense vanilla-fragrance, V-VI, Z4-8 . . . . .	pure seed (®) (D)	2	16	–	–	324,00	36,00	6,00
<b>HOUTTUYNIA</b> (Saururaceae)									
HA 279	<b>cordata</b> , Fishwort, 20 cm, white, heart-shaped foliage, VI-IX, Z6-9 . . . . .	(®)	0,25	1	–	–	–	48,00	6,00
<b>HUMULUS</b> (Cannabaceae)									
HA 284	<b>japonicus</b> 'Variegatus', Variegated Japanese Hop, 160 cm, greenish-yellow, hanging flower racemes, spotted marbled leaves, variable, VII-IX, Z5-10 . . . . .	(®) (D)	30	1	–	–	48,00	7,20	7,20
HA 280	<b>lupulus</b> , 200 cm, Common Hops, greenish-yellow, hanging flowers, green foliage, VII-IX, Z4-9 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	(®) (D)	10	1	980,00	192,00	32,00	4,40	4,40
<b>HYOSCYAMUS</b> (Solanaceae)									
NEW! HA 308	<b>niger</b> , Black Henbane, 50 cm, cream colored flowers with purple veins, V-IX, Z4-7, ☣, poisonous! ( <i>see also Organic-Seeds</i> ) . . . . .	(D)	2	9	–	–	24,00	3,40	2,00
NEW! HA 309	<b>niger</b> var. <b>pallidus</b> , Black Henbane, 50 cm, pure cream yellow, without common vein markings, V-IX, Z4-7, ☣, poisonous! . . . . .	(D)	2	9	–	–	48,00	6,80	3,40
<b>HYPERICUM</b> (Clusiaceae, Guttiferae)									
HA 322	<b>hircinum</b> , Lemon-St. John's Wort, 60 cm, yellow, shrubby habit, VII-VIII, Z6-9 . . . . .	(®) (T)	0,5	16	–	–	–	48,00	6,00
HA 336	<b>perforatum</b> , St. John's Wort, 60 cm, yellow, V-VIII, Z2-9 ( <i>see also Organic-Seeds</i> ) . . . . .	(®) (D)	2	16	192,00	32,00	8,00	2,00	2,00
HT 336	<b>perforatum</b> , heat-treated seed is virtually Colletotrichum free, but secondary infection is still possible, please prevent! . . . . .	JET®- heat-treated seed	2	16	–	96,00	16,00	2,80	2,40
HA 337	<b>perforatum</b> 'Topas', 40 cm, yellow, higher hypericin concentration, V-VIII, Z2-9 ( <i>see also Organic-Seeds</i> ) . . . . .	(®) (D)	2	16	288,00	48,00	8,00	2,00	2,00
HT 337	<b>perforatum</b> 'Topas', heat-treated seed is virtually Colletotrichum free, but secondary infection is still possible, please prevent! . . . . .	JET®- heat-treated seed	2	16	–	144,00	24,00	4,00	3,20

			Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>HYSSOPUS</b> (Lamiaceae, <i>Labiatae</i> )										
HA 347	<i>officinalis</i> , Hyssop, 45 cm, mostly blue, rarely pink and white, VI-VIII, Z3-11 <i>(see also Organic-Seeds)</i>		⑧ ⑩ ⑧ ⑩	5	15	144,00	24,00	6,00	2,00	2,00
HA 348	⑨ <i>officinalis 'Albus'</i> [Nectar White], 45 cm, pure white, VI-VIII, Z3-11									
HA 349	⑨ <i>officinalis 'Caeruleus'</i> [Nectar Blue], 45 cm, blue, VI-VIII, Z3-11									
HA 350	⑨ <i>officinalis 'Roseus'</i> [Nectar Rose], 45 cm, pink, VI-VIII, Z3-11									
HA 352	<i>officinalis Mix [Tricolor Trio, Nectar Mix]</i> , 45 cm, white, pink, blue, VI-VIII, Z3-11									
HA 356	⑨ <i>officinalis ssp. aristatus</i> , 30 cm, brilliant dark blue flowers, compact bushy habit, stable, fine aromatic foliage, Lavender substitute for cold climates, flowering the first year from seed, VI-IX, Z3-11		⑧ ⑩ ⑧ ⑩	2	15	–	540,00	68,00	8,40	4,00
<b>INULA</b> (Asteraceae, <i>Compositae</i> )										
IA 058	<i>helenium</i> , Elecampane, 150 cm, yellow, VII-X, Z3-8 ( <i>see also Organic-Seeds</i> )	⑧ ⑩ ⑧ ⑩	5	16	432,00	72,00	12,00	2,00	2,00	
<b>IRIS pseudacorus, sibirica, versicolor</b> - see <b>Organic Seed</b>										
<b>ISATIS</b> (Brassicaceae, <i>Cruciferae</i> )										
IA 300	<i>tinctoria</i> , Woad (Ban Lan Gen), 60 cm, yellow, V-VII, Z6-9, TCM plant, ☺ <i>(see also Organic-Seeds)</i>	pure seed ⑧ ⑩	3	15	–	160,00	22,00	3,00	3,00	



GALEGA officinalis



GENTIANA lutea



HYOSCYAMUS niger var. pallidus



HELICHRYSUM italicum



HUMULUS japonicus 'Variegatus'



HYSSOPUS officinalis 'Albus'



HYSSOPUS officinalis 'Caeruleus'



HYSSOPUS officinalis 'Roseus'



HYSSOPUS officinalis ssp. aristatus

Production – Breeding – Seed Technology			Gram to get 1000 plants	N° of the sowing directions	Prices in EURO net per:					
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>LAVANDULA</b> (Lamiaceae, <i>Labiatae</i> )										
LA 070	angustifolia ( <i>officinalis</i> ), True Lavender, 50 cm, blue, VII-IX, Z5-9 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i>	.....	⑧⑨⑩⑪	5	9	380,00	48,00	8,00	2,00	2,00
LA 082	angustifolia Munstead-Strain - see <b>GOLD NUGGET SEED® + Organic Seed</b> <i>latifolia (spica)</i> , Common Lavender, 35 cm, blue-violet, aromatic, VI-VII, Z6-9 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i>	.....	⑧⑨⑩⑪	5	9	1280,00	160,00	20,00	2,50	2,50
<b>LEONURUS</b> (Lamiaceae, <i>Labiatae</i> )										
LA 112	cardiaca, True Motherwort, 120 cm, light red, VI-IX, Z3-9 <i>(see also Organic-Seeds)</i>	.....	⑧⑨⑩⑪	2	15	192,00	32,00	8,00	2,00	2,00
LA 109	cardiaca 'Grobbebol', 80 cm, lilac-pink, ruffled attractive foliage, interesting foliage plant, VI-IX, Z3-9	.....	⑧⑨⑪	2	15	–	288,00	36,00	4,60	3,00
LA 111	japonicus ( <i>heterophyllum, sibiricus</i> ), Chinese Motherwort (Yi-Mu-Cao), 120 cm, lilac-pink with dark lip, whorly flower heads, pinnatifid foliage, young leaves can be used as vegetable, second year flowering, VII-X, Z5-9, TCM plant, Ⓢ	.....	⑧⑨⑩⑪	3	15	288,00	48,00	8,00	2,00	2,00
LA 113	japonicus ( <i>heterophyllum</i> ) 'Alba', 120 cm, pure white form, whorly flower heads, VII-X, Z5-9, TCM plant	.....	⑧⑩	3	16	980,00	180,00	30,00	5,00	2,50
LA 115	japonicus ( <i>heterophyllum</i> ) 'BLBP 02', Chinese Motherwort (Yi-Mu-Cao), 140 cm, lilac pink, whorled inflorescences, pinnatifid foliage, tetragonal stems, reliable first year flowering, high content of extract and flavanoids, high herb yield, VII-X, Z5-9, TCM plant, Ⓢ <i>(see also Organic-Seeds)</i>	.....	⑧⑨⑩⑪	3	16	980,00	180,00	30,00	5,00	2,50
<b>LEPIDIUM sativum</b> - see <b>Organic Seed</b>										
<b>LEVISTICUM</b> (Apiaceae, <i>Umbelliferae</i> )										
LA 150	officinale, Lovage, Love Parsley, 160 cm, yellow-green, VI-IX, Z3-9 <i>(see also Organic-Seeds)</i>	.....	⑧⑨⑩⑪	25	16	182,00	28,00	6,00	2,00	2,00
<b>LINARIA</b> (Scrophulariaceae)										
LA 310	vulgaris, Toadflax, Butter-and-Eggs, 75 cm, yellow with orange, V-X, Z3-8	.....	⑪	1	8	768,00	96,00	12,00	2,00	2,00
<b>LYCHNIS flos-cuculi</b> - see <b>Organic Seed</b>										
<b>LYCIUM</b> (Solanaceae)										
LA 512	barbarum ( <i>chinense</i> ), Goji-Berry, Chinese Wolfberry (Gou-Qi-Zi, Di-Gu-Pi), up to 300 cm, lilac flowers, yellow to orange-red berries, shrubby habit, VII-IX, Z5-9 <i>(see also Organic-Seeds)</i>	.....	⑧⑨⑩⑪	2	16	2800,00	360,00	48,00	6,60	4,20
<b>LYCOPUS europaeus</b> - see <b>Organic Seed</b>										
<b>LYSIMACHIA vulgaris</b> - see <b>Organic Seed</b>										
<b>LYTHRUM salicaria</b> - see <b>Organic Seed</b>										
<b>MACLEAYA</b> (Papaveraceae)										
cordata hort. - see <b>microcarpa</b>										
MA 008	cordata (Willd.), White Plume Poppy (Boluohui), 250 cm, white flower panicles, grey-green foliage, VII-IX, Z4-9, TCM plant	.....	⑩	3	1	4600,00	640,00	72,00	9,80	4,90
MA 010	barbarum ( <i>cordata hort.</i> ), (Xiaoguoboluohui), 250 cm, blue-green leaves, whitish to pink-brown flowering panicles, VII-VIII, Z3-9, TCM plant	.....	⑩	2	9	3400,00	480,00	60,00	7,60	3,80
<b>MALVA</b> (Malvaceae)										
MA 042	sylvestris, Common Mallow, High Mallow, 100 cm, violet, VI-IX, Z4-8 <i>(see also Organic-Seeds)</i>	.....	⑧⑨⑩⑪	10	8	148,00	24,00	6,00	2,00	2,00
MA 043	sylvestris ssp. mauritiana [ <i>Bibor Felho</i> ], Blue Mallow, 100 cm, dark violet, VI-IX, Z4-8 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i>	.....	⑧⑨⑩⑪	10	8	120,00	24,00	6,00	2,00	2,00
MA 041	sylvestris 'Zebrina', 120 cm, white with violet, VI-IX, Z4-8 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i>	.....	⑧⑨⑩⑪	10	8	432,00	72,00	12,00	2,00	2,00
<b>MARRUBIUM</b> (Lamiaceae, <i>Labiatae</i> )										
MA 050	vulgare [Pompon], White Horehound, 40 cm, white, VI-VIII, Z3-9 <i>(see also Organic-Seeds)</i>	.....	⑧⑨⑩⑪	5	15	260,00	48,00	8,00	2,00	2,00
<b>MATRICARIA</b> - see <b>CHAMOMILLA</b>										



LEONURUS cardiaca 'Grobbebol'

LEONURUS japonicus

LEVISTICUM officinale

MACLEAYA microcarpa

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>MELILOTUS officinalis - see Organic Seed</b>								
<b>MELISSA</b> (Lamiaceae, <i>Labiateae</i> )								
MA 098 <i>officinalis</i> , Lemon Balm, 40 cm, pale yellow, V-VII, Z3-9 <i>(see also Organic-Seeds)</i>	⑧①⑧⑧	3	16	198,00	32,00	8,00	2,00	2,00
MA 084 <i>officinalis ssp. altissima</i> - see <b>Organic Seed</b> <i>'Gold Leaf' [All Gold]</i> , Golden Lemon Balm, 40 cm, inconspicuous flowers, striking golden foliage in spring, changing to light green, for semi-shade, V-VII, Z3-9	⑧①⑧⑧	2	16	–	960,00	120,00	16,00	4,00
MA 099 <i>officinalis 'Lemon'</i> , Lemon Balm, 40 cm, yellowish-white, good hardy, productive and protected foliage cultivar, dwarf creeping at first, 2nd year upright habit, very high yielding, IV-VI, Z4-10 <i>(see also Organic-Seeds)</i>	⑧①⑧⑧	3	16	490,00	70,00	12,00	2,00	2,00
MA 097 <i>officinalis 'Quedlinburger Niederliegende'</i> , 40 cm, yellowish-white, productive foliage variety with high yields, first procumbent, second year upright habit, IV-VI, Z4-10 <i>(see also Organic-Seeds)</i>	⑧①⑧⑧	3	16	288,00	48,00	9,60	2,40	2,00
<b>MENTHA</b> (Lamiaceae, <i>Labiateae</i> )								
MA 085 <i>aquatica</i> , Water Mint, 50 cm, pink-lilac, entire plant strongly aromatic, VII-X, Z4-8 <i>(see also Organic-Seeds)</i>	⑧①⑧⑧	0,5	9	–	760,00	96,00	12,00	4,00
MA 088 <i>cervina</i> - see <b>Organic Seed</b>								
MA 088 <i>longifolia (sylvestris)</i> , Horsemint, 50 cm, light blue, VI-X, Z5-8	⑧①⑧⑧	1	16	–	440,00	64,00	8,00	3,00
MA 086 <i>Piperita-Hybr.</i> , Peppermint, 40 cm, lilac-pink, very variable, VI-X, Z2-9	⑧①⑧⑧	0,5	16	1480,00	198,00	26,00	3,60	2,00
MA 087 <i>pulegium</i> , Pennyroyal, 20 cm, lilac, VI-VIII, Z6-10 <i>(see also Organic-Seeds)</i>	⑧⑧⑧	0,5	16	1150,00	144,00	18,00	2,40	2,00
<b>NEW!</b> MA 107 <i>requienii</i> , Corsican Mint, 5 cm, light violet, lawn forming, intensive fragrance, VI-IX, Z6-10	⑧⑧⑧	0,1	15	–	–	–	196,00	5,40
MA 089 <i>Spicata-Hybr.</i> , Spearmint, Lamb Mint, 30 cm, pink-white, variable, VI-X, Z2-9 <i>(see also Organic-Seeds)</i>	⑧①⑧⑧	0,5	16	1480,00	198,00	26,00	3,60	2,00
MA 091 <i>suaveolens (rotundifolia hort.)</i> , Applemint, Round-leaved Mint, 30 cm, pink-white, hairy foliage, VII-IX, Z5-8	⑧①⑧⑧	0,5	16	–	256,00	32,00	4,00	2,00
<b>MESEMBRYANTHEMUM</b> (Aizoaceae)								
MA 095 <i>crystallinum</i> , Iceplant, 20 cm, white, thick fleshy undulated foliage, VIII-IX, Z8-11, ☼	⑧	1	15	2250,00	320,00	46,00	7,80	3,90
<b>MEUM</b> (Apiaceae, <i>Umbelliferae</i> )								
MA 100 <i>athamanticum</i> , Bearwort, Spignel, 40 cm, slender leaves, white blossom umbels, spicy scent, cut-green, V-VIII, Z6-9	⑧⑧	10	1	896,00	112,00	14,00	2,20	2,20
<b>MICROMERIA</b> (Lamiaceae, <i>Labiateae</i> )								
MA 105 <i>thymifolia (CLINOPODIUM)</i> , Mountain Mint, 25 cm, white with violet, VII-X, Z5-8	⑧⑧	0,5	8	–	–	–	32,00	4,00



MELISSA officinalis 'Gold Leaf'



MELISSA officinalis 'Lemon'



MEUM athamanticum



MALVA sylvestris



MENTHA Spicata-Hybr.



**MONARDA punctata**



**OCIMUM basilicum 'Adi'**



**OCIMUM basilicum 'Red Rubin'**



**ORIGANUM vulgare ssp. hirtum**



**PANAX ginseng**



**PEUDEDANUM ostruthium**



**PIMPINELLA anisum**



**PLANTAGO major 'Purple Perversion'**

			Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>MONARDA</b> (Lamiaceae, Labiateae)									
MA 194	<b>citriodora</b> , Lemon-Mint, Lemon Bergamot, 80 cm, rosy-red, purple spotted whorl flowers, VI-IX, Z5-8, ☼ . . . . .	⑧ ⑩ ⑧ ⑩	3	15	540,00	180,00	24,00	3,20	2,00
MA 196	<b>didyma</b> , Bergamot, Bee Balm, Oswego-Tea, 110 cm, mostly red, VI-IX, Z4-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	3	15	–	–	162,00	18,00	6,00
MA 208	<b>fistulosa</b> , Horsemint, Wild Bergamot, 80 cm, mostly lilac, for dry locations, VII-IX, Z4-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	3	15	1960,00	280,00	35,00	4,60	2,30
MA 210	<b>punctata</b> , Spotted Bee Balm, 90 cm, pink bracts, yellow, purple spots, VII-IX, Z4-8 . . . . .	⑧ ⑩ ⑧ ⑩	3	16	–	369,00	46,00	6,20	3,10
<b>MYRRHIS</b> (Apiaceae, Umbelliferae)									
MA 250	<b>odorata</b> , Sweet Cicely, Myrrh, Sweet Chervil, 120 cm, white umbels, entire plant aromatic, VI, Z4-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧ ⑧	110	1	468,00	78,00	14,00	2,00	6,20
<b>NASTURTIUM</b> (Brassicaceae)									
NA 012	<b>officinale</b> , Watercress, 40 cm, evergreen, V-X, Z5-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	1	15	360,00	52,00	7,40	2,00	2,00
<b>NEPETA</b> (Lamiaceae, Labiateae)									
NA 020	<b>cataria</b> , Common Catmint, 60 cm, white, VI-X, Z3-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	3	9	162,00	36,00	8,00	2,00	2,00
NA 021	<b>cataria</b> ssp. <b>citriodora</b> , Lemon Catmint, 60 cm, white, lemon scented, VI-X, Z3-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	3	9	225,00	45,00	9,00	2,00	2,00
<b>NIGELLA sativa</b> - see <b>Organic Seed</b>									
<b>OCIMUM</b> (Lamiaceae, Labiateae)									
OA 001	<b>americanum 'Lemonette'</b> , Lemon Basil, 40 cm, pale lilac-white, VI-IX, Z10-11, ☼ ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	4	15	192,00	32,00	8,00	2,00	2,00
OA 003	<b>basilicum 'Cinnamon'</b> , Cinnamon Basil, 40 cm, lavender-pink, green-purple foliage, VI-IX, Z9-11, ☼ ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	4	15	224,00	32,00	8,00	2,00	2,00
OA 017	<b>basilicum F₁-Genoveser-Hybr. 'Adi'</b> , Pot-Plant Basil, 20 cm, fusarium resistant F₁-Hybr., round, healthy foliage, VI-IX, Z10-11, ☼ ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	4	15	498,00	72,00	12,00	2,50	2,50
OA 016	<b>basilicum F₁-Genoveser-Hybr. 'Aroma 2'</b> , Large Sweet Basil, 50 cm, fusarium resistant F₁-Hybr., white, large, round, healthy foliage, VI-IX, Z10-11, ☼ ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	4	15	498,00	72,00	12,00	2,50	2,50
OA 019	<b>basilicum 'Dark Opal'</b> , Purple-leaved Basil, 30 cm, pink, purple-black, excellent aromatic leaves, VI-IX, Z10-11, ☼ ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	4	15	252,00	42,00	7,20	2,00	2,00
OA 004	<b>basilicum 'Genoveser'</b> , Large Sweet Basil, 50 cm, white, best for pesto, large round foliage, VI-IX, Z10-11, ☼ ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑧	4	15	112,00	18,00	6,00	2,00	2,00

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	N°. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>OCIMUM continuation</b>								
OA 005	basilicum var. <i>minutum</i> 'Minette', Pot-Plant Basil, 20 cm, compact, fine foliage, VI-IX, Z10-11, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	4	15	224,00	32,00	8,00	2,00
OA 007	basilicum 'Purple Ruffles', (AS), Red Ruffled Basil, 40 cm, pink, large crinkled dark purple leaves, VI-IX, Z10-11, ☼ . . . . .	⑧⑩	2	15	–	498,00	72,00	12,00
OA 008	basilicum 'Red Rubin', Purple-leaved Basil, 30 cm, pink-white, bronze-purple, excellent flavour, decorative foliage, VI-IX, Z10-11, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	4	15	432,00	72,00	12,00	2,00
OA 021	basilicum var. <i>thyrsiflorum</i> 'Thai', Thai Basil, 60 cm, red-purple, leaves with anise flavour, VII-IX, Z10-11, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	3	15	498,00	72,00	12,00	2,50
<b>OENOTHERA</b> (Onagraceae)								
OA 011	biennis, Evening Primrose, 80 cm, yellow, VI-VIII, Z3-8, ☼ (see also Organic-Seeds) . . . . .	⑧⑨⑩	5	9	90,00	18,00	6,00	2,00
<b>ORIGANUM</b> (Lamiaceae, Labiate)								
OA 093	libanoticum - see Organic Seed							
OA 093	majorana, Sweet Marjoram, Garden Marjoram, 45 cm, white-pink, VI-VII, Z6-9, ☼ (see also Organic-Seeds) . . . . .	⑧⑨⑩	2	15	128,00	32,00	8,00	2,00
OA 091	vulgare hort., Perennial Marjoram, 40 cm, pink, VII-X, Z4-8 (see also Organic-Seeds) . . . . .	⑧⑨⑩⑪	3	15	432,00	72,00	12,00	2,00
OA 094	vulgare, wild form, Wild Marjoram, 35 cm, pale purple, aromatic, VII-X, Z4-8 . . . . .	⑧⑨⑩⑪	1	15	510,00	72,00	12,00	2,00
OA 092	vulgare 'Album', 35 cm, white umbels, VI-IX, Z4-8 . . . . .	⑧⑩	0,5	16	–	–	72,00	9,00
OA 096	vulgare ssp. <i>hirtum</i> ( <i>heracleoticum</i> ), Pizza Oregano, Greek Oregano, 45 cm, mostly white, rarely pink, intensive fragrance, compact, VII-X, Z4-8 (see also Organic-Seeds) . . . . .	⑧⑨⑩⑪	3	15	780,00	112,00	14,00	2,00
<b>ORLAYA</b> - see Organic Seed								
<b>PAEONIA</b> (Paeoniaceae)								
PA 003	officinalis ssp. <i>banatica</i> , Common Peony, 60 cm, red with yellow stamens, V-VI, Z5-8 (see also Organic-Seeds) . . . . .	⑪	250	6/10	960,00	120,00	15,00	2,00
<b>PANAX</b> (Araliaceae)								
PA 012	ginseng, Ginseng (Ren-Shen), 40 cm, white-green clusters between two handshaped leaves, red berries, roots very valuable for medical purposes, VI-VIII, Z5-8, TCM plant . . . . .	⑪	50	1	1820,00	280,00	36,00	5,20
<b>PAPAVER</b> (Papaveraceae)								
PA 095	rheas, Corn Poppy, 50 cm, brilliant red, V-VIII, Z4-8, ☼ (see also Organic-Seeds) . . . . .	⑧⑨⑩	0,25	9	136,00	32,00	6,00	2,00
<b>PASTINACA</b> (Apiaceae, Umbelliferae)								
PA 152	sativa, Parsnip, 120 cm, yellow umbels, VII-VIII, Z4-8, ☼ (see also Organic-Seeds) . . . . .	⑧⑨⑩	7	8	168,00	36,00	7,40	2,00
<b>PENSTEMON pseudospectabilis</b> - see Organic Seed								
<b>PERILLA</b> (Lamiaceae)								
PA 273	frutescens var. <i>crispata</i> 'Green Shiso', Green Leaved Beefsteak Plant (Zi-Su-Ye), 50 cm, white, green-crinkled foliage, IX-X, Z7-11, TCM plant, ☼ . . . . .	⑧⑩	3	15	480,00	96,00	12,00	2,00
PA 267	frutescens var. <i>crispata</i> ( <i>nankinensis</i> ) 'Red Shiso', Beefsteak Plant, (Zi-Su-Ye), 50 cm, pink, purple-crinkled foliage, IX-X, Z7-11, TCM plant, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	3	15	480,00	96,00	12,00	2,00
<b>PETASITES</b> (Asteraceae, Compositae)								
PA 262	hybridus ( <i>officinalis</i> ), Butterbur, Umbrella Plant, 100 cm, purple-rose, III-IV, Z3-8 (see also Organic-Seeds) . . . . .	⑧⑩	1	9	896,00	128,00	16,00	2,00
<b>PETROSELINUM</b> (Apiaceae, Umbelliferae)								
PA 282	crispum var. <i>crispum</i> , Double Curled Parsley, 40 cm, yellow, double-crinkled foliage, VI-VIII, Z5-9, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	5	15	90,00	18,00	6,00	2,00
PA 284	crispum var. <i>neapolitanum</i> ( <i>hortense</i> ), Italian Parsley, Plain Parsley, 60 cm, 60 cm, yellow, plain glossy foliage, VI-VIII, Z5-9, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	5	15	45,00	9,00	4,00	2,00
<b>PEUCEDANUM</b> (Apiaceae, Umbelliferae)								
PA 270	ostruthium, Masterwort, 60 cm, white or reddish, a very aromatic plant, VII-VIII, Z4-8 (see also Organic-Seeds) . . . . .	⑧⑩	5	1	–	192,00	24,00	3,40
<b>PHACELIA</b> (Hydrophyllaceae)								
PA 278	tanacetifolia, Fiddleneck, 80 cm, blue-lilac, for the organic revitalisation of spent soil, 5gr/m², VI-X, ☼ (see also Organic-Seeds) . . . . .	⑧⑩	5	16	18,80	6,80	4,00	2,00
<b>PHYSALIS</b> (Solanaceae)								
PA 330	alkekengi var. <i>franchetii</i> 'Gigantea' [Winter Cherry], Chinese Lantern, Bladder Cherry, 100 cm, large, red fruits, VI-VII, Z3-9 (see also Organic-Seeds) . . . . .	⑧⑨⑩⑪	5	9	432,00	72,00	12,00	2,00
<b>PIMPINELLA</b> (Apiaceae, Umbelliferae)								
PA 393	anisum, Anis, 40 cm, pink, VII-VIII, Z8-11, ☼ (see also Organic-Seeds) . . . . .	⑧⑨⑩	4	15	42,00	6,00	4,00	2,00
PA 392	saxifraga, Burnet Saxifrage, Small Pimpernel, 50 cm, white, rarely pink or red, VII-IX, Z4-8 (see also Organic-Seeds) . . . . .	⑧⑨⑩	3	16	336,00	48,00	8,00	2,00
<b>PLANTAGO</b> (Plantaginaceae)								
	asiatica - see Organic Seed							
PA 399	coronopus 'Minutina', Buck's Horn Plantain, 15 cm, yellowish, pinnatifid foliage, mild nutty flavour, VI-IX, Z5-8, ☼ (see also Organic-Seeds) . . . . .	⑧	1	15	188,00	32,00	8,00	2,00
PA 397	lanceolata, Ribwort Plantain, 50 cm, white, V-IX, Z5-8 (see also Organic-Seeds) . . . . .	⑧⑨⑩⑪	5	15	72,00	18,00	6,00	2,00
PA 412	major, Common Plantain, 40 cm, yellowish-green, VI-X, Z4-8 (s. also Organic-Seeds) . . . . .	⑧⑨⑩	5	9	132,00	26,00	6,40	2,00
PA 400	major 'Purple Perversion', Fringed Purple Plantain, 40 cm, white, decorative fringed red foliage, V-VIII, Z3-9 . . . . .	⑧⑨	1	9	–	–	72,00	9,00

continued on the following page

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>PLANTAGO continuation</b>								
PA 404	major 'Purpurea' (var. <i>rubrifolia</i> ), Red-leaved Plantain, 30 cm, white, very decorative, V-VII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	1	9	–	–	72,00	9,00
PA 405	major 'Rosularis' [Bowles Variety], Rose Plantain, 35 cm, green roselike leaf-rosettes, between large foliage, a curiosity, V-VII, Z3-9 . . . . .	⑧ ⑩ ⑧ ⑩	1	9	–	576,00	72,00	9,00
PA 401	major 'Variegata', 25 cm, white, broad dark green leaves and white marbled, V-VII, Z3-9 . . . . .	⑧ ⑩ ⑧ ⑩	1	9	–	384,00	48,00	6,00
PA 403	<b>media</b> , Hoary Plantain, 30 cm, lilac, V-IX, Z5-8 . . . . .	⑧ ⑩ ⑧ ⑩	1	9	188,00	32,00	8,00	2,00
<b>PLATYCODON</b> (Campanulaceae)								
PA 434	<b>grandiflorus 'Mariesii'</b> , (AGM) Balloon Flower, Chinese Bellflower (Jie-Geng), 50 cm, blue, winterhardy cultivar, VI-VIII, Z3-8, TCM plant . . . . .	⑧ ⑩	3	15	864,00	144,00	18,00	2,40
<b>POLEMONIUM caeruleum</b> - see <b>Organic Seed</b>								
<b>POLYGONUM</b> (Polygonaceae)								
PA 520	<b>bistorta</b> ( <i>BISTORTA officinalis</i> ), Bistort, Snakeweed, 70 cm, pink, V-VIII, Z3-9 . . . . .	⑧ ⑩	10	1	1152,00	144,00	18,00	2,40
<b>POTENTILLA</b> (Rosaceae)								
PA 560	<b>anserina</b> , Goose Grass, 10 cm, golden, green feathered foliage, silvery underneath, V-IX, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	⑧ ⑩	5	1	5480,00	680,00	98,00	14,00
PA 588	<b>erecta</b> ( <i>tomentilla</i> ), Bloodroot, 15 cm, yellow, V-VIII, Z4-7 . . . . .	⑧ ⑩	1	1	–	450,00	64,00	9,20
<b>PRIMULA</b> (Primulaceae)								
PA 910	<b>veris</b> ( <i>officinalis</i> ), (AGM) Cowslip, 20 cm, yellow, III-V, Z4-8 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	5	8	580,00	96,00	16,00	2,50
PA 915	<b>veris</b> ssp. <i>macrocalyx</i> , Tall Meadow Cowslip, 25 cm, yellow, large flowering, funnel-like calyx-leaves, III-V, Z4-8 . . . . .	⑧ ⑩ ⑧ ⑩	3	9	–	160,00	22,00	2,80
<b>PRUNELLA</b> (Lamiaceae, <i>Labiateae</i> )								
PA 948	<b>vulgaris</b> , 20 cm, violet, VI-IX, Z3-8 . . . . .	⑧ ⑩	2	15	396,00	72,00	10,00	2,00
PA 950	<b>vulgaris</b> 'BLBP 01', Allheal, Selfheal ( <i>Xia-Ku-Cao</i> ), 60 cm, blue-violet to reddish flowers in dense spikes, lanceolate foliage, with runners, high content of extract and ursolic-acid, high flower yield, VI-IX, Z3-8, TCM plant ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	2	15	896,00	112,00	14,00	2,00
<b>PULMONARIA</b> (Boraginaceae)								
PA 969	<b>officinalis</b> (ssp. <i>obscura</i> ), Jerusalem Cowslip, Lungwort, 25 cm, pink changing to violet, foliage without spots, III-IV, Z4-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	15	1	896,00	112,00	14,00	2,00
<b>PULSATILLA pratensis + vulgaris</b> - see <b>Organic Seed</b>								
<b>PYCNANTHEMUM</b> (Lamiaceae, <i>Labiateae</i> )								
PA 998	<b>pilosum</b> , American Mountain Mint, 70 cm, pale purple, aromatic foliage, VI-IX, Z4-8 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩ ⑧ ⑩	3	16	–	320,00	40,00	5,00
<b>PYRETHRUM cinerariifolium</b> - see <b>TANACETUM cinerariifolium</b>								
<b>RESEDA</b> - see <b>Organic Seed</b>								
<b>RHEUM</b> (Polygonaceae)								
RA 079	<b>officinale</b> 'BLBP 01', Chinese Rhubarb (Da-Huang), 200 cm, whitish flowers, strong stems, large lobed leaves, high content of extract and rhein, very low to absent content of rhabonictin, high root yield, V-VII, Z6-9, TCM plant . . . . .	⑧ ⑩	40	15	686,00	98,00	14,00	2,40
RA 082	<b>palmatum</b> var. <i>tanguticum</i> , Chinese Rhubarb, Turkey Rhubarb (Da-Huang), 200 cm, white, pink or red, VI-VII, Z4-8, TCM plant . . . . .	⑧ ⑩	30	15	2240,00	320,00	40,00	5,20
RA 083	<b>rhabarbarum</b> (x <i>hybridum</i> ), Rhubarb, 120 cm, yellowish-white, large leaves, mostly red leafstalks, V-VI, Z2-9 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	60	15	240,00	32,00	6,00	2,00
RA 087	<b>rhabarbarum</b> 'Glaskins Perpetual', Garden Rhubarb, 150 cm, reddish-green, bright red and luscious leafstalks, early and late harvest possible from the second year, long known productive variety, V-VII, Z2-9 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	60	15	448,00	64,00	12,00	2,00
RA 076	<b>rhabarbarum</b> 'Victoria', Garden Rhubarb, 150 cm, green-reddish, thick green leaf stalks, large leaved late cultivar, V-VII, Z2-9 ( <i>see also Organic-Seeds</i> ) . . . . .	⑧ ⑩	60	15	448,00	64,00	12,00	2,00
RA 085	<b>rhaponticum</b> , Rhabonict-Rhubarb, 150 cm, greenish-white, large leaves, V-VI, Z2-9 . . . . .	⑧ ⑩	50	15	–	98,00	16,00	2,00
<b>PYRUS</b> (Rosaceae)								



PLANTAGO major 'Purpurea'



PLANTAGO major 'Variegata'



POTENTILLA anserina



PYCNOTHEMUM pilosum



RHEUM officinale 'BLBP 01'



RHEUM rhabarbarum 'Glaskins Perpetual'



RHODIOLA rosea



ROSMARINUS officinalis



RUMEX sanguineus var. sanguineus



RUMEX scutatus



RUTA corsica

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>RHODIOLA (SEDUM)</b> (Crassulaceae)								
RA 090 ☒ <b>rosea</b> , Rose Root, 25 cm, yellowish umbel, dried root is rose-scented, V-VI, Z1-8 <i>(see also GOLD NUGGET SEED®)</i> .....	⑧ ⑨ ⑩	0,5	1	–	–	198,00	22,00	4,40
<b>RICINUS</b> - see Organic Seed								
<b>ROSMARINUS</b> (Lamiaceae, Labiateae)								
RA 130 ☒ <b>officinalis</b> , Rosemary, 120 cm, blue, V-VII, Z5-9 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i> .....	⑧ ⑨ ⑩ ⑪	10	9	2300,00	288,00	36,00	4,50	3,00
<b>RUMEX</b> (Polygonaceae)								
RA 206 <b>acetosa</b> , Sorrel, Garden Sorrel, 50 cm, reddish-brown, V-VII, Z2-9 <i>(see also Organic-Seeds)</i> .....	⑧ ⑩	5	15	156,00	24,00	6,00	2,00	2,00
RA 207 <b>acetosa 'De Belleville'</b> , Green Sorrel, 60 cm, reddish, large leaved, green, productive foliage variety, low content of acid, long known mild cultivated form, VI-VIII, Z2-9 <i>(see also Organic-Seeds)</i> .....	⑧ ⑩	5	15	98,00	18,00	6,00	2,00	2,00
RA 210 <b>acetosella</b> , Sheep's Sorrel, 30 cm, reddish-green, V-VII, Z2-8 <i>(see also Organic-Seeds)</i> .....	⑧ ⑩	2	15	144,00	18,00	6,00	2,00	2,00
RA 228 ☒ <b>sanguineus var. sanguineus</b> [Bloody Dock, Red Halley, Ruby Streak], 40 cm, lanceolate leaves with distinct red-purple leaf veins, attractive foliage plant! V-VII, Z5-8 <i>(see also Organic-Seeds)</i> , .....	pure seed ⑧	2	15	1372,00	196,00	28,00	4,00	2,00
RA 238 ☒ <b>scutatus</b> , French Sorrel, 40 cm, white-green, shield shaped green juicy leaves with sour-lemon flavor, V-IX, Z4-8..... <b>scutatus ssp. glaucus</b> - see Organic Seed	⑧ ⑩	3	16	–	–	48,00	8,00	3,80
<b>RUTA</b> (Rutaceae)								
NEW! RA 354 ☒ <b>corsica</b> , Corsican Rue, 40 cm, creamy white, blue-green foliage, zigzag growing habit, VI-VIII, Z7-10 .....	⑧ ⑨ ⑩	3	9	–	–	–	32,00	4,80
RA 360 ☒ <b>graveolens</b> , Rue, Herb of Grace, 50 cm, yellow, evergreen, VI-VIII, Z5-9 <i>(see also Organic-Seeds)</i> .....	⑧ ⑨ ⑩	10	16	336,00	48,00	8,00	2,00	2,00
NEW! RA 364 ☒ <b>graveolens f. variegata</b> , 50 cm, yellow, colourful variegated foliage in spring, changing to green towards winter, VI-VIII, Z5-9 .....	⑧ ⑨ ⑩	10	16	–	512,00	64,00	8,20	4,10
<b>SALVIA</b> (Lamiaceae, Labiateae)								
NEW! SA 014 ☒ <b>columbariae</b> , Desert Chia, 30 cm, bright blue, pinnatifid foliage, drought tolerant, V-VII, Z6-10, ⑨ .....	⑧ ⑨ ⑩	2	15	–	–	24,00	3,40	2,00
hispanica - see Organic Seed								
SA 041 ☒ <b>lavandulifolia (officinalis var. lavandulifolia)</b> , Spanish Sage, 40 cm, blue-violet, grey-green narrow foliage, aromatic, VI-VIII, Z4-10 .....	⑧ ⑨ ⑩ ⑪	20	15	912,00	152,00	19,20	2,60	2,60

continued on the following page



*RUTA graveolens*



*RUTA graveolens f. variegata*



*SALVIA columbariae*



*SALVIA lavandulifolia*



*SALVIA miltiorrhiza 'BLBP 01'*



*SANTOLINA etrusca*



*SANTOLINA rosmarinifolia*



*SAPOSHNIKOVIA divaricata 'BLBP 03'*



*SATUREJA montana var. citriodora*



*SCUTELLARIA baicalensis 'BLBP 02'*

Production – Breeding – Seed Technology		Gram to get 1000 plants	Nº of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>SALVIA continuation</b>								
SA 080	<i>miltiorrhiza 'BLBP 01'</i> , Chinese Sage, Red Sage (Dan-Shen), 60 cm, blue-purple whorl flowers, large blooming racemes, pinnatifid foliage, high content of tanshinone Ila, extract and salvianolic acid B, high root yield, VI-IX, Z6-10, TCM plant . . . . .	5	15	1880,00	240,00	32,00	4,00	3,20
SA 038	<i>officinalis</i> , Common Sage, 50 cm, lilac, aromatic, VI-VIII, Z4-10 <i>(see also Organic-Seeds)</i> . . . . .	20	16	192,00	32,00	8,00	2,00	2,00
SA 040	<i>officinalis 'Extrakta'</i> , Extract Sage, 60 cm, lilac, foliage with a high oil concentration, VI-VIII, Z4-10 <i>(see also Organic-Seeds)</i> . . . . .	20	15	324,00	54,00	9,00	2,00	2,00
SA 042	<i>officinalis f. albiflora</i> , 40 cm, pure white, VI-VIII, Z4-10 . . . . .	20	15	744,00	124,00	16,00	2,00	2,00
SA 058	<i>sclarea</i> , Clary, Muscatel Sage, 100 cm, rosy-red bracts, pale lilac flowers, branched blossom panicles, VI-VII, Z4-8 <i>(see also Organic-Seeds)</i> . . . . .	10	15	288,00	48,00	8,00	2,00	2,00
<b>SANGUISORBA</b> (Rosaceae)								
SA 088	<i>minor hort.</i> , Salad Burnet, Small Burnet, 60 cm, greenish flower heads, V-VIII, Z4-8 <i>(see also Organic-Seeds)</i> . . . . .	50	15	84,00	12,00	4,00	2,00	2,00
SA 098	<i>officinalis</i> , Great Burnet (Di-Yu), 60 cm, blood-red, VI-VIII, Z3-8, TCM plant <i>(see also Organic-Seeds)</i> . . . . .	3	16	576,00	72,00	12,00	2,00	2,00
<b>SANICULA</b> (Apiaceae, <i>Umbelliferae</i> )								
SA 110	<i>europaea</i> , Sanicle, 25 cm, white, V-VI, Z5-8 <i>(see also Organic-Seeds)</i> . . . . .	15	1	860,00	120,00	15,00	2,00	2,00
<b>SANTOLINA</b> (Asteraceae, <i>Compositae</i> )								
SA 120	<i>chamaecyparissus</i> , <sup>AGM</sup> , Cotton Lavender, 30 cm, yellow, silver foliage, V-VII, Z6-8 . . . . .	1	15	–	544,00	68,00	8,60	3,00
SA 124	<i>chamaecyparissus ssp. tomentosa [Santa]</i> , 25 cm, pale yellow, compact, silver foliage, VI-VIII, Z6-8 <i>(see also Organic-Seeds)</i> . . . . .	1	15	–	–	144,00	16,00	4,60
SA 126	<i>etrusca</i> , Etruscan Santolina, 40 cm, creamy white, grey-green aromatic foliage, VII-VIII, Z6-9 . . . . .	1	15	–	–	76,00	9,60	4,80
SA 128	<i>rosmarinifolia (viridis)</i> , 30 cm, yellow, very decorative blue-green foliage, VII-VIII, Z6-8 . . . . .	1	15	3600,00	512,00	64,00	8,00	2,00
<b>SAPONARIA</b> (Caryophyllaceae)								
SA 144	<i>officinalis</i> , Soapwort, 80 cm, pale pink, VI-IX, Z3-8 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i> . . . . .	10	1	224,00	32,00	8,00	2,00	2,00
<b>SAPOSHNIKOVIA</b> (Apiaceae, <i>Umbelliferae</i> )								
SA 154	<i>divaricata 'BLBP 03'</i> , Chinese Laserwort (Fang Feng), 80 cm, white flower umbels, pinnatifid foliage, high content of extract and required essence, good root yield, VII-VIII, Z5-9, TCM plant . . . . .	10	16	820,00	128,00	16,00	2,00	2,00
<b>SATUREJA</b> (Lamiaceae, <i>Labiateae</i> )								
SA 158	<i>hortensis</i> , Summer Savory, 25 cm, lilac-white, VII-X, Z6-9, ⊖ <i>(see also Organic-Seeds)</i> . . . . .	2	15	54,00	9,00	4,00	2,00	2,00
SA 163	<i>montana</i> , Winter Savory, 25 cm, white-pink, VIII-X, Z5-8, 4 <i>(see also Organic-Seeds)</i> . . . . .	3	15	346,00	48,00	8,00	2,00	2,00
SA 166	<i>montana var. citriodora</i> , Lemon Savory, 25 cm, white-pink, aromatic lemon scented foliage, occasionally normal forms come up, VIII-X, Z5-8 . . . . .	2	9	–	620,00	78,00	9,60	3,20
SA 164	<i>montana ssp. illyrica (subspicata)</i> , <sup>PS</sup> , Purple Winter Savory, 15 cm, bright violet, VIII-X, Z5-8 <i>(see also Organic-Seeds)</i> . . . . .	1	9	–	620,00	78,00	9,60	3,20
SA 167	<i>spicigera (repanda)</i> , Creeping Savory, 20 cm, white rich flowering, aromatic semi-evergreen foliage, attractive late flowering groundcover, VIII-XI, Z6-9 . . . . .	2	16	–	–	42,00	6,00	2,00
<b>SCUTELLARIA</b> (Lamiaceae, <i>Labiateae</i> )								
	<b>baicalensis</b> - see <b>Organic Seed</b>							
SA 309	<i>baicalensis 'BLBP 02'</i> , Baical Scutellaria (Huang-Qin), 40 cm, bright blue flower spikes, strongly branched, bushy habit, high content of extract and baicaline, good root yield, VII-IX, Z4-8, TCM plant . . . . .	5	15	1600,00	200,00	16,00	2,00	2,00
<b>SEDMUM</b> (Crassulaceae)								
SA 364	<i>reflexum (rupestre)</i> , Stone Orpine, 30 cm, yellow, grey leaves, VI-VIII, Z4-9 <i>(see also Organic-Seeds)</i> . . . . .	0,5	4/15	2600,00	336,00	42,00	5,40	2,70
<b>SERRATULA</b> (Asteraceae, <i>Compositae</i> )								
SA 420	<i>tinctoria</i> , 60 cm, purple red, VII-IX, Z5-8 . . . . .	5	9	–	570,00	72,00	9,00	6,80
<b>SIDERITIS</b> (Lamiaceae, <i>Labiateae</i> )								
SA 446	<i>syriaca</i> , South Greek Mountain Tea, 25 cm, yellow, white-grey foliage, VI-VIII, Z6-9 <i>(see also Organic-Seeds)</i> . . . . .	3	15	3600,00	460,00	58,00	7,20	3,60
<b>SIEGESBECKIA</b> (Asteraceae, <i>Compositae</i> )								
SA 455	<i>pubescens 'BLBP 01'</i> , St. Pauls Wort (Xi-Xiang-Cao), 170 cm, small yellowish flower heads with sticky stems, strong thick leafy annual herb, high content of kirenlol, very high herb yield, IX-X, Z6-10, TCM plant, ⊖ . . . . .	5	16	686,00	98,00	14,00	2,00	2,00
<b>SILYBUM</b> (Asteraceae, <i>Compositae</i> )								
SA 499	<i>mariannum</i> , St. Maria's Thistle, Blessed Thistle, Holy Thistle, 150 cm, purple, white marbled leaves, webbed stems and flower heads, VI-X, Z6-9, ⊖ <i>(see also Organic-Seeds)</i> . . . . .	50	15	128,00	32,00	8,00	2,00	2,80
NEW! SA 500	<i>mariannum var. albiflorum</i> , St. Maria's Thistle, 120 cm, pure white form, white marbled leaves, webbed stems and flower heads, VI-IX, Z6-9, ⊖-⊖ . . . . .	50	15	–	–	42,00	5,20	5,20
<b>SMYRNIUM</b> (Apiaceae, <i>Umbelliferae</i> )								
SA 554	<i>olusatum</i> , Black Lovage, Alexanders, 120 cm, greenish-yellow umbels, substitute for Celery, V-VII, Z7-10, ⊖ . . . . .	80	1	360,00	60,00	8,00	2,00	4,00
<b>SOLIDAGO</b> (Asteraceae, <i>Compositae</i> )								
SA 586	<i>virgaurea</i> , European Goldenrod, 70 cm, yellow, VII-IX, Z4-8 <i>(see also Organic-Seeds)</i> . . . . .	3	15	768,00	96,00	12,00	2,00	2,00
<b>SPILANTHES oleracea</b> - see <b>ACMELLA oleracea</b>								



SIDERITIS syriaca



SIEGESBECKIA pubescens 'BLBP 01'



SILYBUM marianum var. albiflorum



TANACETUM parthenium 'Golden Moss'



THYMUS serpyllum hort.

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>STACHYS</b> (Lamiaceae, Labiateae)								
SA 622 officinalis, Betony, Bishopswort, 30 cm, pink, VII-VIII, Z4-7 ( <i>s. also Organic-Seeds</i> ) .	⊗ ⊖ ⊙ ⊖	5	8	576,00	96,00	12,00	2,00	2,00
<b>STEVIA</b> (Asteraceae)								
SA 655 rebaudiana, Sugar Leaf, Sweet Herb, 50 cm, white, soft and light-green foliage, IX-XI, Z9-11, ( <i>see also Organic-Seeds</i> ), .....	pure seed ⊗ ⊖ ⊖	0,5	16	–	7920,00	880,00	98,00	8,00
<b>SYMPHYTUM</b> (Boraginaceae)								
SA 720 officinale, Comfrey, 80 cm, violet or cream-colored, V-VII, Z4-8 ( <i>see also Organic-Seeds</i> ) .....	⊗ ⊖ ⊙ ⊖	30	9	896,00	112,00	14,00	2,00	2,00
<b>TAGETES</b> (Asteraceae, Compositae)								
lucida - see Organic Seed								
TA 015 patula/erecta Mix, French Marigold, 40 cm, yellow-orange, for the biological disinfection of soil, amount needed 2-3gr/m², VII-X, Z8-10, ⊖ ( <i>see also Organic-Seeds</i> ) .....	⊗ ⊖	25	15	58,00	18,00	6,00	2,00	2,00
<b>TALINUM</b> (Portulaccaceae)								
TA 003 paniculatum [Verde], Jewels of Opar (Tu-Ren-Shen), 50 cm, pink flowers, reddish seed heads, glossy green leaf rosettes, TCM plant, VI-IX, Z9-11 .....	⊗ ⊖	1	15	–	720,00	96,00	12,00	2,20
<b>TANACETUM</b> (Asteraceae, Compositae)								
TB 290 balsamita, Costmary, 60 cm, white, grey-green aromatic foliage, VII-VIII, Z5-8 ( <i>see also Organic-Seeds</i> ) .....	⊗ ⊖ ⊙ ⊖	1	15	2240,00	320,00	48,00	7,40	3,80
CA 384 cinerariifolium (CHRYSANTHEMUM), Dalmatian Pelliitory, 50 cm, semispherical-shaped, bright white, good for cutting, stems 40 cm, V-VII, Z6-10 ( <i>see also Organic-Seeds</i> ) .....	⊖	3	15	1400,00	176,00	22,00	2,80	2,00
CA 474 parthenium (CHRYSANTHEMUM), Feverfew, 90 cm, white, well branched, perennial but often used biennial, VI-VIII, Z5-8 ( <i>see also Organic-Seeds</i> ) .....	⊗ ⊖	1	16	350,00	50,00	10,00	2,00	2,00
CA 476 parthenium 'Golden Moss', 20 cm, white, compact, moss-like golden foliage, VI-IX, Z5-8 .....	⊗	0,25	16	–	–	420,00	48,00	6,00
CA 482 vulgare (CHRYSANTHEMUM) [Gold Sticks], Tansy, 100 cm, golden, VII-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) .....	⊗ ⊖ ⊖	2	15	144,00	24,00	6,00	2,00	2,00
<b>TARAXACUM</b> (Asteraceae, Compositae)								
TA 008 officinale, Dandelion (Pu-Gong-Ying), 30 cm, yellow, V-X, Z3-9, TCM plant ( <i>see also Organic-Seeds</i> ) .....	⊗ ⊖ ⊖	2	16	98,00	24,00	6,00	2,00	2,00
<b>TEUcriUM</b> (Lamiaceae, Labiateae)								
TA 030 chamaedrys hort., Wall Germander, 30 cm, pink, evergreen, glossy foliage, VI-VIII, Z4-8 .....	⊗ ⊖ ⊖	3	15	1320,00	220,00	26,00	3,80	2,00



VACCINIUM macrocarpon



VALERIANA officinalis 'BLBP 19'



VIOLA tricolor

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>THYMUS</b> (Lamiaceae, Labiateae)								
TA 126	<b>fragrantissimus</b> - see Organic Seed <b>masticina</b> , Mastic Thyme, Spanish Wood Marjoram, 30 cm, white, grey-green aromatic foliage, V-VIII, Z6-9	⑧⑧⑧	1	16	–	–	82,00	9,80
TA 130	<b>pulegioides</b> , Greater Wild Thyme, Field Thyme, 25 cm, mauve, VII-X, Z4-8 (see also Organic-Seeds)	⑧⑧⑧	1	16	580,00	72,00	12,00	2,00
TA 134	<b>serpyllum hort.</b> , Shepherd's Thyme, 15 cm, purple-violet, V-IX, Z4-8 (see also Organic-Seeds)	⑧⑧⑧⑧	1	15	860,00	140,00	24,00	3,80
TA 144	<b>vulgaris 'French Summer'</b> , French Thyme, 30 cm, pinkish-white, grey narrow leaves, VI-IX, Z7-10 (see also Organic-Seeds)	⑧⑧⑧	1	15	484,00	88,00	16,00	2,90
TA 142	<b>vulgaris 'Standard Winter'</b> , Common Thyme, 20 cm, white-pink, VI-IX, Z5-9 (see also Organic-Seeds)	⑧⑧⑧	1	15	242,00	44,00	8,00	2,00
TA 146	<b>zygis</b> , Spanish Thyme, 30 cm, white, pubescent aromatic foliage, evergreen, VI-VIII, Z6-9. (see also Organic-Seeds)	⑧⑧⑧	0,5	16	–	–	82,00	9,80
<b>TRIGONELLA</b> (Papilionaceae, Leguminosae)								
TA 221	<b>caerulea</b> , Sweet Trifoli, 40 cm, blue, VI-VII, Z5-11, ☺ (see also Organic-Seeds)	⑧⑧⑧	10	16	54,00	18,00	6,00	2,00
TA 223	<b>foenum-graecum</b> , Fenugreek, Greek Clover (Hu-Lu-Ba), 50 cm, yellowish-white with violet, trifoliated foliage, VI-VII, Z5-11, TCM plant, ☺ (see also Organic-Seeds)	⑧⑧⑧	40	15	24,00	6,00	4,00	2,00
<b>TROPAEOLUM majus</b> - see Organic Seed								
<b>TUSSILAGO</b> - see Organic Seed								
<b>URTICA</b> - see Organic Seed								
<b>VACCINIUM</b> (Ericaceae)								
VA 006	<b>macrocarpon</b> , Cranberry, 40 cm, light purple, evergreen, large red berries, 1-2 cm Ø, evergreen, VI-VIII, Z2-9, pure seed	⑧⑧⑧	4	1	–	384,00	48,00	6,00
VA 008	<b>myrtillus</b> , Blueberry, 30 cm, light-green shoots, black-blue berries, IV-VI, Z3-8, (see also Organic-Seeds), pure seed	⑧⑧⑧⑧	1	16	–	192,00	24,00	3,00
VA 012	<b>vitis-idaea</b> , Mountain Cranberry, 15 cm, white to pink, evergreen groundcover, for partial shade or sun with sufficient moisture, V-VI, Z2-7 (s. also Organic-Seeds), pure seed	⑧⑧⑧	1	8	–	192,00	24,00	3,00
<b>VALERIANA</b> (Valerianaceae)								
VA 024	<b>officinalis</b> , Common Valerian, 100 cm, white to pale pink, V-IX, Z3-9 (see also Organic-Seeds)	⑧⑧⑧⑧	10	16	520,00	72,00	12,00	2,00
VA 026	<b>officinalis 'BLBP 19'</b> , Valerian, 80 cm, pinkish white umbels, pinnatifid foliage, high content of essential oil, valeric acid and extract, very high root yield, semi-coarse root structure, VI-VIII, Z3-9 (see also Organic-Seeds)	⑧⑧⑧⑧	5	16	1568,00	224,00	32,00	4,50
<b>VERBASCUM</b> (Scrophulariaceae)								
VA 060	<b>densiflorum (thapsiforme)</b> , Large-flowered Mullein, 100 cm, lemon yellow with dark center, VII-VIII, Z4-7, ☺ (see also Organic-Seeds)	⑧⑧	1	15	168,00	24,00	6,00	2,00
<b>VERBENA</b> (Verbenaceae)								
VA 102	<b>bonariensis</b> - see Organic Seed <b>officinalis</b> , Common Verbain (Ma-Bian-Cao), 60 cm, pale lilac, VI-IX, Z3-8, TCM plant (see also Organic-Seeds)	⑧⑧⑧⑧	1	8	860,00	144,00	18,00	2,40
<b>VERONICA</b> (Scrophulariaceae)								
VA 154	<b>officinalis</b> , Common Speedwell, 15 cm, light blue, V-VI, Z3-8 (see also Organic-Seeds)	①①	0,5	9	588,00	98,00	14,00	2,00
<b>VERONICASTRUM (LEPTANDRA)</b> (Scrophulariaceae)								
VA 180	<b>virginicum</b> , Black Root, Physic Root, 175 cm, white, rarely light blue, VII-IX, Z3-8 (see also GOLD NUGGET SEED®)	⑧	0,5	9	–	260,00	34,00	4,20
<b>VIOLA</b> (Violaceae)								
VA 274	<b>tricolor</b> , Wild Pansy, 30 cm, purple-yellow-white colour variants, bushy growth, mostly short-lived, IV-IX, Z3-9 (see also Organic-Seeds)	⑧⑧⑧⑧	2	15	480,00	72,00	12,00	2,00

This new range of certified organic seeds contains a selection of our most popular culinary and medicinal herbs and teas. (Certification in compliance with EU Regulation No. 834/2007 + 889/2008).

The seeds are identified by an "O" for "organic" as the second letter of our item code.

Our company is listed under the No. D-NI-006-17409-BCD / DE-ÖKO-006-Kontrollstelle (German certification body) and is subject to annual examination on the basis of which an EU organic food certificate is issued.

This process guarantees transparency along the line from seed to consumer which is essential when dealing with organic products.

Our certificate/Documentary Evidence according Art. 29 can be downloaded at [www.jelitto.com](http://www.jelitto.com).

Please check with your local authority to determine if our EU certificate/Documentary Evidence is valid in your country.

As ultimate consumer you are in a position to choose the seeds you buy, with or without valid certification. It is up to you to make a contribution towards healthy, ecological products.

			Gram to get 1000 plants	N° of the sowing directions	Prices in EURO net per:				Portion	
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>ACHILLEA</b> (Asteraceae, Compositae)										
A0 028	<b>millefolium, wild form</b> , Yarrow, 40 cm, white, VI-X, Z2-9	.....	① ② ③	1	15	360,00	48,00	12,00	3,00	2,00
A0 033	<b>millefolium 'Proa'</b> , 40 cm, pure white, uniform habit, tetraploid cultivar, high oil concentration, VI-VIII, Z2-9	.....	① ② ③	1	15	768,00	96,00	12,00	3,00	2,00
<b>NEW! A0 041</b> <b>nobilis</b> , Noble Yarrow, 50 cm, cream-yellow, for dry places, VI-IX, Z5-7	.....	④ ⑤ ⑥ ⑦	1	15	–	240,00	32,00	4,20	2,00	
<b>ACMELLA</b> (Asteraceae, Compositae)										
A0 077	<b>oleracea f. purpurea</b> [SPILANTHES] <b>[Bull's Eye, Electric Buttons, Peek-A-Boo]</b> , Purple leaved Paracress, Toothache Plant, 30 cm, brown-yellow flower buds, bronze-green foliage, V-IX, Z9-11	.....	⑧ ⑨	1	15	–	–	388,00	48,00	4,20
<b>AGASTACHE</b> (Lamiaceae, Labiateae)										
A0 144	<b>aurantiaca</b> [Apricot Sprite, Navajo Sunset], 45 cm, brilliant light orange, silvery, aromatic foliage, VI-IX, Z5-9	.....	⑩ ⑪ ⑫	2	15	–	–	242,00	28,00	6,20
A0 154	<b>foeniculum</b> , True Anise-Hyssop, 70 cm, blue, dark green foliage, silvery underneath, true, VII-IX, Z5-9	.....	⑩ ⑪ ⑫ ⑬	1	15	–	760,00	96,00	12,00	3,20
A0 156	<b>rugosa</b> [Liquorice Blue, Blue Spike], (Huo Xiang), 60 cm, blue-lilac, aromatic, VI-IX, Z6-9, TCM plant	.....	⑩ ⑪ ⑫ ⑬	2	15	–	96,00	24,00	6,40	2,20
A0 162	<b>rugosa 'Korean Zest'</b> , Korean Mint, 50 cm, deep violet-blue, narrow blossom panicles, dark stems, compact, bushy habit, VII-IX, Z5-9	.....	⑩ ⑪ ⑫ ⑬	1	15	–	760,00	96,00	12,00	3,60
<b>NEW! A0 153</b> <b>rupestris</b> [Apache Sunset, Sunset Hyssop], , Sunset Hyssop, 60 cm, rose-orange, aromatic grey-green foliage, abundant flowering, for dry locations, VI-IX, Z6-10	.....	⑩ ⑪ ⑫ ⑬	2	15	–	–	288,00	36,00	7,20	
<b>AGRIMONIA</b> (Rosaceae)										
A0 155	<b>eupatoria</b> , Common Agrimony, 50 cm, yellow, VI-VIII, Z3-8	.....	① ② ③	75	9	380,00	76,00	12,00	2,00	4,00
<b>NEW! A0 173</b>	<b>procera (odorata)</b> , Fragrant Agrimony, 100 cm, yellow, pinnatifid foliage, VI-IX, Z3-9	.....	① ② ③	100	9	–	118,00	22,00	4,20	12,60
<b>AGROSTEMMA</b> (Caryophyllaceae)										
A0 166	<b>githago</b> , Corn Cockle, 60 cm, purple-violet, VI-VIII, Z4-10, ☽	.....	⑩	30	15	42,00	12,00	3,20	2,00	2,00
<b>AJUGA</b> (Lamiaceae, Labiateae)										
A0 158	<b>repens</b> , Creeping Bugle, 15 cm, blue, V-VI, Z3-9	.....	⑧ ⑨	10	9	–	720,00	90,00	11,40	3,80
<b>ALCEA (ALTHAEA)</b> (Malvaceae)										
A0 308	<b>rosea var. nigra</b> [Jet Black, Arabian Nights], Hollyhock, 180 cm, single, black-red, V-X, Z3-9	.....	⑩ ⑪ ⑫ ⑬	25	15	480,00	96,00	12,00	2,00	2,00
<b>ALCHEMILLA</b> (Rosaceae)										
A0 178	<b>xanthochlora (vulgaris)</b> , Lady's Mantle, 50 cm, yellow-green, VI-VIII, Z3-8, .....	<b>pure seed</b> ⑩	1	1	1680,00	240,00	36,00	6,40	2,00	
<b>ALLIUM</b> (Alliaceae, Liliaceae)										
A0 208	<b>fistulosum</b> , Welsh Onion (Cong-Bai), 40 cm, yellowish-white, very large hollow leaves, VII-VIII, Z4-7, TCM plant	.....	⑩ ⑪ ⑫ ⑬	5	15	576,00	96,00	16,00	2,80	2,00
A0 247	<b>ramosum (odorum)</b> , Fragrant Flowered Garlic, 40 cm, bell shaped white umbels, similar to A. tuberosum, but earlier flowering, VI-VIII, Z5-9	.....	⑩ ⑪ ⑫ ⑬	10	15	–	238,00	34,00	5,20	3,80
A0 241	<b>schoenoprasum</b> , Chives, 40 cm, lilac, V-VIII, Z3-9	.....	⑩ ⑪	3	15	240,00	36,00	12,00	2,60	2,00
A0 239	<b>schoenoprasum 'Polyvit'</b> , 40 cm, lilac, medium-sized leaves, upright, V-VIII, Z3-9	.....	⑩ ⑪	3	15	–	132,00	18,00	3,20	3,20
A0 260	<b>tuberosum</b> , Chinese Chives, Garlic Chives (Jiu-Zi), 50 cm, white, VI-IX, Z3-10, TCM plant	.....	⑩ ⑪ ⑫ ⑬	8	15	576,00	96,00	16,00	2,80	2,00
A0 258	<b>ursinum</b> , Wood Garlic, Bear Garlic, Ramsons, 25 cm, white, V, Z3-9	.....	⑩ ⑪ ⑫ ⑬	25	1	620,00	98,00	16,00	2,00	2,00



ACHILLEA nobilis



ACMELLA oleracea f. purpurea



AGROSTEMMA githago



ALCEA rosea var. nigra

			Gram to get 1000 plants	Nº of the sowing directions	Prices in EURO net per:					
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>ALTHAEA</b> (Malvaceae)										
A0 282	<b>officinalis</b> , Marshmallow, 180 cm, pink, V-IX, Z3-10	.....	⑧ ⑨ ⑩ ⑪	10	8	448,00	64,00	9,20	2,60	2,00
<b>AMMI</b> (Apiaceae, <i>Umbelliferae</i> )										
A0 357	<b>visnaga (DAUCUS visnaga)</b> , Pick-Tooth, 60 cm, white umbels, densely feathered foliage, mostly annual, also for floral arrangements, VII-IX, Z6-10	.....	⑧ ⑩	2	15	396,00	82,00	16,00	3,20	2,00
<b>ANACYCLUS</b> (Asteraceae, <i>Compositae</i> )										
A0 367	<b>pyrethrum</b> , Mount Atlas Daisy, Peltitory, 40 cm, white, feathered foliage, short lived, IV-VI, Z5-9	.....	⑧ ⑩	2	15	–	896,00	128,00	16,00	2,00
A0 369	<b>pyrethrum var. depressus f. compactum 'Silberkissen'</b> [ <i>Silver Kisses, Silver Cushion</i> ], 10 cm, white, essential compact and more dense than former variety, shorter side shoots, IV-VI, Z5-9	.....	⑧ ⑩	2	15	–	–	192,00	24,00	6,00
<b>ANCHUSA</b> (Boraginaceae)										
A0 378	<b>officinalis</b> , Alkanet, 70 cm, carmine to dark violet, VI-IX, Z4-9	.....	⑧ ⑨ ⑩	10	7	–	186,00	26,00	3,80	3,80
<b>ANETHUM</b> (Apiaceae, <i>Umbelliferae</i> )										
A0 484	<b>graveolens</b> , Dill, 60 cm, yellow umbels, VI-VIII, Z6-10, ☀	.....	⑧ ⑨ ⑩	4	15	98,00	24,00	6,00	2,00	2,00
<b>ANGELICA</b> (Apiaceae, <i>Umbelliferae</i> )										
A0 492	<b>archangelica</b> , Angelica, Holy Ghost, 180 cm, greenish-white to creamy umbels, VI-VIII, Z3-7	.....	⑧ ⑨ ⑩	20	9	175,00	35,00	7,00	2,00	2,60
A0 494	<b>archangelica 'BLBP 01'</b> , Angelica, Holy Ghost, 180 cm, greenish-white umbels, high content of essential oil, very high root yield, very vigorous, low disease risk, VI-VIII, Z3-7	.....	⑧ ⑨ ⑩	20	9	288,00	48,00	8,00	2,00	3,00
<b>ANTHEMIS</b> (Asteraceae, <i>Compositae</i> )										
	<b>nobilis</b> - see <b>CHAMAEMELUM nobile</b>									
A0 522	<b>tinctoria (COTA)</b> , Dyer's Chamomile, 50 cm, golden, VII-IX, Z3-7	.....	⑧ ⑨ ⑩	1	15	240,00	48,00	12,00	4,00	2,00
<b>ANTHOXANTHUM</b> (Poaceae, <i>Gramineae</i> )										
Z0 036	<b>odoratum</b> , Sweet Vernal Grass, 30 cm, V-VI, Z4-9, .....	pure seed	⑧ ⑨ ⑩	5	15	360,00	72,00	12,00	2,00	2,00
<b>ANTHRISCUS</b> (Apiaceae, <i>Umbelliferae</i> )										
A0 539	<b>cerefolium 'Fijne Krul'</b> , Chervil, 30 cm, white, double curled and productive foliage cultivar, VI-VIII, Z6-9, ☀	.....	⑧ ⑩	5	15	148,00	32,00	8,00	2,00	2,00
<b>ANTHYLLIS</b> (Papilionaceae, <i>Leguminosae</i> )										
A0 546	<b>vulgaris</b> , Kidney Vetch, 15-20 cm, yellow-orange, V-VI, Z4-9, .....	pure seed	⑧ ⑩	8	8	–	160,00	22,00	3,20	3,20



AMMI visnaga



ANACYCLUS pyrethrum



AQUILEGIA chrysanthra Denver Gold®



ANGELICA archangelica 'BLBP 01'



ATRIPLEX hortensis var. rubra



**BERLANDIERA lyrata**



**BORAGO officinalis 'Alba'**



**BULBINE frutescens**



**CARTHAMUS tinctorius**

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>AQUILEGIA</b> (Ranunculaceae)								
AO 755 <b>chrysanthia Denver Gold®</b> , ☼, 80 cm, golden, robust and stable, reblooms after dead-heading, V-IX, Z3-8 . . . . .	⑥	3	15	–	–	72,00	9,00	3,60
AO 776 <b>vulgaris</b> , Granny's Bonnet, 50 cm, blue, V-VI, Z3-8 . . . . .	⑧ ⑩	5	16	980,00	128,00	16,00	2,00	2,00
<b>ARCTIUM</b> (Asteraceae, <i>Compositae</i> )								
AO 844 <b>lappa</b> , Great Burdock (Niu-Bang-Zi), 140 cm, panicles with purple flower heads, large leaves, VI-IX, Z2-9, TCM plant . . . . .	⑧ ⑩	30	15	192,00	48,00	12,00	4,00	4,00
<b>ARISTOLOCHIA</b> (Aristolochiaceae)								
AO 882 <b>clematitis</b> , Osterluzei, 80 cm, light yellow, poisonous, V-VII, Z5-9 . . . . .	⑩	80	1	448,00	64,00	9,20	2,00	5,20
<b>ARNICA</b> (Asteraceae, <i>Compositae</i> )								
AO 904 <b>chamissonis</b> , Leafy Leopard's Bane, 50 cm, yellow, abundant flowers, VI-VIII, Z2-8 . . . . .	⑧ ⑩	3	15	–	–	72,00	9,60	3,20
AO 908 <b>montana</b> , Arnica, Mountain Tobacco, 50 cm, golden, lime-free soil, V-VII, Z5-8 . . . . .	⑧ ⑩	5	15	–	280,00	34,00	6,40	3,20
<b>ARTEMISIA</b> (Asteraceae, <i>Compositae</i> )								
AO 915 <b>absinthium</b> , Common Wormwood, Absinthe, 80 cm, yellow, grey-green foliage, VI-VIII, Z3-9 . . . . .	⑦ ⑩	0,5	15	–	588,00	84,00	12,00	3,00
NEW! AO 919 <b>absinthium 'Silverado'</b> , 60 cm, yellowish flower spikes, grey-white feltlike broad pinnatifid foliage, aromatic, sturdy and compact habit, especially hardy and ornamental selection VII-VIII, Z3-9 . . . . .	⑦ ⑩	0,5	15	–	360,00	48,00	6,40	3,20
NEW! AO 918 <b>annua</b> , Sweet Annie (Qing Hao), 140 cm, yellowish-green, pinnatifid foliage, annual, VIII-X, Z6-10, TCM plant . . . . .	⑦ ⑩	0,5	15	–	686,00	98,00	14,00	3,80
AO 917 <b>dracunculus</b> , Russian Tarragon, 100 cm, greenish, lanceolate foliage, VI-VIII, Z2-9. . . . .	⑧ ⑩	1	15	–	172,00	22,00	2,80	2,00
<b>ASCLEPIAS</b> (Asclepiadaceae)								
AO 984 <b>tuberosa</b> , Butterfly Weed, 70 cm, orange, VI-VIII, Z3-8 . . . . .	⑧ ⑩	15	9	2560,00	320,00	40,00	6,00	4,50
<b>ASTRAGALUS</b> (Papilionaceae, <i>Leguminosae</i> )								
AO 148 <b>mongolicus (membranaceus var. mongolicus) 'BLBP 04'</b> , Chinese Milkvetch (Huang Qi), 130 cm, light yellow flowers, inflated red tinged seed husks, pinnatifid foliage, erect growth, high content of astragalosid IV, high root yield, thick roots, VII-VIII, Z5-9, TCM plant . . . . .	⑧ ⑨ ⑩	20	8	–	144,00	24,00	4,00	2,00
<b>ATRIPLEX</b> (Chenopodiaceae, <i>Amaranthaceae</i> )								
AO 265 <b>hortensis var. rubra</b> , Red leaved Garden Orache, 120 cm, purplish-red, heart shaped foliage, reddish flower spikes, VII-IX, Z5-10, ☺ . . . . .	pure seed ⑧ ⑩	10	15	520,00	76,00	16,00	2,80	2,80
<b>ATROPA</b> (Solanaceae)								
NEW! AO 188 <b>bella-donna</b> , Deadly Nightshade, 150 cm, brown-green, brilliant black berries, poisonous! VI-VIII, Z5-10. . . . .	⑩	3	1	540,00	98,00	18,00	3,20	2,00
<b>BARBAREA</b> (Brassicaceae)								
BO 038 <b>vulgaris</b> , Rock Cress, Yellow Rocket, 60 cm, yellow, glossy green foliage, evergreen, V-VII, Z5-8. . . . .	⑧ ⑨ ⑩	1	15	320,00	54,00	9,20	2,00	2,00
<b>BELLIS</b> (Asteraceae, <i>Compositae</i> )								
BO 029 <b>perennis</b> , Common Daisy, English Daisy, 15 cm, white, II-VI, Z3-8. . . . .	⑧ ⑨ ⑩	1	15	–	396,00	44,00	4,80	2,00
<b>BERLANDIERA</b> (Asteraceae, <i>Compositae</i> )								
BO 052 <b>lyriata [Chocolate Drop, Chocolate Daisy]</b> , ☼, Chocolate Flower, Green Eyes, 25 cm, yellow, with chocolate fragrance, V-VII, Z5-10. . . . .	pure seed ⑧ ⑩	10	15	–	660,00	78,00	9,40	4,80
<b>BLITUM</b> - see <b>CHENOPODIUM</b>								
<b>BORAGO</b> (Boraginaceae)								
BO 050 <b>officinalis</b> , Borage, 60 cm, blue, VI-IX, Z7-11, ☺ . . . . .	⑧ ⑨ ⑩	50	15	198,00	32,00	6,00	2,00	2,00
BO 051 <b>officinalis 'Alba'</b> , White Flowering Borage, 50 cm, pure white, VI-IX, Z7-11, ☺ . . . . .	⑧ ⑨ ⑩	50	15	–	88,00	18,00	2,40	4,50
<b>BULBINE</b> (Asphodelaceae, <i>Liliaceae</i> )								
BO 088 <b>frutescens</b> , Bulbine, Burn Jelly Plant, 40 cm, yellow-orange, succulent, fleshy leaves with characteristics similar to ALOE vera, V-IX, Z9-12 . . . . .	⑧ ⑩	5	15	–	476,00	56,00	7,20	3,60



**CENTAUREA atropurpurea**



**CHAMOMILLA recutita 'Zloty Lan'**



**CHENOPODIUM bonus-henricus**

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>CALAMINTHA</b> (Lamiaceae, Labiateae)								
CO 021 <b>nepeta</b> , Nepitella, Lesser Calamint, 40 cm, light blue-pink, permanent flowering, VII-IX, Z5-8 . . . . .	⑧ ⑩ ⑧ ⑩	1	15	–	998,00	128,00	16,00	3,60
<b>CALENDULA</b> (Asteraceae, Compositae)								
CO 030 <b>officinalis</b> , Pot Marigold, 40 cm, yellow-orange, mostly double, for the biological disinfection of soil, amount needed 5gr/m <sup>2</sup> , VII-X, Z5-10, ☺ . . . . .	⑧ ⑩ ⑧ ⑩	25	15	98,00	18,00	4,00	2,00	2,00
<b>CALLIRHOE</b> (Malvaceae)								
CO 041 <b>involucrata var. tenuissima</b> , 20 cm, bright pink, strongly pinnatifid foliage, VII-IX, Z4-9 . . . . .	⑧ ⑩ ⑧ ⑩	20	14	–	480,00	60,00	7,60	7,60
<b>CALLUNA</b> (Ericaceae)								
CO 040 <b>vulgaris</b> , Scots Heather, Ling, 30 cm, rose-lilac, VIII-IX, Z3-9, . . . . .	pure seed ⑧ ⑩ ⑧ ⑩	0,2	4/8	–	420,00	52,00	6,60	2,20
<b>CALTHA</b> (Ranunculaceae)								
CO 044 <b>palustris</b> , Marsh Marigold, 30 cm, deep yellow, shiny green foliage, IV-V, Z3-7 . . . . .	⑧ ⑩ ⑧ ⑩	4	2/3/18	–	294,00	42,00	6,00	2,00
<b>CAMPANULA</b> (Campanulaceae)								
CO 220 <b>rapunculus</b> , Rampion, 70 cm, blossom panicles blue or white, VII-VIII, Z5-9 . . . . .	⑧ ⑩ ⑧ ⑩ ⑧ ⑩	1	16	–	–	–	12,00	2,00
<b>CARDAMINE</b> (Brassicaceae, Cruciferae)								
CO 260 <b>pratensis</b> , Cuckoo Flower, 40 cm, pale lilac or white, III-V, Z3-7 . . . . .	⑧ ⑩ ⑧ ⑩	2	15	–	375,00	48,00	6,00	3,00
<b>CARDIOSPERMUM</b> (Sapindaceae)								
NEW! CO 267 <b>halicacabum [Green Lanterns]</b> , Balloon Wine, Heart Pea, 180 cm, white, large green balloonlike inflated seed-pods, climbing, usually annual, V-X, Z9-11 . . . . .	⑧ ⑩	150	16	–	144,00	24,00	4,50	12,60
<b>CARLINA</b> (Asteraceae, Compositae)								
CO 274 <b>acaulis</b> ssp. <b>simplex</b> (var. <b>caulescens</b> ), Silver Thistle, 50 cm, large shiny white flowering heads with stem, VII-IX, Z3-9 . . . . .	⑧ ⑩ ⑧ ⑩ ⑧ ⑩	15	15	–	384,00	48,00	6,00	6,00
<b>CARTHAMUS</b> (Asteraceae, Compositae)								
CO 268 <b>tinctorius</b> , Safflower, Dyer's Saffron (Hong-Hua), 50 cm, orange-yellow flower heads, VII-VIII, Z5-10, TCM plant, ☺ . . . . .	⑧ ⑩ ⑧ ⑩	80	15	252,00	42,00	6,00	2,00	3,00
<b>CARUM</b> (Apiaceae, Umbelliferae)								
CO 271 <b>carvi</b> , Caraway, 60 cm, white, VI-VIII, Z2-9 , ☺ . . . . .	⑧ ⑩ ⑧ ⑩	10	15	46,00	12,00	6,00	2,00	3,00
<b>CENTAUREA</b> (Asteraceae, Compositae)								
CO 303 <b>atropurpurea</b> , 120 cm, deep purple, feathery foliage, VI-VIII, Z5-9 . . . . .	⑧	15	16	–	432,00	54,00	6,80	6,80
CO 306 <b>cyanus 'Bläue Gefüllte'</b> , Bachelor's Button, 50 cm, brilliant blue, double, VI-X, Z4-10, ☺ . . . . .	⑧ ⑩ ⑧ ⑩	2	15	120,00	24,00	6,00	2,00	2,00
NEW! CO 320 <b>montana</b> , Perennial Cornflower, Mountain Bluet, 50 cm, blue, first year flowering, V-VII, Z3-9 . . . . .	⑧ ⑩ ⑧	35	16	–	–	72,00	9,60	3,20
<b>CHAMAEMELUM</b> (Asteraceae, Compositae)								
CO 368 <b>nobile (ANTHEMIS)</b> , Roman Chamomile, 30 cm, silver-white, yellow disc, VI-VIII, Z4-9 ⑧ ⑩ ⑧ ⑩	⑧ ⑩ ⑧ ⑩	1	15	–	216,00	36,00	6,00	2,00
<b>CHAMAENERION</b> - see <b>EPILOBIUM</b>								
<b>CHAMOMILLA (MATRICARIA)</b> (Asteraceae, Compositae)								
CO 386 <b>recutita</b> , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, V-IX, Z5-10, ☺ . . . . .	⑧ ⑩ ⑧ ⑩	0,5	15	292,00	46,00	9,20	2,00	2,00
CO 389 <b>recutita 'Zloty Lan'</b> , German Chamomile, Scented Mayweek, Matricary, 40 cm, white with yellow disc, tetraploid cultivar with high yields, large flowering, V-IX, Z5-10, ☺ . . . . .	⑧ ⑩ ⑧ ⑩	0,5	16	176,00	28,00	6,80	2,00	2,00
<b>CHELIDONIUM</b> (Papaveraceae)								
CO 365 <b>majus</b> , Greater Celandine (Bai-Qu-Cai), 50 cm, golden flowers, V-IX, Z4-8, TCM plant. . . . .	⑧ ⑩	3	19	–	396,00	66,00	9,00	2,00

		Gram to get 1000 plants	N° of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>CHENOPODIUM</b> (Chenopodiaceae, <i>Amaranthaceae</i> )								
CO 390 <b>bonus-henricus</b> , Good King Henry, 40 cm, greenish flowers, spinach-like leaves, V-IX, Z4-9, . . . . .	<b>pure seed</b>	5	15	720,00	120,00	20,00	3,40	2,00
CO 392 <b>capitatum (BLITUM)</b> , Strawberry Blite, 30 cm, red, triangular foliage, brilliant red berries, annual, VI-VIII, Z4-10 . . . . .		0,5	15	–	–	128,00	16,00	4,00
CO 393 <b>foliosum (BLITUM virgatum) [Strawberry Sticks]</b> , True Strawberry Blite, 40 cm, reddish, small, triangular foliage, brilliant red berries, VI-VIII, Z4-10,  . . . . .		2	15	–	580,00	84,00	12,00	3,20
<b>CHRYSANTHEMUM</b> - see <b>TANACETUM</b>								
<b>CICHORIUM</b> (Asteraceae, <i>Compositae</i> )								
CO 496 <b>intybus var. intybus</b> , Chicory, Succory, 80 cm, blue, VII-IX, Z2-9 . . . . .		3	15	336,00	56,00	9,40	2,00	2,00
<b>CLEMATIS</b> (Ranunculaceae)								
CO 555 <b>integrifolia Mongolian Bells®</b> ,  , 35 cm, wide spectrum of colors, pink, white, lavender and blue, compact habit, V-IX, Z3-9, . . . . .	<b>pure seed</b>	10	9	–	448,00	64,00	8,20	5,00
<b>CNICUS</b> (Asteraceae, <i>Compositae</i> )								
CO 576 <b>benedictus (CENTAUREA)</b> , Blessed Thistle, 40 cm, yellow, VI-VIII, Z5-9,  . . . . .		60	15	–	64,00	12,00	2,00	2,00
<b>COCHLEARIA</b> (Brassicaceae)								
CO 574 <b>officinalis</b> , Spoonwort, Scurvy Grass, 30 cm, white, spoon-like wintergreen foliage, V-VIII, Z5-8		2	15	–	132,00	22,00	3,60	2,00
<b>CODONOPSIS</b> (Campanulaceae)								
NEW! CO 582 <b>pilosula</b> , Tang Shen (Dong-Sen), up to 120 cm climbing, greenish yellow bellflowers, VI-IX, Z5-8, TCM plant . . . . .		3	15	–	–	112,00	16,00	3,20
<b>COLCHICUM</b> (Colchicaceae, Liliaceae)								
CO 593 <b>autumnale</b> , Autumn Crocus, 15 cm, lilac, poisonous! VIII-X, Z4-7 . . . . .		30	6	576,00	96,00	12,00	2,00	2,00
<b>CORIANDRUM</b> (Apiaceae, <i>Umbelliferae</i> )								
CO 640 <b>sativum</b> , Coriander, 50 cm, white-pink umbels, VI-IX, Z5-10,  . . . . .		30	16	72,00	18,00	6,00	2,00	3,00
CO 641 <b>sativum 'Type Slowbolt'</b> , Foliage Coriander, 50 cm, productive foliage selection, IX, Z5-10,  . . . . .		30	16	96,00	18,00	6,00	2,00	3,00
<b>COTA tinctoria</b> - see <b>ANTHEMIS tinctoria</b>								
<b>CRAMBE</b> (Brassicaceae, <i>Cruciferae</i> )								
CO 674 <b>maritima</b> ,   , Sea Kale, 70 cm, white, blue-grey foliage, V-VII, Z5-8 . . . . .		100	8	675,00	135,00	18,00	2,60	9,00



CHENOPODIUM capitatum



CHENOPODIUM foliosum




CLEMATIS integrifolia Mongolian Bells®



CNICUS benedictus



COCHLEARIA officinalis



**CORIANDRUM sativum**



**CRAMBE maritima**



**CYNARA cardunculus f. scolymus 'Tavor'**



**DIANTHUS carthusianorum**



**DIGITALIS purpurea 'Berggold'**



**DIPSACUS sylvestris**



**DORYCNIUM hirsutum**



**DRACOCEPHALUM moldavica**

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>CYNARA (Asteraceae, Compositae)</b>									
CO 706	<b>cardunculus f. scolymus 'Tavor' [Green Globe Typ, Imperial Star Typ]</b> , Vegetable Globe Artichoke, 120 cm, very large bright violet blossoms, purple coloured phyllaries, uniform, solid and heavy buds, thornless foliage. Semi-early flowering cultivar especially suited for floral arrangements, VII-X, Z6-10.	⑧ ⑨ ⑩	100	15	360,00	62,00	12,00	2,00	6,00
<b>CYNOGLOSSUM (Boraginaceae)</b>									
CO 709	<b>officinale</b> , Dog's Tongue, 75 cm, purple-blue, V-VII, Z5-9, ☺	⑩	60	8	320,00	64,00	12,00	2,40	4,80
<b>DIANTHUS (Caryophyllaceae)</b>									
DO 162	<b>carthusianorum</b> , Clusterhead Pink, 40 cm, purple-red, VI-IX, Z3-8	⑥	3	15	–	240,00	32,00	4,00	2,00
NEW! DO 320	<b>superbus</b> , Fringed Pink, 45 cm, pink-soft lilac, fragrant, VI-IX, Z3-9	⑧ ⑩	1	15	–	–	48,00	6,00	2,20
<b>DICTAMNUS (Rutaceae)</b>									
DO 340	<b>albus var. purpureus (fraxinella)</b> ,  Dittany (Bai-Xian-Pi), 80 cm, pink flowers with dark veins, white roots, V-VI, Z3-8, TCM plant	⑩	40	19	–	240,00	32,00	4,20	4,20
<b>DIGITALIS (Scrophulariaceae)</b>									
DO 350	<b>ambigua (grandiflora)</b> ,  Yellow Foxglove, 80 cm, with large yellow bellflowers, VI-VII, Z3-8, poisonous!	⑩	1	15	–	240,00	34,00	5,20	2,00
DO 366	<b>lanata [Café Crème]</b> , Woolly Foxglove, 80 cm, white-brown, VI-VIII, Z6-9, poisonous!	⑩	1	15	–	198,00	30,00	4,20	2,00
DO 386	<b>purpurea</b> , Common Foxglove, 120 cm, red, rarely white, VI-VII, Z4-8, poisonous!	⑧ ⑩	1	15	288,00	48,00	8,00	2,00	2,00
DO 383	<b>purpurea 'Berggold'</b> , Red Foxglove, 140 cm, red, productive foliage, variety with high content of Digitalin in the seeds, good hardy, VI-VII, Z3-8, poisonous!	⑧ ⑩	1	15	560,00	96,00	16,00	2,80	2,00
<b>DIPLOTAXIS (Brassicaceae, Cruciferae)</b>									
DO 406	<b>tenuifolia (RUCOLA silvatica)</b> , Italian Wild Arugula, Sylvestra, 30 cm, yellow, robust and aromatic, strongly pinnatifid dark-green foliage, perennial, V-X, Z5-9	⑧ ⑩	1	15	236,00	48,00	10,00	2,00	2,00
<b>DIPSACUS (Dipsacaceae)</b>									
DO 416	<b>sylvestris (fullonum)</b> , 200 cm, lilac, excellent for dry flower bouquets, VII-VIII, Z3-9	⑩	10	15	320,00	78,00	18,00	3,60	2,00
<b>DORYCNIUM (LOTUS) (Papilionaceae, Leguminosae)</b>									
DO 442	<b>hirsutum</b> ,  40 cm, pink, silky-silvery leaves, very decorative, VII-IX, Z6-10	⑩	10	9/10	–	460,00	62,00	8,00	6,00
<b>DRACOCEPHALUM (Lamiaceae, Labiateae)</b>									
DO 461	<b>moldavica</b> , Moldavian Dragonhead, Moldavian Balm, 40 cm, blue, selected form with high content of oil and high foliage yields, VII-VIII, Z6-10, ☺	① ⑩	5	15	182,00	26,00	4,40	2,00	2,00



ECHINACEA pallida



ECHINOPS ritro



ESCHSCHOLZIA californica



EUPHORBIA lathyris

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>ECHINACEA (RUDBECKIA) (Asteraceae, Compositae)</b>								
EO 003	angustifolia, Narrow Coneflower, up to 50 cm, pink to red, petals shorter but wider than E. pallida, with yellow pollen, VI-X, Z3-8	⑧ ⑩	10	9	1340,00	192,00	24,00	3,60
EO 004	pallida, Pale Coneflower, 80 cm, pink, long hanging petals, with whitish pollen, VII-IX, Z3-8	⑧ ⑩	15	15	398,00	68,00	14,00	2,40
EO 006	paradoxa var. paradoxa, 80 cm, bright yellow, very unusual, VII-X, Z4-9	⑧ ⑩	15	9	—	192,00	24,00	3,60
RO 180	purpurea (RUDBECKIA), Purple Coneflower, 100 cm, purple-rose, VII-IX, Z3-8	⑧ ⑩	10	15	192,00	32,00	8,00	2,00
EO 008	tennesseensis 'Rocky Top Hybr.', Tennessee Coneflower, 60 cm, pink, bent upward petals, lanceolate foliage, VII-IX, Z4-9	⑧ ⑩	12	9	2520,00	360,00	48,00	6,00
<b>ECHINOPS (Asteraceae, Compositae)</b>								
EO 014	ritro, 100 cm, blue blossom heads, VII-IX, Z3-8,	pure seed ⑧	50	15	432,00	72,00	12,00	2,00
<b>ECHIUM (Boraginaceae)</b>								
NEW! EO 015	amoenum 'Red Feathers', 35 cm, russet-red compact flower spikes, narrow foliage, reblooms after dead-heading, V-VIII, Z3-9	⑧ ⑩	5	15	—	—	144,00	18,00
EO 017	russicum (rubrum), Russian Bugloss, 60 cm, dark red flower panicles, VI-VIII, Z5-8.	⑧ ⑩	5	15	—	720,00	90,00	12,00
EO 020	vulgare, Common Viper's Bugloss, 80 cm, brilliant blue, V-VIII, Z3-11, ☺	⑧ ⑩	5	9	—	98,00	16,00	2,80
<b>EPILOBIUM (Onagraceae)</b>								
EO 030	angustifolium (CHAMAENERION), Rosebay Willowherb, Fire Weed, 110 cm, lilac-rose, VI-IX, Z2-7.	⑧ ⑨ ⑩	1	15	1790,00	256,00	32,00	4,00
EO 042	hirsutum, 70 cm, wine-red, VI-VIII, Z3-9.	⑧ ⑨	1	15	—	256,00	32,00	4,00
<b>ERUCA (Brassicaceae, Cruciferae)</b>								
EO 135	vesicaria ssp. sativa, Italian Rocket Salad, Arugula, 30 cm, white-yellow, pinnately lobed leaves, V-VII, Z6-9, ☺	⑧ ⑩	10	15	96,00	24,00	6,00	2,00
<b>ERYNGIUM (Apiaceae, Umbelliferae)</b>								
EO 165	maritimum, Sea Holly, 40 cm, blue-green, silver-grey foliage, VI-X, Z4-10	⑧ ⑨ ⑩	50	9	2060,00	294,00	36,00	4,50
<b>ESCHSCHOLZIA (Papaveraceae)</b>								
EO 310	californica, California Poppy, 30 cm, yellow-orange, VI-X, Z5-10, ☺-☺	⑧ ⑩	5	15	480,00	64,00	8,60	2,00
<b>EUPATORIUM (Asteraceae, Compositae)</b>								
EO 200	cannabinum, Hemp Agrimony, 130 cm, reddish, VI-IX, Z4-8	⑧ ⑩	2	9	1980,00	288,00	42,00	6,00
<b>EUPHORBIA (Euphorbiaceae)</b>								
EO 232	lathyris, 90 cm, yellow-green, decorative, crosswise arranged foliage, VI-VIII, Z5-9, ☺	⑧	100	1	—	72,00	12,00	2,00
<b>FILIPENDULA (Rosaceae)</b>								
FO 018	ulmaria, Meadowsweet, 150 cm, yellowish-white, VI-VIII, Z3-7	⑧ ⑨ ⑩	5	9	660,00	112,00	18,00	3,00
<b>FOENICULUM (Apiaceae, Umbelliferae)</b>								
FO 008	vulgare, Fennel (Hui-Xiang), 120 cm, yellow umbels, VII-IX, Z6-9, TCM plant	⑧ ⑨ ⑩ ⑪	30	15	72,00	18,00	6,00	2,00
FO 024	vulgare 'Purpureum' (Rubrum) [Smokey, Deco, Bronze], Bronze Leaved Fennel, 80 cm, yellow, VII-IX, Z6-9	⑧ ⑨ ⑩ ⑪	30	15	952,00	136,00	20,00	2,80
<b>FRAGARIA (Rosaceae)</b>								
FO 023	vesca, Woodland Strawberry, 20 cm, white, mostly stoloniferous, V-VI, Z4-8	⑧ ⑨ ⑩ ⑪	3	16	1792,00	224,00	28,00	3,80
FO 011	vesca var. semperflorens 'Alexandria', Alpine Strawberry, 20 cm, white, productive variety, mostly elongated red berries, without stolons, V-IX, Z4-8	⑧ ⑨ ⑩ ⑪	3	16	—	480,00	60,00	8,00
<b>GALEGA (Papilionaceae, Leguminosae)</b>								
GO 030	officinalis, Goat's Rue, 100 cm, lilac with bluish banner, abundant and long blooming, VII-IX, Z3-7	⑧ ⑨ ⑩ ⑪	20	16	—	136,00	24,00	4,00
GO 036	odoratum (ASPERULA odorata), Sweet Woodruff, 15 cm, white, V-VI, Z4-7	⑧ ⑨ ⑩ ⑪	30	1	1180,00	162,00	27,00	4,20
GO 036	verum, Lady's Bedstraw, 30 cm, yellow, abundant flower panicles, V-IX, Z3-7	⑧ ⑨ ⑩ ⑪	5	15	360,00	64,00	12,00	2,20



**FRAGARIA vesca var. semp. 'Alexandria'**



**GERANIUM robertianum**



**GLECHOMA hederacea**



**HIBISCUS Moscheutos-Hyb. 'Galaxy'**

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>GENTIANA</b> (Gentianaceae)								
GO 086 <b>asclepiadea</b> , <small>(AGM)</small> , Willow Gentian, 40 cm, dark blue, grows upright, blossoms axillary, VII-IX, Z3-7 . . . . .	①	1	—	—	192,00	24,00	4,80	
GO 134 <b>lutea</b> , Yellow Gentian, Bitterwort, 100 cm, pure yellow, especially decorative and long lasting, VI-VIII, Z3-7 . . . . .	⑧ ⑩	5	1	920,00	154,00	26,00	4,20	2,80
<b>GERANIUM</b> (Geraniaceae)								
GO 220 <b>robertianum</b> , Herb Robert, 40 cm, purple-rose, forms rosettes, IV-X, Z4-9, ☺ . . . . .	⑧ ⑩ ⑪	5	16	—	450,00	60,00	8,00	4,00
<b>GEUM</b> (Rosaceae)								
GO 262 <b>urbanum</b> , Wood Avens, St. Benedict's Herb, 30 cm, yellow, V-X, Z5-9 . . . . .	⑧ ⑩ ⑪	10	9	480,00	96,00	20,00	4,00	2,00
<b>GLAUCIUM</b> (Papaveraceae, Fumariaceae)								
NEW! GO 290 <b>flavum</b> , Horned Poppy, 50 cm, yellow-ochre, blue-grey foliage, VI-VII, Z6-9 . . . . .	⑧ ⑩	4	9	—	—	64,00	8,40	2,40
<b>GLECHOMA</b> (Lamiaceae, Labiateae)								
GO 296 <b>hederacea</b> , Ground Ivy, Alehoof, 20 cm, brilliant violet, dark green foliage, IV-V + IX-X, Z2-10 . . . . .	① ⑧ ⑩	2	1	2976,00	496,00	68,00	8,60	2,00
<b>GLYCYRRHIZA</b> (Papilionaceae, Leguminosae)								
GO 316 <b>echinata</b> , Roman Liquorice, 200 cm, lilac, VI-IX, Z7-10 . . . . .	⑧ ⑨ ⑩	20	9	—	442,00	68,00	9,60	9,60
GO 317 <b>glabra</b> , Spanish Liquorice, 120 cm, pale blue, VII-IX, Z7-10 . . . . .	⑧ ⑨ ⑩	20	9	—	442,00	68,00	9,60	9,60
<b>GRINDELIA</b> (Asteraceae, Compositae)								
GO 324 <b>robusta (camporum)</b> , Gumplant, Gumweed, 100 cm, yellow umbels, VI-VIII, Z6-10 . . . . .	⑧ ⑩	5	15	—	—	—	7,20	3,60
<b>HELICHRYSUM</b> (Asteraceae, Compositae)								
HO 082 <b>italicum</b> , <small>(AGM)</small> , Italian Everlasting, Curry Plant, 50 cm, yellow, silvery grey-green foliage, VI-VIII, Z7-10 . . . . .	⑧	0,5	15	—	—	196,00	28,00	6,00
<b>HIBISCUS</b> (Malvaceae)								
HO 212 <b>Moscheutos-Hyb. 'Galaxy'</b> , 120 cm, very large flowering mixture with exceptional colour display, blossoms up to 25 cm Ø, clear colours, white, light pink, rose, dark rose, light red, deep red, mostly with red center, strong and healthy foliage, strict upright habit, very hardy selection from Gilberg Farms, flowers the first year if sown early, VI-X, Z5-9 . . . . .	⑧ ⑩	30	20	—	—	58,00	7,20	3,60
<b>HUMULUS</b> (Cannabaceae)								
HO 280 <b>lupulus</b> , 200 cm, Common Hops, greenish-yellow, hanging flowers, green foliage, VII-IX, Z4-9 . . . . .	⑧ ⑩	10	1	1470,00	245,00	40,00	6,80	6,80
<b>HYOSCYAMUS</b> (Solanaceae)								
HO 308 <b>niger</b> , Black Henbane, 50 cm, cream colored flowers with purple veins, V-IX, Z4-7, ☺, poisonous! . . . . .	⑧	2	9	—	310,00	36,00	4,20	2,00
<b>HYPERICUM</b> (Clusiaceae, Guttiferae)								
HO 336 <b>perforatum</b> , St. John's Wort, 60 cm, yellow, V-VIII, Z2-9 . . . . .	⑧ ⑩	2	16	252,00	42,00	9,20	2,00	2,00
HO 337 <b>perforatum 'Topas'</b> , 40 cm, yellow, higher hypericin concentration, V-VIII, Z2-9 . . . . .	⑧ ⑩	2	16	348,00	58,00	9,60	2,00	2,00
<b>HYSSOPUS</b> (Lamiaceae, Labiateae)								
HO 347 <b>officinalis</b> , Hyssop, 45 cm, mostly blue, rarely pink and white, VI-VIII, Z3-11 . . . . .	⑧ ⑩ ⑪ ⑫	5	15	288,00	48,00	12,00	2,00	2,00
<b>INULA</b> (Asteraceae, Compositae)								
IO 058 <b>helenium</b> , Elecampane, 150 cm, yellow, VII-X, Z3-8 . . . . .	⑧ ⑩ ⑪	5	15	—	346,00	48,00	8,00	4,20
<b>IRIS</b> (Iridaceae)								
NEW! IO 144 <b>pseudacorus</b> , <small>(AGM)</small> , Pale Yellow Iris, 100 cm, VI-VII, Z3-9 . . . . .	⑧ ⑩	100	1/10	336,00	48,00	12,00	3,20	4,80
NEW! IO 167 <b>sibirica, wild form</b> , <small>(AGM)</small> , Siberian Iris, blue, 70 cm, VI-VII, Z3-9 . . . . .	⑧ ⑩	30	1/10	576,00	96,00	12,00	3,20	3,20
IO 192 <b>versicolor</b> , Blue Flag Iris, 100 cm, blue-violet, V-VIII, Z3-8 . . . . .	⑧	30	1/10	960,00	180,00	30,00	4,80	4,80

Herb Seeds from  
Organic Production

			Gram to get 1000 plants	Nº of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>ISATIS</b> (Brassicaceae, <i>Cruciferae</i> )									
IO 300 <b>tinctoria</b> , Woad (Ban Lan Gen), 60 cm, yellow, V-VII, Z6-9, TCM plant, ☺	pure seed	⑧⑩	3	15	–	–	78,00	14,00	4,80
<b>LAVANDULA</b> (Lamiaceae, <i>Labiateae</i> )									
LO 070 <b>angustifolia (officinalis)</b> , True Lavender, 50 cm, blue, VII-IX, Z5-9	...	⑧⑨⑩⑪	5	9	588,00	84,00	12,00	2,00	2,00
LO 078 <b>angustifolia Munstead-Strain</b> , Lavender, 40 cm, blue, VII-X, Z5-9	...	⑧⑨⑩⑪	5	9	–	224,00	28,00	3,60	2,00
LO 082 <b>latifolia (spica)</b> , Common Lavender, 35 cm, blue-violet, aromatic, VI-VII, Z6-9	...	⑧⑨⑩⑪	5	9	1780,00	254,00	36,00	5,20	2,80
<b>LEONURUS</b> (Lamiaceae, <i>Labiateae</i> )									
LO 112 <b>cardiaca</b> , True Motherwort, 120 cm, light red, VI-IX, Z3-9	...	⑧⑨⑩⑪	2	15	520,00	84,00	12,00	3,00	2,00
LO 115 <b>japonicus (heterophyllus, sibiricus) 'BLBP 02'</b> , Chinese Motherwort (Yi-Mu-Cao), 140 cm, lilac pink, whorled inflorescences, pinnatifid foliage, tetragonal stems, reliable first year flowering, high content of extract and flavanoids, high herb yield, VII-X, Z5-9, TCM plant, ☺	...	⑧⑩	3	16	980,00	180,00	30,00	5,00	2,50
<b>LEPIDIUM</b> (Brassicaceae, <i>Cruciferae</i> )									
LO 105 <b>sativum</b> , Garden Cress, 10 cm, white, uniform and fast growing cultivars, also suitable for outdoor field production, V-VII, Z5-11, ☺	...	⑧⑨⑩	10	15	26,00	6,00	4,00	2,00	2,00
<b>LEVISTICUM</b> (Apiaceae, <i>Umbelliferae</i> )									
LO 150 <b>officinale</b> , Lovage, Love Parsley, 160 cm, yellow-green, VI-IX, Z3-9	...	⑧⑨⑩⑪	25	16	312,00	48,00	7,40	2,00	2,00
<b>LYCHNIS</b> (Caryophyllaceae)									
<b>NEW!</b> LO 484 <b>flos-cuculi (SILENE)</b> , Ragged Robin, 40 cm, pink, V-VI, Z3-8	...	⑧⑩	0,5	16	–	160,00	22,00	3,00	2,00
<b>LYCIUM</b> (Solanaceae)									
LO 512 <b>barbarum (chinense)</b> , Goji-Berry, Chinese Wolfberry (Gou-Qi-Zi, Di-Gu-Pi), up to 300 cm, lilac flowers, yellow to orange-red berries, shrubby growth, VII-IX, Z5-9	...	⑧⑨⑩	2	16	–	720,00	96,00	13,20	6,60
<b>LYCOPUS</b> (Lamiaceae, <i>Labiateae</i> )									
LO 516 <b>europaeus</b> , Gypsywort, Bugleweed, 60 cm, white, bushy growth, VI-VIII, Z4-9	...	⑧⑩	1	1	–	160,00	20,00	2,60	2,00
<b>LYSIMACHIA</b> (Primulaceae)									
LO 527 <b>vulgaris</b> , Yellow Loosestrife, 80 cm, golden, VI-VIII, Z4-9	...	⑧⑩	1	9	–	160,00	20,00	2,60	2,00
<b>LYTHRUM</b> (Lythraceae)									
LO 530 <b>salicaria [Rosy Gem, Red Beauties]</b> , Purple Loosestrife, 120 cm, carmine-pink, VI-IX, Z3-9	...	⑧⑩	1	9	920,00	128,00	16,00	2,00	2,00
<b>MALVA</b> (Malvaceae)									
MO 042 <b>sylvestris</b> , Common Mallow, High Mallow, 100 cm, violet, VI-IX, Z4-8	...	⑧⑨⑩⑪	10	8	180,00	32,00	7,20	2,00	2,00
MO 043 <b>sylvestris ssp. mauritiana [Bibor Felho]</b> , Blue Mallow, 100 cm, dark violet, VI-IX, Z4-8	...	⑧⑨⑩⑪	10	8	180,00	32,00	7,20	2,00	2,00
MO 041 <b>sylvestris 'Zebrina'</b> , 120 cm, white with violet, VI-IX, Z4-8	...	⑧⑨⑩⑪	10	8	360,00	72,00	12,00	2,00	2,00
<b>MARRUBIUM</b> (Lamiaceae, <i>Labiateae</i> )									
MO 050 <b>vulgare [Pompon]</b> , White Horehound, 40 cm, white, VI-VIII, Z3-9	...	⑧⑨⑩	5	15	520,00	96,00	16,00	2,80	2,00
<b>MATRICARIA</b> - see CHAMOMILLA									
<b>MELILOTUS</b> (Papilionaceae)									
MO 112 <b>officinalis (arvensis)</b> , Yellow Melilot, Sweet Clover, 100 cm, yellow, VI-IX, Z4-10, p. seed	⑧⑨⑩⑪	5	15	128,00	32,00	8,00	2,00	2,00	
<b>MELISSA</b> (Lamiaceae, <i>Labiateae</i> )									
MO 098 <b>officinalis</b> , Lemon Balm, 40 cm, pale yellow, V-VII, Z3-9	...	⑧⑨⑩⑪	3	16	360,00	64,00	12,00	2,20	2,00
MO 101 <b>officinalis ssp. altissima</b> , Crete Balm, Lime Balm, 60 cm, white, gently pubescent, lime-scented foliage, VI-VIII, Z4-10	...	⑧⑨⑩⑪	3	15	–	720,00	120,00	16,00	4,00
MO 099 <b>officinalis 'Lemonia'</b> , Lemon Balm, 40 cm, yellowish-white, good hardy, productive and protected foliage cultivar, dwarf creeping at first, 2nd year upright habit, very high yielding, IV-VI, Z4-10	...	⑧⑨⑩⑪	3	16	640,00	92,00	14,00	3,50	2,00
<b>NEW!</b> MO 097 <b>officinalis 'Quedlinburger Niederliegende'</b> , 40 cm, yellowish-white, productive foliage variety with high yields, first procumbent, second year upright habit, IV-VI, Z4-10	...	⑧⑨⑩⑪	3	16	432,00	72,00	12,00	2,20	2,00
<b>MENTHA</b> (Lamiaceae, <i>Labiateae</i> )									
MO 085 <b>aquatica</b> , Water Mint, 50 cm, pink-lilac, entire plant strongly aromatic, VII-X, Z4-8	...	⑧⑨⑩⑪	0,5	9	–	760,00	96,00	12,00	4,00
<b>NEW!</b> MO 103 <b>cervina (PRESLIA)</b> , Water Spearmint, 20 cm, lilac, narrow leaves, highly aromatic, VI-IX, Z6-9	...	⑧⑨⑩⑪	0,25	9	–	–	96,00	12,00	3,80
MO 087 <b>pulegium</b> , Pennyroyal, 20 cm, lilac, VI-VIII, Z6-10	...	⑧⑨⑩⑪	0,5	16	2920,00	376,00	48,00	7,20	2,00
MO 089 <b>Spicata-Hybr.</b> , Spearmint, Lamb Mint, 30 cm, pink-white, variable, VI-X, Z2-9	...	⑧⑨⑩⑪	0,5	16	–	576,00	72,00	9,00	3,00
<b>MONARDIA</b> (Lamiaceae, <i>Labiateae</i> )									
MO 196 <b>didyma</b> , Bergamot, Bee Balm, Osmego-Tea, 110 cm, mostly red, VI-IX, Z4-8	...	⑧⑨⑩⑪	3	15	–	–	234,00	26,00	6,00
MO 208 <b>fistulosa</b> , Horsemint, Wild Bergamot, 80 cm, mostly lilac, for dry locations, VII-IX, Z4-8	...	⑧⑨⑩⑪	3	15	–	–	–	13,80	4,60
<b>MYRRHIS</b> (Apiaceae, <i>Umbelliferae</i> )									
MO 250 <b>odorata</b> , Sweet Cicely, Myrrh, Sweet Chervil, 120 cm, white umbels, entire plant aromatic, VI, Z4-8	...	⑧⑨⑩⑪	110	1	–	156,00	28,00	5,00	9,20
<b>NASTURTIUM</b> (Brassicaceae)									
NO 012 <b>officinale</b> , Watercress, 40 cm, evergreen, V-X, Z5-8	...	⑧⑩	1	15	–	172,00	28,00	4,80	2,40
<b>NEPETA</b> (Lamiaceae, <i>Labiateae</i> )									
NO 020 <b>cataria</b> , Common Catmint, 60 cm, white, VI-X, Z3-8	...	⑧⑨⑩⑪	3	9	320,00	54,00	9,00	2,00	2,00
NO 021 <b>cataria ssp. citriodora</b> , Lemon Catmint, 60 cm, white, lemon scented, VI-X, Z3-8	...	⑧⑨⑩⑪	3	9	480,00	96,00	16,00	3,20	2,00
NO 024 <b>racemosa (x faassenii, mussinii)</b> , <small>(AGM)</small> , Catmint, 30 cm, light blue, blooms continuously, V-IX, Z3-8	...	⑧⑩	3	15	–	336,00	42,00	5,40	2,00

			Gram to get 1000 plants	N° of the sowing directions	Prices in EURO net per:					
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>NIGELLA</b> (Ranunculaceae)										
NO 045	<b>sativa</b> , Black Cumin, Fennel Flower, 25 cm, white-bluish, fine foliage, inflated seed capsules, VI-VIII, Z5-11, ☼	.....	⑧ ⑨ ⑩	10	15	78,00	16,00	4,00	2,00	2,00
<b>OCIMUM</b> (Lamiaceae, Labiateae)										
00 001	<b>americanum 'Limon'</b> , Lemon Basil, 40 cm, pale lilac-white, VI-IX, Z10-11, ☼	.....	⑧ ⑩	4	15	–	80,00	18,00	2,60	2,00
00 003	<b>basilicum 'Cinnamon'</b> , Cinnamon Basil, 40 cm, lavender-pink, green-purple foliage, VI-IX, Z9-11, ☼	.....	⑧ ⑩	4	15	–	80,00	18,00	2,60	2,60
00 019	<b>basilicum 'Dark Opal'</b> , Purple-leaved Basil, 30 cm, pink, purple-black, delicate aromatic foliage, VI-IX, Z10-11, ☼	.....	⑧ ⑩	4	15	384,00	64,00	12,00	2,50	2,50
00 017	<b>basilicum F<sub>1</sub>-Genoveser-Hybr. 'Adi'</b> , Pot-Plant Basil, 20 cm, fusarium resistant F <sub>1</sub> -Hybr., round, healthy foliage, VI-IX, Z10-11, ☼	.....	⑧ ⑩	4	15	498,00	72,00	12,00	2,50	2,50
00 016	<b>basilicum F<sub>1</sub>-Genoveser-Hybr. 'Aroma 2'</b> , Large Sweet Basil, 50 cm, fusarium resistant F <sub>1</sub> -Hybr., white, large, round, healthy foliage, VI-IX, Z10-11, ☼	.....	⑧ ⑩	4	15	498,00	72,00	12,00	2,50	2,50
00 004	<b>basilicum 'Genoveser'</b> , Large Sweet Basil, 50 cm, white, best for pesto, large round foliage, VI-IX, Z10-11, ☼	.....	⑧ ⑩	4	15	136,00	34,00	9,00	3,00	2,00
00 006	<b>basilicum var. <i>minutum</i></b> , Bush Basil, 20 cm, white, very compact, bushy habit, small leaves, excellent as pot plant, VII-X, Z10-11, ☼	.....	⑧ ⑩	4	15	–	80,00	18,00	2,60	2,00
00 008	<b>basilicum 'Red Rubin'</b> , Purple-leaved Basil, 30 cm, pink-white, bronze-purple, excellent flavour, decorative foliage, VI-IX, Z10-11, ☼	.....	⑧ ⑩	4	15	640,00	84,00	12,00	2,50	2,50
00 021	<b>basilicum var. <i>thrysiflorum</i> 'Thai'</b> , Thai Basil, 60 cm, red-purple, leaves with anise flavour, VII-IX, Z10-11, ☼	.....	⑧ ⑩	3	15	498,00	72,00	12,00	2,50	2,50
<b>OENOTHERA</b> (Onagraceae)										
00 011	<b>biennis</b> , Evening Primrose, 80 cm, yellow, VI-VIII, Z3-8, ☼	.....	⑧ ⑨ ⑩	5	9	180,00	36,00	9,60	2,00	2,00
<b>ORIGANUM</b> (Lamiaceae, Labiateae)										
00 087	<b>libanicum</b> , Cascading Hopflower Oregano, 25 cm, pink, bracts often purple, blue-green foliage, V-X, Z6-9	.....	⑧ ⑨ ⑩	1	15	–	–	–	36,00	4,50
00 093	<b>majorana</b> , Sweet Marjoram, Garden Marjoram, 45 cm, white-pink, VI-VII, Z6-9, ☼	.....	⑧ ⑨ ⑩	2	15	720,00	120,00	22,00	3,80	2,00
00 091	<b>vulgare hort.</b> , Perennial Marjoram, 40 cm, pink, VII-X, Z4-8, 24	.....	⑧ ⑨ ⑩ ⑪	3	15	510,00	78,00	12,00	2,00	2,00
00 096	<b>vulgare ssp. <i>hirtum</i> (<i>heracleoticum</i>)</b> , Pizza Oregano, Greek Oregano, 45 cm, mostly white, rarely pink, intensive fragrance, compact, VII-X, Z4-8	.....	⑧ ⑨ ⑩ ⑪	3	15	–	288,00	36,00	6,00	2,00
<b>ORLAYA</b> (Apiaceae, Umbelliferae)										
NEW! 00 097	<b>grandiflora [White Lace, White Finch]</b> , White Lace Flower, 60 cm, magnificent white umbels with large outer blossoms, feathered foliage, shortlived but outstanding, VI-IX, Z5-9	.....	⑧ ⑩	50	9	980,00	156,00	24,00	3,75	3,75



HYOSCYAMUS niger



IRIS versicolor



LYCIUM barbatum



MALVA sylvestris 'Zebrina'



MENTHA aquatica



NEPETA cataria



OCIMUM basilicum 'Dark Opal'



ORIGANUM libaniticum



PAEONIA officinalis ssp. banatica



PLANTAGO coronopus 'Minutina'



PULMONARIA officinalis



PULSATILLA vulgaris

	Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:					
			from 1000 g	from 100 g	from 10 g	from 1 g	Portion	
<b>PAEONIA</b> (Paeoniaceae)								
PO 003 <b>officinalis ssp. banatica</b> , Common Peony, 60 cm, red with yellow stamens, V-VI, Z5-8 . . . . .	⑩	250	6/10	960,00	120,00	15,00	2,00	9,00
<b>PAPAVER</b> (Papaveraceae)								
PO 095 <b>rhoeas</b> , Corn Poppy, 50 cm, brilliant red, V-VIII, Z4-8, ☼ . . . . .	⑧ ⑩	0,25	15	280,00	42,00	7,40	2,00	2,00
<b>PASTINACA</b> (Apiaceae, Umbelliferae)								
PO 152 <b>sativa</b> , Parsnip, 120 cm, yellow umbels, VII-VIII, Z4-8, ☼ . . . . .	⑧ ⑨ ⑩	7	8	–	216,00	36,00	6,00	3,00
<b>PENSTEMON</b> (Scrophulariaceae)								
PO 241 <b>pseudospectabilis</b> ,  Desert Beardtongue, 80 cm, intense deep pink, grey-bluish foliage, V-VII, Z5-9 . . . . .	⑧ ⑩	2	9	–	640,00	86,00	9,60	4,80
<b>PERILLA</b> (Lamiaceae)								
PO 267 <b>frutescens var. crispa (nankinensis) 'Red Shiso'</b> , Beefsteak Plant (Zi-Su-Ye), 50 cm, pink, purple-crinkled foliage, IX-X, Z7-11, TCM plant, ☼ . . . . .	⑧ ⑩	3	16	–	–	48,00	6,20	3,10
<b>PETASITES</b> (Asteraceae, Compositae)								
PO 262 <b>hybridus (officinalis)</b> , Butterbur, Umbrella Plant, 100 cm, purple-rose, III-IV, Z3-8 . . . . .	⑧ ⑩	1	9	1340,00	192,00	24,00	3,20	2,00
<b>PETROSELINUM</b> (Apiaceae, Umbelliferae)								
PO 282 <b>crispum var. crispum</b> , Double Curled Parsley, 40 cm, yellow, double-crinkled foliage, VI-VIII, Z5-9, ☼ . . . . .	⑧ ⑩	5	15	182,00	26,00	7,80	2,20	2,00
PO 284 <b>crispum var. neapolitanum (hortense) 'Gigante d'Italia'</b> , Italian Parsley, Plain Parsley, 60 cm, yellow, plain glossy foliage, high yielding cultivar, VI-VIII, Z5-9, ☼ . . . . .	⑧ ⑩	5	15	96,00	14,00	4,50	2,20	2,00
<b>PEUCEDANUM</b> (Apiaceae, Umbelliferae)								
PO 270 <b>ostruthium</b> , Masterwort, 60 cm, white or reddish, a very aromatic plant, VII-VIII, Z4-8 . . . . .	⑧ ⑩	5	1	–	252,00	36,00	4,50	2,40
<b>PHACELIA</b> (Hydrophyllaceae)								
PO 278 <b>tanacetifolia</b> , Fiddleneck, 80 cm, blue-lilac, for the organic revitalisation of spent soil, 5gr/m², VI-X, ☼ . . . . .	⑧ ⑩	5	15	26,00	8,80	4,00	2,00	2,00
<b>PHYSALIS</b> (Solanaceae)								
PO 330 <b>alkekengi var. franchetii 'Gigantea' [Winter Cherry]</b> , Chinese Lantern, Bladder Cherry, 100 cm, large, red fruits, VI-VII, Z3-9 . . . . .	⑧ ⑩	5	9	–	216,00	36,00	6,00	3,00
<b>PIMPINELLA</b> (Apiaceae, Umbelliferae)								
PO 393 <b>anisum</b> , Anis, 40 cm, pink, VII-VIII, Z8-11, ☼ . . . . .	⑧ ⑨ ⑩	4	15	198,00	34,00	6,80	2,00	2,00
PO 392 <b>saxifraga</b> , Burnet Saxifrage, Small Pimpernel, 50 cm, white, rarely pink or red, VII-IX, Z4-8 . . . . .	⑧ ⑨ ⑩ ⑪	3	16	480,00	68,00	12,00	2,00	2,00
<b>PLANTAGO</b> (Plantaginaceae)								
PO 387 <b>asiatica</b> , Asian Plantain (Che-Qian-Cao), 50 cm, greenish flowering spikes, very large leaves, VI-X, Z6-10, TCM plant . . . . .	⑦ ⑩	0,5	9	–	–	96,00	16,00	2,40
PO 399 <b>coronopus 'Minutina'</b> , Buck's Horn Plantain, 15 cm, yellowish, pinnatifid foliage, milky nutty flavour, VI-IX, Z5-8, ☼ . . . . .	⑧	1	15	360,00	64,00	12,00	2,20	2,00
PO 398 <b>lanceolata 'Libor'</b> , Ribwort Plantain, 50 cm, white, large leaved and productive, tetraploid cultivar, V-IX, Z5-8 . . . . .	⑧ ⑨ ⑩ ⑪	5	15	126,00	36,00	12,00	4,00	2,00
PO 412 <b>major</b> , Common Plantain, 40 cm, yellowish-green, VI-X, Z4-8 . . . . .	⑧ ⑨ ⑩ ⑪	5	9	188,00	42,00	11,00	2,80	2,00
PO 404 <b>major 'Purpurea' (var. rubrifolia)</b> , Red-leaved Plantain, 30 cm, white, very decorative, V-VII, Z3-9 . . . . .	⑧ ⑨ ⑩ ⑪	1	9	–	580,00	96,00	16,00	3,40
<b>POLEMONIUM</b> (Polemoniaceae)								
NEW! PO 480 <b>caeruleum [Blue Pearl]</b> , Jacob's Ladder, 60 cm, lavender-blue, abundant flowers, VI-VII, Z2-8 . . . . .	⑧ ⑩	3	15	–	320,00	40,00	5,00	2,50
<b>PRIMULA</b> (Primulaceae)								
PO 910 <b>veris (officinalis)</b> ,  Cowslip, 20 cm, yellow, III-V, Z4-8 . . . . .	⑧ ⑨ ⑩ ⑪	5	8	720,00	120,00	19,20	3,20	2,00

		Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
				from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>PRUNELLA</b> (Lamiaceae, Labiateae)								
PO 950 <b>vulgaris 'BLBP 01'</b> , Allheal, Selfheal (Xia-Ku-Cao), 60 cm, blue-violet to reddish flowers in dense spikes, lanceolate foliage, with runners, high content of extract and ursolic-acid, high flower yield, VI-IX, Z3-8, TCM plant . . . . .	⑧ ⑩	2	15	–	294,00	42,00	6,00	2,00
<b>PULMONARIA</b> (Boraginaceae)								
PO 969 <b>officinalis (ssp. obscura)</b> , Jerusalem Cowslip, Lungwort, 25 cm, pink changing to violet, leaves without spots, III-IV, Z4-8 . . . . .	⑧ ⑨ ⑩	15	1	1340,00	224,00	32,00	4,60	4,60
<b>PULSATILLA (ANEMONE)</b> (Ranunculaceae)								
PO 985 <b>pratensis ssp. nigricans</b> , Meadow Pasque Flower, 20 cm, dark purple, nodding flowers, IV-VI, Z4-8, . . . . .	pure seed ⑩	3	9	–	1530,00	192,00	24,00	7,20
PO 988 <b>vulgaris (AGM)</b> , Pasque Flower, 30 cm, lilac to blue-violet, III-IV, Z5-8, . . . . .	pure seed ⑩	5	9	3580,00	448,00	56,00	7,20	3,60
<b>PYCNANTHEMUM</b> (Lamiaceae, Labiateae)								
PO 998 <b>pilosum</b> , American Mountain Mint, 70 cm, pale purple, aromatic foliage, VI-IX, Z4-8, . . . . .	⑧ ⑨ ⑩ ⑪	3	16	–	–	128,00	16,00	4,00
<b>RESEDA</b> (Resedaceae)								
RO 074 <b>lutea</b> , Cutleaf Mignonette, 35 cm, yellowish flower panicles, V-IX, Z5-9, . . . . .	⑧ ⑩ ⑪	2	9	–	78,00	16,00	3,60	2,00
<b>RHEUM</b> (Polygonaceae)								
RO 083 <b>rhabarbarum (x hybricum)</b> , Rhubarb, 120 cm, yellowish-white, large leaves, mostly red leafstalks, V-VI, Z2-9 . . . . .	⑫	60	15	336,00	48,00	8,00	2,00	3,20
RO 087 <b>rhabarbarum 'Glaskins Perpetual'</b> , Garden Rhubarb, 150 cm, reddish-green, bright red and luscious leafstalks, early and late harvest possible from the second year, long known productive variety, V-VII, Z2-9 . . . . .	⑫	60	15	672,00	96,00	18,00	3,00	4,80
RO 076 <b>rhabarbarum 'Victoria'</b> , Garden Rhubarb, 150 cm, green-reddish, thick green leaf stalks, large leaved late cultivar, V-VII, Z2-9 . . . . .	⑫	60	15	672,00	96,00	18,00	3,00	4,80
<b>RICINUS</b> (Euphorbiaceae)								
NEW! RO 109 <b>communis</b> , Castor Bean, 150 cm, green-white, large, green foliage, VIII-X, Z8-10, poisonous! ⑩	1000	8	320,00	64,00	12,80	2,00	6,40	
NEW! RO 112 <b>communis 'New Zealand Purple'</b> , Red-leaved Castor Bean, 120 cm, white, red fruits, bronze red foliage, compact habit, VIII-X, Z8-10, poisonous! . . . . .	⑩	350	8	–	192,00	32,00	5,40	15,80
<b>ROSMARINUS</b> (Lamiaceae, Labiateae)								
RO 130 <b>officinalis</b> , Rosemary, 120 cm, blue, V-VII, Z5-9 . . . . .	⑧ ⑨ ⑩ ⑪	10	8	–	540,00	62,00	6,90	3,80
<b>RUCOLA</b> - see <b>DILOTAXIS</b>								
<b>RUMEX</b> (Polygonaceae)								
RO 206 <b>acetosa</b> , Sorrel, Garden Sorrel, 50 cm, reddish-brown, V-VII, Z2-9 . . . . .	⑧ ⑩	5	15	432,00	72,00	12,00	2,00	2,00
RO 207 <b>acetosa 'De Belleville'</b> , Green Sorrel, 60 cm, reddish, large leaved, green, productive foliage variety, low content of acid, long known mild cultivated form, VI-VIII, Z2-9 . . . . .	⑧ ⑩	5	15	148,00	18,00	6,00	2,00	2,00
NEW! RO 210 <b>acetosella</b> , Sheep's Sorrel, 30 cm, reddish-green, V-VII, Z2-8 . . . . .	⑧ ⑩ ⑪	2	9	360,00	48,00	6,40	2,20	2,20
RO 228 <b>sanguineus var. sanguineus [Bloody Dock, Red Halley, Ruby Streak]</b> , 40 cm, lanceolate leaves with distinct red-purple leaf veins, attractive foliage plant! V-VII, Z5-8, . . . . .	pure seed ⑫	2	15	1760,00	252,00	36,00	6,20	4,80
NEW! RO 240 <b>scutatus ssp. glaucus 'Silver Leaf'</b> , Silver French Sorrel, 40 cm, greenish-pink, bluish-silvery foliage, juicy, mildly sour flavor, V-IX, Z4-8 . . . . .	⑧ ⑩	3	16	–	–	64,00	9,80	4,90
<b>RUTA</b> (Rutaceae)								
RO 360 <b>graveolens</b> , Rue, Herb of Grace, 50 cm, yellow, evergreen, VI-VIII, Z5-9 . . . . .	⑧ ⑩ ⑪	10	16	864,00	144,00	24,00	6,00	3,00
<b>SALVIA</b> (Lamiaceae, Labiateae)								
NEW! SO 069 <b>hispanica</b> , Mexican Chia, 150 cm, blue, seldom white, green foliage, VII-VIII, Z9-11, ⑩ ⑧ ⑩ ⑪	⑩	5	16	38,00	12,00	6,00	2,00	2,00
SO 038 <b>officinalis</b> , Common Sage, 50 cm, lilac, aromatic, VI-VIII, Z4-10 . . . . .	⑧ ⑨ ⑩ ⑪	20	15	296,00	48,00	7,20	2,00	2,00
SO 040 <b>officinalis 'Extrakta'</b> , Extract Sage, 60 cm, lilac, foliage with high oil concentration, VI-VIII, Z4-10 . . . . .	⑧ ⑨ ⑩ ⑪	20	15	448,00	64,00	9,00	2,00	2,00
SO 058 <b>scarela</b> , Clary, Muscatel Sage, 100 cm, rosy-red bracts, pale lilac flowers, branched blossom panicles, VI-VII, Z4-8 . . . . .	⑧ ⑨ ⑩	10	15	648,00	120,00	22,00	4,20	2,40



**RICINUS communis 'NZ Purple'**



**RUMEX scutatus ssp. glaucus 'Silver Leaf'**



**SALVIA hispanica**



**SALVIA sclarea**



SANTOLINA chamaecyp. ssp. tomentosa



SATUREJA montana ssp. illyrica



STEVIA rebaudiana



TAGETES lucida

			Gram to get 1000 plants	Nº. of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>SANGUISORBA</b> (Rosaceae)									
SO 088	<b>minor hort.</b> , Salad Burnet, Small Burnet, 60 cm, greenish flower heads, V-VIII, Z4-8 . . . . .	⊗ ⊖ ⊙ ⊖ ⊖	50	15	244,00	42,00	7,00	2,00	2,80
SO 098	<b>officinalis</b> , Great Burnet (Di-Yu), 60 cm, blood-red, VI-VIII, Z3-8, TCM plant . . . . .	⊗ ⊖ ⊙ ⊖ ⊖	3	16	–	196,00	28,00	4,60	2,00
<b>SANICULA</b> (Apiaceae, Umbelliferae)									
SO 110	<b>europaea</b> , Sanicle, 25 cm, white, V-VI, Z5-8 . . . . .	⊗	15	1	1960,00	280,00	36,00	6,00	4,20
<b>SANTOLINA</b> (Asteraceae, Compositae)									
SO 124	■ <b>chamaecyparissus ssp. tomentosa [Santa]</b> , 25 cm, pale yellow, compact, silver foliage, VI-VIII, Z6-8 . . . . .	⊗ ⊖ ⊙	1	15	–	1296,00	144,00	16,00	4,60
<b>SAPONARIA</b> (Caryophyllaceae)									
SO 144	<b>officinalis</b> , Soapwort, 80 cm, pale pink, VI-IX, Z3-8 . . . . .	⊖ ⊖	10	1	360,00	64,00	12,00	2,20	2,00
<b>SATUREJA</b> (Lamiaceae, Labiateae)									
SO 158	<b>hortensis</b> , Summer Savory, 25 cm, lilac-white, VII-X, Z6-9, ⊖ . . . . .	⊗ ⊖	2	15	254,00	32,00	4,20	2,00	2,00
SO 163	<b>montana</b> , Winter Savory, 25 cm, white-pink, VIII-X, Z5-8, 2 . . . . .	⊗ ⊖ ⊖	3	15	692,00	96,00	18,00	2,40	2,00
SO 164	■ <b>montana ssp. illyrica (subspicata)</b> , ■ PS, Purple Winter Savory, 15 cm, bright violet, VIII-X, Z5-8 . . . . .	⊗ ⊖ ⊙ ⊖ ⊖	1	9	–	620,00	78,00	9,60	3,20
<b>SCUTELLARIA</b> (Lamiaceae, Labiateae)									
SO 308	■ <b>baicalensis</b> , Baical Scutellaria (Huang-Qin), 30 cm, blue, VII-IX, Z4-8, TCM plant . . . . .	⊗	5	15	–	400,00	48,00	6,00	4,20
<b>SEDUM</b> (Crassulaceae)									
SO 364	<b>reflexum (rupestre)</b> , Stone Orpine, 30 cm, yellow, grey leaves, VI-VIII, Z4-9 . . . . .	⊗ ⊖ ⊖	0,5	4/15	–	–	64,00	8,20	2,90
<b>SIDERITIS</b> (Lamiaceae, Labiateae)									
NEW! SO 446	■ <b>syriaca</b> , South Greek Mountain Tea, 25 cm, yellow, white-grey foliage, VI-VIII, Z6-9 . . . . .	⊗ ⊖ ⊖	3	15	–	624,00	78,00	9,80	3,60
<b>SILYBUM</b> (Asteraceae, Compositae)									
SO 499	<b>mariannum</b> , St. Maria's Thistle, Blessed Thistle, Holy Thistle, 150 cm, purple, white marbled leaves, webbed stems and flower heads, VI-IX, Z6-9, ⊖ . . . . .	⊗ ⊖ ⊖	50	15	192,00	48,00	12,00	2,00	4,80
<b>SOLIDAGO</b> (Asteraceae, Compositae)									
SO 586	<b>virgaurea</b> , European Goldenrod, 70 cm, yellow, VII-IX, Z4-8 . . . . .	⊗ ⊖	3	15	1980,00	288,00	36,00	4,50	2,00
<b>STACHYS</b> (Lamiaceae, Labiateae)									
SO 622	<b>officinalis</b> , Betony, Bishopswort, 30 cm, pink, VII-VIII, Z4-7 . . . . .	⊗ ⊖ ⊙ ⊖ ⊖	5	8	–	260,00	36,00	4,80	2,40
<b>STEVIA</b> (Asteraceae)									
SO 655	■ <b>rebaudiana</b> , Sugar Leaf, Sweet Herb, 50 cm, white, soft and light-green foliage, IX-XI, Z9-11, . . . . .	pure seed ⊗ ⊖ ⊖ ⊖	0,5	16	–	7920,00	880,00	98,00	8,00
<b>SYMPHYTUM</b> (Boraginaceae)									
SO 720	<b>officinale</b> , Comfrey, 80 cm, violet or cream-colored, V-VII, Z4-8 . . . . .	⊗ ⊖ ⊖ ⊖	30	9	1360,00	172,00	22,00	3,20	3,20
<b>TAGETES</b> (Asteraceae, Compositae)									
TO 014	■ <b>lucida</b> , Mexican Tarragon, Yauhtli, 40 cm, yellow-orange flower umbels, lanceolate foliage, perennial in mild locations, VII-IX, Z8-10 . . . . .	⊗ ⊖ ⊖	2	15	–	576,00	72,00	9,20	4,60
NEW! TO 015	■ <b>patula/erecta Mix</b> , French Marigold, 40 cm, yellow-orange, for the biological disinfection of soil, amount needed 2-3gr/m², VII-X, Z8-10, ⊖ . . . . .	⊗ ⊖	25	15	128,00	26,00	7,20	2,40	2,40
<b>TANACETUM</b> (Asteraceae, Compositae)									
TO 290	■ <b>balsamita</b> , Costmary, 60 cm, white, grey-green aromatic foliage, VII-VIII, Z5-8 . . . . .	⊗ ⊖ ⊖	1	15	–	980,00	140,00	22,00	7,20
CO 384	<b>cinerariifolium (CHRYSANTHEMUM)</b> , Dalmatian Pelliitory, 50 cm, semispheric-shaped, bright white, good for cutting, stems 40 cm, V-VII, Z6-10 . . . . .	⊗	3	15	–	336,00	42,00	5,60	2,80
CO 474	<b>parthenium (CHRYSANTHEMUM)</b> , Feverfew, 90 cm, white, well branched, perennial but often used biennial, VI-VIII, Z5-8 . . . . .	⊗	1	15	892,00	126,00	22,00	3,60	2,40
CO 482	<b>vulgare (CHRYSANTHEMUM) [Gold Sticks]</b> , Tansy, 100 cm, golden, VII-IX, Z3-8 . . . . .	⊗ ⊖ ⊖	2	15	360,00	62,00	12,00	2,40	2,00

			Gram to get 1000 plants	Nº of the sowing directions	Prices in EURO net per:				
					from 1000 g	from 100 g	from 10 g	from 1 g	Portion
<b>TARAXACUM</b> (Asteraceae, <i>Compositae</i> )									
TO 008	<b>officinale</b> , Dandelion (Pu-Gong-Ying), 30 cm, yellow, V-X, Z3-9, TCM plant . . . . .	⊗ ⊖ ⊙	2	16	216,00	40,00	7,20	2,00	2,00
<b>THYMUS</b> (Lamiaceae, <i>Labiateae</i> )									
TO 120	<b>fragrantissimus</b> , Orange Thyme, 25 cm, pink, aromatic foliage, variable, VI-VII, Z6-9 . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	1	15	–	–	72,00	12,00	3,20
TO 130	<b>pulegioides</b> , Greater Wild Thyme, Field Thyme, 25 cm, mauve, VII-X, Z4-8 . . . . .	⊗ ⊖ ⊙	1	15	1160,00	144,00	24,00	4,00	2,00
TO 134	<b>serpyllum hort.</b> , Shepherd's Thyme, 15 cm, purple-violet, V-IX, Z4-8 . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	1	15	1740,00	216,00	36,00	6,00	3,40
TO 144	<b>vulgaris 'French Summer'</b> , French Thyme, 30 cm, pinkish-white, grey narrow leaves, VI-IX, Z7-10 . . . . .	⊗ ⊖ ⊙	1	15	960,00	160,00	28,00	4,80	2,40
TO 142	<b>vulgaris 'Standard Winter'</b> , Common Thyme, 20 cm, white-pink, VI-IX, Z5-9 . . . . .	⊗ ⊖ ⊙	1	15	420,00	72,00	12,00	2,00	2,00
<b>TRIGONELLA</b> (Papilionaceae, <i>Leguminosae</i> )									
TO 221	<b>caerulea</b> , Sweet Trifoli, 40 cm, blue, VI-VII, Z5-11, ⊖ . . . . .	⊗ ⊖ ⊙	10	16	108,00	36,00	12,00	4,00	2,60
TO 223	<b>foenum-graecum</b> , Fenugreek, Greek Clover (Hu-Lu-Ba), 50 cm, yellowish-white with violet, trifoliated foliage, VI-VII, Z5-11, TCM plant, ⊖ . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	40	15	48,00	12,00	8,00	2,00	2,00
<b>TROPAEOLUM</b> (Tropaeolaceae)									
TO 263	<b>majus 'Mix' (NASTURTIUM)</b> , Indian Cress, 40 cm, yellow, orange and red flowers, creeping, perennial but often grown annual, VII-X, Z7-10 . . . . .	⊗ ⊙	300	15	176,00	26,00	3,80	2,00	3,80
<b>TUSSILAGO</b> (Asteraceae)									
TO 320	<b>farfara</b> , Coltsfoot (Kuan-Dong-Hua), 30 cm, yellow, hairy leaves, III-IV, Z4-9, TCM plant . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	0,5	15	–	256,00	42,00	7,20	2,40
<b>URTICA</b> (Urticaceae)									
UO 020	<b>dioica</b> , Stinging Nettle, 120 cm, green, ovate pointed, toothed foliage, VII-X, Z2-9 . . . . .	⊗ ⊖ ⊙	0,5	15	196,00	40,00	7,00	2,00	2,00
<b>VACCINIUM</b> (Ericaceae)									
VO 008	<b>myrtillus</b> , Blueberry, 30 cm, light-green shoots, black-blue berries, IV-VI, Z3-8, . . . . .	pure seed ⊗ ⊖ ⊙ ⊖ ⊙	1	1	–	576,00	72,00	9,00	2,00
VO 012	<b>vitis-idaea</b> , Mountain Cranberry, 15 cm, white to pink, evergreen groundcover, for semi-shade or sun with sufficient moisture, V-VI, Z2-7 . . . . .	pure seed ⊗ ⊖ ⊙	1	8	–	576,00	72,00	9,00	2,00
<b>VALERIANA</b> (Valerianaceae)									
VO 024	<b>officinalis</b> , Common Valerian, 100 cm, white to pale pink, V-IX, Z3-9 . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	10	16	980,00	128,00	18,00	3,00	2,00
VO 026	<b>officinalis 'BLBP 19'</b> , Valerian, 80 cm, pinkish white umbels, pinnatifid foliage, high content of essential oil, valeric acid and extract, very high root yield, semi-coarse root structure, VI-VIII, Z3-9 . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	5	16	–	384,00	48,00	6,20	4,50
<b>VERBASCUM</b> (Scrophulariaceae)									
VO 060	<b>densiflorum (thapsiforme)</b> , Large-flowered Mullein, 100 cm, lemon yellow with dark center, VII-VIII, Z4-7, ⊖ . . . . .	⊗ ⊖ ⊙	1	15	–	–	18,00	3,20	2,00
VO 074	<b>nigrum, wild form</b> , 120 cm, yellow, VI-IX, Z4-8, ⊖ . . . . .	⊗ ⊖ ⊙	0,5	20	–	–	36,00	6,00	2,00
VO 093	<b>thapsus</b> , Aaron's Rod, Great Mullein, 180 cm, yellow, VI-IX, Z3-6, ⊖ . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	1	15	760,00	128,00	22,00	3,80	2,00
<b>VERBENA</b> (Verbenaceae)									
NEW! VO 100	<b>bonariensis [Buenos Aires, Purple Top]</b> , [AGM], Purpletop Vervain, 100 cm, bright violet-blue, good for cutting, moderately winter hardy, VII-X, Z7-10 . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	1	8	–	512,00	64,00	8,20	4,10
VO 102	<b>officinalis</b> , Common Vervain (Ma-Bian-Cao), 60 cm, pale lilac, VI-IX, Z3-8, TCM plant. ⊗ ⊖ ⊙ ⊖ ⊙	⊗ ⊖ ⊙ ⊖ ⊙	1	8	–	252,00	42,00	6,00	2,00
<b>VERONICA</b> (Scrophulariaceae)									
NEW! VO 154	<b>officinalis</b> , Common Speedwell, 15 cm, light blue, V-VI, Z3-8 . . . . .	⊗ ⊙	0,5	9	–	280,00	42,00	6,20	2,00
<b>VIOLA</b> (Violaceae)									
NEW! VO 274	<b>tricolor</b> , Wild Pansy, 30 cm, purple-yellow-white colour variants, bushy growth, mostly short-lived, IV-IX, Z3-9 . . . . .	⊗ ⊖ ⊙ ⊖ ⊙	2	15	–	252,00	36,00	5,20	2,00

Herb Seeds from  
Organic Production



TAGETES patula/erecta Mix



TANACETUM balsamita



THYMUS fragrantissimus



TUSSILAGO farfara

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ABELMOSCHUS</b> (Malvaceae)								
	manihot - see <b>HIBISCUS manihot</b>							
<b>ABUTILON</b> (Malvaceae)								
AA 008	<b>vitifolium</b> , 150 cm, mostly blue, rarely white, large Mallow flowers, V-VI, Z8-11.....	10	20	□ ↗	230,00	28,70	3,60	3,60
<b>ACAENA</b> (Rosaceae)								
AA 001	<b>buchananii</b> , 10 cm, blue-green foliage, VII-VIII, Z5-8 .....	5	5	VV ↗ *	350,00	44,00	5,60	2,30
AA 002	<b>caesioglaucia</b> , 10 cm, grey-green leaves, VII-VIII, Z5-8 .....	5	5	VV	400,00	50,00	6,40	3,20
AA 011	<b>fissistipula</b> , 10 cm, fine, blue-green leaves, white flowers with red anthers, VII-VIII, Z5-8 .....	5	5	VV	512,00	64,00	8,00	4,00
AA 003	<b>inermis</b> , 10 cm, large, unprickled blossom heads, green foliage, VII-VIII, Z5-8 .....	8	5	VV	400,00	50,00	6,40	3,20
AA 019	<b>inermis 'Purpurea'</b> , 10 cm, purple coloured foliage, compact habit, excellent foliage plant, VII-VIII, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	8	5	VV ↗ *	512,00	64,00	8,00	4,00
AA 005	<b>microphylla</b> , [AGM], 5 cm, copper colored foliage, VII-VIII, Z5-8 ( <i>s. also GOLD NUGGET SEED®</i> ) .....	5	5	VV ↗ *	192,00	24,00	3,00	2,00
AA 021	<b>myriophylla</b> , 10 cm, purple, fernlike, intense feathered foliage, VII-VIII, Z5-8 .....	10	5	VV	576,00	72,00	8,00	6,00
AA 007	<b>novae-zelandiae (anserinifolia)</b> , 5 cm, fresh green, VII-VIII, Z5-8 .....	5	5	VV	224,00	28,00	3,20	2,20
AA 009	<b>saccaticupula</b> , 10 cm, blue-grey, feathered leaves, large fruitlets, VII-VIII, Z6-8 .....	5	5	VV	512,00	64,00	8,00	4,00
<b>ACANTHUS</b> (Acanthaceae)								
AA 012	<b>hungaricus (balcanicus, longifolius) [Architect]</b> , 75 cm, white/pink, VI-VIII, Z6-8 .....	400	1/8	✗	120,00	14,00	2,00	14,00
AA 014	<b>mollis</b> , 90 cm, white/pink, VI-VIII, Z6-8 .....	500	15	✗ \$	80,00	9,20	2,00	9,20
AA 015	<b>spinosus</b> , Bear's Breeches, 50 cm, pink to white, dense inflorescence, showy pinnatifid leaves, VII-VIII, Z6-11 .....	600	16	*	240,00	28,00	3,40	28,00
<b>ACHILLEA</b> (Asteraceae, Compositae)								
AA 052	<b>ageratina (serbica)</b> , [AGM], 15 cm, white, cushions of silver-grey leaves, V-VI, Z3-8 .....	0,5	15	△ □	–	–	–	6,00
AA 017	<b>geratum 'Moonwalker'</b> , 80 cm, yellow, VII-IX, Z4-8 .....	1	15	✗	464,00	58,00	7,40	3,70
AA 022	<b>clypeolata</b> , 50 cm, golden, silvery-grey foliage, VI-VIII, Z4-8 .....	1	15	△ ✗	544,00	68,00	8,60	4,30
AA 024	<b>filipendulina 'Parkers Varietät' [Cloth of Gold]</b> , [AGM], 120 cm, yellow, VII-IX, Z3-8 .....	1	15	✗	165,00	22,00	2,80	2,00
	<b>millefolium</b> , wild form - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
AA 027	<b>millefolium 'Cassis'</b> , 60 cm, cherry-red umbels, rich flowering, VI-X, Z2-9 .....	0,5	15	① ✗ * ☀	544,00	68,00	8,60	2,80
AA 026	<b>millefolium 'Cerise Queen' [Kirschkönigin]</b> , 60 cm, rosy-red colors (variable), VI-X, Z2-9 .....	1	15	① ✗ * ☀	240,00	32,00	4,20	2,00
AA 029	<b>millefolium 'Colorado'</b> , 60 cm, a diverse mixture from red to pink to apricot colored flowers including yellow and light yellow and beige tones, occasional whites, V-X, Z2-9 .....	1	15	△ ✗ ☀ ☀	544,00	68,00	8,60	2,80
AA 031	<b>millefolium 'Summer Pastels'</b> , [AS], F <sub>2</sub> -Hybrids, 60 cm, mixture of pastel colors, blooms just four months after sowing, V-X, Z2-9 .....	1	15	④ △ ✗ ☀ ☀	1590,00	188,00	22,00	4,00
AA 038	<b>nana</b> , 5 cm, white, aromatic, V-VI, Z4-7 .....	1	9	△	–	98,00	14,00	4,00
AA 044	<b>ptarmica</b> , 60 cm, white umbels, single flowers, VII-IX, Z2-9 .....	1	15	❀ ✗ <@> ☀	96,00	16,00	2,00	2,00
AA 049	<b>ptarmica fl. pl. 'Noblessa'</b> , 30 cm, pure white, utterly double flowers, compact habit, first year flowering, V-IX, Z2-9 .....	approx. 4000 seeds = 1g	0,5	15	–	320,00	42,00	3,60
AA 048	<b>ptarmica 'Pearl-Group'</b> , 60 cm, white, double and semi double, VII-IX, Z2-9 .....	1	15	④ ✗ ✗	240,00	32,00	4,20	2,00
AA 056	<b>serbica</b> - see <b>ageratina</b>							
	<b>sibirica</b> ssp. <i>camtschatica</i> 'Love Parade', 60 cm, soft pink flowers in a large umbel, attractive, lanceolate foliage, flowers the first year, VI-IX, Z4-8 .....	1	15	✗	352,00	44,00	5,60	2,80
AA 060	<b>tomentosa 'Aurea'</b> [Maynard's Gold], [AGM], 20 cm, yellow, VI-VII, Z3-8 .....	0,5	15	△ ✗	620,00	78,00	9,80	4,00
AA 058	<b>tomentosa 'Golden Fleece'™ [Goldie]</b> , [AS], 15 cm, golden umbels, silver-grey dense foliage, compact growth, flowers the first year, VI-VII, Z3-8 .....	approx. 5500 seeds = 1g	0,25	15	△ ✗ ✗	480,00	54,00	5,40
<b>ACHLYS</b> (Berberidaceae)								
AA 061	<b>triphylla</b> , Vanilla Leaf, 25 cm, white spikes, trifoliate fan-shaped leaves, for shade, VI, Z3-7 .....	25	1	VV	600,00	76,00	9,40	9,40
<b>ACINOS</b> (Lamiaceae, Labiateae)								
AA 062	<b>alpinus (CLINOPODIUM)</b> , 15 cm, red-violet, excellent cushion perennial for dry locations, VI-IX, Z4-7 .....	1	15	△ ✗ ☀	360,00	48,00	6,20	3,10
<b>ACIPHYLLA</b> (Apiaceae, Umbelliferae)								
AA 066	<b>aurea</b> , Speargrass, 100 cm, gold-green leaf rosettes, up to 50 cm in Ø, white-golden inflorescence, VI-VIII, Z5-9 .....	10	5	△ Ca	360,00	45,00	5,60	2,80
AA 064	<b>congesta</b> , 30 cm, compact, evergreen cushions, creamy-white, attractive umbels, VII-VIII, Z7-10 .....	5	5	△ Ca □	768,00	96,00	12,00	6,00
AA 065	<b>dieffenbachii</b> , 100 cm, green leaf rosettes, pale yellow umbels, golden seed heads, VI-VIII, Z8-10 .....	30	5	Ca	736,00	92,00	11,60	11,60


**ACAENA microphylla**

**ACANTHUS spinosus**

**ACHILLEA millefolium 'Cassis'**

**ACHILLEA tomentosa 'Golden Fleece'**

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ACIPHyllA</b> <i>continuation</i>								
AA 071	<i>glaucescens</i> , 100 cm, greenish-white umbels, blue-green feathered foliage, VII-VIII, Z7-10...	10	5	△ Ca	360,00	45,00	5,60	2,80
AA 067	<i>monroi</i> , 20 cm, golden umbels, palmlike foliage, VI-VIII, Z7-10...	5	5	△ Ca	960,00	120,00	15,00	7,50
AA 073	<i>pinnatifida</i> , 20 cm, greenish-white umbels, deeply pinnatifid foliage, olive-green with yellow midrib, loose mat forming, vigorous, VI-VIII, Z7-10...	5	5	△ Ca	768,00	96,00	12,00	6,00
AA 072	<i>simplex</i> , 15 cm, compact cushion forming, cream white umbels, VI-VIII, Z7-10...	3	5	△ Ca D	–	120,00	15,00	7,50
AA 069	<i>spedenii</i> , 20 cm, blue-green, attractive leaf rosettes, white umbels, VI-VIII, Z7-10...	5	5	△ Ca D	1152,00	144,00	18,00	9,00
<b>ACMELLA oleracea</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>ACONITUM</b> (Ranunculaceae)								
AA 070	<i>anthora</i> , 80 cm, pale yellow, VII-VIII, Z2-9 ( <i>see also GOLD NUGGET SEED®</i> )...	10	2	X	220,00	26,00	3,20	2,40
AA 074	<i>carmichaelii Arendsi-Group</i> , (AGM), 150 cm, dark blue, IX-X, Z3-9...	10	2	X X **	300,00	36,00	4,20	3,20
AA 078	<i>carmichaelii (wilsonii) 'Späteise'</i> , 160 cm, light blue, IX-X, Z3-9...	10	2	X X X	300,00	36,00	4,20	3,20
AA 083	<i>hemsleyanum 'Red Wine'</i> , 200 cm, dark wine-red, large flowering, climbing, VIII-IX, Z5-8	5	1	X X X	–	–	24,00	8,00
AA 086	<i>lycoctonum (vulparia)</i> , 120 cm, yellow, VII-VIII, Z3-9...	10	2	X X X	–	–	4,20	3,20
AA 090	<i>napellus</i> , 150 cm, medium blue, VI-VIII, Z3-6 ( <i>see also GOLD NUGGET SEED®</i> )...	10	2	X X *	160,00	20,00	2,80	2,80
AA 092	<i>napellus ssp. <i>vulgare</i> 'Albidum' (Albus)</i> , 150 cm, pure white, VI-VIII, Z3-6...	10	2	X X	400,00	50,00	6,00	4,60
AA 094	<i>napellus 'Newry Blue'</i> , 90 cm, deep blue, VI-VIII, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> )...	10	2	X X	280,00	38,00	5,00	3,80
AA 102	<i>variegatum</i> , 150 cm, violet, often white checked, branched, VIII-IX, Z3-7...	10	2	X X	256,00	32,00	4,00	3,00
	<i>vulparia</i> - see <i>lycoctonum</i>							
<b>ACORUS</b> (Acoraceae, Araceae)								
AA 103	<i>calamus</i> , Sweetflag, 100 cm, greenish-yellow flower spadix, swordlike leaves, V-VI, Z3-10 ( <i>see also GOLD NUGGET SEED®</i> )...	20	2/3/18	④ ***\$X	240,00	30,00	3,80	3,80
<b>ACTAEA</b> - see also <b>CIMICIFUGA</b> (Ranunculaceae)								
	<i>alba</i> - see <i>pachypoda</i>							
AA 104	<i>pachypoda (alba)</i> , (AGM), 60 cm, white flowers, mostly white berries on scarlet stalks, V-VI, Z3-8	25	1	♂ X	–	–	4,60	3,20
NEW! AA 105	<i>pachypoda f. rubrocarpa</i> , 60 cm, white flowers, red berries, V-VI, Z3-8...	20	1	♂ X	–	52,00	6,40	3,20
AA 107	<i>pachypoda 'Silver Leaf'</i> , 60 cm, white flower candles, brilliant white berries on red stems, grey-green, decorative foliage, V-VI, Z3-8...	25	1	♂ X *	–	–	12,00	6,00
AA 106	<i>rubra</i> , (AGM), 35 cm, white or tinged purple, blood-red berries, V-VI, Z3-8...	25	1	♂ X	240,00	30,00	3,80	3,20
AA 108	<i>spicata [Black Berry]</i> , 50 cm, white, black berries, V-VI, Z4-8...	20	1	♂ X	–	38,00	4,60	3,20
<b>ACTINELLA</b> - see <b>HYMENOXYS</b>								
<b>ADENOPHORA</b> (Campanulaceae)								
AA 109	<i>bulleyana</i> , 90 cm, nodding, light blue flowers, steady, upright stems, VI-VII, Z3-7...	1	15	X	512,00	64,00	8,00	4,00
AA 112	<i>liliifolia</i> , 100 cm, light blue, scented, VII-VIII, Z3-7...	1	15	X	768,00	96,00	12,00	6,00
AA 113	<i>takedae</i> , 30 cm, blue, valuable late bloomer, IX-XI, Z6-8...	1	8	△	–	–	–	6,00



*ACHLYS triphylla*



*ACINOS alpinus*



*ACIPHyllA aurea*



*ACONITUM hemsleyanum 'Red Wine'*



*ACTAEA pachypoda f. rubrocarpa*



*ACTAEA pachypoda 'Silver Leaf'*



*ACTAEA rubra*



*ADENOPHORA liliifolia*

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ADENOSTYLES (CACALIA)</b> (Asteraceae, <i>Compositae</i> )								
AA 116 <b>alpina</b> , 60 cm, rose/lilac, VII-VIII, Z5-8 . . . . .		1	9	△	–	68,00	8,60	4,20
<b>ADLUMIA</b> (Papaveraceae, <i>Fumariaceae</i> )								
AA 120 <b>fungosa</b> , up to 300 cm climbing, soft pink Dicentra-like flowers, up to 15 cm long flower clusters, fern-like blue-green foliage, VII-IX, Z5-8 . . . . .		2	19	‡ ☺	–	72,00	9,00	4,50
<b>ADONIS</b> (Ranunculaceae)								
AA 124 <b>vernalis</b> , 30 cm, yellow flowers to 8 cm Ø, fine foliage, IV-V, Z2-8 . . . . .		50	1/3	△ \$ ✪	220,00	28,00	3,60	3,60
<b>AETHIONEMA</b> (Brassicaceae, <i>Cruciferae</i> )								
AA 134 <b>antitaurii</b> , 15 cm, pink flower clusters, grey-bluish foliage, VI-VII, Z5-8 . . . . .		2	9	❀ △	1280,00	160,00	20,00	5,00
AA 130 <b>coridifolium</b> , 15 cm, pink, VI-VII, Z5-8 . . . . .		2	15	❀ △	1200,00	150,00	19,00	5,00
AA 132 <b>grandiflorum (pulchellum)</b> , , 20 cm, pink, VI-VII, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		3	9	❀ △ ☀	1024,00	128,00	16,00	4,00
AA 135 <b>kotschyi</b> , 10 cm, rich pink, compact, VI-VII, Z5-8 . . . . .		2	9	❀ △	1200,00	150,00	19,00	5,00
AA 136 <b>membranaceum</b> , 15 cm, rich pink, blue-green cushion, VI-VII, Z5-8 . . . . .		2	9	❀ △ ☀	–	160,00	20,00	5,00
<b>AGAPANTHUS</b> (Amaryllidaceae, <i>Liliaceae</i> )								
NEW! AA 147 <b>inapertus</b> , 160 cm, blue, tubular hanging flowers, VIII-X, Z7-10. . . . .		15	20	□ ✕ ▵	–	52,00	7,40	5,80
AA 137 <b>praecox 'Getty White'</b> , 55 cm, white, large flowering, compact habit, V-VIII, Z8-10 . . . . .		12	20	□ ✕ ▵	480,00	60,00	8,40	6,20
AA 146 <b>praecox 'Headbourne Blue'</b> , 80 cm, blue, good winter hardy selection, VII-VIII, Z5-10 . . . . .		15	20	□ ✕ ▵	–	–	9,00	4,50
AA 139 <b>praecox 'Queen Anne'</b> , 55 cm, brilliant blue, compact habit, VI-VIII, Z8-10 . . . . .		12	20	□ ✕ ▵	480,00	60,00	8,40	6,20
AA 140 <b>praecox</b> ssp. <b>minimus 'Peter Pan'</b> , 50 cm, graceful, deep blue, V-VIII, Z8-10 . . . . .		12	20	□ ✕ ▵	768,00	96,00	12,00	9,00
<b>praecox</b> ssp. <b>orientalis</b> - see <b>umbellatus</b>								
AA 142 <b>umbellatus (africanus) [Blue Umbrella]</b> , , 140 cm, blue, variable, V-VIII, Z8-10. . . . .		15	20	□ ✕ ▵	280,00	36,00	4,50	3,80
AA 148 <b>umbellatus (africanus) 'Albus' [White Umbrella]</b> , , 140 cm, white, variable, V-VIII, Z8-10. . . . .		15	20	□ ✕ ▵	360,00	45,00	6,00	4,50
<b>AGASTACHE</b> (Lamiaceae, <i>Labiateae</i> )								
AA 144 <b>aurantiaca [Apricot Sprite, Navajo Sunset]</b> , 45 cm, brilliant light orange, silvery, aromatic foliage, VI-IX, Z5-9 ( <i>see also Organic-Seeds</i> ) . . . . .		2	15	❀ ✕ ☀	–	162,00	18,00	6,00
AA 138 <b>Aurantiaca-Hyb. 'Tango'</b> , 35 cm, brilliant, fiery orange flower spikes, abundant flowering, attractive, pleasantly aromatic, grey-green foliage, compact and richly branched habit, reliable first year flowering from seed, VI-X, Z5-10 . . . . .		2	15	❀ ✕ ☀ ☀	1940,00	216,00	24,00	6,00
AA 152 <b>Cana-Hyb. 'Bolero' (cana x barberi)</b> , 40 cm, brilliant rose-purple tubular blooms with purple calyxes, abundant flowering, bronze colored, aromatic foliage, compact richly branched habit, reliable first year flowering from seed, VI-X, Z5-10 . . . . .		2	15	❀ ✕ ☀ ☀	–	–	36,00	6,00
AA 145 <b>foeniculum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed mexicana 'Sangria'</b> , 120 cm, brilliant red-purple, long flower clusters, lemon scented, elliptical foliage, first year flowering from seed, VII-X, Z7-10 . . . . .		1	15	❀ ✕ ☀	–	–	36,00	6,00


**ADLUMIA fungosa**

**ADONIS vernalis**

**AETHIONEMA coridifolium**

**AETHIONEMA grandiflorum**

**AGASTACHE Aurantiaca-Hyb. 'Tango'**



AGASTACHE Pallida-Hybr. 'Globetrotter'



AGASTACHE rupestris



ALCEA Ficifolia-Hybr. 'Las Vegas'



ALBUCA humilis



ALCEA pallida

**AGASTACHE continuation**

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
AA 150	<i>nepetoides</i> , 160 cm, greenish-yellow, aromatic foliage, VI-IX, Z7-9 . . . . .	1	9	✿	288,00	36,00	4,60	2,30
AA 141	✿ <i>Pallida-Hybr. (pallida x rugosa) 'Globetrotter'</i> , 100 cm, lilac-pink, dense flower spikes, continuous reddish bracts, first year flowering from seed, VI-IX, Z6-9 . . . . .	3	15	✿ ✘ ①	448,00	64,00	8,00	4,00
AA 143	<i>pallidiflora</i> ssp. <i>neomexicana</i> ( <i>austromontana</i> ) 'Pink Pop', 40 cm, pink, richly branched, compact habit, VI-IX, Z7-10 . . . . .	0,5	15	① ✘ ✿	–	–	72,00	9,00
AA 153	✿ <i>rupestris</i> [ <i>Apache Sunset</i> ], ☀, Sunset Hyssop, 60 cm, rose-orange, aromatic grey-green foliage, abundant flowering, for dry locations, VI-IX, Z6-10 ( <i>s. also Organic-Seeds</i> ) . . . . .	2	15	✘ ① ✿	–	–	36,00	7,20

**AGERATINA altissima, aromatica - see EUPATORIUM**

**AGRIMONIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed**

**AGROSTEMMA - see Organic Seed**

**AIZOPSIS - see SEDUM**

**AJUGA (Lamiaceae, Labiateae)**

AA 161	<i>genevensis</i> , 15 cm, blue, IV-V, sun, prefers dry conditions, Z4-7 . . . . .	10	9	VVV△①	256,00	32,00	4,00	2,00
AA 158	<i>reptans</i> , Creeping Bugle, 15 cm, blue, V-VI, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	10	9	VVV①	384,00	48,00	6,00	3,00

**ALBUCA (Asparagaceae)**

AA 186	✿ <i>humilis</i> , 15 cm, white star-flowers with green stripes, grass-like foliage, rare bulbous plant, VI-VII, Z7-9 . . . . .	10	9	△	–	–	–	7,50
--------	---	----	---	---	---	---	---	------

**ALCEA (ALTHAEA) (Malvaceae)**

AA 280	<i>Ficifolia-Hybr. [Happy Lights]</i> , . . . . .	25	9	Sol ✘ ✿	56,00	8,00	2,00	3,00
AT 280	✿ <i>Ficifolia-Hybr. [Happy Lights]</i> , . . . . .	12	9	JET® - pure seed	245,00	35,00	5,00	4,20
AT 285	✿ <i>Ficifolia-Hybr. 'Las Vegas'</i> , 160 cm, splendid mixture with brilliant colors of chestnut brown to red, pink shades to white, and yellow to copper colored, single flowers, remarkable fig-leaved, sturdy and perennial, first year flowering with early sowings, V-X, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ), . . . . .	12	9	Sol ✘ ①	340,00	44,00	5,80	4,80
AA 284	✿ <i>pallida</i> , 180 cm, lilac-rose, single, V-IX, Z3-8 . . . . .	20	8	Sol	120,00	15,00	2,00	3,50
AA 286	<i>Rosea-Hybr. 'Simplex'</i> , 180 cm, single flowers, mixed colors, perennial, V-X, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	25	9	✘ ① ✿	56,00	8,00	2,00	3,00
AT 286	<i>Rosea-Hybr. 'Simplex'</i> , . . . . .	12	9	JET® - pure seed	245,00	35,00	5,00	4,20

continued on the following page



ALCEA Rosea-Hybr. 'Blacknight'



ALCEA Rosea-Hybr. 'Mars Magic'



ALCEA Rosea-Hybr. 'Polarstar'



ALCEA Rosea-Hybr. 'Radiant Rose'




ALCEA Rosea-Hybr. 'Sunshine'



ALCEA rugosa



ALCHEMILLA erythropoda



ALCHEMILLA sericata 'Gold Strike'

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ALCEA (ALTHAEA) continuation</b>								
AT 801	█ Rosea-Hybr. <b>Spotlight-Series</b> , 180 cm, single flowers, brilliant single colours, sturdy and perennial, first year flowering with early sowings, V-X, Z3-9 'Blacknight', dark black-purple							
AT 806	█ 'Mars Magic', brilliant red colours							
AT 808	█ 'Polarstar', pure white with yellow eye							
AT 804	█ 'Radiant Rose', brilliant pink							
AT 802	█ 'Sunshine', brilliant light yellow							
				JET® - pure seed	12	15	Sol ✕ Ⓜ ☀	688,00
								86,00
								9,80
								6,40
	<b>rosea plena Chaters-Series</b> , 180 cm, double flowers, V-X, Z3-10 'Chaters chestnut brown'	AT 290	'Chaters chamois'					
AT 293								
AT 298								
AT 300								
AT 301								
AT 292	'Chaters pink'	AT 297	'Chaters purple'					
AT 300	'Chaters red (scarlet)'	AT 295	'Chaters salmon pink'					
AT 301	'Chaters violet '	AT 302	'Chaters white' [The Bride]					
AT 292	'Chaters yellow' [Banana]							
AT 304	'Chaters magnificent mixture',			JET® - pure seed	10	15	✕ ☀	310,00
								38,00
								5,00
								4,20
AT 308	█ rosea var. nigra [Jet Black, Arabian Nights], Hollyhock, 180 cm, single, black-red, V-X, Z3-9 (see also Organic-Seeds)			JET® - pure seed	10	15	₦ \$ Ⓜ	310,00
AA 310	█ rugosa, 200 cm, brilliant yellow, single, V-IX, Z3-9 (see also GOLD NUGGET SEED®)	20	8	Sol ☀	120,00	15,00	2,20	3,50
AA 313	█ taurica, 160 cm, yellow, grey green lobed leaves, VI-IX, Z3-9	20	1	Sol ☀	144,00	18,00	2,50	4,00
<b>ALCHEMILLA (Rosaceae)</b> all varieties pure seed								
AA 160	alpina, 15 cm, dense blossoms, yellow, foliage dark green, silvery base, groundcover, VI-VIII, Z3-8	1	1	△ ☀ \$	–	96,00	12,00	6,00
AA 163	epipsila, 40 cm, yellowish, similar to A. mollis but smaller and more compact, VI-VII, Z3-8 (see also GOLD NUGGET SEED®)	1	1	✕ △ ☀	460,00	58,00	7,20	3,60
AA 164	█ erythropoda [Alma], (AGM), 20 cm, yellow, often reddish coloured, groundcover, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®)	1	1	₩ → ☀	460,00	58,00	7,20	3,60
AA 167	mollis [Thriller, Irish Silk], (AGM), 50 cm, yellowish, leaves grey-green, VI, Z3-8 (see also GOLD NUGGET SEED®)	1	1	×	224,00	28,00	3,60	3,60
AA 168	mollis 'Select' [Robustica, Giant Molly], 50 cm, greenish-yellow, veil-like flowers, robust and vigorous selection, stronger stems, uniform habit, strong grey-green foliage, VI, Z3-8 (see also GOLD NUGGET SEED®)	1	1	✕ ☀ ☀	320,00	40,00	5,40	2,70
AA 170	saxatilis, 15 cm, yellow, groundcover, grows in non-alpine conditions better than A. alpina which is almost identical, VI-VIII, Z3-8.	1	1	₩ → ☀	768,00	96,00	12,00	6,00
AA 174	█ sericata 'Gold Strike', 35 cm, bright greenish-yellow veil-like flower umbels, very free flowering, grey-green, velvety scalloped foliage, more deeply lobed leaves than A. mollis, robust, compact and consistent habit, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®)	2	1	△ ✕ ☀ ☀	460,00	58,00	7,20	3,60
AA 178	xanthochlora (vulgaris), Lady's Mantle, 50 cm, yellow-green, VI-VIII, Z3-8 (see also GOLD NUGGET SEED® + Organic-Seeds)	1	1	₩ → \$	160,00	23,00	3,20	2,00

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ALISMA</b> (Alismataceae)								
AA 180 <b>parviflorum</b> , 70 cm, white umbels, large leaves, VI-IX, Z4-8 . . . . .		2	18		120,00	18,00	2,80	2,00
AA 182 <b>plantago-aquatica</b> , 70 cm, white umbel panicles, VI-IX, Z4-8 . . . . .		1	18		72,00	12,00	2,00	2,00
<b>ALKANNA</b> (Boraginaceae)								
AA 184 <b>orientalis</b> , 40 cm, yellow, lanceolate basal leaves, IV-VI, Z5-9 . . . . .		10	15		420,00	56,00	7,20	5,00
<b>ALLIUM</b> (Alliaceae, Liliaceae)								
AA 188 <b>acuminatum</b> , 20 cm, purple-rose, V-VI, Z6-8 . . . . .		10	1		–	62,00	8,00	4,00
AA 190 <b>aflatunense</b> , 100 cm, pale violet, V, Z7-9 . . . . .		25	1		112,00	14,00	2,00	2,00
AA 192 <b>angulosum</b> , Mouse Garlic, 35 cm, pale violet, cup shaped flower umbels, intensive green, angular edged foliage, VI-IX, Z3-9 . . . . .		5	15		160,00	20,00	2,60	2,00
AA 242 <b>carinatum ssp. pulchellum</b> ,  40 cm, violet, VII-VIII, Z3-9 . . . . .		7	1		256,00	32,00	4,00	2,00
AA 243 <b>carinatum ssp. pulchellum ssp. album</b> ,  40 cm, white, VII-VIII, Z3-9 . . . . .		7	1		768,00	96,00	12,00	6,00
AA 198 <b>cernuum</b> , 35 cm, soft-pink, nodding blossoms, VII-VIII, Z4-9 . . . . .		5	1		192,00	24,00	3,00	2,30
AA 199 <b>cernuum 'Hidcote' (Major) [Pink Giant]</b> ,  40 cm, intensive pink, large flowering, very vigorous, flowers earlier than the species, V-VI, Z4-9 . . . . .		5	16		360,00	45,00	5,80	2,90
AA 202 <b>christophii (albopilosum)</b> ,  40 cm, lilac, VI-VII, Z6-10 . . . . .		20	1		–	22,00	2,80	2,80
<b>fistulosum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
AA 210 <b>flavum</b> ,  30 cm, yellow, V-VIII, Z3-9 . . . . .		5	9		384,00	48,00	6,00	3,00
AA 217 <b>hookeri var. muliense</b> , 40 cm, brilliant yellow bell-shaped flowers, VII-IX, Z6-9 . . . . .		10	16		548,00	74,00	9,40	3,20
AA 215 <b>insubricum</b> ,  20 cm, pink, nodding flowers, V-VI, Z7-9 . . . . .		15	1		–	48,00	6,00	6,00
AA 216 <b>jesdianum</b> , 100 cm, lilac-rose, V-VI, Z6-8 . . . . .		25	1		128,00	16,00	2,00	2,00
AA 218 <b>karataviense</b> ,  Blue-tongue Leek, 25 cm, spectacular variety, IV-V, Z7-9 . . . . .		15	1		160,00	22,00	2,80	2,80
<b>montanum</b> - see <b>senescens ssp. montanum</b>								
AA 230 <b>narcissiflorum</b> , 20 cm, pale pink, nodding blossom panicles, VI, Z6-9 . . . . .		15	1		320,00	40,00	5,00	5,00
AA 232 <b>neapolitanum</b> , 25 cm, white, IV-V, Z4-9 . . . . .		10	9		384,00	48,00	6,00	3,00
AA 236 <b>obliquum</b> , 60 cm, greenish yellow spherical flowers, narrow blue-green foliage, VI-VIII, Z4-8 . . . . .		8	9		540,00	68,00	8,60	3,80
<b>pulchellum</b> - see <b>carinatum ssp. pulchellum</b>								
<b>ramosum (odorum)</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
AA 248 <b>rosenbachianum</b> , 90 cm, rose-violet, V-VI, Z6-9 . . . . .		20	1		112,00	14,00	2,00	2,00
<b>schoenoprasum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
AA 257 <b>senescens</b> , 40 cm, pink, abundant flowering, dense clumps, VII-VIII, Z4-9 . . . . .		10	9		128,00	16,00	2,00	2,00
AA 251 <b>senescens ssp. glaucum</b> , 30 cm, pink, bluish twisted foliage, VII-X, Z4-9 . . . . .		8	15		–	96,00	12,00	3,60
AA 250 <b>senescens ssp. montanum</b> , 40 cm, pink, VII-VIII, Z3-8 . . . . .		10	16		128,00	16,00	2,00	2,00
<b>siculum</b> - see <b>NECTAROSCORDUM siculum</b>								
AA 254 <b>sphaerocephalum</b> , 50 cm, purple-red, VII-VIII, Z4-8 . . . . .		5	1		460,00	54,00	6,00	3,00
AA 255 <b>stipitatum</b> , 90 cm, rose-lilac ball-shaped blossoms, fragrant, VI-VIII, Z7-9 . . . . .		10	1		256,00	32,00	4,00	4,00
AA 259 <b>suaveolens</b> , Fragrant Leek, 40 cm, soft pink, for moist locations, VIII-IX, Z4-8 . . . . .		5	16		320,00	40,00	5,00	2,50
<b>tricoccum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>								
AA 261 <b>triquetrum</b> , Three-cornered Leek, 40 cm, white with dark-green middle veins, bell shaped, III-V, Z7-9 . . . . .		15	8		160,00	20,00	2,80	2,80
<b>tuberosum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
AA 263 <b>unifolium</b> , 30 cm, glossy pink, floriferous umbels, V-VII, Z5-10 . . . . .		10	1		–	54,00	6,00	3,00
<b>ursinum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
AA 262 <b>victoriae</b> , 60 cm, greenish-yellow, VII-VIII, Z6-8 . . . . .		30	1		192,00	24,00	3,00	3,00
<b>ALOE parviflora</b> - see <b>HESPERALOE</b>								
<b>ALONSOA</b> (Scrophulariaceae)								
AA 265 <b>meridionalis [Rebel]</b> , 60 cm, cinnabar-red, blooms four months after sowing, good container plant for winter blooms, VII-XI, Z9-10 . . . . .		0,5	15		128,00	16,00	2,00	2,00
AA 267 <b>meridionalis 'Shell Pink' [Salmon Beauty]</b> , 50 cm, pink, VII-XI, Z9-10 . . . . .		0,5	15		164,00	24,00	3,60	2,00
<b>ALSTROEMERIA</b> (Alstroemeriaceae, Amaryllidaceae)								
AA 274 <b>aurantiaca (aurea)</b> , 50 cm, yellow to orange, VI-VIII, Z7-10 . . . . .		50	8		–	36,00	4,50	4,50
AA 277 <b>hybrida 'Dandy Candy'</b> , 35 cm, vibrant colors, red, deep rose and picotee-type white with pink, very large flowering, all flowers with dark stripes and yellow markings, dwarf and compact habit, glossy green foliage, blooms all season, flowers the first year in greenhouse production, VI-X, Z8-10 . . . . .		40	8		368,00	46,00	5,80	5,80
AA 275 <b>psittacina (pulchella) 'Mona Lisa'</b> , 90 cm, dark red, greenish tips, the inner segments lined light reddish-brown, VII-X, Z7-10 . . . . .		40	8		368,00	46,00	5,80	4,80



ALKANNA orientalis



ALLIUM cernuum 'Hidcote'



ALLIUM flavum



ALLIUM hookeri var. muliense



**ALLIUM** *senescens* ssp. *glaucum*



**ALLIUM** *sphaerocephalum*



**ALLIUM** *unifolium*



**ALSTROEMERIA** *hybrida* 'Dandy Candy'



**ALTHAEA** *cannabina*



**ALYSSUM** *montanum* 'Tekara™'



**ALYSSUM** *serpyllifolium*



**AMORPHA** *canescens*

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>ALTHAEA</b> - see also <b>ALCEA</b> (Malvaceae)									
AA 283	<i>cannabina</i> , Hemp Marsh Mallow, 180 cm, rose-lavender with dark eye, deeply lobed leaves, VII-IX, Z3-10 . . . . .	15	8	Ⓐ	150,00	20,00	3,20	2,00	
	<i>officinalis</i> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>ALYSSOIDES</b> (Brassicaceae, Cruciferae)									
AA 316	<i>utriculata</i> [ <i>Tinkerbells, Lost April</i> ], 20 cm, yellow, seed stalks for floral arrangements, IV-VI, Z5-9 . . . . .	10	15	△ ✕	-	24,00	3,00	2,30	
<b>ALYSSUM</b> (Brassicaceae, Cruciferae)									
AA 320	<i>argenteum (murale)</i> , 40 cm, yellow, for dry locations, VI-VIII, Z5-8 . . . . .	5	15	△ Ⓢ	160,00	20,00	2,50	2,00	
AA 324	<i>cuneifolium</i> , 12 cm, light yellow, grey foliage, IV-V, Z5-7 . . . . .	5	9	△	432,00	54,00	6,00	3,00	
AA 329	<i>montanum 'Luna'</i> , , 12 cm, intensive yellow, rich flowering, up to 2 weeks earlier than 'Mountain Gold', III-VI, Z3-7 . . . . .	3	15	✿ △ Ⓢ	740,00	82,00	9,20	3,80	
AA 331	<i>montanum 'Tekara'™</i> , 10 cm, brilliant yellow, very uniform, grey foliage, flat cushions, III-IV, Z3-7 . . . . .	3	15	✿ △ Ⓢ	576,00	64,00	7,20	3,60	
AA 328	<i>montanum 'Mountain Gold'</i> [ <i>Berggold</i> ], 15 cm, golden, loose cushions, III-VI, Z3-7 . . . . .	3	15	✿ △ Ⓢ	224,00	28,00	3,80	2,00	
AA 330	<i>petraeum (AURINIA)</i> , 30 cm, yellow panicles, decorative, inflated seed heads, V-VII, Z6-8 . . . . .	3	9	△ ✕	128,00	16,00	2,00	2,00	
AA 334	<i>repens</i> , 50 cm, orange, V-VI, Z6-8 . . . . .	5	9		168,00	21,00	2,60	2,00	
AA 340	<i>saxatile 'Compactum Goldkugel'</i> [ <i>Gold Ball, Gold Bullet</i> ], 15 cm, yellow, compact cultivar, IV-V, Z3-9 . . . . .	3	15	✿ △ Ⓢ	220,00	28,00	3,60	2,20	
AA 344	<i>saxatile 'Sulphureum'</i> , 40 cm, light yellow, IV-V, Z3-9 . . . . .	3	15	✿ △ Ⓢ	256,00	32,00	4,00	2,40	
AA 342	<i>saxatile 'Summit'</i> , , 15 cm, golden, earliest cultivar, uniform compact habit, III-V, Z3-9, . . . . .	approx. 1100 seeds = 1g	2	15	✿ Ⓢ △ ✕	-	269,00	29,90	5,20
AA 348	<i>serpyllifolium</i> , 6 cm, light yellow, VI, Z4-7 . . . . .	5	15	△ ↗	320,00	40,00	5,00	2,50	
	<i>spinosum</i> - see <b>PTILOTRICHUM spinosum</b>								
AA 332	<i>tortuosum</i> var. <i>obovatum</i> , 10 cm, brilliant yellow, rich flowering, silver-green foliage, IV-VI, Z2-8 . . . . .	1	15	△ Ⓢ	-	42,00	6,00	3,00	
AA 356	<i>wulfenianum</i> , 15 cm, golden, reblooming, more compact and longer-lived than <i>A. montanum</i> , V-VII, Z4-8 . . . . .	3	15	✿ △ Ⓢ	256,00	32,00	4,20	2,10	
<b>AMMI</b> - see <b>Organic Seed</b>									
<b>AMOMUM</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>									
<b>AMORPHA</b> (Papilionaceae, Leguminosae)									
AA 360	<i>canescens</i> , 80 cm, blue, spikes 15 cm, for sunny, sandy and dry location, VII-IX, Z2-8 . . . . .	25	15	△ Ⓢ	198,00	22,00	2,50	2,50	



ANACYCLUS pyrethrum var. depressus f. compactum 'Silberkissen'



AMSONIA orientalis



ANDROSACE carnea ssp. brigantiaca



ANEMONE canadensis



ANEMONE fasciculata

		Gram to get 1000 plants	N° of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>AMSONIA (Apocynaceae)</b>								
AA 365	<b>hubrichtii</b> , (PPA), 90 cm, blue blossom umbels, very fine needle-shaped leaves, yellow fall colour, V-VII, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	30	8	✖️ *	240,00	30,00	3,80	3,80
AA 362	<b>illustris</b> , 90 cm, light blue, leathery foliage, VI-VII, Z4-9 . . . . .	40	8	✖️ *	224,00	28,00	3,50	3,50
AA 363	orientalis (RHAZYA), Eastern Blue Star, 40 cm, azure blue, persistent flowering, V-VII, Z6-10 . . . . .	25	9		–	48,00	6,00	6,00
AA 366	<b>tabernaemontana</b> [ <i>Stars, Blue Star</i> ], 80 cm, light blue, broad leaves, V-VII, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ). . . . .	30	8	✖️ *	224,00	28,00	3,50	3,50
<b>ANACYCLUS (Asteraceae, Compositae)</b>								
AA 368	<b>pyrethrum</b> - see <b>Organic Seed</b>							
AA 368	<b>pyrethrum var. depressus</b> [ <i>Gartenzwerg, Spring Carpet, Gnome</i> ], 10 cm, white, underside red, silvery feathered foliage, IV-VI, Z5-9 . . . . .	2	15	△ ① \$	980,00	128,00	16,00	4,00
AA 369	pyrethrum var. depressus f. compactum 'Silberkissen' [ <i>Silver Kisses, Silver Cushion</i> ], 10 cm, white, essential compact and more dense than former variety, shorter side shoots, IV-VI, Z5-9 ( <i>see also Organic-Seed</i> ). . . . .	2	15	△ □ ②	1400,00	176,00	22,00	6,00
<b>ANAPHALIS (Asteraceae, Compositae)</b>								
AA 371	<b>alpicola</b> , 15 cm, white to brown-red, grey leaved carpets, VI-VIII, Z4-9. . . . .	0,5	4/9	△ *	640,00	80,00	10,00	4,00
AA 372	<b>margaritacea</b> ' <b>Neuschnee</b> ' [ <i>New Snow</i> ], Pearly Everlasting, 50 cm, white, VII-IX, Z3-9 . . . . .	0,5	4/15	① ✖️ *	490,00	60,00	7,60	2,00
AA 374	<b>triplinervis</b> , (AGM), Pearly Everlasting, 30 cm, white, grey-white woolly, VII-VIII, Z4-8 . . . . .	0,5	4/16	✖️ △ *	–	72,00	9,00	3,60
<b>ANCHUSA (Boraginaceae)</b>								
AA 376	<b>azurea</b> ( <i>italica</i> ) [ <i>Dropmore</i> ], 100 cm, gentian-blue, V-IX, Z3-10 . . . . .	75	7	② *	62,00	7,80	2,00	3,00
<b>OFFICINALIS</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>ANDROSACE (Primulaceae)</b>								
AA 380	<b>alpina</b> , 10 cm, pink-white, VII-VIII, Z4-6 . . . . .	2	1	△ D	–	–	76,00	7,80
AA 384	<b>carnea</b> , 5 cm, pale pink to white, VI-VII, Z4-7 . . . . .	3	1	△	–	224,00	28,00	4,20
AA 392	carnea ssp. <b>brigantiaca</b> , 5 cm, white, IV-V, Z4-7. . . . .	3	1	△	–	252,00	28,00	4,20
AA 394	<b>chamaejasme</b> , 6 cm, white, rarely pink, yellow eye, V-VI, Z4-6 . . . . .	2	5	△ D	–	–	48,00	6,80
AA 395	<b>hedraeantha</b> , 10 cm, pink flower umbels, cushion forming, IV-V, Z4-6. . . . .	3	1	△ Ga	–	–	32,00	4,20
AA 400	<b>lanuginosa</b> , (AGM), 8 cm, lilac-rose, silvery-white hairy foliage, carpet forming, VI-VIII, Z4-8 . . . . .	3	15	△ wv	–	–	–	7,80
AA 406	<b>septentrionalis</b> 'Star Dust', 25 cm, white, IV-V, Z3-7. . . . .	2	15	② △	–	162,00	18,00	3,20
AA 412	<b>villosa</b> , 5 cm, white or pink, yellow throat, VI-VII, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ). . . . .	4	1	△	–	–	42,00	7,80
<b>vitaliana</b> - see <b>VITALIANA primuliflora</b>								

**Production – Breeding – Seed Technology**

			Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
						from 100 g	from 10 g	from 1 g	Portion	
<b>ANEMONE</b> (Ranunculaceae)										
alpina - see <b>PULSATILLA</b>										
alpina sulphurea - see <b>PULSATILLA</b>										
AA 428	baldensis	10 cm, white with yellow stamens, VII-VIII, Z5-8,	pure seed	4	9	△	–	128,00	16,00	8,00
AA 432	canadensis	30 cm, white, VI-VII, Z2-6,	pure seed	10	1	△	–	58,00	7,20	5,40
AA 436	cylindrica	60 cm, white, VI-VII, Z4-7,	pure seed	2	9	△	256,00	32,00	4,00	2,00
AA 438	fasciculata (narcissiflora var. caucasica)	40 cm, white, seldom pinkish red flower umbels, V-VI, Z2-7		15	9	△ ✕	480,00	60,00	7,60	3,80
AA 444	hupehensis (japonica) [Rose Beauty]	70 cm, white and pink, VIII-X, Z5-7 (see also <b>GOLD NUGGET SEED®</b> )	pure seed	1	9	✖	1580,00	198,00	25,00	5,00
AA 452	leveillei	50 cm, white umbels, outside often bluish, IV-V, Z5-8		15	9	△	360,00	46,00	5,80	5,80
montana - see <b>PULSATILLA</b>										
AA 472	multifida var. magellanica (palmata hort.)	25 cm, yellow, large flowers, IV-VI, Z5-9,	pure seed	3	9	△	480,00	64,00	8,00	5,00
AA 460	multifida 'Major' [Annabella White]	25 cm, white, upright blossoms, VI-VII, Z2-9 (see also <b>GOLD NUGGET SEED®</b> )	pure seed	3	9	△	480,00	64,00	8,00	5,00
AA 448	multifida 'Rubra' [Annabella Deep Pink]	30 cm, carmine-red, V-VI, Z2-9 (see also <b>GOLD NUGGET SEED®</b> )	pure seed	3	9	△	480,00	64,00	8,00	5,00
AA 464	narcissiflora	35 cm, white blossom umbels, V-VI, Z2-7		15	9	△ ✕	352,00	44,00	5,60	5,60
AA 470	nemorosa, (AGM)	15 cm, white blossom, outside reddish, III-V, Z4-8		5	1/3	✖ ✕	128,00	16,00	2,00	2,00
pulsatilla - see <b>PULSATILLA</b>										
AA 480	ranunculoides, (AGM)	15 cm, yellow, IV-V, Z3-9		6	2/3	✖	160,00	20,00	2,50	2,50
AA 486	rivularis [Glacier]	50 cm, white umbels, V-VI, Z5-8		15	9	△	360,00	46,00	5,80	5,80
AA 490	sylvestris [Madonna]	Large Forest Anemone, 30 cm, white, large flowering, IV-VI, Z3-9, tomentosa - see <b>hupehensis</b>	pure seed	1	15	✖ ✕	1980,00	240,00	28,00	4,80
vernalis - see <b>PULSATILLA</b>										
AA 502	virginiana	90 cm, white, VI-VIII, Z3-7	pure seed	4	16	✖	320,00	40,00	5,00	2,50
<b>ANEMONELLA</b> (Ranunculaceae)										
AA 500	thalictroides	20 cm, white, delicate, IV-V, Z3-8		5	1	△	–	–	48,00	7,20
<b>ANEMONOPSIS</b> (Ranunculaceae)										
AA 504	macrophylla	80 cm, light lilac nodding flowers, an excellent plant for shady and moist places, VII-VIII, Z4-7		5	8	△	–	288,00	36,00	7,80
AA 528	macrophylla f. albiflora 'White Swan'	60 cm, pure white flowers, rarity, VII-VIII, Z4-7		5	8	△	–	–	–	9,80
<b>ANETHUM graveolens</b> - see <b>Perennial Herbs – Culinary, Teas and Medicinal + Organic Seed</b>										



**ANEMONE hupehensis**

**ANEMONE multifida var. magellanica**

**ANEMONE multifida 'Rubra'**

**ANEMONE narcissiflora**

**ANEMONE rivularis**

**ANEMONE sylvestris**

**ANEMONOPSIS macrophylla**

**ANGELICA sylvestris 'Vicar's Mead'**



**ANISOTOME latifolia**



**ANTENNARIA dioica 'Rubra'**



**ANTENNARIA plantaginifolia**



**ANTHERICUM ramosum**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>ANGELICA</b> (Apiaceae, <i>Umbelliferae</i> )							
archangelica - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
dahurica - see Perennial Herbs - Culinary, Teas and Medicinal							
AA 505 <i>gigas</i> , 140 cm, deep red, decorative foliage, VI-VIII, Z4-7 .....	5	8		–	162,00	18,00	5,20
AA 501 <i>pachycarpa</i> , 100 cm, attractive, glossy leathery foliage, white umbels, VII-IX, Z4-10 .....	20	9		256,00	32,00	4,00	4,00
AA 516 <i>sylvestris</i> 'Vicar's Mead' (taiwaniana) [ <i>Purpurea</i> ], Purple Holy Ghost, 150 cm, large umbels of pale purple pink, dark reddish-purple stems and leaves, VI-IX, Z4 .....	5	1	Sol ☀	460,00	58,00	7,20	3,60
<b>ANISOTOME</b> (Apiaceae, <i>Umbelliferae</i> )							
AA 497 <i>latifolia</i> , 60 cm, rosy-red, dense flower umbels, large leathery, pinnatifid foliage, glossy dark green, a rarity, VI-VII, Z7-9 .....	7	1	△	–	128,00	16,00	8,00
AA 499 <i>Iyallii</i> , 45 cm, white umbels, fine divided dark green foliage, VI-VIII, Z7-9 .....	5	1		576,00	72,00	9,00	4,50
<b>ANTENNARIA</b> (Asteraceae, <i>Compositae</i> )							
AA 512 <i>dioica</i> , 10 cm, pink-white, white felty leaves, for heather and rock garden, V-VI, Z4-7 .....	0,25	15	△	576,00	72,00	9,00	3,00
AA 514 <i>dioica</i> 'New Hybrids', 10 cm, pure white, pink and red, very pretty foliage, also cushion-shaped types, V-VI, Z4-7 .....	0,25	8	△	–	–	24,00	6,00
AA 513 <i>dioica</i> 'Rubra' (var. <i>rosea</i> ), 10 cm, wine red, soft pink towards finishing, grey leaved, V-VI, Z4-7 .....	0,25	15	△	1536,00	192,00	24,00	6,00
AA 517 <i>plantaginifolia</i> , Woman's Tobacco, 20 cm, white, remarkably wide, grey-green foliage, V-VII, Z2-7 .....	0,25	8	△	–	220,00	28,00	6,00
<b>ANTHEMIS</b> (Asteraceae, <i>Compositae</i> )							
AA 515 <i>carpathica</i> 'Karpatenschnee', 15 cm, snow white, long lasting abundant flowers, cushion forming, fast growing, reblooms, lime free soil, V-VII, Z3-8 .....	2	15	△	480,00	60,00	7,60	3,80
<i>nobilis</i> - see <b>CHAMAEMELUM nobile</b>							
AA 520 <i>sancti-johannis</i> , 40 cm, bright orange, VI-VIII, Z3-8 .....	2	15		98,00	14,00	2,00	2,00
<i>tinctoria</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>ANTHERICUM</b> (Anthericaceae, Liliaceae)							
AA 530 <i>Iliago</i> , 50 cm, white, V-VI, Z6-8 .....	20	1		–	58,00	7,40	5,80
<i>Iliastrum</i> - see <b>PARADISEA</b>							
AA 538 <i>ramosum</i> , 70 cm, white, branched, VI-VIII, Z5-8 .....	25	1		320,00	40,00	5,00	5,00
<b>ANTHRISCUS</b> (Apiaceae, <i>Umbelliferae</i> )							
<i>cerefolium</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
AA 540 <i>sylvestris</i> , Chervil, 60 cm, white, IV-VII, Z5-9 .....	20	1		24,00	6,00	2,00	2,00
AA 541 <i>sylvestris</i> 'Ravenswing', 60 cm, white, bronze-purple-red foliage, very decorative, IV-VII, Z6-9 .....	15	1		512,00	64,00	8,00	6,00
<b>ANTHYLLIS</b> (Papilionaceae, <i>Leguminosae</i> )							
AA 542 <i>montana</i> 'Rubra',  10 cm, blood-red, VI-VIII, Z5-8 .....	10	1	△	–	96,00	12,00	6,00
AA 546 <i>vulneraria</i> , Kidney Vetch, 15-20 cm, yellow-orange, V-VI, Z4-9 .....	8	8	△	80,00	10,00	2,00	2,00
(see also <b>Organic-Seeds</b> ), .....							
AA 544 <i>vulneraria</i> var. <i>coccinea</i> [ <i>Red Carpet</i> ], 15 cm, red-orange, V-VIII, Z5-9 .....	8	9	△	380,00	48,00	6,00	6,00
(see also <b>GOLD NUGGET SEED®</b> ), .....							
<b>ANTIRRHINUM</b> (Scrophulariaceae)							
<i>asarina</i> - see <b>ASARINA procumbens</b>							
AA 552 <i>braun-blanchetii</i> [ <i>Lemon Sherbet</i> , <i>Candelabra</i> ], 50 cm, white with yellow throat, large blossoms, IV-X, Z4-10 .....	1	15	△	448,00	56,00	7,00	3,50
AA 550 <i>sempervirens</i> , 15 cm, white Snapdragon flowers, pale lilac striped with yellow throat, silky hairy wintergreen foliage, very attractive species for dry protected positions, VI-VII, Z6-8 .....	0,25	1	△	–	64,00	8,00	4,00
<b>AQUILEGIA F<sub>1</sub>-Hybr.</b> (Ranunculaceae)							
<i>caerulea</i> <b>Songbird-Series</b> , 30-60 cm, a very early flowering columbine for container or rock gardens with extremely large flowers (5-9 cm), V-VII, Z4-7, ..approx. <b>750 seeds = 1 g</b>							
AA 584 'Songbird Blue Bird',  medium blue/white .....							
AA 583 'Songbird Cardinal', dark red/white .....							
AA 587 'Songbird Dove',  white .....							
AA 588 'Songbird Goldfinch', yellow .....							
AA 591 'Songbird Nightingale', lavender/white .....							
AA 589 'Songbird Robin', pink/white .....							
AA 593 'Songbird Mix', rich colors .....							

continued on the following page

Production – Breeding – Seed Technology				Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>AQUILEGIA continuation</b>										
AA 710 'Alaska' [Swan White],	white									
AA 708 'Colorado' [Remembrance®, Swan Violet-White],	royal purple/violet-white									
AA 712 'Florida' [Swan Yellow],	yellow									
AA 706 'Georgia' [Swan Red-White],	red-white									
AA 702 'Louisiana' [Swan Burgundy-White],	burgundy-white									
AA 707 'Montana' [Swan Pink/Rose-White],	pink/rose-white									
AA 703 'Oregon' [Swan Pink-Yellow],	pink-yellow									
AA 704 'Vermont' [Swan Lavender],	lavender									
AA 700 'Virginia' [Swan Blue-White],	blue-white									
AA 715 'State-Series Mix' [Swan Series Mix]										
<b>flabellata Cameo-Series</b> , only 10 cm, one of the smallest, compact-growing dwarf columbines, ideal for use as pot-plant or for rock gardens, V-VI, Z3-7, . . . . . approx. 1000 seeds = 1g										
AA 660 'Cameo Blue-White'										
AA 662 'Cameo Lightred-White'										
AA 664 'Cameo Pink-White'										
AA 666 'Cameo White'										
AA 668 'Cameo Softpink'										
AA 670 'Cameo Mixture'										
<b>flabellata Spring Magic-Series</b> , 35 cm, early flowering and semi tall columbine series, 5 - 6 cm large flowers, abundant flowering and vigorous growing, delicate silvery-green foliage, V-VI, Z3-7, . . . . . approx. 650 seeds = 1g										
AA 682 'Spring Magic Blue-White'										
AA 685 'Spring Magic Light-Red-Yellow'										
AA 686 'Spring Magic Pink-White'										
AA 688 'Spring Magic White'										
AA 687 'Spring Magic Yellow'										
AA 690 'Spring Magic Mix'										
<b>vulgaris var. stellata plena Barlow-Series</b> , 80 cm, fully double flowers, spurless, upright, also for cut flower production, V-VII, Z3-8, . . . . . approx. 650 seeds = 1g										
AA 785 'Black Barlow', purple-black										
AA 786 'Blue Barlow', violet-blue										
AA 796 'Bordeaux Barlow', dark ruby										
AA 787 'Christa Barlow', dark blue, white edged										
AA 788 'Nora Barlow', pink, green-white edged										
AA 789 'Rose Barlow', rose-pink										
AA 799 'White Barlow', white with green tips										
AA 779 'Barlow Choice Mix', color mixture										
<b>vulgaris Clementine-Series</b> , 45 cm, double upright facing flowers, spurless, compact habit, suitable as flowering container plant, V-VIII, Z3-8, . . . . . approx. 750 seeds = 1g										
AA 721 'Clementine Blue'										
AA 723 'Clementine Dark Purple'										
AA 725 'Clementine Red'										
AA 726 'Clementine Rose'										
AA 727 'Clementine Salmon Rose'										
AA 729 'Clementine White'										
AA 730 'Clementine Formula Mix'										
<b>vulgaris Winky-Series</b> , 45 cm, upright facing flowers, abundant flowering, sturdy stems, compact habit, also suitable as pot-plant, V-VII, Z3-8, . . . . . approx. 650 seeds = 1g										
AA 671 'Winky Early Sky Blue'										
AA 672 'Winky Red-White'										
AA 674 'Winky Blue-White'										
AA 676 'Winky Purple-White'										
AA 678 'Winky Rose-Rose'										
AA 679 'Winky Single Formula Mix'										
<b>akitensis - see flabellata</b>										
AA 594 alpina, 50 cm, blue, cultivated form, V-VI, Z3-8				5	16		192,00	28,00	4,00	2,00
AA 598 atrata, 50 cm, black-violet, V-VI, Z3-8				5	1		352,00	44,00	6,20	3,10
AA 599  buergeriana (atropurpurea), 45 cm, purple merges to yellow, even spurs, V-VI, Z6-9				2	8		460,00	58,00	7,20	3,60
AA 601  buergeriana 'Calimero' [Blackcurrant Ice], 20 cm, purple with light yellow corolla, compact, even spurs, V-VI, Z6-9 ( <i>see also GOLD NUGGET SEED®</i> )				5	8		768,00	96,00	12,00	6,00
AA 600 caerulea, wild form, Colorado State Flower, 60 cm, blue with white corolla, rarely pure white, delicate foliage, V-VII, Z3-8				5	16			72,00	9,00	3,50
<b>Caerulea-Hyb. single colours</b> , 60 cm, large flowers, long spurs, V-VII, Z3-8										
AA 604 'Blue Star', blue with white corolla										
AA 608  'Heavenly Blue' [Sky Blue, Blue Dream], sky blue shades										
AA 610 'Koralle', coral colored shades with yellowish corolla										
AA 614 'Kristall' [White Star, Crystal Star], pure white										
AA 618  'Maxi' [Yellow Star], bright yellow										
AA 622 'Rotstern' [Crimson Star], carmine-red with white corolla										
AA 620 'Red Hobbit' [Danish Dwarf], 35 cm, a dwarf 'Rotstern', compact, VI-VIII, Z3-8				5	16		768,00	96,00	12,00	6,00


*AQUILEGIA buergeriana*

*AQUILEGIA buergeriana 'Calimero'*

*AQUILEGIA Caer.-Hybr. 'Heavenly Blue'*

*AQUILEGIA Caer.-Hybr. 'Maxi'*

*AQUILEGIA canadensis 'Little Lanterns'*

*AQUILEGIA canadensis 'Pink Lanterns'*

*AQUILEGIA flabellata var. pum. 'Selection'*

*AQUILEGIA olympica*

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:						
				from 100 g	from 10 g	from 1 g	Portion			
<b>AQUILEGIA continuation</b>										
<b>Caerulea-Hybr. Mixtures</b>										
AA 644 <i>(sibirica hort., vulgaris)</i> 'Biedermeier'	35 cm, dwarf mix, bright colors, V-VI, Z2-8	5	16	×	180,00	22,00	2,80	2,00		
AA 632 'Dragon Fly'	50 cm, mixture, like McKana, but shorter, V-VII, Z3-8									
AA 636 'McKana', <small>[AAS]</small>	75 cm, giant blooming mixture, VI-VII, Z3-8	5	16	×	98,00	16,00	2,80	2,00		
AA 648 <i>canadensis</i> , <small>[AGM]</small>	45 cm, red with pale yellow corolla, V-VI, Z3-8	5	15	△	320,00	40,00	5,00	2,50		
AA 649 <i>canadensis</i> 'Corbett'	30 cm, light yellow, V-VI, Z3-8	3	15	⊗ △ ⚡	1980,00	256,00	32,00	5,40		
AA 650 <small>⊗</small> <i>canadensis</i> 'Little Lanterns' [ <i>Hummingbird, Rhubarb &amp; Custard</i> ]	25 cm, brilliant red with yellow corolla, dwarf and compact, V-VI, Z3-8	3	15	⊗ △ ⚡	980,00	124,00	16,00	4,80		
AA 647 <small>⊗</small> <i>canadensis</i> 'Pink Lanterns'	30 cm, pink with straw-colored corolla, nodding flowers, delicate three-lobed foliage, an outstanding novelty from Dyck Arboretum, V-VII, Z3-8	2	15	⊗ △ ⚡	–	256,00	32,00	5,40		
AA 751 <i>chrysanthia</i>	70 cm, yellow, smaller flowers, graceful growth, VI-VIII, Z3-8	3	15	–	420,00	52,00	6,60	3,30		
AA 755 <small>⊗</small> <i>chrysanthia</i> Denver Gold®, <small>[PS]</small>	80 cm, golden, robust and stable, reblooms after dead-heading, V-IX, Z3-8 ( <i>see also Organic-Seeds</i> )	3	15	△ ×	–	72,00	9,00	3,60		
AA 752 <i>chrysanthia</i> 'Yellow Queen'	80 cm, golden, long spurs, large flowering, VI-VIII, Z3-8	5	15	⊗	224,00	32,00	4,60	2,30		
AA 751 <i>ecalcarata</i> - see SEMIAQUILEGIA										
AA 760 <i>flabellata</i> var. <i>pumila</i> f. <i>alba</i> [ <i>White Angel</i> ], <small>[AGM]</small>	20 cm, wax-white, IV-VI, Z3-8	5	8	⊗ △ ⚡	896,00	112,00	15,00	5,00		
AA 592 <i>flabellata</i> var. <i>pumila</i> f. <i>kuriensis</i> 'Rosea'	20 cm, pink, V-VI, Z3-8	3	8	⊗ △ ⚡	896,00	112,00	15,00	5,00		
AA 590 <i>flabellata</i> var. <i>pumila</i> 'Ministar' [ <i>Blue Angel</i> ]	20 cm, blue, white nectary spurs, for rock garden, V-VI, Z3-8	5	8	⊗ △ ⚡	896,00	112,00	15,00	5,00		
AA 764 <small>⊗</small> <i>flabellata</i> var. <i>pumila</i> 'Selection'	<small>[AGM]</small> 20 cm, bright blue with white nectary spurs, IV-VI, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> )	5	8	⊗ △ ⚡	580,00	72,00	9,00	3,50		
AA 768 <i>formosa</i>	45 cm, brick-red with yellow, V-VI, Z3-8	5	8	△	896,00	112,00	15,00	5,00		
AA 772 <i>glandulosa</i>	20 cm, large flowering, deep blue with white, delicate, V-VI, Z3-7	3	8	△	–	–	–	9,80		
AA 773 <i>nevadensis</i>	50 cm, pale purple flowers with incurved spurs, V-VI, Z5-7	3	8	△	460,00	58,00	7,20	3,60		
AA 774 <small>⊗</small> <i>olympica</i>	50 cm, bright blue with white corolla, large flowering, V-VI, Z5-7	5	9	△	–	112,00	15,00	5,00		
AA 771 <i>oxysepala</i>	60 cm, wine-red with yellow corolla, short spurs, V-VII, Z3-8	3	16	×	460,00	58,00	7,20	3,60		
AA 778 <small>⊗</small> <i>rockii</i>	40 cm, rich lilac, graceful flowers, white edged corolla, V-VII, Z5-7	3	9	△	512,00	64,00	8,00	4,00		
AA 642 <small>⊗</small> <i>sibirica</i>	40 cm, brilliant blue with white corolla, very large flowering, V-VI, Z2-7	5	16	⊗ △ ×	320,00	40,00	5,00	2,50		
AA 740 <small>⊗</small> <i>viridiflora</i> [ <i>Chocolate Soldier</i> ]	40 cm, green flowers with reddish-brown corolla, very unusual, V-VII, Z3-7	3	15	△	1540,00	192,00	24,00	6,00		
AA 776 <i>vulgaris</i>	50 cm, blue, V-VI, Z3-8 ( <i>see also Organic-Seeds</i> )	5	16	⊗ × ⚡	112,00	14,00	2,00	2,00		
AA 777 <i>vulgaris</i> 'Alba' [ <i>Munstead White</i> ]	50 cm, white, V-VI, Z3-8	5	16	△ ×	242,00	30,00	3,80	2,00		
AA 753 <i>vulgaris</i> 'Clematiflora-Hybr.' ( <i>stellata</i> )	60 cm, reddish-purple but also blue and white, spurless, V-VII, Z3-8	5	16	⊗ ×	320,00	40,00	5,00	2,50		
AA 782 <i>vulgaris</i> 'Heidi' ( <i>Antique Pink</i> )	70 cm, pink, V-VII, Z3-8	5	16	⊗ ×	242,00	30,00	3,80	2,00		

continued on the following page



AQUILEGIA rockii



AQUILEGIA sibirica



AQUILEGIA viridiflora



AQUILEGIA vulgaris 'Leprechaun Gold'

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>AQUILEGIA continuation</b>								
AA 783	vulgaris 'William Guinness' [Magpie], 60 cm, almost black purple flowers with white corolla, V-VII, Z3-8 .....	5	16	✖✖	320,00	40,00	5,00	2,50
AA 798	vulgaris var. stellata plena 'Green Apples' [Lemon Sorbet], 80 cm, white with green tips, double, spurells, V-VII, Z3-8 .....	5	16	✖✖	492,00	58,00	6,80	3,40
AA 790	vulgaris var. stellata plena 'Ruby Port', 70 cm, unicolored dark ruby, double, very exquisite, V-VII, Z3-8 .....	5	16	✖✖	492,00	58,00	6,80	3,40
AA 792	vulgaris 'Grandmothers Garden', 60 cm, antique types, old pink, violet, wine-red, etc., V-VII, Z3-8 .....	5	16	✖✖	168,00	21,00	2,80	2,00
AA 795	✉ vulgaris 'Leprechaun Gold', 60 cm, violet, large flowering, striking golden and green marbled foliage. Best, 98% variegated form, V-VII, Z3-8 .....	5	8	✿✖	384,00	48,00	6,00	3,00
AA 797	✉ vulgaris 'Mellow Yellow', 60 cm, white blossoms, large flowering, with strongly golden coloured foliage in spring, soft light green in summer. Best 98% golden leaved form, V-VII, Z3-8 .....	5	8	✿✖	384,00	48,00	6,00	3,00
AA 794	vulgaris 'Woodside Strain', 60 cm, blue, violet, pink or white flowers, green-yellow marbled leaves, approx. 75% variegated or yellow leaved, very variable, V-VII, Z3-8 .....	5	8	✿✖	320,00	40,00	5,00	2,50
<b>ARABIS (Brassicaceae, Cruciferae)</b>								
AA 800	alpina ssp. caucasica - see caucasica blepharophylla 'Frühlingszauber' [Spring Charm], AGM, 20 cm, crimson, short-lived, III-V, Z4-9 .....	1	15	✿△⊗	384,00	48,00	6,00	3,00
AA 802	blepharophylla 'Rote Sensation' [Red Sensation], 20 cm, brilliant crimson, longer-lived, IV-V, Z4-9 .....	1	15	✿△⊗	1386,00	154,00	18,00	7,00
AA 804	caucasica Compacta 'Schneeball' [Snowball], 20 cm, pure white, III-IV, Z3-7 .....	1	15	✿△⊗	128,00	16,00	2,00	2,00
AA 808	caucasica Compacta 'Schneehaube' [Snow Cap, Snow Peak], AGM, 15 cm, white, compact, III-IV, Z3-7 .....	1	15	✿△⊗	3520,00	392,00	44,00	7,40
AA 809	caucasica Compacta 'Snowfix', ES, 10 cm, white, dense flower carpets, compact habit, first year flowering without vernalisation, III-IV, Z3-7 .....	1	15	✿△⊗	-	612,00	68,00	6,20
NEW! AA 805	✉ caucasica 'Little Treasure Deep Rose'™, ES, 8 cm, bright deep rose, uniform dense flower carpets, very compact habit, first year flowering without vernalisation, III-V, Z3-7 .....	1	15	✿△⊗	-	442,00	52,00	5,80
NEW! AA 807	✉ caucasica 'Little Treasure White'™, 8 cm, brilliant pure white, uniform dense flower carpets, very compact habit, first year flowering without vernalisation, III-V, Z3-7 .....	1	15	✿△⊗	-	442,00	52,00	5,80
AA 810	✉ caucasica 'Pixie Cream', 10 cm, creamy yellow with bright sulphur yellow eye, compact habit, velvety grey-green leaves, first year flowering from seed, III-IV, Z3-7 .....	0,5	15	✿△⊗	1536,00	192,00	24,00	6,00
AA 812	caucasica 'Compinkie' [Pinkie], 15 cm, intense pink, III-IV, Z3-7 .....	1	15	✿△⊗	2142,00	252,00	28,00	5,00
AA 816	caucasica (x arendsi) Rosea 'La Fraicheur', 20 cm, fresh pink, III-IV, Z3-7 .....	1	15	✿△⊗	240,00	32,00	4,00	2,00
AA 832	procurrens 'Glacier', 10 cm, white, evergreen groundcover, IV-VI, Z4-7 .....	0,5	9	△VV⊗	768,00	96,00	12,00	4,00
<b>ARALIA (Araliaceae)</b>								
AA 830	racemosa, American Spikenard, 150-200 cm, white flower umbels, following dark red berries, VI-VIII, Z4-10 .....	5	8	Sol \$	-	-	5,20	2,80
<b>ARCTANTHEMUM (Asteraceae, Compositae)</b>								
CA 382	arcticum (CHRYSANTHEMUM), 30 cm, white and pink, IX-X, Z1-8 .....	2	15	✖	720,00	90,00	12,00	6,00
<b>ARCTIUM lappa</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>ARCTOSTAPHYLOS (Ericaceae)</b>								
AA 848	uva-ursi, 5 cm, white-rose, groundcover, evergreen, red berries, III-V, Z2-8, .....	30	6	VV \$ △	160,00	20,00	2,60	2,60
<b>ARENARIA (Caryophyllaceae)</b>								
AA 850	✉ ledebouriana, 5 cm, white, dense cushions, VI-VIII, Z5-8 .....	1	9	△	1792,00	224,00	32,00	6,00
AA 852	✉ montana [Avalanche, Snowwhite], AGM, 10 cm, white, large flowers, V-VIII, Z3-8 (see also GOLD NUGGET SEED®). .....	4	1	△⊗⊗	768,00	96,00	12,00	6,00
AA 855	rubra - see SPERGULARIA rubra serpyllifolia, Thyme-Leaved Sandwort, 10 cm, white, V-IX, Z4-7 .....	0,25	15	⊖ – ⊖	128,00	16,00	2,00	2,00
<b>ARGEMONE (Papaveraceae, Fumariaceae)</b>								
NEW! AA 860	✉ polyanthemos, Plains Prickly Poppy, 100 cm, white, very large flowering, grey-green foliage, VI-IX, Z3-11, ⊖ .....	10	1	△	160,00	22,00	3,40	2,00

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>ARISAEMA (Araceae)</b>									
AA 861	<i>amurense</i> , Amur Jack-in-the-Pulpit (Tain Nan Xing), 30 cm, white and green striped spathe, red berries, V-VI, Z4-9, TCM plant . . . . .	80	16	❖ \$	–	40,00	5,00	6,00	
AA 876	<i>ciliatum</i> , 80 cm, striped spathe, VII-VIII, Z5-9 . . . . .	45	16	❖	–	46,00	5,80	7,20	
AA 862	<i>consanguineum</i> , 100 cm, large umbrella like leaf, green spathe with long tail, red berry clusters, VII-IX, Z5-9 . . . . .	50	16	❖	–	60,00	7,50	9,60	
AA 826	<i>flavum</i> , 45 cm, yellow-green spathe, V-VI, Z5-10 . . . . .	30	16	❖ \$	–	42,00	5,00	5,00	
NEW! AA 866	<i>jacquemontii</i> , 40 cm, mostly green and striped spathe, VII-X, Z5-9 . . . . .	15	16	❖ △	–	–	9,80	5,20	
AA 868	<i>speciosum</i> , 60 cm, red-purple and white striped spathe, broad trifoliate leaves, V-VII, Z6-9 . . . . .	45	16	❖	320,00	40,00	5,00	6,00	
AA 870	<i>tortuosum</i> , 120 cm, green or purple spathe, spadix extension purple, curled and very long, appears above the foliage, V-VII, Z6-9 . . . . .	60	16	❖	240,00	30,00	3,80	8,00	
AA 872	<i>trifolium (atrorubens)</i> , 40 cm, Jack in the Pulpit, spathe with purple interior and bright stripes, with red berries, III-IV, Z3-8 . . . . .	80	16	❖ △	–	24,00	3,20	8,00	
<b>ARISTOLOCHIA clematitis – see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
<b>ARMERIA (Plumbaginaceae)</b>									
AA 890	<i>alliacea (plantaginea)</i> , 30 cm, pink, V-VII, Z4-9, . . . . .	pure seed	5	9	△ ✕	–	96,00	12,00	6,00
AA 902	<i>alliacea</i> var. <i>leucantha</i> , 30 cm, pure white, VI-VIII, Z4-9, . . . . .	pure seed	5	9	△	–	96,00	12,00	6,00
AA 884	<i>alpina</i> , 15 cm, carmine-pink, V-VI, Z3-7, . . . . .	pure seed	2	16	△	–	120,00	15,00	5,00

continued on the following page



AQUILEGIA vulgaris 'Mellow Yellow'



ARABIS 'Little Treasure Deep Rose'™



ARABIS caucasica 'Little Treasure White'™



ARABIS caucasica 'Pixie Cream'



ARENARIA ledebouriana



ARENARIA montana



ARGEMONE polyanthemos



ARISAEMA jacquemontii

## Production – Breeding – Seed Technology

			Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
						from 100 g	from 10 g	from 1 g	Portion
<b>ARMERIA continuation</b>									
AA 892	<i>Maritima</i> -Hybr. 'Ornament®', 30 cm, white to dark pink, large blossoms, wintergreen foliage, V-VII, Z4-9 . . . . .	pure seed	3	16	×	–	162,00	18,00	4,00
AA 899	<i>maritima</i> 'Alba' [Ministick White], 15 cm, pure white, V-VII, Z3-7, . . . . .	pure seed	2	16	△ Ⓛ Ⓜ	464,00	58,00	7,20	3,60
AA 886	■ <i>maritima</i> 'Morning Star Deep Pink', 15 cm, brilliant deep pink, dense and rich flowering, compact habit, first year flowering without vernalisation, IV-IX, Z3-7, . . . . .	approx. 1500 seeds = 1g, pure seed	1,5	16	△ Ⓛ Ⓜ	–	288,00	32,00	4,80
AA 887	■ <i>maritima</i> 'Morning Star White', 15 cm, brilliant white, dense and rich flowering, compact habit, 1. year flowering without vernalisation, IV-IX, Z3-7, approx. 1500 seeds = 1g, pure seed	1,5	16	△ Ⓛ Ⓜ	–	288,00	32,00	4,80	
AA 901	<i>maritima</i> 'Splendens' (laucheania) [Sea Pink, Ministick Rose], 15 cm, rosy-red, V-VII, Z3-7, . . . . .	pure seed	2	16	△ Ⓛ Ⓜ	464,00	58,00	7,20	3,60
AA 896	<i>pseudarmeria</i> ( <i>latifolia</i> , <i>formosa</i> ), 30 cm, large flowering varieties, VI-VIII, Z4-9, . . . . .	pure seed	2	16	× △	256,00	32,00	4,00	2,00
	<i>pseudarmeria</i> Ballerina-Series, 25 cm, large globular flowers, rich flowering, compact habit, flowers in the first year, V-IX, Z4-9								
AA 900	'Ballerina Lilac'								
AA 903	'Ballerina Red'								
AA 905	'Ballerina White'								
<b>ARNEBIA (Boraginaceae)</b>									
AA 910	■ <i>pulchra</i> ( <i>echioides</i> ), Prophet Flower, 25 cm, golden with black spots, rough lanceolate foliage, IV-V, Z5-9 . . . . .		30	1	△	790,00	98,00	14,00	14,00
<b>ARNICA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
<b>ARTEMISIA (Asteraceae, Compositae)</b>									
	<i>absinthium</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
	<i>annua</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
AA 916	<i>chamaemelifolia</i> , 20 cm, aromatic, yellow, VI-VII, Z3-6 . . . . .		0,5	15	△	–	–	9,60	4,80
	<i>dracunculus</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
	<i>genipi</i> - see Perennial Herbs - Culinary, Teas and Medicinal								
AA 926	<i>lactiflora</i> , (AGM), White Mugwort, 180 cm, white panicles, dark green foliage, IX-X, Z3-8 . . . . .		0,5	15	‡ × Sol	960,00	120,00	15,00	5,00
AA 928	<i>laxa</i> ( <i>umbelliformis</i> , <i>mutellina</i> ), 10 cm, intense fragrance, mat-forming, yellow blossom racemes, VII-IX, Z3-6 . . . . .		0,5	15	ℳ △ ℙ	–	–	28,00	7,00
AA 930	■ <i>ludoviciana</i> , Western Mugwort, White Prairie Sage, 60 cm, yellowish flowers, grey aromatic leaves, variable, VII-VIII, Z4-9 . . . . .		0,5	15	‡ ×	128,00	16,00	2,00	2,00
	<i>scoparia</i> - see Perennial Herbs - Culinary, Teas and Medicinal								
AA 937	■ <i>stelleriana</i> 'Mori's Strain' [Boughton Silver], 20 cm, yellowish flowers, white felt-like pinnatifid lobed leaves, creeping, very attractive foliage plant, VI-VII, Z3-7 . . . . .		2	15	ℳ △ ™	–	192,00	24,00	7,20
	<i>vulgaris</i> - see Perennial Herbs - Culinary, Teas and Medicinal								
<b>ARTHROPODIUM (Anthericaceae)</b>									
AA 912	<i>cirratum</i> , Rock Lily, 60 cm, white panicles, wide-lanceolate dark green foliage, V-VII, Z7-9 . . . . .		5	16	✿	240,00	30,00	3,80	3,80



ARMERIA 'Morning Star Deep Pink'

ARMERIA maritima 'Morning Star White'

ARNEBIA pulchra

ARTEMISIA stelleriana 'Mori's Strain'



ARUM italicum ssp. italicum

ARUNCUS aethusifolius

ARUNCUS Kneiffii-Hybr. 'Whirlwind'

ASARUM caudatum



ASARUM caulescens



ASARUM europaeum



ASCLEPIAS incarnata 'Iceballet'



ASCLEPIAS tuberosa

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ARUM</b> (Araceae)								
AA 933	<b>alpinum (cylindraceum)</b> , 20 cm, green spathe, orange-red fruiting heads, IV-V, Z6-8 . . . . .	100	6	△ ✕ &	98,00	14,00	2,00	7,00
AA 936	italicum ssp. <b>italicum</b> , 30 cm, orange-red berries, leaves silvery-white veined, IV-V, Z4-9 . . . . .	100	6	✖ ✕ &	52,00	8,00	2,00	4,00
AA 940	<b>maculatum</b> , 30 cm, coral-red berries, green to spotted leaves, IV-V, Z4-9 . . . . .	100	6	✖ ✕ & \$	52,00	8,00	2,00	4,00
<b>ARUNCUS</b> (Rosaceae)								
AA 944	<b>aethusifolius [Noble Spirit]</b> , (AGM), 30 cm, white with partially red stems, fine feathery foliage, V-VII, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	1	△ ✕	768,00	96,00	12,00	3,00
AA 952	<b>dioicus (sylvestris)</b> , (AGM), 160 cm, white, from selected plants, V-VI, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	9	✖ ✕ ⚡	144,00	20,00	3,00	2,00
AA 954	<b>dioicus Kneiffii-Hyb. 'Whirlwind'</b> , 140 cm, bright creamy-white flower panicles, finely dissected pinnatifid foliage, slightly wider than 'Kneiffii', spherical up to 50 cm high foliage clumps, graceful and sturdy habit, slow growing but very durable and long lived foliage plant, V-VII, Z3-9 . . . . .	0,5	16	* △ ⚡	—	864,00	96,00	9,60
AA 958	<b>dioicus var. <i>kamtschaticus</i></b> , 90 cm, white panicles, compact habit, VI-VII, Z3-9 . . . . .	0,5	9	✖ ✕ ⚡	384,00	48,00	6,00	3,00
AA 948	<b>sinensis</b> , 150 cm, white, blooms after A. dioicus, VI-VII, Z3-9 . . . . .	1	16	✖	144,00	20,00	3,00	2,00
AA 956	<b>sinensis 'Zweiweltenkind' [Child of Two Worlds]</b> , 150 cm, white, upright panicles, hybrid between dioicus and sinensis, VI-VII, Z3-9 . . . . .	1	16	✖ Sol	192,00	24,00	3,00	2,00
<b>ASARINA</b> (Scrophulariaceae)								
AA 964	<b>procumbens (ANTIRRHINUM asarina)</b> , 8 cm, light yellow with darker lip, flag soft pink veined, fragrant, IV-X, Z6-9 . . . . .	1	9	△ w w ↓	384,00	48,00	6,00	3,00
<b>ASARUM</b> (Aristolochiaceae)								
AA 967	<b>canadense</b> , 15 cm, brownred, young leaves light green, intensely hairy, III-IV, Z3-8 . . . . .	10	19	w w \$ *	460,00	54,00	6,00	4,50
AA 968	<b>caudatum</b> , Wild Ginger, 20 cm, bright reddish brown, large heart-shaped foliage, mostly evergreen groundcover, V-VI, Z6-9 . . . . .	12	19	w w \$ *	—	72,00	9,40	7,20
NEW! AA 969	<b>caulescens</b> , 15 cm, bright red, summer green, cordate leaves, V-VII, Z6-9 . . . . .	15	19	△	—	—	9,40	7,20
AA 972	<b>europaeum</b> , 10 cm, brownred, glossy dark green leaves, evergreen, III-IV, Z4-7 . . . . .	12	19	* \$ ✕	380,00	45,00	5,00	5,00
<b>ASCLEPIAS</b> (Asclepiadaceae)								
AA 974	<b>curassavica</b> , 70 cm, scarlet-red with orange, evergreen, VI-IX, Z8-11 . . . . .	10	15	① ✕ □	560,00	70,00	8,80	5,00
AA 975	<b>fruticosa (GOMPHOCARPUS)</b> , Swan Plant Milkweed, Tennis Ball Bush, 90 cm, creamy white, conspicuous large inflated fruits, V-VII, Z7-11 . . . . .	20	9	✉ ✕	360,00	46,00	5,80	5,80
AA 976	<b>incarnata [Soulmate, Cinderella]</b> , 100 cm, pinkred, vanilla-scented, VII-VIII, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	20	9	① ✕ ✕ ✕ ✕	128,00	16,00	2,00	2,00
AA 977	<b>incarnata 'Iceballet' [Milkmaid, Ice Follies]</b> , 100 cm, white, long lasting, VII-IX, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	20	8	✖ ①	192,00	24,00	3,00	3,00
AA 978	<b>physocarpa (GOMPHOCARPUS) [Hairy Balls]</b> , 140 cm, cream-white, narrow leaves, large inflated fruits, VI-IX, Z7-10 . . . . .	20	9	① ✕ □	320,00	40,00	5,00	5,00
AA 979	<b>speciosa</b> , 100 cm, purple-pink flowers in bell shaped umbels, large, slightly hairy foliage, VII-VIII, Z2-9 . . . . .	15	15	✖	216,00	27,00	3,40	3,40
AA 984	<b>tuberosa</b> , Butterly Weed, 70 cm, orange, VI-VIII, Z3-8 ( <i>see also Organic-Seeds</i> ) . . . . .	15	9	① ✕ \$ ✕	160,00	20,00	3,00	3,00
AA 985	<b>tuberosa ssp. <i>interior</i></b> , 70 cm, brilliant orange umbels, narrow foliage, also tolerates heavy and moist soils, very vigorous, VI-VIII, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	15	9	① ✕ \$ ✕	240,00	32,00	4,20	4,20
AA 988	<b>tuberosa 'Gay Butterflies'</b> , 70 cm, mixture of yellow, orange and red-orange, VI-VIII, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	15	9	① ✕ ✕	320,00	40,00	5,80	5,80
AA 986	<b>tuberosa 'Hello Yellow'</b> , 60 cm, yellow to orange-yellow shades, the first time as a separate colour, VI-VIII, Z3-8 . . . . .	15	9	① ✕	480,00	60,00	8,60	8,60
AA 990	<b>verticillata</b> , 40 cm, white umbels, needle-like foliage, VI-VIII, Z4-9 . . . . .	5	9	✖	256,00	32,00	4,00	2,00
<b>ASPARAGUS</b> (Asparagaceae, Liliaceae)								
AA 992	<b>off. var. <i>pseudosabice</i> 'Spitzenschleier'</b> , 100 cm, flowers inconspicuous, outstanding for use in flower arranging, V, Z3-10 . . . . .	50	7	✖ \$ ① ✕ ✕	234,00	30,00	3,80	9,40
AA 996	<b>verticillatus</b> , 250 cm, richly branched stems, decorative foliage, red berries, V, Z3-8 . . . . .	100	7	✖ \$ ✕ ✕	125,00	16,00	2,00	8,00
<b>ASPERULA</b> (Rubiaceae)								
AB 002	<b>cynanchica</b> , Squinancy Wort, 20 cm, pale pink, abundant flowering cushions, without runners, VI-IX, Z4-7 . . . . .	5	16	△	224,00	28,00	3,60	2,40
Perennials								

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ASPHODELINE</b> (Asphodelaceae, <i>Liliaceae</i> )								
AB 010	<i>liburnica</i> , 90 cm, yellow, V-VI, Z4-7 . . . . .	30	9	×	144,00	18,00	2,50	2,50
AB 014	<i>lutea</i> [ <i>Gelbe Kerze, Yellow Candle</i> ], 80 cm, yellow with narrow leaves, V-VI, Z5-8 (see also GOLD NUGGET SEED®) . . . . .	40	9	×	136,00	17,00	2,20	2,20
AB 015	<i>taurica</i> , 50 cm, white, dense raceme, IV-VI, Z5-8 . . . . .	15	9	✗ ✗	210,00	26,00	3,20	3,20
<b>ASPHODELUS</b> (Asphodelaceae, <i>Liliaceae</i> )								
AB 018	<i>albus</i> , 100 cm, white with brown bracts, decorative flowering panicles, V-VI, Z5-9 . . . . .	40	5	⊗ ✗ ✗	–	26,00	3,20	2,60
<b>ASTELIA</b> (Asteliaceae)								
AB 025	<i>banksii</i> , Wharawhara, 120 cm, cream coloured inconspicuous flower umbels, but with violet-black berries, silvery-green, sword-like foliage, valuable foliage plant, V-VI, Z8-10 . . . . .	5	8	◆ ♀	960,00	120,00	16,00	8,00
AB 022	<i>chathamica</i> [ <i>Silver Spear</i> ], <small>(AGM)</small> , 120 cm, inconspicuous flower umbels, but with red berries, silvery-grey sword-like foliage, very decorative foliage plant, V-VI, Z8-10 . . . . .	10	8	◆ ♀	960,00	120,00	16,00	8,00
AB 023	<i>fragrans</i> , 160 cm, inconspicuous flowers, red berries, sword-like, broad foliage, green with reddish rib, foliage plant, V-VI, Z8-10 . . . . .	10	8	◆ ♀	360,00	46,00	5,80	2,90



ASCLEPIAS tuberosa 'Gay Butterflies'



ASCLEPIAS tuberosa 'Hello Yellow'



ASPHODELINE liburnica



ASTELIA banksii



ASTELIA chathamica



ASTER coloradoensis



ASTER turbinellus



ASTILBE chinensis var. pumila



ASTILBE chinensis var. taquetii Hybr.

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>ASTER (Asteraceae, Compositae)</b>							
AB 020 <i>alpinus</i> , (AGM), 30 cm, light blue, V-VI, Z3-7							
AB 026 <i>alpinus 'Albus' [Weiße Schöne, White Beauty]</i> , 30 cm, white, V-VI, Z3-7							
AB 030 <i>alpinus 'Dunkle Schöne' [Dark Beauty]</i> , 30 cm, dark violet, V-VI, Z3-7							
AB 034 <i>alpinus 'Goliath'</i> , 30 cm, soft blue, large flowers, V-VI, Z3-7							
AB 040 <i>alpinus 'Pinkie'</i> , 30 cm, intense pink, large flowers, V-VI, Z3-7							
AB 038 <i>alpinus 'Happy End'</i> , 25 cm, pink, V-VI, Z3-7	5	15	△ ×	298,00	38,00	5,60	2,90
AB 042 <i>alpinus, mixed</i> , 30 cm, blue, white, pink, V-VI, Z3-7	5	15	△ ×	160,00	20,00	2,50	2,00
AB 044 <i>alpinus 'Trimix' formula mixture</i> , 30 cm, white, blue and pink shades, V-VI, Z3-7	5	15	△ ×	320,00	40,00	5,00	2,50
AB 046 <i>amellus, wild form</i> , 50 cm, blue-lilac, variable, VII-IX, Z5-8	5	15	×	92,00	15,00	2,40	2,40
AB 048 <i>amellus 'Rudolf Goethe'</i> , 50 cm, lavender blue, VII-IX, Z5-8	5	15	×	256,00	32,00	4,00	2,00
AB 056 <i>azureus (SYMPHYOTRICHUM)</i> , 70 cm, brilliant blue, VIII-X, Z3-8	1	8	×	–	–	12,00	6,00
AB 060 <i>bigelovii (MACHAERANTHERA)</i> , 70 cm, lilac, VI-IX, Z7-10	3	15	× ⊕	–	24,00	3,00	2,00
AB 061 <i>coloradoensis (MACHAERANTHERA)</i> , Colorado Tansy Aster, 15 cm, pink, large flowers, rare, VI-X, Z4-9	1	8	△	–	–	–	7,20
AB 064 <i>divaricatus (EURYBIA)</i> , 60 cm, white, IX-X, Z3-8	2	9	×	768,00	96,00	12,00	6,00
AB 066 <i>ericoides (SYMPHYOTRICHUM)</i> , 100 cm, white, VIII-X, Z3-8	1	15	×	480,00	60,00	7,60	3,80
AB 068 <i>laevis (SYMPHYOTRICHUM)</i> , 100 cm, blue-violet, IX-X, Z3-7	3	16	×	–	40,00	5,20	2,60
AB 076 <i>macrophyllus (EURYBIA)</i> , Bigleaf Aster, 80 cm, light violet to white umbels, VIII-IX, Z3-7	3	9	–	320,00	40,00	5,00	2,50
AB 080 <i>novae-angliae (SYMPHYOTRICHUM)</i> , 160 cm, pink, red, purple, IX-X, Z2-8	2	16	×	648,00	72,00	8,00	4,00
AB 084 <i>novae-angliae 'Septemberrubin'</i> , 160 cm, purple-red colours, abundant flowers, IX-X, Z2-8	2	16	⊕ ×	892,00	98,00	12,00	6,00
AB 088 <i>novi-belgii (SYMPHYOTRICHUM)</i> , 140 cm, blue, pink and white colors, new variations, for groups, IX-X, Z2-8	5	16	⊕ ×	892,00	98,00	12,00	6,00
AB 089 <i>oblongifolius (SYMPHYOTRICHUM)</i> , Aromatic Aster, 50 cm, purple violet umbels, large flowering, VIII-X, Z4-9	1	15	△ ×	–	98,00	14,00	7,00
AB 092 <i>ptarmicoides (OLIGONEURON album)</i> , 35 cm, white umbels, VII-IX, Z3-9	3	9	×	256,00	32,00	4,00	2,00
AB 094 <i>puniceus (SYMPHYOTRICHUM)</i> , 120 cm, violet-blue umbels, dark stems, VIII-X, Z3-9	3	9	×	–	112,00	14,00	7,00
AB 095 <i>pyrenaeus</i> , 50 cm, bluish lilac, robust habit, VII-IX, Z5-7	3	9	△	384,00	48,00	6,00	3,00
AB 096 <i>sibiricus (EURYBIA)</i> , Arctic Aster, 30 cm, blue-violet, VII-IX, Z2-7	3	16	△	–	–	8,00	4,00
AB 090 <i>spectabilis (EURYBIA)</i> , Eastern Showy Aster, 40 cm, brilliant violet umbels, narrow foliage, VIII-X, Z4-9	3	9	× △	480,00	60,00	8,00	4,00
AB 100 <i>tongolensis (subcaeruleus) 'Wartburgstern' [Wartburg Star]</i> , 50 cm, violet-blue, V-VI, Z4-8	5	16	× △	288,00	36,00	4,60	2,30
AB 106 <i>turbinellus (SYMPHYOTRICHUM)</i> , (AGM), 120 cm, violet-blue, rich flowering and highly branched, very attractive Fall Aster, IX-XI, Z3-7	3	9	×	892,00	98,00	12,00	4,00
AB 102 <i>umbellatus (DOELLINGERIA)</i> , 100 cm, white umbels, VIII-X, Z3-7	2	9	×	384,00	48,00	6,20	3,10
<b>ASTILBE (Saxifragaceae)</b>							
AB 111 <i>Arendsii-Hybr. 'Bella'</i> , 50 cm, red to rose, dense panicles, VI-VII, Z4-8	0,25	15	× ⊕	–	–	98,00	8,20
AB 110 <i>Arendsii-Hybr. 'Bunter Zauber' [Grande]</i> , 80 cm, rich colour mix with upright, slender flowering panicles, VI-VII, Z4-8	0,25	16	×	2910,00	324,00	36,00	6,00
AB 116 <i>Arendsii-Hybr. 'Showstar'</i> , 35 cm, red, pink, cream to white, compact, VI-VIII, Z4-8	0,1	15	× ⊕	–	–	320,00	9,60
AB 124 <i>chinensis</i> , 60 cm, lilac-rose, VII-IX, Z3-8	0,5	15	×	720,00	90,00	12,00	4,00
AB 126 <i>chinensis var. pumila</i> , (AGM), 25 cm, lilac-pink, upright panicles, magnificent groundcover, VIII-IX, Z3-8	0,5	15	× ↗	1540,00	192,00	24,00	6,00
AB 134 <i>chinensis var. taquetii Hybr.</i> , 100 cm, lilac shades, tolerates dryness better than other Astilbes, VII, Z3-8	0,5	16	×	1152,00	144,00	18,00	5,00
AB 132 <i>Japonica-Hybr. Mixture</i> , 50 cm, pink, red, white, VI-VII, Z4-6	0,25	15	×	–	240,00	30,00	6,00
AB 129 <i>myriantha</i> , 50 cm, pink, semi-shade, VI-VII, Z4-7	0,5	9	×	–	–	30,00	6,00
AB 135 <i>Thunbergii-Hybr.</i> , 50 cm, white to pink, VII-VIII, Z4-8	0,25	9	×	–	240,00	30,00	6,00
<b>ASTILBOIDES (Saxifragaceae)</b>							
AB 138 <i>tabularis (RODGERSIA tabularis)</i> , 100 cm, white, V-VII, Z4-8	0,25	15	× ≈ ●	–	–	78,00	8,00
<b>ASTRAGALUS (Papilionaceae, Leguminosae)</b>							
AB 144 <i>canadensis</i> , Canada Milkvetch, 100 cm, greenish-yellow spikes, VII-VIII, Z3-8	5	16	–	176,00	22,00	3,00	2,20
AB 146 <i>centralpinus</i> , 80 cm, golden, dense spikes, woolly, feathery foliage, VII-VIII, Z4-9	15	8	× △	–	32,00	4,00	4,00
<i>membranaceus var. mongolicus</i> - see Perennial Herbs + Organic Seed							
<b>ASTRANTIA (Apiaceae, Umbelliferae)</b>							
AB 162 <i>major</i> , 60 cm, white, pink veined, VI-VIII, Z5-7	10	1	× ≈	224,00	28,00	3,50	3,50
AB 165 <i>Major-Hybr. 'Primadonna' [Ruby Stars]</i> , 70 cm, purple to rose shades, VI-VII, Z5-7	10	1	× ≈	380,00	48,00	6,00	4,50
AB 166 <i>Major-Hybr. 'Rosensinfonie' [Rose Symphony]</i> , 75 cm, a symphony of purple, red and pink shades, excellent cut flower, VI-VIII, Z5-7	10	1	× ≈	380,00	48,00	6,00	4,50
AB 170 <i>maxima</i> , 40 cm, mostly pink, VI-VII, Z5-7	10	1	×	380,00	48,00	6,00	4,50
AB 174 <i>minor</i> , Lesser Masterwort, 40 cm, white, delicate, VII-VIII, Z5-7	3	1	△	–	120,00	16,00	6,00
<b>ASYNEUMA (Campanulaceae)</b>							
AB 180 <i>canescens</i> , 100 cm, blue-violet, VI-VIII, Z6-7	1	9	△	–	–	–	5,80
<b>ATHAMANTA (Apiaceae, Umbelliferae)</b>							
AB 182 <i>cretensis</i> , 25 cm, delicate leaves, white blossom panicles, V-VI, Z5-8	10	1	△	–	–	7,80	3,20
<b>ATRIPLEX - see Organic Seed</b>							
<b>ATROPA (Solanaceae)</b>							
AB 188 <i>bella-donna</i> , Deadly Nightshade, 150 cm, brown-green, brilliant black berries, poisonous! VI-VIII, Z5-10 (see also Organic-Seed)	3	1	⊕ ≈ \$	72,00	12,00	2,00	2,00
<b>AUBRIETA (Brassicaceae, Cruciferae)</b>							
<i>x cultorum</i> , IV-V, Z3-8							
AB 192 <i>'Cascade Blue'</i> , 10 cm, deep blue, large flowers							
AB 194 <i>'Cascade Purple'</i> , 10 cm, purple, large flowers							
AB 198 <i>'Cascade Red'</i> , (AGM), 10 cm, carmine red, large flowers							
AB 216 <i>x cultorum 'Pixie Pearls'</i> , 10 cm, brilliant white, large flowering, healthy habit, dense cushions, IV-V, Z3-8	1	16	⊕ ↗△	–	342,00	38,00	6,40

*continued on the following page*



ASTRANTIA major



ASTRANTIA maxima



BAPTISIA australis



BAPTISIA australis var. minor



AUBRIETA x cultorum 'Pixie Pearls'

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>AUBRIETA continuation</b>								
	x cultorum, IV-V, Z3-8							
AB 218	'Royal Blue', 10 cm, deep blue, large flowers							
AB 222	'Royal Red', 10 cm, intense carmine-red, large flowers							
AB 223	'Royal Violet', 10 cm, dark violet, large flowers							
AB 226	'Whitewell Gem', 15 cm, dark purple							
<b>AURINIA saxatilis - see ALYSSUM saxatile</b>								
<b>BALSAMORHIZA</b> (Asteraceae, Compositae)								
BA 009	sagittata, 40 cm, bright yellow, V-VI, Z4-7	20	1	△	280,00	35,00	4,50	4,50
<b>BAPTISIA</b> (Papilionaceae, Leguminosae)								
BA 015	australis [Caspian Blue], (AGM) (PPA), 150 cm, entire plant blue-green, attractive foliage, blooms lilac-blue, VI-VIII, Z3-9 (see also GOLD NUGGET SEED®)	40	8	Sol ✕	160,00	20,00	2,50	2,50
BA 012	australis 'Alba', 120 cm, white flowering panicles, light green foliage, VI-VIII, Z3-9 (see also GOLD NUGGET SEED®)	40	8	Sol ✕	-	96,00	12,00	12,00
BA 016	australis var. minor (minor), 80 cm, lilac-blue, flowers distinct over the foliage, blue-green, compact, VI-VIII, Z3-9	40	8	△	480,00	60,00	7,50	7,50
BA 017	leucantha (lactea, alba var. macrophylla), 120 cm, white, VI-VIII, Z3-9 (see also GOLD NUGGET SEED®)	40	8	Sol	256,00	32,00	4,00	4,00
BA 018	leucophaea (bracteata var. leucophaea), 50 cm, pale yellow, VI-VIII, Z3-9	40	8	△	256,00	32,00	4,00	4,00
	minor - see australis var. minor							
BA 020	pendula (alba), 120 cm, pure white, new growth of stems and leaves is black-red, VI-VIII, Z3-9 (see also GOLD NUGGET SEED®)	40	8	Sol ✕	648,00	72,00	8,00	8,00
BA 011	perfoliata, 120 cm, yellow, blue-green eucalyptus-like foliage, VII-VIII, Z5-9	30	8	Sol ✕	480,00	60,00	7,50	7,50
BA 019	sphaerocarpa (viridis), 100 cm, brilliant yellow flower panicles, upright habit, VI-VIII, Z5-8	40	8	Sol ✕	648,00	72,00	8,00	8,00
BA 021	tinctoria, Wild Indigo, 100 cm, yellow flower racemes, VII-VIII, Z3-9	15	8	✖ \$	-	164,00	22,00	16,50
<b>BARBAREA vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>BARTSIA</b> (Scrophulariaceae)								
BA 022	alpina, 15 cm, violet with dark violet bracts, V-VIII, Z4-7	0,5	1	△	-	-	16,00	4,00
<b>BELAMCANDA</b> (Iridaceae)								
BA 026	chinensis [Freckle Face], Leopard Flower, 60 cm, large bowl-shaped flowers, orange with red-brown spots, VII-IX, Z5-9	60	7	✖ ✕ ✖ \$	192,00	24,00	3,20	8,00
NEW! BA 027	flabellata 'Hello Yellow', 40 cm, golden, large flowering, compact habit, VII-IX, Z5-9	40	1/7	✖ ✕	368,00	46,00	5,80	5,80
	norissii - see PARDANCANDA							

## Production – Breeding – Seed Technology

				Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>BELLIS</b> (Asteraceae, <i>Compositae</i> )										
perennis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										
<b>perennis Rominette-Series</b> , 15 cm, quilled flowers, improvement over 'Pomponette', II-VI, Z4-7										
BA 035 'Rominette Carmine-rose'										
BA 030 'Rominette Pink'										
BA 031 'Rominette Red'										
BA 033 'Rominette White'										
BA 024 'Rominette Mixture'										
<b>BERARDIA</b> (Asteraceae, <i>Compositae</i> )										
BA 032 <i>subacaulis</i> , 5 cm, light yellow, VI-VII, Z4-7				20	16	△	–	–	32,00	16,00
<b>BERGENIA</b> (Saxifragaceae)										
BA 034 ☼ <i>cordifolia</i> , 60 cm, rosy-red, III-IV, Z3-8				1	15	✗ △ ⚡	–	240,00	32,00	6,00
BA 036 <i>cordifolia</i> 'New Hybrids' [New Winterflowering Hybrids], 45 cm, soft pink - dark red, III-V, Z3-8				1	15	✗ △ ⚡	2560,00	280,00	32,00	4,80
BA 040 <i>cordifolia</i> 'Rotblum' [Red Beauty, Red Start], 60 cm, red blooming selection, attractive foliage, III-V, Z3-8				1	15	✗ △ ⚡	2880,00	320,00	42,00	5,20
BA 042 ☼ <i>cordifolia</i> 'Winterglut' [Winterglow], 45 cm, red blooming, improved 'Rotblum' with an incomparable red colored fall and winter foliage, also for flower arrangements, III-V, Z3-8				1	15	✗ △ ⚡	580,00	62,00	7,80	
BA 044 <i>crassifolia</i> , 45 cm, purple-rose, nodding, III-V, Z3-8				1	15	△	1400,00	176,00	22,00	4,40
BA 073 ☼ <i>emeiensis</i> , 30 cm, pink-white, very large flowering, lustrous, attractive foliage, III-V, Z6-9				0,25	16	✗	–	–	98,00	7,80
BA 046 <i>purpurascens</i> ( <i>delavayi</i> ), (ADM), 50 cm, reddish blossom stems, rosy-red flowers, III-IV, Z3-8				1	15	✗ △ ⓘ	1400,00	176,00	22,00	4,40
<b>BERKHEYA</b> (Asteraceae, <i>Compositae</i> )										
BA 039 ☼ <i>cirsifolia</i> , 60 cm, pure white ray flowers with yellow center, very spiky foliage, VI-IX, Z8-10				6	15	ⓘ	–	–	12,00	7,80
BA 047 ☼ <i>multijuga</i> [Golden Spikes], 60 cm, brilliant golden flowers, spiky foliage, VII-IX, Z7-10				8	15	ⓘ	400,00	52,00	7,40	4,90
BA 048 ☼ <i>purpurea</i> [Silver Spikes, Zulu Warrior], 70 cm, large, lilac-white flowers, prickly, silvery foliage, VII-IX, Z6-10				10	16	ⓘ	480,00	62,00	8,40	5,20
BA 049 <i>radula</i> , 50 cm, large yellow flowers, spiky foliage, VI-VIII, Z7-10				5	16	ⓘ	840,00	98,00	12,00	7,80
<b>BERLANDIERA</b> (Asteraceae, <i>Compositae</i> )										
BA 052 ☼ <i>lyriata</i> [Chocolate Drop, Chocolate Daisy], (PS), Chocolate Flower, Green Eyes, 25 cm, yellow, with chocolate fragrance, V-VII, Z5-10 (see also Organic-Seeds), pure seed				10	15	△	440,00	52,00	6,20	4,80
<b>BETONICA</b> - see <b>STACHYS</b>										
<b>BIGELOWIA</b> (Asteraceae, <i>Compositae</i> )										
BA 180 ☼ <i>nuttallii</i> , Nuttall's Rayless Goldenrod, 30 cm, dense yellow umbels, persistent flowering groundcover, VIII-X, Z4-10				1	16	△ ✗ ⚡	–	216,00	24,00	3,60



BAPTISIA pendula



BAPTISIA sphaerocarpa



BELAMCANDA chinensis



BERGENIA cordifolia



BERGENIA cordifolia 'Winterglut'



BERGENIA emeiensis



BERKHEYA cirsifolia



BERKHEYA multijuga

Production – Breeding – Seed Technology				Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>BISCUTELLA</b> (Brassicaceae, <i>Cruciferae</i> )										
BA 054 <b>laevigata</b> , Buckler Mustard, 25 cm, yellow flower panicles, lanceolate foliage, V-VI, Z4-7, . . . . .	pure seed	6	15	△ ✕	980,00		128,00	16,00	8,00	
<b>BISTORTA</b> - see <b>POLYGONUM</b>										
<b>BLITUM</b> - see <b>CHENOPODIUM</b> - see <b>Organic Seed</b>										
<b>BOEHMERIA</b> (Urticaceae)										
BA 220 <b>sieboldiana</b> , Rami, False Nettle, 120 cm, white, silver-green foliage, interesting foliage plant, IX-X, Z6-9 . . . . .		0,25	16	฿ ⓘ 🍁	-	-	36,00	4,50		
<b>BOLTONIA</b> (Asteraceae, <i>Compositae</i> )										
BA 059 <b>asteroides</b> var. <b>latisquama</b> 'Nana', 70 cm, pinkish-lilac, VIII-IX, Z3-7 . . . . .		3	9	✖	-	58,00	7,20	3,60		
BA 055 <b>decurrens</b> , Winged False Aster, 160 cm, soft pink flower umbels, VIII-X, Z5-8 . . . . .		1	15	✖ Sol	-	96,00	12,00	4,00		
<b>BORAGO officinalis</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>										
<b>BOYKINIA tellimoides</b> - see <b>PELTOBOYKINIA tellimoides</b>										
<b>BRODIAEA pulchella</b> - see <b>DICHELOSTEMMA pulchellum</b>										
<b>BRUCKENTHALIA</b> (Ericaceae)										
BA 066 <b>spiculifolia</b> ( <b>ERICA</b> ), 20 cm, pink, evergreen, VI-VIII, Z4-7 . . . . .		0,25	4/8	△	-	176,00	22,00	4,00		
<b>BULBINE</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>										
<b>BULBINELLA</b> (Asphodelaceae, <i>Liliaceae</i> )										
BA 090 <b>angustifolia</b> , 60 cm, pale yellow panicles, narrow leaved clumps, VI-VIII, Z6-9. . . . .		6	9	^K ✕	768,00	96,00	12,00	9,00		
BA 096 <b>gibbsii</b> var. <b>balanifera</b> , 50 cm, wide, yellow flower clusters, clump forming, VI-VIII, Z6-9. . . . .		6	9	^K ✕	768,00	96,00	12,00	9,00		
BA 100 <b>hookeri</b> , 60 cm, yellow panicles, dense leaf clumps, VI-VIII, Z6-9 . . . . .		6	9	^K ✕	640,00	80,00	10,00	7,50		
<b>BUPHTHALMUM</b> (Asteraceae, <i>Compositae</i> )										
BA 068 <b>salicifolium</b> [ <b>Sunwheel</b> ], 50 cm, abundant golden blossoms, VI-VIII, Z3-9 . . . . .		5	15	✖	128,00	16,00	2,00	2,00		
BA 069 <b>salicifolium</b> 'Alpengold', 50 cm, golden, double ray of petals, large blossoms, VI-VIII, Z3-9. . . . .		5	15	✖	320,00	40,00	5,00	2,50		
<b>speciosum</b> - see <b>TELEKIA</b>										
<b>BUPLEURUM</b> (Apiaceae, <i>Umbelliferae</i> )										
BA 076 <b>fruticosum</b> , Shubby Har's Ear, 150 cm, yellow, small evergreen shrub, VII-VIII, Z6-9 . . . . .		10	8	Sol	-	36,00	5,20	3,40		
<b>NEW!</b> BA 078 <b>longifolium</b> 'Bronze Beauty', 50 cm, yellow turning to bronze colored blossom, VI-VIII, Z3-8 . . . . .		5	1	△ ✕	-	58,00	7,20	3,60		
BA 080 <b>ranunculoides</b> , 40 cm, yellow-green, grows well in limy soil, V-VII, Z5-9 . . . . .		5	1	△ ✕	256,00	32,00	4,00	2,00		



BERKHEYA purpurea



BIGELOWIA nuttallii



BUPLEURUM longifolium 'Bronze Beauty'



BOEHMERIA sieboldiana



BRUCKENTHALIA spiculifolia

## Production – Breeding – Seed Technology

				Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>BUTOMUS</b> (Butomaceae)										
BA 140	<b>umbellatus</b> ,  Flowering Rush, 100 cm, rosy-red umbels, narrow leaves, VI-VIII, Z4-6 . . . . .		3	8			280,00	36,00	4,60	2,30
<b>CACHRYS</b> (Apiaceae, <i>Umbelliferae</i> )										
CA 004	<b>alpina</b> , 120 cm, yellow umbels, fine feathered foliage, bushy clumps, VII-VIII, Z5-8 . . . . .		100	1			144,00	18,00	2,40	9,00
<b>CALAMINTHA</b> (Lamiaceae, <i>Labiatae</i> )										
<b>alpina</b> - see <b>ACINOS alpinus</b>										
CA 020	<b>grandiflora</b> [ <i>Elfin Purple</i> ], 20 cm, purple-rose, aromatic, V-VII, Z4-7 . . . . .		2	1			-	96,00	12,00	4,00
<b>nepeta</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>										
CA 023	<b>nepeta ssp. nepeta</b> 'Blue Cloud Strain', 30 cm, bright light-blue flowers, very valuable, permanent flowering perennial, minty aromatic foliage, ideal for edging borders, VI-X, Z5-9 . . . . .		1	15			420,00	60,00	8,60	3,00
CA 018	<b>nepeta ssp. nepeta</b> 'White Cloud Strain', 30 cm, pure white flowers, very valuable, permanent flowering perennial, minty aromatic foliage, ideal for edging borders, V-X, Z5-9 . . . . .		1	15			420,00	60,00	8,60	3,00
<b>CALANDRINIA</b> (Portulacaceae)										
CA 022	<b>umbellata</b> [ <i>Purple Moon, Ruby Tuesday</i> ], 15 cm, bright red-violet, VI-IX, Z7-10 . . . . .		1	15			-	64,00	8,20	3,60
<b>CALCEOLARIA</b> (Scrophulariaceae)										
CA 024	<b>biflora</b> 'Goldcap' [ <i>Goldcrest</i> ], 10 cm, deep yellow, red dots, paired blooms, V-VI, Z5-8 . . . . .	0,25	4/16	1			2590,00	288,00	32,00	4,00
CA 028	<b>fothergillii</b> , 10 cm, yellow with red face, evergreen leaf-rosettes, VI-VII, Z6-9 . . . . .	0,1					-	-	124,00	6,20
<b>hybrida F-Sunset-Series</b> , 25 cm, very large and rich flowering, for container and outdoor performance, V-VIII, Z7-10										
CA 025	'Sunset Yellow Bicolour'									
CA 027	'Sunset Orange Bicolour'									
<b>punctata</b> - see <b>JOVELLANA punctata</b>										
<b>CALENDULA officinalis</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>										
<b>CALLA</b> (Araceae)										
CA 036	<b>palustris</b> , 25 cm, white spathe, spadix with red fruits, V-VII, Z4-9 . . . . .		10	18			288,00	36,00	4,60	4,60
<b>CALLIRHOE</b> (Malvaceae)										
CA 037	<b>bushii</b> , Bush's Poppy Mallow, 40 cm, bright magenta, large flowering, VII-VIII, Z4-9 . . . . .		20	1			480,00	60,00	7,60	7,60
CA 038	<b>involuta</b> [ <i>Winecups, Buffalo Rose</i> ],  Poppy Mallow, 20 cm, bright carmine-rose, VII-IX, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		20	8			238,00	34,00	4,80	4,80
CA 041	<b>involuta</b> var. <i>tenuissima</i> , 20 cm, bright pink, strongly pinnatifid foliage, VII-IX, Z4-9 ( <i>see also Organic-Seeds</i> ) . . . . .		20	14			480,00	60,00	7,60	7,60
<b>CALLUNA</b> (Ericaceae)										
CA 040	<b>vulgaris</b> , Scots Heather, Ling, 30 cm, rose-lilac, VIII-IX, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	pure seed	0,2	4/8			294,00	42,00	6,00	2,00



CALAMINTHA nepeta 'White Cloud Strain'



CALLIRHOE involucrata



CALLIRHOE involucrata var. tenuissima



CALTHA leptosepala



CALTHA palustris



CAMPANULA barbata



CAMPANULA biebersteiniana



CAMPANULA carpatica 'Pearl Deep Blue'



CAMPANULA carpatica 'Pearl White'



CAMPANULA carpatica 'Blue Uniform'



CAMPANULA carpatica 'White Uniform'



CAMPANULA cochlearifolia



CAMPANULA collina



CAMPANULA glomerata 'Bellefleur Blue'



CAMPANULA glomerata 'Bellefleur White'

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>CALTHA</b> (Ranunculaceae)							
CA 043 <i>leptosepala</i> , 20 cm, white, often outside bluish, III-IV, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	3	2/3/18	***	972,00	108,00	12,00	6,00
CA 044 <i>palustris</i> , (AGM), 30 cm, deep yellow, shiny green leaves, IV-V, Z3-7 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i> . . . . .	4	2/3/18	***⊗⊗⊗	294,00	42,00	6,00	2,00
CA 045 <i>palustris</i> var. <i>alba</i> , 20 cm, white, III-IV, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	2/3/18	***	–	162,00	18,00	6,00
CA 046 <i>palustris</i> ssp. <i>polypetala</i> , 60 cm, golden, III-V, Z6-9 . . . . .	3	2/3/18	***	–	48,00	6,00	3,00
<b>CALYLOPHUS</b> (Onagraceae)							
CA 047 <i>serrulatus</i> ( <i>OENOTHERA</i> ), Shrubby Evening Primrose, 30 cm, yellow, lanceolate foliage, VI-X, Z4-9. . . . .	0,5	9	△	–	–	–	7,00
<b>CALYPTRIDIUM</b> (Portulacaceae)							
CA 048 <i>umbellatum</i> ( <i>SPARGUEA</i> , <i>CISTANTHE</i> ), Pussy Paws, 10 cm, white to pink, spherical umbels, flat rosettes, for dry locations, VII-IX, Z7-10. . . . .	1	9	△ ⊗	–	192,00	24,00	6,00
<b>CAMASSIA</b> (Hyacinthaceae, <i>Liliaceae</i> )							
NEW! CA 051 <i>leichtlinii</i> ssp. <i>leichtlinii</i> , (AGM), 100 cm, mostly creamy white, V-VII, Z3-7 . . . . .	15	8	×	192,00	24,00	3,20	3,20
CA 050 <i>leichtlinii</i> ssp. <i>suksdorffii</i> , (AGM), 100 cm, mostly blue, V-VI, Z3-7 . . . . .	15	8	×	192,00	24,00	3,20	3,20
CA 054 <i>quamash</i> , 60 cm, light blue racemes, V-VI, Z4-7 . . . . .	5	8	×	240,00	30,00	3,80	3,80
<b>CAMPANULA</b> (Campanulaceae)							
CA 060 <i>alliaiifolia</i> [ <i>Ivory Bells</i> ], 40 cm, white, grey-haired, very vigorous, sun and semi-shade, VII, Z3-7 . . . . .	2	16	△	98,00	14,00	2,00	2,00
CA 064 <i>alpestris</i> ( <i>allionii</i> ), 5 cm, blue or white, large flowers, VII-VIII, Z4-8 . . . . .	1	1	△	–	192,00	24,00	6,00
CA 065 <i>americana</i> , Tall Bellflower, 160 cm, mostly blue, VII-X, Z4-7 . . . . .	0,5	16	⊕	–	76,00	9,60	3,20
CA 066 <i>acherrii</i> ( <i>saxifraga</i> ssp. <i>acherrii</i> ), 10 cm, violet, early flowering, IV-V, Z4-8 . . . . .	1	8	△	–	192,00	24,00	6,00
CA 068 <i>barbata</i> , 30 cm, china blue, V-VII, Z5-8 . . . . .	0,5	9	△ ⊗	680,00	84,00	9,20	4,60
CA 070 <i>bellidifolia</i> , 10 cm, violet-blue, dense cushions, V-VI, Z4-8 . . . . .	2	1	△	–	–	24,00	6,00
CA 067 <i>iebersteiniana</i> ( <i>tridentata</i> var. <i>iebersteiniana</i> ), 10 cm, dark blue bellflowers, large flowering, V-VIII, Z4-8 . . . . .	1	8	△	–	–	72,00	9,00
CA 072 <i>carpatica</i> , (AGM), 20 cm, light blue, VII-IX, Z3-7 . . . . .	0,5	15	△⊗	120,00	20,00	3,20	2,00
CA 076 <i>carpatica</i> f. <i>alba</i> , 20 cm, white, VII-IX, Z3-7 . . . . .	0,5	15	△⊗	120,00	20,00	3,20	2,00
CA 090 <i>carpatica</i> 'Pearl Deep Blue', F1, 15 cm, dark blue, upright flowers, round habit, early flowering, VI-IX, Z3-7, . . . . . approx. 2000 seeds = 1 g, pelleted seed	1	15	⊗△⊗⊗	–	–	52,00	6,50
CA 091 <i>carpatica</i> 'Pearl White', F1, 15 cm, pure white, upright flowers, round habit, early flowering, VI-IX, Z3-7, . . . . . approx. 2000 seeds = 1 g, pelleted seed	1	15	⊗△⊗⊗	–	–	52,00	6,50
CA 085 <i>carpatica</i> 'Blue Uniform', 20 cm, medium blue, compact and uniform in habit and flower, ideal as pot plant all year around, flowers 12 weeks after sowing, VII-IX, Z3-7 . . . . .	0,25	15	⊗△⊗⊗	–	544,00	62,00	7,80
CA 087 <i>carpatica</i> 'White Uniform', 20 cm, pure white, compact and uniform in habit and flower, ideal as pot plant all year around, flowers 12 weeks after sowing, VII-IX, Z3-7 . . . . .	0,25	16	⊗△⊗⊗	–	544,00	62,00	7,80
CA 092 <i>cenisia</i> , 5 cm, forms cushions, numerous stems with bright blue flowers, VII-VIII, Z4-7 . . . . .	0,5	1	△	–	–	56,00	7,00
CA 096 <i>cochleariifolia</i> ( <i>pusilla</i> ), (AGM), 10 cm, blue, VI-VIII, Z3-8 . . . . .	0,25	8	△	–	220,00	28,00	4,00
CA 101 <i>cochleariifolia</i> 'Bavaria Blue' [ <i>Blue Baby</i> ], 10 cm, dark blue, compact, ideal as pot plant all year around, flowers 14 weeks after sowing, VI-VIII, Z3-9 . . . . .	0,25	16	⊗△⊗	–	380,00	40,00	7,00
CA 102 <i>cochleariifolia</i> 'Bavaria White' [ <i>White Baby</i> ], 10 cm, pure white, compact, ideal as pot plant all year around, flowers 14 weeks after sowing, VI-VIII, Z3-9 . . . . .	0,25	16	⊗△⊗	–	380,00	40,00	7,00
CA 104 <i>collina</i> , 20 cm, violet bells, upright, V-VII, Z5-9 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	1	9	△	768,00	96,00	12,00	4,00
CA 114 <i>fenestratella</i> , 10 cm, more compact than C. <i>garganica</i> , smaller leaves, hairy, intense blue, VI-VII, Z5-8 . . . . .	0,5	9	△	–	–	–	7,00
CA 116 <i>garganica</i> , (AGM), 10 cm, star-shaped, erect blue blossoms, VI-VIII, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	0,5	9	△	2600,00	306,00	36,00	6,00
CA 125 <i>glomerata</i> 'Bellefleur Blue', 20 cm, deep blue flower clusters, rich flowering, compact uniform habit, ideal for containers, first year flowering, VI-IX, Z3-8 . . . . .	0,25	15	⊗⊗△⊗	–	1450,00	162,00	6,80
CA 127 <i>glomerata</i> 'Bellefleur White', 20 cm, pure white flower clusters, rich flowering, compact uniform habit, ideal for containers, first year flowering, VI-IX, Z3-8 . . . . .	0,25	15	⊗⊗△⊗	–	1450,00	162,00	6,80
CA 120 <i>glomerata</i> var. <i>acaulis</i> , 25 cm, dark blue, VI-VIII, Z2-7 . . . . .	1	15	△⊗	630,00	78,00	9,80	3,40
CA 124 <i>glomerata</i> var. <i>alba</i> [ <i>Schneekrone</i> ], 30 cm, pure white, VI-VIII, Z2-7 . . . . .	1	15	⊗⊗	630,00	78,00	9,80	3,40
CA 128 <i>glomerata</i> var. <i>dahurica</i> [ <i>Superba</i> , <i>Odessa</i> ], 50 cm, dark violet, VI-VIII, Z2-7 . . . . .	1	15	⊗⊗	224,00	26,00	3,20	2,00
CA 135 <i>hofmannii</i> - see <i>SYMPHYANDRA hofmannii</i>							
CA 144 <i>incurva</i> , 30 cm, lavender blue, large flowers, grey-yellow rosettes, monocarpic, V-VII, Z6-9 . . . . .	0,25	9	△	–	180,00	22,00	6,00
CA 146 <i>lactiflora</i> , 150 cm, milk-blue, VI-VII, Z3-7 . . . . .	0,5	16	⊗⊗	2048,00	256,00	32,00	5,20
CA 146 <i>lactiflora</i> 'New Hybrids', 150 cm, white-rose-light violet-blue, VI-VIII, Z3-7 . . . . .	0,5	16	⊗⊗	1800,00	225,00	28,00	4,60
CA 158 <i>latifolia</i> var. <i>macrantha</i> [ <i>Amethyst</i> ], 90 cm, lilac-blue, the most valuable of the tall bell flowers, VI-VII, Z3-6 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	⊗⊗	256,00	32,00	4,00	2,00
CA 162 <i>latifolia</i> var. <i>macrantha</i> 'Alba', 90 cm, pure white, VI-VII, Z3-6 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	⊗⊗	256,00	32,00	4,00	2,00
CA 231 <i>linifolia</i> ( <i>scheuchzeri</i> , <i>carnica</i> ), 15 cm, blue-violet, V-VII, Z3-7 . . . . .	0,25	8	△	–	–	–	6,00
CA 167 <i>medium Blue single</i> , 80 cm, VI-VIII, Z5-9 . . . . .							
CA 168 <i>medium Rosepink single</i> , 80 cm, VI-VIII, Z5-9 . . . . .							
CA 169 <i>medium White single</i> , 80 cm, VI-VIII, Z5-9 . . . . .							
CA 179 <i>medium 'Calycanthema Mix'</i> , 75 cm, curly-divided double flowers, V-VIII, Z5-9 . . . . .							
CA 174 <i>medium flore plena</i> 'Blue double', 70 cm, V-VIII, Z5-9 . . . . .							
CA 175 <i>medium flore plena</i> 'Pink double', 70 cm, V-VIII, Z5-9 . . . . .							
CA 177 <i>medium flore plena</i> 'White double', 70 cm, V-VIII, Z5-9 . . . . .							
CA 173 <i>medium fl. pl.</i> 'Double Mixture', 80 cm, blue, pink, white, dense flowerballs, VI-VIII, Z5-9 . . . . .							
CA 172 <i>muralis</i> - see <i>portenschlagiana</i>							
CA 172 <i>ochroleuca</i> , 60 cm, creamy-white bells, VI-VII, Z4-8 . . . . .	1	16	⊗△	2890,00	340,00	38,00	3,40
CA 170 <i>patula</i> , 40 cm, purple-blue, VI-VII, Z4-8 . . . . .	1	9	⊕	288,00	36,00	4,60	2,30
CA 171 <i>patula</i> ssp. <i>abietina</i> , 40 cm, blue-purple, this ssp. is perennial! VI-VII, Z4-8 . . . . .	1	9	⊗△	–	–	9,20	4,60
CA 176 <i>pendula</i> - see <i>SYMPHYANDRA pendula</i>							
CA 176 <i>persicifolia</i> , wild form, Willow Bell, 100 cm, blue, loose flower panicles, VI-VII, Z3-7 . . . . .	0,5	16	⊗	160,00	20,00	2,50	2,00
CA 178 <i>persicifolia</i> Grandiflora [ <i>Bläue Glocke</i> , <i>Blue Bells</i> ], 100 cm, blue, VI-VII, Z3-7 . . . . .	0,5	16	⊗⊗	256,00	32,00	4,00	2,00
CA 182 <i>persicifolia</i> Grandiflora 'Alba' [ <i>Weiße Glocke</i> , <i>White Bells</i> ], 100 cm, white, VI-VII, Z3-7 . . . . .	0,5	16	⊗⊗	256,00	32,00	4,00	2,00

continued on the following page



CAMPANULA lactiflora 'New Hybrids'



CAMPANULA latifolia var. macrantha



CAMPANULA latifolia var. macr. 'Alba'



CAMPANULA persicifolia 'Telham Beauty'



CAMPANULA persicifolia var. planiflora



CAMPANULA portenschlagiana 'Blue Magic'



CAMPANULA pulla 'Blue Drops'



CAMPANULA punctata



CAMPANULA rotundifolia 'Thimbell Blue'™



CAMPANULA rotundifolia 'White Gem'



CAMPANULA sarmatica



CAMPANULA thrysoides

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>CAMPANULA continuation</b>								
CA 184 ☼ <i>persicifolia</i> 'Telham Beauty', 100 cm, china blue, V-VI, Z3-7 . . . . .		0,5	16	☒ ☘	320,00	40,00	5,00	2,50
NEW! CA 188 ☼ <i>persicifolia</i> var. <i>planiflora</i> ( <i>nitida</i> ), 20 cm, dwarf form of Peach Leaved Bell Flower, blue to white, dense flowering spikes, dense leathery rosettes, 98% true from seed, V-VII, Z3-7 . . . . .		0,25	16	△ ☐ ☘	–	420,00	54,00	6,80
CA 190 <i>portenschlagiana</i> ( <i>muralis</i> ), (AGM), 20 cm, lilac-blue, abundant flowers, VI-VIII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .		0,5	9	△ ☐ ☘	6498,00	684,00	72,00	9,00
CA 192 ☼ <i>portenschlagiana</i> 'Blue Magic'® ( <i>muralis</i> ), 10 cm, intense dark-blue flowers, compact uniform habit, rich flowering, ideal for all-season containers, flowering 14 weeks after sowing, VI-IX, Z4-8 . . . . .		0,25	16	⌚ ☐ ☘	–	1450,00	162,00	6,80
CA 194 <i>poscharskyana</i> , 20 cm, lilac-blue, vigorous, VI-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	9	△ ☐ ☘	2168,00	256,00	30,00	5,00	
CA 196 ☼ <i>pulla</i> 'Blue Drops', 10 cm, dark violet bellflowers, large flowerheads, compact habit, V-VII, Z4-8 . . . . .		0,1	9	⌚ ☐ ☘	–	–	58,00	7,20
CA 198 ☼ <i>punctata</i> [ <i>Ring of Bells</i> ], 25 cm, white and pink, VI-VII, Z5-9 . . . . .		1	9	△ ☘	528,00	66,00	8,20	4,10
CA 200 <i>punctata</i> f. <i>rubriflora</i> , 25 cm, cream to purple, intense crimson spots, VI-VII, Z5-9 <i>(see also GOLD NUGGET SEED®)</i> . . . . .		1	9	△ ☘	738,00	82,00	9,20	4,60
<i>pusilla</i> - see <i>cochlearifolia</i>								
CA 206 <i>pyramidalis</i> , 140 cm, blue, winter hardy selection, VI-VIII, Z3-9 . . . . .		0,5	16	☒ ☘	256,00	32,00	4,00	2,00
CA 210 <i>pyramidalis</i> 'Alba', 140 cm, pure white, VII-VIII, Z3-9 . . . . .		0,5	16	☒ ☘	256,00	32,00	4,00	2,00
CA 211 <i>pyramidalis Mixture</i> , 140 cm, blue and white, VII-VIII, Z3-9 . . . . .		0,5	16	☒ ☘	128,00	18,00	2,60	2,00
CA 218 <i>rapunculoides</i> , 100 cm, violet-blue, VI-IX, Z3-9 . . . . .		1	15	☒	128,00	16,00	2,00	2,00
<i>rapunculus</i> - see <i>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</i>								
CA 226 ☼ <i>rotundifolia</i> , 30 cm, light blue, VI-X, Z2-7 . . . . .		0,5	16	△ ☐ ☘	288,00	36,00	4,60	2,30
CA 223 ☼ <i>rotundifolia</i> 'Thunbell Blue™', 25 cm, violet blue bellflowers, abundant flowers, compact and uniform growth, flowers the first year, VI-X, Z3-7 . . . . .		0,25	15	△ ☐ ☘	5600,00	620,00	68,00	7,20
CA 224 ☼ <i>rotundifolia</i> 'White Gem', 30 cm, large pure white bells, abundant flowering, VI-X, Z2-7 . . . . .	0,5	16	△ ☐ ☘	768,00	96,00	12,00	4,00	
CA 230 ☼ <i>sarmatica</i> , 40 cm, light blue, grey-feltlike foliage, VI-VII, Z4-7 . . . . .	2	16	△	448,00	56,00	7,00	3,50	
CA 229 <i>saxifraga</i> , 10 cm, violet-blue, lanceolate leaves, V-VI, Z3-7 . . . . .	1	8	△	1390,00	176,00	22,00	6,00	
<i>scheuchzeri</i> - see <i>linifolia</i>								
CA 227 <i>sibirica</i> , 30 cm, violet blue, funnel-shaped bellflowers, V-VII, Z4-8 . . . . .	0,25	15	△ ☘	–	210,00	26,00	4,40	
CA 228 <i>speciosa</i> , 50 cm, light blue, cylindrical flower stems, often monocarpic, VI-VII, Z5-8 . . . . .	2	9	△	–	–	24,00	6,00	
CA 233 <i>takesimana</i> [ <i>Bellringers</i> ], 40 cm, pink and white, large bellflowers, spotted, V-VII, Z5-8 . . . . .	1	9	☒	1024,00	128,00	16,00	4,00	
CA 232 <i>takesimana</i> 'Alba', 40 cm, white bellflowers, purple spotted, V-VII, Z5-8 . . . . .	1	9	☒	–	162,00	18,00	6,00	
CA 234 ☼ <i>thyrsoides</i> , 50 cm, cream-colored, cylindrical, VII-VIII, Z4-8 . . . . .	2	9	⌚	–	96,00	12,00	4,00	
CA 238 <i>tommasiniana</i> , (AGM), 20 cm, lilac-blue blossoms, 2 cm long, hanging, bright full shade, VII-VIII, Z5-9 . . . . .	0,25	1	△	–	–	26,00	7,00	
CA 242 <i>trachelium</i> , 80 cm, lilac, VII-IX, Z3-9 . . . . .	2	16	△	128,00	16,00	2,00	2,00	
CA 243 ☼ <i>trachelium</i> var. <i>alba</i> (Album), 80 cm, white, VII-IX, Z3-9 . . . . .	1	16	☒	320,00	45,00	6,40	3,20	
<i>tridentata</i> var. <i>biebersteiniana</i> - see <i>biebersteiniana</i>								
CA 246 <i>waldsteiniana</i> , 12 cm, lilac, VI-VII, Z5-9 . . . . .		0,25	8	△	–	–	–	7,00
<i>wanneri</i> - see <i>SYMPHYANDRA wanneri</i>								
<i>zanzegura</i> - see <i>SYMPHYANDRA zanzegura</i>								
<b>CAPPARIS spinosa</b> - see <i>Perennial Herbs - Culinary, Teas and Medicinal</i>								
<b>CARDAMINE</b> (Brassicaceae, <i>Cruciferae</i> )								
CA 260 <i>pratensis</i> , Cuckoo Flower, 40 cm, pale lilac or white, III-V, Z3-7 ( <i>see also Organic-Seeds</i> ) . . . . .	2	15	❀ ☘	192,00	24,00	3,20	2,00	
<b>CARDIOCRINUM</b> (Liliaceae)								
CA 264 ☼ <i>giganteum</i> ( <i>LILIUM</i> ), up to 3 m, white, approx. 20 blossoms per stalk, interior red stripes, VII-VIII, Z5-9 . . . . .		15	5	^K	272,00	34,00	4,40	4,40
<b>CARDIOSPERMUM</b> - see <i>Organic Seed</i>								
<b>CARLINA</b> (Asteraceae, <i>Compositae</i> )								
CA 270 ☼ <i>acanthifolia</i> , 30 cm, blossoms up to 20 cm Ø, without stems, straw-colored, VII-VIII, Z4-9 . . . . .	20	15	△	998,00	128,00	16,00	12,00	
CA 274 ☼ <i>acaulis</i> ssp. <i>simplex</i> (var. <i>caulescens</i> ), 50 cm, Silver Thistle, large shiny white flowering heads with stem, VII-IX, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	15	15	△ × ☘	384,00	48,00	6,00	6,00	
CA 275 <i>acaulis</i> ssp. <i>simplex</i> 'Bronze', 50 cm, shiny white, leaves reddish-bronze, VII-IX, Z3-9 . . . . .	15	15	⌚ △ ×	576,00	72,00	8,00	8,00	
CA 278 <i>vulgaris</i> , 50 cm, straw-colored, blossoms ca. 4 cm Ø, several on each stem, VII-IX, Z4-9 . . . . .	5	15	☒ ☘ ⓘ	160,00	20,00	2,50	2,00	
CA 277 <i>vulgaris</i> 'Silver Star', 50 cm, silvery white flowers, large flowering, excellent cut flower, VII-IX, Z4-9 . . . . .	3	15	☒ ☘	–	60,00	7,60	3,80	
<b>CARTHAMUS tinctorius</b> - see <i>Organic Seed</i>								



CAMPANULA trachelium var. alba

CARDIOCIRNUM giganteum

CARLINA acanthifolia

CARLINA acaulis ssp. simplex

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>CARUM carvi - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
<b>CASSIA (SENNA)</b> (Caesalpiniaceae, Leguminosae)							
CA 279 <b>didymobotrya</b> , 150-250 cm, golden flower racemes, feathery foliage, VI-IX, Z9-10 . . . . .	120	1/10		160,00	20,00	2,50	6,00
CA 281 <b>hebecarpa</b> , 140 cm, yellow with black filaments, dense flower panicles, VIII-IX, Z4-9. . . . .	50	1/10		96,00	14,00	2,00	3,60
CA 280 <b>marilandica</b> , 120 cm, yellow, VI-IX, Z4-10 . . . . .	50	1/10		198,00	26,00	3,20	5,20
<b>CASTILLEJA</b> (Scrophulariaceae)							
CA 284 <b>integra</b> , Wholeleaf Indian Paintbrush, 20 cm, bright signal red bracts, grows well with ARTEMISIA, V-X, Z4-10 . . . . .	0,5	9		–	–	48,00	6,00
CA 282 <b>miniata</b> , Scarlet Paintbrush, 50 cm, orange-red, grows nicely with SEDUM spathulifolium and BOUTELOUA gracilis, IV-IX, Z4-8. . . . .	0,5	1		–	288,00	36,00	6,00
NEW! CA 285 <b>rhexifolia</b> , Split Leaf Paintbrush, 30 cm, bright rosy-red flower spikes, growth best with CAREX, IV-IX, Z4-8 . . . . .	0,5	1		–	–	72,00	6,00
CA 283 <b>sulphurea</b> , Yellow Paintbrush, 30 cm, yellow flower spikes, grows well together with PENSTEMON and grasses, IV-IX, Z4-8. . . . .	0,5	1		–	498,00	72,00	6,00
<b>CATANANCHE</b> (Asteraceae, Compositae)							
CT 286 <b>caerulea</b> [ <i>Amor Blue, Blue Cupidone</i> ], 60 cm, lilac-blue, grey-green foliage, VII-IX, Z4-9, . . . . .	7,5	15		384,00	48,00	6,00	3,00
CT 287 <b>caerulea 'Alba'</b> [ <i>Amor White, Stargazer, Bicolor</i> ], 60 cm, white with blue center, VII-IX, Z4-9, . . . . .	7,5	15		384,00	48,00	6,00	3,00
<b>CELMISIA</b> (Asteraceae, Compositae)							
CA 293 <b>hookerii</b> , 40 cm, white flowers up to 10 cm Ø, woolly foliage, VII, Z6-9 . . . . .	5	3/15		896,00	112,00	14,00	10,50
CA 295 <b>semicordata (coriacea)</b> , 40 cm, white up to 6 cm Ø, silvery clumps, for cool and well-drained locations, VII-VIII, Z6-9 . . . . .	5	3/16		896,00	112,00	14,00	7,00
CA 297 <b>sessiliflora</b> , 10 cm, white, large flowers, grey-green cushion, VI-IX, Z6-9 . . . . .	3	3/15		–	288,00	36,00	8,00
CA 298 <b>spectabilis ssp. magnifica</b> , 25 cm, white, silver-green clumps, VII-VIII, Z6-9 . . . . .	5	3/15		–	144,00	18,00	9,00
CA 301 <b>spedenii</b> , 10 cm, white, large flowering, dense cushions, VI-IX, Z6-9. . . . .	3	3/15		–	288,00	36,00	9,00
CA 300 <b>traversii</b> , 30 cm, white, attractive orange felt-like clumps, VII-VIII, Z6-9 . . . . .	5	3/16		–	112,00	14,00	7,00
CA 299 <b>walkeri</b> , dwarf shrub up to 150 cm, white, grey-green leaf rosettes, very unusual, VII-VIII, Z6-9 . . . . .	5	3/8		–	208,00	26,00	8,70
<b>CENTAUREA</b> (Asteraceae, Compositae)							
CA 302 <b>alpestris (scabiosa ssp. alpestris)</b> , 40 cm, purple, feathery foliage, VI-VII, Z3-9 . . . . .	10	16		352,00	44,00	5,80	5,80
CA 303 <b>atropurpurea</b> , 120 cm, deep purple, feathery foliage, VI-VIII, Z5-9 ( <i>see also Organic-Seeds</i> ) . . . . .	15	16		432,00	54,00	6,80	6,80
CA 305 <b>cheiranthifolia</b> , 50 cm, light yellow to cream-white, VI-VIII, Z5-9 . . . . .	30	9		–	40,00	5,80	5,80
CA 304 <b>cineraria (candidissima)</b> , 40 cm, yellow, attractive silvery-grey, pinnatifid foliage, VII-VIII, Z5-9 . . . . .	10	16		192,00	24,00	3,60	2,00
<i>cyanus 'Bläue Gefüllte'</i> - see <b>Organic Seed</b>							



CASTILLEJA integra



CASTILLEJA sulphurea



CASTILLEJA rhexifolia



CATANANCHE caerulea



CENTAUREA cineraria

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>CENTAUREA continuation</b>								
CA 308	<i>dealbata</i> ( <i>PSEPHELLUS</i> ), 80 cm, fresh pink, VI-VII, Z3-9 . . . . .	20	15	✗ ✗	128,00	16,00	2,00	2,00
CA 312	<i>jacea</i> , 80 cm, purple, VI-IX, Z5-8 . . . . .	10	15	✗	98,00	14,00	2,00	2,00
CA 316	<i>macrocephala</i> , 150 cm, golden, decorative, VII-IX, Z3-7 . . . . .	40	15	✗ ✗	28,00	4,00	2,00	2,00
CA 320	<i>montana</i> , 50 cm, Perennial Cornflower, blue, V-VII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	35	16	① ✗ ✗	144,00	22,00	3,20	2,00
CA 321	<i>montana 'Alba'</i> , 50 cm, white, up to 25% may revert to the original blue color, V-VII, Z3-9 . . . . .	35	16	① ✗ ✗	–	–	5,80	5,80
CA 322	<i>nigra</i> , 70 cm, purple, VI-VIII, Z4-9 . . . . .	20	16	✗ ✗	74,00	12,00	2,00	2,00
CA 325	<i>orientalis</i> , 70 cm, light yellow, VI-VIII, Z6-9 . . . . .	10	16	✗	240,00	30,00	4,00	3,00
CA 326	<i>phrygia</i> , 60 cm, purple, buds wig-like, VII-VIII, Z5-8 . . . . .	5	16	✗	144,00	18,00	2,50	2,00
CA 324	 <i>pulcherrima</i> , 40 cm, pure pink, large flowering, grey feathered foliage, VI-VIII, Z4-8 . . . . .	10	16	△ ✗	464,00	58,00	7,20	7,20
CA 330	 <i>ruthenica</i> , 120 cm, sulphur-yellow, dark green, pinnatifid foliage, VI-VII, Z3-8 . . . . .	30	16	✗	256,00	32,00	4,00	4,00
CA 332	<i>scabiosa</i> , 100 cm, purple, scabiosa-blossom, VII-VIII, Z4-7 . . . . .	10	16	✗ ✗	74,00	12,00	2,00	2,00
CA 334	<i>triumfetti</i> , Woolly Perennial Cornflower, 30 cm, blue-violet, grey-green foliage, V-VII, Z4-7 . . . . .	30	9	△	–	64,00	9,20	6,00
<b>CENTAURIUM erythraea (umbellatum) - see Perennial Herbs - Culinary, Teas and Medicinal</b>								
<b>CENTRANTHUS</b> (Valerianaceae)								
CA 346	<i>ruber 'Albus'</i> [ <i>Snowcloud</i> ], 60 cm, pure white, V-VIII, Z5-8 }	5	16	① ✗ ✈	256,00	32,00	4,00	2,00
CA 348	<i>ruber</i> var. <i>coccineus</i> [ <i>Pretty Betsy</i> ], 60 cm, light red, variable, V-VIII, Z5-8 }	5	16	① ✗ ✈	320,00	40,00	5,00	2,50
CA 349	<i>ruber</i> var. <i>coccineus</i> ' <i>Rosenrot</i> ', 60 cm, uniformly light red, V-VIII, Z5-8 . . . . .	5	16	① ✗ ✈	320,00	40,00	5,00	2,50
<b>CEPHALARIA</b> (Dipsacaceae)								
CA 354	<i>gigantea</i> , 200 cm, light yellow, similar to scabiosa flowers, VI-VIII, Z4-7 . . . . .	50	9	✗ ✗	192,00	24,00	3,00	5,00
CA 358	<i>radiata</i> ( <i>leucantha</i> Baumg.), 160 cm, creamy-yellow, variety with woody base, VII-VIII, Z4-7 . . . . .	10	9	Sol ✗	128,00	16,00	2,00	2,00
<b>CERASTIUM</b> (Caryophyllaceae)								
CA 359	<i>alpinum</i> var. <i>lanatum</i> , 10 cm, white, densely haired, grey cushions, V-VI, Z3-7 . . . . .	1	9	△ ①	–	–	36,00	6,00
CA 362	<i>grandiflorum</i> , 20 cm, white, mat forming, VII-VIII, Z4-7 . . . . .	0,5	8	△	–	–	9,80	3,60
NEW! CA 369	<i>tomentosum</i> var. <i>columnnae</i> ' <i>Celine</i> ', 15 cm, pure white, large flowers, narrow silver-grey foliage, dense cushions, reliable first year flowering, V-VI, Z3-7 . . . . .	1	15	① ✉ △	576,00	72,00	9,60	3,20
CA 364	<i>tomentosum</i> var. <i>columnnae</i> ' <i>Silbersteppich</i> ' [ <i>Silver Carpet, Snow in Summer</i> ], 15 cm, white, large flowers, silver-white cushions, abundant flowering, V-VI, Z3-7 . . . . .	1	15	△✉✉①	224,00	28,00	3,60	2,40
<b>CERINTHE</b> (Boraginaceae)								
CA 366	<i>glabra</i> , 30 cm, yellow with purple circle, V-VII, Z4-7 . . . . .	15	16	△	–	43,00	6,20	6,20
CA 900	<i>major</i> ' <i>Purpurascens</i> ' [ <i>Kiwi Blue, Purple Bell</i> ], 45 cm, blue-violet, steel blue bracts, very showy, VI-IX, Z5-9 . . . . .	100	15	① ✉ ☀ ⊖	76,00	12,00	2,00	6,00
<b>CHAENORHINUM</b> (Scrophulariaceae)								
CA 371	<i>organifolium</i> ' <i>Blue Dreams</i> ' [ <i>Blue Eyes</i> ], 15 cm, blue-lilac with yellow throat, small round leaves, compact, flowers the first year, VI-VIII, Z7-10 . . . . .	0,25	16	① △ ⊖	1792,00	224,00	28,00	6,00
CA 379	<i>villosum</i> ' <i>Little Dragons</i> ', 15 cm, purple with darker veins and yellow throat, blue-green foliage, V-VII, Z7-10 . . . . .	0,1	15	① △ ⊖	–	–	196,00	6,00
<b>CHAMAEMELUM nobile</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>CHAMAESPARTIUM</b> - see GENISTA								
<b>CHAMAENERION</b> - see EPILOBIUM								
<b>CHAMOMILLA recutita</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>CHEIRANTHUS allionii</b> - see ERYSIMUM allionii								
<b>CHELIDONIUM majus</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>CHELONE</b> (Scrophulariaceae)								
	<i>barbata</i> - see PENSTEMON barbatus							
CA 370	<i>glabra</i> , 80 cm, white to light pink, V-VI, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	3	9	⊖ ①	672,00	84,00	12,00	6,00
CA 372	 <i>Iyonii</i> ' <i>Pink Temptation</i> ', 40 cm, brilliant pink, compact habit, wide dark green foliage, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	3	9	△ ✗ ①	768,00	96,00	12,00	6,00
CA 374	<i>obliqua</i> , 80 cm, dark pink, VIII-X, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	3	9	✗ ①	768,00	96,00	12,00	6,00
CA 375	<i>obliqua</i> var. <i>alba</i> , 80 cm, white, VIII-X, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	3	9	✗ ①	768,00	96,00	12,00	6,00



CENTAUREA pulcherrima



CENTAUREA rutherica



CHELONE Iyonii 'Pink Temptation'



CHIASTOPHYLLUM oppositifolium

Production – Breeding – Seed Technology	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>CHENOPODIUM</b> - see Organic Seed							
<b>CHIASTOPHYLLUM</b> (Crassulaceae)							
CA 378 ☼ <i>oppositifolium</i> [ <i>Goldtröpfchen, Solar Yellow</i> ], (AGM), 20 cm, golden, hanging panicles, V-VII, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	0,5	1/4	△	-	432,00	48,00	6,00
<b>CHRYSANTHEMUM</b> (Asteraceae, <i>Compositae</i> )							
alpinum - see <b>LEUCANTHEMOPSIS alpina</b>							
arcticum - see <b>ARCTANTHEMUM arcticum</b>							
balsamita ( <b>TANACETUM</b> ) - see Herbs - Culinary, Teas and Medicinal + Organic Seed							
cinerariifolium ( <b>TANACETUM</b> ) - see Herbs - Culinary, Teas and Medicinal + Organic Seed							
coccineum - see <b>TANACETUM coccineum</b>							
corymbosum - see <b>TANACETUM corymbosum</b>							
ircutianum - see <b>LEUCANTHEMUM vulgare</b>							
leucanthemum - see <b>LEUCANTHEMUM vulgare</b>							
macrophyllum - see <b>TANACETUM macrophyllum</b>							
maximum hort. - see <b>LEUCANTHEMUM x superbum</b>							
montanum - see <b>LEUCANTHEMUM graminifolium</b>							
nipponicum - see <b>NIPPONANTHEMUM nipponicum</b>							
parthenium ( <b>TANACETUM</b> ) - s. Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
serotinum - see <b>LEUCANTHEMELLA serotina</b>							
vulgare ( <b>TANACETUM</b> ) - see Perennial Herbs - Culinary, Teas a. Medicinal + Organic Seed							
weyrichii - see <b>DENDRANTHEMA weyrichii</b>							
<b>CHrysopsis</b> (Asteraceae, <i>Compositae</i> )							
CA 492 <i>villosa</i> ( <b>HETEROTHECA</b> ), Golden Aster, 40 cm, golden, VI-VIII, Z3-8 .....	2	15	△	-	32,00	4,00	2,00
<b>CICHORIUM</b> <i>intybus</i> var. <i>intybus</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>CIMICIFUGA (ACTAEA)</b> (Ranunculaceae)							
CA 503 <i>foetida</i> ( <i>A. cimicifuga</i> ), Foetid Bugbane, 160 cm, yellow-greenish, VIII-IX, Z3-8 .....	5	19	∅ \$	-	26,00	3,40	2,00
CA 504 ☼ <i>racemosa</i> ( <i>A. racemosa</i> ), (AGM), Black Cohosh, 150 cm, white, abundant flowers, VI-VII, Z3-7 .....	5	19	× \$ ✕	208,00	26,00	3,40	2,00
CA 500 <i>racemosa</i> var. <i>cordifolia</i> ( <i>rubifolia</i> ) ( <i>A. cordifolia</i> ), 100 cm, cream-white, VIII-X, Z3-7 .....	5	19	× ✕	144,00	18,00	2,60	2,60
CA 506 <i>ramosa</i> ( <i>A. simplex</i> ), 200 cm, creamy-white, slightly hanging candles, IX, Z3-8 .....	5	19	×	-	26,00	3,40	2,00
CA 508 <i>ramosa 'Atropurpurea'</i> ( <i>A. simplex</i> ), 200 cm, creamy-white, intensive red-leaved, from selected plants, IX, Z3-8 .....	5	19	× *	384,00	48,00	6,00	3,00
<b>CIRSIUM</b> (Asteraceae, <i>Compositae</i> )							
CA 520 <i>acaulis</i> , 10 cm, purple-red, VII-IX, Z3-7 .....	12	9	△	-	96,00	12,00	5,20
CA 524 <i>diacanthum</i> ( <b>PTILOSTEMON diacantha</b> ), Ivory Thistle, 50 cm, purple, striking foliage, VII-VIII, Z5-8 .....	25	15	△ * ⊙	98,00	14,00	2,00	4,00
CA 525 <i>echocephalum</i> ( <b>PTILOSTEMON, LAMIRA</b> ), 30 cm, purple, striking marbled foliage, VII-IX, Z5-8 .....	25	9	△ * ✕	144,00	18,00	2,40	4,00
CA 528 <i>heterophyllum</i> , 120 cm, violet-red, VI-VIII, Z4-7 .....	15	9	✖ ✕	-	-	5,60	5,60
<b>CISTUS</b> (Cistaceae)							
CA 542 ☼ <i>incanus</i> ssp. <i>tauricus</i> , Tauric Rock Rose, 100 cm, rose-purple, grey-green leaves, VI-VIII, Z7-10 ( <i>see also GOLD NUGGET SEED®</i> ) .....	3	8	^ \$	336,00	42,00	5,20	2,60
CA 540 <i>laurifolius</i> , (AGM), 150 cm, white with yellow spot, grey-green foliage, evergreen, good winter hardy, VI-VIII, Z6-9 .....	5	10	^	368,00	46,00	6,20	3,10
CA 544 <i>monspeliensis</i> , 80 cm, pure white blossoms, narrow foliage, IV-VII, Z7-10 .....	3	8		336,00	42,00	5,20	2,60
<b>CLAYTONIA sibirica</b> - see <b>MONTIA sibirica</b>							
<b>CLEMATIS</b> (Ranunculaceae) .....			all varieties pure seed				
CA 550 ☼ <i>alpina</i> , (AGM), 150 cm, blue, rarely white, V-VIII, Z4-7 .....	10	9	△ ✕ ✕	-	64,00	8,00	4,00
CA 554 <i>flammea</i> , 200 cm, pure white umbels, fragrant, VII-X, Z5-9 .....	25	9	✖ ✕ ✕	128,00	16,00	2,20	2,20
CA 556 ☼ <i>heracleifolia</i> , 80 cm, indigo blue, VIII-IX, Z3-7 .....	8	9	△ ✕ ✕	448,00	56,00	7,00	3,50
CA 558 <i>integrifolia</i> , 60 cm, steel blue, V-VIII, Z2-7 .....	10	9	△ ✕ ✕	196,00	28,00	4,00	4,00
CA 553 ☼ <i>integrifolia 'Blue Ribbons'</i> , 40 cm, indigo blue, large flowers, sturdy upright and bushy habit, decorative silvery flower heads, very durable perennial, V-VIII, Z2-7 .....	15	9	✖ △ ✕	-	42,00	6,20	6,20
CA 555 ☼ <i>integrifolia Mongolian Bells®</i> (PS), 35 cm, wide spectrum of colors, pink, white, lavender and blue, compact habit, V-IX, Z3-9 ( <i>see also Organic-Seeds</i> ) .....	10	9	△ ✕ ✕	448,00	64,00	8,20	5,00
CA 559 <i>Macropetala-Hybr.</i> , 100 cm, large flowers, light blue to violet, also pink and white, V-VI, Z4-7 .....	10	9	✖ ✕ ✕	360,00	45,00	5,80	4,40
CA 561 <i>mandschurica</i> , 100 cm, large, white flowering umbels, VII-VIII, Z3-8 .....	15	16	✖ ✕ ✕	192,00	24,00	3,20	3,20
CA 567 <i>marmoraria</i> , 8 cm, creamy-white flowers, graceful foliage, mostly evergreen, rare! IV-V, Z7-10 .....	8	8	△ ^ ✕	-	-	18,00	
CA 560 <i>orientalis</i> , 150 cm, golden, open flowers, VII-IX, Z5-9 .....	3	15	✖ ✕ ✕	256,00	32,00	4,00	2,00
CA 562 <i>paniculata</i> (Gmel.), 200 cm, pure white umbels, endemic to New Zealand, VII-X, Z5-9 .....	5	9	✖ ✕ ✕	496,00	62,00	7,80	3,90
CA 564 <i>recta</i> , 100 cm, white umbels, VII-VIII, Z2-8 .....	30	1	✖ ✕ ✕	96,00	14,00	2,00	2,00
CA 565 <i>recta 'Purpurea'</i> , 120 cm, white, fragrant umbels, new growth of stems and foliage is red, VII-VIII, Z2-8 .....	30	1	* ✕ ✕ ✕	192,00	24,00	3,20	3,20
CA 566 <i>stans</i> , Japanese Clematis, 160 cm, soft blue, nodding flowers, VIII-IX, Z4-8 .....	3	9	✖ ✕ ✕	256,00	32,00	4,00	2,00
CA 568 ☼ <i>tangutica</i> [ <i>Radar Love, Helios</i> ], 200 cm, golden, VI, often VIII, Z3-7 .....	4	15	✖ ✕ ✕	192,00	24,00	3,00	3,00
CA 570 <i>vitalba</i> , 300 cm, very high climbing, white, VII-IX, Z3-8 .....	20	1	✖ ✕ ✕ ✕	32,00	4,60	2,00	2,00
CA 571 <i>viticella</i> , Italian Leather Flower, up to 200 cm, violet-purple, fragrant, vital plant growth, VI-VIII, Z5-9 .....	50	6	✖ ✕ ✕	180,00	26,00	3,80	5,80
<b>CLINOPODIUM</b> (Lamiaceae, <i>Labiatae</i> )							
alpinum - see <b>ACINOS alpinus</b>							
grandiflorum, nepeta - see <b>CALAMINTHA</b>							
thymifolia - see <b>MICROMERIA</b>							
CA 578 <i>vulgaris</i> , Cushion Calamint, 40 cm, pink, aromatic foliage, VII-IX, Z6-9 .....	1	16		120,00	18,00	2,60	2,00
<b>CLINTONIA</b> (Convallariaceae)							
CA 580 <i>borealis</i> , Bluebird, 20 cm, white, spherical umbels, dense foliage clumps, blue berries, V-VI, Z3-9 .....	5	9	❖	320,00	42,00	5,40	3,20
<b>CNICUS benedictus</b> - see Organic Seed							
<b>COCHLEARIA officinalis</b> - see Organic Seed							

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>CODONOPSIS</b> (Campanulaceae)								
CA 584	clematidea [ <i>Lilac Eyes</i> ], 50 cm, soft blue, VI-VII, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	9	△ ⊕	360,00	45,00	5,00	2,50
CA 583	convolvulacea ( <i>nepalensis</i> ), climbing up to 120 cm, blue violet, rarely white, large flowering, VII-IX, Z6-9 . . . . .	0,3	16	⊗ ↗	–	–	–	7,20
CA 585	lanceolata, up to 150 cm climbing, large creamy colored bellflowers, interior intensive purple colored and spotted, VIII-IX, Z6-9 . . . . .	4	9	⊗ ↗	–	192,00	24,00	6,00
CA 588	ovata, 30 cm, light blue, longish-bellshaped flowers with darker veins, oval, blue-green foliage, VI-VIII, Z3-7 . . . . .	2	16	△ ⊕	–	96,00	12,00	4,00
	pilosula - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>COLCHICUM</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>COMARUM</b> palustre - see POTENTILLA palustris								
<b>COMMELINA</b> (Commelinaceae)								
CA 594	coelestis ( <i>tuberosa</i> ) [ <i>Sleeping Beauty</i> ], 60 cm, radiant blue, rhizomes must have frost free wintering! Blooms in the first year, VI-IX, Z8-11 . . . . .	10	15	⊗ ⊖ ↗	140,00	22,00	3,40	2,60
CA 587	coelestis 'Alba', 50 cm, pure white flowers, VI-IX, Z8-11 . . . . .	10	15	⊗ ⊖ ↗	280,00	44,00	6,80	3,40
CA 589	dianthifolia, Dayflower, 20 cm, bright blue flowers, large and abundant flowering, branched upright, dense clumps, narrow foliage, best hardy species. First year flowering, V-IX, Z6-11 . . . . .	10	15	⊗ △ ⊖	460,00	58,00	8,20	4,80



CLEMATIS alpina



CLEMATIS heracleifolia



CLEMATIS integrifolia 'Blue Ribbons'



CLEMATIS tangutica



CODONOPSIS convolvulacea



CODONOPSIS lanceolata



COMMELINA coelestis 'Alba'



COMMELINA dianthifolia

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>CONOCLINIUM coelestinum</b> - see <b>EUPATORIUM coelestinum</b>								
<b>CONVOLVULUS</b> (Convolvulaceae)								
CA 596 <b>cantabricus</b> , 40 cm, pink, VI-VII, Z7-10 . . . . .	15	8	△ ~	256,00	32,00	4,00	4,00	
<b>COREOPSIS</b> (Asteraceae, Compositae)								
CA 598 <b>auriculata f. nana 'Elfin Gold'</b> , 25 cm, brilliant orange-yellow flowers, compact habit, wide leaves, durable foliage clumps, V-IX, Z4-9 . . . . .	5	16	⊗ ⊗ △	512,00	64,00	8,00	4,00	
CA 601 <b>grandiflora 'Domino'</b> , 40 cm, dwarf variety, golden with black-brown center, VI-IX, Z5-9 . . . . .	8	15	△	192,00	24,00	3,00	2,00	
CA 602 <b>grandiflora 'Early Sunrise'</b> , (AAS) (AGM)  45 cm, semi-double, blooms in the first year until frost, VI-XI, Z5-9 . . . . .	8	15	⊗ × ⊗	976,00	122,00	15,00	6,20	
CA 603 <b>grandiflora 'Heliot'</b> ,  40 cm, radiant golden with reddish-brown centre, compact healthy habit, very rich flowering, uniform, VI-IX, Z5-9, . . . . . <b>approx. 400 seeds = 1g</b>	6	15	△ ⊗ ⊗	512,00	64,00	8,00	4,00	
CA 605 <b>grandiflora 'Presto'</b> ,  25 cm, golden, semi-double and large flowering, compact, ball-shaped habit, flowering in the first year until frost, VI-IX, Z6-9 . . . . .	8	15	⊗ ⊗	1200,00	135,00	15,00	7,50	
CA 606 <b>grandiflora 'Rising Sun'</b> ,  45 cm, semi-double, golden with red center, compact, blooms in the first year until frost, VI-XI, Z6-9 . . . . .	8	15	⊗ × ⊗	-	-	24,00	7,80	
CA 604 <b>grandiflora 'Santa Fe'</b> <sup>TM</sup> ,  45 cm, golden, mostly large, double flowers, abundant flowers, compact, blooms the first year until frost, VI-XI, Z5-9 . . . . .	8	15	⊗△×⊗	324,00	36,00	4,20	2,10	
CA 608 <b>grandiflora 'Schnittgold' [Gold Cut]</b> , 90 cm, golden, large flowers, VI-IX, Z5-9 . . . . .	8	15	×	232,00	29,00	4,20	2,10	
CA 612 <b>grandiflora 'Sonnenkind' [Baby Gold, Baby Sun]</b> , 40 cm, abundant flowers, golden with brown markings, compact, VI-IX, Z5-9 . . . . .	8	15	⊗	232,00	29,00	4,20	2,10	
CA 614 <b>grandiflora 'Sunburst'</b> , 90 cm, golden, double and semi-double flowers, VI-IX, Z5-9 . . . . .	8	15	× ⊗	32,00	8,00	2,00	2,00	
CA 615 <b>grandiflora 'Sunfire'</b> ,  45 cm, golden with burgundy red center, single and early flowering, compact habit, blooms in the first year until frost, VI-XI, Z6-9 . . . . .	8	15	⊗ ⊗	1350,00	150,00	18,00	9,00	
CA 616 <b>grandiflora 'Sunray' [Sonnenstrahl]</b> ,  50 cm, golden, double and semi-double, VI-IX, Z5-9 . . . . .	8	15	⊗	232,00	29,00	4,20	2,10	
CA 624 <b>lanceolata 'Sterntaler'</b> , 40 cm, yellow with brown circle, permanent bloomer, V-X, Z3-8 . . . . .	5	15	×	176,00	24,00	3,00	2,00	
CA 626 <b>major</b> , 80 cm, golden star-flowers, like <i>C. verticillata</i> but with wider leaves, upright stable habit, VI-IX, Z5-9 . . . . .	3	9	×	-	84,00	12,00	6,00	
CA 627 <b>palmata</b> , 60 cm, golden, narrow leaves, VII-VIII, Z4-9 . . . . .	10	9	×	384,00	48,00	6,00	4,00	
CA 625 <b>pubescens 'Sunshine Superman'</b> , 25 cm, golden with orange disk, permanent flowering, hairy foliage, wide and bushy habit, VI-IX, Z5-9 . . . . .	5	15	⊗ × △	384,00	48,00	6,00	3,00	
CA 629 <b>rosea [American Dream]</b> , 25 cm, pink, VI-VII, Z4-9 ( <i>see also GOLD NUGGET SEED</i> <sup>®</sup> ) . . . . .	1	8	△	512,00	64,00	8,00	4,00	
CA 630 <b>tripteris</b> , up to 200 cm, light-yellow with dark center, straight and upright, VII-IX, Z4-9 . . . . .	5	9	Sol ×	-	48,00	6,00	4,50	
<b>CORIANDRUM sativum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>CORNUS (CHAMAEPERICLYMENUM)</b> (Cornaceae)								
CA 642 <b>canadensis</b> ,  16 cm, white, red berries in fall, VI-VII, Z2-7 . . . . .	20	6	⊗⊗⊗⊗⊗△	272,00	34,00	4,20	3,50	



COREOPSIS auriculata f. nana 'Elfin Gold'

COREOPSIS grandiflora 'Heliot'



COREOPSIS grandiflora 'Santa Fe'

COREOPSIS pub. 'Sunshine Superman'



CORTUSA matthioli

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>CORONILLA varia</b> - see <b>SECURIGERA varia</b>							
<b>CORTIA wallichiana</b> - see <b>SELINUM wallichianum</b>							
<b>CORTUSA</b> (Primulaceae)							
CA 648 ☒ <b>matthioli</b> , 30 cm, purple-red, VI-VII, Z4-9 . . . . .	1	16	△	2730,00	342,00	38,00	6,00
<b>CORYDALIS</b> (Papaveraceae)							
CA 655 <b>caseana ssp. brandegei</b> , 120 cm, white-soft pink, with dark tips, blue-green pinnatifid foliage, upright majestic perennial, VII-VIII, Z4-7 . . . . .	10	19	⌘ Sol	–	86,00	12,00	6,00
CA 654 <b>cava (bulbosa)</b> , 25 cm, lilac-pink, rarely white, shade, III-V, Z4-8 . . . . .	20	19	⌘ ⚡ ⚡	128,00	16,00	2,00	2,00
CA 656 <b>cheilanthifolia [Manchu]</b> , 20 cm, yellow, fern-like foliage, decorative, V-VI, Z3-8 . . . . .	2	19	△ ↗	–	–	18,00	4,50
CA 658 ☒ <b>lutea (PSEUDOFUMARIA)</b> , 20 cm, yellow, blooms over a long season, V-IX, Z4-8 . . . . .	10	19	△ ⚡	496,00	62,00	7,80	3,90
CA 662 <b>nobilis</b> , 40 cm, yellow-brown spotted, shade, IV-V, Z5-8 . . . . .	10	19	△	336,00	42,00	5,40	2,70
CA 666 <b>ochroleuca (PSEUDOFUMARIA alba)</b> , 20 cm, like C. lutea, but white with yellow spots, V-IX, Z4-8 . . . . .	10	19	△ ⚡	–	72,00	9,00	4,50
CA 667 <b>ophiocarpa</b> , 40 cm, cream yellow flowers with reddish tips, bronze-green fern-like foliage, IV-VI, Z5-9 . . . . .	2	19	⌘ ⚡	496,00	62,00	7,80	3,90
CA 663 <b>sempervirens (CAPNOIDES)</b> , 40 cm, pink with yellow, blue-green foliage, flowers all season, self-seeds, short lived, V-IX, Z5-7 . . . . .	2	9	⌚	246,00	32,00	4,00	2,00
CA 664 <b>sempervirens 'Alba'</b> , 40 cm, white with yellow, blue-green foliage, self-seeds, short lived, V-IX, Z5-7 . . . . .	2	9	⌚	–	40,00	5,00	2,50
CA 668 <b>solida</b> , 20 cm, lilac-pink, shade, III-IV, Z4-8 . . . . .	10	19	⌘	144,00	18,00	2,25	2,25
<b>COSMOS</b> (Asteraceae, <i>Compositae</i> )							
CA 660 ☒ <b>atrosanguineus 'Black Magic'</b> , Chocolate Cosmos, 60 cm, velvet burgundy-red almost black blossoms with dark chocolate fragrance, pinnatifid foliage, variable, unique seed strain, perennial if rootstock kept frost free during winter, VI-IX, Z8-12 . . . . .	25	16	××⌚	–	240,00	32,00	8,20
<b>COTA tinctoria</b> - see <b>ANTHEMIS tinctoria</b> - see <b>Perennial Herbs + Organic Seed</b>							
<b>COTULA</b> (Asteraceae, <i>Compositae</i> )							
CA 671 <b>coronopifolia</b> , Brass Buttons, 15 cm, small yellow heads, VI-VIII, Z6-11 . . . . .	0,25	15	⌘ ⚡	640,00	80,00	10,00	2,50
CA 672 ☒ <b>hispida</b> , 20 cm, brilliant yellow, fine, grey cushions, VI-VIII, Z8-10 . . . . .	0,1	15	△ ↗	–	448,00	56,00	9,00
<b>CRAMBE</b> (Brassicaceae, <i>Cruciferae</i> )							
CA 673 ☒ <b>cordifolia</b> , ☐ AGM, 200 cm, white, VI-VII, Z5-8 . . . . .	60	8	Sol ×	192,00	24,00	3,00	9,80
CA 674 ☒ <b>maritima</b> , ☐ AGM ☐ PS, Sea Kale, 70 cm, white, blue-grey leaves, V-VII, Z5-8 <i>(see also Organic-Seeds)</i> . . . . .	100	8	Sol ⚡	90,00	12,00	2,00	6,00
<b>CRASPEDIA</b> (Asteraceae, <i>Compositae</i> )							
CA 760 ☒ <b>lanata</b> , 20 cm, yellow flower heads, grey-feltlike foliage, VI-VII, Z7-9 . . . . .	1	3/16	△ ↗	–	152,00	19,00	6,40



**CORYDALIS lutea**



**COSMOS atrosanguineus 'Black Magic'**



**COTULA hispida**



**CRAMBE cordifolia**



**CRASPEDIA lanata**


**CYCLAMEN coum ssp. caucasicum**

**CYMBALARIA pallida 'Albiflora'**

**DAPHNE mezereum**

**DEINANTHE bifida**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>CREPIS</b> (Asteraceae, <i>Compositae</i> )								
CA 670 <i>pyrenaica</i> , 40 cm, yellow, grey-green, VI-VIII, Z5-8 . . . . .		10	15		369,00	46,00	5,70	4,30
<b>CRITHMUM maritimum</b> - see Perennial Herbs - Culinary, Teas and Medicinal								
<b>CROCOSMIA</b> (Iridaceae)								
CA 682 <i>Paniculata-Hybr. 'Orangerot'</i> , 60 cm, orange-red, variable, VII-X, Z6-9 . . . . .		15	16	✗	160,00	20,00	2,60	2,60
<b>CRUCIANELLA stylosa</b> - see PHUOPSIS stylosa								
<b>CRYPTOTAENIA</b> - see Perennial Herbs - Culinary, Teas and Medicinal								
<b>CUCUBALUS</b> (Caryophyllaceae)								
CA 780 <i>baccifer</i> ( <i>SILENE baccifer</i> ), Berry Catchfly, 120 cm, yellowish-white, black, berry-like fruits, VII-IX, Z6-9 . . . . .		5	16	‡ & ①	240,00	32,00	4,20	3,00
<b>CUMINUM cuminum</b> - see Perennial Herbs - Culinary, Teas and Medicinal								
<b>CYCLAMEN</b> (Primulaceae)								
CA 688 <i>cilicium</i> , (AGM), 10 cm, deep rose to white, variable, IX-X, Z6-9 ( <i>s. also GOLD NUGGET SEED®</i> )		15	7	△	-	144,00	18,00	9,80
CA 690 <i>coum</i> , (AGM), 5 cm, carmine-rose to white, round to kidney-shaped leaves, II-III, Z5-9 (see also GOLD NUGGET SEED®) . . . . .		10	7	△	990,00	110,00	12,40	6,60
CA 695 ☀ <i>coum</i> ssp. <i>caucasicum</i> ( <i>caucasicum</i> ), 5 cm, mostly pink, large flowering with dark eye, heart shaped leaves, II-III, Z5-9 (see also GOLD NUGGET SEED®) . . . . .		10	7	△	1458,00	162,00	18,00	6,60
CA 691 <i>coum</i> 'Album', 5 cm, white, II-III, Z5-9 . . . . .		10	7	△	-	144,00	16,00	6,80
CA 689 <i>coum</i> 'Rubrum', 5 cm, red, II-III, Z5-9 . . . . .		10	7	△	-	-	16,00	6,80
<b>NEW!</b> CA 693 <i>coum</i> 'Silver Leaf', 5 cm, pink to white, attractive silver foliage, II-III, Z5-9 . . . . .		10	7	△ *	-	-	48,00	26,00
<i>europaeum</i> - see <i>purpurascens</i>								
<b>NEW!</b> CA 697 <i>graecum</i> , (AGM), pink, attractive marbled foliage, IX-X, Z7-10 . . . . .		10	7	△	-	-	32,00	9,80
CA 692 <i>hederifolium</i> ( <i>neapolitanum</i> ), (AGM), 10 cm, pink and white, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) . . . . .		15	7	△	648,00	72,00	8,00	6,00
CA 694 <i>hederifolium</i> 'Perlenteppeich' [ <i>White Pearls</i> ], 10 cm, pure white, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) . . . . .		15	7	△	998,00	118,00	14,00	7,80
CA 698 <i>hederifolium</i> 'Rosenteppich' [ <i>Pink Pearls</i> ], 10 cm, pink, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) . . . . .		15	7	△	998,00	118,00	14,00	7,80
CA 810 <i>hederifolium</i> 'Silver Leaf', 10 cm, pink to white, striking silvery marbled foliage, VIII-X, Z5-8 . . . . .		15	7	△ *	-	-	48,00	26,00
<b>NEW!</b> CA 699 <i>mirabile</i> , 10 cm, pink, IX-XI, Z6-9 . . . . .		10	7	△	-	-	24,00	9,80
<i>neapolitanum</i> - see <i>hederifolium</i>								
CA 701 <i>pseudibericum</i> , (AGM), 10 cm, brilliant red, fragrant, IV-V, Z6-9 . . . . .		15	7	△	-	144,00	18,00	9,80
CA 700 <i>purpurascens</i> ( <i>europaeum</i> ), (AGM), 10 cm, red, VII-IX, Z5-8 (see also GOLD NUGGET SEED®) . . . . .		15	8	‡ △ ✗	-	-	24,00	9,80
CA 702 <i>repandum</i> , 20 cm, pink, III-V, Z5-8 . . . . .		10	7	△	-	144,00	16,00	6,80
<b>CYMBALARIA</b> (Scrophulariaceae)								
LA 284 <i>muralis</i> ( <i>LINARIA cymbalaria</i> ), 10 cm, mauve, creeping or hanging, VI-IX, Z3-8 . . . . .		1	15	①△w>‡	216,00	27,00	3,40	2,00
LA 285 ☀ <i>pallida</i> 'Albiflora' ( <i>LINARIA</i> ), 10 cm, pure white with yellow throat, compact habit, intensive soft green foliage, VI-IX, Z3-8 . . . . .		1	15	①△w>‡	380,00	48,00	7,20	2,40
<b>CYNANCHUM</b> - see <b>VINCETOXICUM</b>								
<b>CYNARA</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>CYNOGLOSSUM officinale</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>DACTYLICAPNOS scandens</b> - see <b>DICENTRA scandens</b>								
<b>DALEA</b> - see <b>PETALOSTEMON</b>								
<b>DAPHNE</b> (Thymelaeaceae)								
DA 014 ☀ <i>mezereum</i> , 90 cm, carmine-red, III-IV, Z3-8 . . . . .		150	5	✿ ✩ ✗	-	20,00	2,50	6,40



DELOSPERMA congestum



DELOSPERMA floribundum Starburst®



DELOSPERMA Luckhoffii-Hybr.



DELOSPERMA hispida

		Gram to get 1000 plants	N° of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>DARMERA</b> - see <b>PELTIPHYLLUM</b>								
<b>DATISCA</b> (Daticaceae)								
DA 006 <b>cannabina</b> , False Hemp, 200 cm, greenish-yellow flower clusters, pinnatifid foliage, VII-VIII, Z5-8 . . . . .	0,25	16	Sol ✕ ☂	-	186,00	24,00	6,00	
<b>DEINANTHE</b> (Hydrangeaceae)								
DA 025 <b>bifida</b> , 40 cm, white blossoms, dense umbels, broad foliage, VII-VIII, Z6-9 . . . . .	0,25	9		-	498,00	64,00	8,00	
<b>DELOSPERMA</b> (Aizoaceae)								
DA 021 <b>congestum</b> [ <b>basuticum</b> ] [ <b>Golden Nugget</b> ], 10 cm, brilliant yellow, abundant flowering, V-VIII, Z5-9 . . . . .	1	16	WV △ ☂	3200,00	396,00	48,00	5,40	
DA 018 <b>cooperi</b> [ <b>Table Mountain</b> ®],  Ice Plant, 10 cm, carmine-red, V-VIII, Z5-9 . . . . .	0,25	16	WV △ ☂	-	352,00	44,00	4,80	
DA 022 <b>floribundum</b> <b>Starburst</b> ®,  Ice Plant, 20 cm, brilliant pink-purple with lighter eye, forms shrub-like cushions, V-IX, Z6-9 . . . . .	0,25	16	△ ☂ ☀	-	440,00	56,00	5,80	
DA 019 <b>hispida</b> ( <b>DROSANTHEMUM</b> ), 10 cm, purple-pink, good hardy, V-VIII, Z6-10 . . . . .	0,25	9	△	-	792,00	88,00	7,20	
<b>NEW!</b> DA 030 <b>Luckhoffii-Hybr.</b> [ <b>Desert Jewels</b> ], 10 cm, orange, red, pink, white to yellow, very colorful mix with mostly lighter center, green foliage, V-IX, Z6-12 . . . . .	0,25	16	△ ☂ ☀	-	320,00	38,00	4,80	
DA 017 <b>sutherlandii</b> , 8 cm, dark rosy-red with yellowish center, V-VIII, Z6-9 . . . . .	0,5	15	WV ☀ ☂ ☀	-	320,00	38,00	6,00	
DA 016 <b>sutherlandii</b> 'Peach Star', 8 cm, brilliant pink with light yellow eye, V-VIII, Z6-9 . . . . .	0,5	15	WV ☀ ☂ ☀	-	-	-	-	7,20
DA 033 <b>hybridus</b> Mixture, 10-30 cm, rich mixture of many nice species and cultivars, also for green roofs, V-VIII, Z6-10 . . . . .	0,5	16	✖ △	1790,00	224,00	28,00	3,50	
<b>DELPHINIUM</b> (Ranunculaceae)								
DA 027 <b>barbeyi</b> ( <b>subalpinum</b> ), Subalpine Larkspur, 100 cm, dark blue-purple, dense panicles, broad dissected foliage, VII-VIII, Z4-7 . . . . .	5	8	△ ✖	512,00	64,00	8,00	6,00	
DA 028 <b>Belladonna</b> 'Bellamossum' [ <b>Blue Papillon</b> ], 120 cm, dark gentian blue, VI-IX, Z3-8	8	20	✖ ✖	160,00	20,00	2,60	2,00	
DA 020 <b>Belladonna</b> 'Casa Blanca' [ <b>White Papillon</b> ], 150 cm, pure white, VI-IX, Z3-8								
DA 024 <b>Belladonna</b> 'Cliveden Beauty' [ <b>Light Blue Papillon</b> ], 150 cm, light blue, VI-IX, Z3-8								
DA 026 <b>Belladonna</b> 'Connecticut Yankee', , 90 cm, blue shades, lavender and white, VI-IX, Z3-8 . . . . .	8	20	✖ ✖	240,00	30,00	3,80	2,90	
DA 036 <b>elatum</b> , 170 cm, violet-blue with dark bee, variable, VI-VIII, Z3-8 . . . . .	3	8	✖ ✖	-	36,00	4,00	2,00	
DA 038 <b>exaltatum</b> , 160 cm, blue-purple, narrow branched spikes, VII-VIII, Z4-8 . . . . .	5	8	✖ ✖	512,00	64,00	8,00	6,00	
DA 042 <b>grandiflorum</b> 'Blauer Zwergh' [ <b>Blue Pygmy</b> ], 40 cm, gentian blue, VI-VIII, Z3-8 . . . . .	5	15	✖ ☀ △	240,00	30,00	3,80	2,00	
DA 068 <b>maackianum</b> , 60 cm, dark violet, large flowering, richly branched panicles, dissected roundish foliage, VI-VIII, Z3-7 . . . . .	5	1	△	-	-	-	-	6,00
DA 050 <b>nudicaule</b> 'Laurin' [ <b>Redcap</b> ], 40 cm, orange-red, VI-VII, Z6-10 . . . . .	2	15	✖ ✖	-	288,00	32,00	4,80	
DA 054 <b>semibarbatum</b> (zalil, sulphureum) [ <b>Sulphur Spike</b> ], 170 cm, yellow, VI-VII, Z5-9 . . . . .	2	9	✖ ✖	-	512,00	64,00	5,20	
DA 064 <b>vestitum</b> , 60 cm, blue-violet with deep black bee, unusual rounded foliage, VII-IX, Z6-10 . . . . .	3	15	-	-	96,00	12,00	3,20	

continued on the following page



DELPHINIUM nudicaule 'Laurin'



DELPHINIUM semibarbatum



DELPHINIUM vestitum



DELPHINIUM 'Cobalt Dreams'



DELPHINIUM 'Innocence'



DELPHINIUM 'Pink Punch'



DELPHINIUM 'Mini Stars'



DELPHINIUM 'Blue Lace'



DELPHINIUM 'Green Twist'



DELPHINIUM 'Blue Butterfly'



DELPHINIUM 'Summer Colors'



DELPHINIUM Magic Fountains 'Mixture'



DELPHINIUM Astolat-Group

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>DELphinium continuation</b>								
DA 600	'Guardian Blue'							
DA 604	'Guardian Lavender'							
DA 606	'Guardian White'							
DA 700	'Black Eyed Angels'	5	15	✖️ ⓘ ⓘ	–	880,00	98,00	12,00
DA 703	'Cobalt Dreams'							
DA 704	'Dusky Maidens'							
DA 710	'Innocence'							
DA 712	'Lilac Ladies'							
DA 716	'Morning Lights'							
DA 719	'Pink Blush'							
DA 717	'Pink Punch'							
DA 718	'Purple Passion'							
DA 726	'Sunny Skies'							
DA 730	'Sweethearts'							
DA 740	'Super Stars' (Genuine Mix)							
DA 788	'Mini Stars' [Dwarf Stars]	5	20	ⓘ ⓘ	–	655,00	75,00	9,80
DA 754	'Blue Lace'							
DA 758	'Double Innocence'							
DA 708	'Green Twist'							
DA 762	'Pagan Purples'							
DA 780	'Double Stars'							
DA 790	'New Zealand Hybr. Mix'	5	20	✖️ ⓘ ⓘ	840,00	112,00	15,00	7,50
<b>grandiflorum f. compactum Butterfly-Series</b> , 40 cm, richly branched, first year flowering, VI-VIII, Z3-8								
DA 046	'Blue Butterfly'							
DA 044	'Light Blue Butterfly'							
DA 043	'Rose Butterfly'							
DA 045	'White Butterfly'							
DA 051	'Summer Blues'							
DA 052	'Summer Cloud'							
DA 060	'Summer Morning'							
DA 053	'Summer Nights'							
DA 055	'Summer Stars'							
DA 057	'Summer Colors'							
DA 116	'Astolat Premium'							
DA 108	'Black Knight Premium'							
DA 112	'Blue Bird Premium'							
DA 113	'Blue Jay Premium'							
DA 107	'Camelliard Premium'							
DA 114	'Galahad Premium'							
DA 118	'Guinevere Premium'							
DA 119	'King Arthur Premium'							
DA 117	'Percival Premium'							
DA 110	'Summer Skies Premium'							
DA 120	'Premium Formula Mixture' (Roundtable)							
DB 010	'Dark blue'							
DB 014	'Dark blue'							
DB 018	'Sky blue'							
DB 020	'Cherry blossom'							
DB 022	'Lavender'							
DB 026	'Lilac-rose'							
DB 016	'Mid blue'							
DB 030	'Pure white'							
DB 034	'White'							
DB 038	'Mixture'							
DA 058	Astolat-Group, pink							
DA 062	Black Knight-Group, dark violet/black bee							
DA 066	Blue Bird-Group, medium blue/white bee							
DA 078	Galahad-Group, pure white							
DA 086	King Arthur-Group, dark violet/white bee							
DA 090	Summer Skies-Group, light blue tones							
DA 102	Deluxe Mixture							

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>DENDRANTHEMA</b> (Asteraceae, <i>Compositae</i> )								
CA 484 ☼ <i>weyrichii</i> ( <b>CHRYSANTHEMUM</b> ), 15 cm, pink, variable types, VI-VII, Z3-8 . . . . .		2	15	△	720,00	90,00	12,00	4,00
<b>DESMODIUM</b> (Papilionaceae, <i>Leguminosae</i> )								
DA 126 <i>canadense</i> , 120 cm, dark pink, blossom panicles on upright stems, VII, Z2-9 . . . . .		10	15		–	20,00	2,50	2,50
<b>DIANTHUS</b> (Caryophyllaceae)								
DA 130 <i>Allwoodii-Hyb.</i> 'Allwoodii Alpinus', 25 cm, pink shades mostly with dark eye, blue-green foliage, VI-VIII, Z4-8 . . . . .		3	15	△ Ⓛ	272,00	34,00	4,40	2,20
DA 128 <i>alpinus</i> , (AGM) 10 cm, red, mostly green foliage, variable, VI-VIII, Z3-7 . . . . .		3	15	△	–	–	24,00	5,00
DA 132 <i>amurensis</i> [ <b>Siberian Blues</b> ], 30 cm, red-violet, VII-IX, Z3-7 . . . . .		3	15	△ Ⓛ	448,00	56,00	7,00	3,50
DA 134 <i>arenarius</i> , 30 cm, white, some with pink zone, fringed blossoms, VII-IX, Z3-8 . . . . .		3	15	△	160,00	20,00	2,50	2,00
DA 135 ☼ <i>arenarius f. nanus</i> 'Little Maiden', 15 cm, pure white fringed flowers, fragrant, compact dwarf habit, blue-green foliage, forming dense cushions, VII-IX, Z3-8 . . . . .		2	15	△ □	480,00	60,00	7,60	3,80
DA 140 ☼ <i>barbatus</i> 'Nigrescens' [ <b>Sooty</b> ], (AGM) 35 cm, deeply maroon flowers, fragrant, green foliage matures to metallic mahogany coloured, V-VIII, Z3-8 . . . . .		2	15	✗ ⚡ △	192,00	24,00	3,00	2,00
DA 144 <i>barbatus</i> 'Oeschberg', 50 cm, purple-red, excellent for cutting, Original seed, V-VIII, Z3-8 . . . . .		2	15	✗ ⚡	112,00	16,00	2,30	2,00
DA 154 <i>barbatus</i> Mixture, 50 cm, single, V-VIII, Z3-8 . . . . .		2	15	✗ ⚡	32,00	8,00	2,00	2,00
DA 142 <i>barbatus</i> 'Indianerteppich', 30 cm, single alpine mixture, variable, V-VIII, Z3-8 . . . . .		2	15	△ ⚡	112,00	16,00	2,30	2,00
DA 152 <i>barbatus nanus</i> 'Midget', 20 cm, rich, single mixture, dwarf, compact habit, V-VIII, Z3-8 . . . . .		2	15	△ Ⓛ ⚡	280,00	36,00	4,60	2,30
DA 150 <i>barbatus fl. pl.</i> 'Super Duplex Mix', 50 cm, good double, V-VIII, Z3-8 . . . . .		2	15	✗	112,00	16,00	2,30	2,00
DA 138 <i>barbatus fl. pl.</i> <i>nanus</i> [ <b>Pinocchio</b> ], 30 cm, dwarf, compact, double, rich mixture, variable, V-VIII, Z3-8 . . . . .		2	15	△	112,00	16,00	2,30	2,00
caesius - see <i>gratianopolitanus</i>								
DA 162 ☼ <i>carthusianorum</i> , Clusterhead Pink, 40 cm, purple-red, VI-IX, Z3-8 ( <i>see also Organic-Seeds</i> )		3	15	✗ ⚡	72,00	12,00	2,00	2,00
DA 165 <i>carthusianorum</i> 'Rupert's Pink', 20 cm, intense rosy-red, large flowering, grass-like foliage, compact habit, VI-IX, Z3-8 . . . . .		2	15	△ ⚡ ⚡	720,00	90,00	12,00	4,00
<b>caryophyllus</b> fl. pl. <b>Grenadin-Series</b> , 50 cm, VI-VIII, Z7-10								
DA 166 'Grenadin Yellow'								
DA 168 'Grenadin Pink'								
DA 170 'Grenadin Red'								
DA 172 'Grenadin Scarlet'								
DA 174 'Grenadin White'								
DA 176 'Grenadin Mixture'								
DA 180 <i>caryophyllus</i> 'Vienna Mixture', 35 cm, mostly double, dwarf, VI-VII, Z7-10 . . . . .		5	15	✗ ⊕	96,00	14,00	2,00	2,00
DA 192 <i>cruentus</i> , Blood Carnation, 50 cm, brilliant blood-red, perennial, VI-VIII, Z6-9 . . . . .		5	15	✗ ⊕	72,00	12,00	2,00	2,00
DA 194 <i>deltoides</i> Heath Maiden Pink, 20 cm, wildform, dark rosy-red, intense green foliage cushions, VI-IX, Z3-8 . . . . .		1	15	△	96,00	14,00	2,00	2,00
VI-IX, Z3-8 . . . . .					260,00	34,00	4,80	2,40



DENDRANTHEMA weyrichii



DIANTHUS arenarius 'Little Maiden'



DIANTHUS isensis 'Dancing Geisha'



DIANTHUS barbatus 'Nigrescens'



DIANTHUS deltoides 'Arctic Fire'

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>DIANTHUS continuation</b>								
DA 196	<i>deltoides</i> single colours, 20 cm, VI-IX, Z3-8							
DA 198	'Albus' [ <i>Confetti White</i> ], pure white							
DA 198	'Arctic Fire', white with brilliant red eye							
DA 204	'Brilliant' [ <i>Confetti Cherry Red</i> ], bright red							
DA 208	'Erectus', red, upright, bushy habit, green foliage							
DA 212	'Flashing Light' [ <i>Leuchtfunk, Confetti Deep Red</i> ], scarlet red, dark foliage							
DA 214	'Roseus' [ <i>Confetti Carmine Pink</i> ], bright pink							
DA 228	<i>gratianopolitanus</i> ( <i>caesius</i> ) 'Grandiflorus', 20 cm, pink shades with dark eye, fragrant, V-VI, Z3-8	3	15	△ ⊕	236,00	28,00	3,60	2,40
DA 236	<i>gratianopolitanus</i> 'Rosafeder', 20 cm, pure pink, large flowers, fringed blossoms, V-VI, Z3-8	3	15	△	624,00	78,00	9,80	3,40
DA 250	<i>haematocalyx</i> , 20 cm, intense pink, yellowish beneath, low cushions, VI-VII, Z7-9	2	9	△ ↗	–	–	–	6,00
DA 238	<i>isensis</i> 'Dancing Geisha' ( <i>chinensis</i> var. <i>laciniatus</i> ), 30 cm, unusual large, dropping and fringed flowers, white, pink, purple and red shades, bluish foliage, VI-IX, Z5-9	2	15	⊕ ⊖ ✕	–	598,00	68,00	7,20
DA 252	<i>Knappii</i> [ <i>Yellow Harmony</i> ], Sulphur Pink, 35 cm, yellow blossom heads, VI-VIII, Z3-7	3	15	△	720,00	90,00	12,00	4,00
DA 254	<i>microlepis</i> , 5 cm, pure pink, grey-green cushions, VI-VII, Z3-8	2	15	△ D	–	–	–	7,20
DA 258	<i>nardiformis</i> , 15 cm, purple-rose, blue-green cushions, VI, Z5-8	2	15	△	–	48,00	6,00	3,00
	<i>neglectus</i> - see <i>pavonius</i>							
DA 262	<i>nitidus</i> , 25 cm, pink, loose cushions, VI-VII, Z5-8	2	15	△ D	–	140,00	18,00	6,00
DA 260	<i>pavonius</i> , <sup>(AGM)</sup> , 5 cm, purple-red, VI, Z4-8	2	15	△	720,00	90,00	12,00	4,00
DA 264	<i>petraeus</i> , 15 cm, white, often fringed, dense cushions, stems single-flowered, variable, VI-VIII, Z4-7	2	16	△	624,00	78,00	9,80	3,40
DA 265	<i>petraeus</i> ssp. <i>noeanus</i> , Fragrant Snowflake Garden Pink, 20 cm, white, countless deeply fringed single flowers, dense compact cushions, VI-VIII, Z4-8	2	9	△ D	768,00	96,00	12,00	4,00
DA 268	<i>pinifolius</i> , 40 cm, rose-lilac, compact cushion forming, needle like foliage, VI-VII, Z4-8	1	15	△ DD	–	96,00	12,00	4,00
DA 290	<i>plumarius</i> Mixture, 50 cm, single flowers, V-VII, Z3-8	3	15	✗△	32,00	8,00	2,00	2,00
DA 271	<i>plumarius</i> <i>Nanus</i> 'Sweetness' ( <sup>(HS)</sup> ), 20 cm, soft pink, rose to dark red shades, mixture of single, fragrant flowers, dwarf, compact habit, V-IX, Z3-8	3	15	⊕ ⊖ △	1980,00	248,00	32,00	7,60
DA 272	<i>plumarius</i> fl. pl. 'Albus', 50 cm, white, double and semi-double, V-VII, Z3-8	3	15	✗	256,00	32,00	4,00	2,00
DA 276	<i>plumarius</i> fl. pl. 'Roseus', 50 cm, pink, double and semi-double, V-VII, Z3-8	3	15	✗	256,00	32,00	4,00	2,00
DA 284	<i>plumarius</i> fl. pl. 'Springcharme' [ <i>Spring Beauty, Frühlingswonne</i> ], 50 cm, double mixture, V-VII, Z3-8	3	15	✗	192,00	24,00	3,00	2,00
DA 288	<i>plumarius</i> fl. pl. <i>Nanus</i> 'Pink Tones', 25 cm, very dwarf, compact, good double, V-VII, Z3-8	3	15	△	–	288,00	32,00	8,00
DA 296	<i>pontederae</i> , 50 cm, purple-red, V-VI, Z4-8	2	15	△	192,00	24,00	3,00	2,00
DA 300	<i>pyrenaicus</i> , 30 cm, pink, upright, VI-VIII, Z4-8	3	16	△	–	64,00	8,00	4,00
DA 308	<i>spiculifolius</i> , 15 cm, white, fringed flowers with red eye, fragrant, dense cushions, V-VIII, Z5-8	2	15	△ D	450,00	58,00	8,20	3,00
DA 314	<i>strictus</i> var. <i>bebicus</i> , 15 cm, pure white, V-VII, Z3-8	3	8	△	224,00	28,00	3,60	2,00
DA 316	<i>subacaulis</i> , 5 cm, light pink, beautiful, flat, blue-green cushions, V-VI, Z4-7	3	15	△	–	140,00	18,00	6,00
DA 320	<i>superbus</i> , Fringed Pink, 45 cm, pink-soft lilac, fragrant, VI-IX, Z3-9 ( <i>see also Organic-Seeds</i> )	1	15	–	128,00	18,00	2,60	2,00
DA 322	<i>superbus</i> 'Primadonna', 50 cm, pinkish-lilac, VI-VIII, Z3-9	1	15	✗ ⊖	384,00	48,00	6,00	3,00
DA 323	<i>sylvestris</i> , 20 cm, pink, VI-VIII, Z4-8	2	16	△	400,00	44,00	5,00	2,50
<b>DIASCIA</b> (Scrophulariaceae)								
DA 329	<i>barbarea</i> 'Pink Queen', Twinspur, 20 cm, light pink, large flowering, loose habit, annual, V-VIII, Z7-10	2	15	⊕ ⊖ ↗	–	36,00	4,80	2,40
<b>DICENTRA</b> (Papaveraceae, Fumariaceae)								
DA 327	<i>cucullaria</i> , Dutchman's Bleeding Heart, 15 cm, white, gracile, dark bluish foliage, IV-V, Z5-8	5	1/6	⊕	–	260,00	34,00	4,60
DA 330	<i>eximia</i> , 30 cm, rosy-red, grows quickly, V-IX, Z3-8	10	1	⊕ △	460,00	58,00	7,40	5,20
DA 333	<i>formosa</i> , 30 cm, pink, VI-VIII, Z3-8	10	1	△	–	112,00	14,00	7,00
DA 337	<i>scandens</i> (DACTYLICAPNOS) [ <i>Golden Tears</i> ], 200 cm, yellow with reddish tips, climbing, VI-VIII, Z4-7	5	3/1	✗ ⊖ ⊖	–	84,00	12,00	4,00
DA 334	<i>spectabilis</i> (LAMPROCAPNOS), <sup>(AGM)</sup> , Bleeding Heart, 80 cm, pink, heart-shaped flowers, V, Z4-8	15	3/1	✗ ✕	–	224,00	28,00	8,40
DA 338	<i>spectabilis</i> 'Alba' [ <i>Weißherz</i> ], <sup>(AGM)</sup> , 80 cm, pure white forms, V, Z4-8	15	3/1	✗ ✕	–	224,00	28,00	8,40
<b>DICHELOSTEMMA</b> (Alliaceae, Liliaceae)								
DA 339	<i>pulchellum</i> (BRODIAEA <i>pulchella</i> ), 45 cm, violet umbels, IV-V, Z4-8	2	9	✗	128,00	16,00	2,00	2,00
<b>DICTAMNUS</b> (Rutaceae)								
DA 340	<i>albus</i> var. <i>purpureus</i> ( <i>fraxinella</i> ), <sup>(AGM)</sup> , Dittany, 80 cm, soft pink with dark veined flowers, white roots, V-VI, Z3-8 ( <i>see also Organic-Seeds</i> )	40	19	✿	180,00	26,00	3,80	3,80
DA 342	<i>albus</i> var. <i>albiflorus</i> , 80 cm, pure white flowers, V-VI, Z3-8	40	19	✿	240,00	32,00	4,20	4,20



DIANTHUS knappii

DIANTHUS petraeus ssp. noeanus

DIANTHUS spiculifolius

DICENTRA scandens



DIERAMA pulcherrimum 'Slieve Donard Hybr.'



DIERAMA trichorhizum



DIGITALIS ambigua 'Carillon'



DIGITALIS x mertonensis



DIGITALIS purpurea 'Pam's Choice'



DIGITALIS purpurea 'Monstrosa'



DIGITALIS purpurea 'Snow Thimble'



DIGITALIS purpurea 'Camelot Cream'



DIPHYLLEIA cymosa



DODECATHEON meadia Deluxe mixture

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>DIERAMA</b> (Iridaceae)							
DA 343 <i>igneum</i> , 120 cm, bright lilac, open bell shaped flowers, very dense, arching flower spikes, grasslike foliage, VII-X, Z7-10 . . . . .	20	16	✗ △ Sol	–	84,00	12,00	8,00
DA 346 <i>pulcherrimum</i> , 150 cm, pale pink to purple flowers, IX-X, Z7-10 . . . . .	20	16	Sol ✗	340,00	42,00	5,10	5,10
DA 347 <i>pulcherrimum 'Album'</i> , 150 cm, white, VIII-X, Z7-10 . . . . .	20	16	Sol ✗	512,00	64,00	8,00	8,00
DA 349 <i>pulcherrimum 'Dark Cerise'</i> , 150 cm, dark purple, VIII-X, Z7-10 . . . . .	20	16	Sol ✗	512,00	64,00	8,00	8,00
DA 348 <i>pulcherrimum 'Sieve Donard Hybr.' [Angel Mix]</i> , 140 cm, red, pink, purple and lavender colored bellflowers, compact habit, VIII-X, Z7-10 . . . . .	20	16	Sol ✗	340,00	42,00	5,10	5,10
DA 345 <i>trichorhizum</i> , 60 cm, pink-purple bellflowers, upright branched flower spikes, compact, grasslike foliage clumps, VII-IX, Z6-10 . . . . .	15	16	△ ✗	–	84,00	12,00	6,00
<b>DIGITALIS</b> (Scrophulariaceae)							
DA 350 <i>ambigua (grandiflora)</i> ,  Yellow Foxglove, 80 cm, with large yellow bells, VI-VII, Z3-8 <i>(see also Organic-Seeds)</i> . . . . .	1	15	✗ ✗ ✗	120,00	17,00	2,50	2,00
DA 351 <i>ambigua 'Carillon' [Temple Bells]</i> , 35 cm, yellow bellflowers, especially dwarf, VI-VII, Z5-8 . . . . .	0,5	15	△ ✗ ✗ ✗	1240,00	148,00	18,00	4,50
DA 353 <i>ambigua 'Cream Bell'™</i> , 40 cm, cream yellow bellflowers, uniform and compact growth, uniform flowering in the first year without vernalization, VI-VIII, Z5-8 . . . . .	0,5	15	△ ✗ ✗ ✗ ✗ ✗	3880,00	432,00	48,00	7,20
DA 354 <i>ferruginea 'Gigantea'</i> , Rusty Foxglove, 160 cm, yellowish brown, VI-VIII, Z3-9 . . . . .	1	15	✗ ✗ ✗	160,00	20,00	2,50	2,00
DA 355 <i>ferruginea 'Gigantea Gelber Herold' [Krk-Island]</i> , 150 cm, pure yellow, especially large blossoms, VI-VIII, Z3-9 . . . . .	1	15	✗ ✗ ✗	384,00	48,00	6,00	3,00
DA 356 <i>grandiflora</i> - see <i>ambigua</i> <i>heywoodii</i> - see <i>purpurea</i> ssp. <i>heywoodii</i> . . . . .							
DA 362 <i>laevigata</i> , 80 cm, yellow, brown-spotted, graceful variety, perennial, VI-VIII, Z6-9 . . . . .	1	9	✗ ✗ ✗	–	–	12,00	4,00
DA 366 <i>lanata</i> [ <i>Café Crème</i> ], 80 cm, Woolly Foxglove, white-brown, VI-VIII, Z6-9 <i>(see also Organic-Seeds)</i> . . . . .	1	15	✗ ✗ ✗ ✗	98,00	14,00	2,00	2,00
DA 370 <i>lutea</i> , 80 cm, light yellow, VI-VIII, Z3-9 . . . . .	1	15	✗ ✗ ✗ ✗	32,00	8,00	2,00	2,00
DA 374 <i>x mertonensis [Summer King]</i> ,  80 cm, raspberry-rose, V-VI, Z3-8 . . . . .	1	15	✗ ✗ ✗ ✗	320,00	40,00	5,00	2,50
DA 378 <i>obscura Sunset® [Dusky Maid]</i> ,  Sunset Foxglove, 45 cm, beige-brown, interesting variety, seed stalks for dried flower bouquets, VII-IX, Z4-8 . . . . .	1	16	✗ ✗ ✗	320,00	40,00	5,00	2,50
DA 382 <i>parviflora [Milk Chocolate]</i> , 60 cm, brown-red, dense candles, seed stalks for floral arrangements, VII-IX, Z3-9 . . . . .	1	15	✗ △ ✗ ✗ ✗	256,00	32,00	4,00	2,00
DA 386 <i>purpurea</i> , Red Foxglove, 120 cm, red, rarely white, VI-VII, Z4-8 <i>(see also Organic-Seeds)</i> . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	48,00	8,00	2,00	2,00
DA 388 <i>purpurea f. albiflora</i> , 100 cm, large flowers, white with dark spots, VI-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	96,00	14,00	2,00	2,00
DA 389 <i>purpurea 'Apricot' [Sutton's Apricot, Apricot Delight, Apricot Beauty]</i> ,  100 cm, yellowish-pink, beautiful pastel color, VI-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	120,00	15,00	2,00	2,00
DA 390 <i>purpurea 'Berggold'</i> - see <i>Organic Seed</i> <i>'Excelsior'</i> , 120 cm, large flowering mixture, VI-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	96,00	14,00	2,00	2,00
DA 391 <i>purpurea 'Foxy'</i> , 80 cm, large flowering mixture, blooms in the first year, VI-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	160,00	20,00	2,50	2,00
DA 392 <i>purpurea 'Gloxiniaeflora'</i> , 150 cm, large flowering mixture, gloxinia-like flowers, VI-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	96,00	14,00	2,00	2,00
DA 399 <i>purpurea 'Monstrosa'</i> , 120 cm, white and pink, every stem topped with an unusual large single flower, VI-VII, Z4-8 . . . . .	0,5	15	○ ✗ ✗ ✗ ✗ ✗	–	72,00	9,60	4,80
DA 385 <i>purpurea 'Pam's Choice' [Elsie Kelsey]</i> , 120 cm, creamy-white bell flowers with deep burgundy splotched throats, very unusual, VI-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	576,00	72,00	9,60	4,80
DA 387 <i>purpurea 'Snow Thimble'</i> , 100 cm, pure white bellshaped flowers, unspotted, large flowering, V-VII, Z4-8 . . . . .	1	15	○ ✗ ✗ ✗ ✗ ✗	160,00	20,00	2,50	2,00
DA 384 <i>purpurea ssp. <i>heywoodii</i> [Silver Fox, Pink Champagne]</i> , 75 cm, creamy-white, flushed pink flowers, lanceolate, white woolly foliage, V-VII, Z4-8 . . . . .	1	16	○ △ ✗ ✗ ✗	240,00	30,00	3,80	2,00
DA 393 <i>thapsi Spanish Peaks®</i> ,  45 cm, purple-rose, throat spotted, branched flower stalks, perennial, V-VII, Z5-9 . . . . .	1	16	4 △ ✗	320,00	40,00	5,00	2,50
DA 352 <i>trojana [Helen of Troy]</i> , 60 cm, yellow to amber colored flowers with white lip, large flowering, glossy lanceolate leaves, VI-VIII, Z6-9 . . . . .	1	15	✗ ✗ ✗	–	48,00	6,80	3,40
DA 353 <i>purpurea F-Camelot-Series</i> , 120 cm, especially large bell-flowers, dense spikes, more reliable first-year flowering, healthy and uniform growth, V-IX, Z4-8.. <b>approx. 800 seeds = 1g</b>							
DA 364 <i>'Camelot Cream'</i> <i>'Camelot Lavender'</i> <i>'Camelot Rose'</i> <i>'Camelot White'</i> <i>'Camelot Mix'</i>	2	15	① ✗ ✗ ✗	–	–	76,50	12,00
<b>DIONYSIA</b> (Primulaceae)							
DA 396 <i>involucrata</i> , 10 cm, violet with eye, dense cushions, III-IV, Z7-9 . . . . .	1	16	△ □ ▲	–	–	–	12,00
DA 395 <i>involucrata f. alba</i> , 10 cm, white flowers, dense cushions, very rare, III-IV, Z7-9 . . . . .	1	16	△ □ ▲	–	–	–	12,00
DA 397 <i>teucrioides</i> , 5 cm, yellow, dense bushy, III-V, Z7-9 . . . . .	1	16	△ □ ▲	–	–	–	12,00
<b>DIPHYLLEIA</b> (Berberidaceae)							
DA 400 <i>cymosa</i> , Umbrella Leaf, 50 cm, white umbels, brilliant blue berries, shield-like foliage, V-VI, Z6-9	100	1/6	& ♀	224,00	32,00	4,60	16,00
<b>DIPLOTAXIS</b> - see <i>Organic Seed</i>							
<b>DIPSACUS</b> (Dipsacaceae)							
DA 410 <i>sativus</i> , 200 cm, white to lilac, use for dried flower bouquets, VII-VIII, Z4-8 . . . . .	10	15	⊗ ○ ✗ N	32,00	8,00	2,00	2,00
DA 416 <i>sylvestris (fullonum)</i> , 200 cm, lilac, excellent for dry flower bouquets, VII-VIII, Z3-9 <i>(see also Organic-Seeds)</i> . . . . .	10	15	⊗ ○ ✗	32,00	8,00	2,00	2,00
<b>DODECATHEON</b> (Primulaceae)							
DA 418 <i>clevelandii</i> , 35 cm, purple-red with yellow throat, V-VI, Z4-8 <i>jeffreyi</i> - see <i>tetrandrum</i>	2	9	✗ △ Ca	–	144,00	18,00	6,00
DA 420 <i>meadia</i> ,  Shooting Star, 40 cm, pink, V-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	✗ △ Ca	675,00	90,00	12,00	4,00
DA 422 <i>meadia f. album</i> ,  40 cm, pure white, V-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	✗ △ Ca	–	–	–	8,00
DA 423 <i>meadia 'Goliath'</i> , 70 cm, lilac-rose, very large flowering, strong stems, excellent cut flower, V-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	✗ Ca	768,00	96,00	12,00	4,00
DA 424 <i>meadia 'Red Colors'</i> , 40 cm, flowers intensive colored, V-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	✗ △ Ca	896,00	112,00	14,00	4,70
DA 421 <i>meadia Deluxe mixture</i> , 40 cm, white, pink, red, lilac, V-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	✗ △ Ca	576,00	72,00	9,20	3,10
DA 425 <i>pulchellum</i> ,  25 cm, lilac-rose, V-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	△ Ca	1152,00	144,00	18,00	6,00
DA 426 <i>tetrandrum (Jeffreyi) 'Rottitch' [Red Light]</i> , 40 cm, bright red, V-VI, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	9	✗ △ Ca	–	144,00	18,00	6,00

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>DOELLINGERIA</b> - see ASTER								
<b>DORONICUM</b> (Asteraceae, <i>Compositae</i> )								
DA 428 <i>austriacum</i> , 120 cm, golden, numerous flowers on multibranched stems, VI-VII, Z3-7 . . . . .	3	16			369,00	46,00	6,20	3,10
DA 434 <i>orientale 'Finesse'</i> , 50 cm, yellow, fine radial blossoms, IV-V, Z3-7 . . . . .	3	15	×		1400,00	160,00	18,00	5,40
DA 437 <i>orientale 'Leonardo'™</i> ,  35 cm, large golden ray flowers, compact growth, very early flowering, III-V, Z3-8 . . . . .	2	15	△		–	280,00	32,00	7,20
DA 435 <i>orientale 'Little Leo'</i> , 35 cm, golden yellow with a double set of petals, compact, IV-V, Z4-8 . . . . .	2	15	○		–	320,00	36,00	7,80
DA 438 <i>orientale 'Magnificum' [Medaillon d'Or]</i> , 50 cm, yellow, large blooms, IV-V, Z3-7 . . . . .	3	15	×		660,00	88,00	12,00	3,80
DA 440 <i>pardalanches</i> , 80 cm, flowers light yellow on branched stems, VI-VII, Z4-8 . . . . .	3	16			320,00	40,00	5,00	2,50
<b>DOROTHEANTHUS</b> (Aizoaceae)								
DA 427 <i>bellidiformis</i> , Livingstone Daisy, 20 cm, brilliant colours, white, yellow, pink to purple, VII-IX, Z6-10 . . . . .	1	15	① △ ○		160,00	24,00	3,60	2,00
<b>DORYCNIUM (LOTUS)</b> (Papilionaceae, <i>Leguminosae</i> )								
DA 442 <i>hirsutum</i> ,  40 cm, white with pink, silky-silvery leaves, very decorative, VII-IX, Z6-10 (see also Organic-Seeds) . . . . .	10	9/10	△ × *		460,00	62,00	8,00	6,00
DA 443 <i>pentaphyllum</i> ssp. <i>germanicum</i> , 50 cm, white, VII-IX, Z6-10 . . . . .	6	9/10			184,00	23,00	3,00	2,00
<b>DRABA</b> (Brassicaceae, <i>Cruciferae</i> )								
DA 446 <i>aizoides</i> , 3 cm, yellow, very early, green cushions, evergreen, III-IV, Z3-8 . . . . .	1	15	○ △		1800,00	240,00	32,00	4,00
DA 467 <i>aizoides 'Napoleon'™</i> , 10 cm, brilliant yellow, large and rich flowering, well branched and compact, evergreen rosettes, III-IV, Z3-8 . . . . .	1	15	○		–	576,00	64,00	4,80
DA 488 <i>bruniafolia</i> ssp. <i>olympica</i> , 5 cm, golden, very abundant flowering, dense cushions, IV-V, Z3-9 . . . . .	1	16	○ △		–	340,00	42,00	6,50
DA 455 <i>cretica</i> , 8 cm, light yellow racemes, compact cushions, hairy seed heads, III-V, Z7-10 . . . . .	1	16	△		–	–	32,00	4,00
DA 449 <i>lasiocarpa</i> , 8 cm, golden, III-IV, Z4-8 . . . . .	1	16	○ △		–	336,00	42,00	6,00
DA 448 <i>loiseleurii</i> , 10 cm, white, III-IV, Z7-10 . . . . .	1	15	△		–	160,00	20,00	3,20
DA 490 <i>oligosperma</i> , 5 cm, yellow, loose cushions, IV-VI, Z3-8 . . . . .	0,25	15	△		–	240,00	32,00	4,00
DA 450 <i>ramosissima</i> , 15 cm, white, mat forming, IV-V, Z4-7 . . . . .	1	9	△		–	160,00	20,00	3,20
DA 492 <i>rosularis</i> , 10 cm, yellow, haired cushions, IV-V, Z5-8 . . . . .	0,25	15	△		–	–	32,00	4,00
DA 451 <i>sakuraii</i> , 10 cm, white, dense cushions, IV-V, Z4-8 . . . . .	0,5	15	○ △		–	–	48,00	6,00
<b>DRACOCEPHALUM</b> (Lamiaceae, <i>Labiatae</i> )								
DA 480 <i>argunense 'Fuji Blue'</i> , 30 cm, bright blue flower spikes, needle like, leathery, dark green foliage, forms compact durable clumps, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	10	8	△		576,00	72,00	8,00	6,00
DA 482 <i>argunense 'Fuji White'</i> , 30 cm, white flower spikes, needle like, leathery, dark green foliage, forms compact durable clumps, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	10	8	△		576,00	72,00	8,00	6,00
DA 453 <i>austriacum</i> , 40 cm, violet, large flowering, fine dissected foliage, VI-VII, Z4-8 . . . . .	5	8	△		768,00	96,00	12,00	6,00



DORONICUM orientale 'Leonardo'™



DORYCNIUM pentaphyllum ssp. germanicum



DRABA aizoides 'Napoleon'™



DRACOCEPHALUM argunense 'Fuji Blue'



DRACOCEPHALUM argunense 'Fuji White'

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>DRACOCEPHALUM continuation</b>								
DA 483	botryoides, 15 cm, pink flower panicles, grey-green, pinnatifid leaves, evergreen cushions, IV-V, Z4-8 . . . . .	3	9	△	512,00	64,00	8,00	4,00
DA 486	grandiflorum 'Altai Blue', 20 cm, intense dark blue, very large flowering, dark green basal leaves, VII-VIII, Z3-7 . . . . .	15	9	△	–	–	–	8,00
NEW! DA 487	imberbe, 15 cm, bright purple-blue, VI-VII, Z2-7. moldavica - see Organic Seed	5	9	△	–	–	–	7,20
DA 472	peregrinum 'Blue Dragon', 30 cm, violet blue, rich and large flowering, dense blue-green, bushy clumps, VI-IX, Z4-8 . . . . .	8	16	△ ⚡	480,00	60,00	7,60	5,70
DA 474	renattii, 25 cm, creamy-white with pink flush, light green, aromatic foliage, VI-VIII, Z4-8 . . . . .	7	16	△ ⚡ ⚡	304,00	38,00	4,60	2,30
DA 456	rupestre (grandiflorum hort.), 30 cm, intense blue, dense, bush-forming, VII-VIII, Z4-8 . . . . .	5	16	△	320,00	40,00	5,00	2,60
DA 454	ruyschiana [Blue Moon], 25 cm, blue, VI-VIII, Z3-8. . . . .	7	16		320,00	40,00	5,00	3,80
<b>DROSANTHEMUM</b> - see <b>DEOSPERMA</b>								
<b>DROSERA</b> (Droseraceae)								
DA 500	rotundifolia, Sundew, 5 cm, white, round leaves with reddish tentacles, rosettes forming, VI-VII, Z5-8 . . . . .	0,5	8	❀ Ca ⚡	–	–	–	8,50
<b>DRYAS</b> (Rosaceae)								
DA 462	drummondii, 20 cm, large yellow, nodding flowers, green cushions, V-VII, Z2-9, . . . . .	2	15	△ ↗	1536,00	192,00	24,00	6,00
DA 460	octopetala, (AGM), 10 cm, white, IV-VI, Z2-9, . . . . .	3	15	△ ↗	1152,00	144,00	18,00	4,50
<b>DUCHESNEA</b> (Rosaceae)								
DA 464	indica (FRAGARIA) [Tutti Frutti], Indian Strawberry, 10 cm, yellow, upright red berries, groundcover, VI-IX, Z4-9 . . . . .	1	16	❖ ↗ ↗ ⚡	162,00	18,00	2,00	2,00
<b>ECHINACEA (RUDBECKIA)</b> (Asteraceae, Compositae)								
EA 003	angustifolia, Narrow Coneflower, up to 50 cm, pink to red, petals shorter but wider than E. pallida, with yellow pollen, VI-X, Z3-8 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	10	9	‡ ⚡	144,00	24,00	3,60	3,60
EA 004	pallida, Pale Coneflower, 80 cm, pink, long hanging petals, with whitish pollen, VII-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) . . . . .	15	15	‡ ⚡	68,00	14,00	2,00	2,00
EA 005	pallida 'Hula Dancer', 80 cm, white with pink tinge, long hanging petals, narrow foliage, VII-IX, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	15	9	❖ ✕	192,00	24,00	3,60	3,60
EA 006	paradoxa var. paradoxa, 80 cm, bright yellow, very unusual, VII-X, Z4-9 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	15	9	❖ ✕	192,00	24,00	3,60	3,60
RA 180	purpurea (RUDBECKIA), Purple Coneflower, 100 cm, purple-rose, VII-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) . . . . .	10	15	❖ ‡	32,00	8,00	2,00	2,00
RA 186	purpurea 'Alba' [White Swan], 100 cm, white, VII-IX, Z3-8 . . . . .	10	15	❖ ✕	126,00	18,00	2,60	2,60
RA 191	purpurea 'Baby Swan Pink', 50 cm, deep pink, compact habit, richly branched, VI-IX, Z3-8 . . . . .	10	15	❖ ✕ □	280,00	46,00	7,20	5,40
RA 187	purpurea 'Baby Swan White', (FS), 50 cm, white, compact habit, richly branched, VI-IX, Z3-8 . . . . .	10	15	❖ ✕ □	280,00	46,00	7,20	5,40

continued on the following page



DRACOCEPHALUM botryoides



DRACOCEPHALUM imberbe



DRACOCEPHALUM peregrinum 'Blue Dragon'



DRYAS drummondii



ECHINACEA angustifolia



ECHINACEA pallida 'Hula Dancer'



ECHINACEA purpurea 'Doubledecker'



ECHINACEA purpurea 'Happy Star'



ECHINACEA purpurea 'Magnus Superior'

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>ECHINACEA continuation</b>									
RA 195	Purpurea-Hyb. 'Cheyenne Spirit', (ES), 50-80 cm, yellow, orange and fire red colors, vigorous and sturdy, first year flowering, VI-X, Z4-8 .....	6	15	⊗⊗⊗⊗⊗	–	625,00	72,00	18,00	
RA 185	⊗ purpurea 'Doubledecker' [Indiaca, Indianer], 120 cm, purple-red blossoms. During the first growing season ordinary single flowers occur. By year two, a very high percentage of reliable "twins" are produced on sturdy stems. Some of the flowers may even be fully double, variable. A very unusual breeding result from Eugen Schleipfer, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	576,00	72,00	9,00	6,75	
NEW! RA 244	⊗ purpurea 'Green Twister', Green Coneflower, 100 cm, lemon green with increasing carmine-red center, horizontal flower petals, uniform sturdy habit, abundant flowering, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	864,00	96,00	12,00	7,20	
RA 196	⊗ purpurea 'Happy Star', 100 cm, bright white with orange-yellow disk, distinctly horizontal flower petals, vigorous and sturdy, very durable and long-lived white form of 'Ruby Star', VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	336,00	42,00	5,40	4,00	
NEW! RA 246	⊗ purpurea 'Mellow Yellows', 80 cm, light yellow to dark yellow colors, vigorous and sturdy, first year flowering, VI-X, Z4-8 .....	10	15	⊗⊗⊗⊗⊗	864,00	96,00	12,00	7,20	
RA 182	purpurea 'Magnus', (AGM) (PPA), 100 cm, intense red, wide horizontal petals, very long lasting as a cut flower, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	192,00	24,00	3,60	3,60	
RA 181	⊗ purpurea 'Magnus Superior', 100 cm, intensive carmine-red, wide, horizontal petals, large orange-red cone, dark stems and uniform habit, an improvement of the standard seed cultivar 'Magnus', VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	336,00	42,00	5,40	4,00	
NEW! RA 254	⊗ purpurea 'PowWow® Wild Berry', 45 cm, bright carmine, rich flowering already in the first year, compact and bushy habit, suitable for container production, VI-IX, Z4-10 .....	6	15	△⊗⊗⊗	–	498,00	58,00	14,50	
NEW! RA 255	⊗ purpurea 'PowWow® White', 45 cm, bright white, rich flowering already in the first year, compact and bushy habit, suitable for container production, VI-IX, Z4-10 .....	6	15	△⊗⊗⊗	–	498,00	58,00	14,50	
RA 193	⊗ purpurea 'Prairie Splendor', (ES), 60 cm, rosy-red with brown center, uniform habit, rich flowering, VI-IX, Z3-8, .....	approx. 250 seeds = 1g	15	⊗⊗⊗⊗⊗	1296,00	135,00	15,00	7,50	
RA 188	purpurea 'Primadonna Deep Pink', 90 cm, deep pink, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	460,00	54,00	6,40	4,80	
RA 189	purpurea 'Primadonna White', 80 cm, brilliant white, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	460,00	54,00	6,40	4,80	
RA 183	purpurea 'Rubinstern' [Ruby Star], (AGM), 100 cm, intense carmine-red, horizontal flower petals, shorter petals but with wider disk, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	336,00	42,00	5,40	4,00	
RA 184	purpurea 'Verbesserte Leuchtstern' [Starlight, Bright Star Improved], 100 cm, purple-red, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	192,00	24,00	3,60	3,60	
RA 250	purpurea 'Lustre Hybr.', 120 cm, white, pink to red-purple, mixed colours, VII-IX, Z3-8 .....	10	15	⊗⊗⊗⊗⊗	56,00	8,00	2,00	2,00	
EA 007	simulata, 80 cm, pale-pink, drooping petals, similar to E. pallida but with lighter colored flowers and yellowish pollen, VI-VIII, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	15	9	⊗⊗⊗⊗⊗	192,00	24,00	3,60	3,60	
EA 008	⊗ tennesseensis 'Rocky Top Hybr.', 60 cm, pink, bent upward petals, lanceolate foliage, VII-IX, Z4-9 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) .....	12	9	⊗⊗⊗⊗⊗	192,00	24,00	3,60	3,60	
<b>ECHINOPS (Asteraceae, Compositae)</b>									
EA 010	bannaticus 'Blue Glow', 120 cm, intense blue, more decorative flower heads than E. ritro, VII-IX, Z3-8, .....	pure seed	60	15	⊗⊗⊗⊗⊗	98,00	14,00	2,00	3,50
EA 011	⊗ bannaticus 'Star Frost', 100 cm, pure white spherical flowers, richly branched, sturdy stems, healthy dark green foliage, leaf underside grey, first year flowering from seed, VII-IX, Z3-8, .....	pure seed	50	15	⊗⊗⊗⊗⊗	140,00	20,00	2,50	2,50
EA 012	⊗ niveus (sphaerocephalus hort.) 'Arctic Glow', 80 cm, large white ballflowers, red stems, green-silvery foliage, VI-VIII, Z3-8, .....	pure seed	50	15	⊗⊗⊗⊗⊗	140,00	20,00	2,50	2,50
EA 014	⊗ ritro, 100 cm, blue blossom heads, VII-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) .....	pure seed	50	15	⊗⊗⊗⊗⊗	72,00	12,00	2,00	3,20
EA 016	ritro ssp. ruthenicus 'Platinum Blue', 60 cm, brilliant sky-blue, dark green, finely feathered foliage, white-woolly stems, VII-IX, Z3-8, .....	pure seed	40	15	⊗⊗⊗⊗⊗	140,00	20,00	2,50	2,50
EA 018	sphaerocephalus, 160 cm, grey-blue, large, VI-VIII, Z3-8, .....	pure seed	75	15	⊗⊗⊗⊗⊗	36,00	5,20	2,00	2,00
<b>ECHIUM (Boraginaceae)</b>									
EA 015	⊗ amoenum 'Red Feathers', (PS), 35 cm, russet-red compact flower spikes, narrow foliage, reblooms after dead-heading, V-VIII, Z3-9 ( <i>see also Organic-Seeds</i> ) .....	5	15	⊗⊗⊗⊗⊗	768,00	96,00	12,00	6,00	
EA 017	⊗ russicum (rubrum), 60 cm, dark red flower panicles, VI-VIII, Z5-8 ( <i>see also Organic-Seeds</i> ) .....	5	15	△⊗⊗	384,00	48,00	6,00	3,00	
<i>vulgare - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</i>									



ECHINACEA purpurea 'Green Twister'



ECHINACEA purp. 'PowWow® Wild Berry'



ECHINACEA purp. 'PowWow® White'



ECHINACEA purpurea 'Prairie Splendor'



ECHINACEA tennesseensis 'Rocky Top Hybr.'



ECHINACEA purpurea 'Mellow Yellows'



ECHINOPS bannaticus 'Star Frost'



ECHINOPS niveus 'Arctic Glow'



ECHIUM amoenum 'Red Feathers'



ECHIUM russicum



ENGELMANNIA peristenia



EPILOBIUM fleischeri



ERINUS alpinus var. albus



ERINUS alpinus 'Doctor Hähnle'



ERIOGONUM umbellatum

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>EDRAIANTHUS</b> (Campanulaceae)								
EA 021	graminifolius, Grassy Bells, 10 cm, violet-blue, VI-VIII, Z4-9.	1	15	△	–	240,00	30,00	6,00
EA 029	graminifolius 'Albus', 10 cm, white, VI-VIII, Z4-9.	1	8	△	–	–	–	8,00
EA 022	pumilio, (AGM), 5 cm, blue-violet, forms cushions, VI-VII, Z5-8	0,5	8	△ □	–	–	98,00	9,20
EA 025	tenuifolius, 10 cm, violet-blue blossoms, VI-VII, Z4-8.	1	9	△	–	160,00	20,00	5,00
<b>ELSHOLTZIA</b> (Lamiaceae, Labiateae)								
EA 026	stauntonii, 150 cm, rose-purple, blossom panicles, very aromatic, IX-X, Z4-9	2	15	⊗ × \$	592,00	74,00	9,20	4,60
<b>EMPETRUM</b> (Empetraceae)								
EA 048	nigrum, 20 cm, pink, black berries, V-VI, Z3-8	3	1	△ ↗	320,00	40,00	5,00	2,50
<b>ENGELMANNIA</b> (Asteraceae, Compositae)								
EA 074	peristenia (pinnatifida), (PS), Engelman's Daisy, 50 cm, brilliant yellow ray flowers, feathery foliage, bushy habit, V-VIII, Z4-10.	10	15	△ ⊕	320,00	46,00	6,60	4,20
<b>EPILOBIUM</b> (Onagraceae)								
EA 034	angustifolium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
EA 034	dodonaei (CHAMAENERION), 100 cm, large light pink blossoms in racemes, for dry areas, rosemary like foliage, VII-IX, Z5-8	1	16	△	720,00	90,00	12,00	4,00
EA 038	(PS) fleischeri (CHAMAENERION), (PS), Alpine Willowherb, 30 cm, pink, VII-IX, Z3-7.	1	16	△ ⊕	896,00	112,00	14,00	3,50
	hirsutum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>ERANTHIS</b> (Ranunculaceae)								
EA 051	hyemalis, (AGM), Winter Aconite, 10 cm, golden, II-III, Z3-7.	10	1	⊗	144,00	18,00	2,40	2,40
<b>EREMURUS</b> (Asphodelaceae, Liliaceae)								
EA 052	aitchisonii (elwesii), 200 cm, soft pink, wide foliage, V-VI, Z5-9	30	14	⊗ Sol	160,00	20,00	2,80	2,80
EA 054	x isabellinus 'Erfo-Hybr.', 160 cm, a real improvement of Shelford-Hybr. (Ruiter-Hybr.), early flowering, mixture of white, pink, yellow and orange shades, VI-VIII, Z4-9.	20	14	⊗	160,00	20,00	2,80	2,80
EA 062	robustus, (AGM), 250 cm, soft pink, VI-VII, Z5-9	50	14	⊗	98,00	14,00	2,00	4,00
<b>ERICA spiculifolia</b> - see BRUCKENTALIA								
<b>ERIGERON</b> (Asteraceae, Compositae)								
EA 084	aurantiacus, 40 cm, orange-copper, VII-VIII, Z5-8	1	15	△	–	384,00	48,00	8,00
EA 107	compositus, 5 cm, white with a hint of lavender blue, variable, VI, Z4-7.	1	16	△ ⊕	–	36,00	6,00	
EA 088	glaucus, 20 cm, violet-blue, large flowers, VI-IX, Z3-8	1	16	△	1152,00	144,00	18,00	4,50

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>ERIGERON continuation</b>									
EA 089	<i>glaucus 'Albus'</i> , 20 cm, white, large flowers, VI-IX, Z3-8 . . . . .	1	16	△	–	–	28,00	7,00	
EA 090	<i>Karvinskianus 'Blütenmeer' [Stallone]</i> , (AGM), 20-30 cm, white-pink, VI-X, Z6-9 . . . . .	0,25	15	⊗ △ ⊗	3520,00	374,00	42,00	5,40	
EA 094	<i>linearis</i> , 15 cm, yellow, narrow foliage, V-VI, Z3-7 . . . . .	1	15	△	–	–	36,00	6,00	
EA 092	<i>speciosus 'Azurfee' [Azure Fairy]</i> , 50 cm, lavender, semi-double, VI-VIII, Z3-9 . . . . .	1	15	✗	1080,00	114,00	12,00	4,00	
EA 096	<i>speciosus 'Grandiflorus'</i> , 75 cm, blue colors, VI-VIII, Z3-9 . . . . .	1	15	✗	336,00	42,00	5,40	2,00	
EA 100	<i>speciosus 'Rosa Juwel' [Pink Jewel]</i> , 70 cm, lilac-rose, VI-VIII, Z3-9 . . . . . <i>trifidus</i> - see compositus	1	15	✗	336,00	42,00	5,40	2,00	
<b>ERINUS (Scrophulariaceae)</b>									
EA 110	<i>alpinus</i> , (AGM), 15 cm, violet-red, V-VII, Z4-7 . . . . .	0,5	4/15	△ ↗	1280,00	160,00	20,00	3,40	
EA 111	<i>alpinus</i> var. <i>albus</i> , 15 cm, pure white, V-VII, Z4-7 . . . . .	0,5	4/15	△	–	192,00	24,00	4,00	
EA 112	<i>alpinus 'Doctor Hähnle'</i> , 15 cm, bright red, V-VII, Z4-7 . . . . .	0,5	4/15	△	1344,00	192,00	24,00	4,00	
<b>ERIOGONUM (Polygonaceae)</b>									
EA 113	<i>allenii 'Little Rascal'</i> , 40 cm, bright golden and wide flower umbels, unusually long flowering, attractive leaf rosettes, grey-green paddle-shaped foliage, upright growing habit, very drought tolerant, VI-IX, Z5-10, . . . . .	pure seed	5	9	△ ✗ ✴	996,00	126,00	14,00	4,80
EA 114	<i>fasciculatum</i> , 60 cm, white, VI-VIII, Z6-10, . . . . .	pure seed	10	9	✴	–	32,00	4,20	2,80
EA 116	<i>umbellatum</i> , 25 cm, yellow umbels, grey-green leaves, in full sun, drought tolerant, long flowering period, VI-IX, Z4-9, . . . . .	pure seed	15	9	△ ↗	240,00	32,00	4,20	4,20
<b>ERIOPHYLLUM (Asteraceae, Compositae)</b>									
EA 120	<i>lanatum (caespitosum) [Pointe]</i> , 25 cm, yellow, VI-VIII, Z4-9 . . . . .	1	9	△	320,00	40,00	5,00	2,50	
<b>ERITRICHIUM (Boraginaceae)</b>									
EA 122	<i>Canum-Hybr. 'Baby Blues'</i> , 25 cm, brilliant blue, large blossoms, dense flower spikes, compact habit, reliable first year flowering from seed, short lived, often only annual, VI-VIII, Z4-7 . . . . .	15	16	⊗ △ △	360,00	48,00	6,60	3,30	
EA 124	<i>nanum</i> , Alpine Forget-me-not, 5 cm, azure, VI-VII, Z4-8 . . . . .	1	1	△ D	–	–	272,00	9,80	
<b>ERODIUM (Geraniaceae)</b>									
EA 130	<i>manescavii</i> , 40 cm, magenta-red, VI-IX, Z5-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	30	16	△ ⊗	460,00	58,00	7,20	7,20	
<b>ERUCA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
<b>ERYNGIUM (Apiaceae, Umbelliferae)</b>									
EA 140	<i>agavifolium</i> , 150 cm, blue-green, decorative foliage, VII-IX, Z6-9 . . . . .	10	9		160,00	20,00	2,50	2,50	
EA 144	<i>alpinum 'Blue Star®'</i> , original seed, 80 cm, deep blue, vigorous growth, especially abundant flowers, strong stems, VI-VIII, Z4-9 . . . . .	15	3/1	✿ ✗	256,00	32,00	4,00	4,00	
EA 148	<i>alpinum 'Superbum'</i> , 80 cm, steel blue, large flowers, VI-VIII, Z4-9 . . . . .	15	3/1	✿ ✗	180,00	20,00	2,60	2,60	

continued on the following page



ERIOGONUM allenii 'Little Rascal'



ERODIUM manescavii



*ERYNGIUM amethystinum*



*ERYNGIUM campestre*



*ERYNGIUM giganteum 'Silver Ghost'*



*ERYNGIUM leavenworthii*



*ERYNGIUM maritimum*



*ERYNGIUM planum 'Blaukappe'*



*ERYNGIUM proteiflorum*



*ERYNGIUM variifolium*



*ERYSIMUM heliticum*



*ERYSIMUM hybridum 'Canaries'*

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>ERYNGIUM continuation</b>							
EA 152 ☼ <i>amethystinum</i> , 40 cm, amethyst, VII-VIII, Z5-9 . . . . .	10	8	⊗ ×	320,00	40,00	5,60	5,60
EA 156 ☼ <i>bourgatii</i> , 50 cm, steel blue, lightly veined, VII-VIII, Z5-9 . . . . .	10	1	△ ⊗ ×	–	36,00	4,60	4,60
EA 160 ☼ <i>campestre</i> , 40 cm, green, VII-IX, Z5-9 . . . . .	10	8	‡	98,00	14,00	2,00	2,00
EA 163 <i>eburneum</i> , 180 cm, ivory-colored heads, branched, sword-like foliage, VIII-IX, Z7-10 . . . . .	5	9	Sol	512,00	64,00	8,00	4,00
EA 164 <i>giganteum</i> [ <i>Miss Wilmott's Ghost</i> ], <small>[AGM]</small> , 70 cm, ivory white, VII-VIII, Z4-9. . . . .	30	1	⊕ ×	160,00	20,00	2,60	2,60
EA 161 ☼ <i>giganteum</i> 'Silver Ghost', <small>[AGM]</small> , Ivory Thistle, 60 cm, ivory white, filigreed bracts, more persistent than the species, VII-IX, Z4-9. . . . .	30	1	×	196,00	24,00	3,20	3,20
EA 159 ☼ <i>leavenworthii</i> [ <i>Purple Sheen</i> ], 60 cm, blue-purple flowers with red-purple bracts, blue-grey foliage, very interesting for flower arrangements, VII-IX, Z4-8 . . . . .	5	9	○ × ⊕	–	–	48,00	9,80
EA 165 ☼ <i>maritimum</i> , Sea Holly, 40 cm, blue-green, silver-grey foliage, VI-X, Z4-10 <i>(see also Organic-Seeds)</i> . . . . .	50	9	‡	196,00	24,00	3,00	6,00
EA 168 <i>planum</i> , 120 cm, steel blue, small blossom heads, VI-VIII, Z4-8 . . . . .	10	15	⊗ ×	96,00	16,00	2,60	2,60
EA 169 ☼ <i>planum</i> 'Blaukappe' [ <i>Blue Cap, Tetra Petra</i> ], 70 cm, intense blue, VI-IX, Z4-8. . . . .	10	15	⊗ ×	288,00	36,00	4,60	4,60
EA 187 <i>planum</i> 'Blue Glitter', <small>[FS]</small> , 80 cm, brilliant deep blue, richly branched, first year flowering from seed without vernalisation, VII-IX, Z4-8 . . . . .	3	15	⊗ × ⊕	–	494,00	52,00	9,80
EA 188 <i>planum</i> 'Blue Hobbit', 30 cm, brilliant blue, very rich flowering, compact, ball-shaped habit, ideal for containers, VII-IX, Z4-8 . . . . .	3	15	⊗ ⊕	–	456,00	48,00	7,20
EA 189 <i>planum</i> 'Silver Salentino', <small>[FS]</small> , 120 cm, pure white flowers, rich flowering, VII-IX, Z4-8. . . . .	3	15	⊗ ×	–	–	32,00	4,80
EA 192 <i>planum</i> 'White Glitter', 80 cm, white, richly branched, first year flowering from seed without vernalisation, VII-IX, Z4-8 . . . . .	3	15	⊗ × ⊕	–	494,00	52,00	7,80
EA 176 ☼ <i>proteiflorum</i> , 80 cm, large silver-white bracts, lanceolate foliage, VII-IX, Z8-11 . . . . .	5	16	⊗ ×	–	–	18,00	6,00
EA 170 <i>spinalba</i> , 30 cm, bluish, VI-VII, Z5-9 . . . . .	15	1	⊗ ×	–	40,00	5,00	5,00
EA 173 ☼ <i>variifolium</i> [ <i>Miss Marble</i> ], 40 cm, grey flower heads, green-white, marbled foliage, very decorative, VII-VIII, Z5-9 . . . . .	5	16	△ ⊗ ♀	544,00	64,00	8,00	4,00
EA 175 <i>venustum</i> , 40 cm, white flower heads, fine feathery, very thorny foliage, VII-IX, Z6-10 . . . . .	5	9	△	576,00	72,00	9,00	4,50
EA 174 <i>yuccifolium</i> , 120 cm, yucca-like leaves, round white blossoms, valuable cut flower, VII-IX, Z3-9 . . . . .	15	9	×	128,00	16,00	2,20	2,20
<b>ERYSIMUM (Brassicaceae, Cruciferae)</b>							
EA 182 <i>allionii</i> ( <i>x marshallii</i> ) [ <b>CHEIRANTHUS</b> ], 45 cm, orange-yellow, V-VI, Z4-10 . . . . .	3	16	○	32,00	8,00	2,00	2,00
EA 180 ☼ <i>helveticaicum</i> , 25 cm, sulphur yellow, VI-VIII, Z4-8 . . . . .	2	16	△	768,00	96,00	12,00	4,00
EA 179 ☼ <i>hybridum</i> 'Canaries', 30 cm, bright golden, compact habit, improved 'Yellow Bird', III-V, Z5-9 . . . . .	5	15	△ ⊕ ○	–	178,00	19,80	9,90
EA 184 <i>pumilum</i> , 10 cm, yellow, large blooming, dense panicles, V-VI, Z5-9 . . . . .	5	16	△	–	–	8,20	4,10
<b>ERYTHRINA (Papilionaceae, Leguminosae)</b>							
EA 186 <i>crista-galli</i> , Coral-tree, 150 cm, dark red, VII-IX, Z7-10 . . . . .	600	10/20	⊗ ⊕ ×	40,00	–	–	10,00
<b>ERYTHRONIUM (Liliaceae)</b>							
EA 190 <i>dens-canis</i> , <small>[AGM]</small> , 15 cm, soft pink, similar to Cyclamen flowers, spotted foliage, III-IV, Z2-7 . . . . .	12	1	△ ♀	320,00	40,00	5,00	5,00
EA 196 <i>grandiflorum</i> , 15 cm, golden, 1-3 blossoms per stem, IV-V, Z4-8 . . . . .	15	1	△ ♀	576,00	72,00	9,00	6,00
EA 197 <i>montanum</i> , 20 cm, pure white, mostly branched stems, V-VII, Z4-8 . . . . .	10	1	△	768,00	96,00	12,00	6,00
EA 198 <i>oregonum</i> , 30 cm, white, IV, Z4-8 . . . . .	10	1	△ ♀	–	80,00	10,00	7,00
EA 199 <i>revolutum</i> , <small>[AGM]</small> , 20 cm, white to dark pink, V-VI, Z4-8 . . . . .	12	1	△ ♀	960,00	120,00	15,00	12,00
<b>ESCHSCHOLZIA californica - see Organic Seed</b>							
<b>EUPATORIUM (Asteraceae, Compositae)</b>							
EA 205 <i>aromaticum</i> [ <b>AGERATINA</b> ], Lesser Snakeroot, 120 cm, white umbels, VII-X, Z3-8 . . . . .	1	15	×	–	28,00	4,00	2,00
EA 200 <i>cannabinum</i> , 130 cm, reddish, VI-IX, Z4-8 ( <i>see also Organic-Seeds</i> ) . . . . .	2	9	⌘ ♀	96,00	12,00	2,00	2,00
EA 208 ☼ <i>coelestinum</i> [ <b>CONOCLINIUM</b> ], 80 cm, bright blue-violet umbels, seldom white, VII-X, Z6-9 . . . . .	1	16	×	720,00	92,00	12,00	4,00
EA 202 ☼ <i>fistulosum</i> f. <i>albidum</i> 'Ivory Towers', 200 cm, ivory-coloured, almost pure white flower umbels, grey-green stems, fresh green foliage, first year flowering from seed at half of mature height, VII-IX, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	8	Sol × ⊕	448,00	56,00	6,80	3,40
EA 206 ☼ <i>maculatum</i> 'Atropurpureum' ( <i>fistulosum</i> 'Atropurpureum') [ <b>Glow</b> ], <small>[AGM]</small> , 200 cm, wine-red, red stems, VII-IX, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	1	Sol ×	192,00	24,00	3,00	2,00
EA 210 <i>perfoliatum</i> , 150 cm, white (rarely blue), VII-X, Z3-8 . . . . .	1	9	⌘ ♀	144,00	18,00	2,40	2,40
EA 212 <i>purpureum</i> , 200 cm, purple, VII-IX, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	9	× ♀	128,00	16,00	2,00	2,00
EA 218 ☼ <i>rugosum</i> ( <b>AGERATINA altissima</b> ), 90 cm, white, VII-IX, Z4-8 . . . . .	2	16	⊗	144,00	18,00	2,50	2,00



EUPATORIUM coelestinum



EUPATORIUM fistulosum 'Ivory Towers'




EUPATORIUM mac. 'Atropurpureum'



EUPATORIUM rugosum




EUPHORBIA corollata



EUPHORBIA characias ssp. wulfenii



EUPHORBIA griffithii



EUPHORBIA myrsinifolia



EUPHORBIA polychroma



EUPHORBIA lathyris

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>EUPHORBIA (Euphorbiaceae)</b>								
EA 250	<b>characias ssp. wulfenii (veneta)</b> , (AGM), 130 cm, yellow, large blossom stalks, IV-VI, Z6-9 <i>(see also GOLD NUGGET SEED®)</i>	30	9		320,00	36,00	4,00	4,00
EA 226	<b>coralloides</b> , Coral-Spurge, 50 cm, light-yellow, young shoots are flushed with pink, mostly reddish stems, reblooming after dead heading, V-IX, Z4-8 <i>(see also GOLD NUGGET SEED®)</i>	10	8		320,00	40,00	5,20	5,20
EA 227	<b>corollata</b> , 60 cm, white, abundant flowers, VI-IX, Z5-9	10	8		576,00	72,00	9,00	6,80
EA 228	<b>cyparissias</b> , 30 cm, yellow to reddish, VI-VII, Z3-8 <b>epithymoides</b> - see <b>polychroma</b>	8	1		96,00	14,00	2,00	2,00
EA 230	<b>griffithii</b> , 60 cm, orange-red, V-VI, Z5-8	10	5		-	144,00	16,00	8,00
	<b>lathyris</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
EA 235	<b>mellifera</b> , (AGM), 140 cm, pale yellow, scented, lanceolate leaves, shrubby, V-VI, Z8-10	25	8		-	-	28,00	16,00
EA 236	<b>myrsinifolia</b> , (AGM), 20 cm, yellow, thick and fleshy, blue-green leaves, wintergreen, very decorative, IV-VI, Z5-9 <i>(see also GOLD NUGGET SEED®)</i>	30	8		176,00	22,00	2,80	2,80
EA 238	<b>nicaeensis</b> , 50 cm, yellow, large blossom stalks, grey-green foliage, wintergreen, durable, IV-VI, Z5-8	10	8		-	-	6,00	4,50
EA 242	<b>palustris</b> , (AGM), 100 cm, dark yellow, V-VI, Z4-8	20	8		-	34,00	4,20	4,20
EA 240	<b>polychroma (epithymoides)</b> , (AGM), 40 cm, light yellow, V-VI, Z4-8 <i>(see also GOLD NUGGET SEED®)</i>	10	9		384,00	48,00	6,20	3,10
<b>EURYBIA - see ASTER</b>								
<b>EUTROCHIUM - see EUPATORIUM fistulosum, maculatum, purpureum</b>								
<b>FERULA (Apiaceae, Umbelliferae)</b>								
FA 006	<b>communis</b> , Giant Fennel, 200 cm, well branched, yellow blossom umbels, VI-VIII, Z7-10	75	8	Sol	252,00	36,00	4,50	12,00
<b>FILIPENDULA (Rosaceae)</b>								
FA 016	<b>rubra</b> , Queen of the Prairie, 150 cm, dark pink to reddish flower umbels, upright habit, VI-VII, Z2-7	5	1	Sol	-	-	22,00	5,50
FA 018	<b>ulmaria</b> , Meadowsweet, 150 cm, yellowish-white, VI-VIII, Z3-7 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i>	5	9		72,00	12,00	2,00	2,00
FA 014	<b>vulgaris (hexapetala)</b> , 45 cm, white, V-VI, Z2-7	5	16		72,00	12,00	2,00	2,00
<b>FOENICULUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>FRAGARIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>FRANCOA (Saxifragaceae)</b>								
FA 020	<b>sonchifolia (ramosa)</b> , 60 cm, white-pink flower racemes with dark markings, VII-IX, Z4-9	2	16		-	-	48,00	4,00


**FRITILLARIA lanceolata**

**FRITILLARIA persica**

**GAILLARDIA aristata 'Amber Wheels'**

**GAILLARDIA aristata 'Arizona Apricot'**

**GAILLARDIA aristata 'Arizona Red Shades'**
**GAILLARDIA aristata 'Amber Wheels'**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>FRITILLARIA (Liliaceae)</b>								
FA 039	<b>acmopetala</b> , (AGM), 40 cm, greenish-yellow with brown spots, IV-V, Z6-8 . . . . .	15	8	✖△	–	40,00	5,20	5,20
FA 046	<b>collina (latifolia var. lutea)</b> , 15 cm, yellow with purple checkered pattern, large flowering, V-VI, Z4-8 . . . . .	5	8	△	–	112,00	16,00	7,00
FA 027	<b>lanceolata (affinis)</b> , 50 cm, dark purple, yellow spotted, V, Z5-10 . . . . .	10	8	△	–	74,00	9,20	7,00
FA 028	<b>meleagris</b> , Snakes Head Fritillary, 30 cm, light and dark purple, checkered, IV-V, Z3-7 . . . . .	8	8	△✖	256,00	32,00	4,00	3,00
FA 030	<b>pallidiflora</b> , (AGM), 30 cm, light yellow with dark veins, IV-V, Z3-7 . . . . .	10	1	△	–	96,00	12,00	9,00
FA 033	<b>persica</b> , 70 cm, brown-violet, up to 50 flowers per stem, grey-green leaves, IV-V, Z5-8 . . . . .	10	8	△✖	588,00	74,00	9,20	7,00
FA 031	<b>pontica</b> , (AGM), 45 cm, apple green with brown tips, IV-V, Z4-8 . . . . .	8	8	△	–	64,00	7,20	3,60
FA 032	<b>tubiformis</b> , 25 cm, dark red, IV-V, Z6-8 . . . . .	10	8	–	64,00	8,00	6,00	–
<b>FUCHSIA (Onagraceae)</b>								
FA 036	<b>magellanica</b> , 90 cm, scarlet red, purple to pink, VII-frost, winter hardy as older plant, V-IX, Z6-9 . . . . .	0,5	16	↖①	–	–	–	7,80
NEW! FA 034	<b>procumbens</b> , Creeping Fuchsia, 10 cm, green-yellowish flowers with red and blue stamens, V-X, Z8-10 . . . . .	2	8	⇨④⇨	–	–	28,00	4,80
<b>FUMANA (Cistaceae)</b>								
FA 100	<b>procumbens (HELIANTHEMUM)</b> , 25 cm, golden, needle-shaped leaves, V-VII, Z5-8 . . . . .	10	1	△	320,00	40,00	5,00	3,80
<b>GAILLARDIA (Asteraceae, Compositae)</b>								
GA 008	<b>aristata, wild form</b> , 70 cm, yellow with red eye, VI-IX, Z3-9 . . . . .	10	15	–	120,00	16,00	2,00	2,00
GT 004	<b>aristata 'Amber Wheels'</b> , 75 cm, large golden flowers with fringed tips and amber-red colored center, durable and long lived selection, VI-IX, Z3-9, . . . . .	6	15	⊗✖	452,00	64,00	9,20	4,60
GA 017	<b>aristata 'Arizona Apricot'</b> , (AAS), 30 cm, yellow with apricot-coloured center, rich flowering, uniform and compact habit, reliable first year flowering, VI-IX, Z3-9 . . . . .	4	15	⊗⊗	1152,00	128,00	14,40	7,20
GA 011	<b>aristata 'Arizona Red Shades'</b> , 30 cm, brilliant red shades, rich flowering, uniform and compact habit, reliable first year flowering, VI-IX, Z3-9 . . . . .	4	15	⊗⊗	1152,00	128,00	14,40	7,20
GA 013	<b>aristata 'Arizona Sun'</b> , (AAS) (FS), 30 cm, brilliant red with yellow tips, rich flowering, uniform and compact habit, reliable first year flowering, VI-IX, Z3-9 . . . . .	5	15	⊗⊗	–	288,00	32,00	9,60
GA 025	<b>aristata 'Mesa Peach' F<sub>1</sub></b> , (AAS) (FS), 35 cm, yellow with peach-coloured eye, uniform and compact growth, reliable flowering the first year, VI-IX, Z3-9 . . . . .	5	15	⊗⊗	–	288,00	32,00	9,60
NEW! GA 027	<b>aristata 'Mesa Red' F<sub>1</sub></b> , (AAS) (FS), 35 cm, brilliant red flowers, uniform and compact growth, reliable flowering the first year, VI-IX, Z3-9 . . . . .	5	15	⊗⊗	–	288,00	32,00	9,60
GA 021	<b>aristata 'Mesa Yellow' F<sub>1</sub></b> , (AAS) (FS), 35 cm, brilliant pure yellow flowers, rich flowering, uniform compact habit, reliable flowering the first year, VI-IX, Z3-9 . . . . .	5	15	⊗⊗	–	288,00	32,00	9,60

*continued on the following page*



GAILLARDIA aristata 'Mesa Red' F<sub>1</sub>



GAILLARDIA aristata 'Mesa Yellow' F<sub>1</sub>



GAILLARDIA aristata 'Granada'™



GAILLARDIA pinnatifida

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>GAILLARDIA continuation</b>									
GT 009	aristata, VI-IX, Z3-9 'Bijou', 25 cm, red with yellow tips, compact, lower than 'Goblin'								
GT 010	'Bremen', 75 cm, dark scarlet with yellow tips								
GT 012	'Burgunder' [Burgundy], 75 cm, wine-red								
GT 016	'Fackelschein' [Torchlight], 75 cm, dark red with wide yellow tips								
GT 019	Granada™, ☀, 30 cm, dark red with broad yellow tips	8	15	⊗ ×	184,00	24,00	3,60	2,00	
GT 018	'Kobold' [Goblin], 35 cm, red with yellow, stable variety								
GT 020	'Maxima Aurea' [Indian Yellow, Aurea Pura], 75 cm, pure yellow								
GT 022	'Tokajer', 75 cm, orange								
GT 024	'Monarch Mix', 75 cm, mixed colors								
NEW! GA 002	pinnatifida, Red Dome Blanketflower, 40 cm, yellow with red disk, pinnatifid leaves, V-VII, Z5-10 .....	5	15	△ ×	-	-	4,60	2,30	
<b>GALANTHUS (Amaryllidaceae)</b>									
GA 026	elwesii (graeucus), ☐, Snowdrop, 15 cm, white, fragrant, II, Z4-8 .....	15	1/6	△	480,00	60,00	7,60	5,70	
GA 028	nivalis, ☐, Snowdrop, 15 cm, white, II-IV, Z3-8 .....	15	1/6	△ ✕ *	256,00	32,00	4,00	4,00	
<b>GALEGA officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
<b>GALIUM (Rubiaceae)</b>									
GA 034	mollugo (album), 20 cm, white, V-VIII, Z3-9 .....	5	8	‡ ↗ *	32,00	8,00	2,00	2,00	
	odoratum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
GA 036	verum, 30 cm, yellow, abundant flower panicles, V-IX, Z3-7 (see also Organic-Seeds) .....	5	15	‡ *	32,00	8,00	2,00	2,00	
<b>GALTONIA (Hyacinthaceae, Liliaceae)</b>									
GA 044	candicans, ☐, 120 cm, pure white, blossom panicles, VII-VIII, Z5-9 .....	20	16	×	320,00	42,00	5,40	3,60	
<b>GAULTHERIA (Ericaceae)</b>									
GA 047	depressa, 15 cm, evergreen, white marbled leaves, large white berries, white flowers, winterprotection needed in colder climates, I-VI, Z8-11 .....	0,1	8	Ca △ &	-	324,00	36,00	6,00	
GA 048	miqueliania (pyroloides), 20 cm, evergreen, white berries, blossoms white, VI, Z6-9 .....	0,25	9	Ca ↗ &	1792,00	224,00	28,00	4,80	
GA 050	procumbens, ☐, 15 cm, evergreen, groundcover with very decorative red berries, pale pink-white flowers, VII-VIII, Z3-8 .....	1	8	Ca ↗ & \$	665,00	78,00	9,20	3,10	
GT 050	procumbens, heat-treated seed is virtually Colletotrichum free, but secondary infection is still possible, please prevent! .....	1	8	Ca ↗ & \$	1130,00	132,00	15,60	5,20	
GA 051	procumbens 'Redwood'™, ☐, 15 cm, light pink bells, large brilliant red berries, reliable and heavy fruiting, healthy and vigorous, evergreen, VII-VIII, Z3-8 .....	1	8	Ca ↗ & \$	990,00	116,00	13,80	4,60	
GT 051	procumbens 'Redwood'™, heat-treated seed is virtually Colletotrichum free, but secondary infection is still possible, please prevent! .....	1	8	Ca ↗ & \$	1660,00	196,00	23,00	7,60	
GA 052	shallon, 50 cm, white-pink, evergreen, decorative foliage, good for cutting, black berries, V-VI, Z5-8 .....	1	1	Ca × &	628,00	78,00	9,80	3,50	
GA 053	trichophylla, 10 cm, white bellflowers with pink tinge, forms tiny cushions, brilliant blue berries, V-VI, Z6-9 .....	0,25	8	Ca △ ↗ &	-	-	-	9,20	
<b>GAURA (OENOTHERA) (Onagraceae)</b>									
GA 056	lindheimeri [The Bride], ☐, 85 cm, pure white, numerous flower racemes, very showy, good cut flower, can be grown as an annual, VII-X, Z6-9 .....	40	16	✿ × ⊖	98,00	14,00	2,00	2,00	
GA 057	lindheimeri 'Sparkle White', ☀, 60 cm, white, compact blossom panicles, perfect for container production, early flowering and fast growing, flowers the first year, VI-X, Z6-9 .....	25	16	⊗ ⊖ △ ✕	540,00	64,00	8,20	7,60	
NEW! GA 062	lindheimeri 'Cool Breeze', 100 cm, pure white flowers with greenish-white stamens and flower buds, very rich and abundant flowering until first frosts, first year flowering from seed, VII-X, Z6-9 .....	30	16	✿ × ⊖	154,00	22,00	3,20	3,20	
GA 055	lindheimeri 'Summer Breeze', 120 cm, pure white flowers with pink filaments, pink buds, very rich and abundant flowering until first frost, especially sturdy and winter hardy selection, first year flowering from seed, in the 1. year 80 cm, in the 3. year 150 cm, VII-X, Z5-9 .....	30	16	✿ × ⊖	154,00	22,00	3,20	3,20	
<b>GAZANIA (Asteraceae, Compositae)</b>									
GA 058	linearis Colorado Gold®, ☀, 20 cm, golden, dark green lanceolate foliage, in mild locations winterhardy! V-X, Z5-9 .....	pure seed	3	15	△ ⊖	2920,00	324,00	36,00	9,00

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>GENISTA</b> (Papilionaceae, Leguminosae)								
GA 060	<i>sagittalis</i> ( <b>CHAMAESPARTIUM</b> ), <small>(AGM)</small> , 20 cm, evergreen groundcover, yellow, V-VI, Z4-8 . . . . .	10	10	WY *	192,00	24,00	3,00	2,30
GA 064	<i>tinctoria</i> , 90 cm, yellow, VI-IX, Z3-8 . . . . .	20	1	‡ *	48,00	8,00	2,00	2,00
<b>GENTIANA</b> (Gentianaceae)								
GA 070	<i>acaulis</i> ( <i>kochiana</i> ), <small>(AGM)</small> , 10 cm, dark blue, V-VI, Z3-6 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	1	△ × *	1134,00	126,00	16,00	6,00
	alba - see <i>flavida</i>							
GA 074	<i>algida</i> , 20 cm, yellowish-white with blue markings, VIII-IX, Z4-8 . . . . .	0,5	9	△ Ca	-	-	48,00	7,80
GA 078	<i>andrewsii</i> , 30 cm, dark blue, VII-VIII, Z3-7 . . . . .	1	1	△ Ca	-	-	12,00	4,00
GA 083	<i>angustifolia</i> 'Frei-Hybr.' ( <i>acaulis</i> 'Maxima'), 10 cm, especially large, intense dark blue blossoms, V-VI, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	1	△	1332,00	148,00	19,00	7,00
GA 086	<i>asclepiadea</i> , <small>(AGM)</small> , Willow Gentian, 40 cm, dark blue, grows upright, blossoms axillary, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®+ Organic-Seeds</i> ) . . . . .	1	1	× *	768,00	96,00	12,00	4,00
GA 090	<i>asclepiadea</i> var. <i>alba</i> , 40 cm, pure white, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	1	×	-	192,00	24,00	6,00
GA 088	<i>asclepiadea</i> 'Pink Swallow' [ <i>Pink Cascade</i> ], 40 cm, intense pink flowering selection, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	1	×	3072,00	384,00	48,00	6,00
GA 096	<i>bavarica</i> , 10 cm, mat-forming, deep blue with light throat, VII-IX, Z4-7 . . . . .	0,5	5	△ Ca	-	-	44,00	6,00
GA 102	<i>clusii</i> , 10 cm, dark azure, without inner spots (acaulis-type), V-VI, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	1	△ *	1332,00	148,00	19,00	7,00

continued on the following page



GAURA lindheimeri 'Cool Breeze'



GAULTHERIA procumbens 'Redwood'™



GAULTHERIA trichophylla



GAURA lindheimeri 'Summer Breeze'



GAZANIA linearis Colorado Gold®



GENTIANA angustifolia 'Frei-Hybr.'



GENTIANA asclepiadea



GENTIANA asclepiadea var. alba



GENTIANA asclepiadea 'Pink Swallow'



GENTIANA cruciata 'Blue Cross'



GENTIANA oschtenica



GENTIANA Paradoxa-Hybr. 'Blue Herald'



GENTIANA septemfida var. lagodechiana 'Select'



GENTIANA pneumonanthe forma alba



GENTIANA sino-ornata 'Blauer Diamant'



GENTIANA saxosa



GENTIANA verna ssp. tergestina



GENTIANA septemfida var. lagodechiana 'Bella Alpinella'

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>GENTIANA continuation</b>							
GA 098 <i>cruciata</i> , 40 cm, dark blue, unpretentious, drought tolerant, variable, VII-IX, Z3-7 . . . . .	1	9	△	192,00	24,00	3,00	2,00
GA 099 <i>cruciata 'Blue Cross'</i> , 25 cm, bright dark blue bell flowers, very rich blooming, sturdy and upright flower stems, dense leaf rosettes with decussate, broadly lanceolate and glossy green foliage, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	9	△ × ⊕	768,00	96,00	12,00	4,00
GA 106 <i>dahurica</i> [ <i>Nikita</i> ], 35 cm, deep blue, grows easily, VI-VII, Z3-7 . . . . .	1	9	△ ×	216,00	24,00	3,00	2,00
GA 114 <i>dinarica</i> , 10 cm, dark blue, V-VI, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	1	△	1332,00	148,00	19,00	7,00
GA 116 <i>divisa</i> , 15 cm, white, to 2,5 cm in size, rich flowering, lanceolate leaves, VII-VIII, Z6-9 . . . . .	1	9	△ ▲	–	224,00	28,00	7,00
GA 118 <i>flavida</i> [ <i>alba</i> ], 60 cm, cream-yellow, VII-VIII, Z4-7 . . . . .	2	9	△	–	–	12,00	4,00
GA 122 <i>gracilipes</i> , 25 cm, purple-blue, VII-IX, Z3-7 . . . . .	2	9	△ ×	192,00	24,00	3,00	2,00
Kochiana - see <i>acaulis</i>							
Iutea - see <i>GOLD NUGGET SEED® + Perennial Herbs + Organic Seed</i>							
GA 138 <i>Makinoi-Hybr.</i> 'Royal Blue', 120 cm, bright blue, up to 10 cut stalks, variable, VIII-X, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	1	× ⊙	1152,00	144,00	18,00	6,00
GA 148 <i>oschtenica</i> ( <i>verna</i> ssp. <i>oschtenica</i> ), 10 cm, brilliant yellow, large flowering, a real rarity, IV-V, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	1	△	–	–	–	9,20
GA 151 <i>Paradoxa-Hybr.</i> 'Blue Herald', 15 cm, large bright blue flowers with six flower tips, rich flowering, verticillate, broad lanceolate foliage, excellent fall flowering gentian, very vigorous, VIII-IX, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	9	⊕ × △ ⊖	2300,00	288,00	36,00	7,60
GA 152 <i>parryi</i> , 20 cm, blue-purple, VII-VIII, Z4-8 . . . . .	0,25	9	△ ⊙	–	–	–	6,00
GA 154 <i>pneumonanthe</i> , 30 cm, intense blue, VII-IX, Z3-7 . . . . .	0,5	1	⊖ ⊙	2304,00	288,00	36,00	6,00
<b>NEW!</b> GA 155 <i>pneumonanthe forma alba</i> , White Marsh Gentian, 40 cm, pure white with green stripes, narrow leaves, vigorous species, VII-IX, Z3-7 . . . . .	0,5	1	△ × ⊖	–	–	48,00	5,20
GA 162 <i>punctata</i> , 50 cm, yellow, brown spotted, VI-VII, Z4-8 . . . . .	3	1	△ × \$	–	32,00	4,00	2,00
GA 166 <i>purpurea</i> , Purple-Gentian, 50 cm, red-purple, VII-IX, Z4-8 . . . . .	5	1	△ \$ ⊙	–	32,00	4,00	2,00
GA 170 <i>saxosa</i> , 5 cm, white, compact tufts, VII-VIII, Z7-10 . . . . .	0,25	1	△ ▲ ⊖	–	–	56,00	9,00
GA 172 <i>septempfida</i> var. <i>lagodechiana</i> ,  Summer Gentian, 20 cm, medium blue, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	1	△ ×	998,00	120,00	14,00	5,60
<b>NEW!</b> GA 174 <i>septempfida</i> var. <i>lagodechiana</i> 'Bella Alpinella', 10 cm, brilliant blue, short stems, forming compact cushions, fantastic summer gentian, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	1	△ × ⊖ ⊖	1460,00	172,00	20,00	7,80
GA 173 <i>septempfida</i> var. <i>lagodechiana</i> 'Select', 20 cm, intense blue, compact, VII-IX, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	1	△ × ⊖ ⊖	1460,00	172,00	20,00	7,80
GA 176 <i>sino-ornata</i> 'Blauer Diamant' [ <i>Blue Diamond</i> ],  Autumn Gentian, 10 cm, intense blue colours with dark stripes, VIII-XI, Z5-8 . . . . .	0,5	9	△ ⊙ ⊖	4990,00	624,00	78,00	9,60
GA 177 <i>straminea</i> , 25 cm, straw-colored, VI-VII, Z5-8 . . . . .	1	16	△	256,00	32,00	4,00	2,00
GA 184 <i>tibetica</i> , 60 cm, yellow-white, VIII, Z4-7 . . . . .	1	16	△	224,00	28,00	4,00	2,00
GA 190 <i>triflora</i> var. <i>japonica</i> , 80 cm, bright blue, VIII-IX, Z5-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	1	× ⊙	–	–	22,00	7,40
GA 196 <i>verna</i> , 10 cm, azure with a white eye, IV-V, Z4-8 . . . . .	0,5	5	△	–	360,00	40,00	7,00
GA 197 <i>verna</i> var. <i>angulosa</i> ,  10 cm, deep blue, large flowers, very vigorous form, IV-V, Z4-8 . . . . .	0,5	1	△ ⊖	–	–	64,00	8,00
GA 195 <i>verna</i> var. <i>angulosa</i> 'Alba', 10 cm, pure white, large flowering, very vigorous form, IV-V, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	1	△ ⊖	–	686,00	98,00	12,00
<i>verna</i> ssp. <i>oschtenica</i> - see <i>oschtenica</i>							
GA 198 <i>verna</i> ssp. <i>tergestina</i> , 10 cm, dark blue, V-VI, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	1	△	–	420,00	46,00	7,00
<b>GERANIUM (Geraniaceae)</b>							
GA 201 <i>aristatum</i> , 50 cm, soft lilac-rose, nodding flowers, V-VII, Z6-9 . . . . .	20	9	–	128,00	16,00	16,00	16,00
GA 202 <i>aspodeloideum</i> , 40 cm, white to pink, VI-VIII, Z7-10 . . . . .	5	9	–	1150,00	144,00	18,00	13,50
GA 204 <i>bohemicum</i> [ <i>Orchid Blue, Blue Rhapsody</i> ], 45 cm, brilliant violet-blue with dark veins, V-VIII, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	20	8	⊖	384,00	48,00	6,00	3,00
GA 210 <i>endressii</i> ,  30 cm, pink, variable, V-IX, Z4-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	8	9	–	768,00	96,00	12,00	9,00
GA 211 <i>ibericum</i> , 50 cm, violet-blue with red veins, V-VII, Z5-8 . . . . .	20	8	–	–	–	16,00	12,00
GA 215 <i>macrorrhizum</i> , wild form, 30 cm, purple-red, valuable groundcover, V-VIII, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	10	8	△ ↗	512,00	64,00	8,00	6,00
GA 214 <i>macrorrhizum</i> 'White Ness', 30 cm, pure white, dark green foliage, V-VII, Z3-8 . . . . .	5	8	△	–	–	–	12,00
GA 213 <i>maculatum</i> , 50 cm, pink, V-VI, Z3-8 . . . . .	7	8	\$	–	–	24,00	18,00
GA 256 <i>maderense</i> 'Guernsey White', 120 cm, white with pink eye, richly branched flower stems, impressive leaf-rosettes, VI-VIII, Z8-10 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	20	9	Sol ⊖	1536,00	192,00	24,00	16,00
GA 221 <i>nodosum</i> , 50 cm, lilac-rose, for shade, VI-X, Z5-8 . . . . .	5	8	△	1296,00	144,00	16,00	12,00

*continued on the following page*

**GERANIUM bohemicum**

**GERANIUM macrorrhizum**

**GERANIUM maculatum**

**GERANIUM maderense 'Guernsey White'**



GERANIUM palustre



GERANIUM pratense 'Striatum'



GERANIUM pratense 'Dark Reiter'



GERANIUM wallichianum 'Buxton's Var.'



GERANIUM wlassovianum



GERANIUM pratense 'Painter's Palette'



GERANIUM pratense 'Dark Reiter'

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>GERANIUM continuation</b>								
GA 209	palustre, 60 cm, violet-red, VI-IX, Z5-8 (see also GOLD NUGGET SEED®)	12	1	❀	648,00	72,00	8,00	8,00
GA 217	phaeum, 60 cm, dark purple, V-IX, Z5-8	10	8		896,00	112,00	14,00	10,50
GA 236	platyanthum (eriopteron), 40 cm, bluish purple, large lobed foliage, V-VII, Z5-8	20	8	△	–	128,00	16,00	12,00
GA 218	pratense, 50 cm, blue-violet, lightly veined, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®)	20	1	✿	192,00	24,00	3,00	3,00
GA 227	pratense f. albiflorum, 50 cm, white, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®)	20	1		–	–	8,20	6,20
GA 231	pratense 'Dark Reiter', 25 cm, intensive lilac-blue flowers, compact habit, reddish plum colored foliage, slow growing, 98% true from seed, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®)	20	1	✿ △ ⚡	1296,00	144,00	16,00	12,00
GA 232	pratense 'Mrs. Kendall Clark', 50 cm, pearl blue-grey, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®)	20	1		–	60,00	7,50	5,00
GA 229	pratense 'Striatum' [Splash-Splash, Bicolor], 50 cm, white flowers, blue speckled and striped, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®)	20	1		480,00	60,00	7,50	5,00
GA 237	pratense 'Painter's Palette', 50 cm, colourful flower range from white, soft pink, light blue, dark blue to violet and white with blue splashes, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®)	20	1		320,00	40,00	5,00	5,00
GA 224	psilostemon [Fluorescent], (AGM), 70 cm, bright magenta with black centre, VI-VII, Z5-8	30	8		–	96,00	12,00	9,00
GA 219	pyrenaicum 'Bill Wallis', Pyrenees Cranesbill, 25 cm, dark violet, self-seeds, VI-IX, Z5-9 (see also GOLD NUGGET SEED®)	5	8	✿ △	960,00	120,00	15,00	7,50
GA 222	robertianum - see Organic Seed							
GA 223	sanguineum [Vision Violet], 35 cm, purple-red, V-IX, Z3-8 (see also GOLD NUGGET SEED®)	20	8	✿	648,00	72,00	8,00	8,00
GA 223	sanguineum f. nanum, 15 cm, purple-red, V-IX, Z3-8 (see also GOLD NUGGET SEED®)	20	8	△	1296,00	144,00	16,00	12,00
GA 205	sanguineum var. striatum [Vision Light Pink], (AGM), 25 cm, pale pink and red veined, V-IX, Z3-8 (see also GOLD NUGGET SEED®)	20	8		–	72,00	8,00	8,00
GA 233	sessiliflorum f. nigricans, 10 cm, small white flowers, bronze colored foliage, low growing, VI-IX, Z5-9	8	9	✿ △	–	–	–	7,20
GA 226	sylvaticum, 70 cm, red-violet, semi-shade, VI-VII, Z3-8 (see also GOLD NUGGET SEED®)	20	9		256,00	32,00	4,00	4,00
GA 230	viscosissimum, 60 cm, purple-rose with dark veins, V-VI, Z5-9	15	9		–	160,00	20,00	15,00
GA 234	wallachianum 'Buxton's Variety', 30 cm, china blue with white center, marbled leaves, VI-X, Z5-9 (see also GOLD NUGGET SEED®)	30	9	△ ✿	–	144,00	16,00	12,00
GA 243	wlassovianum, Siberian Cranesbill, 30 cm, red-violet, decorative foliage, VI-IX, Z2-8 (see also GOLD NUGGET SEED®)	15	1	△ ✿	–	72,00	8,00	5,40
GA 249	yessoense var. nipponicum, 30 cm, pink, dark veined, finely feathered foliage, VI-VIII, Z5-8	15	8	△ ❀	–	72,00	8,00	5,40
GA 235	yoshinoi, 40 cm, soft pink, V-VII, Z5-10	10	8		992,00	124,00	16,00	12,00

GERBERA nivea - see LEIBNITZIA nivea

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>GEUM (Rosaceae)</b>									
GA 245	chiloense 'Blazing Sunset' [Red Dragon],  60 cm, scarlet, double flowers, very large blossoms, VII-IX, Z4-10.	7	15	✗ ⚡	1280,00	144,00	16,00	5,40	
GT 244	chiloense 'Feuerball' [Mrs. Bradshaw],  60 cm, red, double, VII-VIII, Z4-10,	5	15	✗ ⚡	288,00	36,00	4,60	2,80	
GT 246	chiloense 'Goldball' [Lady Stratheden],  60 cm, golden, double, VI-VIII, Z4-10,	5	15	✗ ⚡	288,00	36,00	4,60	2,80	
GA 247	chiloense 'Sunrise', 60 cm, golden double flowers, very large flowering, VII-IX, Z4-10	7	15	✗ ⚡	1280,00	144,00	16,00	5,40	
GA 240	coccineum Borissii-Strain [Tango, Queen of Orange, Cooky], 40 cm, orange-red, V-VI, reblooms often IX-X, Z4-9 (see also GOLD NUGGET SEED®)	5	8	△	840,00	98,00	12,00	4,40	
GA 241	coccineum 'Koi', 25 cm, brilliant orange, short stems, rich flowering, compact habit, first year flowering, V-IX, Z4-9 (see also GOLD NUGGET SEED®)	3	16	△ ⚡ ⚡	840,00	98,00	12,00	4,40	
GA 250	montanum, 15 cm, pure yellow, decorative seed heads, IV-V, Z3-7,	pure seed	5	8	△ ✗	256,00	32,00	4,00	2,00
GA 258	rivale, 35 cm, light yellow, calyx red brown, IV-V, Z3-7		5	15	⌘ ⚡ ⚡	128,00	16,00	2,00	2,00
GT 258	rivale, . . . . .	JET® - rubbed seed	2	15		384,00	48,00	6,00	3,00
GA 259	rivale 'Album', 35 cm, whitish-green, green cups, IV-V, Z3-7		5	15	⌘ ⚡	–	–	4,00	2,00
GA 260	triflorum, 25 cm, 3-flowered, reddish-white, entire plant covered with silky hairs, ornamental seed-spikes, V-VII, Z1-7,	pure seed	2	15	△	1940,00	216,00	24,00	8,00
urbanum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed									



GEUM chiloense 'Blazing Sunset'



GEUM chiloense 'Sunrise'



GEUM coccineum 'Koi'



GEUM triflorum



GEUM montanum



GEUM rivale 'Album'

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>GILLENA (PORTERANTHUS) (Rosaceae)</b> GA 266 <i>trifoliata</i> , (AGM), 80 cm, white, calyx reddish, VI-VII, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) ...	8	1	‡	960,00	120,00	15,00	7,50
<b>GINGIDIA montana - see Perennial Herbs - Culinary, Teas and Medicinal</b>							
<b>GLADIOLUS</b> (Iridaceae)							
GA 269 <i>communis</i> , 80 cm, rosy-red, distichous flower panicles, VI-VII, Z5-10 ...	20	1	✗	144,00	18,00	2,40	2,40
GA 270 <i>illyricus</i> , 40 cm, purple-red, V-VI, Z5-9 ...	15	1	✗	280,00	32,00	3,60	3,60
GA 272 <i>imbricatus</i> , 60 cm, purple-violet, unisexual flower panicles, V-VI, Z5-9 ...	12	1	✗ ≈	160,00	20,00	2,50	2,50
GA 278 <i>palustris</i> , 45 cm, purple-red, V-VI, Z5-9 ...	12	1	✗ ≈	320,00	38,00	4,20	4,20
<b>GLAUCIDIUM</b> (Glaucidiaceae, Paeoniaceae)							
GA 282 <i>palmatum</i> , (AGM), 60 cm, soft lilac to white, semi-shade, IV-V, Z4-8 ...	25	1		–	–	–	24,00
GA 283 <i>palmatum</i> var. <i>leucanthum</i> (Album), 60 cm, pure white flowers, rare, IV-V, Z4-8 ...	25	1		–	–	–	24,00
<b>GLAUCIUM</b> (Papaveraceae)							
GA 290 <i>flavum</i> , Horned Poppy, 50 cm, yellow-ochre, blue-grey foliage, VI-VII, Z6-9 ( <i>see also Organic-Seeds</i> ) ...	4	9	⊖ ✗	256,00	32,00	4,20	2,00
GA 291 <i>flavum</i> var. <i>aurantiacum</i> ( <i>flavum f. fulvum</i> ) [ <i>Burnt Orange</i> ], 50 cm, orange-red, blue-green foliage, V-VII, Z6-9 ...	4	9	✗	384,00	48,00	6,20	2,80
<b>GLECHOMA hederacea - see GOLD NUGGET SEED® + Perennial Herbs + Organic Seed</b>							
<b>GLOBULARIA</b> (Globulariaceae)							
GA 300 <i>cordifolia</i> , (AGM), 10 cm, lavender-blue, V-VI, Z4-9, ...	pure seed	1	15	→ △	–	–	7,50
GA 308 <i>nudicaulis</i> , 15 cm, blue, lime soil, V-VI, Z3-8, ...	pure seed	1	15	△	1150,00	144,00	18,00
GA 312 <i>punctata (elongata)</i> , 25 cm, violet-blue, V-VI, Z3-8, ...	pure seed	1	15	△ ✗ ✗	–	192,00	24,00
GA 310 <i>trichosantha</i> , 20 cm, bright blue flowers, carpet forming, V-VI, Z5-9, ...	pure seed	1	15	→ △	–	144,00	18,00
<b>GLYCYRRHIZA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
<b>GOMPHOCARPUS - see ASCLEPIAS</b>							
<b>GONIOLIMON</b> (Plumbaginaceae)							
GA 315 <i>collinum 'Sea Spray'</i> , 40 cm, white umbels, richly branched, blue-green, linear, healthy foliage, strong habit, beautiful tidy basal rosettes, VII-VIII, Z5-9, ...	pure seed	2	15	△ ✗	560,00	70,00	9,00
GA 318 <i>speciosum</i> , 30 cm, pink, dense umbels, flat growing rosettes, VII-VIII, Z3-8, ...	pure seed	1	15	△ ✗	1150,00	144,00	18,00
LA 276 <i>tataricum</i> (LIMONIUM), 45 cm, the fresh flower is pink, VII-IX, Z4-8, ...	pure seed	2	15	✗	288,00	36,00	4,80
<b>GRATIOLA - see Perennial Herbs - Culinary, Teas and Medicinal</b>							



GILLENA trifoliata



GLADIOLUS communis



GLAUCIUM flavum



GLOBULARIA nudicaulis



GLOBULARIA trichosantha



GONIOLIMON collinum 'Sea Spray'



GYPSOPHILA cerastioides



GYPSOPHILA repens 'Filou Rose'



GUNNERA prorepens



GYPSOPHILA repens 'Filou White'

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>GRINDELIA</b> (Asteraceae, Compositae)								
GA 322	<b>integerrifolia</b> , 80 cm, golden ray flowers, upright habitat, VI-IX, Z3-9 . . . . .	5	16		96,00	14,00	2,00	2,00
	<b>robusta (camporum)</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>GUNNERA</b> (Gunneraceae)								
GA 330	<b>manicata</b> , (AGM), 200 cm, green to orange, luxurious stand alone plant, VII-VIII, Z6-11 . . . . .	10	14/20	Sol ↗	320,00	40,00	5,00	2,50
GA 332	<b>prorepens</b> , 10 cm, inconspicuous flowers, intense red berry racemes, grey green, oval foliage, forming dense carpets, VII-VIII, Z7-10 . . . . .	6	1	W ↗ &	768,00	96,00	12,00	6,00
<b>GYPSOPHILA</b> (Caryophyllaceae)								
GA 336	<b>cerastioides [Pixie Splash]</b> , 8 cm, white with pink veins, fresh green cushions, V-VI, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	2	8	W ▲ ⚡	-	298,00	32,00	4,50
GA 340	<b>pacifica</b> , 100 cm, white-pink blossoms, VI-VIII, Z3-8 . . . . .	2	15	✗	310,00	38,00	4,80	2,40
GA 344	<b>paniculata</b> , 100 cm, white, abundant flowers, VI-VIII, Z3-7 . . . . .	3	15	✗ ⚡	32,00	8,00	2,00	2,00
GA 348	<b>paniculata fl. pl. 'Schneeflocke' [Snow Flake]</b> , 100 cm, white, double (approx. 60%), VI-VIII, Z3-7 . . . . .	3	15	✗	126,00	18,00	2,40	2,00
GA 350	<b>petraea</b> , 15 cm, white, rarely lilac, linear foliage, VI-VIII, Z6-9 . . . . .	1	9	△	-	-	16,00	4,00
GA 352	<b>repens</b> , (AGM), 15 cm, white, for rock gardens, V-VI, Z3-8 } . . . . .	3	15	⊗ △ ⚡	126,00	18,00	2,40	2,00
GA 354	<b>repens 'Rosea'</b> , 15 cm, light pink, V-VI, Z3-8 }							
GA 355	<b>repens 'Filou Rose'</b> , 15 cm, intensive pink, large flowering, compact habit, reliable first year flowering, V-IX, Z3-8 }	2	15	⊗ △ ⚡	380,00	54,00	7,80	3,90
GA 353	<b>repens 'Filou White'</b> , 15 cm, pure white, large flowering, compact habit, reliable first year flowering, V-IX, Z3-8 }							
<b>HAPLOPHYLLUM</b> (Rutaceae)								
HA 013	<b>suaveolens</b> , 40 cm, golden, dense umbels, blue-green pinnatifid foliage, aromatic, VI-VIII, Z6-9 . . . . .	3	1	△	360,00	46,00	5,80	2,90
<b>HEBE</b> (Scrophulariaceae)								
HA 010	<b>raoulii</b> , 20 cm, light pink to lavender coloured, rich flowering, foliage green with reddish touch, V-VI, Z7-9 . . . . .	1	1	△ ↗	-	160,00	20,00	4,00
<b>HEDYSARUM</b> (Papilionaceae, Leguminosae)								
HA 014	<b>hedsaroides</b> , 40 cm, bright scarlet flower racemes, VII-VIII, Z3-8 . . . . .	10	9	△	-	40,00	5,20	5,20
HA 015	<b>tauricum</b> , 20 cm, purple, feathered foliage, VII-VIII, Z5-8 . . . . .	10	9	△ ⚡	240,00	30,00	3,80	3,80

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>HELENIUM (Asteraceae, Compositae)</b>								
HA 016	autumnale, wild form, 150 cm, golden, VIII-X, Z3-8 . . . . .	1	16	✗ ♂	168,00	22,00	2,80	2,00
HA 021	autumnale 'Helena Gold', 120 cm, golden, VII-X, Z3-8 . . . . .	0,5	16	⊗ ✗ ♂	1460,00	198,00	26,00	5,00
HA 022	autumnale 'Helena Red Shades', 120 cm, brown-red colors, VII-X, Z3-8 . . . . .	0,5	16	⊗ ✗ ♂	1460,00	198,00	26,00	5,00
HA 020	autumnale 'Rotgold-Hybr. [Red Gold Hybr, Helena Mix, Sunshine Hybr], 120 cm, yellow to brownish red, VII-X, Z3-8 . . . . .	0,5	16	✗ ♂ ⊗	650,00	88,00	12,00	4,00
HA 029	bigelovii 'Tip Top', 60 cm, deep yellow ray florets with a spherical black-brown disk, large flowering, dwarf and compact, VI-VIII, Z4-8 . . . . .	2	15	✗ ♂	1590,00	188,00	22,00	5,50
HA 026	flexuosum, 80 cm, yellow with brown disc, early flowering, healthy and upright habit, VI-IX, Z3-9 . . . . .	0,5	16	✗ ♂	–	78,00	9,80	3,20
HT 032	hoopesii (HYMENOXYS), 60 cm, yellow, large flowers, V-VII, Z3-8, . . . . . JET® - rubbed seed	3	15	✗	288,00	36,00	4,60	2,30
<b>HELIANTHELLA (Asteraceae, Compositae)</b>								
HA 036	quinquenervis, Aspen Sunflower, 100 cm, large yellow sunray flowers, rough foliage, dwarf and earlier flowering than Helianthus, V-VIII, Z3-7 . . . . .	20	9	△ ✗	256,00	32,00	4,60	4,60
<b>HELIANTHEMUM (Cistaceae)</b>								
HA 040	apenninum, Rock rose, 40 cm, white felt-like foliage, white blossom racemes, unpretentious, V-VII, Z5-9 . . . . .	5	8	△	128,00	16,00	2,00	2,00
HA 044	croceum, 30 cm, yellow to orange, grey leaved, variable, V-VII, Z6-10 . . . . .	3	8	△	–	–	–	3,60
HA 052	nummularium [Evergreen], 10 cm, yellow, wintergreen, V-VII, Z4-7 (see also GOLD NUGGET SEED®) . . . . .	5	8	△	120,00	15,00	2,00	2,00
HA 054	nummularium ssp. grandiflorum, 10 cm, yellow, especially large flowers, VI-IX, Z4-7 . . . . .	5	8	△	192,00	24,00	3,00	2,20
HA 048	nummularium mutabile, 30 cm, mixture of white, pink, rose, red, yellow shades, reblooms, VI-VII, Z4-7 . . . . .	5	9	△	98,00	14,00	2,00	2,00
HA 053	oelandica ssp. alpestris, 5 cm, bright yellow, small flowering, dense carpets, VI-VIII, Z5-8 . . . . . procumbens - see FUMANNA procumbens	5	8	△	–	–	3,60	2,00
<b>HELIANTHUS (Asteraceae, Compositae)</b>								
HA 060	laetiflorus, 180 cm, bright yellow, VIII-X, Z4-9 . . . . .	15	8	✗	384,00	48,00	9,00	6,00
HA 064	maximiliani, 200 cm, golden, VIII-X, Z4-9 . . . . .	6	15	Soi ✗	96,00	12,00	2,00	2,00
HA 068	mollis, 100 cm, yellow, VII-IX, Z4-9 . . . . .	15	8	✗	192,00	24,00	3,20	2,40
<b>HELICHRYSUM (Asteraceae, Compositae)</b>								
HA 080	arenarium, Yellow Everlasting Daisy, 35 cm, golden umbels, white-woolly foliage, VII-IX, Z3-7 . . . . .	0,25	16	✗ ♂ ↗	–	72,00	9,00	3,00
NEW! HA 081	bellidoides, 10 cm, white strawflowers, grey-green foliage, cushion forming, VIII-X, Z6-9 . . . . .	0,25	15	△	–	–	–	6,80
HA 083	italicum - see Herbs - Culinary, Teas and Medicinal + Organic Seed . . . . .	0,25	15	△ ✗ ↗	–	96,00	12,00	3,00
HA 084	plicatum, 20 cm, golden, white woolly foliage, VII-VIII, Z6-9 . . . . .	0,25	15	△ ✗ ↗	–	96,00	12,00	3,00
	thianshanicum [Goldkind], 30 cm, canary-yellow with gold-brown, umbel-like blossoms, good cut flower, fresh and dried, VII-VIII, Z5-9 . . . . .	0,25	15	✗ ↗	768,00	96,00	12,00	3,00



HELENIUM autumnale 'Helena Gold'



HELENIUM autumnale 'Helena Red Shades'



HELENIUM bigelovii 'Tip Top'



HELIANTHELLA quinquenervis



HELIANTHEMUM apenninum

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>HELIOPSIS</b> (Asteraceae, <i>Compositae</i> )									
HA 096	helianthoides var. scabra 'Burning Hearts'	120 cm, bicolor, vivid red-eyed and golden, healthy dark purple leaves, black stems, sturdy habit, reliable first year flowering, VII-X, Z3-9	10	15	⊗ × *	640,00	78,00	9,80	7,40
NEW! HA 098	helianthoides var. scabra 'Bleeding Hearts'	120 cm, fire red at first, orange-red turning to bronze colored, healthy dark purple leaves, black stems, sturdy habit, reliable first year flowering, VII-X, Z3-9	10	15	⊗ × *	640,00	78,00	9,80	7,40
HA 091	helianthoides var. scabra 'Prima Ballerina'	100 cm, golden, semi-double, rich flowering, compact and sturdy habit, reliable first year flowering, VII-X, Z3-9	10	15	⊗ ×	320,00	42,00	5,40	4,20
HA 092	helianthoides var. scabra 'Sommersonne' [Summer Sun]	120 cm, golden, semi-double, VII-IX, Z3-9	10	15	⊗ ×	128,00	16,00	2,00	2,00
HA 093	helianthoides var. scabra 'Summer Nights'	120 cm, golden with orange-red center, mostly with red stems and purple-red foliage in spring. An outstanding novelty from North Creek Nurseries, VII-IX, Z3-9	10	15	⊗ ×	320,00	42,00	5,40	4,20
HA 094	helianthoides var. scabra 'New Hybrids'	100 cm, lemon to orange-yellow, magnificent variety, double and semi-double, VII-IX, Z3-9	10	15	×	128,00	16,00	2,00	2,00
<b>HELIOSPERMA alpestre</b> - see <b>SILENE alpestris</b>									



HELIANTHEMUM num. ssp. grandiflorum



HELICHRYSUM bellidioideum



HELICHRYSUM thianshanicum



HELIOPSIS 'Prima Ballerina'



HELIOPSIS helianthoides var. scabra 'Burning Hearts'



HELIOPSIS helianthoides var. scabra 'Bleeding Hearts'

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>HELLEBORUS</b> (Ranunculaceae)									
HA 100		<b>argutifolius (corsicus)</b> ,  50 cm, yellowish-green, evergreen foliage for cutting, II-IV, Z6-9	50	19		320,00	40,00	5,00	4,20
HA 103		<b>argutifolius 'Pacific Frost'</b> , 40 cm, ivory colored flowers, evergreen, speckled variegated foliage, II-V, Z6-9	40	19		–	120,00	15,00	9,00
HA 108		<b>foetidus</b> ,  50 cm, bell-shaped blossoms, green, often with reddish edge, evergreen, II-IV, Z5-8	50	19		280,00	36,00	4,50	3,80
HA 110		<b>foetidus 'Wester Flisk'</b> , 60 cm, green blossoms with reddish edge, red-green stems, evergreen, II-IV, Z5-8	50	19		440,00	56,00	7,20	7,20
HA 120		<b>niger</b> ,  35 cm, white Christmas rose, XI-II, Z3-8	50	19		320,00	40,00	5,00	4,20
HA 112		<b>Orientalis-Hyb. Mixture</b> ,  35 cm, red, pink, white, II-IV, Z3-8	50	19		420,00	52,00	6,60	6,60
<b>NEW!</b> HA 378		<b>Orientalis-Hyb. 'Double Ladies Mixed'</b> , 35 cm, rich color range, double and mostly upright flowers, strong stems, healthy growing characteristics, II-IV, Z3-8	30	19		–	280,00	36,00	28,00
HA 111		<b>Orientalis-Newest Hyb.</b> ,  35 cm, mixture, blossoms yellow, white, pink, red, contains spotted, striped and semi-double types, II-IV, Z3-8	50	19		560,00	70,00	8,70	8,70
HA 127		<b>purpurascens</b> , 40 cm, greenish-purple to bluish, II-IV, Z4-8	50	19		320,00	40,00	5,00	5,00
HA 129		<b>x sternii</b> , 40 cm, greenish-yellow, leaves dark green, grey veined, variable, III-IV, Z6-9	30	19		420,00	52,00	6,60	6,60
<b>HELONIAS</b> (Melanthiaceae, <i>Liliaceae</i> )									
HA 142		<b>bullata</b> , Swamp Pink, 40 cm, reddish pink, large fragrant flower heads, rare, V-VI, Z7-9	0,5	15		–	–	–	7,20
<b>HEMEROCALLIS</b> (Hemerocallidaceae, <i>Liliaceae</i> )									
HA 144		<b>'New Hyb.'</b> , 80 cm, mixture of many colors, V-VIII, Z3-9	80	7		320,00	40,00	5,00	8,00
HA 158		<b>minor</b> , 40 cm, lemon yellow, fragrant, V-VI, Z3-9	30	7		576,00	72,00	9,00	9,00
<b>HERACLEUM</b> (Apiaceae, <i>Umbelliferae</i> )									
HA 159		<b>lanatum (sphondylium ssp. montanum)</b> , 170 cm, white, leaf underside white, felt-like, VI-VII, Z3-9	25	5	Sol	62,00	10,00	2,00	2,00
HA 161		<b>sphondylium 'Pink Cloud'</b> , 140 cm, unique pink umbels, lobed foliage, perennial, VI-IX, Z3-9	20	1	Sol	–	64,00	7,20	4,80
<b>HERNIARIA</b> (Ilecebraceae, <i>Caryophyllaceae</i> )									
HA 166		<b>glabra [Green Creeper]</b> , 15 cm, white, lawn substitute, evergreen, VII-IX, Z3-8	0,25	15/4		1080,00	128,00	16,00	4,20
<b>HESPERALOE</b> (Asperagaceae)									
HA 169		<b>parviflora (YUCCA, ALOE)</b> , 150 cm, red to salmon, countless flowers with light yellow throat, clumpy habit, IV-X, Z6-11	80	16	Sol	192,00	24,00	3,40	3,40
<b>HESPERIS</b> (Brassicaceae, <i>Cruciferae</i> )									
HA 170		<b>matronalis</b> , 60 cm, lilac, fragrant, V-VII, Z3-8	10	15		48,00	8,00	2,00	2,00
HA 172		<b>matronalis var. albiflora</b> , 60 cm, white, fragrant, V-VII, Z3-8	10	15		48,00	8,00	2,00	2,00
<b>HETEROTHECA</b> - see <b>CHRYSOPSIS</b>									



## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>HEUCHERA</b> (Saxifragaceae)								
HA 180	<b>americana</b> , 50 cm, whitish, decorative foliage, V-VI, Z3-9 . . . . .	0,5	9	△ \$	–	50,00	6,20	3,10
HA 181	◀ <b>americana 'Dale's Strain'</b> , 60 cm, cream colored flowers, decorative marbled leaves, variable, VI-VIII, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	9	△	628,00	78,00	9,80	4,90
HA 191	<b>americana 'Malachite'</b> , , 40 cm, whitish, heavily curled, green foliage, healthy and uniform habit, VI-VIII, Z3-9, . . . . . <b>approx. 1200 seeds = 1g, pelleted seed</b>	10 P.	9	△	–	–	72,00	12,00
HA 193	<b>americana 'Melting Fire'</b> , , 40 cm, whitish, heavily curled bronze-reddish foliage, healthy and uniform habit, VI-VIII, Z3-9, . . . . . <b>approx. 1200 seeds = 1g, pelleted seed</b>	10 P.	9	△	–	–	72,00	12,00
HA 186	◀ <b>americana 'Palace Purple Select'</b> , , 60 cm, cream colored blossoms, leaves bronze-red, VI-VIII, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	4/8	△	512,00	64,00	8,00	4,00
HA 182	<b>cylindrica</b> , 60 cm, creamy-white flowers, green foliage, VI-VIII, Z3-9 . . . . .	0,5	9	△	576,00	72,00	9,00	4,50
HA 185	◀ <b>maxima</b> , Island Alum Root, 60 cm, white panicles, large lobed leaves, IV-VI, Z6-10 . . . . .	0,25	1		–	–	32,00	7,20
HA 187	<b>micrantha</b> , Alum-root, 40 cm, white, evergreen, slightly undulated foliage, V-VIII, Z4-7 . . . . .	0,5	9	△	–	–	28,00	4,50
HA 183	<b>Newest Hybr.</b> , 20-50 cm, flowers white to red, foliage variations from green to bronze-coloured, marbled from silvery to red veined, smooth to undulate leaf margins, incredible forms, select your own new cultivar! VI-IX, Z3-9 . . . . .	0,5	9	△	998,00	124,00	16,00	4,00
HA 189	◀ <b>pulchella</b> , 10 cm, pink, compact clumps, delicate and attractive variety, VI, Z7-10 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,25	9	△	1152,00	144,00	18,00	4,50
HA 198	◀ <b>sanguinea 'Bressingham Hybr.'</b> , 60 cm, from white to deep red shades, VI-IX, Z3-8. . . . .	0,5	16		400,00	50,00	5,60	2,80

continued on the following page



HEILONIAS bullata



HESPERALOE parviflora



HERACLEUM sphondylium 'Pink Cloud'




HEUCHERA americana 'Dale's Strain'



HEUCHERA 'Palace Purple Select'



HEUCHERA maxima



HEUCHERA pulchella



HEUCHERA sang. 'Bressingham Hybr.',



HEUCHERA sanguinea 'White Cloud'



HEUCHERA sanguinea 'Coral Petite'™



HEUCHERA villosa var. macrorrhiza



HIBISCUS coccineus



HEUCHERA sanguinea 'Coral Petite'™



HIBISCUS 'Southern Belle Mixed'

		Gram to get 1000 plants	N° of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>HEUCHERA continuation</b>								
HA 194	sanguinea 'Coral Petite'™, 30 cm, brilliant dark red bellflowers, dense blossom panicles, abundant flowering, compact, evergreen foliage, V-VII, Z3-8 .....	0,25	15	△ ⚡ ✕	7920,00	880,00	98,00	5,40
HA 196	sanguinea 'Leuchtkäfer' [Firefly, Sioux Falls], 60 cm, dark scarlet, V-VII, Z3-8 (see also GOLD NUGGET SEED®) .....	0,5	4/9	✖	640,00	78,00	9,80	3,60
HA 197	sanguinea 'White Cloud', 60 cm, white, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) .....	0,5	9	△	–	256,00	32,00	7,20
HA 190	villosa var. macrorrhiza [Autumn Bride], 45 cm, white, intense light green foliage, very hairy, late flowering, IX-XI, Z4-9 (see also GOLD NUGGET SEED®) .....	0,5	9	✖ ⚡ 🍁	640,00	78,00	9,80	4,90
<b>HIBISCUS (Malvaceae)</b>								
HA 208	coccineus, 120 cm, fire red, VI-X, Z7-10 (see also GOLD NUGGET SEED®) .....	40	20	◻ ↗	378,00	42,00	4,60	4,60
HA 205	manihot [Sunset] (ABELMOSCHUS), 150 cm, yellow with purple eye, V-X, Z7-10 (see also GOLD NUGGET SEED®) .....	40	20	◻ ↗	256,00	32,00	4,00	4,00
HA 210	moscheutos (palustris), 100 cm, mostly pink with purple eye, blossoms 14 cm Ø, VII-IX, Z6-10 (see also GOLD NUGGET SEED®) .....	40	20	❀ ❀	192,00	24,00	3,00	3,00
<b>Moscheutos-Hybr.</b>								
HA 201	Disco Belle-Series, F <sub>1</sub> -Hybr., 50 cm, blossoms up to 25 cm Ø, dwarf habit, VI-X, Z7-10 'Disco Belle Pink', pink }	20	15	◻ Sol ⚡	–	140,00	20,00	10,00
HA 200	'Disco Belle Rosy Red', intense rosy-red }	20	20	◻ Sol ⚡	640,00	80,00	10,00	5,00
HA 204	'Disco Belle Mixed', 60 cm, red, pink and white blossoms, up to 25 Ø, dwarf habit, VI-X, Z7-10 .....	20	20	❀ ❀	460,00	58,00	7,20	3,60
HA 212	'Galaxy', 120 cm, very large flowering mixture with exceptional colour display, blossoms up to 25 cm Ø, clear colours, white, light pink, rose, dark rose, light red, deep red, mostly with red center, strong and healthy foliage, strict upright habit, very hardy selection from Gilberg Farms, flowers the first year if sown early, VI-X, Z5-9 (see also GOLD NUGGET SEED® + Organic-Seeds) .....	30	20	◻ Sol ❀	792,00	98,00	12,00	6,00
HA 206	'Southern Belle Mixed', [AAS], F <sub>1</sub> -Hybrid, 150 cm, mixture of many colors, blossoms 25 cm Ø, VI-X, Z7-10 .....	30	20	◻ ↗ ⓘ	40,00	5,00	2,00	2,00
<b>HIERACIUM (Asteraceae, Compositae)</b>								
HA 220	aurantiacum (rubrum, PILOSELLA), 20 cm, orange-red, VI-VIII, Z4-8 .....	0,5	15	△ ↗ ❀	320,00	40,00	5,00	2,00
HA 225	intybaceum, 30 cm, lemon-yellow, large flowers, VII-IX, Z5-8 .....	2	15	△ ❀	–	–	9,20	4,60
HA 230	lanatum (tomentosum), 30 cm, golden, flower stalks multibranched, oval leaves, white feltlike, VI-VII, Z6-9 .....	3	9	△ 🍁 ❀	320,00	40,00	5,00	2,50
HA 226	maculatum (spilophaeum) 'Leopard' [Chocolate Dip], 25 cm, yellow, dense rosette leaves, bluish-green with red-brown marbling, very decorative, VI-VIII, Z4-8 .....	0,5	9	△ 🍁 ❀	624,00	78,00	9,80	4,90
HA 229	niveum, 15 cm, pale yellow, silver-grey foliage, VI-VII, Z4-10 .....	0,5	15	△ ↗ ❀	84,00	12,00	3,00	3,00
HA 228	piselloides (PILOSELLA officinariaum), 15 cm, yellow, grey felt-like, VI-VIII, Z4-10 .....	0,5	15	△ ↗ ❀	348,00	42,00	6,15	2,00
HA 232	villosum, 30 cm, yellow, large flowers, silver-grey, VII, Z4-8 .....	3	15	△ ❀	576,00	72,00	9,00	3,00



HIERACIUM intybaceum



HIERACIUM lanatum



HIERACIUM maculatum 'Leopard'



HUTCHINSIA alpina

			Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
						from 100 g	from 10 g	from 1 g	Portion	
<b>HIPPOCREPIS</b> (Fabaceae)										
HA 236	<b>comosa</b> , Horseshoe Vetch, 20 cm, yellow pea flowers, blue-green foliage, low growing cushions, V-IX, Z6-9, . . . . .		pure seed	8	1	△ □	154,00	22,00	3,20	2,00
<b>HORMINUM</b> (Lamiaceae, Labiateae)										
HA 240	<b>pyrenaicum</b> , 25 cm, violet, very beautiful leaf-rosettes, VI-VIII, Z5-9 . . . . .	2	16	△		–	–	–	7,00	
HA 242	<b>pyrenaicum f. alboviolaceum (Album)</b> , 25 cm, white with violet lip, VI-VIII, Z5-9 . . . . .	2	16	△		–	–	36,00	7,00	
HA 244	<b>pyrenaicum 'Rubrum'</b> , 25 cm, rosy-red, VI-VIII, Z5-9. . . . .	2	16	△		–	–	–	7,00	
<b>HOSTA</b> (Hostaceae, Liliaceae)										
HA 250	<b>elata</b> , 80 cm, light blue-violet, deeply furrowed, dark green leaves, VI, Z3-8 . . . . .	10	7/15	★		–	56,00	7,00	5,30	
HA 253	<b>nigrescens</b> , 60 cm, pale lavender and white flowers, flowering stems up to 150 cm tall, blue-green foliage, VII-IX, Z3-9 . . . . .	15	7/15	✗ ★		420,00	56,00	7,00	5,30	
HA 258	<b>sieboldiana var. elegans</b> , [ADM], 80 cm, pale lilac, popular perennial foliage plant, VI-VIII, Z3-8 . . . . .	10	7/15	✗ ★		480,00	62,00	7,80	4,50	
HA 268	<b>ventricosa</b> , [ADM], 100 cm, violet-blue, large leaves, VIII, Z3-9 . . . . .	20	7/15	✗ ★		280,00	36,00	4,50	4,50	
HA 276	<b>New Hybrids [American Hybrids]</b> , 30-60 cm, mixture of interesting varieties and cultivars, VI-VIII, Z3-8 . . . . .	10	7/15	✗ ★		360,00	45,00	5,60	4,20	
<b>HOUTTUYNIA cordata</b> - see Perennial Herbs - Culinary, Teas and Medicinal										
<b>HUMULUS</b> - see GOLD NUGGET SEED® + Perennial Herbs + Organic Seed										
<b>HUTCHINSIA</b> (PRITZELAGO) (Brassicaceae, Cruciferae)										
HA 290	<b>alpina [Crystal Carpet]</b> , 10 cm, white, evergreen, carpet-like groundcover, III-VI, Z3-9 . . . . .	0,25	16	△ ↗ ↘		–	378,00	42,00	6,00	
<b>HYACINTHOIDES</b> (Hyacinthaceae, Liliaceae)										
HA 295	<b>non-scripta (SCILLA)</b> , British Bluebell, 25 cm, dark blue bellflowers on nodding racemes, V, Z4-8 . . . . .	15	1	△ ✗		140,00	18,00	2,40	2,40	
<b>HYLOTELEPHIUM</b> - see <b>SEDUM</b>										
<b>HYMENOXYNS</b> (Asteraceae, Compositae)										
HA 306	<b>grandiflora (TETRANEURIS)</b> , Old Man of the Mountain, 30 cm, pure yellow up to 8 cm in Ø, feathered leaves, very showy, V-VI, Z3-7 . . . . .	3	15	△ ↗		–	192,00	24,00	6,00	
<b>HYOSCYAMUS</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										

### Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>HYPERICUM</b> (Clusiaceae, Guttiferae)								
HA 310	<i>androsaemum</i> , 90 cm, yellow, berry-like fruits, first red, later black, decorative for cutting! VI-IX, Z5-8 . . . . .	1	16	Sol ×®	72,00	12,00	2,00	2,00
HA 312	<i>ascyon (pyramidatum)</i> , 100 cm, yellow, VI-VIII, Z3-6 . . . . .	1	1		256,00	32,00	4,00	2,00
HA 314	<i>calycinum [Rose of Sharon]</i> , 30 cm, yellow, wintergreen groundcover, VI-IX, Z5-8 (see also GOLD NUGGET SEED®) . . . . .	2	1	vv>	512,00	64,00	8,00	4,00
HA 316	<i>cerastoides (rhodophaeum)</i> [ <i>Silvana</i> ], 15 cm, bright yellow, grey-green leaves, V-VII, Z6-9 (see also GOLD NUGGET SEED®) . . . . .	2	9	△	384,00	48,00	6,00	2,00
	hircinum - see Perennial Herbs - Culinary, Teas and Medicinal							
	olympicum f. uniflorum - see <i>polyphyllum 'Grandiflorum'</i>							
HA 332	<i>patulum</i> , 40 cm, yellow, evergreen, VII-X, Z5-8 . . . . .	1	16	△	192,00	24,00	3,20	2,00
	perforatum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
HA 340	<i>polyphyllum (olympicum) 'Grandiflorum'</i> , 25 cm, golden, VI-VIII, Z5-9 . . . . .	1	16	△ ⊕	680,00	82,00	9,80	3,90
HA 341	<i>prolificum (spathulatum)</i> , 140 cm, golden, clustered at the top, leathery, glossy leaves, VII-IX, Z3-8	1	9	×	272,00	34,00	4,40	2,20
HA 342	<i>pulchrum</i> , 40 cm, yellow, touch of red, anthers orange, VII-IX, Z4-7 . . . . .	1	9	△ ×	272,00	34,00	4,40	2,20
HA 343	<i>reptans</i> , 10 cm, golden large flowers, carpet forming and evergreen, V-VII, Z6-9 . . . . .	1	16	△ vv>	-	112,00	16,00	4,00
HA 344	<i>tetrapertatum</i> , 40 cm, golden, VI-IX, Z4-8 . . . . .	1	16	≈≈≈	48,00	8,00	2,00	2,00
<b>HYPOCHOERIS</b> (Asteraceae, Compositae)								
HA 346	<i>uniflora</i> , 40 cm, light-yellow, VII-IX, Z3-7 . . . . .	8	16	△ ≈≈≈	-	25,00	3,20	2,40



**HYMENOXYS** *grandiflora*



**HYPERICUM** *ascyon*



**HYPERICUM** *cerastoides*



**HYPERICUM** *calycinum*



**HYPERICUM** *polyphyllum 'Grandiflorum'*



**HYPERICUM** *reptans*



**IBERIS** *australis 'Sweetheart'*



**IBERIS** *sempervirens 'Snow Cushion'*

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>HYSSOPUS officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>IBERIS</b> (Brassicaceae, Cruciferae)								
IA 004 ☼ <i>auroscia 'Sweetheart'</i> , 15 cm, pink changing to lilac, rich flowering cushions, short lived, V-VII, Z5-9 ( <i>see also GOLD NUGGET SEED®</i> ) .....		3	8	△ ☺	–	96,00	12,00	6,00
IA 012 <i>gibraltarica</i> , 30 cm, lilac turning to white, IV-VI, Z6-8 .....		10	16	△ ↗	96,00	14,00	2,00	2,00
IA 018 <i>saxatilis</i> , 8 cm, white, flat cushions, IV-V, Z5-9 .....		5	16	△ ↗	972,00	108,00	12,00	6,00
IA 026 <i>sempervirens 'Schneeflocke' [Snowflake]</i> , (AGM), 30 cm, white, large flowers, compact, IV-V, Z3-9 .....		10	16	△ ☺	196,00	28,00	4,00	3,00
IA 024 ☼ <i>sempervirens 'Snow Cushion'</i> , 15 cm, snow-white flower corymbs, large and abundant flowering, dwarf and compact cushions, needle-like foliage, evergreen, IV-V, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) .....		6	8	△ ☺	384,00	48,00	6,00	4,00
IA 027 <i>sempervirens 'Tahoe'</i> , (FS), 25 cm, white, early and large flowering, compact and uniform habit, IV-V, Z3-9, ..... <b>approx. 250 seeds = 1g</b>		10	16	△ ☺ ☺	740,00	82,00	9,20	7,60
IA 028 <i>spathulata</i> , 10 cm, lilac-purple, fleshy broad foliage, short-lived, V-VII, Z5-8 .....		5	16	△ ☺	–	64,00	8,20	4,10
<b>ILIAMNA (SPHAERALCEA) (Malvaceae)</b>								
IA 029 <i>remota</i> , 150 cm, pink-purple, abundant flowers, VII-IX, Z4-10 .....		5	9		528,00	66,00	8,20	4,10
IA 030 ☼ <i>rivularis</i> , 120 cm, pink, rich flowering, VI-IX, Z3-8 .....		8	9	Sol	448,00	56,00	7,00	3,50
<b>INCARVILLEA</b> (Bignoniacae)								
IA 040 <i>delavayi [Deli Rose]</i> , 50 cm, dark pink, VI-VIII, Z5-8 .....		10	15	△	460,00	56,00	6,80	6,00
IA 042 ☼ <i>delavayi 'Alba' [Snow Top, Deli White]</i> , 50 cm, pure white with yellow throat, VI-VIII, Z5-8 .....		10	15	△	636,00	78,00	9,60	6,00
IA 041 ☼ <i>delavayi 'Bees Pink'</i> , 50 cm, soft pink with yellow throat, VI-VIII, Z5-8 .....		10	15	△	636,00	78,00	9,60	6,00
IA 044 ☼ <i>mairei (grandiflora var. brevipes)</i> , 40 cm, dark pink, V-VI, Z3-8 .....		15	15	△	320,00	40,00	5,00	5,00
IA 046 <i>olgae</i> , 80 cm, pink, softly veined, single feather leaves, very winterhardy and long lasting, VII-IX, Z5-9 .....		5	15	△	720,00	90,00	12,00	6,00
IA 047 <i>zhongdianensis</i> , 40 cm, bright magenta-red with yellow throat, pinnatifid glossy green foliage, VI-VII, Z5-9 .....		5	15	△	–	–	24,00	12,00
<b>INULA</b> (Asteraceae, Compositae)								
afghanica - see <i>magnifica</i>								
IA 050 <i>candida</i> ssp. <i>verbascifolia</i> , 20 cm, yellow, felt-like foliage, VI-VIII, Z6-9 .....		2	16	△	–	–	–	8,00
IA 054 ☼ <i>ensifolia 'Compacta'</i> , 25 cm, yellow, VI-VIII, Z3-7 .....		2	15	△ ☺	562,00	66,00	7,80	2,60
helenium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
IA 062 <i>hirta</i> , 40 cm, rough leaved, golden, VI-IX, Z3-8 .....		5	16		256,00	32,00	4,40	2,20
IA 066 <i>magnifica</i> , 150 cm, yellow with dark center, VII-VIII, Z3-8 .....		5	16	×	96,00	14,00	2,00	2,00
IA 070 <i>orientalis grandiflora (glandulosa)</i> , 50 cm, orange-yellow, VI-VII, Z3-8 .....		3	15	×	320,00	40,00	5,00	2,50
IA 074 <i>racemosa 'Sonnenspeer'</i> , 200 cm, tall flower-stalks, large yellow blossoms, VI-IX, Z4-9 .....		5	16	Sol	348,00	42,00	5,10	2,55
IA 071 ☼ <i>rhizocephala</i> , 10 cm, yellow ray florets, sessile, clustered in the rosette, VI-VII, Z5-8 .....		1	16	△ ☺	496,00	62,00	7,80	3,90



ILIAMNA rivularis



INCARVILLEA delavayi 'Alba'



INCARVILLEA delavayi 'Bees Pink'



INCARVILLEA mairei



INULA ensifolia 'Compacta'

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>IPOMOEA (Convolvulaceae)</b>								
NEW! IA 068	<i>leptophylla</i> , Bush Morning Glory, 60 cm, pink funnel-shapes flowers, narrow leaves, bushy habit, VII-IX, Z7-11 . . . . .	300	8	△ Sol	–	–	–	9,80
<b>IRIS (Iridaceae)</b>								
IA 078	<i>bucharica (JUNO)</i> , <small>(AGM)</small> , 30 cm, standards white, falls yellow, glossy green foliage, III-IV, Z3-9 . . . . .	50	1/10	△	160,00	20,00	2,50	4,00
IA 080	<i>bulleyana</i> , 50 cm, standards light blue-violet, falls with yellowish-white and violet veins, V-VI, Z5-9 . . . . .	30	1/10		198,00	25,00	3,20	3,20
IA 084	<i>chamaeiris (lutescens)</i> , Dwarf Iris, 20 cm, violet to white, abundant flowers, easily grown, IV-V, Z4-9 . . . . .	50	1/10	△	256,00	32,00	4,00	6,20
IA 088	<i>chrysographes</i> , <small>(AGM)</small> , 40 cm, velvet purple-violet, VI, Z4-9 . . . . .	30	1/10		–	–	4,00	4,00
IA 096	<i>foetidissima</i> , <small>(AGM)</small> , 60 cm, lilac, in mild positions wintergreen, seed heads with orange berries for flower arrangements, VI, Z6-9 . . . . .	100	1/10	⊗ &	72,00	12,00	2,00	5,60
IA 097	<i>foetidissima var. citrina</i> , 60 cm, yellowish flowers with blue tinge, dark green foliage, orange-red berries, VI-VII, Z6-9 . . . . .	100	1/10	⊗ &	160,00	20,00	2,50	8,80
IA 108	<i>graminea</i> , <small>(AGM)</small> , 40 cm, dense grassy clumps, light violet, fragrant, V-VI, Z5-9 . . . . .	50	1/10	△	98,00	14,00	2,00	4,00
IA 110	<i>hookeri</i> - see <i>setosa ssp. canadensis</i>	50	1/10	⊗ \$ △	160,00	20,00	2,50	5,00
IA 114	<i>kaempferi (ensata)</i> , <small>(AGM)</small> , 60 cm, newest hybrids from Japan, flowers up to 20 cm Ø, mixture of magnificent colors, VI-VII, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	50	1/10	***	128,00	16,00	2,00	2,00
NEW! IA 122	<i>laevigata</i> , <small>(AGM)</small> , 80 cm, blue, VII-VIII, Z5-8 . . . . .	30	1/10	***	–	38,00	5,20	4,20
IA 128	<i>magnifica (JUNO)</i> , <small>(AGM)</small> , 50 cm, white, light-blue tinted, IV, Z6-9 . . . . .	30	1/10	△ ⊕	160,00	20,00	2,50	4,00
IA 142	<i>ochroleuca (orientalis)</i> , <small>(AGM)</small> , 70 cm, white with yellow spot, VI-VII, Z5-9 . . . . .	80	1/10	⊗	72,00	12,00	2,00	5,60
IA 144	<i>pseudacorus</i> , Yellow Flag Iris, 100 cm, VI-VII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	100	1/10	*** ⊗	32,00	8,00	2,00	3,20
IA 148	<i>pumila, wild form</i> , Dwarf Iris, 20 cm, mostly blue, rarely yellow, IV-V, Z4-8 . . . . .	50	1/10	△	192,00	24,00	3,00	4,50
IA 158	<i>setosa</i> , <small>(AGM)</small> , 80 cm, purple-violet with dark veins, VI, Z3-8 . . . . .	30	1/10	***	160,00	22,00	3,00	3,00
IA 160	<i>setosa ssp. canadensis (arctica, nana, hookeri)</i> , 30 cm, dwarf form, purple, dark veined, VI-VII, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	30	1/10	△	220,00	28,00	3,80	3,80
IA 167	<i>sibirica, wild form</i> , blue, 70 cm, VI-VII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	30	1/10	***	96,00	12,00	2,00	2,00
IA 168	<i>sibirica 'New Hybrids'</i> , 80 cm, color mix of violet, blue to white, VI-VII, Z3-9 . . . . .	30	1/10	⊗	48,00	8,00	2,00	2,00
IA 176	<i>spuria</i> , 60 cm, violet with yellow, VI-VII, Z5-9 . . . . .	100	1/10		66,00	8,60	2,00	2,90
IA 180	<i>spuria 'Hybrids'</i> , 125 cm, rich color mix, V-VII, Z5-9 . . . . .	100	1/10		32,00	8,00	2,00	2,80
NEW! IA 182	<i>tectorum</i> , Roof Iris, 45 cm, lilac-blue, VI-VII, Z4-8 . . . . .	50	8/10	△	160,00	20,00	2,50	5,00
IA 183	<i>tenax</i> , 25 cm, pearl-grey, lavender or purple, rarely yellow, V-VI, Z5-9 . . . . .	30	1/10	△	256,00	32,00	4,00	4,00
IA 184	<i>variegata</i> , <small>(AGM)</small> , Hungarian Iris, 30 cm, yellow with purple veins, V-VI, Z4-8 . . . . .	50	1/10	△	–	32,00	4,00	4,00
IA 192	<i>versicolor</i> , <small>(AGM)</small> , 100 cm, blue-violet, V-VIII, Z3-8 ( <i>see also Organic-Seeds</i> ) . . . . .	30	1/10	*** \$	160,00	20,00	2,60	2,60
IA 194	<i>versicolor 'Kermesina'</i> , 70 cm, red-purple, VI, Z3-8 . . . . .	30	1/10	***	224,00	28,00	3,60	3,60
IA 164	<i>virginica var. shrevei</i> , 100 cm, blue with yellow markings, branched flowering stems, V-VI, Z5-9 . . . . .	50	1/10	***	160,00	20,00	2,50	5,00



INULA rhizocephala



IPOMOEA leptophylla



IRIS bucharica



IRIS bulleyana



IRIS chamaeiris



IRIS foetidissima



IRIS graminea



IRIS kaempferi

**Production – Breeding – Seed Technology**

			Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
						from 100 g	from 10 g	from 1 g	Portion	
<b>ISATIS</b> (Brassicaceae, <i>Cruciferae</i> )										
IA 302 ☒ <i>glauca</i> , up to 130 cm, yellow in very large panicles, blue-green leaves, perennial, V-VII, Z6-9, . . . . .			pure seed	3	15	24	256,00	32,00	4,00	2,00
<b>ISOPLEXIS</b> (Scrophulariaceae)										
IA 340 ☒ <i>isabelliana</i> , Canary Foxglove, 150 cm, orange-red flower candles, evergreen, small shrub, V-VIII, Z8-10 . . . . .				0,25	16	□ ✕	–	–	48,00	6,00
<b>ISOPYRUM</b> (Ranunculaceae)										
IA 350 ☒ <i>thalictroides</i> , 15 cm, white, early withdrawing woodland plant, fern-like foliage, IV-V, Z5-8 . . . . .				10	1/3	✖	192,00	24,00	3,00	3,00
<b>JASIONE</b> (Campanulaceae)										
JA 012 ☒ <i>laevis</i> ( <i>perennnis</i> ) 'Blaulicht' [Blue Light, Purple Lights], 40 cm, blue, VI-VIII, Z4-7 . . . . .				0,25	15	△ ✕ ○ ✎	1980,00	238,00	28,00	4,00
JA 016	<i>montana</i> , 20 cm, blue, VII-VIII, Z5-8 . . . . .			0,5	16	○ △ ✎	384,00	48,00	6,20	3,10
JA 018 ☒ <i>montana f. alba</i> 'White Delight', White Sheep's Bit, 15 cm, brilliant white, rich flowering, densely mat forming, VII-IX, Z5-8 . . . . .				0,1	16	○ △ ✎ ②	–	–	48,00	4,20


**IRIS pumila**


Perennials


**IRIS setosa**

**IRIS setosa ssp. canadensis**

**ISOPYRUM thalictroides**

**JASIONE laevis 'Blaulicht'**

**ISATIS glauca**

**ISOPLEXIS isabelliana**



*JASIONE* montana f. alba 'White Delight'



*JOVELLANA* punctata



*JOVIBARBA* heuffelii



*KIRENGESHOMA* palmata



*KITAIBELIA* vitifolia



*KNAUTIA* macedonica 'Mars Midget'



*KNIPHOFIA* caulescens



*KNIPHOFIA* hirsuta 'Fire Dance'



*KNIPHOFIA* galpinii



*KNIPHOFIA* rooperi

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>JOVELLANA</b> (Scrophulariaceae)							
JA 028 ☼ <b>punctata</b> ( <i>CALCEOLARIA</i> ), 120 cm, pale violet umbels, spotted purple, VI-VIII, Z8-11 . . . . .	0,25	4/15	↗ ↘	–	252,00	28,00	4,00
<b>JOVIBARBA</b> (Crassulaceae)							
JA 034 ☼ <b>heuffelii</b> ( <i>SEMPERVIVUM</i> ), 12 cm, light yellow, large rosettes, dark green, VIII, Z4-8 . . . . .	0,5	16	△	–	–	48,00	5,00
<b>JUNO</b> - see <b>IRIS</b>							
<b>JURINEA</b> (Asteraceae, <i>Compositae</i> )							
JA 049 <b>ledebourii</b> , 45 cm, red-purple, feathered foliage, V-VII, Z5-8 . . . . .	10	16	△ ×	180,00	22,00	2,80	2,80
JA 050 <b>mollis</b> , 50 cm, purple-red, VI-VII, Z5-8 . . . . .	12	16	✗	192,00	24,00	3,00	3,00
<b>KALIMERIS</b> (Asteraceae, <i>Compositae</i> )							
KA 003 <b>incisa</b> , 60 cm, pale purple ray florets, upright habit, stable, VII-IX, Z4-8 . . . . .	5	16	△ ✗	464,00	58,00	7,20	3,60
<b>KENTRANTHUS</b> - see <b>CENTRANTHUS</b>							
<b>KIRENGESHOMA</b> (Hydrangeaceae)							
KA 011 <b>koreana</b> ( <i>palmata</i> <b>Koreana-Group</b> ), 120 cm, yellow, wide open bellflower, VIII-X, Z5-8 . . . . .	3	16	✗	–	256,00	32,00	8,00
KA 010 ☼ <b>palmata</b> , <small>(AGM)</small> , 80 cm, yellow bells, semi-shade, VIII-X, Z5-8 . . . . .	3	16	✗	1540,00	192,00	24,00	8,00
<b>KITAIBELIA</b> (Malvaceae)							
KA 020 ☼ <b>vitifolia</b> , 150 cm, white mallow blossoms, VII-X, Z5-8 . . . . .	10	8	Sol	98,00	14,00	2,00	2,00
<b>KNAUTIA</b> (Dipsacaceae)							
KA 030 <b>arvensis</b> , 50 cm, violet-blue, V-VIII, Z4-10 . . . . .	20	16	✗ ⚡	128,00	16,00	2,00	2,00
KA 034 ☼ <b>macedonica</b> [ <i>Red Knight, Red Cherries</i> ], 80 cm, red-dark red, rarely pink, VII-VIII, Z5-10 . . . . .	15	16	✗	360,00	48,00	6,00	4,50
KA 036 ☼ <b>macedonica</b> [ <i>Mars Midget</i> ], 40 cm, ruby-red flower heads, very abundant flowering from early summer to late fall, compact and dwarf habit, VI-X, Z5-10 . . . . .	15	16	⌚ ⚡ △ ⚡	720,00	96,00	12,00	9,00
KA 035 <b>macedonica</b> [ <i>Melton Pastels</i> ] [ <i>Watercolours</i> ], 120 cm, pink, wine-red, salmon and light blue pastel colours, VI-IX, Z5-10 . . . . .	20	16	✗	256,00	32,00	4,20	4,20
<b>KNIPHOFIA</b> (TRITOMA) (Asphodelaceae, <i>Liliaceae</i> )							
KA 037 ☼ <b>caulescens</b> , <small>(AGM PS)</small> , Regal Torchlily, 100 cm, coral red with yellow, dense flower panicles on thick stems, Yucca like clumps with striking blue green foliage, VII-IX, Z5-9 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	5	9	Sol ✗ 🌸	320,00	40,00	5,00	3,80
KA 038 <b>citrina</b> , 75 cm, light yellow to yellow-orange, VI-IX, Z6-9 . . . . .	5	15	✗	280,00	40,00	5,00	3,80
KA 040 ☼ <b>galpinii</b> , Dwarf Red Hot Poker, 50 cm, orange-yellow, red buds, grass-like foliage clumps, graceful habit, VII-XI, Z6-9 . . . . .	5	16	△ ✗	560,00	82,00	12,00	7,20
KA 041 ☼ <b>hirsuta</b> [ <i>Traffic Lights</i> ], 50 cm, coral red, turning yellow, dense spikes, compact habit, narrow rough foliage, dense clumps, best winterhardy cultivar, VI-IX, Z4-9 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	5	9	△ ✗ ⚡	320,00	40,00	5,00	3,80
KA 043 ☼ <b>rooperi</b> , 120 cm, orange-yellow to red, very large blossom spikes, VII-X, Z7-10, <i>(see also GOLD NUGGET SEED®)</i> . . . . .	10	9	Sol ✗	320,00	40,00	5,00	3,80
KA 042 <b>triangularis</b> , Mandarin Poker, 60 cm, yellow-orange to orange-red flower clusters, graceful habit with long and narrow leaves, rich flowering until first frost, VII-XI, Z4-9 . . . . .	5	16	△ ✗	320,00	40,00	5,00	3,80
KA 050 <b>uvaria</b> hybr. ' <i>Flamenco</i> ', 80 cm, fiery colour mixture of yellow shades to orange to flaming red, flowers the first year, if sown in January, VII-IX, Z5-9 . . . . .	5	15	✗ ⚡	620,00	74,00	9,00	7,00
KA 052 <b>uvaria</b> ( <i>praecox</i> ) ' <i>Grandiflora Mixture</i> ' [ <i>Royal Castle Hybrids, Pfitzer Mix</i> ], 80 cm, red, orange and yellow colors, VIII-IX, Z5-9 . . . . .	5	15	✗	144,00	20,00	2,80	2,00
<b>KOSTELETZKYA</b> (Malvaceae)							
KA 100 ☼ <b>virginica</b> , Seashore Mallow, 100 cm, pink mallow-like flowers, VII-X, Z6-9 . . . . .	50	20	❀ Sol	160,00	20,00	2,50	5,00
<b>LAMIRA</b> - see <b>CIRSIUM</b>							
<b>LAMIUM</b> (Lamiaceae, <i>Labiateae</i> )							
LA 012 <b>purpureum</b> , 30 cm, purple-violet, III-X, Z3-9 . . . . .	3	1	VV ⚡	96,00	12,00	2,00	2,00
<b>LAMPROCAPNOS spectabilis</b> - see <b>DICENTRA spectabilis</b>							
<b>LASER</b> (Apiaceae, <i>Umbelliferae</i> )							
LA 017 ☼ <b>trilobum</b> , Horse Caraway, 100 cm, white, loose umbels, pinnatifid foliage, V-VI, Z4-7 . . . . .	30	1	✗	112,00	16,00	2,20	2,20


**KOSTELETZKYA virginica**

**LASER trilobum**

**LASERPITIUM halleri**

**LASERPITIUM siler**

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>LASERPITIUM</b> (Apiaceae, <i>Umbelliferae</i> )								
LA 020 <i>gallicum</i> , 80 cm, white umbels, shiny leaves for cutting, VI-VII, Z4-7 . . . . .		30	1	×	64,00	9,00	2,00	2,00
LA 022 <i>halleri</i> , 60 cm, white, grey-green, VI-VIII, Z4-7 . . . . .		15	1	×	112,00	16,00	2,20	2,20
LA 021 <i>siler</i> , 80 cm, white-pink, flowers and leaves for cutting, VI-VII, Z4-7 . . . . .		30	1	×	78,00	9,00	2,00	2,00
<b>LATHYRUS</b> (Papilionaceae, <i>Leguminosae</i> )								
LA 026 <i>aureus</i> , 50 cm, yellow-orange, feathered foliage, VI-VII, Z5-8 . . . . .		60	8/10	×	144,00	18,00	2,20	3,60
LA 054 <i>gmelinii (luteus)</i> , 40 cm, orange-yellow, brown striped, V-VIII, Z3-6 . . . . .		60	7/9	×	192,00	24,00	3,00	6,00
LA 042 <i>latifolius 'Pink Pearl'</i> , , 120 cm, pink, VII-VIII, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		100	7/10	× ↗ ⚡	48,00	6,00	2,00	3,00
LA 044 <i>latifolius 'Red Pearl'</i> , 120 cm, red, VII-VIII, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		100	7/10	× ↗ ⚡	40,00	6,00	2,00	3,00
LA 046 <i>latifolius 'White Pearl'</i> , , 120 cm, white, VII-VIII, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		100	7/10	× ↗ ⚡	96,00	12,00	2,00	4,00
LA 048 <i>latifolius Mixture [Perlenmischung, Pearl Mix]</i> , 120 cm, VII-VIII, Z4-9 . . . . .		80	9	⤵⤶⤷⤸	128,00	16,00	2,00	4,00
LA 053 <i>maritimus</i> , Beach Pea, 40 cm, blue-violet with light lip, blue-green foliage, VI-VIII, Z6-9 . . . . .		60	8/10	⤵⤶⤷⤸	58,00	7,20	2,00	3,60
LA 056 <i>niger</i> , 50 cm, deep dark purple, VI-VII, Z5-8 . . . . .		100	9	⤵⤶⤷⤸	192,00	24,00	3,00	6,00
LA 057 <i>palustris</i> , 150 cm, purple-blue, climbing, VI-IX, Z3-9 . . . . .		80	8/10	× ↗ ⚡	240,00	30,00	3,75	3,75
LA 064 <i>rotundifolius</i> , , Persian Everlasting Pea, 100 cm, deep-pink, VI-VIII, Z5-9 . . . . .		50	9/10	△	—	48,00	6,00	6,00
LA 058 <i>vernus</i> , , 25 cm, carmine-red-violet, IV-V, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		50	9/10	△	240,00	30,00	3,75	3,75
LA 062 <i>vernus 'Rainbow'</i> , 25 cm, carmine-red, rose, light pink, lilac and white flowers, magnificent mix, IV-V, Z3-7 . . . . .		50	9/10	△	—	30,00	3,75	3,75
LA 060 <i>vernus 'Rosenelfe'</i> , 25 cm, light pink, IV-V, Z3-7 . . . . .		50	9/10	△	—	48,00	6,00	6,00



LATHYRUS rotundifolius



LATHYRUS vernus



LATHYRUS vernus 'Rainbow'



LATHYRUS vernus 'Rosenelfe'



LAVANDULA angustifolia 'Hidcote Superior'



LAVANDULA stoechas 'Castilliano Violet'™



LAVANDULA angustifolia 'Rosea'



LAVANDULA stoechas 'Bandera Purple'

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>LAVANDULA</b> (Lamiaceae, Labiateae)								
angustifolia <b>Ellagance-Series</b> , 35 cm, compact and bushy habit, flowering reliable the first year after sowing, VII-IX, Z5-9								
LA 071 'Ellagance Pink', pink								
LA 077 'Ellagance Purple', (FS), blue-purple								
LA 075 'Ellagance Sky', (FS), blue-violet								
LA 079 'Ellagance Snow', pure white								
angustifolia (officinalis) - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
angustifolia Hidcote Blue-Strain, 40 cm, deep blue, white grey foliage, VII-IX, Z5-9								
(see also GOLD NUGGET SEED®).								
LA 076 ☒ angustifolia 'Hidcote Superior', 40 cm, deep violet-blue, white-grey foliage, compact, best 'Hidcote-Blue' with even and constant quality, VII-IX, Z5-9								
(see also GOLD NUGGET SEED®).								
LA 078 angustifolia Munstead-Strain, Lavender, 40 cm, blue, VII-X, Z5-9								
(see also GOLD NUGGET SEED® + Organic-Seeds)								
LA 080 ☒ angustifolia 'Rosea' [Pink Perfume], 35 cm, light pink, VI-IX, Z5-9								
(see also GOLD NUGGET SEED®).								
LA 083 dentata, French Lavender, 80 cm, blue flowers and bracts, lanceolate glossy foliage, VI-IX, Z8-10								
LA 081 hybrida 'Lady', (AAS), 30 cm, blue, blooms just four months after sowing, recommended as bedding, border and balcony perennial, long flowering, VI-X, Z7-9								
latifolia - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
LA 086 stoechas, (AGM), 60 cm, dark purple, short stalks, grey-green leaves, VI-X, Z7-9								
(see also GOLD NUGGET SEED®).								
LA 087 ☒ stoechas 'Bandera Purple', (FS), 20 cm, dark purple flowers with large purple bracts, rich flowering, densely mounded, compact habit, first year flowering, best for container production, VI-X, Z7-10.								
LA 084 ☒ stoechas 'Castilliano Violet™', 30 cm, blue violet flowers and bracts, compact stable flower stalks, branched habit, silver leaves, first year flowering, VI-X, Z7-9.								
vera - see angustifolia								
<b>LAVATERA</b> (Malvaceae)								
LA 085 arborea, Tree Mallow, 250 cm, red-purple with dark veins, fast growing, mostly biennial, VI-IX, Z7-11								
LA 089 cachemiriana, 160 cm, soft pink with white eye, very nice Mallow, VI-VIII, Z6-10								
(see also GOLD NUGGET SEED®).								
LA 090 thuringiaca, 150 cm, light pink mallow blossoms, VII-IX, Z6-10 (s. also GOLD NUGGET SEED®)								
<b>LEIBNITZIA</b> (Asteraceae, Compositae)								
LA 094 nivea (GERBERA nivea), 20 cm, creamy-white, dark green, lobed foliage, grey underneath, V-VI, Z6-9								
<b>LEONOTIS</b> (Lamiaceae, Labiateae)								
LA 620 ☒ nepetifolia (leonurus-hort.) 'Staircase', Lion's Ear, 160 cm, orange-red, IX-XI, Z8-10								
<b>LEONTOPODIUM</b> (Asteraceae, Compositae)								
LA 100 alpinum, Edelweiss, 15 cm, white felt-like, VII-IX, Z4-7								
LA 108 ☒ souliei, 10 cm, white felt-like, small flowers, carpet forming, VI-VII, Z4-7	1 0,25	4/15 4/15	△ ✕ vv △		640,00 996,00	86,00 126,00	12,00 16,00	3,80 4,00
<b>LEONURUS</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>LEPIDIUM sativum</b> - see Organic Seed								
<b>LEPTANDRA virginica</b> - see VERONICASTRUM virginicum								
<b>LEUCANTHEMELLA</b> (Asteraceae, Compositae)								
CA 478 ☒ serotina (CHRYSANTHEMUM), (AGM), Autumn Oxeye, 150 cm, white with yellow disk, several flowers per stem, valuable late flowering border plant, IX-X, Z6-9								
<b>LEUCANTHEMOPSIS</b> (Asteraceae, Compositae)								
CA 380 ☒ alpina (CHRYSANTHEMUM), 10 cm, mostly white, VI-VII, Z5-7								



LEONOTIS nepetifolia 'Staircase'

LEONTOPODIUM souliei

LEUCANTHEMELLA serotina

LEUCANTHEMOPSIS alpina



LEUCANTHEMUM x superbum 'Brightside'



LEUCOGENES grandiceps



LEUCOSCEPTRUM japonicum f. aureum



LEUCOJUM aestivum



LEUCOJUM vernum



LEUCOSCEPTRUM japonicum f. aureum

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>LEUCANTHEMUM (Asteraceae, Compositae)</b>								
LB 720	graminifolium, 30 cm, white, very narrow foliage, V-VII, Z6-9 .....	2	15	✗	184,00	23,00	2,90	2,00
	maximum hort. - see x superbum							
CA 424	vulgare ( <b>CHRYSANTHEMUM leucanthemum, irtutianum</b> ), Ox-eye Daisy, 60 cm, pure white with yellow disc, V-IX, Z2-8 .....	3	15	✗	50,00	10,00	2,00	2,00
CA 426	vulgare 'Filigran', 60 cm, pure white with yellow disc, abundant flowering, filigreed feather dark green foliage, Z2-8 .....	3	15	✗	128,00	16,00	2,00	2,00
CA 428	vulgare 'MaiKönigin' [ <b>May Queen</b> ], 70 cm, pure white, early spring daisy, VI-IX, Z2-8 .....	3	15	✗	74,00	12,00	2,00	2,00
CA 436	x superbum 'Alaska' [ <b>Antwerp Star</b> ], 100 cm, radiant white, large blossoms, VI-VIII, Z3-7 ..	5	15	✗	74,00	12,00	2,00	2,00
CA 438	☒ x superbum 'Brightside', 80 cm, brilliant white with yellow disk, strong and healthy foliage, especially vigorous and stable, related with the award winning cultivar 'Becky', VI-VIII, Z3-7 ..	3	15	✗	196,00	28,00	4,00	2,00
CA 441	x superbum 'Exhibition', 80 cm, white, mostly semi-double flowers, VI-VIII, Z3-7 .....	5	15	✗	96,00	12,00	2,00	2,00
CA 444	x superbum 'Polaris', 120 cm, snow-white, large blossoms, VI-VII, Z3-7 .....	5	15	✗	322,00	40,00	5,20	3,60
CA 464	x superbum fl. pl. 'Snowdrift' [ <b>Crazy Daisy</b> ], 70 cm, double and semi-double flowers, pure white, VI-VIII, Z3-7 .....	4	15	✗	322,00	40,00	5,20	3,60
CA 456	x superbum Nanus 'Dwarf Snow Lady', <small>(AGM)</small> , F <sub>1</sub> -Hybrid, 20 cm, pure white, large flowers, blooms in the first year, splendid variety, VI-VIII, Z3-7 .....	3	15	△	—	378,00	42,00	9,80
CA 460	x superbum Nanus 'Silberprinzeßchen' [ <b>Silver Princess</b> ], 30 cm, pure white, compact bushes, VI-VIII, Z3-7 .....	5	15	△	144,00	18,00	2,40	2,00
CA 450	x superbum 'Starburst', 80 cm, brilliant white, very large flowering, stable, strong stems, vigorous, VI-VIII, Z3-7 .....	5	15	✗	96,00	12,00	2,00	2,00
<b>LEUCOGENES (Asteraceae, Compositae)</b>								
LA 600	☒ <b>grandiceps</b> , 10 cm, white felt-like Edelweiss flowers, compact white felt-like cushions, VI-VII, Z7-10 .....	0,25	8	△ ↗	—	—	140,00	7,80
<b>LEUCOJUM (Amaryllidaceae)</b>								
LA 114	☒ <b>aestivum</b> , Summer Snowflake, 50 cm, 3-5 white bellflowers per stem, V-VI, Z4-9 .....	80	1	✗ ↗ ✗	120,00	15,00	2,00	5,00
LA 116	☒ <b>vernun</b> , <small>(AGM)</small> , Snowflake, 25 cm, white nodding bell flowers, III-IV, Z3-9 .....	20	1	△ ✗	320,00	42,00	5,20	2,60
<b>LEUCOSCEPTRUM (Asteraceae, Compositae)</b>								
LA 610	☒ <b>japonicum f. aureum [Golden Angel]</b> , Japanese Shrub Mint, 50 cm, white spikes, vigorous golden green foliage, precious ornamental foliage plant, VII-IX, Z4-8 .....	2	16	◆	—	—	—	7,20
<b>LEUZEA (Asteraceae, Compositae)</b>								
LA 120	<b>rhapontica (STEMMACANTHA)</b> , 160 cm, lilac pink, VII-VIII, Z5-8 .....	80	16	✗	192,00	24,00	3,00	6,00
<b>LEVISTICUM officinale</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>LEWISIA</b> (Portulacaceae)								
LA 117	<b>brachycalyx</b> , [AGM], 10 cm, mostly white, rarely pink, very large flowering, V-VI, Z4-8 . . . . .	1	1	△	–	256,00	32,00	6,00
LA 121	<b>columbiana</b> , 25 cm, white to dark pink blossom panicles, V-VII, Z4-8 . . . . .	0,5	1	△	–	324,00	36,00	8,00
LA 119	<b>Cotyledon-Hybr. 'Elise Mix'</b> , [FS], 20 cm, rich mixture of striking colours, flowers reliable the first year after sowing, perfect for container production, tolerant against heat, V-IX, Z3-8 . . . . .	2	9	△ ⚡ ⓘ	–	1480,00	158,00	9,80
<b>NEW! LA 155</b>	<b>Cotyledon-Hybr. 'Elise Ruby Red'</b> , [FS], 20 cm, magenta colors, flowers reliable the first year after sowing, perfect for container production, tolerant against heat, V-IX, Z3-8 . . . . .	2	9	△ ⚡ ⓘ	–	–	198,00	9,80
<b>NEW! LA 157</b>	<b>Cotyledon-Hybr. 'Elise White'</b> , [FS], 20 cm, pure white, flowers reliable the first year after sowing, perfect for container production, tolerant against heat, V-IX, Z3-8 . . . . .	2	9	△ ⚡ ⓘ	–	–	198,00	9,80
LA 122	<b>Cotyledon-Hybr. 'Mixture' [Galaxy Mix]</b> , 25 cm, profusion mixture, wonderful color-shades, IV-VI, Z5-8 . . . . .	2	1	△ ⚡ ⓘ	1150,00	144,00	18,00	4,00
LA 124	<b>Cotyledon-Hybr. 'Regenbogen' [Rainbow]</b> , 25 cm, mixture of many newly bred colors and forms, round flowers also semi-double, from white and yellow to pink, red-orange to blue-red. The best existing cotyledon hybrids today! IV-VI, Z5-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	1	△ ⚡ ⓘ	2980,00	360,00	42,00	7,20
LA 131	<b>Cotyledon-Hybr. 'Sunset-Strain'</b> , [AGM], 25 cm, mixture of pure colors from red, pink to orange and yellow, V-VI, Z5-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	2	1	△ ⚡ ⓘ	1920,00	240,00	30,00	5,00
LA 118	<b>cotyledon 'Bridal Bouquet'</b> , 10 cm, mixed colors, red, pink and orange shades, upright flower stems, abundant flowering, dwarf and compact habit, best for potplant production, IV-VI, Z5-8 . . . . .	2	1	△ ⚡ ⓘ	–	–	64,00	8,00

continued on the following page



LEWISIA Cotyledon-Hybr. 'Elise Mix'

LEWISIA Cotyledon-Hybr. 'Elise White'

LEWISIA Cotyledon-Hybr. 'Regenbogen'

LEWISIA Cotyledon-Hybr. 'Sunset-Strain'



LEWISIA Longipetala-Hybr. 'Little Raspberry'



LEWISIA Longipetala-Hybr. 'Little Mango'



LEWISIA Longipetala-Hybr. 'Little Peach'



LEWISIA Longipetala-Hybr. 'Little Plum'



LEWISIA Longipetala-Hybr. 'Little Snowberry'



LEWISIA Longipetala-Hybr. 'Little Tutti Frutti'



LEWISIA tweedyi 'Alba'



LIATRIS scariosa



LEWISIA tweedyi



LIATRIS microcephala



LIATRIS scariosa 'Alba'



LIATRIS spicata 'Floristan White'



LIATRIS spicata 'Kobold Strain'



LIBERTIA peregrinans

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>LEWISIA</b> <i>continuation</i>								
LA 123	cotyledon 'Praline', 25 cm, semi-double flowers, wonderful color-shades, V-VI, Z5-8 . . . . .	2	1	△ ☀	–	–	64,00	9,00
LA 130	cotyledon 'Heckneri-Strain', 25 cm, mostly pink striped blossoms, V-VI, Z5-8 . . . . .	2	1	△ ☀	–	288,00	36,00	6,00
LA 125	cotyledon 'Alba', 25 cm, pure white, V-VI, Z5-8 }							
LA 132	cotyledon 'Yellow', 25 cm, V-VI, Z5-8 }							
LA 127	cotyledon 'Pink-Orange', 25 cm, V-VI, Z5-8 }					384,00	48,00	8,00
LA 128	cotyledon 'Red-Purple', 25 cm, V-VI, Z5-8 }							
<b>Longipetala-Hyb. Little-Series</b> , 15 cm, large flowering, short upright stems, lanceolate leaves, strong rosettes, V-VI, reblooms in the fall, easy in the garden, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> )								
LA 145	'Little Mango', dark intense yellow-orange							
LA 140	'Little Peach', soft yellow-orange with pink touch							
LA 135	'Little Plum', intense rose-purple, at first with a touch of orange							
LA 147	'Little Raspberry', intense raspberry red							
NEW! LA 148	'Little Snowberry', white with pink stamens							
LA 149	'Little Tutti Frutti', balanced mixture of brilliant new colors: yellow-orange, red-purple, pink-white							
LA 134	nevadensis, 5 cm, white, dormant after blooming, IV-VI, Z4-8 . . . . .	2	1	△ ☀	1536,00	192,00	24,00	4,00
LA 136	pygmaea, 15 cm, pink-rosy-red, V-VI, Z3-8 . . . . .	1	1	△	1152,00	144,00	18,00	3,00
LA 137	rediviva, 10 cm, rosy-red, VI-VII, Z4-8 . . . . .	2	1	△	–	336,00	42,00	8,40
NEW! LA 141	tweedyi, 8 cm, soft pink with cream-yellow touch, large flowers, forms rosettes, V-VI, Z4-8 . . . . .	2	1	△	–	220,00	28,00	4,80
LA 143	tweedyi 'Alba', 8 cm, pure white, large flowering, broad-leaved rosettes, V-VI, Z4-8 . . . . .	2	1	△ ↗	–	–	–	9,80
LA 142	tweedyi 'Lovedream', 8 cm, soft pink, cream yellow, orange and ivory colours, large blossoms, V-VI, Z4-8 . . . . .	2	1	△ ↗	3400,00	380,00	42,00	8,40
<b>LEYCESTERIA</b> (Caprifoliaceae)								
LA 154	formosa, <small>(AGM)</small> , 180 cm, white, purple-violet bracts, VIII-IX, Z6-9 . . . . .	3	16	Sol ↘ ↙	400,00	50,00	6,20	3,10
<b>LIATRIS</b> (Asteraceae, Compositae)								
LA 160	aspera, 90 cm, pink, loose panicles, VIII-X, Z3-8 . . . . .	15	16	×	–	38,00	4,80	2,40
LA 164	cylindracea, 40 cm, purple, loose spikes, VIII-IX, Z4-8 . . . . .	5	16	×	–	88,00	12,00	6,00
LA 165	elegans, 60 cm, long light purple spikes, VII-IX, Z6-8 . . . . .	10	16	×	–	50,00	6,20	3,10
LA 166	ligulistylis, 90 cm, purple-blue, VII-IX, Z3-8 . . . . .	10	16	×	–	50,00	6,20	3,10
NEW! LA 173	microcephala, 40 cm, purple-pink, graceful spikes, VII-IX, Z4-8 . . . . .	3	16	△ ✕	–	–	18,00	4,50
LA 167	punctata, 50 cm, purple, dense flower panicles, VIII-IX, Z3-8 . . . . .	10	16	△ ✕	–	50,00	6,20	4,70
LA 168	pycnostachya, 160 cm, light purple, dense blossom heads, VII-IX, Z3-8 . . . . .	10	16	×	192,00	24,00	3,00	3,00
LA 170	scariosa [ <i>September Glory</i> ], 120 cm, red-purple, large single flowers on sturdy stems, VII-X, Z3-8 . . . . .	8	16	×	–	56,00	7,00	3,50
LA 169	scariosa 'Alba' [ <i>White Spires</i> ], 90 cm, large white flowers, VII-IX, Z3-8 . . . . .	8	16	✖	–	56,00	7,00	3,50
LA 172	spicata, 100 cm, lilac-rose, VII-IX, Z3-8 . . . . .	10	16	✖ ✕	72,00	12,00	2,00	2,00
LA 180	spicata 'Floristan Violet', 90 cm, violet, long stems, VII-IX, Z3-8 . . . . .	10	16	✖ ✕	270,00	32,00	4,20	3,00
LA 184	spicata 'Floristan White', 90 cm, white, excellent cut flower, VII-IX, Z3-8 . . . . .	10	16	✖ ✕	270,00	32,00	4,20	3,00
LA 188	spicata 'Kobold Strain' [ <i>Goblin</i> ], 50 cm, lilac-rose, compact, variable, VII-IX, Z3-8 . . . . .	10	16	✖ ✕	205,00	26,00	3,20	3,20
<b>LIGULARIA</b> (Asteraceae, Compositae)								
LA 198	altaica, 100 cm, yellow blossom spikes, elliptical blue-green foliage, dies back early, VII-VIII, Z4-8 . . . . .	15	8	△	576,00	72,00	9,00	6,00
	clivorum - see dentata							
LA 200	dentata (clivorum) [ <i>Orange Queen</i> ], 100 cm, orange-yellow, green foliage, VII-IX, Z3-8 . . . . .	30	16	●	192,00	26,00	3,60	3,60
LA 204	dentata dark-leaved [ <i>Dark Beauty</i> ], 100 cm, orange-yellow, VII-IX, Z3-8 . . . . .	30	16	●	192,00	26,00	3,60	3,60
LA 202	dentata 'Midnight Lady', 100 cm, golden rayflowers, dark sturdy stems, compact purple-bronze foliage, stays colored during summer, nearly black-purple in spring, VII-IX, Z3-8 . . . . .	30	16	● ✕	288,00	36,00	4,60	4,60
LA 212	przewalskii, <small>(AGM)</small> , 80 cm, yellow blossom racemes, VII-IX, Z4-8 . . . . .	5	16	●	960,00	120,00	15,00	9,80
LA 214	sibirica, 140 cm, yellow blossom racemes, VII-VIII, Z3-8 . . . . .	10	8	●	360,00	45,00	6,00	4,50
LA 216	Stenocephala-Hyb., 120 cm, yellow blossom spikes, red-brown stems, VII-VIII, Z4-8 . . . . .	7	16	●	576,00	72,00	8,00	6,00



*LIGULARIA* przewalskii



*LILIUM* bulbiferum ssp. *croceum*



*LIGULARIA* dentata 'Midnight Lady'



*LILIUM* formosanum var. *pricei*



*LILIUM* kesselringianum



*LILIUM* Martagon-Hybr. 'Painted Ladies'



*LILIUM* mackliniae, Naga form



*LILIUM* nepalense



*LILIUM* szovitsianum

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>LIGISTICUM</b> (Apiaceae, <i>Umbelliferae</i> )									
LA 228	<i>lucidum</i> , 120 cm, white umbels, fine feathered foliage, perennial, V-VII, Z5-8 .....	10	8	△ ✕	–	48,00	6,00	6,00	
LA 227	<i>scoticum</i> [ <i>ANGELICA 'Summer Delight'</i> ], Scots Lovage, 50 cm, brilliant white umbels, purple colored stems, glossy, dark green, attractive foliage, golden fall color, perennial, VI-VIII, Z3-8 .....	10	8	✖️✖️△ ↗	–	–	9,80	5,20	
<b>LILIUM</b> (Liliaceae)									
LA 229	<i>bulbiferum</i> ssp. <i>croceum</i> , Fire Lily, 60 cm, fiery, yellow-orange, VI, Z6-9 .....	15	8	△ ✕	–	–	6,20	6,20	
LA 235	<i>formosanum</i> var. <i>pricei</i> , 30 cm, large white trumpet shaped blossoms, reddish-purple exterior, good hardy form, often flowering the first year from seed, VII-IX, Z5-9 .....	5	16	△ ✕	768,00	96,00	12,00	6,00	
	<i>giganteum</i> - see <b>CARDIOCRINUM giganteum</b>								
LA 223	<i>Kesselringianum</i> , 120 cm, pale yellow bell flowers, fragrant, VII-VIII, Z6-9 .....	30	16	✖️	360,00	52,00	7,20	7,20	
NEW! LA 243	<i>mackliniae</i> , <i>Naga form</i> ,  Manipur Lily, 80 cm, deep rose, large flowers, VII-VIII, Z6-9 .....	10	16	△ ✕	–	72,00	9,20	7,80	
LA 234	<i>martagon</i> ,  100 cm, light red, brown spotted and white, VI-VII, Z3-8 .....	15	8	✖️	204,00	25,00	3,20	3,20	
LA 236	<i>martagon</i> var. <i>album</i> ,  100 cm, pure white, VI-VIII, Z3-8 .....	15	9	✖️	–	–	6,20	3,20	
LA 238	<i>Martagon-Hyb.</i> 'Painted Ladies', 60 cm, beautiful color range with yellow, apricot colored, pink, wine-red, orange and white flowers, mostly purple spotted, VI-VIII, Z3-8 .....	15	8	✖️	560,00	70,00	9,00	7,20	
LA 242	<i>nepalense</i> , 50 cm, greenish-yellow with purple throat, very large flowering, lanceolate foliage, VII-VIII, Z6-10 .....	10	9	▶▶ ✕	–	58,00	8,00	4,00	
LA 241	<i>philippinense</i> , 80 cm, white, long funnel-shaped trumpet flowers, fast growing, VII-VIII, Z8-10 .....	3	9	✖️ □ ▲	448,00	56,00	7,20	3,60	
LA 231	<i>pyrenaicum</i> ssp. <i>carniolicum</i> var. <i>bosniacum</i> , 80 cm, pure yellow blossoms, narrow foliage, V-VII, Z5-9 .....	15	8	△ ✕	380,00	48,00	6,20	6,20	
LA 246	<i>szovitsianum</i> , Caucasus-Lily, 120 cm, yellow bell flowers, fragrant, lanceolate foliage, VI-VII, Z4-8 .....	30	8	✖️	320,00	44,00	5,60	5,60	
<b>LIMONIUM</b> (Plumbaginaceae)									
LA 256	<i>bellidifolium</i> , 25 cm, light-violet, VIII-X, Z6-9, .....	pure seed	1	15	✖️ △ ⚭	–	–	26,00	6,00
	<i>collinum</i> - see <b>GONIOLIMON collinum</b>								
LA 260	<i>gmelinii</i> ssp. <i>hungaricum</i> , 50 cm, bright lilac-blue, VII-VIII, Z3-8, .....	pure seed	2	16	✖️	294,00	38,00	5,00	2,50
LA 261	<i>gougetianum</i> , 20 cm, lavender-blue, VII-IX, Z7-10, .....	pure seed	0,5	15	△ ⚭	–	–	43,00	8,20
LA 264	<i>latifolium</i> ( <i>platyphyllum</i> ), 50 cm, blue, V-VII, Z4-8, .....	pure seed	2	15	✖️	360,00	52,00	7,60	3,80
LA 268	<i>perezii</i> [ <i>Atlantis, Blue Smoke</i> ], 125 cm, wonderful blue, only winter hardy in mild climates, otherwise protection needed, VIII-X, Z7-11, .....	pure seed	2	15	✖️ ▲	792,00	88,00	9,80	4,90
LA 272	<i>species</i> 'Blue Diamond', 25 cm, bright blue, VI-VIII, Z4-8, .....	pure seed	1	15	△ ⚭	–	–	24,00	6,00
	<i>speciosum</i> - see <b>GONIOLIMON speciosum</b>								
	<i>tataricum</i> - see <b>GONIOLIMON tataricum</b>								
LA 275	<i>vulgare</i> , Sea Lavender, 30 cm, blue-violet flower spikes, salt tolerant, VII-IX, Z5-8,..	pure seed	3	9	✖️	560,00	70,00	9,00	4,50
<b>LINANTHUS</b> (Polemoniaceae)									
LA 278	<i>nuttallii</i> , 15 cm, white with yellow eye, fine foliage, perennial, V-VII, Z6-9 .....		2	8	△	–	–	–	5,00
<b>LINARIA</b> (Scrophulariaceae)									
LA 290	<i>aeruginea</i> 'Neon Lights', 20 cm, brilliant colors, mostly bicolored, pink with purple, violet with purple, yellow with orange, white with red, bluish green foliage, flowering the first year after sowing, V-VIII, Z5-9 .....		1	16	△ ⚭ ↗	600,00	76,00	9,60	3,20
LA 280	<i>alpina</i> , 5 cm, light violet, VI-VIII, Z3-8 .....		1	15	✖️ △ ↗	–	162,00	18,00	4,00
	<i>cymbalaria</i> - see <b>CYMBALARIA muralis</b>								
LA 288	<i>genistifolia</i> ssp. <i>dalmatica</i> , 100 cm, golden, large flowering, VII-IX, Z4-8 .....		1	1		384,00	48,00	6,00	3,00
LA 292	<i>purpurea</i> , 60 cm, purple-violet, VII-X, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....		1	9	✖️	–	54,00	7,80	3,90
LA 296	<i>purpurea</i> 'Canon Went', 60 cm, clear pink, VII-X, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....		1	9	✖️	420,00	54,00	7,80	3,90
LA 294	<i>purpurea</i> 'Springside White' (Alba), 60 cm, pure white, VII-X, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....		1	9	✖️	–	–	7,80	3,90
LA 308	<i>triornithophora</i> , 80 cm, red-violet, large flowering, VI-IX, Z6-9 .....		1	15	✖️	–	96,00	12,00	4,00
	<i>vulgaris</i> - see Perennial Herbs - Culinary, Teas and Medicinal								
<b>LINDELOFIA</b> (Boraginaceae)									
LA 316	<i>longiflora</i> , 40 cm, bright blue, protect from winter wet, V-VII, Z6-9 .....		20	1	△ ▲	224,00	28,00	3,50	3,50
<b>LINUM</b> (Linaceae)									
LA 320	<i>alpinum</i> (perenne var. <i>alpinum</i> ), 20 cm, light blue, VI-VIII, Z5-9 .....		5	16	△	328,00	41,00	5,20	3,90
LA 322	<i>capitatum</i> [ <i>Sulphur</i> ], 25 cm, yellow, beautiful variety, VI-VII, Z6-9 ( <i>see also GOLD NUGGET SEED®</i> ). .....		5	8	△	450,00	50,00	6,20	3,10



LINARIA aeruginea 'Neon Lights'

LINARIA purpurea 'Springside White'

LINUM hypericifolium

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>LINUM continuation</b>								
LA 323	dolomiticum, 20 cm, yellow, VI-VII, Z5-8 . . . . .	5	9	△	450,00	50,00	6,20	3,10
LA 324 ☼	flavum 'Compactum', 20 cm, golden, VI-VIII, Z4-8 . . . . .	3	16	△ ☺	320,00	42,00	5,40	2,80
LA 330	hybrid 'Gemmel's-Strain', 15 cm, large golden flowers, glaucous foliage, VI-VII, Z5-8 . . . . .	3	8	△ ☺	760,00	96,00	12,00	4,00
LA 331 ☼	hypericifolium, 40 cm, pink with darker veins, striking and large flowering, robust habit, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	5	9	△	760,00	96,00	12,00	6,00
LA 334 ☼	lewisii, 30 cm, skyblue, drought resistant prairie perennial, V-VIII, Z3-9 . . . . .	5	15		96,00	12,00	2,00	2,00
LA 332 ☼	narbonense [Heavenly Blue], 40 cm, heavenly blue, large flowers, VI-VII, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	10	8		378,00	42,00	5,20	3,60
LA 335	perenne [Himmelszelt], Perennial Flax, blue, 40 cm, VI-VIII, Z5-8 . . . . .	10	15		96,00	12,00	2,00	2,00
LA 340	perenne Nanum Album 'Diamant', 25 cm, pure white, well branched, VI-VIII, Z5-8 . . . . .	10	15	△ ☺	320,00	42,00	5,40	2,80
LA 344	perenne Nanum 'Blue Sapphire', 25 cm, sapphire blue, well branched with abundant flowers, VI-VII, Z5-8 . . . . .	10	15	△ ☺	320,00	42,00	5,40	2,80
LA 350	tauricum, 40 cm, pale yellow, VI-VII, Z5-8 . . . . .	5	8	△	–	–	–	4,00
LA 352	tenuifolium, 30 cm, light pink with darker veins, fine foliage, VI-VIII, Z6-8 . . . . .	2	15	△	–	–	–	4,00
<b>LIRIOPE</b> (Convallariaceae, Liliaceae)								
LA 360	muscari 'Big Blue', 50 cm, blue, evergreen, VIII-X, Z6-9 . . . . .	100	7/8	△ ☺	56,00	7,00	2,00	3,50



LINUM flavum 'Compactum'



LINUM lewisii



LINUM narbonense



LOBELIA cardinalis



LOBELIA speciosa 'Starship Deep Rose'



LOBELIA speciosa 'Starship Scarlet'



**LOBELIA** tupa



**LOMATIUM** columbianum



**LOMATIUM** grayi



**LUNARIA** annua



**LUNARIA** rediviva



**LUNARIA** speciosa

			Gram to get 1000 plants	N° of the sowing directions	Special Hints	Prices in EURO net per:			
						from 100 g	from 10 g	from 1 g	Portion
<b>LOBELIA</b> (Campanulaceae)									
	angulata - see PRATIA								
LA 370	cardinalis, (AGM), 90 cm, bright red, green foliage, VII-X, Z3-9 (see also GOLD NUGGET SEED®)	0,5	4/9	❀ × \$		1584,00	198,00	22,00	5,00
LA 374	fulgens (cardinalis) 'Queen Victoria', (AGM), 80 cm, red, foliage red-brown, VII-X, Z7-9	1,5	4/20	× △ Ⓜ	-	360,00	42,00	5,40	
LA 382	x gerardii (x speciosa, vedraiensis), 100 cm, purple-violet, VI-VIII, Z6-9	0,5	4/9	× △ Ⓜ	-	-	68,00	7,20	
LA 373	sessilifolia, 50 cm, violet, upright, VI-VIII, Z4-7 (see also GOLD NUGGET SEED®)	0,5	4/9	❀ ×	1584,00	198,00	22,00	5,00	
LA 369	speciosa Fan-Series, 60 cm, brilliant colors, branching stems, VII-IX, Z6-8 'Fan-Blue'	1	4/15	× Ⓜ	-	982,00	108,00	9,80	
LA 385	'Fan-Burgundy'								
NEW! LA 372	'Fan-Scarlet'								
LA 377	speciosa Starship-Series, 55 cm, dense flower stalks, rich and early flowering, vigorous and bushy growth, first year flowering, perfect for pot culture, V-X, Z6-10 'Starship Scarlet', bright scarlet	1	4/20	× Ⓜ	-	1150,00	128,00	9,80	
NEW! LA 375	'Starship Deep Rose', bright deep pink								
LA 378	siphilitica 'Blue Selection', 60 cm, bright blue, VII-IX, Z3-9 (see also GOLD NUGGET SEED®)	0,5	4/9	❀ × \$ Ⓜ	384,00	48,00	6,00	3,00	
LA 379	siphilitica 'Alba', 60 cm, pure white, VII-IX, Z3-9 (see also GOLD NUGGET SEED®)	0,5	4/9	❀ × \$ Ⓜ	512,00	64,00	8,00	4,00	
LA 387	siphilitica 'Mixture', 60 cm, blue and white, VII-IX, Z3-9	0,5	4/9	❀ × \$ Ⓜ	256,00	32,00	4,60	2,30	
LA 386	⌚ tupa, 120 cm, brick red, large lanceolate leaves, needs winter protection, VIII-IX, Z7-10	0,25	9	× △ ✕	-	432,00	48,00	8,00	
<b>LOMATIUM</b> (Apiaceae, Umbelliferae)									
NEW! LA 395	⌚ columbianum, Columbia Desert Parsley, 60 cm, robust rosy-red umbels, blue-grey pinnate leaves, a rarity! IV-VI, Z6-9	120	1	✿ △ Ⓜ	-	-	4,80	9,60	
LA 396	⌚ grayi, Gray's Desert Parsley, 40 cm, yellow umbels, fine feathered aromatic foliage, long lived, V-VII, Z6-9	40	1	✿ △	160,00	22,00	3,00	3,00	
<b>LOTUS</b> (Papilionaceae, Leguminosae)									
LA 390	corniculatus, 10 cm, yellow, V-IX, Z4-9 hirsutus - see DORYCNIUM maritimus - see TETRAGONOLOBUS pentaphyllus - see DORYCNIUM	10	15	❀ △ Ⓜ	24,00	6,00	2,00	2,00	
<b>LUNARIA</b> (Brassicaceae, Cruciferae)									
LA 400	⌚ annua (biennis), Honesty, 100 cm, purple, self-sows, IV-VI, Z6-10	50	15	× Ⓜ	36,00	4,80	2,00	2,40	
LA 401	⌚ annua var. albiflora, (AGM), 100 cm, white, decorative seed heads, IV-VI, Z6-10	50	15	× Ⓜ	36,00	4,80	2,00	2,40	
LA 404	⌚ rediviva, Perennial Honesty, 90 cm, light purple and white, elliptical seed pods, V-VII, Z5-8	70	1	× ✕ Ⓜ	-	9,80	2,00	3,50	



*LUPINUS* arboreus f. *albiflorus*



*LUPINUS* Russell 'Woodfield Hybr.'



*LUPINUS* Nanus Russell 'Gallery Mixture'



*LUPINUS* 'Mini-Gallery Pink-White'



*LUPINUS* Nanus Russell 'Mini-Gallery Blue'



*LUPINUS* Nanus Russell 'Gallery Mixture'



*LYCHNIS* x *arkwrightii* 'Orange Zwerg'



*LYCHNIS* coronaria 'Oculata'



*LYCHNIS* flos-cuculi



*LYSIMACHIA* atropurpurea



*LYCHNIS* flos-cuculi 'White Robin'

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>LUPINUS</b> (Papilionaceae, Leguminosae)							
LA 407 ☒ arboreus f. <i>albiflorus</i> , (AGM), Tree Lupin, up to 2 m, white, evergreen, IV-VI, Z7-10 . . . . .	80	7/10	Sol	96,00	12,00	2,00	9,00
LA 406 arboreus f. <i>caeruleus</i> , (AGM), Tree Lupin, up to 2 m, blue, evergreen, IV-VI, Z7-10 . . . . .	80	7/10	Sol	96,00	12,00	2,00	6,00
LA 408 arboreus f. <i>luteus</i> , (AGM), Tree Lupin, up to 2 m, sulphur-yellow, evergreen, IV-VI, Z7-10 . . . . .	80	7/10	Sol	96,00	12,00	2,00	6,00
LA 409 nootkatensis, 40 cm, blue with white flag, soft haired foliage, VI-VII, Z3-6 . . . . .	30	16	∅ △	320,00	40,00	5,00	5,00
LA 413 perennis, 110 cm, mostly blue, V-VIII, Z3-8 . . . . .	50	16	(N)	18,00	6,00	2,00	2,00
Perennis-Hybr. - see Russell-Varieties							
LA 412 sericeus, 25 cm, azure, fine feathery foliage, V-VII, Z3-6 . . . . .	20	16	△	144,00	20,00	3,00	3,00
<b>Perennis-Hybr. Russell-Varieties:</b> 100 cm, JET®- heat-treated seed is virtually Colletotrichum free, a secondary infection is still possible, please prevent! VI-VIII, Z3-8							
LT 420 'Edelknaben' [The Pages], carmine red shades . . . . .	50	7/10	× ⊕	86,00	12,00	2,00	4,00
LT 422 'Fräulein' [Noble Maiden], cream-white . . . . .							
LT 424 'Kastellan' [The Governor], blue, white banner . . . . .			JET®- heat-treated seed				
LT 426 'Kronleuchter' [Chandelier], light yellow . . . . .							
LT 428 'Mein Schloß' [My Castle], red colors . . . . .							
LT 430 'Schloßfrau' [The Chatelaine], pink, white banner . . . . .							
LT 434 'Russellimixture' [Band of Nobles], . . . . .			JET®- heat-treated seed				
<b>Dwarf Russell-Mixtures:</b> extensive colour range, VI-VIII, Z3-8							
LT 415 'Lulu Mix', 45 cm, compact habit . . . . .	50	7/10	× △ ⊕	98,00	14,00	2,00	4,80
LT 416 'Minarette', 60 cm, stable . . . . .							
<b>Nanus Russell Mini-Gallery®-Series:</b> (FS), 35 cm, densely compact flower spikes, dwarf compact habit, first year flowering, best for container production, V-VII, Z3-8							
<b>NEW!</b> LA 453 ☒ 'Mini-Gallery Blue'							
LA 451 'Mini-Gallery Blue-White'							
LA 454 'Mini-Gallery Yellow'							
<b>NEW!</b> LA 455 'Mini-Gallery Pink'							
LA 456 ☒ 'Mini-Gallery Pink-White'							
LA 457 'Mini-Gallery Red'							
LA 458 'Mini-Gallery White'							
<b>Nanus Russell Gallery®-Series:</b> (FS), 50 cm, compact plants, 10-12 blossom-stalks per plant, VI-VIII, Z3-8							
LT 440 'Gallery Blue'							
LT 442 'Gallery Yellow'							
LT 444 'Gallery Pink'							
LT 445 'Gallery Pink-White'							
LT 446 'Gallery Red'							
LT 448 'Gallery White'							
LT 450 ☒ 'Gallery Mixture' of single colors . . . . .							
LT 459 ☒ <b>Russell 'Woodfield Hybr.',</b> 100 cm, colourful mixture with dense, tight, large flower panicles, pure white, pink, red, yellow, orange, blue, violet and wonderful multicolored combinations, VI-VIII Z3-8, . . . . .			JET®- heat-treated seed				
	50	7/10	× ⊕	198,00	26,00	3,40	7,20
<b>LYCHNIS</b> see also <b>SILENE</b> (Caryophyllaceae)							
LA 460 alpina (VISCARIA), 10 cm, pink, V-VI, Z4-8 . . . . .	1	16	△ ⊕	576,00	72,00	9,00	3,50
LA 463 alpina 'Lely Deep Rose'™, (FS), 15 cm, brilliant dark pink, abundant flowering and vigorous, selected for container production, V-VI, Z4-8 . . . . .	0,5	15	△ ⊕ ⊖	–	420,00	48,00	6,20
LA 461 alpina 'Snow Flurry', 10 cm, pure white, V-VI, Z4-8 . . . . .	1	15	△ ⊕ ⊖	768,00	96,00	12,00	4,00
LA 465 ☒ x arkwrightii 'Orange Zwerg', 20 cm, orange-red, dark foliage, VI-VII, Z5-8 . . . . .	2	15	△ ⊖	360,00	45,00	5,80	2,80
LA 464 x arkwrightii 'Vesuvius', 40 cm, orange-scarlet, dark foliage, VI-VII, Z5-8 . . . . .	2	15	⊖ ×	240,00	30,00	4,00	2,00
LA 468 chalcedonica [Red Cross], (AGM), 120 cm, fire-red blossoms, VI-VIII, Z4-8 . . . . .	1	15	⊖ ×	96,00	14,00	2,00	2,00
LA 467 chalcedonica 'Carnea' [Morgenrot, Dusky Salmon, Dusky Pink, Pinkie], 120 cm, pink, VI-VIII, Z4-8 . . . . .	1	15	⊖ ×	192,00	24,00	3,40	2,00
LA 469 chalcedonica 'Rauhreif', 120 cm, pure white, VI-VII, Z4-8 . . . . .	1	15	⊖ ×	192,00	24,00	3,40	2,00
LA 472 coronaria (AGROSTEMMA) [Atrosanguinea], (AGM), 75 cm, carmine-red, white felt-like foliage, VII-VIII, Z4-8 . . . . .	1	15	⊖	80,00	10,00	2,00	2,00
LA 476 coronaria 'Alba', (AGM), 70 cm, pure white, white felt-like foliage, VII-VIII, Z4-8 . . . . .	1	15	⊖	192,00	24,00	3,40	2,00
LA 480 ☒ coronaria 'Oculata' [Angel's Blush], 70 cm, white with red eye, variable, VII-VIII, Z4-8 . . . . .	1	15	⊖	192,00	24,00	3,40	2,00
LA 484 ☒ flos-cuculi (SILENE), Ragged Robin, 40 cm, pink, V-VI, Z3-8 . . . . .	0,5	16	⊖	80,00	10,00	2,00	2,00
LA 485 flos-cuculi 'Nana' [Congesta], 10 cm, red, V-VI, Z3-8 . . . . .	0,5	15	△ ⊕	448,00	56,00	8,00	4,00
LA 486 ☒ flos-cuculi 'White Robin', 40 cm, pure white flowers with red stems, stable upright habit, V-VI, Z3-8 . . . . .	0,5	16	⊖	448,00	56,00	8,00	4,00
LA 490 flos-jovis nana 'Peggy', 25 cm, bright rosy-red, grey felt-like foliage, V-VII, Z4-8 . . . . .	0,5	15	△ ⊕ *	512,00	64,00	8,00	4,00
LA 492 x haageana, 45 cm, large flowering hybrids, mixed, VI-VII, Z5-8 . . . . .	3	15	⊖	160,00	20,00	2,50	2,00
LA 495 viscaria, wild form, 50 cm, red, V-VI, Z3-7 . . . . .	1	15	⊖	48,00	8,00	2,00	2,00
LA 500 viscaria ssp. atropurpurea, 30 cm, dark purple-red, V-VI, Z3-7 . . . . .	1	15	△	256,00	32,00	4,00	2,00
LA 496 viscaria splendens 'Feuer' [Firebird, Rosett, Visca Fire], 50 cm, bright fire red, V-VI, Z3-7 . . . . .	1	15	⊖ *	120,00	20,00	3,40	2,00
LA 504 viscaria Alba 'Schnee' [Snowbird, Snowstar, Visca Snow], 50 cm, pure white, V-VI, Z3-7 . . . . .	1	15	⊖ *	120,00	20,00	3,40	2,00
<b>LYCIUM</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>LYCOPUS</b> - see Organic Seed							
<b>LYSIMACHIA</b> (Primulaceae)							
LA 525 ☒ atropurpurea [Beaujolais], 45 cm, dark-purple, VI-VIII, Z5-10 . . . . .	1	8	∅ ⊕ ×	768,00	96,00	12,00	6,00
LA 521 ciliata, 60 cm, light yellow, VII-VIII, Z3-7 . . . . .	1	8	⊖	–	224,00	28,00	6,00
<b>NEW!</b> LA 522 ☒ clethroides [Lady Jane], (AGM), Gooseneck Loosestrife, 60 cm, pure white, widely arching spikes, beautiful fall colors, VII-IX, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	0,5	9	∅ ×	–	–	36,00	6,00
LA 520 ephemerum, 100 cm, white, grey-green leaves, VI-IX, Z6-8 . . . . .	1	15	⊖ ×	768,00	96,00	12,00	6,00
LA 523 minoricensis, 40 cm, leaf-rosettes violet veined, for flower arrangements, VI-VII, Z7-10 . . . . .	1	16	⊖ × ⊕	192,00	24,00	3,00	6,00
LA 524 ☒ punctata, 65 cm, yellow, VI-VIII, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	9	⊖ × ⊕	144,00	18,00	2,40	2,00
LA 527 vulgaris, Yellow Loosestrife, 80 cm, golden, VI-VIII, Z4-9 ( <i>see also GOLD NUGGET SEED® + Organic-Seeds</i> ) . . . . .	1	9	⊖ × ⊕	72,00	12,00	2,00	2,00



**LYSIMACHIA clethroides**



**LYSIMACHIA punctata**



**MARRUBIUM supinum**



**MALVA alcea var. fastigiata**



**MALVA moschata f. alba**

**MARRUBIUM supinum**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>LYTHRUM</b> (Lythraceae)									
LA 528	<i>alatum</i> , 80 cm, purple-red, VI-VIII, Z3-9 . . . . .	0,25	9	✿✿✿	–	224,00	28,00	3,50	
LA 530	<i>salicaria</i> [ <i>Rosy Gem</i> , <i>Red Beauties</i> ], 120 cm, carmine-pink, VI-IX, Z3-9 <i>(see also GOLD NUGGET SEED® + Organic-Seeds)</i> . . . . .	1	9	✗✿✿	128,00	16,00	2,00	2,00	
<b>MACHAERANTHERA</b> - see ASTER									
<b>MACLEAYA</b> - see Perennial Herbs - Culinary, Teas and Medicinal									
<b>MAIANthemum</b>									
	<i>racemosum</i> - see <b>SMILACINA racemosa</b>								
	<i>stellatum</i> - see <b>SMILACINA stellata</b>								
<b>MALVA</b> (Malvaceae)									
MA 030	<i>alcea</i> var. <i>fastigiata</i> , 80 cm, pink, blooms continually, VI-IX, Z3-8 ( <i>s. a. GOLD NUGGET SEED®</i> ) . . . . .	10	8	✗✿✿	128,00	16,00	2,00	2,00	
MA 034	<i>moschata</i> [ <i>Rosea</i> , <i>Pink Perfection</i> ], 50 cm, pink, VI-IX, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	pure seed	10	8	✗✿✿	72,00	12,00	2,00	2,00
MA 038	<i>moschata</i> f. <i>alba</i> [ <i>White Perfection</i> ],  50 cm, pure white, VI-IX, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	pure seed	10	8	✗✿✿	72,00	12,00	2,00	2,00
MA 039	<i>moschata</i> ' <i>Appleblossom</i> ', 50 cm, soft pink, VI-IX, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	pure seed	10	8	✗✿✿	72,00	12,00	2,00	2,00
	<i>sylvestris</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>MANDRAGORA</b> (Solanaceae)									
MA 045	<i>autumnalis</i> , Autumn Mandrake, 30 cm, purple flowers, fruits yellow to orange, poisonous! IX-X, Z6-9 . . . . .	15	8	✗✗	2240,00	280,00	36,00	9,80	
MA 044	<i>officinarum</i> , Mandrake, 40 cm, green-white flowers, first green, later yellow apple-like fruits, poisonous! III-IV, Z6-9 . . . . .	60	8	✗✗✗	1728,00	192,00	24,00	24,00	
<b>MARRUBIUM</b> (Lamiaceae, Labiate)									
MA 046	<i>incanum</i> ( <i>candidissimum</i> ), 40 cm, white, white-woolly, abundant flowers, VI-VII, Z6-8 . . . . .	5	16	W>✿	256,00	32,00	4,00	2,00	
MA 048	<i>supinum</i> , 30 cm, rosy-red, white-woolly foliage, VI-VIII, Z6-8 <i>vulgare</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed	3	16	△✿	220,00	28,00	3,80	2,00	
<b>MATRICARIA</b> - see CHAMOMILLA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed									
<b>MATTHIOLA</b> (Brassicaceae, Cruciferae)									
MA 054	<i>incana</i> ' <i>Pillow Talk</i> ', Brompton Stock, 45 cm, white, fading to pink, fragrant, grey leaved, mostly biennial, VI-IX, Z5-8 . . . . .	5	9	✗△✿	360,00	45,00	5,80	2,90	

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>MECONOPSIS</b> (Papaveraceae)								
MA 060	baileyi - see betonicifolia betonicifolia (var. baileyi) [ <b>China Blue</b> ], <small>(AGM)</small> , 60 cm, heavenly blue, V-VII, Z6-8 <i>(see also GOLD NUGGET SEED®)</i>	2	9	△	1940,00	216,00	24,00	5,80
MA 062	betonicifolia var. alba, 60 cm, pure white version, VI-VII, Z6-8 ( <i>s. also GOLD NUGGET SEED®</i> )	2	9	△	2268,00	252,00	28,00	7,00
MA 063	betonicifolia 'Hensol Violet', 60 cm, lilac-rose, V-VII, Z6-8 ( <i>see also GOLD NUGGET SEED®</i> )	2	9	△	2268,00	252,00	28,00	7,00
MA 066	cambrica (PARAMECONOPSIS), 40 cm, yellow, large flowers, VI-IX, Z5-8 <i>(see also GOLD NUGGET SEED®)</i>	1	1	△ ⊕	256,00	32,00	4,00	2,00
MA 068	cambrica 'Aurantiaca', 40 cm, orange, VI-IX, Z5-8	1	1	△ ⊕	–	96,00	12,00	4,00
MA 069	cambrica 'Plena', 40 cm, yellow-orange double, variable, VI-IX, Z5-8	0,5	1	△ ⊕	–	–	–	6,00
MA 070	cambrica 'Frances Perry' ( <b>Rubra</b> ), 40 cm, orange-red, VI-VIII, Z5-8 grandis hort. - see x sheldonii 'Lingholm' (Fertile Blue Group)	1	1	△ ⊕	–	144,00	18,00	6,00
MA 076	horridula, 50 cm, medium blue, VII-VIII, Z5-8	1	9	△ ⊕	–	336,00	48,00	9,00
MA 075	integrifolia, 80 cm, brilliant yellow, large flowering, hairy lanceolate leaves, VI-VII, Z6-9 <i>(see also GOLD NUGGET SEED®)</i>	2	9	△ ⊕	1400,00	176,00	22,00	7,40
MA 077	napaulensis ( <i>wallichii</i> ), 60 cm, red, pink to purple, V-VII, Z5-9	1	9	△ ⊕	1400,00	176,00	22,00	7,40
MA 072	paniculata, 120 cm, yellow, hairy leaf rosettes, VII-IX, Z6-9 ( <i>see also GOLD NUGGET SEED®</i> )	1	9	△ ⊕	1400,00	176,00	22,00	7,40
MA 081	punicea, 40 cm, dark red, nodding flowers, a rarity, VI-VII, Z6-9	2	1	△	–	432,00	48,00	9,00
MA 067	x sheldonii 'Lingholm' (grandis hort.) [ <b>Blue Ice</b> ] (Fertile Blue Group), 80 cm, medium blue, vigorous, V-VII, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> )	3	9	△ ⊕	1620,00	180,00	20,00	8,00
MA 079	superba, 60 cm, white, hairy rosettes, VII-VIII, Z6-8	1	9	△ ⊕	–	324,00	36,00	8,00
MA 082	villosa ( <b>CATHARTIA</b> ), 50 cm, yellow, hairy foliage, VI-VII, Z6-9	0,5	9	△	2310,00	288,00	32,00	8,00
<b>MELANDRIUM</b> - see <b>SILENE</b>								
<b>MELIANTHUS</b> (Melianthaceae)								
MA 090	major, <small>(AGM)</small> , Honey Bush, up to 3 m, bronze-red flower spikes, attractive blue-green, feathery foliage, V-VII, Z7-11	80	9	◆ ♀ & ♀	252,00	36,00	4,50	9,00
<b>MELILOTUS</b> - see <b>Organic Seed</b>								
<b>MELISSA officinalis</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>MENTHA</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>MERTENSIA</b> (Boraginaceae)								
MA 092	maritima ssp. asiatica ( <i>simplicissima</i> ), 15 cm, brilliant blue, grey-bluish foliage, V-VII, Z3-7	10	8	△ *	–	–	38,00	9,80
MA 094	virginica ( <i>pulmonarioides</i> ), <small>(AGM)</small> , Virginia Bluebells, 50 cm, sky blue, light green foliage, IV-V, Z3-8	10	1	△	–	192,00	24,00	9,80
<b>MESEMBRYANTHEMUM crystallinum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>								



MECONOPSIS horridula



MECONOPSIS integrifolia



MECONOPSIS paniculata



MECONOPSIS punicea



MECONOPSIS x sheldonii 'Lingholm'



MECONOPSIS horridula



MELIANTHUS major



MIMULUS cardinalis



MIMULUS guttatus



MIRABILIS multiflora



MICHauxIA campanuloides



MITCHELLA repens



MITELLA breweri



MONARDA didyma 'Panorama Mixture'



MOLOPOSpermum peloponnesiacum



MOLTkIA petraea

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:						
				from 100 g	from 10 g	from 1 g	Portion			
<b>MEUM athamanticum</b> - see Perennial Herbs - Culinary, Teas and Medicinal										
<b>MICHAUXIA</b> (Campanulaceae)										
NEW! MA 102 <b>campanuloides</b> , Rough-leaved Michauxia, 120 cm, very large white blossoms, monocarp, VII-IX, Z6-9 . . . . .	0,25	9	△ ~	-	-	64,00	7,80			
<b>MICROMERIA thymifolia</b> - see Perennial Herbs - Culinary, Teas and Medicinal										
<b>MIMULUS</b> (Scrophulariaceae)										
MA 110 <b>cardinalis [Red Dragon]</b> , <small>(AGM)</small> , 50 cm, scarlet red, VI-IX, Z6-9 . . . . .	0,25	4/15	~~~ ①	-	192,00	24,00	4,00			
MA 114 <b>cupreus 'Red Emperor' [Roter Kaiser]</b> , 30 cm, bright scarlet red, VII-IX, Z6-8 . . . . .	0,5	4/15	~> △ ①	2048,00	256,00	32,00	6,00			
MA 118 <b>guttatus</b> , 40 cm, yellow, partially red spotted, groundcover for moist places, V-IX, Z6-8 . . . . .	0,5	4/15	~~~ ~> ①	-	98,00	12,00	4,00			
MA 122 <b>lewisii</b> , <small>(AGM)</small> , 50 cm, rosy-red, V-IX, Z5-8 . . . . .	0,5	4/15	△ ①	-	-	28,00	4,00			
MA 126 <b>luteus</b> , 30 cm, golden, spotted underlip, V-IX, Z6-9 . . . . .	0,25	4/15	~~~ ①	988,00	128,00	16,00	4,00			
MA 132 <b>luteus 'Tigrinus Grandiflorus Mixture'</b> , 30 cm, yellow, orange, red, brown spotted, V-IX, Z7-8 . . . . .	0,5	4/15	①	256,00	38,00	6,00	2,00			
MA 134 <b>minimus</b> , 5 cm, yellow, spotted, very delicate, VI-IX, Z6-9 . . . . .	5pt	4/9	△	-	-	72,00	4,00			
MA 136 <b>ringens</b> , 50 cm, violet, V-IX, Z3-8 . . . . .	0,5	8	~~~ ①	-	86,00	9,60	3,20			
MA 140 <b>tilingii</b> , 15 cm, yellow, abundant flowers, blooms in the first year, V-IX, Z6-9 . . . . .	0,5	4/15	△ ~ ①	-	-	16,00	4,00			
<b>MINUARTIA</b> (Caryophyllaceae)										
MA 150 <b>capillacea (ARENARIA linifolia)</b> , 10 cm, white, VI-VIII, Z4-7 . . . . .	1	4/9	△ ~>	-	-	12,00	4,00			
MA 154 <b>laricifolia</b> , 10 cm, white, dense mat-like, VI-VIII, Z4-7 . . . . .	1	4/9	△ ~>	512,00	64,00	8,00	3,20			
MA 156 <b>verna</b> , 15 cm, white, carpet forming, V-VI, Z2-6 . . . . .	0,5	4/9	△ ~> D	-	128,00	16,00	4,00			
<b>MIRABILIS</b> (Nyctaginaceae)										
MA 176 <b>jalapa Mixture</b> , Four O'Clock Plant, 60 cm, attractive trumpet shaped flowers open in the afternoon, fragrant, healthy foliage, VI-X, Z7-11 . . . . .	120	15	① ↗	32,00	4,60	2,00	4,60			
MA 168 <b>multiflora</b> , Colorado Four O'Clock Plant, 60 cm, brilliant rose-purple, bushy, shrubby habit, VII-IX, Z6-10 . . . . .	150	16	△ ~ Sol ②	126,00	18,00	2,50	12,00			
<b>MITCHELLA</b> (Rubiaceae)										
MA 159 <b>repens</b> , Partridge Berry, 5 cm, small white, fragrant flowers, round, evergreen foliage, scarlet berries, delicate groundcover, V-VI, Z3-8 . . . . .	5	1	⊗ ~> 🍁	-	420,00	52,00	9,20			
<b>MITELLA</b> (Saxifragaceae)										
MA 160 <b>breweri</b> , Feathery Bishop's Cap, 25 cm, greenish yellow, excellent groundcover with vigorous lustrous foliage, IV-VIII, Z5-9 . . . . .	0,5	20	★	-	-	7,20	3,60			
<b>MOLOPOSPERMUM</b> (Apiaceae)										
MA 180 <b>peloponnesiacum</b> , Striped Hemlock, 160 cm, white umbels, pinnatifid aromatic foliage, V-VI, Z5-9 . . . . .	40	8	Sol	-	36,00	4,50	4,50			
<b>MOLTKIA</b> (Boraginaceae)										
MA 184 <b>petraea</b> , 20 cm, violet-blue, silky hairy leaves, V-VIII, Z5-8 . . . . .	3	9	△	-	154,00	18,00	6,00			
<b>MONARDA</b> (Lamiaceae, Labiate)										
MA 190 <b>bradburiana</b> , 80 cm, purple, lilac or reddish, flowers later than <i>M. didyma</i> , drought tolerant, VII-IX, Z4-8 . . . . .	3	15	×	512,00	64,00	8,00	4,00			
MA 194 <b>citriodora</b> , Lemon-Mint, Lemon Bergamot, 80 cm, rosy-red, purple spotted whorl flowers, VI-IX, Z5-8 . . . . .	3	15	× ①	180,00	24,00	3,20	2,00			
MA 195 <b>Citriodora-Hybr. 'Bergamo'</b> , <small>(FS)</small> , 60 cm, intensive rose-purple, compact habit, flowering first year from seed, short lived, VI-IX, Z5-8 . . . . .	1	15	× ① ⊙	-	324,00	36,00	4,80			
MA 202 <b>didyma 'Panorama Mixture'</b> , 110 cm, colour range of red, pink, purple, white and salmon, VII-IX, Z4-8 . . . . .	3	15	× ⚡	996,00	110,00	12,00	4,00			
MA 206 <b>didyma 'Red Colors'</b> , 100 cm, mostly red to scarlet, VII-IX, Z4-8 . . . . .	3	16	× ⚡	1540,00	162,00	18,00	6,00			
MA 208 <b>fistulosa</b> , Horsemint, Wild Bergamot, 80 cm, mostly lilac, for dry locations, VII-IX, Z4-8 <i>(see also Organic-Seeds)</i> . . . . .	3	15	× \$	280,00	35,00	4,60	2,30			
MA 209 <b>pectinata</b> , 40 cm, white often with pink, aromatic fragrant foliage, IV-VIII, Z6-10 . . . . .	1	15	○	-	120,00	16,00	4,00			
MA 210 <b>punctata</b> , Spotted Bee Balm, 90 cm, pink bracts, yellow, purple spots, VII-IX, Z4-8 . . . . .	3	15	⊗ × \$ ①	369,00	46,00	6,20	3,10			
<b>MONARDELLA</b> (Lamiaceae, Labiate)										
MA 220 <b>odoratissima</b> , 15 cm, lilac, aromatic foliage, VI-IX, Z6-9 . . . . .	2	8	△	-	256,00	32,00	8,00			


**MONARDA pectinata**
**MORINA longifolia**
**MUSCARIS comosum**
**MYOSOTIDIUM hortensia**

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>MONTIA</b> (Portulacaceae)								
MA 225 <b>sibirica</b> ( <i>CLAYTONIA</i> ), 8 cm, pink, prefers shade and moisture, IV-VI, Z3-9 .....		3	9	△ ↗	–	–	12,00	6,00
<b>MORINA</b> (Morinaceae)								
MA 230 <b>longifolia</b> , 80 cm, white, later reddish, fragrant, VI-VIII, Z5-8 .....		30	15	✗	380,00	48,00	5,20	5,20
<b>MUEHLENBECKIA</b> (Polygonaceae)								
MA 233 <b>axillaris</b> , 10 cm, greenish-white, dense summergreen mats, white berries, VII-IX, Z6-10 .....		10	1	❖ ↗ ↘ ↖	–	120,00	16,00	8,00
<b>MUSCARI</b> (Hyacinthaceae, Liliaceae)								
MA 234 <b>comosum</b> , 30 cm, blue panicles, V-VI, Z4-8 .....		15	8	△ \$	128,00	16,00	2,00	2,00
<b>MYOSOTIDIUM</b> (Boraginaceae)								
MA 237 <b>hortensia</b> , Chatham Island Forget-me-not, 50 cm, large light blue flower umbels, cordate leaves, VII-VIII, Z7-10, .....	<b>pure seed</b>	50	19	↖ Ca ♡	720,00	90,00	11,40	18,00
<b>MYOSOTIS</b> (Boraginaceae)								
MA 262 <b>capitata</b> , 10 cm, deep blue, spatulate foliage, a rarity, VI-VIII, Z7-10 .....		1	15	△ ↗ △	–	464,00	58,00	8,00
MA 240 <b>palustris (scorpioides)</b> , 35 cm, heavenly blue, V-X, Z3-8 .....		2	15	❀ ①	384,00	48,00	6,00	3,00
MA 241 <b>palustris 'Alba'</b> [ <i>Ice Pearl</i> ], 35 cm, pure white, rich flowering, light, fresh green foliage, first year flowering from seed, V-X, Z3-8 .....		1	15	❀ ①	–	–	18,00	4,50
MA 242 <b>pulvinaris</b> , 5 cm, white, compact cushions, rare, IV-V, Z7-8 .....		1	15	△ ↗ △	–	–	–	9,80
<b>MYRRHIS sylvatica compacta Victoria-Series</b> , 20 cm, compact habit, intense colours, ideal for use as pot-plants and borders, perennial but mostly grown as a biennial, IV-VIII, Z4-8 .....								
MA 244 <b>'Victoria Light-blue'</b> } .....								
MA 245 <b>'Victoria Indigo-blue'</b> } .....								
MA 246 <b>'Victoria Pink'</b> } .....								
MA 247 <b>'Victoria White'</b> } .....								
<b>MYRRHIS odorata</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>NARCISSUS</b> (Amaryllidaceae)								
NA 004 <b>cyclamineus</b> , <small>(AGM)</small> , Donkey's Ears, 20 cm, golden, nodding flowers, III-IV, Z6-9 .....		10	8	△ ❀	–	–	12,00	6,00
NA 006 <b>poeticus</b> , 40 cm, pure white, strong fragrance, V-VI, Z4-8 .....		40	1	④ △ > ✗	–	–	4,40	2,20
<b>NARTHECIUM</b> (Liliaceae)								
NA 010 <b>ossifragum</b> , 30 cm, yellow, green stripes, red stamen, orange capsule, VII-VIII, Z5-8 .....		0,5	18	Ca ❀ ✗	–	–	18,00	4,50
<b>NASTURTIUM officinale</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>NECTAROSCORDUM</b> (Alliaceae, Liliaceae)								
NA 015 <b>siculum (ALLIUM)</b> , 80 cm, greenish-white with pink touch, loose umbels, V-VI, Z5-8 .....		15	1	✗	384,00	48,00	6,00	3,00


**MYOSOTIS pulvinaris**

**NECTAROSCORDUM siculum**

**NEPETA nervosa**

**NEPETA govaniana**

**NEPETA racemosa**

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>NEPETA</b> (Lamiaceae, Labiateae)								
	cataria - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
NA 022	clarkei, 70 cm, blue with white lip, VI-VII, Z4-7.....	2	15	✗	448,00	56,00	7,00	3,50
	x faassenii - see <b>racemosa</b>							
NA 016	govaniana, 100 cm, yellow, loose flowering spikes, light green, obovate foliage, VI-IX, Z4-7 ..	3	16	✿△	720,00	90,00	12,00	6,00
	mussinii hort. - see <b>racemosa</b>							
NA 028	nervosa [Blue Moon, Blue Carpet], 40 cm, inflorescence in dense light-blue spikes, VII-IX, Z3-9	2	15	✿△	720,00	90,00	12,00	4,50
NA 030	nervosa 'Pink Cat', 40 cm, intensive pink, dense spikes, VI-IX, Z3-9 ..	1	15	✿△	-	324,00	36,00	6,40
NA 031	nuda, 80 cm, violet-blue, upright habit, VI-VIII, Z5-9 ..	2	15	✗✿	-	56,00	7,00	3,50
NA 024	racemosa (x faassenii, mussinii), <small>(AGM)</small> , Catmint, 30 cm, light blue, blooms continuously, V-IX, Z3-8 ( <i>see also Organic-Seeds</i> ) ..	3	15	✿✿VV	192,00	27,00	3,60	2,00
NA 025	racemosa 'Alba', 30 cm, pure white, V-IX, Z3-8 ..	3	15	✿✿VV	320,00	40,00	5,00	2,50
NA 019	racemosa 'Felix', 25 cm, deep lilac-blue flowers, bluish gray aromatic foliage, uniform and compact habit, abundant flowering until frost, V-X, Z3-8 ..	3	15	✿✿VV	380,00	48,00	6,20	3,10
NA 026	racemosa 'Select', 50 cm, blue, upright habit, V-X, Z3-8 ..	3	15	✿VV	320,00	40,00	5,00	2,50
NA 032	stewartiana, 80 cm, lavender blue, dark green foliage, VI-VIII, Z6-9 ..	2	16	✗	320,00	40,00	5,00	2,50
NA 017	subsessilis 'Blue Dreams', 60 cm, brilliant blue, abundant flowering, blooms the first year after sowing, reblooms after deadheading, VI-VIII, Z3-9 ..	3	16	✿✿△	720,00	90,00	12,00	6,00
NA 018	subsessilis 'Pink Dreams', 60 cm, brilliant soft and intense pink, abundant flowering, blooms the first year after sowing, reblooms after deadheading, VI-VIII, Z3-9 ..	3	16	✿✿△	720,00	90,00	12,00	6,00



NEPETA racemosa 'Alba'



NEPETA racemosa 'Felix'



NEPETA stewartiana



NEPETA subsessilis 'Blue Dreams'



NEPETA subsessilis 'Pink Dreams'



NIPPONANTHEMUM niponicum



NOTOTHLASPI rosulatum



OENOThERA acaulis var. aurea



*OENOTHERA caespitosa* ssp. *eximia*



*OENOTHERA macrocarpa* 'Silver Wings'



*OENOTHERA* macr. ssp. *incana* 'Silver Blade'



*OENOTHERA odorata* 'Sulphurea'



*OENOTHERA pilosella* 'Yella Fella'



*OENOTHERA speciosa*



*OENOTHERA tetragona*



*OMPHALOGRAMMA vinciflorum*



*OENOTHERA versicolor*



*ONONIS spinosa*

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>NERIUM</b> (Apocynaceae)							
NA 029 oleander, 150 cm, red, rose, white, VI-XI, Z8-11 . . . . .	7	20	‡ ☐ ✕	128,00	16,00	2,20	2,20
<b>NICOTIANA</b> (Solanaceae)							
NA 040 glauca, up to 3 m, cream-yellow, blue green leaves, VII-X, Z7-11 . . . . .	0,5	15	① ☐ ✕	–	120,00	16,00	4,50
<b>NIGELLA sativa</b> - see Organic Seed							
<b>NIPPONANTHEMUM</b> (Asteraceae, Compositae)							
CA 470 ☐ nipponicum ( <b>CHRYSANTHEMUM</b> ), 50 cm, white with greenish-yellow disk, spatulate, leathery dark green foliage, bushy habit, valuable late flowering plant, X-XI, Z7-10 . . . . .	1,5	16	☐	–	84,00	9,60	4,80
<b>NOTOTHLASPI</b> (Brassicaceae, Cruciferae)							
NA 060 ☐ rosulatum, 15 cm, white, pyramid shaped inflorescence, delicate rosettes, VI-VII, Z7-10 . . . . .	0,5	9	△ ~	–	–	38,00	9,50
<b>OCIMUM</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>OENOTHERA</b> (Onagraceae)							
OA 010 ☐ acaulis var. aurea (taraxacifolia), 10 cm, yellow, VI-X, Z5-8 . . . . .	1	15	△	280,00	35,00	4,40	2,20
biennis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
OA 012 ☐ caespitosa ssp. eximia, 20 cm, large white blossoms, bushy habit, VI-VIII, Z3-7 . . . . .	7	15	△	768,00	96,00	12,00	6,00
erythrosepala - see glazioviana							
OA 018 fruticosa 'Youngii', 50 cm, yellow, large flowers, VI-VIII, Z4-8 . . . . .	1	15	✗	580,00	72,00	9,00	3,80
fruticosa ssp. glauca - see tetragona							
glauca - see tetragona							
OA 014 glazioviana (erythrosepala) [ <i>Tina James</i> ], 120 cm, yellow, large flowers, VI-IX, Z3-8 . . . . .	5	15	◎	72,00	12,00	2,00	2,00
OA 022 Kunthiana [ <i>Glowing Magenta, Rosie</i> ], 30 cm, pink, lanceolate leaves, flowers the first year, IV-VIII, Z7-10 . . . . .	1	15	△ ①	–	82,00	12,00	5,00
lamarckiana - see glazioviana							
lindheimeri - see GAURA lindheimeri							
OA 026 macrocarpa (missouriensis), (AGM), 20 cm, golden, green foliage, VI-IX, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	15	9	△ ↗ ①	192,00	24,00	3,00	3,00
OA 027 ☐ macrocarpa ssp. fremontii 'Silver Wings', 15 cm, golden, large flowering, narrow, lanceolate, grey-green foliage, VI-IX, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	6	9	△ ↗ ①	320,00	40,00	5,00	3,80
OA 028 ☐ macrocarpa ssp. incana Silver Blade® [ <i>Pewter Moon</i> ], (PS), 20 cm, golden, very large flowering, silver-grey foliage, red stems, VI-IX, Z4-8 (see also GOLD NUGGET SEED®) . . . . .	15	8	△ ↗ ↗ ①	320,00	40,00	5,00	3,80
OA 031 ☐ odorata (stricta) 'Sulphurea' [ <i>Apricot Delight, Lemon Sunset</i> ], 60 cm, light yellow changing to orange and fading to pink, large flowering, VII-X, Z5-10 . . . . .	3	15	◎	164,00	24,00	3,40	2,00
OA 032 pallida [ <i>Innocence</i> ], 30 cm, pale lilac to white, V-IX, Z4-8 . . . . .	5	15	△ ①	72,00	12,00	2,00	2,00
OA 034 perennis (pumila), 30 cm, yellow, V-VIII, Z4-8 . . . . .	1	15	△	384,00	48,00	6,00	3,00
OA 044 ☐ pilosella 'Yella Fella', 40 cm, large golden flowers, brilliant orange in bud, intensive green hairy foliage, reddish fall color, stable, VI-VIII, Z4-8 . . . . .	1	15	◎ ✕ △	620,00	78,00	12,00	6,00
serrulatus - see CALYLOPHUS							
OA 038 ☐ speciosa [ <i>Silky, Pink Petticoats</i> ], 40 cm, soft pink, fragrant, blooms day and night, VI-IX, Z5-8 . . . . .	5	15	△ ◎	420,00	54,00	6,80	3,40
stricta - see odorata							
OA 042 ☐ tetragona (fruticosa ssp. glauca) [ <i>Evening Sun, Sundrops</i> ], (AGM), 50 cm, golden, buds tinged red, VI-VIII, Z4-8 . . . . .	1	15	✗ ◎	580,00	72,00	9,00	3,80
OA 046 ☐ versicolor [ <i>Sunset Boulevard</i> ], 40 cm, intense orange, flowers the first year, short lived, VI-VII, Z7-10 . . . . .	2	16	◎	–	96,00	12,00	4,00
<b>OLIGONEURON</b> - see ASTER + SOLIDAGO							
<b>OMPHALOGRAMMA</b> (Primulaceae)							
NEW! OA 054 ☐ vinciflorum ( <b>PRIMULA</b> ), 15 cm, deep purple blossoms, dense basal leaf rosettes, a rarity, IV-V, Z6-9 . . . . .	0,25	9	△ ~	–	–	–	9,80
<b>ONONIS</b> (Papilionaceae, Leguminosae)							
OA 060 ☐ natrix, Yellow Restarrow, 30 cm, golden pea flowers with purple veins, V-VIII, Z4-8 . . . . .	10	9	△	345,00	46,00	5,80	3,20
OA 058 rotundifolia, 50 cm, white with pink, V-IX, Z6-9 . . . . .	8	10	△	–	38,00	4,60	4,60
OA 062 ☐ spinosa, 45 cm, rose-purple, VI-IX, Z5-9 (see also GOLD NUGGET SEED®) . . . . .	15	8	↗ \$ ✕	240,00	28,00	3,60	2,20
<b>ONOPORDUM</b> (Asteraceae, Compositae)							
OA 070 acanthium ( <b>nervosum</b> ), 200 cm, purple, VII-IX, Z4-8 . . . . .	40	8	◎ Sol \$	64,00	8,00	2,00	2,00
<b>ONOSMA</b> (Boraginaceae)							
OA 077 echooides, 30 cm, light yellow, rich flowering, V-VIII, Z6-9 . . . . .	6	1	△	–	38,00	4,80	3,60
OA 076 ☐ polypodium, Golden Drops, 25 cm, golden, silvery, lanceolate foliage, loose cushions, V-VII, Z5-8 . . . . .	6	1	△ D	–	40,00	5,00	3,80
OA 074 ☐ rigida ( <i>taurica</i> ), (AGM), 25 cm, light yellow, V-VII, Z5-8 . . . . .	6	1	△	256,00	32,00	4,00	3,00
OA 073 stellulata, 30 cm, yellow, V-VI, Z5-8 . . . . .	6	1	△	–	38,00	4,60	3,50
<b>OPOPANAX</b> (Apiaceae, Umbelliferae)							
OA 089 chironium, Hercules All Heal, 160 cm, yellow umbels, richly branched, V-VII, Z6-9 . . . . .	30	1	Sol N	112,00	14,00	2,00	2,00
<b>OPUNTIA</b> (Cactaceae)							
OA 078 ficus-indica, Indian Fig, 200 cm, yellow to orange-red flowers, large stem segments, IV-VII, Z8-11 . . . . .	30	20	\$ ☐ N	128,00	16,00	2,00	2,00
OA 080 humifusa ( <i>vulgaris, compressa</i> ), 20 cm, yellow blossoms, VI, Z4-10 . . . . .	50	11	~ \$	128,00	16,00	2,00	4,00
OA 081 ☐ imbricata ( <b>CYLINDROPUNTIA</b> ), 150 cm, magenta blossoms, shrubby habit, VII-IX, Z6-10 . . . . .	50	1	△ ~	98,00	16,00	2,80	2,80
OA 085 polyacantha, 20 cm, yellow, exterior reddish, brown-red spines, VI, Z3-8 . . . . .	50	11	△	192,00	24,00	3,00	6,00
<b>OREOMYRRHIS</b> (Apiaceae, Umbelliferae)							
OA 082 ☐ argentea, 15 cm, inconspicuous flower umbels, fern like finely pinnatifid, silver-grey foliage, VI-VII, Z6-9 . . . . .	5	8	△ *	–	–	24,00	8,00



*ONONIS natrix*



*ONOSMA polyphyllum*



*ONOSMA rigida*



*OPUNTIA imbricata*



*ORLAYA grandiflora*



*OREOMYRRHIS argentea*



*OURISIA caespitosa*

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>ORIGANUM</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
<b>ORLAYA</b> (Apiaceae, <i>Umbelliferae</i> )							
OA 097 ☼ <b>grandiflora [White Lace, White Finch]</b> , 60 cm, magnificent white umbels with large white outer blossoms, feathered foliage, shortlived but outstanding, VI-IX, Z5-9 <i>(see also Organic-Seeds)</i>	50	9	⊗ ⊖ ⊙	128,00	16,00	2,50	5,00
<b>ORNITHOGALUM</b> (Hyacinthaceae, <i>Liliaceae</i> )							
OA 100 <b>umbellatum</b> , 15 cm, white, corymbs with many flowers, IV-V, Z4-9	15	9	△ ✕	240,00	30,00	3,80	3,80
<b>OROBUS vernus</b> - see <b>LATHYRUS vernus</b>							
<b>OURISIA</b> (Scrophulariaceae)							
OA 102 ☼ <b>caespitosa</b> , 5 cm, white with yellow throat, compact cushion, V-VII, Z6-9	0,25	1	△ ~ Ca	-	-	28,00	6,00
OA 104 ☼ <b>glandulosa</b> , 15 cm, white with purple throat, flat cushions, VI-VIII, Z6-9	0,25	1	△ ~ Ca	-	-	24,00	6,00
<b>OXYRIA</b> (Polygonaceae)							
OA 114 <b>digyna</b> , Mountain Sorrel, 15 cm, pale green to bloodred, kidney-shaped foliage, VII-VIII, Z2-8	3	15	△ Ca	-	136,00	18,00	3,60
<b>OXYTROPIS</b> (Papilionaceae, <i>Leguminosae</i> )							
OA 120 <b>campestris</b> , 15 cm, pale yellow, grey-green, feathered foliage, VI-VIII, Z3-8	5	9	△	-	-	7,20	2,80
OA 140 <b>lapponica</b> , 10 cm, violet-blue, VII, Z3-8	5	9	△	-	-	7,20	2,80
OA 142 <b>purpurea</b> , 15 cm, purple, grey pinnatifid foliage, V-VII, Z3-8	5	9	△	256,00	32,00	4,00	2,00
<b>PAEONIA</b> (Paeoniaceae)							
PA 002 ☼ <b>anomala</b> , 80 cm, pink to purple, 10 cm Ø, fine foliage, VI-VII, Z3-7	200	6/10	Sol	240,00	30,00	3,80	15,00
PA 023 <b>cambessedesii</b> , ☼ Majorcan Peony, 40 cm, deep pink, V-VI, Z8-10	50	6/10	△ ~	-	96,00	12,00	12,00
PA 006 <b>lutea var. ludlowii</b> , ☼ up to 200 cm, yellow, V-VI, Z5-8 <b>officinalis</b> ssp. <b>banatica</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed	1000	6/10	Sol	62,00	8,00	2,00	16,00
PA 011 ☼ <b>peregrina</b> , 60 cm, deep carmine red, V-VI, Z5-10	300	6/10	Sol	96,00	12,00	2,00	9,00
PA 017 ☼ <b>Rockii-Hybr. (Ganshu Mudan)</b> , 120 cm, white to pink with purple center, fragrant, V-VI, Z5-10	500	6/10	⊗ Sol	320,00	42,00	5,40	42,00
PA 009 ☼ <b>tenuifolia</b> , 50 cm, brick red, feathered leaves, V-VI, Z5-9	150	6/10	⊗ Sol	360,00	46,00	5,80	12,00
<b>PANAX</b> ginseng - see Perennial Herbs - Culinary, Teas and Medicinal							
<b>PANCRATIUM</b> (Amaryllidaceae)							
PA 015 ☼ <b>maritimum</b> , Sand Lily, 50 cm, white, large umbels with 4-10 blossoms, evergreen, VIII-X, Z7-10	80	7/16	⊗ ✕	245,00	30,00	3,80	10,00



OURISIA glandulosa



PAEONIA anomala



PAEONIA peregrina



PAEONIA Rockii-Hybr.



PAEONIA tenuifolia

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PAPAVER (Papaveraceae)</b>								
PA 014	alpinum Hybrids, Alpine Poppy, 25 cm, mixed colors, white, yellow, orange, VI-VII, Z4-8 . . .	1	15	⊗ △ ⊗	780,00	96,00	12,00	4,00
PA 018	atlanticum, 30 cm, light orange, VI-VIII, Z5-8 . . .	1	16	△	–	30,00	3,80	2,00
PA 037	cambricum - see <b>MECONOPSIS cambrica</b>							
PA 024	dubium, Longhead Poppy, 40 cm, orange-red, V-VII, Z6-9 . . .	0,25	8	⊗ × ⊗	48,00	8,00	2,00	2,00
PA 024	miyabeanum 'Pacino' [ <i>Moondance</i> ], 15 cm, sulphur yellow, V-VI, Z2-8 . . .	0,5	15	⊗ △ ⊗	1536,00	192,00	24,00	4,00
<b>Nudicaule-Hybr. Champagne Bubbles F-Series</b> , 35 cm, very large flowering, strong stems, very long flowering, flowers approx. 16 weeks after sowing, VI-IX, Z2-8, <b>appr. 6000 seeds = 1g</b>								
PA 027	'Champagne Bubbles F, Yellow'							
PA 028	'Champagne Bubbles F, Orange'							
PA 029	'Champagne Bubbles F, Pink'							
PA 033	'Champagne Bubbles F, Scarlet'							
PA 031	'Champagne Bubbles F, White'							
PA 025	'Champagne Bubbles F, Citrus Mix'							
PA 032	'Champagne Bubbles Classic Mix'							
PA 026	<b>Nudicaule-Hybr. 'Gartenzwerg'</b> [ <i>Gnome, Garden Gnome</i> ], 30 cm, mixture of white, yellow, orange, scarlet and shades in between, VI-IX, Z2-8 . . .	1	15	⊗ △ ×	2590,00	288,00	32,00	3,80
PA 038	PA 038 ☺ <b>Nudicaule-Hybr. Deluxe Mixture</b> , 50 cm, VI-IX, Z2-8 . . .	1	15	⊗ △ ×	240,00	32,00	4,00	2,00
<b>Nudicaule-Hybr. Wonderland-Series</b> , 25 cm, flowers 10 cm Ø, flowers the entire summer, V-IX, Z2-8								
PA 052	'Wonderland Yellow'							
PA 054	'Wonderland Orange'							
PA 056	'Wonderland Pink Shades'							
PA 050	'Wonderland White'							
PA 058	'Wonderland Mixture'							
<b>Oriente-Hybr. single colours</b> , 80 cm, large flowers, V-VI, Z3-8								
PA 062	'Beauty of Livermere', dark red							
PA 066	'Brilliant', fire-red							
PA 069	'Königin Alexandra' [ <i>Carneum</i> ], salmon pink with black center							
PA 070	PA 070 ☺ Nana 'Allegro', only 60 cm, scarlet-red							
PA 074	'Prinzessin Victoria Louise' [ <i>Coral Reef</i> ], salmon colored							
PA 060	PA 060 ☺ 'Royal Wedding' [ <i>Choir Boy, Checkers</i> ], 80 cm, pure white with black center, V-VI, Z3-8	1	15	×	760,00	86,00	9,60	3,20
PA 078	plena 'May Queen', 80 cm, orangered double, V-VI, Z3-8							
<b>Oriente-Hybr. Mixtures</b>								
PA 086	'Haremstraum', 80 cm, mixture of new hybrids, V-VI, Z3-8 . . .	1	15	×	480,00	60,00	7,60	3,80
PA 084	PA 084 ☺ 'Pizzicato', ☺, 50 cm, colour range of red, scarlet, orange, salmon, mauve, pink and white, dwarf and especially stable, V-VI, Z3-8 . . .	1	15	×	760,00	86,00	9,60	3,20
PA 082	Deluxe Mixture, 80 cm, V-VI, Z3-8 . . .	1	15	×	192,00	24,00	3,00	2,00


**PANCRATIUM maritimum**

**PAPAVER miyabeanum 'Pacino'**

**PAPAVER Orient.-Hybr. Nana 'Allegro'**

**PAPAVER Orient.-Hybr. 'Royal Wedding'**

**PAPAVER Orientale-Hybr. 'Pizzicato'**



PAPAVER Nudicaule-Hybr. Deluxe Mixture



PAPAVER pilosum ssp. spicatum



PAPAVER rupifragum 'Flore Pleno'



PARADISEA lusitanica

PARDANCANDA norrisii

	Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PAPAVER continuation</b>							
PA 106 ☼ pilosum ssp. spicatum, 60 cm, softly orange, large flowering, up to 12 flowers per stem, the upper most flower opens first, grey hairy leaves, VI-VIII, Z7-10 . . . . .	0,5	8	△	1530,00	192,00	24,00	6,00
PA 098 rhaeticum, 20 cm, golden, V-VI, Z4-8. . . . .	1	9	△	—	180,00	20,00	5,00
PA 100 rupifragum, 45 cm, brilliant orange, VI-VIII, Z6-9 . . . . .	1	16	⊗ △	240,00	30,00	3,80	2,00
PA 102 ☼ rupifragum 'Flore Pleno' [Double Tangarine Gem, Orange Feathers, Tangerine Parfait], 45 cm, brilliant orange, semi double flowers, VI-VIII, Z6-9 . . . . .	1	16	⊗ △ ×	288,00	36,00	4,40	2,20
PA 108 trinifolium, 40 cm, pale orange, pyramid-like flower stems, grey-green prickly leaf-rosettes, monocarpic, unusual, VI-VII, Z6-9 . . . . .	0,5	16	△ *	—	—	—	4,50
<b>PARADISEA (Asphodelaceae, Liliaceae)</b>							
PA 110 iliastrum 'Major', (AGM), 50 cm, white, V-VI, Z6-9. . . . .	20	1	△	360,00	46,00	5,80	5,80
PA 114 ☼ lusitanica, 80 cm, white, robust, VII-VIII, Z6-9 . . . . .	20	1	△ ×	180,00	24,00	3,00	3,00
<b>PARAMECONOPSIS - see MECONOPSIS cambrica</b>							
<b>PARDANCANDA (Iridaceae)</b>							
PA 120 ☼ norrisii [Kiba Giants], 60 cm, mixture of yellow, red and violet shades, tiger-striped and single colored flowers ca. 8 cm Ø, seed heads suitable for flower arrangement, VI-IX, Z5-9. . . . .	50	7	× &	256,00	32,00	4,00	6,40
PA 122 norrisii 'Dazzler', 35 cm, rich colour mixture, dwarf and compact habit, VI-IX, Z5-9. . . . .	50	7	△ ×	368,00	46,00	5,80	7,80
<b>PARIS (Trilliaceae, Liliaceae)</b>							
PA 128 ☼ quadrifolia, Herb Paris, 20 cm, greenish-white flower, only one leaf whorl, blue berry, VI-VII, Z5-8	10	1	⊗ & *	360,00	46,00	5,80	3,20
<b>PARNASSIA (Saxifragaceae)</b>							
PA 134 palustris, 15 cm, white, VII-IX, Z4-8 . . . . .	0,25	1	*** \$ Ca	—	324,00	36,00	4,50
<b>PARTHENIUM (Asteraceae, Compositae)</b>							
PA 140 integrifolium, Wild Quinine, 90 cm, white, very aromatic, V-VII, Z3-8 . . . . .	5	9	× \$	256,00	32,00	4,00	3,00
<b>PASSIFLORA (Passifloraceae)</b>							
PA 145 caerulea, (AGM), Passion Flower, climbing up to 3 m, flowers whitish with blue filaments, VI-IX, Z6-9 . . . . .	15	20	⊗ ⊖ *	320,00	40,00	5,00	5,00
<b>PASTINACA sativa - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							



**PARIS quadrifolia**



**PATRINIA scabiosifolia**



**PEGANUM harmala**



**PELARGONIUM endlicherianum**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PATRINIA</b> (Valerianaceae)							
PA 150 <b>gibbosa</b> , 40 cm, yellow, V-VII, Z5-8 .....	3	9	△	360,00	45,00	5,60	4,20
PA 154 <b>scabiosifolia</b> , 70 cm, yellow umbels, VII-VIII, Z5-8, TCM plant .....	2	9	✗	768,00	96,00	12,00	6,00
PA 156 <b>villosa</b> , 70 cm, white umbels, feathered foliage, VII-VIII, Z5-8, TCM plant .....	2	9	✗	512,00	64,00	8,00	4,00
<b>PEGANUM</b> (Zygophyllaceae)							
PA 165 <b>harmala</b> , Harmal, 50 cm, white, narrow feathered foliage, poisonous, VII-VIII, Z7-10 .....	5	15	✗ ✗ ⓘ \$	192,00	24,00	3,00	2,30
<b>PELARGONIUM</b> (Geraniaceae)							
PA 158 <b>endlicherianum</b> , 15 cm, deep pink, lime loving, VI-VIII, Z7-9 .....	20	9	△ ▲	1280,00	160,00	20,00	20,00
<b>PELTiphyllum</b> (Saxifragaceae)							
PA 160 <b>peltatum (DARMERA)</b> ,  100 cm, pink, decorative leaves appear after flowers, IV-V, Z5-8 .....	1	15	❀❀	–	96,00	12,00	4,00
<b>PELTBOYKINIA</b> (Saxifragaceae)							
PA 170 <b>tellimoides (BOYKINIA)</b> , 80 cm, yellow, large blossoms, very decorative leaves, VI-VII, Z3-9 ..	0,25	9	✿✿	–	192,00	24,00	3,00
PA 172 <b>watanabei</b> , 50 cm, cream-yellow, shield-like glossy foliage, VI-VII, Z3-9 .....	0,25	1	✿✿	–	256,00	32,00	4,00



**PELTIPHYLLUM peltatum**



**PELTBOYKINIA watanabei**



**PENSTEMON barbatus var. praecox f. nanus 'Rondo'**



**PENSTEMON alpinus**



**PENSTEMON angustifolius**

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PENSTEMON</b> (Scrophulariaceae)								
PA 182 ☼ <i>alpinus</i> , 30 cm, bright blue to blue-violet, V–VII, Z4–9 . . . . .		3	1	蜜蜂△	720,00	90,00	12,00	3,20
PA 186 ☼ <i>angustifolius</i> , Narrowleaf Beard Tongue, 30 cm, brilliant blue colours, evergreen rosettes, VI–VIII, Z4–10 . . . . .		5	1	△	240,00	32,00	4,00	2,40
arizonicus - see <i>whippleanus</i>								
PA 188 <i>barbatus</i> ssp. <i>coccineus</i> [ <i>Jingle Bells</i> ], 150 cm, scarlet, VII–IX, Z3–8 . . . . .		3	15	蜜蜂×	98,00	14,00	2,00	2,00
PA 196 ☼ <i>barbatus</i> var. <i>praecox</i> f. <i>nanus</i> 'Rondo' [ <i>Cambridge Mix</i> ], 40 cm, blossoms around the stem, mixture of pink, red and violet colors, VII–IX, Z3–8 . . . . .		3	16	⊗⊗	240,00	32,00	4,00	2,00
PA 200 ☼ <i>cobaea</i> , 50 cm, lilac-rose to white, large flowering, VII–VIII, Z4–8 ( <i>s. also GOLD NUGGET SEED®</i> )		3	8	⊗	—	48,00	6,00	3,00
PA 203 <i>confertus</i> , 30 cm, light yellow, V–VII, Z3–8 . . . . .		3	8	△	192,00	24,00	3,00	2,00
PA 205 <i>cyananthus</i> , 40 cm, brilliant blue, blue-green foliage, VI–VIII, Z4–8 . . . . .		2	8	△	176,00	22,00	3,00	2,00
diffusus - see <i>serrulatus</i>								
PA 208 <i>digitalis</i> , 100 cm, white with pink flush, glossy green leaves, VI–VIII, Z3–8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		2	8	⊗	240,00	32,00	4,00	2,00
PA 209 ☼ <i>digitalis</i> 'Husker Red Strain' [ <i>Mystica</i> ], 100 cm, white, bronze-purple foliage, VI–VIII, Z3–8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		2	8	⊗⊗	540,00	68,00	8,40	4,20
<b>NEW!</b> PA 210 ☼ <i>eatonii</i> , Eaton's Firecracker, Firecracker Beardtongue, 60 cm, scarlet, V–VII, Z4–9 . . . . .		3	1	⊗△	—	48,00	6,00	3,00
<i>fruticosus</i> - see <i>scouleri</i>								
<i>glaucus</i> - see <i>speciosus</i>								
PA 218 <i>grandiflorus</i> , Large Flowered Beard Tongue, 100 cm, lavender-blue, large flowering, blue-green foliage, VI–VIII, Z3–8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		5	8	⊗	182,00	26,00	3,80	2,00
PA 219 ☼ <i>grandiflorus</i> Prairie Jewel® [ <i>War Axe</i> ], 60 cm, selected large flowering strain with a colour range of pure white to lavender coloured, pink, blue to dark violet purple, silver-green leaf rosettes, V–VIII, Z3–9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		5	8	⊗⊗	610,00	76,00	9,60	4,80
PA 225 <i>hartwegii</i> 'Giganteus', 75 cm, large flowering color mix, red, pink, violet, blue, VI–IX, Z8–10 . . . . .		2	16	⊗⊗	996,00	124,00	16,00	4,00
PA 222 <i>heterophyllus</i> 'Blue Springs' [ <i>Electric Blue</i> ], 40 cm, azure blue, large flowering, narrow foliage, VI–VIII, Z6–10 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		3	8	△	320,00	40,00	5,00	2,50
PA 224 <i>heterophyllus</i> 'Züriblau', 50 cm, gentian-blue, very abundant flowers, VI–VII, Z5–9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		3	8	△	384,00	48,00	6,00	3,00
PA 229 ☼ <i>hirsutus</i> var. <i>pygmaeus</i> , 15 cm, violet, VI–VIII, Z3–8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		2	8	△⊗	768,00	96,00	12,00	6,00
PA 231 <i>hirsutus</i> var. <i>pygmaeus</i> f. <i>albus</i> , 15 cm, pure white, compact, VI–VIII, Z3–8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		2	8	△⊗	768,00	96,00	12,00	6,00
PA 221 ☼ <i>mensarum</i> , Grand Mesa Beard Tongue, 40 cm, brilliant gentian blue, abundant flowering, shiny green foliage, V–VIII, Z3–9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .		2	8	△	—	86,00	9,60	4,80
PA 234 ☼ <i>x mexicale</i> 'Sunburst Amethyst', 50 cm, purple colored tubular-shaped blossoms with white center, rich flowering, healthy, narrow, glossy foliage, VI–IX, Z5–8 . . . . .		1	16	⊗△⊗⊗	1536,00	192,00	24,00	4,00
PA 233 ☼ <i>x mexicale</i> 'Sunburst Ruby', 40 cm, ruby-red tubular-shaped blossoms with white center, rich flowering, healthy, narrow, glossy green foliage, VI–IX, Z5–8 . . . . .		1	16	⊗△⊗⊗	1536,00	192,00	24,00	4,00
PA 237 <i>x mexicale</i> 'Sunburst Colours', 45 cm, brilliant colours, pink, red, lavender coloured to purple flowers, most with a white center, rich flowering, healthy, narrow glossy green foliage, VI–IX, Z5–8 . . . . .		1	16	⊗△⊗⊗	560,00	72,00	9,20	3,20

continued on the following page



PENSTEMON cobaea



PENSTEMON eatonii



PENSTEMON grandiflorus Prairie Jewel®



PENSTEMON digitalis 'Husker Red Strain'



PENSTEMON hirsutus var. pygmaeus

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PENSTEMON continuation</b>								
PA 236	ovatus, 100 cm, ultramarine blue to purple-rose, V-VI, Z3-8 <i>(see also GOLD NUGGET SEED®)</i>	3	8	×	208,00	26,00	3,40	2,00
PA 238	parryi, 45 cm, dark rose, attractive, IV-VI, Z7-9	2	8	△ ×	738,00	82,00	9,20	4,60
PA 240	pinifolius, <small>[AGM]</small> , 20 cm, brilliant orange-red flowers, needle-like evergreen foliage, VI-IX, Z5-9	1	16	△	1152,00	144,00	18,00	4,50
PA 242	pinifolius 'Mersea Yellow', 20 cm, brilliant yellow, evergreen, VI-IX, Z5-9	1	16	△	–	256,00	32,00	8,00
PA 241	pseudospectabilis, <small>[PS]</small> , Desert Beardtongue, 80 cm, intense deep pink, grey-bluish foliage, V-VII, Z5-9 <i>(see also Organic-Seeds)</i>	2	9	△ ×	–	86,00	9,60	4,80
PA 246	pubescens - see hirsutus							
PA 248	richardsonii, 45 cm, purple-red, VI-VIII, Z6-9	2	8		–	58,00	7,20	3,60
PA 206	scouleri (fruticosus), <small>[AGM]</small> , 30 cm, purple-violet flower panicles, wintergreen foliage, shrubby, V-VII, Z4-8	1	8	△ ♀	–	72,00	9,00	4,50
PA 204	serrulatus (diffusus), 40 cm, light blue, VIII-IX, Z4-8	2	8	△ ×	–	82,00	9,20	4,60
PA 250	serrulatus 'Albus', 40 cm, pure white, VII-IX, Z4-8 <i>(see also GOLD NUGGET SEED®)</i>	2	8	△ ×	768,00	96,00	12,00	6,00
PA 256	smallii [Violet Dust], 60 cm, brilliant purple-lilac with white throat, rich flowering, VII-IX, Z5-8 <i>(see also GOLD NUGGET SEED®)</i>	3	8		384,00	48,00	6,00	3,00
PA 243	spectabilis, Royal Beard Tongue, 90 cm, violet-blue, grey-green foliage, VI-VII, Z7-10	3	1	△ ×	240,00	32,00	4,00	2,40
PA 257	speciosus (glaucus), Royal Penstemon, 40 cm, intense blue-violet, upright habit, V-VII, Z5-9	5	8	△	560,00	72,00	9,20	4,60
PA 256	strictus [Bandera], 45 cm, blue-violet, VII-VIII, Z3-8 <i>(see also GOLD NUGGET SEED®)</i>	3	8		126,00	18,00	2,40	2,00
NEW! PA 232	superbus, Superb Beardtongue, 80 cm, coral red, blue-green foliage, V-VII, Z4-9	2	9	△ ×	–	76,00	9,60	4,80
PA 251	venustus, 40 cm, purple-violet, rich flowering, V-VII, Z4-7	1	8	△	360,00	45,00	5,80	2,90
NEW! PA 235	virens, Blue Mist Beardtongue, 40 cm, bright deep blue, matforming, V-VI, Z4-8	0,5	9	△ ↗	–	76,00	9,00	3,20
PA 253	virgatus, 30 cm, violet-purple, vigorous foliage, dense flower stalks with large blossoms, VI-VII, Z4-8							
PA 254	virgatus (deaveri) 'Blue Buckle', 30 cm, blue-purple, large flowering, dense panicles, narrow and glossy dark green foliage, VII-IX, Z5-8	1	1	△ ♂	–	72,00	9,00	3,20
PA 252	watsonii, Watson's Beard Tongue, 40 cm, dark blue, lanceolate foliage, VI-VIII, Z3-9 <i>(see also GOLD NUGGET SEED®)</i>	3	15	△	580,00	72,00	9,00	4,50
PA 258	whippleanus [Chocolate Drop], 20 cm, purple-blue, VI-VII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i>	2	9	△ × ↗	768,00	96,00	12,00	6,00
<b>PENTHORUM (Penthoraceae)</b>								
PA 268	sedoides, 45 cm, yellow-green, flower heads mindful of Sedum, dense clumps, nice fall-color, V-VII, Z5-8	0,1	1	×	–	48,00	7,00	2,00
<b>PERILLA frutescens - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
PEROVSKIA (Lamiaceae, Labiateae)								
PA 259	atriplicifolia [Taiga], <small>[PPA]</small> , 120 cm, heavenly blue, variable, VII-IX, Z4-8	2	15	× ⊕	–	560,00	68,00	4,90
<b>PERSICARIA - see POLYGONUM</b>								



PENSTEMON mensarum



PENSTEMON x mex. 'Sunburst Amethyst'




PENSTEMON x mexicale 'Sunburst Ruby'



PENSTEMON ovatus



PENSTEMON pinifolius



PENSTEMON pinifolius 'Mersea Yellow'



PENSTEMON superbus



PENSTEMON serrulatus



PENSTEMON strictus



PENSTEMON pseudospectabilis



PENSTEMON virens



PENSTEMON virgatus 'Blue Buckle'



PENSTEMON watsonii



PENSTEMON whippleanus



PETALOSTEMON purpureum 'Stephanie'



PEUCEDANUM oreoselinum



PHACELIA sericea



PHLOMIS russeliana



PHLOMIS tuberosa

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PETALOSTEMON (DALEA) (Papilionaceae, Leguminosae)</b>								
PA 260	candidum, 45 cm, white flower spikes, V-IX, Z4-8, . . . . .	pure seed	3	15	×	196,00	28,00	4,00
PA 261	purpureum, 60 cm, rosy-purple, in 6 cm long cylindrical heads, VII, Z4-8, . . . . .	pure seed	3	15	×	196,00	28,00	4,00
PA 263 ☒	purpureum 'Stephanie', 40 cm, bright lavender-purple, rich flowering spikes, compact and sturdy selection with darker foliage. Bred by Dale Lindgren of Nebraska University, VI-VIII, Z4-8, . . . . .	pure seed	3	9	△ ×	620,00	78,00	9,60
<b>PETASITES (Asteraceae, Compositae)</b>								
PA 264	albus, 30 cm, white, bell shaped umbels, grey felt-like foliage, II-IV, Z4-8 . . . . .		1	8	❀	240,00	30,00	3,80
	hybridus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							2,00
<b>PETROPHYTUM (Rosaceae)</b>								
PA 269	caespitosum, 10 cm, white panicles, tight cushions, VI-VIII, Z3-8 . . . . .		0,5	16	△	-	-	32,00
<b>PETRORHAGIA (Caryophyllaceae)</b>								
TA 280	saxifraga (TUNICA) [Baby Breath], (AGM), 20 cm, pink, VI-IX, Z5-8 . . . . .		1	15	⊗ △	112,00	16,00	2,00
<b>PETROSEDUM - see SEDUM</b>								
<b>PETROSELINUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>PEUCEDANUM (Apiaceae, Umbelliferae)</b>								
PA 272	officinale, 120 cm, white, loose umbels, leathery, finely divided leaves, VII-IX, Z4-8 . . . . .		20	1	★ Sol ×	256,00	32,00	4,00
PA 271 ☒	oreoselinum, Mountain Hog's Fennel, 60 cm, white umbels, glossy feathered foliage, VII-IX, Z5-8		15	1	★	112,00	14,00	2,00
PA 274	ostruthium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							2,00
PA 274	verticillare, 170 cm, yellow-green umbels, richly branched, purple stems, VII-VIII, Z6-8 . . . . .		10	9	Sol ✕	96,00	12,00	2,00
<b>PHACELIA (Hydrophyllaceae)</b>								
PA 280 ☒	sericea, 25 cm, blue-purple, dense clusters, grey-leaved, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®).		1	9	△	768,00	86,00	12,00
	tanacetifolia - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							8,00
<b>PHEDIMUS - see SEDUM</b>								
<b>PHILOMIS (Lamiaceae, Labiateae)</b>								
PA 287	cashmeriana, (PS), Cashmere Sage, 60 cm, light lilac, VII-VIII, Z6-10 (s. a. GOLD NUGGET SEED®)		15	8	×	-	56,00	7,00
PA 290	fruticosa, (AGM), 75 cm, yellow, felt-like foliage, VI-VII, Z6-9 (see also GOLD NUGGET SEED®).		25	8	×	-	32,00	4,20
PA 294 ☒	russeliana (samia hort.), (AGM), 100 cm, yellow, decorative fruit-stalks, VI-VIII, Z6-9 (see also GOLD NUGGET SEED®).		25	8	×	192,00	24,00	3,00
PA 295	samia (true), 150 cm, dull purple, grey-green foliage, VII-IX, Z6-9 . . . . .		30	8	×	256,00	32,00	4,20
PA 296 ☒	tuberosa [Bronze Flamingo], 100 cm, violet, VI-VII, Z5-9 . . . . .		15	15	×	384,00	48,00	6,00

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	N° of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PHLOX</b> (Polemoniaceae)							
PA 300 <i>paniculata</i> 'New Hybrids', 90 cm, mixed colors, large flowers, VII-X, Z4-8 . . . . .	30	1		160,00	20,00	2,50	2,50
PA 308 <i>pilosa</i> , Prairie Phlox, 30 cm, purple-pink, rich flowering, lanceolate foliage, IV-VI, Z4-7 . . . . .	10	15		1540,00	192,00	24,00	8,00
<b>PHORMIUM</b> (Phormiaceae, Agavaceae)							
PA 323 <i>cockianum (coleosoi)</i> , 150 cm, greenish-yellow to orange flower panicles, broad leaves, VI-VIII, Z7-10 . . . . .	10	8	Sol	128,00	16,00	2,00	2,00
PA 324 <i>cockianum 'Purpureum'</i> , 150 cm, yellow-orange flower panicles, reddish-brown broad leaves, variabel, VI-VIII, Z7-10 . . . . .	10	8	Sol	392,00	56,00	8,00	8,00
PA 325 <i>tenax</i> ,  wide leaves up to 150 cm with red-brown veins, yellow-orange flower panicles up to 200 cm, VI-VIII, Z7-10 . . . . .	20	9	Sol	54,00	8,00	2,00	2,00
PA 328 <i>tenax</i> 'New Hybrids' [Rainbow Striped Hybr.], 150 cm, various foliage color, silver, green, yellow, bronze colored, red and also variegated, VI-VIII, Z7-10 . . . . .	20	8	Sol	128,00	16,00	2,00	2,00
PA 326 <i>tenax 'Purpureum'</i> ,  wide, red-brown leaves up to 150 cm, yellow-orange flower panicles, approx. 80% red leaved, VI-VIII, Z7-10 . . . . .	15	9	Sol	152,00	20,00	2,60	2,60
<b>PHUOPSIS</b> (Rubiaceae)							
PA 310 <i>stylosa</i> (CRUCIANELLA) [Pretty Pink], 20 cm, purple-rose, V-VIII, Z5-9 . . . . .	3	15		256,00	32,00	4,00	2,00
<b>PHYGELIUS</b> (Scrophulariaceae)							
PA 318 <i>aqualis</i> [Yellow Trumpet], 80 cm, pure yellow, VI-X, Z7-10 . . . . .	0,25	20		–	288,00	36,00	8,00
PA 320 <i>capensis</i> ,  80 cm, scarlet with yellow throat, VI-IX, Z7-10 . . . . .	0,25	20		–	224,00	28,00	7,00
<b>PHYSALIS</b> (Solanaceae)							
PA 330 <i>alkekengi</i> var. <i>franchetii</i> 'Gigantea' [Winter Cherry], Chinese Lantern, Bladder Cherry, 100 cm, large, red fruits, VI-VII, Z3-9 ( <i>see also Organic-Seeds</i> ) . . . . .	5	9		72,00	12,00	2,00	2,00
PA 334 <i>alkekengi</i> var. <i>franchetii</i> 'Zwerg' [Gnome], 20 cm, large orange-red fruits, well suited for containers, VI-VII, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	5	9		256,00	32,00	4,00	2,00
<b>PHYSOCHLAINA</b> (Solanaceae)							
PA 338 <i>orientalis</i> , 50 cm, purple, triangular ovate leaves, V-VI, Z6-9 . . . . .	8	16		–	112,00	14,00	10,50
<b>PHYSOPLEXIS</b> (Campanulaceae)							
PA 340 <i>comosa</i> (PHYTEUMA comosum),  Devil's Claw, 10 cm, cushions, dark purple, VI-VII, Z5-8 . . . . .	0,25	1	D	–	1580,00	198,00	9,80
<b>PHYSOSTEGIA</b> (Lamiaceae, Labiateae)							
PA 350 <i>virginiana 'Alba'</i> [Schneekrone, Snow Crown, White Queen], White Obedient Plant, 75 cm, large blossoms, vigorous panicles, VII-IX, Z4-9 . . . . .	6	16		256,00	32,00	4,20	2,10
PA 360 <i>virginiana 'Rosea'</i> [Rose Queen, Rose Crown], 75 cm, intense pink, VII-IX, Z4-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	6	8		256,00	32,00	4,20	2,10



PHORMIUM tenax 'Purpureum'



PHUOPSIS stylosa



PHYSALIS alkekengi var. franchetii 'Zwerg'



PHYSOCHLAINA orientalis



PHYSOPLEXIS comosa

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PHYTEUMA</b> (Campanulaceae)								
PA 368	<b>betonicifolium</b> , Betonian Rampion, 40 cm, blue-violet, candle like flower heads, persistent flowering, V-VIII, Z4-9 . . . . .	0,25	1	△ ✕	–	96,00	22,00	3,60
<b>canescens</b> - see <b>ASYNEUMA</b>								
PA 370	<b>comosum</b> - see <b>PHYSOPLEXIS</b>							
PA 378	<b>hemisphaericum</b> , 25 cm, blue-violet, V-VII, Z5-8 . . . . .	0,5	4/16	△ Ca	–	–	48,00	6,00
PA 382	<b>scheuchzeri</b> , 20 cm, deep blue, ball-shaped blossoms, VI-VII, Z5-8 . . . . .	0,5	4/16	○ △	480,00	60,00	7,60	2,55
PA 384	<b>spicatum</b> , 80 cm, cream-white, cylindrical blossom heads, V-VI, Z5-8 . . . . .	0,5	4/9	△	144,00	18,00	2,40	2,00
PA 384	<b>spicatum ssp. coeruleum</b> , 60 cm, blue form, V-VI, Z5-8 . . . . .	0,5	4/9	△	–	36,00	4,80	2,40
<b>PHYTOLACCA</b> (Phytolaccaceae)								
PA 388	<b>acinosa (esculenta)</b> , 100 cm, white, black berries, VI-X, Z6-10 . . . . .	25	1	¤ Sol \$ N	72,00	12,00	2,00	2,00
PA 390	<b>americana</b> , 200 cm, white, black berries on pendulous fruit-stalks, VI-X, Z4-9 . . . . .	25	1	¤ Sol \$ N X	72,00	12,00	2,00	2,00
PA 389	<b>americana f. variegata 'Silberstein'</b> , 180 cm, white, yellow-green marbled and spotted foliage, black berries, slow growing, VI-X, Z4-9 . . . . .	25	1	¤ Sol & ✕	336,00	42,00	6,00	6,00
<b>PILOSELLA</b>								
	<b>aurantiacum</b> - see <b>HIERACIUM aurantiacum</b>							
	<b>officinarum</b> - see <b>HIERACIUM pilosella</b>							
<b>PIMPINELLA</b> (Apiaceae, Umbelliferae)								
	<b>anisum</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
PA 391	<b>major 'Rosea'</b> , 80 cm, rosy-red umbels, feathered foliage, VI-IX, Z5-8 . . . . .	5	9	✖ ↗	768,00	96,00	12,00	6,00
	<b>saxifraga</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
<b>PLANTAGO</b> (Plantaginaceae)								
	<b>asiatica</b> - see <b>Organic Seed</b>							
	<b>coronopus, lanceolata, major</b> - see <b>Perennial Herbs + Organic Seed</b>							
	<b>media</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>							
PA 402	<b>nivalis</b> , 15 cm, white, dense silvery-pubescent rosettes, protect from winter wetness, VII-VIII, Z5-8 . . . . .	3	15	¤ Ca △	–	–	24,00	6,00
PA 409	<b>sempervirens</b> , 30 cm, yellowish, dwarf shrub with narrow-lanceolate foliage, curiosity, VI-VIII, Z6-9 . . . . .	5	9	¤ △	384,00	48,00	6,00	3,00
PA 407	<b>subulata</b> , Awl leaved Plantain, 15 cm, yellow, dense rosettes with linear foliage, cushion plant, V-VIII, Z5-8 . . . . .	2	15	△ ▷	–	48,00	6,00	3,00
<b>PLATYCODON</b> (Campanulaceae)								
PA 406	<b>grandiflorus apoyama 'Fairy Snow'</b> , 25 cm, white, blue veined, steady, VI-VIII, Z3-8 . . . . .	3	15	¤ △ ⚡	384,00	48,00	6,00	3,00
PA 434	<b>grandiflorus 'Mariesii'</b> , <sup>(AGM)</sup> , Balloon Flower, Chinese Bellflower (Jie-Geng), 50 cm, blue, winterhardy cultivar, VI-VIII, Z3-8 . . . . .	3	15	✖ \$ △	144,00	18,00	2,40	2,00



PHYTEUMA betonicifolium



PHYTEUMA scheuchzeri



PHYTOLACCA acinosa



PHYTOLACCA americana 'Silberstein'



PIMPINELLA major 'Rosea'

## Production – Breeding – Seed Technology

				Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>PLATYCODON continuation</b>										
PA 445	<b>grandiflorus F-Hyb. Astra-Series</b> , 10 cm, especially dwarf and compact, ideal for use as pot-plant, blooms in the first year, VI-VIII, Z3-8									
PA 446	'Astra Blue'									
PA 449	'Astra Lavender-semi-double'									
PA 448	'Astra Pink'									
PA 451	'Astra Pink-semi-double'									
PA 447	'Astra White'									
PA 452	'Astra White-semi-double'									
PA 418	grandiflorus 'Fuji Blue' [Florist Blue], 50 cm, deep blue, VI-VIII, Z3-8									
PA 422	grandiflorus 'Fuji Pink' [Florist Pink], 50 cm, beautiful pink, VI-VIII, Z3-8									
PA 426	grandiflorus 'Fuji White' [Florist White], 50 cm, pure white, VI-VIII, Z3-8									
PA 430	grandiflorus 'Hakone Blue', 50 cm, blue, double blossom leaves, VI-VIII, Z3-8									
PA 432	grandiflorus 'Hakone White', 50 cm, pure white, double blossom leaves, VI-VIII, Z3-8									
PA 440	grandiflorus 'Zwerg', 20 cm, large blue blossoms, blooms in the first year, VI-VIII, Z3-8									
PA 442	grandiflorus 'Mixed Hybrids', 50 cm, mixed colors, VI-VIII, Z3-8									



PLANTAGO nivalis



PLANTAGO subulata



PLATYCODON grandiflorus 'Mariesii'



PLATYCODON grandiflorus 'Fuji Blue'



PLATYCODON grandiflorus 'Fuji Pink'



PLATYCODON grandiflorus 'Fuji White'



PLATYCODON grandiflorus 'Hakone White'



PLATYCODON grandiflorus 'Mixed Hybrids'



*PODOPHYLLUM* versipelle



*PODOPHYLLUM* hexandrum



*POLEMONIUM* boreale 'Heavenly Habit'



*POLEMONIUM* caeruleum f. diss. 'Filigree Skies'



*POLEMONIUM* pauciflorum



*POLEMONIUM* yezoense 'Purple Rain Strain'



*POTENTILLA* atrosanguinea var. argyrophylla 'Golden Starlit'



*POLYGONUM* bistorta



*POLYGONUM* virginianum

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PODOPHYLLUM</b> (Berberidaceae)							
PA 470  hexandrum ( <i>SINOPODOPHYLLUM</i> ), 50 cm, pink, red fruits in summer, IV-V, Z5-8 . . . . .	100	1		–	24,00	3,80	3,80
PA 474  versipelle ( <i>DYSOSMA</i> ), 80 cm, wine-red blossoms, umbrella like leaves, red fruits, V-VII, Z5-8 . . . . .	50	1		–	64,00	7,60	7,60
<b>POLEMONIUM</b> (Polemoniaceae)							
PA 476  boreale 'Heavenly Habit' [ <i>Bambino Blue, Tricolor, Azuro, Blue Whirl</i> ], 30 cm, violet-blue, yellow eye, compact, reblooms after dead-heading, VI-VIII, Z3-8 . . . . .	3	15		320,00	40,00	5,00	2,50
PA 480  caeruleum [ <i>Blue Pearl</i> ], Jacob's Ladder, 60 cm, lavender-blue, abundant flowers, VI-VII, Z2-8 ( <i>see also Organic-Seeds</i> ) . . . . .	3	15		160,00	20,00	2,50	2,00
PA 482  caeruleum f. album [ <i>White Pearl</i> ], 60 cm, white, abundant flowers, VI-VII, Z2-8 . . . . .	3	15		160,00	20,00	2,50	2,00
PA 494  caeruleum f. dissectum 'Filigree Clouds', 50 cm, brilliant white flower clusters, strong stems, rich flowering, double split pinnatifid leaves, like fern fronds, exquisite foliage clumps, VI-VIII, Z3-8 . . . . .	2	15		1790,00	224,00	28,00	6,00
PA 493  caeruleum f. dissectum 'Filigree Skies', 50 cm, violet-blue flower clusters, strong stems, rich flowering, double split pinnatifid leaves like fern fronds, exquisite foliage clumps, VI-VIII, Z3-8 . . . . .	2	15		1790,00	224,00	28,00	6,00
PA 479  carneum [ <i>Apricot Delight</i> ], 40 cm, yellowish-pink, V-VII, Z4-8 ( <i>s. also GOLD NUGGET SEED®</i> ) . . . . .	3	1		896,00	98,00	12,00	6,00
PA 483  cashmerianum, 40 cm, large, brilliant blue flowers, V-VII, Z5-9 . . . . .	3	14		1458,00	162,00	18,00	9,00
PA 487  foliosissimum, 80 cm, soft lilac, fern-like foliage, VII-VIII, Z6-8 . . . . .	2	9		576,00	72,00	9,00	4,50
PA 488  pauciflorum [ <i>Sulphur Trumpets</i> ], 40 cm, yellow, tubular blossoms, VI-VII, Z6-9 . . . . .	3	15		480,00	64,00	8,00	4,00
PA 492  pulcherrimum, 25 cm, blue with light eye, feathery foliage, compact, V-VII, Z4-8 . . . . .	1	1		–	–	24,00	4,00
PA 496  reptans, 40 cm, light blue, IV-V, Z3-8 . . . . .	3	15		512,00	64,00	8,00	4,00
PA 490  yezoense 'Purple Rain Strain', 50 cm, violet, large flowers, leaves during winter until early summer reddish purple, mostly with dark stems, in summer and in shady locations turning green, variable, reblooms after dead-heading, VI-VII, Z4-9 . . . . .	3	15		320,00	40,00	5,00	2,50
<b>POLLIA</b> (Commelinaceae)							
PA 499  japonica, 40 cm, white, glossy ginger-like foliage, blue berries, VI-VIII, Z5-9 . . . . .	5	15		1536,00	192,00	24,00	6,00
<b>POLYGALA</b> (Polygalaceae)							
PA 498  chamaebuxus, <small>(AGM)</small> , Shrubby Milkwort, 20 cm, white-yellow, evergreen, V-IX, Z4-8 . . . . .	15	1		–	288,00	36,00	9,00
<b>POLYGONATUM</b> (Convallariaceae, <i>Liliaceae</i> )							
NEW! PA 502  falcatum, 40 cm, greenish-white, V-VI, Z4-8 . . . . .	50	1/6		–	18,00	3,00	5,40
PA 504  latifolium ( <i>hirtum</i> ), 40 cm, white, V-VI, Z4-8 . . . . .	50	1/6		72,00	12,00	2,00	3,50
PA 508  multiflorum, 60 cm, white, blossoms hang in clusters of 3-5, V-VI, Z3-8 . . . . .	50	1/6		72,00	12,00	2,00	3,50
PA 512  odoratum ( <i>officinale</i> ), <small>(AGM)</small> , Solomon's Seal, 40 cm, white, V-VI, Z3-8 . . . . .	50	1/6		72,00	12,00	2,00	3,50
<b>POLYGONUM</b> (Polygonaceae)							
PA 520  bistorta ( <i>BISTORTA officinalis</i> ), Bistort, Snakeweed, 70 cm, pink, V-VIII, Z3-9 . . . . .	10	1		144,00	18,00	2,40	2,40
PA 524  capitatum ( <i>PERSICARIA</i> ) [ <i>Afghan, Pink Pinheads</i> ], 10 cm, round blossom heads, pink, reddish-brown marked leaves, for hanging basket, also cultivated as annual, IV-X, Z7-9, . . . . .	1	16		192,00	24,00	3,00	2,00
PA 530  virginianum ( <i>filiforme</i> ) ( <i>PERSICARIA</i> ), 50 cm, red, VII-VIII, Z4-9 . . . . .	4	9		400,00	50,00	6,20	3,10
PA 536  weyrichii ( <i>ACONOGONUM, PERSICARIA</i> ), 120 cm, white, grey feltlike foliage, VIII-IX, Z4-9 . . . . .	6	15		192,00	24,00	3,00	3,00
<b>PONTECHIUM maculatum</b> - see <b>ECHIUM russicum</b>							
<b>PORTERANTHUS</b> - see <b>GILLENA</b>							
<b>POTENTILLA</b> (Rosaceae)							
PA 560  anserina, Goose Grass, 10 cm, golden, green feathered foliage, silvery underneath, V-IX, Z3-9 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	5	1		680,00	98,00	14,00	7,00
PA 564  argentea, 25 cm, yellow, silver-grey foliage, V-VIII, Z4-8 . . . . .	1	16		96,00	14,00	2,00	2,00
PA 572  atrosanguinea var. <i>argyrophylla</i> [ <i>Orange Starlit</i> ], 40 cm, yellow-orange with red eye, VI-VIII, Z5-8 . . . . .	1	16		405,00	54,00	7,20	3,60
PA 573  atrosanguinea var. <i>argyrophylla</i> 'Golden Starlit', 30 cm, bright pure golden blossoms, large flowering, glossy, silky hairy foliage, white tomentose beneath three segmented and toothed basal leaves, compact habit, dense foliage clumps, VI-VIII, Z5-8 . . . . .	1	16		768,00	96,00	12,00	4,00
PA 574  atrosanguinea var. <i>argyrophylla</i> 'Scarlet Starlit', 30 cm, bright pure scarlet red blossoms, large flowering, glossy, silky hairy foliage, white tomentose beneath three segmented and toothed basal leaves, compact habit, dense foliage clumps, VI-VIII, Z5-8 . . . . .	1	16		768,00	96,00	12,00	4,00
PA 576  atrosanguinea 'Red', 60 cm, scarlet-red, VI-VII, Z5-8 . . . . .	1	16		405,00	54,00	7,20	3,60
PA 580  aurea, 15 cm, golden, shiny foliage, VI-VII, Z5-8 . . . . .	1	16		405,00	54,00	7,20	3,60
PA 568  calabria, 15 cm, yellow, large flowering, compact, silver-grey foliage, V-VIII, Z6-8 . . . . .	1	16		–	64,00	8,00	3,00
PA 584  crantzii, 15 cm, yellow, IV-V, Z3-8 . . . . .	1	16		384,00	48,00	6,00	3,00
erecta - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>							
fragiformis - see <b>megalantha</b>							
PA 596  gracilis, 50 cm, yellow, VI-IX, Z4-8 . . . . .	1	16		200,00	24,60	3,10	2,00
PA 605  hyparctica, 10 cm, yellow, dense cushions, V-VII, Z3-8 . . . . .	1	16		540,00	68,00	8,60	4,30
PA 592  megalantha ( <i>fragiformis</i> ), <small>(AGM)</small> , 40 cm, yellow, VI-VII, Z5-8 . . . . .	1	16		144,00	18,00	2,60	2,00
PA 594  megalantha 'Gold Sovereign', 30 cm, golden, large flowering, feltlike foliage, compact, V-VII, Z5-8 . . . . .	1	16		–	64,00	8,00	4,00
PA 607  nepalensis 'Helen Jane', 30 cm, brilliant pink with red eye, compact habit, V-VII, Z5-8 . . . . .	1	16		320,00	40,00	5,00	2,50
PA 608  nepalensis 'Miss Willmott', <small>(AGM)</small> , 40 cm, carmine-rose, V-VII, Z5-8 . . . . .	1	16		144,00	18,00	2,60	2,00
PA 609  nepalensis 'Ron McBeath', 30 cm, carmine-red, more compact than 'Miss Willmott', V-VII, Z5-8 . . . . .	1	16		320,00	40,00	5,00	2,50
PA 610  nepalensis 'Roxana', 40 cm, yellowish-pink with dark center, VI-IX, Z5-8 . . . . .	1	16		144,00	16,00	2,00	2,00
PA 606  nepalensis 'Shogran', 15 cm, brilliant carmine-rose, dwarf and compact, V-VII, Z5-8 . . . . .	1	16		512,00	64,00	8,00	4,00
PA 632  neumanniana ( <i>verna</i> ), 15 cm, golden, IV-V, Z4-8 . . . . .	1	16		256,00	32,00	4,00	2,00
PA 612  palustris ( <i>COMARUM palustre</i> ), Blood Eye, 25 cm, purple, VI-VII, Z3-8 . . . . .	1	8		–	–	12,00	4,00
PA 616  pyrenaica, 30 cm golden, large flowering, loose cushions, dark-green foliage, underside grey, VI-VIII, Z5-8 . . . . .	2	16		304,00	38,00	4,80	2,40
PA 620  recta, 40 cm, light yellow, VI-VIII, Z3-8 . . . . .	2	16		72,00	12,00	2,00	2,00
PA 621  recta var. <i>sulphurea</i> [ <i>Citrina, Sulphurea</i> ], 40 cm, soft light-yellow, upright habit, VI-IX, Z3-8 . . . . .	2	16		144,00	18,00	2,60	2,00
PA 624  rupestris, 30 cm, white, VI-VII, Z5-8 . . . . .	1	16		112,00	16,00	2,20	2,00
PA 626  speciosa, 30 cm, white, white-woolly leaves, VI-VII, Z6-8 . . . . .	1	9		–	54,00	7,20	3,60
PA 630  thurberi, 40 cm, velvet-red with dark eye, grey-green foliage, VI-VIII, Z5-8 . . . . .	1	16		320,00	40,00	5,00	2,50
PA 634  thurberi 'Monarch's Velvet' [ <i>Calypso</i> ], 40 cm, raspberry-red with velvet-red center, VI-VIII, Z5-8 . . . . .	1	16		384,00	48,00	6,00	3,00
verna - see <b>neumanniana</b>							



POTENTILLA atrosanguinea var. argyrophylla 'Scarlet Starlit'



POTENTILLA aurea



POTENTILLA calabria



POTENTILLA crantzii



POTENTILLA megalantha



POTENTILLA nepalensis 'Helen Jane'



POTENTILLA nepalensis 'Shogran'



POTENTILLA neumanniana



POTENTILLA recta var. sulphurea



POTENTILLA speciosa



POTENTILLA thurberi 'Monarch's Velvet'



PRIMULA Elatior-Hybr. 'Gold Lace'

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>POTERIUM</b> - see <b>SANGUISORBA</b>								
<b>PRATIA</b> (Campanulaceae)								
PA 640 <i>angulata</i> ( <i>LOBELIA</i> ), 10 cm, white, matforming, VI-VIII, Z6-9 . . . . .		0,25	8	W>^<&#8804;	-	-	-	7,50
<b>PRESLIA</b> - see <b>MENTHA cervina</b>								
<b>PRIMULA</b> (Primulaceae)								
PA 724 <i>x pruhoniana Bergfrühling® Mixture</i> , F <sub>1</sub> -Hybr., 10 cm, red, blue, yellow, white, and pink shades, III-IV, Z5-8 . . . . .		2	16	△ ⚡	-	460,00	50,00	7,20
PA 658 <i>vulgaris (acaulis) 'Mixed Selection'</i> , 15 cm, large flowers, esp. winter hardy selection, II-V, Z5-8 . . . . .		3	16	△	1536,00	192,00	24,00	6,00
<b>Elatior-Hybr. (polyantha)</b>								
PA 674 <i>Gigantea (Colossea) Mixture</i> , 30 cm, giant blossoms, magnificent colors, IV-V, Z5-8 . . . . .		3	16	×	270,00	30,00	4,20	2,10
PA 695 ☼ <i>'Gold Lace'</i> , <small>(AGM)</small> , 30 cm, brown-red with golden margins, historic cultivar, variable, very unusual! IV-V, Z5-8 . . . . .		2	16	△ ⚡	-	432,00	48,00	8,00
PA 693 <i>'Silver Lace Purple'</i> , 25 cm, bright purple with silver margins, compact habit, IV-V, Z5-8 . . . . .		2	16	△ ⚡	-	-	-	
PA 696 <i>'Victoriana Gold Lace Black'</i> , 30 cm, black-brown with golden margins, IV-V, Z5-8 . . . . .		2	16	△ ⚡	-	-	-	9,80
PA 697 <i>'Victoriana Gold Lace Red'</i> , 30 cm, red with golden margins, IV-V, Z5-8 . . . . .		2	16	△ ⚡	-	-	-	
PA 701 <i>'Victorian Laced Primroses'</i> , 30 cm, red, purple to black-brown colours, each edged with golden to silvery margins, IV-V, Z5-8 . . . . .		2	16	△ ⚡	-	-	78,00	8,00
PA 692 ☼ <i>'Jessica'</i> , Red leaved Oxlip, 30 cm, brilliant pastel colors, from yellow, apricot, pink to red, unusual brown-red foliage, variable, IV-V, Z5-8 . . . . .		2	16	★ △ ⚡	-	-	72,00	9,80
<b>elatior Crescendo®-Series</b> , 30 cm, winter hardy! Also for winter growing, IV-V, Z5-8								
PA 699 <i>'Crescendo® Bella Rose'</i> PA 702 <i>'Crescendo® Golden'</i> <small>(AGM)</small>								
PA 700 <i>'Crescendo® Blue Shades'</i> <small>(AGM)</small> PA 708 <i>'Crescendo® Pure White'</i>								
PA 704 <i>'Crescendo® Bright Red'</i> <small>(AGM)</small> PA 710 <i>'Crescendo® Pink Shades'</i> <small>(AGM)</small>								
PA 712 <i>'Crescendo® Formula Mixture'</i> PA 707 <i>'Crescendo® Wine-Red'</i>								
<b>Wanda-Hybr. (Orig. Niederlenz)</b> , 10 cm, winter hardy, early flowering, II-V, Z5-8								
PA 713 <i>'Wanda Blue Shades'</i> PA 716 <i>'Wanda Pink with Eye'</i>								
PA 709 <i>'Wanda Dark-pink'</i> PA 717 <i>'Wanda Pink/Salmon Shades'</i>								
PA 714 <i>'Wanda Lilac Colors'</i> PA 718 <i>'Wanda Velvet Red Shades'</i>								
PB 713 <i>'Wanda Yellow'</i> PA 711 <i>'Wanda White'</i>								
PA 715 <i>'Wanda Raspberry Red Shades'</i> PA 719 <i>'Wanda Mixed Colors'</i>								
PA 731 <i>alpicola</i> , <small>(AGM)</small> , 50 cm, white, light yellow to violet, variable, VI-VIII, Z5-8 . . . . .		1	15	△	960,00	120,00	16,00	3,40
PA 730 <i>alpicola</i> var. <i>alpicola</i> , 60 cm, yellow, VI-VII, Z5-8 . . . . .		1	15	△	-	-	22,00	4,00
PA 734 <i>alpicola</i> var. <i>violacea</i> , 60 cm, violet, VI-VII, Z5-8 . . . . .		1	15	△	-	-	22,00	4,00
PA 805 ☼ <i>amoena</i> (elatior ssp. <i>meyeri</i> ), 20 cm, purple-violet umbels, IV-V, Z4-8 . . . . .		2	1	△	-	192,00	24,00	6,00

*continued on the following page*

**PRIMULA Elatior-Hybr 'Jessica'**

**PRIMULA amoena**

**PRIMULA capitata 'Salvana'™**

**PRIMULA auricula**

**PRIMULA cortusoides 'Primadiente Rose'™**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PRIMULA continuation</b>								
PA 738	<i>anisodora</i> ( <i>wilsonii</i> var. <i>anisodora</i> ), 60 cm, brown-purple with yellow eye, aromatic candelabra primrose, VI-VIII, Z5-8 .....	1	16	❀ ✕	–	192,00	24,00	6,00
<i>auricula</i> hort. - see <i>Primula x pubescens</i>								
PA 742	 <i>auricula</i> ( <i>alpina</i> ), 15 cm, the true yellow Alpine Auricula, fragrant, IV-VI, Z3-8 (see also GOLD NUGGET SEED®) .....	1	1	△	–	270,00	30,00	6,00
PA 750	<i>beesiana</i> , 40 cm, purple-red Candelabra Primrose, VI-VII, Z5-8 (s. also GOLD NUGGET SEED®) .....	1	9	△	768,00	96,00	12,00	4,00
PA 758	<i>x bulleesiana</i> , 40 cm, Candelabra Primrose, bright color range from yellow to red and violet, VI-VII, Z3-8 (see also GOLD NUGGET SEED®) .....	1	9	△ ✕ ❀	410,00	52,00	6,40	3,20
PA 754	<i>bulleyana</i> , ( <i>AGM</i> ), 40 cm, orange Candelabra Primrose, VI-VIII, Z5-8 (see also GOLD NUGGET SEED®) .....	1	9	△ ❀	–	96,00	12,00	4,00
PA 768	<i>Candelabra-Hybr.</i> [ <i>Woodside</i> ], 70 cm, mixture of many species of the Candelabra-Primulas, V-VII, Z5-8 .....	1	9	△ ❀	480,00	60,00	7,50	2,50
PA 771	 <i>capitata</i> ' <i>Salvana</i> '™, 20 cm, dark blue violet, dense flower heads, rich flowering, compact habit, striking powdered, VI-IX, Z4-8 .....	0,25	4/16	✿ ☀ △	–	360,00	42,00	7,20
PA 770	<i>capitata</i> ssp. <i>mooreana</i> [ <i>Noverna Deep Blue</i> ], 20 cm, dark violet blossom heads, silvery powdered, VII-VIII, Z4-8 .....	0,25	4/16	✿ ☀	1680,00	210,00	28,00	6,00
PA 772	<i>chionantha</i> , ( <i>AGM</i> ), 40 cm, white, fragrant, the violet form ( <i>sinopurpurea</i> ) does always come up as well! V-VI, Z4-8 (see also GOLD NUGGET SEED®) .....	1	9	△	1280,00	160,00	20,00	4,00
<i>chionantha</i> ssp. <i>sinopurpurea</i> - see <i>sinopurpurea</i>								



PRIMULA dent. var. alba 'White Selection'



PRIMULA denticulata 'Blue Selection'



PRIMULA denticulata 'Rubin Selection'



PRIMULA denticulata Ronsdorfer-Hybr.



PRIMULA elatior, wild form



PRIMULA flaccida



PRIMULA integrifolia



PRIMULA japonica 'Alba'



PRIMULA japonica 'Appleblossom'



PRIMULA japonica 'Millers Crimson'



PRIMULA maximowiczii



PRIMULA orbicularis



PRIMULA parryi



PRIMULA polyneura

	Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PRIMULA continuation</b>							
PA 774 <i>chungensis</i> , 70 cm, Candelabra Primrose, bright yellow with orange touch, V-VI, Z5-8 <i>(see also GOLD NUGGET SEED®)</i> .....	1	1	△ ≈≈	768,00	96,00	12,00	4,00
NEW! PA 776 <i>clusiana</i> , 10 cm, pink with red eye, dense rosettes, IV-V, Z5-7 .....	0,5	1	△	–	–	28,00	4,80
PA 777 <i>cockburniana</i> , <small>[AGM]</small> , 40 cm, bright copper-red, V-VI, Z5-8 .....	1	9	○	1536,00	192,00	24,00	6,00
PA 779 <i>cockburniana</i> yellow form [ <i>Sunshine</i> ], 40 cm, bright yellow with golden eye, silvery powdered foliage, V-VI, Z5-8 .....	0,5	1	○○	–	–	24,00	6,00
PA 778 <i>cortusoides</i> hort. ( <i>saxatilis</i> ), 30 cm, pink, many blossoms, IV-V, Z3-8 .....	1	16	△	1280,00	160,00	22,00	5,50
PA 780 <small>DK</small> <i>cortusoides</i> hort. 'Primadiente Rose'™, 20 cm, brilliant pink, abundant flowering, compact and vigorous, perfect for container production, IV-V, Z3-8 .....	1	16	△ ○	–	360,00	42,00	7,20
PA 782 <i>denticulata</i> [ <i>Lilac</i> ], <small>[AGM]</small> , 30 cm, lilac, III-IV, Z4-8 .....	0,5	15	△	1440,00	180,00	24,00	3,80
PA 784 <small>DK</small> <i>denticulata</i> var. <i>alba</i> 'White Selection' [ <i>Snowball</i> ], 30 cm, white, III-IV, Z4-8 .....	0,5	15	△	2268,00	252,00	28,00	5,00
PA 783 <small>DK</small> <i>denticulata</i> 'Blue Selection', 30 cm, dark blue selected, III-IV, Z4-8 .....	0,5	15	△	2268,00	252,00	28,00	5,00
PA 801 <small>DK</small> <i>denticulata</i> 'Rubin Selection', 30 cm, carmine-red, III-IV, Z4-8 .....	0,5	15	△	2268,00	252,00	28,00	5,00
PA 788 <small>DK</small> <i>denticulata</i> Ronsdorf-Hybr. [ <i>Nepal Mix</i> ], 30 cm, mixture, III-IV, Z4-8 .....	0,5	15	△ ×	1270,00	158,00	19,00	3,80
PA 804 <small>DK</small> <i>elatior</i> , wild form, <small>[AGM]</small> , Oxlip, 30 cm, sulphur yellow, IV-V, Z4-8 ( <i>s. also GOLD NUGGET SEED®</i> ) <i>elatior</i> ssp. <i>meyeri</i> - see <i>amoena</i>	5	1	‡	380,00	48,00	6,00	2,80
PA 808 <i>farinosa</i> , 20 cm, lilac-rose, yellow throat, IV-VI, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ).....	0,5	1	△	–	–	36,00	6,00
PA 810 <small>DK</small> <i>flaccida</i> , 25 cm, blue-violet, densely nodding flower spikes, narrow leaved rosettes, V-VIII, Z5-8 .....	0,25	16	△	2300,00	288,00	36,00	6,00
PA 812 <i>florindae</i> , <small>[AGM]</small> , 50 cm, lemon-yellow, VI-VIII, Z3-8 .....	2	16	× ≈≈	–	224,00	28,00	5,20
PA 815 <i>florindae</i> 'Keilour-Hybr.', 50 cm, red, orange, yellow and copper-colored shades, VI-VII, Z3-8. <i>helodoxa</i> - see <i>prolifera</i>	2	16	× ≈≈	–	–	36,00	6,80
PA 836 <i>hirsuta</i> , 10 cm, carmine-rose/lilac-rose, IV-V, Z4-8 .....	0,5	1	△ Ca	–	224,00	28,00	4,80
PA 840 <small>DK</small> <i>integrifolia</i> , 25 cm, carmine-rose with powdery throat, V-VII, Z4-8 .....	0,5	1	△ Ca	–	–	20,00	5,00
PA 846 <small>DK</small> <i>japonica</i> 'Alba' [ <i>Postford White</i> ], <small>[AGM]</small> , 50 cm, white, V-VII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> .....	1	1	≈≈	768,00	96,00	12,00	4,80
PA 847 <small>DK</small> <i>japonica</i> 'Appleblossom', 50 cm, soft pink with red eye, V-VII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> .....	1	1	≈≈	768,00	96,00	12,00	4,80
PA 848 <i>japonica</i> 'Carminea', 50 cm, intense carmine-red, V-VII, Z4-8 .....	1	1	≈≈	384,00	48,00	6,00	3,00
PA 844 <i>japonica</i> , Deluxe Mixture [ <i>Redfield-Hybr.</i> ], 50 cm, V-VII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> .....	1	1	≈≈	240,00	30,00	4,00	2,00
PA 850 <small>DK</small> <i>japonica</i> 'Millers Crimson', <small>[AGM]</small> , 60 cm, intense-red, V-VII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> .....	1	1	≈≈	768,00	96,00	12,00	4,80
PA 854 <i>juliae</i> , Carpet Primrose, 5 cm, amaranth-red, II-IV, Z4-8 .....	1	19	△ ≈≈	–	–	98,00	7,80
PA 838 <i>latifolia</i> - see <i>viscosa</i>							
PA 838 <i>laurentiana</i> , 20 cm, lilac-pink with yellow eye, IV-V, Z3-8 .....	0,25	8	△	–	–	–	6,00
littoniana - see <i>vialii</i>							
PA 856 <i>luteola</i> , 20 cm, light yellow, V-VI, Z4-8 .....	1	8	△	810,00	90,00	10,00	3,50
macrocalyx - see <i>veris</i> ssp. <i>macrocalyx</i>							

continued on the following page

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PRIMULA continuation</b>							
PA 858 <i>magellanica</i> , 15 cm, white with yellow eye, farinose, IV-VI, Z6-9 .....	0,25	15	△	–	–	–	7,20
PA 859 <i>maximowiczii</i> , 30 cm, brilliant red flowers, narrow leaved rosettes, IV-V, Z5-8 <i>officinalis</i> - see <i>veris</i> .....	0,5	9	△	–	–	98,00	7,80
PA 864 <i>orbicularis</i> , 20 cm, clear light yellow, large fragrant blossoms, up to 20 flowers per umbel, lanceolate foliage rosettes, V-VII, Z5-8 .....	0,5	9	△	–	192,00	24,00	6,00
PA 868 <i>parryi</i> , 40 cm, brilliant purple-red with yellow eye, leathery leaves, V-VI, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	1	❀	1536,00	192,00	24,00	6,00
PA 872 <i>poissonii</i> , 50 cm, purple-carmine with yellow eye, very nice late flowering Candelabra Primrose, VI-VIII, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	9	❀ ✕	–	198,00	22,00	4,50
PA 874 <i>polneura</i> , 30 cm, rosy-red with orange eye, V-VII, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	0,5	1	△	1280,00	160,00	22,00	5,50
PA 828 <i>prolifera</i> ( <i>helodoxa, smithiana</i> ),  50 cm, golden, powdery throat, V-VI, Z5-8 .....	1	1	△	960,00	120,00	16,00	4,00
PA 878 <i>x pubescens</i> ,  Garden Auricula, 20 cm, rich colour mixture, large flowering, IV-VI, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	9	△ ✕	980,00	128,00	16,00	4,00
PA 880 <i>x pubescens</i> 'Kaleidoscope',  Garden Auricula, 20 cm, brilliant colour mixture of selected mother stock with yellow, velvety-red, blue-lilac, creamy white and bicoloured variations, large flowering, valuable and durable border perennial, IV-VI, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	9	△ ✕ ⚡	–	384,00	48,00	5,40
PA 884 <i>pulverulenta</i> ,  50 cm, purple-carmine, powdered, V-VI, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	9		768,00	96,00	12,00	4,00
PA 890 <i>rosea</i> 'Gigas',  20 cm, carmine pink, large bright blossoms, III-IV, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	0,5	9	❀ △ ⚡	1296,00	144,00	16,00	4,00
<i>saxatilis</i> - see <i>cortusoides</i> hort.							
<i>saxatilis</i> var. <i>pubescens</i> - see <i>polneura</i>							
PA 896 <i>secundiflora</i> , 40 cm, rose-purple, V-VI, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	16	△ ❀	1536,00	192,00	24,00	6,00
PA 898 <i>sieboldii</i> ,  25 cm, white, pink or purple, pale green, early dormant foliage, V-VI, Z4-7 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	1	△ ✕	–	–	42,00	7,00
PA 899 <i>sikkimensis</i> ,  50 cm, yellow, fragrant, VI-VII, Z5-8 .....	1	16	△ ❀	–	224,00	28,00	7,00
PA 902 <i>sinopurpurea</i> ( <i>chionantha</i> ssp. <i>sinopurpurea</i> ), 50 cm, pale violet-red, the white form is always included, farinose leaves, V-VI, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	1	1	△	–	168,00	22,00	4,00
<i>smithiana</i> - see <i>prolifera</i>							
PA 910 <i>veris</i> ( <i>officinalis</i> ),  Cowslip, 20 cm, yellow, III-V, Z4-8 ( <i>s. also GOLD NUGGET SEED®</i> ) .....	5	9	‡ ✕ ⚡	96,00	16,00	2,50	2,00
<i>veris</i> ssp. <i>columnae</i> , 20 cm, golden yellow, leaves densely white hairy underneath, III-V, Z4-8 .....	3	1	△ ‡	–	52,00	6,80	3,40
PA 915 <i>veris</i> ssp. <i>macrocalyx</i> , Tall Meadow Cowslip, 25 cm, yellow, large flowering, funnel-like calyx-leaves, III-V, Z4-8 .....	3	8	✖ ‡ △ ⚡	160,00	22,00	2,80	2,00
PA 916 <i>veris</i> 'Sunset Shades', 20 cm, yellow, ochre-colored, orange and red shades, III-V, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) .....	3	9	△ ✕	576,00	76,00	9,00	4,50
PA 918 <i>vialii</i> [ <i>Miracle, Red Hot Poker</i> ],  30 cm, red-violet blossom candles, VI-VII, Z6-8 .....	0,25	15	⌚ ❀	2916,00	324,00	36,00	7,80
<i>vinciflora</i> - see <i>OMPHALOGRAMMA</i>							
PA 922 <i>viscosa</i> ( <i>latifolia</i> ), 10 cm, violet, V-VI, Z4-8 .....	0,5	1	△ Ca	–	138,00	17,00	4,00



PRIMULA x pubescens 'Kaleidoscope'



PRIMULA rosea 'Gigas'



PRIMULA sieboldii



PRIMULA veris



PRIMULA veris ssp. columnae



PRIMULA vialii



PRIMULA vulgaris, wild form



PRUNELLA grandiflora 'Freelander Mixed'



PRIMULA vulgaris ssp. sibthorpii

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>PRIMULA continuation</b>							
PA 926 ☼ vulgaris (acaulis), wild form, (AGM), 20 cm, yellow, rarely white, IV, Z5-8 (see also GOLD NUGGET SEED®)	3	1	△ \$ ⚡	1296,00	144,00	16,00	5,40
PA 927 ☼ vulgaris ssp. sibthorpii (sibthorpii, woronowii), (AGM), Carnival Primrose, 20 cm, rosy-red, II-IV, Z5-8 (see also GOLD NUGGET SEED®)	4	1	△	–	216,00	24,00	6,00
PA 928 waltonii, 40 cm, violet, nodding flowers, VI-VII, Z5-8 wilsonii var. anisodora - see anisodora	1	16	△	–	192,00	24,00	6,00
<b>PRITZELAGO - see HUTCHINSIA</b>							
<b>PROMETHEUM - see ROSULARIA</b>							
<b>PRUNELLA (Lamiaceae, Labiateae)</b>							
PA 940 grandiflora, 20 cm, violet-blue, abundant flowers, VI-VIII, Z4-8							
PA 941 grandiflora 'Alba', 20 cm, white, VI-VIII, Z4-8							
PA 942 grandiflora 'Light Blue', 20 cm, VI-VIII, Z4-8							
PA 943 grandiflora 'Rubra', 20 cm, carmine-red, VI-VIII, Z4-8							
PA 944 grandiflora Mixture [Pagoda], 20 cm, violet, pink, white, VI-IX, Z4-8							
PA 937 grandiflora 'Bella Blue', 15 cm, brilliant blue-violet, reliable flowering in the 1. year, V-IX, Z4-8							
PA 938 grandiflora 'Bella Deep Pink', 15 cm, brilliant deep pink, reliable flowering in the first year, V-IX, Z4-8							
PA 945 ☼ grandiflora 'Freelander Mixed', (FS), 15 cm, blue, pink and white colors, reliable first year flowering, V-IX, Z4-8	3	16	▼▼ ① ⚡	982,00	124,00	16,00	5,60
PA 946 laciniata, 20 cm, white, rarely lilac, fine feathered foliage, basal leaves similar to P. vulgaris, VI-VIII, Z5-8							
PA 946 vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed	3	15	▼▼	–	32,00	4,00	2,20
<b>PSEPHELLUS dealbatus - see CENTAUREA dealbata</b>							
<b>PSEUDOFUMARIA - see CORYDALIS</b>							
<b>PSEUDOLYSIMACHION - see VERONICA</b>							
<b>PTIOTRICHUM (Cruciferae)</b>							
PA 963 ☼ pyrenaicum, 15 cm, white, large flowering, dense clusters, grey-green foliage, V-VII, Z5-8 ...	3	9	△	–	–	22,00	7,00
PA 964 spinosum (ALYSSUM), 30 cm, white, pink or red, thorny, V-VI, Z6-9 ...	3	16	△ D	–	–	28,00	4,50
<b>PTIOSTEMON</b>							
diacantha - see CIRSIUM diacanthum							
echinocephalum - see CIRSIUM echinocephalum							



*PTILOTRICHUM pyrenaicum*



*PULSATILLA alpina* ssp. *sulphurea*



*PULSATILLA aurea*



*PULSATILLA grandis*



*PULSATILLA occidentalis*



*PULSATILLA vulgaris* 'Perlen Glocke'



*PULSATILLA turczaninowii*



*PULSATILLA vernalis*



*PULSATILLA vulgaris* 'Alba'



*PULSATILLA vulgaris* 'Heiler-Hybr.'

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
				from 100 g	from 10 g	from 1 g	Portion	
<b>PULMONARIA officinalis (ssp. obscura) - s. Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
PA 970 <b>pulmonaria</b> , Caucasus Pasque Flower, 15 cm, violet or lilac, seldom yellow or white, fine feathered foliage, IV-V, Z4-8, . . . . .	pure seed	6	9	△	–	72,00	9,00	4,50
PA 972 <b>albina</b> , 35 cm, white, V-VIII, Z5-8, . . . . .	pure seed	20	1	△	208,00	26,00	3,20	2,40
PA 974 <b>alpina</b> ssp. <b>sulphurea</b> ( <i>apiifolia</i> ), (AGM), 35 cm, sulphur yellow, V-VIII, Z5-8, . . . . .	pure seed	20	1	△ Ca	208,00	26,00	3,20	2,40
PA 975 <b>aurea</b> , 30 cm, bright golden yellow, V-VII, Z5-8, . . . . .	pure seed	10	9	△	–	72,00	9,00	4,50
PA 976 <b>grandis</b> ( <i>vulgaris</i> ssp. <i>grandis</i> ), 30 cm, light-lilac, very large flowers, III-IV, Z5-8, . . . . .	pure seed	5	9	△	320,00	40,00	5,00	2,50
PA 978 <b>halleri</b> , (AGM), 25 cm, violet, VII-VIII, Z5-8, . . . . .	pure seed	5	1	△	320,00	40,00	5,00	2,50
PA 979 <b>halleri</b> ssp. <b>taurica</b> , 15 cm, purple-violet, white-woolly foliage, V-VI, Z5-8, . . . . .	pure seed	10	9	△	400,00	50,00	6,20	4,70
PA 982 <b>montana</b> , 20 cm, dark violet, IV-V, Z6-8, . . . . .	pure seed	15	1	△	–	26,00	3,20	2,00
PA 983 <b>occidentalis</b> , 25 cm, white to creamy-white, V-VI, Z4-8, . . . . .	pure seed	10	1	△	528,00	66,00	8,20	4,10
PA 984 <b>patens</b> , Eastern Pasque Flower, 20 cm, blue-violet, white woolly new growth, early flowering, II-IV, Z4-8, . . . . .	pure seed	5	9	△ Ca	960,00	120,00	15,00	5,00
PA 973 <b>patens</b> ssp. <b>trisepta f. flavescens</b> , Yellow Eastern Pasque Flower, 20 cm, bright sulphur-yellow, with bluish outside, white-woolly new growth, vigorous and rare, II-IV, Z4-8, . . . . .	pure seed	3	9	△ Ca	–	–	–	9,00
PA 985 <b>pratensis</b> ssp. <b>nigricans</b> , 20 cm, dark purple, nodding flowers, IV-VI, Z4-8, (see also <i>Organic-Seeds</i> ), . . . . .	pure seed	3	9	△ \$	1150,00	144,00	18,00	6,00
PA 981 <b>tatewakii</b> , 20 cm, purple, nodding flowerheads, golden seed pots, rare, IV-VI, Z5-8, . . . . .	pure seed	3	9	△	–	–	–	9,00
PA 987 <b>turczaninowii</b> , 20 cm, blue-violet, nodding flowers, finely feathered foliage, IV-VI, Z5-8, . . . . .	pure seed	3	9	△	1150,00	144,00	18,00	6,00
PA 986 <b>vernalis</b> , (AGM), 15 cm, white, outside lilac, IV, Z4-8 (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	10	9	△ Ca	–	48,00	6,00	3,00
PA 988 <b>vulgaris</b> , (AGM), Pasque Flower, 30 cm, lilac to blue-violet, III-IV, Z5-8 (see also <i>GOLD NUGGET SEED</i> ® + <i>Organic-Seeds</i> ), . . . . .	pure seed	5	9	△ \$ ♂ ♀ ⚡	224,00	28,00	3,50	2,00
PA 980 <b>vulgaris</b> 'Perlen Glocke' [ <i>Pearl Bells</i> ], 30 cm, softest pink bellflowers, large flowering, III-IV, Z5-8 (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	5	9	△ ♂ ♀ ⚡	384,00	48,00	6,80	3,40
PA 990 <b>vulgaris</b> 'Alba' [ <i>Weisse Glocke, White Bells, White Swan</i> ], (AGM), 30 cm, white, III-IV, Z5-8 (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	5	9	△ ♂ ♀ ⚡	384,00	48,00	6,80	3,40
PA 989 <b>vulgaris</b> 'Blaue Glocke' [ <i>Violet Bells</i> ], 30 cm, dark-violet, III-IV, Z5-8, (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	5	9	△ ♂ ♀ ⚡	384,00	48,00	6,80	3,40
PA 992 <b>vulgaris</b> 'Rote Glocke' [ <i>Red Bells, Röde Klokke</i> ], 30 cm, bright red, III-IV, Z5-8 (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	5	9	△ ♂ ♀ ⚡	384,00	48,00	6,80	3,40
PA 991 <b>vulgaris</b> 'Rosen Glocke' [ <i>Rose Bells</i> ], 30 cm, radiant cerise pink bellflowers, large flowering, III-IV, Z5-8 (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	5	9	△ ♂ ♀ ⚡	384,00	48,00	6,80	3,40
PA 994 <b>vulgaris</b> 'Heiler-Hybr.', 30 cm, from dark red to bright red, pink, violet, blue, cream to pure white – a magnificent color range, III-IV, Z5-8, . . . . .	pure seed	5	9	△ ♂ ♀ ⚡	224,00	28,00	3,50	2,00
<b>NEW! PA 800</b> <b>vulgaris</b> 'Prima Papagena', 30 cm, fringed to semi-double flowers, pure white with cream tones and bright pink to dark reds and light blue to violet colors, distinct improvement over 'Papageno', intensive fringed flowers from the first year on, decorative seed heads for flower arrangements, III-IV, Z5-8 (see also <i>GOLD NUGGET SEED</i> ®), . . . . .	pure seed	5	9	△ ♂ > ⚡	384,00	48,00	6,80	3,40



PULSATILLA vulgaris 'Rote Glocke'



PULSATILLA vulgaris 'Rosen Glocke'



PULSATILLA vulgaris 'Prima Papagena'

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PUNICA</b> (Lythraceae, <i>Punicaceae</i> )								
PA 996	<b>granatum var. <i>nana</i></b> , (AGM), 40 cm, Dwarf Pomegranate, scarlet-red, floriferous even as young plant, popular container-plant, VI-VIII, Z8-11.....	35	20	□ ☰ & \$	112,00	16,00	2,40	2,40
<b>PYCNANTHEMUM</b> (Lamiaceae, <i>Labiatae</i> )								
PA 997	■ <b>muticum</b> , 80 cm, pink, silver-velvety bracts, especially decorative, variable, VII-IX, Z4-8 .....	1	16	☒ *	–	112,00	14,00	5,00
PA 998	■ <b>pilosum</b> , American Mountain Mint, 70 cm, pale purple, aromatic foliage, VI-IX, Z4-8 <i>(see also Organic-Seeds)</i> .....	3	16	☒ *	320,00	40,00	5,00	2,50
PA 999	<b>tenuifolium</b> , 60 cm, pale purple, narrow lanceolate leaves, very decorative, VII-IX, Z5-8 .....	1	16	☒ *	–	52,00	6,40	3,20
<b>PYRETHRUM</b> - see <b>TANACETUM coccineum</b>								
<b>RAMONDA</b> (Gesneriaceae)								
RA 010	■ <b>myconi (pyrenaica)</b> , (AGM), 10 cm, violet-blue, rarely pink and white, plate-like leaves, lime-loving, V-VI, Z6-8 .....	0,125	4/9	△	–	520,00	65,00	6,50
RA 011	<b>myconi var. <i>alba</i></b> , 10 cm, mostly pure white, lime-loving, V-VI, Z6-8 .....	0,125	4/9	△	–	–	92,00	9,20
RA 012	<b>myconi 'Rosea'</b> , 10 cm, mostly soft pink, V-VI, Z6-8 .....	0,125	4/9	△	–	–	92,00	9,20
RA 015	<b>serbica</b> , 10 cm, light blue with yellow eye, bell-shaped flowers, plate-like rosettes, IV-V, Z6-8 .....	0,125	4/9	△	–	–	65,00	6,50
<b>RANUNCULUS</b> (Ranunculaceae)								
RA 020	<b>aconitifolius</b> , 50 cm, white, V-VI, Z5-9 .....	5	2	△ ≈	–	96,00	12,00	4,80
RA 022	■ <b>acris f. citrinus [Sulphureus]</b> , 40 cm, creamy white, richly branched, VI-IX, Z4-8 .....	3	2	–	–	–	–	5,20
RA 024	<b>amplexicaulis</b> , 10 cm, white, V-VI, Z5-9 .....	8	1	△ ☰	–	–	9,00	6,00
RA 030	■ <b>buchananii</b> , 25 cm, white, very large flowering, blue-green foliage, V-VI, Z7-10 .....	4	2	△	–	184,00	24,00	6,00
RA 029	■ <b>cortusifolius</b> , Canaries-Buttercup, 60 cm, golden, large blossoms in dense umbels, large, leathery basal leaves, VI-VII, Z8-10 .....	2	9	☒	768,00	96,00	12,00	4,00
RA 031	<b>flammea</b> , 30 cm, yellow, VI-X, Z4-9 .....	2	9	≈ *	–	96,00	12,00	4,00
RA 032	■ <b>glacialis</b> , 15 cm, pure white, VII-VIII, Z3-8 .....	0,5	2	△ ☰	–	144,00	18,00	6,00
RA 036	■ <b>gramineus</b> , (AGM), 30 cm, bright yellow, easily grown, V-VI, Z6-9 <i>(see also GOLD NUGGET SEED®)</i> .....	8	2	△	–	72,00	9,00	4,50
RA 037	■ <b>haastii ssp. <i>piliferus</i></b> , 20 cm, yellow, wax like blue foliage, V-VII, Z7-9 .....	6	2/3	△ ☰	–	276,00	34,00	9,80
RA 038	<b>insignis</b> , 50 cm, large, golden, poppy-like flowers, leathery leaves, VI-VII, Z7-10 .....	6	2/3	^	–	144,00	18,00	6,00
RA 040	■ <b>lallii</b> , 50 cm, large, white, poppy-like flowers, leathery dark green leaves, VI-VIII, Z6-9 .....	6	2/3	△	896,00	112,00	14,00	5,20
RA 044	<b>parnassifolius</b> , 8 cm, white, outside reddish, V-VI, Z4-9 .....	10	2	△	–	–	34,00	9,80
RA 050	<b>sericophyllum</b> , 15 cm, shiny yellow, pinnatifid foliage, V-VII, Z7-9 .....	4	2	△	–	–	34,00	8,50
RA 052	<b>thora</b> , 15 cm, golden, VI-VII, Z4-8 .....	10	2	△ *	–	112,00	14,00	7,00


**PYCNANTHEMUM muticum**

**RAMONDA myconi**

**RANUNCULUS acris f. citrinus**

**RANUNCULUS buchananii**

**RANUNCULUS cortusifolius**

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>RAOULIA</b> (Asteraceae, <i>Compositae</i> )								
RA 053	<i>australis</i> , 2 cm, dense, flat, silver-white carpets forming, inconspicuous yellow flowers, VII-VIII, Z6-9 . . . . .	0,1	16	△ ↗	–	1560,00	196,00	4,20
RA 056	<i>subsericea</i> , 3 cm, numerous, small, white, everlasting flowers, grey-green, forms flat mats, VI-VIII, Z6-9 . . . . .	0,1	16	△ ↘ ↗	–	–	–	5,20
RA 057	<i>tenuicaulis</i> , 3 cm, large white everlasting flowers, the only scented variety, forms silvery-grey mats, vigorous, good carpet for bulbs, VI-VIII, Z6-9 . . . . .	0,1	16	△ ↘ ↗	–	–	78,00	4,20
<b>RATIBIDA</b> (Asteraceae, <i>Compositae</i> )								
RA 060	<i>columnifera</i> , 70 cm, yellow, VII-X, Z3-8 . . . . .	5	15	✗ ⚡	115,00	16,00	2,40	2,00
RA 064	<i>columnifera f. pulcherrima</i> , 70 cm, red with yellow, VII-X, Z3-8 . . . . .	5	15	✗ ⚡	115,00	16,00	2,40	2,00
RA 065	<i>columnifera f. pulcherrima 'Red Midget'</i> , 45 cm, red-brown flowers with yellow tips, dwarf habit, VII-X, Z3-8 . . . . .	2	15	✗ ⚡ △	180,00	24,00	3,40	2,00
RA 066	<i>mexicana</i> , 60 cm, golden ray flowers, grey-green foliage, branching upright habit, perennial species, VI-VIII, Z6-9 . . . . .	4	16	△ ⚡	520,00	62,00	7,20	3,60
RA 068	<i>pinnata</i> ( <i>RUDBECKIA</i> ), 120 cm, light yellow with brown disk, VII-IX, Z3-8 . . . . .	5	15	✗	72,00	12,00	2,00	2,00
<b>REHMANNIA</b> (Scrophulariaceae)								
RA 072	<i>elata (angulata) [Rufus]</i> , , 100 cm, carmine-red, yellow throat, spotted, V-VII, Z7-10 . . . . .	0,5	15	⌚ ↗	1536,00	192,00	24,00	8,00
<b>RESEDA</b> - see <b>Organic Seed</b>								
<b>RHAZYA</b> - see <b>AMSONIA</b>								
<b>RHEUM</b> (Polygonaceae)								
RA 077	<i>alexandrae</i> , Alexander's Rhubarb, 80 cm, magnificent yellow bracts, glossy green basal foliage, a rarity for moist and cool locations, V-VII, Z4-7 . . . . .	20	15	★ △	980,00	128,00	16,00	8,00
RA 080	<i>australe (emodii)</i> , 250 cm, amaranth-red, V-VI, Z4-8 . . . . .	30	15	Sol ⚡	224,00	28,00	3,60	3,60
RA 078	<i>nobile</i> , Tibetan Rhubarb, 120 cm, attractive yellow-ochre coloured bracts, broad foliage, for cool and moist locations, VI-VIII, Z4-7 . . . . .	30	15	★ △ ⚡	720,00	92,00	12,00	9,60
	officinale - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>							
	palmatum var. <i>tanguticum</i> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>							
	<i>rhabarbarum</i> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
	<i>rhaponticum</i> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>							
<b>RHEXIA</b> (Melastomataceae)								
RA 088	<i>virginica</i> , 40 cm, purple-rose, VI-VIII, Z3-8 . . . . .	0,5	9	❀❀	–	112,00	14,00	7,00
<b>RHINANTHUS</b> (Scrophulariaceae)								
RA 096	<i>minor</i> , Yellow Rattle, 30 cm, yellow, decorative, rattling seed heads, V-VIII, Z4-8 . . . . .	10	1	⌚ ⚡	180,00	26,00	3,80	2,00


**RANUNCULUS glacialis**

**RANUNCULUS haastii ssp. piliferus**

**RANUNCULUS gramineus**

**RANUNCULUS lyallii**



*RAOULIA australis*



*RAOULIA subsericea*



*RATIBIDA mexicana*



*RATIBIDA pinnata*



*RHEUM alexandracae*



*RHEXIA virginica*



*REHMANNIA elata*



*RHEUM nobile*

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>RHODIOLA (SEDUM)</b> (Crassulaceae)								
RA 092 <i>integrifolia</i> ssp. <i>atropurpurea</i> , 30 cm, brilliant purple-red, IV-VI, Z2-7 . . . . .		0,5	1	△ ≈	–	324,00	36,00	6,00
RA 089 <i>rhodantha</i> , 25 cm, rosy-red flower clusters, upright, V-VI, Z3-8 . . . . .		0,5	9	△ ✕	–	–	36,00	6,20
RA 090 <i>rosea</i> , Rose Root, 25 cm, yellowish umbel, dried root is rose-scented, V-VI, Z1-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .		0,5	1	△ \$	–	198,00	22,00	4,40
RA 094 <i>semenowii</i> , 40 cm, green-white, cylindrical flower racemes, VI-VII, Z5-8 . . . . .		0,5	9	△ ✕	–	–	36,00	6,20
<b>RHODODENDRON</b> (Ericaceae)								
RA 100 <i>ferrugineum</i> , Alpine Rose, 100 cm, pink, V-VI, Z3-8 . . . . .		1	1	\$△✿✖	480,00	60,00	7,60	3,80
<b>RHODOPHIALA</b> (Amaryllidaceae)								
RA 106 <i>bifida</i> var. <i>spathacea</i> , 25 cm, brilliant dark pink, IV-V, Z8-10 . . . . .		10	15	△	–	–	12,00	8,00
<b>RICINUS</b> - see Organic Seed								
<b>RODGERSIA</b> (Saxifragaceae)								
RA 110 <i>aesculifolia</i> , , 100 cm, white, VI-VII, Z4-8 . . . . .		0,25	4/15	✖	2300,00	288,00	36,00	6,00
RA 114 <i>Henrici-Hybr.</i> , 90 cm, pink-red, fruit-stalk bright red, green foliage with a hint of bronze, VI-VII, Z5-8 . . . . .		0,25	4/16	✖	1024,00	128,00	16,00	4,00
RA 116 <i>New Hybrids</i> , 80 cm, white, yellow to pink flowers, dark green to bronze colored leaves, VI-VIII, Z5-8 . . . . .		0,25	4/16	✖ Sol ↗	768,00	96,00	12,00	4,00
RA 118 <i>pinnata</i> , 80 cm, pink-white, VI-VII, Z5-8 . . . . .		0,25	4/15	✖	–	192,00	24,00	6,00
<i>pinnata</i> 'Superba' - see <i>Henrici-Hybr.</i>								
RA 126 <i>sambucifolia</i> , 80 cm, white, elder-like foliage, VII-VIII, Z5-8 . . . . .		0,25	4/15		–	192,00	24,00	6,00
<i>tabularis</i> - see <i>ASTILBOIDES tabularis</i>								
<b>ROMNEYA</b> (Papaveraceae)								
RA 136 <i>coulteri</i> , , 100 cm, silver-white blossoms, 12 cm Ø, VII-IX, Z6-9 . . . . .		2	5	Sol ↗	768,00	96,00	12,00	6,00
<b>ROSCOEIA</b> (Zingiberaceae)								
RA 140 <i>alpina</i> , 15 cm, pink, small blooms, VII-VIII, Z5-8 . . . . .		10	10/9	△	–	–	8,00	6,00
RA 142 <i>auriculata</i> , 40 cm, brilliant purple, VII-IX, Z5-8 . . . . .		10	20	△	384,00	48,00	6,00	4,00
RA 144 <i>cautleoides</i> , , 50 cm, light yellow, VI, Z5-8 . . . . .		10	20	△	–	64,00	8,00	6,00
RA 148 <i>purpurea</i> , 30 cm, light purple, VIII-IX, Z5-8 . . . . .		10	20	△	–	–	8,00	6,00
<b>ROSMARINUS officinalis</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>ROSULARIA</b> (Crassulaceae)								
RA 152 <i>rechingeri</i> ( <b>PROMETHEUM</b> ), 5 cm, creamy white, bluish green rosettes, VI-IX, Z5-9 . . . . .		0,25	1	△	–	–	74,00	4,80
<b>RUCOLA silvatica</b> - see Organic Seed								



RHINANTHUS minor



RHODIOLA integrifolia ssp. atropurpurea



RHODIOLA rhodantha



RODGERSIA aesculifolia



RODGERSIA Henrici-Hybr.



ROMNEYA coulteri



ROSCOEAE auriculata



ROSCOEAE cautleoides



ROSULARIA rechingeri

		Gram to get 1000 plants	N°. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>RUDBECKIA</b> (Asteraceae, <i>Compositae</i> )								
RA 160	fulgida var. <i>deamii</i> , <small>(AGM)</small> , 80 cm, yellow, hairy foliage, drought tolerant, VII-IX, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> .....	3	9	×	520,00	62,00	7,20	3,60
RA 162	fulgida var. <i>fulgida</i> , 80 cm, yellow-orange with dark center, later flowering than 'Goldsturm', IX-XI, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> .....	3	9	⊗ ×	520,00	62,00	7,20	3,60
RA 190	fulgida var. <i>speciosa</i> ( <i>neumannii</i> ), <small>(AGM)</small> , 60 cm, golden with black center, narrow foliage, VII-X, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> .....	3	9	⊗ ×	520,00	62,00	7,20	3,60
RA 164	fulgida var. <i>sullivantii</i> 'Goldsturm', <small>(AGM PPA)</small> , 70 cm, golden with dark center, VII-X, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> .....	3	9	⊗ ×	256,00	32,00	4,00	2,00
RT 164	fulgida var. <i>sullivantii</i> 'Goldsturm', heat-treated seed is virtually Septoria free, but secondary infection is still possible, please prevent! .....	3	9	⊗ ×	520,00	64,00	8,00	3,00
RA 156	grandiflora 'Sundance', 120 cm, golden, large rayflowers with black-brown spherical cones, elegant upright and sturdy habit, healthy intensive green foliage, VIII-X, Z4-8 .....	4	15	× ⊗ Sol	768,00	96,00	12,00	3,80
RA 178	hirta 'Autumn Colors', <small>(FS)</small> , 50 cm, red-brown colors, stable, VII-IX, Z4-8 .....	2	15	× ⊗ ⊙	–	198,00	22,00	5,50
RA 163	hirta 'Cappuccino', <small>(FS)</small> , 80 cm, bronze-brown with yellow tips, sturdy and large flowering, VI-X, Z4-8 .....	2	15	× ⊗ ⊙	–	324,00	36,00	5,50
RA 159	hirta 'Denver Daisy', <small>(AAS FS)</small> , 50 cm, golden with intensive brown-reddish eye, rich and large flowering, sturdy, named after the city of Denver on the occasion of their 150 years anniversary, VI-IX, Z4-9 .....	2	15	× ⊗ ⊙	–	198,00	22,00	5,50
RA 167	hirta 'Goldilocks', <small>(FS)</small> , 60 cm, golden, large double and semidouble flowers with deep black center, VII-IX, Z4-8 .....	2	15	× ⊗ ⊙	610,00	76,00	9,40	3,20
RA 165	hirta 'Indian Summer', <small>(AAS AGM)</small> , 80 cm, golden, very large flowering, VII-IX, Z4-8 .....	2	15	× ⊗ ⊙	610,00	76,00	9,40	3,20
RA 169	hirta 'Marmelade', 60 cm, brilliant deep golden, stable, VII-IX, Z4-8 .....	2	15	× ⊗ ⊙	610,00	76,00	9,40	3,20
RA 177	hirta 'Maya', <small>(FS)</small> , 45 cm, extremely double, golden flowers, richly branched, VII-IX, Z4-8 .....	2	15	⊗ ⊙	–	458,00	52,00	7,80
RA 179	hirta 'Prairie Sun', <small>(AAS FS)</small> , 70 cm, light yellow with green center, large flowering and stable, VII-IX, Z4-9 .....	2	15	× ⊗ ⊙	–	396,00	44,00	7,80
RA 170	hirta 'Sonora', 45 cm, golden with mahogany colored disc, well-branched, VII-IX, Z4-8 .....	2	15	⊗ ⊙	1782,00	198,00	22,00	5,50
RA 171	hirta 'Toto Gold', 30 cm, golden, 5 cm large and round flowers, branched habit, as border and pot plant, VII-IX, Z4-8 .....	1	15	△ ⊗ ⊙	–	324,00	36,00	6,20
RA 175	hirta 'Toto Rustic', <small>(FS)</small> , 30 cm, bronze-yellow variant of 'Toto Gold', VII-IX, Z4-8 .....	1	15	△ ⊗ ⊙	–	324,00	36,00	6,20
RA 168	laciniata, 150 cm, light yellow, VIII-IX, Z3-8 .....	5	16	⊗	256,00	32,00	4,00	3,00
RA 172	maxima, 200 cm, large yellow flowers, ovate, blue-green leaves, VIII-IX, Z5-9 .....	15	15	⊗ Sol	384,00	48,00	6,00	6,00
RA 173	missouriensis, 40 cm, golden with black center, delicate habit, narrow lanceolate foliage, VII-IX, Z5-8 <i>(see also GOLD NUGGET SEED®)</i> .....	3	9	△ ⊗	576,00	72,00	8,00	4,00
RA 176	occidentalis [ <i>Green Wizard</i> ], 100 cm, grey-green foliage, tall black flowering cones, petals barely visible, best bee plant, for flower arrangements, VII-IX, Z5-9 .....	8	15	⊗ ×	240,00	30,00	3,80	2,00
	<i>pinnata</i> - see <i>RATIBIDA pinnata</i>							
	<i>purpurea</i> - see <i>ECHINACEA purpurea</i>							
RA 194	subtomentosa, 80 cm, golden, VII-IX, Z3-8 .....	8	15	–	240,00	30,00	3,80	2,00
RA 198	triloba, <small>(AGM)</small> , 100 cm, yellow, darker towards the center, VI-X, Z3-8 .....	5	8	⊗ ×	256,00	32,00	4,00	2,00
NEW! RA 199	triloba 'Blackjack Gold', 100 cm, round and golden flowers with black cone, compact habit, richly branched flowering stalks, first year flowering, sturdy and long lived strain, valuable late bloomer, VII-X, Z3-8 .....	3	15	× ⊗ ⊗	768,00	96,00	12,00	3,80
RA 197	triloba 'Prairie Glow', 100 cm, yellow with bright red eye, fading orange-red to bronze, richly branched flowering stalks, valuable late bloomer, VII-X, Z3-8 .....	3	15	× ⊗ ⊙	1650,00	198,00	26,00	7,00
<b>RUELLIA</b> (Acanthaceae)								
RA 202	humilis, 40 cm, pale blue-violet, large flowering, very interesting perennial, VII-IX, Z4-8 <i>(see also GOLD NUGGET SEED®)</i> .....	15	1	△	–	144,00	16,00	12,00
<b>RUMEX</b> (Polygonaceae)								
	<i>acetosa</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
	<i>acetosella</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
RA 216	flexuosus, 25 cm, bronze to copper coloured, lanceolate foliage, remarkable foliage plant, VI-VII, Z6-9 .....	1	15	△	620,00	78,00	9,60	3,20
RA 220	hydrolapathum, 150 cm, reddish, bronze-red foliage in fall, V-VIII, Z5-8 .....	15	15	⊗	256,00	32,00	3,60	3,60
	<i>sanguineus</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
	<i>scutatus</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							



RUDBECKIA fulgida var. deamii



RUDBECKIA grandiflora 'Sundance'



RUDBECKIA fulgida var. sullivantii 'Goldsturm'



RUDBECKIA maxima



RUDBECKIA missouriensis



RUDBECKIA triloba 'Blackjack Gold'



RUDBECKIA triloba 'Prairie Glow'



RUELLIA humilis



RUMEX flexuosus



RUSCUS aculeatus



SALVIA argentea

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>RUSCUS</b> (Ruscaceae, Liliaceae)								
RA 300 ☼ <b>aculeatus</b> , Butcher's Broom, 100 cm, greenish, evergreen small shrub, red berries, III-IV, Z7-9 . . . . .		400	6/10	‡ × ✕ ♀	82,00	12,00	2,00	12,00
<b>RUTA</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>SABATIA</b> (Gentianaceae)								
SA 004 <b>angularis</b> , 40 cm, pink, VII-VIII, Z5-9 . . . . .		0,5	9	△ ⊙	-	-	-	6,15
<b>SAGINA</b> (Caryophyllaceae)								
SA 010 <b>subulata</b> [ <i>Crispy, Puzta</i> ], 5 cm, white, dense carpets, VI-VIII, Z4-9 . . . . .		0,25	4/15	△ ⊖	1300,00	154,00	18,00	3,00
<b>SALVIA</b> (Lamiaceae, Labiateae)								
SA 028 <b>amplexicaulis</b> , 80 cm, violet, similar to <i>S. nemorosa</i> but larger, VI-VIII, Z4-8 . . . . .		2	15	× ✕	-	40,00	5,00	2,50
SA 030 ☼ <b>argentea</b> [ <i>Artemis</i> ], [ADM] [PS], Silver Sage, 65 cm, white with yellow, flat grey-woolly leaf rosettes, VII-VIII, Z5-8 . . . . .		10	15	△ * ⊖	208,00	26,00	3,60	3,60
SA 029 <b>azurea</b> , Prairie Sage, 120 cm, bright azure blue, IX-XI, Z5-8 . . . . .		10	15	* ✕	-	-	12,00	7,20
baumgartenii - see <i>transsylvanica</i>								
SA 033 ☼ <b>bulleyana</b> ( <i>flava v. megalantha</i> ), 60 cm, yellow with red-brown lip, unusual, VI-VIII, Z6-8 . . . . .		10	15	* ✕	672,00	84,00	12,00	7,00
columbariae - see Perennial Herbs - Culinary, Teas and Medicinal								
SA 024 <b>cyanescens</b> , 50 cm, brilliant blue-lilac, attractive silver-grey foliage, VI-VIII, Z6-9 . . . . .		10	16	△ *	384,00	48,00	6,80	4,20
SA 026 ☼ <b>daghستانica</b> [ <i>Platinum</i> ®], [PS], 15 cm, brilliant blue, silver-grey foliage, low cushion forming, a rarity for dry and warm locations, V-VI, Z5-8 . . . . .		5	8	△ ^ *	-	216,00	24,00	7,80
SA 022 <b>farinacea</b> 'Victoria Blue', [ADM], 40 cm, blue flower panicles, uniform habit, VII-IX, Z8-10 . . . . .		3	15	⊖	720,00	90,00	12,00	4,00
SA 023 <b>farinacea</b> 'Victoria White', [ADM], 40 cm, white flower panicles, uniform habit, VII-IX, Z8-10 . . . . .		3	15	⊖	720,00	90,00	12,00	4,00
SA 034 <b>glutinosa</b> , 80 cm, light yellow, VII-IX, Z6-8 . . . . .		5	16		144,00	18,00	2,40	2,00
hians, 60 cm, large grey felt-like foliage, light blue, VI-VI, Z5-8 . . . . .		10	15	Sol	192,00	24,00	3,00	2,30
hispanica - see Organic Seed								
SA 052 ☼ <b>jurisicai</b> , 25 cm, feathery grey-green leaves, light-lilac, seldom pink and white, unpretentious, V-IX, Z5-8 . . . . .		2	15	* △ ⊖	320,00	40,00	5,00	2,50
SA 041 ☼ <b>lavandulifolia</b> ( <i>officinalis</i> var. <i>lavandulifolia</i> ), Spanish Sage, 40 cm, blue-violet, grey-green narrow foliage, aromatic, VI-VIII, Z4-10 . . . . .		20	15	* △ ✕	152,00	19,20	2,60	2,60
SA 044 ☼ <b>lyrata</b> 'Purple Knockout' [ <i>Purple Vulcano, Purple Prince, Burgundy Bliss</i> ], 40 cm, flowers inconspicuous, wide and very decorative foliage, bronze-purple-red, V-VII, Z5-8 . . . . .		3	16	⊖ * ⊖	260,00	32,00	4,20	2,10
miltiorrhiza - see Perennial Herbs - Culinary, Teas and Medicinal								
SA 049 <b>napifolia</b> [ <i>Baby Blue</i> ], 60 cm, purple-violet, rich flowering, attractive foliage, V-VIII, Z5-8 . . . . .		3	15	×	380,00	46,00	5,80	3,20
SA 036 ☼ <b>nemorosa</b> [ <i>Violettkönigin, Violet Queen, West-Friesland</i> ], 60 cm, violet, V-IX, Z4-8 . . . . .		3	15	⊖ * △	192,00	24,00	3,00	2,00
SA 066 <b>nemorosa</b> 'Blaukönigin' [ <i>Blue Queen</i> ], 40 cm, blue-violet, compact, V-IX, Z4-8 . . . . .		3	15	* ⊖ ✕	874,00	92,00	12,00	5,00
SA 075 ☼ <b>nemorosa</b> 'Merleau Blue', [FS], 30 cm, brilliant blue-violet, very rich flowering, compact, well branched habit, first year flowering, V-IX, Z4-8 . . . . .	approx. 800 seeds = 1g	3	15	⊖ ⊖	-	396,00	44,00	7,80
SA 076 ☼ <b>nemorosa</b> 'Merleau Rose', [FS], 30 cm, brilliant rosy-red, very rich flowering, compact, well branched habit, first year flowering, V-IX, Z4-8 . . . . .	approx. 800 seeds = 1g	3	15	⊖ ⊖	-	396,00	44,00	7,80
SA 078 ☼ <b>nemorosa</b> 'Merleau White', [FS], 30 cm, pure white, very rich flowering, compact, well branched habit, first year flowering, V-IX, Z4-8 . . . . .	approx. 800 seeds = 1g	3	15	⊖ ⊖	-	396,00	44,00	7,80
SA 067 <b>nemorosa</b> 'Rosakönigin' [ <i>Rose Queen</i> ], 60 cm, pink, V-IX, Z4-8 . . . . .		3	15	⊖ * ✕	438,00	46,00	6,00	2,50
SA 037 <b>nemorosa</b> 'Rosenwein', 60 cm, pink, V-IX, Z4-8 . . . . .		3	15	⊖ * ✕	874,00	92,00	12,00	5,00
SA 039 ☼ <b>nutans</b> , Nodding Sage, 100 cm, bright violet-blue, nodding flowerheads, VI-IX, Z5-8 . . . . .		5	16	△ ✕	-	-	18,00	7,20
officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
SA 074 ☼ <b>pachyphylla</b> , [PS], Blue Sage, Mojave Sage, 60 cm, blue-violet with purple bracts, grey aromatic foliage, semi-evergreen, VII-IX, Z5-10 . . . . .		10	15	Sol *	-	128,00	16,00	6,20
SA 045 <b>patens</b> 'Blue Angel', 60 cm, ultramarine blue, loose panicles, hairy foliage, VI-X, Z7-10 . . . . .		10	15	⊖	476,00	56,00	7,20	5,80
SA 046 <b>pratensis</b> , 60 cm, blue, VI-VIII, Z3-8 . . . . .		5	15	*	48,00	8,00	2,00	2,00
<b>pratensis</b> <b>Ballet-Series</b> , 50 cm, dense flower heads, rich flowering, very striking colours, VI-VIII, reblooms after dead heading, IX-X, Z3-8								
SA 050 ☼ <b>'Rose Rhapsody'</b> , pale pink shades								
SA 064 ☼ <b>'Sky Dance'</b> , light blue								
SA 047 ☼ <b>'Swan Lake'</b> , white								
SA 063 ☼ <b>'Sweet Esmeralda'</b> , intensive dark pink								
SA 061 ☼ <b>'Twilight Serenade'</b> , blue-violet								
SA 062 ☼ <b>'Meadow Ballet Blend'</b> , blue, violet, white and pink								
<i>continued on the following page</i>								



*SALVIA bulleyana* (flava v. *megalantha*)



*SALVIA daghestanica*



*SALVIA jurisicii*



*SALVIA lyrata* 'Purple Knockout'



*SALVIA nemorosa*



*SALVIA nemorosa* 'Merleau Blue'



*SALVIA nemorosa* 'Merleau Rose'



*SALVIA nemorosa* 'Merleau White'



*SALVIA nutans*



*SALVIA pachyphylla*

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>SALVIA continuation</b>								
SA 056	[S] <i>recognita</i> , 100 cm, whitish-rose with red marked lip, large grey-green leaves, VII-VIII, Z5-8 . . .	20	9		358,00	45,00	5,60	5,60
SA 054	[S] <i>ringens</i> , 60 cm, blue-lilac, VI-VIII, Z6-9 . . .	15	9	△	480,00	60,00	8,20	8,20
SA 065	[S] <i>roemeriana 'Arriba'™ [Hot Trumpets, Prairie Fire, Red Dwarf]</i> , [AGM], 30 cm, brilliant scarlet red flowers, dense panicles, compact growth, round, aromatic foliage, flowers the first year, V-IX, Z7-10 . . .	3	15	⊗⊗⊗△	432,00	48,00	6,20	4,20
SA 071	[S] <i>scabra 'Good Hope' [Saffina]</i> , 40 cm, brilliant pink, dense flowering spikes, rich flowering, healthy and leathery foliage, flowers the first year until frost, V-IX, Z8-11 . . .	3	16	△⊗⊗	–	128,00	16,00	6,00
SA 059	<i>sclarea</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
SA 059	<i>sclarea</i> var. <i>turkestanica</i> , 75 cm, very large, white-pink bracts, more attractive than the species, VI-VII, Z4-8 . . .	10	15	⊕	96,00	12,00	2,00	2,00
SA 060	[S] <i>sclarea</i> var. <i>turkestanica 'Vatican White'</i> , 75 cm, pure white flowers, large white bracts, very attractive, VI-VII, Z4-8 . . .	10	15	⊕	144,00	18,00	2,40	2,00
	<i>x superba</i> - See <i>nemorosa</i>							
SA 077	<i>taraxacifolia</i> [ <i>Touch of Scent</i> ], Dandelion leaved Sage, 20 cm, light pink, rich flowering, grey serrated foliage, pleasant aromatic fragrance, VII-IX, Z7-10 . . .	5	15	⊗⊗	–	–	5,60	2,80
SA 068	[S] <i>transylvanica (baumgartenii)</i> [ <i>Blue Spires, Blue Cloud</i> ], 80 cm, blue, VI-VIII, Z3-8 . . .	15	15	✗⊗	256,00	32,00	4,00	2,00
SA 070	<i>verticillata</i> , 50 cm, lilac-blue, VII-IX, Z4-8 . . .	5	15	⊕	192,00	24,00	3,00	2,00
SA 072	<i>verticillata 'Alba'</i> [ <i>White Rain</i> ], 50 cm, pure white, VII-IX, Z4-8 . . .	5	15	⊕	384,00	48,00	6,00	3,00



**SALVIA pratensis 'Rose Rhapsody'**



**SALVIA pratensis 'Swan Lake'**



**SALVIA pratensis 'Sky Dance'**



**SALVIA pratensis 'Sweet Esmeralda'**



**SALVIA pratensis 'Twilight Serenade'**



**SALVIA pratensis 'Meadow Ballet Blend'**



**SALVIA recognita**



**SALVIA ringens**



**SALVIA roemeriana 'Arriba'™**

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>SANGUINARIA</b> (Papaveraceae)								
SA 090 ☼ <i>canadensis</i> , 20 cm, white, IV, Z3-8 . . . . .		15	1/6	❖ △ ♀	–	72,00	7,80	4,00
<b>SANGUISORBA</b> (Rosaceae)								
SA 094 ☼ <i>hakusanensis</i> , 60 cm, dark pink, arching flower spikes, grey-green foliage, VI-VIII, Z4-8 . . . . .	6	9	❖	–	–	–	–	4,20
SA 095 ☼ <i>menziesii</i> , 80 cm, brilliant black-red spikes, blue-grey feathered leaves, VI-VII, Z4-8 . . . . .	10	9	❖	540,00	62,00	7,20	3,60	
<i>minor</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<i>officinalis</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
SA 093 ☼ <i>parviflora</i> , 160 cm, white drooping spikes, tall pinnatifid foliage, VII-X, Z3-8 . . . . .	5	9	Sol ❖	–	128,00	16,00	5,40	
SA 097 <i>tenuifolia</i> var. <i>tenuifolia</i> f. <i>alba</i> , 120 cm, white nodding flower spikes, feathered foliage, VII-IX, Z3-8 . . . . .	5	9	Sol ❖	608,00	76,00	9,60	4,30	
<b>SANICULA europaea</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>SANTOLINA</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>SAPONARIA</b> (Caryophyllaceae)								
SA 134 ☼ <i>caespitosa</i> , 8 cm, pink, cushions, V-VI, Z6-8 . . . . .	1	1	△ □ ♂	1152,00	144,00	18,00	9,00	
SA 140 <i>lutea</i> , 7 cm, light yellow, V-VI, Z5-8 . . . . .	1	1	△ Ca	768,00	96,00	12,00	6,00	

continued on the following page



**SALVIA scabra** 'Good Hope'



**SALVIA sclarea** var. turk. 'Vatican White'



**SALVIA transsylvanica**



Perennials



**SANGUINARIA** *canadensis*



**SANGUISORBA** *parviflora*



**SANGUISORBA** *menziesii*



SAPONARIA caespitosa



SAPONARIA ocymoides



SAPONARIA ocymoides 'Snow Tip'




SAPONARIA pumilio

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>SAPONARIA continuation</b>							
SA 148 <i>ocymoides</i> , <small>(AGM)</small> , 30 cm, pink, V-VII, Z3-8 . . . . .	5	15	△	170,00	25,00	3,20	2,40
SA 150 <i>ocymoides</i> 'Snow Tip', 25 cm, pure white flowers, dark green foliage, VI-VII, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	5	9	△	320,00	40,00	5,00	3,50
SA 152 <i>officinalis</i> - see <b>GOLD NUGGET SEED® + Perennial Herbs + Organic Seed</b>							
SA 152 <i>pumilio</i> , 5 cm, pink, dense cushions, V-VI, Z5-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	3	1	△	–	–	28,00	9,80
<b>SAPOSHNIKOVIA</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>							
<b>SARRACENIA</b> (Sarraceniaceae)							
SA 159 <i>flava</i> , Yellow Pitcher Plant, 50 cm, bright yellow, light green pitcher leaves, IV-VI, Z5-8 . . . . .	2	8		–	420,00	46,00	6,80
SA 160 <i>purpurea</i> , Common Pitcher Plant, 30 cm, dark red-brown nodding blossoms, green-red pitcher-leaves, VII-VIII, Z2-9 . . . . .	2	1		–	320,00	36,00	6,80
SA 161 <i>species 'New Hybrids'</i> , Pitcher Plants, 20-40 cm, redbrown to yellow blossoms, upright and flat growing pitcher-leaves with variable markings, Hybrids of cultivars and their species, VII-VIII, Z3-10 . . . . .	2	1		–	360,00	46,00	6,80
<b>SARUMA</b> (Aristolochiaceae)							
SA 162 <i>henryi</i> , 40 cm, brilliant sulphur yellow flowers, heart shaped hairy leaves, related to ASARUM, permanent flowering, IV-IX, Z5-8 . . . . .	8	19	△	768,00	96,00	12,00	6,00
<b>SATUREJA</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>							
<b>SAXIFRAGA</b> (Saxifragaceae)							
SA 180 <i>aizoides</i> , 6 cm, yellow-orange, mat-like, VI-VIII, Z4-7 . . . . .	0,25	1	△	–	–	8,00	3,00
<i>aizoon</i> - see <i>paniculata</i>							
SA 196 <i>x arendssii 'Blütenteppich'</i> [Floral Carpet], 20 cm, bright pink, variable, V, Z3-7							
SA 200 <i>x arendssii 'Purpurteppich'</i> [Purpurmantel, Purple Robe], 20 cm, purple-carmine, variable, V, Z3-7							
SA 202 <i>x arendssii 'Schneeteppich'</i> [Frühlingsschnee, Snow Carpet], 25 cm, white, produces mossy mats, V, Z3-7	0,25	16	△	612,00	72,00	8,40	2,40
SA 206 <i>aspera</i> , 10 cm, cream-yellow, mat-forming, VII-VIII, Z5-8 . . . . .	0,25	1	△	–	–	16,00	4,00
SA 214 <i>biflora</i> , 5 cm, purple, 2-3 blossoms on numerous stems, V-VI, Z5-8 . . . . .	0,25	1	△	–	192,00	24,00	4,00
SA 224 <i>cochlearis</i> , Spoon-Leaved Saxifrage, 15 cm, pure white, green rosettes, VI-VII, Z5-8 . . . . .	0,25	1	△	–	–	26,00	4,00
SA 230 <i>cotyledon 'Pyramidalis'</i> , 60 cm, pyramidal, white blossom panicles, V-VI, Z5-8 . . . . .	0,25	1		320,00	40,00	5,00	2,50
SA 238 <i>exarata</i> , 10 cm, white, cushions, V-VI, Z3-6 . . . . .	0,5	9	△	–	–	24,00	6,00
SA 242 <i>granulata</i> , 30 cm, white, V-VI, Z3-8 . . . . .	0,5	1	△	480,00	60,00	7,60	3,20
SA 248 <i>hostii</i> , 40 cm, white, rosettes, V-VII, Z3-8 . . . . .	0,5	1	△	–	96,00	12,00	2,00
SA 256 <i>longifolia</i> , 20 cm, white, only 1 rosette, blossom panicle up to 70 cm, VII, Z5-8 . . . . .	0,25	1	△	–	–	92,00	12,00
SA 260 <i>manschuriensis</i> , 40 cm, white, VI-VII, Z4-7 . . . . .	0,25	1	△	–	–	24,00	6,00
SA 262 <i>marginata</i> , 5 cm, white, V-VI, Z6-9 . . . . .	0,25	1	△	–	288,00	36,00	6,00
SA 268 <i>oppositifolia</i> , 5 cm, pink - wine-red, flat cushions, almost stemless, blooms after snow melts, III-V, Z2-7 . . . . .	0,25	1	△	–	–	42,00	6,00
SA 188 <i>paniculata</i> ( <i>aizoon</i> ), 20 cm, white, silver-grey rosettes, V-VI, Z2-7 . . . . .	0,25	1	△	–	144,00	18,00	4,50
SA 192 <i>paniculata</i> ssp. <i>brevifolia</i> ( <i>aizoon minor</i> ), 15 cm, white, very small rosettes, V-VI, Z2-7 . . . . .	0,25	9	△	768,00	96,00	12,00	4,00
SA 280 <i>rotundifolia</i> , 35 cm, white, semi-shade, V-VI, Z4-8 . . . . .	0,5	16	△	–	54,00	6,00	2,00
SA 283 <i>semperfervium</i> , 10 cm, nodding purple flowers, encrusted rosettes, variable, IV-V, Z6-9 . . . . .	0,25	1	△	–	288,00	36,00	6,00
SA 286 <i>stellaris</i> , 10 cm, white with yellow, VI-VII, Z5-8 . . . . .	0,25	1	△	–	–	16,00	4,00
SA 294 <i>umbrosa</i> ( <i>x urbium</i> ) 'Elliott's Variety', <small>(AGM)</small> , 30 cm, pink, compact, V-VI, Z6-9 . . . . .	0,5	1	△	512,00	64,00	8,00	4,00
<b>SCABIOSA</b> (Dipsacaceae)							
SB 236 <i>canescens</i> , 50 cm, light blue, pinnatifid foliage, VII-XI, Z5-8 . . . . .	10	15		320,00	40,00	5,00	2,50
SB 240 <i>caucasica 'Fama Deep Blue'</i> , 50 cm, intense blue, darkest of all, VI-IX, Z4-8 . . . . .	35	15		840,00	90,00	12,00	12,00
SB 241 <i>caucasica 'Fama White'</i> , 50 cm, pure white, large flowering, VI-IX, Z4-8 . . . . .	35	15		840,00	90,00	12,00	12,00
ST 244 <i>caucasica 'Perfecta'</i> [Blue Perfection], 50 cm, lavender blue, VI-IX, Z4-8, JET® - rubbed seed	35	20		256,00	32,00	4,00	4,00
ST 246 <i>caucasica 'Perfecta Alba'</i> [White Perfection], 50 cm, white, VI-IX, Z4-8, JET® - rubbed seed	35	20		256,00	32,00	4,00	4,00
ST 247 <i>caucasica 'Isaac House Hybr.'</i> [Spielarten], 60 cm, white and blue shades, VII-IX, Z4-8, JET® - rubbed seed	35	20		224,00	28,00	3,60	3,60
SB 252 <i>columbaria</i> , 60 cm, light blue, VI-IX, Z5-8 . . . . .	10	15		144,00	18,00	2,50	2,50
SB 251 <i>columbaria f. nana</i> [Pincushion Blue], 25 cm, blue, VI-IX, Z5-8 . . . . .	5	15		320,00	42,00	5,80	3,20

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>SCABIOSA continuation</b>									
SB 250	columbaria f. nana 'Pincushion Pink'	25 cm, soft pink, VI-IX, Z5-8 . . . . .	5	15	△ ⚡ ⚡	320,00	42,00	5,80	3,20
SB 249	columbaria 'Misty Butterflies'	, 25 cm, soft pink to lavender blue, large flowering, compact, VI-IX, Z5-8 . . . . .	5	15	△ ⚡ ⚡	240,00	36,00	5,20	2,90
SB 253	graminifolia [Powder Pink]	, 35 cm, light lilac, wiry stems, lanceolate foliage, VI-IX, Z6-9 . . . . .	30	15	✗ △	384,00	48,00	6,20	6,20
SB 254	japonica var. alpina [Blue Star]	, 25 cm, violet-blue, VI-X, Z5-8 . . . . .	5	15	⚡ △ ⚡	320,00	42,00	5,80	3,20
SB 261	japonica var. alpina 'Ritz Blue'	, 20 cm, sky blue, rich flowering, compact habit, very vigorous, first year flowering from seed, VI-IX, Z5-8 . . . . .	3	15	⚡ ⚡ △	–	192,00	24,00	6,00
SB 263	japonica var. alpina 'Ritz Rose'	, 20 cm, pink, rich flowering, compact habit, very vigorous, first year flowering from seed, VI-IX, Z5-8 . . . . .	3	15	⚡ ⚡ △	–	192,00	24,00	6,00
SB 256	lachnophylla 'Blue Horizon'	, 60 cm, violet-blue, abundant flowering until first frost, upright and sturdy habit, leathery pinnatifid foliage, VII-X, Z4-9 . . . . .	7	15	✗ ⚡	580,00	72,00	9,60	4,80
SB 258	ochroleuca (columbaria ssp. ochroleuca)	, 80 cm, light yellow, VI-X, Z5-8 . . . . .	10	16	✗ ⚡	256,00	32,00	4,00	3,00
SB 257	ochroleuca 'Moon Dance' [Pixie Yellow]	, 40 cm, light yellow, pincushion like flowers, abundant flowering, compact, dwarf habit, fine pinnatifid foliage, an outstanding selection by the University of Georgia, VI-X, Z5-8 . . . . .	5	16	⚡ ✗ △ ⚡	–	44,00	5,80	3,20
<b>SCHIVERECKIA (Brassicaceae, Cruciferae)</b>									
SB 269	doerfleri (DRABA)	, 5-10 cm, white, dense blossom racemes, mat-forming, IV-V, Z5-8 . . . . .	0,5	9	△ ↗	–	–	22,00	6,00


**SARRACENIA flava**

**SARRACENIA purpurea**

**SARRACENIA species 'New Hybrids'**

**SARUMA henryi**

**SAXIFRAGA granulata**

**SAXIFRAGA longifolia**

**SCABIOSA columbaria f. nana**

**SCABIOSA columbaria 'Pincushion Pink'**

**SCABIOSA lachnophylla 'Blue Horizon'**

### Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>SCILLA</b> (Hyacinthaceae, <i>Liliaceae</i> )								
SB 275 <b>hyacinthoides</b> , 60 cm, purple, vigorous foliage, V-VI, Z3-9 . . . . .	non-scripta - see HYACINTHOIDES non-scripta	20	15	△ ☀	96,00	14,00	2,00	2,00
<b>SCLERANTHUS</b> (Ilecebraceae, <i>Caryophyllaceae</i> )								
SB 277 <b>biflorus ssp. uniflorus</b> , Knawel Cushion, 5 cm, small inconspicuous flowers, dense, compact, mosslike cushions, VII-VIII, Z5-9 . . . . .		1	9	△ ↗	1152,00	144,00	18,00	6,00
<b>SCOPOLIA</b> (Solanaceae)								
SB 278 <b>carniolica</b> , 60 cm, brownish-violet, IV-V, Z4-8 . . . . .		5	1	‡ ✕	512,00	64,00	8,00	6,00
<b>SCROPHULARIA</b> (Scrophulariaceae)								
SB 293 <b>macrantha</b> ,  Red Birds in a Tree, 60 cm, showy crimson tubular flowers, shrubby habit, rich green serrated foliage, V-IX, Z4-9 . . . . .		1	15	△ ✕ ☀	–	–	48,00	6,20
<b>SCUTELLARIA</b> (Lamiaceae, <i>Labiateae</i> )								
SA 300 <b>alpina</b> , 25 cm, upper lip blue, lower lip white, VI-VIII, Z5-8 . . . . .		2	9	△ △ ☀	–	96,00	12,00	4,00
SA 303 <b>alpina 'Arcobaleno'</b> , 25 cm, color display of blue-violet, light blue, white, rose and light yellow flowers, VI-IX, Z5-8 . . . . .		2	9	△ △ ☀	448,00	56,00	7,00	3,50
SA 302 <b>alpina 'Moonbeam'</b> , 25 cm, light yellow with golden lip, abundant flowering cushions, V-VIII, Z5-8 . . . . .		2	9	△ △ ☀	536,00	68,00	8,60	4,30
SA 304 <b>altissima</b> , 70 cm, blue-violet, VI-VII, Z5-8 . . . . .		2	16	△	–	40,00	5,00	2,50
SA 308 <b>baicalensis</b> [ <i>Oriental Blue, Siberian Magic</i> ], 30 cm, blue, VII-IX, Z4-8 (see also Organic-Seeds) . . . . .		5	9	△ ‡ ☀	400,00	48,00	6,00	3,00
SA 311 <b>galericulata</b> , Swamp Skullcap, 40 cm, violet-blue, VI-IX, Z4-7 . . . . .		1	2	❀ △	256,00	32,00	4,00	3,20
SA 312 <b>incana</b> , 80 cm, large light blue flowers, upright habitat, VIII-IX, Z5-8 . . . . .		4	8	–	62,00	7,00	3,50	
SA 313 <b>integerrolia</b> , Hyssop leaved Skullcap, 40 cm, blue-violet with white lip, rich flowering, upright branched panicles, lanceolate foliage, V-VIII, Z5-8 . . . . .		3	8	△ ‡ ☀	300,00	48,00	8,00	3,20
SA 314 <b>orientalis</b> , Oriental Skullcap, 20 cm, yellow, low cushions, very variable, VI-VIII, Z5-8 . . . . .		2	9	△	–	76,00	9,60	4,80
SA 316 <b>orientalis</b> var. <b>pinnatifida</b> , 15 cm, yellow, green feathery foliage, VII-IX, Z5-8 . . . . .		2	9	△	–	192,00	24,00	5,20
SA 319 <b>pontica</b> , 15 cm, red-purple, grey leaved, VI-VIII, Z6-8 . . . . .		2	9	△	256,00	32,00	4,00	2,00
SA 318 <b>resinosa</b> 'Smoky Hills',  Prairie Scullcap, 20 cm, blue-violet, rich flowering, bushy habit, VI-IX, Z4-8 . . . . .		2	16	△ △	1540,00	192,00	24,00	5,20
SA 317 <b>suffrutescens</b> 'Cherry Skullcap',  15 cm, cherry-red blossoms, abundant flowering, forms dense cushions, VII-IX, Z6-9 . . . . .		2	16	△	–	256,00	32,00	7,20
<b>SECURIGERA</b> (Papilionaceae, <i>Leguminosae</i> )								
CA 644 <b>varia</b> ( <b>CORONILLA</b> ), 40 cm, pink-white, abundant flowers, climbing, V-IX, Z4-9, . . . . .	<b>pure seed</b>	10	16/10	vvv ‡	32,00	8,00	2,00	2,00
<b>SEDUM</b> (Crassulaceae)								
SA 320 <b>acre</b> [ <b>Golden Carpet</b> ], Wallpepper, 6 cm, yellow, mat-forming, VI-VII, Z4-8 . . . . .		0,5	4/15	△ vvv ‡ ✕	336,00	42,00	5,40	2,70
SA 322 <b>acre</b> ' <b>Oktoberfest</b> ', 6 cm, bright cream-white starflowers, fresh green cushions, mat-forming, VI-VIII, Z4-8 . . . . .		0,25	4/15	△ vv	768,00	96,00	12,00	4,00
SA 324 <b>aizoon</b> , 40 cm, yellow with brown, abundant flowers, VII-VIII, Z6-9 . . . . .		0,5	4/15	△ ✕	368,00	46,00	5,80	2,90
SA 328 <b>album</b> , 10 cm, white umbel panicles, VI-VIII, Z4-8 . . . . .		0,25	4/15	△ vvv ✕	420,00	54,00	7,00	3,50
SA 368 <b>ellacombianum</b> ( <i>selskianum</i> hort.) [ <b>Selsie, Spirit, Yellow Stars</b> ],  10 cm, yellow, VI-VIII, Z4-9 . . . . .		0,5	4/15	△ ☀ ✕	336,00	42,00	5,40	2,70
SA 348 <b>floriferum</b> , 10 cm, golden, evergreen, crenate foliage, VII-VIII, Z6-9 . . . . .		0,5	4/15	△ vv	680,00	86,00	10,00	5,00
SA 349 <b>forsterianum</b> ssp. <b>elegans</b> 'Silver Stone', 25 cm, bright yellow starry-flowered corymbs, attractive, soft, blue-green foliage, often tinged pinkish, tight rosettes, VI-VIII, Z4-9 . . . . .		0,25	4/16	✿ △ vv	768,00	96,00	12,00	4,00
SA 363 <b>glaucophyllum</b> ( <b>nevi</b> ), 10 cm, white umbel-racemes, early flowering, blue-green cushions, also for partial shady places, IV-VI, Z5-8 . . . . .		0,25	16	△ *	–	176,00	22,00	5,00
SA 350 <b>hispanicum</b> , 10 cm, whitish-pink, grey-green cushions, fast growing, often short lived, V-VI, Z6-10 . . . . .		0,25	15	△ △ ☀	1150,00	144,00	18,00	4,50
SA 352 <b>hybridum</b> 'Czar's Gold', 15 cm, golden, rich flowering, reddish stems, growing evergreen carpets, outstanding groundcover, V-VIII, Z3-8 . . . . .		0,25	16	vvv △	512,00	64,00	8,00	4,00
SA 356 <b>kamtschaticum</b> ,  15 cm, orange-yellow, VIII-IX, Z4-9 . . . . .		0,5	4/16	△ ✕	448,00	56,00	7,00	3,50
Kamtschaticum var. <b>ellacombianum</b> - see <b>ellacombianum</b>								
SA 358 <b>lanceolatum</b> , 10 cm, yellow, foliage sometimes powdery, bronze color in fall, VIII-X, Z5-8 . . . . .		0,5	4/16	△ vv	–	–	36,00	6,00

continued on the following page



SCABIOSA ochroleuca 'Moon Dance'



SCLERANTHUS biflorus ssp. uniflorus



SCOPOLIA carniolica



SCROPHULARIA macrantha



*SCUTELLARIA alpina 'Arcobaleno'*



*SCUTELLARIA baicalensis*



*SCUTELLARIA incana*



*SCUTELLARIA integrifolia*



*SCUTELLARIA pontica*



*SCUTELLARIA resinosa 'Smokey Hills'*



*SCUTELLARIA suffrutescens 'Cherry Skullcap'*



*SEDUM acre 'Oktoberfest'*



*SEDUM forsterianum 'Silver Stone'*



*SEDUM glaucophyllum*



*SEDUM hispanicum*



*SEDUM* hybride 'Czar's Gold'



*SEDUM* middendorffianum var. striatum

*SEDUM* oreganum

*SEDUM* middendorffianum var. middendorffianum



*SEDUM* pulchellum



*SEDUM* selskianum 'Goldilocks'



*SEDUM* spurium 'Summer Glory'



*SEDUM* stenopetalum

*SEDUM* spurium 'Summer Snow'

**Production – Breeding – Seed Technology**

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
				from 100 g	from 10 g	from 1 g	Portion
<b>SEDUM continuation</b>							
NEW! SA 353 <i>middendorffianum</i> var. <i>middendorffianum</i> , 25 cm, golden, reddish seedheads, narrow foliage, dense clumps, vigorous, VII-IX, Z4-9 . . . . .	0,25	4/16	△	448,00	74,00	12,00	4,00
SA 357 <i>middendorffianum</i> var. <i>striatum</i> , 10 cm, golden, reddish seed heads, forms dense cushions, very narrow bronze-green foliage, evergreen, VII-VIII, Z6-9 . . . . .	0,25	15	△ △	–	324,00	36,00	6,20
SA 355 <i>montanum</i> , 20 cm, golden, mostly dark green needle-like foliage, VI-VIII, Z6-9 . . . . .	0,5	4/15	△ △	768,00	96,00	12,00	4,00
SA 354 <i>montanum</i> ssp. <i>orientale</i> , 20 cm, golden, blue-grey needle-like foliage, VI-VIII, Z6-9 . . . . .	0,5	4/15	△ △	960,00	120,00	15,00	5,00
SA 351 <i>obtusifolium</i> var. <i>listoniae</i> , 10 cm, brilliant pink, flat leaf-rosettes, VII-VIII, Z6-9 . . . . .	0,25	4/16	△	–	288,000	36,00	6,00
SA 367 <i>ochroleucum</i> ( <i>anopetalum</i> ), 25 cm, creamy-white flower umbels, compact blue-green foliage, VI-VIII, Z5-9 . . . . .	0,25	4/16	△	–	120,00	15,00	5,00
SA 360 <i>oreganum</i> , 5 cm, yellow, forms cushions, red-brown in sunlight, VI-VIII, Z5-8 . . . . .	0,5	4/8	△	1400,00	176,00	22,00	4,00
SA 362 <i>populifolium</i> ( <i>HYLOTELEPHIUM</i> ), 30 cm, white umbels with pink tinge, strongly-toothed wide leaves, VII-VIII, Z2-8 . . . . .	0,1	4/15	*	–	–	36,00	6,00
SA 359 <i>pulchellum</i> [ <i>Seastar</i> ], 10 cm, brilliant pink, rich flowering, lush green foliage, tolerates shade and moist places, short lived, V-VII, Z6-10 . . . . .	1	4/16	△	576,00	72,00	9,00	4,50
SA 364 <i>reflexum</i> ( <i>rupestre</i> ), Stone Orpine, 30 cm, yellow, grey leaves, VI-VIII, Z4-9 (see also Organic-Seeds) . . . . .	0,5	4/15	△	336,00	42,00	5,40	2,70
rhodanthum - see <i>RHODIOLA rhodantha</i> roseum - see <i>RHODIOLA rosea</i>							
SA 387 <i>rubens</i> 'Lizard', 10 cm, pink-white, dense cushions, interesting structure plant, annual, VI-VII, Z6-10 . . . . .	0,2	4/15	△	2260,00	252,00	28,00	6,00
SA 366 <i>sediforme</i> , Pale Stonecrop, 40 cm, straw-coloured umbels, upright habit, grey-blue foliage, leaf shoots thicker than <i>S. reflexum</i> , VI-VIII, Z6-10 . . . . .	0,25	4/16	△	768,00	96,00	12,00	4,00
SA 369 <i>selskianum</i> hort. - see <i>ellacomianum</i>							
<i>selskianum</i> (true) 'Goldilocks', 20 cm, golden, rich flowering, narrow leaves, clump forming, fine hairs cover the entire plant, flowering the first year from seed, VIII-IX, Z4-8 . . . . .	0,25	4/15	△	512,00	64,00	8,00	4,00
semenowii - see <i>RHODIOLA semenowi</i>							
SA 371 <i>sexangulare</i> , 8 cm, lemon yellow, dense sweet tasting foliage, VII-VIII, Z4-9 . . . . .	0,25	4/9		480,00	62,00	7,80	3,90
SA 376 <i>spurium</i> var. <i>coccineum</i> [ <i>Splendens, Purple Carpet</i> ], 15 cm, dark pink, VII-IX, Z5-9 . . . . .	0,5	4/16	△	420,00	54,00	7,00	3,50
SA 374 <i>spurium</i> 'Summer Glory', 15 cm, intense dark pink flowers, fresh green, healthy foliage, very vigorous, VII-IX, Z5-9 . . . . .	0,5	4/16		576,00	72,00	9,00	4,50
NEW! SA 375 <i>spurium</i> 'Summer Snow', 15 cm, pure white with pink stamens, fresh green healthy foliage, very vigorous, VII-IX, Z5-9 . . . . .	0,5	4/16		576,00	72,00	9,00	4,50
SA 377 <i>spurium</i> 'Voodoo',  15 cm, neon-pink, intense deep red foliage, round habit, variable, VII-IX, Z5-9 . . . . .	0,25	9	△	–	882,00	98,00	5,00
SA 381 <i>stenopetalum</i> , 15 cm, pale yellow umbels, glossy green foliage with reddish tinge, flower stalks with numerous adventitious buds, VI-VIII, Z5-8 . . . . .	0,5	4/16	△	768,00	96,00	12,00	4,00
SA 378 <i>stoloniferum</i> , 20 cm, pink, starshaped flowers, red stems, groundcover for shady places, VI-VII, Z6-9 . . . . .	0,25	9		576,00	72,00	9,00	4,50
SA 379 <i>takesimense</i> , 40 cm, golden umbels, large flowering, strong leaf-rosettes with fresh-green serrate foliage, evergreen, VII-IX, Z6-9 . . . . .	0,2	4/15	△	–	352,00	42,00	6,00
SA 380 <i>telephium</i> ssp. <i>maximum</i> , 40 cm, yellowish-white umbels, green foliage, VIII-X, Z4-9 . . . . .	0,25	1	*	768,00	96,00	12,00	4,00
SA 382 <i>telephium</i> 'Emperor's Waves', 40 cm, dense purple-red umbels, mostly dark stemmed, strong blue-green foliage, VII-IX, Z4-9 . . . . .	0,25	16	*	–	480,00	62,00	4,80
SA 386 <i>ternatum</i> , 8 cm, white, cushion-forming, attractive foliage, not invasive, also for shade, early flowering, V-VI, Z5-9 . . . . .	0,25	4/8		–	–	92,00	4,80
SA 388 <i>ussuriense</i> [ <i>Pink Beacon</i> ], 35 cm, carmine-red umbels, dark green, later bronze coloured foliage, VII-X, Z4-9 . . . . .	0,25	4/16	*	–	176,00	22,00	5,00
SA 390 <i>Mixture</i> of many nice varieties, also for roof gardens, up to 40 cm, V-IX, Z5-8 . . . . .	0,25	4/16	△	336,00	42,00	5,40	2,70
<b>SELINEUM (Apiaceae, Umbelliferae)</b>							
SA 396 <i>wallichianum</i> ( <i>CORTIA</i> ) ( <i>tenuifolium</i> ), 120 cm, white umbels, fine feathered foliage, red stems, VI-VIII, Z6-9 . . . . .	5	16		736,00	92,00	12,00	6,00
<b>SEMIAQUILEGIA (Ranunculaceae)</b>							
SA 398 <i>ecalarata</i> , 20 cm, violet-purple, VI-VII, Z4-8 . . . . .	2	8	△	992,00	124,00	16,00	8,00
<b>SEMPERVIVUM (Crassulaceae)</b>							
SA 402 <i>arachnoideum</i> ,  12 cm, red, small rosettes, silvery webbed, VII-VIII, Z3-8 . . . . .	0,25	9	△	–	384,00	48,00	6,00
heuffelii - see <i>JOVIBARBA heuffelii</i>							
SA 403 <i>montanum</i> , 10 cm, green rosettes, dull red flowers, VI-VIII, Z4-8 . . . . .	0,5	9	△	–	368,00	46,00	6,00
SA 404 <i>tectorum</i> ,  25 cm, dull purple flowers, large rosettes, VI-VIII, Z3-8 . . . . .	0,5	9	△	–	342,00	38,00	5,00
SA 400 <i>hybridum winter hardy varieties</i> , 25 cm, abundant mixture of small and large rosette types and cultivars, VI-VIII, Z3-8 (see also <i>GOLD NUGGET SEED</i> ®) . . . . .	0,5	9	*	2320,00	272,00	32,00	4,50


**SEDUM ussuricense**

**SELINUM wallichianum**

**SEMPERVIVUM arachnoideum**

**SEMPERVIVUM montanum**



SENECON polyodon



SESELI gummiferum



SIDALCEA candida 'Bianca'



SILENE acaulis

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>SENECO (Asteraceae, Compositae)</b>								
SA 412	doria, 80 cm, golden umbel-clusters, attractive blue-green foliage, leathery, up to 40 cm long, VII-IX, Z5-8 . . . . .	3	9	✖	–	42,00	6,00	3,00
SA 413	doronicum, 40 cm, orange-yellow, for limy, well-drained soil, VI-VII, Z4-8 . . . . .	5	9	△	–	–	8,00	4,50
SA 415	incanus, 10 cm, egg yolk yellow umbels, grey feltlike leaves, VI-VIII, Z4-8 . . . . .	1	9	△ Ca	–	–	14,00	5,00
SA 411	integrifolius ssp. capitatus, 25 cm, orange-red flower umbels, grey-white woolly leaves, VI-VII, Z6-8 . . . . .	3	9	△	–	–	9,00	4,50
SA 416	nemorensis ssp. fuchsii, 100 cm, yellow flowers, red-brown stems, VII-IX, Z5-8 . . . . .	2	16	✖	192,00	24,00	3,00	2,00
SA 418	polyodon, 40 cm, lilac-rose, abundant flowering, VII-IX, Z6-9 . . . . .	1	16	⊗	512,00	64,00	8,00	4,00
<b>SENNA - see CASSIA</b>								
<b>SERRATULA tinctoria - see Perennial Herbs - Culinary, Teas and Medicinal</b>								
<b>SESELI (Apiaceae, Umbelliferae)</b>								
SA 421	elatum ssp. osseum, Mountain Fennel, 80 cm, white umbels, evergreen clumps, aromatic, monocarpic, VI-VII, Z6-9 . . . . .	5	16	✖	520,00	62,00	7,20	3,60
SA 424	gracile, 50 cm, yellow umbels, dense fennel like compact habit, IV-VI, Z5-8 . . . . .	3	16	蜜蜂	–	24,00	3,20	3,20
SA 422	gummiferum [Moon Carrot], 80 cm, large white umbels, blue-grey leaves, very good cut flower, short living, VII-VIII, Z5-8 . . . . .	5	16	△ ✖ *	540,00	64,00	8,00	4,00
<b>SIBBALDIA (Rosaceae)</b>								
NEW! SA 430	procumbens, Creeping Glow Wort Sibbaldia, 5 cm, yellow umbels, three parted foliage, VII-VIII, Z1-6 . . . . .	2	16	△ ↗	–	–	24,00	3,20
<b>SIDA (Malvaceae)</b>								
SA 432	hermaphrodita, Virginia Mallow, 250 cm, white, mallow-shaped foliage, upright bushes, bio-energy-plant, V-VIII, Z4-9 (see also GOLD NUGGET SEED®) . . . . .	20	9	Sol ⊕ 蜜蜂	160,00	28,00	4,80	4,80
<b>SIDALCEA (Malvaceae)</b>								
SA 434	candida 'Bianca', 90 cm, white, VI-VIII, Z5-8 (see also GOLD NUGGET SEED®) . . . . .	10	1	✖	288,00	36,00	4,60	3,50
SA 436	Malviflora-Hyb. 'Partygirl' [Rosanna], 100 cm, carmine-rose, VII-IX, Z5-8 (see also GOLD NUGGET SEED®) . . . . .	10	9	⊗ ✖	196,00	24,00	3,20	2,40
SA 437	Malviflora-Hyb. 'Rosaly', 120 cm, soft pink, VII-IX, Z5-8 (see also GOLD NUGGET SEED®) . . . . .							
SA 440	malviflora 'Starks Hyb.', 100 cm, rosy-red, VII-IX, Z5-8 . . . . .							
<b>SIDERITIS syriaca - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>								
<b>SIEGESBECKIA - see Perennial Herbs - Culinary, Teas and Medicinal</b>								
<b>SILENE see also LYCHNIS (Caryophyllaceae)</b>								
SA 450	acaulis, 10 cm, pink, V-VI, Z2-7 . . . . .	1	15	△	–	320,00	40,00	7,00
SA 454	alba (latifolia), 45 cm, white, V-X, Z5-8 . . . . .	5	15	△	48,00	8,00	2,00	2,00
SA 458	alpestris (HELIOSPERMA alpestre), 15 cm, white, VI-VIII, Z4-8 . . . . .	0,5	15	△	992,00	124,00	16,00	4,00
	atropurpurea - see LYCHNIS viscaria ssp. atropurpurea							
	baccifer - see CUCUBALUS baccifer							
SA 463	caroliniana ssp. wherryi [Hot Pink, Celina], 15 cm, pink, rich-flowering, cushion forming, V-VII, Z4-8 . . . . .	3	15	⊗ △	1024,00	128,00	16,00	3,20
	chalcedonica - see LYCHNIS							
	coronaria - see LYCHNIS							
SA 466	dioica (MELANDRIUM rubrum), 80 cm, light purple-red, V-IX, Z5-8 . . . . .	5	15	△ ⊕	48,00	8,00	2,00	2,00
SA 468	elisabethae, Elisabeth's Catchfly, 15 cm, bright rosy-red, large blossoms, glossy green leaf-rosettes, VII-VIII, Z6-9 . . . . .	1	8	△ ⊕	–	–	–	9,80
	flos-cuculi - see LYCHNIS							
	flos-jovis - see LYCHNIS							
	maritima - see uniflora							
SB 452	nutans, Nottingham Catchfly, 40 cm, white nodding flowers, VI-VIII, Z5-8 . . . . .	3	16	✖ ⊕	72,00	12,00	2,00	2,00
SB 454	orientalis (compacta), 75 cm, dark pink blossom clusters, VI-IX, Z5-8 . . . . .	0,5	15	✖ ⊕	256,00	32,00	4,00	2,00
	pendula - see caroliniana ssp. wherryi							
SB 460	regia, 50 cm, carmine, VI-VIII, Z4-8 . . . . .	2	15	△ ↗	–	96,00	12,00	4,00
SB 462	saxifraga, 10 cm, white, VII-VIII, Z4-8 . . . . .	1	16	△ ↗	640,00	80,00	10,00	2,50
SB 464	schafta 'Persian Carpet', 15 cm, brilliant dark pink, horizontal cushions, more compact and richer flowering than 'Splendens', VII-IX, Z4-8 . . . . .	2	15	△ ⊕	–	–	7,80	3,90

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>SILENE continuation</b>								
SB 465	schafta 'Shell Pink', 15 cm, brilliant soft pink, rich flowering, light green foliage, compact habit, horizontal cushions, VII-IX, Z4-8	1	15	△ ☀	–	84,00	12,00	4,20
SB 466	schafta 'Splendens' [ <i>Rosy Gem, Moss Champion</i> ], (AGM), 20 cm, pink, abundant flowers, VIII-IX, Z4-8	2	15	△ ☀	480,00	62,00	7,80	3,90
	suecica - see LYCHNIS alpina							
SB 475	tatarica, 60 cm, white starflowers, rich flowering, fragrant, lanceolate foliage, VI-VIII, Z4-9	1	15	❀	140,00	18,00	2,40	2,00
SB 482	uniflora 'Compacta', 10 cm, light pink, grey-green foliage, compact cushions, rich flowering, VI-VIII, Z3-8	2	16	⊗ △ ♂	320,00	40,00	5,00	2,50
SB 450	uniflora (maritima) 'Weißeckchen' [ <i>Icecups, Robin White Breast</i> ], 20 cm, white, single, abundant flowers, VI-VIII, Z3-8	2	16	⊗ △ ♂	480,00	62,00	7,80	3,90
	viscaria - see LYCHNIS							
SB 470	vulgaris, 60 cm, white, rarely pink, V-IX, Z2-8	5	16	△	48,00	8,00	2,00	2,00
SB 478	zawadskii, 20 cm, white paniced racemes, glossy green leaf rosettes, VI-VIII, Z4-8	2	9	△	240,00	30,00	3,80	2,00
<b>SILPHIUM (Asteraceae, Compositae)</b>								
SA 490	integrifolium, 120 cm, large yellow flowers, clump forming, VII-IX, Z5-8	40	9	Sol	192,00	24,00	3,00	5,00
SA 494	laciniatum, Compass Plant, 200 cm, yellow, flowers always turn eastwards, deeply pinnatifid leaves, VII-IX, Z4-8	40	9	Sol ✕	160,00	20,00	2,00	5,00
SA 495	mohrii, 160 cm, brilliant creamy yellow blossoms, rich flowering, sturdy branched stems, healthy hirsute foliage, clumping habit, VII-XI, Z4-8	30	9	Sol ✕	384,00	48,00	6,40	5,20
SA 496	perfoliatum, (AGM), 200 cm, yellow, large flowering, branched inflorescence, bio-energy-plant, VII-IX, Z4-8	50	9	Sol N ❀	120,00	16,00	2,00	5,00
SA 498	terebinthinaceum, 150 cm, yellow flowers, striking leaves resemble elephant ears, approx. 60 cm, VII-IX, Z4-8	50	9	Sol	192,00	24,00	3,00	5,00
<b>SILYBUM marianum</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>SISYRINCHIUM</b> (Iridaceae)								
SA 510	angustifolium (bermudianum), 20 cm, violet, V-VI, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> )	5	9	△	240,00	30,00	4,00	2,00
SA 511	angustifolium f. album, 20 cm, white with yellow eye, V-VI, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> )	J1405	9	△	240,00	30,00	4,00	2,00
SA 522	californicum (brachypus) [ <i>Yellow Stone</i> ], 30 cm, golden, V-VII, Z6-10 ( <i>see also GOLD NUGGET SEED®</i> )	5	9	△ ☀	–	46,00	6,00	3,00
SA 514	idahoense var. bellum, 20 cm, blue-violet, V-VI, Z7-10	5	9	△ ☀	192,00	24,00	3,00	2,00
SA 534	striatum, 65 cm, light yellow panicles, VI-VII, Z6-10 ( <i>see also GOLD NUGGET SEED®</i> )	5	9	✖ △	360,00	46,00	6,00	3,00
<b>SMILACINA (MAIANthemum) (Convallariaceae, Liliaceae)</b>								
SA 550	racemosa, (AGM), 90 cm, blossom panicles 15 cm, soft yellow, rich flowers, very decorative, ivory colored berries at first, maturing to light red, V-VI, Z3-8	100	19	❖	72,00	12,00	2,00	4,60
SA 552	stellata, Star Flower, 40 cm, white flower panicles, lanceolate leaves, VI-VIII, Z2-8	40	1	❖	180,00	24,00	3,00	12,00


**SILENE elisabethae**

**SILENE regia**

**SILENE schafta 'Shell Pink'**

**SILENE uniflora 'Weißkehlchen'**

**SILENE zawadskii**



*SILPHIUM mohrii*



*SISYRINCHIUM angustifolium* f. *album*



*SISYRINCHIUM californicum*



*SISYRINCHIUM striatum*



*SMYRNIMUM perfoliatum*



*SOLIDAGO rigida* ssp. *humilis* 'Golden Rockets'



*SOLANUM dulcamara*



*SOLDANELLA montana*



*SOLIDAGO canad.* 'Little Miss Sunshine'



*SOLIDAGO cutleri*

Production – Breeding – Seed Technology				Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>SMYRNIUM</b> (Apiaceae, <i>Umbelliferae</i> )										
SA 554 <i>olusatrum</i> , Black Lovage, Alexanders, 120 cm, greenish-yellow umbels, substitute for Celery, V-VII, Z7-10 . . . . .	80	1				60,00	8,00	2,00	4,00	
SA 555 <i>perfoliatum</i> , 60 cm, large, green-yellow bracts, mostly monocarpic, IV-V, Z5-8 . . . . .	25	1				192,00	28,00	4,00	4,00	
<b>SOLANUM</b> (Solanaceae)										
SA 558 <i>dulcamara</i> , Bittersweet, 100 cm, violet, red berries, woody, VI-VIII, Z3-8 . . . . .	3	8				192,00	24,00	3,00	2,00	
<b>SOLDANELLA</b> (Primulaceae)										
SA 560 <i>alpina</i> , 10 cm, light blue, IV-V, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	1	9				–	240,00	30,00	5,00	
SA 562 <i>montana</i> , 15 cm, violet, V-VI, Z5-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	2	9				–	380,00	48,00	6,00	
SA 564 <i>pusilla</i> , 5 cm, purple, evergreen, IV-V, Z4-8 . . . . .	1	9				–	–	42,00	5,00	
<b>SOLIDAGO</b> (Asteraceae, <i>Compositae</i> )										
SA 570 <i>canadensis 'Golden Baby' [Goldkind, Yellow Springs]</i> , 60 cm, golden, VII-IX, Z2-8 . . . . .	0,25	16				480,00	68,00	9,80	3,60	
SA 572 <i>canadensis 'Little Miss Sunshine'</i> , 30 cm, golden, richly branched umbels, compact and dwarf habit, reliable first year flowering, especially suitable for container production, does not spread uncontrolled, VII-X, Z2-9 . . . . .	0,25	15				780,00	98,00	12,00	4,20	
SA 571 <i>cutleri (virgaurea var. alpina)</i> , 15 cm, golden, densely tufted habit, VII-IX, Z3-9 . . . . .	0,5	15				384,00	48,00	6,20	3,10	
SA 574 <i>glomerata</i> , 100 cm, yellow panicles with very large single blossoms, standing freely over large leaves, VIII-X, Z5-8 . . . . .	2	15		–	–	384,00	48,00	6,00	3,00	
SA 578 <i>rigida (OLIGONEURON)</i> , 150 cm, yellow umbel racemes, grey felty leaves, VIII-IX, Z3-8 . . . . .	2	16		–	–	240,00	30,00	4,00	2,00	
SA 580 <i>rigida</i> ssp. <i>humilis 'Golden Rockets'</i> , 60 cm, densely golden flower umbels, dwarf and compact habit, sturdy stems, decorative broad foliage, selected border perennial, VII-IX, Z3-8 . . . . .	2	16				–	76,00	9,60	4,20	
SA 579 <i>roanensis (monticola)</i> , 80 cm, abundant golden flowers, tight upright habit, VIII-IX, Z4-8 . . . . .	1	15			–	–	–	8,00	4,00	
SA 582 <i>speciosa</i> , 90 cm, golden, attractive, VIII-IX, Z4-8 . . . . .	1	9		–	–	195,00	25,00	3,50	2,00	
<i>virgaurea</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										
<i>virgaurea</i> var. <i>alpina</i> - see <i>cutleri</i>										
SA 590 <i>virgaurea</i> ssp. <i>minuta</i> , 25 cm, yellow, VII-IX, Z4-8 . . . . .	2	15		–	–	98,00	12,00	4,00		
<b>SPARGANIUM</b> - see Ornamental Grasses										
<b>SPERGULARIA</b> (Caryophyllaceae)										
SA 600 <i>rubra (ARENARIA)</i> , Sandspurry, 10 cm, pink, grey-green foliage, dense carpets, V-IX, Z5-8 . . . . .	0,5	4/15				–	128,00	16,00	4,00	
<b>SPHAERALCEA</b> (Malvaceae)										
SA 605 <i>coccinea</i> , 30 cm, orange-red, grey leaves, VI-VII, Z5-9 . . . . .	6	8			–	184,00	23,00	2,90	2,90	
remota, <i>rivularis</i> - see <i>ILIAMNA</i>										
<b>SPILANTHES</b> - see <b>ACMELLA</b> - see Perennial Herbs - Culinary, Teas and Medicinal										
<b>STACHYS</b> (Lamiaceae, <i>Labiatae</i> )										
SA 618 <i>byzantina (olympica, lanata) [Pure Cotton, Simba]</i> , 40 cm, lilac, white woolly leaves, VII-IX, Z4-7 . . . . .	5	15				160,00	24,00	3,60	2,40	
SA 620 <i>byzantina 'Silky Fleece'</i> , 25 cm, lilac-plum colored, small white-woolly foliage, horizontal only 5 cm high foliage, cushions forming, excellent groundcover, VII-VIII, Z4-7 . . . . .	3	15				360,00	46,00	5,80	2,90	
SA 612 <i>discolor (nivea)</i> , 25 cm, soft yellow flower heads, narrow lanceolate foliage, VI-VIII, Z4-7 . . . . .	10	8		–	–	624,00	78,00	9,60	9,60	
SA 610 <i>macrantha (grandiflora)</i> , 45 cm, purple-rose, VII-VIII, Z4-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	15	8		–	–	256,00	32,00	4,00	4,00	
SA 611 <i>macrantha 'Morning Blush'</i> , 40 cm, softly pink flushed white flower clusters, large flowering, dark green crenated and heart-shaped leaves, dense foliage clumps, VII-VIII, Z4-7 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	10	1			–	86,00	9,60	9,60	9,60	
<i>officinalis</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										
SA 624 <i>recta</i> , 40 cm, light yellow, lanceolate foliage, VI-X, Z4-7 . . . . .	4	15	–	–	–	96,00	12,00	2,00	2,00	
<b>STATICE</b> - see <b>LIMONIUM + GONIOLIMON</b>										
<b>STELLERA</b> (Thymelaeaceae)										
NEW! SA 635 <i>chamaejasme</i> , Himalayan Stellera, 30 cm, mostly white flowering clusters, dense clumps, rare, V-VII, Z4-8 . . . . .	5	9		–	–	–	–	–	9,80	
<b>STEMMACANTHA</b> - see <b>LEUZEA</b>										
<b>STEVIA</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										


*SPHAERALCEA coccinea*
*STACHYS byzantina*
*STACHYS byzantina 'Silky Fleece'*
*STACHYS macrantha*



*STACHYS macrantha 'Morning Blush'*



*STELLERA chamaejasme*



*SUCCISELLA inflexa 'Frosted Pearls'*



*STOKESIA laevis*



*STOKESIA laevis alba 'Träumerei'*



*SYMPHYANDRA pendula*



*SYMPHYANDRA wanneri*



*TALINUM calycinum*



*SYMPHYANDRA zanzegura*




*TANACETUM niveum 'Jackpot'*

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>STOKESIA</b> (Asteraceae, <i>Compositae</i> )								
SA 640 ☼ <i>laevis [Blue Star]</i> , 30 cm, lilac, VII-X, Z5-9		15	16	×△	480,00	60,00	7,50	7,50
SA 642 ☼ <i>laevis alba 'Träumerei' [White Star]</i> , 30 cm, white with pink touch, VII-X, Z5-9		15	16	×△	715,00	84,00	9,80	9,80
SA 644 <i>laevis 'Omega Skyrocket'</i> , 90 cm, lilac, erect upright habit, VII-X, Z6-9		15	16	×	580,00	70,00	8,80	8,80
<b>STYLOPHORUM</b> (Papaveraceae)								
SA 660 <i>diphyllum</i> , 40 cm, golden, VI-VIII, Z4-8		5	8	△	–	72,00	9,00	4,50
SA 666 <i>lasiocarpum</i> , 50 cm, yellow flowers, clustered to 5-6, VI-VIII, Z6-9		2	8	△	–	34,00	4,20	2,00
<b>SUCCISA</b> (Dipsacaceae)								
SA 670 <i>pratensis</i> , 50 cm, violet, VII-X, Z4-7		5	1	‡	256,00	32,00	4,00	2,40
<b>SUCCISELLA</b> (Dipsacaceae)								
SA 674 ☼ <i>inflexa 'Frosted Pearls'</i> , 80 cm, innumerable white flower heads with light blue anthers, buds with soft pink flush, richly branched, bushy habit, VI-IX, Z4-7		5	9	×	384,00	48,00	6,00	4,50
<b>SWERTIA</b> (Gentianaceae)								
SA 680 <i>peregrina</i> , 35 cm, steel-blue, for moist, marshy locations, VII-IX, Z4-8		1	1	⌘ Ca	–	–	56,00	7,00
<b>SYMPHYANDRA (CAMPANULA) (Campanulaceae)</b>								
SA 694 <i>hofmannii</i> , 60 cm, ivory white, VII-IX, Z3-8		1	15	△ ⊙	160,00	20,00	2,50	2,00
SA 698 ☼ <i>pendula</i> , 60 cm, cream-colored, highly recommended, V-VIII, Z5-8		1	15	△ ⊙	128,00	16,00	2,20	2,00
SA 702 ☼ <i>wanneri [Violet Belle]</i> , 25 cm, violet-blue bells, rich flowering, V-VII, Z6-9		1	16	⊗ △	–	–	–	3,00
SA 704 ☼ <i>zanzegura</i> , 25 cm, light violet, broadly bell-shaped flowers, abundant flowering, perennial, VI-VIII, Z5-8		1	16	⊗ △ 2	–	64,00	8,00	3,00
<b>SYMPHYOTRICHUM</b> - see ASTER								
<b>SYMPHYTUM officinale</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>TAGETES</b>								
<i>lucida</i> - see Organic Seed								
<i>patula/erecta</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>TALINUM</b> (Portulacaceae)								
TA 002 ☼ <i>calycinum</i> , 10 cm, intense neon-pink, large flowering, succulent foliage, VII-VIII, Z6-9		0,5	8	⊗ △ ⊙	3890,00	432,00	48,00	6,00
TA 004 <i>okanoganense (sediforme)</i> , 5 cm, white, grey-green foliage, VII-VIII, Z6-9		1	1	⊗ △	–	–	–	6,00
<i>paniculatum</i> - see Perennial Herbs - Culinary, Teas and Medicinal								
<b>TANACETUM</b> (Asteraceae, <i>Compositae</i> )								
<i>balsamita</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<i>cinerariifolium</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
CA 400 <i>coccineum 'Robinson Pink'</i> , 90 cm, VI-VIII, Z3-7								
CA 398 <i>coccineum 'Robinson Red'</i> , 90 cm, VI-VIII, Z3-7								
CA 402 <i>coccineum 'Robinson Giant Mixture'</i> , 90 cm, VI-VIII, Z3-7								
CA 388 <i>coccineum 'Super Duplex'</i> , 80 cm, extensive colour mixture with semi-double and single flowers, white, soft pink, pink, red, dark red, VI-VII, Z3-7		5	15	×	168,00	24,00	3,00	2,20
CA 408 <i>corymbosum (CHRYSANTHEMUM)</i> , 80 cm, white umbels, V-VII, Z5-7		5	15	×	320,00	40,00	5,00	3,80
CA 434 <i>macrophyllum (CHRYSANTHEMUM)</i> , 120 cm, white bouquets, modest, VI-VII, Z5-7		2	15	×	–	32,00	4,00	2,00
TB 320 ☼ <i>niveum 'Jackpot' [Million Blooms]</i> , 50 cm, numerous white flowers, attractive and richly branched perennial, grey leaved, VII-IX, Z5-8		3	16	×	–	–	4,20	2,00
<i>parthenium</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<i>vulgare</i> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>TARAXACUM officinale</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>TECOMA</b> (Bignoniaceae)								
TA 016 <i>stans</i> , up to 200 cm, yellow bell shaped blossoms, bushy, VII-X, Z9-11		30	20	□	246,00	34,80	4,60	4,60
<b>TELEKIA</b> (Asteraceae, <i>Compositae</i> )								
TA 010 <i>speciosa (BUPHANTHUM)</i> , 200 cm, yellow, VI-VIII, Z4-8		2	15	×⊗	96,00	12,00	2,00	2,00
<b>TELLIMA</b> (Saxifragaceae)								
TA 020 ☼ <i>grandiflora</i> , 60 cm, greenish-white, for understory plantings, V-VI, Z5-8 <i>(see also GOLD NUGGET SEED®)</i>		1	9	vv	196,00	28,00	4,00	2,00



TELLIMA grandiflora



TETRAGONOLOBUS maritimus



TEUCRIUM hircanicum



TEUCRIUM montanum

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>TETRAGONOLOBUS (LOTUS)</b> (Papilionaceae, Leguminosae)								
TA 027 ☼ <i>maritimus</i> , 25 cm, light yellow, large flowering, blue-green foliage, V-VII, Z5-8 . . . . .		12	9	△	96,00	14,00	2,00	2,00
<b>TEUCRIUM</b> (Lamiaceae, Labiateae)								
TA 029 <i>chamaedrys, wild form</i> , 30 cm, pink, with runners, VII-VIII, Z4-8 . . . . .		5	8	✿ ⊙	220,00	26,00	3,80	2,00
<i>chamaedrys hort.</i> - see <b>Perennial Herbs - Culinary, Teas and Medicinal</b>								
TA 034 <i>flavum</i> , 25 cm, yellow, VII-IX, Z7-10 . . . . .		3	16	△	256,00	32,00	3,60	2,00
TA 035 ☼ <i>hircanicum [Purple Tails]</i> , Wood Sage, 45 cm, red-purple, VIII-IX, Z5-8 . . . . .		2	16	△ ✗ ⊖	324,00	36,00	4,00	2,00
TA 037 ☼ <i>montanum</i> , 15 cm, light yellow, evergreen cushions, VI-VIII, Z5-8 . . . . .		3	8	△ ↗	310,00	39,00	4,80	2,40
TA 038 <i>polutum</i> , 15 cm, yellowish to pink, VII-VIII, Z6-9 . . . . .		3	16	△ ↗	320,00	40,00	5,00	2,50
TA 042 <i>scorodonia</i> , 50 cm, yellow, decorative foliage, VII-VIII, Z5-8 . . . . .		5	16	✿ \$	72,00	12,00	2,00	2,00
<b>THALICTRUM</b> (Ranunculaceae)								
<i>adiantifolium</i> - see <b>minus 'Adiantifolium'</b>								
TA 048 <i>alpinum</i> , Alpine Meadow Rue, 20 cm, blueish filaments, pinnatifid foliage, VI-VIII, Z4-8 . . . . .		5	16	✿ △	-	72,00	9,00	4,50
TA 050 ☼ <i>aquilegiifolium [Spielarten, Spiky Dots, Fluffy]</i> , 120 cm, pink and white, V-VI, Z5-8, . . . . .								
pure seed		10	9	✖✿	480,00	60,00	7,60	3,80
TA 054 <i>aquilegiifolium 'Album'</i> , 120 cm, pure white, V-VII, Z5-8, . . . . .		10	9	✖✿	-	86,00	9,60	4,80
TA 058 <i>aquilegiifolium 'Purpureum'</i> , 120 cm, rosy-red, V-VII, Z5-8, . . . . .		10	9	✖✿	-	86,00	9,60	4,80
TA 062 <i>dasycarpum</i> , 180 cm, white with purple tinge, purple stems, VII-IX, Z4-8 . . . . .		10	9	Sol	180,00	24,00	3,20	3,20
TA 066 <i>delavayi (dipterocarpum hort.)</i> , (AGM), 100 cm, lilac-rose, seldom white, VII-VIII, Z5-8 . . . . .		10	9	✖	720,00	86,00	9,60	4,80
TA 067 ☼ <i>delavayi 'Album' [Sternenhimmel, Blizzard]</i> , 100 cm, pure white flowers, lime-green foliage, VII-VIII, Z5-8 . . . . .		5	9	✖	-	96,00	12,00	6,00
TA 072 ☼ <i>flavum ssp. glaucum</i> , (AGM), 150 cm, yellow, panicles leaves blue-grey, VI-VII, Z5-8 . . . . .		10	9	✿ ✗	-	48,00	6,00	3,00
TA 078 <i>foetidum</i> , 50 cm, yellow, VI-VIII, Z5-8 . . . . .		10	9	✖	144,00	21,00	3,00	2,00
TA 080 <i>lucidum</i> , 80 cm, yellow, fern-like foliage, VI-VII, Z5-8 . . . . .		10	9	✖	200,00	25,00	3,20	2,00
TA 084 <i>minus 'Adiantifolium'</i> , 60 cm, greenish-yellow, fern-leaved, V-VI, Z5-8 . . . . .		10	9	✿ △	384,00	48,00	6,00	3,00
TA 086 <i>minus ssp. minus</i> , 90 cm, greenish-yellow, hanging stamens, VI-VII, Z5-8 . . . . .		10	9	✖	128,00	18,00	2,60	2,60
TA 082 <i>petaloideum</i> , 30 cm, pure white, delicate umbels, blue-green pinnatifid foliage, very attractive, VI-VII, Z4-8 . . . . .		5	9	✿ △	960,00	128,00	16,00	8,00
TA 087 ☼ <i>polygamum (pubescens)</i> , 200 cm, white, wide panicles, VII-IX, Z4-8 . . . . .		5	9	Sol	580,00	72,00	9,00	4,50
TA 088 ☼ <i>rochebrunianum [Lavender Mist]</i> , 150 cm, reddish-lilac, VII-VIII, Z5-8 (see also GOLD NUGGET SEED®) . . . . .		10	9	✖	840,00	98,00	12,00	6,00
<b>THERMOPSIS</b> (Papilionaceae, Leguminosae)								
TA 096 <i>caroliniana (villosa)</i> , 125 cm, yellow flower clusters, VI-VII, Z5-8 (see also GOLD NUGGET SEED®) . . . . .		20	10		128,00	16,00	2,00	2,00
TA 098 ☼ <i>chinensis [Sunrise]</i> , 60 cm, brilliant yellow flower panicles, early flowering, stable, without runners , V-VI, Z3-8 (see also GOLD NUGGET SEED®) . . . . .		20	10		176,00	22,00	3,00	3,00
TA 104 <i>lanceolata</i> , 75 cm, light yellow, VI-VIII, Z3-8 . . . . .		20	10	↗	96,00	12,00	2,00	2,00



THALICTRUM aquilegiifolium



THALICTRUM delavayi 'Album'



THALICTRUM flavum ssp. glaucum



THALICTRUM polygamum



THALICTRUM rochebrunianum

### Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>THLASPI</b> (Brassicaceae)								
TA 124 ☼ <i>rotundifolium</i> , 10 cm, pale purple, round leaves, V-VI, Z5-8 . . . . .		2	9	△	–	–	48,00	6,00
<b>THYMUS</b> (Lamiaceae, Labiate)								
NEW! TA 116 ☼ <i>comosus</i> , Tufted Thyme, 10 cm, purple-crimson, large flowers, dense matforming, V-IX, Z5-7 . . . . .		0,5	15	△ ↗ ↗	–	–	28,00	4,80
fragrantissimus - see Organic Seed								
TA 126 <i>masticina</i> , Mastic Thyme, Spanish Wood Marjoram, 30 cm, white, grey-green aromatic foliage, V-VIII, Z6-9 . . . . .		1	16	⊗ ↗ ↗	–	82,00	9,80	3,90
TA 127 <i>polytrichus</i> ssp. <i>britannicus</i> ( <i>praecox</i> ssp. <i>arcticus</i> ), English Thyme, 10 cm, lilac-pink, rich flowering, stems solely hairy on two sides, groundcovering habit, V-IX, Z4-8 . . . . .		0,5	16	△ ↗ ↗	–	–	24,00	4,80
TA 128 ☼ <i>praecox</i> , 10 cm, pink, low cushions, V-IX, Z4-8 . . . . .		1	16	△ ↗ ↗	240,00	30,00	4,00	2,00
pulegioides - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
serpyllum hort. - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
TA 135 ☼ <i>serpyllum</i> 'Magic Carpet', 5 cm, carmine-pink, green aromatic foliage, forms very low carpets, V-VIII, Z4-8 . . . . .		1	16	△ ↗ ↗	882,00	98,00	12,00	4,00
vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
TA 146 <i>zygis</i> , Spanish Thyme, 30 cm, white, pubescent aromatic foliage, evergreen, VI-VIII, Z6-9 . . . . .		0,5	16	⊗ ↗ ↗	–	82,00	9,80	3,90
<b>TIARELLA</b> (Saxifragaceae)								
TA 138 <i>polypylla</i> 'Filigran', 30 cm, white, reddish stems, reblooms, IV-IX, Z6-8 (see also GOLD NUGGET SEED®) . . . . .		1	1	△ Ca	–	144,00	18,00	4,50
TA 140 <i>wherryi</i> (collina) [Silverado, Sugar Scoop], (AGM), 20 cm, white with pink touch, delicately fragrant, V-VI, Z4-8 (see also GOLD NUGGET SEED®) . . . . .		1	1	△ Ca	–	176,00	22,00	4,50
<b>TOLMIEA</b> (Saxifragaceae)								
TA 160 <i>menziesii</i> , Pickaback Plant, 25 cm, brownish, V-VI, Z6-8 . . . . .		1	9	↗ ↗ *	–	96,00	12,00	3,00
<b>TRADESCANTIA</b> (Commelinaceae)								
TA 180 x <i>andersoniana</i> 'Mix' [Shimmer Mixed], 70 cm, blue, light-blue, red shades, and white, variable, V-X, Z4-9 . . . . .		7	20	*	240,00	30,00	3,80	2,90
TA 182 ☼ x <i>andersoniana</i> 'Blanca', 70 cm, white, V-X, Z4-9 . . . . .		7	20	*	–	54,00	7,20	5,40
TA 181 x <i>andersoniana</i> 'Blue', 70 cm, V-X, Z4-9 . . . . .		7	20	*	–	54,00	7,20	5,40
TA 183 ☼ x <i>andersoniana</i> 'Carmine-Red', 70 cm, V-X, Z4-9 . . . . .		7	20	*	–	54,00	7,20	5,40
virginiana - see x <i>andersoniana</i>								
<b>TRICYRTIS</b> (Convallariaceae, Liliaceae)								
TA 190 ☼ <i>hirta</i> , 50 cm, soft lilac with large purple spots, VIII-X, Z4-8 (see also GOLD NUGGET SEED®) . . . . .		1	1	×	1400,00	175,00	22,00	4,20
TA 191 <i>hirta</i> 'Alba' [White Towers], 50 cm, pure white, VIII-X, Z4-8 . . . . .		1	1	×	–	–	64,00	6,80
TA 192 ☼ Hirta-Hybr. 'Miyazaki', 80 cm, numerous orchid-like blossoms, white-lilac marked axillary up the stem, shade, IX-XI, Z4-8 (see also GOLD NUGGET SEED®) . . . . .		1	9	×	2700,00	340,00	42,00	6,80

continued on the following page



THERMOPSIS chinensis



THLASPI rotundifolium



THYMUS comosus



THYMUS praecox



THYMUS serpyllum 'Magic Carpet'

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>TRICYRTIS</b> continuation								
TA 194	<i>latifolia</i> (bakeri), 50 cm, yellow with brown spots, VI-VII, Z4-8 <i>(see also GOLD NUGGET SEED®)</i>	2	9	✗	–	198,00	22,00	4,20
TA 195	<i>macrantha</i> ssp. <i>macranthopsis</i> , 40 cm, yellow with brown spots, very large flowering, widely arching growth, IX-X, Z4-8	1	1	△ ✗	–	–	72,00	7,80
TA 196	<i>macropoda</i> , 50 cm, white-purple, lilac spotted, IX-XI, Z5-8	1	8	✗	–	–	48,00	6,00
<b>TRIFOLIUM</b> (Papilionaceae, Leguminosae)								
TA 210	<i>alpinum</i> , 10 cm, light red, cushion forming, VI-VIII, Z2-8	pure seed	15	8	Ca △ ♂	–	48,00	6,00
TA 211	<i>badium</i> , Brown Trefoil, 20 cm, golden ball flowers, turning shiny brown, VII-VIII, Z3-8	pure seed	2	8	♂ △ ♂	–	45,00	5,60
TA 212	<i>ochroleucum</i> , 40 cm, brilliant light yellow, bushy clumps, VI-VII, Z4-8	pure seed	10	15	♂ ✗	224,00	28,00	3,60
TA 214	<i>rubens</i> [Red Feathers], 60 cm, bright purple-red, large blossoms, very decorative, VI-VIII, Z4-8	pure seed	7	15	♂ ✗ ♂	200,00	25,00	3,20
TA 215	<i>rubens</i> f. <i>album</i> 'Frosty Feathers', 60 cm, brilliant white selection, dense flowers, vivid green foliage, reblooms after dead heading, VI-IX, Z4-8	pure seed	5	16	♂ ✗ ♂	320,00	42,00	5,40
TA 216	<i>trichocephalum</i> , 40 cm, clear light yellow, golden-brown fading, upright habit, grey-leaved, VI-VIII, Z4-8	pure seed	10	9	♂ ✗ △	256,00	32,00	4,60
<b>TRIGLOCHIN</b> (Juncaginaceae)								
TA 220	<i>maritimum</i> , Arrow Grass, 30 cm, greenish-purple spikes, grass-like foliage, VI-VIII, Z5-8	3	8	⌘ ✗	–	32,00	4,00	2,00
<b>TRIGONELLA</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed								
<b>TRIOSTEUM</b> (Caprifoliaceae)								
TA 226	<i>himalayanum</i> ( <i>erythrocarpum</i> ), Feverwort, 60 cm, green-brown flowers, striking brilliant red berries, bushy habit, VI-VII, Z6-9	120	1	♂	320,00	48,00	6,00	12,00
<b>TRITOMA</b> - see <b>KNIPHOFIA</b>								
<b>TROLLIUS</b> (Ranunculaceae)								
TA 232	<i>altaicus</i> , Siberian Globe Flower, 50 cm, bright orange-yellow with black-reddish stigmas, very large cup-shaped blossoms, V-VII, Z3-7	5	2	✗ △	–	–	16,00	6,20
TA 238	<i>asiaticus</i> , 60 cm, brilliant orange, V-VI, Z4-7	5	2	✗	384,00	48,00	6,00	3,00
TA 242	<i>chinensis</i> 'Morning Sun', 50 cm, yellow-orange bowl-shaped blossoms, rich and large flowering, compact habit, strong and vigorous foliage, VI-VIII, Z3-7 <i>(see also GOLD NUGGET SEED®)</i>	3	1	△ ✗	–	120,00	15,00	6,20
TA 240	<i>chinensis</i> (ledebourii) 'Golden Queen' [ <i>Goldkönigin</i> ], , 80 cm, golden, VII-VIII, Z4-7 <i>(see also GOLD NUGGET SEED®)</i>	5	2	✗	320,00	40,00	5,00	2,50
TA 244	<i>x cultorum</i> 'New Moon', 60 cm, brilliant creamy-yellow blossoms, large flowering, dark green, strong foliage, vigorous habit, IV-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i>	5	2	✗ ♂	768,00	96,00	12,00	6,00



TRADESCANTIA x andersoniana 'Blanca'



TRADESCANTIA x anders. 'Carmine-Red'



TRICYRTIS hirta



TRICYRTIS Hirta-Hybr. 'Miyazaki'



TRICYRTIS latifolia



TRICYRTIS macropoda



TRIFOLIUM badium



TRIFOLIUM rubens

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>TROLLIUS continuation</b>									
TA 248	x cultorum 'New Hybrids'	60 cm, orange, yellow and light yellow shades, variable, IV-VI, Z3-7 <i>(see also GOLD NUGGET SEED®)</i>	5	2	✗	442,00	52,00	6,00	3,00
TA 256	europaeus	60 cm, yolk-yellow globe blossoms, V-VI, Z4-7 <i>(see also GOLD NUGGET SEED®)</i>	5	2	✗✗	320,00	40,00	5,00	2,50
TA 257	europaeus f. compactus 'Lemon Supreme'	30 cm, brilliant lemon yellow bowl-shaped blossoms, rich and large flowering, compact habit, very vigorous, reliable flowering the first spring after sowing year, V-VI, Z4-7 <i>(see also GOLD NUGGET SEED®)</i>	3	2	● ● △	960,00	120,00	15,00	6,20
TA 258	laxus var. <i>albiflorus</i>	30 cm, pure white, bowl-shaped blossoms, V-VII, Z3-8 <i>(see also GOLD NUGGET SEED®)</i>	3	2	△	896,00	112,00	15,00	5,00
TA 260	pumilus	20 cm, golden, VI-VII, Z4-7 <i>(see also GOLD NUGGET SEED®)</i>	3	9	△●	960,00	120,00	15,00	5,00
<b>TROPAEOLUM majus - see Organic Seed</b>									
<b>TULIPA</b> (Liliaceae)									
TA 270	sprengeri, <i>AGM</i>	40 cm, scarlet red, V-VI, Z3-9	15	1	△	-	37,00	4,60	3,50
TA 272	sylvestris	Florentine Tulip, 40 cm, golden, IV-V, Z5-8	15	1	-	-	9,80	5,00	
TA 273	tarda, <i>AGM</i>	15 cm, yellow with white center, starlike, III-V, Z4-7	15	1	△	-	37,00	4,60	3,50
<b>TUNICA saxifraga - see PETRORHAGIA saxifraga</b>									



TRIFOLIUM rubens f. album 'Frosty Feathers'



TRIFOLIUM trichocephalum




TRIOSTEUM himalayanum



TROLLIUS chinensis 'Morning Sun'



TROLLIUS x cultorum 'New Hybrids'



TROLLIUS europaeus



TROLLIUS europ. f. comp. 'Lemon Supreme'



TROLLIUS laxus var. albiflorus



TROLLIUS pumilus



TULIPA sprengeri



VALERIANA montana



VERATRUM californicum



VERATRUM nigrum

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>TUSSILAGO</b> - see <b>Organic Seed</b>									
<b>TYPHA</b> - see <b>Ornamental Grasses</b>									
<b>URTICA</b> - see <b>Organic Seed</b>									
<b>VACCINIUM</b> - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
<b>VALERIANA</b> (Valerianaceae)									
VA 022 <b>montana</b> , Mountain Valerian, 30 cm, pink-white umbels, lanceolate foliage, compact, IV-VI, Z4-7 . . . . .		3	16	△	-	112,00	14,00	3,50	
officinalis - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
<b>VERATRUM</b> (Melanthiaceae, Liliaceae)									
VA 030 <b>album</b> , (AGM), 150 cm, greenish-white, large blossoms, VII-VIII, Z4-7 . . . . .		15	1	Sol \$ ✕	192,00	24,00	3,00	3,00	
VA 034 <b>californicum</b> , 250 cm, blossoms ivory-white to greenish-white in immense, branched panicles, VII-VIII, Z4-9 . . . . .		20	1	Sol ✕	280,00	32,00	4,20	4,20	
VA 036 <b>maackii</b> , 60 cm, dark purple, dwarf, VII-VIII, Z5-8 . . . . .		10	1	△ Sol ✕	-	64,00	8,00	6,00	
VA 038 <b>nigrum</b> , (AGM), 100 cm, black-purple, easily grown, very decorative, VII-VIII, Z5-8 . . . . .		20	1	Sol ✕	220,00	28,00	3,60	3,60	
<b>VERBASCUM</b> (Scrophulariaceae)									
VA 048 <b>blattaria f. albitumor</b> [ <i>White Blush</i> ], 100 cm, large white flowers with purple stamens, pinnatifid ground rosettes, VI-VIII, Z5-9 . . . . .		1	15	⊖ ✕ ⊕	72,00	12,00	2,00	2,00	
VA 050 <b>bombyciferum</b> [ <i>Polar Summer, Polarsommer, Silver Lining</i> ], 160 cm, light yellow, silver-woolly leaves, nice woolly seed heads, VII-VIII, Z5-8 . . . . .		1	15	⊖ ✕	720,00	90,00	12,00	3,00	
VA 054 <b>chaixii</b> , 100 cm, yellow or pure white with purple filaments, VII-VIII, Z4-8 . . . . .		1	15	⊖	240,00	30,00	3,80	2,00	
VA 056 <b>chaixii 'Sixteen Candles'</b> , 100 cm, golden flowers with violet filaments, richly branched flower stems, perennial, VI-VIII, Z4-8 . . . . .		1	15	⊖ ✕ 2	320,00	40,00	5,00	2,50	
VA 058 <b>chaixii f. album 'Wedding Candles'</b> [ <i>Milkshake</i> ], 100 cm, pure white flowers with violet filaments, multi branched flower stems, perennial, VI-VIII, Z4-8 . . . . .		1	15	⊖ ✕ 2	320,00	40,00	5,00	2,50	
VA 059 <b>densiflorum (thapsiforme)</b> - see <b>Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
VA 063 <b>hybridum 'Southern Charm'</b> , 60 cm, unique blend of creamy yellow, soft lavender and peachy rose shades, with purple stamens, low growing leaf rosettes, flowers the first year, VI-IX, Z6-9, . . . . .		pelleted seed	1,5	15	⊖ ✕	-	-	120,00	15,00
lagurus - see <b>bombyciferum</b>									
VA 074 <b>nigrum, wild form</b> , 120 cm, yellow, VI-IX, Z4-8 ( <i>see also Organic-Seed</i> ) . . . . .		0,5	20	⊖ ✕	72,00	12,00	2,00	2,00	
VA 075 <b>nigrum var. album</b> , 100 cm, pure white with purple filaments, little branched, VII-VIII, Z4-8 . . . . .		1	15	⊖	224,00	28,00	3,50	2,00	
VA 078 <b>olympicum</b> , 180 cm, yellow, woolly foliage, VI-VIII, Z5-8 . . . . .		1	15	⊖ Sol	128,00	16,00	2,00	2,00	
VA 079 <b>olympicum f. album</b> , White Mullein, 160 cm, creamy white, woolly foliage, VI-VIII, Z5-9 . . . . .		0,25	15	⊖ Sol ✕	-	-	12,00	3,20	
VA 064 <b>phlomoides 'Spica'</b> [ <i>Snow Maiden</i> ], 180 cm, grey felty leaves, large, pure white blossoms, VI-VIII, Z5-9 . . . . .		1	15	⊖ Sol	480,00	60,00	7,60	3,80	
VA 066 <b>phlomoides 'Wega'</b> [ <i>Banana Custard</i> ], 180 cm, large, yellow blossoms, grey felty leaves, VI-VIII, Z5-9 . . . . .		1	15	⊖ Sol	480,00	60,00	7,60	3,80	
<b>NEW!</b> VA 080 <b>phoeniceum, wild form</b> , Purple Mullein, 100 cm, purple-violet, flat leaf rosettes, VI-VIII, Z4-9 . . . . .		1	15	⊖ ✕	148,00	24,00	4,00	2,00	
VA 087 <b>phoeniceum 'Flush of White'</b> [ <i>White Bride</i> ], 60 cm, pure white, V-VIII, Z5-8 . . . . .		1	15	⊖ ⊕	256,00	32,00	4,00	2,00	
VA 088 <b>phoeniceum 'Rosetta'</b> [ <i>Antique Rose</i> ], 60 cm, intense dark pink, V-VIII, Z5-8 . . . . .		1	15	⊖ ⊕	256,00	32,00	4,00	2,00	
VA 089 <b>phoeniceum 'Violetta'</b> , 90 cm, dark purple-violet candles, fresh green leaf rosettes, reblooming after dead heading, V-VIII, Z5-8 . . . . .		1	15	⊖ ⊕	256,00	32,00	4,00	2,00	
VA 086 <b>phoeniceum Mixed Colours</b> [ <i>Roman Candles</i> ], 90 cm, violet, red, pink, white, V-VIII, Z5-8 . . . . .		1	15	⊖ ⊕	72,00	12,00	2,00	2,00	
VA 092 <b>roripifolium</b> , 100 cm, abundant yellow flowers, deeply serrated, almost feathery foliage, VI-VIII, Z5-8 . . . . .		1	15	⊖	72,00	12,00	2,00	2,00	
thapsus - see <b>Organic Seed</b>									
<b>VERBENA</b> (Verbenaceae)									
VA 100 <b>bonariensis</b> [ <i>Buenos Aires, Purple Top</i> ], (AGM), 100 cm, bright violet-blue, good for cutting, moderately winter hardy, VII-X, Z7-9 ( <i>see also GOLD NUGGET SEED®+ Organic-Seeds</i> ) . . . . .		1	8	⊖ ✕	416,00	52,00	6,40	3,20	
VA 104 <b>hastata</b> , 120 cm, mostly blue, also pink and white, VI-IX, Z3-8 . . . . .		2	8	⊖ ✕ ⊕	135,00	18,00	2,50	2,00	
VA 112 <b>hastata 'Blue Spires'</b> , 120 cm, dark blue, VI-IX, Z3-8 . . . . .		2	8	⊖ ✕ ⊕	384,00	48,00	6,00	3,00	
VA 113 <b>hastata 'Pink Spires'</b> , 120 cm, brilliant pink, VI-IX, Z3-8 . . . . .		2	8	⊖ ✕	346,00	40,00	4,80	2,40	
VA 114 <b>hastata 'White Spires'</b> , 120 cm, pure white, VI-IX, Z3-8 . . . . .		2	8	⊖ ✕	160,00	20,00	2,50	2,00	
officinalis - see <b>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</b>									
VA 105 <b>rigida</b> , (AGM), 30 cm, lilac-blue, VI-X, Z7-10 . . . . .		2	9	⊖ ✕	160,00	20,00	2,50	2,00	
VA 106 <b>stricta</b> , 60 cm, purple-lavender, grey-green leaves, VII-VIII, Z3-8 . . . . .		1	8	⊖ ✕	160,00	20,00	2,50	2,00	
VA 108 <b>tenuisecta</b> , Moss Verbena, 50 cm, blue shades, VI-VIII, Z7-10 . . . . .		3	16	⊖ ⊕	160,00	20,00	2,50	2,00	

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>VERBESINA</b> (Asteraceae, <i>Compositae</i> )								
VA 110	alternifolia 'Goldstrahl', 180 cm, yellow umbel panicles, VIII-X, Z4-9 . . . . .	10	9	✗	512,00	64,00	8,00	6,00
VA 111	helianthoides, Yellow Crownbeard, 100 cm, golden rayflowers, winged stems, VI-VIII, Z4-9 . . . . .	10	9	✗ Sol	240,00	30,00	4,20	4,20
<b>VERNONIA</b> (Asteraceae, <i>Compositae</i> )								
VA 120	crinita, 200 cm, purple-violet, IX-XI, Z3-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	3	9	✗	–	80,00	10,00	5,00
VA 122	fasciculata, 100 cm, purple, flat umbels, VII-IX, Z3-8 . . . . .	3	9	✗	–	64,00	8,00	4,00
NEW! VA 123	lettermannii, Narrow-leaf Ironweed, 140 cm, bright purple-violet, narrow leaves, VIII-IX, Z4-9 . . . . .	3	9	✗ Sol	–	–	24,00	7,80
VA 124	noveboracensis, 200 cm, purple flowering heads, VIII-XI, Z4-8 ( <i>see also GOLD NUGGET SEED®</i> ) . . . . .	3	9	✗	480,00	60,00	7,60	3,80
VA 156	noveboracensis 'White Lightning', 200 cm, unique white umbels, upright habit, decorative seed heads, VIII-XI, Z4-8 . . . . .	3	9	✗ Sol	–	192,00	24,00	7,80
<b>VERONICA</b> (Scrophulariaceae)								
VA 126	armena, Armenian Speedwell, 10 cm, violet-blue flower panicles, rich flowering, cushion plant, V-VII, Z3-7 . . . . .	2	15	△ D	–	–	32,00	6,00
	austriaca - see teucrium							
VA 134	fruticans (saxatilis), 10 cm, intense azure blue, V-VI, Z4-9 . . . . .	0,5	9	△ Ca	–	50,00	6,20	3,10
VA 138	fruticulosa, 20 cm, pink, mat-forming, VI-VII, Z3-8 . . . . .	0,5	9	△	–	–	5,00	2,50

*continued on the following page*

**VERBASCUM blattaria f. albiflorum**

**VERBASCUM bombyciferum**

**VERBASCUM chaixii 'Sixteen Candles'**

**VERBASCUM chaixii 'Wedding Candles'**

**VERBASCUM olympicum f. album**

**VERBASCUM phoeniceum, wild form**

**VERBASCUM phoeniceum 'Flush of White'**

**VERBASCUM phoeniceum 'Rosetta'**

**VERBENA hastata 'Blue Spires'**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>VERONICA continuation</b>								
VA 142	gentianoides [Ramona, Blue Streak], <small>[AGM]</small> , 50 cm, blue, V-VI, Z3-7 . . . . .	1	15	△	720,00	92,00	12,00	4,50
VA 143	gentianoides 'Little Blues', 15 cm, short bright light blue flowering spikes, compact evergreen foliage, IV-VI, Z3-7 . . . . .	1	15	△ ⚡ ↗	–	288,00	32,00	6,00
VA 146	incana (spicata ssp. incana), 40 cm, blue, silver-grey mats, VI-VII, Z3-9 . . . . .	0,5	15	△ ↗ ↘	768,00	96,00	12,00	4,00
VA 148	incana 'Silbersee', 20 cm, deep violet-blue, especially silvery-grey, VI-VII, Z3-9 . . . . .	0,5	15	△ ↗	1536,00	192,00	24,00	5,00
VA 150	longifolia (maritima), 80 cm, deep blue, VI-VIII, Z4-9 . . . . .	0,5	15	✗ ✗	176,00	22,00	3,20	2,00
VA 152	longifolia 'Alba', 80 cm, pure white, VI-VIII, Z4-9 . . . . .	0,5	15	✗	768,00	96,00	12,00	4,00
VA 159	longifolia 'Blue Shades', 80 cm, brilliant, light- to dark-blue colours, VI-VIII, Z4-9 . . . . .	0,5	15	✗	320,00	40,00	5,60	2,80
VA 153	longifolia 'Pink Shades', 80 cm, VI-VIII, Z4-9 . . . . .	0,5	15	✗	512,00	64,00	8,00	3,00
	officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed							
VA 183	orchidea (spicata ssp. orchidea) 'Blue Fingers', 45 cm, brilliant medium blue flowering spikes, wide glossy foliage, first year flowering, VI-VIII, Z4-9 . . . . .	0,5	15	△ ⚡ ✗	–	198,00	24,00	6,00
VA 155	pinnata 'Blue Feathers', 30 cm, soft blue flowering racemes, filigreed feathery foliage, very unusual, V-VIII, Z3-8 . . . . .	0,5	15	△ ✗ ✕	1024,00	128,00	16,00	4,00
VA 157	porphyriana, 30 cm, brilliant blue-violet racemes, strong dark green foliage, VII-IX, Z3-8 . . . . .	0,5	15	△ ↗	320,00	40,00	5,00	2,50
VA 158	prostrata, <small>[AGM]</small> , 15 cm, light blue, rarely pink, V-VI, Z3-8 . . . . .	1	15	△ ↗	768,00	96,00	12,00	4,00
VA 162	repens, 5 cm, bluish-white, V-VI, Z5-8 . . . . .	0,5	15	△ ↗	2200,00	288,00	32,00	6,00
VA 164	schmidtiana, 20 cm, blue-purple, rarely pink and white, dark veined, pinnatifid leaves, VI-VIII, Z4-7 . . . . .	0,5	9	△	768,00	96,00	12,00	4,00
	sibiricum - see VERONICASTRUM sibiricum							
VA 166	spicata, 60 cm, blue, abundant flowers, VII-IX, Z3-8 . . . . .	0,5	15	✗ ✗	176,00	22,00	3,20	2,00
	spicata ssp. incana - see incana							
VA 168	spicata 'Alba', 60 cm, pure white, VII-IX, Z3-8 . . . . .	0,5	15	–	–	96,00	12,00	3,00
VA 172	spicata 'Pink Goblin' [Rosenrot], 40 cm, intense rosy-red, dwarf, compact, VII-IX, Z3-8 . . . . .	0,5	15	✗ ✗	1536,00	192,00	22,00	6,00
VA 173	spicata 'Sightseeing', 60 cm, white, pink and blue, VI-VIII, Z3-8 . . . . .	0,5	15	△	–	192,00	22,00	5,00
VA 174	spicata f. nana 'Blaupeppich' [Blue Carpet], 15 cm, bright blue, groundcover, VI-VIII, Z3-8 . . . . .	0,5	15	△ ↗	960,00	120,00	15,00	5,00
VA 186	Spicata-Hybr. 'Blue Bouquet', 50 cm, intense blue flower panicles, dark green glossy foliage, flowering the first year, VI-VIII, Z5-9 . . . . .	1,5	16	⌚ ✗ ⚡	–	–	72,00	12,00
VA 177	Subsessilis-Hybr. 'Blue Pyramid', 50 cm, shiny leathery leaves, bright blue blossoms, VI-IX, Z5-9 . . . . .	0,5	15	△ ⚡	896,00	112,00	14,00	3,50
VA 176	teucrium 'Royal Blue' [Königsblau], <small>[AGM]</small> , 40 cm, VI-VIII, Z4-8 . . . . .	1	15	✗ ✕	176,00	22,00	3,20	2,00
	virginica - see VERONICASTRUM virginicum							
<b>VERONICASTRUM (LEPTANDRA) (Scrophulariaceae)</b>								
VA 191	sibiricum, 160 cm, blue-lilac, wide-lanceolate leaves in whorls, VIII-IX, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	0,5	9	✗ Sol	540,00	68,00	8,40	4,20
VA 180	virginicum, Black Root, Physic Root, 175 cm, white, rarely light blue, VII-IX, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> . . . . .	0,5	9	✗ \$	260,00	34,00	4,20	2,00
<b>VIGUIERA (Asteraceae, Compositae)</b>								
VA 188	multiflora, 60 cm, yellow, resembles HELIANTHUS, VII-IX, Z6-11 . . . . .	5	8	✗ △	160,00	20,00	2,60	2,60



VERBENA hastata 'Pink Spires'



VERBENA hastata 'White Spires'



VERNONIA lettermannii



VERBESINA alternifolia 'Goldstrahl'



VERNONIA noveborac. 'White Lightning'



**VERONICA gentianoides**



**VERONICA incana**



**VERONICA incana 'Silbersee'**



**VERONICA gentianoides 'Little Blues'**



**VERONICA orchidea 'Blue Fingers'**



**VERONICA repens**



**VERONICA porphyriana**



**VERONICA schmidtiana**



**VERONICASTRUM sibiricum**



**VERONICASTRUM virginicum**



**VINCETOXICUM fuscum**



**VIOLA cornuta 'Bowles Black'**

Production – Breeding – Seed Technology				Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>VINCETOXICUM</b> (Asclepiadaceae)										
VA 185 ☼ <i>fuscatum</i> (CYNANCHUM), 80 cm, brownish red, bushy habit, V-VII, Z4-8 . . . . .	15	9	☒ ×△§	240,00	30,00	3,80	3,80			
VA 187 <i>hirundinaria</i> (CYNANCHUM), White Swallowwort, 50 cm, white-yellowish flower clusters, VI-VIII, Z3-6 . . . . .	15	8	☒ ×△§	164,00	20,00	2,50	2,50			
<b>VIOLA</b> (Violaceae)										
cornuta (x williamsii) - large flowering varieties, VI-VIII, Z5-9										
VA 190 'Admiration', 20 cm, dark blue										
VA 192 'Aprikosenfarbe' [Chantreyland], 15 cm, yellow/orange										
VA 200 'Blue Perfection', 20 cm, large flowers, light blue										
VA 206 'Lutea Splendens', 20 cm, golden										
VA 216 'Rubin' [Arkwright Ruby], 20 cm, dark wine-red										
VA 218 'White Perfection', 20 cm, white										
VA 220 'Yellow Perfection', 20 cm, pure yellow										
cornuta (x williamsii) - small flowering varieties										
VA 203 'Helen Mount' [Johnny Jump Up], 20 cm, three-colored: lavender, yellow, violet, popular American variety, VI-VIII, Z5-9	3	15	☒ △ ⓘ	192,00	24,00	3,00	2,00			
VA 205 'Karpatenfrühling', 20 cm, dark lilac with yellow-white marks, abundant flowering, IV-X, Z5-9										
VA 202 'Yellow Prince' [Gelber Prinz], 15 cm, especially dwarf, small long lasting blossoms, VI-VIII, Z5-9										
VA 221 <i>bertolonii</i> , 20 cm, violet, long spurs, V-VII, Z7-9 . . . . .	3	1	△	—	56,00	7,00	3,50			
VA 229 <i>calcarata</i> , Spurred Violet, 10 cm, blue-violet, large flowering, V-VII, Z4-7 . . . . .	3	9	△	—	—	—	14,00	4,80		
VA 270 <i>coreana</i> [Syletta], 10 cm, violet-blue, leaves ovate, very decorative, silver marbled, IV-VI, Z5-9	2	9	△ *	—	—	—	—	6,00		
VA 256 cornuta 'Alba Minor' [Cornetto], (AGM), 15 cm, pure white, compact, IV-X, Z4-9 . . . . .	3	16	△ ⓘ 24	—	48,00	6,80	3,40			
VA 236 ☼ cornuta 'Bowles Black', 15 cm, black-violet, V-IX, Z5-9 . . . . .	3	9	△ ⓘ	—	64,00	8,00	4,00			
VA 255 cornuta 'Minor', (AGM), 15 cm, light violet, compact, IV-X, Z4-9 . . . . .	3	16	△ ⓘ 24	384,00	48,00	6,80	3,40			
VA 260 ☼ corsica [Little Gem], (PS), Corsican Violet, 20 cm, violet, abundant flowering, V-VII, Z4-10 . . . . .	3	16	△	512,00	64,00	8,00	4,00			
VA 262 ☼ elatior, Tall Violet, 45 cm, soft violet, upright habitat, VI-VII, Z4-8 (see also GOLD NUGGET SEED®). . . . .	4	8	△	320,00	40,00	5,00	2,50			
grypoceras var. exilis - see coreana										
VA 264 jooi [Soft Lilac], 10 cm, rose-lilac, fragrant, compact clumps with cordate leaves, IV-V, Z4-8 . . . . .	8	8	△	288,00	36,00	4,60	2,30			
VA 234 <i>labradorica</i> hort. 'Purpurea', 15 cm, china blue, decorative dark foliage, IV-VI, Z2-8 (see also GOLD NUGGET SEED®). . . . .	3	8	△ *	512,00	64,00	8,00	4,00			
VA 233 <i>mandshurica</i> , 20 cm, mostly blue with dark veins, rarely white, triangular leaves, IV-VI, Z6-9 . . . . .	2	9	△	720,00	90,00	12,00	6,00			
VA 251 <i>mandshurica</i> 'Fuji Dawn', 15 cm, purple-violet, in spring white-pink-green variegated foliage, III-V, Z6-9 . . . . .	3	8	△ *	—	510,00	68,00	12,00			
nigra - see cornuta 'Bowles Black'										
VA 261 ☼ <i>odorata</i> 'Reine de Neiges' [Schneekönigin, Eismeer], 15 cm, white, pale blue at first, III-IV, Z5-9										
VA 238 <i>odorata</i> 'Königin Charlotte', Sweet Violet, 20 cm, blue, III-IV + VIII-X, Z5-9										
NEW! VA 257 ☼ <i>odorata</i> 'Royal Wedding', 20 cm, pure white form of 'Königin Charlotte', strongly fragrant, III-IV + VIII-X, Z5-9	10	1/3	☒ ⓘ § ⓘ	240,00	32,00	4,40	3,20			
NEW! VA 239 <i>odorata</i> f. <i>rubra</i> , 15 cm, purplish red, III-IV, Z5-9										
VA 240 <i>odorata</i> var. <i>sulfurea</i> [Irish Elegance], 15 cm, apricot-yellow, III-IV, Z5-9										
VA 243 <i>pedatifida</i> , 8 cm, violet, leaves palmately divided into narrow segments, IV-VI, Z2-7 . . . . .	4	9	△	384,00	48,00	6,00	3,00			
VA 267 <i>pumila</i> , 10 cm, soft blue, delicate cushions, IV-VI, Z4-8 . . . . .	3	8	△	720,00	90,00	12,00	6,00			
VA 241 <i>reichenbachiana</i> ( <i>sylvestris</i> ), 15 cm, pale violet, IV-VI, Z6-9 . . . . .	5	8	—	288,00	36,00	4,60	2,30			
riviniana 'Purpurea' Group - see <i>labradorica</i> hort. 'Purpurea'										
VA 249 <i>rupestris</i> 'Rosea' [Teesdale], 5 cm, dark pink, rich flowering, often reblooming, V-VII, Z6-9 . . . . .	3	8	WY △	—	—	7,50	2,50			
VA 245 ☼ <i>sororia</i> (papilionacea), 15 cm, mostly blue with light eye, IV-V, Z3-8 . . . . .	5	1	△	272,00	34,00	4,20	2,10			
VA 246 ☼ <i>sororia</i> 'Albiflora' [Emperor White], (AGM), 15 cm, pure white, with dark eye, IV-V, Z3-8 (see also GOLD NUGGET SEED®). . . . .	5	1	△	384,00	48,00	6,00	3,00			
VA 252 ☼ <i>sororia</i> 'Dark Freckles', 15 cm, light blue with violet speckles, IV-V, Z3-8 (see also GOLD NUGGET SEED®). . . . .	5	1	△	384,00	48,00	6,00	3,00			
VA 248 ☼ <i>sororia</i> 'Freckles', 15 cm, white, china-blue speckled, IV-V, Z3-8 (s. a. GOLD NUGGET SEED®)	5	1	△	384,00	48,00	6,00	3,00			
VA 247 ☼ <i>sororia</i> 'Rubra' [Emperor Magenta Red], 15 cm, ruby-red, IV-V, Z3-8 (see also GOLD NUGGET SEED®). . . . .	5	1	△	384,00	48,00	6,00	3,00			
VA 263 ☼ <i>sororia</i> 'Sorority Sisters', 15 cm, mixture of a wide range of colours from white, light blue, dark blue, red to violet, including speckled variants, IV-V, Z3-8 (see also GOLD NUGGET SEED®)	5	1	△	220,00	28,00	3,60	2,00			
tricolor - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										
VA 269 <i>triloba</i> , 20 cm, blue-violet, cordate to dissected foliage, upright, IV-V, Z4-9 . . . . .	3	15	—	512,00	64,00	8,00	4,00			
<b>VISCARIA</b>										
alpina - see LYCHNIS alpina										
vulgaris - see LYCHNIS viscaria										
<b>VITALIANA</b> (Primulaceae)										
AA 416 <i>primuliflora</i> (ANDROSACE vitaliana, DOUGLASIA vitaliana), 7 cm, pure yellow, dense mats, IV-V, Z4-8 . . . . .	5	1	△ □	—	—	—	7,80			
<b>VITEX</b> (Verbenaceae)										
VA 250 <i>agnus-castus</i> , 100 cm, bright blue, blooms from one-year shoots when protected in winter. Cut back before covering for winter, IX-X, Z6-10 . . . . .	25	20	☒ △ ⓘ §	48,00	8,00	2,00	2,00			
<b>WAHLENBERGIA</b> (Campanulaceae)										
WA 006 <i>akaroa</i> , 15 cm, china blue, rich flowering, flat cushions, VI-VIII, Z5-9 . . . . .	0,25	16	☒ △	—	—	—	6,00			
WA 004 <i>albomarginata</i> ( <i>saxicola</i> ), 10 cm, light blue to white, often dark veined, VI-VII, Z5-9 . . . . .	0,25	8	☒ △ ⓘ	—	288,00	36,00	6,00			
<b>WULFENIA</b> (Scrophulariaceae)										
WA 012 <i>carinthiaca</i> , 30 cm, blue, V-VIII, Z5-8 . . . . .	0,25	9	△ Ca	—	—	—	6,00			
WA 013 <i>carinthiaca</i> 'Alba', 30 cm, white, V-VIII, Z5-8 . . . . .	0,25	9	△ Ca	—	—	—	8,00			
<b>WYETHIA</b> (Asteraceae, Compositae)										
WA 016 ☼ <i>amplexicaule</i> , Mulesear, 60 cm, yellow, broad basal leaves, VI-VIII, Z4-8 . . . . .	40	1	△ *	120,00	16,00	2,40	2,40			
<b>XEROPHYLLUM</b> (Melanthiaceae, Liliaceae)										
XA 010 ☼ <i>tenax</i> , Bear Grass, 150 cm, grass-like Liliaceae, white racemes, violet filaments, protect from winter-wet, propagation only from seed, V-VII, Z5-9 . . . . .	5	1	Sol ✗	280,00	36,00	4,60	2,30			



VIOLA corsica



VIOLA elatior



VIOLA odorata 'Royal Wedding'



VIOLA odorata 'Reine de Neiges'



VIOLA sororia



VIOLA odorata 'Royal Wedding'



VIOLA sororia 'Albiflora'



VIOLA sororia 'Dark Freckles'



VIOLA sororia 'Freckles'

Perennials



VIOLA sororia 'Rubra'



VIOLA sororia 'Sorority Sisters'



WYETHIA amplexicaule



XEROPHYLLUM tenax



**YUCCA** *filamentosa*



**YUCCA** *baccata*



**ZIGADENUIS** *elegans*



**ZINNIA** *grandiflora*




**ZIZIA** *aptera*

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	from 100 g	Prices in EURO net per:	
					from 10 g	from 1 g	Portion
<b>YUCCA</b> (Agavaceae)							
YA 008	<b>baccata</b> , Broad Leaved Yucca, 50 cm, creamy white, reddish violet bracts, IV-VII, Z5-9 .....	100	15	△	192,00	24,00	3,40
YA 012	<b>filamentosa</b> , <small>(AGM)</small> , 150 cm, white, completely winter hardy, VII-IX, Z5-9 .....	80	20	Sol \$	184,00	24,00	3,40
YA 010	<b>glaucia</b> , 150 cm, white, branched flower stems, very narrow leaves, VII-IX, Z4-9 .....	100	20	~ \$	82,00	12,00	2,00
	<b>parviflora</b> - see <b>HESPERALOE</b>						5,20
<b>ZIGADENUIS</b> (Melanthiaceae, Liliaceae)							
ZA 004	<b>elegans</b> , 90 cm, star-shaped blossoms, yellowish-white with greenish center spots, VI-VIII, Z3-7 ( <i>see also GOLD NUGGET SEED®</i> ) .....	5	1	✗ ≈	512,00	64,00	8,00
							4,00
<b>ZINNIA</b> (Asteraceae)							
ZA 010	<b>grandiflora</b> , Rocky Mountain Zinnia, 15 cm, golden, rich flowering, narrow needle-like foliage, good hardy perennial in well drained soils, VII-X, Z4-9, .....	5	16	△ 2 ④	1440,00	180,00	24,00
	<b>pure seed</b>						9,80
<b>ZIZIA</b> (Apiaceae, Umbelliferae)							
ZA 012	<b>aptera</b> , Golden Alexander's, 40 cm, golden umbels, shiny, dark green, cordate foliage, V-VI, Z3-8 .....	5	8	✗	252,00	34,00	4,20
ZA 013	<b>aurea</b> , 60 cm, yellow umbels, lanceolate foliage, IV-VI, Z3-9 .....	5	8	✗	192,00	24,00	3,00
							2,10

## PRINTED STICK IN LABELS?

Item code No. YY004 - Custom printing by Jelitto!

Matching printed stick labels for your seed flats  
can be purchased with your perennial seed order.



Label order must be purchased as a set (1 set = 1 label per variety ordered). More than one set of labels can be purchased for each seed order.

Production – Breeding – Seed Technology				Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
							from 100 g	from 10 g	from 1 g	Portion
<b>ACHNATHERUM</b> (Poaceae, Gramineae)										
<i>brachytrichium</i> - see <b>CALAMAGROSTIS brachytrichia</b>										
ZA 024 <b>calamagrostis (STIPA)</b> , <small>[AGM]</small> , Silver Spike Grass, 80 cm, VI-IX, Z5-8 . . . . .	2	9	×	580,00	64,00	9,20	3,10			
ZA 025 <b>hymenoides 'Rimrock'</b> ( <b>ORYZOPSIS</b> ), Indian Rice Grass, 50 cm, graceful golden spikes, very drought tolerant, VIII-IX, Z5-8 . . . . .	10	1	△  Sol	32,00	8,00	2,00	2,00			
ZA 022 <b>splendens (STIPA)</b> , Chee Grass, 200 cm, loose rose-violet flower panicles, clump forming, VI-VIII, Z6-9	3	15		580,00	64,00	9,20	3,10			
<b>ACORUS</b> - see Perennial assortment										
<b>AGROPYRON magellanicum</b> - see <b>ELYMUS magellanicus</b>										
<b>AMMOPHILA</b> (Poaceae, Gramineae)										
ZA 026 <b>arenaria</b> , Marram Grass, 100 cm, dense spikes, grey-green leaves, VII-VIII, Z4-10 . . . . .	20	16		196,00	28,00	4,00	4,00			
<b>AMPELODES莫斯</b> (Poaceae, Gramineae)										
ZA 028 <b>mauritanicus</b> , 200 cm, impressive flower heads, VII-XII, Z7-10 . . . . .	10	20	Sol ×	256,00	32,00	4,00	4,00			
<b>ANDROPOGON</b> (Poaceae, Gramineae)										
ZA 030 <b>gerardii</b> , 150 cm, red tinged stalks, VIII-X, Z3-8, . . . . .	pure seed	5	15	Sol ×	160,00	20,00	2,60	2,00		
ZA 031 <b>glomeratus</b> , Bushy Beardgrass, 80 cm, densely clustered spikes, upright clumps with orange fall colour, moist locations, IX-X, Z5-9, . . . . .	pure seed	1	9	⌘ ⚡ ×	768,00	96,00	12,00	4,00		
ZA 029 <b>hallii</b> , Sand Bluestem, 140 cm, blue-green foliage, often yellowish-green stems, VIII-X, Z3-8, . . . . .	pure seed	5	16	Sol ×	240,00	34,00	4,90	3,20		
ZA 034 <b>scoparius (SCHIZACHYRIUM)</b> , 120 cm, beautiful fall colors, variable, VIII-X, Z3-9, . . . . .	pure seed	5	16	×	160,00	20,00	2,60	2,00		
ZA 032 <b>scoparius 'Blaze'</b> , 100 cm, silvery spikes, sturdy selection with green foliage, reddish fall and winter colours, VIII-X, Z3-9, . . . . .	pure seed	3	15	×	240,00	34,00	4,90	3,20		
<b>NEW!</b> ZA 027 <b>scoparius 'Camper'</b> , 100 cm, silver spikes, grey-green foliage, beautiful fall colors, for dry locations, VIII-X, Z3-9, . . . . .	pure seed	3	15	×	240,00	34,00	4,90	3,20		
ZA 033 <b>scoparius 'Prairie Blues'</b> , 100 cm, silvery fluffy seed heads, thin, ribbon-like, greyish-blue foliage, grey-blue foliage clumps, reddish-orange fall color, VIII-X, Z3-9, . . . . .	pure seed	3	15	×	1280,00	160,00	22,00	7,20		
ZA 041 <b>ternarius</b> , Split-beard Bluestem, 60 cm, shiny silver, richly branched spikes, copper-red fall colour, VIII-X, Z5-9, . . . . .	pure seed	3	16	×	512,00	64,00	8,00	4,00		
ZA 035 <b>virginicus</b> , 120 cm, loose spikes, VIII-IX, Z3-8, . . . . .	pure seed	2	16	×	630,00	78,00	9,80	4,90		
<b>ANEMANTHELE</b> (Poaceae, Gramineae)										
ZA 048 <b>lessoniana (AGROSTIS) [Buffalo's Gold, Pheasant Tails, Sirocco]</b> , <small>[AGM]</small> , Pheasant's-tail Grass, 60 cm, dense clumps with graceful leaves, delicate fine spikes, golden-orange fall colour, VIII-IX, Z7-10, . . . . .	pure seed	1	15	×	372,00	46,00	5,60	2,80		
<b>ANTHOXANTHUM odoratum</b> - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed										
<b>BOLBOSCHOENUS</b> (Cyperaceae)										
ZA 336 <b>maritimus (SCIRPUS)</b> , Sea Club Rush, 120 cm, squared stems, VI-VIII, Z5-10 . . . . .	5	17	⌘	72,00	12,00	2,00	2,00			



ACHNATHERUM calamagrostis



ACHNATHERUM hymenoides 'Rimrock'



AMMOPHILA arenaria



AMPELODES莫斯 mauritanicus



ANDROPOGON gerardii



ANDROPOGON glomeratus



ANDROPOGON hallii



ANDROPOGON scoparius 'Blaze'

Perennials

 Printed Stick  
In Labels

Ornamental Grasses



ANDROPOGON scoparius 'Prairie Blues'



ANDROPOGON ternarius



ANDROPOGON virginicus



ANEMANTHELE lessoniana




BOLBOSCHOENUS maritimus

		Gram to get 1000 plants	Nr. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>BOUTELOUA</b> (Poaceae, Gramineae)									
ZA 044	<b>curtipendula (racemosa)</b> , 80 cm, pendulous culms, spikelets on one side of the upper half, VI-XI, Z4-9, . . . . .	pure seed	3	15	✗ ⓘ	224,00	28,00	3,60	2,00
ZA 040	<b>gracilis (oligostachya)</b> , 30 cm, 2-3 one-sided spikelets per culm, horizontal standing, VII-IX, Z3-9, . . . . .	pure seed	2	15	✗ ⓘ	256,00	32,00	4,00	2,00
<b>BRACHYPODIUM</b> (Poaceae, Gramineae)									
ZA 049	<b>pinnatum</b> , Tor Grass, 60 cm, slender spikes, yellow-brown autumn colour, VI-VIII, Z4-8 . . . . .	6	16	ⓘ ✗ ↗	36,00	6,00	2,00	2,00	
ZA 050	<b>sylvaticum</b> , 100 cm, fresh green clumps, well suited for shade, VI-IX, Z4-8 . . . . .	10	16	✗	72,00	12,00	2,00	2,00	
<b>BRIZA</b> (Poaceae, Gramineae)									
ZA 061	<b>media [Doddering Dillies]</b> , Quaking Grass, 50 cm, heart-shaped spikelets, for dried arrangements, V-VII, Z4-7, . . . . .	pure seed	1	16	✗ ⓘ	340,00	36,00	4,80	3,00
ZA 062	<b>triloba (subaristata)</b> , Chilean Quaking Grass, 30 cm, arching spikes, very graceful, VI-VIII, Z6-9 . . . . .	2	16	✗ △	256,00	32,00	4,60	2,30	
<b>BUCHLOE</b> (Poaceae, Gramineae)									
ZA 063	<b>dactyloides</b> , Buffalo Grass, 20 cm, grey-green, creeping, for dry locations, Z4-9 . . . . .	30	16	↗ ⓘ	48,00	8,00	2,00	2,00	
<b>CALAMAGROSTIS</b> (Poaceae, Gramineae)									
	<b>arenaria</b> - see <b>AMMOPHILA</b>								
ZA 020	<b>brachytricha</b> , <small>(AGM CPS)</small> , Diamond-Korean Feather Reed Grass, 80 cm, IX-XII, Z4-9, . . . . .	pure seed	2	15	✗	1920,00	256,00	32,00	8,00
ZA 067	<b>canadensis</b> , Bluejoint Reedgras, 120 cm, silvery spikes, VI-VII, Z2-8, . . . . .	pure seed	0,5	1/20	↗ ↗ ⓘ	1400,00	176,00	22,00	5,50
ZA 065	<b>epigejos</b> , Wood Small Reed, 150 cm, brown spikes, runners, VII-VIII, Z3-9, . . . . .	pure seed	0,5	9/20	↗ ⓘ	384,00	48,00	6,00	3,00
<b>CALOPSIS</b> (Restionaceae)									
ZA 052	<b>paniculata</b> , Broom-Restio, 250 cm, dense brown spikes, giant horsetail-like stems, VIII-X, Z7-10, . . . . .	pure seed	1	16	Sol ☰ ✗ ⓘ	-	486,00	54,00	9,00
<b>CANNOMOIS</b> (Restionaceae)									
ZA 053	<b>virgata</b> , Bellreed, to 300 cm, densely branched spikes, bamboolike habit, VIII-X, Z7-10 . . . . .	400	1	Sol ☰ ✗	220,00	28,00	3,50	14,00	
<b>CAREX</b> (Cyperaceae)									
ZA 069	<b>acuta (gracilis)</b> , 80 cm, V-VI, Z3-7 . . . . .	3	9	ⓘ	160,00	20,00	2,50	2,00	
ZA 070	<b>acutiformis</b> , Swamp Sedge, 70 cm, grey-green, V-VI, Z3-6 . . . . .	5	9	ⓘ	132,00	18,00	2,50	2,50	
ZA 072	<b>albula 'Frosted Curls'</b> ( <i>comans</i> var. <i>stricta</i> , <i>fretalis</i> ), 20 cm, striking silvery foliage, dense clumps, Z6-9 . . . . .	2	16	△ *	960,00	122,00	16,00	4,80	
ZA 073	<b>appalachica</b> , Appalachian Sedge, 25 cm, yellow-green loose spikes, dense clumps, graceful narrow foliage, drought tolerating groundcover, V-VII, Z3-8 . . . . .	2	8	△ *	-	-	12,00	6,00	
ZA 076	<b>arenaria</b> , Sand-Sedge, 15-50 cm, dark-green carpets, V-IX, Z6-9 . . . . .	5	9	↗ ⓘ Ca ‡	256,00	32,00	4,00	2,00	
ZA 075	<b>aurea</b> , Golden Sedge, 20 cm, yellow-orange berry-like seed pots, loose clumps, III-V, Z3-9 . . . . .	3	8	△ &	320,00	46,00	6,80	3,40	


continued on the following page



*BOUTELOUA gracilis*



*BRACHYPODIUM pinnatum*



*BRIZA media*



*BRIZA triloba*



*CAREX albula 'Frosted Curls'*



*BUCHLOE dactyloides*



*CALAMAGROSTIS brachytricha*



*CAREX aurea*



*CAREX appalachica*



*CAREX arenaria*



CAREX buchananii



CAREX buchananii 'Firefox'



CAREX buchananii f. viridis 'Green Twist'



CAREX comans bronze form

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>CAREX continuation</b>									
ZA 077	berggrenii, 5 cm, green-brown cushions, very small, Z6-9.	2	9	△ *	–	288,00	32,00	6,00	
ZA 078	buchananii [Red Rooster], (AGM), 50 cm, brown-red, unpretentious, Z6-9	3	16	*** △ *	768,00	96,00	12,00	4,80	
ZA 068	buchananii 'Firefox', 60 cm, intensive fox brown to reddish foliage, strictly upright habit, less arching than the typical form and more winterhardy, evergreen (brown) outstanding ornamental grass, VIII-IX, Z5-9	2	16	△ *	960,00	122,00	16,00	4,80	
ZA 079	buchananii f. viridis 'Green Twist', 40 cm, olive-green foliage with slightly twisted tips, upright habit, evergreen, Z6-9.	2	9	*** △ *	–	128,00	16,00	6,00	
ZA 080	comans [Amazon Mist, Frosted Curls (missapplied)], 30 cm, dense green clumps, with narrow culms, Z6-9.	3	16	△	768,00	96,00	12,00	4,80	
ZA 081	comans bronze form [Bronco, Bronze Curls, Zora], 30 cm, brown-red clumps, compact, Z6-9	3	16	△ *	960,00	122,00	16,00	4,80	
	comans 'Frosted Curls' - see albula 'Frosted Curls'								
	comans var. stricta - see albula								
ZA 071	comosa, Bristly Sedge, 60 cm, thick bristly spikes, glossy green foliage, VI-VIII, Z4-10	3	9	* ***	98,00	14,00	2,00	2,00	
ZA 088	davalliana, Davall's Sedge, 25 cm, bronze-brown, loose spikes, graceful foliage, clump-forming, V-VII, Z4-8	3	9	△ * ***	768,00	96,00	12,00	4,80	
ZA 082	flaccia (glauca), Blue-green Sedge, 25 cm, IV-V, Z4-8	3	9	–	160,00	20,00	2,50	2,00	
ZA 085	flagellifera bronze form [Toffee Twist, Bronzita, Auburn], 40 cm, widely arching clumps, bronze red leaves, VII-VIII, Z6-9	2	16	△ *	960,00	122,00	16,00	4,80	
ZA 094	flagellifera 'Kiwi' [Phoenix Green], 40 cm, widely arching clumps, olive-green foliage, a selection of Janus Gardens, VII-VIII, Z6-9	2	16	△ *	960,00	122,00	16,00	4,80	
ZA 083	flava, 20 cm, yellowish spikes, dense carpets, VI-VII, Z5-8,	3	8	*** ***	240,00	30,00	3,80	2,00	
ZA 084	folliculata, Northern Long Sedge, 40 cm, impressive star-shaped seed heads, more graceful than C. grayi, light-green glossy foliage, VI-VIII, Z5-9,	pure seed	20	9	** ***	320,00	46,00	6,80	
ZA 086	grayi, Morning Star Sedge, 50 cm, decorative seed heads, good cut flower, VI, Z6-9,	pure seed	35	1	* ** ***	128,00	22,00	2,80	4,50
ZA 089	lurida, 40 cm, large, nodding spikes, very showy, VI-VIII, Z4-8,	pure seed	3	16	*△	240,00	30,00	3,80	2,00
ZA 091	macrocephala, 15 cm, solitary flower heads, 4-6 cm long, chestnut brown, V-VII, Z5-8	2	9	–	64,00	8,00	8,00	8,00	
ZA 090	muskingumensis, 90 cm, very effective as specimen and on water, VI, Z4-9,	pure seed	3	16	*	240,00	32,00	4,20	2,00
NEW! ZA 096	paniculata, Greater Tufted Sedge, 60 cm, glossy brown, deep green clumps, V-VI, Z6-9	1	9	***	160,00	20,00	2,50	2,50	
ZA 098	pendula (maxima) [Fresh Look], 100 cm, evergreen, VI, Z5-8	3	16	*	96,00	12,00	2,00	2,00	
ZA 099	petriei, Brown Sedge, 20 cm, bronze-brown clumps, flowerstems remain between the leaves, like a small C. buchananii, variable, VII-VIII, Z6-9	2	9	△ *	768,00	96,00	12,00	4,80	
ZA 095	plantaginea 'Blue Ridge', 35 cm, golden brown spikes, evergreen shiny broad leaves, very vigorous selection, IV-VI, Z4-8	7	8	△ *	792,00	88,00	9,80	4,90	
ZA 102	pseudocyperus, 75 cm, light green, VI, Z3-9	5	9	***	240,00	30,00	3,80	2,00	
ZA 105	remota, 50 cm, green, V-VII, Z5-9	2	9	***	144,00	18,00	2,40	2,00	
ZA 104	riparia, Great pond-sedge, 120 cm, V-VI, Z5-9	5	1	***	112,00	16,00	2,40	2,00	
ZA 106	rosea, Rosy Sedge, Curly-styled Wood Sedge, 25 cm, rosy-red flowering stigmas, loose spikes, dense clumps, graceful narrow foliage, drought tolerating groundcover, V-VI, Z4-8	3	8	△ *	280,00	40,00	5,80	3,20	
ZA 103	secta, 30 cm, green leaved clumps, erect growth, V, Z6-10	3	9	△	512,00	64,00	8,00	4,00	
ZA 122	solandri, New Zealand Woodland Sedge, 45 cm, dark brown arching spikes, dark olive-green foliage, dense clumps, VII-VIII, Z6-9	2	9	△ *	512,00	64,00	8,00	4,00	
ZA 119	sparganioides, Bur-reed Sedge, 60 cm, similar to C. muskingumensis, but with hedgehog-like spikes, V-VII, Z4-9,	pure seed	1	9	*	360,00	46,00	5,80	2,90
ZA 101	species 'Majken', 60 cm, thick hanging fruit spikes, VI-VIII, Z5-9	2	9	*	–	40,00	5,20	2,60	
ZA 108	sylvatica, 60 cm, Forest Sedge, VI, Z5-8	5	9	*	160,00	20,00	2,50	2,50	
ZA 114	tenuiculmis [Bronzina], 30 cm, red-bronze coloured foliage, Z6-11	3	9	△	768,00	96,00	12,00	4,80	
ZA 111	testacea [Orange Sedge, Indian Summer, Prairie Fire], 45 cm, intense orange-brown clumps, very attractive, Z6-9	3	9	△ *	768,00	96,00	12,00	4,80	
ZA 113	trifida, 90 cm, very big brownish-black spikes, strong blue-green foliage, very impressive, VI-VIII, Z6-10	3	1	* Sol	240,00	30,00	3,80	2,00	
<b>CHASMANTHIUM (Poaceae, Gramineae)</b>									
ZA 430	latifolium (UNIOLA latifolia), Spike Grass, 80 cm, VII-X, Z4-10,	pure seed	10	20	*	240,00	32,00	4,00	4,00
ZA 431	latifolium 'Little Tickler', 50 cm, large arching spikes, dwarf and compact, narrower leaves than the species, stable, a selection from Ivy Farms, VII-X, Z5-10,	pure seed	10	20	△ *	–	210,00	32,00	7,60
ZA 434	laxum, Slender Wild Oat, 80 cm, reddish-brown slender spikes, clump forming, VII-VIII, Z5-9,	pure seed	2	9	*	624,00	78,00	12,00	4,00



CAREX comosa



CAREX davalliana



CAREX flagellifera bronze form



CAREX flagellifera 'Kiwi'



CAREX flava



CAREX grayi



CAREX lirida



CAREX pendula



CAREX petriei



CAREX pseudocyperus



CAREX plantaginea 'Blue Ridge'



CAREX remota



CAREX secta



CAREX solandri



CAREX sylvatica



CAREX testacea



CAREX trifida



CHASMANTHIUM latifolium



CHASMANTHIUM laxum



CHIONOCHLOA flavicans



CHIONOCHLOA conspicua



CHIONOCHLOA rigida



CHONDROPELALUM tectorum



CHRYSOPOGON gryllus



CORTADERIA fulvida

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>CHIONOCHLOA</b> (Poaceae, Gramineae)								
ZA 038	conspicua, 180 cm, similar to Pampas Grass, cream-white flower spikes, VII-VIII, Z6-9, . . . . .	pure seed	2	15 Sol	648,00	72,00	8,00	4,00
ZA 037	flavicans, 150 cm, golden-silvery flowerspikes, strong clumps, for mild locations, VII-VIII, Z6-9, . . . . .	pure seed	2	9 Sol	–	56,00	7,20	3,60
ZA 042	rigida, Snow Tussock, 120 cm, silvery flowerspikes, upright clumps, for mild locations, VI-VIII, Z6-9, . . . . .	pure seed	5	9 Sol	448,00	56,00	7,20	3,60
ZA 039	rubra ssp. cuprea, Red Tussock Grass, 120 cm, dense arching clumps, green-bronze foliage, for mild locations, VI-VII, Z6-9, . . . . .	pure seed	5	9 Sol	320,00	40,00	5,00	2,50
<b>CHONDROPOETALUM (ELEGIA)</b> (Restionaceae)								
ZA 058	tectorum, Cape-Rush, 120 cm, dark green stems with red-brown leaf-sheaths, brown flower heads, dense clumps, VIII-X, Z7-10, . . . . .	pure seed	0,25	1 Sol ☒ ✕	–	640,00	72,00	9,00
<b>CHONDROSUM gracile - see BOUTELOUA gracilis</b>								
<b>CHRYSOPOGON</b> (Poaceae, Gramineae)								
ZA 109	gryllus, Goldbeard Grass, 100 cm, VIII-X, Z5-9 . . . . .	nutans - see SORGHASTRUM nutans	10	8 ✕ ⓘ	224,00	28,00	3,60	3,60
<b>CLADIUM</b> (Cyperaceae)								
ZA 118	mariscus, Great Fen Sedge, 150 cm, yellow-brown flower heads, wintergreen, VI-VIII, Z3-10, . . . . .	pure seed	5	18 ✕ ☀	180,00	22,00	2,80	2,80
<b>CORTADERIA</b> (Poaceae, Gramineae)								
ZA 117	fulvida, Kakaho, 200 cm, bronze-silvery, loose arching flower-heads, VI-VIII, Z7-10, . . . . .	pure seed	2	16 ✕ Sol	768,00	96,00	12,00	6,00
ZA 115	richardii, (AGM), Toe Toe, 250 cm, silvery, loose arching flower-heads, VII-X, Z7-10, . . . . .	pure seed	2	16 ✕ Sol	768,00	96,00	12,00	6,00
ZA 110	seloana [White Feather, White Plume], Pampas Grass, 200 cm, showy silver-white plumes, IX-X, Z7-10, . . . . .	pure seed	1	15 ✕ Sol	460,00	62,00	8,40	3,40
ZA 112	seloana 'Rosea' [Pink Feather, Pink Plume], Pampas Grass, 200 cm, long plumes tinged pink, variable, IX-X, Z7-10, . . . . .	pure seed	1	15 ✕ Sol	460,00	62,00	8,40	3,40
<b>CORYNEPHORUS</b> (Poaceae, Gramineae)								
ZA 120	canescens [Spiky Blue], Silver Grass, 25 cm, blue-green cushions, delicate leaves, silvery panicles, often tinged red, tolerates dry, sandy, lightly acidic soil, VI-VIII, Z6-10, . . . . .	pure seed	0,25	15 △ *	1536,00	192,00	24,00	6,00
<b>CYMBOPOGON</b> (Poaceae, Gramineae)								
ZA 126	flexuosus, East Indian Lemongrass, 140 cm, foliage with intensive lemon fragrance, VIII-X, Z8-11, . . . . .	pure seed	1	15 ☒ ⓘ ↗ \$	1360,00	160,00	22,00	6,00
<b>CYPERUS</b> (Cyperaceae)								
ZA 130	glaber (PYCREUS glaber), 60 cm, for dry and moist conditions, blooms V-XII (frost), very decorative, excellent for cutting, Z7-10, . . . . .	pure seed	1	16 ✕ ☀	496,00	62,00	7,80	2,00
NEW! ZA 134	longus, Sweet Galingale, 80 cm, rusty brown, attractive bracts, VII-X, Z6-9, . . . . .	pure seed	0,25	16 ☀ ↗ ✕ Sol	–	72,00	9,20	2,20
ZA 136	papyrus, (AGM), Papyrus, 200 cm, very decorative, excellent cut flower, VI-X, Z8-11, . . . . .	pure seed	0,15	4/9 ☒ ✕ ☀	–	–	124,00	7,90
<b>DESCHAMPSIA</b> (Poaceae, Gramineae)								
ZA 140	cespitososa, 150 cm, dense green clumps, VI-IX, Z4-7, . . . . .	pure seed	1	16 Sol ⓘ	96,00	16,00	2,00	2,00
ZA 139	cespitososa 'Pixie Fountain', 60 cm, brilliant silver-green, followed by golden-brown flower spikes, compact habit, dens evergreen foliage clumps, very cold tolerant, VI-IX, Z2-7, . . . . .	pure seed	1	15 △ ✕ ⓘ	360,00	64,00	12,00	4,00
ZA 141	flexuosa, Crinkled Hair Grass, 50 cm, loose clumps, VI-VII, Z4-7, . . . . .	pure seed	2	16 ☀	128,00	16,00	2,00	2,00
<b>DESMOSCHOENUS</b> (Cyperaceae)								
ZA 143	spiralis (FICINIA), Golden Sand Sedge, Pingao, 60 cm, dark brown, spiraled clusters, yellow-green leathery foliage, dune grass, V-VI, Z7-10 . . . . .	pure seed	5	9 *	448,00	56,00	7,20	3,60
<b>DIARRHENA</b> (Poaceae, Gramineae)								
ZA 146	americana, 80 cm, loose spikes, strong dark green leaf clumps, VII-IX, Z4-8 . . . . .	pure seed	20	1 Sol	172,00	22,00	3,00	3,00
<b>DICHANTELIELUM</b> - see PANICUM								



CORTADERIA richardii



CORYNEPHORUS canescens



CYPERUS papyrus



DESCHAMPSIA cespitosa 'Pixie Fountain'

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>ELEGIA</b> (Restionaceae)								
ZA 148	<i>capensis</i> , Broom-Reed, Horsetail-Restio, 200 cm, giant slender horsetail-like stems, short brown flower heads, VIII-X, Z7-10, . . . . .	pure seed	1	1 Sol ☒ ✕	–	–	54,00	9,00
ZA 149	<i>cuspidata</i> , Golden-Curls, 80 cm, dark green stems with red-brown leaf-sheaths, red-golden flower heads, VII-X, Z7-10, . . . . .	pure seed	5	1 Sol ☒ ✕	–	288,00	36,00	9,00
ZA 054	<b>elephantina (CHONDROPETALUM)</b> , Large Cape Rush, 180 cm, brown flower spikes, maroon banded stem sections, VIII-X, Z9-11, . . . . .	pure seed	0,5	1 Sol ✕	–	432,00	54,00	9,00
ZA 152	<b>grandis</b> , 100 cm, golden-brown spikes, blue-green, cylindrical foliage stems, upright habit, VIII-X, Z7-10, . . . . .	pure seed	30	1 Sol ✕	–	162,00	18,00	9,00
	<b>tectorum</b> - see <b>CHONDROPETALUM tectorum</b>							
<b>ELYMUS</b> (Poaceae, Gramineae)								
ZA 150	<i>arenarius (LEYMUS)</i> , Lyme Grass, 100 cm, blue-green pruinosed, very drought tolerant, VII-VIII, Z4-9 . . . . .	40	9 ☝ *	120,00	15,00	2,00	2,00	
ZA 154	<i>canadensis 'Icy Blue'</i> , Canadian Wild Rye, 140 cm, nodding blue spikes, blue-grey leaf clumps, VI-X, Z3-8 . . . . .	15	16 ✕ *	148,00	24,00	4,20	4,20	
	<b>hystrix</b> - see <b>HYSTRIX patula</b>							
ZA 016	<i>magellanicus (AGROPYRON)</i> , Magellan-Bluegrass, 80 cm, straw yellow spikes, intense blue leaf clumps, VI-VII, Z5-8. . . . .	15	15 ✕ *	–	140,00	18,00	6,00	



**DIARRHENEA americana**



**ELEGIA capensis**



**ELEGIA cuspidata**



**ELYMUS arenarius**



**ELYMUS canadensis 'Icy Blue'**



**ELYMUS magellanicus**




**ERAGROSTIS spectabilis**



**ERIOPHORUM angustifolium**



**ERIOPHORUM vaginatum**



FESTUCA glauca 'Blue Select'



FESTUCA mairei



FESTUCA scoparia



FESTUCA valesiaca var. glauantha



GLYCERIA maxima

		Gram to get 1000 plants	N° of the sowing directions	Special Hints	Prices in EURO net per:				
					from 100 g	from 10 g	from 1 g	Portion	
<b>ERAGROSTIS (Poaceae, Gramineae)</b>									
ZA 157	curvula [Weeping Love], 100 cm, nodding flower panicles, VI-IX, Z6-10, . . . . .	pure seed	1	15		128,00	16,00	2,00	2,00
ZA 159	elliottii [Blue Eros, Wind Dancer], Blue Love Grass, 70 cm, blue-green nodding flower clumps, VI-VIII, Z6-10, . . . . .	pure seed	0,25	9	Sol ✕ ☘	–	176,00	22,00	5,50
ZA 158	spectabilis, Purple Love Grass, 50 cm, brilliant purple-red flower racemes, dense compact clumps, one of the most attractive late flowering ornamental grasses, need a warm summer to flower, VIII-X, Z5-10, . . . . .	pure seed	0,25	15	△ ✕	1410,00	176,00	22,00	5,50
ZA 156	trichodes, 120 cm, bronze-purple flower spikes, for sunny locations, VII-IX, Z7-10, . . . . .	pure seed	1	9	Sol ✕	320,00	40,00	5,00	2,50
<b>ERIANTHUS (SACCHARUM) (Poaceae, Gramineae)</b>									
ZA 160	contortus, 180 cm, Bend Feather Grass, purplish spikes, VIII, Z7-9 . . . . .	pure seed	5	9	Sol	320,00	40,00	5,00	3,80
ZA 164	ravennae, Plume Grass, 180 cm, leaves decorated with white ribs, panicles emerge with violet tones, pyramid-shaped, bio-energy-plant, IX-X, Z5-10, . . . . .	pure seed	3	15	✖ Sol Ⓛ	768,00	96,00	12,00	4,00
ZA 165	strictus (baldwini), 180 cm, long, narrow panicles, VIII, Z7-9 . . . . .	pure seed	5	16	Sol	320,00	40,00	5,00	3,80
<b>ERIOPHORUM (Cyperaceae)</b>									
ZA 166	angustifolium, 40 cm, white cotton heads from June until frost, IV-V, Z3-7, . . . . .	pure seed	3	1	❀ ☘	384,00	48,00	6,00	3,00
ZA 168	vaginatum, 40 cm, compact clumps, III-V, Z4-9, . . . . .	pure seed	3	1	❀ ☘	320,00	40,00	5,00	2,50
<b>FARGESIA (Poaceae, Gramineae)</b>									
ZA 409	murielae (SINARUNDINARIA murielae), (AGM), Umbrella Bamboo, up to 300 cm, large clumps, Z5-9 . . . . .	pure seed	25	8	Sol ↗	768,00	96,00	12,00	12,00
<b>FESTUCA (Poaceae, Gramineae)</b>									
ZA 170	amethystina, Tufted Fescue, 20 cm, fine foliage, red culms, VI, Z4-7 . . . . .	pure seed	2	15	△	256,00	32,00	4,00	2,00
	cinerea - see FESTUCA glauca								
ZA 182	gigantea, Green Giant Fescue, 100 cm, VII-VIII, Z4-7 . . . . .	pure seed	5	9		24,00	6,00	2,00	2,00
ZA 187	glauca (cinerea) 'Blue Select' [Festina, Freddy, Varna], Blue Fescue, 25 cm, balanced blue clumps, V-VI, Z4-7 . . . . .	pure seed	2	15	△ ✕	192,00	24,00	3,00	3,00
ZA 188	mairei, Atlas-Fescue, 100 cm, arching flower racemes, strong clumps, VI-IX, Z5-9 . . . . .	pure seed	3	15	Sol ✕	440,00	56,00	7,20	3,60
ZA 190	ovina, Sheep Fescue, 25 cm, green foliage, V-VII, Z4-7 . . . . .	pure seed	3	15	△ Ⓛ	24,00	6,00	2,00	2,00
ZA 194	pulchella, 20 cm, blue-green clumps, VI-VII, Z4-7 . . . . .	pure seed	2	15	△	240,00	32,00	4,00	2,00
ZA 198	scoparia (gautieri) [Hobbit], Bear Skin Fescue, 20 cm, VI-VII, Z4-7 . . . . .	pure seed	3	9	△	620,00	74,00	8,80	3,80
ZA 200	valesiaca, Wallis-Fescue, 30 cm, upright spikes, hair-like foliage, dense blue-green clumps, V-VI, Z4-7 . . . . .	pure seed	3	15	△	160,00	22,00	3,20	2,00
ZA 202	valesiaca var. glauantha [Buddy Blue], Glaucous Wallis Fescue, 25 cm, fine, hairlike culms, dense, blue-grey clumps, variable, V-VI, Z4-7 . . . . .	pure seed	2	15	△ ✕	820,00	96,00	12,00	4,80
<b>GLYCERIA (Poaceae, Gramineae)</b>									
ZA 208	maxima [Giant Glyceria], 200 cm, erect, light green leaves, panicle 40 cm, brownish, VII, Z4-8, . . . . .	pure seed	3	9	❀ Ⓛ	192,00	24,00	3,00	2,00



*HYSTRIX* *patula*



*HIEROCHLOE* *odorata*




*ISCHYROLEPIS* *subverticillata*



*JUNCUS* *effusus* 'Spiralis'



*JUNCUS* *ensifolius*



*JUNCUS* *filiformis* 'Spiralis'



*JUNCUS* *inflexus*



*KOELERIA* *vallesiana* 'Mountain Breeze'



*KOELERIA* *glaucia*



*LUZULA* *luzuloides*

## Production – Breeding – Seed Technology

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>HIEROCHLOE</b> (Poaceae, Gramineae)								
ZA 215 ☐ <b>odorata</b> , Vanillagrass, 40 cm, loose panicles, reminding of BRIZA, dense clumps, with runners, intense vanilla-fragrance, V-VI, Z4-8,.....	.pure seed	2	16	vv → ⓘ \$	–	324,00	36,00	6,00
<b>HYSTRIX</b> (Poaceae, Gramineae)								
ZA 220 ☐ <b>patula</b> ( <i>ELYMUS hystrix</i> ), Bottle Brush Grass, 60 cm, VI-VIII, Z4-8 .....		10	15	×	160,00	20,00	2,50	2,50
<b>ISCHYROLEPIS</b> (Restionaceae)								
ZA 224 ☐ <b>subverticillata</b> ( <i>RESTIO</i> ), Dune-Restio, 200 cm, white-yellow spikes, giant horsetail-like tussock, IV-VI, Z7-10 .....		5	8	Sol ↗ ×	–	240,00	34,00	8,20
<b>JUNCUS</b> (Juncaceae)								
ZA 228 <b>effusus</b> , Rush, 60 cm, dense, dark green clumps, VII-VIII, Z3-10 .....		1	1	vvv \$ Ca	320,00	40,00	5,00	2,50
ZA 229 ☐ <b>effusus 'Spiralis'</b> [ <i>Twister</i> ], Curly Soft Rush, 40 cm, corkscrew-like, twisted, dark green leaves, VII-VIII, Z3-10, .....		0,1	1	★ ×	7200,00	840,00	98,00	7,60
ZA 230 ☐ <b>ensifolius</b> [ <i>Starhead, Flying Hedgehogs</i> ], 25 cm, Dwarf Rush, VI-VIII, Z3-10 .....		0,5	9	vvv Ca	768,00	96,00	12,00	4,00
ZA 226 ☐ <b>filiformis</b> [ <i>'Spiralis'</i> ], 20 cm, leaves corkscrew-like twisted, true from seed, Z5-10 .....		0,1	9	vvv ★ Ca	4620,00	576,00	72,00	6,00
ZA 232 ☐ <b>inflexus (glaucus)</b> [ <i>Blue Arrows</i> ], Blue-green Rush, 50 cm, dense, blue-green clumps, VI-VIII, Z3-10 .....		0,25	1	vvv Ca	448,00	56,00	7,00	3,50
ZA 239 <b>pallidus</b> [ <i>Javelin</i> ], Giant-Rush, 180 cm, dense, pale brown clusters, blue-green long stems, VII-VIII, Z7-10 .....		0,25	16	Sol vvv	–	96,00	12,00	4,00
<b>KOELERIA</b> (Poaceae, Gramineae)								
ZA 245 ☐ <b>glauca</b> [ <i>Coolio, Blue Sprite</i> ], Blue Hair Grass, 25 cm, narrow blue leaves, V-VII, Z3-8, .....	.pure seed	1	15	△ ★	430,00	54,00	6,80	3,40
ZA 241 <b>macrantha (cristata)</b> , Slender June Grass, 25 cm, blue-green foliage, dense flower spikes, V-VI, Z2-8, .....	.pure seed	1	16	△ ★	360,00	46,00	5,80	2,90
ZA 243 ☐ <b>vallesiana 'Mountain Breeze'</b> , Somerset Hair Grass, 35 cm, greenish yellow, straw-coloured fading spikes, dense foliage clumps, greyish-blue and stiff leaves, drought tolerant, V-VII, Z3-8, .....	.pure seed	1	16	△ ★	400,00	58,00	8,40	3,20
<b>LEPTOCARPUS</b> (Restionaceae)								
ZA 247 <b>similis</b> ( <i>APODASMIA</i> ), 100 cm, brownish flower heads, olive-green stems with decorative brown leaf bracts, very unusual, VI-VII, Z7-10 .....		1	1	★ ⓘ	540,00	68,00	8,60	4,30
<b>LEYMUS arenarius</b> - see <b>ELYMUS</b>								
<b>LUZULA</b> (Juncaceae)								
ZA 250 ☐ <b>luzuloides (nemorosa, albida)</b> , 50 cm, for shade, V-VII, Z5-8 .....		1	16	×	144,00	18,00	2,00	2,00
ZA 254 ☐ <b>nivea</b> [ <i>Lucius</i> ], Snow Wood Rush, 35 cm, white, grey-haired leaves, evergreen, VI-VIII, Z4-8 .....		1	9	× ★	1320,00	156,00	18,40	4,60
ZA 252 <b>pedemontana</b> , 50 cm, dense spikes, mat-forming, VI-VII, Z5-8 .....		2	16	vv →	236,00	26,00	3,60	2,00
ZA 258 ☐ <b>sylvatica 'Select'</b> [ <i>Starmaker</i> ], 30 cm, especially beautiful even-blooming variety, evergreen, V-VI, Z5-8 .....		2	9	× ★	660,00	78,00	9,20	2,80
ZA 256 ☐ <b>sylvatica 'Solar Flair'</b> , 30 cm, straw-coloured, widely arching spikes, narrow lanceolate leaves arranged in dense rosettes, consistant golden foliage during the cool season, clear light green during summer, loose tufts, IV-VI, Z5-8 .....		1	9	× ★	–	198,00	22,00	5,50
ZA 257 ☐ <b>ulophylla</b> , 15 cm, delicate foliage, V-VII, Z6-9 .....		1	16	△ D	–	144,00	18,00	6,00
<b>MELICA</b> (Poaceae, Gramineae)								
ZA 259 ☐ <b>altissima 'Atropurpurea'</b> [ <i>Red Spire</i> ], 100 cm, purple-brown, V-VII, Z4-8, .....	.pure seed	3	15	×	188,00	22,00	3,00	2,00
ZA 260 ☐ <b>ciliata</b> [ <i>Silky</i> ], Silky-Spike-Melic, 40 cm, silver-grey, VI, Z5-8, .....	.pure seed	1	15	×	320,00	40,00	5,20	2,60
ZA 264 <b>uniflora</b> , 50 cm, purple-brown spikes, fresh green, V-VI, Z6-8 .....		5	9	–	160,00	20,00	2,60	2,00
<b>MELINIS (RHYNCHELYTRUM)</b> (Poaceae, Gramineae)								
ZA 266 ☐ <b>nerviglumis</b> [ <i>Pink Crystals®, Savannah</i> ], ☐PS, Ruby Grass, 40 cm, ruby-rose flowers, dense grey-green clumps, VI-X, Z7-10, .....	.pure seed	2	15	△ ★ ⓘ	–	–	42,00	6,00
<b>MILIUM</b> (Poaceae, Gramineae)								
ZA 270 ☐ <b>effusum 'Aureum'</b> [ <i>Flash Lights</i> ], ☐AGM, Golden Millet Grass, 60 cm, entire plant golden-green, effective in shade, V-VII, Z5-8 .....	.pure seed	3	16	★	–	288,00	32,00	6,00



LUZULA nivea



LUZULA sylvatica 'Select'



LUZULA sylvatica 'Solar Flair'



LUZULA ulophylla

## Production – Breeding – Seed Technology

			Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
						from 100 g	from 10 g	from 1 g	Portion
<b>MISCANTHUS</b> (Poaceae, Gramineae)									
ZA 272	<i>oligostachys</i> , Silver-Grass, 120 cm, narrow silvery spikes, dense clumps, bronze-red fall colour, VII-IX, Z4-9, . . . . .	<i>pure seed</i>	5	15	Sol ✕	–	96,00	12,00	4,60
ZA 274	<i>sinensis</i> , 250 cm, Chinese Silver Grass, variable, bio-energy-plant, IX-X, Z4-9, . . . . .	<i>pure seed</i>	2	15	Sol Ⓛ	288,00	36,00	4,60	2,30
ZA 275	<i>sinensis 'Early Hybrids'</i> , up to 220 cm, vigorous early flowering forms, VIII-IX, Z4-9, . . . . .	<i>pure seed</i>	2	15	Sol	320,00	40,00	5,00	2,50
ZA 276	<i>sinensis 'New Hybrids'</i> , from 90 cm to 250 cm, many varieties, IX-X, Z4-9, . . . . .	<i>pure seed</i>	2	15	Sol ✕	360,00	45,00	5,80	3,00
<b>MOLINIA</b> (Poaceae, Gramineae)									
ZA 280	<i>caerulea</i> ssp. <i>arundinacea</i> ( <i>altissima</i> ), 175 cm, golden-brown fall color, VI-VIII, Z4-7, . . . . .	<i>p. seed</i>	5	1	⌘ Ⓛ ✕ Sol	96,00	12,00	2,00	2,00
ZA 284	<i>caerulea</i> ssp. <i>caerulea</i> , 65 cm, bluish-green clumps, VII-X, Z4-7, . . . . .	<i>p. seed</i>	3	1	⌘ Ⓛ ✕ Ⓛ	112,00	14,00	2,00	2,00
<b>MUHLENBERGIA</b> (Poaceae, Gramineae)									
ZA 283	<i>capillaris</i> , Pink Muhy, Gulf Muhy, 90 cm, glossy green foliage clumps, masses of delicate, purple-pink flower panicles, need a warm summer to flower, IX-XI, Z6-10, . . . . .	<i>pure seed</i>	0,75	15	△ ✕ Sol	2260,00	252,00	28,00	5,50
ZA 287	<i>lindheimeri</i> , Lindheimer's Muhy, 150 cm, semi-evergreen blue-grey basal leaves, at first yellowish, later pale-purple upright culms, need a warm summer to flower, IX-X, Z6-10, . . . . .	<i>p. seed</i>	0,5	16	△ Sol	–	–	34,00	6,20
ZA 286	<i>reverchonii Undaunted®</i> , <i>Ruby Muhy</i> , 50 cm, pinkish red flower veils, grey-green leaf clumps, warm season grass, VIII-X, Z5-10, . . . . .	<i>pure seed</i>	1	16	✗ △ Sol	–	792,00	82,00	7,60
ZA 291	<i>rigens</i> , Deergrass, 150 cm, semi-evergreen, grey-green basal leaves, narrow whiplike inflorescences, VIII-X, Z6-10, . . . . .	<i>pure seed</i>	0,75	16	△ Sol	–	176,00	22,00	5,50



MELICA altissima 'Atropurpurea'



MELICA ciliata



MELINIS nerviglumis



MILIUM effusum 'Aureum'



MISCANTHUS sinensis 'Early Hybrids'



MISCANTHUS sinensis 'New Hybrids'



MOLINIA caerulea ssp. caerulea



NARDUS stricta

## Production – Breeding – Seed Technology

	Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:				
				from 100 g	from 10 g	from 1 g	Portion	
<b>NARDUS</b> (Poaceae, Gramineae)								
ZA 282 ☼ <b>stricta</b> , Mat Grass, 30 cm, small grey-purple spikes, olivegreen, dense, stiff clumps, robust ornamental grass, V-VIII, Z3-7 .....	2	15	◆ △	336,00	42,00	6,00	3,00	
<b>NASSELLA</b>								
<b>tenuissima</b> - see <b>STIPA tenuissima</b>								
<b>trichotoma</b> - see <b>STIPA trichotoma</b>								
<b>PANICUM</b> (Poaceae, Gramineae)								
ZA 295 ☼ <b>amarum</b> , Coastal Switchgrass, 140 cm, greenish-yellow spikes, wide blue-grey foliage, bio-energy-plant, VIII-X, Z5-9, .....	pure seed	5	9	Sol ⓘ	140,00	20,00	2,80	2,00
ZA 294 ☼ <b>clandestinum (DICHTHELIUM)</b> , Deer-Tongue-Grass, 60 cm, light green wide leaves, mindful of bamboo, golden fall color, spreading runners, Z3-9, .....	pure seed	5	8	✗ ↗ ⓘ	72,00	12,00	2,00	2,00
ZA 290 <b>virgatum</b> , Switch Grass, 160 cm, light green, brownish heads, bio-energy-plant, VII-IX, Z4-10, .....	pure seed	5	8	✗ ⓘ	128,00	16,00	2,20	2,00
ZA 293 ☼ <b>virgatum 'Emerald Chief'</b> , 140 cm, pinkish-red flower panicles, emerald-green, narrow foliage, graceful and especially sturdy habit, long-lived, tolerating a wide range of soils, VII-IX, Z4-10, .....	pure seed	5	8	Sol ✗ ⓘ	512,00	64,00	8,00	4,00



MUHLENBERGIA capillaris



MUHLENBERGIA reverchonii Undaunted®



PANICUM amarum



PANICUM clandestinum



PANICUM virgatum 'Emerald Chief'



PENNISETUM alopecuroides



PENNISETUM thunbergii



PENNISETUM orientale



PENNISETUM alopec. var. viridescens



PENNISETUM villosum

		Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>PENNISETUM (Poaceae, Gramineae)</b>								
ZA 300	alopecuroides ( <i>compressum</i> )	80 cm, cylindrical heads, VIII-XII, Z5-9, . . . . .	pure seed	8	15	×	384,00	48,00
ZA 302	alopecuroides var. <i>viridescens</i>	50 cm, broader leaves, darker heads, X-XII, Z5-9, . . . . .	pure seed	10	15	×	320,00	40,00
<b>glaucum</b>	Purple-leaved Pear Millet, F <sub>1</sub> -Hybrids, 100-150 cm, attractive, cylindrical flower spikes, bronze-purple with yellow pollen, bronze-purple colored foliage, very attractive ornamental foliage grass, annual. Young-plants are green and require sufficient warmth, purple pigmentation occurs when plants are exposed to full sun, VII-IX, Z8-11							
ZA 313	'Jester'	120 cm, wide foliage, branched stems, slightly later flowering						
ZA 314	'Purple Baron'	100 cm, shorter and wider foliage, compact, darkest foliage coloring						
ZA 315	'Purple Majesty'	(AAS), 150 cm, straight upright, long flowering stems						
ZA 305	<i>macrourum</i> [ <i>Tail Feathers, White Lancer</i> ]	Fountain Grass, 140 cm, straw-coloured, long flower spikes, dense clumps, VII-X, Z6-10, . . . . .	pure seed	3	15	×	—	48,00
ZA 306	<i>orientale</i> , (AGM)	35 cm, decorative, curved flower heads, VI-IX, Z6-10, . . . . .	pure seed	2	15	×	2920,00	36,00
<b>NEW!</b> ZA 303	<i>thunbergii</i> [ <i>Red Buttons</i> ]	Red Bunny Tails, 90 cm, bright reddish spikes with white tips, fading to straw-coloured, dense clumps, V-IX, Z6-10, . . . . .	pure seed	3	9	△ ⊗	324,00	36,00
ZA 312	<i>villosum</i> ( <i>longistylum</i> ) [ <i>White Ladies, Cream Falls</i> ], (AGM)	50 cm, brilliant white spikes, rich flowering, can be grown as annual, VII-X, Z7-10, . . . . .	pure seed	5	15	⊗	120,00	15,00
<b>PHAEONOSPERMA (Poaceae)</b>								
ZA 324	<i>globosa</i>	Waterfall Millet, 50 cm, wide dark green foliage, evergreen, to 150 cm tall arching flower panicles, attractive solitary grass, VIII-X, Z6-10 . . . . .		20	16	Sol ⊗	400,00	58,00
<b>PHALARIS (Poaceae, Gramineae)</b>								
ZA 307	<i>arundinacea</i>	Ribbon Grass, 200 cm, VI-VIII, Z3-8, . . . . .	pure seed	5	15	⊗ ⊗ ⊗ ⊗	24,00	6,00
<b>PHRAGMITES (Poaceae, Gramineae)</b>								
ZA 310	<i>australis</i> ( <i>communis</i> )	Common Reed, 300 cm, VIII, Z4-9, . . . . .	pure seed	2	17	⊗ ⊗ ⊗ ⊗	380,00	48,00
<b>POA (Poaceae, Gramineae)</b>								
ZA 318	<i>alpina</i>	10 cm, grey-green dwarf grass, VI-VII, Z3-7 . . . . .		1	15	△	160,00	20,00
ZA 320	<i>chaixii</i>	25 cm, reed-like leaves, VI-VII, Z4-7 . . . . .		5	15	△	256,00	32,00
ZA 321	<i>cita</i>	Silver Tuft, 70 cm, densely light green foliage clumps, silvery flower heads, for dry locations, VII-IX, Z7-10, . . . . .	pure seed	1	15	△ Sol	1150,00	144,00
ZA 326	<i>glaucia</i> 'Blue Hills'	Glaucous Meadow Grass, 25 cm, loose arching spikes, dense foliage clumps with narrow blue-green leaves, very delicate ornamental grass, first year flowering, VI-IX, Z3-7, . . . . .	pure seed	1	16	△ ⊗ ⊗	400,00	58,00

**Production – Breeding – Seed Technology**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
<b>RHYNCHELYTRUM</b> - see <b>MELINIS</b>								
<b>SACCHARUM</b> - see <b>ERIANTHUS</b>								
<b>SCHIZACHYRIUM</b> - see <b>ANDROPOGON</b>								
<b>SCIRPUS</b> (Cyperaceae)								
ZA 332 <i>holoschoenus</i> ( <b>SCIRPOIDES</b> ), Head Rush, 100 cm, VI-VII, Z6-9 . . . . .	1	9	❀ Ca	72,00	12,00	2,00	2,00	
ZA 334 <i>lacustris</i> ( <b>SCHOENOPLECTUS</b> ), Bull Rush, 200 cm, VI-VIII, Z3-8 . . . . .	5	9	❀ N Ca	48,00	8,00	2,00	2,00	
<i>maritimus</i> - see <b>BOLBOSCHOenus maritimus</b>								
ZA 338 <i>mucronatus</i> ( <b>SCHOENOPLECTILLA</b> ), 80 cm, black-brown, VI-VIII, Z6-9 . . . . .	5	9	❀ Ca	112,00	14,00	2,00	2,00	
ZA 342 <i>sylvaticus</i> , Forest Rush, 70 cm, V-VII, Z5-8 . . . . .	2	9	❀ Ca	72,00	12,00	2,00	2,00	
ZA 344 <i>tabernaemontani</i> ( <b>SCHOENOPLECTUS</b> ), 120 cm, grey-green culms, VI-VII, Z3-8 . . . . .	5	9	❀ Ca	48,00	8,00	2,00	2,00	
<b>SESLERIA</b> (Poaceae, <i>Gramineae</i> )								
ZA 345 <i>albicans</i> ( <i>varia</i> ), Blue Moor Grass, 25 cm, blue-violet flower spikes, green clumps, III-V, Z3-7 . . . . .	3	9	△	198,00	26,00	3,40	3,40	
ZA 347 <i>argentea</i> ( <i>autumnalis</i> ssp. <i>argentea</i> ), Silver Moor Grass, 50 cm, dense white spikes, rich and abundant flowering, dense clumps, very durable, VI-X, Z4-9 . . . . .	3	9	△ ✕	336,00	42,00	6,00	3,00	
ZA 348 <i>caerulea</i> , Blue Moor Grass, 25 cm, green and bluish leaves, dense clumps, bluish spikes, early flowering III-V, Z3-7 . . . . .	3	9	△	340,00	42,00	6,00	3,00	
<i>glauca</i> - see <i>nitida</i>								
ZA 350 <i>heuffleriana</i> , Green Moor Grass, 40 cm, black flower heads in early spring, silvery-green clumps, IV-V, Z4-8 . . . . .	5	9	△	340,00	42,00	6,00	3,00	
ZA 351 <i>nitida</i> ( <i>glauca</i> ), 60 cm, blue-grey clumps, VI-VIII, Z4-8 . . . . .	5	9	◆	512,00	64,00	8,00	4,00	
ZA 352 <i>sadleriana</i> , 40 cm, rigid leaves, lime-lover, for dry locations, III-V, Z5-9 . . . . .	5	9	△	256,00	32,00	4,00	2,00	
<b>SETARIA</b> (Poaceae)								
ZA 356 <i>palmifolia</i> , Palm Grass, 160 cm, palm-like, broad dark green foliage, loose spikes, evergreen, for mild locations, VIII-X, Z8-10 . . . . .	2	9	✖ Sol ◆	256,00	32,00	4,20	2,40	
<b>SINARUNDINARIA murielae</b> - see <b>FARGESIA murielae</b>								
<b>SORGHASTRUM</b> (Poaceae, <i>Gramineae</i> )								
ZA 360 <i>nutans</i> ( <b>CHRYSOPOGON nutans</b> ), 150 cm, Indian Grass, VI-VIII, Z4-9, . . . . .	10	9	✖	120,00	16,00	2,40	2,40	
ZA 362 <i>nutans</i> 'Indian Steel', 120 cm blue-green foliage, strong upright culms, VI-VIII, Z4-9, <b>pure seed</b>	10	9	✖ *	448,00	56,00	8,00	6,00	
<b>SPARGANIUM</b> (Sparganiaceae)								
ZA 370 <i>erectum</i> , Bur-reed, 50 cm, round blossoms, decorative round prickly fruits until winter, VI-VII, Z5-8 . . . . .	80	18	✖ ❁	112,00	14,00	2,00	2,00	
<b>SPODIOPOGON</b> (Poaceae, <i>Gramineae</i> )								
ZA 380 <i>sibiricus</i> , Graybeard Grass, 150 cm, very decorative, VII-X, Z4-9, . . . . .	3	15	Sol ✕	980,00	128,00	16,00	6,00	



**PHAENOSPERMA globosa**

**POA alpina**

**POA cito**

**POA glauca 'Blue Hills'**

**SESLERIA argentea**

**SESLERIA caerulea**

**SESLERIA nitida**

**SESLERIA sadleriana**

## Production – Breeding – Seed Technology

			Gram to get 1000 plants	Nº of the sowing directions	Special Hints	Prices in EURO net per:				
						from 100 g	from 10 g	from 1 g	Portion	
<b>SPOROBOLUS</b> (Poaceae, Gramineae)										
ZA 386	airoides	Alkali Dropseed, 140 cm, pink-silvery dense spikes, rich flowering clumps, grey-green foliage, golden fall color, VI-IX, Z5-9, . . . . .	<b>pure seed</b>	1	9	Sol ✕	240,00	30,00	3,80	2,00
ZA 388	heterolepis	Prairie Dropseed, 60 cm, silvery flower panicles, fine textured foliage clumps with reddish fall-colour, narrow-leaved, VII-IX, Z4-9, . . . . .	<b>pure seed</b>	10	9	✗	280,00	36,00	4,50	2,60
ZA 384	wrightii	PS Giant Sacaton Dropseed, 180 cm, graceful spikes, attractive durable solitary grass, VII-X, Z4-9, . . . . .	<b>pure seed</b>	1	9/20	Sol	–	384,00	48,00	8,00
<b>STIPA</b> (Poaceae, Gramineae)										
arundinacea hort. - see <b>ANEMANTHELE lessoniana</b>										
ZA 390	barbata	[Fedterspiel, Silverfeder], Silver Feather Grass, 45 cm, silvery-white feather culms, VII-VIII, Z6-9 . . . . .		80	1	✗	320,00	48,00	6,00	9,80
calamagrostis - see <b>ACHNATHERUM calamagrostis</b>										
ZA 394	capillata	[Brautschleier, Lace Veil, Bridal Veil], 80 cm, with upright silky panicles, VII, Z6-8. . . . .		10	16	✗	298,00	38,00	5,00	3,80
ZA 398	extremiorientalis	(ACHNATHERUM pekinense), 120 cm, drooping loose blossom panicles, VII-VIII, Z5-8 . . . . .		10	16	✗	256,00	32,00	4,00	3,00
ZA 400	gigantea	(AGM) Giant Feather Grass, 180 cm, VI-VIII, Z6-10 . . . . .		30	9	✗ Sol	648,00	72,00	9,00	9,00
NEW! ZA 399	ichu	(AGM) Peruvian Feather Grass, 100 cm, white-silver spikes, gracile foliage clumps, VIII-X, Z7-10, . . . . .	<b>pure seed</b>	0,25	16	✗ Sol ⚡	–	–	–	7,80



SETARIA palmifolia



SORGHASTRUM nutans



SPODIOPOGON sibiricus



SPARGANIUM erectum



SORGHASTRUM nutans 'Indian Steel'



SPOROBOLUS airoides



SPOROBOLUS heterolepis



SPOROBOLUS wrightii



STIPA barbata

**Production – Breeding – Seed Technology**
**STIPA continuation**

		Gram to get 1000 plants	Nº. of the sowing directions	Special Hints	Prices in EURO net per:			
					from 100 g	from 10 g	from 1 g	Portion
ZA 403	<b>joannis</b> , Grey-Sheathed Feather Grass, 50 cm, long silver-grey panicles, V-VII, Z6-9 . . . . .	40	9	△ ×	380,00	54,00	7,80	7,80
ZA 402	⊗ <b>pennata</b> , European Feather Grass, 35 cm, very elegant silver-grey flower heads, V-VI, Z6-9 . . . . .	45	9	×	480,00	58,00	7,40	7,40
NEW! ZA 404	⊗ <b>pulcherrima</b> [ <i>Windfeder</i> ], 120 cm, long silver feather spikes, VI-VII, Z6-9 . . . . .	50	1	×△	380,00	54,00	7,80	7,80
	splendens - see <b>ACHNATHERUM splendens</b>							
ZA 407	⊗ <b>tenuissima</b> ( <i>tenuifolia</i> ) ( <i>NASSELLA</i> ) [ <i>Pony Tails, Angel Hair</i> ], <small>(AGM)</small> , Mexican Feather Grass, 40 cm, slender arching leaves, feathery spikes, VII-VIII, Z6-10, . . . . .	2	16	① △ ②	580,00	84,00	12,00	4,00
ZA 405	⊗ <b>tirsa</b> ( <i>longifolia</i> ), Horsetail Feather Grass, 60 cm, silver-grey flower heads, VI-VII, Z5-8 . . . . .	40	1	×	240,00	30,00	3,80	3,80
ZA 406	⊗ <b>trichotoma</b> 'Palomino' ( <i>NASSELLA</i> ), Chilean Needle Grass, 30 cm, needle-like filigree foliage, dense arching mounds, feathery white spikes, well suited for annual plantings, can be rampant and may need controlling, no deliveries to Australia, New Zealand or USA possible, VIII-IX, Z8-10, . . . . .			pure seed	386,00	48,00	6,20	3,10
ZA 408	<b>ucrainica</b> , 60 cm, loose flower panicles, early flowering, VI-VII, Z5-8 . . . . .	45	9	① ② ×	320,00	42,00	5,60	5,60

**THAMNOCLAMUS spathaceus** - see **FARGESIA murielae**

**STIPA capillata**

**STIPA gigantea**

**STIPA extremiorientalis**

**STIPA ichu**

**STIPA pennata**

**STIPA pulcherrima**

**STIPA tenuissima**

**STIPA tirsa**

**STIPA trichotoma 'Palomino'**

**Production – Breeding – Seed Technology**
**THAMNOCHORTUS** (Restionaceae)

- ZA 411 **cinereus**, Silver-Reed, 100 cm, golden-brown spikes, silver-grey foliage clumps, VII-VIII, Z7-10  
 ZA 413 **spicigerus**, Thatching-Reed, 200 cm, giant, wide horsetail-like stems, brown flower heads, VIII-X, Z7-10, .....  
**pure seed**

 Gram to  
get 1000  
plants  
Nº. of the  
sowing  
directions  
Special  
Hints

 Prices in EURO net per:  
 from 100 g  
 from 10 g  
 from 1 g  
 Portion

5 8 – 288,00 36,00 9,00

3 1 Sol – 288,00 36,00 9,00

**THEMEDA** (Poaceae, *Gramineae*)

- ZA 410 **triandra** var. **japonica**, 120 cm, red fall color, IX-X, Z6-10 .....

20 15 Sol – – 12,00 4,80

**TYPHA** (Typhaceae)

- ZA 420 **angustifolia**, 200 cm, Slender Reed Mace, VII-VIII, Z3-10, .....  
 ZA 424 **latifolia**, 250 cm, Common Reed Mace, VII-VIII, Z3-10, .....  
**pure seed** 0,5 18 320,00 40,00 5,00 2,50  
 ZA 422 **laxmannii**, 140 cm, narrow leaved, VII-VIII, Z3-10, .....  
**pure seed** 0,5 18 – – 7,20 3,60  
 ZA 425 **minima**, Lesser Bulrush, 60 cm, almost round, blackish-brown cobs, V-IX, Z5-8, .....  
**pure seed** 0,25 18 – – 36,00 6,00

**UNCINIA** (Cyperaceae)

- ZA 427 **egmontiana**, 40 cm, orange-red clumps, very striking, V-VI, Z7-10.....  
 ZA 428 **rubra (uncinata) [Firedance]**, 30 cm, red-bronze coloured clumps, very attractive, V-VI, Z6-10 .....

 3 8 2312,00 272,00 32,00 8,00  
 3 16 2312,00 272,00 32,00 8,00

**UNIOLA** - see **CHASMANTHIUM**

**THAMNOCHORTUS** spicigerus

**THEMEDA** *triandra* var. *japonica*

**TYPHA** *angustifolia*

**TYPHA** *latifolia*

**UNCINIA** *egmontiana*

**UNCINIA** *rubra*

**1.** Kaltkeimer werden auch heute noch, nicht ganz zutreffend, Frostkeimer genannt.

Die Aussaat muß während der ersten 2–4 Wochen **warm** (ca. +18 bis +22°C) und gut feucht gehalten werden. Danach ist sie für etwa 4–6 Wochen einer kalten Temperatur zwischen –4 und +4°C auszusetzen. Lediglich bei den meisten Ranunkelgewächsen sind Temperaturen um –5°C von Vorteil.

Sollten die hier genannten Temperaturen während der Kühlperiode über- oder unterschritten werden, schadet dies nicht, jedoch muß die Kühlperiode dann entsprechend verlängert werden, da der Aufbauprozess der keimauslösenden, hormonartigen Säure während dieser Zeit sich verlangsamt hatte oder still stand.

Kann man die Aussaaten in der Kühlperiode mit Schnee bedecken, ist das von Vorteil. Die Temperatur darunter hält sich meistens in dem günstigen Bereich von –4 bis 0°C, es bleibt feucht, und der schmelzende Schnee „frisst“ an der Samenschale, macht diese poröser, was beim Ausschieben des Keimes von Vorteil ist. Nach dieser Kühlperiode dürfen keinesfalls sofort hohe Temperaturen angewandt werden, vielmehr liegt dann der günstigste Temperaturbereich zwischen +5 und +12°C, auch dann, wenn bereits eine Keimung zu beobachten ist! Also ist der richtige Platz für diese Aussaaten, auch im März/April/Mai noch, das Freiland, der kalte Kasten oder ein Kalthaus.

**2.** Die Mehrzahl der Ranunkel-Gewächse benötigt tiefere Temperaturen in der Kühlperiode, ca. –5°C, sonst wie in 1.) beschrieben verfahren. Der Grund liegt wahrscheinlich darin, daß der Gefrierpunkt dieser Samen bei ca. –7°C liegt, bei den meisten anderen Samen aber bei –5°C.

**3.** Diese Arten bringen meist ein ausgezeichnetes Keimergebnis, wenn sie bald nach der Ernte ausgesät werden, obwohl bei vielen dieser Arten die Keimung selbst dann erst im Frühjahr, nach Wintereinwirkung, erfolgt. Deshalb diese Samen rechtzeitig bestellen.

**4.** Hier handelt es sich um sehr feine Samen, die man für eine gleichmäßige Aussaat eventuell mit Talcum oder feinstem Sand mischen sollte. Nicht mit Erde übersieben, nur andrücken. Bewässerung von unten oder mit feinem Zerstäuber, damit die Samen nicht weggeschwemmt werden.

**5.** Nicht immer führt das unter 1.) beschriebene Verfahren zu einem vollen Erfolg. Manche Arten benötigen nach der Kühlperiode noch zusätzlich eine längere Zeit bis zur Keimung. Saatgefäß daher nicht zu früh wegwerfen. Manche Samen liegen dann noch ein ganzes Jahr.

**6.** Diese Samen liegen sehr lange bis zur Keimung, 1 Jahr und mehr. Aus Platzgründen, und auch um das Austrocknen zu verhindern, wird dieser Samen „stratifiziert“. Das bedeutet: Einschichten der Samen in feuchten Sand. Abwechselnd eine Schicht gut feuchten Sand, eine dünne Schicht Samen usw. Die Stratifizierkisten setzt man an schattiger Stelle den Witterungseinflüssen (besonders dem Winterwetter) aus und schützt durch feines Drahtgeflecht vor Mäusen und Vögeln. Für größere Saatgutmengen haben sich in Anzuchtausbau Schulen betonierte Stratifizierkästen bewährt. Im Frühjahr sollte öfters kontrolliert werden, ob die Keimung bereits beginnt. Dann sofort mit dem Sand, der ständig feucht gehalten wurde, auf das vorbereitete Saatbeet ausbringen.

**7.** Dieser Samen sollte so dick abgedeckt werden, wie der Durchmesser des Samenkorns ist. Bei Tagessemperaturen um +20°C stets für gleichmäßige Feuchtigkeit sorgen, für Cyclamen ist +18°C jedoch besser. Nach erfolgter Keimung hell und mäßig warm aufstellen.

**8.** Es handelt sich hier um Staudensamen, der sehr ungleichmäßig keimt auf eine lange Keimperiode verteilt. Hier sind auch besonders Einwirkungen von niederen Temperaturen unter +5°C sehr von Vorteil. Saatgefäß nicht zu früh vernichten. Besonders auf gleichmäßige Feuchtigkeit achten und keiner direkten Sonnenbestrahlung aussetzen. Für Alstroemeria empfehlen wir, die Aussaat 21 Tage bei ca. +30°C aufzustellen. Danach 21 Tage bei +5°C, anschließend ca. +21°C.

**9.** Keimt je nach Art und Herkunft schnell. Wenn jedoch nach 3–4 Wochen die Keimung nicht erfolgt, muß diese Herkunft einer Kühlperiode von 2–4 Wochen ausgesetzt werden. Für die im Himalaya beheimateten Meconopsis ist die Kühlperiode unerlässlich. Sie müssen auch nach erfolgter Keimung noch einige Wochen kühl, unter ca. +12°C, gehalten werden.

**10.** Diesen größeren, hartschaligen Samen hilft eine leichte, mechanische Beschädigung der Samenschale zum schnelleren Aufquellen. Eine Methode ist es, die Samen zwischen trockenem, scharfen Sand zureiben oder mit Schmirgelpapier. Man kann ihn auch einige Stunden in „Weichmacher“ (Polyäthylenglycol 6000), wie er bei der Plastikherstellung verwendet wird, einweichen.

**11.** Opuntien keimen im 2. Jahr nach der Ernte besser und gleichmäßiger. Frischer Samen liegt daher oft ein Jahr in der Erde bis zur Keimung.

**12.** Keine Kühlperiode erforderlich; trotzdem liegt dieser Samen meist mehrere Monate bis zur völligen Keimung.

**13.** Diese großen Samen 2–3 Tage in Wasser vorquellen, mit „Weichmacher“ aber höchstens 1 Tag. Danach an der Seite des Keimkegels vom Samen eine hauchdünne Scheibe abschneiden oder abziehen, so daß der Keimling fast frei liegt. Samen mit Schnittstelle nach oben auf feuchtes Aussatsubstrat (z.B. Vermiculite) aufsetzen. Glashaube oder Glasscheibe dicht abschließend in reichlichem Abstand vom Samen darüber setzen. Die entstehende Luftspannung bei Temperaturen von ca. +22°C fördert die Keimung.

**14.** Eine Wärmeperiode nach der Aussaat von ca. +25 bis +30°C über etwa 4–5 Wochen, wobei feucht gehalten wird, hebt die Keimhemmung auf. Es zerfällt der im Samen vorhandene, keimhemmende Stoff. Danach die Aussaat sehr kühl stellen, +2°C! Die bei dieser kühlen Temperatur beginnende Keimung zieht sich über ca. 80 Tage hin. Während dieser Zeit dunkel halten (Kühlraum). Danach Temperatur langsam erhöhen und Licht geben.

**15.** Schnell keimende Saat. Gleichmäßige Feuchtigkeit (nicht naß!) und Temperatur um etwa +20°C. Die Samen nur sehr dünn, ganz feine Saat gar nicht abdecken, aber andrücken. Nach erfolgter Keimung kühler stellen.

**16.** Wie 15.), jedoch erfolgt hier die Keimung nicht so schnell und auch nicht immer so sehr gleichmäßig, aber doch meist problemlos.

**17.** Wasserpflanzen in wasserdichten Plastikschalen o. ä. in einer nahrhaften Schlammerde aussäen. Das Wasser darf bis zu 1 cm über der Aussaaterde stehen. Bei guter Wärme (ca. +22°C) aufstellen.

**18.** Aussaattechnik wie 17.). Die Saatschalen aber nur ca. 2–4 Wochen warm stehen lassen, danach ca. 4–6 Wochen kalt stellen um 0°C herum. Das Wasser darf ruhig gefrieren. Anschließend die Temperatur nur sehr langsam ansteigen lassen.

**19.** Diese Aussaat benötigt zur Aufhebung der Keimruhe (Zersetzung des keimhemmenden Stoffes) mindestens 6 Wochen gute Bodenwärme, ca. +22°C und gleichmäßige Feuchtigkeit. Anschließend 6–8 Wochen kalt stellen, ca. –4 bis +4°C. Meist beginnt die Keimung schon bei +4°C. Die Wärme nur sehr langsam anheben, nicht über +10°C, bis die Keimung abgeschlossen ist. Wenn die warme oder die kalte Periode nicht ausgereicht haben, dann keimen diese Samen erst im darauffolgenden Jahr. Sie benötigen dann noch mal eine warme Periode (Sommer) und eine kalte Periode (Winter). Bekanntes Beispiel: Cimicifuga, Helleborus.

**20.** Diese Aussaaten sind sehr wärmebedürftig, +22°C oder auch höher, um ein gutes Keimergebnis zu erzielen. Mäßige, aber gleichmäßige Feuchtigkeit ist sehr wichtig. Gunnera allerdings möchte es besonders feucht (nicht naß) und besonders warm, ca. +24 bis +30°C.

**Allgemeines:**

Stellen Sie niemals Aussaaten in eine Gefriertruhe, Gefrierschrank oder Gefrierraum mit Temperaturen unter –5°C!! Die Ausdehnung des gefrierenden Wassers in den Samenzellen geht in solchem Fall zu plötzlich vor sich. Ein Druckausgleich durch die Zellmembranen hindurch kann so schnell nicht erfolgen. Die Zellwände werden zerrissen und der Samen ist tot. In der Natur kommen solche sekundenschwischenen Temperaturstürze in den Minusbereich nicht vor. Auf einen normalen, langsamen Druckanstieg sind die Zellmembranen jedoch eingerichtet und sorgen mit ihrer Durchlässigkeit für einen osmotischen Druckausgleich.

Bei etlichen Kaltkeimern kommt es immer wieder vor, daß ein Teil der Samen schon während der Warmperiode keimt. Diese Sämlinge sollte man unbedingt heraus pikieren bevor die Aussaat kalt gestellt wird. Diese Erscheinung hat mehrere Ursachen. Unter anderem dient sie in der Natur mit zur Arterhaltung in Regionen, wo eine Winterwitterung nicht in jedem Falle gewährleistet ist. Setzt jedoch eine entsprechende Winterwitterung ein, überleben diese vorzeitig erschienenen Sämlinge nicht. Die Art wird dann durch die nach Kälteeinwirkung keimenden Samen erhalten.

Für eine künstliche Kühlperiode bietet sich daher der Kühlschrank oder Kühlraum mit Temperaturen um 0°C an. Weil Aussatkisten im Kühlschrank meist nicht unterzubringen wären, kann man so verfahren, daß man die Samen, mit etwas feuchtem Sand vermischt, in Plastikbeutel füllt und nach der erforderlichen Wärmeperiode so im Kühlschrank unterbringt. Es ist aber darauf zu achten, daß der Sand in den Beuteln feucht bleibt. Nach Ablauf der erforderlichen Kühlperiode wird dann der Samen mit dem Sand in das Aussaatgefäß ausgebracht und bei der dann erforderlichen Temperatur aufgestellt.

**Nachdruck dieser Aussaatanleitungen, auch auszugsweise, ist nicht gestattet. Die Anleitungen sind nur für die Aussaat der von uns bezogenen Samen gedacht; eine anderweitige Verwendung, z.B. für Unterrichtszwecke, darf nur mit unserem Einverständnis erfolgen.**

1. Cold-germinators are still referred to as frost-germinators, although this isn't quite correct. The sowing must be kept **warm** (about +18 to +22°C) [about 64 to 72°F] and moist for the first 2–4 weeks. After this period the sowing must be kept at a cold temperature (between –4 and +4°C) [between 25 and 39°F] for another 4–6 weeks. Colder temperatures of –5°C [23°F] are only advantageous for most species of the Ranunculus family. It is not so important if the temperature is higher or lower during the cooling period, but the cooling period has to be prolonged because the synthesis of the germination inducer, hormon-like acid, slows down or comes to a standstill.

It is beneficial to cover the sowing with snow during the cooling-period. The temperature below it usually keeps in the optimum range of –4 to 0°C [25 to 32°F]. The sowing is kept moist, and the melting snow helps to destroy the shell, which is advantageous for the germinating seedling. After this cooling-period the sowing may not be immediately exposed to high temperatures. The most effective temperatures are between +5 to +12°C [41 to 54°F], even if germination has started. The best location for this sowing, even in March, April and May, is the open field, the cold frame or a cold greenhouse.

2. Most species of the Ranunculus-family need lower temperatures during the cooling-period – about –5°C [23°F]. In other respects follow the directions in 1. above. The reason is probably the freezing point of these seeds, which is at –7°C [19°F], while most other seeds freeze at –5°C [23°F].
3. These species usually show excellent results if sown soon after the harvest, although most of them only germinate in spring after the effect of winter. For best results please order seeds in time.
4. These are very tiny seeds which should be mixed with finest sand or talcum for an even sowing. Do not cover with compost, only press them in gently. Irrigate from the bottom or with a hand-sprayer, so that the seeds will not be washed away.
5. The directions of 1. do not always show the best results. After the cooling-period some species need a longer time until germination starts. As some seeds do not germinate until the next year, it is important not to throw away the seed boxes too early.
6. These seeds germinate extremely late, sometimes it takes one year or longer before germination starts. To best utilize space and avoid drying out, this seed must be "stratified" (placed in layers of wet sand – alternately a thin layer of seeds and a layer of well-moistened sand, etc.). The stratification boxes have to be kept in the shade to benefit from weather effects – especially winter. A fine wire mesh will protect them from mice and birds. Nurseries have found that concrete boxes are useful for large amounts of seed. In spring frequently check to see if germination has begun. When germination has started, the seeds must be sown immediately in the prepared bed with the moist sand.
7. These seeds must be covered with a layer seed kernel diameter. Keep daytime temperatures at approximately +20°C [68°F], and keep the moisture constant, for Cyclamen, however, +18°C [64°F] is recommended. The seeds must be kept in the light and moderately warm after germination.
8. These perennial seeds germinate very irregularly over a long period. Lower temperatures of less than +5°C [41°F] are very effective. Seed trays should not be discarded prematurely. Constant moisture must be maintained. Do not leave in direct sunlight. For Alstroemeria we recommend to keep sowing for 3 weeks at approximately +30°C [86°F], then 3 weeks at +5°C [41°F], then at +21°C [70°F].
9. These seeds germinate rapidly depending on species and origin. If germination does not occur after 3–4 weeks a cooling period of 2–4 weeks is recommended.
10. For these bigger hard-shelled seeds, mechanical damaging of the shell is helpful for quicker swelling. One method is to grind the seed in dry sharp sand. They can also be treated for several hours in a "softener" (Polyethylenglycol 6000), which is used for the production of plastic material.
11. Opuntias germinate more effectively the second year after harvest. Fresh seed often lies in the ground for about a year before germination.
12. No cooling-period is necessary, but these seeds usually need several months until complete germination.
13. Allow these large seeds to swell up in water for 2–3 days. If a "softener" is used only soak for a maximum of one day. After that cut off a thin slice of the seed close to the germcone so that the embryo is almost bare. Place seed with the cut facing up in a moist seed compost e. g. Vermiculite. This must be covered tightly with glass, a good interval from the seeds. The rising air pressure, at temperatures of about +22°C [72°F], accelerates the germination.
14. A warm period of +25 to +30°C [77 to 86°F] and moist conditions after sowing for about 4–5 weeks neutralizes the germination inhibition. The phytohormones which inhibit germination will then break down. At this point the sowing needs very cool conditions, approximately +2°C [36°F]. Initial germination lasts for about 80 days under these conditions. During this period keep in dark cold storage chamber. Then temperature and lighting must be increased gradually.
15. Rapidly germinating, keep seed in constant moisture (not wet) with temperatures of about +20°C [68°F]. Seeds must be covered thinly. Do not cover very small seeds, but tightly press into the earth. Keep in cooler conditions after germination occurs.
16. See 15 with the exception of germination being slower and more irregular. This poses no problems.
17. Waterplants must be sown in waterproof plastic trays or similar containers containing a nutritious muddy compost. Fill water up to 1 cm over the top of the compost. Keep the trays at warm temperatures of approximately +22°C [72°F].
18. See 17. Allow the seed trays to be left for only 2–4 weeks at warm temperatures, then keep at 0°C [32°F] for another 4–6 weeks. It does not matter if the water freezes. After this treatment allow temperature to rise gradually.
19. To stop the germination inhibition give seeds a warm compost (about +22°C) [about 72°F] with constant humidity for at least 6 weeks. Then keep cold (–4 to +4°C) [25 to 39°F] for 6–8 weeks. Usually, the germination starts at +4°C [39°F]. Raise temperatures gradually up to +10°C [50°F] until germination is completed. If the warm or cold period was not long enough the seeds will not germinate until the following year. They will then need another warm period (summer) and a cold period (winter). Well-known examples: Cimicifuga and Helleborus.
20. To obtain best germination results, seeds need temperatures of +22°C [72°F] or more. Moderate, but constant humidity is very important. Gunnera, however, prefers very moist (not wet) and warm (+24 to +30°C) [75 to 86°F] conditions.

#### **General remarks:**

Never put the sowing into a freezer with temperatures below –5°C [23°F]! The expansion of the freezing water in the seed cells is too rapid. The cell membrane can not tolerate the pressure compensation. The cell wall would be destroyed and the seed would die. Rapid drops in temperature below the freezing point do not occur naturally. A normal, slow rise in pressure can be tolerated by the cell membrane, its permeability taking care of an osmotic equalization of pressure.

It is possible to use a refrigerator with a temperature of about 0°C [32°F] to create an artificial cooling period. Since it is usually not possible to put the seed trays into a refrigerator, you can mix the seed with moist sand. It should be put into a plastic bag and placed into the refrigerator after the required warm period. The sand must be kept constantly moist. After the required cooling period sow the sand with the seed into seed trays and leave at required temperatures.

**Copying or reprinting these sowing directions, even in excerpts, is not permitted. These directions should only be used for the sowing of seeds supplied by us. Other uses, e. g. for teaching, are only authorized by our permission in writing.**

1. Kallgroende arter benämns ännu – om än inte helt korrekt – "frostgroende". Sådden skall under de första 2–4 veckorna hållas relativt **varmt** (ca. +18 till +22°C) och väl fuktigt. Därefter skall temperaturen sänkas till mellan –4°C och +4°C under 4–6 veckor. Endast för de flesta ranunkelväxter (Ranunculaceae) är en temperatur på minus 5°C en fördel.

Skulle de här nämnda temperaturgränserna under kylperioden över-eller underskridas skadar detta i och för sig inte. Dock måste kylperioden i sådåna fall förlängas emedan utvecklingen av de groningsbefrämjande, hormonartade syrorna försenas eller avstannar.

Kan man täcka sådden med snö under kylperioden är detta en fördel. Under snön bibehålls temperaturen på en gynnsam nivå omkring –4°C till 0°C. Fuktigheten bevaras och småltvattnet medverkar till att göra fröskalet poröst vilket underlättar groddens framspirning.

Efter kylperioden skall temperaturen inte höjas för häftigt – bäst är +5 till +12°C även sedan groningens börjat. Alltså är den bästa miljön för "kallgroende" arter ett kallhus eller en kallbänk (kast) o dyl lokaler eller också på friland.

2. Flertalet ranunkelväxter behöver en något lägre temperatur (ca. –5°C) under kylperioden som angivits ovan. Orsaken är förmodligen att deras fryspunkt ligger vid –7°C medan den hos de flesta andra kallgroende växtslag ligger vid –5°C.

3. Dessa växtslag gror vanligen utmärkt om de sås strax efter skörden (färskt frö). Dock sker groningens hos många arter först på våren efter vinterns påverkan. Beställ dessa växtslag i god tid!

4. Här rör det sig om mycket småkorniga fröer som man – för att kunna så jämma och glest – eventuellt kan blanda med talk eller fin sand. Skall ej täckas med jord utan endast tryckas fast mot ytan. Bevattnas underifrån eller med mycket fin dusch så att fröet inte flyter omkring.

5. Det under punkt 1. beskrivna föraringssättet ger inte alltid önskat resultat. Många arter behöver efter kylperioden ytterligare lång tid på sig innan groningens kommer igång. Bevara därför sådden väl fuktig och skyddad mot ohyra under ett helt år – innan hoppet är ute.

6. Dessa frön ligger ofta mycket länge innan groningens börjar – ett år eller mer. För att spara plats och förhindra uttorkning ska dessa frön "stratificeras". Detta innebär: skikta fröet med väl fuktig – våt ren sand. Först ett lager sand, därefter ett tunt lager frö, nytt lager sand o s v. Stratifieringslädan skall stå skuggigt och svalt utsatt för värdrets växlingar – särskilt fuktigt och svalt vinterväder är gynnsamt. Skyddas mot möss och fåglar med finmaskigt nät. Under större förhållanden i plantskolor använder man särskilt för ändamålet byggda "stratifieringskistor". På våren kontrolleras ofta (varje vecka) om groningens börjat. Så snart groning kan konstateras skall fröet med den ständigt fuktiga sanden sås ut på väl förberedd såbädd.

7. Dessa fröslag skall täckas lika tjockt som kornens diameter. Dagtemperatur +20°C och absolut god jämn fuktighet. För Cyclamen är dock något lägre temperatur +18°C bäst. Så snart groningens börjar ställs sådden ljus och i lämplig temperatur alltefter växtslag.

8. Det rör sig här om utsäde av perenna växter som ofta gror mycket oregelbundet under lång tid. Här har också en tids lägre temperatur +5°C en gynnsam inverkan. Kassera inte sådden för tidigt – den måste få sin chans. Absolut jämn, god fuktighet är en förutsättning för en lyckad groning. Skydda sådden mot direkt solstrålning. Vi rekommenderar för Alstroemeria att hålla sådden ca. 3 veckor omkring +30°C, därefter 3 veckor +5°C och sedan omkring +21°C.

9. Gror vanligen ganska snabbt – alltefter art och häromst. Om dock groningens inte kommit igång efter 3–4 veckor måste sådden utsättas för en kylperiod under 15–30 dygn. För alla Meconopsis som hör hemma i Himalaya är kylperioden nödvändig. Även efter groningens skall de stå svalt, under +12°C, för några veckor.

10. Dessa stora, hårdskaliga frön kan hjälpas till snabbare groning genom en lätt mekanisk åverkan på skalet. En metod kan vara att näta fröet med grovkornigt skarpt grus. Ett annat sätt är att rispa fröet med sandpapper. Man kan också prova att blötlägga fröet några timmar i en „mjukgörare“ som plastindustrin använder (polyetylenglykol 6000).

11. Opuntia gror bättre och mer regelbundet ett par år efter skörden. Nytt frö ligger ofta ett år i jorden innan det kan börja gro.

12. Kylperiod är icke nödvändig trots att dessa fröer kan ligga flera månader i såbädden innan groningens kommer igång.

13. Dessa stora frön kan få svälla i vatten under 2–3 dygn. Dock högst ett dygn i de fall „mjukgörare“ används. Därefter kan man med ett försiktigt och mycket tunt snitt skära eller dra av fröskalet kring embryot så att själva grodden mer eller mindre friläggs. Fröet läggs med „snittsidan“ uppåt på väl fuktigt substrat (t ex Vermiculite). Täck närmast lufttätt med glaskupa eller glasskiva på tillräcklig höjd över fröet. En lufttemperatur på +22 till +24°C gynnar groningsprocessen.

14. En värmeperiod med ca. +25 till 30°C under 4–5 veckor efter sådden häver fröets vilstadium och gynnar groningens. Detta elimineras de groningshämmande substanserna som finns i fröet. Därefter skall sådden ställas mycket svalt på endast +2°C! Den groningsprocess som börjar vid denna låga temperatur drar ofta ut över ca. 80 dagar. Under hela kyltiden skall sådden hållas mörkt (kylrum). Därefter ges så småningom (langsamt) högre temperatur och ljus.

15. Snabbt groende frön. Sådden ska hållas jämnt och väl fuktig – men inte blö – och temperaturen vid ca. +20°C. Fröet täcks mycket tunt – riktigt små frön täcks inte alls men trycks försiktigt ner i jordytan. När groningens börjat placeras sådden något svalare och ljus.

16. Behandlas som under punkt 15. men groningens sker längsammare och ofta oregelbundet men i huvudsak problemlöst.

17. Vattenväxter sås i vattentätt kärl i näringssrik slamjord. Vattnet skall stå ca. 1 cm över jorden. Håll god groningstemperatur (ca. +22 till +24°C).

18. Såteknik som under punkt 17. Dock ska sådden stå varmt endast under 2–4 veckor för att därefter hållas kalt vid ca. 0°C under 4–6 veckor. Vattnet får gärna frysas till. Slutigen får temperaturen stiga längsamt.

19. Dessa frön behöver minst 6 veckor god jordvärme (+22°C) och jämn god fuktighet för att groningsvilan skall hävas. Därefter 6–8 veckor låg temperatur, ca. –4 till +4°C. I de flesta fall begynner groningens redan vid +4°C. Temperaturen får endast längsamt höjas – dock ej över +10°C – tills dess groningsprocessen är avslutad. Om värmen eller kylperioden inte fungerar tillfredsställande eller under tillräckligt lång tid kommer fröet att gro först nästa år. Fröet behöver då ännu en värmeperiod (sommar) och en kylperiod (vinter) för att gro. Kända exempel är: Cimicifuga och Helleborus.

20. Dessa fröslag är mycket värmeberoende, +22°C eller ännu högre, för att gro väl. Måttlig men jämn fuktighet i såbädden är mycket viktig! Gunnera måste t ex ha god fuktighet (dock ej blött) och särskilt hög groningstemperatur, ca. +24 till +30°C för att spira väl.

#### Allmänna råd:

Ställ aldrig sådden i frysbox eller frysrum med lägre temperatur än –5°C!! Utvidgningen av det frysande vattnet i växcellerna sker vid starkare frost alltför häftigt. Tryckutjämningen genom cellens membran (cellväggarna) kan då inte ske tillräckligt snabbt. Cellväggarna kommer att sprängas och fröet dö. I naturen förekommer normalt inte så plötsliga temperatursänkningar under fryspunkten. Växcellen är anpassad till en normalt tämligen långsam tryckstegring och sörjer med sin semipermeabilitet (halvgenomtränglighet) för en osmotisk tryckutjämning.

För en konstlad kylperiod lämpar sig därför ett kylskåp eller kylrum med en temperatur runt 0°C bäst. Om sälådor o. l. inte går att ställa in i kylskåpet kan man i stället blanda fröet med ren, fin och väl fuktig sand (dock ej havssand som innehåller salter). Lägg frösandblandningen i stark plastpåse och utsätt den för lämplig värmeperiod enligt anvisningen och därefter placeras påsen i kylskåpet under angiven tid. Se till att sanden hela tiden förblir fuktig!

Efter den erforderliga kylbehandlingen sås blandningen ut på det sätt som anges under respektive punkt och under de temperaturer förhållanden som där rekommenderas.

**Avtryck och kopiering, även som utdrag av denna anvisning för sådd, är förbjudet. Anvisningen är endast avsedd för utsäde som levererats av oss. Annan användning – för t ex undervisning e. l. – får endast komma ifråga med vår tillståelse.**

**1. Les semences froides sont souvent appelées à tort semences hivernales.**

La semence doit être maintenue au chaud pendant les 2–4 premières semaines à environ +18 à +22°C, en milieu humide. Elle est ensuite exposée pendant 4–6 semaines à une température de l'ordre de -4 à +4°C. Pour la famille des Ranunculus seulement, cette température devrait atteindre -5°C.

Si pendant la période froide les températures indiquées devaient différer en plus ou en moins, cela ne présente aucun inconvénient, mais la période froide doit être prolongée en conséquence étant donné que le processus de germination lié à la production de certains acides de type hormonal c'est ralenti voire même a été stoppé.

Il est très avantageux de pouvoir recouvrir l'ensemencement de neige pendant la période hivernale. La température qui y règne se situe dans la zone favorable de -4 à 0°C, le milieu demeure humide et la neige fondante "attaque" l'écorce de la semence, la rend poreuse, ce qui offre un avantage certain lorsque le germe veut sortir. Cette période froide passée, il faut absolument éviter de recourir immédiatement à des températures élevées, la zone thermique préférable se situant entre +5 et +12°C, même lorsque les signes de première germination se sont déjà manifestés. Le meilleur endroit pour de tels ensemencements est donc le terrain en plein air, le caisson froid ou la serre froide pendant les mois de mars, avril ou mai.

**2. La plupart des plantes appartenant à la famille des renonculacées demandent des températures inférieures pendant la période froide, de l'ordre de -5°C, pour le reste, ce qui a été dit en 1. demeure valable. La raison en est que la température de congélation se situe pour cette semence aux alentours de -7°C, et de -5°C pour la plupart des autres.****3. Cette variété présente généralement une germination excellente si elle est ensemencée peu de temps après la récolte, même si pour grand nombre de ces espèces la germination ne commence que vers le printemps, après que les effets de l'hiver se soient fait sentir. Cela explique pourquoi il faut commander sa semence à temps.****4. Il s'agit ici d'une semence très fine que l'on devrait mélanger à du talc ou à du sable très fin pour obtenir un ensemencement bien régulier. Ne pas recouvrir de terre criblée, mais seulement aplatis en pressant. Arroser de la base ou au moyen d'un pulvérisateur fin pour éviter que les semences soient emportées.****5. Le procédé décrit en 1 ne conduit pas toujours à des résultats satisfaisants. La période froide passée, certaines espèces demandant encore un certain temps pour germer. C'est la raison pour laquelle il ne faut pas jeter les conteneurs trop tôt. Il se peut que certaines graines y soient encore pendant toute une année.****6. Ces semences demandent une longue période avant la germination, quelquefois une année et même plus. Pour des raisons d'encombrement et aussi pour éviter que les graines se dessèchent, cette semence est "stratifiée". Cela signifie que les graines sont réparties en couche sur des lits de sable humide. Changeant les couches de sable humide et les couches fines de graines. Les caisses sont ensuite entreposées dans un endroit ombragé exposé au froid de l'hiver (notamment), bien protégées contre les oiseaux et les souris par un grillage fin. Pour des quantités de semence plus grandes, des caisses à stratification en béton se sont avérées très pratiques. Il convient de vérifier au printemps si la germination a déjà commencé. En pareil cas, transplanter immédiatement avec le sable, qui a été maintenu humide en permanence, à l'endroit prévu à cet effet.****7. Cette semence devrait être recouverte d'une couche correspondant à la grosseur de la graine. Pour des températures diurnes de l'ordre de +20°C, veiller à ce que l'humidité soit maintenue constante. Un température de +18°C est toutefois préférable pour les cyclamens. Entreposer dans un endroit ensoleillé et moyennement chaud dès que la germination a commencé.****8. Il s'agit ici d'une semence de plante vivace, dont la germination est très irrégulière et répartie sur une longue période. A noter ici que les effets d'une basse température de l'ordre de +5°C sont très avantageux. Ne pas détruire trop tôt les conteneurs de semence. Bien veiller à une humidité régulière et ne pas exposer à l'ensoleillement direct. Pour la semence d'Astroemeria nous recommandons pour 21 jours environ +30°C. Elle est ensuite exposée pendant 3 semaines à une température de +5°C. Entreposer ensuite à température de +21°C.****9. Germe très vite selon l'espèce et la provenance. Si cette germination n'a toutefois pas commencé dans un intervalle de 3–4 semaines, il est utile d'exposer l'ensemencement à une période froide de 2–4 semaines. La période froide est indispensable pour le Meconopsis domicilié en Himalaya. – Après la germination il faut faire froid ces semences. Une température moins que +12°C est préférable.****10. Il est recommandé de casser par voie mécanique l'écorce très dure de cette semence pour faciliter un gonflage plus rapide. L'une des méthodes consiste à frotter la graine avec du sable sec aux arêtes tranchantes. Il est aussi possible de ramollir la semence en la plongeant dans un "émollient" (polyéthylène glycolique 6000), utilisé dans la fabrication des matières plastiques.****11. Les opuntia germent mieux et plus régulièrement au cours de la 2ème année suivant la récolte. Les semences fraîches restent de ce fait pendant une année dans la terre avant de germer.****12. Aucune période de froid n'est nécessaire. Cela n'empêche pas que cette graine reste en terre pendant plusieurs mois avant de germer.****13. Laisser ces grosses graines se regorger en les plongeant dans l'eau pendant 2–3 jours, ou dans un "émollient" pendant une journée. Faire ensuite une entaille sur le cône de germination et enlever une très petite capsule de l'écorce, de telle sorte que le germe soit presque à nu. Placer la semence l'entaille vers le haut sur un substrat humide (vermiculite par exemple). Placer ensuite une cloche ou une vitre fermant bien à un écart suffisant des graines. La tension d'air qui résulte à une température de +22°C environ facilite la germination.****14. Une période chaude de +25 à +30°C suivant l'ensemencement répartie sur une durée de 4 à 5 semaines, en milieu humide, permet de lever les obstacles à la germination. La substance bloquant la germination se désagrège dans la graine. Entreposer ensuite la semence dans un lieu très frais de l'ordre de +2°C. A cette basse température, la germination se prolonge sur une période de 80 jours. Maintenir à l'obscurité pendant toute cette période (frigidaire ou chambre froide). Faire monter ensuite lentement la température en augmentant la lumière.****15. Semence à germination rapide Humidité régulière (éviter de submerger dans l'eau) et température avoisinant +20°C. Ensemencer très claire sans recouvrir les fines graines, tout en les aplatisant par pression toutefois. Mettre au frais dès que commence la germination.****16. Procéder comme en 15 sachant toutefois que la germination ici n'est pas aussi rapide et moins régulière, mais ne présentant toutefois aucun problème particulier.****17. Ensemencer les plantes aquatiques sur une boue nourrissante dans des cuvettes si possible étanches ou dans des récipients similaires. L'eau doit submerger la semence d'environ 1 cm. Entreposer à une température agréable (+22°C).****18. Technique d'ensemencement comme en 17. Ne laisser les cuvettes de semence seulement que 2–4 semaines à la chaleur, entreposer ensuite pendant 6–8 semaines au froid à une température de 0°C. Il n'y a pas d'inconvénient à ce que l'eau gèle. Ne laisser ensuite remonter la température que très lentement.****19. La semence exige une interruption du calme de germination (destruction de la substance bloquant la germination) se produisant dans un sol bien chaud pendant au moins 6 semaines à une température de +22°C à humidité constante. Ensuite 6 à 8 semaines au froid à -4 à +4°C. La germination commence le plus souvent dès +4°C. N'augmenter la température que très lentement et ne pas dépasser +10°C en fin de germination. Si la période de froid ou de chaleur n'a pas été suffisante, ces graines ne germent alors qu'au cours de l'année qui suit. Il leur faut alors encore une période chaude (été) et une période froide (hiver). Exemples les plus connus: Cimicifuga, Helleborus.****20. Ces semences demandent beaucoup de chaleur, +22°C et plus pour garantir une bonne germination. Une température modérée mais régulière est très importante. Gunnera en fait exige davantage d'humidité (ne pas submerger) et beaucoup de chaleur, +24 à +30°C.****Généralités:**

Ne jamais entreposer vos semences dans un congélateur, une armoire ou une chambre de surgélation ayant une température inférieure à -5°C. La dilatation de l'eau à l'intérieur de la graine est dans ce cas beaucoup trop rapide. La compensation de pression au travers de la membrane cellulaire net peut plus avoir lieu suffisamment vite. Cette membrane se déchire et la graine est morte. De tels chocs à une température inférieure à zéro durant quelques secondes n'ont jamais lieu dans la nature. Si la pression augmente régulièrement et doucement, la membrane cellulaire est prévue pour absorber la contrainte qui en résulte par voie osmotique de compensation de la pression.

Si vous désirez obtenir une période de froid artificiel, il est recommandé de recourir à un frigidaire ou une chambre froide à une température proche de 0°C. Etant donné que les caisses de semence sont difficiles à entreposer dans un frigidaire, il est possible de mélanger la graine à une sable humide, de les placer dans des sacs en matière plastique et, après la période chaude nécessaire, de les mettre dans le frigidaire. Il faut toutefois veiller à ce que le sable dans les sacs reste bien humide. Après la période de froid prévue, le sable et la semence sont vidés dans des récipients destinés à l'ensemencement et mis à la température nécessaire.

**Toute reproduction de ces instructions, même partielle, est strictement interdite. Ces instructions sont seulement destinées au client qui utilise nos semences. Toute autre application comme par exemple l'enseignement n'est licite que moyennant notre autorisation écrite et mention de la source.**

1. Koudekiemers worden soms, ten onrechte, nog vorstkiemers genoemd. De eerste 2–4 weken na het zaaien dient het uitzaaisel **warm** (ca. +18–22°C) en vochtig gehouden te worden. Pas na deze periode het zaaisel voor ongeveer 4–6 weken kouder zetten bij een temperatuurtussen -4 en +4°C. Bij vertegenwoordigers van de Ranonkelfamilie verdient het de aanbeveling een temperatuur van -5°C aan te houden.  
Overschrijding van de genoemde temperaturen tijdens de koudeperiode is niet schadelijk, maar maakt wél een verlengde koudeperiode noodzakelijk. De opbouw van het noodzakelijke kiemingshormoon kan dan vertraagd of onderbroken zijn.  
Een sneeuwdek tijdens de koudeperiode heeft voordelen. De temperatuur onder een sneeuwdek blijkt vaak de optimale te zijn, namelijk tussen de -4 en 0°C. Ook blijft het zaaisel vochtig terwijl de smeltende sneeuw de zaadhuid poreus maakt, wat van voordeel is op de kieming van het zaad. Kort na de koudeperiode dient het zaaisel niet te worden blootgesteld aan hoge temperaturen. De optimale temperatuur ligt dan tussen de +5 en +12°C, dit geldt ook als de kieming al begonnen is. Voor dergelijke zaaisels is de ideale plek (ook nog in maart, april of mei) buiten in de volle grond, in een bak of koude kas.
2. Het merendeel van de ranonkelachtigen verlangt een wat lagere temperatuur, ca. -5°C. De verdere aanwijzingen zijn gelijk aan die als bovenstaand onder 1.) zijn genoemd. De oorzaak is mogelijk gelegen in het feit dat het vriespunt bij deze zaden op -7°C ligt, terwijl deze bij de meeste andere zaden -5°C bedraagt.
3. Deze zaden hebben het beste kiemresultaat wanneer ze direct na de oogst worden gezaaid. In een aantal gevallen zal de kieming toch pas in het voorjaar geschieden na blootstelling aan winterinvloeden. Deze zaden bij voorkeur tijdig bestellen.
4. Dit is zeer fijn zaad. Voor een gelijkmatige verdeling bij het zaaien kan het worden gemengd met fijn zand of talkpoeder. De zaden niet bedekken, alleen licht aandrukken is voldoende. Bevochtigen door opzuiging van onder af of van boven met een fijne nevel.
5. De onder 1.) beschreven procedure leidt niet altijd tot een grote opkomst. In sommige gevallen is een langere inwerkingsperiode op de zaden nodig. Het zaaisel daarom niet wegdoen maar bewaren tot volgend jaar.
6. Deze zaden hebben veel tijd nodig voor ontkieming, minimaal één en soms meerdere jaren. Ter besparing van ruimte en om uitdroging te voorkomen wordt dit zaad gestrafificeerd, d.w.z. afwisselend lagen vochtig zand en een dunne laag zaden. Aldus opgeslagen (op een beschaduwde plaats) worden de zaden blootgesteld aan de (winter-) weersinvloeden. Fijn gaas beschermt de zaden tegen vrat van muizen en vogels. In kwekerijen worden wel betonnen bakken voor dit doel gebruikt. Constante oplettendheid in het voorjaar is nodig om te zien of de kieming al is begonnen. Als dit het geval is moet direct (met het vochtige zand) worden gezaaid in een voorbereid zaaibed.
7. Dit zaad moet worden afgedeckt met een laagje zaaigrond dat net zo dik is als het zaad zelf. Overdag een temperatuur aanhouden van +20°C bij een constante vochtigheid. In het geval van Cyclamen wordt +18°C aanbevolen. Na ontkieming licht en matig warm houden.
8. Dit vaste plantenzaad kiemt onregelmatig gedurende een langere kiemperiode. Ook hier geldt dat temperaturen onder +5°C een gunstige invloed op de kieming hebben. Het zaaisel daarom niet te vroeg wegdoen. Zorg voor een gelijkmatige vochtigheid en voorkom een directe straling van zonlicht. Voor Alstroemeria adviseren wij het zaaisel gedurende 21 dagen bij ca. +30°C te houden, vervolgens gedurende 21 dagen bij +5°C en dan bij +21°C.
9. Gewoonlijk kiemt dit zaad snel, afhankelijk van soort en herkomst. Als er na 3–4 weken nog geen kieming is dan kan het zaaisel een koudeperiode worden gegeven van 2–4 weken. (Voor Meconopsis, afkomstig uit de Himalaya, is de koudeperiode verplicht en ook na opkomst moet het zaaisel nog een aantal weken koel, bij ca. +12°C, worden gehouden.)
10. Bij deze grotere zaden met een harde zaadhuid helpt een mechanische beschadiging van de zaadhuid waardoor het zaad sneller zwelt. Een methode is het zaad in droog, scherp zand of tussen schuurpapier te wrijven. Er wordt ook wel gebruik gemaakt van een zgn. weekmaker (Polyethyleenglycol 6000) uit de kunststofindustrie.
11. Opuntia kiemt beter en gelijkmatiger in het tweede jaar na de oogst. Vers gezaaid zaad ligt daarom vaak een jaar over voordat kieming volgt.
12. Een koudeperiode is hier niet noodzakelijk. Toch liggen deze zaden vaak een aantal maanden voordat ze massaal kiemen.
13. Deze grote zaden 2 tot 3 dagen laten weken in water. Bij gebruikmaking van een weekmaker slechts één dag. Vervolgens aan de zijkant een dun reepje van de zaadhuid afsnijden of afpeilen waardoor de kiem komt bloot te liggen. Het zaad dan, met de snijkant naar boven, in een vochtig zaaimedium bijv. Vermiculiet leggen en luchtdicht afsluiten onder een kunststof kap of een glasplaat. Zorg voor voldoende ruimte tussen kap en zaad. De hoge luchtvuchtigheid in combinatie met een temperatuur van ca. +22°C bevordert een snelle kieming.
14. Een vochtige warme periode van 4–5 weken bij ca. +25–30°C verbreekt de kiemrust. De in het zaad aanwezige kiemremmer wordt dan afgebroken. Vervolgens het zaaisel koud, bij +2°C!, plaatsen. Bij deze lage temperatuur strekt de kieming zich over 80 dagen uit. Gedurende deze tijd het zaaisel donker houden (koelkast). Daarna de temperatuur en het lichtniveau geleidelijk aan verhogen.
15. Dit zaad kiemt snel. Gelijkmatig vochtig houden (niet nat) bij ca. +20°C. Het zaad slechts zeer dun afdekken, fijn zaad echter niet afdekken, maar licht aandrukken. Na de kieming koeler houden.
16. Als bij 15.). Kieming gescheiddt meestal probleemloos maar mogelijk minder snel en wellicht ook minder gelijkmatig.
17. Waterplanten worden onder water gezaaid in plastic bakken gevuld met voedselrijk slib. Een laagje water van ca 1 cm boven het slib is voldoende. Tamelijk warm (+22°C) houden.
18. Zaaiprocedure als bij 17.). De zaaibakken slechts 2–4 weken warm houden en vervolgens 4–6 weken koude geven bij 0°C. Bevriezen mag. Daarna de temperatuur geleidelijk laten oplopen.
19. Deze zaaisels hebben voor het verbreken van de kiemrust (de afbraak van de kiemremmers) minstens 6 weken bodemwarmte van +22°C nodig en een gelijkmatige vochtigheid. Vervolgens een koudeperiode geven van ca -4 tot +4°C. Vaak begint de kieming al bij +4°C. De temperatuur dan geleidelijk laten oplopen tot niet meer dan +10°C tot de kieming volledig is. Het kan zijn dat de koude periode of de warme periode niet voldoende lang zijn geweest. In dat geval zal de ontkieming pas het jaar erna plaatsvinden na de invloeden van de zomer (warmte) en winter (koude). Bekende voorbeelden hiervan zijn Cimicifuga en Helleborus.
20. Deze zaaisels verlangen hoge temperaturen (+22°C of meer) voor een goed kiemingsresultaat. Een lichte maar gelijkmatige vochtigheid is zeer belangrijk. Gunnera verlangt een hoge vochtigheid (maar niet nat) en hoge temperaturen, +24–30°C.

#### Algemeen:

Plaats nooit zaaisels in vrieskasten e.d. met temperaturen onder -5°C!! De uitzetting van het bevriezende celvocht gaat te snel, de celmembranen kunnen het drukverschil niet opvangen waardoor de celwand scheuren en het zaad doodgaat. Zulke snelle temperatuurdalingen komen in de natuur niet voor. Op een geleidelijke drukverhoging kunnen de celmembranen reageren door osmose via de halfdoorlatende celwand waardoor de drukverschillen worden opgeheven.

Bij vele koudekiemers kan het gebeuren dat ze al kiemen tijdens de warme periode. Deze kiemplantjes dienen eruit te worden gehaald voordat het zaaisel koud wordt gezet. Dit verschijnsel heeft verschillende redenen. Het draagt onder anderen bij tot het voortbestaan van de soort in gebieden met wisselvallige winters. Mocht een strenge winter voorkomen dan bevriezen de vroegtijdig opgekomen kiemplanten. De soort wordt dan in stand gehouden door de zaden die pas kiemen na inwerking van de winterkou.

Voor een kunstmatige koudeperiode is de koelkast of koelruimte met een temperatuur rond 0°C geschikt. Zaaikisten zijn vaak nogal moeilijk te plaatsen in de koelkast. Daarom kan ook worden volstaan met het zaad te vermengen met vochtig zand en zo in plastic zakjes, na de noodzakelijke warme periode, in de koelkast op te slaan. Er moet altijd op worden gelet dat de inhoud van de zakjes niet uitdroogt. Na afloop van de benodigde koudeperiode kan dan het zaad, samen met het zand, worden uitgezaaid bij de geadviseerde temperatuur.

**Nadruk van deze zaai-aanwijzingen, of delen hieruit, is niet toegestaan. De aanwijzingen zijn alleen bedoeld voor de door ons aangeboden zaden. Andere toepassingen, bijv. voor onderwijsdoeleinden, zijn alleen toegestaan na onze schriftelijke toestemming.**

1. 低温発芽植物は今日でもなお、適切とはいえない表現”霜発芽植物”で呼ばれています。蒔かれた種子は最初の2~4週間は、温かく（約18~22°C）十分な湿り気をもつ状態に置いて下さい。その後4~6週間に渡り-4°Cから+4°Cの冷温に置きます。多くのキンポウゲ科の植物に限り、-5°C前後の気温が有利条件になります。  
冷却期間中上記の気温を下回ったり、上回ったりすることが仮にあっても、決して害はありませんが、その場合は、冷却期間をそれに応じて延長する必要があります。これは、その期間中、発芽を促す、ホルモンに似た酸の増成過程の進行速度が落ちたり、あるいは停止したりするためです。  
蒔いた種子を冷却期間中雪でおおうことが出来れば、有利条件となります。雪の下では、温度はほとんどの場合-4°Cから0°Cの好ましい範囲にあり、湿り気が保たれます。さらに、雪は解けかかると種子の外皮を”腐食”して浸透性を与え、芽が伸びるのに有利になります。いかなる場合も、冷却期間後すぐに高温下に置くことはしないで下さい。それとは反対に、好ましい温度域は+5°Cから12°Cの間であり、発芽が観察された後もこの温度を保つ必要があります。従って、これらの蒔かれた種子にとっての適所は、3月4月5月でも、屋外、冷却箱あるいは冷室です。
2. 複数のキンポウゲ科の植物は、冷却期間中これよりさらに低温の、約-5°Cを必要とします。その他の手順は、1)に記述した通りです。これは恐らく、これらの種子の氷点が約-7°Cであるのに対して、その他多数の種子では-5°Cであることに原因すると考えられます。
3. これらの種属は、収穫後間もなく蒔かれると、実際の発芽は多くの場合、冬の影響を受けた後春になってから始めて起こりますが、その発芽成績はほとんどの場合、非常に優秀です。従って、これらの種子は適時に蒔いて下さい。
4. ここで扱うのは非常に細かい種子で、種蒔きにあたっては、場合によっては滑石粉又は最も細かい種類の砂を混ぜて、一様に蒔く必要があります。種子の上には土をかけず、押しつけるだけにします。水やりは下から、あるいは目の細かい霧吹き器を使って行い、種子を流さないようにします。
5. 1)に記述した手順は、あらゆる場合に首尾上々に運ぶわけではなく、いくつかの種属では、冷却期間後発芽するまでにさらに長期間を要します。ですから、種子を蒔いた容器を早々と捨てるがないようにして下さい。種子によっては冷却期間後さらに1年間も土中に眠っていることがあります。
6. これらの種子は発芽まで非常に長期間、1年あるいはそれ以上、土中に眠ります。場所を節約するため、又干からびてしまうのを防ぐために、これらの種子を”成層”します。即ち、種子を湿った砂の層の間に埋めるのです。十分に湿った砂の層と薄い種子の層を交互に重ねます。成層箱は日陰に置いて、天候の影響（特に冬の天候）に曝し、細かい金網でネズミや鳥から守ります。多量の種子を蒔く場合はコンクリート製の成層箱が良いことが育樹園で確認されています。春になったら、発芽がすでに始まっているかどうかを頻繁に点検すべきです。その場合は、常時湿った状態に保たれていた砂とともに種子を、あらかじめ準備しておいた苗床に即刻出さなければなりません。
7. これらの種子は、種子粒の直径と同じ厚みの土でおおって下さい。日中の気温20°C前後で、常時均一に湿り気を保つ様配慮します。シクラメンには、しかし18°Cが望されます。発芽が起こった後は、明るく、適度に温かい場所に置きます。
8. ここで扱うのは非常に不均一に発芽し、長い発芽期間を持つことを特徴とする多年生草木の種子です。ここでもやはり、5°C未満の低温の影響が非常に有利です、種蒔き容器を早々と廃棄しないで下さい。特に一様に湿り気を与えることを配慮し、決して直射日光にさらさないこと。ユリズイセンは、蒔いた種子を21日間約30°Cの状態に置いた後、21日間5°Cに、引き続き21°Cに置くことをお勧めします。
9. 種と出所によって早く発芽します。しかし3~4週間たっても発芽が起らぬ場合は、その出所の種子には2~4週間の冷却期を定める必要があります。ヒマラヤ原産のメコノプシスには冷却期が不可欠です。発芽が成った後も、2~3週間は約12°C未満の低温を保つようにするべきです。
10. これらの大きめで硬い外皮を持つ種子には、種子の外皮にかるく傷をつけてやると、種子粒が水をふくんでふくらむのを早めることができます。種子を乾燥した鋭利な砂の間で擦ったり、紙ヤスリを使って擦ることも一方法です。あるいは、プラスチック製造に応用されているように、”柔弱剤”（ポリエチレングリコール6000）の中に2、3時間浸けて柔らかくすることも出来ます
11. オブンチエン（サボテン）は収穫後2年目の方が首尾よく、一様に発芽します。そのため、新しい種子はしばしば、発芽まで1年間土中に眠ります。
12. 冷却期間を置く必要はありませんがこれら種子は、多くの場合、完全に発芽するまで数ヶ月を要します。

13. これらの大粒の種子は、2～3日水に浸けて柔らかくします、柔弱剤を使用する場合は、1日が限度です。その後、円錐状の種子の側面からごく薄い小片を切り取るかはぎ取るかして、芽がほぼ完全に劉き出しになるようにします。切り取った箇所が上を向くように、種子を湿った種蒔き用培養基（例えばフェミクルテ）の上に置きます。ガラス円盤又はガラス板を、種子から十分な間隔をもたせて置き、きっちりと密閉します。気温約22℃のもとで発生する空気圧が発芽を促進します。
14. 種蒔き後、約25℃～30℃の温暖期間を約4～5週間置き、この間湿り気を保つと、発芽抑制が解除されます。種子の中にある発芽を抑制する物質が壊れるためです。その後蒔かれた種子を+2℃の冷温に保ちます。この冷温下で始まった発芽の進行は長引き、約80日以上に渡ります。この期間中は暗い場所（冷室）に置くこと。その後は、温度をゆっくりと上げ、光に当てます。
15. 薄くと早く発芽する種子です。一様な湿り気（濡れた状態でなく）と約+20℃前後の気温。これらの種子にはごく薄く土をかぶせ、丁寧に蒔いた場合は土をかぶせず押しつけるだけにすること。発芽後は温度を下げて下さい。
16. 15)と同じですが、発芽はそう早くは進行せず、非常に一様にも起こりません。それでも発芽には、ほとんどの場合、問題はありません。
17. 水生植物は、水もれしないプラスチック容器又はそれに類似した容器に養分の多い泥土を入れ、その中に種蒔きします。水は、種を蒔いた土の上1cmまで入れて構いません。十分な暖かさ（約22℃）のもとに置いて下さい。
18. 種蒔きの手法は17)と同じですが、種蒔き容器は約2～4週間だけ温かい場所に、その後約4～6週間、0℃前後の冷温下に置きます。水は凍っても構いません。引き続き温度を非常にゆっくりと上げて行きます。
19. この種子は蒔かれると、発芽制止の解除（発芽を抑制している物質の分解）のために少なくとも6週間約22℃の土中温度と、一様な湿り気を必要とします。その後引き続いて6～8週間、約-4℃から+4℃の冷温下に置きます。多くの場合、+4℃で既に発芽が始まります。温度の上昇はごくゆっくりと行き、発芽が終了するまで10℃を越すことがないようにします。冷却期間又は温暖期間が十分に取られなかった場合は、これらの種子は次の年になってから発芽します。その場合は、もう一度温かい期間（夏）と冷たい期間（冬）を各々一期づつ必要とします。周知の例：キミキフーガ、クリスマスローズ
20. これらの種子は蒔かれると、優良な発芽成績を達成するためには、22℃又はそれ以上の暖かさを必要とします。ほどほどに、しかし一様な湿り気が非常に大切です。グンネーラは但し、特に十分の湿り気（濡れた状態でなく）と約24℃から30℃の特別の暖かさを好みます。

## 総括的ご案内

蒔かれた種子は決して、温度-5℃未満の冷凍庫、冷凍ケース、冷凍室内には置かないで下さい。そうした場合は、種子の細胞内で氷結する水分の膨張の速度が早すぎるのです。細胞膜を介する圧力の均衡作用はそう迅速には進行しないため、細胞壁が裂け、種子は死にます。自然界においては、そのようなマイナス域での瞬時の温度急降下は起こりません。細胞膜は、通常の、ゆっくりと進行する圧力上昇に対しては十分対応出来るよう創られており、又、透過性を有するため、浸透性の圧力均衡を保ちます。

いくつかの冷温発芽植物においては、種子が部分的に温暖期に既に発芽してしまうことが再三再四起こります。これらの実生は、蒔いた種子を冷温下に置く前に移植されなければなりません。この現象にはいくつかの原因があります。そのひとつに、冬の天候が必ず訪れるとは限らない地域において、種の保存の役割を果たす、ということがあります。相応する冬の天候が訪れば、この早期に発芽した実生は生き延びることは出来なくなります。種属はその場合、冷温の影響を受けた後に発芽する種子により保存されます。

人工的な冷却期にはそのようなわけで、0℃前後の温度の冷蔵庫又は冷室がむいています。種蒔き箱は多くの場合、冷蔵庫に収容出来ないので、種子を少し湿った砂に混ぜてプラスチック袋に詰め、必要な温暖期間後、冷蔵庫に収容することも出来ます。その時は、袋内の砂が湿り気を保つよう注意する必要があります。必要とされる冷却期間の終了後は、種子を砂と共に種蒔き箱に出し、必要な温度下に置きます。

種蒔き案内書の複写は、例え抜粋であっても許可されていません。案内書は、当社の栽培した種子の種蒔きをのみ対象として作製されています。教育等、その他の目的での使用は、当社の了解なしに行わないで下さい。

1. Le piante che germogliano a freddo vengono ancora oggi annoverate tra le piante germoglianti a temperature glaciali, il che non è esatto. Le prime 2–4 settimane i semi devono trovarsi in ambiente **caldo** (circa +18–22°C) e ben inumidito. Solo dopo tale periodo i semi vengono esposti per circa 4–6 settimane alle basse temperature tra i –4 ed i +4°C. Solo per i ranuncoli risulta benefica una temperatura attorno ai –5°C. Se nel periodo freddo la temperatura dovesse superare il limite superiore o quello inferiore sopra indicati, non si registrano danni, bisogna però prolungare adeguatamente il periodo freddo, poiché in questo intervallo di tempo si rallenta o si blocca il processo di formazione di quell'acido di tipo ormonale che avvia la fase germogliativa. Risulta vantaggioso coprire con neve i semi nel periodo freddo. Sotto la neve la temperatura si mantiene in genere a livelli propizi tra –4 e 0°C, l'ambiente rimane umido, e la neve sciogliendosi „corrode“ il guscio del seme rendendolo poroso, il che favorisce la fuoriuscita dei germogli. – Passato questo periodo freddo la temperatura non deve salire subito in alto; l'ambito più favorevole è quello tra i +5 ed i +12°C, anche se si vedono spuntare già i primi germogli! Il giusto posto per questi semi – ciò vale anche fino a marzo/aprile/maggio – è all'aperto, nel cassetto freddo o nella serra fredda.
2. Nel periodo freddo la maggior parte delle piante del genere dei ranuncoli abbisogna di basse temperature sui –5°C, altrimenti si proceda come descritto al punto 1. La ragione di ciò sta probabilmente nel fatto che il punto di congelamento per questi semi è circa –7°C, mentre per la maggioranza degli altri semi è sui –5°C.
3. I semi di questo genere danno di solito ottimi risultati di germogliamento se si seminano immediatamente dopo il raccolto, seppure la maggioranza di tali specie germoglia poi lo stesso appena in primavera, dopo il trattamento a freddo subito d'inverno. Ordinate perciò tempestivamente questi semi!
4. Qui si tratta di semi molto fini, che consigliamo di mescolare eventualmente con talco o con sabbia finissima, al fine di effettuare una semina uniforme. Non coprire con terra, basta premere i semi sul terreno. Si irriga dal di sotto oppure impiegando un nebulizzatore, affinché l'acqua non trascini via i semi.
5. Il trattamento descritto al punto 1. non dà sempre risultati del tutto soddisfacenti. Dopo il periodo freddo alcune specie abbisognano ancora di un lungo periodo prima di germogliare. Dunque non gettar via troppo presto i contenitori coi semi. Alcuni semi rimangono in terra ancora un anno intero.
6. Questi semi rimangono in giacenza per molto tempo, 1 anno e più, prima di germogliare. Per ragioni di economia di spazio e anche per evitare un essiccamiento, questo seme viene „stratificato“. Ciò significa: i semi vengono messi in sabbia umida a strati. Ad uno strato ben inumidito di sabbia segue un sottile strato di semi e così via di seguito. I cassettoni di stratificazione vengono collocati all'ombra, esposti alle intemperie (specialmente all'influsso del tempo invernale) con una fine rete metallica di protezione contro topi ed uccelli. Per forti quantitativi di semi nei vivai di piante sono stati applicati con successo cassettoni di stratificazione in cemento armato. In primavera bisogna controllare spesso se incomincia già il germogliamento. In caso positivo si prendono i semi assieme alla sabbia, tenuta tutto il tempo ben umida, per portarli sull'aiola già predisposta ad accoglierli.
7. Questo seme deve venir coperto con uno strato di spessore pari al diametro del granello. Ad una temperatura sui +20°C durante il giorno si abbia cura di provvedere all'aporto di umidità sufficiente. Per i ciclamini è preferibile una temperatura di +18°C. A germogliamento avvenuto si provvede ad un'esposizione a lucre chiara con temperature tiepide.
8. Qui si tratta di semi di piante perenni, il cui germogliamento molto irregolare si estende per un lungo periodo di tempo. Risulta particolarmente vantaggioso sottoporre i semi all'influsso di basse temperature sotto i +5°C. Non si distruggano troppo presto i contenitori di semi. Si faccia soprattutto attenzione che l'umidità sia distribuita uniformemente e si eviti l'esposizione diretta ai raggi solari.
9. A seconda della specie e dell'origine questi semi germogliano più o meno presto. Se dopo 3–4 settimane non dovessero ancora germogliare, si sottopongono per 2–4 settimane all'influenza di basse temperature. Per la meconopsis, originaria dall'Himalaia, è assolutamente necessario sottoporre i semi ad un periodo di unfluenza di basse temperature. Anche a germogliamento già avvenuto si mantenga ancora per alcune settimane una temperatura sotto i circa +12°C.
10. Il gonfiamento di questi semi abbastanza grandi e con guscio robusto viene accelerato se si lacera leggermente per via meccanica il loro guscio. Uno dei metodi applicati è quello di sfregare i semi con sabbia aguzza o con carta vetrata. I semi si possono anche rendere molli, immersendoli per alcune ore in „ammorbidente“ (glicole di polietilene 6000), come quelli impiegati nella produzione di materie plastiche.
11. Le opunzie germogliano meglio e più uniformemente nel 2° anno dopo il raccolto. Il seme fresco rimane pertanto spesso nella terra per un anno prima di germogliare.
12. Non è necessario un periodo di basse temperature; comunque questo seme impiega spesso molti mesi fino al pieno germogliamento.
13. Questi grandi semi si lasciano pregonfiare in acqua per 2 o 3 giorni; se si aggiunge un „ammorbidente“ il periodo di gonfiamento non deve superare 1 giorno. Sulla parte dove si trova il cono del germoglio si taglia via o si pella una sottilissima fettina, di modo che il germoglio rimanga quasi scoperto. Il seme si pone con il punto di taglio all'insù su un substrato di seminatura (p.es. verniculite). Si copre la superficie con una campana o lastra di vetro a buona chiusura; si mantenga una sufficiente distanza dal vetro al seme. La tensione d'aria in tal modo generata ad una temperatura di circa +22°C favorisce il germogliamento.
14. Lo sblocco dell'inibizione di germogliamento si raggiunge sottoponendo i semi all'influenza di un periodo di circa 4–5 settimane di temperature tra i circa +25–30°C in ambiente umido. In tal modo si decompono la sostanza che – presente nel seme – inibisce il germogliamento. Dopo questo trattamento si lasciano i semi a temperature basse, +2°C! Il germogliamento che inizia in un ambiente così freddo si protrae per un periodo di circa 80 giorni. In tale periodo tenere i semi all'oscuro (in cella frigorifera). In seguito si aumenta gradualmente la temperatura, esponendo i semi alla luce.
15. Semi a germogliamento celere. Umidità uniforme (non bagnare!) e temperatura sui +20°C. Appena coprire i semi appena; quelli fini non si coprono, bensì si pressano sul terreno. Mettere al freddo a germogliamento avvenuto.
16. Si procede come al punto 15., solo che in questo caso il germogliamento non avviene celermemente; i semi non germogliano neppure uniformemente, però il germogliamento avviene senza problemi.
17. Per la semina delle piante aquatiche si impiega una propizia terra fangosa in contenitori di plastica a tenuta d'acqua o in altri recipienti delle stesse caratteristiche. L'acqua può arrivare ad un livello di 1 cm sopra la terra che copre i semi. Mettere in ambiente a temperatura piuttosto alta (circa +22°C).
18. La tecnica di semina è quella indicata al punto 17. I recipienti coi semi si lasciano al caldo soltanto per circa 2–4 settimane, dopo di che si mettono per circa 4–6 settimane in ambiente freddo a circa 0°C. Si può lasciare gelare l'acqua. Dopo il periodo predetto si fa salire lentamente la temperatura.
19. Per porre fine al periodo di stasi germogliativa (decomposizione della sostanza che inibisce il germogliamento), questi semi abbisognano di almeno 6 settimane di terreno ben riscaldato, a circa +22°C, e di umidità uniformemente distribuita. Dopo di ciò si espone per 6–8 settimane al freddo, con circa –4 fino a +4°C. Di solito il germogliamento inizia già a +4°C. Aumentare la temperatura molto lentamente, senza superare i +10°C, fino al completamento del germogliamento. Se il periodo caldo o quello freddo erano troppo brevi, questi semi germogliano appena l'anno seguente. Abbisognano poi ancora di un periodo caldo (l'estate) e di un periodo freddo (l'inverno). Un noto esempio: cimicifuga, helleborus.
20. I semi hanno bisogno di molto calore, cioè +22°C ed anche di più, per raggiungere un germogliamento soddisfacente. E' molto importante la presenza di un'umidità ridotta, che sia però iniforme. Per quanto concerne la gunnera, questa ha bisogno di molta umidità (ma non di bagnato) e di temperature alte dai circa +24 ai 30°C.

**Note generali:**

Non porre mai i semi in un congelatore o in una cella di congelamento con temperature sotto i –5°C! La dilatazione dell'acqua che gela nelle cellule dei semi avviene a tali condizioni in modo troppo repentino. Non riesce a stabilirsi tanto presto un compenso di pressione attraverso le membrane cellulari. Le pareti delle cellule si lacerano ed il seme muore. In natura non si hanno casi di abbassamenti così repentinii nell'ambito di temperature sotto lo zero. Le cellule però non vengono danneggiate, se la pressione aumenta normalmente e lentamente; allora le cellule compensano la pressione eccessiva grazie all'osmosi che avviene tramite le pareti cellulari semipermeabili.

Per periodi di freddo artificiale si impieghino perciò celle o armadi frigoriferi con temperature attorno allo 0°C. Poiché è difficile collocare contenitori di seminagione in armadi frigoriferi, si può procedere nel seguente modo: si mescolano i semi con un po' di sabbia umida, mettendo il tutto in sacchetti di plastica. Si lascia trascorrere il necessario periodo con alta temperatura prima di porre i semi così trattati in frigorifero. Si faccia però attenzione che la sabbia nei sacchetti rimanga umida. Trascorso il necessario periodo freddo, semi e sabbia vengono messi nel contenitore di seminagione che viene poi lasciato alla temperatura adatta.

**E' vietato riprodurre, anche parzialmente, il testo delle sopra citate istruzioni di semina. Queste istruzioni sono applicabili solo alla semina dei semi acquistati presso di noi; un'applicazione per altri scopi, p.es. a scopo didattico, è ammessa soltanto previo nostro benestare.**

All sales are subject to the following terms and conditions accepted by all customers when placing their orders.

## General Terms of Delivery

1. Every consignment should be inspected upon delivery. Complaints about any perceptible defects relating to the goods or the packaging and any weight discrepancies must be brought to the Seller's notice no later than the 5th working day and any deficient germination vigour no later than 3 weeks after receipt of the goods. Notice of any defects which are not detectable until a later date must be given without delay. In the event of any dispute the goods shall, upon prior notification to the Seller, be re-examined by the Institute of Applied Botany, Hamburg/Germany (Staatsinstitut für angewandte Botanik), whose analysis shall be recognized as decisive by both parties. The expenses shall be borne by the losing party.

2. If the Buyer has justifiably complained about perceptible defects or deficient germination vigour, the Seller shall be obligated to take back the goods, but not to deliver replacement goods, nor to grant a price discount, nor to pay compensation for damages.

3. In the case of all other defects the Seller shall be liable for damages proved in due time and not exceeding the invoiced amount for the goods in question; no further liability will be assumed. The Buyer shall waive all other statutory or private claims. The same shall apply in the event that goods other than those specified are delivered. The descriptions given in this catalogue are not to be regarded as warranted qualities.

The Seller does not accept any responsibility for the outdoor viability of the goods as this is dependent on outside influences beyond control.

Furthermore, the Seller is not liable on account of seed infestation and transmission of diseases or pests.

4. The place of performance and jurisdiction for both parties is Schwarmstedt / Lüneburg. German law is applicable.

5. Acceptance of orders for items which are not yet in stock is subject to the receipt of marketable goods.

Crop failures or non-marketability of goods releases the Seller from his obligation to deliver.

6. The Seller is entitled to withdraw from the contract or to postpone delivery if, through no fault of his own, prompt delivery is made impossible by interruptions of traffic, measures ordered by public authorities, or other events of force majeure. Furthermore, the Seller is entitled to withdraw from the contract without rendering compensation, if he is given cause to doubt the Buyer's credit standing and the Buyer fails to pay in advance or furnish security at the Seller's request.

7. Ownership of all goods supplied by the Seller will be retained by the Seller until all receivables and any balance on current account debitabile to the Buyer have been settled or, in the case of payment by cheque or bill of exchange, until such has been honoured.

8. The plants grown from the goods shall be deemed as security assigned to the Seller until the aforementioned time or, in the case of outdoor crops, until these have been extracted from the land. In lieu of delivery of the goods the Seller may hold them in safe custody for the creditor free of charge. The German law relating to the safeguarding of fertilizer and seed supplies shall apply mutatis mutandis.

9. In the event that the Buyer ceases all payments prior to paying for the goods delivered, the Seller shall have the rights specified in the Bankruptcy Act pertaining to the segregation of goods or the assignment of the right to consideration. The segregatable goods shall be set off against the purchase price claim at 65% of the maximum quantity wholesale price but no higher than 65% of the price invoiced at the time of delivery. The balance of the purchase price shall remain payable.

10. Unless otherwise agreed, the above terms and conditions shall apply analogously to the delivery of other horticultural products.

11. Should any of the above terms and conditions become legally ineffective on account of cancellation, other agreements or for other reasons, the remaining provisions shall remain binding.

## Specific Terms of Delivery for Commercial Gardeners

1. All offers/quotations are without obligation and without relation to any previous purchases. Previous prices become invalid as soon this list is issued.

2. The prices shown in this list are net prices in EURO and, unless otherwise agreed, do not include packing and are free place of shipment, for domestic customers plus the Value Added Tax applicable on the day of delivery. The packaging is charged at the lowest possible price, but is not returnable.

3. Pricing: 0.1g to 9.9g at the 1g price; 10g to 99.9g at the 10g price; 100g to 999.9g at the 100g price; 1kg to 9.999kg at the 1kg price; prices for larger quantities are given upon inquiry.

If a price per 1000 seeds is not listed, orders in seed units will be converted from an average seedcount into gram units and charged accordingly.

Minimum order value 25 € net. Orders less than 25 € will be charged the difference.

The Seller is entitled to increase to the next largest unit any order quantities other than those listed above amounting to no more than 50 € in value. If prices are not quoted for smaller quantities, the respective higher sliding-scale price will be invoiced nonetheless.

Minimum charge per item 2 € net.

4. Shipping shall be at the Buyer's risk in accordance with clearly specified shipping instructions. Consignments will be insured at the expense of the Buyer against transport risks. Otherwise the Seller shall use his own discretion without accepting any responsibility.

5. Packets whose closure has been damaged or some of whose contents have already been used cannot be taken back. In the event that liability exceeding that outlined in section 3 of the General Terms of Delivery is obligatory by law, proof of the defects claimed – in particular non-trueness of species or variety – must be

furnished by the Buyer with the contents of a previously unopened packet sealed by the Seller or breeder.

A fee of minimum 30% of the goods value shall be charged to the Buyer's account for any return of goods attributable to the fault of the Buyer or cancellation of orders at short notice. Return of goods after 30 days is not accepted.

Seeds are perishable goods. Every order is matched to the customer's individual requirements. A right of cancellation / right of return on behalf of traders/ business is therefore excluded. Jelitto Staudensamen GmbH is not obligated and on principle, not prepared to participate in dispute settlement hearings before an arbitration committee.

6. Unless otherwise agreed, all invoices shall be payable net cash upon receipt; bank interest (1.5% p.m.) and expenses will be charged for overdue payment unless other rights are asserted. No discount is granted when payment is made by credit card. If cash-on-delivery is not requested, this must be expressly indicated, new customers being requested to furnish references. COD charges shall be at the expense of the Buyer.

7. All photographic material supplied is copyright of Jelitto Staudensamen GmbH. The photographic material shall not be duplicated or passed on to third parties.

The one-off right of use is granted under the express condition that the recipient shall use the photographic material for the agreed purpose only. The photographic material may only be used under the complete name under which the material was supplied.

In the event of any breach of these conditions, Jelitto Staudensamen GmbH will claim damages of not less than 250 € per individual case.

8. Should any of the above terms and conditions become legally ineffective on account of cancellation, other agreements or for other reasons, the remaining provisions shall remain binding.