

(Provisional translation)

Results of the emergency monitoring inspections (Fukushima Prefecture: fishery product)

Radioactive cesium
In 144 items, 31 items exceeded 100 Bq/kg

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
1	Iwaki City	22 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	Not detectable (<7.9)	8.74	8.7
2	Iwaki City	22 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	Not detectable (<7.3)	Not detectable (<5.9)	Not detectable
3	Iwaki City	22 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	Not detectable (<8.3)	Not detectable (<8.4)	Not detectable
4	Iwaki City	22 April, 2012	Fat greenling (<i>Hexagrammos otakii</i>)	117	181	<u>300</u>
5	Iwaki City	22 April, 2012	Fat greenling (<i>Hexagrammos otakii</i>)	53.1	78.9	<u>130</u>
6	Iwaki City	19 April, 2012	Greeneyes (<i>Chlorophthalmus borealis</i>)	Not detectable (<7.9)	Not detectable (<8.2)	Not detectable
7	Iwaki City	20 April, 2012	Greeneyes (<i>Chlorophthalmus borealis</i>)	Not detectable (<7.8)	Not detectable (<7.1)	Not detectable
8	Iwaki City	19 April, 2012	Flathead flounder (<i>Hippoglossoides dubius</i>)	Not detectable (<7.9)	Not detectable (<9.1)	Not detectable
9	Iwaki City	21 April, 2012	Flathead flounder (<i>Hippoglossoides dubius</i>)	11.9	14.9	27
10	Iwaki City	19 April, 2012	Red tongue sole (<i>Cynoglossus joyneri</i>)	65.6	110	<u>180</u>

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
11	Iwaki City	19 April, 2012	Stone flounder (<i>Kareius bicoloratus</i>)	61	76.7	<u>140</u>
12	Iwaki City	22 April, 2012	Stone flounder (<i>Kareius bicoloratus</i>)	70.6	91.9	<u>160</u>
13	Iwaki City	21 April, 2012	Brown hakeling (<i>Physiculus maximowiczi</i>)	12.2	12.4	25
14	Iwaki City	19 April, 2012	Redwing searobin (<i>Lepidotrigla microptera</i>)	29.4	42	71
15	Iwaki City	22 April, 2012	Redwing searobin (<i>Lepidotrigla microptera</i>)	18	19.9	38
16	Iwaki City	22 April, 2012	Monkfish (<i>Lophius litulon</i>)	Not detectable (<8.0)	Not detectable (<7.1)	Not detectable
17	Iwaki City	19 April, 2012	Black cow-tongue (<i>Paraplagusia japonica</i>)	107	165	<u>270</u>
18	Iwaki City	18 April, 2012	Black rockfish (<i>Sebastes schlegeli</i>)	26.6	35.4	62
19	Iwaki City	19 April, 2012	Ocellate spot skate (<i>Okamejei kenojei</i>)	259	368	<u>630</u>
20	Iwaki City	22 April, 2012	Ocellate spot skate (<i>Okamejei kenojei</i>)	29.4	47.5	77
21	Iwaki City	22 April, 2012	Ocellate spot skate (<i>Okamejei kenojei</i>)	175	232	<u>410</u>
22	Iwaki City	19 April, 2012	Poacher (<i>Occella iburia</i>)	289	405	<u>690</u>
23	Iwaki City	19 April, 2012	Roughscale sole (<i>Clidoderma asperrimum</i>)	Not detectable (<9.8)	Not detectable (<8.1)	Not detectable
24	Iwaki City	21 April, 2012	Roughscale sole (<i>Clidoderma asperrimum</i>)	Not detectable (<6.7)	Not detectable (<6.0)	Not detectable

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
25	Iwaki City	18 April, 2012	Rockfish (<i>Sebastes cheni</i>)	24	31.7	56
26	Iwaki City	22 April, 2012	Seabass (<i>Lateolabrax japonicus</i>)	72.8	97.9	<u>170</u>
27	Iwaki City	22 April, 2012	Nibe croaker (<i>Nibea mitsukurii</i>)	54.3	74.5	<u>130</u>
28	Iwaki City	21 April, 2012	Slime flounder (<i>Microstomus achne</i>)	Not detectable (<9.1)	Not detectable (<6.3)	Not detectable
29	Iwaki City	21 April, 2012	Slime flounder (<i>Microstomus achne</i>)	117	146	<u>260</u>
30	Iwaki City	22 April, 2012	Slime flounder (<i>Microstomus achne</i>)	40.1	57.3	97
31	Iwaki City	19 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	33.8	33.6	67
32	Iwaki City	21 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	87	129	<u>220</u>
33	Iwaki City	22 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	52.4	71.8	<u>120</u>
34	Iwaki City	22 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	89.2	128	<u>220</u>
35	Iwaki City	22 April, 2012	Gurnard (<i>Chelidonichthys spinosus</i>)	9.31	21.3	31
36	Iwaki City	22 April, 2012	Conger eel (<i>Conger myriaster</i>)	18.2	22.6	41
37	Iwaki City	19 April, 2012	Littlemouth flounder (<i>Pleuronectes herzensteini</i>)	19.4	26.9	46
38	Iwaki City	22 April, 2012	Littlemouth flounder (<i>Pleuronectes herzensteini</i>)	18.3	20.9	39

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
39	Iwaki City	19 April, 2012	Marbled flounder (<i>Pleuronectes yokohamae</i>)	88.8	145	<u>230</u>
40	Iwaki City	22 April, 2012	Marbled flounder (<i>Pleuronectes yokohamae</i>)	50.8	81	<u>130</u>
41	Iwaki City	19 April, 2012	Flathead (<i>Platycephalus sp.</i>)	40.9	54.9	96
42	Iwaki City	22 April, 2012	Red seabream (<i>Pagrus major</i>)	Not detectable (<8.1)	Not detectable (<8.7)	Not detectable
43	Iwaki City	21 April, 2012	Pacific cod (<i>Gadus macrocephalus</i>)	9.23	18.4	28
44	Iwaki City	22 April, 2012	Pacific cod (<i>Gadus macrocephalus</i>)	44.3	65.5	<u>110</u>
45	Iwaki City	19 April, 2012	Rikuzen flounder (<i>Dexistes rikuzenius</i>)	Not detectable (<9.1)	10.9	11
46	Iwaki City	20 April, 2012	Rikuzen flounder (<i>Dexistes rikuzenius</i>)	Not detectable (<7.7)	5.9	5.9
47	Iwaki City	21 April, 2012	Rikuzen flounder (<i>Dexistes rikuzenius</i>)	Not detectable (<11.0)	Not detectable (<7.7)	Not detectable
48	Iwaki City	22 April, 2012	Shotted halibut (<i>Eopsetta grigorjewi</i>)	28.7	33.3	62
49	Iwaki City	22 April, 2012	Shotted halibut (<i>Eopsetta grigorjewi</i>)	227	314	<u>540</u>
50	Iwaki City	21 April, 2012	Brassblotched rockfish (<i>Sebastes pachycephalus</i> <i>pachycephalus</i>)	68.8	103	<u>170</u>
51	Iwaki City	19 April, 2012	Ridged-eye flounder (<i>Pleuronichthys cornutus</i>)	55.8	96.2	<u>150</u>

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
52	Iwaki City	19 April, 2012	Willow flounder (<i>Tanakius kitaharai</i>)	Not detectable (<11.0)	16.2	16
53	Iwaki City	21 April, 2012	Hilgendorf's aucord (<i>Helicolenus hilgendorfi</i>)	Not detectable (<7.3)	Not detectable (<7.0)	Not detectable
54	Iwaki City	22 April, 2012	Andrea cuttlefish (<i>Sepia andreana</i>)	Not detectable (<8.8)	Not detectable (<7.5)	Not detectable
55	Iwaki City	22 April, 2012	Mantis shrimp (<i>Oratosquilla oratoria</i>)	Not detectable (<9.8)	Not detectable (<7.5)	Not detectable
56	Iwaki City	19 April, 2012	Japanese dwarf squid (<i>Loligo japonica</i>)	Not detectable (<9.2)	Not detectable (<9.2)	Not detectable
57	Iwaki City	22 April, 2012	Common octopus (<i>Octopus vulgaris</i>)	Not detectable (<7.5)	Not detectable (<6.7)	Not detectable
58	Iwaki City	19 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<7.9)	Not detectable (<7.6)	Not detectable
59	Iwaki City	19 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<8.9)	Not detectable (<7.4)	Not detectable
60	Iwaki City	20 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<8.2)	Not detectable (<6.7)	Not detectable
61	Iwaki City	22 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<11.0)	Not detectable (<7.8)	Not detectable
62	Iwaki City	22 April, 2012	Surf clam (<i>Pseudocardium sachalinense</i>)	Not detectable (<8.2)	Not detectable (<7.9)	Not detectable
63	Iwaki City	22 April, 2012	Paper whelk (<i>Volutharpa ampullacea</i>)	Not detectable (<10.0)	Not detectable (<8.1)	Not detectable
64	Soma City	17 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	Not detectable (<8.1)	Not detectable (<9.7)	Not detectable
65	Shinchi Town	18 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	Not detectable (<8.5)	Not detectable (<7.2)	Not detectable

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
66	Minami-soma City	17 April, 2012	Fat greenling (<i>Hexagrammos otakii</i>)	25.5	30.1	56
67	Soma City	19 April, 2012	Fat greenling (<i>Hexagrammos otakii</i>)	34.5	53.2	88
68	Minami-soma City	17 April, 2012	Flathead flounder (<i>Hippoglossoides dubius</i>)	Not detectable (<7.2)	Not detectable (<7.6)	Not detectable
69	Soma City	19 April, 2012	Flathead flounder (<i>Hippoglossoides dubius</i>)	Not detectable (<8.9)	Not detectable (<8.2)	Not detectable
70	Minami-soma City	17 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	17.9	30	48
71	Soma City	18 April, 2012	Japanese sandlance (<i>Ammodytes personatus</i>)	16.7	25.4	42
72	Minami-soma City	17 April, 2012	Stone flounder (<i>Kareius bicoloratus</i>)	131	184	<u>320</u>
73	Shinchi Town	18 April, 2012	Stone flounder (<i>Kareius bicoloratus</i>)	30.2	40.6	71
74	Minami-soma City	19 April, 2012	Ishikawa icefish (<i>Salangichthys ishikawae</i>)	12.7	10.7	23
75	Minami-soma City	17 April, 2012	Monkfish (<i>Lophius litulon</i>)	Not detectable (<7.8)	Not detectable (<6.7)	Not detectable
76	Shinchi Town	18 April, 2012	Monkfish (<i>Lophius litulon</i>)	Not detectable (<7.9)	Not detectable (<7.7)	Not detectable
77	Minami-soma City	17 April, 2012	Fox jacopever (<i>Sebastes vulpes</i>)	29.5	44.3	74
78	Soma City	17 April, 2012	Sea raven (<i>Hemitripterus villosus</i>)	11.5	14.7	26
79	Soma City	17 April, 2012	Roughscale sole (<i>Clidoderma asperrimum</i>)	Not detectable (<9.8)	Not detectable (<7.6)	Not detectable

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
80	Soma City	17 April, 2012	Roughscale sole (<i>Clidoderma asperrimum</i>)	Not detectable (<9.3)	Not detectable (<8.3)	Not detectable
81	Minami-soma City	17 April, 2012	Rockfish (<i>Sebastes cheni</i>)	39.4	54.8	94
82	Soma City	19 April, 2012	Rockfish (<i>Sebastes cheni</i>)	42	54.9	97
83	Soma City	17 April, 2012	Alaska pollock (<i>Theragra chalcogramma</i>)	Not detectable (<8.1)	Not detectable (<6.6)	Not detectable
84	Minami-soma City	17 April, 2012	Alaska pollock (<i>Theragra chalcogramma</i>)	Not detectable (<7.7)	Not detectable (<7.9)	Not detectable
85	Shinchi Town	18 April, 2012	Seabass (<i>Lateolabrax japonicus</i>)	71.5	98.1	<u>170</u>
86	Soma City	19 April, 2012	Seabass (<i>Lateolabrax japonicus</i>)	47.8	101	<u>150</u>
87	Soma City	17 April, 2012	Slime flounder (<i>Microstomus achne</i>)	Not detectable (<9.3)	Not detectable (<7.1)	Not detectable
88	Minami-soma City	17 April, 2012	Slime flounder (<i>Microstomus achne</i>)	19.9	31.1	51
89	Soma City	19 April, 2012	Slime flounder (<i>Microstomus achne</i>)	9.86	14.8	25
90	Shinchi Town	18 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	31.1	36.6	68
91	Soma City	18 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	52	79.6	<u>130</u>
92	Soma City	19 April, 2012	Olive flounder (<i>Paralichthys olivaceus</i>)	40.7	70.7	<u>110</u>
93	Soma City	17 April, 2012	Blackfin flounder (<i>Glyptocephalus stelleri</i>)	Not detectable (<7.9)	Not detectable (<7.6)	Not detectable

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
94	Soma City	17 April, 2012	Littlemouth flounder (<i>Pleuronectes herzensteini</i>)	Not detectable (<6.7)	Not detectable (<7.3)	Not detectable
95	Minami-soma City	17 April, 2012	Littlemouth flounder (<i>Pleuronectes herzensteini</i>)	9.54	18.5	28
96	Soma City	18 April, 2012	Littlemouth flounder (<i>Pleuronectes herzensteini</i>)	Not detectable (<7.3)	9.19	9.2
97	Shinchi Town	18 April, 2012	Marbled flounder (<i>Pleuronectes yokohamae</i>)	24.4	31.7	56
98	Soma City	19 April, 2012	Marbled flounder (<i>Pleuronectes yokohamae</i>)	19.5	30.7	50
99	Soma City	17 April, 2012	Pacific cod (<i>Gadus macrocephalus</i>)	Not detectable (<9.0)	Not detectable (<8.6)	Not detectable
100	Minami-soma City	17 April, 2012	Pacific cod (<i>Gadus macrocephalus</i>)	75.5	109	<u>180</u>
101	Soma City	18 April, 2012	Pacific cod (<i>Gadus macrocephalus</i>)	Not detectable (<7.7)	Not detectable (<6.1)	Not detectable
102	Soma City	17 April, 2012	Rikuzen flounder (<i>Dexistes rikuzenius</i>)	Not detectable (<10.0)	Not detectable (<8.5)	Not detectable
103	Soma City	17 April, 2012	Rikuzen flounder (<i>Dexistes rikuzenius</i>)	Not detectable (<8.9)	Not detectable (<8.2)	Not detectable
104	Minami-soma City	17 April, 2012	Rikuzen flounder (<i>Dexistes rikuzenius</i>)	Not detectable (<8.2)	10.1	10
105	Minami-soma City	17 April, 2012	Shotted halibut (<i>Eopsetta grigorjewi</i>)	Not detectable (<7.7)	Not detectable (<6.3)	Not detectable
106	Minami-soma City	17 April, 2012	Willowy flounder (<i>Tanakius kitaharai</i>)	12	14.6	27
107	Soma City	17 April, 2012	Hilgendorf's aucord (<i>Helicolenus hilgendorfi</i>)	Not detectable (<7.4)	Not detectable (<7.5)	Not detectable

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
108	Soma City	17 April, 2012	Horsehair crab (<i>Erimacrus isenbeckii</i>)	Not detectable (<6.6)	Not detectable (<7.7)	Not detectable
109	Soma City	17 April, 2012	Horsehair crab (<i>Erimacrus isenbeckii</i>)	Not detectable (<8.8)	Not detectable (<7.5)	Not detectable
110	Soma City	17 April, 2012	Japanese dwarf squid (<i>Loligo japonica</i>)	Not detectable (<9.0)	Not detectable (<7.3)	Not detectable
111	Minami-soma City	17 April, 2012	Japanese dwarf squid (<i>Loligo japonica</i>)	Not detectable (<8.7)	Not detectable (<8.9)	Not detectable
112	Shinchi Town	18 April, 2012	Sand crab (<i>Ovalipes punctatus</i>)	Not detectable (<7.7)	Not detectable (<8.2)	Not detectable
113	Soma City	17 April, 2012	Giant Pacific octopus (<i>Paroctopus dofleini</i>)	Not detectable (<10.0)	Not detectable (<7.8)	Not detectable
114	Soma City	17 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<8.1)	Not detectable (<8.2)	Not detectable
115	Soma City	17 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<7.9)	Not detectable (<7.4)	Not detectable
116	Minami-soma City	17 April, 2012	Chestnut octopus (<i>Octopus conispadiceus</i>)	Not detectable (<8.1)	Not detectable (<7.3)	Not detectable
117	Soma City	17 April, 2012	Japanese whelk (<i>Buccinum isaotakii</i>)	Not detectable (<7.4)	Not detectable (<6.3)	Not detectable
118	Soma City	17 April, 2012	Japanese whelk (<i>Buccinum isaotakii</i>)	Not detectable (<9.2)	Not detectable (<8.3)	Not detectable
119	Minami-soma City	17 April, 2012	Sea cucumber (<i>Parastichopus gripunctatus</i>)	Not detectable (<9.5)	Not detectable (<6.2)	Not detectable
120	Soma City	11 April, 2012	Green laver (farmed) (<i>Monostroma nitidum</i>)	Not detectable (<8.7)	Not detectable (<8.2)	Not detectable

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
121	Showa Village (Nojiri River) (The Agagawa River drainage system)	10 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	28.3	40.8	69
122	Kaneyama Town (Yamairi River) (The Agagawa River drainage system)	15 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	Not detectable (<9.9)	14.8	15
123	Tadami Town (Tagokura Lake)	15 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	Not detectable (<9.6)	Not detectable (<8.8)	Not detectable
124	Kaneyama Town (Tadami River) (The Agagawa River drainage system)	16 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	Not detectable (<7.6)	17	17
125	Minami-aizu Town (Aoyanagi-sawa, a tributary of the Inagawa River) (The Agagawa River drainage system)	16 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	24.2	31.4	56
126	Tadami Town (Shionomata River, a tributary of the Inagawa River) (The Agagawa River drainage system)	16 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	17.6	24	42

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
127	Hinoemata Village (Hinoemata River) (The Agagawa River drainage system)	18 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	Not detectable (<10.0)	11.7	12
128	Tadami Town (Tadami River) (The Agagawa River drainage system)	18 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	Not detectable (<8.4)	Not detectable (<7.6)	Not detectable
129	Kitakata City (Motokawa River, a tributary of the Ichinoto River) (The Agagawa River drainage system)	19 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	17	28.6	46
130	Minami-aizu Town (Kotaki River, a tributary of the Inagawa River) (The Agagawa River drainage system)	19 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	12.9	9.5	22
131	Yanaizu Town (Takitani River) (The Agagawa River drainage system)	20 April, 2012	Whitespotted char(wild) (<i>Salvelinus leucomaenis</i>)	30.8	53.5	84

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
132	Kitakata City (Miyako River, a tributary of the Ichinoto River) (The Agagawa River drainage system)	21 April, 2012	Whitespotted char(wild) <i>(Salvelinus leucomaenis)</i>	Not detectable (<7.7)	Not detectable (<6.6)	Not detectable
133	Aizu-wakamatsu City (Yukawa River) (The Agagawa River drainage system)	22 April, 2012	Whitespotted char(wild) <i>(Salvelinus leucomaenis)</i>	10.7	17.2	28
134	Kaneyama Town (Tadami River) (The Agagawa River drainage system)	16 April, 2012	Japanese dace(wild) <i>(Tribolodon hakonensis)</i>	15.1	22.3	37
135	Inawashiwo Town and Kita-shiobara Villagr (Akimoto Lake)	21 April, 2012	Japanese dace(wild) <i>(Tribolodon hakonensis)</i>	171	253	<u>420</u>
136	Inawashiwo Town and Kita-shiobara Villagr (Akimoto Lake)	21 April, 2012	Common carp(wild) <i>(Cyprinus carpio)</i>	78.9	112	<u>190</u>
137	Kaneyama Town (Numazawa Lake)	22 April, 2012	Kokanee(wild) <i>(Oncorhynchus nerka)</i>	68.6	104	<u>170</u>

No	Sampling site	Sampling date	Item	measurement		
				Cesium-134 (Bq/kg)	Cesium-137 (Bq/kg)	Total (Bq/kg)
138	Inawashiwo Town and Kita-shiobara Villagr (Akimoto Lake)	21 April, 2012	Silver crucian carp(wild) <i>(Carassius langsdorfii)</i>	109	151	<u>260</u>
139	Tadami Town (Tagokura Lake)	15 April, 2012	Land-locked salmon(wild) <i>(Oncorhynchus masou)</i>	Not detectable (<7.8)	8.02	8
140	Minami-aizu Town (Aoyanagi-sawa, a tributary of the Inagawa River) (The Agagawa River drainage system)	16 April, 2012	Land-locked salmon(wild) <i>(Oncorhynchus masou)</i>	21.9	42.4	64
141	Hinoemata Village (Hinoemata River) (The Agagawa River drainage system)	18 April, 2012	Land-locked salmon(wild) <i>(Oncorhynchus masou)</i>	Not detectable (<9.4)	10.8	11
142	Minami-aizu Town	18 April, 2012	Whitespotted char(farmed) <i>(Salvelinus leucomaenis)</i>	Not detectable (<8.0)	Not detectable (<6.8)	Not detectable
143	Kitakata City	18 April, 2012	Land-locked salmon(farmed) <i>(Oncorhynchus masou)</i>	Not detectable (<7.6)	Not detectable (<7.0)	Not detectable
144	Nihonmatsu City	22 April, 2012	Land-locked salmon(farmed) <i>(Oncorhynchus masou)</i>	10.1	13.7	24