

BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. XX (No. 951-1000)

January 20, 1989

HEPATICAE

951. *Balantiopsis cancellata* (NEES) STEPH.

Hedwigia, 32: 145 (1893).

CHILE: Fundo Purisima and vicinity, ca. 20 km S of Valdivia, Prov. Valdivia.

On moist bank in wet *Nothofagus dombeyi* forest; elevation about 100 m.

Coll. H. INOUE, November 17, 1987.

Det. H. INOUE

952. *Bazzania peruviana* (NEES) TREV.

Mem. Real. Istit. Lombardo, ser. 3, 4: 414 (1877).

CHILE: Fundo Prisima and vicinity, ca. 20 km S of Valdivia, Prov. Valdivia.

On decaying woods in wet *Nothofagus dombeyi* forest; elevation about 100 m.

Coll. H. INOUE, November 17, 1987.

Det. H. INOUE

953. *Bazzania tridens* (REINW., BL. ET NEES) TREV.

Mem. Real. Istit. Lombardo, ser. 3, 4: 415 (1877).

JAPAN: Kinsakubara National Forest, Amami-Ohshima, Kagoshima Pref.

On moist rock along stream; elevation about 250 m.

Coll. H. INOUE, December 1, 1988

Det. H. INOUE

954. *Cylindrocolea recurvifolia* (STEPH.) INOUE

Journ. Jap. Bo., 47: 348 (1972).

JAPAN: Oto National Forest, Hongu-cho, Wakayama Pref.

On wet rock along stream; elevation about 300 m.

Coll. T. KODAMA, July 26, 1972

Det. H. INOUE

955. *Conocephalum japonicum* (THUNBG.) GROLLE

Journ. Hattori Bot. Lab., 55: 501 (1984).

JAPAN: Higashi, Kunitachi-shi, Tokyo.

On moist soil in shaded place; elevation about 50 m.; with gemmae and young female receptacles.

Coll. H. INOUE, October 30, 1988

Det. H. INOUE

956. *Isotachis humectata* (TAYL.) STEPH.

Spec. Hepat., 3: 654 (1909).

CHILE: Between Refugio Antillanca and Hotel Termas de Puyehue, Parque Nacional Puyehue, Prov. Osorno.

On moist bank in *Nothofagus* forest; elevation about 800 m.

Coll. H. INOUE, November 24, 1987.

Det. H. INOUE

957. *Jensenia erythropus* (GOTT.) GROLLE

Rev. Bryol. Lichenol., 33: 228 (1964).

CHILE: Between Refugio Antillanca and Hotel Termas de Puyehue, Parque Nacional Puyehue, Prov. Osorno.

On moist bank in *Nothofagus* forest; elevation about 900 m.

Coll. H. INOUE, November 24, 1987.

Det. H. INOUE

958. *Jungermannia japonica* AMAKAWA

Journ. Hattori Bot. Lab., 22: 41 (1960).

JAPAN: Jodogahama, Miyako-shi, Iwate Pref.

On moist soil along bank; elevation about 40 m.

Coll. M. MIZUTANI, October 5, 1973 (No. 4021).

Det. M. MIZUTANI

959. *Lejeunea parva* (HATT.) MIZUTANI

Misc. Bryol. Lichenol., 5: 178 (1971).

JAPAN: Around Biwadaki Fall, Mt. Takao, Tokyo.

On moist rock along stream; elevation about 300 m.

Coll. H. INOUE, March 27, 1988.

Det. H. INOUE

960. *Marchantia paleacea* BERTOL. var. *diptera* (MONT.) HATT.

Journ. Hattori Bot. Lab., 18: 79 (1957).

JAPAN: Kunesugawa, Tasuo-cho, Nei-gun, Toyama Pref.

On moist rock along stream; elevation about 500 m.

Coll. M. MIZUTANI, July 30, 1974.

Det. M. MIZUTANI

961. *Metzgeria conjugata* LINDB.

Acta Soc. Sci. Fenn., 10: 495 (1875).

FRANCE: Dép. Vosges, Le Saut du Bouchout near Sapois.

On vertical granite rocks in shaded place; elevation about 500 m.

Coll. J.-P. FRAHM, August 16, 1987.

Det. J.-P. FRAHM

962. *Monosolenium tenerum* GRIFF.

Not. Pl. Asiat., 2: 341 (1849).

JAPAN: Oji-cho, Kitakatsuragi-gun, Nara Pref.

On moist soil in garden; elevation about 10 m.

Coll. H. DEGUCHI, Ocotober 15, 1987.

Det. H. INOUE

963. *Nipponolejeunea subalpina* (HORIK.) HATT.

Bull. Tokyo Sci. Mus., 11: 125 (1944).

JAPAN: Mt. Misen, Nara Pref.

On bark of *Abies mariesii*; elevation about 1800 m.

Coll. T. KODAMA, May 3, 1969.

Det. H. INOUE

964. *Pallavicinia subciliata* (AUST.) STEPH.

Spec. Hepat., 1: 313 (1900).

JAPAN: Between Kosugidani and Gentankubo, Isl. Yakushima, Kagoshima Pref.

On we rock along stream, with *Jungermannia* sp. etc.; elevation about 700 m.

Coll. N. TAKAKI & M. MIZUTANI, September 7, 1968.

Det. H. INOUE

965. *Plagiochila arbuscula* (BRID. ex LEHM. et LINDBG.) LNDBG.

Spec. Hepat., 1-5: 23 (1839).

JAPAN: Mt. Yuwan, Amami-Ohshima, Kagoshima Pref.

On tree trunks; elevation about 600 m.

Coll. H. INOUE, December 1, 1988.

Det. H. INOUE

966. *Plagiochila duricaulis* (TAYL.) HOOK. et TAYL.

In GOTT., LINDB. et NEES, Syn. Hepat.: 641 (1847).

CHILE: Between Refugio Antillanca and Hotel Termas de Puyehue, Parque Nacional Puyehue, Prov. Osorno.

On moist rock in *Nothofagus* forest; elevation about 800 m.

Coll. H. INOUE, November 24, 1987.

Det. H. INOUE

967. *Plagiochila elata* TAYL.

London Journ. Bot. 5: 529 (1846).

CHILE: Parque Nacional Nahuelbuta, about 35 km W of Angol, Prov. Malleco.

On moist, vertical granite cliff in *Araucaria* forest; elevation about 1200 m.

Coll. H. INOUE, December 1, 1987.

Det. H. INOUE

968. *Plagiochila fruticosa* MITT.

Journ. Proc. Linn. Soc. London, Bot., 5: 94 (1861).

JAPAN: Kaikawa-dani, Kaminaka-cho, Naka-gun, Tokushima Pref.

On moist rock along stream; elevation about 500 m.

Coll. T. KODAMA, March 30, 1973.

Det. H. INOUE

969. *Plagiochila micropterys* GOTTF.

Ann. Sci. Nat. Paris, ser. 5, 1: 107 (1864).

PERU: Between Marcapata and Achubamba, Prov. Quispicanchis.

On moist rocks along trail in wet forest; elevation about 2600 m.

Coll. H. INOUE, September 13, 1984.

Det. H. INOUE

970. *Porella chilensis* (LEHM. et LINDBG.) TREV.

Mem. Real. Istit. Lombardo, ser. 3, 4: 407 (1877).

CHILE: Fundo Purisima and vicinity, ca. 20 km S of Valdivia, Prov. Valdivia.

On bark in *Nothofagus dombeyi* forest; elevation about 100 m.

Coll. H. INOUE, November 17, 1987.

Det. H. INOUE

971. *Porella japonica* (S. LAC.) MITT.

Trans. Linn. Soc. London, Bot. ser. 2, 3: 202 (1891).

JAPAN: Around Biwadaki Fall, Mt. Takao, Tokyo.

On moist rock along trail in shaded place; elevation about 400 m.

Coll. H. INOUE, March 27, 1987.

Det. H. INOUE

972. *Porella vernicosa* LINDB.

Acta Soc. Sci. Fenn., 10: 223 (1872).

JAPAN: Kiyose, Iidaka-cho, Iinan-gun, Mie Pref.

On rock along trail; elevation about 500 m.

Coll. K. YAMADA, October 3, 1987.

Det. K. YAMADA

973. *Ricciocarpus natans* (L.) CORDA

In Opiz, Beitr. z. Naturg., 12: 651 (1829).

JAPAN: Miyama-cho, Kitakuwata-gun, Kyoto Pref.

On wet soil in paddy field; elevation about 300 m.

Coll. T. KODAMA, September 22, 1968.

Det. H. INOUE

974. *Thysananthus aculeatus* HERZ.

Ann. Bryol., 4: 89 (1931).

JAPAN: Upper stream of Kawauchi River, Amami-Ohshima, Kagoshima Pref.

On moist rock along stream; elevation about 200 m.

Coll. H. INOUE, December 1, 1988.

Det. H. INOUE

975. *Trichocolea tomentella* (EHRH.) DUM.

Sylloge Jungerm. Europ. Indig., Tournay: 67 (1831).

JAPAN: Upper stream of Kawauchi River, Amami-Ohshima, Kagoshima Pref.

On moist rock along stream; elevation about 200 m.

Coll. H. INOUE, December 1, 1988.

Det. H. INOUE

MUSCI

976. *Anacolia intertexta* (BESCH.) PAR.

Ind. Bryol.: 27 (1894).

PERU: Around Huilki, between Cuzco and Limatambo, Prov. Anta.

On rather dry limestone outcrop; elevation about 3500 m.

Coll. H. INOUE, September 9, 1984.

Det. H. DEGUCHI

977. *Andreaea papillosa* LINDB.

Oefv. K. Vet. Ak. Foerh., 23: 557 (1866).

NORWAY: 1.5 km SE of Ny-Ålesund, Kongsfjorden, Spitsbergen, Isls. Svalbard.

On gravels; elevation 0–10 m.

Coll. H. DEGUCHI, July 19, 1985.

Det. H. DEGUCHI

978. *Bryonoguchia molkenboeri* (S. LAC.) IWATS. et INOUE

Misc. Bryol. Lichenol., 5: 107 (1970).

JAPAN: Aokigahara National Forest, northern slope of Mt. Fuji, Yamanashi Pref.

On moist rock in wet forest; elevation about 1200 m.

Coll. H. INOUE, October 2, 1988.

Det. H. DEGUCHI

979. *Calliergon obtusifolium* KAR CZ.

Rev. Bryol. Lichenol., 34: 762 (1966).

NORWAY: Around Ny-Ålesund, Kongsfjorden, Spitsbergen, Isls. Svalbard.

In damp grassland; elevation 0–20 m.

Coll. H. DEGUCHI, July 18, 1985.

Det. H. KANDA

980. *Campylopus exasperatus* (NEES et BL.) BRID.

Bryol. Univ., 1: 473 (1826).

PAPUA NEW GUINEA: Mt. Giluwe, Southern Highlands.

On moist soil in subalpine grassland; elevation 3400 m.

Coll. H. STREIMANN & P. GARIN, September 12, 1982.

Det. J.-P. FRAHM

981. *Campylopus umbellatum* (ARN.) PAR.

Ind. Bryol.: 264 (1894).

PAPUA NEW GUINEA: Onim Forestry Station, 14 km NNW of Ialibu, Southern Highlands.

On moist, bare soil in grassland; elevation 2200 m.

Coll. H. STREIMANN, September 16, 1982.

Det. J.-P. FRAHM

982. *Dicranodontium denudatum* (BRID.) BRITT. in WILLIAMS

North Amer. Fl., 15: 153 (1913).

JAPAN: Aokigahara National Forest, northern slope of Mt. Fuji, Yamanashi Pref.

On rotten wood in *Tsuga diversifolia* forest; elevation 1200 m.

Coll. H. INOUE, October 2, 1988.

Det. H. DEGUCHI

983. *Dicranodontium fleischerianum* SCHULTZE-MOTEL

Taxon, 12: 127 (1963).

MALAYSIA: Mt. Kinabalu National Park, Sabah, Borneo.

On bank along summit trail in mossy forest; elevation 2100 m.

Coll. J.-P. FRAHM, August 22, 1986.

Det. J.-P. FRAHM

984. *Dicranoweisia crispula* (HEDW.) MILE

Bryol. Siles.: 49 (1869).

NORWAY: Bohemanflya, Spitsbergen, Isls. Svalbard.

On moist bank; elevation about 150 m.

Coll. H. DEGUCHI, July 30, 1985.

Det. H. DEGUCHI

985. *Didymodon rigidulus* HEDW.

Spec. Musc.: 104 (1801).

JAPAN: Around Nippara, Nishitama-gun, Tokyo.

On calcareous rocks along trail; elevation about 400 m.

Coll. H. INOUE, April 16, 1988.

Det. H. DEGUCHI

986. *Ditrichum spinulosum* DIX.

Journ. Linn. Soc. Bot., 50: 67 (1935).

MALAYSIA: Kinabalu National Park, Sabah, Borneo.

On soil in subalpine *Rhododendron* forest; elevation 3350 m.

Coll. J.-P. FRAHM, August 28, 1986.

Det. J.-P. FRAHM

987. *Eustichia poeppigii* (C. MUELL.) PAR.

Ind. Bryol. Suppl.: 153 (1900).

CHILE: Between Pt. Varas and Ensenada, Prov. Llanquihue.

On moist rocky cliff; elevation about 100 m.

Coll. H. DEGUCHI, November 6, 1981.

Det. H. DEGUCHI

988. *Hylocomium brevirostre* (BRID.) B. S. G. var. *cavifolium* (S. LAC.) NOG.

Journ. Jap. Bot., 36: 117 (1961).

JAPAN: Aokigahara National Forest, northern slope of Mt. Fuji, Yamanashi Pref.

On decaying wood in mixed forest; elevation about 1100 m.

Coll. H. INOUE, October 2, 1988.

Det. H. DEGUCHI

989. *Hylocomium splendens* (HEDW.) B. S. G.

Bryol. Eur., 5: 173 (1852).

NORWAY: Ca. 1.5 km SW of Ny-Ålesund, Kongsfjorden, Spitsbergen, Isls. Svalbard.

On humus in tundra; elevation about 50 m.

Coll. H. DEGUCHI, July 23, 1985.

Det. H. DEGUCHI

980. *Hypnum calcicolum* ANDO

Journ. Sci. Hiroshima Univ. ser. B, div. 2, 8: 167 (1958).

JAPAN: Around Nippara, Nishitama-gun, Tokyo.

On rather dry limestone cliff; elevation about 400 m.

Coll. H. INOUE, April 16, 1988.

Det. H. DEGUCHI

991. *Orthothecium chryseon* (SCHWAEGR.) B. S. G.

Bryol. Eur., 5: 107 (1851).

NORWAY: Ca. 3 km NW of Ny-Ålesund, Kongsfjorden, Spitsbergen, Isls. Svalbard.

On sandy soil in tundra; elevation 0–50 m.

Coll. H. DEGUCHI, July 20, 1985.

Det. H. DEGUCHI

992. *Philonotis tomentella* Mol. in LOR

Moosstud.: 170 (1864).

NORWAY: 1.5 km SE of Ny-Ålesund, Kongsfjorden, Spitsbergen, Isls. Svalbard.

On moist soil in tundra; elevation 0–10 m.

Coll. H. DEGUCHI, July 19, 1985

Det. H. DEGUCHI

993. *Physcomitrium patens* (HEDW.) B. S. G. subsp. *californica* (CRUM et ANDERSON) TAN

Journ. Hattori Bot. Lab., 46: 335 (1979).

JAPAN: Saburoike, Mitani-cho, Takamatsu-shi, Kagawa Pref.

On clay soil in dried pond; elevation about 30 m.

Coll. H. DEGUCHI, January 29, 1988.

Det. H. DEGUCHI

- 994. *Ptychomnion cygnisetum* (C. MUELL.) KINDB.**
 Enum. Bryin. Exot.: 31 (1888).
 CHILE: Ensenada, south of Volcan Osorno, Prov. Llanquihue.
 On humus in *Nothofagus* fores; elevation about 100 m.
 Coll. H. DEGUCHI, November 6, 1981. Det. H. DEGUCHI
- 995. *Racomitrium heterostichum* (HEDW.) BRID.**
 Mant. Musc.: 79 (1819).
 FRANCE: Dép. Vosges, between Grand Ventron and Lac de Wildenstein.
 On exposed vertical granite rocks, with *Racomitrium aquaticum*; elevation about 900 m.
 Coll. J.-P. FRAHM, August 21, 1987. Det. J.-P. FRAHM
- 996. *Sanionia uncinata* (HEDW.) LOESKE**
Hedwigia, 46: 309 (1907).
 NORWAY: Near Ny-Ålesund, Kongsfjorden, Spitsbergen, Isls. Svalbard.
 On damp grassland; elevation 0-20 m.
 Coll. H. DEGUCHI, July 18, 1985. Det. H. KANDA
- 997. *Sphagnum girgensohnii* Russ.**
 Arch. Naturk. Livil. Ehstl. ser. 2, 7: 124 (1865).
 U. S. A.: Around Point Barrow, Alaska.
 On damp humus in tundra; elevation about 10 m.
 Coll. H. INOUE, June 19, 1973. Det. H. DEGUCHI
- 998. *Sphagnum junghunianum* Dozy et MOLK.**
 Bryol. Jav., 1: 27 (1854).
 MALAYSIA: Kinabalu National Park, Sabah, Borneo.
 On humus in mossy forest; elevation about 3000 m.
 Coll. T. SATO, May 24, 1981. Det. H. DEGUCHI
- 999. *Sphagnum subsecundum* NEES in STURM**
 Deutschl. Fl., 2(17): 3 (1819).
 FRANCE: Dép. Vosges, Flachmoor und der route de Forts zwischen La Montagne und Le Val d'Ajol.
 On damp humus with *Carex panicea*, etc.; elevation about 750 m.
 Coll. J.-P. FRAHM, June 1, 1985. Det. J. P. FRAHM
- 1000. *Sphagnum warnstorffii* Russ**
 Spitzungsber. Naturf. Ges. Dorpat, 8: 315 (1888).
 NORWAY: Bohemanflya, Spitsbergen, Isls. Svalbard.
 On moist humus in tundra; elevation about 100 m.
 Coll. H. DEGUCHI, Aug. 3, 1985. Det. H. DEGUCHI