

# BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. II (no. 51-100)

March 30, 1971

## HEPATICAE

51. **Bazzania pompeana** (S. LAC.) MITT.  
Trans. Linn. Soc. London ser. 2, 3: 200 (1891).  
JAPAN: Mt. Kiyosumi, Chiba Pref.  
On humus in the evergreen forest; elevation about 150 m.  
Coll. H. INOUE, Oct. 2, 1969 Det. H. INOUE
52. **Bazzania trilobata** (L.) GRAY  
Nat. Arr. Brit. Pl. 1: 704 (1821).  
JAPAN: Mt. Gozenyama, Hagiwara-cho, Gifu Pref.  
On trunk base of *Chamaecyparis obtusa*; elevation 1400-1500 m.  
Coll. K. YAMADA, Aug. 6, 1970 Det. H. INOUE
53. **Bazzania yoshinagana** (STEPH.) STEPH. ex YASUDA  
Syokubutsu-gaku Kakuron, Inka-bu: 711 (1911).  
JAPAN: Mt. Tsurugi, Tokushima Pref., Shikoku.  
On humus in dense forest of *Tsuga* sp.  
Coll. H. INOUE, July 20, 1954. Det. H. INOUE
54. **Calypogeia granulata** INOUE  
Journ. Jap. Bot. 43: 468 (1968).  
JAPAN: Kuroyama, Iruma-gun, Saitama Pref. (Type locality).  
On very moist rocks near stream; elevation about 500 m.  
Coll. H. INOUE, March 7, 1970. Det. H. INOUE
55. **Cavicularia densa** STEPH.  
Bull. Herb. Boissier 5: 87 (1897).  
JAPAN: Mt. Kiyosumi, Chiba Pref.  
On moist bank along stream; elevation about 100 m.  
Coll. H. INOUE, Oct. 2, 1969. Det. H. INOUE
56. **Chiastocaulon dendroides** (LINDENBG.) CARL  
Flora 126: 59 (1932).  
TAIWAN: Tai-Yuen-Shan, Ilan-Hsien.  
On bark in mossy forest; elevation 2000-2200 m.  
Coll. H. INOUE, March 7, 1967. Det. H. INOUE
57. **Cololejeunea formosana** MIZUTANI  
Journ. Hattori Bot. Lab. 24: 250 (1951).  
JAPAN: Sumiyo, Amami Isl., the Ryukyu Islands.  
On living leaves of *Diplazium* sp.; elevation about 50 m.; often associated with *Leptolejeunea elliptica*.  
Coll. K. SAITO, April 3, 1970. Det. H. INOUE

58. **Cololejeunea subminutilobula** MIZUTANI  
 Journ. Hattori Bot. Lab. 24: 282 (1964).  
 JAPAN: Between Mt. Chibusa and Mt. Sekimon, Hahajima Isl., the Bonin Islands.  
 On living leaves of *Angiopteris evecta*, in dense forest of *Ardisia sieboldii*—*Eugenia*  
 sp.—*Diplazium* sp.; elevation 400 m.  
 Coll. H. INOUE, July 15, 1969. Det. H. INOUE
59. **Dendroceros tubercularis** HATT.  
 Bot. Mag. Tokyo 58: 6 (1944).  
 JAPAN: Mt. Chibusa, Hahajima Isl., the Bonin Islands.  
 On trunk of *Cyathea mertensiana*; elevation about 400 m.  
 Coll. H. INOUE, July 14, 1969. Det. H. INOUE
60. **Gottschelia schizophleura** (SPRUCE) GROLLE  
 Journ. Hattori Bot. Lab. 31: 16 (1968).  
 MALAYA: Gunong Brinchang, Cameron Highlands, Prov. Pahang.  
 On moist bank along trail in mossy forest; elevation about 6000 feet.  
 Coll. H. INOUE, Oct. 15, 1966. Det. H. INOUE
61. **Jensenia decipiens** (MITT.) GROLLE  
 Rev. Bryol. Lichenol. 33: 228 (1964).  
 CEYLON: Moon Plane, Nuwara Eliya.  
 On moist bank around grass land; elevation about 6000 feet.  
 Coll. H. INOUE, March 8, 1966. Det. H. INOUE
62. **Kurzia makinoana** (STEPH.) GROLLE  
 Rev. Bryol. Lichenol. 32: 171 (1963).  
 JAPAN: Mt. Iwaya, Mimido, Ehime Pref. Shikoku.  
 On trunk of *Cryptomeria japonica*; elevation about 400 m.  
 Coll. H. INOUE, Oct. 21, 1970. Det. H. INOUE
63. **Lejeunea boninensis** HORIK.  
 Journ. Sci. Hiroshima Univ. ser. b, 2, 1: 24 (1931).  
 JAPAN: Mt. Chibusa, Hahajima Isl., the Bonin Islands.  
 On tree-trunk in dense forest of *Ardisia sieboldii*—*Eugenia* sp.; elevation about 400 m.  
 Coll. H. INOUE, July 14, 1969. Det. H. INOUE
64. **Lepicolea lorianae** STEPH.  
 Spec. Hepat. 6: 363 (1922).  
 MALAYA: Forest Reserve, northwest of Brinchang, Cameron Highlands, Prov. Pahang.  
 On bark in mossy forest; elevation about 5000 feet.  
 Coll. H. INOUE, Oct. 14, 1966. Det. H. INOUE
65. **Lepicolea yakusimensis** (HATT.) HATT.  
 Journ. Hattori Bot. Lab. 10: 42 (1953).  
 MALAYA: Gunong Brinchang, Cameron Highlands, Prov. Pahang.  
 On bark in mossy forest; elevation about 6600 feet; associated with *Bazzania* sp.,  
*Herberta* sp., *Anastrophyllum* sp., and mosses.  
 Coll. H. INOUE, Oct. 15, 1966. Det. H. INOUE
66. **Macrodiplophyllum plicatum** (LINDB.) PERSS.  
 Svensk Bot. Tidskr. 43: 507 (1949).  
 JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido.  
 On humus in shrubby forest of *Betula ermanii*—*Pinus pumila*; elevation about 1600 m.  
 Coll. H. INOUE, July 27, 1970. Det. H. INOUE

67. **Plagiochila chinensis** STEPH.  
 Mem. Soc. Nat. Cherb. 29: 223 (1894).  
 TAIWAN: Mt. Ali, Chia-Yi-Hsien.  
 On humus; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. H. INOUE
68. **Plagiochila ovalifolia** MITT.  
 Trans. Linn. Soc. London ser. 2, 3: 193 (1891).  
 JAPAN: E. foot of Mt. Rakkodake, Hidaka Mts., Hokkaido.  
 On moist rocks in temperate, broad-leaved forest; elevation 200-400 m.  
 Coll. H. INOUE, July 30, 1970. Det. H. INOUE
69. **Plagiochila semidecurrens** (LEHM. et LINDENBG.) LEHM. et LINDENBG.  
 in LINDENBG., Spec. Hepat.: 142 (1844).  
 TAIWAN: Tai-Yuen-Shan, Ilan-Hsien.  
 On bark in mossy forest; elevation about 2200 m.  
 Coll. H. INOUE, March 7, 1967. Det. H. INOUE
70. **Porella fauriei** (STEPH.) HATT.  
 Journ. Jap. Bot. 20: 109 (1944).  
 JAPAN: Petegaribetsu Valley, SW. foot of Mt. Petegari, Hidaka Mts., Hokkaido.  
 On bark in dense forest of *Acer* sp.—*Ulnus* sp.—*Tilia* sp.; elevation about 400 m.  
 Coll. H. INOUE, July 28, 1970. Det. H. INOUE
71. **Ptychauthus striatus** (LEHM. et LINDENBG.) NEES  
 Naturg. Eur. Leberm. 3: 212 (1838).  
 TAIWAN: Mt. Ali, Chia-Yi-Hsien.  
 On bark in mossy forest; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. H. INOUE
72. **Riccardia sinuata** (DICKS.) TREV.  
 Mem. R. Instit. Lombardo Sci. Lett. Cl. Sci. Math. Nat. ser. 3, 4: 431 (1877).  
 JAPAN: Mt. Chibusu, Hahajima Isl., the Bonin Islands.  
 On decaying logs; elevation about 350 m.  
 Coll. H. INOUE, July 14, 1969. Det. H. INOUE
73. **Schiffneria hyalina** STEPH.  
 Oest. Bot. Zeitsch. 44: 1 (1894).  
 JAPAN: Mt. Iwaya, Mimido, Ehime Pref., Shikoku.  
 On trunk of *Cryptomeria japonica*; elevation about 400 m.  
 Coll. H. INOUE, Oct. 21, 1970. Det. H. INOUE
74. **Szygiella subintegerrima** (REINW., BL. et NEES) SPRUCE  
 Journ. Bot. 30: 362 (1895).  
 MALAYA: Forest Reserve, northwest of Brinchang, Cameron Highlands, Prov. Pahang.  
 On humus in mossy forest; elevation about 5000 feet.  
 Coll. H. INOUE, Oct. 14, 1966. Det. H. INOUE
75. **Trichocolea tomentella** (EHER.) DUM.  
 Comm. Bot.: 113 (1822).  
 JAPAN: Mt. Hachijo-fuji, Hachijo Isl., the Idzu Islands.  
 On moist rock; elevation about 100 m.  
 Coll. S. KUROKAWA, March 12, 1970. Det. H. INOUE

## MUSCI

76. **Aerobryopsis longissima** (DOZ. ET MOLK.) FL.  
Hedwigia 44: 305 (1906).  
CEYLON: Between Rangala and Corbet's Gap, Central Province.  
On bark in reserved forest; elevation about 4000 feet.  
Coll. H. INOUE, March 7, 1966. Det. A. NOGUCHI
77. **Aerobryum speciosum** (DOZ. ET MOLK.) DOZ. ET MOLK.  
Ned. Kruidk. Arch. 2 (4): 279 (1851).  
JAPAN: Mt. Yuwan-dake, Amami Isl., the Ryukyu Islands.  
On tree-trunk; elevation about 600 m.  
Coll. K. SAITO, April 7, 1970. Det. Z. IWATSUKI
78. **Boulaya mittenii** (BROTH.) CARD.  
Rev. Bryol. 39: 2 (1912).  
JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido.  
On bark of *Betula ermanii*; elevation about 1400 m.  
Coll. H. INOUE, July 26, 1970. Det. Z. IWATSUKI
79. **Bryum truncorum** (BRID.) BRID.  
Mant. Musc.: 119 (1819).  
JAPAN: Near Sumiyo Water Power Plant, Sumiyo-mura, Isl. Amami-Oshima, the Ryukyu Islands.  
On moist rock at sunny place; elevation about 100 m.  
Coll. K. SAITO, April 3, 1970. Det. Z. IWATSUKI
80. **Bryum weigelii** SPRENG.  
Mant. Prim. Fl. Halens. Add.: 55 (1807).  
JAPAN: Mt. Nyugasa, Nagano Pref.  
On moist humus around *Sphagnum* bog; elevation about 1700 m.  
Coll. K. SAITO, Aug. 27, 1970. Det. Z. IWATSUKI
81. **Dawsonia longiseta** HAMP.  
Linnaea 30: 634 (1860).  
AUSTRALIA: Quarry Road, Toolangi, Healesville, Victoria.  
On clay bank in *Eucalyptus* forest.  
Coll. G. A. M. SCOTT, Sept. 15, 1970. Det. G. A. M. SCOTT
82. **Fissidens incrassatus** SULL. ET LESQ.  
Proc. Amer. Acad. Arts & Sci. 4: 276 (1895).  
JAPAN: Between Mt. Chibusa and Mt. Sekimon, Hahajima Isl., the Bonin Islands.  
On moist soil in dense forest of *Ardisia sieboldii*—*Eugenia* sp.; elevation 200–400 m.  
Coll. H. INOUE, July 15, 1969. Det. Z. IWATSUKI
83. **Floribundaria sparsa** (MITT.) BROTH.  
Nat. Pfl.-fam. 1 (3): 822 (1906).  
TAIWAN: Between Tuli-Shan and Hoping, Tai-Ping-Shan, Ilan Hsien.  
On bark in mossy forest; elevation about 2100 m.  
Coll. H. INOUE, March 6, 1967. Det. A. NOGUCHI
84. **Homaliodendron flabellatum** (SM.) FL.  
Hedwigia 45: 74 (1906).  
TAIWAN: Mt. Ali, Chia-Yi-Hsien.  
On moist rock in shaded place; elevation about 2300 m.  
Coll. H. INOUE, Oct. 28, 1966. Det. A. NOGUCHI

85. **Hypopterygium tenellum** C. MUELL.  
Bot. Zeit. 12: 557 (1854).  
JAPAN: Between Mt. Chibusa and Mt. Sekimon, Isl. Hahajima, the Bonin Islands. On moist soil in dense forest of *Ardisia sieboldii*—*Eugenia* sp.; elevation 200–400 m. Coll. H. INOUE, July 15, 1969. Det. Z. IWATSUKI
86. **Isothecium subdiversiforme** BROTH.  
Hedwigia 38: 237 (1899).  
JAPAN: Mt. Hachijo-fuji, Isl. Hachijo, the Idzu Islands. On tree trunk; elevation about 200 m. Coll. S. KUROKAWA, March 12, 1970. Det. Z. IWATSUKI
87. **Lesquereuxia robusta** LINDB.  
Act. Soc. Sci. Fenn. 10: 245 (1872).  
JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido. On bark of *Betula ermanii*; elevation about 1500 m. Coll. H. INOUE, July 27, 1970. Det. Z. IWATSUKI
88. **Leucobryum pulchrum** BROTH.  
Mitteil. Inst. Allg. Bot. Hamburg 7: 118 (1928).  
MALAYA: Gunong Jasas, Cameron Highlands, Prov. Pahang. On humus in mossy forest; elevation about 5000 feet. Coll. H. INOUE, Oct. 16, 1966. Det. A. NOGUCHI
89. **Neckeropsis obtusata** (MONT.) FL.  
In BROTHERUS, Nat. Pfl.-fam., ed. 2, 11: 187 (1925).  
JAPAN: Between Mt. Chibusa and Mt. Sekimon, Isl. Hahajima, the Bonin Islands. On tree trunk in dense forest of *Ardisia sieboldii*—*Eugenia* sp.; elevation 200–400 m. Coll. H. INOUE, July 15, 1969. Det. Z. IWATSUKI
90. **Philonotis socia** MITT.  
Journ. Linn. Soc. London, Bot. 8: 151 (1864).  
TAIWAN: Tai-Yuen-Shan, Ilan-Hsien. On moist bank in mossy forest; elevation 1000–2200 m. Coll. H. INOUE, March 7, 1967. Det. A. NOGUCHI
91. **Pleuroziopsis ruthenica** (WEINM.) KINDB. ex BRITT.  
Bryologist 9 (3): 39 (1906).  
JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido. On humus in *Betula ermanii*—*Sasa kurilensis* forest; elevation 1200–1400 m. Coll. H. INOUE, July 26, 1970. Det. Z. IWATSUKI
92. **Pogonatum inflexum** (LINDB.) LAC.  
Ann. Mus. Bot. Lugd. Bat. 4: 308 (1869).  
JAPAN: Petegaribetsu Valley, SW. foot of Mt. Petegari, Hidaka Mts., Hokkaido. On moist bank; elevation about 400 m. Coll. H. INOUE, July 28, 1970. Det. Z. IWATSUKI
93. **Pogonatum spinulosum** MITT.  
Journ. Linn. Soc. London, Bot. 8: 156 (1864).  
JAPAN: Mt. Kiyosumi, Chiba Pref. On moist bank along trail; elevation about 100 m. Coll. H. INOUE, Oct. 2, 1969. Det. Z. IWATSUKI

94. **Pseudobarbella kiushuensis** (BROTH.) NOGUCHI  
Journ. Hattori Bot. Lab. 2: 81 (1947).  
JAPAN: Nishi-nakama, Sumiyo-mura, Isl. Amami-Oshima, the Ryukyu Islands  
On branches of large tree; elevation about 100 m.  
Coll. K. SAITO, April 3, 1970. Det. Z. IWATSUKI
95. **Pterobryopsis frondosa** (MITT.) FL.  
Hedwigia 45: 60 (1905).  
CEYLON: Hakgala Botanic Gardens, Nuwara Eliya.  
On bark; elevation about 6100 feet.  
Coll. H. INOUE, March 7, 1966. Det. A. NOGUCHI
96. **Ptilium crista-castrensis** (HEDW.) DE NOT.  
Cronac. Briol. Ital. 2: 17 (1867).  
JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido.  
On humus in *Pinus pumila* forest; elevation about 1700 m.  
Coll. H. INOUE, July 28, 1970. Det. Z. IWATSUKI
97. **Rhacomitrium lanuginosum** (HEDW.) BRID.  
Mant. Musc.: 79 (1819).  
JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido.  
On humus in *Pinus pumila* forest; elevation about 1700 m.  
Coll. H. INOUE, July 27, 1970. Det. Z. IWATSUKI
98. **Rhizogonium spiniforme** (HEDW.) BRUCH  
In KRAUSS, Flora 29: 134 (1846).  
TAIWAN: Mt. Ali, Chi-Yi-Hsien.  
On humus in mossy forest; elevation about 2300 m.  
Coll. H. INOUE, Oct. 28, 1966. Det. A. NOGUCHI
99. **Sphagnum girgensohnii** RUSSOW  
Arch. Naturk. Livl. Ehstl. ser. 2, 7: 124 (1865).  
JAPAN: Karisaka Pass, Chichibu Mts., Saitama Pref.  
On humus in *Tsuga diversifolia* forest; elevation about 2000 m.  
Coll. M. TOGASHI, Aug. 21, 1970. Det. H. SUZUKI
100. **Sphagnum squarrosum** CROM  
In HOPP., Bot. Zeit. Regensburg 2: 324 (1803).  
JAPAN: Mt. Nyugasa, Nagano Pref.  
On moist humus in coniferous forest; elevation about 1700 m.  
Coll. K. SAITO, Aug. 21, 1970. Det. H. SUZUKI