

# BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. III (no. 101-150)

March 1, 1972

---

## HEPATICAE

101. **Balantiopsis diplophylla** (HOOK. & TAYL.) MITT.  
In HOOKER, Hand. New Zeal. Fl.:753 (1867).  
AUSTRALIA: Near Beauchamps Falls, Otways, Victoria.  
On clay roadside bank in *Pinus radiata* plantation.  
Coll. G.A.M. SCOTT, March 27, 1971. Det. G.A.M. SCOTT
102. **Cheilolejeunea ontakensis** (STEPH.) HATT.  
Misc. Bryol. Lichenol. 1 (14):(1957).  
JAPAN: Kumozu-dani, Naigu, Ise City, Mie Pref.  
On bark of *Pinus densiflora*; elevation about 30 m.  
coll. K. YAMADA, Feb. 11, 1971. Det. K. YAMADA; Ver. H. INOUE
103. **Conoscyphus trapezoides** (S. LAC.) MITT.  
In SEEMAN, Fl. Vitiensis:404 (1871).  
MALAYA: Gunong Jasar, Cameron Highlands, Prov. Pahang.  
On tree trunk in mossy forest; elevation about 5000 feet.  
Coll. H. INOUE, Oct. 16, 1966. Det. H. INOUE
104. **Frullania motoyana** STEPH.  
Spec. Hepat. 4:646 (1911).  
JAPAN: Uigo, Ohto-mura, Nishimuro-gun, Wakayama Pref.  
On bark of *Cryptomeria japonica*; elevation about 380 m.  
Coll. T. KODAMA, March 29, 1971. Det. T. KODAMA; Ver. H. INOUE
105. **Frullania serrata** GOTTF.  
In GOTTF., LINDBG. & NEES, Syn. Hepat.: 453 (1845).  
MALAYA: Forest Reserve, northwest of Brinchang, Cameron Highlands, Prov. Pahang.  
On bark in mossy forest; elevation about 5000 feet.  
Coll. H. INOUE, Oct. 14, 1966. Det. S. HATTORI
106. **Frullania tamarisci** (L.) DUM.  
Rec. Obs. Jungerm. Tournay: 13 (1835).  
JAPAN: Inohae, Nichinan, Miyazaki Pref.  
On moist rocks; elevation about 300 m.  
Coll. Z. IWATSUKI, M. MIZUTANI & I. YOSHIMURA, March 5, 1971. Det. H. INOUE

107. **Heteroscyphus bescherellei** (STEPH.) HATT.  
 Bot. Mag. Tokyo 58:39 (1944).  
 TAIWAN: Mt. Ali, Chia-yi Hsien.  
 On humus; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. H. INOUE
108. **Isotachis japonica** STEPH.  
 Spec. Hepat. 3:652 (1909).  
 JAPAN: Mt. Mochiyomu-dake, Isl. Yakushima, Kagoshima Pref.  
 On moist rocks along trail; elevation about 600 m.  
 Coll. K. SAITO, March 25, 1971. Det. H. INOUE
109. **Lejeunea punctiformis** TAYLOR  
 In GOTT., LINDBG. & NEES, Syn. Hepat.: 767 (1847).  
 JAPAN: Mt. Asama, Ise City, Mie Pref.  
 On bark of *Chamaecyparis obtusa*; elevation about 500 m.  
 Coll. K. YAMADA, March 7, 1971. Det. K. YAMADA; Ver H. INOUE
110. **Lepidozia fauriana** STEPH.  
 Spec. Hepat. 3:631 (1908).  
 JAPAN: Mt. Mochiyomu-dake, Isl. Yakushima, Kagoshima Pref.  
 On moist rocks along trail; elevation about 600 m.  
 Coll. K. SAITO, March 25, 1971. Det. H. INOUE
111. **Lepidozia filamentosa** (LEHM. & LINDBG.) GOTT., LINDBG. & NEES subsp. *subtransversa* (STEPH.) HATT.  
 Journ. Hattori Bot. Lab. 29:269 (1966).  
 TAIWAN: Tai-yuen Shan, Ilan Hsien.  
 On humus in mossy forest; elevation about 2000 m.  
 Coll. H. INOUE, March 7, 1967. Det. H. INOUE
112. **Nardia subclavata** (STEPH.) AMAKAWA  
 Journ. Jap. Bot. 32:40 (1957).  
 JAPAN: Sakai Valley, Ohto-mura, Nishimuro-gun, Wakayama Pref.  
 On moist rock along trail; elevation about 350 m.  
 Coll. T. KODAMA, March 28, 1971. Det. T. KODAMA; Ver. H. INOUE
113. **Neotrichocolea bissetii** (MITT.) HATT.  
 Journ. Hattori Bot. Lab. 2:9 (1947).  
 JAPAN: Near Jumonji Pass, Chichibu Mts., Saitama Pref.  
 On moist rocks along small stream in the *Tsuga diversifolia* forest; elevation about 1600 m.  
 Coll. H. INOUE, May 25, 1971. Det. H. INOUE
114. **Odontoschisma grosseverrucosum** STEPH. var. *Iutescens* (HATT.) HATT.  
 Journ. Hattori Bot. Lab. 12:83 (1954).  
 Basionym: *Odontoschisma lutescens* HATT., Journ. Hattori Bot. Lab. 4:60 (1950).  
 JAPAN: Mt. Myojo-dake, Ambo, Isl. Yakushima, Kagoshima Pref.  
 On moist rock along stream; elevation about 300 m.  
 Coll. K. SAITO, March 25, 1971. Det. H. INOUE
115. **Plagiochila fruticosa** MITT.  
 Journ. Proc. Linn. Soc. London 5:94 (1861).  
 JAPAN: Uigo, Ohto-mura, Nishimuro-gun, Wakayama Pref.  
 On moist rock in shaded place; elevation about 380 m.  
 Coll. T. KODAMA, March 29, 1971. Det. T. KODAMA; Ver. H. INOUE

116. **Plagiochila hakkodensis** STEPH.  
 Bull. Herb. Boiss. 5:103 (1897).  
 JAPAN: Mt. Kurikoma, about 20 km south of Yonezawa, Yamagata Pref.  
 On bark, in temperate, broad-leaved forest; elevation about 800 m.  
 Coll. H. INOUE, Oct. 5, 1971. Det. H. INOUE
117. **Plagiochila magna** INOUE  
 Journ. Hattori Bot. Lab. 28:216 (1965).  
 JAPAN: Mt. Mitsumori-yama, Ohto-mura, Nishimuro-gun, Wakayama Pref.  
 On moist cliff of northern slope of mountain; elevation about 950 m.  
 Coll. T. KODAMA, March 26, 1971. Det. H. INOUE
118. **Plagiochila ovalifolia** MITT.  
 Trans. Linn. Soc. London, ser. 2, 3:193 (1891).  
 JAPAN: Mt. Iwaya, Mimido, Ehime Pref.  
 On moist rocks in *Cryptomeria* forest; elevation about 400 m.  
 Coll. H. INOUE, Oct. 21, 1970. Det. H. INOUE
119. **Plagiochila unialata** INOUE  
 Journ. Hattori Bot. Lab. 32:112 (1969).  
 TAIWAN: Between Tuli Shan and Hoping, Tai-Ping Shan, Ilan Hsien.  
 On moist rocks in mossy forest; elevation about 2100 m.  
 Coll. H. INOUE, March 6, 1967. Det. H. INOUE
120. **Pleurozia gigantea** (WEBER) LINDB.  
 Hepat. Scandina. exsicc. fasc. 1, no. 5 (1874).  
 MALAYA: Gunong Jasas, Cameron Highlands, Prov. Pahang.  
 On tree trunk in mossy forest; elevation about 5000 feet.  
 Coll. H. INOUE, Oct. 16, 1966. Det. H. INOUE
121. **Porella vernicosa** LINDB.  
 Acta Soc. Sci. Fenn. 10:223 (1872).  
 JAPAN: Dokura-dani, Osugi Valley, Miyakawa-mura, Taki-gun, Mie Pref.  
 On bark of *Cryptomeria japonica*; elevation about 900 m.  
 Coll. K. YAMADA, July 25, 1970. Det. K. YAMADA; Ver. H. INOUE
122. **Scapania maxima** HORIK.  
 Journ. Sci. Hiroshima Univ. ser. b, div. 2, 2:223 (1934).  
 TAIWAN: Mt. Ali, Chia-yi Hsien.  
 On humus in mossy forest; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. H. INOUE
123. **Scapania robusta** HORIK.  
 Journ. Sci. Hiroshima Univ. ser. b, div. 2, 1:124 (1932).  
 TAIWAN: Tai-yuen Shan, Ilan Hsien.  
 On humus in mossy forest; elevation about 2000 m.  
 Coll. H. INOUE, March 7, 1967. Det. H. INOUE
124. **Trichocolea tomentella** (EHRB.) DUM.  
 Comm. Bot.: 113 (1822).  
 TAIWAN: Taiyuen Shan, Ilan Hsien.  
 On moist rocks along trail; elevation about 2000 m.  
 Coll. H. INOUE, March 7, 1967. Det. H. INOUE

125. **Tuzibeanthus chinensis** (STEPH.) MIZUTANI  
 Journ. Hattori Bot. Lab. 24:151 (1961).  
 JAPAN: Naka-okugawa, Kawakami-mura, Yoshino-gun, Nara Pref.  
 On moist limestone rock; elevation about 500 m.  
 Coll. T. KODAMA, May 2, 1971. Det. T. KODAMA; Ver. H. INOUE

## MUSCI

126. **Acanthocladium tanytrichum** (MONT.) BROTH.  
 In PAR., Ind. Bryol. ed 2, 1:3 (1903).  
 MALAYA: Gunong Jasar, Cameron Highlands, Prov. Pahang.  
 On moist rocks in mossy forest; elevation about 5000 feet.  
 Coll. H. INOUE, Oct. 16, 1966. Det. A. NOGUCHI
127. **Brachythecium rivulare** B.S.G.  
 Bryol. Europ. 6:17 (1853).  
 JAPAN: Mt. Petegari, Hidaka Mts., Shizunai-gun, Hokkaido.  
 On moist rocks along stream in the temperate, broad-leaved forest; elevation about 500 m.  
 Coll. H. INOUE, July 25, 1970. Det. Z. IWATSUKI
128. **Campylopus richardii** BRID.  
 Mant. Musc.: 73 (1819).  
 MALAYA: Northwest of Brinchang, Cameron Highlands, Prov. Pahang.  
 On moist bank in mossy forest; elevation about 5000 feet.  
 Coll. H. INOUE, Oct. 14, 1966. Det. A. NOGUCHI
129. **Dicranella squarrosa** (STARK.) SCHIMP.  
 Syn. ed 1:71 (1860).  
 JAPAN: Daimyojin Valley, Sugadaira, Nagano Pref.  
 On moist soil along stream; elevation about 1400 m.  
 Coll. K. SAITO, Aug. 19, 1971. Det. Z. IWATSUKI
130. **Dicranoloma blumii** (NEES) PAR.  
 Ind. Bryol. ed 2, 2:25 (1904).  
 MALAYA: Gunong Brinchang, Cameron Highlands, Prov. Pahang.  
 On tree trunk in mossy forest; elevation about 6600 feet.  
 Coll. H. INOUE, Oct. 15, 1966. Det. A. NOGUCHI
131. **Dicranum japonicum** MITT.  
 Trans. Linn. Soc. Bot. ser. 2, 3:155 (1891).  
 JAPAN: Mt. Iwaya, Mimido, Ehime Pref., Shikoku.  
 On humus-covered rocks in the *Cryptomeria* forest; elevation about 400 m.  
 Coll. H. INOUE, Oct. 21, 1970. Det. Z. IWATSUKI
132. **Endotrichella elegans** (Doz. & MOLK.) FL.  
 In BROTH. Nat. Pfl.-fam. 1 (3):782 (1906).  
 JAPAN: Sumiyo-mura, Amami Isl., the Ryukyu Isl.,  
 On bark along stream; elevation about 200 m.  
 Coll. K. SAITO, April 6, 1970. Det. Z. IWATSUKI

133. **Heterophyllum haldanianum** (Grev.) Fl.  
Mnsci Fl. Buitenzorg 4:1177 (1923).  
JAPAN: Mt. Petegari, Hidaka Mts., Shizunai-gun, Hokkaido.  
On decaying logs along stream, in the temperate, broad-leaved forest; elevation  
about 400 m.  
Coll. H. INOUE, July 25, 1970. Det. Z. IWATSUKI
134. **Hylocomium splendens** (HEDW.) B.S.G.  
Bryol. Europ. 5:173 (1852).  
JAPAN: Near Jumonji Pass, Chichibu Mts., Saitama Pref.  
On humus in the *Tsuga diversifolia* forest; elevation about 1700 m.  
Coll. H. INOUE, May 25, 1971. Det. Z. IWATSUKI
135. **Leucobryum scabrum** Lac.  
Ann. Mus. Bot. Lugd. Bat. 2:292 (1866).  
JAPAN: Sumiyo-mura, Amami Isl., the Ryukyu Isls.  
On base of tree-trunk along stream; elevation about 200 m.  
Coll. K. SAITO, April 6, 1970. Det. Z. IWATSUKI
136. **Merceya ligulata** (SPR.) SCHIMP.  
Syn. ed 2:852 (1876).  
JAPAN: Nakatsugawa, Chichibu, Saitama Pref.  
On moist rock along stream; elevation about 700 m. alt.  
Coll. H. INOUE, May 27, 1971. Det. A. NOGUCHI
137. **Meteoriom miquelianum** (C. MULL.) FL.  
In BROTH., Nat. Pfl.-fam. 1(3):818 (1906).  
MALAYA: Northwest of Brinchang, Cameron Highlands, Prov. Pahang.  
On tree trunk in mossy forest; elevation about 5000 feet.  
Coll. H. INOUE, Oct. 14, 1966. Det. A. NOGUCHI
138. **Neckeropsis calcicola** NOGUCHI  
Journ. Hattori Bot. Lab. 16:124 (1956).  
JAPAN: Taishaku-kyo, Okayama Pref.  
On bark of *Acer* sp.; elevation about 400 m.  
Coll. K. SAITO, Oct. 26, 1971. Det. Z. IWATSUKI
139. **Pilotrichopsis dentata** (MITT.) BESCH.  
Journ. Bot. 13:38 (1899).  
TAIWAN: Mt. Ali, Chia-yi Hsien.  
On tree-trunk in open forest; elevation about 2300 m.  
Coll. H. INOUE, Oct. 28, 1966. Det. Z. IWATSUKI
140. **Plagiommium medium** (B.S.G.) KOPONEN  
Ann. Bot. Fenn. 5:146 (1968).  
JAPAN: Mt. Petegari, Hidaka Mts., Shizunai-gun, Hokkaido.  
On humus in the temperate broad-leaved forest; elevation about 500 m.  
Coll. H. INOUE, July 25, 1970. Det. T. KOPONEN
141. **Pogonatum spurio-cirratum** BROTH.  
Philipp. Journ. Sci. C. 5:150 (1910).  
MALAYA: Forest Reserve, Northwest of Brinchang, Cameron Highlands, Prov.  
Pahang.  
On moist bank in mossy forest; elevation about 5000 feet.  
Coll. H. INOUE, Oct. 14, 1966. Det. A. NOGUCHI

142. **Pterobryum arbuscula** MITT.  
 Trans. Linn. Soc. London ser. 2, 3:171 (1891).  
 JAPAN: Mt. Mochomu, Isl. Yakushima, Kagoshima Pref.  
 On tree trunk; elevation about 600 m.  
 Coll. K. SAITO, April 5, 1971. Det. Z. IWATSUKI
143. **Ptychomnion aciculare** (BRID.) MITT.  
 Journ. Linn. Soc. Bot. 12:536 (1869).  
 AUSTRALIA: Paradise, Apollo Bay, Victoria.  
 On branches of small trees overhanging stream in wet, sclerophyll forest.  
 Coll. G.A.M. SCOTT, March 25, 1971. Det. G.A.M. SCOTT
144. **Rhizogonium dozyanum** LAC.  
 Ann. Mus. Bot. Lugd. Bat. 2:295 (1866).  
 JAPAN: Mt. Yokogura, Ochi, Kochi Pref., Shikoku.  
 On moist humus; elevation about 800 m.  
 Coll. K. SAITO, Oct. 15, 1970. Det. Z. IWATSUKI
145. **Rhodobryum giganteum** (SCHWAEG.) PAR.  
 Ind. Bryol.: 1116 (1898).  
 JAPAN: Mt. Iwaya, Mimido, Ehime Pref., Shikoku.  
 On humus in the *Cryptomeria japonica* forest; elevation about 400 m.  
 Coll. H. INOUE, Oct. 2, 1970. Det. Z. IWATSUKI
146. **Schlottheimia rugulosa** NOGUCHI  
 Trans. Nat. Hist. Soc. Formosa 26:140 (1936).  
 TAIWAN: Tai-yuen Shan, Ilan Hsien,  
 On tree-trunk in mossy forest; elevation about 2200 m. alt.  
 Coll. H. INOUE, March 7, 1967. Det. Z. IWATSUKI
147. **Sphagnum junghuhnianum** DOZY & MOLK. subsp. **pseudomolle** (WARNST.) SUZUKI  
 Jap. Journ. Bot. 15:194 (1956).  
 TAIWAN: Mt. Ali, Chia-yi Hsien.  
 On humus; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. H. SUZUKI
148. **Sphagnum magellanicum** BRIDEL  
 Mus. Rec. 2 (1) 24 (1798).  
 TAIWAN: Tai-yuen Shan, Ilan Hsien.  
 On humus in mossy forest; elevation about 2200 m.  
 Coll. H. INOUE, March 7, 1967. Det. H. SUZUKI
149. **Timmiella anomala** (B.S.G.) LINPR.  
 Laubm. Deutschl. 1:592 (1888).  
 JAPAN: Osugi-mura, Kochi Pref., Shikoku.  
 On rocks covered with moist soil along small stream; elevation about 600 m.  
 Coll. K. SAITO, Oct. 11, 1970. Det. Z. IWATSUKI
150. **Vesicularia tamakii** BROTH.  
 Oefv. Finsk. Vet. Soc. Foerh. 62:49 (1921).  
 JAPAN: Between Mt. Chibusa and Mt. Sekimon, Isl. Hahajima, the Bonin Islands.  
 On moist rocks in the forest of *Ardisia sieboldii* — *Eugenia* sp.— *Diplazium* sp.;  
 elevation about 400 m.  
 Coll. H. INOUE, July 15, 1969. Det. Z. IWATSUKI