

# BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. VI (no. 251-300)

March 1, 1975

---

## HEPATICAE

251. **Anastrophyllum minutus** (CRANTZ) SCHUSTER  
Amer. Midl. Nat. 42: 576 (1949).  
U.S.A.: Near Point Barrow, Alaska.  
On humus in wet tundra; elevation about sea level.  
Coll. H. INOUE, June 19, 1973. Det. H. INOUE
252. **Cololejeunea raduliloba** STEPH.  
Hedwigia 34: 251 (1895).  
JAPAN: Isshochi, Kuma, Kumamoto Pref.  
On branches of shrubs, along small stream; elevation about 400 m.  
Coll. H. INOUE, Feb. 22, 1974. Det. H. INOUE
253. **Conocephalum supradecompositum** (LINDB.) STEPH.  
Bull. Herb. Boiss. 5: 82 (1897).  
JAPAN: Mt. Mitsuishi, Chiba Pref.  
On moist bank along stream; elevation about 100 m.  
Coll. H. INOUE, March 14, 1974 Det. H. INOUE
254. **Isotachis armata** (NEES) GOTT.  
Ann. Sci. Nat. Paris ser. 5, 1: 121 (1864).  
BORNEO: Between Carson's Camp and Radio Station, Mt. Kinabalu, Sabah.  
On moist rock at rather sunny place; elevation about 2400 m.  
Coll. T. KODAMA, March 22, 1974. Det. T. KODAMA; Ver. H. INOUE
255. **Jamesoniella flexicaulis** (NEES) SCHIFFN.  
Conspect. Hepat. Arch. Ind.: 78 (1898).  
BORNEO: Around new Hut, Mt. Kinabalu, Sabah.  
On trunk of *Phyllocladus hypophyllus*; elevation about 3100 m.  
Coll. T. KODAMA, March 22, 1974. Det. T. KODAMA; Ver. H. INOUE
256. **Jungermannia infusca** (MITT.) STEPH.  
Spec. Hepat. 2: 74 (1901).  
JAPAN: Northern slope of Mt. Kunimi, Ohsumi Penn., Kagoshima Pref.  
On moist bank along trail; elevation about 500 m.  
Coll. H. INOUE, Feb. 19, 1974. Det. H. INOUE
257. **Jungermannia virgata** (MITT.) STEPH.  
Spec. Hepat. 2: 66 (1901).  
JAPAN: Around Hetttsuka, Ohsumi Penn., Kagoshima Pref.  
On moist rock along small stream nearby sea coast.  
Coll. H. INOUE, Feb. 20, 1974. Det. H. INOUE

258. **Lepidozia hasskarliana** (LINDENBG.) STEPH.  
Spec. Hepat. 3: 614 (1909).  
BORNEO: Around Carson's Camp, Mt. Kinabalu, Sabah.  
On humus covering soil along trail; elevation about 2700 m.  
Coll. T. KODAMA, March 22, 1974. Det. T. KODAMA; Ver. H. INOUE
259. **Lepidozia wallisiana** STEPH.  
Spec. Hepat. 3: 573 (1909).  
COLOMBIA: Camino de Soatá al Alto de Onzaga, Boyacá.  
On humus; elevation about 2950 m.  
Coll. T. van der HAMMEN & R. JARAMILLO, Nov. 22, 1967. Det. M. FULFORD
260. **Myriocoleopsis puiggarii** SCHIFFN.  
Hedwigia 81: 234 (1942).  
BRAZIL: Fazenda Sanharao, Municipio de Barra do Turvo, Sao Paulo.  
On emerging rocks in the middle and edges of swifting stream.  
Coll. D.M. VITAL, July 5, 1973. Det. S.R. GRADSTEIN
261. **Plagiochila acanthophylla** GOTT. subsp. **japonica** (S. LAC.) INOUE.  
Journ. Hattori Bot. Lab. 25: 100 (1962).  
JAPAN: Around the Joren Fall, Mt. Amagi, Shizuoka Pref.  
On moist rock in evergreen forest; elevation about 400 m.  
Coll. H. INOUE Jan. 16, 1974. Det. H. INOUE
262. **Plagiochila deflexa** MONT. et GOTT.  
Ann. Sci. Nat. Paris ser. 4, 6: 192 (1856).  
HAWAIIAN ISLS.: Between Kahawainui and Ihiihi gulches, N. Koolau Mts., Oahu Isl.  
On damp, shaded banks near summit; elevation about 1900 feet.  
Coll. W. J. HOE, July 28, 1973. Det. H. INOUE
263. **Plagiochila gaudichaudii** MONT. et GOTT.  
Ann. Sci. Nat. Paris ser. 4, 6: 193 (1856).  
HAWAIIAN ISLS.: Puu Ohia Trail 76, S. Koolau Mts., Oahu Isl.  
On shaded wet mud bank, mixed with grasses; elevation 1700 feet.  
Coll. W. J. HOE, March 3, 1974. Det. H. INOUE
264. **Plagiochila gollanii** STEPH.  
Spec. Hepat. 2: 368 (1903).  
JAPAN: Kizawa-mura, Nasu-gun, Tokushima Pref.  
On limestone rocks; elevation about 500 m.  
Coll. T. KODAMA, March 30, 1973. Det. H. INOUE
265. **Porella japonica** (S. LAC.) MITT.  
Trans. Linn. Soc. London ser. 2, 3: 202 (1891).  
JAPAN: Isshochi, Kuma, Kumamoto Pref.  
On moist limestone cliff along stream; elevation about 500 m.  
Coll. H. INOUE, Feb. 22, 1974. Det. H. INOUE
266. **Porella oblongifolia** HATT.  
Journ. Jap. Bot. 19: 200 (1943).  
JAPAN: West Valley, Ohchigawa, Chichibu Mts., Saitama Pref.  
On tree-trunk along stream; elevation about 500 m.  
Coll. H. INOUE, April 23, 1974. Det. H. INOUE

267. **Porella perrottetiana** (MONT.) TREV.  
 Mem. Real. Istit. Lombardo ser. 3, 4: 408 (1877).  
 JAPAN: Isshochi, Kuma, Kumamoto Pref.  
 On limestone cliff along stream; elevation about 500 m.  
 Coll. H. INOUE, Feb. 22, 1974. Det. H. INOUE
268. **Radula kojana** STEPH.  
 Bull. Herb. Boiss. 5: 105 (1897).  
 JAPAN: Between Hetsuka and Setoguchi, Ohsumi Penn., Kagoshima Pref.  
 On moist rock, with *Kuzia makinoana*, etc.; elevation 400 m.  
 Coll. H. INOUE, Feb. 20, 1974. Det. H. INOUE
269. **Radula prolifera** ARN.  
 Ark. f. Bot. 13: 12 (1913).  
 U.S.A.: North West of the Cape Thompson Camp, Alaska.  
 On humus in wet tundra on north facing slope of calcareous hill; elevation about 100 m.  
 Coll. H. INOUE, July 6, 1973. Det. H. INOUE
270. **Riccardia chamedryfolia** (WITH.) GROLLE  
 Trans. British Bryol. Soc. 5 (4): 772 (1969).  
 JAPAN: The Joren Fall, Mt. Amagi, Shizuoka Pref.  
 On moist rock along stream; elevation about 400 m.  
 Coll. H. INOUE, Jan. 15, 1974. Det. H. INOUE
271. **Riccia curtisii** JAMES ex AUST.  
 Proc. Acad. Nat. Sci. Philadelphia 21: 231 (1869).  
 U.S.A.: North of Sanford, Lee County, North Carolina.  
 On soil in fallow, periodically grazed field.  
 Coll. N. G. MILLER, April 14, 1973. Det. N. G. MILLER
272. **Scapania ornithopodioides** (WITH.) PEARS.  
 Hepat. British Isl.: 219 (1900).  
 JAPAN: Honzawa-gawa, Kawakami-mura, Yoshino, Nara Pref.  
 On moist rock; elevation about 700 m.  
 Coll. N. KITAGAWA, Oct. 6, 1973. Det. N. KITAGAWA; Ver. H. INOUE
273. **Syzygiella anomala** (LINDENBG. et GOTT.) STEPH.  
 Spec. Hepat. 2: 190 (1902).  
 COSTARICA: Mt. Talamanca, Cerro de la Muerte, Prov. S. José.  
 On humus in humid site; elevation about 3325 m.  
 Coll. A. M. CLEEF, Aug. 21, 1973. Det. S. R. GRADSTEIN; Ver. H. INOUE
274. **Trichocolea tomentella** (EHER.) DUM.  
 Comm. Bot.: 113 (1822).  
 JAPAN: Yanase, Mazi-mura, Aki, Kochi Pref.  
 On moist rock; elevation about 600 m.  
 Coll. T. KODAMA, March 28, 1973. Det. T. KODAMA; Ver. H. INOUE
275. **Trocholejeunea sandvicensis** (GOTT.) MIZUTANI  
 Journ. Hattori Bot. Lab. 27: 31 (1964).  
 JAPAN: Northern slope of Mt. Kunimi, Ohsumi Penn., Kagoshima Pref.  
 On bark of *Quercus* sp. along small stream; elevation about 400 m.  
 Coll. H. INOUE, Feb. 19, 1974. Det. H. INOUE

## MUSCI

276. **Actinothuidium hookeri** (MITT.) BROTH.  
 Nat. Pfl.-fam. 1 (3): 1019 (1908).  
 NEPAL: East Nepal.  
 On soil in coniferous forest, side of a pond; elevation about 3600 m.  
 Coll. Z. IWATSUKI, June 19, 1972. Det. Z. IWATSUKI
277. **Aerobryidium filamentosum** (HOOK.) FL.  
 In BROTH., Nat. Pfl.-fam. 1 (3): 821 (1906).  
 NEPAL: Between Chauke and Dor, East Nepal.  
 On branches; elevation about 2600 m.  
 Coll. Z. IWATSUKI, July 6, 1972. Det. Z. IWATSUKI
278. **Anomodon longifolius** (BRID.) HARTM.  
 Handb. Skand. Fl. ed. 3: 300 (1838).  
 JAPAN: Kijimadaira, Shimotakai-gun, Nagano Pref.  
 On bark of *Fagus crenata*; elevation about 1400 m.  
 Coll. K. SAITO, Aug. 3, 1972. Det. Z. IWATSUKI
279. **Anomodon rugelii** (C. MUELL.) KESSL.  
 Ann. Naturh. Hofmus. Wien 15: 214 (1900).  
 JAPAN: Kijimadaira, Shimotakai-gun, Nagano Pref.  
 On bark of *Fagus crenata*; elevation about 1400 m.  
 Coll. K. SAITO, Aug. 3, 1972. Det. Z. IWATSUKI
280. **Atrichum ligulatum** (MITT.) MITT.  
 Journ. Linn. Soc. Bot. 4: 97 (1859).  
 AUSTRALIA: Sherbrooke Forest, Victoria.  
 On soil in wet sclerophyll forest;  
 Coll. G. R. HUNTER, Nov. 12, 1972. Det. G. A. M. SCOTT
281. **Bryonoguchia molkenboeri** (S. LAC.) IWATS. et INOUE  
 Misc. Bryol. Lichenol. 5: 107 (1970).  
 JAPAN: Beppirigai Valley, Mt. Petegari, Hidaka, Hokkaido.  
 On bark along stream; elevation about 600 m.  
 Coll. H. INOUE, July 30, 1970. Det. Z. IWATSUKI
282. **Cinclidium subrotundum** LINDB.  
 Bot. Nt. 1868: 72 (1868).  
 U.S.A.: North of Camp at Cape Thompson, Chukchi Sea, Alaska.  
 On humus in tundra along small stream; elevation about 80 m.  
 Coll. H. INOUE, July 5, 1973. Det. Z. IWATSUKI
283. **Climacium dendroides** (HEDW.) WEBER. et MOHR  
 Naturh. Reise Schweden: 96 (1804).  
 JAPAN: Mt. Rakko, Hidaka, Hokkaido.  
 On humus in the broad-leaved forest; elevation about 400 m.  
 Coll. H. INOUE, July 30, 1970. Det. Z. IWATSUKI
284. **Dichelyma japonicum** CARD.  
 Bull. Soc. Bot. Gen. ser. 2, 1: 132 (1909).  
 JAPAN: Kayanodaira, Kijima-mura, Shimotakai, Nagano Pref.  
 On moist rocks in *Fagus crenata* forest; elevation about 1400 m.  
 Coll. K. SAITO, Aug. 3, 1972. Det. Z. IWATSUKI

285. **Diphyscium involutum** MITT.  
 Journ. Linn. Soc. Bot. London, suppl. 1: 149 (1859).  
 JAPAN: Along the River Urauchi, Iriomote Isl, the Ryukyu Isls.  
 On moist rock; elevation about 100 m.  
 Coll. H. INOUE, Jan. 14, 1973. Det. Z. IWATSUKI
286. **Distichophyllum osterwaldii** FL.  
 Musci Fl. Buitenz. 3: 994 (1908).  
 JAPAN: Along the River Urauchi, Iriomote Isl., the Ryukyu Isls.  
 On moist rock; elevation about 100 m.  
 Coll. H. INOUE, Jan. 14, 1973. Det. Z. IWATSUKI
287. **Fissidens crumii** HOE  
 Bryologist 75: 84 (1972).  
 HAWAIIAN ISLS.: Condominium at 500, University Avenue, Honolulu, Isl. Oahu.  
 On bare, shady soil; elevation 5 feet.  
 Coll. W. J. HOE & L. E. BISHOP, Feb. 22, 1973. Det. W. J. HOE
288. **Fissidens japonicus** DOZ. et MOLK.  
 Pl. Jungh. 3: 313 (1854).  
 JAPAN: Along the River Urauchi, Iriomote Isl., the Ryukyu Isls.  
 On moist rock; elevation about 100 m.  
 Coll. H. INOUE, Jan. 14, 1973. Det. Z. IWATSUKI
289. **Meteorium helminthocladum** (C. MUELL.) FL.  
 Musci Fl. Buitenz. 3: 778 (1907).  
 JAPAN: Yasuda, Aki-gun, Kochi Pref.  
 On rock along trail; elevation about 300 m.  
 Coll. T. KODAMA, March 27, 1973. Det. Z. IWATSUKI
290. **Neckeropsis lepinea** (MONT.) FL.  
 Musci Fl. Buitenz. 3: 879 (1908).  
 HAWAIIAN ISLS.: North of Puu Kawiwi, Makaha Valley, Waianae Distr., N. Waianae  
 Mts., Isl. Oahu.  
 On sides of semishaded boulder; elevation about 2600 feet.  
 Coll. W. J. HOE, Jan. 21, 1973. Det. W. J. HOE
291. **Papillaria semitorta** (C. MUELL.) JAEG.  
 Ber. S. Gall. Naturw. Ges. 1875-76, 271 (1877).  
 NEPAL: Between Chauke and Dor, East Nepal.  
 On branches; elevation about 2700 m.  
 Coll. Z. IWATSUKI, July 6, 1972. Det. Z. IWATSUKI
292. **Pinnatella makinoui** (BROTH.) BROTH.  
 Nat. Pfl.-fam. 1 (3): 858 (1906).  
 JAPAN: Tenguiwa, Itsuki-mura, Kuma, Kumamoto Pref.  
 On limeston cliff in semishaded site; elevation about 400 m.  
 Coll. H. INOUE, Oct. 27, 1974. Det. Z. IWATSUKI
293. **Plagiomnium succulentum** (MITT.) KOP.  
 Ann. Bot. Fenn. 5: 146 (1968).  
 JAPAN: Along the River Urauchi, Iriomote Isl, the Ryukyu Isls.  
 On moist rock; elevation about 100 m.  
 Coll. H. INOUE, Jan. 14, 1973. Det. Z. IWATSUKI

## VI

294. **Pseudospiridentopsis horrida** (CARD.) FL.  
Musci Fl. Buitenz. 3: 730 (1808).  
JAPAN: Tenguiwa, Itsuki-mura, Kuma, Kumamoto Pref.  
On limestone cliff in semishaded site; elevation about 400 m.  
Coll. H. INOUE, Oct. 27, 1974. Det. Z. IWATSUKI
295. **Psilopilum cavifolium** (WILS.) HAG.  
Bryologist 9: 70 (1916).  
U.S.A.: Around Mead River Camp, south of Barrow, Alaska.  
On moist bank in tundra; elevation about 50 m.  
Coll. H. INOUE, July 12, 1973. Det. Z. IWATSUKI
296. **Pterobryum arbuscula** MITT.  
Trans. Linn. Soc. London ser. 2, 3: 171 (1891).  
JAPAN: Aokigahara National Forest, Mt. Fuji, Yamanashi Pref.  
On bark in *Abies-Tsuga* forest; elevation about 1200 m.  
Coll. K. YOSHIDA, May 13, 1971. Det. Z. IWATSUKI
297. **Rhaceropodopsis camusii** THER.  
Monde Pl. ser. 2, 9: 22 (1907).  
JAPAN: Along the River Nakama, Iriomote Isl., the Ryukyu Isls.  
On moist rock along small stream; elevation about 100 m.  
Coll. H. INOUE, Jan. 12, 1973. Det. Z. IWATSUKI
298. **Scopelophila ligulata** (SPRUCE) SPRUCE  
Journ. Bot. n. ser. 10: 14 (1881).  
JAPAN: Yashajin Tunnel along Norogawa Trail, near Hirogahara, Yamanashi Pref.  
On moist rock; elevation about 1400 m.  
Coll. H. INOUE, Aug. 20, 1974. Det. K. SAITO
299. **Tomentohypnum nitens** (HEDW.) LOESK.  
Deutschl. Bot. Monatschr. 22: 82 (1911).  
U.S.A.: North of Camp at Cape Thompson, Chukchi Sea, Alaska.  
On moist soil in tundra on south slope of calcareous hill; elevation about 80 m.  
Coll. H. INOUE, July 3, 1973. Det. Z. IWATSUKI
300. **Trematodon longicollis** MICHX.  
Fl. Bor. Am. 2: 289 (1803).  
U.S.A.: Ca. 4 miles west of Bladenboro, North Carolina.  
On wet sand, ditch along NC 211.  
Coll. N.G. MILLER, March 23, 1974. Det. N. G. MILLER

## Correction

Fasc. V, no. 201 should be changed to:

**Asterella liukiensis** (HORIK.) HORIK.  
Hikobia 1: 79 (1951).