

BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. VIII (no. 351-400)

March 1, 1977

HEPATICAE

351. *Adelanthus lindenbergianus* (LEHM.) MITT.
Journ. Proc. Linn. Soc. London 7: 244 (1864).
COLOMBIA: Laguna Seca, Chingaza, Quebrada Chuza, Cundinamarca.
On humus; elevation about 3550 m.
Coll. A. M. CLEEF, April 28, 1973. Det. S. R. GRADSTEIN
352. *Calypogeia arguta* NEES et MONT.
In NEES; Naturg. Europ. Lebterm. 3: 24 (1838).
JAPAN: Along the Odakumi River, Isl. Yakushima, Kagoshima Pref.
On moist bank along trail; elevation about 100 m.
Coll. S. ONO, March 21, 1976. Det. H. INOUE
353. *Calypogeia tsukushiensis* AMAK.
Journ. Jap. Bot. 33: 338 (1958).
JAPAN: Iwai-dani, Hontada-gawa, Yuki-cho, Hiroshima Pref.
On moist rock along stream; elevation about 450 m.
Coll. H. INOUE, Aug. 24, 1976. Det. H. INOUE
354. *Cavicularia densa* STEPH.
Bull. Herb. Boissier 5: 87 (1897).
JAPAN: Budo-gawa, Mt. Iide, Yamagata Pref.
On moist bank along trail; elevation 1000 m.
Coll. S. ONO, Oct. 14, 1976. Det. H. INOUE
355. *Frullania angulata* MITT.
Journ. Proc. Linn. Soc. London 7: 169 (1864).
TANZANIA: Top of Magari peak above Mzinga village, Mts. Uluguru.
On bark of tree; elevation 2340 m.
Coll. T. Pócs, *et al.*, December 6, 1970. Det. T. Pócs
356. *Frullania brasiliensis* RADDI
Atti Soc. Ital. Sci. Modena 19: 36 (1822).
GALAPAGOS ISLS.: Isla Santa Cruz.
On bark of tree; elevation about 100 m.
Coll. M. ONO, no. 43, January 10, 1960. Det. S. R. GRADSTEIN
357. *Frullania serrata* GOTT.
In GOTTL., LINDBG. & NEES; Syn. Hepat.: 453 (1845).
TANZANIA: South end of Lupanga ridge above Moete village, N. Uluguru Mts.
On bark of elfin forest; elevation about 1850-2000 m.
Coll. T. Pócs and K. B. G. NCHIMBI, November 15, 1970. Det. T. Pócs

II

358. **Frullania usamiensis** STEPH.
Bull. Herb. Boissier 5: 91 (1897).
JAPAN: Mt. Oyama, Isl. Miyake, Izu Isls.
On bark of *Weigela floribunda*; elevation about 700 m.
Coll. H. INOUE, Sept. 11, 1976. Det. H. INOUE
359. **Herbertus limbatus** (STEPH.) HERZ.
Rev. Bryol. Lichenol. 11: 14 (1938).
COLOMBIA: Páramos al NW de Belén, cabeceras Quebrada Minas, Boyacá.
On moist rocks; elevation 3910 m.
Coll. A. M. CLEEF, May 4, 1973. Det. S. R. GRADSTEIN
360. **Isotachis auberti** (SCHWAEGR.) MITT.
Journ. Proc. Linn. Soc. London 22: 322 (1887).
BRASIL: Along the highway BR-116, municipio de Barra do Turvo, SP State.
On bank in partially shaded place; elevation?
Coll. D. M. VITAL, May 24, 1974. Det. S. R. GRADSTEIN
361. **Jamesoniella flexicaulis** (NEES) SCHIFFN.
Conspect. Hepat. Arch. Ind.: 78 (1898).
BORNEO: Around Panan Laban Hut, Mt. Kinabalu, Sabah.
On tree trunk of *Phyllocladus* sp.; elevation about 3300 m.
Coll. T. KODAMA, March 21, 1974. Det. H. INOUE
362. **Jungermannia infusca** (MITT.) STEPH.
Spec. Hepat. 2: 74 (1901).
JAPAN: Mt. Miura, Isl. Ohshima, Izu Isls.
On moist bank; elevation about 300 m.
Coll. S. ONO, Sept. 13, 1976. Det. H. INOUE
363. **Marchantia paleacea** BERTOL.
Opus Scient. di Bologna 1: 242 (1817).
JAPAN: Nippara, Nishitama-gun, Tokyo Pref.
On moist limestone cliff; elevation about 500 m.
Coll. H. INOUE, May 30, 1976. Det. H. INOUE
364. **Metzgeria consanguinea** SCHIFFN.
Nova Acta 60: 271 (1893).
JAPAN: Mt. Oyama, Isl. Miyake, Izu Isls.
On bark of *Weigela floribunda*; elevation about 700 m.
Coll. H. INOUE, Sept. 11, 1976. Det. H. INOUE
365. **Nardia subclavata** (STEPH.) AMAKAWA
Journ. Jap. Bot. 32: 40 (1957).
JAPAN: Mt. Kusatsu-shirane, Kusatsu, Gunma Pref.
On moist bank along trail; elevation about 1800 m.
Coll. H. INOUE, July 21, 1976. Det. H. INOUE
366. **Odontoschisma grosseverrucosum** STEPH.
Spec. Hepat. 3: 377 (1908).
JAPAN: Mt. Mochomu, Isl. Yakushima, Kagoshima Pref.
On moist rock along stream; elevation about 900 m.
Coll. S. ONO, March 17, 1976. Det. H. INOUE

367. **Pallavicinia isolata** (HERZ.) SCHUST. et INOUE
 In INOUE; Illust. Jap. Hepat. 2: 189 (1976).
 JAPAN: Iwai-dani, Hontada-gawa, Yuki-cho, Hiroshima Pref.
 On moist rock along stream; elevation about 450 m.
 Coll. H. INOUE, Aug. 24, 1976. Det. H. INOUE
368. **Plagiochila acanthophylla** GOTT. subsp. **japonica** (S. LAC.) INOUE
 Journ. Hattori Bot. Lab. 25: 100 (1962).
 JAPAN: Taino-kawa, Isl. Yakushima, Kagoshima Pref.
 On moist rock along stream; elevation about 300 m.
 Coll. S. ONO, March 18, 1976. Det. H. INOUE
369. **Plagiochila ovalifolia** MITT.
 Trans. Linn. Soc. London, ser. 2, 3: 193 (1891).
 JAPAN: Mt. Hachijo-fuji, Isl. Hachijo, Izu Isls.
 On moist rocks along trail, among bush; elevation about 600 m.
 Coll. S. ONO, April 10, 1976. Det. H. INOUE
370. **Plagiochilion oppositum** (R., B. et N.) HATT.
 Biosphaera 1: 7 (1947).
 JAPAN: Summit of Mt. Hachijo-fuji, Isl. Hachijo, Izu Isls.
 On tree trunk in more or less closed forest; elevation 700 m.
 Coll. S. ONO, April 10, 1976. Det. H. INOUE
371. **Reboulia hemisphaerica** (L.) RADDI
 Opus Sci. Bologna 2: 357 (1818).
 JAPAN: Ambo, Isl. Yakushima, Kagoshima Pref.
 On moist stone-wall along trail; elevation about 100 m.
 Coll. S. ONO, March 21, 1976. Det. H. INOUE
372. **Scapania paludosa** (K. MÜLL.) K. MÜLL.
 Bull. Herb. Boissier, ser. 2 (3): 40 (1903).
 U.S.A.: Cape Thompson, Chukchi Sea, Alaska.
 On wet humus in tundra; elevation about 50 m.
 Coll. H. INOUE, July 3, 1973. Det. H. INOUE
373. **Syzygiella liberata** INOUE
 Bull. Nat. Sci. Mus. Tokyo 17 (4): 301 (1974).
 COLOMBIA: Carretera Vado Hondo-Labranzagrande, Boyaca.
 On humus; elevation 3280 m.
 Coll. A. M. CLEEF, April 2, 1973. Det. H. INOUE
374. **Takakia lepidozoides** HATT. et INOUE
 Journ. Hattori Bot. Lab. 19: 137 (1958).
 JAPAN: Around Shiromaya-yari near Ohike, Mt. Shiromaya, Nagano Pref. (Type loc.)
 On moist humus among andesite rocks, with *Mylia taylorii*, *Diplophyllum plicatum*, etc.; elevation 2400 m.
 Coll. H. INOUE, Aug. 11, 1976. Det. H. INOUE
375. **Trichocolea tomentella** (EHRH.) DUM.
 Comm. Bot.: 113 (1822).
 JAPAN: Mt. Mochomu, Isl. Yakushima, Kagoshima Pref.
 On moist rock along stream; elevation about 700 m.
 Coll. S. ONO, March 17, 1976. Det. H. INOUE

MUSCI

376. *Aerobryopsis subdivergens* (BROTH.) BROTH.
In ENGLER & PRANTL; Natur. Pfl.-fam. 1 (3): 820 (1906).
JAPAN: Yanase, Aki-gun, Kochi Pref.
On bark; elevation about 500 m.
Coll. T. KODAMA, March 28, 1973. Det. Z. IWATSUKI
377. *Anomodon abbreviatus* MITT.
Trans. Linn. Soc. London, Bot. 3: 187 (1891).
JAPAN: Around Hirogahara, Ashiyasu, Yamanashi Pref.
On bark of *Fagus crenata*; elevation about 400 m.
Coll. H. INOUE, Aug. 20, 1974. Det. Z. IWATSUKI
378. *Aulacomnium acuminatum* (LINDB. et ARNELL) PAR.
Ind. Bryol.: 55 (1894).
CANADA: Bathurst Island, Franklin Co., Northwest Territories.
Low hummock in wet tundra meadow, with other bryophytes.
Coll. N. G. MILLER, July 3, 1974. Det. N. G. MILLER
379. *Barbella flagellifera* (CARD.) NOGUCHI
Journ. Jap. Bot. 14: 28 (1938).
JAPAN: Oyama, Miyama-machi, Kitamuro-gun, Mie Pref.
On branches of *Rhododendron* sp.; elevation about 30 m.
Coll. K. YAMADA, Dec. 27, 1975. Det. Z. IWATSUKI
380. *Campylopus denticuspis* BROTH.
In MILDBR.; Wiss. Ergebni. Zentr. Afr. Exp. 2: 140 (1810).
CAMEROUN: South slope of Mt. Cameroun.
On volcanic rocks; elevation 2900–3000 m.
Coll. B. BALÁZS and T. PÓCS, Nov. 27, 1967. Det. M. BIZOT
381. *Campyropus richardii* BRID.
Mant. Musc.: 73 (1819).
JAPAN: Mt. Hachijo, Isl. Hachijo, Izu Isls.
On moist bank; elevation about 100 m.
Coll. H. INOUE, Sept. 7, 1976. Det. Z. IWATSUKI
382. *Distichophyllum collenchymatosum* CARD.
Bull. Soc. Bot. Gen. sér. 2, 3: 278 (1911).
JAPAN: Kumanogawa, Higashimuro-gun, Wakayama Pref.
On moist rock; elevation about 250 m.
Coll. T. KODAMA, Dec. 24, 1975. Det. Z. IWATSUKI
383. *Distichophyllum maibarae* BESCH.
Journ. de Bot. 13: 40 (1899).
JAPAN: Iwai-dani, Yuki-cho, Saeki-gun, Hiroshima Pref.
On moist rock; elevation about 500 m.
Coll. H. INOUE, August 24, 1976. Det. Z. IWATSUKI
384. *Drepanocladus exannulatus* (B.S.G.) WARNST.
Beih. Bot. Centralb. 13: 405 (1903).
KENYA: West slope of Mt. Kenya.
In bog at streamsides in the Teleki Valley; elevation 4000 m.
Coll. D. BALÁZS, January 20, 1968. Det. M. BIZOT

385. *Fissidens geminiflorus* Doz. et MOLK. var. *nagasakiinus* (BESCH.) IWATSUKI
Journ. Hattori Bot. Lab. 32: 272 (1969).
 JAPAN: Iwaya-machi, Takatsuki-shi, Osaka Pref.
 On moist rock-cliff; elevation about 30 m.
 Coll. T. KODAMA, March 24, 1973. Det. Z. IWATSUKI
386. *Floribundaria aurea* (MITT.) BROTH. subsp. *nipponica* (NOG.) NOGUCHI
Journ. Hattori Bot. Lab. 41: 283 (1976).
 JAPAN: Kamina-cho, Naka-gun, Tokushima Pref.
 On branches of shrubs; elevation about 50 m.
 Coll. T. KODAMA, March 30, 1973. Det. Z. IWATSUKI
387. *Grimmia ovalis* (HEDW.) LINDB.
Acta Soc. Sci. Fenn. 10: 75 (1871).
 KENYA: Top of Mt. Kenya.
 On bare rocks; elevation about 4800 m.
 Coll. D. BALÁZS and T. PÓCS, January 19, 1968. Det. M. BIZOT
388. *Gymnostomiella vernicosa* (HOOK.) FL.
Musci Fl. Buitenzorg 1: 310 (1904).
 INDIA: Jabalpur, Madhya Pradesh, Central India.
 On wall of old temple; elevation?
 Coll. G. TOPÁL, April 6, 1967. Det. T. PÓCS
389. *Hedwigia ciliata* (HEDW.) EHRH. ex P. BEAUV.
 Prodr.: 15 (1805).
 AUSTRALIA: Mt. Aranga, Tallongatta, Victoria.
 On granite boulder in dry sclerophyll forest.
 Coll. G. A. M. SCOTT, May 28, 1975. Det. G. A. M. SCOTT
390. *Hydrocrysphaea wardii* DIX.
Journ. Bot. 69: 4 (1931).
 VIETNAM: Montes Nui Bieu, Prov. Hoa-Pinh.
 On rock in wet forest; elevation about 250 m.
 Coll. T. PÓCS, *et al.*, January 8, 1966. Det. M. MANUEL
391. *Hypnum bambergii* SCHIMP.
 Syn. ed. 2: 698 (1860).
 U.S.A.: Around Point Barrow, Alaska.
 On humus in wet tundra; elevation about 10 m.
 Coll. H. INOUE, June 19, 1973. Det. Z. IWATSUKI
392. *Hypnum lindbergii* MITT.
Journ. Bot. 2: 123 (1864).
 JAPAN: Iwai-dani, Yuki-cho, Saeki-gun, Hiroshima Pref.
 On moist rock along stream; elevation about 450 m.
 Coll. H. INOUE, Aug. 24, 1976. Det. H. ANDO
393. *Leptodontium joannis-meyeri* C. MUELL.
Flora 71: 412 (1888).
 KENYA: West ascent of Mt. Kenya.
 On dry rock; elevation 3900–4150 m.
 Coll. D. BALÁZS and T. PÓCS, January 20, 1968. Det. M. BIZOT

394. **Orthothecium chryseum** (SCHWAEGR.) B.S.G.
Bryol. Europ. 5: 107 (1851).
U.S.A.: Southern slope of small hill, ca. 1 mile N of Umiat, Alaska.
On humus in wet tundra; elevation about 1000 feet.
Coll. H. INOUE, June 22, 1973. Det. Z. IWATSUKI
395. **Polygonatum dentatum** (BRID.) BRID.
Bryol. Univ. 2: 122 (1827). [Syn. *Polygonatum capillare* (MICHX.) BRID.]
JAPAN: Isl. Rishiri, Hokkaido.
On moist soil; elevation about 50 m.
Coll. K. SAITO, Aug. 31, 1972. Det. Z. IWATSUKI
396. **Rhizomnium tuomikoskii** KOP.
Journ. Hattori Bot. Lab. 34: 375 (1971).
JAPAN: Yuki-machi, Saeki-gun, Hiroshima Pref.
On moist rock along stream; elevation about 450 m.
Coll. H. INOUE, August 24, 1976. Det. Z. IWATSUKI
397. **Rhodobryum giganteum** (SCHWAEGR.) PAR.
Ind. Bryol.: 1116 (1898).
JAPAN: Mt. Osuzu, north of Miyazaki City, Miyazaki Pref.
On humus on closed forest floor; elevation about 300 m.
Coll. H. INOUE, February 20, 1976. Det. Z. IWATSUKI
398. **Sphagnum fitzgeraldii** REN et CARD.
In LESQ. & JAMES; Man. N. Amer. Moss.: 23 (1884).
U.S.A.: Southeast of Supply, Brunswick Co., North Carolina.
On wet sand in a partially dried depression.
Coll. N. G. MILLER, March 23, 1974. Det. N. G. MILLER
399. **Theriotia lorifolia** CARD.
Beih. Bot. Centralbl. 17: 8 (1904).
JAPAN: Iwai-dani, Yuki-cho, Saeki-gun, Hiroshima Pref.
On moist rock along stream; elevation about 500 m.
Coll. H. INOUE, August 24, 1976. Det. H. ANDO
400. **Tetraplodon mnioides** (HEDW.) B.S.G.
Bryol. Europ. 3: 215 (1844).
JAPAN: Gongen-dake, Mt. Yatsugatake, Nagano Pref.
On humus; elevation about 2700 m.
Coll. K. SAITO, September 6, 1972. Det. Z. IWATSUKI