

Annotated Checklist of Deep-sea Fishes from the Pacific Coast off Tohoku District, Japan

Gento Shinohara¹, Yoji Narimatsu², Tsutomu Hattori², Masaki Ito²,
Yohko Takata³ and Keiichi Matsuura⁴

¹ Department of Zoology, National Museum of Nature and Science,
3-23-1 Hyakunin-cho, Shinjuku-ku, Tokyo, 169-0073 Japan

E-mail: s-gento@kahaku.go.jp

² Hachinohe Station, Tohoku National Fisheries Research Institute, Fisheries Research Agency,
25-259 Shimomekurakubo, Same-machi, Hachinohe, Aomori, 031-0841 Japan

³ Center for Molecular Biodiversity Research, National Museum of Nature and Science,
3-23-1 Hyakunin-cho, Shinjuku-ku, Tokyo, 169-0073 Japan

⁴ Collection Center, National Museum of Nature and Science,
3-23-1 Hyakunin-cho, Shinjuku-ku, Tokyo, 169-0073 Japan

Abstract: An inventory of deep-sea fishes from the Pacific side of the Tohoku District is presented on the basis of specimens collected in the years 2005–2007 and a literature survey. A total of 496 species in 118 families are listed with collection records and/or taxonomic remarks. A new Japanese name was established for *Diceratias trilobus*.

Key words: deep-water fishes, fish fauna, distribution, Tohoku District

Introduction

The Tohoku (meaning northeast in Japanese) District is a northern part of Honshu Island, Japan. The Pacific side is washed by the cold Oyashio Current from the north and warm Kuroshio Current from the south, resulting in good fishing grounds for a scomberesocid *Cololabis saira*, a gadid *Gadus macrocephalus* and several scorpaenids (e.g., *Sebastolobus macrochir*). These fishes have been well investigated, as fisheries resources, by the Tohoku National Fisheries Research Institute and Aomori, Iwate, Miyagi, Fukushima and Ibaraki Experimental Stations.

Research on the deep-sea fish fauna of Pacific side of the Tohoku District began with the work of Mead and Taylor (1953) who reported 23 species including a new species from midwaters off Miyagi and Iwate prefectures. Maruyama (1970, 1971) reported a total of 106 deep-sea species from Iwate Prefecture based on specimens deposited in the Iwate Fisheries Experimental Station. Amaoka *et al.* (1983) made large scaled bottom trawl surveys and documented 109 demersal species with detailed descriptions and color photographs, including 3 new species. Shinohara *et al.* (1996) made a list of 178 species collected by bottom trawls carried by the Tohoku National Fisheries Research Institute. Balanov *et al.* (2009) reported 142 mesopelagic deep-sea fishes captured by midwater trawls. In addition to these studies, many new and rare species have been reported since 1996 (e.g., Kido and Shinohara, 1997; Shinohara and Matsuura, 1998; Endo and Shinohara, 1999; Sakurai and Shinohara, 2008).

In the period from 2005 to 2008, the National Museum of Nature and Science and Tohoku National Fisheries Institute conducted trawl surveys on the Pacific side of Tohoku District (off Aomori, Iwate, Miyagi, Fukushima and Ibaraki prefectures) at depths of 150–2000 m using the R/V *Wakataka-maru* of the Fisheries Research Agency (FRA). The specimens and literature survey

revealed that at least 496 species (327 genera) belonging to 118 families and 28 orders occur in deep-waters of below 200 m.

Comparisons of the deep-water fish faunas of the Tohoku District, Suruga Bay (Shinohara and Matsuura, 1997), Tosa Bay (Shinohara *et al.*, 2001) and the Ryukyu Islands (Shinohara *et al.*, 2005; Shinohara and Anderson, 2007) show slightly larger number of species from the Tohoku District than Suruga Bay (483 species) and fewer than Tosa Bay (599 species) and Ryukyu Islands (644 species). The Pacific side of the Tohoku District is unique because of high number of species of the Zoarcidae (20 species vs. 2 species in Suruga Bay, 4 species in Tosa Bay and 2 species in the Ryukyu Islands), the Agonidae (12 vs. 3, 1 and 0, respectively) and the Cottidae (9 vs. and 5, 4 and 0). On the other hand, this area can be characterized by smaller number of species of the Triglidae (5 vs. 13 in Suruga Bay, 28 in Tosa Bay and 24 in the Ryukyu Islands) and the Ophidiidae (7 vs. 11, 16 and 18).

Materials and Methods

Fishes were collected by the R/V *Wakataka-maru* using otter trawl nets and dredges. The collection localities are shown in Fig. 1 and Table 1. All specimens are deposited in the National Museum of Nature and Science, Tokyo (NSMT).

Systematic arrangement of taxa follows Nelson (1994). Author(s) and year of each scientific name follows the Catalog of Fishes on the website of the California Academy of Sciences, USA (<http://research.calacademy.org/research/Ichthyology/catalog/fishcatsearch.html>). Number of specimens is indicated in parentheses following each station number.

We examined the following literature sources for deep-sea fishes occurring below 200 m; Keys to the Fishes and Fish-like Animals of Japan (Okada and Matsubara, 1938); Fish Morphology and Hierarchy (Matsubara, 1955); Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido (Amaoka *et al.*, 1983); The Fishes of the Japanese Archipelago, 2nd edition (Masuda *et al.*, 1988); The Fishes of Northern Japan (Amaoka *et al.*, 1995); Fishes of Japan with Pictorial Keys to the Species, 2nd edition (Nakabo, 2000a); Sea Fishes of Japan, 3rd edition (Okamura and Amaoka, 2001); Fishes of Japan with Pictorial Keys to the Species, English edition (Nakabo, 2002a); Field Guide of the Fishes from the Tohoku District, North-eastern Waters of Japan (Kitagawa *et al.*, 2008). In addition to these major sources, revisional papers for individual taxonomic groups were examined (e.g., Okamura, 1970; Kawaguchi and Shimizu, 1978; Toyoshima, 1985). In the literature survey, we recorded localities given with significant accuracy (e.g., off Miyagi Prefecture, off Kinkazan) and excluded vague ones such as “northern Japan.” Our research area ranges from the Pacific side off Aomori Prefecture to Ibaraki Prefecture (Fig. 1) including Kashima-nada Sea.

Species List

Order Myxiniformes Family Myxinidae

Myxine garmani Jordan and Snyder, 1901 [Japanese name: Hosonutaunagi]

Myxine garmani: Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-05-GH380D (2), WA-06-G410 (2).

Eptatretus atami (Dean, 1904) [Japanese name: Kuronutaunagi]

Paramyxine atami: Funabashi, 1998; Iwata, 2000.

Eptatretus okinoseanus (Dean, 1904) [Japanese name: Murasakinutaunagi] (Fig. 2A)




Fig. 1. Study area (shaded rectangle) and the R/V *Wakataka-maru* sampling stations (solid circles) in the Tohoku District, Japan. A-H show the yearly survey areas of the R/V *Wakataka-maru*.




Fig. 2. Rare fishes collected by the R/V Wakataka-maru during 2005–2007. A, *Eptatretus okinoseanus* (Myxinidae), NSMT-P 77900, 83 cm total length (TL), inset shows a gill aperture and slime pores; B, *Somniosus pacificus* (Dalatiidae), NSMT-P 78207, ca. 150 cm TL; C, *Gigantactis vanhooffeni* (Gigantactidae) and escal bulb, NSMT-P 79567, 31.5 cm standard length.

Table 1. Trawl and dredge(*) stations of the R/V *Wakataka-maru* in 2005–2007.

Station no.	Position in	Position out	Depths (m)	Date
WA-05-E480	38°22.63'N, 142°05.28'E	38°20.91'N, 142°05.97'E	482-483	25 Oct. 2005
WA-05-E650	38°22.99'N, 142°10.65'E	38°20.92'N, 142°10.57'E	657-658	26 Oct. 2005
WA-05-EF450	No data	38°02.23'N, 142°04.86'E	454	18 Nov. 2005
WA-05-G280	36°55.42'N, 141°24.87'E	38°20.93'N, 141°24.16'E	277-279	29 Oct. 2005
WA-05-G750	36°46.15'N, 141°35.35'E	38°20.95'N, 141°34.74'E	750-750	10 Nov. 2005
WA-05-G900	36°49.86'N, 141°40.98'E	38°20.96'N, 141°40.53'E	901-901	10 Nov. 2005
WA-05-GH380D*	36°38.97'N, 141°14.25'E	No data	378	12 Nov. 2005
WA-05-H150	36°29.89'N, 140°57.04'E	38°20.94'N, 140°58.14'E	154-156	30 Oct. 2005
WA-06-D650	39°02.41'N, 142°14.75'E	39°03.56'N, 142°14.91'E	646-663	18 Oct. 2006
WA-06-E150	38°20.03'N, 141°44.46'E	38°18.24'N, 141°44.07'E	154-151	5 Nov. 2006
WA-06-E210	38°22.23'N, 141°51.30'E	38°23.99'N, 141°51.55'E	209-212	5 Nov. 2006
WA-06-E250	38°23.27'N, 141°53.89'E	38°21.62'N, 141°54.09'E	242-244	5 Nov. 2006
WA-06-E280	38°21.75'N, 141°56.42'E	38°23.59'N, 141°56.59'E	275-275	4 Nov. 2006
WA-06-E310	38°23.15'N, 141°58.17'E	38°21.48'N, 141°58.44'E	305-309	4 Nov. 2006
WA-06-E350	38°22.22'N, 142°00.67'E	38°23.99'N, 142°00.29'E	349-350	4 Nov. 2006
WA-06-E380	38°23.40'N, 142°01.57'E	38°21.94'N, 142°02.33'E	377-382	4 Nov. 2006
WA-06-E410	38°23.67'N, 142°02.55'E	38°22.14'N, 142°03.27'E	406-409	3 Nov. 2006
WA-06-E425	38°24.23'N, 142°02.95'E	38°24.92'N, 142°02.74'E	423-423	4 Nov. 2006
WA-06-E450	38°23.51'N, 142°03.99'E	38°25.24'N, 142°03.61'E	448-451	3 Nov. 2006
WA-06-E510	38°22.63'N, 142°06.29'E	38°23.89'N, 142°05.73'E	514-506	3 Nov. 2006
WA-06-F280	37°35.71'N, 141°41.02'E	37°37.51'N, 141°40.90'E	277-284	29 Oct. 2006
WA-06-F310	37°36.77'N, 141°43.66'E	37°36.08'N, 141°43.61'E	313-309	29 Oct. 2006
WA-06-F380	37°38.47'N, 141°50.54'E	37°40.07'N, 141°50.61'E	386-379	30 Oct. 2006
WA-06-F410	37°42.96'N, 141°53.93'E	37°44.58'N, 141°53.56'E	411-411	30 Oct. 2006
WA-06-F425	37°44.01'N, 141°54.82'E	37°42.28'N, 141°55.05'E	425-424	30 Oct. 2006
WA-06-F480	37°41.70'N, 141°58.98'E	37°39.88'N, 141°59.02'E	483-478	31 Oct. 2006
WA-06-F510	37°38.58'N, 142°01.11'E	37°39.78'N, 142°01.38'E	503-511	31 Oct. 2006
WA-06-F550	37°42.06'N, 142°04.07'E	37°40.91'N, 142°04.73'E	546-551	31 Oct. 2006
WA-06-F650	37°42.87'N, 142°09.65'E	37°43.98'N, 142°09.05'E	654-651	31 Oct. 2006
WA-06-F750	37°47.30'N, 142°12.20'E	37°48.09'N, 142°11.96'E	749-747	1 Nov. 2006
WA-06-F900	37°46.22'N, 142°18.93'E	37°45.73'N, 142°19.10'E	904-909	1 Nov. 2006
WA-06-F1500	37°36.29'N, 142°33.59'E	37°35.99'N, 142°33.50'E	1515-1513	1 Nov. 2006
WA-06-FG425	37°17.80'N, 141°46.21'E	37°19.53'N, 141°46.55'E	426-425	10 Nov. 2006
WA-06-FG450	37°18.81'N, 141°47.19'E	37°20.50'N, 141°47.50'E	449-444	10 Nov. 2006
WA-06-FG510	37°16.53'N, 141°49.98'E	37°17.61'N, 141°50.23'E	511-512	10 Nov. 2006
WA-06-G310	36°56.22'N, 141°26.93'E	36°54.75'N, 141°26.52'E	301-315	26 Oct. 2006
WA-06-G380	36°53.36'N, 141°27.44'E	36°54.52'N, 141°28.91'E	384-377	27 Oct. 2006
WA-06-G410	36°56.57'N, 141°33.19'E	36°58.05'N, 141°34.42'E	414-411	27 Oct. 2006
WA-06-G425	36°53.19'N, 141°29.24'E	36°52.05'N, 141°27.59'E	428-420	27 Oct. 2006
WA-06-G480	36°51.23'N, 141°29.16'E	36°50.01'N, 141°27.74'E	481-483	28 Oct. 2006
WA-06-G510	36°51.37'N, 141°30.11'E	36°52.13'N, 141°31.16'E	508-508	28 Oct. 2006
WA-06-G650	36°50.20'N, 141°34.27'E	36°50.92'N, 141°35.18'E	648-648	28 Oct. 2006
WA-06-G900	36°50.21'N, 141°41.32'E	36°49.44'N, 141°40.73'E	907-910	11 Nov. 2006
WA-06-G1200	36°51.80'N, 141°47.99'E	36°51.33'N, 141°47.57'E	1207-1200	11 Nov. 2006
WA-06-GH280	36°41.45'N, 141°12.31'E	36°39.99'N, 141°10.98'E	278-278	17 Nov. 2006
WA-06-GH380	36°40.37'N, 141°15.64'E	36°38.90'N, 141°14.50'E	377-381	16 Nov. 2006
WA-06-H250	36°31.39'N, 140°59.89'E	36°29.80'N, 140°58.80'E	243-246	12 Nov. 2006
WA-06-H280	36°30.79'N, 141°00.21'E	36°29.36'N, 140°59.13'E	282-279	13 Nov. 2006
WA-06-H380	36°30.10'N, 141°01.76'E	36°28.69'N, 141°00.57'E	385-378	12 Nov. 2006
WA-06-H410	36°30.94'N, 141°03.10'E	36°32.34'N, 141°04.30'E	413-407	13 Nov. 2006
WA-06-H510	36°30.28'N, 141°04.92'E	36°31.12'N, 141°05.89'E	508-510	14 Nov. 2006
WA-06-H550	36°31.77'N, 141°08.69'E	36°32.62'N, 141°09.78'E	561-557	14 Nov. 2006
WA-06-H1500	36°36.11'N, 141°36.14'E	36°35.88'N, 141°36.05'E	1478-1475	15 Nov. 2006
WA-07-E150	38°18.46'N, 141°44.08'E	38°20.01'N, 141°44.53'E	150-154	23 Oct. 2007
WA-07-E210	38°21.78'N, 141°51.15'E	38°23.31'N, 141°51.39'E	207-210	23 Oct. 2007

Table 1. (Continued)

Station no.	Position in	Position out	Depths (m)	Date
WA-07-E250	38°23.16'N, 141°53.88'E	38°21.31'N, 141°54.13'E	241-244	23 Oct. 2007
WA-07-E280	38°21.53'N, 141°56.38'E	38°23.37'N, 141°56.79'E	275-280	23 Oct. 2007
WA-07-E350	38°20.39'N, 142°01.67'E	38°21.97'N, 142°00.96'E	351-351	24 Oct. 2007
WA-07-E380	38°23.48'N, 142°01.58'E	38°21.99'N, 142°02.41'E	377-382	30 Oct. 2007
WA-07-E410	38°22.13'N, 142°03.32'E	38°23.78'N, 142°02.55'E	408-406	24 Oct. 2007
WA-07-E425	38°24.21'N, 142°02.98'E	38°25.89'N, 142°02.62'E	422-424	5 Nov. 2007
WA-07-E510	38°23.82'N, 142°05.78'E	38°22.73'N, 142°06.10'E	506-506	25 Oct. 2007
WA-07-E550	38°22.71'N, 142°07.40'E	38°23.88'N, 142°07.23'E	549-549	25 Oct. 2007
WA-07-E650	38°23.16'N, 142°10.67'E	38°22.13'N, 142°10.59'E	656-656	25 Oct. 2007
WA-07-E750	38°22.24'N, 142°13.95'E	38°23.09'N, 142°14.38'E	753-754	25 Oct. 2007
WA-07-E900	38°30.03'N, 142°21.73'E	38°29.50'N, 142°21.53'E	900-896	26 Oct. 2007
WA-07-E1200	38°23.52'N, 142°31.76'E	38°24.05'N, 142°31.78'E	1198-1204	26 Oct. 2007
WA-07-E1500	38°32.20'N, 142°48.04'E	38°34.72'N, 142°48.02'E	1499-1502	26 Oct. 2007
WA-07-F150	37°35.30'N, 141°33.25'E	37°36.85'N, 141°33.92'E	153-163	29 Oct. 2007
WA-07-F210	37°36.90'N, 141°35.85'E	37°38.55'N, 141°36.09'E	213-211	29 Oct. 2007
WA-07-F280	37°35.67'N, 141°40.99'E	37°37.51'N, 141°40.75'E	277-282	29 Oct. 2007
WA-07-F350	37°37.44'N, 141°47.36'E	37°39.11'N, 141°47.31'E	356-352	30 Oct. 2007
WA-07-F380	37°38.33'N, 141°50.53'E	37°39.97'N, 141°50.59'E	388-380	30 Oct. 2007
WA-07-F410	37°42.93'N, 141°53.94'E	37°44.62'N, 141°53.59'E	412-411	30 Oct. 2007
WA-07-F480	37°40.17'N, 141°59.00'E	37°41.74'N, 141°59.00'E	480-485	4 Nov. 2007
WA-07-F510	37°38.29'N, 142°01.09'E	37°39.42'N, 142°01.18'E	506-508	4 Nov. 2007
WA-07-G150	36°59.63'N, 141°17.40'E	37°00.51'N, 141°17.66'E	151-151	2 Nov. 2007
WA-07-G210	36°57.00'N, 141°22.68'E	36°58.29'N, 141°23.75'E	210-209	2 Nov. 2007
WA-07-G380	36°53.31'N, 141°27.37'E	36°54.47'N, 141°28.80'E	385-376	2 Nov. 2007
WA-07-G350	36°56.31'N, 141°30.90'E	36°57.49'N, 141°31.27'E	371-358	3 Nov. 2007
WA-07-G900	36°49.88'N, 141°40.96'E	36°49.44'N, 141°40.49'E	903-894	31 Oct. 2007
WA-07-G1200	36°51.78'N, 141°47.86'E	36°51.42'N, 141°47.57'E	1202-1202	31 Oct. 2007
WA-07-G1500	36°51.10'N, 141°51.14'E	36°51.37'N, 141°51.58'E	1514-1513	31 Oct. 2007
WA-07-H750	36°34.13'N, 141°21.16'E	36°33.70'N, 141°20.27'E	756-747	1 Nov. 2007
WA-07-H900	36°30.91'N, 141°21.09'E	36°30.55'N, 141°20.51'E	901-899	1 Nov. 2007
WA-07-H1500	36°35.82'N, 141°36.04'E	36°36.14'N, 141°35.86'E	1473-1433	1 Nov. 2007

Eptatretus okinoseanus: Funabashi, 1998.

WA-06-G510 (1).

Order Chimaeriformes

Family Chimaeridae

Chimaera phantasma Jordan and Snyder, 1900 [Japanese name: Ginzame]

Chimaera phantasma: Funabashi, 1998; Kitagawa *et al.*, 2008.

WA-07-E650 (2).

Hydrolagus barbouri (Garman, 1908) [Japanese name: Kokonohoshiginzame]

Chimaera barbouri: Okada and Matsubara, 1938.

Bathyhalopex barbouri: Matsubara, 1955.

Hydrolagus barbouri: Shiogaki, 1982; Shirai, 1983; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-FG450 (1).

Hydrolagus purpurescens (Gilbert, 1905) [Japanese name: Murasakiginzame]

Hydrolagus purpurescens: Shirai, 1983; Nakabo, 2000b, 2002b.

Family Rhinochimaeridae

Harriotta releighana Goode and Bean, 1895 [Japanese name: Azumaginzame]

Harriotta releighana: Shiogaki, 1982; Shiogaki *et al.*, 2004.

Rhinochimaera africana Compagno, Stehmann and Ebert, 1990 [Japanese name: Kurotenguginzame]

Rhinochimaera africana: Nakabo, 2000b, 2002b.

Rhinochimaera pacifica (Mitsukuri, 1895) [Japanese name: Tenguginzame]

Rhinochimaera pacifica: Shiogaki, 1982; Shirai, 1983; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Order Carcharhiniformes

Family Scyliorhinidae

Apristurus fedorovi Dolganov, 1983 [Japanese name: Arameherazame]

Apristurus fedorovi: Amaoka *et al.*, 1995; Nakaya, 2001; Kitagawa *et al.*, 2008.

Apristurus macrorhynchus (Tanaka, 1909) [Japanese name: Nagaherazame]

Apristurus macrorhynchus: Shiogaki, 1982; Shiogaki *et al.*, 2004.

Family Carcharhinidae

Carcharhinus falciformis (Müller and Henle, 1839) [Japanese name: Kurotogarizame]

Carcharhinus falciformis: Kitagawa *et al.*, 2008.

Order Hexanchiformes

Family Chlamydoselachidae

Chlamydoselachus anguineus Garman, 1884 [Japanese name: Rabuka]

Chlamydoselachus anguineus: Funabashi, 1998.

Family Hexanchidae

Heptranchias perlo (Bonnaterre, 1788) [Japanese name: Edoaburazame]

Heptranchias perlo: Funabashi, 1998.

Hexanchus griseus (Bonnaterre, 1788) [Japanese name: Kagurazame]

Hexanchus griseus: Funabashi, 1998.

Order Squaliformes

Family Dalatiidae

Subfamily Etmopterae

Centroscyllium ritteri Jordan and Fowler, 1903 [Japanese name: Kasumizame]

Centroscyllium ritteri: Matsubara, 1955; Shiogaki, 1982; Shirai, 1983; Funabashi, 1998; Nakaya, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-FG425 (1), WA-07-F510 (2).

Etmopterus lucifer Jordan and Snyder, 1902 [Japanese name: Fujikujira]

Etmopterus lucifer: Shiogaki, 1982; Shirai, 1983; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E410 (2).

Etomopterus pusillus (Lowe, 1839) [Japanese name: Karasuzame]

Etomopterus pusillus: Funabashi, 1998.

WA-06-G510 (2).

Etomopterus unicolor (Engelhardt, 1912) [Japanese name: Nisekarasuzame]

Etomopterus unicolor: Shirai, 1983; Funabashi, 1998; Hatooka, 2000, 2002; Nakaya, 2001; Kitagawa *et al.*, 2008.

WA-06-G900 (2), WA-07-H900 (1).

Subfamily Somniosinae

Scymnodon squamulosus (Günter, 1877) [Japanese name: Biroudozame]

Scymnodon squamulosus: Shirai, 1983.

Zameus squamulosus: Nakaya, 2001.

Somniosus pacificus Bigelow and Schroeder, 1944 [Japanese name: Ondenzame] (Fig. 2B)

Somniosus pacifica: Shiogaki, 1982.

Somniosus pacificus: Funabashi, 1998; Shiogaki *et al.*, 2004.

WA-06-H510 (1).

Subfamily Dalatiinae

Dalatias licha (Bonnaterre, 1788) [Japanese name: Yoroizame]

Dalatias licha: Funabashi, 1998.

Isistius brasiliensis (Quoy and Gaimard, 1824) [Japanese name: Darumazame]

Isistius brasiliensis: Funabashi, 1998; Kitagawa *et al.*, 2008.

Family Centrophoridae

Centrophorus atromarginatus Garman, 1913 [Japanese name: Aizame]

Centrophorus atromarginatus: Funabashi, 1998.

Centrophorus squamulosus Günther, 1877 [Japanese name: Momijizame]

Centrophorus squamulosus: Shirai, 1983.

Centrophorus squamosus: Funabashi, 1998; Hatooka, 2000, 2002; Nakaya, 2001.

Deania calcea (Lowe, 1839) [Japanese name: Heratsunozame]

Deania calaea: Kitagawa *et al.*, 2008.

Family Squalidae

Squalus acanthias Linnaeus, 1758 [Japanese name: Aburatsunozame]

Squalus acanthias: Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Squalus brevirostris Tanaka, 1917 [Japanese name: Tsumaritsunozame]

Squalus brevirostris: Shiogaki *et al.*, 2004.

Squalus mitsukurii Jordan and Snyder in Jordan and Fowler, 1903 [Japanese name: Futotsunozame]

Squalus mitsukurii: Yano, 2001.

Order Squatiniformes
Family Squatinidae

Squatina nebulosa Regan, 1906 [Japanese name: Korozame]

Squatina nebulosa: Funabashi, 1998; Yano, 2001.

Order Rajiformes
Suborder Torpedinoidei
Family Torpedinidae

Torpedo tokionis (Tanaka, 1908) [Japanese name: Yamatoshibireei]

Torpedo tokionis: Shiogaki, 1982; Nakaya, 1983; Amaoka *et al.*, 1995; Funabashi, 1998; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Rajidae

Amblyraja badia (Garman, 1899) [Japanese name: Mitsuboshikasube]

Raja badia: Amaoka *et al.*, 1995.

Amblyraja badia: Hatooka *et al.*, 2000, 2002; Kitagawa *et al.*, 2008.

Raja (Amblyraja) badia: Ishihara, 2001.

Bathyraja abyssicola (Gilbert, 1896) [Japanese name: Chihirokasube]

Bathyraja abyssicola: Nakaya, 1983; Ishihara and Ishiyama, 1985; Amaoka *et al.*, 1995; Hatooka *et al.*, 2000, 2002; Ishihara, 2001; Kitagawa *et al.*, 2008.

Bathyraja aleutica (Gilbert, 1896) [Japanese name: Aryushankasube]

Bathyraja aleutica: Shiogaki, 1982; Nakaya, 1983; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Bathyraja andriashevi Dolganov, 1985 [Japanese name: Hosomekasube]

Bathyraja andriashevi: Dolganov, 1985; Hatooka *et al.*, 2000, 2002.

Bathyraja bergi Dolganov, 1983 [Japanese name: Sokogangiei]

Bathyraja bergi: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Bathyraja diplotaenia (Ishiyama, 1952) [Japanese name: Ribonkasube]

Bathyraja diplotaenia: Shiogaki, 1982; Nakaya, 1983; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-F510 (1).

Bathyraja fedorovi Dolganov, 1983 [Japanese name: Fedorofukasube]

Bathyraja fedorovi: Amaoka *et al.*, 1995; Hatooka *et al.*, 2000, 2002.

Bathyraja isotrachys (Günther, 1877) [Japanese name: Charenjākasube]

Bathyraja isotrachys: Shiogaki, 1982; Ishihara and Ishiyama, 1985; Ishihara, 2001; Kitagawa *et al.*, 2008.

WA-07-G1500 (2).

Bathyraja matsubarai (Ishiyama, 1952) [Japanese name: Matsubaraei]

Bathyraja matsubarai: Shiogaki, 1982; Nakaya, 1983; Amaoka *et al.*, 1995; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Bathyraja caeluronigricans: Shiogaki, 1982; Nakaya, 1983; Amaoka *et al.*, 1995.

WA-06-G1200 (2), WA-06-G650 (1), WA-07-H900 (1), WA-07-G1500 (2).

Bathyraja trachouros (Ishiyama, 1958) [Japanese name: Zarakasube]

Bathyraja trachouros: Hatooka *et al.*, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G410 (1).

Bathyraja tzinovskii Dolganov, 1983 [Japanese name: Chinofusukikasube]

Bathyraja tzinovskii: Dolganov, 1985; Amaoka *et al.*, 1995; Hatooka *et al.*, 2000, 2002.

Dipturus kwangtungensis (Chu, 1960) [Japanese name: Gangiei]

Raja kwangtungensis: Amaoka *et al.*, 1995; Funabashi, 1998.

Raja (Dipturus) kwangtungensis: Ishihara, 2001.

Dipturus kwangtungensis: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Dipturus tengu (Jordan and Fowler, 1903) [Japanese name: Tengukasube]

Raja tengu: Shiogaki, 1982; Funabashi, 1998.

Dipturus tengu: Shiogaki *et al.*, 2004.

WA-06-G425 (1).

Rhinoraja kuijensis (Tanaka, 1916) [Japanese name: Kujikasube]

Raja kuijensis: Okada and Matsubara, 1938.

Rhinoraja kuijensis: Matsubara, 1955; Shiogaki, 1982; Funabashi, 1998; Shiogaki *et al.*, 2004.

Rhinoraja longicauda Ishiyama, 1952 [Japanese name: Onagakasube]

Rhinoraja longicauda: Shiogaki, 1982; Nakaya, 1983; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G425 (1), WA-07-G350 (2), WA-07-G380 (1), WA-07-F410 (1), WA-07-F510 (1).

Order Albuliformes

Suborder Albuloidei

Family Albulidae

Pterothrissus gissu Hilgendorf, 1877 [Japanese name: Gisu]

Pterothrissus gissu: Shiogaki, 1982; Shirai, 1983; Sato *et al.*, 1987; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Balanov *et al.*, 2009.

WA-06-E280 (1), WA-07-E210 (6).

Suborder Notacanthoidei

Family Halosauridae

Aldrovandia affinis (Günther, 1877) [Japanese name: Tokagegisu]

Aldrovandia affinis: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

Halosauropsis macrochir (Günther, 1878) [Japanese name: Kuroobitokagegisu]

Halosauropsis macrochir: Shinohara *et al.*, 1996.

WA-07-H900 (1).

Family Notacanthidae

Lipogenys gilli Goode and Bean, 1895 [Japanese name: Tanukisokogisu]

Lipogenys gillii: Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Lipogenys gilli [sic]: Ohta, 2001.

Notacanthus abbotti Fowler, 1934 [Japanese name: Kitsunesokogisu]

Notacanthus macrorhynchus: Maruyama, 1971; Shiogaki, 1982.

Notacanthus abbotti: Shiogaki *et al.*, 2004.

Notacanthus chemnitzii Bloch, 1788 [Japanese name: Kurosokogisu]

Notacanthus fascidens: Matsubara, 1938, 1955; Maruyama, 1971.

Notacanthus chemnitzi: Shiogaki, 1982; Yabe, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Notacanthus chemnitzii: Nakabo, 2002b.

WA-05-G750 (1), WA-06-G650 (1), WA-06-FG510 (1), WA-07-E550 (2).

Polyacanthonotus challengerii (Vaillant, 1888) [Japanese name: Sokogisu]

Polyacanthonotus challengerii: Yabe, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

WA-07-E1500 (6).

Order Anguilliformes

Family Synaphobranchidae

Ilyophis brunneus Gilbert, 1891 [Japanese name: Ryuukyuu-horaanago]

Ilyophis brunneus: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

Simenchelys parasiticus Gill in Goode and Bean, 1879 [Japanese name: Kongouanago]

Simenchelys dofleinii: Matsubara, 1955.

Simenchelys parasiticus: Shiogaki, 1982; Sakamoto, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-05-G750 (3).

Synaphobranchus affinis Günther, 1877 [Japanese name: Horaanago]

Synaphobranchus affinis: Shiogaki, 1982; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Synaphobranchus bathybius Günther, 1877 [Japanese name: Sokoanago]

Histiobranchus bathybius: Asano, 1988; Shiogaki, 1982.

Synaphobranchus bathybius: Shiogaki *et al.*, 2004.

Synaphobranchus brevidorsalis Günther, 1887 [Japanese name: Motosodeanago]

Synaphobranchus brevidorsalis: Shinohara *et al.*, 1996.

Synaphobranchus kaupii Johnson, 1862 [Japanese name: Irakoanago]

Synaphobranchus kaupii: Matsubara, 1955; Shiogaki, 1982; Sakamoto, 1983; Shinohara *et al.*, 1996; Okamura, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E410 (2).

Synaphobranchus sp. [Japanese name: Sodeanago]

WA-05-G750 (1).

Family Ophichthidae

Subfamily Ophichthinae

Ophichthus urolophus (Temminck and Schlegel, 1846) [Japanese name: Susoumihebi]

Ophichthus urolophus: Funabashi, 1998.

Ophisurus macrorhynchus Bleeker, 1853 [Japanese name: Dainanumihebi]

Ophisurus macrorhynchus: Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Derichthyidae

Derichthys serpentinus Gill, 1884 [Japanese name: Kubinagaanago]

Derichthys serpentinus: Imamura *et al.*, 2005; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Nessorhamphus danae Schmidt, 1931 [Japanese name: Kaizokuheraanago]

Nessorhamphus danae: Balanov *et al.*, 2009.

Nessorhamphus ingolfianus (Schmidt, 1912) [Japanese name: Heraanago]

Nessorhamphus ingolfianus: Kitagawa *et al.*, 2008.

Family Nemichthyidae

Avocettina infans (Günther, 1878) [Japanese name: Kuroshigunagi]

Avocettina infans: Sakamoto, 1983; Asano, 1988; Shinohara *et al.*, 1996; Asano, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Nemichthys scolopaceus Richardson, 1848 [Japanese name: Shigiunagi]

Nemichthys scolopaceus: Shiogaki, 1982; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-06-F425 (1).

Family Congridae

Acromycter nezumi (Asano, 1958) [Japanese name: Himoanago]

Acromycter nezumi: Kitagawa *et al.*, 2008.

WA-06-H380 (1).

Ariosoma meeki (Jordan and Snyder, 1900) [Japanese name: Gotenanago]

Ariosoma meeki: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Gnathophis nystromi nystromi (Jordan and Snyder, 1901) [Japanese name: Ginanago]

Gnathophis nystromi nystromi: Asahida, 1992; Funabashi, 1998; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Nettastomatidae

Nettastoma parviceps Günther, 1877 [Japanese name: Kuzuanago]

Nettastoma parviceps: Sakamoto, 1983; Kitagawa *et al.*, 2008.

WA-06-F650 (1).

Saurenchelys fierasfer (Jordan and Snyder, 1901) [Japanese name: Itoanago]

Saurenchelys fierasfer: Shinohara *et al.*, 1996; Hatooka, 2000, 2002.

Venefica tentaculata Garman, 1899 [Japanese name: Kiserukuzuanago]

Venefica tentaculata: Sakamoto, 1983; Asano, 1988, 2001; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Hatooka, 2000, 2002; Kitagawa *et al.*, 2008.

WA-07-G1500 (1).

Family Serrivomeridae

Serrivomer lanceolatoides (Schmidt, 1916) [Japanese name: Nisenokobaunagi]

Serrivomer lanceolatoides: Balanov *et al.*, 2009.

Serrivomer sector Garman, 1899 [Japanese name: Motonokobaunagi]

Serrivomer sector: Shinohara *et al.*, 1996; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004.

Order Saccopharyngiformes

Family Eurypharyngidae

Eurypharynx pelecanoides Vailant, 1882 [Japanese name: Fukurounagi] (Fig. 79565)

Eurypharynx pelecanoides: Shiogaki, 1982; Sakamoto, 1983; Shinohara *et al.*, 1996; Hato-

oka, 2000, 2002; Ohta, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.
WA-07-G1500 (1), WA-07-H1500 (1).

Order Osmeriformes
Family Argentinidae

Glossanodon semifasciatus (Kishinouye, 1904) [Japanese name: Nigisu]

Glossanodon semifasciatus: Shiogaki, 1982; Shinohara *et al.*, 1996; Funabashi, 1998; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Microstomatidae

Nansenia ardesiaca Jordan and Thompson, 1914 [Japanese name: Ginzakeiwashi]

Nansenia ardesiaca: Shinohara *et al.*, 1996; Aizawa and Hatooka, 2000; Kitagawa *et al.*, 2008.

WA-07-E550 (2), WA-07-E900 (1).

Nansenia sanrikuensis Kanayama and Amaoka *in* Amaoka *et al.*, 1983 [Japanese name: Kurosakeiwashi]

Nansenia sanrikuensis: Kanayama and Amaoka, 1983; Amaoka *et al.*, 1995; Aizawa and Hatooka, 2000, 2002; Horikawa, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Bathylagidae

Bathylagus pacificus Gilbert, 1890 [Japanese name: Yasesokoiwashi]

Bathylagus pacificus: Shiogaki, 1982; Kanayama, 1983; Shinohara *et al.*, 1996; Aizawa and Hatooka, 2000; Aizawa, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-06-F1500 (1), WA-07-E510 (1), WA-07-E1500 (2).

Dolicholagus longirostris (Maul, 1948) [Japanese name: Ginsokoiwashi]

Dolicholagus longirostris: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-06-E380 (1).

Leuroglossus schmidti Rass, 1955 [Japanese name: Togariichimonjiwashi]

Leuroglossus schmidti: Shinohara *et al.*, 1996; Aizawa and Hatooka, 2000; Aizawa, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-E480 (2), WA-06-E510 (1).

Lipolagus ochotensis (Schmidt, 1938) [Japanese name: Sokoiwashi]

Bathylagus nakazawai: Mead and Taylor, 1953; Matsubara, 1955.

Bathylagus ochotensis: Shiogaki, 1982; Kanayama, 1983.

Lipolagus ochotensis: Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Melanolagus bericoides (Borodin, 1929) [Japanese name: Nettaisokoiwashi]

Melanolagus bericoides: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-E1500 (1).

Pseudobathylagus milleri Jordan and Gilbert *in* Jordan and Evermann, 1898 [Japanese name: Kurosokoiwashi]

Bathylagus milleri: Shiogaki, 1982; Kanayama, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996;

Pseudobathylagus milleri: Aizawa and Hatooka, 2000, 2002; Aizawa, 2001; Shiogaki *et al.*,

2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
 WA-06-F750 (1), WA-07-G900 (1).

Family Opisthoproctidae

Bathylychnops exilis Cohen, 1958 [Japanese name: Mukashidemenigisu]

Bathylychnops exilis [sic]: Funabashi, 1998.

Bathylychnops exilis: Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Dolichopteryx minuscula Fukui and Kitagawa, 2006 [Japanese name: Hinademenigisu]

Dolichopteryx sp.: Funabashi, 1998; Aizawa, 2000, 2002.

Dolichopteryx minuscula: Fukui and Kitagawa, 2006; Balanov *et al.*, 2009.

Macropinna microstoma Chapman, 1939 [Japanese name: Demenigisu]

Macropinna microstoma: Aizawa, 2000, 2001, 2002; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-G900 (1).

Winteria telescopa Brauer, 1901 [Japanese name: Kurodemenigisu]

Winteria telescopa: Balanov *et al.*, 2009.

Family Leptochilichthyidae

Leptochilichthys microlepis Machida and Shiogaki, 1988 [Japanese name: Oniiwashi]

Leptochilichthys sp.: Shiogaki, 1982.

Leptochilichthys microlepis: Machida and Shiokagi, 1988; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004.

Family Alepocephalidae

Alepocephalus australis barnardi (Norman, 1930) [Japanese name: Aramekonnyakuiwashi]

Alepocephalus australis barnardi: Amaoka, 1983, 1988; Nakabo, 2000b, 2002b.

WA-07-G1500 (1).

Alepocephalus longirostris Okamura and Kawanishi *in* Okamura and Kitajima, 1984 [Japanese name: Marukonnyakuiwashi]

Alepocephalus longirostris: Shinohara *et al.*, 1996.

Alepocephalus umbriceps Jordan and Thompson, 1914 [Japanese name: Konnyakuiwashi]

Alepocephalus umbriceps: Shiogaki, 1982; Amaoka, 1983, 1988; Amaoka *et al.*, 1995; Shiogaki *et al.*, 2004.

Bajacalifornia erimoensis Amaoka and Abe, 1977 [Japanese name: Ukeguchiawashi]

Bajacalifornia erimoensis: Shiogaki, 1982; Amaoka, 1983, 1988; Nakabo, 2000b, 2002b; Okamura, 2001; Kitagawa *et al.*, 2008.

Bajacalifornia megalops: Amaoka *et al.*, 1995 (misidentification); Shiogaki *et al.*, 2004.

WA-07-E1200 (3).

Talismania antillarum (Goode and Bean, 1896) [Japanese name: Nokobaiwashi]

Talismania antillarum: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Talismania filamentosa Okamura and Kawanishi *in* Okamura and Kitajima, 1984 [Japanese name: Mizuhikiawashi]

Talismania longifilis: Shiogaki *et al.*, 2004.

Photostylus pycnopterus Beebe, 1933 [Japanese name: Ukeguchitsubuiwashi]

Photostylus pycnopterus: Balanov *et al.*, 2009.

Family Platytroctidae

Holtbyrnia innesi (Fowler, 1934) [Japanese name: Kantaihanameiwashi]

Holtbyrnia innesi: Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.

Maulisia acuticeps Sazonov, 1976 [Japanese name: Ochibahanameiwashi]

Maulisia acuticeps: Okamoto *et al.*, 2008.

Maulisia argipalla Matsui and Rosenblatt, 1979 [Japanese name: Kuzuboshihanameiwashi]

Maulisia argipalla: Okamoto *et al.*, 2007; Balanov *et al.*, 2009.

Sagamichthys abei Parr, 1953 [Japanese name: Hanameiwashi]

Sagamichthys abei: Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-E510 (1), WA-07-E1500 (1).

Order Stomiiformes

Suborder Gonostomoidei

Family Gonostomatidae

Cyclothona atraria Gilbert, 1905 [Japanese name: Onihadaka]

Cyclothona atraria: Shiogaki, 1982; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Diplophos orientalis Matsubara, 1940 [Japanese name: Yumehadaka]

Diplophos orientalis: Balanov *et al.*, 2009.

Diplophos taenia Günther, 1873 [Japanese name: Nettaiyumehadaka]

Diplophos taenia: Shinohara *et al.*, 1996; Aizawa, 2000, 2002; Kitagawa *et al.*, 2008.

WA-07-E410 (2).

Gonostoma atlanticum Norman, 1930 [Japanese name: Tsumariyokoeso]

Gonostoma atlanticum: Balanov *et al.*, 2009.

Sigmops elongatum (Günther, 1878) [Japanese name: Ooyokoeso]

Gonostoma elongatum: Asahida, 1992; Shinohara *et al.*, 1996; Aizawa, 2000, 2002.

Sigmops elongatum: Aizawa, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Sigmops gracile (Günther, 1878) [Japanese name: Yokoeso]

Gonostoma gracile: Mead and Taylor, 1953; Shiogaki, 1982; Shinohara *et al.*, 1996;

Sigmops gracile: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-06-D650 (2), WA-07-E410 (3), WA-07-E650 (3).

Family Sternopychidae

Subfamily Maurolicinae

Maurolicus japonicus Ishikawa, 1915 [Japanese name: Kyuurieso]

Maurolicus japonicus: Mead and Taylor, 1953; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Maurolicus muelleri: Amaoka *et al.*, 1995; Shinohara *et al.*, 1996;

WA-05-H150 (1), WA-07-E210 (4).

Subfamily Sternopychinae

Argyropelecus aculeatus Valenciennes *in* Cuvier and Valenciennes, 1850 [Japanese name: Togarimuneeso]

Argyropelecus aculeatus: Shiogaki, 1982; Shinohara *et al.*, 1996; Aizawa, 2000, 2001, 2002;

Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E380 (2), WA-07-E410 (1).

Argyropelecus affinis Garman, 1899 [Japanese name: Nagamuneso]

Argyropelecus affinis: Shiogaki, 1982; Shinohara *et al.*, 1996; Aizawa, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Argyropelecus hemigymnus Cocco, 1829 [Japanese name: Tengamuneso]

Argyropelecus hemigymnus: Aizawa, 2000, 2001, 2002.

Argyropelecus sladeni Regan, 1908 [Japanese name: Teonoeso]

Argyropelecus sladeni: Aizawa, 2000, 2002.

Polyipnus matsubarai Schultz, 1961 [Japanese name: Hoshihouuneneso]

Polyipnus matsubarai: Aizawa, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E280 (1), WA-07-F380 (1).

Polyipnus stereope Jordan and Starks, 1904 [Japanese name: Katahouuneneso]

Polyipnus stereope: Kitagawa *et al.*, 2008.

Sternopyx diaphana Hermann, 1781 [Japanese name: Muneso]

Sternopyx diaphana: Mead and Taylor, 1953; Maruyama, 1970; Shiogaki, 1982; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E900 (1), WA-07-E1500 (3).

Sternopyx pseudobscura Baird, 1971 [Japanese name: Munesomodoki]

Sternopyx pseudobscura: Shinohara *et al.*, 1996; Aizawa, 2000, 2001, 2002; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-05-G750 (1), WA-06-D650 (1), WA-07-E650 (1), WA-07-E750 (1).

Family Phosichthyidae

Ichthyococcus elongatus Imai, 1941 [Japanese name: Shinjueso]

Ichthyococcus elongatus: Shinohara *et al.*, 1996; Aizawa, 2000, 2001, 2002; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-06-G310 (1), WA-07-E350 (1), WA-07-E550 (1).

Polymetme elongatus (Matsubara, 1938) [Japanese name: Ryuuguuhadaka]

Polymetme elongatus: Shinohara *et al.*, 1996.

WA-06-E380 (2), WA-06-F550 (1)

Vinciguerria nimbaria (Jordan and Williams *in* Jordan and Starks, 1895) [Japanese name: Yabeukieso]

Vinciguerria nimbaria: Balanov *et al.*, 2009.

Family Stomiidae

Subfamily Astronesthinae

Astronesthes cyanea (Brauer, 1902) [Japanese name: Nisekurotokagegisu]

Astronesthes cyaneus: Shiogaki, 1982.

Astronesthes cyanea: Shinohara *et al.*, 1996.

Astronesthes indica Brauer, 1902 [Japanese name: Hohojirotokagegisu]

Astronesthes indica: Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Astronesthes indopacificus Parin and Borodulina, 1977 [Japanese name: Kurotokagegisu]

Astronesthes indopacificus: Parin and Borodulina, 1977; Balanov *et al.*, 2009.

Astronesthes indopacifica: Aizawa, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Borostomias pacificus (Imai, 1941) [Japanese name: Futatsuboshieso]

Borostomias pacificus: Balanov *et al.*, 2009.
WA-06-E280 (1).

Heterophotus ophistoma Regan and Trewavas, 1929 [Japanese name: Ootokagehadaka]
Heterophotus ophistoma: Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Neonesthes capensis (Gilchrist and von Bonde, 1924) [Japanese name: Namidatokagegisu]
Neonesthes capensis: Funabashi, 1998; Aizawa, 2000, 2002.

Rhadinesthes decimus (Zugmayer, 1911) [Japanese name: Yasetokagegisu]
Rhadinesthes decimus: Funabashi, 1998; Aizawa, 2000, 2002.

Subfamily Stomiinae

Chauliodus macouni Bean, 1890 [Japanese name: Higashihouraieso]

Chauliodus macouni: Yamamoto, 1983; Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-G750 (5), WA-07-E650 (1), WA-07-G1500 (1).

Chauliodus sloani Bloch and Schneider, 1801 [Japanese name: Houraieso]

Chauliodus sloani: Shiogaki, 1982; Asahida, 1992; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-E410 (2), WA-07-E510 (1), WA-07-E750 (4), WA-07-G900 (1).

Macrostomias pacificus Fedorov and Melchikova, 1971 [Japanese name: Hosowanitokagegisu]

Macrostomias pacificus: Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Macrostomias pacificus [sic]: Kitagawa *et al.*, 2008.

Stomias affinis Günther, 1887 [Japanese name: Wanitokagegisu]

Stomias affinis: Shiogaki, 1982; Aizawa, 2000, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G650 (1), WA-07-E380 (1), WA-07-G1200 (2).

Stomias nebulosus Alcock, 1889 [Japanese name: Yoroihoshieso]

Stomias nebulosus: Shiogaki, 1982; Funabashi, 1998; Aizawa, 2000; Shiogaki *et al.*, 2004.

WA-07-F350 (1).

Subfamily Melanostomiinae

Bathophilus pawnee Parr, 1927 [Japanese name: Hosogingaeso]

Bathophilus pawnee: Balanov *et al.*, 2009.

Echostoma barbatum Lowe, 1843 [Japanese name: Murasakihoshieso]

Echostoma barbatum: Shinohara *et al.*, 1996; Aizawa, 2000, 2001, 2002; Balanov *et al.*, 2009.

Eustomias interruptus Clarke, 1999 [Japanese name: Chobihigehoshieso]

Eustomias interruptus: Aizawa, 2000, 2002.

Eustomias dendriticus: Aizawa, 2001.

Eustomias orientalis Gibbs, Clarke and Gomon, 1983 [Japanese name: Dainichihoshieso]

Eustomias orientalis: Aizawa, 2000, 2001, 2002.

Eustomias sp. [Japanese name: Inuhoshieso]

Eustomias sp.: Aizawa, 2000, 2002.

Eustomias sp.1: Aizawa, 2001

Flagellostomias boureei (Zugmayer, 1913) [Japanese name: Muchihoshieso]

Flagellostomias boureei: Aizawa, 2000, 2002.

Leptostomias multifilis Imai, 1941 [Japanese name: Yarihoshieso]

Leptostomias multifilis: Aizawa, 2000, 2002; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E1200 (1).

Melanostomias melanops Brauer, 1902 [Japanese name: Shirohigehoshieso]
Melanostomias melanops: Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Melanostomias pauciradius Matsubara, 1938 [Japanese name: Kantentokagegisu]
Melanostomias pauciradius: Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Melanostomias valdiviae Brauer, 1902 [Japanese name: Barudibiahoshieso]
Melanostomias valdiviae: Aizawa, 2000, 2002.

Opostomias mitsuii Imai, 1941 [Japanese name: Mitsuihoshieso]
Opostomias mitsuii: Mead and Taylor, 1953; Yamamoto, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Funabashi, 1998; Aizawa, 2000, 2001, 2002; Balanov *et al.*, 2009.
WA-07-H750 (1), WA-07-E1500 (1), WA-07-G1500 (1), WA-07-H1500 (1)

Pachystomias microdon (Günther, 1878) [Japanese name: Kurenaihoshieso]
Pachystomias microdon: Balanov *et al.*, 2009.
WA-07-E900 (1), WA-07-G1200 (1).

Photonectes albipennis (Döderlein, 1882) [Japanese name: Hoteieso]
Photonectes albipennis: Shinohara *et al.*, 1996; Funabashi, 1998; Aizawa, 2000, 2002; Kitagawa *et al.*, 2008.
WA-06-E310 (1).

Photonectes margarita (Goode and Bean, 1896) [Japanese name: HIREGUROHOTEIESO]
Photonectes margarita: Shinohara *et al.*, 1996; Balanov *et al.*, 2009.

Tactostoma macropus Bolin, 1939 [Japanese name: Hadakahoteieso]
Tactostoma macropus: Matsubara, 1955; Shiogaki, 1982; Yamamoto, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Aizawa, 2000, 2001, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E750 (2), WA-07-E1200 (2).

Thysanactis dentex Regan and Trewavas, 1930 [Japanese name: Mayakashihoshieso]
Thysanactis dentex: Aizawa, 2000, 2002.

Subfamily Idiacanthinae

Idiacanthus antrostomus Gilbert, 1890 [Japanese name: Mitsumatayariuo]
Idiacanthus antrostomus: Shiogaki, 1982; Yamamoto, 1983; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E550 (1).

Subfamily Malacosteinae

Malacosteus niger Ayres, 1848 [Japanese name: Ookuchihoshieso]
Malacosteus niger: Shinohara *et al.*, 1996; Balanov *et al.*, 2009.
Photostomias guernei Collett, 1889 [Japanese name: Houkiboshieso]
Photostomias guernei: Shiogaki, 1982; Aizawa, 2000, 2001, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009

Order Ateleopodiformes Family Ateleopodidae

Ateleopus japonicus Bleeker, 1853 [Japanese name: Shachiburi]

Ateleopus japonicus: Funabashi, 1998; Aizawa, 2000, 2002; Mochizuki, 2001.

Ateleopus purpureus Tanaka, 1915 [Japanese name: Murasakishachiburi]

Ateleopus purpureus: Matsubara, 1955; Aizawa, 2000, 2002.

Ateleopus tanabensis Tanaka, 1918 [Japanese name: Tanabeshachiburi]

Ateleopus tanabensis: Shinohara *et al.*, 1996; Aizawa, 2000, 2002; Mochizuki, 2001; Kitagawa *et al.*, 2008.

Order Aulopiformes

Suborder Chlorophthalmoidei

Family Chlorophthalmidae

Chlorophthalmus acutifrons Hiyama, 1940 [Japanese name: Tomomehikari]

Chlorophthalmus acutifrons: Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Chlorophthalmus albatrossis Jordan and Starks, 1904 [Japanese name: Aomeeso]

Chlorophthalmus albatrossis: Kitagawa *et al.*, 2008.

Chlorophthalmus borealis Kuronuma and Yamaguchi, 1941 [Japanese name: Maruaomeeso]

Chlorophthalmus borealis: Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004.

WA-07-E250 (1).

Family Ipnopidae

Bathypterois atricolor Alcock, 1896 [Japanese name: Itohikiwashi]

Bathypterois atricolor: Yamamoto, 1983; Shinohara *et al.*, 1996.

Family Scopelarchidae

Benthalbella dentata (Chapman, 1939) [Japanese name: Tsumaridemeeso]

Benthalbella dentata: Yamamoto, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Nakabo, 2000b, 2002b; Miya, 2001; Balanov *et al.*, 2009.
WA-05-G750 (1), WA-07-E1500 (2).

Benthalbella linguidens (Mead and Böhlke, 1953) [Japanese name: Demeeso]

Scopeloarchus linguidens: Mead and Taylor, 1953; Matsubara, 1955.

Benthalbella linguidens: Shiogaki, 1982; Yamamoto, 1983; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Miya, 2001; Okamoto *et al.*, 2004; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-G750 (1).

Scopelarchus analis (Brauer, 1902) [Japanese name: Demeesodamashi]

Scopelarchus analis: Balanov *et al.*, 2009.

Scopelarchus michaelisarsi Koefoed, 1955 [Japanese name: Mikaeruhoshieso]

Scopelarchus michaelisarsi: Balanov *et al.*, 2009.

Family Notosudidae

Scopelosaurus adleri (Fedorov, 1967) [Japanese name: Sankakufudeeso]

Scopelosaurus adleri: Balanov *et al.*, 2009.

Scopelosaurus harryi (Mead in Mead and Taylor, 1953) [Japanese name: Harifudeeso]

Luciosudis harryi: Mead and Taylor, 1953.

Scopelosaurus harryi: Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.

Scopelosaurus hoedti Bleeker, 1860 [Japanese name: Hikarifudeeso]

Scopelosaurus hoedti: Kitagawa *et al.*, 2008.

Suborder Alepisauroidei

Family Paralepididae

Arctozenus risso (Bonaparte, 1840) [Japanese name: Hikarieso]

Notolepis rissoi: Funabashi, 1998; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Arctozenus risso: Balanov *et al.*, 2009.

Remarks. We followed Mecklenburg *et al.* (2002) for the scientific name.

Lestidiops ringens (Jordan and Gilbert, 1880) [Japanese name: Kitanamehadaka]

Lestidiops ringens: Okamoto *et al.*, 2006; Balanov *et al.*, 2009.

Lestidiops jayakari (Boulenger, 1889) [Japanese name: Shironamehadaka]

Lestidiops jayakari: Balanov *et al.*, 2009.

Lestidiops sphyraenopsis Hubbs, 1916 [Japanese name: Yasehadakaeso]

Stemonosudis molesta: Yamamoto, 1983.

Lestidiops sphyraenopsis: Funabashi, 1998; Nakabo, 2000b, 2002b; Okamura, 2001; Balanov *et al.*, 2009.

Lestidium prolixum Harry, 1953 [Japanese name: Namehadaka]

Lestidium prolixum: Funabashi, 1998.

Lestrolepis intermedia (Poey, 1868) [Japanese name: Futasujinamehadaka]

Lestrolepis intermedia: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-06-F280 (1).

Paralepis atlantica Krøyer, 1868 [Japanese name: Kusabiurokoeso]

Paralepis atlantica: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Anopteridae

Anotopterus pharaeo Zugmayer, 1911 [Japanese name: Mizuuodamashi]

Anotopterus pharaeo: Balanov *et al.*, 2009.

Family Evermannellidae

Coccocella atlantica (Parr, 1928) [Japanese name: Yarieso]

Coccocella atlantica: Balanov *et al.*, 2009.

Odontostomops normalops (Parr, 1928) [Japanese name: Mukashiyarieso]

Odontostomops normalops: Balanov *et al.*, 2009.

Family Omosudidae

Omosudis lowii Günther, 1887 [Japanese name: Kibahadaka]

Omosudis lowei: Funabashi, 1998; Nakabo, 2002b

Omosudis lowii: Nakabo, 2000b.

Family Alepisauridae

Alepisaurus ferox Lowe, 1833 [Japanese name: Mizuuo]

Alepisaurus ferox: Shiogaki, 1982; Nakaya, 1983; Asahida, 1992; Funabashi, 1998; Shiogaki et al., 2004; Kitagawa et al., 2008; Balanov et al., 2009.

Order Myctophiformes
Family Neoscopelidae

Neoscopelus macrolepidotus Johnson, 1863 [Japanese name: Sotooriiwashi]

Neoscopelus macrolepidotus: Maruyama, 1970; Shiogaki, 1982; Sawada, 1983; Shinohara et al., 1996; Shiogaki et al., 2004; Kitagawa et al., 2008; Balanov et al., 2009.

WA-07-G380 (1).

Scopelengys tristis Alcock, 1890 [Japanese name: Kurogoiwashi]

Scopelengys tristis: Balanov et al., 2009.

Family Myctophidae

Bolinichthys distophax Johnson, 1975 [Japanese name: Futomikazukihadaka]

Bolinichthys distophax: Balanov et al., 2009.

Bolinichthys longipes (Brauer, 1906) [Japanese name: Hosomikazukihadaka]

Bolinichthys longipes: Shinohara et al., 1996; Balanov et al., 2009.

Centrobranchus brevirostris Becker, 1964 [Japanese name: Butahadaka]

Centrobranchus brevirostris: Shiogaki, 1982; Nakabo, 2000b, 2002b; Shiogaki et al., 2004.

Ceratoscopelus warmingii (Lütken, 1892) [Japanese name: Gokouhadaka]

Ceratoscopelus townsendi: Mead and Taylor, 1953; Maruyama, 1970.

Ceratoscopelus warmingi: Shiogaki, 1982; Watanabe et al., 1999.

Ceratoscopelus warmingii: Shinohara et al., 1996; Nakabo, 2000b, 2002b; Shiogaki et al., 2004; Kitagawa et al., 2008; Balanov et al., 2009.

Ceratoscopelus warmingi [sic]: Okamura, 2001.

WA-07-E350 (1), WA-07-E425 (30).

Diaphus fulgens (Brauer, 1904) [Japanese name: Kobitohadaka]

Diaphus nanus: Mead and Taylor, 1953.

Diaphus garmani Gilbert, 1906 [Japanese name: Hirohadaka]

Diaphus latus: Mead and Taylor, 1953.

Diaphus gigas Gilbert, 1913 [Japanese name: Suitouhadaka]

Diaphus gigas: Kawaguchi and Shimizu, 1978; Sawada, 1983; Shinohara et al., 1996; Watanabe et al., 1999; Kitagawa et al., 2008.

WA-07-E350 (2).

Diaphus kuroshio Kawaguchi and Nafpaktitis, 1978 [Japanese name: Kuroshiohadaka]

Diaphus kuroshio: Kawaguchi and Shimizu, 1978; Shinohara et al., 1996; Nakabo, 2000b, 2002b; Kitagawa et al., 2008.

WA-07-E350 (1).

Diaphus metopoclampus (Cocco, 1829) [Japanese name: Daikokuhadaka]

Diaphus metopoclampus: Kawaguchi and Shimizu, 1978; Nakabo, 2000b, 2002b.

Diaphus mollis Tåning, 1928 [Japanese name: Otomehadaka]

Diaphus mollis: Balanov et al., 2009.

Diaphus perspicillatus (Ogilby, 1889) [Japanese name: Shirohanahadaka]

Diaphus perspicillatus: Kawaguchi and Shimizu, 1978; Balanov et al., 2009.

WA-07-H750 (1).

Diaphus phillipsi Fowler, 1934 [Japanese name: Chigirehadaka]

Diaphus phillipsi: Shinohara *et al.*, 1996.

Diaphus regani Tåning, 1932 [Japanese name: Agarihadaka]

Diaphus regani: Kawaguchi and Shimizu, 1978; Funabashi, 1998; Nakabo, 2000b, 2002b.

Diaphus schmidti Tåning, 1932 [Japanese name: Takahadaka]

Diaphus schmidti: Funabashi, 1998; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Diaphus signatus Gilbert, 1908 [Japanese name: Bôhadaka]

Diaphus signatus: Nakabo, 2000b, 2002b.

Diaphus suborbitalis Weber, 1913 [Japanese name: Senhadaka]

Diaphus suborbitalis: Shinohara *et al.*, 1996.

Diaphus theta Eigenmann and Eigenmann, 1890 [Japanese name: Todohadaka]

Diaphus theta: Maruyama, 1970; Kawaguchi and Shimizu, 1978; Shiogaki, 1982; Shinohara *et al.*, 1996; Funabashi, 1998; Watanabe *et al.*, 1999; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-F480 (1); WA-06-F410 (1), WA-07-E350 (1), WA-07-E425 (32).

Diaphus watasei Jordan and Starks, 1904 [Japanese name: Hadakaiwashi]

Diaphus watasei: Shiogaki, 1982; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-E380 (1).

Electrona risso (Cocco, 1829) [Japanese name: Darumahadaka]

Electrona risso: Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Hygophum reinhardtii (Lütken, 1892) [Japanese name: Dongurihadaka]

Hygophum reinhardtii: Shiogaki *et al.*, 2004.

Lampadena luminosa (Garman, 1899) [Japanese name: Kagamiiwashi]

Lampadena luminosa: Shinohara *et al.*, 1996; Balanov *et al.*, 2009.

Lampadena urophaeos Paxton, 1963 [Japanese name: Hotarubihadaka]

Lampanyctus urophaeos: Watanabe *et al.*, 1999; Balanov *et al.*, 2009.

Lampadena yaquinae (Coleman and Nafpaktitis, 1972) [Japanese name: Sankouhadaka]

Lampadena yaquinae: Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.

WA-06-F1500 (1), WA-07-E1500 (1).

Lampanyctus acanthurus Wisner, 1974 [Japanese name: Oomenijihadaka]

Lampanyctus acanthurus: Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.

Lampanyctus alatus Goode and Bean, 1896 [Japanese name: Tomihadaka]

Lampanyctus alatus: Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Lampanyctus festivus Tåning, 1928 [Japanese name: Nijihadaka]

Lampanyctus festivus: Mead and Taylor, 1953; Nakabo, 2000b, 2002b.

Lampanyctus jordani Gilbert, 1913 [Japanese name: Mamehadaka]

Lampanyctus jordani: Mead and Taylor, 1953; Maruyama, 1970; Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Watanabe *et al.*, 1999; Okamura, 2001; Shiogaki *et al.*, 2004; Uchikawa *et al.*, 2008; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-E410 (2).

Lampanyctus niger (Günther, 1887) [Japanese name: Tongarihadaka]

Lampanyctus niger: Balanov *et al.*, 2009.

Lampanyctus nobilis Tåning, 1928 [Japanese name: Hosotongarihadaka]

Lampanyctus nobilis: Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.

Lampanyctus simulator Wisner, 1971 [Japanese name: Hosomamehadaka]

Lampanyctus simulator: Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.

Lampanyctus steinbecki Bolin, 1939 [Japanese name: Sutainhadaka]

- Lampanyctus steinbecki*: Balanov *et al.*, 2009.
- Lampanyctus tenuiformis*** (Brauer, 1906) [Japanese name: Nettainijihadaka]
Lampanyctus tenuiformis: Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
- Lampanyctus*** sp. [Japanese name: Namitogehadaka]
Lampanyctus sp.: Nakabo, 2000b, 2002b.
- Lobianchia gemellarii*** (Cocco, 1838) [Japanese name: Hakutouhadaka]
Lobianchia gemellarii: Nakabo, 2000b, 2002b.
- Myctophum asperum*** Richardson, 1845 [Japanese name: Arahadaka]
Myctophum asperum: Mead and Taylor, 1953; Matsubara, 1955; Maruyama, 1970; Shiogaki, 1982; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
 WA-06-F380 (1), WA-07-E210 (1), WA-07-E350 (2), WA-07-E425 (47), WA-07-E650 (1).
- Myctophum nitidulum*** Garman, 1899 [Japanese name: Susukihadaka]
Myctophum affine: Mead and Taylor, 1953; Matsubara, 1955; Maruyama, 1970.
Myctophum nitidulum: Shiogaki, 1982; Asahida, 1992; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
 WA-07-E425 (4).
- Myctophum orientale*** (Gilbert, 1913) [Japanese name: Usuhadaka]
Myctophum orientale: Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
 WA-06-G310 (2).
- Myctophum spinosum*** (Steindachner, 1867) [Japanese name: Ibarahadaka]
Myctophum spinosum: Funabashi, 1998; Nakabo, 2000b, 2002b.
- Nannobrachium regale*** (Gilbert, 1892) [Japanese name: Mikadohadaka]
Lampanyctus regalis: Sawada, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Watanabe *et al.*, 1999.
Nannobrachium regale: Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
- Nannobrachium*** sp. [Japanese name: Hirenashitongarihadaka]
Nannobrachium sp.: Nakabo, 2000b, 2002b.
- Notoscopelus japonicus*** (Tanaka, 1908) [Japanese name: Ookuchiawashi]
Notoscopelus japonicus: Mead and Taylor, 1953; Shiogaki, 1982; Shinohara *et al.*, 1996; Watanabe *et al.*, 1999; Uchikawa *et al.*, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
- Notoscopelus elongatus*: Maruyama, 1970
- Notoscopelus resplendens*** (Richardson, 1845) [Japanese name: Isaribihadaka]
Notoscopelus resplendens: Mead and Taylor, 1953; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Balanov *et al.*, 2009.
- Protomyctophum crockeri*** (Bolin, 1939) [Japanese name: Mukashihadaka]
Protomyctophum crockeri: Nakabo, 2000b, 2002b.
- Protomyctophum thompsoni*** (Chapman, 1944) [Japanese name: Oomehadaka]
Elecrona arctica: Maruyama, 1970.
Protomyctophum thompsoni: Shinohara *et al.*, 1996; Watanabe *et al.*, 1999; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
 WA-05-E480 (1).
- Stenobrachius leucopsarus*** (Eigenmann and Eigenmann, 1890) [Japanese name: Kohirehadaka]
Lampanyctus leucopsarus: Mead and Taylor, 1953; Maruyama, 1970.
Stenobrachius leucopsarus: Sawada, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Watanabe *et al.*, 1999; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
 WA-07-E425 (1), WA-07-F350 (1).

Stenobrachius nannochir (Gilbert, 1890) [Japanese name: Sekkihadaka]

Stenobrachius nannochir: Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Watanabe *et al.*, 1999; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Symbolophorus californiensis (Eigenmann and Eigenmann, 1889) [Japanese name: Nagahadaka]

Myctophum californiense: Mead and Taylor, 1953; Maruyama, 1970.

Symbolophorus californiensis: Shiogaki, 1982; Shinohara *et al.*, 1996; Watanabe *et al.*, 1999; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Symbolophorus sp.: Sawada, 1983.

WA-06-E450 (1), WA-07-E425 (1), WA-07-E550 (1), WA-07-E650 (1), WA-07-F510 (4), WA-07-G900 (19), WA-07-H900 (1), WA-07-G1500 (1).

Symbolophorus evermanni (Gilbert, 1905) [Japanese name: Magarihadaka]

Symbolophorus evermanni: Shiogaki, 1982; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004.

WA-06-H380 (1), WA-07-E380 (1), WA-07-E510 (1).

Taaningichthys minimus (Tåning, 1928) [Japanese name: Kurohadaka]

Taaningichthys minimus: Balanov *et al.*, 2009.

Tarletonbeania taylori Mead, 1953 [Japanese name: Hokuyouhadaka]

Tarletonbeania taylori: Mead and Taylor, 1953; Maruyama, 1970; Shiogaki, 1982; Watanabe *et al.*, 1999; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Order Lampridiformes

Family Lophotidae

Lophotus capellei Temminck and Schlegel, 1845 [Japanese name: Akanamada]

Lophotus capellei: Asahida, 1992; Shiogaki *et al.*, 2004.

Family Trachipteridae

Desmodema lorum Rosenblatt and Butler, 1977 [Japanese name: Okifurisodeuo]

Desmodema lorum: Amaoka *et al.*, 1995.

Desmodema polystictum (Ogilby, 1898) [Japanese name: Furisodeuo]

Desmodema polystictum: Yabe, 1983; Asahida, 1992; Shiogaki *et al.*, 2004.

Trachipterus ishikawai Jordan and Snyder, 1901 [Japanese name: Sakegashira]

Trachipterus ishikawai [sic]: Maruyama, 1971.

Trachipterus ishikawai: Shiogaki, 1982; Funabashi, 1998; Asahida, 1992; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Trachipterus trachypterus (Gmelin, 1789) [Japanese name: Tengaihata]

Trachipterus iris: Maruyama, 1971.

Trachipterus trachypterus: Shiogaki, 1982; Imamura and Ishito, 1997; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Regalecidae

Regalecus russellii (Cuvier, 1816) [Japanese name: Ryuuguunotsukai]

Regalecus ruselli [sic]: Maruyama, 1971.

Regalecus russellii: Asahida, 1992; Shiogaki *et al.*, 2004.

WA-07-F280 (1).

Order Polymixiiformes
Family Polymixiidae

Polymixia japonica Günther, 1877 [Japanese name: Ginmedai]

Polymixia japonica: Kitagawa *et al.*, 2008.

Polymixia longispina Deng, Xiong and Zhan, 1983 [Japanese name: Kiraraginme]

Polymixia longispina: Shinohara *et al.*, 1996.

Order Ophidiiformes
Family Ophidiidae

Homostolus acer Smith and Radcliffe in Radcliffe, 1913 [Japanese name: Itohikiitachiuo]

Remarks. Kitagawa *et al.* (2008) reported a color photograph of the specimen from the Tohoku District under the incorrect name *Monomitopus kumae* (H. Imamura, personal communication).

Hoplobrotula armata (Temminck and Schlegel, 1846) [Japanese name: Yoroiiitachiuo]

Hoplobrotula armata: Maruyama, 1971; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Neobythites siviculus (Jordan and Snyder, 1901) [Japanese name: Shioitachiuo]

Neobythites sivicola: Funabashi, 1998.

Neobythites stigmosus Machida in Okamura and Kitajima, 1984 [Japanese name: Shimaitachiuo]

Neobythites stigmosus: Kitagawa *et al.*, 2008.

Porogadus guentheri Jordan and Fowler, 1902 [Japanese name: Taraitachiuo]

Porogadus guentheri: Machida, 2001.

Porogadus miles Goode and Bean, 1885 [Japanese name: Kowatogetaraitachiuo]

Porogadus sp.: Amaoka, 1983.

Porogadus miles: Machida and Amaoka, 1990.

Spectrunculus grandis (Günther, 1877) [Japanese name: Sokobouzu]

Spectrunculus grandis: Machida *et al.*, 1987; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004.

Order Gadiformes
Family Macrouridae
Subfamily Macrouroidinae

Squalogadus modificatus Gilbert and Hubbs, 1916 [Japanese name: Bakedara]

Squalogadus modificatus: Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Okamura, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Subfamily Macrourinae

Abyssicola macrochir (Günther, 1877) [Japanese name: Tenagadara]

Abyssicola macrochir: Okamura, 1970; Shiogaki, 1982; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G650 (3), WA-06-H550 (1), WA-06-E425 (1), WA-07-E280 (2), WA-07-E350 (1).

Bathygadus antrodes (Jordan and Starks, 1904) [Japanese name: Anadara]

Bathygadus antrodes: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

WA-07-G900 (1), WA-07-E1500 (1).

Caelorinchus japonicus (Temminck and Schlegel, 1846) [Japanese name: Toujin]

Coelorhynchus gilberti: Maruyama, 1971.

Coelorinchus japonicus: Funabashi, 1998.

Caelorinchus kishinouyei Jordan and Snyder, 1900 [Japanese name: Mugurahige]

Coelorinchus kishinouyei: Shiogaki *et al.*, 2004.

Coelorinchus gilberti Jordan and Hubbs, 1925 [Japanese name: Onihige]

Coelorhynchus gilberti: Okamura, 1970; Shiogaki, 1982; Sawada, 1983.

Coelorinchus gilberti: Asahida, 1992; Shinohara *et al.*, 1996.

Coelorinchus gilberti: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-H550 (1), WA-07-F480 (5).

Coelorinchus kamoharai Matsubara, 1943 [Japanese name: Ichimonjihige]

Coelorinchus kamoharai: Shinohara *et al.*, 1996.

Coryphaenoides acrolepis (Bean, 1884) [Japanese name: Ibarahige]

Coryphaenoides acrolepis: Okamura, 1970; Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Nematonurus acrolepis [sic]: Maruyama, 1971.

WA-07-E1500 (1).

Coryphaenoides armatus (Hector, 1875) [Japanese name: Yoroidara]

Coryphaenoides armatus: Endo and Okamura, 1992.

Coryphaenoides cinereus (Gilbert, 1896) [Japanese name: Karafutosokodara]

Coryphaenoides cinereus: Okamura, 1970, 2001; Sawada, 1983; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-E1500 (1).

Coryphaenoides filamentosus Okamura, 1970 [Japanese name: Hokuyousokodara]

Coryphaenoides filamentosus: Okamura, 1970; Nakabo, 2000b, 2002b.

Coryphaenoides longifilis Günther, 1877 [Japanese name: Himodara]

Coryphaenoides longifilis: Okamura, 1970; Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G900 (1).

Coryphaenoides marginatus Steindachner and Döderlein, 1887 [Japanese name: Heridara]

Coryphaenoides marginatus: Kitagawa *et al.*, 2008.

Coryphaenoides nasutus Günther, 1877 [Japanese name: Hanasokodara]

Coryphaenoides nasutus: Okamura, 1970; Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-F650 (1), WA-07-E650 (1).

Coryphaenoides pectoralis (Gilbert, 1892) [Japanese name: Munedara]

Coryphaenoides pectoralis: Okamura, 1970, 2001; Shiogaki, 1982; Sawada, 1983; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Nematonurus pectoralis: Maruyama, 1971.

Albatrossia pectoralis: Shinohara *et al.*, 1996.

WA-06-F650 (1), WA-06-F1500 (2), WA-07-E1500 (1).

Coryphaenoides yaquinae Iwamoto and Stein, 1974 [Japanese name: Shinkaiyoroidara]

Coryphaenoides yaquinae: Endo and Okamura, 1992.

Hymenocephalus lethonemus Jordan and Gilbert *in* Jordan and Starks, 1904 [Japanese name: Ito-dara]

Hymenocephalus lethonemus: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

WA-07-G380 (5).

Hymenocephalus striatissimus Jordan and Gilbert *in* Jordan and Starks, 1904 [Japanese name:

Sujidara]

Hymenocephalus striatissimus: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.
WA-06-H410 (4).

Nezumia condylura Jordan and Gilbert *in* Jordan and Starks, 1904 [Japanese name: Nezumidara]

Nezumia condylura: Kitagawa *et al.*, 2008.
WA-06-H410 (4).

Nezumia propinqua (Gilbert and Cramer, 1897) [Japanese name: Kiherinezumidara]

Nezumia propinqua: Shinohara *et al.*, 1996.

Nezumia proxima (Smith and Radcliffe in Radcliffe, 1912) [Japanese name: Higosokodara]

Nezumia proxima: Sawada, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Kitagawa *et al.*, 2008.

WA-06-F650 (1).

Ventrifossa garmani (Jordan and Gilbert *in* Jordan and Starks, 1904) [Japanese name: Sagamisokodara]

Ventrifossa garmani: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

Ventrifossa japonica (Matsubara, 1943) [Japanese name: Kagamihige]

Ventrifossa japonica: Kitagawa *et al.*, 2008.

Ventrifossa misakia (Jordan and Gilbert *in* Jordan and Starks, 1904) [Japanese name: Misakisokodara]

Ventrifossa misakia: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

WA-07-G380 (5).

Family Moridae

Antimora microlepis Bean, 1890 [Japanese name: Kanadadara]

Antimora microlepis: Maruyama, 1971; Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Endo, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.
WA-07-E650 (1), WA-07-E1500 (1).

Halargyreus johnsonii Günther, 1862 [Japanese name: Karasudara]

Halargyreus johnsonii: Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Endo, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Physiculus japonicus Hilgendorf, 1879 [Japanese name: Chigodara]

Physiculus japonicus: Maruyama, 1971; Shiogaki, 1982; Sawada, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Balanov *et al.*, 2009.

Physiculus maximowiczii: Kitagawa *et al.*, 2008.

WA-06-E410 (1).

Laemonema longipes Schmidt, 1938 [Japanese name: Itohikidara]

Laemonema longipes: Maruyama, 1971; Shiogaki, 1982; Sawada, 1983; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-EF450 (1), WA-07-E550 (1), WA-07-E650 (1).

Lepidion schmidti Svetovidov, 1936 [Japanese name: Kitanokurodara]

Lepidion schmidti: Sawada, 1983; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Endo, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Lotella phycis (Temminck and Schlegel, 1846) [Japanese name: Isoainame]

Lotella phycis: Funabashi, 1998.

Family Melanonidae

Melanonus zugmayeri Norman, 1930 [Japanese name: Kawarihiredara]

Melanonus zugmayeri: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.
WA-07-E750 (1).

Family Bregmacerotidae

Bregmaceros japonicus Tanaka, 1908 [Japanese name: Saiuo]

Bregmaceros japonicus: Maruyama, 1971; Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008;
Balanov *et al.*, 2009.
WA-06-H250 (2).

Family Merlucciidae

Merluccius australis (Hutton, 1872) [Japanese name: Hitachidara]

Merluccius australis: Abe and Fubanabashi, 1993; Funabashi, 1998; Nakabo, 2000b, 2002b.

Merluccius productus (Ayres, 1855) [Japanese name: Shiroganedara]

Merluccius productus: Endo and Kitagawa, 2006; Kitagawa *et al.*, 2008.

Family Gadidae

Gadus macrocephalus Tilesius, 1810 [Japanese name: Madara]

Gadus macrocephalus [sic]: Maruyama, 1971.

Gadus macrocephalus: Shiogaki, 1982; Shirai, 1983; Sato *et al.*, 1987; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Endo, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E410 (2).

Theragra chalcogramma (Pallas, 1814) [Japanese name: Suketoudara]

Theragra chalcogramma: Maruyama, 1971; Shiogaki, 1982; Sato *et al.*, 1987; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Nakabo, 2000b, 2002b; Endo, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-GH310 (2), WA-06-GH380 (2).

Order Lophiiformes

Suborder Lophioidei

Family Lophiidae

Lophiomus setigerus (Vahl, 1797) [Japanese name: Ankou]

Lophiomus setigerus: Maruyama, 1971; Sato *et al.*, 1987; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004.

Lophius litulon (Jordan, 1902) [Japanese name: Kiankou]

Lophius litulon: Maruyama, 1971; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-E150(1).

Suborder Ogcoccephalioidei

Family Chaunacidae

Chaunax apei Le Danois, 1978 [Japanese name: Midorifusaankou]

Chaunax apei: Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et*

al., 2008.

Chaunax fimbriatus Hilgendorf, 1879 [Japanese name: Honfusaankou]

Chaunax fimbriatus: Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Ogcoccephalidae

Coelophrys bradburyae Endo and Shinohara, 1999 [Japanese name: Wakatakayumesokogutsu]

Coelophrys bradburyae: Endo and Shinohara, 1999; Yamada, 2000, 2002; Shiogaki *et al.*, 2004; Balanov *et al.*, 2009.

Dibranchus japonicus Amaoka and Toyoshima, 1981 [Japanese name: Sokogutsu]

Dibranchus japonicus: Amaoka, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Yamada, 2000, 2001, 2002; Kitagawa *et al.*, 2008.

Halieutaea stellata (Vahl, 1797) [Japanese name: Akagutsu]

Halieutaea stellata: Shiogaki, 1982; Funabashi, 1998; Yamada, 2000, 2001, 2002; Shiogaki *et al.*, 2004.

Family Melanocetidae

Melanocetus johnsoni Günther, 1864 [Japanese name: Perikanankou]

Melanocetus johnsoni: Amaoka, 1983; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Amaoka, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Himantolophidae

Himantolophus borealis Kharin, 1984 [Japanese name: Kitachouchinankou]

Himantolophus borealis: Kharin, 1984; Nakabo, 2000b, 2002b.

Himantolophus sagamius (Tanaka, 1918) [Japanese name: Chouchinankou]

Himantolophus groenlandicus: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008

Himantolophus sagaminus: Balanov *et al.*, 2009.

Remarks. Although Nakabo (2002) used *Himantolophus groenlandicus* Reinhardt, 1837 for this species, we followed Bertelsen and Krefft (1988) here.

Family Diceratiidae

Diceratias trilobus Balushkin and Fedrov, 1986 [New Japanese name: Sanyouchouchinankou]

Diceratias trilobus: Balushkin and Fedrov, 1986; Pietsch *et al.*, 2006.

Remarks. Holotype of this species was collected from the east of Honshu Island, Japan ($38^{\circ}20.7'N$, $142^{\circ}31.9'N$) in 1975 (Balushkin and Fedorov, 1986; Pietsch *et al.*, 2006), but Nakabo (2002a) didn't include it in Japanese fishes. We established a new Japanese name by its esca character.

Family Oneirodidae

Bertella idiomorpha Pietsch, 1973 [Japanese name: Baterusenankou]

Bertella idiomorpha: Shinohara *et al.*, 1996; Balanov *et al.*, 2009.

Chaenophryne draco Beebe, 1932 [Japanese name: Rakudaankou]

Chaenophryne draco: Balanov *et al.*, 2009.

Chaenophryne longiceps Regan, 1925 [Japanese name: Kurozumerakudaankou]

Chaenophryne longiceps: Balanov *et al.*, 2009.

Oneirodes bulbosus Chapman, 1939 [Japanese name: Yumeankou]

Oneirodes bulbosus: Balanov *et al.*, 2009.

Oneirodes thompsoni (Schultz, 1934) [Japanese name: Togerakudaankou]

Oneirodes acanthias: Maruyama, 1971; Shiogaki, 1982.

Oneirodes thompsoni: Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Ceratiidae

Ceratias holboelli Krøyer, 1845 [Japanese name: Biwaankou]

Ceratias holboelli: Maruyama, 1971; Asahida, 1992; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Cryptopsaras couesi Gill, 1883 [Japanese name: Mitsukurienagachouchinankou]

Cryptopsaras couesi: Maruyama, 1971; Abe and Funabashi, 1992; Funabashi, 1998.

Cryptopsaras couesi: Kitagawa *et al.*, 2008.

WA-06-E425 (1), WA-07-F380 (1).

Family Gigantactinidae

Gigantactis elsmani Bertelsen, Pietsch and Lavenberg, 1981 [Japanese name: Rôsokumoguraankou]

Gigantactis elsmani: Amaoka, 1983, 1988, 2001; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Gigantactis gargantua Bertelsen, Pietsch and Lavenberg, 1981 [Japanese name: Onagamoguraankou]

Gigantactis gargantua: Amaoka, 1983, 1988, 2001; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Gigantactis perlatus Beebe and Crane, 1947 [Japanese name: Andonmoguraankou]

Gigantactis perlatus: Amaoka, 1983, 1988; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Gigantactis vanhoeffeni Brauer, 1902 [Japanese name: Shidaankou] (Fig. 2C)

WA-07-G1500 (1).

Gigantactis vanhoeffeni: Maruyama, 1970; Amaoka, 1983, 1988, 2001; Asahida, 1992; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Family Linophrynidae

Linophryne densiramus Imai, 1941 [Japanese name: Oniankou]

Linophryne densiramus: Shinohara *et al.*, 1996.

Linophryne indica (Brauer, 1902) [Japanese name: Indooniankou]

Linophryne indica: Shinohara *et al.*, 1996; Balanov *et al.*, 2009.

Order Stephanoberyciformes

Family Melamphaidae

Melamphaes lugubris Gilbert, 1891 [Japanese name: Honkabutou]

Melamphaes lugubris: Amaoka *et al.*, 1995; Aizawa, 2000, 2002; Balanov *et al.*, 2009.

Melamphaes polylepis Ebeling, 1962 [Japanese name: Urokokabutouo]

Melamphaes polylepis: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Poromitra crassiceps (Günther, 1878) [Japanese name: Kabutouo]

Polromitra (Melamphaes) crassiceps [sic]: Maruyama, 1971.

Poromitra crassiceps: Shiogaki, 1982; Amaoka, 1983; Amaoka *et al.*, 1995; Aizawa, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Scopeloberyx opisthopterus (Parr, 1933) [Japanese name: Himetatekabutouo]

Scopeloberyx opisthopterus: Aizawa, 2000, 2002; Kitagawa *et al.*, 2008.

Scopeloberyx robustus (Günther, 1887) [Japanese name: Tatekabutouo]

Scopeloberyx robustus: Aizawa, 2000; Balanov *et al.*, 2009.

Scopelogadus mizolepis mizolepis (Günther, 1878) [Japanese name: Yoroiginme]

Scopelogadus mizolepis mizolaepis: Aizawa, 2000, 2002.

Family Rondeletiidae

Rondeletia loricata Abe and Hotta, 1963 [Japanese name: Akachokkujirauo]

Rondeletia loricata: Shinohara *et al.*, 1996; Aizawa, 2000, 2002; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-G900 (1), WA-05-G750 (1), WA-06-H1500 (1), WA-07-E750 (1), WA-07-E1500 (1), WA-07-G1200 (2), WA-07-H1500 (1).

Family Barbourisiidae

Barbourisia rufa Parr, 1945 [Japanese name: Akakujirauodamashi]

Barbourisia rufa: Shiogaki, 1982; Amaoka, 1983; Asahida, 1992; Aizawa, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Family Cetomimidae

Cetostoma regani Zugmayer, 1914 [Japanese name: Hosomikujirauo]

Cetostoma regani: Amaoka, 1983, 1988; Amaoka *et al.*, 1995.

Cetomimus regani: Aizawa, 2000, 2002; Amaoka, 2001.

Ditropichthys storeri (Goode and Bean, 1895) [Japanese name: Sumikujirauo]

Ditropichthys storei: Shinohara *et al.*, 1996.

Order Beryciformes

Suborder Trachichthyoidei

Family Anoplogastridae

Anoplogaster cornuta (Valenciennes *in* Cuvier and Valenciennes, 1833) [Japanese name: Onikimme]

Anoplogaster cornuta: Shiogaki, 1982; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Hayashi, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-G1200 (1).

Family Diretmidae

Diretmichthys parini (Post and Quero, 1981) [Japanese name: Nakamuraginme]

Diretmus argenteus: Maruyama, 1971; Shiogaki, 1982; Amaoka, 1983.

Diretmoides parini: Amaoka *et al.*, 1995.

Diretmichthys parini: Hayashi, 2000, 2002; Shimizu, 2001; Shiogaki *et al.*, 2004.

Family Trachichthyidae

Gephyroberyx japonicus (Döderlein in Steindachner and Döderlein, 1883) [Japanese name: Hashikinme]

Gephyroberyx japonicus: Funabashi, 1998; Shiogaki *et al.*, 2004.

Gephyroberyx darwini: Kitagawa *et al.*, 2008.

Hoplostethus japonicus Hilgendorf, 1879 [Japanese name: Hiuchidai]

Hoplostethus japonicus: Takahashi *et al.*, 2003; Kitagawa *et al.*, 2008.

Suborder Berycoidei

Family Berycidae

Beryx decadactylus Cuvier in Cuvier and Valenciennes, 1829 [Japanese name: Nanyoukinme]

Beryx decadactylus: Maruyama, 1971; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Beryx splendens Lowe, 1834 [Japanese name: Kinmedai]

Beryx splendens: Maruyama, 1971; Shiogaki, 1982; Amaoka, 1983; Sato *et al.*, 1987; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Order Zeiformes

Family Macrurocyttidae

Zenion japonicum Kamohara, 1934 [Japanese name: Sokomatoudai]

Zenion japonicum: Kitagawa *et al.*, 2008.

WA-06-F280 (1).

Family Zeidae

Cytopsis rosea (Lowe, 1843) [Japanese name: Kagomatoudai]

Cytopsis rosea: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

Zenopsis nebulosa (Temminck and Schlegel, 1845) [Japanese name: Kagamidai]

Zenopsis nebulosa: Maruyama, 1971; Shiogaki, 1982; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

Zeus faber Linnaeus, 1758 [Japanese name: Matoudai]

Zeus japonicus: Maruyama, 1971; Shiogaki, 1982.

Zeus faber: Asahida, 1992; Funabashi, 1998; Inada, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Oreosomatidae

Allocyttus verrucosus (Gilchrist, 1906) [Japanese name: Oomematoudai]

Allocyttus verrucosus: Maruyama, 1970, 1971; Kido, 1983; Asahida, 1992; Amaoka *et al.*, 1995; Kitagawa *et al.*, 2008.

Allocyttus varrucosus [sic]: Funabashi, 1998.

Family Grammicolepididae

Xenolepidichthys dalgleishi Gilchrist, 1922 [Japanese name: Hishimatoudai]

Xenolepidichthys dalgleishi: Kitagawa *et al.*, 2008.

Order Gasterosteiformes

Family Macroramphosidae

Macroramphosus scolopax (Linnaeus, 1758) [Japanese name: Sagifue]

Macroramphosus sagifue: Maruyama, 1971.

Macroramphosus japonicus: Maruyama, 1971.

Macroramphosus scolopax: Shiogaki, 1982; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Macrorhamphosus scolopax: Funabashi, 1998.

WA-07-G150 (7), WA-07-E210 (2).

Order Scorpaeniformes

Suborder Scorpaenoidei

Family Scorpaenidae

Ectreposebastes imus Garman, 1899 [Japanese name: Kurokasago]

Ectreposebastes imus: Maruyama, 1970; Kanayama, 1983; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-E750 (1).

Helicolenus hilgendorfi (Döderlein in Steindachner and Döderlein, 1884) [Japanese name: Yume-kasago]

Helicolenus hilgendorfi: Maruyama, 1971; Shiogaki, 1982; Sato *et al.*, 1987; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Hozukius emblemarius (Jordan and Starks, 1904) [Japanese name: Houzuki]

Hozukius emblemarius: Kanayama, 1983; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Pontinus macrocephalus (Sauvage, 1882) [Japanese name: Hiodoshi]

Pontinus macrocephalus: Funabashi, 1998.

Scorpaena izensis Jordan and Starks, 1904 [Japanese name: Izukasago]

Scorpaena izensis: Shiogaki, 1982.

Scorpaena neglecta: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastes alutus (Gilbert, 1890) [Japanese name: Arasukamenuke]

Sebastes alutus: Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Sebastes aleutianus (Jordan and Evermann, 1898) [Japanese name: Aramenuke]

Sebastes aleutianus: Kitagawa *et al.*, 2008.

Sebastes baramenuke (Wakiya, 1917) [Japanese name: Baramenuke]

Sebastodes baramenuke: Okada and Matsubara, 1938.

Sebastes baramenuke: Shiogaki, 1982; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastes borealis Barsukov, 1970 [Japanese name: Hireguromenuke]

Sebastes borealis: Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Ishida, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastes flammeus (Jordan and Starks, 1904) [Japanese name: Sankoumenuke]

Sebastes flameus [sic]: Maruyama, 1971.

Sebastes flammeus: Shiogaki, 1982; Kanayama, 1983; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastes glaucus Hilgendorf, 1880 [Japanese name: Kuromenuke]

Sebastes glaucus: Amaoka, 1988; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Sebastes iracundus Jordan and Starks, 1904 [Japanese name: Oosaga]

Sebastodes iracundus: Okada and Matsubara, 1938.

Sebastes iracundus: Maruyama, 1971; Shiogaki, 1982; Kanayama, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-F480 (1).

Sebastes itinus (Jordan and Starks, 1904) [Japanese name: Yanagimebaru]

Sebastes stinus [sic]: Maruyama, 1971.

Sebastes itinus: Sato *et al.*, 1987; Amaoka, 1988; Amaoka *et al.*, 1995; Funabashi, 1998; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Sebastes matsubarae Hilgendorf, 1880 [Japanese name: Akoudai]

Sebastes matsubarae: Maruyama, 1971.

Sebastes matsubarae: Shiogaki, 1982; Sato *et al.*, 1987; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastes owstoni (Jordan and Thompson, 1914) [Japanese name: Hatsume]

Sebastes owstoni: Okada and Matsubara, 1938; Maruyama, 1971; Shiogaki, 1982; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G310 (1), WA-06-E280 (2)

Sebastes scythropus (Jordan and Snyder, 1900) [Japanese name: Ukeguchimebaru]

Sebastes scythropus: Funabashi, 1998; Nakabo, 2000b, 2002b; Ishida, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastes steindachneri Hilgendorf, 1880 [Japanese name: Yanaginomai]

Sebastes steindachneri: Okada and Matsubara, 1938; Shiogaki, 1982; Amaoka *et al.*, 1995; Ishida, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Sebastiscus tertius (Barsukov and Chen, 1978) [Japanese name: Ukkarikasago]

Sebastiscus tertius: Okada and Matsubara, 1938; Shiogaki, 1982; Nakabo, 2000b, 2002b.

Sebastolobus alacanus Bean, 1890 [Japanese name: Arasukakichiji]

Sebastolobus alacanus: Kitagawa *et al.*, 2008.

Sebastolobus macrochir (Günther, 1877) [Japanese name: Kichiji]

Sebastolobus macrochir: Maruyama, 1971; Shiogaki, 1982; Kanayama, 1983; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Ishida, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Setarches guentheri Johnson, 1862 [Japanese name: Shirokasago]

Setarches guentheri: Funabashi, 1998.

Setarches longimanus (Alcock, 1894) [Japanese name: Akakasago]

Setarches longimanus: Funabashi, 1998; Nakabo, 2000b, 2002b.

WA-06-F310 (1).

Family Triglidae

Subfamily Triglinae

Chelidonichthys spinosus (McClelland, 1844) [Japanese name: Houbou]

Chelidonichthys kumu: Maruyama, 1971.

Chelidonichthys spinosus: Shiogaki, 1982; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Lepidotrigla abyssalis Jordan and Starks, 1904 [Japanese name: Sokokanagashira]

Lepidotrigla abyssalis: Kitagawa *et al.*, 2008.

Lepidotrigla guentheri Hilgendorf, 1879 [Japanese name: Kanado]

Lepidotrigla guentheri: Maruyama, 1971; Shiogaki, 1982.

Lepidotrigla guentheri: Funabashi, 1998; Shiogaki *et al.*, 2004.

Lepidotrigla microptera Günther, 1873 [Japanese name: Kanagashira]

Lepidotrigla microptera: Shiogaki, 1982; Sato *et al.*, 1987; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Pterygotrigla hemisticta (Temminck and Schlegel, 1843) [Japanese name: Sokohoubou]

Pterygotrigla hemisticta: Funabashi, 1998.

Subfamili Peristediinae

Peristedion nierstraszi Weber, 1913 [Japanese name: Herikihoubou]

Peristedion nierstraszi: Funabashi, 1998.

Peristedion orientale Temminck and Schlegel, 1843 [Japanese name: Kihoubou]

Peristedion orientale: Shiogaki, 1982; Funabashi, 1998; Kawai *et al.*, 2003; Shiogaki *et al.*, 2004.

Satyrichthys amicus (Jordan and Starks, 1904) [Japanese name: Higekihoubou]

Satyrichthys amicus: Funabashi, 1998; Kawai *et al.*, 2003.

Scalicus amicus: Kitagawa *et al.*, 2008.

WA-06-G310 (1).

Satyrichthys engypterus (Günther, 1872) [Japanese name: Sokokihoubou]

Satyrichthys engypterus: Kawai *et al.*, 2003.

Suborder Anoplopomatoidei

Family Anoplopomatidae

Anoplopoma fimbria (Pallas, 1814) [Japanese name: Gindara]

Anoplopoma fimbria [sic]: Maruyama, 1971.

Anoplopoma fimbria: Asahida, 1992; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Erilepis zonifer (Lockington, 1880) [Japanese name: Aburabouzu]

Frilepis zonifer [sic]: Maruyama, 1971.

Erilepis zonifer: Shiogaki, 1982; Mitani *et al.*, 1986; Asahida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Suborder Cottoidei

Family Ereuniidae

Ereunias grallator Jordan and Snyder, 1901 [Japanese name: Torikajika]

Ereunias grallator: Shiogaki *et al.*, 2004.

Marukawichthys ambulator Sakamoto, 1931 [Japanese name: Marukawakajika]

Marukawichthys ambulator: Maruyama, 1971; Shiogaki, 1982; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-F150 (1), WA-07-E280 (1).

Family Cottidae

Astrocottus leprops Bolin, 1936 [Japanese name: Hosourokokajika]

Astrocottus leprops: Shinohara *et al.*, 1996.

Cottiusculus schmidti Jordan and Starks, 1904 [Japanese name: Kinkajika]

Cottiusculus schmidti: Okada and Matsubara, 1938; Shiogaki, 1982; Amaoka *et al.*, 1995; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-E210 (1), WA-07-F210 (2).

Hemilepidotus gilberti Jordan and Starks, 1904 [Japanese name: Yokosujikajika]

Hemilepidotus gilberti: Shiogaki, 1982; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Hemilepidotus jordani: Shinohara *et al.*, 1996 (misidentification).

Remarks. Although Shinohara *et al.* (1996: 176) listed *Hemilepidotus jordani* from the Pacific coast off Iwate Prefecture at depths of 257–269 m, the specimen (NSMT-P 48167) was reidentified as *Hemilepidotus gilberti*. This indicates the most southern record for the species.

Icelus cataphractus (Pavlenko, 1910) [Japanese name: Koorkajika]

Icelus spiniger spiniger: Maruyama, 1971; Shiogaki, 1982.

Icelus cataphractus: Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Yabe, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E250 (1), WA-06-E280 (1), WA-07-E280 (1).

Phasmatocottus ctenopterygius Bolin, 1936 [Japanese name: Kushibirekajika]

Phasmatocottus ctenopterygius: Bolin, 1936; Okada and Matsubara, 1938; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Ricuzenius pinetorum Jordan and Starks, 1904 [Japanese name: Matsukajika]

Ricuzenius pinetorum: Okada and Matsubara, 1938; Shiogaki, 1982; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-F210 (2).

Stlengis misakia (Jordan and Starks, 1904) [Japanese name: Urokokajika]

Stlengis misakia: Yabe, 2001; Kitagawa *et al.*, 2008.

Triglops scepticus Gilbert, 1896 [Japanese name: Niramikajika]

Triglops scepticus: Shiogaki, 1982; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004.

Zesticelus ochotensis Yabe, 1995 [Japanese name: Ohotsukusokokajika]

Zesticelus ochotensis: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

Family Hemitripteridae

Hemitripterus villosus (Pallas, 1814) [Japanese name: Kemushikajika]

Hemitripterus villosus: Okada and Matsubara, 1938; Maruyama, 1971; Sato *et al.*, 1987; Asahida, 1992; Amaoka *et al.*, 1995; Funabashi, 1998; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-H280 (1), WA-07-E250 (1), WA-07-G210 (1).

Family Agonidae

Aspidophoroides monopterygius (Bloch, 1786) [Japanese name: Tatetokubire]

Aspidophoroides monopterygius: Kitagawa *et al.*, 2008.

Anoplagonus occidentalis Lindberg, 1950 [Japanese name: Nisenametokubire]

Anoplagonus occidentalis: Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*,

2008.

Bathyagonus nigripinnis Gilbert, 1890 [Japanese name: Sokotokubire]

Bathyagonus nigripinnis: Imamura and Kitagawa, 1999; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Bothragonus occidentalis Lindberg, 1935 [Japanese name: Saitokubire]

Bothragonus occidentalis: Kanayama, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Freemanichthys thompsoni (Jordan and Gilbert *in* Jordan and Evermann, 1898) [Japanese name: Yasetokubire]

Podothecus thompsoni: Maruyama, 1971; Shiogaki, 1982.

Freemanichthys thompsoni: Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b.

Hypsagonus quadricornis (Cuvier *in* Cuvier and Valenciennes, 1829) [Japanese name: Tsunoshachiuo]

Hypsagonus quadricornis: Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b.

Leptagonus leptorhynchus (Gilbert, 1896) [Japanese name: Tengutokubire]

Leptagonus leptorhynchus: Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Occella iburia (Jordan and Starks, 1904) [Japanese name: Saburou]

Occa iburia: Maruyama, 1971.

Occella iburia: Shiogaki, 1982; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-07-F150 (5), WA-07-E210 (1).

Percis japonicus (Pallas, 1769) [Japanese name: Inugochi]

Percis japonica: Maruyama, 1971.

Percis japonicus: Kanayama, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Podothecus sachi (Jordan and Snyder, 1901) [Japanese name: Tokubire]

Podothecus sachi: Okada and Matsubara, 1938; Maruyama, 1971; Shiogaki, 1982; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Podothecus sturioides (Guichenot, 1869) [Japanese name: Sametokubire]

Podothecus sturioides: Kanayama, 2001.

Tilesina gibbosa Schmidt *in* Jordan and Starks, 1904 [Japanese name: Onishachiuo]

Tilesina gibbosa: Shiogaki, 1982; Nakabo, 2000b, 2002b; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Psychrolutidae

Dasycottus setiger Bean, 1890 [Japanese name: Ganko]

Dasycottus setiger: Maruyama, 1971; Shiogaki, 1982; Yabe, 1983; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E280 (1), WA-06-G510 (2), WA-06-G380 (1), WA-06-FG425 (1), WA-07-E550 (1).

Ebinania brephocephala (Jordan and Starks, 1903) [Japanese name: Bouzukajika]

Cottunculus brephocephalus: Okada and Matsubara, 1938.

Ebinania brephocephala: Funabashi, 1998; Yabe, 2001.

Ebinania vermiculata Sakamoto, 1932 [Japanese name: Akadonko]

Ebinania vermiculata: Maruyama, 1971; Shiogaki, 1982; Yabe, 1983; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G380 (1), WA-06-H510 (1), WA-06-E310 (1), WA-07-G380 (1).

Psychrolutes phrictus Stein and Bond, 1978 [Japanese name: Nyuudoukajika]

Psychrolutes phrictus: Yabe, 1983, 2001; Shinohara *et al.*, 1996; Yabe, 2001; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-05-G750 (1), WA-06-F750 (1), WA-06-G900 (2).

Malacocottus zonurus Bean, 1890 [Japanese name: Kobushikajika]

Malacocottus zonurus: Yabe, 1983; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E280 (1), WA-06-F280 (1), WA-06-G380 (1).

Family Cyclopteridae

Aptocyclus ventricosus (Pallas, 1769) [Japanese name: Hoteiuo]

Cycloperichthys ventricosus: Okada and Matsubara, 1938.

Aptocyclus ventricosus: Maruyama, 1971; Shiogaki, 1982; Kido, 1983; Asahida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Balanov *et al.*, 2009.

WA-07-H750 (1), WA-07-H1500 (1).

Family Liparidae

Careproctus cypselurus (Jordan and Gilbert *in* Jordan and Evermann, 1898) [Japanese name: Ai-bikunin]

Careproctus cypselurus: Kido, 1983; Shinohara *et al.*, 1996; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Careproctus furcellus Gilbert and Burke, 1912 [Japanese name: Ogurokonnyakuuo]

Careproctus furcellus: Shiogaki *et al.*, 2004.

Careproctus marginatus Kido, 1988 [Japanese name: Hiregurokonnyakuuo]

Careproctus marginatus: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

WA-06-H1500 (1), WA-06-F550 (1).

Careproctus melanurus Gilbert, 1892 [Japanese name: Higashikonnyakuuo]

Careproctus melanurus: Kido and Shinohara, 1997; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Careproctus nigricans Schmidt, 1950 [Japanese name: Yogorekonnyakuuo]

Careproctus nigricans: Shinohara *et al.*, 1996.

Careproctus rastrinus Gilbert and Burke, 1912 [Japanese name: Sakebikunin]

Careproctus pellucidus: Okada and Matsubara, 1938; Maruyama, 1971; Shiogaki, 1982.

Careproctus rastrinus: Ida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Kido, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-G410 (2).

Careproctus rotundifrons Sakurai and Shinohara, 2008 [Japanese name: Himekonnyakuuo]

Careproctus rotundifrons: Sakurai and Shinohara, 2008.

***Crystallichthys matsushima*ae** (Jordan and Snyder, 1902) [Japanese name: Abachan]

*Crystallias matsushima*ae: Okada and Matsubara, 1938; Shiogaki, 1982.

*Crystallichthys matsushima*ae: Maruyama, 1971; Shinohara *et al.*, 1996; Kido, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E410 (2).

Liparis ochotensis Schmidt, 1904 [Japanese name: Isagobikunin]

Liparis ochotensis: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Liparis tessellatus (Gilbert and Burke, 1912) [Japanese name: Bikunin]

Liparis tessellatus: Maruyama, 1971; Shiogaki, 1982; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Nakabo, 2000b, 2002b; Kido, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Nectoliparis pelagicus Gilbert and Burke, 1912 [Japanese name: Kantenuo]

Nectoliparis pelagicus: Shinohara *et al.*, 1996.

Paraliparis atramentatus Gilbert and Burke, 1912 [Japanese name: Inkiuo]

Paraliparis atramentatus: Maruyama, 1971.

Paraliparis barbulifer (Gilbert, 1896) [Japanese name: Shirohigekonnyakuuo]

Rhinoliparis barbulifer: Okada and Matsubara, 1938; Maruyama, 1971.

Paraliparis barbulifer: Shinohara *et al.*, 1996; Kitagawa *et al.*, 2008.

Paraliparis grandis Schmidt, 1950 [Japanese name: Hirainkiuo]

Paraliparis grandis: Imamura *et al.*, 2000; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008.

Order Perciformes

Suborder Percoidei

Family Acropomatidae

Doederleinia berycoides (Hilgendorf, 1879) [Japanese name: Akamutsu]

Doederleinia berycoides: Maruyama, 1971; Shiogaki, 1982; Shinohara *et al.*, 1996; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E150 (1).

Howella parini Fedoryako, 1976 [Japanese name: Kushisumikuiuo]

Howella parini: Balanov *et al.*, 2009.

Howella zina Fedoryako, 1976 [Japanese name: Togekushisumikuiuo]

WA-06-G650 (2).

Malakichthys griseus Döderlein in Steindachner and Döderlein, 1883 [Japanese name: Oome-hata]

Malakichthys griseus: Funabashi, 1998.

Niphon spinosus Cuvier in Cuvier and Valenciennes, 1828 [Japanese name: Ara]

Niphon spinosus: Maruyama, 1971; Shiogaki, 1982; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004.

Stereolepis doederleini Lindberg and Kras'yukova, 1969 [Japanese name: Ookuchiishinagi]

Stereolepis doederleini: Shiogaki, 1982; Sato *et al.*, 1987; Asahida, 1992; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Synagrops japonicus (Döderlein in Steindachner and Döderlein, 1883) [Japanese name: Sumikuiuo]

Synagrops japonicus: Funabashi, 1998; Kitagawa *et al.*, 2008.

Family Priacanthidae

Cookeolus japonicus (Cuvier in Cuvier and Valenciennes, 1829) [Japanese name: Chikamekin-toki]

Priacanthus boops: Maruyama, 1971; Shiogaki, 1982.

Cookeolus boops: Sato *et al.*, 1987; Asahida, 1992; Imamura, 1997; Funabashi, 1998.

Cookeolus japonicus: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Priacanthus macracanthus Cuvier in Cuvier and Valenciennes, 1829 [Japanese name: Kintoki-dai]

Priacanthus macracanthus: Maruyama, 1971; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Pomatomidae

Scombrops boops (Houttuyn, 1782) [Japanese name: Mutsu]

Scombrops boops: Maruyama, 1971; Shiogaki, 1982; Asahida, 1992; Shinohara *et al.*, 1996; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Scombrops gilberti (Jordan and Snyder, 1901) [Japanese name: Kuromutsu]

Scombrops gilberti: Funabashi, 1998; Mochizuki, 2001.

Family Bramidae

Brama japonica Hilgendorf, 1878 [Japanese name: Shimagatsuo]

Brama raii: Maruyama, 1971.

Brama japonica: Shiogaki, 1982; Asahida, 1992; Shinohara *et al.*, 1996; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Pteraclis aesticola (Jordan and Snyder, 1901) [Japanese name: Bentenuo]

Bentenia aesticola: Okada and Matsubara, 1938; Maruyama, 1971; Imamura, 1997.

Pteraclis aesticola: Funabashi, 1998.

Pterycombus petersii (Hilgendorf, 1878) [Japanese name: Ryugunohime]

Pterycombus petersii: Kitagawa *et al.*, 2008.

Taractichthys steindachneri (Döderlein in Steindachner and Döderlein, 1883) [Japanese name: Hirajironmanzaiuo]

Taractichthys steindachneri: Funabashi, 1998.

Family Caristiidae

Caristius macropus (Bellotti, 1903) [Japanese name: Yaegisu]

Caristius maoropus [sic]: Maruyama, 1971.

Caristius macropus: Shiogaki, 1982; Amaoka, 1983; Imamura, 1997; Miyahara, 2001.

Platyberyx macropus: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Emmelichthyidae

Emmelichthys struhsakeri Heemstra and Randall, 1977 [Japanese name: Rôsokuchibiki]

Emmelichthys struhsakeri: Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Erythrocles schlegelii (Richardson, 1846) [Japanese name: Hachibiki]

Erythrocles schlegelii: Funabashi, 1998; Miyahara *et al.*, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Pentacerotidae

Pentaceros japonicus Steindachner, 1883 [Japanese name: Tsubodai]

Pentaceros japonicus: Imamura, 1997; Funabashi, 1998; Kitagawa *et al.*, 2008.

Pseudopentaceros wheeleri Hardy, 1983 [Japanese name: Kusakaritsubodai]

Pseudopentaceros whelleri [sic]: Imamura, 1997.

Remarks. Imamura (1997) added *Pseudopentaceros wheeleri* to the perciform fish fauna of Pacific coast of Tohoku District based on Maruyama (1971) who had listed the species from Iwate Prefecture with a question mark as “? Kusakaritsubodai Peudopentaceros richardsoni (Smith).”

Suborder Zoarcoidae
Family Zoarcidae

Andriashevia aptera Fedorov and Neelov, 1978 [Japanese name: Choujagenge]

Andriashevia aptera: Fedorov and Neelov, 1978; Hatooka, 2000, 2002.

Bothrocara hollandi (Jordan and Hubbs, 1925) [Japanese name: Norogenge]

Bothrocara sp.: Shiogaki, 1982.

Bothrocara hollandi: Shiogaki *et al.*, 2004; Anderson *et al.*, 2009.

Bothrocara holladi [sic]: Kitagawa *et al.*, 2008.

Bothrocara tanakae (Jordan and Hubbs, 1925) [Japanese name: Kantengenge]

Zestichthys tanakai: Maruyama, 1971; Toyoshima, 1983; Shinohara *et al.*, 1996; Imamura, 1997, 1998; Funabashi, 1998; Koyanagi, 2001.

Zestichthys tanakae: Shiogaki, 1982.

Bothrocara tanakae: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008; Anderson *et al.*, 2009.

WA-05-G900 (9), WA-06-G480 (1).

Bothrocara zestum Jordan and Fowler, 1902 [Japanese name: Shirogenge]

Lycogramma zesta: Shiogaki, 1982.

Bothrocara molle: Toyoshima, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Imamura, 1997, 1998; Funabashi, 1998; Shiogaki *et al.*, 2004; Koyanagi, 2001; Kitagawa *et al.*, 2008.

Bothrocara zestum: Anderson *et al.*, 2009.

WA-06-G510 (2), WA-05-G900 (2).

Bothrocarina microcephala (Schmidt, 1938) [Japanese name: Kamuchakkagenge]

Bothrocarina microcephala: Shiogaki, 1982; Shinohara *et al.*, 1996; Imamura, 1997, 1998; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Bothrocarina nigrocaudata Suvorov, 1935 [Japanese name: Ogurogenge]

Bothrocarina nigrocaudata: Kitagawa *et al.*, 2008.

Davidijordania poecilimon (Jordan and Fowler, 1902) [Japanese name: Sarasagaji]

Davidijordania poecilimon: Okada and Matsubara, 1938; Shinohara *et al.*, 1996; Imamura, 1997, 1998; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Hadropogonichthys leptopus Machida, Shinohara and Ohta, 2004 [Japanese name: Wadatsumigenge]

Hadropogonichthys leptopus: Machida *et al.*, 2004.

WA-07-G1500 (1).

Lycenchelys albomaculata Toyoshima in Amaoka *et al.*, 1983 [Japanese name: Shirobuchihebigenge]

Lycenchelys albomaculatus: Toyoshima, 1983, 1985; Amaoka *et al.*, 1995; Imamura, 1998; Koyanagi, 2001.

Lycenchelys albomaculata: Shinohara *et al.*, 1996; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-F900 (3), WA-07-G1200 (1).

Lycenchelys aurantiaca Shinohara and Matsuura, 1998 [Japanese name: Daidaihebigenge]

Lycenchelys aurantiaca: Imamura, 1998; Shinohara and Matsuura, 1998; Hatooka, 2000, 2002; Kitagawa *et al.*, 2008.

WA-07-E550 (1), WA-07-E650 (1), WA-07-E750 (1).

Lycenchelys maculatus Toyoshima, 1983 [Japanese name: Kurobuchihebigenge]

Lycenchelys maculatus: Toyoshima, 1983; Imamura, 1998.

Lycenchelys mauculata: Hatooka, 2000, 2002.

Lycenchelys makushok Fedorov and Andriashhev, 1993 [Japanese name: Wakatakahebigenge]

Lycenchelys makushok: Shinohara *et al.*, 1996; Imamura, 1997, 1998; Hatooka, 2000, 2002; Kitagawa *et al.*, 2008.

Lycenchelys melanostomias Toyoshima in Amaoka *et al.*, 1983 [Japanese name: Ohōtsukuhēbigēnge]

Lycenchelys brevimaxillaris: Toyoshima, 1985; Imamura, 1998; Hatooka, 2000, 2002.

Lycenchelys melasnostomias [sic]: Shiogaki *et al.*, 2004.

Lycenchelys melanostomias: Imamura *et al.*, 2005; Kitagawa *et al.*, 2008.

WA-05-G900 (12).

Lycenchelys remissaria Fedorov, 1995 [Japanese name: Kawarihebigēnge]

Lycenchelys remissaria: Shinohara *et al.*, 1996; Imamura, 1997, 1998; Hatooka, 2000, 2002;

Kitagawa *et al.*, 2008.

WA-07-G1500 (1).

Lycenchelys squamosa Toyoshima in Amasaka *et al.*, 1983 [Japanese name: Urokohēbigēnge]

Lycenchelys squamosus: Toyoshima, 1983, 1985; Amaoka *et al.*, 1995; Imamura, 1997, 1998; Hatooka, 2000, 2002; Koyanagi, 2001.

Lycenchelys squamosa: Shinohara *et al.*, 1996; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-05-G750 (1).

Lycenchelys tohokuensis Anderson and Imamura, 2002 [Japanese name: Kitagawahebigēnge]

Lycenchelys tohokuensis: Anderson and Imamura, 2002; Kitagawa *et al.*, 2008.

Lycodes caudimaculatus Matsubara, 1936 [Japanese name: Irezumigaji]

Lycodes caudimaculatus: Toyoshima, 1983, 1985; Shinohara *et al.*, 1996; Funabashi, 1998; Imamura, 1998; Hatooka, 2000, 2002; Koyanagi, 2001; Kitagawa *et al.*, 2008.

Lycodes caudimaculata: Imamura, 1997.

WA-06-G510 (6), WA-07-G380 (1).

Lycodes hubbsi Matsubara, 1955 [Japanese name: Yokosujikurogenge]

Lycodes esmarki: Maruyama, 1971.

Lycodes sp.1: Shiogaki, 1982.

Lycodes hubbsi: Toyoshima, 1983, 1985; Amaoka *et al.*, 1995; Imamura, 1997, 1998; Hatooka, 2000, 2002; Koyanagi, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-F510 (7).

Lycodes ocellatus Toyoshima, 1985 [Japanese name: Kurohoshimayugaji]

Lycodes ocellatus: Ikeda *et al.*, 2008; Kitagawa *et al.*, 2008.

Melanostigma orientale Tominaga, 1971 [Japanese name: Konnyakuhadakagenge]

Melanostigma orientale: Koyanagi, 2001.

Family Stichaeidae

Acantholumpenus mackayi Gilbert, 1896 [Japanese name: Nuimegaji]

Acantholumpenus mackayi: Shiogaki, 1982; Shiogaki *et al.*, 2004.

Lumpenella longirostris (Evermann and Goldsborough, 1907) [Japanese name: Nezumiginpo]

Lumpenella longirostris: Shiogaki, 1982; Yabe, 1983; Amaoka and Miki, 1988; Amaoka *et al.*, 1995; Imamura, 1997; Miki, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Lumpenella longirostri [sic]: Funabashi, 1998.

WA-05-E480 (5), WA-05-E650 (2), WA-05-E450 (1), WA-05-G280 (1).

Lumpenus sagitta Wilimovsky, 1956 [Japanese name: Unagigaji]

Lumpenus anguillaris: Okada and Matsubara, 1938.

Lumpenus gracilis: Maruyama, 1971.

Lumpenus sagitta: Amaoka and Miki, 1988; Amaoka *et al.*, 1995; Imamura, 1997; Hatooka, 2000, 2002; Shiogaki *et al.*, 2004.

Stichaeus grigorjewi Herzenstein, 1890 [Japanese name: Nagazuka]

Dinogunellus grigorjewi: Okada and Matsubara, 1938.

Stichaeus grigorjewi: Maruyama, 1971; Shiogaki, 1982; Shinohara *et al.*, 1996; Imamura, 1997; Funabashi, 1998; Miki, 2001; Kitagawa *et al.*, 2008.

Dinogunnelus grigorjewi [sic]: Shiogaki *et al.*, 2004.

WA-06-H280 (1).

Stichaeus nozawai Jordan and Snyder, [Japanese name: Tauegaji]

Stichaeus nozawae: Shiogaki, 1982.

Stichaeus nozawai: Amaoka and Miki, 1988; Amaoka *et al.*, 1995; Imamura, 1997; Hatooka, 2000, 2002.

Suborder Trachinoidei

Family Chiasmodontidae

Kali indica Lloyd, 1909 [Japanese name: Waniguchibouzugisu]

Kali indica: Shinohara *et al.*, 1996; Imamura, 1997.

Pseudoscopelus lavenbergi Prokofiev, 2008 [Japanese name: Zarabouzugisu]

Pseudoscopelus lavenbergi: Prokofiev, 2008; Balanov *et al.*, 2009.

Pseudoscopelus sagamianus Tanaka, 1908 [Japanese name: Kurobouzugisu]

Pseudoscopelus sagamianus: Balanov *et al.*, 2009.

Family Trichodontidae

Arctoscopus japonicus (Steindachner, 1881) [Japanese name: Hatahata]

Arctoscopus japonicus: Okada and Matsubara, 1938; Maruyama, 1971; Shiogaki, 1982; Amaoka, 1988, 2001; Amaoka *et al.*, 1995; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Family Uranoscopidae

Uranoscopus japonicus Houttuyn, 1782 [Japanese name: Mishimaokoze]

Uranoscopus japonicus: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Xenocephalus elongatus (Temminck and Schlegel, 1843) [Japanese name: Aomishima]

Xenocephalus elongatus: Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Suborder Icosteoidei

Family Icosteidae

Icosteus aenigmaticus Lockington, 1880 [Japanese name: Irezumikonnyakuaji]

Acrotus willoughbyi [sic]: Maruyama, 1971.

Icosteus aenigmaticus: Maruyama, 1971; Shiogaki, 1982; Nakaya, 1983; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Suborder Callionymoidei

Family Callionymidae

Foetorepus altivelis (Temminck and Schlegel, 1845) [Japanese name: Beniteguri]

Foetorepus altivelis: Funabashi, 1998.

Suborder Gobioidei

Family Gobiidae

Suruga fundicola Jordan and Snyder, 1901 [Japanese name: Yamihaze]

Suruga fundicola: Akihito, 1988; Shinohara *et al.*, 1996; Imamura, 1997; Akihito *et al.*, 2000, 2002; Kitagawa *et al.*, 2008.

Suborder Acanthuroidei

Family Luvaridae

Luvarus imperialis Rafinesque, 1810 [Japanese name: Amashiira]

Luvarus imperialis: Maruyama, 1971; Imamura, 1997; Shiogaki *et al.*, 2004.

Suborder Scombroidei

Family Scombrobracidae

Scombrolabrax heterolepis Roule, 1921 [Japanese name: Mukashikurotachi]

Scombrolabrax heterolepis: Shinohara *et al.*, 1996.

Suborder Scombroidei

Family Gempylidae

Gempylus serpens Cuvier, 1829 [Japanese name: Kurotachikamasu]

Gempylus serpens: Maruyama, 1971; Shiogaki, 1982; Imamura, 1997; Funabashi, 1998; Shiogaki *et al.*, 2004.

Lepidocybium flavobrunneum (Smith, 1843) [Japanese name: Aburasokomutsu]

Lepidocybium flavobrunneum: Funabashi, 1998.

Nealotus tripes Johnson, 1865 [Japanese name: Fuuraikamasu]

Nealotus tripes: Kido, 1983; Shinohara *et al.*, 1996; Imamura, 1997; Kitagawa *et al.*, 2008.

Nesiarchus nasutus Johnson, 1862 [Japanese name: Hashinagakurotachi]

Nesiarchus nasutus: Kido, 1983; Imamura, 1997; Funabashi, 1998; Nakamura, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E350 (1).

Promethichthys prometheus (Cuvier *in* Cuvier and Valenciennes, 1832) [Japanese name: Kuroshibikamasu]

Promethichthys prometheus: Shinohara *et al.*, 1996; Imamura, 1997; Kitagawa *et al.*, 2008.

Rexea prometheoides (Bleeker, 1856) [Japanese name: Kagokamasu]

Rexea prometheoides: Funabashi, 1998.

Ruvettus pretiosus Cocco, 1883 [Japanese name: Baramutsu]

Ruvettus pretiosus: Kido, 1983; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Imamura, 1997; Funabashi, 1998; Kitagawa *et al.*, 2008.

WA-06-F650 (1).

Thyrsitoides marleyi Fowler, 1929 [Japanese name: Nagatachikamasu]

Thyrsitoides marleyi: Kitagawa *et al.*, 2008.

Family Trichiuridae

Aphanopus carbo Lowe, 1839 [Japanese name: Kurotachimodoki]*Aphanopus carbo*: Kido, 1983; Imamura, 1997.*Benthodesmus tenuis* (Günther, 1877) [Japanese name: Tachimodoki]*Benthodesmus tenuis*: Mead and Taylor, 1953; Maruyama, 1971; Shiogaki, 1982; Shinohara et al., 1996; Imamura, 1997; Shiogaki et al., 2004; Kitagawa et al., 2008.*Trichiurus japonicus* Temminck and Schlegel, 1844 [Japanese name: Tachiuo]*Trichiurus lepturus*: Maruyama, 1971; Shiogaki, 1982; Imamura, 1997.*Trichiurus japonicus*: Shiogaki et al., 2004; Kitagawa et al., 2008.

Suborder Stromateoidei

Family Centrolophidae

Hyperoglyphe japonica (Döderlein in Steindachner and Döderlein, 1884) [Japanese name: Medai]*Ocycrius japonicus*: Maruyama, 1971.*Hyperoglyphe japonica*: Shiogaki, 1982; Shinohara et al., 1996; Imamura, 1997; Funabashi, 1998; Shiogaki et al., 2004; Kitagawa et al., 2008.

WA-06-E210 (1).

Icichthys lockingtoni Jordan and Gilbert, 1880 [Japanese name: Kuromedai]*Icchthys lockingtoni* [sic]: Maruyama, 1971.*Icichthys lockingtoni*: Shiogaki, 1982; Imamura, 1997; Shiogaki et al., 2004; Kitagawa et al., 2008.*Psenopsis anomala* (Temminck and Schlegel, 1844) [Japanese name: Ibodai]*Psenopsis anomala*: Okada and Matsubara, 1938; Maruyama, 1971; Shiogaki, 1982; Imamura, 1997; Funabashi, 1998; Shiogaki et al., 2004; Kitagawa et al., 2008.

Family Nomeidae

Cubiceps squamiceps (Lloyd, 1909) [Japanese name: Bouzukonnyaku]*Cubiceps squamiceps*: Imamura, 1997.*Nameus gronovii* (Gmelin, 1789) [Japanese name: Eboshidai]*Nameus gronovii*: Okamura, 2001.

Family Tetragonuridae

Tetragonurus atlanticus Lowe, 1839 [Japanese name: Tsumaridokurokoibodai]*Tetragonurus atlanticus*: Kido, 1983; Amaoka et al., 1995; Imamura, 1997; Shiogaki et al., 2004; Kitagawa et al., 2008.*Tetragonurus cuvieri* Risso, 1810 [Japanese name: Dokurokoibodai]*Tetragonurus cuvieri*: Maruyama, 1971; Amaoka et al., 1995; Imamura, 1997; Funabashi, 1998; Shiogaki et al., 2004; Kitagawa et al., 2008.

Order Pleuronectiformes

Family Bothidae

Chascanopsetta lugubris lugubris Alcock, 1894 [Japanese name: Zaragarei]

Chascanopsetta lugubris: Funabashi, 1998; Kitagawa *et al.*, 2008.

Laeops kitaharae (Smith and Pope, 1906) [Japanese name: Yarigarei]

Laeops kitaharae: Funabashi, 1998; Shiogaki *et al.*, 2004.

Family Pleuronectidae

Acanthopsetta nadeshnyi Schmidt, 1904 [Japanese name: Urokomegarei]

Acanthopsetta nadeshnyi: Kitagawa, 1981; Shiogaki, 1982; Amaoka *et al.*, 1995; Sakamoto, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Atheresthes evermanni Jordan and Starks, 1904 [Japanese name: Aburagarei]

Reinhardtius oleosus: Okada and Matsubara, 1938.

Atheresthus evermanni [sic]: Maruyama, 1971.

Atheresthes evermanni: Kitagawa, 1981; Shiogaki, 1982; Funabashi, 1998; Sakamoto, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E280 (1).

Clidoderma asperrimum (Temminck and Schlegel, 1846) [Japanese name: Samegarei]

Clidoderma asperrimum: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Sakamoto, 1983; Ida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Dexistes rikuzenius Jordan and Starks, 1904 [Japanese name: Migigarei]

Dexistes rikuzenius: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Glyptocephalus stelleri (Schmidt, 1904) [Japanese name: HIREGURU]

Glyptocephalus stelleri: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Ida, 1992; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Hippoglossoides dubius Schmidt, 1904 [Japanese name: Akagarei]

Hippoglossoides dubius: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Sakamoto, 1983; Ida, 1992; Amaoka *et al.*, 1995; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Hippoglossoides pinetorum (Jordan and Starks, 1904) [Japanese name: Souhachi]

Cleisthenes herzensteini: Okada and Matsubara, 1938.

Cleisthenes pinetorum: Okada and Matsubara, 1938; Shiogaki, 1982; Amaoka *et al.*, 1995.

Cleisthenes pinetorum herzenstoini [sic]: Maruyama, 1971.

Hippoglossoides pinetorum: Ida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Sakamoto, 2001; Kitagawa *et al.*, 2008.

Hippoglossus stenolepis Schmidt, 1904 [Japanese name: Ohyou]

Hippoglossus stenolepis: Maruyama, 1971; Shiogaki, 1982; Amaoka *et al.*, 1995; Sakamoto, 2001; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Microstomus achne (Jordan and Starks, 1904) [Japanese name: Babagarei]

Microstomus achne: Okada and Matsubara, 1938; Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Ida, 1992; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

WA-06-E280 (1).

Pleuronichthys sp. [Japanese name: Nagaremeitagarei]

Pleuronichthys sp.: Sakamoto, 2001.

Reinhardtius hippoglossoides (Walbaum, 1792) [Japanese name: Karasugarei]

Reinhardtius hippoglossoides: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Tanakius kitaharai (Jordan and Starks, 1904) [Japanese name: Yanagimushigarei]

Tanakius kitaharae: Okada and Matsubara, 1938.

Tanakius kitaharai: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Ida, 1992; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Verasper moseri Jordan and Gilbert, 1898 [Japanese name: Matsukawa]

Verasper moseri: Okada and Matsubara, 1938; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Ida, 1992; Amaoka *et al.*, 1995; Funabashi, 1998; Sakamoto, 2001; Kitagawa *et al.*, 2008.

Verasper variegatus (Temminck and Schlegel, 1846) [Japanese name: Hoshigarei]

Verasper variegatus: Maruyama, 1971; Kitagawa, 1981; Shiogaki, 1982; Sato *et al.*, 1987; Ida, 1992; Amaoka *et al.*, 1995; Shinohara *et al.*, 1996; Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Order Tetraodontiformes

Family Triacanthoididae

Triacanthodes anomalus (Temminck and Schlegel, 1850) [Japanese name: Benikawamuki]

Triacanthodes anomalus: Funabashi, 1998.

Family Triodontidae

Triodon macropterus Lesson, 1831 [Japanese name: Uchiwafugu]

Triodon macropterus: Kitagawa *et al.*, 2008.

Family Tetraodontidae

Spheroides pachygaster (Müller and Troschel, 1848) [Japanese name: Yoritofugu]

Liosscus cutaneus: Maruyama, 1971.

Spheroides pachygaster: Shinohara *et al.*, 1996.

Sphoeroides pachygaster: Funabashi, 1998; Shiogaki *et al.*, 2004; Kitagawa *et al.*, 2008.

Acknowledgments

We express our thanks to the Captain, all officers and crew of R/V *Wakataka-maru*, Toshiaki Kuramochi and Hironori Komatsu (NSMT) for their support in collecting specimens. Special thanks go to Kazuhiro Nakaya and Hisashi Imamura (Hokkaido University) for literature information and Koichi Shibukawa (Nagao Natural Environment Foundation), Takashi P. Sato (Ocean Research Institute, University of Tokyo), Toshio Kawai, Kaoru Kuriwa and Masanori Nakae (NSMT) for taking photographs of specimens. Mark McGrouther (Australian Museum, Sydney) kindly made English language corrections and useful manuscript suggestions.

References

- Abe, T. and M. Funabashi, 1992. A record of an adult female of the deep sea ceratioid anglerfish, *Cryptopsaras couesi* Gill, with four parasitic adult males from off Ibaraki Prefecture, Japan. *UO*, (41): 1-3.
- Abe, T. and M. Funabashi, 1993. A record of a merlucciid fish from off Ibaraki Prefecture, Japan. *UO*, (42): 1-8.
- Aizawa, M., 2000. Opisthoproctidae, Gonostomatidae, Sternoptychidae, Phosichthyidae, Stomiidae, Astronesthidae, Melanostomiidae, Malacosteidae, Ateleopodidae, Melamphaeidae, Rondeletidae, Barbourisiidae and Cetomimidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 287-288, 306-321, 323-345, 347-348, 477-483, 1473, 1477-1484, 1500-1502. Tokai University Press, Tokyo. (In Japanese.)

- Aizawa, M. 2001. Bathylagidae, Opisthoproctidae, Gonostomatidae, Sternopychidae, Stomiidae, Phosichthyidae, Astronesthidae, Melanostomiidae and Malacosteidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 96, 106–109. Yama-Kei, Tokyo. (In Japanese.)
- Aizawa, M., 2002. Opisthoproctidae, Gonostomatidae, Sternopychidae, Phosichthyidae, Stomiidae, Astronesthidae, Melanostomiidae, Malacosteidae, Ateleopodidae, Melamphaeidae, Rondeletidae, Barbourisiidae and Cetomimidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 287–288, 306–321, 323–345, 347–348, 477–483, 1470–1471, 1474–1482, 1497–1499.
- Aizawa, M. and K. Hatooka, 2000. Microstomatidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 284–286, 1472. Tokai University Press, Tokyo. (In Japanese.)
- Aizawa, M. and K. Hatooka, 2002. Microstomatidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 284–286, 1470. Tokai University Press, Tokyo.
- Akihito, Prince, 1988. Gobiidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 230–276. Tokai University Press, Tokyo. (In Japanese.)
- Akihito, K., Sakamoto, Y. Ikeda and A. Iwata, 2000. Gobioidei. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 1139–1310, 1606–1628. Tokai University Press, Tokyo.
- Akihito, K. Sakamoto, Y. Ikeda and K. Sugiyama, 2002. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 1139–1310, 1596–1619.
- Amaoka, K., 1983. Alepocephalidae, Ogcoccephalidae, Melanocetidae, Gigantactinidae, Berycidae, Diretmidae, Melamphidae, Barbourisiidae, Cetomimidae, Caristiidae and Ophidiidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 73–75, 114–125, 128–129, 177–178, 196–204. Japan Fisheries Resource Conservation Association, Tokyo.
- Amaoka, K., 1988. Alepocephalidae, Gigantactinidae, Cetomimidae, Trichodontidae and Scorpaenidae (part). In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 40, 42–43, 105–106, 113, 213, 296–303. Tokai University Press, Tokyo. (In Japanese.)
- Amaoka, K., 2001. Melanocetidae, Gigantactinidae, Cetomimidae and Trichodontidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 146, 154, 548. Yama-Kei, Tokyo. (In Japanese.)
- Amaoka, K. and T. Miki, 1988. Stichaeidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), pp. 288–290. *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai University Press, Tokyo. (In Japanese.)
- Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), 1983. *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*. 372 pp. Japan Fisheries Resource Conservation Association, Tokyo.
- Amaoka, K., K. Nakaya and M. Yabe, 1995. *The Fishes of Northern Japan*. 391 pp. Kitanihon Kaiyo Center, Sapporo. (In Japanese.)
- Anderson, M.E. and H. Imamura, 2002. A new species of *Lycenchelys* (Perciformes: Zoarcidae) from the Pacific coast of northern Japan. *Ichthyological Research*, 49: 355–357.
- Anderson, M.E., D.E. Stevenson and G. Shinohara, 2009. Systematic review of the genus *Bothrocara* Bean (Teleostei: Zoarcidae). *Ichthyological Research*, 56 (in press).
- Asahida, T., 1992. *Etmopterus lucifer* Jordan et Snyder, *Rhinoraja longicauda* Ishiyama, *Hydrolagus barbouri* (Garman), *Synaphobranchus affinis* Günther, *Gnathophis nystromi nystromi* (Jordan et Snyder), *Gonostoma elongatum* Günther, *Chauliodus sloani* Schneider, *Myctophum nitidulum* Garman, *Alepisaurus ferox* Lowe, *Laemonema longipes* Schmidt, *Gadus macrocephalus* Tilesius, *Theragra chalcogramma* (Pallas), *Coelorinchus gibberti* Jordan et Hubbs, *Lophius liturion* (Jordan), *Gigantactis vanhoefeni* Brauer, *Ceratias holboelli* Krøyer, *Beryx splendens* Lowe, *Barbourisia rufa* Parr, *Lophotus capellei* (Temminck and Schlegel), *Trachipterus ishikawai*: Jordan et Snyder, *Desmodema polystictum* (Ogilby), *Regalecus russellii* (Shaw), *Allocyttus verrucosus* (Gilchrist), *Zenopsis nebulosa* (Temminck et Schlegel), *Zeus faber* Linnaeus, *Stereolepis doederleini* Lindberg et Kras'yukova, *Cookeolus boops* (Schneider), *Scomrops boops* (Houttuyn), *Brama japonica* Hilgendorf, *Sebastes matsubarae* Hilgendorf, *Helicolenus hilgendorfi* (Steindachner et Döderlein), *Sebastolobus macrochir* (Günther), *Anoplopoma fimbria* (Pallas), *Erilepis zonifer* (Lockington), *Pleuragrammus azonus* Jordan et Metz, *Hemitripterus villosus* (Pallas), *Dasyctonus setiger* Bean, *Chelidonichthys spinosus* (McClelland), *Lepidotrigla microptera* Günther and *Aptocyclus ventricosus* (Pallas). In: Iwate Nippou Shuppanbu (ed.), *Iwate no Sakana Hyakka*, pp. 14, 17, 22, 29, 45–46, 62–63, 75–76, 78–88, 95–97, 107, 152, 160–162, 165–166, 173, 176–178. Iwate Nippo Co., Ltd., Morioka. (In Japanese.)
- Asano, H., 1988. Nemichthyidae, Synaphobranchidae (part) and Nettastomatidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 21–22, 26, 29. Tokai University Press, Tokyo. (In Japanese.)
- Asano, H., 2001. Nettastomatidae and Nemichthyidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, p. 90. Yama-Kei, Tokyo. (In Japanese.)
- Balanov, A.A., M. Moku, K. Kawaguchi and G. Shinohara, 2009. Fishes collected by commercial size midwater trawls from the Pacific coast off norhern Japan. In: Fujita T. (ed.), Deep-sea Fauna and Pollutants off Pacific Coast of Northern Japan. *National Museum of Nature and Science Monographs*, (39): 655–681.

- Bolin, R.L., 1936. New cottid fishes from Japan and Bering Sea. *Proceedings of the United States National Museum*, **84**: 25-38.
- Dolganov, V.N., 1985. New species of Rajidae from the North Pacific. *Voprosy Ikhtiolozii*, **23**: 415-425. (In Russian.)
- Endo, H., 2001,. Moridae and Gadidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan*, 3rd Edition, pp. 130-133. Yama-Kei, Tokyo. (In Japanese.)
- Endo, H. and O. Okamura, 1992. New records of the abyssal grenadiers *Coryphaenoides armatus* and *C. yaquinae* from the western North Pacific. *Japanese Journal of Ichthyology*, **38**: 433-437.
- Endo, H. and D. Kitagawa, 2006. Occurrence of *Merluccius productus* from the western North Pacific (Gadiformes: Merlucciidae). *Japanese Journal of Ichthyology*, **53**: 95-99. (In Japanese with English abstract.)
- Endo, H. and G. Shinohara, 1999. A new batfish, *Coelophryhs bradburyae* (Lophiiformes: Ogocephalidae) from Japan, with comments on the evolutionary relationships of the genus. *Ichthyological Research*, **46**: 359-365.
- Fedorov, V.V., 1995. *Lycenchelys remissaria* sp.nova (Perciformes: Zoarcidae) from the bathyal region of the Pacific Ocean shores of Japan. *Voprosy Ikhtiolozii*, **35**: 130-133. (In Russian.)
- Fedorov, V.V. and A.V. Neyelov, 1978. A new genus and species of eelpout, *Andriashevia aptera* gen. et sp. n. (Perciformes, Zoarcidae). *Voprosy Ikhtiolozii*, **18**: 952-955. (In Russian.)
- Fujii, E., 1988. Eurypharyngidae, Opisthoproctidae, Gomostomatidae, Sternopychidae, Stomiidae, Astronesthidae, Melanostomiidae, Malacosteidae, Scopelarchidae, Myctophidae, Paralepididae, Omosudidae, Melamphaidae, Regalecidae and Caristiidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 32, 41-42, 44-53, 63-77, 108-109, 115, 155. Tokai University Press, Tokyo. (In Japanese.)
- Funabashi, M., 1998. Checklist of marine fishes from the coastal region of Ibaraki Prefecture. Bulletin of Ibaraki Nature Museum, (1): 75-96. (In Japanese.)
- Hatooka, K., 2000. Etmoperidae, Centrophoridae, Torpedinidae, Serrivomeridae, Nettastomatidae, Eurypharyngidae, Argentinidae, Zoarcidae and Stichaeidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, 2nd Edition, pp. 144-146, 152-154, 162-163, 238-240, 283, 1046-1054, 1028-1446, 1462-1463, 1472, 1590-1594. Tokai University Press, Tokyo. (In Japanese.)
- Hatooka, K., 2002. Etmopteridae, Centrophoridae, Torpedinidae, Serrivomeridae, Nettastomatidae, Eurypharyngidae, Zoarcidae and Stichaeidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, English Edition pp. 144-146, 152-154, 162-163, 238-240, 1028-1044, 1443-1445, 1461-1463, 1581-1583. Tokai University Press, Tokyo.
- Hatooka, K., U. Yamada and M. Aizawa, 2000. Rajidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, 2nd Edition, pp. 164-174, 1446-1448. Tokai University Press, Tokyo. (In Japanese.)
- Hatooka, K., U. Yamada and M. Aizawa, 2002. Rajidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (English Edition)*, pp. 164-174, 1446-1447. Tokai University Press, Tokyo.
- Hayashi, M., 2000. Diretmidae and Anoplogastridae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, 2nd Edition, pp. 503-504, 1505. Tokai University Press, Tokyo. (In Japanese.)
- Hayashi, M., 2002. Diretmidae and Anoplogastridae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, English Edition, pp. 503-504, 1501-1502. Tokai University Press, Tokyo.
- Horikawa, H., 2001. Argentinidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan*, 3rd Edition, p. 96. Yama-Kei, Tokyo. (In Japanese.)
- Ida, H., 1992. *Careproctus rastrinus* Gilbert et Burke, *Hippoglossoides dubius* Schmidt, *Hippoglossoides pinetorum* (Jordan et Starks), *Verasper variegatus* (Temminck et Schlegel), *Verasper moseri* Jordan et Gilbert, *Clidoderma asperillum* (Temminck and Schlegel), *Tanakius kitaharai* (Jordan et Starks), *Glyptocephalus stelleri* (Schmidt) and *Microstomus achne* (Jordan et Starks). In: Iwate Nipponsha Shuppanbu (ed.), *Iwate no Sakana Hyakka*, pp. 180, 184-187, 193-195. Iwate Nippo Co., Ltd., Morioka. (In Japanese.)
- Ishihara, H., 2001. Rajidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan*, 3rd Edition, pp. 54-57. Yama-Kei, Tokyo. (In Japanese.)
- Ishihara, H. and R. Ishiyama, 1985. Two new North Pacific skates (Rajidae) and a revised key to *Bathyraja* in the area. *Japanese Journal of Ichthyology*, **32**: 143-179.
- Ikeda, S, H. Immura and K. Nakaya, 2008. Redescription of two eelpouts, *Lycodes microporus* Toyoshima 1983 and *Lycodes ocellatus* Toyoshima 1985 (Perciformes: Zoarcidae). *Ichthyological Research*, **55**: 356-366.
- Immura, H., 1997. Tohoku Taiheiyo-gan no Gyuruisou-Suzuki moku (Perciform fish fauna off Pacific of Tohoku). *Tohoku Sokou Kenkyu*, (17): 55-68. (In Japanese.)
- Immura, H., 1998. Tohoku Taiheiyo-oki ni Shutsugensuru Gengeka Gyurui (Zoarcid fishes occurring off Pacific of Tohoku District). *Tohoku Sokou Kenkyu*, (18): 28-34. (In Japanese.)
- Immura, H. and Y. Ishito, 1997. Northernmost record of a rare ribbonfish, *Trachipterus trachypterus* from Aomori Prefecture, Japan (Pisces: Lampriformes). *I.O.P. Diving News*, **8** (4): 2-3 (In Japanese with English abstract.)
- Immura, H. and D. Kitagawa, 1999. First record of an agonid fish, *Bathyagonus nigripinnis* (Pisces: Teleostei), from Japan. *Japanese Journal of Ichthyology*, **46**: 105-108. (In Japanese with English abstract.)

- Imamura, H., A. Ishiguro and K. Nakaya, 2005. Record of a longneck eel, *Derichthys serpentinus*, collected off Miyagi Prefecture, northwestern Pacific, Japan. *Japanese Journal of Ichthyology*, **52**: 47–50. (In Japanese with English abstract.)
- Imamura, H., T. Nobetsu, T. Hattori and D. Kitagawa, 2000. Record of *Paraliparis grandis* (Pisces: Liparidae) from the Pacific coast of Aomori Prefecture, Japan. *I.O.P. Diving News*, **11** (11): 2–3 (In Japanese with English abstract.)
- Imamura, H., G. Shinohara and M. Shiogaki, 2005. Rediscovery of the type specimens of *Lycenchelys brevimaxillaris* (Actinopterygii: Perciformes: Zoarcidae) with taxonomic notes on the species. *Species Diversity*, **10**: 1–6.
- Inada, T., 2001. Zeidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 168–169. Yama-Kei, Tokyo. (In Japanese.)
- Ishida, M., 2001. Scorpaenidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 189–209. Yama-Kei, Tokyo. (In Japanese.)
- Iwata, A., 2000. Myxinidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 107–109, 1439–1440. Tokai University Press, Tokyo.
- Kanayama, T., 1983. Bathylagidae (part) and Scorpaenidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 80–83, 150–155, 179–180, 211–213. Japan Fisheries Resource Conservation Association, Tokyo.
- Kanayama, T., 1988. Agonidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 316–318. Tokai University Press, Tokyo. (In Japanese.)
- Kanayama, T., 2001. Agonidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 238–240. Yama-Kei, Tokyo. (In Japanese.)
- Kanayama, T. and K. Amaoka, 1983. *Nansenia sanrikuensis* Kanayama et Amaoka sp. nov. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 76–79. Japan Fisheries Resource Conservation Association, Tokyo.
- Kanayama, T. and D. Kitagawa, 1983. Fishes of Iwate II. Scorpaeniformes. 47 pp. Iwate Fisheries Experimental Station, Kamaishi. (In Japanese.)
- Kawaguchi, K. and H. Shimizu, 1978. Taxonomy and distribution of the lanternfishes, genus *Diaphus* (Pisces, Myctophidae) in the western Pacific, eastern Indian oceans and the southeast Asian seas. *Bulletin of the Ocean Research Institute University of Tokyo*, (10): 1–145.
- Kawai, T., H. Imamura and K. Nakaya, 2003. Records of armored sea robins from the Pacific coast of northern Japan (Teleostei: Peristediidae). *Bulletin of Kanagawa Prefectural Fisheries Experimental Station*, (7): 13–16. (In Japanese with English abstract.)
- Kharin, V.E., 1984. Two new species of deep water anglerfish (Ceratoidei: Himantolophidae, Gigantactinae) from the North Pacific. *Voprosy Ikhtiolozii*, **24** (4): 663–667. (In Russian.)
- Kido, K., 1983. Oreosomatidae, Gempylidae, Trichiuridae, Tetragonuridae, Cyclopteridae and Liparidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 126–127, 130–135, 158–161, 203, 205–207, 216. Japan Fisheries Resource Conservation Association, Tokyo.
- Kido, K., 1988. Liparidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 322–326. Tokai University Press, Tokyo. (In Japanese.)
- Kido, K., 2001. Liparidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 244–245. Yama-Kei, Tokyo. (In Japanese.)
- Kido, K. and G. Shinohara, 1997. First record of a liparid fish, *Careproctus melanurus* (Teleostei, Scorpaeniformes), from Japan. *Bulletin of National Science Museum Tokyo, Series A (Zoology)*, **23**: 127–130.
- Kitagawa, D., 1981. *Fishes of Iwate I. Pleuronectiformes*. 32 pp. Iwate Fisheries Experimental Station, Kamaishi. (In Japanese.)
- Kitagawa, D., H. Imamura, T. Goto, Y. Ishito, K. Fujiwara and Y. Ueda, 2008. Field Guide of the Fishes from the Tohoku District, north-eastern Waters of Japan. xvii + 141 pp. Tokai University Press, Hadano. (In Japanese.)
- Koyanagi, M., 2001. Zoarcidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 536–538. Yama-Kei, Tokyo. (In Japanese.)
- Machida, Y., 1988. Ophidiidae, Zeidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 98–100, 115–116. Tokai University Press, Tokyo. (In Japanese.)
- Machida, Y., 2001. Ophidiidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 122–123. Yama-Kei, Tokyo. (In Japanese.)
- Machida, Y. and M. Shiogaki, 1988. *Leptochilichthys microlepis*, a new species of the family Leptochilichthyidae, Salmoniformes, from Aomori, northern Japan. *Japanese Journal of Ichthyology*, **35**: 1–6.
- Machida, Y., S. Ohta and O. Okamura, 1987. Newly obtained specimens and information on a deep-sea fish *Spectrunculus grandis* (Günther) (Ophidiidae, Ophidiiformes). *Reports of Usa Marine Biological Institute, Kochi University*, (9): 189–200.
- Machida, Y. and K. Amaoka, 1990. Pacific records of the deep-sea fish *Porogadus miles* (Ophidiiformes, Ophidiidae). *Japanese Journal of Ichthyology*, **37**: 64–68.

- Machida, Y., G. Shinohara and S. Ohta, 2004. A new deep-sea eelpout, *Hadropogonichthys leptopus* (Osteichthyes: Perciformes: Zoarcidae), from the Pacific Ocean off Japan. *Species Diversity*, **9**: 193-200.
- Maruyama, K., 1970. Some deep-water fishes from off Tohoku and Adjacent regions. *The Bulletin of Tohoku Regional Fisheries Research Laboratory*, (30): 43-66 (In Japanese with English abstract.)
- Maruyama, K., 1971. A catalogue of fishes of Iwate Prefecture, Japan. *The Bulletin of Iwate Prefectural Fisheries Experimental Station*, (1): 1-70. (In Japanese.)
- Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), 1988. The Fishes of the Japanese Archipelago (Japanese text). xx+466 pp. Tokai University Press, Tokyo.
- Matsubara, K., 1938. Studies on the deep-sea fishes of Japan. X. On a new fish, *Notacanthus fascidens*, belonging to Heteromi with special reference to its variations. *Bulletin of the Japanese Society of Scientific Fisheries*, **7**: 131-136.
- Matsubara, K., 1955. Fish Morphology and Hierarchy, Vols. 1-2. v + 1377 pp. Ishizaki-shoten, Tokyo. (In Japanese.)
- Mead, G.W. and F.H.C. Taylor, 1953. A collection of oceanic fishes from off northeastern Japan. *Journal of the Fisheries Research Board of Canada*, **10**: 560-582.
- Mecklenburg, C.W., T.A. Mecklenburg and L.K. Thorsteinson, 2002. Fishes of Alaska. xxxvii+1037 pp. American Fisheries Society, Bethesda.
- Miki, T., 2001. Stichaeidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 539-545. Yama-Kei, Tokyo. (In Japanese.)
- Mitani, I., M. Kamei and T. Shimizu, 1986. Some aspects of biology of skilfish (*Eriilepis zonifer* (Lockington)) off Japan. *Bulletin of Kanagawa Prefectural Fisheries Experimental Station*, (7): 23-27. (In Japanese.)
- Miya, M., 2001. Scopelarchidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, p. 110. Yama-Kei, Tokyo. (In Japanese.)
- Miyahara, H., 2001. Caristiidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, p. 328. Yama-Kei, Tokyo. (In Japanese.)
- Miyahara, H., H. Imamura and Y. Ishito, 2002. Three northern records of the fishes from the Pacific coast of Aomori Prefecture, Japan (Pisces: Teleostei). *Bulletin of Fisheries Sciences, Hokkaido University*, **53** (1): 37-40. (In Japanese with English abstract.)
- Mochizuki, K., 1988. Ogccephalidae (part). In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 102-104. Tokai University Press, Tokyo. (In Japanese.)
- Mochizuki, K., 2001. Ateleopodidae and Scombridae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 109, 310. Yama-Kei, Tokyo. (In Japanese.)
- Nakabo, T., 1988. Tetragonuridae, Centrolophidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, p. 226. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T. (ed.), 2000a. Fishes of Japan with Pictorial Keys to the Species, 2nd Edition. Ivi+1748 pp. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T., 2000b. Chimaeridae, Rhinochimaeridae, Notacanthidae, Lipogenyidae, Platyroctidae, Alepocephalidae, Scopeloarchidae, Notosudidae, Alepisauridae, Paralepididae, Myctophidae, Moridae, Merluccidae, Gadidae, Macrouridae, Macrouroididae, Ophididae, Gigantactinidae, Melanocetidae, Himantolophidae, Scorpaenidae, Ereuniidae, Hemipteridae, Cottidae, Agonidae and Liparidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 113-116, 190, 289-294, 361, 365-371, 373-375, 378-399, 408-414, 417-444, 469, 474, 476, 565-595, 626-650, 654-661, 665-677, 1441, 1451, 1473-1474, 1487-1491, 1493-1495, 1499-1500, 1524-1528, 1531-1537. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T. (ed.), 2002a. Fishes of Japan with Pictorial Keys to the Species, English Edition. Ixi+1749 pp. Tokai University Press, Tokyo.
- Nakabo, T., 2002b. Chimaeridae, Rhinochimaeridae, Lipogenyidae, Notacanthidae, Platyroctidae, Alepocephalidae, Scopeloarchidae, Notosudidae, Alepisauridae, Paralepididae, Myctophidae, Moridae, Merluccidae, Gadidae, Macrouridae, Macrouroididae, Ophidiidae, Gigantactidae, Melanocetidae, Himantolophidae, Scorpaenidae, Ereuniidae, Hemipteridae, Cottidae, Agonidae and Liparidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 107-109, 113-116, 190-191, 289-294, 316, 365-371, 373-375, 378-399, 408-414, 417-444, 469-470, 474, 476, 565-595, 626-650, 654-661, 665-677, 1439-1441, 1451, 1471-1472, 1484-1488, 1490-1492, 1496-1497, 1519-1522, 1525-1530. Tokai University Press, Tokyo.
- Nakamura, I., 2001. Gempylidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, p. 655. Yama-Kei, Tokyo. (In Japanese.)
- Nakaya, K., 1983. Torpedinidae, Rajidae, Alepisauridae and Icosteidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 52-61, 96-97, 148-149, 167-171, 188, 211. Japan Fisheries Resource Conservation Association, Tokyo.
- Nakaya, K., 1988. Torpedinidae, Rajidae and Chimaeridae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 11-14. Tokai University Press, Tokyo. (In Japanese.)

- Nakaya, K., 2001. Scyliorhinidae, Dalatiidae, Centrophoridae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 42, 48–49. Yama-Kei, Tokyo. (In Japanese.)
- Nakaya, K. and S. Shirai, 1988. Squalidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition*, pp. 9–11. Tokai University Press, Tokyo. (In Japanese.)
- Nakaya, K. and S. Shirai, 1992. Fauna and zoogeography of deep-benthic chondrichthyan fishes around the Japanese Archipelago. *Japanese Journal of Ichthyology*, **39**: 27–48.
- Nelson, J.S., 1994. Fishes of the World, 3rd Edition. xvii+600 pp. Wiley, New York.
- Ohta, S., 2001 Notacanthidae, Lipogenidae and Eurypharyngidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 68–69, 90. Yama-Kei, Tokyo. (In Japanese.)
- Okada, Y. and K. Matsubara, 1938. *Keys to the Fishes and Fish-like Animals of Japan*. xl+584 pp. Sanseido, Tokyo. (In Japanese.)
- Okamoto, M., H. Sugisaki and H. Ida, 2004. Development and distribution of the early life stages of the longfin pearleye *Benthalbella linguidens* (Aulopiformes: Scopelarchidae) in the western North Pacific. *Ichthyological Research*, **51**: 301–308.
- Okamoto, M., H. Sugisaki, T. Moku and Y. Okazaki, 2006. First record of slender barracudina, *Lestidiopus ringens*, (Aulopiformes: Paralepididae), from Japan. *Japanese Journal of Ichthyology*, **53**: 77–82. (In Japanese with English abstract.)
- Okamoto, M., H. Sugisaki, K. Uchikawa, M. Moku and Y. Okazaki, 2007. Record of a platytrictid fish, *Maulisia argipalla* (Argentiniformes: Platytroctidae), from off northern Japan. *Japanese Journal of Ichthyology*, **54**: 197–202. (In Japanese with English abstract.)
- Okamoto, M., A. Yamaguchi, H. Sugisaki and H. Motomura, 2008. Second Japanese record of a platytrictid fish, *Maulisia acuticeps* Sazonov, 1976. *Japanese Journal of Ichthyology*, **55**: 59–61. (In Japanese.)
- Okamura, O., 1970. Fauna Japonica Macrourina (Pisces). iii+216 pp., 44 pls. Academic Press Japan, Tokyo,
- Okamura, O., 1988. Gadidae, Macrouridae and, Ogccephalidae (part). In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 91–98, 102–104. Tokai University Press, Tokyo. (In Japanese.)
- Okamura, O., 2001. Synaphobranchidae, Alepocephalidae, Paralepididae, Myctophidae, Macrouridae, Macrouroididae and Nomeidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 80, 96–97, 115, 117, 124–129, 662–663. Yama-Kei, Tokyo. (In Japanese.)
- Okamura, O. and K. Amaoka (eds.), 2001. Sea Fishes of Japan, 3rd Edition. 784 pp. Yama-Kei, Tokyo. (In Japanese.)
- Parin, N.V. and O.D. Borodulina, 1997. Review of the “*Astronesthes cyaneus* species group” (Astronesthidae), with description of two new species. *Voprosy Ikhtiologii*, **37**: 772–784. (In Russian.)
- Prokofiev, A.M., 2008. Two new species of swallowfishes of the genera *Chiasmodon* and *Kali* (Chiasmodontidae). *Voprosy Ikhtiologii*, **48**: 158–165. (In Russian.)
- Sakamoto, K., 1983. Nettastomatidae, Synaphobranchidae, Nemichthyidae, Eurypharyngidae and Pleuronectidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 64–71, 160–163, 173–176, 217. Japan Fisheries Resource Conservation Association, Tokyo.
- Sakamoto, K., 1988. Pleuronectidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 336–340. Tokai University Press, Tokyo. (In Japanese.)
- Sakamoto, K., 2001. Pleuronectidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 672–678. Yama-Kei, Tokyo. (In Japanese.)
- Sakurai, H. and G. Shinohara, 2008. *Careproctus rotundifrons*, a new snailfish (Scorpaeniformes: Liparidae) from Japan. *Bulletin of the National Museum of Nature and Science, Series A (Zoology)*, Supplement 2: 39–45.
- Sato, R., K. Nakaya and A. Hasebe, 1987. *Genshoku Gyorui Zukan-Kesennuma-shi Uoichiba ni Mizuagesareru Gyorui (Colored Atlas of Fishes-Fishes landed to Kesenuma Fishing Port)*, Revised Edition. v+102 pp. Kesenuma City Hall, Kesenuma. (In Japanese.)
- Sawada, Y., 1983. Neoscopelidae, Myctophidae, Moridae, Macrouroididae and Macrouridae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 88–93, 98–113, 183–186, 189–196. Japan Fisheries Resource Conservation Association, Tokyo.
- Shimizu, T., 1988. Diretmidae, Anoplogastridae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 107–108. Tokai University Press, Tokyo.
- Shimizu, T., 2001. Diretmidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, p. 157. Yama-Kei, Tokyo. (In Japanese.)
- Shinohara, G. and M.E. Anderson, 2007. *Lycenchelys ryukyuensis* sp. nov. (Perciformes: Zoarcidae) from the Okinawa Trough, Japan. *Bulletin of the National Museum of Nature and Science, Series A (Zoology)*, Supplement 1: 59–66.
- Shinohara, G. and K. Matsuura, 1997. Annotated checklist of deep-water fishes from Suruga Bay, Japan. *National Science Museum Monographs*, (12): 269–318, pls. 1–2.
- Shinohara, G. and K. Matsuura, 1998. A new zoarcid, *Lycenchelys aurantiaca*, from the Pacific coast off northern Japan (Teleostei: Perciformes). *Ichthyological Research*, **45**: 151–155.

- Shinohara, G., H. Endo and K. Matsuura, 1996. Deep-water fishes collected from the Pacific coast of northern Honshu, Japan. *Memoirs of the National Science Museum*, (29): 153-185.
- Shinohara, G., H. Endo, K. Matsuura, Y. Machida and H. Honda, 2001. Annotated checklist of the deepwater fishes from Tosa Bay, Japan. In: Fujita, T., H. Saito and M. Takeda (eds.), Deep-sea Fauna and Pollutants in Tosa Bay. *National Science Museum Monographs*, (20): 283-343.
- Shinohara, G., T. Sato, Y. Aonuma, H. Horikawa, K. Matsuura, T. Nakabo and K. Sato, 2005. Annotated checklist of deep-sea fishes from the waters around the Ryukyu Islands, Japan. *National Science Museum Monographs*, (29): 385-452.
- Shiogaki, M., 1982. A catalogue of the fishes colected from the waters of Aomori Prefecture, Japan. *Bulletin of the Fisheries Experimental Station of Aomori Prefecture*, (1982): 1-36. (In Japanese.)
- Shiogaki, M., Y. Ishito, Y. Nomura and T. Sugimoto, 2004. Revised catalogue of the fishes collected from the waters of Aomori Priefecture. *Bulletin of Aomori Prefectural Fisheries Research Center*, (4): 39-80. (In Japanese with English abstract.)
- Shirai, S., 1983. Squalidae, Chimaeridae, Rhinochimaeridae, Albulidae and Gadidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 46-51, 60-65, 104-105, 164-166, 171-173, 191. Japan Fisheries Resource Conservation Association, Tokyo.
- Takahashi, M., H. Imamura and K. Nakaya, 2003. Records of three fish species from western Pacific of northern Japan (Pisces: Teleostei). *Bulletin of Fisheries Sciences, Hokkaido Univeristy*, **54** (1/2): 17-20. (In Japanese with English abstract.)
- Toyoshima, M., 1983. Zoarcidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp.136-149, 208-210. Japan Fisheries Resource Conservation Association, Tokyo.
- Toyoshima, M., 1985. Taxonomy of the subfamily Lycodinae (family Zoarcidae) in Japan and adjacent waters. *Memoirs of the Faculty of Fisheries, Hokkaido University*, **32**: 131-243.
- Toyoshima, M., 1988. Zoarcidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 291-295. Tokai University Press. (In Japanese.)
- Uchikawa, K., O. Yamamura, D. Kitagawa and Y. Sakurai, 2002. Diet of the mesopelagic fish *Notoscopelus japonicus* (Family: Myctophidae) associated with the continental slope off the Pacific coast of Honshu, Japan. *Fisheries Science*, **68**: 1034-1040.
- Uchikawa, K., O. Yamamura and T. Hattori, 2008. Feeding habits of mesoplagic fish *Lampanyctus jordani* (Family: Myctophidae) over the continental slope off Tohoku area, northern Japan. *Fisheries Science*, **74**: 69-76.
- Uyeno, T., 1988. Bathylagidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, p. 41. Tokai University Press, Tokyo.
- Watanabe, H., M. Moku, K. Kawaguchi, K. Ishimaru and A. Ohno, 1999. Diel vertical migration of myctophid fishes (Family Myctophidae) in the transitional waters of the western North Pacific. *Fisheries Oceanography*, **8**: 115-127.
- Yabe, M., 1983. Notacanthidae, Trachipteridae, Psychrolutidae and Stichaeidae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 70-73, 126-127, 136-137, 154-159, 176-177, 202, 207, 214-215. Japan Fisheries Resource Conservation Association, Tokyo.
- Yabe, M., 1988. Ereuniidae, Hemitripteridae and Cottidae, In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, pp. 308-315. Tokai University Press, Tokyo.
- Yabe, M., 2001. Cottidae and Psychrolutidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 226-236, 241. Yama-Kei, Tokyo. (In Japanese.)
- Yamada, U., 2000. Ogcoccephalidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 460-466, 1498-1499. Tokai University Press, Tokyo. (In Japanese.)
- Yamada, U., 2001. Ogcoccephalidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 144-145. Yama-Kei, Tokyo. (In Japanese.)
- Yamada, U., 2002. Ogcoccephalidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 460-466, 1495-1496. Tokai University Press, Tokyo.
- Yamamoto, E., 1983. Chauliodontidae, Idiacanthidae, Melanostomiataidae, Bathynpteroidae, Scopelarchidae and Paralepididae. In: Amaoka, K., K. Nakaya, H. Araya and T. Yasui (eds.), *Fishes from the North-eastern Sea of Japan and the Okhotsk Sea off Hokkaido*, pp. 82-87, 94-97, 181-183, 186-187. Japan Fisheries Resource Conservation Association, Tokyo.
- Yano, K., 2001. Squalidae, Squatinidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan, 3rd Edition*, pp. 50-51. Yama-Kei, Tokyo. (In Japanese.)