

ZOOLOGICAL MUSEUM OF MOSCOW STATE UNIVERSITY

K.G. Mikhailov

The spiders (Arachnida: Aranei)
of Russia and adjacent countries:
a non-annotated checklist

Arthropoda Selecta. Supplement No. 3.



KMK Scientific Press Ltd.
Moscow ❖ 2013

Mikhailov K.G.¹ The spiders (Arachnida: Aranei) of Russia and adjacent countries: a non-annotated checklist. Arthropoda Selecta. Supplement No.3. Moscow: KMK Scientific Press Ltd. 262 p.

¹ Zoological Museum MGU, Bolshaya Nikitskaya Str. 6, Moscow 125009 Russia.
E-mail: mikhailov2000@gmail.com

A checklist of 3,340 spider species belonging to 629 genera and 50 families is provided for Russia and the other post-Soviet republics, namely, Armenia, Azerbaijan, Byelorussia (Belarus), Estonia, Georgia, Kazakhstan, Latvia, Lithuania, Moldavia (Moldova), Kirghizia (Kyrgyzstan), Tajikistan, Turkmenia (Turkmenistan), Ukraine, and Uzbekistan, based on comprehensive literature data covering more than 2,600 sources published between 1770 and June 2013. Calculations of the number of spider species in the post-Soviet republics and different physiographical areas are provided in the introductory part. Each species included in the checklist is supplied with an attribution both to physiographical area(s) and republic(s). The necessary synonymies and valid subspecies are also enlisted, same as *nomina dubia* and *nomina nuda*. An alphabetic index of all genera and species names is provided as well.

Destined for zoologists, mainly arachnologists and entomologists, as well as for local biologists and naturalists.

1 map, 3 tables, 199 references.

Key words: Aranei, spiders, checklist, Russia, Armenia, Azerbaijan, Byelorussia, Belarus, Estonia, Georgia, Kazakhstan, Latvia, Lithuania, Moldavia, Moldova, Kirghizia, Kyrgyzstan, Tajikistan, Turkmenia, Turkmenistan, Ukraine, Uzbekistan, physiographical areas.

Михайлов К.Г.¹ Пауки (Arachnida: Aranei) России и прилежащих стран: неаннотированный реестр. Arthropoda Selecta. Приложение № 3. Москва: Товарищество научных изданий КМК. 262 с.

¹ Зоологический музей МГУ, ул. Большая Никитская, 6, Москва 125009 Россия.
E-mail: mikhailov2000@gmail.com

На основе исчерпывающих литературных данных, собранных в более чем 2600 источниках за период с 1770 г. по июнь 2013 г. дан реестр 3340 видов пауков, принадлежащих к 629 родам и 50 семействам с территории России и других постсоветских республик: Армении, Азербайджана, Белоруссии (Беларуси), Эстонии, Грузии, Казахстана, Латвии, Литвы, Молдавии (Молдовы), Киргизии (Кыргызстана), Таджикистана, Туркмении (Туркменистана), Украины и Узбекистана. Во вводной части приведены подсчеты числа видов пауков на территории постсоветских республик и физико-географических регионов. Каждый вид в реестре снабжен указаниями на его распространение в соответствующих физико-географических регионах и республиках. Перечислены необходимые синонимы и валидные подвиды, а также *nomina dubia* и *nomina nuda*. Дан алфавитный указатель всех родовых и видовых названий.

Для зоологов, преимущественно арахнологов и энтомологов, а также для краеведов и натуралистов.

1 карта, 3 табл., библи. 199.

Ключевые слова: Aranei, пауки, реестр, Россия, Армения, Азербайджан, Белоруссия, Беларусь, Эстония, Грузия, Казахстан, Латвия, Литва, Молдавия, Молдова, Киргизия, Кыргызстан, Таджикистан, Туркмения, Туркменистан, Украина, Узбекистан, физико-географические регионы.

© K.G. Mikhailov, 2013

© KMK Scientific Press, 2013

ISBN 978-5-87317-933-6

Preface and Introduction

The material presented below is the first more or less complete result of my project started in 1981. The objective of this project is compiling the literature data on the spiders of Russia and other post-Soviet republics, with some critical observations.

The bibliography list comprising 3,560 papers and monographs which appeared between 1770 until 2011 has been published elsewhere [Mikhailov, 2012a]. Regular addenda to this basic bibliography list are planned. A card catalogue of local/regional data is also complete, but not digitalized. However, publication of all material (comparable in volume to P. Bonnet's "Bibliographia araneorum"), as insistently recommended by Heptner [1998] and some colleagues arachnologists, remains impossible, first of all due to purely technical reasons. Besides this, local faunistic data are sometimes very difficult to verify, since many authors do/did not keep their collections properly. Numerous samples are lost, some others inaccessible.

To date, only a checklist of the spiders of the former USSR together with a bibliographic index covering all literature sources until July 2000 has been published [Mikhailov 1997a, b, 1998, 1999, 2000a]. An earlier checklist had appeared as well [Mikhailov, 1996a]. Still the way the bibliographic index was presented in the above series was extremely complicated, changed into a more clear and simple one in the latest edition [Mikhailov, 2012a]. The composition of the basic book [Mikhailov, 1997b] which failed to supply each species with proper references and clear connection between the 2nd (checklist) and 3rd (bibliography) chapters was justly criticized in a review in "Zoologicheskii Zhurnal" [Heptner, 1998]. For this reason, only a checklist is retained in this edition, but this time supplied with the necessary, sometimes shortened, references provided in a format standard for "Arthropoda Selecta". In the current checklist, the literature data are mainly presented in footnotes, as well as in special cases like non-existing species, *nomina nuda*, etc. As noted earlier, a general bibliographic index has been published separately [Mikhailov, 2012a].

Calculations of spider families, genera and species amongst the post-USSR republics and physiographical regions have been published in a number of contributions [Mikhailov, 1992,

1996b,c, 1997b, 2000b, 2002a, 2011, 2012b, 2013a].

The following mistakes have been found since the 1997 checklist [Mikhailov, 1997b]:

P.93. *Savignya* Blackwall, 1833 (a generic name in Linyphiidae) is a subsequent invalid emendation. The original correct name is *Savignia* Blackwall, 1833.

P.117. *Cyrtarachne ixodoides* (Simon, 1870) (Araneidae). A lapsus calami. The correct name is *Cyrtarachne ixoides* (Simon, 1870).

P.133–138. *Tarentula* Sundevall, 1832 (a generic name in Lycosidae). Must be replaced with *Alopecosa* Simon, 1885 [Mikhailov, 2013c].

P.134. *Tarentula andreevae* Mikhailov, 1996 (Lycosidae). An incorrect replacement name for *Tarentula kronebergi* (Andreeva, 1976), not homonymous to *Tarentula cronebergi* Thorell, 1875.

P.144. *Tegenaria lapidicinarum* Spassky, 1934 (Agelenidae). A lapsus calami. The correct name is *Tegenaria lapidicinarum* Spassky, 1934.

P.169. *Drassylus* Chamberlin, 1922 (Gnaphosidae). A lapsus calami. The correct name is *Drassyllus* Chamberlin, 1922.

P.186. *Micromata* Latreille, 1804 (Sparassidae), an attempt to validate a forgotten name. The generally accepted valid name (ICZN Article 23.9.1) is *Micrommata* Latreille, 1804 (an emendation by Latreille [1806]).

P.197. *Thomisus albus* (Gmelin, 1789) (Thomisidae). A nomen dubium, after Simon [1918]. Should be replaced by *Thomisus onustus* Walckenaer, 1805.

P.216. *Neon valentinulus* Falconer, 1912 (Salticidae). A lapsus calami. The correct name is *Neon valentulus* Falconer, 1912.

When preparing this edition, the earlier checklist was compared with the current World Spider Catalog [Platnick, 2013]. Certain differences have been found and followed. The sequence of families in my checklist basically follows that in the earlier version [Mikhailov, 1997b], with minor changes according to the modern version of the World Spider Catalog. The genus *Cheiracanthium* C.L. Koch, 1839 is left in Clubionidae. The spiders described by Carl Clerck are dated 1758, not 1757, as demanded by ICZN Articles 3 and 21; the linyphi-

id taxonomy mostly follows A.V. Tanasevitch; the name *Larinioides folium* (Schrenk, 1803) has priority over *L. suspicax* (O. Pickard-Cambridge, 1876) [Mikhailov, 2013b]; etc., etc.

I am deeply obliged to my colleagues and friends Yu.M. Marusik (Magadan), A.V. Tanasevitch (Moscow), D.V. Logunov (Manchester, earlier Novosibirsk), M.M. Kovblyuk (Simferopol, Ukraine), S.L. Esyunin (Perm), A.V. Ponomarev (Rostov-na-Donu), G.N. Azarkina (Novosibirsk), A.V. Gromov (Bingen am Rhein, Germany, earlier Alma-Ata, Kazakhstan), E.M. Zhukovets (Minsk, Byelorussia) and others for their valuable comments on the checklist. I am

also grateful to K.Yu. Eskov (Moscow), A.A. Zyuzin (Alma-Ata, Kazakhstan) and V.I. Ovtsharenko (New York, earlier St. Petersburg) for their remarks on earlier versions of my card catalogue of the 1980's and 1990's.

Compilation of the tremendous bibliographical index published separately would have been impossible without a flow of papers and copies from all my Russian/Soviet and a number of foreign colleagues. I would like to thank again the dozens of persons listed already in Mikhailov [2012a].

The linguistic help of S.I. Golovatch (Moscow) is also deeply acknowledged.

Methodology

The checklist of spiders is actually an extraction from a complete card catalogue.

Each spider species included is supplied with an attribution both to the main physiographical areas delimited after Gvozdetskiy [1968] and to post-Soviet republics. The physiographical areas and republics are coded by Russian letters and abbreviations, respectively. The sequence of references is as follows:

Physiographical areas (see also Map 1).

- A — Atlantic-Arctic insular area,
- Б — Fennoscandia (Karelian-Kola area),
- В — Russian Plain,
- Г1 — Novaya Zemlya and Vaigach islands,
- Г2 — Urals (delimited in a way different from Eyunin & Efimik [1996]),
- Д — Carpathians,
- Е1 — Crimea,
- Е2 — Caucasus,
- Ж1 — Armenian Upland,
- Ж2 — Kopetdagh Mts,
- З+И — mountainous Middle (= Central) Asia,
- К — deserts of Middle (= Central) Asia,
- Л — Kazakhstan Hills,
- М — West Siberia,
- Н+О — Middle Siberia,
- П — mountains of South Siberia,
- Р — northeastern Siberia,
- С1 — continental Far North-East (without Kamchatka),
- С2 — Kamchatka,
- С3 — northern Kurile Islands,
- С4 — Commander Islands,
- Т1 — continental Southern Far East (Amur-Maritime area),
- Т2 — Sakhalin and Moneron islands,
- Т3 — southern Kurile Islands.

Republics:

- РФ — Russia,
- Эст — Estonia,
- Латв — Latvia,
- Лит — Lithuania,
- Бел — Byelorussia (Belarus),
- Укр — Ukraine,
- Молд — Moldavia (Moldova),
- Гр — Georgia,
- Аз — Azerbaijan,
- Арм — Armenia,
- Каз — Kazakhstan,
- Узб — Uzbekistan,
- Турк — Turkmenia (Turkmenistan),

Кирг — Kirghizia (Kyrgyzstan),


Тадж — Tajikistan.

Synonyms are marked with a “=” sign, only the names cited in the Russian/Soviet arachnological literature are reported. Some old combinations not accepted here are also incorporated without “=”. Valid subspecies are mentioned with a “+” sign. *Nomina dubia* are given in the main list, whereas *nomina nuda* are removed to the end of each family list. For *nomina dubia*, all available sources are reported. Doubtful identifications are marked with a “?”, misidentifications begin a separate paragraph and are marked with a “??” symbol. Species/generic names recorded in the former USSR territory with doubts or definitely erroneously are cited in figure brackets ({}) and in parentheses (), respectively.

Correct spellings of most Latin generic and specific names have been checked after catalogues and even the original sources, if necessary. Dates of publications of some papers by J.C. Savigny & J.V. Audouin, J.C. Sundevall, C.W. Hahn and C.L. Koch are established with the help of special literature sources [Sherborn, 1914; Brignoli, 1985; Tollitt, 1986; Sacher, 1988; Blick & Kronstedt, 2000].

According to ICZN [1985], Article 33d, original species endings cannot be changed from *-ii* to *-i*. So in theory a lot of traditionally accepted names of European spiders are to be changed: *Maso sundevallii* instead of *M. sundevalli*, *Pachygnatha degeerii* instead of *P. degeeri*, etc. As I am not prepared yet to applying this rule directly, I have simply marked all such cases in the text of the current checklist by one asterisk (*). Only for synonyms some replacements have been made without special reference.

In addition to the 1997 edition, the gender given in brackets is indicated after the names of the respective genera. For old genera, most data are taken from Bonnet [1955, 1956, 1957, 1958, 1959]. One asterisk (*) indicates that the genus is included in the Official List of Generic Names (updated December 2012; obtained from the International Commission for Zoological Nomenclature, courtesy of Dr N.G. Bogutskaya). Two asterisks (**) mean that the gender of the respective genus was established by the respective author.



Map 1. Physiographical areas of the former Soviet Union. Explanations in text.

Please note that the spelling of some Russian names has traditionally been non-English, mostly German or Latin: Bachwalow instead of Bakhvalov, Charitonov instead of Kharitonov, Mcheidze instead of Mkheidze, Michailov instead of Mikhailov, Saveljeva instead of Savelieva (or Savelieva), Tystshenko instead of Tyshchenko, Utotschkin instead of Utochkin, Wagner instead of Vagner, Zawadsky instead of Zavadskiy. Yet in the references all such names are anglicized as opposed to their latinized (germanized) names used after their taxa in the main list.

In the references, all Russian, Ukrainian, Georgian, etc. paper and book names are translated into English, and put in square brackets ([]). The authors' names are transliterated into English. The journal, miscellany paper or newspaper names are transliterated as well, mainly

according to the Science Citation Index. Cyrillic letters are written as follows: а — a; б — b; в — v; г — g, gh; д — d; е — e; ё — yo, e; ж — zh; з — z; и — i; й — i, y; ий — iy; к — k; л — l; м — m; н — n; о — o; п — p; р — r; с — s; т — t; у — u; ф — f; х — kh; ц — ts; ч — ch; ш — sh; щ — shch; ъ — to omit; ы — y; ь — to omit; э — e; ю — yu; я — ya.

Numerous abstracts (“= avtoreferaty”) of PhD (= Candidate of Sciences) or Doctor of Sciences Theses, which are basically manuscripts, are here considered only as sources of scientific (e.g. faunistic records), not nomenclatural, information. The same concerns the typewritten manuscripts deposited in the All-Union Institute for Scientific Information (VINITI, Moscow), as well as in similar institutions in post-Soviet republics.

Basic calculations

A historical sketch given in earlier version [Mikhailov, 1997b: 10–11] is omitted below, because a more detailed review has appeared [Mikhailov, 2004]. Comprehensive comparative data for 2011 which fail to differ essentially from 2012 are provided in a separate paper [Mikhailov, 2013a].

The main results of the studies on spiders in Russia and other post-Soviet republics are arranged by republics, followed by physiographical areas (Tables 1–3).

Up-to-date (June 2013), 3,340 spider species belonging to 629 genera and 50 families have been reported from the post-Soviet territory (Table 1). Since the 2011 evaluation, the main increase is 44 species, 18 of them from Lycosidae, 8 Gnaphosidae, 7 Linyphiidae, etc.,

with no Salticidae. By its species diversity, the latter family moves to the fourth place following Lycosidae, contrary to the third place in 2011.

An analysis of the spider faunas of the post-Soviet republics (Table 2) reveals that Russia supports the highest diversity, followed by Ukraine, Kazakhstan, and Azerbaijan. Like earlier, the spider faunas of Moldavia and Armenia are yet insufficiently well-studied. In comparison to the 2011 data, the main increase is shown by Kazakhstan (+ 87 species), followed by Russia (+ 27 species) and Byelorussia (+ 7 species). Such a result is due to the recent book by Logunov et al. [2012]. Unfortunately, it lacks information on the physiographical areas concerned, this being reflected by numerous

Table 1. Species diversity of main spider families, FSU territory.

Family	No. of species (percentage is given in brackets)	Family	No. of species
	2012/2013		2012/2013
Linyphiidae	986 (29.52)	Oxyopidae	9
Gnaphosidae	375 (11.23)	Mimetidae	8
Lycosidae	351 (10.51)	Oecobiidae	7
Salticidae	340 (10.18)	Sparassidae	7
Thomisidae	181 (5.42)	Zoridae	7
Theridiidae	172 (5.15)	Nesticidae	6
Araneidae	128 (3.83)	Uloboridae	6
Clubionidae	113 (3.38)	Anyphaenidae	5
Philodromidae	93 (2.78)	Atypidae	5
Dysderidae	90 (2.69)	Eresidae	5
Agelenidae	82 (2.46)	Oonopidae	5
Dictynidae	73 (2.19)	Scytodidae	5
Tetragnathidae	42 (1.26)	Segestriidae	4
Zodariidae	28 (0.84)	Ctenizidae	3
Liocranidae	26 (0.78)	Zoropsidae	3
Hahniidae	23 (0.69)	Mysmenidae	2
Pholcidae	22 (0.66)	Palpimanidae	2
Corinnidae	20 (0.60)	Prodidomidae	2
Titanoecidae	20 (0.60)	Theridiosomatidae	2
Cybaeidae	15 (0.45)	Cithaeronidae	1
Nesticidae	15 (0.45)	Ctenidae	1
Nemesiidae	13 (0.39)	Dipluridae	1
Amaurobiidae	12 (0.36)	Leptonetidae	1
Pisauridae	12 (0.36)	Sicariidae	1
Filistatidae	9 (0.27)	Synsphyridae	1
TOTAL			3340

Table 2. Species composition in the ex-USSR and post-Soviet republics.

Regions/Years	Area, sq.km x 10³	2012/2013
Ex-USSR	22400	3340
Russia	17075.4	2366
Estonia	45.1	511
Latvia	64.5	419
Lithuania	65.2	445
Byelorus(sia)	207.6	431
Ukraine	603.7	1008
Moldova	33.7	292
Georgia	69.7	520
Azerbaijan	86.6	663
Armenia	29.8	136
Kazakhstan	2717.3	966
Uzbekistan	447.7	331
Turkmenistan	488.1	394
Kyrgyzstan	198.5	479
Tadjikistan	143.1	318

Table 3. Species composition in the former Soviet Union physiographical areas.

Regions	2012/2013
A (Atlantic-Arctic area)	2
Б (Fennoscandia)	557
B (Russian Plain)	1362
Г1 (Novaya Zemlya)	24
Г2 (Urals)	799
Д (Carpathians)	537
E1 (Crimea)	520
E2 (Caucasus)	987
Ж1 (Armenian Upland)	233
Ж2 (Kopetdagh Mts.)	247
З+И (Mountains of Middle (=Central) Asia)	915
K (Deserts of Middle (=Central) Asia)	401
Л (Kazakhstan hills)	172
M (West Siberia)	664
H+O (Middle Siberia)	669
П (Mountains of South Siberia)	1022
P (Northeastern Siberia)	410
C1 (Continental Far North-East)	449
C2 (Kamchatka)	240
C3 (N-Kuriles)	82
C4 (Commander Islands)	20
T1 (Continental southern Far East)	864
T2 (Sakhalin)	363
T3 (S-Kuriles)	170

footnotes in the current checklist. No increase whatever has been found in Armenia, Latvia, Lithuania, Moldavia and Estonia.

Among the 23 physiographical areas of the former Soviet Union established by Gvozdetskiy [1968] (Map 1), some are sufficiently well studied (Kazakhstan Hills – 172 species, Armenian Upland – 233 species), two support a poor fauna (Atlantic-Arctic Area – 2, Novaya Zemlya – 24 species) (Table 3). The main increase in species diversity in comparison to 2011 is shown for the Deserts of Middle Asia (+ 33 species), the Russian Plain (+15 species), the Mountains of Middle Asia (+14 species), the Crimea (+ 12 species), West Siberia (+ 9 spe-

cies) and the Caucasus (+ 7 species). No or almost no rise is shown by the Far Eastern regions.

The earlier estimates of the total spider fauna of the former Soviet Union first amounted to 2,700–3,000 species [Mikhailov, 1992a], later to 3,400–3,500 species [Mikhailov, 1997b]. The current data allow us to further increase the forecast, with a total spider diversity of the former Soviet Union likely to be lying at 3,700–3,800 species, that of Russia at 2,500–2,600 species. A faunistic study of the spiders of Russia and adjacent countries is yet far from complete.

Checklist of the spiders (Arachnida: Aranei) of Russia and post-Soviet republics

Family Atypidae

Atypus Latreille, 1804 (M)

Atypus affinis Eichwald, 1830

В. — Бел, Укр, Молд.

Atypus magnus Namkung, 1986

Т1. — РФ.

Atypus medius Oliger, 1999

Т1. — РФ.

Atypus muralis Bertkau, 1890

= *A. anachoreta* L.Koch in Ausserer, 1871

В, Г2, Д, Е1, Е2, Ж2. — РФ, Укр, Молд, Гр, Аз, Турк.

Atypus piceus (Sulzer, 1776)

В. — РФ, Укр, Молд.

Д??

Family Ctenizidae

Sterrhochrotus Simon, 1892 (M)

= *Cronebergella* Charitonov, 1946

Sterrhochrotus ferghanensis (Kroneberg, 1875)

З+И, К. — Каз, Узб, Кирг.

Турк??

Sterrhochrotus kitabensis (Charitonov, 1946)

Cronebergella kitabensis

З+И. — Узб.

Кирг??

Ummidia Thorell, 1875 (F)

Ummidia gandjinoi (Andreeva, 1968)

Pachylomerus gandjinoi

З+И. — Тадж.

Family Dipluridae

Phyxioschema Simon, 1889¹ (F)

Phyxioschema raddei Simon, 1889

= *Ischnothele strandi* Spassky, 1937

Ж2, З+И, К. — Каз, Узб, Турк, Тадж.

Family Nemesiidae

(*Amblyocarenum* Simon, 1892) (N)

(*Amblyocarenum walckenaerii* (Lucas, 1846))

З+И?? — Узб??

¹ One undescribed species is reported from З+И. — Кирг [Zonstein et al., 1996].

Anemesia* Pockock, 1895 (F)Anemesia birulai* (Spassky, 1937)*Brachythele birulai*

Ж2, К. — Турк.

Anemesia incana Zonstein, 2001

З+И. — Тадж.

Anemesia karatauvi (Andreeva, 1968)*Brachythele karatauvi*

З+И. — Тадж.

Raveniola* Zonstein, 1987 (F)Raveniola caudata* Zonstein, 2009

З+И. — Тадж.

Raveniola fedotovi (Charitonov, 1946)*Brachythele fedotovi*

Ж2?, З+И. — Узб, Турк?

Raveniola ferghanensis (Zonstein, 1984)*Brachythele ferghanensis*

З+И. — Узб, Кирг.

Raveniola hyrcanica Dunin, 1988

Е2. — Аз.

Raveniola kopetdaghensis (Fet, 1984)*Brachythele kopetdaghensis*

Ж2. — Турк.

Raveniola pontica (Spassky, 1937)*Brachythele pontica*

Е2. — РФ, Гр.

Raveniola recki (Mcheidze, 1983)*Brachythele recki*

Е2. — Гр.

Raveniola redikorzevi (Spassky, 1937)*Brachythele redikorzevi*

К. — Турк.

Raveniola virgata (Simon, 1891)*Brachythele virgata*= *B. arnoldii* Zonstein, 1984

З+И, З+И/К. — Каз, Узб, Кирг.

Raveniola zaitzevi (Charitonov, 1948)*Brachythele zaitzevi*

Е2. — Гр, Аз.

Anemesia fallax Zonstein, **nomen nudum**¹

? [Zonstein, 1995].

Anemesia nana Zonstein, **nomen nudum**

? [Zonstein, 1995].

Anemesia pococki Zonstein, **nomen nudum**

? [Zonstein, 1995].

Anemesia sogdiana Zonstein, **nomen nudum**

? [Zonstein, 1995].

Anemesia torpeda Zonstein, **nomen nudum**

? [Zonstein, 1995].

¹ Several *nomina nuda* by Zonstein certainly refer to extra ex-USSR territories (China etc.), but there are no direct indications in [Zonstein, 1995].

Brachythele crassitibialis Zonstein, **nomen nudum**

? [Zonstein, 1995].

Brachythele deltchevi Zonstein, **nomen nudum**

? [Zonstein, 1995].

Mygale caucasicus Wagner, **nomen nudum**

E2. — Гр [Vagner, 1896].

Raveniola cataphractaria Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola concolor Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola diana Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola gruberi Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola hirta Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola micrura Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola mira Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola nenilini Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola ornata Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola pallida Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola rex Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola setipes Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola sorrora Zonstein, **nomen nudum**

? [Zonstein, 1995].

Raveniola xera Zonstein, **nomen nudum**

? [Zonstein, 1995].

Family Filistatidae

***Filistata* Latreille, 1810 (F)**

Filistata insidiatrix (Forskål, 1775)

E2, Ж2. — Гр, Аз, Турк.

***Microfilistata* Zonstein, 1990 (F)**

Microfilistata tyshchenkoi Zonstein, 1990

З+И. — Тадж.

***Pritha* Lehtinen, 1967 (F)**

Pritha crosbyi (Spassky, 1938)

Filistata crosbyi

E2, Ж1, Ж2, З+И. — Аз, Каз, Узб, Турк, Кирг, Тадж.

Zaitunia Lehtinen, 1967¹ (F)

Filistata Latreille, 1810, part.

Zaitunia beshkentica (Andreeva et Tystshenko, 1969)

З+И. — Тадж.

Zaitunia inderensis Ponomarev, 2005

В. — Каз.

Zaitunia maracandica (Charitonov, 1946)

З+И. — Узб.

Zaitunia martynovae (Andreeva et Tystshenko, 1969)

З+И. — Тадж.

Zaitunia monticola (Spassky, 1941)

З+И. — Тадж.

Zaitunia zonsteini Fomichev et Marusik, 2013

З+И, К. — Каз.

Family Sicariidae***Loxosceles* Heineken et Lowe in Lowe, 1832 (F)**

Loxosceles rufescens (Dufour, 1820)

Ж2, З+И, К. — Каз, Узб, Турк.

Family Scytodidae***Scyloxes* Dunin, 1992 (F)**

Scyloxes asiatica Dunin, 1992

З+И. — Тадж.

***Scytodes* Latreille, 1804 (F²)**

Scytodes bertheloti Lucas, 1839

К. — Турк.

Scytodes strandi Spassky, 1941

Е2, Ж2, З+И, К. — Аз, Узб, Турк, Кирг, Тадж.

Scytodes thoracica (Latreille, 1802)

В, Д, Е1, Е2, Ж1, З+И/К. — РФ, Укр, Молд, Гр, Аз, Арм.

Scytodes univittata Simon, 1882

Ж2, З+И. — Турк, Кирг.

Family Leptonetidae³***Leptonetela* Kratochvil, 1978 (F)**

Leptonetela caucasica Dunin, 1990

Е2. — РФ, Аз?, Гр.

¹ At least 3 undescribed species is reported from З+И. — Кирг [Zonstein et al., 1996]; one more undescribed species is found in К. — Каз [Zyuzin, Tarabaev, 1994].

² According to the ICZN Article 30.1.4.4, the name should be masculine.

³ A "*Leptoneta*" (actually, gen.sp.) is reported also from Т1. — РФ [Oliger et al., 2002].

Family Pholcidae^{1,2}***Artema* Walckenaer, 1837 (F)**

Artema transcaspica Spassky, 1934
Ж2, З+И, К. — Каз, Узб, Турк, Тадж.

***Ceratopholcus* Spassky, 1934 (M)**

Ceratopholcus maculipes Spassky, 1934
З+И, К. — Каз, Узб, Турк, Тадж.

***Holocnemus* Simon, 1873 (M)**

Holocnemus pluchei (Scopoli, 1763)
Д, Е2. — Укр, Аз.

***Hoplopholcus* Kulczyński, 1908 (M)**

Hoplopholcus forskali (Thorell, 1871)*
К. — Турк.
Hoplopholcus longipes (Spassky, 1934)
Е2. — РФ, Гр.

***Nita* Huber et El-Hennawy, 2007 (F**)**

Nita elsaff Huber et El-Hennawy, 2007
З+И. — Узб.

***Pholcus* Walckenaer, 1805 (M)**

Pholcus alticeps Spassky, 1932
В, Д, Е2, З+И, М. — РФ, Бел, Укр, Гр, Аз, Тадж.
Pholcus arkit Huber, 2011
З+И. — Каз, Кирг, Тадж.
Pholcus crassipalpis Spassky, 1937
В, Г2, Е1, Е2, К. — РФ, Укр, Каз.
{*Pholcus crypticolens* Bösenberg et Strand, 1906}
Т1? — РФ?
Pholcus kamkaly Huber, 2011
З+И. — Каз.
Pholcus manueli Gertsch, 1937
= *Ph. affinis* Schenkel, 1953
Ж2, З+И, К, Т1. — РФ, Каз, Турк.
Pholcus nenjukovi Spassky, 1936
Ж2, З+И. — Турк, Кирг, Тадж.
Pholcus opilionoides (Schrank, 1781)
= *Ph. donensis* Ponomarev, 2005
В, Д, Е1, Е2. — РФ, Укр, Молд, Гр, Аз.
Б??, З+И??, К??, П??, Т1?? — Каз??
Pholcus phalangioides (Fuesslin, 1775)
Б, В, Д, Е1, Е2, З+И, К, П? — РФ, Лит, Бел, Укр, Гр, Аз, Каз, Турк.
Pholcus phungiformes Oliger, 1983
Т1, Т2, Т3. — РФ.

¹ A *Holocnemus* sp. is known from Ж1. — Аз [Marusik et al., 2005b].

² An introduced *Pholcus* sp. is known from С1 [Marusik, 2005].

- Pholcus ponticus* Thorell, 1875
В, Г2, Д, Е2, З+И, К, Л, М. — РФ, Бел, Укр, Аз, Каз, Узб, Кирг.
Pholcus sidorenkoi Dunin, 1994
В, З+И. — РФ, Тадж.
Pholcus sogdianae Brignoli, 1978
= *Ph. fagei* Spassky, 1940, праеосс.
З+И, П. — РФ, Каз, Узб, Кирг.
В??
Pholcus velitchkovskiyi Kulczyński, 1913
В, Е1, З+И/К. — РФ, Укр, “Средняя Азия” [Middle Asia] [Dunin, 1998].
Pholcus zichyi Kulczyński, 1901
= *Ph. minutus* Oligier, 1998
Т1. — РФ.

***Psilochorus* Simon, 1893 (M)**

- Psilochorus simoni* (Berland, 1911)
В, М/П? — РФ.

***Spermophora* Hentz, 1841 (F)**

- Spermophora senoculata* (Dugès, 1836)
В, Д, Е1, Е2, Ж1. — РФ, Укр, Аз.

Family Segestriidae

***Segestria* Latreille, 1804 (F*)**

- Segestria bavarica* C.L.Koch, 1843
Е1?, Д, Е2. — Укр, Гр, Аз.
З+И?? — Тадж??
Segestria florentina (P.Rossi, 1790)
Е1, Е2. — Укр, Гр.
Segestria senoculata (Linnaeus, 1758)
Б, В, Д, Е1, Е2. — РФ, Бел, Укр, Молд, Гр.
Segestria turkestanica Dunin, 1986
З+И. — Каз, Кирг, Тадж.

Family Dysderidae

***Cryptoparachtes* Dunin, 1992 (M)**

- Cryptoparachtes adzharicus* Dunin, 1992
Е2. — Гр.
Cryptoparachtes charitonowi (Mcheidze, 1972)
Harpactocrates charitonowi
Е2. — Гр.
Cryptoparachtes fedotovi (Charitonov, 1956)
Harpactocrates fedotovi
Е2. — Гр, Аз.

***Dasumia* Thorell, 1875 (F)**

- Dasumia amoena* (Kulczyński in Chyzer et Kulczyński, 1897)
Е2. — РФ.
В??, Е1??. — Укр??

Dysdera Latreille, 1804 (F*)

- Dysdera aculeata* Kroneberg, 1875
Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.
- Dysdera armenica* Charitonov, 1956
Е2, Ж1. — Гр, Арм.
- Dysdera arnoldii* Charitonov, 1956
= *D. subcylindrica* Charitonov, 1956
З+И. — Каз, Кирг, Тадж.
Ж2??, К?? — Турк??
- Dysdera azerbaijzhanica* Charitonov, 1956
Е2. — РФ, Гр, Аз.
- Dysdera bidentata* Dunin, 1990
Е2. — Аз.
- Dysdera bogatschevi* Dunin, 1990
Е2. — Гр, Аз.
- Dysdera borealicaucasica* Dunin, 1991
Е2. — РФ.
- Dysdera brignolii* Dunin, 1989
К. — Турк.
- Dysdera charitonowi* Mcheidze, 1979
Е2. — Гр.
- Dysdera collucata* Dunin, 1991
Ж1. — Арм.
- Dysdera concinna* L.Koch, 1878
Е2. — Аз.
- (*Dysdera cribrata* Simon, 1892)
Е2?? — Гр??
- Dysdera crocata* C.L.Koch, 1838
В, Д, Е1, Е2, З+И?, К. — РФ, Укр, Гр, Аз, Каз?, Узб.
Турк??
- Dysdera daghestanica* Dunin, 1991
Е2. — РФ.
- Dysdera dunini* Deeleman-Reinhold, 1988
= *D. punctata* C.L.Koch, 1838, sensu Charitonov, 1956
Е1, Е2, З+И? — РФ, Укр, Гр, Аз, Узб?
- Dysdera erythrina* (Walckenaer, 1802)
= *D. cambridgei* Thorell, 1873
В?, Д, Е1? — Укр.
Е2?? — Гр??
- Dysdera fedtschenkoi* Dunin, 1992
З+И. — Тадж.
- Dysdera ferghanica* Dunin, 1985
З+И. — Кирг.
- Dysdera ghilarovi* Dunin, 1987
Е2. — Аз.
- Dysdera gmelini* Dunin, 1991
Е2. — Гр.
- Dysdera hungarica* Kulczyński in Chyzer et Kulczyński, 1897
+ *D. h. atra* Mcheidze, 1979,
+ *D. h. subalpina* Dunin, 1992
В, Е1, Е2. — РФ, Укр, Молд, Гр, Аз.
- Dysdera imeretiensis* Mcheidze, 1979
Е2. — Гр.

- Dysdera incognita* Dunin, 1991
В, Е2. — РФ.
- Dysdera inopinata* Dunin, 1991
Е2. — Гр.
- Dysdera karabachica* Dunin, 1990
Е2. — Аз.
- (*Dysdera kollari* Doblaka, 1853)
В??, Е1??, Е2??, Ж2??, К?? — РФ??, Укр??, Аз??, Турк??
- Dysdera kronebergi* Dunin, 1992
З+И. — Тадж.
- Dysdera kugitangica* Dunin, 1992
К. — Турк.
- Dysdera kusnetsovi* Dunin, 1989
Ж2. — Турк.
- Dysdera lata* Wider, 1834
= *D. westringii* O.Pickard-Cambridge, 1872, sensu Charitonov, 1956
В, Е1, Е2. — РФ, Укр, Молд, Гр.
- Dysdera limitanea* Dunin, 1985
К. — Турк.
- Dysdera longirostris* Doblaka, 1853
В, Е1, Е2? — Укр, Молд, Аз?
- Dysdera martensi* Dunin, 1991
Е2. — РФ, Гр.
- Dysdera mazini* Dunin, 1991
Ж1. — Арм.
- Dysdera nenilini* Dunin, 1989
З+И/К, К. — Каз, Турк.
- Dysdera ninnii* Canestrini, 1868
Д. — Укр.
- Dysdera pamirica* Dunin, 1992
З+И. — Тадж.
- Dysdera pococki* Dunin, 1985
Ж2. — Турк.
- (*Dysdera punctata* C.L.Koch, 1838)
Е1??, Е2??, З+И?? — Укр??, Гр??, Узб??
- Dysdera raddei* Dunin, 1990
Е2. — Аз.
- Dysdera richteri* Charitonov, 1956
Е2, Ж1. — Гр, Аз, Арм.
- Dysdera satunini* Dunin, 1990
Е2. — Аз.
- Dysdera spasskyi* Charitonov, 1956
Е2. — Гр.
- Dysdera tartarica* Kroneberg, 1875
З+И, К. — Каз, Узб, Турк, Кирг, Тадж.
- Dysdera taurica* Charitonov, 1956
В, Е1. — Укр.
Е2?? — РФ??
- Dysdera tbilisiensis* Mcheidze, 1979
Е2. — Гр.
- Dysdera tkibuliensis* Mcheidze, 1979
= *D. iberica* Mcheidze, 1979,
= *D. meschetiensis* Mcheidze, 1979
Е2. — Гр.

Dysdera tystshenkoi Dunin, 1989
 Ж2. — Турк.
Dysdera ukrainensis Charitonov, 1956
 В, Е2. — РФ, Укр, Гр.
 (*Dysdera westringii* O.Pickard-Cambridge, 1872)
 В??, Е1??, Е2?? — РФ??, Укр??, Молд??, Гр??
Dysdera zarudnyi Charitonov, 1956
 = *D. afghana* Denis, 1958
 З+И. — Узб, Кирг, Тадж.

***Dysderella* Dunin, 1992 (F)**

Dysderella caspica (Dunin, 1990)
 Е2, З+И/К. — РФ, Аз, Каз.
Dysderella transcaspica (Dunin et Fet, 1985)
 Ж2, К. — Турк.

***Harpactea* Bristowe, 1939 (F)**

= *Harpactes* Templeton, 1835, praecoc.
Harpactea achsuensis Dunin, 1991
 Е2. — Аз.
Harpactea armenica Dunin, 1989
 Ж1. — Арм.
Harpactea azerbaijdzhanica Dunin, 1991
 Е2. — Аз.
Harpactea azowensis Charitonov, 1956
 В, Е1. — РФ, Укр.
Harpactea buchari Dunin, 1991
 Е2. — Аз.
Harpactea camenarum Brignoli, 1977
 Е2. — Гр.
Harpactea caucasia (Kulczyński, 1895)
 Е2. — РФ, Гр.
Harpactea charitonowi Mcheidze, 1972, **nomen dubium**¹
 Е2. — Гр.
 {*Harpactea cognata* (L.Koch, 1870)}
 Д? — Укр?
Harpactea dashdamirovi Dunin, 1993
 Е2. — Аз.
Harpactea deelemanae Dunin, 1989
 Ж1. — Арм.
Harpactea doblikae (Thorell, 1875)
 Е1. — Укр.
Harpactea eskovi Dunin, 1989
 Е2, Ж1. — Гр, Арм.
Harpactea golovatchi Dunin, 1989
 Ж1. — Арм.
Harpactea hombergi (Scopoli, 1763)
 В, Д, Е1? — Укр, Молд.
Harpactea hyrcanica Dunin, 1991
 Е2. — Аз.

¹ Type material is lost: Dunin, 1992.

- Harpactea indistincta* Dunin, 1991
E2. — РФ, Аз.
- Harpactea karabachica* Dunin, 1991
E2. — Аз.
- Harpactea lepida* (C.L.Koch, 1838)
В, Д? — Укр?, Молд.
- Harpactea logunovi* Dunin, 1992
E2. — РФ, Гр.
- Harpactea martensi* Dunin, 1991
E2. — Аз.
- Harpactea mcheidzeae* Dunin, 1992
E2. — Гр.
- Harpactea mithridatis* Brignoli, 1979
E2. — Гр.
- Harpactea modesta* Dunin, 1991
E2. — РФ, Аз.
- Harpactea nachitschevanica* Dunin, 1991
Ж1. — Аз.
- Harpactea nenilini* Dunin, 1989
Ж1. — Арм.
- Harpactea paradoxa* Dunin, 1992
E2. — Гр.
- Harpactea parthica* Brignoli, 1980
К. — Турк.
- Harpactea rubicunda* (C.L.Koch, 1838)
В, Д, E1, E2. — РФ, Лит, Укр, Молд, Гр.
- Harpactea saeva* (O.Herman, 1879)
В, Д. — Укр, Молд.
E1??
- Harpactea secunda* Dunin, 1989
Ж1. — Арм.
- Harpactea spasskyi* Dunin, 1992
E1, E2. — РФ, Укр.
- Harpactea talyschica* Dunin, 1991
E2. — Аз.
- Harpactea vagabunda* Dunin, 1991
E2. — Аз.
- Harpactea zaitzevi* Charitonov, 1956
E2. — Гр, Аз.
- Harpactea zjuzini* Dunin, 1991
E2. — Аз.

***Hygrocrates* Deeleman-Reinhold, 1988 (M)**

- Hygrocrates caucasicus* Dunin, 1992
E2. — Гр.
- Hygrocrates georgicus* (Mcheidze, 1972)
Harpactocrates georgicus
E2. — Гр.
- Hygrocrates trialetiensis* (Mcheidze, 1997)
E2. — Гр.

Harpactocrates bristawei Charitonov in Mcheidze, **nomen nudum**¹
E2. — Гр [Mkheidze, 1964].

Family Oonopidae²

Ferchestina Saaristo et Marusik, 2004 (F)

Ferchestina storozhenkoi Saaristo et Marusik, 2004
T1. — РФ.

Oonops Templeton, 1835 (M)

Oonops domesticus Dalmas, 1916
B, E2. — РФ, Укр, Гр.
Oonops pulcher Templeton, 1835
Д, E1, E2, Ж1. — Укр, Аз.

Silhouettella Benoit, 1979 (F)

Silhouettella loricatula (Roewer, 1942)³
Dysderina loricata (L.Koch, 1872)⁴
E2, Ж1?, Ж2, З+И, К. — Аз, Каз, Турк.
B??

Spinestis Saaristo et Marusik, 2009 (F**)

Spinestis nikita Saaristo et Marusik, 2009
E1. — Укр.

Family Palpimanidae

Palpimanus Dufour, 1820⁵ (M)

{*Palpimanus gibbulus* Dufour, 1820}
К? — Узб?, Турк?
З+И?? — Кирг??
Palpimanus sogdianus Charitonov, 1946
E2?, Ж2, З+И, К. — Аз?, Каз, Узб, Турк, Тадж.
Palpimanus wagneri Charitonov, 1946
З+И. — Узб.

Family Mimetidae

Ermetus Ponomarev, 2008 (M)

Ermetus inopinabilis Ponomarev, 2008
B, E2. — РФ, Укр, Каз⁶.

¹ The correct spelling would be *bristowei*; cited as *Hygrocrates bristowei* in Gegechkori et al. (2005).
² No less than 3 undescribed species are known from З+И. — Кирг [Zonstein et al., 1996], one of them belonging to *Dysderina*.

Orchestina sp. is known from E2. — Аз [Marusik, Guseinov, 2003].

³ Records from З+И and К belong to a new, yet undescribed species [Logunov et al., 2012].

⁴ Author of *Dysderina loricata* should be L.Koch, 1872, instead of: Simon, 1873; see Platnick, 1993: 147.

⁵ One undescribed species is known from З+И. — Кирг. [Zonstein et al., 1996].

⁶ In addition to B, the species is found in unknown physiographical region of Каз [Logunov et al., 2012].

Ero C.L.Koch, 1837 (F)*Ero aphanus* (Walckenaer, 1802)

В, Д, E1, E2. — РФ, Укр, Гр, Аз, Каз.

Ero cambridgei Kulczyński, 1911

Б, В, Г2, Н+О, П, Т1. — РФ, Эст, Лит.

Ero furcata (Villers, 1789)= *E. variegata* C.L.Koch, 1836

Б, В, Г2, Д, E1, E2, Ж2, М, Н+О, П, С1, С2, С3, Т1, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Турк.

Ero japonica Bösenberg et Strand, 1906

Т1. — РФ.

Ero koreana Paik, 1967

Т1. — РФ.

Ero tuberculata (De Geer, 1778)

В, Д, E1, З+И. — РФ, Эст, Укр, Узб, Кирг.

Mimetus Hentz, 1832 (M)*Mimetus laevigatus* (Keyserling, 1863)

В, Г2, E1, E2, Ж1, Ж2, З+И, К, М? — РФ, Укр, Гр, Аз, Каз, Турк, Тадж.

Family Eresidae**Eresus Walckenaer, 1805 (M)***Eresus bifasciatus* Ermolajev, 1937*E. niger bifasciatus*

П. — РФ.

Eresus fulvus F.W. Rossi, 1846

E1. — Укр.

Eresus kollari F.W. Rossi, 1846= *E. cinnaberinus* (Olivier, 1787), part.,+ *E. c. rotundiceps* Simon, 1873,= *E. niger* (Petagna, 1787), part.,?= *E. imperialis* Dufour, 1820,?= *E. walckenaer* Brullé, 1832,= *E. granosus* Simon, 1895, sensu Ermolajev, 1928?= *E. tristis* Kroneberg, 18751

В, Г2, E1, E2, Ж1, Ж2, З+И, К, Л, М, П, Т1. — РФ, Лит, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Eresus lavrosiae Mcheidze, 1997

E2. — Гр.

Stegodyphus Simon, 1873 (M)*Stegodyphus lineatus* (Latreille, 1817)= *Eresus arenarius* Kroneberg, 1875

E2, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.

Family Oecobiidae**Ambika Lehtinen, 1967² (F)***Ambika nadiae* (Spassky, 1936)*Uroctea nadiae**Oecobius nadiae*

E2, Ж2, З+И, К. — Аз, Каз, Турк, Тадж.

¹ *Eresus tristis* is possibly a valid species [Logunov, Marusik, 2004].² The genera *Ambika* and *Thalamia* were synonymized under *Oecobius* by Shear [1970]. The synonymy is ignored by Russian authors.

Ambika puta (O.Pickard-Cambridge, 1876)

E2. — Аз.

***Oecobius* Lucas, 1846 (M)**

Oecobius cellariorum (Dugès, 1836)

B, E2. — РФ, Аз.

Oecobius navus Blackwall, 1859

= *Thalamia annulipes* (auct., non Lucas, 1846)

Oecobius annulipes

B, E2. — Эст, Латв, Укр, Гр, Аз.

Oecobius tadjikus Andreeva et Tystshenko, 1969¹

Ж2, З+И. — Турк, Тадж.

***Thalamia* Hentz, 1850² (F)**

Thalamia maculata (Simon, 1870)

= *Th. kahmanni* (Kritscher, 1960)

E2. — Аз.

***Uroctea* Dufour, 1820³ (F)**

Uroctea limbata (C.L.Koch, 1843)

E2, Ж2, К. — Аз, Каз, Турк.

Family Hersiliidae

***Deltshevia* Marusik et Fet, 2009 (F**)**

Deltshevia danovi Marusik et Fet, 2009

Ж2, К. — Каз, Турк.

Deltshevia gromovi Marusik et Fet, 2009

З+И, К. — Каз, Узб.

***Duninia* Marusik et Fet, 2009 (F**)**

Duninia baehrae Marusik et Fet, 2009

Ж2, К. — Турк.

***Hersiliola* Thorell, 1870 (F)**

(*Hersiliola afghanica* Roewer, 1962)

Ж2??, К?? — Турк??

Hersiliola esyunini Marusik et Fet, 2009

З+И. — Узб.

(*Hersiliola macullulata* (Dufour, 1831))

Hersiliola maculata, inv. emend.

К?? — Каз??, Турк??

Hersiliola sternbergi Marusik et Fet, 2009

К. — Узб, Турк.

(*Hersiliola xinjiangensis* (Liang et Wang, 1989))

З+И?? — Узб??

¹ In the original description [Andreeva, Tyshchenko, 1969], two names are used — *tadjikus* (p.376) and *tadjicus* (p.377, figure caption). But in the monograph [Andreeva, 1976], only one name is indicated — *tadjikus* (p.22 etc.).

² See footnote 2 on the previous page.

³ *Uroctea* sp. reported from E2. — Аз by [Guseinov, 1997] refers to *U. limbata* [Guseinov, 1999]; another *Uroctea* sp. is known from З+И. — Кипр [Zonstein et al., 1996].

Ovtsharenkoia Marusik et Fet, 2009 (F)***Ovtsharenkoia pallida* (Kroneberg, 1875)*Hersiliola pallida*

З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

Family Uloboridae**Hyptiotes Walckenaer, 1837 (M)***Hyptiotes flavidus* (Blackwall, 1862)= *H. gerhardti* Wiehle, 1929

E2. — PΦ, Гр.

Hyptiotes paradoxus (C.L.Koch, 1834)

B, Д, E1, E2. — PΦ, Эст, Латв, Лит, Укр, Молд, Гр, Аз.

Octonoba Opell, 1979 (F)*Octonoba yesoensis* (S.Saito, 1934)= *Zosis hyrcana* Brignoli, 1979,= *Uloborus georgicus* Mcheidze, 1997

E2, T1, T2. — PΦ, Гр, Аз.

Polenecia Lehtinen, 1967 (F)*Polenecia producta* (Simon, 1873)

E2. — Аз.

Uloborus Latreille, 1806 (M)*Uloborus plumipes* Lucas, 1846

B, E2, Ж1, Ж2, К. — PΦ, Гр, Аз, Каз, Турк.

П??

Uloborus walckenaerius Latreille, 1806

B, Г2, E1, E2, Ж1, Ж2, З+И, К, Л, М, П, T1, T2. — PΦ, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Family Nesticidae**Aituaria Esyunin et Efimik, 1998***Aituaria nataliae* Esyunin et Efimik, 1998¹

B/Г2, Г2. — PΦ.

Aituaria pontica (Spassky, 1932)*Carpathonesticus ponticus**Nesticus ponticus*

E2. — PΦ, Гр.

Carpathonesticus Lehtinen et Saaristo, 1980 (M)*Nesticus* Thorell, 1869, part.*Carpathonesticus borutzkyi* (Reimoser, 1930)

E1, E2. — Укр, Гр.

Carpathonesticus caucasicus (Charitonov, 1947)

E2. — Гр.

¹ Two spellings of species name are used in the original description [Esyunin, Efimik, 1998]: *A. natali* and *A. nataliae*. The latter one is preferred herein.

- Carpathonesticus eriashvili* Marusik, 1987
E2. — Гр.
Carpathonesticus galotshkae Evtushenko, 1993¹
Д. — Укр.
Carpathonesticus ljevuschkini (Pichka, 1965)
E2. — РФ.
Carpathonesticus mamajevae Marusik, 1987
E2. — Гр.
Carpathonesticus zaitzevi (Charitonov, 1939)
E2. — Гр.

***Howaia* Lehtinen et Saaristo, 1980² (F)**

- Howaia brevipes* (Yaginuma, 1970)
T3. — РФ.
Howaia kerzhneri Marusik, 1987
T1. — РФ.
Howaia mogera (Yaginuma, 1972)
E2. — Аз.

***Nesticus* Thorell, 1869 (M)**

- {*Nesticus afghanus* Roewer, 1962}
К? — Турк?
Nesticus birsteini Charitonov, 1947
Carpathonesticus birsteini
E2. — РФ, Гр.
Nesticus cellulanus (Clerck, 1758)
Б, В, Д. — РФ, Эст, Латв, Укр.
Nesticus eremita Simon, 1879
В. — Укр.
{*Nesticus lindbergi* Roewer, 1962}
К? — Турк?

Family Theridiidae***Achaeridion* Wunderlich, 2008 (N)**

- Theridion* Walckenaer, 1805, part.
Achaeridion conigerum (Simon, 1914)
Г2. — РФ.

***Anatolidion* Wunderlich, 2008 (N)**

- Theridion* Walckenaer, 1805, part.
Anatolidion gentile (Simon, 1881)
E1. — Укр.

¹ The species ending was changed from masculine to feminine gender [Mikhailov, 1996a] despite the absence of a derivatio nominis in the original description. The species was obviously named after "Galochka", a Russian diminutive female name.

² The genus *Howaia* was synonymized under *Nesticella* Lehtinen et Saaristo, 1980 by Wunderlich [1986]. The synonymy is ignored by Russian authors.

Anelosimus Simon, 1891 (M)*Anelosimus pulchellus* (Walckenaer, 1802)*Theridion pulchellum*

В, Д, E2. — РФ, Укр, Гр.

Anelosimus vittatus (C.L.Koch, 1836)*Theridion vittatum**Selimus vittatus*

В, Д, E1, E2. — РФ, Укр, Гр, Аз.

Asagena Sundevall, 1833 (F)*Steatoda* Sundevall, 1833, part.*Asagena meridionalis* Kulczyński in Chyzer et Kulczyński, 1894

В, E2. — РФ, Укр, Гр.

Asagena phalerata (Panzer, 1801)= *Theridium serratipes* (Schrank, 1803)

Б, В, Г2, Д, E1, E2, З+И, З+И/К, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Canalidion Wunderlich, 2008 (N)*Theridion* Walckenaer, 1805, part.*Canalidion montanum* (Emerton, 1882)

Б, В, Г2, П, Р, С1, С2, Т1, Т2. — РФ.

Chikunia Yoshida, 2009 (F)***Chikunia albipes* (S.Saito, 1935)*Chryso albipes**Theridula albipes*= *Theridion rapulum* Yaginuma, 1960

Т1, Т2, Т3. — РФ.

Chryso O.Pickard-Cambridge, 1882 (F)= *Arctachaea* Levi, 1957*Chryso foliata* (L.Koch, 1878)= *Ch. punctifera* (Yaginuma, 1960)

Т1, Т3. — РФ.

Chryso nordica (Chamberlin et Ivie, 1947)= *Theridula ovsjannikovi* (Charitonov in Azheganova, 1951)

В, Г2, З+И, Н+О, П, Р, С1, Т1. — РФ, Укр, Молд, Каз.

Crustulina Menge, 1868 (F)*Crustulina albovittata* (Thorell, 1875)*Steatoda albovittata*

В, E1. — Укр.

Crustulina guttata (Wider, 1834)

Б, В, Г2, Д, E1, E2, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Crustulina scabripes Simon, 1881

В, E2. — РФ, Аз.

Crustulina sticta (O.Pickard-Cambridge, 1861)= *C. rugosa* (Thorell, 1875)

В, Г2, E2, З+И, З+И/К, П, Т2, Т3. — РФ, Эст, Латв, Укр, Аз, Каз, Кирг.

Cryptachaea* Archer, 1946 (F)Achaearanea* Strand, 1929, part.*Cryptachaea riparia* (Blackwall, 1834)*Theridion riparium*= *Achaearanea saxatilis* (C.L.Koch, 1835)

В, В, Г2, Д, Е2, М, Н+О, П, Т2. — РФ, Эст, Латв, Лит, Укр, Гр, Аз.

Dipoena* Thorell, 1869 (F)Dipoena braccata* (C.L.Koch, 1841)

Е2. — РФ.

Dipoena coracina (C.L.Koch, 1837)

В. — РФ, Укр.

Dipoena erythropus (Simon, 1881)

В, Д. — РФ, Укр.

Dipoena lindholmi (Strand, 1910)

Е1. — Укр.

Dipoena melanogaster (C.L.Koch, 1837)

В, Д, Е1, Е2. — РФ, Укр, Молд, Гр, Аз.

Dipoena nigroreticulata (Simon, 1879)

Е2. — Аз.

Dipoena torva (Thorell, 1875)

В, В, Г2, Д, З+И, М, Н+О, П. — РФ, Эст, Бел, Укр, Каз.

Dipoena yutian Hu et Wu, 1989

З+И, З+И/К. — Каз, Кирг.

***Enoplognatha* Pavesi, 1880 (F*)**= *Phyllonethis* Thorell, 1869 (ICZN Opinion 517)*Enoplognatha abrupta* (Karsch, 1879)

Т1. — РФ.

Enoplognatha caricis (Fickert, 1876)= *E. tecta* (Keyserling, 1884),= *E. camtschadalica* Kulczyński, 1885

В, Д?, П, С1, С2, С3, Т1, Т2, Т3. — РФ, Укр.

Enoplognatha diversa (Blackwall, 1859)

Е2. — РФ.

Enoplognatha gemina Bosmans et Van Keer, 1999

Е2. — Аз.

Enoplognatha gershomi Bosmans et Van Keer, 1999Каз¹.*Enoplognatha giladensis* (Levy et Amitai, 1982)

Е2. — Аз.

Enoplognatha gramineusa Zhu, 1998

З+И, З+И/К, Т1. — РФ, Каз.

П??

Enoplognatha latimana Hippa et Oksala, 1982

В, Д, Е1, Ж1, З+И, З+И/К. — РФ, Укр, Аз, Арм, Каз, Кирг, Тадж.

Enoplognatha macrochelis Levy et Amitai, 1981

Ж1. — Аз.

Enoplognatha mandibularis (Lucas, 1846)

В, З+И, К, Н+О. — РФ, Каз, Узб.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Г2??

Enoplognatha margarita Yaginuma, 1964= *E. submargarita* Yaginuma et Zhu, 1982

З+И, З+И/К, П, Т1, Т2. — РФ, Каз.

Enoplognatha mariae Bosmans, 1999

Е2. — РФ.

Enoplognatha mediterranea Levy et Amitai, 1981

Е2, Ж1. — Аз.

Enoplognatha monstrabilis Marusik et Logunov, 2002

П. — РФ.

Enoplognatha mordax (Thorell, 1875)= *E. crucifera* (Thorell, 1875),= *E. schaufussi* (L.Koch, 1882),= *E. maritima* Simon, 1884

В, Г2, Е1, Е2, З+И, З+И/К, Л, Т1? — РФ, Бел, Укр, Аз, Каз, Кирг, Тадж.

Enoplognatha oelandica (Thorell, 1875)

В, Г2, Д, Е2, Ж1, Л. — РФ, Укр, Аз, Каз.

Enoplognatha ovata (Clerck, 1758)*Theridion ovatum*= *Phyllonethis lineata* (Clerck, 1758),= *Theridium redimitum* (Clerck, 1758)

Б, В, Г2, Д, Е1, Е2, З+И, Л, Н+О, Т1? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Тадж.

“East Siberia” [Becker, 1896; Nosek, 1896]??, Кирг??

Enoplognatha parathoracica Levy et Amitai, 1981

Ж1, З+И. — Аз, Кирг.

Enoplognatha quadripunctata Simon, 1884

Е2, Ж1, З+И/К. — Гр, Аз, Каз.

Enoplognatha serratosignata (L.Koch, 1879)= *Theridium krasnojarskense* Strand, 1904,= *Enoplognatha aituarca* Esyunin et Efimik, 1998

В, Г2, Е2, Ж1, З+И, З+И/К, Н+О, П, Р, С1, Т1. — РФ, Укр, Аз, Каз.

Enoplognatha tadhica Sytshevskaja, 1975

З+И. — Тадж.

Enoplognatha testacea Simon, 1884

Ж2, З+И. — Узб, Турк, Тадж.

Е2?? — Аз??

Enoplognatha thoracica (Hahn, 1833)В, Д, Е1, Е2, Ж2. — РФ, Эст, Лит, Бел, Укр, Молд, Каз¹, Аз, Турк.(*Enoplognatha transversifoveata* (Bösenberg et Strand, 1906))*Teutana transversifoveata*

Т1?? — РФ??

Enoplognatha turkestanica Charitonov, 1946

З+И, К. — Каз, Узб, Кирг, Тадж.

Episinus Walckenaer in Latreille, 1809* (M)Episinus affinis* Bösenberg et Strand, 1906

Т1, Т3. — РФ.

Episinus angulatus (Blackwall, 1836)

Б, В, Г2, Д?, Е2, З+И, З+И/К, М. — РФ, Эст, Латв, Лит, Укр, Каз, Кирг.

Episinus kitazawai Yaginuma, 1958

Т3. — РФ.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Episinus maculipes Cavanna, 1876

E1, E2. — РФ, Укр, Гр.

Episinus truncatus Latreille, 1809

= *E. lugubris* Simon, 1873

Б, В, Г2, Д, Е1, Е2. — РФ, Эст, Лит, Бел, Укр, Гр, Аз.

***Euryopis* Menge, 1868 (F)**

Euryopis argentea Emerton, 1882

= *E. strandi* Sytshevskaja, 1935

С2. — РФ.

П??

Euryopis chatchikovi Ponomarev, 2005

В. — РФ.

Euryopis clara Ponomarev, 2005¹

Euryopis clarus

В. — Каз.

Euryopis flavomaculata (C.L.Koch, 1836)

Б, В, Г2, Е1, Е2, З+И, М, Н+О, П, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Кирг.

Euryopis laeta (Westring, 1861)

= *Theridium argentatum* Keyserling, 1863

В, Г2, Е2, Ж2, З+И, К, П. — РФ, Укр, Молд, Аз, Каз, Турк, Тадж.

Кирг??

Euryopis levii Heimer, 1987

П. — РФ.

Euryopis quinqueguttata Thorell, 1875

= *E. agrenteomaculata* Simon, 1879

В, Е2, Ж2, М? — РФ?, Укр, Аз, Турк.

Euryopis saukea Levi, 1951

В, Г2, З+И/К, К, П, Р, С1. — РФ, Эст, Укр, Каз.

Euryopis sexalbomaculata (Lucas, 1846)

Е1, Е2. — РФ, Укр.

***Heterotheridion* Wunderlich, 2008 (N)**

Theridion Walckenaer, 1805, part.

Heterotheridion nigrovariegatum (Simon, 1873)

= *Theridion tuberculatum* Kroneberg, 1875,

В, Г2, Д, Е1, Е2, З+И, З+И/К. — РФ, Укр, Гр, Аз, Каз, Узб, Кирг, Тадж.

***Kochiura* Archer, 1950 (F)**

Anelosimus Simon, 1891, part.

Kochiura aulica (C.L.Koch, 1838)

Theridion aulicum

= *Th. rufolineatum* Lucas, 1846

В, Е1, Е2. — РФ, Укр, Аз.

***Lasaeola* Simon, 1881 (F)**

Dipoena Thorell, 1869, part.

Lasaeola dbari Kovblyuk, Marusik et Omelko, 2012

Е2. — Гр.

¹ Species ending is changed here in to feminine gender.

Lasaeola prona (Menge, 1868)

Б, В, Г2, Д, Ж1, П. — РФ, Эст, Латв, Лит, Укр, Аз, Каз¹.

Lasaeola tristis (Hahn, 1833)

+ *Dipoena t. hissariensis* Charitonov, 1951

Б, В, Г2, Д?, Е2, З+И, З+И/К, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Каз, Кирг, Тадж.

***Latrodectus Walckenaer, 1805* (M*)**

Latrodectus dahli Levi, 1959

= *L. tadzhicus* Marusik et Tarabaev, 1995

Е2, З+И, Ж2, К. — Аз, Каз, Узб, Турк, Тадж.

Latrodectus pallidus O.Pickard-Cambridge, 1872

= *L. p. pavlovskii* Charitonov, 1954

З+И, К. — Каз, Узб, Турк.

Latrodectus tredecimguttatus (P.Rossi, 1790)

L. mactans tredecimguttatus,

= *L. malmignatus* Walckenaer, 1805,

= *L. lugubris* (Dufour, 1820),

= *L. erebus* Savigny et Audouin, 1826,

= *L. conglobatus* C.L.Koch, 1837,

= *L. quinqueguttatus* Krynicki, 1837,

= *L. lugubris* Motschoulsky, 1849, praecoc.,

= *L. maccooki* Wagner, **nomen nudum** (Е2. — РФ [Vagner, 1901]).

В, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, М/П. — РФ, Укр, Гр, Аз, Арм², Каз, Узб, Турк, Кирг, Тадж.

***Neottiura Menge, 1868* (F)**

Theridion Walckenaer, 1805, part.

Neottiura bimaculata (Linnaeus, 1767)

= *Linyphia dorsigum* (Hahn, 1820),

= *Theridium reticulatum* C.L.Koch, 1845,

= *Th. nivalium* S.Saito, 1934

Б, В, Г2, Д, Е1, Е2, З+И, З+И/К, М, П, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Neottiura herbigrada (Simon, 1873)

Е1. — Укр.

Neottiura margarita (Yoshida, 1985)

Т1. — РФ.

Neottiura suaveolens (Simon, 1879)

В, Г2. — РФ, Укр.

***Ohlertidion Wunderlich, 2008* (N)**

Theridion Walckenaer, 1805, part.

Ohlertidion ohlerti (Thorell, 1870)*

Achaearanea ohlerti

= *Theridion umbraticum* L. Koch, 1872

Б, В, Г2, Д, М, Н+О, П, Р, С1, Т2. — РФ, Бел, Укр, Каз.

Ohlertidion thaleri (Marusik, 1988)

Р, Т1. — РФ.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Indicated only in a map by P.I. Marikovskiy [1956].

Paidiscura* Archer, 1950 (F)Paidiscura dromedaria* (Simon, 1880)*Theridion dromedarium*

E2. — Аз.

З+И?? — Каз??

Paidiscura pallens (Blackwall, 1834)*Theridion pallens*

В, Г2, Д, Е1, Е2, П. — РФ, Эст, Бел, Укр, Молд, Гр.

Parasteatoda* Archer, 1946 (F)Achaearanea* Strand, 1929, part.*Parasteatoda angulithorax* (Bösenberg et Strand, 1906)

Т1, Т2, Т3. — РФ.

Parasteatoda culicivora (Bösenberg et Strand, 1906)

Т2. — РФ.

Parasteatoda lunata (Clerck, 1758)*Theridion lunatum*= *Th. formosum* (Clerck, 1758)Б, В, Г2, Д, Е1, Е2, М, Н+О, С2, Т1, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз¹.*Parasteatoda simulans* (Thorell, 1875)*Theridion simulans*Б, В, Д, Е1, Е2, М, П, Т1. — РФ, Латв, Лит, Бел, Укр, Гр, Аз, Каз².*Parasteatoda tabulata* (Levi, 1980)

В, Д, Е2, З+И, К, П, Т1, Т2. — РФ, Бел, Укр, Гр, Каз, Кирг.

Parasteatoda tepidariorum (C.L.Koch, 1841)*Theridion tepidariorum*

Б, В, Г2, Д, Е1, Е2, З+И, З+И/К, М, П, Т1, Т2, Т3. — РФ, Латв, Бел, Укр, Гр, Аз, Каз, Кирг.

Pholcomma* Thorell, 1869 (N)Pholcomma gibbum* (Westring, 1851)

В, Д, Е1, Е2. — РФ, Эст, Латв, Лит, Укр, Аз.

***Phoroncidia* Westwood, 1835 (F)**= *Ulesanis* L.Koch, 1872*Phoroncidia pilula* (Karsch, 1879)= *Ph. minshana* Schenkel, 1936³,= *Ph. borea* Logunov et Marusik, 1992

Т1. — РФ.

Phoroncidia minuta (Spassky, 1932)

Е2. — Гр, Аз.

Phycosoma* O.Pickard-Cambridge, 1879 (N)Dipoena* Thorell, 1869, part.*Phycosoma amamiense* (Yoshida, 1985)

Т1, Т2, Т3. — РФ.

Phycosoma inornatum (O.Pickard-Cambridge, 1861)

В, Д?, Е2, Ж1. — РФ, Бел, Укр?, Аз.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].² Respective physiographical area is not indicated [Logunov et al., 2012].³ Listed as a synonym of the former species in Marusik et al. [2007].

Phycosoma mustelinum (Simon, 1889)

Euryopis mustelina

T1, T2, T3. — РФ.

***Phylloneta* Archer, 1950 (F)**

Theridion Walckenaer, 1805, part.

Phylloneta impressa (L.Koch, 1881)

+ *Theridion impressum* var. *intermedium* Kulczyński, 1885

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, З+И/К, Л, М, Н+О, П, Р, С1, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг, Тадж.

Phylloneta sisyphia (Clerck, 1758)

= *Theridion notatum* (Linnaeus, 1758),

= *Th. nervosum* auct., non (Olivier, 1789)¹

Б, В, Г2, Д, Е1, Ж2, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Каз, Узб, Турк, Тадж.

Кирг??

***Platnickina* Kočak et Kemal, 2008 (F)**

= *Keijia* Yoshida, 2001, praecoc.

Theridion Walckenaer, 1805, part.

Platnickina sterninotata (Bösenberg et Strand, 1906)

T1. — РФ.

Platnickina tincta (Walckenaer, 1802)

= *Theridion irrotatum* C.L.Koch, 1838

Б, В, Г2, Д, Е1, Е2, Ж1?, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм?, Каз.

***Rhomphaea* L.Koch, 1872 (F)**

Argyrodes Simon, 1864, part.

Rhomphaea hyrcana (Logunov et Marusik, 1990)

Е2. — Гр, Аз.

Rhomphaea sagana (Dönitz et Strand, 1906)

Е2, Т1, Т2, Т3. — РФ, Аз.

***Robertus* O.Pickard-Cambridge, 1879 (M*)**

= *Ctenium* Menge, 1871, praecoc.,

= *Pedanostethus* Simon, 1884

Robertus arundineti (O.Pickard-Cambridge, 1871)

= *Pedanostethus clarkii* (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Кирг, Тадж.

Robertus frivaldszkyi (Chyzer in Chyzer et Kulczyński, 1894)

В. — Молд.

Robertus golovatchi Eskov, 1987

Е2. — Гр.

Robertus heydemanni Wiehle, 1965

Б, В, З+И/К, М. — РФ, Укр, Каз.

Robertus insignis O.Pickard-Cambridge, 1907

В. — РФ, Эст, Бел.

Б??

¹ According to D.E. Kharitonov [Charitonov, 1932], this name is a synonym of *Phylloneta impressa*.

Robertus kastoni Eskov, 1987

Н+О, П, Р, С1, Т1. — РФ.

Robertus lividus (Blackwall, 1836)

Б, В, Г2, Д, Е1, Е2, М, Н+О, П, Р, С1, С2, С3, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз¹.

Г1??, З+И?? — Узб??

Robertus lyrifer Holm, 1939

Б, В, Г2, М, Н+О, П, Р, С1, С2. — РФ, Эст, Лит.

Robertus mediterraneus Eskov, 1987

Е1, Е2. — РФ, Укр, Гр, Аз.

Robertus neglectus (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Robertus scoticus Jackson, 1914

Б, В, Г2, Е2?, Н+О. — РФ, Эст, Латв, Лит, Гр?

Robertus sibiricus Eskov, 1987

Н+О, П, Р, С1, Т1. — РФ.

Robertus truncorum (L.Koch, 1872)

Д. — Укр.

Robertus unguatus Vogelsanger, 1944

= *R. paradoxus* Miller, 1967

Б?, В, П, С2, Т1, Т3. — РФ, Эст, Лит.

Robertus ussuricus Eskov, 1987

Т1. — РФ.

***Rugathodes* Archer, 1950 (M)**

Theridion Walckenaer, 1805, part.

Rugathodes aurantius (Emerton, 1915)

Б, Г2, М, Н+О, П, С1, С2. — РФ, Каз.

Rugathodes bellicosus (Simon, 1873)

= *Theridion venustum* (Walckenaer, 1802), sensu Wagner, 1892

Б, В, Г2, Д, З+И?, П. — РФ, Бел, Укр, Узб?

Rugathodes instabilis (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, М. — РФ, Укр.

{*Rugathodes nigrolimbatus* (Yaginuma, 1972)}

Т1?. — РФ?

Rugathodes sexpunctatus (Emerton, 1882)

С4. — РФ.

***Sardinidion* Wunderlich, 1995 (N)**

Theridion Walckenaer, 1805, part.

Sardinidion blackwalli (O.Pickard-Cambridge, 1871)

В, Г2? — РФ, Укр.

***Simitidion* Wunderlich, 1991 (N)**

Theridion Walckenaer, 1805, part.

Simitidion simile (C.L.Koch, 1836)

Б, В, Г2, Д, Е1, Е2, З+И, К, П? — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Каз, Турк, Тадж.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

***Steatoda Sundevall, 1833* (F)**= *Lithyphantes* Thorell, 1869,= *Teutana* Simon, 1881*Steatoda albomaculata* (De Geer, 1778)*Lithyphantes albomaculatus*= *L. corollatus* auct. non (Linnaeus, 1758)²

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, М, П, Р, С2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Steatoda amurica (Strand, 1907)

Т1. — РФ.

Steatoda bipunctata (Linnaeus, 1758)= *Phrurolithus ornatus* C.L.Koch, 1839

Б, В, Г2, Д, Е2, Ж2, З+И, Л, М, Н+О, П, Р, С1, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб.

Турк??

Steatoda caspia Ponomarev, 2007

В. — Каз.

Steatoda castanea (Clerck, 1758)*Teutana castanea*

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Н+О, П, С1, Т2. — РФ, Эст, Латв, Бел, Укр, Молд, Гр, Аз, Каз, Турк, Кирг, Тадж.

Steatoda dahli (Nosek, 1905)

В, Е2, Ж1, З+И, К. — РФ, Аз, Каз, Узб, Кирг.

Steatoda erigoniformis (O.Pickard-Cambridge, 1872)

Е2. — Аз.

Steatoda grossa (C.L.Koch, 1838)*Teutana grossa*+ *T. grossa* var. *strandii* Ermolajev, 1934

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, П, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Турк, Кирг, Тадж.

Steatoda mainlingensis (Hu et Li, 1987)*Enoplognatha mainlingensis*

З+И. — Кирг.

Steatoda paykulliana (Walckenaer, 1806)*Lithyphantes paykullianus*= *L. hamatus* (C.L.Koch, 1839)

В, Д, Е1, Е2, З+И, К, П. — РФ, Укр, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Steatoda rhombifera (Grube, 1861)

Н+О. — РФ.

Steatoda semideserta Ponomarev, 2005

В. — Каз.

Steatoda triangulosa (Walckenaer, 1802)*Teutana triangulosa*= *Theridion punicum* Lucas, 1846

В, Д, Е1, Е2, Ж2, З+И, К, П, Т1. — РФ, Латв, Укр, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Stemmops O.Pickard-Cambridge, 1894* (M)Stemmops nipponicus* Yaginuma, 1969

Т1, Т2. — РФ.

¹ The identity of this Linnean species is doubtful [Bonnet, 1957].

Takayus Yoshida, 2001 (M)*Takayus latifolius* (Yaginuma, 1960)

T1. — PΦ.

Takayus lunulatus (Guan et Zhu, 1993)

T1. — PΦ.

Theonoe Simon, 1881 (F)*Theonoe minutissima* (O.Pickard-Cambridge, 1879)

B, B, Г2, Д. — PΦ, Эст, Латв, Лит, Укр.

M??

Theridion Walckenaer, 1805 (N*)*Theridium* Leach, 1824, inv. emend.*Theridion albipes* L.Koch, 1878

E2. — PΦ, Гр.

Theridion ancora Grube, 1861

П. — PΦ.

Theridion araitense S.Saito, 1932

C3. — PΦ.

Theridion betteni Wiehle, 1960

B. — PΦ.

Theridion bifornum Gao et Zhu, 1993

П. — PΦ.

Theridion boesenbergi Strand, 1904= *Th. bertkaui* Bösenberg, 1899, праеосс.

Д, E2. — PΦ, Укр.

Theridion chakinuense Wunderlich, 1995

“Turkestan: Chakinu” [Wunderlich, 1995]

Theridion cinereum Thorell, 1875= *Th. refugum* Drensky, 1929

B, Г2, E1, E2, З+И, З+И/К. — PΦ, Укр, Гр, Каз, Кирг.

Theridion compirense Bösenberg et Strand, 1906

T1. — PΦ.

{*Theridion cornutum* Drensky, 1917}= *Th. botezati* Roşca, 1935

Д? — Укр?

Theridion desertum Ponomarev, 2008

B. — Каз.

Theridion familiare O.Pickard-Cambridge, 1871

B, Д, E2. — PΦ, Латв, Бел, Укр, Аз.

T1??

Theridion hemerobium Simon, 1914

B. — PΦ, Укр.

Theridion innocuum Thorell, 1875

B, Г2, E1, З+И/К, П. — PΦ, Укр, Каз.

(Theridion italiense Wunderlich, 1995)

З+И/К?? — Каз??

Theridion karamayensis Zhu, 1998П? — PΦ?, Каз¹.¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Theridion melanurum Hahn, 1831

= *Th. denticulatum* (Walckenaer, 1802), praecocc. in *Aranea*

Б, В, Г2, Д?, Е1, Е2, Ж1, З+И, З+И/К, М. — РФ, Эст, Латв, Укр, Молд, Гр, Аз, Каз, Узб?

Theridion mystaceum L.Koch, 1870

= *Th. neglectum* Wiehle, 1952

Б, В, Г2, Д, Е1, З+И, З+И/К, П. — РФ, Эст, Лит, Бел, Укр, Молд, Каз, Узб?, Кирг.

Theridion pallasi Ponomarev, 2007

В. — РФ.

Theridion palmgreni Marusik et Tselarius, 1986

Б, В, Г2. — РФ, Эст.

Н+О??, П??, Т1??

Theridion petraeum L.Koch, 1872

В, Д, Е2, З+И, Н+О, П, Р, С1. — РФ, Укр, Аз, Каз.

Б??

Theridion pictum (Walckenaer, 1802)

Б, В, Г2, Д, Е2, Ж2, М, Н+О, П, Р, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз,

Турк.

Theridion pinastri L.Koch, 1872

Б?, В, Г2, Д, Е1, Е2. — РФ, Эст, Лит, Бел, Укр, Гр, Аз, Каз¹.

Theridion reinhardti Charitonov, 1946

З+И. — Узб, Кирг, Тадж?

Theridion serpatusum Gao et Zhu, 1993

В, Г2, Н+О, П, Т1. — РФ.

Theridion sibiricum Marusik, 1988

Г2, З+И/П, П, Р, С1, Т1. — РФ, Каз.

Theridion swarczewskii Wierzbitzki, 1902

Е2. — Аз.

В?? — РФ??

Theridion tigræ Esysunin et Efimik, 1996

В, Г2. — РФ.

Theridion turanicum Charitonov, 1946

Th. genistæ turanicum Charitonov, 1946

З+И. — Узб.

Theridion uhligi Martin, 1974

В. — РФ.

Theridion undulatum Westring, 1861

В, Д? — Укр?, Молд.

Н+О?? — РФ??

Theridion varians (Hahn, 1833)

= *Th. cuneatum* Thorell, 1875

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Турк, Кирг.

Theridion wiehlei Schenkel, 1938

В. — РФ, Каз.

***Theridula* Emerton, 1882 (F)**

Theridula gonygaster (Simon, 1873)

Е2. — РФ, Гр.

(*Theridula opulenta* Walckenaer, 1841)

Е2?? — РФ??, Гр??

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

***Thymoites* Keyserling, 1884 (M)**

Theridion Walckenaer, 1805, part.

Thymoites bellissimus (L.Koch, 1879)

Б, Г2, М, H+O, П, Р, С1, С2, Т1. — РФ.

Thymoites oleatus (L.Koch, 1879)

В, Г1, Г2, М, H+O, П, Р, С1, С4. — РФ.

***Yaginumena* Yoshida, 2002 (F)**

Yaginumena castrata (Bösenberg et Strand, 1906)

Dipoena castrata

Т1, Т2, Т3. — РФ.

Yaginumena maculosa (Yoshida et Ono, 2000)

Е2. — Гр, Аз.

***Yunochamella* Yoshida, 2007 (F)**

Theridion Walckenaer, 1805, part.

Yunochamella subadulta (Bösenberg et Strand, 1906)

Takayus subadultum

Т1, Т3. — РФ.

Yunochamella yunohamense (Bösenberg et Strand, 1906)

Т2, Т3. — РФ.

Asagena fagei Charitonov in Mcheidze, **nomen nudum**

Е2. — Гр [Mkheidze, 1941, 1964].

Enoplognatha kazakhstanica Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Enoplognatha nikolaevi Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Enoplognatha turanika Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Euryopsis deserta Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Steatoda knoflachae Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Steatoda liliputa Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Steatoda logunovi Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Steatoda zyuzini Gromov, **nomen nudum**

З+И/К. — Каз [Meldebekov et al., 2011].

Family Theridiosomatidae***Theridiosoma* O.Pickard-Cambridge, 1879 (M)**

Theridiosoma epeiroides Bösenberg et Strand, 1906

Т1, Т2, Т3. — РФ.

Theridiosoma gemmosum (L.Koch, 1878)

В, Г2, Д, Е2, С3? — РФ, Укр, Гр, Аз.

Family Mysmenidae

Mysmena Simon, 1894 (F)

Mysmena leucoplagiata (Simon, 1879)
E2. — Aз.

Mysmenella Brignoli, 1980¹ (F)

Mysmenella jobi (Kraus, 1967)
E1, E2. — PΦ, Укр, Гр, Aз.

Family Synaphridae

Synaphris Simon, 1894² (F)

Synaphris orientalis Marusik et Lehtinen, 2003
Ж2. — Турк.

Family Linyphiidae³

Abacoproeces Simon, 1884 (M)

Abacoproeces saltuum (L.Koch, 1872)
Б, В, Г2, М, П. — PΦ, Эст, Латв, Укр, Молд.

Abiskoa Saaristo et Tanasevitch, 2000 (F)

Lepthyphantes Menge, 1866, part.
Abiskoa abiskoensis (Holm, 1945)
Б, В, Г2, H+O, П, P, C1, C2, T1, T2. — PΦ.

Acanthoneta Eskov et Marusik, 1992 (F)

(*Acanthoneta aggressa* (Chamberlin et Ivie, 1943))
Poeciloneta aggressa
T1?? — PΦ??
Acanthoneta dokutchaevi Eskov et Marusik, 1994
Poeciloneta dokutchaevi
C1, T1. — PΦ.

Acartauchenius Simon, 1884 (M)

= *Trachelocamptus* Simon, 1884
Acartauchenius asiaticus (Tanasevitch, 1989)
К. — Турк.
Acartauchenius desertus (Tanasevitch, 1993)
В. — Каз.
Acartauchenius monoceros (Tanasevitch, 1989)
З+И. — Узб.
Acartauchenius scurrilis (O.Pickard-Cambridge, 1872)
В, Г2, Д?, E1, З+И, К, П. — PΦ, Бел, Укр, Каз, Кирг.

¹ *Mysmenella* cf. *illectrix* (Simon, 1895) is found in T1. — PΦ [Marusik, Koponen, 2000] and in T2 (as *Mysmenella* sp. — Marusik, Crawford, 2006).

² Possible the name is derived from *Greek* synophris/synophris — unibrow, or monobrow.

³ A *Thaumatonus* (?) sp. is found in B. — PΦ [Tanasevitch, Alekseenko].

***Agyphantes* Hull, 1932 (M)**

Lepthyphantes Menge, 1866, part.

Agyphantes expunctus (O.Pickard-Cambridge, 1875)

= *Lepthyphantes lepidus* (O.Pickard-Cambridge, 1873), praecocc. in *Linyphia*
Б, В, Г2, Д?, З+И/П, М, Н+О, П, С1, С2, Т2. — РФ, Укр, Каз.

***Agyneta* Hull, 1911¹ (F)**

= *Anomalaria* F.Dahl, 1912,

= *Meioneta* Hull, 1920,

= *Aprolagus* Simon, 1929

Agyneta affinis (Kulczyński, 1898)

Sintula affinis

= *Agyneta beata* (O.Pickard-Cambridge, 1906)

Б, В, Г2, Д, Е2, М, П, Р?, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр.

Agyneta affinisoides Tanasevitch, 1984

Н+О, П, Р, С1, Т1. — РФ.

Agyneta alaskensis (Holm, 1960)

= *A. maritima* (auct., non Emerton, 1919)

В, Н+О, П, Р, С1. — РФ.

Agyneta allosubtilis Loksa, 1965

В, Г2, М, Н+О, П, С1, С2, Т1. — РФ.

Agyneta amersaxatilis Saaristo et Koponen, 1998

= *A. yakutsaxatilis* Marusik et Koponen in Marusik et al., 2002

Р. — РФ.

Agyneta birulai (Kulczyński, 1908)

Meioneta birulai

= *A. bialata* (Tao, Li et Zhu, 1995)

Г2, Н+О, П, Р, С1, Т1. — РФ.

Agyneta birulaioides Wunderlich, 1995

В, К, П. — РФ, Укр, Каз.

Agyneta brusnewi (Kulczyński, 1908)

Meioneta brusnewi

Г2, М, Н+О, Р, С1, С4. — РФ.

Agyneta cauta (O.Pickard-Cambridge, 1902)

= *Centromerus ludovici* Bösenberg, 1899

Б, В, Д?, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Кирг.

Г2??

Agyneta conigera (O.Pickard-Cambridge, 1863)

= *Auletta excavata* O.Pickard-Cambridge, 1882

Б, В, Г2, Д, Е2, Ж1, З+И, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Арм,
Каз.

Agyneta decora (O.Pickard-Cambridge, 1870)

Б, В, Г2, Д, М, Н+О. — РФ, Эст, Латв, Лит, Укр.

Agyneta equestris (L.Koch, 1881)

В, М? — РФ?, Укр.

Agyneta fuscipalpa (C.L.Koch, 1836)

Meioneta fuscipalpis

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, К, М, Н+О, П. — РФ, Эст, Лит, Бел, Укр, Молд, Аз, Каз, Узб,
Турк, Кирг, Тадж.

¹ Indication of *Meioneta innulans* for Н+О. — РФ [Izmailova, Verzhutskiy, 1981; Izmailova, 1989] is an obvious lapsus [Eskov, Marusik, 1994]: such species doesn't exist.

Agyneta gulosa (L.Koch, 1869)

Meioneta gulosa

Б, В, Г2, Н+О, П, Р. — РФ, Латв, Укр.

З+И?? — Тадж??¹

Agyneta innotabilis (O.Pickard-Cambridge, 1863)

Б, В, Г2, Д. — РФ, Эст, Лит, Бел, Укр.

Agyneta insulana Tanasevitch, 2000

С3?, Т2, Т3. — РФ.

Agyneta kaszabi (Loksa, 1965)

З+И, П. — РФ, Каз.

Agyneta kopetdaghensis Tanasevitch, 1989

Ж2, К. — Каз, Турк.

Agyneta laimonasi Tanasevitch, 2006

Т1. — РФ.

Agyneta levii Tanasevitch, 1984

М, Н+О, П. — РФ.

Agyneta mesasiatica Tanasevitch, 2000

Е2, Ж2. — РФ, Аз, Турк.

Agyneta mollis (O.Pickard-Cambridge, 1871)

В, Г2, Д, Е2, М, М/П?, С2, Т1. — РФ, Эст, Латв, Укр, Молд, Гр.

Н+О??

Agyneta mongolica (Loksa, 1965)

Т1. — РФ.

Agyneta mossica (Schikora, 1993)

Б, В, Г2, Д, М. — РФ, Лит, Укр.

Agyneta nigra (Oi, 1960)

Н+О, П, Т1, Т2. — РФ.

Agyneta nigripes (Simon, 1884)

Б, В, Г1, М, Н+О, Р, С1. — РФ.

Agyneta olivacea (Emerton, 1882)

Б, В, Г2, М, Н+О, П, Р, С1, Т1, Т2. — РФ.

Agyneta palgongsanensis (Paik, 1991)

Т1. — РФ.

Agyneta pseudosaxatilis Tanasevitch, 1984

= *A. parasaxatilis* Marusik, Hippa et Koronen, 1996

З+И, М, Н+О, П, Р, С1, С2, Т1. — РФ, Каз.

Agyneta ramosa Jackson, 1912

Б, В, Г2, Е2, Ж1, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Арм.

Р??

(*Agyneta resslis* (Wunderlich, 1973))

В??, Г2??, Е2??, Ж2?? — РФ??, Аз??, Турк??

Agyneta ripariensis Tanasevitch, 1984

В, Г2, Н+О, П, Р, С1, Т1. — РФ.

Agyneta rurestris (C.L.Koch, 1836)

Б, В, Г2, Д, Е1, Е2, Ж1, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм,

Каз.

Г1??, К??, Т1?? — Турк??

Agyneta saaristoi Tanasevitch, 2000

В, Г2, Е1?, З+И, П. — РФ, Укр?, Каз.

¹ Records of this species by Andreeva [1975, 1976] actually refer to *Agyneta* (*Meioneta*) sp. [Tanasevitch, 1989].

Agyneta saxatilis (Blackwall, 1844)

Б, В, Д? — РФ, Эст, Латв, Лит, Укр.

Г2??, Е2??, М??, Н+О??

Agyneta similis (Kulczyński, 1926)

Б, В, Г2, М, Н+О, П, Р, С1, С2, С3? — РФ.

З+И??, Т2??, Т3?? — Каз??

Agyneta simplicitarsis (Simon, 1884)

В, Г2, М, П. — РФ, Укр, Каз.

Agyneta subnivalis Tanasevitch, 1989

З+И. — Кирг, Тадж.

Agyneta subtilis (O.Pickard-Cambridge, 1863)

Б, В, Г2, Е2, М, М/П. — РФ, Эст, Латв, Лит, Бел, Укр.

П??, Т1?? — Каз??

Agyneta suecica Holm, 1950

Б, В? — РФ, Укр?

Agyneta tenera (Menge, 1869)

В, Н+О. — РФ, Бел, Укр.

Agyneta tianschanica Tanasevitch, 1989

З+И. — Кирг.

Agyneta tibialis Tanasevitch, 2005

В, Г2, П. — РФ.

Agyneta trifurcata Hippa et Oksala, 1985

Н+О, П, Р, С1, Т2. — РФ.

Agyneta uzbekistanica Tanasevitch, 1984

З+И. — Узб, Кирг.

***Agyphantes* Saaristo et Marusik, 2004 (M**)**

Lepthyphantes Menge, 1866, part.

Agyphantes sajanensis (Eskov et Marusik, 1994)

П. — РФ.

Agyphantes sakhalinensis Saaristo et Marusik, 2006

Т2. — РФ.

***Ainerigone* Eskov, 1993 (F)**

Ainerigone saitoi (Ono, 1991)

С2, С3, Т2, Т3. — РФ.

***Alioranus* Simon, 1926 (M)**

Alioranus chiardolae (Caporiacco, 1935)

= *A. avanturus* Andreeva et Tystshenko, 1970

З+И. — Узб, Турк, Кирг, Тадж.

Alioranus diclivitalis Tanasevitch, 1990

Е2. — РФ, Аз.

Alioranus pastoralis (O.Pickard-Cambridge, 1872)

= *A. planiceps* (Wunderlich, 1980)

З+И. — Тадж.

***Allomengea* Strand, 1912 (F)**

= *Mengea* O.Pickard-Cambridge, 1903, praeocc.

Allomengea dentisetis (Grube, 1861)

= *A. pigra* (L.Koch, 1879)

В, Г2, З+И, Н+О, П, С2, Т1, Т2, Т3. — РФ, Кирг.

Allomengea scopigera (Grube, 1859)

Б, В, Г2, Е2, З+И, М, Н+О, П, Р, С1, С2, С3, Т1. — РФ, Эст, Латв, Бел, Укр, Гр, Каз, Кирг.

Allomengea vidua (L.Koch, 1879)

= *A. warburtonii* (O.Pickard-Cambridge, 1889)

Б, В, Г2, М, Н+О. — РФ, Эст, Укр.

***Allotiso* Tanasevitch, 1990 (M)**

Allotiso lancearius (Tanasevitch, 1987)

Е2. — Гр.

***Anguliphantes* Saaristo et Tanasevitch, 1997 (M)**

Lepthyphantes Menge, 1866, part.

Anguliphantes angulipalpis (Westring, 1851)

Б, В, Г2, Д, М. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Т2??

Anguliphantes cerinus (L.Koch, 1879)

М, Н+О, П. — РФ, Каз.

Anguliphantes curvus (Tanasevitch, 1992)

Т2. — РФ.

Anguliphantes dybowskii (O.Pickard-Cambridge, 1873)

Г2, М, Н+О, П, Р, С1, С3, Т1, Т2. — РФ.

Anguliphantes karpinski (O.Pickard-Cambridge, 1873)

Н+О, П, Р, С1, С2, Т1. — РФ.

Anguliphantes maritimus (Tanasevitch, 1988)

Т1. — РФ.

Anguliphantes monticola (Kulczyński, 1881)

В, Г2, Д. — РФ, Латв, Укр.

Е1??, Т1??

Anguliphantes ryvkini Tanasevitch, 2006

Т1. — РФ.

Anguliphantes sibiricus (Tanasevitch, 1986)

М, Н+О, П. — РФ.

Anguliphantes tripartitus (F.Miller et Svaton, 1978)

Д. — Укр.

Anguliphantes ussuricus (Tanasevitch, 1988)

Т1. — РФ.

Anguliphantes zygius (Tanasevitch, 1993)

Т1. — РФ.

***Aphileta* Hull, 1920 (F)**

= *Hillhousia* F.O.Pickard-Cambridge, 1894

Aphileta centrasiatica Eskov in Eskov et Marusik, 1995

З+И. — Каз.

Aphileta misera (O.Pickard-Cambridge, 1882)

Б, В, Г2, М, Н+О, С1, С2, С3. — РФ, Эст, Лит, Укр.

***Aprifrontalia* Oi, 1960 (F)**

Aprifrontalia mascula (Karsch, 1879)

Т2. — РФ.

***Arachosinella* Denis, 1958 (F)**

Arachosinella oeroegensis Wunderlich, 1995
 З+И, П. — РФ, Каз, Кирг.
 (*Arachosinella strepens* Denis, 1958)
 З+И??, П?? — РФ??, Каз??, Кирг??

***Araeoncus* Simon, 1884 (M)**

Araeoncus altissimus Simon, 1884
 E2. — Аз.
Araeoncus caucasicus Tanasevitch, 1987
 В, E1, E2, Ж1, З+И. — РФ, Укр, Гр, Аз, Каз.
Araeoncus clavatus Tanasevitch, 1987
 Ж1. — Арм.
Araeoncus convexus Tullgren, 1955
 В. — Эст.
Araeoncus crassiceps (Westring, 1861)
 = *Erigone excelsa* L.Koch, 1879
 Б, В, Г2, Д?, М, Н+О, П. — РФ, Эст, Бел, Укр.
Araeoncus curvatus Tullgren, 1955
 В. — Эст.
Araeoncus galeriformis (Tanasevitch, 1987)
 E2. — РФ, Аз.
Araeoncus humilis (Blackwall, 1841)
 Б, В, Г2, Д, П, Т2? — РФ, Эст, Латв, Лит, Бел, Укр.
Araeoncus tauricus Gnelitsa, 2004
 E1. — Укр.
Araeoncus vorkutensis Tanasevitch, 1984
 В, Г2, М, Н+О, П. — РФ.

***Archaraeoncus* Tanasevitch, 1987 (M)**

Archaraeoncus prospiciens (Thorell, 1875)
 Г2, E1, E2. — РФ, Укр, Аз.
 З+И?? — Кирг??
Archaraeoncus sibiricus Eskov, 1988
 Н+О, П, Р, С1. — РФ.

***Arcterigone* Eskov et Marusik, 1994 (F)**

Arcterigone pilifrons (L.Koch, 1879)
Acartauchenius pilifrons
 Г2, М, Н+О, С1. — РФ.

***Arcuphantes* Chamberlin et Ivie, 1943 (M)**

Arcuphantes maritimus Tanasevitch, 2010
 Т1. — РФ.

***Asiceratinops* Eskov, 1992 (M¹)**

Asiceratinops amurensis (Eskov, 1992)
 Т1. — РФ.

¹ According to ICZN Article 30.1.4.3.

Asiceratinops kolymensis (Eskov, 1992)

H+O, П, P, T1. — PΦ.

***Asiophantes* Eskov, 1993 (M)**

Asiophantes pacificus Eskov, 1993

T1, T3. — PΦ.

Asiophantes sibiricus Eskov, 1993

H+O, П, T1. — PΦ.

***Asperthorax* Oi, 1960 (M)**

Asperthorax borealis Ono et S.Saito, 2001

C2, T1, T2. — PΦ.

Asperthorax communis Oi, 1960

T1, T2, T3. — PΦ.

***Asthenargoides* Eskov, 1993 (M)**

Asthenargoides kurenstchikovi Eskov, 1993

П, T1. — PΦ.

Asthenargoides kurtchevae Eskov, 1993

T1. — PΦ.

Asthenargoides logunovi Eskov, 1993

T1. — PΦ.

***Asthenargus* Simon et Fage, 1922 (M)**

Asthenargus caucasicus Tanasevitch, 1987

E2. — PΦ, Гр, Аз.

Asthenargus edentulus Tanasevitch, 1989

З+И. — Каз, Кирг.

Asthenargus paganus (Simon, 1884)

Б, В, Г2, Д, М. — PΦ, Эст, Лит, Укр.

{*Asthenargus perforatus* Schenkel, 1929}

П? — PΦ?¹

(*Asthenargus placidus* (Simon, 1884))

З+И?? — Каз??

***Baryphyma* Simon, 1884 (N)**

= *Acanthophyma* Locket, Millidge et Merrett, 1974

Baryphyma gowerense (Locket, 1965)

В, М, H+O. — PΦ, Эст.

Baryphyma pratense (Blackwall, 1861)

В. — Эст, Бел.

***Bathylinyphia* Eskov, 1992 (F)**

Bathylinyphia maior (Kulczyński, 1885)

Bathyphantes maior

М, П, P, C1, C2, T1. — PΦ.

¹ Doubtful record [Volkovskiy, 2006, etc.].

***Bathypantes* Menge, 1866 (M)**

Bathypantes approximatus (O.Pickard-Cambridge, 1871)

Magniphantes approximatus

Б, В, Г2, Д?, Е2, М, М/П, Н+О. — РФ, Эст, Лит, Бел, Укр, Гр.

(*Bathypantes brevis* (Emerton, 1911))

М??, Н+О?? — РФ??

Bathypantes canadensis (Emerton, 1882)

Н+О, Р, С1, Т1. — РФ.

Bathypantes eumenis (L.Koch, 1879)

= *B. simillimus* (L.Koch, 1879),

= *B. eumenoides* Holm, 1967

Б, В, Г2, М, Н+О, П, Р, С1, С2, С3, С4, Т1, Т2. — РФ.

Bathypantes gracilis (Blackwall, 1841)

= *Linyphia similior* L.Koch, 1879,

= *Bathypantes pusio* Kulczyński, 1926

Б, В, Г2, Д, Е1, Е2, К, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз.

Bathypantes gulkana Ivie, 1969

С1, С2, Т1, Т2. — РФ.

Bathypantes humilis (L.Koch, 1879)

= *B. biscalpus* Kulczyński, 1926

В, М, Н+О, Р, С1, С2, Т2. — РФ.

Т1??

(*Bathypantes iviei* Holm, 1970)

С1?? — РФ??

Bathypantes jeniseicus Eskov, 1979

М, Н+О, С1, Т1, Т2. — РФ.

(*Bathypantes keeni* (Emerton, 1917)*)

С1?? — РФ??

Bathypantes nigrinus (Westring, 1851)

Б, В, Г2, Д, М, П. — РФ, Эст, Латв, Лит, Бел, Укр.

Bathypantes orientis Oi, 1960

Т1, Т3. — РФ.

Bathypantes parvulus (Westring, 1851)

Б, В, Г2, М, Н+О, П, Т1. — РФ, Эст, Лит, Укр.

Bathypantes pogonias Kulczyński, 1885

С1, С2, С3, С4, Т2, Т3. — РФ.

Bathypantes reprobus (Kulczyński, 1916)

Б, В, Г2, М, Н+О, П, Р, С1, Т1. — РФ.

Bathypantes setiger F.O.Pickard-Cambridge, 1894

= *Lepthyphantes valentinae* Charitonov, 1935

Б, В, Г2, М, Н+О, П, С1, С3, Т1, Т2. — РФ, Эст, Бел, Укр.

Bathypantes similis Kulczyński, 1894

В. — Лит.

М?? — РФ??

***Bisetifer* Tanasevitch, 1987 (M)**

Bisetifer cephalotus Tanasevitch, 1987

Е1, Е2. — РФ, Укр, Гр, Аз.

***Bishopiana* Eskov, 1988 (F)**

Bishopiana glumacea (Gao, Fei et Zhu, 1992)

П. — РФ.

Bishopiana hypoarctica Eskov, 1988
Н+О, Р. — РФ.

***Bolephthyphantes* Strand, 1901 (M)**

Bolyphantes C.L.Koch, 1837, part.
Bolephthyphantes caucasicus (Tanasevitch, 1990)
Е2, Ж1. — РФ, Аз.
Bolephthyphantes index (Thorell, 1856)
Б, В, Г2, М, Н+О, П, Р, С1. — РФ, Эст, Каз.
Bolephthyphantes indexoides (Tanasevitch, 1989)
З+И. — Каз, Кирг, Тадж.

***Bolyphantes* C.L.Koch, 1837 (M)**

Bolyphantes alticeps (Sundevall, 1833)
Б, В, Г2, Д, Е2, Ж1, З+И, М, Н+О, П, С2, С3, С4, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр,
Молд, Гр, Аз, Арм, Каз, Кирг.
Bolyphantes bipartitus (Tanasevitch, 1989)
Lepthyphantes bipartitus
= *L. palaeformis* Tanasevitch, 1989
З+И. — Каз, Кирг.
Bolyphantes distichoides Tanasevitch, 2000
П. — РФ.
Bolyphantes distichus (Tanasevitch, 1986)
Lepthyphantes distichus
М, Н+О, П. — РФ.
Bolyphantes lagodekhensis (Tanasevitch, 1990)
Lepthyphantes lagodekhensis
Е2. — Гр.
Bolyphantes lamellaris Tanasevitch, 1990
Е2. — РФ.
Bolyphantes luteolus (Blackwall, 1833)
Б, В, Г2, Д?, М, П. — РФ, Эст, Латв, Лит, Бел, Укр.
З+И?? — Кирг??
Bolyphantes punctulatus (Holm, 1939)
Lepthyphantes punctulatus
Г2, Р, С1. — РФ.
Bolyphantes sacer (Tanasevitch, 1986)
Lepthyphantes sacer
З+И. — Кирг.
Bolyphantes severtzovi Tanasevitch, 1989
З+И. — Каз, Кирг.
Bolyphantes supremus (Tanasevitch, 1986)
Lepthyphantes supremus
З+И. — Кирг.

***Canariphantes* Wunderlich, 1992 (M)**

Canariphantes nanus (Kulczyński, 1898)
В, Е1, Е2. — РФ, Укр.

***Carorita* Duffey et Merrett, 1963 (F)**

Carorita limnaea (Crosby et Bishop, 1927)
Б, В, Г2, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Лит.

Carorita sibirica Tanasevitch, 2007
М, Т1. — РФ.

***Caucasopisthes* Tanasevitch, 1990 (М)**

Caucasopisthes procurvus (Tanasevitch, 1987)
Е2. — РФ, Гр.

***Caviphantes* Oi, 1960 (М)**

= *Lessertiella* Dumitrescu et F.Miller, 1962

Caviphantes dobrogicus (Dumitrescu et F.Miller, 1962)
Е2, З+И. — РФ, Гр, Аз, Кирг.
В??

Caviphantes pseudosaxetorum Wunderlich, 1979
Т3. — РФ.

Caviphantes saxetorum (Hull, 1914)
В, Г2, П. — РФ, Укр.

***Centromerus* F.Dahl, 1886 (М)**

= *Rhabdoria* Hull, 1911,
= *Centromerita* F.Dahl, 1912,
= *Parasintula* F.Dahl, 1912

Centromerus abditus Gnelitsa, 2007
В, Е1. — РФ, Укр.

Centromerus amurensis Eskov et Marusik, 1992
П, Т1. — РФ.

Centromerus arcanus (O.Pickard-Cambridge, 1873)
= *C. unidentatus* F.Miller, 1958
Б, В, Г2, Д, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Укр.
Т1??

Centromerus bicolor (Blackwall, 1833)

Centromerita bicolor
Б, В, Г2, Д. — РФ, Эст, Латв, Лит, Бел, Укр.

Centromerus brevivulvatus F.Dahl, 1912
= *C. aequalis* (Westring, 1851), праеосс.
Б, В, Г2, З+И. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Centromerus capucinus (Simon, 1884)

В. — РФ, Латв, Укр.
Е2?? — Аз??

Centromerus cavernarum (L.Koch, 1872)

= *C. jacksoni* Denis, 1952

Д. — Укр.
Г2??, Т1?? — РФ??

Centromerus clarus (L.Koch, 1879)

= *Linyphia polita* L.Koch, 1879, праеосс.,
= *L. ingloria* L.Koch, 1879,
= *L. jensseica* Charitonov, 1932, n.nov. pro *L. polita*
В, Г2, М, Н+О, П, Т1. — РФ, Каз¹.

Р??, Т2??

Centromerus compar (Westring, 1861)

Gongylidiellum compar

В. — Бел, Укр.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Centromerus concinnus (Thorell, 1875)

Centromerita concinna

Б, В, Г2, Д, Е2. — РФ, Эст, Бел, Укр.

М/П??, П??

Centromerus crinitus Roşca, 1935

В, Д? — Укр?, Молд.

Centromerus dilutus (O.Pickard-Cambridge, 1875)

В. — РФ, Латв.

С2??

Centromerus incilium (L.Koch, 1881)

Б, В, Г2, Д?, М. — РФ, Эст, Латв, Лит, Бел, Укр.

Н+О??

Centromerus levitarsis (Simon, 1884)

Б, В, Г2, М, Н+О, П. — РФ, Эст, Латв, Лит, Укр.

Centromerus minor Tanasevitch, 1990

Е2, Ж1. — РФ, Гр, Аз, Арм.

Centromerus pabulator (O.Pickard-Cambridge, 1875)

В, Д, Т1? — РФ, Укр.

Centromerus pacificus Eskov et Marusik, 1992

П, Р, С1, Т1, Т2. — РФ.

Centromerus persimilis (O.Pickard-Cambridge, 1912)

В, Г2. — РФ, Укр.

Centromerus pratensis Gnelitsa et Ponomarev, 2010

В. — РФ.

Centromerus prudens (O.Pickard-Cambridge, 1873)

В. — РФ, Укр.

Г2??, М/П??, П??

Centromerus sellarius (Simon, 1884)

В, Д, М, П. — РФ, Укр.

Г2??

Centromerus semiater (L.Koch, 1879)

= *C. incultus* Falconer, 1915,

= *C. alnicola* Schenkel, 1936

Б, В, Г2, М, Н+О. — РФ, Эст, Бел, Укр.

Centromerus serratus (O.Pickard-Cambridge, 1875)

= *C. balteatus* (Simon, 1884),

Parasintula balteata,

= *Centromerus emertoni* Kaston, 1972

В, Д. — Укр, Молд.

Centromerus silvicola (Kulczyński, 1887)

Д. — Укр.

{*Centromerus similis* Kulczyński, 1894}¹

В?, Д? — РФ?, Латв?, Укр?

{*Centromerus subalpinus* Lessert, 1907}

Т1? — РФ?

Centromerus sylvaticus (Blackwall, 1841)

Б, В, Г2, Д, Е1, Е2, М, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

¹ A synonym of *C. sellarius* (by ♀) [Weiss, Bauchhenss, 1995]; ♂ belongs to *C. silvicola* (Kulczyński, 1887).

Centromerus terrigenus Yaginuma, 1972

С3, Т2, Т3. — РФ.

{*Centromerus unctus* (L.Koch, 1870)}

Д? — Укр?

Centromerus ussuricus Eskov et Marusik, 1992

Т1. — РФ.

***Ceraticelus* Simon, 1884 (M)**

Ceraticelus bulbosus (Emerton, 1882)

= *Ceraticelus sibiricus* Eskov, 1987

Б, М, Н+О, С1, С2, Т1, Т2. — РФ.

Ceraticelus orientalis Eskov, 1987

П, С1, С2, Т1, Т2. — РФ.

***Ceratinella* Emerton, 1882 (F)**

Ceratinella alaskae Chamberlin et Ivie, 1947

Н+О, Т1. — РФ.

Ceratinella brevipes (Westring, 1851)

Б, В, Г2, Д, Е2, З+И?, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Кирг?

Т1??

Ceratinella brevis (Wider, 1834)

Б, В, Г1, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, М, Н+О, П, Р?, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Турк, Кирг.

Ceratinella kurenshchikovi Marusik et Gnelitsa, 2009

Т1. — РФ.

Ceratinella maior Kulczyński, 1894

Б, В, Г2, Д. — РФ, Латв, Укр.

Ceratinella rosea Oligier, 1985

Т1, Т2. — РФ.

Ceratinella scabrosa (O.Pickard-Cambridge, 1871)

Б, В, Г2, Е1, Е2, Ж1, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Арм.

Т1??

Ceratinella sibirica Strand, 1903

Н+О. — РФ.

Ceratinella wideri (Thorell, 1871)

В, Г2, З+И, М, Н+О, П, Р?, С1, С3, Т1. — РФ, Бел, Укр, Каз, Кирг.

(*Ceratinopsis* Emerton, 1882) (F)

(*Ceratinopsis interventata* Chamberlin, 1948)

Т1?? — РФ??

***Nephalocotes* Simon, 1884 (M)**

Nephalocotes obscurus (Blackwall, 1834)

= *Erigone mollicula* L.Koch, 1879

Б, В, Г2, Д, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр.

***Concavocephalus* Eskov, 1989 (M)**

Concavocephalus eskovi Marusik et Tanasevitch, 2003

П. — РФ.

Concavocephalus rubens Eskov, 1989

*Millidgeolus*¹ *rubens*

H+O, П, P, C1, T1, T2. — PΦ.

***Connithorax* Eskov, 1993 (M)**

= *Conithorax* Eskov, 1988, praeocc.,

= *Conothorax* Eskov et Marusik, 1992, praeocc.

Connithorax barbatus (Eskov, 1988)

H+O, P, C1, T1. — PΦ.

***Cornuphantes* Saaristo et Tanasevitch, 2004 (M)**

Lepthyphantes Menge, 1866, part.

Cornuphantes cornutus (Schenkel, 1927)

= *Lepthyphantes parvus* Tanasevitch, 1990

B, Г2, E2, З+И, П. — PΦ, Каз.

***Cresmatoneta* Simon, 1929 (F)**

Cresmatoneta mutinensis (Canestrini, 1868)

E1, E2. — PΦ, Укр, Гр.

***Crispiphantes* Tanasevitch, 1992 (M)**

Lepthyphantes Menge, 1866, part.

Crispiphantes rhomboideus (Paik, 1985)

= *C. amurensis* (Tanasevitch, 1987)

T1. — PΦ.

***Crosbyarachne* Charitonov, 1937 (F)**

Crosbyarachne bukovskyi Charitonov, 1937

= *Tapinocyba korgei* Wunderlich, 1995

E1. — Укр.

***Crosbylonia* Eskov, 1988 (F)**

Crosbylonia borealis Eskov, 1988

H+O, P, C1. — PΦ.

***Dactylopiastes* Simon, 1884 (M)**

= *Scytiella* Georgescu, 1976

Dactylopiastes digiticeps (Simon, 1881)

= *D. ukrainensis* Evtushenko, 1992

B. — PΦ, Укр.

Dactylopiastes diphyus (Heimer, 1987)

П. — PΦ.

Dactylopiastes locketi (Tanasevitch, 1983)

З+И. — Узб, Кирг.

Dactylopiastes mirabilis (Tanasevitch, 1985)

З+И. — Кирг.

Dactylopiastes mirificus (Georgescu, 1976)

B, Г2, Д. — PΦ, Укр, Каз.

¹ This genus was never described; cited in S.P. Bukhkalo [2005, 2006, 2007].

Dactylopiastes video (Chamberlin et Ivie, 1947)

= *Scytiella komi* Tanasevitch, 1984

В, Г2, М, Н+О, П, Р, С1, С2, С3, Т1. — РФ.

***Dactylopiasthoides* Eskov, 1990 (M)**

Dactylopiasthoides hyperboreus Eskov, 1990

Р, С1. — РФ.

***Decipiphantes* Saaristo et Tanasevitch, 1996 (M)**

Lepthyphantes Menge, 1866, part.

Decipiphantes decipiens (L.Koch, 1879)

Б, В, Г2, М, Н+О, П. — РФ, Каз¹.

***Dicymbium* Menge, 1868 (N)**

Dicymbium facetum (L.Koch, 1879)

Г2, М, Н+О, П, Р, С1, Т1. — РФ.

Dicymbium libidinosum (Kulczyński, 1926)

Н+О, Р, С1, С2, Т1, Т2. — РФ.

Dicymbium nigrum (Blackwall, 1834)

Б, В, Г2, Д, Е2, З+И, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Dicymbium tibiale (Blackwall, 1836)

Б, В, Г2, Д. — РФ, Эст, Латв, Лит, Бел, Укр.

Dicymbium yaginumai Eskov et Marusik, 1994

Т1, Т2, Т3. — РФ.

***Diplocentria* Hull, 1911 (F)**

= *Microcentria* Schenkel, 1925

Diplocentria bidentata (Emerton, 1882)

Б, В, Г2, М, Н+О, П, Р, С1, С2, С3, Т1. — РФ, Эст, Латв, Лит, Бел.
З+И?? — Тадж??

(*Diplocentria forsslundi* Holm, 1939)

М?? — РФ??

Diplocentria rectangulata (Emerton, 1915)

= *Microcentria pusilla* Schenkel, 1925

Б, Г2, М, Н+О, П, С2. — РФ.

***Diplocephalus* Bertkau in Fürster et Bertkau, 1883 (M)**

= *Plesiocraerus* Simon, 1884,

= *Chocorua* Crosby et Bishop, 1933

Diplocephalus alpinus (O.Pickard-Cambridge, 1872)

В, Д. — РФ, Укр.

Diplocephalus barbiger (Roewer, 1955)

D. barbatus (L.Koch, 1879), praecoc.

= *Erigone incerta* L.Koch, 1879

Г1, Г2, М, Н+О, С1. — РФ.

Diplocephalus bifurcatus Tanasevitch, 1989

Ж2. — Турк.

Diplocephalus caucasicus Tanasevitch, 1987

В, Е2. — РФ, Гр.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Diplocephalus connatus Bertkau, 1889

= *D. adjacens* (O.Pickard-Cambridge, 1903)

Б, В, Г2, Д, М?, Н+О, П. — РФ, Эст, Лит, Укр, Молд, Каз.

{*Diplocephalus connectens* Kulczyński, 1894}

+ *D. c. var. subrufus* Roşca, 1935

Д? — Укр?

Diplocephalus cristatus (Blackwall, 1833)

+ *D. c. angusticeps* Holm, 1973

Б, В, Г2, Д, З+И, М, Н+О, П, С2. — РФ, Эст, Лит, Бел, Укр, Каз.

Е2?? — Аз??, Тадж??

Diplocephalus dentatus Tullgren, 1955

Hemistajus dentatus

В. — РФ, Эст, Лит, Бел, Укр.

Diplocephalus helleri (L.Koch, 1869)

Д. — Укр.

Diplocephalus latifrons (O.Pickard-Cambridge, 1863)

Б, В, Д, Е2, Ж1, М? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм.

Diplocephalus marusiki Eskov, 1988

П?, Р, С1. — РФ.

Diplocephalus mirabilis Eskov, 1988

Н+О, П, Р, С1. — РФ.

Diplocephalus montaneus Tanasevitch, 1992

= *D. montanus* Tanasevitch, 1988, praеооc.

З+И. — Кирг, Тадж.

Diplocephalus montanus Eskov, 1988

Н+О, Р, С1. — РФ.

Diplocephalus permixtus (O.Pickard-Cambridge, 1871)

= *Araeonus brunneus* Bösenberg, 1902

Б, В, Д? — РФ, Лит, Укр.

Diplocephalus picinus (Blackwall, 1841)

Б, В, Г2, Д, Е1, Е2, Ж1, М, М/П? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм.

Н+О??

Diplocephalus pseudocrassilobus Gnelitsa, 2006

Е1. — Укр.

Diplocephalus sphagnicolus Eskov, 1988

Н+О, Р, С1, С2. — РФ.

Diplocephalus subrostratus (O.Pickard-Cambridge, 1873)

= *D. maculifrons* Kulczyński, 1926

В, Г2, М, Н+О, П, Р, С1, С2, С3, Т1, Т2. — РФ.

Diplocephalus transcaucasicus Tanasevitch, 1990

Е2. — Гр, Аз.

Diplocephalus uliginosus Eskov, 1988

Н+О, Р, С1. — РФ.

***Diplostyla* Emerton, 1882 (M)**

= *Stylophora* Menge, 1866, praеооc.

Diplostyla concolor (Wider, 1834)

Bathyphantes concolor

+ *B. c. albomaculata* (Menge, 1866)

Б, В, Г2, Д, Е1, Е2, Ж1, М, Н+О, П, С2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз¹.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

***Dismodicus* Simon, 1884¹ (M)**

Dismodicus alticeps Chamberlin et Ivie, 1947

Р, С1, С2, С3. — РФ.

Dismodicus bifrons (Blackwall, 1841)

Б, В, Г2, Д, М, Н+О, П, Р, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.
С1??, Т2??

Dismodicus elevatus (C.L.Koch, 1838)

Б, В, Г2, Д, М, М/П. — РФ, Эст, Латв, Лит, Бел, Укр.
З+И??, С2??, Т2?? — Тадж??

***Doenitzius* Oi, 1960 (M)**

Doenitzius purvus Oi, 1960

Т1. — РФ.

***Donacochara* Simon, 1884 (F)**

Donacochara speciosa (Thorell, 1875)

В, Д, Е1, Е2, З+И, К, Л. — РФ, Укр, Аз, Турк, Кирг.

***Drapetisca* Menge, 1866 (F)**

Drapetisca socialis (Sundevall, 1833)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд,
Гр, Аз, Каз, Кирг.

***Drepanotylus* Holm, 1945 (M)**

Drepanotylus borealis Holm, 1945

Б, В, Г2, М, Н+О, П, С1, С3, Т2. — РФ.

Drepanotylus holmi (Eskov, 1981)

Hilaira holmi

М, Н+О, Р, С1. — РФ.

Drepanotylus uncatatus (O.Pickard-Cambridge, 1873)

Б, В, Г2, М. — РФ, Эст, Лит.

***Eborilaira* Eskov, 1989 (F)**

Eborilaira alpina Eskov, 1989

Р, С1. — РФ.

***Eldonnia* Tanasevitch, 2008 (F)**

Eldonia Tanasevitch, 1996, praecoc.,

Wubanooides Eskov, 1986, part.

Eldonnia kayacensis (Paik, 1965)

Т1. — РФ.

***Entelecara* Simon, 1884 (F)**

Entelecara acuminata (Wider, 1834)

= *Erigone altifrons* (O.Pickard-Cambridge, 1863)

Б, В, Г2, Д?, Е2, З+И, П. — РФ, Эст, Латв, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

¹ Indication of *Dismodicus dendilapis* for В. — Латв [Prieditis, Šternbergs, 1981] is obviously a lapsus, since such species doesn't exist.

Entelecara congenera (O.Pickard-Cambridge, 1879)

Б, В, Г2, М, П. — РФ, Эст, Бел, Укр.

Entelecara dobudongensis Paik, 1983

С1, Т1. — РФ.

Entelecara errata O.Pickard-Cambridge, 1913

Б, В. — РФ, Укр.

М??, Н+О??, Т1??

Entelecara erythropus (Westring, 1851)

Б, В, Г2, Д, З+И, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Эст, Латв, Укр, Каз.

Entelecara flavipes (Blackwall, 1834)

= *Erigone implana* (O.Pickard-Cambridge, 1871)

= *Entelecara forsslundi* Tullgren, 1955

В, Д, М? — РФ, Эст, Бел, Укр.

Entelecara media Kulczyński, 1887

В, Д. — РФ, Укр.

Г2??, Н+О??, П??, Р??, С2??, Т1?? — Эст??

Entelecara omissa O.Pickard-Cambridge, 1902

В. — РФ, Укр.

(*Entelecara sombra* (Chamberlin et Ivie, 1947))

Н+О??, П??, Р??, С1??, Т2?? — РФ??

***Epibellowia* Tanasevitch, 1996 (F)**

Wubanooides Eskov, 1986, part.

Epibellowia enormita (Tanasevitch, 1988)

Т1, Т2. — РФ.

Epibellowia pacifica (Eskov et Marusik, 1992)

П, Р, С1, Т1. — РФ.

Epibellowia septentrionalis (Oi, 1960)

С3, Т1, Т2, Т3. — РФ.

***Epigyphantes* Saaristo et Tanasevitch, 2004 (M)**

Lepthyphantes Menge, 1866, part.

Epigyphantes epigynatus (Tanasevitch, 1988)

Р. — РФ.

***Epigytholus* Tanasevitch, 1996 (M)**

Epigytholus kaszabi (Wunderlich, 1995)

= *E. tuvensis* Tanasevitch, 1996

П. — РФ.

***Episolder* Tanasevitch, 1996 (M)**

Episolder finitimus Tanasevitch, 1996

П. — РФ.

***Erigone* Audouin, 1826 (F*)**

Erigone amdoensis Schenkel, 1963

З+И. — Кирг.

Erigone arctica (White, 1852)

+ *E. a. maritima* Kulczyński, 1902,

+ *E. a. sibirica* Kulczyński, 1908,

+ *E. a. palaeartica* Braendegaard, 1934

Б, В, Г1, М, Н+О, Р, С1, С2, С3. — РФ, Эст, Латв.

П??

Erigone arctica Chamberlin et Ivie, 1947

В, Н+О, Р, С1. — РФ.

(*Erigone arctophylacis* Crosby et Bishop, 1928)

Г1?? — РФ??

Erigone atra Blackwall, 1833

Б, В, Г2, Д, Е2, З+И, К, Л, М, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Кирг, Тадж.

Г1??

Erigone brachyopis L.Koch, 1879, **nomen dubium**¹

Г1. — РФ.

Erigone capra Simon, 1884²

Б, В, Г2/М, Е2, П, Т1, Т2. — РФ, Гр, Аз.

Erigone charitonovi Andreeva et Tystshenko, 1970, **nomen dubium**³

З+И, К. — Узб, Тадж.

Erigone cristatopalpus Simon, 1884

= *E. simillima* Keyserling, 1886

Г2, П, Р, С1, С2, С3, Т2. — РФ.

Erigone dentipalpis (Wider, 1834)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, М, Н+О, П, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Турк, Кирг, Тадж.

Узб??

Erigone hypoarctica Eskov, 1989

В, Г2, М, Н+О, П, Р, С1, Т1, Т2. — РФ.

Erigone longipalpis (Sundevall, 1830)

Б, В, Г2, Е2, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Гр.

Г1??, С1??

Erigone promiscua (O.Pickard-Cambridge, 1872)

В. — РФ.

Erigone psychrophila Thorell, 1872

А, В, Г1, Г2, М, Н+О, Р, С1. — РФ.

С2??

Erigone remota L.Koch, 1869

В, Г1, Г2, Д?, З+И, М, Н+О, П, Р. — РФ, Укр?, Кирг.

Erigone sinensis Schenkel, 1936

= *E. changchunensis* Zhu et Wen, 1980

= *E. piechockii* Heimer, 1987

З+И, М, П, Т1, Т2. — РФ, Каз.

Erigone svenssoni Holm, 1975

Б, В, М. — РФ.

Erigone tirolensis L.Koch, 1872

Б, В, Г1, М, Н+О, Р, С1. — РФ.

Д?? — Укр??

Erigone welchi Jackson, 1911*

В. — Эст, Молд.

Erigone whytneri O.Pickard-Cambridge, 1877

В, М. — РФ.

¹ Type material is lost: Holm, 1973; Eskov, Marusik, 1994.

² Earlier, *Erigone capra* was synonymized under *E. dentigera* O.Pickard-Cambridge, 1874. Actually, they are two different species. All records of *E. dentigera* from Russia and Caucasus should refer to *E. capra* (A.V. Tanasevitch, pers. comm.).

³ The male refers to *Prinerigone vagans*, identification of the female is difficult: cf. Tanasevitch [1989].

(*Erigone zographica* Crosby et Bishop, 1928)

P??, C1?? — PФ??

***Erigonella F.Dahl, 1901* (F)**

Erigonella hiemalis (Blackwall, 1841)

Б, В, Г2, Д?, М? — PФ, Эст, Латв, Лит, Бел, Укр.

Н+О??

Erigonella ignobilis (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д?, М, Н+О, П. — PФ, Эст, Латв, Лит, Бел, Укр, Молд.

***Erigonoploides Eskov, 1989* (M)**

Erigonoploides cardiratus Eskov, 1989

Р, С1. — PФ.

***Erigonoplus Simon, 1884* (M)**

= *Erigonopterna* F.Miller, 1947

Erigonoplus globipes (L.Koch, 1872)

В, Г2, Ж1. — PФ, Укр, Арм.

Erigonoplus jarmilae (F.Miller, 1943)

В, Е2. — PФ.

Erigonoplus kirghizicus Tanasevitch, 1989

З+И. — Каз.

Erigonoplus minaretifer Eskov, 1986

Н+О, Р. — PФ.

Erigonoplus ninae Tanasevitch et Fet, 1986

Ж2. — Турк.

Erigonoplus sibiricus Eskov et Marusik, 1997

П. — PФ.

Erigonoplus spinifemoralis Dimitrov, 2003

= *E. galophilus* Gnelitsa, 2005

В, Е1. — PФ, Укр.

***Eskovia Marusik et Saaristo, 1999* (F)**

Eskovia exarmata (Eskov, 1989)

Minicia exarmata

Н+О, Р, С1, С2, Т2. — PФ.

***Eskovina Kočak et Kemal, 2006* (F)**

Oinia Eskov, 1984, praecoc.

Eskovina clava (Zhu et Wen, 1980)

= *Oinia trilineata* Eskov, 1984

Т1. — PФ.

***Estrandia Blauvelt, 1936* (F)**

Estrandia grandaeva (Keyserling, 1886)

= *Linyphia tridens* Schenkel, 1930

Б, Г2, Н+О, П, Р, С1, С2, Т1. — PФ.

***Evansia O.Pickard-Cambridge, 1900* (F)**

Evansia merens O.Pickard-Cambridge, 1900

В, Е2, П. — PФ.

Flagelliphantes Saaristo et Tanasevitch, 1996 (M)*Lepthyphantes* Menge, 1866, part.*Flagelliphantes bergstroemi* (Schenkel, 1931)

В, Г2, М, Н+О, П. — РФ.

Flagelliphantes flagellifer (Tanasevitch, 1987)

Р, С1, С2, Т1. — РФ.

Flagelliphantes sternerii (Eskov et Marusik, 1994)

Т2. — РФ.

Floronia Simon, 1877 (F)*Floronia bucculenta* (Clerck, 1758)= *F. exornata* (L.Koch, 1878)

Б, В, Г2, Д, Е2, М, П, С3+Т3, Т1, Т2 — РФ, Эст, Латв, Лит, Бел, Укр.

Formiphantes Saaristo et Tanasevitch, 1996 (M)*Lepthyphantes* Menge, 1866, part.*Formiphantes lephthyphantiformis* (Strand, 1907)

В. — Эст, Лит, Бел.

Frontella Kulczyński, 1908 (F)*Frontella pallida* Kulczyński, 1908

Р. — РФ.

Frontinellina Helsdingen, 1969 (F)*Linyphia* Latreille, 1804, part.*Frontinellina frutetorum* (C.L.Koch, 1834)

В, Д, Е1, Е2, Ж2, П. — РФ, Укр, Гр, Аз, Каз, Турк.

Gibothorax Eskov, 1989 (M)*Gibothorax tchernovi* Eskov, 1989

Г1, М, Н+О, Р, С1. — РФ.

Glyphesis Simon, 1926 (M)*Glyphesis asiaticus* Eskov, 1989

Н+О, П, Р, С1, Т1, Т2. — РФ.

Glyphesis cottonae (La Touche, 1945)

Б, В, Г2, М. — РФ, Эст, Лит, Бел.

Н+О??, П??, С1??

Glyphesis nemoralis Esysunin et Efimik, 1994

В, Г2. — РФ, Укр.

Glyphesis servulus (Simon, 1881)

В, Д. — Эст, Укр.

Glyphesis taoplesius Wunderlich, 1969

В. — РФ.

Gnathonarium Karsch, 1881 (N)*Gnathonarium dentatum* (Wider, 1834)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С2, С3, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Кирг, Тадж.

Gnathonarium gibberum Oi, 1960

П. — РФ.

Gnathonarium suppositum (Kulczyński, 1885)

= *Erigone sibiriana* Keyserling, 1886,

= *Gnathonarium columbianum* (Emerton, 1923)

Н+О, П, С1, С2, С3, С4, Т1, Т2. — РФ.

Gnathonarium taczanowskii (O.Pickard-Cambridge, 1873)

Г2, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Каз.

С4??

Gonatum Menge, 1868 (N)

Gonatum convexum Kulczyński, 1885, **nomen dubium**¹

С2. — РФ.

{*Gonatum gibbum* Bösenberg, 1902}

В? — Лит?

{*Gonatum hilare* (Thorell, 1875)}

Е2? — Аз?

Т2?? — РФ??

{*Gonatum insigne* Bösenberg, 1902}

Д? — Укр?

Gonatum japonicum Simon, 1894

Т1. — РФ.

Gonatum nipponicum Millidge, 1981

Т1, Т2, Т3. — РФ.

Gonatum pacificum Eskov, 1989

Н+О, Р, С1, Т1, Т2. — РФ.

Gonatum paradoxum (L.Koch, 1869)

= *G. corallipes* (O.Pickard-Cambridge, 1875)

Б, В, Г2, Д. — РФ, Эст, Укр.

Gonatum rubellum (Blackwall, 1841)

= *G. isabellinum* C.L.Koch, 1841

Б, В, Г2, Д, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр.

Gonatum rubens (Blackwall, 1833)

Б, В, Г2, Д?, Е1, Е2, З+И, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Каз, Кирг.

Gongylidiellum Simon, 1884 (N)

Gongylidiellum latebricola (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, Е2, М. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Gongylidiellum murcidum Simon, 1884

Б, В, Г2, Д, Ж2, М. — РФ, Эст, Латв, Лит, Бел, Укр, Турк.

Е2?? — Гр??

Gongylidiellum orduense Wunderlich, 1995

Е2. — РФ, Гр.

Gongylidiellum vivum (O.Pickard-Cambridge, 1875)

Б, В, Е2, Т2. — РФ, Гр, Аз.

Gongylidioides Oi, 1960 (M)

Gongylidioides griseolineatus (Schenkel, 1937)

= *G. rimatus* (Ma et Zhu, 1990)

Т1. — РФ.

¹Type material is not located: cf. Marusik et al., [1993]).

Gongylidioides ussuricus Eskov, 1992
Т1. — РФ.

***Gongylidium* Menge, 1868 (N)**

Gongylidium rufipes (Linnaeus, 1758)
Б, В, Г2, Д, Е2, З+И, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

***Halorates* Hull, 1911 (M)**

= *Collinsia* O.Pickard-Cambridge, 1913,
= *Coryphaeolana* Strand, 1914,
= *Milleriana* Denis, 1966

Halorates boreus (L.Koch, 1879)
Г1, Н+О, Р, С1. — РФ.

Halorates caliginosus (L.Koch, 1879)
= *Erigone mendica* L.Koch, 1879, part.
В, Г2, З+И, М, Н+О, П, С2. — РФ, Каз, Тадж.

Halorates dentatus (Eskov, 1990)
М, Н+О, П, Р, С1. — РФ.

Halorates distinctus (Simon, 1884)
В, Г2, М, Н+О, П. — РФ, Укр.

Halorates holmgreni (Thorell, 1872)*
= *Erigone mendica* L.Koch, 1879, part.
Б, В, Г1, Г2, М, Н+О, Р, С1, С2. — РФ.

Halorates holmi (Eskov, 1990)
Р, С1. — РФ.

Halorates reprobus (O.Pickard-Cambridge, 1879)
Б. — РФ.

Halorates sachalinensis (Eskov, 1990)
Т2, Т3. — РФ.

Halorates spetsbergensis (Thorell, 1872)
= *Erigone oxycephala* L.Koch, 1879
А, В, Г1, Г2, М, Н+О, Р, С1. — РФ.

Halorates submissus (L.Koch, 1879)
= *Erigone imula* L.Koch, 1879,
= *E. deserta* L.Koch, 1879,
= *Collinsia inerrans* (O.Pickard-Cambridge, 1885),
= *C. japonica* (Oi, 1964)
Г2, Е2, З+И, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Аз, Каз, Кирг.

Halorates thulensis (Jackson, 1934)
С1. — РФ.

Halorates tianschanicus (Tanasevitch, 1989)
З+И. — Кирг.

***Helophora* Menge, 1866 (F)**

Helophora insignis (Blackwall, 1841)
= *Linyphia pallescens* Westring, 1851,
= *L. sagittata* Grube, 1861
Б, В, Г2, Д, Е2, З+И, М, Н+О, П, С1, С2, С3, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Кирг.

***Herbiphantes* Tanasevitch, 1992 (M)**

Herbiphantes cericeus (S.Saito, 1934)
Т3. — РФ.

Herbiphantes longiventris Tanasevitch, 1992

T1. — PΦ.

Herbiphantes pratensis Tanasevitch, 1992

T2. — PΦ.

***Heterotrichoncus* Wunderlich, 1970 (M)**

Heterotrichoncus pusillus (F.Miller, 1958)

B. — PΦ.

***Hilaira* Simon, 1884 (F)**

= *Utopiellum* Strand, 1901

Hilaira asiatica Eskov, 1987

H+O, P, C1. — PΦ.

Hilaira canaliculata (Emerton, 1915)

= *H. ryabukhini* Eskov et Marusik, 1991

C1, C2, C3. — PΦ.

Hilaira devitata Eskov, 1987

H+O, P, C2, T1. — PΦ.

Hilaira excisa (O.Pickard-Cambridge, 1870)

B, Д. — PΦ, Эст, Укр.

Hilaira gertschi Holm, 1960

B. — PΦ.

Hilaira gibbosa Tanasevitch, 1982

B, Г2, M, H+O, П, C1, C2, T1. — PΦ.

Hilaira glacialis (Thorell, 1872)

B, Г1, M, H+O, П, P, C1. — PΦ.

Hilaira herniosa (Thorell, 1875)

= *Erigone mirabilis* L.Koch, 1879

B, B, Г2, M, H+O, П, P, C1, C2, C3, C4, T1. — PΦ.

Hilaira incondita (L.Koch, 1879)

B, Г2, M, H+O, P, C1. — PΦ.

Hilaira jamalensis Eskov, 1981

M, H+O, П, P. — PΦ.

Hilaira marusiki Eskov, 1987

P. — PΦ.

Hilaira minuta Eskov, 1979

M, H+O, П, P, C1, T1. — PΦ.

Hilaira mongolica Wunderlich, 1995

П, C1. — PΦ.

Hilaira nivalis Holm, 1937

Г2, M, H+O, P. — PΦ.

Hilaira nubigena Hull, 1911

B, B, Г2, M, H+O, C1. — PΦ.

Hilaira pelikena Eskov, 1987

C1, C3, T1. — PΦ.

Hilaira pervicax Hull, 1908

B, B, Г2, M, H+O, P. — PΦ.

Hilaira proletaria (L.Koch, 1879)

= *H. zaicewi* Kulczyński, 1916

Г2, M, H+O, P, C1. — PΦ.

Hilaira sibirica Eskov, 1987

H+O, П, P, C1, C2, T1. — PΦ.

Hilaira syrojeczkovskii Eskov, 1981

H+O, P, C1, T1. — PΦ.

(*Hilaira tatrica* Kulczyński, 1915)

= *Erigone leviceps* L.Koch, 1879, part.,

= *Hilaira punctata* Tullgren, 1955

B??, Г2??, E2??, M??, H+O??, П??, P??, C1?? — PΦ??

Hilaira vexatrix (O.Pickard-Cambridge, 1877)

P, C1. — PΦ.

***Himalaphantes* Tanasevitch, 1992 (M)**

Himalaphantes azumiensis (Oi, 1980)

T1. — PΦ.

***Holminaria* Eskov, 1991 (F)**

Holminaria pallida Eskov, 1991

H+O, P. — PΦ.

Holminaria prolata (O.Pickard-Cambridge, 1873)

= *H. obscura* Eskov, 1991

H+O, П, P, C1, T1, T2. — PΦ.

Holminaria sibirica Eskov, 1991

H+O, T1, T2. — PΦ.

***Horcotes* Crosby et Bishop, 1933 (M)**

Horcotes strandi (Sytshevskaja, 1935)

Saloca strandi

Б, В, Г2, H+O, П, P, C1, C2, T2. — PΦ.

***Hybauchenidium* Holm, 1973 (N)**

Hybauchenidium aquilonare (L.Koch, 1879)

= *Gongylidium septentrionale* Kulczyński, 1908

= *Hybauchenidium holmi* Marusik, 1988

В, Г1, M, H+O, P, C1. — PΦ.

Hybauchenidium ferrumequinum (Grube, 1861)

= *H. prodigialis* (Holm, 1945)

В, Г2, M, H+O, P, C1. — PΦ.

Hybauchenidium gibbosum (Sørensen, 1898)

P, C1, C2. — PΦ.

***Hylyphantes* Simon, 1884 (M)**

= *Erigonidium* Smith, 1904

Hylyphantes graminicola (Sundevall, 1830)

Erigonidium graminicola

Б, В, Г2, Д?, E1, M, H+O, П, C1, C2, T1, T2. — PΦ, Эст, Латв, Лит, Бел, Укр.

Hylyphantes nigrinus (Simon, 1881)

Б, В, Г2, E2, M, П, C3, T1, T2, T3. — PΦ, Эст, Бел, Укр, Гр, Аз.

***Hypomma* F.Dahl, 1886 (N)**

= *Dicyphus* Menge, 1869, praecoc.,

= *Enidia* Smith, 1904

Hypomma affine Schenkel, 1930

P, C2, C3, T2, T3. — PΦ.

Hypomma bituberculatum (Wider, 1834)

Б, В, Г2, Д?, З+И, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Каз, Кирг.

С3??

Hypomma cornutum (Blackwall, 1833)

Б, В, Д, Е2, П. — РФ, Эст, Латв, Лит, Бел, Укр.

М??, Н+О??, С3??

Hypomma fulvum (Bösenberg, 1902)

Б, В, Г2. — РФ, Эст, Укр.

(*Hypomma subarcticum* Chamberlin et Ivie, 1947)

С1?? — РФ??

***Hypselistes* Simon, 1894 (M)**

Hypselistes australis H.Saito et Ono, 2001

Т1. — РФ.

Hypselistes basarukini Marusik et Leech, 1993

Т2. — РФ.

Hypselistes fossilobus Fei et Zhu, 1993

Т1. — РФ.

Hypselistes jacksoni (O.Pickard-Cambridge, 1902)*

Б, В, Г2, Е2, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Эст, Лит, Бел, Укр, Каз.

С3??

Hypselistes kolymensis Marusik et Leech, 1993

Н+О, П, Р, С1. — РФ.

Hypselistes semiflavus (L.Koch, 1879)

В, М, Н+О, П, Р, С1, С2, С3, Т1. — РФ.

Г2??

***Hypocephalus* Millidge, 1978 (M)**

Hypocephalus pusillus (Menge, 1869)

= *H. dahli* (Lessert, 1909)

Е1. — Укр.

***Improphantes* Saaristo et Tanasevitch, 1996 (M)**

Lepthyphantes Menge, 1866, part.

Improphantes biconicus (Tanasevitch, 1992)

Т1. — РФ.

Improphantes complicatus (Emerton, 1882)

= *Lepthyphantes audax* Sørensen, 1898

Б, В, Г2, М, Н+О, П, Р, С1, С2, С4. — РФ.

Improphantes contus Tanasevitch et Piterkina, 2007

В. — Каз.

Improphantes decolor (Westring, 1861)

Б, В. — РФ, Эст, Бел.

Improphantes flexilis (Tanasevitch, 1986)

= *Lepthyphantes sibiricus* Tanasevitch, 1986, part., ♀

Н+О, П, Р, С1, С2. — РФ.

Improphantes geniculatus (Kulczyński, 1898)

= *Lepthyphantes wiehlei* Broen, 1965

В, Г2, М. — РФ.

Improphantes holmi (Kronstedt, 1975)

Г2. — РФ.

Improphantes improbulus (Simon, 1929)
 = *I. montanouralensis* (Esyunin et Efimik, 1991)
Lepthyphantes montanouralensis
 В, Г2, Е2, З+И. — РФ, Каз.
 {*Improphantes nitidus* (Thorell, 1875)}
 = *Lepthyphantes kochi* Kulczyński, 1898
 Д? — Укр?
 Н+О?? — РФ??
Improphantes pamiricus (Tanasevitch, 1989)
 З+И. — Тадж.
Improphantes potanini (Tanasevitch, 1989)
 З+И. — Кирг.

***Incestophantes* Tanasevitch, 1992 (M)**

Lepthyphantes Menge, 1866, part.
Incestophantes altaicus Tanasevitch, 2000
 П. — РФ.
Incestophantes amotus (Tanasevitch, 1990)
 Е2, З+И, П. — РФ, Гр, Каз.
Incestophantes ancus Tanasevitch, 1996
 П. — РФ.
 (*Incestophantes annulatus* (Kulczyński, 1881))
 В??, Г2?? — РФ??
Incestophantes australis Gnelitsa, 2009
 Е1. — Укр.
Incestophantes bonus Tanasevitch, 1996
 П. — РФ.
Incestophantes camtchadalicus (Tanasevitch, 1988)
 С2. — РФ.
Incestophantes crucifer (Menge, 1866)
Bolyphantes crucifer
 Б, В, Г2, М. — РФ, Эст, Бел, Укр.
 Е1??, Т1??
Incestophantes cymbialis (Tanasevitch, 1987)
 Р, С1, Т1. — РФ.
Incestophantes incestoides (Tanasevitch et Eskov, 1987)
 Г2, Р, С1, Т1. — РФ.
Incestophantes incestus (L.Koch, 1879)
 Г2, М, Н+О, П. — РФ.
Incestophantes khakassicus Tanasevitch, 1996
 П. — РФ.
Incestophantes kochiellus (Strand, 1900)
 = *Linyphia albula* L.Koch, 1879, praecoc.,
 = *Incestophantes obtusus* Tanasevitch, 1996
 В, Г2, М, Н+О, П, Р, С1, Т1, Т2. — РФ.
Incestophantes laricetorum (Tanasevitch et Eskov, 1987)
 В, М, Н+О, П, Р, С1, Т1. — РФ.
Incestophantes logunovi Tanasevitch, 1996
 П. — РФ.
Incestophantes tuvensis Tanasevitch, 1996
 П. — РФ.

***Ipa* Saaristo, 2007 (M¹)**

Lepthyphantes Menge, 1866, part.

Ipa keyserlingi (Ausserer, 1867)

= *Linyphia guttata* Thorell, 1875

В, E1, E2. — РФ, Укр, Гр.

Ipa pepticus (Tanasevitch, 1988)

З+И, К, П. — РФ, Каз, Турк.

Ipa spasskyi (Tanasevitch, 1986)

В, К, М. — РФ, Укр, Каз.

Ipa terrenus (L.Koch, 1879)

= *Lepthyphantes quadrimaculatus* Kulczyński, 1898

В, Г2, E2, H+O, П. — РФ, Укр, Аз, Каз².

***Islandiana* Braendegaard, 1932 (F)**

Islandiana cristata Eskov, 1987

М, H+O, P, C1, C2. — РФ.

Islandiana falsifica (Keyserling, 1886)

= *I. alata* (Emerton, 1919)

В, H+O, P, C1, C2. — РФ.

***Ivielum* Eskov, 1988 (N)**

Ivielum sibiricum Eskov, 1988

П, P, C1, C2, T1. — РФ.

***Jacksonella* Millidge, 1951 (F)**

Jacksonella falconeri (Jackson, 1908)

В. — Латв.

***Janetschekia* Schenkel, 1939 (F)**

Janetschekia necessaria Tanasevitch, 1985

З+И, К. — Турк, Кирг.

***Kaestneria* Wiehle, 1956 (F)**

Bathyphantes Menge, 1866, part.

Kaestneria dorsalis (Wider, 1834)

Stylophora dorsalis

Б, В, Г2, Д, М, H+O, П. — РФ, Эст, Латв, Лит, Бел, Укр.

Kaestneria longissima (Zhu et Wen, 1983)

T1. — РФ.

Kaestneria pullata (O.Pickard-Cambridge, 1863)

Stylophora pullata

= *Bathyphantes anceps* Kulczyński, 1885³,

= *B. colletti* (Strand, 1899)

Б, В, Г2, Д?, E1, М, H+O, П, P, C1, C2, C3, T1, T2, T3. — РФ, Эст, Лит, Бел, Укр.

¹ In the original description, the gender of *Ipa* is indicated as feminine; but the respective endings of species names are listed in masculine, as well as the generic name is derived from the diminutive Finnish masculine name [Saaristo, 2007: 39]. In this case, ICZN Article 30.2.1 rather has a priority over Article 30.2.2. Same decision is made in Platnick [2013].

² Respective physiographical area is not indicated [Logunov et al., 2012].

³ Valid species, after Marusik (recent papers).

(*Kaestneria torrentum* (Kulczyński, 1882))

M?? — PΦ??

Karita Tanasevitch, 2007 (F)**

Carorita Duffey et Merrett, 1963, part.

Karita paludosa (Duffey, 1971)

M. — PΦ.

Kikimora Eskov, 1988 (F)

Kikimora palustris Eskov, 1988

Г2, M, H+O, P, C1, C2. — PΦ.

Kolymocyba Eskov, 1989 (F)

Kolymocyba petrophila Eskov, 1989

P, C1. — PΦ.

Labulla Simon, 1884 (F)

Labulla contortipes (Karsch, 1881)

T1. — PΦ.

Labulla insularis (S.Saito, 1935)

= *L. chikumii* Oi, 1980

T2. — PΦ.

Labulla thoracica (Wider, 1834)

B, Д. — PΦ, Эст, Укр.

Lasiargus Kulczyński in Chyzer et Kulczyński, 1894 (M)

Lasiargus hirsutus (Menge, 1869)

= *Pocadicnemis prominens* Simon, 1884

B, Г2, Д, E1, E2, З+И, H+O, П, C1, C2, T1. — PΦ, Эст, Укр, Кирг.

Lasiargus pilipes (Kulczyński, 1908)

= *L. laricetorum* Eskov, 1989

H+O, П, P, C1, T1, T2. — PΦ.

Lasiargus zhui Eskov et Marusik, 1994

T1, T2. — PΦ.

Lepthyphantes Menge, 1866 (M)

Lepthyphantes abditus Tanasevitch, 1986

E2. — PΦ.

Lepthyphantes alpinus (Emerton, 1882)

C1. — PΦ.

H+O??, P??

(*Lepthyphantes arcticus* (Keyserling, 1886))

C4?? — PΦ??

Lepthyphantes badkhyzensis Tanasevitch, 1986

K. — Турк.

Lepthyphantes cruciformis Tanasevitch, 1989

З+И. — Кирг.

Lepthyphantes cruentatus Tanasevitch, 1987

E2. — PΦ, Гр.

- Lepthyphantes escapus* Tanasevitch, 1989
З+И. — Турк.
- Lepthyphantes hirsutus* Tanasevitch, 1987
Т1. — РФ.
- Lepthyphantes hissaricus* Tanasevitch, 1989
З+И. — Тадж.
- Lepthyphantes ivanovi* Pakhorukov, 1981, **nomen dubium**¹
Г2. — РФ.
- Lepthyphantes kaszabi* Wunderlich, 1995
П. — РФ.
- Lepthyphantes kolymensis* Tanasevitch et Eskov, 1987
Wubanooides kolymensis
Р, Т1. — РФ.
- Lepthyphantes leprosus* (Ohlert, 1867)
Б, В, Д, Е1, Е2, З+И, П, Р, С1, С2, С4. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Каз.
- Lepthyphantes luteipes* (L.Koch, 1879)
Г2, Н+О, П, Р, С1, С2, Т1. — РФ, Каз.
- Lepthyphantes minutus* (Blackwall, 1833)
В, Д, Е1. — РФ, Эст, Укр.
- Lepthyphantes nenilini* Tanasevitch, 1987
Н+О, Р, С1, Т1. — РФ.
- Lepthyphantes nodifer* Simon, 1884
В. — Укр.
- Lepthyphantes perfidus* Tanasevitch, 1985
З+И. — Узб, Кирг.
- Lepthyphantes saurensis* Eskov in Eskov et Marusik, 1995
З+И. — Каз.
- Lepthyphantes subtilis* Tanasevitch, 1989
З+И. — Кирг.
- Lepthyphantes turanicus* Tanasevitch et Fet, 1986
Ж2, К. — Турк.
- Lepthyphantes ultimus* Tanasevitch, 1989
З+И. — Тадж.

***Leptorhoptrum* Kulczyński in Chyzer et Kulczyński, 1894 (N)**

- Leptorhoptrum robustum* (Westring, 1851)
= *L. huthwaitii* (O.Pickard-Cambridge, 1871),
= *Linyphia cultrigera* L.Koch, 1879, part., ♀.
Б, В, Г2, Д, М, Н+О, П, С3, Т2, Т3. — РФ, Латв, Укр.

***Leptothrinx* Menge, 1869 (M)**

- = *Phaulothrix* Bertkau in Förster et Bertkau, 1883
Leptothrinx hardyi (Blackwall, 1850)²
Б, В. — РФ, Латв, Бел, Укр.

***Lessertia* Smith, 1908 (F)**

- Lessertia denticelis* (Simon, 1884)
В. — РФ, Лит, Укр.

¹ An aberrant form of *Tenuiphantes nigriventris* or *T. tenebricola*: cf. Tanasevitch [1992].

² For correct spelling of the species name, see Bonnet [1958: 3502].

Lessertinella Denis, 1947 (F)

Lessertinella carpatica Weiss, 1979
Д. — Укр.

Lidia Saaristo et Marusik, 2006 (F)

Lidia molesta (Tanasevitch, 1989)
Troglohyphantes molestus
З+И. — Кирг.
Lidia tarabaevi Saaristo et Marusik, 2006
З+И. — Каз.

Linyphia Latreille, 1804 (F)

Linyphia albomaculata Grube, 1861, **nomen dubium**¹
Т1. — РФ.
{*Linyphia alpicola* Helsdingen, 1969}
П? — РФ??
Linyphia hortensis Sundevall, 1830
Б?, В, Г2, Д, Е1, Е2, Ж1, З+И, М, Н+О, Т1. — РФ, Латв, Бел, Укр, Молд, Гр, Аз, Каз, Узб,
Кирг, Тадж.
Linyphia melanopleuros Grube, 1861, **nomen dubium**³
Т1. — РФ.
Linyphia tenuipalpis Simon, 1884
Б, В, Е1, Е2, Ж1, М?, П. — РФ, Эст, Укр, Аз, Арм.
Linyphia triangularis (Clerck, 1758)
Б, В, Г2, Д, Е1, Е2, Ж1, Л, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз,
Каз.
(*Linyphia yunochamensis* Bösenberg et Strand 1906)⁴
Т3?? — РФ??

Lophomma Menge, 1868 (N)

Lophomma punctatum (Blackwall, 1841)
Б, В, Г2, Д, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр.
Lophomma vaccinii (Emerton, 1926)
= *L. cognatum* Holm, 1960
Г2, М, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ.

Macrargus F.Dahl, 1886 (M)

Macrargus boreus Holm, 1968
Б, В. — РФ, Эст, Лит.
Укр??
Macrargus carpenteri (O.Pickard-Cambridge, 1894)
Б, В, Г2, Е2. — РФ, Эст, Лит, Бел, Укр.
Macrargus multesimus (O.Pickard-Cambridge, 1875)
= *Erigone granulosa* L.Koch, 1879,
= *Linyphia mordax* L.Koch, 1879
Б, В, Г2, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ.
Бел??, Укр??

¹ The types not located: cf. Marusik et al. [1993].

² Doubtful record [Volkovskiy, 2006, etc.].

³ The types are lost: cf. Tanasevitch [1992]; Marusik et al. [1993].

⁴ Record of this species in Kurile Islands by Puelle & Saito [1933] possibly belongs to *Neriene emphana* [Helsdingen, 1969].

Macrargus rufus (Wider, 1834)

Б, В, Г2, Д, М, М/П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Macrargus sumyensis Gnelitsa et Koronen, 2010

В. — РФ, Бел, Укр.

***Mansuphantes* Saaristo et Tanasevitch, 1996 (M)**

Lepthyphantes Menge, 1866, part.

Mansuphantes arciger (Kulczyński, 1882)

Д. — Укр.

Mansuphantes mansuetus (Thorell, 1875)

В, Д? — Лит, Укр?, Молд.

Г2?? — РФ??

Mansuphantes ovalis (Tanasevitch, 1987)

В, Е2. — РФ, Гр, Аз.

Mansuphantes parmatus (Tanasevitch, 1990)

= *Lepthyphantes intirmus* Tanasevitch, 1987, part., ♀

Е2. — РФ, Аз.

***Maro* O.Pickard-Cambridge, 1906 (M)**

Maro borealis Eskov, 1991

Н+О, П, Р, Т1, Т2. — РФ.

Maro bureensis Tanasevitch, 2006

Т1. — РФ.

Maro flavescens (O.Pickard-Cambridge, 1873)

П, Т1. — РФ.

Н+О??, С1??, Т2??

Maro khabarum Tanasevitch, 2006

Т1. — РФ.

Maro lautus H.Saito, 1984

Т1. — РФ.

Maro lepidus Casemir, 1963

В. — Эст.

Maro minutus O.Pickard-Cambridge, 1906

= *Centromerus pallidulus* Schenkel, 1929

Б, В, Г2, Д. — РФ, Эст, Лит, Укр.

Н+О??

Maro pansibiricus Tanasevitch, 2006

В, Г2, М, Н+О, П, Т1. — РФ.

Maro saaristoi Eskov, 1980

М, Н+О, П, Р, С1, Т1, Т2. — РФ.

Maro sibiricus Eskov, 1980

В, Г2, Н+О, П, Р, С1, С2, С3, Т1, Т2. — РФ.

Maro sublestus Falconer, 1915

Б, В, Г2, М. — РФ, Эст.

Maro ussircicus Tanasevitch, 2006

Т1. — РФ.

***Masikia* Millidge, 1984 (F)**

Masikia indistincta (Kulczyński, 1908)

= *Macrargus solitarius* M.Dahl, 1928

Г1, Г2, М, Н+О, Р, С1. — РФ.

Maso Simon, 1884 (M)

(*Maso carpathicus* Chyzer in Chyzer et Kulczyński, 1894)

Б?? — РФ??

Maso gallicus Simon, 1894

В, Е1, Е2. — РФ, Эст, Укр, Аз.

Maso sundevalli (Westring, 1851)*

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Кирг.

Mecopisthes Simon, 1926 (M)

Mecopisthes orientalis Tanasevitch et Fet, 1986

Ж2. — Турк.

Mecopisthes peusi Wunderlich, 1972

В, Е1. — РФ, Укр.

Mecopisthes silus (O.Pickard-Cambridge, 1872)

Б, В, Е2. — РФ, Аз.

Mecynargoides Eskov, 1988 (M)

Mecynargoides kolymensis Eskov, 1988

Р, С1. — РФ.

Mecynargus Kulczycki in Chyzer et Kulczycki, 1894¹ (M)

= *Rhaebothorax* Simon, 1926

Mecynargus asiaticus Tanasevitch, 1989

З+И. — Кирг.

Mecynargus borealis (Jackson, 1930)

Б, В, Г2, М, Н+О. — РФ.

Mecynargus foveatus (F.Dahl, 1912)

= *M. foveolatus* (Wiehle, 1960)

Б, В, Г2, Е2, М? — РФ, Эст, Лит, Бел, Укр.

Mecynargus hypnicola Eskov, 1988

Н+О, П, Р, С1. — РФ.

(*Mecynargus longus* (Kulczyński, 1882))

В?? — РФ??

Mecynargus minutipalpis Gnelitsa, 2011

В, Е1. — РФ, Укр.

Mecynargus monticola (Holm, 1943)

Б, В, Г2, М, Н+О, П, Р, С1, Т1. — РФ.

Mecynargus morulus (O.Pickard-Cambridge, 1873)

Б, В. — РФ.

Mecynargus paetulus (O.Pickard-Cambridge, 1875)

Б, В, М, Н+О, Р, С1, С3. — РФ, Латв.

Mecynargus pinipumilis Eskov, 1988

Р, С1, Т1. — РФ.

¹ Indication of *Rhaebothorax pallidum* [Pakhorukov, 1979, 1980] for Г2 is a lapsus: such species doesn't exist; this name refers actually to *Porrhomma pallidum* [Esyunin, Efimik, 1996].

Mecynargus sphagnicola (Holm, 1939)

= *M. jamalensis* (Eskov, 1981)

Rhaebothorax jamalensis

Б, В, Г2, М, Н+О, П, Р, С1. — РФ.

Mecynargus tundricola Eskov, 1988

Г1, Н+О, С1. — РФ.

Mecynargus tungusicus (Eskov, 1981)

В, Г2, З+И, М, Н+О, П, С1, С2. — РФ, Кирг.

***Megalephyphantes* Wunderlich, 1993 (M)**

Lepthyphantes Menge, 1866, part.

Megalephyphantes camelus (Tanasevitch, 1990)

Е2. — Аз.

Megalephyphantes collinus (L.Koch, 1872)

Б?, В. — РФ.

В??, Г2??, Д??, Е1??, Е2??, Т2?? — Укр??, Аз??

Megalephyphantes kronebergi (Tanasevitch, 1989)

З+И, К. — Каз, Узб, Кирг, Тадж.

Megalephyphantes kuhitangensis (Tanasevitch, 1989)

З+И. — Каз, Узб, Турк.

Megalephyphantes nebulosoides (Wunderlich, 1977)

Ж2, З+И, К. — Узб, Турк, Кирг, Тадж.

Megalephyphantes nebulosus (Sundevall, 1830)

= *Linyphia crypticola* (Walckenaer, 1802), sensu Westring, 1851, 1861 etc.

Б, В, Г2, Д, Е1, Е2, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр,

Молд, Аз, Каз.

Ж2??, З+И??, К?? — Узб??, Турк??, Кирг??, Тадж??

Megalephyphantes pseudocollinus Saaristo, 1997

Б, В, Г2, Д, Е1, Е2, М. — РФ, Бел, Укр, Аз.

Megalephyphantes turkestanicus (Tanasevitch, 1989)

К. — Турк.

***Mermessus* O.Pickard-Cambridge, 1899 (M)**

= *Eperigone* Crosby et Bishop, 1928

Mermessus maculatus (Banks, 1892)

С4. — РФ.

***Mesasigone* Tanasevitch, 1989 (F)**

Mesasigone mira Tanasevitch, 1989

В, Г2, З+И, Т1. — РФ, Каз, Узб, Турк, Кирг.

***Metapanamomops* Millidge, 1977 (M)**

Metapanamomops kaestneri (Wiehle, 1961)

В. — РФ, Укр.

***Metopobactrus* Simon, 1884 (M)**

Metopobactrus ascitus (Kulczyński in Chyzer et Kulczyński, 1894)

В, Е1. — Укр.

Metopobactrus prominulus (O.Pickard-Cambridge, 1872)

Б, В, Г2, Е2, Ж1, З+И, М, Н+О, П, С2, С3/Т3¹, Т1, Т2. — РФ, Эст, Лит, Бел, Укр, Гр, Аз, Каз, Кирг.

***Micrargus F.Dahl, 1886* (M)**

= *Blaniargus* Simon, 1913

Micrargus apertus (O.Pickard-Cambridge, 1870)

Б, В. — РФ, Эст, Лит.

М??

Micrargus georgescuae Millidge, 1976

Д. — Укр.

Micrargus herbigradus (Blackwall, 1854)

Б, В, Г2, Д, Е2, Ж1, З+И, М, Н+О, П, С1, С2, С3, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз.

Тадж??

Micrargus laudatus (O.Pickard-Cambridge, 1881)

В, Е1. — РФ, Эст, Латв, Укр.

Micrargus subaequalis (Westring, 1851)

В, Г2, Е2, Ж1, З+И, М, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Арм, Каз, Узб?

***Microctenonyx F.Dahl, 1886* (M)**

= *Aulacocyba* Simon, 1926

Microctenonyx subitaneus (O.Pickard-Cambridge, 1875)

= *Erigone pulicaria* Thorell, 1875

В, Е1, Ж2, З+И, К. — Укр, Турк, Кирг.

***Microlinyphia Gerhardt, 1928* (F)**

Linyphia Latreille, 1804, part.

Microlinyphia impigra (O.Pickard-Cambridge, 1871)

= *Linyphia maeklini* Thorell, 1875

Б, В, Д, Е1, Е2, Ж1, З+И, М, Н+О, П, Т3. — РФ, Укр, Аз, Арм, Каз, Кирг.

Т2??

Microlinyphia pusilla (Sundevall, 1830)

+ *Linyphia pusilla* var. *quadripunctata* Strand, 1901

Б, В, Г2, Д, Е1, Е2, З+И, К, Л, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

***Microneta Menge, 1869* (F)**

Microneta aterrima Eskov et Marusik, 1991

Р, С1, Т1. — РФ.

Microneta iracunda (O.Pickard-Cambridge, 1879)

В. — Латв.

Microneta saaristoi Eskov et Marusik, 1991

Р, Т1. — РФ.

Microneta viaria (Blackwall, 1841)

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Кирг.

¹ Kurile Islands [Marusik et al., 2000].

Micryphantes* C.L.Koch, 1833 (nomen dubium) (M)Micryphantes miniatus* Grube, 1861, **nomen dubium**¹

Т1. — РФ.

“*Micryphantes*” *ovatus* (C.L.Koch, 1833), **nomen dubium**²

Б. — РФ.

Miftengris* Eskov, 1993 (M)Miftengris scutumatus* Eskov, 1993

Т2. — РФ.

Minicia* Thorell, 1875 (F)Minicia alticola* Tanasevitch, 1990

Е2. — Гр.

{*Minicia candida* Denis, 1965}

В? — Укр?

Minicia caspiana Tanasevitch, 1990

В, Г2, Е1, Е2. — РФ, Укр, Аз.

Minicia kirghizica Tanasevitch, 1985

З+И. — Каз, Кирг.

Minicia marginella (Wider, 1834)

Б, В, Г2, Д, Ж1, З+И, М, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Укр, Аз, Каз, Кирг.

Minicia pallida Eskov in Eskov et Marusik, 1995

З+И, П. — РФ, Каз.

Minyrioloides* Schenkel, 1930 (M)Minyrioloides insignis* Palmgren, 1976

Б. — РФ.

Minyrioloides maritimus Crocker et Parker, 1970*Varyphuma maritimum*

В?, З+И. — РФ?, Кирг.

Minyrioloides trifrons (O.Pickard-Cambridge, 1863)= *M. affinis* Schenkel, 1930

Б, В, Г2, Е2, З+И/П, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Аз, Каз.

З+И?? — Кирг??

Minyriolus* Simon, 1884 (M)Minyriolus pusillus* (Wider, 1834)

Б, В, Г2, Д, Е2, М, Н+О, П, Т1, Т3. — РФ, Эст, Латв, Лит, Бел, Укр.

Mioxena* Simon, 1926 (F)Mioxena blanda* (Simon, 1884)= *Micrargus candidus* (Bösenberg, 1902)

В, Д. — РФ, Эст, Лит, Бел, Укр.

Moebelia* F.Dahl, 1886 (F)Moebelia penicillata* (Westring, 1851)

Б, В, Г2, Д, Е1, Е2. — РФ, Эст, Бел, Укр, Гр.

¹ The types are not located: cf. Marusik et al. [1993].² See Prószyński, Starega, 1971.

***Moebelotinus* Wunderlich, 1995 (M)**

Moebelotinus transbaikalicus (Eskov, 1989)
Sisis transbaikalicus
Panamomops transbaikalicus
 П. — РФ.

***Monocerellus* Tanasevitch, 1983 (M)**

Monocerellus montanus Tanasevitch, 1983
 Г2, H+O, П, P, C1, C2. — РФ.

***Mughiphantes* Saaristo et Tanasevitch, 1999 (M)**

Lepthyphantes Menge, 1866, part.

Subgenus *Aurantiphantes* Saaristo et Tanasevitch, 1999 (M)

Mughiphantes (Aurantiphantes) ovtchinnikovi (Tanasevitch, 1989)
 З+И. — Кирг.
Mughiphantes (Aurantiphantes) tienshangensis (Tanasevitch, 1986)
 З+И. — Каз, Кирг.
Mughiphantes (Aurantiphantes) vittatus (Spassky, 1941)
 З+И. — Узб, Кирг, Тадж.

Subgenus *Mughiphantes* Saaristo et Tanasevitch, 1999 (M)

Mughiphantes (Mughiphantes) logunovi Tanasevitch, 2000
 П. — РФ.
Mughiphantes (Mughiphantes) marusiki (Tanasevitch, 1987)
Parawubanooides marusiki
 H+O, П, P. — РФ.
Mughiphantes (Mughiphantes) mughii (Fickert, 1875)
 Б, В, Д. — РФ, Укр, Молд.
Mughiphantes (Mughiphantes) nigromaculatus (Zhu et Wen, 1983)
Parawubanooides nigromaculatus
 T1. — РФ.
 {*Mughiphantes (Mughiphantes) variabilis* (Kulczyński, 1887)}
 Б? — РФ?

Subgenus *Suffusiphantes* Saaristo et Tanasevitch, 1999 (M)

Mughiphantes (Suffusiphantes) aculifer (Tanasevitch, 1988)
 P, C1, T1. — РФ.
Mughiphantes (Suffusiphantes) suffusus (Strand, 1901)
 Б, Г2, М, H+O, П, P, C1, C2, T1, T2. — РФ.

Subgenus *Whymperiphantes* Saaristo et Tanasevitch, 1999 (M)

Mughiphantes (Whymperiphantes) sobrioides Tanasevitch, 2000
 П. — РФ.
Mughiphantes (Whymperiphantes) sobrius (Thorell, 1872)
 = *Lepthyphantes latebricola* (L.Koch, 1879),
 = *L. chuktshorum* Marusik, 1991
 Г1, М, H+O, C1. — РФ.
Mughiphantes (Whymperiphantes) taczanowskii (O.Pickard-Cambridge, 1873)
 = *Lepthyphantes trucidans* (L.Koch, 1879),
 = *L. torvus* Kulczyński, 1926
 М, H+O, П, P, C1, C2, T1, T2. — РФ.

Mughiphantes (Whymperiphantes) whymeri (F.O.Pickard-Cambridge, 1894)

Б, П. — РФ.

М??

***Nematogmus* Simon, 1884 (M)**

Nematogmus sanguinolentus (Walckenaer, 1841)

В, Г2, Д, Е2, П, Т1. — РФ, Укр, Гр.

***Nenilinium* Eskov, 1988 (N)**

Nenilinium asiaticum Eskov, 1988

Н+О, П, Р, Т1, Т2. — РФ.

(*Nenilinium luteolum* (Loksa, 1965))

Т1?? — РФ??

***Neriere* Blackwall, 1833 (F)**

Linyphia Latreille, 1804, part.

Neriere albolimbata (Karsch, 1879)

Т1, Т2. — РФ.

Neriere angulifera (Schenkel, 1953)

Т1, Т2, Т3. — РФ.

Neriere clathrata (Sundevall, 1830)

= *Linyphia amurensis* Strand, 1907, **nomen dubium**¹

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.

Neriere coosa (Gertsch, 1951)

Т2. — РФ.

Neriere emphana (Walckenaer, 1841)

Б, В, Г2, Д, Е2, З+И, М, Н+О, П, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Neriere furtiva (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, Е1, Е2, М, П. — РФ, Укр, Молд.

Neriere hammeni (Helsdingen, 1963)

П, Т2? — РФ.

Neriere japonica (Oi, 1960)

Т1, Т3. — РФ.

Neriere limbatinella (Bösenberg et Strand, 1906)

Т1. — РФ.

Neriere liupanensis Tang et Song, 1982

Т1. — РФ.

Neriere longipedella (Bösenberg et Strand, 1906)

Т1. — РФ.

Neriere montana (Clerck, 1758)

Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Тадж.

Neriere nigripectoris (Oi, 1960)

Т1. — РФ.

Neriere oidedicata Helsdingen, 1969

Т1. — РФ.

¹ The species has been described from an inadult female: cf. Marusik et al. [1993]. Nevertheless, here the synonymy established by P.J. van Helsdingen [1969] is followed.

Neriene peltata (Wider, 1834)

Б, В, Г2, Д, Е1, Е2, Ж1, М, П. — РФ, Эст, Латв, Бел, Укр, Гр, Аз, Арм.

Neriene radiata (Walckenaer, 1841)

= *Linyphia marginata* (C.L.Koch, 1834), праеосс. in *Neriene*

Б, В, Г2, Д, Е2, Л, М, Н+О, П, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

Neriene subarctica Marusik, 1991

Н+О, П, Р, С1. — РФ.

***Neserigone* Eskov, 1992 (F)**

Neserigone basarukini Eskov, 1992

Т1, Т2, Т3. — РФ.

***Nippononeta* Eskov, 1992 (F)**

Nippononeta embolica Tanasevitch, 2005

Т1. — РФ.

Nippononeta kurilensis Eskov, 1992

Т2, Т3. — РФ.

***Nispa* Eskov, 1993 (M)**

Nispa barbatus Eskov, 1993

Т2, Т3. — РФ.

***Notiogyne* Tanasevitch, 2007 (F**)**

Notiogyne falcata Tanasevitch, 2007

Т1. — РФ.

***Notioscopus* Simon, 1884 (M)**

Notioscopus jamalensis Grese, 1909, **nomen dubium**¹

М. — РФ.

Notioscopus sarcinatus (O.Pickard-Cambridge, 1872)

Б, В, Г2, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Укр.

Notioscopus sibiricus Tanasevitch, 2007

Н+О, П, Р, С1, Т1, Т2. — РФ.

***Nusoncus* Wunderlich, 2008 (M)**

Nusoncus nasutus (Schenkel, 1925)

Troxochrus nasutus

В, Д. — РФ, Эст, Латв, Укр.

***Obscuriphantes* Saaristo et Tanasevitch, 2000 (M)**

Lepthyphantes Menge, 1866, part.

Obscuriphantes obscurus (Blackwall, 1841)

Б, В, Г2, Д, Е2, М. — РФ, Эст, Латв, Бел, Укр, Гр.

Obscuriphantes pseudoobscurus (Marusik, Hippa et Koronen, 1996)

З+И, М?, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Каз.

Г2??

¹ [Tanasevitch, 2007].

Oculocornia Oligier, 1985 (F)*Oculocornia orientalis* Oligier, 1985

T1. — PΦ.

Oedothorax Bertkau in Förster et Bertkau, 1883 (M)= *Stylothorax* Bertkau in Förster et Bertkau, 1883,= *Kulczynskiellum* F.O.Pickard-Cambridge, 1894*Oedothorax agrestis* (Blackwall, 1853)

Б, В, Г2, Д, Л, М, Н+О, П. — PΦ, Эст, Укр.

Oedothorax apicatus (Blackwall, 1850)

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, П. — PΦ, Эст, Латв, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Oedothorax fuscus (Blackwall, 1834)

В, Г2, Д? — PΦ, Эст, Латв, Бел, Укр.

Н+О??

Oedothorax gibbifer (Kulczyński, 1881)¹

В, Д. — PΦ, Укр.

Oedothorax gibbosus (Blackwall, 1841)= *O. tuberosus* (Blackwall, 1841)

Б, В, Г2, Д, М, Н+О, П. — PΦ, Эст, Латв, Лит, Бел, Укр.

Oedothorax hulongensis Zhu et Wen, 1980

T1, T2. — PΦ.

Oedothorax meridionalis Tanasevitch, 1987

Е2, Ж1, З+И. — PΦ, Гр, Аз, Арм, Кирг.

Oedothorax mongolensis (Heimer, 1987)

П. — PΦ.

Oedothorax retusus (Westring, 1851)

Б, В, Г2, Д, Е2, З+И, М, Н+О, П, Р. — PΦ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз.

Г1?? — Тадж??

Oedothorax trilobatus (Banks, 1896)

С2. — PΦ.

Oia Wunderlich, 1973 (F)*Oia imadatei* (Oi, 1964)

T1, T2, T3. — PΦ.

Okhotigone Eskov, 1993 (F)*Okhotigone sounkyoensis* (H.Saito, 1986)

Р, С1, T1, T2, T3. — PΦ.

Oreoneta Kulczyński, 1894 (F)*Hilaira* Simon, 1884, part.*Oreoneta alpina* (Eskov, 1987)

Р, С1. — PΦ.

Oreoneta arctica (Holm, 1960)*Hilaira montigena arctica*

С1, С3. — PΦ.

M??

¹ In this case, species name is to be considered as an adjective, since its author (Kulczyński) referred to it in his other papers as *Nerienne gibbifera* of *Kulczynskiellum gibbiferum*.

Oreoneta beringiana Saaristo et Marusik, 2004

H+O, C1, C3. — PΦ.

Oreoneta eskovi Saaristo et Marusik, 2004

H+O, П. — PΦ.

Oreoneta intercepta (O.Pickard-Cambridge, 1873)

= *Hilaira frigida* (auct., non Thorell, 1872),

= *H. montigena* (auct., non L.Koch, 1872)

H+O, П. — PΦ.

Б??, Г2??, Е2??, З+И??, М??, С1??, С2??, С3??, С4?? — Каз??, Кирг??

Oreoneta kurile Saaristo et Marusik, 2004

С3. — PΦ.

Oreoneta leviceps (L.Koch, 1879)

Б, В, Г1, Г2, М, H+O, P, C1. — PΦ.

С3??

Oreoneta logunovi Saaristo et Marusik, 2004

П. — PΦ.

Oreoneta magaputo Saaristo et Marusik, 2004

H+O, P, C2. — PΦ.

Oreoneta mineevi Saaristo et Marusik, 2004

С1. — PΦ.

Oreoneta punctata (Tullgren, 1955)

Б. — PΦ.

Oreoneta sinuosa (Tullgren, 1955)

Б. — PΦ.

Oreoneta tienshangensis Saaristo et Marusik, 2004

З+И. — Каз.

Oreoneta tuva Saaristo et Marusik, 2004

П. — PΦ.

Oreoneta uralensis Saaristo et Marusik, 2004

В, Г2, М, П. — PΦ.

***Oreonetides* Strand, 1901 (M)**

Oreonetides badzhalensis Eskov, 1991

Т1. — PΦ.

Oreonetides beringianus Eskov, 1991

P, C1, T2. — PΦ.

Oreonetides helsdingeni Eskov, 1984

H+O, П, P, T1, T2. — PΦ.

Oreonetides kolymensis Eskov, 1991

P, C1, T1. — PΦ.

Oreonetides sajanensis Eskov, 1991

H+O, П. — PΦ.

Oreonetides shimizui (Yaginuma, 1972)

= *O. lingualis* H.Saito, 1978

Т3. — PΦ.

Oreonetides vaginatus (Thorell, 1872)

= *O. adipatus* (L.Koch, 1872),

= *O. ululabilis* (Keyserling, 1886)

Б, В, Г2, М, H+O, П, P, C1, C2, C3, C4. — PΦ.

***Oryphantes* Hull, 1932 (M)**

Lepthyphantes Menge, 1866, part.

Oryphantes angulatus (O.Pickard-Cambridge, 1881)

= *Lepthyphantes lofotensis* Strand, 1901,

= *L. murmanicola* Strand, 1913

Б, В, Г2, М. — РФ, Эст, Лит, Укр.

Т2??

Oryphantes bipilis (Kulczyński, 1885)

П, С1, С2. — РФ.

Т2??

Oryphantes cognatus (Tanasevitch, 1992)

Т2. — РФ.

Oryphantes geminus (Tanasevitch, 1982)

= *Lepthyphantes tes* Marusik, Hippa et Koponen, 1996

В, Г2, М, Н+О, П. — РФ, Каз.

***Ostearius* Hull, 1911 (M)**

Ostearius melanopygius (O.Pickard-Cambridge, 1879)

В, Т1. — РФ, Лит.

***Pacifiphantes* Eskov et Marusik, 1994 (M)**

(*Pacifiphantes magnificus* Chamberlin et Ivie, 1943)

Bathyphantes magnificus

Т1?? — РФ??

Pacifiphantes zakharovi Eskov et Marusik, 1994

Т1. — РФ.

***Palliduphantes* Saaristo et Tanasevitch, 2001 (M)**

Lepthyphantes Menge, 1866, part.

Palliduphantes altus (Tanasevitch, 1986)

З+И. — Каз, Кирг.

Palliduphantes alutacius (Simon, 1884)

Б, В, Г2, М, Н+О. — РФ, Лит, Укр.

Palliduphantes antroniensis (Schenkel, 1933)

Б, Г2, М. — РФ.

Palliduphantes ericaeus (Blackwall, 1853)

В. — РФ.

Palliduphantes insignis (O.Pickard-Cambridge, 1913)

В. — РФ, Лит, Бел.

Palliduphantes intirmus (Tanasevitch, 1987)

Е2. — РФ, Гр, Аз.

Palliduphantes khobarum (Charitonov, 1947)

Е1, Е2. — РФ, Укр, Гр, Аз.

Palliduphantes milleri (Starega, 1972)

Д. — Укр.

(*Palliduphantes montanus* (Kulczyński, 1898))

Д?? — Укр??

Palliduphantes pallidus (O.Pickard-Cambridge, 1871)¹

Б, В, Д. — РФ, Эст, Лит, Бел, Укр.

Г2??

¹ Records of *P. pallidus* from European Russia possibly belong to *P. alutacius* (several misidentifications are listed in Tanasevitch [2008]).

Palliduphantes pillichii (Kulczyński, 1915)

В. — Бел.

Palliduphantes solivagus (Tanasevitch, 1986)

З+И. — Кирг.

***Panamomops* Simon, 1884 (M)**

= *Microstrandina* Charitonov, 1937

(*Panamomops affinis* F.Miller et Kratochvil, 1939)

П?? — РФ??

Panamomops depilis Eskov et Marusik, 1994

З+И, П. — РФ, Каз.

Panamomops dybowskii (O.Pickard-Cambridge, 1873)

В, Г2, М, Н+О, П. — РФ.

Panamomops fedotovi (Charitonov, 1937)

Microstrandina fedotovi

В, Е1, Е2, Ж1. — РФ, Укр, Гр, Арм.

Panamomops inconspicuus (F.Miller et Valesova, 1964)

В, М? — РФ.

Panamomops mengei Simon, 1926

Б, В, Г2, Д, З+И, М. — РФ, Эст, Латв, Бел, Укр, Молд, Каз.

Panamomops pamiricus Tanasevitch, 1989

З+И. — Кирг.

Panamomops sulcifrons (Wider, 1834)

В, Е2. — РФ.

Panamomops tauricornis (Simon, 1881)

В, Г2, П, Т1, Т2. — РФ.

***Paraeboria* Eskov, 1990 (F)**

Paraeboria jeniseica (Eskov, 1981)

Typhochrestus jeniseicus

М, Н+О, П, Р, С1, Т1, Т2. — РФ.

***Paraglyphesis* Eskov, 1991 (M)**

Paraglyphesis lasiargoides Eskov, 1991

М, Р, Т1. — РФ.

Paraglyphesis monticola Eskov, 1991

С1. — РФ.

Paraglyphesis polaris Eskov, 1991

В, Н+О, Р. — РФ.

***Parapelecopsis* Wunderlich, 1991 (F)**

Pelecopsis Simon, 1864, part.

Parapelecopsis mediocris (Kulczyński, 1899)

Д. — Укр.

Parapelecopsis nemoralis (Blackwall, 1841)

В, Е2. — РФ, Гр.

К?? — Турк??

***Parasisis* Eskov, 1984 (M)**

Parasisis amurensis Eskov, 1984

Т1, Т2. — РФ.

***Paratmeticus* Marusik et Koponen, 2010 (M)**

Tmeticus Menge, 1868, part

Paratmeticus bipunctis (Bösenberg et Strand, 1906)

= *Tmeticus japonicus* Oi, 1960

C2, C3, T2, T3. — PФ.

***Parawubanooides* Eskov et Marusik, 1992 (M)**

Parawubanooides unicornis (O.Pickard-Cambridge, 1873)

Lepthyphantes unicornis

= *Bathyphantes fucatus* Kulczyński, 1885

H+O, П, P, C1, C2, T1, T2. — PФ.

***Pelecopsis* Simon, 1864 (F)**

= *Lophocarenum* Menge, 1866

Pelecopsis crassipes Tanasevitch, 1987

E2, Ж1. — PФ, Гр, Аз, Арм.

Pelecopsis dorniana Heimer, 1987

H+O, П, P, C1. — PФ, Каз¹.

Pelecopsis elongata (Wider, 1834)

Б, В, Г2, Д. — PФ, Эст, Латв, Лит, Бел, Укр.

Pelecopsis laptevi Tanasevitch et Fet, 1986

= *P. steppensis* Gnelitsa, 2008

В, Е1, Ж2, К. — PФ, Укр, Каз, Турк.

Pelecopsis mengei (Simon, 1884)

Trichopterna mengei

Б, В, Г2, З+И, М, H+O, П, C1, C2. — PФ, Эст, Латв, Бел, Укр, Молд, Каз.

Pelecopsis minor Wunderlich, 1995

П. — PФ.

Pelecopsis nigriloba Fei, Gao et Zhu, 1995

T1. — PФ.

Pelecopsis odontophora (Kulczyński, 1895)

В, Е2. — PФ, Гр.

Pelecopsis palmgreni Marusik et Eshyunin, 1998

З+И, П. — PФ, Каз.

Pelecopsis parallela (Wider, 1834)

= *Erigone aesopea* L.Koch, 1879,

= *Pelecopsis baicalensis* Marusik, Koponen et Danilov, 2001

В, Г1, Г2, Е1, З+И, М, H+O, П, P, C1, C2. — PФ, Эст, Лит, Бел, Укр, Молд, Каз, Кирг.

Pelecopsis paralleloides Tanasevitch et Fet, 1986

В, Ж2, З+И, М. — PФ, Каз, Турк.

Pelecopsis parvicollis Wunderlich, 1995

П. — PФ.

Pelecopsis radicolica (L.Koch, 1872)

Б, В, Д, T1. — PФ, Эст, Латв, Укр.

***Peponocranium* Simon, 1884² (N)**

Peponocranium ludicrum (O.Pickard-Cambridge, 1861)

В, Г2, М/П. — PФ, Эст, Укр.

Peponocranium orbiculatum (O.Pickard-Cambridge, 1882)

В, Г2, Е2. — PФ, Эст, Укр, Гр.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Indication of *Peponocranium desolatum* for В. — Укр [Gnelitsa, 1993] is a lapsus: such species doesn't exist.

Peponocranium praeceps Miller, 1943

В, Г2. — РФ, Укр.

***Perlongipalpus* Eskov et Marusik, 1991 (M)**

Perlongipalpus mannilai Eskov et Marusik, 1991

Р, Т1. — РФ.

Perlongipalpus pinipumilis Eskov et Marusik, 1991

Н+О, П, Р, С1, Т1. — РФ.

Perlongipalpus saaristoi Marusik et Koponen, 2008

П. — РФ.

***Perregrinus* Tanasevitch, 1992 (M)**

Peregrinus Tanasevitch, 1982, praecoc.

Perregrinus deformis (Tanasevitch, 1982)

Б, В, Г2, М, Н+О, П, Р, С1, С2, Т1. — РФ.

***Perro* Tanasevitch, 1992 (F)**

Pero Tanasevitch, 1985, praecoc.

Perro camtschadalica (Kulczyński, 1885)

С2. — РФ.

Perro polaris (Eskov, 1986)

Н+О, Р, С1. — РФ.

Perro putoranica (Eskov, 1986)

Н+О. — РФ.

Perro subtilipes (Tanasevitch, 1985)

Г2. — РФ.

Perro tshuktshorum (Eskov et Marusik, 1991)

С1. — РФ.

***Phlattothrata* Crosby et Bishop, 1933 (F)**

Phlattothrata parva (Kulczyński, 1926)

Р, С1, С2, С3. — РФ.

***Piniphantes* Saaristo et Tanasevitch, 1996 (M)**

Lepthyphantes Menge, 1866, part.

Piniphantes cinereus (Tanasevitch, 1986)

З+И. — Кирг.

Piniphantes macer (Tanasevitch, 1986)

З+И. — Кирг.

Piniphantes pinicola (Simon, 1884)

= *Lepthyphantes tauricola* Strand, 1910

Е1, Е2, Ж1, Ж2. — РФ, Укр, Гр, Арм, Турк.

Piniphantes plumatus (Tanasevitch, 1986)

З+И. — Кирг.

Piniphantes uzbekistanicus (Tanasevitch, 1983)

З+И. — Узб, Кирг.

Piniphantes zonsteini (Tanasevitch, 1989)

= *Lepthyphantes uzbekistanicus* Tanasevitch, 1983, part., ♀.

З+И. — Узб, Кирг.

Pityohyphantes* Simon, 1929 (M)Pityohyphantes palilis* (L.Koch, 1870)

В. — Укр.

РФ??

Pityohyphantes phrygianus (C.L.Koch, 1836)

Б, В, Г2, Д, З+И, М, Н+О, П, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Plesiophantes* Heimer, 1981 (M)Plesiophantes joosti* Heimer, 1981Е2. — РФ?, РФ/Гр¹.*Plesiophantes simplex* Tanasevitch, 1987

Е2. — Гр.

Plesiophantes tanasevitchi Wunderlich, 2011

Е2. — РФ.

Pocadicnemis* Simon, 1884 (F)Pocadicnemis juncea* Millidge, 1953

Е1. — Укр.

Pocadicnemis pumila (Blackwall, 1841)Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С3/Т3², Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз.***Poeciloneta* Kulczyński in Chyzer et Kulczyński, 1894 (F)***Poeciloneta pallida* Kulczyński, 1908

Н+О, Р, С1, Т1. — РФ.

Poeciloneta petrophila Tanasevitch, 1989

П, Р, С1. — РФ.

Poeciloneta tanasevitchi Marusik, 1991

Н+О, С1. — РФ.

Poeciloneta theridiformis (Emerton, 1911)

Г2, Н+О, П, Р, С1, Т2. — РФ.

Poeciloneta vakhanka Tanasevitch, 1989

Н+О, Р, С1, Т1. — РФ.

Poeciloneta variegata (Blackwall, 1841)= *P. globosa* (Wider, 1834), sensu Strand etc.= *Linyphia picturata* L.Koch, 1879= *Poeciloneta yanensis* Marusik et Koponen in Marusik et al., 2002

Б, В, Г2, Д, Е2, З+И, М, Н+О, П, Р, С1, С2, Т1. — РФ, Эст, Бел, Укр, Каз, Кирг.

Porrhomma* Simon, 1884 (N)Porrhomma boreale* (Banks, 1899)= *P. nunamo* Holm, 1970= *P. kulczynskii* Starega, 1974

В, Г2, Н+О, П, Р, С1, С2, С4, Т1. — РФ.

М??

{*Porrhomma calypso* (Bertkau in Förster et Bertkau, 1883)}

Д? — Укр?

¹ In the original description: "Georgien, am Ufer des Sotschi-Flusses oberhalb Plastunka" [Heimer, 1981].² Kurile Islands [Marusik et al., 2000].

Porrhomma campbelli F.O.Pickard-Cambridge, 1894

= *P. fagei* F.Miller et Kratochvil, 1940

В?, Г2, Д, Н+О. — РФ, Укр.

Б??

Porrhomma convexum (Westring, 1851)

Bathyphantes convexus,

= *P. norvegicum* Strand, 1901

Б, В, Г2, Д, Е2, М. — РФ, Эст, Бел, Укр, Гр, Каз.

Н+О??

Porrhomma egeria Simon, 1884

Б, В, М? — РФ, Латв.

Г2??

Porrhomma errans (Blackwall, 1841)

В, Д. — Бел, Укр.

С2?? — РФ??

Porrhomma hebescens (L.Koch, 1879)

= *Linyphia desolata* L.Koch, 1879,

= *Erigone formosa* L.Koch, 1879,

= *Porrhomma montanum* Jackson, 1913¹

Б, В, Г2, Е2, Н+О, П, С2. — РФ, Эст, Латв, Укр.

Porrhomma longjiangense Zhu et Wang, 1983

П, Р, С1, Т1. — РФ.

Porrhomma magnum Tanasevitch, 2012

П. — РФ, Каз.

Porrhomma microcavense Wunderlich, 1980

Г2. — РФ.

Porrhomma microphthalmum (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, Е2. — РФ, Эст, Латв, Лит, Бел, Укр.

Porrhomma microps (Roewer, 1931)

= *P. lativela* Tretzel, 1956

Е2. — РФ, Аз.

Porrhomma oblitum (O.Pickard-Cambridge, 1871)

В, Г2. — РФ, Лит.

Porrhomma pallidum Jackson, 1913

Б, В, Г2, З+И, М, Н+О, П, С2, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Porrhomma pygmaeum (Blackwall, 1834)

Б, В, Г2, Д, Е2, Ж1, З+И, М, Н+О, П, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб.

(*Porrhomma rakanum* Yaginuma et H.Saito, 1981)

Т1?? — РФ??

Porrhomma rosenhaueri (L.Koch, 1872)

В. — РФ, Латв.

***Praestigia* Millidge, 1954 (F)**

(*Praestigia duffeyi* Millidge, 1954)

Г2?? — РФ??

Praestigia eskovi Marusik, Gnelitsa et Koponen, 2008

Н+О, С1. — РФ.

{*Praestigia groenlandica* Holm, 1967}

М? — РФ?

В??, Г1??, Г2??, Н+О??, Р??, С1??

Praestigia kulczynskii Eskov, 1979

В, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ.

¹ Valid species name, after Platnick [2013].

Praestigia makarovae Marusik, Gnelitsa et Koponen, 2008

Г1, Г2? — PΦ.

Praestigia pini (Holm, 1950)

Б, Г2, М, H+O, П, T1, T2. — PΦ.

Praestigia sibirica Marusik, Gnelitsa et Koponen, 2008

H+O, P, C1. — PΦ.

Praestigia uralensis Marusik, Gnelitsa et Koponen, 2008

Г2. — PΦ.

***Prinerigone* Millidge, 1988 (F)**

Erigone Audouin, 1826, part.

Prinerigone vagans (Audouin, 1826)

В, Д?, Е1, Е2, Ж2, З+И, К. — PΦ, Лит?, Укр, Молд, Аз, Каз, Узб, Турк, Кирг, Тадж.

***Procerocymbium* Eskov, 1989 (N)**

Procerocymbium buryaticum Marusik et Koponen, 2001

H+O, П. — PΦ.

Procerocymbium jenseicum Marusik et Koponen, 2001

H+O. — PΦ.

Procerocymbium sibiricum Eskov, 1989

H+O?, П, P, C1. — PΦ.

***Proislandiana* Tanasevitch, 1985 (F)**

Proislandiana pallida (Kulczyński, 1908)

Г2, H+O, P. — PΦ.

***Pseudocyba* Tanasevitch, 1984 (F)**

Pseudocyba miracula Tanasevitch, 1984

= *Eboria sibirica* Holm, 1973, part., ♀.

В, Г2, З+И, М, H+O, П, P, C1. — PΦ, Каз.

***Pseudohilaira* Eskov, 1990 (F)**

Pseudohilaira mirabilis Eskov, 1990

П. — PΦ.

***Pseudoporrhomma* Eskov, 1993 (N)**

Pseudoporrhomma maritimum Eskov, 1993¹

T1. — PΦ.

***Pseudowubana* Eskov et Marusik, 1992 (F)**

= *Veles* Pakhorukov, 1981, praecoc.

Pseudowubana wagaе (O.Pickard-Cambridge, 1873)

М/П, H+O, П, P, C1, T1, T2. — PΦ.

Г2??

***Russocampus* Tanasevitch, 2004 (M)**

Russocampus polchaninovae Tanasevitch, 2004

В. — PΦ.

¹ The original specific name is *maritima*, but *Porrhomma*, from which the new generic name derived, is of neuter gender, and the author has corrected the species spelling later by himself [Eskov, 1994].

Saaristoa Millidge, 1977 (F)

Saaristoa abnormis (Blackwall, 1841)
Oreonetides abnormis
 Б, В, Г2. — РФ, Эст, Латв, Лит, Бел.
 П??

Sachaliphantes Saaristo et Tanasevitch, 2004 (M)

Lepthyphantes Menge, 1866, part.
Sachaliphantes sachalinensis (Tanasevitch, 1987)
Mughiphantes sachalinensis
 Т1, Т2, Т3. — РФ.

Saloca Simon, 1926 (F)

Saloca diceros (O.Pickard-Cambridge, 1871)
 П. — РФ.
 Д?? — Укр??
Saloca kulczynskii F.Miller et Kratochvil, 1939
 Д. — Укр.
Saloca ryvkini Eskov et Marusik, 1994
 Н+О, П. — РФ.

Satlatlas Keyserling, 1886 (M)

Satlatlas britteni (Jackson, 1913)
Perimones britteni
 Б, В. — РФ, Эст.
Satlatlas marxi Keyserling, 1886
 П. — РФ.

Sauron Eskov in Eskov et Marusik, 1995 (M)

Sauron fissocornis Eskov in Eskov et Marusik, 1995
 В, З+И, П. — РФ, Укр, Каз.
Sauron rayi (Simon, 1881)
 В, E1, E2. — РФ, Укр.

Savignia Blackwall, 1833

Savignya auct., inv, emend.
Savignia amurensis Eskov, 1991
 = *S. basarukini* Eskov, 1988, part.
 Т1. — РФ.
Savignia badzhalensis Eskov, 1991
 Т1. — РФ.
Savignia basarukini Eskov, 1988
 Т2. — РФ.
 Т1??
Savignia birostra (Chamberlin et Ivie, 1947)
 = *S. nenilini* Marusik, 1988
 Г2, Н+О, П, Р, С1, С2, Т1, Т2. — РФ.
Savignia borea Eskov, 1988
 Р, С1, Т1. — РФ.
Savignia burensis Tanasevitch et Trilikauskas, 2006
 Т1. — РФ.

Savignia centrasiatica Eskov, 1991

П. — РФ.

Savignia eskovi Marusik, Koponen et Danilov, 2001

П. — РФ.

Savignia frontata Blackwall, 1833

= *Erigone succinea* L.Koch, 1879

Б, В, Г2, Д, Е2, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Каз.
С1??

Savignia producta Holm, 1977

Б, В, Г2, М, Н+О. — РФ.

Savignia satoi Eskov, 1988

С3, Т1, Т2, Т3. — РФ.

Savignia ussurica Eskov, 1988

Т1. — РФ.

Savignia zero Eskov, 1988

Н+О, Р, С1, Т1. — РФ.

***Scandichrestus* Wunderlich, 1995 (M)**

Scandichrestus tenuis (Holm, 1943)

Typhochrestus tenuis

Б, В, Г2, М, Н+О, М/П. — РФ, Эст.

***Sciastes* Bishop et Crosby, 1938 (M)**

Sciastes dubius (Hackman, 1954)

= *S. ensifer* Millidge, 1984

С1, С2. — РФ.

Sciastes hyperboreus (Kulczyński, 1908)

Н+О. — РФ.

***Scotargus* Simon, 1913 (M)**

Scotargus pilosus Simon, 1913

= *Macrargus strandi* (Schenkel, 1934)

Б, В, Д, Е2, З+И, П, Т1. — РФ, Укр, Аз, Каз, Кирг, Тадж.

***Scotinotylus* Simon, 1884 (M)**

= *Caledonia* O.Pickard-Cambridge, 1894

Scotinotylus alienus (Kulczyński, 1885)

Н+О, Р, С1, С2. — РФ.

Scotinotylus alpigenus (L.Koch, 1869)

= *Erigone repudiata* L.Koch, 1879

Б, В, Г2, З+И, М, Н+О, П, С1, Т1. — РФ, Каз, Кирг.

Scotinotylus alpinus (Banks, 1896)

Н+О, П, Р, С1. — РФ.

Scotinotylus altaicus Marusik, Hippa et Koponen, 1996

П. — РФ.

Scotinotylus amurensis Eskov et Marusik, 1994

Т1. — РФ.

(*Scotinotylus clavatus* (Schenkel, 1927))

З+И?? — Кирг??

Scotinotylus evansi (O.Pickard-Cambridge, 1894)*

Caledonia evansi

Б, В, Г2, Е2. — РФ, Эст, Латв.

Н+О??, С1??, С2??

(*Scotinotylus gracilis* Millidge, 1981)

T1??, T2?? — PΦ??

Scotinotylus kimjoopili Eskov et Marusik, 1994

T1, T2. — PΦ.

Scotinotylus kolymensis Eskov et Marusik, 1994

P, C1. — PΦ.

Scotinotylus levii Marusik, 1988

C1, T1, T2. — PΦ.

Scotinotylus millidgei Eskov, 1989

H+O, П, P, C1, T2. — PΦ.

Scotinotylus protervus (L.Koch, 1879)

H+O, П, P, C1, T1. — PΦ.

M??

Scotinotylus sacer (Crosby, 1929)

B, H+O, П, C1, C2. — PΦ.

(*Scotinotylus sacratus* Millidge, 1981)

T1?? — PΦ??

Scotinotylus tianschanicus Tanasevitch, 1989

З+И. — Каз, Кирг.

***Scutpelecopsis* Marusik et Gnelitsa, 2009 (F**)**

Scutpelecopsis krausi (Wunderlich, 1980)

Pelecopsis krausi

E2, Ж1. — PΦ, Гр, Арм.

Scutpelecopsis wunderlichi Marusik et Gnelitsa, 2009

E2, Ж1. — PΦ, Гр, Арм.

***Semljicola* Strand, 1906 (M)**

= *Eboria* Falconer, 1910,

= *Latithorax* Holm, 1943

Semljicola alticola (Holm, 1950)

= *S. holmi* (Eskov, 1981)

Eboria holmi

Г2, M, P, C1. — PΦ.

Semljicola angulatus (Holm, 1963)

B, B, Г2, M, H+O, П, P, C1, C2, T2. — PΦ.

Semljicola arcticus (Eskov, 1989)

Latithorax arcticus

Г1, Г2, H+O, P, C1. — PΦ.

Semljicola barbiger (L.Koch, 1879)

Eboria barbiger

= *E. assimilis* (Holm, 1945)

B, B, Г1, Г2, З+И, M, H+O. — PΦ, Каз.

Semljicola beringianus (Eskov, 1989)

Eboria beringiana

P, C1. — PΦ.

Semljicola caliginosus (Falconer, 1910)

B. — PΦ.

Semljicola convexus (Holm, 1963)

Eboria convexa

C1. — PΦ.

Semljicola faustus (O.Pickard-Cambridge, 1900)

Latithorax faustus

B, B, Г2, H+O, T1. — PΦ, Эст, Латв.

Semljicola lapponicus (Holm, 1939)

Eboria lapponica

Б, В, М, H+O, P, C1, C2, T1. — PΦ.

Semljicola latus (Holm, 1939)

Latithorax latus

Б, В, Γ2, М, H+O, Π, P. — PΦ, Каз¹.

Semljicola simplex (Kulczyński, 1908)

Eboria simplex

= *E. sibirica* Holm, 1973, part., ♂.

H+O, P. — PΦ.

Semljicola thaleri (Eskov, 1981)

Latithorax thaleri

В, Γ2, 3+И, М, H+O, Π, P, C1, C2, T1. — PΦ, Каз.

***Sibirocyba* Eskov et Marusik, 1994 (F)**

Sibirocyba incerta (Kulczyński, 1916)

М, H+O, Π, P, C1. — PΦ.

***Silometopoides* Eskov, 1990 (M)**

Silometopoides asiaticus (Eskov in Eskov et Marusik, 1995)

Silometopus asiaticus

3+И. — Каз.

Silometopoides koponeni (Eskov et Marusik, 1994)

Silometopus koponeni

P, T1. — PΦ.

Silometopoides mongolensis Eskov et Marusik, 1992

Π. — PΦ.

Silometopoides pampia (Chamberlin, 1948)

Minyrioloides pampia

H+O, C1, T1. — PΦ.

М??, Π??, P??

Silometopoides sibiricus (Eskov, 1989)

Silometopus sibiricus

Γ2, H+O, Π, P, C1, T1. — PΦ.

Silometopoides sphagnicolus Eskov et Marusik, 1992

М, H+O, Π, P, C2, T1, T3? — PΦ.

Silometopoides tibialis (Heimer, 1987)

Π. — PΦ.

Silometopoides yodoensis (Oi, 1960)

T1. — PΦ.

***Silometopus* Simon, 1926 (M)**

Silometopus acutus Holm, 1977

Б, Γ2. — PΦ.

Silometopus ambiguus (O.Pickard-Cambridge, 1905)

В, М. — PΦ.

Silometopus crassipedis Tanasevitch et Piterkina, 2007

В, В/Γ2. — PΦ, Каз.

Silometopus elegans (O.Pickard-Cambridge, 1872)

Б, В, E2, М, H+O, Π. — PΦ, Эст, Латв, Бел, Укр.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Silometopus incurvatus (O.Pickard-Cambridge, 1873)

Б, В, Е2, З+И, М. — РФ, Эст, Укр, Каз, Кирг.
Г2??

Silometopus interjectus (O.Pickard-Cambridge, 1888)

В. — РФ.

Silometopus reussi (Thorell, 1871)*

= *Erigone vulnerata* L.Koch, 1879,

= *E. laesa* L.Koch, 1879

Б, В, Г2, Е1, Е2, М, Н+О, П, С1, Т2. — РФ, Латв, Лит, Укр.

Silometopus sachalinensis (Eskov et Marusik, 1994)

Silometopoides sachalinensis

Т2. — РФ.

Silometopus uralensis Tanasevitch, 1985

Г2, Н+О, П. — РФ.

***Sintula* Simon, 1884 (M)**

Sintula corniger (Blackwall, 1856)

Б, В, Г2, Д, Е2. — РФ, Эст, Лит, Бел, Укр, Гр, Аз.

Sintula oseticus Tanasevitch, 1990

Е2. — РФ.

Sintula retroversus (O.Pickard-Cambridge, 1875)

= *Erigone criodes* Thorell, 1875

В, Е1, Е2, Ж1. — РФ, Укр, Аз, Арм.

Sintula solitarius Gnelitsa, 2012

Е1. — Укр.

Sintula spiniger (Balogh, 1935)

В. — РФ, Укр.

***Sisicottus* Bishop et Crosby, 1938 (M)**

Sisicottus panopeus J.Miller, 1999

С3, С4. — РФ.

***Sisicus* Bishop et Crosby, 1938 (M)**

Sisicus apertus (Holm, 1939)

Б, В, Н+О, П, Р, С1, С2, Т2. — РФ, Эст.

***Stemonyphantes* Menge, 1866 (M)**

= *Narcissius* Ermolajev, 1930

(*Stemonyphantes abantensis* Wunderlich, 1978)

Е2?? — Гр??, Аз??

Stemonyphantes agnatus Tanasevitch, 1990

Е1, Е2. — РФ, Укр, Гр, Аз.

Stemonyphantes altaicus Tanasevitch, 2000

В, В/Г2, П. — РФ.

Stemonyphantes conspersus (L.Koch, 1879)

= *S. pictus* Schenkel, 1930

В, Г2, З+И, М, Н+О, П. — РФ, Каз.

Stemonyphantes curvipes Tanasevitch, 1989

З+И. — Кирг.

Stemonyphantes griseus (Schenkel, 1936)

= *S. volucer* Tanasevitch, 1985

З+И. — Кирг.

Stemonyphantes grossus Tanasevitch, 1985

З+И. — Кирг.

Stemonyphantes karatau Tanasevitch et Esyunin in Tanasevitch, Esyunin et Stepina, 2012

З+И. — Каз.

Stemonyphantes lineatus (Linnaeus, 1758)

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, М, Н+О, П. — РФ, Эст, Лит, Бел, Укр, Аз, Каз, Кирг. С2??

Stemonyphantes parvipalpus Tanasevitch, 2007

Т1. — РФ.

Stemonyphantes sibiricus (Grube, 1861)

М, Н+О, П, Р, С1, С2, С3, Т1, Т2. — РФ.

Stemonyphantes solitudus Tanasevitch, 1994

К. — Турк.

Stemonyphantes taiganoides Tanasevitch, Esyunin et Stepina, 2012

М, П. — РФ, Каз.

Stemonyphantes taiganus (Ermolajev, 1930)

Narcissius taiganus

М, П. — РФ.

Strandella Oi, 1960 (F)

Strandella fluctimaculata H.Saito, 1982

Т1. — РФ.

Strandella pargongensis (Paik, 1965)

Т1, Т2, Т3. — РФ.

Styloctetor Simon, 1884 (M)

= *Anacotyle* Simon, 1926

Styloctetor lehtineni Marusik et Tanasevitch, 1998

Г2, М, П, С1, С2, Т1. — РФ.

Styloctetor logunovi (Eskov et Marusik, 1994)

Ceratinopsis logunovi

П. — РФ.

Styloctetor okhotensis (Eskov in Marusik, Eskov, Logunov et Basarukin, 1993)

Ceratinopsis okhotensis

= *C. orientalis* Eskov, 1989, praecocc.

Р, С1. — РФ.

Styloctetor romanus (O.Pickard-Cambridge, 1872)

Ceratinopsis romana

Sphecozone romana

= *Erigone taurica* Thorell, 1875,

= *Thyreosthenius ? asiaticus* Andreeva et Tystshenko, 1970

В, Г2, Д?, Е1, Е2, Ж1, З+И, К, М, Н+О, П, Р, С1, Т1. — РФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Тадж.

Styloctetor stativus (Simon, 1881)

Ceratinopsis stativa

Б, В, Г2, М, Н+О, П, С1, Т1. — РФ, Эст, Латв, Бел, Укр, Каз.

Styloctetor tuvinensis Marusik et Tanasevitch, 1998

П. — РФ.

Syedra Simon, 1884 (F)

Syedra apettonensis Wunderlich, 1992

В. — РФ.

Syedra gracilis (Menge, 1869)

В. — РФ, Эст, Укр.

Syedra myrmicarum (Kulczyński, 1882)

В. — РФ.

Б??

***Tallusia* Lehtinen et Saaristo, 1972 (F)**

Tallusia experta (O.Pickard-Cambridge, 1871)

Centromerus expertus

Б, В, Г2, Е2, З+И, М, Н+О, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Каз.

Tallusia vindobonensis (Kulczyński, 1898)

В, Д. — Укр.

***Tanasevitchia* Marusik et Saaristo, 1999 (F)**

Minicia Thorell, 1875, part.

Tanasevitchia strandi (Ermolaev, 1937)

Araeoncus strandi

П. — РФ.

Tanasevitchia uralensis (Tanasevitch, 1983)

Г2, Н+О, П, Р, С1, Т1. — РФ.

***Tapinocyba* Simon, 1884 (F)**

= *Colobocyba* Simon, 1926

Tapinocyba affinis Lessert, 1907

В, Г2, Д. — РФ, Укр.

Tapinocyba biscissa (O.Pickard-Cambridge, 1872)

Б, В, Г2. — РФ, Лит, Бел, Укр, Молд.

Tapinocyba insecta (L.Koch, 1869)

Б, В, Г2, М. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Tapinocyba kolymensis Eskov, 1989

Н+О, Р, С1, Т1, Т2. — РФ.

Tapinocyba mitis (O.Pickard-Cambridge, 1882)

В. — РФ, Латв.

Tapinocyba pallens (O.Pickard-Cambridge, 1872)

Б, В, Г2, Е2, Ж1, М. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Арм.

Tapinocyba praecox (O.Pickard-Cambridge, 1873)

= *Diplocephalus tenellus* (Bösenberg, 1899)

В, Д? — РФ, Латв, Лит, Укр?

Tapinocyba spoliatrix Tanasevitch, 1985

З+И. — Кирг.

***Tapinocyboides* Wiehle, 1960 (M)**

Tapinocyboides pygmaeus (Menge, 1869)¹

= *Tapinocyba antepenultima* (O.Pickard-Cambridge, 1882)

Б, В, Г2, Д, Е2, М/П, П, Т2. — РФ, Эст, Латв, Лит, Укр.

***Tapinopa* Westring, 1851 (F)**

Tapinopa guttata Komatsu, 1937

Т1. — РФ.

¹ Generic name is of masculine gender [ICZN Article 30b]. The original specific ending in the description of the genus [Wiehle, 1960] was *pygmaea*, but has to be *pygmaeus*.

Tapinopa longidens (Wider, 1834)

Б, В, Г2, Е1, Е2, Ж1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Арм.
Т1??

***Taranucnus* Simon, 1884 (M)**

Taranucnus setosus (O.Pickard-Cambridge, 1863)

Б, В, Г2, Д, М, Н+О. — РФ, Эст, Лит, Укр.

***Tarsiphantes* Strand, 1905 (M)**

= *Pannicularia* Tanasevitch, 1983

Tarsiphantes latithorax (Strand, 1905)

Typhochrestus latithorax

= *Pannicularia sinuosa* Tanasevitch, 1983

В, Г2, М, Н+О, Р, С1. — РФ.

***Tchatkalophantes* Tanasevitch, 2001 (M)**

Lepthyphantes Menge, 1866, part.

Tchatkalophantes karatau Tanasevitch, 2001

З+И. — Каз.

Tchatkalophantes kungei Tanasevitch, 2001

З+И. — Кирг.

Tchatkalophantes rupeus (Tanasevitch, 1986)

З+И. — Каз.

Tchatkalophantes tarabaevi Tanasevitch, 2001

З+И. — Каз.

Tchatkalophantes tchatkalensis (Tanasevitch, 1983)

З+И. — Каз, Узб, Кирг, Тадж.

***Tenuiphantes* Saaristo et Tanasevitch, 1996 (M)**

Lepthyphantes Menge, 1866, part.

Tenuiphantes aequalis (Tanasevitch, 1987)

Е2, Ж1. — РФ, Арм.

Tenuiphantes alacris (Blackwall, 1853)

= *Lepthyphantes terricola* (C.L.Koch, 1845), sensu Grube, Ohlert etc.

Б, В, Г2, Д, М, Н+О, П, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Укр, Молд.

Tenuiphantes albimaculatus (O.Pickard-Cambridge, 1873)

В. — РФ.

Г2??²

Tenuiphantes ateripes (Tanasevitch, 1988)

Т1, Т2, Т3. — РФ.

Tenuiphantes contortus (Tanasevitch, 1986)

= *Lepthyphantes mcheidzeae* Michailov, 1998 (= *L. lagodechiensis* Mcheidze, 1997, praecoc. as *L. lagodekhensis* Tanasevitch, 1990)

Е2, Ж1. — РФ, Гр, Аз, Арм.

Tenuiphantes cristatus (Menge, 1866)

Б, В, Г2, Д, Е2?, М. — РФ, Эст, Латв, Лит, Бел, Укр, Аз?

Tenuiphantes flavipes (Blackwall, 1854)

Б, В, Д, Е2, М?, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр.

² This species was cited in Г2 [Pakhorukov, Efimik, 1988] erroneously, instead of *Lithyphantes albomaculatus* [Esyunin, Efimik, 1996].

Tenuiphantes mengei (Kulczyński, 1887)

= *Linyphia concinna* L.Koch, 1879, praeocc.,
 = *L. tomskica* Strand in Ermolajev, 1934, n.nov. pro *L. concinna*,
 = *L. concinella* Roewer, 1942, n.nov. pro *L. concinna*

Б, В, Г2, Д, Е1, Е2?, Ж1?, З+И, М, Н+О, П, С2, С4, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр?, Аз?, Арм?, Каз, Кирг.

Tenuiphantes morosus (Tanasevitch, 1987)

Е2. — РФ, Гр, Аз.

Tenuiphantes nigriventris (L.Koch, 1879)

= *Lepthyphantes camtschaticus* Kulczyński, 1926

Б, В, Г2, З+И, М, Н+О, П, С1, С2, С3, С4, Т1, Т2, Т3. — РФ, Каз.

Tenuiphantes perseus (Helsdingen in Helsdingen, Thaler et Deltshv, 1977)

Е2. — РФ, Гр, Аз.

Tenuiphantes suborientalis Tanasevitch, 2000

П. — РФ.

Tenuiphantes teberdaensis Tanasevitch, 2010

Е2. — РФ.

Tenuiphantes tenebricola (Wider, 1834)

Б, В, Г2, Д, М, М/П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Ж2??, З+И??, С2?? — Турк??, Тадж??

Tenuiphantes tenuis (Blackwall, 1852)

Б, В, Д, Е1, Е2, Ж1, Ж2, З+И, М, Н+О, М/П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Tenuiphantes zimmermanni (Bertkau, 1890)

Б, В, Д, Е1? — РФ, Эст, Латв, Укр.

Tessamoro* Eskov, 1993 (M)Tessamoro pallidus* Eskov, 1993

Т2. — РФ.

Thaleria* Tanasevitch, 1984 (F)Thaleria alnetorum* Eskov et Marusik, 1992

Р, С1, Т1. — РФ.

Thaleria evenkiensis Eskov et Marusik, 1992

Н+О. — РФ.

Thaleria leechi Eskov et Marusik, 1992

П. — РФ.

Thaleria orientalis Tanasevitch, 1984

В, Г2, М, Н+О, П. — РФ.

Thaleria sajanensis Eskov et Marusik, 1992

П. — РФ.

Thaleria sukatchevae Eskov et Marusik, 1992

П, Р, С1. — РФ.

Theonina* Simon, 1929 (F)Theonina cornix* (Simon, 1881)

В. — РФ.

З+И?? — Тадж??

Theonina kratochvili F.Miller et Weiss, 1979

В, Е1, Е2. — РФ, Укр.

***Thyreosthenius* Simon, 1884 (M)**

Thyreosthenius biovatus (O.Pickard-Cambridge, 1875)

= *Diplocephalus buddebergii* (Bösenberg, 1899)

В, Г2, Д?, М, Н+О, П, С1. — РФ, Эст, Латв, Укр?

Thyreosthenius parasiticus (Westring, 1851)

= *T. beckii* (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, Е2, М, Н+О, П, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Гр.

***Tibiaster* Tanasevitch, 1987 (M)**

Tibiaster djanybekensis Tanasevitch, 1987

В, Г2. — РФ, Каз.

Tibiaster wunderlichi Eskov in Eskov et Marusik, 1995

З+И, М. — Каз.

***Tibioploides* Eskov et Marusik, 1991 (M)**

Tibioploides arcuatus (Tullgren, 1955)

Б, В, М, Н+О, П, Т1, Т2, Т3. — РФ, Эст.

Tibioploides kurenstchikovi Eskov et Marusik, 1991

Т1, Т2. — РФ.

Tibioploides pacificus Eskov et Marusik, 1991

Р, С1, С2, Т1, Т2. — РФ.

Tibioploides stigmatosus (Xia, Zhang, Gao, Faei et Kim, 2001)

Т3. — РФ.

***Tibioplus* Chamberlin et Ivie, 1947 (M)**

Tibioplus diversus (L.Koch, 1879)

Б, В, Г2, М, Н+О, П, Р, С1, С2, С3/Т3¹, Т1, Т2. — РФ.

Tibioplus tachygynoides Tanasevitch, 1989

З+И. — Кирг.

***Tiso* Simon, 1884 (M)**

Tiso aestivus (L.Koch, 1872)

Б, В, З+И, М, Н+О, П, Р, С1, С2, С3, Т2. — РФ, Кирг.

Tiso camillus Tanasevitch, 1990

Е2. — Аз.

Tiso golovatchi Tanasevitch, 2006

Т1. — РФ.

Tiso vagans (Blackwall, 1834)

= *T. longimanus* (C.L.Koch, 1841)

В, Д. — РФ, Эст, Латв, Лит, Бел, Укр.

***Tmeticus* Menge, 1868 (M)**

Tmeticus affinis (Blackwall, 1855)

Б, В, М, Н+О, П, Р?, С1, С2. — РФ, Эст, Латв, Лит.

Tmeticus nigriceps (Kulczyński, 1916)

Г2, М, Н+О, С1, Т1. — РФ.

Tmeticus tolli Kulczyński, 1908

= *Gongylidium vile* Kulczyński, 1885,

= *Tmeticus difficilis* Kulczyński, 1926,

= *T. dubius* Kulczyński, 1926

Н+О, Р, С1, С2, Т1, Т2. — РФ.

¹ Kurile Islands [Marusik et al., 2000].

Trematocephalus* F.Dahl, 1886 (M)Trematocephalus cristatus* (Wider, 1834)= *T. perforatus* (Thorell, 1871)

В, Г2, Д, Е2, М, П, Т1. — РФ, Латв, Бел, Укр, Гр, Аз.

Trichobactrus* Wunderlich, 1995 (M)Trichobactrus brevispinosus* Wunderlich, 1995

П. — РФ.

Trichoncoides* Denis, 1950 (M)Trichoncoides piscator* (Simon, 1884)

В, Г2, Е1, Е2, Ж2, З+И, Л, П. — РФ, Укр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Trichoncoides striganovae Tanasevitch et Piterkina, 2012

В. — РФ, Каз.

Trichoncus* Simon, 1884 (M)Trichoncus affinis* Kulczyński in Chyzer et Kulczyński, 1894

В, Г2, Д, Е2. — РФ, Укр, Молд, Гр.

Trichoncus auritus (L.Koch, 1869)= *T. kulczynskii* F.Miller, 1935

В, Г2, Е1. — РФ, Укр.

Trichoncus hispidosus Tanasevitch, 1990

Е2. — РФ.

Trichoncus hyperboreus Eskov, 1992

П, Р, С1, Т2. — РФ.

Trichoncus lanatus Tanasevitch, 1987

Е2. — Гр.

Trichoncus orientalis Eskov, 1992

Т1. — РФ.

Trichoncus saxicola (O.Pickard-Cambridge, 1861)

В, Д. — РФ, Бел, Укр.

Trichoncus steppensis Eskov in Eskov et Marusik, 1995

З+И. — Каз.

Trichoncus vasconicus Denis, 1944= *T. hackmani* Millidge, 1956

В, Г2, Е2, З+И, М, Н+О, П. — РФ, Эст, Укр, Каз.

Trichoncus villius Tanasevitch et Piterkina, 2007

В, Л. — Каз.

Trichopterna* Kulczyński in Chyzer et Kulczyński, 1894 (F)Trichopterna cito* (O.Pickard-Cambridge, 1872)= *T. blackwallii* (O.Pickard-Cambridge, 1872)

Б, В, Г2, Д, Е2, М, П. — РФ, Эст, Бел, Укр, Аз, Каз.

Trichopterna grummi Tanasevitch, 1989

З+И. — Каз, Кирг.

Trichopterna thorelli (Westring, 1861)**Baryphyma thorelli*

Б, В, Г2, М, П. — РФ, Эст, Латв, Бел, Укр.

Troglohyphantes* Joseph, 1882 (M)Troglohyphantes adjaricus* Tanasevitch, 1986

Е2. — Гр.

Troglohyphantes birsteini Charitonov, 1947

Д?, Е2. — РФ, Укр?, Гр.

Troglohyphantes charitonovi Tanasevitch, 1987

Е2. — РФ, Гр.

Troglohyphantes deelemanae Tanasevitch, 1986

Е2. — Гр.

***Troxochrota* Kulczyński in Chyzer et Kulczyński, 1894 (F)**

Troxochrota scabra Kulczyński in Chyzer et Kulczyński, 1894

= *Cnephalocotes pectinatus* Tullgren, 1955

В. — РФ, Эст.

***Troxochrus* Simon, 1884 (M)**

Troxochrus scabriculus (Westring, 1851)

= *T. cirrifrons* (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д?, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр.

***Tubercithorax* Eskov, 1988 (M)**

Tubercithorax furcifer Eskov, 1988

Н+О, Р, С1, Т1, Т2. — РФ.

Tubercithorax subarcticus (Tanasevitch, 1984)

Rhaebothorax subarcticus

В, Г2, М, Н+О, С1. — РФ.

Р??

***Tunagyna* Chamberlin et Ivie, 1933 (F)**

Tunagyna debilis (Banks, 1892)

Н+О, Р, С1, С2, С3. — РФ.

***Tusukuru* Eskov, 1993 (M)**

Tusukuru tamburinus Eskov, 1993

Т1, Т3. — РФ.

***Typhochrestinus* Eskov, 1990 (M)**

Typhochrestinus titulifer Eskov, 1990

Р, С1. — РФ.

***Typhochrestoides* Eskov, 1990 (M)**

Typhochrestoides baikalensis Eskov, 1990

= *Collinsia jeniseica* Eskov, 1990

Н+О, П. — РФ.

***Typhochrestus* Simon, 1884 (M)**

Typhochrestus brucei Tullgren, 1955

В. — РФ.

Typhochrestus digitatus (O.Pickard-Cambridge, 1872)

В, М/П? — РФ, Эст, Укр, Молд.

Typhochrestus inflatus Thaler, 1980

Е2, З+И. — Аз, Узб, Кирг.

Typhochrestus longisulcus Gnelitsa, 2006
E1. — Укр.

***Ummeliata* Strand, 1942 (F)**

= *Hummelia* Schenkel, 1936

Ummeliata angulitubera (Oi, 1960)

T2, T3. — PΦ.

Ummeliata feminea (Bösenberg et Strand, 1906)

T1. — PΦ.

Ummeliata insecticeps (Bösenberg et Strand, 1906)

Π, T1. — PΦ.

Ummeliata osakaensis (Oi, 1960)

T2, T3. — PΦ.

Ummeliata sibirica (Eskov, 1980)

H+O, Π, T1. — PΦ.

***Uralophantes* Esyunin, 1992 (M)**

Uralophantes troitskensis Esyunin, 1992

B, Γ2. — PΦ, Укр.

***Ussurigone* Eskov, 1993 (F)**

Ussurigone melanocephala Eskov, 1993

T1. — PΦ.

***Uusitaloia* Marusik, Koponen et Danilov, 2001 (F)**

Uusitaloia transbaicalica Marusik, Koponen et Danilov, 2001

Π. — PΦ.

Uusitaloia wrangeliana Marusik et Koponen et Danilov, 2009

C1. — PΦ.

***Vagiphantes* Saaristo et Tanasevitch, 2004 (M)**

Lepthyphantes Menge, 1866, part.

Vagiphantes vaginatus (Tanasevitch, 1983)

З+И. — Каз, Узб, Кирг, Тадж.

***Vermontia* Millidge, 1984 (F)**

Vermontia thoracica (Emerton, 1913)

C1. — PΦ.

***Viktorium* Eskov, 1988 (N)**

Viktorium putoranicum Eskov, 1988

Γ2, H+O, Π, P, T1, T2. — PΦ.

***Wabasso* Millidge, 1984 (M)**

Wabasso cacuminatus Millidge, 1984

P. — PΦ.

Wabasso hilairoides Eskov, 1988

M, H+O. — PΦ.

Wabasso koponeni Tanasevitch, 2006

T1. — PΦ.

Wabasso millidgei Eskov, 1988
 M, H+O, P, C1. — PФ.
Wabasso replicatus (Holm, 1950)
 = *W. quaestio* (auct., non Chamberlin, 1948),
Diplocentria replicata Holm, 1950
 Б, В, М, H+O, П. — PФ.
Wabasso saaristoi Tanasevitch, 2006
 T1. — PФ.
Wabasso tungusicus Eskov, 1988
 H+O, C1, T1. — PФ.

***Walckenaeria* Blackwall, 1833¹ (F)**

= *Wideria* Simon, 1864,
 = *Cornicularia* Menge, 1869,
 = *Prosopotheca* Simon, 1884,
 = *Tigellinus* Simon, 1884,
 = *Trachynella* Braendegaard, 1932
Walckenaeria acuminata Blackwall, 1833
 Б, В, Д, E2, Ж1. — PФ, Латв, Лит, Бел, Укр, Гр, Арм.
Walckenaeria alticeps (Denis, 1952)
 В, Г2, Д, E1, E2, М, H+O. — PФ, Лит, Бел, Укр, Гр.
Walckenaeria antica (Wider, 1834)
Wideria antica
 Б, В, Г2, Д, E2, Ж1, З+И, М, H+O, П. — PФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Арм, Кирг.
 E1??, T3??
Walckenaeria atrotibialis O.Pickard-Cambridge, 1878
 = *W. melanocephala* (O.Pickard-Cambridge, 1881)
Wideria melanocephala
 Б, В, Г2, Д, E2, З+И, М, H+O, П. — PФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Кирг.
Walckenaeria auranticeps (Emerton, 1882)
 П, P, C1, C2, T1. — PФ.
Walckenaeria basarukini Eskov et Marusik, 1994
 T1, T2. — PФ.
Walckenaeria bifasciculata Tanasevitch, 1987
 E2, Ж1. — Аз, Арм.
Walckenaeria capito (Westring, 1861)
Wideria capito
 Б, В, Г2, E2, H+O, П, P, C1, T1. — PФ, Эст, Латв, Лит, Аз.
 (*Walckenaeria castanea* (Emerton, 1882))
 H+O??, P??, C1??, T1?? — PФ??
Walckenaeria clavicornis (Emerton, 1882)
Cornicularia clavicornis
 H+O, П, P, C1, T1, T2. — PФ.
 Б??, Г1??, Г2??, М??
Walckenaeria corniculans (O.Pickard-Cambridge, 1875)
 В. — Латв.
Walckenaeria cucullata (C.L.Koch, 1836)
Wideria cucullata
 Б, В, Г2, Д, E2, Ж1, М, H+O, П. — PФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Арм.
Walckenaeria cuspidata Blackwall, 1833
Cornicularia cuspidata
 Б, В, Г2, Д, М, H+O, П, P, C1, C2, C3, C4, T1, T2. — PФ, Эст, Латв, Лит, Бел, Укр.

¹ Indication of "*Walckenaeria furcata*" from В. — Лит [Biteniekytė, 2011] is a lapsus calami; such species doesn't exist.

- Walckenaeria dysderoides* (Wider, 1834)
= *W. fugax* (O.Pickard-Cambridge, 1871)
Б, В, Г2, Д, Е1, Е2, Р, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Аз.
- Walckenaeria erythrina* (Simon, 1884)
В. — Каз.
- Walckenaeria fraudatrix* Millidge, 1983
Н+О, П, Р, С1, С2, Т1, Т2. — РФ.
- Walckenaeria furcillata* (Menge, 1869)
Tigellinus furcillatus
Б, В, Г2, Д, Е2, М. — РФ, Латв, Укр, Молд.
- Walckenaeria fusca* Roşca, 1935
Д. — Укр.
- Walckenaeria golovatchi* Eskov et Marusik, 1994
Т1, Т2, Т3. — РФ.
- Walckenaeria incisa* (O.Pickard-Cambridge, 1871)
= *W. polita* (Simon, 1881)
В. — Укр, Лит.
- Walckenaeria karpinskii* (O.Pickard-Cambridge, 1873)
= *W. holmi* Millidge, 1983
Cornicularia holmi
Б, В, Г2, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Лит.
- Walckenaeria katanda* Marusik, Hippa et Koronen, 1996
П. — РФ.
- Walckenaeria kazakhstanica* Eskov in Eskov et Marusik, 1995
В/Г2, Г2, З+И, П. — РФ, Каз.
- Walckenaeria kochi* (O.Pickard-Cambridge, 1872)*
Б, В, Г2, Д, З+И, М, Н+О, П, С2. — РФ, Эст, Латв, Лит, Укр, Каз.
- Walckenaeria koenboutjei* Baert, 1994
Н+О, П, Т1. — РФ.
- Walckenaeria korobeinikovi* Esyunin et Efimik in Efimik et Esyunin, 1996
В, Г2, М, Н+О, П, Р, С1, С2, Т1. — РФ.
- Walckenaeria lepida* (Kulczyński, 1885)
Г2, Н+О, П, Р, С1, С2, С3, Т1, Т2. — РФ.
- Walckenaeria mitrata* (Menge, 1868)
Б, В, Г2, Д, М, Н+О. — РФ, Эст, Латв, Лит, Укр.
Т2??
- Walckenaeria monoceros* (Wider, 1834)
Prosopotheca monoceros
В, Д, Е1, Е2, Ж2, З+И. — РФ, Эст, Укр, Аз, Узб, Турк, Кирг.
- Walckenaeria nishikawai* H.Saito, 1986
Т2, Т3. — РФ.
- Walckenaeria nodosa* O.Pickard-Cambridge, 1873
= *W. mayumiae* H.Saito, 1986
Б, В, Г2, Е2, М, Н+О, П, С2, Т1, Т2. — РФ, Лит.
- Walckenaeria nudipalpis* (Westring, 1851)
Trachynella nudipalpis
Б, В, Г2, Д, Е1, Е2, М, Н+О, П, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Аз.
- Walckenaeria obtusa* Blackwall, 1836
Trachynella obtusa
Б, В, Г2, Д, М, Т1. — РФ, Эст, Латв, Лит, Укр.
- Walckenaeria orientalis* (Oligier, 1985)
Т1. — РФ.
- Walckenaeria palmgreni* Eskov et Marusik, 1994
Н+О, Р, С1, С2, Т1. — РФ.

Walckenaeria picetorum (Palmgren, 1976)

В, Г2, М, Н+О, С1, С2, Т1, Т2, Т3. — РФ.

Walckenaeria spiralis (Emerton, 1882)

С1. — РФ.

Walckenaeria stepposa Tanasevitch et Piterkina, 2007

В. — РФ, Каз.

Walckenaeria stylifrons (O.Pickard-Cambridge, 1875)

В, Е1. — РФ, Укр.

Walckenaeria tystchenkoi Eskov et Marusik, 1994

С1, Т1, Т2. — РФ.

Walckenaeria unicornis O.Pickard-Cambridge, 1861

Cornicularia unicornis

Б, В, Г2, З+И, М? — РФ, Эст, Латв, Лит, Укр, Каз.

Н+О??

Walckenaeria vigilax (Blackwall, 1853)

Cornicularia vigilax

= *Erigone sollers* O.Pickard-Cambridge, 1873,

= *E. hyperborea* L.Koch, 1879

Б, В, Г2, Е1, Е2, М, Н+О, С1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр.

Walckenaeria vilbastae Wunderlich, 1979

В. — Эст.

Walckenaeria wunderlichi Tanasevitch, 1983

В, З+И. — РФ, Каз, Узб.

***Walckenaerianus* Wunderlich, 1995 (M)**

Walckenaerianus aimakensis Wunderlich, 1995

Н+О, П, Р/С1¹, С2, Т1. — РФ.

Walckenaerianus esyunini Tanasevitch, 2004

Г2, З+И, Л, П. — РФ, Каз.

***Wiehlenarius* Eskov, 1990 (M)**

Wiehlenarius boreus Eskov, 1990

П, Р, С1. — РФ.

***Wubanooides* Eskov, 1986 (M)**

Wubanooides fissus (Kulczyński, 1926)

Н+О, Р, С1, С2, С3, Т1, Т2. — РФ.

Wubanooides uralensis (Pakhorukov, 1981)

Veles uralensis

= *Wubanooides longicornis* Eskov, 1986

В, Г2, М, Н+О, П. — РФ.

***Yakutopus* Eskov, 1990 (M)**

Yakutopus xerophilus Eskov, 1990

Н+О, П. — РФ.

***Zerogone* Eskov et Marusik, 1994 (F)**

Zerogone submissella (Strand, 1907)

Т1. — РФ.

¹ Magadan Area [Marusik et al., 2000].

Zornella Jackson, 1932 (F)*Zornella cultrigera* (L.Koch, 1879)= *Z. orientalis* Marusik, Buckle et Koponen, 2007

Б, В, Г2, З+И, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Лит, Бел, Каз.

Erigone algens Marx, **nomen nudum**

С4 [Marx, 1892].

Erigone frigidula Marx, **nomen nudum**

С4 [Marx, 1892].

Erigone mystacea Marx, **nomen nudum**

С4 [Marx, 1892].

Lepthyphantes uralensis Pakhorukov, **nomen nudum**¹

Г2 — РФ [Pakhorukov, 1979]

Maso westsibirica Pakhorukov, **nomen nudum**²

Г2 — РФ [Pakhorukov, 1979]

Panamomops microstrandinoides Pakhorukov, **nomen nudum**³

Г2 — РФ [Pakhorukov, 1979]

“*Tapinocyba*” *norduralensis* Pakhorukov, **nomen nudum**⁴

Г2 — РФ [Pakhorukov, 1979].

Family Tetragnathidae⁵***Leucauge* White, 1841 (F)***Leucauge blanda* (L.Koch, 1878)

Т1. — РФ.

Leucauge celebesiana (Walckenaer, 1841)= *L. subblanda* Bösenberg et Strand, 1906

Т1. — РФ.

Leucauge subgemma Bösenberg et Strand, 1906

Т1. — РФ.

Meta* C.L.Koch, 1836 (F)Meta bourneti* Simon, 1922

Е1, Е2. — Укр, Гр.

Meta doenitzi Bösenberg et Strand, 1906

Т1. — РФ.

Meta manchurica Marusik et Koponen, 1992

Т1. — РФ.

Meta menardi (Latreille, 1804)*

В, Д, Т1? — РФ?, Латв, Укр.

Е1??

Metellina* Chamberlin et Ivie, 1941 (F)Metellina kirgisica* (Bachwalow, 1974)*Metellina kirgisica*

З+И. — Узб, Турк, Кирг.

¹ = *Lepthyphantes ivanovi* — A.V. Tanasevitch, pers. comm.² = *Maso sundevalli* — A.V. Tanasevitch, pers. comm.³ = *Panamomops dybowskii* — A.V. Tanasevitch, pers. comm.⁴ = *Silometopus reussi* — A.V. Tanasevitch, pers. comm.⁵ A *Diphya* sp. is known from Т1. — РФ [Marusik, Kovblyuk, 2011].

Metellina menzei (Blackwall, 1869)

Meta menzei

Б, В, Г2, Д, Е1, Е2, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Гр.

Metellina merianae (Scopoli, 1763)

Meta merianae

Б, В, Г2, Д, Е1, Е2, З+И?, П — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Узб?

Metellina orientalis (Spassky, 1932)

Meta orientalis

Ж1, Ж2, З+И. — Арм, Каз, Турк.

Metellina segmentata (Clerck, 1758)

Meta segmentata

= *M. reticulata* (Linnaeus, 1758)

Б, В, Г2, Д, Е1, Е2, М, П, Т2? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

***Metleucauge* Levi, 1980 (F)**

Metleucauge dentipalpis (Kroneberg, 1875)

Meta dentipalpis

З+И, К, П. — Каз, Узб, Кирг, Тадж.

Metleucauge kompirensis (Bösenberg et Strand, 1906)

Т1, Т2, Т3. — РФ.

Metleucauge yunohamensis (Bösenberg et Strand, 1906)

Т1, Т2, Т3. — РФ.

***Pachygnatha* Sundevall, 1823 (F)**

Pachygnatha amurensis Strand, 1907

Т1. — РФ.

Pachygnatha clercki Sundevall, 1823*

Б, В, Г2, Д, Е1?, Е2, З+И, К, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.

Pachygnatha clerckoides Wunderlich, 1980

В. — РФ.

Pachygnatha degeeri Sundevall, 1830*

Б, В, Д, Е1, Е2, Ж1, З+И, К, Л, М, Н+О, П, С1, С2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Pachygnatha gaoi Zhu, Song et Zhang, 2003

Т1. — РФ.

Pachygnatha listeri Sundevall, 1830

= *P. tristriata* C.L.Koch, 1845, sensu Wagner, 1892, 1895

Б, В, Г2, Д, Е1?, Е2, З+И, К, М, Н+О, П, С1, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

Pachygnatha quadrimaculata (Bösenberg et Strand, 1906)

Т1, Т2. — РФ.

Pachygnatha tenera (Karsch, 1879)

Т1. — РФ.

***Tetragnatha* Latreille, 1804 (F)**

= *Eucta* Simon, 1881,

= *Arundognatha* Wiehle, 1963

Tetragnatha caudicola (Karsch, 1879)

Т1. — РФ.

Tetragnatha conica Grube, 1861

Т1. — РФ.

Tetragnatha dearmata Thorell, 1873

= *T. punctipes* Westring, 1874,

= *T. borealis* L.Koch, 1879

Б, В, Г2, Д, Е2, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Бел, Укр, Аз.

Tetragnatha extensa (Linnaeus, 1758)

+ *T. e. brachygnatha* Thorell, 1873,

+ *T. e. maracandica* Charitonov, 1951,

= *T. nowickii* L.Koch, 1870,

= *T. groenlandica* Thorell, 1872

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, Н+О, П, Р, С1, С2, С4, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Tetragnatha isidis (Simon, 1880)

= *Eucta gallica* Simon, 1881,

= *E. lutescens* Lendl, 1886

В, Г2, Е2, П, Т1. — РФ, Укр, Молд, Гр, Аз, Каз.

Tetragnatha kovblyuki Marusik, 2010

К. — Каз.

Tetragnatha lea Bösenberg et Strand, 1906

Т1. — РФ.

Tetragnatha makiharai Okuma, 1977

Т1. — РФ.

Tetragnatha maxillosa Thorell, 1895

Т1. — РФ.

Tetragnatha montana Simon, 1874

= *T. solandri* Fickert, 1874

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Tetragnatha nigrita Lendl, 1886

Б, В, Г2, Д?, Е1, Е2, З+И, К, М, П, Т1. — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Каз, Кирг.

Tetragnatha obtusa C.L.Koch, 1837

+ *T. o. f. intermedia* Kulczyński, 1901¹

Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П, С2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Кирг.

Tetragnatha pinicola L.Koch, 1870

Б, В, Г2, Д, Е2, З+И, Л, М, Н+О, П, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Tetragnatha praedonia L.Koch, 1878

Т1. — РФ.

Tetragnatha reimoseri (Roşca, 1939)

В. — Бел, Укр.

Tetragnatha squamata Karsch, 1879

= *T. recurva* Schenkel, 1936

Т1. — РФ.

Т2??

Tetragnatha striata L.Koch, 1862

Arundognatha striata

Б, В, Г2, Е2, З+И, П. — РФ, Эст, Латв, Лит, Укр, Аз, Каз, Кирг.

Tetragnatha vermiformis Emerton, 1884

Т1. — РФ.

Tetragnatha yesoensis S.Saito, 1934

Т1, Т2, Т3. — РФ.

¹ Valid species, after J. Wunderlich [2011].

Family Araneidae¹

Aculepeira Chamberlin et Ivie, 1942 (F)

Araneus Clerck, 1758, part.

Aculepeira armida (Savigny et Audouin, 1826)

= *Araneus victoria* (Thorell, 1870)

+ *A. v.* var. *orientalis* Kulczyński, 1901

В, Д, Е1, Е2, Ж1, З+И, К?, Л, П, Т1. — РФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Тадж.

Aculepeira carbonaria (L.Koch, 1869)

В, Г2, З+И. — РФ, Каз.

Aculepeira carbonarioides (Keyserling, 1892)

= *Araneus hyperboreus* Kulczyński, 1908,

= *A. charitonovi* Ermolajev, 1928,

= *A. vegae* Holm, 1970

В, Г2, М, Н+О, Р, С1, Т1. — РФ.

Aculepeira ceropegia (Walckenaer, 1802)

Б, В, Д, Е1, Е2, Ж1, З+И?, М, П?, С2? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб?, Кирг?

Aculepeira lapponica (Holm, 1945)

М. — РФ.

Aculepeira packardi (Thorell, 1875)*

= *Araneus septentrionalis* Kulczyński, 1908

Г2, З+И, Л, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Каз.

Aculepeira sogdiana (Charitonov, 1969)

Ж2, З+И, К. — Узб, Турк.

Aculepeira talishia (Zawadsky, 1902)

= *Araneus lencoranicus* Bachwalow, 1983,

= *Araneus svanetiensis* Mcheidze, 1997

Е2, З+И/П. — РФ, Гр, Аз, Каз.

Agalenatea Archer, 1951 (F)

Araneus Clerck, 1758, part.

Agalenatea redii (Scopoli, 1763)

= *Epeira solers* (Walckenaer, 1805)

В, Г2, Д, Е1, Е2, Ж2, З+И, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Alenatea Song et Zhu, 1999 (F)

Alenatea fuscocolorata (Bösenberg et Strand, 1906)

Т1. — РФ.

Araneus Clerck, 1758² (M*)

= *Aranea* Linnaeus, 1758,

= *Epeira* Walckenaer, 1805

Araneus acronotus (Grube, 1861)

Т1. — РФ.

Araneus alsine (Walckenaer, 1802)

Б, В, Г2, Д, Е2, З+И, К, М, Н+О, П, С1, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Кирг.

¹ *A. Chorizopes* (?) sp. is also reported from Т1. — РФ [Oliger et al., 2002].

² Indication of *Epeira pyratice* Sund. for В. — РФ [Vagner, 1895] is a lapsus: such species doesn't exist.

Indication of *Epeira rubicunda* ? for В. — Укр [Lukyanov, 1897] is a lapsus: such species doesn't exist.

Indication of *Araneus tuberculatus* for З+И. — Тадж [Andreeva, 1971] is a lapsus: such species doesn't exist.

- Araneus amurius* Bachwalow, 1981
Т1. — РФ.
- Araneus angulatus* Clerck, 1758
Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, Л, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк.
- Araneus aralis* Bachwalow, 1981
З+И. — Кирг.
- (*Araneus arcopictus* Schenkel, 1953)
Т1?? — РФ??
- Araneus asiaticus* Bachwalow, 1983
З+И. — Кирг.
- Araneus baicalicus* Bachwalow, 1981
П. — РФ.
- Araneus bargusinus* Bachwalow, 1981
П. — РФ.
- Araneus circe* (Savigny et Audouin, 1826)
= *A. schreibersii* Hahn, 1834
В, Д?, Е1, Е2. — РФ, Укр, Гр.
П??, Т1??
- Araneus cunzei* Bachwalow, 1974
З+И. — Кирг.
- Araneus diadematus* Clerck, 1758
+ *A. d.* var. *stellatus* C.L.Koch, 1836
Б, В, Г2, Д, Е1, Е2, Ж1, З+И, К, Л, М, Н+О, П, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Кирг.
{*Araneus eiusmodi* (Bösenberg et Strand, 1906)}
Т3? — РФ?
- Araneus ferganicus* Bachwalow, 1983
З+И. — Кирг.
- "*Aranea*" *flavissima* Linnaeus, 1758, **nomen dubium**
П. — РФ.
- Araneus grossus* (C.L.Koch, 1844)
В, Д, Е1, Е2, З+И, Л, М, Н+О?, П, Т1? — РФ, Укр, Гр, Аз, Каз, Узб, Кирг.
- Araneus hygrophilus* (Simon, 1874)
В. — РФ/Укр ("Südrußland" [Reimoser, 1919]).
- Araneus ishisawai* Kishida, 1928
= *A. seensis* Oliger, 1991
Т1. — РФ.
- Araneus jalimovi* Bachwalow, 1981
Т1. — РФ.
- Araneus kirgisticus* Bachwalow, 1974
З+И. — Кирг.
- Araneus macacus* Uyemura, 1961
П, Т1, Т2. — РФ.
- Araneus marmoreus* Clerck, 1758
= *A. rayi* (Scopoli, 1763),
= *Epeira scalaris* (Panzer, 1793),
+ *Araneus marmoreus* var. *pyramidatus* Clerck, 1758,
= *A. rayi betulae* (Sulzer, 1776),
Б, В, Г2, Д, Е2, З+И, К, Л, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.
- Araneus mongolicus* Simon, 1895
З+И, П. — РФ, Каз.

Araneus nordmanni (Thorell, 1870)

Б, В, Г2, Д, Е2, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Бел, Укр, Гр, Каз.

Araneus pallasii (Thorell, 1875)*

= *A. issiculus* Bachwalow, 1981

В, З+И, К, П. — РФ, Укр, Каз, Турк, Кирг.

Araneus pecuensis (Karsch, 1881)

Т1. — РФ.

Araneus pingius Karsch, 1879

П, Т1, Т2, Т3. — РФ.

Araneus quadratus Clerck, 1758

= *A. reamurii* (Scopoli, 1763)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С2, Т1, Т2? — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Узб, Кирг.

Р??

Araneus repetecus Bachwalow, 1978

К. — Турк.

Araneus rusicus Bachwalow, 1981

Т1. — РФ.

Araneus saevus (L.Koch, 1872)

= *A. zimmermanni* (Thorell, 1875)

Б, В, Г2, Д, Е2, М, Н+О, П, С1, Т1. — РФ, Эст, Латв, Укр.

Araneus schrencki (Grube, 1861)*

П, Т1, Т2, Т3. — РФ.

Araneus stella (Karsch, 1879)

= *A. tsuno* Yaginuma, 1972

= *A. maculifrons* Oliger, 1983

Т1. — РФ.

Araneus strandiellus Charitonov, 1951

З+И, К, П. — РФ, Каз, Узб, Тадж.

Araneus sturmi (Hahn, 1831)*

= *Epeira agalena* (Walckenaer, 1802), sensu C.L.Koch, 1837 etc.

Б, В, Г2, Д, Е2, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз.

Araneus talasi Bachwalow, 1970

З+И. — Кирг.

Araneus tartaricus (Kroneberg, 1875)

Е2, З+И, К, П. — Аз, Каз, Узб, Турк, Кирг, Тадж.

{*Araneus thaddeus* (Hentz, 1847)}

Т3? — РФ?

Araneus toruaigiri Bachwalow, 1970

З+И. — Кирг.

Araneus triguttatus Fabricius, 1775

= *Epeira agalena* (Walckenaer, 1802)

Б, В, Г2, Д, Е1, Е2, Н+О, П, Т2? — РФ, Латв, Лит, Бел, Укр, Аз.

Araneus tshuiskii Bachwalow, 1974

З+И. — Кирг.

Araneus uyemurai Yaginuma, 1960

Т1, Т3. — РФ.

Araneus variegatus Yaginuma, 1960

П, Т1. — РФ.

Araneus ventricosus (L.Koch, 1879)

Т1, Т2. — РФ.

Araneus washingtoni Levi, 1971

Г2?, Н+О/П¹, С1, Т1? — РФ.

Araneus yasudai Tanikawa, 2001

Т1. — РФ.

Araneus yukon Levi, 1971

Н+О, Р, С1, С2. — РФ.

***Araniella* Chamberlin et Ivie, 1942 (F)**

Araneus Clerck, 1758, part.

Araniella alpica (L.Koch, 1869)

В, Д, Е1, Е2, М. — РФ, Эст, Латв, Укр, Гр, Аз.

Г2??

Araniella cucurbitina (Clerck, 1758)

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, Л, М, Н+О?, П?, Т1?, Т2? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Кирг, Тадж.

Araniella displicata (Hentz, 1847)

= *Araneus westringii* (Thorell, 1856)

Б, В, Г2, Д, Е1, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Лит, Бел, Укр, Каз.

Araniella inconspicua (Simon, 1874)

Б, В, Д, Е1, Е2, Ж2, З+И, М, П, Т1, Т2. — РФ, Латв, Бел, Укр, Гр, Каз, Турк.

Araniella opisthographa (Kulczyński, 1905)

Б, В, Д, Е1, Е2, Ж1, З+И, М, П. — РФ, Эст, Бел, Укр, Аз, Каз, Тадж.

Araniella proxima (Kulczyński, 1885)

= *Epeira mediocris* Kulczyński, 1901

Б, В, Г2, Д, З+И/П, М, П, С1, С2. — РФ, Эст, Бел, Укр, Каз.

Araniella tbilisiensis (Mcheidze, 1997)

Е2. — Гр.

Araniella yaginumai Tanikawa, 1995

П, Т1, Т3. — РФ.

***Argiope* Savigny et Audouin, 1826² (F*)**

Argiope ahngerii Spassky, 1932

З+И, К. — Узб, Турк, Кирг, Тадж.

Argiope bruennichi (Scopoli, 1772)

= *Aranea senoculata, thorace subgloboso, abdomine fasciis flavis nigrisque vario* Lepechin, 1771&1774,

= *Aranea speciosa* Pallas, 1773,

= *Epeira fasciata* (Fabricius, 1775)

В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, Н+О?, П, Т1. — РФ, Латв, Лит, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Б??

Argiope lobata (Pallas, 1772)

= *Aranea senoculata, thorace depresso, abdomine ex ovato globoso, lobato, punctis in dorso 4 nigris* Lepechin, 1771&1774,

= *Epeira argentata* (Gmelin, 1789),

= *E. sericea* (Olivier, 1789)

В, Г2, Е1, Е2, Ж2, З+И, К, Л, П. — РФ, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

***Cercidia* Thorell, 1869 (F)**

Cercidia levii Marusik, 1985

В, В/Г2, Л. — РФ, Каз.

¹ S part of Krasnoyarsk Province [Marusik et al., 2000].

² Indication of American species *Epeira aurelia* Walck. (= *Argiope trifasciata* (Forskål, 1775)) for В. — РФ [Vagner, 1895] is obviously wrong [Charitonov, 1932].

Cercidia prominens (Westring, 1851)

= *Epeira ochracea* Grube, 1861

Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П, Р, С1, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

***Cyclosa Menge, 1866* (F)**

{*Cyclosa algerica* (Simon, 1885)}

В? — РФ?

(*Cyclosa argenteoalba* Bösenberg et Strand, 1906)

Т1??, Т2?? — РФ??

(*Cyclosa atrata* Bösenberg et Strand, 1906)¹

Т1?? — РФ??

Cyclosa conica (Pallas, 1772)

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Турк.

Cyclosa hamulata Tanikawa, 1992

Т1. — РФ.

{*Cyclosa insulana* (Costa, 1834)}

Т1? — РФ?

Cyclosa japonica Bösenberg et Strand, 1906

Т1. — РФ.

Cyclosa kumadai Tanikawa, 1992

Т1. — РФ.

{*Cyclosa monticola* Bösenberg et Strand, 1906}

Т1? — РФ?

Cyclosa oculata (Walckenaer, 1802)

= *Singa tuberculata* Reingard, 1874

В, Г2, Д, Е2, З+И, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Укр, Гр, Каз, Кирг.

Cyclosa okumae Tanikawa, 1992

Т1, Т2. — РФ.

Cyclosa sierrae Simon, 1870

В, Е1, Е2, Ж2. — РФ?, Укр, Гр, Аз.

***Cyrtarachne Thorell, 1868* (F)**

Cyrtarachne ixoides (Simon, 1870)

Е2. — РФ, Гр.

***Eriophora Simon, 1864* (F)**

Eriophora sachalinensis (S.Saito, 1934)

Zilla sachalinensis

Т1, Т2, Т3. — РФ.

***Gibbaranea Archer, 1951* (F)**

Araneus Clerck, 1758, part.

Gibbaranea abscissa (Karsch, 1879)

Т1, Т2. — РФ.

Gibbaranea bituberculata (Walckenaer, 1802)

= *Aranea abdomine bicorni* Lepechin, 1771&1774,

= *A. bicornuta* Martini et Goeze, 1778, n.nov. pro *A. abdomine bicorni*,

¹ All records of *Cyclosa atrata* in Т1 belong to *C. hamulata* (Yu. Marusik, pers. comm.).

= *A. bicornis* Gmelin, 1789, n.nov. pro *A. abdomine bicorni*,
 = *Araneus dromedarius* (Walckenaer, 1802),
 = *Epeira lepechini* Krynicki, 1837, n.nov. pro *Aranea abdomine bicorni*,
 = *Epeira melo* Krynicki, 1837

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, М, Н+О, П?, Т1. — РФ, Эст, Латв, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг.

Gibbaranea gibbosa (Walckenaer, 1802)

= *Epeira arbustorum* C.L.Koch, 1837

Б, В, Д, Е1, Е2, Н+О?, П? — РФ, Эст, Лит, Укр, Аз.

Gibbaranea hetian (Hu et Wu, 1989)

П. — РФ.

Gibbaranea omoeda (Thorell, 1870)

Б, В, Г2, Д, Е2, Н+О, П, Т2. — РФ, Эст, Бел, Укр.

Gibbaranea ullrichi (Hahn, 1835)*

Б, В, Г2, Е1, Е2, З+И. — РФ, Укр, Гр, Аз, Каз, Кирг, Тадж.

***Hypsosinga* Ausserer, 1871¹ (F)**

Hypsosinga alberta Levi, 1971

Р. — РФ.

Hypsosinga albovittata (Westring, 1851)

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Эст, Лит, Укр, Молд, Гр, Аз, Каз, Турк, Кирг, Тадж.

Hypsosinga clax Oliger, 1993

Т1. — РФ.

Hypsosinga heri (Hahn, 1831)*

= *Singa nigrifrons* C.L.Koch, 1844,

= *Cercidia pachyderma* Simon, 1873

Б, В, Г2, Д, Е1, Е2, З+И, М. — РФ, Эст, Латв, Бел, Укр, Гр, Узб, Кирг, Тадж.

Hypsosinga kazachstanica Ponomarev, 2007

В. — Каз.

Hypsosinga pygmaea (Sundevall, 1831)

= *Singa aenea* Kroneberg, 1875

Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.

Hypsosinga rufula (Simon, 1874)

П. — Каз.

Hypsosinga sanguinea (C.L.Koch, 1844)

= *Singa atra* Kulczyński, 1885

Б, В, Г2, Д, Е2, Ж1, З+И, М, П, Р, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб.

Hypsosinga turkmenica Bachwalow, 1978

К. — Турк.

***Larinia* Simon, 1874 (F)**

Larinia argiopiformis Bösenberg et Strand, 1906

Т1. — РФ.

Larinia bonneti Spassky, 1939

В, Е1, Е2, Т1. — РФ, Укр, Гр.

Larinia bossae Marusik, 1986

П, Т1. — РФ.

Larinia elegans Spassky, 1939

В, К? — РФ, Укр, Каз?

¹ Indication of *Hypsosinga albomaculata* for З+И. — Тадж [Andreeva, 1971] is wrong: such species doesn't exist.

Larinia jeskovi Marusik, 1986

М, П, Т1. — РФ.

Larinia nenilini Marusik, 1986

З+И, К. — Узб, Турк.

Larinia pubiventris Simon, 1889

= *L. turkmenica* Spassky, 1939

З+И, К. — Каз, Узб, Турк.

Larinia sekiguchii Tanikawa, 1989

Т1. — РФ.

***Larinioides Caporiacco, 1934* (M)**

Araneus Clerck, 1758, part.

Larinioides chabarovi (Bachwalow, 1981)

Н+О, Т1. — РФ.

Larinioides cornutus (Clerck, 1758)

= *Aranea leuwenhoekii* Scopoli, 1763,

= *Epeira lyrata* Fischer-Waldheim, 1830,

= *E. tricolor* Fischer-Waldheim, 1830,

= *E. vicaria* Kulczyński, 1885

Б, В, Г2, Д?, М, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр?

Е1??, Е2??, З+И??, К??, Л?? — Гр??, Аз??, Каз??, Узб??, Турк??

Larinioides folium (Schranck, 1803)¹

= *Epeira cornuta* var. *lurida* Thorell, 1875,

= *Araneus suspicax* (O.Pickard-Cambridge, 1876)

В, Г2, Д, Е1, Е2, Ж1, З+И, К, Л, М, П? — РФ, Лит?, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Б??

Larinioides ixobolus (Thorell, 1873)

= *Aranea multopunctata* Roşca, 1935

В, Г2, Д, Е1, Е2, З+И, К, М, П. — РФ, Лит, Бел, Укр, Молд, Гр, Каз, Кирг.

Larinioides patagiatus (Clerck, 1758)

= *Araneus ocellatus* Clerck, 1758,

= *A. dumetorum* Fourcroy, 1785,

= *A. potanini* Simon, 1895

Б, В, Г2, Д, Е1, Е2, З+И, К, Л, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг, Тадж.

Larinioides sericatus (Clerck, 1758)

= *Araneus scolopetarius* Clerck, 1758,

= *A. undatus* (Olivier, 1789)

Б, В, Д, Е1, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

***Leviellus Wunderlich, 2004* (M)**

Zygiella F.O.Pickard-Cambridge, 1902, part.

Leviellus caspicus (Simon, 1889)

З+И, К. — Каз, Узб, Турк, Кирг.

Leviellus kochi (Thorell, 1870)*

З+И. — Узб, Тадж.

{*Leviellus thorelli* (Ausserer, 1871)}

З+И? — Узб?

¹ This name is correct over *Larinioides suspicax*, see Mikhailov [2013b].

Mangora O.Pickard-Cambridge, 1889 (F)*Mangora acalypha* (Walckenaer, 1802)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Neoscona Simon, 1864 (F)= *Chinestella* Chamberlin, 1924*Araneus* Clerck, 1758, part.*Neoscona adianta* (Walckenaer, 1802)= *Araneus byzanthinus* (Pavesi, 1876),= *Neoscona doenitzi* (Bösenberg et Strand, 1906),+ *Araneus adianta japonica* Bösenberg et Strand, 1906

В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Neoscona scylla (Karsch, 1879)

Т1. — РФ.

Neoscona subfusca (C.L.Koch, 1837)= *Araneus dalmaticus* (Doleschall, 1852)

Д?, Е1, Е2, Ж2, З+И. — РФ, Укр, Гр, Аз, Узб, Турк.

Neoscona tedgenica (Bachwalow, 1978)= *Araneus cruciferoides* Spassky, 1952, praecoc.,= *A. spasskyi* Brignoli, 1983, n.nov. pro *A. cruciferoides*

В, Е2, Ж2, З+И, К. — РФ, Каз, Турк, Кирг, Тадж.

Nuctenea Simon, 1864 (F)*Araneus* Clerck, 1758, part.*Nuctenea silvicultrix* (C.L.Koch, 1844)*Cyphopeira silvicultrix*

Б, В, Г2, Д, З+И, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Nuctenea umbratica (Clerck, 1758)= *Araneus sexpunctatus* (Linnaeus, 1758)

Б, В, Д?, Е1, Е2, З+И, Н+О?, Т1. — РФ, Латв, Лит, Бел, Укр, Гр, Аз, Кирг.

Parazygiella Wunderlich, 2004 (F)*Zygiella* F.O.Pickard-Cambridge, 1902, part.*Parazygiella dispar* (Kulczyński, 1885)

С1, С2, Т1, Т2, Т3. — РФ.

Parazygiella montana (C.L.Koch, 1839)¹

В, Д, Е2, З+И, Н+О. — РФ, Укр, Гр, Узб.

Т2?? — Бел??, Каз??²**Pronoides Schenkel, 1936 (M)***Pronoides brunneus* Schenkel, 1936= *Pronous minutus* (S.Saito, 1939)

Т1, Т2, Т3. — РФ.

¹ Indication of 1834 as a year of description of this species by some authors is wrong: only a figure was published in this year, the description is dated 1839.

² Report of this species from Kazakhstan [Marusik et al., 1990] is wrong, being based on the paper of A.I. Kroneberg [1875]: the locality (environs of Chinaz [Чиназ]) belongs to Uzbekistan, not to Kazakhstan.

Singa C.L.Koch, 1836 (F)*Singa hamata* (Clerck, 1758)= *S. melanocephala* C.L.Koch, 1836

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, Л, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.

Singa lucina (Savigny et Audouin, 1826)

В, Е1, Е2, З+И, Т1? — РФ, Укр, Гр, Аз, Узб.

Singa neta (O.Pickard-Cambridge, 1872)

Ж1. — Аз.

Singa nitidula C.L.Koch, 1844

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Т1, Т2? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Singa semiatra L.Koch, 1867

Е1. — Укр.

Н+О??, П?? — РФ??

Siwa Grasshoff, 1970 (F)*Siwa atomaria* (O.Pickard-Cambridge, 1876)

Ж1. — Аз.

Stroemiellus Wunderlich, 2004 (M)*Zygiella* F.O.Pickard-Cambridge, 1902, part.*Stroemiellus stroemi* (Thorell, 1875)*

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Zilla C.L.Koch, 1834 (F)*Zilla diodia* (Walckenaer, 1802)

В, Д, Е1, Е2, Ж2, М. — РФ, Латв, Укр, Гр, Аз, Турк.

Zygiella F.O.Pickard-Cambridge, 1902 (F)*Zygiella ancora* (Krynicky, 1837)

В. — Укр.

Zygiella atrica (C.L.Koch, 1845)

В, Д, Е1, М?, Т2? — РФ, Эст, Латв, Лит, Укр.

Zygiella crucinotata (Pokrowsky, 1904), **nomen dubium**¹

В. — РФ.

Zygiella keyserlingi (Ausserer, 1871)

Е1, Е2. — РФ, Укр.

Zygiella kirgisica Bachwalow, 1974

З+И. — Кирг.

Zygiella x-notata (Clerck, 1758)= *Zilla litterata* (Olivier, 1789)

В, Д, Е1, Е2, Т2? — РФ?, Эст, Латв, Лит, Укр, Гр, Аз.

Araneus palmgreni Pakhorukov, **nomen nudum**

Г2. — РФ [Pakhorukov, 1979].

¹ The type material is lost; the species rather belongs to Linyphiidae: cf. Marusik [1985].

- Araneus sibiricus* Ryabikova, **nomen nudum**
M. — PΦ [Ryabikova, 1990].
- Araneus uchidai* Kishida, **nomen nudum**¹
T2 — PΦ [Kishida, 1924].
- Araneus zaitzevi* Charitonov in Mcheidze, **nomen nudum**
E2. — Γp [Mkheidze, 1964].
- Epeira mugana* Zawadsky, 1902, **nomen nudum**
E2. — Aз [Zavadsky, 1902].
- Epeira mugana* var. *mlokosiewitschi* Zawadsky, **nomen nudum**
E2. — Γp [Zavadsky, 1902].
- Zilla pulcherrima* Zawadsky, **nomen nudum**
E2. — Γp [Zavadsky, 1902].

Family Lycosidae

Acantholycosa F.Dahl, 1908 (F)

- Acantholycosa aboriginica* Zyuzin et Marusik, 1988
Π, P, C1, T1. — PΦ.
- Acantholycosa altaiensis* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa azarkinae* Marusik et Omelko, 2011
T1. — PΦ.
- Acantholycosa azheganovae* (Lobanova, 1978)²
Alopecosa azheganovi
Π. — PΦ.
- Acantholycosa azyuzini* Marusik, Hippa et Koponen, 1996
Π. — PΦ.
- Acantholycosa dudkoromani* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa dudkorum* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa katunensis* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa khakassica* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa kurchumensis* Marusik, Azarkina et Koponen, 2004
Π. — Kaz.
- Acantholycosa levinae* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa lignaria* (Clerck, 1758)
Pardosa lignaria
Б, В, Γ2, М, Н+О, Π, C2, T1. — PΦ, Эст, Латв, Лит, Бел.
- Acantholycosa logunovi* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa mordkovitchi* Marusik, Azarkina et Koponen, 2004
Π. — PΦ.
- Acantholycosa norvegica* (Thorell, 1872)
+ *A. norvegica sudetica* (L.Koch, 1875)
= *Pardosa atalanta* L.Koch, 1879,
= *P. raboti* Simon, 1887,

¹ = *Araneus ventricosus*.

² The species ending is corrected into feminine gender [Mikhailov, 1996a].

= *Lycosa foveata* Odenvall, 1901,
 = *Acantholycosa spasskyi* Charitonov, 1936, n.nov. pro *Lycosa norvegica*?, sensu Kulczyński, 1916,
 = *A. beklemischevi* Charitonov, 1936,
 = *A. fedotovi* Charitonov, 1936,
 = *A. altaica* (Saveljeva, 1972)

Pardosa altaica

Б, Г2, Д?, М, Н+О, П, Р, С1, Т1. — РФ, Укр?, Каз.

В??

Acantholycosa oligerae Marusik, Azarkina et Koponen, 2004

Т1. — РФ.

Acantholycosa paraplumalis Marusik, Azarkina et Koponen, 2004

П. — РФ.

Acantholycosa petrophila Marusik, Azarkina et Koponen, 2004

П. — РФ.

Acantholycosa plumalis Marusik, Azarkina et Koponen, 2004

П. — РФ.

Acantholycosa sayanensis Marusik, Azarkina et Koponen, 2004

П. — РФ.

Acantholycosa spinembohus Marusik, Azarkina et Koponen, 2004

П. — РФ.

Acantholycosa sternerii (Marusik, 1993)

Pardosa sternerii

П. — РФ.

(*Acantholycosa strandi* Kratochvil, 1935)

= *A. pedestris* F.Dahl, 1927, non Simon, 1876

П??, Т1?? — РФ??

Acantholycosa sundukovi Marusik, Azarkina et Koponen, 2004

Т1. — РФ.

Acantholycosa tarbagataica Marusik et Logunov, 2011

З+И. — Каз.

(*Acantholycosa triangulata* Yu et Song, 1988)

П?? — РФ??

Acantholycosa zinchenkoi Marusik, Azarkina et Koponen, 2004

П. — РФ, Каз.

***Allocosa* Banks, 1900 (F)**

Allocosa kulagini (Spassky, 1941)

Lycosa kulagini

З+И. — Тадж.

***Allohogna* Roewer, 1955 (F)**

Allohogna immanis (L.Koch, 1879)

Lycosa immanis

М, Т1. — РФ.

Allohogna shansia (Hogg, 1912)

= *A. sinensis* (Schenkel, 1953)

П¹. — РФ.

Allohogna singoriensis (Laxmann, 1770)

Lycosa singoriensis

= *L. ucrainensis* Jarocki, 1825,

= *L. rossica* Fischer-Waldheim, 1830,

= *L. latreillei* Hahn, 1833

¹ Cisbaikalia [Marusik et al., 2000; Marusik, Buchar, 2004].

В, Г2, Д, Е1, Е2, Ж2?, З+И, К?, Л, М, Н+О?, П. — РФ, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг¹.

***Alopecosa* Simon, 1885 (F)²**

= *Tarentula* Sundevall, 1833

Alopecosa accentuata (Latreille, 1817)

= *Tarentula barbipes* Sundevall, 1833

Б, В, Г2, Д, Е1, Е2, З+И, М, П, Т1. — РФ, Эст, Лит, Бел, Укр, Гр, Аз, Каз.

Alopecosa aculeata (Clerck, 1758)

= *Tarentula meridiana* auct., non (Hahn, 1831),

= *Lycosa taeniata* auct. non C.L.Koch, 1835

Б, В, Г2, Д, Е2, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз.

Alopecosa akkolka Marusik in Eskov et Marusik, 1995

З+И, П? — РФ?, Каз.

Alopecosa albidorsa (Kolenati, 1857)

Н+О. — РФ.

Alopecosa albofasciata (Brullé, 1832)

В, Г2, Е2, Ж1, Ж2, З+И?, П?³ — РФ, Гр, Аз, Арм, Каз, Турк.

Узб??

Alopecosa albonotata (Schmidt, 1895)

Н+О. — РФ.

Alopecosa albostriata (Grube, 1861)

= *A. uienensis* (Esyunin, 1996)

В, Г2⁴, Н+О, П, Р, Т1. — РФ.

Alopecosa albovittata (Schmidt, 1895)

Н+О. — РФ.

Alopecosa alpicola (Simon, 1876)

В, Е2?, П? — РФ, Каз?

Аз??

(*Alopecosa argenteopilosa* (Schenkel, 1963))

Т1? — РФ?

Alopecosa atypica Ponomarev, 2008

В. — Каз.

Alopecosa auripilosa (Schenkel, 1953)

Т1. — РФ.

Alopecosa azshaganovae Esyunin, 1996

В/Г2, Г2, П. — РФ.

Alopecosa beckeri (Thorell, 1875)

В?, Е1. — РФ?, Укр.

Alopecosa borea (Kulczyński, 1908)

= *Tarentula solivaga* var. *borea*

Н+О, П, Р, С1, Т1. — РФ.

Alopecosa chiragrica (Thorell, 1875), **nomen dubium**⁵

Е1. — Укр.

¹ Recorded only in a map by P.I. Marikovskiy [1956: 30], absent from another map where it had to be present (p.134).

² For history of the genera *Tarentula* and *Alopecosa*, see Mikhailov [2013c].

³ Doubful record [Volkovskiy, 2006, etc.].

⁴ Records of *Alopecosa albostriata* from South Urals possibly refer to *Mustelicosa dimidiata* [Marusik et al., 2000]; if so, *Alopecosa uienensis* should be a synonym of *Mustelicosa dimidiata*.

⁵ Described from inadult specimens.

Alopecosa cinnameopilosa (Schenkel, 1963)

= *Pardosa luisi* Sternbergs, 1981

З+И, П, Т1. — РФ, Каз.

Alopecosa cronebergi (Thorell, 1875)*

В, Е1, Е2?, З+И?, К? — РФ, Укр, Аз?, Каз, Узб?, Турк?

Alopecosa cuneata (Clerck, 1758)

Б, В, Г2, Д, Е2, З+И, М, Н+О, П, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, “Caucasus” [Schmidt, 1895], Гр, Аз, Каз.

Alopecosa cursor (Hahn, 1831)

+ *A. cursor cursorioides* Charitonov, 1969

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, Л, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Alopecosa davidi (Schenkel, 1963)

Т1. — РФ.

Alopecosa deserta Ponomarev, 2008

В. — Каз.

Alopecosa ermolaevi Saveljeva, 1972

П. — Каз.

(*Alopecosa erudita* (Simon 1880), sensu Schenkel, 1953)

П?? — РФ??

{*Alopecosa etrusca* Lugetti et Tongiorgi, 1969}

Е2? — Аз?

Alopecosa fabrilis (Clerck, 1758)

Б, В, Г2, Д, З+И, Л, М, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз, Узб.

Alopecosa fedotovi (Charitonov, 1946)

= *Lycosa latifasciata* (Kroneberg, 1875), sensu Schmidt, 1895

З+И, К. — Узб, Кирг, Тадж.

Alopecosa felina (L.Koch, 1878)

Е2. — Аз.

Alopecosa frigens (Kulczyński, 1916)

М. — РФ.

Alopecosa hingganica Song, 1993

П. — РФ.

Alopecosa hirta (Kulczyński, 1908)

Р, С1? — РФ.

Г2??¹

Alopecosa hirtipes (Kulczyński, 1908)

= *Tarentula hirta* sensu Kulczyński, 1916

В, Г2, М, Н+О, П, С1, С2, Т1? — РФ.

З+И?? — Кирг??

Alopecosa hokkaidensis Tanaka, 1985

Т1. — РФ.

Alopecosa inderensis Ponomarev, 2007

В. — Каз.

Alopecosa inimica (O.Pickard-Cambridge, 1885)

З+И. — Тадж.

Alopecosa inquilina (Clerck, 1758)

= *Tarentula andrenivora* auct., non (Walckenaer, 1826)

Б, В, Г2, Д, Е1?, З+И, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Alopecosa irinae Lobanova, 1978

П. — РФ.

¹ Indication by S.L. Esyunin [2005] refers rather to *Alopecosa hirtipes*.

- Alopecosa kaplanovi* Oliger, 1983
T1. — PΦ.
- Alopecosa kasakhstanica* Saveljeva, 1972
= *A. turanica* Saveljeva, 1972
K, M, П. — PΦ, Каз.
- Alopecosa kovblyuki* Nadolny et Ponomarev in Nadolny, Ponomarev et Dvadenko, 2012
B, E1. — PΦ, Укр.
- Alopecosa kronebergi* Andreeva, 1976
Tarentula andreevae Michailov, 1996, inv.emend.
З+И, К. — Каз, Узб, Кирг, Тадж.
- Alopecosa kulczynski* Sternbergs, 1979¹
H+O, П, P, C1, T1. — PΦ.
- Alopecosa kulsaryensis* Ponomarev in Ponomarev et Dvadenko, 2012
B. — Каз.
- Alopecosa kungurica* Esyunin, 1996
B, Г2. — PΦ.
- Alopecosa latifasciata* (Kroneberg, 1875)
З+И. — Каз, Узб, Кирг, Тадж.
- Alopecosa licenti* (Schenkel, 1953)
П, T1. — PΦ.
- Alopecosa litvinovi* Izmailova, 1989
П. — PΦ.
- Alopecosa longicymbia* Saveljeva, 1972
П. — Каз.
- Alopecosa luteocuneata* (Schenkel, 1963)
П. — PΦ, Каз.
- Alopecosa mariae* (F.Dahl, 1908)
= *Tarentula striatipes* Doleschall, 1852, praecoc.
B, Д, M, П. — PΦ, Лит, Укр.
E1??
- Alopecosa marikovskiyi* Logunov, 2013
K. — Каз.
- Alopecosa medvedevi* Ponomarev, 2009
B. — Каз.
- Alopecosa mikhailovi* Omelko, Marusik et Koponen, 2013
T2. — PΦ.
- Alopecosa moriutii* Tanaka, 1985
T1. — PΦ.
- Alopecosa mutabilis* (Kulczyński, 1908)
M, H+O, P, C1. — PΦ.
- Alopecosa notabilis* (Schmidt, 1895)
Л. — Каз.
{*Alopecosa obsoleta* (C.L.Koch, 1847)}
K? — Узб?
- Tarentula opiphex* Wagner, 1891, **nomen dubium**²
B. — PΦ.
- Alopecosa osa* Marusik, Hippa et Koponen, 1996
П. — PΦ.
- (*Alopecosa osellai* (Lugetti et Tongiorgi, 1969)
П?? — PΦ??³

¹ The formation of this specific name contradicts ICZN Recommendation 31A, but cannot be changed.

² Type material is lost.

³ Obviously erroneous record [Volkovskiy, 2006, etc.].

Alopecosa pastoralis (Simon, 1876)

В, Е2, З+И. — РФ, Кирг.

Alopecosa petheri (Nosek, 1905)

Е1, Е2. — Укр, Аз.

Alopecosa pictilis (Emerton, 1885)

= *Tarentula hirta* Kulczyński, 1908, part., ♀

Н+О?, П, Р, Т1. — РФ.

Alopecosa pinetorum (Thorell, 1856)

= *Tarentula fumigata* (Linnaeus, 1758), sensu F.Dahl, 1908

Б, В, Г2, Д, М, Н+О, П. — РФ, Эст, Лит, Бел, Укр.

{*Alopecosa psammophila* Buchar, 2001}

Г2? — РФ?

В??

{*Alopecosa pseudocuneata* (Schenkel, 1953)}

П? — РФ?

Alopecosa pulverulenta (Clerck, 1758)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С1?, С2?, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз.

Alopecosa raddei (Simon, 1889)

= *Tarentula albofasciata* (Brullé, 1832), sensu Kroneberg, 1875

З+И, К. — Каз, Узб, Турк, Тадж.

Alopecosa roeweri (Roşca, 1937)

Д. — Укр.

Г2?? — РФ??

Alopecosa saurica Marusik in Eskov et Marusik, 1995

З+И. — Каз.

Alopecosa schmidti (Hahn, 1835)*

= *Tarentula eichwaldii* Thorell, 1875

Б?, В, Г2, Д, Е1, Е2, М, П. — РФ, Латв, Лит, Укр, Аз, Каз.

Alopecosa sciophila Ponomarev, 2008

В. — Каз.

Alopecosa sibirica (Kulczyński, 1908)

= *Tarentula incompta* Kulczyński, 1908,

= *T. pinnata* Kulczyński, 1908

Н+О, П, Р, С1, Т1. — РФ.

Alopecosa sokhondoensis Logunov et Marusik, 1995

Н+О, П. — РФ.

Alopecosa solitaria (O.Herman, 1879)

В, Г2, Д, Е1, М, П. — РФ, Укр, Молд, Каз.

Alopecosa solivaga (Kulczyński, 1901)

+ *Tarentula solivaga* var. *lineata* Kulczyński, 1916,

+ *T. s.* var. *annulata* Kulczyński, 1916,

+ *T. s.* var. *katunjica* Ermolajev, 1937,

= *T. poecila* Kulczyński, 1908

М, Н+О, П, Т1. — РФ.

С1??

Alopecosa spasskyi Ponomarev, 2008

В. — Каз.

Alopecosa steppica Ponomarev, 2007

В. — РФ.

{*Alopecosa strandi* (Roşca, 1936)}

Д? — Укр?

Alopecosa striatipes (C.L.Koch, 1837)

В, Д?, Е2. — РФ, Укр, Аз.

T1??

Alopecosa subrufa (Schenkel, 1963)

П. — РФ.

Alopecosa subsolitaria Saveljeva, 1972

П. — Каз.

Alopecosa sulzeri (Pavesi, 1873)

В, Г2, Д, Е1, З+И, М, П. — РФ, Укр, Молд, Аз, Каз.

Alopecosa taeniata (C.L.Koch, 1835)

Б, В, Г2, М, Н+О, П. — РФ.

Alopecosa taeniopus (Kulczyński, 1895)

В, Г2, Е1, Е2, З+И, М, П. — РФ, Укр, Гр, Аз, Каз.

Alopecosa tanakai Omelko et Marusik, 2008

T1. — РФ.

Alopecosa trabalis (Clerck, 1758)

= *Lycosa vorax* (Walckenaer, 1802)

Б, В, Г2, Д, Е1, Е2, З+И, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз, Узб.

Alopecosa virgata (Kishida, 1909)

T1. — РФ.

Alopecosa volubilis Yoo, Kim et Tanaka, 2004

T1. — РФ.

Alopecosa yamalensis Esysunin, 1996

М. — РФ.

Alopecosa zyuzini Logunov et Marusik, 1995

П. — РФ.

***Arctosa* C.L.Koch, 1847¹ (F)**

Arctosa alpigena (Doleschall, 1852)

Tricca alpigena

Б, В, Г2, М, Н+О, П, Р, С1, T1. — РФ, Эст, Лит.

Arctosa cinerea (Fabricius, 1777)

= *A. allodroma* (Walckenaer, 1802),

= *Hyaeniosa invasa* Saveljeva, 1972

Б, В, Г2, Д, Е1, Е2, Ж1, З+И?, П, T1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб?, Кирг?, Тадж?

С3??, Т3??

Arctosa ebicha Yaginuma, 1960

T1. — РФ.

Arctosa figurata (Simon, 1876)

= *A. sabulorum* (L.Koch, 1878)

Б, В, Г2, Д?, Е2. — РФ, Эст, Латв, Укр.

Arctosa kawabe Tanaka, 1985

T2. — РФ.

Arctosa keumjeungsana Paik, 1994

T1. — РФ.

Arctosa lagodechiensis Mcheidze, 1997

Е2. — Гр.

Arctosa leopardus (Sundevall, 1833)

В, Г2, Д, Е1, Е2, Ж1, З+И, Л, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг, Тадж.

Arctosa leucocephala (L.Koch, 1879)

П. — РФ.

¹ Report of *Arctosa luxurians* (Hahn) from Д. — Укр [Legotay, 1959] is a lapsus, since such species doesn't exist.

Arctosa maculata (Hahn, 1822)

= *Trochosa amylacea* (C.L.Koch, 1838)

В, Г2, Д. — РФ, Латв, Укр.

Arctosa ocellata (L.Koch, 1878)

Е2. — Аз.

Arctosa pardosina (Simon, 1898)

З+И. — Узб.

Arctosa perita (Latreille, 1799)

= *Lycosa picta* Hahn, 1833

В, Д?, Е2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз.

Arctosa personata (L.Koch, 1872)

Е2. — РФ.

Arctosa pseudoleopardus Ponomarev, 2007

В. — РФ.

Arctosa raptor (Kulczyński, 1885)

С2. — РФ.

Arctosa ravidata Ponomarev, 2007

В. — РФ, Каз.

Arctosa renidens (Simon, 1876)

= *A. strandi* (Caporiacco, 1940)

Д. — Укр.

Е2?? — Аз??

Arctosa stigmosa (Thorell, 1875)

= *A. turbida* Roşca, 1935

Б, В, Г2, Д, Е2, З+И?, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз?, Узб?

{*Arctosa subamylacea* (Bösenberg et Strand, 1906)}¹

= *A. cervina* Schenkel, 1936

З+И?, П? — РФ?, Каз?

Arctosa tbilisiensis Mcheidze, 1947

Е2, Ж1. — РФ, Гр, Аз.

Arctosa variana C.L.Koch, 1847

= *A. soror* (Simon, 1889)

Е2, З+И, К. — РФ, Турк, Кирг.

***Aulonia* C.L.Koch, 1847 (F)**

Aulonia albimana (Walckenaer, 1805)

Б, В, Д, Е1, Е2. — РФ, Латв, Лит, Бел, Укр, Молд, Гр, Аз.

Aulonia kratochvili Dunin, Vuchar et Absolon, 1986

Е2, Ж1, Ж2. — Аз, Турк.

***Bogdocosa* Ponomarev et Belosludtsev in Ponomarev, Belosludtsev et Dvadenko, 2008 (F)**

Bogdocosa baskuntchakensis Ponomarev et Belosludtsev in Ponomarev, Belosludtsev et Dvadenko, 2008

В. — РФ.

***Caspicosa* Ponomarev, 2007 (F)**

Caspicosa kulsaryensis Ponomarev, 2007

В. — РФ.

¹ All records of *Arctosa cervina* in З+И and П are not conspecific with the type material of this species [Marusik et al., 2000].

Caspicosa manytchensis Ponomarev, 2007

В. — РФ.

***Deliriosa* Kovblyuk, 2009 (F)**

Deliriosa karadagensis Kovblyuk, 2009

Е1. — Укр.

***Evippa* Simon, 1882 (F)**

Evippa apsheronica Marusik, Guseinov et Koponen, 2003

В, Е1, Е2. — РФ, Укр, Аз, Каз.

Evippa badchysica Sternbergs, 1979

К. — Турк.

Evippa caucasica Marusik, Guseinov et Koponen, 2003

Е2. — Аз.

Evippa concolor (Kroneberg, 1875)

З+И. — Тадж.

Evippa eltonica Dunin, 1994

В, З+И. — РФ, Каз.

Evippa kazachstanica Ponomarev, 2007

В. — Каз.

Evippa kronebergi Roewer, 1954

= *E. aculeata* (Kroneberg, 1875), praecoc. in *Lycosa*

З+И — Каз¹, Узб.

П??

{*Evippa onager* Simon, 1895}

К? — Турк?

Evippa praelongipes (O.Pickard-Cambridge, 1870)

В?, К. — РФ?, Каз.

Evippa schenkeli Sternbergs, 1979

К. — Турк.

Evippa sibirica Marusik in Eskov et Marusik, 1995

З+И, П. — РФ, Каз.

Evippa sjostedti Schenkel, 1936

= *E. potanini* Schenkel, 1963,

= *Pardosa praelongipes* (O.Pickard-Cambridge, 1870), sensu Schmidt, 1895,

= *Evippa brunneopicta* (Loksa, 1965)

В, К. — Каз, Турк.

Evippa turkmenica Sternbergs, 1979

В, К. — Каз, Турк.

***Geolycosa* Montgomery, 1904 (F)**

Geolycosa charitonovi (Mcheidze, 1997)

Alopecosa charitonovi

Е2. — РФ, Гр, Аз.

Geolycosa dunini Zyuzin et Logunov, 2000

Е2, Ж1. — Гр, Аз, Арм.

Geolycosa vultuosa (C.L.Koch, 1838)

Lycosa vultuosa

= *L. infernalis* Motschoulsky, 1849, **nomen dubium**

В, Е1, Е2, К? — РФ, Укр, Молд, Турк?

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Гр??, Аз??

***Hippasa* Simon, 1885 (F)**

Hippasa partita (O.Pickard-Cambridge, 1876)

= *H. deserticola* Simon, 1889

З+И, К. — Узб, Турк, Тадж.

***Hogna* Simon, 1885 (F)**

Hogna radiata (Latreille, 1817)

Lycosa radiata

= *L. r.* var. *liguriensis* Walckenaer, 1837,

= *L. chersonensis* Krynicki, 1837

В, Е1, Е2, Ж2, К?, П. — РФ, Укр, Гр, Аз, Каз, Турк.

***Hygrolycosa* F.Dahl, 1908 (F)**

Hygrolycosa rubrofasciata (Ohlert, 1865)

Б, В, Г2, Д, М, Н+О, П. — РФ, Эст, Лит, Бел, Укр.

***Lycosa* Latreille, 1804 (F)**

= *Ishicosa* Roewer, 1960

Lycosa alticeps (Kroneberg, 1875)

В?, Е2?, З+И, К. — Аз?, Каз?, Узб, Турк?, Тадж.

Lycosa asiatica Sytshevskaja, 1980

З+И. — Тадж.

Lycosa bergsoei (Thorell, 1875)*

Е2, К. — РФ, Аз, Узб, Турк.

Lycosa chikatunovi Kononenko et Andreeva, 1978, **nomen dubium**¹

З+И. — Узб.

Lycosa garavutinica Kononenko in Kononenko et Andreeva, 1978, **nomen dubium**²

З+И. — Тадж.

Lycosa ishikariana (S.Saito, 1934)

Т3. — РФ.

(*Lycosa medica* (Pocock, 1889))

К?? — Узб??

Lycosa praegrans C.L.Koch, 1836

= *Lycosa nordmanni* (Thorell, 1875),

= *L. narbonensis* auct., non Walckenaer in Latreille, 1806,

= *L. piochardi* auct., non Simon, 1876

В, Е1, Е2, Ж1, З+И, К. — РФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Тадж.

Т1??

Lycosa suzukii Yaginuma, 1973

Т1. — РФ.

***Mongolicosa* Marusik, Azarkina et Koponen, 2004 (F)**

Mongolicosa buriatica Marusik, Azarkina et Koponen, 2004

П. — РФ.

Mongolicosa glupovi Marusik, Azarkina et Koponen, 2004

П. — РФ.

¹ The species is described by inadult specimens.

² The species is described by inadult specimens.

Mustelicosa* Roewer, 1960 (F)Mustelicosa dimidiata* (Thorell, 1875)*Tarentula dimidiata**Trochosa dimidiata*В, Г2, Е2, З+И, Н+О?, П. — РФ, Укр, Гр?, Аз?, Каз¹, Кирг.***Oculicosa* Zyuzin, 1993 (F)***Oculicosa supermirabilis* Zyuzin, 1993

К. — Каз, Узб, Турк.

Paratrochosina* Roewer, 1960 (F)Paratrochosina insolita* (L.Koch, 1879)*Tarentula insolita*

М. — РФ.

Paratrochosina sagittifera (Roewer, 1951)*Tarentula sagittata* Grube, 1861, praecoc.

Н+О. — РФ.

Pardosa* C.L.Koch, 1847² (F)Pardosa abagensis* Ovtsharenko, 1979

Е2. — РФ, Гр.

Pardosa adustella Roewer, 1951= *P. adusta* (Odenvall, 1901), praecoc.

Н+О, П, Р, С1, С2, Т1. — РФ.

М??

{*Pardosa aenigmatica* Tongiorgi, 1966}

Е2?, Ж1? — Аз?

Pardosa agrestis (Westring, 1861)= *P. purbeckensis* auct., non F.O.Pickard-Cambridge, 1895,= *P. ilguenensis* auct., non Nosek, 1905

Б, В, Г2, Д, Е1, Е2, З+И?, К?, Л, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб?, Кирг?, Тадж?

Pardosa agricola (Thorell, 1856)= *P. arenicola* (O.Pickard-Cambridge, 1875),+ *P. arenicola fucicola* (F.Dahl, 1908),= *Lycosa fluviatilis* Blackwall, 1861, n.nov. pro *L. arenaria* C.L.Koch, 1843, praecoc.

Б, В, Г2, Д, Л, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Каз.

Е2??, З+И?? — Гр??, Аз??, Кирг??

Pardosa alacris (C.L. Koch, 1833)= *P. pseudolugubris* Wunderlich, 1984

В, Д. — РФ, Бел, Укр, Каз.

Е1??

Pardosa alasaniensis Mcheidze, 1997

Е2. — Гр.

{*Pardosa albatula* (Roewer, 1951)}= *P. albata* (L.Koch, 1870), praecoc.

Д? — Укр?

В??, З+И?? — РФ??, Молд??, Узб??

Pardosa algens (Kulczyński, 1908)

П?, Р, С1, Т1. — РФ.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].² Indication of *Pardosa alopecusa* for Каз [Ashikbaev et al., 2001] is a lapsus calami: such species doesn't exist.

Г2??, С2??

Pardosa amentata (Clerck, 1758)

= *Lycosa saccata* (Linnaeus, 1758)

Б, В, Г2, Д, Е1, Е2, З+И?, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз?

Т1?? — Узб??

{*Pardosa anchoroides* Yu et Song, 1988}

П? — РФ?¹

Pardosa aquila Buchar et Thaler, 1998

Е2. — РФ, Гр.

Pardosa astrigera L.Koch, 1878

= *P. t-insignita* (Bösenberg et Strand, 1906)

П, Т1, Т2, Т3. — РФ.

Pardosa atrata (Thorell, 1873)

= *P. camtschadalis* (Kulczyński, 1885)

Б, В, Г2, К?, М, Н+О, П, Р, С1, С2, С3, Т1. — РФ, Эст, Каз?

Pardosa azerifalcata Marusik, Guseinov et Koponen, 2003

Е2, Ж1. — РФ, Аз.

Pardosa baraan Logunov et Marusik, 1995

П. — РФ.

Pardosa beijiangensis Hu et Wu, 1989

Каз².

Pardosa bifasciata (C.L.Koch, 1836)

В, Г2, Е1, Е2, З+И, М, П. — РФ, Эст, Лит, Укр, Аз, Каз.

Кирг??, Тадж??

Pardosa blanda (C.L.Koch, 1833)

Е2. — Гр.

В??, Д?? — Укр??

Pardosa brevivulva Tanaka, 1975

Т1. — РФ.

Pardosa buchari Ovtsharenko, 1979

Е1, Е2. — РФ, Укр, Гр, Аз.

Pardosa bukukun Logunov et Marusik, 1995

П, Т1. — РФ.

Pardosa buriatica Sternbergs, 1979

П. — РФ.

Pardosa calida (Blackwall, 1852)

Б, В, Г2, Д, Е2, М, П, Т1. — РФ, Лит, Укр, Гр, Каз.

Pardosa caucasica Ovtsharenko, 1979

Е2. — РФ, Гр, Аз.

Pardosa chisimensis (S.Saito, 1932)

С3. — РФ.

Pardosa colchica Mcheidze, 1947

Е2, Ж1. — Гр, Аз, Арм.

РФ??

Pardosa condolens (O.Pickard-Cambridge, 1885)

З+И — Тадж.

Ж1??, К?? — Арм??, Турк??, Кирг??

Pardosa credula (O.Pickard-Cambridge, 1885)

З+И. — Тадж.

Кирг??

¹ Doubtful record [Volkovskiy, 2006, etc.].

² Respective physiographical area is not indicated [Logunov et al., 2012].

- Pardosa dagestana* Buchar et Thaler, 1998
E2. — PФ.
- Pardosa doenitzi* (Bösenberg et Strand, 1906)
T2. — PФ.
- Pardosa dzheminey* Marusik in Eskov et Marusik, 1995
З+И. — Каз.
- Pardosa eiseni* (Thorell, 1875)*
= *P. giebelii* Pavesi, 1873, sensu L.Koch, 1879,
= *Lycosa arctica* Kulczyński, 1916
Б, В, Г2, З+И?, М, Н+О, П, Р, С1, Т1. — PФ, Кирг?
- Pardosa elegans* (Thorell, 1875)
В. — PФ.
- Pardosa eskovi* Kronestedt et Marusik, 2011
Н+О. — PФ.
- Pardosa etsinensis* Schenkel, 1963
П. — PФ.
- Pardosa femoralis* Simon, 1876
В. — PФ.
- Pardosa ferruginea* (L.Koch, 1870)
В?, Д, З+И, М, Т1. — PФ, Укр, Кирг.
Н+О??
- {*Pardosa flavida* (O.Pickard-Cambridge, 1885)}
З+И? — Каз?
- Pardosa fortunata* (O.Pickard-Cambridge, 1885)
З+И. — Тадж.
Каз??
- Pardosa fritzeni* Ballarin, Marusik, Omelko et Koronen, 2012
З+И. — Кирг.
- Pardosa fulvipes* (Collett, 1875)
Б, В, Г2, Д, З+И, К, М, Н+О, П. — PФ, Эст, Укр, Каз.
- Pardosa glacialis* (Thorell, 1872)
С1. — PФ.
- (*Pardosa groenlandica* (Thorell, 1872))
Н+О??, Р??, С1??, С2?? — PФ??
- Pardosa gromovi* Ballarin, Marusik, Omelko et Koronen, 2012
З+И, К. — Каз.
- Pardosa gusarensis* Marusik, Guseinov et Koronen, 2003
E2. — PФ, Аз.
- Pardosa hanrasanensis* Jo et Paik, 1984
Т1. — PФ.
- Pardosa hedinii* Schenkel, 1936
Т1. — PФ.
- Pardosa herbosa* Jo et Paik, 1984
Т1. — PФ.
- {*Pardosa hokkaido* Tanaka et Suwa, 1986}
Т1? — PФ?
- Pardosa hortensis* (Thorell, 1872)
= *P. annulata* (Thorell, 1872)
Б, В, Д, E2, П. — PФ, Латв, Бел, Укр, Молд, Гр, Аз.
- Pardosa hummeli* Schenkel, 1936
З+И. — Тадж.
- Pardosa hyperborea* (Thorell, 1872)
+ *P. h. pusilla* (Thorell, 1872)
Б, В, Г2, М, Н+О, П. — PФ, Эст, Лит, Бел.

- Pardosa ibex* Buchar et Thaler, 1998
E2. — PФ, Гр.
- Pardosa incerta* Nosek, 1905
E2. — PФ, Гр, Аз.
- Pardosa incilis* (Odenvall, 1901)
П. — PФ.
- Pardosa indecora* L.Koch, 1879
= *Lycosa latisepta* Kulczyński, 1885
B, Г2, M, H+O, П, T1. — PФ.
- Pardosa isago* Tanaka, 1977
T1. — PФ.
- Pardosa italica* Tongiorgi, 1966
+ *P. italica valenta* Zyuzin, 1976,
= *P. proxima kitabensis* Charitonov, 1969
B, Г2, E1, E2, Ж1, Ж2, З+И, К, Л, M. — PФ, Укр, Аз, Арм, Каз, Узб, Турк, Кирг.
- Pardosa jaikensis* Ponomarev, 2007
B, E2. — PФ, Каз.
- Pardosa jeniseica* Marusik in Eskov et Marusik, 1995¹
Г2?, З+И, M², H+O, П, P, C1. — PФ, Каз.
- Pardosa jergeniensis* Ponomarev, 1979
B, K. — PФ, Каз.
E2?? — Аз??
- Pardosa lapponica* (Thorell, 1872)
= *Lycosa algens* Kulczyński, 1908, part., ♂
B, B, Г2, M, H+O, П, P, C1, C2, T1. — PФ.
П?? — Каз??³
- Pardosa lasciva* L.Koch, 1879
= *P. guernei* Simon, 1887
B, B, Г2, M, H+O, П, T1. — PФ.
- Pardosa laura* Karsch, 1879
T1. — PФ.
- Pardosa licenti* Schenkel, 1953
П. — PФ.
- Pardosa logunovi* Kronstedt et Marusik, 2011
П. — PФ.
- Pardosa luctinosa* Simon, 1876
= *Lycosa entzi* Chyzer in Chyzer et Kulczyński, 1891
B, Г2, E1, E2, З+И, Л, M?, П. — PФ, Укр, Аз, Каз.
- Pardosa lugubris* (Walckenaer, 1802)
= *Lycosa chelata* auct. non (O.F.Müller, 1764)
B, B, Г2, Д, E1, E2, З+И, К, M, H+O, П, C3, T1, T2, T3. — PФ, Эст, Латв, Лит, Бел, Укр,
Молд, Гр, Аз, Каз, Узб?
- Pardosa lyrata* (Odenvall, 1901)
H+O, П, C1, C2, T1. — PФ.
- Pardosa maisa* Hippa et Mannila, 1982
= *Pardosa troitskensis* Esyunin, 1996
Г2, M⁴. — PФ, Бел.
- Pardosa masurae* Esyunin et Efimik, 1998
Г2, H+O. — PФ.

¹ In some papers, cited as *Pardosa jeniseica* Zyuzin, 1991 or 1994 (**nomen nudum**).

² Cited as *Pardosa wagleri* in V.N. Romanenko [1998] (V.N. Romanenko, pers. comm.).

³ This indication of Savelyeva [1972a,b] refers actually to an undescribed closely related species [Zyuzin, 1979].

⁴ Cited as *Pardosa sordidata* in V.N. Romanenko [1998] (V.N. Romanenko, pers. comm.).

Pardosa mikhailovi Ballarin, Marusik, Omelko et Koronen, 2012

К. — Каз.

{*Pardosa mixta* (Kulczyński, 1887)}

В? — РФ?

З+И??, П?? — Узб??

Pardosa monticola (Clerck, 1758)

+ *P. m. ambigua* Simon, 1937

В, Д? — Эст, Лит?, Укр?

Б??, Е2??, З+И??, К??, Л??, М??, Н+О??, П??, Т1?? — РФ??, Бел??, Молд??, Гр??, Каз??, Узб??, Тадж??

Pardosa morosa (L.Koch, 1870)

В, Д, Е2, Ж1, Ж2, М. — РФ, Укр, Аз, Турк.

Г2??

Pardosa muzkolica Kononenko, 1978

З+И. — Тадж.

Pardosa narymica Saveljeva, 1972

П. — Каз.

Pardosa nebulosa (Thorell, 1872)

= *Lycosa orientalis* Kroneberg, 1875

В, Е2, Ж2, З+И, К, Л, П, Т1? — РФ, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Г2??

Pardosa nenilini Marusik in Eskov et Marusik, 1995

З+И, П. — РФ, Каз.

Pardosa nigra (C.L.Koch, 1834)

= *P. ludovici* (F.Dahl, 1908)

В, Д. — Эст, Укр.

Б?? — РФ??

Pardosa nigriceps (Thorell, 1856)

Б?, В, Д. — РФ?, Эст, Латв, Бел?, Укр.

Pardosa ninigoriensis Mcheidze, 1997

Е2. — Гр.

Pardosa nordicolens Chamberlin et Ivie, 1947

Р, С1, Т1. — РФ.

Pardosa odenwalli Sternbergs, 1979

П. — РФ.

Pardosa oksalai Marusik, Hippa et Koronen, 1996

Г2, З+И/К, Н+О, П. — РФ, Каз.

Pardosa oljunae Lobanova, 1978¹

= *Evipa sjostedi* Schenkel, 1936, sensu Izmailova, 1980

М, Н+О, П, Т1. — РФ.

Pardosa ovchinnikovi Ballarin, Marusik, Omelko et Koronen, 2012

З+И, К. — Узб, Турк, Тадж.

Pardosa paludicola (Clerck, 1758)

Б, В, Г2, Д, Е2, З+И, К, М, П, Т1. — РФ, Эст, Лит, Бел, Укр, Молд, Аз, Каз.

Pardosa palustris (Linnaeus, 1758)

= *Lycosa tarsalis* Thorell, 1856,

= *Pardosa herbigrada* (Blackwall, 1857),

= *P. andersoni* Gertsch, 1934

Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П, Р, С1, С2, С3, С4, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз, Узб?, Кирг?, Тадж?

¹ The specific ending was corrected into from masculine “oljuni” in the original description [Lobanova, 1978] into feminine gender by the author herself [Lobanova, 1981]. This name obviously refers to “Olyunya”, a Russian diminutive female name.

- Pardosa pantinii* Ballarin, Marusik, Omelko et Koponen, 2012
З+И. — Тадж.
- Pardosa paracolchica* Zyuzin et Logunov, 2000
Е2. — РФ, Аз.
- Pardosa paralapponica* Schenkel, 1963
Каз¹.
- Pardosa paramushirensis* (Nakatsudi, 1937)
С3. — РФ.
- (*Pardosa paratesquorum* Schenkel, 1963)
П?? — РФ??
- Pardosa passibilis* (O.Pickard-Cambridge, 1885)
З+И. — Кирг.
- Pardosa pirkuliensis* Zyuzin et Logunov, 2000
Е2. — РФ, Аз.
- Pardosa plumipes* (Thorell, 1875)
Б, В, Г2, Д, Е2, З+И?, Л, М, Н+О, П, Т1, Т2, Т3. — РФ, Бел, Укр, Гр, Каз, Узб?
- Pardosa podhorskii* (Kulczyński, 1907)
Р, С1. — РФ.
З+И?? — Кирг??
- Pardosa pontica* (Thorell, 1875)
= *P. caraiensis* Mcheidze, 1947
В, Е1, Е2, Ж2. — РФ, Укр, Гр, Аз, Турк.
Б??, Т1??
- Pardosa prativaga* (L.Koch, 1870)
+ *P. p. scoparia* Simon, 1937,
= *P. scoparia*,
= *Lycosa riparia* auct., non C.L.Koch, 1847
Б, В, Г2, Д, Е1, Е2, З+И, М, П, С3? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Кирг.
- Pardosa prosaica* Chamberlin et Ivie, 1947
Н+О, Р?, С1?, С2? — РФ.
- Pardosa proxima* (C.L.Koch, 1847)
+ *P. p. tenuipes* L.Koch, 1882
В, Д, Е1, Е2, Ж1, Ж2, Л, М, П, Т1. — РФ, Латв, Укр, Гр, Аз, Каз, Турк.
Г2??
- Pardosa pseudochionophila* Schenkel, 1963
Каз².
- Pardosa pseudolapponica* Marusik in Eskov et Marusik, 1995
З+И. — Каз.
- Pardosa pullata* (Clerck, 1758)
Б, В, Г2, Д, Е2, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз, Тадж.
(*Pardosa purbeckensis* F.O.Pickard-Cambridge, 1895)
В??, П?? — РФ??
- Pardosa ricta* (Odenvall, 1901)
= *P. mongolica* Kulczyński, 1901
Н+О?, П, Р? — РФ.
- Pardosa riparia* (C.L.Koch, 1847)
= *P. cursoria* C.L.Koch, 1847
Б, В, Г2, Д, Е2, З+И, М, Н+О, П, С1, С2, С3, С4, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел,
Укр, Каз, Узб.
- Pardosa saltuaria* (L.Koch, 1870)
Б?, В, Д. — РФ, Латв, Укр, Каз.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Respective physiographical area is not indicated [Logunov et al., 2012].

Г2??, Е2??, П?? — Аз??

Pardosa schenkeli Lessert, 1904

Б, В, Г2, Е2, З+И/П, М, Н+О, П, Р, С1, С2, Т1. — РФ, Лит, Гр, Аз, Каз.

Pardosa selengensis (Odenvall, 1901)

П, Т1. — РФ.

Pardosa septentrionalis (Westring, 1861)

= *P. rufa* Grese, 1909

В, Г2, М, Н+О, П?, Р. — РФ.

Pardosa sodalis Holm, 1970

= *P. bargusinensis* Sternbergs, 1979

Н+О, П, Р, С1. — РФ.

Pardosa sordidata (Thorell, 1875)

В. — Укр, Молд.

М??, Н+О??, С1?? — РФ??

Pardosa sphagnicola (F.Dahl, 1908)

= *Lycosa riparia montivaga* (Kulczyński, 1898)

Б, В, Г2, Д?, Е2, М, Н+О, П. — РФ, Эст, Лит, Бел, Укр.

Pardosa stellata (O.Pickard-Cambridge, 1885)

З+И. — Тадж.

Pardosa suwai Tanaka, 1985

Т1, Т3. — РФ.

Pardosa taczanowskii (Thorell, 1875)

= *P. chionophila* L.Koch, 1879

М?, Н+О, П, Т1. — РФ.

Pardosa tasevi Buchar, 1968

Е2. — РФ, Аз.

Pardosa tatarica (Thorell, 1875)

= *P. strigillata* Simon, 1876

Е1, Е2. — РФ, Укр, Гр, Аз.

П??

Pardosa tesquorum (Odenvall, 1901)

В, Г2, М, Н+О, П, Р, С1, С2, Т1? — РФ.

Pardosa thaleri Buchar, 1976

З+И. — Каз, Кирг, Тадж.

Pardosa torrentum Simon, 1876

Е2. — Гр.

Pardosa trottai Ballarin, Marusik, Omelko et Koronen, 2012

З+И. — Кирг.

Pardosa turkestanica Roewer, 1951

= *Lycosa velox* Kroneberg, 1875, praecoc.

З+И, К, П? — РФ?, Каз, Узб, Кирг, Тадж.

Pardosa tyshchenkoi Zyuzin et Marusik, 1989

Н+О, Р, С1, Т1. — РФ.

Pardosa uiensis Esyunin, 1996

Г2. — РФ.

Pardosa uncifera Schenkel, 1963

П. — РФ.

Pardosa vittata (Keyserling, 1863)

В, Е2. — РФ, Укр, Гр, Аз.

Г2??

Pardosa wagleri (Hahn, 1822)

В, Д?, Е2, З+И, М, П. — РФ, Латв, Укр, Гр, Каз, Кирг.

Pardosa xinjiangensis Hu et Wu, 1989

В. — Каз.

Pardosa zonsteini Ballarin, Marusik, Omelko et Koronen, 2012

З+И. — Каз, Узб, Кирг.

Pardosa zyuzini Kronstedt et Marusik, 2011

П. — РФ.

***Pirata Sundevall, 1832* (M)**

Pirata cereipes (L.Koch, 1878)

Arctosa cereipes

Lycosa cereipes

В?, К. — Укр?, Каз, Турк.

РФ??

Pirata montanus Emerton, 1885

СЗ. — РФ.

Pirata piraticus (Clerck, 1758)

Б, В, Г2, Д, Е1, Е2, З+И?, К, М, Н+О, П, СЗ, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб?

Pirata piscatorius (Clerck, 1758)

Б, В, Г2, Д?, Е2, Л, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Pirata praedo Kulczyński, 1885

= *P. shibatai* Tanaka, 1995

Г2, Н+О, П, Р, С1, С2, Т1, Т2. — РФ.

Pirata subpiraticus (Bösenberg et Strand, 1906)

Т1. — РФ.

Pirata tenuitarsis Simon, 1876

Б, В, Г2, Е1, З+И. — РФ, Эст, Лит, Бел, Укр, Каз, Узб.

***Piratula Roewer, 1960* (F)**

Pirata Sundevall, 1832, part.

(*Piratula borea* (Tanaka, 1974))

Т1?? — РФ??

Piratula canadensis (Dondale et Redner, 1981)

С2, Т1. — РФ.

Piratula denticulata (Liu, 1987)

Н+О, П/Т1¹, С1. — РФ.

Piratula hurkai (Buchar, 1966)

Е1, Е2. — РФ, Укр, Гр.

Piratula hygrophilus (Thorell, 1872)

Б, В, Г2, Д, Е2, З+И, К, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Узб.

Piratula insularis (Emerton, 1885)

= *Pirata piccolo* F.Dahl, 1908

Б, В, Г2, Е2?, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Гр?, Аз?

Piratula knorri (Scopoli, 1763)*

Б, В, Д, Е2, М. — РФ, Латв, Укр, Молд, Гр.

Piratula latitans (Blackwall, 1841)

В, Г2?, Д, Е1, Е2, Ж1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз.

Piratula logunovi Omelko, Marusik et Koronen, 2011

Т1. — РФ.

¹ Priamurie [Marusik, 2005].

Piratula meridionalis (Tanaka, 1974)

T1. — PΦ.

Piratula piratoides (Bösenberg et Strand, 1906)

T1. — PΦ.

Piratula serrulata (Song et Wang, 1984)

T1. — PΦ.

Piratula tanakai (Brignoli, 1983)

T1. — PΦ.

Piratula uliginosus (Thorell, 1856)

Б, В, Г2, Д?, Е2, М. — PΦ, Эст, Латв, Лит, Бел, Укр.

Piratula yaginumai (Tanaka, 1974)

T1, T2. — PΦ.

***Schizocosa* Chamberlin, 1904 (F)**

(*Schizocosa avida* (Walckenaer, 1837))

C3?? — PΦ??

Schizocosa krynickii (Thorell, 1875)

Tarentula krynickii

E1. — Укр.

***Sibirocosa* Marusik, Azarkina et Koponen, 2004 (F)**

Acantholycosa F.Dahl, 1908, part.

Sibirocosa alpina Marusik, Azarkina et Koponen, 2004

З+И. — Каз.

Sibirocosa kolymensis Marusik, Azarkina et Koponen, 2004

P, C1. — PΦ.

T1??

Sibirocosa koponeni Omelko et Marusik, 2013

T1. — PΦ.

Sibirocosa manchurica Marusik, Azarkina et Koponen, 2004

T1. — PΦ.

Sibirocosa nadolnyi Omelko et Marusik, 2013

T1. — PΦ.

Sibirocosa sibirica (Kulczyński, 1908)

Pardosa sibirica

H+O, П, P. — PΦ.

T1??

Sibirocosa subsolana (Kulczyński, 1907)

H+O, P, C1. — PΦ.

Sibirocosa trilikauskasi Omelko et Marusik, 2013

T1. — PΦ.

***Trebacosa* Dondale et Redner, 1981 (F)**

Trebacosa europaea Szinetár et Kancsal, 2005

B. — Бел.

***Tricca* Simon, 1889 (F)**

Tricca insignita (Thorell, 1872)

C1. — PΦ.

(*Tricca lamperti* (F.Dahl, 1908))

Г2?? — PΦ??

Tricca lutetiana (Simon, 1876)

= *Trochosa lucorum* (L.Koch, 1878)

Б, В, Г2, Д?, Е1, Е2, П. — РФ, Эст, Латв, Укр, Молд.

***Triccosa* Roewer, 1960 (F)**

Triccosa ipsa (Karsch, 1879)

Т1. — РФ.

***Trochosa* C.L.Koch, 1847 (F)**

= *Piratosia* Roewer, 1960

Trochosa cachetiensis Mcheidze, 1997

В, Е2. — РФ, Гр.

Trochosa hirtipes Ponomarev in Ponomarev et Kovblyuk, 2009

Е2. — РФ.

Trochosa hispanica Simon, 1870

= *T. ruricola rustica* Thorell, 1875

В, Е2, З+И. — РФ, Укр, Гр?, Аз, Тадж.

Trochosa immaculata Saveljeva, 1972

П. — Каз.

Trochosa lugubris O.Pickard-Cambridge, 1885

З+И. — Тадж.

Trochosa robusta (Simon, 1876)

= *T. lapidicola* Hahn, 1827, sensu F.Dahl, 1908

Б, В, Г2, Д, Е1, Е2, Н+О?, П, С3? — РФ, Эст, Латв, Лит, Укр, Молд, Гр.

Trochosa ruricola (De Geer, 1778)

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, К, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Trochosa sabulosa O.Pickard-Cambridge, 1885

З+И. — Тадж.

Trochosa spinipalpis (F.O.Pickard-Cambridge, 1895)

Б, В, Г2, Д, Е2, М, Н+О, П, Т1? — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз.

Trochosa terricola Thorell, 1856

= *Piratosia dybowskii* (Kulczyński, 1885)

Tarentula dybowskii

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, М, Н+О, П, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Турк, Кирг, Тадж.

Trochosa viligans L.Koch, 1870

В, Д. — Латв, Укр.

***Vesubia* Simon, 1910 (F)**

Vesubia vivax (Thorell, 1875)

Tarentula vivax

+ *Lycosa* v. var. *nigriventris* Schmidt, 1895

В, К? — РФ, Укр, Узб?

***Wadicosa* Zyuzin, 1985 (F)**

Wadicosa commoventa Zyuzin, 1985

К. — Турк.

{*Wadicosa fidelis* (O.Pickard-Cambridge, 1872)}

Е2? — Аз?

Xerolycosa* F.Dahl, 1908 (F)Xerolycosa miniata* (C.L.Koch, 1834)

Б, В, Г2, Д, Е1, Е2, З+И, К, М, П. — РФ, Эст, Латв, Бел, Укр, Молд, Гр, Аз, Каз, Кирг.

Xerolycosa mongolica (Schenkel, 1963)

П. — РФ.

Xerolycosa nemoralis (Westring, 1861)

Б, В, Г2, Д, Е2, З+И?, М, Н+О, П, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Узб?, Кирг.

Zyuzicosa* Logunov, 2010 (F**)Zyuzicosa baisunica* Logunov, 2010

З+И. — Узб.

Zyuzicosa fulviventris (Kroneberg, 1875)*Tarentula fulviventris*

З+И. — Узб.

Zyuzicosa gigantea Logunov, 2010

З+И. — Узб.

Zyuzicosa kopetdaghensis Logunov, 2012

Ж2. — Турк.

Zyuzicosa laetabunda (Spassky, 1941)*Lycosa laetabunda*

З+И. — Узб, Тадж.

Zyuzicosa nenjukovi (Spassky, 1952)*Tarentula nenjukovi*

З+И. — Тадж.

Zyuzicosa nessovi Logunov, 2012

З+И. — Кирг.

Zyuzicosa turlanica Logunov, 2010

З+И. — Каз, Узб.

Zyuzicosa uzbekistanica Logunov, 2010

З+И. — Узб.

Zyuzicosa zeravshanica Logunov, 2010

З+И. — Узб.

Acantholycosa orientalis Saveljeva, **nomen nudum**

П. — Каз [Savelyeva, 1972b, 1979].

Alopecosa olgae Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the USSR European part” [Ponomarev, 1981]).

Arctosa kasachstanica Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the USSR European part” [Ponomarev, 1981]).

Arctosa schenkeli Charitonov in Mcheidze, **nomen nudum**

Е2. — Гр [Mkheidze, 1964].

Evipa beschkentic Andreeva, **nomen nudum**¹

З+И. — Узб, Тадж [Andreeva, 1976].

Evipa minoranskyi Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the USSR European part” [Ponomarev, 1981]).

Hippasa domratchevae Andreeva, **nomen nudum**²

З+И. — Узб, Тадж [Andreeva, 1976].

Hippasa jucunda Saveljeva, **nomen nudum**

П. — Каз [Savelyeva, 1972b, 1979].

¹ Description is absent, only figures are given in Andreeva, 1976.² = *Hippasa partita* (O.Pickard-Cambridge, 1876).

Lycosa capitata Marx, **nomen nudum**

C4. — PΦ [Marx, 1892].

Lycosa pilosa Marx, **nomen nudum**

C4. — PΦ [Marx, 1892].

Pardosa berlandiana Charitonov in Mcheidze, **nomen nudum**

E2, З+И. — Гр [Mkheidze, 1941, 1964], Узб [Bronstein, Murtazaev, 1974].

Pardosa kolosvariana Charitonov in Mcheidze, **nomen nudum**

E2. — Гр [Mkheidze, 1941, 1964].

Pardosa lessertiana Charitonov in Mcheidze, **nomen nudum**

E2. — Гр [Mkheidze, 1964].

Pardosa paralugubris Marusik, **nomen nudum**

З+И, М, П. — PΦ, Каз [Marusik et al., 1996]¹.

Tarentula caucasica Charitonov in Mcheidze, **nomen nudum**

E2. — Гр [Mkheidze, 1964].

Tarentula cursor var. *simonoides* Mcheidze, **nomen nudum**

E2. — Гр [Mkheidze, 1941, 1964].

Tarentula fomitsховi Ponomarev, **nomen nudum**

В. — PΦ/Каз (“semidesert of the USSR European part” [Ponomarev, 1981]).

Tarentula hirtipes Kulczyński, **nomen nudum**²

C1. — PΦ [Kulczyński, 1907].

Tarentula maccooki Wagner, **nomen nudum**

E2. — “Caucasus” [Vagner, 1896].

Tarentula steinegeri Marx, **nomen nudum**

C4. — PΦ [Marx, 1892].

Trochosa saitzevi Charitonov in Mcheidze, **nomen nudum**³

E2. — Гр [Mkheidze, 1964].

Family Pisauridae⁴

Archipirata Simon, 1898 (F)

Archipirata tatarica Simon, 1898

“Turkestan” [Simon, 1898].

Dolomedes Latreille, 1804 (M)

Dolomedes bukhkaloi Marusik, 1988

Г2?, М?, Н+О, П, Р, С1. — PΦ.

Dolomedes fimbriatus (Clerck, 1758)

= *D. limbatus* Hahn, 1831

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С2, Т1. — PΦ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.

Dolomedes kurilensis Strand, 1907, **nomen dubium**⁵

Т3. — PΦ.

Dolomedes plantarius (Clerck, 1758)

= *D. marginatus* (Olivier, 1789)⁶,

= *D. fimbriatus* var. *kulczynskii* F.Dahl, 1908

Б, В, Г2, Д?, М, П. — PΦ, Эст, Латв, Лит, Бел, Укр, Каз.

¹ Reference to the description of this species in Eskov/ & Marusik [1995] is wrong.

² ? = *Tarentula hirta*: Kulczyński, 1916.

³ The correct spelling would be *zaitzevi*.

⁴ An unidentified species and genus of Taumasinæ is found in З+И. — Кирг [Zonstein et al., 1996].

⁵ Described from an idadult specimen.

⁶ According to D.E. Kharitonov [Charitonov, 1932], this name is a synonym of *Dolomedes fimbriatus*.

Dolomedes raptor Bösenberg et Strand, 1906

T1. — PФ.

Dolomedes strandi Bonnet, 1929

T1. — PФ.

Dolomedes sulfureus L.Koch, 1878

T1, T3. — PФ.

Dolomedes tadjikistanicus Andreeva, 1976

З+И. — Тадж.

***Pisaura* Simon, 1885 (F)**

Pisaura ancora Paik, 1969

П, T1. — PФ.

Pisaura lama Bösenberg et Strand, 1906

T1, T2, T3. — PФ.

Pisaura mirabilis (Clerck, 1758)

+ *Ocyale mirabilis* var. *orientalis* Kulczyński, 1913,

= *P. listeri* (Scopoli, 1763)

В, Г2, Д, Е1, Е2, Ж2, З+И, К, М, Н+О, П? — PФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Pisaura novicia (L.Koch, 1878)

В, Е2, К. — PФ, Укр, Гр, Турк.

Family Oxyopidae

***Oxyopes* Latreille, 1804 (M)**

= *Sphasus* Walckenaer, 1805

Oxyopes badhyzicus Michailov et Fet, 1986

К. — Турк.

Oxyopes globifer Simon, 1876

= *O. maracandensis* Charitonov, 1946

В, Е2, Ж2, З+И, К. — PФ, Аз, Каз, Узб, Турк, Кирг, Тадж.

Oxyopes heterophthalmus (Latreille, 1804)

В, Г2, Е1, Е2, З+И?, К?, Л, Н+О?. — PФ, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб?, Турк?, Кирг?

П??

Oxyopes licenti Schenkel, 1953¹

= *O. parvus* Paik, 1969

Н+О, П, Р, T1, T2. — PФ.

Oxyopes lineatus Latreille, 1806

+ *O. l. nigripalpis* Kulczyński in Chyzer et Kulczyński, 1891,

= *O. transalpinus* (Walckenaer, 1805) **Nomen dubium** (after Bonnet, 1958),

= *O. gentilis* C.L.Koch, 1838

В, Е1, Е2, Ж1, Ж2, З+И, К, П?² — PФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Oxyopes nenilini Eyunin et Tuneva, 2009

З+И. — Каз³, Узб.

Oxyopes ramosus (Martini et Goeze, 1778)⁴

Б, В, Г2, Д, Е1, Е2, З+И?, К?, М, Н+О, П. — PФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Узб?

¹ The records of *Oxyopes* cf. *ramosus* by Koponen & Marusik [1992], Marusik et al. [1992, 1993], Marusik [1994] refer in fact to this species (Yu.M. Marusik, pers. comm.).

² Doubtful record [Volkovskiy, 2006, etc.].

³ Respective physiographical area is not indicated [Logunov et al., 2012].

⁴ These authors have priority over Panzer, 1804 — see Bonnet, 1958: 3238.

Oxyopes takobius Andreeva et Tystshenko, 1969

Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

Oxyopes xinjiangensis Hu et Wu, 1989

В. — Каз.

Oxyopes vegetus Savelyeva, **nomen nudum**

П. — Каз [Savelyeva, 1972b, 1979].

Family Zoropsidae

Zoropsis Simon, 1878 (F)

*Zoropsis kirghizica*¹ Ovtchinnikov et Zonstein, 2001

Z. kirghizicus

З+И. — Кирг.

Zoropsis lutea (Thorell, 1875)

В, Е1. — Укр.

Zoropsis spinimana (Dufour, 1820)

Е2. — РФ, Гр.

Family Zoridae

Zora C.L.Koch, 1847 (F)

Zora armillata Simon, 1878

Б, В, Г2, Д, Е2, З+И, П? — РФ, Эст, Укр, Гр, Кирг.

Zora manicata Simon, 1878

В, Д, Е1. — Укр.

Zora nemoralis (Blackwall, 1861)

Б, В, Г2, Д, Е1, Е2, Ж2, М, П, С2. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Турк.

Zora parallela Simon, 1878

В, Г2, П?², Т1. — РФ, Укр.

Zora pardalis Simon, 1878

В, Г2, Д?, Е1, Е2, З+И, П?³ — РФ, Укр, Гр, Каз.

Ж2?? — Турк??

Zora silvestris Kulczyński, 1897

Б, В, Г2, Е2, Ж1, Ж2, П? — РФ, Эст, Лит, Укр, Аз, Арм, Турк.

Zora spinimana (Sundevall, 1833)

= *Z. maculata* (Blackwall, 1833)

Б, В, Г2, Д, Е2, Ж1, З+И, М, Н+О, П, С2, Т1?, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Кирг.

Family Ctenidae

Anahita Karsch, 1879 (F)

Anahita fauna Karsch, 1879

Т1. — РФ.

¹ The species ending is changed here into feminine gender.

² Doubtful record [Volkovskiy, 2006, etc.].

³ Doubtful record [Volkovskiy, 2006, etc.].

Family Agelenidae

Agelena Walckenaer, 1805 (F)

Agelena labyrinthica (Clerck, 1758)

= *A. tubicola* Bösenberg et Strand, 1906

В, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, Н+О?, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Agelena maracandensis (Charitonov, 1946)

З+И. — Каз, Узб, Кирг.

Agelena orientalis C.L.Koch, 1837

= *A. taurica* Thorell, 1875 (♀)

В, Д, Е1, Е2, З+И, К. — РФ, Укр, Гр, Аз, Каз, Кирг.

Agelena silvatica Oliger, 1983

= *Agelena limbata* auct., non Thorell, 1879

Т1. — РФ.

Agelena tadzhika Andreeva, 1976

В, Ж2, З+И, К. — РФ, Каз, Турк, Кирг, Тадж.

Agelenopsis Giebel, 1869 (F)

Agelenopsis potteri (Blackwall, 1846)

В, Д, З+И, Т1. — РФ, Укр, Кирг.¹

С??²

Agelescape Levy, 1996 (F)

Agelena Walckenaer, 1805, part.

Agelescape affinis (Kulczyński, 1911)

Е2. — Аз.

Agelescape caucasica Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Agelescape dunini Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Agelescape levyi Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Agelescape talyshica Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Allagelena Zhang, Zhu et Song, 2006 (F)

Agelena Walckenaer, 1805, part.

Allagelena bistrata (Grube, 1861)

Т1. — РФ.

Allagelena gracilens (C.L.Koch, 1841)

= *Agelena brunnea* Blackwall, 1833, sensu Menge, 1871,

= *A. similis* Keyserling, 1863,

= *A. taurica* Thorell, 1875 (♂)

В, Д, Е1, Е2, К, П, Т1? — РФ, Укр, Молд, Аз, Каз.

¹ In Kirghizia, this species is introduced from USA [Zonstein et al., 1996]. Same for other localities.

² Reference to Kamchatka [Prokopenko, 2003] is a lapsus based on erroneous personal communication by K. Mikhailov.

***Alloclubionoides* Paik, 1992 (M)**

= *Ambanus* Ovtchinnikov, 1999

Alloclubionoides amurensis (Ovtchinnikov, 1999)

T1. — PΦ.

Alloclubionoides mandzhuricus (Ovtchinnikov, 1999)

T1. — PΦ.

Alloclubionoides napolovi (Ovtchinnikov, 1999)

T1. — PΦ.

Alloclubionoides paiki (Ovtchinnikov, 1999)

T1. — PΦ.

***Asiacoelotes* Wang, 2002 (M)**

Coelotes Blackwall, 1841, part.

Asiacoelotes insidiosus (L.Koch, 1878)

T1. — PΦ.

Asiacoelotes interunus (Nishikawa, 1977)

T2, T3. — PΦ.

***Azerithonica* Guseinov, Marusik et Koponen, 2005 (F)**

Azerithonica hyrcanica Guseinov, Marusik et Koponen, 2005

E2. — Aз.

(*Benoitia* Lehtinen, 1967) (F)

(*Benoitia lepida* O.Pickard-Cambridge, 1876)

Agelena lepida

B?? — Каз??

***Coelotes* Blackwall, 1841 (M*)**

Coelotes songminjae Paik et Yaginuma, 1969

T1. — PΦ.

Subgenus *Coelotes* s.str. (M*)

Coelotes (Coelotes) atropos (Walckenaer, 1825)

B, Д. — Бел, Укр.

П?? — PΦ??

Coelotes (Coelotes) curvilamnis Ovtchinnikov, 2000

+ *C. c. alatauensis* Ovtchinnikov, 2000,

+ *C. c. boomensis* Ovtchinnikov, 2000

З+И. — Каз, Кирг.

Coelotes (Coelotes) kirgisticus Ovtchinnikov, 2000

З+И. — Кирг.

Coelotes (Coelotes) mediocris Kulczyński, 1887

Д. — Укр.

Coelotes (Coelotes) pastor Simon, 1875

C. pastor carpathensis Ovtchinnikov, 1999,

C. pastor tirolensis (Kulczyński, 1906)

Д. — Укр.

Coelotes (Coelotes) pastoralis Ovtchinnikov, 2000

З+И. — Каз, Кирг.

Coelotes (Coelotes) progressoridentis Ovtchinnikov, 2000

З+И. — Кирг.

Coelotes (Coelotes) solitarius (L. Koch, 1868)

Д. — Укр.

Coelotes (Coelotes) sordidus Ovtchinnikov, 2000

З+И. — Каз, Кирг.

Coelotes (Coelotes) striatilamnis Ovtchinnikov, 2000

+ *C. s. ketmenensis* Ovtchinnikov, 2000

З+И. — Каз, Кирг.

Coelotes (Coelotes) terrestris (Wider, 1834)

Д. — Укр.

М??, Н+О??, П?? — РФ??

Coelotes (Coelotes) transiliensis Ovtchinnikov, 2000

З+И. — Каз, Кирг.

Subgenus *Brignoliolus* Ovtchinnikov, 1999 (M)

Coelotes (Brignoliolus) charitonovi Spassky, 1939

= *C. bucharensis* (Charitonov, 1969)

В, Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

Coelotes (Brignoliolus) juglandicola Ovtchinnikov, 1984

З+И. — Кирг.

Coelotes (Brignoliolus) nenilini Ovtchinnikov, 1999

З+И. — Узб.

Coelotes (Brignoliolus) turkestanicus Ovtchinnikov, 1999

В, В/Г2, З+И, К. — РФ, Каз, Узб, Кирг.

***Draconarius* Ovtchinnikov, 1999 (M)**

Draconarius venustus Ovtchinnikov, 1999

З+И. — Тадж.

***Histopona* Thorell, 1869 (F)**

Histopona torpida (C.L.Koch, 1834)

Tegenaria torpida

В, Д, Е2. — РФ, Укр, Молд.

***Inermocoelotes* Ovtchinnikov, 1999 (M)**

Coelotes Blackwall, 1841, part.

= *Eurocoelotes* Wang, 2002

Inermocoelotes falciger (Kulczyński in Chyzer et Kulczyński, 1897)

= *Amaurobius kulczynsky* Drensky, 1915,

= *Coelotes intermedius* Roşca, 1935

Д. — Укр.

Inermocoelotes inermis (L. Koch, 1855)

В, Д. — РФ?, Укр, Молд.

***Lycosoides* Lucas, 1846 (M)**

Lycosoides lehtineni Marusik et Guseinov, 2003

Е2. — Аз.

***Maimuna* Lehtinen, 1967 (F)**

Maimuna vestita (C.L.Koch, 1841)

Textrix vestita

Е1. — Укр.

***Malthonica* Simon, 1898 (F)**

Tegenaria Latreille, 1804, part.

Malthonica campestris (C.L.Koch, 1834)

В, E2, З+И? — PΦ, Укр?, Молд, Гр, Аз, Узб?

Malthonica dalmatica (Kulczyński, 1906)

E1. — Укр.

Malthonica ferruginea (Panzer, 1801)

= *Tegenaria domestica* (Clerck, 1758), sensu C.L.Koch, 1834, Westring, 1851, 1861 etc.

В, Д. — Укр.

E2?? — PΦ??

Malthonica lehtineni Guseinov, Marusik et Koponen, 2005

Ж1. — Аз.

Malthonica lencoranica Guseinov, Marusik et Koponen, 2005

E2. — Аз.

Malthonica lyncea (Brignoli, 1978)

E2, Ж1. — PΦ, Аз.

Malthonica nakhchivanica Guseinov, Marusik et Koponen, 2005

Ж1. — Аз.

Malthonica pagana (C.L.Koch, 1840)

= *Tegenaria subtilis* Simon, 1870,

= *T. variata* Thorell, 1875

Д, E1, E2, З+И¹. — PΦ, Укр, Гр, Аз, Кирг¹.

Malthonica picta (Simon, 1870)

= *Tegenaria pusilla* Simon, 1875

Д, E2. — PΦ, Укр, Аз.

Malthonica podoprigorai Kovblyuk, 2006

E1. — Укр.

Malthonica pseudolyncea Guseinov, Marusik et Koponen, 2005

E2. — Аз.

Malthonica silvestris (L.Koch, 1872)

В, Д. — PΦ, Укр, Молд.

***Pireneitega* Kishida, 1955 (F)**

= *Paracoelotes* Brignoli, 1982

Coelotes Blackwall, 1841, part.

Pireneitega birulai (Ermolaev, 1926)

= *Coelotes sakhalinensis* Marusik et Logunov, 1991

З+И, М, Н+О, П, Т1, Т2. — PΦ, Каз, Кирг.

Pireneitega fedotovi (Charitonov, 1946)

З+И. — Узб.

Pireneitega luctuosa (L.Koch, 1878)

Т1. — PΦ.

Pireneitega major (Kroneberg, 1875)

З+И. — Узб, Тадж.

Pireneitega ovtchinnikovi Kovblyuk, Kastrygina, Marusik et Ponomarev, 2013

E2. — PΦ, Гр.

Pireneitega segestriiformis (Dufour, 1820)

В, Д. — Эст, Укр.

E2??, Н+О?? — PΦ??

Pireneitega spasskyi (Charitonov, 1946)

E2. — PΦ, Гр, Аз.

¹ Introduced in З+И. — Кирг from Europe [Zonstein et al., 1996].

Pireneitega spinivulva (Simon, 1880)

П, Т1, Т2. — РФ.

***Tegecoelotes Ovtchinnikov, 1999* (M)**

Tegecoelotes secundus (Paik, 1971)

= *T. bicaudatus* (Paik, 1976)

Т1. — РФ.

***Tegenaria Latreille, 1804* (F)**

Tegenaria abchasica Charitonov, 1941

Е2. — РФ, Гр.

Tegenaria adomestica Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Tegenaria agrestis (Walckenaer, 1802)

В, Д, Е1, Е2, З+И¹, Т1? — РФ, Лит, Бел, Укр, Молд, Гр, Аз, Каз¹, Кирг².

Tegenaria atrica С.Л.Коч, 1843

В, Д. — РФ, Латв, Лит, Бел, Укр.

Tegenaria chumachenkoi Kovblyuk et Ponomarev, 2008

В, Е2. — РФ, Гр.

Tegenaria domestica (Clerck, 1758)

= *T. derhamii* (Scopoli, 1763),

= *T. civilis* (Walckenaer, 1802)

Б, В, Г1, Г2, Д, Е2, Ж2, З+И, К, М, Н+О, П, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Tegenaria fuesslini Pavesi, 1873

В. — Укр.

Tegenaria halidi Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Tegenaria ismailensis Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Tegenaria lapicidinarum Spassky, 1934

= *T. spasskyi* Guryanova, 1992

В, Е1. — РФ, Укр.

Tegenaria longimana Simon, 1897

Е2. — РФ, Гр.

Tegenaria luxurians Kulczyński in Chyzer et Kulczyński, 1897

Д. — Укр.

Tegenaria parietina (Fourcroy, 1785)

В, Д, Е1, Е2. — Лит, Укр, Гр, Аз.

Tegenaria pontica Charitonov, 1947

Е2. — Гр.

Tegenaria talyshica Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

Tegenaria taurica Charitonov, 1947

В, Е1, Е2. — РФ, Укр, Гр.

Tegenaria zagatalensis Guseinov, Marusik et Koponen, 2005

Е2. — Аз.

¹ No exact locality [Kazenas, Gromov, 2007].

² Introduced in З+И. — Кирг from Europe [Zonstein et al., 1996].

Textrix* Sundevall, 1833 (F)Textrix denticulata* (Olivier, 1789)

В, Е2. — Эст, Молд, Гр.

Urocoras* Ovtchinnikov, 1999 (M)Urocoras longispinus* (Kulczyński in Chyzer et Kulczyński, 1897)*Coelotes longispinus*

Д. — Укр.

Coelotes caraftensis Kishida, **nomen nudum**¹

Т2. — РФ [Kishida, 1924].

Family Cybaeidae***Argyroneta* Latreille, 1804 (F)***Argyroneta aquatica* (Clerck, 1758)

Б, В, Г2, Е1, Е2, Ж1, З+И, К, М, Н+О, П, С1, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Кирг.

Cedicoides* Charitonov, 1946 (M)Cedicus* Simon, 1875, part.*Cedicoides maerens* (Simon, 1889)

К. — Турк.

Ж2??

Cedicoides parthus (Fet, 1993)

Ж2, З+И. — Каз, Турк.

Cedicoides pavlovskiy (Spassky, 1941)

З+И. — Тадж.

Cedicoides simoni Charitonov, 1946

З+И. — Узб.

Ж2?? — Турк??

Cedicus* Simon, 1875² (M)Cedicus balchanicus* Fet, **nomen nudum**

К. — Турк [Fet, 1984b, 1985].

Cybaeus* L.Koch, 1878 (M)Cybaeus abchasicus* Charitonov, 1947

Е2. — РФ, Гр.

Cybaeus angustiarum L.Koch, 1868

Д. — Укр.

Б??, Е2?? — РФ??, Аз??

Cybaeus bam Marusik et Logunov, 1991

Т3. — РФ.

Cybaeus basarukini Marusik et Logunov, 1991

Т2. — РФ.

Cybaeus confrantis Oliger, 1994

Т1. — РФ.

¹ A synonym of *Pireneitega spinivulva* (Simon, 1881) [Wang, 2002].² Indication of *Cedicus* sp. for Crimea [Onchurov, 1998] is obviously erroneous.

Cybaeus kunashirensis Marusik et Logunov, 1991

T2, T3. — РФ.

Cybaeus striatipes Bösenberg et Strand, 1906

T2. — РФ.

{*Cybaeus tetricus* (C.L.Koch, 1839)}

Д? — Укр?

В?? — РФ??

***Paracedicus* Fet, 1993 (M)**

Cedicus Simon, 1875, part.

Paracedicus ephthalitus (Fet, 1993)

Ж2. — Турк.

Paracedicus feti Marusik et Guseinov, 2003

E2. — Аз.

Paracedicus gennadii (Fet, 1993)

Ж2, К. — Турк.

Family Hahniidae

***Antistea* Simon, 1897 (F)**

Antistea elegans (Blackwall, 1841)

Б, В, Г2, Д?, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр.

***Asiohahnia* Ovchinnikov, 1992 (F)**

Asiohahnia alata Ovchinnikov, 1992

З+И. — Каз, Кирг.

Asiohahnia dzhungarica Ovchinnikov, 1992

З+И. — Каз.

Asiohahnia ketmenica Ovchinnikov, 1992

З+И. — Каз.

Asiohahnia longipes Ovchinnikov, 1992

З+И. — Кирг.

Asiohahnia spinulata Ovchinnikov, 1992

З+И. — Кирг.

Asiohahnia xinjiangensis (Wang et Liang, 1989)

З+И/П. — Каз.

***Cryphoea* Thorell, 1870 (F)**

Cryphoea silvicola (C.L.Koch, 1834)

+ *C. s. carpathica* O.Herman, 1879

Б, В, Г2, Д, E2, З+И, М, Н+О, П, T1, T2. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Cryphoea thaleri Wunderlich, 1995

E2. — РФ.

***Hahnia* C.L.Koch, 1841¹ (F)**

Hahnia corticicola (Bösenberg et Strand, 1906)

Р, С1, T1, T2. — РФ.

¹ Two *Hahnia* sp. are reported from E2. — Аз [Guseinov, 1997], and Ж2. — Турк [Fet, 1983, 1984a; Kuznetsov, Fet, 1986; Mikhailov, Fet, 1994].

(*Hahnia difficilis* Harm, 1966)

П?? — РФ??¹

Hahnia glacialis Sørensen, 1898

= *H. rectispina* Kulczyński, 1926

Р, С1, С2, Т1. — РФ.

Г2??, Н+О??

Hahnia helveola Simon, 1875

В, Е1. — Укр, Молд.

М?? — РФ??

Hahnia montana (Blackwall, 1841)

Б, В, Д. — РФ, Эст, Укр.

Hahnia nava (Blackwall, 1841)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О?, П, С3, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Кирг, Тадж.

Р??

Hahnia ononidum Simon, 1875

= *H. mengei* Kulczyński in Chyzer et Kulczyński, 1897

Б, В, Г2, Д, З+И, М, Н+О, П, Р?, С1?, С2, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Каз.

Hahnia picta Kulczyński, 1897

В, Д? — РФ, Укр?

М??

Hahnia pusilla C.L.Koch, 1841

= *H. ohlerti* Bösenberg, 1902

Б, В, Г2, Д, М, П. — РФ, Эст, Латв, Лит, Бел, Укр.

Hahnia sexoculata Ponomarev, 2009

Е2. — РФ.

Hahnia sibirica Marusik, Hippa et Koronen, 1996

В, Г2, М, Н+О, П, С1, Т2. — РФ.

***Iberina* Simon, 1881 (F)**

Iberina (?) *ljovuschkini* Pichka, 1965

Е2. — РФ.

***Neoantistea* Gertsch, 1934 (F)**

Neoantistea quelpartensis Paik, 1958

Т1. — РФ.

***Pacifantistea* Marusik, 2011 (F)**

Pacifantistea ovtchinnikovi Marusik, 2011

С3, Т1, Т2, Т3. — РФ.

***Tuberta* Simon, 1884 (F)**

Tuberta maerens (O.Pickard-Cambridge, 1863)

Е2. — Аз.

Family Dictynidae

***Ajmonia* Caporiacco, 1934 (F)**

Ajmonia aurita Song et Lu, 1985

З+И. — Каз.

¹ This record is obviously wrong [Volkovskiy, 2006, etc.].

***Altella* Simon, 1884 (F)**

Altella caspia Ponomarev, 2008

В. — Каз.

Altella lucida (Simon, 1874)

Д. — Укр.

***Archaeodictyna* Caporiacco, 1928 (F)**

Dictyna Sundevall, 1833, part.

Archaeodictyna ammophila (Menge, 1871)

В, Д, Е2, Ж2, П. — РФ, Укр, Молд, Аз, Каз, Турк.

Archaeodictyna conducta (O.Pickard-Cambridge, 1876)

З+И/К. — Каз.

Archaeodictyna consecuta (O.Pickard-Cambridge, 1872)

= *Dictyna pygmaea* Thorell, 1875,

= *D. sedilloti* Simon, 1875,

= *D. annulata* Kulczyński, 1895,

= *D. terricola* Holm, 1945

Б, В, Г2, Е1, Е2, З+И, К, П. — РФ, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Archaeodictyna minutissima (Miller, 1958)

В, Г2. — РФ, Укр.

***Arctella* Holm, 1945 (F)**

Arctella lapponica Holm, 1945

В, Г2, М, Н+О, П, Р, С1. — РФ.

Arctella subnivalis Ovchinnikov, 1989

Е2, З+И. — РФ, Каз, Кирг, Тадж.

***Argenna* Thorell, 1869 (F)**

Argenna albopunctata (Menge, 1869)

В, Е2. — РФ, Бел, Молд, Аз.

Argenna patula (Simon, 1874)

= *A. crassipalpis* (F.Dahl, 1883)

Б, В, Г2, Е2, З+И, М, П. — РФ, Эст, Лит, Укр, Аз, Кирг.

Argenna subnigra (O.Pickard-Cambridge, 1861)

= *A. mengei* (O.Pickard-Cambridge, 1872)

Б, В, Г2, Д?, Е1, Е2, М? — РФ, Эст, Латв, Лит, Бел, Укр, Аз.

***Brommella* Tullgren, 1948¹ (F)**

Brommella falcigera (Balogh, 1935)

В. — РФ, Укр.

***Cicurina* Menge, 1871 (F)**

Cicurina cicur (Fabricius, 1793)

Cicurina cicurea auct.

Б, В, Д, П. — РФ, Эст, Лит, Бел, Укр, Каз.

***Devade* Simon, 1884 (F)**

= *Momius* Andreeva et Tystshenko, 1969

¹ A *Brommella* sp. is found in З+И. — Кирг. [Zonstein et al., 1996].

{*Devade indistincta* (O.Pickard-Cambridge, 1872)}

= *D. hirsutissima* Simon, 1880

E2? — A3?

B??, Г2??, E1??, З+И??, К??, Л??, П?? — РФ??, Укр??, Каз??, Турк??, Кирг??, Тадж??

Devade kazakhstanica Esyunin et Efimik, 2000

B. — Каз.

Devade lehtineni Esyunin et Efimik, 2000

K. — Каз.

Devade miranda Ponomarev, 2007

B. — Каз.

Devade tenella (Tystshenko, 1965)

Momius tenellus

Atella tenella

= *Momius hispidus* Andreeva et Tystshenko, 1969,

= *M. paradoxus* Saveljeva, **nomen nudum**,

= *Devade indistincta tatyanae* Esyunin, 1994,

= *D. uiensis* Esyunin, 1994,

+ *D. u. turanica* Esyunin et Efimik, 2000

B, Г2, E1, Ж1, З+И, К, Л, М. — РФ, Укр, Арм, Каз, Турк, Кирг.

***Dictyna Sundevall, 1833* (F)**

= *Brigittea* Lentinen, 1967

Dictyna alaskae Chamberlin et Ivie, 1947

B, B, M, H+O, П, P, C1, T1. — РФ.

Dictyna armata Thorell, 1875

B, E2. — Укр, Гр.

Dictyna arundinacea (Linnaeus, 1758)

= *D. benigna* (Walckenaer, 1802)

B, B, Г2, Д, E1, E2, Ж1, З+И, К, Л, М, H+O, П, P, C1, C2, T1, T2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Кирг, Тадж.

Dictyna civica (Lucas, 1849)

B, Д, E1. — РФ, Укр.

Dictyna cronebergi Simon, 1889

K. — Турк.

Dictyna daturica Danilov, 2000

П. — РФ.

Dictyna dunini Danilov, 2000

Г2, П, T1. — РФ.

Dictyna felis Bösenberg et Strand, 1906

T1. — РФ.

Dictyna foliicola Bösenberg et Strand, 1906

T1. — РФ.

Dictyna ignobilis Kulczyński, 1895

B, Д?, Ж1. — Укр?, Молд, Арм.

Dictyna innocens O.Pickard-Cambridge, 1872

З+И. — Каз.

{*Dictyna kosiorowiczi* (Simon, 1873)}

B?, T1? — РФ?, Укр?

П??

Dictyna latens (Fabricius, 1775)

Brigittea latens

B, Г2, Д, E1, E2, Ж2, З+И, П? — РФ, Эст, Укр, Молд, Аз, Каз, Турк, Кирг.

Dictyna major Menge, 1869= *D. hamifera* Thorell, 1872,= *D. sibirica* Kulczyński, 1908,+ *D. sibirica* var. *simulans* Kulczyński, 1916

Б, В, Г2, Д?, З+И, М, Н+О, П, Р, С1, С2, Т1. — РФ, Эст, Бел, Укр, Тадж.

Dictyna obyдови Marusik et Logunov, 1998

П. — РФ.

Dictyna palmgreni Marusik et Fritzen, 2011= *Dictyna schmidti* sensu Lehtinen et Palmgren

Б, Г2, М, Н+О, П, Р. — РФ.

Dictyna paramajor Danilov, 2000

П. — РФ.

Dictyna pusilla Thorell, 1856

Б, В, Г2, Д, Е2, Ж2, М, Н+О, П, Р?, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Турк.

Dictyna schmidti Kulczyński, 1926= *D. shilenkovi* Danilov, 2000

М, Н+О, П, Р, С1, С2, Т1. — РФ.

Б??, Г2??

Dictyna sotnik Danilov, 1994

П. — РФ.

Dictyna szaboi Chyzer, 1891

В, В/Г2. — РФ, Каз.

Dictyna tyshchenkoi Marusik, 1988+ *D. t. wrangeliana* Marusik, 1988

Г2, Р, С1. — РФ.

Dictyna ubsunurica Marusik et Koponen, 1998

П. — РФ.

Dictyna uncinata Thorell, 1856

Б, В, Г2, Д, Е1, Е2, Ж2, З+И, М, Н+О, П, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Турк.

Dictyna uvs Marusik et Koponen, 1998

П. — РФ.

Dictyna uzbekistanica Charitonov, 1946

З+И. — Узб.

Dictyna varians Spassky, 1952

В, Е2, З+И. — РФ, Аз, Тадж.

Dictyna vicina Simon, 1873

Б, В, К. — РФ, Укр, Молд, Каз.

Dictynomorpha* Spassky, 1939 (F)Dictynomorpha strandi* Spassky, 1939

З+И, К. — Каз, Узб, Турк, Кирг.

Emblyna* Chamberlin, 1948¹ (F)Dictyna* Sundevall, 1833, part.*Emblyna annulipes* (Blackwall, 1846)²

Б, В, Г2, Е2, М, Н+О, П, С1, Т1, Т2. — РФ, Эст, Укр, Аз.

¹ One undescribed species is found in З+И. — Кирг [Zonstein et al., 1996].² *Emblyna mitis* was earlier synonymized under *E. annulipes*; revalidated by J. Wunderlich [1975]. Some indications of *E. annulipes* should actually refer to *E. mitis*.

Emblyna borealis (O.Pickard-Cambridge, 1877)

P, C1. — PΦ.

Emblyna brevidens (Kulczyński, 1897)

B, C2. — PΦ, Эст.

Emblyna budarini Marusik, 1988

P, C1. — PΦ.

Emblyna burjatika (Danilov, 1994)

Г2, H+O, П, T1. — PΦ.

Emblyna mitis (Thorell, 1875)

B, Г2, Д, M, H+O. — PΦ, Эст, Укр.

Emblyna mongolica Marusik et Koponen, 1998

B, Г2, П. — PΦ.

Emblyna wangi (Song et Zhou, 1996)

Archaeodictyna wangi

= *E. logunovi* Marusik et Koponen, 1998

B, З+И/К, П. — PΦ, Каз.

Emblyna zherikhini (Marusik, 1988)

H+O, P, C1, T1. — PΦ.

***Hackmania* Lehtinen, 1967 (F)**

Argenna Thorell, 1869, part.

Hackmania prominula (Tullgren, 1948)

B, Г2, H+O, П, P, C1, C2, T1. — PΦ.

***Lathys* Simon, 1884 (F)**

Lathys alberta Gertsch, 1946

П, P, C1. — PΦ.

Lathys bin Marusik et Logunov, 1991

T2, T3. — PΦ.

Lathys humilis (Blackwall, 1855)

B, B, Г2, Д, E1, E2, З+И, M? — PΦ, Эст, Латв, Укр, Аз, Тадж.

Бел??

Lathys nielseni (Schenkel, 1932)

= *L. bifoveolata* Miller, 1971

B, B, Г2, M. — PΦ, Бел.

Lathys stigmatisata (Menge, 1869)

L. puta (auct., non O.Pickard-Cambridge, 1863),

= *L. taczanowskii* (O.Pickard-Cambridge, 1873)¹,

= *L. subviridis* Denis, 1937,

= *L. similis* Wiehle, 1967,

= *L. spasskyi* Andreeva et Tystshenko, 1969

B, Г2, Д, E1, E2, Ж1, З+И, Л?, П, T1. — PΦ, Бел, Укр, Аз, Каз, Кирг, Тадж.

Lathys truncatus Danilov, 1994²

З+И/П, П. — PΦ, Каз.

***Marilynia* Lehtinen, 1967 (F)**

Marilynia bicolor (Simon, 1870)

Dictyna bicolor

B, Д, П. — PΦ, Укр, Молд, Каз.

¹ Valid species, after Marusik et al. [2007]: П, T1. — PΦ.

² Listed as a synonym of *Lathys taczanowskii* in Marusik et al. [2007].

Mastigusa* Menge, 1854 (F)Mastigusa arietina* (Thorell, 1871)*Tetrilus arietinus**Tuberta arietina*

В, Г2, Д, М? — РФ, Эст, Укр.

Н+О??

Mastigusa macrophthalma (Kulczyński in Chyzer et Kulczyński, 1897)*Tuberta macrophthalma**Tetrilus macrophthalmus*

Е2, Н+О, П. — РФ, Гр, Аз.

Г2??

Nigma* Lehtinen, 1967 (F)Ergatis* Simon, 1914, praeocc.*Dictyna* Sundevall, 1833, part.*Nigma flavescens* (Walckenaer, 1830)= *Dictyna orientalis* Kulczyński, 1895

В, Д, Е2, Ж1, З+И? — РФ, Укр, Молд, Аз, Арм, Узб?

Nigma laeta (Spassky, 1952)

Е2, З+И. — Аз, Тадж.

Nigma puella (Simon, 1870)

Д. — Укр.

Nigma tristis (Spassky, 1952)

З+И. — Тадж.

Nigma walckenaeri (Roewer, 1951)= *Dictyna viridissima* (Walckenaer, 1802), praeocc. in *Aranea*

В, Д, Е1, Е2. — РФ, Укр, Аз.

Scotolathys* Simon, 1884 (F)Scotolathys simplex* Simon, 1884*Lathys simplex*

Е1. — Укр.

Tricholathys* Chamberlin et Ivie, 1935 (F)Tricholathys relicta* Ovtchinnikov, 2001

З+И. — Кирг.

Family Amaurobiidae***Amaurobius* C.L.Koch, 1837 (M*)***Amaurobius antipovae* Marusik et Kovblyuk, 2004

Е2. — РФ, Гр.

Amaurobius erberi (Keyserling, 1863)*

В, Д?, Е1, Е2, З+И? — Укр, Аз, Узб?

Amaurobius fenestralis (Ström, 1768)

В, Д, Е2, К. — РФ, Эст, Лит, Бел, Укр, Аз, Каз.

Amaurobius ferox (Walckenaer, 1830)

Д. — Укр.

Amaurobius flavovittatus (Grube, 1861), **nomen dubium**¹

Т1. — РФ.

¹ Described from an inadult female: cf. Dunin [1984]; Wesołowska [1988].

Amaurobius lunigerus (Grube, 1861), **nomen dubium**¹

T1. — PΦ.

{*Amaurobius obustus* L.Koch, 1868}

Д? — Yкр?

Amaurobius pallidus L.Koch, 1868

В, Д?, E2, П? — PΦ?, Молд, Гр.

E1?? — Yкр??

Amaurobius similis (Blackwall, 1859)

В, Д, E2, Л. — PΦ, Yкр, Молд?², Гр, Аз, Каз.

Amaurobius strandi Charitonov, 1937

E1. — Yкр.

E2?? — PΦ??

***Arctobius* Lehtinen, 1967 (M)**

Arctobius agelenoides (Emerton, 1919)

В, Г2, З+И/К, Н+О, П, Р, С1, Т1. — PΦ, Каз.

***Callobius* Chamberlin, 1947 (M)**

Amaurobius C.L.Koch, 1837, part.

Callobius claustrarius (Hahn, 1833)

В, Д, E2, П. — PΦ, Yкр, Молд, Аз, Каз.

T2??

Callobius hokkaido Leech, 1971

T3. — PΦ.

***Cybaeopsis* Strand, 1907 (F)**

Cybaeopsis typica Strand, 1907

T2, T3. — PΦ.

***Ovtchinnikovia* Marusik, Kovblyuk et Ponomarev, 2010 (F**)**

Ovtchinnikovia caucasica Marusik, Kovblyuk et Ponomarev, 2010

E2. — PΦ.

Family Titanoecidae

***Nurscia* Simon, 1875 (F)**

Nurscia albofasciata (Strand, 1907)

T1. — PΦ.

Nurscia albomaculata (Lucas, 1846)

В, E1, E2, Ж2, З+И, К. — PΦ, Yкр, Аз, Каз, Турк, Кирг, Тадж.

Nurscia albosignata Simon, 1874

= *Amaurobius longipalpis* Kroneberg, 1875

В, E1, E2, З+И. — PΦ, Yкр, Гр?, Аз?, Арм?, Каз, Кирг.

***Titanoeca* Thorell, 1869 (F)**

Titanoeca asimilis Song et Zhu, 1985

= *T. burjatika* Danilov, 1994

З+И, К, П. — PΦ, Каз.

¹ Described from an inadult female: cf. Dunin [1984]; Wesołowska [1988].

² Records of *Amaurobius pallidus* from Moldavia possibly refer to *A. strandi* [Kovblyuk, 2002].

- Titanoeca caucasica* Dunin, 1985
E2. — Аз.
- Titanoeca eca* Marusik in Eskov et Marusik, 1995
З+И. — Каз.
- Titanoeca flavicoma* L.Koch, 1872
В. — РФ.
- Titanoeca lehtineni* Fet, 1986
Ж2, К. — Каз, Турк.
- Titanoeca liaoningensis* Zhu, Gao et Guan in Gao, Guan et Zhu, 1993
= *T. transbaicalica* Danilov, 1994,
= *T. zyuzini* Marusik, 1995
В, П. — РФ.
- Titanoeca minuta* Marusik in Eskov et Marusik, 1995
З+И. — Каз.
- Titanoeca nivalis* Simon, 1874
= *T. silvicola* Chamberlin et Ivie, 1947
E2, H+O, П, Р, С1, Т1. — РФ, Гр.
- Titanoeca praefica* (Simon, 1870)
В, Г2. — РФ.
- Titanoeca psammophila* Wunderlich, 1993
В. — РФ.
- Titanoeca quadriguttata* (Hahn, 1833)
= *T. obscura* (Walckenaer, 1802), praecoc.,
= *T. kochi* (Ausserer, 1867)
В, Г2, Д, П. — РФ, Укр, Молд, Каз.
- Titanoeca schineri* L.Koch, 1872
Б, В, Г2, Е1, Е2, З+И, Л, М, П. — РФ, Бел, Укр, Гр, Аз, Каз, Кирг, Тадж?
- Titanoeca sibirica* L.Koch, 1879
В, Г2, H+O, П, Р, С1. — РФ.
- Titanoeca tristis* L.Koch, 1872
В, Е2. — РФ, Бел, Укр, Молд, Аз.
Ж2?? — Турк??
- Titanoeca turkmenia* Wunderlich, 1995
В, Ж2. — РФ, Каз, Турк.
- Titanoeca ukrainica* Guryanova, 1992
В, Е1. — РФ, Укр.
- Titanoeca veteranica* O.Herman, 1879
В, Е2, Ж2, К, П. — РФ, Укр, Аз, Каз, Турк.
- Titanoeca charitonovi* Pakhorukov, **nomen nudum**
Г2. — РФ [Pakhorukov, 1979].

Family Anyphaenidae

Anyphaena Sundevall, 1833 (F)

- Anyphaena accentuata* (Walckenaer, 1802)
+ *A. a.* var. *obscura* Lebert, 1877
Б, В, Д, Е1, Е2, Ж1, Ж2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Турк.
- Anyphaena furva* F.Miller, 1967
Е2. — РФ.
- Anyphaena kurilensis* Paele et S.Saito, 1932
Т3. — РФ.

Anyphaena pugil (Karsch, 1879)
= *Gayenna sachalinensis* S.Saito, 1935
С3+Т3, Т2. — РФ.
Anyphaena sabina L.Koch, 1866
В, Е2. — РФ, Гр, Аз.

{Hibana Brescovit, 1991} (F)

{*Hibana gracilis* (Hentz, 1847)}
Anyphaena gracilis
Т3? — РФ?

Family Liocranidae

***Agraecina* Simon, 1932 (F)**

Agraecina lineata (Simon, 1878)
В. — РФ, Каз.

***Agroeca* Westring, 1861 (F)**

Agroeca agrestis Ponomarev, 2007
В. — Каз.

Agroeca brunnea (Blackwall, 1833)
= *A. haglundii* Thorell, 1871

Б, В, Г2, Д, Е1?, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.
С2??

Agroeca coreana Namkung, 1989
Т1. — РФ.

Agroeca cuprea Menge, 1873
= *A. pullata* Thorell, 1875,
= *A. chrysea* Simon, 1878

В, Г2, Е1, Е2, Ж1, Ж2, З+И, Н+О, П. — РФ, Эст, Лит, Бел, Укр, Аз, Каз, Турк, Кирг.

Agroeca dentigera Kulczyński, 1913

Б?, В, Г2. — РФ, Лит, Укр.
Е1??

Agroeca guttulata Simon, 1897
“Turkestan meridionalis” [Simon, 1897].

Agroeca inopina O.Pickard-Cambridge, 1886
В, П?¹ — РФ.

Agroeca lusatica (L.Koch, 1875)

= *A. thorelli* Kulczyński in Chyzer et Kulczyński, 1897

Б, В, Г2, Д?, Е1, З+И, М, П. — РФ, Эст, Лит, Бел, Укр, Каз.

Agroeca maculata L.Koch, 1879

? = *A. kalbica* (Saveljeva, 1972)

В, Г2, Е2, М, Н+О, П, Р, С1. — РФ, Каз.

Agroeca makarovae Esyunin in Esyunin et Kazantsev, 2008

В. — РФ.

Agroeca mongolica Schenkel, 1936

Т1. — РФ.

Agroeca ornata Banks, 1892

Н+О, С1, С2, Т1, Т2, Т3. — РФ.

Agroeca proxima (O.Pickard-Cambridge, 1871)

Б, В, Г2, Д, М, П. — РФ, Эст, Лит, Бел, Укр.

¹ Doubtful record [Volkovskiy, 2006, etc.].

***Liocranoeca* Wunderlich, 1999 (F)**

Agraecina Simon, 1932, part.

Liocranoeca spasskyi Ponomarev, 2007

В. — РФ.

Liocranoeca striata (Kulczyński, 1881)

Agroeca striata

В, Д?, Е1, Е2, П. — РФ, Эст, Лит, Укр.

***Liocranum* L.Koch, 1866 (N)**

Liocranum freibergeri Charitonov, 1946

З+И. — Узб.

Liocranum rupicola (Walckenaer, 1830)

= *L. domesticum* (Wider, 1834),

= *Philoica notata* (C.L.Koch, 1834)

Б, В, Д, М. — РФ, Укр.

***Mesiotelus* Simon, 1897¹ (M)**

Mesiotelus kulczynskii Charitonov, 1946

Ж2, З+И. — Узб, Турк, Кирг.

Mesiotelus lubricus (Simon, 1880)

З+И/П. — Каз.

Mesiotelus tenuissimus (L.Koch, 1866)

Е1, Ж2. — Укр, Турк.

Mesiotelus zonsteini Michailov, 1986

З+И. — Каз, Кирг.

***Sagana* Thorell, 1875 (F)**

Liocranum L.Koch, 1866, part.

Sagana rutilans Thorell, 1875

Е1, Е2. — РФ, Укр, Гр.

М??

***Scotina* Menge, 1873 (F)**

Scotina celans (Blackwall, 1841)

Б, В, Е1. — РФ, Эст, Бел, Укр.

Scotina gracilipes (Blackwall, 1859)

В. — Эст, Лит.

РФ??

Scotina palliardi (L.Koch, 1881)*

Б, В, Г2, М? — РФ, Эст, Лит, Укр.

Liocranum boreale Marx, **nomen nudum**

С4. — РФ [Marx, 1892].

Family Clubionidae***Cheiracanthium* C.L.Koch, 1839 (N)**

Cheiracanthium auct.

{*Cheiracanthium angulitarse* Simon, 1878}

З+И? — Каз?

¹ *Mesiotelus* sp. is known also from Azerbaijan [Marusik, Guseinov, 2003; Marusik et al., 2005b].

- Cheiracanthium brevidens* Kroneberg, 1875
З+И, К. — Узб, Тадж.
- Cheiracanthium campestre* Lohmander, 1944
В. — РФ, Укр.
- Cheiracanthium effosum* O.Herman, 1879
В, Е1. — РФ, Бел, Укр.
- Cheiracanthium elegans* Thorell, 1875
Б, В, Г2, Д, Е1?, Е2, К, П, Т1? — РФ, Укр, Молд, Аз, Каз, Узб.
- Cheiracanthium erraticum* (Walckenaer, 1802)
= *Ch. carnifex* (Fabricius, 1775), sensu C.L.Koch,
= *Ch. erroneum* O.Pickard-Cambridge, 1873
Б, В, Г2, Д, Е1, Е2, Ж2, З+И, М, Н+О, П, С2, С3/Т3¹, Т1, Т2. — РФ, Эст, Латв, Лит, Бел,
Укр, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.
{*Cheiracanthium fulvotestaceum* Simon, 1878}
П? — Каз?
- Cheiracanthium gratum* Kulczyński, 1897
В. — РФ, Каз.
{*Cheiracanthium ienisteai* Sterghiu, 1985}
П? — РФ?
- Cheiracanthium japonicum* Bösenberg et Strand, 1906
П?, Т1. — РФ, Каз?
- Cheiracanthium kazachstanicum* Ponomarev, 2007
В. — Каз.
- Cheiracanthium lascivum* Karsch, 1879
Т2. — РФ.
- Cheiracanthium mildei* L.Koch, 1864
В, Д, Е1, Е2, Ж1, Ж2, К. — РФ, Укр, Молд, Гр, Аз, Каз, Турк.
- Cheiracanthium montanum* L.Koch, 1878
В, Е2. — РФ, Лит?
Н+О?? — РФ??
- Cheiracanthium oncognathum* Thorell, 1871
Б, В, Г2, Д, П? — РФ, Эст, Латв, Укр.
- Cheiracanthium orientale* Kulczyński, 1885
С2. — РФ.
- Cheiracanthium pelasgicum* (C.L.Koch, 1837)
В, Е1, Е2, Ж1, З+И. — РФ, Укр, Молд, Аз, Арм, Кирг, Тадж.
М??
- Cheiracanthium pennyi* O.Pickard-Cambridge, 1873
В, Г2, Д, Е1, Е2, З+И, К, Л, М, П. — РФ, Укр, Молд, Гр, Аз, Каз, Узб.
- Cheiracanthium punctorium* (Villers, 1789)
= *Ch. nutrix* (Walckenaer, 1802),
= *Ch. italicum* Canestrini et Pavesi, 1868
В, Г2, Д, Е1, Е2, З+И, К, П. — РФ, Эст, Лит, Укр, Молд, Гр, Каз, Узб, Кирг, Тадж.
- Cheiracanthium seidlitzii* L.Koch, 1864*
В, Е2, Ж2, З+И, К. — РФ, Аз, Каз, Узб, Турк.
- Cheiracanthium streblowi* L.Koch, 1879*
Н+О, П. — РФ.
- Cheiracanthium turanicum* Kroneberg, 1875
Ch. seidlitzii turanicum
З+И. — Узб, Тадж.

¹ Kurile Islands [Kamura, 2001].

Cheiracanthium virescens (Sundevall, 1833)

= *Ch. lapidicolens* Simon, 1878

Б, В, Г2, Е2, П, Т1. — РФ, Эст, Латв, Лит, Укр, Молд, Гр, Аз.

Cheiracanthium zebrinum Saveljeva, 1972

П. — РФ, Каз.

***Clubiona* Latreille, 1804 (F)**

Clubiona alexeevi Michailov, 1990

Е2. — РФ.

Clubiona alpicola Kulczyński, 1881

= *C. liachviana* Mcheidze, 1997

Д, Е1, Е2, Ж1, Ж2. — РФ, Укр, Гр, Аз, Арм, Турк.

В??

Clubiona amurensis Michailov, 1990

Т1. — РФ.

Clubiona bakurovi Michailov, 1990

Т1, Т2. — РФ.

Clubiona basarukini Michailov, 1990

П, Т2. — РФ.

Clubiona bashkirica Michailov, 1992

Г2, М. — РФ.

Clubiona brevipes Blackwall, 1841

В, Д, Е1, Е2. — РФ, Бел, Укр, Молд, Гр, Аз.

С3??

Clubiona caerulescens L.Koch, 1867

Б, В, Г2, Д, Е1, Е2, Ж1, М, Н+О, П, С1, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз.

(*Clubiona canadensis* Emerton, 1890)

П?? — РФ??

Clubiona chabarovi Michailov, 1991

Т1. — РФ.

Clubiona charitonovi Michailov, 1990

П, Т1, Т2, Т3. — РФ.

Clubiona comta C.L.Koch, 1839

В, Д, Е2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

П??

Clubiona congenilis Kulczyński, 1913

= *C. c. orientalis* Saveljeva, 1972

В, Г2, Л, М, П. — РФ, Укр, Каз.

Clubiona coreana Paik, 1990

Т1. — РФ.

Clubiona corrugata Bösenberg et Strand, 1906

Т1, Т3. — РФ.

Clubiona corticalis (Walckenaer, 1802)

Д, Е1, Е2, Ж1. — Укр, Аз, Арм.

В?? — РФ??

Clubiona diversa O.Pickard-Cambridge, 1862

Б, В, Г2, Е2, З+И, Л, Н+О, П, Р, С1, С3, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Каз.

Clubiona dunini Michailov, 2003

Т1. — РФ.

Clubiona eskovi Michailov, 1995

Т1. — РФ.

Clubiona evoronensis Michailov, 1995

T1. — PΦ.

Clubiona ezoensis Hayashi, 1987

C3, T1, T2, T3. — PΦ.

(*Clubiona flavipes* (S.Saito, 1939))

T2??, T3?? — PΦ??

Clubiona frisia Wunderlich et Schuett, 1995

B, Г2, E1, E2, M. — PΦ, Укр, Аз, Каз.

Clubiona frutetorum L.Koch, 1867

B, B, Г2, Д, E1, H+O, П. — PΦ, Эст, Латв, Лит, Бел, Укр, Молд, Каз.

E2??, Ж2??, C3??, T1?? — Gr??, Az??, Turk??

Clubiona furcata Emerton, 1919

H+O, P, C1. — PΦ.

Clubiona genevensis L.Koch, 1866

= *C. decora* Blackwall, 1859, sensu Kulczyński in Chyzer et Kulczyński, 1897

B, Г2, E1, E2, Ж1, Ж2, З+И, Л, П. — PΦ, Латв?, Укр, Аз, Арм, Каз, Турк, Кирг.

Clubiona germanica Thorell, 1870

B, B, Г2, Д, E1, E2, З+И, Л, M, H+O, П, T1. — PΦ, Эст, Латв, Лит, Бел, Укр, Gr, Каз, Кирг.

Clubiona golovatchi Michailov, 1990

B, E2, Ж1. — PΦ, Gr, Аз, Арм.

Clubiona haeinsensis Paik, 1990

T1. — PΦ.

Clubiona helenae Michailov, 1995

T1. — PΦ.

(*Clubiona hilaris* Simon, 1878)

E2?? — Az??

Clubiona hyrcanica Michailov, 1990

E2. — Az.

Clubiona interjecta L.Koch, 1879

= *C. subinteriecta* Strand, 1907, part., ♀

M, H+O, П, P, C1, T1, T2. — PΦ.

Clubiona irinae Michailov, 1991

T1, T2. — PΦ.

Clubiona japonica L.Koch, 1878

T2, T3. — PΦ.

T1??

Clubiona japonicola Bösenberg et Strand, 1906

T1, T3. — PΦ.

Clubiona jucunda (Karsch, 1879)

T1, T3. — PΦ.

Clubiona juvenis Simon, 1878

B, K. — PΦ, Эст, Лит, Укр, Узб.

Clubiona kimyongkii Paik, 1990

= *C. ussurica* Michailov, 1990

T1. — PΦ.

Clubiona komissarovi Michailov, 1992

T1. — PΦ.

Clubiona kularensis Marusik et Koponen in Marusik et al., 2002

P, T1. — PΦ.

Clubiona kulczynskii Lessert, 1905

= *C. borealis* auct., non Thorell, 1871, n.nov. pro *C. trivialis* sensu Westring, 1861,

= *C. uralensis* Charitonov, 1926

B, B, Г2, M, H+O, П, P, C1, C2, T1, T2. — PΦ, Каз.

- Clubiona kunashirensis* Michailov, 1990
= *C. lyubarskii* Michailov, 1991
T2, T3. — PΦ.
- Clubiona kurenshevikovi* Michailov, 1995
T1. — PΦ.
- Clubiona kurilensis* Bösenberg et Strand, 1906
C2, C3, T1, T2, T3. — PΦ.
- Clubiona langei* Michailov, 1991
T1. — PΦ.
- Clubiona latericia* Kulczyński, 1926
H+O, П, P, C1, C2, T1, T2, T3. — PΦ.
- Clubiona logunovi* Michailov, 1990
T1. — PΦ.
- Clubiona lutescens* Westring, 1851
Б, В, Г2, Д, Е1?, Е2, Ж1, З+И, Л, М, Н+О, П, T1, T2? — PΦ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз.
- Clubiona mandschurica* Schenkel, 1953
T1. — PΦ.
- Clubiona maracandica* Kroneberg, 1875
З+И. — Узб.
К?? — Каз??, Турк??, Кирг??
- Clubiona marmorata* L.Koch, 1866
В, Д, Е1. — Лит, Бел, Укр, Молд.
- Clubiona marusiki* Michailov, 1990
T1. — PΦ.
- Clubiona mayumiae* Ono, 1993
= *C. pseudogermanica* Schenkel, 1936, sensu Mikhailov, 1991
Ñ2, Ñ3, Ô1, Ô2, Ô3. — ĐÔ.
- Clubiona mazandaranica* Michailov, 2003
Å2. — Àç.
- Clubiona microsapporensis* Michailov, 1990
Ò1, Ò2, Ò3. — ĐÔ.
- Clubiona mykolai* Michailov, 2003
Å1. — Óêđ.
- Clubiona nataliae* Trilikauskas, 2007
Ò1. — ĐÔ.
- Clubiona neglecta* O.Pickard-Cambridge, 1862
= *C. montana* L.Koch, 1867
Б, В, Г2, Д, Е2, Ж1, З+И, К, Л, М, П, T1? — PΦ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Кирг, Тадж.
Е1??
- Clubiona nenilini* Michailov, 1995
П? — PΦ.
- Clubiona norvegica* Strand, 1900
Б, В, Г2, М. — PΦ, Лит.
- Clubiona odesanensis* Paik, 1990
T1. — PΦ.
- Clubiona oligerae* Michailov, 1995
T1. — PΦ.
- Clubiona paiki* Michailov, 1991
= *C. chechtsirica* Michailov, 1995
T1. — PΦ.

Clubiona pallidula (Clerck, 1758)

= *C. holosericea* (Linnaeus, 1758),

= *C. incomta* C.L.Koch, 1837

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, Л, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.

Clubiona papillata Schenkel, 1936

= *C. wolchongsensis* Paik, 1990

Т1. — РФ.

Clubiona perforata Paelle et S.Saito, 1932, **nomen dubium**¹

Т3. — РФ.

Clubiona phragmitis C.L.Koch, 1843

Б, В, Г2, Д, Е2, З+И, К, Л, М, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз, Узб, Кирг.

Clubiona praematura Emerton, 1909

С1. — РФ.

Clubiona propinqua L.Koch, 1879

= *C. subinteriecta* Strand, 1907, part., ♂,

= *C. strandiana* Sytshevskaja, 1935

Н+О, П, Р, С1, С2, Т1, Т2. — РФ.

Clubiona pseudogermanica Schenkel, 1936

Т1. — РФ.

Clubiona pseudoneglecta Wunderlich, 1994

В, Е1, Е2. — РФ, Укр, Молд, Аз, Арм.

Clubiona pseudosaxatilis Michailov, 1992

З+И, П. — РФ, Каз.

Clubiona pseudosimilis Michailov, 1990

Е2, Ж1. — РФ, Гр, Аз, Арм.

Clubiona reclusa O.Pickard-Cambridge, 1863

= *C. grisea* L.Koch, 1866

Б, В, Г2, Д, Е1, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Т1??

Clubiona riparia L.Koch, 1866

= *C. picta* Kulczyński, 1885,

= *C. badia* Paelle et S.Saito, 1932

Г2, Н+О, П, Р, С1, С2, С3, Т1, Т2, Т3. — РФ.

(*Clubiona rosserae* Locket et Millidge, 1953)

П?? — РФ??

Clubiona rostrata Paik, 1985

В?, Т1, Т2. — РФ.

Clubiona rybini Michailov, 1992

З+И. — Каз, Кирг.

{*Clubiona saltuum* Kulczyński, 1898}

Д? — Укр?

Clubiona sapporensis Hayashi, 1986

Т1, Т2, Т3. — РФ.

Clubiona saurica Michailov, 1992

З+И. — Каз.

Clubiona sichotanica Michailov, 2003

Т1. — РФ.

Clubiona similis L.Koch, 1867

В?, Д, Е2?, З+И?, М?, П?, Т1? — РФ?, Эст?, Латв?, Лит?, Укр, Молд?, Гр?, Аз?, Каз?

Г2??

¹ Type material is lost.

Clubiona sopaikensis Paik, 1990

T1, T2. — РФ.

Clubiona stagnatilis Kulczyński in Chyzer et Kulczyński, 1897

Б, В, Г2, Д, Е2, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Каз, Кирг.

{*Clubiona subalba* Bösenberg, 1902}

Д? — Укр? [Mikhailov, 1992a].

Clubiona subborealis Michailov, 1992

П, T1. — РФ.

Clubiona subsultans Thorell, 1875

= *C. erratica* (Walckenaer, 1802), sensu C.L.Koch

Б, В, Г2, Д, Е1, Е2, З+И?, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз?

Clubiona subtilis L.Koch, 1867

Б, В, Г2, Е1, З+И, М, П, T1, T2. — РФ, Эст, Латв, Бел, Укр, Кирг.

Clubiona terrestris Westring, 1851

В, Д. — Эст, Бел, Укр, Молд.

Г2??, Н+О??, T1?? — РФ??

Clubiona transbaicalica Michailov, 1992

П. — РФ.

Clubiona trivialis C.L.Koch, 1843

Б, В, Г2, Д, Е1, М, Н+О, С1, T2. — РФ, Эст, Латв, Лит, Бел, Укр.

Clubiona tsurusakii Hayashi, 1987

T3. — РФ.

Clubiona vegeta L.Koch in Simon, 1874

Е2, Ж2, З+И. — Аз, Турк, Кирг, Тадж.

Clubiona vigil Karsch, 1879

T3. — РФ.

Clubiona yaroslavi Michailov, 2003

T1. — РФ.

Clubiona zacharovi Michailov, 1991

T1. — РФ.

Clubiona zyuzini Michailov, 1995

T1. — РФ.

Clubiona mcheidzeae Charitonov in Mcheidze, **nomen nudum**

Е2. — Гр [Mkheidze, 1941, 1964].

Family Corinnidae¹

Apostenus Westring, 1851 (M)

Apostenus fuscus Westring, 1851

В, Д. — РФ, Укр.

Castianeira Keyserling, 1879 (F)

Castianeira arnoldii Charitonov, 1946

Ж2, З+И, К. — Узб, Турк, Тадж?

¹ Indication of *Procopius caesariensis* Kauchtschischwili, 1933 for Georgia, Caucasus [Bonnet, 1958] is a lapsus, since the paper of Kauchtschischwili is devoted to a new record of manuscript of Byzantine historian of the 6th century, known under the latinized name *Procopius caesariensis* [Mikhailov, 2009].

An undescribed new genus is reported from Nakhichevan (Ж1 — Аз) by Marusik et al. [2005b].

Cetonana Strand, 1929 (F)*Ceto* Simon, 1874, praecoc.*Cetonana laticeps* (Canestrini, 1868)

E2. — РФ.

Orthobula Simon, 1896 (F)*Orthobula charitonovi* (Michailov, 1986)*Trachelas charitonovi*

E2, Ж1, Ж2, З+И. — Гр, Аз, Арм, Узб, Турк, Кирг.

Paratrachelas Kovblyuk et Nadolny, 2009 (M)*Trachelas* L.Koch, 1866*Paratrachelas acuminus* (Zhu et An, 1988)

T1. — РФ.

Paratrachelas maculatus (Thorell, 1875)

E1. — Укр.

Ж2?? — Турк??

Phrurolithus C.L.Koch, 1839 (M)= *Micariosoma* Simon, 1878*Phrurolithus claripes* (Dönitz et Strand in Bösenberg et Strand, 1906)

T2. — РФ.

Phrurolithus coreanus Paik, 1991

C3. — РФ.

Phrurolithus festivus (C.L.Koch, 1835)

B, B, Г2, Д, E1, E2, Ж1, З+И, М, П, T1, T2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

Phrurolithus hamdeokensis Seo, 1988

П, T1. — РФ.

Phrurolithus luppovae Spassky, 1941

З+И. — Тадж.

Phrurolithus minimus C.L.Koch, 1839

B, Д? — РФ, Эст, Лит, Укр.

Phrurolithus pargongensis Seo, 1988

T1. — РФ.

Phrurolithus pennatus Yaginuma, 1967

П, T1. — РФ.

Phrurolithus pullatus Kulczyński in Chyzer et Kulczyński, 1897

B, Г2, E1, E2, Ж2, З+И. — РФ, Укр, "Caucasus" [Mikhailov, Fet, 1986], Аз, Каз, Турк, Кирг.

Phrurolithus pygmaeus Thorell, 1875

B. — РФ, Укр.

Phrurolithus sinicus Zhu et Mei, 1982

П, T1. — РФ.

Phrurolithus sordidus Saveljeva, 1972

П. — Каз.

Trachelas L.Koch, 1866 (M)*Trachelas japonicus* Bösenberg et Strand, 1906

T1. — РФ.

Trachelas minor L.Koch in O.Pickard-Cambridge, 1872
В, Е1, Е2, К. — РФ, Укр, Гр, Аз, Узб, Турк.
Trachelas tanasevitchi Marusik et Kovblyuk, 2010
Т1. — РФ.

Orthobula choroga Andreeva, **nomen nudum**
З+И. — Тадж [Andreeva, 1975].
Orthobula simoni Andreeva, **nomen nudum**
З+И. — Тадж [Andreeva, 1975].

Family Zodariidae

Lachesana Strand, 1932 (F)

= *Lachesis* Savigny et Audouin, 1826, praecoc.,
= *Laches* Thorell, 1869, praecoc.
(*Lachesana blackwalli* (O.Pickard-Cambridge, 1872))
З+И??, К?? — Каз??, Узб??, Тадж??
Lachesana tarabaevi Zonstein et Ovtchinnikov, 1999
З+И, К? — Каз, Узб, Кирг, Тадж.

Parazodarion Ovchinnikov in Ovchinnikov, Ahmad et Gurko, 2009 (N)

Zodarion Walckenaer in Savigny et Audouin, 1826, part.
Parazodarion raddei (Simon, 1889)
= *Zodarion vlasovi* Sytshevskaja, 1937
З+И, Ж2, К. — Каз, Турк, Тадж.

Trygetus Simon, 1882 (M)

Trygetus gromovi Marusik, 2011
К. — Турк.
Trygetus jacksoni Marusik et Guseinov, 2003
Е2, Ж1. — Аз.

Zodariellum Andreeva et Tystshenko, 1968¹ (N)

= *Acanthinozodium* Denis, 1952, **nomen nudum**²
Zodariellum asiaticum (Tystshenko, 1970)
Zodarion asiaticum
З+И. — Каз, Кирг, Тадж.
Zodariellum bekuzini (Nenilin, 1985)
Zodarion bekuzini
З+И. — Узб, Кирг.
Zodariellum continentalis (Andreeva et Tystshenko, 1968)
Zodarion continentalis
З+И. — Узб, Тадж.
В?? — РФ??
Zodariellum inderensis Ponomarev, 2007
В. — Каз.
Zodariellum nenilini (Eskov in Eskov et Marusik, 1995)
Zodarion nenilini
В, Г2, З+И. — РФ, Каз.

¹ An undescribed species is found in З+И. — Кирг [Zonstein et al., 1996].

² After Marusik & Koponen [2001].

- Zodariellum prozysinskii* (Nenilin et Fet, 1985)
Zodarium prozysinskii
 Ж2. — Турк.
- Zodariellum surprisum* Andreeva et Tystshenko, 1968
 З+И, К. — Каз, Тадж.
- Zodariellum sytchevskajae* (Nenilin et Fet, 1985)
Zodarium sytchevskajae
 Ж2, К. — Турк.
- Zodariellum volgouralensis* Ponomarev, 2007
 В. — РФ, Каз.

Zodarium Walckenaer in Savigny et Audouin, 1826 (N)

- Zodarium* auct.,
Enyo Savigny et Audouin, 1826, praecoc.
- Zodarium abantense* Wunderlich, 1979
 E2. — РФ, Гр.
- Zodarium bactrianum* Kroneberg, 1875
 В, З+И, К. — Каз, Узб, Кирг, Тадж.
- Zodarium caucasicum* Dunin et Nenilin, 1987
 E2. — Аз.
- Zodarium cyprium* Kulczyński, 1908
Z. thoni Nosek, 1905, part.
 В, E1, E2, Ж1. — РФ, Укр, Гр, Аз, Арм.
- Zodarium denisi* Spassky, 1938
 З+И. — Тадж.
- Zodarium germanicum* (C.L.Koch, 1837)
 В, Д. — Укр.
 E1??
- (*Zodarium graecum* (C.L.Koch, 1843))
 Д?? — Укр??
- (*Zodarium italicum* (Canestrini, 1868))
 E1??, E2?? — Укр??, Аз??
- Zodarium martynovae* Andreeva et Tystshenko, 1968
 З+И. — Узб, Тадж.
- Zodarium morosum* Denis, 1935
 В, E1, E2. — РФ, Укр.
- Zodarium petrobium* Dunin et Zacharjan, 1991
 E2, Ж1. — Аз, Арм.
- Zodarium rubidum* Simon, 1914
 В, Д. — Укр.
- Zodarium spasskyi* Charitonov, 1946
 З+И, К. — Каз, Узб.
- Zodarium tadzhikum* Andreeva et Tystshenko, 1968
 З+И. — Тадж.
- Zodarium talyshicum* Dunin et Nenilin, 1987
 E2. — Аз.
- Zodarium testaceofasciatum* Spassky, 1941
 З+И. — Тадж.
- Zodarium zebra* Charitonov, 1946
 З+И. — Узб.

Family Cithaeronidae***Cithaeron* O.Pickard-Cambridge, 1872 (M)***Cithaeron praedonius* O.Pickard-Cambridge, 1872

К. — Турк.

Family Prodidomidae¹***Prodidomus* Hentz, 1847² (M)***Prodidomus redikorzevi* Spassky, 1940

Ж2, К. — Каз, Турк.

Theuma* Simon, 1893 (F)Theuma walteri* (Simon, 1889)

К. — Турк.

Family Gnaphosidae***Aphantaulax* Simon, 1878 (F)***Aphantaulax cincta* (L.Koch, 1866)

E1. — Укр.

Aphantaulax trifasciata (O.Pickard-Cambridge, 1872)= *A.seminigra* Simon, 1878= *Micaria albini* (Savigny et Audouin, 1826), sensu L.Koch, 1866

В, E1, E2, Ж2, З+И. — РФ, Укр, Аз, Каз, Турк, Кирг.

Asiabadus* Roewer, 1961 (M)Asiabadus asiaticus* (Charitonov, 1946)

З+И, К. — Узб, Турк.

Berinda* Roewer, 1928 (F)Berinda amabilis* Roewer, 1928= *Talanites aculeatus* Charitonov, 1946

В, E2, Ж2, З+И, К. — РФ, Аз, Каз, Узб, Турк.

***Berlandina* Dalmas, 1922 (F)**= *Berlandia* Dalmas, 1921, praecoc.*Berlandina apscheronica* Dunin, 1984

В, E2, З+И. — РФ, Аз, Каз.

Berlandina caspica Ponomarev, 1979

В, E2, З+И, К. — РФ, Аз, Узб, Турк, Кирг.

Berlandina charitonovi Ponomarev, 1979

В, E2, К. — РФ, Аз, Каз.

Berlandina cinerea (Menge, 1868)

В, Г2, E2, З+И, П. — РФ, Лит, Укр, Каз.

Berlandina drassodea (Carotiaccio, 1934)Каз³.¹ An *Anagraphis* sp. is known from Ж1. — Аз [Marusik et al., 2005b].² A *Prodidomus* sp. is known from E2. — Аз [Marusik, Guseinov, 2003].³ Respective physiological area is not indicated [Logunov et al., 2012].

Berlandina hui Song, Zhu et Zhang, 2004

Каз¹.

Berlandina nabozenkoi Ponomarev et Tsvetkov, 2006

В. — РФ, Каз².

Berlandina nenilini Ponomarev et Tsvetkov, 2006

В. — РФ.

Berlandina plumalis (O.Pickard-Cambridge, 1872)

= *B. afghana* Denis, 1958,

= *B. paludani* Denis, 1958

З+И, К. — Каз, Турк, Тадж.

Berlandina potanini (Schenkel, 1963)

П. — РФ.

Berlandina propinqua Roewer, 1961

Каз³.

Berlandina schenkeli Marusik et Logunov, 1995

П. — РФ.

Berlandina shnitnikovi (Spassky, 1934)

"*Pterotricha*" *shnitnikovi*,

= *Berlandina saraevi* Ponomarev, 2008

В, К. — РФ, Каз.

Berlandina shumskyi Kovblyuk, 2003

Е1. — Укр.

Berlandina spasskyi Ponomarev, 1979

В, З+И, К. — РФ, Каз.

Berlandina ubsunurica Marusik et Logunov, 1995

П. — РФ.

***Callilepis* Westring, 1874⁴ (F)**

Callilepis cretica (Roewer, 1928)

Е2. — Аз.

Callilepis nocturna (Linnaeus, 1758)

Б, В, Г2, Е2, Ж1, З+И, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Укр, Аз, Арм, Каз.

Callilepis schuszteri (O.Herman, 1879)

В, Е2, Н+О, П, Т1. — РФ, Укр, Аз.

***Camillina* Berland, 1919 (M)**

Camillina metellus (Roewer, 1919)

= *Zelotes prishutovae* Ponomarev et Tsvetkov, 2006

В, Е1. — РФ, Укр.

***Coreodrassus* Paik, 1984 (M)**

Coreodrassus coreanus Paik, 1984

З+И/К, К. — Каз.

Coreodrassus lancearius (Simon, 1893)

В. — Каз.

Coreodrassus semidesertus Ponomarev et Tsvetkov, 2006

В. — Каз.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Respective physiographical area is not indicated [Logunov et al., 2012].

³ Respective physiographical area is not indicated [Logunov et al., 2012].

⁴ One, presumably new, species is found in З+И. — Кирг [Zonstein et al., 1996].

***Cryptodrassus* F.Miller, 1943 (M)**

Cryptodrassus hungaricus (Balogh, 1935)
В, E1. — РФ, Укр.

***Drassodes* Westring, 1851¹ (M)**

- Drassodes albicans* (Simon, 1878)
E2. — Гр.
Drassodes archibensis Ponomarev et Alieva, 2008
E2. — РФ.
(*Drassodes auritus* Schenkel, 1963)
В?? — РФ??, Каз??
Drassodes caspius Ponomarev et Tsvetkov, 2006
В, E2. — РФ, Каз.
Drassodes charitonovi Tuneva, 2004
З+И. — Каз.
Drassodes (?) *charkoviae* (Thorell, 1875)
= *Drassus cinereus* (Hahn, 1833), sensu Krynicki, 1837, ♂
В. — Укр.
Drassodes chybyndensis Esyunin et Tuneva, 2002
В, E2, З+И, П? — РФ, Каз.
Drassodes cupa Tuneva, 2004
З+И. — Каз.
Drassodes cupreus (Blackwall, 1834)
В, К, Н+О, П, Р, С1, С3, Т1. — РФ, Укр, Каз.
E1??
Drassodes dagestanus Ponomarev et Alieva, 2008
E2. — РФ.
{*Drassodes fugax* (Simon, 1878)}
З+И?, П? — РФ?, Тадж?
К?? — Турк??
Drassodes jakkabagensis Charitonov, 1946
З+И, К. — Узб, Турк.
Drassodes kaszabi Loksa, 1965
П. — РФ.
Drassodes katunensis Marusik, Hippa et Koponen, 1996
П. — РФ.
Drassodes lacertosus (O.Pickard-Cambridge, 1872)
В. — РФ, Каз.
E2??
Drassodes lapidosus (Walckenaer, 1802)
+ *D. l.* var. *macer* (Thorell, 1875),
+ *D. l.* *bidens* Simon, 1878
В, Г2, Д, E1, E2, Ж1, Ж2, З+И, К, П, Р, С1, С2, С3, Т1, Т3. — РФ, Эст, Латв, Укр, Молд,
Гр, Аз, Каз, Узб, Турк, Кирг.
{*Drassodes lesserti* Schenkel, 1936}
В?, П? — РФ?
Drassodes longispinus Marusik et Logunov, 1995
П, Т1. — РФ.

¹ Indication of *Drassus lividus* L.Koch for К. — Турк [Kaplin, 1978] is a lapsus, since such species doesn't exist.

Drassodes lutescens (C.L.Koch, 1839)

= *D. mazuræ* Esyunin et Tuneva, 2002

В, Г2, Е1, Е2, З+И?, Л. — РФ, Укр, Каз, Узб.

Тадж??

Drassodes mandibularis (L.Koch, 1866)

В. — РФ.

Drassodes mirus Platnick et Shadab, 1976

Н+О, П, Р, С1. — РФ.

Drassodes monticola (Kroneberg, 1875)

З+И, П. — Каз, Узб, Тадж.

Drassodes natali Esyunin et Tuneva, 2002

В, Г2. — РФ, Каз.

Drassodes neglectus (Keyserling, 1887)

Н+О, П, Р, С1, Т1, Т2. — РФ.

Drassodes orientalis (L.Koch, 1866)

В. — РФ, Укр.

Drassodes platnicki Song, Zhu et Zhang, 2004

В, Г2, П. — РФ, Укр?¹, Каз?¹

Drassodes proximus (Denis, 1958)

Ж2, К. — Турк.

Drassodes pseudolesserti Loksa, 1965

П, Т1. — РФ, Каз.

Drassodes pubescens (Thorell, 1856)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз,

Кирг.

Drassodes rostratus Esyunin et Tuneva, 2002

В, Л. — РФ, Каз.

Drassodes serraticHELIS (Roewer, 1928)

В, Е1. — РФ, Укр.

Drassodes serratidens Schenkel, 1963

П, Т1, Т3. — РФ.

Drassodes villosus (Thorell, 1856)

Б, В, Г2, Д, Л, М, П, Т1. — РФ, Эст, Латв, Лит, Укр, Гр, Каз.

З+И?? — Узб??²

“*Drassodes*” *dispulsus* (O.Pickard-Cambridge, 1885)

З+И. — Тадж.

“*Drassodes*” *fedtschenkoi* (Kroneberg, 1875)

З+И. — Узб.

“*Drassodes*” *flavomaculatus* (L.Koch, 1878)

К. — Турк.

(“*Drassodes*” *inflatus* (O.Pickard-Cambridge, 1885))

П?? — РФ??

“*Drassodes*” *interpolator* (O. Pickard-Cambridge, 1885)

З+И. — Тадж.

{“*Drassodes*” *medius* (L.Koch, 1866)}

Д? — Укр?

¹ “South-east of Russian Plain” (=РФ + Укр + Каз) [Tsvetkov, 2007].

² Indication for З+И. — Узб by A.I. Kroneberg [1875] refers actually to another species (V.I. Ovtsharenko, pers. comm.). Indication by Bronstein & Murtazaev [1974] is based on Kroneberg’s paper.

{“*Drassodes*” *striatus* (L.Koch, 1866)}

Д? — Укр?

“*Drassodes*” *thimei* (L.Koch, 1878)

К. — Турк.

***Drassodex* Murphy, 2007 (M)**

Drassodes Westring, 1851, part.

Drassodex hypocrita (Simon, 1878)

В, Д? — РФ, Лит, Укр.

З+И??, М??, П?? — Каз??, Узб??

***Drassyllus* Chamberlin, 1922 (M)**

Zelotes Gistel, 1848, part.

Drassyllus crimeaensis Kovblyuk, 2003

В, Е1, Е2, Ж1. — РФ, Укр, Аз.

Drassyllus fragilis Ponomarev, 2008

В. — Каз.

Drassyllus jubatopalpis Levy, 1998

Е2. — Аз.

Drassyllus lutetianus (L.Koch, 1866)

Б, В, Г2, Е1, К, Л, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Каз.

Drassyllus praeficus (L.Koch, 1866)

= *Melanophora latitans* L.Koch, 1870

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, М, П. — РФ, Эст, Латв, Лит, Укр, Молд, Аз, Каз, Узб, Турк, Кирг?¹.

Drassyllus pumilus (C.L.Koch, 1839)

В, Е1, Е2, Ж2. — РФ, Укр, Молд, Аз, Турк.

Drassyllus pusillus (C.L.Koch, 1833)

= *Prothesima nigrita* (Fabricius, 1775), sensu Thorell, 1871

Б, В, Г2, Д, Е1, Е2, Ж1, Л, М, Н+О, П, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Турк.

Drassyllus sanmenensis Platnick et Song, 1986

Т1. — РФ.

Drassyllus shaanxiensis Platnick et Song, 1986

В, Т1. — РФ.

Drassyllus sur Tuneva et Esyunin, 2003

В, Г2, Л. — РФ, Каз.

Drassyllus villicus (Thorell, 1875)

В. — Укр.

Г2??, П?? — РФ??

Drassyllus vinealis (Kulczyński in Chyzer et Kulczyński, 1897)

В, Г2, Е2, З+И, П, Т1. — РФ, Укр, Каз.

***Echemus* Simon, 1878 (M)**

Echemus angustifrons (Westring, 1861)

= *E. rhenanus* Bertkau, 1883

Д?, Е2, Ж2, М. — РФ, Укр?, Аз, Турк.

Echemus sibiricus Marusik et Logunov, 1995

П. — РФ.

¹ Indication of this species for Кирг by S.L. Zonstein et al. [1996] is based on pseudo-quotation from [Ovtsharenko, 1982], but such reference is missing from the latter paper.

Fedotovia Charitonov, 1946 (F)

Fedotovia uzbekistanica Charitonov, 1946
З+И, К. — Каз, Узб, Турк.

Gnaphosa Latreille, 1804 (F)

= *Pythonissa* C.L.Koch, 1837

Gnaphosa aborigena Tystshenko, 1965
Л, П. — РФ, Каз.

В??, Г2??

Gnaphosa ajdahania Roewer, 1961
К. — Турк.

(*Gnaphosa alpica* Simon, 1878)

П?? — Каз??

(*Gnaphosa antipola* Chamberlin, 1933)

Н+О?? — РФ??

Gnaphosa azerbaijdzhanica Tuneva et Esyunin, 2003
G. steppica, part.

Е2. — Аз.

Gnaphosa badia (L.Koch, 1866)

В, Д, Е2, П. — РФ, Укр, Аз.

Б??, Н+О??

Gnaphosa banini Marusik et Koponen, 2001

П. — РФ.

Gnaphosa barroisi Simon, 1892

В, Л. — Каз.

Gnaphosa betpaki Ovtsharenko, Platnick et Song, 1992

Г2, К. — РФ, Каз.

Gnaphosa bicolor (Hahn, 1833)

Б, В, Д, М. — РФ, Эст, Латв, Лит, Бел, Укр.

Г2??, Е2?? — Аз??

Gnaphosa bithynica Kulczyński, 1903

Л. — Каз.

Gnaphosa borea Kulczyński, 1908

= *G. mima* Chamberlin, 1923

Н+О, П, Р, С1. — РФ.

{*Gnaphosa borealis* Thorell, 1875}

С2? — РФ?

(*Gnaphosa brumalis* Thorell, 1875)

Н+О??, Т1?? — РФ??

Gnaphosa caucasica Ovtsharenko, Platnick et Song, 1992

Е2. — РФ.

Gnaphosa chola Ovtsharenko et Marusik, 1988

Н+О, П, Р, С1, Т1. — РФ.

Gnaphosa cumensis Ponomarev, 1981

В, Е1. — РФ, Укр.

Г2??

Gnaphosa dege Ovtsharenko, Platnick et Song, 1992

З+И. — Кирг.

Gnaphosa deserta Ponomarev et Dvadenko in Ponomarev, Abdurakhmanov, Alieva et Dvadenko, 2011

В. — РФ.

- Gnaphosa dolosa* O.Herman, 1879¹
 = *G. spadicea* Simon, 1914
 В, Е1, Е2, З+И, Л. — РФ, Укр, Гр, Аз, Каз, Турк.
Gnaphosa eskovi Ovtsharenko, Platnick et Song, 1992
 З+И. — Кирг.
Gnaphosa fagei Schenkel, 1963
 В, К. — Каз.
Gnaphosa gracilior Kulczyński, 1901
 = *G. proxima* Kulczyński, 1908
 Н+О, П, Р, С1, Т1, Т2. — РФ.
Gnaphosa haarlovi Denis, 1958
 К. — Каз, Узб, Турк.
Gnaphosa halophila Esyunin et Efimik, 1997
 Г2. — РФ.
Gnaphosa ilika Ovtsharenko, Platnick et Song, 1992
 З+И. — Каз, Узб, Кирг.
Gnaphosa inconspicua Simon, 1878
 Н+О, П, Т1, Т2. — РФ.
Gnaphosa jucunda Thorell, 1875
 В, Е1, Е2. — РФ, Укр.
Gnaphosa kansuensis Schenkel, 1936
 Т1. — РФ.
Gnaphosa ketmer Tuneva, 2004
 З+И. — Каз.
Gnaphosa kompirensis Bösenberg et Strand, 1906
 = *Drassus adpersus* Grube, 1861, part.
 Т1, Т2. — РФ.
Gnaphosa kuldzha Ovtsharenko, Platnick et Song, 1992
 Е2, З+И, К. — Аз, Турк, Кирг.
Gnaphosa kurchak Ovtsharenko, Platnick et Song, 1992
 З+И. — Кирг.
Gnaphosa lapponum (L.Koch, 1866)
 Б, В, Г2, М. — РФ, Лит, Бел.
 П?? — Каз??
Gnaphosa leporina (L.Koch, 1866)
 В, Г2, Е2, Ж2, М, Н+О, П. — РФ, Эст, Латв, Укр, Гр, Аз, Каз, Турк.
Gnaphosa licenti Schenkel, 1953
 = *G. denisi* Schenkel, 1963
 В, Г2, З+И, К, П. — РФ, Укр, Каз, Кирг.
Gnaphosa lucifuga (Walckenaer, 1802)
 В, Г2, Д, Е1, Е2, Ж1, К, Л, М, П. — РФ, Бел, Укр, Молд, Гр, Аз, Арм, Каз.
Gnaphosa lugubris (C.L.Koch, 1839)
 + *G. l. occidentalis* Simon, 1878
 Б, В, Г2, Д, Е2, К, Л, М, П. — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Каз, Узб, Турк?
Gnaphosa mandschurica Schenkel, 1963
 = *G. braendegaardi* Schenkel, 1963,
 = *G. glandifera* Schenkel, 1963
 Л, Н+О, П. — РФ, Каз.
Gnaphosa mcheidzeae Michailov, 1998
 = *G. caucasica* Mcheidze, 1997, praecoc. as *G. caucasica* Ovtsharenko, Platnick et Song, 1982
 Е2. — Гр.

¹ Records of *Gnaphosa dolosa* possibly to be referred to *G. saurica* [Kovblyuk, 2005].

- Gnaphosa microps* Holm, 1939
 = *G. bilineata* L.Koch, 1879
 Б, В, Г2, М, Н+О, П, Р, С1, С2, Т1. — РФ, Эст, Лит.
- Gnaphosa modestior* Kulczyński in Chyzer et Kulczyński, 1897
 В, Е2. — РФ, Укр, Гр, Аз.
- Gnaphosa moesta* Thorell, 1875
 В?, Г2?, Е1. — РФ?, Укр.
- Gnaphosa mongolica* Simon, 1895
 = *G. spinosa* Kulczyński, 1897,
 = *G. punctata* Kulczyński, 1901,
 = *G. chaffanjonii* Schenkel, 1963
 В, Г2, Е2, З+И, К, Л, П, Т1. — РФ, Укр, Каз, Кирг.
- Gnaphosa montana* (L.Koch, 1866)
 Б, В, Г2, Д?, Е2, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.
- Gnaphosa muscorum* (L.Koch, 1866)
 = *G. similis* Kulczyński, 1926¹,
 = *G. punctata* Tullgren, 1942
 Б, В, Г2, Д, Е2, З+И, Л, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Латв, Лит, Молд, Гр, Каз.
- Gnaphosa nigella* L.Koch, 1878
 Ж1. — Арм.
- Gnaphosa nigerrima* (L.Koch, 1878)
 = *G. nigra* Kulczyński, 1926
 Б, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Лит.
 В??
- Gnaphosa nomas* Thorell, 1875
 В. — РФ.
- Gnaphosa oligerae* Ovtsharenko et Platnick, 1998
 Т1. — РФ.
- Gnaphosa opaca* (O.Herman, 1879)²
 В, Е2, Л. — РФ, Укр, Каз.
 Г2??
- Gnaphosa orites* Chamberlin, 1922
 = *G. bilineata* L.Koch, 1879, sensu Kulczyński, 1916,
 = *G. holmi* Tullgren, 1942,
 = *G. stuxbergi* Holm, 1970
 В, Г2, М, Н+О, П, Р, С1, Т1. — РФ.
 Е2?? — Аз??
- Gnaphosa ovchinnikovi* Ovtsharenko, Platnick et Song, 1992
 З+И. — Кирг.
- Gnaphosa petrobia* L.Koch, 1872
 В, Д, Л? — Укр, Каз?
- Gnaphosa pilosa* Saveljeva, 1972
 З+И, Л, П. — РФ, Каз.
- Gnaphosa potanini* Simon, 1895
 П, Т1. — РФ.
- Gnaphosa primorica* Ovtsharenko, Platnick et Song, 1992
 Т1. — РФ.
- Gnaphosa pseashcho* Ovtsharenko, Platnick et Song, 1992
 Е2. — РФ.
- Gnaphosa pseudoleporina* Ovtsharenko, Platnick et Song, 1992
 П. — РФ.

¹ A valid species, according to Marusik & Koponen [2000].

² Most records of this species in post-Soviet republics should be doubtful [Ovtsharenko et al., 1992].

Gnaphosa reikhardi Ovtsharenko, Platnick et Song, 1992

З+И. — Каз, Кирг.

Gnaphosa rufula (L.Koch, 1866)

В, Л. — РФ, Укр, Каз.

З+И?? — Узб??¹

Gnaphosa saurica Ovtsharenko, Platnick et Song, 1992

В, Г2, Е1, Е2, З+И. — РФ, Укр, Гр, Аз, Каз.

Gnaphosa steppica Ovtsharenko, Platnick et Song, 1992

= *G. rufula* (L.Koch, 1866), part., ♀

В, Г2, Е2, З+И, К, Л. — РФ, Каз.

Аз??

Gnaphosa sticta Kulczyński, 1908

= *Drassus adpersus* Grube, 1861, part.,

= *G. intermedia* Holm, 1939

Б, В, Г2, Н+О, П, Р, С1, Т1, Т2. — РФ, Эст?

Gnaphosa stoliczkai O.Pickard-Cambridge, 1885

= *G. rudolphi* Schenkel, 1963

В, П. — Каз.

Gnaphosa subrufula Strand, 1907

В. — РФ.

Gnaphosa tarabaevi Ovtsharenko, Platnick et Song, 1992

З+И. — Каз, Кирг.

Gnaphosa taurica Thorell, 1875

В, Г2, Е1, Е2, З+И, К, Л, П. — РФ, Укр, Гр, Аз, Каз.

Gnaphosa tigrina Simon, 1878

В, П. — РФ.

Gnaphosa trebax Thorell, 1875²

Е1. — Укр.

Gnaphosa tuvunica Marusik et Logunov in Ovtsharenko, Platnick et Song, 1992

М, П. — РФ.

Gnaphosa ukrainica Ovtsharenko, Platnick et Song, 1992

= *G. turkmenica* Ovtsharenko, Platnick et Song, 1992

В, Е1, К. — РФ, Укр, Турк.

Gnaphosa wiehlei Schenkel, 1963

П. — РФ.

Gnaphosa zonsteini Ovtsharenko, Platnick et Song, 1992

З+И. — Кирг.

Gnaphosa zyuzini Ovtsharenko, Platnick et Song, 1992

З+И. — Каз.

***Haplodrassus* Chamberlin, 1922³ (M)**

(*Haplodrassus aenus* Thaler, 1984)

В?? — Каз??

Haplodrassus belgeri Ovtsharenko et Marusik, 1988

П, Р, Т1. — РФ.

Haplodrassus bohemicus Miller et Buchar, 1977

В, Е1, Е2. — РФ, Укр.

¹ Record of *G. rufula* from Magian [Магиан] by A.I. Kroneberg [1875] refers to a juvenile *Gnaphosa* sp. (V.I. Ovtsharenko, pers.comm.)

² *Nomen dubium*, after Kovblyuk [2005].

³ Indication of *Haplodrassus albomaculatus* L.Koch for В. — РФ [Minoranskiy et al., 1983] is a lapsus: such species doesn't exist.

Haplodrassus caspius Ponomarev et Belosludtsev in Ponomarev, Belosludtsev et Dvadenko, 2008

В, Е2. — РФ, Аз, Каз.

Haplodrassus cognatus (Westring, 1861)

+ *H. c. ermolajewi* Lohmander, 1942.

= *Drassodes capnodes* Thorell, 1875

Б, В, Г1?, Г2, Д, Е1?, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Haplodrassus dalmatensis (L.Koch, 1866)

= *Drassodes minusculus* L.Koch, 1866

В, Е1, Е2, Ж1, Ж2, З+И. — РФ, Лит, Укр, Аз, Каз, Турк, Кирг, Тадж.

Г2??

Haplodrassus hiemalis (Emerton, 1909)

В, Г2, М, Н+О, П, Р, С1, Т1. — РФ.

Haplodrassus invalidus (O.Pickard-Cambridge, 1872)

Е2. — Аз.

Haplodrassus isaevi Ponomarev et Tsvetkov, 2006

В, Е1. — РФ, Укр, Каз.

Haplodrassus kulczynskii Lohmander, 1942

В, Г2, Е1, Е2, З+И, Т1. — РФ, Укр, Аз, Каз.

Haplodrassus minor (O.Pickard-Cambridge, 1879)

В, Г2, Е1, Е2. — РФ, Укр, Молд, Каз.

П??

Haplodrassus moderatus (Kulczyński in Chyzer et Kulczyński, 1897)

Б, В, Г2, М, Н+О, П, Р?, С1, С2, Т1, Т2? — РФ, Эст, Латв, Лит, Бел, Укр.

Haplodrassus montanus Paik et Sohn, 1984

Т1. — РФ.

Haplodrassus ovtchinnikovi Ponomarev, 2008

В. — Каз.

Haplodrassus pseudosignifer Marusik, Hippa et Koponen, 1996

В, Г2, Е1, М, П. — РФ, Укр.

Haplodrassus pugnans (Simon, 1880)

П, Р, С1, Т1. — РФ.

Haplodrassus rufus (Saveljeva, 1972)

Aphantaulax rufa

П. — Каз.

Haplodrassus rugosus Tuneva, 2004

З+И. — Каз.

Haplodrassus signifer (C.L.Koch, 1839)

= *Drassodes troglodytes* (C.L.Koch, 1839)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, Р, С1, С3, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Турк, Кирг, Тадж.

Haplodrassus silvestris (Blackwall, 1833)

= *Drassus infuscatus* Westring, 1851

Б, В, Г2, Д, Ж1, М? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз.

Н+О??, П??

Haplodrassus simplex (Kulczyński, 1926)

С2. — РФ.

Haplodrassus soerenseni (Strand, 1900)

Б, В, Г2, М, П, Р, С1, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.

Haplodrassus stuxbergi (L.Koch, 1879)

М, Н+О. — РФ.

Haplodrassus taepaikensis Paik, 1992¹

П, Т1. — РФ.

¹ Possibly a synonym of *Haplodrassus kulczynskii* [Logunov, Marusik, 2004].

Haplodrassus umbratilis (L.Koch, 1866)

Б, В, Г2, Д, Е1, Е2, З+И?. — РФ, Эст, Латв, Лит, Бел, Укр, Каз, Узб?
П??

Heser Tuneva, 2004 (M)**

Heser malefactor Tuneva, 2004

З+И. — Каз.

Kishidaia Yaginuma, 1960 (F)

Poecilochroa Westring, 1874, part.

Kishidaia albimaculata (S.Saito, 1934)

Т1, Т2, Т3. — РФ.

Kishidaia conspicua (L.Koch, 1866)

В, Г2, Е2, З+И, К, П, Т1. — РФ, Укр, Молд, Гр, Аз, Каз, Турк, Кирг.
Узб??¹

Leptodrassex Murphy, 2007 (M)

Leptodrassus Simon, 1878, part.

Leptodrassex memorialis (Spassky, 1940)

В, Е1, Е2, З+И, К. — РФ, Укр, Аз, Каз, Кирг.

(Leptodrassus Simon, 1878) (M)

(*Leptodrassus croaticus* Dalmas, 1920)

П?? — РФ??

Micaria Westring, 1851 (F)

= *Macaria* C.L.Koch, 1837, praecoc.,

= *Micariolepis* Simon, 1879

Micaria aboriginica Michailov, 1987

Р. — РФ.

Micaria aciculata Simon, 1895

П. — РФ.

Micaria aenea Thorell, 1871

Б, В, Г2, М, Н+О, П, Р, С1, Т1. — РФ, Каз².

Micaria albofasciata Hu, 2001

Т1. — РФ.

Micaria albovittata (Lucas, 1846)

= *M. romana* L.Koch, 1866

= *M. scintillans* (O.Pickard-Cambridge, 1871)

Б, В, Е1, Е2, Ж1, Ж2. — РФ, Латв, Укр, Аз, Арм, Турк.

Micaria alpina L.Koch, 1872

Б, В, Г2, Н+О, П, Р, С1, Т1. — РФ.

Micaria blicki Kovblyuk et Nadolny, 2008

Е1. — Укр.

Micaria bonneti Schenkel, 1963

Каз³.

¹ This indication made by A.I. Kroneberg [1875] from “Коканское ханство” is erroneous (V.I. Ovtsharenko, pers. comm.).

² Respective physiographical area is not indicated [Logunov et al., 2012].

³ Respective physiographical area is not indicated [Logunov et al., 2012].

Micaria bosmansii Kovblyuk et Nadolny, 2008

В, Е1. — РФ, Укр.

(*Micaria brignolii* (Bosmans et Blick, 2000))

*Arboricaria brignolii*¹

В?? — РФ??

Micaria charitonovi Michailov et Ponomarev in Ponomarev, 2008

В. — Каз.

Micaria coarctata (Lucas, 1846)

= *M. albimana* O.Pickard-Cambridge, 1872,

= *M. smaragdula* Simon, 1878

Г2?, Е1, Е2, Ж2, З+И, К, Т1. — РФ, Укр, Аз, Каз, Турк, Кирг, Тадж.

Б??

Micaria constricta Emerton, 1894

Г1, М, Н+О. — РФ.

(*Micaria cyrnea* Brignoli, 1983)

*Arboricaria cyrnea*²

В?? — РФ??

Micaria dives (Lucas, 1846)

Micariolepis dives

= *M. similis* Tystshenko, 1965,

= *Micaria tyschenkoi* Brignoli, 1983, n.nov. pro *M. similis* (Tyst.), праеосс. in *Micaria* by Bösenberg, 1902

В, Е1, Е2, Ж1, З+И, Л, П, Т1. — РФ, Бел, Укр, Аз, Каз, Кирг.

Micaria donensis Ponomarev et Tsvetkov, 2006

В. — РФ.

(*Micaria eltoni* Jackson, 1922)

Н+О?? — РФ??

Micaria formicaria (Sundevall, 1831)

В, Г2, Е1?, Е2, Ж1, З+И?, К?, М, П, Т1. — РФ, Эст?, Укр, Молд, Гр, Аз, Арм, Каз, Узб?

Турк??

Micaria fulgens (Walckenaer, 1802)

Б, В, Г2, Е2, Ж1, З+И, П. — РФ, Эст, Латв, Лит, Укр, Аз, Каз, Кирг.

Micaria funerea Simon, 1878

Е2. — РФ.

Micaria gulliae Tuneva et Esyunin, 2003

В. — РФ, Каз.

Micaria guttulata (C.L.Koch, 1839)

В, Е1?, З+И, Н+О, П, С1. — РФ, Лит, Укр, Каз, Кирг.

Micaria ignea O.Pickard-Cambridge, 1872

= *M. pygmaea* Kroneberg, 1875

Е2, З+И, К. — Аз, Узб, Турк, Тадж.

Micaria japonica Hayashi, 1985

Т1. — РФ.

Micaria koeni (Bosmans in Bosmans et Blick, 2000)

*Arboricaria koeni*³

В, Е2. — РФ, Аз.

Micaria kopetdaghensis Michailov in Michailov et Fet, 1986

Е2, Ж1, Ж2. — РФ, Аз, Арм, Каз⁴, Турк.

Micaria lenzi Bösenberg, 1899*

В, Е2, Ж1, З+И, К, М, Н+О, П, Р. — РФ, Латв, Лит, Укр, Аз, Арм, Каз, Турк, Кирг.

¹ The generic name *Arboricaria* Bosmans in Bosmans et Blick, 2000 is ignored by Platnick [2013].

² The generic name *Arboricaria* Bosmans in Bosmans et Blick, 2000 is ignored by Platnick [2013].

³ The generic name *Arboricaria* Bosmans in Bosmans et Blick, 2000 is ignored by Platnick [2013].

⁴ Respective physiographical area is not indicated [Logunov et al., 2012].

Micaria mongunica Danilov, 1997

П. — РФ.

Micaria nivosa L.Koch, 1866

= *M. decorata* Tullgren, 1942

Б, В, Г2, Д, М, Н+О, П. — РФ, Эст, Укр, Каз.

Micaria pallida O.Pickard-Cambridge, 1885

З+И. — Тадж.

Micaria pallipes (Lucas, 1846)

= *M. septempunctata* O.Pickard-Cambridge, 1872

В, Е2, Ж1, Ж2, З+И, К. — РФ, Аз, Каз, Узб, Турк, Кирг.

Micaria pulcherrima Caporiacco, 1935

= *M. sibirica* Danilov, 1993

П. — РФ.

Micaria pulicaria (Sundevall, 1831)

= *M. similis* Bösenberg, 1902

Б, В, Г2, Д, Е1?, Е2, Ж1, З+И, К, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Арм, Каз, Узб, Кирг.

Micaria rossica Thorell, 1875

= *M. modesta* Kroneberg, 1875,

= *M. scenica* Simon, 1878,

= *M. centrocnemis* Kulczyński, 1885,

= *M. quinquenotata* Simon, 1895,

= *M. hissarica* Charitonov, 1951,

= *M. shadini* Charitonov, 1951

В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, Р, С1, С2, Т1. — РФ, Укр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Micaria seymuria Tuneva, 2004

З+И. — Каз.

Micaria silesiaca L.Koch, 1875

= *M. hospes* Kulczyński, 1882

Б, В, Г2, Е2, М, П. — РФ, Эст, Латв, Лит, Бел, Молд, Гр, Аз.

{*Micaria sociabilis* Kulczyński in Chyzer et Kulczyński, 1897}

В? — РФ?

Micaria subopaca Westring, 1861

= *M. albostrata* L.Koch, 1878,

= *M. humilis* Kulczyński, 1885

Б, В, Г2, Д, М, Н+О, П, С2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

Micaria tarabaevi Michailov, 1987

З+И. — Каз.

Micaria tripunctata Holm, 1978

Б, Г2, М, Н+О, П, Т1. — РФ.

Micaria tuvensis Danilov, 1993

З+И, П. — РФ, Каз.

Micaria violens Oliger, 1983

Т1. — РФ.

Micaria yeniseica Marusik et Koronen in Marusik et al., 2002

Н+О. — РФ.

***Minosia* Dalmas, 1921 (F)**

Minosia karakumensis (Spassky, 1939)

Ж2, К. — Турк.

***Minosiella* Dalmas, 1921 (F)**

Minosiella intermedia Denis, 1958

Ж2, К. — Каз/Узб (“northern border of the range achieves Aral Sea” [Ovtsharenko, 1992]), Турк.

***Nomisia* Dalmas, 1921 (F)**

Nomisia aussereri (L.Koch, 1872)

В, E1, E2, Ж1, Ж2, З+И, К, Л, П. — РФ, Укр, Аз, Каз, Узб, Турк, Кирг.

Nomisia conigera (Spassky, 1941)

E2, Ж1, Ж2, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.

Nomisia exornata (C.L.Koch, 1839)

E1, E2, Ж1, Ж2, З+И, З+И/П, К. — РФ, Укр, Аз, Каз, Турк, Кирг, Тадж.

Nomisia molendinaria (L.Koch, 1866)

E2. — Гр?

Nomisia ripariensis (O.Pickard-Cambridge, 1872)

E2, Ж1. — Аз.

***Odontodrassus* Jézéquel, 1965 (M)**

Odontodrassus hondoensis (S.Saito, 1939)

T1. — РФ.

***Parasyrisca* Schenkel, 1963 (F)**

Parasyrisca alai Ovtsharenko, Platnick et Marusik, 1995

З+И. — Кирг.

Parasyrisca alexeevi Ovtsharenko, Platnick et Marusik, 1995

E2. — РФ.

Parasyrisca altaica Ovtsharenko, Platnick et Marusik, 1995

З+И, П. — Каз.

Parasyrisca andarbag Ovtsharenko, Platnick et Marusik, 1995

З+И. — Тадж.

Parasyrisca andreevae Ovtsharenko, Platnick et Marusik, 1995

З+И. — Тадж.

Parasyrisca anzobica Ovtsharenko, Platnick et Marusik, 1995

З+И. — Тадж.

Parasyrisca asiatica Ovtsharenko, Platnick et Marusik, 1995

П. — РФ.

Parasyrisca balearica Ovtsharenko, Platnick et Marusik, 1995

E2. — РФ.

Parasyrisca belengish Ovtsharenko, Platnick et Marusik, 1995

П. — РФ.

Parasyrisca belukha Ovtsharenko, Platnick et Marusik, 1995

П. — РФ.

Parasyrisca birikchul Ovtsharenko, Platnick et Marusik, 1995

П. — РФ.

Parasyrisca breviceps (Kroneberg, 1875)

Drassodes breviceps

З+И. — Тадж.

Parasyrisca bucklei Marusik et Fomichev, 2010

П. — РФ.

Parasyrisca caucasica Ovtsharenko, Platnick et Marusik, 1995

E2. — РФ.

- Parasyrisca chikatunovi* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca gissarika* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca guzeripli* Ovtsharenko, Platnick et Marusik, 1995
Е2. — РФ.
- Parasyrisca hippai* Ovtsharenko, Platnick et Marusik, 1995
П. — РФ.
- Parasyrisca holmi* Ovtsharenko, Platnick et Marusik, 1995
П, Р, С1, Т1. — РФ.
- Parasyrisca iskander* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca koku* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг.
- Parasyrisca kurgan* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг.
- Parasyrisca kyzylart* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг.
- Parasyrisca logunovi* Ovtsharenko, Platnick et Marusik, 1995
П. — РФ.
- Parasyrisca marusiki* Kovblyuk, 2003
Е1. — Укр.
- Parasyrisca mikhailovi* Ovtsharenko, Platnick et Marusik, 1995
Е2. — РФ.
- Parasyrisca narynica* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг, Тадж.
(*Parasyrisca orites* (Chamberlin et Gertsch, 1940))
Р??, Т1?? — РФ??
- Parasyrisca otmek* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг.
- Parasyrisca paironica* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca pamarica* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca potanini* Schenkel, 1963
= *P. lugubris* (Schenkel, 1963)
П. — РФ.
Р??
- Parasyrisca pshartica* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca schenkeli* Ovtsharenko et Marusik, 1988
П. — РФ, Каз.
- Parasyrisca shakhristanica* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Тадж.
- Parasyrisca susamyr* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг.
- Parasyrisca terskei* Ovtsharenko, Platnick et Marusik, 1995
З+И. — Кирг.
- Parasyrisca tyshchenkoi* Ovtsharenko, Platnick et Marusik, 1995
П, Р. — РФ.
- Parasyrisca ulykpani* Ovtsharenko, Platnick et Marusik, 1995
П. — РФ.

Parasyrisca vakhanski Ovtsharenko, Platnick et Marusik, 1995
 З+И. — Тадж.
 (*Parasyrisca vinosus* (Simon, 1878))
Drassodes vinosus
 В??, Д?? — РФ??, Укр??
Parasyrisca vorobica Ovtsharenko, Platnick et Marusik, 1995
 З+И. — Тадж.

***Phaeocedus* Simon, 1893 (M)**

Phaeocedus braccatus (L.Koch, 1866)
 Б, В, Г2, Е2, З+И, П, Т1. — РФ, Эст, Латв, Укр, Гр, Аз, Каз, Кирг.
Phaeocedus fedotovi Charitonov, 1946
 З+И. — Узб.

***Poecilochroa* Westring, 1874 (F)**

Poecilochroa senilis (O.Pickard-Cambridge, 1872)
 В, Е1. — РФ, Укр.
Poecilochroa variana (C.L.Koch, 1839)
 Б, В, Г2, Д, Е2, З+И, Л, П. — РФ, Эст, Латв, Укр, Каз, Узб.

***Pterotricha* Kulczyński, 1903 (F)**

Pterotricha lentiginosa (C.L.Koch, 1837)
 Е1. — Укр.
Pterotricha strandi Spassky, 1936
 Ж2, К. — Турк.
 “*Pterotricha*” *argentosa* Charitonov, 1946
 З+И. — Узб.
 “*Pterotricha*” *pavlovskiyi* Spassky, 1952
 В?¹, З+И. — Тадж.

***Scotophaeus* Simon, 1893 (M)**

Scotophaeus blackwalli (Thorell, 1871)*
 = *Drassodes voigtii* (Bösenberg, 1899)
 Б, В, Д?, Е2. — РФ, Укр, Гр.
Scotophaeus gotlandicus (Thorell, 1871)
 В. — Лит.
Scotophaeus hamipalpis (Kroneberg, 1875)
Leptodrassus hamipalpis
 З+И. — Узб, Кирг.
Scotophaeus quadripunctatus (Linnaeus, 1758)
 Б, В, Г2, Е1, Е2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.
Scotophaeus rufescens (Kroneberg, 1875)
 В, З+И. — Каз, Узб, Кирг, Тадж.
Scotophaeus scutulatus (L.Koch, 1866)
 В, Д, Е1, Е2, Ж2, П. — РФ, Лит?, Укр, Молд, Гр, Аз, Каз, Турк.

***Shaitan* Kovblyuk, Kastrygina et Marusik, 2013 (M**)**

Shaitan elchini Kovblyuk, Kastrygina et Marusik, 2013
 В, Е2. — Аз, Каз.

¹ “South-east of Russian Plain” (Укр + РФ + Каз) [Tsvetkov, 2007].

***Sidydrassus* Esyunin et Tuneva, 2002 (M)**

Drassodes Westring, 1851, part.

Sidydrassus rogue Tuneva, 2004

З+И. — Каз.

Sidydrassus shumakovi (Spassky, 1934)

В, В/Г2, К, Л. — РФ, Каз.

Sidydrassus tianschanicus (Hu et Wu, 1989)

Каз¹.

***Sosticus* Chamberlin, 1922 (M)**

Scotophaeus Simon, 1893, part.

Sosticus loricatus (L.Koch, 1866)

+ *Drassus loricatus* var. *longipes* Kroneberg, 1875

Б, В, Г2, Д?, Е2, З+И, К, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр?, Аз, Каз, Узб, Турк, Кирг.

***Synaphosus* Platnick et Shadab, 1980 (M)**

Synaphosus karakumensis Ovtsharenko, Levy et Platnick, 1994

К. — Турк.

Synaphosus makhambetensis Ponomarev, 2008

В. — Каз.

Synaphosus palearcticus Ovtsharenko, Levy et Platnick, 1994

В, Г2, Е2, Ж1, Ж2, З+И, К. — РФ, Аз, Арм, Каз, Узб, Турк, Кирг.

Synaphosus soyunovi Ovtsharenko, Levy et Platnick, 1994

К. — Турк.

В??

Synaphosus taikum Ovtsharenko, Levy et Platnick, 1994

З+И. — Каз.

Synaphosus turanicus Ovtsharenko, Levy et Platnick, 1994

В, Е2, Ж2, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.

***Talanites* Simon, 1893 (M)**

Talanites (?) *atscharicus*² Mcheidze, 1947

T. (?) *atscharica*

Е2, К. — Гр, Аз?, Каз.

Talanites dunini Platnick et Ovtsharenko, 1991

Е2, Ж2. — Аз, Турк.

Talanites fagei Spassky, 1938

В, В/Г2, Е2, Ж2, З+И, К. — РФ, Аз, Каз, Турк, Кирг, Тадж.

Talanites mikhailovi Platnick et Ovtsharenko, 1991

В, Л. — Каз.

Talanites strandi Spassky, 1940

В, Е1. — РФ, Укр, Каз.

***Trachyzelotes* Lohmander, 1944 (M)**

Zelotes Gistel, 1848, part.

Trachyzelotes adriaticus (Caporiacco, 1951)

= *T. zagistus* (Ponomarev, 1981)

В. — РФ, Каз.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Species ending is changed here into masculine gender.

Trachyzelotes barbatus (L.Koch, 1866)

В, Е1, Е2. — РФ, Укр, Аз.

Trachyzelotes chybyndensis Tuneva et Esyunin, 2002

В, В/Г2, Л. — РФ, Каз.

Trachyzelotes cumensis (Ponomarev, 1979)

В, Е2. — РФ, Аз, Каз¹.

Trachyzelotes fuscipes (L.Koch, 1866)

Каз².

(*Trachyzelotes huberti* Platnick et Murphy, 1984)

В?? — РФ??

Trachyzelotes jaxartensis (Kroneberg, 1875)

В, Е2, Ж1, Ж2, З+И, К. — РФ, Аз, Каз, Узб, Турк, Кирг, Тадж.

Trachyzelotes lyonneti (Savigny et Audouin, 1826)*

В, Е1, Е2, Ж2, К. — РФ, Укр, Аз, Каз, Турк.

Trachyzelotes malkini Platnick et Murphy, 1984

В, Е1, Е2. — РФ, Укр, Аз, Каз.

Trachyzelotes manytchensis Ponomarev et Tsvetkov, 2006

В. — РФ, Каз³.

Trachyzelotes pedestris (C.L.Koch, 1837)

В, Д?, Е1, Е2. — РФ, Эст, Латв, Укр, Гр, Аз.

***Turkozelotes Kovblyuk et Seyyar in Kovblyuk, Seyyar, Demir et Topcu, 2009* (M**)**

Turkozelotes mirandus Ponomarev in Ponomarev et Dvadenko, 2011

В. — РФ.

***Tuvadrassus Marusik et Logunov, 1995* (M)**

Tuvadrassus tegulatus (Schenkel, 1963)

Drassodes tegulatus

П. — РФ.

***Urozelotes Mello-Leitão, 1938* (M)**

Zelotes Gistel, 1848, part.

Urozelotes rusticus (L.Koch, 1872)

Б, В, Е1, Е2, М. — РФ, Укр, Аз.

Urozelotes trifidus Tuneva, 2002

В, Г2. — РФ.

***Zelotes Gistel, 1848* (M)**

= *Melanophora* C.L.Koch, 1833, praecoc.,

= *Prothesima* L.Koch, 1872

Zelotes aeneus (Simon, 1878)

В, Е2? — РФ?, Лит, Бел, Укр.

Е1??, П??

Zelotes aerosus Charitonov, 1946

Ж2, З+И. — Узб, Турк.

Zelotes apricorum (L.Koch, 1876)

Б, В, Г2, Д, Е1, Е2, З+И, М, П?⁴ — РФ, Эст?, Латв?, Укр, Молд, Каз.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Respective physiographical area is not indicated [Logunov et al., 2012].

³ Respective physiographical area is not indicated [Logunov et al., 2012].

⁴ Replaced by *Zelotes azsheganovae* in Altai, at least [Azarkina, Trilikauskas, 2013].

- Zelotes arnoldii* Charitonov, 1946
З+И, К. — Узб, Турк.
- Zelotes asiaticus* (Bösenberg et Strand, 1906)
Т1. — РФ.
- Zelotes atrocaeruleus* (Simon, 1878)
В, Е2, З+И. — РФ, Аз, Каз, Кирг.
- Zelotes aurantiacus* Miller, 1967
В. — РФ, Укр.
- Zelotes azsheganovae* Esyunin et Efimik, 1992
= *Z. arzanovi* Ponomarev et Tsvetkov, 2006
В, Г2, М, П. — РФ, Укр, Каз.
- Zelotes baltistanus* Caporiacco, 1934
П, Р. — РФ.
- Zelotes barkol* Platnick et Song, 1986
З+И?, П. — РФ, Каз?
- Zelotes bimaculatus* (C.L.Koch, 1837)
В. — РФ.
- (*Zelotes bonneti* Marinaro, 1967)¹
Г2?? — РФ??
- Zelotes bucharensis* Charitonov, 1946
З+И, К. — Узб, Турк, Тадж.
- Zelotes caspius* Ponomarev et Tsvetkov, 2006
В. — РФ.
- Zelotes caucasius* (L.Koch, 1866)
В, Е1, Е2, Ж1, Ж2, З+И, К. — РФ, Укр, Гр, Аз, Каз, Узб, Турк, Кирг.
- Zelotes cingarus* (O.Pickard-Cambridge, 1874)
З+И. — Тадж.
- Zelotes clivicola* (L.Koch, 1870)
Б, В, Г2, Д, М, П. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.
- Zelotes electus* (C.L.Koch, 1839)
Б, В, Г2, Е1, Е2, Ж2, П. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Каз, Турк.
- Zelotes erebeus* (Thorell, 1871)
В. — РФ.
Е2?? — Гр??
- Zelotes eugenei* Kovblyuk in Kovblyuk et Tuneva, 2009
Е1. — Укр.
- Zelotes exiguus* (Müller et Schenkel, 1895)
В, Г2, Д?, М, П, Т1. — РФ, Лит, Укр.
- Zelotes fallax* Tuneva et Esyunin, 2003
В. — РФ, Каз.
- Zelotes femellus* (L.Koch, 1866)
Е1. — Укр.
- Zelotes fratris* Chamberlin, 1920
Н+О, П, С1, Т1, Т2. — РФ.
- Zelotes fuscimanus* (Kroneberg, 1875)
З+И. — Узб.
- Zelotes fuscus* (Thorell, 1875)
В, Е1. — Укр.
- Zelotes gallicus* Simon, 1914
В, Е2, З+И. — РФ, Каз.

¹ Indications of this species refer actually to *Xysticus bonneti* [Esyunin, Efimik, 1996].

- Г2??¹
Zelotes gracilis (Canestrini, 1868)
 В, Е1, Е2. — РФ, Укр, Молд.
Zelotes gussakovskiyi Charitonov, 1951
 З+И. — Тадж.
Zelotes hermani (Chyzer in Chyzer et Kulczyński, 1897)
 В, Е1, Е2, М? — РФ, Укр.
Zelotes hui Platnick et Song, 1986
 З+И. — Каз.
Zelotes hummeli Schenkel, 1936
 В, Л. — Каз.
Zelotes inderensis Ponomarev et Tsvetkov, 2006
 В. — Каз.
Zelotes kazachstanicus Ponomarev et Tsvetkov, 2006
 В. — Каз.
Zelotes khostensis Kovblyuk et Ponomarev, 2008
 Е2. — РФ, Гр.
Zelotes kukushkini Kovblyuk, 2006
 В, Е1. — Укр.
 Е2?? — РФ??
Zelotes latreillei (Simon, 1878)
 Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз.
Zelotes longipes (L.Koch, 1866)
 = *Z. serotinus* (L.Koch, 1866)
 В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, Т1. — РФ, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Турк, Кирг.
Zelotes mikhailovi Marusik in Eskov et Marusik, 1995
 В, З+И. — РФ, Каз.
Zelotes mundus (Kulczyński in Chyzer et Kulczyński, 1897)
 = *Urozelotes yutian* (Platnick et Song, 1986)
 В, Г2, З+И, М, Н+О, П. — РФ, Укр, Каз.
Zelotes nitidus (Thorell, 1875)
 Е1. — Укр.
Zelotes occultus Tuneva et Esyunin, 2003
 В/Г2, Г2. — РФ.
Zelotes olympi (Kulczyński, 1903)
 Е1, Е2. — РФ, Укр.
Zelotes orenburgensis Tuneva et Esyunin, 2003
 В, Е1, Е2, Л. — РФ, Укр, Каз.
 (*Zelotes pediculatus* Marinaro, 1967)
 Е2?? — Аз??
Zelotes petrensis (C.L.Koch, 1839)
 Б, В, Г2, Д, Е1, Е2, Ж1, З+И, Л, М, П. — РФ, Эст, Латв, Лит, Укр, Аз, Каз, Кирг.
Zelotes piceus (Kroneberg, 1875)
 З+И. — Тадж.
Zelotes potanini Schenkel, 1963
 Г2, З+И, Н+О, П, Т1. — РФ, Каз.
Zelotes pseudoapricorum Schenkel, 1963
 З+И. — Каз.
 В?? — РФ??

¹ This record [Tuneva, 2007; Tuneva, Esyunin, 2008] refers rather to *Zelotes pseudoclivicola* or *Z. pseudogallicus*.

Zelotes pseudoclivicola Grimm, 1982

В, Г2. — РФ, Каз.

П??

Zelotes pseudogallicus Ponomarev, 2007

В. — РФ.

Zelotes puritanus Chamberlin, 1922

= *Z. kodaensis* F.Miller et Buchar, 1977

В, Г2, З+И, К, Н+О, П, Р, Т1. — РФ, Каз.

Zelotes pygmaeus F.Miller, 1943

В, Г2, З+И, М. — РФ, Укр, Каз.

Zelotes rufi Efimik in Esyunin et Efimik, 1997

В, Г2. — РФ, Каз.

Zelotes rufipes (Thorell, 1875)

Е1. — Укр.

Zelotes segrex (Simon, 1878)

= *Z. declinans* (Kulczyński in Chyzer et Kulczyński, 1897)

В, Г2, Е1, Е2, З+И, Л. — РФ, Укр, Аз, Каз, Кирг.

Zelotes semibadius (L.Koch, 1878)

Е2. — Аз.

Zelotes similis (Kulczyński, 1887)

“Turan Zoogeographical Province” [Spassky, 1952].

П?? — РФ??

Zelotes subterraneus (C.L.Koch, 1833)

= *Melanophora petiverii* (Scopoli, 1763), sensu Thorell, 1871

Б, В, Г2, Д, Е2, Ж2, З+И, К?, Л, М, Н+О?, П?, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Турк, Кирг, Тадж.

Г1??, Е1??, С2???

Zelotes sula Lowrie et Gertsch, 1955

Н+О, П, С1, Т1, Т2, Т3. — РФ.

Zelotes tenuis (L.Koch, 1866)

В, Е1. — РФ, Укр.

Zelotes tsaii Platnick et Song, 1986

Т1. — РФ.

Zelotes turanicus Charitonov, 1946

З+И. — Узб.

Zelotes villosus (Thorell, 1875)

В. — Молд.

Zelotes zhaoi Platnick et Song, 1986

Т1. — РФ.

Drassodes lapidosus var. *caucasica* Mcheidze, **nomen nudum**

Е2. — Гр [Mkheidze, 1941, 1964].

Drassodes parthorum Ovtsharenko et Fet, **nomen nudum**

Е2, Ж2. — Аз [Guseinov, 1999, etc.], Турк [Fet, 1985; Kuznetsov, Fet, 1986].

Drassus polinovi Wagner, **nomen nudum**³

? [Vagner, 1901].

Leptodrassus bin Ovtsharenko, **nomen nudum**

К. — Каз [Pavlenko, 1985].

Micaria jergeniensis Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the European part of USSR” [Ponomarev, 1981]).

¹ Replaced by *Zelotes fratris* in Altai, at least [Azarkina, Trilikauskas, 2013].

² This species doesn't occur east of Yenisey River [Marusik et al., 2000].

³ According to the original drawing, it is a synonym of *Tmarus piger* (Walck.) [Charitonov, 1932].

Micaria minoranskyi Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the European part of USSR” [Ponomarev, 1981]).

Prosthesima sibiriana Marx, **nomen nudum**

С4. — РФ [Marx, 1892].

Family Sparassidae

Cebrennus Simon, 1880 (M)

Cebrennus logunovi Jäger, 2000

К. — Турк.

Eusparassus Simon, 1903 (M)

Sparassus Walckenaer, 1805, proposed invalid name

Eusparassus oculatus (Kroneberg, 1875)

Ж2, З+И, К. — Узб, Турк, Тадж.

Кирг??¹

Eusparassus walckenaeri (Audouin, 1826)

= *Sparassus validus* Thorell, 1875

Е1, З+И? — Укр, Каз?

Heteropoda Latreille, 1804

Heteropoda venatoria (Linnaeus, 1767)

Т1. — РФ.

Micrommata Latreille, 1804 (N)

Micrommata ligurinum C.L.Koch, 1845

Е2, Ж2. — “Caucasus” [Fet, 1985], Турк.

Micrommata roseum (Clerck, 1758)

= *M. virescens* (Clerck, 1758),

= *Sparassus smaragdulus* (Fabricius, 1793)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, Л, М, Н+О, П, Т1, Т2. — РФ, Эст, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Турк, Кирг.

Olios Walckenaer, 1837 (M)

Olios sericeus (Kroneberg, 1875)

Е2, Ж2, З+И, К. — РФ, Гр, Каз, Узб, Турк, Кирг, Тадж.

Family Philodromidae

Apollophanes O.Pickard-Cambridge, 1898 (M)

Apollophanes macropalpus (Paik, 1979)

= *A. lenensis* Marusik, 1991

М, Н+О, П, Т1. — РФ.

Artanes Thorell, 1870 (M)

Philodromus Walckenaer, 1826, part.

Artanes fuscomarginatus (De Geer, 1778)

= *Philodromus cinereus* Westring, 1851

Б, В, Г2, Е2, М, Н+О, П, Р, С1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр.

¹ Indication of this species for Кирг by S.L. Zonstein et al. [1996] is based on pseudo-quotation from A.I. Kroneberg [1875], but in the latter paper the reference is given only for Samarkand being in Узб, not in Кирг.

Artanes margaritatus (Clerck, 1758)

= *Philodromus tigrinus* (De Geer, 1778),

= *Artamus ieunus* (Panzer, 1801)

Б, В, Г2, Д, Е2, Л, М, П, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Каз.

Artanes marusiki Logunov, 1997

П. — РФ.

Artanes pentheri (Muster, 2009)

Е2. — Аз.

Artanes poecilus (Thorell, 1872)

В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Узб, Кирг.

Artanes spinitarsis (Simon, 1895)

= *Philodromus davidi* Schenkel, 1963

П, Т1. — РФ.

Artanes utotchkini (Marusik, 1991)

П, С1. — РФ.

***Ebo* Keyserling, 1884 (M)**

Ebo distinctivus Lyakhov, 1992

В, П. — РФ, Каз.

***Philodromus* Walckenaer, 1826¹ (M)**

Philodromus ablegminus Szita et Logunov, 2008

З+И. — Каз.

Philodromus alascensis Keyserling, 1884

= *Ph. varians* Kulczyński, 1908

Г2, З+И, Н+О, П, Р, С1, Т1. — РФ, Каз.

Philodromus albidus Kulczyński, 1911

В, Д, Е2. — РФ, Укр.

Philodromus angulobulbis Szita et Logunov, 2008

П. — РФ.

Philodromus aryy Marusik, 1991

Г2, Н+О, П?, Т2. — РФ.

Philodromus aureolus (Clerck, 1758)²

= *Ph. aureolus* var. *sibirica* Kulczyński, 1908³,

+ *Ph. a. tauricus* Charitonov, 1937

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П?, С2?, Т1?, Т2?, Т3? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз?, Арм, Каз, Узб, Турк, Кирг, Тадж.

Philodromus auricomus L.Koch, 1878

Т1. — РФ.

Philodromus azcursor Logunov et Huseynov, 2008

Е2. — Аз.

Philodromus blandus L.Koch, 1879, **nomen dubium**⁴

Н+О. — РФ.

Philodromus buxi Simon, 1884

= *Ph. albomaculatus* (Bösenberg, 1899)

В, Е2, З+И, Н+О, П, С1, Т1, Т2. — РФ, Каз.

¹ Indication of *Philodromus nigronotatus* for В. — Укр [Lukyanov, 1897] is a lapsus: such species doesn't exist. Indication of *Philodromus philodromus* Walck. for Н+О. — РФ [Izmailova, Verzhutskiy, 1981] is a lapsus: such species doesn't exist.

² Some records of this species certainly refer in fact to *Philodromus cespitum*.

³ Possibly a separate species [Marusik et al., 2000].

⁴ Described from an inadult specimen.

Philodromus caspius Ponomarev, 2008

В. — РФ, Каз.

Philodromus cespitum (Walckenaer, 1802)

+ *Ph. c. pallens* Kulczyński in Chyzer et Kulczyński, 1891,

+ *Ph. c. rufolimbatus* Kulczyński in Chyzer et Kulczyński, 1891,

+ *Ph. c. similis* Kulczyński in Chyzer et Kulczyński, 1891,

= *Ph. aureolus cespiticolis* Walckenaer, 1837,

= *Ph. reussi* Bösenberg, 1902,

= *Ph. albicans* Bösenberg, 1903, praecoc.,

= *Ph. boesenbergi* Mello-Leitão, 1929 (n.nov. pro *Ph. albicans* Bös.)

Б, В, Г2, Д, Е2, Ж2?, З+И, К, Л, М, Н+О, П, Р, С1, С2, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

Philodromus collinus С.Л.Коч, 1835

В, Д, Е1, Е2, Ж1?, З+И?, М? — РФ, Эст, Лит, Бел, Укр, Гр, Арм?, Узб?

(*Philodromus constellatus* Simon, 1875)

Е2?? — Аз??

Philodromus corticinus (С.Л. Коч, 1837), **nomen dubium**¹

Б?, В, Г2, М, П. — РФ, Укр.

Philodromus dilutus Thorell, 1875

В, Е2? — РФ, Укр, Гр?

Philodromus dispar Walckenaer, 1826

= *Ph. limbatus* Sundevall, 1832

В, Д, Е1, Е2, Ж1, П. — РФ, Бел, Укр, Молд, Гр, Аз, Арм.

Г2??

Philodromus emarginatus (Schrank, 1803)

= *Artanes pallidus* (Walckenaer, 1826),

= *A. griseus* (Hahn, 1826)

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Т1, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Каз, Узб, Кирг, Тадж.

Philodromus fallax Sundevall, 1833

Б, В, Г2, Е2, Ж2, З+И, К, М, Н+О, П, С1. — РФ, Эст, Латв, Бел, Укр, Молд, Аз, Каз, Узб,

Турк, Кирг, Тадж.

Philodromus glaucinus Simon, 1870

В. — РФ, Укр.

Е2?? — Аз??

Philodromus histrio (Latreille, 1819)

= *Ph. elegans* Blackwall, 1859

Б, В, Г2, Е1, Е2, З+И, К, Л, М, Н+О, П, Р, Р/С1², Т1. — РФ, Эст, Латв, Лит, Укр, Гр, Аз, Каз, Узб, Тадж.

Philodromus humilis Kroneberg, 1875

З+И. — Узб?, Тадж.

Philodromus iuvenicus Kulczyński, 1895

Ж1. — Арм.

Philodromus lanchowensis Schenkel, 1936

М, П, Т1. — РФ.

Philodromus lepidus Blackwall, 1870

В, Ж1, К. — РФ, Арм, Турк.

Philodromus longipalpis Simon, 1870

В, Е2. — РФ, Укр?, Аз.

Philodromus marmoratus Kulczyński in Chyzer et Kulczyński, 1891

Ph. aureolus m.

= *Ph. buddenbrocki* Braun, 1965

В. — РФ, Укр.

¹ After Muster [2009].

² Magadan Area: no exact locality [Szita, Logunov, 2008].

- Philodromus medius* O.Pickard-Cambridge, 1872
Е2, Ж1. — Аз.
- Philodromus molarius* L.Koch, 1879
З+И. — Каз.
- Philodromus mysticus* Dondale et Redner, 1975
Н+О, П, Р, Т1. — РФ.
- Philodromus naxcivanicus* Logunov et Huseynov, 2008
Ж1. — Аз.
- Philodromus obsoleti*¹ Paelle et S.Saito, 1933, **nomen dubium**
Т3. — РФ.
- Philodromus pictus* Kroneberg, 1875
Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.
- Philodromus praedatus* O.Pickard-Cambridge, 1871
= *Ph. aureolus* var. *variegatus* Kulczyński in Chyzer et Kulczyński, 1891
Д, Е1, Е2, М, Н+О, П. — РФ, Укр, Аз.
- Philodromus rikhteri* Logunov et Huseynov, 2008
Ж1. — Аз.
- Philodromus ruficapillus* Simon, 1885
П. — Каз.
- Philodromus rufus* Walckenaer, 1826
В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, Н+О, П, Т1, Т2. — РФ, Бел, Укр, Гр, Аз, Каз, Турк, Кирг.
- Philodromus timidus* Szita et Logunov, 2008
В, З+И. — Каз.
- Philodromus triangulatus* Wu et Song, 1987
З+И, П. — РФ, Каз, Кирг.
- Philodromus tuvinensis* Szita et Logunov, 2008
М, П. — РФ, Каз.
- Philodromus vagulus* Simon, 1875
= *Ph. alpestris* L.Koch, 1876
В. — РФ, Латв, Укр.
- Philodromus vinokurovi* Marusik, 1991
Г2, Н+О, П. — РФ.
- Philodromus xerophilus* Szita et Logunov, 2008
З+И, П. — РФ, Каз.
- Philodromus xinjiangensis* Tang et Song in Wu et Song, 2008
Е2, З+И, К. — Аз, Каз, Узб, Турк.

***Thanatus* C.L.Koch, 1837 (M)**

- = *Paratibellus* Simon, 1932
- Thanatus albini* (Savigny et Audouin, 1826)
З+И. — Каз, Узб, Кирг, Тадж.
- Thanatus arcticus* Thorell, 1872
= *Th. kolymensis* Marusik, 1991
Б, В, Г2, З+И, К, М, Н+О, П, Р, С1, Т1. — РФ, Каз.
- Thanatus arenarius* Thorell, 1872
В, Г2, Д, Е1, Е2, З+И, Л, М, П. — РФ, Латв, Лит, Укр, Молд, Гр, Каз.
Аз??, Узб??, Тадж??
- Thanatus atratus* Simon, 1875
= *Th. pallidus* Tystshenko, 1965
Г2, Е1, Е2, З+И, К, Л, М, П. — РФ, Укр, Каз.

¹ *Philodromus obsoletus* in Platnick [2013].

- Thanatus bungei* (Kulczyński, 1908)
Г2, Н+О, П, Р, С1, Т1. — РФ.
- Thanatus coloradensis* Keyserling, 1880
= *Th. alpinus* Kulczyński, 1887,
= *Th. albomaculatus* Kulczyński, 1908¹
Е1, Е2, З+И, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Укр, Каз.
- Thanatus coreanus* Paik, 1979
П, Т1. — РФ.
- Thanatus dahurianus* Logunov, 1997
П. — РФ.
- Thanatus fabricii* (Savigny et Audouin, 1826)
Е2, Ж1, З+И, З+И/П, К. — Аз, Каз, Узб, Турк, Тадж.
- Thanatus flavidus* Simon, 1875
= *Th. testaceus* Thorell, 1875
В, З+И? — РФ, Укр, Узб?
- Thanatus formicinus* (Clerck, 1758)
Б, В, Г2, Д, Е1, Е2, З+И, К, Л, М, П, С1, Т1, Т2? — РФ, Эст, Латв, Лит, Бел, Укр, Молд,
Гр, Каз, Узб, Турк, Кирг, Тадж.
Аз??
- Thanatus fornicatus* Simon, 1897
В, К. — Каз, Узб.
- Thanatus imbecillus* L.Koch, 1878
В, В/Г2, Е1, Е2, Ж1, Ж2, З+И, К. — РФ, Укр, Гр, Аз, Узб, Турк, Тадж.
- Thanatus jaikensis* Ponomarev, 2007
В. — Каз.
- Thanatus kitabensis* Charitonov, 1946
В, Е2, З+И, К, Л, М. — РФ, Аз, Каз, Узб, Турк, Кирг, Тадж.
- Thanatus lanatus* Logunov, 1996
Т1. — РФ.
- Thanatus lanceolatus* Simon, 1875
В. — Укр?
- Thanatus lineatipes* Simon, 1870
Е2. — Гр.
- Thanatus mediocris* Kulczyński, 1908
Н+О, П, Р. — РФ.
- (*Thanatus meronensis* Levy, 1977)
В??, Е2?? — РФ??, Аз??, Каз??
- Thanatus mikhailovi* Logunov, 1996
В, З+И, Л, М, П. — РФ, Каз, Кирг.
- Thanatus mongolicus* (Schenkel, 1936)
В. — РФ, Укр, Каз.
- Thanatus nigromaculatus* Kulczyński, 1885
С2. — РФ.
- Thanatus nipponicus* Yaginuma, 1969
Т1, Т3². — РФ.
- Thanatus oblongiusculus* (Lucas, 1846)
Paratibellus oblongiusculus
= *Thanatus constellatus* Charitonov, 1946
В, Г2, Е2, Ж1, Ж2, З+И, К, Л. — РФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

¹ Valid species, after Yu.M. Marusik (recent papers).

² 1 ♂ (Burke Museum, Seattle, Washington, USA), Kurile Isls., Iturup Is., Ridge btw. Giush & Slavyanka rivers, 45.492°N, 148.629°E, swept in meadow, B.K. Urbain.

Thanatus pictus L.Koch, 1881

= *Apollophanes babaly* Lyakhov in Logunov, 1996

В, Г2, Е2, З+И?, Л, М. — РФ, Укр, Аз, Каз, Узб?

П??

Thanatus rayi Simon, 1875

П. — Каз.

Thanatus sabulosus (Menge, 1875)

В, Г2, Е2, М, П, Т1. — РФ, Бел, Укр, Аз, Каз.

Thanatus saraevi Ponomarev, 2007

В, К. — Каз, Турк.

Thanatus sibiricus Kulczyński, 1901

П. — РФ.

Thanatus stepposus Logunov, 1996

П. — РФ.

Thanatus striatus C.L.Koch, 1845

Б, В, Г2, З+И?, К?, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Укр, Каз, Узб?, Кирг?, Тадж?

Thanatus tuvinensis Logunov, 1996

З+И, П, Р. — РФ, Кирг.

Thanatus ubsumurensis Logunov, 1996

В, П. — РФ, Каз.

Thanatus vulgaris Simon, 1870

Б?, В, Г2, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, П, Р. — РФ, Укр, Аз, Каз, Узб, Турк, Тадж.

***Tibellus* Simon, 1875¹ (М)**

Tibellus asiaticus Kulczyński, 1908

Н+О, П, Р, С1, С2, Т1. — РФ.

Tibellus aspersus Danilov, 1991

П, Т1. — РФ.

Tibellus fengi Efimik, 1999

Т1. — РФ.

Tibellus japonicus Efimik, 1999

Т2. — РФ.

Tibellus macellus Simon, 1875

+ *T. macellus georgicus* Mcheidze, 1997,

= *T. vittatus* (Thorell, 1875)

В, Г2, Е1, Е2, Л, М, П, Т1. — РФ, Укр, Гр, Аз, Каз.

Tibellus maritimus (Menge, 1875)

Б, В, Г2, Д, Е1, Е2, З+И, К, Л, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Эст, Латв, Лит, Укр, Гр, Аз?, Каз, Узб.

Tibellus oblongus (Walckenaer, 1802)

= *T. parallelus* (C.L.Koch, 1837),

= *Thanatus trilineatus* (P.Müller, 1775), sensu C.L.Koch, 1837 etc.,

= *T. lineatus* Utotschkin, 1981,

= *T. longicephalus* Utotschkin, 1981

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, С1, С2, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Tibellus orientus Efimik, 1999

П, Т1. — РФ.

(*Tibellus tenellus* (L.Koch, 1876))

Н+О??, П??, Т1??, Т2?? — РФ??

¹ Indication of "*Tibellus marginatus* Clerck, 1751" for Т1. — РФ [Kurenschchikov, 1993; Kim, Kurenschchikov, 1995] is an obvious lapsus; this reference is rather due to *Philodromus emarginatus* or *Artanes margaritatus*.

Tibellus utotchkini Ponomarev, 2008
В, Е2. — РФ.

Philodromus aeneus L.Koch in Wajgiel, **nomen nudum**
Д? — Укр? [Wajgiel, 1874].

Philodromus longicymbius Saveljeva, **nomen nudum**
П. — Каз [Saveljeva, 1972b, 1984].

Philodromus nebulosus Marx, **nomen nudum**
С4. — РФ [Marx, 1892].

Family Thomisidae

Bassaniana Strand, 1928 (F)

Bassaniana decorata (Karsch, 1879)
Т1. — РФ.

Coriarachne Thorell, 1869 (F)

Coriarachne depressa (C.L.Koch, 1837)
Б, В, Г2, Д, Е1?, Е2, З+И, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз,
Узб?, Кирг.
Тадж??

Cozyptila Lehtinen et Marusik, 2005 (F)

Ozyptila Simon, 1864, part.

Cozyptila blackwalli (Simon, 1875)¹

= *Xysticus clavatus* (Walckenaer, 1837), sensu O.Pickard-Cambridge, Blackwall, Ausserer

Б, В, Е1?, Ж2? — РФ, Укр, Молд, Турк?

Cozyptila guseinovororum Marusik et Kovblyuk, 2005

В, Е1, Е2. — РФ, Укр, Гр.

Cozyptila thaleri Marusik et Kovblyuk, 2005

Е1. — Укр.

Diaea Thorell, 1869 (F)

Diaea dorsata (Fabricius, 1777)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2? Н+О, П? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм,
Турк?

З+И?? — Каз??, Узб??, Кирг??, Тадж??

Diaea livens Simon, 1876

= *D. pictilis* (Banks, 1896)

Е1, Е2, П?². — РФ?, Укр, Аз.

Diaea subdola O.Pickard-Cambridge, 1885

= *Misumenops japonicus* Bösenberg et Strand, 1906

Т1, Т2, Т3. — РФ.

Diaea suspiciosa O.Pickard-Cambridge, 1885

З+И. — Каз, Узб, Кирг, Тадж.

Ebelingia Lehtinen, 2004 (F)

Misumenops F.O.Pickard-Cambridge, 1900, part.

¹ All records from the former Soviet Union are doubtful [Marusik et al., 2005a].

² Doubtful record [Volkovskiy, 2006, etc.]

Ebelingia kumadai (Ono, 1985)

T1. — PΦ.

***Ebrechtella* F.Dahl, 1907 (F)**

Misumenops F.O.Pickard-Cambridge, 1900, part.

Ebrechtella tricuspidata (Fabricius, 1775)

= *Thomisus delicatulus* (Walckenaer, 1802),

= *Th. diana* Walckenaer, 1805,

= *Th. arciger* Grube, 1861

B, Г2, Д, Е1, Е2, З+И, М, П, Т1, Т2, Т3. — PΦ, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг, Тадж.

***Heriaeus* Simon, 1875 (M*)**

Heriaeus buffonopsis Loerbroks, 1983

К. — Каз, Узб, Турк.

Heriaeus capillatus Utotschkin, 1985

К. — Каз.

Heriaeus charitonovi Utotschkin, 1985

З+И, К. — Узб, Тадж.

Heriaeus delticus Utotschkin, 1985

В. — PΦ.

Heriaeus fedotovi Charitonov, 1946

Ж2, З+И. — Узб, Турк.

Heriaeus graminicola (Doleschall, 1852)

= *H. hirtus* auct. non (Latreille, 1819),

= *H. savignyi* Simon, 1875

В, Д, Е1, Е2, З+И? — PΦ, Эст, Бел, Укр, Молд, Гр, Аз, Узб?

Г2??

Heriaeus horridus Tystshenko, 1965

= *H. sareptanus* Loerbroks, 1983

В, З+И, К, Л, М. — PΦ, Каз, Кирг.

Heriaeus melloteei Simon, 1886¹

= (?) *Misumena villosa* Walckenaer, 1837, sensu Thorell, 1875,

= *H. hirsutus* auct. non (Walckenaer, 1825)

В, Е2, М, Н+О, П, Т1. — PΦ, Каз.

Г2??, Д??, Е1??, Ж2??, З+И??, Л?? — Укр??, Молд??, Гр??, Аз??, Узб??, Турк??, Кирг??

Heriaeus oblongus Simon, 1918

В, Г2, Д, Е1, Е2, Ж2, З+И, Л. — PΦ, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Кирг.

Heriaeus orientalis Simon, 1918

Е1. — Укр.

{*Heriaeus setiger* (O.Pickard-Cambridge, 1872)}

В?, Е2? — Укр?, Аз?

Heriaeus spinipalpus Loerbroks, 1983

Е2?, Ж2, К. — “Caucasus” [Loerbroks, 1983], Турк.

***Lysiteles* Simon, 1895 (M)**

Lysiteles coronatus (Grube, 1861)

T1, T2, T3. — PΦ.

Г2??

Lysiteles maius Ono, 1979

П, Т1, Т2, Т3. — PΦ.

¹ Correct spelling is *melloteei*, not *mellotei* or *mellottei* [Bonnet, 1955: 543].

Misumena Latreille, 1804 (F)*Misumena lutea* Paele et S.Saito, 1933

ТЗ. — РФ.

Misumena vatia (Clerck, 1758)= *M. calycina* (Linnaeus, 1758),= *Thomisus citreus* (De Geer, 1778)

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, К, Л, М, Н+О, П, Р, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Кирг, Тадж.

(Misumenoides F.O.Pickard-Cambridge, 1900) (M¹)*(Misumenoides formosipes)* (Walckenaer, 1837))= *Misumena aleatoria* (Hentz, 1847)

ТЗ?? — РФ??

Misumenops F.O.Pickard-Cambridge, 1900² (F)“*Misumenops*” *armata* Spassky, 1952

Е2, З+И. — Аз, Каз, Тадж.

“*Misumenops*” *turanica* Charitonov, 1946

З+И. — Узб.

Monaeses Thorell, 1869 (M){*Monaeses caudicola* Simon, 1884}

З+И? — Тадж?

Monaeses israeliensis Levy, 1973

Ж2, З+И, К. — Каз, Турк, Кирг.

Monaeses paradoxus (Lucas, 1846)Е2. — Аз, Каз³.

Ж2?? — Турк??

Oxytate L.Koch, 1878 (F)*Oxytate striatipes* L.Koch, 1878= *O. setosa* Karsch, 1879

Т1, Т2, ТЗ. — РФ.

Ozyptila Simon, 1864 (F)= *Ozyptila* Thorell, 1869*Ozyptila arctica* Kulczyński, 1908

Б, В, Г2, М, Н+О, П, Р, С1, Т1. — РФ.

Ozyptila atomaria (Panzer, 1801)= *O. horticola* (C.L.Koch, 1837)

Б, В, Г2, Д, Е1, Е2, З+И, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз, Кирг, Тадж.

Ozyptila brevipes (Hahn, 1826)= *Xysticus incertus* (Blackwall, 1846)⁴,= *Ozyptila rubicunda* Bösenberg, 1903

Б, В, Г2, Д, Е1, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд.

¹ Indication of feminine gender in Bonnet [1957: 2948] is not correct. Should be masculine according to ICZN Article 30.1.4.4, same by species ending in the original description.

² The genus *Misumenops* is revised crucially by Lehtinen [2004]. The placement of *M. armata* and *M. turanica* remains doubtful.

³ Respective physiographical area is not indicated [Logunov et al., 2012].

⁴ According to Bonnet [1958], this name is a synonym of *Ozyptila praticola*.

- Ozyptila claveata* (Walckenaer, 1837)
= *O. nigrita* (Thorell, 1875)
В, Г2, Е1. — РФ, Эст, Укр.
Ozyptila conostyla Hippa, Koponen et Oksala, 1986
Е2, Ж2. — Гр, Аз, Турк.
Ozyptila dagestana Ponomarev et Dvadenko in Ponomarev, Abdurakhmanov, Alieva et Dvadenko, 2011
В. — РФ.
Ozyptila fusca (Grube, 1861)
“Ostsiberien” — РФ [Grube, 1861].
Ozyptila gertschi Kurata, 1944
В, Г2, С2. — РФ, Эст, Латв.
Ozyptila inaequalis (Kulczyński, 1901)
Xysticus inaequalis
В, Г2, З+И, Л, П. — РФ, Каз.
Ozyptila lugubris (Kroneberg, 1875)
= *Xysticus tuberosus* Thorell, 1875
В, Е1, Е2, Ж1, Ж2, З+И, К, М. — РФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.
Ozyptila mingrelica Mcheidze, 1971
Е2. — Гр.
Ozyptila nongae Paik, 1974
Т1. — РФ.
Ozyptila orientalis Kulczyński, 1926
+ *O. orientalis balkarica* Ovtsharenko, 1979,
+ *O. orientalis basegica* Esyunin, 1992
Г2, Е2, П, Р, С1, С2, Т1. — РФ, Гр.
Ozyptila praticola (C.L.Koch, 1837)
Б, В, Г2, Д?, Е1, Е2, Ж1, З+И, Л, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг, Тадж.
Ozyptila pullata (Thorell, 1875)
= *O. kotulai* Kulczyński, 1898
В, Г2, Д, Е1, Е2. — РФ, Укр, Каз.
Ozyptila rauda Simon, 1875
= *O. septentrionalium* L.Koch, 1879,
= *O. terrea* Kulczyński, 1926
В, Д, Е1, Е2, З+И, М, Н+О, П, С2. — РФ, Укр, Молд, Аз, Каз.
Г2??
Ozyptila rigida (O.Pickard-Cambridge, 1872)
Е2. — Аз.
Ozyptila sakhalinensis Ono, Marusik et Logunov, 1990
Т1, Т2. — РФ.
(*Ozyptila sanctuaria* (O.Pickard-Cambridge, 1871))
Ж2?? — Турк??
Ozyptila scabricula (Westring, 1851)
В, Г2, Е1, Е2, З+И, П, Т1. — РФ, Латв, Лит, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.
Ozyptila simplex (O.Pickard-Cambridge, 1862)
В, Д, Н+О. — РФ, Лит, Укр.
Эст??
Ozyptila sincera Kulczyński, 1926
Б, В, Г2, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ.
Ozyptila tricoloripes Strand, 1913
В, Е2, Ж2. — Аз, Каз, Турк.

Ozyptila trux (Blackwall, 1846)

В, В, Г2, Д, Е2, Л, М, Н+О, П, С1, С2, Т1, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз¹.

Ozyptila utotchkini Marusik in Marusik et Chevrizov, 1990

Т1. — РФ.

Ozyptila wesringi (Thorell, 1873)

В. — Укр.

***Pistius* Simon, 1875 (M)**

Pistius truncatus (Pallas, 1772)

= *P. insignitus* L.Koch, 1878

В, Д, Е1, Е2, Ж1, Т1. — РФ, Укр, Молд, Гр, Аз, Арм.

З+И??, Л??, Н+О??, П?? — Каз??

Pistius undulatus Karsch, 1879

Г2, З+И, Л, М, П, Т1, Т2, Т3. — РФ, Каз.

***Runcinia* Simon, 1875 (F)**

Runcinia grammica (C.L.Koch, 1837)

= *R. lateralis* (C.L.Koch, 1838), праеосс.

В, Е1, Е2, Ж1, Ж2, З+И, К, М, П? — РФ, Бел, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Runcinia tarabayevi Marusik et Logunov, 1990

В, З+И, К. — Каз, Кирг, Тадж.

***Stiphropus* Gerstäcker, 1873 (M)**

Stiphropus strandi Spassky, 1938

Ж2, З+И, К. — Узб, Турк, Тадж.

***Synema* Simon, 1864 (N)**

Synaema auct.

Synema caucasicum Utotschkin, 1960

Е2. — Гр.

Synema globosum (Fabricius, 1775)

+ *S. g. japonicum* Karsch, 1879,

+ *S. g. nigriventris* Kulczyński, 1901,

+ *S. g. daghestanicum* Utotschkin, 1960

В, Г2, Д, Е1, Е2, Ж2, З+И, М, П, Т1. — РФ, Укр, Молд, Гр, Аз, Каз, Кирг, Тадж.

Synema ornatum (Thorell, 1875)

В, Д, Е2, М?, П? — РФ, Укр, Аз?

Synema plorator (O.Pickard-Cambridge, 1872)

= *S. richteri* Utotschkin, 1960

В, Е1, Е2, Ж1, Ж2, З+И?, К?, П. — РФ, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Тадж?

Synema tadzhikistanicum Utotschkin, 1960

З+И, П. — Каз, Тадж.

Synema utotchkini Marusik et Logunov, 1995

В, Е2, З+И, К. — Аз, Каз, Кирг.

***Thomisus* Walckenaer, 1805 (M)**

Thomisus onustus Walckenaer, 1805

= *Aranea basi abdominis bicorni, apice globosa* Lepechin, 1771&1774,

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

= *Thomisus albus* (Gmelin, 1789), **nomen dubium**,

= *Th. abbreviatus* Walckenaer, 1826,

= *Th. auriculatus* Prach, 1866

В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, П. — РФ, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Thomisus zyuzini Marusik et Logunov, 1990

Ж2, З+И, К. — Каз, Узб, Турк.

***Tmarus* Simon, 1875 (M)**

Tmarus horvathi Kulczyński, 1895

Е2, Ж2, Т1. — РФ, Гр, Аз, Турк.

Tmarus oblectator Logunov, 1992

Т1. — РФ.

Tmarus piger (Walckenaer, 1802)

= *Monaeses cuneolus* (C.L.Koch, 1837)

В, Г2, Д, Е1, Е2, Ж1, Л, М, П, Т1. — РФ, Бел, Укр, Молд, Гр, Аз, Арм, Каз.

Tmarus rimosus Paik, 1973

Г2, М, Н+О, П, Т1. — РФ.

Tmarus stellio Simon, 1875

В, Е1, Е2. — РФ, Укр, Гр, Аз?

Н+О??, П??

Tmarus taishanensis Zhu et Wen, 1981

П. — РФ.

***Xysticus* C.L.Koch, 1835 (M)**

= *Psammitis* Menge, 1868,

= *Proxysticus* Dalmás, 1922

Xysticus abramovi Marusik et Logunov, 1995¹

З+И. — Тадж.

Xysticus acerbus Thorell, 1872

+ *X. a.* var. *obscurior* Kulczyński, 1895

В, Г2, Д, Е1, Е2, Ж2, З+И, М, Н+О, Т1. — РФ, Латв, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Турк, Тадж.

Б??

Xysticus adzharicus Mcheidze, 1971

Е2. — Гр.

Xysticus albidus Grese, 1909

Б, В, Г2, М, Н+О, Р, С1, Т1, Т2. — РФ.

П??

(*Xysticus albomaculatus* Kulczyński, 1892)

В?? — РФ??, Каз??

Xysticus aletaiensis Hu et Wu, 1989

З+И/П. — Каз.

Xysticus alpicola Kulczyński, 1881

Д. — Укр.

Xysticus altaicus Simon, 1895

П. — Каз.

Xysticus arenarius Thorell, 1875

Е1. — Укр.

¹ Exact type locality missed in the original description: NW Tadjikistan, Zeravshan Mt. Ridge, S of Pendzhikent, Zebon Villidge (D.V. Logunov, pers.comm.).

- Xysticus atevs* Ovtsharenko, 1979
E2. — PФ.
- Xysticus audax* (Schrank, 1803)
= *X. pini* Hahn, 1832
B, B, Г2, Д, E2, З+И, Л, М, Н+О, П, С1, Т1, Т2, Т3. — PФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Каз.
- К?? — Узб??, Кирг??, Тадж??
- Xysticus austrosibiricus* Logunov et Marusik, 1998
Г2, З+И/П, Н+О, П, P. — PФ, Каз.
- Xysticus bacurianensis* Mcheidze, 1971
E2. — PФ, Аз, Гр.
- Xysticus bakanas* Marusik et Logunov, 1990
З+И. — Каз.
- Xysticus baltistanus* (Caporiacco, 1935)
= *X. dondalei* Marusik, 1988
З+И, Н+О, П, P, С1, Т1. — PФ, Каз, Кирг, Тадж.
- Xysticus bermani* Marusik in Logunov et Marusik, 1994
Н+О, P. — PФ.
- Xysticus bifasciatus* C.L.Koch, 1837
= *X. norvegicus* Strand, 1900
B, B, Г2, Д, E1, E2, З+И, М, Н+О, П. — PФ, Эст, Латв, Лит, Бел, Укр, Каз, Узб, Кирг.
- Xysticus bonneti* Denis, 1937
= *X. johannislupi* Denis, 1952
Г2, З+И, П. — PФ, Каз.
- Xysticus britcheri* Gertsch, 1934
= *X. lectus* Utotschkin, 1968
B, Г2, М, Н+О, П, P, С1, C2, Т1, Т2. — PФ, Укр?
{*Xysticus calcaratus* (Westring, 1861)}
B? — PФ?
- Xysticus canadensis* Gertsch, 1934
B, Н+О, P, C1, Т1. — PФ.
- Xysticus caperatus* Simon, 1875
E1, E2. — PФ, Укр.
К?? — Турк??
- Xysticus caspicus* Utotschkin, 1968
B, E2, Ж2, З+И, К. — PФ, Аз, Каз, Турк, Кирг.
- Xysticus caucasus* L.Koch, 1878
E2. — Гр, Аз.
- Xysticus charitonovi* Mcheidze, 1971
E2. — Гр.
- (*Xysticus chippewa* Gertsch, 1953)
B??, Г2??, П?? — PФ??, Эст??, Бел??
- Xysticus concinnus* Kroneberg, 1875
З+И, К. — Каз, Узб, Турк, Кирг, Тадж.
- Xysticus concretus* Utotschkin, 1968
Т1. — PФ.
- (*Xysticus coreanus* (Paik, 1974))
Т1?? — PФ??
- Xysticus cribratus* Simon, 1885
Oxyptila baudueri cribrata
B, E2, Ж2?, К? — PФ, Гр, Аз, Турк?

Xysticus cristatus (Clerck, 1758)

= *X. viaticus* (Linnaeus, 1758)

Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

К?? — Узб??, Кирг??, Тадж??

{*Xysticus croceus* Fox, 1937}

П? — Каз?

Т1?? — РФ??¹

Xysticus davidi Schenkel, 1963

Т1. — РФ.

{*Xysticus desiduus* Simon, 1875}

Д? — Укр?

Xysticus dzhungaricus Tystshenko, 1965

= *X. kiritschenkoi* Utotschkin, 1968

З+И, К, М, П, Т1. — РФ, Каз, Кирг, Тадж.

{*Xysticus elegans* Keyserling, 1880}

= *X. limbatus* Keyserling, 1880, part., ♀

С3? — РФ?

Xysticus embriki Kolosvary, 1935

В/Г2, Е2, Ж2, З+И. — РФ, Аз, Каз, Турк.

Xysticus emertoni Keyserling, 1880

= *X. excellens* Kulczyński, 1885

Г2, З+И, М, Н+О, П, Р, С1, С2, Т1, Т2. — РФ, Каз.

Xysticus ehippiatus Simon, 1880

= *X. transsibiricus* Utotschkin, 1968

З+И, М, Н+О, П, Т1, Т2, Т3. — РФ, Каз, Узб, Кирг.

Xysticus erraticus (Blackwall, 1834)

Б, В, Д, Е1, Е2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз.

П??

Xysticus ferrugineus Menge, 1876

В. — Молд.

Xysticus ferruginoides Schenkel, 1963

= *X. amuricus* Seyfulina et Michailov, 2004

П, Т1. — РФ.

Xysticus gallicus Simon, 1875

+ *X. g. batumiensis* Mcheidze et Utotschkin, 1971

В, Г2, Д, Е2, М?, П? — РФ, Укр, Молд, Гр, Аз.

Xysticus gobiensis Logunov et Marusik, 2002

= *X. laticeps* Schenkel, 1963, praecoc.

П. — РФ.

Xysticus graecus C.L.Koch, 1837

В, Е1, З+И? — РФ, Укр, Каз?

Xysticus hedinii Schenkel, 1936

П, Т1. — РФ.

Xysticus idolothytus Logunov, 1995

= *X. albomaculatus* auct.

В?, Е2?, Л/М. — РФ?, Аз?, Каз.

Xysticus illaudatus Logunov, 1995

Т1. — РФ.

Xysticus insulicola Bösenberg et Strand, 1906

Т1. — РФ².

¹ All indications of *Xysticus croceus* for Т1 [Kim & Kurenshchikov, 1995; Kurenshchikov, 1997ab, 1999] refer actually to *X. britcheri* (D.V. Logunov, pers. comm.).

² 1 ♂ (Institute for Systematics and Ecology of Animals, Novosibirsk), Amur Area, near Blagoveshchensk, 08.1998, leg. E. Malikova, det. D.V. Logunov.

- Xysticus kalandadzei* Mcheidze et Utotschkin, 1971
Е2. — Гр.
- Xysticus kaznakovi* Utotschkin, 1968
Е2, Ж2, З+И. — Аз, Турк, Тадж.
- Xysticus kempeleni* Thorell, 1872
= *X. frater* O.Herman, 1879
В, Г2, Д, Е1?, Е2, Ж2, З+И, Л. — РФ, Укр, Молд, Гр, Аз, Узб, Турк.
- Xysticus kochi* Thorell, 1872*
+ *X. k. abchasicus* Mcheidze et Utotschkin, 1971
Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, Л, М. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм,
Турк.
П??
- Xysticus kulczynskii* Wierzbitzki, 1902
Е2. — Аз.
- Xysticus kurilensis* Strand, 1907
= *X. triguttatus* Keyserling, 1880, sensu Peelle et S.Saito, 1933
Т2, Т3. — РФ.
- Xysticus kuzgi* Marusik et Logunov, 1990
З+И. — Каз¹, Узб, Кирг.
(*Xysticus labradorensis* Keyserling, 1887)
Г2??, М??, П?? — РФ??
- Xysticus laetus* Thorell, 1875
X. lestus Thorell, 1875, lapsus calami
В, Е1, Е2. — РФ, Укр, Гр, Аз.
(*Xysticus lalandei* (Savigny et Audouin, 1826))
Е2??, З+И?? — Аз??, Тадж??
- Xysticus lanio* C.L.Koch, 1845
= *X. lateralis* (Hahn, 1831), sensu Thorell
Б, В, Г2, Д, Е1, Е2, Ж1, З+И, М, Н+О. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм,
Кирг.
П??
- Xysticus lapidarius* Utotschkin, 1968
В, З+И, К. — Каз, Турк, Тадж.
- Xysticus latitabundus* Logunov, 1995
Т1. — РФ.
- Xysticus lepnevae* Utotschkin, 1968
Т1, Т2. — РФ.
- Xysticus lineatus* (Westring, 1851)
Б, В, Г2, Е2, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Молд, Аз, Каз.
- Xysticus loeffleri* Roewer, 1955
= *X. turanicus* Charitonov, 1969
Е2, Ж1, Ж2, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.
- Xysticus logunovi* Seyfulina et Michailov, 2004
Т1. — РФ.
- Xysticus luctator* L.Koch, 1870
= *X. cambridgei* (Blackwall, 1858)
Б, В, Г2, Е1, Е2, Ж1, П, Т1? — РФ, Эст, Бел, Укр, Молд, Гр, Аз, Каз.
- Xysticus luctuosus* (Blackwall, 1836)
Б, В, Г2, Е1, Е2, З+И, М, Н+О, П, С1, С2, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр,
Аз, Каз, Узб, Тадж?
- Xysticus marmoratus* Thorell, 1875
В, Е1. — РФ, Укр, Каз.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Е2??, Ж2??, З+И?? — Гр??, Аз??, Турк??, Кирг??

Xysticus minor Charitonov, 1946

Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

Xysticus mongolicus Schenkel, 1963

= *X. urgumchak* Marusik et Logunov, 1990, part., ♀

В, Е2, З+И, К, П. — РФ, Укр, Аз, Каз.

Xysticus mugur Marusik in Marusik et Chevrizov, 1990

П. — РФ.

Xysticus nataliae Utotschkin, 1968

П. — РФ.

Е2??, З+И?? — Аз??, Каз??

Xysticus nenilini Marusik, 1989

Н+О, П. — РФ.

Xysticus ninnii (Thorell, 1872)

+ *X. n. fusciventris* Crome, 1965

В, Г2, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, П. — РФ, Лит, Укр, Гр, Аз, Арм, Каз, Узб, Турк.

Xysticus nubilus Simon, 1875

Е2. — Гр.

Xysticus obesus Thorell, 1875

В. — РФ/Укр (“Südrubland” [Thorell, 1875]).

З+И?? — Узб??, Тадж??

Xysticus obscurus Collett, 1877

= *X. austerus* L.Koch, 1879

Б, В, Г2, М, Н+О, П, Р, С2, Т1. — РФ, Эст, Лит.

Xysticus ovadan Marusik et Logunov, 1995

К. — Турк.

Xysticus ovcharenkoi Marusik et Logunov, 1990

Ж2, З+И. — Узб, Турк, Тадж.

Xysticus palpimirabilis Marusik et Chevrizov, 1990

З+И. — Кирг.

{*Xysticus paniscus* L.Koch, 1875}

Д? — Укр?

{*Xysticus parallelus* Simon, 1873}

В? — РФ?, Укр?

Xysticus pentagonicus Seyfulina et Michailov, 2004

Т1. — РФ.

Xysticus pseudobliteus (Simon, 1880)

Oxyptila pseudoblitea

= *Xysticus bonneti* Schenkel, 1963, praecoc.,

= *X. crassus* Tystshenko, 1965,

= *X. schenkeli* Marusik, 1989, n.nov. pro *X. bonneti* Sch.

З+И, Л, П, Т1. — РФ, Каз.

Xysticus pseudocristatus Azarkina et Logunov, 2001

З+И, К?, М, П. — РФ, Каз, Узб, Кирг, Тадж.

Xysticus pseudoluctuosus Marusik et Logunov, 1995

З+И. — Тадж.

Xysticus pygmaeus Tystshenko, 1965

Л. — Каз.

(*Xysticus rectilineus* (O.Pickard-Cambridge, 1872))

“Turan Zoogeographical Province” [Spassky, 1952]??

- Xysticus robustus* (Hahn, 1832)
 + *X. r. strandiana* Ermolajev, 1937,
 = *X. fuscus* (C.L.Koch, 1837),
 = *X. brevitarsis* (Simon, 1870)
 Б, В, Г2, Е1, Е2, З+И, Л, М, Н+О, П. — РФ, Эст, Латв, Укр, Гр, Каз, Узб, Кирг.
Xysticus rostratus Ono, 1988
 Т1, Т2, Т3. — РФ.
Xysticus rugosus Buckle et Redner, 1964
 Н+О, П, Р, Т1. — РФ.
Xysticus sabulosus (Hahn, 1832)
 Б, В, Г2, Е2, Н+О. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз.
 З+И??, К?? — Каз??, Узб??, Кирг??, Тадж??
Xysticus saganus Bösenberg et Strand, 1906
 Т1, Т3. — РФ.
Xysticus seserlig Logunov et Marusik, 1994
 П, Т1. — РФ.
 {*Xysticus setosus* (Westring, 1851)}
 В? — РФ?
Xysticus sharlaa Marusik et Logunov, 2002
 П. — РФ.
Xysticus sibiricus Kulczyński, 1908
 Н+О, П, Р, С1, С2, Т1, Т2. — РФ.
 Г2??
Xysticus sicus Fox, 1937
 Т1. — РФ.
Xysticus sjostedti Schenkel, 1936
 В, Н+О, П, Р. — РФ, Каз.
 Г2??
Xysticus slovacus Svaton, Pekar et Pridavka, 2000
 Г2. — РФ.
 {*Xysticus soederbomi* Schenkel, 1936}
 Е2? — РФ?
 Г2??
Xysticus soldatovi Utotschkin, 1968
 Т1. — РФ.
Xysticus spasskyi Utotschkin, 1968
 = *X. umbrinus* Utotschkin, 1968
 Е1, Е2, Ж1. — РФ, Укр, Гр, Аз.
Xysticus striatipes L.Koch, 1870
 = *X. perogaster* Thorell, 1872
 В, Г2, Д, Е1, Е2, З+И, К, Л, М, Н+О, П. — РФ, Лит, Бел, Укр, Гр, Аз, Каз, Узб, Кирг.
Xysticus taukumkurt Marusik et Logunov, 1990
 З+И. — Каз.
Xysticus tortuosus Simon, 1932
 Г2. — РФ.
Xysticus tristrami (O.Pickard-Cambridge, 1872)
 = *X. lalandei* sensu Simon, 1932
 В, Е2, Ж2, З+И, К. — РФ, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.
Xysticus turkmenicus Marusik et Logunov, 1995
 З+И, К. — Каз, Турк, Кирг, Тадж.
Xysticus turlan Marusik et Logunov, 1990
 З+И, К. — Каз, Узб.

- Xysticus tyshchenkoi* Marusik et Logunov, 1995
Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.
- Xysticus ukrainicus* Utotschkin, 1968
В, Е2. — РФ, Гр.
Г2??
- Xysticus ulkan* Marusik et Logunov, 1990
В, Г2, З+И. — РФ, Каз¹, Кирг.
- Xysticus ulmi* (Hahn, 1831)
Б, В, Г2, Д, Е1, Е2, З+И, Л, М, Н+О, П, Т2? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз, Узб, Кирг.
- Xysticus urgumchak* Marusik et Logunov, 1990
З+И, К. — Каз, Турк.
- Xysticus vachoni* Schenkel, 1963
= *X. jacuticus* Utotschkin, 1968
Н+О, П, Р, С1, Т1. — РФ, Каз.
- Xysticus viduus* Kulczyński, 1898, sensu Utotschkin, 1968
В, Г2, Д, Е2, М, Н+О, Т1? — РФ, Бел, Укр, Аз, Каз.
П??
- Xysticus wunderlichi* Logunov, Marusik et Trilikauskas, 2001
П. — РФ.
- Xysticus xysticiformis* (Caporiacco, 1935)
З+И. — Кирг, Тадж.
- Xysticus zonshteini* Marusik, 1989
З+И. — Каз², Кирг, Тадж.
- Misumena pallida* Pokrowsky, **nomen nudum**³
В. — РФ [Pokrovskiy, 1925].
- Proxysticus abchasicus* Utotschkin et Gostyukhina, **nomen nudum**
“USSR” [Utchkin, Gostyukhina, 1992].
- Proxysticus aldanicus* Utotschkin et Gostyukhina, **nomen nudum**
“USSR” [Utchkin, Gostyukhina, 1992].
- Proxysticus montanus* Utotschkin et Gostyukhina, **nomen nudum**
“USSR” [Utchkin, Gostyukhina, 1992].
- Proxysticus sibiricus* Utotschkin et Gostyukhina, **nomen nudum**
“USSR” [Utchkin, Gostyukhina, 1992].
- Proxysticus simoni* Utotschkin et Gostyukhina, **nomen nudum**
“USSR” [Utchkin, Gostyukhina, 1992].
- Xysticus angaricus* Prosina et Utotschkin, **nomen nudum**
“USSR” [Prosina, Utchkin, 1992].
- Xysticus bengi* Prosina et Utotschkin, **nomen nudum**
“USSR” [Prosina, Utchkin, 1992].
- Xysticus bucharensis* Prosina et Utotschkin, **nomen nudum**
“USSR” [Prosina, Utchkin, 1992].
- Xysticus oreophilus* Saveljeva, **nomen nudum**
П. — Каз [Saveljeva, 1972b, 1979, 1984].
- Xysticus palustris* L.Koch in Wajgiel, **nomen nudum**
В. — Укр [Wajgiel, 1868, 1874].
- Xysticus saveljevae* Utotschkin, **nomen nudum**
“USSR” [Prosina, Utchkin, 1992].

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

² Respective physiographical area is not indicated [Logunov et al., 2012].

³ = *Misumena vatia*: Charitonov, 1932.

Xysticus subjacuticus Saveljeva, **nomen nudum**

П. — Каз [Savelyeva, 1972b, 1979, 1984].

Xysticus tauricus Saveljeva, **nomen nudum**

П. — Каз [Savelyeva, 1972b, 1979, 1984].

Xysticus thadzhikistanicus Prosina et Utotschkin, **nomen nudum**

“USSR” [Prosina, Utotschkin, 1992].

Family Salticidae

Aelurillus Simon, 1884 (M)

= *Aelurops* Thorell, 1869, praecoc.,

= *Ictidops* Fickert, 1876, praecoc.,

= *Melioranus* Tystshenko, 1965

(*Aelurillus affinis* (Lucas, 1846))

Ж2??, З+И?? — Турк??, Кирг??

Aelurillus andreevae Nenilin, 1984

= *Ae. variegatus* (Kroneberg, 1875), sensu Andreeva

З+И, К. — Турк, Тадж.

Aelurillus ater (Kroneberg, 1875)

В, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

Aelurillus brutus Wesołowska, 1996

В, К. — Каз, Турк.

Aelurillus concolor Kulczyński, 1901

= *Ae. iranus* (Roewer, 1955)

Е2, Ж2, З+И, К. — Гр, Аз?, Каз, Турк, Кирг.

Aelurillus dubatolovi Azarkina, 2002

Ж2, З+И, К. — Каз, Узб, Турк, Кирг.

Aelurillus kopetdaghi Wesołowska, 1996

Ж2. — Турк.

Aelurillus laniger Logunov et Marusik, 2000

В, Л, М. — РФ, Укр, Каз.

Aelurillus latebricola Spassky, 1941

З+И. — Тадж.

Aelurillus lutosus (Tystshenko, 1965)

Melioranus lutosus

В, З+И, К, Л, М. — Каз, Кирг.

Aelurillus m-nigrum (Kulczyński in Chyzer et Kulczyński, 1891)

В, Г2, Е2, З+И, Л, М. — РФ, Укр, Аз, Каз, Кирг, Тадж?

Ж2?? — Турк??

Aelurillus muganicus Dunin, 1984

= *Ae. azerbaijzanicus* Dunin, 1984

Е2. — Аз, Каз¹.

Aelurillus nenilini Azarkina, 2002

З+И, К. — Каз, Узб, Турк.

Aelurillus v-insignitus (Clerck, 1758)

В, В, Г2, Д, Е1, Е2, Ж2, З+И, К, Л, М, Н+О, П, Р, С1, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз?, Каз, Турк, Кирг, Тадж.

Asianellus Logunov et Hęciak, 1996 (M)

Aelurillus Simon, 1884, part.

¹ Respective physiographical area is not indicated [Logunov et al., 2012].

Asianellus festivus (C.L.Koch, 1834)*Phlegra festiva*= *Attus melanotarsus* Grube, 1861,= *Aelurillus gilvus* (Simon, 1868)

Б?, В, Г2, Д, Е1, Е2, Л, М, Н+О, П, С1, Т1, Т3. — РФ, Лит, Укр, Молд, Гр, Аз, Каз.

Asianellus kazakhstanicus Logunov et Hęciak, 1996

Л, М. — РФ, Каз.

Asianellus kuraicus Logunov et Marusik, 2000

П. — РФ.

Asianellus ontchalaan Logunov et Hęciak, 1996

Г2, П. — РФ.

Asianellus potanini (Schenkel, 1963)*Phlegra potanini*

Е2, П. — РФ, Аз.

Attus Walckenaer, 1805, nomen dubium* (M)Attus dimidiatus* Grube, 1861, **nomen dubium**¹

Т1. — РФ.

Attus fuscostriatus Grube, 1861, **nomen dubium**²

Т1. — РФ.

Attus quadrifasciatus Grube, 1861, **nomen dubium**³

Н+О. — РФ.

Attus wankowiczi Simon, 1868, **nomen dubium**⁴

В. — Лит?, Бел.

Ballus C.L.Koch, 1851*⁵ (M)Ballus depressus* (Walckenaer, 1802)+ *B. d. seguipes* (Simon, 1868),= *B. chalybeius* (Walckenaer, 1802),= *Attus brevipes* (Hahn, 1832)

В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л. — РФ, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

(Ballus rufipes (Simon, 1868))

Ж2??, З+И??, М?? — Каз??, Узб??, Турк??

Bianor Peckham et Peckham, 1885* (M)Bianor albobimaculatus* (Lucas, 1846)

Е2, Ж1, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.

В?? — РФ??

Carrhotus Thorell, 1891* (M)Carrhotus xanthogramma* (Latreille, 1819)= *C. bicolor* (Walckenaer, 1802), praecoc.,= *Philaeus varicus* (Simon, 1869),= *Carrhotus detritus* Bösenberg et Strand, 1906

В, Г2, Д, Е1, Е2, П, Т1, Т3. — РФ, Бел, Укр, Гр, Аз.

¹ Types are not located.² Types are not located.³ Types are not located.⁴ The species is not revised since the original description.⁵ Indication of *Ballus variegatus* Simon for В. — Укр [Rudnikova, Yaroshenko, 1994] is a lapsus: such species doesn't exist.

***Chalcoscirtus* Bertkau, 1880 (M)**

Chalcoscirtus alpicola (L.Koch, 1876)

В, Г2, Н+О, П, Р, С1, Т1. — РФ.

Chalcoscirtus ansobicus Andreeva, 1976

З+И. — Тадж.

Chalcoscirtus brevicymbialis Wunderlich, 1980

Г2, К, М. — РФ, Каз.

Chalcoscirtus carbonarius Emerton, 1917

Р. — РФ.

Chalcoscirtus charynensis Logunov et Marusik, 1999

З+И. — Каз.

Chalcoscirtus flavipes Caporiacco, 1935

З+И. — Тадж.

Chalcoscirtus glacialis Caporiacco, 1935

+ *C. g. sibiricus* Marusik, 1991,

= *C. micans* (Caporiacco, 1935)

З+И, Н+О, П, Р, С1, Т1. — РФ, Каз, Тадж.

Chalcoscirtus grishkanae Marusik, 1991

П, Р, С1. — РФ.

Chalcoscirtus hyperboreus Marusik, 1991

В, П, Р, С1. — РФ.

Chalcoscirtus infimus (Simon, 1868)

= *Ch. asiaticus* (Charitonov, 1951),

Euophrys thorelli asiatica,

= *Chalcoscirtus pauper* Wesolowska, 1996

В, Е1, Е2, Ж1, Ж2, З+И, Л? — РФ, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Chalcoscirtus kamchik Marusik, 1991

З+И. — Узб.

Chalcoscirtus karakurt Marusik, 1991

= *C. martensi parvulus* Marusik, 1991 (part, ♀)

В, Ж2, З+И, К. — Каз, Узб, Турк, Кирг.

Chalcoscirtus kirgisticus Marusik, 1991

З+И. — Кирг.

Chalcoscirtus koponeni Logunov et Marusik, 1999

П. — РФ.

Chalcoscirtus lepidus Wesolowska, 1996

З+И, К. — Узб, Турк, Тадж.

Chalcoscirtus martensi Żabka, 1980

З+И. — Тадж.

В??, Ж2??, К?? — Каз??, Турк??, Кирг??

Chalcoscirtus michailovi Logunov et Marusik, 1999

Ж2, З+И. — Каз, Турк.

Chalcoscirtus minutus Marusik, 1990

З+И. — Тадж.

В?? — Каз??

Chalcoscirtus molo Marusik, 1991

З+И. — Кирг.

Chalcoscirtus nenilini Marusik, 1990

З+И. — Кирг.

Chalcoscirtus nigrinus (Thorell, 1875)

Heliophanus nigrinus

Euophrys nigrina

В, Г2, З+И, М. — РФ, Укр, Каз, Кирг.

E2?? — Аз??

Chalcoscirtus paraansobicus Marusik, 1990

В, В/Г2, З+И, К. — РФ, Каз, Узб, Турк, Кирг, Тадж.

Chalcoscirtus parvulus Marusik, 1991

= *Ch. pavuk* Marusik, 1991

В, Ж2, З+И, К. — Каз, Турк, Кирг, Тадж.

Chalcoscirtus platnicki Marusik in Eskov et Marusik, 1995

В, З+И, К, Л. — Каз.

Chalcoscirtus pseudoinfimus Ovtsharenko, 1978

E2. — РФ, Гр.

Chalcoscirtus talturaensis Logunov et Marusik, 2000

П. — РФ.

Chalcoscirtus tanasevichi Marusik, 1991

В, E2, Ж1, З+И, К, М. — РФ, Аз, Арм, Каз, Кирг.

Chalcoscirtus tanyae Logunov et Marusik, 1999

T1. — РФ.

Chalcoscirtus zyuzini Marusik, 1991

З+И. — Каз, Узб, Тадж.

***Chinattus* Logunov, 1999 (M)**

Chinattus caucasicus Logunov, 1999

E2, Ж1. — Гр, Аз, Арм.

E1?? — Укр??

***Cyrba* Simon, 1876 (F)**

Cyrba algerina (Lucas, 1846)

В, Д, E2, Ж1, Ж2, З+И. — РФ, Укр, Аз, Узб, Турк, Тадж.

Cyrba ocellata (Kroneberg, 1875)

= *C. tadhika* Andreeva, 1969

E2, Ж2, З+И, К. — РФ, Аз, Каз, Узб, Турк, Кирг, Тадж.

***Dendryphantes* C.L.Koch, 1837 (M*)**

Dendryphantes barguzinensis Danilov, 1997

П. — РФ.

Dendryphantes biankii Prószyński, 1979

= *D. thorellii* Kulczyński, 1895, part., ♂

Н+О, П, T1. — РФ.

Dendryphantes czekanowskii Prószyński, 1979

Г2, М, Н+О, П, Р, С1, T1, T2. — РФ.

Dendryphantes fusconotatus (Grube, 1861)

= *D. thorellii* Kulczyński, 1895, part., ♀

Г2, М, Н+О, П, Р, T1. — РФ.

Dendryphantes hastatus (Clerck, 1758)

= *D. pini* (De Geer, 1778)

Б, В, Г2, E1, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Каз.

Dendryphantes ovchinnikovi Logunov et Marusik, 1994

З+И. — Каз, Кирг.

Dendryphantes ravidus Simon, 1868

В. — Лит.

Dendryphantes rudis (Sundevall, 1833)

Б, В, Г2, Д, E2, Ж1, Л, М, Н+О, П, С2?, T1. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Арм, Каз.

Dendryphantes secretus Wesolowska, 1995

З+И. — Каз.

Dendryphantes tuvinensis Logunov, 1991

Л, П. — РФ, Каз.

***Euophrys* C.L.Koch, 1834 (F)**

Evophrys auct.

Euophrys flavoatra (Grube, 1861)

Г2, П, Р, Т1. — РФ.

Euophrys frontalis (Walckenaer, 1802)

= *E. maculata* (Walckenaer, 1826)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, М, Н+О, П, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Турк, Кирг.

Р??

Euophrys kataokai Ikeda, 1995

Т1, Т3. — РФ.

Euophrys kirghizica Logunov, 1997

З+И. — Кирг.

(*Euophrys molesta* O.Pickard-Cambridge, 1912)

З+И?? — Тадж??

Euophrys prozyskii Logunov, Cutler et Marusik, 1993

Е1, З+И, Н+О, П, Р, С1. — РФ, Каз.

Euophrys talassica Logunov, 1997

З+И. — Кирг.

Euophrys turkmenica Logunov, 1997

Ж2. — Турк.

Euophrys uralensis Logunov, Cutler et Marusik, 1993

В, Г2, Е2, Ж2, З+И, П. — РФ, Аз, Каз, Турк, Кирг.

***Evarcha* Simon, 1902 (F)**

Evarcha albaria (L.Koch, 1878)

= *E. albifrons* (Kulczyński, 1895)

Т1, Т3. — РФ.

П??

Evarcha arcuata (Clerck, 1758)

= *E. marcgravii* (Scopoli, 1763),

= *Attus farinosus* (C.L.Koch, 1837), sensu Simon, 1871, O.Herman, 1876, 1879,

= *A. albociliatus* Simon, 1868

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, К, М, Н+О, П, Р, С1, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Турк, Кирг.

Ж2??

Evarcha armeniaca Logunov, 1999

Е2, Ж1. — Аз, Арм.

Evarcha falcata (Clerck, 1758)

= *E. flammata* (Clerck, 1758),

= *E. blancardi* (Scopoli, 1763),

= *Attus taczanowskii* Simon, 1868

Б, В, Г2, Д, Е1, Е2, Л, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз.

С1??, С2??, Т1??, Т2??, Т3??

Evarcha kirghisica Rakov, 1997

З+И. — Кирг.

Evarcha laetabunda (C.L.Koch, 1846)

= *Euophrys westringii* Simon, 1868

Б, В, Г2, Д, Е1, Е2, З+И?, К?, Л?, М, Н+О, П, Р, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз, Турк?, Кирг?

Evarcha michailovi Logunov, 1992

В, Г2, Е2, Ж2, З+И, К?, М, П. — РФ, Укр, Каз, Турк, Кирг.

Evarcha mongolica Danilov et Logunov, 1994

П. — РФ.

Evarcha nenilini Rakov, 1997

З+И. — Узб, Кирг, Тадж.

Evarcha praecincta (Simon, 1890)

Е2. — Аз.

Evarcha proszynskii Marusik et Logunov, 1998

З+И, Н+О, П, С1, Т1, Т2. — РФ, Каз.

***Helicius* Żabka, 1981 (M)**

Helicius chikunii (Logunov et Marusik, 1999)

Pseudicius chikunii

Т1. — РФ.

***Heliophanus* C.L.Koch, 1833 (M)**

Heliophanus aeneus (Hahn, 1832)

= *H. truncorum* (Linnaeus, 1758), sensu C.L.Koch, 1835, etc.,

= *H. muscorum* (Walckenaer, 1802), sensu Simon, 1864 etc.

Б?, В, Д, Е2?, З+И? — РФ, Латв, Бел, Укр, Молд, Аз?, Каз?, Узб?, Кирг?, Тадж?

Heliophanus auratus C.L.Koch, 1835

= *H. varians* Simon, 1868, part., ♀

= *H. exultans* L.Koch in Simon, 1868,

= *H. nigriceps* Kulczyński, 1895

Б, В, Г2, Д, Е1, Е2, Ж1, З+И, К, Л, М, Н+О, П. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

Heliophanus baicalensis Kulczyński, 1895

Н+О, П, Р, С1, Т1. — РФ.

Heliophanus camtschadalicus Kulczyński, 1885

= *H. dampfi* Schenkel, 1923¹,

= *H. mariae* F.Dahl in M.Dahl, 1926

Б, В, Г2, М, Н+О, П, С1, С2, Т1, Т2. — РФ, Эст, Лит.

Heliophanus chovdensis Prószyński, 1982

Ж2, З+И, К. — Каз, Турк, Кирг.

Heliophanus cupreus (Walckenaer, 1802)

Б, В, Г2, Д, Е1, Е2, Ж1, М? — РФ, Эст, Латв, Бел, Укр, Молд, Гр, Аз, Арм.

П??

Heliophanus curvidens (O.Pickard-Cambridge, 1872)

= *H. berlandi* Schenkel, 1963

В, Г2, Е2, Ж2, З+И, К, М. — РФ, Аз, Каз, Узб, Турк, Кирг, Тадж.

Heliophanus dubius C.L.Koch, 1835

= *H. karpinskii* Simon, 1868

Б, В, Г2, Д, Е1, Е2, З+И, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз?, Каз, Узб².

¹ This synonymy is proposed, but not officially established by Logunov & Marusik [2000].

² Like other Asian records of *Heliophanus simplex*, indication of this species by Bronstein & Murtazaev [1974] is referred rather to *H. dubius* (see also Rakov & Logunov, 1997: 77).

- Heliophanus dunini* Rakov et Logunov, 1997
В, Е2, К. — РФ, Аз, Каз.
- Heliophanus equester* L.Koch, 1867
Е2, Ж1. — Аз, Арм.
- Heliophanus flavipes* (Hahn, 1832)
= *H. ritteri* (Scopoli, 1763), sensu M.Dahl, 1926
Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, Т1? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз, Узб, Турк, Кирг.
- Heliophanus forcipifer* Kulczyński, 1895
Ж1, З+И, К. — Арм, Каз, Узб, Тадж.
- Heliophanus kochi* Simon, 1868*
В, Д, Е1, Е2, П? — РФ, Укр, Аз?, Каз?
К??
- Heliophanus koktas* Logunov, 1992
В, Г2, М. — РФ, Каз.
- Heliophanus lineiventris* Simon, 1868
= *H. miles* Simon, 1878
В, Г2, Д, Е1, Ж1, З+И, М, Н+О, П, Т1, Т2, Т3. — РФ, Эст, Укр, Арм, Каз.
К?? — Турк??
- {*Heliophanus melinus* L.Koch, 1867}
В?, М?, П? — РФ?, Каз?
Е2??, Ж2?? — Гр??, Турк??
- Heliophanus minutissimus* Simon, 1871, **nomen dubium**¹
Е1. — Укр.
- Heliophanus mordax* (O.Pickard-Cambridge, 1872)
= *H. ignorabilis* Wesołowska, 1986 (part.)
В, Е2, Ж1, Ж2, К. — РФ, Гр, Аз, Турк.
Укр??, Каз??²
- (*Heliophanus nitens* C.L.Koch, 1848), **nomen dubium**³
З+И?? — Узб??
- Heliophanus niveivestis* Simon, 1889, **nomen dubium**⁴
К. — Турк.
- Heliophanus patagiatus* Thorell, 1875
+ *H. p.* var. *albolineata* Kulczyński, 1901,
= *H. metallicus* C.L.Koch, 1846, sensu Ohlert, etc.
В, Г2, Д, Е1?, Е2, З+И, Л, М, Н+О, П, Р, С1, Т1. — РФ, Латв, Укр, Гр, Аз?, Каз, Турк, Кирг, Тадж.
- Heliophanus potanini* Schenkel, 1963
В, З+И, К. — РФ, Каз, Узб, Кирг, Тадж.
- {*Heliophanus rufithorax* Simon, 1868}
З+И?, К? — Турк?, Кирг?, Тадж?
- Heliophanus simplex* Simon, 1868
В, Д, Е1, П? — РФ?, Укр, Молд?
Е2??, З+И?? — Аз??, Каз??, Узб??
- {*Heliophanus tribulosus* Simon, 1868}
= *H. cambridgei* Simon, 1868
В?, Д?, Е2? — РФ?, Укр?, Гр?, Аз?
З+И?? — Каз??

¹ Described from inadult specimens: cf. Wesołowska [1986].

² Indication of *Heliophanus mordax* in Kazakhstan: Akstafa-Chai River [Rakov, Logunov, 1997] is an obvious lapsus: such locality can exist only in Azerbaijan.

³ Described from inadult specimens: cf. Wesołowska [1986].

⁴ Type is lost: Wesołowska, 1986.

Heliophanus turanicus Charitonov, 1969
 E2, Ж2, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.
Heliophanus ussuricus Kulczyński, 1895
 М, П, Т1, Т2, Т3. — РФ.
 Р??
 {*Heliophanus varians* Simon, 1868}
 В? — Эст?
 М??, П?? — РФ??, Каз??
Heliophanus verus Wesolowska, 1986
 E2. — Аз.
Heliophanus wesolowskiae Rakov et Logunov, 1997
 З+И. — Каз, Кирг.

***Icius* Simon, 1876 (M)**

Icius cervinus Simon, 1878
 В. — РФ.
Icius flavipes Caporiacco, 1935
 К. — Турк.
Icius nigra Paele et S.Saito, 1933, **nomen dubium**¹
 Т3. — РФ.

***Langona* Simon, 1901 (F)**

Langona pallidula Logunov et Rakov, 1998
 К. — Турк.
Langona tartarica (Charitonov, 1946)
Phlegra tartarica
Aelurillus tartaricus
 Ж2, З+И, К. — Узб, Турк, Тадж.

***Leptorchestes* Thorell, 1870 (M)**

Leptorchestes berolinensis (C.L.Koch, 1846)
 В, Д, E1, E2. — РФ, Укр, Аз?
 Ж2?? — Турк??
Leptorchestes sikorskii Prószyński, 2000
 Ж2. — Турк.

***Macaroeris* Wunderlich, 1987 (M)**

Macaroeris asiaticus Logunov et Rakov, 1998
 З+И. — Каз, Кирг.
Macaroeris flavicomis (Simon, 1884)
 В. — Укр.
Macaroeris nidicolens (Walckenaer, 1802)
Eris nidicolens
Dendryphantès nidicolens
 В, E1, E2, Ж2. — РФ, Укр, Гр, Аз, Турк.

***Marpissa* C.L.Koch, 1846² (F)**

= *Marpessa* Thorell, 1870,
 = *Huctia* Simon, 1876

¹ Types are lost; judging to original drawings, the species belongs rather to *Phintella* [Logunov & Koponen, 2000].

² Indication of *Marpissa socialis* for Д. — Укр [Legotay, 1959] is a lapsus: such species doesn't exist.

Subgenus ***Marpissa* C.L.Koch, 1846¹** (F)*Marpissa (Marpissa) milleri* (Peckham et Peckham, 1894)= *Marpissa dybowskii* (Kulczyński, 1895),= *M. koreanica* Schenkel, 1963

T1, T3. — PΦ.

Marpissa longiuscula (Simon, 1871)

B. — Укр.

{*Marpissa magister* (Karsch, 1879), **nomen dubium**²}

T1? — PΦ?

Marpissa (Marpissa) muscosa (Clerck, 1758)= *M. rumpfi* (Scopoli, 1763),= *Salticus tardigradus* (Walckenaer, 1802)

B, B, Г2, Д, E1, E2, H+O. — PΦ, Лит, Укр, Молд, Гр, Аз.

Marpissa (Marpissa) pomatia (Walckenaer, 1802)

B, B, Г2, Д, E2, З+И, Л, М, H+O, П, C2, T1, T2, T3. — PΦ, Эст, Укр, Молд, Гр, Каз, Кирг.

Marpissa (Marpissa) pulla (Karsch, 1879)

T1. — PΦ.

Marpissa (Marpissa) radiata (Grube, 1859)

B, B, Г2, Д, E2, З+И, М, H+O, П. — PΦ, Эст, Латв, Лит, Бел, Укр, Гр, Каз.

C2??

Marpissa zaitzevi Mcheidze, 1997

E2. — Гр.

Subgenus ***Huctia* Simon, 1876** (F)*Marpissa (Huctia) nivoyi* (Lucas, 1846)

B, E1, E2, З+И, К. — PΦ, Укр, Гр, Аз, Каз, Кирг.

***Mendoza* Peckham et Peckham, 1894** (F)*Marpissa* C.L.Koch, 1846, part.*Mendoza canestrinii* (Ninni in Canestrini et Pavesi, 1868)= *Marpissa obscura* Kroneberg, 1875,= *M. salsophila* Tystshenko, 1965,= *M. pichoni* (Schenkel, 1963)

B, E1, E2, З+И, Л, T1 — PΦ, Укр, Гр, Аз, Каз, Узб, Кирг.

Mendoza dersuuzalai (Logunov et Wesołowska, 1992)

T1. — PΦ.

Mendoza elongata (Karsch, 1879)

T1, T2, T3. — PΦ.

Mendoza nobilis (Grube, 1861)

T1. — PΦ.

{*Mendoza pulchra* (Prószyński in Wesołowska, 1981)}

T1? — PΦ?

Mendoza zebra (Logunov et Wesołowska, 1992)

T1. — PΦ.

***Menemerus* Simon, 1868** (M)*(Menemerus indistinctus* (O.Pickard-Cambridge, 1872))

З+И?? — Узб??

¹ Subgeneric affiliation of several species is not indicated by Logunov [1999]. They are left in the subgenus *Marpissa*.

² Described by an inadult specimen [Logunov, 1999].

Menemerus marginatus (Kroneberg, 1875)= *M. cronebergi* Charitonov, 1946

E2, Ж1, З+И, К. — РФ, Аз, Каз, Узб, Турк, Кирг, Тадж.

Menemerus semilimbatus (Hahn, 1827),= *Euophrys intenta* (Blackwall, 1870)

В, Е1, Е2. — РФ, Бел, Укр, Молд, Гр, Аз.

Menemerus taeniatus (L.Koch, 1867)= *M. parietinus* Spassky, 1934

Е1, Е2. — РФ, Укр, Гр, Аз.

П?? — Каз??

Mogrus* Simon, 1882 (M)Mogrus antoninus* Andreeva, 1976

В, Ж2, З+И, К. — РФ, Каз, Узб, Турк, Кирг, Тадж.

Е2?? — Аз??

{*Mogrus fulvovittatus* Simon, 1882}

Е2? — Аз?

Mogrus larisae Logunov, 1995

В, Ж2, З+И, К. — Укр, Каз, Узб, Турк, Кирг.

Mogrus neglectus (Simon, 1868)

В, Е2, З+И. — РФ, Аз, Каз.

Mogrus valerii Kononenko in Andreeva, Kononenko et Prószyński, 1981

К. — Узб, Турк.

Myrmarachne* MacLeay, 1839 (F)Myrmarachne formicaria* (De Geer, 1778)= *M. joblotii* (Scopoli, 1763), sensu M.Dahl, 1926,= *Salticus tyroliensis* C.L.Koch, 1846

В, Д, Е1, Е2, Ж1, Т1, Т2, Т3. — РФ, Латв, Укр, Молд, Гр, Аз, Арм.

(*Myrmarachne inermichelis* Bösenberg et Strand, 1906)¹

Т1?? — РФ??

(*Myrmarachne japonica* (Karsch, 1879))¹

Т1?? — РФ??

Myrmarachne lugubris (Kulczyński, 1895)

Т1. — РФ.

Neaetha* Simon, 1884 (F)Neaetha absheronica* Logunov et Guseinov, 2002

Е2, Ж1. — Аз.

Neon* Simon, 1876 (M)Neon robustus* Lohmander, 1945

В. — Лит.

Subgenus ***Neon* Simon, 1876 (M)***Neon pictus* Kulczyński in Chyzer et Kulczyński, 1891²

В, Д, Е1, З+И. — Латв, Укр, Тадж.

¹ For both species, see comments in Logunov & Koponen [2000].² Subgeneric affiliation of this species is not indicated by Logunov [1998].

Neon (Neon) reticulatus (Blackwall, 1853)

В, В, Г2, Д, Е2, М, Н+О, П, С3, Т1, Т2, Т3. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Каз.

Neon (Neon) valentulus Falconer, 1912

В, В, З+И. — РФ, Эст, Латв, Лит, Укр, Каз.

Subgenus *Dicroneon* Lohmander, 1945 (M)

Neon (Dicroneon) kovblyuki Logunov, 2004

Е1. — Укр.

Neon (Dicroneon) levis (Simon, 1871)¹

В, Г2, Е1, Е2, З+И, П. — РФ, Эст, Укр, Гр, Аз, Каз, Кирг, Тадж.

Neon (Dicroneon) rayi (Simon, 1875)

В, Е1, Е2, З+И, П. — РФ, Укр, Гр, Аз, Каз.

Pellenes Simon, 1876 (M)

(*Pellenes calvus* (O.Pickard-Cambridge, 1872))

Ж2/К??, З+И?? — Турк??, Кирг??

Pellenes campylophorus (Thorell, 1875), **nomen dubium**²

Е1. — Укр.

Pellenes diagonalis (Simon, 1868)

Е2. — Аз.

Subgenus *Pellenes* Simon, 1876 (M)

Pellenes (Pellenes) seriatus (Thorell, 1875)

В, Е1, Е2, Ж1, Ж2, З+И, К, Н+О. — РФ, Укр, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.

Pellenes (Pellenes) sibiricus Logunov et Marusik, 1994

В, З+И, М, П, Р, С1. — РФ, Каз, Кирг.

Pellenes (Pellenes) tripunctatus (Walckenaer, 1802)

В, Г2, Е2, З+И. — РФ, Эст, Латв, Лит, Бел, Укр, Аз, Кирг, Тадж.

Е1??, Ж2??, Н+О??, П??, Р??, С2?? — Каз??, Турк??

Subgenus *Pelmirus* Logunov, Marusik et Rakov, 1999 (M)

Pellenes (Pelmirus) dilutus Logunov, 1995

= *P. tesin* Logunov, 1995

К. — Каз³, Турк.

Pellenes (Pelmirus) pulcher Logunov, 1995

В, М, П. — РФ, Каз⁴.

Pellenes (Pelmirus) sytchevskayae Logunov, Marusik et Rakov, 1999

К. — Узб⁵, Турк.

Subgenus *Pelmultus* Logunov, Marusik et Rakov, 1999 (M)

Pellenes (Pelmultus) allegrii Caporiacco, 1935

В, З+И. — РФ, Каз, Узб, Кирг.

¹ Change of *levis* into *laevis* by Simon [1937] is invalid emendation.

² Described by an inaduit specimen [Logunov et al., 1999].

³ 1 ♂ (Zoological Institute, Russian Academy of Sciences, Saint-Petersburg), Kazakhstan, Aral Sea, Barsakelmes Island, 18.07.1981, leg. M.Ku'benko, det. D.V. Logunov.

⁴ Additional record: 1 ♀ (Manchester Museum, University of Manchester), Kazakhstan, Pavlodar Area, Maisky Distr., S shore of Lake Alkamergen, saltmarsh with saltwort, 7.05.1990, leg. O.V. Lyakhov, det. D.V. Logunov.

⁵ Additional record: 1 ♂ (Zoological Museum, Moscow State University), Uzbekistan, nr. Bukhara, Kyzylkumy Desert, 05.1980, leg. P.E. Zlotin, det. D.V. Logunov.

- Pellenes (Pelmultus) amazonka* Logunov, Marusik et Rakov, 1999
З+И, К. — Каз, Турк, Тадж.
- Pellenes (Pelmultus) badkhyzicus* Logunov, Marusik et Rakov, 1999
К. — Турк.
- Pellenes (Pelmultus) borisi* Logunov, Marusik et Rakov, 1999
К. — Каз.
- Pellenes (Pelmultus) brevis* (Simon, 1868)
В, Е1. — Укр.
- (*Pellenes (Pelmultus) denisi* Schenkel, 1963)
З+И?? — Тадж??
- Pellenes (Pelmultus) epularis* (O.Pickard-Cambridge, 1872)
Г2, Е2, Ж1, Ж2, З+И, К, М. — РФ, Гр, Аз, Каз, Узб, Турк, Кирг, Тадж.
- Pellenes (Pelmultus) geniculatus* (Simon, 1868)
= *P. simoni* (O.Pickard-Cambridge, 1872)*,
= *P. kulabicus* Andreeva, 1976
Е1, Е2, Ж1, Ж2/К, З+И, К. — Укр, Аз, Каз, Узб, Турк, Кирг, Тадж.
- Pellenes (Pelmultus) gobiensis* Schenkel, 1936
П, Р, С1. — РФ.
- Pellenes (Pelmultus) karakumensis* Logunov, Marusik et Rakov, 1999
К. — Турк.
- Pellenes (Pelmultus) logunovi* Marusik, Hippa et Koronen, 1996
П. — РФ.
- Pellenes (Pelmultus) nigrociliatus* (Simon in L.Koch, 1875)
= *P. tauricus* (Thorell, 1875)¹
В, Д, Е1, Е2, Ж2, З+И. — РФ, Укр, Аз, Узб, Турк, Кирг, Тадж.
Г2??
- Pellenes (Pelmultus) pamiricus* Logunov, Marusik et Rakov, 1999
З+И. — Тадж.
- Pellenes (Pelmultus) pseudobrevis* Logunov, Marusik et Rakov, 1999
В, З+И, М. — РФ, Каз, Узб, Кирг.
- Pellenes (Pelmultus) stepposus* (Logunov, 1991)
Bianor stepposus
З+И, Н+О, П. — РФ, Каз.
- Pellenes (Pelmultus) tocharistanus* Andreeva, 1976
Ж2, З+И, К. — Узб, Турк, Тадж.

Subgenus ***Pelpraucus*** Logunov, Marusik et Rakov, 1999 (M)

- Pellenes (Pelpraucus) albopilosus* (Tystshenko, 1965)
Evarcha albopilosa
В, Л, М. — РФ, Каз.
- Pellenes (Pelpraucus) bonus* Logunov, Marusik et Rakov, 1999
Е2, З+И, К. — Аз, Турк.
- Pellenes (Pelpraucus) ignifrons* (Grube, 1861)
Г2, З+И, Н+О, П, Р, С1, Т1. — РФ, Каз.
- Pellenes (Pelpraucus) lapponicus* (Sundevall, 1833)
Evarcha lapponica
Б, П. — РФ.
- Pellenes (Pelpraucus) limbatus* Kulczyński, 1895
Л, Н+О, П, Р. — РФ, Каз.
Е2??, З+И??, К?? — Аз??, Турк??, Кирг??, Тадж??

¹ Synonym of *Pellenes simoni*, after Prószyński [2003].

Pellenes (Pelpaucus) turkmenicus Logunov, Marusik et Rakov, 1999
В, Е2, Ж2, З+И. — РФ, Турк, Тадж.

***Philaeus* Thorell, 1869 (M)**

Philaeus chrysops (Poda, 1761)

= *Salticus sanguinolentus* (Linnaeus, 1767),

= *Philaeus bilineatus* (Walckenaer, 1826)

В, Г2, Е1, Е2, Ж1, Ж2, З+И, К, Л, П, Т1. — РФ, Лит, Укр, Гр, Аз, Арм, Каз, Узб, Турк, Кирг, Тадж.

(*Philaeus haemorrhoidicus* C.L.Koch, 1846)

Е2??, З+И?? — Аз??, Узб??, Тадж??

***Phintella* Strand, 1906 (F)**

(*Phintella abnormis* (Bösenberg et Strand, 1906))

Т1??, Т2?? — РФ??

Phintella arenicolor (Grube, 1861)

Т1. — РФ.

Phintella castrisiana (Grube, 1861)

Telamonia castrisiana

Icius castrisianus

Е1, Е2, Т1, Т2, Т3. — РФ, Укр, Гр, Аз.

З+И?? — Узб??

(*Phintella difficilis* (Bösenberg et Strand, 1906))

Т1?? — РФ??

Phintella linea (Karsch, 1879)

Т1, Т2, Т3. — РФ.

Phintella parva (Wesołowska, 1981)

Icius parvus

Т1. — РФ.

Phintella popovi (Prószyński, 1979)

Icius popovi

П, Т1, Т2. — РФ.

***Phlegra* Simon, 1876 (F)**

Phlegra andreevae Logunov, 1996

Ж2, З+И, К, Л. — Каз, Узб, Турк, Кирг, Тадж.

Phlegra bicognata Azarkina, 2003

В, Г2, К, Л. — РФ, Укр, Каз.

Phlegra bresnieri (Lucas, 1846)

Е2, Ж1, З+И. — Аз, Узб.

Phlegra cinereofasciata Simon, 1868¹

= *Ph. fuscipes* Kulczyński in Chyzer et Kulczyński, 1891

В, Г2, Е1, Е2, Ж1. — РФ, Укр, Аз, Арм.

З+И??, К??, Л??, Н+О??, П?? — Каз??, Кирг??

Phlegra dunini Azarkina, 2003

Ж1. — Аз.

Phlegra fasciata (Hahn, 1826)

= *Ph. subfasciata* (Simon, 1868)

Б, В, Г2, Д, Е1, Е2, Ж1, Ж2, З+И, К, Л, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Аз, Каз, Турк, Кирг, Тадж.

¹ Euro-Caucasian range, according to Azarkina [2003].

Phlegra kulczynskii Azarkina, 2003

Н+О, П. — РФ, Каз.

Phlegra logunovi Azarkina, 2003

З+И. — Каз, Узб, Турк, Тадж.

Phlegra obscurimagna Azarkina, 2003

З+И. — Каз, Кирг.

Phlegra profuga Logunov, 1996

В, Г2, З+И, К, М, П. — РФ, Каз, Кирг.

Phlegra sogdiana Charitonov, 1946

Ж2, З+И, К. — Каз, Узб, Турк, Тадж.

П?? — РФ??

***Plexippoides Prószyński, 1984* (M)**

Plexippoides arkit Logunov et Rakov, 1998

З+И. — Кирг.

Plexippoides flavescens (O.Pickard-Cambridge, 1872)¹

= *P. starmuehlneri* (Roewer, 1955),

= *P. afghanus* (Roewer, 1962),

Evarcha afghana

В, Ж2, З+И, К. — Укр, Узб, Турк, Кирг, Тадж.

Е2?? — Аз??

Plexippoides gestroi (Dalmas, 1920)

Е2, Ж1. — Аз.

Plexippoides regius Wesolowska, 1981

Т1. — РФ.

***Plexippus C.L.Koch, 1846* (M)**

= *Hissarinus* Charitonov, 1951

Plexippus coccineus Simon, 1902

= *P. strandi* Spassky, 1939,

+ *P. s. dushanbinus* Andreeva, 1969

Е2, Ж2, З+И, К. — Аз, Каз, Узб, Турк, Кирг, Тадж.

Plexippus kondarensis (Charitonov, 1951)

Hissarinus kondarensis

З+И. — Каз, Тадж.

(*Plexippus setipes* Karsch, 1879)

Е2??, Ж2??, К?? — Аз??, Турк??

***Proszynskiana Logunov, 1996* (F)**

Proszynskiana aeluriforma Logunov et Rakov, 1998

З+И. — Узб.

Proszynskiana deserticola Logunov, 1996

К. — Каз.

Proszynskiana iranica Logunov, 1996

К. — Турк.

Proszynskiana starobogatovi Logunov, 1996

З+И. — Тадж.

Proszynskiana zonshteini Logunov, 1996

К. — Турк.

¹ Specimens from Турк are possibly identical to *Plexippoides arabicus* Prószyński, 1989 [Prószyński, 2003].

***Pseudeuophrys* F.Dahl, 1912 (F)**

Euophrys C.L.Koch, 1834, part.

Pseudeuophrys erratica (Walckenaer, 1825)

= *Euophrys* (*Pseudeuophrys*) *calida* (Walckenaer, 1802), sensu F.Dahl, 1912

Б, В, Г2, Д, Е1, Е2, Ж1, Л, М, Н+О, П, С3/Т3¹. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Гр, Аз, Арм, Каз.

Т1??

Pseudeuophrys iwatensis (Bohdanowicz et Prószyński, 1987)

Т1, Т2, Т3. — РФ.

Pseudeuophrys lanigera (Simon, 1871)

Е1, Е2. — РФ, Укр, Гр, Аз.

Pseudeuophrys obsoleta (Simon, 1868)

= *Euophrys pictilis* (Simon, 1871),

= *E. confusa* Kulczyński in Chyzer et Kulczyński, 1891

В, Г2, Д, Е1, Е2, З+И, К, Л, М, П, Т1. — РФ, Бел, Укр, Молд, Аз, Каз, Узб, Кирг, Тадж.

Pseudeuophrys vafra (Blackwall, 1867)

= *Euophrys finitima* (Simon, 1868)

В?, Е1. — РФ?, Укр.

***Pseudicius* Simon, 1885 (M)**

Pseudicius afghanicus (Andreeva, Hećiak et Prószyński, 1984)

З+И. — Каз, Узб.

Pseudicius braunsi (Peckham et Peckham, 1903)*

К. — Турк.

Pseudicius cinctus O.Pickard-Cambridge, 1885

= *P. vittatus* Simon, 1889,

= *P. rufovittatus* Spassky, 1952

Е2?, Ж2, З+И, К. — Аз?, Каз, Узб, Турк, Кирг, Тадж.

Pseudicius courtauldi Bristowe, 1935

З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

Pseudicius encarpatus (Walckenaer, 1802)

В, Г2, Д, Е1, Е2, З+И. — РФ, Бел, Укр, Гр, Аз, Каз.

Pseudicius picaceus (Simon, 1868)

Е2, Ж1. — Аз.

Pseudicius pseudocourtauldi Logunov, 1999

Ж1. — Арм.

Pseudicius spasskyi (Andreeva, Hećiak et Prószyński, 1984)

Icius spasskyi

Е2, Ж2, З+И, К. — Аз, Турк, Тадж.

Pseudicius vulpes (Grube, 1861)

= *P. orientalis* Kulczyński, 1895

П, Т1, Т2, Т3. — РФ.

***Ptocasius* Simon, 1885 (M)**

Ptocasius variegatus Logunov, 1995

З+И. — Каз.

***Rafalus* Prószyński, 1999 (M)**

Rafalus variegatus (Kroneberg, 1875)

Aelurillus variegatus

Ж2, З+И, К. — Каз, Узб, Турк, Кирг, Тадж.

¹ Kurile Islands [Logunov, Marusik, 2001].

Rhene Thorell, 1869 (F)

Rhene atrata (Karsch, 1881)
Dendryphantès atratus
 П, Т1. — РФ.

Saitis Simon, 1876 (F)

Saitis taurica Kulczyński, 1905
 = *Euophrys barbipes* (Simon, 1868), sensu Thorell, 1875
 Е1. — Укр.

Salticus Latreille, 1804 (M)

= *Epiblemmum* Hentz, 1832,
 = *Calliethera* C.L.Koch, 1837

Salticus aiderensis Logunov et Rakov, 1998
 Ж2. — Турк.

Salticus cingulatus (Panzer, 1797)
 Б, В, Г2, Д, Е1, Л, М, Н+О, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Каз.
 (*Salticus confusus* (Lucas, 1846))
 В?? — РФ??

Salticus dzhungaricus Logunov, 1992
 З+И, К. — Каз, Турк.

Salticus latidentatus Roewer, 1951
 = *S. latidens* (Kulczyński, 1895), praеооc.
 П, Т1. — РФ.

Salticus mutabilis Lucas, 1846
 Е2. — Гр, Аз.

Salticus proszynskii Logunov, 1992
 З+И. — Каз, Кирг.

Salticus scenicus (Clerck, 1758)
 В, Д, Е1, Е2, М, П, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз.

Salticus tricinctus (C.L.Koch, 1846)
 = *S. tenuimanus* Simon, 1889
 В, Е2, Ж1, Ж2, З+И, К. — РФ, Аз, Каз, Узб, Турк, Кирг, Тадж.

Salticus turkmenicus Logunov et Rakov, 1998
 К. — Турк.

Salticus zebraneus (C.L.Koch, 1837)
 = *S. olearii* (Scopoli, 1763), sensu M.Dahl, 1926
 В, Г2, Д, Е1, Е2. — РФ, Латв, Укр, Молд.

Sibianor Logunov, 2001 (M)

Bianor Peckham et Peckham, 1885, part.

Sibianor aurocinctus (Ohlert, 1865)
 = *Bianor aenescens* (Simon, 1868),
 = *B. inexploratus* Logunov, 1991

Б, В, Г2, Д, Е2, М, Н+О, П. — РФ, Эст?, Латв, Лит, Бел, Укр, Гр?, Аз?, Каз.
 З+И??, Р??, Т1??, Т2?? — Кирг??

Sibianor japonicus (Logunov, Ikeda et Ono, 1997)
 Т1. — РФ.

Sibianor laerae Logunov, 2001
 В, Г2, М, П, Т1, Т2. — РФ, Эст.

Sibianor latens (Logunov, 1991)
Harmochirus latens
 П, Т1. — РФ.

Sibianor nigriculus (Logunov et Wesołowska, 1992)

Harmochirus nigriculus

T1. — PΦ.

Sibianor pullus (Bösenberg et Strand, 1906)

Harmochirus pullus

T1. — PΦ.

Sibianor tantulus (Simon, 1868)

= *Bianor aemulus* (Gertsch, 1934), auct.

B, Г2, E2, H+O, П, P, C1, T1. — PΦ.

Sibianor turkestanicus Logunov, 2001

E2, З+И. — Аз, Кирг.

***Sitticus* Simon, 1901¹ (M)**

Sitticus albolineatus (Kulczyński, 1895)

= *S. kulczynskii* Roewer, 1951

П, P, C1, T1. — PΦ.

Sitticus ammophilus (Thorell, 1875)

= *S. vilis* (Kulczyński, 1895)

B, E1, E2, Ж1, З+И, К. — PΦ, Укр, Аз, Арм, Каз, Турк, Кирг.

Sitticus ansobicus Andreeva, 1976

З+И. — Каз, Кирг, Тадж.

(*Sitticus atricapillus* (Simon, 1882))

= *S. alpicola* (Kulczyński, 1887)

B?? — PΦ??

Sitticus avocator (O.Pickard-Cambridge, 1885)

E2?, Ж2, З+И, К. — Аз?, Каз, Турк, Кирг.

B??, П??, T1?? — PΦ??

Sitticus barsakelmes Logunov et Rakov, 1998

B, К. — PΦ, Каз.

Sitticus burjaticus Danilov et Logunov, 1994

П. — PΦ.

Sitticus caricis (Westring, 1861)

B, B, Г2, E2, M, H+O?, C2, T1, T2. — PΦ, Эст, Латв, Лит, Укр, Гр.

З+И??, К?? — Турк??, Кирг??

(*Sitticus clavator* Schenkel, 1936)

З+И?? — Тадж??

Sitticus cutleri Prószyński, 1980

H+O, П, P, C1, T1. — PΦ.

Sitticus damini (Chyzer in Chyzer et Kulczyński, 1891)

E1, E2. — PΦ, Укр.

Sitticus distinguendus (Simon, 1868)

= *Attus cinereus* Westring, 1861, praecoc.,

= *Sitticus (Attulus) helveolus* (Simon, 1871),

= *Attus psammodes* Thorell, 1875,

= *Sitticus viduus* (Kulczyński, 1895)

B, B, Г2, Д?, E1, E2, К, M, H+O, П, P, T1. — PΦ, Эст, Латв, Лит, Бел, Укр, Аз, Каз.

Ж2?? — Турк??

Sitticus dubatolovi Logunov et Rakov, 1998

З+И. — Каз.

Sitticus dudkoi Logunov, 1998

П. — PΦ.

¹ Indication of *Sitticus herveolus* Kulczyński, 1901 for E2. — Аз [Dunin, 1979] is a lapsus: such species doesn't exist.

Sitticus dzieduszyckii (L.Koch, 1870)

= *Attus wagrae* Simon, 1871,

= *A. lestus* Thorell, 1875

В, Г2, Д?, Е1, М. — РФ, Лит, Бел, Укр.

Sitticus eskovi Logunov et Wesołowska, 1995

С3, Т1, Т2, Т3. — РФ.

Sitticus fasciger (Simon, 1880)

= *S. godlewskii* Kulczyński, 1895

Н+О, П, Т1. — РФ.

Sitticus finschi (L.Koch, 1879)

М, Н+О, П, Р, С1, Т1, Т2. — РФ.

Sitticus floricola (C.L.Koch, 1837)

= *S. littoralis* (Hahn, 1832), sensu M.Dahl, 1926

Б, В, Г2, Д, Е1, Е2?, З+И, М, Н+О, П, С1, С2, Т1. — РФ, Эст, Латв, Лит, Бел, Укр, Аз?, Каз, Узб, Кирг.

Sitticus goricus Ovtsharenko, 1978

Е2. — РФ, Гр.

Sitticus inexpectus Logunov et Kronstedt, 1997

В, Г2, Е2, Ж1, З+И, К, М. — РФ, Эст, Аз, Каз, Турк, Кирг.

Sitticus inopinabilis Logunov, 1992

В, Г2, З+И, К. — РФ, Укр, Каз, Кирг.

Sitticus karakumensis Logunov, 1992

К. — Узб, Турк.

Sitticus kazakhstanicus Logunov, 1992

Ж2, З+И, К. — Каз, Турк.

Sitticus mirandus Logunov, 1993

З+И, Л, П. — РФ, Каз, Кирг.

Sitticus monstrabilis Logunov, 1992

З+И. — Каз, Кирг.

Sitticus nenilini Logunov et Wesołowska, 1993

В, З+И, К. — Каз, Кирг.

Sitticus penicillatus (Simon, 1875)

= *Attus illibatus* Simon, 1868,

= *Sitticus guttatus* (Thorell, 1875)

В, Г2, Д, Е1, Е2, Н+О, П, Т2. — РФ, Укр, Гр, Аз, Каз.

Sitticus pubescens (Fabricius, 1775)

= *Attus decorus* Thorell, 1875

Б, В, Г2, Д, Е1, Е2, Т1? — РФ, Эст, Латв, Укр, Гр.

Sitticus pulchellus Logunov, 1992

В, Ж1, З+И, К. — Аз, Каз, Кирг.

Sitticus ranieri Peckham et Peckham, 1909

= *Sitticus lineolatus* (Grube, 1861), praеооc. as *Attus lineolatus*

Б, В, Н+О, П, Р, С1. — РФ.

Sitticus relictarius Logunov, 1998

Е2. — РФ, Гр, Аз.

{*Sitticus rupicola* (C.L.Koch, 1837)}

Б?, В?, Д?, Е1?, Е2?, З+И? — РФ?, Лит?, Укр?, Каз?, Узб?

П?? — Эст??

Sitticus saltator (Simon, 1868)

Б, В, Г2, Д, Л, М, П. — РФ, Эст, Латв, Лит, Укр, Каз.

Ж1?? — Аз??

Sitticus saxicola (C.L.Koch, 1846)

Б, В, Д, Е2?, П?, Т2. — РФ, Укр, Аз?, Каз?

Sitticus talgarensis Logunov et Wesołowska, 1993

З+И. — Каз, Кирг.

Sitticus tannuolana Logunov, 1991

П. — РФ.

Sitticus terebratus (Clerck, 1758)

Б, В, Г2, Д?, Е1, Е2, З+И, Л, М, Н+О, П, Т1? — РФ, Эст, Латв, Лит, Бел, Укр, Молд, Аз, Каз.

Турк??

Sitticus zaisanicus Logunov, 1998

З+И. — Каз.

Sitticus zimmermanni Simon, 1877

В, Г2, Д?, Е1, Е2, Ж2, П. — РФ, Укр, Аз, Каз, Турк.

***Synageles* Simon, 1876 (M)**

Synageles charitonovi Andreeva, 1976

З+И, К. — Каз, Узб, Турк, Тадж.

Synageles dalmaticus (Keyserling, 1863)

Д, Е1, Е2. — Укр, Аз.

Synageles hilarulus (C.L.Koch, 1846)

В, Г2, Д, Е1, З+И, М, П, Т1. — РФ, Эст, Латв, Лит, Укр, Каз, Турк, Кирг.

Synageles morsei Logunov et Marusik, 1999

Т1. — РФ.

Synageles nigriculus Danilov, 1997

П, Т1. — РФ.

Synageles persianus Logunov, 2004

Е2, Ж1. — Аз.

Synageles ramitus Andreeva, 1976

В, З+И, К, П. — РФ, Каз, Узб, Турк, Кирг, Тадж.

Synageles scutigera Prószyński, 1979

В, Е1, Е2. — Укр, Аз.

Synageles subcingulatus (Simon, 1878)

= *S. lepidus* Kulczyński in Chyzer et Kulczyński, 1897

В, Е2, З+И, М. — РФ, Укр, Аз, Каз, Кирг.

Synageles venator (Lucas, 1836)

Б, В, Г2, Д, Е2, З+И, М, Н+О, П, Т1, Т2. — РФ, Эст, Латв, Лит, Бел, Укр, Гр, Каз, Узб, Кирг.

***Synagelides* Strand, 1906 (M)**

Synagelides agoriformes Strand in Bösenberg et Strand, 1906

Т1, Т3. — РФ.

Synagelides zhilcovae Prószyński, 1979

Т1, Т3. — РФ.

***Talavera* Peckham et Peckham, 1909 (F)**

Euophrys C.L.Koch, 1834, part.

Talavera aequipes (O.Pickard-Cambridge, 1871)

Б, В, Г2, Е2, З+И, К, Л, Н+О, П. — РФ, Эст, Лит, Бел, Укр, Гр, Аз, Каз, Узб, Кирг, Тадж.

Talavera aperta (F.Miller, 1971)

В, Е1, Е2, З+И, М, П. — РФ, Укр, Гр, Каз.

Talavera esyunini Logunov, 1992

Б, В, Г2, М, П. — РФ.

Talavera krocha Logunov et Kronestedt, 2003

В, Е2, З+И. — РФ, Укр, Аз, Кирг.

Talavera minuta (Banks, 1895)

Р, С1, Т1. — РФ.

Talavera monticola (Kulczyński, 1884)

Б, В. — РФ.

Talavera parvistyla Logunov et Kronestedt, 2003

T. westringi (Simon, 1868), misid.

В. — Латв, Лит.

Talavera petrensis (C.L.Koch, 1837)

Б, В, Г2, Д, Е1¹, З+И, Л, М. — РФ, Эст, Лит, Бел, Укр, Молд, Каз, Кирг.

Е2?? — Аз??

Talavera sharlaa Logunov et Kronestedt, 2003

П. — РФ.

Talavera thorelli (Kulczyński in Chyzer et Kulczyński, 1891)*

В?, Г2, З+И, М, П. — РФ, Каз.

Е2?? — Кирг??, Тадж??

Talavera trivittata (Schenkel, 1963)

П. — РФ.

Talavera tuvensis Logunov et Kronestedt, 2003

П. — РФ.

***Thyene* Simon, 1885 (F*)**

Thyene imperialis (F.W.Rossi, 1846)

Ж2, З+И, К. — Турк, Тадж.

***Tuvaphantes* Logunov, 1993 (M)**

Tuvaphantes arat Logunov, 1993

П. — РФ.

Tuvaphantes insolitus (Logunov, 1991)

П. — РФ.

***Yaginumaella* Prószyński, 1979 (F)**

Yaginumaella medvedevi Prószyński, 1979

Т1. — РФ.

Т3??

Yaginumaella striatipes (Grube, 1861)

С3, Т1, Т2, Т3. — РФ.

***Yllenus* Simon, 1868 (M)**

Yllenus albocinctus (Kroneberg, 1875)

В, Е2?, Ж1, З+И, К. — РФ, Аз?, Арм, Каз, Узб, Турк, Кирг, Тадж.

Yllenus aralicus Logunov et Marusik, 2003

Е2, К. — Аз, Каз, Турк.

Yllenus arenarius Menge in Simon, 1868

В. — РФ, Лит, Бел, Укр.

Е2?? — Аз??

(*Yllenus auspex* (O.Pickard-Cambridge, 1885))

В??, Е2??, К?? — Аз??, Каз??, Турк??

¹ Indication of this species for E1 (Crimea) by V.P. Tyshchenko [1971] may be referred actually to Askania-Nova Reserve in B [Pereleshina, 1927] cited as "Tauria" = Crimea by D.E. Kharitonov [Charitonov, 1932].

- Yllenus bactrianus* Andreeva, 1976
З+И. — Тадж.
(*Yllenus bajan* Prószyński, 1968)
К?? — Турк??
Yllenus bakanas Logunov et Marusik, 2003
З+И, К. — Каз.
(*Yllenus baltistanus* Caporiacco, 1935)
В??, З+И?? — РФ??, Тадж??
Yllenus bucharaensis Logunov et Marusik, 2003
В, К. — Каз, Узб.
Yllenus caspius Ponomarev, 1978
В, Е2, К. — РФ, Аз, Каз, Турк.
Yllenus charynensis Logunov et Marusik, 2003
З+И. — Каз.
Yllenus coreanus Prószyński, 1968
З+И, П. — РФ, Каз.
Yllenus dalaensis Logunov et Marusik, 2003
Е2, З+И, К. — Аз, Каз.
Yllenus dunini Logunov et Marusik, 2003
Е2, К. — Аз, Каз.
Yllenus erzinensis Logunov et Marusik, 2003
П. — РФ.
Yllenus flavociliatus Simon, 1895
П. — РФ?, Каз.
В??, З+И??, К?? — Турк??
(*Yllenus hamifer* Simon, 1895)
З+И??, К??, П?? — РФ??, Каз??
(*Yllenus horvathi* Chyzer, 1891)
Е2?? — Аз??
Yllenus kalkamanicus Logunov et Marusik, 2000
З+И, М. — Каз.
Yllenus karakumensis Logunov et Marusik, 2003
К. — Турк.
Yllenus kononenkoi Logunov et Marusik, 2003
З+И. — Кирг.
Yllenus kotchevnik Logunov et Marusik, 2003
К. — Турк.
Yllenus kronebergi Roewer, 1951¹
= *Y. elegans* Kroneberg, 1875
“Turkestan” [Kroneberg, 1875]
(*Yllenus kulczynskii* Punda, 1975)
П?? — РФ??
Yllenus lyachovi Logunov et Marusik, 2000
В, М. — РФ, Каз.
Yllenus mirabilis Logunov et Marusik, 2003
К. — Узб, Турк.
Yllenus mirandus Wesolowska, 1996
= *Y. probatus* Wesolowska, 1996
Ж2, К. — Турк.
Yllenus mongolicus Prószyński, 1968
В, Е2, З+И, К?, П. — РФ, Аз, Турк?

¹ *Nomen dubium* [Logunov, Marusik, 2003].

Yllenus murgabicus Logunov et Marusik, 2003

З+И. — Тадж.

Yllenus nigritarsis Logunov et Marusik, 2003

К. — Турк.

Yllenus nurataus Logunov et Marusik, 2003

З+И. — Узб.

Yllenus pamiricus Logunov et Marusik, 2003

З+И. — Тадж.

Yllenus pavlenkoae Logunov et Marusik, 2003

В, К. — РФ, Каз.

Yllenus pseudovalidus Logunov et Marusik, 2003

В, З+И, К. — Каз, Турк.

(*Yllenus salsicola* (Simon, 1937))

В??, К?? — РФ??, Каз??

Yllenus shakhseenem Logunov et Marusik, 2003

К. — Турк.

Yllenus tamdybulak Logunov et Marusik, 2003

К. — Узб.

Yllenus turkestanicus Logunov et Marusik, 2003

В, З+И, К. — Каз, Узб, Турк, Тадж.

Yllenus tuvnicus Logunov et Marusik, 2000

П. — РФ.

Yllenus uiguricus Logunov et Marusik, 2003

З+И, К. — Каз.

(*Yllenus univittatus* (Simon, 1871))

В??, Ж2??, К?? — РФ??, Каз??, Турк??

Yllenus uzbekistanicus Logunov et Marusik, 2003

В, К. — Каз, Узб, Турк.

Yllenus validus (Simon, 1889)

= *Y. somonensis* Prószyński, 1982

В, З+И, К. — Каз, Узб, Турк, Кирг.

Yllenus vittatus Thorell, 1875

В, Г2, Е2, З+И, Л, М, П. — РФ, Укр, Каз, Турк.

К??

Yllenus zhilgaensis Logunov et Marusik, 2003

В, К. — РФ, Каз.

Yllenus zyuzini Logunov et Marusik, 2003

В, З+И, К. — Каз, Турк.

Chalcoscirtus orientalis Andreeva, **nomen nudum**

З+И. — Тадж [Andreeva, 1975].

Chalcoscirtus vartanovi Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the USSR European part”: Ponomarev [1981]).

Euophrys nimbata L.Koch in Wajgiel, **nomen nudum**¹

В. — Укр [Wajgiel, 1868].

Marpissa sibirica Prószyński, **nomen nudum**²

[Prószyński, 1976].

Pellenes nataliae Ponomarev, **nomen nudum**

В. — РФ/Каз (“semidesert of the USSR European part”: Ponomarev [1981]).

¹ Maybe a lapsus calami for *Attus limbatus* Walckenaer = *Evarcha falcata* (Clerck, 1758), since the same locality (Stanislav) for the latter species was reported by the same author later [Wajgiel, 1874].

² = *Marpissa pomatia*: Prószyński, 1979.

Sitticus usenensis Ponomarev, **nomen nudum**

B. — PΦ/Каз (“semidesert of the USSR European part”: Ponomarev [1981]).

Yllenus kasachstanicus Ponomarev, **nomen nudum**

B. — PΦ/Каз (“semidesert of the USSR European part”: Ponomarev [1981]).

References

- Andreeva E.M. 1971. [Fauna and zonal-ecological distribution of spiders of Tajikistan]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Dushanbe. 23 p. [in Russian]
- Andreeva E.M. 1975. Distribution and ecology of spiders (Aranei) in Tajikistan // *Fragm. faun. Mus. zool. Warszawa*. T.20. No.19. P.323–352.
- Andreeva E.M. 1976. [Spiders of Tajikistan. The fauna and zonal-ecological distribution]. Dushanbe. 193 p. [in Russian]
- Andreeva E.M., Tyshchenko V.P. 1969. [Materials on the spider fauna of Tajikistan. I. Haplogynae, Cribellatae, Ecribellatae, Trionychae (Pholcidae, Palpimanidae, Hersiliidae, Oxyopidae)] // *Entomologicheskoe Obozrenie*. Vol.48. No.2. P.373–384 [in Russian].
- Ashikbaev N.Zh., Esirkepov U.Sh., Bektleurova A.M., Duisenbekov B.A. 2001. [Entomophags of locusts and perspectives of their use in Kazakhstan] // S.A. Tereshchenko et al. (comp.). *Problemy bor'by s saranchoi v Tsentral'noi Azii: Materialy mezhdunarodnogo "kruglogo stola"*. Almaty. P.92–94 [in Russian].
- Azarkina G.N. 2003. New and poorly known Palaearctic species of the genus *Phlegra* Simon, 1876 (Araneae, Salticidae) // *Rev. arachnol.* T.14. Fasc.6. P.73–108.
- Azarkina G.N., Trilikauskas L.A. 2013. Spider fauna (Aranei) of the Russian Altai, part II: families Gnaphosidae, Hahniidae, Linyphiidae, Liocranidae and Lycosidae // *Euroasian Entomol. J.* Vol.12. No.1. P.51–67.
- Becker L. 1896. *Les Arachnides de Belgique*. 2ème partie // *Ann. Mus. r. Hist. natur. Belg.* T.12. P.1–127, pl.1–XXV.
- Biteniekytė M. 2011. Epigeic spider (Arachnida: Araneae) communities in Lithuanian peat bogs. Summary of doctoral dissertation. Vilnius: Vilnius Univ. 44 p.
- Blick T., Kronstedt T. 2000. About Sundevall's 'Svenska Spindlarnes Beskrifning' // *Newsl. Br. arachnol. Soc.* No.88. P.11.
- Bonnet P. 1955. *Bibliographia araneorum*. Toulouse: Les Artisans de l'Imprimerie Douladoure. Vol.2 (1^{re} partie: A–B). P.1–918.
- Bonnet P. 1956. *Bibliographia araneorum*. Toulouse: Les Artisans de l'Imprimerie Douladoure. Vol.2 (2^{me} partie: C–F). P.919–1926.
- Bonnet P. 1957. *Bibliographia araneorum*. Toulouse: Les Artisans de l'Imprimerie Douladoure. Vol.2 (3^{me} partie: G–M). P.1927–3026.
- Bonnet P. 1958. *Bibliographia araneorum*. Toulouse: Les Artisans de l'Imprimerie Douladoure. Vol.2 (4^{me} partie: N–S). P.3027–4230.
- Bonnet P. 1959. *Bibliographia araneorum*. Toulouse: Les Artisans de l'Imprimerie Douladoure. Vol.2 (5^{me} partie: T–Z). P.4231–5058.
- Brignoli P.M. 1985. On the correct dates of publication of the arachnid taxa described in some works by C.W. Hahn and C.L. Koch (Arachnida) // *Bull. Brit. arachnol. Soc.* Vol.6. Pt.9. P.414–416.
- Bronstein Ts.G., Murtazaev A.B. 1974. [Materials to the spider fauna of the Samarkand Area] // *Voprosy zashchity rasteniy. Trudy Uzbekskogo universiteta*. Novaya seriya. No.247. P.124–143 [in Russian].
- Bukhkalov S.P. 1995. [Terrestrial invertebrate population of "Kontakt" Station. Part 1. Species composition and biotopical distribution of terrestrial invertebrates in 1987]. Magadan. 36 p. [in Russian]
- Bukhkalov S.P. 1996. [Terrestrial invertebrate population of "Kontakt" Station. Part 2. Species composition and biotopical distribution of terrestrial invertebrates in 1988]. Magadan. 56 p. [in Russian]
- Bukhkalov S.P. 1997. [Terrestrial invertebrate population of "Kontakt" Station. Part 3. Species composition and biotopical distribution of terrestrial invertebrates]. Magadan. 24 p. [in Russian]
- Charitonov D.E. 1932. *Katalog der russischen Spinnen*. Leningrad: AN SSSR Publ. 206 S. [bilingual, in Russian and German]
- Dunin P.M. 1979. [Materials on the spider fauna of the family Salticidae of Azerbaijan] // *Nauchnye trudy Azerbaidzhanskogo universiteta*. Ser. biol. n. No.1. P.35–40 [in Russian].
- Dunin P.M. 1984. [Materials to the study of the spider fauna of the Far East (Arachnida, Aranei). II. Section Cribellatae] // *Fauna i ekologiya nasekomykh yuga Dal'nego Vostoka*. Vladivostok. P.141–146 [in Russian].
- Dunin P.M. 1992. [The spider family Dysderidae of the Caucasian fauna] // *Arthropoda Selecta*. Vol.1. No.3. P.35–76 [in Russian, with English summary].
- Dunin P.M. 1998. [Review of the family Pholcidae C.L. Koch, 1851 (Arachnida, Aranei, Haplogynae) of East Europe] // *Problemy entomologii Evropeiskoi chasti Rossii i sopredel'nykh territoriy*. Tezisy dokladov pervogo mezhdunarodnogo soveshchaniya (7–11 iyunya 1993 g., p. Bakhilova Polyana). Samara. P.139–141 [in Russian].
- Eskov K.Yu. 1994. Catalogue of the linyphiid spiders of northern Asia (Arachnida, Araneae, Linyphiidae). Sofia–Moscow: PENSOFT Publ. 144 pp.
- Eskov K.Yu., Marusik Yu.M. 1994. New data on the taxonomy and faunistics of North Asian linyphiid spiders (Aranei Linyphiidae) // *Arthropoda Selecta*. Vol.2 (for 1993). No.4. P.41–79.
- Eskov K.Yu., Marusik Yu.M. 1995. On the spiders from Saur Mt. Range, Eastern Kazakhstan (Arachnida: Araneae) // *Beiträge zur Araneologie*. Bd.4 (für 1994). P.55–94.
- Esyunin S.L. 2005. [Structure of fauna and chorology of spiders (Aranei) of Urals and Preduralie]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni doktora biologicheskikh nauk [Autoreferate of the Thesis of Doctor of Biological Sci. Degree]. Moscow. 43 p. [in Russian]
- Esyunin S.L., Efimik V.E. 1996. Catalogue of the spiders (Arachnida, Aranei) of the Urals. Moscow: KMK Sci. Press Ltd. 229 pp.
- Esyunin S.L., Efimik V.E. 1998. Remarks on the Ural spider fauna, 8. New and unidentified species from

- steppe landscapes of the South Urals (Arachnida: Aranei) // *Arthropoda Selecta*. Vol.7. No.2. P.145–152.
- Fet V.Ya. 1983. [The spider fauna (Aranei) of the SW-Kopetdagh Mts.] // *Entomologicheskoe Obozrenie*. Vol.62. No.4. P.835–845 [in Russian, with English summary].
- Fet V.Ya. 1984a. [Seasonal changes of the spider fauna of the SW-Kopetdagh Mts.] // *Tezisy VI nauchno-prakticheskoi konferentsii molodykh uchenykh i spetsialistov Turkmenistana*. Ashkhabad. P.221–222 [in Russian].
- Fet V.Ya. 1984b. [Zoogeographical peculiarities of the spider (Aranei) fauna of the SW-Kopetdagh Mts.] // *Problemy pochvennoi zoologii. Tezisy dokladov VIII Vsesoyuznogo soveshchaniya*. Ashkhabad. Kniga 2. P.135–136 [in Russian].
- Fet V.Ya. 1985. [Zoogeographical analysis of the spider fauna of the SW-Kopetdagh Mts.] // *Fauna i ekologiya paukov SSSR. Trudy Zoologicheskogo Instituta AN SSSR. Leningrad*. Vol.139. P.72–77 [in Russian, with English summary].
- Gegechkori A., Mkheidze T., Pkhakadze V. 2005. The zoogeographical-chorological peculiarities of the spiders (family Dysderidae) of Georgia // *Proc. Georgian Acad. Sci., Biol.Ser. B*. Vol.3. No.1. P.90–93.
- Gnelitsa V.A. 1993. [Fauna and ecology of the spider family Linyphiidae of the forest-steppe zone of Ukraine]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Avtoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Kiev. 20 p. [in Russian]
- Grube E. 1861. Beschreibungen neuer, von den Herren L. v. Schrenk, Maack, C v. Ditmar u. a. im Amurlände und in Ostsibirien gesammelter Araneiden // *Bull. Acad. Imp. Sci. St.-Petersbourg*. 3 sér. T.4. No.3. S.161–180.
- Guseinov E.F. 1997. [Spider (Arachniida [sic!], Araneae) genera new to the fauna of Apsheron Peninsula, Azerbaijan]. Baku. Deposited in AzNIINTI No.2501-A3 on 27.06.97. 2 p. [in Russian]
- Guseinov E.F. 1999. [Spiders of Lenkoran Natural Region and Apsheron Peninsula in Azerbaijan]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Avtoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Baku. 29 p. [in Russian, with Azerbaijan and English summaries]
- Gvozdetzky N.A. 1968. [Physiographical regioning of the USSR]. Moscow: MGU Publishers. 576 p., 1 map [in Russian].
- Heimer S. 1981b. *Plesiophantes joosti* gen. et sp.n. (Arachnida, Araneae, Linyphiidae) // *Reichenbachia*. Bd.19. No.33. S.197–201.
- Heldsingen P.J., van. 1969. A reclassification of the species of *Linyphia* Latreille based on the functioning of the genitalia (Araneida, Linyphiidae), I // *Zool. Verhandl.* No.105. P.1–303, pl. I–II.
- Heptner M.V. 1998. [New catalogues of spiders (Arachnida, Aranei) of the fauna of Russia and adjacent countries] // *Zoologicheskii Zhurnal*. Vol.77. No.4. P.509–512 [in Russian].
- Holm A. 1973. On the spiders collected during the Swedish expedition to Novaya Zemlya and Yenisey in 1875 and 1876 // *Zool. Scripta*. Vol.2. No.3. P.71–110.
- International Code of Zoological Nomenclature. 2013. 4th Edition. <http://www.nhm.ac.uk/hosted-sites/iczn/code/> (accessed August 19th, 2013)
- Izmailova M.V. 1989. [Fauna of spiders of the south of East Siberia]. Irkutsk: Irkutsk State Univ. Publ. 182 p. [in Russian]
- Izmailova M.V., Verzhutskiy B.N. 1981. [Araneocomponent (Arthropoda, Aranei) in taiga geosystems] // *Fauna i ekologiya nazemnykh chlenistonogikh Sibiri*. Irkutsk: Irkutsk Univ. P.115–130 [in Russian].
- Kamura T. 2001. 3–3 Spiders of the families Gnaphosidae, Clubionidae and Liocranidae from the Kuril Islands // *Abstracts of the International Symposium on Kuril Island Biogeography, 2001*. Sapporo. P.15–16.
- Kaplin V.G. 1978. [Complexes of soil invertebrates of sandy deserts of the southern subzone (the Eastern Karakymy Desert taken as an example)]. Ashkhabad: Ylym Publ. 160 p. [in Russian]
- Kazenas V.L., Gromov A.V. 2007. [Dangerous arthropods of Kazakhstan]. Almaty: Kitap Publ. 128 p., with colour figs [in Russian].
- Kim J.P., Kurenschchikov D.K. 1995. Preliminary spiders species list (Arachnida, Aranei) of Khabarovsk Territory Southern Part // *Korean Arachnology*. Vol.11. No.1. P.55–72.
- Kishida K. 1924. A list of spiders from North Sahalin and a new species of the genus *Dolomedes* from Okinawa // *Zool. Mag. Tokyo*. Vol.36. No.434. P.510–520.
- Koponen S., Marusik Yu.M. 1992. Spiders (Araneae) from Central Yakutia, Siberia // *Entomol. Fennica*. Vol.3. P.163–166.
- Kovblyuk N.M. 2002. Redescription of *Amaurobius strandi* Charitonov, 1937, stat.n. from the Crimea (Aranei: Amaurobiidae) // *Arthropoda Selecta*. Vol.10 (for 2001). No.3. P.213–216.
- Kovblyuk M.M. 2005. The spider genus *Gnaphosa* Latreille, 1804 in the Crimea (Aranei: Gnaphosidae) // *Arthropoda Selecta*. Vol.14. No.2. P.133–152.
- Kroneberg A.I. 1875. [A.P. Fedchenko. Voyage in Turkestan. Spiders. Araneae] // *Izvestiya Obschestva lyubiteli estestvoznaniya, antropologii i etnografii*. Vol.19. No.3. P.I–IV, 1–55, 5 plates [in Russian]
- Kulczyński W. 1907. *Fragmenta arachnologica V. IX. Araneae in Terra Tshuktshorum a Cel. Podhorski lecitae* // *Bull. Acad. Sci. Cracovie. Cl. Sci. math. natur.* No.6. P.585–595, tab.XXXV (part.).
- Kulczyński W. 1916. *Araneae Sibiriae Occidentalis Arcticae* // *Mém. Acad. Imp. Sci. Petrograd. Sér.VIII. Cl. phys.-math.* Vol.28. No.11. P.1–44, Tab.I–II.
- Kurenschchikov D.K. 1993. [To the crab spider (Aranei: Thomisidae, Philodromidae) fauna of Cisamuria] // *Chteniya pamyati A.I. Kurentsova. Vladivostok*. No.3. P.29–35 [in Russian].
- Kurenschchikov D.K. 1997a. [Arachnofauna of Bolshoi Khekhtsyur Mt. Range, south of Khabarovsk Province] // *Chteniya pamyati Alekseya Ivanovicha Kurentsova. Vladivostok*. No.7 (for 1996). P.151–156 [in Russian, with English summary].
- Kurenschchikov D.K. 1997b. [Spiders of the south of the Khabarovsk Province]. Avtoreferat dissertatsii na sois-

- kanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Vladivostok. 26 p. [in Russian]
- Kurenshchikov D.K. 1999. [Spiders (Arachnida, Aranei) of the south of Khabarovsk Province. Fauna, ecology, zoogeography]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Tomsk. 24 p. [in Russian].
- Kuznetsov G.T., Fet V.Ya. 1986. [Materials on the spider fauna of the Kopetdagh Mts.] // Priroda Tsentral'nogo Kopetdaga. Ashkhabad: Ylym Publ. P.48–67 [in Russian].
- Latreille P.A. 1806. Genera Crustaceorum et Insectorum. Paris: A. Koenig. T.1. xviii + 302 p.
- Legotay M.V. 1959. [Additional data on the arachnofauna of Transcarpathia] // Doklady i soobshcheniya Uzhgorodskogo universiteta. Ser. biol. No.3. P.53–56 [in Russian].
- Lehtinen P.T. 2004. Taxonomic notes on the Misumenini (Araneae: Thomisidae: Thomisinae), primarily from the Palaearctic and Oriental regions // D.V. Logunov, D. Penney (eds.). European Arachnology 2003. Proc. 21st Europ. Colloq. Arachnol., St.-Petersb., 4–9 Aug. 2003. Moscow: KMK Sci. Press Ltd. P.147–184.
- Lobanova T.V. 1978. [New species of spiders of the family Lycosidae (Aranei)] // Taksonomiya i ekologiya chlenistonogikh Sibiri. Novosibirsk: Nauka Publ. P.6–9 [in Russian, with English summary].
- Lobanova T.V. 1981. [Landscape-biotope characteristics of the spider family Lycosidae in West Siberia] // Fauna i ekologiya chlenistonogikh Sibiri. Materialy 5-go soveshchaniya entomologov Sibiri, Novosibirsk, 1979. Novosibirsk: Nauka Publ. P.70–71 [in Russian].
- Loerbroks A. 1983. Revision der Krabbenspinnen-Gattung *Heriaeus* Simon (Arachnida: Araneae: Thomisidae) // Verh. naturwiss. Ver. Hamburg. N.F. Bd.26. S.85–139.
- Logunov D.L. 1998. The spider genus *Neon* Simon, 1876 (Araneae, Salticidae) in SE Asia, with notes on the genitalia and skin pore structure // Bull. Brit. arachnol. Soc. Vol.11. Pt.1. P.15–22.
- Logunov D.V. 1999. Redefinition of the genera *Marpissa* C.L. Koch, 1846 and *Mendoza* Peckham & Peckham, 1894 in the scope of the Holarctic fauna (Araneae, Salticidae) // Rev. arachnol. T.13. Fasc.3. P.25–60.
- Logunov D.V., Gromov A.V., Timokhanov V.A. 2012. Spiders of Kazakhstan. Manchester, UK: Siri Scientific Press. 232 p.
- Logunov D.V., Koponen S. 2000. A synopsis of the jumping spider fauna in the Russian Far East (Araneae, Salticidae) // Entomol. Fennica. Vol.11. No.2. P.67–87.
- Logunov D.V., Marusik Yu.M. 2000. Miscellaneous notes on Palaearctic Salticidae (Arachnida: Aranei) // Arthropoda Selecta. Vol.8 (for 1999). No.4. P.263–292.
- Logunov D.V., Marusik Yu.M. 2001. 3-P-1 Biodiversity of the jumping spiders (Araneae, Salticidae) of the Kuril Islands // Abstracts of the International Symposium on Kuril Island Biogeography, 2001. Sapporo. P.17.
- Logunov D.V., Marusik Yu.M. 2003. A revision of the genus *Yllenus* Simon, 1868 (Arachnida, Araneae, Salticidae). Moscow: KMK Sci. Press Ltd. 167 p., il.
- Logunov D.V., Marusik Yu.M. 2004. [Order Aranei — spiders] // V.G. Mordkovich et al. (eds.). Bioraznoobrazie Sokhondinskogo zapovednika. Chlenistonogie [Biodiversity of Sokhondo Reserve. Arthropods]. Novosibirsk – Chita. P.41–80 [in Russian].
- Logunov D.V., Marusik Yu.M., Rakov S.Yu. 1999. A review of the genus *Pellenes* in the fauna of Central Asia and the Caucasus (Araneae, Salticidae) // J. Nat. Hist. Vol.33. No.1. P.89–148.
- Lukyanov N. 1897. [A list of spiders (Araneina, Pseudoscorpionina and Phalangina) living in the South-Western Province and adjacent governments of Russia] // Zapiski Kievskogo obshchestva estestvoispytatelei. Vol.14. No.2. P.1–19 [in Russian].
- Marikovskiy P.I. 1956. [Tarantula and karakurt]. Frunze: AN KirgSSR Publ. 281 p. [in Russian]
- Marusik Yu.M. 1985. [A systematic list of the orb-weavers (Aranei: Araneidae, Tetragnathidae, Theridiosomatidae, Uloboridae) of the USSR European part and Caucasus] // Fauna i ekologiya paukov SSSR. Trudy Zoologicheskogo Instituta AN SSSR. Leningrad. Vol.139. P.135–140 [in Russian, with English summary].
- Marusik Yu.M. 1994. [A systematic list of spiders (Aranei) of the Upper Kolyma] // Kompleksnye ekologicheskie issledovaniya na stacionare “Kontakt”. Vladivostok: Dal'nauka (for 1993). P.208–225 [in Russian].
- Marusik Yu.M. 2005. [Arachnids (Arachnida: Aranei, Opiliones) of Northern Okhotomorie] // Euroasian Entomol. J. Vol.4. No.3. P.187–208 [in Russian, with English summary].
- Marusik Yu.M., Buchar J. 2004. A survey of East Palaearctic Lycosidae (Aranei). 3. On the wolf spiders collected in Mongolia by Z. Kaszab in 1966–1968 // Arthropoda Selecta. Vol.12 (for 2003). No.2. P.149–158.
- Marusik Yu.M., Crawford R.L. 2006. [Spiders (Aranei) of Moneron Island] // S.Yu. Storozhenko (ed.). Rastitel'nyi i zhivotnyy mir ostrova Moneron (Materialy Mezhdunarodnogo sakhhalinskogo proekta). Vladivostok: Dal'nauka Publ. P.171–195 [in Russian, with English summary].
- Marusik Y.M., Eskov K.Y., Kim J.P. 1992. A check list of spiders (Aranei) of Northeast Asia // Korean Arachnology. Vol.8. No.1/2. P.129–158.
- Marusik Yu.M., Eskov K.Y., Logunov D.V., Basarukin A.M. 1993. A check-list of spiders (Arachnida Aranei) from Sakhalin and Kurile Islands // Arthropoda Selecta. Vol.1 (for 1992). No.4. P.73–85.
- Marusik Yu.M., Guseinov E.F. 2003. Spiders (Arachnida: Aranei) of Azerbaijan. 1. New family and genus records // Arthropoda Selecta. Vol.12. No.1. P.29–46.
- Marusik Yu.M., Guseinov E.F., Aliev H.A. 2005b. Spiders (Arachnida: Aranei) of Azerbaijan. 4. Fauna of Naxçivan // Arthropoda Selecta. Vol.13 (for 2004). No.3. P.135–149.
- Marusik Yu.M., Hippa H., Koponen S. 1996. Spiders (Araneae) from the Altai area, Southern Siberia // Acta zool. fenn. Vol.201. P.11–45.
- Marusik Yu.M., Koponen S. 2000. New data on spiders (Aranei) from the Maritime Province, Russian Far East // Arthropoda Selecta. Vol.9. No.1. P.55–68.

- Marusik Yu.M., Koponen S. 2001. Spiders of the family Zodariidae from Mongolia (Arachnida: Aranei) // *Reichenbachia*. Bd.34. Nr.4. P.39–48.
- Marusik Yu.M., Kovblyuk M.M. 2011. [Spiders (Arachnida, Aranei) of Siberia and Russian Far East]. Moscow: KMK Sci. Press Ltd. 344 p. [in Russian, with English summary]
- Marusik Yu.M., Lehtinen P.T., Kovblyuk M.M. 2005a. *Cozyptila*, a new genus of crab spiders (Aranei: Thomisidae: Thomisinae: Coriarachnini) from the western Palaearctic // *Arthropoda Selecta*. Vol.13 (for 2004). No.3. P.151–163.
- Marusik Yu.M., Logunov D.V., Koponen S. 2000. Spiders of Tuva, South Siberia. Magadan: IBPN FEB RAS. 252 pp.
- Marusik Yu.M., Tanasevitch A.V., Kurenshchikov D.K., Logunov D.V. 2007. A check-list of the spiders (Araneae) of the Bolshekhokhtsyrski Nature Reserve, Khabarovsk Province, the Russian Far East // *Acta Arachnol. Sinica*. Vol.16. No.1. P.37–64.
- Marusik Yu.M., Tarabaev Ch.K., Litovchenko A.M. 1990. [Catalogue of the orb-weaving spiders of Kazakhstan. Family Araneidae] // *Izvestiya AN KazSSR. Ser. biol.* No.4. P.14–23 [in Russian, with Kazakh and English summaries].
- Marx G. 1892. A contribution to the study of the spider fauna of the Arctic regions // *Proc. Entomol. Soc. Washington*. Vol.2. No.2. P.186–200.
- Meldebekov A.M., Baizhanov M.Kh., Kazenas V.L., Zhatkanbaeva Zh.M., Kovshar' A.F., Bekenov A.B., Abdilbaev M.A., Auezova G.A., Akhmetbekova R.T., Akhmetov A., Baimbetov A., Burdelov L.A., Gromov A.V. et al. 2011. [Primary materials to compilation of the Cadastre of the animal world of Almata Area] // *Trudy Instituta zoologii MON RK*. 597 p. [in Russian, with Kazakh and English summaries]
- Mikhailov K.G. 1992a. [Results of the study of the USSR spider fauna] // V.I. Ovtsharenko (ed.). *Fauna i ekologiya paukov, skorpionov i lozhnoskorpionov SSSR*. *Trudy Zoologicheskogo instituta AN SSSR*, Leningrad. Vol.226 (for 1990). P.127–129 [in Russian].
- Mikhailov K.G. 1992b. [Spiders of the genus *Clubiona* Latreille (Aranei, Clubionidae) of the Soviet Union (a faunistic review)] // V.I. Ovtsharenko (ed.). *Fauna i ekologiya paukov, skorpionov i lozhnoskorpionov SSSR*. *Trudy Zoologicheskogo instituta AN SSSR*, Leningrad. Vol.226 (for 1990). P.60–69 [in Russian, with English summary].
- Mikhailov K.G. 1996a. A checklist of the spiders of Russia and other territories of the former USSR // *Arthropoda Selecta*. Vol.5. Nos 1–2. P.75–137.
- Mikhailov K.G. 1996b. Advances in the study of the spider fauna of ex-USSR // *Revue suisse de Zoologie*. Vol. hors ser. P.473–478.
- Mikhailov K.G. 1996c. [Spider fauna in the former USSR territory] // *Uspekhi sovremennoi biologii*. Vol.116. No.2. P.231–238 [in Russian, with English summary].
- Mikhailov K.G. 1997a. Alphabetic index to the Catalogue of the spiders of the territories of the former Soviet Union (Arachnida, Aranei). Moscow: KMK Scientific Press Ltd. 32 pp.
- Mikhailov K.G. 1997b. Catalogue of the spiders of the territories of the former Soviet Union (Arachnida, Aranei) // *Sbornik trudov Zool. Muzeya MGU*. Moscow: Zool. Museum, Moscow State Univ. Vol.37. 416 pp.
- Mikhailov K.G. 1998. Catalogue of the spiders (Arachnida, Aranei) of the territories of the former Soviet Union. Addendum 1. Moscow: KMK Sci. Press. 50 pp.
- Mikhailov K.G. 1999. Catalogue of the spiders (Arachnida, Aranei) of the territories of the former Soviet Union. Addendum 2. Moscow: Zoological Museum MGU. 39 pp.
- Mikhailov K.G. 2000a. Catalogue of the spiders (Arachnida, Aranei) of the territories of the former Soviet Union. Addendum 3. Moscow: Zoological Museum MGU. 33 p.
- Mikhailov K.G. 2000b. [Inventory of the spiders fauna of the territory of the former USSR (Russia, CIS countries, Baltia): advances and perspectives] // D.S. Pavlov, M.I. Shatunovskiy (eds.). *Izuchenie i okhrana raznoobraziya fauny, flory i osnovnykh ekosistem Evrazii*. *Materialy mezhdunarodnoi konferentsii*, g. Moskva, 21–23 aprelya 1999. Moscow. P.192–197 [in Russian].
- Mikhailov K.G. 2002. The spider fauna of Russia and other post-Soviet republics: a 2000 update // S. Toft, N. Scharff (eds.). *European Arachnology 2000*. *Proceedings of the 19th European Colloquium on Arachnology*. P.255–259.
- Mikhailov K.G. 2004. A brief historical overview of the development of arachnology in Russia // D.V. Logunov, J. Penney (eds.). *European Arachnology 2003*. *Arthropoda Selecta*. Spec. Issue. No.1. P.21–34.
- Mikhailov K.G. 2009. *Procopius caesariensis* vs. *Procopius caesariensis* Kauchtschischwili, 1933, a case of unusual confusion // *Newsl. Brit. arachnol. Soc.* No.114. P.4–5.
- Mikhailov K.G. 2011. [The spider fauna of Russia and adjacent territories: advances in the study] // B.R. Striganova (ed.). *Problemy pochvennoi zoologii (Materialy XVI Vserossiyskogo soveshchaniya po pochvennoi zoologii)*. Moscow: KMK Sci. Press. P.83 [in Russian].
- Mikhailov K.G. 2012a. [Bibliographia Araneologica Rossica 1770–2011 (Bibliography on spiders of Russia and post-USSR republics, 1770–2011)] // *Trudy Russkogo entomologicheskogo obshchestva (=Proceedings of the Russian Entomological Society)*. Vol.83. No.2. 229 p. [in Russian, with English summary]
- Mikhailov K.G. 2012b. The spider fauna of Russia and adjacent regions: a 2009 update // *Russian Entomol. J.* Vol.21. No.2. P.165–168.
- Mikhailov K.G. 2013a. Advances in the study of the spider (Aranei) fauna of Russia and adjacent regions: a 2011 update // *Arthropoda Selecta*. Vol.22. No.1. P.47–53.
- Mikhailov K.G. 2013b. *Larinioides folium* (Schränk, 1803) is a valid species name (Aranei: Araneidae) // *Arthropoda Selecta*. Vol.22. No.3. P.265–266.
- Mikhailov K.G. 2013c. *Tarentula Sundevall*, 1833 and *Alopecosa* Simon, 1885: a historical account (Aranei: Lycosidae) // *Arthropoda Selecta*. Vol.22. No.3. P.259–263.

- Mikhailov K.G., Fet V.Ya. 1986. [Materials on the spider (Aranei) fauna of Turkmenia. I. Families Anyphaenidae, Sparassidae, Zoridae, Clubionidae, Micariidae, Oxyopidae] // Fauna, sistematika i filogeniya bespozvonochnykh zhitovnykh. Sbornik trudov Zoologicheskogo muzeya MGU (=Archives of Zoological Museum [of] Moscow State University). Vol.24. P.168–186 [in Russian].
- Mikhailov K.[G.], Fet V.[Ya.] 1994. Fauna and zoogeography of spiders (Aranei) of Turkmenistan // V.[Ya.] Fet, K[h.], I.[.] Atamuradov (eds.). Biogeography and ecology of Turkmenistan. Monogr. Biol. Vol.72. Dordrecht etc.: Kluwer Academic Publ. P.499–524.
- Minoranskiy V.A., Popova Z.G., Balchinova T.I. 1983. [Distribution of soil-litter invertebrates in rice-planting systems]. Roston-na-Donu. Deposited in VINITI on 28.06.1983, No. 3479-83 Деп. 50 p. [in Russian]
- Mkheidze T.S. 1941. [To the problem of the spider study in Georgia] // Trudy Tbilisskogo Universiteta. Vol.21. P.99–104 [in Georgian, with Russian summary].
- Mkheidze T.S. 1964. [Spiders] // Zhitovnyi mir Gruzii [Animal world of Georgia]. Tbilisi. Vol.2. Chlenistonogie [Arthropods]. P.48–116 [in Georgian].
- Muster Ch. 2009b. Phylogenetic relationships within Philodromidae, with a taxonomic revision of *Philodromus* subgenus *Artanes* in the western Palearctic (Arachnida: Araneae) // Invertebrate Systematics. Vol.23. No.2. P.135–169.
- Nosek A. 1896. Seznam českých a moravských pavouků // Vest. Kral. české spol. náuk. Tr. math.-přirod. Ročník 1895. No.3. P.1–56.
- Oliger T.I., Marusik Yu.M., Koponen S. 2002. New and interesting records of spiders (Araneae) from the Maritime Province of Russia // Acta arachnol. Vol.51. No.2. P.93–98.
- Onchurov M.V. 1998. [Revision of the araneofauna of Crimea] // Ekosistemy Kryma, ikh optimizatsiya i okhrana. Tematicheskiy sbornik nauchnykh trudov Simferopol'skogo gosudarstvennogo universiteta. No.10. P.45–47 [in Russian].
- Ovtsharenko V.I. 1982. [A systematic list of the spider family Gnaphosidae (Aranei) of the European part of the USSR and the Caucasus] // Entomologicheskoe Obozrenie. Vol.61. No.4. P.830–844 [in Russian, with English summary].
- Ovtsharenko V.I. 1992. [Modern distribution of spiders of the tribe Pterotrichini (Aranei, Gnaphosidae)] // V.I. Ovtsharenko (ed.). Fauna i ekologiya paukov, skorpionov i lozhnoskorpionov SSSR. Trudy Zoologicheskogo instituta AN SSSR, Leningrad. Vol.226 (for 1990). P.129–131 [in Russian].
- Ovtsharenko V.I., Platnick N.I., Song D.X. 1992. A review of the North Asian ground spiders of the genus *Gnaphosa* (Araneae, Gnaphosidae) // Bull. Amer. Mus. Natur. Hist. No.212. P.1–88.
- Paele M.L., Saito S. 1933. Spiders from the Southern Kurile Islands. II. Araneidae from Shikotan // J. Fac. Sci. Hokkaido Imp. Univ. Ser.6. Vol.2. No.3. P.109–123.
- Pakhorukov N.M. 1979. [Spiders of northern Urals (an ecofaunistic review)]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Avtoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Leningrad. 22 p. [in Russian]
- Pakhorukov N.M. 1980. [Spiders of the Yaksha profile] // Vzaimosvyazi komponentov lesnykh i bolotnykh ekosistem. Leningrad: Nauka Publ. P.160–171 [in Russian].
- Pakhorukov N.M., Efimik V.E. 1988. [To the spider fauna of the Bashkirsky State Reserve] // Fauna i ekologiya paukoobraznykh. Perm: Paerm Univ. P.15–34 [in Russian].
- Pavlenko T.V. 1985. [Distribution of spiders into natural complexes of the Barsakelmes Island (Aral Sea)] // Fauna i ekologiya paukov SSSR. Trudy Zoologicheskogo Instituta AN SSSR. Leningrad. Vol.139. P.147–155 [in Russian, with English summary].
- Perel'schina W. 1927. Beitrag zur Kenntnis der Spinnenfauna von Askania Nova // Trav. Mus. Zool. Acad. Sc. Ukraine. No.3. P.53–56.
- Platnick N.I. 1993. Advances in spider taxonomy 1988–1991. With synonymies and transfers 1940–1980. Ed. by P. Merrett. New York: N.Y. Entomol. Soc. in assoc. with American Mus. Nat. Hist. 846 pp.
- Platnick N.I. 2013. World spider catalog. Version 14.0 <http://research.amnh.org/iz/spiders/catalog/> (accessed August 19th, 2013)
- Pokrovskiy S.V. 1925. [Spider fauna of the Klyazma River Basin] // Zapiski biostantsii v Bolsheve. No.1. P.19–25 [in Russian, with French summary].
- Ponomarev A.V. 1981. [Eco-faunistic characteristics of spiders of the semidesert zone of the USSR European part]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Avtoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Leningrad. 26 p. [in Russian]
- Prieditis A.P., Šternbergs M.T. 1981. [Spider fauna (Aranei) in apple-trees agroecosystems] // Zashchita rasteniy ot vreditelei i boleznei. Trudy Latvyskoi selskokhozyaistvennoi akademii. Elgava. No.188. P.9–12 [in Russian].
- Prokopenko E.V. 2003. [Structure and population of spiders (Aranei) of wood plantings of Donetsk City] // Entomologicheskie issledovaniya v Ukraine. Trudy Ukrainskogo entomologicheskogo obschestva. Vestnik zoologii. Otd. vyp. No.16. P.108–110 [in Russian, with Ukrainian and English summaries].
- Prosina Zh.V., Utochkin A.S. 1992. [Materials to the fauna and systematics of the genus *Xysticus* group *sabulosus* of the Soviet Union (Aranei, Thomisidae)] // Nasekomye v estestvennykh i antropogennykh biotenezakh Urala. Materialy 4-go Soveshchaniya entomologov Urala. Ekaterinburg: Nauka Publ. P.123 [in Russian].
- Prószyński J. 1976. Studium systematyczno-zoogeograficzne nad rodziną Salticidae (Aranei) Regionów Palearctycznego i Nearktycznego. Siedlce: WSP. 260 p.
- Prószyński J. 1979. Systematic studies on East Palearctic Salticidae. III. Remarks on Salticidae of the USSR // Ann. zool. PAN. T.34. P.299–369.
- Prószyński J. 2003. Salticidae (Araneae) of the Levant // Ann. Zool. (Warszawa). Vol.53. No.1. P.1–180.
- Prószyński J., Starega W. 1971. Pająki. Aranei // Katalog Fauny Polski. Warszawa. Część 33. 382 pp., 1 map.

- Rakov S.Yu., Logunov D.V. 1997. A critical review of the genus *Heliophanus* C.L. Koch, 1833, of Middle Asia and the Caucasus (Aranei Salticidae) // *Arthropoda Selecta*. Vol.5 (for 1996). No.3/4. P.67–104.
- Reimoser E. 1919. Katalog der echten Spinnen (Araneae) des Paläarktischen Gebietes // *Abh. zool.-bot. Ges. Wien*. Bd.10. H.2. S.1–280.
- Romanenko V.N. 1998. [Species composition of spiders (Arachnida, Aranei) in several forest biotopes in southern taiga of West Siberia] // G.P. Ostroverkhova (ed.). *Biologicheskoe raznoobrazie zhivotnykh Sibiri. Materialy nauchnoi konferentsii, posvyashchenoi 110-letiyu nachala regulirnykh zoologicheskikh issledovaniy i zoologicheskogo obrazovaniya v Sibiri*, g. Tomsk, 28–30 oktyabrya 1998. Tomsk: Tomsk State Univ. et al. P.91–95 [in Russian].
- Rudnikova E.V., Yaroshenko N.N. 1994. [Spiders of the environs of Sedovo, Donetsk Area] // *Chlenistonogie estestvennykh i tekhnogennykh landshaftov Donbassa*. Donetsk. P.40–46. Deposited in Ukrainian GNTB on 25.11.94, No.2231-VK94 [in Russian].
- Ryabikova T.P. 1990. [Orb-weaving spiders of the family Araneidae in the south of West Siberia]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Novosibirsk. 23 p. [in Russian]
- Saaristo M. 2007. A new subfamily of linyphiid spiders based on a new genus created for the *keyserlingi*-group of the genus *Lepthyphantes* (Aranei: Linyphiidae) // *Arthropoda Selecta*. Vol.16. No.1. P.33–42.
- Sacher P. 1988. Kommentar. Commentary // Carl-Wilhelm Hahn. *Monographie der Spinnen. 1820–1836*. Leipzig: Zentralantiquariat der DDR. S.107–143.
- Savelyeva L.G. 1972a. [New and little known species of the spider family Lycosidae (Aranei) from the East-Kazakhstan Area] // *Entomologicheskoe Obozrenie*. Vol.51. No.2. P.454–462 [in Russian, with English summary].
- Savelyeva L.G. 1972b. [Eco-faunistical characteristics of the spiders of the East Kazakhstan Area]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Leningrad. 23 p. [in Russian]
- Savelyeva L.G. 1979. [Zoogeographical complexes of spiders (Aranei) in East Kazakhstan] // *Priroda i khozyaistvo Vostochnogo Kazakhstana*. Alma-Ata: Nauka Publ. P.139–148 [in Russian].
- Savelyeva L.G. 1984. [Araneofauna of the Upper Priirtyshie] // *Problemy regional'noi ekologii zhivotnykh v tsikle zoologicheskikh distsiplin pdevuza. Tezisy dokladov III Vsesoyuznoi konferentsii zoologov pedagogicheskikh institutov*, 3–5 oktyabrya. 1984. Vitebsk. Pt.2. P.315–316 [in Russian].
- Schmidt P. 1895. Beitrag zur Kenntniss der Laufspinnen (Araneae Citigradae Thor.) Russlands // *Zool. Jb., Abt. Syst.* Bd.8. Nr.4. S.439–484.
- Shear W.A. 1970. The spider family Oecobiidae in North America, Mexico and the West Indies // *Bull. Mus. Comp. Zool.* Vol.140. No.4. P.129–164.
- Sherborn C.D. 1914. On the dates of publication of C.W. Hahn and C.L. Koch "Die Arachniden" 1831–1848 // *Ann. Mag. Nat. Hist. Ser.8. Vol.14. No.79*. P.143–144.
- Simon E. 1897. Descriptions d'Arachnides nouveaux // *Ann. Soc. Entomol. Belge*. T.41. P.8–17.
- Simon E. 1898. Descriptions d'Arachnides nouveaux des fam. des Agelenidae, Lycosidae et Oxyopidae // *Ann. Soc. Entomol. Belge*. T.42. P.5–34.
- Simon E. 1918. Notes sur la synonymie de plusieurs espèces de la famille de Thomisides // *Bull. Soc. Entomol. France*. No.1. P.51–52.
- Simon E. 1937. *Les Arachnides de France*. Paris. T.6. 5^e partie. P.979–1298.
- Spassky S.A. 1952. [Spiders of Turan Zoogeographical Province] // *Entomologicheskoe Obozrenie*. Vol.32. P.192–205 [in Russian].
- Szita E., Logunov D. 2008. A review of the *histroio* group of the spider genus *Philodromus* Walckenaer, 1826 (Araneae, Philodromidae) of the eastern Palaearctic Region // *Acta Zoologica Academiae Scientiarum Hungariae*. Vol.54. No.1. P.23–73.
- Tanasevitch A.V. 1989. The linyphiid spiders of Middle Asia (Arachnida: Araneae: Linyphiidae) // *Senckenberg. biol.* Bd.69. H.1/3. P.83–176.
- Tanasevich A.V. 1992. New genera and species of the tribe Lepthyphantini (Aranei Linyphiidae Micronetinae) from Asia (with some nomenclatorial notes on linyphiids) // *Arthropoda Selecta*. Vol.1. No.1. P.39–50.
- Tanasevitch A.V. 2007. New linyphiid taxa from Siberia and the Russian Far East, with notes on the genera *Notioscopus* Simon and *Carorita* Duffey et Merrett (Aranei: Linyphiidae) // *Arthropoda Selecta*. Vol.15 (for 2006). No.2. P.141–152.
- Tanasevitch A.V. 2008. New records of linyphiid spiders from Russia, with taxonomic and nomenclatural remarks (Aranei: Linyphiidae) // *Arthropoda Selecta*. Vol.16 (for 2007). No.2. P.115–135.
- Tanasevich A.V., Alekseenko Yu.G. 2012. [To the fauna of the spider family Linyphiidae (Aranei) of chalk steppes of Russian Plain] // *Caucasian Entomol. Bull.* Vol.8. No.2. P.193–198 [in Russian, with English summary].
- Thorell T. 1875. Verzeichniss Südruissischer Spinnen // *Horae Soc. Ent. Ross.* T.11. P.39–122.
- Tollitt M.E. 1986. Dates and authorship of the text volumes of the *Histoire naturelle* section of Savigny's description de l'Égypte. Z.N.(S.) 2515 // *Bull. zool. Nom.* Vol.43. Pt.1. P.107–111.
- Tsvetkov A.S. 2007. [Spiders (Aranei) of the family Gnaphosidae of the South-East of Russian Plain]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Stavropol. 24 p.
- Tuneva T.K. 2007. [Biodiversity of the spider family Gnaphosidae in the Ural fauna]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Autoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Ekaterinburg. 22 p. [in Russian]
- Tuneva T.K., Esyunin S.L. 2008. [Diversity of fauna and geographical distribution of gnaphosid spiders (Aranei, Gnaphosidae) of the Urals] // *Zoologicheskiiy*

- Zhurnal. Vol.87. No.7. P.779–789 [in Russian, with English summary].
- Tyshchenko V.P. 1971. [An identification guide to the spiders of the European part of the USSR] // Opre-deliteli po faune SSSR, izdavaemye Zoologicheskim institutom AN SSSR. Leningrad: Nauka Publ. Vyp.105. 281 p. [in Russian]
- Utochkin A.S., Gostyukhina L.A. 1992. [Materials to the fauna and systematics of the spider genus *Proxysticus* (Aranei, Thomisidae) of the USSR] // Nasekomye v estestvennykh i antropogennykh biotsenozakh Urala. Materialy 4-go Soveshchaniya entomologov Urala. Ekaterinburg: Nauka Publ. P.143 [in Russian].
- Vagner V.A. 1895. [A list and description of the collection on the biology of spiders] // Kollektzii Zoologicheskogo kabineta Varshavskogo universiteta. Vol.4. P.1–20, tab.I–II [in Russian].
- Vagner V.A. 1896. [Biological notes on the fauna of the eastern coast of the Black Sea (a preliminary report)] // Trudy Sankt-Peterburgskogo obshchestva estestvoispytatelei. Vol.27. Vyp.1. No.7–8. P.267–282 [in Russian].
- Vagner V.A. 1901. [On coloration and mimicry in animals] // Trudy Sankt-Peterburgskogo obshchestva estestvoispytatelei. Vol.31. No.2. P.1–76 + 1 tab. [in Russian, with German summary].
- Volkovskiy E.V. 2006. [Fauna and ecology of spiders (Arachnida, Aranei) of Northern Altai]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Avtoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Tomsk. 21 p. [in Russian]
- Wajgiel L.P. 1868. Spis Pająków // Spraw. kom. fizyogr. Kraków. T.2. P.153–155.
- Wajgiel L.P. 1874. Pajeczaki galicyjskie (Arachnoidea Haliciae). Kolomyia (Kolomea). 36 p.
- Wang Xin-Ping. 2002. A generic-level revision of the spider subfamily Coelotinae (Araneae, Amaurobiidae) // Bull. Amer. Mus. Nat. Hist. No.269. P.1–150.
- Weiss I., Bauchhenss E. 1995. *Centromerus silvicola* und *C. sellarius* (*C. similis*) — eine nomenklatorische Richtigestellung // Arachnol. Mitt. H.10. S.28–31.
- Wesołowska W. 1986. A revision of the genus *Heliophanus* C.L. Koch, 1833 (Aranei: Salticidae) // Ann. zool. PAN. T.40. No.1. P.1–254.
- Wesołowska W. 1988. Redescriptions of the A. Grube's East Siberian species of spiders (Aranei) in the collection of the Natural History Museum at Wrocław // Ann. zool. PAN. T.41. No.12. P.403–413.
- Wiehle H. 1960. Spinnentiere oder Arachnoidea (Araneae) XI. Micryphantidae — Zwergspinnen // Tierw. Dtschl. Lf.47. S.I–XI, 1–620.
- Wunderlich J. 1975. Dritter Beitrag zur Spinnenfauna Berlins (Arachnida: Araneae) // Sber. Ges. natur. Freunde Berlin. N.F. Bd.15. S.39–57.
- Wunderlich J. 1986. Spinnenfauna gestern und heute. Volume 1: Fossile Spinnen in Bernstein und ihre heute lebenden Verwandten. Wiesbaden: Erich Bauer Verlag bei Quelle und Meyer. 283 S.
- Wunderlich J. 1995. Beschreibung von drei bisher unbekanntem West-Paläarktischen Arten der Gattung *Theiridium* Walckenaer 1805 (Arachnida: Araneae: Theridiidae) // Beiträge zur Araneologie. Bd.4 (1994). P.691–695.
- Wunderlich J. 2011. Extant and fossil spiders // Beiträge zur Araneologie. Vol.6. 640 p.
- Zavadskiy A.M. 1902. [Materials to the fauna and biology of spiders (Araneina) in Transcaucasia] // Izvestiya Obshchestva lyubitelei estestvoznaniya, antropologii i etnografii. Vol.98. / Trudy Zoologicheskogo otdeleniya. Vol.13. / Dnevnik Zoologicheskogo otdeleniya. Vol.3. No.3. P.1–5 [in Russian].
- Zonstein S.L. 1995. [Mygalomorph spiders of the family Nemesiidae (Araneae, Orthognatha) of the Palearctic fauna]. Avtoreferat dissertatsii na soiskanie uchyonoi stepeni kandidata biologicheskikh nauk [Avtoreferate of the Thesis of Candidate (Ph.D.) of Biological Sci. Degree]. Saint-Petersburg. 20 p. [in Russian]
- Zonstein S.L., Gromov A.V., Zyuzin A.A., Ovchinnikov S.V. 1996. [Class Arachnida — terrestrial arachnids. Order Araneae — spiders] // Kadastr geneticheskogo fonda Kyrgyzstana (Genetical fund cadastre of Kyrgyzstan). Bishkek. Vol.2. P.132–153 [in Russian].
- Zyuzin A.A., Tarabaev Ch.K. 1994. The spiders and scorpions inhabiting Ustyurt Plateau and Mangyshlak Peninsula (South-Western Kazakhstan) // Boll. Accad. Gioenia Sci. Nat. Vol.26 (1993). No.345. P.395–404.

Alphabetic index of Latin names

Synonyms, homonyms, as well as replaced, invalid, and non-accepted names are given *in italiques*. Generic names are given **bold**. Page numbers for additional, footnote references to valid genera and species, or their misidentifications are given *in italiques*.

- Abacoproeces** 38
 abagensis, *Pardosa* 123
 abantense, *Zodariion* 162
 abantensis, *Stemonyphantes* 89
abbreviatus, *Thomisus* 195
 abchasica, *Tegenaria* 141
 abchasicus, *Cybaeus* 142
abchasicus, *Proxysticus* [n.nud.] 201
 abchasicus, ssp. of *Xysticus kochi* 198
 abditus, *Centromerus* 47
 abditus, *Lepthyphantes* 65
abdomine bicorni, *Aranea* 108
Abiskoa 38
 abiskoensis, *Abiskoa* 38
 ablegminus, *Philodromus* 185
abnormis, *Oreonetides* 85
 abnormis, *Phintella* 214
 abnormis, *Saaristoa* 85
 aborigena, *Gnaphosa* 168
 aborigenica, *Acantholycosa* 113
 aborigenica, *Micaria* 173
 abramovi, *Xysticus* 195
 abrupta, *Enoplognatha* 27
 abscissa, *Gibbaranea* 108
 absheronica, *Neaetha* 211
 acalypha, *Mangora* 111
Acanthinozodium 161
Acantholycosa 113, 131
Acanthoneta 38
Acanthophyma 44
Acartauchenius 38
 accentuata, *Alopecosa* 115
 accentuata, *Anyphaena* 151
 acerbus, *Xysticus* 195
Achaearanea 27, 31
Achaeridion 25
 achsuensis, *Harpactea* 19
 aciculata, *Micaria* 173
 acronotus, *Araneus* 104
 aculeata, *Alopecosa* 115
 aculeata, *Dysdera* 17
aculeata, *Evipa* 121
aculeatus, *Talanites* 163
Aculepeira 104
 aculifer, *Mughiphantes* (Suffusiphantes) 73
 acuminata, *Entelecara* 53
 acuminata, *Walckenaeria* 98
 acuminus, *Paratrachelas* 160
 acutus, *Silometopus* 88
 adianta, *Neoscona* 111
adipatus, *Oreonetides* 77
adjacens, *Diplocephalus* 52
 adjaricus, *Troglohyphantes* 95
 adomestica, *Tegenaria* 141
 adriaticus, *Trachyzelotes* 179
adpersus, *Drassus* 169, 171
adusta, *Pardosa* 123
 adustella, *Pardosa* 123
 adzhariensis, *Cryptoparachtes* 16
 adzhariensis, *Xysticus* 195
 aeluriforma, *Proszynskiana* 215
Aelurillus 202, 202
Aelurops 202
aemulus, *Bianor* 218
 aenea, *Micaria* 173
aenea, *Singa* 109
aenescens, *Bianor* 217
 aeneus, *Heliophanus* 207
aeneus, *Philodromus* [n.nud.] 190
 aeneus, *Zelotes* 180
 aenigmatica, *Pardosa* 123
 aenus, *Haplodrassus* 171
aequalis, *Centromerus* 47
 aequalis, *Tenuiphantes* 92
 aequipes, *Talavera* 220
 aerosus, *Zelotes* 180
aesopea, *Erigone* 80
 aestivus, *Tiso* 94
 affine, *Hypomma* 61
 affinis, *Aelurillus* 202
 affinis, *Agelescape* 137
 affinis, *Agyнета* 39
 affinis, *Atypus* 11
 affinis, *Episinus* 28
affinis, *Minyrioloides* 72
 affinis, *Panamomops* 79
affinis, *Pholcus* 15
affinis, *Sintula* 39
 affinis, *Tapinocyba* 91
 affinis, *Tmeticus* 94
 affinis, *Trichoncus* 95
 affinisoides, *Agyнета* 39
afghana, *Berlandina* 164
afghana, *Dysdera* 19
afghana, *Evarcha* 215
 afghanica, *Hersiliola* 23
 afghanicus, *Pseudicius* 216
 afghanus, *Nesticus* 25
afghanus, *Plexippoides* 215
agalena, *Epeira* 106
Agalenatea 104
Agelena 137, 137
 agelenoides, *Arctobius* 150
Agelenopsis 137
Agelescape 137
 aggressa, *Acanthoneta* 38
 aggressa, *Poecilonea* 38
 agnatus, *Stemonyphantes* 89
Agyphantes 39
 agoriformes, *Synagelides* 220
Agracina 152, 153
 agrestis, *Agroeca* 152
 agrestis, *Oedothorax* 76
 agrestis, *Pardosa* 123
 agrestis, *Tegenaria* 141
 agricola, *Pardosa* 123
Agroeca 152
Agyнета 39
Agyphantes 41
 ahngeri, *Argiope* 107
 aiederensis, *Salticus* 217
 aimakensis, *Walckenaeria* 100
Ainerigone 41
aituarca, *Enoplognatha* 28
Aituaria 24
 ajdahania, *Gnaphosa* 168
Ajmonia 144
 akkolka, *Alopecosa* 115
 alacris, *Pardosa* 123
 alacris, *Tenuiphantes* 92
 alai, *Parasyrisca* 176
 alasaniensis, *Pardosa* 123
 alascensis, *Philodromus* 185
 alaskae, *Ceratinella* 49
 alaskae, *Dictyna* 146
 alaskensis, *Agyнета* 39
alata, *Islandiana* 64
 alatauensis, ssp. of *Coelotes* (*Coelotes*) *curvilamnis* 138
 alataunica, *Asiohahnia* 143
 albaria, *Evarcha* 206
albata, *Pardosa* 123
 albatula, *Pardosa* 123
 alberta, *Hypsosinga* 109
 alberta, *Lathys* 148
 albicans, *Drassodes* 165
albicans, *Philodromus* 186
 albidorsa, *Alopecosa* 115
 albidus, *Xysticus* 195
 albidus, *Philodromus* 185
albifrons, *Evarcha* 206
 albimaculata, *Kishidaia* 173
 albimaculatus, *Tenuiphantes* 92
 albimana, *Aulonia* 120
albimana, *Micaria* 174
albin, *Micaria* 163
 albini, *Thanatus* 187
 albipes, *Chikunia* 26
albipes, *Chryso* 26
 albipes, *Theridion* 35
albipes, *Theridula* 26
 albobimaculatus, *Bianor* 203
albobimaculatus, *Attus* 206
 albocinctus, *Yllenus* 221
 albobimaculata, *Alopecosa* 115
 albobimaculata, *Micaria* 173
 albobimaculata, *Nurscia* 150
albobimaculata, *Tarentula* 118
 albolimbata, *Neriene* 74

- albolineata, var. of *Heliophanus patagiatus* 208
 albolineatus, *Sitticus* 218
albomaculata, *Hypsosinga* 109
albomaculata, *Linyphia* [n.dub.] 67
albomaculata, *Nurscia* 150
albomaculata, ssp. of *Bathyphantes concolor* 52
albomaculata, *Steatoda* 34
albomaculatus, *Haplodrassus* 171
albomaculatus, *Lithyphantes* 34, 92
albomaculatus, *Philodromus* 185
albomaculatus, *Thanatus* 188
albomaculatus, *Xysticus* 195, 197
 albonotata, *Alopecosa* 115
 albopilosa, *Evarcha* 213
 albopilosus, *Pellenes* (*Pelpaucus*) 213
 albopunctata, *Argenna* 145
 albosignata, *Nurscia* 150
 albobstriata, *Alopecosa* 115
albobstriata, *Micaria* 175
 albobvittata, *Alopecosa* 115
 albobvittata, *Crustulina* 26
 albobvittata, *Hypsosinga* 109
 albobvattata, *Micaria* 173
albobvittata, *Steatoda* 26
albula, *Linyphia* 63
albus, *Thomisus* 195
aldanicus, *Proxysticus* [n.nud.] 201
aleatoria, *Misumena* 192
Alenatea 104
aletaiensis, *Xysticus* 195
 alexeevi, *Clubiona* 155
 alexeevi, *Parasyrisca* 176
algens, *Erigone* [n.nud.] 101
algens, *Lycosa* 126
algens, *Pardosa* 123
algerica, *Cyclosa* 108
algerina, *Cyrba* 205
alienus, *Scotinotylus* 86
Alioranus 41
Allagelena 137
allegrii, *Pellenes* (*Pelmultus*) 212
Alloclubionoides 138
Allocosa 114
aliodroma, *Arctosa* 119
Allohogna 114
Allomengea 41
allosubtilis, *Agyneta* 39
Allotiso 42
alnetorum, *Thaleria* 93
alnicola, *Centromerus* 48
Alopecosa 115
alopocusa, *Pardosa* 123
alpestris, *Philodromus* 187
alpica, *Araniella* 107
alpica, *Gnaphosa* 168
alpicola, *Alopecosa* 115
alpicola, *Chalcoscirtus* 204
alpicola, *Clubiona* 155
alpicola, *Linyphia* 67
alpicola, *Sitticus* 218
alpicola, *Xysticus* 195
alpigena, *Arctosa* 119
alpigena, *Tricca* 119
alpigenus, *Scotinotylus* 86
alpina, *Eborilaira* 53
alpina, *Micaria* 173
alpina, *Oreoneta* 76
alpina, *Sibirocosa* 131
alpinus, *Diplocephalus* 51
alpinus, *Lepthyphantes* 65
alpinus, *Scotinotylus* 86
alpinus, *Thanatus* 188
alsine, *Araneus* 104
altaica, *Acantholycosa* 114
altaica, *Parasyrisca* 176
altaica, *Pardosa* 114
altaicus, *Incestophantes* 63
altaicus, *Scotinotylus* 86
altaicus, *Stemonyphantes* 89
altaicus, *Xysticus* 195
altaiensis, *Acantholycosa* 113
Altella 145
alticeps, *Bolyphantes* 46
alticeps, *Dismodicus* 53
alticeps, *Lycosa* 122
alticeps, *Pholcus* 15
alticeps, *Walckenaeria* 98
alticola, *Minicia* 72
alticola, *Semljicola* 87
altifrons, *Erigone* 53
altissimus, *Araeoncus* 43
altus, *Palliduphantes* 78
alutacius, *Palliduphantes* 78
amabilis, *Berinda* 163
amamiense, *Phycosoma* 31
Amaurobius 149, 150
amazonka, *Pellenes* (*Pelmultus*) 213
Ambanus 138
ambigua, ssp. of *Pardosa monticola* 127
ambiguus, *Silometopus* 88
Ambika 22
Amblyocarenum 11
amdoensis, *Erigone* 54
amentata, *Pardosa* 124
amersaxatilis, *Agyneta* 39
ammophila, *Archaedictyna* 145
ammophila, *Dictyna*
ammophilus, *Sitticus* 218
amoena, *Dasumia* 16
amotus, *Incestophantes* 63
amotus, *Lepthyphantes*
amurensis, *Alloclubionoides* 138
amurensis, *Asiceratinops* 43
amurensis, *Centromerus* 47
amurensis, *Clubiona* 155
amurensis, *Crispiphantes* 50
amurensis, *Linyphia* [n.dub.] 74
amurensis, *Pachygnatha* 102
amurensis, *Parasisis* 79
amurensis, *Savignia* 85
amurensis, *Scotinotylus* 86
amurica, *Steatoda* 34
amuricus, *Xysticus* 197
amurius, *Araneus* 105
amylacea, *Trochosa* 120
anachoreta, *Atypus* 11
Anacotyle 90
Anagraphis (sp.) 163
Anahita 136
Anatolidion 25
anceps, *Bathyphantes* 64
anchoroides, *Pardosa* 124
ancora, *Pisaura* 135
ancora, *Theridion* 35
ancora, *Zygiella* 112
ancus, *Incestophantes* 63
andarbag, *Parasyrisca* 176
andersoni, *Pardosa* 127
andreevae, *Aelurillus* 202
andreevae, *Parasyrisca* 176
andreevae, *Phlegra* 214
andreevae, *Tarentula* 117
andrenivora, *Tarentula* 116
Anelosimus 26, 29
Anemesia 12
angaricus, *Xysticus* [n.nud.] 201
angulatus, *Araneus* 105
angulatus, *Episinus* 28
angulatus, *Oryphantes* 78
angulatus, *Semljicola* 87
angulifera, *Neriene* 74
angulipalpis, *Anguliphantes* 42
Anguliphantes 42
angulitarse, *Cheiracanthium* 153
angulithorax, *Parasteatoda* 31
angulitubera, *Ummeliata* 97
angulobulbis, *Philodromus* 185
angustiarum, *Cybaeus* 142
angusticeps, ssp. of *Diplocephalus cristatus* 52
angustifrons, *Echemus* 167
annulata, *Dictyna* 145
annulata, *Pardosa* 125
annulata, var. of *Tarentula solivaga* 118
annulatus, *Incestophantes* 63
annulipes, *Emblyna* 147
annulipes, *Oecobius* 23
annulipes, *Thalamia* 23
Anomalaria 39
ansobicus, *Chalcoscirtus* 204
ansobicus, *Sitticus* 218
antepenultima, *Tapinocyba* 91
antica, *Walckenaeria* 98
antica, *Wideria* 98
antipola, *Gnaphosa* 168
antipovae, *Amaurobius* 149
Antistea 143
antoninus, *Mogrus* 211
antroniensis, *Palliduphantes* 78
Anypaena 151
anzobica, *Parasyrisca* 176
apetlonensis, *Syedra* 90
aperta, *Talavera* 220
apertus, *Micrargus* 71
apertus, *Sisicus* 89
aphana, *Ero* 22
Aphantaulax 163
Aphileta 42
apicatus, *Oedothorax* 76
Apollophanes 184
Apostenus 159
approximatus, *Bathyphantes* 45
approximatus, *Magniphantes* 45

- apricorum, Zelotes 180
Aprifrontalia 42
Aprolagus 39
 apscheronica, Berlandina 163
 apsheronica, Evippa 121
 aquatica, Argyroneta 142
 aquila, Pardosa 124
 aquilonare, Hybauchenidium 61
arabicus, *Plexippoides* 215
Arachosinella 43
Araeoncus 43
 araitense, Theridion 35
 aralicus, Yllenus 221
 aralis, Araneus 105
Aranea 104
Araneus 104, 104, 107, 108, 110, 111
Araniella 107
 arat, Tuvaphantes 221
Arboricaria 174
arbustorum, *Epeira* 109
 arcanus, Centromerus 47
Archaeodictyna 145
Archaeonecus 43
 archibensis, Drassodes 165
Archipirata 134
 arciger, Mansuphantes 68
arciger, *Thomisus* 191
 arcopictus, Araneus 105
Arctachaea 26
Arctella 145
Arcterigone 43
 arctica, Erigone 54
arctica, *Lycosa* 125
 arctica, Oreoneta 76
 arctica, Ozyptila 192
arctica, ssp. of *Hilaira montigena* 76
 arctica, Erigone 55
arcticus, *Latithorax* 87
 arcticus, Lepthyphantes 65
 arcticus, Thanatus 187
 arcticus, Semljicola 87
 arctophylaxis, Erigone 55
Arctobius 150
Arctosa 119
 arcuata, Evarcha 206
 arcuata, Tibioploides 94
Arcuphantes 43
arenaria, *Lycosa* 123
arenarius, *Eresus* 22
 arenarius, Thanatus 187
 arenarius, Xysticus 195
 arenarius, Yllenus 221
arenicola, *Pardosa* 123
 arenicolor, Phintella 214
Argenna 145, 148
argentata, *Epeira* 107
argentatum, *Theridium* 29
 argentea, Euryopsis 29
 argenteoalba, Cyclosa 108
argenteomaculata, *Euryopsis* 29
 argenteopilosa, Alopecosa 115
 argentea, "Pterotricha" 178
Argiope 107
 argiopiformis, Larinia 109
Argyodes 32
Argyroneta 142
 arietina, Mastigusa 149
arietina, *Tuberta* 149
arietinus, *Tetrilus* 149
 arkit, Pholcus 15
 arkit, Plexippoides 215
 armata, Dictyna 146
 armata, "Misumenops" 192
 armeniaca, Evarcha 206
 armenica, Dysdera 17
 armenica, Harpactea 19
 armida, Aculepeira 104
armida, *Araneus*
 armillata, Zora 136
arnoldii, *Brachythele* 12
 arnoldii, Castianeira 159
 arnoldii, Dysdera 17
 arnoldii, Zelotes 181
Artanes 184
Artema 15
 arundinacea, Dictyna 146
 arundineti, Robertus 32
Arundognatha 102
 ary, Philodromus 185
arzanovi, *Zelotes* 181
Asagena 26
 ascitus, Metopobactrus 70
Asiabadus 163
Asiacoelotes 138
Asianellus 202
 asiatica, Hilaira 60
 asiatica, Lycosa 122
 asiatica, Parasyrisca 176
 asiatica, Scyloxes 14
asiatica, ssp. of *Euophrys thorelli* 204
 asiaticum, Nenilinium 74
 asiaticum, Zodarillum 161
asiaticum, *Zodarion* 161
 asiaticus, Acartauchenius 38
 asiaticus, Araneus 105
 asiaticus, Asiabadus 163
asiaticus, *Chalcoscirtus* 204
 asiaticus, Glyphesis 57
 asiaticus, Macarocaris 209
 asiaticus, Mecynargus 69
 asiaticus, Silometopoides 88
asiaticus, *Silometopus* 88
asiaticus, *Thyreosthenius* (?) 90
 asiaticus, Tibellus 189
 asiaticus, Zelotes 181
Asiceratinops 43
 assimilis, Titanoea 150
Asiohahnia 143
Asiophantes 44
 aspersus, Tibellus 189
Asperthorax 44
assimilis, *Eboria* 87
Asthenargiodes 44
Asthenargus 44
 astrigera, Pardosa 124
atalanta, *Pardosa* 113
 ater, Aelurillus 202
 ateripes, Tenuiphantes 92
 aterrima, Microneta 71
 atevs, Xysticus 196
 atomaria, Ozyptila 192
 atomaria, Siwa 112
 atra, Erigone 55
atra, *Singa* 109
 atra, ssp. of *Dysdera hungarica* 17
 atrata, Cyclosa 108
 atrata, Pardosa 124
 atrata, Rhene 217
atratus, *Dendryphantes* 217
 atratus, Thanatus 187
 atrica, Tegenaria 141
 atrica, Zygiella 112
 atricapillus, Sitticus 218
 atrocaeruleus, Zelotes 181
 atropos, Coelotes (Coelotes) 138
 atrotibialis, Walckenaeria 98
atscharica, *Talanites* (?) 179
 atscharicus, *Talanites* (?) 179
Attus [n.dub.] 203
 atypica, Alopecosa 115
Atypus 11
audax, *Lepthyphantes* 62
 audax, Xysticus 196
Aulococyba 71
 aulica, Kochiura 29
aulicum, *Theridion* 29
Aulonia 120
 aurantiacus, Zelotes 181
 auranticeps, Walckenaeria 98
Aurantiphantes [subgenus] 73
 aurantius, Rugathodes 33
 auratus, Heliophanus 207
aurelia, *Epeira* 107
 aureolus, Philodromus 185
 auricomus, Philodromus 185
auriculatus, *Thomisus* 195
 auripilosa, Alopecosa 115
 aurita, Ajmonia 144
 auritus, Drassodes 165
 auritus, Trichoncus 95
 aurocinctus, Sibirianor 217
 auspex, Yllenus 221
 aussereri, Nomisia 176
austerus, *Xysticus* 199
 australis, Hypselistes 62
 australis, Incestophantes 63
 austrosibiricus, Xysticus 196
avanturus, *Alioranus* 41
 avida, Schizocosa 131
 avocator, Sitticus 218
 azarkinae, Acantholycosa 113
 azcursor, Philodromus 185
 azerbajdzhanica, Gnaphosa 168
 azerbajdzhanica, Dysdera 17
 azerbajdzhanica, Harpactea 19
 azerbajdzhanicus, Aelurillus 202
 azerifalcata, Pardosa 124
Azerithonica 138
 azheganovae, Acantholycosa 113
azheganovi, *Alopecosa* 113
 azowensis, Harpactea 19
 azsheganovae, Alopecosa 115
 azsheganovae, Zelotes 180, 181
 azumiensis, Himalaphantes 61
 azyuzini, Acantholycosa 113

- babaly*, *Apollophanes* 189
bactrianum, *Zodarion* 162
bactrianus, *Yllenus* 222
bacurianensis, *Xysticus* 196
badchysica, *Evippa* 121
badkhyzensis, *Lepthyphantes* 65
badkhyzicus, *Oxyopes* 135
badkhyzicus, *Pellenes* (*Pelmultus*) 213
badia, *Clubiona* 158
badia, *Gnaphosa* 168
badzhalensis, *Oreonetides* 77
badzhalensis, *Savignia* 85
baehrae, *Duninia* 23
baicalensis, *Heliophanus* 207
baicalensis, *Pelecopsis* 80
baicalicus, *Araneus* 105
baikalensis, *Typhochrestoides* 96
baisunica, *Zyuzicosa* 133
bajan, *Yllenus* 222
bakanas, *Xysticus* 196
bakanas, *Yllenus* 222
bakurovi, *Clubiona* 155
balcarica, *Parasyrisca* 176
balchanicus, *Cedicus* [n.nud.] 142
balkarica, ssp. of *Ozyptila orientalis* 193
Ballus 203
balteata, *Parasintula* 48
balteatus, *Centromerus* 48
baltistanus, *Xysticus* 196
baltistanus, *Yllenus* 222
baltistanus, *Zelotes* 181
bam, *Cybaeus* 142
banini, *Gnaphosa* 168
baraan, *Pardosa* 124
barbatus, *Connithorax* 50
barbatus, *Diplocephalus* 51
barbatus, *Nispa* 75
barbatus, *Trachyzelotes* 180
barbiger, *Diplocephalus* 51
barbiger, *Semljicola* 87
barbiger, *Eboria* 87
barbipes, *Euophrys* 217
barbipes, *Tarentula* 115
barbusinensis, *Dendryphantes* 205
barbusinensis, *Pardosa* 129
barbusinus, *Araneus* 105
barkol, *Zelotes* 181
barroisi, *Gnaphosa* 168
barsakelmes, *Sitticus* 218
Baryphyma 44
basarukini, *Clubiona* 155
basarukini, *Cybaeus* 142
basarukini, *Hypselistes* 62
basarukini, *Neserigone* 75
basarukini, *Savignia* 85, 85
basarukini, *Walckenaeria* 98
basegica, ssp. of *Ozyptila balkarica* 193
bashkirica, *Clubiona* 155
basi abdominis bicorni, *apice globosa*, *Aranea* 194
basunktchakensis, *Bogdocosa* 120
Bassaniana 190
Bathylinyphia 44
Bathyphantes 45, 64
batumiensis, ssp. of *Xysticus gallicus* 197
bavarica, *Segestria* 16
beata, *Agyne* 39
beckeri, *Alopecosa* 115
beckii, *Thyreosthenius* 94
beijiangensis, *Pardosa* 124
beklemischevi, *Acantholycosa* 114
bekuzini, *Zodariellum* 161
bekuzini, *Zodarion* 161
belengish, *Parasyrisca* 176
belgeri, *Haplodrassus* 171
bellicosus, *Rugathodes* 33
bellissimus, *Thymoites* 37
belukha, *Parasyrisca* 176
bengi, *Xysticus* [n.nud.] 201
benigna, *Dictyna* 146
Benoitia 138
bergsoei, *Lycosa* 122
bergstroemi, *Flagelliphantes* 57
Berinda 163
beringiana, *Eboria* 87
beringiana, *Oreoneta* 77
beringianus, *Oreonetides* 77
beringianus, *Semljicola* 87
berlandi, *Heliophanus* 207
Berlandia 163
berlandiana, *Pardosa* [n.nud.] 134
Berlandina 163
bermani, *Xysticus* 196
berolinensis, *Leptorchestes* 209
bertheloti, *Scytodes* 14
bertkai, *Theridion* 35
beschkentica, *Evippa* [n.nud.] 133
beschkentica, *Zaitunia* 14
betpaki, *Gnaphosa* 168
betteni, *Theridion* 35
betulae, ssp. of *Araneus rayi* 105
bialata, *Agyne* 39
biankii, *Dendryphantes* 205
Bianor 203, 217
bicaudatus, *Tegecoelotes* 141
bicognata, *Phlegra* 214
bicolor, *Carrhotus* 203
bicolor, *Centromerita* 47
bicolor, *Centromerus* 47
bicolor, *Araneus* 148
bicolor, *Gnaphosa* 168
bicolor, *Marilynia* 148
biconicus, *Improphe* 62
bicornis, *Aranea* 109
bicornuta, *Aranea* 108
bidens, ssp. of *Drassodes lapidosus* 165
bidentata, *Diplocentria* 51
bidentata, *Dysdera* 17
bifasciata, *Pardosa* 124
bifasciatus, *Eresus* 22
bifasciatus, ssp. of *Eresus niger* 22
bifasciatus, *Xysticus* 196
bifasciculata, *Walckenaeria* 98
biforaminum, *Theridion* 35
bifoveolata, *Lathys* 148
bifrons, *Dismodicus* 53
bifurcatus, *Diplocephalus* 51
bilineata, *Gnaphosa* 170
bilineatus, *Philaenus* 214
bimaculata, *Neottiura* 30
bimaculatus, *Zelotes* 181
bin, *Lathys* 148
bin, *Leptodrassus* [n.nud.] 183
biovatus, *Thyreosthenius* 94
bipartitus, *Bolyphyphantes* 46
bipartitus, *Lepthyphantes* 46
bipilis, *Oryphantes* 78
bipunctata, *Steatoda* 34
bipunctis, *Paratmeticus* 80
birikchul, *Parasyrisca* 176
birostra, *Savignia* 85
birsteini, *Carpathonesticus* 25
birsteini, *Nesticus* 25
birsteini, *Troglohyphantes* 96
birulai, *Agyne* 39
birulai, *Anemesia* 12
birulai, *Brachythele* 12
birulai, *Meioneta* 39
birulai, *Pireneitega* 140
birulaioides, *Agyne* 39
biscapus, *Bathyphantes* 45
biscissa, *Tapinocyba* 91
Bisetifer 45
Bishopiana 45
bistriata, *Allagelena* 137
bithynica, *Gnaphosa* 168
bituberculata, *Gibbaranea* 108
bituberculatum, *Hypomma* 62
blackwalli, *Cozyptila* 190
blackwalli, *Lachesana* 161
blackwalli, *Sardinidion* 33
blackwalli, *Scotophaeus* 178
blackwallii, *Trichopterna* 95
blancardi, *Evarcha* 206
blanda, *Leucauge* 101
blanda, *Mioxena* 72
blanda, *Pardosa* 124
blandus, *Philodromus* [n.dub.] 185
Blaniargus 71
blicki, *Micaria* 173
boesenbergi, *Philodromus* 186
boesenbergi, *Theridion* 35
bogatschevi, *Dysdera* 17
Bogdocosa 120
bohemicus, *Haplodrassus* 171
Bolephyphantes 46
Bolyphantes 46, 46
bonneti, *Larinia* 109
bonneti, *Micaria* 173
bonneti, *Xysticus* 181, 196, 199
bonneti, *Zelotes* 181
bonus, *Incestophantes* 63
bonus, *Pellenes* (*Pelpaucus*) 213
boomensis, ssp. of *Coelotes* (*Coelotes*) *curvilamnis* 138
borea, *Alopecosa* 115
borea, *Gnaphosa* 168
borea, *Phoroncidia* 31
borea, *Piratula* 130
borea, *Savignia* 85
borea, var. of *Tarentula solivaga* 115
boreale, *Liocranum* [n.nud.] 153

- boreale, Porrhomma 82
 borealicaucasica, Dysdera 17
 borealis, Aspethorax 44
borealis, Clubiona 156
 borealis, Crosbylonia 50
 borealis, Drepanotylus 53
 borealis, Emblyna 148
 borealis, Gnaphosa 168
 borealis, Maro 68
 borealis, Mecynargus 69
borealis, Tetragnatha 103
 boreus, Halorates 59
 boreus, Macrargus 67
 boreus, Wiehlenarius 100
 borisi, Pellenes (Pelmultus) 213
 borutzkyi, Carpathonesticus 24
 bosmansii, Micaria 174
 bossae, Larinia 109
botezati, Theridion 35
 bourneti, Meta 101
 braccata, Dipoea 27
 braccatus, Phaeoedus 178
 brachygnatha, ssp. of Tetragnatha
 extensa 103
 brachyopsis, Erigone [n.dub.] 55
braendegaardi, Gnaphosa 169
 braunsi, Pseudicicus 216
 bresnieri, Phlegra 214
breviceps, Drassodes 176
 breviceps, Parasyrisca 176
 brevicymbialis, Chalcoscirtus 204
 brevidens, Cheiracanthium 154
 brevidens, Emblyna 148
brevipes, Attus 203
 brevipis, Ceratinella 49
 brevipis, Clubiona 155
 brevipis, Howaia 25
 brevipis, Ozyptila 192
 brevis, Bathyphantes 45
 brevis, Ceratinella 49
 brevis, Pellenes (Pelmultus) 213
 brevispinosus, Trichobactrus 95
brevitarsis, Xysticus 200
 brevivulva, Pardosa 124
 brevivulvatus, Centromerus 47
Brigittea 146
brignolii, Arboricaria 174
 brignolii, Micaria 174
 brignolii, Dysdera 17
Brignoliolus [subgenus] 139
bristawei, Harpactocrates [n.nud.]
 21
 britcheri, Xysticus 196, 197
britteni, Perimones 85
 britteni, Satilatlas 85
Brommella 145
 brucei, Typhochrestus 96
 bruennichi, Argiope 107
 brumalis, Gnaphosa 168
brunnea, Agelena 137
 brunnea, Agroeca 152
brunneopicta, Evippa 121
brunneus, Araeoncus 52
 brunneus, Pronoides 111
 brusnewi, Agyneta 39
brusnewi, Meioneta 39
 brutus, Aelurillus 202
 bucculenta, Flronia 57
 bucharaensis, Yllenus 222
bucharensis, Coelotes 139
bucharensis, Xysticus [n.nud.] 201
 bucharensis, Zelotes 181
 buchari, Harpactea 19
 buchari, Pardosa 124
 bucklei, Parasyrisca 176
 budarini, Emblyna 148
buddebergii, Diplocephalus 94
buddenbrocki, Philodromus 186
 buffonopsis, Heriaeus 191
 bukhkaloi, Dolomedes 134
 bukovskyi, Crosbyarachne 50
 bukukun, Pardosa 124
 bulbosus, Ceraticelus 49
 bungei, Thanatus 188
 burensis, Maro 68
 burensis, Savignia 85
 buriatica, Mongolicosa 122
 buriatica, Pardosa 124
 burjatica, Emblyna 148
burjatica, Titanoea 150
 burjaticus, Sitticus 218
 buryaticum, Procerocymbium 84
 buxi, Philodromus 185
byzanthinus, Araneus 111
 cachetiensis, Trochosa 132
 cacuminatus, Wabasso 97
 caeruleus, Clubiona 155
caesariensis, Procopius 159
 calcaratus, Xysticus 196
Caledonia 86
calida, Euophrys (*Pseudoeuophrys*)
 216
 calida, Pardosa 124
 caliginosus, Halorates 59
 caliginosus, Semljicola 87
Calliethera 217
Callilepis 164
Callobius 150
 calvus, Pellenes 212
calycina, Misumena 192
 calypso, Porrhomma 82
cambridgei, Dysdera 17
 cambridgei, Ero 22
cambridgei, Heliophanus 208
cambridgei, Xysticus 198
 camelus, Megalephyphantes 70
 camenarum, Harpactea 19
Camillina 164
 camillus, Tiso 94
 campbelli, Porrhomma 83
 campestre, Cheiracanthium 154
 campestris, Malthonica 140
 campylophorus, Pellenes [n.dub.]
 212
 camtchadalicus, Incestophantes 63
camtschadalica, Enoplognatha 27
 camtschadalicus, Heliophanus 207
camtschadalica, Pardosa 124
 camtschadalica, Perro 81
camtschaticus, Lepthyphantes 93
 canadensis, Bathyphantes 45
 canadensis, Clubiona 155
 canadensis, Piratula 130
 canadensis, Xysticus 196
 canaliculata, Hilaira 60
Canalidion 26
Canariphantes 46
candida, Minicia 72
candidus, Micrargus 72
 canestrinii, Mendoza 210
 caperatus, Xysticus 196
 capillatus, Heriaeus 191
capitata, Lycosa [n.nud.] 134
 capito, Walckenaeria 98
capito, Wideria 98
capnodes, Drassodes 172
 capra, Erigone 55
 capucinus, Centromerus 47
carafensis, Coelotes [n.nud.] 142
caraiensis, Pardosa 128
 carbonaria, Aculepeira 104
 carbonarioides, Aculepeira 104
 carbonarius, Chalcoscirtus 204
 cardirius, Erigonoploides 56
 caricis, Enoplognatha 27
 caricis, Sitticus 218
carnifex, Cheiracanthium 154
Carorita 46, 65
 carpatca, Lessertinella 67
 carpathensis, ssp. of Coelotes
 (Coelotes) pastor 138
 carpathica, ssp. of Cryphoea
 silvicola 143
 carpathicus, Maso 69
Carpathonesticus 24
 carpenteri, Macrargus 67
Carrhotus 203
 caspia, Altella 145
 caspia, Steatoda 34
 caspiana, Minicia 72
 caspica, Berlandina 163
 caspica, Dysderella 19
Caspicosa 120
 caspicus, Leviellus 110
 caspicus, Xysticus 196
 caspius, Drassodes 165
 caspius, Haplodrassus 172
 caspius, Philodromus 186
 caspius, Yllenus 222
 caspius, Zelotes 181
 castanea, Steatoda 34
castanea, Teutana 34
 castanea, Walckenaeria 98
Castianeira 159
castrata, Dipoea 37
 castrata, Yaginumena 37
 castriesiana, Phintella 214
castriesiana, Telamonia 214
castriesianus, Icius 214
cataphractaria, Raveniola [n.nud.]
 13
 caucasia, Harpactea 19
 caucasica, Agelescape 137
 caucasica, Evippa 121
 caucasica, Gnaphosa 168, 169
 caucasica, Leptonetela 14
 caucasica, Ovtchinnikovia 150

- caucasica, Parasyrisca 176
caucasica, Pardosa 124
caucasica, *Tarentula* [n.nud.] 134
caucasica, Titanoea 151
caucasica, var. of *Drassodes lapidosus* [n.nud.] 183
caucasicum, Synema 194
caucasicum, Zodarion 162
caucasicus, Araeoncus 43
caucasicus, Asthenargus 44
caucasicus, Bolephthiphantes 46
caucasicus, Carpathonesticus 24
caucasicus, Chinattus 205
caucasicus, Diplocephalus 51
caucasicus, Hygrocrates 20
caucasicus, *Mygale* [n.nud.] 13
caucasicus, Zelotes 181
Caucasopisthes 47
caucasus, Xysticus 196
caudata, Raveniola 12
caudicola, Monaeses 192
caudicola, Tetragnatha 102
cauta, Agyneta 39
cavenarum, Centromerus 47
Caviphantes 47
Cebrennus 184
Cedicoides 142
Cedicus 142, 142, 143
celans, Scotina 153
celebesiana, Leucauge 101
cellariorum, Oecobius 23
cellulanus, Nesticus 25
centrasiatica, Aphileta 42
centrasiatica, Savignia 86
centrocnemis, *Micaria* 175
Centromerita 47
Centromerus 47
cephalotus, Bisetifer 45
Ceraticelus 49
Ceratinella 49
Ceratinopsis 49
Ceratopholcus 15
Cercidia 107
cereipes, *Arctosa* 130
cereipes, *Lycosa* 130
cereipes, *Pirata* 130
cericeus, Herbiphantes 59
cerinus, Anguliphantes 42
ceropegia, *Aculepeira* 104
cervina, *Arctosa* 120
cervinus, *Icius* 209
cespitolis, ssp. of *Philodromus aureolus* 186
cespitem, *Philodromus* 185, 186
Ceto 160
Cetonana 160
chabarovi, Clubiona 155
chabarovi, Larinioides 110
chaffanjoni, *Gnaphosa* 170
chakinuense, Theridion 35
Chalcoscirtus 204
chalybeius, *Ballus* 203
changchunensis, *Erigone* 55
charitonovi, *Alopecosa* 121
charitonovi, *Araneus* 104
charitonovi, *Berlandina* 163
charitonovi, Clubiona 155
charitonovi, Coelotes (*Brignoliolus*) 139
charitonovi, *Drassodes* 165
charitonovi, *Erigone* [n.dub.] 55
charitonovi, *Geolycosa* 121
charitonovi, *Heriaraus* 191
charitonovi, *Micaria* 174
charitonovi, *Orthobula* 160
charitonovi, *Synageles* 220
charitonovi, *Titanoeca* [n.nud.] 151
charitonovi, *Trachelas* 160
charitonovi, *Troglohyphantes* 96
charitonovi, *Xysticus* 196
charitonowi, *Cryptoparachtes* 16
charitonowi, *Dysdera* 17
charitonowi, *Harpactea* [n.dub.] 19
charitonowi, *Harpactocrates* 16
charkoviae, *Drassodes* (?) 165
charynensis, *Chalcoscirtus* 204
charynensis, *Yllenus* 222
chatchikovi, *Euryopis* 29
chechtsirica, *Clubiona* 157
Cheiracanthium 153
chelata, *Lycosa* 126
chersonensis, *Lycosa* 122
chiardolae, *Alioranus* 41
chikatunovi, *Lycosa* [n.dub.] 122
chikatunovi, *Parasyrisca* 177
Chikunia 26
chikumii, *Helicium* 207
chikunii, *Labulla* 65
chikunii, *Pseudicium* 207
Chinattus 205
Chinestella 111
chionophila, *Pardosa* 129
chippewa, *Xysticus* 196
Chiracanthium 153
chiragrica, *Alopecosa* [n.dub.] 115
chisimensis, *Pardosa* 124
Chocorua 51
chola, *Gnaphosa* 168
Chorizopes (?) (sp.) 104
choroga, *Orthobula* [n.nud.] 161
chovdensis, *Heliophanus* 207
chrysea, *Agroeca* 152
chrysops, *Philaeus* 214
Chryso 26
chuktshorum, *Lepthyphantes* 73
chumachenkoi, *Tegenaria* 141
chybyndensis, *Drassodes* 165
chybyndensis, *Trachyzelotes* 180
cicur, *Cicurina* 145
cicurea, *Cicurina* 145
Cicurina 145
cincta, *Aphantaulax* 163
cinctus, *Pseudicium* 216
cinerea, *Arctosa* 119
cinerea, *Berlandina* 163
cinereofasciata, *Phlegra* 214
cinereum, *Theridion* 35
cinereus, *Attus* 218
cinereus, *Drassus* 165
cinereus, *Philodromus* 184
cinereus, *Piniphantes* 81
cingarus, *Zelotes* 181
cingulatus, *Salticus* 217
cinnaberinus, *Eresus* 22
cinnameopilosa, *Alopecosa* 116
circe, *Araneus* 105
cirrifrons, *Troxochrus* 96
Cithaeron 163
cito, *Trichopterna* 95
citreus, *Thomisus* 192
civica, *Dictyna* 146
civilis, *Tegenaria* 141
clara, *Euryopis* 29
clarckii, *Pedanostethus* 32
claripes, *Phrurolithus* 160
clarus, *Centromerus* 47
clarus, *Euryopis* 29
clathrata, *Nerienne* 74
claustrarius, *Callobius* 150
clava, *Eskovina* 56
clavator, *Sitticus* 218
clavatus, *Araeoncus* 43
clavatus, *Scotinotylus* 86
claveata, *Ozyptila* 193
claveatus, *Xysticus* 190
clavicornis, *Cornicularia* 98
clavicornis, *Walckenaeria* 98
clax, *Hypsosinga* 109
clercki, *Pachygnatha* 102
clercoides, *Pachygnatha* 102
clivicola, *Zelotes* 181
Clubiona 155
Cnephalocotes 49
coarctata, *Micaria* 174
coccineus, *Plexippus* 215
Coelotes 138, 138, 139, 140
cognata, *Harpactea* 19
cognatum, *Lophomma* 67
cognatus, *Haplodrassus* 172
cognatus, *Oryphantes* 78
colchica, *Pardosa* 124
colletti, *Bathyphantes* 64
Collinsia 59
collinus, *Megalepthyphantes* 70
collinus, *Philodromus* 186
collucata, *Dysdera* 17
Colobocyba 91
coloradensis, *Thanatus* 188
columbianum, *Gnathonarium* 58
commoventa, *Wadicosa* 132
communis, *Asperthorax* 44
compar, *Centromerus* 47
compar, *Gongyliidiellum* 47
compirensis, *Theridion* 35
complicatus, *Improphantes* 62
comta, *Clubiona* 155
Concavocephalus 49
concinella, *Linyphia* 93
concinna, *Centromerita* 48
concinna, *Dysdera* 17
concinna, *Linyphia* 93
concinna, *Centromerus* 48
concinus, *Xysticus* 196
concolor, *Aelurillus* 202
concolor, *Bathyphantes* 52
concolor, *Diplostyla* 52
concolor, *Evippa* 121
concolor, *Raveniola* [n.nud.] 13

- concretus, Xysticus 196
 condocta, Archaeodictyna 145
 condolens, Pardosa 124
 confrantis, Cybaeus 142
confusa, *Euophrys* 216
 confusus, Salticus 217
 congenilis, Clubiona 155
 congenera, Entelecara 54
conglobatus, *Latrodectus* 30
 conica, Cyclosa 108
 conica, Tetragnatha 102
 conigera, Agyneta 39
 conigera, Nomisia 176
 conigerum, Achaeridion 25
Conithorax 50
 connatus, Diplocephalus 52
 connectens, Diplocephalus 52
Connithorax 50
 conostyla, Ozyptila 193
Conothorax 50
 consecuta, Archaeodictyna 145
consecuta, *Dictyna*
 conspersus, Stemonyphantes 89
 conspicua, Kishidaia 173
 constellatus, Philodromus 186
constellatus, *Thanatus* 188
 constricta, Micaria 174
 continentalis, Zodariellum 161
continentalis, *Zodarion* 161
 contortipes, Labulla 65
 contortus, Tenuiphantes 92
 contus, Improphantes 62
convexa, *Eboria* 87
 convexum, Gonatium [n.dub.] 58
 convexum, Porrhomma 83
 convexus, Araeonus 43
convexus, *Bathyphantes* 83
 convexus, Semljicola 87
 coosa, Neriene 74
 coracina, Dipoea 27
corallipes, *Gonatium* 58
 coreana, Agroeca 152
 coreana, Clubiona 155
 coreanus, Coreodrassus 164
 coreanus, Phrurolithus 160
 coreanus, Thanatus 188
 coreanus, Xysticus 196
 coreanus, Yllenus 222
Coreodrassus 164
Coriarachne 190
 corniculans, Walckenaeria 98
Cornicularia 98
 corniger, Sintula 89
 cornix, Theonina 93
Cornuphantes 50
 cornutum, Hypomma 62
 cornutum, Theridion 35
 cornutus, Cornuphantes 50
 cornutus, Larinioides 110
corollatus, *Lithyphantes* 34
 coronatus, Lysiteles 191
 corrugata, Clubiona 155
 corticalis, Clubiona 155
 corticicola, Hahnia 143
 corticinus, Philodromus 186
Coryphaeolana 59
 cottonae, Glyphesis 57
 courtauldi, Pseudicius 216
Cozyptila 190
 crassiceps, Araeonus 43
crassipalpis, *Argenna* 145
 crassipalpis, Pholcus 15
 crassipedis, Silometopus 88
 crassipes, Pelecopsis 80
crassitibialis, *Brachythele* [n.nud.] 13
crassus, *Xysticus* 199
 credula, Pardosa 124
Cresmatoneta 50
 cretica, Callilepis 164
 cribrata, Dysdera 17
cribrata, ssp. of *Oxyptila baudueri* 196
 cribratus, Xysticus 196
 crimeaensis, Drassyllus 167
 crinitus, Centromerus 48
criodes, *Erigone* 89
Crispiphantes 50
 cristata, Islandiana 64
 cristatopalpus, Erigone 55
 cristatus, Diplocephalus 52
 cristatus, Tenuiphantes 92
 cristatus, Trematocephalus 95
 cristatus, Xysticus 197
 croaticus, Leptodrassus 173
 crocata, Dysdera 17
 croceus, Xysticus 197
Cronebergella 11
 cronebergi, Alopecosa 116
 cronebergi, Dictyna 146
cronebergi, *Menemerus* 211
Crosbyarachne 50
crosbyi, *Filistata* 13
 crosbyi, Pritha 13
Crosbylonia 50
crucifer, *Bolyphantes* 63
 crucifer, Incestophantes 63
crucifera, *Enoplognatha* 28
cruciferoides, *Araneus* 111
 cruciformis, Lephyphantes 65
 crucinotata, Zygiella [n.dub.] 112
 cruentatus, Lephyphantes 65
Crustulina 26
Cryphoea 143
Cryptachaea 27
crypticola, *Linyphia* 70
 crypticolens, Pholcus 15
Cryptodrassus 165
Cryptoparachtes 16
Ctenium 32
 cucullata, Walckenaeria 98
cucullata, *Wideria* 98
 cucurbitina, Araniella 107
 culicivora, Parasteatoda 31
cultrigera, *Linyphia* 66
 cultrigera, Zornella 101
 cumensis, Gnaphosa 168
 cumensis, Trachyzelotes 180
 cuneata, Alopecosa 116
cuneatum, *Theridion* 36
cuneolus, *Monaeses* 195
 cungei, Araneus 105
 cupa, Drassodes 165
 cuprea, Agroeca 152
 cupreus, Heliophanus 207
 cupreus, Drassodes 165
 cursor, Alopecosa 116
cursoria, *Pardosa* 128
 cursorioides, ssp. of *Alopecosa cursor* 116
 curvatus, Araeonus 43
 curvidens, Heliophanus 207
 curvilamnis, Coelotes (Coelotes) 138
 curvipes, Stemonyphantes
 curvus, Anguliphantes 42
cuspidata, *Cornicularia* 98
 cuspidata, Walckenaeria 98
 cutleri, Sitticus 218
Cybaeopsis 150
Cybaeus 142
Cyclosa 108
 cymbialis, Incestophantes 63
 cyprum, Zodarion 162
Cyrba 205
cyrnea, *Arboricaria* 174
 cyrnea, Micaria 174
Cyrtarachne 108
 czekanowskii, Dendryphantes 205
Dactylopiesthes 50
Dactylopiesthoides 51
 dagestana, Ozyptila 193
 dagestana, Pardosa 125
 dagestanus, Drassodes 165
 daghestanica, Dysdera 17
 daghestanicum, ssp. of *Synema globosum* 194
dahli, *Hypocephalus* 62
 dahli, *Latrodectus* 30
 dahli, Steatoda 34
 dahurianus, Thanatus 188
 daturica, Dictyna 146
 dalaensis, Yllenus 222
 dalmatensis, Haplodrassus 172
 dalmatica, Malthonica 140
dalmaticus, *Araneus* 111
 dalmaticus, Synageles 220
 damini, Sitticus 218
dampfi, *Heliophanus* 207
 danovi, Deltshavia 23
 dashdamirovi, Harpactea 19
Dasumia 16
 davidi, Alopecosa 115
davidi, *Philodromus* 185
 davidi, Xysticus 197
 dbari, Lasaeola 29
 dearmata, Tetragnatha 103
 debilis, Tunagyna 96
 decipiens, Decipiphantes 51
Decipiphantes 51
declinans, *Zelotes* 183
 decolor, Improphantes 62
 decora, Agyneta 39
decora, *Clubiona* 156
 decorata, Bassaniana 190
decorata, *Micaria* 175
decorus, *Attus* 219
 deelemana, Harpactea 19

- deelemanae, Troglolyphantes 96
 deformis, Perregrinus 81
 dege, Gnaphosa 168
 degeeri, Pachygnatha 102
delicatulus, *Thomisus* 191
Deliriosa 121
deltchevi, *Brachythele* [n.nud.] 13
Deltshevia 23
 delticus, *Heriades* 191
dendilapis, *Dismodicus* 53
Dendryphantes 205
denisi, *Gnaphosa* 169
 denisi, *Pellenes* (*Pelmultus*) 213
 denisi, *Zodarion* 162
 dentatum, *Gnathonarium* 57
 dentatus, *Diplocephalus* 52
 dentatus, *Halorates* 59
 dentatus, *Hemistajus* 52
 denticheles, *Lessertia* 66
 denticulata, *Piratula* 130
 denticulata, *Textrix* 142
denticulatum, *Theridion* 36
 dentigera, *Agroeca* 152
dentigera, *Erigone* 55
 dentipalpis, *Erigone* 55
dentipalpis, *Meta* 102
 dentipalpis, *Metleucauge* 102
 dentisetis, *Allomengea* 41
 depilis, *Panamomops* 79
 depressa, *Coriarachne* 190
 depressus, *Ballus* 203
derhamii, *Tegenaria* 141
 dersuuzalai, *Mendoza* 210
 deserta, *Alopecosa* 116
deserta, *Erigone* 59
deserta, *Euryopis* [n.nud.] 37
 deserta, *Gnaphosa* 168
deserticola, *Hippasa* 122
 deserticola, *Proszynskiana* 215
 desertum, *Theridion* 35
 desertus, *Acartauchenius* 38
 desiduus, *Xysticus* 197
desolata, *Linyphia* 83
destritus, *Carrhotus* 203
Devade 145
 devitata, *Hilaira* 60
 diadematus, *Araneus* 105
Diaea 190
 diagonalis, *Pellenes* 212
diana, *Raveniola* [n.nud.] 13
diana, *Thomisus* 191
 diceros, *Saloca* 85
 diclivalis, *Alioranus* 41
Dicroneon [subgenus] 212
Dictyna 145, 146, 147, 149
Dictynomorpha 147
Dicybium 51
Dicyphus 61
 difficilis, *Hahnia* 144
 difficilis, *Phintella* 214
difficilis, *Tmeticus* 94
 digitatus, *Typhochrestus* 96
 digiticeps, *Dactylopiastes* 50
 dilutus, *Centromerus* 48
 dilutus, *Pellenes* (*Pelmirus*) 212
 dilutus, *Philodromus* 186
 dimidiata, *Mustelicosa* 115, 123
 dimidiata, *Tarentula* 123
 dimidiata, *Trochosa* 123
 dimidiatus, *Attus* [n.dub.] 203
 diodia, *Zilla* 112
Diphya (sp.) 101
 diphyus, *Dactylopiastes* 50
Diplocentria 51
Diplocephalus 51
Diplostyla 52
Dipoena 27, 29, 31
Dismodicus 53
 dispar, *Philodromus* 186
 dispar, *Parazygiella* 111
 displicata, *Araniella* 107
 dispulsus, "Drassodes" 166
 distichoides, *Bolyphantes* 46
 distichus, *Bolyphantes* 46
distichus, *Lepthyphantes* 46
 distinctus, *Halorates* 59
 distinctivus, *Ebo* 185
 distinguendus, *Sitticus* 218
 diversa, *Clubiona* 155
 diversa, *Enoplognatha* 27
 diversus, *Tibioplus* 94
 dives, *Micaria* 174
dives, *Micariolepis* 174
 djanybekensis, *Tibiaster* 94
 doblikae, *Harpactea* 19
 dobrogicus, *Caviphantes* 47
 dobudongensis, *Entelecara* 54
 doenitzi, *Meta* 101
doenitzi, *Neoscona* 111
 doenitzi, *Pardosa* 125
Doenitzius 53
 dokutchaevi, *Acanthoneta* 38
dokutchaevi, *Poecilonea* 38
Dolomedes 134
 dolosa, *Gnaphosa* 169
 domestica, *Tegenaria* 140, 141
domesticum, *Liocranum* 153
 domesticus, *Oonops* 21
domratchevae, *Hippasa* [n.nud.] 133
Donacochara 53
dondalei, *Xysticus* 196
 donensis, *Micaria* 174
donensis, *Pholcus* 15
 dorniana, *Pelecopsis* 80
 dorsalis, *Kaestneria* 64
dorsalis, *Stylophora* 64
 dorsata, *Diaea* 190
dorsigum, *Linyphia* 30
Draconarius 139
Drapetisca 53
 drassodea, *Berlandina* 163
Drassodes 165, 167, 179
Drassodex 167
Drassyllus 167
Drepanotylus 53
 dromedaria, *Paidiscura* 31
dromedarium, *Theridion* 31
dromedarius, *Araneus* 109
 dubatolovi, *Aelurillus* 202
 dubatolovi, *Sitticus* 218
 dubius, *Heliophanus* 207
 dubius, *Sciastes* 86
 dubius, *Tmeticus* 94
 dudkoi, *Sitticus* 218
 dudkoromani, *Acantholycosa* 113
 dudkorum, *Acantholycosa* 113
 duffeyi, *Praestigia* 83
dumetorum, *Araneus* 110
 dunini, *Agelescape* 137
 dunini, *Clubiona* 155
 dunini, *Dictyna* 146
 dunini, *Dysdera* 17
 dunini, *Geolycosa* 121
 dunini, *Heliophanus* 208
 dunini, *Phlegra* 214
 dunini, *Talanites* 179
 dunini, *Yllenus* 222
Duninia 23
dushanbinus, ssp. of *Plexippus strandi* 215
 dybowskii, *Anguliphantes* 42
dybowskii, *Marpissa* 210
 dybowskii, *Panamomops* 79, 101
dybowskii, *Piratosa* 132
dybowskii, *Tarentula* 132
Dysdera 17
Dysderella 19
Dysderina 21
 dysderoides, *Walckenaeria* 99
 dzheminey, *Pardosa* 125
 dzhungarica, *Asiohahnia* 143
 dzhungaricus, *Salticus* 217
 dzhungaricus, *Xysticus* 197
 dzieduszyckii, *Sitticus* 219
Ebelingia 190
 ebicha, *Arctosa* 119
Ebo 185
Eboria 87
Eborilaira 53
Ebrechtella 191
 eca, *Titanoeca* 151
Echemus 167
 edentulus, *Asthenargus* 44
 effosum, *Cheiracanthium* 154
 egeria, *Porrhomma* 83
eichwaldii, *Tarentula* 118
 eiseni, *Pardosa* 124
 eiusmodi, *Araneus* 105
 elchini, *Shaitan* 178
Eldonia 53
Eldonnia 53
 electus, *Zelotes* 181
 elegans, *Antistea* 143
 elegans, *Cheiracanthium* 154
 elegans, *Larinia* 109
 elegans, *Pardosa* 125
elegans, *Philodromus* 186
 elegans, *Silometopus* 88
 elegans, *Xysticus* 197
elegans, *Yllenus* 222
 elevatus, *Dismodicus* 53
 elongata, *Mendoza* 210
 elongata, *Pelecopsis* 80
 elsaft, *Nita* 15
 eltoni, *Micaria* 174
 eltonica, *Evippa* 121
 emarginatus, *Philodromus* 186, 189

- Emblyna** 147
 embolica, Nippononeta 75
 embriki, Xysticus 197
emertoni, *Centromerus* 48
 emertoni, Xysticus 197
 emphana, Neriene 67, 74
 encarpatus, Pseudicicus 216
Enidia 61
Enoplognatha 27
 enormita, Epibellowia 54
ensifer, *Sciastes* 86
Entelecara 53
entzi, *Lycosa* 126
Enyo 162
Epeira 104
 epeiroides, Theridiosoma 37
Eperigone 70
 ephippiatus, Xysticus 197
 ephthalitus, Paracedicus 143
Epibellowia 54
Epiblemmum 217
 epigynatus, Epigyphantes 54
Epigyphantes 54
Epigytholus 54
Episinus 28
Episolder 54
 epularis, Pellenes (Pelmultus) 213
 equester, Heliophanus 208
 equestris, Agyneta 39
 erberi, Amaurobius 149
 erebeus, Zelotes 181
 eremita, Nesticus 25
erebus, *Latrodectus* 30
Eresus 22
Ergatis 149
erishvilii, Carpathonesticus 25
 ericaeus, Palliduphantes 78
Erigone 54, 84
Erigonella 56
Erigonidium 61
 erigoniformis, Steatoda 34
Erigonoplodes 56
Erigonoplus 56
Erigonopterna 56
Eriophora 108
Ermetus 21
 ermolaevi, Alopecosa 116
 ermolaewi, ssp. of Haplodrassus
 cognatus 172
Ero 22
 errans, Porrhomma 83
 errata, Entelecara 54
erratica, *Clubiona* 159
 erratica, Pseudeuophrys 216
 erraticum, Cheiracanthium 154
 erraticus, Xysticus 197
erroneum, *Cheiracanthium* 154
 erudita, Alopecosa 116
 erzinensis, Yllenus 222
 erythrina, Dysdera 17
 erythrina, Walckenaeria 99
 erythropus, Diploena 27
 erythropus, Entelecara 54
 escapus, Lepthyphantes 66
 eskovi, Clubiona 155
 eskovi, Concavocephalus 49
 eskovi, Gnaphosa 169
 eskovi, Harpactea 19
 eskovi, Oreoneta 77
 eskovi, Pardosa 125
 eskovi, Praestigia 83
 eskovi, Savignia 86
 eskovi, Sitticus 219
Eskovia 56
Eskovina 56
Estrandia 56
 esyunini, Hersiliola 23
 esyunini, Talavera 220
 esyunini, Walckenaerianus 100
 etrusca, Alopecosa 116
 etsinensis, Pardosa 125
Eucta 102
 eugenei, Zelotes 181
 eumenis, Bathyphantes 45
eumenoides, *Bathyphantes* 45
Euophrys 206, 216, 220
Eurocoelotes 139
 europaea, Trebacosa 131
Euryopis 29
Eusparassus 184
evansi, *Caledonia* 86
 evansi, Scotinotylus 86
Evansia 56
Evarcha 206
 evenkiensis, Thaleria 93
Evippa 121
Evophrys 206
 evoronensis, Clubiona 156
 exarmata, Eskovia 56
exarmata, *Minicia* 56
excavata, *Auletta* 39
excellens, *Xysticus* 197
excelsa, *Erigone* 43
 excisa, Hilaira 60
 exiguus, Zelotes 181
exornata, *Floronia* 57
 exornata, Nomisia 176
 experta, Tallusia 91
expertus, *Centromerus* 91
 expunctus, Agnyphantes 39
 extensa, Tetragnatha 103
exultans, *Heliophanus* 207
 ezoensis, Clubiona 156
 fabricii, Thanatus 188
 fabrilis, Alopecosa 116
 facetum, Dicymbium 51
fagei, *Asagena* [n.nud.] 37
fagei, Gnaphosa 169
fagei, *Porrhomma* 83
fagei, *Pholcus* 16
fagei, Talanites 179
 falcata, Evarcha 206, 223
 falcata, Notiogyne 75
 falciger, Inermocoelotes 139
 falcigera, Brommella 145
 falconeri, Jacksonella 64
fallax, *Anemesia* [n.nud.] 12
 fallax, Philodromus 186
 fallax, Zelotes 181
 falsifica, Islandiana 64
 familiare, Theridion 35
farinosus, *Attus* 206
fasciata, *Epeira* 107
 fasciata, Phlegra 214
 fasciger, Sitticus 219
 fauna, Anahita 136
faustus, *Latithorax* 87
 faustus, Semljicola 87
fedotovi, *Acantholycosa* 114
 fedotovi, Alopecosa 116
fedotovi, *Brachythele* 12
 fedotovi, Cryptoparacheles 16
fedotovi, *Harpactocrates* 16
 fedotovi, Heriaeus 191
fedotovi, *Microstrandina* 79
 fedotovi, Panamomops 79
 fedotovi, Phaeocedus 178
 fedotovi, Pireneitega 140
 fedotovi, Raveniola 12
Fedotovia 168
 fedtschenkoi, "Drassodes" 166
 fedtschenkoi, Dysdera 17
 felina, Alopecosa 116
 felis, Dictyna 146
 femellus, Zelotes 181
 feminea, Ummeliata 97
 femoralis, Pardosa 125
 fenestralis, Amaurobius 149
 fengi, Tibellus 189
Ferchestina 21
 ferganicus, Araneus 105
ferghanensis, *Brachythele* 12
 ferghanensis, Raveniola 12
 ferghanensis, Sterrhochrotus 11
 ferghanica, Dysdera 17
 ferox, Amaurobius 149
 ferruginea, Malthonica 140
 ferruginea, Pardosa 125
 ferrugineus, Xysticus 197
 ferruginoides, Xysticus 197
 ferrumequinum, Hybauchenidium 61
festiva, *Phlegra* 203
 festivus, Asianellus 203
 festivus, Phrurolithus 160
 feti, Paracedicus 143
 fidelis, Wadicosia 132
 figurata, Arctosa 119
Filistata 13, 14
 fimbriatus, Dolomedes 134, 134
finitima, *Euophrys* 216
 finitimus, Episolder 54
 finschi, Sitticus 219
 fissocornis, Sauron 85
 fissus, Wubanoides 100
 flagellifer, Flagelliphantes 57
Flagelliphantes 57
flammata, *Evarcha* 206
 flavescens, Maro 68
 flavescens, Nigma 149
 flavescens, Plexippoides 215
 flavicoma, Titanoea 151
 flavicomis, Macaroeis 209
 flavida, Pardosa 125
 flavidus, Hyptiotes 24
 flavidus, Thanatus 188
 flavipes, Chalcoscirtus 204
 flavipes, Clubiona 156

- flavipes, *Entelecara* 54
 flavipes, *Heliophanus* 208
 flavipes, *Icius* 209
 flavipes, *Tenuiphantes* 92
 flavissima, "Aranea" [n.dub.] 105
 flavoatra, *Euophrys* 206
 flavociliatus, *Yllenus* 222
 flavomaculata, *Euryopis* 29
 flavomaculatus, "Drassodes" 166
 flavovittatus, *Amaurobius* [n.dub.] 149
 flexilis, *Improphantes* 62
 florentina, *Segestria* 16
 floricola, *Sitticus* 219
Floronia 57
 fluctimaculata, *Strandella* 90
fluviatilis, *Lycosa* 123
 foliata, *Chryso* 26
 foliicola, *Dictyna* 146
 folium, *Larinioides* 110
fomitshovi, *Tarentula* [n.nud.] 134
 forcipifer, *Heliophanus* 208
 formicaria, *Micaria* 174
 formicaria, *Myrmarachne* 211
 formicinus, *Thanatus* 188
Formiphantes 57
formosa, *Erigone* 83
 formosipes, *Misumenoides* 192
formosum, *Theridion* 31
 fornicatus, *Thanatus* 188
 forskali, *Hoplopholcus* 15
 forsslundi, *Diplocentria* 51
forsslundi, *Entelecara* 54
 fortunata, *Pardosa* 125
 fossilobus, *Hypselistes* 62
foveata, *Lycosa* 114
 foveatus, *Mecynargus* 69
foveolatus, *Mecynargus* 69
 fragilis, *Drassyllus* 167
frater, *Xysticus* 198
 fratris, *Zelotes* 181, 183
 fraudatrix, *Walckenaeria* 99
 freibergeri, *Liocranum* 153
 frigenis, *Alopecosa* 116
frigida, *Hilaira* 77
frigidula, *Erigone* [n.nud.] 101
 frisia, *Clubiona* 156
 fritzeni, *Pardosa* 125
 frivaldszkyi, *Robertus* 32
 frontalis, *Euophrys* 206
 frontata, *Savignia* 86
Frontella 57
Frontinellina 57
 frutetorum, *Clubiona* 156
 frutetorum, *Frontinellina* 57
fucatus, *Bathyphantes* 80
fucicola, ssp. of *Pardosa arenicola* 123
 fuesslini, *Tegenaria* 141
 fugax, *Drassodes* 165
fugax, *Walckenaeria* 99
 fulgens, *Micaria* 174
 fulvipes, *Pardosa* 125
fulviventris, *Tarentula* 133
fulviventris, *Zyuzicos* 133
 fulvotestaceum, *Cheiracanthium* 154
 fulvovittatus, *Mogrus* 211
 fulvum, *Hypomma* 62
 fulvus, *Eresus* 22
fumigata, *Tarentula* 118
 funerea, *Micaria* 174
 furcata, *Clubiona* 156
 furcata, *Ero* 22
furcata, *Walckenaeria* 98
 furcifer, *Tubercithorax* 96
 furcillata, *Walckenaeria* 99
furcillatus, *Tigellinus* 99
 furtiva, *Neriene* 74
 furva, *Anyphaena* 151
 fusca, *Ozyptila* 193
 fusca, *Walckenaeria* 99
 fuscimanus, *Zelotes* 181
 fuscipalpa, *Agyneta* 39
fuscipalpis, *Meioneta* 39
fuscipes, *Phlegra* 214
 fuscipes, *Trachyzelotes* 180
 fusciventris, ssp. of *Xysticus ninnii* 199
 fuscicolorata, *Alenatea* 104
 fuscocomarginatus, *Artanes* 184
 fusconotatus, *Dendryphantes* 205
 fuscostriatus, *Attus* [n.dub.] 203
 fuscus, *Apostenus* 159
 fuscus, *Oedothorax* 76
fuscus, *Xysticus* 200
 fuscus, *Zelotes* 181
 galeriformis, *Araeoncus* 43
gallica, *Eucta* 103
 gallicus, *Maso* 69
 gallicus, *Xysticus* 197
 gallicus, *Zelotes* 181
galophilus, *Erigonoplus* 56
 galotshkae, *Carpathonesticus* 25
gandjinoi, *Pachylomerus* 11
gandjinoi, *Ummidia* 11
 gaoui, *Pachygnatha* 102
 garavutinica, *Lycosa* [n.dub.] 122
 gemina, *Enoplognatha* 27
 geminus, *Oryphantes* 78
 gemmosum, *Theridiosoma* 37
 genevensis, *Clubiona* 156
 geniculatus, *Improphantes* 62
 geniculatus, *Pellenes (Pelmultus)* 213
 gennadii, *Paracedicus* 143
 gentile, *Anatolidion* 25
gentilis, *Oxyopes* 135
Geolycosa 121
 georgescuae, *Macrargus* 71
georgicus, *Harpactocrates* 20
 georgicus, *Hygrocrates* 20
 georgicus, ssp. of *Tibellus macellus* 189
georgicus, *Uloborus* 24
gerhardi, *Hyptiotes* 24
 germanica, *Clubiona* 156
 germanicum, *Zodarion* 162
 gershomi, *Enoplognatha* 27
 gertschi, *Hilaira* 60
 gertschi, *Ozyptila* 193
 gestroi, *Plexippoides* 215
 ghilarovi, *Dysdera* 17
Gibbaranea 108
 gibberum, *Gnathonarium* 58
 gibbifer, *Oedothorax* 76
 gibbosa, *Gibbaranea* 109
 gibbosa, *Hilaira* 60
 gibbosum, *Hybauchenidium* 61
 gibbosus, *Oedothorax* 76
 gibbulus, *Palpimanus* 21
 gibbum, *Gonatum* 58
 gibbum, *Pholcomma* 31
Gibothorax 57
giebelii, *Pardosa* 125
 gigantea, *Zyuzicos* 133
 giladensis, *Enoplognatha* 27
gilvus, *Aelurillus* 203
 gissarika, *Parasyrisca* 177
 glacialis, *Chalcoscirtus* 204
 glacialis, *Hahnia* 144
 glacialis, *Hilaira* 60
 glacialis, *Pardosa* 125
glandifera, *Gnaphosa* 169
 glaucinus, *Philodromus* 186
 globifer, *Oxyopes* 135
 globipes, *Erigonoplus* 56
 globosa, *Poecilonea* 82
 globosum, *Synema* 194
 glumacea, *Bishopiana* 45
 glupovi, *Mongolicosa* 122
Glyphesis 57
 gmelini, *Dysdera* 17
Gnaphosa 168
Gnathonarium 57
 gobiensis, *Pellenes (Pelmultus)* 213
 gobiensis, *Xysticus* 197
godlewskii, *Sitticus* 219
 golovatchi, *Clubiona* 156
 golovatchi, *Harpactea* 19
 golovatchi, *Robertus* 32
 golovatchi, *Tiso* 94
 golovatchi, *Walckenaeria* 99
Gonatum 58
Gongylidiellum 58
Gongylidioides 58
Gongylidium 59
 gonygaster, *Theridula* 36
 goricus, *Sitticus* 219
 gotlandicus, *Scotophaeus* 178
 gowerense, *Baryphyma* 44
 gracilens, *Allagelena* 137
 gracilior, *Gnaphosa* 169
 gracilipes, *Scottina* 153
gracilis, *Anyphaena* 152
 gracilis, *Bathyphantes* 45
 gracilis, *Hibana* 152
 gracilis, *Scotinotylus* 87
 gracilis, *Sydera* 91
 gracilis, *Zelotes* 182
 graecum, *Zodarion* 162
 graecus, *Xysticus* 197
 gramineusa, *Enoplognatha* 27
graminicola, *Erigonidium* 61
 graminicola, *Heriaeus* 191
 graminicola, *Hilyphantes* 61
 grammica, *Runcinia* 194
 grandaeva, *Estrandia* 56
granosus, *Eresus* 22

- granulosa*, *Erigone* 67
gratum, *Cheiracanthium* 154
grisea, *Clubiona* 158
griseolineatus, *Gongyliidioides* 58
griseus, *Artanes* 186
griseus, *Stemonyphantes* 89
grishkanae, *Chalcoscirtus* 204
groenlandica, *Pardosa* 125
groenlandica, *Praestigia* 83
groenlandica, *Tetragnatha* 103
gromovi, *Deltshevia* 23
gromovi, *Pardosa* 125
gromovi, *Trygetus* 161
grossa, *Steatoda* 34
grossa, *Teutana* 34
grossus, *Araneus* 105
grossus, *Stemonyphantes* 90
gruberi, *Raveniola* [n.nud.] 13
grummi, *Trichopterna* 95
guernei, *Pardosa* 126
gulkana, *Bathyphantes* 45
gulliae, *Micaria* 174
gulosa, *Agneta* 40
gulosa, *Meioneta* 40
gusarensis, *Pardosa* 125
guseinovorum, *Cozyptila* 190
gussakovskiy, *Zelotes* 182
guttata, *Crustulina* 26
guttata, *Linyphia* 64
guttata, *Tapinopa* 91
guttatus, *Sitticus* 219
guttulata, *Agroeca* 152
guttulata, *Micaria* 174
guzeripli, *Parasyrisca* 177
- haarlovi*, *Gnaphosa* 169
hackmani, *Trichoncus* 95
Hackmania 148
haecinsensis, *Clubiona* 156
haemorrhoidicus, *Philaeus* 214
haglundii, *Agroeca* 152
Hahnia 143
halidi, *Tegenaria* 141
halophila, *Gnaphosa* 169
Halorates 59
hamata, *Singa* 112
hamatus, *Lithyphantes* 34
hamdeokensis, *Phrurolithus* 160
hamifer, *Yllenus* 222
hamifera, *Dictyna* 147
hamipalpis, *Leptodrassus* 178
hamipalpis, *Scotophaeus* 178
hammeni, *Nerine* 74
hamulata, *Cyclosa* 108
hanrasanensis, *Pardosa* 125
Haplodrassus 171
hardyi, *Leptothrix* 66
Harpactea 19
Harpactes 19
hastatus, *Dendryphantes* 205
hebescens, *Porrhomma* 83
hedini, *Pardosa* 125
hedini, *Xysticus* 197
helenae, *Clubiona* 156
Helicus 207
Heliophanus 207
- helleri*, *Diplocephalus* 52
Helophora 59
helsdingeni, *Oreonetides* 77
helveola, *Hahnia* 144
helveolus, *Sitticus* 218
hemerobium, *Theridion* 35
herbigrada, *Neottiura* 30
herbigrada, *Pardosa* 127
herbigradus, *Micrargus* 71
Herbiphantes 59
herbosa, *Pardosa* 125
heri, *Hypososinga* 109
Heriaeus 191
hermani, *Zelotes* 182
herniosa, *Hilaira* 60
Hersiliola 23
herveolus, *Sitticus* 218
Heser 173
heterophthalmus, *Oxyopes* 135
Heteropoda 184
Heterotheridion 29
Heterotrichoncus 60
hetian, *Gibbaranea* 109
heydemanni, *Robertus* 32
Hibana 152
hiemalis, *Erigonella* 56
hiemalis, *Haplodrassus* 172
Hilaira 60, 76
hilairoides, *Wabasso* 97
hilare, *Gonatium* 58
hilaris, *Clubiona* 156
hilarulus, *Synageles* 220
Hillhousia 42
Himalaphantes 61
hingganica, *Alopecosa* 116
hippai, *Parasyrisca* 177
Hippasa 122
hirsutissima, *Devade* 146
hirsutus, *Heriaeus* 191
hirsutus, *Lasiargus* 65
hirsutus, *Lepthyphantes* 66
hirta, *Alopecosa* 116
hirta, *Raveniola* [n.nud.] 13
hirta, *Tarentula* 116, 118, 134
hirtipes, *Alopecosa* 116
hirtipes, *Tarentula* [n.nud.] 134
hirtipes, *Trochosa* 132
hirtus, *Heriaeus* 191
hispanica, *Trochosa* 132
hispidus, *Trichoncus* 95
hispidus, *Momius* 146
hissarica, *Micaria* 175
hissaricus, *Lepthyphantes* 66
hissariensis, ssp. of *Dipoena tristis* 30
Hissarinus 215
Histopona 139
histrion, *Philodromus* 186
Hogna 122
hokkaido, *Callobius* 150
hokkaido, *Pardosa* 125
hokkaidensis, *Alopecosa* 116
holmgreni, *Halorates* 59
holmi, *Cornicularia* 99
holmi, *Drepanotylus* 53
holmi, *Eboria* 87
holmi, *Gnaphosa* 170
- holmi*, *Halorates* 59
holmi, *Hilaira* 53
holmi, *Hybauchenidium* 61
holmi, *Impropheantes* 62
holmi, *Parasyrisca* 177
holmi, *Semljicola* 87
holmi, *Walckenaeria* 99
Holminaria 61
Holocnemus 15
holosericea, *Clubiona* 158
hombergi, *Harpactea* 19
hondoensis, *Odontodrassus* 176
Hoplolpholcus 15
Horcotes 61
hornidus, *Heriaeus* 191
hortensis, *Linyphia* 67
hortensis, *Pardosa* 125
horticola, *Ozyptila* 192
horvathi, *Tmarus* 195
horvathi, *Yllenus* 222
hospes, *Micaria* 175
Howaia 25
huberti, *Trachyzelotes* 180
hui, *Berlandina* 164
hui, *Zelotes* 182
hulungensis, *Oedothorax* 76
humilis, *Araeoncus* 43
humilis, *Bathyphantes* 45
humilis, *Lathys* 148
humilis, *Micaria* 175
humilis, *Philodromus* 186
hummeli, *Pardosa* 125
hummeli, *Zelotes* 182
Hummelia 97
hungarica, *Dysdera* 17
hungaricus, *Cryptodrassus* 165
hurkai, *Piratula* 130
huthwaitii, *Leptorhoptrum* 66
Hybauchenidium 61
Hyctia 209
Hyctia [subgenus] 210
Hygrocrates 20
Hygrolycosa 122
hygrophilus, *Araneus* 105
hygrophilus, *Piratula* 130
Hylyphantes 61
hyperborea, *Erigone* 100
hyperborea, *Pardosa* 125
hyperboreus, *Araneus* 104
hyperboreus, *Chalcoscirtus* 204
hyperboreus, *Dactylopisthoides* 51
hyperboreus, *Sciastes* 86
hyperboreus, *Trichoncus* 95
hypnicola, *Mecynargus* 69
hypoarctica, *Bishopiana* 46
hypoarctica, *Erigone* 55
hypocrita, *Drassodex* 167
Hypomma 61
Hypselistes 62
Hypocephalus 62
Hypososinga 109
Hyptiotes 24
hyrcana, *Azerithonica* 138
hyrcana, *Rhomphaea* 32
hyrcana, *Zosis* 24
hyrcanica, *Clubiona* 156

- hyrcanica, *Harpactea* 19
hyrcanica, *Raveniola* 12
- iberica*, *Dysdera* 18
Iberina 144
ibex, *Pardosa* 126
Icius 209
Ictidops 202
idolothytus, *Xysticus* 197
ienisteani, *Cheiracanthium* 154
ieiunus, *Artamus* 185
igneae, *Micaria* 174
ignifrons, *Pellenes* (*Pelpaucus*) 213
ignobilis, *Dictyna* 146
ignobilis, *Erigonella* 56
ignorabilis, *Heliophanus* 208
ilguenensis, *Pardosa* 123
ilika, *Gnaphosa* 169
illaudatus, *Xysticus* 197
illibatus, *Atus* 219
imadatei, *Oia* 76
imbecillus, *Thanatus* 188
imeretiensis, *Dysdera* 17
immaculata, *Trochosa* 132
immanis, *Allohogna* 114
immanis, *Lycosa* 114
imperialis, *Eresus* 22
imperialis, *Thyene* 221
impigra, *Microlinyphia* 71
implana, *Erigone* 54
impressa, *Phylloneta* 32
improbulus, *Improphantes* 63
Improphantes 62
imula, *Erigone* 59
inaequalis, *Ozyptila* 193
inaequalis, *Xysticus* 193
incana, *Anemesia* 12
incerta, *Erigone* 51
incerta, *Pardosa* 126
incerta, *Sibirocyba*
incertus, *Xysticus* 192
incestoides, *Incestophantes* 63
Incestophantes 63
incestus, *Incestophantes* 63
incilis, *Pardosa* 126
incilium, *Centromerus* 48
incisa, *Walckenaeria* 99
incognita, *Dysdera* 18
incompta, *Tarentula* 118
incomta, *Clubiona* 158
incondita, *Hilaira* 60
inconspicua, *Gnaphosa* 169
inconspicua, *Araniella* 107
inconspicuus, *Panamomops* 79
incultus, *Centromerus* 48
incurvatus, *Silometopus* 89
indecora, *Pardosa* 126
inderensis, *Alopecosa* 116
inderensis, *Zaitunia* 14
inderensis, *Zelotes* 182
inderensis, *Zodariellum* 161
index, *Bolephthiphantes* 46
indexoides, *Bolephthiphantes* 46
indistincta, *Devade* 146
indistincta, *Harpactea* 20
indistincta, *Masikia* 68
indistinctus, *Menemerus* 210
inermichelis, *Myrmarachne* 211
inermis, *Inermocoelotes* 139
Inermocoelotes 139
inerrans, *Collinsia* 59
inexpectus, *Sitticus* 219
inexploratus, *Bianor* 217
infernalis, *Lycosa* 121
infimus, *Chalcoscirtus* 204
inflatus, *Typhochrestus* 96
inpletus, "Drassodes" 166
infuscatus, *Drassus* 172
ingloria, *Linyphia* 47
inimica, *Alopecosa* 116
innocens, *Dictyna* 146
innocuum, *Theridion* 35
innotabilis, *Agyreta* 40
innulans, *Meioneta* 39
inopina, *Agroeca* 152
inopinabilis, *Ermetus* 21
inopinabilis, *Sitticus* 219
inopinata, *Dysdera* 18
inornatum, *Phycosoma* 31
inquinata, *Alopecosa* 116
insecta, *Tapinocyba* 91
insecticeps, *Ummeliata* 97
insidiatrix, *Filistata* 13
insidiosus, *Asiacoelotes* 138
insigne, *Gonatum* 58
insignis, *Helophora* 59
insignis, *Palliduphantes* 78
insignis, *Minyrioloides* 72
insignis, *Robertus* 32
insignita, *Tricca* 131
insignitus, *Pistius* 194
insolita, *Paratrochosina* 123
insolita, *Tarentula* 123
insolitus, *Tuvaphantes* 221
instabilis, *Rugathodes* 33
insulana, *Agyreta* 40
insulana, *Cyclosa* 108
insularis, *Labulla* 65
insularis, *Piratula* 130
insulicola, *Xysticus* 197
intenta, *Euophrys* 211
intercepta, *Oreoneta* 77
interjecta, *Clubiona* 156
interjectus, *Silometopus* 89
intermedia, f. of *Tetragnatha obtusa* 103
intermedia, *Gnaphosa* 171
intermedia, *Minosiella* 176
intermedium, var. of *Theridion impressum* 32
intermedius, *Coelotes* 139
interpolator, "Drassodes" 166
interunus, *Asiacoelotes* 138
interventa, *Ceratinopsis* 49
intirmus, *Leptyphantes* 68
intirmus, *Palliduphantes* 78
invalidus, *Haplodrassus* 172
invasa, *Hyaeniosa* 119
Ipa 64
ipsa, *Triccusa* 132
iracunda, *Microneta* 71
iranica, *Proszynskiana* 215
iranus, *Aelurillus* 202
irinae, *Alopecosa* 116
irinae, *Clubiona* 156
irrotatum, *Theridion* 32
isabellinum, *Gonatum* 58
isaevi, *Haplodrassus* 172
isago, *Pardosa* 126
ishikariana, *Lycosa* 122
Ishicosa 122
ishisawai, *Araneus* 105
israeliensis, *Tetragnatha* 103
iskander, *Parasyrisca* 177
Islandiana 64
ismaillensis, *Tegenaria* 141
israeliensis, *Monaeses* 192
issiculus, *Araneus* 106
italica, *Pardosa* 126
italicum, *Cheiracanthium* 154
italicum, *Zodariellum* 162
italiense, *Theridion* 35
iuvenicus, *Philodromus* 186
ivanovi, *Leptyphantes* [n.dub.] 66, 101
iviei, *Bathyphantes* 45
Ivium 64
iwatensis, *Pseudeuophrys* 216
ixobolus, *Larinioides* 110
ixoides, *Cyrtarachne* 108
- Jacksonella** 64
jacksoni, *Centromerus* 47
jacksoni, *Hypselistes* 62
jacksoni, *Trygetus* 161
jacuticus, *Xysticus* 201
jaikensis, *Pardosa* 126
jaikensis, *Thanatus* 188
jakkabagensis, *Drassodes* 165
jalimovi, *Araneus* 105
jamalensis, *Hilaira* 60
jamalensis, *Mecynargus* 70
jamalensis, *Notioscopus* [n.dub.] 75
jamalensis, *Rhaebothorax* 70
Janetschekia 64
japonica, *Clubiona* 156
japonica, *Collinsia* 59
japonica, *Cyclosa* 108
japonica, *Ero* 22
japonica, *Micaria* 174
japonica, *Myrmarachne* 211
japonica, *Neriene* 74
japonica, ssp. of *Araneus adianta* 111
japonicola, *Clubiona* 156
japonicum, *Cheiracanthium* 154
japonicum, *Gonatum* 58
japonicum, ssp. of *Synema globosum* 194
japonicus, *Misumenops* 190
japonicus, *Sibianor* 217
japonicus, *Tibellus* 189
japonicus, *Tmetiscus* 80
japonicus, *Trachelas* 160
jarmilae, *Erigonops* 56
jaxartensis, *Trachyzelotes* 180
jaxartensis, *Zelotes*
jeniseica, *Collinsia* 96

- jeniseica, Paraeboria 79
jeniseica, Pardosa 126
jeniseicum, Procerocymbium 84
jeniseicus, Bathyphantes 45
jeniseicus, Typhochrestus 79
jenisseica, Linyphia 47
jergeniensis, Micaria [n.nud.] 183
jergeniensis, Pardosa 126
jeskovi, Larinia 110
jobi, Mysmenella 38
joblotii, Myrmarachne 211
johannislupi, Xysticus 196
joosti, Plesiophantes 82
jubatopalpis, Drassyllus 167
jucunda, Clubiona 156
jucunda, Gnaphosa 169
jucunda, Hippasa [n.nud.] 133
juglandicola, Coelotes (Brignoliolus) 139
juncea, Pocadicnemis 82
juvenis, Clubiona 156
- kaestneri, Metapanamomops 70
Kaestneria 64
kahmanni, Thalamia 23
kalandadzei, Xysticus 198
kalbica, Agroeca 152
kalkamanicus, Yllenus 222
kamchik, Chalcoscirtus 204
kamkaly, Pholcus 15
kansuensis, Gnaphosa 169
kaplanovi, Alopecosa 117
karabachica, Dysdera 18
karabachica, Harpactea 20
karadagensis, Deliriosa 121
karakumensis, Minosia 175
karakumensis, Pellenes (Pelmultus) 213
karakumensis, Sitticus 219
karakumensis, Synaphosus 179
karakumensis, Yllenus 222
karakurt, Chalcoscirtus 204
karamayensis, Theridion 35
karatau, Stemonyphantes 90
karatau, Tchatkalophantes 92
karatauvi, Anemesia 12
karatauvi, Brachythele 12
Karita 65
karpinskii, Anguliphantes 42
karpinskii, Heliophanus 207
karpinskii, Walckenaeria 99
kashchistanica, Arctosa [n.nud.] 133
kashchistanicus, Yllenus [n.nud.] 224
kazakhstanica, Alopecosa 117
kastoni, Robertus 33
kaszabi, Agyneta 40
kaszabi, Drassodes 165
kaszabi, Epigytholus 54
kaszabi, Lepthyphantes 66
katanda, Walckenaeria 99
kataokai, Euophrys 206
katunensis, Acantholycosa 113
katunensis, Drassodes 165
katunjica, var. of Tarentula solivaga 118
kawabe, Arctosa 119
kayacensis, Eldonia 53
kazakhstanica, Evippa 121
kazakhstanica, Hypsosinga 109
kazakhstanica, Enoplognatha [n.nud.] 37
kazachstanicum, Cheiracanthium 154
kazachstanicus, Zelotes 182
kazakhstanica, Devade 146
kazakhstanica, Walckenaeria 99
kazachstanicus, Asianellus 203
kazachstanicus, Sitticus 219
kaznakovi, Xysticus 198
keeni, Bathyphantes 45
Keijia 32
kempeleni, Xysticus 198
kerzhneri, Howaia 25
ketmenensis, ssp. of Coelotes (Coelotes) striatilamnis 139
ketmenica, Asiohahnia 143
ketmer, Gnaphosa 169
keumjeungsana, Arctosa 119
keyserlingi, Ipa 64
keyserlingi, Zygiella 112
khabarum, Maro 68
khakassica, Acantholycosa 113
khakassicus, Incestophantes 63
khabarum, Palliduphantes 78
khostensis, Zelotes 182
Kikimora 65
kimjoopili, Scotinotylus 87
kimyongkii, Clubiona 156
kirghisica, Evarcha 206
kirghizica, Euophrys 206
kirghizica, Minicia 72
kirghizica, Zoropsis 136
kirghizicus, Erigonoplus 56
kirghizicus, Zoropsis 136
kirgisica, Meta 101
kirgisica, Metellina 101
kirgisica, Zygiella 112
kirgisticus, Araneus 105
kirgisticus, Chalcoscirtus 204
kirgisticus, Coelotes (Coelotes) 138
kirtschenkoi, Xysticus 197
Kishidaia 173
kitabensis, Cronebergella 11
kitabensis, ssp. of Pardosa proxima 126
kitabensis, Sterrhochrotus 11
kitabensis, Thanatus 188
kitazawai, Episinus 28
knoflachae, Steatoda [n.nud.] 37
knorri, Piratula 130
kochi, Heliophanus 208
kochi, Lepthyphantes 63
kochi, Leviellus 110
kochi, Titanoeca 151
kochi, Walckenaeria 99
kochi, Xysticus 198
kochiellus, Incestophantes 63
Kochiura 29
kodaensis, Zelotes 183
koeni, Arboricaria 174
koeni, Micaria 174
koenboutjei, Walckenaeria 99
koku, Parasyrisca 177
koktas, Heliophanus 208
kollari, Dysdera 18
kollari, Eresus 22
kolosvariana, Pardosa [n.nud.] 134
kolymensis, Asiceratinops 44
kolymensis, Hypselistes 62
kolymensis, Lepthyphantes 66
kolymensis, Mecynargoides 69
kolymensis, Oreonetides 77
kolymensis, Scotinotylus 87
kolymensis, Sibirocosa 131
kolymensis, Tapinocyba 91
kolymensis, Thanatus 187
kolymensis, Wubanoidea 66
Kolymocyba 65
komi, Scytiella 51
komissarovii, Clubiona 156
kompirensis, Gnaphosa 169
kolymensis, Metleucauge 102
kondarensis, Hissarinus 215
kondarensis, Plexippus 215
kononenkoi, Yllenus 222
kopetdaghensis, Agyneta 40
kopetdaghensis, Brachythele 12
kopetdaghensis, Micaria 174
kopetdaghensis, Raveniola 12
kopetdaghensis, Zyuzicosa 133
kopetdaghii, Aelurillus 202
koponeni, Chalcoscirtus 204
koponeni, Sibirocosa 131
koponeni, Silometopoides 88
koponeni, Silometopus 88
koponeni, Wabasso 97
koreana, Ero 22
koreanica, Marpissa 210
korgei, Tapinocyba 50
korobeinikovi, Walckenaeria 99
kosiorowicz, Dictyna 146
kotchevnik, Yllenus 222
kotalai, Ozyptila 193
kovblyuki, Alopecosa 117
kovblyuki, Neon (Dicroneon) 212
kovblyuki, Tetragnatha 103
krasnojarskense, Theridium 28
kratochvili, Aulonia 120
kratochvili, Theonina 93
krausi, Pelecopsis 87
krausi, Scutpelecopsis 87
krocha, Talavera 221
kronebergi, Alopecosa 117
kronebergi, Dysdera 18
kronebergi, Evippa 121
kronebergi, Megalepthyphantes 70
kronebergi, Yllenus 222
krynickii, Schizocosa 131
krynickii, Tarentula 131
kugitangica, Dysdera 18
kuhitangensis, Megalepthyphantes 70
kukushkini, Zelotes 182
kulabicus, Pellenes 213
kulagini, Allocosa 114
kulagini, Lycosa 114
kularensis, Clubiona 156
kulczynski, Alopecosa 117
Kulczynskillum 76
kulczynskii, Clubiona 156

- kulczynskii, Haplodrassus 172, 172
 kulczynskii, Mesiotelus 153
 kulczynskii, Phlegma 215
kulczynskii, *Porrhomma* 82
 kulczynskii, Praestigia 83
 kulczynskii, Saloca 85
kulczynskii, *Sitticus* 218
kulczynskii, *Trichoncus* 95
kulczynskii, var. of *Dolomedes fimbriatus* 134
 kulczynskii, Xysticus 198
 kulczynskii, Yllenus 222
kulczynsky, *Amaurobius* 139
 kuldzha, Gnaphosa 169
 kulsaryensis, Alopecosa 117
 kulsaryensis, Caspicosa 120
 kumadai, Cyclosa 108
 kumadai, Ebelingia 191
 kunashirensis, Clubiona 157
 kunashirensis, Cybaeus 143
 kungei, Tchatkalophantes 92
 kungurica, Alopecosa 117
 kuraicus, Asianellus 203
 kurchak, Gnaphosa 169
 kurchumensis, Acantholycosa 113
 kurenshchikovi, Ceratinella 49
 kurenshchikovi, Clubiona 157
 kurenshchikovi, Asthenargoides 44
 kurenshchikovi, Tibiopluides 94
 kurgan, Parasyrisca 177
 kurile, Oreoneta 77
 kurilensis, Anyphaena 151
 kurilensis, Clubiona 157
 kurilensis, Dolomedes [n.dub.] 134
 kurilensis, Nippononeta 75
 kurilensis, Xysticus 198
 kurtchevae, Asthenargoides 44
 kusnetsovi, Dysdera 18
 kuzgi, Xysticus 198
 kyzylart, Parasyrisca 177
- labradorensis, Xysticus 198
Labulla 65
 labyrinthica, Agelena 137
 lacertosus, Drassodes 165
Laches 161
Lachesana 161
Lachesis 161
laesa, *Erigone* 89
 laeta, Dictyna
 laeta, Euryopis 29
 laeta, Nigma 149
 laetabunda, Evarcha 207
laetabunda, *Lycosa* 133
 laetabunda, Zyuzicosa 133
 laetus, Xysticus 198
 laevigatus, Mimetus 22
 lagodechiensis, Arctosa 119
lagodechiensis, *Leptyphantes* 92
lagodechiensis, *Pardosa* [n.nud.]
lagodekhensis, Bolyphantes 46
lagodekhensis, *Leptyphantes* 46, 92
 laimonasi, Agyneta 40
 lalandei, Xysticus 198, 200
 lama, Pisaura 135
 lamellaris, Bolyphantes 46
- lamperti, Tricca 131
 lanatus, Thanatus 188
 lanatus, Trichoncus 95
 lancearius, Allotiso 42
 lancearius, Coreodrassus 164
 lanceolatus, Thanatus 188
 lanchowensis, Philodromus 186
 langei, Clubiona 157
Langona 209
 laniger, Aelurillus 202
 lanigera, Pseudeuophrys 216
 lanio, Xysticus 198
 lapidinarum, Tegenaria 141
 lapidarius, Xysticus 198
lapidicola, *Trochosa* 132
lapidicolens, *Cheiracanthium* 155
 lapidosus, Drassodes 165
 lapponica, Aculepeira 104
 lapponica, Arctella 145
lapponica, *Eboria* 88
lapponica, *Evarcha* 213
 lapponica, Pardosa 126
 lapponicus, Pellenes (Pelpaucus) 213
 lapponicus, Semljicola 88
 lapponum, Gnaphosa 169
 laptevi, Pelecopsis 80
 laeae, Sibirianor 217
laricetorum, *Lasiargus* 65
laricetorum, *Incestophantes* 63
Larinia 109
Larinioides 110
 larisae, Mogrus 211
Lasaeola 29
 lasciva, Pardosa 126
 lascivum, Cheoracanthium 154
 lasiargoides, Paraglyphesis 79
Lasiargus 65
 lata, Dysdera 18
 latebricola, Aelurillus 202
 latebricola, Gongyliidellum 58
latebricola, *Leptyphantes* 73
latens, *Brigittea* 146
 latens, Dictyna 146
latens, *Harmochirus* 217
 latens, Sibirianor 217
lateralis, *Runcinia* 194
lateralis, *Xysticus* 198
 latericia, Clubiona 157
Lathys 148
 laticeps, Cetonana 160
laticeps, *Xysticus* 197
latidens, *Salticus* 217
 latidentatus, Salticus 217
 latifasciata, Alopecosa 117
latifasciata, *Lycosa* 116
 latifolius, Takayus 35
 latifrons, Diplocephalus 52
 latimana, Enoplognatha 27
latisepta, *Lycosa* 126
 latitabundus, Xysticus 198
latitans, *Melanophora* 167
 latitans, Piratula 130
Latithorax 87
 latithorax, Tarsiphantes 92
latithorax, *Typhochrestus* 92
lativela, *Porrhomma* 83
- latreillei*, *Lycosa* 114
latreillei, *Zelotes* 182
Latrodectus 30
latus, *Latithorax* 88
 latus, Semljicola 88
 laudatus, Micrargus 71
 laura, Pardosa 126
 lautus, Maro 68
 lavrosiae, Eresus 22
 lea, Tetragnatha 103
lectus, *Xysticus* 196
 leechi, Thaleria 93
 lehtineni, Devade 146
 lehtineni, Lycosoides 139
 lehtineni, Malthonica 140
 lehtineni, Styloctetor 90
 lehtineni, Titanoecca 151
 lencoranica, Malthonica 140
lencoranicus, *Aranea* 104
lenensis, *Apollophanes* 184
 lentiginosa, Pterotricha 178
 lenzi, Micaria 174
 leopardus, Arctosa 119
lepechini, *Epeira* 109
lepida, *Agelena* 138
 lepida, Benoitia 138
 lepida, Harpactea 20
 lepida, Walckenaeria 99
 lepidus, Chalcoscirtus 204
lepidus, *Leptyphantes* 39
 lepidus, Maro 68
 lepidus, Philodromus 186
lepidus, *Synageles* 220
 lepnevae, Xysticus 198
 leporina, Gnaphosa 169
 leprosus, Leptyphantes 66
Leptyphantes 38, 39, 41, 42, 50, 51, 54, 57, 62, 63, 64, 65, 68, 70, 73, 75, 77, 78, 81, 85, 92, 97
 leptyphantiformis, Formiphantes 57
Leptodrassex 173
Leptodrasus 173, 173
Leptonetela 14
Leptorchestes 209
Leptorhoptrum 66
Leptothrix 66
 lesserti, Drassodes 165
Lessertia 66
lessertiana, *Pardosa* [n.nud.] 134
Lessertiella 47
Lessertinella 67
lestus, *Attus* 219
lestus, *Xysticus* 198
Leucauge 101
 leucocephala, Arctosa 119
 leucoplagiata, Mysmena 38
leuwenhoekii, *Aranea* 110
leviceps, *Erigone* 61
 leviceps, Oreoneta 77
Leviellus 10
 levii, Agyneta 40
 levii, Cercidia 107
 levii, Euryopis 29
 levii, Scotinotylus 87
 levinae, Acantholycosa 113
 levis, Neon (Dicroneon) 212

- levitarsis, *Centromerus* 48
 levyi, *Agelescape* 137
liachviana, *Clubiona* 155
liaoningensis, *Titanoeca* 151
libidinosum, *Dicymbium* 51
licenti, *Alopecosa* 117
licenti, *Gnaphosa* 169
licenti, *Oxyopes* 135
licenti, *Pardosa* 126
Lidia 67
lignaria, *Acantholycosa* 113
lignaria, *Pardosa* 113
liguriensis, var. of *Lycosa radiata* 122
ligurinum, *Micrommata* 184
liliputa, *Steatoda* [n.nud.] 37
limbata, *Agelena* 137
limbata, *Uroctea* 23
limbatinella, *Neriene* 74
limbatus, *Attus* 223
limbatus, *Dolomedes* 134
limbatus, *Pellenes* (*Pelpaucus*) 213
limbatus, *Philodromus* 186
limbatus, *Xysticus* 197
limitanea, *Dysdera* 18
limnaca, *Carorita* 46
lindbergi, *Nesticus* 25
lindholmi, *Dipoena* 27
linea, *Phintella* 214
lineata, *Agracina* 152
lineata, *Phyllonethis* 28
lineata, var. of *Tarentula solivaga* 118
lineatipes, *Thanatus* 188
lineatus, *Oxyopes* 135
lineatus, *Stegodyphus* 22
lineatus, *Stemonyphantes* 90
lineatus, *Tibellus* 189
lineatus, *Xysticus* 198
lineiventris, *Heliophanus* 208
lineolatus, *Sitticus* 219
lingualis, *Oreonetides* 77
Linyphia 57, 67, 71, 74
Liocranoeca 153
Liocranum 153, 153
listeri, *Pachygnatha* 102
listeri, *Pisaura* 135
Lithyphantes 34
litterata, *Zilla* 112
littoralis, *Sitticus* 219
litvinovi, *Alopecosa* 117
liupanensis, *Neriene* 74
livens, *Diaea* 190
lividus, *Drassodes* 165
lividus, *Robertus* 33
ljovuschkini, *Carpathonesticus* 25
ljovuschkini, *Iberina* (?) 144
ljovuschkini, *Nesticus*
lobata, *Argiope* 107
locketi, *Dactylopiastes* 50
loeffleri, *Xysticus* 198
lofortensis, *Lepthyphantes* 78
logunovi, *Acantholycosa* 113
logunovi, *Asthenargoides* 44
logunovi, *Cebrennus* 184
logunovi, *Ceratinopsis* 90
logunovi, *Clubiona* 157
logunovi, *Emblyna* 148
logunovi, *Harpactea* 20
logunovi, *Incestophantes* 63
logunovi, *Mughiphantes*
 (*Mughiphantes*) 73
logunovi, *Oreoneta* 77
logunovi, *Pardosa* 126
logunovi, *Parasyrisca* 177
logunovi, *Pellenes* (*Pelmultus*) 213
logunovi, *Phlegra* 215
logunovi, *Piratula* 130
logunovi, *Steatoda* [n.nud.] 37
logunovi, *Xysticus* 198
longicephalus, *Tibellus* 189
longicornis, *Wubanooides* 100
longicymbia, *Alopecosa* 117
longicymbius, *Philodromus* [n.nud.] 189
logunovi, *Styloctetor* 90
longidens, *Tapinopa* 92
longimana, *Tegenaria* 141
longimanus, *Tiso* 94
longipalpis, *Amaurobius* 150
longipalpis, *Erigone* 55
longipalpis, *Philodromus* 186
longipedella, *Neriene* 74
longipes, *Asiohahnia* 143
longipes, *Hoplopholcus* 15
longipes, var. of *Sosticus loricatus* 179
longipes, *Zelotes* 182
longirostris, *Dysdera* 18
longissima, *Kaestneria* 64
longispinus, *Coelotes* 142
longispinus, *Drassodes* 165
longispinus, *Urocoras* 142
longisulcus, *Typhochrestus* 97
longiuscula, *Marpissa* 210
longiventris, *Herbiphantes* 60
longjiangense, *Porhomma* 83
longus, *Mecynargus* 69
Lophocarenum 80
Lophomma 67
loricata, *Dysderina* 21
loricatulata, *Sihlouettella* 21
loricatus, *Sosticus* 179
loricatus, *Scotophaeus*
Loxosceles 14
lubricus, *Mesiotelus* 153
lucida, *Altella* 145
lucifuga, *Gnaphosa* 169
lucina, *Singa* 112
lucorum, *Trochosa* 132
luctator, *Xysticus* 198
luctinosa, *Pardosa* 126
luctuosa, *Pireneitega* 140
luctuosus, *Xysticus* 198
ludicrum, *Peponocranium* 80
ludovici, *Centromerus* 39
ludovici, *Pardosa* 127
lugubris, *Episinus* 29
lugubris, *Gnaphosa* 169
lugubris, *Latrodectus* 30
lugubris, *Myrmarachne* 211
lugubris, *Ozyptila* 193
lugubris, *Parasyrisca* 177
lugubris, *Pardosa* 126
lugubris, *Trochosa* 132
lunata, *Parasteatoda* 31
lunatum, *Theridion* 31
lunigerus, *Amaurobius* [n.dub.] 150
lunulatus, *Takayus* 35
luppovae, *Phrurolithus* 160
lurida, var. of *Epeira cornuta* 110
lusatica, *Agroeca* 152
lusisi, *Pardosa* 116
lutea, *Misumena* 192
lutea, *Zoropsis* 136
luteipes, *Lepthyphantes* 66
luteocuneata, *Alopecosa* 117
luteolum, *Nenilinium* 74
luteolus, *Bolyphantes* 46
lutescens, *Clubiona* 157
lutescens, *Drassodes* 166
lutescens, *Eucta* 103
lutetiana, *Tricca* 132
lutetianus, *Drassyllus* 167
lutosus, *Aelurillus* 202
lutosus, *Melioreanus* 202
luxurians, *Arctosa* 119
luxurians, *Tegenaria* 141
lyachovi, *Yllenus* 222
Lycosa 122
Lycosoides 139
lyncea, *Malthonica* 140
lyonneti, *Trachyzelotes* 180
lyonneti, *Zelotes*
lyrata, *Epeira* 110
lyrata, *Pardosa* 126
lyrifer, *Robertus* 33
Lysiteles 191
lybarskii, *Clubiona* 157

macacus, *Araneus* 105
Macaria 173
Macaroeis 209
maccooki, *Latrodectus* [n.nud.] 30
maccooki, *Tarentula* [n.nud.] 134
macellus, *Tibellus* 189
macer, *Piniphantes* 81
macer, var. of *Drassodes lapidosus* 165
Macrargus 67
macrochelis, *Enoplognatha* 27
macropalpus, *Apollonophanes* 184
macrophthalmalms, *Mastigusa* 149
macrophthalmalms, *Tuberta* 149
macrophthalmus, *Tetrilus* 149
maculata, *Agroeca* 152
maculata, *Arctosa* 120
maculata, *Euophrys* 206
maculata, *Hersiliola* 23
maculata, *Thalamia* 23
maculata, *Zora* 136
maculatus, *Mermessus* 70
maculatus, *Paratrachelas* 160
maculifrons, *Araneus* 106
maculifrons, *Diplocephalus* 52
maculipes, *Ceratopholcus* 15
maculipes, *Episinus* 29
macullulata, *Hersiliola* 23
maculosa, *Yaginumena* 37

- maeklini*, *Linyphia* 71
maerens, *Cedicoides* 142
maerens, *Tuberta* 144
magaputo, *Oreoneta* 77
magister, *Marpissa* [n.dub.] 210
magnificus, *Bathyphantes* 78
magnificus, *Pacifiphantes* 78
magnum, *Porrhomma* 83
magnus, *Atypus* 11
mainlingensis, *Enoplognatha* 34
mainlingensis, *Steatoda* 34
Maimuna 139
maior, *Bathylinyphia* 44
maior, *Bathyphantes* 44
maior, *Ceratinella* 49
maisa, *Pardosa* 126
maius, *Lysiteles* 191
major, *Dictyna* 147
major, *Pireneitega* 140
makarovae, *Agroeca* 152
makarovae, *Praestigia* 84
makhambetensis, *Synphosus* 179
makhiharai, *Tetragnatha* 103
malefactor, *Heser* 173
malkini, *Trachyzelotes* 180
malmignatus, *Latrodectus* 30
Malthonica 140
mamajevae, *Carpathonesticus* 25
manchurica, *Meta* 101
manchurica, *Sibirocosa* 131
mandibularis, *Drassodes* 166
mandibularis, *Enoplognatha* 27
mandschurica, *Clubiona* 157
mandschurica, *Gnaphosa* 169
mandzhuricus, *Alloclubionoides* 138
Mangzora 111
manicata, *Zora* 136
manmilae, *Perlongipalpus* 81
mansuetus, *Mansuphantes* 68
Mansuphantes 68
manueli, *Pholcus* 15
manytchensis, *Caspicosa* 121
manytchensis, *Trachyzelotes* 180
maracandica, *Clubiona* 157
maracandica, ssp. of *Tetragnatha*
extensa 103
maracandica, *Zaitunia* 14
maracandensis, *Agelena* 137
maracandensis, *Oxyopes* 135
marcgravii, *Evarcha* 206
margarita, *Enoplognatha* 28
margarita, *Neottiura* 30
margaritatus, *Artanes* 185, 189
marginata, *Linyphia* 75
marginatus, *Dolomedes* 134
marginatus, *Menemerus* 211
marginatus, *Tibellus* 189
marginella, *Minicia* 72
mariae, *Alopecosa* 117
mariae, *Enoplognatha* 28
mariae, *Heliophanus* 207
marikovskiyi, *Alopecosa* 117
Marilynia 148
maritima, *Agynta* 39
maritima, *Enoplognatha* 28
maritima, ssp. of *Erigone arctica* 54
maritimum, *Baryphyma* 72
maritimum, *Pseudoporrhomma* 84
maritimum, *Anguliphantes* 42
maritimum, *Arcuphantes* 43
maritimum, *Minyrioloides* 72
maritimus, *Tibellus* 189
marmorata, *Clubiona* 157
marmoratus, *Philodromus* 186
marmoratus, ssp. of *Philodromus*
aureolus 186
marmoratus, *Xysticus* 198
marmoreus, *Araneus* 105
Maro 68
Marpessa 209
Marpissa 209, 210
martensi, *Chalcoscirtus* 204
martensi, *Dysdera* 18
martensi, *Harpactea* 20
martynovae, *Zaitunia* 14
martynovae, *Zodarion* 162
marusiki, *Artanes* 185
marusiki, *Clubiona* 157
marusiki, *Diplocephalus* 52
marusiki, *Hilaira* 60
marusiki, *Mughiphantes*
(Mughiphantes) 73
marusiki, *Parasyrisca* 177
marusiki, *Parawubanooides* 73
marxi, *Satilatlas* 85
mascula, *Aprifrontalia* 42
Masikia 68
Maso 69
Mastigusa 149
masurae, *Pardosa* 126
maxillosa, *Tetragnatha* 103
mayumiae, *Clubiona* 157
mayumiae, *Walckenaeria* 99
mazandarunica, *Clubiona* 157
mazini, *Dysdera* 18
mazurae, *Drassodes* 166
mcheidzeae, *Clubiona* [n.nud.] 159
mcheidzeae, *Gnaphosa* 169
mcheidzeae, *Harpactea* 20
mcheidzeae, *Lepthyphantes* 92
Mecopisthes 69
Mecynargoides 69
Mecynargus 69
media, *Entelecara* 54
medica, *Lycosa* 122
mediocris, *Coelotes* (*Coelotes*) 138
mediocris, *Epeira* 107
mediocris, *Parapeleopsis* 79
mediocris, *Thanatus* 188
mediterranea, *Enoplognatha* 27
mediterraneus, *Robertus* 33
medius, *Atypus* 11
medius, "Drassodes" 166
medius, *Philodromus* 187
medvedevi, *Alopecosa* 117
medvedevi, *Yaginumaella* 221
Megalephyphantes 70
Meioneta 39
melanocephala, *Singa* 112
melanocephala, *Ussurigone* 97
melanocephala, *Walckenaeria* 98
melanocephala, *Wideria* 98
melanogaster, *Dipoena* 27
Melanophora 180
melanopleuros, *Linyphia* [n.dub.] 67
melanopygius, *Ostearius* 78
melanotarsus, *Attus* 203
melanurum, *Theridion* 36
melinus, *Heliophanus* 208
Melioranus 202
melloteei, *Heriaca* 191
melo, *Epeira* 109
memorialis, *Leptodrassex* 173
menardi, *Meta* 101
mendica, *Erigone* 59
Mendoza 210
Menemerus 210
Mengea 41
mengei, *Argenna* 145
mengei, *Hahnia* 144
mengei, *Meta* 102
mengei, *Metellina* 102
mengei, *Panamomops* 79
mengei, *Pelecopopsis* 80
mengei, *Tenuiphantes* 93
mengei, *Trichopterna* 80
merens, *Evansia* 56
merianae, *Meta* 102
merianae, *Metellina* 102
meridiana, *Tarentula* 115
meridionalis, *Asagna* 26
meridionalis, *Oedothorax* 76
meridionalis, *Piratula* 131
Mermessus 70
meronensis, *Thanatus* 188
mesasiatica, *Agynta* 40
Mesasiagone 70
meschetiensis, *Dysdera* 18
Mesiotelus 153
Meta 101
metallicus, *Heliophanus* 208
Metapanamomops 70
Metellina 101
metellus, *Camillina* 164
Metleucauge 102
Metopobatrax 70
micans, *Chalcoscirtus* 204
Micaria 173
Micariolepis 173
Micariosoma 160
michailovi, *Chalcoscirtus* 204
michailovi, *Evarcha* 207
Micrargus 71
microcavense, *Porrhomma* 83
Microcentria 51
Microctenonyx 71
Microfillistata 13
Microlinyphia 71
Micrommata 184
Microneta 71
microphthalmum, *Porrhomma* 83
microps, *Gnaphosa* 170
microps, *Porrhomma* 83
microsapporensis, *Clubiona* 157
Microstrandina 79
microstrandinooides, *Panamomops*
[n.nud.] 101
micrura, *Raveniola* [n.nud.] 13

- Micryphantes** [n.dub.] 72
Miftengris 72
 mikhailovi, Alopecosa 117
 mikhailovi, Pardosa 127
 mikhailovi, Parasyrisca 177
 mikhailovi, Talanites 179
 mikhailovi, Thanatus 188
 mikhailovi, Zelotes 182
 mildei, Cheiracanthium 154
miles, *Heliophanus* 208
 milleri, Marpissa (Marpissa) 210
 milleri, Palliduphantes 78
Milleriana 59
 millidgei, Scotinotylus 87
 millidgei, Wabasso 98
Millidgeolus 50
mima, *Gnaphosa* 168
Mimetus
 minaretifer, Erigonoplus 56
 mineevi, Oreoneta 77
 mingrelica, Ozyptila 193
 miniata, Xerolycosa 133
 miniatus, Micryphantes [n.dub.] 72
Minicia 72, 91
 minimus, Phrurolithus 160
 minor, Centromerus 48
 minor, Haplodrassus 172
 minor, Pelecopsis 80
 minor, Trachelas 161
 minor, Xysticus 199
minoranskyi, *Evippa* [n.nud.] 133
minoranskyi, *Micaria* [n.nud.] 184
Minosia 175
Minosiella 176
minshana, *Phoroncidia* 31
minusculus, *Drassodes* 172
 minuta, Hilaira 60
 minuta, Phoroncidia 31
 minuta, Talavera 221
 minuta, Titanoecca 151
 minutipalpis, Mecynargus 69
 minutissima, Archaeodictyna 145
 minutissima, Theonoe 35
 minutissimus, Heliophanus [n.dub.] 208
 minutus, Chalcoscirtus 204
 minutus, Lepthyphantes 66
 minutus, Maro 68
minutus, *Pholcus* 16
minutus, *Pronous* 111
Minyrioloides 72
Minyriolus 72
Mioxena 72
 mira, Mesasigone 70
mira, *Raveniola* [n.nud.] 13
 mirabilis, Dactylopiastes 50
 mirabilis, Diplocephalus 52
mirabilis, *Erigone* 60
 mirabilis, Pisaura 135
 mirabilis, Pseudohilaira 84
 mirabilis, Yllenus 222
 miracula, Pseudocyba 84
 miranda, Devade 146
 mirandus, Sitticus 219
 mirandus, Turkozolotes 180
 mirandus, Yllenus 222
 mirificus, Dactylopiastes 50
 mirus, Drassodes 166
 misera, Aphileta 42
Misumena 192
Misumenoides 192
Misumenops 190, 191, 192
 mithridatis, Harpactea 20
 mitis, Emblyna 147, 148
 mitis, Tapinocyba 91
 mitrata, Walckenaeria 99
 mixta, Pardosa 127
mlokosiewitschi, var. of *Epeira mugana* [n.nud.] 113
 m-nigrum, Aelurillus 202
 moderatus, Haplodrassus 172
 modesta, Harpactea 20
modesta, *Micaria* 175
 modestior, Gnaphosa 170
Moebelia 72
Moebelotinus 73
 moesta, Gnaphosa 170
Mogrus 211
 mogera, Howaia 25
 molarius, Philodromus 187
 molendaria, Nomisia 176
 molesta, Euophrys 206
 molesta, Lidia 67
molestus, *Troglohyphantes* 67
mollicula, *Erigone* 49
 mollis, Agyneta 40
 molo, Chalcoscirtus 204
Momius 145
Monaeses 192
 mongolensis, Oedothorax 76
 mongolensis, Silometopoides 88
 mongolica, Agroeca 152
 mongolica, Agyneta 40
 mongolica, Emblyna 148
 mongolica, Evarcha 207
 mongolica, Gnaphosa 170
 mongolica, Hilaira 60
mongolica, *Pardosa* 128
 mongolica, Xerolycosa 133
Mongolicosa 122
 mongolicus, Araneus 105
 mongolicus, Thanatus 188
 mongolicus, Xysticus 199
 mongolicus, Yllenus 222
 mongunica, *Micaria* 175
Monocerellus 73
 monoceros, Acartauchenius 38
monoceros, *Prosopotheca* 99
 monoceros, Walckenaeria 99
 monstrabilis, Enoplognatha 28
 monstrabilis, Sitticus 219
montana, *Clubiona* 157
 montana, Gnaphosa 170
 montana, Hahnna 144
 montana, Neriene 74
 montana, Parazygiella 111
 montana, Tetragnatha 103
 montaneous, Diplocephalus 52
montanouralensis, *Improphantes* 63
montanouralensis, *Lepthyphantes* 63
 montanum, Cheiracanthium 154
montanum, *Porrhomma* 83
 montanum, Canalidion 26
 montanus, Diplocephalus 52
montanus, *Diplocephalus* 52
 montanus, Haplodrassus 172
 montanus, Monocerellus 73
 montanus, Palliduphantes 78
 montanus, Pirata 130
montanus, *Proxysticus* [n.nud.] 201
 monticola, Anguliphantes 42
 monticola, Cyclosa 108
 monticola, Drassodes 166
 monticola, Mecynargus 69
 monticola, Paraglyphesis 79
 monticola, Pardosa 127
 monticola, Talavera 221
 monticola, Zaitunia 14
montigena, *Hilaira* 77
montivaga, ssp. of *Lycosa riparia* 129
 mordax, Enoplognatha 28
 mordax, Heliophanus 208
mordax, *Linyphia* 67
 mordkovitchi, Acantholycosa 113
 moriutii, Alopecosa 117
 morosa, Pardosa 127
 morosum, Zodarion 162
 morosus, Tenuiphantes 93
 morsei, Synageles 220
 morulus, Mecynargus 69
 mossica, Agyneta 40
mugana, *Epeira* [n.nud.] 113
 muganica, Aelurillus 202
 mughi, Mughiphantes (Mughiphantes) 73
Mughiphantes 73
 mugur, Xysticus 199
 multesimus, Macrargus 67
multopunctata, *Aranea* 110
 mundus, Zelotes 182
 muralis, Atypus 11
 murcidum, Gongyliidiellum 58
 murgabicus, Yllenus 223
murmanicola, *Lepthyphantes* 78
 muscorum, Gnaphosa 170
muscorum, *Heliophanus* 207
 muscosa, Marpissa (Marpissa) 210
Mustelicosa 123
mustelina, *Euryopis* 32
 mustelinum, Phycosoma 32
 mutabilis, Alopecosa 117
 mutabilis, Salticus 217
 mutinensis, Cresmatoneta 50
 muzkolica, Pardosa 127
 mykolai, Clubiona 157
Myrmarachne 211
 myrmicarum, Syedra 91
Mysmena 38
Mysmenella 38
mystacea, *Erigone* [n.nud.] 101
 mystaceum, Theridion 36
 mysticus, Philodromus 187
 nabozhenkoi, Berlandina 164
 nachitschevanica, Harpactea 20
 nakhschivanica, Malthonica 140
 nadiiae, Ambika 22

- nadiae*, *Oecobius* 22
nadiae, *Uroctea* 22
nadolnyi, *Sibirocosa* 131
naevia, *Agelena*
nana, *Anemesia* [n.nud.] 12
nanus, *Canariphantes* 46
napolovi, *Alloclubionoides* 138
narbonensis, *Lycosa* 122
Narcissius 89
narymica, *Pardosa* 127
narynica, *Parasyrisca* 177
nasutus, *Nusoncus* 75
nasutus, *Troxochrus* 75
natali, *Drassodes* 166
nataliae, *Aituaria* 24
nataliae, *Clubiona* 157
nataliae, *Pellenes* [n.nud.] 223
nataliae, *Xysticus* 199
nava, *Hahnia* 144
navus, *Oecobius* 23
naxcivanicus, *Philodromus* 187
Neaetha 211
nebulosa, *Pardosa* 127
nebulosoides, *Megalephyphantes* 70
nebulosus, *Megalephyphantes* 70
nebulosus, *Philodromus* [n.nud.] 189
necessaria, *Janetschekia* 64
neglecta, *Clubiona* 157
neglectum, *Theridion* 36
neglectus, *Drassodes* 166
neglectus, *Mogrus* 211
neglectus, *Robertus* 33
Nematogmus 74
nemoralis, *Glyphesis* 57
nemoralis, *Parapelecopsis* 79
nemoralis, *Xerolycosa* 133
nemoralis, *Zora* 136
nenilini, *Aelurillus* 202
nenilini, *Berlandina* 164
nenilini, *Chalcoscirtus* 204
nenilini, *Clubiona* 157
nenilini, *Coelotes* (*Brignoliolus*) 139
nenilini, *Dysdera* 18
nenilini, *Evarcha* 207
nenilini, *Harpactea* 20
nenilini, *Larinia* 110
nenilini, *Lepthyphantes* 66
nenilini, *Oxyopes* 135
nenilini, *Pardosa* 127
nenilini, *Raveniola* [n.nud.] 13
nenilini, *Savignia* 85
nenilini, *Sitticus* 219
nenilini, *Xysticus* 199
nenilini, *Zodariellum* 161
nenilini, *Zodarion* 161
Nenilinium 74
nenjukovi, *Pholcus* 15
nenjukovi, *Tarentula* 133
nenjukovi, *Zyuzicosa* 133
Neoantistea 144
Neon 211
Neoscona 111
Neottiura 30
Neriene 74
nervosum, *Theridion* 32
Neserigone 75
nessovi, *Zyuzicosa* 133
Nesticella 25
Nesticus 24, 25
neta, *Singa* 112
nidicolens, *Dendryphantes* 209
nidicolens, *Eris* 209
nidicolens, *Macaroeiris* 209
nielseni, *Lathys* 148
nigella, *Gnaphosa* 170
niger, *Eresus* 22
nigerrima, *Gnaphosa* 170
Nigma 149
nigra, *Agyneta* 40
nigra, *Gnaphosa* 170
nigra, *Icius* [n.dub.] 209
nigra, *Pardosa* 127
nigriceps, *Heliophanus* 207
nigriceps, *Pardosa* 127
nigriceps, *Tmeticus* 94
nigriculus, *Harmochirus* 218
nigriculus, *Sibianor* 218
nigriculus, *Synageles* 220
nigrifrons, *Singa* 109
nigriloba, *Pelecopsis* 80
nigrinus, *Bathyphantes* 45
nigrispalpis, ssp. of *Oxyopes lineatus* 135
nigripectoris, *Neriene* 74
nigripes, *Agyneta* 40
nigrita, *Euophrys* 204
nigrita, *Ozyptila* 193
nigrita, *Prothesima* 167
nigrita, *Tetragnatha* 103
nigritarsis, *Yllenus* 223
nigritus, *Chalcoscirtus* 204
nigritus, *Heliophanus* 204
nigritus, *Hylyphantes* 61
nigriventris, ssp. of *Synema globosum* 194
nigriventris, *Tenuiphantes* 66, 93
nigriventris, var. of *Lycosa vivax* 132
nigrociliatus, *Pellenes* (*Pelmultus*) 213
nigrolimbatus, *Rugathodes* 33
nigromaculatus, *Mughiphantes* (*Mughiphantes*) 73
nigromaculatus, *Parawubanoides* 73
nigromaculatus, *Thanatus* 188
nigronotatus, *Philodromus* 185
nigroreticulata, *Dipoena* 27
nigrovariegatum, *Heterotheridion* 29
nigrum, *Dicymbium* 51
nikita, *Spinestis* 21
nikolaevi, *Enoplognatha* [n.nud.] 37
nimbata, *Euophrys* [n.nud.] 223
ninae, *Erigonoplus* 56
ninigiorensis, *Pardosa* 127
ninnii, *Dysdera* 18
ninnii, *Xysticus* 199
nipponicum, *Gonatium* 58
nipponicus, *Stemmops* 34
nipponicus, *Thanatus* 188
Nippononeta 75
nishikawai, *Walckenaeria* 99
Nispa 75
Nita 15
nitens, *Heliophanus* [n.dub.] 208
nitidula, *Singa* 112
nitidus, *Improphantes* 63
nitidus, *Zelotes* 182
nivalis, *Hilaira* 60
nivalis, *Titanoeca* 151
nivalium, *Theridium* 30
niveivestis, *Heliophanus* [n.dub.] 208
nivosa, *Micaria* 175
nivoyi, *Marpissa* (*Hycitia*) 210
nobilis, *Mendoza* 210
nocturna, *Callilepis* 164
nodifer, *Lepthyphantes* 66
nodosa, *Walckenaeria* 99
nomas, *Gnaphosa* 170
Nomisia 176
nongae, *Ozyptila* 193
nordica, *Chryso* 26
nordicolens, *Pardosa* 127
nordmanni, *Araneus* 106
nordmanni, *Lycosa* 122
norduralensis, “*Tapinocyba*” [n.nud.] 101
norvegica, *Acantholycosa* 113
norvegica, *Clubiona* 157
norvegica (?), *Lycosa* 114
norvegicum, *Porrhomma* 83
norvegicus, *Xysticus* 196
notabilis, *Alopecosa* 117
notata, *Philoica* 153
notatum, *Theridion* 32
Notiogyne 75
Notioscopus 75
novicia, *Pisaura* 135
nowickii, *Tetragnatha* 103
nubigena, *Hilaira* 60
nubilus, *Xysticus* 199
Nuctenea 111
nudipalpis, *Trachynella* 99
nudipalpis, *Walckenaeria* 99
nunamo, *Porrhomma* 82
nurataus, *Yllenus* 223
Nurscia 150
Nusoncus 75
nutrix, *Cheiracanthium* 154
obesus, *Xysticus* 199
oblector, *Tmarus* 195
oblitus, *Porrhomma* 83
oblongiusculus, *Paratibellus* 188
oblongiusculus, *Thanatus* 188
oblongus, *Heriaeus* 191
oblongus, *Tibellus* 189
obscura, *Holminaria* 61
obscura, *Marpissa* 210
obscura, *Titanoeca* 151
obscura, var. of *Anyphaena accentuata* 151
obscurimagna, *Phlegra* 215
obscurior, var. of *Xysticus acerbus* 195
Obscuriphantes 75
obscurus, *Cnephalocotes* 49
obscurus, *Obscuriphantes* 75
obscurus, *Xysticus* 199
obsoleta, *Alopecosa* 117

- obsoleta, Pseudeuophrys 216
 obsoleti, Philodromus 187
obsoletus, *Philodromus* 187
 obtusa, Tetragnatha 103
obtusa, *Trachynella* 99
 obtusa, Walckenaeria 99
 obtusus, Incestophantes 63
 obustus, Amaurobius 150
 obyдови, Dictyna 147
 occidentalis, ssp. of *Gnaphosa lugubris* 169
 occultus, Zelotes 182
 ocellata, Arctosa 120
ocellatus, *Araneus* 110
 ocellata, Cyrba 205
ochracea, *Epeira* 108
Octonoba 24
 oculata, Cyclosa 108
 oculatus, Eusparassus 184
Oculicosa 123
Oculocornia 76
 odenwalli, Pardosa 127
 odesanensis, Clubiona 157
Odontodrassus 176
 odontophora, Pelecopsis 80
Oecobius 23
Oedothorax 76
 oelandica, Enoplognatha 28
 oeroegensis, Arachosinella 43
ohlerti, *Achaearanea* 30
ohlerti, *Hahnia* 144
 ohlerti, Ohlertidion 30
Ohlertidion 30
Oia 76
 oideicata, Neriene 74
Oidia 56
okhotensis, *Ceratinopsis* 90
 okhotensis, Styloctetor 90
Okhotigone 76
 oksalai, Pardosa 127
 okumai, Cyclosa 108
olearii, *Salticus* 217
 oleatus, Thymoites 37
olgae, *Alopecosa* [n.nud.] 133
 oligerae, Acantholycosa 114
 oligerae, Clubiona 157
 oligerae, Gnaphosa 170
Olios 184
 olivacea, Agyneta 40
 oljunae, Pardosa 127
 olympi, Zelotes 182
 omisa, Entelecara 54
 omoeda, Gibbaranea 109
 onager, Evippa 121
 oncognathum, Cheiracanthium 154
 ononidum, Hahnia 144
 ontchalaan, Asianellus 203
 onustus, Thomisus 194
Oonops 21
 opaca, Gnaphosa 170
 opilionoides, Pholcus 15
 opiphex, *Alopecosa* [n.dub.] 117
 opisthographa, Araniella 107
 opulenta, Theridula 36
 orbiculatum, Peponocranium 80
 orduense, Gongyliidellum 58
 orenburgensis, Zelotes 182
Oreoneta 76
Oreonetides 77
oreophilus, *Xysticus* [n.nud.] 201
 orientale, Cheiracanthium 154
orientalis, *Acantholycosa* [n.nud.] 133
 orientalis, Agelena 137
 orientalis, Ceraticelus 49
orientalis, *Ceratinopsis* 90
orientalis, *Chalcoscirtus* [n.nud.] 223
orientalis, *Dictyna* 149
 orientalis, Drassodes 166
 orientalis, Heriaeus 191
orientalis, *Lycosa* 127
 orientalis, Mecopisthes 69
orientalis, *Meta* 102
 orientalis, Metellina 102
 orientalis, Oculocornia 76
 orientalis, Ozyptila 193
orientalis, *Pseudicicus* 216
orientalis, ssp. of *Clubiona congenilis* 155
 orientalis, Synaphris 38
 orientalis, Thaleria 93
 orientalis, Trichoncus 95
orientalis, var. of *Araneus victoria* 104
 orientalis, var. of *Ocyale mirabilis* 135
 orientalis, Walckenaeria 99
 orientalis, Zornella 101
 orientis, Bathyphantes 45
 orientus, Tibellus 189
 orites, Gnaphosa 170
 orites, Parasyrisca 177
 ornata, Agroeca 152
ornata, *Raveniola* [n.nud.] 13
 ornatum, Synema 194
ornatus, *Phrurolithus* 34
Orthobula 160
Oryphantes 77
 osa, Alopecosa 117
 osakaensis, Ummeliata 97
 osellai, Alopecosa 117
 oseticus, Sintula 89
Ostearius 78
 otmek, Parasyrisca 177
 ovidan, Xysticus 199
 ovalis, Mansuphantes 68
 ovata, Enoplognatha 28
ovatum, *Theridion* 28
 ovatus, "Micryphantes" [n.dub.] 72
 ovcharenkoi, Xysticus 199
 ovchinnikovi, Dendryphantes 205
 ovchinnikovi, Gnaphosa 170
ovsjannikovi, *Theridula* 26
 ovtchinnikovi, Haplodrassus 172
 ovtchinnikovi, Mughiphantes (Aurantiphantes) 73
 ovtchinnikovi, Pacifantistea 144
 ovtchinnikovi, Pardosa 127
 ovtchinnikovi, Pireneitega 140
Ovtchinnikovia 150
Ovtsharenkoia 24
oxycephala, *Erigone* 59
Oxyopes 135
Oxyptila 192
Oxytate 192
Ozyptila 190, 192
 pabulator, Centromerus 48
pachyderma, *Cercidia* 109
Pachygnatha 102
Pacifantistea 144
 pacifica, Epibellowia 54
 pacificum, Gonatium 58
 pacificus, Asiophantes 44
 pacificus, Centromerus 48
 pacificus, Tibioplodes 94
Paciphantes 78
 packardi, Aculepeira 104
 paetulus, Mecynargus 69
 pagana, Malthonica 140
 paganus, Asthenargus 44
Paidiscura 31
 paiki, Alloclubionoides 138
 paiki, Clubiona 157
 paironica, Parasyrisca 177
 palaeartica, ssp. of *Erigone arctica* 54
palaeformis, *Lepthyphantes* 46
 palaearticus, Synaphosus 179
 palgongsanensis, Agyneta 40
 palilis, Pityohyphantes 82
 pallasi, Araneus 106
 pallasi, Theridion 36
 pallens, Paidiscura 31
 pallens, ssp. of *Philodromus cespitum* 186
 pallens, Tapinocyba 91
pallens, *Theridion* 31
pallescens, *Linyphia* 59
 palliardi, Scotina 153
 pallida, Frontella 57
pallida, *Hersiliola* 24
 pallida, Holminaria 61
 pallida, Micaria 175
 pallida, Mimicia 72
pallida, *Misumena* [n.nud.] 201
 pallida, Ovtsharenkoia 24
 pallida, Poecilonea 82
 pallida, Proislandiana 84
pallida, *Raveniola* [n.nud.] 13
 pallidula, Clubiona 158
 pallidula, Langona 209
pallidulus, *Centromerus* 68
 pallidum, Porrhomma 69, 83
pallidum, *Rhaebothorax* 69
Palliduphantes 78
 pallidus, Amaurobius 150
pallidus, *Artanes* 186
 pallidus, Latrodectus 30
 pallidus, Palliduphantes 78
 pallidus, Tessamoro 93
pallidus, *Thanatus* 187
 pallipes, Micaria 175
palmgreni, *Araneus* [n.nud.] 112
 palmgreni, Dictyna 147
 palmgreni, Pelecopsis 80
 palmgreni, Theridion 36
 palmgreni, Walckenaeria 99
Palpimanus 21

- palpimirabilis*, Xysticus 199
paludani, *Berlandina* 164
paludicola, *Pardosa* 127
paludosa, *Karita* 65
palustris, *Kikimora* 65
palustris, *Pardosa* 127
palustris, *Xysticus* [n.nud.] 201
pamirica, *Dysdera* 18
pamirica, *Parasyrisca* 177
pamiricus, *Improphantes* 63
pamiricus, *Panamomops* 79
pamiricus, *Pellenes* (*Pelmultus*) 213
pamiricus, *Yllenus* 223
pampia, *Minyrioloides* 88
pampia, *Silometopoides* 88
Panamomops 79
paniscus, *Xysticus* 199
Pannicularia 92
panopeus, *Sisicottus* 89
pansibiricus, *Maro* 68
pantini, *Pardosa* 128
papillata, *Clubiona* 158
paraansobicus, *Chalcoscirtus* 205
Paracedicus 143
Paracoelotes 140
paracolchica, *Pardosa* 128
paradoxa, *Harpactea* 20
paradoxum, *Gonatium* 58
paradoxus, *Hyptiotes* 24
paradoxus, *Momius* [n.nud.] 146
paradoxus, *Monaeses* 192
paradoxus, *Robertus* 33
Paraeboria 79
Paraglyphesis 79
paralaponica, *Pardosa* 128
paralella, *Pelecopsis* 80
paralella, *Zora* 136
paralleloides, *Pelecopsis* 80
parallelus, *Tibellus* 189
parallelus, *Xysticus* 199
paralugubris, *Pardosa* [n.nud.] 134
paramajor, *Dictyna* 147
paramushirensis, *Pardosa* 128
Parapelecopsis 79
paraplumalis, *Acantholycosa* 114
parasaxatilis, *Agyneta* 40
Parasintula 47
Parasisis 79
parasiticus, *Thyreosthenius* 94
Parasteatoda 31
Parasyrisca 176
paratesquorum, *Pardosa* 128
parathoracica, *Enoplognatha* 28
Paratibellus 187
Paratmeticus 80
Paratrachelas 160
Paratrochosina 123
Parawubanoidea 80
Parazodarium 161
Parazygiella 111
pardalis, *Zora* 136
Pardosa 123
pardosina, *Arctosa* 120
parietina, *Tegenaria* 141
parietinus, *Menemerus* 211
pargongensis, *Phrurolithus* 160
pargongensis, *Strandella* 90
parmatus, *Mansuphantes* 68
parthica, *Harpactea* 20
parthorum, *Drassodes* [n.nud.] 183
parthus, *Cedicoides* 142
partita, *Hippasa* 122, 133
parva, *Phintella* 214
parva, *Phlathothrata* 81
parvicollis, *Pelecopsis* 80
parvipalpus, *Stemonyphantes* 90
parvistyla, *Talavera* 221
parvulus, *Bathyphantes* 45
parvulus, *Chalcoscirtus* 205
parvulus, *ssp. of Chalcoscirtus martensi* 204
parvus, *Icius* 214
parvus, *Lepthyphantes* 50
parvus, *Oxyopes* 135
passibilis, *Pardosa* 128
pastor, *Coelotes* (*Coelotes*) 138
pastoralis, *Alioranus* 41
pastoralis, *Alopecosa* 118
pastoralis, *Coelotes* (*Coelotes*) 138
patagiatus, *Heliophanus* 208
patagiatus, *Larinioides* 110
patula, *Argenna* 145
pauper, *Chalcoscirtus* 204
pavlenkoeae, *Yllenus* 223
pavlovskii, *ssp. of Latrodectus pallidus* 30
pavlovskiyi, *Cedicoides* 142
pavlovskiyi, "Pterotricha" 178
pavuk, *Chalcoscirtus* 205
paykulliana, *Steatoda* 34
paykullianus, *Lithyphantes* 34
pectinatus, *Cnephalocotes* 96
pecuensis, *Araneus* 106
Pedanostethus 32
pedestris, *Acantholycosa* 114
pedestris, *Trachyzelotes* 180
pediculatus, *Zelotes* 182
pelasgicum, *Cheiracanthium* 154
Pelecopsis 79, 80
pelikena, *Hilaira* 60
Pelmirus [subgenus] 212
Pelmultus [subgenus] 212
Pellenes 212
Pelpaucus [subgenus] 213
peltata, *Neriene* 75
penicillata, *Moebelia* 72
penicillatus, *Sitticus* 219
pennatus, *Phrurolithus* 160
pennyi, *Cheiracanthium* 154
pentagonicus, *Xysticus* 199
pentheri, *Alopecosa* 118
pentheri, *Artanes* 185
Peponocranium 80
pepticus, *Ipa* 64
Peregrinus 81
perfidus, *Lepthyphantes* 66
perforata, *Clubiona* [n.dub.] 158
perforatus, *Asthenargus* 44
perforatus, *Trematocephalus* 95
perita, *Arctosa* 120
Perlongipalpus 81
permixtus, *Diplocephalus* 52
Pero 81
perogaster, *Xysticus* 200
Perregrinus 81
Perro 81
perseus, *Tenuiphantes* 93
persianus, *Synageles* 220
persimilis, *Centromerus* 48
personata, *Arctosa* 120
pervicax, *Hilaira* 60
petiverii, *Melanophora* 183
petraeum, *Theridion* 36
petrensis, *Talavera* 221
petrensis, *Zelotes* 182
petrobia, *Gnaphosa* 170
petrobia, *Zodarium* 162
petrophila, *Acantholycosa* 114
petrophila, *Kolymocyba* 65
petrophila, *Poecilometes* 82
peusi, *Mecopisthes* 69
Phaeocedus 178
phalangioides, *Pholcus* 15
phalerata, *Asagena* 26
Phalothrix 66
Philaea 214
Philodromus 184, 185
philodromus, *Philodromus* 185
phintella 209, 214
Phlatothrata 81
Phlegra 214
Pholcomma 31
Pholcus 15
Phoroncidia 31
phragmitis, *Clubiona* 158
Phrurolithus 160
phrygianus, *Pityohyphantes* 82
phungiformes, *Pholcus* 15
Phycosoma 31
Phylloneta 32
Phyllonethis 27
Phyxioschema 11
picaceus, *Pseudicius* 216
piccolo, *Pirata* 130
picetorum, *Walckenaeria* 100
picus, *Atypus* 11
picus, *Zelotes* 182
pichoni, *Marpissa* 210
picinus, *Diplocephalus* 52
picta, *Clubiona* 158
picta, *Hahnina* 144
picta, *Lycosa* 120
picta, *Malthonica* 140
pictilis, *Alopecosa* 118
pictilis, *Diaea* 190
pictilis, *Euophrys* 216
pictum, *Theridion* 36
picturata, *Linyphia* 82
pictus, *Neon* 211
pictus, *Philodromus* 187
pictus, *Stemonyphantes* 89
pictus, *Thanatus* 189
piechockii, *Erigone* 55
piger, *Tmarus* 183, 195
pigra, *Allomengea* 41
pilifrons, *Acartauchenius* 43
pilifrons, *Arcterigone* 43
pilipes, *Lasiargus* 65

- pillichi, Palliduphantes 79
 pilosa, Gnaphosa 170
pilosa, *Lycosa* [n.nud.] 134
 pilosus, Scotargus 86
 pilula, Phoroncidia 31
 pinastri, Theridion 36
 pinetorum, Alopecosa 118
 pinguis, Araneus 106
pini, *Dendryphantes* 205
pini, *Praestigia* 84
pini, *Xysticus* 196
 pinicola, Piniphantes 81
 pinicola, Tetragnatha 103
Piniphantes 81
 pinipumilis, Mecynargus 69
 pinipumilis, Perlongipalpus 81
pinnata, *Tarentula* 118
piochardi, *Lycosa* 122
Pirata 130, 130
 piraticus, *Pirata* 130
 piratoides, *Piratula* 131
Piratos 132
Piratula 130
Pireneitega 140
 pirkuliensis, *Pardosa* 128
Pisaura 135
 piscator, *Trichoncoides* 95
 piscatorius, *Pirata* 130
Pistius 194
Pityohyphantes 82
 placidus, *Asthenargus* 44
planiceps, *Alioranus* 41
 plantarius, *Dolomedes* 134
 platnicki, *Chalcoscirtus* 205
 platnicki, *Drassodes* 166
Platnickina 32
Plesiocraerus 51
Plesiophantes 82
Plexippoides 215
Plexippus 215
 plorator, *Synema* 194
 pluchei, *Holocnemus* 15
 plumalis, *Acantholycosa* 114
 plumalis, *Berlandina* 164
 plumipes, *Pardosa* 128
 plumatus, *Piniphantes* 81
 plumipes, *Uloborus* 24
Pocadicnemis 82
pococki, *Anemesia* [n.nud.] 12
 pococki, *Dysdera* 18
 podhorskii, *Pardosa* 128
 podoprigorai, *Malthonica* 140
poecila, *Tarentula* 118
Poecilochroa 173, 178
Poeciloneta 82
 poecilus, *Artanes* 185
 pogonias, *Bathyphantes* 45
 polaris, *Paraglyphesis* 79
 polaris, *Perro* 81
 polchaninovae, *Russocampus* 84
Polenezia 24
polinovi, *Drassus* [n.nud.] 183
polita, *Linyphia* 47
polita, *Walckenaeria* 99
 pomatia, *Marpissa* (*Marpissa*) 210, 223
 pontica, *Aituaria* 24
pontica, *Brachythele* 12
 pontica, *Pardosa* 128
 pontica, *Raveniola* 12
 pontica, *Tegenaria* 141
potnicus, *Carpathonesticus* 24
potnicus, *Nesticus* 24
 ponticus, *Pholcus* 16
popovi, *Icius* 214
 popovi, *Phintella* 214
Porrhomma 82
potanini, *Araneus* 110
 potanini, *Asianellus* 203
 potanini, *Berlandina* 164
potanini, *Evippa* 121
 potanini, *Gnaphosa* 170
 potanini, *Heliophanus* 208
 potanini, *Improphantes* 63
 potanini, *Parasyrisca* 177
potanini, *Phlegra* 203
 potanini, *Zelotes* 182
 potteri, *Agelenopsis* 137
 praiceps, *Peponocranium* 81
 praecincta, *Evarcha* 207
 praecox, *Tapinocyba* 91
 praedatus, *Philodromus* 187
 praedo, *Pirata* 130
 praedonia, *Tetragnatha* 103
 praedonius, *Cithaeron* 163
 praefica, *Titanoeca* 151
 praeficus, *Drassyllus* 167
 praegrandis, *Lycosa* 122
 praelongipes, *Evippa* 121
praelongipes, *Pardosa* 121
 praematura, *Clubiona* 158
Praestigia 83
 pratense, *Baryphyma* 44
 pratensis, *Centromerus* 48
 pratensis, *Herbiphantes* 60
 praticola, *Ozyptila* 192, 193
 prativaga, *Pardosa* 128
 primorica, *Gnaphosa* 170
Prinerigone 84
Pritha 13
 prishutovae, *Zelotes* 164
probatas, *Yllenus* 222
Procerocymbium 84
 procurvus, *Caucasopisthes* 47
Prodidomus 163
prodigialis, *Hybauchenidium* 61
 producta, *Polenezia* 24
 producta, *Savignia* 86
 profuga, *Phlegra* 215
 progressoridens, *Coelotes* (*Coelotes*) 138
Proislandiana 84
 prolata, *Holminaria* 61
 proletaria, *Hilaira* 60
 prominens, *Cercidia* 108
prominens, *Pocadicnemis* 65
 prominula, *Hackmania* 148
 prominulus, *Metopobactrus* 71
 promiscua, *Erigone* 55
 prona, *Lasaeola* 30
Pronoides 111
 propinqua, *Clubiona* 158
 propinqua, *Berlandina* 164
 prosaica, *Pardosa* 128
Prosopotheca 98
 prospiciens, *Archaraeonus* 43
Prothesima 180
Proszynskiana 215
 proszynskii, *Euophrys* 206
 proszynskii, *Evarcha* 207
 proszynskii, *Salticus* 217
 proszynskii, *Zodariellum* 162
proszynskii, *Zodarion* 162
 protervus, *Scotinotylus* 87
 proxima, *Agroeca* 152
 proxima, *Araniella* 107
 proxima, *Gnaphosa* 169
 proxima, *Pardosa* 128
 proximus, *Drassodes* 166
Proxysticus 195
 prudens, *Centromerus* 48
Psammitis 195
psammodes, *Attus* 218
 psammophila, *Alopecosa* 118
 psammophila, *Titanoeca* 151
 pseashcho, *Gnaphosa* 170
Pseudeuophrys 216
Pseudicium 216
 pseudoapricorum, *Zelotes* 182
pseudoblitea, *Ozyptila* 199
 pseudobliteus, *Xysticus* 199
 pseudobrevis, *Pellenes* (*Pelmultus*) 213
 pseudochionophila, *Pardosa* 128
 pseudoclivicola, *Zelotes* 182, 183
 pseudocollinus, *Megalephyphantes* 70
 pseudocourtauldi, *Pseudicium* 216
 pseudocrassilobus, *Diplocephalus* 52
 pseudocristatus, *Xysticus* 199
 pseudocuneata, *Alopecosa* 118
Pseudocyba 84
 pseudogallicus, *Zelotes* 182, 183
 pseudogermanica, *Clubiona* 157, 158
Pseudohilaira 84
 pseudoinfirmus, *Chalcoscirtus* 205
 pseudolapponica, *Pardosa* 128
 pseudoleopardus, *Arctosa* 120
 pseudoleporina, *Gnaphosa* 170
 pseudolesserti, *Drassodes* 166
 pseudoluctuosus, *Xysticus* 199
pseudolugubris, *Pardosa* 123
 pseudolyncea, *Malthonica* 140
 pseudoneglecta, *Clubiona* 158
 pseudoobscurus, *Obscuriphantes* 75
Pseudoporrhomma 84
 pseudosaxatilis, *Agynta* 40
 pseudosaxatilis, *Clubiona* 158
 pseudosaxetorum, *Caviphantes* 47
 pseudosimilis, *Clubiona* 158
 pseudosignifer, *Haplodrassus* 172
 pseudovalidus, *Yllenus* 223
Pseudowubana 84
 pshartica, *Parasyrisca* 177
Psilochorus 16
 psychrophila, *Erigone* 55
Pterotricha 178
Ptocasius 216

- pubescens, Drassodes 166
 pubescens, Sitticus 219
 pubiventris, Larinia 110
 puella, Nigma 149
 pugil, Anyphaena 152
 pugnans, Haplodrassus 172
pulchellum, Theridion 26
 pulchellus, Anelosimus 26
 pulchellus, Sitticus 219
 pulcher, Oonops 21
 pulcher, Pelles (Pelmirus) 212
 pulcherrima, Micaria 175
pulcherrima, Zilla [n.nud.] 113
 pulchra, Mendoza 210
pulicaria, Erigone 71
 pulicaria, Micaria 175
 pulla, Marpissa (Marpissa) 210
pullata, Agroeca 152
 pullata, Kaestneria 64
 pullata, Ozyptila 193
 pullata, Pardosa 128
pullata, Stylophora 64
 pullatus, Phrurolithus 160
pullus, Harmochirus 218
 pullus, Sibianor 218
 pulverulenta, Alopecosa 118
 pumila, Pocadicnemis 82
 pumilus, Drassyllus 167
 punctata, Dysdera 17, 18
punctata, Gnaphosa 170
punctata, Hilaira 61
 punctata, Oreoneta 77
 punctatum, Lophomma 67
punctifera, Chryso 26
punctipes, Tetragnatha 103
 puncturium, Cheiracanthium 154
 punctulatus, Bolyphantes 46
punctulatus, Lepthyphantes 46
punicum, Theridion 34
 purbeckensis, Pardosa 123, 128
 puritanus, Zelotes 183
 purvus, Doenitzius 53
 pusilla, Dictyna 147
 pusilla, Hahnia 144
pusilla, Microcentria 51
 pusilla, Microlinyphia 71
 pusilla, ssp. of Pardosa hyperborea 125
pusilla, Tegenaria 140
 pusillus, Drassyllus 167
 pusillus, Heterotrichoncus 60
 pusillus, Hypsocephalus 62
 pusillus, Minyriolus 72
pusio, Bathyphantes 45
 puta, Ambika 23
puta, Lathys 148
 putoranica, Perro 81
 putoranicum, Viktorium 97
pygmaea, Dictyna 145
 pygmaea, Hypsosinga 109
pygmaea, Micaria 174
 pygmaeum, Porrhomma 83
 pygmaeus, Phrurolithus 160
 pygmaeus, Tapinocyboides 91
 pygmaeus, Xysticus 199
 pygmaeus, Zelotes 183
 pyramidatus, var. of Araneus marmoreus 105
pyratica, Epeira 104
Pythonissa 168
 quadratus, Araneus 106
 quadrifasciatus, Attus [n.dub.] 203
 quadriguttata, Titanoecca 151
 quadrimaculata, Pachygnatha 102
quadrimaculatus, Lepthyphantes 64
 quadripunctata, Enoplognatha 28
 quadripunctata, var. of Linyphia pusilla 71
 quadripunctatus, Scotophaeus 178
 quelpartensis, Neoantistea 144
questio, Wabasso 98
 quinqueguttata, Euryopis 29
quinqueguttatus, Latrodectus 30
quinquenotata, Micaria 175
raboti, Pardosa 113
 raddei, Alopecosa 118
 raddei, Dysdera 18
 raddei, Parazodarion 161
 raddei, Phyxioschema 11
 radiata, Hogna 122
radiata, Lycosa 122
 radiata, Marpissa (Marpissa) 210
 radiata, Neriene 75
 radiccicola, Pelecopsis 80
Rafalus 216
 rakanum, Porrhomma 83
 ramitus, Synageles 220
 ramosa, Agyneta 40
 ramosus, Oxyopes 135
 ranieri, Sitticus 219
 raptor, Arctosa 120
 raptor, Dolomedes 135
rapulum, Theridion 26
 rauda, Ozyptila 193
Raveniola 12
 ravida, Arctosa 120
 ravidus, Dendryphantes 205
rayi, Araneus 105
 rayi, Neon (Dicroneon) 212
 rayi, Sauron 85
 rayi, Thanatus 189
reaumurii, Araneus 106
recki, Brachythele 12
 recki, Raveniola 12
 reclusa, Clubiona 158
 rectangulata, Diplocentria 51
 rectilineus, Xysticus 199
rectispina, Hahnia 144
recurva, Tetragnatha 103
 redii, Agalenatea 104
redikorzevi, Brachythele 12
 redikorzevi, Prodidomus 163
 redikorzevi, Raveniola 12
redimitum, Theridion 28
refugium, Theridion 35
 regius, Plexippoides 215
 reikhardi, Gnaphosa 171
 reimoseri, Tetragnatha 103
 reinhardti, Theridion 36
 relicta, Tricholathys 149
 relictarius, Sitticus 219
 remota, Erigone 55
 renidens, Arctosa 120
 repetecus, Araneus 106
replicata, Diplocentria 98
 replicatus, Wabasso 98
 reprobus, Bathyphantes 45
 reprobus, Halorates 59
repudiata, Erigone 86
 resslis, Agyneta 40
reticulata, Meta 102
reticulatum, Theridium 30
 reticulatus, Neon (Neon) 212
 retroversus, Sintula 89
 retusus, Oedothorax 76
reussi, Philodromus 186
 reussi, Silometopus 89, 101
rex, Raveniola [n.nud.] 13
Rhabdoria 47
Rhaebothorax 69
rhenanus, Echemus 167
Rhene 217
 rhombifera, Steatoda 34
 rhomboideus, Crispiphantes 50
Rhomphaea 32
 richteri, Dysdera 18
richteri, Synema 194
 ricta, Pardosa 128
 rigida, Ozyptila 193
 rikhteri, Philodromus 187
rimatus, Gongylidioides 58
 rimosus, Tmarus 195
 riparia, Clubiona 158
 riparia, Cryptachaea 27
riparia, Lycosa 128
 riparia, Pardosa 128
 ripariensis, Agyneta 40
 ripariensis, Nomisia 176
riparium, Theridion 27
ritteri, Heliophanus 208
Robertus 32
 robusta, Trochosa 132
 robustum, Leptorhoptrum 66
 robustus, Neon 211
 robustus, Xysticus 200
 roeweri, Alopecosa 118
 rogue, Sidydrassus 179
romana, Ceratinopsis 90
romana, Micaria 173
romana, Sphecozone 90
 romanus, Styloctetor 90
 rosea, Ceratinella 49
 rosenhaueri, Porrhomma 83
 roseum, Micrommata 184
 rosserae, Clubiona 158
rossica, Lycosa 114
 rossica, Micaria 175
 rostrata, Clubiona 158
 rostratus, Drassodes 166
 rostratus, Xysticus 200
 rotundiceps, ssp. of Eresus cinnaberinus 22
 rubellum, Gonatium 58
 rubens, Concavocephalus 50
 rubens, Gonatium 58
rubens, Millidgeolus 50

- rubicunda* (?), *Epeira* 104
rubicunda, *Harpactea* 20
rubicunda, *Ozyptila* 192
rubidum, *Zodarion* 162
rubrofasciata, *Hygrolycosa* 122
rudis, *Dendryphantes* 205
rudolphi, *Gnaphosa* 171
rufa, *Aphantaulax* 172
rufa, *Pardosa* 129
rufescens, *Loxosceles* 14
rufescens, *Scotophaeus* 178
rufi, *Zelotes* 183
ruficapillus, *Philodromus* 187
rufipes, *Ballus* 203
rufipes, *Gongylidium* 59
rufipes, *Zelotes* 183
rufithorax, *Heliophanus* 208
rufolimbatus, ssp. of *Philodromus*
cespitem 186
rufolineatum, *Theridion* 29
rufovittatus, *Pseudicius* 216
rufula, *Gnaphosa* 171, 171
rufula, *Hypsosinga* 109
rufus, *Haplodrassus* 172
rufus, *Macrargus* 68
rufus, *Philodromus* 187
Rugathodes 33
rugosa, *Crustulina* 26
rugosus, *Haplodrassus* 172
rugosus, *Xysticus* 200
rumpfi, *Marpissa* 210
Runcinia 194
rupeus, *Tchatkalophantes* 92
rupicola, *Liocranum* 153
rupicola, *Sitticus* 219
rurestris, *Agyneia* 40
uricola, *Trochosa* 132
ruscicus, *Araneus* 106
Russocampus 84
rustica, ssp. of *Trochosa ruricola* 132
rusticus, *Urozelotes* 180
rutilans, *Sagana* 153
ryabukhini, *Hilaira* 60
rybini, *Clubiona* 158
ryvkini, *Anguliphantes* 42
ryvkini, *Saloca* 85

saaristoii, *Agyneia* 40
saaristoii, *Maro* 68
saaristoii, *Microneta* 71
saaristoii, *Perlongipalpus* 81
saaristoii, *Wabasso* 98
Saaristoia 85
sabina, *Anyphaena* 152
sabulonum, *Arctosa* 119
sabulosa, *Trochosa* 132
sabulosus, *Thanatus* 189
sabulosus, *Xysticus* 200
saccata, *Lycosa* 124
sacer, *Bolyphantes* 46
sacer, *Lepthyphantes* 46
sacer, *Scotinotylus* 87
sachalinensis, *Eriophora* 108
sachalinensis, *Gayenna* 152
sachalinensis, *Halorates* 59
sachalinensis, *Mughiphantes* 85

sachalinensis, *Sachaliphantes* 85
sachalinensis, *Silometopoides* 89
sachalinensis, *Silometopus* 89
sachalinensis, *Zilla* 108
Sachaliphantes 85
sacratus, *Scotinotylus* 87
saeva, *Harpactea* 20
saevus, *Araneus* 106
Sagana 153
sagana, *Rhomphaea* 32
saganus, *Xysticus* 200
sagittata, *Linyphia* 59
sagittata, *Tarentula* 123
sagittifera, *Paratrochosina* 123
Saitis 217
saitoi, *Ainerigone* 41
saitoi, *Savignia* 86
saitzevi, *Trochosa* [n.nud.] 134
sajanensis, *Agyphantes* 41
sajanensis, *Oreonetides* 77
sajanensis, *Thaleria* 93
sakhalinensis, *Agyphantes* 41
sakhalinensis, *Coelotes* 140
sakhalinensis, *Ozyptila* 193
Saloca 85
salsicola, *Yllenus* 223
salsophila, *Marpissa* 210
saltator, *Sitticus* 219
Salticus 217
saltuaria, *Pardosa* 128
saltuum, *Abacoproeces* 38
saltuum, *Clubiona* 158
sanctuarium, *Ozyptila* 193
sanguinea, *Hypsosinga* 109
sanguinolentus, *Nematogmus* 74
sanguinolentus, *Salticus* 214
sanmenensis, *Drassyllus* 167
sapporensis, *Clubiona* 158
saraevi, *Berlandina* 164
saraevi, *Thanatus* 189
sarcinatus, *Notioscopus* 75
Sardinidion 33
sareptanus, *Heriaeus* 191
Satilatlas 85
satunini, *Dysdera* 18
saukea, *Euryopis* 29
saurensis, *Lepthyphantes* 66
saurica, *Alopecosa* 118
saurica, *Clubiona* 158
saurica, *Gnaphosa* 169, 171
Sauron 85
saveljevae, *Xysticus* [n.nud.] 201
Savignia 85
Savignya 85
savignyi, *Heriaeus* 191
saxatilis, *Achaearanea* 27
saxatilis, *Agyneia* 41
saxetorum, *Caviphantes* 47
saxicola, *Sitticus* 219
saxicola, *Trichoncus* 95
sayanensis, *Acantholycosa* 114
scabra, *Troxochrota* 96
scabricula, *Ozyptila* 193
scabriculus, *Troxochrus* 96
scabripes, *Crustulina* 26
scabrosa, *Ceratinella* 49

scalaris, *Epeira* 105
Scandichrestus 86
scenica, *Micaria* 175
scenicus, *Salticus* 217
schaufussi, *Enoplognatha* 28
schenkeli, *Berlandina* 164
schenkeli, *Evippa* 121
schenkeli, *Parasyrisca* 177
schenkeli, *Pardosa* 129
schenkeli, *Xysticus* 199
schenkeli, *Arctosa* [n.nud.] 133
schineri, *Titanoeca* 151
Schizocosa 131
schmidti, *Alopecosa* 118
schmidti, *Dictyna* 147, 147
schreibersii, *Araneus* 105
schrencki, *Araneus* 106
schuzsteri, *Callilepis* 164
Sciastes 86
scintillans, *Micaria* 173
sciophila, *Alopecosa* 118
sclopetarius, *Araneus* 110
scoparia, *Pardosa* 128
scoparia, ssp. of *Pardosa prativaga*
128
scopigera, *Allomengea* 42
Scotargus 86
scoticus, *Robertus* 33
Scotina 153
Scotinotylus 86
Scotolathys 149
Scotophaeus 178, 179
scurrilis, *Acartauchenius* 38
scutiger, *Synageles* 220
Scutpelecopsis 87
scutulatus, *Scotophaeus* 178
scutumatus, *Miftengris* 72
scylla, *Neoscona* 111
Scyloxes 14
Scytiella 50
Scytodes 14
secretus, *Dendryphantes* 206
secunda, *Harpactea* 20
secundus, *Tegeocoelotes* 141
sedilloti, *Dictyna* 145
seensis, *Araneus* 105
Segestria 16
segestriformis, *Pireneitega* 140
segmentata, *Meta* 102
segmentata, *Metellina* 102
segrex, *Zelotes* 183
seguipes, ssp. of *Ballus depressus*
203
seidlitzii, *Cheiracanthium* 154
sekiguchii, *Larinia* 110
selengensis, *Pardosa* 129
sellarius, *Centromerus* 48
semiater, *Centromerus* 48
semiatra, *Singa* 112
semibadius, *Zelotes* 183
semideserta, *Steatoda* 34
semidesertus, *Coreodrassus* 164
semiflavus, *Hypselistes* 62
semilimbatus, *Menemerus* 211
seminigra, *Aphantaulax* 163
Semljicola 87

- senilis*, Poecilochroa 178
senoculata, Segestria 16
senoculata, Spermophora 16
senoculata, *thorace depresso*, Aranea 107
senoculata, *thorace subgloboso*, Aranea 107
septempunctata, Micaria 175
septentrionale, Gongylidium 61
septentrionalis, Araneus 104
septentrionalis, Epibellowia 54
septentrionalis, Pardosa 128
septentrionalium, Ozyptila 193
seriatus, Pellenes (Pellenes) 212
sericatus, Larinioides 110
sericea, Epeira 107
sericeus, Olios 184
serotinus, Zelotes 182
serpatusum, Theridion 36
serraticheles, Drassodes 166
serratidens, Drassodes 166
serratipes, Theridium 26
serratosignata, Enoplognatha 28
serratus, Centromerus 48
serrulata, Piratula 131
servulus, Glyphesis 57
seserlig, Xysticus 200
setiger, Bathyphantes 45
setiger, Heriaeus 191
setipes, Plexippus 215
setipes, *Raveniola* [n.nud.] 13
setosa, *Oxytate* 192
setosus, Taranucnus 92
setosus, Xysticus 200
severtzovi, Bolyphantes 46
sexalbomaculata, Euryopis 29
sexoculata, Hahnna 144
sexpunctatus, Araneus 111
sexpunctatus, Rugathodes 33
seymuria, Micaria 175
shaanxiensis, Drassyllus 167
shadini, Micaria 175
Shaitan 178
shakhristanica, Parasyrisca 177
shakhsenem, Yllenus 223
shansia, Allohogna 114
sharlaa, Talavera 221
sharlaa, Xysticus 200
shibatai, Pirata 130
shilenkovi, Dictyna 147
shimizui, Oreonetides 77
shnitnikovi, Berlandina 164
shnitnikovi, "Pterotricha" 164
shumakovi, Sidydrassus 179
shumskyi, Berlandina 164
Sibianor 217
sibiriana, Erigone 58
sibiriana, *Prosthesima* [n.nud.] 184
sibirica, Alopecosa 118
sibirica, Carorita 47
sibirica, Ceratinella 49
sibirica, Dictyna 147
sibirica, Eboria 84, 88
sibirica, Evippa 121
sibirica, Hahnna 144
sibirica, Hilaira 61
sibirica, Holminaria 61
sibirica, *Marpissa* [n.nud.] 223
sibirica, *Micaria* 175
sibirica, *Pardosa* 131
sibirica, Praestigia 84
sibirica, Sibirosca 131
sibirica, ssp. of Erigone arctica 54
sibirica, Titanoeca 151
sibirica, Ummeliata 97
sibirica, var. of *Philodromus aureolus* 185
sibiricum, Ivium 64
sibiricum, Procerocymbium 84
sibiricum, Theridion 36
sibiricus, Anguliphantes 42
sibiricus, Araneus [n.nud.] 113
sibiricus, Archaraeonus 43
sibiricus, Asiophantes 44
sibiricus, *Ceraticelus* 49
sibiricus, Echemus 167
sibiricus, Erigonoplus 56
sibiricus, *Lepthyphantes* 62
sibiricus, Maro 68
sibiricus, Notioscopus 75
sibiricus, Pellenes (Pellenes) 212
sibiricus, *Proxysticus* [n.nud.] 201
sibiricus, Robertus 33
sibiricus, Silometopoides 88
sibiricus, *Silometopus* 88
sibiricus, ssp. of *Chalcoscirtus glacialis* 204
sibiricus, Stemonyphantes 90
sibiricus, Thanatus 189
sibiricus, Xysticus 200
Sibirosca 131
Sibirocyba 88
sichotanica, Clubiona 158
sicus, Xysticus 200
sidorenkoi, Pholcus 16
Sidydrassus 179
sierrae, Cyclosa 108
signifer, Haplodrassus 172
sikorskii, Leptorchestes 209
silesiaca, Micaria 175
Silhouettella 21
Silometopoides 88
Silometopus 88
silus, Mecopisthes 69
silvatica, Agelena 137
silvestris, Haplodrassus 172
silvestris, Malthonica 140
silvestris, Zora 136
silvicola, Centromerus 48
silvicola, Cryphoeca 143
silvicola, Titanoeca 151
silvicultrix, *Cyphepeira* 111
silvicultrix, Nuctenea 111
simile, Simitidion 33
similior, *Linyphia* 45
similis, *Agelena* 137
similis, Agyneta 41
similis, Amaurobius 150
similis, Bathyphantes 45
similis, Centromerus 48
similis, Clubiona 158
similis, *Gnaphosa* 170
similis, *Lathys* 148
similis, *Micaria* 175
similis, *Micariolepis* 174
similis, ssp. of *Philodromus cespitem* 186
similis, Zelotes 183
simillima, *Erigone* 55
simillimus, *Bathyphantes* 45
Simitidion 33
simoni, *Cedicoides* 142
simoni, *Orthobula* [n.nud.] 161
simoni, *Pellenes* 213
simoni, *Proxysticus* [n.nud.] 201
simoni, *Psilochorus* 16
simonioides, var. of *Tarentula cursor* [n.nud.] 134
simplex, *Eboria* 88
simplex, Haplodrassus 172
simplex, *Heliophanus* 207, 208
simplex, *Lathys* 149
simplex, *Ozyptila* 193
simplex, *Plesiophantes* 82
simplex, *Scotolathys* 149
simplex, *Semljicola* 88
simplicitarsis, Agyneta 41
simulans, *Parasteotoda* 31
simulans, *Theridion* 31
simulans, var. of *Dictyna sibirica* 147
sincera, *Ozyptila* 193
sinensis, Allohogna 114
sinensis, Erigone 55
Singa 112
singoriensis, Allohogna 114
singoriensis, *Lycosa* 114
sinicus, *Phrurolithus* 160
Sintula 89
sinuosa, Oreoneta 77
sinuosa, *Pannicularia* 92
Sisicottus 89
Sisicus 89
sisyphia, *Phylloneta* 32
Sitticus 218
Siwa 112
sjostedti, *Evippa* 121, 127
sjostedti, *Xysticus* 200
slovacus, *Xysticus* 200
smaragdula, *Micaria* 174
smaragdulus, *Sparassus* 184
sobrioides, *Mughiphantes* (*Whymperiphantes*) 73
sobrius, *Mughiphantes* (*Whymperiphantes*) 73
sociabilis, *Micaria* 175
socialis, *Drapetisca* 53
socialis, *Marpissa* 209
sodalis, *Pardosa* 129
soederbomi, *Xysticus* 200
soerenseni, *Haplodrassus* 172
sogdiana, *Aculepeira* 104
sogdiana, *Anemesia* [n.nud.] 12
sogdiana, *Phlegra* 215
sogdiana, *Pholcus* 16
sogdianus, *Palpimanus* 21
sokhondoensis, *Alopecosa* 118
solandri, *Tetragnatha* 103
soldatovi, *Xysticus* 200

- solers*, *Epeira* 104
solitaria, *Alopecosa* 118
solitarius, *Coelotes* (*Coelotes*) 139
solitarius, *Macrargus* 68
solitarius, *Sintula* 89
solitudus, *Stemonyphantes* 90
solivaga, *Alopecosa* 118
solivagus, *Palliduphantes* 79
sollers, *Erigone* 100
sombra, *Entelecara* 54
somonensis, *Yllenus* 223
songminjae, *Coelotes* 138
sopaikensis, *Clubiona* 159
sordidata, *Pardosa* 126, 129
sordidus, *Coelotes* (*Coelotes*) 139
sordidus, *Phrurolithus* 160
sorror, *Arctosa* 120
sorrora, *Raveniola* [n.nud.] 13
Sosticus 179
sotnik, *Dictyna* 147
sounkyoensis, *Okhotigone* 76
soynovi, *Synaphosus* 179
spadicea, *Gnaphosa* 169
Spassus 184
spasskyi, *Acantholycosa* 114
spasskyi, *Alopecosa* 118
spasskyi, *Araneus* 111
spasskyi, *Berlandina* 164
spasskyi, *Dysdera* 18
spasskyi, *Harpactea* 20
spasskyi, *Icius* 216
spasskyi, *Lathys* 148
spasskyi, *Ipa* 64
spasskyi, *Liocranoeca* 153
spasskyi, *Pireneitega* 140
spasskyi, *Pseudicius* 216
spasskyi, *Tegenaria* 141
spasskyi, *Xysticus* 200
spasskyi, *Zodarion* 162
speciosa, *Aranea* 107
speciosa, *Donacochara* 53
Spermophora 16
spetsbergensis, *Halorates* 59
sphagnicola, *Mecynargus* 70
sphagnicola, *Pardosa* 129
sphagnicolus, *Diplocephalus* 52
sphagnicolus, *Silometopoides* 88
Sphasus 135
spinembolus, *Acantholycosa* 114
Spinestis 21
spinifemoralis, *Erigonoplus* 56
spiniger, *Sintula* 89
spinimana, *Zora* 136
spinimana, *Zoropsis* 136
spinipalpis, *Trochosa* 132
spinipalpus, *Heriaeus* 191
spinitaris, *Artanes* 185
spinivulva, *Pireneitega* 141, 142
spinosa, *Gnaphosa* 170
spinulata, *Asiohahnia* 143
spiralis, *Walckenaeria* 100
spoliatrix, *Tapinocyba* 91
squamata, *Tetragnatha* 103
stagnatilis, *Clubiona* 159
starmuehlneri, *Plexippoides* 215
starobogatovi, *Proszynskiana* 215
stativa, *Ceratinopsis* 90
stativus, *Styloctetor* 90
Steatoda 26, 34
Stegodyphus 22
steinegeri, *Tarentula* [n.nud.] 134
stella, *Araneus* 106
stellata, *Pardosa* 129
stellatus, var. of *Araneus diadematus* 105
stellio, *Tmarus* 195
Stemmops 34
Stemonyphantes 89
steppensis, *Pelecopsis* 80
steppensis, *Trichoncus* 95
steppica, *Alopecosa* 118
steppica, *Gnaphosa* 168, 171
stepposa, *Walckenaeria* 100
stepposus, *Bianor* 213
stepposus, *Pellenes* (*Pelmultus*) 213
stepposus, *Thanatus* 189
sternbergi, *Hersiliola* 23
sterner, *Acantholycosa* 114
sterner, *Pardosa* 114
sterner, *Flagelliphantes* 57
sternnotata, *Platnickina* 32
Sterrhochrotus 11
sticta, *Crustulina* 26
sticta, *Gnaphosa* 171
stigmatisata, *Lathys* 148
stigmosa, *Arctosa* 120
stigmatosus, *Tibioploides* 94
Stiphropus 194
stoliczkai, *Gnaphosa* 171
storozhenkoi, *Ferchestina* 21
Strandella 90
strandi, *Acantholycosa* 114
strandi, *Alopecosa* 118
strandi, *Amaurobius* 150
strandi, *Arctosa* 120
strandi, *Araeoncus* 91
strandi, *Dictynomorpha* 147
strandi, *Dolomedes* 135
strandi, *Euryopis* 29
strandi, *Horcotes* 61
strandi, *Ischnothele* 11
strandi, *Macrargus* 86
strandi, *Plexippus* 215
strandi, *Pterotricha* 178
strandi, *Saloca* 61
strandi, *Scytodes* 14
strandi, *Stiphropus* 194
strandi, *Talanites* 179
strandi, *Tanasevitchia* 91
strandi, var. of *Teutana grossa* 34
strandiana, *Clubiona* 158
stradniana, ssp. of *Xysticus robustus* 200
strandiellus, *Araneus* 106
streblovi, *Cheiracanthium* 154
strepens, *Arachosinella* 43
striata, *Agroeca* 153
striata, *Arundognatha* 103
striata, *Liocranoeca* 153
striata, *Tetragnatha* 103
striatilamn, *Coelotes* (*Coelotes*) 139
striatipes, *Alopecosa* 118
striatipes, *Cybaeus* 143
striatipes, *Oxytate* 192
striatipes, *Tarentula* 117
striatipes, *Xysticus* 200
striatipes, *Yaginumaella* 221
striatus, "Drassodes" 167
striatus, *Thanatus* 189
striganovae, *Trichoncoides* 95
strigillata, *Pardosa* 129
stroemi, *Stroemiellus* 112
Stroemiellus 112
sturmi, *Araneus* 106
stuxbergi, *Gnaphosa* 170
stuxbergi, *Haplodrassus* 172
stylifrons, *Walckenaeria* 100
Styloctetor 90
Stylophora 52
Stylothorax 76
suaveolens, *Neottiura* 30
subadulta, *Yunohamella* 37
subadultum, *Takayus* 37
subaequalis, *Micrargus* 71
subalba, *Clubiona* 159
subalpina, ssp. of *Dysdera hungarica* 17
subalpinus, *Centromerus* 48
subamylacea, *Arctosa* 120
subarctica, *Neriene* 75
subarcticum, *Hypomma* 62
subarcticus, *Rhaebothorax* 96
subarcticus, *Tubercithorax* 96
subblanda, *Leucauge* 101
subborealis, *Clubiona* 159
subcingulatus, *Synageles* 220
subcylindrica, *Dysdera* 17
subdola, *Diaea* 190
subfasciata, *Phlegra* 214
subfusca, *Neoscona* 111
subgemma, *Leucauge* 101
subinteriecta, *Clubiona* 156, 158
subitaneus, *Microctenonyx* 71
subjaceticus, *Xysticus* [n.nud.] 202
sublestus, *Maro* 68
submargarita, *Enoplognatha* 28
submissella, *Zerogone* 100
submissus, *Halorates* 59
subnigra, *Argenna* 145
subnivalis, *Agyneta* 41
subnivalis, *Arctella* 145
subopaca, *Micaria* 175
suborientalis, *Tenuiphantes* 93
subpiraticus, *Pirata* 130
subrostratus, *Diplocephalus* 52
subrufa, *Alopecosa* 119
subrufula, *Gnaphosa* 171
subrufus, var. of *Diplocephalus connectens* 52
subsolana, *Sibirocosa* 131
subsolitaria, *Alopecosa* 119
subsultans, *Clubiona* 159
subterraneus, *Zelotes* 183
subtilipes, *Perro* 81
subtilis, *Agyneta* 41
subtilis, *Clubiona* 159
subtilis, *Lepthyphantes* 66
subtilis, *Tegenaria* 140

- subviridis*, *Lathys* 148
succinea, *Erigone* 86
sudetica, *Acantholycosa*
sudetica, ssp. of *Acantholycosa*
norvegica 113
succica, *Agyne*ta 41
Suffusiphantes [subgenus] 73
suffusus, *Mughiphantes*
(*Suffusiphantes*) 73
sukatchevae, *Thaleria* 93
sula, *Zelotes* 183
sulcifrons, *Panamomops* 79
sulfureus, *Dolomedes* 135
sulzeri, *Alopecosa* 119
sumyensis, *Macrargus* 68
sundevalli, *Maso* 69, 101
sundukovi, *Acantholycosa* 114
supermirabilis, *Oculicosa* 123
suppositum, *Gnathonarium* 58
supremus, *Bolyphantes* 46
supremus, *Lepthyphantes* 46
sur, *Drassyllus* 167
surprisum, *Zodariellum* 162
susamy, *Parasyrisca* 177
suspica, *Araneus* 110
suspica, *Larinioides* 110
suspiciosa, *Diaea* 190
suwai, *Pardosa* 129
suzukii, *Lycosa* 122
svanetiensis, *Araneus* 104
svenssoni, *Erigone* 55
swarczewskii, *Theridion* 36
Syedra 90
sylvaticus, *Centromerus* 48
Synageles 220
Synagelides 220
Synaphosus 179
Synaphris 38
Synaema 194
Synema 194
syrojeczkovskii, *Hilaira* 61
sytshevskajae, *Zodariellum* 162
sytshevskajae, *Zodarion* 162
sytshevskajae, *Pellenes* (*Pelmirus*) 212
szaboi, *Dictyna* 147

tabulata, *Parasteatoda* 31
tachygynoides, *Tibioplus* 94
taczanowskii, *Attus* 206
taczanowskii, *Gnathonarium* 58
taczanowskii, *Lathys* 148
taczanowskii, *Mughiphantes*
(*Whympiperiphantes*) 73
taczanowskii, *Pardosa* 129
tadzhiica, *Enoplognatha* 28
tadzhiicus, *Latrodectus* 30
tadzhiicus, *Oecobius* 23
tadzhiica, *Agelena* 137
tadzhiika, *Cyryba* 205
tadzhiikistanicum, *Synema* 194
tadzhiikistanicum, *Dolomedes* 135
tadzhiikum, *Zodarion* 162
taeniata, *Alopecosa* 119
taeniata, *Lycosa* 115
taeniatus, *Menemerus* 211
taeniopus, *Alopecosa* 119

taepaikensis, *Haplodrassus* 172
taiganoides, *Stemonyphantes* 90
taiganus, *Narcissius* 90
taiganus, *Stemonyphantes* 90
taishanensis, *Tmarus* 195
Takayus 35
takobius, *Oxyopes* 136
Talanites 179
talasi, *Araneus* 106
talassica, *Euophrys* 206
Talavera 220
talgarensis, *Sitticus* 220
talishia, *Aculepeira* 104
Tallusia 91
talturaensis, *Chalcoscirtus* 205
talyschica, *Harpactea* 20
talyschica, *Agelescape* 137
talyschica, *Tegenaria* 141
talyshicum, *Zodarion* 162
tamburinus, *Tusukuru* 96
tamybulak, *Yllenus* 223
tanakai, *Alopecosa* 119
tanakai, *Piratula* 131
tanasevichi, *Chalcoscirtus* 205
tanasevitchi, *Plesiophantes* 82
tanasevitchi, *Poeciloneta* 82
tanasevitchi, *Trachelas* 161
Tanasevitchia 91
tannuolana, *Sitticus* 220
tantulus, *Sibianor* 218
tanyae, *Chalcoscirtus* 205
taoplesius, *Glyphesis* 57
Tapinocyba 91
Tapinocyboides 91
Tapinopa 91
tarabaevi, *Gnaphosa* 171
tarabaevi, *Lachesana* 161
tarabaevi, *Lidia* 67
tarabaevi, *Micaria* 175
tarabaevi, *Tchatkalophantes* 92
tarabayevi, *Runcinia* 194
Taranucus 92
tarbagataica, *Acantholycosa* 114
tardigradus, *Salticus* 210
Tarentula 115
tarsalis, *Lycosa* 127
Tarsiphantes 92
tartarica, *Dysdera* 18
tartarica, *Langona* 209
tartarica, *Phlegra* 209
tartaricus, *Aelurillus* 209
tartaricus, *Araneus* 106
tasevi, *Pardosa* 129
tatarica, *Archipirata* 134
tatarica, *Pardosa* 129
tatrica, *Hilaira* 61
tatyanae, ssp. of *Devade indistincta*
146
taukum, *Synaphosus* 179
taukumkurt, *Xysticus* 200
taurica, *Agelena* 137
taurica, *Dysdera*
taurica, *Erigone* 90
taurica, *Gnaphosa* 171
taurica, *Saitis* 217
taurica, *Tegenaria* 141

tauricola, *Lepthyphantes* 81
tauricornis, *Panamomops* 79
tauricus, *Araeoncus* 43
tauricus, *Pellenes* 213
tauricus, ssp. of *Philodromus*
aureolus 185
tavricus, *Xysticus* [n.nud.] 202
tbilisiensis, *Araniella* 107
tbilisiensis, *Arctosa* 120
tbilisiensis, *Dysdera* 18
tchatkalensis, *Tchatkalophantes* 92
Tchatkalophantes 92
tchernovi, *Gibothorax* 57
teberdaensis, *Tenuiphantes* 93
tecta, *Enoplognatha* 27
tedgenica, *Neoscona* 111
Tegecoelotes 141
Tegenaria 140, 141
tegulatus, *Drassodes* 180
tegulatus, *Tuvadrassus* 180
tenebricola, *Tenuiphantes* 66, 93
tenella, *Altella* 146
tenella, *Devade* 146
tenellus, *Diplocephalus* 91
tenellus, *Momius* 146
tenellus, *Tibellus* 189
tenera, *Agyne*ta 41
tenera, *Pachygnatha* 102
tenuimanus, *Salticus* 217
tenuipalpis, *Linyphia* 67
tenuipes, ssp. of *Pardosa proxima* 128
Tenuiphantes 92
tenuis, *Tenuiphantes* 93
tenuis, *Scandichrestus* 86
tenuis, *Typhochrestus* 86
tenuis, *Zelotes* 183
tenuissimus, *Mesiotelus* 153
tenuitarsis, *Pirata* 130
tepidarium, *Parasteatoda* 31
tepidarium, *Theridion* 31
terebratus, *Sitticus* 220
terrea, *Ozyptila* 193
terrenus, *Ipa* 64
terrestris, *Clubiona* 159
terrestris, *Coelotes* (*Coelotes*) 139
terricola, *Dictyna* 145
terricola, *Lepthyphantes* 92
terricola, *Trochosa* 132
terrigenus, *Centromerus* 49
terskei, *Parasyrisca* 177
tes, *Lepthyphantes* 78
tesin, *Pellenes* 212
tesquorum, *Pardosa* 129
Tessamoro 93
testacea, *Enoplognatha* 28
testaceofasciatum, *Zodarion* 162
testaceus, *Thanatus* 188
Tetragnatha 102
tetricus, *Cybaeus* 143
Teutana 34
Teutrix 142
thaddeus, *Araneus* 106
thadzhikistanicus, *Xysticus* [n.nud.]
202
Thalamia 23
thaleri, *Cozyptila* 190

- thaleri, *Cryphoeca* 143
thaleri, *Latithorax* 88
 thaleri, *Pardosa* 129
 thaleri, *Semljicola* 88
 thaleri, *Ohlertidion* 30
Thaleria 93
Thanatus 187
Thaumatocncus (?) (sp.) 38
Theonina 93
Theonoe 35
 theridiformis, *Poecilometes* 82
Theridion 25, 26, 29, 30, 32, 33, 35, 37
Theridiosoma 37
Theridium 35
Theridula 36
Theuma 163
 thimei, "Drassodes" 167
Thomisus 194
thoni, *Zodarion* 162
 thoracica, *Enoplognatha* 28
 thoracica, *Labulla* 65
 thoracica, *Scytodes* 14
 thoracica, *Vermontia* 97
thorelli, *Agroeca* 152
thorelli, *Baryphyma* 95
 thorelli, *Leviellus* 110
 thorelli, *Talavera* 221
 thorelli, *Trichopterna* 95
thorellii, *Dendryphantas* 205
 thulensis, *Halorates* 59
Thyene 221
Thymoites 37
Thyreosthenius 94
 tianschanica, *Agyneta* 41
 tianschanicus, *Halorates* 59
 tianschanicus, *Scotinotylus* 87
 tianschanicus, *Sidydrassus* 179
Tibellus 189
 tibiale, *Dicymbium* 51
 tibialis, *Agyneta* 41
 tibialis, *Silometopoides* 88
Tibiaster 94
Tibioploides 94
Tibioplus 94
 tienshangensis, *Mughiphantes* (*Aurantiphantes*) 73
 tienshangensis, *Oreoneta* 77
Tigellinus 98
 tigræ, *Theridion* 36
 tigrina, *Gnaphosa* 171
tigrinus, *Philodromus* 185
 timidus, *Philodromus* 187
 tincta, *Platnickina* 32
t-insignita, *Pardosa* 124
 tirolensis, *Erigone* 55
 tirolensis, ssp. of *Coelotes* (*Coelotes*) pastor 138
Tiso 94
Titanoeca 150
 titulifer, *Typhochrestinus* 96
 tkibuliensis, *Dysdera* 18
Tmarus 195
Tmesticus 80, 94
 tocharistanus, *Pellenes* (*Pelmultus*) 213
 tolli, *Tmesticus* 94
tomsckia, *Linyphia* 93
torpeda, *Anemesia* [n.nud.] 12
 torpida, *Histopona* 139
torpida, *Tegenaria* 139
 torrentum, *Kaestneria* 65
 torrentum, *Pardosa* 129
 tortuosus, *Xysticus* 200
 toruaigiri, *Araneus* 106
 torva, *Dipoena* 27
torvus, *Lepthyphantas* 73
 trabalis, *Alopecosa* 119
Trachelas 160, 160
Trachelocamptus 38
Trachynella 98
Trachyzelotes 179
transalpinus, *Oxyopes* [n.dub.] 135
 transbaicalica, *Clubiona* 159
transbaicalica, *Titanoeca* 151
 transbaicalica, *Uusitaloia* 97
 transbaicalicus, *Moebelotinus* 73
transbaicalicus, *Panamomops* 73
transbaicalicus, *Sisis* 73
 transcaspica, *Artema* 15
 transcaspica, *Dysderella* 19
 transcaucasicus, *Diplocephalus* 52
 transiliensis, *Coelotes* (*Coelotes*) 139
transsibiricus, *Xysticus* 197
 transversifoveata, *Enoplognatha* 28
transversifoveata, *Steatoda* 28
Trebacosa 131
 trebax, *Gnaphosa* 171
 tredecimguttatus, *Latrodectus* 30
tredecimguttatus, ssp. of *Latrodectus mactans* 30
Trematocephalus 95
 trialetiensis, *Hygrocrates* 20
 triangularis, *Linyphia* 67
 triangulata, *Acantholycosa* 114
 triangulatus, *Philodromus* 187
 triangulosa, *Steatoda* 34
triangulosa, *Teutana* 34
 tribulosus, *Heliophanus* 208
Tricca 131
Triccosa 132
Trichobactrus 95
Tricholathys 149
Trichoncoides 95
Trichoncus 95
Trichopterna 95
 tricinctus, *Salticus* 217
tricolor, *Epeira* 110
 tricoloripes, *Ozyptila* 193
 tricuspudata, *Ebrechtella* 191
tridens, *Linyphia* 56
 trifasciata, *Aphantaulax* 163
trifasciata, *Argiope* 107
 trifidus, *Urozelotes* 180
 trifrons, *Minyrioloides* 72
 trifurcata, *Agyneta* 41
 triguttatus, *Araneus* 106
triguttatus, *Xysticus* 198
 trilikauskasi, *Sibirocosa* 131
trilineata, *Oimia* 56
trilineatus, *Thanatus* 189
 trilobatus, *Oedothorax* 76
 tripartitus, *Anguliphantes* 42
 tripunctata, *Micaria* 175
 tripunctatus, *Pellenes* (*Pellenes*) 212
tristis, *Eresus* 22
 tristis, *Lasaeola* 29
 tristis, *Nigma* 149
 tristis, *Titanoeca* 151
 tristrami, *Xysticus* 200
tristriata, *Pachygnatha* 102
 trivialis, *Clubiona* 159
 trivittata, *Talavera* 221
Trochosa 132
trogodytes, *Drassodes* 172
Troglohyphantas 95
troitskensis, *Pardosa* 126
troitskensis, *Uralophantes* 97
 troitai, *Pardosa* 129
Troxochrota 96
Troxochrus 96
trucidans, *Lepthyphantas* 73
 truncatus, *Episinus* 29
 truncatus, *Lathys* 148
 truncatus, *Pistius* 194
truncorum, *Heliophanus* 207
 truncorum, *Robertus* 33
 trux, *Ozyptila* 194
Trygetus 161
 tsaii, *Zelotes* 183
 tschuisckii, *Araneus* 106
 tshuktshorum, *Perro* 81
tsuno, *Araneus* 106
 tsurusakii, *Clubiona* 159
Tubercithorax 96
 tuberculata, *Ero* 22
tuberculata, *Singa* 108
tuberculatum, *Theridion* 29
tuberculatus, *Araneus* 104
tuberosus, *Oedothorax* 76
tuberosus, *Xysticus* 193
Tuberta 144
tubicola, *Agelena* 137
Tunagnya 96
 tundricola, *Mecynargus* 70
 tungusicus, *Mecynargus* 70
 tungusicus, *Wabasso* 98
turanica, *Alopecosa* 117
turanica, "Misumenops" 192
turanica, ssp. of *Devade uiensis* 146
turanicum, *Cheiracanthium* 154
turanicum, ssp. of *Cheiracanthium seidlitzii* 154
turanicum, ssp. of *Theridion genistae* 36
turanicum, *Theridion* 36
turanicum, *Heliophanus* 209
turanicum, *Lepthyphantas* 66
turanicum, *Synaphosus* 179
turanicum, *Xysticus* 198
turanicum, *Zelotes* 183
turanika, *Enoplognatha* [n.nud.] 37
turbida, *Arctosa* 120
 turkestanica, *Enoplognatha* 28
 turkestanica, *Pardosa* 129
 turkestanica, *Segestia* 16
 turkestanicus, *Coelotes* (*Brignoliolus*) 139

- turkestanicus, Megalephyphantes 70
turkestanicus, Sibirior 218
turkestanicus, Yllenus 223
turkmenia, Titanoeca 151
turkmenica, Euophrys 206
turkmenica, Evippa 121
turkmenica, Gnaphosa 171
turkmenica, Hypososinga 109
turkmenica, Larinia 110
turkmenicus, Pellenes (Pelpaucus) 214
turkmenicus, Salticus 217
turkmenicus, Xysticus 200
Turkozolotes 180
turlan, Xysticus 200
turlanica, Zyuzicosa 133
Tusukuru 96
tuva, Oreoneta 77
Tuvadrassus 180
Tuvaphantes 221
tuvensis, Epigytholus 54
tuvensis, Incestophantes 63
tuvensis, Micaria 175
tuvensis, Talavera 221
tuvinensis, Dendryphantes 206
tuvinensis, Philodromus 187
tuvinensis, Styloctetor 90
tuvinensis, Thanatus 189
tuvinica, Gnaphosa 171
tuvinicus, Yllenus 223
Typhochrestinus 96
Typhochrestoides 96
Typhochrestus 96
typica, Cybaeopsis 150
tyroliensis, Salticus 211
tyshchenkoi, Micaria 174
tyshchenkoi, Dictyna 147
tyshchenkoi, Microfilistata 13
tyshchenkoi, Parasyrisca 177
tyshchenkoi, Pardosa 129
tyshchenkoi, Xysticus 201
tystchenkoi, Walckenaeria 100
tystshenkoi, Dysdera 19

absunurensis, Thanatus 189
absunurica, Berlandina 164
absunurica, Dictyna 147
uchidai, Araneus [n.nud.] 113
ucrainensis, Lycosa 114
uhligi, Theridion 36
uiensis, Alopecosa 115
uiensis, Devade 146
uiensis, Pardosa 129
uiguricus, Yllenus 223
ukrainensis, Dactylopiesthes 50
ukrainensis, Dysdera 19
ukrainica, Gnaphosa 171
ukrainica, Titanoeca 151
ukrainicus, Xysticus 201
Ulesanis 31
uliginosus, Diplocephalus 52
uliginosus, Piratula 131
ulkan, Xysticus 201
ullrichi, Gibbaranea 109
ulmi, Xysticus 201
Uloborus 24
ultimus, Lepthyphantes 66
ululabilis, Oreonetides 77
ulykpani, Parasyrisca 177
umbratica, Nuctenea 111
umbraticum, Theridion 30
umbratilis, Haplodrassus 173
umbrinus, Xysticus 200
Ummeliata 97
Ummidia 11
uncatus, Drepanotylus 53
uncifera, Pardosa 129
uncinata, Dictyna 147
unctus, Centromerus 49
undatus, Araneus 110
undulatum, Theridion 36
undulatus, Pistius 194
ungulatus, Robertus 33
unicornis, Cornicularia 100
unicornis, Lepthyphantes 80
unicornis, Parawubanoidea 80
unicornis, Walckenaeria 100
unidentatus, Centromerus 47
univittatus, Scytodes 14
univittatus, Yllenus 223
uralensis, Clubiona 156
uralensis, Euophrys 206
uralensis, Lepthyphantes [n.nud.] 101
uralensis, Oreoneta 77
uralensis, Praestigia 84
uralensis, Silometopus 89
uralensis, Tanasevitchia 91
uralensis, Veles 100
uralensis, Wubanoidea 100
Uralophantes 97
urgumchak, Xysticus 199, 201
Urocoras 142
Uroctea 23
Urozelotes 180
usenensis, Sitticus [n.nud.] 224
ussurica, Clubiona 156
ussurica, Savignia 86
ussuricus, Anguliphantes 42
ussuricus, Centromerus 49
ussuricus, Gongylioides 59
ussuricus, Heliophanus 209
ussuricus, Maro 68
ussuricus, Robertus 33
Ussurigone 97
Utopiellum 60
utotchkini, Artanes 185
utotchkini, Ozyptila 194
utotchkini, Synema 194
utotchkini, Tibellus 190
Uusitaloia 97
uvs, Dictyna 147
uyemurai, Araneus 106
uzbekistanica, Agyneta 41
uzbekistanica, Dictyna 147
uzbekistanica, Fedotovia 168
uzbekistanica, Zyuzicosa 133
uzbekistanicus, Lepthyphantes 81
uzbekistanicus, Piniphantes 81
uzbekistanicus, Yllenus 223
vaccinii, Lophomma 67
vachoni, Xysticus 201
vafra, Pseudeophrys 216
vagabunda, Harpactea 20
vagans, Prinerigone 55, 84
vagans, Tiso 94
vaginatus, Oreonetides 77
vakkhanta, Vagiphantes 97
Vagiphantes 97
vagulus, Philodromus 187
vakhanski, Parasyrisca 178
vakkhanka, Poecilometes 82
valenta, ssp. of Pardosa italica 126
valentinae, Lepthyphantes 45
valentulus, Neon (Neon) 212
valerii, Mogrus 211
validus, Sparassus 184
validus, Yllenus 223
variabilis, Mughiphantes (Mughiphantes) 73
variana, Arctosa 120
variana, Poecilochroa 178
varians, Dictyna 147
varians, Heliophanus 207, 209
varians, Philodromus 185
varians, Theridion 36
variata, Tegenaria 140
varicus, Philaeus 203
variegata, Ero 22
variegata, Poecilometes 82
variegatus, Aelurillus 202, 216
variegatus, Araneus 106
variegatus, Ballus 203
variegatus, Ptoceus 216
variegatus, Rafalus 216
variegatus, var. of Philodromus aureolus 187
vartanovi, Chalcoscirtus [n.nud.] 223
vasconicus, Trichoncus 95
vatia, Misumena 192, 201
vegae, Araneus 104
vegeta, Clubiona 159
vegetus, Oxyopes [n.nud.] 136
Veles 84
velitchkovskiy, Pholcus 16
velox, Lycosa 129
venator, Synageles 220
venatoria, Heteropoda 184
ventricosus, Araneus 106, 113
venustus, Draconarius 139
venustum, Theridion 33
vermiformis, Tetragnatha 103
Vermontia 97
verus, Heliophanus 209
vestita, Maimuna 139
vestita, Tetrax 139
Vesubia 132
veteranica, Titanoeca 151
vexatrix, Hilaira 61
viaria, Microneta 71
viaticus, Xysticus 197
vicaria, Epeira 110
vicina, Dictyna 147
victoria, Araneus 104
video, Dactylopiesthes 51
vidua, Allomengea 42

- viduus*, *Sitticus* 218
viduus, *Xysticus* 201
vigil, *Clubiona* 159
vigilax, *Cornicularia* 100
vigilax, *Walckenaeria* 100
Viktorium 97
vilbastae, *Walckenaeria* 100
vile, *Gongylidium* 94
viligans, *Trochosa* 132
vilis, *Sitticus* 218
villicus, *Drassyllus* 167
villius, *Trichoncus* 95
villosa, *Misumena* 191
villosus, *Drassodes* 166
villosus, *Zelotes* 183
vindobonensis, *Tallusia* 91
vinealis, *Drassyllus* 167
vinokurovi, *Philodromus* 187
vinosus, *Parasyrisca* 178
vinosus, *Drassodes* 178
v-insignitus, *Aelurillus* 202
violens, *Micaria* 175
virescens, *Cheiracanthium* 155
virescens, *Micrommata* 184
virgata, *Alopecosa* 119
virgata, *Brachythele* 12
virgata, *Raveniola* 12
viridissima, *Dictyna* 149
vittata, *Pardosa* 129
vittatum, *Theridion* 26
vittatus, *Anelosimus* 26
vittatus, *Mughiphantes*
 (*Aurantiphantes*) 73
vittatus, *Pseudicius* 216
vittatus, *Selimus* 26
vittatus, *Tibellus* 189
vittatus, *Yllenus* 223
vivax, *Tarentula* 132
vivax, *Vesubia* 132
vivum, *Gongylidiellum* 58
vlasovi, *Zodarion* 161
voigtii, *Drassodes* 178
volgouralensis, *Zodariellum* 162
volubilis, *Alopecosa* 119
volucer, *Stemonyphantes* 89
vorax, *Lycosa* 119
vorkutensis, *Araeoncus* 43
vorobica, *Parasyrisca* 178
vulgaris, *Thanatus* 189
vulnerata, *Erigone* 89
vulpes, *Pseudicius* 216
vultuosa, *Geolycosa* 121
vultuosa, *Lycosa* 121
Wabasso 97
Wadicosa 132
wagae, *Attus* 219
wagae, *Pseudowubana* 84
wagleri, *Pardosa* 126, 129
wagneri, *Palpimanus* 21
walckenaer, *Eresus* 22
walckenaeri, *Eusparassus* 184
walckenaeri, *Nigma* 149
Walckenaeria 98
Walckenaerianus 100
walckenaerii, *Amblyocarenum* 11
walckenaerius, *Uloborus* 24
walteri, *Theuma* 163
wangi, *Archaeodictyna* 148
wangi, *Emblyna* 148
wankowiczi, *Attus* [n.dub.] 203
warburtonii, *Allomengea* 42
washingtoni, *Araneus* 107
welchi, *Erigone* 55
wesolowskiae, *Heliophanus* 209
westringi, *Ozyptila* 194
westringi, *Talavera* 221
westringii, *Araneus* 107
westringii, *Dysdera* 18, 19
westringii, *Euophrys* 207
westsibirica, *Maso* [n.nud.] 101
whymperi, *Erigone* 55
whymperi, *Mughiphantes*
 (*Whymperiphantes*) 74
Whymperiphantes [subgenus] 73
wideri, *Ceratinella* 49
Wideria 98
wiehlei, *Gnaphosa* 171
wiehlei, *Lepthyphantes* 62
wiehlei, *Theridion* 36
Wiehlenarius 100
wolchongsensis, *Clubiona* 158
wrangeli, ssp. of *Dictyna*
tyshchenkoi 147
wrangeli, *Uusitaloia* 97
Wubanoides 53, 54, 100
wunderlichi, *Scutpelecopsis* 87
wunderlichi, *Tibiaster* 94
wunderlichi, *Walckenaeria* 100
wunderlichi, *Xysticus* 201
xanthogramma, *Carrhotus* 203
xera, *Raveniola* [n.nud.] 13
Xerolycosa 133
xerophilus, *Philodromus* 187
xerophilus, *Yakutopus* 100
xinjiangensis, *Asiohahnia* 143
xinjiangensis, *Hersiliola* 23
xinjiangensis, *Pardosa* 130
xinjiangensis, *Philodromus* 187
x-notata, *Zygiella* 112
xysticiformis, *Xysticus* 201
Xysticus 195
Yaginumaella 221
yaginumai, *Araniella* 107
yaginumai, *Dicymbium* 51
yaginumai, *Piratula* 131
Yaginumena 37
Yakutopus 100
yakutsaxatilis, *Agyneta* 39
yamalensis, *Alopecosa* 119
yanensis, *Poecilonea* 82
yaroslavi, *Clubiona* 159
yasudai, *Araneus* 107
yeniseica, *Micaria* 175
yesoensis, *Octonoba* 24
yesoensis, *Tetragnatha* 103
Yllenus 221
yodoensis, *Silometopoides* 88
yukon, *Araneus* 107
Yunohamella 37
yunohamense, *Yunochamella* 37
yunohamensis, *Linyphia* 67
yunohamensis, *Metleucauge* 102
yutian, *Dipoena* 27
yutian, *Urozelotes* 182
zacharovi, *Clubiona* 159
zagatalensis, *Tegenaria* 141
zagistus, *Trachyzelotes* 179
zaicewi, *Hilaira* 60
zaisanicus, *Sitticus* 220
Zaitunia 14
zaitzevi, *Araneus* [n.nud.] 113
zaitzevi, *Brachythele* 12
zaitzevi, *Carpathonesticus* 25
zaitzevi, *Harpactea* 20
zaitzevi, *Marpissa* 210
zaitzevi, *Raveniola* 12
zakharovi, *Paciphantes* 78
zarudnyi, *Dysdera* 19
zebra, *Mendoza* 210
zebra, *Zodarion* 162
zebraneus, *Salcticus* 217
zebrinum, *Cheiracanthium* 155
Zelotes 167, 179, 180, 180
zeravshanica, *Zyuzicosa* 133
zero, *Savignia* 86
Zerogone 100
zhaoi, *Zelotes* 183
zherikhini, *Emblyna* 148
zhilcovae, *Synagelides* 220
zhilgaensis, *Yllenus* 223
zhui, *Lasiargus* 65
zichyi, *Pholcus* 16
Zilla 112
zimmermanni, *Araneus* 106
zimmermanni, *Sitticus* 220
zimmermanni, *Tenuiphantes* 93
zinchenkoi, *Acantholycosa* 114
zjuzini, *Harpactea* 20
Zodariellum 161
Zodarion 161, 162
Zodarium 162
zographica, *Erigone* 56
zonshteini, *Proszynskiana* 215
zonshteini, *Xysticus* 201
zonsteini, *Gnaphosa* 171
zonsteini, *Mesitelus* 153
zonsteini, *Pardosa* 130
zonsteini, *Piniphantes* 81
zonsteini, *Zaitunia* 14
Zora 136
Zornella 101
Zoropsis 136
Zygiella 110, 111, 112, 112
zygius, *Anguliphantes* 42
Zyuzicosa 133
zyuzini, *Alopecosa* 119
zyuzini, *Chalcoscirtus* 205
zyuzini, *Clubiona* 159
zyuzini, *Gnaphosa* 171
zyuzini, *Pardosa* 130
zyuzini, *Steatoda* [n.nud.] 37
zyuzini, *Thomisus* 195
zyuzini, *Titanoeca* 151
zyuzini, *Yllenus* 223

Content

Preface and Introduction	3
Methodology	5
Basic calculations	8
Checklist of the spiders (Arachnida: Aranei) of Russia and post-Soviet republics ...	11
Family Atypidae	11
Family Ctenizidae	11
Family Dipluridae	11
Family Nemesiidae	11
Family Filistatidae	13
Family Sicariidae	14
Family Scytodidae	14
Family Leptonetidae	14
Family Pholcidae	15
Family Segestriidae	16
Family Dysderidae	16
Family Oonopidae	21
Family Palpimanidae	21
Family Mimetidae	21
Family Eresidae	22
Family Oecobiidae	22
Family Hersiliidae	23
Family Uloboridae	24
Family Nesticidae	24
Family Theridiidae	25
Family Theridiosomatidae	37
Family Mysmenidae	38
Family Synsphyridae	38
Family Linyphiidae	38
Family Tetragnathidae	101
Family Araneidae	104
Family Lycosidae	113
Family Pisauridae	134
Family Oxyopidae	135
Family Zoropsidae	136
Family Zoridae	136
Family Ctenidae	136
Family Agelenidae	137
Family Cybaeidae	142
Family Hahniidae	143
Family Dictynidae	144
Family Amaurobiidae	149
Family Titanoecidae	150
Family Anyphaenidae	151
Family Liocranidae	152
Family Clubionidae	153
Family Corinnidae	159
Family Zodariidae	161

Family Cithaeronidae	163
Family Prodidomidae	163
Family Gnaphosidae	163
Family Sparassidae	184
Family Philodromidae	184
Family Thomisidae	190
Family Salticidae	202
References	225
Alphabetic index of Latin names	232

Научное издание

Кирилл Глебович МИХАЙЛОВ
**Пауки (Arachnida: Aranei) России и прилежащих стран:
неаннотированный реестр**

(на англ. яз.).

Arthropoda Selecta. Приложение № 3.

Москва: Товарищество научных изданий КМК. 2013. 260 с.

при участии ИП Михайлова К.Г.

Подписано в печать 16.09.2013. Формат 70×90/16. Объём 16,5 п.л. Уч.-изд.л. 21,45.

Бумага мелов. Тираж 200 экз.

Отпечатано в ООО «Галлея-Принт», Москва, 5-я Кабельная ул., 5б