

HP ProLiant servers

Family guide





Table of contents

HP ProLiant servers: Introduction	3
HP ProLiant servers: Entry-level	6
HP ProLiant servers: Midrange	12
HP ProLiant servers: High-end	23
HP ProLiant servers: Multi-node (1000 series)	25
HP ProLiant servers: Multi-node (6000 series)	27
HP ProLiant servers: Supported options	29
HP related offerings: Infrastructure management software, operating systems, and virtual environments	30
HP related solutions: HP options	32
HP related offerings: HP storage	33
HP Care Pack services	34
HP Technology Services	34
HP Financial Services	35
The right partner	35
To learn more	35


HP ProLiant servers: redefining server economics

In today's data centers, server consolidation and cost reduction are top-of-mind concerns. With tough economic conditions and rising IT operations costs, the status quo won't do. If you're in a data center environment, you need to work aggressively to stop server and storage sprawl, reduce energy expenditures, and make better use of your valuable floor space—while responding faster to changing business requirements.

HP Converged Infrastructure solutions and services will help you meet these goals. They break down technology silos to bring all IT resources together into virtualized pools of assets that can be shared by many applications and managed as a service. This architecture goes beyond the current virtualization of servers, storage systems, and network connections. It brings together management tools, policies, and processes so resources can be managed in a holistic, integrated manner. It also brings together power and cooling practices so systems and facilities work synergistically to extend the life of your data center.

The HP ProLiant server portfolio offers key building blocks for your converged infrastructure. It doubles the performance of previous server generations and adds a wide range of innovative features that help you gain more value out of every IT dollar. HP ProLiant servers deliver major advances in energy efficiency, virtualization, and best-in-class management. We combine these innovations with comprehensive financing programs and service offerings to redefine server economics.

HP ProLiant servers enable consolidation ratios of up to 20:1. This level of consolidation makes it possible for your organization to reduce power and cooling expenses by 97 percent, reduce software licenses by 95 percent, and reduce the number of physical servers to manage by 95 percent. With gains like these, your investment in ProLiant technology can pay for itself in as little as three months.



Achieve a more efficient IT environment with ProLiant. Complete data center solutions enabled with ProLiant need fewer resources and use less energy. With ProLiant, you can get server economics you can't ignore.

Find the server that's right for your needs

HP ProLiant systems are top-selling servers, and every third server sold worldwide is an HP server.* This high-level market acceptance stems in part from our ongoing commitment to provide a complete industry-standard server infrastructure that delivers confidence and reliability.

Whether it's a departmental server, an enterprise data center, or anything in between, HP can meet your exact needs. You can choose the right levels of performance, availability, expandability, and manageability from the world's most comprehensive industry-standard server and options portfolio.

HP ProLiant servers

The HP ProLiant family includes:

- **HP ProLiant Modular Line (ML):** Flexible, expandable tower, and rack/tower options available for growing businesses in 1- and 2-socket designs, and entry and enterprise-class feature sets
- **HP ProLiant Density Line (DL):** Powerful servers in 1, 2, 4, or 7U configurations as well as multi-node server designs, all optimized for a rack-mounted server environment
- **HP ProLiant Scalable System (SL):** A new server family that enables a shared server infrastructure optimized for extreme scale-out deployments
- **HP ProLiant Blade Servers (BL):** Compact and powerful servers designed for performance, management, density, and total cost of ownership (TCO) savings requirements

To explore these products online, visit

www.hp.com/go/proliant

HP Integrity servers

In addition to the ProLiant server family, HP also offers the Integrity systems family—the one of the most-trusted brand for mission-critical environments requiring the highest reliability, availability, and serviceability (RAS) levels. A multi-OS ecosystem running HP-UX 11i, OpenVMS, Microsoft® Windows® Server 2003, Linux, and NonStop, the Integrity platform provides a unique combination of mission-critical availability, virtualization, and scalability.

Additionally, you could also choose from the Integrity systems family that includes:

- HP Integrity NonStop servers: Enabling the highest levels of availability for 24x7 business solutions
- HP Integrity servers: Spanning from entry-class to Superdomes, with unique multi-OS capabilities and leading virtualization
- HP Integrity server blades: Bringing Integrity mission-critical capabilities to an HP BladeSystem c-Class form factor

To learn more about the HP Integrity server family, visit www.hp.com/go/integrity

*Source: IDC Worldwide Quarterly Server Tracker 2008 Q4, February 2009

HP BladeSystem

Are you looking for ways to simplify a growing, multi-server environment? HP BladeSystem is a modular infrastructure consolidated up front to save you more time, energy, and money—regardless of what you put inside. In one box, a BladeSystem supports HP ProLiant and Integrity server blades, HP StorageWorks storage blades, and a variety of virtual machine, client, and workstation solutions. With the essential IT elements built in—compute, network, storage, management, and power and cooling—BladeSystem delivers reliable, cost-effective services to your business.

To learn more about HP BladeSystem, visit www.hp.com/go/bladeSystem

A complete solution from HP

To gain the full value from your investments, you also need expert services across the IT lifecycle, intelligent software, advanced storage devices, and system-enhancing options. HP covers this broad spectrum of needs.

- **Services:** How important is it that your service partners provide a single point of ownership and accountability? Do they meet your service needs across your enterprise? From training and basic product support to proactive services for business-critical IT environments and selective outsourcing, our services help you realize the full potential of your technology to meet your business requirements.
- **Remote support:** Are you spending more time solving problems than focusing on your business? HP Insight Remote Support delivers secure remote support for HP servers and storage 24x7. With remote monitoring, automated notification, and accurate resolution, you can gain better control of your infrastructure, do more with less, and help your business stay up and running.
- **Management software:** Do you need to get more out of every hour, watt, and dollar you invest in your HP infrastructure—both physical and virtual? HP Insight software provides one of the most efficient, in-depth ways to understand, manage, and optimize your technology infrastructure—in real time and over time.
- **Operating systems:** Do you need broad support for Windows, Linux, and UNIX® x86 operating systems? Our extensive OS testing, qualification, and certification give you the choice and flexibility to deploy a broad range of Windows, Linux, and UNIX x86 operating systems with confidence.
- **Virtualization:** Would you like to reduce costs, enhance availability, and increase agility within your data center? HP offers end-to-end virtualization solutions that comprehend industry-leading virtualization environments such as VMware, Citrix, and Windows Hyper-V, tested, certified, and supported on our leading ProLiant platforms, and integrated with Insight Control and Insight Dynamics. And HP knows that for high-availability environments, you need to virtualize your storage as well as your servers. Our P4000 family of physical and virtual SANs can make sure your data is as available as your applications.
- **Storage:** Do you need help optimizing your storage resources, managing multi-vendor environments, and evolving to open architectures? Our virtual SAN and direct-attached storage devices help you keep large amounts of information protected and readily accessible to people when needed.
- **Options:** Do you have everything you need to complete your infrastructure? Our server options—including memory, drives, processors, racks, operating system software, and power and cooling features strengthen the foundation of your data center with high caliber products that are easy to maintain and tailored for ProLiant, Integrity, and StorageWorks, giving you confidence in your whole infrastructure.

HP ProLiant servers—100 series

Affordable, entry-level rack and tower servers ideal for small to medium businesses, workgroups, remote sites, and high-performance computing environments

Entry-level



HP ProLiant ML110 G5

Perfect first server for growing business



HP ProLiant ML110 G6

Perfect first server for growing business

Number of processors	1	1
Maximum number of cores	4	4
Processors supported	Quad-Core Intel® Xeon® processors: X3370: 3.00 GHz, 1333 MHz, 95W X3360: 2.83 GHz, 1333 MHz, 95W X3330: 2.66 GHz, 1333 MHz, 95W X3220: 2.40 GHz, 1066 MHz, 95W X3210: 2.13 GHz, 1066 MHz, 95W Dual-Core Intel Core™2 Duo processor: E7400: 2.80 GHz, 1066 MHz, 65W Dual-Core Intel Xeon processors: E3120: 3.16 GHz, 1333 MHz, 65W E3110: 3.00 GHz, 1333 MHz, 65W Dual-Core Intel Pentium® processor: E2160: 1.80 GHz, 800 MHz, 65W Single-Core Intel Celeron® processors: 440: 2.00 GHz, 800 MHz, 35W	Quad-Core Intel® Xeon® processors: X3460: 2.80 GHz, 1333 MHz, 95W X3450: 2.66 GHz, 1333 MHz, 95W X3440: 2.53 GHz, 1333 MHz, 95W X3430: 2.40 GHz, 1333 MHz, 95W Dual-Core Intel Core™i3 processor: i3-540: 3.06 GHz, 1333 MHz, 73W i3-530: 2.93 GHz, 1333 MHz, 73W Dual-Core Intel Pentium® processor: G6950: 2.80 GHz, 1066 MHz, 73W Dual-Core Intel Celeron® processor: G1101: 2.26 GHz, 1066 MHz, 73W
Cache	12 MB L2: Xeon X3370, X3360 8 MB L2: Xeon X3220, X3210 6 MB L2: Xeon X3330, E3120, E3110 3 MB L2: Core2 E7400 1 MB L2: Pentium E2160 512 KB L2: Celeron 440	8 MB: Xeon series 4 MB: Core i3 series 3 MB: Pentium processor 2 MB: Celeron processor
Maximum memory	8 GB	16 GB
Drives supported	Up to 4 non hot plug LFF drives: SAS 3G 15K 450/300/146 GB 6G SAS 15K 600/450/500 GB SATA 3G 7.2K 2 TB/1 TB/500/250/160 GB	Up to 4 non hot plug LFF drives: SAS 3G 15K 450/300/146 GB SATA 3G 7.2K 2 TB/1 TB/500/250/160 GB
Maximum internal storage	2.4 TB SAS; 8.0 TB SATA	2.4 TB SAS; 8.0 TB SATA
Form factor	Tower or 4U rack	Tower or 4U rack
Warranty (parts/labor/onsite)	1-year/1-year/1-year; 3-year/1-year/1-year (Asia-Pacific region, except Japan)	1-year/1-year/1-year; 3-year/1-year/1-year (only in Brazil)

For HP related offering section on ML110 G5 and ML110G6, [click here](#).

HP ProLiant servers—100 series (cont'd)

Entry-level



HP ProLiant ML115 G5

Perfect first server for growing business



HP ProLiant ML150 G6

Expandable and affordable for growing businesses

Number of processors	1	1–2
Maximum number of cores	4	8
Processors supported	<p>Quad-Core AMD Opteron processors: 1356: 2.30 GHz, 800 MHz, 75W 1354: 2.20 GHz, 800 MHz, 75W 1352: 2.10 GHz, 800 MHz, 75W</p> <p>Dual-Core AMD Athlon processor: 4450B: 2.30 GHz, 2000 MHz, 45W</p> <p>Single-Core AMD Athlon processor: 1640B: 2.7 GHz, 2000 MHz, 45W</p>	<p>Quad-Core Intel Xeon processors: E5540: 2.53 GHz, 1066 MHz, 80W E5530: 2.40 GHz, 1066 MHz, 80W E5520: 2.26 GHz, 1066 MHz, 80W E5506: 2.13 GHz, 800 MHz, 80W E5504: 2.00 GHz, 800 MHz, 80W</p> <p>Dual-Core Intel Xeon processors: E5502: 1.86 GHz, 800 MHz, 80W</p>
Cache	<p>2 MB L2: Opteron Series 1 MB L2: Athlon 4450B 512 KB L2: Athlon 1640B</p>	<p>8 MB (1 x 8 MB) L3 cache: (E5540, E5530, E5520) 4 MB (1 x 4 MB) L3 cache: (E5506, E5504, E5502)</p>
Maximum memory	8 GB	<p>48 GB RDIMM 24 GB UDIMM</p>
Drives supported	<p>Up to 4 non hot plug LFF drives: SAS 3G 15K 450/300/146 GB 6G SAS 15K 600/450/300 GB SATA 3G 7.2K 2 TB/1 TB/500/250/160 GB SATA 3G 7.2K 2 TB/1 TB/500/250/160 GB</p>	<p>Up to 8 hot plug LFF drives: 6G SAS 15K 600/450/300 GB SAS 6G 7.2K 2 TB/1 TB SATA 3G 7.2K 2/1TB/500/250/160 GB</p> <p>Up to 4 Non-hot plug LFF drives: 6G SAS 15K 600/450/300 GB SAS 6G 7.2K 2 TB/1 TB SATA 3G 7.2K 2 TB/1 TB/500/250/160 GB</p>
Maximum internal storage	2.4 TB SAS; 8.0 TB SATA	16.0 TB SAS; 16.0 TB SATA
Form factor	Tower or 4U rack	Tower or 5U rack
Warranty (parts/labor/onsite)	1-year/1-year/1-year; 3-year/1-year/1-year (Asia-Pacific region, except Japan)	1-year/1-year/1-year; 3-year/1-year/1-year (Brazil, Asia-Pacific, excluding Japan)

For HP related offering section on ML115 G5 and ML150 G6, [click here](#).

HP ProLiant servers—100 series (cont'd)

Entry-level



HP ProLiant DL160 G6

Designed for general purpose and compute intensive environments



HP ProLiant DL160se G6

Designed for general purpose and I/O intensive compute environments

Number of processors	1–2	1–2
Maximum number of cores	12	8
Processors supported	<p>Six-Core Xeon processors:</p> <p>X5670: 2.93 GHz, 95W X5660: 2.80 GHz, 95W X5650: 2.66 GHz, 95W L5640: 2.26 GHz, 60W</p> <p>Quad-Core Xeon processors:</p> <p>E5640: 2.66 GHz, 80W E5630: 2.53 GHz, 80W E5620: 2.40 GHz, 80W L5630: 2.13 GHz, 40W X5570: 2.93 GHz, 95W X5560: 2.80 GHz, 95W X5550: 2.66 GHz, 95W E5540: 2.53 GHz, 80W E5530: 2.40 GHz, 80W E5520: 2.26 GHz, 80W L5520: 2.26 GHz, 60W E5506: 2.13 GHz, 80W E5504: 2.00 GHz, 80W</p> <p>Dual-Core processor:</p> <p>E5503: 2.0 GHz, DC</p>	<p>E5504: 2.00 GHz, 80W E5520: 2.26 GHz, 80W L5520: 2.26 GHz, 60W E5540: 2.53 GHz, 80W X5550: 2.67 GHz, 95W X5570: 2.93 GHz, 95W E5530: 2.40 GHz, 1066 MHz, 80W X5560: 2.80 GHz, 1333 MHz, 95W</p>
Cache	<p>12 MB (1 x 12 MB) shared L3 cache 8 MB (1 x 8 MB) shared L3 cache 4 MB (1 x 4 MB) shared L3 cache</p>	<p>8 MB (1 x 8 MB) shared L3 cache (all processors but those listed below) 4 MB (1 x 4 MB) shared L3 cache (E5504)</p>
Maximum memory	<p>192 GB RDIMM 48 GB UDIMM</p>	<p>192 GB RDIMM 24 GB UDIMM</p>
Drives supported	<p>Up to 4: Hot plug LFF 6G SAS 15K 600/450/300 GB Hot plug LFF 6G SAS 7.2K 2 TB/1 TB Non-hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB Hot plug LFF SATA 3G 60/120 GB SSD</p> <p>OR</p> <p>Up to 8: Hot plug SFF SATA 3G 60/120 GB SSD Hot plug SFF SAS 10K 300/146 GB Hot plug SFF SAS 15K 72 /146 GB Hot plug SFF SAS 7.2k 500 GB Hot plug SFF SATA 7.2k 500/160 GB Hot plug SFF SATA 5.4K 250/120 GB</p>	<p>Up to 4: Hot plug LFF 6G SAS 15K 600/450/300 GB Hot plug LFF 6G SAS 7.2K/2 TB/1 TB Non-hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB Hot plug LFF SATA 3G 60/120 GB SSD</p> <p>OR</p> <p>Up to 8: Hot plug SFF SATA 3G 60/120 GB SSD Hot plug SFF 6G SAS 10K 300/146/72/36 GB Hot plug SFF 6G SAS 15K 72 GB Hot plug SFF SATA 7.2K 500/160 GB Hot plug SFF SATA 5.4K 250/120 GB</p>
Maximum internal storage	8.0 TB	8.0 TB
Form factor	1U rack	1U rack
Warranty (parts/labor/onsite)	3-year parts	3-year parts

For HP related offering section on DL160 G6 and DL160se G6, [click here](#).

HP ProLiant servers—100 series (cont'd)

Entry-level



HP ProLiant DL165 G7

Designed for low cost memory and compute intensive environments



HP ProLiant DL180 G6

Flexible and reliable value server for growing businesses needing expandability

Number of processors	1–2	1–2
Maximum number of cores	24	12
Processors supported	<p>AMD Opteron 6100 Series processors:</p> <p>6128: 2.0 GHz, 12 MB L3 Cache, 80W</p> <p>6128HE: 2.0 GHz, 12 MB L3 Cache, 65W</p> <p>6134: 2.3 GHz, 12 MB L3 Cache, 80W</p> <p>6136: 2.4 GHz, 12 MB L3 Cache, 80W</p> <p>6164HE: 1.7 GHz, 12 MB L3 Cache, 65W</p> <p>6172: 2.1 GHz, 12 MB L3 Cache, 80W</p> <p>6174: 2.2 GHz, 12 MB L3 Cache, 80W</p>	<p>Six-Core Xeon processors:</p> <p>X5670: 2.93 GHz, 1333 MHz, 95W</p> <p>X5660: 2.80 GHz, 1333 MHz, 95W</p> <p>X5650: 2.66 GHz, 1333 MHz, 95W</p> <p>L5640: 2.26 GHz, 1333 MHz, 60W</p> <p>Quad-Core Xeon processors:</p> <p>E5640: 2.66 GHz, 1066 MHz, 80W</p> <p>E5630: 2.53 GHz, 1066 MHz, 80W</p> <p>E5620: 2.40 GHz, 1066 MHz, 80W</p> <p>E5540: 2.53 GHz, 1066 MHz, 80W</p> <p>E5520: 2.26 GHz, 1066 MHz, 80W</p> <p>E5520: 2.26 GHz, 1066 MHz, 80W</p> <p>E5504: 2.00 GHz, 800 MHz, 80W</p> <p>L5630: 2.13 GHz, 1066 MHz, 40W</p> <p>L5520: 2.26 GHz, 1066 MHz, 60W</p> <p>Dual-Core processor:</p> <p>E5503: 2.00 GHz, 800 MHz, 80W</p>
Cache	12 MB shared L3 Cache	<p>12 MB (1 x 12 MB) L3 cache</p> <p>8 MB (1 x 8 MB) L3 cache</p> <p>4 MB (1 x 4 MB) L3 cache: (E5504)</p>
Maximum memory	<p>192 GB RDIMM</p> <p>24 GB UDIMM</p>	<p>192 GB RDIMM</p> <p>48 GB UDIMM</p>
Drives supported	<p>Up to 4:</p> <p>Hot plug LFF 6G SAS 15K 600/450/300 GB</p> <p>Hot plug LFF SAS 7.2K 2 TB/1 TB/750 GB</p> <p>Non-hot plug LFF SATA 7.2K 2 TB/1 TB /500/250/160 GB</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB</p> <p>Hot plug LFF SATA 3G 60/120 GB SSD</p> <p>OR</p> <p>Up to 8:</p> <p>Hot plug SFF 6G SAS 10K 300/146 GB</p> <p>Hot plug SFF 6G SAS 15K 146/72 GB</p>	<p>Up to 14:</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/750/500/250/160 GB</p> <p>Hot plug LFF SAS 15K 600/450/300/146 GB</p> <p>Hot plug LFF SAS 7.2K 2 TB/1 TB/750 GB</p> <p>Hot plug LFF SATA 3G 60/120 GB SSD</p> <p>OR</p> <p>Up to 25:</p> <p>Hot plug SFF 6G SAS 10K 300/146 GB</p> <p>Hot plug SFF 6G SAS 15K 146/72 GB</p> <p>Hot plug SFF 6G SAS 7.2 K 500 GB</p> <p>Hot plug SFF SATA 7.2K 500/160 GB</p> <p>Hot plug SFF SATA 5.4K 250/120 GB</p> <p>Hot plug SFF SATA 3G 60/120 GB SSD</p> <p>OR</p> <p>SATA Midline SSD</p>
Maximum internal storage	8.0 TB	28 TB
Form factor	1U rack	2U rack
Warranty (parts/labor/onsite)	3-year parts	3-year parts

For HP related offering section on DL165 G7 and DL180 G6, [click here](#).

HP related offerings

HP ProLiant servers—100 series

	HP ProLiant ML110 G5 Perfect first server for growing business	HP ProLiant ML115 G5 Perfect first server for growing business
Services		
Recommend Related	3-year, 9x5, next-business-day response 3-year, 13x5 same-day, 4-hour response	3-year, 9x5, next-business-day response 3-year, 13x5 same-day, 4-hour response
Storage		
	DAT 320 internal USB/SAS tape drive LTO Ultrium 448/920 internal SAS tape drive Disk Backup D2D2502i/2504i RDX 320/500/750 Internal disk backup system HP SC44Ge SAS Host Bus Adapter	DAT 320 internal USB/SAS tape drive LTO Ultrium 448/920 internal SAS tape drive Disk Backup D2D2502i/2504i RDX 320/500/750 Internal disk backup system HP SC44Ge SAS Host Bus Adapter
Options		
	2 GB Unbuffered PC2-6400 ECC Memory	2 GB Unbuffered PC2-6400 ECC Memory
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, NetWare, VMware, Citrix	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, VMware, Citrix

	HP ProLiant ML110 G6 Perfect first server for growing business	HP ProLiant ML150 G6 Expandable and affordable for growing businesses
Services		
Recommend Related	3-year, 9x5, next-business-day response 3-year, 13x5 same-day, 4-hour response	3-year, 9x5, next-business-day response 3-year, 13x5 same-day, 4-hour response
Storage		
	DAT 320 internal USB/SAS tape drive LTO Ultrium 448/920 internal SAS tape drive Disk Backup D2D2502i/2504i RDX 320/500/750 Internal disk backup system Smart Array P212 Controller	DAT 320 internal USB/SAS tape drive LTO Ultrium 448/920 internal SAS tape drive Disk Backup D2D2502i/2504i RDX 320/500/750 Internal disk backup system Smart Array P212 Controller
Options		
	Lights-Out 100 Advanced Pack Trusted Platform Module (TPM) 1.2 Module Support	750W Hot Plug Redundant Power Supply kit Lights-Out 100 Advanced Trusted Platform Module (TPM) 1.2 Module Support
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, VMware, Citrix

HP related offerings

HP ProLiant servers—100 series

	HP ProLiant DL160 G6 Designed for general purpose and compute intensive environments	HP ProLiant DL160se G6 Designed for general purpose and I/O intensive compute environments
Services		
Recommend Related	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7 same-day, 4-hour response	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-day, 4-hour response
Storage		
	50/60/70 Modular Smart Array LTO-2 Ultrium 448 SAS tape drive Smart Array P212 Controller	50/60/70 Modular Smart Array LTO-2 Ultrium 448 SAS tape drive Smart Array P212 controller
Options		
	Hot plug HDD backplane for third and fourth drive support HP High Efficiency 750W Power Supply Kit	Hot plug HDD backplane for third and fourth drive support HP High Efficiency 750W Power Supply Kit
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris, VMware, Citrix	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris, VMware, Citrix

	HP ProLiant DL165 G7 Designed for low cost memory and compute intensive environments	HP ProLiant DL180 G6 Flexible and reliable value server for growing businesses needing expandability
Services		
Recommend Related	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7 same-day, 4-hour response	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7 same-day, 4-hour response
Storage		
	50/60/70 Modular Smart Array LTO-2 Ultrium 448 SAS tape drive Smart Array P212 controller	50/60/70 Modular Smart Array LTO-3 Ultrium 920 SAS tape drive Smart Array P410 Controller
Options		
	Rear SD Card Reader iLO Advanced Pack TPM Module	HP 750W CS HE Gold Power Supply HP 460W CS HE Gold Power Supply 8 GB Dual-Rank PC3-8500R Memory
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris, VMware, Citrix	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris, VMware, Citrix Automated support: Insight Remote Support

HP ProLiant servers—300 series

Midrange rack and tower servers with increased expansion to support virtualization, e-mail, and database applications

Midrange



HP ProLiant ML310 G5p

Engineered to meet the needs of corporate small sites



HP ProLiant DL320 G6

Entry compute power with enterprise management for remote or space-constrained installations

Number of processors	1	1
Maximum number of cores	4	4
Processors supported	<p>Quad-Core Intel Xeon processors:</p> <p>X3370: 3.0 GHz, 1333 MHz, 95W</p> <p>X3360: 2.83 GHz, 1333 MHz, 95W</p> <p>X3330: 2.66 GHz, 1333 MHz, 95W</p> <p>X3220: 2.40 GHz, 1066 MHz, 95W</p> <p>Quad-Core Intel Core2 Quad processor:</p> <p>Q9400: 2.66 GHz, 1333 MHz, 95W</p> <p>Dual-Core Intel Xeon processors:</p> <p>E3120: 3.16 GHz, 1333 MHz, 65W</p> <p>E3110: 3.00 GHz, 1333MHz, 65W</p> <p>Dual-Core Intel Core2 Duo processor:</p> <p>E8400: 3.00 GHz, 1333 MHz, 65W</p> <p>E6400: 2.13 GHz, 1066 MHz, 65W</p> <p>Dual-Core Intel Pentium processor:</p> <p>E2160: 1.80 GHz, 800 MHz, 65W</p> <p>Single-Core Intel Celeron processor:</p> <p>440: 2.00 GHz, 800 MHz, 35W</p>	<p>Quad-Core Intel Xeon processors:</p> <p>E5540: 2.53 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>E5520: 2.26 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>E5506: 2.13 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>E5504: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>L5520: 2.26 GHz, 8 MB L3 Cache, 60W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>L5506: 2.13 GHz, 4 MB L3 Cache, 60W, DDR3-800</p> <p>Dual-Core processors:</p> <p>E5502: 1.86 GHz, 4 MB L3 Cache, 80W, DDR3-800</p>
Cache	<p>12 MB L2: Xeon X3370, X3360</p> <p>8 MB L2: Xeon X3220, E3110</p> <p>6 MB L2: X3330, E3120, Q9400, E8400</p> <p>2 MB L2: E6400</p> <p>1 MB L2: Pentium E2160</p> <p>512 KB L2: Celeron 440</p>	4 MB (1 x 4 MB)
Maximum memory	8 GB	8 GB
Drives supported	<p>Up to 4:</p> <p>Hot plug LFF 6G SAS 15K 600/450/300/146 GB</p> <p>Hot plug LFF 6G SAS 7.2K 2 TB/1 TB/750 GB</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB</p> <p>Hot plug LFF SATA 3G 60/120 GB SSD</p>	<p>Up to 4:</p> <p>Hot plug LFF 6G SAS 15K 600/450/300 GB</p> <p>Hot plug LFF 6G SAS 7.2K 2 TB/1 TB</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB</p>
Maximum internal storage	8.0 TB	8.0 TB
Form factor	Tower or 5U rack	1U rack
Warranty (parts/labor/onsite)	1-year/1-year/1-year; 3-year/1-year/1-year (Asia-Pacific region only)	3-year/3-year/3-year

For HP related offering section on ML310 G5p, and DL320 G6, [click here](#).

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant ML330 G6

Performance and manageability to scale your business

Number of processors	1–2
Maximum number of cores	12
Processors supported	<p>Intel Xeon processor DP family:</p> <p>Six-Core processors: X5650: 2.66 GHz, 12 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3/4/4</p> <p>Quad-Core processors: E5640: 2.66 GHz, 12 MB L3 Cache, 80W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2 E5630: 2.53 GHz, 12 MB L3 Cache, 80W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2 E5620: 2.40 GHz, 12 MB L3 Cache, 80W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2 E5540: 2.53 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2 E5530: 2.40 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2 E5520: 2.26 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2 E5507: 2.26 GHz, 4 MB L3 Cache, 80W, DDR3-800 E5506: 2.13 GHz, 4 MB L3 Cache, 80W, DDR3-800 E5504: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>Dual-Core E5503: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800 E5502: 1.86 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>Intel Xeon processor W3500 UP family:</p> <p>Quad-Core processors: W3540: 2.93 GHz, 8 MB L3 Cache, 130W, DDR3-1066, HT, Turbo 1/1/1/2 W3520: 2.66 GHz, 8 MB L3 Cache, 130W, DDR3-1066, HT, Turbo 1/1/1/2</p> <p>Dual-Core processors: W3505: 2.53 GHz, 4 MB L3 Cache, 130W, DDR3-1066 W3503: 2.40 GHz, 4 MB L3 Cache, 130W, DDR3-1066</p>
Cache	<p>12 MB L3 cache (For processors X5600/E5600 series)</p> <p>8 MB L3 cache (all processors supported but those listed above and below)</p> <p>4 MB L3 cache: E5506, E5504, E5502, W3505, W3503</p>
Maximum memory	<p>192 GB RDIMM</p> <p>48 GB UDIMM</p>
Drives supported	<p>Up to 8:</p> <p>Non-hot plug LFF SAS 15K: 600/450/300/146 GB</p> <p>Non-hot plug LFF SATA 7.2K 2 TB/1 TB/750/500/250/160 GB</p> <p>Hot plug LFF SAS 15K 600/450/300/146 GB</p> <p>Hot plug LFF SAS 7.2K 2 TB/1 TB/750 GB</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/750/500/250/160 GB</p> <p>Hot plug LFF SATA 3G 60/120 GB SSD</p>
Maximum internal storage	16.0 TB
Form factor	5U Tower
Warranty (parts/labor/onsite)	3-year/1-year/1-year

For HP related offering section on ML330 G6, [click here](#).

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant ML350 G6

Adaptable, reliable mainstay for your business

Number of processors	1-2
Maximum number of cores	12
Processors supported	<p>Intel Xeon processor DP family:</p> <p>Six-Core processors:</p> <p>X5670: 2.93 GHz, 12 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3/4/4</p> <p>X5660: 2.80 GHz, 12 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3/4/4</p> <p>X5650: 2.66 GHz, 12 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3/4/4</p> <p>Quad-Core Xeon processors:</p> <p>E5640: 2.66 GHz, 12 MB L3 Cache, 80W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2</p> <p>E5630: 2.53 GHz, 12 MB L3 Cache, 80W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2</p> <p>E5620: 2.40 GHz, 12 MB L3 Cache, 80W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2</p> <p>X5570: 2.93 GHz, 1333 MHz, 95W</p> <p>X5560: 2.80 GHz, 1333 MHz, 95W</p> <p>X5550: 2.66 GHz, 1333 MHz, 95W</p> <p>E5540: 2.53 GHz, 1066 MHz, 80W</p> <p>E5530: 2.40 GHz, 1066 MHz, 80W</p> <p>E5520: 2.26 GHz, 1066 MHz, 80W</p> <p>L5630: 2.13 GHz, 12 MB L3 Cache, 40W, DDR3-1066, HT, Turbo NA/NA/1/1/2/2</p> <p>L5520: 2.26 GHz, 1066 MHz, 60W</p> <p>L5506: 2.13 GHz, 800 MHz, 60W</p> <p>E5507: 2.26 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>E5506: 2.13 GHz, 800 MHz, 80W</p> <p>E5504: 2.00 GHz, 800 MHz, 80W</p> <p>Dual-Core Xeon processor:</p> <p>E5503: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>E5502: 1.86 GHz, 800 MHz, 80W</p>
Cache	<p>12 MB L3 cache (For processors X5600/E5600 series, L5630)</p> <p>8 MB (1 x 8 MB) L3 cache: (all processors but those listed above and below)</p> <p>4 MB (1 x 4 MB) L3 cache: E5506, L5506, E5507, E5504, E5503, E5502</p>
Maximum memory	<p>192 GB RDIMM</p> <p>48 GB UDIMM</p>
Drives supported	<p>Up to 8:</p> <p>Hot plug LFF SAS 7.2K 2 TB/1 TB</p> <p>Hot plug LFF SAS 15K 600/450/300/146 GB</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/750/500/250/160 GB</p> <p>Hot plug LFF SATA 60/120 GB SSD</p> <p>Up to 16:</p> <p>Hot plug SFF SAS 10K 300/146 GB</p> <p>Hot Plug SFF SAS 7.2K 500 GB</p> <p>Hot plug SFF SAS 15K 146/72 GB</p> <p>Hot plug SFF SATA 7.2K 500/160 GB</p> <p>Hot plug SFF SATA 5.4K 250/120 GB</p> <p>Hot plug SFF SATA 60/120 GB SSD</p>
Maximum internal storage	16.0 TB
Form factor	Tower or 5U rack
Warranty (parts/labor/onsite)	3-year/3-year/3-year

For HP related offering section on ML350 G6, [click here](#).

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant DL360 G6

Most reliable compute power in an 1U space, HP Integrated Lights-Out (iLO) management processor and fault tolerance for space-constrained installations



HP ProLiant DL360 G7

Most reliable compute power in an 1U Space with ProLiant iLO3 remote management and fault tolerance for space-constrained installations

Number of processors	1–2	1–2
Maximum number of cores	12	12
Processors supported	<p>Six- Core Xeon processors:</p> <p>X5670: 2.93 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5660: 2.80 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5650: 2.66 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>Quad-Core Xeon processors:</p> <p>X5570: 2.93 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3</p> <p>X5560: 2.80 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3</p> <p>X5550: 2.66 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3</p> <p>E5540: 2.53 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>E5530: 2.40 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>L5520: 2.26 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>L5520: 2.26 GHz, 1066 MHz, 60W, Turbo: 1/1/2/2</p> <p>L5530: 2.40 GHz, 1066 MHz, 60W, Turbo: 1/1/2/2</p> <p>L5506: 2.13 GHz, 800 MHz, 60W, Turbo: N/A</p> <p>E5506: 2.13 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>E5504: 2.00 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>Dual-Core Xeon processor:</p> <p>E5502: 1.86 GHz, 800 MHz, 80W, Turbo: N/A</p>	<p>Six-Core Xeon processors:</p> <p>X5670: 2.93 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5660: 2.80 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5650: 2.66 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>L5640: 2.26 GHz, 1066 MHz, 60W, HT Turbo: 2/2/3/3/4/4</p> <p>Quad-Core Xeon processors:</p> <p>E5640: 2.66 GHz, 1066 MHz, 80W, HT Turbo: 1/1/2/2</p> <p>E5630: 2.53 GHz, 1066 MHz, 80W, HT Turbo: 1/1/2/2</p> <p>E5620: 2.40 GHz, 1066 MHz, 80W, HT Turbo: 1/1/2/2</p> <p>E5506: 2.13 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>L5630: 2.13 GHz, 1066 MHz, 40W, HT Turbo 1/1/2/2</p> <p>Dual-Core Processor:</p> <p>E5503: 2.00 GHz, 800 MHz, 80W, Turbo: N/A</p>
Cache	<p>12 MB (1 x 12 MB) L3 cache: (all 6 core processors)</p> <p>8 MB (1 x 8 MB) L3 cache: (all processors supported but those listed below)</p> <p>E5506, L5506, E5504, E5502</p>	<p>12 MB (1 x 12 MB) L3 cache: (all processor models except for those identified below)</p> <p>4 MB (1 x 4 MB) L3 cache: (For processors E5506/E5503)</p>
Maximum memory	<p>192 GB RDIMM (12 x 16 GB for Registered Memory Configurations)</p> <p>24 GB UDIMM (12 x 2 GB for Unbuffered Memory Configurations)</p>	<p>192 GB RDIMM (12 x 16 GB for Registered Memory Configurations)</p> <p>48 GB UDIMM (12 x 4 GB for Unbuffered Memory Configurations)</p>
Drives supported	<p>Up to 8:</p> <p>Hot plug SFF 6G SAS 10K 300/146 GB</p> <p>Hot plug SFF 6G SAS 15K 146/72 GB</p> <p>Hot plug SFF 6G SAS 7.2K 500 GB</p> <p>Hot plug SFF SATA 7.2K 500/160 GB</p> <p>Hot plug SFF SATA 5.4K 250/120 GB</p> <p>Hot Plug SFF SATA 3G 120/60 GB SSD</p>	<p>Up to 8:</p> <p>Hot Plug SFF SAS 6G 10K 300/146 GB</p> <p>Hot Plug SFF SAS 6G 15K 146/72 GB</p> <p>Hot Plug SFF SAS 7.2K 500 GB</p> <p>Hot Plug SFF SATA 7.2K 500/160 GB</p> <p>Hot Plug SFF SATA 5.4K 250 GB</p> <p>Hot Plug SFF SATA 3G 120/60 GB SSD</p>
Maximum internal storage	4.0 TB	4.0 TB
Form factor	1U rack	1U Rack
Warranty (parts/labor/onsite)	3-year/3-year/3-year	3-year/3-year/3-year

For HP related offering section on DL360 G6 and DL360 G7, [click here](#).

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant DL370 G6

New 4U rack server optimized for virtualization and consolidation environments, well-suited for deployment in growing businesses, remote office sites, or data centers



HP ProLiant ML370 G6

Redesigned tower expandable server optimized for virtualization and consolidation environments, well-suited for deployment in growing businesses, remote office sites, or data centers

Number of processors	1–2	1–2
Maximum number of cores	8	8
Processors supported	<p>Quad-Core Intel Xeon processors:</p> <p>W5580: 3.20 GHz, 1333 MHz, 130W, Turbo: 1/1/1/2 X5570: 2.93 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3 X5560: 2.80 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3 X5550: 2.66 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3 E5540: 2.53 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2 E5530: 2.40 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2 L5520: 2.26 GHz, 1066 MHz, 60W, Turbo: 1/1/2/2 E5520: 2.26 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2 E5506: 2.13 GHz, 800 MHz, 80W, Turbo: N/A E5504: 2.00 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>Dual-Core Intel Xeon processor: E5502: 1.86 GHz, 800 MHz, 80W, Turbo: N/A</p>	<p>Quad-Core Intel Xeon processors:</p> <p>W5580: 3.20 GHz, 1333 MHz, 130W, Turbo: 1/1/1/2 X5570: 2.93 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3 X5560: 2.80 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3 X5550: 2.66 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3 E5540: 2.53 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2 E5530: 2.40 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2 L5520: 2.26 GHz, 1066 MHz, 60W, Turbo: 1/1/2/2 E5520: 2.26 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2 E5506: 2.13 GHz, 800 MHz, 80W, Turbo: N/A E5504: 2.00 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>Dual-Core Intel Xeon processor: E5502: 1.86 GHz, 800 MHz, 80W, Turbo: N/A</p>
Cache	8 MB (1 x 8 MB) L3 cache: (all processors but those listed below) 4 MB (1 x 4 MB) L3 cache: (E5506, E5504, E5502)	8 MB (1 x 8 MB) L3 cache: (all processors but those listed below) 4 MB (1 x 4 MB) L3 cache: (E5506, E5504, E5502)
Maximum memory	192 GB RDIMM (12 x 16 GB) for Registered Memory configurations 48 GB UDIMM (12 x 4 GB) for Unbuffered Memory Configurations)	192 GB RDIMM (12 x 16 GB) for Registered Memory configurations 48 GB UDIMM (12 x 4 GB) for Unbuffered Memory Configurations)
Drives supported	<p>Up to 14: Hot plug LFF 6G SAS 7.2K 2 TB/1 TB Hot plug LFF 6G SAS 15K 600/450/300 GB Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB Hot plug LFF SATA 3G 60/120 GB SSD</p> <p>Up to 24: Hot plug SFF 6G SAS 10K 300/146 GB Hot plug SFF 6G SAS 15K 146/72 GB Hot plug SFF SATA 5.4K 250/120 GB; 7.2K 500/160 GB Hot plug SFF SATA 3G 60/120 GB SSD</p>	<p>Up to 14: Hot plug LFF 6G SAS 7.2K 2 TB/1 TB Hot plug LFF 6G SAS 15K 600/450/300 GB Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB Hot plug LFF SATA 3G 60/120 GB SSD</p> <p>Up to 24: Hot plug SFF 6G SAS 10K 300/146 GB Hot plug SFF 6G SAS 15K 146/72 GB Hot plug SFF SATA 5.4K 250/120 GB; 7.2K 500/160 GB Hot plug SFF SATA 3G 60/120 GB SSD</p>
Maximum internal storage	28.0 TB	28.0 TB
Form factor	4U rack	Tower
Warranty (parts/labor/onsite)	3-year/3-year/3-year	3-year/3-year/3-year

For HP related offering section on DL370 G6, and ML370 G6, [click here](#).

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant DL380 G6

Affordable server with robust features for growing businesses and remote sites



HP ProLiant DL380 G7

Affordable server with robust features for growing businesses and remote sites

Number of processors	1–2	1–2
Maximum number of cores	12	12
Processors supported	<p>Six-Core Xeon processors:</p> <p>X5670: 2.93 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5660: 2.80 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5650: 2.66 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>Quad-Core Xeon processors:</p> <p>X5570: 2.93 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3</p> <p>X5560: 2.80 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3</p> <p>X5550: 2.66 GHz, 1333 MHz, 95W, Turbo: 2/2/3/3</p> <p>E5540: 2.53 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>L5530: 2.40 GHz, 1066 MHz, 60W, Turbo: 1/1/1/2/2</p> <p>E5530: 2.40 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>L5520: 2.26 GHz, 1066 MHz, 60W, Turbo: 1/1/2/2</p> <p>E5520: 2.26 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>L5506: 2.13 GHz, 800 MHz, 60W, Turbo: N/A</p> <p>E5506: 2.13 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>E5504: 2.00 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>Dual-Core Xeon processor:</p> <p>E5502: 1.86 GHz, 800 MHz, 80W, Turbo: N/A</p>	<p>Six-Core Xeon Processors:</p> <p>X5680: 3.33 GHz, 1333 MHz, 130W, HT Turbo: 1/1/1/1/2/2</p> <p>X5670: 2.93 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5660: 2.80 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>X5650: 2.66 GHz, 1333 MHz, 95W, HT Turbo: 2/2/2/2/3/3</p> <p>L5640: 2.26 GHz, 1333 MHz, 60W, HT Turbo: 2/2/3/3/4/4</p> <p>Quad-Core Xeon processors:</p> <p>X5677: 3.46 GHz, 1333 MHz, 130W, HT Turbo: NA/NA/1/1/2/2</p> <p>E5640: 2.66 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>E5630: 2.53 GHz, 1066 MHz, 80W, Turbo: 1/1/2/2</p> <p>E5620: 2.40 GHz, 1066 MHz, 60W, Turbo: 1/1/2/2</p> <p>L5630: 2.13 GHz, 1066 MHz, 40W, Turbo: 1/1/2/2</p> <p>E5506: 2.13 GHz, 800 MHz, 80W, Turbo: N/A</p> <p>Dual-Core Xeon processor:</p> <p>E5503: 2.00 GHz, 800 MHz, 80W, Turbo: N/A</p>
Cache	<p>12 MB (1 x 12 MB) L3 cache: (all 6 core processors)</p> <p>8 MB (1 x 8 MB) L3 cache: (all Quad-core processors but those listed below)</p> <p>4 MB (1 x 4 MB) L3 cache: E5506, L5506, E5504, E5502</p>	<p>12 MB (1 x 12 MB) L3 cache: (all processor models except for those identified below)</p> <p>4 MB (1 x 4 MB) L3 cache: (For processors E5506/E5503)</p>
Maximum memory	<p>192 GB RDIMM</p> <p>24 GB UDIMM (12x 2 GB for Unbuffered Memory Configurations)</p>	<p>192 GB RDIMM</p> <p>48 GB UDIMM</p>
Drives supported	<p>Up to 8 (16 with optional second SAS drive cage*):</p> <p>Hot plug SFF 6G SAS 10K 300/146 GB</p> <p>Hot plug SFF 6G SAS 15K 146/72 GB</p> <p>Hot plug SFF SATA 7.2K 500/160 GB</p> <p>Hot plug SFF SATA 5.4K 250/120 GB</p> <p>Up to 6:</p> <p>Hot plug LFF 6G SAS 15K 600/450/300 GB</p> <p>Hot plug LFF 6G SAS 7.2K 2 TB/1 TB/750 GB</p> <p>Hot plug LFF SATA 7.2K 2 TB/1 TB/500/250/160 GB</p> <p>Hot plug LFF SATA 3G 60/120 GB SSD</p>	<p>Up to 8 (16 with optional second SAS drive cage*):</p> <p>Hot plug SFF 6G SAS 10K 300/146 GB</p> <p>Hot Plug SFF 3G SAS 10K 300/146 GB</p> <p>Hot plug SFF 6G SAS 15K 146/72 GB</p> <p>Hot Plug SFF 3G SAS 15K 146/72 GB</p> <p>Hot Plug SFF 6G SAS 7.2K 500 GB</p> <p>Hot Plug SFF SATA 3G 7.2K 500/160 GB</p> <p>Hot Plug SFF SATA 3G 5.4K 250/120 GB</p> <p>Hot Plug SFF SATA 3G 120/60 GB SSD</p> <p>Up to 6:</p> <p>Hot plug LFF SAS 6G 15K 600/450/300 GB</p> <p>Hot plug LFF SAS 3G 15K 450/300/146 GB</p> <p>Hot Plug LFF SAS 6G 7.2K 2 TB/1 TB</p> <p>Hot plug LFF SAS 3G 7.2K 1TB</p> <p>Hot plug LFF SATA 3G 7.2K 2 TB/1 TB/500/ 250/160 GB</p> <p>Hot plug LFF SATA 3G 120/60 GB SSD</p>
Maximum internal storage	<p>4.0 TB (8.0 TB with optional second SAS drive cage*)</p> <p>12 TB (with LFF optional drive cage)</p>	<p>4.0 TB SFF (8.0 TB with optional second SAS drive cage*)</p> <p>12 TB (with LFF optional drive cage)</p>
Form factor	2U rack	2U rack
Warranty (parts/labor/onsite)	3-year/3-year/3-year	3-year/3-year/3-year

For HP related offering section on DL380 G6, and DL380 G7, [click here](#).

* Second drive cage requires a storage controller

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant DL385 G6

Designed with virtualization in mind, yet flexible to support any business need

Number of processors	1–2
Maximum number of cores	12
Processors supported	Six-Core AMD Opteron processors: 2435: 2.6 GHz, 75W 2431: 2.4 GHz, 75W 2427: 2.2 GHz, 75W 2425HE: 2.1 GHz, 55W
Cache	6 MB L3 cache
Maximum memory	128 GB
Drives supported	Up to 8 (16 with optional second SAS drive cage*): Hot plug SFF 6G SAS 10K 300/146 GB Hot plug SFF 3G SAS 10K 300/146 GB Hot plug SFF 6G SAS 15K 146/72 GB Hot plug SFF 6G SAS 7.2K 500 GB Hot plug SFF SATA 3G 7.2K 500/160 GB Hot plug SFF SATA 3G 5.4K 250/120 GB Hot plug SFF SATA 3G 120/60 GB SSD Up to 6: Hot plug LFF 6G SAS 15K 600/450/300 GB Hot plug LFF 3G SAS 7.2K 2 TB/1 TB Hot plug LFF SATA 6G 7.2K 2 TB/1 TB/750/500/250/160 GB Hot plug LFF SATA 1.5G 5.4 K 120 GB Hot plug LFF SATA 3G 120/60 GB SSD
Maximum internal storage	4.0 TB SFF (8.0 TB with optional second SAS drive cage*) 12 TB (with LFF optional drive cage)
Form factor	2U rack
Warranty (parts/labor/onsite)	3-year/3-year/3-year

For HP related offering section on DL385 G6, [click here](#).

* Second drive cage requires a storage controller or SAS expander card

HP ProLiant servers—300 series (cont'd)

Midrange



HP ProLiant DL385 G7

Designed with virtualization in mind, yet flexible to support any business need

Number of processors	1–2
Maximum number of cores	24
Processors supported	<p>Twelve-Core AMD Opteron processors:</p> <p>6176SE: 2.3 GHz, 105W 6174: 2.2 GHz, 80W 6172: 2.1 GHz, 80W</p> <p>Eight-Core AMD Opteron processors:</p> <p>6136: 2.4 GHz, 80W 6134: 2.3 GHz, 80W 6128: 2.0 GHz, 80W</p>
Cache	12 MB L3 cache
Maximum memory	256 GB
Drives supported	<p>Up to 8 (16 with optional second SAS drive cage*):</p> <p>Hot plug SFF 6G SAS 10K 300/146 GB Hot plug SFF 3G SAS 10K 300/146 GB Hot plug SFF 6G SAS 15K 146/72 GB Hot plug SFF 3G SAS 15K 146/72 GB Hot plug SFF SAS 6G 7.2K 500 GB Hot plug SFF SATA 3G 7.2K 500/160 GB Hot plug SFF SATA 3G 5.4K 250/120 GB</p> <p>Hot plug SFF SATA 3G 120/60 GB SSD</p> <p>Up to 6:</p> <p>Hot plug LFF SAS 6G 15K 600/450/300 GB Hot plug LFF SAS 3G 15K 450/300 GB Hot plug LFF SAS 3G 7.2K 1 TB/750 GB Hot plug LFF SATA 3G 7.2K 2 TB/ 1TB/750/500/250/160 GB Hot plug LFF SATA 3G 5.4K 250 GB</p> <p>Hot plug LFF SATA 3G 120/60 GB SSD</p>
Maximum internal storage	<p>4 TB SFF (8 TB with optional second SAS drive cage*) 12 TB (with LFF optional drive cage)</p>
Form factor	2U Rack
Warranty (parts/labor/onsite)	3-year/3-year/3-year

For HP related offering section on DL385 G7, [click here](#).

* Second drive cage requires a storage controller or SAS expander card

HP related offerings

HP ProLiant servers—300 series

HP ProLiant ML310 G5p

Engineered to meet the needs of corporate small sites

HP ProLiant DL320 G6

Entry compute power with enterprise management for remote or space-constrained installations

Services		
Recommend Related	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-business-day, 4-hour response	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-business-day, 4-hour response
Storage	50/60/70 Modular Smart Array LTO-2 Ultrium 448 SAS internal tape drive Smart Array P212 Controller P4000 SAN and Virtual SAN Appliance	60/70 Modular Smart Array LTO-2 Ultrium 448 SAS Tape Drive Smart Array P212 Controller P4000 SAN and Virtual SAN Appliance
Options	T1500 Uninterruptible Power System E200 Controller with battery-backed write cache (BBWC) and 128 MB upgrade	NC360T PCI Express Dual-port Gigabit Server Adapter Modular Power Distribution Unit
Software	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Citrix Automated support: Insight Remote Support Virtual storage software: P4000 Virtual SAN Appliance	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Citrix Automated support: Insight Remote Support Virtual storage software: P4000 Virtual SAN Appliance

HP ProLiant ML330 G6

Performance and manageability to scale your business

HP ProLiant ML350 G6

Adaptable, reliable mainstay for your business

Services		
Recommend Related	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-business-day, 4-hour response	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-business-day, 4-hour response
Storage	Modular Smart Array 20 HP Smart Array P410/512M Controller P4000 SAN and Virtual SAN Appliance	50/60/70 Modular Smart Array LTO-3 Ultrium 920 SAS internal tape drive Smart Array P410i Controller (standard) P4000 SAN and Virtual SAN Appliance
Options	ML330 G6 Processor Option kit ML330 G6 750W Redundant Power supply Kit	4 GB Quad-Rank PC3-8500R Memory NC382T PCI Express Dual-port Multifunction Gigabit Server Adapter
Software	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Citrix Automated support: Insight Remote Support Virtual storage software: P4000 Virtual SAN Appliance	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Citrix Automated support: Insight Remote Support Virtual storage software: P4000 Virtual SAN Appliance

HP related offerings

HP ProLiant servers—300 series

	HP ProLiant DL360 G6 Most reliable compute power in an 1U space, HP iLO management processor and fault tolerance for space-constrained installations	HP ProLiant DL360 G7 Most reliable compute power in an 1U Space with ProLiant iLO3 remote management and fault tolerance for space-constrained installations
Services		
Recommend Related	3-year, 24x7, same-business-day, 4-hour response 3-year Support Plus 24	3-year, 24x7, same-business-day, 4-hour response 3-year Support Plus 24 only
Storage		
	Smart Array P410i Controller (standard) 50/60/70/2000 Modular Smart Array DAT 160 USB tape drive P4000 SAN and Virtual SAN Appliance	Smart Array P410i Controller (standard) 60/70/2000 Modular Smart Array DAT 320 USB Tape Drive P4000 SAN and Virtual SAN Appliance
Options		
	TFT7600 Monitor 10000 G2 Series Rack	10000 G2 Series Rack
Software		
	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, Solaris, VMware, Citrix Automated support: Insight Remote Support	Management: HP Insight Control w/iLO 3 Operating systems: Windows, Linux, Oracle Solaris, VMware, Citrix Automated support: HP Integrated Lights-Out 3
	HP ProLiant DL370 G6 New 4U rack server enhanced for virtualization and consolidation environments, well-suited for deployment in growing businesses, remote office sites, or data centers	HP ProLiant ML370 G6 Redesigned 4U tower expandable server enhanced for virtualization and consolidation environments, well-suited for deployment in growing businesses, remote office sites, or data centers
Services		
Recommend Related	3-year, 24x7, same-business-day, 4-hour response 3-year Support Plus 24	3-year, 24x7, same-business-day, 4-hour response 3-year Support Plus 24
Storage		
	50/60/70/2000 Modular Smart Array LTO-4 Ultrium 1760 SAS internal tape drive Smart Array P410i Controller (standard) P4000 SAN and Virtual SAN Appliance	50/60/70/2000 Modular Smart Array LTO-4 Ultrium 1760 SAS internal tape drive Smart Array P410i Controller (standard) P4000 SAN and Virtual SAN Appliance
Options		
	T1500 Uninterruptible Power System HP NC375T PCI Express Quad Port Gigabit Server Adapter	T1500 Uninterruptible Power System HP NC375T PCI Express Quad Port Gigabit Server Adapter
Software		
	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Solaris Automated support: Insight Remote Support Virtual storage software: P4000 Virtual SAN Appliance	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Solaris Automated support: Insight Remote Support Virtual storage software: P4000 Virtual SAN Appliance

HP related offerings

HP ProLiant servers—300 series

HP ProLiant DL380 G6

Affordable server with robust features for growing businesses and remote sites

HP ProLiant DL380 G7

Affordable server with robust features for growing businesses and remote sites

Services		
Recommend Related	3-year, 24x7, same-business-day, 4-hour response 3-year, 24x7, 6 or 24 hour call-to-repair	3-year, 24x7, same-business-day, 4-hour response 3-year Support Plus 24
Storage		
	50/60/70/2000 Modular Smart Array RDX Backup System Smart Array P410i Controller (standard) P4000 SAN and Virtual SAN Appliance	60/70/2000 Modular Smart Array RDX Backup System Smart Array P410i Controller (standard) P4000 SAN and Virtual SAN Appliance
Options		
	NC364T PCI Express Quad-port Gigabit Server Adapter 2x1x16 IP Console Switch with Virtual Media PCI Express	NC364T PCI Express Quad-port Gigabit Server Adapter 2x1x16 IP Console Switch with Virtual Media PCI Express
Software		
	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, Solaris, VMware, Citrix Automated support: Insight Remote Support	Management: HP Insight Control w/iLO 3 Operating systems: Windows, Linux, Oracle Solaris, VMware, Citrix Automated support: HP Integrated Lights-Out 3

HP ProLiant DL385 G6

Designed with virtualization in mind, yet flexible to support any business need

HP ProLiant DL385 G7

Designed with virtualization in mind, yet flexible to support any business need

Services		
Recommend Related	3-year, 24x7, same-business-day, 4-hour response 3-year, 24x7, 6 or 24 hour call-to-repair	3-year, 24x7, same-business-day, 4-hour response 3-year Support Plus 24
Storage		
	50/60/70 Modular Smart Array LTO-3 Ultrium 920 SAS tape drive RDX Backup System	60/70 Modular Smart Array LTO-3 Ultrium 920 SAS tape drive RDX Backup system
Options		
	8 GB Registered PC2-5300 Memory TFT7600 Monitor	8 GB 2Rx4 PC3-10600R Memory HP Trusted Platform Module
Software		
	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Solaris Automated support: Insight Remote Support	Management: HP Insight Control w/iLO 3 Operating Systems: Windows, Linux, Oracle, VMware, Citrix Automated support: HP Integrated Lights-Out for ProLiant

HP ProLiant servers—500 series

High-end rack and tower servers that help consolidate business-critical application environments while reducing complexity and cost

High-end



HP ProLiant DL580 G5

Featuring Intel six-core processors for even more performance and scalability



HP ProLiant DL585 G6

Featuring AMD six-core processors for more performance and scalability

Number of processors	1–4	2 or 4
Maximum number of cores	24	24
Processors supported	<p>6-Core Processors Intel Xeon processors: X7460: 2.67 GHz, 16 MB cache, 130W L7455: 2.13 GHz, 12 MB cache, 65W E7450: 2.40 GHz, 12 MB cache, 90W</p> <p>Quad-Core Intel Xeon processors: E7440: 2.40 GHz, 16 MB cache, 90W E7430: 2.13 GHz, 12 MB cache, 90W E7420: 2.13 GHz, 8 MB cache, 90W X7350: 2.93 GHz, 2x4M cache, 130W E7340: 2.40 GHz, 2x4M cache, 80W E7330: 2.40 GHz, 2x3M cache, 80W E7320: 2.13 GHz, 2x2M cache, 80W E7310: 1.60 GHz, 2x2M cache, 80W L7345: 1.86 GHz, 2x4M cache, 50W</p> <p>Dual-Core Intel Xeon processor: E7220: 2.93 GHz, 2x4M cache, 80W</p>	<p>Six-Core AMD Opteron processors: 8439SE: 2.80 GHz, 105W ACP 8435: 2.6 GHz, 75W ACP 8431: 2.4 GHz, 75W ACP 8425HE: 2.10 GHz, 55W ACP</p>
Cache	Up to 16 MB	6 MB shared L3 cache
Maximum memory	256 GB	256 GB
Drives supported	<p>Up to 16: Hot plug SFF 6G SAS 10K 300/146 GB Hot plug SFF 6G SAS 15K 146/72 GB Hot plug SFF 6G SAS 7.2K 500 GB Hot plug SFF SATA 7.2K 500/160 GB Hot plug SFF SATA 5.4K 250/120 GB Hot plug SFF SATA SSD 120/60 GB</p>	<p>Up to 8: Hot plug 6G SFF SAS 10K 300/146 GB Hot plug 6G SFF SAS 15K 146/72 GB Hot plug 6G SFF SAS 7.2K 500 GB Hot plug SFF SATA 7.2K 500/160 GB Hot plug SFF SATA 5.4K 250/120 GB Hot plug SFF SATA SSD 120/60 GB</p>
Maximum internal storage	8 TB	4 TB
Form factor	4U rack	4U rack
Warranty (parts/labor/onsite)	3-year/3-year/3-year	3-year/3-year/3-year
HP related offerings		
Services		
Recommend Related	3-year, 24x7, 6 or 24 hour call-to-repair Proactive Select	3-year, 24x7, 6 or 24 hour call-to-repair Proactive Select
Storage		
	50/60/70/2000 Modular Smart Array LTO-4 Ultrium 1760 SAS tape drive Smart Array P410 Controller P4000 SAN and Virtual SAN Appliance	50/60/70/2000 Modular Smart Array LTO-4 Ultrium 1760 SAS tape drive Smart Array P410 Controller P4000 SAN and Virtual SAN Appliance
Options		
	TFT7600 Monitor 4x1x16 IP Console Switch with Virtual Media	TFT7600 Monitor 4x1x16 IP Console Switch with Virtual Media
Software		
	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Solaris Automated support: Insight Remote Support	Management: Insight Control w/iLO Advanced Operating systems: Windows, Linux, VMware, Solaris Automated support: Insight Remote Support

HP ProLiant servers—700 series

High-end rack servers that help consolidate business-critical application environments while reducing complexity and cost

High-end



HP ProLiant DL785 G6 Server series

An ideal server for enterprise-class database, consolidation, and virtualization environments

Number of processors	4 or 8
Maximum number of cores	48
Processors supported	6-core AMD Opteron processors: 8439 SE: 2.8 GHz, 105W ACP 8431: 2.4 GHz, 75W ACP 8425 HE: 2.1 GHz, 55W ACP
Cache	6 MB L3
Maximum memory	512 GB
Drives supported	16 (8 (standard) + 8 (optional) SFF SAS drive bays: Hot plug SFF 6G SAS 7.2K 500 GB Hot-plug SFF 6G SAS 10K 300/146 GB Hot-plug SFF 6G SAS 15K 146/72 GB Hot plug SFF SATA SSD 120/60 GB
Maximum internal storage	4.8 TB
Form factor	7U rack-mount
Warranty (parts/labor/onsite)	3-year/3-year/3-year
HP related offerings	
Services	
Recommend Related	3-years Proactive 24 3-years Critical service
Storage	
	Embedded RAID support with optional BBWC, RAID 0/1 support 1 removable Slimline DVD/CD-RW Drive P4000 SAN
Options	
	HP Smart SAS Expander Card Higher-efficiency power supply unit
Software	
	Management: HP Insight Control w/iLO Advanced Operating systems: Windows, Linux, Solaris Automated support: Insight Remote Support

HP ProLiant servers—1000 series

Multi-node series is designed to improve efficiency and increase density without additional infrastructure expense. It provides multi-node flexibility with 4-in-1 efficiency.

Multi-node



HP ProLiant DL170h G6
Multi-node flexibility with 4-in-1 efficiency

Number of processors	1–2 per node	
Maximum number of cores	4–6 per processor	
Processors supported	E5504: 2.00 GHz, 80W E5506: 2.13 GHz, 80W E5520: 2.26 GHz, 80W E5530: 2.40 GHz, 80W L5520: 2.26 GHz, 60W L5530: 2.4 GHz, 60W E5540: 2.53 GHz, 80W	L5506: 2.13 GHz, 60W X5550: 2.67 GHz, 95W X5560: 2.80 GHz, 95W X5570: 2.93 GHz, 95W X5670: 2.93 GHz, 95W E5640: 2.66 GHz, 80W L5630: 2.13 GHz, 40W
Cache	12 MB (1 x 12 MB) shared L3 cache (all 5600 processor models) 8 MB (1 x 8 MB) shared L3 cache (all 5500 series processors but those listed below) 4 MB (1 x 4 MB) shared L3 cache: L5506, E5504, and E5506	
Maximum memory	192 GB RDIMM 48 GB UDIMM	
Drives supported	Up to 8 LFF: Hot plug LFF 6G SAS 15K 600/450/300 GB Hot plug LFF 6G SAS 7.2K 2 TB/1 TB/750 GB Hot plug LFF SATA 7.2K 2 TB/1 TB/ 750/500/250/160 GB Hot plug SFF SAS 7.2K 500 GB Hot plug LFF SATA 3G 60/120 GB SSD OR Up to 16: Hot plug SFF SAS 10K 300/146 GB Hot plug SFF SAS 15K 146/72 GB Hot plug SFF SATA 7.2K 500/160 GB Hot plug SFF SATA 3G 120/60 GB SSD	
Maximum internal storage	16.0 TB	
Form factor	2U rack	
Warranty (parts/labor/onsite)	1-year/1-year/1-year	
HP related offerings		
Services		
Recommend Related	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7 same-day, 4-hour response	
Storage		
	50/60/70 Modular Smart Array Smart Array P212 Controller P4000 SAN and Virtual SAN Appliance	
Options		
	Dedicated Management Port HP 1200W CS Platinum Power Supply**	
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris	

** Must also order power supply backplane kit.

HP ProLiant servers—1000 series (cont'd)

Multi-node



HP ProLiant DL4x170h G6

Pre-configured 4-node model

HP ProLiant DL2x170h G6

Performance and manageability to scale your business

Number of processors	1–2 per node	1–2 per node
Maximum number of cores	4–6 per processor	4 per processor
Processors supported	E5504: 2.00 GHz, 80W	E5504: 2.00 GHz, 80W
Cache	4 MB (1 x 4 MB) shared L3 cache	4 MB (1 x 4 MB) shared L3 cache
Maximum memory	48 GB UDIMM	48 GB UDIMM
Drives supported	Up to 8 LFF: Hot plug LFF 6G SAS 15K 600/450/300/146 GB Hot plug LFF 6G SAS 7.2K 2 TB/1 TB Hot plug LFF SATA 7.2K 2 TB/1 TB/750/500/250/160 GB Hot plug LFF SATA 60/120 GB SSD	Up to 8 LFF: Hot plug LFF 6G SAS 15K 600/450/300/146 GB Hot plug LFF 6G SAS 7.2K 2 TB/1 TB Hot plug LFF SATA 7.2K 2 TB/1 TB/750/500/250/160 GB Hot plug LFF SATA 3G 60/120 GB SSD
Maximum internal storage	16.0 TB	16.0 TB
Form factor	2U rack	2U rack
Warranty (parts/labor/onsite)	1-year/1-year/1-year	1-year/1-year/1-year
HP related offerings		
Services		
Recommend Related	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-day, 4-hour response	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-day, 4-hour response
Storage		
	50/60/70 Modular Smart Array Smart Array P212 Controller* P4000 SAN and Virtual SAN Appliance	50/60/70 Modular Smart Array Smart Array P410 Controller* P4000 SAN and Virtual SAN Appliance
Options		
	Dedicated Management Port HP 1200W CS HE Silver Power Supply	Dedicated Management Port HP 1200W CS HE Silver Power Supply
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris

* Must also order LFF SAS Cable Kit

HP ProLiant servers—6000 series

Enhanced for scale-out customers with an innovative shared infrastructure to greatly reduce costs and increase power efficiency

Multi-node



HP ProLiant SL160z G6

Enhanced for applications needing large amounts of memory and I/O expansion



HP ProLiant SL170z G6

Enhanced for applications needing large internal storage

Number of processors	1–2	1–2
Maximum number of cores	8	8
Processors supported	<p>Quad-Core Intel Xeon processors:</p> <p>X5570: 2.93 GHz, 8 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3</p> <p>X5550: 2.66 GHz, 8 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3</p> <p>E5540: 2.53 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>E5520: 2.26 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>E5504: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>L5520: 2.26 GHz, 8 MB L3 Cache, 60W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>L5506: 2.13 GHz, 4 MB L3 Cache, 60W, DDR3-800</p> <p>Dual-Core Intel Xeon processors:</p> <p>E5502: 1.86 GHz, 4 MB L3 Cache, 80W, DDR3-800</p>	<p>Quad-Core Intel Xeon processors:</p> <p>X5570: 2.93 GHz, 8 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3</p> <p>X5550: 2.66 GHz, 8 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3</p> <p>E5540: 2.53 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>E5520: (2.26 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>L5520: 2.26 GHz, 8 MB L3 Cache, 60W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>L5506: 2.13 GHz, 4 MB L3 Cache, 60W, DDR3-800</p> <p>E5504: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>Dual-Core Intel Xeon processors:</p> <p>E5502: (1.86 GHz, 4 MB L3 Cache, 80W, DDR3-800)</p>
Cache	8 MB (1 x 8 MB) L3 (all processor models except those identified below) 4 MB (1 x 4 MB) L3 (for processors L5506, E5504, E5502)	8 MB (1 x 8 MB) L3 (all processor models except those identified below) 4 MB (1 x 4 MB) L3 (for processors L5506, E5504, E5502)
Maximum memory	144 GB	128 GB
Drives supported	Up to 2: Non-hot plug LFF SATA 7.2K 160/500 GB, 1 TB/2 TB	Up to 6: Non-hot plug LFF SATA 7.2K 160/500 GB, 1 TB/2 TB LFF SAS 15K 600/300 GB
Maximum internal storage	4 TB	12 TB
Form factor	1U server tray	1U server tray
Warranty (parts/labor/onsite)	1-year/1-year/1-year	1-year/1-year/1-year
HP related offerings		
Services		
Recommend Related	3-year, 9x5, next business day 3-year, 13x5, same business day, 4-hour response	3-year, 13x5, same-business-day, 4-hour response 3-year, 24x7, same-day, 4-hour response
Storage		
	1–2 non-hot plug SATA hard drive bays	50/60/70 Modular Smart Array LTO-3 Ultrium 920 SAS tape drive Smart Array P410 Controller P4000 SAN and Virtual SAN Appliance
Options		
	HP 1200W CS Platinum Power Supply New Low Power Processors 10U bulk rail kit	HP 1200W CS Platinum Power Supply 8 GB Dual-Rank PC3-8500R Memory
Software		
	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris	Management: Lights-Out 100 Advanced Operating systems: Windows, Linux, Solaris Automated Support: Insight Remote Support

HP ProLiant servers—6000 series (cont'd)

Multi-node



HP ProLiant SL2x170z G6

Enhanced for applications needing high-density compute

Number of processors	1–2
Maximum number of cores	8
Processors supported	<p>Intel Xeon Quad-Core processors:</p> <p>X5570: 2.93 GHz, 8 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3</p> <p>X5550: 2.66 GHz, 8 MB L3 Cache, 95W, DDR3-1333, HT, Turbo 2/2/3/3</p> <p>E5540: 2.53 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>E5520: 2.26 GHz, 8 MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>L5520: 2.26 GHz, 8 MB L3 Cache, 60W, DDR3-1066, HT, Turbo 1/1/2/2</p> <p>L5506: 2.13 GHz, 4 MB L3 Cache, 60W, DDR3-800</p> <p>E5504: 2.00 GHz, 4 MB L3 Cache, 80W, DDR3-800</p> <p>Intel Xeon Dual-Core processor:</p> <p>E5502: 1.86 GHz, 4 MB L3 Cache, 80W, DDR3-800</p>
Cache	<p>8 MB (1 x 8 MB) L3 (all processor models except those identified below)</p> <p>4 MB (1 x 4 MB) L3 (for processors L5506, E5504, E5502)</p>
Maximum memory	128 GB
Drives supported	<p>Up to 2:</p> <p>Non-hot plug LFF SATA 7.2K 160/500 GB, 1 TB/2 TB</p> <p>LFF SAS 15K 600/300 GB</p>
Maximum internal storage	4 TB
Form factor	1U server tray
Warranty (parts/labor/onsite)	1-year/1-year/1-year
HP related offerings	
Services	
Recommend Related	<p>3-year, 9x5, next business day</p> <p>3-year, 13x5, same business day, 4-hour response</p>
Storage	
	1–2 non-hot plug SATA hard drive bays
Options	
	<p>HP 1200W CS Platinum Power Supply</p> <p>Low Power Processors</p> <p>10U bulk rail kit</p>
Software	
	<p>Management: Lights-Out 100 Advanced</p> <p>Operating systems: Windows, Linux, Solaris</p>

HP ProLiant servers

Supported options

	Entry-level							Midrange							High-end			Multi-node														
	ML110 G5	ML110 G6	ML115 G5	ML150 G6	DL160 G6	DL160se G6	DL165 G6	DL165 G7	DL180 G6	ML310 G5p	DL320 G6	ML 330 G6	ML350 G6	DL360 G6	DL360 G7	DL370 G6	ML370 G6	DL380 G6	DL380 G7	DL385 G6	DL385 G7	DL580 G5	DL585 G6	DL785 G6	DL170h G6	DL4x170h G6	DL2x170h G6	SL 160z G6	SL170z G6	SL2x170z G6		
HP hard drives																																
Large form factor SAS	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•				•	•	•	•	•	•		
Large form factor SATA	•		•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•				•	•	•	•	•	•		
Small form factor SAS			•	•	•	•		•	•		•		•	•	•	•	•	•	•	•	•	•	•	•				•	•	•		
Small form factor SATA			•	•	•	•			•		•		•	•	•	•	•	•	•	•	•	•	•	•				•	•	•		
Solid State Drives (SSD)														•	•			•	•		•											
HP memory																																
DDR3 Registered (RDIMMs)	•		•	•	•	•		•	•		•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•		
DDR3 Unbuffered (UDIMMs)	•		•	•	•	•		•	•		•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•		
PC2-5300 registered																				•	•			•								
PC2-5300 fully buffered																						•										
PC2-6400 registered								•												•			•	•								
PC2-6400 unbuffered							•		•											•												
HP controllers																																
8-Port SAS HBA																						•										
E200/E200i																				•	•	•										
E500																						•		•								
P212	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
P400/400i							•		•												•		•					•	•			
P410	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
P410i							•		•		•	•	•	•	•	•	•	•	•	•	•											
P411	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
P600									•												•		•							•	•	
P800			•		•				•			•	•		•	•	•		•		•	•	•	•	•	•	•	•	•	•		
P812					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
256 MB cache	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
512 MB with BBWC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
512 MB with FBWC																					•											
1 GB with FBWC																					•											
Battery Kit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Smart Array Advanced Pack (SAAP)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
BBWC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Processors																																
Intel Celeron	•									•																						
Intel Core2 Duo										•																						
Intel Pentium										•																						
Intel Xeon	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
AMD Opteron			•	•	•	•	•													•	•		•									

For additional details on supported options, please visit the server QuickSpecs at www.hp.com/go/quickspecs

• Supported for this product

* Standard UDIMMs must be replaced with RDIMMs

HP related offerings

Manage your ProLiant environment with HP Insight software to unlock your infrastructure’s potential. HP Insight Control with iLO Advanced offers essential infrastructure management software, giving you total control of your server infrastructure—onsite or remote. Providing advanced infrastructure management, HP Insight Dynamics suite for ProLiant servers helps you continuously analyze and optimize your converged infrastructure.

For online readers only: To learn more about the software in the chart below, hover your mouse over the software name to display a URL you can visit for additional information.

Infrastructure management software

	Entry-level								Midrange								High-end		Multi-node												
	ML110 G5	ML110 G6	ML115 G5	ML150 G6	DL160 G6	DL160se G6	DL165 G6	DL165 G7	DL180 G6	ML310 G5p	DL320 G6	ML 330 G6	ML350 G6	DL360 G6	DL360 G7	DL370 G6	ML370 G6	DL380 G6	DL380 G7	DL385 G6	DL385 G7	DL580 G5	DL585 G6	DL785 G6	DL170h G6	DL4x170h G6	DL2x170h G6	SL 160z G6	SL170z G6	SL2x170z G6	
Essential infrastructure management software																															
Insight Foundation Suite for ProLiant (SmartStart, Firmware Maintenance CD, and Management DVD)										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Insight Control, including: Insight Control for Microsoft System Center Insight Control for VMware vCenter										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Insight Control for Linux					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Systems Insight Manager (SIM)					•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Integrated Lights-Out (iLO) Advanced										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Lights-Out 100 Advanced	•		•	•	•	•	•	•																	•	•	•	•	•		
Insight Remote Support				•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
Integration with HP Software										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Advanced infrastructure management software																															
Insight Dynamics for ProLiant										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Insight Capacity Advisor Consolidation software	•		•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					•	•	•

For the latest enterprise management integration support, visit www.hp.com/servers/integration

• Supported for this product

HP related offerings (cont'd)

Operating systems and virtual environments

Purchase your entire operating environment from HP. HP resells and provides full-service and support for Microsoft Windows operating systems, Red Hat Linux subscriptions, Novell SUSE Linux subscriptions, Citrix XenServer, Microsoft Hyper-V, and VMware hypervisors. Learn more online at www.hp.com/go/ossupport

	Entry-level								Midrange										High-end		Multi-node									
	ML110 G5	ML110 G6	ML115 G5	ML150 G6	DL160 G6	DL160se G6	DL165 G6	DL165 G7	DL180 G6	ML310 G5p	DL320 G6	ML 330 G6	ML350 G6	DL360 G6	DL360 G7	DL370 G6	ML370 G6	DL380 G6	DL380 G7	DL385 G6	DL385 G7	DL580 G5	DL585 G6	DL785 G6	DL170h G6	DL4x170h G6	DL2x170h G6	SL 160z G6	SL170z G6	SL2x170z G6
Operating environments																														
Microsoft Windows Server 2003 R2	Supported on all servers																													
Microsoft Windows Server 2008 R2	Supported on all servers																													
Novell SUSE Linux Enterprise Server (SLES)	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•
Red Hat Enterprise Linux (RHEL)	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
Novell Open Enterprise Server	•		•	•					•		•	•	•	•	•	•	•	•	•	•	•	•	•							
NetWare	•								•		•	•	•	•	•	•	•	•			•									
Solaris 10					•	•	•	•					•		•	•	•	•			•	•	•	•	•	•	•	•	•	
P4000 Virtual SAN Appliance	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
VMware ESX 4.0	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
VMware ESXi 4.0											•	•	•	•	•	•	•	•	•	•	•	•	•							
HP Integrated Citrix XenServer							•	•	•		•	•			•	•	•	•	•	•	•	•	•	•	•	•	•			

For the latest OS support information, visit www.hp.com/go/ossupport

Please refer to each product's quick specs for the most up-to-date hardware and operating system support details/matrix.

• Supported for this product

HP related solutions

To gain the full value from your investments, you also need expert services across the IT lifecycle, advanced storage devices, and system-enhancing options.

HP options

Complete your data center with HP Server options—including memory, drives, processors, racks, operating system software, and power and cooling. Strengthen the foundation of your data center with high caliber products that are easy to maintain and tailored for ProLiant, Integrity, and StorageWorks, giving you confidence in your whole infrastructure.

ML/DL networking

NC112T PCI Express Gigabit Server Adapter	This low-cost Gigabit Ethernet NIC features excellent performance at a very modest price.
NC360T PCI Express Dual-port Gigabit Server Adapter	Here's a high-performance, dual-port adapter that supports a four-lane (x4) PCI Express bus as well as both standard and low-profile slots. The two Gigabit ports allow you to save valuable I/O slots for other uses.
NC364T PCI Express Quad-port Gigabit Server Adapter	This quad-port adapter provides the highest port density for standard and low-profile I/O slots on ProLiant servers. Compatible with x4, x8, and x16 PCI Express slots, the NC364T has a theoretical maximum transfer rate of 4,000 Mbps.
NC373T PCI Express Multifunction Gigabit Server Adapter	This high-performance adapter for twisted-pair environments supports TCP Offload on Windows and accelerated iSCSI, all on a single card. It supports both standard and low-profile slots.
NC375T PCI Express Quad-port Gigabit Server Adapter	This quad-port adapter helps achieve performance scalability for consolidated server environments at an optimum price.
NC382T PCI Express Dual-port Multifunction Gigabit Server Adapter	Here's a PCI Express card that provides two ports supporting TCP Offload on Windows and accelerated iSCSI, improving server efficiency, and providing access to storage devices over the IP protocol.
NC550SFP Dual Port 10GbE Server Adapter	This dual port, 8-lane, PCI Express gen2, 10 Gigabit Ethernet network solution offers the best combination of high speed and low latency available in a ProLiant Ethernet adapter. The NC550SFP ships with two SFP+ cages, and is suitable for connecting to a Direct Attach Cable (DAC) or SR fibre optic modules.

Rack and rack accessories

TFT7600 Rack Keyboard Monitor	Ease deployment of software updates by allowing connection of a USB drive directly at the console. This monitor is designed for rack-mount use and ideal for data centers, corporate computer rooms, and even small and medium business installations where local access to servers is needed at the rack.
100 Series Rack	The 100 Series is an ideal rack solution for small- and medium-size organizations with limited IT budgets.
10000 G2 Series Rack	This enterprise-class rack solution combines unparalleled structural integrity, cooling, and cable management. It can be used for all HP rack-mounted server and storage products.
MCS G2	New bi-directional cooling technology makes it possible to simultaneously cool two racks with a single MCS G2 unit. Cool up to 17.5 kW per rack when cooling two racks or up to 35 kW when cooling a single rack.

Consoles and console switches

Server Console Switches	Integrate keyboard-video-mouse (KVM) and serial devices into a single management console for all of your servers, network devices, and infrastructure. These switches require no software to be installed on target servers, providing a true KVM solution for local system management of up to 256 servers.
IP Console Switches with Virtual Media	Provide local and remote system access and management to a variety of data center devices. These switches require no software to be installed on target servers. Administrators can access KVM functions remotely for day-to-day management. Virtual media support allows for a drive to be mapped on a workstation to target servers to perform application, OS, and firmware upgrades and installations, reducing operational costs and improving efficiency.

Uninterruptible power supplies (UPS)

T750 Uninterruptible Power Supply	This is an ideal tower UPS for small and medium businesses and desktop/workstation environments. It provides protection from power outages for equipment with power requirements of 500 watts and less.
T1500 Uninterruptible Power Supply	Here's a tower UPS that provides power protection for your computer equipment against damage due to fluctuating and inconsistent power with a true power rating of up to 1,500 VA and 900 watts.
R1500 Uninterruptible Power Supply	This rack power supply is ideal for space-constrained rack environments with up to 1,500 VA and 1,340 watts of power packed in just a 2U rack space.
R3000 Uninterruptible Power Supply	A high-power-density rack power supply in a 2U, rack-mount design offers up to 2,700 watts of true power.
R5500 Uninterruptible Power Supply	Offering the highest density rack power supply in a 3U, rack-mount design, the R5500 UPS provides up to 5,000 VA and 4,500 watts of true power.

Power distribution units (PDUs)

Modular PDUs	Available in a variety of capacities and consisting of a core unit and extension strips that can be mounted anywhere in the rack, these PDUs are perfect for many applications. Core-only units are great for BladeSystems.
Monitored PDUs	Available in several sizes, these PDUs monitor power usage inside a rack and provide warnings locally when near capacity to prevent overloads.

HP related offerings

To gain the full value from your investments, you also need expert services across the IT lifecycle, advanced storage devices, and system-enhancing options.

HP storage

Network and direct-attached storage devices help you keep large amounts of information protected and readily accessible to people when needed.

Controllers

Smart Array P812	Providing the greatest flexibility in connectivity options with 24 total ports to span across internal and external drives the HP Smart Array P812 supports up to 108 drives and ships standard with 1G FBWC and Smart Array Advanced Pack (SAAP).
Smart Array P411	The HP Smart Array P411 controller is an external connect card that delivers mission-critical reliability in an easy-to-use RAID solution.
Smart Array P410	The HP Smart Array P410 delivers basic RAID functionality with an upgrade path to RAID 6, 6+0. It provides uncompromising reliability, scalability, and a rich set of features that can meet your specific storage needs.
Smart Array P212	The HP Smart Array P212 provides the use of basic RAID functionality and the option to upgrade with the 256 MB BBWC for RAID 5, 5+0. Additional upgrade path to RAID 6 (ADG), 6+0, and other enhancement features are also available through a software license key for the SAAP.

Hard drives

HP Midline and Entry SATA 3.5-inch and 2.5-inch hard disk drives	HP Midline and Entry SATA drives provide the best price advantage for non-mission-critical server or storage applications with low workloads of 40 percent or less. Available capacities include: 2 TB, 1 TB, 500 GB, 250 GB, and 160 GB 3G 7.2K RPM 3.5-inch drives, and 500 GB, 160 GB 3G 7.2K and 250 GB 3G, 120 GB 1.5G 5.4K RPM 2.5-inch drives.
HP Midline and Enterprise SAS 3.5-inch and 2.5-inch hard disk drives	Enterprise SAS drives are ideal for critical, high-duty cycle applications. Available capacities include: 600 GB, 450 GB, 300 GB, 146 GB, 15K RPM 3.5-inch drives, 300 and 146 GB, 10K RPM 2.5-inch drives, and 146 and 72 GB 15K RPM 2.5-inch drives. Midline SAS drives provide redundant paths to your drives for non-mission-critical server or storage applications with I/O workloads of 40 percent or less. Available capacities include 1 TB and 2 TB 7.2K 3.5-inch drives.

Host bus adapters (HBAs)

Midline solid state drives	Ideal for high I/O performance, low latency applications in constrained write workload environments. Available capacities include 60 GB and 120 GB in both SFF and LFF hot plug carriers.
SC44Ge SAS HBA	The HP SC44Ge has eight channels with two connectors (one internal/one external) and is the recommended SAS HBA for connecting HP SAS tape products to HP ProLiant servers.
SC11Xe SCSI HBA	The HP SC11Xe is an Ultra320 PCI Express SCSI HBA that is ideal for connecting HP SCSI tape products to HP ProLiant servers.
U320e SCSI HBA	The HP U320e is a dual-channel PCI Express SCSI HBA that is ideal for connecting HP MSL Tape Libraries to HP ProLiant servers.

InfiniBand host channel adapters (HCAs)

4X QDR InfiniBand HCAs	40 Gbps high performance adapter supported on PCI Express Gen2 on ProLiant G6 servers, and mezzanine adapters for BladeSystem server blades
4X DDR InfiniBand HCAs	20 Gbps high performance adapter supported on PCI Express on ProLiant servers, and mezzanine adapter for BladeSystem server blades

Tape drives

DAT 72 USB tape drive	Combining the reliability and cost-effectiveness of DAT with the universal plug-and-play capabilities of the USB 2.0 interface, this tape drive provides an ideal backup solution for small servers and workstations.
Ultrium 448 tape drive	This tape backup solution provides an excellent mix of features and value for entry-level and midrange server needs in small and medium-size businesses.

Storage array systems (SAS)

Modular Smart Array 20	Here's a SATA disk drive storage enclosure that delivers industry-leading availability, storage density, and upgradeability to meet demanding and growing storage needs. The MSA20 provides an ideal mix of low cost and high capacity, for minimum I/O workloads such as reference data, archival, and disk-to-disk backup.
Modular Smart Array 50	The MSA50 is ideal for corporate infrastructure applications, including domain controllers, file/print, e-mail, small databases, application servers, Web hosting, messaging, and Citrix terminal services. In SMB locations, the MSA50 is ideal for any environment that can benefit from high availability features such as hot plug fans, power supplies, and drives but requires a cost-sensitive solution.
Modular Smart Array 60	The MSA60 is ideal for the growing storage needs of small and midrange businesses. It supports up to 12 TB per enclosure or up to 96 TB (eight enclosures) capacity supporting 3.5-inch SAS, SATA, or SAS Midline drives in a 2U form factor. Configuration and setup are easy with HP Array Configuration Utility (ACU). Enclosures can be cascaded in a 1+3 configuration, allowing a maximum of 48 drives in an 8U configuration behind each of the two external ports on the HP Smart Array P800 or the HP Smart Array E500 controller for a total of 96 drives in eight enclosures.
Modular Smart Array 70	The MSA70 is ideal for the growing storage needs of small and midrange businesses. It supports up to 3.6 TB per enclosure or up to 14.4 TB (four enclosures) capacity supporting 2.5-inch SAS or SATA drives in a 2U form factor. Configuration and setup are easy with HP Array Configuration Utility (ACU). Enclosures can be cascaded in a 1+1 configuration, allowing a maximum of 50 drives in a 4U configuration behind each of the two external ports on the HP Smart Array P800 or the HP Smart Array E500 controller for a total of 100 drives in four enclosures.

Shared storage

Shared storage	When deploying a large number of servers or implementing a server consolidation project, it is the perfect time to look at storage consolidation. An HP SAN, using either HP EVA or XP disk arrays, can increase storage utilization significantly. The HP EVA is one of the easiest-to-manage arrays in the industry and gives the midrange marketplace leading performance, capacity, and availability storage solutions. The XP disk arrays combine a completely redundant hardware platform with unique data replication capabilities that are integrated with clustering solutions for complete business continuity in mission-critical environments. SMB customers and enterprise customers with remote offices are a perfect fit for the P4000 family. Network RAID and other features facilitate data availability and ease of use.
----------------	---

HP Care Pack services

To fully capitalize on the capabilities of your HP ProLiant servers, you need a service partner who thoroughly understands server technology and how it behaves in a multi-vendor environment. HP Services and HP Authorized Channel Partners have this unique insight into ProLiant servers, and we offer a range of HP Care Pack services designed to help you get the most from your ProLiant technology.

Benefits of HP Care Pack services support include:

- Improved server availability with single-source support
- Reduced complexity of services and support
- Accelerated ProLiant server implementation
- Predictable support costs and service levels with standardized

3-year, 9x5, next-business-day, excluding holidays	Extend your hardware warranty coverage for quick and convenient hardware problem resolution.
3-year, 13x5, same-business-day, 4-hour response coverage	Extend your hardware warranty coverage with prompt same-day service for key servers and increase equipment availability and productivity.
3-year, 24x7, same-business-day, 4-hour response	Extend your hardware warranty coverage with prompt same-day service for key servers and increase availability and productivity with around-the-clock access to technical expertise and support.
3-year, 24x7, either 24-hour or 6-hour call-to-repair	Decrease hardware downtime with committed 24-hour or 6-hour call-to-repair for hardware problem resolution.
3-year, Support Plus 24	Increase performance and availability with integrated 24x7 hardware and software support for complex interoperability problem resolution.
Proactive Select	Gain access to HP best-in-class technical consultants. Purchase service credits and obtain expertise when needed.
3-year, Proactive 24	Leverage this mission-critical support portfolio for an integrated hardware and software support solution designed to help you improve the operational and management effectiveness of your IT environment.
3-year, Critical service	Look to this mission-critical support portfolio for a comprehensive support solution for businesses that cannot tolerate downtime without significant business impact. It combines proactive and reactive services to help you meet your availability, performance, and security objectives.
Software Care Pack Services for Operating Systems	With HP software services you receive full enterprise one-stop support coverage for your operating systems, virtualization software, host operating systems, virtual OS environments, and your HP hardware. Specifically for VMware, Citrix, and Linux, software services are also included with your original equipment manufacturer (OEM) purchase.

Note: 4-year and 5-year HP Care Pack options are also available, offering cost-effective, longer-term support solutions.

HP Technology Services

When technology works, business works. Competitive, IT organizations need an environment that's right for today and ready to evolve as your business needs change. HP Technology Services meets this challenge with services designed to lower your IT costs, increase availability, reduce the complexity of multi-vendor services, and accelerate system implementation.

- Get fast problem diagnosis and remote system monitoring utilizing Insight Remote Support. It delivers enhanced operational simplicity and cost efficiency 24x7 with automated, secure remote event monitoring, notification, and dispatch for hardware and operating systems.
- A key to business success is an agile IT infrastructure that adapts to changing needs while keeping the business running smoothly. Maintaining predictable service levels is one of the benefits of comprehensive support services by HP. We cover the entire IT solution lifecycle, to help you design, deploy, integrate, and manage an agile IT infrastructure—including convenient pre-packaged HP Care Pack Services options and custom support solutions.

- Break down costly technology silos with our consulting and integration services that enable you to enhance the performance of your server solution, improve energy efficiency, virtualize, and access, share, and synchronize applications and data across your existing heterogeneous environment.
- Dream of having more time to focus more on your core competencies and less on day-to-day IT services? Our outsourcing services and global IT expertise can make this dream a reality.
- To speed product implementation, consider our factory-direct capabilities. Our plug-and-play solutions are integrated, tested, and shipped in a fully configured rack. Included are pre-delivery site reviews, factory installation and configuration, onsite installation, and product orientation.
- In today's fast-paced business environment, your employees need to quickly assimilate new IT skills. HP can help you achieve this goal with a variety of training services, including instructor-led courses, customized onsite training, and innovative remotely assisted courses.

Capitalize on your IT environment capabilities with a service partner who thoroughly understands server, storage, and network technology in a multivendor environment. Working in partnership with HP Authorized Channel Partners, we have the expertise and skill you need. Whether your company is a medium-size organization or a large global corporation, HP Technology Services can help.

To learn more, visit www.hp.com/services/proliant

HP Financial Services

HP makes it easy on the balance sheet to put the power of the HP portfolio to work for you through HP Financial Services. We offer a complete array of leasing and financial lifecycle management services in more than 50 countries around the world. We can help you transition from existing equipment to the latest technology, acquire a new solution cost-effectively and manage that solution throughout its lifecycle. Our goal is to help you increase the return on your IT investment, reduce risk, and get the most from your HP solution.

For more information on HP Financial Services, visit www.hp.com/go/hpfinancialservices

The right partner

HP knows that when you have the right infrastructure, anything is possible. Look to HP when evaluating how to grow your business and deciding what data center you need to respond to business changes quickly and confidently.

Is cost per square foot or meter an issue?

Do you need to shrink the footprint of the servers you deploy?

We have a full server portfolio available for this.

Are power and cooling draining your budget?

We deliver tools and solutions to help you regulate and monitor how power is used across the infrastructure.

Do you want the broadest range of technology choice from best-in-class IT providers?

Our partners deliver technology that works best with HP products.

We have the top-selling x86 servers, exceptional management capabilities, and a robust portfolio of hardware and software partners to bring the right solution to you at the right time. Ultimately, HP is the right partner to help your business succeed.

Learn more on how HP ProLiant servers and infrastructure can help you confidently lay the foundation for your converged infrastructure, also to explore more detailed information online, including the latest version of this guide, visit us at www.hp.com/go/proliant



Get connected

www.hp.com/go/getconnected

Current HP driver, support, and security alerts delivered directly to your desktop

Share with colleagues



© Copyright 2009–2010 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are U.S. trademarks of the Microsoft group of companies. UNIX is a registered trademark of The Open Group. Intel, Core2, Pentium, Celeron, and Xeon are trademarks of Intel Corporation in the U.S. and other countries. AMD is a trademark of Advanced Micro Devices, Inc. Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

