

1135057 - Printer Vendor Wizard Note: Kyocera

Component: BC-CCM-PRN-PVP-KY (SAP Printer Vendor program: Kyocera), Version: 66, Released On: 19.10.2023

| Symptom

KYOCERA Document Solutions Inc. is member of the SAP Printer Vendor program and offers within this program connection software support for the printer model / device type pairs listed below.

For general information about the SAP Printer Vendor program please check note 1130927.

The printer model / device type combinations are visible in the newest data version of the "device type wizard". Please read note 1036961 for a description how to use the device type wizard and how to select one of the combinations shown below.

The device types are delivered as attachments to this note. Please download the files and proceed with the installation as described in note 1103422.

Certain features of the device types become active only with the following releases and support package levels:

Additional print options: (see note 1049778)

SAP_BASIS 6.20 SP63 and higher

SAP_BASIS 6.40 SP21 and higher

SAP_BASIS 7.00 SP14 and higher

SAP_BASIS 7.10 standard and higher

Contact address (printer manufacturer):

KYOCERA Document Solutions Inc.

2-28, 1-Chome, Tamatsukuri, Chuo-ku

Osaka 540-8585, Japan

Phone: 81-6-6764-3555

Fax: 81-6-6764-3980

www.kyoceradocumentsolutions.com

| Other Terms

SPAD , device type , SAP Printer Vendor program

| Solution

Supported Printer model/ device type combinations:

Number	Printer Model	Latin1	Japanese	Unicode
M001	ECOSYS M2030dn	KYOAAE1C		
M002	ECOSYS M2030dn PN	KYOAAE1C		
M003	ECOSYS M2035dn	KYOAAE1C		
M004	ECOSYS M2040dn	KYOOA01C		KYOOA0UC
M005	ECOSYS M2135dn	KYOOA01C		KYOOA0UC

M006	ECOSYS M2235dn	KY0AA01C		KY0AA0UC
M007	ECOSYS M2530dn	KY0AAE1C		
M008	ECOSYS M2535dn	KY0AAE1C		
M009	ECOSYS M2540dn	KY0AA01C		KY0AA0UC
M010	ECOSYS M2540dw		KY0AA0JC	
M011	ECOSYS M2635dn	KY0AA01C		KY0AA0UC
M012	ECOSYS M2640idw	KY0AA01C	KY0AA0JC	KY0AA0UC
M013	ECOSYS M2735dn	KY0AA01C		KY0AA0UC
M014	ECOSYS M2735dw	KY0AA01C		KY0AA0UC
M015	ECOSYS M2835dn	KY0AA01C		KY0AA0UC
M016	ECOSYS M3040dn	KY0AAH1C		
M017	ECOSYS M3040idn	KY0AAH1C		
M018	ECOSYS M3145dn	KY0AAS1C	KY0AASJC	KY0AASUC
M019	ECOSYS M3145idn	KY0AAS1C	KY0AASJC	KY0AASUC
M020	ECOSYS M3540dn	KY0AAH1C		
M021	ECOSYS M3540idn	KY0AAH1C		
M022	ECOSYS M3550idn	KY0AAH1C		
M023	ECOSYS M3560idn	KY0AAH1C		
M024	ECOSYS M3645dn	KY0AAS1C	KY0AASJC	KY0AASUC
M025	ECOSYS M3645idn	KY0AAS1C	KY0AASJC	KY0AASUC
M026	ECOSYS M3655idn	KY0AAS1C	KY0AASJC	KY0AASUC
M027	ECOSYS M3660idn	KY0AAS1C	KY0AASJC	KY0AASUC
M028	ECOSYS M3860idn	KY0AAS1C	KY0AASJC	KY0AASUC
M029	ECOSYS M3860idnf	KY0AAX1C		KY0AAXUC
M030	ECOSYS M4125idn	KY0AAU1C		KY0AAUUC
M031	ECOSYS M4132idn	KY0AAU1C		KY0AAUUC
M032	ECOSYS M5521cdn	KY0AAR1C		KY0AARUC
M033	ECOSYS M5521cdw	KY0AAR1C		KY0AARUC
M034	ECOSYS M5526cdn	KY0AAR1C		KY0AARUC
M035	ECOSYS M5526cdw	KY0AAR1C	KY0AARJC	KY0AARUC
M036	ECOSYS M6026cdn	KY0AAE1C		
M037	ECOSYS M6026cidn	KY0AAE1C		
M038	ECOSYS M6030cdn	KY0AA01C		KY0AA0UC
M039	ECOSYS M6035cidn	KY0AA01C		KY0AA0UC
M040	ECOSYS M6230cidn	KY0AAT1C		KY0AATUC
M041	ECOSYS M6235cidn	KY0AAT1C		KY0AATUC
M042	ECOSYS M6530cdn	KY0AA01C	KY0AA0JC	KY0AA0UC

M043	ECOSYS M6535cidn	KY0AA01C		KY0AA0UC
M044	ECOSYS M6526cdn	KY0AAE1C		
M045	ECOSYS M6526cidn	KY0AAE1C		
M046	ECOSYS M6630cidn	KY0AAT1C		KY0AATUC
M047	ECOSYS M6635cidn	KY0AAT1C	KY0AATJC	KY0AATUC
M048	ECOSYS M8124cidn	KY0AAU1C		KY0AAUUC
M049	ECOSYS M8130cidn	KY0AAU1C		KY0AAUUC
M050	ECOSYS MA2100cfx	KY0AAR1C		KY0AARUC
M051	ECOSYS MA2100cwfxf	KY0AAR1C		KY0AARUC
M052	ECOSYS MA3500cix	KY0ABD1C		KY0ABDUC
M053	ECOSYS MA3500cifix	KY0ABD1C		KY0ABDUC
M054	ECOSYS MA4000cix	KY0ABD1C		KY0ABDUC
M055	ECOSYS MA4000cifix	KY0ABD1C		KY0ABDUC
M056	ECOSYS MA4500x	KY0ABD1C		KY0ABDUC
M057	ECOSYS MA4500fx	KY0ABC1C		KY0ABCUC
M058	ECOSYS MA4500ix	KY0ABC1C		KY0ABCUC
M059	ECOSYS MA4500ifx	KY0ABC1C		KY0ABCUC
M060	ECOSYS MA5500ifx	KY0ABC1C		KY0ABCUC
M061	ECOSYS MA6000ifx	KY0ABC1C		KY0ABCUC
Number	Printer Model	Latin1	Japanese	Unicode
P001	ECOSYS P2035d	KY0AAH1C		
P002	ECOSYS P2040dn	KY0AA01C		KY0AA0UC
P003	ECOSYS P2040dw	KY0AA01C	KY0AA0JC	KY0AA0UC
P004	ECOSYS P2135d	KY0AAH1C		
P005	ECOSYS P2135dn	KY0AAH1C		
P006	ECOSYS P2235dn	KY0AA01C		KY0AA0UC
P007	ECOSYS P2235dw	KY0AA01C		KY0AA0UC
P008	ECOSYS P2335d	KY0AA01C		KY0AA0UC
P009	ECOSYS P2335dn	KY0AA01C		KY0AA0UC
P010	ECOSYS P2335dw	KY0AA01C		KY0AA0UC
P011	ECOSYS P3045dn	KY0AAS1C	KY0AASJC	KY0AASUC
P012	ECOSYS P3050dn	KY0AAS1C		KY0AASUC
P013	ECOSYS P3055dn	KY0AAS1C		KY0AASUC
P014	ECOSYS P3060dn	KY0AAS1C	KY0AASJC	KY0AASUC
P015	ECOSYS P3145dn	KY0AAS1C	KY0AASJC	KY0AASUC
P016	ECOSYS P3150dn	KY0AAS1C	KY0AASJC	KY0AASUC

P017	ECOSYS P3155dn	KYOAAS1C	KYOAASJC	KYOAASUC
P018	ECOSYS P3260dn	KYOAAS1C	KYOAASJC	KYOAASUC
P019	ECOSYS P4040dn	KYOAAN1C	KYOAANJC	KYOAANUC
P020	ECOSYS P4135dn	KYOAAS1C	KYOAASJC	KYOAASUC
P021	ECOSYS P4140dn	KYOAAS1C	KYOAASJC	KYOAASUC
P022	ECOSYS P4145dn	KYOAAS1C	KYOAASJC	KYOAASUC
P023	ECOSYS P4060dn	KYOOAQ1C		KYOOAQUC
P024	ECOSYS P5021cdn	KYOAAR1C		KYOAARUC
P025	ECOSYS P5021cdw	KYOAAR1C		KYOAARUC
P026	ECOSYS P5026cdn	KYOAAR1C		KYOAARUC
P027	ECOSYS P5026cdw	KYOAAR1C	KYOAARJC	KYOAARUC
P028	ECOSYS P6021cdn	KYOAAD1C		
P029	ECOSYS P6026cdn	KYOAAD1C		
P030	ECOSYS P6030cdn	KYOAAD1C		
P031	ECOSYS P6035cdn	KYOOA01C		KYOOA0UC
P032	ECOSYS P6130cdn	KYOOA01C	KYOOA0JC	KYOOA0UC
P033	ECOSYS P6230cdn	KYOAAT1C	KYOAATJC	KYOAATUC
P034	ECOSYS P6235cdn	KYOAAT1C		KYOAATUC
P035	ECOSYS P7035cdn	KYOAAD1C		
P036	ECOSYS P7040cdn	KYOOA01C	KYOOA0JC	KYOOA0UC
P037	ECOSYS P7240cdn	KYOAAT1C	KYOAATJC	KYOAATUC
P038	ECOSYS P8060cdn	KYOOAQ1C	KYOOAQJC	KYOOAQUC
P039	ECOSYS PA2100cwx	KYOAAR1C		KYOAARUC
P040	ECOSYS PA2100cx	KYOAAR1C		KYOAARUC
P041	ECOSYS PA3500cx	KYOABD1C		KYOABDUC
P042	ECOSYS PA4000cx	KYOABD1C		KYOABDUC
P043	ECOSYS PA4500x	KYOABB1C		KYOABBUC
P044	ECOSYS PA4500cx	KYOABE1C		KYOABEUC
P045	ECOSYS PA5000x	KYOABB1C		KYOABBUC
P046	ECOSYS PA5500x	KYOABB1C		KYOABBUC
P047	ECOSYS PA6000x	KYOABB1C		KYOABBUC
Number	Printer Model	Latin1	Japanese	Unicode
F001	FS-1028MFP	KYOOAE1C		
F002	FS-1030MFP	KYOOAE1C		
F003	FS-1035MFP	KYOOAE1C		
F004	FS-1100	KYOOAA1C		

F005	FS-1120D	KYOAAA1C		
F006	FS-1128MFP	KYOAAE1C		
F007	FS-1130MFP	KYOAAE1C		
F008	FS-1135MFP	KYOAAE1C		
F009	FS-1300D	KYOAAA1C		
F010	FS-1320D	KYOAAA1C		
F011	FS-1350DN	KYOAAA1C		
F012	FS-1370DN	KYOAAA1C		
F013	FS-2000D	KYOAAA1C		
F014	FS-2020D	KYOAAA1C		
F015	FS-2100D	KYOAAH1C		KYOANUC
F016	FS-2100DN	KYOAAH1C		KYOANUC
F017	FS-C2026MFP	KYOAAD1C		
F018	FS-C2026MFP+	KYOAAD1C		
F019	FS-C2126MFP	KYOAAD1C		
F020	FS-C2126MFP+	KYOAAD1C		
F021	FS-C2526MFP	KYOAAD1C		
F022	FS-C2626MFP	KYOAAD1C		
F023	FS-3040MFP	KYOAAE1C		
F024	FS-3040MFP+	KYOAAE1C		
F025	FS-3140MFP	KYOAAE1C		
F026	FS-3140MFP+	KYOAAE1C		
F027	FS-3540MFP	KYOAAE1C		
F028	FS-3640MFP	KYOAAE1C		
F029	FS-3900DN	KYOAAA1C		
F030	FS-3920DN	KYOAAA1C		
F031	FS-4000DN	KYOAAA1C		
F032	FS-4020DN	KYOAAA1C		
F033	FS-4100DN	KYOAAH1C		KYOANUC
F034	FS-4200DN	KYOAAH1C		KYOANUC
F035	FS-4300DN	KYOAAH1C		KYOANUC
F036	FS-C5100DN	KYOAAD1C		
F037	FS-C5150DN	KYOAAD1C		
F038	FS-C5200DN	KYOAAD1C		
F039	FS-C5250DN	KYOAAD1C		
F040	FS-C5300DN	KYOAAD1C		
F041	FS-C5350DN	KYOAAD1C		

F042	FS-C5400DN	KYOAAD1C		
F043	FS-6025MFP	KYOAAI1C		
F044	FS-6030MFP	KYOAAI1C		
F045	FS-6525MFP	KYOAAI1C		
F046	FS-6530MFP	KYOAAI1C		
F047	FS-6950DN	KYOAAA1C		
F048	FS-6970DN	KYOAAA1C		
F049	FS-C8020MFP	KYOAAD1C		
F050	FS-C8025MFP	KYOAAD1C		
F051	FS-C8500DN	KYOAAF1C		
F052	FS-C8520MFP	KYOAAI1C		
F053	FS-C8525MFP	KYOAAI1C		
F054	FS-C8600DN	KYOAM1C		
F055	FS-C8650DN	KYOAM1C		
F056	FS-9100DN	KYOAB1C		
F057	FS-9120DN	KYOAB1C		
F058	FS-9130DN	KYOAB1C		
F059	FS-9500DN	KYOAB1C		
F060	FS-9520DN	KYOAB1C		
F061	FS-9530DN	KYOAB1C		

Number	Printer Model	Latin1	Japanese	Unicode
K001	KM-2810	KYOAAE1C		
K002	KM-2820	KYOAAE1C		
K003	KM-3050	KYOAC1C		
K004	KM-4050	KYOAC1C		
K005	KM-5050	KYOAC1C		
K006	KM-6030	KYOAC1C		
K007	KM-8030	KYOAC1C		

Number	Printer Model	Latin1	Japanese	Unicode
L001	LS-1028MFP		KYOAAEJC	
L002	LS-1035MFP		KYOAAEJC	
L003	LS-1128MFP		KYOAAEJC	
L004	LS-1135MFP		KYOAAEJC	
L005	LS-2000D		KYOAAAJC	
L006	LS-2020D		KYOAAAJC	

L007	LS-2100DN		KY0AAHJC	
L008	LS-3140MFP		KY0AAEJC	
L009	LS-3140MFP+		KY0AAEJC	
L010	LS-3640MFP		KY0AAEJC	
L011	LS-3900DN		KY0AAAJC	
L012	LS-4020DN		KY0AAAJC	
L013	LS-4200DN		KY0AAHJC	
L014	LS-4300DN		KY0AAHJC	
L015	LS-6950DN		KY0AAAJC	
L016	LS-6970DN		KY0AAAJC	
L017	LS-C8600DN		KY0AAMJC	
L018	LS-C8650DN		KY0AAMJC	
Number	Printer Model	Latin1	Japanese	Unicode
T001	TASKalfa 181	KY0AAB1C		
T002	TASKalfa 205c	KY0AAD1C		
T003	TASKalfa 221	KY0AAB1C		
T004	TASKalfa 250ci	KY0AAF1C		
T005	TASKalfa 255	KY0AAE1C		
T006	TASKalfa 255c	KY0AAD1C		
T007	TASKalfa 265ci	KY0AAD1C		
T008	TASKalfa 266ci	KY0AAD1C		
T009	TASKalfa 300ci	KY0AAF1C		
T010	TASKalfa 300i	KY0AAC1C		
T011	TASKalfa 305	KY0AAE1C		
T012	TASKalfa 306ci	KY0AAP1C	KY0AAPJC	KY0AAPUC
T013	TASKalfa 307ci	KY0AAP1C	KY0AAPJC	KY0AAPUC
T014	TASKalfa 308ci	KY0AAV1C		KY0AAVUC
T015	TASKalfa 350ci	KY0AAT1C		KY0AATUC
T016	TASKalfa 351ci	KY0AAT1C		KY0AATUC
T017	TASKalfa 352ci	KY0AAT1C		KY0AATUC
T018	TASKalfa 356ci	KY0AAP1C	KY0AAPJC	KY0AAPUC
T019	TASKalfa 358ci	KY0AAV1C		KY0AAVUC
T020	TASKalfa 400ci	KY0AAF1C		
T021	TASKalfa 406ci	KY0AAP1C	KY0AAPJC	KY0AAPUC
T022	TASKalfa 408ci	KY0AAV1C		KY0AAVUC
T023	TASKalfa 420i	KY0AAC1C		

T024	TASKalfa 500ci	KYOAAF1C		
T025	TASKalfa 508ci	KYOAAV1C		KYOAAVUC
T026	TASKalfa 520i	KYOAAC1C		
T027	TASKalfa 552ci	KYOAAF1C		
T028	TASKalfa 620	KYOAAC1C		
T029	TASKalfa 820	KYOAAC1C		
T030	TASKalfa 2460ci		KYOAAUJC	
T031	TASKalfa 2470ci		KYOAAUJC	
T032	TASKalfa 2510i		KYOAAUJC	
T033	TASKalfa 2520i		KYOAAUJC	
T034	TASKalfa 2550ci	KYOAL1C	KYOALJC	
T035	TASKalfa 2551ci	KYOAL1C	KYOALJC	
T036	TASKalfa 2552ci	KYOAQ1C	KYOAQJC	KYOAQUC
T037	TASKalfa 2553ci	KYOAQ1C	KYOAQJC	KYOAQUC
T038	TASKalfa 2554ci	KYOAY1C		KYOAYUC
T039	TASKalfa 3010i	KYOAK1C	KYOAKJC	
T040	TASKalfa 3011i	KYOAK1C	KYOAKJC	
T041	TASKalfa 3050ci	KYOAG1C	KYOAGJC	
T042	TASKalfa 3051ci	KYOAJ1C	KYOAJJC	
T043	TASKalfa 3212i	KYOAAV1C	KYOAAVJC	KYOAAVUC
T044	TASKalfa 3252ci	KYOAQ1C	KYOAQJC	KYOAQUC
T045	TASKalfa 3253ci	KYOAQ1C	KYOAQJC	KYOAQUC
T046	TASKalfa 3500i	KYOAG1C	KYOAGJC	
T047	TASKalfa 3501i	KYOAJ1C	KYOAJJC	
T048	TASKalfa 3510i	KYOAK1C	KYOAKJC	
T049	TASKalfa 3511i	KYOAK1C	KYOAKJC	
T050	TASKalfa 3550ci	KYOAG1C	KYOAGJC	
T051	TASKalfa 3551ci	KYOAJ1C	KYOAJJC	
T052	TASKalfa 3553ci	KYOAQ1C	KYOAQJC	KYOAQUC
T053	TASKalfa 3554ci	KYOAY1C		KYOAYUC
T054	TASKalfa 4002i	KYOAQ1C	KYOAQJC	KYOAQUC
T055	TASKalfa 4003i	KYOAQ1C	KYOAQJC	KYOAQUC
T056	TASKalfa 4004i	KYOAZ1C		KYOAZUC
T057	TASKalfa 4012i	KYOAAV1C	KYOAAVJC	KYOAAVUC
T058	TASKalfa 4052ci	KYOAQ1C	KYOAQJC	KYOAQUC
T059	TASKalfa 4053ci	KYOAQ1C	KYOAQJC	KYOAQUC
T060	TASKalfa 4054ci	KYOAY1C		KYOAYUC

T061	TASKalfa 4500i	KYOAAG1C	KYOAAGJC	
T062	TASKalfa 4501i	KYOA AJ1C	KYOA AJJC	
T063	TASKalfa 4550ci	KYOAAG1C	KYOAAGJC	
T064	TASKalfa 4551ci	KYOA AJ1C	KYOA AJJC	
T065	TASKalfa 5002i	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T066	TASKalfa 5003i	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T067	TASKalfa 5004i	KYOA AZ1C		KYOA AZUC
T068	TASKalfa 5052ci	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T069	TASKalfa 5053ci	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T070	TASKalfa 5054ci	KYOA AY1C		KYOA AYUC
T071	TASKalfa 5500i	KYOAAG1C	KYOA AJ1C	
T072	TASKalfa 5501i	KYOA AJ1C	KYOA AJJC	
T073	TASKalfa 5550ci	KYOAAG1C	KYOAAGJC	
T074	TASKalfa 5551ci	KYOA AJ1C	KYOA AJJC	
T075	TASKalfa 6002i	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T076	TASKalfa 6003i	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T077	TASKalfa 6004i	KYOA AZ1C		KYOA AZUC
T078	TASKalfa 6052ci	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T079	TASKalfa 6053ci	KYOA AQ1C	KYOA AQJC	KYOA AQUC
T080	TASKalfa 6054ci	KYOA AY1C		KYOA AYUC
T081	TASKalfa 6500i	KYOAAG1C	KYOAAGJC	
T082	TASKalfa 6501i	KYOA AJ1C	KYOA AJJC	
T083	TASKalfa 6550ci	KYOAAG1C	KYOAAGJC	
T084	TASKalfa 6551ci	KYOA AJ1C	KYOA AJJC	
T085	TASKalfa 7002i	KYOA AJ1C	KYOA AJJC	
T086	TASKalfa 7003i	KYOA AW1C		KYOA AWUC
T087	TASKalfa 7004i	KYOA AZ1C		KYOA AZUC
T088	TASKalfa 7052ci	KYOA AJ1C	KYOA AJJC	
T089	TASKalfa 7054ci	KYOA AY1C		KYOA AYUC
T090	TASKalfa 7353ci	KYOA AW1C		KYOA AWUC
T091	TASKalfa 7550ci	KYOAAG1C	KYOAAGJC	
T092	TASKalfa 7551ci	KYOA AJ1C	KYOA AJJC	
T093	TASKalfa 7552ci	KYOA AJ1C	KYOA AJJC	
T094	TASKalfa 8000i	KYOAAG1C	KYOAAGJC	
T095	TASKalfa 8001i	KYOA AJ1C	KYOA AJJC	
T096	TASKalfa 8002i	KYOA AJ1C	KYOA AJJC	
T097	TASKalfa 8003i	KYOA AW1C		KYOA AWUC

T098	TASKalfa 8052ci	KYOAAJ1C	KYOAAJJC	
T099	TASKalfa 8353ci	KYOAAW1C		KYOAAWUC
T100	TASKalfa 9002i	KYOAAW1C		KYOAAWUC
T101	TASKalfa 9003i	KYOAAW1C		KYOAAWUC
T102	TASKalfa MA3500ci	KYOABD1C		KYOABDUC
T103	TASKalfa MA4500ci	KYOABE1C		KYOABEUC
T104	TASKalfa MZ3200i	KYOABA1C		KYOABAUC
T105	TASKalfa MZ4000i	KYOABA1C		KYOABAUC
T106	TASKalfa PA4500ci	KYOABE1C		KYOABEUC

The other device types are currently being developed. KYOCERA Document Solutions intends to support all future printer models, which are relevant in the SAP environment. The supported printer models and device types will be published in this note.

The choice of the device type is not important if the printer is a black and white or color device, because the color commands are send from SAP itself. Please mark "Color Print" at the "Output Attributes" of the Output device to switch the color printing on.

Details:

The Japanese device types are only supported by the Japanese version of the printer or MFPs.

The Unicode device types support Asian characters like Kanji or Han only, if the ANDALE fonts are used and the KYOmulticode module is installed in the printer or MFP. European characters (including Cyrillic and Greek) can be used with the SAP standard fonts Courier, Times and Helve.

Some printers or MFPs are using different hardware option as defined at the device type description, but this hardware options have identical or similar features.

KYOAAA1C (LATIN1)

KYOAAAJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4, Envelope
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Front Tray (face down), Rear Tray (face up)
 - Double sided printing
 - Duplex printing: Switching front and back side
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAB1C (LATIN1)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4, Envelope

- Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
- Paper output: Upper Tray (face down)
 - with Multi-Finisher DF-710: Tray A (face down)
 - Tray B (face down and face up)
 - Tray C (face down and face up)
 - Jogging: Tray A (face down)
 - with Mailbox Unit MT-710: Tray 1-8 (all face down and face up)
 - with Punching Unit PH-5C: Tray A (face down)
 - with Booklet Unit BF-710: Booklet Tray
 - with Finisher DF-730: Finisher Tray ((face down)
- Duplex printing: standard / reverse order
- Punching:
 - with Multi-Finisher DF-710 and Punching Unit PH-5C:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
- Stapling:
 - with Multi-Finisher DF-710: Bottom left, one staple
 - Top left, one staple
 - Left, two staples
 - with Finisher DF-730: Top left, one staple
- Jogging: with Multi-Finisher DF-710 or Finisher DF-730
- Booklet printing: with Multi-Finisher DF-710 and Booklet Unit BF-710
- ECO mode (toner saving mode)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used.
- If no optional finisher is installed, the default paper tray (Upper Tray) will be used

KYOAAC1C (LATIN1)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4, Envelope
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
- Paper output: Top Tray (face down)
 - with Job Separator JS-700: face down
 - with Internal Finisher DF-720: face down
 - with Multi-Finisher DF-710: Tray A (face down)
 - Tray B (face down and face up)
 - Tray C (face down and face up)
 - Jogging: Tray A (face down)
 - with Mailbox Unit MT-710: Tray 1-8 (all face down and face up)
 - with Punching Unit PH-5C: Tray A (face down)
 - with Booklet Unit BF-710: Booklet Tray
 - with Finisher DF-730: Finisher Tray ((face down)
- Duplex printing: standard / reverse order
- Punching:
 - with Multi-Finisher DF-710 and Punching Unit PH-5C:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
- Stapling:
 - with Internal Finisher DF-720: Top left, one staple
 - with Multi-Finisher DF-710: Bottom left, one staple

Top left, one staple

Left, two staples

- with Finisher DF-730: Top left, one staple
- Jogging: with Multi-Finisher DF-710 or Finisher DF-730
- Booklet printing: with Multi-Finisher DF-710 and Booklet Unit BF-710
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Upper Tray) will be used

KYOAAD1C (LATIN1)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1, Tray 2-5 (optional 4 PF-500 / PF-510)
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Upper Tray (face down)
 - Color mode: Color / Monochrome
 - Duplex printing: standard
 - ECO mode (toner saving mode)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used

KYOAAE1C (LATIN1)

KYOAAEJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-3
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Top Tray (face down)
 - Double sided printing
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAAF1C (LATIN1)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4, Envelope
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick,

High Quality, Custom 1-8

- Paper output: Top Tray (face down)
 - with Document Finisher DF-780: face down
 - with Multi-Finisher DF-760: Tray A (face down)
 - Tray B (face down and face up)
 - Tray C (face down and face up)
 - Job Separator Tray (face down)
 - Jogging: Tray A (face down)
 - with Mailbox Unit MT-720: Tray 1-8 (all face down and face up)
 - with Punching Unit PH-5C: Tray A (face down)
 - Tray 1-8 (all face down and face up)
 - with Booklet Unit BF-720: Booklet Tray
 - Punching:
 - with Multi-Finisher DF-760 and Punching Unit PH-5C:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
 - Stapling:
 - with Document Finisher DF-780: Top left, one staple
 - with Multi-Finisher DF-760: Bottom left, one staple
 - Top left, one staple
 - Left, two staples
 - Jogging: with Multi-Finisher DF-760 or Finisher DF-780
 - Booklet printing: with Multi-Finisher DF-760 and Booklet Unit BF-720 (no size reduction!)
 - Color mode: Color / Monochrome
 - Duplex printing: standard
 - ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Only firmware 11.00.0010 or newer must be used
- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Upper Tray) will be used

KYOAAG1C (LATIN1)

KYOAAGJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-7
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
- Paper output: Top Tray (face down)
 - Internal Separator on the Right: face down
 - with Document Finisher DF-770: face down
 - with Finisher DF-790: Tray A (face down)
 - Tray B (face down)
 - Tray C (face down)
 - Jogging: Tray A (face down)
 - with Mailbox Unit MT-730: Tray 1-7 (all face down)
 - with Punching Unit PH-5C: Tray A (face down)
 - Tray B (face down)
 - Tray 1-7 (all face down)
 - with Booklet Unit BF-730: Booklet Tray
- Punching with DF-770 or DF-790 and Punching Unit PH-7C:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
- Stapling with Finisher DF-790: Bottom left, one staple
 - Top left, one staple

Left, two staples

- Jogging: with Finisher DF-790
- Booklet printing: with Finisher DF-790 and Booklet Unit BF-730
(no size reduction!)
- Color mode: Color / Monochrome
- Duplex printing: standard
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Tray A) will be used

KYOAAH1C (LATIN1)

KYOAAHJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-5, Envelope
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Front Tray (face down), Rear Tray (face up)
 - Double sided printing
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAAI1C (LATIN1)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-3
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Top Tray (face down)
 - with Document Finisher DF-770: face down
 - Jogging: face down
 - Stapling: Bottom left, one staple
Top left, one staple
Left, two staples
 - Jogging
 - Color mode: Color / Monochrome
 - Duplex printing: standard
 - ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional finisher is installed, the default paper tray (Upper Tray) will be used

KYOAAJ1C (LATIN1)

KYOAAJJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:

- Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-7
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
 - Paper output: Top Tray (face down)
 - Internal upper Separator: face down
 - Internal Separator on the Right: face down
 - with Document Finisher DF-770: face down
 - with Finisher DF-790: Tray A (face down)
Tray B (face down)
Tray C (face down)
 - Jogging: Tray A (face down)
 - with Mailbox Unit MT-730: Tray 1-7 (all face down)
 - with Punching Unit PH-7C: Tray A (face down)
Tray B (face down)
Tray 1-7 (all face down)
 - with Booklet Unit BF-730: Booklet Tray
 - Punching with DF-770 or DF-790 and Punching Unit PH-7C:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
 - Stapling with Finisher DF-790: Bottom left, one staple
Top left, one staple
Left, two staples
 - Jogging: with Finisher DF-790
 - Color mode: Color / Monochrome
 - Duplex printing: standard
 - ECO mode (toner saving mode)
 - Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170
- Restrictions:
- If no optional paper cassette is installed, the default cassette will be used
 - If no optional finisher is installed, the default paper tray (Tray A) will be used

KYOAAK1C (LATIN1)

KYOAAKJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black
- Additional print options:
- Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
- Paper output: Inner Tray (face down), Job Separator Tray
 - with Document Finisher DF-770(D): Left Tray (face down)
 - with Document Finisher DF-791: Tray A (face down)
Tray B (face down)
 - Jogging: Tray A (face down)
 - with Mailbox Unit MT-730(B): Tray 1-8 (all face down)
- Punching with Finisher DF-770(D) or DF-791 and Punching Unit PH-7C:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
 - Tray A (face down)
- Stapling with Finisher DF-770(D) or DF-791:
 - Top left, one staple
 - Bottom left, one staple
 - Left, two staples
- Duplex printing: standard
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Inner Tray) will be used

KYOAAL1C (LATIN1)

KYOAALJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
- Paper output: Inner Tray (face down), Job Separator Tray
 - with Document Finisher DF-770 (C): Left Tray A (face down)
 - Jogging: Tray A (face down)
- Punching with Finisher DF-770 (C) and Punching Unit PH-7:
 - 2 Holes (Europe) or 3 (US)
 - 4 Holes (Europe) or 2 (US)
 - Left Tray (face down)
- Stapling with Finisher DF-770 (C):
 - Top left, one staple
 - Bottom left, one staple
 - Left, two staples
- Duplex printing: standard
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Inner Tray) will be used

KYOAAM1C (LATIN1)

KYOAAMJC (JAPANESE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-7
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
 - Paper output: Main Tray (face down), Job Separator Tray
 - with Document Finisher DF-790: Tray A (face down)
 - with Document Finisher DF-770: Tray A (face down)
Tray B (face down)
 - Jogging: Tray A (face down)
 - Stapling: Bottom left, one staple
Top left, one staple
Left, two staples
 - Jogging
 - Folding: NOT supported, please call Kyocera for solution
 - with Mailbox Unit MT-730: Tray 1-8 (all face down)
 - Color mode: Color / Monochrome
 - Duplex printing: standard
 - ECO mode (toner saving mode)
 - Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional finisher is installed, the default paper tray (Main Tray) will be used

KYOAAN1C (LATIN1)
KYOAANJC (JAPANESE)
KYOAANUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-5
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Front Tray (face down), Rear Tray (face up)
 - Double sided printing
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYAAA01C (LATIN1)
KYAAA0JC (JAPANESE)
KYAAA0UC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Main Tray (face down)
 - Double sided printing
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAAP1C (LATIN1)
KYOAAPJC (JAPANESE)
KYOAAPUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
 - Paper output: Inner Tray (face down)
 - Job Separator Tray (face down)
 - with Mailbox Sorter: Tray 1-5 (all face down)
 - with Finisher: Tray A (face down)
Tray B (face down)
 - Stapling: Top left, one staple
Top right, one staple
Top, two staples

- Jogging: Tray A (face down)
- Punching: 2 Holes left
 - 2 Holes top
 - 2 Holes right
 - 4 Holes left
 - 4 Holes right
- Internal Separator on the Right: face down
- with Document Finisher DF-770: face down
- with Finisher DF-790: Tray A (face down)
 - Tray B (face down)
 - Tray C (face down)
- Jogging: Tray A (face down)
- with Mailbox Sorter: Tray 1-5 (all face down)
- Color mode: Color / Monochrome
- Duplex printing: standard
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Inner Tray) will be used

KY0AAQ1C (LATIN1)
 KY0AAQJC (JAPANESE)
 KY0AAQUC (UNICODE)
 KY0AAW1C (LATIN1)
 KY0AAWUC (UNICODE)
 KY0AAY1C (LATIN1)
 KY0AAYUC (UNICODE)
 KY0AAZ1C (LATIN1)
 KY0AAZUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-5 or 1-7
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
 - Paper output: Inner Tray (face down)
 - Job Separator Tray (face down)
 - with Mailbox Sorter: Tray 1-7 (all face down)
 - with Finisher: Tray A (face down)
 - Tray B (face down)
 - Stapling: A4: bottum left, 1 staple
 - top left, 1 staple
 - left, 2 staples
 A4-R: top left, 1 staple
 - top right, 1 staple
 - top, 2 staples
 autostapling (not supported by POSS): 2 - 65 pages
- Jogging: Tray A (face down)
- Punching: 2 Holes left
 - 4 Holes left
- Booklet (not supported by POSS): bind left or right
- Folding (not supported by POSS): 2 folds, 3 folds
 - inside or outside fold
 - right-left or left-right folding order
 - autofolding up to 5 pages
- Color mode: Color (if supported by printer) / Monochrome
- Duplex printing: standard
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Inner Tray) will be used

KYOAAR1C (LATIN1)

KYOAARJC (JAPANESE)

KYOAARUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-2
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Main Tray (face down)
 - Double sided printing
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAAS1C (LATIN1)

KYOAASJC (JAPANESE)

KYOAASUC (UNICODE)

KYOAAX1C (LATIN1)

KYOAAXUC (UNICODE)

KYOABB1C (LATIN1)

KYOABBUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-5, Envelope
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Coated, Thick, High Quality, Custom 1-8
 - Paper output: Top Tray (face down), Rear Tray (face up)
(Finsher only KYOAXXC)
 - Double sided printing
 - Duplex printing: Switching front and back side
 - ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAAT1C (LATIN1)

KYOAATJC (JAPANESE)

KYOAATUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color,

Prepunched, Envelope, Cardstock, Thick,
High Quality, Custom 1-8

- Paper output: Main Tray (face down)
- Double sided printing
- ECO mode (toner saving)
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOAAU1C (LATIN1)
KYOAAUJC (JAPANESE)
KYOAAUUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white or color
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-3
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
- Paper output: Inner Tray (face down)
- Job Separator Tray (face down)
- with Finisher: Finisher Tray (face down)
- Stapling: A4: top left, 1 staple
 bottum left, 1 staple
 left, 2 staples
 A4-R: top right, 1 staple
 top left, 1 staple
 top, 2 staples
 autostapling (not supported by POSS): 2 - 50 pages
- Jogging: Finisher Tray (face down) (not supported by POSS)
- Color mode: Color (if supported by printer) / Monochrome
- Duplex printing: standard
- ECO mode (toner saving mode)

- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Inner Tray) will be used

KYOAAV1C (LATIN1)
KYOAAVJC (JAPANESE)
KYOAAVUC (UNICODE)
KYOABA1C (LATIN1)
KYOABAUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, A3, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
- Paper output: Inner Tray (face down)
- Job Separator Tray (face down)
- with Finisher: Finisher Tray (face down)
- Stapling: A4: top left, 1 staple
 bottum left, 1 staple
 left, 2 staples
 A4-R: top right, 1 staple

top left, 1 staple
top, 2 staples

autostapling (not supported by POSS): 2 - 50 pages

- Jogging: Finisher Tray (face down) (not supported by POSS)
- Color mode: Monochrome
- Duplex printing: standard
- ECO mode (toner saving mode)
- Bar code: Positioning compatible to PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- If no optional paper cassette is installed, the default cassette will be used
- If no optional finisher is installed, the default paper tray (Inner Tray) will be used

KYOABC1C (LATIN1)

KYOABCUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-5
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, High Quality, Custom 1-8
 - Paper output: Front Tray (face down), Rear Tray (face up)
 - Double sided printing
 - ECO mode (toner saving)
 - Private Print
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOABD1C (LATIN1)

KYOABDUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-4
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color, Prepunched, Envelope, Cardstock, Thick, Coated, High Quality, Custom 1-8
 - Double sided printing
 - ECO mode (toner saving)
 - Private Print
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- Without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

KYOABE1C (LATIN1)

KYOABEUC (UNICODE)

Properties:

- PDL: PCL
- Paper sizes: A5, A4, LETTER, LEGAL, EXECUTIVE
- Print in black and white
- Additional print options:
 - Paper cassette selection by
 - Name / Number: Multi-Purpose, Tray 1-5
 - Media type: Plain, Transparency, Preprinted, Labels, Bond, Recycled, Vellum, Rough, Letterhead, Color,

Prepunched, Envelope, Cardstock, Thick,
Coated, High Quality, Custom 1-8

- Double sided printing
- ECO mode (toner saving)
- Private Print
- Bar code: Positioning like PRESCRIBE device types KYOFS150 or KYOFS170

Restrictions:

- without optional paper cassettes: Printer will use default cassette, if desired cassette is not available

Support information:

New printer or MFP:

We plan to support all new MFP and printer models we introduce in the market.

Detailed support situation for each MFP model will be documented in this SAP note.

Legacy printer:

If you need, please contact with KYOCERA Document Solutions sales company in your country or use the internet: www.kyoceradocumentsolutions.eu

| Manual Activities

| Attributes

Key	Value
Other Components	BC-CCM-PRN-DVM (Printer Administration)

| This document refers to

SAP Note/KBA	Title
1097990	List of Printer Vendor Wizard Notes

| This document is referenced by

SAP Note/KBA	Title
1097990	List of Printer Vendor Wizard Notes

| Attachments

File Name	File Size	Mime Type
Kyocera_DeviceType_Lat_Nov16.ZIP	1228	application/octet-stream
Kyocera_DeviceType_Jap_Nov16.zip	2000	application/octet-stream
Kyocera_DeviceType_Jap_Mar18.zip	559	application/octet-stream
Kyocera_DeviceType_Uni_Aug21.zip	2025	application/x-zip-compressed
Kyocera_DeviceType_Uni_October23.zip	889	application/x-zip-compressed
Kyocera_DeviceType_Lat_October23.zip	775	application/x-zip-compressed