

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|--------------------------|-------------------|-------|------|-----|------------|
| Family: Azollaceae (mosquito fern) | | | | | | |
| <i>Azolla caroliniana</i> | mosquito fern | native | | | R | |
| Family: Blechnaceae (midsorus) | | | | | | |
| <i>Blechnum serrulatum</i> | swamp fern | native | | | | |
| <i>Woodwardia virginica</i> | Virginia chain fern | | | | R | |
| Family: Dennstaedtiaceae (cuplet fern) | | | | | | |
| <i>Pteridium aquilinum</i> var. <i>caudatum</i> | lacy braken fern | native | | | | |
| <i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i> | tailed braken fern | native | | | R | |
| Family: Nephrolepis (sword fern) | | | | | | |
| <i>Nephrolepis biserrata</i> | giant sword fern | native | T | | R | |
| <i>Nephrolepis exaltata</i> | wild Boston fern | native | | | | |
| <i>Nephrolepis multiflora</i> | Asian sword fern | exotic | | | | I |
| Family: Ophioglossaceae (adder's-tongue) | | | | | | |
| <i>Ophioglossum petiolatum</i> | stalked adder's tongue | native | | | | |
| Family: Osmundaceae (royal fern) | | | | | | |
| <i>Osmunda regalis</i> var. <i>spectabilis</i> | royal fern | native | CE | | R | |
| Family: Polypodiaceae (polypody) | | | | | | |
| <i>Campyloneurum phyllitidis</i> | long strap fern | native | | | R | |
| <i>Phlebodium aureum</i> | golden polypody | native | | | | |
| <i>Pleopeltis polypodioides</i> var. <i>michauxiana</i> | resurrection fern | native | | | | |
| Family: Psilotaceae (whisk-fern) | | | | | | |
| <i>Psilotum nudum</i> | whisk-fern | native | | | | |
| Family: Pteridaceae (brake fern) | | | | | | |
| <i>Ceratopteris thalictroides</i> | watersprite | exotic | | | | |
| <i>Pteris bahamensis</i> | Bahama ladder brake | native | | | | |
| <i>Pteris vittata</i> | Chinese ladder brake | exotic | | | | II |
| Family: Salviniaceae (floating fern) | | | | | | |
| <i>Salvinia minima</i> | water spangles | exotic | | | | I |
| Family: Schizaeaceae (curly-grass fern) | | | | | | |
| <i>Lygodium microphyllum</i> | Old World climbing fern | exotic | | | | I |
| Family: Thelypteridaceae (marsh fern) | | | | | | |
| <i>Thelypteris interrupta</i> | hottentot fern | native | | | R | |
| <i>Thelypteris kunthii</i> | southern shield fern | native | | | | |
| <i>Thelypteris palustris</i> var. <i>pubescens</i> | marsh fern | native | | | R | |
| Family: Vittariaceae (shoestring fern) | | | | | | |
| <i>Vittaria lineata</i> | shoestring fern | native | | | | |
| Family: Cupressaceae (cedar) | | | | | | |
| <i>Taxodium ascendens</i> | pond cypress | native | | | | |
| Family: Pinaceae (pine) | | | | | | |
| <i>Pinus elliotii</i> var. <i>densa</i> | south Florida slash pine | native | | | | |
| Family: Agavaceae (agave) | | | | | | |
| <i>Agave sisalana</i> | sisal hemp | exotic | | | | II |
| Family: Alismataceae (water plantain) | | | | | | |
| <i>Sagittaria graminea</i> | grassy arrowhead | native | | | R | |
| <i>Sagittaria graminea</i> var. <i>chapmanii</i> | Chapman's arrowhead | native | | | I | |
| <i>Sagittaria lancifolia</i> | bulltongue arrowhead | native | | | | |
| Family: Alliaceae (garlic) | | | | | | |
| <i>Nothoscordum bivalve</i> | false-garlic, crowpoison | native | | | CI | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|---------------------------------|-------------------|-------|------|-----|------------|
| Family: Amaryllidaceae (amaryllis) | | | | | | |
| <i>Crinum americanum</i> | string-lily | native | | | | |
| Family Araceae (arum) | | | | | | |
| <i>Lemna obscura</i> | little duckweed | native | | | R | |
| <i>Lemna valdiviana</i> | valdivia duckweed | native | | | | |
| <i>Pistia stratiotes</i> | water lettuce | exotic | | | | I |
| <i>Spirodela polyrhiza</i> | common duckweed | native | | | | |
| <i>Wolffiella gladiata</i> | Florida mudmidget | native | | | | |
| Family: Arecaceae (palm) | | | | | | |
| <i>Sabal palmetto</i> | cabbage palm | native | | | | |
| <i>Serenoa repens</i> | saw palmetto | native | | | | |
| Family: Bromeliaceae (pineapple) | | | | | | |
| <i>Tillandsia balbisiana</i> | northern needleleaf | native | T | | | |
| <i>Tillandsia fasciculata</i> var. <i>densispica</i> | cardinal airplant | native | E | | | |
| <i>Tillandsia paucifolia</i> | potbelly airplant | native | | | | |
| <i>Tillandsia recurvata</i> | ballmoss | native | | | | |
| <i>Tillandsia setacea</i> | southern needleleaf | native | | | | |
| <i>Tillandsia usneoides</i> | Spanish moss | native | | | | |
| <i>Tillandsia utriculata</i> | giant wild-pine, giant airplant | native | E | | | |
| Family: Burmanniaceae (burmannia) | | | | | | |
| <i>Burmannia capitata</i> | southern bluethead | native | | | R | |
| Family: Cannaceae (canna) | | | | | | |
| <i>Canna flaccida</i> | bandana-of-the-everglades | native | | | R | |
| Family: Commelinaceae (spiderwort) | | | | | | |
| <i>Commelina diffusa</i> | common dayflower | exotic | | | | |
| <i>Commelina gambiae</i> | Gambian dayflower | exotic | | | | |
| <i>Murdannia nudiflora</i> | nakedstem dewflower | exotic | | | | |
| <i>Murdannia spirata</i> | Asiatic dewflower | exotic | | | | |
| Family: Cyperaceae (sedge) | | | | | | |
| <i>Carex longii</i> | Long's sedge | native | | | I | |
| <i>Carex verrucosa</i> | warty sedge | native | | | CI | |
| <i>Cladium jamaicense</i> | Jamaica swamp sawgrass | native | | | | |
| <i>Cyperus compressus</i> | poorland flatsedge | native | | | | |
| <i>Cyperus croceus</i> | Baldwin's flatsedge | native | | | | |
| <i>Cyperus distinctus</i> | swamp flatsedge | native | | | I | |
| <i>Cyperus esculentus</i> | yellow nutgrass | exotic | | | | |
| <i>Cyperus flavescens</i> | yellow flatsedge | native | | | R | |
| <i>Cyperus haspan</i> | haspan flatsedge | native | | | | |
| <i>Cyperus iria</i> | ricefield flatsedge | exotic | | | | |
| <i>Cyperus ligularis</i> | swamp flatsedge | native | | | | |
| <i>Cyperus odoratus</i> | fragrant flatsedge | native | | | | |
| <i>Cyperus polystachyos</i> | manyspike flatsedge | native | | | | |
| <i>Cyperus pumilus</i> | low flatsedge | exotic | | | | |
| <i>Cyperus retrorsus</i> | pinebarren flatsedge | native | | | R | |
| <i>Cyperus rotundus</i> | nut-grass | exotic | | | | |
| <i>Cyperus surinamensis</i> | tropical flatsedge | native | | | | |
| <i>Eleocharis acutangula</i> | narrow-angled spikerush | exotic | | | | |
| <i>Eleocharis baldwinii</i> | Baldwin's spikerush | native | | | R | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|------------------------------|-------------------|-------|------|-----|------------|
| <i>Eleocharis cellulosa</i> | Gulf Coast spikerush | native | | | | |
| <i>Eleocharis elongata</i> | slim spikerush | native | | | | |
| <i>Eleocharis flavescens</i> | yellow spikerush | native | | | I | |
| <i>Eleocharis geniculata</i> | Canada spikerush | native | | | | |
| <i>Eleocharis interstincta</i> | knotted spikerush | native | | | | |
| <i>Fimbristylis autumnalis</i> | slender fimbry | native | | | R | |
| <i>Fimbristylis cymosa</i> | hurricanegrass | native | | | | |
| <i>Fimbristylis puberula</i> | hairy fimbry | native | | | I | |
| <i>Fimbristylis schoenoides</i> | ditch fimbry | exotic | | | | |
| <i>Fuirena breviseta</i> | saltmarsh umbrellasedge | native | | | R | |
| <i>Fuirena scirpoidea</i> | southern umbrellasedge | native | | | R | |
| <i>Kyllinga brevifolia</i> | shortleaf spikesedge | exotic | | | | |
| <i>Kyllinga odorata</i> | fragrant spikesedge | native | | | I | |
| <i>Kyllinga pumila</i> | low spikesedge | native | | | | |
| <i>Lipocarpha aristulata</i> | awned halfchaff sedge | exotic | | | | |
| <i>Lipocarpha micrantha</i> | smallflower halfchaff sedge | native | | | I | |
| <i>Rhynchospora colorata</i> | starrush whitetop | native | | | | |
| <i>Rhynchospora divergens</i> | spreading beaksedge | native | | | | |
| <i>Rhynchospora fascicularis</i> | fascicled Beaksedge | native | | | R | |
| <i>Rhynchospora fernaldii</i> | Fernald's beaksedge | native | | | CI | |
| <i>Rhynchospora filifolia</i> | threadleaf beaksedge | native | | | I | |
| <i>Rhynchospora inundata</i> | narrowfruit horned beaksedge | native | | | R | |
| <i>Rhynchospora microcarpa</i> | southern beaksedge | native | | | R | |
| <i>Rhynchospora nitens</i> | shortbeak beaksedge | native | | | R | |
| <i>Rhynchospora plumosa</i> | plumed beaksedge | native | | | R | |
| <i>Rhynchospora rariflora</i> | fewflower beaksedge | native | | | CI | |
| <i>Rhynchospora tracyi</i> | Tracy's beaksedge | native | | | R | |
| <i>Scleria baldwinii</i> | Baldwin's nutrush | native | | | I | |
| <i>Scleria ciliata</i> | fringed nutrush | native | | | R | |
| <i>Scleria ciliata</i> var. <i>pauciflora</i> | fewflower nutrush | native | | | CI | |
| <i>Scleria hirtella</i> | riverswamp nutrush | native | | | | |
| <i>Scleria lacustris</i> | Wright's nutrush | exotic | | | | II |
| <i>Scleria reticularis</i> | netted nutrush | native | | | R | |
| <i>Scleria verticillata</i> | low nutrush | native | | | R | |
| Family: Eriocaulaceae (pipewort) | | | | | | |
| <i>Eriocaulon compressum</i> | flattened pipewort | native | | | R | |
| <i>Eriocaulon decangulare</i> | tenangle pipewort | native | | | R | |
| <i>Lachnocaulon anceps</i> | whitehead bogbutton | native | | | R | |
| <i>Lachnocaulon minus</i> | Small's bogbutton | native | | | | |
| <i>Syngonanthus flavidulus</i> | yellow hatpins | native | | | R | |
| Family: Haemodoraceae (bloodwort) | | | | | | |
| <i>Lachnanthes caroliniana</i> | Carolina redroot | native | | | | |
| Family: Hydrocharitaceae (frog's-bit) | | | | | | |
| <i>Najas wrightiana</i> | Wright's waterynymph | native | | | | |
| Family: Hypoxidaceae (yellow stargrass) | | | | | | |
| <i>Hypoxis juncea</i> | fringed yellow stargrass | native | | | R | |
| Family: Iridaceae (iris) | | | | | | |
| <i>Sisyrinchium angustifolium</i> | narrowleaf blue-eyed grass | native | | | R | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|-------------------------------------|-------------------|-------|------|-----|------------|
| Family: Juncaceae (rush) | | | | | | |
| <i>Juncus marginatus</i> | shore rush, grassleaf rush | native | | | R | |
| <i>Juncus megacephalus</i> | bighead rush | native | | | R | |
| Family: Liliaceae (lily) | | | | | | |
| <i>Lilium catesbaei</i> | Catesby's lily, pine lily | native | T | | I | |
| Family: Marantaceae (arrowroot) | | | | | | |
| <i>Thalia geniculata</i> | alligatorflag, fireflag | native | | | | |
| Family: Nartheciaceae (bob asphodel) | | | | | | |
| <i>Aletris lutea</i> | yellow colicroot | native | | | R | |
| Family: Orchidaceae (orchid) | | | | | | |
| <i>Bletia purpurea</i> | pinepink | native | T | | R | |
| <i>Calopogon</i> spp. | grass-pink | native | | | | |
| <i>Encyclia tampensis</i> | Florida butterfly orchid | native | CE | | | |
| <i>Eulophia alta</i> | wild coco | native | | | | |
| <i>Habenaria floribunda</i> | toothpetal false reinorchid | native | | | | |
| <i>Habenaria quinqueseta</i> | longhorn false reinorchid | native | | | R | |
| <i>Harrisella porrecta</i> | needleroot airplant orchid | native | T | | I | |
| <i>Oeceoclades maculata</i> | monk orchid | exotic | | | | II |
| <i>Sacoila lanceolata</i> | leafless beaked ladies-tresses | native | | | I | |
| <i>Spiranthes laciniata</i> | lancelip lady's-tresses | native | | | I | |
| <i>Spiranthes longilabris</i> | longlip lady's-tresses | native | T | | I | |
| <i>Spiranthes odorata</i> | fragrant lady's-tresses | native | | | | |
| <i>Spiranthes vernalis</i> | spring lady's-tresses | native | | | R | |
| Family: Poaceae (grass) | | | | | | |
| <i>Amphicarpum muhlenbergianum</i> | blue-maidencane | native | | | R | |
| <i>Andropogon glomeratus</i> var. <i>glaucopsis</i> | purple bluestem | native | | | R | |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i> | common bushy bluestem | native | | | | |
| <i>Andropogon gyrans</i> | Elliott's bluestem | native | | | I | |
| <i>Andropogon ternarius</i> | splitbeard bluestem | native | | | | |
| <i>Andropogon virginicus</i> | broomsedge bluestem | native | | | I | |
| <i>Andropogon virginicus</i> var. <i>glaucus</i> | chalky bluestem | native | | | R | |
| <i>Aristida beyrichiana</i> | southern wiregrass | native | | | | |
| <i>Aristida palustris</i> | longleaf threeawn | native | | | I | |
| <i>Aristida purpurascens</i> | arrowfeather threeawn | native | | | | |
| <i>Aristida spiciformis</i> | bottlebrush threeawn | native | | | R | |
| <i>Axonopus fissifolius</i> | common carpetgrass | native | | | R | |
| <i>Axonopus furcatus</i> | big carpetgrass | native | | | | |
| <i>Bothriochloa pertusa</i> | pitted beardgrass | exotic | | | | |
| <i>Cenchrus spinifex</i> | coastal sandbur | native | | | | |
| <i>Cynodon dactylon</i> | Bermudagrass | exotic | | | | |
| <i>Dactyloctenium aegyptium</i> | durban crowfootgrass | exotic | | | | |
| <i>Dichanthelium aciculare</i> | needleleaf witch grass | native | | | | |
| <i>Dichanthelium dichotomum</i> | cypress witchgrass | native | | | R | |
| <i>Dichanthelium ensifolium</i> | cypress witchgrass | native | | | I | |
| <i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i> | cypress witchgrass | native | | | R | |
| <i>Dichanthelium leucothrix</i> | rough witchgrass | native | | | I | |
| <i>Dichanthelium portoricense</i> | hemlock witchgrass | native | | | | |
| <i>Dichanthelium strigosum</i> var. <i>glabrescens</i> | glabrescent roughhair witchgrass | native | | | | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|--------------------------|-------------------|-------|------|-----|------------|
| <i>Digitaria bicornis</i> | Asia crabgrass | exotic | | | | |
| <i>Digitaria ciliaris</i> | southern crabgrass | native | | | | |
| <i>Digitaria longiflora</i> | Indian crabgrass | exotic | | | | |
| <i>Digitaria serotina</i> | blanket crabgrass | native | | | | |
| <i>Echinochloa colona</i> | jungle-rice | exotic | | | | |
| <i>Echinochloa crus-galli</i> | barnyardgrass | exotic | | | | |
| <i>Echinochloa walteri</i> | coast cockspur | native | | | | |
| <i>Eleusine indica</i> | Indian goosegrass | exotic | | | | |
| <i>Elionurus tripsacoides</i> | Pan-American balsamscale | native | | | I | |
| <i>Eragrostis atrovirens</i> | thalia lovegrass | exotic | | | | |
| <i>Eragrostis ciliaris</i> | gophertail lovegrass | exotic | | | | |
| <i>Eragrostis elliotii</i> | Elliott's lovegrass | native | | | | |
| <i>Eragrostis virginica</i> | coastal lovegrass | native | | | I | |
| <i>Eustachys glauca</i> | saltmarsh fingergrass | native | | | | |
| <i>Eustachys petraea</i> | pinewoods fingergrass | native | | | | |
| <i>Gymnopogon brevifolius</i> | shortleaf skeleton grass | native | | | CI | |
| <i>Hemarthria altissima</i> | limpoglass | exotic | | | | II |
| <i>Hymenachne amplexicaulis</i> | West Indian marsh grass | exotic | | | | I |
| <i>Imperata brasiliensis</i> | Brazilian satintail | native | | | | |
| <i>Imperata cylindrica</i> | cogongrass | exotic | | | | I |
| <i>Leersia hexandra</i> | southern cutgrass | native | | | R | |
| <i>Leptochloa fusca subsp. fascicularis</i> | bearded sprangletop | native | | | R | |
| <i>Luziola fluitans</i> | southern watergrass | native | | | | |
| <i>Muhlenbergia capillaris</i> | hairawn muhly | native | | | | |
| <i>Panicum dichotomiflorum</i> | fall panic grass | native | | | R | |
| <i>Panicum dichotomiflorum var. bartowense</i> | hairy fall panic grass | native | | | | |
| <i>Panicum hemitomon</i> | maidencane | native | | | | |
| <i>Panicum hians</i> | gaping panicum | native | | | R | |
| <i>Panicum maximum</i> | guineagrass | exotic | | | | II |
| <i>Panicum repens</i> | torpedo grass | exotic | | | | I |
| <i>Panicum rigidulum</i> | redtop panicum | native | | | | |
| <i>Panicum tenerum</i> | bluejoint panicum | native | | | R | |
| <i>Panicum virgatum</i> | switchgrass | native | | | | |
| <i>Paspalum distichum</i> | knotgrass | native | | | R | |
| <i>Paspalidium geminatum</i> | Egyptian paspalidium | native | | | I | |
| <i>Paspalum conjugatum</i> | sour paspalum, hilograss | native | | | | |
| <i>Paspalum dissectum</i> | mudbank crowngrass | native | | | | |
| <i>Paspalum floridanum</i> | Florida paspalum | native | | | I | |
| <i>Paspalum laeve</i> | field paspalum | native | | | | |
| <i>Paspalum monostachyum</i> | gulfdune paspalum | native | | | R | |
| <i>Paspalum notatum</i> | bahiagrass | exotic | | | | |
| <i>Paspalum praecox</i> | early paspalum | native | | | | |
| <i>Paspalum repens</i> | water paspalum | native | | | | |
| <i>Paspalum setaceum</i> | thin paspalum | native | | | | |
| <i>Paspalum urvillei</i> | vasey grass | exotic | | | | |
| <i>Paspalum vaginatum</i> | seashore paspalum | native | | | | |
| <i>Rhynchelytrum repens</i> | rose Natalgrass | exotic | | | | I |
| <i>Saccharum giganteum</i> | sugarcane plumegrass | native | | | | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|-------------------------------|-------------------|-------|------|-----|------------|
| <i>Sacciolepis indica</i> | Indian cupscale | exotic | | | | |
| <i>Sacciolepis striata</i> | American cupscale | native | | | R | |
| <i>Schizachyrium rhizomatum</i> | rhizomatous bluestem | native | | | | |
| <i>Setaria parviflora</i> | knotroot foxtail | native | | | | |
| <i>Sorghastrum secundum</i> | lopsided Indian grass | native | | | | |
| <i>Sorghum bicolor</i> | grain sorghum | exotic | | | | |
| <i>Spartina bakeri</i> | sand cordgrass | native | | | | |
| <i>Sporobolus indicus</i> | smut grass | exotic | | | | |
| <i>Sporobolus indicus var. pyramidalis</i> | West Indian dropseed | exotic | | | | |
| <i>Sporobolus junceus</i> | pineywoods dropseed | native | | | | |
| <i>Urochloa distachya</i> | tropical signalgrass | exotic | | | | |
| <i>Urochloa mutica</i> | paragrass | exotic | | | | I |
| <i>Zizaniopsis miliacea</i> | southern wild-rice | native | | | | |
| <i>Zoysia tenuifolia</i> | mascarene templegrass | exotic | | | | |
| Family: Pontederiaceae (pickerelweed) | | | | | | |
| <i>Pontederia cordata</i> | pickerelweed | native | | | | |
| Family: Smilacaceae (smilax) | | | | | | |
| <i>Smilax auriculata</i> | earleaf greenbrier | native | | | | |
| <i>Smilax laurifolia</i> | laurel greenbrier | native | | | | |
| <i>Smilax tamnoides</i> | bristly greenbrier, hogbrier | native | | | I | |
| Family: Typhaceae (cattail) | | | | | | |
| <i>Typha domingensis</i> | southern cattail | native | | | | |
| Family: Xyridaceae (yelloweyed grass) | | | | | | |
| <i>Xyris ambigua</i> | coastalplain yelloweyed grass | native | | | R | |
| <i>Xyris brevifolia</i> | shortleaf yelloweyed grass | native | | | I | |
| <i>Xyris caroliniana</i> | Carolina yelloweyed grass | native | | | R | |
| <i>Xyris difformis var. floridana</i> | Florida yelloweyed grass | native | | | | |
| <i>Xyris elliottii</i> | Elliott's yelloweyed grass | native | | | R | |
| <i>Xyris flabelliformis</i> | Savannah yelloweyed grass | native | | | I | |
| <i>Xyris jupicai</i> | Richard's yelloweyed grass | exotic | | | | |
| <i>Xyris smalliana</i> | Small's yelloweyed grass | native | | | I | |
| Family: Acanthaceae (acanthus) | | | | | | |
| <i>Dyschoriste oblongifolia</i> | oblongleaf twinflower | native | | | I | |
| <i>Justicia angusta</i> | narrow-leaved waterwillow | native | | | R | |
| <i>Stenandrium dulce</i> | pinklet | native | | | R | |
| <i>Ruellia caroliniensis</i> | Carolina wild petunia | native | | | I | |
| Family: Adoxaceae (moschael) | | | | | | |
| <i>Sambucus canadensis</i> | elderberry, American elder | native | | | | |
| Family: Amaranthaceae (amaranth) | | | | | | |
| <i>Alternanthera philoxeroides</i> | alligatorweed | exotic | | | | II |
| <i>Alternanthera sessilis</i> | sessile joyweed | exotic | | | | |
| <i>Amaranthus viridis</i> | slender amaranth | exotic | | | | |
| <i>Chenopodium album</i> | lamb's-quarters | exotic | | | | |
| <i>Chenopodium ambrosioides</i> | Mexican tea | exotic | | | | |
| <i>Gomphrena serrata</i> | globe amaranth | native | | | | |
| <i>Iresine diffusa</i> | Juba's bush | native | | | | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|----------------------------|-------------------|-------|------|-----|------------|
| Family: Anacardiaceae (cashew) | | | | | | |
| <i>Rhus copallinum</i> | winged sumac | native | | | | |
| <i>Schinus terebinthifolius</i> | Brazilian pepper | exotic | | | | I |
| Family: Annonaceae (custard-apple) | | | | | | |
| <i>Annona glabra</i> | pond-apple | native | | | | |
| <i>Asimina reticulata</i> | netted pawpaw | native | | | | |
| Family: Apiaceae (carrot) | | | | | | |
| <i>Eryngium baldwinii</i> | Baldwin's eryngo | native | | | R | |
| <i>Eryngium yuccifolium</i> | button rattlenakemaster | native | | | R | |
| <i>Oxypolis filiformis</i> | water cowbane | native | | | | |
| <i>Ptilimnium capillaceum</i> | mock bishopsweed | native | | | | |
| Family: Apocynaceae (dogbane) | | | | | | |
| <i>Asclepias longifolia</i> | longleaf milkweed | native | | | R | |
| <i>Asclepias pedicellata</i> | Savannah milkweed | native | | | I | |
| <i>Sarcostemma clausum</i> | white twinevine | native | | | | |
| Family: Aquifoliaceae (holly) | | | | | | |
| <i>Ilex cassine</i> | dahoon | native | | | | |
| <i>Ilex glabra</i> | gallberry, inkberry | native | | | | |
| Family: Araliaceae (ginseng) | | | | | | |
| <i>Centella asiatica</i> | spadeleaf | native | | | | |
| <i>Hydrocotyle umbellata</i> | manyflower marshpennywort | native | | | R | |
| Family: Asteraceae (aster) | | | | | | |
| <i>Ambrosia artemisiifolia</i> | common ragweed | native | | | | |
| <i>Baccharis glomeruliflora</i> | silverling | native | | | | |
| <i>Baccharis halimifolia</i> | groundsel tree | native | | | | |
| <i>Bidens alba</i> var. <i>radiata</i> | beggarticks | native | | | | |
| <i>Bigelovia nudata</i> subsp. <i>australis</i> | pineland rayless goldenrod | native | | | R | |
| <i>Boltonia diffusa</i> | smallhead doll's-daisy | native | | | I | |
| <i>Carphephorus corymbosus</i> | Florida paintbrush | native | | | R | |
| <i>Carphephorus odoratissimus</i> var. <i>subtropicanus</i> | pineland purple | native | | | I | |
| <i>Chaptalia tomentosa</i> | pineland daisy | native | | | | |
| <i>Cirsium horridulum</i> | purple thistle | native | | | | |
| <i>Cirsium nuttallii</i> | Nuttall's thistle | native | | | I | |
| <i>Conoclinium coelestinum</i> | blue mistflower | native | | | | |
| <i>Conyza canadensis</i> var. <i>pusilla</i> | dwarf Canadian horseweed | native | | | | |
| <i>Coreopsis floridana</i> | Florida tickseed | native | | | I | |
| <i>Coreopsis leavenworthii</i> | Leavenworth's tickseed | native | | | | |
| <i>Cyanthillium cinereum</i> | little ironweed | exotic | | | | |
| <i>Eclipta prostrata</i> | false-daisy | native | | | | |
| <i>Elephantopus elatus</i> | tall elephant's-foot | native | | | R | |
| <i>Emilia fosbergii</i> | Florida tasselflower | exotic | | | | |
| <i>Erechtites hieracifolius</i> | American burnweed | native | | | | |
| <i>Erigeron quercifolius</i> | oakleaf fleabane | native | | | | |
| <i>Erigeron vernus</i> | early whitetop fleabane | native | | | R | |
| <i>Eupatorium capillifolium</i> | dogfennel | native | | | | |
| <i>Eupatorium leptophyllum</i> | falsefennel | native | | | R | |
| <i>Eupatorium mohrii</i> | Mohr's thoroughwort | native | | | R | |
| <i>Euthamia caroliniana</i> | slender goldenrod | native | | | | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|-------------------------------|-------------------|-------|------|-----|------------|
| <i>Gamochaeta falcata</i> | narrowleaf purple everlasting | native | | | R | |
| <i>Helenium pinnatifidum</i> | southeastern sneezeweed | native | | | R | |
| <i>Heterotheca subaxillaris</i> | camphorweed | native | | | | |
| <i>Hieracium megacephalon</i> | coastalplain hawkweed | native | | | | |
| <i>Iva microcephala</i> | Piedmont marshelder | native | | | | |
| <i>Liatris garberi</i> | Garber's gayfeather | native | | | I | |
| <i>Liatris gracilis</i> | slender gayfeather | native | | | R | |
| <i>Lygodesmia aphylla</i> | roserush | native | | | R | |
| <i>Mikania scandens</i> | climbing hempvine | native | | | | |
| <i>Pectis prostrata</i> | spreading cinchweed | native | | | | |
| <i>Pityopsis graminifolia</i> | narrowleaf silkgrass | native | | | | |
| <i>Pluchea odorata</i> | sweetscent | native | | | | |
| <i>Pluchea rosea</i> | rosy camphorweed | native | | | | |
| <i>Pseudognaphalium obtusifolium</i> | rabbit tobacco | native | | | R | |
| <i>Pterocaulon pycnostachyum</i> | blackroot | native | | | | |
| <i>Rudbeckia hirta</i> | blackeyed susan | native | | | R | |
| <i>Solidago fistulosa</i> | pinebarren goldenrod | native | | | R | |
| <i>Solidago gigantea</i> | giant goldenrod | native | | | | |
| <i>Solidago sempervirens</i> | seaside goldenrod | native | | | R | |
| <i>Solidago stricta</i> | wand goldenrod | native | | | | |
| <i>Solidago tortifolia</i> | twistedleaf goldenrod | native | | | I | |
| <i>Symphyotrichum adnatum</i> | scaleleaf aster | native | | | | |
| <i>Symphyotrichum carolinianum</i> | climbing aster | native | | | R | |
| <i>Symphyotrichum dumosum</i> | rice button aster | native | | | | |
| <i>Symphyotrichum elliotii</i> | Elliott's aster | native | | | | |
| <i>Symphyotrichum subulatum</i> | annual saltmarsh aster | native | | | | |
| <i>Tridax procumbens</i> | brittleweed, coatbuttons | exotic | | | | |
| Family: Boraginaceae (borage) | | | | | | |
| <i>Heliotropium polyphyllum</i> | pineland heliotrope | native | | | | |
| Family: Brassicaceae (mustard) | | | | | | |
| <i>Rorippa teres</i> | southern marsh yellowcress | native | | | I | |
| Family: Cactaceae (cactus) | | | | | | |
| <i>Opuntia ficus-indica</i> | spineless cactus | exotic | | | | |
| Family: Campanulaceae (bellflower) | | | | | | |
| <i>Lobelia glandulosa</i> | glade lobelia | native | | | | |
| Family: Caryophyllaceae (pink) | | | | | | |
| <i>Drymaria cordata</i> | West Indian chickweed | native | | | | |
| Family: Chrysobalanaceae (coco plum) | | | | | | |
| <i>Chrysobalanus icaco</i> | coco-plum | native | | | | |
| <i>Licania michauxii</i> | gopher apple | native | | | | |
| Family: Cistaceae (rockrose) | | | | | | |
| <i>Lechea torreyi</i> | Piedmont pinweed | native | | | R | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|------------------------------|-------------------|-------|------|-----|------------|
| Family: Clusiaceae (mangosteen) | | | | | | |
| <i>Hypericum brachyphyllum</i> | coastalplain St. John's-wort | native | | | R | |
| <i>Hypericum cistifolium</i> | roundpod St. John's-wort | native | | | | |
| <i>Hypericum fasciculatum</i> | peelbark St. John's-wort | native | | | R | |
| <i>Hypericum gentianoides</i> | pineweeds, orangegrass | native | | | I | |
| <i>Hypericum hypericoides</i> | St. Andrew's-cross | native | | | | |
| <i>Hypericum mutilum</i> | dwarf St. John's-wort | native | | | I | |
| <i>Hypericum reductum</i> | Atlantic St. John's-wort | native | | | | |
| <i>Hypericum tetrapetalum</i> | fourpetal St. John's-wort | native | | | | |
| Family: Combretaceae (combretum) | | | | | | |
| <i>Terminalia muelleri</i> | Australian almond | exotic | | | | II |
| Family: Convolvulaceae (morning-glory) | | | | | | |
| <i>Evolvulus sericeus</i> | silver dwarf morningglory | native | | | | |
| <i>Ipomoea indica var. acuminata</i> | ocean-blue morningglory | native | | | | |
| <i>Ipomoea quamoclit</i> | cypressvine | exotic | | | | |
| <i>Ipomoea sagittata</i> | Everglades morningglory | native | | | | |
| Family: Cornaceae (dogwood) | | | | | | |
| <i>Cornus foemina</i> | swamp dogwood | native | | | R | |
| Family: Cucurbitaceae (gourd) | | | | | | |
| <i>Cucumis sativus</i> | garden cucumber | exotic | | | | |
| <i>Melothria pendula</i> | creeping cucumber | native | | | | |
| Family: Droseraceae (sundew) | | | | | | |
| <i>Drosera capillaris</i> | pink sundew | native | | | R | |
| Family: Ericaceae (heath) | | | | | | |
| <i>Bejaria racemosa</i> | tarflower | native | | | R | |
| <i>Gaylussacia dumosa</i> | dwarf huckleberry | native | | | R | |
| <i>Lyonia fruticosa</i> | coastalplain staggerbush | native | | | | |
| <i>Vaccinium myrsinites</i> | shiny blueberry | native | | | | |
| Family: Euphorbiaceae (spurge) | | | | | | |
| <i>Caperonia castaneifolia</i> | chestnutleaf falsecroton | native | | | I | |
| <i>Caperonia palustris</i> | sacatrapo | exotic | | | | |
| <i>Chamaesyce hirta</i> | pillpod sandmat | native | | | | |
| <i>Chamaesyce hypericifolia</i> | graceful sandmat | native | | | | |
| <i>Chamaesyce hyssopifolia</i> | hyssopleaf sandmat | native | | | | |
| <i>Cnidoscolus stimulosus</i> | tread-softly, finger-rot | native | | | | |
| <i>Euphorbia inundata</i> | Florida pineland spurge | native | | | CI | |
| <i>Euphorbia polyphylla</i> | lesser Florida spurge | native | | | | |
| <i>Phyllanthus caroliniensis subsp. saxicola</i> | rock Carolina leafflower | native | | | R | |
| <i>Phyllanthus urinaria</i> | chamber bitter | native | | | | |
| <i>Sapium sebiferum</i> | Chinese tallotree | exotic | | | | I |
| <i>Stillingia aquatica</i> | corkwood, water toothleaf | native | | | R | |
| <i>Stillingia sylvatica</i> | queensdelight | native | | | R | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|-------------------------|-------------------|-------|------|-----|------------|
| Family: Fabaceae (pea) | | | | | | |
| <i>Abrus precatorius</i> | rosary pea | exotic | | | | I |
| <i>Acacia auriculiformis</i> | earleaf acacia | exotic | | | | I |
| <i>Acacia farnesiana</i> | sweet acacia | native | | | R | |
| <i>Aeschynomene americana</i> | shy leaf | native | | | R | |
| <i>Aeschynomene indica</i> | Indian joint-vetch | exotic | | | | |
| <i>Alysicarpus ovalifolius</i> | false moneywort | exotic | | | | |
| <i>Centrosema virginianum</i> | spurred butterfly-pea | native | | | | |
| <i>Chamaecrista nictitans</i> | sensitive-pea | native | | | CI | |
| <i>Chamaecrista nictitans var. aspera</i> | hairy partridge-pea | native | | | | |
| <i>Crotalaria lanceolata</i> | lanceleaf rattlebox | exotic | | | | |
| <i>Crotalaria pallida var. obovata</i> | smooth rattlebox | exotic | | | | |
| <i>Crotalaria rotundifolia</i> | rabbitbells | native | | | | |
| <i>Crotalaria spectabilis</i> | showy rattlebox | exotic | | | | |
| <i>Desmodium incanum</i> | beggar's-ticks | native | | | | |
| <i>Desmodium triflorum</i> | threeflower ticktrefoil | exotic | | | | |
| <i>Galactia elliptica</i> | Elliott's milkpea | native | | | R | |
| <i>Galactia regularis</i> | eastern milkpea | native | | | R | |
| <i>Indigofera hirsuta</i> | hairy indigo | exotic | | | | |
| <i>Macroptilium lathyroides</i> | wild bushbean | exotic | | | | |
| <i>Medicago lupulina</i> | black medic | exotic | | | | |
| <i>Melilotus albus</i> | white sweetclover | exotic | | | | |
| <i>Senna pendula var. glabrata</i> | valamuerto | exotic | | | | I |
| <i>Sesbania herbacea</i> | danglepod | native | | | | |
| <i>Tephrosia rugelii</i> | Rugel's hoarypea | native | | | I | |
| <i>Vicia acutifolia</i> | fourleaf vetch | native | | | | |
| <i>Vigna luteola</i> | hairypod cowpea | native | | | | |
| Family: Fagaceae (beech) | | | | | | |
| <i>Quercus laurifolia</i> | laurel oak, Diamond oak | native | | | | |
| <i>Quercus minima</i> | dwarf live oak | native | | | R | |
| <i>Quercus virginiana</i> | Virginia live oak | native | | | | |
| Family: Gentianaceae (gentian) | | | | | | |
| <i>Bartonia verna</i> | white screwstem | native | | | I | |
| <i>Sabatia bartramii</i> | Bartram's rosegentian | native | | | I | |
| <i>Sabatia brevifolia</i> | shortleaf rosegentian | native | | | I | |
| <i>Sabatia grandiflora</i> | largeflower rosegentian | native | | | R | |
| <i>Sabatia stellaris</i> | rose-of-plymouth | native | | | | |
| Family: Haloragaceae (watermilfoil) | | | | | | |
| <i>Proserpinaca palustris</i> | marsh mermaidweed | native | | | R | |
| <i>Proserpinaca pectinata</i> | combleaf mermaidweed | native | | | R | |
| Family: Hydroleaceae (false fiddleleaf) | | | | | | |
| <i>Hydrolea corymbosa</i> | skyflower | native | | | R | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|--------------------------------|-------------------|-------|------|-----|------------|
| Family: Lamiaceae (mint) | | | | | | |
| <i>Callicarpa americana</i> | American beautyberry | native | | | | |
| <i>Hyptis alata</i> | musky mint, clustered bushmint | native | | | | |
| <i>Hyptis pectinata</i> | comb bushmint | native | | | | |
| <i>Hyptis spicigera</i> | marubio | exotic | | | | |
| <i>Hyptis verticillata</i> | John Charles | native | | | | |
| <i>Lycopus rubellus</i> | taperleaf waterhoarhound | native | | | | |
| <i>Physostegia purpurea</i> | eastern false dragonhead | native | | | I | |
| <i>Piloblephis rigida</i> | wild pennyroyal | native | | | R | |
| Family: Lauraceae (laurel) | | | | | | |
| <i>Cassytha filiformis</i> | love vine | native | | | | |
| <i>Persea palustris</i> | swamp bay | native | | | | |
| Family: Lentibulariaceae (bladderwort) | | | | | | |
| <i>Pinguicula lutea</i> | yellow butterwort | native | T | | CI | |
| <i>Pinguicula pumila</i> | small butterwort | native | | | R | |
| <i>Utricularia cornuta</i> | horned bladderwort | native | | | R | |
| <i>Utricularia foliosa</i> | leafy bladderwort | native | | | R | |
| <i>Utricularia gibba</i> | humped bladderwort | native | | | I | |
| <i>Utricularia inflata</i> | floating bladderwort | native | | | I | |
| <i>Utricularia purpurea</i> | eastern purple bladderwort | native | | | | |
| <i>Utricularia resupinata</i> | small purple bladderwort | native | | | I | |
| <i>Utricularia simulans</i> | fringed bladderwort | native | | | I | |
| <i>Utricularia subulata</i> | zigzag bladderwort | native | | | R | |
| Family: Linaceae (flax) | | | | | | |
| <i>Linum floridanum</i> | Florida yellow flax | native | | | I | |
| <i>Linum medium var. texanum</i> | stiff yellow flax | native | | | R | |
| Family: Loganaceae (logania) | | | | | | |
| <i>Mitreola petiolata</i> | lax hornpod | native | | | | |
| <i>Mitreola sessilifolia</i> | swamp hornpod | native | | | R | |
| Family: Lythraceae (loosestrife) | | | | | | |
| <i>Ammannia latifolia</i> | pink redstem, toothcup | native | | | R | |
| <i>Cuphea carthagenensis</i> | Colombian waxweed | exotic | | | | |
| <i>Rotala ramosior</i> | toothcup, lowland rotala | native | | | I | |
| Family: Malvaceae (mallow) | | | | | | |
| <i>Hibiscus acetosella</i> | African rosemallow | exotic | | | | |
| <i>Melochia corchorifolia</i> | chocolateweed | exotic | | | | |
| <i>Melochia spicata</i> | bretonica peluda | native | | | I | |
| <i>Sida acuta</i> | common wireweed | native | | | | |
| <i>Sida rhombifolia</i> | Cuban jute, Indian hemp | native | | | | |
| <i>Urena lobata</i> | caesarweed | exotic | | | | II |
| <i>Waltheria indica</i> | sleepy morning | native | | | | |
| Family: Melastomataceae (melastome) | | | | | | |
| <i>Rhexia cubensis</i> | West Indian meadowbeauty | native | | | I | |
| <i>Rhexia mariana</i> | pale meadowbeauty | native | | | R | |
| <i>Rhexia nuttallii</i> | Nuttall's meadowbeauty | native | | | I | |
| <i>Rhexia petiolata</i> | fringed meadowbeauty | native | | | CI | |
| Family: Menyanthaceae (bogbean) | | | | | | |
| <i>Nymphoides aquatica</i> | big floatingheart | native | | | | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|------------------------------|-------------------|-------|------|-----|------------|
| Family: Moraceae (mulberry) | | | | | | |
| <i>Ficus aurea</i> | strangler fig, golden fig | native | | | | |
| <i>Ficus microcarpa</i> | Laurel fig, Indian laurel | exotic | | | | I |
| Family: Myricaceae (bayberry) | | | | | | |
| <i>Myrica cerifera</i> | wax myrtle | native | | | | |
| Family: Myrsinaceae (myrsine) | | | | | | |
| <i>Rapanea punctata</i> | myrsine, colicwood | native | | | | |
| Family: Myrtaceae (myrtle) | | | | | | |
| <i>Eucalyptus torrelliana</i> | Torrell's eucalyptus | exotic | | | | |
| <i>Melaleuca quinquenervia</i> | punktree | exotic | | | | I |
| <i>Psidium guajava</i> | guava | exotic | | | | I |
| <i>Rhodomyrtus tomentosa</i> | rose myrtle | exotic | | | | I |
| <i>Syzygium cumini</i> | Java plum | exotic | | | | I |
| Family: Nymphaeaceae (waterlily) | | | | | | |
| <i>Nymphaea elegans</i> | tropical royalblue waterlily | native | | | I | |
| Family: Olaceae (olive) | | | | | | |
| <i>Fraxinus caroliniana</i> | pop ash | native | | | R | |
| Family: Onagraceae (eveningprimrose) | | | | | | |
| <i>Gaura angustifolia</i> | southern beeblossum | native | | | | |
| <i>Ludwigia curtissii</i> | Curtiss's primrosewillow | native | | | R | |
| <i>Ludwigia linifolia</i> | southeastern primrosewillow | native | | | I | |
| <i>Ludwigia maritima</i> | seaside primrosewillow | native | | | R | |
| <i>Ludwigia microcarpa</i> | smallfruit primrosewillow | native | | | R | |
| <i>Ludwigia octovalvis</i> | Mexican primrosewillow | native | | | | |
| <i>Ludwigia peruviana</i> | Peruvian primrosewillow | exotic | | | | |
| <i>Ludwigia repens</i> | creeping primrosewillow | native | | | | |
| <i>Oenothera humifusa</i> | seabeach eveningprimrose | native | | | | |
| <i>Oenothera laciniata</i> | cutleaf eveningprimrose | native | | | R | |
| Family: Orobanchaceae (broomrape) | | | | | | |
| <i>Agalinis fasciculata</i> | beach false foxglove | native | | | R | |
| <i>Agalinis obtusifolia</i> | tenlobe false foxglove | native | | | CI | |
| <i>Buchnera americana</i> | American bluehearts | native | | | | |
| Family: Oxalidaceae (woodsorrel) | | | | | | |
| <i>Oxalis corniculata</i> | common yellow woodsorrel | native | | | | |
| Family: Passifloraceae (passionflower) | | | | | | |
| <i>Passiflora suberosa</i> | corksystem passionflower | native | | | | |
| Family: Phytolaccaceae (pokeweed) | | | | | | |
| <i>Phytolacca americana</i> | American pokeweed | native | | | | |
| Family: Polygalaceae (milkwort) | | | | | | |
| <i>Polygala baldunii</i> | Baldwin's milkwort | native | | | R | |
| <i>Polygala cruciata</i> | drumheads | native | | | I | |
| <i>Polygala cymosa</i> | tall pinebarren milkwort | native | | | | |
| <i>Polygala grandiflora</i> | showy milkwort | native | | | | |
| <i>Polygala incarnata</i> | procession flower | native | | | R | |
| <i>Polygala lutea</i> | orange milkwort | native | | | I | |
| <i>Polygala nana</i> | candyroot | native | | | R | |
| <i>Polygala rugelii</i> | big yellow milkwort | native | | | I | |
| <i>Polygala setacea</i> | coastalplain milkwort | native | | | I | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|--|----------------------------|-------------------|-------|------|-----|------------|
| Family: Polygonaceae (buckwheat) | | | | | | |
| <i>Polygonum densiflorum</i> | denseflower knotweed | native | | | | |
| <i>Polygonum hydropiperoides</i> | swamp smartweed | native | | | R | |
| <i>Polygonum pennsylvanicum</i> | Pennsylvania smartweed | native | | | | |
| <i>Polygonum punctatum</i> | dotted smartweed | native | | | | |
| Family: Portulacaceae (purslane) | | | | | | |
| <i>Portulaca oleracea</i> | little hogweed | native | | | | |
| Family: Primulaceae (primrose) | | | | | | |
| <i>Anagallis minima</i> | chaffweed | native | | | CI | |
| <i>Anagallis pumila</i> | Florida pimpernel | native | | | CI | |
| <i>Samolus valerandi</i> subsp. <i>parviflorus</i> | pineland pimpernel | native | | | R | |
| Family: Proteaceae (protea) | | | | | | |
| <i>Grevillea robusta</i> | silkoak | exotic | | | | |
| Family: Ranunculaceae (buttercup) | | | | | | |
| <i>Clematis baldwinii</i> | pine-hyacinth | native | | | R | |
| Family: Rhamnaceae (buckthorn) | | | | | | |
| <i>Berchemia scandens</i> | rattan vine | native | | | I | |
| Family: Rosaceae (rose) | | | | | | |
| <i>Rubus cuneifolius</i> | sand blackberry | native | | | I | |
| <i>Rubus trivialis</i> | southern dewberry | native | | | R | |
| Family: Rubiaceae (madder) | | | | | | |
| <i>Cephalanthus occidentalis</i> | common buttonbush | native | | | | |
| <i>Diodia teres</i> | poor joe, rough buttonweed | native | | | R | |
| <i>Diodia virginiana</i> | Virginia buttonweed | native | | | R | |
| <i>Galium hispidulum</i> | coastal beadstraw | native | | | | |
| <i>Houstonia procumbens</i> | innocense | native | | | R | |
| <i>Oldenlandia corymbosa</i> | flattop mille grains | native | | | | |
| <i>Oldenlandia uniflora</i> | clustered mille grains | native | | | I | |
| <i>Richardia scabra</i> | rough Mexican clover | exotic | | | | |
| <i>Spermacoce assurgens</i> | woodland false buttonweed | native | | | | |
| <i>Spermacoce prostrata</i> | prostrate false buttonweed | native | | | R | |
| <i>Spermacoce verticillata</i> | shrubby false buttonweed | exotic | | | | |
| Family: Salicaceae (willow) | | | | | | |
| <i>Salix caroliniana</i> | Carolina willow | native | | | | |
| Family: Sapindaceae (soapberry) | | | | | | |
| <i>Acer rubrum</i> | red maple | native | | | | |
| Family: Sapotaceae (sapodilla) | | | | | | |
| <i>Sideroxylon reclinatum</i> | Florida bully | native | | | R | |
| Family: Solanaceae (nightshade) | | | | | | |
| <i>Lycopersicon esculentum</i> | garden tomato | exotic | | | | |
| <i>Physalis pubescens</i> | husk tomato | native | | | R | |
| <i>Physalis walteri</i> | Walter's groundcherry | native | | | | |
| <i>Solanum americanum</i> | American black nightshade | native | | | | |
| <i>Solanum tampicense</i> | aquatic soda-apple | exotic | | | | I |
| Family: Tetrachondraceae (tetrachondra) | | | | | | |
| <i>Polyprenum procumbens</i> | rustweed, juniperleaf | native | | | | |
| Family: Turneraceae (turnera) | | | | | | |
| <i>Piriqueta caroliniana</i> | pitted stripeseed | native | | | | |

Appendix B: Plant Species List for Wild Turkey Strand Preserve

Common and scientific names for this list were obtained from Wunderlin and Hansen, 2003.

| Scientific Name | Common Name | Native/ Exotic | FDACS | FNAI | IRC | FL EPPC |
|---|----------------------------|-------------------|-------|------|-----|------------|
| Family: Urticaceae (nettle) | | | | | | |
| <i>Boehmeria cylindrica</i> | false nettle | native | | | | |
| Family Verbenaceae (vervain) | | | | | | |
| <i>Lantana camara</i> | shrubverbena | exotic | | | | I |
| <i>Phyla nodiflora</i> | turkey tangle fogfruit | native | | | | |
| Family: Veronicaceae (speedwell) | | | | | | |
| <i>Bacopa caroliniana</i> | lemon bacopa | native | | | | |
| <i>Bacopa monnieri</i> | herb-of-grace | native | | | | |
| <i>Gratiola hispida</i> | rough hedgehyssop | native | | | I | |
| <i>Gratiola ramosa</i> | branched hedgehyssop | native | | | R | |
| <i>Linaria canadensis</i> | Canada toadflax | native | | | R | |
| <i>Lindernia crustacea</i> | Malaysian false-pimpernel | exotic | | | | |
| <i>Lindernia dubia var. anagallidea</i> | yellowseed false-pimpernel | native | | | | |
| <i>Lindernia grandiflora</i> | Savannah false-pimpernel | native | | | I | |
| <i>Mecardonia acuminata subsp. peninsularis</i> | axillflower | native | | | | |
| <i>Micranthemum glomeratum</i> | manatee mudflower | native | | | I | |
| <i>Micranthemum umbrosum</i> | shade mudflower | native | | | CI | |
| <i>Scoparia dulcis</i> | sweetbroom, licoriceweed | | | | | |
| <i>Torenia fournieri</i> | bluewings | exotic | | | | |
| Family: Violaceae (violet) | | | | | | |
| <i>Viola lanceolata</i> | bog white violet | native | | | I | |
| <i>Viola palmata</i> | early blue violet | native | | | CI | |
| Family: Vitaceae (grape) | | | | | | |
| <i>Parthenocissus quinquefolia</i> | Virginia-creeper | native | | | | |
| <i>Vitis rotundifolia</i> | muscadine | native | | | | |

Key

Florida EPPC Status

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure