

Roberta Oberti - Bibliografia

Capitoli di libri:

1. OBERTI R. (2001) The diffraction experiment in the study of solid solutions: long range properties. EMU Notes in Mineralogy, vol. 3, 179-205.
2. HAWTHORNE F.C., OBERTI R. (2007) Amphiboles: Crystal-chemistry. In: *Amphiboles: Crystal Chemistry, Occurrence and Health Issues* edito da F.C. Hawthorne, R. Oberti, G. Della Ventura e A. Mottana. Reviews in Mineralogy and Geochemistry, vol. 67, 1-54. DOI: 10.2138/rmg.2007.67.1.
3. HAWTHORNE F.C., OBERTI R. (2007) Classification of the amphiboles. In: *Amphiboles: Crystal Chemistry, Occurrence and Health Issues* edito da F.C. Hawthorne, R. Oberti, G. Della Ventura e A. Mottana. Reviews in Mineralogy and Geochemistry, vol. 67, 55-88. DOI: 10.2138/rmg.2007.67.2.
4. OBERTI R., DELLA VENTURA G., CÁMARA F. (2007) New amphibole compositions: natural and synthetic. In: *Amphiboles: Crystal Chemistry, Occurrence and Health Issues* edito da F.C. Hawthorne, R. Oberti, G. Della Ventura e A. Mottana. Reviews in Mineralogy and Geochemistry, vol. 67, 89-124. DOI: 10.2138/rmg.2007.67.3.
5. OBERTI R., HAWTHORNE F.C., CANNILLO E., CÁMARA F. (2007) Long-range order in amphiboles. In: *Amphiboles: Crystal Chemistry, Occurrence and Health Issues* edito da F.C. Hawthorne, R. Oberti, G. Della Ventura e A. Mottana. Reviews in Mineralogy and Geochemistry, vol. 67, 125-172. DOI: 10.2138/rmg.2007.67.4.
6. TIEPOLO M., OBERTI R., ZANETTI A., VANNUCCI R., FOLEY S. (2007) Trace-Element Partitioning Between Amphiboles and Silicate Melts. In: *Amphiboles: Crystal Chemistry, Occurrence and Human Health* edito da F.C. Hawthorne, R. Oberti, G. Della Ventura e A. Mottana. Reviews in Mineralogy and Geochemistry, vol. 67, 417-452. DOI: 10.2138/rmg.2007.67.11.
7. ARTIOLI G., OBERTI R. (2019) Introduction: The role of modern mineralogy in cultural heritage studies. In: The contribution of mineralogy to cultural heritage, EMU Notes in Mineralogy, vol. 20, 1-11. Pubblicato dalla European Mineralogical Union e dalla Mineralogical Society of Great Britain & Ireland, London. DOI: 10.1180/EMU-notes.20.1.

Articoli in riviste JCR:

1. PIETRA S., BETTINETTI G.F., ALBINI A., FASANI E., OBERTI R. (1978) Photoreaction of 2-nitrophenazine 10-oxide with amines. *Journal of the Chemical Society, Perkin II Trans.*, 185-189.
2. UNGARETTI L., BOLOGNESI M., CANNILLO E., OBERTI R., ROSSI G. (1978) The crystal structure of met-myoglobin from *Aplysia limacina* at 5 Å resolution. *Acta Crystallographica*, B34, 3658-3662.
3. OBERTI R., CODA A., INCOCCIA L., COMIN F. (1978) [1] benzo [4,5] oxepino [2,3-b] quinoxaline and [3] benzoxepino [1,2-b] quinoxaline: two previously unknown photoproducts from benzo [a] phenazine-7-oxide. *Acta Crystallographica*, B34, 1544-1548.
4. OBERTI R., GANDOLFI R. (1978) 9,10 dichloro-8(2,4 dinitro phenyl)-5,8a,9,10,10a,10b hexahydro (8aa, 9a, 10a, 10aa, 10bβ)-6H-cyclobuta [4,5] pyrazolo [3,2-a] isoquinoline, C₁₉H₁₆Cl₂N₄O₄. *Crystal Structure Communications*, 7, 15-20.
5. OBERTI R., GANDOLFI R. (1978) 9,10 carbonyl dioxy-8-phenyl-5, 8a, 9, 10, 10a, 10b hexahydro (8aa, 9aa, 10aa, 10ba)-6H-cyclobuta [4,5] pyrazolo [3,2-a] isoquinoline, C₂₀H₁₈N₂O₃. *Crystal Structure Communications*, 7, 21-26.
6. DESIMONI G., RIGHETTI P., TACCONI G., OBERTI R. (1979) Heterodiene syntheses. Part 20: 4-arylidene-5-pyrazolones and ynamines: a (2+2) cycloaddition followed by electrocyclic ring opening, in competition with a (4+2) cycloaddition. The influence of the substituents on the intermediate. *Journal of the Chemical Society, Perkin I*, 856-861.

7. RIGHETTI P., TACCONI G., CODA CORSICO PICCOLI A., PESENTI M.T., DESIMONI G., OBERTI R. (1979) Heterodiene syntheses-XXI: 1-acetyl-2-oxoindolin-3-ylidenaceto phenones and etoxyethyne: spirobicyclic intermediates in competition with (2+2) and (4+2) cycloadditions. *Journal of the Chemical Society, Perkin I* (1979), 863-868.
8. BERNI R., MOZZARELLI A., ROSSI G.L., BOLOGNESI M., OBERTI R. (1979) Crystallographic symmetry and coenzyme binding properties of D-glyceraldehyde 3-phosphate dehydrogenase from the tail muscle of *Palinurus Vulgaris*. *Journal of Biological Chemistry*, 254, n. 16, 8004-8006.
9. BOLOGNESI M., LIBERATORI J., OBERTI R., UNGARETTI L. (1979) Preliminary crystallographic data on Buffalo β -lactoglobulin. *Journal of Molecular Biology*, 131, 411-413.
10. OBERTI R., DOMENEGHETTI M.C., GANDOLFI R. (1979) 4-(4-chlorophenyl)- 4,4a-dihydro-1,3-diphenyl-1H-cyclohepta [e]-1,2,4- triazine. *Crystal Structure Communications*, 8, 341-346.
11. TACCONI G., LEONI M., RIGHETTI P., DESIMONI G., OBERTI R., COMIN F. (1979) Heterodiene syntheses-XXIII: Zwitterions as intermediates in the formation of Michael adducts or as stable products of the reactions between 2-oxoindolin-3-ylidene derivates with enamines or aminals. *Journal of the Chemical Society, Perkin I*, 2687-2695.
12. DE MICHELI C., GANDOLFI R., OBERTI R. (1980) Syn-anti selectivity in cycloadditions. 6. Cycloadditions of benzonitrile oxide, 2-diazopropane and diphenylnitril-imines to polychloro-norbornadienes. *Journal of Organic Chemistry*, 45, 1209-1213.
13. TACCONI G., DACREMA MAGGI L., ALBINI MARINONE F., RIGHETTI P., OBERTI R. (1980) Oxindole riarrangements, part 1. Conversion of β -benzoyl- β -oxindolylpropion-aldehydes into 3-aryl-3a,4,5,6a-tetrahydro- furo[2,3-b] furan-2-(3H)-ones. *Journal of Chemical Research (S)*: 22-23, (M): 201-216.
14. MARINONE ALBINI F., VITALI D., OBERTI R., CARAMELLA P. (1980) Activation of the syn face of an isoxazoline by a carbamate group. *Journal of Chemical Research (S)*: 348, (M): 4355-4384.
15. ALBINI A., BETTINETTI G.F., MINOLI G., OBERTI R. (1980) Heterapentalenes. The reaction of 5H-pyrazolo 1',2',2,3-1,2,3 triazolo [4,5-a] phenazin-4-ylium-5-ide and some of its derivatives with dimethyl acetylendi-carboxilate. *Journal of Chemical Research (S)*: 404-405, (M): 4801-4809.
16. BOLOGNESI M., NUNZI A., OBERTI R., POLIDORI P. (1981) An application of the theory of representations: the structure of 2-isopropoxy-5-isopropyl-3,7,8,10 tetramethyl- 5,10, dihydrobenzo-g- pteridin-4(3H)-one. *Acta Crystallographica*, B37, 2190-2193.
17. CANNILLO E., OBERTI R., UNGARETTI L. (1981) "CORANF", un programma per il calcolo e la elaborazione di parametri chimici e geometrici degli anfiboli. *Rendiconti SIMP*, 37, 613-621.
18. ALBINI A., FASANI E., OBERTI R. (1981) Photochemical benzylation of 1,4-dicyano naphtalene; X-ray crystal structure of 6,11-diciano-5,11-methano -5,6,11,12-tetrahydrodibenzo [a,e] cyclo-octene. *Journal of the Chemical Society, Chemical Communications*, 50-51.
19. ALBINI A., FASANI E., OBERTI R. (1982) The photochemical reaction between 1,4-dicyanonaphthalene and 8-methylbenzenes: electron transfer and formation of benzylic radicals. *Tetrahedron*, 38-8, 1027-1034.
20. CANNILLO E., OBERTI R., UNGARETTI L. (1983) Phase extension and refinement by density modification in protein crystallography. *Acta Crystallographica*, A39, 68-74.
21. MARINONE ALBINI F., OBERTI R., CARAMELLA P. (1983) The oximation of some 3-acyl indoles. A convenient entry to 3-acylaminoindoles. *Journal of Chemical Research (S)*:4-5, (M): 147-171.
22. OBERTI R., BERNABEI M.T., FORNI F., CAMERONI R., GALLI E. (1983) The structure of 7-chloro-4-ethyl-2,3,3a,4- tetrahydro-1H-pyrrolo [2,1-c] 1,2,4 benzothiadiazine-5,5-dioxide, $C_{12}H_{15}ClN_2O_2S$. *Acta Crystallographica*, C39, 1278-1280.
23. OBERTI R., ALBINI A., FASANI E. (1983) The structure of a 1,3-oxazonine derivative obtained by photochemical addition of 6-cyano-phenanthridine N-oxide and 2,3- dimethyl-2-butene. *Journal of Heterocyclic Chemistry*, 20, 1007-1009.
24. OBERTI R., MUNNO R., FORESTI E., KRAJEWSKY A. (1983) A crystal-chemical study on six fassaites from the Predazzo-Monzoni Area. *Rendiconti SIMP*, 38, 649-655.

25. MELLINI M., OBERTI R., ROSSI G. (1983) Crystal chemistry and microstructures of pyroxenes and amphiboles in the coronas of the Bergen Arcs and of the Sognefjord Region, Western Norway. *Periodico di Mineralogia*, 52, 583-615.
26. CANNILLO E., OBERTI R. (1983) Fast determination of the crystal-chemical composition of *Pbca* orthopyroxenes and *P2/n* clinopyroxenes by means of the measurement of the X-ray diffracted intensities of few reflections. *Rendiconti SIMP*, 39, 103-108.
27. OBERTI R., BERNABEI M.T., FORNI F., CAMERONI R., GALLI E. (1984) Structure of (3aS)-7-chloro-4-(2-dimethyl-amino ethyl)-8-methyl-2,3,3a,4-tetrahydro-1H-pyrrolo [2,1-c] 1,2,4 benzothiadiazine-5,5-dioxide, $C_{15}H_{22}ClN_3O_2S$. *Acta Crystallographica*, C40, 882-884.
28. VEZZALINI G., OBERTI R. (1984): The crystal chemistry of gismondines: the non-existence of K-rich gismondines. *Bulletin de Minéralogie*, 107, 805-812.
29. GRIFFIN W.L., MELLINI M., OBERTI R., ROSSI G. (1985) Evolution of coronas in Norwegian anorthosites: re-evaluation based on crystal-chemistry and microstructures. *Contributions to Mineralogy and Petrology*, 91, 330-339. DOI: 10.1007/BF00374689.
30. CORSICO CODA A., DESIMONI G., PAPPALARDO M., RIGHETTI P.P., SENECI P.F., TACCONI G., OBERTI R. (1985) Copper(II) in organic synthesis. IV. Reaction of the copper(II) acetate complex of isatin-3-arylhydrazones with dimethylacetylenedicarboxylate. *Tetrahedron*, 41-12, 2545-2555.
31. ARGENTINI M., WEINREICH R., OBERTI R., UNGARETTI L. (1986) Synthesis and crystal structure of 3-deoxy-3-fluoro-1,2-5,6-di-O-isopropylidene-D-glucofuranose. *Journal of Fluorine Chemistry*, 32, 239-254. DOI: 10.1016/S0022-1139(00)80510-2.
32. BURDISSO M., GAMBA A., GANDOLFI R., OBERTI R. (1986) Site selectivity in the reaction of tetracyanoethene with tetracyclo [5.3.2.0 2,10.0 3,6] dodeca-4,8,11-triene. A borderline case of homo-Dies-Alder reaction. *Tetrahedron*, 42-3, 923-936. DOI: 10.1016/S0040-4020(01)87499-8.
33. ROSSI G., OBERTI R., SMITH D.C. (1986) The crystal structure of Lisetite, $CaNa_2Al_4Si_4O_{16}$. *American Mineralogist*, 71, 1378-1383.
34. ROSSI G., OBERTI R., DAL NEGRO A., MOLIN G.M., MELLINI M. (1987) Residual electron density at the M2 site in *C2/c* clinopyroxenes: relationships with bulk chemistry and sub-solidus evolution. *Physics and Chemistry of Minerals*, 14, 514-520. DOI: 10.1007/BF00308286.
35. UNGARETTI L., OBERTI R., CANNILLO E. (1987) Crystal-chemical studies at differing P, T, X conditions: principles and perspectives in Earth Sciences. *Atti Ticinensi di Scienze della Terra*, 31, 142-155.
36. BURDISSO M., GAMBA A., GANDOLFI R., OBERTI R. (1988): Steric effects vs. secondary orbital interactions in nitrone cycloadditions. Steric effects in cycloreversion of isoxazolidines. *Tetrahedron*, 44-12, 3735-3748. DOI: 10.1016/S0040-4020(01)86003-8.
37. KRSTANOVIC I., CVETOVIC N., OBERTI R., KARANOVIC L.J. (1989) Structure of 17 α -hydroxyprogesterone caproate, $C_{27}O_4H_{40}$. *Acta Crystallographica*, C45, 478-480.
38. ROSSI G., OBERTI R., SMITH D.C. (1989) The crystal structure of a K-poor Ca-rich silicate with the nepheline framework, and crystal-chemical relationships in the compositional space $(K-Na-Ca-\square)_8Al_8Si_8O_{32}$. *European Journal of Mineralogy*, 1, 59-70.
39. OBERTI R., CAPORUSCIO F.A. (1991) Crystal-chemistry of clinopyroxenes from mantle eclogites: a study of the key-role of the M2 site population by means of crystal-structure refinement. *American Mineralogist*, 76, 1141-1152.
40. OBERTI R., SMITH D.C., ROSSI G., CAUCIA F. (1991): The crystal-chemistry of high-aluminium titanites. *European Journal of Mineralogy*, 3, 777-792.
41. SANTOYO GONZALES F., GIMENEZ MARTINEZ, J.J., ISAC GARCIA J., LOPEZ APARICIO F.J., ROBLES DIAZ, R., RODRIGUEZ GALLEGOS M., OBERTI R., UNGARETTI L. (1991) Use of L-methyl cyanoacetate in the synthesis of chiral 3-deoxy-5-thiopentopyranoses branched at C-3. *Journal of Chemical Research*, (S) 14-15, (M) 240-254.
42. BURDISSO M., GANDOLFI R., TOMA L., OBERTI R. (1991) Hexafluorisopropanol as a suitable solvent for rearrangements via zwitterionic intermediates. *Tetrahedron*, 47, 6725-6736. DOI: 10.1016/S0040-4020(01)82324-3.
43. OBERTI R., UNGARETTI L., CANNILLO E., HAWTHORNE F.C. (1992) The behaviour of Ti in amphiboles: I. Four- and six-coordinated Ti in richterites. *European Journal of Mineralogy*, 4, 425-439.

44. HAWTHORNE F.C., OBERTI R., UNGARETTI L., GRICE J.D. (1992) Leakeite, $\text{NaNa}_2(\text{Mg}_2\text{Fe}^{3+}{}_2\text{Li})\text{Si}_8\text{O}_{22}(\text{OH})_2$, a new alkali amphibole from the Kajlidongri Manganese Mine, Jhabua District, Madhya Pradesh, India. *American Mineralogist*, 77, 1112-1115.
45. OBERTI R., HAWTHORNE F.C., UNGARETTI L., CANNILLO E. (1993) The behaviour of Mn in amphiboles: Mn in richterite. *European Journal of Mineralogy*, 5, 43-51.
46. HAY R.W., PEROTTI A., OBERTI R., UNGARETTI L. (1993) Metal complexes of N,N'-bis(2-carbamoylethylethylendiamine (H_2L) and N,N,N',N'-tetrakis(2-carbamoylethyl)ethylen diamine. Formation constant measurements and the crystal structure of $[\text{Ni}(\text{HL})_3\text{OH}(\text{ClO}_4)_2$. *Transition Metal Chemistry*, 18, 570-572.
47. HAWTHORNE F.C., UNGARETTI L., OBERTI R., CAUCIA F., CALLEGARI A. (1993) The crystal-chemistry of staurolites. I: Crystal structure and site populations. *Canadian Mineralogist*, 31, 551-582.
48. HAWTHORNE F.C., UNGARETTI L., OBERTI R., CAUCIA F., CALLEGARI A. (1993) The crystal-chemistry of staurolites. II: Order-disorder and the monoclinic \leftrightarrow orthorhombic phase transition. *Canadian Mineralogist*, 31, 583-596.
49. HAWTHORNE F.C., UNGARETTI L., OBERTI R., CAUCIA F., CALLEGARI A. (1993) The crystal-chemistry of staurolites. III: Local order and chemical composition. *Canadian Mineralogist*, 31, 597-616.
50. HAWTHORNE F.C., UNGARETTI L., OBERTI R., BOTTAZZI P., CZAMANSKE G. K. (1993) Li: an important component in igneous alkali amphiboles. *American Mineralogist*, 78, 733-745.
51. OBERTI R., UNGARETTI L., CANNILLO E., HAWTHORNE F.C. (1993) The mechanism of Cl incorporation in amphibole. *American Mineralogist*, 78, 746-752.
52. FRANCESCHI G., BEDESCHI A., RIZZO V., VIGEVANI A., OBERTI R. (1993) Structural studies of ritipenem acoxyl (FCE 22891). X-ray crystal structure and chiroptical properties. *Bioorganic and Medicinal Chemistry Letters*, 3-11, 2333-2336. DOI: 10.1016/S0960-894X(01)80950-1.
53. OBERTI R., UNGARETTI L., TLILI A., SMITH D.C., ROBERT J.-L. (1993) The crystal structure of preiswerkite. *American Mineralogist*, 78, 1290-1298.
54. GAMBA A., GANDOLFI R., OBERTI R., SARDONE N. (1993) Periselectivity in the reactions of cyclopentadienones with 8-aryl-8-azaheptafulvenes. *Tetrahedron*, 49, 6331-6348. DOI: 10.1016/S0040-4020(01)87969-2.
55. SARDONE N., OBERTI R. (1993) Structure of Dimethyl 2-[o-(3,5-Dimethyl-1-pyrazolyl) anilino]-3-methoxymaleate. *Acta Crystallographica*, C49, 1976-1978.
56. OBERTI R., GHOSE S. (1993) Crystal-chemistry of a complex Mn-bearing alkali amphibole on the verge of exsolution. *European Journal of Mineralogy*, 5, 1153-1160.
57. HAWTHORNE F.C., UNGARETTI L., OBERTI R., CANNILLO E., SMELIK E.A. (1994) The mechanism of ${}^{[6]}\text{Li}$ incorporation in amphibole. *American Mineralogist*, 79, 443-451.
58. CAUCIA F., CALLEGARI A., OBERTI R., UNGARETTI L., HAWTHORNE F.C. (1994) Structural aspects of oxidation-dehydrogenation in staurolite. *Canadian Mineralogist*, 32, 477-489.
59. HAWTHORNE F.C., OBERTI R., UNGARETTI L., CAUCIA F., CALLEGARI A. (1994) Crystal-structure refinement of hydrogen-rich staurolite. *Canadian Mineralogist*, 32, 491-495.
60. HAWTHORNE F.C., UNGARETTI L., OBERTI R., CAUCIA F., CALLEGARI A. (1994) A response to the discussion of Hollister (1994). *Canadian Mineralogist*, 32, 714-715.
61. OBERTI R., HAWTHORNE F.C., UNGARETTI L., CANNILLO E. (1995) ${}^{[6]}\text{Al}$ disorder in amphiboles from mantle peridotite. *Canadian Mineralogist*, 33, 867-878.
62. HAWTHORNE F.C., OBERTI R., CANNILLO E., SARDONE N., ZANETTI A., GRICE J.D., ASHLEY P.M. (1995) A new anhydrous amphibole from the Hoskins mine, Grenfell, New South Wales, Australia: description and crystal structure of ungarettiite, $\text{NaNa}_2(\text{Mn}^{3+}{}_3\text{Mn}^{2+}{}_2)\text{Si}_8\text{O}_{22}\text{O}_2$. *American Mineralogist*, 80, 165-172.
63. OBERTI R., SARDONE N., HAWTHORNE F.C., RAUDSEPP M., TURNOCK A.C. (1995) Synthesis and crystal-structure refinement of synthetic fluor-pargasite. *Canadian Mineralogist*, 33, 25-31.
64. OBERTI R., UNGARETTI L., CANNILLO E., HAWTHORNE F.C., MEMMI I. (1995) Temperature-dependent Al order-disorder in the tetrahedral double-chain of $C2/m$ amphiboles. *European Journal of Mineralogy*, 7, 1049-1063.

65. VANNUCCI R., PICCARDO G.B., RIVALENTI G., ZANETTI A., RAMPOANE E., OTTOLINI L., OBERTI R., MAZZUCHELLI M., BOTTAZZI P. (1995) Origin of LREE-depleted amphiboles in the subcontinental mantle. *Geochimica et Cosmochimica Acta*, 59, 1763-1771. DOI: 10.1016/0016-7037(95)00080-J.
66. QUARTIERI S., CHABOY J., MERLI M., OBERTI R., UNGARETTI L. (1995) Local structural environment of calcium in garnets: a combined structure-refinement and XANES investigation. *Physics and Chemistry of Minerals*, 22, 159-169.
67. HAWTHORNE F.C., UNGARETTI L., OBERTI R. (1995) Site populations in minerals: terminology and presentation of results. *Canadian Mineralogist*, 33, 907-911.
68. MERLI M., CALLEGARI A., CANNILLO E., CAUCIA F., LEONA M., OBERTI R., UNGARETTI L. (1995) Crystal-chemical complexity in natural garnets: structural constraints on chemical variability. *European Journal of Mineralogy*, 7, 1239-1249.
69. UNGARETTI L., LEONA M., MERLI M., OBERTI R. (1995) Non-ideal solid-solution in garnet: crystal-structure evidence and modelling. *European Journal of Mineralogy*, 7, 1299-1312.
70. ZANETTI A., VANNUCCI R., OBERTI R., DOBOSI G. (1995) Trace-element composition and crystal-chemistry of mantle amphiboles from the Carpatho-Pannonian Region. *Acta Vulcanologica*, 7/2, 265-276.
71. HAWTHORNE F.C., OBERTI R., UNGARETTI L., OTTOLINI L., GRICE J.D., CZAMANSKE G.K. (1996) Fluor-ferro-leakeite, $\text{NaNa}_2(\text{Fe}_2^{2+}\text{Fe}_2^{3+}\text{Li})\text{Si}_8\text{O}_{22}\text{F}_2$, a new alkali amphibole from the Canada Pinabete Pluton, Questa, New Mexico, U.S.A. *American Mineralogist*, 81, 226-228.
72. HAWTHORNE F.C., OBERTI R., UNGARETTI L., GRICE J.D. (1996) A new hyper-calcic amphibole with Ca at the A site: fluor-cannilloite from Pargas, Finland. *American Mineralogist*, 81, 995-1002.
73. HAWTHORNE F.C., OBERTI R., SARDONE N. (1996) Sodium at the A site in clinoamphiboles: the effects of composition on patterns of order. *Canadian Mineralogist*, 34, 577-593.
74. ZANETTI A., VANNUCCI R., BOTTAZZI P., OBERTI R., OTTOLINI L. (1996) Infiltration metasomatism at Lherz as monitored by systematic ion-microprobe investigations close to a hornblendite vein. *Chemical Geology*, 134, 113-133. DOI: 10.1016/S0009-2541(96)00080-0.
75. GANDOLFI G., GAMBA A., PRESUTTO M., OBERTI R., SARDONE N. (1996) New base induced rearrangements of 4-acylisoxazolidines. Anionic reactional cascades from five membered rings to either four membered rings or open chain compounds. *Tetrahedron Letters*, 917-920. DOI: 10.1016/0040-4039(95)02279-1.
76. OBERTI R., HAWTHORNE F.C., ZANETTI A., OTTOLINI L., SOTO J.I. (1996) Crystal-structure refinement of a highly ordered staurolite. *Canadian Mineralogist*, 34, 1051-1057.
77. HAWTHORNE F.C., OBERTI R., OTTOLINI L., FOORD E.E. (1996) Lithium-bearing fluor-arfvedsonite from Hurricane Mountain, New Hampshire: a crystal-chemical study. *Canadian Mineralogist*, 34, 1015-1019.
78. OBERTI R., HAWTHORNE F.C., RAUDSEPP M. (1997) The behaviour of Mn in amphiboles: Mn in synthetic fluor-edenite and synthetic fluor-pargasite. *European Journal of Mineralogy*, 9, 115-122.
79. OBERTI R., HAWTHORNE F.C., CÁMARA F., RAUDSEPP M. (1998) Synthetic fluoro-amphiboles: site preferences of Al, Ga, Sc and inductive effects on mean bond-lengths of octahedra. *Canadian Mineralogist*, 36, 1245-1252.
80. HAWTHORNE F.C., OBERTI R., ZANETTI A., CZAMANSKE G.K. (1998) The role of Ti in hydrogen-deficient amphiboles: sodic-calcic and sodic amphiboles from Coyote Peak, California. *Canadian Mineralogist*, 36, 1253-1265.
81. CÁMARA F., NIETO F., OBERTI R. (1998) Effects of Fe^{2+} and Fe^{3+} contents on cation ordering in omphacite. *European Journal of Mineralogy*, 10, 889-906.
82. OBERTI R., HAWTHORNE F.C., CÁMARA F., RAUDSEPP M. (1999) Unusual ${}^{\text{C}}\text{M}^{3+}$ cations in synthetic amphiboles with nominal F-eckermannitic composition: Deviations from stoichiometry and structural effects of the cummingtonite component. *American Mineralogist*, 84, 102-111.
83. TIEPOLO M., ZANETTI A., OBERTI R. (1999) Detection, crystal-chemical mechanisms and petrological implications of ${}^{[6]}\text{Ti}^{4+}$ partitioning in pargasite and kaersutite. *European Journal of Mineralogy*, 11, 345-354.

84. OBERTI R., OTTOLINI L., CÁMARA F., DELLA VENTURA G. (1999) Crystal structure of non-metamict Th-rich hellandite-(Ce) from Latium (Italy) and crystal chemistry of the hellandite-group minerals. *American Mineralogist*, 84, 913-921.
85. DELLA VENTURA G., WILLIAMS T.C., CABELLA R., OBERTI R., CAPRILLI E., BELLATRECCIA F. (1999) Britholite-hellandite intergrowths and associated REE minerals from the alkali-sienitic ejecta of the Vico volcanic complex (Latium, Italy); petrological implications bearing on REE mobility in volcanic systems. *European Journal of Mineralogy*, 11, 5, 843-855.
86. BOTTAZZI P., TIEPOLO M., VANNUCCI R., ZANETTI A., BRUMM R., FOLEY S.F., OBERTI R. (1999) Distinct site preferences for heavy and light REE in amphibole and the prediction of $D_{REE}^{Amph/L}$. *Contributions to Mineralogy and Petrology*, 137, 1/2, 36-45. DOI: 10.1007/s004100050580.
87. OBERTI R., VANNUCCI R., ZANETTI A., TIEPOLO M., BRUMM R.C. (2000) A crystal-chemical re-evaluation of amphibole/melt and amphibole/clinopyroxene D_{Ti} in petrogenetic studies. *American Mineralogist*, 85, 407-419.
88. MERLI M., UNGARETTI L., OBERTI R. (2000) Leverage analysis and structure refinement of minerals. *American Mineralogist*, 85, 532-542.
89. OBERTI R., CABALLERO J.M., OTTOLINI L., LOPEZ-ANDRES S., HERREROS V. (2000) Sodic-ferripedrizite, a new monoclinic amphibole bridging the magnesium-iron-manganese-lithium and the sodium-calcium group. *American Mineralogist*, 85, 578-585.
90. CALLEGARI A., CAUCIA F., MAZZI F., OBERTI R., OTTOLINI L., UNGARETTI L. (2000) The crystal structure of peprossiite-(Ce), an anhydrous REE and Al mica-like borate with square-pyramidal coordination for Al. *American Mineralogist*, 85, 586-592.
91. TIEPOLO M., VANNUCCI R., OBERTI R., FOLEY S., BOTTAZZI P., ZANETTI A. (2000) Nb and Ta incorporation and fractionation in titanian pargasite and kaersutite: crystal-chemical constraints and implications for natural systems. *Earth and Planetary Sciences Letters*, 176, 185-201. DOI: 10.1016/S0012-821X(00)00004-2.
92. OTTOLINI L., OBERTI R. (2000) Accurate quantification of H, Li, Be, B, F, Ba, REE, Y, Th, and U in complex matrices: a combined approach based on SIMS and single-crystal structure-refinement. *Analytical Chemistry*, 72, 16, 3731-3738. DOI: 10.1021/ac0002240.
93. TIEPOLO M., VANNUCCI R., BOTTAZZI P., OBERTI R., ZANETTI A., FOLEY S. (2000) Partitioning of REE, Y, Th, U and Pb between pargasite, kaersutite and basanite to trachyte melts: implications for percolated and veined mantle. *Geochemistry Geophysics Geosystems (an electronic journal of the Earth Sciences)*, vol 1, n. 64, 32 pp.
94. HAWTHORNE F.C., OBERTI R., CANNILLO E., OTTOLINI L., ROELOFSEN J., MARTIN R.M.: (2001) Li-bearing arfvedsonitic amphiboles from the Strange Lake peralkaline granite, Quebec. *Canadian Mineralogist*, 39, 1161-1170. DOI: 10.2113/gscanmin.39.4.1161.
95. MERLI M., OBERTI R. CAUCIA F., UNGARETTI L. (2001) Determination of site population in olivine: warnings on X-ray data treatment and refinement. *American Mineralogist*, 86, 55-65.
96. TIEPOLO M., BOTTAZZI P., FOLEY S., OBERTI R., VANNUCCI R., ZANETTI A. (2001) Fractionation of Nb and Ta from Zr and Hf at mantle depths: the role of titanian pargasite and kaersutite. *Journal of Petrology*, 42, 221-231. DOI: 10.1093/petrology/42.1.221.
97. OBERTI R., OTTOLINI L., DELLA VENTURA G., PARODI G.C. (2001) On the symmetry and crystal chemistry of britholite: new structural and microanalytical data. *American Mineralogist*, 86, 1066-1075.
98. GIANFAGNA A., OBERTI R. (2001) Fluoro-edenite from Biancavilla (Catania, Sicily, Italy): crystal chemistry of a new amphibole end-member. *American Mineralogist*, 86, 1489-1493.
99. TIEPOLO M., OBERTI R., VANNUCCI R. (2002) Trace-element incorporation in titanite: constraints from experimentally determined solid/liquid partition coefficients. *Chemical Geology*, 191, 105-119. DOI: 10.1016/S0009-2541(02)00151-1.
100. OBERTI R., DELLA VENTURA G., OTTOLINI L., HAWTHORNE F.C., BONAZZI P. (2002) Re-definition, nomenclature and crystal-chemistry of the hellandite group *American Mineralogist*, 87, 745-752.
101. DELLA VENTURA G., BONAZZI P., OBERTI R., OTTOLINI L. (2002) Ciprianiite and mottanaite-(Ce), two new minerals of the hellandite group from Latium (Italy) *American Mineralogist*, 87, 739-744.

102. CABALLERO J.M., OBERTI R., OTTOLINI L. (2002) Ferripedrizite, a new monoclinic ${}^{\text{B}}\text{Li}$ amphibole end-member from the Eastern Pedriza Massif, Sierra de Guadarrama, Spain, and a restatement of the nomenclature of Mg-Fe-Mn-Li amphiboles. *American Mineralogist*, 87, 976-982.
103. QUARTIERI S., BOSCHERINI F., CHABOY J., DALCONI M.C., OBERTI R., ZANETTI A. (2002) Characterization of trace Nd and Ce site preference and coordination in natural melanites: a combined X-ray diffraction and high-energy XAFS study. *Physics and Chemistry of Minerals*, 29, 495-502. DOI: 10.1007/s00269-002-0251-9.
104. CHOPIN C., GOFFÉ B., UNGARETTI L., OBERTI R. (2003) Magnesiostaurolite and zincostaurolite: description with a petrological and crystal-chemical update. *European Journal of Mineralogy*, 15, 167-176. DOI: 10.1127/0935-1221/2003/0015-0167.
105. OBERTI R., CÁMARA F., OTTOLINI L., CABALLERO J.M. (2003) Lithium in amphiboles: detection, quantification, and incorporation mechanisms in the compositional space bridging sodic and ${}^{\text{B}}\text{Li}$ -amphiboles. *European Journal of Mineralogy*, 15, 309-319. DOI: 10.1127/0935-1221/2003/0015-0309.
106. TIEPOLO M., ZANETTI A., OBERTI R., BRUMM R., FOLEY S., VANNUCCI R. (2003) Trace-element partitioning between synthetic potassic-richterites and silicate melts, and contrasts with the partitioning behaviour of pargasites and kaersutites. *European Journal of Mineralogy*, 15, 329-340. DOI: 10.1127/0935-1221/2003/0015-0329.
107. IEZZI G., DELLA VENTURA G., PEDRAZZI G., ROBERT J.-L., OBERTI R. (2003) Synthesis and characterisation of ferri-clinoferroholmquistite, $\square \text{Li}_2(\text{Fe}^{2+}{}_{3}\text{Fe}^{3+}{}_{2})\text{Si}_8\text{O}_{22}(\text{OH})_2$. *European Journal of Mineralogy*, 15, 321-328. DOI: 10.1127/0935-1221/2003/0015-0321.
108. CÁMARA F., IEZZI G., OBERTI R. (2003) HT-XRD study of synthetic magnesian ferrispodumene: The effect of site dimension on the $P2_1/c \rightarrow C2/c$ phase transition. *Physics and Chemistry of Minerals*, 30(1), 20-30. DOI 10.1007/s00269-002-0287-x.
109. GIANFAGNA A., BALLIRANO P., BELLATRECCIA F., BRUNI B., PAOLETTI L., OBERTI R. (2003) Characterization of amphibole fibres linked to mesothelioma in the area of Biancavilla, Eastern Sicily, Italy. *Mineralogical Magazine*, 67, 1221-1229. DOI: 10.1180/0026461036760160.
110. OBERTI R., BOIOCCHI M., SMITH D.C. (2003) Fluoronybōite from Jianchang (Su-Lu, China) and nybōite from Nybō (Nordfjord, Norway): description and comparison of two high-pressure amphibole end-members. *Mineralogical Magazine*, 67, 769-782. DOI: 10.1180/0026461036740133.
111. CÁMARA F., OBERTI R., IEZZI G., DELLA VENTURA G. (2003) The $P2_1/m \rightarrow C2/m$ phase transition in the synthetic amphibole $\text{Na NaMg Mg}_5\text{Si}_8\text{O}_{22}(\text{OH})_2$: Thermodynamic and crystal-chemical evaluation. *Physics and Chemistry of Minerals*, 30, 570-581. DOI 10.1007/s00269-003-0348-9.
112. OBERTI R., CAMARA F., CABALLERO J.M., AND OTTOLINI L. (2003) Sodic-ferri-ferropedrizite and ferri-clinoferroholmquistite, mineral data and degree of order of the A-site cations in Li-rich amphiboles *Canadian Mineralogist*, 41, 1345-1354. DOI: 10.2113/gscanmin.41.6.1345.
113. IEZZI G., DELLA VENTURA G., OBERTI R., CÁMARA F., HOLTZ F. (2004) Synthesis and crystal-chemistry of $\text{Na}(\text{NaMg})\text{Mg}_5\text{Si}_8\text{O}_{22}(\text{OH})_2$, a $P2_1/m$ amphibole. *American Mineralogist*, 89, 640-646.
114. QUARTIERI S., DALCONI M.C., BOSCHERINI F., OBERTI R., D'ACAPITO F., (2004) Changes in the local coordination of trace Rare Earth Elements in garnets by high-energy XAFS: new data on dysprosium. *Physics and Chemistry of Minerals*, 31, 162-167. DOI 10.1007/s00269-003-0377-4.
115. OBERTI R., CÁMARA F., CABALLERO J.M. (2004) Ferri-ottoliniite and ferriwhittakerite, two new end-members of the new Group 5 for monoclinic amphiboles. *American Mineralogist*, 89, 888-893.
116. ZANETTI A., TIEPOLO M., OBERTI R., VANNUCCI R. (2004) Trace-element partitioning in olivine: modelling of a complete data set from a synthetic basanite melt. *Lithos*, 75, 39-54. DOI: 10.1016/j.lithos.2003.12.022
117. IEZZI G., CÁMARA F., DELLA VENTURA G., PEDRAZZI G., OBERTI R., ROBERT J-L. (2004) Synthesis, crystal structure and crystal-chemistry of ferri-clinoholmquistite,

- $\text{Li}_2\text{Mg}_3\text{Fe}^{3+}\text{Si}_8\text{O}_{22}(\text{OH})_2$. *Physics and Chemistry of Minerals*, 31, 375-385. DOI 10.1007/s00269-004-0402-2.
118. CÁMARA F., OBERTI R., DELLA VENTURA G., WELCH M.D., MARESCH V.W. (2004) The crystal-structure of synthetic $\text{NaNa}_2\text{Mg}_5\text{Si}_8\text{O}_{21}(\text{OH})_3$, a triclinic C1 amphibole with a triple-cell and excess hydrogen. *American Mineralogist*, 89, 1464-1473.
 119. VANNUCCI R., OBERTI R., TIEPOLO M., ZANETTI A. (2004) Ruling the incorporation of high field strength elements in mantle minerals. *Atti dell'Accademia Nazionale dei Lincei - Rendiconti Lincei: Scienze Fisiche*, Geochimica 2000, 165-186. ISSN 0391-805X; ISBN 88-218-0922-6.
 120. CÁMARA F., WILLIAMS C.T., DELLA VENTURA G., OBERTI R., CAPRILLI E. (2004) Non-metamict betafite from Le Carcarelle (Vico volcanic complex, Italy): occurrence and crystal structure. *Mineralogical Magazine*, 68, 939-950. DOI: 10.1180/0026461046860224.
 121. OBERTI R., CÁMARA F., OTTOLINI L. (2005) Clinoholmquistite discredited: the new amphibole end-member fluoro-sodic-pedrizite. *American Mineralogist*, 90, 732-736. DOI: 10.1180/minmag.2009.073.3.487.
 122. CÁMARA F., OBERTI R. (2005) The crystal-chemistry of holmquistites: Ferroholmquistite from Greenbushes (Western Australia) and hints for compositional constraints in ${}^{\text{B}}\text{Li}$ amphiboles. *American Mineralogist*, 90, 1167-1176. DOI: 10.2138/am.2005.1793.
 123. BIANCHI R., FORNI A., OBERTI R. (2005) Multipole-refined charge density study of diopside at ambient conditions. *Physics and Chemistry of Minerals*, 32, 638-645. DOI 10.1007/s00269-005-0039-9.
 124. HAWTHORNE F.C., DELLA VENTURA G., OBERTI R., ROBERT J.-L., IEZZI G. (2005) Short-range order in minerals: amphiboles. *Canadian Mineralogist*, 43, 1895-1920. DOI: 10.2113/gscanmin.43.6.1895.
 125. OBERTI R., QUARTIERI S., DALCONI M.C., BOSCHERINI F., IEZZI G., BOIOCCHI M. (2006) Distinct local environments for Ca along the non-ideal pyrope-grossular solid-solution: a new model based on crystallographic and EXAFS analysis. *Chemical Geology*, 335, 347-359. DOI: 10.1016/j.chemgeo.2005.08.027
 126. OBERTI R., CÁMARA F., DELLA VENTURA G., IEZZI G., BENIMOFF A.I. (2006) Parvomangano-edenite and parvo-manganotremolite, two new Group 5 monoclinic amphiboles from Fowler, New York, and comments on the solid solution between Ca and Mn^{2+} at the M4 site. *American Mineralogist*, 91, 526-532. DOI: 10.2138/am.2006.1905
 127. HAWTHORNE F.C., OBERTI R. (2006) On the classification of amphiboles. *Canadian Mineralogist*, 44, 1-21. DOI: 10.2113/gscanmin.44.1.1.
 128. OBERTI R., QUARTIERI S., DALCONI M.C., BOSCHERINI F., IEZZI G., BOIOCCHI M., EECKHOUT S. (2006) Site preference and local geometry of Sc in garnets: I. Multifarious mechanisms in the pyrope-grossular join. *American Mineralogist*, 91, 1230-1239. DOI: 10.2138/am.2006.2037.
 129. QUARTIERI S., OBERTI R., BOIOCCHI M., DALCONI M.C., BOSCHERINI F., SAFONOVA O., WOODLAND A.B. (2006) Site preference and local geometry of Sc in garnets: II. The crystal-chemistry of octahedral Sc in the andradite- $\text{Ca}_3\text{Sc}_2\text{Si}_3\text{O}_{12}$ join. *American Mineralogist*, 91, 1240-1248. DOI: 10.2138/am.2006.2038.
 130. CÁMARA F., OBERTI R., CHOPIN C., MEDENBACH O. (2006) The arrojadite enigma: I. A new formula and a new model for the arrojadite structure. *American Mineralogist*, 91, 1249-1259. DOI: 10.2138/am.2006.2189.
 131. CHOPIN C., OBERTI R., CÁMARA F. (2006) The arrojadite enigma: II. Compositional space, new members and nomenclature of the group. *American Mineralogist*, 91, 1260-1270. DOI: 10.2138/am.2006.2190.
 132. HAWTHORNE F.C., OBERTI R., MARTIN R.F. (2006) Short-range order in amphiboles from the Bear Lake diggings, Ontario. *Canadian Mineralogist*, 44, 1171-1179. DOI: 10.2113/gscanmin.44.5.1171.
 133. CÁMARA F., IEZZI G., TIEPOLO M., OBERTI R. (2006) The crystal chemistry of lithium and Fe^{3+} in synthetic orthopyroxene *Physics and Chemistry of Minerals*, 33, 475-483. DOI 10.1007/s00269-006-0094-x.
 134. DELLA VENTURA G., BELLATRECCIA F., CÁMARA F., OBERTI R., LORAND J.P., PARODI G.C., CARLIER G., DI DOMENICO D. (2006) Carbon-bearing cordierite from Allumiere

- (Tolfa volcanic center, Latium, Italy): occurrence, crystal- structure and FTIR microspectroscopy. *Periodico di Mineralogia*, 75, 113-126.
- 135. DELLA VENTURA, G., OBERTI, R., HAWTHORNE, F.C., BELLATRECCIA, F. (2007) FTIR spectroscopy of Ti-rich pargasite from Lherz and the detection of O²⁻ at the anionic O3 site in amphiboles, *American Mineralogist*, 92, 1645-1651. DOI: 10.2138/am.2007.2199.
 - 136. OBERTI R., BOIOCCHI M., SMITH D.C., MEDENBACH O. (2007) Aluminotaramite, aluminomagnesiotaramite, and fluoro-aluminomagnesiotaramite: Mineral data and crystal chemistry. *American Mineralogist*, 92, 1428-1435. DOI: 10.1127/0935-1221/2008/0020-1837.
 - 137. BIANCHI R., FORNI A., CÁMARA F., OBERTI R., OHASHI H. (2007) Experimental multipole-refinement and theoretical charge density study of LiGaSi₂O₆ at ambient conditions. *Physics and Chemistry of Minerals*, 34, 519-527. DOI: 10.1007/s00269-007-0167-5.
 - 138. KIM N., STEBBINS J.F., QUARTIERI S., OBERTI R. (2007) Scandium-45 NMR of pyrope-grossular garnets: resolution of multiple scandium sites and comparison with X-ray diffraction and X-ray spectroscopy. *American Mineralogist*, 92, 1875-1880. DOI: 10.2138/am.2007.2601.
 - 139. ADAM J., OBERTI R., CÁMARA F., GREEN T. (2007) An electron microprobe, LAM-ICP-MS and single-crystal X-ray structure refinement study of the effects of pressure, melt-H₂O concentration and fO₂ on experimentally produced basaltic amphiboles. *European Journal of Mineralogy*, 19, 641-655. DOI: 10.1127/0935-1221/2007/0019-1750.
 - 140. CÁMARA F., OBERTI R., CASATI N. (2008) The P₂₁/m → C₂/m phase transition in Na_xMg₅Si₈O₂₂F₂: a crystal-chemical study and the role of differential polyhedral expansion. *Zeitschrift für Kristallographie*, 223, 148-159. DOI 10.1524/zkri.2008.0012.
 - 141. QUARTIERI S., BOSCHERINI F., DALCONI C., IEZZI G., MENEGHINI C., OBERTI R. (2008) Magnesium K-edge EXAFS study of bond-length behavior in synthetic pyrope-grossular garnet solid solutions. *American Mineralogist*, 93, 495-498. DOI: 10.2138/am.2008.2831.
 - 142. CÁMARA F., OBERTI R., OTTOLINI L., DELLA VENTURA G., BELLATRECCIA F. (2008) The crystal-chemistry of Li in gadolinite: a multi-analytical approach. *American Mineralogist*, 93, 996-1004. DOI: 10.2138/am.2008.2748.
 - 143. OBERTI R., BOIOCCHI M., SMITH D.C., MEDENBACH O., HELMERS H. (2008) Potassic-aluminotaramite from Sierra des los Filabres, Spain. *European Journal of Mineralogy*, 20, 1005-1010. DOI: 10.1127/0935-1221/2008/0020-1837.
 - 144. HAWTHORNE F.C., OBERTI R., ZANETTI A., NAYAK V.K. (2008) The crystal chemistry of alkali amphiboles from the Kajlidongri manganese mine, India. *Canadian Mineralogist*, 46, 455-466. DOI: 10.3749/canmin.46.2.455.
 - 145. DELLA VENTURA G., BELLATRECCIA F., IEZZI G., OBERTI R., CÁMARA F. (2008) The P₂₁/m ↔ C₂/m phase-transition in synthetic amphiboles in the system Li₂O-Na₂O-MgO-SiO₂-H₂O: a high-T FTIR study. *European Journal of Mineralogy*, 20, 1019-1026. DOI: 10.1127/0935-1221/2008/0020-1836.
 - 146. OBERTI R., BOIOCCHI M., BALL N.A., HAWTHORNE F.C. (2009) Fluoro-sodic-ferropedrizite, Na_xLi₂(Fe²⁺₂Al₂Li)₂Si₈O₂₂F₂, a new mineral of the amphibole group from the Sutlug River, Tuva Republic, Russia: Description and crystal structure. *Mineralogical Magazine*, 73, 487-494. DOI: 10.1180/minmag.2009.073.3.487.
 - 147. OBERTI R., CÁMARA F., HAWTHORNE F.C., BALL N.A. (2009) Fluoro-aluminoleakeite, Na_xNa₂(Mg₂Al₂Li)₂Si₈O₂₂F₂, a new mineral of the amphibole group from Norra Kärr, Sweden: Description and crystal structure. *Mineralogical Magazine*, 73, 817-824. DOI: 10.1180/minmag.2009.073.5.817.
 - 148. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., ROBINSON P. (2010) Crystal structure and crystal chemistry of fluoro-potassic-magnesio-arfvedsonite from Monte Metocha, Xixano region, Mozambique, and discussion of the holotype from Quebec, Canada. *Mineralogical Magazine*, 76, 951-960. DOI: 10.1180/minmag.2010.074.6.951.
 - 149. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., PAGANO R., PAGANO A. (2010) Fluoro-potassic-pargasite, K_xCa₂(Mg₄Al)₂(Si₆Al₂)O₂₂F₂ from the Tranomaro area, Madagascar: mineral description and crystal chemistry. *Mineralogical Magazine*, 76, 961-967. DOI: 10.1180/minmag.2010.074.6.961.

150. WELCH M.D., CÁMARA F., OBERTI R. (2011) Thermoelasticity and high-*T* behaviour of anthophyllite. *Physics and Chemistry of Minerals*, 38, 321-334. DOI 10.1007/s00269-010-0406-z.
151. ZEMA M., WELCH M.D., OBERTI R. (2012) High-*T* behaviour of gedrite: thermoelasticity and dehydrogenation. *Contributions to Mineralogy and Petrology*, 163(5), 923-937. DOI 10.1007/s00410-011-0706-4.
152. NESTOLA F., PASQUAL D., WELCH M.D., OBERTI R. (2012) The effects of composition upon the high-pressure behaviour of amphiboles: compression of gedrite to 7 GPa and a comparison with anthophyllite and proto-amphibole. *Mineralogical Magazine*, 76 (4), 987-995. DOI: 10.1180/minmag.2012.076.4.14.
153. BOIOCCHI M., BELLATRECCIA F., DELLA VENTURA G., OBERTI R. (2012) On the symmetry and atomic ordering in (F,OH)-rich spessartine: towards a new hydrogarnet end-member. *Zeit. Krist.*, 227, 385-395. DOI 10.1007/s00410-012-0788-7.
154. PERINELLI C., ANDREOZZI G.B. CONTE A.M., OBERTI R., ARMIENTI P. (2012) Redox state of subcontinental lithospheric mantle and metasomatism relationships: insights from spinel-peridotites from northern Victoria Land (Antarctica). *Contributions to Mineralogy and Petrology*, 164, 6, 1053-1067. DOI 10.1007/s00410-012-0788-7.
155. OBERTI R., CANNILLO E., TOSCANI G. (2012) How to name amphiboles after the IMA2012 report: rules of thumb and a new PC program for monoclinic amphiboles. *Periodico di Mineralogia*, 81, 2, 257-267. DOI: 10.2451/2012PM0015.
156. HAWTHORNE F.C., OBERTI R. (co-chairs), HARLOW G.E., MARESCH W.V., MARTIN R.F., SCHUMACHER J.C., WELCH M.D. (2012) Nomenclature of the amphibole supergroup. *American Mineralogist*, 97, 2031-2048. DOI: 10.2138/am.2012.4276.
157. JENKINS D.M., DELLA VENTURA G., OBERTI R., BOZHILOV K. (2013) Synthesis and characterization of amphiboles along the tremolite-glaucophane join. *American Mineralogist*, 98, 588-600. DOI: 10.2138/am.2013.4281.
158. DELLA VENTURA G., BELLATRECCIA F., CÁMARA F., OBERTI R. (2014) Crystal-chemistry and short-range order of fluoro-edenite and fluoro-pargasite: a combined X-ray diffraction and FTIR spectroscopic approach. *Mineralogical Magazine*, 78, 293-310. DOI: 10.1180/minmag.2014.078.2.05. WOS:000344420300006
159. DELLA VENTURA G., BELLATRECCIA F., RADICA F., CÁMARA F., CHOPIN C., OBERTI R. (2014) The arrojadite enigma III. The incorporation of volatiles: a polarized FTIR spectroscopy study. *European Journal of Mineralogy*, 26, 679-688, online 16/6/14. DOI: 10.1127/0935-1221/2014/0026-2397. WOS:000343780600007
160. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., KRISTIANSEN R. (2014) Ferri-fluoro-leakeite: a second occurrence at Bratthagen (Norway), with new data on Zn partitioning and the oxo component in sodium amphiboles. *Mineralogical Magazine*, 78, 861-869. DOI:10.1180/minmag.2014.078.4.07.
161. GIERE' R., OBERTI R., QUARTIERI S., WOGELIUS R. (2014) GEOLIFE - Geomaterials for the environment, technology and human activities. Preface to the October 2014 special set of papers arising from presentations at the Goldschmidt 2013 Conference. *Mineralogical Magazine*, 78, i-iii.
162. WILLIAMS, P.A., HATERT F., PASERO M., MILLS S.J., HÄLENIUS U., HAWTHORNE F.C., OBERTI R. (2014) Clinoferrogedrite in the contact-metamorphosed Biwabik iron formation, Northeastern Minnesota: Discussion. *Canadian Mineralogist*, v. 52, p. 917-920, doi:10.3749/canmin.D00001. WOS:000355253500009
163. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., HARLOW, G.E. (2015) Eckermannite revised. The new holotype from the Jade Mine Tract, Myanmar: crystal structure, mineral data and hints on the reasons for the rarity of eckermannite. *American Mineralogist*, 100, 909-914. DOI:10.2138/am-2015-5132.
164. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., HARLOW, G.E. (2015) Magnesio-arfvedsonite from Jade Mine Tract, Myanmar: crystal-chemistry and mineral description. *Mineralogical Magazine*, 79, 253-260. DOI: 10.1180/minmag.2015.079.2.04.
165. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., HARLOW, G.E. (2015) Katophorite from the Jade Mine Tract, Myanmar: mineral description of a rare

- (grandfathered) end-member of the amphibole supergroup. *Mineralogical Magazine*, 79, 355-363. DOI: 10.1180/minmag.2015.079.2.13.
166. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., CÁMARA F., CIRIOTTI M.E., BERGE S. A. (2015) Ti-rich fluoro-richterite from Kariåsen (Norway). The oxo-component and the use of Ti^{4+} as a proxy. *Canadian Mineralogist*, 53, 285-294. DOI: 10.3749/canmin.1400059.
167. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., CHIAPPINO L. (2016) Magnesio-ferri-fluoro-hornblende from Portoscuso, Sardinia, Italy: description of a newly approved member of the amphibole supergroup. *Mineralogical Magazine*, 80(2), 269-275. DOI: 10.1180/minmag.2016.080.008.
168. OBERTI R., BOIOCCHI M., ZEMA M., DELLA VENTURA G. (2016) Synthetic potassic-ferro-richterite: 1. Composition, crystal structure refinement and HT behavior by *in operando* single-crystal X-ray diffraction. *Canadian Mineralogist*, 54, 353-369. DOI: 10.3749/canmin.1500073.
169. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., ASHLEY P.M. (2016) Oxo-mangani-leakeite from the Hoskins mine, New South Wales, Australia: occurrence and mineral description. *Mineralogical Magazine*, 80(6), 1013-1021. DOI: 10.1180/minmag.2016.080.037
170. DYAR M.D., BREVES E.A., GUNTER M.E., LANZIROTTI A., TUCKER J.M., CAREY C.J., PEEL S., BROWN E.B., OBERTI R., LEROTIC M., DELANEY J.S. (2016) Use of multivariate analysis for synchrotron micro-XANES analysis of iron valence state in amphiboles. *American Mineralogist*, 101, 1171-1189, DOI: 10.2138/am-2016-5556.
171. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., CÁMARA F., PAGANO R., PAGANO A. (2016) Ferro-ferri-hornblende from the Traversella Mine (Ivrea, Italy): occurrence, mineral description and crystal-chemistry. *Mineralogical Magazine*, 80, 1233-1242. DOI: 10.1180/minmag.2016.080.060.
172. DELLA VENTURA G., SUSTA U., BELLATRECCIA F., MARCELLI A., REDHAMMER G.J., OBERTI R. (2017) Deprotonation of Fe-dominant amphiboles: Single-crystal HT-FTIR spectroscopic studies of synthetic potassic-ferro-richterite. *American Mineralogist*, 102, 117-125. DOI: 10.2138/am-2017-5859.
173. GATTA G.D., McINTYRE G. J., OBERTI R., HAWTHORNE F.C. (2017) Order of $[6]Ti^{4+}$ in a Ti-rich calcium amphibole from Kaersut, Greenland: a combined X-ray and neutron diffraction study. *Physics and Chemistry of Minerals*, 44, 83-94. DOI: 10.1007/s00269-016-0839-0.
174. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., BLASS G. (2017) Ferri-obertiite from the Rothenberg quarry, Eifel volcanic complex, Germany: mineral data and crystal-chemistry of a new amphibole end-member. *Mineralogical Magazine*, 81, 641-651. DOI: 10.1180/minmag.2016.080.117.
175. OBERTI R., DELLA VENTURA G., BOIOCCHI M., ZANETTI A., HAWTHORNE F.C. (2017) The crystal-chemistry of oxo-mangani-leakeite and mangano-mangani-ungarettiite from the Hoskins mine and their impossible solid-solution: An XRD and FTIR study. *Mineralogical Magazine*, 81, 707-722. DOI: 10.1180/minmag.2016.080.124.
176. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., CIRIOTTI M.E. (2017) Magnesio-riebeckite from the Varenche mine (Aosta Valley, Italy): crystal-chemical characterization of a grandfathered end-member. *Mineralogical Magazine*, 81, 1431-1437. DOI: 10.1180/minmag.2017.081.011.
177. KECHID S.A., PARODI G., PONT S., OBERTI R. (2017) Davidsmithite, $(Ca,\square)_2Na_6Al_8Si_8O_{32}$: a new, Ca-bearing nepheline-group mineral from the Western Gneiss Region, Norway. *European Mineralogical Journal*, 1005-1013. DOI: 10.1127/ejm/2017/0029-2667.
178. OBERTI R., CÁMARA F., BELLATRECCIA F., RADICA F., GIANFAGNA A., BOIOCCHI M. (2018) Fluoro-tremolite from the Limecrest-Southdown quarry, Sparta, NJ, USA: crystal chemistry of a newly approved end-member of the amphibole supergroup. *Mineralogical Magazine*, 82, 145-157. DOI: 10.1180/minmag.2017.081.029.
179. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., CIRIOTTI M.E., REVHEIM O., BRACCO R. (2018) Clino-suenoite, a newly approved magnesium-iron-manganese amphibole from Valmalenco, Sondrio, Italy. *Mineralogical Magazine*, 82, 189-198. DOI: 10.1180/minmag.2017.081.011.

180. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., CIRIOTTI M.E. (2018) Ferro-tschermarkite from the Ploumanac'h Granitic Complex, Brittany, France: mineral description. *European Journal of Mineralogy*, 30, 171-176. DOI: 10.1127/ejm/2018/0030-2700.
181. DELLA VENTURA G., MIHAILOVA B., SUSTA U., CESTELLI GUIDI M., MARCELLI A., SCHLÜTER J., OBERTI R. (2018) The dynamics of Fe oxidation in riebeckite: a model for amphiboles. *American Mineralogist*, 1103-1111. DOI: 10.2138/am-2018-6382
182. RIDOLFI F., ZANETTI A., RENZULLI A., PERUGINI D., HOLTZ F., OBERTI R. (2018) AMFORM, a new mass-based model for the calculation of the unit formula of amphiboles from Electron Micro-Probe analyses. *American Mineralogist*, 1112-1125. DOI: 10.2138/am-2018-6385.
183. SUSTA U., DELLA VENTURA G., HAWTHORNE F.C., ABDU Y.A., DAY M.C., MIHAILOVA B., OBERTI R. (2018) The crystal-chemistry of riebeckite, ideally $\square\text{Na}_2\text{Fe}^{2+}\text{Fe}^{3+}_2\text{Si}_8\text{O}_{22}(\text{OH})_2$: a multidisciplinary study. *Mineralogical Magazine*, 837-852. DOI: 10.1180/minmag.2017.081.064.
184. OBERTI R., BOIOCCHI M., ZEMA M., HAWTHORNE F.C., REDHAMMER G., SUSTA U., DELLA VENTURA G. (2018) The high-temperature behaviour of riebeckite: expansivity, deprotonation, selective Fe oxidation and a novel cation disordering scheme for amphiboles. *European Journal of Mineralogy*, 437-449. Special issue: Minerals and materials: building principles and applications. DOI: 10.1127/ejm/2018/0030-2712.
185. DELLA VENTURA G., GALDENZI F., CIBIN G., OBERTI R., XU, W., MACIS S., MARCELLI A. (2018) Iron oxidation dynamics vs. temperature of synthetic potassic-ferro-richterite: a XANES investigation. *Physical Chemistry Chemical Physics*, 20, 21764-21771. DOI: 10.1039/c8cp04249g.
186. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., CIRIOTTI M.E. (2018) Magnesio-hornblende from Lüderitz (Namibia): mineral description and crystal-chemistry. *Mineralogical Magazine*, 82, 1253-1259. DOI: 10.1180/minmag.2017.081.093.
187. IVANOV V.G., DYULGEROV M., OBERTI R. (2019) Polarized Raman spectroscopy and lattice dynamics of potassic-magnesio-arfvedsonite. *Physics and Chemistry of Minerals*, 46, 181-191. DOI: 10.1007/s00269-018-0996-4.
188. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., BALL N.A., MARTIN R.F. (2019) Ferri-fluoro-katophorite from the Bear Lake diggings, Bancroft, Ontario, Canada: a new species of amphibole. Ideally $\text{Na}(\text{NaCa})(\text{Mg}_4\text{Fe}^{3+})(\text{Si}_7\text{Al})\text{O}_{22}\text{F}_2$. *Mineralogical Magazine*, 83, 413-417. DOI: 10.1180/mgm.2018.130.
189. DYULGEROV M., PLATEVOET B., OBERTI R., KADIYSKI M., RUSANOV V. (2019) Potassic-magnesio-arfvedsonite, ideally $\text{KNa}_2(\text{Mg}_4\text{Fe}^{3+}_1)\text{Si}_8\text{O}_{22}(\text{OH})_2$: composition and crystal structure. *Mineralogical Magazine*, 83, 465-472. DOI: 10.1180/mgm.2018.135.
190. CAPORUSCIO F.A., OBERTI R., SMYTH J.R. (2019) The role of the X-site in controlling REE incorporation in mantle eclogitic garnets: a XRD study. *European Journal of Mineralogy*, 31, 453-463. DOI: 10.1127/ejm/2019/0031-2828.
191. OBERTI R., LANGONE A., BOIOCCHI M., BERNABE' E., HAWTHORNE F.C. (2019) News from the hellandite group: the redefinition of mottanaite and ciprianiite, and the new mineral description of ferri-mottanaite-(Ce), the first Fe^{3+} -dominant hellandite. *European Journal of Mineralogy*, online. DOI: 10.1127/ejm/2019/0031-2858.
192. OBERTI R., BOIOCCHI M., HAWTHORNE F.C., DELLA VENTURA G., FÄRBER G. (2019) Potassic-jeanlouisite from Leucite Hill (Wyoming, USA), ideally $\text{K}(\text{NaCa})(\text{Mg}_4\text{Ti})\text{Si}_8\text{O}_{22}\text{O}_2$: the first species of oxo amphiboles in the sodium-calcium subgroup. *Mineralogical Magazine*, online June 19, DOI: <https://doi.org/10.1180/mgm.2019.38>.
193. OBERTI R., BOIOCCHI M., ZEMA M. (2019) Thermoelasticity, cation exchange and deprotonation in Fe-rich holmquistite: towards a crystal-chemical model for the high-temperature behaviour of orthorhombic amphiboles. *American Mineralogist*, 104, 1829-1839. DOI: 10.2138/am-2019-6966.
194. BOSI F., BIAGIONI C., OBERTI R. (2019) On the chemical identification and classification of minerals. *Minerals*, 9, 591 (12 pp). DOI: 10.3390/min9100591.
195. WAESERMANN N., SCHLÜTER J., MALCHEREK T., DELLA VENTURA G., OBERTI R., MIHAILOVA B. (2020) Non-destructive determination of the amphibole crystal-chemical

- formulae by Raman spectroscopy; One step closer. *Journal of Raman Spectroscopy*, 51, 1530-1548. DOI:10.1002/jrs.5626.
196. MIHAILOVA B., DELLA VENTURA G., WAESELMANN N., XU W., SCHLÜTER J., GALDENZI F., MARCELLI A., REDHAMMER G.J., BOIOCCHI M., OBERTI R. (2021) Atomistic insight into lithospheric conductivity revealed by phonon-electron excitations in hydrous iron-bearing silicates. *Communications Materials*, in press.
 197. HAWTHORNE F.C., DAY, M.C., FAYEK M., LINTHOUT K., LUSTENHOUWER W.J., OBERTI R. (2021) Ferro-papikeite, ideally $\text{NaFe}^{2+}_2(\text{Fe}^{2+}_3\text{Al}_2)(\text{Si}_5\text{Al}_3)\text{O}_{22}(\text{OH})_2$, a new orthorhombic amphibole from Nordmark (Western Bergslagen), Sweden: Description and crystal structure. *American Mineralogist*, in press.
 198. DELLA VENTURA G., REDHAMMER G.J., GALDENZI F., VENTRUTI G., SUSTA U., OBERTI R., RADICA F., MARCELLI A. (2021) Oxidation or cation re-arrangement? Distinct behaviour of riebeckite at high temperature. *American Mineralogist*, submitted.

Curatele

1. HAWTHORNE F.C., OBERTI R., DELLA VENTURA G., MOTTANA A. (2007). *Amphiboles: Crystal Chemistry, Occurrence and Health Issues* Reviews in Mineralogy and Geochemistry, vol. 67, 545 pp. Pubblicato dalla Mineralogical Society of America e dalla Geochemical Society.
2. FERRARIS G., OBERTI R. (2019) *Duecento anni di cristalli misti*. Quaderni, 30. Accademia delle Scienze di Torino.
3. ARTIOLI G., OBERTI R. (2019) The contribution of mineralogy to cultural heritage, EMU Notes in Mineralogy, vol. 20, pp. Pubblicato dalla European Mineralogical Union e dalla Mineralogical Society of Great Britain & Ireland, London.

Prefazioni di libri

1. OBERTI R., DELLA VENTURA G. MSA/GS, ANL Short Course on Amphiboles, Preface. *European Journal of Mineralogy*, 20, 1003. DOI: 10.1127/0935-1221/2008/0020-1900.
2. GIERE' R., OBERTI R., QUARTIERI S., WOGELIUS R. (2014) GEOLIFE - Geomaterials for the environment, technology and human activities. Preface to the October 2014 special set of papers arising from presentations at the Goldschmidt 2013 Conference. *Mineralogical Magazine*, 78, i-iii.
3. FERRARIS G., OBERTI R. Premessa. Acc. Sc. Torino Quaderni, 30, 1-5.
4. ARTIOLI G., OBERTI R. (2019) Preface. In: The contribution of mineralogy to cultural heritage (Artioli G. e Oberti R., eds), EMU Notes in mineralogy, vol. 20. Published by the European Mineralogical Union and the Mineralogical Society of Great Britain & Ireland, London

Altro

1. OBERTI R. (2019) I minerali come miscele cristalline complesse: il raffinamento strutturale e la prospettiva long-range. Accademia delle Scienze di Torino Quaderni, 30, 37-48.
2. LARSEN K.E., BOIOCCHI M., HAWTHORNE F.C., OBERTI R. (2019) F-rich richterite from the Hydro quarry, Fen complex, Southern Norway: crystallographic data and crystal-chemistry, pp. 102-109 in Norsk Mineralsymposium 2019 (Larsen A.O and Kjærnet T. eds), Natural History Museum, Oslo.