

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>                                    | <b>Common Name</b>           | <b>Habit</b> | <b>Family</b> |
|--|------------------------------|--------------|---------------|
| <i>Abies concolor</i>                                    | California White Fir         | T            | Pinaceae      |
| <i>Acanthoscyphus parishii</i> var. <i>abramsii</i>      | Abrams Spineflower           | AH           | Polygonaceae  |
| <i>Acanthoscyphus parishii</i> var. <i>parishii</i>      | Parish's Oxytheca            | AH           | Polygonaceae  |
| <i>Achillea millefolium</i> var. <i>occidentale</i>      | Woolly White Yarrow          | PH           | Asteraceae    |
| <i>Achillea millefolium</i> var. <i>pacifica</i>         | Pacific Woolly White Yarrow  | PH           | Asteraceae    |
| <i>Achnatherum coronatum</i>                             | Giant Needlegrass            | PG           | Poaceae       |
| <i>Achnatherum hymenoides</i>                            | Indian Ricegrass             | PG           | Poaceae       |
| <i>Achnatherum occidentalis</i> ssp. <i>occidentalis</i> | Western Needlegrass          | PG           | Poaceae       |
| <i>Achnatherum occidentalis</i> ssp. <i>pubescens</i>    | Elmer Needlegrass            | PG           | Poaceae       |
| <i>Achnatherum speciosum</i>                             | Desert Needlegrass           | PG           | Poaceae       |
| <i>Achyrrachaena mollis</i>                              | Blow Wives                   | AH           | Asteraceae    |
| <i>Acourtia microcephala</i>                             | Sacapellote                  | PH           | Asteraceae    |
| <i>Adenostoma fasciculatum</i>                           | Chamise                      | S            | Rosaceae      |
| <i>Agoseris grandiflora</i>                              | Bigflower Mountain Dandelion | AH           | Asteraceae    |
| <i>Agoseris heterophylla</i> var. <i>heterophylla</i>    | Annual Mountain Dandelion    | AH           | Asteraceae    |
| <i>Agoseris retrorsa</i>                                 | Mountain Dandelion           | AH           | Asteraceae    |
| <i>Agrostis exarata</i>                                  | Western Spike Bentgrass      | PG           | Poaceae       |
| <i>Allium burlewii</i>                                   | Burlew Onion                 | PG           | Alliaceae     |
| <i>Allium diabloense</i>                                 | Diablo Onion                 | PG           | Alliaceae     |
| <i>Allium fimbriatum</i> var. <i>fimbriatum</i>          | Fringed Onion                | PG           | Alliaceae     |
| <i>Allium howellii</i> var. <i>clokeyi</i>               | Mount Pinos Onion            | PG           | Alliaceae     |
| <i>Allium vineale</i> ssp. <i>vineale</i> *              | Wild Garlic                  | PG           | Alliaceae     |
| <i>Allophylum gilioioides</i>                            | Gilia Allophylum             | AH           | Polemoniaceae |
| <i>Allophylum gilioioides</i> ssp. <i>gilioioides</i>    | Straggling Gilia             | AH           | Polemoniaceae |
| <i>Allophylum gilioioides</i> ssp. <i>violaceum</i>      | Violet Phlox                 | AH           | Polemoniaceae |
| <i>Allophylum glutinosum</i>                             | Sticky Allophylum            | AH           | Polemoniaceae |
| <i>Alnus incana</i> ssp. <i>tenuifolia</i>               | Mountain Alder               | S            | Betulaceae    |
| <i>Alnus rhombifolia</i>                                 | White Alder                  | T            | Betulaceae    |
| <i>Amaranthus blitoides</i>                              | Prostrate Amaranth           | AH           | Amaranthaceae |
| <i>Ambrosia psilostachya</i> var. <i>californica</i>     | Western Ragweed              | PH           | Asteraceae    |
| <i>Amorpha californica</i> var. <i>californica</i>       | False Indigo                 | S            | Fabaceae      |
| <i>Amsinckia douglasiana</i>                             | Douglas Fiddleneck           | AH           | Boraginaceae  |
| <i>Amsinckia menziesii</i> var. <i>intermedia</i>        | Rancher's Fire               | AH           | Boraginaceae  |
| <i>Amsinckia tessellata</i> var. <i>tessellata</i>       | Devil's Lettuce              | AH           | Boraginaceae  |
| <i>Ancistrocarphus filagineus</i>                        | Woolly Fishhooks             | AH           | Asteraceae    |
| <i>Andropogon glomeratus</i> var. <i>scabriglumis</i>    | Southwestern Bushy Bluestem  | PG           | Poaceae       |
| <i>Anthemis cotula</i> *                                 | Mayweed                      | AH           | Asteraceae    |
| <i>Antirrhinum multiflorum</i>                           | Sticky Snapdragon            | S            | Veronicaceae  |
| <i>Apocynum androsaemifolium</i>                         | Bitter Dogbane               | PH           | Apocynaceae   |
| <i>Apocynum cannabinum</i>                               | Indian Hemp                  | PH           | Apocynaceae   |
| <i>Apocynum Xmedium</i>                                  | Bitter Dogbane               | PH           | Apocynaceae   |
| <i>Aquilegia eximia</i>                                  | Van Houtte Columbine         | PH           | Ranunculaceae |
| <i>Aquilegia formosa</i> var. <i>truncata</i>            | Truncate Crimson Columbine   | PH           | Ranunculaceae |
| <i>Arceuthobium abietinum</i> forma <i>concoloris</i>    | Fir Dwarf Mistletoe          | PH           | Viscaceae     |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| Botanical Name   | Common Name                        | Habit | Family         |
|--|------------------------------------|-------|----------------|
| <i>Arceuthobium californicum</i>                         | Sugar Pine Dwarf Mistletoe         | PH    | Viscaceae      |
| <i>Arceuthobium campylopodium</i>                        | Western Dwarf Mistletoe            | PH    | Viscaceae      |
| <i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i> | Cushing's Eastwood Manzanita       | S     | Ericaceae      |
| <i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i>  | Eastwood Manzanita                 | S     | Ericaceae      |
| <i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i>      | Santa Ynez Mountains Manzanita     | S     | Ericaceae      |
| <i>Arctostaphylos glandulosa</i> X <i>A. glauca</i>      | Eastwood-Bigberry Manzanita hybrid | S     | Ericaceae      |
| <i>Arctostaphylos glauca</i>                             | Bigberry Manzanita                 | S     | Ericaceae      |
| <i>Arctostaphylos parryana</i> ssp. <i>parryana</i>      | Parry Manzanita                    | S     | Ericaceae      |
| <i>Arctostaphylos pungens</i>                            | Pungent Manzanita                  | S     | Ericaceae      |
| <i>Argemone corymbosa</i> ssp. <i>corymbosa</i>          | Desert Prickly Poppy               | PH    | Papaveraceae   |
| <i>Artemisia californica</i>                             | California Sagebrush               | S     | Asteraceae     |
| <i>Artemisia douglasiana</i>                             | Mugwort                            | PH    | Asteraceae     |
| <i>Artemisia dracunculus</i>                             | Tarragon                           | PH    | Asteraceae     |
| <i>Artemisia tridentata</i> ssp. <i>tridentata</i>       | Great Basin Sagebrush              | S     | Asteraceae     |
| <i>Artemisia tridentata</i> ssp. <i>vaseyana</i>         | Vasey's Great Basin Sagebrush      | S     | Asteraceae     |
| <i>Asclepias californica</i> ssp. <i>californica</i>     | California Milkweed                | PH    | Apocynaceae    |
| <i>Asclepias eriocarpa</i>                               | Indian Milkweed                    | PH    | Apocynaceae    |
| <i>Aster subulatus</i> var. <i>ligulatus</i>             | Annual Saltmarsh Aster             | PH    | Asteraceae     |
| <i>Astragalus didymocarpus</i> var. <i>didymocarpus</i>  | Two-seeded Milkvetch               | AH    | Fabaceae       |
| <i>Astragalus douglasii</i> var. <i>douglasii</i>        | Douglas Milkvetch                  | PH    | Fabaceae       |
| <i>Astragalus lentiginosus</i> var. <i>fremontii</i>     | Fremont Spotted Locoweed           | PH    | Fabaceae       |
| <i>Astragalus lentiginosus</i> var. <i>idriensis</i>     | Spotted Locoweed                   | PH    | Fabaceae       |
| <i>Astragalus lentiginosus</i> var. <i>sierrae</i>       | Big Bear Valley Milkvetch          | PH    | Fabaceae       |
| <i>Astragalus pachypus</i> var. <i>pachypus</i>          | Milkvetch                          | PH    | Fabaceae       |
| <i>Astragalus purshii</i> var. <i>tinctus</i>            | Woollypod Milkvetch                | PH    | Fabaceae       |
| <i>Atriplex canescens</i> var. <i>canescens</i>          | Fourwing Saltbush                  | S     | Chenopodiaceae |
| <i>Atriplex polycarpa</i>                                | Allscale                           | S     | Chenopodiaceae |
| <i>Atriplex rosea</i> *                                  | Tumbling Oracle                    | AH    | Chenopodiaceae |
| <i>Avena barbata</i> *                                   | Slender Wild Oat                   | AG    | Poaceae        |
| <i>Baccharis pilularis</i> ssp. <i>consanguinea</i>      | Coyote Brush                       | S     | Asteraceae     |
| <i>Baccharis salicifolia</i>                             | Mulefat                            | S     | Asteraceae     |
| <i>Balsamorhiza deltoidea</i>                            | Balsamroot                         | PH    | Asteraceae     |
| <i>Barbara orthoceras</i>                                | American Wintercress               | AH    | Brassicaceae   |
| <i>Bloomeria crocea</i> var. <i>montana</i>              | Mountain Goldenstars               | PG    | Themidaceae    |
| <i>Boechera pulchra</i>                                  | Desert Rock Cress                  | PH    | Brassicaceae   |
| <i>Boechera repanda</i>                                  | Yosemite Rock Cress                | PH    | Brassicaceae   |
| <i>Boechera retrofracta</i>                              | Holboell Rock Cress                | PH    | Brassicaceae   |
| <i>Boechera sparsiflora</i>                              | Few-flowered Rock Cress            | PH    | Brassicaceae   |
| <i>Boschniakia strobilacea</i>                           | California Ground Cone             | PH    | Orobanchaceae  |
| <i>Brassica nigra</i> *                                  | Black Mustard                      | AH    | Brassicaceae   |
| <i>Brickellia californica</i>                            | California Brickellbush            | S     | Asteraceae     |
| <i>Brickellia nevinii</i>                                | Nevin Brickellbush                 | S     | Asteraceae     |
| <i>Bromus carinatus</i> var. <i>carinatus</i>            | California Brome                   | PG    | Poaceae        |
| <i>Bromus diandrus</i> ssp. <i>diandrus</i> *            | Ripgut Grass                       | AG    | Poaceae        |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>                                    | <b>Common Name</b>                 | <b>Habit</b> | <b>Family</b>  |
|--|------------------------------------|--------------|----------------|
| <i>Bromus grandis</i>                                    | Tall Brome                         | AG           | Poaceae        |
| <i>Bromus hordeaceus</i> *                               | Soft Chess                         | AG           | Poaceae        |
| <i>Bromus madritensis</i> ssp. <i>madritensis</i> *      | Madrid Brome                       | AG           | Poaceae        |
| <i>Bromus madritensis</i> ssp. <i>rubens</i> *           | Red Brome                          | AG           | Poaceae        |
| <i>Bromus orcuttianus</i>                                | <b>Orcutt Brome</b>                | PG           | Poaceae        |
| <i>Bromus tectorum</i> var. <i>tectorum</i> *            | Downy Chess                        | AG           | Poaceae        |
| <i>Bromus trinii</i> *                                   | Chilean Chess                      | AG           | Poaceae        |
| <i>Calocedrus decurrens</i>                              | <b>Incense-cedar</b>               | T            | Cupressaceae   |
| <i>Calochortus invenustus</i>                            | Plain Mariposa Lily                | PG           | Liliaceae      |
| <i>Calochortus splendens</i>                             | Spendid Mariposa Lily              | PG           | Liliaceae      |
| <i>Calochortus venustus</i>                              | Butterfly Mariposa Lily            | PG           | Liliaceae      |
| <i>Calyptidium monospermum</i>                           | <b>One-seeded Pussypaws</b>        | AH           | Portulacaceae  |
| <i>Calyptidium parryi</i> var. <i>parryi</i>             | <b>Parry Calyptidium</b>           | AH           | Portulacaceae  |
| <i>Calyptidium umbellatum</i>                            | <b>Pussypaws</b>                   | AH           | Portulacaceae  |
| <i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>   | Pediceled Woolly Morning-glory     | PV           | Convolvulaceae |
| <i>Camissonia boothii</i> ssp. <i>decorticans</i>        | Booth Shredding Primrose           | AH           | Onagraceae     |
| <i>Camissonia boothii</i> ssp. <i>rutilla</i>            | <b>Booth Shredding Primrose</b>    | AH           | Onagraceae     |
| <i>Camissonia campestris</i> ssp. <i>campestris</i>      | Mojave Sun-cup                     | AH           | Onagraceae     |
| <i>Camissonia confusa</i>                                | <b>Confusing Primrose</b>          | AH           | Onagraceae     |
| <i>Camissonia hirtella</i>                               | Small-haired Primrose              | AH           | Onagraceae     |
| <i>Camissonia strigulosa</i>                             | Strigose Primrose                  | AH           | Onagraceae     |
| <i>Cardamine breweri</i> var. <i>breweri</i>             | <b>Brewer's Bitter-cress</b>       | AH           | Brassicaceae   |
| <i>Cardamine pachystigma</i> var. <i>pachystigma</i>     | <b>Toothwort</b>                   | AH           | Brassicaceae   |
| <i>Carex fracta</i>                                      | Fragile-sheathed Sedge             | PG           | Cyperaceae     |
| <i>Carex senta</i>                                       | Rough Sedge                        | PG           | Cyperaceae     |
| <i>Carex subfusca</i>                                    | <b>Brown Sedge</b>                 | PG           | Cyperaceae     |
| <i>Castilleja affinis</i> ssp. <i>affinis</i>            | Lay-and-Collie's Indian Paintbrush | PH           | Orobanchaceae  |
| <i>Castilleja applegatei</i> ssp. <i>martinii</i>        | Martin Indian Paintbrush           | PH           | Orobanchaceae  |
| <i>Castilleja exserta</i> ssp. <i>exserta</i>            | Purple Owl's Clover                | AH           | Orobanchaceae  |
| <i>Castilleja miniata</i> ssp. <i>miniata</i>            | <b>Great Red Indian Paintbrush</b> | PH           | Orobanchaceae  |
| <i>Castilleja subinclusa</i> ssp. <i>subinclusa</i>      | Jepson Indian Paintbrush           | PH           | Orobanchaceae  |
| <i>Caulanthus coulteri</i> var. <i>coulteri</i>          | Coulter Jewelflower                | AH           | Brassicaceae   |
| <i>Caulanthus inflatus</i>                               | <b>Desert Candle</b>               | AH           | Brassicaceae   |
| <i>Caulanthus lasiophyllus</i> [ <i>Thelypodium l.</i> ] | California Mustard                 | AH           | Brassicaceae   |
| <i>Ceanothus cordulatus</i>                              | Snowbush                           | S            | Rhamnaceae     |
| <i>Ceanothus crassifolius</i> var. <i>crassifolius</i>   | Snowball                           | S            | Rhamnaceae     |
| <i>Ceanothus crassifolius</i> var. <i>planus</i>         | Flatleaf Snowball                  | S            | Rhamnaceae     |
| <i>Ceanothus cuneatus</i> var. <i>cuneatus</i>           | Buck Brush                         | S            | Rhamnaceae     |
| <i>Ceanothus greggii</i> ssp. <i>vestitus</i>            | Mojave Ceanothus                   | S            | Rhamnaceae     |
| <i>Ceanothus integrifolius</i>                           | Deer Brush                         | S            | Rhamnaceae     |
| <i>Ceanothus leucodermis</i>                             | Whitethorn Ceanothus               | S            | Rhamnaceae     |
| <i>Ceanothus palmeri</i>                                 | <b>Palmer Ceanothus</b>            | S            | Rhamnaceae     |
| <i>Centaura solstitialis</i> *                           | Yellow Star-thistle                | AH           | Asteraceae     |
| <i>Centaurium exaltatum</i>                              | <b>Great Basin Centaury</b>        | AH           | Gentianaceae   |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>                                       | <b>Common Name</b>                        | <b>Habit</b> | <b>Family</b>  |
|---|---|--------------|----------------|
| <i>Cercocarpus betuloides</i> var. <i>betuloides</i>        | Birchleaf Mountain Mahogany               | S            | Rosaceae       |
| <i>Chaenactis artemisiifolia</i>                            | <b>White Pincushion</b>                   | AH           | Asteraceae     |
| <i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>     | Common Yellow Pincushion                  | AH           | Asteraceae     |
| <i>Chaenactis glabriuscula</i> var. <i>heterocarpa</i>      | <b>Different-seeded Yellow Pincushion</b> | AH           | Asteraceae     |
| <i>Chaenactis santolinoides</i>                             | Curlyleaf Pincushion                      | AH           | Asteraceae     |
| <i>Chaenactis stevioides</i>                                | <b>Desert Pincushion</b>                  | AH           | Asteraceae     |
| <i>Chaenactis xantiana</i>                                  | <b>Xantus Pincushion</b>                  | AH           | Asteraceae     |
| <i>Chamaesyce ocellata</i> ssp. <i>ocellata</i>             | <b>Littleye Spurge</b>                    | AH           | Euphorbiaceae  |
| <i>Cheilanthes covillei</i>                                 | Coville Lip-fern                          | PF           | Pteridaceae    |
| <i>Chenopodium album</i> *                                  | Lamb's Quarters                           | AH           | Chenopodiaceae |
| <i>Chenopodium atrovirens</i>                               | <b>Dark-green or Forest Goosefoot</b>     | AH           | Chenopodiaceae |
| <i>Chenopodium californicum</i>                             | California Goosefoot                      | PH           | Chenopodiaceae |
| <i>Chenopodium fremontii</i>                                | <b>Fremont Soap Plant or Goosefoot</b>    | AH           | Chenopodiaceae |
| <i>Chenopodium pratericola</i>                              | <b>Narrow-leaved Goosefoot</b>            | AH           | Chenopodiaceae |
| <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>    | Soap Lily                                 | PG           | Agavaceae      |
| <i>Chorizanthe blakleyi</i>                                 | <b>Blakley's Spineflower</b>              | AH           | Polygonaceae   |
| <i>Chorizanthe thurberi</i> var. <i>thurberi</i>            | Thurber Spineflower                       | AH           | Polygonaceae   |
| <i>Chorizanthe watsonii</i>                                 | <b>Watson Spineflower</b>                 | AH           | Polygonaceae   |
| <i>Chorizanthe xantii</i> var. <i>xantii</i>                | Xantus Spineflower                        | AH           | Polygonaceae   |
| <i>Cirsium occidentale</i> var. <i>californicum</i>         | California Thistle                        | BH           | Asteraceae     |
| <i>Cirsium occidentale</i> var. <i>venustum</i>             | Red or Venus Thistle                      | BH           | Asteraceae     |
| <i>Clarkia botta</i>  | Punchbowl Godetia                         | AH           | Onagraceae     |
| <i>Clarkia dudleyana</i>                                    | <b>Dudley Godetia</b>                     | AH           | Onagraceae     |
| <i>Clarkia modesta</i>                                      | <b>Modest Clarkia</b>                     | AH           | Onagraceae     |
| <i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>           | Four-spotted Purple Clarkia               | AH           | Onagraceae     |
| <i>Clarkia rhomboidea</i>                                   | <b>Diamond Farewell-to-Spring</b>         | AH           | Onagraceae     |
| <i>Claytonia exigua</i> ssp. <i>exigua</i>                  | <b>Small Miner's Lettuce</b>              | AH           | Portulacaceae  |
| <i>Claytonia perfoliata</i> var. <i>depressa</i>            | Miner's Lettuce                           | AH           | Portulacaceae  |
| <i>Claytonia parviflora</i> ssp. <i>parviflora</i>          | Small-flowered Miner's Lettuce            | AH           | Portulacaceae  |
| <i>Claytonia rubra</i> ssp. <i>rubra</i>                    | <b>Red Miner's Lettuce</b>                | AH           | Portulacaceae  |
| <i>Claytonia spathulata</i> var. <i>viridis</i>             | Green Spoon Miner's Lettuce               | AH           | Portulacaceae  |
| <i>Clematis lasiantha</i>                                   | Pipestem Clematis                         | PV           | Ranunculaceae  |
| <i>Clematis ligusticifolia</i>                              | Virgin's Bower                            | PV           | Ranunculaceae  |
| <i>Cnicus benedictus</i> *                                  | Blessed Thistle                           | AH           | Asteraceae     |
| <i>Collomia callosa</i>                                     | Large-fruited Blue-eyed Mary              | AH           | Plantaginaceae |
| <i>Collomia childii</i>                                     | <b>Child's Blue-eyed Mary</b>             | AH           | Plantaginaceae |
| <i>Collomia torryi</i> var. <i>wrightii</i>                 | <b>Wright Blue-eyed Mary</b>              | AH           | Plantaginaceae |
| <i>Collomia grandiflora</i>                                 | <b>Bride's Bouquet</b>                    | AH           | Polemoniaceae  |
| <i>Collomia tinctoria</i>                                   | <b>Yellow-staining Collomia</b>           | AH           | Polemoniaceae  |
| <i>Cordylanthus nevinii</i>                                 | Nevin Bird's Beak                         | AH           | Orobanchaceae  |
| <i>Cordylanthus rigidus</i> var. <i>rigidus</i>             | Rigid Birds-beak                          | AH           | Orobanchaceae  |
| <i>Coreopsis bigelovii</i>                                  | Bigelow Coreopsis                         | AH           | Asteraceae     |
| <i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i> | California Cudweed-aster                  | PH           | Asteraceae     |
| <i>Crepis occidentalis</i> ssp. <i>occidentalis</i>         | <b>Western Hawksbeard</b>                 | PH           | Asteraceae     |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| Botanical Name  | Common Name                        | Habit | Family        |
|---|------------------------------------|-------|---------------|
| <i>Cryptantha barbigera</i>                             | <b>Bearded Forget-Me-Not</b>       | AH    | Boraginaceae  |
| <i>Cryptantha circumscissa</i>                          | Greenocheris                       | AH    | Boraginaceae  |
| <i>Cryptantha clevelandii</i>                           | Cleveland Forget-Me-Not            | AH    | Boraginaceae  |
| <i>Cryptantha decipiens</i>                             | Gravel Forget-Me-Not               | AH    | Boraginaceae  |
| <i>Cryptantha flaccida</i>                              | <b>Flaccid Forget-Me-Not</b>       | AH    | Boraginaceae  |
| <i>Cryptantha intermedia</i>                            | Common Forget-Me-Not               | AH    | Boraginaceae  |
| <i>Cryptantha muricata</i>                              | Jones' Forget-Me-Not               | AH    | Boraginaceae  |
| <i>Cryptantha nemaclada</i>                             | <b>Colusa Forget-Me-Not</b>        | AH    | Boraginaceae  |
| <i>Cryptantha oxygona</i>                               | <b>Sharp-not Forget-Me-Not</b>     | AH    | Boraginaceae  |
| <i>Cryptantha simulans</i>                              | <b>Pine Forget-Me-Not</b>          | AH    | Boraginaceae  |
| <i>Cryptantha torreyana</i>                             | <b>Torrey Forget-Me-Not</b>        | AH    | Boraginaceae  |
| <i>Cuscuta californica</i> var. <i>californica</i>      | California Dodder                  | AV    | Cuscutaceae   |
| <i>Cuscuta subinclusa</i>                               | Canyon Dodder                      | AV    | Cuscutaceae   |
| <i>Cynodon dactylon</i> *                               | Bermuda Grass                      | PG    | Poaceae       |
| <i>Datiscia glomerata</i>                               | Durango Root                       | PH    | Datiscaceae   |
| <i>Datura wrightii</i>                                  | Jimson Weed                        | AH    | Solanaceae    |
| <i>Daucus pusillus</i>                                  | Southwestern Carrot                | AH    | Apiaceae      |
| <i>Delphinium parryi</i> ssp. <i>purpureum</i>          | <b>Mount Pinos Larkspur</b>        | PH    | Ranunculaceae |
| <i>Delphinium patens</i> var. <i>montanum</i>           | <b>Mountain Spreading Larkspur</b> | PH    | Ranunculaceae |
| <i>Delphinium umbraculorum</i>                          | <b>Umbrella Larkspur</b>           | PH    | Ranunculaceae |
| <i>Descurainia pinnata</i> ssp. <i>halictorum</i>       | <b>Western Tansy Mustard</b>       | PH    | Brassicaceae  |
| <i>Descurainia sophia</i> *                             | Tansy Mustard                      | AH    | Brassicaceae  |
| <i>Dicentra chrysanthia</i>                             | Golden Eardrops                    | PH    | Fumariaceae   |
| <i>Dicentra pauciflora</i>                              | <b>Few-flowered Bleeding Heart</b> | PH    | Fumariaceae   |
| <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>    | Blue Dicks                         | PG    | Themidaceae   |
| <i>Distichlis spicata</i>                               | Saltgrass                          | PG    | Poaceae       |
| <i>Dudleya lanceolata</i>                               | Lanceleaf Live-forever             | PH    | Crassulaceae  |
| <i>Eleocharis parishii</i>                              | Parish Spike-rush                  | PG    | Cyperaceae    |
| <i>Elymus elymoides</i> var. <i>elymoides</i>           | Bottlebrush Squirreltail           | PG    | Poaceae       |
| <i>Elymus glaucus</i> ssp. <i>glaucus</i>               | Blue Wildrye                       | PG    | Poaceae       |
| <i>Elymus glaucus</i> ssp. <i>jepsonii</i>              | <b>Jepson Blue Wildrye</b>         | PG    | Poaceae       |
| <i>Elymus stebbinsii</i>                                | <b>Wheatgrass</b>                  | PG    | Poaceae       |
| <i>Ephedra viridis</i>                                  | Green Mormon Tea                   | S     | Ephedraceae   |
| <i>Epilobium brachycarpum</i>                           | <b>Panicled Willow-herb</b>        | AH    | Onagraceae    |
| <i>Epilobium canum</i> ssp. <i>canum</i>                | California Fuchsia                 | PH    | Onagraceae    |
| <i>Epilobium canum</i> ssp. <i>latifolium</i>           | Broad-leaved California Fuchsia    | PH    | Onagraceae    |
| <i>Epilobium glaberrimum</i> ssp. <i>glaberrimum</i>    | <b>Waxy Willow-herb</b>            | AH    | Onagraceae    |
| <i>Epipactis gigantea</i>                               | <b>Stream Orchid</b>               | PG    | Orchidaceae   |
| <i>Equisetum arvense</i>                                | <b>Field Horsetail</b>             | PF    | Equisetaceae  |
| <i>Equisetum hyemale</i> var. <i>affine</i>             | <b>Common Scouring Rush</b>        | PF    | Equisetaceae  |
| <i>Equisetum laevigatum</i>                             | Smooth Scouring Rush               | PF    | Equisetaceae  |
| <i>Equisetum telmateia</i> ssp. <i>braunii</i>          | <b>Giant Horsetail</b>             | PF    | Equisetaceae  |
| <i>Eremocarpus setigerus</i>                            | Dove Weed                          | AH    | Euphorbiaceae |
| <i>Eriastrum densifolium</i> var. <i>austromontanum</i> | Mountain Woolly Star               | AH    | Polemoniaceae |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>   | <b>Common Name</b>                       | <b>Habit</b> | <b>Family</b> |
|---|--|--------------|---------------|
| <i>Eriastrum densifolium</i> var. <i>elongatum</i>            | Elongated Woolly Star                    | AH           | Polemoniaceae |
| <i>Eriastrum signatum</i>                                     | Maroon-spotted Woolly Star               | AH           | Polemoniaceae |
| <i>Ericameria linearifolia</i>                                | Narrowleaf Goldenbush                    | S            | Asteraceae    |
| <i>Ericameria nauseosa</i> var. <i>hololeuca</i>              | White Rabbitbrush                        | S            | Asteraceae    |
| <i>Ericameria nauseosa</i> var. <i>mohavensis</i>             | Mojave Rubber Rabbitbrush                | S            | Asteraceae    |
| <i>Erigeron foliosus</i> var. <i>foliosus</i>                 | Leafy Fleabane                           | PH           | Asteraceae    |
| <i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>        | Thickleaf Yerba Santa                    | S            | Boraginaceae  |
| <b><i>Eriodictyon trichocalyx</i> var. <i>trichocalyx</i></b> | <b>Yerba Santa</b>                       | S            | Boraginaceae  |
| <i>Eriogonum angulosum</i>                                    | Angle-stemmed Buckwheat                  | AH           | Polygonaceae  |
| <i>Eriogonum baileyi</i> var. <i>baileyi</i>                  | Bailey Buckwheat                         | AH           | Polygonaceae  |
| <i>Eriogonum cithariforme</i>                                 | Cithara Buckwheat                        | AH           | Polygonaceae  |
| <i>Eriogonum davidsonii</i>                                   | Davidson Buckwheat                       | AH           | Polygonaceae  |
| <b><i>Eriogonum elegans</i></b>                               | <b>Elegant Buckwheat</b>                 | AH           | Polygonaceae  |
| <i>Eriogonum fasciculatum</i> ssp. <i>foliolosum</i>          | Leafy California Buckwheat               | S            | Polygonaceae  |
| <i>Eriogonum fasciculatum</i> ssp. <i>polifolium</i>          | Hoary California Buckwheat               | S            | Polygonaceae  |
| <i>Eriogonum gracile</i> var. <i>gracile</i>                  | Slender Woolly Buckwheat                 | AH           | Polygonaceae  |
| <b><i>Eriogonum hirtiflorum</i></b>                           | <b>Hairy-flowered Buckwheat</b>          | AH           | Polygonaceae  |
| <b><i>Eriogonum inerme</i></b>                                | <b>Unarmed Buckwheat</b>                 | AH           | Polygonaceae  |
| <i>Eriogonum kennedyi</i> var. <i>kennedyi</i>                | Kennedy Buckwheat                        | S            | Polygonaceae  |
| <b><i>Eriogonum maculatum</i></b>                             | <b>Spotted Buckwheat</b>                 | AH           | Polygonaceae  |
| <b><i>Eriogonum molestum</i></b>                              | <b>Pine Buckwheat</b>                    | AH           | Polygonaceae  |
| <i>Eriogonum nudum</i> var. <i>pauciflorum</i>                | Tibinagua                                | PH           | Polygonaceae  |
| <b><i>Eriogonum nudum</i> var. <i>pubiflorum</i></b>          | <b>Hairy-flowered Barestem Buckwheat</b> | PH           | Polygonaceae  |
| <i>Eriogonum nudum</i> var. <i>westonii</i>                   | <b>Weston Barestem Buckwheat</b>         | PH           | Polygonaceae  |
| <b><i>Eriogonum saxatile</i></b>                              | <b>Rock Buckwheat</b>                    | AH           | Polygonaceae  |
| <b><i>Eriogonum viridescens</i></b>                           | <b>Green Buckwheat</b>                   | AH           | Polygonaceae  |
| <i>Eriogonum wrightii</i> var. <i>subscaposum</i>             | Short-scape Wright Buckwheat             | S            | Polygonaceae  |
| <i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>  | Golden Yarrow                            | S            | Asteraceae    |
| <i>Erodium cicutarium</i> *                                   | Redstem Filaree                          | AH           | Geraniaceae   |
| <i>Erysimum capitatum</i> var. <i>capitatum</i>               | Western Wallflower                       | BH           | Brassicaceae  |
| <i>Eschscholzia californica</i> var. <i>californica</i>       | California Poppy                         | AH           | Papaveraceae  |
| <i>Euthamia occidentalis</i>                                  | Western Goldenrod                        | PH           | Asteraceae    |
| <b><i>Forestiera pubescens</i></b>                            | <b>Desert Olive</b>                      | S            | Oleaceae      |
| <i>Fraxinus dipetala</i>                                      | California Flowering Ash                 | S            | Oleaceae      |
| <i>Fremontodendron californicum</i> ssp. <i>californicum</i>  | California Flannel Bush                  | S            | Malvaceae     |
| <b><i>Fritillaria pinetorum</i></b>                           | <b>Pine Fritillary</b>                   | PH           | Liliaceae     |
| <i>Galium andrewsii</i> ssp. <i>andrewsii</i>                 | Pine Mat                                 | PH           | Rubiaceae     |
| <i>Galium andrewsii</i> ssp. <i>intermedium</i>               | Pine Mat                                 | PH           | Rubiaceae     |
| <i>Galium angustifolium</i> ssp. <i>angustifolium</i>         | Chaparral Bedstraw                       | S            | Rubiaceae     |
| <i>Galium hallii</i>  | Nodding Bedstraw                         | PH           | Rubiaceae     |
| <i>Garrya flavescens</i> var. <i>pallida</i>                  | Pallid Silk-tassel Bush                  | S            | Garryaceae    |
| <i>Garrya veatchii</i>  | Veatch's Silk-tassel Bush                | S            | Garryaceae    |
| <b><i>Gayophytum diffusum</i> ssp. <i>parviflorum</i></b>     | <b>Diffuse Gayophytum</b>                | AH           | Onagraceae    |
| <b><i>Gilia brecciarum</i> ssp. <i>brecciarum</i></b>         | <b>Breccia Gilia</b>                     | AH           | Polemoniaceae |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>   | <b>Common Name</b>           | <b>Habit</b> | <b>Family</b>  |
|---|------------------------------|--------------|----------------|
| <i>Gilia capitata</i> ssp. <i>abrotanifolia</i>               | Blue Field Gilia             | AH           | Polemoniaceae  |
| <i>Gilia latiflora</i> ssp. <i>cuyamensis</i>                 | Cuyama Gilia                 | AH           | Polemoniaceae  |
| <b><i>Gilia modocensis</i></b>                                | <b>Modoc Gilia</b>           | AH           | Polemoniaceae  |
| <i>Gilia ochroleuca</i> ssp. <i>bizonata</i>                  | Desert Gilia                 | AH           | Polemoniaceae  |
| <i>Gilia splendens</i>  | Splendid Gilia               | AH           | Polemoniaceae  |
| <b><i>Gilia splendens</i> ssp. <i>splendens</i></b>           | <b>Splendid Gilia</b>        | AH           | Polemoniaceae  |
| <b><i>Gilia tetrabreccia</i></b>                              | <b>Mount Pinos Gilia</b>     | AH           | Polemoniaceae  |
| <i>Gnaphalium palustre</i>                                    | Western Marsh Cudweed        | BH           | Asteraceae     |
| <i>Gutierrezia californica</i>                                | California Matchweed         | S            | Asteraceae     |
| <b><i>Gutierrezia sarathrae</i></b>                           | <b>Kindlingweed</b>          | S            | Asteraceae     |
| <i>Hazardia squarrosa</i> var. <i>obtusa</i>                  | Prickly Sawtooth Goldenbush  | S            | Asteraceae     |
| <b><i>Hemizonella minima</i></b>                              | <b>Hemizonella</b>           | AH           | Asteraceae     |
| <b><i>Hesperoevax sparsiflora</i> var. <i>sparsiflora</i></b> | <b>Few-leaved Evax</b>       | PH           | Asteraceae     |
| <i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i>            | Clumping Our Lord's Candle   | S            | Agavaceae      |
| <b><i>Hesperoyucca whipplei</i> ssp. <i>percursa</i></b>      | <b>Our Lord's Candle</b>     | S            | Agavaceae      |
| <i>Heteromeles salicifolia</i>                                | Toyon                        | S            | Rosaceae       |
| <i>Heterotheca sessiliflora</i> ssp. <i>echioides</i>         | Hairy Golden-aster           | PH           | Asteraceae     |
| <b><i>Hieracium horridum</i></b>                              | <b>Shaggy Hawkweed</b>       | PH           | Asteraceae     |
| <i>Hirschfeldia incana</i> *                                  | Summer Mustard               | PH           | Brassicaceae   |
| <b><i>Hypericum formosum</i> var. <i>scouleri</i></b>         | <b>St. John's Wort</b>       | PH           | Clusiaceae     |
| <b><i>Juncus acutus</i> ssp. <i>leopoldii</i></b>             | <b>Spiny Rush</b>            | PG           | Juncaceae      |
| <i>Juncus balticus</i> ssp. <i>balticus</i>                   | Baltic Rush                  | PG           | Juncaceae      |
| <i>Juncus balticus</i> ssp. <i>mexicana</i>                   | Mexican Rush                 | PG           | Juncaceae      |
| <b><i>Juncus bufonius</i> var. <i>occidentalis</i></b>        | <b>Western Toad Rush</b>     | AG           | Juncaceae      |
| <b><i>Juncus effusus</i> var. <i>pacificus</i></b>            | <b>Pacific Rush</b>          | PG           | Juncaceae      |
| <b><i>Juncus rugulosus</i></b>                                | <b>Wrinkled Rush</b>         | PG           | Juncaceae      |
| <i>Juniperus californica</i>                                  | California Juniper           | S            | Cupressaceae   |
| <i>Keckiella breviflora</i> var. <i>breviflora</i>            | Stubflower Penstemon         | S            | Plantaginaceae |
| <i>Keckiella ternata</i> var. <i>septentrionalis</i>          | Bluestem Bush Penstemon      | S            | Plantaginaceae |
| <i>Koeleria macrantha</i>                                     | Junegrass                    | PG           | Poaceae        |
| <i>Lathyrus vestitus</i> ssp. <i>vestitus</i>                 | Pacific Peavine              | PV           | Fabaceae       |
| <i>Layia glandulosa</i> ssp. <i>glandulosa</i>                | White Layia                  | AH           | Asteraceae     |
| <b><i>Layia glandulosa</i> ssp. <i>lutea</i></b>              | <b>Yellow Layia</b>          | AH           | Asteraceae     |
| <b><i>Layia heterotricha</i></b>                              | <b>Pale-yellow Layia</b>     | AH           | Asteraceae     |
| <i>Lepidospartum squamatum</i>                                | Scalebroom                   | S            | Asteraceae     |
| <b><i>Leptodactylon pungens</i> ssp. <i>pulchriflorum</i></b> | <b>Granite Prickly Phlox</b> | S            | Polemoniaceae  |
| <b><i>Leptosiphon androsaceus</i></b>                         | <b>Baby Tears</b>            | AH           | Polemoniaceae  |
| <i>Leptosiphon aureus</i> ssp. <i>aureus</i>                  | Desert Gold                  | AH           | Polemoniaceae  |
| <b><i>Leptosiphon bicolor</i></b>                             | <b>Bicolored Linanthus</b>   | AH           | Polemoniaceae  |
| <b><i>Leptosiphon ciliatus</i></b>                            | <b>Whisker Brush</b>         | AH           | Polemoniaceae  |
| <b><i>Leptosiphon liniflorus</i></b>                          | <b>Narrow Flaxflower</b>     | AH           | Polemoniaceae  |
| <i>Leptosiphon parviflorus</i>                                | Linanthus                    | AH           | Polemoniaceae  |
| <i>Lessingia glandulifera</i> var. <i>glandulifera</i>        | Lemmon's Lessingia           | AH           | Asteraceae     |
| <b><i>Lessingia tenuis</i></b>                                | <b>Spring Lessingia</b>      | AH           | Asteraceae     |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>                                   | <b>Common Name</b>            | <b>Habit</b> | <b>Family</b>  |
|---|-------------------------------|--------------|----------------|
| <i>Leymus condensatus</i>                               | Giant Wildrye                 | PG           | Poaceae        |
| <i>Leymus triticoides</i>                               | Creeping Wildrye              | PG           | Poaceae        |
| <i>Lilium humboldtii</i> ssp. <i>ocellatum</i>          | Ocellated Humboldt Lily       | PG           | Liliaceae      |
| <i>Linum lewisii</i>                                    | Western Blue Flax             | AH           | Linaceae       |
| <i>Lithophragma cymbalaria</i>                          | Mission Star                  | PH           | Saxifragaceae  |
| <i>Lithophragma parviflorum</i> var. <i>parviflorum</i> | Prairie Star                  | PH           | Saxifragaceae  |
| <i>Lolium multiflorum</i> *                             | Italian Ryegrass              | PG           | Poaceae        |
| <i>Lomatium dasycarpum</i> ssp. <i>dasycarpum</i>       | Hairy Wing-fruit              | PH           | Apiaceae       |
| <i>Lomatium parvifolium</i>                             | Small-leaved Lomatium         | PH           | Apiaceae       |
| <i>Lonicera interrupta</i>                              | Chaparral Honeysuckle         | S            | Caprifoliaceae |
| <i>Lonicera subspicata</i> var. <i>denudata</i>         | Southern Honeysuckle          | S            | Caprifoliaceae |
| <i>Lotus argophyllus</i> ssp. <i>argophyllus</i>        | Silver Deervetch              | PH           | Fabaceae       |
| <i>Lotus crassifolius</i> var. <i>crassifolius</i>      | Buck Lotus                    | PH           | Fabaceae       |
| <i>Lotus grandiflorus</i> var. <i>grandiflorus</i>      | Large-flowered Lotus          | PH           | Fabaceae       |
| <i>Lotus humistratus</i>                                | Hill Lotus                    | AH           | Fabaceae       |
| <i>Lotus micranthus</i>                                 | Tiny Lotus                    | AH           | Fabaceae       |
| <i>Lotus nevadensis</i> var. <i>davidsonii</i>          | Sulphur-flowered Lotus        | PH           | Fabaceae       |
| <i>Lotus oblongifolius</i> var. <i>oblongifolius</i>    | Narrow-leaved Hosackia        | PH           | Fabaceae       |
| <i>Lotus purshianus</i> var. <i>purshianus</i>          | Spanish Clover                | AH           | Fabaceae       |
| <i>Lotus scoparius</i> var. <i>scoparius</i>            | Deerweed                      | S            | Fabaceae       |
| <i>Lotus strigosus</i> var. <i>strigosus</i>            | Strigose Lotus                | AH           | Fabaceae       |
| <i>Lotus wrangelianus</i>                               | Chile Lotus                   | AH           | Fabaceae       |
| <i>Lupinus albicaulis</i>                               | Whitestem Lupine              | PH           | Fabaceae       |
| <i>Lupinus albifrons</i> var. <i>albifrons</i>          | Silver Bush Lupine            | S            | Fabaceae       |
| <i>Lupinus andersonii</i>                               | Anderson Lupine               | PH           | Fabaceae       |
| <i>Lupinus bicolor</i>                                  | Bicolored Lupine              | AH           | Fabaceae       |
| <i>Lupinus breweri</i> var. <i>breweri</i>              | Brewer Mat Lupine             | PH           | Fabaceae       |
| <i>Lupinus concinnus</i> var. <i>concinnus</i>          | Bajada Lupine                 | AH           | Fabaceae       |
| <i>Lupinus concinnus</i> var. <i>optatus</i>            | Bajada Lupine                 | AH           | Fabaceae       |
| <i>Lupinus concinnus</i> var. <i>orcuttii</i>           | Orcutt Bajada Lupine          | AH           | Fabaceae       |
| <i>Lupinus elatus</i>                                   | Johnston Silky Lupine         | PH           | Fabaceae       |
| <i>Lupinus excubitus</i> var. <i>austromontanus</i>     | Southern Mountain Lupine      | S            | Fabaceae       |
| <i>Lupinus excubitus</i> var. <i>hallii</i>             | Hall's Grape Soda Lupine      | S            | Fabaceae       |
| <i>Lupinus excubitus</i> var. <i>johnstonii</i>         | Johnston Bush Lupine          | S            | Fabaceae       |
| <i>Lupinus formosus</i> var. <i>formosus</i>            | Summer Bush Lupine            | S            | Fabaceae       |
| <i>Lupinus hirsutissimus</i>                            | Nettle Lupine                 | AH           | Fabaceae       |
| <i>Lupinus latifolius</i> var. <i>parishii</i>          | Parish Broadleaf Lupine       | PH           | Fabaceae       |
| <i>Lupinus lepidus</i> var. <i>confertus</i>            | Prairie Lupine                | PH           | Fabaceae       |
| <i>Lupinus luteolus</i>                                 | Butter Lupine                 | AH           | Fabaceae       |
| <i>Lupinus microcarpus</i> var. <i>densiflorus</i>      | Densely Red-flowered Lupine   | AH           | Fabaceae       |
| <i>Lupinus microcarpus</i> var. <i>horizontalis</i>     | Prostrate Red-flowered Lupine | AH           | Fabaceae       |
| <i>Lupinus microcarpus</i> var. <i>microcarpus</i>      | Red-flowered Lupine           | AH           | Fabaceae       |
| <i>Lythrum californicum</i>                             | California Loosestrife        | AH           | Lythraceae     |
| <i>Madia elegans</i> ssp. <i>vernalis</i>               | Vernal Tarplant               | AH           | Asteraceae     |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| Botanical Name   | Common Name                    | Habit | Family          |
|--|--------------------------------|-------|-----------------|
| <i>Madia elegans</i> ssp. <i>wheeleri</i>              | Wheeler Tarplant               | AH    | Asteraceae      |
| <i>Malacothrix californica</i> var. <i>californica</i> | California Cliff-aster         | AH    | Asteraceae      |
| <i>Malacothrix clevelandii</i>                         | Cleveland Cliff-aster          | AH    | Asteraceae      |
| <i>Malacothrix floccifera</i>                          | Flocced Cliff-aster            | PH    | Asteraceae      |
| <i>Malacothrix saxatilis</i> var. <i>altissima</i>     | Montane Cliff Desertdandelion  | PH    | Asteraceae      |
| <i>Malacothrix saxatilis</i> var. <i>commutata</i>     | Cliff Desertdandelion          | PH    | Asteraceae      |
| <i>Marah fabaceus</i> var. <i>agrestis</i>             | California Man-root            | PV    | Cucurbitaceae   |
| <i>Marrubium vulgare</i> *                             | White Horehound                | PH    | Lamiaceae       |
| <i>Medicago sativa</i> *                               | Alfalfa                        | BH    | Fabaceae        |
| <i>Melica californica</i> var. <i>californica</i>      | California Melic Grass         | PG    | Poaceae         |
| <i>Melica frutescens</i>                               | Woody Melic Grass              | PG    | Poaceae         |
| <i>Melica imperfecta</i>                               | Coast Melic Grass              | PG    | Poaceae         |
| <i>Melilotus alba</i> *                                | White Sweetclover              | AH    | Fabaceae        |
| <i>Mentzelia congesta</i> var. <i>congesta</i>         | Congested Stickleaf            | AH    | Loasaceae       |
| <i>Mentzelia congesta</i> var. <i>davidsoniana</i>     | Ventana Stickleaf              | AH    | Loasaceae       |
| <i>Mentzelia dispersa</i>                              | Dispersed Stickleaf            | AH    | Loasaceae       |
| <i>Mentzelia gracilenta</i>                            | Slender Stickleaf              | AH    | Loasaceae       |
| <i>Mentzelia laevicaulis</i>                           | Blazing Star                   | AH    | Loasaceae       |
| <i>Mentzelia micrantha</i>                             | Tiny-flowered Stickleaf        | AH    | Loasaceae       |
| <i>Mentzelia montana</i> ssp. <i>montana</i>           | Mountain Stickleaf             | AH    | Loasaceae       |
| <i>Mentzelia veatchiana</i>                            | Veatch's Stickleaf             | AH    | Loasaceae       |
| <i>Mimulus aurantiacus</i> var. <i>australis</i>       | Southern Bush Monkeyflower     | S     | Phrymaceae      |
| <i>Mimulus aurantiacus</i> var. <i>pubescens</i>       | Fuzzy Bush Monkeyflower        | S     | Phrymaceae      |
| <i>Mimulus cardinalis</i>                              | Scarlet Monkeyflower           | PH    | Phrymaceae      |
| <i>Mimulus guttatus</i>                                | Common Streamside Monkeyflower | PH    | Phrymaceae      |
| <i>Mimulus johnstonii</i>                              | Johnston Monkeyflower          | AH    | Phrymaceae      |
| <i>Mimulus longiflorus</i> ssp. <i>longiflorus</i>     | Sticky Bush Monkeyflower       | S     | Phrymaceae      |
| <i>Mimulus moschatus</i> var. <i>longiflorus</i>       | Musk Monkeyflower              | AH    | Phrymaceae      |
| <i>Mimulus pilosus</i>                                 | Downy Monkeyflower             | AH    | Phrymaceae      |
| <i>Mimulus rubellus</i>                                | Little Redstem Monkeyflower    | AH    | Phrymaceae      |
| <i>Mimulus suksdorffii</i>                             | Suksdorf Monkeyflower          | AH    | Phrymaceae      |
| <i>Minuartia douglasii</i>                             | Douglas Sandwort               | AH    | Caryophyllaceae |
| <i>Monardella australis</i>                            | Southern Coyote Mint           | AH    | Lamiaceae       |
| <i>Monardella breweri</i>                              | Brewer Coyote Mint             | AH    | Lamiaceae       |
| <i>Monardella lanceolata</i>                           | Mustang Mint                   | AH    | Lamiaceae       |
| <i>Monardella linoides</i> ssp. <i>oblonga</i>         | Flax-leaved Horsemint          | PH    | Lamiaceae       |
| <i>Mucronea perfoliata</i> var. <i>perfoliata</i>      | Perfoliate Spineflower         | AH    | Polygonaceae    |
| <i>Muhlenbergia andina</i>                             | Foxtail Muhly                  | AG    | Poaceae         |
| <i>Muhlenbergia asperifolia</i>                        | Scratchgrass                   | AG    | Poaceae         |
| <i>Muhlenbergia rigens</i>                             | Deer Grass                     | PG    | Poaceae         |
| <i>Muilla maritima</i>                                 | Common Muilla                  | PG    | Alliaceae       |
| <i>Myrica californica</i>                              | California Wax-myrtle          | S     | Myricaceae      |
| <i>Nemophila pedunculata</i>                           | Little-foot Baby Blue-eyes     | AH    | Boraginaceae    |
| <i>Nemophila pulchella</i> var. <i>fremontii</i>       | Fremont Baby Blue-eyes         | AH    | Boraginaceae    |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| Botanical Name  | Common Name                    | Habit | Family         |
|---|--------------------------------|-------|----------------|
| <i>Nicotiana attenuata</i>                                  | Coyote Tobacco                 | AH    | Solanaceae     |
| <i>Nicotiana quadrivalvis</i> var. <i>quadrivalvis</i>      | Indian Tobacco                 | AH    | Solanaceae     |
| <i>Notholithocarpus densiflorus</i> var. <i>densiflorus</i> | Tanbark Oak                    | S     | Fagaceae       |
| <i>Oenothera californica</i> ssp. <i>californica</i>        | California Evening-primrose    | AH    | Onagraceae     |
| <i>Oenothera longissima</i> ssp. <i>clutei</i>              | Longstem Evening-primrose      | AH    | Onagraceae     |
| <i>Orobanche bulbosa</i>                                    | Chamise Broomrape              | PH    | Orobanchaceae  |
| <i>Orobanche californica</i> ssp. <i>feudgei</i>            | California Sagebrush Broomrape | PH    | Orobanchaceae  |
| <i>Oxytheca trilobata</i>                                   | Three-lobed Spineflower        | AH    | Polygonaceae   |
| <i>Panicum capillare</i> ssp. <i>capillare</i>              | Witchgrass                     | PG    | Poaceae        |
| <i>Pectocarya setosa</i>                                    | Comb-bur                       | AH    | Boraginaceae   |
| <i>Pedicularis semibarbata</i>                              | Pine-woods Lousewort           | PH    | Orobanchaceae  |
| <i>Pellaea mucronata</i> var. <i>mucronata</i>              | Birdsfoot Cliffbrake Fern      | PF    | Pteridaceae    |
| <i>Penstemon centranthifolius</i>                           | Scarlet Bugler                 | PH    | Plantaginaceae |
| <i>Penstemon grinnellii</i> var. <i>grinnellii</i>          | Grinnell Beardtongue           | PH    | Plantaginaceae |
| <i>Penstemon heterophyllus</i> var. <i>heterophyllus</i>    | Foothill Penstemon             | PH    | Plantaginaceae |
| <i>Penstemon labrosus</i>                                   | San Gabriel Penstemon          | PH    | Plantaginaceae |
| <i>Penstemon rostriflorus</i>                               | Bridges' Penstemon             | PH    | Plantaginaceae |
| <i>Penstemon speciosus</i>                                  | Showy Beardtongue              | PH    | Plantaginaceae |
| <i>Penstemon Xspeciosus</i>                                 | Hybrid Showy Beardtongue       | PH    | Plantaginaceae |
| <i>Pentachaeta fragilis</i>                                 | Fragile Pentachaeta            | AH    | Asteraceae     |
| <i>Perideridia pringlei</i>                                 | Adobe Yampah                   | PH    | Apiaceae       |
| <i>Peritoma arborea</i> var. <i>globosa</i>                 | Bladderpod                     | S     | Cleomaceae     |
| <i>Phacelia austromontana</i>                               | Southern Mountain Phacelia     | AH    | Boraginaceae   |
| <i>Phacelia brachyloba</i>                                  | Short-lobed Phacelia           | AH    | Boraginaceae   |
| <i>Phacelia cicutaria</i> var. <i>cicutaria</i>             | Caterpillar Phacelia           | AH    | Boraginaceae   |
| <i>Phacelia cicutaria</i> var. <i>hispida</i>               | Hispid Caterpillar Phacelia    | AH    | Boraginaceae   |
| <i>Phacelia curvipes</i> var. <i>curvipes</i>               | Washoe Phacelia                | AH    | Boraginaceae   |
| <i>Phacelia davidsonii</i>                                  | Davidson Phacelia              | AH    | Boraginaceae   |
| <i>Phacelia distans</i>                                     | Wild Heliotrope                | AH    | Boraginaceae   |
| <i>Phacelia douglasii</i> var. <i>douglasii</i>             | Douglas Phacelia               | AH    | Boraginaceae   |
| <i>Phacelia egena</i>                                       | Rock Phacelia                  | PH    | Boraginaceae   |
| <i>Phacelia fremontii</i>                                   | Fremont Phacelia               | AH    | Boraginaceae   |
| <i>Phacelia imbricata</i> ssp. <i>imbricata</i>             | Imbricate Mountain Phacelia    | PH    | Boraginaceae   |
| <i>Phacelia longipes</i>                                    | Long-stalked Phacelia          | AH    | Boraginaceae   |
| <i>Phacelia ramosissima</i> var. <i>ramosissima</i>         | Branching Phacelia             | PH    | Boraginaceae   |
| <i>Phlox gracilis</i>                                       | Slender Phlox                  | AH    | Polemoniaceae  |
| <i>Phoradendron densus</i>                                  | Fir Mistletoe                  | PH    | Viscaceae      |
| <i>Phoradendron macrophyllum</i>                            | Bigleaf Mistletoe              | PH    | Viscaceae      |
| <i>Phoradendron pauciflorum</i>                             | Few-flowered Mistletoe         | PH    | Viscaceae      |
| <i>Phoradendron villosum</i>                                | Oak Mistletoe                  | PH    | Viscaceae      |
| <i>Pinus flexilis</i>                                       | Limber Pine                    | T     | Pinaceae       |
| <i>Pinus jeffreyi</i>                                       | Jeffrey Pine                   | T     | Pinaceae       |
| <i>Pinus lambertiana</i>                                    | Sugar Pine                     | T     | Pinaceae       |
| <i>Pinus monophylla</i>                                     | Singleleaf Pinyon Pine         | T     | Pinaceae       |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>                               | <b>Common Name</b>                     | <b>Habit</b> | <b>Family</b>    |
|---|--|--------------|------------------|
| <i>Pinus ponderosa</i> var. <i>ponderosa</i>        | Pacific Ponderosa Pine                 | T            | Pinaceae         |
| <i>Platanus racemosa</i> var. <i>racemosa</i>       | California Sycamore                    | T            | Platanaceae      |
| <i>Platystemon californicus</i>                     | Cream Cups                             | AH           | Papaveraceae     |
| <i>Poa bulbosa</i> *                                | Bulbose Bluegrass                      | AG           | Poaceae          |
| <i>Poa howellii</i>                                 | <b>Howell's Bluegrass</b>              | PG           | Poaceae          |
| <i>Poa secunda</i> ssp. <i>secunda</i>              | One-slided Bluegrass                   | PG           | Poaceae          |
| <i>Polemonium micranthum</i>                        | <b>Tiny Phlox</b>                      | AH           | Polemoniaceae    |
| <i>Polypodium hesperium</i>                         | <b>Western Polypody</b>                | PF           | Polypodiaceae    |
| <i>Polypogon monspeliensis</i> *                    | Rabbitsfoot Beardgrass                 | AG           | Poaceae          |
| <i>Populus fremontii</i> ssp. <i>fremontii</i>      | Fremont Cottonwood                     | T            | Salicaceae       |
| <i>Populus trichocarpa</i>                          | Black Cottonwood                       | T            | Salicaceae       |
| <i>Potentilla glandulosa</i> ssp. <i>nevadensis</i> | <b>Sierra Nevada Sticky Cinquefoil</b> | PH           | Rosaceae         |
| <i>Potentilla gracilis</i> var. <i>elmeri</i>       | <b>Elmer Slender Cinquefoil</b>        | PH           | Rosaceae         |
| <i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>     | Hollyleaf Cherry                       | S            | Rosaceae         |
| <i>Prunus virginiana</i> var. <i>demissa</i>        | Western Choke Cherry                   | S            | Rosaceae         |
| <i>Pseudognaphalium beneolens</i>                   | <b>Coastal Everlasting</b>             | BH           | Asteraceae       |
| <i>Pseudognaphalium californicum</i>                | Green Everlasting                      | AH           | Asteraceae       |
| <i>Pseudognaphalium leucocephalum</i>               | <b>Whiteleaf Everlasting</b>           | PH           | Asteraceae       |
| <i>Pseudognaphalium microcephalum</i>               | White Everlasting                      | PH           | Asteraceae       |
| <i>Pseudognaphalium stramineum</i>                  | Western Everlasting                    | PH           | Asteraceae       |
| <i>Pseudotsuga macrocarpa</i>                       | Bigcone Spruce                         | T            | Pinaceae         |
| <i>Pteridium aquilinum</i> var. <i>pubescens</i>    | Western Bracken Fern                   | PF           | Dennstaedtiaceae |
| <i>Pyrola picta</i>                                 | <b>White-veined Wintergreen</b>        | PH           | Pyrolaceae       |
| <i>Quercus agrifolia</i> var. <i>agrifolia</i>      | Coast Live Oak                         | T            | Fagaceae         |
| <i>Quercus berberidifolia</i>                       | Chaparral Scrub Oak                    | S            | Fagaceae         |
| <i>Quercus chrysolepis</i>                          | Canyon Live Oak                        | T            | Fagaceae         |
| <i>Quercus john-tuckeri</i>                         | John Tucker Scrub Oak                  | S            | Fagaceae         |
| <i>Quercus kelloggii</i>                            | Black Oak                              | T            | Fagaceae         |
| <i>Quercus wislizenii</i> var. <i>frutescens</i>    | Shrubby Interior Live Oak              | S            | Fagaceae         |
| <i>Quercus wislizenii</i> var. <i>wislizenii</i>    | Interior Live Oak                      | T            | Fagaceae         |
| <i>Rafinesquia californica</i>                      | California Chicory                     | AH           | Asteraceae       |
| <i>Rhamnus californica</i> ssp. <i>californica</i>  | California Coffeeberry                 | S            | Rhamnaceae       |
| <i>Rhamnus crocea</i>                               | Spiny Redberry                         | S            | Rhamnaceae       |
| <i>Rhamnus tomentella</i> ssp. <i>tomentella</i>    | Hoary Coffeeberry                      | S            | Rhamnaceae       |
| <i>Rhus trilobata</i> var. <i>quinata</i>           | Slender-twig Skunkbrush                | S            | Anacardiaceae    |
| <i>Ribes californicum</i> var. <i>hesperium</i>     | Southern California Gooseberry         | S            | Grossulariaceae  |
| <i>Ribes cereum</i> var. <i>cereum</i>              | <b>Wax Currant</b>                     | S            | Grossulariaceae  |
| <i>Ribes malvaceum</i> var. <i>malvaceum</i>        | Chaparral Currant                      | S            | Grossulariaceae  |
| <i>Ribes nevadense</i>                              | <b>Sierra Currant</b>                  | S            | Grossulariaceae  |
| <i>Ribes roezli</i> var. <i>roezli</i>              | <b>Sierra Gooseberry</b>               | S            | Grossulariaceae  |
| <i>Rigiopappus leptocladius</i>                     | <b>Rigiopappus</b>                     | AH           | Asteraceae       |
| <i>Romneya trichocalyx</i>                          | Matilija Poppy                         | PH           | Papaveraceae     |
| <i>Rosa californica</i>                             | California Wild Rose                   | S            | Rosaceae         |
| <i>Rosa woodsii</i> var. <i>ultramontana</i>        | <b>Interior Wild Rose</b>              | S            | Rosaceae         |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

## By David L. Magney

| <b>Botanical Name</b>                                    | <b>Common Name</b>              | <b>Habit</b> | <b>Family</b>   |
|--|---------------------------------|--------------|-----------------|
| <i>Rubus parviflorus</i>                                 | Thimbleberry                    | PV           | Rosaceae        |
| <i>Rubus ursinus</i>                                     | California Blackberry           | PV           | Rosaceae        |
| <i>Rumex acetosella</i> *                                | Sheep Sorrel                    | PH           | Polygonaceae    |
| <i>Salix exigua</i> var. <i>exigua</i>                   | Narrowleaf Willow               | S            | Salicaceae      |
| <i>Salix lasiolepis</i> var. <i>lasirolepis</i>          | Arroyo Willow                   | S/T          | Salicaceae      |
| <i>Salsola paulsenii</i> *                               | Barbwire Thistle                | AH           | Chenopodiaceae  |
| <i>Salsola tragus</i> *                                  | Russian Thistle                 | AH           | Chenopodiaceae  |
| <i>Salvia apiana</i>                                     | White Sage                      | S            | Lamiaceae       |
| <i>Salvia columbariae</i>                                | Chia                            | AH           | Lamiaceae       |
| <i>Salvia leucophylla</i>                                | Purple Sage                     | S            | Lamiaceae       |
| <i>Salvia mellifera</i>                                  | Black Sage                      | S            | Lamiaceae       |
| <i>Sambucus mexicana</i>                                 | Blue Elderberry                 | S            | Caprifoliaceae  |
| <i>Sanicula graveolens</i>                               | Northern Sanicle                | PH           | Apiaceae        |
| <i>Sarcodes sanguinea</i>                                | Snow Plant                      | PH           | Monotropaceae   |
| <i>Schoenoplectus acutus</i> var. <i>occidentalis</i>    | Viscid Tule                     | PG           | Cyperaceae      |
| <i>Schoenoplectus pungens</i> var. <i>longispicatus</i>  | Common Threesquare Bulrush      | PG           | Cyperaceae      |
| <i>Scutellaria siphocampyloides</i>                      | Skullcap                        | PH           | Lamiaceae       |
| <i>Selaginella bigelovii</i>                             | Bigelow Spike-moss              | PF           | Selaginellaceae |
| <i>Senecio flaccidus</i> ssp. <i>douglasii</i>           | Douglas Butterweed              | S            | Asteraceae      |
| <i>Shepherdia argentea</i>                               | Buffalo Berry                   | S            | Elaeagnaceae    |
| <i>Sidalcea malviflora</i> ssp. <i>sparsifolia</i>       | Few-leaved Globemallow          | PH           | Malvaceae       |
| <i>Sidotheca caryophylloides</i>                         | Chickweed Spineflower           | AH           | Polygonaceae    |
| <i>Silene verecunda</i> ssp. <i>platyota</i>             | Indian Pink                     | AH           | Caryophyllaceae |
| <i>Sisymbrium altissimum</i> *                           | Tumble Mustard                  | AH           | Brassicaceae    |
| <i>Solanum umbelliferum</i>                              | Blue Witch                      | PH           | Solanaceae      |
| <i>Solidago californica</i>                              | California Goldenrod            | PH           | Asteraceae      |
| <i>Sonchus asper</i> *                                   | Prickly Sow-thistle             | AH           | Asteraceae      |
| <i>Sporobolus airoides</i>                               | Alkali Sacaton                  | PG           | Poaceae         |
| <i>Stachys albens</i>                                    | White Hedgenettle               | PH           | Lamiaceae       |
| <i>Stanleya pinnata</i> var. <i>pinnata</i>              | Prince's Plume                  | S            | Brassicaceae    |
| <i>Stellaria media</i> *                                 | Common Chickweed                | AH           | Caryophyllaceae |
| <i>Stellaria nitens</i>                                  | Shining Chickweed               | AH           | Caryophyllaceae |
| <i>Stephanomeria exigua</i> ssp. <i>carotifera</i>       | Carot Wirelettuce               | PH           | Asteraceae      |
| <i>Stephanomeria exigua</i> ssp. <i>exigua</i>           | Small Wirelettuce               | PH           | Asteraceae      |
| <i>Stephamomeria pauciflora</i> ssp. <i>pauciflora</i>   | Wire Lettuce                    | PH           | Asteraceae      |
| <i>Stephanomeria virgata</i> ssp. <i>virgata</i>         | Twiggy Wreath Plant             | AH           | Asteraceae      |
| <i>Stylomecon heterophylla</i>                           | Wind Poppy                      | AH           | Papaveraceae    |
| <i>Symphoricarpos mollis</i>                             | Creeping Snowberry              | S            | Caprifoliaceae  |
| <i>Symphoricarpos rotundifolius</i> var. <i>parishii</i> | Parish Snowberry                | S            | Caprifoliaceae  |
| <i>Taeniatherum caput-medusa</i> *                       | Medusa Head                     | AG           | Poaceae         |
| <i>Tamarix ramosissima</i> *                             | Tamarisk                        | S            | Tamaricaceae    |
| <i>Tauschia parishii</i>                                 | Parish Tauschia                 | PH           | Apiaceae        |
| <i>Thermopsis californica</i> var. <i>argentata</i>      | Silvery False Lupine            | PH           | Fabaceae        |
| <i>Thermopsis macrophylla</i> var. <i>venosa</i>         | Slender Santa Ynez False Lupine | PH           | Fabaceae        |

# Vascular Plants of Pine Mountain Ridge, Ventura County, California

By David L. Magney

| Botanical Name   | Common Name                 | Habit | Family        |
|--|-----------------------------|-------|---------------|
| <i>Thysanocarpus curvipes</i>                            | Fringe Lace Pod             | AH    | Brassicaceae  |
| <i>Thysanocarpus laciniatus</i>                          | Lace Pod                    | AH    | Brassicaceae  |
| <i>Toxicodendron diversilobum</i>                        | Western Poison Oak          | PV    | Anacardiaceae |
| <i>Trichostema lanceolatum</i>                           | Vinegar Weed                | AH    | Lamiaceae     |
| <i>Trifolium albopurpureum</i> var. <i>albopurpureum</i> | Rancheria Clover            | AH    | Fabaceae      |
| <i>Trifolium gracilentum</i> var. <i>gracilentum</i>     | Pinpoint Clover             | AH    | Fabaceae      |
| <i>Trifolium microcephalum</i>                           | Tiny-head Clover            | AH    | Fabaceae      |
| <b><i>Trifolium wormskioldii</i></b>                     | <b>Cows Clover</b>          | AH    | Fabaceae      |
| <i>Turricula parryi</i>                                  | Poodle-dog Bush             | S     | Boraginaceae  |
| <i>Turritis glabra</i> [ <i>Arabis glabra</i> ]          | Tower Mustard               | AH    | Brassicaceae  |
| <i>Typha domingensis</i>                                 | Southern Cattail            | PG    | Typhaceae     |
| <i>Uropappus lindleyi</i>                                | Silver Puffs                | AH    | Asteraceae    |
| <i>Verbena lasiostachys</i> var. <i>lasiostachys</i>     | Western Verbena             | PH    | Verbenaceae   |
| <b><i>Vicia americana</i> ssp. <i>americana</i></b>      | <b>American Vetch</b>       | AV    | Fabaceae      |
| <i>Vicia benghalensis</i> *                              | Mediterranean Vetch         | AV    | Fabaceae      |
| <b><i>Viola aurea</i></b>                                | <b>Golden Violet</b>        | PH    | Violaceae     |
| <b><i>Viola purpurea</i> ssp. <i>mohavensis</i></b>      | <b>Mojave Yellow Violet</b> | PH    | Violaceae     |
| <b><i>Viola purpurea</i> ssp. <i>purpurea</i></b>        | <b>Purple Violet</b>        | PH    | Violaceae     |
| <b><i>Viola purpurea</i> ssp. <i>quercetorum</i></b>     | <b>Oak Violet</b>           | PH    | Violaceae     |
| <i>Vulpia microstachys</i> var. <i>ciliata</i>           | Eastwood Fescue             | AG    | Poaceae       |
| <i>Vulpia microstachys</i> var. <i>microstachys</i>      | Desert Fescue               | AG    | Poaceae       |
| <i>Vulpia microstachys</i> var. <i>pauciflora</i>        | Side-oats                   | AG    | Poaceae       |
| <i>Vulpia myuros</i> forma <i>megalura</i> *             | Foxtail Fescue              | AG    | Poaceae       |
| <i>Woodwardia fimbriata</i>                              | Giant Chain Fern            | PF    | Blechnaceae   |

Names in **bold typeface** represent special-status species (CNPS listed or 10 or fewer populations in Ventura County).

An "\*" asterisk indicated nonnative naturalized taxa.

Includes all plants found from Potrero Seco east to Sespe Hot Springs, representing the west-east extent of the mountain.

Habit definitions:

AG = annual grass or graminoid

PG = perennial grass or graminoid

AH = annual herb

PH = perennial herb

AV = annual vine

PV = perennial vine

BH = biennial herb

S = shrub

PF = perennial fern or fern ally

T = tree