





http://dx.doi.org/10.11646/phytotaxa.208.1.10

Notes on Early Land Plants Today. 71. New synonyms, new names and new combinations in Lejeuneaceae (Marchantiophyta)

TAMÁS PÓCS¹, RUI-LIANG ZHU², ELENA REINER-DREHWALD³, LARS SÖDERSTRÖM^{4,*}, ANDERS HAGBORG⁵, MATT VON KONRAT⁵

¹Institute of Botany, Eszterházy College, pf. 43, H-3301 Eger, Hungary; colura@upcmail.hu

²Department of Biology, School of Life Sciences, East China Normal University, 3663 Zhong Shan North Road, Shanghai 200062,

China; Shanghai Key Lab for Urban Ecological Processes and Eco-Restoration, East China Normal University, 500 Dongchuan Road, Shanghai 200241, China; rlzhu@bio.ecnu.edu.cn

³ Albrecht-von-Haller-Institut für Pflanzenwissenschaften, Department of Systematics, Biodiversity and Evolution of Plants (with Herbarium), Untere Karspüle 2, 37073 Göttingen, Germany; mreiner@gwdg.de

⁴Department of Biology, Norwegian University of Science and Technology, N-7491 Trondheim, Norway; lars.soderstrom@bio.ntnu.no ⁵Department of Science and Education, The Field Museum, 1400 South Lake Shore Drive, Chicago, IL 60605–2496, USA; hagborg@pobox.com, mvonkonrat@fieldmuseum.org

*Author for correspondence

For the coming checklist of hornworts and liverworts (Söderström *et al., in press*) a few validations, transfers and synonymizations in the family Lejeuneaceae are still required.

Papillolejeunea Pócs (1997: 2) was described to include four species and Pócs & Eggers (1999) added another two species all endemic to New Guinea. Schuster (1998) reduced the genus to a subgenus under *Lejeunea* Libert (1820: 373), transferred the four known species and described a new species, *Lejeunea pocsii* Schuster (1998: 84) from New Zealand. The latter species was synonymized with *Lejeunea helmsiana* (Stephani 1896: 89) Stephani (1915: 796) in subg. *Lejeunea* by Renner *et al.* (2009). The two species described by Pócs & Eggers (1999) remain to be transferred to *Lejeunea*.

Prionocolea (Schuster 1978: 430) Schuster (1992: 277) is a not validly published name as the "basionym" is invalid. When Schuster (1978) described *Cyclolejeunea* subg. *Prionocolea* R.M.Schust. he did so by a "subgeneric-specific" description. Combined descriptions are only allowed as generic-specific descriptions (ICN Art. 38.5) and *Cyclolejeunea* subg. *Prionocolea* and all names based on this are invalid. Grolle (1984) transferred *Prionocolea* to *Lejeunea* subg. *Prionocolea* (Grolle 1984: 763) without noticing that the "basionym" was not validly published. Grolle (1984) did not transfer any of the species described in the genus, but neither species is validly published as the genus is invalid. Furthermore, both species need new names in *Lejeunea* as the specific epithets already are used in the genus.

A few illegitimate homonyms are also given new names and a few new synonyms are proposed.

Formal treatment

The format of this note follows Söderström *et al.* (2012) except that we are following McNeill *et al.* (2012) for nomenclatural problems.

Cheilolejeunea rigidula (Nees ex Mont.) R.M.Schust., *Castanea* 36: 105, 1971 (Schuster 1971). Basionym:—*Lejeunea rigidula* Nees ex Mont., *Ann. Sci. Nat. Bot. (sér. 2)* 14: 336, 1840 (Montagne 1840). Type:—FRENCH GUIANA. Mont Serpent. *Leprieur* 257 (PC-Mont. No. 3655 lectotype; NY, isolectotype).

= Cheilolejeunea breuteliana Steph., Hedwigia 34 (5): 240, 1895 (Stephani 1895b), syn. nov. Type:—ST. KITTS. Breutel (JE-04001062, lectotype here designated [or possibly holotype, cf. McNeill (2014)]; G-00069748, isolectotype). Note:—The lectotype was annotated as synonymous with Cheilolejeunea rigidula by R. Grolle in 1977 but we have not found this synonymy published anywhere.

Cheilolejeunea trifaria (Reinw., Blume et Nees) Mizut., J. Hattori Bot. Lab. 27: 132, 1964 (Mizutani 1964). Basionym:—Jungermannia trifaria Reinw. et al., Nova Acta Phys.-Med. Acad. Caes. Leop. - Carol. Nat. Cur. 12: 226, 1825 (Reinwardt et al. 1825). Type:—INDONESIA. Java: Specific locality unknown, Blume s.n. & s.d. (L,