

Subphylum **Crustacea** Brünnich, 1772 <sup>1</sup>

Class **Branchiopoda** Latreille, 1817 (2 subclasses)<sup>2</sup>

Subclass **Sarsostraca** Tasch, 1969 (1 order)

Order **Anostraca** Sars, 1867 (2 suborders)

Suborder **Artemiina** Weekers, Murugan, Vanfleteren, Belk and Dumont, 2002 (2 families)

Family **Artemiidae** Grochowski, 1896 (1 genus, 9 species)

Family **Parartemiidae** Simon, 1886 (1 genus, 18 species)

Suborder **Anostracina** Weekers, Murugan, Vanfleteren, Belk and Dumont, 2002 (6 families)

Family **Branchinectidae** Daday, 1910 (2 genera, 46 species)

Family **Branchipodidae** Simon, 1886 (6 genera, 36 species)

Family **Chirocephalidae** Daday, 1910 (9 genera, 78 species)

Family **Streptocephalidae** Daday, 1910 (1 genus, 56 species)

Family **Tanymastigitidae** Weekers, Murugan, Vanfleteren, Belk and Dumont, 2002 (2 genera, 8 species)

Family **Thamnocephalidae** Packard, 1883 (6 genera, 62 species)

Subclass **Phyllopoda** Preuss, 1951 (3 orders)

Order **Notostraca** Sars, 1867 (1 family)

Family **Triopsidae** Keilhack, 1909 (2 genera, 15 species)

Order **Laevicaudata** Linder, 1945 (1 family)

Family **Lynceidae** Baird, 1845 (3 genera, 36 species)

Order **Diplostraca** Gerstaecker, 1866 (3 suborders)

Suborder **Spinicaudata** Linder, 1945 (3 families)

Family **Cyzicidae** Stebbing, 1910 (4 genera, ~90 species)

Family **Leptestheriidae** Daday, 1923 (3 genera, ~37 species)

Family **Limnadiidae** Baird, 1849 (5 genera, ~61 species)

Suborder **Cycletherida** Sars, 1899 (1 family)

Family **Cycletheriidae** Sars, 1899 (1 genus, 1 species)

Suborder **Cladocera** Latreille, 1829 (4 infraorders)

Infraorder **Ctenopoda** Sars, 1865 (2 families)

Family **Holopediidae** Sars, 1865 (1 genus, 3 species)

Family **Sididae** Baird, 1850 (7 genera, 47 species)

Infraorder **Anomopoda** Stebbing, 1902 (12 families)

Family **Acantholeberidae** (1 genus, 1 species)

Family **Bosminidae** Baird, 1845 (2 genera, 14 species)

Family **Chydoridae** Stebbing, 1902 (49 genera, 269 species)

Family **Daphniidae** Straus, 1820 (5 genera, 121 species)

Family **Dumontidae** (1 genus, 1 species)

Family **Eurycercidae** (1 genus, 8 species)

Family **Gondwanotrichidae** Van Damme, Shiel & Dumont, 2007 (1 genus, 1 species)

Family **Ilyocryptidae** (1 genus, 28 species)

Family **Macrothricidae** Norman & Brady, 1867 (11 genera, 60 species)

Family **Moinidae** (2 genera, 29 species)

Family **Neothricidae** (1 genus, 3 species)

Family **Ophryoxidae** (2 genera, 3 species)

Infraorder **Onychopoda** Sars, 1865 (3 families)

Family **Cercopagididae** Mordukhai-Boltovskoi, 1968 (2 genera, 13 species)

Family **Podonidae** Mordukhai-Boltovskoi, 1968 (7 genera, 17 species)

- 
1. **By** Shane T. Ahyong, James K. Lowry, Miguel Alonso, Roger N. Bamber, Geoffrey A. Boxshall, Peter Castro, Sarah Gerken, Gordan S. Karaman, Joseph W. Goy, Diana S. Jones, Kenneth Meland, D. Christopher Rogers, Jörundur Svavarsson (for full contact details, see the list of **Author roles and addresses** after **References**). The title of this contribution should be cited as “Subphylum Crustacea Brünnich, 1772. In: Zhang, Z.-Q. (Ed.) *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness*”. The Recent Crustacea in this paper includes approximately 1003 families, 9522 genera and 66914 species.
  2. Based on Brendonck *et al.* (2008), Forró *et al.* (2008), Van Damme *et al.* (2007a, b), Rogers (2009), Rogers & Coronel (2011).

- Family **Polyphemidae** Baird, 1845 (1 genus, 13 species)  
 Infraorder **Haplopoda** Sars, 1865 (1 family)  
 Family **Leptodoridae** Lilljeborg, 1900 (1 genus, 1 species)  
 Class **Remipedia** Yager, 1981 (1 order)<sup>3</sup>  
 Order **Nectiopoda** Schram, 1986 (3 families)  
 Family **Godzilliidae** Schram, Yager & Emerson, 1986 (3 genera, 4 species)  
 Family **Micropacteridae** Schram, Yager & Emerson, 1986 (1 genus, 1 species)  
 Family **Speleonectidae** Yager, 1981 (4 genera, 13 species)  
 Class **Cephalocarida** Sanders, 1955 (1 order)<sup>4</sup>  
 Order **Brachypoda** Birshsteyn, 1960 (1 family)  
 Family **Hutchinsoniellidae** Sanders, 1955 (5 genera, 13 species)  
 Class **Maxillopoda** Dahl, 1956 (6 subclasses)  
 Subclass **Thecostraca** Gruvel, 1905 (3 infraclasses)  
 Infraclass **Facetotecta** Grygier, 1985 (1 genus, 11 species)<sup>5</sup>  
 Infraclass **Ascothoracida** Lacaze-Duthiers, 1880 (2 orders)<sup>6</sup>  
 Order **Dendrogastrida** Grygier, 1987 (3 families)  
 Family **Ascothoracidae** Grygier, 1987 (2 genera, 9 species)  
 Family **Ctenosculidae** Thiele, 1925 (3 genera, 3 species)  
 Family **Dendrogastridae** Gruvel, 1905 (3 genera, 38 species)  
 Order **Laurida** Grygier, 1987 (3 families)  
 Family **Lauridae** Gruvel, 1905 (4 genera, 19 species)  
 Family **Petrarcidae** Gruvel, 1905 (3 genera, 11 species)  
 Family **Synagogidae** Gruvel, 1905 (8 genera, 27 species)  
 Infraclass **Cirripedia** Burmeister, 1834 (3 superorders)<sup>7</sup>  
 Superorder **Acrothoracica** Gruvel, 1905 (2 orders)  
 Order **Cryptophtialida** Kolbasov, 2009 (1 family)  
 Family **Cryptophtialidae** Gerstaecker, 1866 (2 genera, 20 species)  
 Order **Lithoglyptida** Kolbasov, 2009 (2 families)  
 Family **Lithoglyptidae** Aurivillius, 1892 (7 genera, 36 species)  
 Family **Trypetesidae** Stebbing, 1910 (2 genera, 7 species)  
 Superorder **Rhizocephala** Müller, 1862 (2 orders)  
 Order **Akentrogonida** Häfele, 1911 (6 families)  
 Family **Chthamalophilidae** Bocquet-Védrine, 1961 (3 genera, 4 species)  
 Family **Clistosaccidae** Boschma, 1928 (2 genera, 2 species)  
 Family **Duplorbidae** Hoeg & Rybakov, 1992 (3 genera, 5 species)  
 Family **Mycetomorphidae** Hoeg & Rybakov, 1992 (1 genus, 1 species)  
 Family **Polysaccidae** Lützen & Takahashi, 1996 (1 genus, 2 species)  
 Family **Thompsoniidae** Hoeg & Rybakov, 1992 (5 genera, 17 species)  
 Family **Incertae Sedis** (1 genus, 1 species)  
 Order **Kentrogonida** Delage, 1884 (3 families)  
 Family **Lernaediscidae** Boschma, 1928 (3 genera, 16 species)  
 Family **Peltogastridae** Lilljeborg, 1860 (14 genera, 37 species)  
 Family **Sacculinidae** Lilljeborg, 1860 (7 genera, 169 species)  
 Superorder **Thoracica** Darwin, 1854 (4 orders)  
 Order **Ibliformes** Buckeridge & Newman, 2006 (1 suborder)  
 Suborder **Iblomorpha** Newman, 1987 (2 families)  
 Family **Iblidae** Leach, 1825 (2 genera, 3 species)  
 Family **Iblioiblididae** Buckeridge & Newman, 2006 (3 genera, 5 species)

3. Based on Koenamann *et al.* (2007) and Iliffe *et al.* (2010)

4. Based on Stuardo & Vega (2011)

5. Based on Kolbasov *et al.* (2007)

6. Based on Grygier (1987), WoRMS (2011a)

7. Based on Newman & Ross (1976), Grygier & Newman (1991), Buckeridge (1998), Jones (2000), Pitombo (2004), Chan *et al.* (2009), Buckeridge & Newman (2010), Newman (2011), WoRMS (2011b), Ross & Frick (2011).

- Order **Lepadiformes** Buckeridge & Newman, 2006 (2 suborders)
- Suborder **Heteralepadomorpha** Newman, 1987 (5 families)
    - Family **Anelasmatidae** Gruvel, 1905 (1 genus, 1 species)
    - Family **Heteralepadidae** Nilsson-Cantell, 1921 (3 genera, 39 species)
    - Family **Malacolepadidae** Hiro, 1937 (2 genera, 2 species)
    - Family **Microlepadidae** Zevina, 1980 (2 genera, 3 species)
    - Family **Rhizolepadidae** Zevina, 1980 (1 genus, 2 species)
  - Suborder **Lepadomorpha** Pilsbry, 1916 (4 families)
    - Family **Koleolepadidae** Hiro, 1933 (1 genus, 1 species)
    - Family **Lepadidae** Darwin, 1852 (3 genera, 12 species)
    - Family **Oxynaspididae** Gruvel, 1905 (1 genus, 20 species)
    - Family **Poecilasmatidae** Annandale, 1909 (8 genera, 40 species)
- Order **Scalpelliformes** Buckeridge & Newman, 2006 (5 families)
- Family **Calanticidae** Zevina, 1978 (10 genera, 44 species)
  - Family **Eolepadidae** Buckeridge, 1983 (4 genera, 7 species)
  - Family **Lithotryidae** Gruvel, 1905 (1 genus, 3 species)
  - Family **Pollicipidae** Leach, 1817 (2 genera, 7 species)
  - Family **Scalpellidae** Pilsbry, 1907 (28 genera, 268 species)
- Order **Sessilia** Lamarck, 1818 (3 suborders)
- Suborder **Brachylepadomorpha** Withers, 1923 (1 family)
    - Family **Neobrachylepadidae** Newman & Yamaguchi, 1995 (1 genus, 1 species)
  - Suborder **Verrucomorpha** Pilsbry, 1916 (2 families)
    - Family **Neoverrucidae** Newman, 1989 (2 genera, 2 species)
    - Family **Verrucidae** Darwin, 1854 (10 genera, 63 species)
  - Suborder **Balanomorpha** Pilsbry, 1916 (6 superfamilies)
    - Superfamily **Chionelasmatoidea** Buckeridge, 1983 (1 family)
      - Family **Chionelasmatidae** Buckeridge, 1983 (2 genera, 5 species)
    - Superfamily **Pachylasmatoidea** Utinomi, 1968 (1 family)
      - Family **Pachylasmatidae** Utinomi, 1968 (7 genera, 26 species)
    - Superfamily **Chthamaloidea** Darwin, 1854 (2 families)
      - Family **Catophragmidae** Utinomi, 1968 (2 genera, 2 species)
      - Family **Chthamalidae** Darwin, 1854 (11 genera, 48 species)
    - Superfamily **Coronuloidea** Leach, 1817 (3 families)
      - Family **Chelonibiidae** Pilsbry, 1916 (1 genus, 6 species)
      - Family **Coronulidae** Leach, 1817 (5 genera, 5 species)
      - Family **Platylepadidae** Newman & Ross, 1976 (5 genera, 15 species)
    - Superfamily **Tetraclitoidea** Gruvel, 1903 (3 families)
      - Family **Austrobalanidae** Newman & Ross, 1976 (5 genera, 14 species)
      - Family **Bathylasmatidae** Newman & Ross, 1971 (4 genera, 20 species)
      - Family **Tetraclitidae** Gruvel, 1903 (6 genera, 38 species)
    - Superfamily **Balanoidea** Leach, 1817 (3 families)
      - Family **Archaeobalanidae** Newman & Ross, 1976 (12 genera, 121 species)
      - Family **Balanidae** Leach, 1817 (16 genera, 94 species)
      - Family **Pyrgomatidae** Gray, 1825 (22 genera, 72 species)
- Subclass **Tantulocarida** Boxshall & Lincoln, 1983 (5 families)<sup>8</sup>
- Family **Basipodellidae** Boxshall & Lincoln, 1983 (7 genera, 8 species)
  - Family **Deoterthridae** Boxshall & Lincoln, 1987 (11 genera, 16 species)
  - Family **Doryphallophoridae** Huys, 1991 (2 genera, 4 species)
  - Family **Microdajidae** Boxshall & Lincoln, 1987 (2 genera, 6 species)
  - Family **Onceroxenidae** Huys, 1991 (1 genus, 2 species)
- Subclass **Branchiura** Thorell, 1864 (1 order)<sup>9</sup>

8. Based on Knudsen *et al.* (2009), Savchenko & Kolbasov (2009), Kolbasov & Savchenko (2010), Mohrbeck *et al.* (2010).

9. Based on Boxshall (2011)

- Order **Arguloidea** Yamaguti, 1963 (1 family)  
    Family **Argulidae** Leach, 1819 (4 genera, 168 species)
- Subclass **Pentastomida** Diesing, 1836 (2 orders)<sup>10</sup>  
    Order **Cephalobaenida** Heymons, 1935 (2 families)  
        Family **Cephalobaenidae** Fain, 1961 (4 genera, 50 species)  
        Family **Reighardiidae** Heymons, 1935 (2 genera, 3 species)
- Order **Porocephalida** Heymons, 1935 (4 families)  
        Family **Linguatulidae** Heymons, 1935 (1 genus, 2 species)  
        Family **Porocephalidae** Fain, 1961 (5 genera, 22 species)  
        Family **Sebekiidae** Fain, 1961 (11 genera, 49 species)  
        Family **Subtriquetridae** Fain, 1961 (1 genus, 4 species)
- Subclass **Mystacocarida** Pennak & Zinn, 1943 (1 order)<sup>11</sup>  
    Order **Mystacocaridida** Pennak & Zinn, 1943 (1 family)  
        Family **Derocheilocarididae** Pennak & Zinn, 1943 (2 genera, 13 species)
- Subclass **Copepoda** Milne-Edwards, 1840 (1 infraclass)<sup>12</sup>  
    Infraclass **Progymnoplea** Lang, 1948 (1 order)  
        Order **Platycopioidea** Fosshagen, 1985 (1 family)  
            Family **Platycopiidae** Sars, 1911 (4 genera, 11 species)
- Infraclass **Neocopepoda** Huys & Boxshall, 1991 (2 superorders)  
        Superorder **Gymnoplea** Giesbrecht, 1882 (1 order)  
            Order **Calanoida** Sars, 1903 (47 families)  
                Family **Acartiidae** Sars, 1900 (4 genera, 97 species)  
                Family **Aetideidae** Giesbrecht, 1893 (33 genera, 277 species)  
                Family **Arctokonstantinidae** Markhaseva & Kosobokova, 2001 (2 genera, 2 species)  
                Family **Arietellidae** Sars, 1902 (14 genera, 60 species)  
                Family **Augaptilidae** Sars, 1905 (12 genera, 129 species)  
                Family **Bathypontiidae** Brodsky, 1950 (4 genera, 21 species)  
                Family **Boholinidae** Fosshagen & Iliffe, 1989 (1 genus, 2 species)  
                Family **Calanidae** Dana, 1846 (9 genera, 72 species)  
                Family **Candaciidae** Giesbrecht, 1893 (1 genus, 50 species)  
                Family **Centropagidae** Giesbrecht, 1893 (14 genera, 147 species)  
                Family **Clausocalanidae** Giesbrecht, 1893 (7 genera, 41 species)  
                Family **Diaixidae** Sars, 1902 (5 genera, 14 species)  
                Family **Diaptomidae** Baird, 1850 (64 genera, 566 species)  
                Family **Discoidae** Gordejeva, 1975 (4 genera, 31 species)  
                Family **Epacteriscidae** Fosshagen, 1973 (19 genera, 32 species)  
                Family **Eucalanidae** Giesbrecht, 1893 (2 genera, 21 species)  
                Family **Euchaetidae** Giesbrecht, 1893 (2 genera, 128 species)  
                Family **Fosshageniidae** Suárez-Morales & Iliffe, 1996 (2 genera, 5 species)  
                Family **Heterorhabdidae** Sars, 1902 (8 genera, 77 species)  
                Family **Hyperbionychidae** Ohtsuka, Roe & Boxshall, 1993 (2 genera, 3 species)  
                Family **Kyphocalanidae** Markhaseva & Schulz, 2009 (1 genus, 1 species)  
                Family **Lucicutiidae** Sars, 1902 (1 genus, 51 species)  
                Family **Megacalanidae** Sewell, 1947 (3 genera, 17 species)  
                Family **Mesaiokeratidae** Matthews, 1961 (1 genus, 9 species)  
                Family **Metridinidae** Sars, 1902 (3 genera, 47 species)  
                Family **Nullosetigeridae** Soh, Ohtsuka, Imabayashi & Suh, 1999 (1 genus, 10 species)  
                Family **Paracalanidae** Giesbrecht, 1893 (8 genera, 96 species)  
                Family **Parapontellidae** Giesbrecht, 1893 (2 genera, 2 species)

10. Based on Heymons (1935), Self (1969), Riley & Self (1981), Almeida & Christoffersen (1999), Junker & Boomker (2006), Almeida *et al.* (2008).

11. Based on Martin (2009)

12. Based on Boxshall (2004) and WoRMS (2011c). Note that species numbers must be considered approximate as numerous synonymic issues remain to be resolved. We follow Boxshall (2004) in treating Poecilostomatoida as part of Cyclopoida.

- Family **Parkiidae** Ferrari & Markhaseva, 1996 (1 genus, 1 species)  
 Family **Phaennidae** Sars, 1902 (9 genera, 114 species)  
 Family **Pontellidae** Dana, 1853 (10 genera, 249 species)  
 Family **Pseudocyclopiidae** Giesbrecht, 1893 (1 genus, 41 species)  
 Family **Pseudocyclopiidae** Sars, 1902 (5 genera, 14 species)  
 Family **Pseudodiaptomidae** Sars, 1902 (3 genera, 79 species)  
 Family **Rhincalanidae** Geletin, 1976 (1 genus, 6 species)  
 Family **Ridgewayiidae** M.S. Wilson, 1958 (11 genera, 34 species)  
 Family **Rostrocalanidae** Markhaseva, Schulz & Martínez Arbizu, 2009 (1 genus, 2 species)  
 Family **Ryocalanidae** Andronov, 1974 (1 genus, 6 species)  
 Family **Scolecitrichidae** Giesbrecht, 1893 (31 genera, 304 species)  
 Family **Spinocalanidae** Vervoort, 1951 (14 genera, 73 species)  
 Family **Stephidae** Sars, 1902 (4 genera, 38 species)  
 Family **Subeucalanidae** Giesbrecht, 1893 (1 genus, 10 species)  
 Family **Sulcanidae** Nicholls, 1945 (1 genus, 1 species)  
 Family **Temoridae** Giesbrecht, 1893 (4 genera, 64 species)  
 Family **Tharybidae** Sars, 1902 (5 genera, 56 species)  
 Family **Tortanidae** Sars, 1902 (1 genus, 41 species)
- Superorder **Podoplea** Giesbrecht, 1882 (7 orders)
- Order **Misophrioida** Gurney, 1933 (3 families)
- Family **Misophriidae** Brady, 1878 (8 genera, 16 species)  
 Family **Palpophriidae** Boxshall & Jaume, 2000 (1 genus, 1 species)  
 Family **Speleophriidae** Boxshall & Jaume, 2000 (7 genera, 20 species)
- Order **Cyclopoidea** Burmeister, 1834 (88 families)
- Family **Abrsidae** Karanovic, 2008 (1 genus, 1 species)  
 Family **Anchimolgidae** Humes & Boxshall, 1996 (30 genera, 133 species)  
 Family **Anomoclausidae** Gotto, 1964 (1 genus, 1 species)  
 Family **Antheacheridae** M. Sars, 1870 (4 genera, 8 species)  
 Family **Anthessiidae** Humes, 1986 (6 genera, 53 species)  
 Family **Archinotodelphyidae** Lang, 1949 (2 genera, 5 species)  
 Family **Ascidicolidae** Thorell, 1859 (11 genera, 16 species)  
 Family **Bomolochidae** Sumpf, 1871 (19 genera, 149 species)  
 Family **Botryllophilidae** Sars, 1921 (7 genera, 82 species)  
 Family **Bradophilidae** Marchenkov, 2002 (2 genera, 2 species)  
 Family **Buproridae** Thorell, 1859 (1 genus, 3 species)  
 Family **Catiniidae** Bocquet & Stock, 1957 (4 genera, 8 species)  
 Family **Chitonophilidae** Avdeev & Sirenko, 1991 (9 genera, 17 species)  
 Family **Chondracanthidae** Milne Edwards, 1840 (48 genera, 196 species)  
 Family **Chordeumiidae** Boxshall, 1988 (6 genera, 13 species)  
 Family **Clausidiidae** Embleton, 1901 (15 genera, 116 species)  
 Family **Clausiidae** Giesbrecht, 1895 (11 genera, 28 species)  
 Family **Corallovexiidae** Stock, 1975 (2 genera, 10 species)  
 Family **Corycaeidae** Dana, 1852 (6 genera, 92 species)  
 Family **Cucumaricolidae** Bouligand & Delamare Deboutteville, 1959 (1 genus, 2 species)  
 Family **Cyclopettidae** Martínez Arbizu, 2000 (4 genera, 10 species)  
 Family **Cyclopinidae** Sars, 1913 (1 genus, 8 species)  
 Family **Cyclopiidae** Dana, 1846 (72 genera, 850 species)  
 Family **Cyclopinidae** Sars, 1913 (13 genera, 68 species)  
 Family **Echiurophilidae** Delamare Deboutteville & Nunes-Ruivo, 1955 (2 genera, 3 species)  
 Family **Enterognathidae** Illg & Dudley, 1980 (4 genera, 6 species)  
 Family **Enteropsidae** C.W.S. Aurivillius, 1885 (5 genera, 60 species)

Family **Entobiidae** Ho, 1984 (1 genus, 3 species)  
 Family **Erebonasteridae** Humes, 1987 (6 genera, 11 species)  
 Family **Ergasilidae** von Nordmann, 1832 (27 genera, 255 species)  
 Family **Eunicolidae** Sars, 1918 (2 genera, 3 species)  
 Family **Fratiidae** Ho, Conradi & López-González, 1998 (1 genus, 1 species)  
 Family **Gastrodelphyidae** List, 1889 (3 genera, 11 species)  
 Family **Giselinidae** Martínez Arbizu, 2000 (2 genera, 4 species)  
 Family **Herpyllobiidae** Hansen, 1892 (5 genera, 29 species)  
 Family **Hemicyclopinidae** Martínez Arbizu, 2001 (8 genera, 28 species)  
 Family **Intramolgidae** Marchenkov & Boxshall, 1995(1 genus, 1 species)  
 Family **Kelleriidae** Humes & Boxshall, 1996(1 genus, 20 species)  
 Family **Lamippidae** Joliet, 1882 (10 genera, 70 species)  
 Family **Lernaeidae** Cobbold, 1879 (17 genera, 143 species)  
 Family **Lernaesoleidae** Yamaguti, 1963 (2 genera, 2 species)  
 Family **Lichomolgidae** Kossmann, 1877 (29 genera 169 species)  
 Family **Lubbockiidae** Huys & Böttger-Schnack, 1997 (7 genera, 20 species)  
 Family **Macrochironidae** Humes & Boxshall, 1996 (5 genera, 30 species)  
 Family **Mantridae** Leigh-Sharpe, 1934 (3 genera, 3 species)  
 Family **Mesoglicolidae** de Zulueta, 1911 (1 genus, 1 species)  
 Family **Micrallectidae** Huys, 2001 (1 genus, 2 species)  
 Family **Myicolidae** Yamaguti, 1936(8 genera, 26 species)  
 Family **Mytilicolidae** Bocquet & Stock, 1957(4 genera, 14 species)  
 Family **Nereicolidae** Claus, 1875 (9 genera, 18 species)  
 Family **Notodelphyidae** Dana, 1853 (52 genera, 252 species)  
 Family **Octopicolidae** Humes & Boxshall, 1996 (1 genus, 3 species)  
 Family **Oithonidae** Dana, 1853 (4 genera, 83 species)  
 Family **Oncaidae** Giesbrecht, 1893 (7 genera, 118 species)  
 Family **Ozmanidae** Ho & Thatcher, 1989 (1 genus, 2 species)  
 Family **Paralubbockiidae** Boxshall & Huys, 1990 (1 genus, 1 species)  
 Family **Philichthyidae** Vogt, 1877 (9 genera, 77 species)  
 Family **Philoblennidae** Izawa, 1976 (4 genera, 10 species)  
 Family **Phyllocolidae** Delamare Deboutteville & Laubier, 1961 (2 genera, 3 species)  
 Family **Pionodesmotidae** Bonnier, 1898 (1 genus, 1 species)  
 Family **Polyankyliidae** Ho & Kim, 1997 (1 genus, 2 species)  
 Family **Psammocyclopinidae** Martínez Arbizu, 2001 (2 genera, 6 species)  
 Family **Pseudanthessiidae** Humes & Stock, 1972 (6 genera, 57 species)  
 Family **Pterinopsyllidae** Sars, 1913 (2 genera, 10 species)  
 Family **Rhynchomolgidae** Humes & Stock, 1972 (45 genera, 267 species)  
 Family **Sabelliphilidae** Gurney, 1927 (9 genera, 26 species)  
 Family **Saccopsidae** Lutzen, 1964 (1 genus, 4 species)  
 Family **Sapphirinidae** Thorell, 1860 (5 genera, 85 species)  
 Family **Schminkepinellidae** Martínez Arbizu, 2006 (5 genera, 9 species)  
 Family **Serpulidicolidae** Stock, 1979 (5 genera, 9 species)  
 Family **Shiinoidae** Cressey, 1975 (2 genera, 9 species)  
 Family **Smirnovipinidae** Martínez Arbizu, 1997 (4 genera, 11 species)  
 Family **Speleoithonidae** da Rocha & Iliffe, 1991 (1 genus, 3 species)  
 Family **Spiophanicolidae** Ho, 1984(1 genus, 1 species)  
 Family **Splanchnotrophidae** Norman & T. Scott, 1906 (5 genera, 23 species)  
 Family **Synapticolidae** Humes & Boxshall, 1996 (9 genera, 51 species)  
 Family **Synaptiphilidae** Bocquet, 1953 (3 genera, 9 species)  
 Family **Taeniacanthidae** C.B. Wilson, 1911 (17 genera, 108 species)  
 Family **Tegobomolochidae** G.V. Avdeev, 1978 (1 genus, 1 species)  
 Family **Telsidae** Ho, 1967 (1 genus, 2 species)  
 Family **Thamnomolgidae** Humes & Boxshall, 1996 (3 genera, 4 species)

- Family **Thaumatopsyllidae** Sars, 1913 (4 genera, 5 species)  
 Family **Tuccidae** Vervoort, 1962 (1 genus, 1 species)  
 Family **Umarzurcolidae** Ho, Ohtsuka & Nakadachi, 2006 (1 genus, 1 species)  
 Family **Urocopiidae** Humes & Stock, 1972 (1 genus, 3 species)  
 Family **Vahiniidae** Humes, 1967 (1 genus, 2 species)  
 Family **Ventriculinidae** Leigh-Sharpe, 1934 (2 genera, 3 species)  
 Family **Xarifiidae** Humes, 1960 (5 genera, 92 species)  
 Family **Xenocoelomatidae** Bresciani & Lützen, 1966 (2 genera, 3 species)  
 Family **Incertae Sedis** (*Akessonia*-group) (3 genera, 3 species)  
 Family **Incertae Sedis** (*Axinophilus*-group) (2 genera, 3 species)  
 Family **Incertae Sedis** (*Endocheres*-group) (1 genus, 1 species)  
 Family **Incertae Sedis** (*Gonophysema*-group) (4 genera, 4 species)  
 Family **Incertae Sedis** (*Ive*-group) (2 genera, 2 species)  
 Family **Incertae Sedis** (*Octophiophora*-group) (2 genera, 2 species)  
 Family **Incertae Sedis** (*Pachos*-group) (1 genus, 3 species)  
 Family **Incertae Sedis** (*Ophelicola*-group) (1 genus, 1 species)  
 Family **Incertae Sedis** (*Teredicola*-group) (4 genera, 11 species)
- Order **Gelyelloida** Huys, 1988 (1 family)  
 Family **Gelyellidae** Rouch & Lescher-Moutoué, 1977 (1 genus, 2 species)
- Order **Mormonilloida** Boxshall, 1979 (1 family)  
 Family **Mormonillidae** Giesbrecht, 1893 (2 genera, 5 species)
- Order **Harpacticoida** Sars, 1903 (59 families)  
 Family **Adenopleurellidae** Huys, 1990 (3 genera, 4 species)  
 Family **Aegisthidae** Giesbrecht, 1893 (13 genera, 89 species)  
 Family **Ameiridae** Monard, 1927 (48 genera, 455 species)  
 Family **Ancorabolidae** Sars, 1909 (15 genera, 81 species)  
 Family **Arenopontiidae** Martínez Arbizu & Moura, 1994 (6 genera, 39 species)  
 Family **Argestidae** Por, 1986 (20 genera, 95 species)  
 Family **Balaenophilidae** Sars, 1910 (1 genus, 3 species)  
 Family **Cancrincolidae** Fiers, 1990 (4 genera, 8 species)  
 Family **Canthocamptidae** Sars, 1906 (61 genera, 1232 species)  
 Family **Canuellidae** Lang, 1944 (18 genera, 106 species)  
 Family **Chappuisiidae** Chappuis, 1940 (1 genus, 2 species)  
 Family **Cletodidae** T. Scott, 1904 (24 genera, 164 species)  
 Family **Cletopsyllidae** Huys & Willems, 1989 (5 genera, 16 species)  
 Family **Cristacoxidae** Huys, 1990 (2 genera, 4 species)  
 Family **Cylindropsyllidae** Sars, 1909 (9 genera, 31 species)  
 Family **Dactylopusiidae** Sars, 1905 (6 genera, 123 species)  
 Family **Darcythompsoniidae** Lang, 1936 (4 genera, 40 species)  
 Family **Ectinosomatidae** Sars, 1903 (22 genera, 347 species)  
 Family **Euterpinidae** Brian, 1921 (1 genus, 3 species)  
 Family **Hamondiidae** Huys, 1990 (3 genera, 5 species)  
 Family **Harpacticidae** Dana, 1846 (15 genera, 142 species)  
 Family **Heteropsyllidae** Kornev & Chertoprud, 2008 (1 genus, 1 species)  
 Family **Idyanthidae** Lang, 1948 (8 genera, 22 species)  
 Family **Laophontidae** T. Scott, 1905 (76 genera, 475 species)  
 Family **Laophontopsidae** Huys & Willems, 1989 (3 genera, 15 species)  
 Family **Latiremidae** Božić, 1969 (2 genera, 6 species)  
 Family **Leptastacidae** Lang, 1948 (18 genera, 101 species)  
 Family **Leptopontiidae** Lang, 1948 (4 genera, 40 species)  
 Family **Longipediidae** Sars, 1903 (1 genus, 23 species)  
 Family **Louriniidae** Monard, 1927 (1 genus, 3 species)  
 Family **Metidae** Sars, 1910 (2 genera, 18 species)  
 Family **Miraciidae** Dana, 1846 (54 genera, 691 species)

Family **Nannopodidae** Brady, 1880 (6 genera, 16 species)  
 Family **Neobradidae** Olofsson, 1917 (4 genera, 10 species)  
 Family **Normanellidae** Huys & Willems, 1989 (4 genera, 27 species)  
 Family **Novocriniidae** Huys & Iliffe, 1998 (2 genera, 4 species)  
 Family **Orthopsyllidae** Huys, 1990 (1 genus, 16 species)  
 Family **Parameiropsidae** Corgosinho & Martínez Arbizu, 2010 (1 genus, 8 species)  
 Family **Paramesochridae** Lang, 1944 (14 genera, 159 species)  
 Family **Parastenheliidae** Lang, 1936 (3 genera, 23 species)  
 Family **Parastenocarididae** Chappuis, 1940 (28 genera, 352 species)  
 Family **Peltidiidae** Sars, 1904 (11 genera, 115 species)  
 Family **Phyllognathopodidae** Gurney, 1932 (4 genera, 13 species)  
 Family **Porcellidiidae** Boeck, 1865 (9 genera, 85 species)  
 Family **Protolatiremidae** Božić, 1969 (1 genus, 1 species)  
 Family **Pseudotachidiidae** Lang, 1936 (25 genera, 160 species)  
 Family **Rhizotrichidae** Por, 1986 (2 genera, 21 species)  
 Family **Rhynchothalestridae** Lang, 1948 (2 genera, 10 species)  
 Family **Rometidae** Seifried & Schminke, 2003 (1 genus, 1 species)  
 Family **Rotundiclipeidae** Huys, 1988 (1 genus, 1 species)  
 Family **Superornatiremidae** Huys, 1996 (4 genera, 10 species)  
 Family **Tachidiidae** Boeck, 1865 (6 genera, 33 species)  
 Family **Tegastidae** Sars, 1904 (6 genera, 83 species)  
 Family **Tetragonicepsidae** Lang, 1944 (14 genera, 122 species)  
 Family **Thalestridae** Sars, 1905 (10 genera, 110 species)  
 Family **Thompsonulidae** Lang, 1944 (2 genera, 7 species)  
 Family **Tisbidae** Stebbing, 1910 (22 genera, 165 species)  
 Family **Zosimeidae** Seifrid, 2003 (3 genera, 19 species)  
 Family **Incertae Sedis** (8 genera, 12 species)

Order **Siphonostomatoida** Thorell, 1859 (43 families)

Family **Amasterasidae** Izawa, 2008 (1 genus, 1 species)  
 Family **Archidactylinidae** Izawa, 1996 (1 genus, 1 species)  
 Family **Artotrogidae** Brady, 1880 (22 genera, 124 species)  
 Family **Asterocheridae** Giesbrecht, 1899 (56 genera, 294 species)  
 Family **Brychiopontiidae** Humes, 1974 (2 genera, 2 species)  
 Family **Caligidae** Burmeister, 1834 (37 genera, 559 species)  
 Family **Calverocheridae** Stock, 1968 (1 genus, 3 species)  
 Family **Cancerillidae** Giesbrecht, 1897 (7 genera, 16 species)  
 Family **Cecropidae** Dana, 1849 (5 genera, 11 species)  
 Family **Codobidae** Boxshall & Ohtsuka, 2001 (1 genus, 1 species)  
 Family **Coralliomyzontidae** Humes & Stock, 1991 (4 genera, 6 species)  
 Family **Dichelethiidae** Milne Edwards, 1840 (2 genera, 2 species)  
 Family **Dichelinidae** Boxshall & Ohtsuka, 2001 (1 genus, 2 species)  
 Family **Dinopontiidae** Murnane, 1967 (2 genera, 5 species)  
 Family **Dirivultidae** Humes & Dojiri, 1981 (13 genera, 51 species)  
 Family **Dissonidae** Yamaguti, 1963 (1 genus, 12 species)  
 Family **Ecbathyriontidae** Humes, 1987 (1 genus, 1 species)  
 Family **Entomolepididae** Brady, 1899 (7 genera, 12 species)  
 Family **Eudactylinidae** Wilson, 1922 (12 genera, 67 species)  
 Family **Hatschekiidae** Kabata, 1979 (8 genera, 150 species)  
 Family **Hyponeoidae** Heegaard, 1962 (3 genera, 3 species)  
 Family **Kroyeriidae** Kabata, 1979 (3 genera, 27 species)  
 Family **Lernaepodidae** Milne Edwards, 1840 (49 genera, 434 species)  
 Family **Lernanthropidae** Kabata, 1979 (8 genera, 145 species)  
 Family **Megapontiidae** Heptner, 1968 (1 genus, 10 species)  
 Family **Micropontiidae** Gooding, 1957 (1 genus, 2 species)



- Family **Nanaspidae** Humes & Cressey, 1959 (5 genera, 19 species)  
 Family **Nicothoidae** Dana, 1849 (21 genera, 143 species)  
 Family **Pandaridae** Milne Edwards, 1840 (17 genera, 105 species)  
 Family **Pennellidae** Burmeister, 1834 (21 genera, 163 species)  
 Family **Pontociellidae** Giesbrecht, 1895 (1 genus, 1 species)  
 Family **Pseudocycnidae** Wilson, 1922 (3 genera, 5 species)  
 Family **Pseudohatschekiidae** Tang, Izawa, Uyeno & Nagasawa, 2010 (1 genus, 2 species)  
 Family **Rataniidae** Giesbrecht, 1897 (1 genus, 2 species)  
 Family **Scottomyzontidae** Ivanenko, Ferrari, & Smurov, 2001 (1 genus, 1 species)  
 Family **Sphyridae** Wilson, 1919 (9 genera, 40 species)  
 Family **Sponginticolidae** Topsent, 1928 (1 genus, 2 species)  
 Family **Spongiocnizontidae** Stock & Kleeton, 1964 (1 genus, 3 species)  
 Family **Stellicomitidae** Humes & Cressey, 1958 (7 genera, 12 species)  
 Family **Tanypleuridae** Kabata, 1969 (1 genus, 1 species)  
 Family **Trebiidae** Wilson, 1905 (3 genera, 19 species)  
 Family **Incertae Sedis** (7 genera, 7 species)  
 Order **Monstrilloida** Sars, 1901 (1 family)  
 Family **Monstrillidae** Dana, 1849 (6 genera, 156 species)  
 Class **Ostracoda** Latreille, 1802 (2 subclasses)<sup>13</sup>  
 Subclass **Myodocopa** Sars, 1866 (2 orders)  
 Order **Myodocopida** Sars, 1866 (1 suborder)  
 Suborder **Myodocopina** Sars, 1866 (3 superfamilies)  
 Superfamily **Cypridinoidea** Baird, 1850 (1 family)  
 Family **Cypridinidae** Baird, 1850 (27 genera, 196 species)  
 Superfamily **Cylindroleberidoidea** Müller, 1906 (1 family)  
 Family **Cylindroleberididae** Müller, 1906 (31 genera, 306 species)  
 Superfamily **Sarsielloidea** Brady & Norman, 1896 (3 families)  
 Family **Philomedidae** Müller, 1906 (15 genera, 144 species)  
 Family **Rutidermatidae** Brady & Norman, 1896 (4 genera, 44 species)  
 Family **Sarsiellidae** Brady & Norman, 1896 (16 genera, 178 species)  
 Order **Halocyprida** Dana, 1853 (2 suborders)  
 Suborder **Cladocopina** Sars, 1865 (1 superfamily)  
 Superfamily **Polycopoidea** Sars, 1865 (1 family)  
 Family **Polycopidae** Sars, 1865 (14 genera, 123 species)  
 Suborder **Halocypridina** Dana, 1853 (2 superfamilies)  
 Superfamily **Halocypridoidea** Dana, 1853 (1 family)  
 Family **Halocyprididae** Dana, 1853 (54 genera, 235 species)  
 Superfamily **Thaumatocypridoidea** Müller, 1906 (1 family)  
 Family **Thaumatocyprididae** Müller, 1906 (4 genera, 35 species)  
 Subclass **Podocopa** Müller, 1894 (3 orders)  
 Order **Platycopida** Sars, 1866 (1 family)  
 Family **Cytherellidae** Sars, 1866 (6 genera, 126 species)  
 Order **Palaeocopida** Henningsmoean, 1953 (1 family)  
 Family **Punciidae** Hornibrook, 1949 (2 genera, 3 species)  
 Order **Podocopida** Sars, 1866 (5 suborders)  
 Suborder **Bairdiocopina** Sars, 1865 (1 superfamily)  
 Superfamily **Bairdioidea** Sars, 1865 (2 families)  
 Family **Bairdiidae** Sars, 1865 (12 genera, 179 species)  
 Family **Bythocyprididae** Maddocks, 1969 (5 genera, 88 species)  
 Suborder **Cypridocopina** Jones, 1901 (3 superfamilies)  
 Superfamily **Cypridoidea** Baird, 1845 (4 families)

13. Based on Martens & Savatnalinton (2011), WoRMS (2011d), Hart & Hart (1974) and Hobbs & Peters (1977).

- Family **Candonidae** Kaufmann, 1900 (63 genera, 736 species)
  - Family **Cyprididae** Baird, 1845 (100 genera, 973 species)
  - Family **Ilyocyprididae** Kaufmann, 1900 (1 genus, 34 species)
  - Family **Notodromadidae** Kaufmann, 1900 (9 genera, 37 species)
  - Superfamily **Macrocypridoidea** Müller, 1912 (1 family)
    - Family **Macrocyprididae** Müller, 1912 (9 genera, 118 species)
  - Superfamily **Pontocypridoidea** Müller, 1894 (1 family)
    - Family **Pontocyprididae** Müller, 1894 (10 genera, 157 species)
  - Suborder **Cytherocopina** Baird, 1850 (2 superfamilies)
    - Superfamily **Cytheroidea** Baird, 1850 (31 families)
      - Family **Australocytheridae** Hartmann, 1980 (1 genus, 1 species)
      - Family **Bonaducecytheridae** Mackenzie, 1977 (1 genus, 1 species)
      - Family **Bythocytheridae** Sars, 1866 (32 genera, 165 species)
      - Family **Cobanocytheridae** Schornikov, 1975 (3 genera, 15 species)
      - Family **Cuneocytheridae** Mandelstam, 1959 (1 genus, 1 species)
      - Family **Cushmanideidae** Puri, 1973 (2 genera, 39 species)
      - Family **Cytheralisonidae** Jellinek & Swanson, 2003 (2 genera, 7 species)
      - Family **Cytherettidae** Triebel 1972 (3 genera, 20 species)
      - Family **Cytheridae** Baird, 1850 (28 genera, 165 species)
      - Family **Cytherideidae** Sars, 1925 (25 genera, 221 species)
      - Family **Cytheromatidae** Elofson, 1939 (7 genera, 46 species)
      - Family **Cytheruridae** Müller, 1894 (31 genera, 608 species)
      - Family **Entocytheridae** Hoff, 1942 (32 genera, 185 species)
      - Family **Eucytheridae** Puri, 1954 (2 genera, 21 species)
      - Family **Hemicytheridae** Puri, 1953 (58 genera, 447 species)
      - Family **Kliellidae** Schäfer, 1945 (2 genera, 2 species)
      - Family **Krithidae** Mandelstam, 1958 (6 genera, 80 species)
      - Family **Leptocytheridae** Hanai, 1957 (17 genera, 183 species)
      - Family **Limnocytheridae** Klie, 1938 (23 genera, 154 species)
      - Family **Loxoconchidae** Sars, 1925 (27 genera, 299 species)
      - Family **Microcytheridae** Klie, 1938 (1 genus, 33 species)
      - Family **Neocytherideidae** Puri, 1957 (3 genera, 31 species)
      - Family **Paradoxostomatidae** Brady & Norman, 1889 (25 genera, 296 species)
      - Family **Parvocytheridae** Hartmann, 1959 (3 genera, 11 species)
      - Family **Pectocytheridae** Hanai, 1957 (8 genera, 44 species)
      - Family **Psammocytheridae** Klie, 1938 (1 genus, 2 species)
      - Family **Saididae** Aranki, McKenzie, Reymont & Reymont 1992 (1 genus, 3 species)
      - Family **Schizocytheridae** Howe, 1961 (3 genera, 19 species)
      - Family **Thaerocytheridae** Hazel, 1967 (5 genera, 38 species)
      - Family **Trachyleberididae** Sylvester-Bradley, 1948 (102 genera, 494 species)
      - Family **Xestoleberididae** Sars, 1928 (12 genera, 189 species)
      - Family **Incertae Sedis** (1 genus, 1 species)
    - Superfamily **Terrestricytheroidea** Schornikov, 1969 (1 family)
      - Family **Terrestricytheridae** Schornikov, 1969 (1 genus, 5 species)
  - Suborder **Darwinulocopina** Sohn, 1988 (1 superfamily)
    - Superfamily **Darwinuloidea** Brady & Norman, 1889 (1 family)
      - Family **Darwinulidae** Brady & Norman, 1889 (5 genera, 31 species)
  - Suborder **Sigilliocopina** Martens, 1992 (2 superfamilies)
    - Superfamily **Sigillioidea** Mandelstam, 1960 (2 families)
      - Family **Saipanettidae** Mackenzie, 1968 (1 genus, 6 species)
      - Family **Sigilliidae** Mandelstam, 1960 (2 genera, 2 species)
- Class **Malacostraca** Latreille, 1802 (3 subclasses)
- Subclass **Phyllocarida** Packard, 1879 (1 order)
    - Order **Leptostraca** Claus, 1880 (3 families)<sup>14</sup>

- Family **Nebaliidae** Samouelle, 1819 (5 genera, 36 species)  
 Family **Nebaliopsidae** Hessler, 1984 (2 genera, 2 species)  
 Family **Paranebaliidae** Walker-Smith & Poore, 2001 (3 genera, 6 species)
- Subclass **Hoplocarida** Calman, 1904 (1 order)  
 Order **Stomatopoda** Latreille, 1817 (1 suborder)<sup>15</sup>  
 Suborder **Unipeltata** Latreille, 1825 (7 superfamilies)  
 Superfamily **Bathysquilloidea** Manning, 1967 (2 families)  
 Family **Bathysquillidae** Manning, 1967 (2 genera, 3 species)  
 Family **Indosquillidae** Manning, 1995 (1 genus, 1 species)  
 Superfamily **Gonodactyloidea** Giesbrecht, 1910 (7 families)  
 Family **Alainosquillidae** Moosa, 1991 (1 genus, 1 species)  
 Family **Hemisquillidae** Manning, 1980 (1 genus, 4 species)  
 Family **Gonodactylidae** Giesbrecht, 1910 (9 genera, 60 species)  
 Family **Odontodactylidae** Manning, 1980 (1 genus, 8 species)  
 Family **Protosquillidae** Manning, 1980 (7 genera, 36 species)  
 Family **Pseudosquillidae** Manning, 1977 (4 genera, 10 species)  
 Family **Takuidae** Manning, 1995 (3 genera, 7 species)  
 Superfamily **Erythroquilloidea** Manning & Bruce, 1984 (1 family)  
 Family **Erythroquillidae** Manning & Bruce, 1984 (1 genus, 2 species)  
 Superfamily **Lysiosquilloidea** Giesbrecht, 1910 (4 families)  
 Family **Coronididae** Manning, 1980 (5 genera, 10 species)  
 Family **Lysiosquillidae** Giesbrecht, 1910 (3 genera, 19 species)  
 Family **Nannosquillidae** Manning, 1980 (14 genera, 61 species)  
 Family **Tetrasquillidae** Manning & Camp, 1993 (8 genera, 18 species)  
 Superfamily **Squilloidea** Latreille, 1802 (1 family)  
 Family **Squillidae** Latreille, 1802 (46 genera, 176 species)  
 Superfamily **Eurysquilloidea** Manning, 1977 (1 family)  
 Family **Eurysquillidae** Manning, 1977 (6 genera, 31 species)  
 Superfamily **Parasquilloidea** Manning, 1995 (1 family)  
 Family **Parasquillidae** Manning, 1995 (3 genera, 13 species)
- Subclass **Eumalacostraca** Grobben, 1892 (3 superorders)  
 Superorder **Syncarida** Packard, 1885 (2 orders)<sup>16</sup>  
 Order **Bathynellacea** Chappuis, 1915 (2 families)  
 Family **Bathynellidae** Chappuis, 1915 (26 genera, 91 species)  
 Family **Parabathynellidae** Noodt, 1965 (41 genera, 150 species)  
 Order **Anaspidacea** Calman, 1904 (5 families)  
 Family **Anaspididae** Thomson, 1893 (3 genera, 5 species)  
 Family **Koonungidae** Sayce, 1908 (2 genera, 3 species)  
 Family **Patagonaspididae** Grosso & Peralta, 2002 (1 genus, 1 species)  
 Family **Psammaspididae** Schminke, 1974 (2 genera, 2 species)  
 Family **Stygocarididae** Noodt, 1963 (4 genera, 10 species)
- Superorder **Peracarida** Calman, 1904 (10 orders)  
 Order **Spelaeogriphacea** Gordon, 1957 (1 family)  
 Family **Spelaeogriphidae** Gordon, 1957 (3 genera, 4 species)  
 Order **Thermosbaenacea** Monod, 1927 (4 families)  
 Family **Halosbaenidae** Monod & Cals, 1988 (3 genera, 6 species)  
 Family **Monodellidae** Taramelli, 1954 (2 genera, 25 species)  
 Family **Thermosbaenidae** Monod, 1927 (1 genus, 1 species)  
 Family **Tulumellidae** Wagner, 1994 (1 genus, 3 species)  
 Order **Lophogastrida** Boas, 1883 (3 families)  
 Family **Eucopiidae** Dana, 1852 (1 genus, 10 species)

14. Based on Walker-Smith & Poore (2001), Haney & Martin (2004), Roccatagliata *et al.* (2010)

15. Based on Ahyong & Harling (2000), Ahyong (2001), Schram & Müller (2004) and Ahyong *et al.* (2009)

16. Based on Camacho (2006), Camacho *et al.* (2009), Hong & Cho (2009), Ranga Reddy & Totakura (2010).

- Family **Lophogastridae** Sars, 1870 (6 genera, 36 species)  
 Family **Gnathophausiidae** Udrescu, 1984 (1 genus, 10 species)  
 Order **Mysida** Haworth, 1825 (4 families)  
 Family **Lepidomysidae** Clarke, 1961 (1 genus, 9 species)  
 Family **Mysidae** Haworth, 1825 (191 genera, 1139 species)  
 Family **Petalophthalmidae** Czerniavsky, 1882 (6 genera, 37 species)  
 Family **Stygiomysidae** Caroli, 1937 (1 genus, 6 species)  
 Order **Mictacea** Bowman, Garner, Hessler, Iliffe & Sanders, 1985 (1 family)  
 Family **Mictocarididae** Bowman & Iliffe, 1985 (1 genus, 1 species)  
 Order **Bochusacea** Gutu & Iliffe, 1998 (1 family)  
 Family **Hirsutiidae** Sanders, Hessler & Garner, 1985 (3 genera, 5 species)  
 Order **Amphipoda** (190 families)  
 Family **Acanthogammaridae** Garjajewia 1901 (41 genera, 159 species)  
 Family **Acanthonotozomatidae** Stebbing, 1906 (4 genera, 17 species)  
 Family **Acidostomatidae** Lowry & Stoddart, 2011 (2 genera, 11 species)  
 Family **Aetiopedesidae** Myers & Lowry, 2003 (1 genus, 1 species)  
 Family **Alicellidae** Lowry & De Broyer, 2008 (6 genera, 16 species)  
 Family **Allocrangonyctidae** Holsinger, 1989 (3 genera, 69 species)  
 Family **Amaryllididae** Lowry & Stoddart, 2002 (8 genera, 35 species)  
 Family **Amathillopsidae** Pirlot, 1934 (4 genera, 20 species)  
 Family **Ampeliscidae** Krøyer, 1842 (4 genera, 284 species)  
 Family **Amphilochidae** Boeck, 1871 (14 genera, 89 species)  
 Family **Ampithoidae** Stebbing, 1899 (13 genera, 170 species)  
 Family **Anapronoidae** Bowman & Gruner, 1973 (1 genus, 1 species)  
 Family **Anisogammaridae** Bousfield, 1977 (12 genera, 62 species)  
 Family **Aoridae** Stebbing, 1899 (24 genera, 228 species)  
 Family **Archaeoscinidae** K.H. Barnard, 1930 (2 genera, 6 species)  
 Family **Argissidae** Walker, 1904 (1 genus, 1 species)  
 Family **Aristiidae** Lowry & Stoddart, 1997 (5 genera, 39 species)  
 Family **Atylidae** Lilljeborg, 1865 (9 genera, 76 species)  
 Family **Baikalogammaridae** Kamal'tynov 2001 (1 genus, 1 species)  
 Family **Bateidae** Stebbing, 1906 (1 genus, 15 species)  
 Family **Behningiellidae** Kamal'tynov 2001 (3 genera, 4 species)  
 Family **Biancolinidae** J.L. Barnard, 1972 (1 genus, 8 species)  
 Family **Bogidiellidae** Hertzog, 1936 (38 genera, 179 species)  
 Family **Bolttsiidae** Barnard & Karaman, 1987 (1 genus, 2 species)  
 Family **Bougisidae** Zeidler, 2004 (1 genus, 1 species)  
 Family **Brachyscelidae** Stephensen, 1923 (2 genera, 5 species)  
 Family **Calliopiidae** G.O. Sars, 1895 (25 genera, 101 species)  
 Family **Caprellidae** Leach, 1814 (88 genera, 401 species)  
 Family **Caprogammaridae** Kudrjaschov & Vassilenko, 1966 (1 genus, 2 species)  
 Family **Carangoliopsidae** Bousfield, 1977 (1 genus, 1 species)  
 Family **Cardenioidae** Barnard & Karaman, 1987 (1 genus, 1 species)  
 Family **Caspicolidae** Birstein, 1945 (1 genus, 1 species)  
 Family **Cebocaridae** Lowry & Stoddart, 2011 (9 genera, 15 species)  
 Family **Ceinidae** J.L. Barnard, 1972 (3 genera, 7 species)  
 Family **Cheidae** Thurston, 1982 (1 genus, 1 species)  
 Family **Cheirocratidae** Ren, 2006 (7 genera, 18 species)  
 Family **Cheluridae** Allman, 1847 (3 genera, 4 species)  
 Family **Chevaliidae** Myers & Lowry, 2003 (1 genus, 6 species)  
 Family **Chiltoniidae** J.L. Barnard, 1972 (6 genera, 11 species)  
 Family **Chuneolidae** Woltereck, 1909 (1 genus, 3 species)  
 Family **Colomastigidae** Stebbing, 1899 (2 genera, 48 species)  
 Family **Condukiidae** Barnard & Drummond, 1982 (1 genus, 2 species)

Family **Corophiidae** Leach, 1814 (25 genera, 149 species)  
Family **Crangonyctidae** Bousfield, 1973 (9 genera, 225 species)  
Family **Cressidae** Stebbing, 1899 (2 genera, 10 species)  
Family **Crymostygidae** Kristjánsson & Svavarsson, 2004 (1 genus, 1 species)  
Family **Cyamidae** Rafinesque, 1815 (6 genera, 31 species)  
Family **Cyclocaridae** Lowry & Stoddart, 2011 (1 genus, 2 species)  
Family **Cyphocarididae** Lowry & Stoddart, 1997 (2 genera, 13 species)  
Family **Cyproideidae** J.L. Barnard, 1974 (18 genera, 44 species)  
Family **Cystisomatidae** Willemoes-Suhm, 1875 (1 genus, 7 species)  
Family **Dairellidae** Bovallius, 1877 (1 genus, 1 species)  
Family **Dexaminidae** Leach, 1814 (11 genera, 121 species)  
Family **Didymocheliidae** Bellan-Santini & Ledoyer, 1986 (2 genera, 4 species)  
Family **Dikwididae** Coleman & Barnard, 1991 (1 genus, 2 species)  
Family **Dogielinotidae** Gurjanova, 1953 (13 genera, 107 species)  
Family **Dulichiiidae** Laubitz, 1983 (6 genera, 27 species)  
Family **Endevouridae** Lowry & Stoddart, 1997 (2 genera, 12 species)  
Family **Eophliantidae** Sheard, 1936 (6 genera, 13 species)  
Family **Epimeriidae** Boeck, 1871 (5 genera, 61 species)  
Family **Eulimnogammaridae** Kamaltynov, 1999 (19 genera, 115 species)  
Family **Eurytheneidae** Stoddart & Lowry, 2004 (1 genus, 3 species)  
Family **Eusiridae** Stebbing, 1888 (10 genera, 111 species)  
Family **Exoedicerotidae** Barnard & Drummond, 1982 (12 genera, 20 species)  
Family **Gammaracanthidae** Bousfield, 1989 (2 genera, 6 species)  
Family **Gammarellidae** Bousfield, 1977 (3 genera, 8 species)  
Family **Gammaridae** Leach, 1814 (35 genera, ~386 species)  
Family **Gammaroporeiidae** Bousfield, 1979 (1 genus, 1 species)  
Family **Hadziidae** S. Karaman, 1943 (27 genera, 90 species)  
Family **Hirondeidae** Lowry & Stoddart, 2010 (1 genus, 16 species)  
Family **Hyalidae** Bulycheva, 1957 (14 genera, 143 species)  
Family **Haustoriidae** Stebbing, 1906 (8 genera, 45 species)  
Family **Hyperiididae** Dana, 1852 (5 genera, 26 species)  
Family **Hyperopsidae** Bovallius, 1886 (3 genera, 14 species)  
Family **Iciliidae** Dana, 1849 (1 genus, 7 species)  
Family **Ingolfiellidae** Hansen, 1903 (12 genera, 45 species)  
Family **Ipanemidae** Barnard & Thomas, 1988 (1 genus, 1 species)  
Family **Iphigenellidae** Kamaltynov, 2001 (1 genus, 1 species)  
Family **Iphimediidae** Boeck, 1871 (14 genera, 100 species)  
Family **Isaeidae** Dana, 1853 (2 genera, 4 species)  
Family **Ischyroceridae** Stebbing, 1899 (37 genera, 231 species)  
Family **Iulopididae** Zeidler, 2004 (1 genus, 2 species)  
Family **Izinkalidae** Lowry & Stoddart, 2010 (1 genus, 1 species)  
Family **Kamakidae** Myers & Lowry, 2003 (10 genera, 32 species)  
Family **Kergueleniidae** Lowry & Stoddart, 2010 (2 genera, 26 species)  
Family **Kotumsaridae** Missouli, Holsinger & Reddy, 2007 (1 genus, 1 species)  
Family **Kuriidae** J.L. Barnard, 1964 (1 genus, 2 species)  
Family **Lafystiidae** G.O. Sars, 1895 (3 genera, 5 species)  
Family **Lanceolidae** Bovallius, 1887 (4 genera, 23 species)  
Family **Laphystiopsidae** Stebbing, 1899 (3 genera, 8 species)  
Family **Lepidepcrellidae** Lowry & Stoddart, 2010 (1 genus, 10 species)  
Family **Lestrigonidae** Zeidler, 2004 (6 genera, 17 species)  
Family **Leucothoidae** Dana, 1852 (6 genera, 137 species)  
Family **Liljeborgiidae** Stebbing, 1899 (4 genera, 104 species)  
Family **Luciobliviidae** Tomikawa 2007 (1 genus, 1 species)  
Family **Lycaeidae** Claus, 1879 (2 genera, 7 species)

Family **Lycaeopsidae** Chevreux, 1913 (1 genus, 2 species)  
 Family **Lysianassidae** Dana, 1849 (78 genera, 491 species)  
 Family **Macrohectopodidae** Sowinsky, 1915 (2 genera, 2 species)  
 Family **Maeridae** Krapp-Schickel, 2008 (42 genera, 328 species)  
 Family **Maxillipiidae** Ledoyer, 1973 (2 genera, 3 species)  
 Family **Megaluropidae** Thomas & Barnard, 1986 (4 genera, 16 species)  
 Family **Melitidae** Bousfield, 1983 (46 genera, 181 species)  
 Family **Melphidippidae** Stebbing, 1899 (3 genera, 14 species)  
 Family **Mesogammaridae** Bousfield, 1977 (5 genera, 6 species)  
 Family **Metacrangonyctidae** Boutin & Missouli, 1988 (2+1 genera, 19+1 species)  
 Family **Metaingolfiellidae** Ruffo, 1969 (1 genus, 1 species)  
 Family **Microphasmidae** Stephensen & Pirlot, 1931 (3 genera, 6 species)  
 Family **Microprotopidae** Myers & Lowry, 2003 (1 genus, 5 species)  
 Family **Micruropodidae** Kamal'tynov, 1999 (5 genera, 52 species)  
 Family **Mimonectidae** Bovallius, 1885 (2 genera, 6 species)  
 Family **Miramarassidae** Lowry, 2006 (1 genus, 1 species)  
 Family **Neomegamphopidae** Myers, 1981 (6 genera, 21 species)  
 Family **Neoniphargidae** Bousfield, 1977 (7 genera, 22 species)  
 Family **Nihotungidae** J.L. Barnard, 1972 (1 genus, 3 species)  
 Family **Niphargidae** Bousfield, 1977 (9 genera, 322 species)  
 Family **Ochlesidae** Stebbing, 1910 (4 genera, 19 species)  
 Family **Odiidae** Coleman & Barnard, 1991 (5 genera, 11 species)  
 Family **Oedicerotidae** Liljeborg, 1865 (44 genera, 244 species)  
 Family **Opisidae** Lowry & Stoddart, 1995 (4 genera, 17 species)  
 Family **Oxycephalidae** Bate, 1861 (8 genera, 18 species)  
 Family **Pachynidae** Lowry & Stoddart, 2011 (11 genera, 33 species)  
 Family **Pachyschesidae** Kamal'tynov, 1999 (1 genus, 6 species)  
 Family **Pagetinidae** K.H. Barnard, 1931 (1 genus, 4 species)  
 Family **Pallaseidae** Tachteew, 2000 (8 genera, 21 species)  
 Family **Paracalliopiidae** Barnard & Karaman, 1982 (5 genera, 18 species)  
 Family **Paracrangonyctidae** Bousfield, 1983 (3 genera, 4 species)  
 Family **Paragammaropsidae** Myers & Lowry, 2003 (1 genus, 1 species)  
 Family **Paraleptamphopidae** Bousfield, 1977 (3 genera, 5 species)  
 Family **Paramelitidae** Bousfield, 1977 (17 genera, 711 species)  
 Family **Paraphronimidae** Bovallius, 1887 (1 genus, 2 species)  
 Family **Parascelidae** Bovallius, 1887 (5 genera, 7 species)  
 Family **Pardaliscidae** Boeck, 1871 (22 genera, 71 species)  
 Family **Perthiidae** Williams & Barnard, 1988 (1 genus, 2 species)  
 Family **Phliantidae** Stebbing, 1899 (7 genera, 23 species)  
 Family **Photidae** Boeck, 1871 (18 genera, 216 species)  
 Family **Phoxocephalidae** G.O. Sars, 1891 (81 genera, 368 species)  
 Family **Phoxocephalopsidae** Barnard & Drummond, 1982 (3 genera, 9 species)  
 Family **Phreatogammaridae** Bousfield, 1979 (2 genera, 5 species)  
 Family **Phronimidae** Rafinesque, 1815 (2 genera, 11 species)  
 Family **Phrosinidae** Dana, 1853 (3 genera, 8 species)  
 Family **Platyischnopidae** Barnard & Drummond, 1979 (8 genera, 15 species)  
 Family **Platyscelidae** Bate, 1862 (5 genera, 16 species)  
 Family **Pleustidae** Buchholz, 1874 (35 genera, 139 species)  
 Family **Pleioplateidae** J.L. Barnard, 1978 (1 genus, 2 species)  
 Family **Podoceridae** Leach, 1814 (8 genera, 72 species)  
 Family **Podoprionidae** Lowry & Stoddart, 1996 (1 genus, 4 species)  
 Family **Pontogammaridae** Bousfield, 1977 (13 genera, 40 species)  
 Family **Pontogeneiidae** Stebbing, 1906 (31 genera, 168 species)  
 Family **Pontoporeiidae** Dana, 1853 (6 genera, 34 species)

Family **Priscillinidae** d'Udekem d'Acoz, 2006 (1 genus, 2 species)  
 Family **Priscomilitaridae** Hirayama, 1988 (2 genera, 2 species)  
 Family **Prolanceolidae** Zeidler, 2009 (1 genus, 1 species)  
 Family **Pronoidae** Claus, 1879 (4 genera, 12 species)  
 Family **Proscinidae** Dana, 1853 (2 genera, 7 species)  
 Family **Pseudamphilochidae** Schellenberg, 1931 (1 genus, 1 species)  
 Family **Pseudocrangonyctidae** Holsinger, 1989 (2 genera, 18 species)  
 Family **Rakiroidae** Myers & Lowry, 2003 (1 genus, 1 species)  
 Family **Regaliidae** Lowry, 2006 (1 genus, 3 species)  
 Family **Salentinellidae** Bousfield, 1977 (2 genera, 22 species)  
 Family **Sanchoidae** Lowry, 2006 (1 genus, 2 species)  
 Family **Scinidae** Stebbing, 1888 (5 genera, 49 species)  
 Family **Scopelocheiridae** Lowry & Stoddart, 1997 (7 genera, 18 species)  
 Family **Sebidae** Waker, 1908 (3 genera, 31 species)  
 Family **Sicafodiidae** Just, 2004 (1 genus, 1 species)  
 Family **Sinurothoidae** Ren, 1999 (1 genus, 1 species)  
 Family **Sophrosynidae** Lowry & Stoddart, 2010 (1 genus, 14 species)  
 Family **Stegocephalidae** Dana, 1852 (25 genera, 108 species)  
 Family **Stenothoidae** Boeck, 1871 (41 genera, 293 species)  
 Family **Sternophysingidae** Holsinger, 1992 (1 genus, 8 species)  
 Family **Stilipedidae** Holmes, 1908 (5 genera, 20 species)  
 Family **Synopiidae** Dana, 1852 (17 genera, 91 species)  
 Family **Talitridae** Rafinesque, 1815 (57 genera, 268 species)  
 Family **Temnophliantidae** Griffiths, 1975 (2 genera, 2 species)  
 Family **Thoriellidae** Lowry & Stoddart, 2011 (4 genera, 5 species)  
 Family **Thurstonellidae** Lowry & Zeidler, 2008 (1 genus, 1 species)  
 Family **Trischizostomatidae** Liljeborg, 1865 (1 genus, 16 species)  
 Family **Tulearidae** Ledoyer, 1979 (1 genus, 1 species)  
 Family **Typhlogammaridae** Bousfield, 1979 (5 genera, 7 species)  
 Family **Unciolidae** Myers & Lowry, 2003 (17 genera, 41 species)  
 Family **Uristidae** Hurley, 1963 (22 genera, 184 species)  
 Family **Urohaustoriidae** Barnard & Drummond, 1982 (9 genera, 23 species)  
 Family **Urothoidae** Bousfield, 1978 (6 genera, 61 species)  
 Family **Valettidae** Stebbing, 1888 (1 genus, 5 species)  
 Family **Valettiopsidae** Lowry & De Broyer, 2008 (2 genera, 12 species)  
 Family **Vibiliidae** Dana, 1852 (3 genera, 23 species)  
 Family **Vicmusiidae** Just, 1990 (1 genus, 2 species)  
 Family **Vitjazianidae** Birstein & M. Vinogradov, 1955 (2 genera, 5 species)  
 Family **Wandinidae** Lowry & Stoddart, 1990 (2 genera, 4 species)  
 Family **Zobrachoidae** Barnard & Drummond, 1982 (5 genera, 5 species)

Order **Isopoda** Latreille, 1817 (11 suborders)<sup>17</sup>

Suborder **Asellota** Latreille, 1802 (4 superfamilies)

Superfamily **Aselloidea** Latreille, 1802 (2 families)

Family **Asellidae** Latreille, 1802 (22 genera, 393 species)

Family **Stenasellidae** Dudich, 1924 (10 genera, 75 species)

Superfamily **Gnathostenetroidoidea** Kussakin, 1967 (2 families)

Family **Gnathostenetroididae** Kussakin, 1967 (1 genus, 1 species)

Family **Protojaniridae** Fresi, Idato & Scipione, 1980 (6 genera, 15 species)

Superfamily **Janiroidea** Sars, 1897 (22 families)

Family **Acanthaspidiidae** Menzies, 1962 (4 genera, 34 species)

Family **Dendrotionidae** Vanhöffen, 1914 (3 genera, 25 species)

Family **Desmosomatidae** Sars, 1899 (19 genera, 145 species)

17. Based on Brandt & Poore (2003), Schotte *et al.* (2008) and Merrin (2011)

- Family **Echinothambematidae** Menzies, 1956 (2 genera, 5 species)  
 Family **Haplomunnidae** Wilson, 1976 (5 genera, 11 species)  
 Family **Haploniscidae** Hansen, 1916 (8 genera, 128 species)  
 Family **Ischnomesidae** Hansen, 1916 (9 genera, 109 species)  
 Family **Janirellidae** Menzies, 1956 (3 genera, 42 species)  
 Family **Janiridae** Sars, 1897 (24 genera, 177 species)  
 Family **Joeropsididae** Nordenstam, 1933 (3 genera, 74 species)  
 Family **Katianiridae** Svavarsson, 1987 (2 genera, 6 species)  
 Family **Macrostylidae** Hansen, 1916 (1 genus, 77 species)  
 Family **Mesosignidae** Schultz, 1969 (2 genera, 17 species)  
 Family **Mictosomatidae** Wolff, 1965 (1 genus, 1 species)  
 Family **Munnidae** Sars, 1897 (6 genera, 109 species)  
 Family **Munnopsididae** Sars, 1869 (19 genera, 343 species)  
 Family **Nannoniscidae** Hansen, 1916 (12 genera, 84 species)  
 Family **Paramunnidae** Vanhöffen, 1914 (44 genera, 225 species)  
 Family **Pleurocopidae** Fresi & Schiecke, 1972 (1 genus, 3 species)  
 Family **Santiidae** Wilson, 1987 (5 genera, 28 species)  
 Family **Thambematidae** Stebbing, 1913 (2 genera, 5 species)  
 Family **Xenosellidae** Just, 2005 (1 genus, 1 species)  
 Superfamily **Stenetrioidea** Hansen, 1905 (2 families)  
 Family **Pseudojaniridae** Wilson, 1986 (3 genera, 7 species)  
 Family **Stenetriidae** Hansen, 1905 (9 genera, 81 species)  
 Superfamily **Incertae Sedis** (2 families)  
 Family **Microparasellidae** Karaman, 1933 (4 genera, 80 species)  
 Family **Vermectiadiidae** Just & Poore, 1992 (1 genus, 1 species)  
 Suborder **Calabozoida** Van Lieshout, 1983 (1 family)  
 Family **Calabozoidae** Van Lieshout, 1983 (2 genera, 2 species)  
 Suborder **Cymothoida** Wägele, 1989 (4 superfamilies)  
 Superfamily **Anthuroidea** Leach, 1814 (6 families)  
 Family **Antheluridae** Poore & Lew Ton, 1988 (3 genera, 18 species)  
 Family **Anthuridae** Leach, 1814 (25 genera, 291 species)  
 Family **Expanathuridae** Poore, 2001 (7 genera, 58 species)  
 Family **Hyssuridae** Wägele, 1981 (6 genera, 39 species)  
 Family **Leptanthuridae** Poore, 2001 (11 genera, 100 species)  
 Family **Paranthuridae** Menzies & Glynn, 1968 (7 genera, 96 species)  
 Superfamily **Bopyroidea** Rafinesque, 1815 (5 families)  
 Family **Bopyridae** Rafinesque, 1815 (158 genera, 614 species)  
 Family **Colypuridae** Richardson, 1905 (1 genus, 1 species)  
 Family **Dajidae** Giard & Bonnier, 1887 (18 genera, 54 species)  
 Family **Entoniscidae** Kossmann, 1881 (16 genera, 40 species)  
 Family **Rhabdochiridae** Richardson, 1905 (1 genus, 1 species)  
 Superfamily **Cryptoniscoidea** Kossmann, 1880 (7 families)  
 Family **Asconiscidae** Bonnier, 1900 (1 genus, 1 species)  
 Family **Cabiropidae** Giard & Bonnier, 1887 (13 genera, 32 species)  
 Family **Crinoniscidae** Bonnier, 1900 (2 genera, 4 species)  
 Family **Cryptoniscidae** Kossmann, 1880 (8 genera, 24 species)  
 Family **Cyproniscidae** Bonnier, 1900 (2 genera, 9 species)  
 Family **Hemioniscidae** Bonnier, 1900 (3 genera, 10 species)  
 Family **Podasconidae** Bonnier, 1900 (2 genera, 5 species)  
 Family **Incertae Sedis** (16 genera, 17 species)  
 Superfamily **Cymothooidea** Leach, 1814 (9 families)  
 Family **Aegidae** White, 1850 (8 genera, 156 species)  
 Family **Anuropidae** Stebbing, 1893 (1 genus, 10 species)  
 Family **Barybrotidae** Hansen, 1890 (1 genus, 1 species)



- Family **Cirolanidae** Dana, 1852 (61 genera, 488 species)  
 Family **Corallanidae** Hansen, 1890 (6 genera, 81 species)  
 Family **Cymothoidae** Leach, 1814 (43 genera, 386 species)  
 Family **Gnathiidae** Leach, 1814 (12 genera, 211 species)  
 Family **Protognathiidae** Wägele & Brandt, 1988 (1 genus, 2 species)  
 Family **Tridentellidae** Bruce, 1984 (1 genus, 21 species)
- Suborder **Limnoriidea** Poore, 2002 (3 families)  
 Family **Hadromastacidae** Bruce & Müller, 1991 (1 genus, 3 species)  
 Family **Keuphyliidae** Bruce, 1980 (1 genus, 1 species)  
 Family **Limnoriidae** White, 1850 (4 genera, 60 species)
- Suborder **Microcerberidea** Lang, 1961 (2 families)  
 Family **Atlantasellidae** Sket, 1980 (2 genera, 2 species)  
 Family **Microcerberidae** Karaman, 1933 (7 genera, 46 species)
- Suborder **Oniscidea** Latreille, 1802 (38 families)  
 Family **Actaeiidae** Vandel, 1952 (1 genus, 8 species)  
 Family **Agnaridae** Schmidt, 2003 (2 genera, 13 species)  
 Family **Alloniscidae** Schmidt, 2003 (1 genus, 20 species)  
 Family **Armadillidae** Brandt, 1831 (80 genera, 702 species)  
 Family **Armadillidiidae** Brandt, 1833 (15 genera, 315 species)  
 Family **Balloniscidae** Vandel, 1963 (3 genera, 10 species)  
 Family **Bathytropidae** Vandel, 1952 (9 genera, 28 species)  
 Family **Berytoniscidae** Vandel, 1973 (1 genus, 1 species)  
 Family **Buddelundiellidae** Verhoeff, 1930 (4 genera, 19 species)  
 Family **Cylistiidae** Verhoeff, 1949 (4 genera, 73 species)  
 Family **Delatorreidae** Verhoeff, 1938 (2 genera, 19 species)  
 Family **Detonidae** Budde-Lund, 1906 (3 genera, 41 species)  
 Family **Dubioniscidae** Schultz, 1995 (4 genera, 42 species)  
 Family **Eubelidae** Budde-Lund, 1904 (44 genera, 251 species)  
 Family **Halophilosciidae** Verhoeff, 1908 (2 genera, 10 species)  
 Family **Hekelidae** Ferrara, 1977 (1 genus, 1 species)  
 Family **Irmaosidae** Ferrara & Taiti, 1983 (1 genus, 2 species)  
 Family **Ligiidae** Leach, 1814 (8 genera, 91 species)  
 Family **Mesoniscidae** Verhoeff, 1908 (1 genus, 6 species)  
 Family **Olibrinidae** Vandel, 1973 (4 genera, 16 species)  
 Family **Oniscidae** Latreille, 1802 (11 genera, 53 species)  
 Family **Philosciidae** Kinahan, 1857 (114 genera, 569 species)  
 Family **Platyarthridae** Vandel, 1946 (9 genera, 122 species)  
 Family **Porcellionidae** Brandt, 1831 (22 genera, 458 species)  
 Family **Pudeoniscidae** Lemos de Castro, 1973 (2 genera, 4 species)  
 Family **Rhyscotidae** Budde-Lund, 1908 (2 genera, 24 species)  
 Family **Schoebliidae** Verhoeff, 1938 (1 genus, 2 species)  
 Family **Scleropactidae** Verhoeff, 1938 (28 genera, 103 species)  
 Family **Scyphacidae** Dana, 1852 (7 genera, 20 species)  
 Family **Spelaeoniscidae** Vandel, 1948 (6 genera, 17 species)  
 Family **Stenoniscidae** Budde-Lund, 1904 (2 genera, 8 species)  
 Family **Styloniscidae** Vandel, 1952 (11 genera, 86 species)  
 Family **Tendosphaeridae** Verhoeff, 1930 (3 genera, 6 species)  
 Family **Titaniidae** Verhoeff, 1938 (5 genera, 6 species)  
 Family **Trachelipodidae** Strouhal, 1953 (21 genera, 245 species)  
 Family **Trichoniscidae** Sars, 1899 (89 genera, 519 species)  
 Family **Turanoniscidae** Borutskii, 1969 (1 genus, 1 species)  
 Family **Tylidae** Dana, 1852 (2 genera, 26 species)  
 Family **Incertae Sedis** (1 genus, 2 species)
- Suborder **Phoratopidea** Brandt & Poore, 2003 (1 family)

- Family **Phoratopodidae** Hale, 1925 (1 genus, 1 species)
- Suborder **Phreatoicidea** Stebbing, 1893 (6 families)
  - Family **Amphisopidae** Nicholls, 1943 (8 genera, 10 species)
  - Family **Hipsimetopidae** Nicholls, 1943 (6 genera, 9 species)
  - Family **Mesamphisopidae** Nicholls, 1943 (1 genus, 10 species)
  - Family **Phreatoicidae** Chilton, 1891 (13 genera, 47 species)
  - Family **Phreatoicopsidae** Nicholls, 1943 (2 genera, 4 species)
  - Family **Ponderellidae** Wilson & Keable, 2004 (1 genus, 2 species)
  - Family **Incertae sedis** (1 genus, 1 species)
- Suborder **Sphaeromatidea** Wägele, 1989 (2 superfamilies)
  - Superfamily **Seroloidea** Dana, 1852 (3 families)
    - Family **Bathynataliidae** Kensley, 1978 (3 genera, 4 species)
    - Family **Plakarthriidae** Hansen, 1905 (1 genus, 3 species)
    - Family **Serolidae** Dana, 1852 (24 genera, 126 species)
  - Superfamily **Sphaeromatoidea** Latreille, 1825 (3 families)
    - Family **Ancinidae** Dana, 1852 (2 genera, 14 species)
    - Family **Sphaeromatidae** Latreille, 1825 (96 genera, 706 species)
    - Family **Tecticepitidae** Iverson, 1982 (1 genus, 13 species)
- Suborder **Tainisopidea** Brandt & Poore, 2003 (1 family)
  - Family **Tainisopidae** Wilson, 2003 (2 genera, 7 species)
- Suborder **Valvifera** Sars, 1882 (11 families)
  - Family **Antarcturidae** Poore, 2001 (17 genera, 116 species)
  - Family **Arcturidae** Dana, 1849 (14 genera, 156 species)
  - Family **Arcturididae** Poore, 2001 (1 genus, 2 species)
  - Family **Austrarcturellidae** Poore & Bardsley, 1992 (5 genera, 45 species)
  - Family **Chaetiliidae** Dana, 1849 (12 genera, 23 species)
  - Family **Holidoteidae** Wägele, 1989 (3 genera, 20 species)
  - Family **Holognathidae** Thomson, 1904 (4 genera, 25 species)
  - Family **Idoteidae** Samouelle, 1819 (22 genera, 184 species)
  - Family **Pseudidotheidae** Ohlin, 1901 (1 genus, 4 species)
  - Family **Rectarcturidae** Poore, 2001 (1 genus, 3 species)
  - Family **Xenarcturidae** Sheppard, 1957 (1 genus, 1 species)
- Order **Tanaidacea** Dana, 1849 (3 suborders)
  - Suborder **Tanaidomorpha** Sieg, 1980 (2 superfamilies)
    - Superfamily **Tanaoidea** Dana, 1849 (1 family)
      - Family **Tanaidae** Dana, 1849 (19 genera, 30 species)
    - Superfamily **Paratanaoidea** Lang, 1949 (16 families)
      - Family **Anarthruridae** Lang, 1971 (9 genera, 20 species)
      - Family **Agathotanaidae** Lang, 1971 (3 genera, 39 species)
      - Family **Akanthophoreidae** Sieg, 1986 (3 genera, 32 species)
      - Family **Colletteidae** Larsen & Wilson, 2002 (16 genera, 57 species)
      - Family **Cryptocopidae** McLelland in Bird & Larsen, 2009 (6 genera, 10 species)
      - Family **Leptocheilidae** Lang, 1973 (11 genera, 61 species)
      - Family **Leptognathiidae** Lang 1976 (2 genera, 36 species)
      - Family **Mirandotanaidae** Błażewicz-Paszkowycz & Bamber, 2009 (2 genera, 3 species)
      - Family **Nototanaidae** Sieg, 1976 (6 genera, 10 species)
      - Family **Paratanaidae** Lang, 1949 (7 genera, 34 species)
      - Family **Pseudotanaidae** Sieg, 1976 (4 genera, 42 species)
      - Family **Pseudozeuxidae** Sieg, 1982 (3 genera, 6 species)
      - Family **Tanaellidae** Larsen & Wilson, 2002 (4 genera, 40 species)
      - Family **Tanaissuidae** Bird & Larsen, 2010 (3 genera, 9 species)
      - Family **Typhlotanaidae** Sieg, 1986 (13 genera, 100 species)
      - Family **Incertae Sedis** (Anarthruridae *sensu lato*) (25 genera, 53 species)
  - Suborder **Neotanaidomorpha** Sieg, 1980 (1 family)

- Family **Neotanaidae** Lang, 1956 (4 genera, 46 species)
- Suborder **Apseudomorpha** Sieg, 1980 (12 families)
  - Superfamily **Apseudoidea** Leach, 1814 (12 families)
    - Family **Apseudellidae** Gutu, 1972 (1 genus, 1 species)
    - Family **Apseudidae** Leach, 1814 (22 genera, 167 species)
    - Family **Gigantapseudidae** Kudinova-Pasternak, 1978 (1 genus, 2 species)
    - Family **Kalliapseudidae** Lang, 1956 (11 genera, 41 species)
    - Family **Metapseudidae** Lang, 1970 (20 genera, 81 species)
    - Family **Numbakullidae** Gutu & Heard, 2002 (1 genus, 2 species)
    - Family **Pagurapseudidae** Lang, 1970 (8 genera, 39 species)
    - Family **Parapseudidae** Gutu, 1981 (18 genera, 84 species)
    - Family **Sphaeromapseudidae** Larsen, 2011 (1 genus, 1 species)
    - Family **Sphyrapodidae** Gutu, 1980 (6 genera, 19 species)
    - Family **Whiteleggiidae** Gutu, 1972 (2 genera, 3 species)
    - Family **Incertae Sedis** (1 genus, 1 species)
- Order **Cumacea** Kroyer, 1846 (9 families)
  - Family **Bodotriidae** Scott, 1901 (36 genera, 379 species)
  - Family **Ceratocumatidae** Calman, 1905 (2 genera, 10 species)
  - Family **Diastylidae** Bate, 1856 (22 genera, 318 species)
  - Family **Gynodiastylidae** Stebbing, 1912 (12 genera, 106 species)
  - Family **Lampropidae** Sars, 1878 (15 genera, 114 species)
  - Family **Leuconidae** Sars, 1878 (16 genera, 139 species)
  - Family **Nannastacidae** Bate, 1866 (25 genera, 426 species)
  - Family **Pseudocumatidae** Sars, 1878 (12 genera, 30 species)
  - Family **Incertae sedis** (1 genus, 1 species)
- Superorder **Eucarida** Calman, 1904 (3 orders)
  - Order **Euphausiacea** Dana, 1852 (2 families)<sup>18</sup>
    - Family **Bentheuphausiidae** Colosi, 1917 (1 genus, 1 species)
    - Family **Euphausiidae** Dana, 1852 (10 genera, 86 species)
  - Order **Amphionidacea** Williamson, 1973 (1 family)
    - Family **Amphionididae** Holthuis, 1955 (1 genus, 1 species)
  - Order **Decapoda** Latreille, 1802 (2 suborders)
    - Suborder **Dendrobranchiata** Bate, 1888 (2 superfamilies)<sup>19</sup>
      - Superfamily **Penaeoidea** Rafinesque, 1815 (5 families)
        - Family **Aristeidae** Wood-Mason, 1891 (9 genera, 26 species)
        - Family **Benthescymidae** Wood-Mason, 1891 (5 genera, 39 species)
        - Family **Penaeidae** Rafinesque, 1815 (32 genera, 222 species)
        - Family **Sicyoniidae** Ortmann, 1898 (1 genus, 52 species)
        - Family **Solenoceridae** Wood-Mason, 1891 (9 genera, 83 species)
      - Superfamily **Sergestoidea** Dana, 1852 (2 families)
        - Family **Luciferidae** de Haan, 1849 (1 genus, 7 species)
        - Family **Sergestidae** Dana, 1852 (12 genera, 101 species)
    - Suborder **Pleocyemata** Burkenroad, 1963 (11 infraorders)<sup>20</sup>
      - Infraorder **Stenopodidea** Claus, 1872 (3 families)
        - Family **Macromaxillocarididae** (1 genus, 1 species)
        - Family **Spongicolidae** Schram, 1986 (7 genera, 39 species)
        - Family **Stenopodidae** Claus, 1872 (4 genera, 31 species)
      - Infraorder **Procaridoidea** Chace & Manning, 1972 (1 superfamily)
        - Superfamily **Procaridoidea** Chace & Manning, 1972 (1 family)
          - Family **Procarididae** Chace & Manning, 1972 (2 genera, 6 species)
      - Infraorder **Caridea** Dana, 1852 (14 superfamilies)

18. Based on Baker *et al.* (1990)

19. Based on De Grave & Fransen (2011)

20. Based on De Grave & Fransen (2011)

- Superfamily **Alpheoidea** Rafinesque, 1815 (4 families)  
 Family **Alpheidae** Rafinesque, 1815 (47 genera, 659 species)  
 Family **Barbouriidae** Christoffersen, 1987 (3 genera, 8 species)  
 Family **Hippolytidae** Dana, 1852 (37 genera, 336 species)  
 Family **Ogyrididae** Holthuis, 1955 (1 genus, 10 species)
- Superfamily **Atyoidea** de Haan, 1849 (1 family)  
 Family **Atyidae** de Haan, 1849 (42 genera, 468 species)
- Superfamily **Bresilioidea** Calman, 1896 (5 families)  
 Family **Agostocarididae** Hart & Manning, 1986 (1 genus, 3 species)  
 Family **Alvinocarididae** Christoffersen, 1986 (8 genera, 26 species)  
 Family **Bresiliidae** Calman, 1896 (2 genera, 9 species)  
 Family **Disciadiidae** Rathbun, 1902 (4 genera, 12 species)  
 Family **Pseudochelidae** De Grave & Moosa, 2004 (1 genus, 3 species)
- Superfamily **Campylonotoidea** Sollaud, 1913 (2 families)  
 Family **Bathypalaemonellidae** de Saint Laurent, 1985 (2 genera, 11 species)  
 Family **Campylonotidae** Sollaud, 1913 (1 genus, 5 species)
- Superfamily **Crangonoidea** Haworth, 1825 (2 families)  
 Family **Crangonidae** Haworth, 1825 (23 genera, 219 species)  
 Family **Glyphocrangonidae** Smith, 1884 (1 genus, 88 species)
- Superfamily **Nematocarcinoidea** Smith, 1884 (4 families)  
 Family **Eugonatonotidae** Chace, 1937 (1 genus, 2 species)  
 Family **Nematocarcinidae** Smith, 1884 (4 genera, 52 species)  
 Family **Rhynchocinetidae** Ortmann, 1890 (2 genera, 25 species)  
 Family **Xiphocarididae** Ortmann, 1895 (1 genus, 2 species)
- Superfamily **Oplophoroidea** Dana, 1852 (2 families)  
 Family **Acanthephyridae** Dana, 1852 (7 genera, 55 species)  
 Family **Oplophoridae** Dana, 1852 (3 genera, 14 species)
- Superfamily **Pasiphaeidea** Dana, 1852 (1 family)  
 Family **Pasiphaeidae** Dana, 1852 (7 genera, 95 species)
- Superfamily **Physetocaridoidea** Chace, 1940 (1 family)  
 Family **Physetocarididae** Chace, 1940 (1 genus, 1 species)
- Superfamily **Palaemonoidea** Rafinesque, 1815 (8 families)  
 Family **Anchistoididae** Borradaile, 1915 (1 genus, 3 species)  
 Family **Desmocarididae** Borradaile, 1915 (1 genus, 2 species)  
 Family **Euryrhynchidae** Holthuis, 1950 (3 genera, 7 species)  
 Family **Gnathophyllidae** Dana, 1852 (4 genera, 14 species)  
 Family **Hymenoceridae** Ortmann, 1890 (2 genera, 3 species)  
 Family **Kakaducarididae** Bruce, 1993 (3 genera, 3 species)  
 Family **Palaemonidae** Rafinesque, 1815 (137 genera, 967 species)  
 Family **Typhlocarididae** Annandale & Kemp, 1913 (1 genus, 4 species)
- Superfamily **Pandaloidea** Haworth, 1825 (2 families)  
 Family **Pandalidae** Haworth, 1825 (23 genera, 188 species)  
 Family **Thalassocarididae** Bate, 1888 (2 genera, 4 species)
- Superfamily **Processoidea** Ortmann, 1890 (1 family)  
 Family **Processidae** Ortmann, 1890 (4 genera, 68 species)
- Superfamily **Psalidopodoidea** Wood-Mason & Alcock, 1892 (1 family)  
 Family **Psalidopodidae** Wood-Mason & Alcock, 1892 (1 genus, 3 species)
- Superfamily **Stylodactyloidea** Bate, 1888 (1 family)  
 Family **Stylodactylidae** Bate, 1888 (5 genera, 34 species)
- Infraorder **Polychelida** Scholtz & Richter, 1995 (1 superfamily)<sup>21</sup>  
 Superfamily **Eryonoidea** de Haan, 1841 (1 family)  
 Family **Polychelidae** Wood-Mason, 1874 (6 genera, 37 species)

21. Based on Chan (2010)

- Infraorder **Achelata** Scholtz & Richter, 1995 (2 families, 32 genera, 147 species)<sup>22</sup>
- Superfamily **Palinuroidea** Latreille, 1802 (2 families)
    - Family **Palinuridae** Latreille, 1802 (12 genera, 59 species)
    - Family **Scyllaridae** Latreille, 1825 (20 genera, 88 species)
- Infraorder **Glypheidea** Winkler, 1882 (1 superfamily)<sup>23</sup>
- Superfamily **Glypheoidea** Winkler, 1882 (1 family)
    - Family **Glypheidae** Winkler, 1882 (2 genera, 2 species)
- Infraorder **Astacidea** Latreille, 1802 (4 superfamilies)<sup>24</sup>
- Superfamily **Enoplometopoidea** de Saint Laurent, 1988 (1 family)
    - Family **Enoplometopidae** de Saint Laurent, 1988 (1 genus, 12 species)
  - Superfamily **Nephropoidea** Dana, 1852 (1 family)
    - Family **Nephropidae** Dana, 1852 (14 genera, 54 species)
  - Superfamily **Astacoidea** Latreille, 1802 (2 families)
    - Family **Astacidae** Latreille, 1802 (3 genera, 11 species)
    - Family **Cambaridae** Hobbs, 1942 (12 genera, 428 species)
  - Superfamily **Parastacoidea** Huxley, 1879 (1 family)
    - Family **Parastacidae** Huxley, 1879 (15 genera, 165 species)
- Infraorder **Axiidea** de Saint Laurent, 1979<sup>25</sup> (2 superfamilies)
- Superfamily **Axioidae** Huxley, 1879 (9 families)
    - Family **Axiidae** Huxley, 1879 (44 genera, 112 species)
    - Family **Callianideidae** Kossmann, 1880 (2 genera, 4 species)
    - Family **Calocarididae** Ortmann, 1891 (11 genera, 30 species)
    - Family **Coralaxiidae** Sakai & De Saint Laurent, 1989 (2 genera, 4 species)
    - Family **Eiconaxiidae** Sakai & Ohta, 2005 (1 genus, 30 species)
    - Family **Eiconaxiopsididae** Sakai, 2010 (1 genus, 2 species)
    - Family **Meticonaxiidae** Sakai, 1992 (3 genera, 18 species)
    - Family **Micheleidae** Sakai, 1992 (1 genus, 13 species)
    - Family **Strahlaxiidae** Poore, 1994 (3 genera, 8 species)
  - Superfamily **Callianssoidea** Dana, 1852 (10 families)
    - Family **Anacalliidae** Manning & Felder, 1991 (3 genera, 3 species)
    - Family **Bathycalliidae** Sakai & Türkay, 1999 (2 genera, 2 species)
    - Family **Callianassidae** Dana, 1852 (22 genera, 171 species)
    - Family **Callianopsidae** Manning & Felder, 1991 (3 genera, 3 species)
    - Family **Ctenochelidae** Manning & Felder, 1991 (1 genus, 10 species)
    - Family **Eucalliidae** Manning & Felder, 1991 (8 genera, 17 species)
    - Family **Gourretiidae** Sakai, 1999 (5 genera, 10 species)
    - Family **Lipkecallianassidae** Sakai, 2005 (1 genus, 1 species)
    - Family **Pseudogourretiidae** Sakai, 2005 (1 genus, 1 species)
    - Family **Thomassiniidae** de Saint Laurent, 1979 (5 genera, 13 species)
- Infraorder **Gebiidea** de Saint Laurent, 1979<sup>26</sup> (1 superfamily)
- Superfamily **Thalassinoidea** Latreille, 1831 (4 families)
    - Family **Axianassidae** Schmitt, 1924 (1 genus, 8 species)
    - Family **Laomediidae** Borradaile, 1903 (5 genera, 16 species)
    - Family **Thalassinidae** Latreille, 1831 (1 genus, 7 species)
    - Family **Upogebiidae** Borradaile, 1903 (13 genera, 163 species)
- Infraorder **Anomura** MacLeay, 1838 (7 superfamilies)<sup>27</sup>
- Superfamily **Lomisoidea** Bouvier, 1895 (1 family)

22. Based on Chan (2010)

23. Based on Chan (2010)

24. Based on De Grave *et al.* (2009), Chan (2010)

25. Based on De Grave *et al.* (2009), Sakai (2010).

26. Based on De Grave *et al.* (2009).

27. Based on Baba *et al.* (2008), Ahyong *et al.* (2010), Schnabel & Ahyong (2010), Boyko & McLaughlin (2010), McLaughlin *et al.* (2010a, b), Osawa & McLaughlin (2010).

- Family **Lomisidae** Bouvier, 1895 (1 genus, 1 species)  
 Superfamily **Aegloidea** Dana, 1852 (1 family)  
 Family **Aeglidae** Dana, 1852 (1 genus, 69 species)  
 Superfamily **Chirostyloidea** Ortmann, 1892 (2 families)  
 Family **Chirostylidae** Ortmann, 1892 (5 genera, 276 species)  
 Family **Eumunididae** A. Milne-Edwards & Bouvier, 1900 (2 genera, 30 species)  
 Superfamily **Galatheoidea** Samouelle, 1819 (4 families)  
 Family **Galatheidae** Samouelle, 1819 (11 genera, 95 species)  
 Family **Munididae** Ahyong, Baba, Macpherson & Poore, 2010 (20 genera, 395 species)  
 Family **Munidopsidae** Ortmann, 1898 (4 genera, 250 species)  
 Family **Porcellanidae** Haworth, 1825 (30 genera, 277 species)  
 Superfamily **Hippoidea** Latreille, 1825 (3 families)  
 Family **Albuneidae** Stimpson, 1858 (9 genera, 48 species)  
 Family **Blepharipodidae** Boyko, 2002 (2 genera, 6 species)  
 Family **Hippidae** Latreille, 1825 (3 genera, 27 species)  
 Superfamily **Paguroidea** Latreille, 1802 (6 families)  
 Family **Coenobitidae** Dana, 1851 (2 genera, 19 species)  
 Family **Diogenidae** Ortmann, 1892 (20 genera, 428 species)  
 Family **Paguridae** Latreille, 1802 (75 genera, 542 species)  
 Family **Parapaguridae** Smith, 1882 (10 genera, 76 species)  
 Family **Pylochelidae** Bate, 1888 (10 genera, 41 species)  
 Family **Pylojacquesidae** McLaughlin & Lemaitre, 2001 (2 genera, 2 species)  
 Superfamily **Lithodoidea** Samouelle, 1819 (2 families)  
 Family **Hapalogastridae** Brandt, 1850 (5 genera, 8 species)  
 Family **Lithodidae** Samouelle, 1819 (10 genera, 121 species)  
 Infraorder **Brachyura** Latreille, 1802 (4 sections)<sup>28</sup>  
 Section **Dromiacea** de Haan, 1833 (3 superfamilies)  
 Superfamily **Homolodromioidea** Alcock, 1900 (1 family)  
 Family **Homolodromiidae** Alcock, 1900 (2 genera, 24 species)  
 Superfamily **Dromioidea** de Haan, 1833 (2 families)  
 Family **Dromiidae** de Haan, 1833 (41 genera, 124 species)  
 Family **Dynomenidae** Ortmann, 1892 (5 genera, 19 species)  
 Superfamily **Homoloidea** de Haan, 1839 (3 families)  
 Family **Homolidae** de Haan, 1839 (14 genera, 65 species)  
 Family **Latreilliidae** Stimpson, 1858 (2 genera, 7 species)  
 Family **Poupiniidae** Guinot, 1991 (1 genus, 1 species)  
 Section **Raninoidea** de Haan, 1839 (1 superfamily)  
 Superfamily **Raninoidea** de Haan, 1839 (1 family)  
 Family **Raninidae** de Haan, 1839 (12 genera, 39 species)  
 Section **Cyclodorippoidea** Ahyong *et al.* 2007 (1 superfamily)  
 Superfamily **Cyclodorippoidea** Ortmann, 1892 (3 families)  
 Family **Cyclodorippidae** Ortmann, 1892 (10 genera, 49 species)  
 Family **Cymonomidae** Bouvier, 1897 (5 genera, 38 species)  
 Family **Phyllotymolinidae** Tavares, 1998 (3 genera, 4 species)  
 Section **Eubrachyura** de Saint Laurent, 1980 (2 subsections)  
 Subsection **Heterotremata** Guinot, 1977 (28 superfamilies)  
 Superfamily **Aethroidea** Dana, 1851 (1 family)  
 Family **Aethridae** Dana, 1851 (7 genera, 35 species)  
 Superfamily **Bellioidea** Dana, 1852 (1 family)  
 Family **Belliidae** Dana, 1852 (4 genera, 7 species)  
 Superfamily **Bythograeoidea** Williams, 1980 (1 family)  
 Family **Bythograeidae** Williams, 1980 (6 genera, 14 species)

28. Based on De Grave *et al.* (2009) and Števc̆ić (2011). Taxa erected by Števc̆ić (2011) are accepted here at face value, but the nomenclatural validity of some of Števc̆ić's family names requires closer scrutiny.

- Superfamily **Calappoidea** Milne Edwards, 1837 (2 families)
  - Family **Calappidae** Milne Edwards, 1837 (2 families, 9 genera, 75 species)
  - Family **Matutidae** de Hann, 1841 (4 genera, 15 species)
- Superfamily **Cancroidea** Latreille, 1802 (2 families)
  - Family **Atelecyclidae** Ortmann, 1893 (6 genera, 24 species)
  - Family **Cancridae** Latreille, 1802 (4 genera, 6 species)
- Superfamily **Carpilioidea** Ortmann, 1893 (1 family)
  - Family **Carpiliidae** Ortmann, 1893 (1 genus, 2 species)
- Superfamily **Cheiragonoidea** Ortmann, 1893 (1 family)
  - Family **Cheiragonidae** Ortmann, 1893 (2 genera, 3 species)
- Superfamily **Corystoidea** Samouelle, 1819 (1 family)
  - Family **Corystidae** Samouelle, 1819 (4 genera, 9 species)
- Superfamily **Dairoidea** Ng & Rodriguez, 1986 (2 families)
  - Family **Dacryopilumnidae** Serène, 1984 (1 genus, 2 species)
  - Family **Dairidae** Ng & Rodriguez, 1986 (1 genus, 1 species)
- Superfamily **Dorippoidea** MacLeay, 1838 (2 families)
  - Family **Dorippidae** MacLeay, 1838 (9 genera, 19 species)
  - Family **Ethusidae** Guinot, 1977 (4 genera, 79 species)
- Superfamily **Eriphioidea** MacLeay, 1838 (6 families)
  - Family **Dairodidae** Števcíć, 2005 (1 genus, 3 species)
  - Family **Eriphiidae** MacLeay, 1838 (2 genera, 8 species)
  - Family **Hypothalassiidae** Karasawa & Schweitzer, 2006 (1 genus, 2 species)
  - Family **Menippidae** Ortmann, 1893 (5 genera, 10 species)
  - Family **Oziidae** Dana, 1851 (7 genera, 32 species)
  - Family **Platyxanthidae** Guinot, 1977 (5 genera, 7 species)
- Superfamily **Gecarcinucoidea** Rathbun, 1904 (1 family)
  - Family **Gecarcinucidae** Rathbun, 1904 (58 genera, 349 species)
- Superfamily **Goneplacoidea** MacLeay, 1838 (11 families)
  - Family **Acidopsidae** Števcíć, 2005 (2 genera, 4 species)
  - Family **Chasmocarcinidae** Serène, 1964 (9 genera, 35 species)
  - Family **Conleyidae** Števcíć, 2005 (1 genus, 1 species)
  - Family **Euryplacidae** Stimpson, 1871 (10 genera, 33 species)
  - Family **Goneplacidae** MacLeay, 1838 (16 genera, 67 species)
  - Family **Litochairidae** Števcíć, 2005 (2 genera, 3 species)
  - Family **Mathildellidae** Karasawa & Kato, 2003 (5 genera, 22 species)
  - Family **Neommatocarcinidae** Števcíć, 2011 (1 genus, 1 species)
  - Family **Progeryonidae** Števcíć, 2005 (3 genera, 7 species)
  - Family **Scalopidiidae** Števcíć, 2005 (1 genus, 2 species)
  - Family **Vultocinidae** Ng & Manuel-Santos, 2007 (1 genus, 1 species)
- Superfamily **Hexapodoidea** Miers, 1886 (1 family)
  - Family **Hexapodidae** Miers, 1886 (13 genera, 20 species)
- Superfamily **Leucosioidea** Samouelle, 1819 (2 families)
  - Family **Iphiculidae** Alcock, 1896 (2 genera, 5 species)
  - Family **Leucosiidae** Samouelle, 1819 (69 genera, 447 species)
- Superfamily **Majoidea** Samouelle, 1819 (6 families)
  - Family **Epialtidae** MacLeay, 1838 (81 genera, 375 species)
  - Family **Hymenosomatidae** MacLeay, 1838 (19 genera, 124 species)
  - Family **Inachidae** MacLeay, 1838 (39 genera, 204 species)
  - Family **Inachoididae** Dana, 1851 (10 genera, 39 species)
  - Family **Majidae** Samouelle, 1819 (47 genera, 194 species)
  - Family **Oregoniidae** Garth, 1958 (4 genera, 14 species)
- Superfamily **Orithyoidea** Dana, 1853 (1 family)
  - Family **Orithyiidae** Dana, 1853 (1 genus, 1 species)
- Superfamily **Palicoidea** Bouvier, 1898 (2 families)

- Family **Crossotonotidae** Moosa & Serène, 1981 (2 genera, 6 species)
- Family **Palicidae** Bouvier, 1898 (9 genera, 57 species)
- Superfamily **Parthenopoidea** MacLeay, 1838 (1 family)
- Family **Parthenopidae** MacLeay, 1838 (38 genera, 139 species)
- Superfamily **Pilumnoidea** Samouelle, 1819 (3 families)
- Family **Galenidae** Alcock, 1898 (4 genera, 9 species)
- Family **Pilumnidae** Samouelle, 1819 (63 genera, 349 species)
- Family **Tanaochelidae** Ng & Clark, 2000 (1 genus, 2 species)
- Superfamily **Portunoidea** Rafinesque, 1815 (7 families)
- Family **Carcinidae** MacLeay, 1838 (8 genera, 30 species)
- Family **Catopridae** Borradaile, 1902 (2 genera, 10 species)
- Family **Geryonidae** Colosi, 1923 (3 genera, 37 species)
- Family **Macropipidae** Stephenson & Campbell, 1960 (8 genera, 28 species)
- Family **Pirimelidae** Alcock, 1899 (2 genera, 5 species)
- Family **Portunidae** Rafinesque, 1815 (23 genera, 307 species)
- Family **Thiidae** Dana, 1852 (2 genera, 3 species)
- Superfamily **Potamoidea** Ortmann, 1896 (2 families)
- Family **Potamidae** Ortmann, 1896 (97 genera, 521 species)
- Family **Potamonautidae** Bott, 1970 (18 genera, 138 species)
- Superfamily **Pseudothelphusoidea** Ortmann, 1893 (1 family)
- Family **Pseudothelphusidae** Ortmann, 1893 (41 genera, 276 species)
- Superfamily **Pseudozoidea** Alcock, 1898 (4 families)
- Family **Caecopilumnidae** Števc̆ić, 2011 (1 genus, 3 species)
- Family **Pilumnoididae** Gionot & Macpherson, 1987 (1 genus, 8 species)
- Family **Planopilumnidae** Serène, 1984 (3 genera, 4 species)
- Family **Pseudoziidae** Alcock, 1898 (3 genera, 10 species)
- Superfamily **Retroplumoidea** Gill, 1894 (1 family)
- Family **Retroplumidae** Gill, 1894 (2 genera, 10 species)
- Superfamily **Trapezioidea** Miers, 1886 (3 families)
- Family **Domeciidae** Ortmann, 1893 (4 genera, 6 species)
- Family **Tetraliidae** Castro, Ng & Ahyong, 2004 (2 genera, 12 species)
- Family **Trapeziidae** Miers, 1886 (6 genera, 38 species)
- Superfamily **Trichodactyloidea** Milne Edwards, 1853 (1 family)
- Family **Trichodactylidae** Milne Edwards, 1853 (15 genera, 49 species)
- Superfamily **Xanthoidea** MacLeay, 1838 (3 families)
- Family **Panopeidae** Ortmann, 1893 (26 genera, 84 species)
- Family **Pseudorhombilidae** Alcock, 1900 (10 genera, 13 species)
- Family **Xanthidae** MacLeay, 1838 (123 genera, 572 species)
- Subsection **Thoracotremata** Guinot, 1977 (4 superfamilies)
- Superfamily **Cryptochiroidea** Paul'son, 1875 (1 family)
- Family **Cryptochiridae** Paul'son, 1875 (20 genera, 46 species)
- Superfamily **Grapsoidea** MacLeay, 1838 (8 families)
- Family **Gecarcinidae** MacLeay, 1838 (6 genera, 19 species)
- Family **Glyptograpsidae** Schubart, Cuesta & Felder, 2002 (2 genera, 3 species)
- Family **Grapsidae** MacLeay, 1838 (8 genera, 41 species)
- Family **Percnidae** Števc̆ić, 2005 (1 genus, 6 species)
- Family **Plagusiididae** Dana, 1851 (4 genera, 18 species)
- Family **Sesarmidae** Dana, 1851 (30 genera, 252 species)
- Family **Varunidae** H. Milne Edwards, 1853 (36 genera, 146 species)
- Family **Xenograpsidae** Ng, Davie, Schubart & Ng, 2007 (1 genus, 3 species)
- Superfamily **Ocypodoidea** Rafinesque, 1815 (8 families)
- Family **Camptandriidae** Stimpson, 1858 (18 genera, 36 species)
- Family **Dotillidae** Stimpson, 1858 (9 genera, 59 species)
- Family **Helocciidae** H. Milne Edwards, 1852 (1 genus, 1 species)



- Family **Macrophthalmidae** Dana, 1851 (7 genera, 65 species)  
 Family **Mictyridae** Dana, 1851 (1 genus, 4 species)  
 Family **Ocypodidae** Rafinesque, 1815 (2 genera, 115 species)  
 Family **Ucididae** Števčić, 2005 (1 genus, 2 species)  
 Family **Xenophthalmidae** Stimpson, 1858 (3 genera, 5 species)  
 Superfamily **Pinnotheroidea** de Haan, 1833 (2 families)  
 Family **Aphanodactylidae** Ah Yong & Ng, 2009 (4 genera, 7 species)  
 Family **Pinnotheridae** de Haan, 1833 (53 genera, 297 species)  
 Superfamilies **Incertae Sedis**  
 Family **Brankocleistostomidae** Števčić, 2011 (1 genus, 1 species)  
 Family **Garthopilumnidae** Števčić, 2011 (1 genus, 1 species)  
 Family **Lazarocleistostomidae** Števčić, 2011 (1 genus, 1 species)

## References

- Ahyong, S.T. (2001) Revision of the Australian Stomatopod Crustacea. *Records of the Australian Museum*, Supplement 26, 1–326.
- Ahyong, S.T., Baba, K., Macpherson, E., & Poore, G.C.B. (2010) A new classification of the Galatheoidea (Crustacea: Decapoda: Anomura). *Zootaxa*, 2676, 57–68.
- Ahyong, S.T., Chan, T.-Y., & Liao, Y.-C. (2008) *A Catalog of the Mantis Shrimps (Stomatopoda) of Taiwan*. Taipei: National Science Council, Taiwan, R.O.C, 191 pp.
- Ahyong, S.T., & Harling, C. (2000) The phylogeny of the stomatopod Crustacea. *Australian Journal of Zoology*, 48, 607–642.
- Almeida, W.O., Freire, E.M.X. & Lopes, S.G. (2008) A new species of pentastomida infecting *Tropidurus hispidus* (Squamata: Tropiduridae) from Caatinga in Northeastern Brazil. *Brazilian Journal of Zoology*, 68(1), 199–203.
- Almeida, W.O. & Christoffersen, M.L. (1999) A cladistic approach to relationships in Pentastomida. *Journal of Parasitology*, 85(4), 695–704.
- Baba, K., Macpherson, E., Poore, G.C.B., Ahyong, S.T., Bermudez, A., Cabezas, P., Lin, C.-W., Nizinski, M., Rodrigues, C., & Schnabel, K. (2008) Catalogue of squat lobsters of the world (Crustacea: Decapoda: Anomura—families Chirostylidae, Galatheididae and Kiwaidae). *Zootaxa*, 1905, 1–220.
- Baker, A.C., Boden, B.P. & Brinton, E. (1990) *A Practical Guide to the Euphausiids of the World*. Natural History Museum Publications, London, 96 pp.
- Boyko, C.B. & McLaughlin, P.A. (2010) Annotated checklist of the anomuran decapod crustaceans of the world (exclusive of the Kiwaoidea and families Chirostylidae and Galatheididae of the Galatheoidea) Part IV — Hippoidea. *Raffles Bulletin of Zoology*, Supplement 23, 139–151.
- Boxshall, G. (2011) Arguloidea In: Walter, T.C., Boxshall, G. (Eds), World Copepoda database. (Accessed through: World Register of Marine Species at <http://www.marinespecies.org/aphia.php?p=taxdetails&id=104069> on 10 Aug 2011).
- Boxshall, G.A., Halsey, S.H. (2004) *An introduction to copepod diversity*. The Ray Society, London, 2 vols, 966 pp.
- Brandt, A., & Poore, G.C.B. (2003) Higher classification of the flabelliferan and related Isopoda based on a reappraisal of relationships. *Invertebrate Systematics*, 17, 893–923.
- Buckeridge, J.S. (1998) A new coral inhabiting barnacle of the genus *Chionelasmus* (Cirripedia, Balanomorpha) from New Caledonia, South-West Pacific. *Zoosystema*, 20(2), 167–176.
- Buckeridge, J.S. & Newman, W.A. (2010) A review of the subfamily Eliminiinae (Cirripedia: Thoracica: Austrobalanidae), including a new genus, *Protelminius* nov., from the Oligocene of New Zealand. *Zootaxa*, 2349, 39–54.
- Brendonck, L., Rogers, D.C., Olesen, J., Weeks, S. & Hoeh, W.R. (2008) Global diversity of large branchiopods (Crustacea: Branchiopoda) in freshwater. *Hydrobiologia* 595, 167–176.
- Camacho, A.I. (2006) An annotated checklist of the Syncarida (Crustacea, Malacostraca) of the world. *Zootaxa*, 1374, 1–54.
- Camacho, A.I., Stanford, J.A., & Newell, R.L. (2009) The first record of Syncarida in Montana, USA: a new genus and species of Parabathynellidae (Crustacea, Bathynellacea) in North America. *Journal of Natural History*, 43, 309–321.
- Chan, B.K.K., Prabowo, R.E., & Lee, K.-S. (2009) *Crustacean Fauna of Taiwan: Barnacles, Volume 1—Cirripedia: Thoracica excluding the Pyrgomatidae and Acastinae*. Keelung: National Taiwan Ocean University, 298 pp.
- Chan, T.Y. (2010) Annotated checklist of the world's marine lobsters (Crustacea: Decapoda: Astacidea, Glypheidea, Achelata, Polychelida). *Raffles Bulletin of Zoology*, Supplement 23, 153–181.
- De Grave, S. & Fransen, C.H.J.M. (2011) Carideorum Catalogus: the Recent species of the dendrobranchiate, stenopodidean, procarididean and caridean Shrimps (Crustacea: Decapoda). *Zoologische Mededelingen*, 85(9), 195–589.
- De Grave, S., Pentcheff, N.D., Ahyong, S.T., Chan, T.-Y., Crandall, K.A., Dworschak, P.C., Felder, D.L., Feldmann, R.M., Fransen, C.H.J.M., Goulding, L.Y.D., Lemaitre, R., Low, M.E.Y., Martin, J.W., Ng, P.K.L., Schweitzer, C.E., Tan, S.H., Tshudy, D., Wetzer, R. (2009) A classification of living and fossil genera of decapod Crustaceans. *Raffles Bulletin of Zoology*, Supplement 21, 1–109.
- Forró, L., Korovchinsky, N.M., Kotov, A.A., Petrussek, A. (2008) Global diversity of cladocerans (Cladocera; Crustacea) in freshwater. *Hydrobiologia*, 585, 177–184.
- Grygier, M.J. (1987) Classification of the Ascothoracida (Crustacea). *Proceedings of the Biological Society of Washington*, 100(3),

- Grygier, M.J. & Newman, W.A. (1991) A new genus and two new species of Microlepadidae (Cirripedia: Pedunculata) found on western Pacific diadematid echinoids. *Galaxea*, 10, 1–22.
- Haney, T.A., & Martin, J.W. (2004) A new genus and species of leptostracan (Crustacea: Malacostraca: Phyllocarida) from Guana Island, British Virgin Islands, and a review of leptostracan genera *Journal of Natural History*, 38, 447–469.
- Hart, D.G. & Hart, C.W., Jr (1974) The ostracod family Entocytheridae. *Academy of Natural Sciences of Philadelphia. Monograph* 18, i–x, 1–239.
- Hobbs, H.H., Jr, Peters, D.J. (1977) The entocytherid ostracods of North Carolina. *Smithsonian Contributions to Zoology*, 247, i–iv, 1–73.
- Hong, S.J., & Cho, J.-L. (2009) Three new species of *Billibathynella* from Western Australia (Crustacea, Syncarida, Parabathynellidae). *Journal of Natural History*, 43, 2365–2390.
- Heymons, R. (1935) Pentastomida. In: Bronns, H.G. (Ed.), *Klassen und Ordnungen des Tierreichs. Fünfter Band. IV Abteilung, Buch. I*, 1–268. Akademische Verlagsgesellschaft m.b.H., Leipzig.
- Illiffe, T.M., Otten, T., & Koenemann, S. (2010) *Godzillignomus schrami*, a new species of Remipedia (Crustacea) from Eleuthera, Bahamas. *Zootaxa*, 2491, 61–68.
- Jones, D.S. (2000) Crustacea Cirripedia Thoracica: Chionelasmatoidea and Pachylasmatoidea (Balanomorpha) of New Caledonia, Vanuatu and Wallis and Futuna Islands, with a review of all currently assigned taxa. In: Crosnier, A. (Ed.), *Résultats des Campagnes MUSORSTOM*, 21. *Mémoires du Muséum national d'Histoire naturelle*, 184, 141–283.
- Junker, K. & Boomker, J. (2006) A check-list of the pentastomid parasites of crocodylians and freshwater chelonians. *Onderstepoort Journal of Veterinary Research*, 73, 27–36.
- Koenemann, S., Schram, F.R., Hönemann, M., & Illiffe, T.M. (2007) Phylogenetic analysis of Remipedia (Crustacea). *Organisms, Diversity and Evolution*, 7, 33–51.
- Kolbasov, G.A., Grygier, M.J., Ivanenko, V.N. & Vagelli, A.A. (2007) A new species of the Y-larva genus *Hansenocaris* Itô, 1985 (Crustacea: Thecostraca: Facetotecta) from Indonesia, with a review of Y-cyprids and a key to all their described species. *Raffles Bulletin of Zoology*, 55(2), 343–353.
- Kolbasov, G.A. & Savchenko, A.S. (2010) *Microdajus tchesunovi* sp. n. (Tantulocarida, Microdajidae) – A new crustacean parasite of from the White Sea. *Experimental Parasitology*, 125(1), 13–22.
- Martens, K. & Savatnalinton, S. (2011) A subjective checklist of the Recent, free-living, non-marine Ostracoda (Crustacea). *Zootaxa*, 2855, 1–79.
- Martin, J.W. (2009) Cephalocarida and Mystacocarida (Crustacea) of the Gulf of Mexico. In: Felder, D.L. & Camp, D.K. (Eds), *Biodiversity. Gulf of Mexico: Origin, Waters, and Biota 1*. Texas A&M University Press, pp. 821–824.
- McLaughlin, P.A., Komai, T., Lemaitre, R. & Rahayu, D.L. (2010a) Annotated checklist of the anomuran decapod crustaceans of the world (exclusive of the Kiwaoidea and families Chirostyliidae and Galatheidae of the Galatheoidea) Part I — Lithoidea, Lomisoidea and Paguroidea. *Raffles Bulletin of Zoology*, Supplement 23, 5–107.
- McLaughlin, P.A., Lemaitre, R. & Crandall, K.A. (2010b) Annotated checklist of the anomuran decapod crustaceans of the world (exclusive of the Kiwaoidea and families Chirostyliidae and Galatheidae of the Galatheoidea) Part III — Aegloidea. *Raffles Bulletin of Zoology*, Supplement 23, 131–137.
- Merrin, K.L. (2011) *Nyctobadistes* gen. nov. (Isopoda: Asellota: Munnopsidae), a new genus from Tasmanian waters, Australia, with the description of a new species. *Zootaxa*, 3025, 59–65.
- Mohrbeck, I., Martínez Arbizu, P. & Glatzel, T. (2010) Tantulocarida (Crustacea) from the Southern Ocean deep sea, and the description of three new species of *Tantulacus* Huys, Andersen & Kristensen, 1992. *Systematic Parasitology*, 77(2), 131–151.
- Newman, W.A. (2011) Review: Acrothoracica, Burrowing Crustaceans. *Journal of Crustacean Biology*, 31(1), 209–211.
- Newman, W.A. & Ross, A. (1976) Revision of the balanomorph barnacles; including a catalog of the species. *San Diego Society of Natural History, Memoir* 9, 1–108.
- Osawa, M. & McLaughlin, P.A. (2010b) Annotated checklist of the anomuran decapod crustaceans of the world (exclusive of the Kiwaoidea and families Chirostyliidae and Galatheidae of the Galatheoidea) Part II — Porcellanidae. *Raffles Bulletin of Zoology*, Supplement 23, 109–129.
- Pitombo, F.B. (2004) Phylogenetic analysis of the Balanidae (Cirripedia, Balanomorph). *Zoologica Scripta*, 33, 261–276.
- Ranga Reddy, Y. & Totakura, V.R. (2010) A taxonomic revision of the genus *Habrobathynella* Schminke, 1973, with the description of four new species from southeastern India (Crustacea, Malacostraca, Bathynellacea). *Zootaxa*, 2532, 1–54.
- Riley, J. & Self, J.T. (1981) A redescription of *Waddycephalus teretiusculus* (Baird, 1862) Sambon, 1922 and a revision of the taxonomy of the genus *Waddycephalus* (Sambon, 1922), pentastomid parasites of Asian, Australian and Indonesian snakes, with descriptions of eight new species. *Systematic Parasitology*, 3(4), 243–257.
- Roccatagliata, D., Chiesa, I.L., Raffo, M.P., & Gómez Simes, E. (2010) On the occurrence of the genus *Paranebalia* (Crustacea: Phyllocarida: Leptostraca) in northern Patagonia, Argentina. *Zootaxa*, 2349, 65–68.
- Rogers, D.C. (2009) Branchiopoda (Anostraca, Notostraca, Laevicaudata, Spinicaudata, Cyclestherida) In: Likens, G. E. (Ed.), *Encyclopedia of Inland Waters*. Vol. 2, 242–249. Oxford, Elsevier.
- Rogers, D.C. & Coronel, J. S. (2011) A redescription of *Branchinecta pollicifera* Harding, 1940 and its placement in a new genus (Branchiopoda: Anostraca: Branchinectidae). *Journal of Crustacean Biology* 31, 717–724.
- Ross, A. & Frick, M.G. (2011) Nomenclatural emendations of the family-group names Cylindrolepadinae, Stomatolepadinae, Chelolepadinae, Cryptolepadinae, and Tubicinellinae of Ross & Frick, 2007 — including current definitions of family-groups within the Coronuloidea (Cirripedia: Balanomorph: Coronuloidea). *Zootaxa*, 3106, 60–66.
- Sakai, K. (2010) Axioidea of the world and a reconsideration of the Callianassoidea (Decapoda, Thalassinoidea, Callianassida). *Crustaceana Monographs*, 13, 1–616.

- Savchenko, A.S. & Kolbasov, G.A. (2009) *Serratotantulus chertoprudae* gen. et sp. n. (Crustacea, Tantulocarida, Basipodellidae): a new tantulocaridan from the abyssal depths of the Indian Ocean. *Integrative and Comparative Biology*, 49(2), 106–113.
- Schnabel, K.E., & Ahyong, S.T. (2010) A new classification of the Chirostyloidea (Crustacea: Decapoda: Anomura). *Zootaxa*, 2687, 56–64.
- Schotte, M., Boyko, C. B., Bruce, N. L., Poore, G.C.B., Taiti, S., Wilson, G.D.F. (Eds) (2008 onwards). World List of Marine Freshwater and Terrestrial Isopod Crustaceans. (Available online at <http://www.marinespecies.org/isopoda>) (accessed 30 Sept 2011).
- Schram, F.R. & Müller, H.G. (2004) *Catalog and Bibliography of the Fossil and Recent Stomatopoda*. Leiden: Backhuys Publishers, 264 pp.
- Self, J.T. (1969) Biological relationships of the Pentastomida: a bibliography on the Pentastomida. *Experimental Parasitology*, 21, 63–119.
- Števičić, Z. (2011) Addition to the reclassification of the brachyuran crabs (Crustacea: Decapoda: Brachyura) part I. New taxa. *Natura Croatica* 20, 125–139.
- Stuardo, J.R. & Vega, R. (2011) SEM study of *Sandersiella chilensis* sp.nov. (Cephalocarida), with a review of the integumentary structures and functional adaptations in the group. *Gayana*, 75(1), 99–122.
- Van Damme, K., Shiel, R.J., Dumont, H.J. (2007a) *Notothrix halsei* gen. n., sp. n., representative of a new family of freshwater cladocerans (Branchiopoda, Anomopoda) from SW Australia, with a discussion of ancestral traits and a preliminary molecular phylogeny of the order. *Zoologica Scripta*, 36, 465–487.
- Van Damme, K., Shiel, R.J., Dumont, H.J. (2007b) Gondwanotrichidae nom. nov. pro Nototrichidae Van Damme, Shiel & Dumont, 2007. *Zoologica Scripta*, 36, 623.
- Walker-Smith, G.K., & Poore, G.C.B. (2001) A phylogeny of the Leptostraca (Crustacea) with keys to families and genera. *Memoirs of Museum Victoria*, 58, 383–410
- WoRMS (2011a) Ascothoracida. *World Register of Marine Species* (<http://www.marinespecies.org/aphia.php?p=taxdetails&id=22559>) (accessed 10 Oct 2011).
- WoRMS (2011b) Cirripedia. *World Register of Marine Species* (<http://www.marinespecies.org/aphia.php?p=taxdetails&id=1082>) (accessed 10 Oct 2011).
- WoRMS (2011c) Copepoda. *World Register of Marine Species* (<http://www.marinespecies.org/aphia.php?p=taxdetails&id=1080>) (accessed 1 Oct 2011)
- WoRMS (2011d) Ostracoda. *World Register of Marine Species* (<http://www.marinespecies.org/aphia.php?p=taxdetails&id=1078>) (accessed 30 Sep 2011).

## Author roles and addresses

- Shane T. Ahyong (Acrothoracica, Cephalocarida, Remipedia, Branchiura, Tantulocarida, Pentastomida, Facetotecta, Rhizocephala, Ostracoda, Anaspidacea, Euphausiacea, Decapoda, Hoplocarida) Australian Museum, 6 College St., Sydney, NSW 2010, Australia ([shane.ahyong@austmus.gov.au](mailto:shane.ahyong@austmus.gov.au); [Jim.Lowry@austmus.gov.au](mailto:Jim.Lowry@austmus.gov.au))
- James K. Lowry (Bathynellacea, Amphipoda) Australian Museum, 6 College St., Sydney, NSW 2010, Australia ([shane.ahyong@austmus.gov.au](mailto:shane.ahyong@austmus.gov.au); [Jim.Lowry@austmus.gov.au](mailto:Jim.Lowry@austmus.gov.au))
- Miguel Alonso (Branchiopoda) Departament d'Ecologia, Universitat de Barcelona, Diagonal 645, 08028 Barcelona ([malonso@ub.edu](mailto:malonso@ub.edu))
- Roger N. Bamber (Tanaidacea) ARTOO Marine Biology Consultants, Ocean Quay Marina, Belvidere Road, Southampton SO14 5QY, UK ([roger.bamber@artoo.co.uk](mailto:roger.bamber@artoo.co.uk))
- Geoffrey A. Boxshall (Copepoda) Department of Zoology, The Natural History Museum, Cromwell Road, London SW7 5BD, UK ([g.boxshall@nhm.ac.uk](mailto:g.boxshall@nhm.ac.uk))
- Peter Castro (Brachyura) Biological Sciences Department, California State Polytechnic University, Pomona, California 91768, USA ([pcastro@csupomona.edu](mailto:pcastro@csupomona.edu))
- Sarah Gerken (Cumacea) Biological Sciences and Liberal Studies, University of Alaska, Anchorage, 3211 Providence Dr., Anchorage, AK 99508 ([gerken.uaa@gmail.com](mailto:gerken.uaa@gmail.com))
- Gordan S. Karaman (Amphipoda) P.O. Box 40, 81000 Podgorica, Montenegro, Yugoslavia ([karaman@t-com.me](mailto:karaman@t-com.me))
- Joseph W. Goy (Stenopodidea) Department of Biology, Harding University, 900 E. Center Ave., Box 12251, Searcy, Arkansas 72149-0001, USA ([jwgoy@harding.edu](mailto:jwgoy@harding.edu))
- Diana S. Jones (Thoracica) Western Australian Museum, 49 Kew Street, Welshpool, Western Australia 6106, Australia ([diana.jones@museum.wa.gov.au](mailto:diana.jones@museum.wa.gov.au))
- Kenneth Meland (Mysida, Lophogastrida, Thermosbaenacea, Spelaeogriphacea, Mictacea, Boschusacea) University of Bergen, Department of Biology, PO Box 7800, N-5020 Bergen, Norway ([Kenneth.Meland@bio.uib.no](mailto:Kenneth.Meland@bio.uib.no))
- D. Christopher Rogers (Branchiopoda) Kansas Biological Survey, Kansas University, Higuchi Hall, 2101 Constant Avenue, Lawrence, Kansas 66047-3759, USA ([branchiopod@gmail.com](mailto:branchiopod@gmail.com))
- Jörundur Svavarsson (Isopoda) Institute of Biology, University of Iceland, Sturlugata 7, 101 Reykjavík, Iceland ([jorundur@hi.is](mailto:jorundur@hi.is))