

in)

Harpacticoida - Thalestridae

Thalestris valid

Claus, 1863-

T. robusta.

Syn. Thalestris Claus, 1863, p. 128.

Thalestris Boeck, 1865, p. 264.

Thalestris G.O. Sars, 1905, p. 103.

Thalestris Brady, 1880, vol. 2, p. 120.

Balnuspis, a queen of the Amazons.

Thalestris Pesta, 1921, p. 586.

Thalestris Brian, 1921, p. 76.

Body stout, with thick and tough integuments. Last segt. of metasome not much narrower than others. Urosome 4-jointed in ♀, 5-jointed in ♂. 1^o antennae in ♀ 9-jointed, terminal joint of 2^o antennae armed with geniculate, claw-like spines, exopod 2-jointed. Both rami of 1^o legs 3-jointed. 5^o legs in ♀ large, foliaceous.

Thalestridae - Harpacticoida

Thalestris australis Brady, ♀

Brady, 1899, p. 43: pl. 12, f. 1-5.

Lang, 1936, p. 50

--, HANG, 1948, P. 509, PL. 208:1 - OTAGO HARBOR - NEW ZEALAND.

Habitat. New Zealand -

Thalestris brevicornis

Czerniavski, 1868

--, Dolzonolskaya, 1970, p. 71, a syn. of Phyllothalestris
mysis

Thalesridae - Harpactida

Thalestris brunnea G.O.Sars, ♀.

- — Sars, 1905, p. 108: pl. 63.
- — Norman & Brady, 1909, p. 126.
- rufoviolaceus Brady (not Claus),
- brunnea ♂, Willey, 1923, p. ~~26~~³¹⁸⁻³²⁸: figs. 21-22.
- Klie, 1941, p. 21

Habitat. English Seas.

— ~~W.H.I.~~

- Lang, 1936, p. 50
- , HANG, 1948, P. 502, PL. 204:5-207:1 - NORWAY
- SHIH ET AL. 1971: 813, CANADA- ARCTIC
- HICKS 1980: 165-, BRITAIN

Thalestridae-Harpacticoida

Thalestris ciliata Brady, ♀

— — Brady, 1899, p. 43: pl. II, f. 28-33,

— — Lang, 1936, p. 49.

— —, Lang, 1948, p. 505, Pl. 208:2 - AKAROA HAR. N. ZEALAND.

Habitat. New Zealand.

Thalestridae-Harpacticoida

Thalestris clausi Norman, ♂. ♀.

— — Norman, 1868, p. 297.

Parathalestris — Brady & Robertson, 1873, p. 136.

Thalestris — ii Brady, 1880, p. 128; pl. 62, figs. 1-12.

— — T. Scott, 1903, p. 24.

A synonym of Parathalestris clausi,

(Norman & Brady; 1909, p. 126).

British Seas: Finnmark.

T-c—Thompson, 1893, p. 203; pl. 22, f. 6, b-c.
— —, Noodt, 1954, p. 49, N. SEA

--, Dolzonolskaya, 1970, p. 71, a syn. of Par-
thalestris clausi

Thalestris clausii

--, Vervoort, 1964, p. 141

T. CLAUSII, BRADY 1872: 440, BRITISH COAST

Thalestridae - Harpacticoida.

Thalestris curticauda Boeck, ♀.

— Boeck, 1865, p. 267.

A synonym of Rhynchothalestris helgolandica.
(Sars, 1905, p. 121).

Thalestridae - Harpacticoida.

Thalestris curticornis Boeck, ♀.

— — Boeck, 1865, p. 267.

— — Lang, 1936, p. 50

— —, LANG, 1948, P. 504, OSLO FJORD.

Habitat. Sweden.

Thalestridae - Harpacticoida

Thalestris denti' Brady, ♂.

— — Brady, 1905, p. 218: pl. 6, figs. 10-15

— — Lang, 1936, p. 50

— — Lang, 1938, p. 506, Pl. 208: 4 - ENGLAND

Only ♂ known, provisionally made
a synonym of Parathalestris denti.
(Norman & Brady, 1909, p. 127).

Thalestris filifera Krichagin, 1877

(Kritschagin)

- Krichagin, 1877: 49-51, pl. 5, fig. 6-12
- Michailova-Neikova, 1968: 212

Thalestris forsicula Claus, ♂. ♀.
Thalestridae — Harpacticoidae

- — Claus, 1863, p. 131: pl. 17, fig. 7-11
— — Carus, 1885, p. 324.
— — T. Scott, 1894, p. 100: pl. 12, fig. 33-41.
— — T. Scott, 1899², p. 108.

A synonym of Microthalestris forsicula.
(Sars, 1905, p. 123).

- Scott & Scott, 1901 : 350
— — Brady, 1899, p. 43.
— — Thomson, 1883, p. 104: pl. 10. Line 12 n.

--, Pesta, 1932, p. 53

--, Dolzonloskaya, 1970, p. 75, a syn. of Parastenelia
spinosa; spelled T. forticula

Thalestridae - Harpacticoida.

Thalestris gorgiculoides T. & A. Scott, ♀.

— — T. & A. Scott, 1894, p. 255: pl. 10, figs. 13-25.

— — T. & A. Scott, 1894, p. 142: pl. 9, figs. 4-9.

A synonym of Microthalestris gorgicula.
(Sars, 1905, p. 123).

Thalestris frigida T. Scott. ♂, ♀,

①

— T. Scott, 1899^s, p. 108; pl. 7, f. 17-23; pl. 8, f. 1-2.
Phyllothalistris — Sars, 1909, p. 23; pl. 4.

Thalestris — Lang, 1936, p. 49

— — Lang, 1936, p. 18-19:

— — , Lang, 1948, p. 501, Pl. 204: 8-205: 4-

Habitat. Franz-Josef Land.

--, Montagna & Carey, 1978, p. 119

Jakobi, 1959, p. 135

— SHIH ET AL. 1971: 213, CANADA-ARCTIC

Thalestris frigida T. Scott, 1899

card 2

-- Chislenko 1977b: 271, Franz Josef Land

Thalestridae - Harpacticoida.

Thalestris gibba (Krøyer), ♀.

①

Harpacticus — Krøyer, 1845: pl. 43, fig. 2, a-p.

Thalestris Sars, 1916, p. 6.

— — Sars, 1905, p. 105: pl. 61, 12 figs.

— — Sharpe, 1910, p. 417: fig. 10, a-b. text.

Habitat. Norway: Franz Joseph Lands;
Woods Hole,

— Deevey, 1952 b : 131, 146

- — Wilson, 1932, p. 201: fig. 133.
- — Lang, 1936, p. 49
- polaris, T. Scott, 1898, p. 106: pl. 7, figs. 8-16.
- gibba, Lang, 1936, p. 17, 18:
- — Lang, 1948, p. 498, Pl. 204: 1 - N. SEA AREA.
- —', Jespersen, 1940, p. 79-80. Iceland.
- gibber, Vervoort, 1964, p. 78
- , Topitsky, 1976: ~~108-120~~, TABS. 1, 2, BARENTS SEA
- SHIH ET AL. 1971: 54, CANADA- ATLANTIC;
- 213, ARCTIC
- JOHNSON, S. C. + SCHEIBLING 1987: 222, NOVA SCOTIA
- CHISLENKO 1977: 271, FRANZ JOSEF LAND

TALESTRISS GIBBA (KRØYER, 1845)

2

-- C. B. WILSON 1936: 372, CANADIAN ARCTIC

-- LEGARE & MACLELLAN 1960: 434, MAINE/ NEW
BRUNSWICK, USA/CANADA

Thalestris gigas Chislenko 1980

-- Chislenko 1980: 84-88, figs. 31-50, n. sp. ♀, Kurile Islands

Thalestridae — Harpacticoidea

Thalestris harpactoides Claus, ♂, ♀.

— — Claus, 1863, p. 133; pl. 19, figs. 2-11.

— — Brady, 1880, p. 127; pl. 50, figs. 9-16; pl. 59, fig. 1.

A synonym of Parathalestris harpactoides
(Sars, 1905, p. 112)

Habitat. British Seas; Norway coast.

(over)

- T - h - Brady & Robertson, 1873, p. 135.
— — Tamm, 1894, p. 382
— — Brady, 1910, p. 530: pl. 54, f. 5: text-fig. 20.
— — Thompson, 1893, p. 203: pl. 22, f. 8, a-d.
— — Noordt, 1956, p. 49. N. SEA
— — Pesta, 1932, p. 46
— — Dolzonolskaya, 1970, p. 70, a syn. of Parathalestris
harpactoides

I. - BRADY 1872: 449, BRITISH COAST

Thalestridae Harpacticidae

Thalestris helgolandica Claus, ♀

- — Claus, 1863, p. 131: pl. 17, figs. 12-21.
- — Brady, 1880, p. 123: pl. 61, figs. 9-14.
- — T. Scott, 1903, p. 23: 1899^c, p. 106.

A synonym of Rhynchothalestris h-.
(Sars, 1905, p. 121).

Arctic Seas.

- Scott & Scott, 1901: 350

— Brady & Robertson, 1873, p. 135,

— Thompson, 1893, p. 202: pl. 22, f. 7, a-c.

—, Pesta, 1932, p. 48

T. —? BRADY 1872: 440, BRITISH COAST

Thalestridae — Harpacticoidea
Thalestris hibernica Brady & Robertson, J. G.

- — B. & R., 1873, p. 135: pl. 8, figs. 17-19.
— — Brady, 1880, p. 134: pl. 62, figs. 13-17:
pl. 63, figs. 14-15.

A synonym of Parathalestris h-.
(Norman & Brady, 1909, p. 127).

- — Thompson, 1893, p. 203: pl. 23, f. 2, b-f.

Thalestridae - Harpacticoida.

Thalestris jacksoni T. Scott, ♀.

— T. Scott, 1899c, p. 109: pl. 8, fig. 3-9.

— T. Scott, 1903, p. 24.

Habitat. Franz-Josef Land: Finnmark.

Thalestris karmensis Boeck, ♀.

— — Boeck, 1865, p. 266.

A synonym of Microthalestris gorgicula.
(Sars, 1905, p. 123).

Croni Thalestridae - Harpacticoida

Thalestris krohnii (Krøyer). ♀ 1842

— Cleve, 1900, p. 89.

— Scott & Scott, 1901 : 350

Harpacticus croni Krøyer,
1842

Habitat. Norway Coast.

Thalestridae - Harpacticoida.

Thalestris longimana Claus, ♂. ♀.

- — Claus, 1863, p. 130: pl. 18, figs. 1-11.
- — Brady, 1880, p. 136: pl. 60, figs. 1-13.
- — Norman & Brady, 1909, p. 126.
- — Sars, 1916, p. 6.

Habitat. British Seas: Flümark:
Heligoland: France: Faroes.

- — Jespersen, 1940, p. 79. Iceland.
- — HANG, 1948, P. 498, PL. 204:1 - 205:1 S. 500 - NORMAN. MASSASA.

- — T. Scott, 1906, a, p. 313; 1903, p. 25.
- — Sars, 1905, p. 104: pls. 59 & 60.
- — Stephensen, 1913, p. 330: 1929, p. 5.
- — Brady & Robertson, 1873, p. 136.
- — Pesta, 1921, p. 586: text-fig. K 27
- — Brian, 1921, p. 76: pl. 1, fig. 8.
- — Iium, 1894, p. 382
- — Thompson, 1893, p. 203: pl. 23, f. 3, a- δ
- — Monard, 1928, p. 341: fig. 16.
- — Klie, 1927, p. 11;
- — Lang, 1936, p. 49
- — Monard 1935a, p. 41 Roscoff, France
- — NOODT, 1956, P.P. 49, N. SEA

Thalestris longimana-2

- --, Por, 1960, pg. 109
-- --, Bresciani st Lützen 1962, p. 368
-- --, Wells, 1970, p. 259
--, Pesta, 1932, p. 45-6 , fig. 45, 46
--, Dolzonolskaya, 1970, p. 70, pl. XII, fig. 4
--, Vervoort, 1964, p. 141
--, Jakobi, 1959, p. 137
--, Klie, 1941, p. 21
--, Roe, 1958: 227
— Willey, 1923: 318
— Makkaveeva, 1961: 154; fig. 10-11

Thalestris longimana Claus

card 3

-- Carli & Crisafi 1983: 100-101, Pl. 22 fig. 1, Italy

-- Dahms, 1988: 505 - Helgoland

-- DAHMS 1988 b: 16-, FIGS., HELGOLAND

-- SHIH ET AL. 1971: 54, CANADA- ATLANTIC

-- HICKS 1980: 164-, BRITAIN

-- DAHMS 1991: 88-, FIG. 5D, HELGOLAND, GERMANY

-- BRADY 1872: 440, BRITISH COAST

-- DAHMS 1992a: 231-, TABLE I

-- FERRARI 1993 b: 766-, TAB. I

THALESTRIS LONGIMANA CLAUS

CARD 4

-- BOER 1971: 69

-- LEGARÉ + MACLELLAN 1960: 434, MAINE / NEW
BRUNSWICK, USA / CANADA

Thalestridae - Harpacticoida.

Thalestris longipes Boeck, ♀.

— — Boeck, 1865, p. 266.

— — Lang, 1936, p. 50

— —, LANG, 1948, P. 504, OSLO FJORD.

Habitat. Norway Fjords.

Thalestris microphylla Claus, ♀.
Thalestridae—Harpacticoidea

- — Claus, 1863, p. 130
- — Carus, 1885, p. 324.
- — Lang, 1936, p. 50
- —, HANG, 1948, P. 503, PL. NONE - MESSINA ITALY.

Habitat. Mediterranean.

Thalestridae - Harpacticoida

Thalestris mysis Claus, ♂. ♀

- — Claus, 1863, p. 130: pl. 18, figs. 12-16.
- — Boeck, 1865, p. 44 (268).
- — Brady, 1880, p. 121: pl. 58, figs. 1-13.
- — Carus, 1885, p. 323.

A synonym of Phyllothalestris neysis
(Sars, 1905, p. 116)

- — Bourne, 1889, p. 150

— Brady & Robertson, 1873, p. 135.

—, Dolzonolskaya, 1970, p. 71, a syn. of Phyllothalestris
mysis

—, Vervoort, 1964, p. 141

— Krichagin, 1877:51, pl. 5, fig. 13

Thalestridae - Harpacticoida

Thalestris mysis Claus. ♂ ♀

- — Claus, 1863, p. 130: pl. 18, figs. 12-16.
- — Boeck, 1865, p. 44 (268).
- — Brady, 1880, p. 121: pl. 58, figs. 1-13.
- — Carus, 1885, p. 323.

A synonym of Phyllothaléstris mysis
(Sars, 1905, p. 116)

- — Bourne, 1889, p. 150

-- Brady & Robertson, 1873, p. 135.

--, Dolzonolskaya, 1970, p. 71, a syn. of Phyllothalalestris
mysis

--, Vervoort, 1964, p. 141

-- Krichagin, 1877:51, pl. 5, fig. 13

Thalestridae - Harpacticoida

Thalestris normani T. Scott.

- — T. Scott, 1903, p. 25: pl. 3, f. 12-18
— — Lang, 1936, p. 49.
— — Hanc, 1948, p. 501, Pl. 206. - Norway

Habitat. Finnmark.

Thalestridae-Harpacticoida

Thalestris pectinimana Car., ♀

— — Car., 1884, p. 248: pl. 18, figs. 1-8

— — Carus, 1885, p. 324.

A synonym of Phyllothalassis mysis.
(Pesta, 1921, p. 590).

Habitat. Mediterranean.

T. pectinimana, Lang, 1936, p. 49.

Thalestridae-Harpacticoida.

Thalestris peltata (Boeck), ♀.

Amenophia — Boeck, 1864, p. 45.

Thalestris — Brady, 1880, p. 138; pl. 53, figs. 11-19.

— — Timm, 1894, p. 382

A synonym of Amenophia peltata

(Sars, 1906, p. 136)

—, Pesta, 1932, p. 53

— — Thompson, 1893, p. 203; pl. 23; f. 3, c-d.

—, BRADY 1899: 434

Thalestridae - Harpacticoida.

Thalestris polaris T. Scott.

— — T. Scott, 1899^c, p. 106; pl. 7, f. 8-16.

— — T. Scott, 1903, p. 24.

— gibba Lang, 1936, p. 49

Habitat. Franz-Josef Land: Finnmark.

Thalestris Pontica Czerniauski

1868

—Czerniauski, 1868 : 46 pl. 2, figs 13-23

Thalestris purpurea G. D. Sars, ♀ 1

— — Sars, 1905, p. 109; pl. 64

— — Tang, 1936, p. 50

— —, HANG, 1948, P. 503, Pl. 204:6 - 207:2 - GER. KIELER BOCHT.

— —, Jespersen, 1940, p. 79. Iceland.

--, Jakobi, 1959, p. 137

Habitat. Norway Coast.

--, Klie, 1941, p. 21

-- JOHNSON, S. C. & SCHEIBLING 1986: 572-, NOVA SCOTIA

-- JOHNSON, S. C. & SCHEIBLING 1987: 130-, NOVA SCOTIA

Thalestris purpurea G.O. Sars, 1905

card 2

-- Johnson, S.C. & Scheibling 1987b:222-, Nova Scotia

Thalestris rhodymeniae (Brady)

Fucitrogus rhodymeniae Brady 1894, p.168, pl. 5, fig.3.

Thalestris rhodymeniae (Brady). - Harding, 1954, passim

--, GREEN, 1958: 51, 53

-- FRYER 1986: 153

-- HICKS 1980: 165-, BRITAIN

-- HICKS + GRAHAME 1979: 321-

-- CLOGSTON 1965: 9-

Thalestridae-Harpactioidea.

Thalestris robusta Claus, ♀.

— — Claus, 1866, p. 34.

— — Carus, 1885, p. 323.

— valida Wilson, 1925, p. 17.

--, Vervoort, 1964, p. 162

Habitat, Mediterranean.

THALESTRIS RUFOCINCTA - SEE AMBUNGUIPES

Thalestridae-Harpacticoida

Thalestris rufoviolascens Claus, ♂. ♀.

- — Claus, 1866, p. 33: pl. 4, figs. 18-22.
- — (?) Brady, 1880, p. 131: pl. 61, figs. 1-8.
- rufoviolacea Carus, 1885, p. 323.
- rufoviolacens Sars, 1905, p. 107: pl. 62.
- — Wells, 1963 p. 14

Habitat. British Seas: Mediterranean.

— — Thompson, 1893, p. 203: pl. 23, f. 1, a-d.
— — Monard, 1928, p. 341: fig. 16.
— — Lang, 1936, p. 49.
— —, Lang, 1948, p. 501, Pl. 204:3 - 205:3 - NORWAY-SCOTLAND.

T. rufoviolaceus, Chappuis, 1957. Puget Sound

— —, Por, 1960, pg. 110

— —, Wells, 1970, p. 259

— — | Chappuis, 1958, p. 411

--, Dolzonolskaya, 1970, p. 70, pl. XII, fig. 25

--, Jakobi, 1959, p. 137, 280

--, Soyer, 1974c: 278

--, Roe, 1958: 227

THALESTRIS RUFOWIOLASCENS CLAUS

CARD 2

--, SCHRAM 1986: 452, FIG. 37-3B

Thalestridae—Harpacticoida

Thalestris serrulata Brady, ♂.

- — Brady, 1880, p. 133: pl. 59, figs. 2-11.
- — Williams, 1907, p. 73: 1906, p. 653.
- — Thompson, 1895,
- — Thompson & Scott, 1898,
- , (= PARATHALESTRIS CROWN) Boxshall, 1979: 231, FIG. 1f

Habitat. British Seas; Rhode Island.

Thalestris sordida Brady, ♀.

- — Brady, 1910, p. 528; pl. 53, figs. 14–23.
— — Fang, 1936, p. 50.
— —, HANG, 1948, P. 507, PL. 208:5 – GAUSS STA.

Habitat. Antarctic Ocean.

T. robusta, n.sp. Brady, 1905, p. 218: pl. 5, figs. 11-17,

This specific name was used by Claus
in 1866, and hence the above is
changed to T. valida.

Thalestris valida, Wilson, Vol. 64, Art. 17, p. 17.

— — Lang, 1936, p. 50

— — Hans., 1948, P. 505. PL. 20B:3 - ENGLAND

Thalestris sp.

---, Rose, 1956, p. 463

--, Coull, et al 1983: passim.

-- HICKS 1980: 165-, BRITAIN

-- RINGUELET, AMOR ET AL. 1962: 52, ARGENTINA