

Identification and Ecology of

Australian Freshwater Invertebrates

An interactive guide with colour digital imagery to assist in the identification of aquatic invertebrates.




Index of Keys for use in the Murray-Darling Basin

This draft document will be an update of the taxonomic references contained within Hawking 2000¹ which can still be purchased from MDFRC on (02) 6024 9650 or info@mdfrc.org.au.

The **Index of Keys** reflects the taxonomic references contained within the online identification guide (<http://www.mdfrc.org.au/bugguide/index.htm>) that are used at MDFRC for the identification of invertebrates from the Murray-Darling Basin.

We have made the decision to make this draft version publicly available so that other taxonomy end-users may have access to the information during the refining process and also to encourage comment on the usability of the keys referred to or provide information on other keys that have not been referred to.

Please email all comments to bugsonline@mdfrc.org.au.



¹Hawking, J.H. (2000) A preliminary guide to keys and zoological information to identify invertebrates from Australian freshwaters. Identification Guide No. 2 (2nd Edition), Cooperative Research Centre for Freshwater Ecology: Albury

Index of Keys

Contents

| | |
|--|----|
| Contents | 2 |
| Introduction | 9 |
| Notations | 9 |
| Where to start | 9 |
| Taxonomic Resolution | 10 |
| Acarina | 11 |
| Halacaroidea | 11 |
| Halacaridae | 11 |
| Pezidae..... | 11 |
| Hydracarina..... | 11 |
| Anisitiellidae..... | 11 |
| Arrenuridae | 11 |
| Astacocrotonidae..... | 11 |
| Athienemanniidae..... | 11 |
| Aturidae | 11 |
| Elyidae | 11 |
| Frontipodopsidae..... | 11 |
| Hygrobatidae | 12 |
| Hydrachnidae | 12 |
| Hydrodromidae | 12 |
| Hydryphantidae | 12 |
| Limnocharidae | 12 |
| Limnesiidae | 12 |
| Mideopsidae | 12 |
| Momoniidae | 13 |
| Omartacaridae..... | 13 |
| Oxidae | 13 |
| Piersigiidae | 13 |
| Pionidae..... | 13 |
| Pontarachnidae | 13 |
| Torrenticolidae..... | 13 |
| Unionicolidae | 13 |
| Wettinidae..... | 13 |
| Zelandothyadidae | 13 |
| The following minor groups of Acarina are identified no further; | 14 |
| Astigmata: Histiostomatidae | 14 |
| *Mesostigmata : Ascidae | 14 |
| Oribatida..... | 14 |
| *Trombidioidea : Trombidiidae | 14 |
| Bivalvia | 15 |

Index of Keys

| | |
|-------------------------|-----------|
| Unionoida | 15 |
| Hyriidae | 15 |
| Veneroida..... | 15 |
| Corbiculidae..... | 15 |
| Sphaeriidae | 15 |
| Cnidaria | 16 |
| Hydrozoa | 16 |
| Australomedusidae..... | 16 |
| Clavidae..... | 16 |
| Hydridae | 16 |
| Olindiidae..... | 16 |
| Collembola..... | 16 |
| Dicyrtomidae..... | 16 |
| Hypogastruridae | 16 |
| Isotomidae..... | 16 |
| Neelidae | 16 |
| Katiannidae..... | 16 |
| Sminthuridae | 16 |
| Sminthurididae..... | 16 |
| Crustacea | 17 |
| Anostraca | 17 |
| Branchiura..... | 17 |
| Conchostraca..... | 18 |
| Malacostra..... | 19 |
| Amphipoda | 19 |
| Anaspidae..... | 21 |
| Bathynellacea | 21 |
| Decapoda | 22 |
| Isopoda..... | 23 |
| Spelaeogriphacea..... | 24 |
| Tanaidacea..... | 24 |
| Thermosbaenacea..... | 24 |
| Notostraca..... | 24 |
| Gastropoda | 25 |
| Architaenioglossa..... | 25 |
| Ampullariidae..... | 25 |
| Viviparidae..... | 25 |
| Basommatophora..... | 25 |
| Glacidorbidae | 25 |
| Cerithimorpha..... | 25 |
| Thiaridae..... | 25 |

Index of Keys

| | |
|-------------------------|----|
| Cycloneritomorpha | 25 |
| Neritidae | 25 |
| Hygrophila | 25 |
| Ancylidae | 25 |
| Lymnaeidae | 25 |
| Physidae | 26 |
| Planorbidae | 26 |
| Hypsogastropoda | 26 |
| Assimineidae | 26 |
| Bithyniidae | 26 |
| Hydrobiidae | 26 |
| Pomatiopsidae | 26 |
| Hirudinea | 27 |
| Arhynchobdellida | 27 |
| Rhynchobdellida | 27 |
| Glossiphoniidae | 27 |
| Ozobranchidae | 27 |
| Insecta | 28 |
| Coleoptera | 28 |
| Carabidae | 28 |
| Chrysomelidae | 29 |
| Curculionidae | 29 |
| Dytiscidae | 29 |
| Elmidae | 30 |
| Georissidae | 30 |
| Gyrinidae | 30 |
| Haliplidae | 30 |
| Heteroceridae | 30 |
| Hydraenidae | 30 |
| Hydrochidae | 31 |
| Hydrophilidae | 31 |
| Hygrobiidae | 31 |
| Limnichidae | 31 |
| Nanophyidae | 31 |
| Noteridae | 31 |
| Psephenidae | 31 |
| Ptilodactylidae | 32 |
| Scirtidae | 32 |
| Spercheidae | 32 |
| Sphaeriusidae | 32 |
| Staphylinidae | 32 |

Index of Keys

| | |
|------------------------|----|
| Diptera..... | 33 |
| Blephariceridae..... | 33 |
| Ceratopogonidae*..... | 33 |
| Chaoboridae | 34 |
| Chironomidae | 34 |
| Corethrellidae | 38 |
| Culicidae..... | 38 |
| Dixidae..... | 38 |
| Dolichopodidae..... | 38 |
| Empididae..... | 39 |
| Ephydriidae | 40 |
| Muscidae | 41 |
| Psychodidae | 41 |
| Sciomyzidae | 42 |
| Simuliidae | 42 |
| Stratiomyidae..... | 42 |
| Syrphidae | 42 |
| Tabanidae..... | 42 |
| Tanyderidae..... | 43 |
| Thaumaleidae..... | 43 |
| Tipulidae | 43 |
| Ephemeroptera | 45 |
| Ameletopsidae..... | 45 |
| Baetidae | 45 |
| Caenidae | 45 |
| Coloburiscidae..... | 45 |
| Leptophlebiidae | 45 |
| Oniscigastridae..... | 46 |
| Prosopistomatidae..... | 46 |
| Nesameletidae..... | 46 |
| Teloganoididae..... | 46 |
| Hemiptera..... | 47 |
| Aphelocheiridae..... | 47 |
| Belostomatidae..... | 47 |
| Corixidae | 47 |
| Dipsocoridae..... | 47 |
| Gelastocoridae | 47 |
| Gerridae..... | 47 |
| Hebridae | 47 |
| Hydrometridae | 47 |
| Leptopodidae..... | 47 |

Index of Keys

| | |
|-------------------------|----|
| Mesoveliidae..... | 47 |
| Naucoridae | 48 |
| Nepidae | 48 |
| Notonectidae | 48 |
| Ochteridae..... | 48 |
| Pleidae..... | 48 |
| Saldidae..... | 48 |
| Veliidae..... | 48 |
| Lepidoptera | 49 |
| Crambidae | 49 |
| Mecoptera | 50 |
| Nannochoristidae..... | 50 |
| Megaloptera | 50 |
| Corydalidae | 50 |
| Sialidae..... | 50 |
| Neuroptera | 50 |
| Nevorthidae | 50 |
| Osmylidae..... | 50 |
| Sisyridae..... | 50 |
| Odonata | 51 |
| Aeshnidae..... | 51 |
| Archipetaliidae | 51 |
| Austrocorduliidae..... | 51 |
| Austropetaliidae..... | 51 |
| Calopterygidae | 51 |
| Chorismagrionidae | 51 |
| Coenagrionidae | 51 |
| Cordulephyidae | 51 |
| Corduliidae | 51 |
| Diphlebiidae..... | 52 |
| Gomphidae | 52 |
| Gomphomacromiidae | 52 |
| Hemicorduliidae..... | 52 |
| Hemiphlebiidae..... | 52 |
| Hypolestidae..... | 52 |
| Isostictidae..... | 52 |
| Lestidae | 52 |
| Libellaginidae..... | 52 |
| Libellulidae..... | 52 |
| Lindeniidae | 53 |
| Macromiidae | 53 |

Index of Keys

| | |
|------------------------------|-----------|
| Megapodagrionidae..... | 53 |
| Oxygastridae | 53 |
| Petaluridae | 53 |
| Protoneuridae | 53 |
| Pseudocorduliidae | 53 |
| Synlestidae | 53 |
| Synthemistidae | 54 |
| Telephlebiidae | 54 |
| Urothemistidae | 54 |
| Plecoptera | 55 |
| Austroperlidae | 55 |
| Eustheniidae..... | 55 |
| Gripopterygidae | 55 |
| Notonemouridae | 55 |
| Trichoptera | 56 |
| Antipodoeciidae | 56 |
| Atriplectididae | 56 |
| Calamoceratidae | 56 |
| Calocidae..... | 56 |
| Conoesucidae..... | 56 |
| Dipseudopsidae..... | 56 |
| Ecnomidae..... | 56 |
| Glossosomatidae..... | 56 |
| Helicophidae..... | 56 |
| Helicopsychidae | 57 |
| Hydrobiosidae..... | 57 |
| Hydropsychidae..... | 57 |
| Hydroptilidae..... | 57 |
| Kokiriidae..... | 58 |
| Leptoceridae..... | 58 |
| Limnephilidae | 58 |
| Odontoceridae | 58 |
| Oeconesidae | 58 |
| Philopotamidae..... | 58 |
| Philarheithridae..... | 58 |
| Plectrotarsidae..... | 59 |
| Polycentropodidae..... | 59 |
| Psychomyiidae | 59 |
| Stenopsychidae | 59 |
| Tasimiidae | 59 |
| Platyhelminthes | 60 |

Index of Keys

| | |
|--|-----------|
| Turbellaria: Tricladida: Dugesiidae | 60 |
| Temnocephalidea: Temnocephalida: Temnocephalidae | 60 |
| The following major groups are identified no further; | 60 |
| Aphanoneura: Aeolosomatidae: <i>Aeolosma</i> | 60 |
| Bryozoa..... | 60 |
| Nematoda | 60 |
| Nematomorpha | 60 |
| Nemertea | 60 |
| Oligochaeta..... | 60 |
| Polychaeta | 60 |
| Porifera: Spongillidae..... | 60 |
| References | 61 |

Index of Keys

Introduction

This **Index of Keys** was written primarily for work undertaken at the Murray-Darling Freshwater Research Centre and so may not always include regional keys for regions outside on the Murray Darling Basin. It is a summary of the applicable information held in Hawking et al. 2009, the online guide to the *Identification and Ecology of Australian Freshwater Invertebrates* (Bug Guide) at <http://www.mdfrc.org.au/bugguide/index.htm>, version February 2009. The **Index** is designed to provide consistency among staff at MDFR working on macroinvertebrate projects undertaking identifications to the species taxonomic level (see Taxonomic Resolution). It does not include listings for zooplankton.

The status of taxonomic levels above Order are reviewed or debated as knowledge is gained or refuted with the majority of groupings remaining constant. For this reason, major groups and minor groups above Order level have not been assigned taxonomic status in the Bug Guide.

For a list of recent taxonomic name changes go to
<http://www.mdfrc.org.au/bugguide/resources/namechanges.pdf>

This document is organised in alphabetical order with the following hierarchy;

Major Group

Minor Group

Order

Family

Genus species Author

Notations

| | |
|----------------------|---|
| Partial | key does not contain all of the species currently recognised |
| Larva/nymph unknown | larvae or nymphs have not been associated with adults, refer to the applicable pages on the Bug Guide for this information and taxonomic checklists |
| Undescribed (undes.) | larvae or nymphs do not have a published description, refer to the applicable pages on the Bug Guide for this information and complete taxonomic checklists |
| * | unsure of aquatic status OR may include terrestrial species |
| + | unsure of freshwater status OR may include marine/saline species |
| Sp. | species |
| (State or territory) | regional key |
| Key | in-house key |

Where to start

Key to Major Groups [Bug Guide](#)

Index of Keys

Taxonomic Resolution

This **Index of Keys** provides key listings for identifications undertaken to species, or lowest possible taxonomic, level using a stereo microscope, where keys exist.

Bold text indicates that there is only one option

✓ indicates where identification stops for Species level resolution projects, where keys exist

∞ indicates where identification stops for Family level resolution projects

| Major Group | Minor Group | Order | Family | Subfamily | Genus | Species |
|-------------------------|-----------------------|-----------------------|----------------------------|-----------|----------------------|---------|
| Acarina | Hydracarina ∞ | | | | ✓ | |
| | Halacaroidea ∞ | | | | ✓ | |
| | other groups ✓ ∞ | | | | | |
| Aphanoneura | | | Aeolosomatidae ∞ | | Aeolosma ✓ | |
| Bivalvia | | | ∞ | | | ✓ |
| Bryozoa ✓ ∞ | | | | | | |
| Cnidaria | | Hydrozoa | ∞ | | | ✓ |
| Collembola ∞ | | | ✓ | | | |
| Crustacea | Malacostraca | Decapoda | ∞ | | | ✓ |
| | remaining groups | | ✓ ∞ | | | |
| Gastropoda | | | ∞ | | | ✓ |
| Hirudinea | | | ✓ ∞ | | | |
| Insecta | | Coleoptera | ∞ | | | ✓ |
| | | Diptera | ∞ | | | ✓ |
| | | Diptera | Chironomidae | ∞ | ✓ | |
| | | Ephemeroptera | ∞ | | | ✓ |
| | | Hemiptera | ∞ | | | ✓ |
| | | Lepidoptera | Crambidae ✓ ∞ | | | |
| | | Mecoptera | Nannochoristidae ∞ | | Nannochorista | ✓ |
| | | Megaloptera | ∞ | | | ✓ |
| | | Neuroptera | ∞ | | | ✓ |
| | | Odonata | ∞ | | | ✓ |
| | | Plecoptera | ∞ | | | ✓ |
| | | Trichoptera | ∞ | | | ✓ |
| Nematoda ✓ ∞ | | | | | | |
| Nematomorpha ✓ ∞ | | | | | | |
| Nemertea ✓ ∞ | | | | | | |
| Oligochaeta ✓ ∞ | | | | | | |
| Polychaeta ✓ ∞ | | | | | | |
| Porifera | | | Spongillidae ✓ ∞ | | | |
| Platyhelminthes | | Tricladida | Dugesiidae ✓ ∞ | | | |
| | | Temnocephalida | Temnocephalidae ✓ ∞ | | | |

Index of Keys

Acarina

Key to Minor Groups Bug Guide from Harvey & Grown 1998

Halacaroidea

Key to Families Harvey 1998

Halacaridae

No key to genera

Astacopsiphagus
Labohalacarus

Pezidae

Peza

Hydracarina

Key to Families Harvey & Grown 1998 or Harvey 1998 (same key more detail)

Anisitiellidae

Key to Genera Harvey 1998

Anisitsiellides
Mamersella
Rutacarus
Sigthoria

Arrenuridae

Key to Genera Harvey 1998

Arrenurus
Wuria

Astacocrotonidae

Astacocroton molle Haswell

Athienemanniidae

Key to Genera Harvey 1998

Mellamunda
Notomundella

Aturidae

Key to Genera Harvey 1998

Albia
Austraturus
Axonopsella
Azugaturus
Barwontius
Cabellaturus
Melenaturus
Spinaturus
Thryptaturus
Twarntaturus

Elyidae

Eylais

Frontipodopsidae

Frontipodopsis

Index of Keys

Hygrobatidae

Key to Genera Harvey 1998

Australiobates
Australorivacarus
Aspidiobatella
Aspidiobates
Caenobates
Coaustraliobates
Cookabates
Declinatobates
Dropursa
Gondwanabates
Groonabates
Hygrobates
Kallimobates
Procorticacarus
Rhynchaustrobates
Tasmanobates
Todelobates

Hydrachnidae

Hydrachna

Hydrodromidae

Hydrodroma

Hydryphantidae

Key to Genera Harvey 1998

Austrotrombellia
Cyclohydryphantes
Diplodontus
Hydryphantes
Mamersa
Notopnisus
Pseudohydryphantes
Tartarothyas
Wandesia

Limnocharidae

Key to Genera Harvey 1998

Austrolimnochares
Limnochares
Neolimnochares

Limnesiidae

Key to Genera Harvey 1998

Heterolimnesia
Limnesia
Physolimnesia
Timmsilimnesia
Tubophorella

Mideopsidae

Key to Genera Harvey 1998

Gretacarus
Guineaxonopsos
Penemideopsis
Tillia

Index of Keys

Tiramideopsis

Momoniidae

Austromomonia

Hesperomomonia

Momoniella

Partidomomonia

Omartacaridae

Omartacarus

Oxidae

Key to Genera Harvey 1998

Flabellifrontipoda

Frontipoda

Oxus

Piersigiidae

Key to Genera Harvey 1998

Australpiersigia

Stygolimnochares

Pionidae

Key to Genera Harvey 1998

Acercella

Australotiphys

Larri

Piona

Pontarachnidae

Key to Genera Harvey 1998

Litarachna

Pontarachna

Torrenticolidae

Monatractides

Unionicolidae

Key to Genera Harvey 1998

Encemtridophorus

Koenikea

Neumania

Pollicipalpus

Recifella

Unionicola

Wettinidae

Tasmanaxona

Wheenyella

Wheenyoides

Zelandothyadidae

Australiothyas swaini Cook

Index of Keys

The following minor groups of Acarina are identified no further;

Astigmata: Histiostomatidae

***Mesostigmata : Ascidae**

Oribatida

***Trombidioidea : Trombidiidae**

Index of Keys

Bivalvia

Key to Orders Bug Guide from Smith 1979

Unionoida

Hyriidae

Key to Genera Walker 2004

| | | |
|---|-----------|-------------|
| <i>Alathyria</i> | 4 species | Walker 2004 |
| <i>Cucumerunio novaehollandiae</i> Gray | | |
| <i>Hyridella</i> | 5 species | Walker 2004 |
| <i>Lortiella froggattii</i> Iredale | | |
| <i>Lortiella operataea</i> Ponder & Bayer | | |
| <i>Lortiella rugata</i> Sowerby | | |
| <i>Velesunio</i> | 4 species | Walker 2004 |
| <i>Westralunio carteri</i> Iredale | | |

Veneroida

Key to Families Bug Guide from Smith 1996

Corbiculidae

Key to Genera Smith 1996

| | | |
|----------------------------------|-----------|-------------------|
| <i>Batissa violacea</i> Lamarck | | |
| <i>Corbicula</i> | 2 species | no key to species |
| <i>Polymesoda coaxans</i> Gmelin | | |

Sphaeriidae

Key to Genera Smith 1996

| | | |
|------------------|-----------|-------------------|
| <i>Sphaerium</i> | 4 species | no key to species |
| <i>Pisidium</i> | 8 species | no key to species |

Index of Keys

Cnidaria

Note: There is some discrepancy in the literature about the taxonomic level of Hydrozoa. This does not affect identifications.

Minor Group: Hydrozoa (Pennak 1989, ABRS 2004)

Order: Hydrozoa (Williams 1980) or Hydroida (Pennak 1989, ABRS 2004)

Hydrozoa

Key to Families Bug Guide from Pennak 1989 (USA), Williams 1980

Australomedusidae

Australomedusa baylpii Russell

Clavidae

Cordylophora caspia Pallas

Note: Record only as "present" i.e. do not count (colonial animal).

Hydridae

Key to Genera Pennak 1989 (USA)

Hydra

Chlorohydra viridissima Pallas

Olindiidae

Craspedacusta sowerbyi Lankester

Note: Record only as "present" i.e. do not count (animal reproduces by budding and is easily broken during sample processing)

Collembola

Note: The following families can be separated from Sminthurididae using the features noted on the Bug Guide.

Dicyrtomidae

Hypogastruridae

Isotomidae

Neelidae

Note: The following families cannot be separated unless slide mounted.

Katiannidae

Sminthuridae

Sminthurididae

Only obligate aquatic species

No key to genera, use distribution (except for WA)

Pygicnides stagnalis Womersley WA
Sminthurides aquaticus Bourlet SA, Vic, WA

Index of Keys

Crustacea

Key to Minor Groups Bug Guide

Anostraca

Key to Families Timms 2004 (all), 2011 ([salt lakes](#))

Artemiidae

Artemia+ *franciscana* Kellogg (+1 undescribed species) Timms 2011

Branchiopodidae

New Genus A ? species key?

Parartemidae

Parartemia+ 18 species (+1 undescribed species) Timms 2011

Streptocephalidae

Streptocephalus 2 species (+1 undescribed species) Timms 2004

Thamnocephalidae

Branchinella 28 species (+1 undescribed species) Timms 2004

? *Australobranchipus* (not in Timms 2004) is this Genus A?

Branchiura

Argulidae

No key to genera, separate by distribution

Argulus 3 species no key to species, separate by distribution

Note: *A. macropterus* – WA; *A. foliaceous* and *A. japonicus* – NSW, Vic

Dolops tasmanianus Fryer - Tas

Index of Keys

Conchostraca

Key to Families Richter & Timms 2005

Cyzicidae

Key to Genera Richter & Timms 2005

| | | |
|---|-----------|-------------------|
| <i>Caenestheria</i> | 6 species | no key to species |
| <i>Caenestheriella</i> | 2 species | no key to species |
| <i>Cyzicus rufa</i> Dakin | | |
| <i>Eocyzicus parooensis</i> Richter & Timms | | |

Cyclesteridae

Cyclesteria hislopi Baird

Limnadiidae

Key to Genera Richter & Timms 2005

| | | |
|--------------------|-----------|-------------------|
| <i>Eulimnadia</i> | 2 species | no key to species |
| <i>Limnadia</i> | 7 species | no key to species |
| <i>Limnadopsis</i> | 4 species | no key to species |

Lynceidae

Lynceus 2 species style="color:red">no key to species

Index of Keys

Malacostra

Key to Orders Bug Guide from Horwitz et al 1995, Lowry & Yerman 2002, Serov 2002

Amphipoda

Key to Families King & Bradbury 2012

Bogidiellidae

Key to Genera King & Bradbury 2012

Bogidiella veneris Leys et al.

Bogidomma australis Bradbury & Williams

Eusiridae

Key to Genera King & Bradbury 2012

Pseudomera 2 species King & Bradbury 2012

Paraleptamphopus undescribed species

Chiltoniidae (formerly Hyalidae)

Key to Genera King & Bradbury 2012

Arabunnachiltonia murphyi ??

Austrochiltonia 3 species

King & Bradbury 2012

Phreatochiltonia anopthalma Zeidler

Wangiannachiltonia guzikae ??

Corophiidae

Key to Genera King & Bradbury 2012

Corophium 2 species no key to species

Monocorophium acherusicum ??

Paracorophium brisbanensis ??

Melitidae

Key to Genera King & Bradbury 2012

Brachina invasa Barnard & Williams

Melita plumulosa Zeidler

Nedsia 8 species

Bradbury & Williams 1999 (part)

Norcapensis mandibulalis Barnard & Williams

Nurina poultieri Bradbury & Eberhard

Neoniphargidae

Key to Genera King & Bradbury 2012

Jasptorus solepti Bradbury & Williams

Neocrypta 6 species King & Bradbury 2012

Neoniphargus 10 species King & Bradbury 2012

Tasniphargus tyleri Williams & Barnard

Uronyctus longicaudus Stock & Iliffe

Wesniphargus 2 species

King & Bradbury 2012

Wombeyanus botulosus Bradbury & Williams

Yulia yuli Smith

Paracallioopiidae

Paracalliope 2 species King & Bradbury 2012 (only 1 freshwater genus)

Paramelitidae

Key to Genera King & Bradbury 2012

Antipodeus 6 species King & Bradbury 2012

Astrocrangonyx 2 species King & Bradbury 2012

Austrogammarus 7 species King & Bradbury 2012

Index of Keys

| | | |
|--|------------|---------------------------------|
| <i>Chillagoe thea</i> Barnard & Williams | | |
| <i>Chydaekata</i> | 15 species | Bradbury 2000 <i>stygobiont</i> |
| <i>Giniphargus pulchellus</i> Sayce | | |
| <i>Hurleya kalamundae</i> Straskraba | | |
| <i>Kruptus linnaei</i> ?? | | |
| <i>Maarka</i> | 2 species | no key to species |
| <i>Molina pleobranchon</i> Bradbury | | |
| <i>Pilbarus millsii</i> Bradbury & Williams | | |
| <i>Protocrangonyx fontinalis</i> Nicholls | | |
| <i>Totgammarus eximius</i> Bradbury & Williams | | |
| <i>Toulrabia willsi</i> Barnard & Williams | | |
| <i>Uroctena</i> | 5 species | King & Bradbury 2012 |

Perthiidae

| | | |
|----------------|--|----------------------|
| <i>Perthia</i> | 2 species (possible undescribed species) | King & Bradbury 2012 |
|----------------|--|----------------------|

Index of Keys

Anaspidacea

Key to Families Bug Guide from Serov 2002

Anaspididae

Key to Genera Serov 2002

| | | |
|-------------------------------------|-----------|-------------------|
| <i>Allanaspides</i> | 2 species | no key to species |
| <i>Anaspides</i> | 2 species | no key to species |
| <i>Paranaspides lacustris</i> Smith | | |

Koonungidae

Key to Genera Serov 2002

| | | |
|-------------------------------------|-----------|-------------------|
| <i>Koonunga</i> | 2 species | no key to species |
| <i>Micraspides calmani</i> Nicholls | | |

Psammaspididae

Key to Genera Serov 2002

Eucrenonaspides oinotheke Knott & Lake
Psammaspides williamsi Schminke

Stygocarididae

Stygocaris giselae Schminke

Family A

(1 undescribed genus) (3 undescribed species) no key to species

Bathynellacea

Key to Families Bug Guide from Serov 2002

Bathynellidae

Bathynella primaaustraliensis Schminke

Parabathynellidae

Key to Genera Serov 2002 (part)

| | | |
|---|-----------|-------------------|
| <i>Atopobathynella</i> | 9 species | no key to species |
| <i>Brevisomabathynella</i> | 2 species | no key to species |
| <i>Chilibathynella australiensis</i> Schminke | | |
| <i>Kimberleybathynella</i> | 6 species | no key to species |
| <i>Notobathynella</i> | 3 species | no key to species |

Index of Keys

Decapoda

Key to Families Bug Guide from Horwitz 1995, Horwitz et al 1995

Atyidae

Key to Genera Bug Guide from Horwitz 1995

Australatyta striolata McCulloch & McNeill

Caridina 13 species Choy 2012 (SE Aus morphospecies),
Horwitz 1995 (partial)

Caridinides wilkinsi Calman

Paratya 3 species no key to species, use distribution

Note: *P. australiensis* - E Aus, Tas; *P. howensis* - Lord Howe Island; *P. norfolkensis* - Norfolk Island

Parisia 2 species Horwitz 1995

Pycneus morsitans Holthuis

Pycnisia raptor Bruce

Stygiocaris 2 species Horwitz 1995

Hymenosomatidae

Amarinus lacustris Chilton (only 1 freshwater species)

Kakaducarididae

Key to Genera Bug Guide from Horwitz 1995

Kakaducaris glabra Bruce

Leptopalaemon gagadjui Bruce & Short

Palaemonidae

Key to Genera Bug Guide from Horwitz 1995, Bruce & Short 1993

Calathaemon holthuisi Strength

Macrobrachium 11 species Short 2004 (inc. marine)
Palaemon 3 species no key to species
Palaemontes 2 species no key to species

Parastacidae

Key to Genera Bug Guide from Horwitz 1995

Astacopsis 3 species Horwitz 1995
Cherax 28 species Horwitz 1995 (partial, unnamed sp.)
Engaeus 35 species Horwitz 1995 (partial),
Engaewa 5 species Horwitz 1995 (partial, unnamed sp.)
Eustacus 46 species Horwitz 1995 (partial, unnamed sp.)
Geocharax 2 species Horwitz 1995 (partial, unnamed sp.)
Gramastacus insolitus Riek
Parastacoides tasmaniensis Erichson
Tenuibranchiurus glypticus Riek

Parathelphusidae

Astrothelphusa 8 species Horwitz 1995

Trogloplacidae

Australocarcinus riparius Davie

Index of Keys

Isopoda

Key to Families Bug Guide from Horwitz et al 1995

Key to genera of Phreatoicidea (without family distinction) Wilson 2012

Amphisopidae

| | | |
|--|-----------|-------------------|
| <i>Amphisopus</i> | 2 species | no key to species |
| <i>Eophreatoicus kershawi</i> Nicholls (+2 undes sp) | | |
| <i>Eremisopus beebei</i> Wilson & Keable | | |
| <i>Paramphisopus</i> | 3 species | no key to species |
| <i>Phreatomerus latipes</i> Chilton | | |
| <i>Platypuga subpetrae</i> Wilson & Keable | | |
| <i>Synamphisopus</i> | 2 species | no key to species |

Hypsimetopidae

Hyperoedesipus pulmosus Nicholls & Milner

Hypsimetopus intrusor Sayce

Phreatoicoides 3 species (+3 undes. sp.) no key to species

Pilbarophreatoicus platyarthricus Knott & Halse

Phreatoicidae

Colacanthotelson rugosus Nicholls (not in key)

| | | |
|---|--------------------------|--------------------------------|
| <i>Colubotelson</i> | 16 species (+2 undes sp) | Wilson & Keable 2000 (partial) |
| <i>Crenoicus</i> | 4 species (+1 undes sp) | |
| <i>Gariwerdeus</i> | 3 species | no key to species |
| <i>Naiopegia xiphagrostis</i> Wilson & Keable | | |
| <i>Mesacanthotelson</i> | 5 species | no key to species |
| <i>Metaphreatoicus</i> | 4 species | Wilson & Keable 2000 (partial) |
| <i>Onchotelson</i> | 2 species | no key to species |

Paraphreatoicus relictus Nicholls

Uramphisopus pearsoni Nicholls

Phreatoicopsidae

Phreatoicopsis 2 species Wilson & Keable 2002 – find it

Ponderellidae

Ponderella 2 species no key to species

unplaced (nr Amphisopidae) *Crenisopus acinifer* Wilson & Keable

unplaced (nr Hypsimetopodidae) *Peludo paraliotus* Wilson & Keable

Non Phreatoicidea

Aegidae

Alitropus typus Milne Edwards (only 1 freshwater species)

Corallanidae

Tachaea caridophaga Riek (only 1 freshwater species)

Janiridae

Heterias 3 species no key to species (only 1 freshwater genus)

Micropasellidae

Angeliera rivularis Stock

Scyphacidae

Halosciscus 4 species Taiti & Humphreys 2001 (inc. terrestrial)

Enigmata (nr Phreatoicoidea)
no family *Tainisopus* 2 species no key to species

Index of Keys

Spelaeogriphacea

Spelaeogriphidae

Mangkurtu 2 species no key to species

Tanaidacea

Paraseudidae

Pseudohalmyrapseudes 2 species [Larsen & Hansknecht 2004 – find it](#)

Thermosbaenacea

Halosbaenidae

Halosbaena tulki Poore & Humphreys

Notostraca

Triopsidae

No key to genera

Lepidurus apus Linnaeus

Triops australiensis Spencer & Hall

Index of Keys

Gastropoda

Key to Orders Bug Guide from Smith 1996

Architaenioglossa

Key to Families Bug Guide from Thompson 2004 (USA)

Ampullariidae

Pomacea 2 species (introduced from Asia) Thompson 2004 (USA)

Viviparidae

Key to Genera Smith 1996

Bellamya heudei Kobelt (introduced from China)

Centrapala lirata Tate

Larina strangei Adams

Notopala Cotton

4 species

Ponder *et al* 2000 (NSW)

Basommatophora

Glacidorbidae

Key to Genera Ponder & Avern 2000

Benthodorbis 2 species no key to species

Glacidorbis 12 species no key to species

Note: *Glacidorbis costatus* Ponder & Avern is assumed extinct due to draining of wetlands.

Gondwanorbis no species list

Striadorbis 3 species

no key to species

Tasmodorbis punctatus Ponder & Avern

Cerithimorpha

Thiaridae

Key to Genera Smith 1996

Brotia supralirata Smith

Melanoides 3 species Ponder *et al* 2000 (NSW)

Ripalaria queenslandica Iredale

Sermylasma venustula Brot

Thiara 3 species

Ponder *et al* 2000 (NSW)

Cycloneritomorpha

Neritidae

No key to genera

Clithon ovalaniensis Lesson

Neritina 4 species no key to species

Hygrophila

Key to Families Bug Guide from Smith 1996

Ancylidae

No key to genera

Ferrissia 2 species Ponder *et al* 2000 (NSW)

Stimulator consetti Iredale

Lymnaeidae

Key to Genera Smith 1996

Austropeplea 2 species Smith 1996 (partial)

Index of Keys

Kutikina hispida Ponder & Waterhouse

Lymnaea 3 species (intro ex Europe/Asia) Smith 1996 (partial), Lloyd et al 2007 (liver fluke snails as *Lymnaea*) CHOOSE or combine

Note: This key uses incorrect genus names.

Pseudosuccinea columella Say (intro ex Nth America)

Physidae

Physa acuta Draparnaud (introduced from Europe)

Planorbidae

Key to Genera Smith 1996

| | | |
|--|------------|-------------------------|
| <i>Amerianna</i> | 5 species | check |
| <i>Ancylastrum</i> | 2 species | Ponder et al 2000 (NSW) |
| <i>Bayardella</i> | 2 species | Ponder et al 2000 (NSW) |
| <i>Glyptophysa</i> | 11 species | Ponder et al 2000 (NSW) |
| <i>Gyraulus</i> | 10 species | Ponder et al 2000 (NSW) |
| <i>Helicorbis</i> | 2 species | Ponder et al 2000 (NSW) |
| <i>Isidorella</i> | 5 species | Ponder et al 2000 (NSW) |
| <i>Kessmeria papillosa</i> Walker & Ponder | | |
| <i>Leichhardtia sisurnius</i> Walker | | |
| <i>Planorbarius corneus</i> Linnaeus | | |
| <i>Pygmanisus</i> | 3 species | Ponder et al 2000 (NSW) |

Hypsogastropoda

Key to Families Bug Guide from Smith 1996

Assimineidae

No key to genera

Austroassiminea lethra Solem et al

Aviassiminea palitans Fukuda & Ponder

Bithyniidae

Gabbia australis Tryon

Hydrobiidae

Key to Genera Smith & Kershaw 1979 (SE Aus)

| | | |
|--|------------|-------------------------|
| <i>Austropyrgus bunyaensis</i> Miller et al | | |
| <i>Beddomeia</i> | 45 species | Ponder et al 2000 (NSW) |
| <i>Fluividona</i> | 19 species | Ponder et al 2000 (NSW) |
| <i>Fonscochlea</i> | 6 species | Ponder et al 2000 (NSW) |
| <i>Caldicochlea</i> | 2 species | Ponder et al 2000 (NSW) |
| <i>Trochidrobia punicea</i> Ponder et al | | |
| <i>Jardinella</i> | 3 species | Ponder et al 2000 (NSW) |
| <i>Nanocochlea</i> | 3 species | Ponder et al 2000 (NSW) |
| <i>Pharinetela</i> | 12 species | Ponder et al 2000 (NSW) |
| <i>Posticobia</i> | 2 species | Ponder et al 2000 (NSW) |
| <i>Potamopyrgus antipodarum</i> Gray (intro ex NZ) | | |
| <i>Victodrobia</i> | 4 species | Ponder et al 2000 (NSW) |
| <i>Westrapyrgus</i> | 2 species | Ponder et al 2000 (NSW) |

Pomatiopsidae

Coxiella 8 species no key to species

Index of Keys

Hirudinea

Key to Orders Govedich 2001

Arhynchobdellida

Note: A key to families has not been included here because dissection of specimens and slide mounting is required for all characters to be viewed.

Rhynchobdellida

Key to Families Govedich 2001

Glossiphoniidae

Ozobranchidae

Index of Keys

Insecta

Key to Orders Bug Guide

Coleoptera

Key to Families adults – Bug Guide from Lawrence 1995
 larvae - Bug Guide from Lawrence 1995, Watts 2002

Carabidae

Key to Subfamilies and Tribes Lawrence & Britton 1994, 1991 (adults, inc. terrestrial) CHOOSE

Apotominae

Apotomus 3 species Baehr 1990a (adults)

Brachininae

Pheropsophus 6 species Giachino 2003 (adults)

Bembidiinae

No key to genera

Bembidion 12 species Toledano 2005 (adults)
Tasmanitachoides 20 species Baehr 2001 (adults)

Chlaeniinae

Chlaenius 10 species no key to species

Oodinae

Oodes 13 species no key to species

Odacanthinae

Key to Genera Baehr 2005 (adults)

Anasis howitti Castelnau

Archicolluris 2 species Baehr 2005 (adults)

Aulacolius triordinatus Sloane

Basistichus micans Macleay

Clarencia 4 species Baehr 2005 (adults)

Deipyurus 2 species Baehr 2005 (adults)

Dicraspeda 7 species Baehr 2006 (adults)

Eudalia 10 species Baehr 2005, 2006 (adults)

Gestroania 4 species Baehr 2005 (adults)

Giachinoana carinipennis Baehr

Lachnothorax tokkia Gestro

Myrmecodemus 5 species Baehr 2005 (adults)

Neoeudalia nigra Sloane

Ophionea 4 species Baehr 2005 (adults) (*O. indica* introduced to WA)

Porocara 5 species Baehr 2005 (adults)

Renneria kamouni Baehr

Pogoninae

Pogonus 4 species Hudson 2000 (adults) (inc. salt)

Pterostichitinae

No Key to Genera

Catadromus 5 species Giachino 2005 (adults)

Loxandrus 15 species no key to species

Scaritinae

Clivina 100 species no key to species

Index of Keys

Trechinae

No key to genera

| | | |
|-------------------------|-----------|--|
| <i>Perileptus</i> | 6 species | no key to species |
| * <i>Tasmanotrechus</i> | 5 species | Moore 1994 adults (Tas, cave) |

Chrysomelidae

Key to Subfamilies Lawrence & Britton 1991 ([adults or larvae](#))

Donacinae

Donacia australasiae Blackburn

Galerucinae

No key to genera

| | | |
|-----------------------------|---|-------------------|
| <i>Altica</i> | ? species | no key to species |
| <i>Agasicles hygrophila</i> | Selman & Vogt (introduced ex South America) | |

Curculionidae

No key to subfamilies

Bagoinae

Bagous australasiae Blackburn

Erihininae

Key to Genera Zimmerman 1994 (larvae)

| | | |
|---------------------|---------------------------------------|-------------------------|
| <i>Cyrtobagous</i> | 2 species (introduced ex Sth America) | Zimmerman 1994 (larvae) |
| <i>Echinocnemus</i> | ? species | no key to species |

Neochetina eichhoriniae Warner (introduced ex Argentina via Florida)

Neohydronomus pulchellus Hustache (introduced ex Brazil)

Dytiscidae

Key to Genera Watts 2002 (adults and larvae), ([Hendrich 2001](#))

Allodessus bistrigatus Clark

| | | |
|----------------------|------------|--|
| <i>Allomatus</i> | 2 species | Watts 1978 (adults partial) |
| <i>Antiporus</i> | 14 species | Watts 1997 (adults partial) |
| <i>Australphilus</i> | 2 species | Watts 1978 (adults partial) No key to larva |

Note: *A. montanus* Watts SE NSW, *A. saltus* Watts Vic, Tas

| | | |
|--|------------|---|
| <i>Austrodytes</i> | 2 species | Watts 1978 (adults partial) |
| <i>Barretthydrus</i> | 3 species | Watts 1978 (adults partial) |
| <i>Batrachomatus</i> | 2 species | Watts 1978 (adults partial) & 2006 adults |
| <i>Bidessodes</i> | 5 species | Watts & Humphries 2006, 2004 (Stygobiotic adults) |
| <i>Carabhydrus</i> | 5 species | Larson & Storey 1994 (adults) |
| <i>Chostonectes</i> | 5 species | Watts 1978 (adults partial) |
| <i>Clypeodytes</i> | 4 species | Watts 1978 (adults partial) |
| <i>Copelatus</i> | 22 species | Watts & Humphries 2006, 2004 (Stygobiotic adults) |
| <i>Cybister</i> | 5 species | Hendrich 1997 (adults) |
| <i>Eretes</i> | 2 species | Watts 1978 (adults partial) |
| <i>Gibbidessus chipi</i> Watts | | |
| <i>Hydaticus</i> | 2 species | Watts 1978 (adults partial) |
| <i>Hydroglyphus</i> | 10 species | Hendrich 1999 (adults) |
| <i>Hydrovatus</i> | 7 species | Bistrom 1996 (adults) |
| <i>Hyphydrus</i> | 4 species | Watts & Leys 2006 (adults), Alarie & Watts 2005 (larvae) |
| <i>Kintingka kurutjutu</i> Watts & Humphreys | | |
| <i>Laccophilus</i> | 9 species | Watts 1978 (adults partial) |
| <i>Lancetes lanceolatus</i> Clark | | |
| <i>Limnoidessus</i> | 47 species | Watts & Humphries 2006, 2004 (Stygobiotic adults), Watts & Leys 2005 (adults) |
| <i>Megaporus</i> | 8 species | Watts 1978 (adults partial) |
| <i>Necterosoma</i> | 9 species | Watts 1978 (adults partial) |
| <i>Nirripirti</i> | 12 species | Watts & Humphries 2006, 2004 (Stygobiotic adults) |

Index of Keys

| | | |
|-------------------------------------|------------|--|
| <i>Onychohydrus</i> | 2 species | Watts 1978 (adults partial) |
| <i>Paroster</i> | 11 species | Watts 1978 (adults partial) |
| <i>Platynectes</i> | 12 species | Watts 1978 (adults partial) |
| <i>Rhantus</i> | 2 species | Balke <i>et al.</i> 2000 (adults) |
| <i>Rhantaticus congestus</i> Sharp | | |
| <i>Sandracottus bakewelli</i> Clark | | |
| <i>Sekaliporus kriegi</i> Watts | | |
| <i>Spencerhydrus</i> | 2 species | Watts 1978 (adults partial) |
| <i>Sternopriscus</i> | 29 species | Hendrich & Watts 2004 (adults partial) |
| <i>Terradessus</i> | 2 species | Brancucci & Monteith 1996 (adults) |
| <i>Tiporus</i> | 11 species | Watts 2000 (adults) |
| <i>Uvarus pictipes</i> Lea | | |

Elmidae

Key to Genera Lawrence 1992 (adults), Glaister 1999 (larvae)

In-house key in process?

| | | |
|--------------------------------------|-------------------|---|
| <i>Austrolimnius</i> | 53 species | Hinton 1965 (adults) |
| <i>Coxelmis</i> | 3 species | Carter & Zeck 1929 (adults), Glaister 1999 (larvae) |
| <i>Graphelmis pallidipes</i> Carter | | |
| <i>Hydora laticeps</i> Carter & Zeck | (adults riparian) | |
| <i>Kingolus</i> | 11 species | Carter & Zeck 1929 (adults partial), Glaister 1999 (larvae) |
| <i>Notriolus</i> | 16 species | Carter & Zeck 1929 (adults), Glaister 1999 (larvae) |
| <i>Ovolara</i> | 2 species | (adults riparian) |
| <i>Potamophilinus</i> | | |

Note: This genus is thought to occur in northern Aus. but has not been confirmed.

Simsonia 16 species Carter & Zeck 1929 (adults partial), Glaister 1999 (larvae)

Stetholus elongatus Carter & Zeck (adults riparian)

Georissidae

Georissus 3 species no key to species

Gyrinidae

Key to Genera Watts 2002 (adults and larvae)

| | | |
|--|------------|--|
| <i>Aulonogyrus strigosus</i> Fabricius | | |
| <i>Dineutus</i> | 2 species | Lawrence 1992 subgenus & many sp. (adults), Ochs 1949 (adults) |
| <i>Gyrinus convexiusculus</i> MacLeay | | |
| <i>Macrogyrus</i> | 15 species | Lawrence 1992 subgenus & many sp. (adults), Ochs 1949 (adults) |

Note: *Aulonogyrus* and *Macrogyrus* larvae cannot be separated.

Haliplidae

Haliplus 15 species Vondel 1995 (adults)

Heteroceridae

No key to genera

Elythomerus elongatus Waterhouse
Heterocerus 7 species no key to species

Hydraenidae

Key to Genera & Subtribe Watts 2002 (adults partial)

Hydraena 85 species no key to species
Limnebius acupunctus Perkins

Tympanogaster (possibly only the subgenus *Tympanogaster (sensu stricto)* are semi-aquatic
38 species Perkins 2006 (adults inc. possible terrestrials)

Subtribe Octhebiinae

No key to genera

Index of Keys

| | | |
|--|------------|------------------------|
| <i>Gymnanthelius</i> | 8 species | Perkins 2004a (adults) |
| <i>Gymnochthebius</i> | 33 species | Perkins 2005 (adults) |
| <i>Octhebius queenslandicus</i> Hansen | | |

Hydrochidae

| | | |
|------------------|------------|---------------------|
| <i>Hydrochus</i> | 25 species | Watts 1999 (adults) |
|------------------|------------|---------------------|

Hydrophilidae

Key to Genera Watts 2002 (adults partial, larvae partial), **Hebauer 2003** (adults/larvae partial, worldwide)

Note: Watts 2002 (adults) does not include *Gentilina*

Agraphydrus coomani Orchymont (larva unknown)

Allocotocerus 3 species Watts 1998b (adults)

Amphiops 5 species Watts 1998b (adults)

Anacaena (Paranacaena) 8 species (larva unknown) Komarek 2007 (adults)

Berosus 35 species Watts 1987 (adults)

Coelostoma fabrici Montrouzier (larva unknown)

Chaetarthria nigerrima Blackburn (larva unknown)

Chasmogenus nitescens Fauvel

Crenitis neogallica Gentili (larva unknown)

Enochrus 14 species Watts 1998a (adults)

Gentilina nitens Gentili

Helochares 13 species **Hebauer & Hendrich** 1999 (adults)

Hydrogralius hartmeyeri Regimbart

Hydrobiomorpha 5 species Watts 1990 (adults)

Hydrophilus 8 species Watts 1988a (adults)

Laccobius 12 species Gentili 1980 (adults)

Limnoxenus zelandicus Broun

Notothydrus 6 species (larva unknown) Gentili 2006 (adults)

Paracymus 9 species (larva unknown) Gentili 2000 (adults)

Phelea breviceps Hansen (larva unknown)

Regimbartia attenuata Fabricius

Sternolophus 3 species Watts 1989 (adults)

1 undescribed genus **Hebauer** ? species (larva unknown) key?

Hygrobiidae

| | | |
|-----------------|-----------|--|
| <i>Hygrobia</i> | 4 species | Britton 1981 (adults), Alarie <i>et al</i> 2004 (larvae inc. world) (2 sp. larva unknown) |
|-----------------|-----------|--|

Limnichidae

Semi-aquatic

No key to genera

Limnichus 3 species no key to species

Byrrhinus 4 species no key to species

Paralimnichus castaneus Lea

Nanophyidae

| | | |
|----------------------|---------------------------------|-------------------------|
| <i>Austronanodes</i> | 5 species (4 sp. larva unknown) | Zimmerman 1993 (adults) |
|----------------------|---------------------------------|-------------------------|

Noteridae

Key to Genera Watts 2002 (adults and larvae)

Canthydrus 2 species Watts 2001 (adults partial)

Hydrocanthus 3 species Toledo & Hendrich 2006 (adults, inc. Asian species),
Watts 2001 (adults, partial)

Neohydrocoptus subfasciatus Sharp

Notomicrus tenellus Clark (larva unknown)

Psephenidae

Adults terrestrial

Index of Keys

Sclerocyphon 13 species, +5 undes. sp. Davis 1998 (larvae)

Ptilodactylidae

Adults terrestrial

Byrrhocryptus 4 species no key to species

Scirtidae

Adults terrestrial

No key to genera

| | | |
|--|-----------|-------------------|
| <i>Cyphon</i> | 2 species | no key to species |
| <i>Heterocyphon</i> | 2 species | no key to species |
| <i>Macrocyphon spencei</i> Armstrong | | |
| <i>Macrodascillus</i> | 2 species | no key to species |
| <i>Macrohelodes</i> | 9 species | no key to species |
| <i>Ora</i> | 3 species | no key to species |
| <i>Pseudomicrocara</i> 1 | 8 species | no key to species |
| <i>Prionocyphon niger</i> Kitching & Allsopp | | |
| <i>Scirtes</i> | 2 species | no key to species |

Spercheidae

Spercheus 2 species no key to species

Sphaeriusidae

Sphaerius 2 species no key to species

Staphylinidae

Adults terrestrial

No key to genera

| | | |
|--------------------------------------|-----------|-------------------|
| <i>Bledius</i> | 2 species | no key to species |
| <i>Stenus</i> | ? species | no key to species |
| <i>Paederus sjoestedti</i> Bernhauer | | |

Index of Keys

Diptera

Key to Families Madden 2011

Athericidae

No subfamily

No key to genera

Dasyomma 11 species no key species
Suraginella macalpinei Stuckenberg

Blephariceridae

Key to Subfamilies Bug Guide from Zwick 1977

Blepharicerinae

Key to Genera Zwick 1998 (larvae & pupae)

Apistomyia 2 species Zwick 1998 (larvae & pupae)
Austocurupira nicholsoni Tillyard
Parapistomyia 3 species Zwick 1998 (larvae & pupae)
Theischingeria rieki Zwick

Edwardsininae

Edwardsina 21 species Zwick 1977 (larvae & pupae)

Ceratopogonidae*

Key to Subfamilies Bug Guide from Cranston 1995, Borkent & Craig 2004

Astroconopinae

[†]*Astroconops* 2 species no key to species

Ceratopogoninae

Key to Genera Elson-Harris 1990 (larvae & pupae, partial)

Allohelea 4 species no key to species
Alluaudomyia 12 species Elson-Harris & Kettle 1985b (larvae & pupae, partial)
Astrohelea 2 species no key to species
Bezzia 2 species no key to species
Chimaerohelea caligula Debenham
Clinohhelea 3 species Elson-Harris 1986 (larvae & pupae, partial)
Crispomyia 2 species no key to species
Culicoides 52 species Hagan & Reye 1986 (larvae, partial)
Downeshelea 2 species no key to species
Echinohelea 2 species no key to species
Hebetula 12 species no key to species
Johannsenomyia novaeguineae Tokunaga
Lanatomyia 2 species no key to species
Leehelea 3 species no key to species
Mackerrasomyia 2 species no key to species
Macrurohelea 3 species no key to species
Mallochohelea 5 species no key to species
Metahelea bifasciata Kieffer
Monohhelea 15 species no key to species
Nilobezzia 9 species Elson-Harris 1987 (larvae & pupae, partial)
Paradasyhelea 3 species Elson-Harris & Kettle 1985a (larvae, partial)
Palpomyia 3 species no key to species
Pellucidomyia 2 species no key to species
Serromyia reyei Debenham
Sphaeromias decoratus Debenham
Stilobezzia 7 species no key to species

Dasyheleinae

Dasyhelea 4 species no key to species

Index of Keys

Forcipomyiinae

No key to genera

| | | |
|---------------------|-------------|-------------------|
| <i>Atrichopogon</i> | 3 species | no key to species |
| <i>Forcipomyia</i> | 110 species | no key to species |

Lectoconopinae

| | | |
|---------------------------------|------------|-------------------|
| ⁺ <i>Leptoconops</i> | 18 species | no key to species |
|---------------------------------|------------|-------------------|

Note: May be noted as a Family in Madden Key?

Chaoboridae

Chaoborinae

Key to Genera: Colless 1986 (larvae & pupae, inc. genera no longer in Chaoboridae)

| | | |
|---|-----------|-------------------------------|
| <i>Australomochlynx nitidus</i> Freeman | | |
| <i>Chaoborus</i> | 5 species | Colless 1986 (larvae & pupae) |
| <i>Promochlynx australiensis</i> Ferguson | | |

Chironomidae

Key to Subfamilies Madden 2010

Aphroteniinae

Key to Genera Madden 2010

| | | |
|---|-----------|------------------------|
| <i>Aphrotenia australiensis</i> Hergstrom | | |
| <i>Aphroteniella</i> | 2 species | Cranston & Edward 1992 |
| <i>Paraphrotenia fascipennis</i> Brundin | | |

Chironominae

Key to Genera Cranston 2000

| | | |
|---|------------|-------------------|
| <i>Anuncotendipes</i> | 2 species | no key to species |
| <i>Anuncotendipes kakadu</i> Cranston | | |
| <i>Chironomus</i> | 29 species | Cranston 2000 |
| <i>Cladopelma curtivalva</i> Kieffer | | |
| <i>Cladotanytarsus</i> | 5 species | no key to species |
| <i>Conochironomus</i> | 4 species | no key to species |
| <i>Cryptochironomus griseidorsum</i> Kieffer | | |
| <i>Cryptotendipes</i> 1 species (larva unknown) | | |
| <i>Demicryptochironomus</i> | 3 species | no key to species |
| <i>Dicrotendipes</i> | 15 species | Cranston 2000 |
| <i>Fissimentum</i> | ? species | ? key |
| <i>Harnischia curtilamellata</i> Malloch | | |
| <i>Harrisius montanus</i> Skuse | | |
| <i>Imparipecten pictipes</i> Freeman | | |
| <i>Kiefferulus</i> | 7 species | Cranston 2000 |
| <i>Lauterborniella</i> 1 species | | |
| <i>Megacentron erebeum</i> Skuse | | |
| <i>Microchironomus tener</i> Kieffer | | |
| <i>Microtendipes umbrosus</i> Freeman | | |
| <i>Neozavrelia</i> | 2 species | no key to species |
| <i>Nilothauma</i> 1 species | | |
| ?Omisus | ? species | |
| <i>Paraborniella tonnoiri</i> Freeman | | |
| <i>Parachironomus delinificus</i> Skuse | | |
| <i>Paracladopelma angustum</i> Freeman | | |
| <i>Paratanytarsus</i> | 5 species | no key to species |
| <i>Parvitergum fuscipenne</i> Freeman | | |
| <i>Polypedilum</i> | 11 species | Cranston 2000 |
| <i>Pontomyia</i> | 4 species | no key to species |
| <i>Riethia</i> | 4 species | Cranston 2000 |
| <i>Rheotanytarsus</i> | 9 species | no key to species |
| <i>Robackia</i> | ? species | key? |

Index of Keys

Skusella subvittata Skuse
Stempellina australiensis Freeman
Stempellina johni Glover
Stempellinella 1 species
Stenochironomus 2 species no key to species
Stictochironomus 2 species no key to species
Tanytarsus 37 species Cranston 2000
Xenochironomus canterburyensis Freeman
Xylochironomus kakadu Cranston
Zavreliella marmorata van der Wulp +3 undes. sp. Cranston 2000
1 undescribed genus

Key to Genera Madden 2009 or 2010

Not in key *Lauterborniella* *Megacentron* ?*Omisus* *Parvitergum*

Anuncotendipes 2 species no key to species
Anuncotendipes kakadu Cranston
Axarus ? species key ?
Chironomus 29 species Cranston 2000
Cladopelma curtivalva Kieffer
Cladotanytarsus 5 species no key to species
Conochironomus 4 species no key to species
Cryptochironomus griseidorsum Kieffer
Cryptotendipes 1 species (larva unknown)
Demicryptochironomus 3 species no key to species
Dicrotendipes 15 species Cranston 2000
Fissimentum ? species ? key
Harnischia curtilamellata Malloch
Harrisius montanus Skuse
Imparipecten pictipes Freeman
Kiefferulus 7 species Cranston 2000
Microchironomus tener Kieffer
Microtendipes umbrosus Freeman
Neozavrelia 2 species no key to species
Nilothauma 1 species
Paraborniella tonnoiri Freeman
Parachironomus delinificus Skuse
Paracladopelma angustum Freeman
Paratanytarsus 5 species no key to species
Polypedilum 11 species Cranston 2000
Pontomyia 4 species no key to species
Riethia 4 species Cranston 2000
Rheotanytarsus 9 species no key to species
Robackia ? species ? key
Skusella subvittata Skuse
Stempellina australiensis Freeman
Stempellina johni Glover
Stempellinella 1 species
Stenochironomus 2 species no key to species
Stictochironomus 2 species no key to species
Tanytarsus+ 37 species Cranston 2000
Xenochironomus canterburyensis Freeman
Xylochironomus kakadu Cranston
Zavreliella marmorata van der Wulp +3 undes. sp. Cranston 2000
2 undescribed genus

Diamesinae

Paraheptagyia 2 species (1 sp. larva unknown) no key to species

*Orthocladiinae

Key to Genera Cranston 2000

Allometriocnemus 2 species no key to species
Allotrissocladius amphibius Freeman

Index of Keys

| | | |
|--|-----------|-------------------|
| <i>Austrobrillia</i> | 2 species | no key to species |
| <i>Austrocladius</i> | 3 species | no key to species |
| <i>Bryophaenocladius</i> | ? species | ? key |
| <i>Botryocladius</i> | 9 species | no key to species |
| <i>Camptocladius stercorarius</i> De Geer | | |
| <i>Cardiocladus australiensis</i> Freeman | | |
| <i>Clunio</i> | 2 species | no key to species |
| <i>Compteroosmittia pectinata</i> Freeman | | |
| <i>Corynoneura</i> | 2 species | no key to species |
| <i>Cricotopus annuliventris</i> Skuse | | Cranston 2000 |
| <i>Doloplastus monticola</i> Skuse | | |
| <i>Echinocladus martini</i> Cranston | | |
| <i>Eukiefferiella insolida</i> Skuse | | |
| ? <i>Gymnometriocnemus</i> | 3 species | no key to species |
| <i>Kiefferophyes</i> | 3 species | no key to species |
| <i>Limnophyes vestitus</i> Skuse | | |
| <i>Metriocnemus hornsbyensis</i> Freeman | | |
| <i>Nanocladius</i> | 3 species | no key to species |
| <i>Nasuticladus</i> | 5 species | no key to species |
| <i>Nilothauma</i> | 2 species | no key to species |
| <i>Parakiefferiella</i> | 4 species | no key to species |
| <i>Paralimnophyes</i> | 2 species | no key to species |
| <i>Parametriocnemus ornaticornis</i> Kieffer | | |
| <i>Paratrichocladus pluriserialis</i> Freeman | | |
| <i>Pirara australiensis</i> Boothroyd & Cranston | | |
| <i>Pseudosmittia</i> | 2 species | no key to species |
| " <i>Psectrocladius</i> " 1 species | | |
| <i>Rheocricotopus</i> 1 species | | |
| <i>Rhinocladus tonnoiri</i> Freeman | | |
| <i>Semicladus crassipennis</i> Skuse | | |
| <i>Smittia</i> | 4 species | no key to species |
| <i>Stictocladus</i> | 3 species | no key to species |
| <i>Symbiocladus aurifodinae</i> Hynes | | |
| <i>Thienemanniella trivittata</i> Goetghebuer | | |
| "genus Australia" | ? species | Cranston 2000 |
| 7 undescribed genera | | |

Key to Genera Madden 2009 or 2010

Not in key: *Allometriocnemus Austrocladius Compteroosmittia Doloplastus Kiefferophyes Metriocnemus*

Nasuticladus Nilothauma Rhinocladus

Note: *Echinocladus martini* = MO3

| | | |
|--|-----------|-------------------|
| <i>Allotrisocladus amphibius</i> Freeman | | |
| <i>Austrobrillia</i> | 2 species | no key to species |
| <i>Bryophaenocladius</i> ? species | | ? key |
| <i>Botryocladius</i> | 9 species | no key to species |
| <i>Camptocladius stercorarius</i> De Geer | | |
| <i>Cardiocladus australiensis</i> Freeman | | |
| <i>Clunio</i> | 2 species | no key to species |
| <i>Corynoneura</i> | 2 species | no key to species |
| <i>Cricotopus annuliventris</i> Skuse | | Cranston 2000 |
| <i>Echinocladus martini</i> Cranston | | |
| <i>Eukiefferiella insolida</i> Skuse | | |
| <i>Gymnometriocnemus</i> 3 ? species | | no key to species |
| <i>Limnophyes vestitus</i> Skuse | | |
| <i>Nanocladius</i> 3 ? species | | no key to species |
| <i>Parakiefferiella</i> | 4 species | no key to species |
| <i>Paralimnophyes</i> | 2 species | no key to species |
| <i>Parametriocnemus ornaticornis</i> Kieffer | | |
| <i>Paratrichocladus pluriserialis</i> Freeman | | |
| <i>Pirara australiensis</i> Boothroyd & Cranston | | |
| <i>Pseudosmittia</i> | 2 species | no key to species |
| " <i>Psectrocladius</i> " 1 species | | |

Index of Keys

| | | |
|-----------------------------------|-------------|-------------------|
| <i>Rheocricotpus</i> | 1 species | |
| <i>Semiocladius crassipennis</i> | Skuse | |
| <i>Smittia</i> | 4 species | no key to species |
| <i>Stictocladius</i> | 3 species | no key to species |
| <i>Symbiocladius aurifodinae</i> | Hynes | |
| <i>Thienemanniella trivittata</i> | Goetghebuer | |
| "genus Australia" | ? species | Cranston 2000 |
| 4 undescribed genera | | |

Podonominae

Key to Genera Madden 2009

Note: *Astrochilus* = *Archaeochilus*

| | | |
|--------------------------|-------------------------|---------------------------------|
| <i>Astrochilus</i> | 3 or 4 species | Cranston et al 2002 (3 species) |
| ? <i>Parochilus</i> | 4 species | no key to species |
| <i>Podochilus</i> | 2 species | no key to species |
| <i>Podonomopsis</i> | 4 species | no key to species |
| ? <i>Podonomus</i> | 2 species | no key to species |
| <i>Rheochilus wirthi</i> | Freeman (larva unknown) | |

Tanypodinae

Key to Genera Cranston 2000 (except *Alotanypus*)

| | | |
|------------------------------------|---------------------------|-------------------------|
| <i>Ablabesmyia</i> | 2 species | no key to species |
| <i>Alotanypus dalyupenis</i> | ?? | |
| <i>Anatopynia</i> | 2 species | no key to species |
| <i>Apsectrotanypus maculosus</i> | Freeman | |
| <i>Australopelopia prionoptera</i> | Cranston | |
| <i>Clinotanypus crux</i> | Wiedemann | |
| <i>Coelopynia pruinosa</i> | Freeman | |
| <i>Coelotanypus wirthi</i> | Freeman | |
| <i>Djalmabatista</i> | 1 species | |
| <i>Fittkauimyia disparipes</i> | Karunakaran | |
| <i>Hayesomyia</i> | 2 species (larva unknown) | |
| <i>Isoplastus formulosus</i> | Skuse | |
| <i>Larsia</i> | 2 species | no key to species |
| <i>Macropelopia dalyupensis</i> | Freeman | |
| <i>Monopelopia</i> | 1 species | |
| <i>Nilotanypus</i> | 1 species | |
| <i>Paramerina</i> | 3 species | no key to species |
| <i>Pentaneura punctipennis</i> | Freeman | |
| <i>Procladius</i> | 5 species | Cranston 2000 (partial) |
| <i>Tanypus mastersi</i> | Skuse | |
| ? <i>Telmatopelopia</i> | 1 species | |
| <i>Thienemannimyia</i> | 1 species | |
| 6 undescribed genera | | |

Key to Genera Madden 2009 or 2010

Not in key *Anatopynia Coelotanypus Hayesomyia Isoplastus Macropelopia Pentaneura*

| | | |
|------------------------------------|-------------|-------------------------|
| <i>Ablabesmyia</i> | 2 species | no key to species |
| <i>Alotanypus dalyupenis</i> | ?? | |
| <i>Apsectrotanypus maculosus</i> | Freeman | |
| <i>Australopelopia prionoptera</i> | Cranston | |
| <i>Clinotanypus crux</i> | Wiedemann | |
| <i>Coelopynia pruinosa</i> | Freeman | |
| <i>Djalmabatista</i> | 1 species | |
| <i>Fittkauimyia disparipes</i> | Karunakaran | |
| <i>Larsia</i> | 2 species | no key to species |
| <i>Monopelopia</i> | 1 species | |
| <i>Nilotanypus</i> | 1 species | |
| <i>Paramerina</i> | 3 species | no key to species |
| <i>Procladius</i> | 5 species | Cranston 2000 (partial) |
| <i>Tanypus mastersi</i> | Skuse | |

Index of Keys

Telmatopelopia 1 species
Thienemannimyia 1 species
Zavrelimyia ? species key ?

Corethrellidae

No subfamily

Corethrella 5 species (4 sp. larva unknown) no key to species

Culicidae

Key to Subfamilies Bug Guide using characters from Bugledich 1999

Anophelinae

No key to genera

Anopheles 14 species Russell 1993 (SE Aus)
Bironella 2 species no key to species

Culicinae

Key to Genera Russell 1993 (SE Aus), CHOOSE Snell 2005 (New Zealand, some Aus overlap)

| | | |
|-----------------------|------------|---|
| <i>Aedeomyia</i> | 2 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Aedes</i> | 96 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Culex</i> | 25 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Culiseta</i> | 12 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Mimomyia</i> | 2 species | 2005 NZ part Aus, Russell 1993 (SE Aus)part |
| <i>Hodgesia</i> | 2 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Coquillettidia</i> | 4 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Mansonia</i> | 3 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |

?*Orthopodomyia papuensis* Zavortink

Malaya genurostris Leicester

| | | |
|---------------------|------------|---|
| <i>Tripteroides</i> | 11 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |
| <i>Uranotaenia</i> | 15 species | Snell 2005 (New Zealand, part Aus), Russell 1993 (SE Aus partial) |

Dixidae

No subfamily

No key to genera

Dixella 4 species no key to species
Nothodixa 2 species no key to species

Dolichopodidae

No key to subfamilies

Diaphorinae

No key to genera

Asyndetus 2 species no key to species
**Chrysotus* 3 species no key to species
**Cryptophleps* 4 species no key to species
**Diaphorus* 14 species no key to species

Dolichopodinae

No key to genera

Index of Keys

| | | |
|---|-----------|-------------------|
| * <i>Lichtwardtia ziczac</i> Wiedemann | | |
| * <i>Metaparaclius australiensis</i> Parent | | |
| * <i>Paracleius</i> | 9 species | no key to species |

Hydrophorinae

No key to genera

| | | |
|------------------------------------|-----------|-------------------|
| <i>Cymatopus</i> | 3 species | no key to species |
| <i>Hydrophorus praecox</i> Lehmann | | |
| <i>Paralipitus mirabilis</i> Bezzi | | |
| <i>Scorpiurus aenescens</i> Parent | | |
| <i>Thinophilus</i> | 4 species | no key to species |

Medeterinae

No key to genera

| | | |
|------------------------------------|------------|-------------------|
| * <i>Atlatlia flaviseta</i> Bickel | | |
| * <i>Atlatlia grisea</i> Bickel | | |
| * <i>Corindia</i> | 9 species | no key to species |
| * <i>Medetera</i> | 20 species | no key to species |
| <i>Systemus</i> | 2 species | no key to species |
| * <i>Thrypticus</i> | 3 species | no key to species |
| *unplaced <i>extranea</i> Becker | | |

Sympycninae

No key to genera

| | | |
|--|------------|-------------------|
| * <i>Chaetogonopteron anachrosticum</i> Meuffels & Grootaert | | |
| * <i>Chrysotimus</i> | 9 species | no key to species |
| * <i>Liparomyia sedata</i> White | | |
| * <i>Liparomyia separata</i> Parent | | |
| * <i>Nothorhaphium</i> | 4 species | no key to species |
| <i>Sympycnus</i> | 15 species | no key to species |
| * <i>Syntormon</i> | 6 species | no key to species |
| <i>Teuchophorus</i> | 2 species | no key to species |
| * <i>Yumbera</i> | 5 species | no key to species |

Empididae

Key to Vouchers **EPA key** (Vic) [Bug Guide = No key to subfamilies]

Empidinae

No key to genera

| | | |
|--|------------|-------------------|
| * <i>Apalocnemis sanguinea</i> Hardy | | |
| * <i>Bandella</i> | 9 species | no key to species |
| * <i>Cunomyia unica</i> Bickel | | |
| * <i>Empis</i> | 13 species | no key to species |
| * <i>Eugowra</i> | 3 species | no key to species |
| * <i>Hilara</i> | 6 species | no key to species |
| * <i>Hilarempis</i> | 6 species | no key to species |
| * <i>Munburra bulbicornis</i> Bickel | | |
| * <i>Rhampella inconspicua</i> Malloch | | |
| <i>Rhamphomyia</i> | 3 species | no key to species |
| * <i>Thinempis</i> | 4 species | no key to species |

Hemerodrominae

**Ptilophyllodromia biroi* bezzi

Clinocerinae

No key to genera

| | | |
|--|-----------|-------------------|
| <i>Asymphylloptera quadriseta</i> Smith | | |
| <i>Clinocera</i> | 7 species | no key to species |
| <i>Dolichocephala</i> undetermined species | | |

Index of Keys

?*Proagomyia* ~8 species no key to species

?Ceratomerinae

Ceratomerus 19 species no key to species

Unsure of subfamily

No key to genera

Hydropeza ? species no key to species
several undescribed genera

Ephydriidae

No key to subfamilies

Discomyzinae

No key to genera

**Clasiopella* 2 species no key to species
**Ceropsilopa* 2 species no key to species
**Hostis guamensis* Cresson
**Psilopa* 4 species no key to species

Ephydrinae

No key to genera

**Brachydeutera* 3 species no key to species
**Ephydrella* 4 species no key to species
**Limnella maculipennis* Malloch
**Neoscatella* 12 species no key to species

Gymnomyzinae

No key to genera

**Allotrichoma alium* Cresson
**Athyroglossa* 2 species no key to species
**Chlorichaeta orba* Mathis & Zatwarnicki
**Ditrichopora niveifrons* Cresson
**Glenanthe ismayi* Mathis
**Gymnopiella paucula* Cresson
**Hecamede* 3 species no key to species
**Hecamedoides* 4 species no key to species
**Lamproclasiopa biseta* de Meijere
**Ochthera* 2 species no key to species
**Orasiopa* 2 species no key to species
**Placopsidella cynocephala* Kertesz
**Polytrichophora brunneifrons* de Meijere
**Stratiothyrea femorata* de Meijere
**Trimerogastra* 2 species no key to species

Hydrelliinae

No key to genera

**Atissa suturalis* Cresson
**Eleleides chloris* Cresson
**Hydrellia* 16 species no key to species
**Notiphila* 2 species no key to species
**Paralimna* 5 species no key to species
**Ptilomyia* undescribed species
**Typopsilopa chinensis* Wiedemann

Ilytheinae

No key to genera

**Hyadina pullipes* Cresson
**Nostima duoseta* Cresson

Index of Keys

**Zeros* 2 species no key to species

Muscidae

No key to subfamilies

Muscinae

No key to genera

| | | |
|---|--|-------------------|
| * <i>Balioglutum illingworthi</i> Aldrich | | |
| * <i>Haematobia exigua</i> de Meijere | | |
| * <i>Hydrotaea</i> 6 species | | no key to species |
| * <i>Morellia hortensis</i> Wiedemann | | |
| * <i>Musca</i> 6 species | | no key to species |
| * <i>Muscina stabulans</i> Fallen | | |
| * <i>Myiophaea spissa</i> Walker | | |
| * <i>Neomyia</i> 3 species | | no key to species |
| * <i>Passeromyia</i> 3 species | | no key to species |
| * <i>Pyrella</i> 2 species | | no key to species |
| * <i>Synthesiomyia nudiseta</i> Wulp | | |

Phaoniiae

No key to genera

| | | |
|---|--|-------------------|
| * <i>Atherigona</i> 27 species | | no key to species |
| * <i>Brontaea</i> 3 species | | no key to species |
| * <i>Buccophaonia</i> undescribed species | | |
| * <i>Dichaetomyia</i> 22 species | | no key to species |
| * <i>Helina</i> 37 species | | |
| * <i>Hennigola setifera</i> Stein | | |
| * <i>Metopomyia atropunctipes</i> Malloch | | |
| * <i>Neohelina</i> 2 species | | no key to species |
| <i>Phaonia</i> 3 species | | no key to species |
| * <i>Prohardya</i> 5 species | | no key to species |

Mydaeinae

No key to genera

| | | |
|---|--|-------------------|
| * <i>Hebecnema uniseta</i> Hennig | | |
| * <i>Helinomydaea</i> 2 species | | no key to species |
| <i>Graphomya</i> 2 species | | no key to species |
| * <i>Gymnopapuaia hypopleuralis</i> Malloch | | |
| * <i>Myospila flavicans</i> Malloch | | |
| * <i>Papuaia immaculata</i> Vockeroth | | |
| *unplaced <i>fuscitarsis</i> Bergroth | | |
| *unplaced <i>inducta</i> Walker | | |

Coenosiinae

No key to genera

| | | |
|--------------------------------|--|-------------------|
| * <i>Heliographa</i> 2 species | | no key to species |
| <i>Limnophora</i> 6 species | | no key to species |
| <i>Lispe</i> 8 species | | no key to species |

Psychodidae

No key to subfamilies

Brachomyiinae

No key to genera

Nemapalpus australiensis Alexander

Psychodinae

No key to genera

| | | |
|---------------------------|--|-------------------|
| <i>Didicrum</i> 2 species | | no key to species |
|---------------------------|--|-------------------|

Index of Keys

| | | |
|--|------------|-------------------|
| <i>Paratelmatoscopus</i> | 5 species | no key to species |
| <i>Rotundoptynx</i> | 15 species | no key to species |
| <i>Brunettia</i> | 4 species | no key to species |
| <i>Clogmia</i> | 2 species | no key to species |
| <i>Peripsychoda</i> | 7 species | no key to species |
| <i>Telmatoscopus</i> | 10 species | no key to species |
| <i>Notiocharis</i> | 3 species | no key to species |
| <i>Epacretron pulchrum</i> Duckhouse | | |
| <i>Psychoda</i> | 21 species | no key to species |
| <i>Threticus</i> | 3 species | no key to species |
| <i>Trichopsychoda montana</i> Satchell | | |

Sycoracinae

Sycorax australis Duckhouse

Trichomyiinae

| | | |
|-------------------|------------|-------------------|
| <i>Trichomyia</i> | 19 species | no key to species |
|-------------------|------------|-------------------|

Sciomyzidae

Sciomyzinae

| | | |
|---------------------|-----------|-------------------|
| <i>Dichetophora</i> | 6 species | no key to species |
|---------------------|-----------|-------------------|

Simuliidae

Simulinae

Key to Genera [EPA key](#) (Vic) [Bug Guide = Mackerras & Mackerras 1949]

| | | |
|-----------------------|------------|--|
| <i>Austrosimulium</i> | 12 species | EPA key (Vic, partial) [Bug Guide = Mackerras & Mackerras 1949, partial] |
| <i>Simulium</i> | 14 species | EPA key (Vic) [Bug Guide = Colbo 1976, partial] |
| <i>Paracnephia</i> | 9 species | EPA key (Vic, partial inc. Undes. sp.) [Bug Guide = Mackerras & Mackerras 1949, as <i>Cnephia</i> , partial] |

Stratiomyidae

Stratiomyinae

| | | |
|-------------------|------------|-------------------|
| <i>Odontomyia</i> | 23 species | no key to species |
|-------------------|------------|-------------------|

Syrphidae

Eristalinae

| | | |
|------------------|------------|-------------------|
| <i>Eristalis</i> | 23 species | no key to species |
|------------------|------------|-------------------|

Tabanidae

No key to subfamilies

Chrysopsinae

No key to genera

| | | |
|---|------------|-------------------|
| * <i>Lilaea</i> | 7 species | no key to species |
| * <i>Phibalomyia carteri</i> Taylor | | |
| * <i>Pseudopangonia australis</i> Ricardo | | |
| * <i>Pseudotabanus</i> | 24 species | no key to species |
| * <i>Rhigioglossa</i> | 3 species | no key to species |
| <i>Chrysops australis</i> Ricardo | | |

*Pangoniinae

No key to genera

| | | |
|------------------------|------------|-------------------|
| * <i>Austroplex</i> | 3 species | no key to species |
| * <i>Caenoprosopon</i> | 5 species | no key to species |
| * <i>Ectenopsis</i> | 11 species | no key to species |
| * <i>Scaptia</i> | 69 species | no key to species |

Index of Keys

* *Therevopangonia insolita* Mackerras

Tabaninae

Key to Tribes Mackerras 1971

No key to genera

| | | |
|-------------------------------------|------------|-------------------|
| * <i>Anabasis postica</i> Wiedemann | | |
| * <i>Cydistomorpha</i> | 6 species | no key to species |
| * <i>Cydistomyia</i> | 22 species | no key to species |
| * <i>Dasybasis</i> | 36 species | no key to species |
| * <i>Dolichapha</i> | 3 species | no key to species |
| * <i>Lissimas australis</i> Ricardo | | |
| * <i>Mackerrasus</i> | 2 species | no key to species |
| * <i>Parabasis</i> | 5 species | no key to species |
| * <i>Plesiobasis</i> | 2 species | no key to species |
| * <i>Sznablius</i> | 5 species | no key to species |
| <i>Tabanus</i> | 24 species | no key to species |

Tanyderidae

No subfamily

No key to genera

| | | |
|---------------------------------|---------------------------|-------------------|
| <i>Eutanyderus</i> | 2 species | no key to species |
| <i>Nothoderus australiensis</i> | Alexander (larva unknown) | |
| <i>Radinoderus</i> | 3 species (larva unknown) | |

Thaumaleidae

No subfamily

Key to Genera Sinclair 2000a

| | | |
|-----------------------|------------|-------------------|
| <i>Astrothaumalea</i> | 18 species | no key to species |
| <i>Niphta</i> | 3 species | no key to species |

Tipulidae

Note: In the Northern hemisphere, the three subfamilies are given family status (Evenhuis 2008). The Australian Zoological Catalogue (Bugledich 1999) indicates that "there is no obvious phylogenetic basis for such elevation of ranks."

Key to Vouchers **EPA key** (Vic) [Bug Guide = No key to subfamilies]

Cylindrotominae

| | | |
|-------------------------|-----------|-------------------|
| * <i>Stibadocerodes</i> | 2 species | no key to species |
|-------------------------|-----------|-------------------|

Limoniinae

No key to genera

| | | |
|--|-------------|-------------------|
| * <i>Amphineurus</i> | 15 species | no key to species |
| <i>Antocha</i> | 2 species | no key to species |
| * <i>Atarba</i> | 13 species | no key to species |
| * <i>Austrolimnophila</i> | 12 species | no key to species |
| * <i>Baeoura</i> | 4 species | no key to species |
| * <i>Bergrothomyia</i> | 3 species | no key to species |
| * <i>Cheilotrichia</i> | 2 species | no key to species |
| * <i>Collessophila chookachooka</i> Theischinger | | |
| * <i>Conosia irrorata</i> Wiedemann | | |
| * <i>Diemenomyia</i> | 2 species | no key to species |
| * <i>Elephantomyia</i> | 2 species | no key to species |
| * <i>Epiphragma</i> | 6 species | no key to species |
| <i>Erioptera</i> | 13 species | no key to species |
| <i>Gonomyia</i> | 24 species | no key to species |
| * <i>Gymnastes</i> | 7 species | no key to species |
| * <i>Gynoplistia</i> | 105 species | no key to species |
| <i>Helius</i> | 12 species | no key to species |

Index of Keys

| | | |
|--|-------------|-------------------|
| <i>Hexatoma</i> | 4 species | no key to species |
| * <i>Horistomyia</i> | 4 species | no key to species |
| * <i>Idiocera collessi</i> Theischinger | | |
| * <i>Lechria</i> | 3 species | no key to species |
| * <i>Leolimnophila</i> | 2 species | no key to species |
| <i>Limnophila</i> | 68 species | no key to species |
| <i>Limonia</i> | 134 species | no key to species |
| <i>Molophilus</i> | 295 species | no key to species |
| <i>Orimarga</i> | 3 species | no key to species |
| * <i>Paralimnophila</i> | 59 species | no key to species |
| <i>Pedicia</i> | 2 species | no key to species |
| <i>Pilaria brooksi</i> Alexander | | |
| <i>Rhabdomastix</i> | 4 species | no key to species |
| * <i>Skuseomyia eximia</i> Alexander | | |
| * <i>Sigmatomera</i> | 3 species | no key to species |
| * <i>Styringomyia</i> | 3 species | no key to species |
| * <i>Symplecta pilipes</i> Fabricius | | |
| * <i>Tasiocera</i> | 23 species | no key to species |
| * <i>Teucholabis</i> | 2 species | no key to species |
| * <i>Trentepohlia</i> | 7 species | no key to species |
| * <i>Tipulimnoea woodhilli</i> Alexander | | |
| * <i>Tonnoirella gemella</i> Alexander | | |
| * <i>Tonnoiomyia</i> | 3 species | no key to species |
| * <i>Toxorhina</i> | 6 species | no key to species |

Tipulinae

No key to genera

| | | |
|--------------------------------------|------------|-------------------|
| * <i>Acraacantha</i> | 3 species | no key to species |
| <i>Brachypremna</i> | 2 species | no key to species |
| * <i>Clytocosmus</i> | 6 species | no key to species |
| * <i>Dolichopeza</i> | 46 species | no key to species |
| <i>Holorusia</i> | 2 species | no key to species |
| * <i>Ischnotoma</i> | 15 species | no key to species |
| <i>Leptotarsus</i> | 76 species | no key to species |
| <i>Megistocera filipes</i> Weidemann | | |
| * <i>Nephrotoma</i> | 2 species | no key to species |
| * <i>Platyphasia</i> | 7 species | no key to species |
| * <i>Ptilogyna</i> | 24 species | no key to species |
| <i>Tipula</i> | 3 species | no key to species |

Index of Keys

Ephemeroptera

Key to Families Bug Guide from Dean & Suter 1996

Ameletopsidae

Mirawara 3 sp (adults) 6 undes. sp.(nymphs) Suter & Webb 2012a

Note: Specimens without wing pads are early instars and cannot be confidently identified at species level.

Baetidae

Key to Genera Webb & Suter 2010

Note: Specimens without wing pads are early instars and cannot be confidently identified at genus level.

Offadens and *Edmundsiops* have been synomised

Bungona 2 species Webb & Suter 2010

Note: *B illiesi* was within *B. narilla*

"*Centroptilum*" 2 sp +9 undes.sp (2 sp. nymph unknown) Webb & Suter 2010

Cloeon 5 sp +6 undes.sp (2 sp. nymph unknown) Webb & Suter 2010 (inc. undes. sp., except *C. nandirum*)

Offadens 7 species + 25 undes. sp. Webb & Suter 2010

Note: Webb & Suter 2010 lists names of Suter 1997 undescribed species where *Edmundsiops*=Genus 2, *Offadens* = Genus 1, Genus 4 and Genus 5

"*Platybaetis*" *gagadjuensis* ??

Pseudocloeon 3 species + 1 undes. species Webb & Suter 2010

Note: Webb & Suter 2010 lists names of Suter 1997 undescribed species where *Pseudocloeon* = Genus 3

Caenidae

Key to Genera Bug Guide from Suter 1999

Irpacaenis 3 species (2 undes. sp.) Suter 1999 (inc. undes. sp., partial)

Note: *Irpacaenis* = genus C, *I. deani* = sp A, *I. coolooli* = sp B, *I. kaapi* = sp C

Tasmanocoenis 6 species +11 undes. sp. Suter 1999 (partial, inc. undes. sp.)

Note: *T. tillyardi* and *T. rieki* cannot be separated

Wundacaenis 3 species Suter 1999

Coloburiscidae

Coloburiscoides 3 species (1 sp. nymph unknown) +4 undes. sp. Suter et al. 2009

Leptophlebiidae

Key to Genera Dean 2011

Atalomicria 7 species (1 sp. nymph unknown) +1 undes. sp. Dean 1999a (partial)

Atalophlebia 19 species (7 sp. nymph unknown) +14 undes. sp. Dean 1999a (partial, inc. undes. sp.)

Austrophlebioides 6 species +9 undes. sp. Dean 1999a (partial, inc. undescribed species)

Bibulmena kadjina Dean

Garinjuga maryannae Campbell & Suter +1 undes. sp. no key to species

Jappa 5 species (1 sp. nymph unknown) +3 undes. sp.

Dean 1999a (inc. undes. sp.); Bae & Finlay 2003 (named sp. only) – combine or remove?

Note: AV4 = *J. campbellii*

Kalbaybaria doantrangae Campbell

Kaninka gwabbalitcha Dean

Kirrara 3 species +1 undes. sp. Dean 1999a (inc. undescribed species)

Koormonga 6 species (3 sp. nymph unknown)+6 undes. sp. Dean 1999a (undescribed species)

Loamaggalangta pedderensis Dean et al +6 undes. sp. Dean 1999a (undescribed species)

Mangabora wapitja Dean & Suter

Marmenuera 2 undescribed species Dean 1999a

Neboissophlebia 2 species Dean 1999a

Nousia 4 species +15 undes. sp. Dean 1999a (undescribed species)

Nyungara 2 species (1 sp. nymph unknown) no key to species

Thraulus 3 undescribed species Dean 1999a (undescribed species)

Index of Keys

Tillyardophlebia 3 species +5 undes. sp. Dean 1999a (inc. undescribed species)

Thraulophlebia lucida Ulmer (nymph unknown)

Ulmerophlebia mjobergi Ulmer (nymph unknown) +4 undes. sp. Dean 1999a (undescribed species)

Leptophlebiidae Genus O 1 undescribed species

Leptophlebiidae Genus P 3 undescribed species Dean 1999a

Leptophlebiidae Genus Z 1 undescribed species

Note: Genus Q = *Kaninka*, Genus S & K = *Loamaggalangta*, Genus V = *Manggabora*, Genus W = *Marmenuera*, *Thraulophlebia* = *Koornunga*, *Riekophlebia* = *Tillyardophlebia* in part

Oniscigastridae

Tasmanophlebia 3 sp + 3 undes. sp Suter & Webb 2012

Note: Specimens without wing pads are early instars and cannot be confidently identified at species level.

Prosopistomatidae

Prosopistoma pearsonorum Campbell & Hubbard

Nesameletidae

Ameletoides lacusalbinae Tillyard (+3 undes. sp.) Suter & Webb 2012b (inc. undes. sp.)

Teloganodidae

Austremerella picta Riek

Index of Keys

Hemiptera

Key to Families Bug Guide from Andersen & Weir 2004, Carver et al 1991

Aphelocheiridae

Aphelocheirus australicus Usinger

Belostomatidae

Key to Genera Bug Guide from Andersen & Weir 2004

Diplonychus 2 species Andersen & Weir 2004
Lethocerus 2 species Andersen & Weir 2004

Corixidae

Key to Genera Bug Guide from Andersen & Weir 2004

Agraptocorixa 6 species Andersen & Weir 2004 (males)
Cnethocymatia nigra Hungerford
Diaprepocoris 3 species Andersen & Weir 2004
Micronecta 18 species Andersen & Weir 2004
Sigara 7 species Andersen & Weir 2004 (males)

Dipsocoridae

Cryptostemma 4 species Hill 1987

Gelastocoridae

Nerthra 24 species Andersen & Weir 2004

Gerridae

Key to Genera Bug Guide from Andersen & Weir 2004

Aquarius 2 species Andersen & Weir 2004
Austrobates rivularis Andersen & Weir
Calyptobates 3 species Andersen & Weir 2004
Halobates 2 species Andersen & Weir 2004 (inc marine)
Halobates robinsoni Andersen & Weir
Limnogonus 4 species Andersen & Weir 2004
Limnometra 3 species Andersen & Weir 2004
Rhagadotarsus anomalus Polhemus & Karunaratne
Rheumatometra 2 species Andersen & Weir 2004
Tenagogerris 3 species Andersen & Weir 2004
Tenagogenus australiensis Andersen & Weir

Hebridae

Key to Genera Bug Guide from Andersen & Weir 2004

Astrohebrus apterus Andersen & Weir
Hebrus 4 species Andersen & Weir 2004
Merragata hackeri Hungerford

Hydrometridae

Hydrometra Andersen & Weir 2004 (males)

Leptopodidae

Valleriola 2 species +1 undes. sp. no key to species

Mesovelidae

Key to Genera Bug Guide from Andersen & Weir 2004

Astrovelia queenslandiae Malipatil & Monteith
Mesovelia 6 species Andersen & Weir 2004

Index of Keys

Naucoridae

| | | |
|-----------------|-----------|----------------------|
| <i>Naucoris</i> | 6 species | Andersen & Weir 2004 |
|-----------------|-----------|----------------------|

Nepidae

| | |
|---------------|-------------------------------------|
| Key to Genera | Bug Guide from Andersen & Weir 2004 |
|---------------|-------------------------------------|

Austronepa angusta Hale

Cercotmetus brevipes Lansbury

Goondnomdanepa 3 species

Andersen & Weir 2004

Laccotrephes tristis Stal

Ranatra 3 species

Andersen & Weir 2004

Notonectidae

| | |
|---------------|-------------------------------------|
| Key to Genera | Bug Guide from Andersen & Weir 2004 |
|---------------|-------------------------------------|

Anisops

32 species

Andersen & Weir 2004 (males)

Enithares

5 species

Andersen & Weir 2004

Paranisops

2 species

Andersen & Weir 2004

Notonecta handlirschi Kirkaldy

Nychia sappho Kirkaldy

Walambianisops wandjina Lansbury

Ochteridae

| | |
|---------------|-------------------------------------|
| Key to Genera | Bug Guide from Andersen & Weir 2004 |
|---------------|-------------------------------------|

Megochterus

2 species

Andersen & Weir 2004

Ochterus

9 species

Andersen & Weir 2004

Pleidae

| | | |
|-----------------|-----------|----------------------|
| <i>Paraplea</i> | 3 species | Andersen & Weir 2004 |
|-----------------|-----------|----------------------|

Saldidae

No key to genera

| | | |
|------------------|----------------------|-------------------|
| <i>Saldua</i> | 6 species | no key to species |
| <i>Pentacora</i> | 3 species (riparian) | no key to species |

Veliidae

| | |
|---------------|-------------------------------------|
| Key to Genera | Bug Guide from Andersen & Weir 2004 |
|---------------|-------------------------------------|

Drepanovelia 4 species

Andersen & Weir 2004 (males)

Lacertovelia hirsuta Andersen & Weir

Microvelia 39 species

Andersen & Weir 2004 (males)

Microvelopsis 3 species

Andersen & Weir 2004

Nesidovelia howensis Hale

Petrovelia 2 species

Andersen & Weir 2004

Phoreticovelia 2 species

Andersen & Weir 2004

Rhagovelia australica Kirkaldy

Tarsoveloides brevitarsus Andersen & Weir

Index of Keys

Lepidoptera

Crambidae

| | | |
|---|--|---|
| Key to Genera | Hawking 2012 (incomplete) | |
| <i>Parapoynx</i> | 14 species (+1 undes. sp.) | Hawking 2001 (incomplete) with ref to Hawking 2012 |
| <i>Elophila</i> | 4 species | no key to species |
| <i>Margarosticha</i> | 2 species (+5 undes. sp.) | Hawking 2012 (incomplete) |
| <i>Strepsinoma</i> | 4 species (1 larva unknown) | Hawking 2012 |
| <i>Tetrernia</i> | 2 sp. (+2 undes. sp.; 1 larva unknown) | Hawking 2012 |
| <i>Eoophyla</i> | 4 species (+3 undes. sp.) | Hawking 2012 (incomplete) |
| <i>Paracymorzia eromenalis</i> (formerly <i>Ambia ptolecusalis</i>) Walker | | |
| Genus C <i>siennata</i> Warren | | |
| Not in key to genera | | |
| <i>Araeomorpha</i> | 2 species | no key to species |
| <i>Hygraula</i> | 2 species | no key to species |
| <i>Neoschoenobia caustodes</i> Turner | | |
| <i>Nyctiplanes polypenthes</i> Turner | | |
| <i>Paracataclysta fuscalis</i> Hampson | | |
| <i>Cataclysta</i> | 7 species | no key to species |
| <i>Hylebatis scintillifera</i> Turner | | |
| <i>Anydraula</i> | 2 species | no key to species |
| <i>Nymphicula queenslandica</i> Hampson | | |
| <i>Theila</i> | 4 species | no key to species |

Index of Keys

Mecoptera

Nannochoristidae

Nannochorista 4 species no key to species

Megaloptera

Key to Families Bug Guide from Theischinger 2000a

Corydalidae

Key to Genera Theischinger 2000a

Apochauliodes cervulus Theischinger

Archichauliodes 18 species

Protochauliodes 3 species

Theischinger 2000a (species groups)

no key to species

Sialidae

Key to Genera Theischinger 2000a

Austrosialis 2 species no key to species

Stenosialis 2 species no key to species

Neuroptera

Nevorthidae

Austroneurorthus bruneipennis Esben-Petersen

Osmylidae

No key to genera

Australysmus 4 species no key to species

Clydosmylus montanus New

Kempynus 7 species

no key to species

no key to species

Sisyridae

No key to genera

Sisyrina 5 species no key to species

Sisyrina tropica Smithers (only in NE Qld)

Index of Keys

Odonata

Key to Families Bug Guide from Theischinger & Hawking 2006

Aeshnidae

Key to Genera Bug Guide from Theischinger 2002

Aeshna (Adveraeschna) brevistyla Rambur

Agyrtacantha dirupta Karsch (nymph unknown)

Anaciaeschna jaspidea Burmeister

Anax 3 species Theischinger 2002

Austrogynacantha heterogena Tillyard

Gynacantha 5 species (2 sp. nymphs unknown) Theischinger 2002

Hemianax papuensis Burmeister

Archipetaliidae

Archipetalia auriculata Tillyard

Astrocorduliidae

Key to Genera Bug Guide from Theischinger & Hawking 2006

Apocordulia macrops Watson

Astrocordulia 3 species Theischinger 2001

Austrophya mystica Tillyard

Lathrocordulia 2 species (1 sp. nymph unknown) no key to species

Micromidia 2 species (1 sp. nymph unknown) Theischinger 2001

Austropetaliidae

Austropetalia 2 species Theischinger 2002

Calopterygidae

Neurobasis australis Selys

Chorismagrionidae

Chorismagrion risi Morton

Coenagrionidae

Key to Genera Bug Guide from Theischinger & Hawking 2006

Aciagrion fragile Tillyard

Agriocnemis 2 species Hawking & Theischinger 1999 (partial, NSW)

Archibasis mimetes Tillyard (nymph unknown)

Argiocnemis 7 species (5 sp. nymph unknown) no key to species

Astroagrion 4 species Hawking 1986 (partial, SE Aus)

Austrocnemis 3 species Hawking & Theischinger 1999 (NSW)

Caliagrion billinghami Martin

Ceriagrion aeruginosum Brauer

Coenagrion lyelli Tillyard

Ischnura 3 species Hawking & Theischinger 1999 (NSW);
Theischinger & Hawking 2002 (partial, Vic)

Pseudagrion 6 species (1sp. nymph unknown) Hawking & Theischinger 1999 (NSW)

Teinobasis rufithorax Selys

Xanthagrion erythroneurum Selys

Cordulephyidae

Cordulephya 4 species (1sp. nymph unknown) Hawking & Theischinger 1999 (partial, NSW)

Corduliidae

Metaphya tillyardi Ris (nymph unknown)

Index of Keys

Pentathemis membranulata Karsch

Diphlebiidae

Diphlebia 5 species Hawking & Theischinger 1999 (partial, NSW)

Gomphidae

Key to Genera Bug Guide from Theischinger 2000

Antipodogomphus 6 species (1 sp. Nymph unknown) Theischinger 2000

Armagomphus armiger Tillyard

Austrogomphus 21 species (4 sp. Nymph unknown) Theischinger 2000

Hemigomphus 7 species (1sp. nymph unknown) Theischinger 2000

Note: *H. gouldii* and *H. heteroclytus* cannot be separated.

Odontogomphus donnellyi Watson

Gomphomacromiidae

Archaeophya 2 species Theischinger 2001

Hemicorduliidae

Key to Genera Bug Guide from Theischinger & Hawking 2006

Hemicordulia 9 species (2 sp. nymph unknown) Theischinger 2007

Procordulia 2 species Theischinger 2007

Hemiphlebiidae

Hemiphlebia mirabilis Selys

Hypseleotidae

Lestoidea 4 species no key to species

Isostictidae

Key to Genera Bug Guide from Theischinger & Hawking 2006

Austrosticta 3 species (2 sp. nymph unknown) no key to species

Eurysticta 4 species (1 sp. nymph unknown) no key to species

Labidosticta vallisi Fraser

Lithosticta macra Watson

Neosticta 3 species (1 sp. nymph unknown) no key to species

Oristicta filicola Tillyard

Rhadinosticta 2 species no key to species

Lestidae

Key to Genera Bug Guide from Theischinger & Hawking 2006

Austrolestes 10 species Hawking & Theischinger 1999 (NSW), Theischinger & Hawking 2002 (partial, Vic)

Indolestes 3 species (2 sp. nymph unknown) no key to species

Lestes concinnus Hagen

Libellaginidae

Rhinocypha tincta Selys

Libellulidae

Key to Genera Bug Guide from Theischinger & Hawking 2006

Agrionoptera 2 species no key to species, separate by distribution
BUT NOT in NE QLD

Note: *A. insignis* NSW, SEQld, NEQld, NNT; *A. longitudinalis* NE Qld

Austrothemis nigrens Martin

Brachydiplax 2 species (1 sp. nymph unknown) no key to species

Camacinia othello Tillyard

Crocothemis nigrifrons Kirby

Index of Keys

| | | |
|---|---------------------------------|---|
| <i>Diplacodes</i> | 5 species | Hawking & Theischinger 1999 (partial, NSW), Theischinger & Hawking 2002 (partial, Vic) |
| <i>Huonia melvillensis</i> Brown & Theischinger | | |
| <i>Hydrobasileus brevistylus</i> Brauer | | |
| <i>Lathrecista asiatica</i> Fabricius (nymph unknown) | | |
| <i>Nannodiplax rubra</i> Brauer | | |
| <i>Nannophlebia</i> | 3 species | no key to species |
| <i>Nannophya</i> | 4 species | Hawking & Theischinger 1999 (partial, NSW), Theischinger & Hawking 2002 (partial, Vic) |
| <i>Neurothemis</i> | 2 species (1 sp. nymph unknown) | no key to species |
| <i>Notolibellula bicolour</i> Theischinger & Watson (nymph unknown) | | |
| <i>Orthetrum</i> | 7 species | Hawking & Theischinger 1999 (partial, NSW), Theischinger & Hawking 2002 (partial, Vic) |
| <i>Pantala flavescens</i> Fabricius | | |
| <i>Potamarcha congener</i> Rambur | | |
| <i>Raphismia bispina</i> Hagen (nymph unknown) | | |
| <i>Rhodothemis lieftincki</i> Fraser | | |
| <i>Rhyothemis</i> | 5 species (1 sp. nymph unknown) | no key to species |
| Note: <i>R. graphiptera</i> is only species in ENSW (also in SEQLD, NQLD, NWA, NNT, KIM, IA- WA, NT, SA), other species occur only in NQLD, NNT, KIM | | |
| <i>Tetrathemis irregularis</i> Tillyard | | |
| <i>Tholymis tillarga</i> Fabricius | | |
| <i>Tramea</i> | 4 species (1 sp. nymph unknown) | no key to species |
| <i>Zyxomma</i> | 3 species | no key to species ; separate by distribution |
| Note: <i>Z. elgner</i> is only species in ENSW (also in SEQLD, CY, EQLD, NQLD, NNT, KIM, NWA, SWA), other species occur only in Cape York, NEQLD and NNT | | |

Lindeniidae

| | | |
|----------------------|---------------------------------|-------------------|
| <i>Ictinogomphus</i> | 3 species (1 sp. nymph unknown) | Theischinger 2000 |
|----------------------|---------------------------------|-------------------|

Macromiidae

| | | |
|-----------------|-----------|-------------------|
| <i>Macromia</i> | 2 species | Theischinger 2001 |
|-----------------|-----------|-------------------|

Megapodagrionidae

| | | |
|--------------------------|--|---|
| Key to Genera | Bug Guide from Theischinger & Hawking 2006 | |
| <i>Archiargiolestes</i> | 3 species | Hawking 1986 (partial, SE Aus) |
| <i>Austroargiolestes</i> | 10 species (6 sp. nymphs unknown) | no key to species |
| <i>Griseargiolestes</i> | 7 species (2 sp. nymphs unknown) | Hawking & Theischinger 1999 (partial , NSW), Theischinger & Hawking 2002 (partial, Vic) |

Miniargiolestes minimus

Podopteryx selysi Forster

Oxygastridae

Hesperocordulia berthoudi Tillyard

Petaluridae

| | | |
|-----------------|----------------------------------|-------------------|
| <i>Petalura</i> | 5 species (1 sp. nymphs unknown) | Theischinger 2002 |
|-----------------|----------------------------------|-------------------|

Protoneuriidae

| | | |
|-------------------|------------|--------------------------|
| <i>Nososticta</i> | 10 species | no key to species |
|-------------------|------------|--------------------------|

Pseudocorduliidae

| | | |
|-----------------------|-----------|--------------------------|
| <i>Pseudocordulia</i> | 2 species | no key to species |
|-----------------------|-----------|--------------------------|

Synlestidae

| | | |
|---------------|--|--|
| Key to Genera | Bug Guide from Hawking & Theischinger 1999 | |
|---------------|--|--|

Index of Keys

| | | | |
|---------------------|-----------|--|--|
| <i>Episynlestes</i> | 2 species | no key to species | Theischinger et al 1993 on req + seems to be same as already have so re-search ref. |
| <i>Synlestes</i> | 3 species | Hawking & Theischinger 1999 (partial, NSW) | |

Synthemistidae

| | | | |
|--|----------------------------------|-------------------|--|
| Key to Genera | Bug Guide from Theischinger 2001 | | |
| <i>Archaeosynthemis</i> | 4 species | Theischinger 2001 | |
| <i>Austrosynthemis cyanitincta</i> Tillyard | | | |
| <i>Choristhemis</i> | 2 species (1 sp.nymph unknown) | no key to species | |
| <i>Eusynthemis</i> | 13 species (3 sp.nymph unknown) | Theischinger 2001 | |
| <i>Parasynthemis regina</i> Selys | | | |
| <i>Synthemiopsis gomphomacromioides</i> Tillyard | | | |
| <i>Synthemis</i> | 2 species | Theischinger 2001 | |
| <i>Tonyosynthemis</i> | 2 species | Theischinger 2001 | |

Telephlebiidae

| | | | |
|--|----------------------------------|-------------------|--|
| Key to Genera | Bug Guide from Theischinger 2002 | | |
| <i>Acanthaeschna victoria</i> Martin | | | |
| <i>Antipodophlebia asthenes</i> Tillyard | | | |
| <i>Austroaeschna</i> | 20 species | Theischinger 2002 | |
| <i>Austrophlebia</i> | 2 species | Theischinger 2002 | |
| <i>Dendroaeschna conspersa</i> Tillyard | | | |
| <i>Notoaeschna</i> | 2 species | Theischinger 2002 | |
| <i>Spinaeschna</i> | 2 species | Theischinger 2002 | |
| <i>Telephlebia</i> | 6 species (1 sp. nymph unknown) | Theischinger 2002 | |

Urothemistidae

| | | | |
|--------------------------------|--|-------------------|--|
| Key to Genera | Bug Guide from Theischinger & Hawking 2006 | | |
| <i>Aethriamanta</i> | 2 species | no key to species | |
| <i>Macrodiplax cora</i> Brauer | | | |
| <i>Urothemis aliena</i> Selys | | | |

Index of Keys

Plecoptera

Key to Families Bug Guide from Hynes 1978 & 1989

Austroperlidæ

Key to Genera Yule 1997

| | | |
|------------------------------------|-----------|-----------|
| <i>Acruroperla atra</i> Amal | | |
| <i>Austroheptura</i> | 3 species | Yule 1997 |
| <i>Austropentura</i> | 2 species | Yule 1997 |
| <i>Cryptoperla paradoxa</i> Illies | | |
| <i>Tasmanoperla</i> | 2 species | Yule 1997 |

Eustheniidæ

Key to Genera Yule 1997

| | | |
|----------------------|-----------|-----------|
| <i>Cosmoperla</i> | 5 species | Yule 1997 |
| <i>Eusthenia</i> | 6 species | Yule 1997 |
| <i>Thaumatoperla</i> | 4 species | Yule 1997 |

Gripopterygidae

Key to Genera Yule 1997

| | | |
|--------------------|------------|--|
| <i>Cardioperla</i> | 10 species | Yule 1997 |
| <i>Dinotoperla</i> | 35 species | Thomas 2012 (Vic), If samples are from NSW, Goulburn area, or further north then you must also use Yule 1997 (partial, inc. undescribed species) |

Note: *D. thwaitesi* and *D. serricauda* cannot be separated.

Dundundra wanungra Theischinger

Eunotoperla kershawi Tillyard

| | | |
|--|------------|---|
| <i>Illiesoperla</i> | 12 species | Yule 1997 |
| <i>Kirrama</i> | 2 species | Yule 1997 |
| <i>Leptoperla</i> | 30 species | Tsyrlin 2001 |
| <i>Neboissoperla</i> | 3 species | Yule 1997 |
| <i>Nescioperla curtisae</i> Theischinger | | |
| <i>Newmanoperla</i> | 5 species | Yule 1997 |
| <i>Riekoperla</i> | 29 species | Mynott 2011 (partial, inc. undescribed species) |
| <i>Trinotoperla</i> | 17 species | Yule 1997 |

Notonemouridæ

Key to Genera Yule 1997

| | | |
|---------------------------------------|------------|-----------|
| <i>Astrocerca</i> | 2 species | Yule 1997 |
| <i>Astrocercella</i> | 15 species | Yule 1997 |
| <i>Astroceroides</i> | 5 species | Yule 1997 |
| <i>Kimminsoperla</i> | 7 species | Yule 1997 |
| <i>Notonemoura</i> | 2 species | Yule 1997 |
| <i>Tasmanocera bifasciata</i> Kimmins | | |

Check Yule 1997 has all genera.

Index of Keys

Trichoptera

Key to Families Bug Guide from Dean et al 2004

Antipodoeciidae

Antipodoecia turneri Mosely +3 undes. sp. Dean 2000 (undescribed species)

Atriplectididae

Atriplectides 2 species Dean 2000

Calamoceratidae

Anisocentropus 10 species (9 sp. larva unknown) no key to species

Calocidae

Note: There are no clear diagnostic characters for the separation of larval Calocidae and Helicophidae at family level. The key to genera enables specimens to be placed in the appropriate family.

Key to Genera Bug Guide from Jackson 1998

Caenota 5 species (4 sp. larva unknown) no key to species

Caloca 5 species (5 sp. larva unknown) no key to species

Note: *Caloca saneva* Mosely (terrestrial larva)

Calocoides (larva unknown)

Pliocaloca 3 species (3 sp. larva unknown) +1 undes. sp. no key to species

Tamasia 3 species (1 sp. larva unknown) +1 undes. sp. Jackson 1998 (inc. undes. sp.)

Note: *Tamasia AV2* = *Tamasia acuta*

Genus B 4 undescribed species Jackson 1998 (undescribed species)

Genus D 3 undescribed species Jackson 1998 (undescribed species)

Genus F 1 undescribed species

Genus G 1 undescribed species

Genus H 1 undescribed species

Conoesucidae

Key to Genera Bug Guide from Dean et al. 2004

Coenoria boera Mosely (larva unknown) +5 undes. sp. Jackson 1998 (undescribed species)

Conoesucus 6 species (1 sp. larva unknown) +8 undes. sp. Jackson 1998 (inc. undes. sp.)

Costora 8 species (1 sp. larva unknown) +3 undes. sp. Jackson 1998 (inc. undes. sp.)

Hampa patona Mosely +1 undes. sp. Jackson 1998 (inc. undescribed species)

Lingora 4 species (3 sp. larva unknown) +1 undes. sp. Jackson 1998 (inc. undes. sp.)

Matasia satana Mosely +1 undes sp Jackson 1998 (inc. undescribed species)

Genus A 1 undescribed species

Genus B 2 undescribed species Jackson 1998

Dipseudopsidae

Hyalopsyche disjuncta Neboiss

Ecnomidae

Key to Genera Bug Guide from Dean et al. 2004

Daternomina 8 undescribed species Cartwright 1997

Ecnomina 14 species (13 sp. larva unknown) +6 undes. sp. Cartwright 1997 (inc. undes. sp.)

Ecnomus 38 species (13 sp. larva unknown) Cartwright 1997

Genus D 4 undescribed species Cartwright 1997

Glossosomatidae

Agapetus 10 species (3 sp. larva unknown) +5 undes. sp. Cartwright 1998 (partial, undes. sp.)

Helicophidae

Note: There are no clear diagnostic characters for the separation of larval Calocidae and Helicophidae at family level. The key to genera enables specimens to be placed in the appropriate family.

Index of Keys

| | |
|----------------------------------|---|
| Key to Genera | Bug Guide from Jackson 1998 |
| <i>Alloecella</i> | 3 species +5 undes. sp. Jackson 1998 (inc. undescribed species) |
| <i>Helicopha</i> (larva unknown) | |
| <i>Heloccabus</i> | 2 undescribed species Jackson 1998 |
| Genus C | 3 undescribed species Jackson 1998 |
| Genus E | 1 undescribed species |

Helicopsychidae

| | |
|---------------------|--|
| <i>Helicopsyche</i> | 14 species (6 sp. larva unknown) +3 undes. sp. St Clair 1997 (inc. undes. sp.) |
|---------------------|--|

Hydrobiosidae

| | | |
|---|--|-----------------------------|
| Key to Genera | Bug Guide from Dean et al. 2004 | |
| <i>Allobiosis erratica</i> Mosely (larva unknown) | | |
| <i>Allochorema</i> | 2 species (larva unknown) | |
| <i>Apsilochorema</i> | 4 species | Dean 1997 |
| <i>Austrochorema</i> | 10 species (9 sp. larva unknown) | no key to species |
| <i>Ipsebiosis spicula</i> Neboiss (larva unknown) | | |
| <i>Koetonga clivicola</i> Neboiss | | |
| <i>Moruya</i> | 3 species (s p. larva unknown) +2 undes. sp. | Dean 1997 (inc. undes. sp.) |
| <i>Poecilochorema</i> | 6 species (larva unknown) | Dean 1997 |
| <i>Psyllobetina</i> | 5 species (2 sp. larva unknown) | Dean 1997 |
| <i>Ulmerochorema</i> | 9 species | Dean 1997 |
| Genus A | 1 undescribed species | |
| Genus B | 2 undescribed species | Dean 1997 |
| Genus C | 1 undes. sp. | |
| <i>Taschorema</i> complex | Dean 1997 (inc. undescribed species) | |
| Note: To date it has proved difficult to find characters that will consistently separate all species in a generic key (Dean 1997). | | |
| <i>Ethochorema</i> | 8 species (4 sp. larva unknown) | |
| <i>Megogata necopina</i> Neboiss | | |
| <i>Ptychobiosis</i> | 3 species (3 sp. larva unknown) +4 undescribed species | |
| <i>Tanjilana</i> | 2 species | |
| <i>Taschorema</i> | 9 species (2 sp. larva unknown) +3 undescribed species | |

Hydropsychidae

| | | |
|---|--|--------------------------------------|
| Key to Genera | Bug Guide from Dean et al. 2004 | |
| <i>Aethaloptera sexpunctata</i> Kolenati | | |
| <i>Asmicridea</i> | 3 species (2 sp. larva unknown) +3 undes. sp. | Dean 1999 (undescribed sp.) |
| Note: AV3 = <i>A. capricornica</i> | | |
| <i>Austropsyche</i> | 3 species (3 sp. larva unknown) +1 undes. sp. | no key to species |
| <i>Baliomorpha</i> | 4 species (1 sp. larva unknown) | Dean 1999 |
| <i>Cheumatopsyche</i> | 4 species (1 sp. larva unknown) +14 undes. sp. | Dean 1999 (undescribed sp.) |
| Note: AV10=C. kakaduensis, AV11=C. wellase, AV12=C. suteri, AV13=C. dostinei | | |
| <i>Diemeniluma</i> | (sp. list unknown) (larva unknown) | |
| <i>Diplectrona</i> | 10 species +13 undes. sp. (10 sp. larva unknown) | Dean 1999 (partial, inc. undes. sp.) |
| <i>Macrosternum saundersii</i> McLachlan | | |
| <i>Smicrophylax</i> | 5 species (4 sp. larva unknown) +4 undes. sp. | Dean 1999 (inc. undes. sp.) |

Hydroptilidae

| | | |
|---|-----------------------------------|-------------------|
| Key to Genera | Bug Guide from Dean et al. 2004 | |
| Note: <i>Acritoptila</i> and <i>Hellyethira</i> cannot be separated. Distribution: <i>Acritoptila</i> - N Qld, SW WA. <i>Hellyethira</i> - Australia wide. | | |
| <i>Acanthotrichia</i> (larva unknown) | | |
| <i>Acritoptila</i> | 5 species (3 sp. larva unknown) | no key to species |
| <i>Hellyethira</i> | 28 species (15 sp. larva unknown) | Wells 1997 |
| <i>Hydroptila</i> | 9 species (7 sp. larva unknown) | Wells 1997 |
| <i>Jabitrichia</i> (larva unknown) | | |
| <i>Maydenoptila</i> | 8 species (4 sp. larva unknown) | Wells 1997 |
| <i>Mulgravia</i> (larva unknown) | | |

Index of Keys

| | | |
|-------------------------------------|-----------------------------------|--|
| <i>Orphnинotrichia</i> | 10 species | no key to species |
| <i>Orthotrichia</i> | 48 species (30 sp. larva unknown) | no key to species vouchers of common types |
| <i>Oxyethira</i> | 12 species (11 sp. larva unknown) | no key to species |
| <i>Tricholeiochiton</i> | 5 species (4 sp. larva unknown) | no key to species |
| <i>Xuthotrichia</i> (larva unknown) | | |

Kokiriidae

Key to Genera Bug Guide from Dean et al. 2004

Tanjistomella verna Neboiss (larva associated by distribution only)
Taskiria 3 species (2 sp. larva associated by distribution only) St Clair 2000a (tentative)
Taskiriopsische (larva unknown)

Leptoceridae

Key to Genera Bug Guide from Dean et al. 2004

| | | |
|---|--|--|
| <i>Condicerus</i> | 2 species | St Clair 2000 |
| <i>Lectrides</i> | 2 species +1 undes. sp. | St Clair 2000 (inc. undescribed species) |
| <i>Leptocerus</i> | 4 species (3 sp. larva unknown) +2 undes. sp. | St Clair 2000 |
| <i>Leptorussa darlingtoni</i> Banks | +1 undescribed sp. | St Clair 2000 (inc. undescribed species) |
| <i>Notalina</i> | 15 species (7 sp. larva unknown) +23 undes. sp. | St Clair 2000 (E Aus; WA; Tas; inc. undescribed species) |
| <i>Notoperata</i> | 5 species (2 sp. larva unknown) +4 undes. sp. | St Clair 2000 (inc. undescribed sp.) |
| <i>Oecetis</i> | possibly 70 species total with 55 described | no key to species |
| <i>Russobex cuneatus</i> St Clair | | |
| <i>Setodes bracteatus</i> Neboiss | | |
| <i>Symphitoneuria</i> | 3 species (1 sp. larva unknown) +1 undes. sp. | St Clair 2000 (inc. undescribed sp.) |
| <i>Triaenodes</i> | possibly 40 species | no key to species |
| <i>Triplectides</i> | 25 species (9 sp. larva unknown) (10 undes. sp.) | St Clair 2000 (NT; N Qld; SE Qld, NSW, Vic, Tas, SA; inc. undescribed species) |
| <i>Triplectidina nigricornis</i> Mosely | | |
| <i>Triplexa villa</i> Mosely | +1 undescribed species | St Clair 2000 (inc. undescribed species) |
| <i>Westriplectes</i> | 3 species (2 sp. larva unknown) | no key to species |
| Genus A | 1 undescribed species | |

Limnephilidae

Archaeophylax 3 species (1 sp. larva unknown) Dean 2000

Odontoceridae

Key to Genera Bug Guide from Dean et al. 2004

Barynema 2 species (1 sp. larva unknown) (3 undes. sp.) St Clair 2000a (inc. undes. sp.)
Marilia 3 species Key?

Oeconesidae

Tascuna ignota Neboiss

Philopotamidae

Key to Genera Bug Guide from Dean et al. 2004

Chimarra 26 species (23 sp. larva unknown) (11 undes. sp.) Cartwright 1997 (inc. undescribed species)
Hydrobiosella 14 species (10 sp. larva unknown) (7 undes. sp.) Cartwright 1997 (inc. undescribed species)

Philarheitridae

Key to Genera Bug Guide from Dean et al 2004

Aphilorheithrus 4 species (6 undes. sp.) St Clair 1997 (undes. sp.)
Austrorheithrus 3 species no key to species
Kosrheithrus 3 species (2 sp. larva unknown) (1 undes. sp.) no key to species

Index of Keys

| | | |
|---|---|-------------------------------------|
| “ <i>Philorheithrus</i> ” (to be confirmed) | 2 undescribed species | St Clair 1997 (undescribed species) |
| <i>Ramiheithrus</i> (larva unknown) | | |
| <i>Tasmanthrus</i> | 2 species +1 undes. sp. (larva unknown) | St Clair 1997 |
| Genus A | 1 undescribed species | |
| Genus B | 1 undescribed species | |

Plectrotarsidae

Key to Genera Bug Guide from Dean *et al.* 2004

| | | |
|--|---------------------------------|-----------|
| <i>Liapota lavara</i> Neboiss | (larva unknown) | |
| <i>Nanoplectrus truchanasi</i> Neboiss | (larva unknown) | |
| <i>Plectrotarsus</i> | 3 species (1 sp. larva unknown) | Dean 2000 |
| Genus A | (1 undes sp) | |

Polycentropodidae

Key to Genera Bug Guide from Dean *et al* 2004

| | | |
|--|--|---------------------------------------|
| <i>Adectophylax volutus</i> Neboiss | (larva unknown) | |
| <i>Neureclipsis napaea</i> Neboiss | | |
| <i>Paranyctiophylax</i> | 8 species (8 sp. larvae unknown) +6 undes. sp. | Cartwright 1998 (undes. sp.) |
| <i>Plectrocnemia</i> | 6 species (5 sp. larvae unknown) +5 undes. sp. | Cartwright 1998 (undes. sp., partial) |
| <i>Polyplectropus lacusalbinae</i> Kimmins | (some undescribed species, larvae unknown) | |
| <i>Tasmanoplegus spilota</i> Neboiss | (larva unknown) | |
| Genus I | 7 undes. sp. (6 larva unknown) | no key to species |

Psychomyiidae

Tinodes radona Neboiss

Zealandoptila yuccabina Neboiss (larva unknown)

Stenopsychidae

Stenopsychodes 9 species (6 sp. larva unknown) (1 undes. sp.) no key to species

Tasimiidae

Key to Genera Bug Guide from Dean *et al* 2004

| | | |
|---------------------------------|-----------|-----------------|
| <i>Tasiagma ciliata</i> Neboiss | | |
| <i>Tasimia</i> | 5 species | Cartwright 1997 |

Index of Keys

Platyhelminthes

Key to Orders Bug Guide from Williams 1980

Turbellaria: Tricladida: Dugesiidae

Temnocephalidea: Temnocephalida: Temnocephalidae

The following major groups are identified no further;

Aphanoneura: Aeolosomatidae: Aeolosma

Bryozoa

Note: Record only as "present" i.e. do not count (colonial animal).

Nematoda

Nematomorpha

Nemertea

Oligochaeta

Polychaeta

Porifera: Spongillidae

Index of Keys

References

ABRS (Australian Biological Resources Study) *Australian Faunal Directory* <http://www.deh.gov.au/biodiversity/abrs/online-resources/abif/fauna/afd/index.html> Version: August 2004

Alarie, Y. & Watts, C. H. S. (2005) Larvae of Four Species of the *Hyphydrus lyratus* Species-Group (Coleoptera Dytiscidae Hydroporinae). *Australian Journal of Entomology* **44**:44-251

Alarie, Y., Beutel, R.G., Watts, C.H.S. (2004) Larval morphology of three species of Hygrobiidae (Coleoptera: Adephaga: Dytiscoidea) with phylogenetic considerations. *European Journal of Entomology* **101**(2): 293-311

Andersen, N.M. & Weir, T.A. (2004) *Australian Water Bugs: their biology and identification (Hemiptera-Heteroptera, Gerromorpha & Nepomorpha)*. Apollo Books, CSIRO Publishing: Collingwood, Victoria. In use at MDFRC since 2005.

Bae, Y.J. & Finlay, K.J. (2003) A new species of an Australian burrowing mayfly (Leptophlebiidae, Ephemeroptera) *Pan-Pacific Entomologist* **79**(2): 90-99

Baehr, M., (1990a) Revision of the Australian species of the genus *Apotomus* Illiger (Insecta: Coleoptera: Carabidae: Apotominae). *Invertebrate Taxonomy* **3**: 619-627

Baehr, M., (2001) Tasmanitachoides Erwin glabellus n. sp. from North Queensland, Australia, with a note on *Tasmanitachoides latus* (Darlington) (Insecta: Coleoptera: Carabidae: Bembidiinae). *Animal Biodiversity and Conservation* **24**(1): 1-7

Baehr, M., (2005) A revision of the Australian odacanthine ground beetles, including checklists for Australia and the Papuan subregion (Insecta: Coleoptera: Carabidae). *Memoirs of the Queensland Museum* **50**(2): 133-194

Baehr (2006) # 2275

Balke, M., Kovac, D., Hendrich, L., Flechtner, G. (2000) Rediscovery of the New Zealand Diving Beetle *Rhantus plantaris* Sharp, and Notes on the South West Australian *R. simulans* Regimbart, with an Identification Key (Coleoptera: Dytiscidae). *New Zealand Journal of Zoology* **27**(3):223-227

Balke, M., Watts, C. H. S., Cooper, S. J. B., Humphreys, W. F., Vogler, A. P. (2004) A highly modified

Bistrom, O. (1996) Taxonomic revision of the genus *Hydrovatus* Motschulsky (Coleoptera: Dytiscidae). *Entomologica Basiliensis* **19**: 57-584

Borkent, A. & Craig, D. (2004) Austroconops Wirth and Lee, a Lower Cretaceous genus of biting midges yet living in Western Australia: a new species, first description of the immatures and discussion of their biology and phylogeny (Diptera, Ceratopogonidae) *American Museum of Natural History* **3449**: 1-67

Bradbury, J.H. & Williams, W.D. (1995) A new genus and species of crangonyctoid amphipod (Crustacea) from Western Australian freshwaters. *Trans. R. Soc. S. Aust.* **119**(2): 67-74

Bradbury, J.H. & Williams, W.D. (1999) Key to and checklist of the inland aquatic amphipods of Australia. *Technical Reports of the Australian Museum* **14**: 1-21

Brancucci, M. & Monteith, G.B. (1996) A second *Terradessus* species from Australia (Coleoptera: Dytiscidae). *Entomologica Basiliensis* **19**: 585-591

Britton, E.B. (1981) The Australain hygrobiidae (Coleoptera). *Journal of the Australain Entomological Society* **20**: 83-86

Index of Keys

- Bruce, A.J. & Short, John W. (1993) *Leptopalaemon gagadju* gen. nov., sp. nov., a new freshwater palaemonid shrimp from Arnhem Land, and a re-evaluation of *Palamontes holthuisi* Strenth, with the designation of a new genus, *Calathaemon*. *Hydrobiologia* **257**: 73-94
- Bugledich, E.-M.A. (1999) Diptera: Nematocera. In Wells, A. & Houston, W.W.K. (eds) *Zoological Catalogue of Australia*. Vol 30.1 Melbourne: CSIRO Publishing, Australia xiii 627 pp.
- Carter, H.J. & Zeck, E.H. (1929) A Monograph of the Australian Dryopidae, Order Coleoptera. *Aust. Zool.* **6**: 50-72
- Cartwright, D.I. (1997) *Preliminary guide to the identification of late instar larvae of Australian Ecnomidae, Philopotamidae and Tasimiidae (Insecta: Trichoptera)*. Identification Guide No. **10**, Cooperative Research Centre for Freshwater Ecology: Albury
- Cartwright, D.I. (1998) *Preliminary guide to the identification of late instar larvae of Australian Polycentropodidae, Glossosomatidae, Dipseudopsidae and Psychomyiidae (Insecta: Trichoptera)*. Identification Guide No. **15**, Cooperative Research Centre for Freshwater Ecology: Albury
- Carver, M., Gross, G.F., Woodward, T.E. (1991) Hemiptera. In CSIRO (ed) *The Insects of Australia* (2nd edn). Melbourne University Press: Carlton, Victoria
- Choy, S., (2012) Species-level key to *Caridina* spp pf SE Australia. TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012
- Colbo, M.H. (1976) Four new species of *Simulium* Latreille (Diptera: Simuliidae) from Australia. *J. Aust. Ent. Soc.* **15**: 253-269
- Colless, D.H. (1986) The Australian Chaoboridae (Diptera). *Australian Journal of Zoology Supplementary Series* No. **124**: 1-66
- Colless, D.H. & McAlpine, D.K. (1991) Diptera. In CSIRO (ed) *The Insects of Australia* (2nd edn). Melbourne University Press: Carlton, Victoria
- Cook, D.R. (1986) Water mites from Australia. *Mem. Am. Ent. Inst.* **40**: 1-568
- Cranston, P. (2000) Electronic guide to the Chironomidae of Australia (v 1.1) <http://entomology.ucdavis.edu/chiropage/index.html>, version January 2000, accessed February 2004
- Cranston, P. (1995) Draft key to aquatic Diptera families. Presented at MDFRC Taxonomy Workshop, February 1995, Albury NSW
- Cranston, P.S. & Edward, D.H.D. (1992) A systematic reappraisal of the Australia Aphroteniinae (Diptera: Chironomidae) with dating from vicariance biogeography. *Systematic Entomology* **17**: 41-54
- Cranston, P.S., Edward, D.H.D., Cook, L.G. (2002) New status, species, distribution records and phylogeny for Australian mandibulate Chironomidae (Diptera). *Australian Journal of Entomology* **41**: 357-366
- Davis, J. (1998) *A guide to the identification of larval Psephenidae water pennies (Insecta: Coleoptera)*. Identification Guide No. **17**, Cooperative Research Centre for Freshwater Ecology: Albury
- Dean, J.C. (1997) *Larvae of the Australian Hydrobiosidae (Insecta: Trichoptera)*. Identification Guide No. **11**, Cooperative Research Centre for Freshwater Ecology: Albury
- Dean, J.C. (1999a) *Preliminary keys for identification of Australian mayfly nymphs of the family Leptophlebiidae*. Identification Guide No. **20**, Cooperative Research Centre for Freshwater Ecology: Albury

Index of Keys

Dean, J.C. (2000) *Preliminary keys for identification of Australian caddisfly larvae of the families Antipodeciidae, Atripectidiidae, Limnephilidae and Plectrotarsiidae*. Identification Guide No. **31**, Cooperative Research Centre for Freshwater Ecology: Albury

Dean, J.C. (2000a) Descriptions of new Leptophlebiidae (Insecta: Ephemeroptera) from Australia II. *Karinga*, a new monotypic genus from south-western Australia. *Records of the Western Australian Museum* **20**: 87-94

Dean 2010? should this be 2011

Dean, J.C. (2011) *A key to Australian genera of mayfly nymphs of the family Leptophlebiidae (Ephemeroptera)*. Presented at TRIN workshop, La Trobe University, February 2011

Dean, J.C. & Suter, P.J. (1996) *Mayfly nymphs of Australia: A guide to genera*. Identification Guide No. **7**, Cooperative Research Centre for Freshwater Ecology: Albury

Dean, J.C., St Clair, R.M., Cartwright, D.I. (2004) *Identification keys to Australian families and genera of caddis-fly larvae (Trichoptera)*. Identification Guide No. **50**, Cooperative Research Centre for Freshwater Ecology: Albury

Elson-Harris, M.M. (1990) Keys to the immature stages of some Australian Ceratopogonidae (Diptera). *Journal of the Australian Society of Entomology* **29**: 267-275

Elson-Harris, M.M. (1987) The immature stages of some Australian Sphaeromiini (Diptera: Ceratopogonidae). *Journal of the Australian Society of Entomology* **26**: 45-61

Elson-Harris, M.M. & Kettle, D.S. (1986) The immature stages of some Australian Heteromyiini (Diptera: Ceratopogonidae). *Journal of the Australian Society of Entomology* **25**: 1-14

Elson-Harris, M.M. & Kettle, D.S. (1985) The immature stages of some Australian *Alluaudomyia* Kieffer (Diptera: Ceratopogonidae). *Journal of the Australian Society of Entomology* **24**: 287-299

Elson-Harris, M.M. & Kettle, D.S. (1985a) A new species of *Paradasyhelea* Macfie (Diptera: Ceratopogonidae), with descriptions and keys to the immature stages of Australian *Paradasyhelea*. *Journal of the Australian Society of Entomology* **24**: 233-240

Gentili 1980 #781

Gentili, E. (2006) *Notohydrus* Balfour-Browne, 1939, Description of a new species and new distribution data (Coleoptera: Hydrophilidae). *Giornale Italiano Di Entomologia* **11**: 179-182

Gentili, E. (2000) The *Paracymus* of Australia (Coleoptera, Hydrophilidae). *Records of the South Australian Museum* **33**(2): 101-122

Giachino, P.M. (2003) The genus *Pheropsophus* Solier, 1833, in Australia (Coleoptera Carabidae). *Museo Regionale di Scienze Naturali Monografie* **35**: 29-64

Giachino 2005 # 2281

Glaister, A. (1999) *Guide to the identification of Australian Elmidae larvae (Insecta: Coleoptera)*. Guide **21**

Govedich, F.R. (2001) *A reference guide to the ecology and taxonomy of freshwater and terrestrial leeches (Euhirudinea) of Australasia and Oceania*. Identification guide No. **35**. Cooperative Research Centre for Freshwater Ecology, Albury

Hagan, C.E. & Reye, E.J. (1986) Description of the adult, pupa and larva of *Culicoides logior* sp.n. and a redescription of *C. ornatus* Taylor (Diptera: Ceratopogonidae). *Journal of Australian Entomological Society* **25**: 339-352

Index of Keys

Harvey, M.S. (1998) *The Australian Water Mites: a guide to families and genera*. CSIRO Publishing: Collingwood, Victoria

Harvey, M.S. & Grown, J.E. (1998) *A Guide to the identification of Families of Australian Water Mites (Arachnida: Acarina)* Identification Guide No. 18, Cooperative Research Centre for Freshwater Ecology: Albury

Hawking, J.H., (2012) Preliminary guide to the larvae of the aquatic moths from Australia (Lepidoptera: Crambidae: Acentropinae). TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012

Hawking, J.H. (2001) An introduction to the identification of aquatic caterpillars (Lepidoptera) found in Australian inland waters. Identification Guide No. 37, Cooperative Research Centre for Freshwater Ecology: Albury

Hawking, J.H. (1986). *Dragonfly larvae of the River Murray System. A preliminary guide to the identification of known final instar odonate larvae of south-eastern Australia*. Technical Report No.6. (Albury-Wodonga Development Corporation: Wodonga.)

Hawking, J. & Theischinger, G. (1999) *Dragonfly larvae (Odonata): A guide to the identification of larvae of Australian families and identification and ecology of larvae from New South Wales*. Identification Guide No. 24, Cooperative Research Centre for Freshwater Ecology: Albury

Hebauer, F. (2003) A new genus of water beetle *Gentilina* gen. nov. from Australia (Coleoptera: Hydrophilidae). *Records of the South Australian Museum* **36**(2): 109-114

Hebauer & Hendrich (1999) Helochares N Aus.

Hendrich, L. (2001) A new species of *Antiporus* SHARP 1882 from peat land swamps of south-western Australia (Coleoptera: Dytiscidae) *Linzer Biol. Beitr.* **1**(33): 299-308

Hendrich, L. (1999) A new species of *Hydroglyphus* Motschulsky 1853 from Northern Australia (Coleoptera: Dytiscidae). *Linzer Biologische Beitraege* **31**(1): 63-69

Hendrich, L. (1997) A new species of *Cybister* Curtis from the Kakadu National Park in Northern Australia (Coleoptera Dytiscidae). *Entomological Problems* **28**(2): 105-108

Hendrich, L. & Watts, C. H. S. (2004) Taxonomic revision of the Australian genus *Sternopriscus* Sharp, 1882 (Coleoptera: Dytiscidae: Hydroporinae). *Koleopterologische Rundschau* **74**: 75-142

Hill, L. (1987) First record of Dipsocoridae (Hemiptera) from Australia with the description of four new species of *Cryptostemma* Herrich-Schaeffer. *Journal of Australian Entomological Society* **26**: 129-139

Hinton (1965)

Horwitz, P. (1995) *Preliminary key to the species of Decapoda (Crustacea: Malacostraca) found in Australian inland waters*. Identification Guide No. 5, Cooperative Research Centre for Freshwater Ecology: Albury

Horwitz (1991)? SWA, N & E Aus

Horwitz, P., Knott, B. & Williams, W.D. (1995) *Preliminary key to the malacostracan families (Crustacea) found in Australian inland waters*. Identification Guide No. 4, Cooperative Research Centre for Freshwater Ecology: Albury

Hudson, P.J. (2000) A new flightless species of *Pogonus* Nicolai (Coleoptera: Carabidae) from Western Australia. *Australian Journal of Entomology* **39**: 241-243

Hynes, H.B.N. (1978) *An Annotated Key to the Nymphs of the Stoneflies (Plecoptera) of the state of Victoria*. University of Waterloo: Ontario, Canada

Index of Keys

Hynes, H.B.N. (1989) *Tasmanian Plecoptera*. Special Publication No. 8, Australian Society of Limnology: Melbourne

Jackson, J.E. (1998) *Preliminary guide to the identification of late instar larvae of Australian Calocidae, Helicopidae and Conoesucidae (Insecta: Trichoptera)*. Identification Guide No. 16, Cooperative Research Centre for Freshwater Ecology: Albury

King, R.A., Bradbury, J.H. (2012) Updated guide to the freshwater amphipods of Australia. TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012

Komarek, A. (2007) Taxonomic revision of *Anacaena* Thomson, 1859. IV. Australia (Coleoptera: Hydrophilidae). *Koleopterologische Rundschau* 77: 147-170

Larsen, K., Hansknecht, T. (2004) A New Genus and Species of Freshwater Tanaidacean, *Pseudohalmyrapseudes aquadulcis* (Apseudomorpha Parapseudidae), from Northern Territory, Australia. *Journal of Crustacean Biology* 24(4): 567-575

Larson, D. J. & Storey, R. I. (1994) *Carabhydrus mubboonus*, a new species of rheophilic water beetle (Coleoptera: Dytiscidae) from Queensland, Australia. *Canadian Entomologist* 126(3): 895-906

Lawrence, J. (1995) Key to the families of Coleoptera, (Adults and larvae), with aquatic stages In Hawking, J.H. (ed.) *Monitoring River Health Initiative*. Taxonomy Workshop, Murray Darling Freshwater Research Centre 6-7th February 1995 pp 32-63

Lawrence, J. (1992) *Coleoptera Workshop*. Taxonomy Workshop, Murray Darling Freshwater Research Centre, Albury 1992

Lawrence, J.F. & Britton, E.B. (1994) *Australia Beetles*. Melbourne University Press: Carlton, Victoria

Lawrence, J.F. & Britton, E.B. (1991) Coleoptera In CSIRO (ed) *The Insects of Australia* (2nd edn). Melbourne University Press: Carlton, Victoria

Lloyd, J., Boray, J., Campbell, N. (2007) Identifying liver fluke snails. *Agfacts - NSW Agriculture* No.A0.9.61(2nd Edn): 6 pp.

Lowry, J.K. & Yerman, M. (2002) Spelaegiphacea: species version: October 2002 <http://crustacea.net/>

Mackerras, I.M. & Mackerras, M.J. (1949) Revisional notes on Australasian Simuliidae (Diptera). *Proc. Linn. Soc. NSW* 73: 372-405

Madden, C.P. (2010). Key to genera of larvae of Australian Chironomidae (Diptera). *Museum Victoria Science Reports* 12: 1–31.

Madden, C. (2011) *Draft identification key to families of Diptera larvae of Australian inland waters*. Presented at TRIN workshop, La Trobe University, February 2011

Moore, B.P. (1994) New species and new records of Tasmanian cave Carabidae (Coleoptera). *Australian Entomologist* 21(3): 75-80

Mynott, J.H. (2011) *Draft preliminary key to the larvae of Riekoperla* (Plecoptera: Gripopterygidae). Presented at TRIN workshop, La Trobe University, February 2011

Ochs, G. (1949) A revision of the Australian Gyrinidae. *Records of the Australian Museum* 22: 171-199

Pennak, R.W. (1989) *Freshwater invertebrates of the United States* (3rd edn). Wiley: New York, USA

Perkins P.D. (2004a) A revision of the Australian endemic water beetle genus *Gymnanthelius* Perkins (Coleoptera: Hydraenidae). *Zootaxa* 585: 1-39

Index of Keys

- Perkins P.D. (2005) A revision of the water beetle genus *Gymnochthebius* Orchymont(Coleoptera: Hydraenidae) for Australia and Papua New Guinea. *Zootaxa* **1024**: 1-161
- Perkins, P.D. (2006) A revision of the Australian humicolous and hygropetric water beetle genus *Tympanogaster* Perkins, and comparative morphology of the Meropathina (Coleoptera Hydraenidae). *Zootaxa* **1346**: 1-396
- Ponder, W.F. & Avern, G.J. (2000) The Glacidorbidae (Mollusca: Gastropoda: Heterobranchia) of Australia. *Records of the Australian Museum* **52**: 307-353
- Ponder, W.F., Clark, S.A., Dallwitz, M.J. (2000) *Freshwater and Estuarine Molluscs: An Interactive, Illustrated Key for New South Wales*. [CD-ROM] CSIRO Publishing, Melbourne
- Richter, S & Timms, B.V. (2005) A list of the recent clam shrimps (Crustacea: Laevicaudata, Spinicaudata, Cyclestherida) of Australia, including a description of a new species of *Eocyzicus*. *Records of the Australian Museum* **57**: 341-354
- Russell, R.C. (1993) Mosquitoes and mosquito-borne disease in south-eastern Australia: A guide to the biology, relation to disease, surveillance, control and identification of mosquitoes in south-eastern Australia (revised edn). Medical Entomology Unit, Westmead Hospital, Westmead
- Serov, P.A. (2002) *A preliminary identification of Australian Syncarida (Crustacea)*. Identification Guide No. **44**, Cooperative Research Centre for Freshwater Ecology: Albury
- Short, J.W. (2004) A revision of Australian river prawns, *Macrobrachium* (Crustacea: Decapoda: Palaemonidae). *Hydrobiologia* **525**: 1-100
- Smith, B.J. (1996) *Identification keys to the families and genera of bivalve and gastropod molluscs found in Australian inland waters*. Identification Guide No. **6** Cooperative Research Centre for Freshwater Ecology: Albury, NSW
- Smith, B.J. & Kershaw, R.C. (1979) *Field guide to the non-marine molluscs of south eastern Australia*. Australian national University Press: Canberra, ACT
- St Clair, R.M. (1997) *Preliminary guide to the identification of late instar larvae of Australian Philorheithridae, Calamoceratidae and Helicopsychidae (Insecta: Trichoptera)*. Identification Guide No. **12**, Cooperative Research Centre for Freshwater Ecology: Albury
- St Clair, R.M. (2000) *Preliminary keys for identification of Australian caddis larvae of the family Leptoceridae*. Identification Guide No. **27**, Cooperative Research Centre for Freshwater Ecology: Albury
- St Clair, R.M. (2000a) *Preliminary keys for identification of Australian caddis larvae of the families Odontoceridae, Kokiriidae and Oeconesidae*. Identification Guide No. **30**, Cooperative Research Centre for Freshwater Ecology: Albury
- Suter, P.J. (1997) *Preliminary guide to the identification of nymphs of Australian Baetid Mayflies (Insecta: Ephemeroptera) found in flowing waters*. Identification Guide No. **14**, Cooperative Research Centre for Freshwater Ecology: Albury
- Suter, P.J. (1999) *Illustrated key to the Australian Caenid Nymphs (Ephemeroptera: Caenidae)*. Identification Guide No. **23**, Cooperative Research Centre for Freshwater Ecology: Albury
- Suter, P., Webb, J. (2012) Key to the mature nymphs of *Tasmanophlebia* (Ephemeroptera: Oniscigastidae). TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012
- Suter, P., Webb, J. (2012a) Key to mature nymphs of *Mirawara* (Ephemeroptera: Ameletopsidae). TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012

Index of Keys

Suter, P., Webb, J. (2012b) Key to the mature nymphs of *Ameletoides* (Ephemeroptera: Nesameletidae). TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012

Suter, P., Webb, J., Rowe, D. (2009) *Key to mature nymphs of Coloburiscoides (Lestage) (Ephemeroptera: Coloburiscidae)*. TRIN Taxonomic Guide **3**

Tait & Humphries (2001)

Theischinger, G. (2007) *Preliminary keys for the identification of larvae of Australian Odonata Cordulephyidae, Oxygastridae, Corduliidae and Hemicorduliidae (all Corduliidae s.l.), Libellulidae and Urothemistidae (both Libellulidae s.l.)*. Department of Environment and Conservation NSW: Sydney, NSW

Theischinger, G. (2002) *Preliminary keys for the identification of larvae of the Australian Petaluridae, Archipelatiidae, Telephlebiidae & Aeshnidae (Odonata)*. Identification Guide No. **42**, Cooperative Research Centre for Freshwater Ecology: Albury

Theischinger, G. (2001) *Preliminary keys for the identification of larvae of the Australian Synthemistidae, Gomphomacromiidae and Austrocorduliidae (Odonata)*. Identification Guide No. **34**, Cooperative Research Centre for Freshwater Ecology: Albury

Theischinger, G. (2000) *Preliminary keys for identification of larvae of the Australian Gomphides (Odonata)*. Identification Guide No. **28**, Cooperative Research Centre for Freshwater Ecology: Albury

Theischinger, G. (2000a) *Australian alderfly larvae and adults (Insecta: Megaloptera) a preliminary guide to the identification of larvae and survey of adults of Australian alderflies*. Identification Guide No. **29**, Cooperative Research Centre for Freshwater Ecology: Albury

Theischinger, G. & Hawking, J.H. (2002) *Dragonflies of Victoria: An identification guide to adult and larval dragonflies (Odonata)*. Identification Guide No. **46**, Cooperative Research Centre for Freshwater Ecology: Albury

Theischinger, G. & Hawking, J.H. (2006) *The complete field guide to Dragonflies of Australia*. CSIRO Publishing, Collingwood, Victoria

Thomas, D. (2012) Key to larvae of Victorian *Dinotoperla* (Plecoptera). TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012

Thompson, F.G. (2004) An identification manual for the freshwater snails of Florida.
<http://www.flmnh.ufl.edu/natsci/malacology/fl-snail/snails1.htm>

Timms, B.V. (2004) *An identification guide to the fairy shrimps (Crustacea: Anostraca) of Australia*. Identification Guide No. **47**, Cooperative Research Centre for Freshwater Ecology: Albury

Timms, B.V. (2011) *Identification guide to the brine shrimps (Crustacea: Anostraca: Artemiina) of Australia*. Presented at TRIN workshop, La Trobe University, February 2011

Toledano, L. (2005) The Australian species of *Bembidion* Latreille, 1802 a taxonomic treatment, with notes about Gondwana as an evolutionary source area (Coleoptera: Carabidae: Bembidiini). *Museo Regionale di Scienze Naturali Monografie* **42**: 73-136

Toledo, M. & Hendrich, L. (2006) Taxonomic revision of the Australasian *Hydrocanthus* Say 1833, with description of two new species (Coleoptera: Noteridae). *Linzer Biologische Beitraege* **38**(1): 935-952

Tsyrlin, E. (2001) *A key to Victorian nymphs of Leptoperla (Plecoptera: Gripoterygidae)*. Identification Guide No. **38**, Cooperative Research Centre for Freshwater Ecology: Albury

Index of Keys

Vondel, B.J. van (2004) First description of larvae of *Haliplus*-species from Australia (Coleoptera: Haliplidae). *Tijdschrift voor Entomologie* **147**: 57-61

Walker, K.F. (2004) *A guide to provisional identification of the freshwater mussels (Unionoida) of Australasia*. Identification Guide No. **51**, Cooperative Research Centre for Freshwater Ecology: Albury, NSW

Watts (2006)

Watts, C.H.S (2002) *Checklists and guides to the identification, to genus, of adult and larval Australian water beetles of the families Dytiscidae, Noteridae, Hygrobiidae, Haliplidae, Gyrinidae, Hydraenidae and the superfamily Hydrophiloidea (Insecta: Coleoptera)*. Identification Guide No. **43**, Cooperative Research Centre for Freshwater Ecology: Albury

Watts, C.H.S (2001) A new species of Australian *Canthydrus* Sharp with a key to the Australian species of Noteridae (Coleoptera). *Records of the South Australian Museum*. **34**(2): 61-64

Watts, C.H.S. (2000) Three new species of *Tiporus* Watts (Coleoptera: Dytiscidae) with redescriptions of the other species in the genus. *Records of the South Australian Museum* **33**(2) 89-99

Watts, C.H.S (1999) Revision of Australian *Hydrochus* (Coleoptera: Hydrochidae). *Records of the South Australian Museum*. **32**(1): 1-43

Watts, C.H.S (1998a) Revision of Australian *Enochrus* Thomson (Coleoptera: Hydrophilidae). *Records of the South Australian Museum*. **30**(2): 137-156

Watts, C.H.S (1998b) Revision of Australian *Amphiops* Erichson, *Allocotocerus* Kraatz and *Regimbartia* Zaitzev (Coleoptera: Hydrophilidae). *Records of the South Australian Museum*. **30**(2): 63-106

Watts, C.H.S (1997) Four new species of *Antiporus* Sharp (Coleoptera, Dytiscidae) from Australia, with notes on *A. femoralis* (BOH.) and *A. interrogatianis* (Clark). *Records of the South Australian Museum*. **30**(1): 35-42

Watts, C.H.S (1990) Revision of Australian *Hydrobiomorpha* Blackburn (Coleoptera: Hydrophilidae). *Records of the South Australian Museum*. **24**(1): 35-42

Watts, C.H.S (1989) Revision of Australasian *Sternolophus* Solier (Coleoptera: Hydrophilidae). *Records of the South Australian Museum*. **23**(2): 89-95

Watts, C.H.S (1988a) Revision of Australasian *Hydrophilus* Muller, 1764 (Coleoptera: Hydrophilidae). *Records of the South Australian Museum*. **22**(2): 117-130

Watts, C.H.S (1988b) Revision of Australian Haliplidae (Coleoptera). *Records of the South Australian Museum*. **22**(1): 21-28

Watts, C.H.S (1987) Revision of Australian *Berosus* Leach (Coleoptera: Hydrophilidae). *Records of the South Australian Museum*. **21**(1): 1-28

Watts, C.H.S (1978) A revision of the Australian Dytiscidae (Coleoptera). *Australian Journal of Zoology*. Supplementary Series No **57**. 166pp

Watts, C.H.S & Humphreys, W.F. (2006) Twenty-six new Dytiscidae (Coleoptera) of the genera *Limbodessus* Guignot and *Nirripirti* Watts & Humphreys, from underground waters in Australia. *Transactions of the Royal Society of South Australia* **130**(1): 123-128

Watts, C.H.S & Humphreys, W.F. (2004) Thirteen new Dytiscidae (Coleoptera) of the genera *Boongurrus* Larson, *Tjirtudessus* Watts & Humphreys and *Nirripirti* Watts & Humphreys, from underground waters in Australia. *Transactions of the Royal Society of South Australia* **128**(2): 99-129

Index of Keys

- Watts, C.H.S & Humphreys, W.F. (2003) Twenty-five new Dytiscidae (Coleoptera) of the genera *Tjirtudessus* Watts & Humphreys, *Nirripirti* Watts & Humphreys and *Bidessodes* Regimbart from underground waters in Australia. *Records of the South Australian Museum* **36**(2): 135-187
- Watts, C.H.S. & Leys, R. (2006) Notes on Australian *Hyphydrus* Illiger, including taxonomy, key to the species and sexual dimorphism (Coleoptera: Dytiscidae). *Koleopterologische Rundschau* **76**: 15-21
- Watts, C.H.S & Leys, R. (2005) Review of the epigean species of Australian *Limbodessus* Guignot (Insecta: Coleoptera: Dytiscidae). *Transactions of the Royal Society of South Australia* **129**(1): 1-13
- Webb, J. & Suter, P. (2010) *Identification of larvae of Australian Baetidae*. Presented at TRIN workshop, La Trobe University, February 2010
- Wells, A. (1997) *A preliminary guide to the identification of larval Hydroptilidae (Insecta: Trichoptera)*. Identification Guide No. **13**, Cooperative Research Centre for Freshwater Ecology: Albury
- Williams, W.D. (1980) *Australian Freshwater Life* (2nd edn). Macmillan: Melbourne
- Wilson, G.D.F. (2012) Key to the genera of Phreatoicidea. TRIN Taxonomic Workshop, La Trobe University, Albury-Wodonga campus, 31 January – 1 February 2012
- Wilson, G.D.F. (1999) *Phreatoicidea (Isopoda, Crustacea)*. Taxonomy Workshop, Murray Darling Freshwater Research Centre 2-4th February 1999
- Wilson, G.D.F. & Keable, S.J. (2002) New genera of Phreatoicidea (Crustacea: Isopoda) from Western Australia. *Records of the Australian Museum* **54**: 41-70
- Wilson, G.D.F. & Keable, S.J. (2000) Key to generic exemplars of Australian Phreatoicidea (Crustacea: Isopoda). version 21st September 2000, <http://www-personal.usyd.edu.au/~buz/phreaky.html>, accessed March 2007
- Yule, C. (1997) *Identification guide to the Stonefly nymphs of NSW and Northern Victoria*. AWT Identification Guide No. **2**, Australian Water Technologies: West Ryde
- Zimmerman, E.C. (1994) *Australian weevils (Coleoptera Curculionoidea): Volume 2 Brentidae, Eurhynchidae, Apionidae and a chapter on immature stages*. CSIRO, Canberra
- Zimmerman, E.C. (1993) *Australian weevils (Coleoptera Curculionoidea): Volume 3 Nanophyidae, Rhynchophoridae, Erirhinidae, Curculionidae: Amycterinae, Literature consulted*. CSIRO, Canberra
- Zwick, P. (1977) Australian net-winged midges of the tribe Apistomyiini (Diptera: Blephariceridae). *Australian Journal of Zoology Supplementary Series* No. **46**: 1-121
- Zwick, P. (1998) Australian net-winged midges of the tribe Apistomyiini (Diptera: Blephariceridae). *Australian Journal of Entomology* **37**: 289-311