2017 Power Tools



DESIGNED TO DO MORE

ryobitools.eu







OUR TOOLS ARE BUILT TO LAST. SO IS OUR WARRANTY.

You want more out of everything. Which is what Ryobi delivers. And now thanks to its best-in-class technology and innovation, Ryobi brings you their first ever 3 year warranty* for all of their electric and cordless tools, including the 18V ONE+ System and the 36V range of tools.**

That's why people choose Ryobi because we are designed to do more.

** This does not include any petrol tools which are subject to 2 year Ryobi warranty without registration.

*Registration needs to take place within 30 days from the date of purchase. Registration is required for extension for the 3 year European warranty. Please visit our website www.ryobitools.eu for detailed information about warranty conditions and extension registration. This warranty is valid in the European Community, Switzerland, Iceland, Norway, Liechtenstein, Turkey and Russia. Outside these areas, please contact your authorised Ryobi® dealer to determine if another warranty applies.



At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their Power tools.

Cordless Tools

18V ONE+ Power Tools	4-30
18V ONE+ Garden Tools	31 – 41
18V Batteries & Chargers	42-45
14V/12V/7V/4V Power Tools	46-49

Corded Tools

Drilling	50-53
Grinding	54 – 57
Sawing	58–61
Woodworking	62-67
Decorating	68-69

Benchtop Tools & Stands

Benchtop Tools & Stands			
	Danahtan Taola 9 Ctanda	70 7	'n

Accessories

Accessories.......74



We offer a 3 year European warranty* on our **battery powered or electric tools**** excluding accessories and components subject to natural and normal wear and tear. Please refer to our warranty conditions in the user's manual for further information.

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

PLEASE NOTE: Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approval mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice.

Registration needs to take place within 30 days from the date of purchase. Registration is required for extension for the 3 year European warranty. Please visit our website www.ryobitools.eu for detailed information about warranty conditions and extension registration. This warranty is valid in the European Community, Switzerland, Iceland, Norway. Liechtenstein. Turkey and Russia. Outside these areas, please contact your authorised Ryobi dealer to determine if another warranty applies.

** This does not include any petrol tools which are subject to 2 year Ryobi warranty without registration

THIS EUROPEAN WARRANTY DOES NOT AFFECT YOUR STATUTORY RIGHTS. ALL STATUTORY WARRANTIES ARE SUBJECT TO APPLICABLE LAW.

BONE SEE Battery fits all

POWER OVER 50 DIFFERENT TOOLS FOR THE HOME & GARDEN WITH THE SAME LITHIUM+ BATTERY!





BUY THE TOOLS YOU WANT at the time you need them...

...and avoid paying over the odds for excess batteries and chargers. With everything from drills to radios, trimmers to paint sprayers the choice is there for you to grow your family of tools however you want.

CHOOSE A KIT...

Buy any kit with tool, battery & charger included to start your family

PICK A TOOL...

expand your family for less by buying individual bare tools. batteries or chargers.

IntelliCell[™] battery technology

Uniquely manages its own power to deliver optimum performance and runtime for any ONE+ tool and application.



The battery that thinks for itself.

IntelliCell[™] battery technology

Uniquely manages its own power to deliver optimum performance and runtime for any ONE+ tool and application.









Fuel Gauge

your workload.



The electronics shut down the tool if or if it gets too hot, protecting both tool and battery from damage.

A first for the DIY market! Energy flows easily through the cells when performance.






The simplest way to monitor your battery life and manage


there is too much strain on the battery

High Power Cells

required in high bursts for increased







Introducing the DIY market's first ever 5.0Ah Lithium+ battery

Offering DIY'ers the longest runtime, so now you can work for longer without the need to recharge your battery!

Upgrade to the 5.0Ah battery

Drill up to 934 holes*



Cut up to 100 metres*



Mow up to 250m^{2*}











50+ TOOLS POWERED BY THE LARGEST RANGE OF LITHIUM BATTERIES.

ryobitools.eu

BRUSH1E55 INTELLIGENT PERFORMANCE

MORE MORE MORE RUNTIME POWER COMPACT



MOTOR

A friction-less BRUSHLESS motor spins at up to 25,000rpm to deliver more powerful tools.




ELECTRONICS

A microprocessor constantly monitors and regulates the motor to maximise runtime.



DECKDRIVE

A soft start and finish when driving decking screws gives you the control needed to get a clean, accurate finish every time.



BATTERY

The battery that thinks for itself



What's NEW in <mark>⊚NE</mark>+





New Generation of Impact Drivers

An Impact Driver suitable for every user.



Blast out some tunes on your next camping trip or DIY project.



New ONE+ Drill Driver

Introducing the 2nd generation of Ryobi's Drill Driver R18DDP2.



New ONE+ Car Charger

Now charge up your batteries on the go! Simply plug it in to your car and charge away!

PLEASE SEE OUR ONE + RANGE OF TOOLS FOR PRODUCT DETAILS

R18DDBL-0 18V Brushless Drill Driver

- Brushless motor is electronically-controlled to optimise efficiency for up to 40% more run time per charge
- Electronic performance control delivers up to 20% more power than brushed drills
- Brushless motor runs cooler and last up to 10 times longer than brushed drills
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- e-Torque control settings make it easy to drive screws flush everytime
- LED illuminates the work area
- Metal planetary gearbox with 2 gears (0-440 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- New ErgoTech Handle design with Gripzone+ microtexture for added comfort and control
- The most compact Ryobi 18V drill driver ever, measuring 192 mm in length
- Powered by Lithium+ battery technology which provides more power, longer runtime and better durability than our previous lithium batteries



BRUSHLESS



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-440
No load speed gear 2 (rpm)	0-1,700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Torque settings	10
Weight without battery pack (kg)	1.7
	Recyclable
Supplied in	Carton
Article Number	5133002437
EAN Code	4892210135629

Standard equipment (R18DDBL-0) 1 x double-ended srewdriver bit

Compatible Accessories



Also Available as

	18V Brushles (2x2.5Ah) -			18V Brushless Dri + Ki	
x2	Name: R18DDBL-LL25S	Product Code: 5133002440	x2	Name: R18DDBL-LL25B	Product Code: 5133002439



60

0-440

1.7

Recyclable

5133002438

4892210135636

0-1,700

R18PDBL-0 18V Brushless Percussion Drill

- Brushless motor is electronically-controlled to optimise efficiency for up to 40% more run time per charge
- Electronic performance control delivers up to 20% more power than brushed drills
- Brushless motor runs cooler and last up to 10 times longer than brushed drills
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
 e-Torque control settings make it easy to drive screw
- e-Torque control settings make it easy to drive screws flush everytime
- LED illuminates the work area
- Metal planetary gearbox with 2 gears (0-440 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- New ErgoTech Handle design with Gripzone+ microtexture for added comfort and control
- The most compact Ryobi 18V percussion drill ever, measuring 201 mm in length
- Powered by Lithium+ battery technology which provides more power, longer runtime and better durability than our previous lithium batteries



Standard equipment (R18PDBL-0

BRUSHLESS

No. of batteries supplied Charger supplied

Chuck capacity (mm)

Max. drilling wood (mm,

Max. drilling steel (mm)

Torque settings Weight without battery pack

Supplied in
Article Number

EAN Code

Max. drilling masonry (mm,

No load speed gear 1 (rpm)

No load speed gear 2 (rpm)

Compatible Accessories




Also Available as

	18V Brushless (2x2.	
x2	Name: R18PDBL-LL25S	Product Code: 5133002441

18V Brushless Percussion Drill (1x1.5Ah, 1x4.0Ah)			
	Name: R18PDBL-LL99S	Product Code: 5133002442	

For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.eu







RCD1802M 18V Cordless Drill/Driver

- 13mm keyless chuck for greater accessory compatibility
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every
- 2 gears to control max speed to match different materials and
- Magnetic bit holder keeps screws and accessories close to hand
- Ergonomic GripZone+ with microtexture for a postive grip

Compatible Accessories


















Standard equipment (RCD1802M)

1 x double-ended screwdriver bit

FAN Code



4892210118684





- 13mm keyless chuck for greater accessory compatibility Quick adjustment 24 torque settings for perfect screwdriving every
- 2 gears to control max speed to match different materials and
- Magnetic bit holder keeps screws and accessories close to hand
- Ergonomic GripZone+ with microtexture for a postive grip





Standard equipment (R18DDP2-0) 1 x double-ended screwdriver bit



Compatible Accessories








18V Cordless Right Angle Drill

- Cordless angle drill ideal for working in tight and awkward corners
- Keyless 10mm chuck, for simple bit changes
- Automatic spindle lock for one-handed bit change
- LED lights up your work area for better visibility
- Magnetic drill bit tray for easy storage and access to your drill bits
- Variable speed, reverse and brake for total control of your tool





Standard equipment (RAD1801M) 1 x double-ended screwdriver bit



Compatible Accessories





R18PD-0 **18V Cordless Percussion Drill**

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- · All metal 13mm keyless chuck for greater accessory compatibility
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every time
- 2 gears to control max speed to match different materials and
- Magnetic bit holder keeps screws and accessories close to hand
- Ergonomic GripZone+ with microtexture for a postive grip

Compatible Accessories







RAK69MIX

Also Available as

	18V Percussion	Drill (2x2.5Ah)
x2	Name: R18PD-LL25S	Product Code: 5133002480





Standard equipment (R18PD-0) Double ended bit. Auxilian

handle and Depth stop

Article Number

FAN Code



5133002478

4892210137647



LLCDI18022 Lithium+

18V Cordless Percussion Drill (2x 1.3Ah)

- · Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- 13mm keyless chuck for greater accessory compatibility
- Quick adjustment 24 torque settings for perfect screwdriving every
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control



Voltage (V)	18
No. of batteries supplied	2
Charger supplied	45 mir
Battery pack capacity (Ah)	1.3
Max. torque (Nm)	50
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	400
No load speed gear 2 (rpm)	1550
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.93
Supplied in	Tool bag
Article Number	5133001931
EAN Code	4892210124487

Standard equipment (LLCDI18022 Lithium+)

Compatible Accessories







Also Available as



	18V Cordless Pe (2x1.3	
x2	Name: LLCDI18022L	Product Code: 5133001898



AN IMPACT DRIVER FOR EVERY OCCASION!

When your DIY project requires powerful or repetitive screwdriving, reach for an impact driver.

Whether you are building decking or putting together a shed, a ONE+ cordless impact driver gives you the freedom to drive screws fast.



WHICH IMPACT DRIVER IS RIGHT FOR YOU?



RID1801M **Standard**

Our basic Ryobi Impact Driver if you ever need to drive a modest amount of screws.



R18ID3-0

3 Speed

Choose between 3 different speed settings to drive any type of screws, from big to small.



R18QS-0

Quiet Strike

Oil Pulse technology makes this Impact Driver 50% quieter than a standard Impact Driver. So no you can DIY whilst your other half is napping or early in the morning so as to not disturb the neighbours!



R18IDBL-0

Brushless

With its advanced electronics and motor technology this is Ryobi's best ever Impact Driver. The must-have tool if you need to build decking, thanks to its innovative "DeckDrive".



R18IDBL-0
18V Brushless Impact Driver







- Brushless impact driver ideal for fast tightening and removing of fasteners
- Ryobi's Brushless technology combines a friction-less Brushless motor, intelligent electronics and lithium+ battery technology to deliver up to 20% more runtime and 20% more power in a smaller tool
- Powerful impact mechanism delivers up to 5x the power of a drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts
- DeckDrive™ mode which is a specific speed profile that makes driving decking screws
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 284 screws per charge (4x65mm screws into C24 treated pine)

Compatible Accessories











oltage (V)	18
lo. of batteries supplied	0
Charger supplied	_
mpact rate (ipm)	0-3900
fax. torque (Nm)	270
ool reception	1/ ₄ " Hex
lo load speed (rpm)	0-3000
Veight without battery ack (kg)	1.1
rticle Number	5133002662
AN Code	4892210143457

Standard equipment (R18IDBL-0 1 x impact bit, 1 x 5/8 inch socket adpator



R18QS-0

18V Cordless Quiet Strike Impact Driver

- Quiet Strike impact driver ideal for fast tightening and removing of
- Innovative oil pulse mechanism delivers more power and speed than a drill but with half the noise of an impact driver
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck for fast and easy bit changes
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 225 screws per charge (4x65mm screws into C24 treated pine)



Voltage (V)	18
No. of batteries supplied	(
Charger supplied	-
Max. torque (Nm)	45
No load speed (rpm)	0-3200
Impact rate (ipm)	0-2200
Tool reception	1/ ₄ " He.
Weight without battery pack (kg)	1.36
Article Number	5133002642
EAN Code	489221014244

Standard equipment (R18QS-0) 1 x impact bit, 1 x 5/8 inch socket adpator, Belt

Compatible Accessories









RID1801M 18V Cordless Impact Driver

- High power cordless impact driver perfect for screwing and loosening
- Motor deliveres 220Nm of torque to easily drive long screws and nuts
- Keyless bit changes 6.35mm (1/4 ") hex drive
- 3 LED lights light up your work area, so you can see what you are
- Robust die-cast front gear housing to protect the motor
- · Variable speed, reverse and brake for total control of your tool



Voltage (V)	18
No. of batteries supplied	(
Charger supplied	-
Max. torque (Nm)	220
No load speed (rpm)	3200
Weight with battery pack (kg)	1.6
Supplied in	
Article Number	513300116
EAN Code	4892210118592

1 x impact bit, 1 x 5/8 inch socket adpator

Compatible Accessories








R18ID3-0

18V Cordless 3-Speed Impact Driver

- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 4x the power of a drill 3 power levels for wide range of applications, from fitting door hinges
- to driving decking screws and coach bolts
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 237 screws per charge (4x65mm screws into C24 treated pine)





Standard equipment (R18ID3-0 1 x impact bit, 1 x 5/8 inch socket adpator

Compatible Accessories











R18IW3-0 18V Cordless 3-Speed Impact Wrench

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/ removing of heavy duty fasteners
- Impact mechanism allows for high amounts of torque with little reactionary feedback through the handle
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas
- 3 speed settings provide added control and versatility
- Mode 1: 0-2,100 rpm for precision work
- Mode 2: 0-2,500 rpm for added control which helps prevent damage to fasteners and materials
- Mode 3: 0-2,900 rpm for maximum performance for the toughest
- 1/2" Square drive with locking pin for easy socket fitment
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40

Compatible Accessories







Voltage (V)	18
No. of batteries supplied	(
Charger supplied	_
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2.00
Cumplication	Recyclable
Supplied in	Cartor
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0) ″ hex adapter




Nail that fixing job!

Cordless nailers make projects like installing moulding and overhead framing easier and quicker by eliminating the need to hammer by hand. With Ryobi's brad nailer, finish nailer and stapler, you will have every fixing job covered




Your guide to choosing the right nails

Brad nails




Ideal for fixing wood without using screws or pre-drilling.

Finish nails



A brad nail won't offer sufficient depth or width to hold all types of finishing pieces.

Staples




The stapler is your furniture building gun.

R18N18G-0

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages twin LEDs by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Fire up to 600 50mm nails into pine using RB18L15
- Fire up to 1600 50mm nails into pine using RB18L40
- Runtime can vary by tool, battery and application

Also Available as








Voltage (V)	18
No. of batteries supplied	0
Charger supplied	
Magazine capacity brads	105
Nail type (mm)	1.2
Weight with battery pack (kg)	2.93
Article Number	5133002093
EAN Code	4892210128058

Standard equipment (R18N18G-0) 500 x 32mm nails, 2 x no mark shoes,




R18N16G-0

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages LED by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Fire up to 375 65mm nails into pine using RB18L15
- Fire up to 1000 50mm nails into pine using RB18L40
- Runtime can vary by tool, battery and application









Standard equipment (R18N16G-0) reversible belt book





- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas
- Fires narrow crown staples (5.5-6.1mm) from 10 to 38mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages twin LED's by grasping the handle Tool less depth of drive adjustment helps protect work surface and
- allows proper setting of staples Dry-fire lockout prevents the tool working without staples loaded
- Tool less jam release for easy removal of clear staples
- Low staple indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Fire up to 500 38mm staples into pine using RB18L15
- Fire up to 1400 38mm staples into pine using RB18L40
- Runtime can vary by tool, battery and application





1
10
2.8
513300251
489221013878

Standard equipment (R18S18G-0) 500 x 38mm staples, 2 x no mark shoes, everseable belt hook





R18SDS-0

18V Cordless SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 1.3J of EPTA rated impact energy ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel
- Chisel function ideal for applications such as light tile removal
- Non-hammer setting ideal for drilling holes in wood, metal and tiles
- Variable speed, forward and reverse for total control
- Built-in LED lights up your work area
- Gripzone+™ overmold for added comfort and control reduces fatigue during use



	Voltage (V)	18
	No. of batteries supplied	0
Wes	Charger supplied	_
	Impact rate (ipm)	0-5,000
ALL DESIGNATION OF THE PERSON	Blow energy (J)	1.3
1,000	Max. drilling wood (mm)	16
	Max. drilling steel (mm)	13
	Max. drilling masonry (mm)	16
	Weight with battery pack (kg)	2.08
	0	Recyclable
M.	Supplied in	Carton
	Article Number	5133002305
933	EAN Code	4892210130211

Standard equipment (R18SDS-0)

EPTA RATED

Also Available as

	18V SDS+ Rotary (Pneumatic) Hammer Drill (1x2.5Ah)	
x1	Name: R18SDS-L25S	Product Code: 5133002325





R18AG-0 18V Cordless Angle Grinder

- Cordless grinder with 115mm disk ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting
- Two stage non lockable switch for enhanced user protection preventing accidental start up
- Easy to adjust tool-less wheel guard
- Spindle lock for easy accessory changing
- GripZone™ overmould technology for improved comfort with a



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Bore size (mm)	22
No load speed (rpm)	7500
Wheel size (mm)	115
Weight with battery pack (kg)	2.58
Supplied in	Recyclable Carton
Article Number	5133001903
EAN Code	4892210123657

Standard equipment (R18AG-0) Auxiliary handle, Wrench, wheel guard, 1 x



RMT1801M 18V Cordless Multi Tool

- A versatile multi purpose tool with both sanding and cutting heads
- · Quick change attachments for hassle free transition between sanding and sawing
- LED for illuminated work piece
- · Variable speed for ultimate control across a range of applications
- Universal accessory adaptor makes the product compatible with any brand of accessories



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Oscillation angle (°)	3 Degrees
Oscillation rate (opm)	0-20,000
Weight with battery pack (kg)	1.33
Supplied in	_
Article Number	5133001632
EAN Code	4892210120328

Standard equipment (RMT1801M)

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key,

Compatible Accessories







R18RS-0 18V Cordless Reciprocating Saw





- Ideal for rough and fast cutting for demolition tasks in materials such as wood, metal and plastic.
- Cuts faster than corded, compared to Ryobi corded saw ERS0VHG
- Anti-Vibe™ handle increases comfort and control while cutting
- Tool-less blade clamp for quick and easy blade changes
- The adjustable shoe makes it possible to use different sections of the blade prolonging the blade life
- For best performance and runtime we recommend using a 5.0Ah Lithium+ battery which delivers up to 164 cuts per charge in 50X100mm

Compatible Accessory









Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Stroke length (mm)	28
No load speed (rpm)	2,900
Max. cutting capacity wood (mm)	200
Weight without battery pack (kg)	2.4
Article Number	5133002637
EAN Code	4892210141910

Standard equipment (R18RS-0) 1 x wood blade, 1 x Hex Key

Also Available as

A130 A	valiable as	
	18V Cordless Red	ciprocating Sav
x1	Name: RRS1801M	Product Code: 5133001163



R18CS-0

18V Cordless Circular Saw

Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber

- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 165mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- Make up to 275 cross cuts in 2x4 (52x100mm) timber per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Voltage (V)	18
No. of batteries supplied	C
Charger supplied	_
Bevel capacity (°)	0-56
Blade diameter (mm)	165
Blade width (mm)	1.6
Bore size (mm)	16
Max. cutting depth 45° (mm)	36
Max. cutting depth 56 degrees [mm]	28
Max. cutting depth 90° (mm)	52
	4,700
Weight with battery pack (kg)	2.8
Supplied in	Recyclable Cartor
Article Number	5133002338
EAN Code	4892210117304
Supplied in Article Number	Recyclab Carto 51330023

Standard	equipment	(R18CS-
1x 24 Tooth	TCT blade Side	e fence





RWSL1801M

18V Cordless Circular Saw

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Dust port helps you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality




Voltage (V)	18
No. of batteries supplied	(
Charger supplied	_
Blade diameter (mm)	150
Bore size (mm)	10
No load speed (rpm)	0-4,700
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
Bevel capacity (°)	50
Weight with battery pack (kg)	2.93
Compliant in	Recyclable
Supplied in	Cartor
Article Number	5133001164
EAN Code	4892210118554

Standard equipment (RWSL1801M) Hex key, 150mm TCT circular saw blade and




R18JS-0 18V Cordless Jigsaw



- 1 handed speed control for easy speed adjustment to suit different
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Lock on switch keeps your tool working so reduces your fatigue
- LED worklight illuminates the cut line and work area
- Easy base adjustment to cut between 0° to 45° angles





wood (mm)
Weight with battery pack 2.53 Recyclable Carton Supplied in Article Numbe 5133002158 EAN Code 4892210128010


Standard equipment (R18JS-0) 1 x 10 TPI Wood blade, 1 x 14 TPI Scrolling



LTS180M 18V Cordless Tile Saw

- · Powerful 18V motor cuts through ceramic, granite, marble and
- Steel base includes oversized knobs for easy adjustments
- 102mm 4" continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Spindle lock for easy cutting wheel changes
- GripZone™ overmould technology for improved grip and reduced vibration
- Wrench storage
- Diamond wheel included
- Water bottle included





Standard equipment (LTS180M) Hex key, water bottle



EMS190DCL 18V Cordless Mitre Saw

- Cordless Mitre saw cuts up to 38x108mm at 90° Exactline laser accurately aligns the cut line with the blade
- Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from 0-45°
- Thin Kerf 24T carbide tipped blade for improved performance and longer runtime
- Extremely compact and lightweight for great portability
- Make up to 189 cross cuts (22x100mm) combined with the Lithium+ 5.0Ah battery RB18L50



	_
Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Blade diameter (mm)	190
Battery type	_
Mitre capacity left (°)	45
Mitre capacity right (°)	45
Bevel capacity left (°)	45
Weight with battery pack (kg)	7.43
Our and the set the	Recyclable
Supplied in	Carton
Article Number	5133000932
EAN Code	4892210116895

Standard equipment (EMS190DCL) 1 x 24 TCT blade, 1 x clamp, dust bag, wrench







R18ROS-0

18V Cordless Random Orbital Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 2.5mm orbital sanding motion for fast and efficient stock removal
- Random orbital action delivers a swirl free finish
- Built in dust extraction system ensures a clean work environment
- Quick fit hook and loop sanding sheet attachment
- Up to 50 minutes runtime with the 5.0Ah Lithium+ battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Orbit rate [opm]	20,000
Diameter of orbit (mm)	2.5
Sanding pad size (mm)	125
Weight with battery pack (kg)	1.56
Supplied in	Recyclable Carton
Article Number	5133002471
EAN Code	4892210136855

3 sanding sheets (80, 120 and 240 grit)

Compatible Accessory







- Ideal for light to medium weight applications such as fine finshing and
- 1.8mm orbital sanding motion for fast and efficient stock removal
- Compact design allows users to sand easily in corners and tight
- Quick fit hook and loop sanding sheet attachment
- Triangular pad design for sanding up to the edge in tight corners



Voltage (V)	18
No. of batteries supplied	C
Charger supplied	_
Orbit rate [opm]	22,000
Diameter of orbit (mm)	1.8
Sanding pad size (mm)	100x140
Weight with battery pack (kg)	1.06
Supplied in	Recyclable Cartor
Article Number	5133002443
EAN Code	4892210133700

Standard equipment (R18PS-0) 6 sanding sheets (2x60, 2x120 and 2x240 Grit)




Compatible Accessory





- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0-0.4mm
- Additional front handle for greater control
- Side fence included for precision planing
- DustTech™ integrated technology for maximum dust pick-up
- GripZone™ overmould technology for improved comfort with a positive grip





Standard equipment (CPL180M) side fence, dust bag, wrench, 2 x reversible TCT blades

Compatible Accessory





CCG1801M 18V Cordless Caulking Gun

- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool
- On-board puncture tool to brake tube seal if needed
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
No load speed high (rpm)	6
No load speed low (rpm)	1
Max. output force	225
Weight with battery pack (kg)	2.13
Supplied in	_
Article Number	5133000060
EAN Code	4892210100962

Standard equipment (CCG1801M)

R18GLU-0

18V Cordless Glue Gun

- Hot glue can be used on a wide selection of materials such as paper, cardboard, textiles, leather, plastic, wood, metal, cork or
- Two-finger trigger for enhanced control
- 3 minute warm up means your ready to glue in next to no
- Compatible with any brand of 11mm diameter allpurpose and high strength adhesives
- Fire up to 60 glue sticks per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Nozzle Hole (mm)	3
Glue Stick Diameter (mm)	11
Weight without battery pack (kg)	0.39
Article Number	5133002868
EAN Code	4892210149428

Standard equipment (R18GLU-0) 3 glue sticks









Keep your car looking like new with Ryobi's ONE+ cordless tools. You'll only need one battery to power them all.



Soundtrack to your work.

Listen to the radio or connect your phone via Bluetooth to listen to your favourite tunes whilst you work with the ONE+ Radio.



Looking like new on the inside.

Ensure your car interior is always clean and tidy with the ONE+ Handvac.



Get your car sparkling on the outside.

The ONE+ Buffer will have your bodywork shining like new.




Get the pressure just right.

Ensure your tyres have the correct pressure with the ONE+ Inflator. Measure it, set it and inflate your wheels without the need to take your car to the garage.



In the spot light.

With a convenient pivoting head this handy flashlight is a great addition to any tool kit.



R18ALF-0

Never get left in the dark.

Whether you need to see under the bonnet of your car or you have broken down in the dark, the ONE+ Lights have you covered.



Need to change a tyre?

The ONE+ Impact Wrench makes light work of loosening and tightening nuts on your wheels. So, you can change your tyre quickly with ease whenever you want, wherever you want.



See how to keep your car looking like new watching our automotive video online!

www.youtube.com/RyobiTV





- Ideal for applying polish and wax to maintain your car's paint finish
 Also great for use on boats, wooden furniture and flooring
- Random orbit motion delivers a swirl free finish
- Powerful motor delivers 2,500 opm maintaining optimum performance during extended use
- Complete the job quickly with a full size 254mm buffing applicator and bonnet
- Crescent shaped handle provides comfort and access to hard to reach spaces
- Up to 120 mins runtime with the 5.0Ah Lithium+ battery RB18L50

Compatible Accessory






Voltage (V)	1.
No. of batteries supplied	
Charger supplied	-
Diameter of orbit (mm)	12.
Oscillation rate (opm)	250
Size (mm)	25
Weight without battery pack (kg)	1.9
Article Number	513300246
EAN Code	489221013548

Standard equipment (R18B-0 1x Elastic polishing bonnet, 1x Elastic buffing



©NE + CHV182M 18V Cordless Hand Vac



Dual filter system captures debris for removal to provide maximum vacuum performance

- Easy-clean dust bowl for quick disposal with no mess
- Crevice tool with built-in slide brush for hard to reach areas
- GripZone™ overmould technology for improved comfort with a



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Container capacity (ml)	173
Weight with battery pack (kg)	1.39
Supplied in	Recyclable Carton
Article Number	5133000077
EAN Code	4892210106339

Standard equipment (CHV182M) Crevice, brush attachment & washable filter



R18I-0 18V Cordless Inflator



Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for accurate inflation

- Connect the hose to a separate port for deflation mode - ideal for packing down air beds or other inflatables
- Convenient switch for high and low pressure selection
- All of the hoses, nozzles and adaptors needed are stored on-board for your convenience



Voltage (V)	18	
No. of batteries supplied	0	
Charger supplied	_	
High Pressure Hose [mm]	711	
High Volume Hose [mm]	756	
Max. pressure (bar)	10.3 bar, 150psi	
Weight with battery pack (kg)	1.71	
Supplied in	Recyclable Carton	
Article Number	5133001834	
EAN Code	4892210122780	

Standard equipment (R18I-0) High pressure hose, high volume hose, 3 x air









- Cordless fan ideal for indoor or outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility
- 2,100rpm for max air flow or 1,400rpm for increased runtime and quieter operation
- Up to 18 hours runtime with RB18L50 allowing you to run all day or even overnight on one charge



	Voltage (V)	18
	No. of batteries supplied	
	Charger supplied	
	Fan speed (rpm)	2,100 / 1,40
	Weight with battery pack (kg)	1.5
P	Article Number	513300261
1	EAN Code	489221014067


Standard equipment (R18F-0)





- Premium speaker provides clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 1 Amp USB Charger port charges many portable electronic devices including smartphones
- Integrated auxiliary input with storage location for smartphone use
 Compact size is durable and easily portable for use at home
- Low battery indicator advises when 18V ONE+[™] battery will need to be recharged
- Provides over 24 Hours runtime using the RB18L50 Lithium+ battery





Standard equipment (R18R-0





a range of volumes

Stereo sound from two premium 7W speakers for clear, crisp music at

 Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away

- Digital tuning with capability to save 10 FM and 10 AM station presets
- 2 Amp USB Charger port charges many portable electronic devices including smartphones
- Built in equaliser which allows adjustment of bass and treble
 Integrated auxiliary input with storage location for smartphone
- Low battery indicator advises when 18V ONE+[™] battery will need to be recharged
- Provides over 15 Hours runtime using the RB18L50 Lithium+ battery



/oltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Weight without battery back (kg)	1.82
Article Number	5133002734
AN Code	4892210145390

Standard equipment (R18RH-0) (2) AAA Alkaline Batteries





R18TB-0

18V Cordless Compact Blower

- Ideal for cleaning up work shop dust and dirt including sawdust, wood and metal chippings
- Compact and powerful blower with air speed up to 200 km/h
- 3 Speed control. Low speed optimised for workshop applications, mid speed gives added control while high speed provides maximum
- Variable speed trigger for pick up and go control
- High quality rubber hose allows for removal of wet debris from
- Up to 70 minutes runtime per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Voltage (V)	18
No. of batteries supplied	C
Charger supplied	_
Air Flow Speed 1 (km/h)	115
Air Flow Speed 2 (km/h)	150
Air Flow Speed 3 (km/h)	200
Air volume 1 (m³/min)	1.8
Air volume 2 (m³/min)	2.2
Air Volume 3 (m³/min)	2.9
Article Number	5133002915
EAN Code	4892210149985

Standard equipment (R18TB-0)









- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use
- High power Halogen bulb emits up to 150 Lumens with a recommended throw of up to 10 metres



Voltage (V)	18
No. of batteries supplied	(
Charger supplied	_
Bulb type	Haloger
Weight with battery pack (kg)	0.72
Article Number	5133001636
EAN Code	4892210120182

Standard equipment (RFL180M)





R18ALF-0 18V Cordless Folding Area Light

- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power
- CCT (Correlated Colour Temperature) of 5,700K means the light emits a bright white beam of light, helping to see objects better and easier. CRI rating of 80, meaning its 80% as good as natural daylight which
- is ideal for all your various DIY and decorating projects. Extensive runtime up to 360 minutes with RB18L40





18
0
_
LED
1.3
5133002304
4892210130525

Standard equipment (R18ALF-0)






R18ALH-0 18V Hybrid Area Light

- Switch between cordless and corded power with the innovative Hybrid technology. Works with any Lithium+ battery or electric power with an extension cord.
- 25W lifetime LED emits up to 1,800 Lumens.
- 360° rotation of the lens and multiple hanging options add versatility. Compact design with integrated handle for easy transportation and
- Up to 240 minutes run time as a cordless light with RB18L40 or plug in an extension for AC power.







Standard equipment (R18ALH-0)





RLM18X41H240

36V Fusion Cordless Lawn Mower, 40cm Deck, Powered by ONE+ (2x4.0Ah)





- The performance of 36V with Ryobi Lithium Fusion™ technology, powered by dual 18V Lithium+ batteries
- 40cm cutting path with metal blade for excellent cutting and mulching
- 5-position, single-point height adjustment from 20mm-70mm
- Mow up to the edge or around flower beds with EasyEdge™ grass comb
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all
- Collapsible handles and grass catcher for easy storage
- 50L grass catcher capacity
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system

Compatible Accessory

-		_
	Name: RAC404	
	Product Code: 5132002438	

5

Voltage (V)	36
Battery pack capacity (Ah)	4.0
Charger supplied	2 h
No. of batteries supplied	2
Decksize (cm)	40
Drive mechanism	Power Assis
Mulching capable	Yes
Weight without battery pack (kg)	19.2
Article Number	5133002803
EAN Code	4892210147578


Standard equipment (RLM18X41H240) Mulching plug, 50L grass catcher bag





RLM18X33H40

18V Cordless Mower, 33cm Deck (1x 4.0Ah)



- Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around the garden
- 5 Position, single point cutting height adjustment from 25-65mm Mow right to the perimeter of your garden with EasyEdge grass comb
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatible all home & garden tools in the cordless system







Name: RAC431	
 Product Code: 5132002805	

Voltage (V) Battery pack capacity (Ah) No. of batteries supplied Charger supplied 2 hr Decksize (cm) Drive mechanism Push Mulching capable Weight with battery pack (kg 5133002526 Article Number EAN Code 4892210137876

Standard equipment (RLM18X33H40) Mulching plug, 35L grass catcher bag

🖁 Hybrid 📴



2.5

90 min

Push

16.1

Also Available as

Also Available as

RLM18C36H225

36V Hybrid Lawn Mower, 36cm Deck (1x 2.5Ah)

Name: RAC432

- 36V Hybrid Corded and Cordless Lawn Mower powered by either 2x 18V Lithium+ batteries or electric power with a cable
- 36cm Cutting path designed to easily maneuver around your
- Mow right to the perimeter of your garden with EasyEdge™ grass comb feature
- Folding handles and collapsible grass catcher for compact and easy storage
- Up to 5 different adjustable heights for improved comfort
- Grass catcher has 45L capacity

Deck, (1x5.0Ah) RLM18X33H50 5133002608

Vertabrae[™] handle design with multiple grip positions and adjustable height for improved comfort





Standard equipment (RLM18C36H225) Mulching plug, 45L grass catcher bag





OF POWER

36V Hybrid Lawn Mower, 36cm

Switch seamlessly between cordless or AC power. Enjoy the freedom of cordless with a Lithium+ battery or switch to mains electricity for extended runtime.



Hybrid tools never run out of power, so you can work for longer.

LOOK OUT FOR THE HYBRID LOGO ON OUR TOOLS

RLT1825M13

18V Cordless Grass Trimmer, 25cm Cutting Width (1x1.3Ah)

- 25cm cutting path for effcient grass and weed cutting
- EasyEdge™ for quick transitions between edging and trimming modes

ONE+ Garden Tools

- Two-handle design for improved ergonomics
- Powered by an 18V Lithium+ battery with patented IntelliCell", which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the ONE+™ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



1. 1.
2
Auto-fee
1.
13300282
21014778

Standard equipment (RLT1825M13) Auto-feed spool

Also Available as

18V Cordless Gra		
x0	Name:	Product Code:
	OLT1825M	5133002822





Compatible Accessories





RLT183220

18V Cordless Grass Trimmer, 25-30cm Cutting Width (1x2.0Ah)



- Adjustable cutting width of 25-30cm for great versatility when grass and weed
- EasyEdge™ for quick transitions between edging and trimming modes
- Telescoping boom and adjustable pommel handle provide comfort for any user heiaht
- Three-position pivoting string head for more versatile trimming
- Powered by an 18V Lithium+ battery with patented IntelliCell*, which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the ONE+™ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system

Compatible Accessories





Also Available as


	18V Cordless Grass Trimmer, 25- 30cm Cutting Width	
x0	Name: OLT1832	Product Code: 5133002813







	18V Cordless Grass Trimm 25-30cm Cutting Width (1x2.)	
x1	Name: RLT183225PK	Product Code: 5133002817








18V Hybrid Grass Tr

30cm Cutting Width


RLT1831H25

■ RLT1831H20

18V Hybrid Grass Trimmer, 25-30cm Cutting Width (1x2.0Ah)



- Innovative 18V Hybrid power allows for either cordless convenience or unlimited runtime to best suit all grass trimming needs Adjustable cutting width of 25-30cm for great versatility when grass
- EasyEdge[™] for quick transitions between edging and trimming modes
- for any user height
- individually monitors and balances each cell to maximise runtime, storage and safety
- compatible with all home & garden tools in the cordless system





voitage (v)	18
Battery pack capacity (Ah)	2.0
No. of batteries supplied	1
Charger supplied	70 min
Cutting path width (cm)	25-30
Line feed system	Auto-feed
Weight without battery pack (kg)	2.8
Article Number	5133002819
EAN Code	4892210147745



Compatible Accessories

rimmer, 25-	18V Hybrid Grass Trimmer, 25-	
n (1x2.5Ah)	30cm Cutting Width (1x2.5Ah)	
luct Code: 3002820	Name: RLT1831H25PK	Product Code: 5133002821




•••	Name: RAC125	
	Product Code: 5132002434	




RBC18X20B4

18V Cordless Brush Cutter with Bike Handle (1x 4.0Ah)



- High-performance 18V motor provides optimum power for cutting tough grass and long weeds
- 2-in-1 brush cutter/trimmer with both blade and trimmer head for versatility
- 20cm hardened steel TriArc™ cutting blade for tough jobs
- Large 30cm line trimmer cutting path to complete tasks quickly
- Soft-grip bike handle design with variable speed control for extended run
- Powered by an 18V Lithium+ battery with patented IntelliCell™, which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the ONE+™ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system

Also Available as









Voltage (V)	18
Battery pack capacity (Ah)	4.0
No. of batteries supplied	1
Charger supplied	2 hr
Cutting path with Brushcutter (cm)	20
Cutting path with Grass Trimmer (cm)	30
Line diameter (mm)	1.6
Blade speed (rpm)	8500
Weight with battery pack (kg)	4.0
Article Number	5133002528
EAN Code	4892210138279

Standard equipment (RBC18X20B4) Tri-Arc™ blade, cutting head with 1.6mm line. bike handle, shoulder strap harness






RHT1851R20

18V Cordless Hedge Trimmer, 50cm Blade (1x 2.0Ah)

- High torque motor delivers powerful cutting performance for pruning
- Excellent cutting quality through precision 50cm diamond ground
- Capable of cutting large branches with 22mm blade gap, and sawing function
- Anti-jamming system prevents accidential blocking
- Rotating rear handle offers ease of use in multiple positions HedgeSweep™ attachment offers easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible

with all home & garden tools in the cordless system





Standard equipment (RHT1851R20) HedgeSweep™ attachment, blade sheath

Also Available as

	18V Cordless Hedge Trimmer, 50cm Blade	
x0	Name: OHT1851R	Product Code: 5133002682

	18V Cordless Hedge Trimmer, 50cm Blade (1x 1.5Ah)	
x1	Name: RHT1851R15	Product Code: 5133002109

Compatible Accessories






©NERHT1855R40

18V Cordless Hedge Trimmer, 55cm Blade (1x 4.0Ah)

- Powerful 18V 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Intellicell™ technology monitors and balances individual cells to maximise runtimes, storage life and safety High torque motor delivers powerful cutting performance for pruning hedges
- & shrubs Excellent cutting quality through precision 55cm laser cut, diamond ground
- Capable of cutting large branches with 22mm blade gap, and sawing function
- Anti-jamming system prevents accidental blocking
- Rotating rear handle offers ease of use in multiple positions HedgeSweep™ attachment offers easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system








For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.eu

Compatible Accessories





3.42

5133002111

4892210820761

Standard equipment (RHT1855R40) Blade sheath, HedgeSweep¹

Weight without battery

pack (kg)

FAN Code

Article Number



OLP1832B

Cordless 1 metre lopper for effortless pruning, even in hard-to-reach

18v motor effortlessly cuts through branches up to 32mm thick

Soft-grip handles for comfort over extended use

High-quality bypass blades provide 150 kg/m of torque for quickly

Powered by 18V Lithium+ batteries with patented IntelliCell", which

individually monitors and balances each cell to maximise runtime,

compatible with all home & garden tools in the cordless system

As part of the ONE+™ System, the 18V Lithium+ battery is

18V Cordless Handheld Lopper



RHT1850XLI

18V Cordless Extended Reach Hedge Trimmer, 50cm Blade (1x 1.3Ah)



individually monitors and balances each cell to maximise run time, storage life and safety

ONE+ Garden Tools

- 4-position articulating head for pruning all sizes of hedges & shrubs
- Rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep debris sweeper for easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	1
Charger supplied	3 hr
Max. cutting capacity (mm)	16
Blade speed (rpm)	2400
Blade length (cm)	50
Weight with battery pack (kg)	3.73
Article Number	5133001626
EAN Code	4892210816924

Standard equipment (RHT1850XLI) HedaeSweep™ blade sheath

X REACH

Voltage (DC) (V)	18
Charger supplied	_
Blade type	Bypass
Cutting Capacity (mm)	32
Cutting Angle	Fixed
Length (m)	0.75
Telescopic	No
Weight without battery pack (kg)	1.45
Article Number	5133002842
EAN Code	4892210147967

Standard equipment (OLP1832B)

Compatible Accessory

completing any pruning job

storage, and safety













RPT184515

18V Cordless Pole Hedge Trimmer, 45cm Blade (1x1.5Ah)

- Powerful 18V 1.5Ah Lithium+ battery gives more power, longer run times and better durability than previous lithium techonologies
- Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- Powerful cutting performance due to premium 18V motorfor cutting hedges & branches
- 45cm diamond ground blades for clean cutting
- Capable of cutting large branches with 18mm blade gap
- 135° articulating cutting head, with 4 positions for versatile trimming
- Removable extension shaft for full length of 2.3m, or compact storage



Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	1
Charger supplied	60 mir
Cutting capacity	18mm
Blade length (mm)	450
Blade speed (rpm)	1500
Weight with battery pack (kg)	4.6
Article Number	5133002521
EAN Code	4892210138507

Standard equipment (RPT184515) HedgeSweep, Blade sheath, single shoulder

Also Available as











RPP182015

18V Cordless Pole Pruner, 20cm Bar (1x 1.5Ah)

- · 20cm Oregon bar and chain for effective pruning and cutting High torque performance with 5.5m/s chain speed
- Extendable shaft for a reach of up to 4m
- 15° angled cutting head for easy pruning and better control
- Automatic chain and bar lubrication for continuous cutting
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	1
Charger supplied	3 hr
Chain bar length (cm)	20
Chain speed (m/s)	5
Weight with battery pack (kg)	3.9
Article Number	5133002575
EAN Code	4892210139382

Standard equipment (RPP182015) Bar & Chain oil, Scabbard, Strap

Also Available as

хO	18V Cordless Pole Pruner, 20cm Bar	
	Name: OPP1820	Product Code: 5133001250



Compatible Accessories





OLP1832BE

18V Cordless Extended Pole Lopper



- 18v motor effortlessly cuts through branches up to 32mm thick
- High-quality bypass blades provide 150 kg/m of torque for quickly completing any pruning job
- Pivoting cutting head allows for multiple cutting angles
- Soft-grip handles for comfort over extended use
- Powered by 18V Lithium+ batteries with patented IntelliCell®, which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the ONE+™ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (DC) (V)	18
Charger supplied	-
Blade type	Bypass
Cutting Capacity (mm)	32
Cutting Angle	0-230
Length (m)	2.5
Telescopic	No
Weight without battery pack (kg)	2.8
Article Number	5133002844
EAN Code	4892210147981

Standard equipment (OLP1832BE

Compatible Accessory







OLP1832BP 18V Cordless Telescoping Pole Lopper

- Cordless telescoping lopper extends from 2.5 metres up to 4 metres for effortless pruning even in extended reach applications
- 18v motor effortlessly cuts through branches up to 32mm thick
- High-quality bypass blades provide 150 kg/m of torque for quickly completing any pruning job
- Pivoting cutting head allows for multiple cutting angles
- Soft-grip handles for comfort over extended use
- Powered by 18V Lithium+ batteries with patented IntelliCell®, which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the ONE+ To System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system




Voltage (DC) (V)	18
Charger supplied	_
Blade type	Bypass
Cutting Capacity (mm)	32
Cutting Angle	0-230°
Length (m)	2.5-4
Telescopic	Yes
Weight without battery pack (kg)	3.7
Article Number	5133002843
EAN Code	4892210147974

Standard equipment (OLP1832BP)

Compatible Accessory







OCS1830

18V Brushless Chain Saw, 30cm Bar

- High-performance brushless motor technology for the ultimate cutting experience
- 30cm Oregon® bar and chain
- Automatic oiling system for user convenience
- Tool-less chain tensioning for easy adjustments Full wrap-around handle with overmould for comfortable
- use in any orientation
- Mechanical chain brake
- As part of the ONE+ System, the 18V Lithium+ battery
- is compatible with all home & garden tools in the cordless system
- Sold as bare unit without battery or charger



?USI::L ESS	

Voltage (V)	18
Battery pack capacity (Ah)	
No. of batteries supplied	C
Charger supplied	_
Chain bar length (cm)	30
Chain speed (m/s)	10
Tool-less chain tensioner	Yes
Article Number	5133002829
EAN Code	4892210147820

Standard equipment (0CS1830)

Compatible Accessories

Name: RAC226		Name: RAC227
Product Code: 5132002486		Product Code: 5132002436





120

200


1.12

5133002830

OGS1822

18V Cordless Shear and Shrubber

- Two-in-one shear and shrubber for versatility around the
- Compact, slim, and lightweight design for user comfort
- Tool-less blade change between shear and shrubber
- Powered by an 18V Lithium+ battery with patented IntelliCell" which individually monitors and balances each cell to
- system



Comp	atible Accessorie	es		
	Name: RAC314		_	Name: RPA1822
	Product Code: 5132003309		<u> </u>	Product Code: 5132003300



Voltage (V) No. of batteries supplied

pack (kg)

Charger supplied

Shear blade (mm)

Shrubber blade (mm

Tooth spacing [mm]


Neight without battery

Standard equipment (0GS1822)

Grass shear blade, shrubbing blade


OWS1880

18V Cordless Weedsprayer, 3.5L Tank



- Pressurises with the touch of a button, removing fatigue from manually pumping to pressurise
- 3.5L tank with built-in measuring cup
- Integrated lance design for single-handed operation
- Powered by an 18V Lithium+ battery with patented IntelliCell™, which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the ONE+™ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless





Standard equipment (0WS1880)





OBL1820S

18V Cordless Blower

- Ryobi hard surface sweeper is great for clearing wet leaves, decks,
- patios, and walkways High speed nozzle provides airflow of 245km/h
- Lightweight design with ultimate cordless convenience makes quick work of clearing jobs
- GripZone™ overmould for comfortable grip
- Powered by an 18V Lithium+ battery with patented IntelliCell™ which individually monitors and balances each cell to maximise runtime, storage, and safety
- As part of the 18V ONE+™ system, the battery is compatible with over 50 tools for the home and garden
- For best performance and ergonomics, we recommend using a 2.5Ah Lithium+ battery
- Sold as a bare unit without battery or charger



Voltage (V)	18
Battery pack capacity (Ah)	
No. of batteries supplied	(
Charger supplied	_
Airflow speed (km/h)	245
Weight without battery pack (kg)	1.6
Article Number	5133002663
EAN Code	4892210143488

Standard equipment (0BL1820S)



OBL1820H 18V Hybrid Blower

Innovative 18V Hybrid power, offers the choice to seamlessly change between cordless and corded power in the same tool

- Lightweight design with ulimate cordless convenience
- High speed nozzle provides airflow speed of 250 km/h
- Excellent ergonomics and soft-grip handle for comfort
- Variable speed control: On/Off
- Sold as a bare unit without battery or charger
- Overmould for a comfortable grip
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system





Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	_
Airflow speed (km/h)	250
Weight with battery pack (kg)	2.1
Article Number	5133002340
EAN Code	4892210822673

Standard equipment (OBL1820H)





RB18L50 18V 5.0Ah Lithium+ Battery

- Powerful 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term
- Drive up to 1622 4x40mm screws with RCD1802
- Cross-cut up to 276 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number	513300243
EAN Code	489221013594



- Powerful 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell[™] technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term
- Drive up to 1322 4x40mm screws with RCD1802
- Cross-cut up to 211 pine 2x6's (50*150mm) with R18CS
- · Runtime can vary by tool, battery and application



Also Available as

	18V Battery and Charger Kit (1x4.0Ah)	
x1	Name: RBC18L40	Product Code: 5133001912

	18V Battery and Charger Kit (2x4.0Ah)	
x2	Name: RBC18LL40	Product Code: 5133001916

Article Number	5133001907
EAN Code	4892210124104



- Powerful 2.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 749 4x40mm screws with RCD1802
- Cross-cut up to 115 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number	513300223
EAN Code	489221012906



- Powerful 2.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Tough pack design with built in impact protection for long term
- Drill up to 125 holes per charge (16mm holes through 2" / 50mm pine) with RCD1802
- Cross-cut up to 70 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number	5133002737
EAN Code	4892210145093

RB18L15
18V 1.5Ah Lithium+ Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term
- Drive up to 528 4x40mm screws with RCD1802
- Cross-cut up to 72 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Also Available as



Article Number	5133001905
EAN Code	4892210124081

RB18L13 18V 1.3Ah Lithium Battery

- Powerful 1.3Ah Lithium battery
- · Tough pack design with built in impact protection for long term
- Drive up to 426 4x40mm screws with RCD1802
- Cross-cut up to 49 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Also Available as



	2 x 18v (1.3Ah) Lithium-ion Batteries & Super Charger		
x2	Name: RBC18LL13	Product Code: 5133002000	

Article Number 5133001904 EAN Code 4892210124074



Batteries & Chargers

RC18150 ONE+ Fast charger

- The fastest ONE+ charger ever. Charges at a rate of 5.0Amp/h meaning you can charge a 5.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Ready to go indicator shows when the battery has reached 80% capacity



Article Number	5133002638
EAN Code	4892210141873



- Dual chemisty charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C
- Charges 1.3Ah battery (RB18L13) in 45 minutes



Article Number	513300112
EAN Code	489221011799

RC18627 18V 6 Port Charger

- Power on demand 6 port charging station makes an ideal hub to store all your ONE+ batteries
- Charges at a rate of 2.7Amp/h meaning you can charge a 2.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
 Indicator lights show the status as batteries are charged and
- Intelligent condition monitoring, evaluates the battery's voltage and temperature before charging ensuring long term durability



Article Number	5133002630
EAN Code	4892210140906

NEW RC18118C 18V In-Car Charger

- Plugs into vehicle's 12V DC outlet, giving you the flexibility to charge batteries while driving or when access to power is limited
- ONE+ charger compatible with all ONE+ 18V Lithium+ batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Protective electronics audibly warns you and shuts down the charger if your vehicle's battery is too low.



Article Number	5133002893
EAN Code	4892210150134



HIGH ENERGY





COMING SOON /

THE NEXT GENERATION OF RYOBI BATTERIES

14.4V/12V/7V/4V

14V Tools	47
12V Tools	47–48
7V Tools	48
4V Tools	49



R14DDE-LL15S

14.4V Cordless Drill Driver

- Ergonomic handle for great comfort and control
- 13mm keyless chuck
- Electronic quick mode selection
- 20 electronic torque control settings for total control
- LED work light for working in dimly lit areas
- 3 stage fuel gauge displays remaining power
- Powerful motor provides up to 45Nm torque 2 gears with no load speed of up to 1450 rpm for faster task
- Lithium+ battery technology give more power, longer runtime and better durability than our previous lithium batteries
- Soft touch trigger, gear switch and battery latch for user comfort
- Super Compact measuring only 212mm in height and 186mm in length
- High drilling capacities, up to 32mm in wood

Also Available as

	14.4V Cordless Drill Driver (2x2.5Ah)		
x2	Name: R14DDE-LL25S	Product Code: 5133002212	

Compatible Accessories



e.TORQUE

Voltage (V)	14.4
No. of batteries supplied	2
Charger supplied	60 min
Max. torque (Nm)	45
Chuck capacity (mm)	13
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1450
Torque settings	20 e-Torque
Weight with battery pack (kg)	1.62
Supplied in	Tool bag
Article Number	5133001900
EAN Code	4892210123626

Standard equipment (R14DDE-LL15S) 1 x double ended screwdriver bit

RCD12012L

12V Cordless Drill Driver

- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- Light and compact ideal for use throughout the house
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Electronic variable speed, reverse and break for total control Single sleeve chuck makes it easy to change accessories
- Soft touch trigger and gear switch for user comfort Ergonomic GripZone+ with microtexture for a positive grip





Standard equipment (RCD12012L)

Also Available as



Compatible Accessories

		Name: RAK10MSDI
		Product Code: 5132003176

Name: RAK69MIX
Product Code: 5132002687



R12DD-L13S

12V Cordless Drill Driver

- 2 speed drill driver with light and compact design
- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- LED work light to illuminate the work piece
- fuel gauge to indicate power levels



Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
Max. torque (Nm)	30
Chuck capacity (mm)	10
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1500
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Torque settings	22
Weight with battery pack (kg)	1.02
Supplied in	Tool bag
Article Number	5133001800
EAN Code	4892210122537

Standard equipment (R12DD-L13S) 1 x double ended screwdriver bit

Also Available as





Compa	atible Accessorie	es	
	Name: RAK10MSDI		Name: RAK69MIX
	Product Code: 5132003176		Product Code 513200268

RRS12011L

12V Cordless Reciprocating Saw

- 2-in-1 saw with inter-changeable blade to enable the saw to be used in either reciprocating or jigsaw modes, making it ideal for a range of
- Variable speed for optimum control in all applications
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Safety lock off switch to avoid accidental starting



12 1 60 mir 3200
60 mir 3200
3200
13
60
1.17
Tool bag
5133001160
892210118516

Standard equipment (RRS120111) 1 x wood blade, 1 x metal blade, 1 x jigsaw

Compatible Accessory




Product Code:

RMT12011L

12V Cordless Multi Tool

- · A versatile and compact mulit purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Universal accessory adaptor makes the product compatible with any brand of accessories





1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor

Compatible Accessories





R7SD-L13G

7.2V Cordless Drill Driver

- 7.2V Lithium Ion Drill ideal for many household applications ranging from cabinetry, hanging curtains, and other do-it-yourself projects.
- Compact and lightweight design for prolonged use
- 10mm chuck fits various drilling / driving accessories
- LED light illuminates work surfaces for increased visibility
- Variable speed trigger for added control while screwdriving On-board fuel gauge displays remaining power



Voltage (V)	7.2
No. of batteries supplied	1
Charger supplied	6 hr
Max. torque (Nm)	10
Chuck capacity (mm)	10
Max. drilling wood (mm)	10
Max. drilling steel (mm)	5
Weight with battery pack (kg)	0.88
Supplied in	_
Article Number	5133002484
EAN Code	4892210137692

Standard equipment (R7SD-L13G) 24 screwdriver bits

Compatible Accessories





Also Available as



<u>-1740 dum</u>

Voltage (V) Battery pack capacity (Ah) Max. torque (Nm)

Standard equipment (ERG0) 10 bits



ERGO

DIY project today

4V Cordless Screwdriver

household screw driving application

LED light for working in dimly lit areas

ensures solid & comfortable grip

offers a smart storage solution

The ERGO screwdriver offers a solution to every

Right length size of handle with GRIPZONE over mold

Includes 10 x 25mm screwdriving bits to start your next

The ERGO screwdriver comes in a durable case that






CSD4130GN

4V Cordless Screwdriver

- 12 Torque settings
- LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone™ overmould technology for improved comfort with a positive

Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing





Standard equipment (CSD4130GN) Gripcase with 30 screwdriver bits

Compatible Accessories

Name: RAK31MSDI
Product Code: 5132002817

ryobitools.eu

DRILLING

Percussion Drills 51 – 53 52 - 53**Rotary Hammer Drills**



RPD500-G

500W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone[™] overmould for positive grip and improved comfort



Power input (W)	500
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	3,000
Percussion rate gear 1	0-50,000
Max. drilling wood (mm)	25
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Weight (kg)	1.6
Supplied in	Gift box
Article Number	5133001832
EAN Code	4892210122766

Standard equipment (RPD500-G) 360° Auxiliary handle, depth stop

Compatible Accessory



RPD680-K

680W Corded Percussion Drill

- Variable speed forward & reverse for total control
 Compact & lightweight for easy drilling
 Gripzone overmould for positive grip and improved comfort
 Single sleeve (auto spindle lock) chuck



Power input (W)	680
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.7
Supplied in	Kitbo
Article Number	5133002016
EAN Code	4892210125934

Standard equipment (RPD680-K) 360° *Auxiliary handle, depth stop*

Compatible Accessory



RPD800-K

800W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone" overmould for positive grip and improved comfort
 Single sleeve (auto spindle lock) chuck
- LED



Power input (W)	800
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	34
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.8
Supplied in	Kitbox
Article Number	5133002018
FAN Code	4892210125910

Standard equipment (RPD800-K) 360° Auxiliary handle, depth stop

Compatible Accessory



RPD1010-K

1010W Corded Percussion Drill

Drilling

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone[™] overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2-Speed



Power input (W)	1010
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/13
Max. drilling masonry (mm)	16/20
Weight (kg)	3.05
Supplied in	Kitbox
Article Number	5133002058
EAN Code	4892210126764

Compatible Accessories







RPD1200-K

1200W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2-Speed
- LED



Power input (W)	1200
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/16
Max. drilling masonry (mm)	18/22
Weight (kg)	3.15
Supplied in	Kitbox
Article Number	5133002067
EAN Code	4892210126788

Standard equipment (RPD1200-K) 360° Auxiliary handle, depth stop

Compatible Accessories





RSDS680-K

680W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 2.1J EPTA of impact energy ideal for drilling holes in stone and concrete
- 680W motor produces 0-2,150 RPM and 0-5,000 BPM delivering best in class drilling performance of 22mm in concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- · 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel
- Compact and lightweight gives the user maximum comfort and control when drilling



Power input (W)	680
Chuck type	SDS+
No load speed (rpm)	0-2,150
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	30
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	22
Weight (kg)	2.72
Supplied in	Kitbox
Article Number	5133002444
EAN Code	4892210135308

Standard equipment (RSDS680-K) 360° Auxiliary Handle, Depth Stop, 13mm chuck adaptor for use with standard drill bits,

Compatible Accessory

	Name: RAK08SDS
	Product Code: 5132002262

Standard equipment (RPD1010-K
60° Auxiliary handle, depth stop

RSDS800-K

800W Corded SDS+ Rotary Hammer Drill



- Pneumatic hammer mechanism delivers 2.95J EPTA of impact energy ideal for drilling holes in stone and concrete
- 800W motor produces 0-1,450RPM and 0-5,000BPM delivering best in class drilling performance of 28mm in concrete
- Compact and Lightweight L-Shape design allows the user to get closer to the work piece and provides a better balance
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Built-in LED light ensures your work piece is always well lit and clearly visible

Compatible Accessory



Power input (W)	800
Chuck type	SDS+
Joule	2.95
No load speed (rpm)	0-1,450
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	28
Weight (kg)	3.44
Supplied in	Kitbox
Article Number	5133002463
EAN Code	4892210136558

Standard equipment (RSDS800-K) 360° Auxiliary Handle, Depth Stop, x1 6mm SDS+ Drill bit







GRINDING

Angle Grinders 55 - 57



RAG600-115G

600W Corded Angle Grinder, 115mm disc

- 600W motor with a high torque gear box
 Class leading grinding speed of 13,000 RPM
 Spindle lock and adjustable 115mm guard for easy wheel and accessory changing
- Slim profile and 2 position handle ensures maximum versitility

 New switch electronics prevent accidental starting when plugged into power mains by defaulting to off position



Power input (W)	600
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	13,000
Weight (kg)	2.0
Supplied in	Gift box
Article Number	5133002487
EAN Code	4892210137104

Standard equipment (RAG600-115G) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

RAG750-115G

750W Corded Angle Grinder, 115mm Disc

- Powerful 750W motor with a high torque gear box
 Class leading grinding speed of 12,000 RPM
 Spindle lock for easy wheel and accessory changing
 Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versitility
- New switch electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	750
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Supplied in	Gift box
Article Number	5133002489
EAN Code	4892210137128

Standard equipment (RAG750-115G) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

RAG800-115G

800W Corded Angle Grinder, 115mm Disc

- Powerful 800W motor with a high torque gear box Class leading grinding speed of 12,000 RPM Spindle lock for easy wheel and accessory changing Tool-less 115mm wheel guard for quick and easy adjustment Slim profile and 2 position handle ensures maximum versitility
- New Switch Electronic prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	80
Disc diameter (mm)	11
Bore size (mm)	2
Spindle size	M1
No load speed (rpm)	12,00
Weight (kg)	2.
Supplied in	Gift bo
Article Number	513300251
EAN Code	489221013881

Standard equipment (RAG800-115G) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxilliary Handle

RAG800-125G

800W Corded Angle Grinder, 125mm Disc

Powerful 800W motor with a high torque gear box

Grinding

- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versitility

New switch electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	80
Disc diameter (mm)	12
Bore size (mm)	2
Spindle size	M1
No load speed (rpm)	12,00
Supplied in	
Article Number	513300249
EAN Code	489221013714

Standard equipment (RAG800-125G) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

Also Available as

800W 125mm Angle Grinder RAG800-125S 5133002493





RAG950-125S

950W Corded Angle Grinder, 125mm Disc

- Powerful 950W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM Spindle lock for easy wheel and accessory changing

into power mains by defaulting to off position

- Tool-less 125mm wheel guard for quick and easy adjustment Slim profile and 2 position handle ensures maximum versitility
- New Switch Electronics prevents accidental starting when plugged



Power input (W)	950
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Article Number	5133002495
EAN Code	4892210137180

Standard equipment (RAG950-125S) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

RAG1010-125SF

1010W Corded Angle Grinder, 125mm Disc

- · Powerful 1010W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versitility New Switch Electronics prevents accidental starting when
- plugged into power mains by defaulting to off position
 - EASYFIX nut enables tool-less accessory change



Power input (W)	101
Disc diameter (mm)	12
Bore size (mm)	2
Spindle size	M1
No load speed (rpm)	12,00
Supplied in	Tool ba
Article Number	513300249
EAN Code	489221013720

Standard equipment (RAG1010-125SF) Grinding Wheel (x1), Wheel Guard, Auxiliary

Compatible Accessory





EAG2000RS

2000W Corded Angle Grinder, 230mm Disk

- Full length trigger switch with overmould
- 180° multi-directional rotating back handle for improved comfort and
- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing
- Livetool Indicator glows blue when plugged into the power supply



Power input (W)	2000
Disc diameter (mm)	230
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	6,000
Weight (kg)	6.0
Supplied in	Kitbox
Article Number	5133000550
EAN Code	4892210111807

Standard equipment (EAG2000RS) Wrench (x1), Wheel Guard (x1), Auxiliary Handle, Grinding Wheel (x1)

SAWING

Jigsaw	59
Reciprocating Saw	60
Circular Saws	60 _ 61



RJS750-G

500W Corded Jigsaw

- Most visible cut line delivered by slim profile and AIRFORWARDS to
- High accuracy achieved through PRO STROKE mechanisms and
- Quick lock one finger blade clamp allows user to change blade easily Most compact and comfortable jigsaw with ergonomic handle and
- detachable vacuum port



Power input (W)	500
Stroke length (mm)	19
No load speed (rpm)	0-3,000
Max. cutting capacity wood (mm)	7:
Max. cutting capacity steel (mm)	
Weight (kg)	1.8
Supplied in	Gift bo
Article Number	513300221
EAN Code	489221012831

Standard equipment (RJS750-G)

1 x Wood Blade, 1 x Hex Key, x 1 Dust Port

Compatible Accessories







RAK10JSBWM

RJS850-K

600W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly



ower input (W)	600
troke length (mm)	23
lo load speed (rpm)	500-3,100
fax. cutting capacity wood mm)	85
flax. cutting capacity steel mm)	9
Veight (kg)	2.0
upplied in	Kitbox
rticle Number	5133002217
AN Code	4892210128348

Standard equipment (RJS850-K) 1 x Wood Blade, 1 x Hex Key, 1 x Dust Port

Compatible Accessories



Name: RAK10JSBWM

RJS1050-K

680W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly
- FLUSHCUT blade allows user to cut up to the guard
- Retractable fin helps straight line accuracy



Power input (W)	680
Stroke length (mm)	23
No load speed (rpm)	500-3,100
Max. cutting capacity wood (mm)	105
Max. cutting capacity steel (mm)	12
Weight (kg)	2.2
Supplied in	Kitbo
Article Number	5133002219
EAN Code	4892210128379

Standard equipment (RJS1050-K) x1 Wood Blade, x1 Flush Cut Blade, x1 Dust

Compatible Accessories





RRS1200-K

1200W Corded Reciprocating Saw

Sawing



- Powerful 1200W motor produces market leading cutting performance of 0-3,000 RPM. Ideal for demolition jobs!
- 30mm stroke length utilises more of the teeth on the blade
- Tool-less blade clamp for quick and easy blade changes
- Adjustable shoe increases blade life
- Anti-vibration handle ensures the high power doesn't negatively impact on the users experience.
- Overmould cable clip prevents the cable getting in the way of the cutting blade

Power input (W)	1200
Stroke length (mm)	30
No load speed (rpm)	0-3000
Max. cutting capacity wood (mm)	200
Max. cutting capacity aluminium (mm)	20
Max. cutting capacity steel (mm)	20
Weight (kg)	5.25
Supplied in	Kitbo
Article Number	5133002472
EAN Code	4892210136954

Standard equipment (RRS1200-K) 1 x 6" Wood Blade, 1 x 6" Saw Blade, 1 x Carbide Steel Cutting Aluminium, 1 x Hex Key

Compatible Accessory



THE PARTY OF THE P	
RYORI	

NEW RCS1400-G 1400W Corded Circular Saw

- Premium 190mm blade with 20 carbide tipped teeth provides suberb performance and cut quality
- Powerful 1400W motor delivers 5000rpm to easily cut most timber and sheet materials
- Impressive cut capacities of 66mm at 90°, 55mm at 45°
- Up to 30% more compact and 20% lighter design for comfortable and repetitive cutting



Power input (W)	1400
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Bevel capacity (°)	45
No load speed (rpm)	5,000
Supplied in	Gift box
Weight (kg)	3.3
Article Number	5133002778
EAN Code	4892210145741

Standard equipment (RCS1400-G) 1 x 20-tooth TCT blade, parellel fence, wrench

Compatible Accessory



NEW

RCS1600-K

1600W Corded Circular Saw

- Premium 190mm blade with 24 carbide tipped teeth provides suberb performance and cut quality
- Powerful 1600W motor delivers 5000rpm to easily cut most timber and sheet materials
- Impressive cut capacities of 66mm at 90°, 55mm at 45°
- Up to 30% more compact and 20% lighter design for comfortable and repetitive cutting
- Integrated laser beam for improved accuracy



Power input (W)	1600
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Bevel capacity (°)	45
No load speed (rpm)	5,000
Supplied in	Kitbo
Weight (kg)	3.7
Article Number	5133002779
EAN Code	4892210145758

Standard equipment (RCS1600-K) 1 x 24-tooth TCT blade, parallel fence, wrench

Compatible Accessory



EWS1150RS

1150W Corded Circular Saw, 55mm Blade

- Adjustable base allows cutting for 0° to 45° bevel settings
- Spindle lock for easy blade change
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator[™] glows blue when plugged into power supply



Power input (W)	1150
Blade diameter (mm)	170
Bore size (mm)	20
Max. cutting depth 90° (mm)	55
Max. cutting depth 45° (mm)	38
Bevel capacity (°)	45°
No load speed (rpm)	5,600
Weight (kg)	4.7
Supplied in	Gift box
Article Number	5133000552
EAN Code	4892210111487

Standard equipment (EWS1150RS) 12-tooth TCT blade, parallel fence

WOODWORKING

Sanders	63-64
Planer	65
Multi Tool	65
Router/Rotary Tool	66-67



EPS80RS

80W Corded Palm Sander

- · Ideal for light weight applications such as fine finshing and paint
- Compact 80W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection
- Livetool Indicator Glows blue when plugged into the power supply



Power input (W)	80
Oscillation rate (opm)	12,000
Oscillation diameter (mm)	1.6
Sanding pad size (mm)	99 x 149
Weight (kg)	0.9
Supplied in	Gift box
Article Number	5133000528
EAN Code	4892210111661

Standard equipment (EPS80RS) 5 x corner pads, 5 x finger pads

EMS180RV

180W Corded Multi-Pad Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
- Quick fit hook and loop sanding sheet attachment
 Livetool Indicator Glows blue when plugged into the power supply



Power input (W)	180
Oscillation rate (opm)	6,000–12,000
Oscillation diameter (mm)	2
Sanding pad size (mm)	
Weight (kg)	1.4
Supplied in	Tool bag
Article Number	513300053
EAN Code	4892210111692

5 x corner pads, 5 x third-sheet pads, 5 x

ESS200RS

200W Corded 1/3 Sheet Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- Powerful 200W motor for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook and loop system or manual clamps for added versatility
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator[™] glows blue when plugged into the power supply





Standard equipment (ESS200RS) 2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

Compatible Accessory





ESS280RV

280W Corded 1/3 Sheet Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Powerful 280W motor for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook and loop system or manual clamps for added versatility
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	280
Oscillation rate (opm)	7,000-12,000
Diameter of orbit (mm)	2
Sanding pad size (mm)	93×185
Weight (kg)	1.7
Supplied in	Tool bag
Article Number	5133000534
EAN Code	4892210111722

Standard equipment (ESS280RV) 2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

Compatible Accessory



ROS300A

300W Corded Random Orbit Sander with 20 Sanding Sheets

- Random orbital sander delivers the perfect combination of guick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finshing and paint removal
- Powerful 300W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator[™] glows blue when plugged into the power supply



Power input (W)	300
Oscillation rate (opm)	14,000-24,000
Oscillation diameter (mm)	2.4
Sanding pad size (mm)	125
Weight (kg)	1.7
Supplied in	Tool bag
Article Number	5133001142
EAN Code	4892210118325

Standard equipment (ROS300A) 20 x quick fix sanding sheets

EBS800V

800W Corded Belt Sander

- Ideal for heavy duty applications over large areas such as flooring or substantial stock removal
- 76mm (3") belt with a powerful 800W motor for rapid stock removal
- Variable speed (150-320 m/min) for total control during all sanding applications
- Tool free sanding belt change system for ease of use
- Cyclonic action dust box for efficient dust collection
- 4 position adjustable handle for comfort and control
- Automatic tracking to keep the sanding belt centralised, saving time and ensuring a better finish
- Gripzone+[™] overmold for added comfort and control
- Livetool Indicator[™] glows blue when plugged into power supply



Power input (W)	800
Belt speed (rpm)	150-320
Belt width (mm)	76
Sanding pad size (mm)	76 x 150
Veight (kg)	3.3
Supplied in	Gift box
Article Number	5133001146
AN Code	4892210118301

Standard equipment (EBS800V) 1 x 60 grit sanding sheet, 1 x 100 grit sanding sheet, 1 x 120 grit sanding sheet, 2 x G-clamps, sanding frame

800W Corded	Belt Sander 76mm
Name: EBS800	Product Code: 5133001148

Also Available as

RMT200-S 200W Corded Multi Tool

II RYOBI III.	
8,00	

- A versatile multi purpose tool with both sanding and cutting heads
- · Quick change attachments for hassle free transition between sanding and sawing
- Variable speed for ultimate control across a range of applications
- GripZone[™] overmould for a positive grip and improved comfort

Compatible Accessories







200
10,000-20,000
3°
1.6
Tool bag
5133001818
4892210122629

Standard equipment (RMT200-S)

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key,







EHT150V

150W Corded Rotary Tool with 115 Accessories

- Powerful 150W motor
- Variable speed to maximise control for the widest number of applications
- Spindle lock for fast and easy accessory change
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	150
No load speed (rpm)	10,000-35,000
Collet capacity (mm)	3.2 mm and 1.6 mm
Weight (kg)	0.58
Supplied in	Kitbox
Article Number	5133000754
EAN Code	4892210114723

Standard equipment (EHT150V) 115 accessories including a flex shaft and bench clamp

EPN6082CHG

600W Corded Planer

- 0.5mm chamfering groove in diecast front shoe for added precision
- Dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Kick stand to prevent damage to the work piece when tool is not in use
- DustTech[™] Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator[™] glows blue when plugged into power supply



Power input (W)	600
Planing depth (mm)	1.5
Planing width (mm)	82
Rebate depth (mm)	0-8
No load speed (rpm)	16,000
Weight (kg)	3.1
Supplied in	_
Article Number	5133000350
EAN Code	4892210111098

Standard equipment (EPN6082CHG) 2 x TCT blades, dust bag, side fence, wrench

EPN7582NHG

750W Corded Planer

- Ideal for flattening and smooth rough wood surfaces
- 3 chamfering grooves (0.5,1,1.5mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator[™] glows blue when plugged into power supply



Power input (W)	750
Planing depth (mm)	2
Planing width (mm)	82
Rebate depth (mm)	0-12
No load speed (rpm)	16,000
Weight (kg)	3.2
Supplied in	Kitbox
Article Number	5133000352
EAN Code	4892210111111

Standard equipment (EPN7582NHG) 2 x TCT blades, dust bag, side fence, wrench

RRT1600-K

1600W Corded Router



- Powerful 1600 Watt router makes light work of your woodworking jobs and is ideal for building cabinets
- 0-55mm plunge depth with fine height adjustment for precision control and repeatable cutting with the same settings.
- SOFTSTART and in-use SPEEDCONTROL gives the user maximum control when using the tool
- Transparent chip deflector clears away chips so you can always see your line of cut
- x5 most common cutters included to give you a comprehensive start in routing

1600
10,000 - 26,000
6,8
0-55
7.6
5133002421
4892210133632

Standard equipment (RRT1600-K)
1 x 6mm Straight Cutter, 1 x 6mm V-Groove
Cutter, 1 x Dovetail Cutter, 1 x Round Over
Cutter, 1 x Chamfer Cutter, 1 x Parallel Guide,
Template Guide, Dust Port, 1 x 6mm Collet, 1 x
8mm Collet, 1 x Wrench.







DECORATING

Heat Guns 69



EHG2000

2000W Corded Heat Gun

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnises or dries wet paint
- Removable front heat shield allows easy changes between

- Two air flow settings
 Two heat settings 60°C / 600°C
 Overheat protection sensor
 Convenient hanging hook



Power input (W)	2000
Air flow (I/min)	250/500
Weight (kg)	0.7
Supplied in	Gift box
Article Number	5133001137
EAN Code	4892210118165

Standard equipment (EHG2000)

EHG2000LCD

2000W Corded Heat Gun with LCD Display

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnises or dries wet paint

- Choose your temperature based on your application
 Includes LCD temperature indicator
 Removable front heat shield allows easy changes between accessories
- Two airflow settingsOverheat protection sensorConvenient hanging hook



Power input (W)	200
Air flow (I/min)	250/50
Weight (kg)	0
Supplied in	Kitb
Article Number	513300114
EAN Code	489221011818

Standard equipment (EHG2000LCD) 4 x nozzles, 1 x scraper




BENCHTOP

Mitre Saws	71
Table Saws	72
Wet Tile Saw	73
Leg Stands	73



EMS216L

1500W Corded Mitre Saw, 216m Blade



- 2 LED's for maximum visibility of cut line
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
 An upgraded 1500W motor for more powerful performances
- Extra wide side extensions to support large timber
- Ergonomic GripZone for comfortable and fast cuts





Power input (W)	1500
Blade diameter (mm)	216
Blade type	48-tooth TCT
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Bevel capacity left (°)	47
Bevel capacity right (°)	2
Weight (kg)	13
Supplied in	Recyclable
	Carton
Article Number	5133001197
EAN Code	4892210119384

Standard equipment (EMS216L) 48-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench

Also Available as

1500W Corded Compound Slide Name: Product Code: 5133002365



EMS254L

2000W Corded Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for cutting accuracy
- 2 LED's for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 2000 Watt motor, producing 4.500rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity





LASER

Standard equipment (EMS254L) 24-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench

Compatible Accessory



RTMS1800-G

1800W Corded Table Mitre Saw

- 1800W motor and a 48TCT blade for powerful performances
- Cast aluminum table that provides a perfectly flat cutting surface and a laser that offers guidance
- Light and compact for easy storage and transportation.
- Ergonomic handle that promises comfortable repeat cuts
- Ssoft start feature that delivers extra protection
- Overload protection for longer product life expectancy



1,800
4,800
254
48-tooth TCT
30
60
26.8
_
5133002152
4892210128225

Standard equipment (RTMS1800-G) 48-tooth TCT blade

Compatible Accessory



RTS1800-G

1800W Corded Table Saw

- Powerful 1800W motor for easy cutting
- Aluminium table top and front & rear locking sides for accurate cuttina
- Dual purpose handle for quick and easy height and/ or bevel
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angles to be cut between +60° and -60°



Power input (W)	1,800
No load speed (rpm)	4,500
Blade width (mm)	254
Blade type	48-tooth TC1
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 590
Weight (kg)	17.8
Supplied in	Recyclable Cartor
Article Number	5133002021
EAN Code	4892210126276

Standard equipment (RTS1800-G) 48-tooth TCT blade

Compatible Accessory



RTS1800ES-G

1800W Corded Table Saw with Stand

- Powerful 1800W motor for easy cutting
- · Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support of up to
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and / or bevel
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Removable and collapsible stand for easy storage



Power input (W)	1,800
No load speed (rpm)	4,800
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with	560 x 870
extensions (mm)	
Weight (kg)	24.3
Supplied in	Recyclable
	Carton
Article Number	5133002023
EAN Code	4892210126023

Standard equipment (RTS1800ES-G) 48-tooth TCT blade, Collapsible stand

RTS1800EF-G

Compatible Accessory R254T48A1

1800W Corded Table Saw with Wheeled Stand

- Poweful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Soft start ensures the product is easy to use and protects long term
- Mitre gauge allows precise angle to be cut quickly and easily between $+60^{\circ}$ and -60°
- Built in tool box for additional accessory storage
- Deluxe collapsible stand with wheels for easy storage and transportation



Power input (W)	1800
No load speed (rpm)	4,500
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	26.8
Supplied in	Recyclable Carton
Article Number	5133002025
EAN Code	4892210125996

48-tooth TCT blade, Deluxe collapsible stand

WS721S

500W Corded Wet Tile Saw, 178mm Blade

- Stainless steel cutting table for increased durability Ideal for cutting a variety of material including canvas, sheet metal, packaging (PVC), chicken wire, cardboard, lino flooring, carpet, denim and leather
- Mitre guide for making mitre cuts from 0 to 45 degrees
- The rip guide locks along the front and rear of the table for added
- Folding leg stand provides secure platform with convenient portability
- 17.8cm (17?) continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Integrated water tray for dust free cutting
- Circuit Breaker Plug for additional safety when wet cutting
- Integrated water tray for dust free cutting



Power input (W)	500
No load speed (rpm)	2,900
Blade width (mm)	178
Bore size (mm)	25.4
Max. cutting depth (mm)	32
Bevel capacity (°)	45
Weight (kg)	15.7
Supplied in	Recyclable Carton
Article Number	5133000285
EAN Code	4892210112040

Standard equipment (WS721S) Diamond blade, stand, mitre fence and rip

RLS01

Compatible Accessory

- Suitable for use with mitre saws
- · Heavy-duty deluxe metal stand

Adjustable Leg Stand 294cm

- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1380 to 290
Loading capacity	181k
Weight (kg)	21.
Supplied in	Recyclable Carto
Article Number	513300120
EAN Code	489221011836

Standard equipment (RLS01) 2 x saw mount bracket, 2 x work support,

RLS02

Adjustable Leg Stand 216cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1008 to 2160
Loading capacity	181kg
Weight (kg)	15.9
Supplied in	Recyclable Carton
Article Number	5133001817
FAN Code	4892210122582

Standard equipment (RLS02) 2 x saw mount bracket, 2 x work support,

Compatible Accessory

	Name: SB254T48A1
	Product Code: 5132002622



RAK6JSBW

6 piece jigsaw blade set

- Sharp and widely spaced teeth for aggressive fast cuts in wood
- Vented technology removes debris easier and offers a 20% faster cut in wood





3 Piece Recip Saw Blade Set for Wood and Metal

- Optimised tooth design provides 20% faster cut
- 1.2mm thin kerf for faster and more flexible cuts



10 Piece Jigsaw Blades for Wood, Metal & Pipes

- Optimised tooth design for aggressive fast cuts
- Vented technology removes debris easier and



18mm Speed Auger Wood Drill Bit

- Speed Auger delivers clean round holes in wood
- Self drilling tip for precise & effortless drilling
- 4 Flute design offers x3 faster drilling & 30%



Also available in:

- RAKSA10: 10mm
- RAKSA12: 12mm
- RAKSA14: 14mm

RAKSA20: 20mm RAKSA22: 22mm

10 piece jigsaw blade set

- Optimised tooth design for aggressive fast cuts
- Vented technology removes debris easier and



10 Piece Torque+ Mixed Screwdriver Box

- Made up of 10 most common impact bits used
- Torque+ impact bits are specially hardened to



31 Piece Torque+ Mixed Screwdriver Set

- Made up of 30 most common impact bits used for a variety of different tasks
- Torque+ impact bits are specially hardened to withstand high torque output







Ryobi Technologies (UK) Limited

1st Floor Unit 3 Globeside Business Park Fieldhouse Lane, Marlow, Bucks SL71HZ

Tel: +44(0) 1628 894 400 Fax: +44(0) 1628 894 401 Email: Sales@tti-uk.com Web: www.ryobitools.eu

Technical helpline: +44(0) 800 389 0305 For your nearest local service centre please contact customer services on: +44(0) 1628 894 400



Dealer stamp:



Content of the catalogue is correct at time of going to print. Ryobi® reserve the right to change images and prices without prior notice. The use of the trademark RYOBI® is pursuant to a license granted by Ryobi® Limited.