See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/370091258

Mollusks from Arctic Region at the National Museum of Natural Sciences Collections (MNCN-CSIC, Madrid, Spain)

	in Collections A J 7/15501906231167578	lournal for Museum and Archives	s Protessionals · April 2023	
CITATIONS	s		READS	
0			121	
2 author	rs, including:			
· ·	Lola Bragado Á The National M	lvarez useum of Natural Sciences		
	24 PUBLICATIONS	89 CITATIONS		
	SEE PROFILE			

Mollusks from Arctic Region at the National Museum of Natural Sciences Collections (MNCN-CSIC, Madrid, Spain)

Collections: A Journal for Museum and Archives Professionals I–I4

© The Author(s) 2023
Article reuse guidelines: sagepub.com/journals-permissions
DOI: 10.1177/15501906231167578
journals.sagepub.com/home/cjx



M^a Dolores Bragado Álvarez Dolores Bragado Álvarez Dolores Cobeta Francisco Javier Dolores Cobeta Francisco Javier Dolores Dolores Bragado Álvarez Dolores Bragado Alvarez Dolores Bragado B

Abstract

The Mollusca Collection of the National Museum of Natural Sciences (MNCN, CSIC, Madrid) contains some specimens from the Arctic Circle, exactly thirty-eight lots including historical collections, which may provide insights to climate change research. Some of these collections refer to those of the Head of the Scientific Commission of the Pacific, the mariner and naturalist Patricio Paz y Membiela (accessioned in 1873), and the malacologists Joaquín González Hidalgo and Florentino Azpeitia (accessioned in 1913 and 1934 respectively). Recently there has been a donation from the collector and diplomat Javier Conde de Saro which was accessioned in the MNCN in 2011 and a collection of the curator of the Mollusca Collection, Rafael Araujo, of 2010. These specimens belong to twenty-six species (fifteen marine and three freshwater gastropods; six marine and one freshwater bivalves; and one polyplacophoran) from places such as Kola Peninsula, Greenland, and Novaya Zembla; and Russian Arctic waters. All of these specimens have been databased and are an important contribution to global research as mollusk are heavily affected by temperature changes and ocean acidification.

Keywords

Extant Mollusca, Arctic, National Museum of Natural Sciences (CSIC, Madrid), marine, freshwater, climate change

Corresponding Authors:

Javier de Andrés Cobeta, Museo Nacional de Ciencias Naturales, CSIC José Gutiérrez Abascal, 2, Madrid 28006, Spain.

Email: javiermol@mncn.csic.es

Mª Dolores Bragado Álvarez, Museo Nacional de Ciencias Naturales, CSIC José Gutiérrez Abascal, 2, Madrid 28006, Spain.

Email: lolab@mncn.csic.es

¹Museo Nacional de Ciencias Naturales, Madrid, Spain

Introduction

Mollusca is one of the most diverse groups of animals and the second largest animal phylum after the Arthropoda. Estimates of all living mollusks range from near 50,000 to 200,000 species (Chapman 2009; Groombridge and Jenkins 2002; Matoo and Neiman 2021; Rosenberg 2014). Besides their diversity in body form, mollusks also exhibit a wide range of physiological, behavioral, and ecological adaptations, and they have evolved very diverse lifestyles enabling them to live in almost every habitat (marine, terrestrial, and freshwater) except free flying in the atmosphere. They are often one of the more conspicuous groups, sometimes predominant in some biological assemblages, and display an extremely diverse feeding habits (Ponder, Lindberg, and Ponder 2020). Therefore, they play an important role in all levels of the food webs, being ecologically important, providing essential ecosystem services such as habitat structure for benthic species, water purification and a food source for other organisms (Gazeau et al. 2013). Because their shells preserve well, shell-bearing mollusks have an extensive fossil record and some putative mollusks first appeared in the fossil record of the early Cambrian (about 520 million years ago). Besides their economic importance (as a source of food and other human resources), mollusks have provided valuable scientific insights into very biological disciplines, including climate change research. Global climate change is progressing at an unprecedented rate, with important consequences for all ecosystems.

A critical question in this scenario is whether and how natural populations will respond to global climate change, and whether these responses will be fast enough and adequate for species persistence (Waldvogel et al. 2020). Natural history collections, present in worldwide museums and research institutions, provide a valuable resource for climate change research (Pyke and Ehrlich 2010). They can provide information such as the extinction rates of different species and shifts in their geographical distribution in response to climate change. These collections contain billions of specimens collected over the last two centuries, each of which bears potential witness to past ecological conditions and irrefutable evidence of historical biogeographical distributions (Krishtalka and Humphrey 2000). In cases of endangered fauna, the role of natural history collections is essential, being the last repositories where scientists can study extinct or endangered species (Shaffer, Fisher, and Davidson 1998). A specimen belonging to a natural history collection with associated data (locality, collection date, context, etc.) is an unequivocal record of the presence of a taxon in a specific place at a specific time. The fact that the Arctic Circle is beginning to thaw will make it navigable, which will speed up the thaw and the loss of diversity with even more migrations of Pacific and Atlantic species into the Polar Circle than the current already present there. It is therefore essential to study its Arctic fauna and climatic conditions to help to foresee possible consequences and try to mitigate them. As mollusks form one of the most abundant and diverse group of organisms and their major component

of the shell composition is calcium carbonate, the ocean acidification, which depends on CO_2 capture from the atmosphere, may impact in ocean chemistry and on the shell production of marine shelled mollusks (Parker et al. 2013).

The MNCN has Arctic specimens (Figure 1) of at least twenty-six species including the classes Bivalvia, Gastropoda, and Polyplacophora from marine and freshwater environments never published previously. The first specimens collected date from the end of the nineteenth century, making them valuable for climate change studies. Most of the latest specimens collected in the last twenty years have been preserved in ethanol and some frozen for DNA studies. Their data are on GBIF with all MNCN Mollusca data and also easily discovered on Zenodo (DOI: 10.5281/zenodo.7570253) as Arctic specimens housed at the MNCN-Madrid.

Only two species of those present in the MNCN collections have a restricted polar distribution and the rest have a worldwide distribution in temperate coasts. The polar subspecies *Ladislavella catascopium vahlii* is endemic of west Greenland (Vinarski et al. 2017). The specimens in the MNCN belong to the historical collections, collected before 1873. The boreal Arctic species *Neptunea communis* is typical from Chukchi Peninsula (Herman 1989), also found in west Novaya Zembla as the MNCN specimen.

Finally, the other species present in this Collection are of temperate climate and one of them, assuming the identification of the specimen is correct, the hydrobiid *Peringia ulvae*, can be also found in tropical areas such as Senegal, and it is considered an invasive species in northern waters, and it is tolerant high salinity.

Collection History and Temporal Coverage

The first thirteen specimens from Arctic were accessioned in the MNCN in 1873, given by the Head of the Pacific Scientific Commission (the latest large Spanish scientific expedition, 1862–1865, during the reign of Isabel II Queen of Spain), the mariner and zoologist Patricio Paz y Membiela (1808–1874). His comprehensive collection was bequeathed to the MNCN (Figure 1A–E with some specimens and original label) for a symbolical fee. Paz y Membiela was awarded the Grand Cross of Elizabeth the Catholic in 1867, in recognition of his work in the Navy and the Pacific Scientific Commission. From that date he devoted to the study of mollusks and to increase his collection, many times by exchange with other naturalists. In 1871 he was a founding member of the Spanish Society of Natural History. His Arctic specimens (almost 13 percent of the Arctic MNCN mollusks, Figure 2) are mainly marine and freshwater gastropods, which were probably exchanged with other naturalists as it is not recorded he traveled to the Arctic.

In 1913, a few Arctic marine and freshwater gastropods of the collection of the MNCN curator Joaquín González Hidalgo (1839–1923) were accessioned in the MNCN (almost 7 percent of the Arctic mollusks). González Hidalgo was Director of MNCN between 1900 and 1901 and a Member of the Royal Academy of Exact, Physical and Natural Sciences.




Figure 1. (A–D) Different views of *Boreotrophon clathratus* (Linnaeus, 1767), MNCN 15.05/93882, from Tromsø, Norway. (E) Original label of 1913 with previous identification of A–D. (F–H) Different views of *Buccinum ciliatum* (Fabricius, 1780), MNCN 15.05/33692, from Greenland, Denmark. (I and J) Internal and external views of left and right valves of *Margaritifera margaritifera* (Linnaeus, 1758), MNCN 15.07/7108, from Thurma River, Umba, Kola Peninsula, Russia. CC BY-NC 2.0.




Figure 2. Distribution of the different Arctic mollusk collections by collector and year of collection.

In 1931 and 1934, a few more marine gastropods (3 percent) of the Francisco Prieto Caules (1841–1889) and Florentino Azpeitia (1859–1934) collections were donated to the MNCN. The specimen given by the Civil engineer Francisco Prieto Caules in the nineteenth century (donated in the twentieth century) is the muricid *Nucella lamellose*, typical of northeastern Pacific and Arctic. The specimens donated by Azpeitia are not identified.

The rest of the collection (>77 percent) has been recently collected in the last quarter of the twentieth century and incorporated into the Mollusca Collection in the last thirteen years (Figure 2). Collectors of these recent acquisitions have been the MNCN mollusk curator Rafael Araujo (1960–2021), the diplomat and naturalist Javier Conde de Saro and Rafael Muñiz Solís. Conde se Saro collected and bought mollusks from 1970s to 2000s. He lived in the north of Africa, and South America where he sampled mollusks. In the case of Muñiz Solís, his collection was made in the south of the Iberian Peninsula and north of Africa between 1950s and 1970s. Therefore, their Arctic specimens were bought or received in exchange.

Taxonomic Coverage

A total of 102 specimens, of thirty-eight lots, represents nineteen families (Figure 3) of gastropods, bivalves, and polyplacophorans from freshwater and marine environments.




Figure 3. Distributions of the MNCN mollusks by families and group and habitat. Freshwater mussels margaritiferids are the most common, followed by marine gastropods belonging to the families Mangeliidae, Muricidae, and Buccinidae as the most abundant. Legend of each family on the column graph where there is representation. CC BY-NC 2.0.

Most of them, 94 percent, are identified to species level with updated taxonomic identifications following WoRMS (World Register of Marine Species) and MolluscaBase classification and taxonomy and some specific publications.

Almost half of the MNCN Arctic specimens (49 percent) are freshwater mussels, which were collected by Araujo (Figure 4) in 1998 during a European sampling campaign led by the Russian zoologist Valerij Zyuganov (Araujo 2000). Some of them were preserved in ethanol and others frozen in order to study their DNA.

Collection Preservation

There are forty-nine specimens which their soft parts are preserved in ethanol (mostly 70 percent ethanol, 30 percent water or with absolute ethanol) and the rest (fifty-three) are dry specimens. Some buccinids are accompanied by their corresponding opercula. One fifth of these specimens are preserved frozen.

Geographic Coverage

Regarding the geographical information (Figures 5 and 6), half of them come from Kola Peninsula, Russia. They are margaritiferids collected by Araujo in 1998, containing samples with DNA. The following site with more specimens is Tromsø,



Figure 4. Rafael Araujo during the zoological sampling campaign of 1998 collecting in Kola Peninsula. CC BY-NC 2.0.

Norway, with 17 percent of the specimens between marine bivalves (Cardiidae [22.2 percent]) and marine gastropods (Mangeliidae [50 percent], Muricidae [16.6 percent], Pyramidellidae [11.1 percent]) from the Conde de Saro Collection is their majority. In the case of Greenland (over 14 percent of the Arctic mollusks) are gastropods (freshwater 60 percent, marine 40 percent) from historical collection, mainly from the nineteenth century.

The rest of the localities are represented in less proportion. Lofoten archipielago, Norway, with almost 7 percent of the specimens are distributed between marine bivalves (eight specimens) and a polyplacophoran, mainly of the Conde de Saro Collection. There are three marine gastropods (almost 3 percent of the collection) from Barents Sea of the Conde de Saro Collection. Two marine gastropods have been collected from White Sea, Russia, another two from Davis Strait (between Greenland and Baffin Island, Canada); and two marine bivalves from Svalbard, Norway.

Individual specimens are those from Lodingen, Norway (freshwater gastropod); Novaya Zembla, Russia (marine gastropod); Bering Sea (Buccinidae); and from an unknown Arctic locality from the Prieto Caules historical collection (Muricidae) (Table 1).

None of the Arctic specimens have geographic coordinates recorded. Although the exact place where the specimens have been collected is not known, the MNCN digitization team will geo-reference all the MNCN specimens automatically, in the next




Figure 5. Bubble map with sampling localities and mollusk abundance.

Museum digitization step, allowing it to acquire point and extent data from Google Maps.

Discussion

The fact this Collection keeps historical specimens, which are only from the Arctic Circle, make it useful for comparison of the Arctic present-day representatives to the historical ones of the same species, in order to study their shell chemical composition, morphology, and DNA. Differences between both representatives, historical and present-day ones, may help with understanding how their habitat has changed. It is possible that these species have adapted to their environment over time. Then their shells will display differences and their DNA will be also affected.

The rest of the specimens are representatives of species that are also present elsewhere. In the case of some historical specimens this may mean that some specimens




Figure 6. Bar chart showing abundance by localities and habitat of each class.

were already adapted to live in colder climates than the ones they used to live or they could be native to the Arctic as well. They could have migrated with marine currents or more rarely through the anthropocenic action. One of these species is the freshwater pearl mussel *Margaritifera margaritifera*, which is very sensitive to pollution, habitat modification or disturbance, and considered an environmental indicator (Santos et al. 2015). This was probably the most abundant bivalve in ancient rivers all around the world. It was already present at the middle of the nineteenth century in Kola Peninsula. This species exclusively inhabits cold running waters with low mineralization (Bolotov et al. 2018). Nowadays, it is threatened and recorded in the IUCN Red List of Threatened Species. As the MNCN Collection keeps the soft body of some *M. margaritifera* specimens frozen, which were collected more than two decades ago, makes them a good resource for DNA research. On the other hand, their shells make another important resource as their morphology convexity has changed over time.

Conclusions

The MNCN Arctic Mollusca Collection contains more than one hundred specimens belonging to at least twenty-six species. Only two species of those present in the MNCN collections have polar distribution and the rest have a worldwide distribution mainly in temperate areas. One of these species, *Peringia ulvae*, is also found in tropical climate, which may reflects the warming of northern waters already in 1975. There are also forty-nine specimens of the *Margaritifera margaritifera*, an environmental

Table 1. Lots of molluscs from the Arctic Region, present in the malacology collection of the National Museum of Natural Sciences.

Registration number	specimens	specimens identification identification	identification	Geographic origin	Collector	Finding date	date	collection	identification by	data	Environment	Class	Environment + Class
15.07/7107	4	Margaritifera margaritifera (Linnaeus, 1758)	Margaritifera margaritifera (Linnaeus, 1758)	Europe, Russia, Pana River, Kola Peninsula	Rafael Araujo and Valerij Ziuganov	28/AGO/1998	28/AGO/1998 01/MAR/2010 Rafael Araujo Collection	Rafael Araujo Collection	Rafael Araujo	8661	Freshwater	Bivalvia	Freshwater bivalves
15.07/7074	7	Margaritifera margaritifera (Linnaeus,	Margaritifera margaritifera (Linnaeus,	Europe, Russia, Confluence of the Pana-Indel rivers, Kola Peninsula	Rafael Araujo and Valerij Ziuganov	26/AGO/1998	26/AGO/1998 01/MAR/2010 Rafael Araujo Collection	Rafael Araujo Collection	Rafael Araujo	8661	Freshwater	Bivalvia	Freshwater bivalves
15.07/7106	<u>4</u>	Margaritifera margaritifera (Linnaeus,	Margaritifera margaritifera (Linnaeus, 1758)	Europe, Russia, Varzuga River, Kola Peninsula	Rafael Araujo and Valerij Ziuganov	02/SEP/1998	02/SEP/1998 01/MAR/2010 Rafael Araujo Collection	Rafael Araujo Collection	Rafael Araujo	8661	Freshwater	Bivalvia	Freshwater bivalves
15.07/7108	4	Margaritifera margaritifera (Linmaeus, 1758)	Margaritifera margaritifera (Linnaeus, 1758)	Europe, Russia, Thurma River, Umba, Kola Peninsula	Rafael Araujo and Valerij Ziuganov	23/AGO/1998	23/AGO/1998 01/MAR/2010 Rafael Araujo Collection	Rafael Araujo Collection	Rafael Araujo	8661	Freshwater	Bivalvia	Freshwater bivalves
15.05/82197	-	Peringia ulvae (Pennant, 1777)	Hydrobia species	Europe, Norway, Lodingen	Unknown	1975	14/MAR/2011 Javier Conde Collection	Javier Conde Collection	Beatriz Arconada	2018	Freshwater	Gastropoda	Freshwater gastropods
15.05/7992	7	Ladislavella catascopium vahlii (Møller, 1842)	Limnaea vahlii Beck.	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Beatriz Arconada	2018	Freshwater	Gastropoda	Freshwater gastropods
15.05/8000	-	Ladislavella catascopium vahlii (Møller, 1842)	Lymnaea vahlii	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1913	Joaquín Hidalgo Collection	Beatriz Arconada	2018	Freshwater	Gastropoda	Freshwater gastropods
15.05/7912	_	Ladislavella B. Dybowski, 1913	Limnaea pingelii Bech	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Beatriz Arconada	2018	Freshwater	Gastropoda	Freshwater gastropods
15.05/10611	7	Gyraulus parvus (Say, 1817)	Planorbis arcticus Beck	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1913	Joaquín Hidalgo Collection	Beatriz Arconada	2019	Freshwater	Gastropoda	Freshwater gastropods
15.07/13498	_	Astarte borealis (Schumacher, 1817)	Astarte borealis (Schumacher, 1817)	Europe, Arctic Ocean, Norway, Lofoten archipelago	Agustín Barrajón	26/AGO/1989	26/AGO/1989 28/NOV/2016 Rafael Muñiz Collection	Rafael Muñiz Collection	Javier de Andrés Cobeta	2017	Marine	Bivalvia	Marine bivalves
15.07/10896	7	Goethemia elegantula (Møller, 1842)	Goethemia elegantula (Beck in Möller, 1842)	Europe, Arctic Ocean, Norway, Tromsø	Unknown	0661	14/MAR/2011 Javier Conde Collection	Javier Conde Collection	Silvia Fernández	2011	Marine	Bivalvia	Marine bivalves
15.07/8621	2	Parvicardium pinnulatum (Conrad, 1831)	Parvicardium ovale Sowerby, 1840	Europe, Arctic Ocean, Norway, Tromsø	Unknown	Unrecorded	Unrecorded 14MAR/2011 Javier Conde Collection	Javier Conde Collection	Silvia Fernández	2011	Marine	Bivalvia	Marine bivalves
15.07/10445	м	Chlamys islandica (O. F. Müller, 1776)	Chlamys islandica (O. F. Müller, 1776)	Europe, Arctic Ocean, Unknown Norway, Svolvær, Lofoten Lofoten	Unknown	6861	14/MAR/2011 Javier Conde Collection		Silvia Fernández	2011	Marine	Bivalvia	Marine bivalves

Registration number	Number of specimens	Number of Updated taxonomic Original taxonomic specimens identification identification	: Original taxonomic identification	Geographic origin	Collector	Finding date	MNCN entry date	Original	Last identification by	Identification data	Environment	Class	Environment + Class
15.07/10508	7	Chlamys islandica (O. F. Müller, 1776)	Chlamys islandica (O. F. Müller, 1776)	Europe, Arctic Ocean, Norway, Svolvær, Lofoten archipelago	Unknown	OCT/1989	14/MAR/2011	14/MAR/2011 Javier Conde Collection	Silvia Fernández	2011	Marine	Bivalvia	Marine bivalves
15.07/10104	-	Similipecten greenlandicus (G. B. Sowerby II, 1842)	Deletopecten groenlandicus	Europe, Arctic Ocean, Norway, Southeast of Spitzbergen Island and east of Hopen Island, Svalbard archipielago	Unknown	OCT/1992		14/MAR/2011 Javier Conde Collection	Silvia Fernández	2011	Marine	Bivalvia	Marine bivalves
15.07/8324	-	Liocyma fluctuosa (Gould, 1841)	Liocyma fluctuosa (Gould, 1841)	Europe, Arctic Ocean, Norway, Billefjorden, Svalbard archipielago	Javier Conde	Unrecorded	Unrecorded 14/MAR/2011 Javier Conde Collection	Javier Conde Collection	Silvia Fernández	2011	Marine	Bivalvia	Marine bivalves
15.05/33612	-	Arrhoges occidentalis (H. Beck, 1836)	Chenopus occidentalis Beck	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2011	Marine	Gastropoda	Marine gastropods
15.05/33692	-	Buccinum ciliatum (Fabricius, 1780)	Buccinum molleri Reeve	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2013	Marine	Gastropoda	Marine gastropods
15.05/33701	-	Buccinum cyaneum Buccinum Bruguière, 1792 tenebro Hancoc	Buccinum tenebrosum Hancock	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2013	Marine	Gastropoda	Marine gastropods
15.05/33683	-	Buccinum glaciale Linnaeus, 1761	Buccinum glaciale Linnaeus, 1761	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2013	Marine	Gastropoda	Marine gastropods
15.05/33682	7	Buccinum hydrophanum Hancock, 1846	Buccinum hydrophanum Hancock, 1846	Arctic Ocean, Davis Strait, between Greenland and Canada	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2013	Marine	Gastropoda	Marine gastropods
15.05/69034	-	Lussivolutopsius emphaticus (Dall, 1907)	Lussivolutopsius emphaticus (Dall, 1907)	Asia, Arctic Ocean, Bering Sea, Russia	unknown	1995	14/MAR/2011	14/MAR/2011 Javier Conde Collection	Javier de Andrés Cobeta	2014	Marine	Gastropoda	Marine gastropods
15.05/70102	-	Neptunea communis (Middendorff, 1849)	Neptunea communis (Middendorff, 1848)	Europe, Arctic Ocean, unknown Russia, West Novaya Zembla	unknown	AGO/1994	14/MAR/2011 Javier Conde Collection	Javier Conde Collection	Javier de Andrés Cobeta	2014	Marine	Gastropoda	Marine gastropods
15.05/68383	-	Neptunea despecta (Linnaeus, 1758)	Neptunea despecta (Linnaeus, 1758)	Europe, Arctic Ocean, Barents Sea, Russia	unknown	1661	14/MAR/2011	14/MAR/2011 Javier Conde Collection	Javier de Andrés Cobeta	2013	Marine	Gastropoda	Marine gastropods
15.05/86379	-	Boreoscala greenlandica (Perry, 1811)	Scalaria greenlandica Chemn.	America, Arctic Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2018	Marine	Gastropoda	Marine gastropods
15.05/61744	-	Lepeta caeca (O. F. Müller, 1776)	Lepeta caeca (O. F. Müller, 1776)	Lepeta caeca (O. F. Lepeta caeca (O. F. Europe, Arctic Ocean, Unknown Müller, 1776) Müller, 1776) White Sea [Beloye Morej, Russia	Unknown	9661	14/MAR/2011	14/MAR/2011 Javier Conde Collection	Javier de Andrés Cobeta	2012	Marine	Gastropoda	Marine gastropods

П

Table I. (continued)

Registration number	Number of specimens	Number of Updated taxonomic Original taxonomic specimens identification	c Original taxonomic identification	Geographic origin	Collector	Finding date	MNCN entry date	Original	Last I.	Identification data	Environment	Class	Environment + Class
15.05/61154	_	Curtitoma decussata (Couthouy, 1839)	Oenopota decussata conoidea (Sars)	Europe, Arctic Ocean, Unknown Norway, Tromsø	Unknown	12/JUL/1976	12JUL/1976 14/MAR/2011 Javier Conde Collection	Javier Conde Collection	Silvia Fernández	2012	Marine	Gastropoda	Marine gastropods
15.05/61158	9	Propebela turricula Oenopota (Montagu, turricula 1803)	Oenopota turricula	Europe, Arctic Ocean, Unknown Norway, Tromsø	Unknown	9761/JUĮ	14/MAR/2011 Javier Conde Collection		Silvia Fernández	2012	Marine	Gastropoda	Marine gastropods
15.05/61159	2	Propebela turricula Oenopota (Montagu, 1803) turricula	Oenopota turricula	Europe, Arctic Ocean, Norway, Tromsø	Unknown	12/JUL/1976	12/JUL/1976 14/MAR/2011 Javier Conde Collection		Silvia Fernández	2012	Marine	Gastropoda	Marine gastropods
15.05/93880	-	Boreotrophon clathratus (Linnaeus, 1767)	F	America, Arctic Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2021	Marine	Gastropoda	Marine gastropods
15.05/93881	7	Boreotrophon clathratus (Linnaeus,	Trophon clathratum Muller	America, Arctic Ocean, Denmark, Greenland	Unknown	Unrecorded	1873	Paz y Membiella Collection	Javier de Andrés Cobeta	2021	Marine	Gastropoda	Marine gastropods
15.05/93882	m	Boreotrophon clathratus (Linnaeus,	Trophon clathratus var gunneri	Europe, Arctic Ocean, Unknown Norway, Tromsø	Unknown	Unrecorded	1913	Joaquín Hidalgo Collection	Joaquín Hidalgo Javier de Andrés Collection Cobeta	2021	Marine	Gastropoda	Marine gastropods
15.05/93886	-	Boreotrophon truncatus (Strøm, 1768)	Trophon truncatus Strom	North America, Arctic Unknown Ocean, Denmark, Greenland	Unknown	Unrecorded	1913	Joaquín Hidalgo Collection	Joaquín Hidalgo Javier de Andrés Collection Cobeta	2021	Marine	Gastropoda	Marine gastropods
15.05/93348	-	Nucella lamellosa (Gmelin, 1791)	2	Arctic Ocean	Unknown	Unrecorded	1831	Prieto y Caules Collection	Prieto y Caules Javier de Andrés Collection Cobeta	2021	Marine	Gastropoda	Marine gastropods
15.05/47098	2	Pyramidellidae	₹	Europe, Arctic Ocean, Unknown Norway, Tromsø	Unknown	Unrecorded	1934	Florentino Azpeitia Collection	Joan Daniel Oliver	2007	Marine	Gastropoda	Marine gastropods
15.05/61165	-	Lusitanops F. Nordsieck, 1968	Oenopota violacea	Europe, Arctic Ocean, White Sea, Russia, Solovetsky Islands, Kandalaksha Bay	Unknown	Unrecorded 14/MAR/2011 Javier Conde	14/MAR/2011		José Luis Vera	2012	Marine	Gastropoda	Marine gas tropods
15.05/61166	7	Lusitanops F. Nordsieck, 1968	Lusitanops sp.	Europe, Arctic Ocean, Barents Sea, Norway, Vardø	Unknown	1979	14/MAR/2011 Javier Conde Collection		José Luis Vera	2012	Marine	Gastropoda	Marine gastropods
15.03/723	_	Tonicella marmorea (Fabricius, 1970)	Tonicella marmorea (Fabricius, 1970)	Europe, Arctic Ocean, Norway, Henningsvær, Lofoten archipelago	Unknown	6861	14/MAR/2011	14/MAR/2011 Javier Conde Collection	Javier de Andrés Cobeta	2016	Marine	Polyplacophora	(Marine) polyplacophorans
	102												

indicator, which was sampled several decades ago with the most recent preservation techniques, such soft body preservation for DNA studies. Therefore, this collection may contribute to a better knowledge of the Arctic mollusk fauna, its evolution and species replacement.

Acknowledgments

We are very grateful to Consuelo Sendino (MNCN) for her help with this article and José María Cazcarra Barbanoj (MNCN, science photographer) for the specimens illustrated and José Templado (MNCN senior scientific) for review of a text.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

ORCID iDs

Mª Dolores Bragado Álvarez D https://orcid.org/0000-0002-2480-4375 de Andres Cobeta Francisco Javier D https://orcid.org/0000-0002-3923-9647

References

- Araujo, Rafael. 2000. "Un paraíso en el norte de Europa: expedición científica a la península de Kola." *Babab 1*(March). Last modified February 29, 2000. https://www.babab.com/no01/kola.htm
- Bolotov, Ivan N., Alexander A. Makhrov, Mikhail Yu. Gofarov, Olga V. Gofarov, Olga V. Aksenova, Paul A. Aspholm, Yulia V. Bespalaya, et al. 2018. "Climate Warming as a Possible Trigger of Keystone Mussel Population Decline in Oligotrophic Rivers at the Continental Scale." Scientific Reports 8 (35): 1–9. doi:10.1038/s41598-017-18873-y
- Chapman, Arthur D. 2009. *Numbers of Living Species in Australia and the World*, 2nd ed. A Report for the Australian Biological Resources Study, Canberra, 78 pp.
- Gazeau, Frédéric, Laura M. Parker, Steve Comeau, Jean Pierre Gattuso, Wayne A. O'Connor, Sophie Martin, Hans-Otto Pörtner, and Pauline M. Ross. 2013. "Impacts of Ocean Acidification on Marine Shelled Molluscs." *Marine Biology* 160: 2207–45.
- Groombridge, Brian, and Martin D. Jenkins. 2002. *World Atlas of Biodiversity*. Prepared by the UNEP World Conservation Monitoring Centre. University of California Press, Berkeley, CA, 340 pp.
- Herman, Yvonne. 1989. "The Arctic Seas. Climatology, Oceanography, Geology and Biology." *Geological Magazine* 128 (1): 86–7. doi:10.4003/006.033.0208:10.1017/S0016756800018173.
- Krishtalka, Leonard and Philip S. Humphrey. 2000. "Can natural history museums capture the future?" Bioscience 50: 611–17. doi: 10.1641/0006-3568(2000)050[0611:CNHMCT]2.0 .CO;2

- Matoo, Omera B., and Maurine Neiman. 2021. "Bringing Disciplines and People Together to Characterize the Plastic and Genetic Responses of Molluscs to Environmental Change." *Integrative and Comparative Biology* 61 (5): 1689–98. doi:10.1093/icb/icab186.
- Parker, Laura M., Pauline M. Ross, Wayne A. O'Connor, Hans O. Pörtner, Elliot Scanes, and John M. Wright. 2013. "Predicting the Response of Molluscs to the Impact of Ocean Acidification." *Biology* 2 (2): 651–92.
- Ponder, Winston Frank, David R. Lindberg, and Juliet Mary Ponder. 2000. *Biology and Evolution of the Mollusca*. Vol. 1. Boca Raton, FL: CRC Press, Taylor & Francis Group, 900 pp.
- Pyke, Graham. H. and Paul R. Ehrlich. 2010. "Biological collections and ecological/environmental research: a review, some observations and a look to the future." *Biological reviews of the Cambridge Philosophical Society* 85: 247–66. doi: 10.1111/j.1469-185X.2009.00098.x
- Rosenberg, Gary. 2014. "A New Critical Estimate of Named Species Level Diversity of the 552 Recent Mollusca." *American Malacological Bulletin* 32 (2): 308–22. doi:10.4003/006.032.0204.
- Santos, R. M. B., L. F. Sanches Fernandes, S. G. P. Varandas, M. G. Pereira, R. Sousa, A. Teixeira, M. Lopes-Lima, et al. 2015. "Impacts of Climate Change and Land-Use Scenarios on *Margaritifera margaritifera*, an Environmental Indicator and Endangered Species." Science of The Total Environment 511: 477–88. doi:10.1016/j.scitotenv.2014.12.090
- Shaffer H. Bradley, Robert N. Fisher, and Carlos Davidson. 1998. "The role of natural history collections in documenting species declines." *Trends in Ecology & Evolution* 13: 27–30. doi: 10.1016/S0169-5347(97)01177-4
- Vinarski, Maxim V., Ivan N. Bolotov, Katrin Schniebs, Ivan O. Nekhaev, and Anna K. Hundsdoerfer. 2017. "Endemics or Strangers? The Integrative Re-appraisal of Taxonomy and Phylogeny of the Greenland Lymnaeidae (Mollusca: Gastropoda)." Comptes Rendus Biologies 340: 541–57. doi:10.1016/j.crvi.2017.09.005.
- Waldvogel, Anne Marie, Barbara Feldmeyer, Gregor Rolshausen, Moises Exposito-Alonso, Christian Rellstab, Robert Kofler, and Markus Pfenninger. 2020. "Evolutionary Genomics Can Improve Prediction of Species' Responses to Climate Change." Evolution Letters 4: 4–18. doi:10.1002/evl3.154.

Author Biographies

Ma Dolores Bragado Álvarez is graduated in Biological Sciences from the Complutense University of Madrid, her work has always been related to museology, conservation and the care and study of the scientific collections of Natural History. For more than fifteen years she has been working in the Malacology collection, where she carries out the processing, conservation, cataloging, ordering and computerization of her specimens, as well as their documentation and management.

de Andres Cobeta Francisco Javier has a degree in biological sciences from the Complutense University of Madrid with a specialty in zoology. He has worked at the National Museum of Natural Sciences of Madrid CSIC since 1993 in the malacology collections, carrying out conservation and cataloging tasks. management, research, exhibitions and scientific dissemination.