THE LONG SWEET RIDE KONA BICYCLES 2013 TECH BOOK

Kona



LETTER FROM THE KONA CREW	3
FAQs / CONTACTS & INFO	4-5
KONA TECHNOLOGY	6-31
MATERIALS	
GEOMETRY & DESIGN	6-7 8-9
SUSPENSION SIZING. FIT & LIFETIME WARRANTY	10-13 14-15
RED ZONE	14-15
	18-19
	20-21
	22-23
PROCESS DL	24-25
	26-27
HEI HEI SUPREME	28-29
RAIJIN	30-31
GRAVITY	32-38
OPERATOR	33
SUPREME OPERATOR	34
ENTOURAGE DL	
	35
ENTOURAGE	35 36
ENTOURAGE	
	36
SHONKY DOWNSIDE	36 37 38
SHONKY DOWNSIDE MTB TRAIL/ALL MOUNTAIN	36 37 38 39-47
SHONKY DOWNSIDE MTB TRAIL/ALL MOUNTAIN PROCESS DL	36 37 38 39-47 40
SHONKY DOWNSIDE MTB TRAIL/ALL MOUNTAIN PROCESS DL PROCESS	36 37 38 39-47 40 41
SHONKY DOWNSIDE MTB TRAIL/ALL MOUNTAIN PROCESS DL PROCESS ABRA CADABRA	36 37 38 39-47 40 41 42
SHONKY DOWNSIDE MTB TRAIL/ALL MOUNTAIN PROCESS DL PROCESS ABRA CADABRA CADABRA	36 37 38 39-47 40 41
SHONKY DOWNSIDE MTB TRAIL/ALL MOUNTAIN PROCESS DL PROCESS ABRA CADABRA	36 37 38 39-47 40 41 42

NOUNTAIN BIKE/XC RACE LIGHT	48-56
IEI HEI SUPREME	49
HEI HEI DL	50
HEI HEI	51
(ING KAHUNA	52
BIG KAHUNA	53
(ULA WATT TEAM (FRAME ONLY)	54
(ULA	55
MTB TRAIL: 29" HARDTAIL	56-66
IONZO	57
ARO	58
AIJIN (FRAME ONLY)	59
JNIT	61
AHUNA DL	62
AHUNA	63
IOHALA	64
MAHUNA	65
PLICE	66
MTB TRAIL: 26" HARDTAIL	67-77
CINDER CONE	68
BLAST	69
IRE MOUNTAIN	70
IKA	71
ANA'I	72
HRED	73
ROAD	74-80
ED ZONE	75
ONE TWO	76
ING SUPREME	77
IONKY TONK	78
PADDY WAGON	79
UTRA	80

CYCLOCROSS	81-85
MAJOR JAKE	82
JAKE THE SNAKE	83
JAKE	84
ROVE	85
COMMUTER	86-95
DR DEW	87
DR GOOD	88
DEW DL	89
DEW PLUS	90
DEW	91
MINUTE	92
UTE	93
ROUNDABOUT	94
AFRICABIKE THREE	95
KIDS'	96-103
STINKY 24	97
SHRED 24	98
SHRED 20	99
KULA 24	100
HULA	101
MAKENA	102
JAKE 24	103
TECH INFO SPREADSHEETS	104-107



The three newest members of our product group, who were just entering grade school when Kona started making bikes in 1988, would vehemently disagree with that when it comes to Kona. As they know, obsessing over bikes, in the company of other like-minded souls, has been the cornerstone of our company since day one.

Twenty-five years after our first bike, the knowledge and experience of our long-term product managers, frame builders and factories go hand in hand with the fresh creative charge that sparks our company. While we are constantly adopting new materials, designs and technology, we continue to believe a machine as complex as the modern bicycle can still be reduced to the simple question, does it work?

When it comes down to it, an eagerness to ride what's new needs to be combined with the importance of what's going to work. Not just for many rides, but many years. A hot new bicycle might make a magazine cover, but if it's unable to stand up to the rigors of today's discerning rider, it's nothing more than old news. Kona is all about combining creativity and ultimate performance.

path before them.

For us, that drive is never going to change. More than anything, we want every Kona bike to fill your days with the same satisfaction and joy we get from making them. That's the Long Sweet Ride

TABLE OF CONTENTS

TANUKI DL

TANUKI

46

47

ome people might think after making bikes for many years, a company would get stale and settled in its ways, unable to stay in touch with the needs of today's bike rider.

At its core, we believe that a bike needs to be perfectly balanced, incredibly reliable, ridiculously fun, and at the top of the performance charts. From our World Cup race bikes to our kids' bikes, every single model needs to be a seamless interaction between the rider and the





WHAT IS KONA'S ADDRESS?

World Headquarters - USA Kona USA 2455 Salashan Ferndale, Washington 98248

Canadian Distribution

The Bicycle Group 381 Railway Street Vancouver, BC V6A 1A4

Kona Europe 14 bis rue honore Labande 98000 Monaco

Kona Distribution

Chemin du Lac 1 1290 Versoix Switzerland

I WANT TO RACE FOR KONA. WHERE DO I SEND MY RESUME?

Mail (not fax or e-mail) to: Chris Newell Kona USA 2455 Salashan Ferndale, Washington 98248

In Canada:

Trevor Porter The Bicycle Group 381 Railway Street Vancouver, BC V6A 1A4

In Europe:

Ben Gaby ben@konaworld.com

For all other countries contact your Kona distributor.

I'D LIKE TO WORK FOR KONA, WHERE DO I SEND MY RESUME?

USA: Joe Shlabotnik Kona USA 2455 Salashan Ferndale, Washington 98248

Canada: Richard Wadd The Bicycle Group 381 Railway Street Vancouver, BC V6A 1A4

Europe:

Meriem Maher Kona Europe 14 bis rue honore Labande 98000 Monaco

WHERE IS MY NEAREST AUTHORIZED KONA DEALER?

You can locate your nearest Kona Dealer all over the world here http://www.konaworld.com/dealers.htm

For all other countries contact your national distributor.

ARE SPECS, PRICES & GEOMETRY OF YOUR BIKES ONLINE?

These can be located by navigating the BIKES menu on the front page of www. konaworld.com or directly by visiting http://www.konaworld.com/bikes.htm

I HAVE A GENERAL QUESTION, WHO DO I SEND IT TO?

Joe@konaworld.com will make sure that your question is answered by the most knowledgeable person.

I HAVE A TECHNICAL QUESTION, WHO DO I SEND IT TO?

Send questions to tech@konaworld. com. We have a group of product and warranty persons that will take care of your problem.

See Kona owner's forums for more info: http://forums.konaworld.com/

I HAVE A WARRANTY QUESTION, WHO DO I SEND IT TO?

USA: warranty-usa@konaworld.com Canada: warranty-canada@konaworld.com Europe: highlander@konaworld.com

I WOULD LIKE TO REQUEST PRODUCT PHOTOS, LOGO ART, ACTION PHOTOS OR ADVERTISING MATERIALS, HOW CAN I ACCESS THESE?

Please visit www.konart.net with your login and password *KonaLSR2K13* (case sensitive) to view all product photos, logo art, action photos and advertising materials. You can email requests to eddy@konaworld.com

HOW DO I REGISTER THE WARRANTY?

Each and every Kona bike comes with an owner's manual in the small parts kit. Located on the inside cover of the manual is a warranty card. You can fill out and mail in warranty cards to the above listed Kona addresses, but we prefer you register online at http://www.konaworld. com/warranty.htm

WHO OWNS KONA AND WHERE DO YOU MAKE YOUR BIKES?

Kona is 50% US and 50% Canadian owned. It is an independent company: no one owns us and we don't own anything else. We design all of our bikes from the ground up and visit the factories that make our frames and components and assemble our bikes in Taiwan every month while they are being produced. Bikes these days are a virtual United Nations (we have parts on our bikes made in Canada, China, France, Italy, Japan, Malaysia, USA) so it is almost impossible to get even half the parts on a bike from one country now. It is great to support your home country but the most important thing for Kona is to make the best bikes we can because our bikes are ridden by serious riders all around the world who expect nothing short of perfection.



Eddy Marcelet Graphics & Marketing eddy@konaworld.com

Doug Lafavor Technical Product Manager doug@konaworld.com

Maurey Olsten Quality Control mo@konaworld.com

Jacob Heilbron The Cob lew@konaworld.com

Barry Wicks Teams Manager barry@konaworld.com

Mitchell Scott Communications Director mitchell@konaworld.com

KONA CANADA

Richard Cox Canada Sales Manager dc@konaworld.com

Gary Clarke General Manager gm@konaworld.com

Dan Capek Canada Warranty warranty-canada@konaworld.com



KONA USA

Dan Gerhard King dg@konaworld.com

Ed Vevag USA Warranty warranty-usa@konaworld.com

Jennifer McElwain Office Manager jen@konaworld.com

Pat White Bicycle Product Manager pw@konaworld.com

Chris Mandell Parts & Freeride Product Manager mandell@konaworld.com

Mark Matson Asphalt Product Manager matson@konaworld.com

KONA EUROPE

Jim Holmstrom Chef jimbo@konaworld.com

Malin Holmstrom Czar of Finance malin@konaworld.com

Meriem Maher Chief of Staff/Office meriem@konaworld.com

Mirka Kiliszoswka Administration mirka@konaworld.com

Jarno Hoogland Warranty highlander@konaworld.com

Ben Gaby Communications & Graphics ben@konaworld.com

5

2013 TECH / MATERIALS

Since we produced our first mountain bikes 25 years ago, Kona has partnered with the finest frame-building and material manufacturers in the world. It's why our name is synonymous with longevity, durability, performance and value. For 2013, we feature some of the most technologically advanced bicycle frame materials in the world: the simple elegance of Kona Cromoly steel, the speed and agility of Kona Carbon Race, Kona Scandium 6069 Aluminum alloy and our everlasting 7005 Aluminum. At Kona, we pride ourselves on using the right materials for the right applications, going to great lengths to ensure your bike is built with The Long Sweet Ride in mind.



6061

KONA CROMOLY

For 2013, you'll find the simplicity, strength, comfort, resilience and playfulness of Kona Cromoly interspersed throughout our road- and mountain-bike platforms. Very few materials offer as much shock absorption, durability and supple-ride characteristics as steel. We've never strayed from cycling's original material and have worked tirelessly to adapt, refine and innovate Cromoly framesets as rider demands continue to evolve.

KONA 7005/6061 ALUMINUM

Kona 7005 and 6061 Aluminum alloys are used extensively throughout our fleet of mountain and asphalt bicycles. A tough, durable, affordable, light alloy, both Kona 7005 and 6061 deliver fantastic, reliable performance that lasts for thousands of rides. It is, by far, the ultimate aluminum tubing on the market today. Much of our 7005/6061 tubing is butted and/or formed, meaning the tubing's wall thickness can be increased or decreased, as well as shaped, allowing us to fine-tune a particular frame's strength and ride characteristics depending on its intended application.

KONA RACE LIGHT 7005/6061 ALUMINUM

Kona Race Light 7005/6061 is a lighter, more performance-oriented fabrication of our 7005/6061 Aluminum tubing. Designed to meet Kona's discerning race specifications, Race Light 7005/6061 uses custom butting to create thicker tubes at weld areas and important parts of the frame, providing incredible strength and torsional integrity to the feel of the ride. We remove wall thickness in other parts of the frameset to lighten up the bike, providing the perfect balance between quickness and stiffness. The emphasis here is on performance, lightness and speed built the Kona way.

KONA RACE LIGHT 6069 ALUMINUM

At Kona, we are always refining materials to achieve the best mix of ride performance for certain applications. With Kona Race Light 6069 tubing, which mixes trace elements into the alloy, we are actually able to make framesets that are lighter and stiffer than Scandium 7005. Not quite as light and stiff as Scandium 6069, but significantly more affordable, Kona Race Light 6069 Aluminum allows our designers to make the tubing thinner while maintaining the preferred ride characteristics, stiffness and strength for a desired riding application—in this case, medium-travel all-mountain bikes, like our new Process.

KONA SCANDIUM 6069 BUTTED

6669 <u>5</u>C

6069

AL

Known to be one of the strongest alloys in the world, Kona Scandium 6069 is featured in many of our high-end bike models, from dual-suspension mountain bikes through to some of our top-ranking asphalt rides. Scandium is a rare earth metal and potent grain refiner that, when added to aluminum alloy, elevates the strength and durability of the material by 50 per cent. Scandium aligns the grains of the alloy, making the metal less susceptible to failure. Scandium alloys are twice as strong as 6061 or 7005 Aluminum, which means our product team uses much less material. Because of a Scandium alloy's strength, it can be butted thinly enough so the aluminum gives a more compliant feel that's similar to steel but without weight. In more specific terms, we're shaving weight off our aluminum frames by 10 to 15 per cent, without sacrificing strength and durability.

Introduced to our line in 2012, new Kona Scandium 6069 comes with yield strengths that are about 40 per cent higher than previous scandium alloys. The result is the strongest-per-weight aluminum alloy ever made. Because of its fibrous or fine-grained structure, Scandium 6069 alloy reveals a unique combination of high strength and toughness, good corrosion resistance and excellent fatigue strength.

Introduced to our line in 2012, new Kona Scandium 6069 comes with yield strengths that are about 40 per cent higher than previous scandium alloys. The result is the strongest-per-weight aluminum alloy ever made. Because of its fibrous or fine-grained structure. Scandium 6069 alloy reveals a unique combination of high strength and toughness, good corrosion resistance and excellent fatigue strength.

KONA CARBON RACE

To create our growing fleet of Kona Carbon Race bikes, Kona has partnered with some of the most reputable carbon manufacturers in the world. Our design team works intimately with our production facilities to ensure desired ride characteristics, durability demands and weight stipulations are met to the highest standards possible. Kona Carbon Race bikes are featherlight, super fast, and tough as all hell.

STEP 1: APPLICATION

At Kona we are very selective when choosing carbon fiber for specific bicycle frames. Each riding discipline requires a different balance of weight, strength, frame damping, stiffness, compliancy and durability. With over 25 years experience making bikes for every known cycling discipline, the first step in the design phase is ensuring how carbon fiber can be optimized for its intended use.

STEP 2: DESIGNING AND ENGINEERING THE KONA RIDE

For the good guys and girls in the Kona Product Development and Sales Teams, it's imperative that key elements of the Kona Ride manifest in our carbon bikes. Efficiency, agility, comfort, and overall strength are all key considerations when we begin to work on the design of a carbon frame. Of course, we aim to leverage all the inherent properties of the material, but it's crucial that it still feels, rides and lasts like a Kona.

STEP 3: MATERIALS & FABRICATION

THE WEAVE: Kona Carbon Race bikes use TORAY fibers, what we have determined to be the most technologically advanced in the industry—this is the same carbon weave used throughout most Formula 1 racing cars. Our carbon weave also features NANO TECH, a process that injects carbon nano cups into the weave matrix, bringing more strength, stiffness and impact resistance to the finished product. The results are frames with industry leading weight, stiffness and durability. Our entire structure is always built with unidirectional prepreg carbon fiber underneath a frame finish that is either UD or 3K.

THE FRAME: Kona Carbon Race frames are always built with a MONOCOQUE main triangle. While a tube-to-tube process similar to welding is cheaper to build, we choose only to use the monocoque process as it alone allows for continuous fibers where the tubes join, creating a much stronger and lighter structure. Our production process also eliminates as much bonded-in aluminum inserts as possible. While we bond in thread inserts for durability, you won't find us taking short cuts with aluminum inserts for bottom brackets, headtubes, front derailleur mounts, or seat tubes. When we do put alloy into the frame we take very specific steps on their surface treatment and have special jigs for each step to ensure proper alignment.

Another thing you won't find inside our frames is foam. Laying up the carbon around foam mandrels is another trick that makes bikes cheaper and easier to build, but leaves the rider dragging around a bunch of heavy foam. Kona Carbon Race frames are only molded with internal air bags, which are removed after the molding process. This means our carbon frames are made from only the best ingredients: carbon fiber and epoxy.

STEP 4: TESTING

During the prototyping process, our frames are tested for weeks at a time on veritable bike torture machines that push our designs through tens of thousands of cycles. What we learn from this directly translates into making strong frames, while eliminating unnecessary material. Kona Team athletes—experts when it comes to pushing the limits of our bicycles in real world scenarios—are the next in line when it comes to testing our prototype Kona Carbon Race bikes. Even after the tests rigs and pro rider testing, our product team continues to abuse the same prototypes day-in and day-out to make sure we are building the best Kona Carbon Race frames we possibly can.





2013 TECH / GEOMETRY & DESIGN

THE KONA RIDE: 2013 GEOMETRY, DESIGN AND TECHNOLOGY FEATURES

At Kona, we spend long hours focused on the little details that make up the perfect ride: from our revolutionary Magic Link to our World-Championship-winning Walking Beam 4-Bar Linkage rear suspension. From rider fit to cornering performance and every nuance in between, the Kona Ride has long been a definitive element of what makes our company unique. We design bikes that are playful and fun. Our bikes inspire confidence, balance, performance and comfort, and they ultimately get the most out of you, the engine, the bike's most important component. horizontal toptubes.

COMPACT REAR TRIANGLE



Short chainstays and seatstays provide a perfect balance of stability and power transfer when out of the saddle and pedalling hard. Shorter seatstays also have less deflection during braking and accelerate faster than longer stays. The shorter rear triangle also helps the bike to negotiate tight-twisting sections of trail. Our new Entourage short-travel downhill bike is a good example of an incredibly compact rear triangle. Our goal was to create a bike that was easy to jump and trick, and could also corner aggressively. With seatstays measuring just 415mm, we've created one of the most nimble short travel DH bikes in the industry.

HYDROFORMED TUBING



Hydroforming is a tube-shaping technology that uses high-pressure liquid to form the shape of a tube and align its grain structure. Quite simply, the technology delivers a sound structure and ride performance like no other tubing in the world. The process results in a seamless, continuous, aligned piece of metal, right down to the fiber structure itself.

Hydroformed tubing is especially advantageous at weld points where tubes can be flared to increase weld areas, adding strength without adding weight in the form of extra gussets. The result is a strong, flawless frame with great lateral stability, durability and responsiveness. Not to mention, it looks real sharp too.

SUPERPLASTIC FORMED TUBING



Superplastic Forming (SPF) uses high temperatures to shape aluminum tubing when the tube structure is in its most "plastic" and formable state. SPF creates better tube shapes that cannot be produced using traditional forming techniques. Whereas shape designs can be applied to between 20 and 30 per cent of the tube using hydroforming, SPF means 90 per cent of the tube can be shaped, resulting in more optimized shapes and less weight. SPF tubes are the perfect alternative to the infinitely more expensive carbon fiber, and they are comparable in weight and performance, without the accompanying disadvantages. SPF tubes are also recyclable.

INTERNAL HEADSET



By having the headset bearing located inside the headtube (called zero stack), rather than the top and bottom, we are able to achieve a number of advantages when it comes to front-end stiffness, durability and overall riding performance. The major benefit of an internal headset is the extra layer of protection it provides the bearings against the elements. Additionally, the bearings are commonly available angular contact bearings, which are easily and inexpensively replaced. An internal headset also reduces stack height, so the height of the stem and bars are more adjustable, giving the rider the best fit possible.

GEOMETRY & DESIGN/2013 TECH

TAPERED HEADTUBE

For 2013, you'll find a large majority of Kona bicycles featuring zero stack and tapered headtubes. From cyclocross to crosscountry, 29ers right through to longer-travel dual-suspension models, like our Entourage and Operator, a tapered headtube provides more support at the intersection of the toptube and downtube, greatly improving stability and overall performance.

Aside from improving the aesthetic due to its cleaner lines and smooth transition between the fork crown and the headset cover, tapered headtubes also offer a more solid interface between forks with tapered steertubes and the bicycle frame itself. More girth at the bottom of the headtube better distributes shock force, prolonging the bearing life of the headset itself. The inherent strength of its triangular design also means a stronger steering position and improved balance, giving the rider more control in rough terrain. A zero stack, tapered headtube also puts strength where the load is going—into the lower headset cup—maximizing bearing durability where it's needed.

TUBELESS COMPATIBLE RIMS

A number of 2013 Kona models feature the benefits of tubeless compatible rims. Tubeless rims allow for tires with more puncture resistance, better tire grip on the trail, lower rolling resistance and weight savings over traditional tube + tire systems. For 2013, you'll find tubeless compatible rims on most of our XC race and trail bikes, as well as our carbon fiber Major Jake, Red Zone and Zone Two.

142 x 12 REAR AXLES

A 142 x 12mm rear axle provides two major advantages to the Kona rider: the 12mm diameter of the rear axle provides the rear hub and frame with a stiff interface, while the 142mm outer diameter of the hub allows the wheel to be quickly and properly positioned in the frame before the rear axle is inserted. The definition of all-mountain: DH stiffness with the speed and ease of XC.

2013 DESIGN HIGHLIGHTS

CLEAN CABLE ROUTING

Throughout Kona's 2013 range, you'll find many subtle changes to cable routing. Some are now internal, while others have been rerouted to improve performance and tidy aesthetics. Small changes you may not even notice, but rest assured the changes are maintenance free and not fashion driven.

DROPPER POSTS

At Kona we love dropper posts. LOVE them. And we think that you will too. For 2013, we have included dropper posts on six models: Process, Process DL, Satori, Cadabra and Abra Cadabra. We are using the lightweight and über-tech RockShox Reverb Stealth seat post and the costeffective, cable-activated Crank Brothers Kronolog seat post. Both posts use a handlebarmounted lever with cables that attach to the static portion of the seat post, so you don't have to worry about excess cable flopping around when you descend. Bikes like the Honzo, Taro and Tanuki do not come equipped with dropper posts but have cable routing to allow for after-market upgrades.









KONA MAGIC LINK – INTUITIVE ADAPTABILITY

With the ability to change geometry, travel length and suspension performance based entirely on rider and trail input, Kona's patented Magic Link Active Geometry is one of the most intuitive and adaptable rear-travel suspension platforms ever invented. New for 2013, we introduce G3 Magic Link: lighter, smoother and more adjustable.

By using both a main air shock and a newly developed Magic Link Air Shock, the suspension platform is able to deliver relatively quick, linear, cross-country-oriented suspension that's ideally suited for climbing. Additionally, without flicking a switch or making any external adjustments, our suspension can seamlessly change into longer, more progressive travel to take on big hits and technical terrain. Here's how:

CLIMBING: Effective pedal pressure keeps the Magic Link's auxiliary shock from engaging, so the rider is only using the main shock. This results in good pedaling efficiency by enabling comfortable geometry and quicker, more linear suspension characteristics. Everything you need for good power transfer.

CROSS-COUNTRY: Tire drag, faster corners and bigger bumps cause the Magic Link's Air Shock to move deeper into its travel. Chainstays elongate, the saddle and bottom bracket lower, and the headtube slackens, amounting to an agile, confident riding position, with increased wheel traction and plusher travel.

DESCENTS: When the main shock and the auxiliary shock fully engage, Magic Link lets the bike's geometry slacken considerably, enabling the rider to position themselves further behind the bike, with a lower center of gravity and extended rear triangle for increased stability. Rear wheel travel also increases to 160mm, and the rear shock becomes more progressive to avoid bottoming out.

VARIABLE SPRING RATE: One of Magic Link's more unique characteristics is its use of two shocks. The result is a highly adaptable variable spring rate that enables the bike's rear suspension to be quick and short on the climb, and slower and more plush during the descent. Two shocks working together also allows the rear wheel to pop over big, sharp bumps with virtually no resistance. Because the main shock becomes more progressive as the link engages, it won't blow through the travel or bottom out. It's important to remember the auxiliary shock is in a constant state of flux depending on pedal (rider) and trail (terrain) input.



SUSPENSION / 2013 TECH

G3 MAGIC LINK & MAGIC LINK AIR SHOCK

New for 2013, we've replaced the standard coil auxiliary shock with our new Magic Link Air Shock. The most notable features of the new shock are weight savings, rebound adjustability, and ease of preload (spring rate) adjustability. If you thought Magic Link was the ride of your life, new G3 will blow your mind.



CLEANER, STIFFER, SMOOTHER LINKAGE

To the linkage, we've added new cartridge bearings that are more durable and lighter, while incorporating a better trunnion attachment system, greatly increasing the overall stiffness of the linkage itself.



KONA 2013 / SUSPENSION



SEXIER, STIFFER, MORE CLEARANCE

The new G3 Magic Link-equipped Cadabra and Abra Cadabra feature a new tubeset that is noticeably stiffer and sexier. The rear chainstays are slightly longer, resulting in huge gains in mud clearance. Thanks to a seatstay bridge that is now in double shear, the lateral stiffness to the entire rear triangle is greatly increased.



SLACKER, LOWER, LIGHTER

Based on feedback from our Enduro team, we've slackened the headtube to 67 degrees (one degree slacker than 2012) and lowered the bottom bracket by 10mm. The new Magic Link nest is nearly 100 grams lighter, slimmer and more compact. The result is a bike that's more confident on descents and quicker on the ups.



2013 TECH / SUSPENSION

KONA WALKING BEAM 4-BAR LINKAGE



Since Kona first introduced the Walking Beam 4-Bar Linkage platform in 1996, we've been refining and honing the most functional, durable and performance-oriented dual-suspension platform ever invented. You'll find versions of Kona's Walking Beam 4-Bar Linkage on everything from the Hei Hei XC race bike, to our Supreme Operator, the Entourage, and on one of the best-performing, entry-level dual-suspension bikes ever made, the Tanuki.

FUNCTION AND DURABILITY: Anytime you have a pivot in anything, there is side-to-side movement, or tolerance. It's what allows the pivot to move freely. When you have pivots that are close together, the side-to-side movement in those pivots becomes amplified, what's called tolerance stacking. Kona's 4-Bar system keeps pivots as far away from each other as possible, minimizing the negative effects of tolerance stacking. Ultimately, it equates to a stiffer rear end, as well as a significant decrease in bearing and bushing wear.

PURE SHOCK MOVEMENT: Another benefit of our 4-Bar system is minimized side load on the rear shock. If you have proximate pivot points and/or the shock positioned so that it is exposed to lateral forces, you have side load on the shock. Side load causes resistance, which can negatively impact suspension performance.

SHOCK LONGEVITY: With our 4-Bar system, the rear shock is protected from side-to-side forces. Side load is one of the main causes of premature seal failures. As a result, we have a very low rate of shock problems, as well as an exceptionally responsive feel to the rear suspension.




INCREDIBLE TUNE-ABILITY: By using 4-Bar, our designers are able to incorporate a huge range of suspension characteristics into our dual-suspension mountain bikes. Simply by changing the shock's positioning and configuration, we're able to make either an efficient climber or a wicked descender. For example, on our XC bikes, we can take an inherently progressive air shock and make the suspension more linear, allowing the rider to benefit from all of the bike's travel. For downhill bikes, like our Operator and Entourage, an inherently linear coil shock can be set up to be more progressive for big hits. When it comes to range of application, 4-Bar is the ultimate rear-suspension platform.

PLUSH FACTOR: With pivots, bearings and the shock itself well supported and protected from linear side load, Kona's Walking Beam 4-Bar Linkage system delivers that extraordinarily plush, smooth feel we all crave as mountain bikers. Whether it's taking the edge of a technical XC race course, the burl out of a backcountry all-day epic, or leveling out the brake bumps at your local bike park, Kona's Walking Beam 4-Bar Linkage delivers that sweet feel. Ride in, ride out.

KONA SWING LINK

First introduced on our Satori in 2012, and featured on the Satori and Kitsune for 2013, it is important to note that Kona's new Swing Link suspension setup represents no functional difference from our traditional Walking Beam 4-Bar Linkage. Both configurations are single-pivot rocker-actuated suspension designs. We refer to our traditional design as a Walking Beam and the Satori as Swing Link, but this only describes the manner in which the rocker is configured, not how the suspension functions, which is the same between them. We changed the configuration of the Satori's rocker to increase standover and optimize the leverage rate for 29inch all-mountain riding in a way that we could not have done with our traditional Walking Beam configuration.



KONA 2013 / SUSPENSION








KONA SIZING AND FIT



Sizing and fit have always been one of the main strengths of the Kona Ride. With more stock sizes available than any other bike company, our size scale is designed to be continuous from platform to platform and is easy to understand from the perspective of the consumer because our simplified system allows easy fine-tuning that creates a perfect marriage of bike and rider.

On our Trail/All-Mountain and XC Race bikes, we feature longer toptubes coupled with shorter stems and slightly shorter headset stack heights. The steps between sizes are at half-inch to one-inch increments, with up to seven sizes that can range from 14 to 22 inches on many models. In the asphalt range, size gaps are at even 15 to 20mm steps. There are still up to six sizes, from 46cm to 61cm on most models.

When it's called for, seat posts are either offset or straight to maximize the reach and power output of the rider. More importantly, our comprehensive bike sizing allows Kona dealers and riders to determine their fit more easily from model to model and category to category.



GEOMETRY LEGEND

- **C-T** = Center of BB shell to top of Seat Tube
- **TTH** = Top Tube Horizontal
- **STA** = Seat Tube Angle
- **HTA** = Head Tube Angle
- **RC** = Chainstay Length
- **FC** = Front to Center
- **WB** = Wheelbase
- **FL** = Fork Length

- **OF** = Fork Offset
- **BBD** = Bottom Bracket Drop
- **BBH** = Bottom Bracket Height
- **SO** = Standover
- **HT** = Head Tube Length

STACK = Vertical Distance from center of bottom bracket to the top of the headtube centerline

REACH = Horizontal Distance from center of bottom bracket to the top of the headtube centerline

FIT CHART

ROAD / CX / COMMUTER

Height/Inches	Height/metric	Inseam/Inches	Inseam/Metric	Road	CX	Commuter
4'10" - 5'1"	147 - 155 cm	25" - 27"	64 - 69 cm	N/A	47 cm	46 cm
5'0" - 5'3"	152 - 160 cm	26" - 28"	66 - 71 cm	49 cm	47/49 cm	46/49 cm
5'2" - 5'7"	157 - 170 cm	27" - 29"	69 - 74 cm	49/53 cm	49/53 cm	49/53 cm
5'6" - 5'11"	168 - 180 cm	29" - 31"	74 - 79 cm	53/56 cm	53/56 cm	53/56 cm
5'10" - 6'3"	178 - 190 cm	31" - 33"	79 - 84 cm	56/59 cm	56/59 cm	56/59 cm
6'2" - 6'5"	188 - 196 cm	33" - 36"	84 - 91 cm	61 cm	61/63cm	61 cm

MTB / ALL MOUNTAIN / GRAVITY

Height/Inches	Height/metric	Inseam/Inches	Inseam/Metric	MTB XC	All Mountain	Gravity
4'10" - 5'1"	147 - 155 cm	24" - 27"	61 - 69 cm	14/15/16	N/A	Small
5'0" - 5'3"	152 - 160 cm	26" - 29"	66 - 74 cm	14/15/16	16	Small
5'2" - 5'7"	157 - 170 cm	27" - 30"	69 - 76 cm	14/15/16/17	16/17"	Small/Medium
5'6" - 5'10"	168 - 178 cm	29" - 31"	74 - 79 cm	16/17/18	16/17/18	Small/Medium
5'9" - 6'0"	175 - 183 cm	30" - 33"	76 - 84 cm	17/18/19	17/18/19	Medium/Large
5'11" - 6'2"	180 - 188 cm	32" - 35"	81 - 89 cm	18/19/20	18/19/20	Medium/Large
6'1" - 6'5"	185 - 196 cm	33" - 36"	84 - 91 cm	19/20/21/22	19/20/22	Large

LIFETIME WARRANTY

Kona warrants to the original owner that their new Kona bicycle frame purchased from an authorized Kona dealer shall be free of defective materials or workmanship for the lifetime of ownership by the original owner, with limitations for racing, rentals, commercial use and stunt riding. This warranty is limited to five years for carbon fiber frames.

During this warranty period, Kona shall repair or replace, at its sole option, the bicycle frame if Kona determines the frame is defective and subject to this limited warranty. The original owner shall pay all labor and shipping charges connected with the repair or replacement of the bicycle frame. Please see the Kona owner's manual, provided with your bicycle, for additional information.









RED ZONE

We pride ourselves on making specific bicycles for specific purposes. With the growth of Gran Fondo and endurance road riding, we decided it was time to design a road bike that seriously considered the ride requirements of this burgeoning discipline. Longer rides necessitate more comfortable geometry, while year-long training means fender and 28c wheelset compatibility. Take a look at all the unique features of the Red Zone, Kona's first custom-designed, from-the-pavement-up road ripper. See page 75 for more.

GEOMETRY-

UNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	490	530	560	590	610
TTH	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	72.5°
HTA	71.5°	72°	72°	72.5°	73°
RC	416	416	418	418	422
FC	592	598	608	618	627
WB	996	1003	1015	1026	1039
FL	377	377	377	377	377
OF	44	44	44	44	44
BBD	78	75	75	72	72
BBH	262	265	265	268	268
S0	765	797	818	844	859
HT	125	150	165	185	195
BBS	PF 30				
STACK	538	563	577	595	606
REACH	386	389	394	403	414

SPECIFICATIONS-

FRAME MATERIAL	Kona Carbon GranFondo by Deda
SIZES	XS(49), S(53), M(56), L(59), XL(61)
FORK	Kona Carbon GranFondo by Deda
CRANKARMS	SRAM Red
CHAINRINGS	50/34t
B/B	SRAM Red
PEDALS	N/A
CHAIN	SRAM PC1091
FREEWHEEL	SRAM XG1090
F/D	SRAM Red
R/D	SRAM Red
SHIFTERS	SRAM Red
BRAKE CALIPERS	SRAM Red
FRONT BRAKE ROTOR	N/A
REAR BRAKE ROTOR	N/A

Gran Fondo / Endurance-Inspired Geometry: We worked closely with legendary road bicycle manufactured Dedacciai of Campagnola, Italy, to create a custom-designed monocoque carbon road bike that's comfort oriented but still nimble and agile. Compared to modern race geometry, our angles are slightly more relaxed, with ideal chainstay length and a longer headtube-a touch of classic road geometry for a ride that's stable in descents and rough roads, yet still fast as hell.

> Tubeless Wheelset: Results in a better quality ride feel, with more air volume for increased pinch flat and puncture protection, the ability to run lower tire pressure for better surface contact, and a laterally stiffer rim with the same given overall weight. The Red Zone comes with standard tires and tubes, but the wheelset gives the consumer the ability to use a true UST road tire of their choosing.

> > Custom Kona/Dedacciai Designed Monocoque Fork: Features slight curve for a non-jarring, smooth, compliant ride.

Purpose Built: With a target frame weight of sub 1000 grams, we set out to create a lightweight bike featuring the very best and most advanced materials available that wouldn't be too brittle or delicate. The Red Zone is not limited to the confines of glass-top black asphalt—it's tough enough to go down the dirt road.

BRAKE LEVERS	SRAM Red
HEADSET	Deda
HANDLEBAR	Easton EC90 Aero
STEM	Easton EC90 SL
SEATPOST	Easton EC90
SEAT CLAMP	Deda Clamp
GRIPS	Kona Cork Tape
SADDLE	Selle Italia SL
FRONT HUB	Easton EA90 RT Tubeless Wheelset
REAR HUB	Easton EA90 RT Tubeless Wheelset
SPOKES	Easton EA90 RT Tubeless Wheelset
RIMS	Easton EA90 RT Tubeless Wheelset
FRONT TIRE	Continental GranPrix 4000 700x25C
REAR TIRE	Continental GranPrix 4000 700x25C
PAINT COLOR	Matt UD Carbon w/Gold & White



ROVE_

CYCLOCROSS

At Kona, we love building specific bikes for specific purposes. We see a cool niche, and we pool our collective creativity to come up with the perfect ride. Our all-new Rove is just that. Designed to be the ultimate cyclocross/gravel-grinding/commuting machine, the Kona Cromoly drop-bar Rove pulls in the utilitarian attributes from our best commuter models, spices it with the efficient and comfortable geometry of our long cyclocross heritage, and dashes it with the awesome compliancy and durability of steel tubing. Outfitted with large tire clearance, eyelets for racks, and disc brakes for great stopping power, the Rove will deliver you come dirt, gravel or asphalt for as many Long Sweet Rides as you dare imagine. See page 85 for more.

GEOMETRY

UNITS	mm	mm	mm	mm	mm	mm
SIZE	47cm	49cm	53cm	56cm	59cm	61cm
C-T	470	490	530	560	590	610
TTH	520	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	73°	72.5°
HTA	70°	70.5°	71°	71.5°	72°	72.5°
RC	435	435	435	435	435	435
FC	592	598	604	609	624	633
WB	1018	1025	1031	1036	1051	1060
FL	403	403	403	403	403	403
OF	43	43	43	43	43	43
BBD	- 65	- 65	- 65	- 65	- 65	- 65
BBH	288	288	288	288	288	288
SO	758	778	809	833	858	872
HT	100	120	145	165	185	195
BBS	68	68	68	68	68	68
STACK	527	548	574	594	615	627
REACH	385	378	380	383	397	407

SPECIFICATIONS

FRAME MATERIAL	Kona Cromoly Butted
SIZES	47, 49, 53, 56, 59, 61cm
FORK	Kona Project Two Disc
CRANKARMS	SRAM Apex Compact
CHAINRINGS	36/46t
B/B	SRAM GXP
PEDALS	N/A
CHAIN	KMC X10
FREEWHEEL	SRAM PG1030 11-32t 10 spd
F/D	SRAM Apex
R/D	SRAM Rival
SHIFTERS	SRAM Apex
BRAKE CALIPERS	Hayes CX5
FRONT BRAKE ROTOR	Hayes V5 140mm
REAR BRAKE ROTOR	Hayes V5 140mm

Purpose Built: Our intent with the Rove is a bicycle that can cover a wide range of terrain. It's comfortable racing cross in the fall, commuting during the week, and carrying you on epic journeys over the weekend, regardless of pavement or dirt.

Kona Cromoly Frameset: The Rove chassis is constructed using Tig-welded steel, with a matching straight-blade steel fork that results in a rugged bike with a smooth ride quality—classic aesthetic with a few modern updates.

> Front and Rear Disc Brakes: Hayes V-Series mechanical disc brakes with 140mm rotors for great stopping power regardless of conditions.

BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

SRAM Apex FSA ZST No.11AGY Kona Road Bar Kona XC/Road Light Kona Double Clamp w/Offset Kona Clamp Kona Cork Tape WTB Volt Comp Kona Rover Disc Wheelset Kona Rover Disc Wheelset Kona Rover Disc Wheelset Kona Rover Disc Wheelset Freedom by WTB Ryder 700x35C Freedom by WTB Ryder 700x35C Metallic Green w/Black & White

• SUPREME OPERATOR

Raceface Cockpit: New Atlas FR handlebar. Atlas direct-mount stem and custom seatpost. Anodized Frame: Kona 7005 DH Butted frame with anodizing increases frame durability and finish, and reduces the overall frame weight. We estimate a 112 per cent increase in sex appeal. **Oversized Pivot and Axle Assembly:** Oversized pivots Rockshox Boxxer World Cup Fork: The day-in and day-out keep your suspension smooth and supple under heavy barometer of lightweight, performance-orientated front suspension. side load. Oversized bearings protect your long-term suspension performance from the pressure washer. OF POLLER A Third Generation Shimano Saint Group: Shimano's new m820 Saint group, developed under their "Pure Gravity" design philosophy, which incorporates a clear focus on downhill and speed, features components like refined braking, new Saint Shadow Plus rear derailleur with new chain control and silencing technologies, and light, durable Hollowtech II crankset. badass black spokes. New Integrated Chainstay Protector: Designed to be light, quiet, durable, it protects both the driveside stay and chain from wear. SIXXV SIXXVW

SUPREME OPERATOR

In the two years since we launched our Supreme Operator, this bike has become cherished and loved by riders all over the world. We kept it simple, focusing our efforts on high-performance characteristics that last. What sets the Supreme Operator apart is its ability to take a carefully tuned, rising-rate leverage curve, ideal for fast, technical, big-hit riding, and combine it with features like low standover, oversized pivot axles and bearings, and a tough-but-light shotpeened and anodized Kona 7005 DH Butted frame. Tricked out with Shimano's new 2013 Saint groupo and RockShox Boxxer World Cup fork, the Supreme Operator is a gravity weapon for the ages. See page 34 for more.

GEOMETRY

UNITS	inches	inches	inches
			inches
SIZE	S	Μ	L
TTH	21.5	23	24.5
STA	75°	74.7°	74.4°
HTA	64°	64°	64°
RC	16.8	16.8	16.8
FC	28.4	29.8	31.3
WB	45.2	46.7	48.1
FL	22.4	22.4	22.4
OF	1.7	1.7	1.7
BBD	+ 0.5	+ 0.5	+ 0.5
BBH	13.8	13.8	13.8
S0	29.5	29.7	30
HT	3.9	4.3	4.7
BBS	83mm	83mm	83mm
STACK	22.5	22.9	23.3
REACH	15.3	16.6	17.9

SPECIFICATIONS.

FRAME I

SIZES

REAR SH

FORK

B/B

PEDALS

CHAIN

FREEWH CHAING

R/D

SHIFTER

BRAKE (FRONT E REAR BE

CRANKA CHAINR

MATERIAL	Kona DH 7005 Aluminum 200mm Travel
	S, M, L
НОСК	Fox DHX RC4
	Rock Shox Boxxer World Cup 200mm
ARMS	Shimano Saint
INGS	36t
	Shimano 83mm
	Kona Wah Wah
	Shimano XT
HEEL	Shimano Ultegra 11-28t 10 spd
UIDE	E*Thirteen SRS+
	Shimano Saint
RS	Shimano Saint (rh only)
CALIPERS	Shimano Saint
BRAKE ROTOR	Shimano M820 203mm
RAKE ROTOR	Shimano M820 180mm





BRAKE LEVERS	Shimano Saint
HEADSET	FSA Orbit 1.5 ZS No.57
HANDLEBAR	Race Face Atlas FR
STEM	Race Face Atlas DM
SEATPOST	Race Face Custom
SEAT CLAMP	Kona Clamp
GRIPS	Kona G-LOG
SADDLE	WTB Devo Team
FRONT HUB	Shimano Saint 20mm
REAR HUB	Shimano Saint 150x12mm
SPOKES	Sandvik Stainless 14g Black
RIMS	Mavic EX729
FRONT TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
REAR TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
PAINT COLOR	Black Anodized & Shot Peened w/Gold

ENTOURAGE DL



ENTOURAGE DL

Introduced in 2012, the Entourage DL comes with a host of refinements for 2013, making it the most fun short-travel DH bike currently on the market. The 170mm travel Entourage DL is the Operator on a diet. Designed to be quicker, faster and more maneuverable than a standard 200mm DH rig, this bike is all about ramping the rad quotient to the next level. It's the bike freeride superstar Graham Agassiz used to huck massive backflips, style downside tailwhips and spin lofty 360s in Anthill Films' Strength in Numbers. With super-short 415mm chainstays and geometry specifically designed to broaden your gravity horizons, this year's Entourage DL sees new improvements from an anodized finish and Shimano's new Zee Group. See page 35 for more.

GEOMETRY

UNITS	inches	inches	inches
SIZE	S	Μ	L
TTH	21.5	23	24.5
STA	76.3°	76°	75.7°
HTA	65°	65°	65°
RC	16.3	16.3	16.3
FC	28.3	29.7	31.2
WB	44.6	46	47.5
FL	21.9	21.9	21.9
OF	1.6	1.6	1.6
BBD	0	0	0
BBH	13.3	13.3	13.3
S0	29.5	29.8	30
HT	4.3	4.7	5.1
BBS	83mm	83mm	83mm
STACK	23.2	23.5	23.9
REACH	15.7	17	18.3

SPECIFICATIONS.

FRAME MATERIAL	Kona DH 7005 Aluminum 170mm Travel
SIZES	S, M, L
REAR SHOCK	Fox DHX RC2
FORK	Rock Shox Lyrik RC2 Solo Air DH 170mm
CRANKARMS	Shimano Zee
CHAINRINGS	36t
B/B	Shimano Zee 83mm
PEDALS	Kona Wah Wah
CHAIN	Shimano HG74
FREEWHEEL	Shimano Deore 11-28t 10 spd
CHAINGUIDE	E*Thirteen SRS+
R/D	Shimano Zee
SHIFTERS	Shimano Zee (rh only)
BRAKE CALIPERS	Shimano Zee
FRONT BRAKE ROTOR	Shimano Zee
REAR BRAKE ROTOR	Shimano Zee

22 GRAVITY

BRAKE LEVERS	Shimano Zee
HEADSET	FSA Orbit 1.5 ZS No.57
HANDLEBAR	Race Face Atlas FR
STEM	Race Face Atlas FR
SEATPOST	Race Face Custom
SEAT CLAMP	Kona Clamp
GRIPS	Kona G-LOG
SADDLE	WTB Devo Team
FRONT HUB	Shimano Zee 20mm
REAR HUB	Shimano Zee 150x12mm
SPOKES	Sandvik Stainless 14g Black
RIMS	Mavic EX729
FRONT TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
REAR TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
PAINT COLOR	Dark Grey Anodized & Shot Peened w/Silver



Stiff Frame: Built using light, stiff and durable Kona 6069 Aluminum, the Process features a low toptube with a seat-tube gusset for added stiffness and strength.

Pivot Performance: The Process only uses bearing pivots, supplying excellent suspension performance under load and durability in wet conditions.

Ideal Leverage Ratio: Our designers worked hard for a leverage rate that wouldn't require a specially valved shock. An "easy" leverage rate curve means the shock isn't working as hard, translating into better shock performance.

Direct Mount FD: Mounting the front derailleur directly to the chainstay allows for optimum shifting with 150mm of rear travel. Sagged at 22.5%, 32%, even static the front derailleur is always in line with the chain providing crisp shifts.

Clean Chainstay Design: An integrated chainstay and internal driveside cable routing.

AM Drivetrain: 10-speed drivetrain, 11-36 cassette, 26-39 chainring. A bash ring mated with a SRAM X-9 Type 2 rear derailleur reduces the need for a chain guide; pedal efficiency with DH performance is the definition of all-mountain.

BB Shell: Shimano press fit with ISCG05 mountsoffers bottom bracket bearings protection from the elements (and your pressure washer) and allows for a wider main pivot. Stiffness and bearing life are also increased.

PROCESS DL

With our all-new Process DL, we have created a lightweight, efficient pedaling platform with geometry and frame features that inspire confidence while descending. Basically, the Tits Magee of all-mountain/ enduro trail bikes. Versatility is the key word here—a bike with a host of subtle but innovative design cues makes the Process DL one of the most ridiculously fun bicycles we've ever made. See page 40 for more.

GEOMETRY

UNITS	inches	inches	inches	inches
SIZE	S	Μ	L	XL
TTH	22.7	23.6	24.8	26
STA	73.5°	73.4°	73.4°	73.3°
HTA	66°	66°	66°	66°
RC	16.7	16.7	16.7	16.7
FC	27.9	28.9	30.1	31.3
WB	44.6	45.7	46.9	48.1
FL	21.5	21.5	21.5	21.5
OF	1.5	1.5	1.5	1.5
BBD	+ 0.5	+ 0.5	+ 0.5	+ 0.5
BBH	13.7	13.7	13.7	13.7
S0	30.6	31.2	31.9	32.8
HT	4.7	5.1	5.5	5.9
BBS	BB92PF	BB92PF	BB92PF	BB92PF
STACK	22.9	23.3	23.7	24
REACH	15.9	16.7	17.7	18.8

SPECIFICATIONS.

FRAME MATERIAL	Kona 6069 Aluminum Butted
SIZES	S, M, L, XL
REAR SHOCK	RockShox Monarch Plus HV RC3
FORK	Lyrik RC2 DH Dual Postion Air 160mm
CRANKARMS	SRAM XO
CHAINRINGS	24/38t
B/B	SRAM Press Fit GXP
PEDALS	Kona Wah Wah
CHAIN	SRAM PC1091
FREEWHEEL	SRAM XG1070 11-36 10 spd
F/D	SRAM XO Direct mount
R/D	SRAM XO Type 2
SHIFTERS	SRAM XO
BRAKE CALIPERS	Avid XO Trail
FRONT BRAKE ROTOR	Avid HS1 180mm
REAR BRAKE ROTOR	Avid HS1 160mm



Raceface Cockpit: New 50mm Atlas stem, 785mm Atlas bar.

OULLER I

SIXX

Dropper Post Cable Routing: For both standard dropper posts and a Reverb Stealth.

Anodized Frame: Kona 6069 Aluminum frame with anodizing increases frame durability and finish, as well as reducing the overall frame weight.

> - Lyrik RC2 Fork : 160mm travel, DH cartridge, same valving as our Entourage, with two-step travel adjust for climbing.

> > Tubeless Compatible: UST compatible high-performance Stans wheelset.

Avid XO Trail Brakes: New trail brakes with lightweight lever and powerful four-piston caliper.

BRAKE LEVERS	Avid XO Trail
HEADSET	FSA Orbit 1.5 ZS No.57
HANDLEBAR	RaceFace Atlast FR
STEM	RaceFace Atlas
SEATPOST	RockShox Reverb Stealth
SEAT CLAMP	Kona Clamp
GRIPS	Kona G-LOG
SADDLE	WTB Volt Team
FRONT HUB	Stan's 3.30HD 20mm
REAR HUB	Stan's 3.30 142x12mm
SPOKES	DT Competition Butted Black
RIMS	Stan's Flow EX
FRONT TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
REAR TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
PAINT COLOR	Silver Anodized & Shot-Peened w/Black & White

• ABRA CADABRA



ABRA CADABRA

Equipped with new G3 Magic Link, the completely redesigned 2013 Abra Cadabra represents the next step in one of the world's most revolutionary all-mountain bikes. G3 Magic is highlighted by a new Auxiliary Air Shock that allows for exacting control of rebound and preload. At the same time, we shaved considerable weight in a redesigned G3 nest, as well as improvements to the linkage system that allows for a smoother and stiffer ride feel. But we didn't stop there: based on feedback from our Kona Team enduro athletes Karim Amour, Alex Stock and Matthew Slaven, we made the bike slacker, lower and lighter overall. Built using Kona 6069 Scandium tubing, the Abra Cadabra is the ultimate all-mountain trail ride. See page 42 for more.

GEOMETRY

UNITS	inches						
SIZE	14	16	17	18	19	20	22
TTH	22	23	23.5	24	24.5	25	26
STA	74.8°	74.8°	74.8°	74.8°	74.8°	74.8°	74.8°
HTA	67°	67°	67°	67°	67°	67°	67°
RC	17.1	17.1	17.1	17.1	17.1	17.1	17.1
FC	27.2	28.2	28.7	28.9	29.7	30.3	31.3
WB	44.3	45.4	45.9	46.4	46.9	47.4	48.4
FL	20.5	20.5	20.5	20.5	20.5	20.5	20.5
OF	1.5	1.5	1.5	1.5	1.5	1.5	1.5
BBD	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7
BBH	13.5	13.5	13.5	13.5	13.5	13.5	13.5
S0	30.4	29.3	29.9	30.5	31	31.6	32.3
HT	4.9	5.1	5.1	5.3	5.3	5.5	5.7
BBS	73mm						
STACK	22.6	22.8	22.8	23	23	23.1	23.3
REACH	15.9	16.8	17.3	17.7	18.2	18.7	19.6

SPECIFICATIONS.

FRAME MATERIAL	Kona Race Light Scandium 69 160mm Travel
SIZES	14", 16", 17", 18", 19", 20", 22"
REAR SHOCK	Fox Float CTD BV
FORK	Fox Float 34 CTD FIT 160mm Tapered
CRANKARMS	Shimano XT
CHAINRINGS	38/26
B/B	Shimano XT
PEDALS	Shimano M530 Clipless
CHAIN	Shimano HG74
FREEWHEEL	Shimano XT 11-36t 10 spd
F/D	Shimano XT
R/D	Shimano XT Shadow Plus
SHIFTERS	Shimano SLX
BRAKE CALIPERS	Shimano SLX
FRONT BRAKE ROTOR	Shimano 180mm
REAR BRAKE ROTOR	Shimano 160mm

26 MTB TRAIL / ALL MOUNTAIN

Raceface Turbine Bar and Stem: The ultimate in performance.

New Frame Features: Slacker, 67-degree headtube angle, 10mm lower bottom bracket, new chainstay tubing and bridge with increased tire/mud clearance, double shear pivots for added stiffness, as well as an integrated chainstay protector and internal

> New Kona Scandium 6069 Frameset: Kona Scandium 6069 Aluminum is the ultimate in lightweight aluminum, with new tubeset designs for increased frame stiffness and strength.

Shimano XT Brakes: 180mm front rotor, 160mm rear, top-drawer stopping power.

BRAKE LEVERS	Shimano XT
HEADSET	FSA No.57E
HANDLEBAR	RaceFace Turbine
STEM	RaceFace Turbine
SEATPOST	RockShox Reverb Stealth
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Race
FRONT HUB	Easton Haven Wheelset 15mm
REAR HUB	Easton Haven Wheelset 142x12mm
SPOKES	Easton Haven Wheelset
RIMS	Easton Haven Wheelset
FRONT TIRE	Maxxis Ardent 26x2.4" Folding
REAR TIRE	Maxxis High Roller 2 26x2.25" Folding
PAINT COLOR	Gloss Black w/Yellow & White

• HEI HEI SUPREME

Ideal Leverage Rate Curve: 100mm of custom Kona XC rear suspension for incredible balance of power transfer and plushness.

Excellent Tire Clearance: Seat tube configuration, seatstay tubing and bridge allow ample room for up to a 2.2" rear tire.

New Shimano Press Fit BB92: More lateral stiffness and increased bottom bracket durability.

> 142x12 Rear Axle: Increased rear-end stiffness and ease of wheel removal.

SRAM XO: Light and performance-oriented SRAM XO components with Type 2 rear derailleur for proper chain tension.

Shorter Chainstay: 440mm chainstays allow for lively and lightning-quick handling and power transfer. A direct-mount front derailleur keeps the front shifting accurate.

HEI HEI SUPREME

Designed in conjunction with our Kona Team XC riders, the all-new 2013 Kona Carbon Race Hei Hei Supreme represents the pinnacle of all we've learned over 25 years of racing mountain bikes. A radical evolution of our Hei Hei XC platform, this big-wheel speedster is all about efficient climbing, powerful acceleration, and agile descending. Features like shorter chainstays, excellent tire clearance, and a perfected leverage rate curve come together on this ultra-light carbon gem. Quite simply, it's the fastest cross-country dual-suspension bike we've ever made. See page 49 for more.

GEOMETRY

UNITS	inches	inches	inches	inches	inches
SIZE	15	17	18	19	21
TTH	22.5	23.5	24	24.5	25.5
STA	75°	75°	75°	75°	75°
HTA	70°	70°	70°	70°	70°
RC	17.5	17.5	17.5	17.5	17.5
FC	26.1	27.1	27.6	28.1	29.1
WB	43.5	44.5	45	45.5	46.5
FL	19.7	19.7	19.7	19.7	19.7
OF	1.7	1.7	1.7	1.7	1.7
BBD	- 1.1	- 1.1	- 1.1	- 1.1	- 1.1
BBH	13.2	13.2	13.2	13.2	13.2
S0	29.7	30.5	31	31.5	33.1
HT	4.1	4.5	4.7	4.9	5.3
BBS	BB92PF	BB92PF	BB92PF	BB92PF	BB92PF
STACK	23	23.4	23.8	24	24.1
REACH	16.2	17	17.5	17.9	18.8

 \cap

SPECIFICATIONS_

FRAME MATERIAL	Kona Race Light Carbon w/Alloy Stays 100mm Trav
SIZES	15", 17", 18", 19", 21"
REAR SHOCK	Fox Float CTD Adjust BV
FORK	Fox Float CTD Adjust Fit 100mm Tapered
CRANKARMS	SRAM XO
CHAINRINGS	38/24t
B/B	SRAM XO
PEDALS	Shimano M520 Clipless
CHAIN	SRAM PC1031
FREEWHEEL	SRAM PG1030 11-36t 10 spd
F/D	SRAM XO
R/D	SRAM XO Type 2
SHIFTERS	SRAM XO
BRAKE CALIPERS	SRAM XO
FRONT BRAKE ROTOR	Avid HS1 180mm
REAR BRAKE ROTOR	Avid HS1 160mm




Raceface Turbine Cockpit



vel	BRAKE LEVERS	SRAM XO
	HEADSET	FSA No.57E
	HANDLEBAR	RaceFace Turbine
	STEM	RaceFace Turbine
	SEATPOST	RaceFace Turbine
	SEAT CLAMP	Kona Clamp
	GRIPS	Kona Race Light LOG
	SADDLE	WTB Volt Race
	FRONT HUB	Easton EA90 XC Wheelset 15mm
	REAR HUB	Easton EA90 XC Wheelset 142x12mm
	SPOKES	Easton EA90 XC Wheelset
	RIMS	Easton EA90 XC Wheelset
	FRONT TIRE	Maxxis Ikon 29x2.2" Folding
	REAR TIRE	Maxxis Ikon 29x2.2" Folding
	PAINT COLOR	Matt UD Carbon w/White & Cyan





Geared or Singlespeed:

Comes with interchangeable sliding dropouts for singlespeed, as well as derailleur hangers for a geared setup.

dropouts will dictate the tire size a person can use. Depending on the


RAIJIN_

We've had a long love affair with titanium, one that we've consummated with our new Raijin, our first ever 29-inch-wheel titanium hardtail. With a long history working with this metal, and some serious expertise in designing unique, industry-leading 29-inch-wheel bikes, we're delivering the new Raijin loaded with cool custom features, on a frame designed by Kona, and manufactured in the USA by Lynskey Performance Designs. Named after the Japanese god of lightning and thunder, the Raijin, which is available as a frameset only, sets out to maximize all the inherent virtues of titanium with geometry ideally suited to fast, efficient, simple and ridiculously fun singletrack riding. See page 59 for more.

GEOMETRY

UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	22.5	23.5	24	24.5	25.5
STA	74°	74°	73°	73°	73°
HTA	68.5°	69.5°	69.5°	70°	71°
RC	16.7 - 17.3	16.7 - 17.3	16.7 - 17.3	16.7 - 17.3	16.7 - 17.3
FC	26.6	26.9	26.7	27	27.9
WB	43.3 - 43.9	43.3 - 43.9	43 - 43.6	43.3 - 43.9	44.4 - 45
FL	20.1	20.1	20.1	20.1	20.1
OF	1.9	1.9	1.9	1.9	1.9
BBD	- 2.1	- 2.1	- 2.1	- 2.1	- 2.1
BBH	12.4	12.4	12.4	12.4	12.4
S0	31.3	32.6	32.9	33.7	35.1
HT	4	4.2	4.6	5	5.8
BBS	PFBB30	PFBB30	PFBB30	PFBB30	PFBB30
STACK	24	24.1	24.4	24.9	26.2
REACH	15.6	16.5	16.3	16.7	17.5





44mm Headtube Diameter: Designed for a 1.5" headset with external lower cup for a tapered fork, and a zero stack upper cup, spec'd for a 100mm tapered fork.

Super Lightweight: Using 3/2.5Ti tube material with a shaped downtube that is curved at the headtube, we've created an 18-inch Raijin that weighs four pounds (1.8kgs).

Perfected XC Geometry: 69.5-degree headtube angle, 74-degree seat tube angle, 12.4" (316mm) bottom bracket height, 24.1" (612mm) stack, 43.3-43.9" (1101-1117mm) wheelbase, and 16.5" (419mm) reach (18" frame).

Laser Etched Graphics: Raw, industrial mill finish with laser-etched headtube and downtube logos, and engraved logo on the driveside chainstay yoke.

Press Fit BB30 Bottom Bracket: 73mm bottom bracket width

downhill bikes we've ridden. It's simple and effective, and we love it. -Mountain Biking UK Magazine 🤊




OPERATOR_

For the money, it is one of the best downhill mountain bikes on the market. Light, quick, really maneuverable and super plush, the Operator is designed specifically for those who need excellent big-travel value. Make no mistake: this is a high-performance downhill bike made to endure the rigors of heavy-duty shuttling, bike-park riding and flat-out downhill racing. It has oversized pivot axles and bearings, bomber Kona 7005 DH frame and components selected to maximize the performance equation. No surprise then, the 2012 Operator was voted to Dirt Magazine's prestigious Top 100.

GEOMETRY_____

UNITS inches inches inches SIZE S M L TTH 21.5 23 24.5 STA 75° 74.7° 74.4° HTA 64° 64° 64° RC 16.8 16.8 16.8 FC 28.4 29.8 31.3 WB 45.2 46.7 48.1 FL 22.4 22.4 22.4 OF 1.7 1.7 1.7 BBD +0.5 +0.5 +0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3 REACH 15.3 16.6 17.9	0 _ 0			
TTH 21.5 23 24.5 STA 75° 74.7° 74.4° HTA 64° 64° 64° RC 16.8 16.8 16.8 FC 28.4 29.8 31.3 WB 45.2 46.7 48.1 FL 22.4 22.4 24.5 OF 1.7 1.7 1.7 BBD +0.5 +0.5 +0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm	UNITS	inches	inches	inches
STA 75° 74.7° 74.4° HTA 64° 64° 64° RC 16.8 16.8 16.8 FC 28.4 29.8 31.3 WB 45.2 46.7 48.1 FL 22.4 22.4 22.4 OF 1.7 1.7 1.7 BBD + 0.5 + 0.5 + 0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	SIZE	S	M	L
HTA64°64°BTA64°64°RC16.816.8FC28.429.8JI.3WB45.246.7VB22.422.4OF1.71.7BBD+ 0.5+ 0.5BBH13.813.8SO29.529.7BBS83mm83mmSTACK22.522.9	TTH	21.5	23	24.5
RC 16.8 16.8 16.8 FC 28.4 29.8 31.3 WB 45.2 46.7 48.1 FL 22.4 22.4 22.4 OF 1.7 1.7 1.7 BBD + 0.5 + 0.5 + 0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	STA	75°	74.7°	74.4°
FC 28.4 29.8 31.3 WB 45.2 46.7 48.1 FL 22.4 22.4 22.4 OF 1.7 1.7 1.7 BBD +0.5 +0.5 +0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	HTA	64°	64°	64°
WB 45.2 46.7 48.1 FL 22.4 22.4 22.4 OF 1.7 1.7 1.7 BBD + 0.5 + 0.5 + 0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	RC	16.8	16.8	16.8
FL 22.4 22.4 22.4 OF 1.7 1.7 1.7 BBD + 0.5 + 0.5 + 0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	FC	28.4	29.8	31.3
OF 1.7 1.7 1.7 BBD + 0.5 + 0.5 + 0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	WB	45.2	46.7	48.1
BBD + 0.5 + 0.5 BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	FL	22.4	22.4	22.4
BBH 13.8 13.8 13.8 SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	OF	1.7	1.7	1.7
SO 29.5 29.7 30 HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	BBD	+ 0.5	+ 0.5	+ 0.5
HT 3.9 4.3 4.7 BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	BBH	13.8	13.8	13.8
BBS 83mm 83mm 83mm STACK 22.5 22.9 23.3	S0	29.5	29.7	30
STACK 22.5 22.9 23.3	HT	3.9	4.3	4.7
	BBS	83mm	83mm	83mm
REACH 15.3 16.6 17.9	STACK	22.5	22.9	23.3
	REACH	15.3	16.6	17.9

RockShox Boxxer RC 200mm travel fork






Never before has the world of down been so diverse: from the steep, rock- and rootinfested gnarl of World Cup tracks to perfectly manicured bike parks, backyard jumps or cityscape slopestyle courses, all the way through to adrenaline-stacked big-mountain descents. Gravity riding in 2013 represents a wide range of riders and riding styles, and since we've been in the game right from the start, we understand the need to make specific bikes for specific types. The reliable plushness of the Shimano Saint-equipped Supreme Operator, the redesigned Shred, our paradigm-shifting Entourage and the tricksavvy Shonky are guaranteed. One hundred per cent. We've got a bike to get after it.

OPERATOR

SPECIFICATIONS



FRAME MATERIAL
SIZES
REAR SHOCK
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
CHAINGUIDE
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona DH 7005 Aluminum 200mm Travel S, M, L Rock Shox Kage RC Rock Shox Boxxer RC 200mm FSA Gap 36t FSA 83mm Kona Wah Wah SRAM PC1051 SRAM PG1050 11-28t 10 spd E*Thirteen SS SRAM X9 SRAM X7 (rh only) Avid Code R Avid G2CS 200mm Avid G2CS 180mm Avid Code R FSA Orbit 1.5B ZS No.57B-1 Kona DH Kona Jerk Kona DH Kona Clamp Kona G-LOG WTB Devo HP Comp Formula 20mm Formula 150x12mm Sandvik Stainless 14g Sun MTX33 Sleeved Maxxis High Roller 2 DH 26x2.4" Maxxis High Roller 2 DH 26x2.4" Matt Lime Green w/Black

10-speed SRAM X9/X7 drivetrain/ Avid Code R brakes 🛑 Kona Wah-Wah pedals

Maxxis High Roller 2 26x2.4" DH tires and Sun MTX33 rims

• SUPREME OPERATOR



SUPREME OPERATOR

In the two years since we launched our Supreme Operator, this bike has become cherished and loved by riders all over the world. We kept it simple, focusing our efforts on high-performance characteristics that last. What sets the Supreme Operator apart is its ability to take a carefully tuned, rising-rate leverage curve, ideal for fast, technical, big-hit riding, and combine it with features like low standover, oversized pivot axles and bearings, and a toughbut-light shot-peened and anodized Kona 7005 DH Butted frame. Tricked out with Shimano's new 2013 Saint groupo and RockShox Boxxer World Cup fork, the Supreme Operator is a gravity weapon for the ages. See page 20 for more.

GEON	AETRY		
UNITS	inches	inches	inches
SIZE	S	Μ	L
ТТН	21.5	23	24.5
STA	75°	74.7°	74.4°
HTA	64°	64°	64°
RC	16.8	16.8	16.8
FC	28.4	29.8	31.3
WB	45.2	46.7	48.1
FL	22.4	22.4	22.4
OF	1.7	1.7	1.7
BBD	+ 0.5	+ 0.5	+ 0.5
BBH	13.8	13.8	13.8
SO	29.5	29.7	30
HT	3.9	4.3	4.7
BBS	83mm	83mm	83mm
STACK	22.5	22.9	23.3
REACH	15.3	16.6	17.9

RockShox Boxxer World Cup 200mm travel fork

34 GRAVITY

Custom-tuned FOX DHX RC4 rear shock

NEW Shimano Saint drivetrain and brakes

SPECIFICATIONS.

FRAME MATERIAL	Kona DH 7005 Aluminum 200mm Travel
SIZES	S, M, L
REAR SHOCK	Fox DHX RC4
FORK	Rock Shox Boxxer World Cup 200mm
CRANKARMS	Shimano Saint
CHAINRINGS	36t
B/B	Shimano 83mm
PEDALS	Kona Wah Wah
CHAIN	Shimano XT
FREEWHEEL	Shimano Ultegra 11-28t 10 spd
CHAINGUIDE	E*Thirteen SRS+
R/D	Shimano Saint
SHIFTERS	Shimano Saint (rh only)
BRAKE CALIPERS	Shimano Saint
FRONT BRAKE ROTOR	Shimano M820 203mm
REAR BRAKE ROTOR	Shimano M820 180mm
BRAKE LEVERS	Shimano Saint
HEADSET	FSA Orbit 1.5 ZS No.57
HANDLEBAR	Race Face Atlas FR
STEM	Race Face Atlas DM
SEATPOST	Race Face Custom
SEAT CLAMP	Kona Clamp
GRIPS	Kona G-LOG
SADDLE	WTB Devo Team
FRONT HUB	Shimano Saint 20mm
REAR HUB	Shimano Saint 150x12mm
SPOKES	Sandvik Stainless 14g Black
RIMS	Mavic EX729
FRONT TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
REAR TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
PAINT COLOR	Black Anodized & Shot Peened w/Gold

RaceFace Atlas bar and stem

Maxxis High Roller 2 26x2.4" EXO tires, Mavic rims and Shimano Saint hubs

66 If you are a rider who visits bike parks, rides many different downhill trails and loves the jumps, then this bike is aimed at you. This is an absolutely fantastic bike. –Dirt Magazine, UK 🤊



ENTOURAGE DL

Introduced in 2012, the Entourage DL comes with a host of refinements for 2013, making it the most fun short-travel DH bike currently on the market. The 170mm travel Entourage DL is the Operator on a diet. Designed to be quicker, faster and more maneuverable than a standard 200mm DH rig, this bike is all about ramping the rad quotient to the next level. It's the bike freeride superstar Graham Agassiz used to huck massive backflips, style downside tailwhips and spin lofty 360s in Anthill Films' Strength in Numbers. With super-short 415mm chainstays and geometry specifically designed to broaden your gravity horizons, this year's Entourage DL sees new improvements from an anodized finish and Shimano's new Zee Group. See page 22 for more.

GEOMETRY_____


UNITS	inches	inches	inches
SIZE	S	Μ	L
TTH	21.5	23	24.5
STA	76.3°	76°	75.7°
HTA	65°	65°	65°
RC	16.3	16.3	16.3
FC	28.3	29.7	31.2
WB	44.6	46	47.5
FL	21.9	21.9	21.9
OF	1.6	1.6	1.6
BBD	0	0	0
BBH	13.3	13.3	13.3
S0	29.5	29.8	30
HT	4.3	4.7	5.1
BBS	83mm	83mm	83mm
STACK	23.2	23.5	23.9
REACH	15.7	17	18.3

Kona DH 7005 Aluminum NEW Shimano Zee group Butted frame with integrated chainstay protector

ENTOURAGE DL

SPECIFICATIONS.

FRAME MATERIAL



SIZES REAR SHOCK FORK CRANKARMS CHAINRINGS PEDALS CHAIN FREEWHEEL CHAINGUIDE R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUR SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

Kona DH 7005 Aluminum 170mm Travel S, M, L Fox DHX RC2 Rock Shox Lyrik RC2 Solo Air DH 170mm Shimano Zee 36t Shimano Zee 83mm Kona Wah Wah Shimano HG74 Shimano Deore 11-28t 10 spd E*Thirteen SRS+ Shimano Zee Shimano Zee (rh only) Shimano Zee Shimano Zee Shimano Zee Shimano Zee FSA Orbit 1.5 ZS No.57 Race Face Atlas FR Race Face Atlas FR Race Face Custom Kona Clamp Kona G-LOG WTB Devo Team Shimano Zee 20mm Shimano Zee 150x12mm Sandvik Stainless 14g Black Mavic EX729 Maxxis High Roller 2 26x2.4" EXO 3C Maxxis High Roller 2 26x2.4" EXO 3C Dark Grey Anodized & Shot Peened w/Silver

RockShox Lyrik RC2 Solo Air DH fork

FOX DHX RC2 shock

Maxxis High Roller 2 26x2.4" EXO tires and Mavic EX729 rims

ENTOURAGE



ENTOURAGE.

Front and rear travel of 170mm mean the Entourage is a trimmed down Operator. With radically shorter stays for fleet of feet both on the ground and high above it, and a low bottom bracket and slack headtube for stability and confidence at speed, the Entourage is the epitome of funour freeride team's bike of choice for obvious reasons. If a long-travel DH bike is too much cushin' for your pushin', and a long-travel trail bike ain't enough lovin' for your oven, try this biscuit.

GEOMETRY			
UNITS	inches	inches	inches
SIZE	S	Μ	L
TTH	21.5	23	24.5
STA	76.3°	76°	75.7°
HTA	65°	65°	65°
RC	16.3	16.3	16.3
FC	28.3	29.7	31.2
WB	44.6	46	47.5
FL	21.9	21.9	21.9
OF	1.6	1.6	1.6
BBD	0	0	0
BBH	13.3	13.3	13.3
SO	29.5	29.8	30
HT	4.3	4.7	5.1
BBS	83mm	83mm	83mm
STACK	23.2	23.5	23.9
REACH	15.7	17	18.3

Avid Code R brakes

Kona DH 7005 Aluminum Butted frame with integrated chainstay protector

SPECIFICATIONS.

FRAME MATERIAL	Kona DH 7005 Aluminum 170mm Travel
SIZES	S, M, L
REAR SHOCK	Fox Van R
FORK	Rock Shox Domain R CL 170mm
CRANKARMS	FSA Moto
CHAINRINGS	34t
B/B	FSA 83mm
PEDALS	Kona Wah Wah
CHAIN	SRAM PC951
FREEWHEEL	SRAM PG950 11-32t 9 spd
CHAINGUIDE	E*Thirteen FreeChucker
R/D	SRAM X7
SHIFTERS	SRAM X7 (rh only)
BRAKE CALIPERS	Avid Code R
FRONT BRAKE ROTOR	Avid G2CS 200mm
REAR BRAKE ROTOR	Avid GCS2 180mm
BRAKE LEVERS	Avid Code R
HEADSET	FSA Orbit 1.5B ZS
HANDLEBAR	Kona DH
STEM	Kona Jerk
SEATPOST	Kona DH
SEAT CLAMP	Kona Clamp
GRIPS	Kona G-LOG
SADDLE	WTB Devo HP Comp
FRONT HUB	Formula 20mm
REAR HUB	Formula 150x12mm
SPOKES	Sandvik Stainless 14g
RIMS	Sun MTX33 Sleeved
FRONT TIRE	Maxxis High Roller 2 DH 26x2.4"
REAR TIRE	Maxxis High Roller 2 DH 26x2.4"
PAINT COLOR	Matt Metallic Grey w/Charcoal

E*Thirteen FreeChucker chainguide

Maxxis High Roller 2 26x2.4" DH tires and Sun MTX33 rims



SHONKY_

The perfect hardtail is all about balancing geometry and performance with durability. It has to feel just right, it has to take a beating, and it can't break the bank. Essentially, it needs to be a smashable work of art. Just ask Kona Team Rider Antoine Bizet who stomped the Shonky to win the best trick at Vienna Air King. This year, we add new Taperlock dropouts to the frame, an integrated dropout system that keeps the wheel from sliding forward on hard impacts.

GEOMETRY____

UNITS	inches	inches	
SIZE	Regular	Long	
TTH	22.8	23.5	
STA	71.5°	71.5°	
HTA	69°	69°	
RC	15.7	15.7	
FC	25.4	26.2	
WB	41.1	41.9	
FL	18.1	18.1	
OF	1.7	1.7	
BBD	- 1.0	- 1.0	
BBH	12.2	12.2	
SO	28	28	
HT	4.5	4.5	
BBS	Spanish	Spanish	
STACK	21.5	21.5	
REACH	15.6	16.3	


Kona Cromoly Butted jump RockShox Argyle R 80mm frame with Spanish BB travel fork

36 GRAVITY

SHONKY •

SPECIFICATIONS.

Kona Cromoly



FRAME MATERIAL SIZES FORK CRANKARMS CHAINRINGS R/R PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS Front Tire Rear Tire Paint Color

Regular, Long RockShox Argyle R 80mm ChainWay 19mm BMX 30t Chainway Spanish Wellgo Plastic KMX 1/8" Half-Link Formula 14t N/A N/A N/A ProMax DSK310 fr / Tektro HDC300 rr ProMax 160mm Tektro Light Wave 160mm Tektro HDC300 FSA ZST NO.11r Kona DJ Kona Jerk Kona Pivotal Integrated Kona G-LOG Kona Pivotal Formula 20mm Formula 135mm Bolt on SS Stainless 14g Alex DM24 Maxxis Holy Roller 26x2.4" Maxxis Holy Roller 26x2.4 Matt Raw Steel w/Matt Orange Tint

New Tektro HDC-300 hydraulic rear brake w/ 160mm rear rotor

KMC half link Chain

Custom Kona CW Cromoly 19mm crankarm /30t splined chainring

GRAVITY 37

DOWNSIDE



DOWNSIDE,

We take the perfected geometry matrix of the Shonky and give it a Kona Cromoly frame and spec package specifically tailored for all you shredders-and parents of shredders-on a budget. The 2013 Downside features a new integrated Taperlock dropout system that keeps the wheel from sliding forward on hard impacts. Overall, it's a mega-tough, ultra-durable, wicked-performing dirt jumper. Because at Kona, we believe everyone should be free to fly. You're welcome.

GEOMETRY_____

UNITSinchesSIZERegularLongST12.712.7TTH2323.5STA71.5°71.5°HTA69°69°RC15.715.7FC25.726.2WB41.441.9FL1.818OF1.91.9BBD-1.0-1.0BBH12.228.5ATT4.528.5HT4.521.5STACK21.521.5REACH15.816.3				
ST 12.7 12.7 TTH 23 23.5 STA 71.5° 71.5° HTA 69° 69° RC 15.7 15.7 FC 25.7 26.2 WB 41.4 41.9 FL 1.8 18 OF 1.9 1.9 BBD -1.0 -1.0 BBH 12.2 12.2 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	UNITS	inches	inches	
TTH 23 23.5 STA 71.5° 71.5° HTA 69° 69° RC 15.7 15.7 FC 25.7 26.2 WB 41.4 41.9 FL 1.8 18 OF 1.9 1.9 BBD -1.0 -1.0 BBH 12.2 28.5 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	SIZE	Regular	Long	
STA 71.5° 71.5° HTA 69° 69° RC 15.7 15.7 FC 25.7 26.2 WB 41.4 41.9 FL 1.8 18 OF 1.9 1.9 BBD -1.0 -1.0 BBH 12.2 28.5 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	ST	12.7	12.7	
HTA69°69°RC15.715.7FC25.726.2WB41.441.9FL1.818OF1.91.9BBD-1.0-1.0BBH12.212.2SO28.528.5HT4.54.5BBSSpanishSpanishSTACK21.521.5	TTH	23	23.5	
RC15.715.7FC25.726.2WB41.441.9FL1.818OF1.91.9BBD-1.0-1.0BBH12.212.2SO28.528.5HT4.54.5BBSSpanishSpanishSTACK21.521.5	STA	71.5°	71.5°	
FC25.726.2WB41.441.9FL1.818OF1.91.9BBD-1.021.2SO28.528.5HT4.54.5BBSSpanishSpanishSTACK21.521.5	HTA	69°	69°	
WB 41.4 41.9 FL 1.8 18 OF 1.9 1.9 BBD -1.0 -1.0 BBH 12.2 28.5 AT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	RC	15.7	15.7	
FL 1.8 18 OF 1.9 1.9 BBD -1.0 -1.0 BBH 12.2 12.2 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	FC	25.7	26.2	
OF 1.9 1.9 BBD -1.0 -1.0 BBH 12.2 12.2 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	WB	41.4	41.9	
BBD - 1.0 - 1.0 BBH 12.2 12.2 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	FL	1.8	18	
BBH 12.2 12.2 SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	OF	1.9	1.9	
SO 28.5 28.5 HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	BBD	- 1.0	- 1.0	
HT 4.5 4.5 BBS Spanish Spanish STACK 21.5 21.5	BBH	12.2	12.2	
BBSSpanishSpanishSTACK21.521.5	S0	28.5	28.5	
STACK 21.5 21.5	HT	4.5	4.5	
	BBS	Spanish	Spanish	
REACH 15.8 16.3	STACK	21.5	21.5	
	REACH	15.8	16.3	

Kona Cromoly Butted jump New Tektro HDC300 frame with Spanish BB

38 GRAVITY


hydraulic rear brake with 160mm rear rotor after hard landings

SPECIFICATIONS

FRAME MATERIAL	Kona Cromoly
SIZES	Regular, Long
FORK	Spinner Cargo 340 80mm
CRANKARMS	ChainWay 19mm BMX
CHAINRINGS	30t
B/B	Chainway Spanish
PEDALS	Wellgo Plastic
CHAIN	KMC Z410B
FREEWHEEL	Formula 14t
F/D	N/A
R/D	N/A
SHIFTERS	N/A
BRAKE CALIPERS	ProMax DSK310 fr / Tektro HDC300 rr
FRONT BRAKE ROTOR	ProMax 160mm
REAR BRAKE ROTOR	Tektro Light Wave 160mm
BRAKE LEVERS	Tektro HDC300
HEADSET	FSA ZST NO.10
HANDLEBAR	Kona DJ
STEM	Kona Jerk
SEATPOST	Kona Pivotal
SEAT CLAMP	Kona Clamp
GRIPS	Kona DJ
SADDLE	Kona Pivotal
FRONT HUB	Formula
REAR HUB	Formula
SPOKES	Stainless 14g
RIMS	Alex MUS30
FRONT TIRE	Maxxis Holy Roller 26x2.4"
REAR TIRE	Maxxis Holy Roller 26x2.4"
PAINT COLOR	Matt Raw Steel w/Matt Lime Tint

New Taperlock dropouts Kona Pivotal bolt-thru for wheels that won't move saddle and post

Maxxis Holy Roller 26x2.4" tires



Up fast and down faster. Everything in mountain biking comes to a head in all-mountain and enduro—versatile bicycles purposed to perform at a high level in a huge variety of riding conditions. Designed to be light and quick, able to efficiently climb everything from low-grade fire roads to technical singletrack, our allmountain/enduro bikes will, in an instant, automatically and intuitively descend with power and authority. We get that. That's why we make a wide array of bikes designed to do just that.

2013 / MTB TRAIL / ALL MOUNTAIN

• PROCESS DL



PROCESS DL

With our all-new Process DL, we have created a lightweight, efficient pedaling platform with geometry and frame features that inspire confidence while descending. Basically, the Tits Magee of all-mountain/ enduro trail bikes. Versatility is the key word here—a bike with a host of subtle but innovative design cues makes the Process DL one of the most ridiculously fun bicycles we've ever made. See page 24 for more.

UNITS	inches	inches	inches	inches
SIZE	S	Μ	L	XL
TTH	22.7	23.6	24.8	26
STA	73.5°	73.4°	73.4°	73.3°
HTA	66°	66°	66°	66°
RC	16.7	16.7	16.7	16.7
FC	27.9	28.9	30.1	31.3
WB	44.6	45.7	46.9	48.1
FL	21.5	21.5	21.5	21.5
OF	1.5	1.5	1.5	1.5
BBD	+ 0.5	+ 0.5	+ 0.5	+ 0.5
BBH	13.7	13.7	13.7	13.7
S0	30.6	31.2	31.9	32.8
HT	4.7	5.1	5.5	5.9
BBS	BB92PF	BB92PF	BB92PF	BB92F
STACK	22.9	23.3	23.7	24
REACH	15.9	16.7	17.7	18.8

New Kona 6069 Aluminum Butted frame

RockShox Reverb Stealth SRAM XO 2x10 drivetrain

dropper seatpost

SPECIFICATIONS.

and stem

with Type 2 derailleur

FRAME MATERIAL	Kona 6069 Aluminum Butted 150mm Travel
SIZES	S, M, L, XL
REAR SHOCK	RockShox Monarch Plus HV RC3
FORK	Lyrik RC2 DH Dual Postion Air 160mm
CRANKARMS	SRAM XO
CHAINRINGS	24/38t
B/B	SRAM Press Fit GXP
PEDALS	Kona Wah Wah
CHAIN	SRAM PC1091
FREEWHEEL	SRAM XG1070 11-36 10 spd
F/D	SRAM XO Direct mount
R/D	SRAM XO Type 2
SHIFTERS	SRAM XO
BRAKE CALIPERS	Avid XO Trail
FRONT BRAKE ROTOR	Avid HS1 180mm
REAR BRAKE ROTOR	Avid HS1 160mm
BRAKE LEVERS	Avid XO Trail
HEADSET	FSA Orbit 1.5 ZS No.57
HANDLEBAR	RaceFace Atlast FR
STEM	RaceFace Atlas
SEATPOST	RockShox Reverb Stealth
SEAT CLAMP	Kona Clamp
GRIPS	Kona G-LOG
SADDLE	WTB Volt Team
FRONT HUB	Stan's 3.30HD 20mm
REAR HUB	Stan's 3.30 142x12mm
SPOKES	DT Competition Butted Black
RIMS	Stan's Flow EX
FRONT TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
REAR TIRE	Maxxis High Roller 2 26x2.4" EXO 3C
PAINT COLOR	Silver Anodized & Shot-Peened w/Black & White

RaceFace Atlas bar

Maxxis High Roller 2 26x2.4" EXO tires with Stan's Flow EX rims



PROCESS _

Kona's freshly minted all-mountain Process combines a lightweight, efficient pedaling platform with geometry and frame features crafted to inspire forestloads of downward bliss. Our goal was to build the mother of all-mountain/enduro trail bikes, built the Kona way, with versatility imbued in every feature; it's a bike with a host of subtle but innovative design cues that makes it one of the most ridiculously fun bicycles we've ever made.

GEOMETRY_

UNITS	inches	inches	inches	inches
SIZE	S	M	L	XL
TTH	22.7	23.6	24.8	26
STA	73.5°	73.4°	73.4°	73.3°
HTA	66°	66°	66°	66°
RC	16.7	16.7	16.7	16.7
FC	27.9	28.9	30.1	31.3
WB	44.6	45.7	46.9	48.1
FL	21.5	21.5	21.5	21.5
OF	1.5	1.5	1.5	1.5
BBD	+ 0.5	+ 0.5	+ 0.5	+ 0.5
BBH	13.7	13.7	13.7	13.7
S0	30.6	31.2	31.9	32.8
HT	4.7	5.1	5.5	5.9
BBS	BB92PF	BB92PF	BB92PF	BB92PF
STACK	22.9	23.3	23.7	24
REACH	15.9	16.7	17.7	18.8

New Kona 6069 Aluminum Butted frame

RockShox Lyrik R Coil 160mm fork w/ 20mm thru-axle

HV rear shock

PROCESS

SPECIFICATIONS,

FRAME MATERIAL

SIZES



REAR SHOCK FORK CRANKARMS CHAINRINGS R/R PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE

S, M, L, XL RockShox Monarch R HV RockShox Lyrik R Coil 160mm SRAM \$1000 24/38t SRAM Press Fit GXP Kona Wah Wah SRAM PC1031 SRAM PG1030 11-36t 10 spd SRAM X7 Direct mount SRAM X9 Type 2 SRAM X7 Avid Elixir 5 Avid G2 Clean Sweep 180mm Avid G2 Clean Sweep 160mm Avid Elixir 5 FSA Orbit 1.5 ZS No.57 Kona XC/BC Riser Kona XC/BC Krank Brothers Kronolog Kona Clamp Kona G-LOG WTB Volt Comp Formula 20mm Formula 142x12mm Stainless 14g WTB ST i23 TCS Maxxis High Roller 2 26x2.4" Maxxis High Roller 2 26x2.4" Matt Orange w/Black

Kona 6069 Aluminum Butted 150mm Travel

RockShox Monarch R SRAM X9/X7 2x10 drivetrain and Avid Elixir 5 brakes

PAINT COLOR

Crankbrothers Kronolog Maxxis High Roller 2 on-the-fly dropper post

26x2.4" tires with tubeless compatible WTB STi23 rims

ABRA CADABRA



ABRA CADABRA

Equipped with new G3 Magic Link, the completely redesigned 2013 Abra Cadabra represents the next step in one of the world's most revolutionary all-mountain bikes. G3 Magic is highlighted by a new Auxiliary Air Shock that allows for exacting control of rebound and preload. At the same time, we shaved considerable weight in a redesigned G3 nest, as well as improvements to the linkage system that allows for a smoother and stiffer ride feel. But we didn't stop there: based on feedback from our Kona Team enduro athletes Karim Amour, Alex Stock and Matthew Slaven, we made the bike slacker, lower and lighter overall. Built using Kona 6069 Scandium tubing, the Abra Cadabra is the ultimate all-mountain trail ride. See page 26 for more.

GEOMETRY_____

								DRAKE CA
UNITS	inches	FRONT BR						
SIZE	14	16	17	18	19	20	22	REAR BRA
TTH	22	23	23.5	24	24.5	25	26	BRAKE LE
STA	74.8°	74.8°	74.8°	74.8°	74.8°	74.8°	74.8°	HEADSET
HTA	67°	67°	67°	67°	67°	67°	67°	HANDLEBA
RC	17.1	17.1	17.1	17.1	17.1	17.1	17.1	STEM
FC	27.2	28.2	28.7	28.9	29.7	30.3	31.3	SEATPOST
WB	44.3	45.4	45.9	46.4	46.9	47.4	48.4	SEAT CLAN
FL	20.5	20.5	20.5	20.5	20.5	20.5	20.5	GRIPS
OF	1.5	1.5	1.5	1.5	1.5	1.5	1.5	SADDLE
BBD	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	FRONT HU
BBH	13.5	13.5	13.5	13.5	13.5	13.5	13.5	REAR HUB
S0	30.4	29.3	29.9	30.5	31	31.6	32.3	SPOKES
HT	4.9	5.1	5.1	5.3	5.3	5.5	5.7	RIMS
BBS	73mm	FRONT TIR						
STACK	22.6	22.8	22.8	23	23	23.1	23.3	REAR TIRE
REACH	15.9	16.8	17.3	17.7	18.2	18.7	19.6	PAINT COL

Completely revamped G3 Kona Scandium 6069 Butted Magic Link frame

Shimano XT/SLX 10-speed RaceFace Turbine bar drivetrain with Shadow Plus and stem rear derailleur

SPECIFICATIONS.

FRAME MATERIAL	Kona Race Light Scandium 69 160mm Travel
SIZES	14", 16", 17", 18", 19", 20", 22"
REAR SHOCK	Fox Float CTD BV
FORK	Fox Float 34 CTD FIT 160mm Tapered
CRANKARMS	Shimano XT
CHAINRINGS	38/26
B/B	Shimano XT
PEDALS	Shimano M530 Clipless
CHAIN	Shimano HG74
FREEWHEEL	Shimano XT 11-36t 10 spd
F/D	Shimano XT
R/D	Shimano XT Shadow Plus
SHIFTERS	Shimano SLX
BRAKE CALIPERS	Shimano SLX
FRONT BRAKE ROTOR	Shimano 180mm
REAR BRAKE ROTOR	Shimano 160mm
BRAKE LEVERS	Shimano XT
HEADSET	FSA No.57E
HANDLEBAR	RaceFace Turbine
STEM	RaceFace Turbine
SEATPOST	RockShox Reverb Stealth
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Race
FRONT HUB	Easton Haven Wheelset 15mm
REAR HUB	Easton Haven Wheelset 142x12mm
SPOKES	Easton Haven Wheelset
RIMS	Easton Haven Wheelset
FRONT TIRE	Maxxis Ardent 26x2.4" Folding
REAR TIRE	Maxxis High Roller 2 26x2.25" Folding
PAINT COLOR	Gloss Black w/Yellow & White

Easton Haven Wheelset with 142x12 rear axle

RockShox Reverb Stealth dropper post

just to be used by someone who wants to have fun going down but without compromise on pedal efficiency.



CADABRA _

Known as one of the most intuitively adaptable trail bikes ever ma the Cadabra is the ultimate blend of efficient climbing and power descending. Featuring our new G3 Magic Link, which features an redesigned rear triangle that's lighter, stiffer, with better tire clear a new Magic Air Auxiliary shock, and geometry that's slacker and this is our fastest, stiffest and plushest Magic bike to date. Devel conjunction with Kona Team Enduro athletes Karim Amour, Matt S and Alex Stock, the 2013 Kona Scandium 6069 Cadabra is the ulti all-mountain destroyer.

GEOMETRY_____

UNITS	inches	inches	inches	inches	inches	inches	in	
SIZE	14	16	17	18	19	20	22	
TTH	22	23	23.5	24	24.5	25	26	
STA	74.8°	74.8°	74.8°	74.8°	74.8°	74.8°	74	
HTA	67°	67°	67°	67°	67°	67°	6	
RC	17.1	17.1	17.1	17.1	17.1	17.1	1	
FC	27.2	28.2	28.7	29.3	29.7	30.3	3	
WB	44.3	45.4	45.9	46.4	46.9	47.4	48	
FL	20.5	20.5	20.5	20.5	20.5	20.5	20	
OF	1.5	1.5	1.5	1.5	1.5	1.5	1.	
BBD	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+ 0.7	+	
BBH	13.5	13.5	13.5	13.5	13.5	13.5	1:	
S0	30.4	28.9	29.8	30.5	31	31.6	32	
HT	4.9	5.1	5.1	5.3	5.3	5.5	5.	
BBS	73mm	73mm	73mm	73mm	73mm	73mm	7	
STACK	22.6	22.8	22.8	23	23	23.1	2	
REACH	15.8	16.8	17.2	17.7	18.2	18.7	19	

Completely revamped G3 Kona Scandium 6069 Butted Magic Link frame

FOX Float CTD rear shock FOX Float 34 CTD with new Kona Magic Link auxiliary air shock



42 MTR TRAIL / ALL MOUNTAIN

CADABRA •

SPECIFICATIONS.

FRAME MATERIAL


ade, rful
entirely
rance,
lower,
loped in
Slaven
imate

ches
2
6
4.8°
7°
7.1
1.3
8.4
0.5
.5
0.7
3.5
2.7
.7
3mm
3.3
9.6


SIZES
REAR SHOCK
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona Race Light Scandium 69 160mm Travel 14", 16", 17", 18", 19", 20", 22" Fox Float CTD BV Fox Float 34 CTD 160mm Tapered Shimano SLX 38/26t Shimano SLX Shimano M530 Clipless KMC HG54 Shimano HG81 11-36t 10 spd Shimano SLX Shimano SLX Shadow Plus Shimano SLX Shimano SLX Shimano 180mm Shimano 160mm Shimano SLX FSA No.57E Kona XC/BC Rise Kona XC/Road Crank Brothers Kronolo Kona Clamp Kona Race Light LOG WTB Volt Comp Shimano MT68 Wheelset 15mm Shimano MT68 Wheelset 142x12mm Shimano MT68 Wheelset Shimano MT68 Wheelset Maxxis Ardent 26x2.4" Folding Maxxis High Roller 2 26x2.25" Folding

160mm travel fork



Gloss Black w/Cyan & White



SATORI



SATORI _

It was one of our most popular bikes in 2012, winning the masses over with its ability to climb like an XC bike and then bust up the down like a DH rig. Satori means "enlightenment" in Buddhism, and with 140mm (front) and 130mm (rear) of plush, efficient travel, quick and nimble geometry, and all the benefits of 29-inch wheels, the Satori has all the features of an all-mountain rig: 142x12 rear axle, tapered headtube, ISCG 05 tabs, direct-mount front derailleur and dropper seatpost. Yes, nirvana is pretty sweet.

GEOMETRY_____

						BRAKE CAI
UNITS	inches	inches	inches	inches	inches	FRONT BR
SIZE	16	18	19	20	22	REAR BRA
TTH	23	23.5	24	24.5	25.5	BRAKE LEV
STA	74°	74°	74°	74°	74°	HEADSET
HTA	68°	68°	68°	68°	68°	HANDLEBA
RC	17.3	17.3	17.3	17.3	17.3	STEM
FC	27.4	28	28.5	29	30.1	SEATPOST
WB	44.7	45.3	45.8	46.3	47.4	SEAT CLAN
FL	21.6	21.6	21.6	21.6	21.6	GRIPS
OF	1.8	1.8	1.8	1.8	1.8	SADDLE
BBD	- 1.0	- 1.0	- 1.0	- 1.0	- 1.0	FRONT HU
BBH	13.3	13.3	13.3	13.3	13.3	REAR HUB
S0	32.4	32.6	32.8	33	33.2	SPOKES
HT	4.3	4.7	4.9	5.1	5.5	RIMS
BBS	BB92PF	BB92PF	BB92PF	BB92PF	BB92PF	FRONT TIR
STACK	24.4	24.7	24.9	25.1	25.4	REAR TIRE
REACH	16	16.4	16.9	17.3	18.2	PAINT COL

Updated Kona Race Light 6061 Aluminum Butted frame w/ PF BB92 & improved cable routing

New FOX Float CTD New FOX 34 CTD BV/LV rear shock 140mm travel fork SPECIFICATIONS_

New Shimano

SLX complete

component group

FRAME MATERIAL	Kona Race Light 6061 Aluminum Butted 130mm Travel
SIZES	16", 18", 19", 20", 22"
REAR SHOCK	Fox Float CTD BV LV
FORK	Fox Float 34 CTD 140mm Tapered
CRANKARMS	Shimano SLX
CHAINRINGS	26/38t
B/B	Shimano SLX
PEDALS	Shimano M520 Clipless
CHAIN	Shimano HG54
FREEWHEEL	Shimano HG62 11-36t 10 spd
F/D	Shimano SLX
R/D	Shimano SLX Shadow Plus
SHIFTERS	Shimano SLX
BRAKE CALIPERS	Shimano SLX
FRONT BRAKE ROTOR	Shimano 180mm
REAR BRAKE ROTOR	Shimano 160mm
BRAKE LEVERS	Shimano SLX
HEADSET	FSA No.57B
HANDLEBAR	Kona XC/BC Riser
STEM	Kona XC/Road
SEATPOST	Crank Brothers Kronolog
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Comp
FRONT HUB	Shimano SLX
REAR HUB	Shimano SLX
SPOKES	Sandvik Stainless Butted 14g fr / 15g rr
RIMS	WTB STi23 TCS
FRONT TIRE	Maxxis Ardent 29x2.4" Folding
REAR TIRE	Maxxis High Roller 2 29x2.25" Folding
PAINT COLOR	Matt Grey w/Gold

Maxxis Ardent 29x2.4" Kevlar tires and WTB ST i23 TCS tubeless ready rims

Crankbrothers Kronolog on-the-fly dropper post



KITSUNE_

A totally new model for 2013, the Kitsune has the Swing Link rear suspension configuration introduced on our Satori and brings to li 130mm (front) and 120mm (rear) travel, 26-inch wheel all-mount bike specifically designed to fit even the smallest riders. With great standover height, this bike's rear travel platform is efficient while climbing and plush when descending. Add geometry focused on ri confidence and great handling, and the Kitsune, which means "fo Japanese, is sure to outsmart the world's most devious terrain.

GEOMETRY_____

UNITS	inches	inches	inches	inches			
SIZE	S	Μ	L	XL			
TTH	22.5	23.5	24.5	25.5			
STA	74°	74°	74°	74°			
HTA	68°	68°	68°	68°			
RC	16.6	16.6	16.6	16.6			
FC	26.8	27.8	28.8	27.8			
WB	43.3	44.4	45.4	44.4			
FL	20	20	20	20			
OF	1.5	1.5	1.5	1.5			
BBD	0	0	0	0			
BBH	13.2	13.2	13.2	13.2			
S0	31.1	31.3	31.5	31.7			
HT	3.9	4.7	5.1	5.5			
BBS	73mm	73mm	73mm	73mm			
STACK	22.1	22.5	22.9	23.2			
REACH	16.2	17	18	18.8			

Butted frame w/120mm rear travel and 142x12 rear axle

Kona Race Light 6061 Aluminum 🛛 🔵 RockShox Sektor TK Solo Air fork 🖉 and Monarch RL rear shock

KITSUNE

SPECIFICATIONS_

FRAME MATERIAL

ife a
tain
at
9
ider
ox" in

SIZES REAR SHOCK FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

	Kona Race Light 6061 Aluminum Butted 120mm Travel
	S, M, L, XL
	RockShox Monarch RL
	RockShox Sektor TK Solo Air Tapered 130mm
	Shimano Deore
	42/32/24
	Shimano BB51
	Shimano M505 Clipless
	Shimano HG54
	Shimano HG62 11-36t 10 spd
	Shimano SLX
	Shimano XT
	Shimano Deore
	Shimano Deore
R	Shimano 180mm
	Shimano 160mm
	Shimano Deore
	FSA No.57B
	Kona XC/BC Riser
	Kona XC/Road Deluxe
	Kona Double Clamp Deluxe w/Offset
	Kona Clamp
	Kona Race Light LOG
	WTB Volt Comp
	Shimano SLX
	Shimano SLX
	Sandvik Stainless Double Butted 14g fr / 15g rr
	WTB STI23 TCS
	Maxxis Ardent 26x2.25" Folding
	Maxxis Ikon 26x2.2" Folding
	Matt Dark Silver w/White

Maxxis Ardent 26x2.25" front and Ikon 26x2.2" rear Kevlar tires WTB ST i23 TCS tubeless ready rims

66 It's often the small dogs that have the biggest balls, fearing little and never backing away from a fight no matter how big the challenge. With the Tanuki, it's a similar story... In action it packs a surprising punch. -MBR magazine, UK 99

TANUKI DL

Named after a mythical Japanese raccoon dog that symbolizes everything radical in the world, our 130mm, 26-inch wheel all-mountain Tanuki DL is intended for cyclists requiring both excellent value and unparalleled performance in a dual-suspension trail bike. Tough enough to ride down technical singletrack and fast enough to race your buddies on the ups, the Tanuki DL's great standover, masterfully crafted Kona Race Light 6069 Aluminum frame, and quality component selection constitutes a bike for the ages.

GEOMETRY___

UNITS	inches						
SIZE	15	16	17	18	19	20	22
TTH	22.5	23	23.5	24	24.5	25	26
STA	74°	74°	74°	74°	74°	74°	74°
HTA	68°	68°	68°	68°	68°	68°	68°
RC	16.8	16.8	16.8	16.8	16.8	16.8	16.8
FC	26.9	27.4	28	28.5	29	29.5	30.5
WB	43.7	44.2	44.8	45.4	45.8	46.3	47.3
FL	20	20	20	20	20	20	20
OF	1.6	1.6	1.6	1.6	1.6	1.6	1.6
BBD	+ 0.5	+ 0.5	+ 0.5	+ 0.5	+ 0.5	+ 0.5	+ 0.5
BBH	13.7	13.7	13.7	13.7	13.7	13.7	13.7
S0	29.9	29.7	30.3	30.9	31.5	32.1	33.2
HT	4.7	5.1	5.3	5.5	5.7	5.9	6.3
BBS	73mm						
STACK	22	22.3	22.5	22.7	22.9	23.1	23.4
REACH	16.1	16.5	17	17.4	17.8	18.3	19.2

Kona Race Light 6069 Aluminum Butted frame: seven sizes to fit every rider, from 15 to 22

RockShox Sektor TK Solo Air 130mm travel fork and Monarch RL rear shock

Shimano Deore hydraulic disc brakes and Shimano 3x10 speed XT/Deore drivetrain

FRAME MATERIAL	Kona Race Light 6069 Aluminum Butted 130mm Travel
SIZES	15", 16", 17", 18", 19", 20", 22"
REAR SHOCK	RockShox Monarch RL
FORK	RockShox Sektor TK Solo Air 130mm Tapered w/15mm Axle
CRANKARMS	Shimano
CHAINRINGS	42/32/24t
B/B	Shimano BB51
PEDALS	Shimano M505 Clipless
CHAIN	Shimano HG54
FREEWHEEL	Shimano HG62 11-36 10 spd
F/D	Shimano Deore
R/D	Shimano XT Shadow
SHIFTERS	Shimano Deore
BRAKE CALIPERS	Shimano Deore
FRONT BRAKE ROTOR	Shimano 180mm
REAR BRAKE ROTOR	Shimano 160mm
BRAKE LEVERS	Shimano Deore
HEADSET	FSA No.57B
HANDLEBAR	Kona XC/BC Riser
STEM	Kona XC/BC
SEATPOST	Kona Double Clamp w/Offset
SEAT CLAMP	Kona QR
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Comp
FRONT HUB	Easton XC Wheelset 15mm
REAR HUB	Easton XC Wheelset
SPOKES	Easton XC Wheelset
RIMS	Easton XC Wheelset
FRONT TIRE	Maxxis Ardent 26x2.25"
REAR TIRE	Maxxis Ardent 26x2.25"
PAINT COLOR	Matt Lime w/White & Black
	Matt Linie w Winte & Didek

DENT

Easton XC wheelset with 15mm TA front axle

Improved cable routing and integrated chainstay protector

TANUKI.

Twenty-five years ago, we set out with one guiding principle: create bikes that are fun, durable and affordable. The Tanuki perfectly embodies that ethic, constituting the ultimate entry-level, dual-suspension bike. Featuring 130mm of travel designed to hit the sweet spot between efficient climbing and confident descending, and a beautifully crafted Kona Race Light 6069 Aluminum frame that will last a lifetime, not to mention an excellent component selection for the money, the Tanuki is converting regular riders into avid cyclists on a daily basis. Because that's just what mythical Japanese raccoon dogs do.

GEOMETRY_____

UNITS	inches	inches	inches	inches	inches	inches	in
SIZE	15	16	17	18	19	20	22
TTH	22.5	23	23.5	24	24.5	25	26
STA	74°	74°	74°	74°	74°	74°	74
HTA	68°	68°	68°	68°	68°	68°	68
RC	16.8	16.8	16.8	16.8	16.8	16.8	16
FC	26.9	27.4	28	28.5	29	29.5	30
WB	43.7	44.2	44.8	45.4	45.8	46.3	47
FL	20	20	20	20	20	20	20
OF	1.6	1.6	1.6	1.6	1.6	1.6	1.
BBD	+ 0.5	+ 0.5	+ 0.5	+ 0.5	+ 0.5	+ 0.5	+
BBH	13.7	13.7	13.7	13.7	13.7	13.7	13
S0	29.9	29.7	30.3	30.9	31.5	32.1	33
HT	4.7	5.1	5.3	5.5	5.7	5.9	6.
BBS	73mm	73mm	73mm	73mm	73mm	73mm	73
STACK	22	22.3	22.5	22.7	22.9	23.1	23
REACH	16.1	16.5	17	17.4	17.8	18.3	19

Kona Race Light 6069 Aluminum Butted frame RockShox Sektor R 130mm Sx9 Shimano Deore/Acera travel fork and RockShox Monarch R rear shock

46 MTB TRAIL / ALL MOUNTAIN

TANUKI



SPECIFICATIONS

FRAME MATERIAL

nches 26 '4° 8° 6.8 30.5 17.3 20 .6 0.5 3.7 33.2 5.3 '3mm 23.4 9.2

SIZES REAR SHOCK FORK CRANKARMS CHAINRINGS PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUR SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR


15", 16", 17", 18", 19", 20", 22" RockShox Monarch R RockShox Sektor R Coil 130mm Shimano Acera 44/32/22t Shimano UN26 Shimano M505 Clipless KMC HG53 Shimano HG20 11-34t 9 spd Shimano Acera Shimano Deore Shimano Acera Avid Elixir 1 Avid G2 180mm Avid G2 160mm Avid Elixir 1 FSA No.57B-1 Kona Aluminum Rise Kona Control Kona Thumb Kona QR Kona Race Light WTB Volt Sport Formula Shimano M475 Stainless 14g Sun SR25 Maxxis Ardent 26x2.25" Maxxis Ardent 26x2.25" Matt Black w/White & Gold

Kona Race Light 6069 Aluminum Butted 130mm Travel

drivetrain and Avid Elixir 1 brakes

WTB Volt Sport Saddle and Maxxis Ardent 26x2.25" tires

Improved cable routing and integrated chainstay protector



2013 / MOUNTAIN BIKE / XC RACE LIGHT



HEI HEI SUPREME

Designed in conjunction with our Kona Team XC riders, the all-nev Kona Carbon Race Hei Hei Supreme represents the pinnacle of all learned over 25 years of racing mountain bikes. A radical evolution our Hei Hei XC platform, this big-wheel speedster is all about effic climbing, powerful acceleration, and agile descending. Features li shorter chainstays, excellent tire clearance, and a perfected levera rate curve come together on this ultra-light carbon gem. Quite sin it's the fastest cross-country dual-suspension bike we've ever ma See page 28 for more.

GEC	JIVIETIKY				
UNITS	inches	inches	inches	inches	inches
SIZE	15	17	18	19	21
TTH	22.5	23.5	24	24.5	25.5
STA	75°	75°	75°	75°	75°
HTA	70°	70°	70°	70°	70°
RC	17.5	17.5	17.5	17.5	17.5
FC	26.1	27.1	27.6	28.1	29.1
WB	43.5	44.5	45	45.5	46.5
FL	19.7	19.7	19.7	19.7	19.7
OF	1.7	1.7	1.7	1.7	1.7
BBD	- 1.1	- 1.1	- 1.1	- 1.1	- 1.1
BBH	13.2	13.2	13.2	13.2	13.2
S0	29.7	30.5	31	31.5	33.1
HT	4.1	4.5	4.7	4.9	5.3
BBS	BB92PF	BB92PF	BB92PF	BB92PF	BB92PF
STACK	23	23.4	23.8	24	24.1
REACH	16.2	17	17.5	17.9	18.8

New Kona Carbon Race frame with shorter, stiffer rear end and 142x12 axle

HEI HEI SUPREME

SPECIFICAT

FRAME MATERIAL

w 2013	
we've	
n of	
cient	
ike	
age	
nply,	
de.	

SIZES
REAR SHOCK
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona Race Light Carbon 100mm Travel 15", 17", 18", 19", 21" Fox Float CTD Adjust BV Fox Float CTD Adjust Fit 100mm Tapered SRAM XO 38/24t SRAM XO Shimano M520 Clipless SRAM PC1031 SRAM PG1030 11-36t 10 spd SRAM XO SRAM XO Type 2 SRAM XO SRAM XO Avid HS1 180mm Avid HS1 160mm SRAM XO FSA No.57E RaceFace Turbine RaceFace Turbine RaceFace Turbine Kona Clamp Kona Race Light LOG WTB Volt Race Easton EA90 XC Wheelset 15mm Easton EA90 XC Wheelset 142x12mm Easton EA90 XC Wheelset Easton EA90 XC Wheelset Maxxis Ikon 29x2.2" Folding Maxxis Ikon 29x2.2" Folding Matt UD Carbon w/White & Cyar

wheelset

RaceFace Turbine cockpit FOX FLOAT CTD rear shock

• HEI HEI DL



HEI HEI DL

Our staple 29-inch wheel, 100mm XC race bike sees some new refinements for 2013. Designed specifically for elite racers and all-round hammerheads, with race-proven geometry and incredibly light Scandium 6069 tubing, the Hei Hei Deluxe represents our desire to make race-ready bikes at smile-inducing prices. New for 2013, we've completely redesigned the rear triangle with improved tire clearance, increased stiffness, shorter (440mm) chainstays, with a chainstay direct-mount front derailleur, and refined cable routing. This is exactly the same frame Kona Team riders Barry Wicks and Kris Sneddon used to win the BC Bike Race three years running.

GEOMETRY_____

UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	23	23.5	24	24.5	25.5
STA	75°	75°	75°	75°	75°
HTA	70°	70°	70°	70°	70°
RC	17.5	17.5	17.5	17.5	17.5
FC	26.6	27.1	27.6	28.1	29.1
WB	44	44.5	45	45.5	46.5
FL	19.7	19.7	19.7	19.7	19.7
OF	1.7	1.7	1.7	1.7	1.7
BBD	- 1.1	- 1.1	- 1.1	- 1.1	- 1.1
BBH	13.2	13.2	13.2	13.2	13.2
S0	29.7	31	31.5	32.1	33.3
HT	4.3	4.7	4.9	5.1	5.5
BBS	BB92PF	BB92PF	BB92PF	BB92PF	BB92PF
STACK	23.2	23.6	23.8	24	24.3
REACH	16.7	17	17.5	17.9	18.8

🔵 All new Kona Race Light Scandium 🔵 FOX Float CTD rear shock 6069 frame with shorter, stiffer rear end and 142x12 axle

SPECIFICATIONS.

RAME MATERIAL	Kona Scandium 69 100mm Travel
SIZES	16", 18", 19", 20", 22"
REAR SHOCK	Fox Float CTD BV
ORK	Rock Shox REBA RL 29er Tapered 100mm
CRANKARMS	SRAM X5
CHAINRINGS	38/24t
3/B	SRAM X5
PEDALS	Shimano M520 Clipless
CHAIN	SRAM PC1031
REEWHEEL	SRAM PG1030 11-36t 10 spd
F/D	SRAM X7
R/D	SRAM X9
SHIFTERS	SRAM X7
BRAKE CALIPERS	Avid Elixir 3
RONT BRAKE ROTOR	Avid HS1 180mm
REAR BRAKE ROTOR	Avid HS1 160mm
BRAKE LEVERS	Avid Elixir 3
HEADSET	FSA No.57B
ANDLEBAR	Kona XC/BC Riser
STEM	Kona XC/Road
SEATPOST	Kona Double Clamp w/offset
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Comp
RONT HUB	Easton XC 29er Wheelset 15mm
REAR HUB	Easton XC 29er Wheelset 142x12mm
SPOKES	Easton XC 29er Wheelset
RIMS	Easton XC 29er Wheelset
RONT TIRE	Maxxis Icon 29x2.2" Folding
REAR TIRE	Maxxis Icon 29x2.2" Folding
PAINT COLOR	Silver w/Black & Gold

Custom Easton XC 29er wheelset RockShox Reba RL 100mm tapered fork w/15mm thru-axle

SIXXV

HEI HEI

Built with perfectly refined geometry and precisely tuned suspensi the Hei Hei features the incredible lightweight, strong and smooth characteristics of a Kona Scandium 6069 Aluminum frameset out with a component package that doesn't break the bank. New for 2 we've completely redesigned the rear triangle with improved tire c ance, increased stiffness, shorter (440mm) chainstays, with a cha direct-mount front derailleur, and refined cable routing. This is exactly the same frame Kona Team riders Barry Wicks and Kris Sneddon L win both the TransRockies and the BC Bike Race.

GLOIVILIIRI					
UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	23	23.5	24	24.5	25.5
STA	75°	75°	75°	75°	75°
HTA	70°	70°	70°	70°	70°
RC	17.5	17.5	17.5	17.5	17.5
FC	26.6	27.1	27.6	28.1	29.1
WB	44	44.5	45	45.5	46.5
FL	19.7	19.7	19.7	19.7	19.7
OF	1.7	1.7	1.7	1.7	1.7
BBD	- 1.1	- 1.1	- 1.1	- 1.1	- 1.1
BBH	13.2	13.2	13.2	13.2	13.2
S0	29.7	31	31.5	32.1	33.3
HT	4.3	4.7	4.9	5.1	5.5
BBS	BB92PF	BB92PF	BB92PF	BB92PF	BB92PF
STACK	23.2	23.6	23.8	24	24.3
REACH	16.7	17	17.5	17.9	18.8

All New Kona Race Light Scandium 6069 frame with shorter, stiffer rear end and 142x12 axle

RockShox XC 32 TK 100mm fork SRAM 2x10 drivetrain and and Monarch RL rear shock





SPECIFICATIONS_

FRAME MATERIAL

ion,	
h riding	
tfitted	
2013,	
clear-	
ainstay	
actly	
used to	

SIZES
REAR SHOCK
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona Scandium 69 100mm Travel 16", 18", 19", 20", 22" Rock Shox Monarch RL Rock Shox XC 32 TK 100mm SRAM X5 38/24t SRAM X5 Shimano M505 Clipless SRAM PC1031 SRAM PG1030 11-36t 10 spd SRAM X7 SRAM X7 SRAM X5 Avid Elixir 1 Avid G2 180mm Avid G2 160mm Avid Elixir 1 FSA No.57B-1 Kona XC/BC Riser Kona XC/Road Kona Double Clamp w/offse Kona QR Kona Race Light LOG WTB Volt Sport Formula Formula 142x12mm Stainless 14g WTB SX23 Maxxis Icon 29x2.2" Maxxis Icon 29x2.2" White w/Black & Lime

Avid Elixir 1 brakes

WTB SX23 rims and Maxxis Ikon 29x2.2" tires



• **KING** KAHUNA



KING KAHUNA ____

Our 29-inch wheel monocoque carbon fiber trail ninja is all you'll need to ignite XC race courses the world over. Tough enough and stiff enough to tackle super-technical singletrack, light enough and quick enough to break the backs of your competitors, the King Kahuna has features like 142x12 rear axle, UST tubeless wheelset, and race-heritage born geometry that combine for one of the most lightning-quick carbon fiber bikes on the market. This is the rig that carried Cory Wallace to 24 Hours of the Old Pueblo solo division victory in 2012.

GEOMETRY___

UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	22.5	23.5	24	24.5	25.5
STA	74°	74°	73°	73°	73°
HTA	68.5°	70°	70°	71°	72°
RC	17.3	17.3	17.3	17.3	17.3
FC	26.2	26.7	26.7	26.8	27.4
WB	43.3	43.8	43.8	43.9	44.5
FL	19.9	19.9	19.9	19.9	19.9
OF	1.9	1.9	1.9	1.9	1.9
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1
BBH	12	12.2	12.2	12.2	12.2
S0	30.6	32.1	32.7	33.4	34.8
HT	3.9	4.7	5.1	5.5	6.3
BBS	BB92PF	BB92PF	BB92PF	BB92PF	BB92PI
STACK	23.9	24.8	25.1	25.7	26.6
REACH	15.6	16.3	16.3	16.6	17.4

Kona Race Light Carbon RockShox Reba RL 29er tapered with frame with tapered steer tube, short chainstays, . 15mm thru-axle PF BB & 142x12 rear axle

۶F

Avid Elixir 5 brakes

SPECIFICATIONS.

Easton EA70 XCT

UST wheelset

FRAME MATERIAL	Kona Race Light Carbon
SIZES	16", 18", 19", 20", 22"
FORK	RockShox Reba RL 29er Tapered
CRANKARMS	SRAM X7
CHAINRINGS	24/38t
B/B	SRAM X7
PEDALS	Shimano M520 Clipless
CHAIN	SRAM PC1031
FREEWHEEL	SRAM PG1030 11-36t 10 spd
F/D	SRAM X7
R/D	SRAM X9
SHIFTERS	SRAM X7
BRAKE CALIPERS	Avid Elixir 5
FRONT BRAKE ROTOR	Avid HS1 180mm
REAR BRAKE ROTOR	Avid HS1 160mm
BRAKE LEVERS	Avid Elixir 5
HEADSET	FSA No.57B-1
HANDLEBAR	Kona Energy
STEM	Kona XC/Road Deluxe
SEATPOST	Kona Double Clamp w/offset
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Comp
FRONT HUB	Easton EA70 XCT Wheelset 15mm
REAR HUB	Easton EA70 XCT Wheelset 142x12mm
SPOKES	Easton EA70 XCT 29er Wheelset
RIMS	Easton EA70 XCT 29er Wheelset
FRONT TIRE	Maxxis Ikon 29x2.2" Folding
REAR TIRE	Maxxis Ikon 29x2.2" Folding
PAINT COLOR	Matt UD Carbon w/White and Lime

SRAM X9/X7 10-speed drivetrain

Custom WTB Volt Comp saddle



BIG KAHUNA

We've drawn upon all of our 25 years making bikes to craft this 29-inchwheel gem that's born to race. With geometry specifically purposed for cross-country racing, the Big Kahuna features all of the high-performance benefits of a Kona Scandium 6069 frameset-lighter, faster and marvelously responsive. The 2013 Big Kahuna comes with a stiff 142x12 rear axle, tapered HT and direct-mount front derailleur.

UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	22.5	23.5	24	24.5	25.5
STA	74°	74°	73°	73°	73°
HTA	68.5°	70°	70°	70°	71°
RC	17.3	17.3	17.3	17.3	17.3
FC	26.2	26.6	26.7	27.2	27.8
WB	43.3	43.8	43.8	44.3	44.9
FL	19.9	19.9	19.9	19.9	19.9
OF	1.9	1.9	1.9	1.9	1.9
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1
BBH	12	12.2	12.2	12.2	12.2
S0	30.7	32.1	32.7	33.3	34.6
HT	4.3	4.7	5.1	5.5	6.3
BBS	73mm	73mm	73mm	73mm	73mm
STACK	24.3	24.8	25.1	25.4	26.4
REACH	15.5	16.3	16.3	16.6	17.4

Kona Scandium 6069 butted frameset

RockShox Reba RL 100mm Avid Elixir 5 brakes tapered fork w/15mm thru-axle

BIG KAHUNA •

SPECIFICATIONS.

FRAME MATERIAL

SIZES
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona Scandium 69 16", 18", 19", 20", 22" RockShox Reba RL 29er Tapered 100mm SRAM X7 26/39t SRAM X7 Shimano M520 Clipless SRAM PC1031 SRAM PG1030 11-36t 10 spd SRAM X7 SRAM X9 SRAM X7 Avid Elixir 5 Avid HS1 180mm Avid HS1 160mm Avid Elixir 5 FSA No.57B-1 Kona Energy Kona XC/Road Deluxe Kona Double Clamp w/offset Kona Clamp Kona Race Light LOG WTB Volt Comp Easton XC 29er Wheelset 15mm Easton XC 29er Wheelset 142x12mm Easton XC 29er Wheelset Easton XC 29er Wheelset Maxxis Ikon 29x2.2" Folding Maxxis Ikon 29x2.2" Folding Matt Dark Grey w/White & Silver

Easton XC 29er wheelset and Maxxis Ikon 29x2.2" Kevlar tires



SRAM X7/X9 10-speed drivetrain

• KULA WATT TEAM



KULA WATT TEAM ______ GEOMETRY_

For those who still love the speed and agility of a 26-inch-wheel XC race bike, we offer the Kula Watt as a frame-only option. The monocoque carbon fiber frame blends race-bred geometry with ridiculously stiff construction, top-notch durability, all in a featherweight package that's ready for anything from weekend singletrack romps to World Cup racecourses.

UNITS	inches	inches	inches	inches	inches
SIZE	16	17	18	19	20
TTH	23	23.5	24	24.5	25
STA	72.5°	72.5°	72.5°	71.5°	71.5°
HTA	68°	68.5°	68.5°	68.5°	68.5°
RC	16.4	16.4	16.4	16.4	16.4
FC	26.2	26.5	27.1	27.2	27.7
WB	42.5	42.9	43.5	43.6	44.1
FL	18.6	18.6	18.6	18.6	18.6
OF	1.5	1.5	1.5	1.5	1.5
BBD	- 1.0	- 0.9	- 0.9	- 0.7	- 0.7
BBH	12.2	12.3	12.3	12.4	12.4
S0	29.7	30.5	31.1	31.9	32.6
HT	4.7	5.1	5.5	6.1	6.5
BBS	BB-30/73mm	BB-30/73mm	BB-30/73mm	BB-30/73mm	BB-30/73mm
STACK	22	22.4	22.8	23.2	23.5
REACH	16	16.4	16.8	16.7	17.1





KULA

Our legendary race-bred Kula geometry-well-known for its agility, speed, comfort and durability-returns adorned with all the highperformance amenities of Kona Scandium 6069 Aluminum, one of the most technologically advanced alloys in the world. Designed, spec'd and priced specifically for up-and-coming amateur racers, or for those who just like to go fast, this 26-inch-wheel beauty combines light weight with strength and trail sensitivity for the perfect blend of speed and fun.

GEOMETRY_____

UNITS	inches	inches	inches	inches	inches	inches	in
SIZE	14	16	17	18	19	20	2
TTH	22	23	23.5	24	24.5	25	2
STA	72.5°	72.5°	72.5°	72.5°	71.5°	71.5°	7
HTA	68°	68°	68.5°	68.5°	68.5°	68.5°	6
RC	16.4	16.4	16.4	16.4	16.4	16.4	1
FC	25.1	26.1	26.5	27	27.1	27.6	2
WB	41.4	42.4	42.8	43.4	43.5	44	4
FL	18.6	18.6	18.6	18.6	18.6	18.6	1
OF	1.5	1.5	1.5	1.5	1.5	1.5	1
BBD	- 1.2	- 1.2	-1.0	-1.0	- 1.0	- 1.0	-
BBH	12	12	12.2	12.2	12.2	12.2	1
S0	28.4	29.6	30.4	31.1	31.7	32.4	3
HT	3.9	4.7	5.1	5.5	6.1	6.5	7
BBS	73mm	73mm	73mm	73mm	73mm	73mm	7
STACK	21.7	22.4	22.6	23	23.5	23.9	2
REACH	15.1	15.9	16.3	16.7	16.6	16.9	1

Kona Scandium 6069 RockShox Recon Gold Shimano Deore/XT Aluminum Butted 100mm fork frameset

54 MOUNTAIN BIKE / XC RACE

KULA

SPECIFICATIONS.

Kona Scandium 69

FRAME MATERIAL

nches
2
6
1°
8.5°
6.4
8.5
4.9
8.6
.5
0.8
2.4
3.7
.1
3mm
4.3
7.6

SIZES FORK CRANKARMS CHAINRINGS R/R PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

14", 16", 17", 18", 19", 20", 22" RockShox Recon Gold TK Solo Air Remote 100mm Shimano Deore 42/32/24t Shimano ES25 Octalink Shimano M505 Clipless KMC HG54 Shimano HG6210 11-36t 10 spd Shimano Deore Shimano XT Shimano Deore Shimano Deore Hydraulic Shimano 180mm Shimano 160mm Shimano Deore Hydraulic TH ZST No. 10 Kona XC/BC Riser Kona XC/Road Kona Double Clamp w/offset Kona QR Kona Race Light LOG WTB Volt Comp Shimano MT15 Wheelset Shimano MT15 Wheelset Shimano MT15 Wheelset Shimano MT15 Wheelset Maxxis Icon 26x2.2" Folding Maxxis Icon 26x2.2" Folding Matt Black w/White & Grey

Shimano Deore hydraulic disc brakes Maxxis Ikon 26x2.2" Kevlar tires

Shimano MT15 wheelset

TK Solo Air Remote 3x10 drivetrain

The 29-inch-wheel hardtail is the ultimate blend of simplicity and performance. Incredibly responsive, easy to maintain, this is as pure and elegant a bicycle as you'll ever own. But in order to maximize its potential—to push the limits of its function and intended use-takes years of refining and expertise. Our design team has spent countless hours refining, tweaking, testing, and experimenting when it comes to our House of the Big Wheel bikes. With a decade of experience and a diverse range of offerings—everything from the all-mountain Honzo to the affordable Splice—it's safe to say we know how to design amazing 29-inch hardtails for every niche.

2013 / MTB TRAIL: 29" HARDTAIL

MTB TRAIL: 29" HARDTAIL



HONZO

Introduced in 2012, the refined 2013 Honzo sees a host of frame and component changes, furthering its legacy as an aggressive all-mountain Kona Cromoly hardtail. Retaining its slack 68-degree headtube angle, low bottom bracket and super-short chainstays, this year's Honzo features a lower top tube for increased standover and a new 142x12 rear axle for increased lateral stability. We kept the amazing Revelation RL Solo Air tapered fork up front and added 760mm handlebars, custom FSA Comet cranks, 10-speed drivetrain, RockShox Maxle rear axle and tubeless compatible rims. All the wares you need to lay waste technical singletrack.

GEOMETRY_

UNITO	la chece	la che c	la chece	In stars
UNITS	inches	inches	inches	inches
SIZE	S	M	L	XL
C-T	16	18	18.8	20
TTH	23	24	25	26
STA	74.5°	74.5°	74.5°	74.5°
HTA	68°	68°	68°	68°
RC	16.3	16.3	16.3	16.3
FC	27	28.1	29.1	30.1
WB	43.1	44.1	45.2	46.1
FL	20.8	20.8	20.8	20.8
OF	1.8	1.8	1.8	1.8
BBD	- 2.6	- 2.6	- 2.6	- 2.6
BBH	12.2	12.2	12.2	12.2
S0	31.5	32.5	33.5	33.5
HT	3.5	3.9	4.3	4.3
BBS	73mm	73mm	73mm	73mm
STACK	24.9	25.2	25.6	25.6
REACH	16	16.9	17.8	18.7

Kona Cromoly Butted RockShox Revelation frameset

142x12 sliding RL Solo Air tapered dropouts with RockShox Maxle 120mm travel fork

HONZO

SPECIFICATIONS

FRAME MATERIAL

CRANKARMS

CHAINRINGS

FREEWHEEL

CHAINGUIDE

BRAKE LEVERS

HANDLEBA

GRIPS

SIZES

FORK


R/R

F/D

R/D

PEDALS

CHAIN



10-speed SRAM drivetrain and Avid Elixir 5 brakes

S, M, L, XL RockShox Revelation RL Solo Air 120mm FSA Comet 32t FSA BB7000 Kona JackShit KMC X10 Sram PG1030 11-36t 10 spd E*13 LS1+ No Taco N/A SRAM X7 SRAM X7 (rh only) Avid Elixir 5 Avid G2 Clean Sweep 180mn Avid G2 Clean Sweep 160mm Avid Elixir 5 FSA NO.10/No.7B/44 Kona XC/BC Kona XC/BC Kona Thumb O Kona QR Kona G-LOG WTB Volt Comp Formula 20mm Formula 142x12mm Stainless 14g WTB ST i23 TCS Maxxis Ardent 29x2.4" EXO Maxxis Ardent 29x2.25" EXO Matt Gold w/Orange & Black

Kona Cromoly Butted

WTB tubeless compatible rims Custom FSA Comet cranks



TARO



inches

12-36t drivetrain

TARO_

An entirely new model for 2013, the Taro is a Kona 6061 Aluminum version of the Kona Cromoly Honzo. The bike features all of the great design cues of the Honzo frame: short chainstays, slack 68-degree, tapered headtube, and great standover. Designed with a focus on technical, hard, aggressive riding, the Taro also features a similar spec package as the Honzo, one focused on getting the most out of gnarlsteeped trails, without draining those precious coffers.

inches

GEOMETRY					
UNITS	inches	inc			
SIZE	S	Μ			

SIZE	S	M	L	XL
C-T	16	18	18.8	20
TTH	23	24	25	26
STA	74.5°	74.3°	74.3°	74.3°
HTA	68°	68°	68°	68°
RC	16.5	16.5	16.5	16.5
FC	27.1	28.1	29.1	30.1
WB	43.4	44.3	45.4	46.3
FL	20.8	20.8	20.8	20.8
OF	1.8	1.8	1.8	1.8
BBD	- 2.6	- 2.6	- 2.6	- 2.6
BBH	12.2	12.2	12.2	12.2
S0	31.5	32.3	32.8	33.3
HT	3.9	3.9	4.3	4.3
BBS	73mm	73mm	73mm	73mm
STACK	25	25	25.3	25.3
REACH	16	17	17.9	18.8

Kona 6061 Aluminum RockShox Sektor Butted frameset

TK Solo Air tapered . 120mm w/ 20mm DO

SPECIFICATIONS.

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	S, M, L, XL
FORK	RockShox Sektor 120mm
CRANKARMS	FSA Step-Up
CHAINRINGS	32t
B/B	FSA Platinum ISIS
PEDALS	Kona JackShit
CHAIN	KMC HG53
FREEWHEEL	Shimano Deore 12-36t 9 spd
CHAINGUIDE	E*13 LS1+ No Taco
F/D	N/A
R/D	Shimano Deore
SHIFTERS	Shimano Alivio (rh only)
BRAKE CALIPERS	Avid Elixir 1
FRONT BRAKE ROTOR	Avid G2 Clean Sweep 180mm
REAR BRAKE ROTOR	Avid G2 Clean Sweep 160mm
BRAKE LEVERS	Avid Elixir 1
HEADSET	FSA NO.10/No.7B/44
HANDLEBAR	Kona XC/BC
STEM	Kona XC/BC
SEATPOST	Kona Thumb OB
SEAT CLAMP	Kona QR
GRIPS	Kona G-LOG
SADDLE	WTB Volt Comp
FRONT HUB	Formula 20mm
REAR HUB	Shimano M475
SPOKES	Stainless 14g
RIMS	WTB SX23
FRONT TIRE	Maxxis Ardent 29x2.4" EXO
REAR TIRE	Maxxis Ardent 29x2.25" EXO
PAINT COLOR	Matt Grey w/Lime & Black

● 1x9-speed Shimano ● Avid Elixir 1 hydraulic ● WTB SX23 rims disc brakes

E*Thirteen LS1 chainguide

66 The bike is so stable, very secure and doesn't stumble on obstacles; it's made to go anywhere. Dare we say, a perfect compromise. -Velo Vert Magazine, France 99



We've had a long love affair with titanium, one that we've consum mated with our new Raijin, our first ever 29-inch-wheel titanium hardtail. With a long history working with this metal, and some se expertise in designing unique, industry-leading 29-inch-wheel bik we're delivering the new Raijin loaded with cool custom features, a frame designed by Kona, and manufactured in the USA by Lynsk Performance Designs. Named after the Japanese god of lightning thunder, the Raijin, which is available as a frameset only, sets out maximize all the inherent virtues of titanium with geometry ideally suited to fast, efficient, simple and ridiculously fun singletrack rid See page 30 for more.







	GEC) METRY				
m-	UNITS	inches	inches	inches	inches	inches
	SIZE	16	18	19	20	22
ariana	TTH	22.5	23.5	24	24.5	25.5
erious	STA	74°	74°	73°	73°	73°
ikes,	HTA	68.5°	69.5°	69.5°	70°	71°
, on	RC	16.7 - 17.3	16.7 - 17.3	16.7 - 17.3	16.7 - 17.3	16.7 - 17.3
	FC	26.6	26.9	26.7	27	27.9
key	WB	43.3 - 43.9	43.3 - 43.9	43 - 43.6	43.3 - 43.9	44.4 - 45
g and	FL	20.1	20.1	20.1	20.1	20.1
ut to	OF	1.9	1.9	1.9	1.9	1.9
ly	BBD	- 2.1	- 2.1	- 2.1	- 2.1	- 2.1
-	BBH	12.4	12.4	12.4	12.4	12.4
iding.	S0	31.3	32.6	32.9	33.7	35.1
	HT	4	4.2	4.6	5	5.8
	BBS	PFBB30	PFBB30	PFBB30	PFBB30	PFBB30
	STACK	24	24.1	24.4	24.9	26.2
	REACH	15.6	16.5	16.3	16.7	17.5



66 We'll go out on a limb here and state that the Unit delivers the best pedaling platform of any bike we have ridden this year. -Mountain Bike Action, USA 🤊

UNIT_

frameset

At Kona, we love making custom, niche-oriented, incredibly specific bikes for real riders riding real trails in a very real world. It's not about turning out the widget; it's about making faultless bicycles. The Unit is all that: a fully rigid, raw steel finish, Kona Cromoly singlespeed with geometry handed down from the gods.

UNITS	inches	inches	inches	inches	inches	FRONT BRAKE ROT
SIZE	16	18	19	20	22	REAR BRAKE ROTO
TTH	22.5	23.5	24	24.5	25.5	BRAKE LEVERS
STA	74°	74°	73°	73°	73°	HEADSET
HTA	68.5°	70°	70°	70°	71°	HANDLEBAR
RC	17.1 - 17.7	17.1 - 17.7	17.1 - 17.7	17.1 - 17.7	17.1 - 17.7	STEM
FC	25.9	26.4	26.6	27.1	27.8	SEATPOST
WB	42.8 - 43.4	43.5 - 44.2	43.4 - 44.1	43.5 - 44.1	44.2 - 44.8	SEAT CLAMP
FL	18.5	18.5	18.5	18.5	18.5	GRIPS
OF	1.8	1.8	1.8	1.8	1.8	SADDLE
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1	FRONT HUB
BBH	12.2	12.4	12.4	12.4	12.4	REAR HUB
S0	29.9	31.4	32	32.6	34.2	SPOKES
HT	3.5	4.3	4.7	5.1	5.9	RIMS
BBS	73mm	73mm	73mm	73mm	73mm	FRONT TIRE
STACK	22.3	23.1	24.1	23.8	24.7	REAR TIRE
REACH	16.1	16.8	16.6	17.2	17.9	PAINT COLOR

Rigid Project Two fork



Kona Cromoly Butted

SPECIFICATIONS.

FRAME MATERIAL

SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

16", 18", 19", 20", 22" Kona P2 29 FSA CK-7152PDHS (170/175mm) / CK-7050PDHS (180mm) 32t FSA MegaExo Kona JackShit KMC Z610 Formula DC52 N/A N/A N/A Avid BB7 Avid G2 Clean Sweep 180mm Avid G2 Clean Sweep 160mm Avid FR5 TH ZST No.10 Kona Energy Kona XC/Road Kona Double Clamp w/offset Kona Clamp Kona Race Light LOG WTB Volt Comp Formula Formula Sandvik Stainless 15g fr / 14g rr WTB Speed Disc i23 Maxxis Ikon 29x2.2" Maxxis Ikon 29x2.2" Matt Raw Steel w/Orange & Black

disc brakes

zerostack headtube

Maxxis Ikon 29x2.2" tires Raw steel finish

61

• KAHUNA DL



KAHUNA DI _

We've drawn upon all of our 25 years making bikes to craft this 29-inchwheel gem. Specifically purposed for cross-country riding and light duty XC racing, the Kahuna DL features all of the high-performance benefits of a Kona 6069 Aluminum Butted frameset—light, fast and marvelously responsive. Featuring the efficiency and confidence of 29-inch wheels, the Kahuna DL shares the same geometry as our race-ready Big Kahuna and carbon-fiber King Kahuna XC Race bikes.

GEOMETRY_

UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	22.5	23.5	24	24.5	25.5
STA	74°	74°	73°	73°	73°
HTA	68.5°	70°	70°	70°	71°
RC	17.3	17.3	17.3	17.3	17.3
FC	26.2	26.6	26.7	27.2	27.8
WB	43.3	43.8	43.8	44.3	44.9
FL	19.9	19.9	19.9	19.9	19.9
OF	1.9	1.9	1.9	1.9	1.9
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1
BBH	12	12.2	12.2	12.2	12.2
S0	30.7	32.1	32.7	33.3	34.6
HT	4.3	4.7	5.1	5.5	6.3
BBS	73mm	73mm	73mm	73mm	73mm
STACK	24.3	24.8	25.1	25.4	26.4
REACH	15.5	16.3	16.3	16.6	17.4

Kona Race Light 6069 Aluminum Butted frame RockShox Recon Gold TK Solo Air TA fork with 100mm travel and 15mm axle

SPECIFICATIONS.

Avid Elixir 3 brakes

FRAME MATERIAL	Kona Race Light 6069 Aluminum Butted
SIZES	14", 16", 18", 19", 20", 22"
FORK	RockShox Recon Gold TK Solo Air 29er Tapered
CRANKARMS	SRAM X5
CHAINRINGS	44/33/22t
B/B	SRAM X5
PEDALS	Shimano M505 Clipless
CHAIN	SRAM PC1031
FREEWHEEL	SRAM PG1030 11-36t 10 spd
F/D	SRAM X5
R/D	SRAM X7
SHIFTERS	SRAM X5
BRAKE CALIPERS	Avid Elixir 3
FRONT BRAKE ROTOR	Avid HS1 180mm
REAR BRAKE ROTOR	Avid HS1 160mm
BRAKE LEVERS	Avid Elixir 3
HEADSET	FSA No.57B-1
HANDLEBAR	Kona Energy
STEM	Kona XC/Road
SEATPOST	Kona Double Clamp w/offset
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light LOG
SADDLE	WTB Volt Sport
FRONT HUB	King Kong
REAR HUB	Formula
SPOKES	Stainless 14g
RIMS	WTB SX23
FRONT TIRE	Maxxis Ikon 29x2.2"
REAR TIRE	Maxxis Ikon 29x2.2"
PAINT COLOR	Matt Grey w/White & Grey

WTB 29er wheelset and Maxxis Ikon 29x2.2" Kevlar tires

SRAM X5/X7 10-speed drivetrain



KAHUNA

Made with light, durable and smooth riding Kona 7005 Aluminum tubing, the Kahuna shares the same geometry as our race-ready Big Kahuna and carbon-fiber King Kahuna XC Race bikes. That means it's fast. Featuring the efficiency and confidence of 29-inch wheels, this trail-eating hardtail is designed specifically for those looking to add a dash of velocity to their wilderness wanderings, at a price that screams value.

GEOIMETRY							
UNITS	inches	inches	inches	inches	inches		
SIZE	16	18	19	20	22		
TTH	22.5	23.5	24	24.5	25.5		
STA	74°	74°	73°	73°	73°		
HTA	68.5°	70°	70°	70°	71°		
RC	17.3	17.3	17.3	17.3	17.3		
FC	26.1	26.6	26.7	27.2	27.8		
WB	43.2	43.7	43.8	44.3	44.9		
FL	20.1	20.1	20.1	20.1	20.1		
OF	1.8	1.8	1.8	1.8	1.8		
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1		
BBH	12	12.2	12.2	12.2	12.2		
S0	31	32.1	33.1	33.7	35.1		
HT	3.9	4.7	5.1	5.5	6.3		
BBS	73mm	73mm	73mm	73mm	73mm		
STACK	24	24.8	25.2	25.6	26.5		
REACH	15.5	16.3	16.3	16.6	17.4		

Kona Race Light 7005 Aluminum Butted frame RockShox XC 32 TK 100mm travel fork



KAHUNA

SPECIFICATIONS,

FRAME MATERIAL

SIZES	
FORK	
CRANKARMS	
CHAINRINGS	
B/B	
PEDALS	
CHAIN	
FREEWHEEL	
F/D	
R/D	
SHIFTERS	
BRAKE CALIPERS	
FRONT BRAKE ROTOR	
REAR BRAKE ROTOR	
BRAKE LEVERS	
HEADSET	
HANDLEBAR	
STEM	
SEATPOST	
SEAT CLAMP	
GRIPS	
SADDLE	
FRONT HUB	
REAR HUB	
SPOKES	
RIMS	
FRONT TIRE	
REAR TIRE	
PAINT COLOR	

Kona Race Light 7005 Aluminum Butted 16", 18", 19", 20", 22" RockShox XC 32 TK 100mm SRAM X5 44/33/22t SRAM X5 Wellgo LUA9 KMC X10 SRAM PG1030 11-36t 10 spd SRAM X5 SRAM X5 SRAM X5 Avid Elixir 1 Avid G2 180mm Avid G2 160mm Avid Elixir 1 FSA No.57B-1 Kona XC/BC Riser Kona XC/Road Kona Double Clamp Kona Clamp Kona Race Light LOG WTB Volt Sport Formula Formula Sandvik Stainless 14g WTB SX23 Maxxis Ikon 29x2.2" Maxxis Ikon 29x2.2" Matt Dark Silver w/Black, White & Silver

Avid Elixir 3 brakes

WTB 29er wheelset and Maxxis Ikon 29x2.2" Kevlar tires

SRAM X5/X7 10-speed drivetrain

MOHALA



MOHALA _

First introduced in 2012. Kona's female-specific 29-inch-wheel hardtail mountain bike is specifically designed for recreational cyclists looking to get out onto the trail with confidence and style. Featuring incredibly low standover for a confident riding position and geometry best suited for riders who need stability, traction and great ride efficiency, as well as grips and saddle tailored to the female rider, the Kona Mohala lets you shine forth on everything from technical singletrack to blazing backroads.

GEOMETRY____


UNITS	inches	inches	inches
SIZE	15	16	17
TTH	21.6	22	22.6
STA	74°	74°	73°
HTA	68.5°	70°	70°
RC	17.3	17.3	17.3
FC	25.1	25	25.1
WB	42.2	42.1	42.2
FL	19.3	19.3	19.3
OF	1.8	1.8	1.8
BBD	- 2.3	- 2.1	- 2.1
BBH	12	12.2	12.2
S0	30.2	31.1	31.7
HT	3.9	4.3	4.7
BBS	73mm	73mm	73mm
STACK	23.3	23.7	24.1
REACH	14.8	15.2	15.1

Kona 7005 Aluminum RockShox XC32 TK SRAM 10-speed drivetrain

SPECIFICATIONS.

FRAME MATERIAL	Kona Race Light 7005 Aluminum Butted
SIZES	15", 16", 17"
FORK	RockShox XC 32 TK 100mm
CRANKARMS	SRAM X5
CHAINRINGS	44/33/22t
B/B	SRAM X5
PEDALS	Wellgo LUA9
CHAIN	KMC X10
FREEWHEEL	SRAM PG1030 11-36t 10 spd
F/D	SRAM X5
R/D	SRAM X5
SHIFTERS	SRAM X5
BRAKE CALIPERS	Avid Elixir 1
FRONT BRAKE ROTOR	Avid G2 180mm
REAR BRAKE ROTOR	Avid G2 160mm
BRAKE LEVERS	Avid Elixir 1
HEADSET	FSA No.57B-1
HANDLEBAR	Kona XC/BC Riser
STEM	Kona XC/Road
SEATPOST	Kona Double Clamp
SEAT CLAMP	Kona Clamp
GRIPS	Kona Lisa
SADDLE	Kona Lisa
FRONT HUB	Formula
REAR HUB	Formula
SPOKES	Sandvik Stainless 14g
RIMS	WTB SX23
FRONT TIRE	Maxxis Ikon 29x2.2"
REAR TIRE	Maxxis Ikon 29x2.2"
PAINT COLOR	Matt Black w/White, Cyan & Dark Grey

saddle and grips disc brakes



MAHUNA_

If you're searching for a great bike at a great price, a ride sturdy enough to take you into the world's great wild spaces one day and for a cruise down Main Street the next, then the Kona Mahuna is all you. With sweet rolling 29-inch wheels, a light and sturdy Kona 7005 Aluminum frame and excellent components, the Mahuna is all about big, wide smiles for a really long time.

UNITS	inches	inches	inches	inches	inches		
SIZE	16	18	19	20	22		
TTH	22.5	23.5	24	24.5	25.5		
STA	74°	74°	73°	73°	73°		
HTA	68.5°	70°	70°	70°	71°		
RC	17.7	17.7	17.7	17.7	17.7		
FC	26.1	26.6	26.7	27.2	27.8		
WB	43.6	44.1	44.2	44.8	45.3		
FL	20.3	20.3	20.3	20.3	20.3		
OF	1.8	1.8	1.8	1.8	1.8		
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1		
BBH	12	12.2	12.2	12.2	12.2		
S0	30.6	32.1	32.7	33.4	34.8		
HT	3.9	4.7	5.1	5.5	6.3		
BBS	68mm	68mm	68mm	68mm	68mm		
STACK	24.3	25.1	25.5	25.8	26.8		
REACH	15.4	16.2	16.2	16.5	17.3		

Kona Race Light 7005 SRAM X4 8-speed Aluminum Butted drivetrain

Kona Custom cockpit Suntour XCT 100mm Avid Elixir 1 hydraulic Available in two

MTB TRAIL · 29" HARDTAIL

frameset

Butted women-specific 29er fork

MAHUNA



SPECIFICATIONS

FRAME MATERIAL

SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

Kona Race Light 7005 Aluminum Butted 16", 18", 19", 20", 22" Suntour XCT LO 100mm FSA Dyna Drive 42/32/22t TH 7420 Wellgo LUA9 KMC HG40 SRAM PG820 11-32t 8 spd Shimano Altus SRAM X4 SRAM X4 Avid Elixir 1 Avid G2 180mm Avid G2 160mm Avid Elixir 1 TH ZST No.10 Kona Aluminum Riser Kona Control Kona Double Clamp Kona QR Kona Race Light LOG Kona XC Formula Formula Sandvik Stainless 14g WTB SX23 Vittoria Saguaro 29x2.2" Vittoria Saguaro 29x2.2" Orange w/White, Black & Orange or Blue w/White, Silver & Black

fork w/ lockout

disc brakes

colorways: Kona Orange or Blue

SPLICE



SPLICE.

The name really does say it all: take the diversity and confidence of a mountain bike frame and outfit it with lighter, more efficient components best suited for commuting. The result is a bike that really can do it all, from singletrack to sidewalks and everything in between, the Splice is real smooth riding at real good value.

GEOMETRY_

UNITS	inches	inches	inches	inches	inches
SIZE	16	18	19	20	22
TTH	22.5	23.5	24	24.5	25.5
STA	74°	74°	73°	73°	73°
HTA	68.5°	70°	70°	71°	72°
RC	17.7	17.7	17.7	17.7	17.7
FC	26.1	26.6	26.7	26.8	27.4
WB	43.6	44.1	44.2	44.2	44.8
FL	20.3	20.3	20.3	20.3	20.3
OF	1.8	1.8	1.8	1.8	1.8
BBD	- 2.3	- 2.1	- 2.1	- 2.1	- 2.1
BBH	12	12.2	12.2	12.2	12.2
S0	30.9	32.4	33	33.7	35.1
HT	3.9	4.7	5.1	5.5	6.3
BBS	68mm	68mm	68mm	68mm	68mm
STACK	24.6	25.4	25.7	26.3	27.2
REACH	15.4	16.1	16.1	16.4	17.2

📄 Kona 7005 Aluminum Butted frameset

Suntour XCR 80mm fork with lockout

SPECIFICATIONS

	FRAME MATERIAL	Kona 7005 Aluminum Butted
	SIZES	16", 18", 19", 20", 22"
S	FORK	Suntour XCR LO 80mm
	CRANKARMS	FSA Dyna Drive
	CHAINRINGS	48/38/28t
	B/B	TH 7420
	PEDALS	Wellgo LUA9
	CHAIN	KMC Z8
	FREEWHEEL	Shimano HG31 11-32t 8 spd
	F/D	Shimano Altus
	R/D	Shimano Altus
	SHIFTERS	Shimano Tourney EZ Fire Integrated
	BRAKE CALIPERS	Tektro Novela
	FRONT BRAKE ROTOR	Tektro Novela 160mm
	REAR BRAKE ROTOR	Tektro Novela 160mm
	BRAKE LEVERS	Shimano Tourney EZ Fire Integrated
	HEADSET	CH 281TBW
	HANDLEBAR	Kona Aluminum Riser
	STEM	Kona Control
	SEATPOST	Kona Thumb
	SEAT CLAMP	Kona QR
	GRIPS	Kona Mooseknuckle
	SADDLE	Kona XC
	FRONT HUB	KT
	REAR HUB	KT
	SPOKES	Sandvik Stainless 14g
	RIMS	Alex SX44
	FRONT TIRE	Geax Evolution 29x1.9"
	REAR TIRE	Geax Evolution 29x1.9"
	PAINT COLOR	Black w/White, Gold & Grey

-	-
Tektro Novela mechanical	Shimano wide-range
disc brakes	24-speed drivetrain

Geax Evolution 29x1.9" tires



MTB TRAIL · 29" HARDTAIL

• CINDER CONE



CINDER CONE_

Kona's 25-year-old family tree weaves itself back to the Cinder Cone, one of our longest running bikes. And while the bike has changed dramatically over the years, it's geometry honed, it's features perfected, it's always been about one thing: manufacturing smiles. Plan on having this bike for a good chunk of your life. We certainly designed it that way.

GEOMETRY_

UNITS	inches						
SIZE	14	16	17	18	19	20	22
TTH	22	23	23.5	24	24.5	25	26
STA	72.5°	72.5°	72.5°	72.5°	71.5°	71.5°	71°
HTA	68°	68°	68.5°	68.5°	68.5°	68.5°	68.5°
RC	16.5	16.5	16.5	16.5	16.5	16.5	16.5
FC	25	26.1	26.5	27	27.1	27.6	28.5
WB	41.5	42.6	43	43.5	43.6	44.1	45
FL	18.6	18.6	18.6	18.6	18.6	18.6	18.6
OF	1.5	1.5	1.5	1.5	1.5	1.5	1.5
BBD	- 1.2	- 1.2	- 1.0	- 1.0	- 1.0	- 1.0	- 0.8
BBH	12	12	12.2	12.2	12.2	12.2	12.4
S0	28.7	29.6	30.3	30.9	31.7	32.3	33.6
HT	3.9	4.7	5.1	5.5	6.1	6.5	7.1
BBS	73mm						
STACK	21.7	23.4	22.6	23	23.6	23.9	24.3
REACH	15.1	15.9	16.3	16.7	16.5	16.9	17.6

RockShox Recon Silver

100mm fork


Kona Scandium 69 frameset

SPECIFICATIONS. FRAME M SIZES

disc brakes

FRAME MATERIAL	Kona Scandium 69
SIZES	14", 16", 17", 18", 19", 20", 22"
FORK	RockShox Recon Silver TK 100mm
CRANKARMS	Shimano
CHAINRINGS	42/34/24t
B/B	Shimano ES25
PEDALS	Wellgo LUA9
CHAIN	KMC HG53
FREEWHEEL	Shimano HG50 11-32t 9 spd
F/D	Shimano Alivio
R/D	Shimano SLX
SHIFTERS	Shimano Alivio
BRAKE CALIPERS	Avid Elixir 1
FRONT BRAKE ROTOR	Avid G2 180mm
REAR BRAKE ROTOR	Avid G2 160mm
BRAKE LEVERS	Avid Elixir 1
HEADSET	TH ZST No.10
HANDLEBAR	Kona XC/BC Riser
STEM	Kona XC/Road
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Kona Race Light
SADDLE	WTB Volt Sport
FRONT HUB	Formula
REAR HUB	Shimano M475
SPOKES	Stainless 15g fr / 14g rr
RIMS	Mavic XM119
FRONT TIRE	Vittoria Saguaro 26x2.0"
REAR TIRE	Vittoria Saguaro 26x2.0"
PAINT COLOR	Matt Dark Grey w/White, Yellow & Black

Shimano SLX rear derailleur Avid Elixir 1 hydraulic





BLAST

For the money, there might not be a more value-added, ready-to-rumble mountain bike on the planet. Exquisitely crafted, with Kona Scandium 69 butted frameset that balances performance, comfort, and durability, with components selected to last, the Blast just might be one of our more aptly named models. So good the Blast frame comes with a lifetime warranty.

GEOMETRY							
UNITS	inches						
SIZE	14	16	17	18	19	20	22
TTH	22	23	23.5	24	24.5	25	26
STA	72.5°	72.5°	72.5°	72.5°	71.5°	71.5°	71°
HTA	68°	68°	68.5°	68.5°	68.5°	68.5°	68.5°
RC	16.4	16.4	16.4	16.4	16.4	16.4	16.4
FC	25	26.1	26.5	27	27.1	27.6	28.5
WB	41.4	42.5	42.9	43.4	43.5	44	44.9
FL	18.6	18.6	18.6	18.6	18.6	18.6	18.6
OF	1.5	1.5	1.5	1.5	1.5	1.5	1.5
BBD	- 1.2	- 1.2	-1.0	-1.0	- 1.0	- 1.0	- 0.8
BBH	12	12	12.2	12.2	12.2	12.2	12.4
S0	28.7	29.6	30.3	30.9	31.7	32.3	33.6
HT	3.9	4.7	5.1	5.5	6.1	6.5	7.1
BBS	73mm						
STACK	21.7	23.4	22.6	23	23.6	23.9	24.3
REACH	15.1	15.9	16.3	16.7	16.5	16.9	17.6

Kona Scandium 69 frameset

RockShox XC32 TK 100mm fork





SPECIFICATIONS.

FRAME MATERIAL

SIZES
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Shimano Alivio 42/34/24t Shimano UN26 Wellgo LUA9 KMC HG53 Shimano HG20 11-34t 9 spd Shimano Alivio Shimano Deore Shimano Alivio Shimano Shimano 180mm Shimano 160mm Shimano TH ZST No.10 Kona XC/BC Riser Kona XC/Road Kona Thumb Kona QR Kona Race Light WTB Volt Sport Formula Shimano M475 Stainless 15g fr / 14g rr Alex Ace18 Double Wall Vittoria Saguaro 26x2.0" Vittoria Saguaro 26x2.0" Matt Blue w/White & Black

Kona Scandium 69

14", 16", 17", 18", 19", 20", 22"

RockShox XC 32 TK 100mm

Shimano Alivio/Deore drivetrain

Shimano hydraulic disc brakes

Custom WTB Volt Sport saddle

• FIRE MOUNTAIN



FIRE MOUNTAIN_

A virtue of being one of our longest running mountain bike models is the added benefit of evolution. The longer it's been in the line-up, the more scrutiny it's subjected to. The result is a recreationallyoriented, entry-level 26-inch wheel mountain bike that gives you as much bang for the buck as we could possibly muster. With a feature-loaded Kona 7005 Aluminum frame that comes with a lifetime warranty, and selection of quality components, we're quite sure many mountains will feel your fire.

GEOMETRY_

UNITS	inches	inches	inches	inches	inches
SIZE	14	16	18	20	22
TTH	22	23	24	25	26
STA	72.5°	72.5°	72.5°	71.5°	71°
HTA	68°	68°	68.5°	68.5°	68.5°
RC	16.4	16.4	16.4	16.4	16.4
FC	25.1	26.1	27	27.7	28.5
WB	41.5	42.5	43.5	44.1	44.9
FL	18.5	18.5	18.5	18.5	18.5
OF	1.5	1.5	1.5	1.5	1.5
BBD	- 1.2	- 1.2	- 1.0	- 1.0	- 0.8
BBH	11.8	11.8	12	12	12.2
S0	28.1	29.3	30.7	32.1	33.3
HT	3.9	4.7	5.5	6.5	7.1
BBS	68mm	68mm	68mm	68mm	68mm
STACK	21.6	22.3	22.9	23.9	24.2
REACH	15.2	16	16.7	17	17.6

RockShox XC28

100mm fork

Kona 6061 Aluminum butted frameset

SPECIFICATIONS. FRAME M

speed drivetrain

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	14", 16", 18", 20", 22"
FORK	RockShox XC 28 100mm
CRANKARMS	FSA
CHAINRINGS	44/32/22t
B/B	FSA 7420
PEDALS	Wellgo LUA9
CHAIN	KMC HG53
FREEWHEEL	Shimano Acera 11-34t 9 spd
F/D	Shimano Acera
R/D	Shimano Acera
SHIFTERS	Shimano Acera
BRAKE CALIPERS	Shimano
FRONT BRAKE ROTOR	Shimano 160mm
REAR BRAKE ROTOR	Shimano 160mm
BRAKE LEVERS	Shimano
HEADSET	TH ZST No.10
HANDLEBAR	Kona Aluminum Riser
STEM	Kona Control
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Kona Mooseknuckle
SADDLE	Kona XC
FRONT HUB	KT
REAR HUB	KT
SPOKES	Sandvik Stainless 14g
RIMS	Shining MT20
FRONT TIRE	Vittoria Saguaro 26x2.2"
REAR TIRE	Vittoria Saguaro 26x2.2"
PAINT COLOR	Black w/White, Blue and Grey

Wide-range Shimano 27 Shimano hydraulic disc brakes

Vittoria Saguaro 26x2.2" tires



TIKA_

Designed for women new to mountain biking, the Tika is all about inspiring confidence, enabling freedom, and getting them excited about cycling. Using geometry specifically tailored to the female body, with low standover for a confident body position and short chainstays for efficient power transfer, joined with female-specific grips and saddle, the Tika is the perfect blend of performance, comfort and fun...at an incredible price.

GEOMETRY____

UNITS	inches	inches	inches	inches
SIZE	14	16	17	18
TTH	21.5	22.5	23	23.5
STA	72.5°	72.5°	72.5°	72.5°
HTA	68°	68°	68.5°	68.5°
RC	16.5	16.5	16.5	16.5
FC	24.5	25.7	26	26.6
WB	41	42.2	42.4	43
FL	18.5	18.3	18.3	18.3
OF	1.5	1.5	1.5	1.5
BBD	- 1.2	- 1.2	- 1.0	- 1.0
BBH	12	12	12.2	12.2
S0	28.7	29.5	30.3	30.9
HT	3.9	4.7	5.1	5.5
BBS	68mm	68mm	68mm	68mm
FD	31.8	31.8	31.8	31.8
STACK	21.6	23.3	22.6	23
REACH	14.6	15.4	15.8	16.2

Kona 6061 Aluminum butted frameset women's specific frameset


RockShox XC28 100mm fork



TIKA

SPECIFICATIONS.

FRAME MATERIAL



SIZES FORK CRANKARMS CHAINRINGS R/R PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

Kona 6061 Aluminum Butted 14", 16", 17", 18" RockShox XC 28 100mm Shimano 44/32/22t Shimano UN26 Wellgo LUA9 KMC HG53 Shimano Acera 11-34t 9 spd Shimano Acera Shimano Acera Shimano Acera Shimano Shimano 160mm Shimano 160mm Shimano TH ZST No.10 Kona Aluminum Riser Kona Control Kona Thumb Kona QR Kona Lisa Kona Lisa ΚT ΚT Sandvik Stainless 14g Shining MT20 Vittoria Saguaro 26x2.2" Vittoria Saguaro 26x2.2" Pearl White w/Black, Blue & Grey

Wide-range 27 speed Shimano drivetrain

Shimano hydraulic disc brakes

Kona women's saddle and grips

LANA'I



LANA'I_

For the money, it's one of the best mountain bikes you can buy. This is the ultimate entry-level bike, with all the benefits that come with a bike company that has been making 26-inch wheel hardtail mountain bikes for 25 years. A frame that comes with a lifetime warranty, joined with components that will keep you riding for years to come, jump on board a Lana'i and never look back. The world of adventure and exploration wants you to join in the fun. This is your ticket.

GEOMETRY_____

UNITS	inches	inches	inches	inches	inches
SIZE	14	16	18	20	22
TTH	21.5	22.5	23.5	24.5	25.5
STA	72.5°	72.5°	72.5°	71.5°	71°
HTA	68.5°	68.5°	69°	69°	69°
RC	16.7	16.7	16.7	16.7	16.7
FC	24.5	25.6	26.5	27	27.9
WB	41.2	42.3	43.1	43.7	44.6
FL	18.9	18.9	18.9	18.9	18.9
OF	1.6	1.6	1.6	1.6	1.6
BBH	12	12	12.2	12.2	12.4
BBD	- 1.2	- 1.2	-1.0	-1.0	- 0.8
S0	28.9	30.2	31.5	32.7	34.1
HT	4.3	5.1	5.9	6.7	7.5
BBS	68mm	68mm	68mm	68mm	68mm
STACK	22.6	23.3	24	24.7	25.2
REACH	14.4	15.2	15.9	16.2	16.8

Kona 6061 Aluminum butted frameset

Suntour SF13-XCT 100mm fork

SPECIFICATIONS.

Tektro Novela mechanical

disc brakes

FRAME MATERIAL	Kona 7005 Aluminum Butted
SIZES	14", 16", 18", 20", 22"
FORK	Suntour XCT 100mm
CRANKARMS	Suntour XCC-T202
CHAINRINGS	44/32/22t
B/B	CH 52
PEDALS	Wellgo LUA9
CHAIN	KMC Z52
FREEWHEEL	Shimano HG31 11-32t 8 spd
F/D	Shimano Altus
R/D	Shimano Altus
SHIFTERS	Shimano Tourney EZ Fire Integrated
BRAKE CALIPERS	Tektro Novela
FRONT BRAKE ROTOR	Tektro Novela 160mm
REAR BRAKE ROTOR	Tektro Novela 160mm
BRAKE LEVERS	Shimano Tourney EZ Fire Integrated
HEADSET	CH 281
HANDLEBAR	Kona Aluminum Riser
STEM	Kona Control
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Kona Mooseknuckle
SADDLE	Kona XC
FRONT HUB	KT
REAR HUB	KT
SPOKES	Sandvik Stainless 14g
RIMS	Shining MT20
FRONT TIRE	Vittoria Saguaro 26x2.2"
REAR TIRE	Vittoria Saguaro 26x2.2"
PAINT COLOR	Dark Silver w/White & Black

Wide-range Shimano Geax Saguaro 26x2.2" tires

EZ-Fire drivetrain



SHRED_

A long-time Kona classic gets a new frame for 2013. The Shred is designed to do it all, and do it tough. What can best be described as half dirt jumper, half trail ripper, and 100 per cent mountain bike, the Shred's updated frame has round tubes for a clean and classic look. Of course, the new frame design serves a functional purpose too, most notably a better strength-to-weight ratio. Go deep with confidence good friends. Shred forever.

GEOMETRY_____

UNITS	inches	inches	inches
SIZE	S	M	L
TTH	22	23.5	25
STA	72.5°	72.5°	72.5°
HTA	67°	67°	67°
RC	16.5	16.5	16.5
FC	26.1	27.6	29.2
WB	45.6	44.1	45.7
FL	19.6	19.6	19.6
OF	1.9	1.9	1.9
BBD	- 1.1	- 1.1	- 1.1
BBH	12.1	12.1	12.1
S0	28.8	30.4	32.1
HT	4.3	4.9	5.5
BBS	73mm	73mm	73mm
STACK	22.5	23	23.6
REACH	14.9	16.3	17.6


Kona 6061 Aluminum Butted frame

Spinner Cargo 340 120mm travel fork



SHRED ●

SPECIFICATIONS.



FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	S, M, L
FORK	Spinner Cargo 340 120mm
CRANKARMS	FSA Step-Up 170mm
CHAINRINGS	FSA 32t
B/B	FSA
PEDALS	Kona JackShit
CHAIN	KMC HG40
FREEWHEEL	Shimano HG31 11-34t 8 spd
CHAINGUIDE	N/A
F/D	Shimano Altus
R/D	Shimano Altus
SHIFTERS	Shimano Altus
BRAKE CALIPERS	Tektro HDC300
FRONT BRAKE ROTOR	Tektro Light Wave 180mm
REAR BRAKE ROTOR	Tektro Light Wave 160mm
BRAKE LEVERS	Tektro HDC-300
HEADSET	Internal CH
HANDLEBAR	Kona XC/BC
STEM	Kona XC/BC
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Kona G-LOG
SADDLE	WTB Volt Sport
FRONT HUB	Shimano M475
REAR HUB	Shimano M475
SPOKES	Stainless 14g
RIMS	Alex DM24
FRONT TIRE	Geax Sturdy 26x2.25" Folding
REAR TIRE	Geax Sturdy 26x2.25" Folding
PAINT COLOR	Matt Blue w/Black & Silver

New Tektro HDC-300 hydraulic brakes 180mm front, 160mm rear

Versatile Geax Sturdy 26x2.25" tires



Durable WTB Volt saddle for all-day comfort

The year 2013 marks the dawn of a new era at Kona, our very first from-theground-up design in a carbon endurance frame, featured on the Red Zone and Zone Two. It's designed to be comfortable over long rides, but still super quick, lightweight and efficient. With carefully thought-out features, like hidden fender eyelets and 28c wheel clearance, the Zone series represents our commitment to crafting innovative bikes for specific riding applications. Backing up these two new bikes, our other models reflect our differentiated approach to road: from the worldly Sutra to the downtown chic Paddy Wagon, the well-priced carbon Zing Supreme to the all-weather Honky Tonk, at Kona, we do road right.

2013 / ROAD



RED 70NF_

We pride ourselves on making specific bicycles for specific purposes. With the growth of Gran Fondo and endurance road riding, we decided it was time to design a road bike that seriously considered the ride requirements of this burgeoning discipline. Longer rides necessitate more comfortable geometry, while year-long training means fender and 28c wheelset compatibility. Take a look at all the unique features of the Red Zone, Kona's first custom-designed, from-the-pavement-up road ripper. See page 16 for more.

GEOMETRY____

JNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	490	530	560	590	610
TTH	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	72.5°
HTA	71.5°	72°	72°	72.5°	73°
RC	416	416	418	418	422
FC	592	598	608	618	627
WB	996	1003	1015	1026	1039
FL	377	377	377	377	377
OF	44	44	44	44	44
BBD	78	75	75	72	72
BBH	262	265	265	268	268
SO	765	797	818	844	859
HT	125	150	165	185	195
BBS	PF 30				
STACK	538	563	577	595	606
REACH	386	389	394	403	414

Sub 1000-gram Shimano Di2 ready frame with the highest grade carbon material, resin & construction

RED ZONE •

SPECIFICATION

Kona Carbon GranFondo by Deda

Kona Carbon GranFondo by Deda

SRAM Red

SRAM PC1091

SRAM XG1090 SRAM Red

SRAM Red

SRAM Red

SRAM Red

SRAM Red

Easton EC90 Aero

Easton EC90 SL

Kona Cork Tape

Easton EA90 RT Tubeless Wheelset

Faston FA90 RT Tubeless Wheelset

Easton EA90 RT Tubeless Wheelset

Easton EA90 RT Tubeless Wheelset

Continental GranPrix 4000 700x25C

Continental GranPrix 4000 700x25C

Matt UD Carbon w/Gold & White

Selle Italia SL

Easton EC90

Deda Clamp

N/A

N/A

Deda

50/34t SRAM Red

N/A

XS(49), S(53), M(56), L(59), XL(61)

FRAME MATERIAL

SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAME GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOF

Kona Zone full carbon fork Fender and 28c tire clearance with hidden fender components eyelets

SRAM Red group

Easton EA90 RT Tubeless wheelset

• ZONE TWO



ZONE TWO_

With the growth of GranFondo and endurance road riding, we decided it was time to design a road bike that seriously considered the ride requirements of this burgeoning discipline. Longer rides necessitate more comfortable geometry, while year-long training necessitates 28c wheelset compatibility. Highlighted by a custom-designed sub 1000-gram monocoque frame and fork that's light and speedy, but not delicate or brittle, the Zone Two comes loaded with a host of innovative features, like a press fit BB30 bottom bracket, compact 50-34 gearing, hidden fender eyelets and a tubeless wheelset. The new Zone Two: tough enough to ride every road surface, comfortable enough to ride forever, and always fast.

GEOMETRY_

UNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	490	530	560	590	610
TTH	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	72.5°
HTA	71.5°	72°	72°	72.5°	73°
RC	416	416	418	418	422
FC	592	598	608	618	627
WB	996	1003	1015	1026	1039
FL	377	377	377	377	377
OF	44	44	44	44	44
BBD	78	75	75	72	72
BBH	262	265	265	268	268
S0	765	797	818	844	859
HT	125	150	165	185	195
BBS	PF 30				
STACK	538	563	577	595	606
REACH	386	389	394	403	414

Di2 ready frame with the highest grade carbon material, resin & construction

Sub 1000-gram Shimano Kona Zone full carbon fork Fender and 28c tire clearance with hidden fender eyelets

SPECIFICATIONS.

FRAME M

SIZES

FORK

CRANKA

CHAINRI

CHAIN

FREEWH

SHIFTER

BRAKE (

FRONT E

REAR BE BRAKE L

HEADSE

HANDLE

STEM SEATPOS

SEAT CL

GRIPS

SADDLE

FRONT I

REAR HU

SPOKES

RIMS

FRONT T

REAR TH

PAINT CO

F/D R/D

B/B PEDALS

MATERIAL	Kona Carbon GranFondo by Deda
	XS(49), S(53), M(56), L(59), XL(61)
	Kona Carbon GranFondo by Deda
RMS	FSA SLK Light Carbon Compact
INGS	50/34t
	FSA SLK Light
	N/A
	Shimano 105
IEEL	Shimano 105 12-25t 10 spd
	Shimano 105
	Shimano Ultegra
RS	Shimano Ultegra
CALIPERS	Shimano Ultegra
BRAKE ROTOR	N/A
RAKE ROTOR	N/A
EVERS	Shimano Ultegra
Т	VP Q46RCM1 w/Carbon Cap
BAR	FSA 255S CW Carbon
	FSA OS190 CW Carbon
ST	FSA SLK Carbon
AMP	Deda Clamp
	Kona Cork Tape
	Selle Italia SL
HUB	Shimano Ultegra Tubeless Wheelset
UB	Shimano Ultegra Tubeless Wheelset
	Shimano Ultegra Tubeless Wheelset
	Shimano Ultegra Tubeless Wheelset
TIRE	Continental GranPrix 24 700x25C
RE	Continental GranPrix 24 700x25C
OLOR	Matt UD Carbon w/Cyan & White

Shimano Ultegra drivetrain and Ultegra tubeless wheelset

FSA carbon cockpit and BB386 EVO carbon crankset

.XL(61)

66 The Zing Supreme is technically well constructed. It's classic, truly good. -Fiets magazine, Netherlands 🤊

ZING SUPREME

Our custom carbon, road-ripping Zing Supreme is highlighted by a light, stiff and durable monocoque frame and fork, with tapered headtube and integrated headset, as well as Kona custom-designed spines on the chainstays and the seatstays for a more vertically compliant rear triangle that still effectively reduces side-to-side deflection. The result is a comfortable, confident, classic road-angle racing bike designed to excel at everything from Cat 2 crits to long and arduous GranFondos. It's all at a price that makes carbon decidedly doable.

GEOMETRY____

UNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	470	510	540	560	580
TTH	520	535	550	570	585
STA	74.5°	74.5°	73.5°	73°	72°
HTA	71.5°	72°	72°	73°	73°
RC	407	407	410	410	413
FC	576	588	594	600	609
WB	970	982	991	1000	1008
FL	367	367	367	367	367
OF	45	45	45	45	45
BBD	- 72	- 72	- 72	- 72	- 72
BBH	268	268	268	268	268
S0	750	778	798	812	834
HT	120	147	173	180	190
BBS	68	68	68	68	68
STACK	519	546	571	581	591
REACH	375	383	381	394	400

Dedacciai carbon Full Kona Carbon monocoque race frame Race road fork with Kona custom ride rear triangle

76 ROAD

ZING SUPREME •



Kona Carbon Race by Deda

Kona Carbon Race by Deda

Shimano 105 12-25t 10 spd

50/34t

N/A

N/A

N/A

Deda

Mega Evo

KMC X10

Shimano 105

Shimano 105

Shimano 105

Shimano 105

Shimano 105

Kona Road

Kona Road

Kona Road

Deda Clamp

Kona Cork

Selle Italia X1

Mavic Aksium WTS

Mavic Aksium WTS

Mavic Aksium WTS

Mavic Aksium WTS

SC49, SC53, SC56, SC59, SC61cm

FSA Gossamer Pro Compact Carbon

SPECIFICATIONS

FRAME MATERIAL

SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

wheelset system

FSA Gossamer Pro Compact Carbon Crankset and Mega Evo BB

Mavic Aksium WTS 700x25C

Mavic Aksium WTS 700x25C

Matt UD Carbon w/Orange & White

Matt UD carbon finish

Shimano 105 compact Mavic Aksium WTS 10-speed drivetrain and brakes

HONKY TONK



HONKY TONK_

We have a lot of commuters who work at Kona, employees who brave the elements from summer straight through fall, winter and spring. They endure everything from snow to incessant rain, long distances, dark hours and heavy loads. We built the Honky Tonk specifically for riders like them. The result is a well-thought-out Kona Cromoly road frame that's comfortable, light and smooth, with components and features specific to cycling in the rain, like long-reach calipers for excellent big-tire and fender clearance.

GEOMETR'	Y_

UNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	470	510	540	570	590
TTH	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	72.5°
HTA	71.5°	72°	72°	72.5°	73°
RC	408	408	410	410	413
FC	589	596	606	617	627
WB	985	993	1005	1017	1030
FL	373	373	373	373	373
OF	43	43	43	43	43
BBD	- 76	- 73	- 73	- 67	- 67
BBH	267	270	270	273	273
S0	734	767	787	813	827
HT	110	135	150	170	180
BBS	68	68	68	68	68
STACK	529	551	566	584	595
REACH	387	391	397	406	418

Kona Cromoly Butted frame Kona Cromoly Retro with classic down tube road fork shifter studs

78 ROAD

SPECIFICATIONS.

FSA Vero 50x34

compact cranks

FRAME MATERIAL	Kona Cromoly Butted
SIZES	SC49, SC53, SC56, SC59, SC61cm
FORK	Kona Retro Road
CRANKARMS	FSA Vero
CHAINRINGS	34/50t
B/B	TH 7420
PEDALS	N/A
CHAIN	KMC HG53
FREEWHEEL	Shimano HG50 12-25t 9 spd
F/D	Shimano Sora
R/D	Shimano Tiagra
SHIFTERS	Shimano Sora
BRAKE CALIPERS	Shimano R451
FRONT BRAKE ROTOR	N/A
FRONT BRAKE ROTOR	N/A
BRAKE LEVERS	Shimano Sora
HEADSET	TH 848
HANDLEBAR	Kona Road
STEM	Kona Road
SEATPOST	Kona Double Clamp w/Offset
SEAT CLAMP	Kona Clamp
GRIPS	Kona Cork Tape
SADDLE	Kona Retro Road
FRONT HUB	Formula
REAR HUB	Shimano 2200
SPOKES	Sandvik Stainless 14g
RIMS	Freedom Racine Elite
FRONT TIRE	Continental UltraSport 700x28C
REAR TIRE	Continental UltraSport 700x28C
PAINT COLOR	Blue w/Black, Gold & White

Shimano 9-speed Tiagra/Sora drivetrain Continental UltraSport 700x28C

66 The bike tracks beautifully, you can really chuck it around corners. -Road.cc. United Kingdom 🔊

PADDY WAGON-

We would never sacrifice performance for style. It's against our nature. That being said, when the forces of a great riding bicycle merge with the discerning critique of cool, you've got a winner: a bike that meets all the rigors of the road head on, thanks to a perfected Kona Cromoly frame highlighted by aggressive but comfortable geometry and city-savvy features like a flip-flop rear hub. The Paddy Wagon gets the job done, because that's how we do it downtown.

GEOMETRY

UNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	470	510	540	570	590
TTH	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	72.5°
HTA	71.5°	72°	72°	72.5°	73°
RC	408	408	410	410	413
FC	590	597	608	620	629
WB	989	997	1010	1022	1035
FL	373	373	373	373	373
OF	43	43	43	43	43
BBH	- 64	- 64	- 64	- 59	- 59
BBH	279	279	279	284	284
S0	740	772	792	819	833
HT	110	135	150	170	180
BBS	68	68	68	68	68
STACK	517	542	556	572	583
REACH	390	394	399	410	421

Kona Cromoly Butted frame Kona Cromoly Retro with raw steel finish road fork



PADDY WAGON •



SPECIFICATIONS

FRAME MATERIAL SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR FRONT BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

Kona Cromoly Butted SC49, SC53, SC56, SC59, SC61cm Kona Retro Road FSA Tempo 42t TH 7420 N/A KMC Z50 Dicta LMA8 (16t) and Dicta LMA7 (16t) N/A N/A N/A Tektro R539 N/A N/A Tektrok RL340 TH 855 Kona Road / Kona Bullhorn Kona Road Kona Double Clamp w/Offset Kona Clamp Kona Cork Tape Kona Retro Road Kona Rat Pack Kona Rat Pack (flip-flop) Sandvik Stainless 15g fr / 14g rr Freedom Tunnel Top Continental UltraSport 700x28C Continental UltraSport 700x28C Raw Steel w/Black, Gold & White

Custom Freedom Tunnel Top rims

Kona Rat Pack sealed cartridge bearing hubs w/flip-flop rear

Continental UltraSport 700x28C tires with room for fenders

SUTRA

66 Kona's take on the touring bike mixes old-world charm with new-world vigour and a cheeky name. You can't help but blush in front of this American beauty. -Cycling Active magazine, United Kingdom 99

SUTRA_

It's the ultimate touring bike. Featuring a Kona Cromoly frame designed to deliver both comfort and performance for many thousands of miles, the Sutra comes loaded with all the tools needed for the Long Sweet Ride: fenders, racks and components to fit the bill. Defined literally, "sutra" means a thread or line that holds things together. Rest assured our version will do the same for you, no matter how far you may roam.

GEC	METRY				
UNITS	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm
C-T	440	480	510	540	560
TTH	535	550	565	585	605
STA	74.5°	74°	73.5°	73°	72.5°
HTA	71°	71°	71.5°	71.5°	72°
RC	440	440	440	440	440
FC	598	609	616	631	641
WB	1029	1040	1048	1063	1073
FL	392	392	392	392	392
OF	45	45	45	45	45
BBD	- 68	- 68	- 63	- 63	- 63
BBH	277	277	282	282	282
S0	728	758	785	808	824
HT	115	140	160	180	195
BBS	68	68	68	68	68
STACK	541	565	581	600	616
REACH	383	387	392	401	411

Incredibly durable Kona Cromoly Butted frame and Project Two fork

Shimano LX/Deore widerange 3x9 drivetrain with Shimano bar-con shifters SPECIFICATIONS.

with 160mm rotors

FRAME MATERIAL	Kona Cromoly
SIZES	C49, C53, C56, C59, C61cm
FORK	Kona Project Two Touring
CRANKARMS	Shimano Deore
CHAINRINGS	48/36/26t
B/B	Shimano BB51
PEDALS	N/A
CHAIN	KMC HG53
FREEWHEEL	Shimano Deore 11-32t 9 spd
F/D	Shimano Deore
R/D	Shimano LX Trekking
SHIFTERS	Shimano BarCon
BRAKE CALIPERS	Hayes CX5
FRONT BRAKE ROTOR	Hayes V6 160mm
FRONT BRAKE ROTOR	Hayes V6 160mm
BRAKE LEVERS	Tektro RL340
HEADSET	TH 848
HANDLEBAR	Kona Deluxe Road Bar
STEM	Kona XC/Road Deluxe
SEATPOST	Kona Double Clamp w/Offset
SEAT CLAMP	Kona Clamp
GRIPS	Kona Cork Tape
SADDLE	WTB Rocket V Comp
FRONT HUB	Shimano Deore
REAR HUB	Shimano Deore
SPOKES	Sandvik Stainless 14g
RIMS	Freedom by WTB Ryder 21
FRONT TIRE	Continental Contact 700x32C
REAR TIRE	Continental Contact 700x32C
PAINT COLOR	Blue w/Gold & White
EXTRAS	Pannier Racks

V Comp saddle

Hayes CX5 road disc brakes Kona double-clamp Front and rear pannier racks seatpost and WTB Rocket



Having been in the cyclocross game for over a decade, we understand the essence of what makes a great cross bike. Just like the people who flock to the discipline, 'cross is all about commitment, camaraderie, diversity and, well, being hard core. How does that translate into bikes? Speed, dependability, performance, comfort, and style all come to mind. From the Major Jake, which has won 14 National titles, including Kona Team rider Helen Wyman's five consecutive UK National Championships, to our new Rove, designed to blast through everything from gravel trails and cobblestone streets, at Kona we make 'cross bikes with the Long Sweet Ride in mind.







MAJOR JAKE



MAJOR JAKE.

Our top-of-the-line, get-on-the-podium, go-faster-than-the-speed-limit cyclocross champion: Major Jake features a super-light, incredibly stiff monocoque carbon fiber frame and full carbon fork imbued with Kona's perfected 'cross geometry. We use a special nanopowder resin technology that creates an incredibly strong and lightweight carbon frame that cannot be surpassed. It's also loaded with features like BB30. excellent tire clearance, and Avid Shorty Ultimate brakes. The Major Jake is one of the best-performing cyclocross bikes on the cyclocross race circuit. Just ask UK National Champion Helen Wyman, currently ranked fourth in the world for women's cyclocross.

GEOMETRY

UNITS	mm	mm	mm	mm	mm	mm
SIZE	49cm	53cm	56cm	59cm	61cm	63cm
C-T	490	530	560	590	610	630
TTH	535	550	565	580	605	615
STA	74.2°	74.2°	73.7°	73.2°	72.7°	72.5°
HTA	71.2°	72.2°	72.2°	72.2°	72.5°	72.5°
RC	425	425	425	425	425	425
FC	595	603	613	623	640	648
WB	1012	1020	1031	1041	1057	1065
FL	395	395	395	395	395	395
OF	47	47	47	47	47	47
BBD	- 62	- 62	- 62	- 62	- 62	- 62
BBH	288	288	288	288	288	288
S0	761	795	813	831	845	873
HT	110	135	155	175	185	200
BBS	BB-30/68mm	BB-30/68mm	BB-30/68mm	BB-30/68mm	BB-30/68mm	BB-30/68mm
STACK	525	552	571	590	601	615
REACH	385	393	397	401	418	421

Kona Carbon Race frame and fork

CYCLOCROSS

Shimano Ultegra tubeless Easton EA70 cockpit race wheels and 10-speed CX drivetrain

SPECIFICATIONS

FRAME MATERIAL	Kona Race Light Carbon
SIZES	49, 53, 56, 59, 61, 63cm
FORK	Kona Full Carbon CX Race
CRANKARMS	FSA Energy Cross BB30
CHAINRINGS	36/46t
B/B	FSA BB30
PEDALS	N/A
CHAIN	Shimano 105
FREEWHEEL	Shimano Ultegra 11-28t 10 spd
F/D	Shimano Ultegra
R/D	Shimano Ultegra
SHIFTERS	Shimano Ultegra
BRAKE CALIPERS	Avid Shorty Ultimate
FRONT BRAKE ROTOR	N/A
REAR BRAKE ROTOR	N/A
BRAKE LEVERS	Shimano Ultegra
HEADSET	FSA No.57-CX
HANDLEBAR	Easton EA70
STEM	Easton EA70
SEATPOST	Easton EA70
SEAT CLAMP	Kona Clamp
GRIPS	Kona Cork Tape
SADDLE	WTB Volt Team
FRONT HUB	Shimano Ultegra Tubeless Wheelset
REAR HUB	Shimano Ultegra Tubeless Wheelset
SPOKES	Shimano Ultegra Tubeless Wheelset
RIMS	Shimano Ultegra Tubeless Wheelset
FRONT TIRE	Maxxis Mud Wrestler 700x33C
REAR TIRE	Maxxis Mud Wrestler 700x33C
PAINT COLOR	Carbon Gloss w/Cyan & White

Avid Shorty Ultimate brakes Avid Shorty Ultimate brakes



JAKE THE SNAKE.

Race, commute, train, then do it again. Please, be our guest, our Jake the Snake FRAME MATERIAL does it all extremely well, at a price that only amplifies the smile quotient. We constantly hear stories of people's love affairs with their Jake the Snakes, everything from winning amateur cyclocross races to battling through downtown snow. Because we're constantly evolving, we've found a way to improve the JTS's chainstay shape, effectively increasing power transfer even more, propelling you to the podium, or to work, on time. Fender eyelets for year-round ridernauts and a wicked Kona Orange paint job top off our most versatile ride.

GEOMETRY

UNITS	mm	mm	mm	mm	mm	m
SIZE	47cm	49cm	53cm	56cm	59cm	61
C-T	470	490	530	560	590	61
TTH	520	535	550	565	585	60
STA	74.5°	74°	73.5°	73°	73°	72
HTA	70°	70.5°	71°	71.5°	72°	72
RC	425	425	425	425	425	42
FC	594	599	606	612	627	63
WB	1010	1016	1022	1029	1044	10
FL	398	398	398	398	398	39
OF	45	45	45	45	45	45
BBD	- 65	- 65	- 65	- 62	- 62	- 6
BBH	285	285	285	288	288	28
S0	756	765	797	822	847	86
HT	110	110	135	155	175	18
BBS	BB-30/68mm	BB-30/68mm	BB-30/68mm	BB-30/68mm	BB-30/68mm	BB
STACK	530	533	558	576	597	60
REACH	373	382	385	389	403	41

Kona 7005 Aluminum Butted frame and full carbon Kona CX fork

New tapered chainstays for a stiffer and more responsive ride

JAKE THE SNAKE -

SPECIFICATIONS.

m
lcm
10
)5
2.5°
2.5°
25
36
)53
98
5
52
38
50
5
-30/68mm
)8
13

SIZES
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona Race Light 7005 Aluminum Butted 47, 49, 53, 56, 59, 61cm Kona Full Carbon CX FSA Gossamer Compact BB30 36/46t FSA Press Fit BB30 N/A KMC X10 Shimano 105 12-28t 10 spd Shimano 105 Shimano Ultegra Shimano 105 Avid Shorty 6 N/A N/A Shimano 105 FSA No.57B Kona Road Bar Kona XC/Road Deluxe Kona Double Clamp w/Offset Kona Clamp Kona Cork Tape WTB Volt Comp Shimano RS10A Wheelset Shimano RS10A Wheelset Shimano RS10A Wheelset Shimano RS10A Wheelset Maxxis Mud Wrestler 700x33C Maxxis Mud Wrestler 700x33C Metallic Orange w/Black & White

Shimano RS10A wheelset Shimano Ultegra/105 CX drivetrain

FSA Gossamer compact cranks with press fit BB30



JAKE

Featuring the same race-bred geometry as our World Cup-level Major Jake, the Jake is regularly cited as one of world's more able bicycles. A sweet riding Kona Race Light 7005 Aluminum frame comes with a new rear triangle highlighted by a more compliant seatstay and stiffer chainstay shape, design improvements focused on giving the bike a more universal purpose. Also new for 2013, the Jake comes with Tektro Lyra 140mm rotor disc brakes for great stopping power no matter how crappy the conditions.

GEOMETRY.

UNITS	mm	mm	mm	mm	mm	mm	mm
SIZE	47cm	49cm	53cm	56cm	59cm	61cm	63cm
C-T	470	490	530	560	590	610	630
TTH	520	535	550	565	585	605	615
STA	74.5°	74°	73.5°	73°	73°	72.5°	72.5°
HTA	70°	70.5°	71°	71.5°	72°	72.5°	72.5°
RC	425	425	425	425	425	425	425
FC	594	599	606	612	627	636	646
WB	1010	1016	1022	1029	1044	1053	1063
FL	398	398	398	398	398	398	398
OF	45	45	45	45	45	45	45
BBD	- 65	- 65	- 65	- 62	- 62	- 62	- 62
BBH	285	285	285	288	288	288	288
S0	756	765	797	822	847	860	877
HT	110	110	135	155	175	185	200
BBS	68	68	68	68	68	68	68
STACK	530	533	558	576	597	608	622
REACH	373	382	385	389	403	413	419

Kona 7005 Aluminum Butted frame and Kona P2 Aluminum fork

CYCLOCROSS

Seven sizes from 47cm to 63cm to fit every rider

Tektro Lyra mechanical road disc brakes with 140mm rotors

FRAME MATERIAL	Kona Race Light 7005 Aluminum Butted
SIZES	47, 49, 53, 56, 59, 61, 63cm
FORK	Kona Project Two Aluminum
CRANKARMS	Shimano Tiagra
CHAINRINGS	50/39/30t
B/B	Shimano Tiagra
PEDALS	Wellgo LU-A9
CHAIN	KMC X10
FREEWHEEL	Shimano Tiagra 12-28t 10 spd
F/D	Shimano Tiagra
R/D	Shimano Tiagra
SHIFTERS	Shimano Tiagra
BRAKE CALIPERS	Tektro Lyra
FRONT BRAKE ROTOR	Tektro Lyra 140mm
REAR BRAKE ROTOR	Tektro Lyra 140mm
BRAKE LEVERS	Shimano Tiagra
HEADSET	FSA No.10
HANDLEBAR	Kona Road Bar
STEM	Kona XC/Road
SEATPOST	Kona Double Clamp w/Offset
SEAT CLAMP	Kona Clamp
GRIPS	Kona Cork Tape
SADDLE	WTB Volt Sport
FRONT HUB	Formula
REAR HUB	Formula
SPOKES	Sandvik 15g fr / 14g rr
RIMS	Alex Black Dragon
FRONT TIRE	Freedom by WTB Ryder 700x32C
REAR TIRE	Freedom by WTB Ryder 700x32C
PAINT COLOR	Metallic Dark Silver w/Black & White

Shimano Tiagra 10-speed drivetrain and Tiagra triple chainring crankset

Kona double-clamp seatpost and WTB Volt Sport saddle



ROVE

At Kona, we love building specific bikes for specific purposes. We see a cool niche, and we pool our collective creativity to come up with the perfect ride. Our all-new Rove is just that. Designed to be the ultimate cyclocross/gravel-grinding/commuting machine, the Kona Cromoly drop-bar Rove pulls in the utilitarian attributes from our best commuter models, spices it with the efficient and comfortable geometry of our long cyclocross heritage, and dashes it with the awesome compliancy and durability of steel tubing. Outfitted with large tire clearance, evelets for racks, and disc brakes for great stopping power, the Rove will deliver you come dirt, gravel or asphalt for as many Long Sweet Rides as you dare imagine. See page 18 for more.

GEOMETRY

010						
UNITS	mm	mm	mm	mm	mm	m
SIZE	47cm	49cm	53cm	56cm	59cm	61
C-T	470	490	530	560	590	61
TTH	520	535	550	565	585	60
STA	74.5°	74°	73.5°	73°	73°	72
HTA	70°	70.5°	71°	71.5°	72°	72
RC	435	435	435	435	435	43
FC	592	598	604	609	624	63
WB	1018	1025	1031	1036	1051	10
FL	403	403	403	403	403	40
OF	43	43	43	43	43	43
BBD	- 65	- 65	- 65	- 65	- 65	- 6
BBH	288	288	288	288	288	28
S0	758	778	809	833	858	87
HT	100	120	145	165	185	19
BBS	68	68	68	68	68	68
STACK	527	548	574	594	615	62
REACH	385	378	380	383	397	40
SO HT BBS STACK	758 100 68 527	778 120 68 548	809 145 68 574	833 165 68 594	858 185 68 615	

tire with fenders



SPECIFICATIONS FRAME MATERIAL

m
.cm
.0
)5
2.5°
2.5°
35
33
060
)3
3
55
38
2
5
3
27
)7

SIZES
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR

Kona Cromoly Butted 47, 49, 53, 56, 59, 61cm Kona Project Two Disc SRAM Apex Compact 36/46t SRAM GXP N/A KMC X10 SRAM PG1030 11-32t 10 spd SRAM Apex SRAM Rival SRAM Apex Hayes CX5 Hayes V5 140mm Hayes V5 140mm SRAM Apex FSA ZST No.11AGY Kona Road Bar Kona XC/Road Light Kona Double Clamp w/Offset Kona Clamp Kona Cork Tape WTB Volt Comp Kona Rover Disc Wheelset Kona Rover Disc Wheelset Kona Rover Disc Wheelset Kona Rover Disc Wheelset Freedom by WTB Ryder 700x35C Freedom by WTB Ryder 700x35C Metallic Green w/Black & White

NEW Kona Cromoly frame and fork 🥚 32c tire with clearance up to 40c 💮 Hayes V-Series mechanical disc brakes with 140mm rotors

SRAM 2x10 Apex drivetrain with 11-32 cassette and 36-46t front chainrings

It's no surprise urban cycling is becoming more popular every year. As communities begin to allocate more resources to bicycle transportation, the masses are finally realizing their day-to-day travels can be made more efficient via the engine inside, with huge physical, social, and environmental health benefits. Of course, we've known this for a good long time, and so we are constantly refining our commuter line to reflect the needs of today's urban cyclist. From first-time bike commuters on a budget to experienced cyclists who like to go fast, and from families with big loads to fashionistas looking to blend efficiency and style, at Kona, we make bikes for the pedaltarian in us all. Rise up!



DR DEW_

It's our top-drawer commuter bike, designed to get you between A and B efficiently, confidently and with boulevard-wide smiles along the way. Featuring our newly redesigned Dew Kona 6061 Aluminum frame that's both comfortable and quick, this year the Dr. Dew features a sweet-shifting SRAM Via Centro urban 2x10 drivetrain, quick-stopping Avid hydraulic disc brakes, and a sporty selection of reliable, highperformance components hand-picked specifically for the dedicated downtown cyclist.

GEOMETRY____

UNITS	mm	mm	mm	mm	mm	mn
SIZE	46cm	49cm	53cm	56cm	59cm	61
C-T	410	440	480	510	540	56
TTH	525	535	550	565	585	60
STA	74.5°	74°	73.5°	73.5°	73°	73
HTA	70°	70°	71°	71°	72°	72
RC	440	440	440	440	440	44
FC	597	603	605	622	627	64
WB	1027	1034	1037	1053	1059	10
FL	410	410	410	410	410	41
OF	45	45	45	45	45	45
BBD	- 69	- 69	- 66	- 66	- 63	- 6
BBH	281	281	284	284	287	28
S0	722	745	776	805	831	84
HT	115	135	155	185	205	22
BBS	68	68	68	68	68	68
STACK	550	569	589	617	638	65
REACH	370	370	374	381	390	40

New Kona 6061 Aluminum SRAM Via Centro Urban Butted Ergo frame 2x10 drivetrain



DR DEW •

SPECIFICATIONS

n
cm
0
5
0
0
0
7
80
0
3
7
8
0
2
5

FRAME MATERIAL SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR **EXTRAS**

Kona 6061 Aluminum Butted C46, C49, C53, C56, C59, C61cm Kona Project Two Aluminum Disc SRAM Via Centro 48/32t SRAM Powerspline VP 198 SRAM PC1031 SRAM PG1030 11-36t 10 spd SRAM Via Centro SRAM Via Centro SRAM Via Centro Avid Elixir 3 Avid HS1 160mm Avid HS1 160mm Avid Elixir 3 TH ZST No.10 Kona Deluxe Energy Kona Commuter Deluxe Kona Double Clamp w/Offset Kona Clamp Velo Ergo Freedom by WTB Aon Formula Shimano M475 Sandvik Stainless 15g fr / 14g rr Freedom by WTB Ryder 21 Continental CityRide 700x32C Continental CityRide 700x32C Dark Aqua w/Silver Kona Bell

Freedom Aon saddle by WTB Aon

Avid Elixir 3 hydraulic disc brakes

Velo Ergo grips

COMMUTER



DR GOOD_

The 2013 Dr. Good is all about creating an elegantly simple, featuresavvy commuter imbued with long-lasting durability. Featuring a newly styled, efficient and light Kona 7005 Aluminum frame, the Dr. Good is highlighted by a clean and smooth functioning internal Nexus 7-speed rear hub. New for this year, we've added fenders with long tails to keep your feet dry, front porteur-style aluminum rack, and wide platform pedals that provide good tread without cutting your shins.

GEOMETRY_____

	M M H H	V					
OLU	NVIETIK						BRAKE C
UNITS	mm	mm	mm	mm	mm	mm	FRONT B
SIZE	46cm	49cm	53cm	56cm	59cm	61cm	REAR BR
C-T	410	440	480	510	540	560	BRAKE L
TTH	525	535	550	565	585	605	HEADSET
STA	74.5°	74°	73.5°	73.5°	73°	73°	HANDLEE
HTA	70°	70°	71°	71°	72°	72°	STEM
RC	440	440	440	440	440	440	SEATPOS
FC	598	605	606	623	627	647	SEAT CLA
WB	1029	1035	1038	1054	1059	1080	GRIPS
FL	410	410	410	410	410	410	SADDLE
OF	45	45	45	45	45	45	FRONT H
BBD	- 69	- 69	- 66	- 66	- 63	- 63	REAR HU
BBH	276	276	279	279	282	282	SPOKES
S0	715	739	770	799	825	842	RIMS
HT	115	135	155	185	205	220	FRONT T
BBS	68	68	68	68	68	68	REAR TIR
STACK	548	567	587	615	635	649	PAINT CC
REACH	370	370	375	381	390	406	EXTRAS

New Kona 6061 Aluminum 🔵 Internal 7-speed Shimano Butted Ergo frame Nexus rear hub

Continental CityRIDE 700x32C tires

SPECIFICATIONS_

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	C46, C49, C53, C56, C59, C61cm
FORK	Kona Project Two Aluminum Disc
CRANKARMS	FSA 316BT
CHAINRINGS	38t/Bash
B/B	FSA 7420
PEDALS	Wellgo C169
CHAIN	KMC Z610 RB
FREEWHEEL	Shimano 18t
F/D	N/A
R/D	N/A
SHIFTERS	Shimano Revo 7spd (rh only)
BRAKE CALIPERS	Avid BB5 (fr) Shimano Roller Brake (rr)
FRONT BRAKE ROTOR	Avid G2 Cleansweep 160mm
REAR BRAKE ROTOR	N/A
BRAKE LEVERS	Tektro 4 Finger w/Bell (fr)
HEADSET	TH ZST No.10
HANDLEBAR	Kona Hand Plant or Stubbie
STEM	Kona Commuter
SEATPOST	Kona Double Clamp w/Offset
SEAT CLAMP	Kona Clamp
GRIPS	Velo Ergo
SADDLE	Kona Comfort
FRONT HUB	Formula
REAR HUB	Shimano Nexus 7
SPOKES	Stainless 14g
RIMS	Freedom by WTB Cruz Disc
FRONT TIRE	Continental CityRide 700x32C
REAR TIRE	Continental CityRide 700x32C
PAINT COLOR	Green w/Grey
EXTRAS	Front Rack, Fenders, Front Stabilizer Spring



DEW DL

Designed for the discerning commuter, that person who's looking some performance in their day-to-day travels, the newly designed Dew DL features a speedy Kona Project Two Aluminum fork and ne smooth-shifting, easy-to-maintain 1x9 Shimano drivetrain. This y we've also added fenders with long tails to keep your feet dry, fror porteur-style aluminum rack, and wide platform pedals that provi good tread without cutting your shins.

GEOMETRY_____

UNITS	mm	mm	mm	mm	mm	mm
SIZE	46cm	49cm	53cm	56cm	59cm	610
C-T	410	440	480	510	540	560
TTH	525	535	550	565	585	605
STA	74.5°	74°	73.5°	73.5°	73°	73
HTA	70°	70°	71°	71°	72°	72°
RC	440	440	440	440	440	44(
FC	597	603	605	622	627	647
WB	1027	1034	1037	1053	1059	108
FL	410	410	410	410	410	410
OF	45	45	45	45	45	45
BBD	- 69	- 69	- 66	- 66	- 63	- 63
BBH	281	281	284	284	287	287
S0	722	745	776	805	831	848
HT	115	135	155	185	205	220
BBS	68	68	68	68	68	68
STACK	550	569	589	617	638	652
REACH	370	370	374	381	390	405

New Kona 6061 Aluminum Shimano 1x9 drivetrain Butted Ergo frame

88 COMMUTER

DEW DL •



for	
2013	
ew	
/ear	
nt	
ide	

n	
cm	
0	
5	
0	
0	
0	
7	
80	
0	
3	
7	
8	
0	
2	
5	

SPECIFICATI
FRAME MATERIAL
SIZES
FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR
EXTRAS

Tektro Novelo disc brakes

Kona HandPlant handlebar Oclor-matched fenders for a casual upright riding position

COMMUTER 89

• **DEW** PLUS



DEW PLUS

Designed to be a fairly priced, fun-riding, tough downtown commuter bike that's loaded with smart, innovative features, the Dew Plus is built using our tried and true Kona 6061 Aluminum Dew frame with a ride feel that's both speedy and confident. The Dew Plus comes in six sizes to fit you perfectly. Not only are the components durable and easy-tomaintain, it has a super-comfy Kona commuter saddle and a sweet aluminum Kona bell.

GEOMETRY_____

UNITS	mm	mm	mm	mm	mm	mm
SIZE	46cm	49cm	53cm	56cm	59cm	61cm
C-T	410	440	480	510	540	560
TTH	525	535	550	565	585	605
STA	74.5°	74°	73.5°	73.5°	73.5°	73.5°
HTA	70°	70°	71°	71°	72°	72°
RC	440	440	440	440	440	440
FC	600	606	607	623	633	654
WB	1031	1037	1038	1054	1066	1086
FL	410	410	410	410	410	410
OF	45	45	45	45	45	45
BBD	- 69	- 69	- 66	- 66	- 63	- 63
BBH	281	281	284	284	287	287
SO	726	749	780	809	833	851
HT	115	135	155	185	205	220
BBS	68	68	68	68	68	68
STACK	556	575	595	623	643	657
REACH	371	370	374	381	395	410

Kona 6061 Aluminum Butted frame/Kona Project Two Aluminum fork

disc brakes

Tektro HDC-300 hydraulic Freedom by WTB Comfort tires

SPECIFICATIONS_

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	C46, C49, C53, C56, C59, C61cm
FORK	Kona Project Two Aluminum Disc
CRANKARMS	Shimano Acera
CHAINRINGS	48/38/28t
B/B	СН
PEDALS	Wellgo LU-A9
CHAIN	KMC Z72
FREEWHEEL	Shimano Acera 11-34t 8 spd
F/D	Shimano Altus
R/D	Shimano Deore
SHIFTERS	Shimano Rapidfire
BRAKE CALIPERS	Tektro HDC300
FRONT BRAKE ROTOR	Tektro 160mm
REAR BRAKE ROTOR	Tektro 160mm
BRAKE LEVERS	Tektro HDC300
HEADSET	TH ZST No.10
HANDLEBAR	Kona Aluminum Riser
STEM	Kona Control
SEATPOST	Kona Thumb
SEAT CLAMP	Kona Clamp
GRIPS	Kona Race Light
SADDLE	Kona Comfort
FRONT HUB	KT
REAR HUB	KT
SPOKES	Stainless 14g
RIMS	Shining MT20
FRONT TIRE	Freedom by WTB Comfort 700x35C
REAR TIRE	Freedom by WTB Comfort 700x35C
PAINT COLOR	Silver or Black w/White
EXTRAS	Kona Bell

Shimano Deore rear derailleur

Silver Metallic or Black Pearl paint options



DEW____

The value-packed Dew is a transportation machine designed specifically for those on a tight budget. Because we know the immense value of transportation freedom, we offer a great commuter bike and at an incredible price. Featuring fast, comfortable and confident geometry, with components designed to stand up to the rigors of daily commuting, the Dew gives the first-time bike commuter the ultimate in safety, stability and security.

GEOMETRY_____

UNITS	mm	mm	mm	mm	mm	mn
SIZE	46cm	49cm	53cm	56cm	59cm	61
C-T	410	440	480	510	540	56
ттн	525	535	550	565	585	60
STA	74.5°	74°	73.5°	73.5°	73.5°	73
HTA	70°	70°	71°	71°	72°	72
RC	440	440	440	440	440	44
FC	600	606	607	623	633	65
WB	1031	1037	1038	1054	1066	10
FL	410	410	410	410	410	41
OF	45	45	45	45	45	45
BBD	- 69	- 69	- 66	- 66	- 63	- 6
BBH	281	281	284	284	287	28
S0	726	749	780	809	833	85
HT	115	135	155	185	205	22
BBS	68	68	68	68	68	68
STACK	556	575	595	623	643	65
REACH	371	370	374	381	395	41

Kona 6061 Aluminum Butted frame/Kona Project Two Aluminum fork

Shimano drivetrain with wide-range gearing for all types of terrain

90 COMMUTER

SPECIFICATIONS.

FRAME MATERIAL

n
cm
0
5
.5°
0
0
4
86
0
i
3
7
1
0
;
7
0

SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR **EXTRAS**

C46, C49, C53, C56, C59, C61cm Kona Project Two Shimano 48/38/28t СН Wellgo LUA9 KMC Z72 Shimano Acera 11-34t 8 spd Shimano Altus Shimano Altus Shimano EZ Fire Integrated ProMax V-Brake N/A N/A Shimano EZ Fire Integrated СН Kona Aluminum Riser Kona Control Kona Thumb Kona Clamp Kona Race Light Kona Comfort Formula Formula Stainless 14g Shining MT20 Freedom by WTB Comfort 700x35C Freedom by WTB Comfort 700x35C Orange or Black w/White Kona Bell

Kona 6061 Aluminum Butted

Kona Comfort saddle

700 x 35C Freedom Comfort by WTB tires Black Pearl or Orange paint options

• MINUTE



MINUTE_____

Designed for speedy people who like to do things via the engine inside, the MinUte comes loaded with functional features, like full fenders with long tails to keep your feet dry, a sturdy, integrated rear rack with two smartly designed waterproof panniers, a bell in the brake lever, and powerful brakes for heavy loads. Put simply, the MinUte is all about getting the job done...fast.

			01111
	METRY		BRAK
			FRON
UNITS	inches	inches	REAR
SIZE	18	20	BRAK
TTH	23.1	24.1	HEAD
STA	74°	73°	HAND
HTA	71°	71°	STEM
RC	20.3	20.3	SEATH
FC	25.7	26.3	SEAT
WB	45.8	46.4	GRIPS
FL	17.3	17.3	SADD
OF	1.7	1.7	FRON
BBD	- 2.0	- 2.0	REAR
BBH	12	12	SPOK
S0	28.7	28.7	RIMS
HT	5.3	5.9	FRON
BBS	68mm	68mm	REAR
STACK	22.9	23.4	PAINT
REACH	16.6	17	EXTR

Compact Kona Cargo Hauler 🔵 Wood deck, color-matched 🛛 🔵 Tektro Novela mechanical 6061 Aluminum frame

92 COMMUTER

disc brakes/brake levers with Continental CityRIDE fenders, kickstand, two Kona Ute Bags, steering stabilizer integrated bell and Shimano drivetrain

SPECIFICATIONS_

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	18", 20"
FORK	Kona Project Two Aluminum Disc
CRANKARMS	FSA Alpha Drive
CHAINRINGS	Bash/36/26t
B/B	FSA 7420ST
PEDALS	Wellgo LU-C3
CHAIN	KMC HG40
FREEWHEEL	Shimano Altus 11-32t 8 spd
F/D	Shimano Altus
R/D	Shimano Acera
SHIFTERS	Shimano Acera
BRAKE CALIPERS	Tektro Novela
FRONT BRAKE ROTOR	Tektro 160mm
REAR BRAKE ROTOR	Tektro 160mm
BRAKE LEVERS	Tektro 4 Finger w/Bell
HEADSET	FSA ZST No.10
HANDLEBAR	Kona HandPlant
STEM	Kona Commuter
SEATPOST	Kona Thumb
SEAT CLAMP	Kona Clamp
GRIPS	Velo Ergo
SADDLE	Kona Plush
FRONT HUB	Formula
REAR HUB	Shimano M475
SPOKES	Stainless 14g
RIMS	Freedom by WTB Cruz Disc
FRONT TIRE	Freedom by WTB Comfort 700x35C
REAR TIRE	Freedom by WTB Comfort 700x35C
PAINT COLOR	Matt Blue w/Charcoal & Off-White
EXTRAS	Wood Deck, Fenders, Kickstand, 2 Kona Ute Bags, Front Stabilizer Spring

700x32C tires

Kona Comfort saddle and XtraCycle and Yepp childseat compatible



UTE_____

We like to call it the pick-up truck of bikes. Haul your friends, kid home reno supplies, recycling, dinner for eight, beers for 20, what the occasion, duty or chore, the Ute makes it easy thanks to a su sturdy, long wheel-base frame designed specifically for carrying life's heavier loads. With efficient gearing, fenders, smartly desi waterproof panniers and powerful disc brakes, the Ute is all abo moving your life by bike.

GEOMETRY_____

020112111			
UNITS	inches	inches	
SIZE	18	20	
TTH	23.1	24.1	
STA	74°	74°	
HTA	71°	71°	
RC	24.6	24.6	
FC	25.7	26.7	
WB	50.1	51.1	
FL	17.3	17.3	
OF	1.7	1.7	
BBD	- 2.0	- 2.0	
BBH	12	12	
S0	28.7	29	
HT	5.3	5.9	
BBS	68mm	68mm	
STACK	22.9	23.3	
REACH	16.6	17.4	

Longtail/Stable Kona Cargo Hauler 6061 Aluminum frame

UTE

ds,	
atever	
uper-	
J S	
igned	
out	

Kona 6061 Aluminum Butted
18", 20"
Kona Project Two Aluminum Disc
FSA Alpha Drive
Bash/36/26t
FSA Powerdrive
Wellgo LUC3
KMC HG53
Shimano Altus 11-32t 9 spd
Shimano Acera
Shimano SLX Shadow
Shimano Acera
Tektro Novela
Tektro 180mm
Tektro 160mm
Tektro 4 Finger w/Bell
FSA ZST No.10
Kona Handplant
Kona Commuter
Kona Thumb
Kona Clamp
Velo Ergo
Kona Plush
Formula
Shimano M475
Stainless 14g
Freedom by WTB Cruz Disc
Freedom by WTB Trekking 700x40C
Freedom by WTB Trekking 700x40C
Matt Dark Silver w/Silver, White & Black
Wood Deck, Fenders, Kickstand, 2 Kona Big Ute Bags, Front Stabilizer Spring

disc brakes/brake levers with integrated bell

tires and Cruz Disc rims by WTB

Freedom Trekking 700x40C XtraCycle and Yepp childseat compatible

Wood deck, color-matched Tektro Novela mechanical fenders, kickstand, two Kona Big Ute Bags, steering stabilizer

ROUNDABOUT

66 The Kona Roundabout is a good choice for cyclists who want both style and substance. It offers a smooth ride and is sure to turn heads. - Momentum Magazine, Canada 🤊

ROUNDABOUT_

Introduced in 2012, our new Mixte-styled Roundabout has been turning heads in hip metropolitan centers from Portland to Barcelona. Featuring a stylish Kona Cromoly frame, the Roundabout is all about simplicity, elegance, and a smooth, efficient ride. This year, it comes with full long-tail fenders to keep your feet dry, and a svelte rear rack that sits low over the rear fender and has a very narrow top deck, perfect for side panniers.

GEOMETRY_____

				BRAKE
UNITS	mm	mm	mm	FRONT E
SIZE	S	Μ	L	REAR BE
C-T	420	470	520	BRAKE L
TTH	530	560	590	HEADSE
STA	73°	73°	73°	HANDLE
HTA	70.5°	70.5°	70.5°	STEM
RC	440	440	440	SEATPOS
FC	580	611	642	SEAT CL
WB	1008	1041	1072	GRIPS
FL	373	373	373	SADDLE
OF	43	43	43	FRONT H
BBD	- 75	- 72	-69	REAR HU
BBH	265	268	271	SPOKES
S0	662	673	684	RIMS
HT	115	135	155	FRONT 1
BBS	68	68	68	REAR TI
STACK	529	545	560	PAINT C
REACH	368	394	418	EXTRAS

Artisan handcrafted Kona Cromoly Butted frame

Color-matched long-tail fenders and new rear rack, perfect for panniers

Wide-range Shimano 1x9 gearing

SPECIFICATIONS.

FRAME MATERIAL	Kona Cromoly Butted
SIZES	S, M, L
FORK	Kona Retro Road
CRANKARMS	FSA Tempo City
CHAINRINGS	Bash/39t/Bash
B/B	FSA 7420ST
PEDALS	VP 198
CHAIN	KMC HG53
FREEWHEEL	Shimano Acera 11-32t 9 spd
F/D	N/A
R/D	Shimano Alivio
SHIFTERS	Shimano Acera
BRAKE CALIPERS	Tektro R539
FRONT BRAKE ROTOR	N/A
REAR BRAKE ROTOR	N/A
BRAKE LEVERS	Tektro FL540
HEADSET	TH 848
HANDLEBAR	Kona Handplant
STEM	Kona Commuter
SEATPOST	Kona Double Clamp w/Offset
SEAT CLAMP	Integrated
GRIPS	Velo Ergo
SADDLE	Kona Comfort
FRONT HUB	Formula
REAR HUB	Shimano M475
SPOKES	Sandvik Stainless 15g fr /14g rr
RIMS	Freedom by WTB Racine Elite
FRONT TIRE	Continental UltraSport 700x28C
REAR TIRE	Continental UltraSport 700x28C
PAINT COLOR	Matt Silver w/Rust, White & Grey
EXTRAS	Rear Rack, Fenders, Kona Bell

Freedom by WTB Racine

Elite rims

Kona HandPlant handlebar for a casual upright riding position

— and then some. -Cycling Active Magazine, UK 99



AFRICABIKE THREE

It's the flagship of our AfricaBike Program, meaning it's designed survive the rigors of a rural beating. With the experience of deliver over 4,000 AfricaBikes to sub-Saharan African communities in ne transportation assistance, we know what an affordable, durable, functional commuter bike needs to be: simple, easy to use, and to nails. The AfricaBike Three comes with an internal three-speed rea with coaster brake-keeping things sealed and protected-a stu integrated rear rack, basket up front, kickstand, fenders and a ste through aluminum frame that makes it safe, comfortable and fun

GEOMETRY_____

UNITS	inches
SIZE	18
TTH	22.5
STA	74°
HTA	71°
RC	17.2
FC	25.3
WB	42.7
FL	16.1
OF	1.7
BBD	- 1.4
BBH	11.6
S0	20.1
HT	7.9
BBS	68mm
STACK	23.8
REACH	15.7

Strong, durable and simple Kona 6061 Aluminum Butted frame


Shimano three-speed internal hub with Revo twist shifter

AFRICABIKE THREE

SPECIFICATIONS_ FRAME MATERIAL

to
ring
ed of
and
ough as
ar hub
urdy,
ep-
۱.

SIZES




FORK
CRANKARMS
CHAINRINGS
B/B
PEDALS
CHAIN
FREEWHEEL
F/D
R/D
SHIFTERS
BRAKE CALIPERS
FRONT BRAKE ROTOR
REAR BRAKE ROTOR
BRAKE LEVERS
HEADSET
HANDLEBAR
STEM
SEATPOST
SEAT CLAMP
GRIPS
SADDLE
FRONT HUB
REAR HUB
SPOKES
RIMS
FRONT TIRE
REAR TIRE
PAINT COLOR
EXTRAS

Kona 6061 Aluminum Butted 18" Kona Project Two ProWheel Z005 36t СН VP 560 KMC Z410 Shimano 18t N/A N/A Shimano 3spd Revo Twist (rh only) Shimano V-brake (fr) Coaster Brake (rr) N/A N/A Shimano (front only) СН Kona Riser Kona Control Kona Thumb Kona Clamp Velo Kona Plush KΤ Shimano Nexus Internal 3 spd Stainless 14g Shining A6N Kenda Komfort 26x1.95" Kenda Komfort 26x1.95" Matt Sand w/Burnt Orange & Off-White Kickstand, Basket, Fenders, Chain Cover, Kona Bell, Lock, Front Stabilizer Spring

Includes kickstand, basket, chain cover, Kona bell, integrated lock, steering stabilizer and colormatched fenders

Proceeds go towards providing free bicycles to charities in Africa



2013 / KIDS

VIDE

STINKY 24

Because kids are real people too, we make one of the best dualsuspension downhill bikes on the market, specifically tailored for 8- to- 12-year-old boys and girls tasked with chasing big kids down technical singletrack, bike parks and anything else with a dash of burl. Featuring 100mm of front and rear travel, on a light, durable Kona 7005 Aluminum frame, the Stinky 24 is the perfect bike for kids who aren't afraid to have tons of fun.

GEOMETRY UNITS inches SIZE 13 19.9 TTH STA 73.5° 67° HTA 16.3 RC FC 24.2 WB 40.4 FL 18.6 OF 1.5 + 0.2 BBD BBH 12.8 SO 28.4 HT 4.5 73mm BBS 20.7 STACK REACH 13.6

Super-durable Kona 7005 DH Aluminum frame 100mm fork

RockShox Recon Silver TK New Tektro HDC300

STINKY 24 •



Kona 7005 DH Aluminum

RockShox Recon Silver TK 100mm

Shimano Acera 11-34 9 spd

Fastrax AF5 Coil Over

FSA Step-Up

Kona JackShit

E*13 FreeChucker

Shimano Acera

Tektro HDC300

Tektro HDC300

FSA No.11N

Kona Thumb Ol

Shimano M475

Maxxis High Roller 24x2.5"

Maxxis High Roller 24x2.5"

Stainless 14g

Orange w/Black

Alex DM24

Kona OB

Kona Jerk

Kona QR

Kona DJ

Formula

Kona G-LOG

Shimano Deore Shadow

Tektro Light Wave 160mm

Tektro Light Wave 160mm

KMC HG50

Bash/32t

FSA

13"

SPECIFICATIONS



FRAME MATERIAL SIZES REAR SHOCK FORK CRANKARMS CHAINRINGS PEDALS CHAIN FREEWHEEL CHAINGUIDE R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAF STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

hydraulic brakes with short reach levers

E*Thirteen Freechucker chain device

Maxxis 24x2.5" High Roller tires

• **SHRED** 24



SHRED 24

One of our most famous bikes gets a new frame for 2013, one that matches the clean styling of our big-kid bikes. Because we know how tough kids are on bikes in the years leading up to double digits, we worked hard to ensure the balance of fun and durability hits the sweetspot with the 2013 Shred 24. Whether it's a school commuter or a first time dirt jumper, kids will be smiling for years to come because this bike is tough enough to last generations.

GEOM	ETRY
UNITS	inches
SIZE	13
TTH	20
STA	74°
HTA	70°
RC	16.5
FC	23.2
WB	39.8
FL	16.2
OF	1.6
BBD	- 0.2
BBH	12.1
S0	26.9
HT	4.7
BBS	68mm
STACK	19.6
REACH	14.4

Spinner Grind 1 65mm

travel fork

New design Kona 6061 Aluminum Butted frame

SPECIFICATIONS

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	13"
FORK	Spinner Grind 1 65mm
CRANKARMS	FSA Step-Up 165mm
CHAINRINGS	32t w/Chainguard
B/B	FSA
PEDALS	Kona JackShit
CHAIN	KMC Z51
FREEWHEEL	Shimano Tourney 14-28t 7 spd
CHAINGUIDE	N/A
R/D	Shimano Altus
SHIFTERS	Shimano Altus (rh only)
BRAKE CALIPERS	Tektro HDC300
FRONT BRAKE ROTOR	Tektro Light Wave 160mm
REAR BRAKE ROTOR	Tektro Light Wave 160mm
BRAKE LEVERS	Tektro HDC300
HEADSET	FSA
HANDLEBAR	Kona OB
STEM	Kona OB
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Kona DJ
SADDLE	Kona DJ
FRONT HUB	Formula
REAR HUB	Formula
SPOKES	Stainless 14g
RIMS	Shining M20
FRONT TIRE	Schwalbe Table Top 24x2.25"
REAR TIRE	Schwalbe Table Top 24x2.25"
PAINT COLOR	Matt White w/Green & Black

Lightweight Schwalbe Table 🔵 Kona DJ saddle and Top 24x2.25" tires OB cockpit

New Tektro HDC-300 hydraulic brakes with short reach levers



SHRED 20

It's designed to be your kids' first real bike. Sure, you could go down to the big box store and save some money, but your kids deserve a real bike. Disc brakes for great stopping power, wide bars for better steering and a nice light frame so little legs can go as fast as they desire, this bike is just like the bigger Shreds; it can handle heavy-duty riding and punishment. Do your kid a favor, start them off with a sweet bike made by real cyclists. They'll love you for it.

GEOM	FTRY
UNITS	inches
SIZE	11
TTH	17.7
STA	72.5°
HTA	69.5°
RC	14.8
FC	20.5
WB	35.2
FL	13.7
OF	1.6
BBD	+ 0.4
BBH	10.4
S0	22
HT	3.7
BBS	68mm
STACK	15.8
REACH	12.7


New Kona 6061 Aluminum – Tektro Novela disc brakes – FSA Vero 152mm cranks Butted frame

98 KIDS'

SHRED 20 •

SPECIFICATIONS.

FRAME MATERIAL



SIZES FORK CRANKARMS CHAINRINGS R/R PEDALS CHAIN FREEWHEEL CHAINGUIDE R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

Kona 6061 Aluminum Butted 11" Spinner Grind 1 50mm FSA Vero Bash/36t/Bash СН Wellgo LU469 KMC Z50 Shimano Tourney 14-28t 6 spd N/A Shimano Tourney Shimano Tourney (rh only) Tektro Novela Tektro Novela Wave 160mm Tektro Novela Wave 160mm Tektro Novela FSA Kona Riser Kona OB Kona Thumb Kona QR Kona DJ Kona DJ KΤ ΚT Stainless 14g Shining MT20 Kenda K-Rad 20x2.1" Kenda K-Rad 20x2.1 Matt Grey w/Black & Silver

Kenda K-Rad 20x1.25" tires

Kid-specific handlebar/ stem/saddle combination

• **KULA** 24



KULA 24

Very few bicycle companies in the world make a bike like the Kula 24. Designed to be a light and quick cross-country mountain bike that's well spec'd, with a full complement of gears for everything from steep climbs to big-ring fire roads, the Kula 24 is built to be durable and a great value. At Kona, we feel strongly about giving emerging cyclists the tools they need to have fun-and excel.

GEOM	ETRY
UNITS	inches
SIZE	12
TTH	19.3
STA	73°
HTA	70.5°
RC	16.5
FC	21.7
WB	38.2
FL	16.2
OF	1.6
BBD	- 0.8
BBH	11.4
SO	26
HT	3.5
BBS	68mm
STACK	19
REACH	13.5

Lightweight Kona 6061 Butted Aluminum Spinner Grind 1 65mm travel fork

FSA Alpha Drive 160mm crankset

3x9 Shimano SLX/ Shimano M395 Deore drivetrain

SPECIFICATIONS.

FRAME MATERIAL

SIZES

FORK

CRANKARMS

CHAINRINGS

B/B	FSA 7420ST
PEDALS	N/A
CHAIN	KMC HG53
FREEWHEEL	Shimano Deore 11-32t 9 spd
F/D	Shimano Alivio
R/D	Shimano SLX Shadow
SHIFTERS	Shimano Alivio
BRAKE CALIPERS	Shimano M395
FRONT BRAKE ROTOR	Shimano 160mm
REAR BRAKE ROTOR	Shimano 160mm
BRAKE LEVERS	Shimano M395
HEADSET	TH ZST No.10
HANDLEBAR	Kona XC/BC Riser
STEM	Kona XC/BC
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Velo Junior
SADDLE	Velo Race Jr.
FRONT HUB	Formula
REAR HUB	Shimano M475
SPOKES	Sandvik Stainless 14g
RIMS	Alex Ace20
FRONT TIRE	Schwalbe Smart Sam 24x2.1"
REAR TIRE	Schwalbe Smart Sam 24x2.1"
PAINT COLOR	Black w/White, Red & Grey

Kona 6061 Aluminum Butted

Spinner Grind 1 65mm

FSA Alpha Drive 160mm

12"

44/32/22t

Kid-specific handlebar/ hydraulic disc brakes stem/saddle combination



HULA _

The Hula is the go-everywhere kids cross-country mountain bike perfect for ages eight through to twelve. It has triple chainrings, low standover clearance so it's easy to get on and off, and kid-si components that work, along with soft front suspension, comfor seat, snappy brakes and reliable shifters. And of course, Kona K style means fun and freedom come in two different colors.

GEOMETRY		
UNITS	inches	
SIZE	12	
TTH	19.7	
STA	71°	
HTA	70°	
RC	16.5	
FC	21.5	
WB	38	
FL	16.2	
OF	1.6	
BBD	11.2	
BBH	11.2	
S0	23.6	
HT	3.9	
BBS	68mm	
STACK	19.5	
REACH	13	
STACK	19.5	

Lightweight Kona 6061 Butted Aluminum frame Spinner Grind 1 65mm travel fork



100 KIDS'

race frame

SPECIFICATIONS.

FRAME MATERIAL

SIZES

 PE
СН
FR
F/D
R/E
SH
BR
FR
RE
BR
HE
HA
ST
SE
SE
GR
SA
FR
RE
SP
RI
FR
RE
D٨

•	JIZEJ
s,	FORK
sized	CRANKARMS
rtable	CHAINRINGS
Kids'	B/B
nius	PEDALS
	CHAIN
	FREEWHEEL
	F/D
	R/D
	SHIFTERS
	BRAKE CALIPERS
	FRONT BRAKE ROTOR
	REAR BRAKE ROTOR
	BRAKE LEVERS
	HEADSET
	HANDLEBAR
	STEM
	SEATPOST
	SEAT CLAMP
	GRIPS
	SADDLE
	FRONT HUB
	REAR HUB
	SPOKES
	RIMS
	FRONT TIRE
	REAR TIRE
	PAINT COLOR

Kona 6061 Aluminum Butted
12"
Spinner Grind 1 65mm
Suntour 152mm
42/34/24t w/Chainguard
CH
VP 560N
KMC Z51
Shimano Tourney 14-28t 7 spd
Shimano Tourney
Shimano Tourney
Shimano Revo
Tektro J310
N/A
N/A
Tektro Junior
CH
Kona Riser
Kona Control
Kona Thumb
Kona QR
Velo Junior
Velo Junior
KT
KT
Stainless 14g
Shining A6N
Kenda Kwik 24x1.9"
Kenda Kwik 24x1.9"

Matt Black w/White & Orange or Matt White w/Black & Gold

Shimano 21-speed easy-to- Kenda Kwik 24x1.9" tires Available in black and use twist-grip drivetrain

white colorways



MAKENA _

It's the ultimate starter bike for cycling families. The Makena is designed to be easy to ride, with sweet front-suspension forks, grip shifters for small hands and reliable components durable enough for frequent off-road use. Let them wander where they will.

GEOM	ETRY
UNITS	inches
SIZE	11
TTH	17.7
STA	73°
HTA	70°
RC	14.8
FC	20.6
WB	35.3
FL	14
OF	1.7
BBD	+ 0.2
BBH	10.2
S0	21.3
HT	3.7
BBS	68mm
STACK	16.3
REACH	12.7

Lightweight Kona 6061 Butted Aluminum frame

102 KIDS'

CH 565 30mm travel

suspension fork

SPECIFICATIONS

FRAME MATERIAL	Kona 6061 Aluminum Butted
SIZES	11"
FORK	CH 565 30mm
CRANKARMS	ProWheel 140mm
CHAINRINGS	36t
B/B	СН
PEDALS	VP 209B
CHAIN	KMC Z50
FREEWHEEL	Shimano Tourney 14-28t 7 spd
F/D	N/A
R/D	Shimano Tourney SS
SHIFTERS	Shimano 7spd Revo (rh only)
BRAKE CALIPERS	Shimano V-Brake
FRONT BRAKE ROTOR	N/A
REAR BRAKE ROTOR	N/A
BRAKE LEVERS	Tektro Junior
HEADSET	СН
HANDLEBAR	Kona Riser
STEM	Kona Control
SEATPOST	Kona Thumb
SEAT CLAMP	Kona QR
GRIPS	Velo Junior
SADDLE	Velo Junior
FRONT HUB	KT
REAR HUB	КТ
SPOKES	Stainless 14g
RIMS	Shining A6N
FRONT TIRE	Kenda Kwik 20x2.0"
REAR TIRE	Kenda Kwik 20x2.0"
PAINT COLOR	Matt Grey w/White & Blue or Blue w/White & Black

 Tektro Junior brake levers and 1x7 Shimano drivetrain with Shimano V-brakes

ProWheel 140mm cranks Available in grey and blue colorways



JAKE 24

Infused with race-ready geometry and spec, with a lightweight aluminum frame and fork, STI shifters for small hands and smaller 24-inch wheels for kids anywhere from 7 to 12 years old, depending on their size, the Jake 24 is made specifically for the budding cross racer or road cyclist. Its stability and versatility on everything from smooth dirt and gravel paths to long stretches of asphalt shows our commitment to up-and-coming young cyclists.

GEOM	FTRY
UNITS	mm
SIZE	350
TTH	457
STA	75°
HTA	70.5°
RC	380
FC	531
WB	907
FL	357
OF	45
BBD	- 30
BBH	264
S0	639
HT	95
BBS	68
STACK	455
REACH	335

Kona 6061 Aluminum Butted CX frame and fork FSA Tempo 160mm crankset



JAKE 24 •

SPECIFICATIONS.

FRAME MATERIAL

SIZES FORK CRANKARMS CHAINRINGS B/B PEDALS CHAIN FREEWHEEL F/D R/D SHIFTERS BRAKE CALIPERS FRONT BRAKE ROTOR REAR BRAKE ROTOR BRAKE LEVERS HEADSET HANDLEBAR STEM SEATPOST SEAT CLAMP GRIPS SADDLE FRONT HUB REAR HUB SPOKES RIMS FRONT TIRE REAR TIRE PAINT COLOR

Kona 6061 Aluminum Butted 35cm Kona Project Two Aluminum FSA Tempo Compact 160mm 34/48t FSA 7420ST N/A Shimano HG53 Shimano Tiagra 12-27t 9 spd Shimano Shimano Tiagra Shimano Sora Tektro Mini-V N/A N/A Shimano Sora TH ZST No.10 Kona Road Bar Kona XC/BC Kona Thumb Kona Clamp Kona Cork Tape Kona Race Jr Formula Shimano 2200 Stainless 15g Shining A-M5 Maxxis Locust 24x1.25" Maxxis Locust 24x1.25" Cyan Blue w/Black & White

Shimano Tiagra/Sora 2x9 CX drivetrain

Mini V-Brakes w/Shimano Naxxis Locust 24x1.25" adjustable reach brake levers tires

KIDS'

and server and server		Second and				
MODELS MTB TRAIL: 26" HARDTAIL	PAINT COLOR	DROPOUT/HANGER	BUSHING KIT	SHOCK STROKE	SHOCK EYE TO EYE W/O RIDER	SPRING WEIGHT
Cinder Cone	White / Yellow / Black on Matte Dk Gray	00 or KK	N/A	N/A	N/A	N/A
Blast	White / Black / Dk Silver on Matte Blue	00 or KK	N/A	N/A	N/A	N/A
Fire Mountain	White / Blue / Dk Silver on Black	Н	N/A	N/A	N/A	N/A
Tika	Black / Blue / Lt Gray on Pearl White	Н	N/A	N/A	N/A	N/A
Lana'i	White / Black on Dark Silver	Н	N/A	N/A	N/A	N/A
Shred	Black / Silver on Matte Steel Blue	Н	N/A	N/A	N/A	N/A
MTB TRAIL: 29" HARDTAIL	Orange / Black on Matte Gold	CC / CC-SS	N/A	N/A	N/A	N/A
Honzo Taro	Lime / Black on Matte Dk Gray	Н	N/A	N/A	N/A N/A	N/A
Raijin (frame only)	Etched Graphics on Brushed Titanium	CC / CC-SS	N/A	N/A	N/A	N/A
Big Unit (frame only)	White/Black on Matte Lime	CC / CC-SS	N/A	N/A	N/A	N/A
Unit	Orange / Black on Matte Raw Steel	CC / CC-SS	N/A	N/A	N/A	N/A
Kahuna DL	White / Orange / Dk Gray on Matte Black	KK	N/A	N/A	N/A	N/A
Kahuna	Black / White / Dk Gray on Matte Dk Silver	Н	N/A	N/A	N/A	N/A
Mohala	White / Cyan / Dk Gray on Matte Black	Н	N/A	N/A	N/A	N/A
Mahuna Splice	White/Silver/Black on Dk Blue & White/Black/Dk Silver on Orange White / Gold / Dk Silver on Black	H	N/A N/A	N/A N/A	N/A N/A	N/A N/A
MTB/XC RACE LIGHT	Wille / dold / Dr Silver on Diack		INA	N/A	IV/A	IVA
Hei Hei Supreme	White / Cyan on UD Carbon	LL	TBC	1.75" - 44.5mm	7.25" - 184mm	N/A
Hei Hei DL	Black / Gold / White on Silver	LL	XC BK #12	1.75" - 44.5mm	7.25" - 184mm	N/A
Hei Hei	Black / Lime / White on White	LL	XC BK #12	1.75" - 44.5mm	7.25" - 184mm	N/A
King Kahuna	White / Lime / Black on Matte Carbon	LL	N/A	N/A	N/A	N/A
Big Kahuna	White / Silver / Black on Matte Dk Gray	LL	N/A	N/A	N/A	N/A
Kula Kula Watt Team (frame only)	White / Gray / Dk Gray on Matte Black White / Orange / Purple / Black on Matte UD Carbon	КК	N/A N/A	N/A N/A	N/A N/A	N/A N/A
MTB TRAIL/ALL MOUNTAIN	white / Orange / Purple / Black on Matte OD Carbon	nn.	INA	IN/A	IN/A	N/A
Process DL	Black / White on Silver Ano Shot Peen Finish	LL	BC BK #7	2.5" - 63mm	8.5" - 216mm	N/A
Process	Black on Matte Orange	LL	BC BK #7	2.5" - 63mm	8.5" - 216mm	N/A
Abra Cadabra	Yellow / White on Gloss Black	LL	BC BK #6	1.5" - 38mm	6.5" - 165mm	N/A
Cadabra	Cyan / White on Gloss Black	LL	BC BK #6	1.5" - 38mm	6.5" - 165mm	N/A
Satori	Gold on Matte Gray	NN	BC BK #7	2" - 51mm	7.5" - 190.5mm	N/A
Kitsune	White on Matte Dk Silver	NN	BC BK #7 BC BK #5	2" - 51mm 2.25" - 57mm	7.5" - 190.5mm 7.875" - 200mm	N/A N/A
Tanuki DL Tanuki	White / Black on Matte Lime White / Gold on Matte Black	H	BC BK #5 BC BK #5	2.25 - 57mm	7.875" - 200mm	N/A N/A
GRAVITY			Bobinio	2.20 07.1111		
Supreme Operator	Gold / Dk Gray on Black Ano Shot Peen Finish	EE	DH BK #7	3" - 76mm	9.5" - 241mm	S=300#; M=350#; L=400#
Operator	Black on Matte Green	EE	DH BK #7	3" - 76mm	9.5" - 241mm	S=300#; M=350#; L=400#
Entourage DL	Silver / Black on Dk Gray Ano Shot Peen Finish	EE	DH BK #7	2.75" - 70mm	8.75" - 222mm	S=300#; M=350#; L=400#
Entourage	Charcoal / Lt Gray on Matte Metallic Gray	EE	DH BK #7	2.75" - 70mm	8.75" - 222mm	S=300#; M=350#; L=400#
Shonky	Black on Matte Orange Tint White on Matte Lime Tint	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A
Downside CYCLOCROSS	White on Matte Line Init	IVA	IVA	N/A	N/A	IV/A
Major Jake	Cyan / Whtie / Black on Carbon	JJ	N/A	N/A	N/A	N/A
Jake the Snake	Black / White on Orange	AA	N/A	N/A	N/A	N/A
Jake	Black / White on Dk Silver	AA	N/A	N/A	N/A	N/A
Rove	Black / White on Green	N/A	N/A	N/A	N/A	N/A
COMMUTER	Dk Silver on Dk Aqua	Н	N/A	N/A	N/A	N/A
Dr Dew Dr Good	Dk Silver on Dk Aqua	N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A
Dew DL	White on Blue	Н	N/A	N/A	N/A	N/A
Dew Plus	White on Silver & White on Black	Н	N/A	N/A	N/A	N/A
Dew	White on Black & White on Orange	Н	N/A	N/A	N/A	N/A
MinUte	Charcoal / Off White on Matte Blue	QQ	N/A	N/A	N/A	N/A
Ute	Silver / White / Black on Matte Dk Silver	H	N/A	N/A	N/A	N/A
Roundabout AfricaBike Three	Rust / Off White / Charcoal on Matte Dk Silver Burnt Orange / Off White on Matte Sand	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A
ROAD	Built of ange / off white off matte Salid	N/A	INA	IVA	IV/A	IVA
Red Zone	Gold / White / Black on Matte UD Carbon	PP	N/A	N/A	N/A	N/A
Zone Two	Cyan / White / Black on Matte UD Carbon	PP	N/A	N/A	N/A	N/A
Zing Supreme	Orange / White on Matte Carbon	PP	N/A	N/A	N/A	N/A
Honky Tonk	Black / Gold / White on Black	N/A	N/A	N/A	N/A	N/A
Paddy Wagon	Black / Gold / White on Raw Steel	N/A	N/A	N/A	N/A	N/A
Sutra KIDS'	Black / Gold / White on Blue	N/A	N/A	N/A	N/A	N/A
Stinky 24	Black on Matte Orange	Н	BC BK #3	1.5" - 38mm	6.5" - 165mm	350#
Shred 24	Green / Black on Matte White	Н	N/A	N/A	N/A	N/A
Shred 20	Black / Silver on Matte Dk Gray	Н	N/A	N/A	N/A	N/A
Kula 24	White / Red / Dk Gray on Black	Н	N/A	N/A	N/A	N/A
Hula	White / Orange on Matte Black & Black / Gold on Matte White	н	N/A	N/A	N/A	N/A
Makena	White / Blue on Matte Dk Gray & White / Black on Matte Blue	Н	N/A	N/A	N/A	N/A
Jake 24	Black / White on CyanBlack/White on Cyan	Н	N/A	N/A	N/A	N/A

MODELS					FORK AXLE/CROWN	FORK RAKE	BB SHELL	FD CLAMP	SEAT CO
MODELS MTB TRAIL: 26" HARDTAIL	TOP SHOCK BOLT	BOTTOM SHOCK BOLT	REDUCER TOP	REDUCER BOTTOM	FURK AALE/GRUWN	FURN RANE	DD SHELL	FD GLAMP	SEAT GU
Cinder Cone	N/A	N/A	N/A	N/A	473mm	39mm	73mm	31.8mm	31.8m
Blast	N/A	N/A	N/A	N/A	473mm	39mm	73mm	31.8mm	31.8m
Fire Mountain	N/A	N/A	N/A	N/A	471mm	39mm	68mm	31.8mm	31.8m
Tika	N/A	N/A	N/A	N/A	471mm	39mm	68mm	31.8mm	31.8m
	N/A	N/A	N/A	N/A	47 mm	40mm	68mm	31.8mm	31.8m
Lana'i					498mm	40mm	73mm	34.9mm	
Shred	N/A	N/A	N/A	N/A	49611111	4011111	7311111	54.911111	34.9m
MTB TRAIL: 29" HARDTAIL	N/A	N1/A	N1/A	B1/A	500	40	70	24.0	24.0
Honzo	N/A	N/A	N/A	N/A	528mm	46mm	73mm	34.9mm	34.9m
Taro	N/A	N/A	N/A	N/A	528mm	46mm	73mm	N/A	34.9m
Raijin (frame only)	N/A	N/A	N/A	N/A	510mm	47mm	73mm, PF30	34.9mm	34.9m
Big Unit (frame only)	N/A	N/A	N/A	N/A	506mm	47mm	73mm	high direct mount	34.9n
Unit	N/A	N/A	N/A	N/A	470mm	45mm	73mm	28.6mm	29.8n
Kahuna DL	N/A	N/A	N/A	N/A	506mm	47mm	73mm	34.9mm	34.9n
Kahuna	N/A	N/A	N/A	N/A	510mm	46mm	73mm	34.9mm	34.9r
Mohala	N/A	N/A	N/A	N/A	490mm	46mm	73mm	34.9mm	34.9n
Mahuna	N/A	N/A	N/A	N/A	515mm	46mm	68mm	34.9mm	34.9n
Splice	N/A	N/A	N/A	N/A	515mm	46mm	68mm	31.8mm	31.8r
MTB/XC RACE LIGHT									
Hei Hei Supreme	M8, 50mm	M6, 33mm	8mm x 35mm	6mm x 22.2mm	501mm	44mm	PF BB92	S3 Low Direct Mount	34.9n
•					501mm				
Hei Hei DL	M8, 50mm	M6, 33mm	8mm x 35mm	6mm x 22.2mm		44mm	PF BB92	S3 Low Direct Mount	34.9r
Hei Hei	M8, 50mm	M6, 33mm	8mm x 35mm	6mm x 22.2mm	501mm	44mm	PF BB92	S3 Low Direct Mount	34.9r
King Kahuna	N/A	N/A	N/A	N/A	506mm	47mm	PF BB92	high direct mount	34.9r
Big Kahuna	N/A	N/A	N/A	N/A	506mm	47mm	PF BB92	high direct mount	34.9r
Kula	N/A	N/A	N/A	N/A	473mm	39mm	73mm	31.8mm	31.8r
Kula Watt Team (frame only)	N/A	N/A	N/A	N/A	473mm	39mm	73mm, BB30	high direct mount	34.9r
MTB TRAIL/ALL MOUNTAIN									
Process DL	M8, 40mm	M8, 40mm	8mm x 22.2mm	8mm x 22.2mm	545mm	37mm	PF BB92	S3 Low Direct Mount	34.9r
Process	M8, 40mm	M8, 40mm	8mm x 22.2mm	8mm x 22.2mm	545mm	37mm	PF BB92	S3 Low Direct Mount	34.9r
Abra Cadabra	M8, 35mm	M6, 50mm	8mm x 21.8mm	6mm x 32.mm	521mm	39mm	73mm	34.9mm	34.9r
Cadabra	M8, 35mm	M6, 50mm	8mm x 21.8mm	6mm x 32.mm	521mm	39mm	73mm	34.9mm	34.9r
Satori	M6x16mm bolt; M6x30mm sleeved nut	TBC	8mm x 22.2mm	8mm x 22.2mm	549mm	46mm	PF BB92	high direct mount	34.9r
Kitsune	M6x16mm bolt; M6x30mm sleeved nut	TBC	8mm x 22.2mm	8mm x 22.2mm	509mm	39mm	PF BB92	34.9mm	34.9r
			8mm x 35mm	6mm x 22.2mm	509mm				
Tanuki DL	M8, 50mm	M6, 33mm				40mm	73mm	34.9mm	34.9r
Tanuki	M8, 50mm	M6, 33mm	8mm x 35mm	6mm x 22.2mm	509mm	40mm	73mm	34.9mm	34.9r
GRAVITY	M0. 40mm	M0. 40mm	0	0	FC0mm	40	0.2	1000.05	24.0
Supreme Operator	M8, 40mm	M8, 40mm	8mm x 22.2mm	8mm x 22.2mm	568mm	42mm	83mm	ISCG-05	34.9r
Operator	M8, 40mm	M8, 40mm	8mm x 22.2mm	8mm x 22.2mm	568mm	42mm	83mm	ISCG-05	34.9r
Entourage DL	M8, 40mm	M8, 40mm	8mm x 22.2mm	8mm x 22.2mm	555mm	40mm	83mm	ISCG-05	34.9r
Entourage	M8, 40mm	M8, 40mm	8mm x 22.2mm	8mm x 22.2mm	555mm	40mm	83mm	ISCG-05	34.9r
Shonky	N/A	N/A	N/A	N/A	460mm	42mm	68mm, Spanish	N/A	integra
Downside	N/A	N/A	N/A	N/A	458mm	48mm	68mm, Spanish	N/A	29.8r
CYCLOCROSS									
Major Jake	N/A	N/A	N/A	N/A	395mm	45mm	BB30	34.9mm	34.9r
Jake the Snake	N/A	N/A	N/A	N/A	395mm	45mm	68mm, PF BB30	34.9mm	34.9r
Jake	N/A	N/A	N/A	N/A	398mm	45mm	68mm	34.9mm	34.9r
Rove	N/A	N/A	N/A	N/A	403mm	43mm	68mm	31.8mm	31.8r
COMMUTER			10/1						01.0
	N/A	N/A	N/A	N/A	410mm	45mm	68mm	31.8mm	31.8r
Dr Dew								N/A	
Dr Good	N/A	N/A	N/A	N/A	410mm	45mm	68mm		31.8r
Dew DL	N/A	N/A	N/A	N/A	410mm	45mm	68mm	31.8mm	31.8
Dew Plus	N/A	N/A	N/A	N/A	410mm	45mm	68mm	31.8mm	31.8r
Dew	N/A	N/A	N/A	N/A	410mm	45mm	68mm	31.8mm	31.8r
MinUte	N/A	N/A	N/A	N/A	440mm	44mm	68mm	31.8mm	31.8r
Ute	N/A	N/A	N/A	N/A	440mm	44mm	68mm	31.8mm	31.8r
Roundabout	N/A	N/A	N/A	N/A	373mm	43mm	68mm	28.6mm	integra
AfricaBike Three	N/A	N/A	N/A	N/A	408mm	44mm	68mm	N/A	31.8r
ROAD									
Red Zone	N/A	N/A	N/A	N/A	377mm	44mm	68mm, PF BB30	34.9mm	35.6r
Zone Two	N/A	N/A	N/A	N/A	377mm	44mm	68mm, PF BB30	34.9mm	35.6r
Zing Supreme	N/A	N/A	N/A	N/A	367mm	44mm	68mm	34.9mm	35.6r
Honky Tonk	N/A	N/A	N/A	N/A	373mm	43mm	68mm	28.6mm	29.8r
Paddy Wagon	N/A	N/A	N/A	N/A	373mm	43mm	68mm	28.6mm	29.8r
	N/A				373mm 392mm				29.8r
Sutra	IVA	N/A	N/A	N/A	39211111	45mm	68mm	28.6mm	29.81
KIDS'									
Stinky 24	M8, 60mm	M6, 33mm	8mm x 45.8mm	6mm x 22.2mm	473mm	39mm	73mm	ISCG-05	34.9r
Shred 24	N/A	N/A	N/A	N/A	411mm	41mm	68mm	34.9mm	34.9r
	N/A	N/A	N/A	N/A	348mm	40mm	68mm	N/A	31.8r
Shred 20	N/A	N/A	N/A	N/A	411mm	41mm	68mm	31.8mm	31.8r
	IN/A								
Shred 20 Kula 24 Hula				N/A	411mm	41mm	68mm	31.8mm	31.8n
Kula 24 Hula	N/A	N/A	N/A	N/A N/A		41mm 43mm	68mm 68mm	31.8mm N/A	31.8n 31.8n
Kula 24				N/A N/A N/A	411mm 355mm 357mm	41mm 43mm 45mm	68mm 68mm 68mm	31.8mm N/A 31.8mm	31.8n 31.8n 31.8n

MODELS MTB TRAIL: 26" HARDTAIL	HEADSET	CRANK LENGTH	STEM		MODELS MTB TRAIL:
Cinder Cone	1 1/8" internal	14-16"=170mm; 17-22"=175mm	6°± all; 14=60mm, 16-17=75mm, 18-19=90mm, 20-22=100mm		Cinder Con
Blast	1 1/8" internal	14-16"=170mm; 17-22"=175mm	6°± all; 14=60mm, 16-17=75mm, 18-19=90, 20-22=100mm		Blast
ire Mountain	1 1/8" internal	14-16"=170mm; 18-22"=175mm	6°± all; 14=60mm, 16-18=70mm, 20-22=90mm		Fire Mounta
lika	1 1/8" internal	14-16"=170mm; 17-18"=175mm	6°± all; 14-16=60mm, 17-18=70mm		Tika
Lana'i	1 1/8" external threadless	14-16"=170mm; 18-22"=175mm	6°± all; 13-14=60mm, 16-18=70mm, 20-22=90mm		Lana'i
Shred	1 1/8" internal	170mm for all	6°± x 60mm for all	S	Shred
MTB TRAIL: 29" HARDTAIL					MTB TRAIL
Honzo	tapered 1 1/8" internal - 1.5" external (44mm HT ID)	(S-M)16-18"=170mm; (L-XL)20-22"=175mm	6°±x 60mm for all	Н	Honzo
Taro	tapered 1 1/8" internal - 1.5" external (44mm HT ID)	(S-M)16-18"=170mm; (L-XL)20-22"=175mm	6°± x 60mm for all	Ta	Taro
Raijin (frame only)	tapered 1 1/8" internal - 1.5" external (44mm HT ID)	N/A	N/A	R R	Raijin (fran
Big Unit (frame only)	tapered 1 1/8" - 1.5" internal zero stack	N/A	N/A	В	Big Unit (fra
Jnit	1 1/8" internal	16-19"=175mm; 20-22"=180mm	6°± all; 16=75mm, 18-19=90mm, 20-22=105mm	U	Unit
Cahuna DL	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 18-22"=175mm	6°± all; 16=75mm, 18-19=90mm, 20-22=100mm	К	Kahuna DL
Cahuna	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 18-22"=175mm	6°± all; 16=75mm, 18-19=90mm, 20-22=100mm	K	Kahuna
Nohala	tapered 1 1/8" - 1.5" internal zero stack	15-16"=170mm; 17"=175mm	6°± all; 15-16=60mm, 17=75mm		Mohala
Mahuna	1 1/8" internal	16"=170mm; 18-22"=175mm	6°± all; 16-18"=70mm, 19-22"= 90mm	M	Mahuna
Splice	1 1/8" external threadless	16"=170mm; 18-22"=175mm	6°± all; 16-18"=70mm, 19-22"= 90mm	S S	Splice
ITB/XC RACE LIGHT					MTB/XC RA
lei Hei Supreme	tapered 1 1/8" - 1.5" internal zero stack	15"=170mm; 17-21"=175mm	6°± all; 15-17=70mm, 18-19=90mm, 21=100mm	hanne i gerra <mark>H</mark>	Hei Hei Su
lei Hei DL	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 17-22"=175mm	6°± all; 16-17=75mm, 18-19=90mm, 20-22=105mm	Н	Hei Hei DL
ei Hei	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 17-22"=175mm	6°± all; 16-17=75mm, 18-19=90mm, 20-22=105mm	Б 5 4 н	Hei Hei
ing Kahuna	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 18-22"=175mm	6°± all; 16=75mm, 18-19=90mm, 20-22=105mm	К	King Kahu
ig Kahuna	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 18-22"=175mm	6°± all; 16=75mm, 18-19=90mm, 20-22=105mm	В	Big Kahun
ula	1 1/8" internal	14-16"=170mm; 17-22"=175mm	6°± all; 14=60mm, 16-17=75mm, 18-19=90mm, 20-22=105mm	Z S K	Kula
(ula Watt Team (frame only)	tapered 1 1/8" - 1.5" internal zero stack	NA	NA	К	Kula Watt T
/ITB TRAIL/ALL MOUNTAIN					MTB TRAIL
Process DL	tapered 1 1/8" - 1.5" internal zero stack	(S-M)16-18"=170mm; (L-XL)19-20.5"=175mm	0° x 65mm for all	P	Process DL
Process	tapered 1 1/8" - 1.5" internal zero stack	(S-M)16-18"=170mm; (L-XL)19-20.5"=175mm	6°± x 60mm for all	P	Process
lbra Cadabra	tapered 1 1/8" - 1.5" internal zero stack	14-16"=170mm; 17-22"=175mm	6°± all; 14=60mm, 16-17=70mm, 18-19=90, 20-22=100mm	Α	Abra Cada
adabra	tapered 1 1/8" - 1.5" internal zero stack	14-16"=170mm; 17-22"=175mm	6°± all; 14=60mm, 16-17=75mm, 18-19=90, 20-22=105mm	C	Cadabra
atori	tapered 1 1/8" - 1.5" internal zero stack	16"=170mm; 18-22"=175mm	6°± all; 16=75mm, 18-19=90mm, 20-22=105mm	S	Satori
itsune	tapered 1 1/8" - 1.5" internal zero stack	15"=170mm; 17-21"=175mm	6°± all; 15"=60mm, 17"=75mm, 19"=90mm, 21"=105mm	K	Kitsune
anuki DL	tapered 1 1/8" - 1.5" internal zero stack	15-16"=170mm; 17-22"=175mm	6°± all; 15=60mm, 16-17=75mm, 18-19=90mm, 20-22=105mm		Tanuki DL
anuki	tapered 1 1/8" - 1.5" internal zero stack	15-16"=170mm; 17-22"=175mm	6°± all; 15=60mm, 16-17=75mm, 18-19=90mm, 20-22=105mm	Та	Tanuki
GRAVITY				G	GRAVITY
Supreme Operator	tapered 1 1/8" - 1.5" internal zero stack	170mm for all	Direct Mount, 30-50mm for all	s in the second s	Supreme O
perator	tapered 1 1/8" - 1.5" internal zero stack	170mm for all	0° x 50mm for all	0	Operator
ntourage DL	tapered 1 1/8" - 1.5" internal zero stack	170mm for all	0° x 50mm for all	E	Entourage
ntourage	tapered 1 1/8" - 1.5" internal zero stack	170mm for all	0° x 50mm for all	E	Entourage
honky	1 1/8" internal	175mm for all	0° x 50mm for all	S	Shonky
lownside	1 1/8" internal	175mm for all	0° x 50mm for all	D	Downside
YCLOCROSS					CYCLOCRO
Najor Jake	tapered 1 1/8" - 1.5" internal zero stack	49=170mm; 53-56=172.5; 59-63=175mm	6°± all, 49=70mm, 53-56=90mm, 59=100mm, 61=110mm, 63=120mm	M S N	Major Jake
ake the Snake	tapered 1 1/8" - 1.5" internal zero stack	47-49=170mm; 53-56=172.5; 59-61=175mm	6°± all, 47-49=80mm, 53-56=90mm, 59=100mm, 61=110mm	st 🖉	Jake the S
ake	1 1/8" internal (44mm HT ID)	47-53=170mm; 56-63=175mm	8°± all, 47-49=75mm, 53-56=90mm, 59=100mm, 61-63=115mm	st and a state of the state of	Jake
love	1 1/8" internal (41.4mm HT ID)	47-49=170mm; 53-56=172.5; 59-61=175mm	6°± all, 47-49=80mm, 53-56=90mm, 59=100mm, 61=110mm	R	Rove
OMMUTER					COMMUTE
r Dew	1 1/8" internal	46-53=170mm; 56-61=175mm	8°± all, 46-49=75mm, 53-56=90mm, 59-61=100mm		Dr Dew
r Good	1 1/8" internal	46-53=170mm; 56-61=175mm	8°± all, 46-49=75mm, 53-56=90mm, 59-61=100mm	D	Dr Good
ew DL	1 1/8" internal	46-53=170mm; 56-61=175mm	8°± all, 46-49=75mm, 53-56=90mm, 59-61=100mm	D	Dew DL
ew Plus	1 1/8" external threadless	46-53=170mm; 56-61=175mm	8°± all, 46-49=75mm, 53-56=90mm, 59-61=100mm	D	Dew Plus
				D	Dew
ew	1 1/8" external threadless	46-53=170mm; 56-61=175mm	8°± all, 46-49=75mm, 53-56=90mm, 59-61=100mm		
	1 1/8" external threadless 1 1/8" internal	46-53=170mm; 56-61=175mm 175mm both sizes	8°± all, 46-49=/5mm, 53-56=90mm, 59-61=100mm 8°± x 75mm both sizes	N	MinUte
inUte					MinUte Ute
inUte te	1 1/8" internal	175mm both sizes	8°± x 75mm both sizes	U	Ute
inUte e pundabout	1 1/8" internal 1 1/8" internal	175mm both sizes 175mm both sizes	8°± x 75mm both sizes 8°± x 75mm both sizes	U	Ute Roundabo
inUte e pundabout ricaBike Three	1 1/8" internal 1 1/8" internal 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes	U R A	Ute Roundabo
nUte e e undabout ricaBike Three AD	1 1/8" internal 1 1/8" internal 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes	U R A R	Ute Roundabo AfricaBik ROAD
nUte	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore)	U R A R R	Ute Roundabo AfricaBik ROAD Red Zone
nUte e e e e e e e e e e e e e e e e e e	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm	U R A R R Z	Ute Roundabo AfricaBik ROAD Red Zone Zone Two
nUte e e undabout ricaBike Three AD d Zone ne Two ng Supreme AD d Zone AD d	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm	U R A R Z Z Z	Ute Roundabo AfricaBik ROAD Red Zone Zone Two Zing Supp
inUte inUte in Ute in U	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8"-1.5" integrated zero stack	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=70mm, 53-56=90mm, 59=100mm, 61=120mm	U R A R Z Z Z H	Ute Roundabo AfricaBiko ROAD Red Zone Zone Two Zing Supr Honky To
inUte inUte in Ute in U	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=70mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=120mm	U R A R Z Z H H P	Ute Roundabo AfricaBik ROAD Red Zone Zone Two Zing Supi Honky To
inUte e e e e e e e e e e e e e e e e e e	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49-56=170mm; 59-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm	U R A R Z Z J H P S S	Ute Roundabi AfricaBik ROAD Red Zone Zone Two Zing Supi Honky To Paddy Wa Sutra
inUte inUte in Ute in U	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49-56=170mm; 59-61=175mm 49-53=170mm; 56-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59-61=100mm	U R A R Z Z H H P S S	Ute Roundabu AfricaBik ROAD Red Zone Zone Two Zing Supu Honky To Paddy Wa Sutra KIDS'
inUte e e e e e e e e e e e e e e e e e e	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless 1 1/8" external threadless 1 1/8" internal threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49-56=170mm; 59-61=175mm 49-56=170mm; 56-61=175mm 49-56=170mm; 56-61=175mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=61=100mm	U R R Z Z Z H P S S K S	Ute Roundabo AfricaBik ROAD Red Zone Zone Two Zing Supi Honky To Paddy Wa Sutra KIDS' Stinky 24
inUte inUte in Ute in U	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless 1 1/8" external threadless 1 1/8" internal 1 1/8" internal 1 1/8" internal	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=165mm; 53=170mm; 56-61=175mm 49-56=170mm; 59-61=175mm 49-56=170mm; 56-61=175mm 49-56=170mm; 56-61=175mm 49-56=170mm; 56-61=175mm 49-53=170mm; 56-61=175mm 49-53=170mm; 56-61=175mm 49-53=170mm; 56-61=175mm 165mm 165mm	8°±x 75mm both sizes 8°±x 75mm both sizes 8°±x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=61=100mm 6°± x 50mm	U R R Z Z H P S S K S S S S	Ute Roundabo AfricaBik ROAD Red Zone Zone Two Zing Supi Honky To Paddy Wa Sutra KIDS' Stinky 24 Shred 24
inUte Imute te Imute ooundabout Imute officaBike Three Imute oAD Imute ed Zone Imute one Two Imute onky Tonk Imute addy Wagon Imute tinky 24 Imute hred 24 Imute	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless 1 1/8" external threadless 1 1/8" internal 1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-66=172.5; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49-56=170mm; 59-61=175mm 49-56=170mm; 56-61=175mm 49-53=170mm; 56-61=175mm 165mm 165mm 165mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm	U R R Z Z Z H P S S S S S S S S S S S	Ute Roundabo AfricaBiko ROAD Red Zone Zone Two Zing Supr Honky Toi Paddy Wa Sutra KIDS' Stinky 24 Shred 24
Dew AlinUte Al	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless 1 1/8" external threadless 1 1/8" internal 1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" external threadless 1 1/8" internal 1 1/8" internal threadless 1 1/8" internal threadless 1 1/8" internal threadless 1 1/8" internal threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49=35=170mm; 56=172.5mm; 59-61=175mm 49-56=170mm; 56=61=175mm 49-53=170mm; 56-61=175mm 49-53=170mm; 56-61=175mm 165mm 165mm 165mm 165mm 165mm 165mm 165mm 165mm 165mm	$\begin{array}{c} \$^{9}\pm x\ 75\mm both sizes\\ \$^{9}\pm x\ 75\mm both sizes\\ \$^{9}\pm x\ 75\mm both sizes\\ \$^{9}\pm x\ 75\mm all sizes\\ 40^{\circ} x\ 80\mm (25.4\ bar\ bore)\\ \hline \\ \hline \\ 10^{9}\pm all,\ 49=80\mm,\ 53-56=90\mm,\ 59=100\mm,\ 61=120\mm bore\\ \$^{9}\pm all,\ 49=75\mm,\ 53-56=90\mm,\ 59=100\mm,\ 61=115\mm bore\\ \$^{9}\pm all,\ 49=75\mm,\ 53-56=90\mm,\ 59=100\mm,\ 59=100\mm,\ 61=115\mm bore\\ \$^{9}\pm all,\ 49=75\mm,\ 53-56=90\mm,\ 59=100\mm,\ 59=10\mm,\ 59=10\mm,\ 61=115\mm bore\\ \$^{9}\pm all,\ 49=75\mm,\ 53-56=90\mm,\ 59=10\mm,\ 50=10\mm,\ 50=10\mm,\ 50=10\mm,\ 50=10\mm,\ 50=10\mm,\ 50=10\mm$	U R R Z Z Z Z H P S S S S S S S S S S S S S S S S S S	Ute Roundabo AfricaBike ROAD Red Zone Zone Two Zing Supro Honky Tor Paddy Wa Sutra Sutra KIDS' Stinky 24 Shred 24 Shred 20 Kula 24
AinUte Initial State Ainuth Initial State	1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" threaded tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack tapered 1 1/8" - 1.5" internal zero stack 1 1/8" external threadless 1 1/8" external threadless 1 1/8" external threadless 1 1/8" internal 1 1/8" internal 1 1/8" internal 1 1/8" external threadless 1 1/8" external threadless	175mm both sizes 175mm both sizes SM=170mm; MD-LG=172.5mm 175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-56=172.5; 59-61=175mm 49=170mm; 53-66=172.5; 59-61=175mm 49=165mm; 53=170mm; 56=172.5mm; 59-61=175mm 49-56=170mm; 59-61=175mm 49-56=170mm; 56-61=175mm 49-53=170mm; 56-61=175mm 165mm 165mm 165mm	8°± x 75mm both sizes 8°± x 75mm both sizes 8°± x 75mm all sizes 40° x 80mm (25.4 bar bore) 10°± all, 49=80mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=120mm 8°± all, 49=75mm, 53-56=90mm, 59=100mm, 61=115mm	U R R Z Z Z Z H P S S S S S S S S S S S S S S S S S S	Ute Roundabo AfricaBika ROAD Red Zone Zone Two Zing Supr Honky Toi Paddy Wa Sutra KIDS' Stinky 24 Shred 24 Shred 20

MODELS	SEATPOST	
MTB TRAIL: 26" HARDTAIL Cinder Cone	14-17"=27.2x350mm; 18-22"=27.2x375mm	ļ
Blast	14-17 = 27.2x350mm; 16-22 = 27.2x375mm 27.2 x 375mm	
Fire Mountain	14-16"=27.2x350mm; 18-22"= 27.2x380mm	
Tika	14-17"=27.2x350mm; 18"= 27.2x380mm	
Lana'i	13-16"=27.2x350mm; 18-22"= 27.2x380mm	
Shred	31.6 x 350mm all sizes	
MTB TRAIL: 29" HARDTAIL		ļ
Honzo	(S-L)16-20"=31.6x350mm; (XL)22"=31.6x400mm	
Taro Raijin (frame only)	(S-L)16-20"=31.6x350mm; (XL)22"=31.6x400mm N/A	
Big Unit (frame only)	N/A	
Unit	16"=27.2x350mm; 18-22"=27.2x375mm	
Kahuna DL	16"=31.6x350mm; 18-22"=31.6x375mm	
Kahuna	16"=31.6x350mm; 18-22"=31.6x375mm	
Mohala	15-17"=31.6x350mm; 18"=31.6x375mm	
Mahuna	16"=31.6x350mm; 18-22"=31.6x375mm	
Splice MTB/XC RACE LIGHT	16"=27.2x350mm; 18-22"=27.2x375mm	
Hei Hei Supreme	15-17"=31.6x350mm; 18-21"=31.6x375mm	ľ
Hei Hei DL	16-17"=31.6x350mm; 18-22"=31.6x375mm	
Hei Hei	16-17"=31.6x350mm; 18-22"=31.6x375mm	
King Kahuna	16"=31.6x350mm; 18-22"=31.6x375mm	
Big Kahuna	16"=31.6x350mm; 18-22"=31.6x375mm	
Kula	14-17"=27.2x350mm; 18-22"=27.2x375mm	
Kula Watt Team (frame only)	NA	
MTB TRAIL/ALL MOUNTAIN Process DL	Dropper Post: (S)16"=31.6mmx4"; (M-XL)18-20.5"=31.6mmx5"	l
Process	Dropper Post: (S)16"=31.6mmx4"; (M-XL)18-20.5"=31.6mmx5"	
Abra Cadabra	Dropper Post: 14-16"=31.6mmx4"; 17-22"=31.6mmx5"	
Cadabra	Dropper Post: 14-16"=31.6mmx4"; 17-22"=31.6mmx5"	
Satori	Dropper Post: 16"=31.6mmx4"; 18-22"=31.6mmx5"	
Kitsune	15-17"=31.6x350mm; 19-21"=31.6x375mm	
Tanuki DL	15"=31.6x350mm; 16-22"=31.6x375mm	
Tanuki GRAVITY	15"=31.6x350mm; 16-22"=31.6x375mm	ł
Supreme Operator	31.6 x 250mm all sizes	i
Operator	31.6 x 200mm all sizes	
Entourage DL	31.6 x 250mm all sizes	
Entourage	31.6 x 200mm all sizes	
Shonky	27.2 x 200mm all sizes	
Downside evel ocpose	27.2 x 200mm all sizes	
CYCLOCROSS Major Jake	31.6 x 350mm all sizes, 10mm offset	ľ
Jake the Snake	31.6 x 350mm all sizes, 12mm offset	
Jake	31.6 x 350mm all sizes, 12mm offset	
Rove	27.2 x 350mm all sizes, 12mm offset	
COMMUTER		l
Dr Dew	27.2 x 350mm all sizes	
Dr Good Dew DL	27.2 x 350mm all sizes 27.2 x 350mm all sizes	
Dew DL Dew Plus	27.2 x 330mm all sizes	
Dew	27.2 x 380mm all sizes	
MinUte	27.2 x 350mm all sizes	
Ute	27.2 x 350mm all sizes	
Roundabout	27.2 x 350mm all sizes	
AfricaBike Three	27.2 x 300mm	
ROAD Red Zone	31.6 x 350mm all sizes, 20mm offset	ļ
Red Zone Zone Two	31.6 x 350mm all sizes, 20mm offset	
Zing Supreme	31.6 x 350mm all sizes, 20mm offset	
Honky Tonk	27.2 x 350mm all sizes, 12mm offset	
Paddy Wagon	27.2 x 350mm all sizes	•
Sutra	27.2 x 350mm all sizes, 12mm offset	
KIDS'		ļ
Stinky 24	31.6 x 350mm 31.6 x 350mm	
Shred 24 Shred 20	27.2 x 250mm	
Kula 24	27.2 x 200mm	
Hula	27.2 x 300mm	
Makena	27.2 x 250mm	
Jake 24	27.2 x 300mm	ĺ

HANDLEBAR

	HANDLEBAR
	710mm x 22mm rise (OS 31.8)
	710mm x 22mm rise (0S 31.8)
	660mm x 25mm rise, 5° back sweep (OS 31.8)
	640mm x 25mm rise, 5° back sweep (0S 31.8)
	660mm x 25mm rise, 5° back sweep (0S 31.8)
	740mm x 30 mm rise, 5° back sweep (OS 31.8)
	760mm x 15mm rise, 5° back sweep (OS 31.8)
	760mm x 15mm rise, 5° back sweep (OS 31.8)
	N/A N/A
	710mm x 0mm rise, 12° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (0S 31.8)
	710mm x 22mm rise, 5° back sweep (OS 31.8)
	640mm x 22mm rise, 5° back sweep (OS 31.8)
	660mm x 25mm rise, 5° back sweep (OS 31.8)
	660mm x 25mm rise, 5° back sweep (OS 31.8)
	725mm x 19mm rise, 6° up sweep, 9° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (0S 31.8)
	710mm x 22mm rise, 5° back sweep (OS 31.8) 710mm x 22mm rise, 5° back sweep (OS 31.8)
	NA
i	191
"	785mm x 12.7mm rise, 4° up sweep, 8° back sweep (OS 31.8)
"	740mm x 15mm rise (OS 31.8)
	725mm x 19mm rise, 6° up sweep, 9° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (OS 31.8)
	710mm x 22mm rise, 5° back sweep (0S 31.8)
	710mm x 22mm rise, 5° back sweep (0S 31.8)
ł	660mm x 25mm rise, 5° back sweep, 6° up sweep (OS 31.8)
	785mm x 12.7mm rise, 8° back sweep, 4° up sweep (OS 31.8)
	780mm x 18mm rise, 10° back sweep, 1.5° up sweep (05 31.8)
	785mm x 31.8mm rise, 8° back sweep, 4° up sweep (OS 31.8)
	780mm x 30mm rise, 9° back sweep, 5° up sweep (OS 31.8)
	720mm x 30mm rise, 9° back sweep, 5° up sweep (OS 31.8)
	720mm x 30mm rise, 9° back sweep, 5° up sweep (OS 31.8)
	49=42cm; 53-56=44cm; 59-63=46cm, 85mm reach, 140mm drop (OS 31.8)
	47-49=40cm; 53=42cm; 56-61=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(53-61cm) (0S 31.8) 47-49=40cm; 53=42cm; 56-61=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(53-63cm) (0S 31.8)
	47-49=40cm; 53=42cm; 56-61=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(32-03cm) (05 31.6)
i	
Ī	620mm x 0 mm rise, 12° back sweep (OS 31.8)
	Stubbie: 560x25mm rise (OS 31.8); HandPlant: 640x40mm rise, 45° back sweep (OS 31.8)
	Stubbie: 560x25mm rise (OS 31.8); HandPlant: 640x40mm rise, 45° back sweep (OS 31.8)
	620mm x 25mm rise, 5° back sweep, 6° up sweep (OS 31.8)
	620mm x 25mm rise, 5° back sweep, 6° up sweep (OS 31.8)
	640mm x 40mm rise, 45° sweep (0S 31.8)
	640mm x 40mm rise, 45° sweep (OS 31.8) 640mm x 40mm rise, 45° sweep (OS 31.8)
	560mm x 65mm rise, 55° back sweep (3531.6)
i	
ĺ	49=40cm; 53=42cm; 56-59=44cm, 61=46cm, 75mm reach, 130mm drop (OS 31.8)
	49=40cm; 53=42cm; 56-61=44cm, 80mm reach, 125mm drop (OS 31.8)
	47-49=40cm; 53=42cm; 56-61=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(53-61cm) (OS 31.8)
	47-49=40cm; 53=42cm; 56-61=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(53-61cm) (OS 31.8)
	TT: 40cm all sizes (160mm reach); Dropbar: 49=40mm, 53=42mm, 56-61cm=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(53-61cm) (0S 31.8)
ļ	49=40cm; 53=42cm; 56-61=44cm, 70mm reach, 120mm drop(47-49cm) & 130mm drop(53-61cm) (OS 31.8)
ļ	600mm v 20mm rice /00 21 0)
	680mm x 38mm rise (OS 31.8) 680mm x 38mm rise (OS 31.8)
	600mm x 20mm rise (25.4 bar bore)
	600mm x 18mm rise (OS 31.8)
	540mm x 20mm rise (25.4 bar bore)
	540mm x 40mm rise (25.4 bar bore)
	36cm 70mm reach 120mm dron (0S.31.8)

36cm, 70mm reach, 120mm drop (OS 31.8)



KONA DISTRIBUTION

Chemin du Lac 1, 1290 Versoix, Switzerland

KONA EUROPE & UK

14 Bis Rue Honore Labande, 98000 Monaco

www.konaeuropeadmin.com