



### L.U.C.A.S SMART



"So, where did you hide the other speakers?" The owners of L.U.C.A.S SMART have grown accustomed to questions like this posed by incredulous listeners. Never before has such a powerful sound come in such a petite package. Looking for a subcompact high-performance system that one person can tote easily and set up inconspicuously? Is it your goal to deliver impressive presentations, or to make your appearance as a solo entertainer a memorable experience in big, bold sound? Then L.U.C.A.S SMART is the right system for you. L.U.C.A.S SMART distills the legendary L.U.C.A.S experience into the miniature format.

Powered by a 250-watt digital amp (PWM), the subwoofer's 10" woofer has proven its merits in high-end touring systems. Engineered to throw a generously a wide, uniform pattern, the satellites offer audio resolution to rival that of premium studio monitors—richly detailed, silky voice-reinforcement guaranteed. And with the optional trolley, handling and transport is a piece of cake. Even a child could tote this mighty mite. Available in June 2006.

L.U.C.A.S SMART— the world's smallest large-sounding PA.





#### **Technical Data**



## L.U.C.A.S SMART Satellite

Power-handling nominal

Frequency response +/- 3dB \*\*\*

Axial sensitivity 1W \*
Maximum SPL @1m \*

Nominal impedance

Connections

Midrange woofer

Tweeter/ driver

Directivity

**Crossover frequency** 

HF protection (passive)

Pole mount

Dimensions (WxHxD)

Weight

80 W RMS

100 Hz-19 kHz

97 dB

115 dB@10% THD

4 ohms

1x Speakon® NL 4

1x 6,5"

1" Dome Tweeter

80° x 50°

3 kHz, 12 dB/octave

Dyn. protection circuit

MicroTilt™, 15 mm

18,5 cm x 27,5 cm x 21,5 cm,

7-1/4" x 10-7/8" x 8-1/2"

4,5 kg/ 9.9 lbs.





### **Technical Data**



# L.U.C.A.S SMART Subwoofer

Frequency response +/- 3dB \*\*\*

Axial sensitivity 1W@1m \*

Maximum SPL @1m \*

Subwoofer amplifier

Sat & Mid/High Unit amp

Active protective circuits

Connections

Subwoofer

Dimensions (WxHxD)

Weight

43 Hz - 100 Hz

97 dB

118 dB@10% THD
1x 250 W RMS/ Class D

2x 80 W RMS

MulitBand limiter, Subsonic

filter

2x XLR, 2x Cinch, 2x XLR Through, 2x Cinch (RCA), 2x

Speakon® Satellite out

1X 10"

32 cm x 41 cm x 46,5 cm, 12-5/8"

x 16-1/8" x 18-3/8"

21 kg/ 46,2 lbs.