

Crambidae

Acentropinae

Hyaloplaga pulchralis (Moore, 1867)



Taxonomy:


Hydrocampa pulchralis Moore, 1867: 90.– India (Sikkim).

Hostplant

Flight period: vi, viii.

Altitude: 1530-1850 m.

Imago



Distribution map

Crambidae

Crambinae

Ancylolomia bitubirosella Amsel, 1959



Taxonomy:


Ancylolomia bitubirosella Amsel,
1959: 11.– Iran.

Hostplant

Flight period: v.

Altitude: 340 m.

Imago



Distribution map

Crambidae

Crambinae

Calamotropha latellus (Snellen, 1890)



Taxonomy:

Crambus latellus Snellen, 1890:
644.– India (Darjeeling).

Hostplant


Flight period: v, viii.

Altitude: 1410-1750 m.



Imago

Calamotropha latellus Snellen, 1890



Distribution map

Crambidae

Crambinae

Chilo partellus (Swinhoe, 1885)



Taxonomy:

Crambus partellus Swinhoe, 1885:
879.– India (Bombay).

Crambus zonellus Swinhoe, [1885]:
528.– Pakistan (Karachi).


Argyria lutulentalis Tams, 1932:
127.– Tanzania.

Hostplant

Flight period: v.

Altitude: 340 m.

Imago



Distribution map

Crambidae

Crambinae

Chilo suppressalis (Walker, 1863)



Taxonomy:

Crambus suppressalis Walker, 1863: 166.– China (Shanghai).

Jartheza simplex Butler, 1880: 690.– Formosa.


Chilo oryzae Fletcher, 1928: 90.– India (Pusa).

Hostplant: *Zea mays*.

Flight period: v.

Altitude: 340 m.

Imago



Distribution map

Crambidae

Crambinae

Chrysoteucha dividella (Snellen, 1890)



Taxonomy:


Crambus dividellus Snellen, 1890: 645.
– India (Sikkim, Tonglo, 10000 ft).

Hostplant

Flight period: viii.

Altitude: 2890-2910 m.

Imago



Distribution map

Crambidae

Crambinae

Eschata gelida Walker, 1856



Taxonomy:


Eschata gelida Walker, 1856: 133.–
Bangladesh (Silhet).

Hostplant

Flight period: viii.

Altitude: 875 m.

Imago



Distribution map

Crambidae

Crambinae

Euchromius ocellus (Haworth, 1811)



Imago

Taxonomy:

Palparia ocellus Haworth, 1811: 486.
– England.

Crambus cyrilli Costa, 1829: 11.–
Italy.

Physis funiculella Treitschke, 1832:
200.– Italy (Sicily).


Eromene texana Robinson, 1870: 154.
– USA (Texas).

Eromene gigantean Turati, 1924: 129.–
Libya.

Hostplant

Flight period: v.

Altitude: 900-910 m.



Distribution map

Crambidae

Musotiminae

Uthinia albisignalis (Hampson, 1896)



Taxonomy:


Orphnophanes albisignalis Hampson, 1896: 231.– India.

Hostplant

Flight period: ix.

Altitude: 2910 m.

Imago



Distribution map

Crambidae

Nymphulinae

Eoophyla peribocalis (Walker, 1859)



Imago

Taxonomy:


Cataclysta peribocalis Walker, 1859:
446.– India (Hindustan).

Oligostigma papulalis Snellen, 1890:
640.– India (Sikkim).

Hostplant

Flight period: v-vi.

Altitude: 900-1530 m.



Distribution map

Crambidae

Nymphulinae

Paraponyx stagnalis (Zeller, 1852)



Taxonomy


Nymphula depunctalis Gué-
née, 1854

Hostplant

Flight period: viii

Altitude: 460-1410 m.

Imago



Distribution map

Crambidae

Pyraustinae

Haritalodes derogata Fabricius, 1775



Imago

Taxonomy

Phalaena derogata Fabricius, 1775: 641.– .

Botys multilinealis Guenée, 1854: 337.– .

Zebronia salomealis Walker, 1859: 476.– .

Botys otysalis Walker, 1859: 723.– .

Botys basipunctalis Bremer, 1864: 68.– .


Botys annuligeralis Walker, [1866]: 1424.– .

Notarcha obliqualis Lucas, 1898: .– .

Hostplant

Flight period: v.

Altitude: 1750 m.



Distribution map

Crambidae

Pyraustinae

Hyalobathra miniosalis (Guenee, 1854)



Taxonomy:

Ebulea miniosalis Guenée, 1854: 362.–

Ebulea europsalis Walker, 1859: 749.–

Ebulea orseisalis Walker, 1859: 749.–


Hyalobathra rhodoplecta Turner,
1937:

Hostplant

Flight period: viii.

Altitude: 460-2700 m.

Imago



Distribution map

Crambidae

Pyraustinae

Hymenia perspectalis (Huebner, 1796)



Imago

Taxonomy:

Pyralis perspectalis Hübner, 1796:
101.– Europe.

Zinckenia primordialis Zeller, 185 2:
56.– Rep. S. Africa.

Spoladea exportalis Guenée, 1854:
227.- USA (Pennsylvania).


Desmia rhinthonalis Walker, 1859:
932.- Sarawak, Borneo.

Hymenia phrasiusalis Walker, 1859:
944.– Brazil (Rid de Janeiro).

Hostplant

Flight period: v, viii.

Altitude: 875/1555 m.



Distribution map

Crambidae

Pyraustinae

Nacoleia commixta (Butler, 1879)



Taxonomy

Samea commixta Butler, 1879: 453.–
India, Japan, Ceylon.


Hostplant

Flight period: v-vi.

Altitude: 900-1975 m.

Imago

Nacoleia commixta Butler, 1879



Distribution map

Crambidae

Pyraustinae

Orthospila orissusalis (Walker, 1859)



Taxonomy:

Botys orissusalis Walker, 1859: 701.– Sarawak.

Botys nigrilinealis Walker, [1866: 1410.– Sula Islands.

Haritala tigrina Moore, [1886]: 312.– .

Botys demeter Snellen, 1890: 586.– .


Notarcha compsogramma Meyrick, 1894: 461.– .

Hostplant

Flight period: viii.

Altitude: 875 m.

Imago



Distribution map

Crambidae

Pyraustinae

Rhagoba octomaculalis (Moore, 1867)



Taxonomy:

Filodes octomaculalis Moore, 1867:
95.– India (Darjeeling).


Ragoba bimaculata Moore, 1888: 217.
– NE. India.

Hostplant

Flight period: v, viii.

Altitude: 340-1975 m.

Imago



Distribution map

Crambidae

Pyraustinae

Sclerocona acutella (Eversmann, 1842)



Taxonomy:


Crambus acutellus Eversmann, 1842:
563.– Russia.

Hostplant

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Crambidae

Pyraustinae

Uncobotyodes patulalis (Walker, 1866)



Taxonomy:


Botyodes patulalis Walker, 1865: 1405.– India (Himalaya, Assam).

Hostplant

Flight period: v, viii

Altitude: 1850-1900 m.

Imago



Distribution map

Crambidae

Pyraustinae

Uresiphita gilvata (Fabricius, 1794)



Taxonomy:


Phalaena gilvata Fabricius, 1794: 208.
-

Hostplant

Flight period: v-vi.

Altitude: 910-1975 m.

Imago



Distribution map