EQUIPM ESCUE SPECIALIS

SUPPLIED BY NORTHERN DIVER

MANUFACTURED &





Northern Diver has been established for over 40 years. We design and manufacture an exceptionally diverse range of rescue equipment.

We are also the prime contractor to the Ministry of Defence for drysuits and diving equipment.

When it comes to rescue, over 200 organisations across the UK and overseas use our equipment – this includes over 95% of the UK's fire and rescue services.

Need suits for an emergency or flood?

We have a fast-response system in place to make sure everything you need is dealt with as quickly as possible. We hold a large amount of stock that's available for immediate delivery.

Bespoke drysuits are one of our main specialities. We have the ability to customise and develop equipment to meet your application and requirements.

Our brochure is also available to download or view online, as well as more information on our range of products and services.

Visit - www.ndiver-rescue.com

Find us on:

Facebook - northerndiveruk Twitter - @NorthernDiverUK Instagram - @ndiver_rescue

If you can't find what you're looking for, please contact us. If you would like to pay us a visit you are more than welcome or we can quickly travel to see you.

We are located in Appley Bridge, Lancashire - only 5mins from the M6 (J27). Manchester & Liverpool international airports are only 40 minutes away. Wigan North Western rail station is 2hrs from London Euston. We are more than happy to collect clients and return them after their visit.

Northern Diver International Ltd, East Quarry, Appley Lane North, Appley Bridge, Wigan, Lancashire, WN6 9AE, UK

Meet the team.



Craig McColl
Sales Team Manager
Office
+44 (0) 1257 25 69 34
Mobile
+44 (0) 7854 25 20 13
Email
craig@ndiver.com



Dan Cottrell
Sales Representative
Office
+44 (0) 1257 25 69 41
Mobile
+44 (0) 7961 289 728
Email
dan@ndiver.com



Matthew Burrows
Sales Representative
Office
+44 (0) 1257 25 69 43
Mobile
+44 (0) 7703 298 234
Email
matthewb@ndiver.com

All members of the rescue department undergo water rescue training with Outreach Rescue and are qualified Swift Water Rescue Technicians.



Tanybwlch Farm, Bangor LL57 3HY +44 (0) 1248 60 15 46



WHAT OUR CUSTOMERS SAY ABOUT US

"Great Equipment, Great Value and Great Service"

Rescue sled - "An excellent product. Lightweight, tough, easily transportable, quick to inflate"

"Northern Divers customer service is nothing short of amazing, I feel like a really valued customer."

DS320 lightweight inflatable
- "Easily transportable and
deployable. It gives us great
versatility in searching for
casualties and transporting
them and team members."

Custom drysuit - "Good fit, good quality, Fantastic Price and fit for purpose. What else can be said...."

"Flexible warm and above all completely dry"

"The after sales service I received after purchasing this suit has been absolutely fantastic, I can't praise the team enough - prompt and professional!"

06	Off the shelf, stock rescue suits
20	Suit repairs and alterations
22	Suit accessories and suit size guide
24	Made to measure bespoke suits
37	Thermal and heated garments
44	Search and rescue wetsuits
48	PFD's and accessories
54	Life jackets and accessories
58	OTS communications
60	Helmets and hoods
65	Technical gloves
70	Water rescue boots
72	Knives and tools
74	Lighting
81	Reach & wading poles
84	Wheeled bags and lightweight holdalls
87	100% waterproof sealed dry bags
90	Robust hard-shell cases
92	Medical/casualty bags and equipment
95	Throw bags/backpacks with floating line
98	Why buy our inflatable equipment?
100	Inflatable boat series
106	Inflatable sleds and rafts
l11	Inflatable walkways and air tracks
113	Inflatable rescue boards and tubes
116	Inflation options
117	Customise your inflatable
119	Outboard motors and trailers



RESCUE AND RESPONSE DRYSUIT

Designed for use in the most demanding conditions, ideal for fast water rescue and emergency response teams.

SPECIFICATION

210D Embratex breathable upper 450D Aquatex lower body Triple glued, sealed seams Front entry BDM metal dry zip Kevlar® knee/seat protection Reflective strips Zipped transporter pocket (left) Bellows notebook pocket (right) Adjustable internal braces Dunlop safety boots - composite toe cap and mid-sole foil

ALTERATION OPTIONS

- 1. Neoprene or latex seals
- 2. Available with socks or boots

BRANDING OPTIONS

- 1. Upper arm reflective strips
- 2. Left leg
- 3. Left zipped pocket
- 4. Chest or shoulders
- 5. Back panel

STOCK SIZES

S, M, ML, L, XL, XXL See below size chart

INCLUDED WITH SUIT

Maintenance kit and storage bag/ changing mat

MENS	xs	s	М	MR	ML	MLR	MLT	L	LR	XL	XLR	XLT	XXL	XXLR	XXXL	XXXLR
HEIGHT	5'4	5'6	5'8	5'8	5'10	5°10	6'	6'	6'	6'2	6'2	6'4	6'4	6'4	6'6	6'6
	162 cm	168 cm	173 cm	173 cm	178 cm	178 cm	183 cm	183 cm	183 cm	188 cm	188 cm	193 cm	193 cm	193 cm	198 cm	198 cm
WEIGHT	9 st	10 st	11 st	13 st	13 st	14.5 st	13 st	14 st	15,5 st	15 st	17 st	15 st	16 st	18 st	17 st	19 st
	57 kg	63 kg	70 kg	83 kg	83 kg	92 kg	83 kg	89 kg	99 kg	95 kg	108 kg	95 kg	102 kg	114 kg	108 kg	120 kg
CHEST	36"	38"	40"	42"	42"	44"	42"	44"	46"	46"	48"	46"	48"	50"	50"	54"
	91 cm	96 cm	102 cm	106 cm	106 cm	112 cm	106 cm	112 cm	117 cm	117 cm	122 cm	117 cm	122 cm	130 cm	130 cm	137 cm
C - FLOOR	30"	31"	32"	32"	33'	33"	33,5"	33.5"	33.5"	34"	34"	35"	35"	35"	36"	36"
	76 cm	79 cm	81 cm	81 cm	84 cm	84 cm	85 cm	85 cm	85 cm	86 cm	86 cm	89 cm	89 cm	89 cm	91 cm	91 cm

Full range of size charts is available online at www.ndiver-rescue.com





A range of boots, wellingtons and socks can be fitted as an option to any of our drysuits.

Visit page 36 to view our range



Tri-laminate Drysuit

If you are looking for a tough and durable drysuit to keep you warm and dry this is the one. Cut and tear resistant designed to deliver great value and all-round performance.

The Arctic Survivor can be worn in conjunction with numerous thermal garments or combinations of thermal garments.

Thermalux undersuit, page 38, is ideal for UK

SPECIFICATION

110D Decitex nylon tri-laminate
Triple glued, sealed seams
Rear entry YKK® plastic dry zip
Neoprene neck & wrist seals
Large knee/seat protection
Reflective piping across shoulders
Zipped transporter pocket (left)
Bellows pocket (right)
Adjustable internal braces
Dacor style hard sole boots

ALTERATION OPTIONS

- 1. Dry fly zip
- 2. Safety boots or socks

BRANDING OPTIONS

Additional branding and logos can be applied upon request

STOCK SIZES

S, M, ML, MLR, MLT, MR, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXL See page 6 for size chart

MTM SERVICE - YES
(APPROX 3-4 WEEKS DELIVERY)

INCLUDED WITH SUIT

5.0mm hood, maintenance kit and storage bag/changing mat



undersuits. The Thermicore page 40 or the Base Layer page 41



A rescue suit designed for use by women working in Search & Rescue environments. Comfortable, warm and durable, this suit has a rear drop seat relief zip, more convenient and so no need to take off any other gear.

Made to measure available only. Contact us to build your spec.

MTM OPTIONS

(APPROX 3-4 WEEKS DELIVERY)

Choose fabric and colour
Triple glued, sealed seams
Choose latex or neoprene seals
Choose front entry or rear entry
Choose BDM metal or YKK®
plastic dry zips
Kevlar® knee and seat

Kevlar® knee and seat reinforcement

SOLAS reflective tape

Choose arm pockets:

Light stick pocket Radio pocket Dry arm pocket

Choose leg pockets:

Zipped pocket (shown) Bellows pocket (velcro) Map/note book pocket

Choose footwear:

Socks (latex or breathable) Integral boots (standard or safety)

BRANDING OPTIONS

Additional branding can be applied upon request

STOCK SIZES

MTM only not available off the shelf

INCLUDED WITH SUIT

Maintenance kit and storage bag/ changing mat







STYLES AVAILABLE Light duty

210D Embratex breathable fabric Front & rear entry options Double layer protection Colours: red/black

Medium duty

320D Embratex breathable fabric Front entry only Kevlar® protection Colours: red/black, amber/black, red/navy

SPECIFICATION

Embratex breathable tri-laminate Triple glued, sealed seams BDM metal dry zip Neoprene neck & wrist seals Knee/seat protection Reflective strips Adjustable internal braces Latex socks

ALTERATION OPTIONS

Latex neck and wrist seals Any pockets in our range Breathable socks Integral boots

BRANDING OPTIONS

Additional branding can be applied upon request

STOCK SIZES

S, M, ML, L, XL, XXL, XXXL See page 6 for size chart

INCLUDED WITH SUIT

Maintenance kit



STORM5

Heavy duty tri-laminate drysuit

A high performance suit that offers a robust, durable and quality design.

Perfect for any rescue scenario. Reflective provides high visibility which is essential for night/low light rescue operations.

SPECIFICATION

375D OT-083 membrane fabric
Triple glued, sealed seams
Front entry BDM metal dry zip
Yamamoto superstretch neoprene
neck & wrist seals (latex shown)
Light stick pocket (left arm)
Double layer reinforced knee/seat
Reflective strips
Bellows Velcro pocket (right)
Adjustable internal braces
Elasticated ankle gaitors
Latex socks

ALTERATION OPTIONS

Latex neck and wrist seals Any pockets in our range Breathable socks Integral boots

BRANDING OPTIONS

Additional branding upon request

STOCK SIZES

S, M, ML, L, XL, XXL See page 6 for size chart

MTM SERVICE - YES
(APPROX 3-4 WEEKS DELIVERY)

INCLUDED WITH SUIT

Maintenance kit and storage bag/changing mat.

Shown with **Pro-Safe Rescue boots (page 70)**, note this suit has elasticated ankle gaitors and attached latex socks.









SPECIFICATION

Coated nylon fabric with taped seams Reflective piping & printing

Overjacket:

Neoprene neck and wrist seals Adjustable Velcro closure on neck Lightstick pocket (left arm) Adjustable Velcro waistband

Salopette:

Adjustable, quick release braces Quick release adjustable belt Splash proof zip Gusseted zipped chest pockets Elasticated ankle gaiters Latex socks

STOCK SIZES

S, M, L, XL, XXL See page 6 for size chart

RESPONDER DRYSUIT

SPECIFICATION

Coated nylon fabric
with taped seams
Latex neck and wrist seals
Rear entry YKK® plastic zip
Lightstick pocket (left arm)
Reflective piping, strips & printing
Double layer knees/seat areas
Elasticated ankle gaiters
Latex socks

STOCK SIZES

S, M, L, XL, XXL, XXXL See page 6 for size chart

BRANDING OPTIONS

Additional branding can be applied to any suit upon request

INCLUDED WITH SUITS

Maintenance kit and bag





Made to meet the demands of the Offshore wind farms industry.

SPECIFICATION

320D Embratex breathable fabric Triple glued, sealed seams Front entry YKK® plastic dry zip Yamamoto neoprene neck with fleece collar Integrated, fold away, high vis hood Yamamoto neoprene wrist seals with seal protectors Fully dry chest pockets Removable radio pocket (left chest) Integrated glove arm pockets Flexi-light arm pocket (right) ID pockets (left/right lower arms) 2 bellows leg pockets Kevlar® knee/seat protection Reflective strips, piping and print Kevlar® coated breathable lightweight socks

This suit is ideal to use with our Pro-Safe water rescue boots, see page 70.

BRANDING OPTIONS

Additional branding can be applied upon request

STOCK SIZES

S, M, L, , XL, XXL, XXXL See page 6 for size chart

INCLUDED WITH SUIT

A snap hook and a whistle located inside the chest pocket, 5mm neoprene gloves inside the arm pockets, maintenance kit and storage bag/changing mat



NR 2452/2017

SOLAS Approved





Designed for the Ministry of Defence Police boat ops team.

An exceptionally comfortable suit that can be customised on request.

SPECIFICATION

320D Embratex breathable fabric Triple glued, sealed seams Front entry YKK® plastic dry zip Neoprene neck seals Fleece-lined Velcro closing collar with fold away high vis hood Neoprene wrist seals Cuff protectors (Velcro adjustment) Velcro bellows pockets & zipped fully dry pockets (both arms) Adjustable elasticated inner braces Reflective strips & piping Velcro name badges (arms & chest) YKK® plastic fly zip with cover 2 leg pockets (clear window on the right for ID card) Kevlar® knee/seat protection Ankle protectors (Velcro/zip closure) Dry breathable socks

This suit is ideal to use with our Pro-Safe water rescue boots, see page 70.

MTM SERVICE - YES
(APPROX 3-4 WEEKS DELIVERY)
Not available off the shelf

INCLUDED WITH SUIT

Maintenance kit and storage bag/ changing mat



BREATHABLE KEVLAR® BOATING OPERATIONS RESCUE DRYSUIT

Manufactured from Tory of Japan breathable Kevlar®, all internal seams are taped. Excellent flexibility with the durability of Kevlar®.

YKK® Aquaseal® zip makes this front entry easy to put on and take off. Good flexibility makes it the ideal working suit either on board or for bank or river searches.

SPECIFICATION

Yamamoto neo neck/wrist seals Reflective strips for higher visibility in locations of your choice Elbow, seat and knee protection Zipped transporter pockets, left and right thighs Dacor style heavy duty boots in sizes UK 5-13 (US 6-14)

BRANDING OPTIONS

Additional branding crests, team names etc can be applied or fitted to the suit.

STOCK SIZES

S, M, ML, MLR, MLT, MR, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXL See page 6 for size chart

INCLUDED WITH SUIT

Complete with hood and carry bag which folds out to make a changing mat.

This suit is available at a special price please check our website or price list for latest details.

www.ndiver-rescue.com/kevlar-boating-ops-rescue-suit



POLICE

SURFACE/BOATING DRYSUIT

This suit has been supplied to Cambridge, Lancashire and Devon & Cornwall Constabularies.

MTM OPTIONS

(APPROX 3-4 WEEKS DELIVERY)
Available in red or black
375D tri-laminate fabric
Triple glued, sealed seams
Latex or yamamoto neoprene seals
Front entry or rear entry
BDM metal dry zipper
Kevlar® knee/seat reinforcement
Checkered Reflexite banding (arms)
Printed reflective banding (legs)
Available arm pockets:

Light stick pocket Radio pocket

With your choice of leg pockets: Zipped pocket (shown)

> Bellows pocket (velcro) Map/note book pocket

The suit can be fitted with either breathable socks, dry safety boots or dacor style.

BRANDING OPTIONS

Your choice of branding options

INCLUDED WITH SUIT

Maintenance kit and storage bag/ changing mat





DIVEMASTER COMMERCIAL

5.5mm Neoprene Drysuit

The first choice of the UK's major commercial diving schools, UK MoD and many dive rescue and recovery teams. The Divernaster allows freedom of movement and real diving flexibility, as well as being exceptionally hard-wearing.

This suit gives the user a comfortable environment when diving and can be pitted against the harshest of diving scenarios, such as ice diving and long duration cold water diving.

SPECIFICATION

5.5mm thickness Hyper-compressed neoprene Triple glued and rubber taped on all inside seams Liquid taped on the outside seams of the upper body Rear entry BDM 6 pitch heavy duty metal dry zip with zip flap Yamomoto neo neck & wrist seals Shoulder pads Inflation & exhaust valves with hose Bellows Velcro leg pocket (right) Zipped transporter leg pocket (left) Kavlar® knee protection Over printed seat protection Commercial hard sole boots

STOCK SIZES

S, M, ML, MLR, MLT, MR, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXLT, XXXL, XXXLR
See page 6 for size chart

MTM SERVICE - YES
(APPROX 3-4 WEEKS DELIVERY)

INCLUDED WITH SUIT

5.0mm hood, maintenance kit and carry bag/changing mat



NEW

HYBRID

Neoprene & Tri-laminate

This is the suit for you when you need the insulation qualities and buoyancy of 5.0mm neoprene on your body with the added flexibility and dexterity of 375 denier tri-laminate material on the arms and legs.

Ideal for sea-bed and river bed searches were the diver needs to crawl to make fingertip searches and police underwater work, scientific exploration, technical and cave diving.

MTM OPTIONS

(APPROX 3-4 WEEKS DELIVERY) 375D flexible membrane arms/legs 5.0mm warm neoprene body Triple glued, sealed seams Latex or yamamoto neoprene seals Neoprene warmer (Velcro closure) Front or rear entry BDM metal dry zip with zip flap Overprinted protection on shoulders, arms & legs Suit shown with large expandable bellows thigh pockets or pockets to your requirements Kevlar® knee reinforcement Reflective strips Available with latex or breathable socks for use with our safety boots, or standard key-line dry rubber boots.

INCLUDED WITH SUIT

5.0mm or 6.0mm hood, drysuit valves, inlet and air exhaust, hose, maintenance kit and carry bag which folds out to a changing mat





Valves

Inflation valves with the standard Hansen or commercial CJEN connectors and adjustable auto dump exhaust valves.



Optional 35mm Locking Cuff Dump

Simple open/locking operation with mushroom silicone seal stops water ingress when open.



THOR

Contaminated Waters Specialist Rubber Drysuit

The ideal suit for:
Toxic incidents
Chemical diving environments
Contaminated waters

The best suit for extremely dangerous scenarios where chemical or biological non-permeability is essential to protect users from exposure.

SPECIFICATION Fabric construction:

Vulcanised laminated polymer sheets, polyester, high-grade rubber and EPDM which gives excellent strength, protection & durability

Bonded for life seams Latex neck and wrist seals Heavy duty BDM metal dry zip Commercial grade valves fitted in standard diving positions Reflective strips (upper arms)

OPTIONS

Front and rear entry styles available Select sizes available in black **1000G suit** - fitted with rubber boot

1600G suit - fitted with safety boot

STOCK SIZES
S, M, ML, MLR, L, LR, XL, XLR, XXL & XXLR
See page 6 for size chart

INCLUDED WITH SUIT

Valves, hose, maintenance kit and storage bag

Diving in contaminated waters or attending toxic incidents should only be undertaken by competent qualified divers or rescue personnel. Further information regarding permeation and break through tests can be found on our website: www.issuu.com/northerndiveruk/docs/thor-test-results

WADERS

DRY SALOPETTE STYLE






Functional and reliable, these utility waders will keep you dry from chest to toe. They've got the classic chest high design and incorporate easily adjustable suspenders.



Stock suit.





We can help you tailor suits so they better support your teams in the field. If you need to add different elements to standard suits we provide, just ask. We can change neck, wrists, socks, and boots to suit your requirements. We can add pockets, fly zips, valves and Kevlar® reinforcement in high wear areas.

Please note: Tailoring options are dependent on the stock suit purchased. Please check with us which elements can be tailored on specific suits.

Suit repairs.

With over 60 years of combined experience, our Repair Technicians are some of the best in the business. A dedicated and diligent team, they know how important it is that their work be perfect, every time.

Waiting times can vary dependent on our workload, however turnaround can sometimes be as fast as one day. If you need it your repairs for a certain time, please advise our team of this. You can check on current time frames prior to booking suits in.

Repairs Department: +44 (0) 1257 25 69 37 Opening Times: Mon - Fri 8.30am to 5.00pm



Book it in.

Online repair system.

We now offer a full ONLINE repair and alterations service for our suits, this can include fixing leaks, adding new parts to your suit i.e. socks, seals, pockets or alterations.

We've made it easier for you to:

- 1. Book in your suit from anywhere
- 2. Get updates and check on progress at any time
- 3. Accept quotations and easily pay online

All you need to do is log in to your online account to get started with the 8 steps to book your repair, www.ndiver-rescue.com/login

Not comfortable booking it in online?

Don't worry, all suits that enter our repairs and alteration department now use the online system, once your suit(s) arrive we will book them onto your account for you, all you need to do it log in and view its progress or check the email updates that we send to the address on the account.

Photo credit: Louise, one of our Repairs Team Leaders in action. Using her 27 years' experience to cut and custom fit repairs & alterations.

TAILOR AND REPAIR A STOCK SUIT

Stock suits replaceable parts



The following suit parts can be used to tailor existing stock suits to specific requirements. Available options may vary dependant on the type of suit. Membrane and neoprene suits may not allow for all options shown to be applied, please use this as a guide only and contact the rescue department for specific details.

You can now book suits in online for repair and alteration, you will need to log in online to do this.



Yamamoto neoprene neck Standard inverted & short styles



Latex neck, can be fitted with a neoprene warmer



Hood attached to the suit Or supplied separate



Neoprene wrist seals Cuff covers/protectors available



Latex wrist seals can be fitted with neoprene warmers



Cuff systems fitted with user replaceable wrist seals or gloves



Replacement zips (metal and plastic)



Fly zips fitted with either full or semi protective zip covers



Shorten arms and legs




Lightstick arm pockets Std 180 x 70mm (7" x 2.8") or Flexi-light 125 x 47mm (5" x 1.9")



Radio pockets 150 x 70 x 47mm (5.9" x 2.8" x 1.9")



Adjustable elasticated internal braces



Replacement kneepads Double layer or Kevlar® available



Zipped transporter pockets Approx. 290 x 160 x 40mm (11.4" x 6.3" x 1.6")



Velcro closing bellows pockets Approx. 280 x 150mm (11" x 5.9")



Neoprene socks Approx. thickness 5.0mm



Breathable membrane socks



Latex socks



Drysuit boots or safety wellingtons (EN 12568/98) ideal for any drysuit. Wellingtons are chemical and hydrocarbon resistant.

RESCUE SUIT

Accessories & maintenance



DRYSUIT HANGER

Drysuit boots are placed in the hanger head and the suit is then suspended upside down, allowing all the excess water to drain away. Inverted drying for a neoprene/membrane drysuit, manufactured from lightweight heavy-duty material.



MULTI PURPOSE HANGER

Allows the upright drying of a wetsuit, drysuit, BCD or stab jacket, allowing all the excess water to drain away.



SEAL LUBRICANT

Water based lubricant, extends the life of your neoprene seals and ease getting in/out of your drysuit - 200ml tube.



TALC

Supplied in a handy 100g container, with a twist-lock dispenser. To lubricate latex neck/wrist seals.



SUIT SEAL

For repairing holes/tears in drysuits and for use with our dry glove system. Size: 21g.



SILICONE SPRAY

Water repellant or lube for rubber, plastic and metal. Protects against rust, saltoxidation and corrosion.



ZIP WAX

Easy, effective drysuit zip lubrication. Simply apply to dry clean drysuit zips to ensure smooth action & prolonged zip life.



ZIP TECH™

Soft and easy to apply, this lubricant is designed to protect and lubricate all watertight and airtight plastic YKK® zippers.





apollo bio seals

DO YOU GET NECK & WRIST TRICKLE?


Heralded by DIVER magazine as "truly keeping the water out". Some divers may experience a trickle of water down their seals now and again, usually as a result of a channel caused by a tendon. Hopefully not for much longer.

Apollo bio seals combat water ingress and work excellently. The seals simply slide over your neck and wrists, and form an effective bond with your drysuit seal, whether you use neoprene or latex seals.

The Cosmo-gel that the seals are made from is super soft and super stretchy (1300% - 1500% stretch). As you could deduce, they are very comfortable and mould to your skin brilliantly. On top of this, durability isn't compromised. This product is latex free.

ENSURE A PERFECT FIT

A guide to measuring for a suit



1) Height - to be measured against a wall

Weight - to be taken on accurate scales

Neck - taken over bare skin below Adam's Apple with the tape resting on your shoulders

Wrist - taken over bare skin behind wrist bone

Chest - taken around the fullest part, just under your breasts/pecs, and measure around the torso while keeping the tape parallel to the floor

Waist - taken around a relaxed waist, about a 1/2 inch above your bellybutton, exhale and measure before inhaling again

Hips - taken across the widest part of your hips/buttocks. Measure all the way around while keeping the tape parallel to the floor

All round body - taken from hollow front of neck through legs (up in crotch) up to base of neck

Neck to wrist - taken from base of neck to wrist bone

Forearm - taken around the fullest part with finger inside tape

Bicep - Relax the muscle, taken around the fullest part with finger inside tape

(12) Crotch - floor - up in the crotch down to floor

13 Thigh - taken around fullest part with finger inside tape

Calf - taken around fullest part with finger inside tape

15) Actual shoe size - not your trainer size

you intend to wear if possible. If not please make sure you have noted that measurements have been taken without an undersuit to make sure you get the best possible fit.

When taking measurements, stand tall

Try to measure over the undersuit

When taking measurements, stand tall with muscles relaxed and feet together.

Do not measure yourself. Get a second person to do it for you, as accuracy is essential for a good fitting suit.

When measuring, apply constant pressure to the tape (so it doesn't sag) without pinching the skin. We recommend using a tailors measuring tape.

NEED HELP?


An experienced member of staff that is familiar with the measuring process can assist you in this task should you need it.


Call +44 (0) 1257 25 44 44 or email rescue@ndiver.com, our team will analyse your measurements and calculate your optimum suit size, alternatively if your local visit us in store.


SHOE SIZE?

Determining your proper shoe size is essential to a comfortable fit.

If you don't know it you can measure yourself or visit your nearest shoe store for an accurate result.







ADDITIONAL LADIES MEASUREMENTS

A Chest - taken across your nipples and measure around the largest part of your chest. Be sure to keep the tape parallel to the floor.

B Chest above bust - taken under armpits with tape parallel to the floor.

Under bust - taken around the fullest part, just under your breasts, and measure around the torso while keeping the tape parallel to the floor

Shoulder to bust - taken from top of shoulder to centre of bust







MADE TO MEASURE. CUSTOM TAILORED.

We specialise in bespoke suits, look through this section to see examples of past suit orders and all the information you need to start to build your own rescue suits!



St Abbs Lifeboats



County Durham and Darlington



Bay Search and Rescue Team



Hope Cove Lifeboats



Irish Civil Defence



Buxton Mountain Rescue Team

YOUR SPECIFICATION. OUR EXPERTISE.


Made-to-measure rescue suits



I want a suit, what happens next?

Initially, your appointed contact will work with you to establish what you need. Depending on your preference, we can visit you, for larger orders or you can visit us, or we can simply communicate by telephone or email.

Our design team will then work to ensure every detail is covered perfectly. You will receive a PDF proof of the suit design to approve. Only when you are happy with the design will the production process begin.



We want to supply a suit that perfect for you. Each element of the suit will need to be chosen,

- 1. Entry styles
 Pages 28, 29 and 30 for inspiration
- 2. Fabrics see page 31, 32 and 33
- Neck, wrists, zips, embellishments, pockets, kneepads and footwear all need to be specified.
 Pages 34, 35 and 36 for details.


Our design team will then work to ensure every detail is covered perfectly. You will receive a PDF proof of the suit design to approve. Only when you are happy with the design will the production process begin.

Need help with sizing?

Our experienced staff members are familiar with the measuring process and can assist you with this task, should you need it.

Download our measuring guide: www.ndiver-rescue.com//downloads

Videos on how to measure yourself correctly for a suit can be found on our YouTube channel in the 'Suit How To Videos' playlist: www.youtube.com/NorthernDiverUK



DO YOU NEED SOME INSPIRATION?

Examples of front, rear and BIB entry style suits

All suits shown are custom made to measure orders. Build a suit to any specification you require. Changing seals, fabrics and entry options as well as adding arm / leg pockets, branding, reflective panels and more.

FRONT ENTRY STYLE

Is the most popular drysuit for rescue and boating operations.

This design makes entering the suit simple and assistance free.

The zip runs diagonally from the left shoulder to the waist on the right hand side.





Finland Offshore Rescue Team

Merseyside Fire & Rescue Instructor

HART Department Of Health



Devon & Cornwall Police Constabulary



West Midlands Search & Rescue Team



Gloucestershire Police Team



Royal Berkshire Water Rescue Team



Gwynedd Council Maritime Unit



Greater Manchester Fire & Rescue Team



South East Europe D.P.P.I.
Disaster Preparedness & Prevention Initiative



Borderforce UK Central Region

REAR ENTRY STYLE

Rear entry zips run between the shoulders. Assistance is needed to close the zip.



Photo credits: Merseyside Fire & Rescue Training



St Caiman River Rescue, Ireland









Mundesley Lifeboat - Search & Rescue Team

Instructor Style Drysuit

BIB ENTRY STYLE

Our unique pattern, designed with the zip fitted around the waist and secures via a quick release buckle at the front. Entering the suit is just as simple as front entry styles.









Warwickshire Fire & Rescue Team



Portuguese Helicopter Search & Rescue Team

CHOOSE SUIT FABRIC

Our membrane fabric is a sandwich of three layers: a carrier layer of 40g polyester, 15-20 coats of butyl rubber solution and an outer layer of one of the listed materials below. Choose one material or a combination of fabrics.

AF808.

Chemical resistant

A rubber material with excellent resistance to chemical permeation and general pollution ingress. Bright yellow colour provides easy identification of users location. Nonstick surface assists cleaning. Used for coastguard mud rescue suits

Amber.

Decitex nylon

High tear strength
Soft touch
Excellent adhesion
Chemical & water resistant
Air and water tight
Easy clean
Used for the Arctic Survivor suit

210D & 400D.

Tritex nylon

High tear strength
Soft touch
Excellent adhesion
Chemical & water resistant
Cold resistant (- 60°C)
Ultra violet light resist (UV)
Air and water tight
400D in black
210D in amber
Used for coastguard training suits


320D.

Embratex tri-Lam

320D fully breathable embratex cotton feel nylon with water repellant coating.

Tested to - EN ISO 14225-2:2005 for sea water resistance and EN ISO 15027-1:2002 for materials, fabrics and components, fire resistance, temperature cycling, leakage, performance, dexterity & mobility. Using the Test Methods specified in EN ISO 15027-3:2002

Used in most rescue suits




375D.

Tri-laminate

Wind and waterproof Strong durable fabric Resistance to abrasion and tearing 2 layers combined for a flexible finish High performance Medium weight

Most popular used material




450D Fire retardant.

Nomex® tri-Laminate

The tough, woven structure of Nomex® is extremely strong, has high heat resistance, is flame retardant (it doesn't melt or drip) and doesn't react with water.

Nomex® is a registered trademark for flame-resistant meta-aramid material developed by DuPont Nomex® Used for police boating ops suits




450D.

Aquatex tri-Laminate

The tightly woven face fabric is proven to be incredibly resistant to abrasion and tearing. In addition to its strength, Aquatex is very comfortable, proving a popular choice for boat handlers and rescue personnel who wear their suits for many long hours at a time.

Butyl Rubber is sandwiched between two layers of polyester to create a durable and flexible fabric Preferred material for training




500D.

Cortex tri-Laminate

Renowned for its hard-wearing abilities, Cortex resists scuff and scrapes with its strong Cordura® outer layer. Cortex is often chosen for the lower half of a drysuit when a stronger body is required.

Cortex also offers unsurpassed durability and tear resistance and is an ideal choice for technical divers and divers who appreciate quality construction and performance. Used for Military training suits



Yamamoto superstretch.


Smooth skin neoprene

The most flexible neoprene in the Yamamoto range. Super light-weight, stretchy/flexible.

Its abrasion resistance is higher than standard nylon fabrics making it very suitable for drysuits.

The thickness of the neoprene varies dependent on suit specifications. Standard nylon lining: Has a stretchable soft/smooth texture

Also ideal and super comfortable for neck and wrist seals.





Kevlar® KN203 without an anti slip coating for improved flexibility.

KN203 & KN601.


Kevlar®

Kevlar®: light weight, good abrasionresistance, durability and high in performance. Versatile and strong Kevlar® fibre is more than just a series of threads.


DuPont™ Kevlar® fibres are used in a variety of Northern Diver apparel to help make them safer, stronger and more durable.

A silky soft man made fibre - 5x stronger than steel, combining great strength with lightweight flexibility. For use in high wear areas.

DuPont[™] and KEVLAR® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company



Kevlar® KN601 is treated with an anti slip coating for improved grip.



CUSTOM BUILD YOUR SUIT FROM HEAD TO TOE

The next 3 pages show the different suit parts you can choose to create your suit.

NECK & WRIST SEALS



Neoprene neck - standard inverted



Latex neck - standard



Latex neck with neoprene warmer



Neoprene neck with chaffing protector



Neoprene wrist - standard



Latex wrist - standard



Latex wrist with neoprene warmer



Neoprene wrist with protective cuff Printed to assist seal removal

ZIPS & ZIP PROTECTION



Medium duty 8 pitch BDM metal dry zip



Standard YKK® Aquaseal® dry zip



YKK® Aquaseal® zip with T-bar zip puller



Front entry zip flap with Velcro closure



Rear entry zip flap with Velcro closure



Front entry "flush" zip protection



1. Waist / BIB entry, front view



2. Shows the Military version with the zip open.

EMBELLISHMENTS



25 & 50mm (1" & 2")



Reflexite® prismatic bands 25 & 50mm (1" & 2")



Wide reflective piping



SOLAS tape reflective strips



Printed reflective panels



Encapsulated panels



Printed logos / crests



Removable badges

ARM POCKETS



Radio pocket 50mm x 170mm (2" x 6.7")



Lightstick pocket 70mm x 180mm (2.7" x 7")



Splash proof zip arm pockets



Small bellows pocket 100mm x 175mm (3.4" x 6.9")



EPIRB pocket 95mm x 160mm (3.7" x 6.3")



Flexi-light stick pocket 125 x 47mm (5" x 1.9")



Flexi-light sticks. Up to 40 hrs burn time Press 1 low power, 2 high power, 3 flashing

LEG POCKETS




Velcro closing bellows pocket 145mm x 230mm (5.7" x 9")



Zipped transporter pocket 150mm x 230mm (5.9" x 9")



Notebook pocket 145mm x 230mm (5.7" x 9")



Zipped transporter pocket with scribble pad front - 150mm x 205mm (5.9" x 8")



Bellows pocket with map pocket on front 145mm x 230mm (5.7" x 9")



Large expanding bellows pocket with clear ID holder - 180mm x 250mm (7" x 9.9")



Bellows pocket with knife loops See knife section for your choice



Fit a internal or external stainless steel D-ring to any of our pockets

KNEEPAD, SEAT AND ANKLE PROTECTION



Kevlar[®] kneepads



Reinforced Kevlar® seat area



Neoprene gaitors to cover top of boots



Elasticated gaitors to cover top of boots

FOOTWEAR



Durable hard sole boots - type 1



PVC safety wellington



Quattro® super safety wellington



Neoprene socks - standard



Latex socks - 2D & 3D



Latex socks with neoprene warmers



Fully breathable and membrane socks



Breathable socks with Kevlar® protection

WHAT'S INCLUDED WITH EACH SUIT?



Metalux temperate undersuit





Metalux® is one of the most lightweight, highperformance insulating materials available. It retains its thermal integrity throughout the life of the garment and is designed to reflect thermal radiation and reduce air movement, even when wet or compressed.

SPECIFICATION

Light ripstop nylon outer shell with a fleece-lined inner over the metalux layer
Quick-drying
Bacteria and fungus resistant
Stretch thermalskin cuffs and foot stirrups
Two way YKK® front zipper
Zipped chest pocket and two hip pockets
Complete with drawstring mesh bag

100g TEMPERATE

TOG rating 4.2
This model is most commonly used for UK winter conditions.

STOCK SIZES

S, M, ML, MLR, MR, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXL, XXLR
See size chart below

RELATED PRODUCTS

The base layer technical thermal, see page 41, is ideal for use under the Metalux for extreme cold conditions.

Metalux Arctic 200/300g Metalux Temperate Thermalux Thermicore Thermicore Sub Zero X Bodyline/Thermalskin Innercore Arctic Base											ase					
	S	M	MR	ML	MLT	MLR	L	LT	LR	XL	XLT	XLR	XXL	XXLR	XXXL	XXXLR
HEIGHT (FT)	5'4 - 5'7	5'7 - 5'9	5'7 - 5'9	5'9 - 5'11	6'0	5'9 - 5'11	5'11 - 6'1	6'2	5'11 - 6'1	6'2	6'4	6'2 - 6'4	6'2 - 6'4	6'2 - 6'4	6'4 - 6'5	6'6+
HEIGHT (CM)	164.5 - 173	173 - 175	173 - 175	175 - 180	185	180 - 185	180 - 185	188	180 - 185	188	193	188 - 193	188 - 193	188 - 193	193 - 195	199+
WEIGHT (ST)	9 - 10	10 - 11.5	12	12 - 13.5	13.5	15	13 - 14	14.5	16	14.5	16.5	17	16 - 17.5	18.5	18.5 - 19.5	19.5+
WEIGHT (KG)	57 - 63.5	63.5 - 73	76	76 - 85.5	85.5	95	82.5 - 89	92	101.5	92	102	108	101.5 - 111	117	117 - 120	120+
·		·		·	<u> </u>		<u> </u>	<u> </u>					·		·	
CHEST (CM)	91 - 96.5	96.5 - 101.5	106.5	101.5 - 106.5	101 - 106.5	112	106.5 - 111.5	106.5 - 111.5	117	111.5 - 117	112 - 117	123	117 - 123	130	127 - 132	132+
CHEST (IN)	36 - 38	38 - 40	42	40 - 42	40 - 42	44	42 - 44	42 - 44	46	44 - 46	44 - 46	48	46 - 48	51	50 - 52	52+

Full range of size charts is available online at www.ndiver-rescue.com

WARMTH & COMFORT

Thermalux 1 piece undersuit



No.1 choice for fire and rescue

A 4oz nylon shell encapsulates a high tech Lycra® fleece for superb insulation and flexibility. Thermalux undersuits offer a lightweight solution to keeping warm.

SPECIFICATION

Comfortable and incredibly flexible 100% breathable outer shell Outer nylon shell assists with donning Lies smoothly against suit seals High tech fleece/lycra mix Absorbing micro-fleece lining Superb insulation Quick-drying & ultra lightweight Bacteria & fungus resistant Stretch lycra panels provide flexibility in shoulders, lower back & under arms Exceptional freedom of movement, without sacrificing warmth

Thermalskin cuffs, elasticated thumb loops & foot stirrups ensure the garment stays in position during use

Pockets on the hips Non magnetic two way YKK® zip Drawstring mesh bag supplied

STOCK SIZES

XS, S, M, ML, MLR, L, LR, XL, XLR, XXL, XXLR See page 37 for size chart

TOG RATING 2.3

Long/short sleeved rash vests In a multitude of colours. Ideal beneath your undersuit or wetsuit to glide with your body movements. Sizes: S, M, L, XL, XXL



Bodycore SRE stretch fleece undersuit



Low cost high quality thermal

Suitable for general use in warmer months & as an additional base layer in colder months. Available in 2 variants, the Bodycore & the thicker version the Sub Zero.

Fits closely to the body to maximise its thermal performance & ensure that you remain comfortable when diving.

SPECIFICATION

Durable outer shell
1 layer super-soft fleece lining
Seams are flat lock stitched
Integrated foot stirrups
Elastic thumb stirrups

SUB ZERO DUAL FLEECE UNDERSUIT

Is a super-soft dual layer fleece, perfect for more extreme conditions.



STOCK SIZES S, M, ML, L, XL, XXL, XXXL See page 37 for size chart

TOG RATINGS

Bodycore: 0.6

Bodycore Sub Zero: 1.4

THERMICORE



3 piece undersuit

Provides fantastic thermal protection, above or below the surface. Fits closely to the body to maximise its thermal performance & ensure that you remain comfortable when working, diving or in rescue situations.

SPECIFICATION

Printed outer shell

1 layer super-soft fleece lining
Seams are flat lock stitched
Super-soft fleece comfort collar
Integrated foot stirrups
Elasticated adjustable waistband
Elastic thumb stirrups
Includes HotSox
Supplied with drawstring carry bag

SUB ZERO DUAL FLEECE UNDERSUIT

Is a super-soft dual layer fleece, perfect for more extreme conditions with an additional zipped right arm pocket.

STOCK SIZES

S, M, ML, L, XL, XXL, XXXL See page 37 for size chart

TOG RATINGS

Thermicore: 0.6
Thermicore Sub Zero: 1.4



IIII THERMALSKIN

Bodyline tropical suit

Can be used as a tropical swimming suit or as a base layer with our undersuits. Cavers have also adopted the Northern Diver Bodyline for use beneath caving suits for comfort and warmth on long trips underground. Even members of some mountain rescue teams wear this undersuit for cold nights on the hills.

SPECIFICATION

Close fitting - fits like a "second skin"
Moisture wicking fleece & stretch lycra
Velcro closing neck tab
Breathable & lightweight
Reliable blind stitched seams
Elasticated thumb loops
Built in foot stirrups
Front entry zip

STOCK SIZES

S, M, ML, L, XL, XXL See page 37 for size chart

TOG RATING

0.2

TECHNICAL THERMAL

Base layer 2 piece undersuit

Increasingly popular thermal

SPECIFICATION

Breathable

Moisture wicking

Ergonomic design

Lightweight and durable

Thumb and foot stirrups

Helps maintain core body temp

Wear alone or layer with thermals

Machine washable

STOCK SIZES

S, M, L, XL

Size chart available online



ELECTRACORE

Rechargeable heated vest, ideal under drysuits.



1000 MA	High Setting	Mid Setting	Low Setting
Temperature	50 degrees	40 degrees	25 degrees
Run Times	4 hours	7 hours	10 hours
Colour Of Light	Red	Blue	Green





Provide heat to give complete warmth to the body when working in cold conditions.

The Northern Diver 'Electracore' heated vest has been designed and manufactured with your comfort and warmth in mind. The three heat settings allow you to pick a temperature that suits you and if it happens that you want to raise or lower the temperature, the switch has been positioned in an easy to reach position to the left of your midriff – ensuring that even when you're wearing your rescue suit, the button remains easy to access.

The 'Electracore' has been made using a flexible 3.0mm black neoprene shell along with a snug fleece inner lining maintaining comfort for the user, whilst also insulating and reflecting the heat back on to the body, so even if the vest is turned off, there will still be noticeable thermal benefits.

The colour of the On/Off button will identify the heat of the vest. With up to a ten-hour run time, the 'Smart' Lithium-Ion battery will last for several dives.


The built in heat panels are waterproof, CE approved and conforms to EN 61000-6-1:2019, EN 61000-6-3:2007/A 1 :2011/AC:2012. Note the battery is not waterproof.

This garment has been designed to be worn underneath a dry suit when being used in and around water.

Why use a heat vest?

Working efficiency increases
Working safety increases
Mobility is better (no need to wear multiple layers)
Comfort increases

STOCK SIZES S, M, L, XL, XXL





HotSox

They keep your feet warm Mid length with high wicking fleece Flat lock stitched with no raised seams Sizes available: UK 3-13 (US 4-14)

Bodyline socks

Keep your feet even warmer Flat lock stitched with no raised seams Heel protector & cut to fit perfectly Sizes available: UK 5-13 (US 6-14)

Temperate socks

3.0mm superstretch neoprene Low profile flat lock stitched seams Smooth finish & comfortable fit Sizes available: UK 5-10 (US 6-11)





Ideal for helicoper/search and rescue operations
High vis red and yellow superstretch neoprene
Ti-Ax® Thermacote® titanium lining
Front entry YKK® zip
Triple-glued & blind-stitched seams
Smooth-skin neoprene neck
Velcro closing collar
Smooth-skin neoprene wrist & ankle seals
Strong pad elbows, knees and seat areas

Sizes: S, M, L, XL, XXL



4.0mm Search & Rescue Wetsuit 2 Piece with separate matching hood

High vis one piece full suit with a shortie over jacket
Superstretch neoprene and Ti-Ax Thermacote titanium lining
Front entry YKK® zips with non-chafe tab collar
Triple-glued & blind-stitched seams
Both fitted with front leg pocket and plastic D-ring
One piece is fitted with arm pockets
Smooth-skin neck, wrist and ankle seals
Kevlar® knee pads

Sizes: S, S-W, M, M-EW, L-W, XL, XXL, XXL-S, XXL-ES W = WIDE, E = EXTRA, S = SHORT. Limited stock available.



LOGO YOUR KIT

We can assist you to design and develop a crest or logo or what ever you require to be heat applied to your garment.

Examples show Mauritius Fire & Rescue service branding.







(US 4-14)





7.0mm Superstretch WetsuitRear entry style with separate hood

Superstretch neoprene
Ti-Ax® Thermacote® titanium lining
Rear entry horizontal YKK® zip
Triple-glued & blind-stitched seams
Smooth-skin neoprene neck
Velcro closing collar
Smooth-skin neoprene wrist & ankle seals
Strong pad knee, seat & inner crotch areas

Sizes: S, M, ML, L, XL

Superstretch Rear Entry Wetsuit Available in 3.0mm and 5.0mm

Superstretch neoprene
Ti-Ax® Thermacote® titanium lining
Rear entry vertical YKK® zip
Triple-glued & blind-stitched seams
Smooth-skin neoprene neck with Velcro closing tab
Smooth-skin neoprene wrist and ankle seals
Adjustable Velcro fastener on the back of the neck
Protective elbow and knee pads

Sizes: S, M, ML, L, XL, XXL



5.5mm/6.5mm Semi Tech Wetsuit 2 Piece with separate matching hood

5.5mm long john with Ti-Ax Thermacote titanium lining, integrated Thermal Shield vest and rear entry YKK® zip 6.5mm shortie with Ti-Ax Thermacote titanium lining and front entry YKK® zip

Triple-glued & blind-stitched seams

Shortie can be worn over the long john for colder waters

Smooth-skin wrist and ankle seals

Zipped ankle and wrist warmers

Sizes: S, M, L, XL, XXL

4.0mm/6.0mm Storm WetsuitFront entry style with separate hood

Superstretch neoprene with a front entry YKK® zip Mainly 6.0mm, with 4.0mm thickness in areas requiring extra flexibility (underarms, elbows, knees and crotch) Ti-Ax® Thermacote® titanium lining Triple-glued & blind-stitched seams Smooth-skin neoprene neck with Velcro closing collar Smooth-skin neoprene wrist & ankle seals Strong pad knee and seat areas

Sizes: S, M, ML, MLT, L, LT, XL, XLT, XXL, XXXL





RESCUE

All Northern Diver PFDs benefit from a tough 500D Ripstop Cordura® outer combined with internal ISO approved flotation foam.

Evo Pro 5 & Evo Pro 6 sizing:

Medium (>90N)

Chest up to 106cm (42"), weight 76kg (167.5lb)

Large (110N)

Chest up to 116cm (46"), weight 95kg (209.4lb)

XL (>120N)

Chest up to 142cm (56"), weight 115kg (253.5lb)

Encapsulated panels sizing:

S: 150x50mm (5.9"x 2"), L: 300x100mm (11.8"x 3.9") Custom printed with logos upon request

ARCTIC SURVIVOR

EVOPRO5

EN 12402-5:2006 & 12402-6:2006

Specification

50mm (2") quick release chest harness

Includes cowtail, carabiner and 316 stainless steel O-ring, the self locking carabiner is CE approved and conforms to EN 12275:2013, EN 362:2004/B), kN26 (\leftrightarrow) & kN9 (\updownarrow)

Adjustable shoulder straps with reflective stitching

25mm (1") Reflexite® prismatic bands

4-way lash tabs on the front and rear

Plastic d-rings (bottom of the pockets)

Single-handed quick release buckles

Two front Velcro close cargo pockets with internal plastic

D-rings/clip-in points and drain holes

Removable orange pealess whistle on fixed cord

25mm (1") removable crotch/leg straps (black)

Removable encapsulated ID on the rear (customisable)

Reinforced stitching strengthens high wear areas









EVOPROARCTIC SURVIVOR

EN 12402-5:2006 & 12402-6:2006

Specification

50mm (2") quick release chest harness Includes cowtail, carabiner and 316 stainless steel O-ring

Supplied in drawstring storage bag

The self locking carabiner is CE approved and conforms to EN 12275:2013, EN 362:2004/B), kN26 (↔) & kN9 (♣) Padded adjustable shoulder straps with reflective detailing Snag resistant strap storage pockets for excess webbing Fail Safe System load tested to 3.2kN and meets ISO 12402 test standards 25mm (1") Reflexite® prismatic bands 4-way lash tabs on the front, shoulders and rear Plastic d-rings (top and bottom of the pockets) Single-handed quick release buckles Two front Velcro close cargo pockets with internal plastic D-rings/clip-in points and drain holes Removable orange pealess whistle on retractable cord 25mm (1") removable crotch/leg straps (high vis yellow) 2 removable encapsulated IDs on the rear (customisable) Removable light stick pocket on the rear, attaches to the fabric tab and houses our Flexi-lights which are available in 5 colours (see lighting section for product info) Anti slip waist prevents PFD from riding up when in use Internal hand warmer/documents pockets Reinforced stitching strengthens high wear areas



PSORE STORE STORE



Evo X PFD sizing:

Medium (>75N)

Chest up to 106cm (42"), weight 76kg (167.5lb) **Large (80N)**

Chest up to 116cm (46"), weight 95kg (209.4lb) **XL (>85N)**

Chest up to 142cm (56"), weight 115kg (253.5lb)

ARCTIC SURVIVOR

EVO X

EN 12402-5:2006 & 12402-6:2006

Specification

38mm (1.5") quick release chest harness Includes cowtail, carabiner and 316 stainless steel O-ring

The self locking carabiner is CE approved and conforms to EN 12275:2013, EN 362:2004/B), kN26 (\leftrightarrow) & kN9 (\updownarrow) Quick release fix-loc buckle

Padded adjustable shoulder straps with reflective detailing Snag resistant strap storage pockets for excess webbing Fail Safe System load tested to 3.2kN and meets

ISO 12402 test standards

25mm (1") Reflexite® prismatic bands

Narrow reflective piping

Tough grip shoulder panels

Front and rear 4-way lash tabs

Plastic D-rings

Zipped front pouch

Removable orange pealess whistle on retractable cord 25mm (1") removable crotch/leg straps (high vis yellow) 2 removable encapsulated IDs on the rear (customisable) Removable light stick pocket on the rear, attaches to the fabric tab and houses our Flexi-lights which are available in 5 colours (see lighting section for product info) Anti slip waist prevents PFD from riding up when in use Reinforced stitching strengthens high wear areas Internal hand warmer/documents pockets Supplied in drawstring storage bag









EN 12402-5:2006

Specification

Cowtail tether and twist lock carabiner (optional)

Quick release chest harness

Adjustable shoulder straps with reflective stitching

Snag resistant strap keeper pouches

4-way lash tab and fixed plastic D-ring on the chest

Removable SOLAS tape reflective panel on rear

Zipped pockets (mesh right side and neoprene left side)

Fold away pouch on rear designed to house a throw bag

25mm (1") removable crotch/leg straps (black)

Supplied with a whistle

Rescue 900P PFD sizing:

Medium (>75N)

Chest up to 106cm (42"), weight 76kg (167.5lb) **Large (80N)**

Chest up to 116cm (46"), weight 95kg (209.4lb)

XL (>85N)

Chest up to 142cm (56"), weight 115kg (253.5lb)

MODIFY YOUR OWN BESPOKE PFD...

Any style of custom PFD can be designed for you. Change colours, pocket styles/ sizes, encapsulated panel sizes and artworks, add more features or remove anything you don't like. A minimum MoQ will apply to custom PFD orders.

Contact the rescue team to arrange a .pdf specification to be created.



PFD Accessories.



COWTAIL (yellow or black)

Unstretched: 500mm (19.7") including ring Stretched 950mm (37.4") including ring



DUAL LOCK SAFETY CARABINERS

Overall length: 125mm (4.9"), gate opening: 23mm (0.9"), MSS 26kN, CE Approved



CUSTOM ENCAPSULATED PANELS

Custom logo (min MoQ of 15 pcs will apply) 300x100mm (11.8"x3.9") or 100x50mm (3.9"x1.9")



CARABINER & SLING

25mm (0.9") black webbing Sling length: 5m (16'4)



PFD CROTCH STRAP

One size Adjustable



PEA-LESS MARINE WHISTLE

One size, non corrosive Orange only



The modern alternative to chemical light sticks

FLEXI-LIGHT STICKS - Dimensions: 110 x 25 x 12mm

Available in 5 colours
Visit lighting section for more product information



REMOVABLE FLEXI-LIGHT POCKETS

One size: 150x50x30mm (5.9"x1.9"x1.2") Secure Velcro attachment



RESCUE SLING AND TAPE

Versatile piece of safety kit that rolls up compactly and fits neatly in PFD front pocket. Ideal for use in rescue situations. Materials: 25mm (0.9") nylon tape

4m (13'1) Sling

Used as a towing sling or anchor Two sewn end loops Weight: 146g | Bright red colour

5m (16'4) Tape

One sewn end loop Weight: 188g High vis yellow colour





SELECT THE POUCH TO SUIT YOUR RESCUE



Specifically designed to offer excellent utility in any rescue environment. The Lug Pouch can carry anything from Carabiners, Prusiks & Flexi-Lights to Medical equipment & can be stored on the Lug Pouch Storage Bag prior to use, ready for any call-out.

Lug Pouch Key Features

Velcro securely fastens to PFDs & Storage Bag
Securely fits to Velcro panel on our Evo Pro 5 & 6 PFDs
Accessible storage without adding cumbersome to jacket
Space to fit custom removable Encapsulated Panel
Additional space to attach our Flexi-Light sticks
Webbing loop for easy & quick one-handed removal
Large interior space with split compartment
Mesh exterior removes the risk of any water build up
Size: 305 x 160 x 40mm (12" x 6.3" x 1.6") approx.

Storage Bag Key Features

Easy loading & storage of multiple Lug Pouches
Quickly accessible
Space for 8 Lug Pouches
25mm (0.9") strong webbing carry handles
Versatile 316 stainless steel snaphook clips & D-rings
Folds down to a compact, transportable size
Storage bag size: 700 x 750mm (27.6" x 29.5") approx.



275N Automatic Life Jacket





Supplied with a 60g (2.1oz) CO2 inflation cylinder, the Northern Diver Arctic Survivor 275N life jacket is a high performance device for offshore use and severe environmental conditions, when maximum protection is required or where heavy waterproof clothing is being worn.

This life jacket helps prevent drowning of those who cannot help themselves, for example if they are unconscious.

This life jacket has been designed in consultation with rescue training organisations responsible for training the emergency services. It can be customised with logos.

SPECIFICATION

60g (2.1oz) CO2 auto inflation cartridge Whistle and oral inflation tube Flexi-Light stick pocket fitted to the left side of jacket, please note Flexi-light is not included Adjustable crotch straps

*This item cannot be guaranteed to self right in all instances when unconscious user wearing heavy waterproofs or clothing. During tests it has been proved to self right in the vast majority of cases.

STOCK SIZES One/adjustable





Model (Chris) wearing the 275N life jacket fully inflated, watch the video at ndiver-rescue.com



Packed down size: H: 30cm (11.8") W: 18cm(7") D: 10cm(3.9")

SOLAS APPROVED 275N Twin Chamber Life Jacket







The 275N life jacket has two independent chambers, two UML automatic inflators with manual activation cords and an additional Halkey Roberts oral inflator. A waist strap and two crotch straps, all of which with quick-release buckles, secure the life jacket. A light beacon, buddy line and 4-way lash tab (for attaching objects) are also included.

SPECIFICATION

Red PVC outer shell, thickness of PVC: 0.5mm (0.2")

Weight of PVC: 630g (22.2oz) per sq/m Breaking strength is over 120kg (264lb)

Two UML automatic inflators
One Halkey-Roberts oral inflator

Rescue light

Buddy pouch with over 1m (3'3) of line

Harness loop

4-way lash tab (left side)

UTX signal whistle

Locator beacon window, 80x45mm (3.1"x1.8")

50mm (1.9") SOLAS certified reflective tape

316 stainless-steel adjuster

Lifting loop

Dual YKK® 25mm (1") quick burst zipper

Life jacket weight: 1.6kg (3.5lb)

Inflated LxWxH: 70x40x5cm (27.5" x 15.7" x 2")

Two independent bladders, urethane coated bladder

material for superior strength and durability Bladder fabric thickness: 0.3mm (0.01") Bladder weight: 280g (9.9oz) per sq/m

Quick release crotch straps with reflective detailing

STOCK SIZES

One/adjustable

Model (Dan Cottrell) shown with the 275N Twin Chamber life jacket fully inflated. View inflation of the jacket online at www.ndiver-rescuce.com

EN 12402-3

150N Manual and Automatic Life Jackets



150N AUTO

SPECIALIST BOUNDANT BOUNDANT SWATHERN ON VER

Our superior in-water performance jackets are highly visible when inflated. Available in two styles, manual and automatic, these classic life jackets are compact and comfortable for everyday use, suitable for swimmers and non-swimmers in both coastal and offshore waters, these jackets can be used in all weather conditions.

Choose which jacket is best for you.

The manual life jacket works by operation from the user, via a pull chord that fires a pin triggering the canister to inflate the life jacket. Users must be conscious to operate these jackets.

The automatic life jacket works with element in the inflation mechanism reacting with water and auto triggers the gas cartridge, which inflates the jackets air chambers. Perfect for unconscious casualties.


SPECIFICATIONS

Velcro closing burst jacket
Holds a 33g (1.2oz) CO2 inflation cylinder
Pea-less whistle and inflation tube
4-way lash tab located on the left
50mm (1.9") SOLAS certified reflective tape
Heavy duty harness belt
Integrated harness offers a 316 stainless steel buckle including a 'D ring' for attaching a life line
Compact & light weight design
Quick release crotch straps
Zipped pocket located on the left
Durable, long lasting outer cover

STOCK SIZES One/adjustable



LIFE JACKET SERVICING COURSES



We are authorised to service, maintain and repair various life jacket types.

We will inspect and pressure test your life jacket, replace out of date, faulty, or corroded parts and issue a service certificate.

All life jackets will undergo a rigorous inspection by a fully qualified technician to ensure it is fit for purpose and maximise its performance if needed in an emergency.

We advise life jackets should be serviced every 12 months by a qualified agent.

We offer servicing courses to groups and individuals, contact Craig McColl for course dates and prices +44 (0) 1257 25 69 34

Life Jacket.

Accessories



What is the difference between a life jacket and a buoyancy vest?

Buoyancy aids cannot be guaranteed to turn an unconscious body over and it will not

support your body in the water. Life jackets, if properly worn and in good condition, are designed to keep your airways clear of water, even if you are unconscious or injured.





ANNUAL SERVICE KIT

INCLUDES C02 CARTRIDGE

ANNUAL SERVICE KIT

WITHOUT C02 CARTRIDGE

RE-ARMING KIT

ONE SIZE



C02 CARTRIDGES

60g (2.1oz) and 33g (1.2oz) sizes



SPRAY HOOD

Designed to fit over your head and inflated life jacket to make you more visible and to reduce the amount of spray you inhale. Supplied in a storage pouch that attaches to the life jacket via Velcro fastener.

Hood size: one Pouch size:

120 x 120mm (4.7" x 4.7")









Standard switch block without bail indicator also available

OTS guardian full face mask

Designed to meet the demanding needs of today's Commercial/Professional Diver, it leverages the best features found on other FFMs with unique features designed by OTS.

The second stage regulator is horizontally mounted close to the diver's face. This design minimizes the difference in ambient pressure exerted on the second stage diaphragm and on the diver's body irrespective of the diver's position—eliminating the need for manual adjustments.

A locking mechanism secures the second stage to the mask to allow removal for post-dive cleaning and storage. As a safety precaution, the locking mechanism is located inside the mask to prevent accidental release during diving.

Another noteworthy design feature is the use of a double face seal. This allows a single mask to fit more faces. No more use of rubber tubing to fit smaller faces, measuring faces to order the right size FFM, or not being able to share masks amongst large and smaller faced divers.

OTS spectrum full face mask

The best of both worlds for divers. You can enjoy the benefits of a FFM while also using your own regulators, thus eliminating the large costs sometimes associated with Full Face Masks.

The Spectrum offers exceptional viewing and a wide field of vision. The Spectrum FFM is designed for water temperatures below 10°C and it's suitable for cold-water diving applications, however, please remember that ultimately the 2nd stage regulator being used dictates its cold water performance.

Tested to meet EN 250:20141 European Standards and has a maximum diving depth of 50m (164'). It's also been tested and meets EN12021 which is for diving applications with breathing air.

Switch block with bail out indicator

Ergonomically designed solution to a single point breathing system. The switch block was developed to allow the diver to switch from main cylinder to reserve with one handed easy action.

Once switched to the bail out cylinder, the LED light will protrude and illuminate. The luminous insert is also visible on the switch.

30 hour burn time (constant) on the light. When the battery gets low (1 hour remaining) the light will flash to indicate low battery. The LED light is very easily replaceable. The complete shaft unit is available as a spare part which is simply & quickly replaced by a circlip.



OTS EM-OTS2 Dual earphones & microphone

Designed to allow the user to connect either hard-wire or through-water communications to a helmet or full face mask (ffm).

Configured with Hot Mic® noise cancelling, salt-water resistant, pressure-resistant studio quality microphone



OTS MK-7 Buddyline 2-diver station

A compact, self-contained air intercom that gives clear communications in the 4-wire mode (round robin). Specifically designed for search & rescue teams to have an underwater communication device that required minimal set-up time



OTS SP-100D-2 2-Channel Station

The SP-100D2 uses state-of-the-art digital signal processing (DSP) circuitry to ensure great performance & clarity. It operates with all single side-band acoustic underwater devices within range & on the same frequency. Compact & operates on 16 AA alkaline batteries



OTS buddy phone Through-water transceivers

Excellent through-water communications in a compact, affordable platform. It includes voice menus via push-to talk button to control channel, volume, squelch & a patented Hot Mic® or Super Mic®



OTS ComBox 1-diver station

A compact, self-contained one diver air intercom, the ComBox allows clear 2-wire communications using a powerful 20-watt amplifier. With a rugged PTT control & "silver bullet" front speaker, the ComBox will deliver years of reliable service



OTS STX-101 4-Channel Station

The Aquacom® STX-101 surface transceiver is a 5-watt, multi-channel, single side-band underwater telephone designed with the professional search & rescue teams in mind. The STX-101 offers four channels that match the SSB-2010



OTS SSB-2010 4-channel diver unit

5 watt diver unit designed with professional search & rescue teams in mind. Standard features include: voice-operated transmitter, push-to-talk control, squelch, earphone volume, voice menu, removable transducer, & a heavy-duty design



OTS MK2 DCI 2-diver station

The versatile MK2-DCI provides one or two divers with clear communications in either 2-wire or 4-wire mode. In 4-wire mode, up to 6 divers can be 'stacked' & communicating with each other

We carry a full range of commercial diving equipment see our website for more information www.ndiver-commercial.com

Manta

SAR Helmets

High performance multi-role technical rescue helmet for the most demanding work environment, with the facility to fit a variety of accessories.

Used by many Fire, SAR, Coastguard, Ambulance and Rescue teams around the world.

There are 3 variants of the Manta available: MH/2, MH/3 & MH/4.

Conforms to:

EN 14052:2005 High performance safety helmet PAS 028:2002 Marine safety helmet FS/ATV1 Quad & ATV helmet EN 1384 Equestrian helmet EN 352-3:1997 Hearing protection EN 166:2002 Industrial eye protection EN 12492 Working at height / Mountaineering EN 397 (Flame Resistance) NFPA1951:2007 Protective ensembles for technical rescue NFPA1952:2010 Surface Water Operations Protective Clothing & Equipment, 2010 Edition ANSI Z89,1 Type 2 Class C American National Standard for Industrial Head

EN 16471:2014 fire fighters helmets for wildland fire fighting (MH/4 ONLY) EN 16473:2014 fire fighters helmets for technical rescue (MH/4 ONLY)

Meets US & Canadian Coastguard requirements

Features

Protection

Impact protection:

Crown=100 joules Side/Front/Rear = 90 joules Shell thickness: 3-6mm (0.1"- 0.2") Liner thickness: 18-22mm (0.7"- 0.9") Helmet weight: 550g (19.4oz) High impact ABS shell Available in up to 9 colours Removable ventilation covers (available in black or reflective) Good ventilation and airflow Internal retractable visor fitted Secure 4-point chin strap SOLAS approved reflective tape Easy lockable adjustment ratchet Head circumference: 52-62cm (20.4" - 24.4") Deluxe replaceable sweatband Easy attachment of accessories



Manta helmet uses:

Working at height Urban climbing Abseil & rope access Search and rescue Quad bike All terrain vehicles (ATV) **Ambulance** Emergency medical services (EMS) Water rescue and swift water rescue Powerboat, RIBS & hovercraft Confined space Chemical, bacteriological, radiological and nuclear environments Tactical assistance Snowmobile and jet ski Equestrian & animal rescue Industrial safety Forestry and wildfire fire fighting Maritime rescue Coastal border security Arboriculture





MH/4 MANTA

CUSTOM LOGOS AVAILABLE







MH/2 MANTA

COMPATIBLE WITH ALL MODELS

Manta Helmet Accessories



Ear defendersA compact, self-contained air intercom that



Integral visor Available in amber or clear



Half marine visor Made from strong clear thermoplastic



Full face marine visor For extra protection



Star helmet pad (self adhesive)
Used inside the helmet for added comfort



Basic nylon ratchet harness
Cost effective replacement sweatband



Deluxe ratchet harnessIncludes extra padding for added comfort



Clip torch mount Low profile mount for all your lighting needs



Helmet torch bracket Self adhesive backing



SOLAS reflective tapeHighly reflective for low light situations



Photo luminescent vent covers
Glows in the dark increasing the visibility



Coloured vent covers

Available in black, green, red and yellow

Safety Helmet.

ELEV8

A compact, durable and lightweight helmet, certified to EN 12492 (working at height). Inside the Ele V8's ABS outer shell there's an EPS foam lining and removable cushioning to keep you comfortable. Furthermore, ten ventilation points feature on the helmet, all of which are protected with mesh to prevent debris from entering. The vents also allow water to flow through the helmet when it's used in water.

The helmet's size can be quickly adjusted with the convenient twist mechanism at the rear, and the padded chin strap is also adjustable. Secures with a Fastex-style clasp.

The Elev8 is equipped with mounting points for ear defenders, a visor and a headlamp – all of which are available separately.

Durable ABS outer shell EPS foam inner lining Removable, washable cushioning Ventilation slots with mesh protection Twist action size adjustment system Adjustable, padded chin strap Branding and reflective panels available upon request Impact resistance: 100 joules (crown), 90 joules (sides, front/rear) Head circumference: 51-62cm (20"- 24.4")





Half visor - scratch and fog-resistant EN 166-2002, EN 14458-2004, ANSI Z87.1-2010



Ear defendersAttaches easily via helmet mounting points
Compatible with the EleV8 only





UNIVERSAL HELMET MOUNT



The mount fits most helmets
Compatible with a range of torches
Easy to assemble
Perfect for night time rescues

www.ndiver.com/universal-helmet-mount

Extreme Rescue.

Seahawk

Conforms to EN 1385:2012

All-round protection great for white and swift water rescue.

The split-mould injection process creates a very rigid shell and an ergonomic "negative draft" shape that follows the natural curves of the head, protecting the forehead and base of the cranium.

ABS plastic shell Extends to ears for added protection and stability Twist lock adjustment Lightweight

Colours: gloss red, white and orange, matte yellow and black Head circumference: 55-62cm (21.7"- 24.4")













BRANDING AVAILABLE ON ALL HELMETS - EXAMPLES BELOW





Above: Woodhead & Kinder Mountain Rescue Teams



Above: West Midlands Search & Rescue Team





Above: Buckinghamshire Search & Rescue Service



Above: Devon & Cornwall Police Service

Logo Your Helmets

We are able to add branding to our range of helmets.

We can specially design logos for you. A small fee will apply.

Reflective vinyl lettering or bespoke shaped panels can be applied. The following colours are available:


- Reflective blue
- Reflective silver/white
- Reflective red
- Reflective yellow

Other colours can be printed but would not be reflective.

Team logos in full colour can be printed and applied in any position on any helmet.

Do you feel the cold?

Use neoprene caps or hoods for that added bit of comfort and warmth.





2.0mm neoprene skull cap Superstretch neoprene Velcro closing chin strap low profile design for comfort Great for cold environments Sizes: S/M, L/XL





2.0 & 5.0mm comms hoods
Superstretch neoprene
Comms cables fixtures for a radio headset
Perforated ear pieces
Vents for pressure equalisation
Sizes: S, M, L, XL, XXL



4.0mm reversible hoods
Superstretch neoprene
Yellow high visibility for training purposes
Reverse to black for covert ops
Vents for pressure equalisation
Sizes: S, M, L, XL, XXL



6.0mm boating operations hoodsSuperstretch neoprene
Nose, mouth & ear vents allow for communication systems to be used
Vents for pressure equalisation
Sizes: S, M, L, XL, XXL



6.5mm skin/skin face seal hoods
Superstretch neoprene
Plush thermal inner layer
Smooth skin outer face seal
Ideal for use with full face masks
Vents for pressure equalisation
Sizes: S, M, L, XL, XXL



6.5mm supervent hoods
Superstretch neoprene
Plush thermal inner layer
MA heavy duty, anti Velcro outer lining for increased longevity
Vents for pressure equalisation
Sizes: S, M, L, XL, XXL

Series V4 Slim Style

Dry Glove Ring System 2020

Loss of movement or manual dexterity, due to cold hands, can be dangerous during a dive, as well as being uncomfortable for the diver. Maintaining hand warmth and a divers ability to efficiently operate their essential diving equipment, is vital to safe diving and maintaining a high level of dive comfort. Northern Diver are proud to manufacture and continue to innovate our revolutionary concept in dry diving glove systems.

Fitting this dry glove system to your own drysuit is easy, as the package includes the unique bespoke fitting tool, sealing adhesive and a sealing adhesive application brush.

Compatible with neoprene or membrane drysuits, using latex or neoprene wrist seals. Once fitted to a divers suit, the unique twin-safe locking ring mechanism, allows quick and easy glove engagement and the equally quick release of the dry gloves, without the need for assistance.

Gloves conform to the requirements of European Directive 89/686/EEC and to the European standards EN420:2003 + A1:2009 and EN374:2003, EN388:2003

[Ansell Extra™ glove]

Extremely high resistance to many ketones, salts, detergents, alcohols, alkalies and fats

100% cotton flock lining provides a softer more comfortable glove that helps absorb perspiration

100% natural rubber with no filters Excellent resistance to mechanical hazards plus increased chemical protection

Chlorinated for better grip and increased chemical resistance Heavy duty handling where sensitivity is also required

[Thermal fleece inner glove]

Thermal 4-way stretch fleece Flat lock stitched seams for comfort Snug fit around wrist area for additional thermal protection Removable for warmer waters or for

Removable for warmer waters or for use post dive

[Package includes]

Ansell Extra[™] gloves
Thermal fleece inner gloves
2 (smaller lightweight) glove modules
3 sealing rings
Locking tool
Adhesive sealant
Instructional video available online





The same unrivalled quality with a new streamlined design

Ring modules are half the size of their predecessor making them lightweight with less bulk and a more movement for the user.












Ansell Extra™ gloves

Fleece inner gloves

Dry glove rings

Suit seal



Sealing rings



Locking tool

Northern Diver's Dry Glove System is suitable for both arctic conditions & contaminated water environments.



S, M, L, XL

How to video: www.ndiver.com/dry-glove-ring-system-black

Warmth & comfort

Gloves designed for rescue scenarios











HEAVY DUTY NEOPRENE GLOVES

These gloves are manufactured from our unique 4-way superstretch neoprene and come with liquid taped seams and reinforced glass powder printing in high wear areas. The inside of the gloves are lined with a Ti-Ax[™] super-warm titanium inner lining. Additional high-grip silicone overprint texturing, super flexibility and comfort.

Sizes: S, M, L, XL, XXL









COMFORTABLE & WARM NEOPRENE GLOVES

These gloves are manufactured from our unique 4-way super-stretch neoprene. They are reported to be the easiest of all our gloves to put on and take off.

These gloves are available in 2.0mm, 5.0mm and 7.0mm neoprene. For warmer water or surface use, we recommend the 2.0mm option. Our 5.0mm and 7.0mm options are ideal for cooler conditions, where thicker gloves are essential. Even at top thickness, these gloves don't compromise dexterity.

Sizes: S, M, L, XL, XXL





NEOPRENE GLOVES WITH RUBBER MOLDED **PALM**

Our Stormforce gloves combine comfort and warmth. The palm area is constructed from a textured rubber which gives excellent grip and does not compromise on flexibility. Water migration is minimised with the addition of an elasticated hook and loop fastening wrist strap.

Sizes: S, M, L, XL, XXL





SEMI DRY GLOVES





5.0mm neoprene gloves suitable for a wide range of diving conditions where you want to keep your hands warm and your gloves securely in place for the duration of the dive.

Neotex wrist seals on the Arctic Survivor gloves form a 'water lock' system. This seal system ensures no flush from the gloves, keeping your hands warm.

The neoprene ensures a comfortable, close fit for optimal dexterity - in or out of the water. The textured finish on the palms gives additional support.

Sizes: S, M, L, XL, XXL

HEAVY DUTY SEMI DRY GLOVES





5.0mm neoprene gloves finished with liquid taped seams and a tough silicone over print for the more heavy duty user, the extra protection helps to provide a longer life-span.

Neotex wrist seals on the Arctic Survivor gloves form a 'water lock' system. This seal system ensures no flush from the gloves, keeping your hands warm.

Sizes: S, M, L, XL, XXL

DRYSKIN NEOPRENE GLOVES



A 5.0mm superstretch neoprene glove with an internal dry seal ring to keep water out and a thermal fleece internal liner. The liner improves the flexibility of the glove but also adds an efficient insulating layer that is quick drying and very smooth against the skin.

The internal dry seal ring keeps your hands drier for longer to keep them warm. Silicone printed palms add extra grip to hold onto things. External seams are sealed for protection to stop them from unpicking or coming loose.

Sizes: S, M, L, XL, XXL

GLOVES FOR ALL CONDITIONS





OPTIMUM





Our Optimum gloves are available in 3.0mm and 5.0mm options and feature a Ti-Ax® Thermacote® heat-reflecting lining. These gloves are manufactured from a high-grade polymer, with additional protective Diamondflex and our Super-Tack embossed palms and fingers for heightened control and grip.

A tight-fitting wrist seal is essential to minimise water migration, but it can make the glove difficult to pull on over your hand. Our Optimum gloves feature a wrist zip to allow the necessary expansion when required and select models feature a Velcro closing wrist strap to reduce flushing and keep you warm.

Sizes: S, M, L, XL, XXL

3D Shaped OPTIMUM Zipped Gloves

Available in: 5.0mm Temperate 3.0mm Tropical

Catering for both extremes of temperature without the loss of dexterity and warmth.

Sizes: S, M, L, XL, XXL



A moulded shape fit along with our Glideskin seal makes donning easy for the user. Factors complemented by the added security of a Long YKK® plastic zip with velcro closing zip tab.

With pre-bent fingers and anti-slip grip, the gloves perform really well. Super comfortable because of the pattern and the unique four-way stretch neoprene. Flat-locked stitched and triple glued seams ensure the durability and longevity of the glove is maximised to the fullest.









For more extreme conditions, these DuPont™ Kevlar® enhanced gloves give extra strength and protection, without compromising on hand comfort, ease of use or underwater hand dexterity.

The 3.0mm thickness option provides the ultimate combination of flexibility and luxurious superstretch neoprene comfort, with hard-wearing Kevlar® protection.

The 5.0mm thickness option, designed for more extreme conditions or colder environments, ideal when additional thermal protection is required, resulting in the ultimate hard-wearing commercial glove.

Sizes: S, M, L, XL, XXL

AMARA PALM NEOPRENE GLOVES





Designed specifically for rescue services. Manufactured from 2.0mm neoprene, with Amara suede on the palm and finger area, for an enhanced grip and the durability is improved further, with a double reinforced palm area.

The Veclro closure wrist system also enhances security and keeps flushing to a minimum, for added confidence and additional comfort.

Sizes: S, M, L, XL, XXL

AMARA PALM ZIPPED PADDED NEOPRENE GLOVES



A glove based on our original, very popular, amara palm SRE glove. This version includes a zip on the wrist for easier donning. Manufactured from 2.0mm neoprene the zipped SRE glove has the same amara palm and finger areas with the added features of padded panels that are overprinted for improved comfort, non-slip grip and abrasion protection.

The gloves include a super soft plush thermal lining ensuring you hands are warm and comfortable in any conditions.

Sizes: S, M, L, XL, XXL

NEOPRENE GLOVES








These neoprene gloves combine comfort, warmth and flexibility.

The palm, fingers and thumb feature a hard-wearing protective coating. Water migration is minimised with the addition of an elasticated Velcro wrist strap. Available in 3.0, 4.0 and 5.0mm.

Sizes: S, M, L, XL, XXL



Our latest design of water safety boot. Provides exceptional comfort, control, grip and protection in water and on land.

Featuring the Freelock fast lace system and wide opening makes the process of putting on the boots super quick.

Composite mid-sole and toe protection make the boots extremely lightweight and additional layers along the side of the boot keeps the foot securely in place. The lacing system is a super strong synthetic weave which will last the life of the boots. Layers along the front and sides of the boot help withstand knocks and sharp objects from puncturing or scraping the boots.

Build: synthetic leather, PU heel, mesh inner
Anti-static, oil resistant/slip resistant outsole
Double stitched seams for added strength
Lightweight composite mid-sole/toe protection
Penetration-resistant mid sole
Padded ankle collar for extra ankle protection
Reinforced PU outer heel cage
Freelock fast lace system
Low-profile to ensure no snag hazards
3 generous reinforced mesh drainage holes
Ventilated & moulded foot bed
Extra long pull on loop - easy use with gloves
Weight: 600g per boot

Sizes: UK 3-14 (US 4-15)





Freestyle Safety Water Rescue Boots

Provides comfort, control and protection, allowing rescue professionals to feel confident to perform their tasks on dry land or in/around water. Built using both synthetic and natural materials, which conform to EN ISO 20345:2011.

Lightweight, protected toe-caps S3 slip resistance Conform to the SB, S1 and S2 re

Conform to the SB, S1 and S2 requirements
High quality rubber EVA non-slip sole and composite toe
Exceptional grip on wet or unstable surfaces, moss, seaweed and many other hazardous surfaces
Impact resistant to 200 joules, antistatic and have water
absorption/water penetration properties
Energy absorption around the heel
Strengthened stitch seams for long term durability
Abrasion resistant with external heal protection
Wicked inner lining and drain holes on the inner side
Neoprene insoles provide extra comfort

Velcro closing straps for a quick release system

Sizes: UK 5-14 (US 6-15)











Rock swim safety boots

Complies with the EC directive for Personal Protective Equipment (Directive 89/686/EEC) and meets the requirements of the European standard EN ISO 20345:2004.

All terrain boots

Expels water through the side vents to increase comfort Allows wearer to perform tasks on dry land, in/under water Can be worn with/without socks

Fins can be directly fitted over the boots

Far greater protection than the standard rock swim boots, essential when more substantial PPE is required

Maximum comfort & control

Composite toe & mid-sole foil

Rugged hi-grip heavy-duty outer sole

Oil and chemical resistant

Suitable for use in/out of water (fitted with drain holes)

Multi-point Velcro securing straps

External ankle protection

Cladding protection on heel, toe & sides

Fabric: nylon and synthetics

Sizes: UK 5-13 (US 6-14)

Rock swim boots

Designed to be used with most models of drysuit, with attached latex or neoprene socks or material socks. These boots expel water post-dive, for additional foot protection (after diving) on a boat deck or back on land.

Offers the user excellent grip on boats & boarding ladders. Comfortable to wear for swimming and diving. Ideal for all terrains and our ISBO military fins are ideal to wear with these boots.

Suitable for use in/out of water

Lace up

Multi-point 'Velcro' securing straps & ankle strap

Fitted internal neoprene socks

Rugged hi-grip heavy-duty outer sole

Oil and chemical resistant

External ankle protection

Cladding protection on heel, toe & sides

Drainage points on both sides of the boot

Fabric: nylon and synthetics

Sizes: UK 5-13 (US 6-14)

ISBO fins have a large enough foot pocket making them compatible with the water rescue and rock swim boots.

Rescue essentials

Knives/tools (stainless steel and titanium)



MULTI TOOL/KNIFE

1 FREE WITH EVERY ORDER OVER £100/\$100

Developed with the emergency medical and rescue services in mind. The tools multi-functionality makes it indispensable for many of life's situations.

Tool length (closed) 115mm (4.5") Large blade, 78mm (3") length Phillips screwdriver, 28mm (1.1") length Window breaker, 5 x 25mm (0.2" x 0.9") F/head screwdriver, 5 x 30mm (0.5"x 1.9") Crate opener, 5 x 30mm (0.5"x 1.9") Cap/bottle opener, 2mm (0.08") Wire stripper, 2mm (0.08") Reamer/punch, 28mm (1.1") length Seat belt cutter, 88mm (3.5") length Tweezers, 40mm (1.6") length Toothpick, 42mm(1.7") length Disc saw for shatterproof glass, 82mm (3.2") length Luminescent yellow casing Nylon cord, 85mm (3.3") length Nylon pouch (Velcro closure)



FOLDING KNIFE

90mm (3.5") blade 316 Marine Stainless Steel ABS and poly PU coated handle for grip Line cutter and thumb opening slot Folds for safety when not in use Rear anchor point Available in yellow and black



KN48

70mm (2.8") twin edge stainless steel blade Serrated/sharp edge and line cutter 2.5mm (0.1") chisel point safety blade Protective hard plastic sheath Thumb-lock quick release system Comfort handle / rear anchor point Webbing, BCD, PFD, hose or rope attachments

KN-20 Stainless Steel Sharp Tip Knife



110mm (4.4") stainless steel blade 5mm (0.2") sharp tip Blade: serrated & sharp edges Built in line cutter Smooth cutting, light-weight, durable & strength-saving Includes rubber leg straps High quality plastic sheath protects knife Compact quick-release mechanism features a one-hand release Available colours: blue, yellow, grey, silver





SQUEEZE LOCK RESCUE KNIFE

75mm (3") blade length

Blunt tip safety blade
Blade: serrated and sharp edges
Built in line cutter
316 stainless steel blade construction
Easy squeeze secure locking system
Hard plastic yellow protective sheath
Compact and portable safety knife
Attaches to your BCD or PFD
Allows for quick emergency access



LDK RESCUE TITANIUM

75mm (3") titanium twin-edged blade 3.0mm (0.1") chisel point safety blade Protective hard plastic sheath Push button quick release catch Handle with rear anchor point Quick locate knife handle insert Variable width attachment system Bracket to attach 50mm (1.9") webbing

KN-42B Stainless Steel Blunt Tip Knife



120mm (4.75") stainless steel blade Blunt tip blade

Blade: serrated & sharp edges

Built in line cutter

Smooth cutting & lightweight

Durable & strength-saving

High quality plastic sheath to protect the knife, and rubber leg straps are included. Smart quick lock / release system on the sheath for diver easy operating.

Available colours: neon yellow, blue, black





KN167

78mm (3") twin edge blade
3.0mm (0.1") chisel point safety blade
Serrated/sharp edge and line cutter
Hard plastic protective sheath
Push button quick release system
Solid nylon comfort handle
Webbing, BCD or PFD attachment
Available in high-vis yellow or black



ALPHA TITANIUM

120mm (4.7") titanium blade Designed for the UK military Ideal general purpose knife Super sharp Lightweight Positive lock mechanism Black plastic hard-case sheath



KN166P

80mm (3.1") stainless steel serrated blade 2.5mm (0.1") curve point safety blade Single sided blade Solid nylon handle with rear strike Soft webbing protective sheath Comfort handle Rear anchor point



SCISSOR KNIFE

90mm (3.5") stainless steel blade Reduced risk of rusting Sharp tip blade with serrations 2 in 1 knife with scissor function Chromium plating on blades Compact quick-release sheath BC mounting kits are included



GK ELITE

176mm (6.9") stainless steel blade
Heavy duty commercial knife
Ultra sharp serrated edge
High impact luminescent sheath
Includes security shock cord
Stainless steel split D-rings
Twin aluminium carabiner clips give multiple
attachment options

BREAK GLASS EMERGENCY ESCAPE HAMMER





Sharp blade in the handle that cuts easily through seat belts.



Hardened steel pointed end designed to break the glass to aid escape. Double sided head shatters windows quickly/ easily, allowing safe, quick escape.

Black & Gold Range

Varilux LD Max Rechargeable, 1300-2600lm torch

This sleek new addition to the Varilux range is a great addition to your lighting range. The anodised aluminium body provides a tough exterior and the matt black finish makes the Varilux LD Max stand out from the rest of the range.

The 2600 lumens at full power is bright enough for the darkest of environments and depth tested to 100m (328'), this new torch is a great addition to any kit. The LD Max boasts a burn time of 3 hours on full power and 5 hours on the lower setting (1300 lumen).

The removable tail cap on the LD Max allows easy access to the charging point. Supplied with USB charging cable, it can be charged by connecting into a power adaptor, laptop or power bank.

Specification

Burn time: 3h-5h (2600lm-1300lm)

Beam distance: 300m (984')

Beam angle: 8°

Impact resistance: 1.5m (4'9) Depth rating: 100m (328') Material: Anodised aluminium

Colour: Black/gold LED: 1 x CREE XHP50.2 LED lifespan: 100,000 h Brightness: 2600 lumen

Color temp: Cold white light 6500K Mode: High / low / stepless dimming

with memory function

Battery: 2 x 26650 7.2V, 5000 mAh Switch design: Push-button switch Lens: 4mm (0.2") polycarbonate lens

Length x head dia.size: 232 x 54mm (9.1"x 2.1")

Weight

(torch): 305g (10.8oz)

(torch+batteries): 505g (17.8oz)

What's Included?

Varilux LD Max torch x1 26650 lithium-ion battery x2 USB charging cable x1 Spare O ring x3 Lanyard x1 Tail cap lubricant x 1 Hard storage case x 1 User manual x1















Black & Gold Range

Varilux Zoom Rechargeable, 1000lm, adjustable beam torch

Our new addition to the Northern Diver 'Black and Gold Range' is a fantastic option for all. A body sculpted from anodized aircraft aluminium, a magnetic push switch located on the tail cap and a depth rating of 100m (328') represents the thought behind the design to make this one of the toughest torches.

The three white light settings make the 'Varilux Zoom' a fantastic multipurpose torch. High (1000 Lumen), Flashing and an innovative 'Zoom' mechanism will allow you to alter the beam width by over 800% setting the Varilux Zoom apart from any other torch in the range.

A built in Samsung 18650 Battery will give you up to 10hrs burn time and allow you to charge directly, with no need to remove a battery.

Specification

Burn time: 2h-10h (1000lm-1000lm)
Beam distance: 1000m (3280')
Impact resistance: 0.5m (1'6)
Depth rating: 100m (328')
Material: Anodised aluminium

Colour: Black/gold LED: 1 x CREE XPL LED lifespan: 100,000 h Brightness: 1000 lumen Color temp: White light

Mode: High/flash/beam width adjust Battery: Samsung 18650 3.7V,

2600mAh

Switch design: Magnetic push switch

Lens: Convex PMMA lens

Length x head dia x tail dia size: 165 x 54 x 35mm (6.5" x 2.1" x 1.4") Handle bar length: 118mm (4.6")

Weight

(torch): 354g (12.5oz)

(torch and batteries): 840g (29.6oz)

What's Included?

Varilux Zoom torch x1
SamSung 18650 battery x 1 (built-in)
USB charging cable & wall plug x 1
Spare O-ring x 1
Lanyard x 1
Tail cap lubricant x 1
Hard storage case x 1
User manual x1

















Varilux 3500 Torch Rechargeable 200-3500 lumens Super powerful

The Varilux 3500's output is, you guessed it, an incredible 3500 lumens. This output is supplied by four CREE XM-L2 LEDs.

Output is varied with the top-mounted magnetic slide switch. You're good for one and a half hours of burn time on the highest setting and 40 hours on the lowest setting.

Just like the other torches in the Varilux family, the Varilux 3500 is manufactured from aircraft grade aluminium and is supplied with rechargeable batteries and a useful carry case.

Specification

Burn time: 1.5h - 40h (200lm-3500lm) Beam distance: 1000m (3280') Peak beam intensity: 90000cd

Impact resistance: 0.5m (1'6) Depth rating: 100m (328') Material: anodised aluminium

LED: 4x CREE XM-L2 LED lifespan: 100000 h Brightness: 3500 lumen Mode: High/dimming

Battery: 26650 3.7 V, 4000 mAh Switch design: magnetic slide switch

Lens: coated glass lens

Size: 217x69x130mm (8.5"x2.7"x5.1")

Weight:

(torch): 586g (20.7oz)

(torch+batteries): 772g (27.2oz (torch+battery+charger):924g (32.6oz)

What's included?

Varilux 3500 torch x 1 26650 battery x2 26650 battery charger x1 Spare O ring x3 Tail cap lubricant x1 Hard storage case x 1 User manual x1

Compatible with

Varilux wrist mount Universal helmet mount

















4x CREE XM-L2 LEDs



Magnetic sliding switch



Batteries removed from the bottom



Varilux Travel Torch Rechargeable 80-1000 lumens

The new Varilux Travel has an increased output, useful new features and the same car charging capability that made the original Varilux Travel so popular.

The Varilux Travel II R's output is controlled via a magnetic induction switch. Pressing once switches the light on at full power – 1000 lumens' worth. At this point, output can be gradually decreased by pressing and holding the switch. When the required output is reached, releasing the switch will maintain this output. Pressing once more switches the light off.

Specification

Burn time: 2h - 40h (80lm-1000lm) Beam distance: 1000m (3280') Peak beam intensity: 30000cd Impact resistance: 1m (3'3) Depth rating: 100m (328') Material: anodised aluminium

LED: 1x CREE XM-L2 LED lifespan: 100000 h Brightness: 1000 lumen Mode: High/dimming

Battery: 26650 3.7V, 4000 mAh Switch design: magnetic slide switch

Lens: coated glass lens Size: 161x45mm (6.3"x1.8")

Weight:

(torch): 232g (8.1oz)

(torch+batteries): 324g (11.4oz)

What's included?

Varilux travel torch x 1
26650 battery x1
Intelligent USB battery charger x1
Car adapter x1
Spare O ring x3
Tail cap lubricant x1
Hard storage case x 1
User manual x1

Compatible with

Varilux wrist mount Universal helmet mount





Travery (Service)

Full power

20% power remaining





Battery fits in tail cap

In car charging



Varilux Micro Torch Rechargeable 80-800 lumens

The new Varilux Micro is rechargeable and capable of producing 800 lumens for 1.5 hours. Being part of the Varilux family, the Varilux Micro R of course has a variable output, producing the lowest output of 80 lumens for 24 hours. Like other models in the range, output is varied via the top-mounted magnetic slide switch.

Producing much more power than its small and slim profile might suggest, you may wish to use this torch as either a backup or primary lighting source.

Specification

Burn time: 1.5h - 24h (80lm-800lm) Beam distance: 500m (1640') Peak beam intensity: 20000cd Impact resistance: 1m (3'3) Depth rating: 100m (328') Material: anodised aluminium

LED: 1x CREE XM-L2 LED lifespan: 100000 h Brightness: 800 lumen Mode: High/dimming

Battery: 18650 3.7V, 2200 mAh Switch design: magnetic slide switch

Lens: coated glass lens Size: 147x35mm (5.8"x1.4")

Weight:

(torch): 153g (5.4oz)

(torch+batteries): 197g (6.9oz)

What's included?

Varilux micro torch x 1 18650 battery x1 Intelligent USB battery charger x1 Spare O ring x3 Tail cap lubricant x1 Hard storage case x 1 User manual x1

Compatible with

Varilux wrist mount Universal helmet mount





Length: 147mm (5.8") Reflector: 35mm (1.4")





Left to right: lube, torch and charger



Intelligent USB battery charger



Variable magnetic slide switch







Mini quest powerful LED torch

Single 1W LED - 160 lumens output
Upgraded 'silent' strobe unit
Strobe visible up to 2 miles away
Continuous burn time of up to 6 hours
Depth tested to 50m (164')
Magnetic 'function' switch
One-piece impact resistant ABS body
Twin attachment points
Perfect emergency signalling device
Handy to attach to a BCD or keep in your
BCD pocket as a back-up torch
Twin anchor points (fit 32mm webbing)
Weight: 0.188kg (6.6oz)
Supplied with wrist lanyard
Requires 3 x AA batteries (not supplied)

Fusion X4 torch

Super high 310 lumens output
Natural daylight colour temp 5300K
8.5hr total continuous burn time
New optically enhanced reflector
Philips Lumileds T 3w Luxeon LED
Depth tested to 95m (311')
Tough poly carbonate body
Aluminium head
Protective rubber casing
Colour temperature of 5300K
Double O-ring seals
External magnetic on/off switch
Weight: 0.462kg (16.3oz)
4 x AA alkaline batteries (supplied)
Supplied with wrist lanyard

Mini quest powerful LED torch

230 lumens output
Powerful 'spot' beam
8.5hr total continuous burn time
Variable output technology
100% full power output for 3.5hrs, which
then gradually decreases over the remaining
NEW Philips Lumileds 3w Luxeon LED
Depth tested to 95 metres
Tough poly carbonate body with an
aluminium torch head
Double O-ring seals
Rear mounted magnetic on/off switch
Optional helmet mount
Weight: 0.327kg (11.5oz)
4 x AA alkaline batteries (supplied)










Simple push button operation Burn time: 1min-100hrs Brightness: 280lm-12lm 4 modes (s.high, high, mid, low) Beam distance: 120m (393') Impact distance: 1.5m-3m (4.9'-9'8) IPX7 rating CREE-XP-G2 LED light Flick down red diffuser Material - ABS Adjustable torch head Adjustable non-slip head strap Low battery warning light Integrated SOS whistle Weight: 0.232kg (8.2oz) 3x AA batteries





GLARE HEAD TORCH CAN BE USED WITH ANY OF OUR HELMETS

flexi-light

Northern Diver are constantly using feedback to enhance the evolution of our products, our new and improved Flexi-light stick is no different.

We have enhanced the prominence of the on/off switch to allow the user to more easily activate the light when wearing a thicker glove.

Operation

Press 1. On/constant. Low power

(40hr burn time)

Press 2. Constant. High power (22hr burn time)

Press 3. Flashing (42hr burn time)

Press 4. Off

Specifications

Output: 8 lumens

Visible distance: up to 3000m (9842')

Depth tested: 100m (328') Double sealed construction Flexible silicone body

5 colours + IR (wavelength: 625-635 NM)

RoHS Compliant Polyurethane Repeated use with on/off modes

A range of uses

Military: covert ops Rescue teams Underwater: diving

Outdoors: camping, dog walks, trekker/hikers

Optional fixtures:

Adhesive backed 3M[™] tape Adhesive backed 3M[™] foam 3M[™] hook Velcro backing

All light sticks can be used with the nylon Flexi-Light Clip (below)



www.flexiblelightsticks.com







Extendable carbon fibre

Lightweight reach poles

The reach poles provide a rapid, agile method to reach a conscious in-water casualty. The poles can equally be used to retrieve items from the water. The lightweight, durable carbon fibre make it easy to operate at such lengths. Pole sections cannot be fully separated, each section has a clamp that unlocks a section and enables easy adjustment for fast extraction and retraction. On the tip of the pole is an aluminium bayonet fitting for use with the poles quick-release accessories.

What lengths are available?

Extended: 4.5m (14'8), retracted: 1.6m (5'2)

Extended: 6m (19'7), retracted: 1.8m (5'9)

Extended: 9m (29'5), retracted: 2m (6'6)

Extended: 15m (49'2), retracted: 2.2m (7'2)

What is supplied with each reach pole?



TELESCOPIC REACH POLEWeight and dims vary with pole length chosen 4x pole length available (see above)



SHEPHERD'S CROOKDims: 33x17x3cm (13"x 6.7"x 1.2")
Weight: 0.38kg (0.84lb)



INFLATABLE BUOY Dims: 24.5x21x78cm (9.6"x 8.3"x 30.7") Weight: 0.7kg (1.54lb)



GRAPPLE HOOK Dims: 36x25x25cm (14.2"x 9.8"x 9.8") Weight: 0.95kg (2.09lb)



EXTENSION POLEDims: 41x3x3cm (16.1"x 1.9"x 1.9")
Weight: 0.18kg (0.39lb)



STORAGE BAGDims: 44x38x22cm (17.3"x 14.9"x 8.7")
Weight: 0.2kg (0.44lb)





Additional accessories available for use with our reach rescue poles



SEE BEYOND YOUR SCOPE

With our range of reach poles & camera attachment.



GO PRO ATTACHMENT

Dims: 10.5x5x3.5cm (4.1"x 1.9"x 1.4") Weight: 0.09kg (0.19lb) Note: camera not included



WATER RESCUE JAWS

Dims closed: 38x70x9cm (14.9"x 27.6"x 3.5")

Dims open: 109x70x9cm (42.9"x 27.6"x 3.5"), weight: 1.1kg (2.43lb)



NET ATTACHMENT

Dims: 6x3x3cm (2.4"x 1.2"x 1.2")
Weight: 0.1kg (0.22lb), rubber adaptor & net not included



NARROW HOOK Dims: 38x19x3cm (14.9"x 7.5"x 1.2") Weight: 0.3kg (0.66lbs)



REPLACEMENT BUOY
Dims: 24.5x21x78cm (9.6"x 8.3"x 30.7")
Weight: 0.7kg (1.54lb)



REPLACEMENT EXT- POLEDims: 41x3x3cm (16.1"x 1.9"x 1.9")
Weight: 0.18kg (0.39lb)



REPLACEMENT STORAGE BAGDims: 44x38x22cm (17.3"x 14.9"x 8.7")
Weight: 0.2kg (0.44lb)

Lightweight and highly visible

Floating wading poles

Our rescue wading poles are compact, robust and lightweight. Produced to the highest standard and sealed with a protective coating to protect against the elements. The base of our wading poles are fitted with a weighted non-slip foot which is designed to provide good grip in the water.

Yellow 1.6m (5'2) wading pole

Moulded hand grip at the top Construction: fibre glass tubing

Non-slip foot

Weight: 0.8kg (1.76lb)

Orange 1.8m (5'9) wading pole

T-bar top handle Lower hand grip (L 30cm/11'8) Construction: fibre glass tubing Non-slip rubber stopper Weight: 0.6kg (1.32lb)


Orange 1.8m (5'9) Telescopic wading pole

Adjustable via the clamp closure Top/bottom pole do not separate T-bar top handle Lower hand grip (L 30cm/11'8) Construction: fibre glass tubing Non-slip nylon rubber stopper Weight 0.7kg (1.54lb)

Reflective depth markers

These can be added in-house by our creative team, any depth marking can be applied. You must request these a order stage.

*Additional fee may apply





Travel dive bags

A range of wheeled and lightweight holdalls



Voyager Cabin

Ideal for Ryan air and other low cost airlines Complete with smooth roll wheels and telescopic handle

Ripstop nylon fabric

Top-mounted 'comfort' carry handle

Metallic red two stage telescopic handle and four smooth wheels

Shoulder strap - attaches to either side of the bag

Generous main compartment with tablet pocket

Northern diver tablet case included

Velcro closing documents side pockets

Discreet back zipped pocket - perfect for passport and wallet

Boarding pass pouch on the rear

Plastic clip inside to attach the security gels and cosmetics bag

LxWxH: 20x38x54cm (7.9" x14.9"x 21.2")

Volume: 40L, weight: 3kg (6.1lb)

Includes: tablet case, airport friendly liquids bag and luggage tag





Voyager Quest and Maxi Quest

Clamshell opening travel bags with rugged all terrain wheels

Ultra-durable Cordura® and ripstop nylon fabrics Top-mounted 'comfort' carry handle Extra-reinforced lockable telescopic pull handle Zipped top fin compartment Zipped side and end pocket

Zipped side and end pocket
Rigid heavy duty PVC curved base
Two heavy duty wheels
Wheel and corner quards

Includes: wash bag and luggage tag



LxWxH: 72x36x44cm (28.3"x 14.2" x17.3") Volume: 114L, weight: 5.4kg (11.9lb)



Length: 81cm, width: 39cm, height: 44cm Volume: 139L, weight: 6.1kg (13.4lb)







With handy 'trunkie' tow handle and smooth roll wheels





Top-mounted carry handle
Handles at both ends
Removable tow strap
Protective PVC base
Plastic runners on base
Wheel and corner guards
Two zipped compartments
One large main and one small end pocket
ID card window
Includes: wash bag

Lightweight

LxWxH: 81x40x42cm (31.9"x 15.7"x 16.5") Volume: 136L, weight: 3.5kg (7.7lb)

Ripstop nylon fabric



LxWxH: 81x40x42cm (31.9"x 15.7"x 16.5") Volume: 136L, weight: 4.1kg (9.0lb) Washable hard-duty PVC fabric





NDB5.

160L & 110L Military Holdalls

Our NDB5 bag range is constructed from PVC top spec material and is fully washable inside and out.

This strong and spacious holdall is ready for action across a wide range of transport scenarios. It's capacity should swallow up your bulky gear with ease.

These bags are renowned for their robust construction and durability making them the first choice for countless divers all over the world and are also supplied to the UK MOD who only use the best.

Spacious main compartment D-zip opening with a weather protective zipper flap Internal mesh pockets Additional reinforcement on the base Comfortable top-mounted handle Four compression straps Webbing loops running down both sides of the bag - can be used with a carabiner or similar to attach items Adjustable and removable alpine-cut shoulder straps with an ergonomic fit Twin haul handles on either end Washable inside and out Inner zipped nylon bag included Optional roll up changing mat* Available in blue, black and red Two size options 160L & 110L

Capacity: 160L (NDB5)

LxWxH

97x45x37cm (38.2"x 17.7"x 14.6")

Weight: 3.5kg (7.7lb)

Capacity: 110L (NDB5-S)

LxWxH

70x45x37cm (27.5"x 17.7"x 14.6")

Weight: 3kg (6.1lb)

Available in blue, red and black.



Inner dry clothes bag above is supplied with every NDB5 bag. LxWxH 55x38x20cm (21.7"x 14.9"x 7/9")



NDB5.

45L Mini Holdall

Our mini is constructed from a highly visible ripstop nylon material with reflective silver trim.

D-zip opening with a weather protective zipper flap Internal mesh pockets
Comfortable top-mounted handle
Webbing loops running down both sides of the bag – can be used with a carabiner or similar to attach items
Adjustable alpine-cut shoulder strap for use on the left or right
Twin haul handles on either end
Available in orange/silver

LxWxH

50x29x25cm (19.7"x 11.4"x 9.8")

Capacity: 45L Weight: 0.8kg (1.8lb)



Wash bag included





Strap can be easily stored away



Quick release removable strap

WE CAN LOGO YOUR BAGS - CONTACT US TO DISCUSS DESIGNS



80L NDB10 Scuba Holdall

Designed for military use Hard-wearing Cordura® Large capacity main pocket Separate end pocket Additional fin pocket Heavy duty top carry handle Padded shoulder strap Corrosion resistant zips Length 73cm (28.7") Width 30cm (11.8") Height 34cm (13.4") Capacity: 80L Weight: 1.5kg (3.3lb)



80L Lightweight Mesh Holdall

Compact and durable
Padded air mesh walls
Quick drying time
Front sleeve/pocket
Easy to travel with/carry
Padded carry handles
D-rings for shoulder strap
Corrosion resistant zips

Length 74cm (29.1") Width 34cm (13.4") Height 32cm (12.6") Capacity: 80L Weight: 1kg (2.2lb)

100% dry welded lightweight bags

Airtight and watertight range

DRY SEAL ROLL TOP BAGS

Dry seal bags are sure to keep your kit safe and dry - designed for anything from recreational to rescue to military use.

Manufactured from a strong, high quality 420D TPU Durable, flexible and available in colours red and black Other colours may be available to order upon request Secure 100% watertight closure

The dry seal creates a vacuum like seal that will not let water in Simply press the dry seal together for an extremely strong closure Users are advised not to force the bags open as they have a very tight, completely leak-proof closure, incorrect opening could compromise the seal Fitted with an air purge valve to help compress kit inside a Supplied with an adjustable removable shoulder strap Quick release buckles and high quality plastic D-rings

HxWxD: 103x37x37cm (40.6"x 14.6"x 14.6"), weight: 1.2kg (2.6lb) 120L HxWxD: 76x28x28cm (29.9"x 11"x 11"), weight: 0.8kg (1.8lb) 50L 20L HxWxD: 60x23x23cm (23.6"x 9"x 9"), weight: 0.6kg (1.3lb) 10L HxWxD: 48x18x18cm (18.9"x 7"x 7"), weight: 0.5kg (1.1lb)

50L



DRY SEAL CLOSURE

Grip the bag seal with both hands, inserting thumbs through the grip tabs



Squeeze and kink the seal into both hands and create an ''S" shape



The bag will unseal automatically if you use the points above correctly



ROLL TOP DRY BAGS

Heavy-duty PVC Roll-top quick release buckle system Securely close and seal Convenient carry handle Keeps the water out or in (for wet items) 12L is perfect for stowing inside a canoe/kayak 51l and 117L include a detachable shoulder strap to assist with transporting a heavier load. Available in 3 sizes and 4 colours

120L

117L HxWxD: 75x38x38cm (29.5"x 15"x15")

Weight: 0.7kg (1.54lb)

51L HxWxD: 54x30x30cm (21.6"x 11.8"x 11.8")

Weight: 0.4kg (0.88lb)

12L HxWxD: 35x20x20cm (13.8"x 7.9"x 7.9")

Weight: 0.2kg (0.44lb)

All bags can have your logo printed, you can see print examples (right). Left to right: Surrey Search & Rescue Team, BARB SAR & Project Yatching.



Fully Dry Roll Top Holdall 90L Subsac

Manufactured from the same strong black 420D TPU that our latest dry bag range is made from. This roll top holdall holds an incredible 90L and is fitted with the same 100% water/air tight dry seal. Completely leak proof this bag will not fail you in any scenario.

Fitted with an air purge valve to help compress your kit and supplied with adjustable alpine-cut shoulder straps which have built in quick release buckles for when you want to remove and store straps away.

Designed with one large spacious compartment to fill with your kit and fitted with multiple compression straps to reduce the size of the bag when needed. Also featuring high quality plastic D-rings and webbing loops that run down either side of the bag can be used with a carabiner or similar to attach your equipment.

All bags can be customised to suit the user with name and/or logos. You must contact the team to discuss these requirements.

Capacity: 90L Height: 75cm (29.5") Width: 40cm (15.7") Depth: 30cm (11.8") Weight: 1.7kg (3.74lb)







Fully Dry Roll Top Rucksack 78L Voyager

Manufactured from a very heavy duty PVC backed Cordura® material, for excellent abrasion resistance. Bag also has a fully washable interior.

Features a roll-down top to keep the water out. The bag also keeps the water in if you are transporting wet items.

Includes a four-point compression strap system to reduce the height (if the bag is not filled to capacity).

Easy carrying, using the attached padded and adjustable rucksack straps or the top mounted webbing handle. Can be fitted with inflation and exhaust valves.

Dry bag on the left shows an example of a printed, full colour logo for CMI Services.

Capacity: 78L

LxHxW: 26x75x40cm (10.2"x 29.5"x 15.7")

Weight: 0.7kg (1.54lb)





100% dry and waterproof

Zipped welded rucksacks

60L Zipped Daysack

A large watertight and airtight bag weighing only 880g (1.94lb). The dry bag is manufactured from 500 denier PVC and has welded seams for extra reinforcement. The YKK® high compression dry zip is protected with PU tape.

The bag has adjustable, padded shoulder straps and is load tested to 100kg (220lb), including the lift strap between the shoulder straps. Can be fitted with inflation and exhaust valves.

Capacity: 60L

LxHxW: 24x62x39cm (9.4"x 24.4"x 15.3")

Weight: 0.85kg (1.87lb)





Fully Welded Zipped Dry Bags

With MOLLE Systems

A watertight, airtight and lightweight bag with integrated MOLLE system. Manufactured from a black nylon TPU CN and has welded seams for extra reinforcement.

The bags have adjustable, padded shoulder straps and are load tested to 100kg (220lb). Fitted with compression straps, 50mm (2") plastic d-rings, reinforced corners and an inflation/deflation tube (lockable to prevent accidental deflation).

Designed with MOLLE system panels welded to the front and sides, making it easy for users to effortlessly attach any MOLLE compatible bag or equipment to it.

Our Utility pouch (shown right) is a perfect example of kit or equipment that can be easily attached to the bags. The 25mm (1") webbing straps, with press stud closure, on the back of the utility dry bag are specially designed for effortless attachment to any MOLLE compatible dry bag.

Custom branding is available in reflective or full colour, contact us to discuss.



*MOLLE System (Modular Lightweight Load-carrying Equipment).




Depth: 23cm (9") Weight: 1.6kg (3.5lb) Colours: black

Dry bag branded for Mauritius Fire & Rescue Service

R.A.I.

CASES

Robust Airtight IP67 Dustproof



High performance against breakage and defects from outdoor use with a lifetime guarantee!



3 LITRE R.A.I.D CASE

CODE: CASE-RAID-3L-191213 LxWxD: 219*183*154mm (8.62"*7.2"*6.06") WEIGHT: 1.1kg (2.46lb)



6.5 LITRE R.A.I.D CASE

CODE: CASE-RAID-6.5L-231815 LxWxD: 270*231*185mm (10.63**9.09**7.28*) WEIGHT: 1.4kg (3.09lb)



15 LITRE R.A.I.D CASE

CODE: CASE-RAID-15L-433015 LxWxD: 450*340*160mm (17.2"*13.3"*6.2") WEIGHT: 2.2kg (4.85lb)



17.9 LITRE R.A.I.D CASE

CODE: CASE-RAID-17.9L-382718 LxWxD: 410*342*204mm (16.14"*13.46"*8.03") WEIGHT: 3.98kg (8.77lb)



35.5 LITRE R.A.I.D CASE

CODE: CASE-RAID-35.5L-483720 LxWxD: 520*431*236.5mm (20.47'*16.96"*9.31") WEIGHT: 6.5kg (14.33lb)

84 LITRE R.A.I.D CASE

CODE: CASE-RAID-84-584433 LxWxD: 670*508*355mm(26.38"*20"*13.98")

WEIGHT: 10.92kg(24.07lb)

113 LITRE R.A.I.D CASE

CODE: CASE-RAID-113L-764830 LxWxD: 830*566*325mm (33.5"*21.89"*12.95") WEIGHT: 12kg (26.46lb)



154 LITRE R.A.I.D CASE

CODE: CASE-RAID-154L-764840 LxWxD: 851*556*429mm (33.5"*21.89"*16.89") WEIGHT: 16.67kg (36.75lb)

More information available online for each R.A.I.D case. Visit www.raidcase.com





Rapid first aid response

Medical range of bags and equipment



75L Medical Backpack

Designed to carry medical equipment Capable of carrying a gas cylinder Manufactured from heavy duty top span PVC Secured with an arched zip Top-mounted carry handle Adjustable, padded shoulder straps Waist strap for extra stability and weight distribution Bright red in colour with reflective taping

Supplied with:

4x removable medical equipment bags (two small, one medium, one large), 1x removable gas cylinder bag (for use with 5L cylinder or smaller) and a rescue encapsulated panel, 300x100mm (11.8"x 3.9") Main compartment:

HxWxD: 57x44x25cm (22.4"x 17.3"x 9.8")

Front pocket:

HxWxD: 45x30x9cm (17.7"x 11.8"x 3.5") Volume: 75L, weight: 1.2kg (2.64lb)







46L Responder Sport

Tough and practical backpack, offering flexibility to organise kit and providing easy access in emergencies.

Green top span PVC, water resistant/wipe clean Transparent pocket for interchangeable panels Dual front pocket

Clamshell opening for fast, easy access Lined with quilted diamond velvet nylon

2 Velcro padded cylinder protectors

4 zipped removable internal compartments HD splash proof zips with 'easy grab' zip pullers Comfort carry handles and adjustable shoulder straps Moulded back support padding for comfort

Reflective safety strips and piping

Main compartment:

HxWxD: 58x40x20cm (22.8"x 15.7"x 7.9")

Front pocket:

HxWxD: 35x32x5cm (13.8"x 12.6"x 2") Volume: 46L, weight: 1.5kg (3.3lb)









23L Professional Responder

Organises kit and gives easy access in an emergency.

Green top span PVC, water resistant and wipe clean Transparent pocket on front for interchangeable panels Clamshell opening for fast, easy access Lined with quilted diamond velvet nylon Velcro close padded cylinder protector fitted 3 zipped removable internal compartments Heavy duty splash proof zips Comfortable carry handles on both the top and side Adjustable shoulder straps Moulded back support padding for added comfort Reflective safety strips and piping

HxWxD: 60x32x12cm (23.6"x 12.6"x 4.7") Volume: 23L, weight: 1kg (2.2lb)

MEDICAL RESCUE

Metalux 200g casualty bag





This Metalux casualty care bag has been developed for use in the harshest of conditions. Perfect for air ambulance, mountain rescue and search and rescue.



Designed & developed for Yorkshire Air Ambulance

If this bag was to be saturated in water it would still keep its thermal properties and keep the casualty warm.





This casualty bag has been designed to meet the specifications of the Yorkshire Air Ambulance.

Construction

Outside bag: black Metalux 200gsm Internal build: synthetic resinous wadding & tin foil thermal film Inside bag: red thermal soft fleece Fixed 8mm neoprene mat built in High wear nylon base

Other features

Lightweight

Comfortable and warm for casualties 6x 2 way plastic zippers for quick and easy access to all parts of the bag 8x neoprene padded carry handles built into bags base for extra strength 10x elasticated compression straps Circular drawstring panel to keep casualties head/neck fully insulated Mesh documents pocket with Velcro closure, dims approx 350mm x 295mm Machine washable Easy to roll up and stow away Carry handle on top

Rolled dimensions, LxWxH:
70x30x25cm (27.5"x 11.8"x 9.8")
Weight: 4.5kg (9.9lb)
TOG rating: 4.3
200gsm thermal tin foil film inner build

Team branding can be added for an extra fee please contact us for details.





Body Recovery Training Manikin

Ideal for Police dive teams training to recover bodies from inland waterways and from under ice. A variant of the Man Overboard manikin but is designed to sink instead of float. Extensively used by Police Forces and Fire Services across the UK, USA Coastguard.

The tough nylon mesh carcass allows the water to penetrate quickly when submerged and drain on recovery. Strong webbing loop at the back allows easy handling, storage and suspension for drying. Realistic facial features and wig enable identification by touch in poor visibility.



Conscious Casualty Training Manikin

This manikin was designed in consultation with Surf Life Saving Australia as a water rescue dummy for IRB Racing, IRB driver training and tube rescue practice. It is also suitable for jet ski rescue training and other general water rescue scenarios. Extensively used by Surf Life Saving Australia and IRM Racing Teams.

Arms are built aloft to simulate a live volunteer. Bright orange overalls and SOLAS reflective tape on the head make this manikin highly visible in open water. Durable PVC sleeves on the lower leg to reduce drag during extraction and strips running from the shoulders to knees allow flexibility in and out of water but prevent the manikin from being too 'floppy'.



Man Overboard Training Manikin

Ideal for man overboard search and rescue exercises in the open ocean, streams, lakes or other inland waterways. Extensively used by UK Ministry of Defence Army and Navy. RNLI (Royal National Lifeboat Institution). All UK Fire & Rescue Services, Offshore operators, Coastguards & Lifeguards, Inland Water Rescue Teams, Shipping & Fishing industries.

Floats horizontally, vertically or at 45 degrees, to simulate a live person or dead body – achieved by redistributing foam pieces within the overalls in a matter of seconds. The tough nylon mesh carcass allows the water to penetrate quickly, allowing the legs to drop beneath the surface, leaving only the head and shoulders visible, if desired.



Search & Rescue Training Manikin

Designed for man overboard search and rescue exercises in the open ocean, streams, lakes or other inland waterways. Extensively used by Police and police dive teams, Royal Navy, Offshore operators, Coastguards & Lifeguards, Inland Water Rescue Teams, Shipping & Fishing industries.

Similar to the Man Overboard manikin, but with black overalls and mesh hood to reduce visibility. Floats horizontally, vertically or at 45 degrees, to simulate a live person or dead body – achieved by redistributing foam pieces within the overalls in a matter of seconds. Comes complete with overalls, boots and mesh hood.





Throw bags contain a length of specialist rope and can be thrown out to an in-water casualty so that they can be pulled to safety if they are conscious and able to assist.

Useful in swift water rescue situations as they can be thrown into the water ahead of the moving casualty. The bags are often attached to the rescuer's personal protective equipment for quick access.

Available with 15m (49'), 20m (65'), 25m (82') & 30m (98') rope lengths, these throw bags feature a reflective floating safety line that has a continuous stranded polypropylene core which provides flotation to the wear-resistant braided nylon sheath as well as reflective bands on the outside of the bag, making it particularly useful in poor visibility/at night.

All the sizes of our throw bags are supplied complete with the nylon webbing guide belt (also available to buy separately), for use with the integrated guide belt webbing loops on the bags.



A quick release waist belt worn for carrying throw bag lines. It features a double ended quick release strap for attaching a throw bag, meaning easy access to throw lines whether left or right handed, and a large quick release front buckle.

Storage bag:

Ripstop Cordura® nylon Drawstring neck closure Mesh draining base Rapid drying time High visibility reflective bands Great for use at night Quick-clip attachment point

15m (49')

L: 27cm (10.6") D: 11cm (4.3") W: 0.7kg (1.54lb)

20m (65')

L: 35cm (13.8") D: 11cm (4.3") W: 0.9kg (1.98lb)

8mm (0.3") reflective technical floating polypropylene line:

Load tested to 900kg (1984lb)
High resistance to rotting/ mildrew
Braided sheath over the main load
bearing core, sheath provides up to 25%
of ropes strength, absorbs most abrasion
and protects the load-bearing core

25m (82')

L:38cm (14.9") D: 11cm (4.3") W: 1.1kg (2.42lb) **30m (98')** L: 40cm (15.7")

D: 11cm (4.3") W: 1.2kg (2.64lb)

60m (196'), 100m (328'), & 200m (656') rope

Rescue back packs with floating line







60m (196') & 100m (328') backpack With 10mm (0.4") reflective floating line

Storage bag:

Ripstop Cordura® nylon
Yellow/black bag for 60m (196') line
Blue/black bag for 100m (328') line
Drawstring neck closure allows for easy access to contents
Quick-clip line attachment point
High visibility reflective bands
Reflective piping stitched in seams
Fully adjustable padded rucksack carrying straps
Internal stainless steel D-ring
D-ring can be used as attachment point for rope
Removed/use rope on its own
Safety label printed on the bag

Rope:

60m (196') or 100m (328') lengths
Load tested to 900kg (1984lb)
Floats in water
High resistance to rotting/ mildrew
Braided sheath over the main load bearing core
Sheath provides up to 25% of the ropes strength, absorbs most

of the abrasion and protects the load-bearing core

10mm (0.4") reflective technical floating polypropylene line



100m (328') technical backpack With 10mm (0.4") floating canyon line

Storage bag:

Ripstop Cordura® nylon
Drawstring neck closure allows for easy access to contents
Quickclip line attachment point
High visibility reflective bands
Reflective piping stitched in seams
Fully adjustable padded rucksack carrying straps

Interior stainless steel D-ring can be used as attachment point for rope

Removed/use rope on its own Safety label printed on the bag

Rope:

100m (328') of 10mm (0.4") technical floating HUMWPE rope: Load tested to 4000kg (8818lb) Floats in water / self-lubricating High resistance to chemicals, water and ultraviolet light Excellent vibration damping Highly resistant to flex fatigue Low coefficient of friction Good resistance to abrasion Minimal absorption of water Great abrasion resistance



200m (656') backpack With 8.5mm (0.3") reflective floating line

Storage bag:

Ripstop Cordura® nylon

Drawstring neck closure allows for easy access to contents

Quickclip line attachment point

High visibility reflective bands

Reflective piping stitched in seams

Fully adjustable padded rucksack carrying straps

Interior stainless steel D-ring can be used as attachment point for rope

Removed/use rope on its own

Safety label printed on the bag

Rope:

200m (656') of 8.5mm (0.3") reflective technical floating polypropylene line

Load tested to 900kg (1984lb)

Floats in water/ high resistance to rotting/ mildrew

Braided sheath over the main load bearing core

Sheath provides up to 25% of the ropes strength, absorbs most of the abrasion and protects the load-bearing core





Rope on a reel

Any rope Northern Diver supply can most likely be sold on a reel or drum to a length of your choice. **Contact to discuss.**



Pro Throw Bags Supplied with reflective line



We have a new throw bag in development.

Built in throwing handle

Dependable and tough

Polyethylene-sheathed grab loop makes it super quick and easy to hook on a carabiner

Conical shaped bag, extra wide opening, accurate throws and easy repacking

Internal flotation and floating rescue rope keep the bag on top of the water

High vis colour so it can be easily seen



Photo credit: Shoreham by sea, The Adur Centre, various rescue teams



Photo credit: Shoreham by sea, The Adur Centre, various rescue teams



Photo credit: Lancashire Fire & Rescue Service



Photo credit: Warwickshire Fire & Rescue Service



Our inflatable brand was established by the founder of Northern Diver over 30 years ago under the name Osprey. Development began at Northern Diver's Appley Bridge factory when 2500+ inflatable boats were produced in the UK and sold worldwide.

Good design and quality manufacture have always been a hallmark of the Northern Diver brand and soon became equally associated with the inflatable equipment we produced due to our expertise in the specialist rescue, commercial and military sectors.

It's from this heritage that we continue to offer our ever growing range of inflatable equipment from leisure and performance to commercial and lightweight series.

We have an inflatable to suit your every possible need and if you can't find it we will look to create it for you.

WHY CHOOSE AN SRE INFLATABLE?

Safe/effective in rescue operations
Rapid-deployment for rescuers
Easy to recover a man overboard
Highly manoeuvrable
Efficient in shallow waters
Fast inflation system
Floor options, removable or light (boats)
Large buoyancy tubes
Safe and stable
Heavy duty and lightweight
Easy to fold and to carry
Transportable by a two men crew
Easy maintenance
Fully equipped to deploy in the field

Over 200 organisations across the UK and overseas use our Specialist Rescue Equipment - including over 95% of the UK's fire services.

You can rely on SRE inflatable equipment

Obtain incomparable style with SRE inflatables. Easy to stow, our compact inflatable equipment can more than hold their own against competitor models. Their ability to plane at full capacity makes these crafts equally comfortable for crew and passengers. They're highly manoeuvrable and efficient even in shallow waters.

Competitively priced, you're sure to find a great inflatable option for you from our range. They're heavy duty but surprisingly lightweight as well as being easy to maintain and inflate. Their fast inflation is why they're easy to rapidly deploy in rescue operations.

Built with safety in mind, our inflatable equipment offers outstanding life spans for their owners. The large diameter tubes provide buoyancy and improved stability, and our range is CE approved. Every inflatable is designed and built to the highest standards of efficiency and safety, and your chosen model will be reassuringly safe, seaworthy, buoyant and stable.

Our inflatable equipment is proven to be safe and effective on the water. Professionals expect and demand top performance, quality and reliability, that's why they chose specialist rescue equipment (SRE) by Northern Diver.

Made to last - ISO 9001 quality


WHY PVC? Modern polymers, which make up what is generally called PVC, is totally different from what is imagined. During testing in arctic Russia at -30°C our boats and rafts performed perfectly. Testing at the other extreme, +45°C, in the heat of summer again resulted in no problems. Please note we would suggest to cover the craft up when not in use. Direct sunlight in the long term will degrade any polymer.

From factory to you, we control and monitor quality to ensure you get quality, in build and design. We use the best available technology and materials in inflatable's, using either Double Walled Fabric (DWF) Hypalon or PVC, to ensure a quality end product.

This provides you with a craft that is virtually unaffected by weather, even the excesses of heat, cold or humidity. The make up of the design also protects against, fuel, oil, strong sunlight and everyday abrasion.

The use of the DWF construction method means we eradicate pin-holes, cracks and surface air-bubbles on all inflatable floors.

Also, Double Walled Fabric (DWF) means our inflatable equipment is more air tight and can withstand a higher maximum air pressure to allow us to use it on any kind of model. Our passion for quality further extends to our top quality components and additional parts.



Leisure Boat Series

Combine style, performance, and functionality

Made from PVC fabric, the Leisure Series boats are lightweight and give guaranteed flexibility and reliability in all-weather conditions.









Accessories included: both the Navajo and the Apache boats come with paddles, paddle holders, oar locks, maintenance kit, double action pump and storage bag.

3.2m (10'4) Navajo Inflatable with Aluminium floor and inflatable keel

With a maximum capacity of 4 on 2 benches, the Navajo is a small but mighty option for a range of applications.

Spec Details	3.2m (10'4) Navajo
Max. loading	4 persons, 650kg (1433lb)
Outer dims	L: 3.2m (10'4), W: 1.52m (5'0)
Internal width	700mm (27.6")
Tube dia.	410mm (16.1")
Aluminium floor	4 folding panels (15kg/33lb)
Weight	47kg/103lb (inflatable only)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+1, life lines, 2 benches
Reccomended outboard	15HP Max. or Electric
Colours	Grey with blue trim
Reinforced rubbing strakes	Boat tubes + underside keel

3.6m (11'8) Apache Inflatable with Aluminium floor and inflatable keel

Our 3.6m (11'8) inflatable, the Apache gives you more space for an extra person without compromising on stability or speed.

Spec Details	3.6m (11'8) Apache
Max. loading	5 persons, 800kg (1763lb)
Outer dims	L: 3.6 (11'8), W: 1.7m (5'6)
Internal width	800mm (31.5")
Tube dia.	450mm (17.7")
Aluminium floor	4 folding panels (15kg/33lb)
Weight	59kg/130lb (inflatable only)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+1, life lines, 2 benches
Reccomended outboard	20HP Max. or Electric
Colours	Grey with blue trim
Reinforced rubbing strakes	Boat tubes + underside keel

Alloy Hull Performance Boat Series

Take your leisure time at a performance pace

Our first alloy hull RIB makes these lightweight RIBs easy to transport and launch. Designed with a classic inflatable look and functionality to provide a lot of quality in a compact package.









3.8m (12'5) RIB Inflatable Boat with alloy hull

Spec Details	3.8m (12'5) RIB
Max. loading	6 persons, 1150kg (2535lb)
Outer dims	L: 3.8m (12'5), W: 1.7m (5'6)
Internal width	700mm (27.6")
Tube dia.	420mm (16.5")
Floor	Aluminium deck with bow locker
Weight	100kg (220lb)
Chambers	3
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+1, life lines, jockey console seat
Reccomended outboard	20HP Max. or Electric
Colours	Grey with blue trim
Reinforced rubbing strakes	Boat tubes

6m (19'7) Dive RIB / Work Boat Inflatable Boat with aluminium floor

Built to last, using high quality components and with generous interior dimensions, it handles superbly on the water. The largest in our standard range, the RIB features one man steering column, under deck 150L fuel tank, alloy powder coated A-frame, bow storage and anchor locker.

Spec Details	6m (19'7) Dive RIB
Max. loading	9 persons, 1980kg (4365lb)
Outer dims	L: 6m (19'7), W: 2.6m (8'5)
Internal width	1500m (4'9)
Tube dia.	550mm (21.7")
Floor	Aluminium deck
Weight	340kg (749lb)
Chambers	5
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, life lines, jockey console seat
Reccomended outboard	150HP Max. or Electric
Colours	Navy blue with red trim
Reinforced rubbing strakes	Boat tubes




Commercial Boat Series

For work on the water

Built tough so they work hard for rugged private and commercial use.

The Commercial series boats are a lightweight, utility option. Packed with high performance features, these versatile aluminium floored boats are the perfect solution for a range of uses.




DS320 Commercial Inflatable with aluminium floor & stainless steel bow tow point

Spec Details	DS320
Max. loading	4 persons, 650kg (1433lb)
Outer dims	L: 3.2m (10'4), W: 1.52m (5'0)
Internal width	700mm (27.6")
Tube dia.	420mm (16.5")
Aluminium floor	4 folding panels (15kg/33lb)
Weight	36kg/79lb (inflatable only)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, life lines, 1 bench
Reccomended outboard	15HP Max. or Electric
Colours	red with black trim




DS360 Commercial Inflatable with aluminium floor & stainless steel bow tow point

Spec Details	DS360
Max. loading	6 persons, 750kg (1653lb)
Outer dims	L: 3.6m (11'8), W: 1.52m (5'0)
Internal width	700mm (27.6")
Tube dia.	450mm (17.7")
Aluminium floor	4 folding panels (15kg/33lb)
Weight	48kg/105lb (inflatable only)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, life lines, 2 benches
Reccomended outboard	20HP Max. or Electric
Colours	red with black trim ¹



DS400 Commercial Inflatable with aluminium floor & stainless steel bow tow point

Spec Details	DS400
Max. loading	8 persons, 1200kg (2645lb)
Outer dims	L: 4m (13'1), W: 1.9m (6'2)
Internal width	940mm (37")
Tube dia.	480mm (18.9")
Aluminium floor	4 folding panels (18kg/39lb)
Weight	70kg/154lb (inflatable only)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, life lines, 2 benches
Reccomended outboard	30HP Max. or Electric
Colours	red with black trim ¹





DS360 Commercial Inflatable with aluminium floor & stainless steel bow tow point

Spec Details	DS460
Max. loading	8 persons, 1300kg (2866lb)
Outer dims	L: 4.6m (15'0), W: 1.9m (6'2)
Internal width	940mm (37")
Tube dia.	480mm (18.9")
Aluminium floor	5 folding panels (22kg/48lb)
Weight	85kg/187lb (inflatable only)
Chambers	4 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, life lines, 2 benches
Reccomended outboard	40HP Max. or Electric
Colours	red with black trim ¹

DS500 Commercial Inflatable with aluminium floor & stainless steel bow tow point

Spec Details	DS500
Max. loading	10 persons, 1500kg (3306lb)
Outer dims	L: 5m (16'4), W: 2m (6'6)
Internal width	1030mm (40.5")
Tube dia.	500mm (19.7")
Aluminium floor	5 folding panels (22kg/48lb)
Weight	110kg/242lb (inflatable only)
Chambers	5 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, life lines, 2 benches
Reccomended outboard	50HP Max. or Electric
Colours	red with black trim

All boats include: soft grip carry handles, grab handles, double grab handles, oar locks, stainless steel D-rings, a bow handle or towing eye and at least one boat bench^{2.} **Included accessories:** 2x 165cm (65") T-bar paddles (designed to float), Inflation valve fittings², maintenance kit³, Storage bag⁴, HP2 inflation hand pump

^{1.} Yellow, black, orange and green also available to order made to measure. 2. Number of benches is determined by boat size, the 3.2m (10'4) in the Commercial and lightweight series only have one bench, all other models include 2 benches. 3. Number included is dependent on inflatable boat size.


^{4.} Material colour included in kit will match that of the inflation. 5. Bag may differ from photo shown



Inflatable Hull Boat Series

Lightweight and easy to handle and launch


The lightweight inflatable hull series with DWF is easily transportable by a two-man crew. The floor panels, when inflated, come together to give the boat a keel. The Lightweight series are easy to carry, stow and fold. All of the boats in this series come complete with keel rubbing strake and have a lifting handle that's also a towing eye combined in one. The DWF system of drop threads between two flat rubber composites gives a high pressure, fully flat surface, as strong as a traditional aluminium floor without the weight.





DS320 Lightweight Inflatable with inflatable floor & stainless steel bow tow point

Spec Details	D5320
Max. loading	4 persons, 900kg (1984lb)
Outer dims	L: 3.2m (10'4), W:1.52m (5'9)
Internal width	700mm (27.6")
Tube dia.	420mm (16.5")
Inflatable floor	Drop thread, 80mm (3.1")
Weight	36kg (79lb)
Chambers	3 tubes + 2 floor
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, ¾ life lines, 1 bench
Reccomended outboard	15HP Max. or Electric
Colours	red with black trim¹
Reinforced rubbing strakes	Boat tubes + underside keel
Lifting stainless steel D-rings	4
Transom mounted tow eyes	2







DS400m Lightweight Inflatable with inflatable floor & stainless steel bow tow point

Spec Details	DS400
Max. loading	8 persons, 1500kg (3306lbs)
Outer dims	L: 4m (13'1), W:1.9m (6'2)
Internal width	940mm (37")
Tube dia.	480mm (18.9")
Inflatable floor	Drop thread, 80mm (3.1")
Weight	58kg (128lb)
Chambers	4 tubes + 2 floor
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, ¾ life lines, 2 benches
Reccomended outboard	25HP Max. or Electric
Colours	red with black trim
Reinforced rubbing strakes	Boat tubes
Lifting stainless steel D-rings	4
Transom mounted tow eyes	2

Available to order:

DS500m Lightweight Inflatable with inflatable floor & stainless steel bow tow point

Spec Details	DS500
Max. loading	10 persons, 1950kg (4299lb)
Outer dims	L: 5m (16'4), W:2m (6'6)
Internal width	1030mm (40.5")
Tube dia.	500mm (19.7")
Inflatable floor	Drop thread, 100mm (3.9")
Weight	80kg (176lb)
Chambers	5 tubes + 2 floor
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2+2, ¾ life lines, 2 benches
Reccomended outboard	40HP Max. or Electric
Colours	red with black trim
Reinforced rubbing strakes	Boat tubes + underside keel
Lifting stainless steel D-rings	4
Transom mounted tow eyes	2

All boats include:

Soft grip carry handles, grab handles, double grab handles, oar locks, stainless steel D-rings, a bow handle or towing eye and at least one boat bench²

Included accessories:

2x 165cm (65") T-bar paddles (designed to float), Inflation valve fittings², maintenance kit³, Storage bag⁴, HP2 inflation hand pump

- 1. Yellow, black, orange and green also available to order made to measure
- 2. Number of benches is determined by boat size, the 3.2m (10'4) in the Commercial and lightweight series only have one bench, all other models include 2 benches.
- 3. Number included is dependent on inflatable boat size
- 4. Material colour included in kit will match that of the inflation
- 5. Bag may differ from photo shown

RR2.

2.6m (8'5) Water Rescue Sled

The perfect water rescue craft for use in rivers; flooded urban/coastal areas, mountains and lakes.

The RR2 Rescue Sled is lightweight and portable, both inflated and deflated. It is easy to manoeuvre and can be paddled, pulled by hand or towed by a jet ski, boat or small hovercraft.

The RR2 Rescue Sled was developed as a casualty transfer system for use in shallows and mud. The unit handles extremely well in accessing areas that rescue boats cannot reach, providing a stable working platform for marine rescue. the unit is easily towed, paddled or line transferred and packs down to a small, easy to handle size making a versatile and effective system.

Further developments of the RR2 Rescue Sled led to trials in conjunction with Swift Water Rescue techniques. The Swift Water system allows the sled to quickly access rescue situations in fast flows of water.

The sled has been used operationally with jet skis and fast rescue craft for the recovery of casualties. When clipped to the side of a fast rescue craft or pontoon, the sled will act as a platform enabling easy recovery of secured casualties, swimmers or divers. A variety of stretchers can be located on top of the sled and used with a four-point lifting harness.

Two sleds can be joined together with a twining rig providing a very stable platform with casualty access between the hulls. Twinned sleds operated with two rescue personnel make high-risk rescue situations a safer option. The innovative properties of the unit's design allows it to be applied to other hazardous environments including ice, snow or wetlands.

What's Included?

1x Twin Blade Paddle

2x Inflation Valve Fittings

1x HP2 Inflation Hand Pump

1x Storage Bag

1x Repair Kit & Tools



Spec Details	RR2 Rescue Raft
Overall length	300cm (118")
Overall width	100cm (39.4")
Internal width	n/a
Sponson/pontoon dia.	n/a
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	18kg (39.7lb)
Carton/packing dims.	110x60x28cm (43.3"x 23.6"x 11")
Chambers	1
Max inlet fill	0.7bar/10psi
SS316 stainless steel D-rings	4S+10M+5L
Handles	6+5
Max loading	450kg (992lb)
Max persons	2+1











RR3.

3.0m (9'8) Water Rescue Sled

Water rescue craft for use in rivers; flooded urban and coastal areas; mountains and lakes. The RR3 Rescue Sled is lightweight and portable, both inflated and deflated. It is easy to manoeuvre and can be paddled, pulled by hand or towed by a jet ski, boat or small hovercraft.

What's included?

1x Twin Blade Paddle
2x Inflation Valve Fittings
1x HP2 Inflation Hand Pump
1x Storage Bag
1x Repair Kit & Tools

Specification

Overall length - 300cm (118") Overall width - 113cm (44.5") Internal width - 73cm (28.7") Sponson/pontoon dia. - 20cm (7.9") Floor materials - DWF Floor thickness - 10cm (3.9") Weight - 22kg (48.5lb) Carton/packing dims: 110x50x32cm (43.3"x 19.7"x 12.6") Chambers - 2+1 Max inlet fill (sponsons) - 0.35bar/5psi Max inlet fill (floor) - 0.7bar/10psi 316 stainless steel D-rings - 4S+7M Handles - 6+4 Max loading - 650kg (1433lb) Max persons - 4+1











RR4. Our Most Popular!

3.6m (11'8) Water Rescue Sled

EXCELLENT PERFORMANCE. SUPERB HANDLING. INCREDIBLY VERSATILE. A STABLE PLATFORM IN ALL CONDITIONS.

Water rescue craft for use in rivers; flooded urban and coastal areas; mountains and lakes. The RR4 Rescue Sled is lightweight and portable, both inflated and deflated. It is easy to manoeuvre and can be paddled, pulled by hand or towed by a jet ski, boat or small hovercraft.

What's included?

1x Twin Blade Paddle
3x Inflation Valve Fittings
1x HP2 Inflation Hand Pump
1x Storage Bag
1x Repair Kit & Tools

Specification

Overall length - 360cm (141.7")
Overall width - 116cm (45.7)
Internal width - 70cm (27.6)
Sponson/pontoon dia. - 23cm (9")
Floor materials - DWF
Floor thickness - 15cm (5.9")
Weight: 31kg (68.3lb)
Carton/packing dims:
110x60x35cm (43.3"x 23.6"x 13.8")
Chambers - 2+1
Max inlet fill (sponsons) - 0.35bar/5psi
Max inlet fill (floor) - 0.7bar/10psi
316 stainless steel D-rings - 4S+15M
Handles - 5+4
Max loading - 750kg (1653lb)
Max persons - 5+1













RR5. Self Righting

4.7m (15'4) Rapid Deployment Raft

IDEAL FOR WATER, MUD & ICE!

The RR5 Rapid Deployment Raft is perfect for fast-response and ice rescue. The raft surrounds one or more rescuers in an ultra buoyant and protective inflated perimeter.

The RR5 allows a rescuer or rescue team to quickly reach a victim and safely retrieve them from the ice or a cold water rescue scene.

The rescuer or rescue team can easily carry the RR5 to the edge of the ice, step into the craft, and run out across the ice to reach a victim.

While on the ice, they are protected from falling through a fracture into the water. In a combination ice and open water situation, the RR5 can be paddled across open water or broken ice and water by one or two rescue technicians.

Perfect for rapid response ice rescue equipment and should be part of every rescue responder kit.

Features

Fits in the boot of most vehicles Strong, durable and stable Versatile and low maintenance Launch without access to boat ramp On scene/in action in seconds Available in 5 colours


Whats Included?

2x T-Bar Paddles 3x Inflation Valve Fittings 1x HP2 Inflation Hand Pump 1x Storage Bag 1x Repair Kit & Tools

Spec Details

Max persons - 5+1

Overall length - 470cm (185")
Overall width - 140cm (55.1")
Internal width - 70cm (27.6)
Sponson/pontoon dia. - 35cm (13.8")
Floor materials - DWF
Floor thickness - 8cm (3.1")
Weight: 42kg (92.6lb)
Carton/packing dims:
110x60x40cm (43.3"x 23.6"x 15.7")
Chambers - 2+1
Max inlet fill (sponsons) - 0.35bar/5psi
Max inlet fill (floor) - 0.7bar/10psi
316 stainless steel D-rings - 6M
Handles - 14+4
Max loading - 850kg (1873lb)



Why not design your own?
We can create bespoke inflatables please contact us to discuss your requirements.







RR-Max.

3mx2m (9'8x6'6) Rescue Raft

Manufactured from 15cm (5.9") drop stitch and PVC with built in inflation points and valves in multiple places.

The RR-MAX has 13 316 stainless steel 40mm (1.6") d-rings, 5 lifting handles plus another 4 handles on the non-slip floor.

Inflatable is shown in red but the RR-MAX is available red, yellow, black, green and orange. Team branding can also be applied.

A cylinder can be connected to the inflatable for quick and easy inflation, multiple hoses could also be used for even faster inflation!

Watch the video to view our raft being inflated in approx 2 minutes.

Video can be found in the product page on our website: www.ndiver-rescue.com

Features

Non-slip top surface Strong, durable and stable Drop stitch construction Versatile and low maintenance 5 colours available

Whats Included?

1x Twin Blade Paddle 3x Inflation Valve Fittings 1x HP2 Inflation Hand Pump 1x Storage Bag 1x Repair Kit & Tools

Spec Details

Overall length - 300cm (118") Overall width - 200cm (78.7") Internal width - 130cm (51.2") Sponson/pontoon dia. - 35cm (13.8") Floor materials - DWF Floor thickness - 15cm (5.9") Weight: 37kg (81.6lb) Carton/packing dims: 130x60x40cm (51.2"x 23.6"x 15.7") Chambers - 3+1 Max inlet fill (sponsons) - 0.35bar/5psi Max inlet fill (floor) - 0.7bar/10psi 316 stainless steel D-rings - 13M Handles - 5+4 Max loading - 1000kg (2204lb) Max persons - 8





Inflatable.

Walkways / Paths

Our Inflatable Walkways are versatile pieces of equipment that can be used as a path, platform, pontoon or raft.

2 sponsons running underneath the Walkway give it excellent stability.

As well as water and unstable terrain, it can also be used on ice.

The Inflatable Walkway is available in 2m (6'6), 5m (16'4) as standard and custom sizes can be ordered please contact us to discuss your options.

What's Included?

- 1+ Inflation Valve Fittings
- 1x HP2 Inflation Hand Pump
- 1x Storage Bag
- 1x Repair Kit & Tools

Why not design your own?

We can create bespoke inflatable's please contact us to discuss your requirements.



BRAND YOUR INFLATABLE

Your team crest, slogan or any other artwork can be added to your inflatable. Options are available for logos to be applied direct to the inflatable or produced on a removable badge.

Removable badges bond to the inflatable using a strong hook and loop Velcro. Contact our sales team to discuss your printing options.



Spec Details	5m Walkway	2m Walkway	
Overall length	500cm (196")	200cm (78.8")	
Overall width	120cm (47.2")	120cm (47.2")	
Internal width	n/a	n/a	
Sponson/pontoon dia.	30cm (11.8")	30cm (11.8")	
Floor materials	DWF	DWF	
Floor thickness	10cm (3.9")	10cm (3.9")	
Weight	37kg (81.6lb)	25kg (55.1lb)	
Carton/packing dims.	125x68x40cm (4	(49"x 26.8"x 15.7")	
Chambers	2+1	2+1	
Max inlet fill (sponsons)	0.35bar/5psi	0.35bar/5psi	
Max inlet fill (floor)	0.7bar/10psi	0.7bar/10psi	
SS316 stainless steel D-rings	4L+22M	4L+12M	
Handles	4	4	
Max loading	750kg (1653lb)	300kg (661lb)	
Max persons	7+1	3	









Inflatable.

Air Tracks

Our air tracks are perfect for casualty recovery, temporary pontoon, rescue platform or access path. It offers clearance on ice, mud flats and unstable terrain.

Available in various sizes, from 1m (3'3) to 10m (32'8) in length. For increased capacity several inflatable paths can be connected together. Connected lengthways to extend the path, or sideways to create a rescue raft.

This inflatable is compact and portable, packing away neatly into a storage bag (supplied). It can be inflated and deployed quickly allowing rescue personnel to react within minutes.

Features

Non-slip top surface Strong, durable and stable Drop stitch construction 8cm (3.1") floor thickness Max pressure 0.7bar / 10psi Inflation & relief valves fitted Versatile and low maintenance Guide lines available fitted on D-rings running parallel 5 colours available

What's Included?

1 (or) 2 Inflation Valve Fittings 1x HP2 Inflation Hand Pump 1x Storage Bag





Soft comfort grip handles



Logos available as shown above

Lengths 1m (3'3), 2m (6'6), 5m (16'4), 8m (26'2) & 10m (32'8) available. Custom walkway sizes can be arranged upon request.







2m (6'6) & 1m (3'3) air tracks shown above

Spec Details	10m (32'8)	8m (26'2)	5m (16'4)	2m (6'6)	1m (3′3)
Overall length	1000cm (393.7")	800cm (314.9")	500cm (196.8")	200cm (78.7")	100cm (39.4")
Overall width	140cm (55.1")	140cm (55.1")	140cm (55.1")	100cm (39.4")	100cm (39.4")
Internal width	n/a	n/a	n/a	n/a	n/a
Sponson/pontoon dia.	n/a	n/a	n/a	n/a	n/a
Floor materials	DWF	DWF	DWF	DWF	DWF
Floor thickness	8cm (3.1")	8cm (3.1")	8cm (3.1")	8cm (3.1")	8cm (3.1")
Weight	38kg (83.8lb)	32.5kg (71.7lb)	25kg (55.1lb)	8kg (17.6lb)	3kg (6.6lb)
Carton/packing dims.	140x35x38cm	140x35x35cm	140x35x30cm	105x35x15cm	110x35x10cm
Chambers	1	1	1	1	1
Max inlet fill	0.7bar/10psi	0.7bar/10psi	0.7bar/10psi	0.7bar/10psi	0.7bar/10psi
SS316 stainless steel D-rings	28+	25+	20+	4+	4+
Handles	4	4	4	2	2
Max loading	840kg (1851lb)	672kg (1481lb)	420kg (925lb)	120kg (264lb)	60kg (132lb)
Max persons	8+1	6+1	4	1	1

Designed For You.

Rescue Life Board

Easy to transport and set up, lightweight and super strong, our inflatable rescue board is for use when the casualty is conscious and able to hold on to the board.

Towed behind a personal water craft (PWC), the board can reach the casualty in a quick, agile manner, which is pivotal in swift/rough water rescue scenarios.

In calmer conditions, the board can be used to swim out to the casualty, rather than with a PWC, and can be used to carry the casualty to safety with the rescuer swimming and pushing the board.

Contact us if this is not quite your spec, subject to order quantities we can alter the size, shape, amount of handles and amount of D-rings. The board is also available in Hypalon rather than PVC.

What's Included?

1x Inflation Valve Fittings1x HP2 Inflation Hand Pump1x Storage Bag1x Repair Kit & Tools

Spec Details

Overall length - 185cm (72.8") Overall width - 105cm (41.3") Internal width - N/A Sponson/pontoon dia. - N/A Floor materials - DWF Floor thickness - 15cm (5.9") Weight: 14kg Carton/packing dims: 105x63x22cm (41.3"x 24.8"x 8.7") Chambers - 1 Max inlet fill (floor) - 0.7bar/10psi 316 stainless steel D-rings 2M+5L Handles - 12 Max loading - coming soon Max persons - 1+1

Why not design your own?

We can create bespoke inflatables please contact us to discuss your requirements.





Inflatable.

10m (32'8) Rescue Tubes

The Inflatable Rescue Tube is a first response solution for water rescue and invaluable in situations where the casualty is conscious and able to assist.

The system can be deployed in numerous ways during a rescue operation, depending on the prevailing conditions.

On flowing water, the inflated tube can be positioned at an angle across the flow to provide a buoyant lifeline for waterborne casualties. The angled tube aids water rescue by allowing a safe, controlled route to safety.

The tube can be directed from a safe land position towards a conscious casualty. The tube wraps around the casualty and secures. It can then be pulled back to land with the casualty.

The tube is easy to carry into remote locations i.e. mountain tarns and gorges.

Lightweight
Stainless steel 316 marine grade
D-rings located every 2m (6'6)
along the tube
High visibility
Available in any colour
Custom lengths upon request
Inflates by hand pump or from a
compressed air cylinder

What's Included?

1x Inflation Valve Fittings
1x HP2 Inflation Hand Pump

1x Storage Bag

1x Repair Kit & Tools















2.4m (7'9) Inflatable Raft

Ideal small river/flood rescue raft

Heavy duty, commercial build
An easy carry for 2 operators
Portable when deflated, easy to store
Colours: red/grey or yellow/grey
Length 240cm (94.5")
Tube diameter 34cm (13.4")
Air chamber 2+1
Supplied with inflation pump, repair kit and paddles

3.3m (10'8) Inflatable Catamaran

Ideal for pulling casualties from the water

Versatile watercraft

Commercial build
Compatible with our outboards
Colours: yellow/black
Length 330cm (130")
Tube diameter 42cm (13.4")
Air chamber 3+1
Supplied with inflation pump, removable air deck floor, 2 benches, repair kit and 2 paddles
www.ndiver-rescue.com/inflatables/inflatable-catamaran

3.9m (12'8) Inflatable Kayak

Ideal heavy duty work kayak

Use on rivers, lakes, bays and calm oceans Easy to carry
Fast and stable design
Colours: blue/black
Length 390cm (154")
Tube diameter 42cm (16.5")
Air chamber 3+1
Supplied with inflation pump, 2 removable seats, repair kit and 2 paddles

2.69m (10'6) Inflatable Paddle Board

Designed to deliver an enhanced performance on calm or choppy water and offer an ideal stable platform

Excellent performance in all water conditions with exceptional construction and durability Length 269cm (106")
Width 81.3cm (32")
Depth 15cm (6")

Supplied with central 22cm (8.5") removable fin, storage backpack, ankle strap, adjustable 3-pc fibreglass paddle, inflation pump and repair kit Colours: green/blue or white/blue

Inflation options

Every inflatable boat comes with a hand or foot pump as standard. However, we can provide options to help you inflate quicker and with less effort, for when you need to get on the water fast.

















1. Saturn Reg Inflation Kit

Usually found as part of one of our regulator kits or packages, the Saturn Reg is the first stage regulator used with diving cylinders. For boats, it'll still be used with a cylinder to assist speedier chamber inflation of our Wren inflatable boats.

Designed for use with either DIN 300bar or A-Clamp 232bar diving cylinders, the Saturn reg inflation kit is set at 2.5 bar outlet pressure and fitted with a 2m boat inflation hose for use with our range of inflatables.

2. 3-tap Saturn Reg Inflation Kit

If you've got a real need for speed when it comes to inflating your Wren boat, get the Saturn Reg Inflation Kit with our 3 tap pressure valves.

With the traditional Saturn you can inflate the boat chambers quickly but only one at a time. So that we can better support speedier inflation times, our engineers have now developed the 3-tap system on our Saturn regulators. This means that from one cylinder you can fill 3 chambers on your Wren inflatable boat at once, reducing the time it takes to get out on the water.

12V Speedy Air Pump GP80 with Croc Clips

This Speedy GP80 Air Pump is an incredible high-pressure, dual action, automatic 12 volt pump. Designed to blow up inflatable boats with no effort at all. It's super easy to use and reliable, just set the pressure gauge and press the on button. The pump will then inflate your boat to its correct pressure and stop automatically.

The PSI on the air pump is adjustable from 2.2 PSI up to a maximum of 12 PSI. By delivering around 200 litres/minute, this electric pump, when attached to a battery via the crocodile clips, will inflate a boat in around half the time it would take with a hand pump.

The high-pressure inflator pump automatically stops at the pressure level that you select, ensuring your inflatable won't overfill. It's also ideal for deflating.

Mains Power Speedy Air Pump Max Series

Our high-pressure inflator pump, 1200W at maximum power, is dual action and designed to blow up inflatables with no effort at all. The pump will inflate your equipment to its correct pressure and stop automatically. At just 1.9kg (4.18lb), the Max Series AC pump is also easily transportable between mains points, making it a great choice for those wanting easier inflation options.

The Genovo Power Max-1200 is an ideal AC pump for blowing up inflatables. The Mains Power Speedy Air Pump Max Series has a maximum output flow of 2100L/min with a maximum air pressure of 31KPa.



Brand Your Inflatable

Mountain rescue on an inflatable?

When not climbing mountains they play a great part in flood and river rescue.

With our in-house creative team and up to date printer SRE can help you personalise your craft. We can develop any full colour logo or badge instantly.

On most of our inflatable range we fit loop Velcro panels to allow the simple application of names, logos and reflective tapes which can easily be changed if they become worn.







Made To Order Inflatable's

Speak to us about the exact specification you need.

Your craft in 5 easy steps, choose:

- 1. the size
- 2. inflatable or fold away aluminium floor
- 3. material (PVC or Hypalon)
- 4. 1 of 5 colour options
- 5. then talk to us about branding.


Consult with us about the included parts if you need to make changes. Why not add additional extras to really personalise it for you? We can reinforce transoms, add rubber reinforcements, storage pockets and additional D-rings.


Save time ... with our one-stop-shop.


We can help you complete your craft with an electric or petrol outboard and we are agents for most leading road trailer manufacturers.



Velcro fixed logo









Glued logo strip



Neraus NRS Series High Performance Electric Outboards

Low noise, reliable and more power for your money.

Choose a Neraus NRS series and you'll quickly see why they're the best value electric motor on the market.

Designed for salt and/ or freshwater use, they have anti-corrosion and anti-dust properties in their design. Every model in the Neraus NRS series comes complete with a transom bracket, telescopic handle, 5 forward and 3 reverse speeds.

The transom bracket enables you to easily lift the motor and adjust it's height to avoid objects in shallow water. The nylon mount bracket enables a 90 degree lever-lock system. Neraus brackets are super strong.

The 2-blade machete propeller is flexible and has a weedless design. The full aluminium head is finished with a specialised marine paint to further improve it's life. You will always know how much battery life is left with via the 10-level LED power indicator.

AWM standard US cable and UL certificate.

Model No.	Thrust		Input power	Shaft length	
	lbs	kg		in	m
NRS-32L	32	14.5	12V, 26A 312W	28"	0.712
NRS-36L	36	16.3	12V, 29A 348W	30"	0.762
NRS-40L	40	18.1	12V, 34A 408W	30"	0.762
NRS-46L	46	20.9	12V, 40A 480W	36"	0.915
NRS-55L	55	25.0	12V, 52A 624W	36"	0.915
NRS-62L	62	28.2	12V, 58A 696W	26"	0.661
NRS-86L	86	37.2	24V, 48A 1152W	40"	1.016











Sail 95D31R maintenance-free Battery

Voltage 12V, Capacity 80ah, 600 A

LxWxH: 310x182x256mm (12.2"x 7.2"x 10")

Weight: 20.4kg (45lb)

Sail batteries maintain power even in low temperature conditions. It has a long service life.



Smart Power Battery Box

Suitable for batteries up to 100ah capacity Internal LxWxH: 355x190x260mm (13.9"x 7.5"x 10.2") Carry weight: 35kg (77.2lb)

This Smart Power battery box is a unique 12volt power station. It quickly, easily and safely stores and distributes power from a 12volt marine battery directly to your appliances.

The power outlets available through the battery box lid consist of a:

Positive and a negative wing nut thread for eyelet 12v terminal connection

5v USB socket, great for recharging a phone or tablet DC12V (cigarette lighter type) socket with 10amp breaker on socket

60amp breaker on 12volt connections

The box also has a battery power gauge that displays the power condition of the installed battery via an LED display. This indicates the residual power in the battery.



4 Stroke Parsun Outboard Motors

Cost-effective, clean and powerfully efficient.

Parson Outboard Motors offer you performance, quality and reliability for enjoyable and safe boating. We're proud to be one of their distributors. The Parsun brand is going from strength to strength, with their quality equal to that of top outboard manufacturers, but at a much more cost-effective price point. Parsun is now one of the strongest suppliers on the international outboard market because of the quality, value and efficiency the boat engines offer.

The F9.8 series are lighter and more compact than the F15 series, however the compromise is the smaller fuel tank capacity. Both series have options that enable you to choose your tiller position, start option and shaft length. This means you're sure to find the right outboard option for your inflatable boat.









For perfect pairing options contact us.









Reliability, with a compact, high performance design


Suzuki offer powerful, reliable and fuel-efficient boat engines. Every engine across their ranges is specifically designed for marine use. Their userfriendly motors are supported by their 50 years of industry leading innovation.

High performance, lightweight, compact and low on fuel consumption: you really can have it all in one!

For perfect pairing options contact us.









Bunk-Style Road Trailers For Inflatables

We'll work with the manufacturers to ensure that we get you the most suitable trailer for your SRE inflatable at the best price possible.

Bunk trailers are adjustable, so your boat gets maximum protection. The trailers are fitted with sealed for life bearings.

Fully welded and hot dip galvanised, the trailers we supply conform to current road use regulations.





We are almost there, hopefully our new 22.5m dive tank will be open for business in March 2020. See the video on You Tube at www.youtube.com/NorthernDiverUK

CONTACT US.

Craig McColl - Sales Team Manager

Office: +44 (0) 1257 25 69 34 Mobile: +44 (0) 7854 25 20 13 Email: craig@ndiver.com

Dan Cottrell - Sales

Office: +44 (0) 1257 25 69 41 Mobile: +44 (0) 7961 289 728 Email: dan@ndiver.com

Matthew Burrows - Sales

Office: +44 (0) 1257 25 69 43 Mobile: +44 (0) 7703 298 234 Email: matthewb@ndiver.com

Visit our website www.ndiver-rescue.com

For new product releases, latest news, more item information, size guides, manuals etc. You may also find special offers. Why not open an account? Buy online for overnight deliveries to most locations.

VISIT US.

Northern Diver International Ltd Group

East Quarry, Appley Lane North, Appley Bridge, Wigan, WN6 9AE. Tel: +44 (0) 1257 25 44 44 We are located just off J27 of the M6, 40 mins from Liverpool or Manchester airports and our main rail station in Wigan is only 2 hrs from London Euston. If you are visiting we are more than happy to collect you from either airport or train station and return you.



SPECIALIST RESCUE EQUIPMENT WWW.NDIVER-RESCUE.COM



UNDERWATER ENGINEERING, COMBAT SYSTEMS AND SONAR NAVIGATION —— www.ndiver-military.com



COMMERICAL DIVING SUPPLIES & UNDERWATER TOOLS WWW.NDIVER-COMMERCIAL.COM





DEFENCE SUBMERSIBLES INTERNATIONAL
WWW.DEFENCESUBMERSIBLES.GOM

OSRE INFLATABLE STRUCTURES





LIFE SUPPORT SYSTEMS
DESIGN AND MANUFACTURE
TRAINING AND QUALITY MANAGEMENT