Fujitsu recommends Windows® 7.



Data Sheet Fujitsu LIFEBOOK T901 Tablet PC

Your Excellent Flexible Companion

As a mobile professional, the Fujitsu LIFEBOOK T901 offers you the perfect versatile and lightweight Tablet PC. The 33.8 cm (13.3-inch) convertible notebook enables maximum convenience and flexibility with a modular bay for additional battery runtime or memory. In addition, the Berliner Glass display option guarantees enhanced protection against bumps or scratches when you're on the road.

Notebook and versatile tablet PC in one

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch with the dual digitizer.

 Bi-directional rotatable 33.8 cm (13.3-inch, 16:10) display including LED rotation indicators and active digitizer for pen-input or dual digitizer for pen input plus capacitive multiple-touch screen for finger input



Increase your productivity and adapt the Notebook to your particular way of work

- Modular bay for an optional second hard disk drive, DVD/Blu-Ray drive, second battery or weight
- Optional 0-Watt AC Adapter reduces energy consumption as it guarantees that the notebook does not consume electricity when it is turned off

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

Optional integrated 3G/UMTS (incl. GPS), WLAN and Bluetooth

Highest security

Protect your company data against unauthorized third-party access.

 Advanced Theft Protection (Intel® Anti Theft & Computrace®), fingerprint sensor, SmartCard reader, optionally integrated TPM module and FDE Solid State Disks and FDE Hard Disk Drives

Ergonomic working

Brilliant display with automatic adaption of the brightness to your working environment.

- High brightness LED WXGA display with integrated Ambient Light Sensor (ALS)
- Anytime USB Charge to charge phones/media devices even when the system is turned off





































Components

Intel® Core™ i7-2640M processor (2.8 GHz, 4 MB) Intel® Core™ i7-2620M processor (2.7 GHz, 4 MB)	
Intel® Core™ i7-2620M processor (2.7 GHz, 4 MB)	
Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)	
Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *	
Intel® Core™ i5-2430M processor (2.4 GHz, 3 MB) *	
Intel® Core™ i3-2350M processor (2.3 GHz, 3 MB) *	
Intel® Core™ i3-2330M processor (2.2 GHz, 3 MB) *	
*Processor only for retail, SMB, education and government	
Genuine Windows® 7 Professional 64-bit	
Genuine Windows® 7 Home Premium 64-bit	
Genuine Windows® XP Tablet PC Edition 2005	
Genuine Windows Vista® Business 32-bit	
Genuine Windows Vista® Business 64-bit	
Driver support for Microsoft® Windows® XP	
2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
LIFEBOOK T901 dual digitizer LIFEBOOK T901 active digitizer	
8 GB	
2	
DIMM (DDR3)	
SSD SATA III, 128 GB, 2.5-inch	
SSD SATA, 128 GB, 2.5-inch, full disk encryption	
SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized)	
SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.	
SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
ShockSensor for HDD shock protection	
One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.	
Accessible capacity may vary, also depending on used software.	
Up to 18 GB of HDD space is reserved for system recovery	
Internal HDD interface: S-ATA III (6GBit/s)	
Atheros Minicard b/g/n	
Intel® Centrino® 6205 802.11 a/b/g/n	
2x dual band for WLAN, 2x for UMTS (bundeled to UMTS module), 1x for Bluetooth (on Bluetooth module)	
Import and usage according to country-specific regulations.	
Including GPS functionality	
Yes (with Intel W-LAN)	
Yes (with Intel W-LAN) Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)	

Page 2 / 8 http://ts.fujitsu.com/tabletpc

Modular bay options	2nd battery		
, .	2nd hard disk drive (S-ATA II)		
	Blu-ray Disc™ Triple Writer		
	DVD Super Multi		
	Weight saver		
Base unit	LIFEBOOK T901 dual digitizer	LIFEBOOK T901 active digitizer	
General system information			
Chipset	Intel® QM67		
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx	/ i7 processor. Intel W-LAN & TPM module	
BIOS features	BIOS Flash EPROM		
	BIOS based on Phoenix SecureCore		
Display	1280 x 800 pixel, 500:1, 300 cd/m	reen, 33.8 cm (13.3-inch), TFT, (WXGA), Anti-glare Berliner Glass shield, 1280 x 800 pixel, 500:1, 300 cd/m	
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.		
Aspect ratio	16:10		
Brightness - typical	300 cd/m		
Contrast - typical	500:1		
Digitizer	Dual Digitizer plus capacitive multi-touch screen with dedicated 5-finger gestures	Active digitizer for pen input	
Ambient light sensor	Integrated		
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight		
Graphics			
TFT resolution (HDMI)	up to 1920 x 1200		
TFT resolution (VGA)	up to 1920 x 1200		
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200		
TFT resolution (DisplayPort on Port Replicator)	up to 2560 x 1600		
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending	on CPU)	
Graphics features	DualView DirectX® 10.1 support		
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator		
Interfaces			
Memory card slots	1 (SD/SDHC/SDXC/MS/MSPro)	1 (SD/SDHC/SDXC/MS/MSPro)	
ExpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)	
SmartCard slot	1	1	
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)	
Modem (RJ-11)	1 (optional; exclusive with 3G/UMTS)	1 (optional; exclusive with 3G/UMTS)	
USB 3.0 total	1	1	
USB 2.0 total	2 (1 with Anytime USB Charge functionality)	2 (1 with Anytime USB Charge functionality)	
FireWire (IEEE1394)	1	1	
VGA	1	1	
HDMI Ethorpot (DL 45)	1	1	
Ethernet (RJ-45)	1	1	
DC-in	1		
Audio: line-in / microphone	1	1	
Audio: line-out / headphone	<u>'</u>	2	
Internal microphones	2		
Docking connector for Port Replicator	1	1	

Page 3 / 8

Wired communication			
Modem type	Optional: 56 K V.92 modem MDC1.5		
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM		
Keyboard and pointing devices			
	Spill-resistant keyboard or optional anti-bacterial spill-re	sistant keyboard	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm		
	Fingerprint sensor	Fingerprint sensor	
	Launch keys	Launch keys	
	Application buttons	Application buttons	
	Tablet Pen	Tablet Pen	
	Touch-screen	Multi-gesture touchpad with two mouse buttons and	
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel	ergonomic ScrollWheel Scroll sensor	
	Scroll sensor	2CIOII 2611201	
 Multimedia	Setoli Setisol		
Audio type	On board		
Audio codec	Realtek ALC269		
Audio features	2x digital array microphones, 2x built-in speakers (stereo)		
Camera	Optional: Built-in webcam, 2.0 megapixel		
Power supply			
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input), 50 Hz - 60 Hz, 0-Watt AC Adapter technology		
•	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter		
1st battery options	Li-lon battery 6-cell, 6200 mAh, 67 Wh		
	Li-lon battery 6-cell, 5800 mAh, 63 Wh		
1st battery	Li-lon battery 6-cell, Optional 67 Wh (6.200mAh battery) or 63 Wh (5.800mAh battery) mAh		
2nd battery (optional)	Li-lon battery 6-cell, 3800 mAh, 41 Wh		
Battery features	Dynamic charge supported (rapid charge)		
Runtime 1st battery	up to 9 h		
Runtime 1st + 2nd battery	up to 14 h		
Battery charging time	~ 180min (6.200mAh) ~240min (5.800mAh)		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery		
	capacity slightly decreases with every charging cycle and		
Power consumption			
Power consumption note	See white paper Energy Consumption		
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=be4d418d-9c0a-4b	ce-9574-e079d6d8096d	
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	319 x 244 x 36 (without foot)		
Weight	from 2.05 kg	from 2.04 kg	
Weight notes	Incl. weight saver. Weight may vary depending on actual	configuration.	
Operating ambient temperature	5 - 35℃		
Operating relative humidity	20 - 85 % (running)		

Page 4 / 8 http://ts.fujitsu.com/tabletpc

Additional Software		
Additional software (preinstalled)	Adobe Acrobat Reader Microsoft® Touch Pack for Windows® 7 Nero Essentials (burning software) Norton Internet Security (incl. Firewall) 60 days version Application Panel Auto Rotation Utility Display Manager Fujitsu Recovery (Hard Disk Based Recovery) Plugfree Network Power Saving Utility Security Application Panel ShockSensor Utility Tablet Button Utility Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook® Buy Office 2010 to use the full-featured software.	Adobe Acrobat Reader Nero Essentials (burning software) Norton Internet Security (incl. Firewall) 60 days version Application Panel Auto Rotation Utility Display Manager Fujitsu Recovery (Hard Disk Based Recovery) Plugfree Network Power Saving Utility Security Application Panel ShockSensor Utility Tablet Button Utility Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook® Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software CyberLink YouCam Recovery DVD (Windows® 7)	
Manageability		
Manageability technology	DeskUpdate Driver management Intel® vPro™ technology iAMT 7.0	
Manageability software	DeskView 10.x client management including:	
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/n	nanageability/featurefinder.html
Security		
System protection	Kensington Lock support	
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace Norton Internet Security (incl. Firewall) 60 days version Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Optional: Trusted platform module (TPM 1.2)	
Access protection	Integrated Fingerprint Sensor Integrated SmartCard slot User and supervisor BIOS password Hard disk password Omnipass security software	
Compliance		
Product	LIFEBOOK T901	
Germany	GS	

Compliance	
Europe	CE
-	CE!
	CB
	IT-Eco-Declaration
	EN 60601-1-2:2007 evaluated for use in environment with medical application (optional)
	Nordic Swan
USA/Canada	cUL
Global	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	RoHS (Restriction of hazardous substances)
	WiFi certified Wireless LAN modules
	WEEE (Waste electrical and electronic equipment)
	EPEAT® Gold (dedicated regions)
	ENERGY STAR® 5.0
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/
Port Replicator interfaces (option	nal)
DC-in	1
Power on switch	1
Audio: line-out	1
USB 2.0 total	4
DisplayPort	1
VGA	1
DVI	1
Ethernet (RJ-45)	1
Kensington Lock support	1
Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Service	es - the perfect extension
Recommended Service	3 years, Collect and Return Service, where available: On-site Service
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice



Recommended Accessories

Port Replicator for LIFEBOOK T901



Flexibility, expandability, desktop replacement, investment protection to name just a few benefits of Fujitsu's docking options.

Order Code: S26391-F887-L100

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.

Order Code: S26391-F887-L110

2nd battery



With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket!

S26391-F777-L200

Microsaver® DS Ultra thin



The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.

Order Code: S26361-F1650-L900

Casual Entry Backpack 15



The Casual Entry Backpack 15 is designed to fit up to 15-inch widescreen notebook. For comfort, the backpack features padded shoulder straps and a \$26391-F1191-L165 padded top handle. To stay organized, the backpack feature an interior file storage area which expands and a large zippered compartment separate from the notebook section to store books, accessories, and more. The Casual Entry Backpack 15 features extra-large storage compartments and numerous zippered pockets to store everything you need for school, work or travel.

Order Code:

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T901, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T901, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-12-20 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions