

**Checklist of British and Irish Charipinae (Hymenoptera: Cynipoidea: Figitidae)**  
**Dr Frank J. F. Van Veen, Exeter University**

**Family FIGITIDAE Thomson, 1862**

Subfamily CHARIPINAE Dalla Torre & Kieffer, 1910<sup>1</sup>

Tribe ALLOXYSTINI Hellén, 1931

ALLOTRIINI Thomson, 1862 unavailable

LYTOXYSTINAE Kovalev, 1994

Ronquist (1999)

**ALLOXYSTA** Förster, 1869<sup>2</sup>

ALLOTRIA Westwood, 1833 preocc.

XYSTUS Hartig, 1840 preocc.

PEZOPHYCTA Förster, 1869

NEPHYCTA Förster, 1869

THOREAUANA Girault, 1930

ADELIXYSTA Kierych, 1988

**abdera** Fergusson, 1986 E

**apteroidea** Hellén, 1963 E

det. Van Veen, added here<sup>3</sup>

**brachyptera** (Hartig, 1840, *Xystus*) E S W I

**brevis** (Thomson, 1862, *Allotria*) E

*mullensis* (Cameron, 1883, *Allotria*)

*arcuata* (Kieffer, 1902, *Allotria*)

*castaneiceps* (Kieffer, 1904, *Allotria*)

*minuta* misident.

**castanea** (Hartig, 1841, *Xystus*)<sup>4</sup>

*dubia* Kieffer, 1902

*rubriceps* (Kieffer, 1902, *Allotria*)

*pruni* (Hedicke, 1928, *Charips*)

**circumscripta** (Hartig, 1841, *Xystus*)<sup>5</sup> E

**citripes** (Thomson, 1862, *Allotria*) E

*britannica* Kieffer, 1902

*albipes* (Kieffer, 1904, *Allotria*)

**cursor** (Hartig, 1840, *Xystus*) E<sup>6</sup>

*castanea* (Kieffer, 1904, *Pezophycta*) preocc.

**fulviceps** (Curtis, 1838, *Cynips*) E

*erythrothorax* (Hartig, 1840, *Xystus*)

*defecta* (Hartig, 1841, *Xystus*)

*nigriventris* (Thomson, 1862, *Allotria*)

*ruficeps* (Cameron, 1883, *Allotria*) preocc.

*semiclausa* Kieffer, 1902

*cameroni* (Dalla Torre & Kieffer, 1910, *Charips*)

*trapezoidea* misident.

**fuscicornis** (Hartig, 1841, *Xystus*)<sup>7</sup> E

*ancylocera* (Cameron, 1886, *Allotria*)

*brassicae* (Ashmead, 1887, *Allotria*)

*infuscata* (Kieffer, 1902, *Allotria*)

*grioti* (De Santis, 1937, *Charips*)

<sup>1</sup> Except where noted, synonymy follows Fergusson (1986) and Menke & Evenhuis (1991).

<sup>2</sup> Fitton *et al.* (1978) listed 36 species for Britain and Ireland, which Fergusson (1986) reduced to 11, mainly through synonymy. However, Fergusson did not work with much reared material and Evenhuis (1985) and Müller *et al.* (1999) have adopted much narrower species limits than Fergusson, an approach borne out by the author's work on the biology and taxonomy of the genus (see Van Veen *et al.*, 2003).

<sup>3</sup> The species identified as *brachyptera* by Müller *et al.* (1999) is actually *apteroidea*, although the true *brachyptera* has also been found in Silwood Park.

<sup>4</sup> Synonymised under *fulviceps* by Fergusson (1986), this is followed on Fauna Europaea but is considered a valid species here and by Evenhuis (pers. comm.).

<sup>5</sup> Synonymised under *victrix* by Fergusson (1986) but this has not been supported by other workers (Menke & Evenhuis, 1991; Van Veen *et al.*, 2003).

<sup>6</sup> Listed as *castanea* in Fitton *et al.* (1978) but not mentioned by Fergusson (1986). Recorded by Müller *et al.* (1999).

<sup>7</sup> Synonymised under *victrix* by Fergusson (1986) but raised from synonymy by Menke & Evenhuis (1991), a result supported by Van Veen *et al.* (2003).

<i>aphidiinaecida</i> (De Santis, 1937, <i>Charips</i> )	
<b>halterata</b> (Thomson, 1862, <i>Allotria</i> ) <sup>8</sup> E	
<i>leunisii</i> (Hartig, 1841, <i>Xystus</i> ) E	added by Van Veen <i>et al.</i> (2003)
<b>macrophadna</b> (Hartig, 1841, <i>Xystus</i> ) E	
<i>testacea</i> misident. <sup>9</sup>	
<i>piceomaculata</i> (Cameron, 1883, <i>Allotria</i> )	
<i>basimacula</i> (Cameron, 1886, <i>Allotria</i> )	
<i>caledonica</i> (Cameron, 1886, <i>Allotria</i> )	
<i>maculicollis</i> (Cameron, 1886, <i>Allotria</i> )	
<i>crassa</i> (Cameron, 1889, <i>Allotria</i> )	
<i>filicornis</i> (Cameron, 1889, <i>Allotria</i> )	
<i>perplexa</i> (Cameron, 1889, <i>Allotria</i> )	
<i>ignorata</i> (Kieffer, 1900, <i>Dilyta</i> )	
<i>scutellata</i> Kieffer, 1902	
<i>rubromaculata</i> Kieffer, 1902	
<i>aptera</i> misident.	
<i>brachyptera</i> misident.	
<i>fuscipes</i> misident.	
<i>nigriventris</i> misident.	
<b>marshalliana</b> (Kieffer, 1900, <i>Nephyccta</i> ) <sup>10</sup> S	
<b>obscurata</b> (Hartig, 1840, <i>Xystus</i> ) E	det. Van Veen, added here
<i>homotoma</i> Kieffer, 1904	
<i>vandenboschi</i> Andrews, 1978	
<b>pallidicornis</b> (Curtis, 1838, <i>Cynips</i> )	
<i>minuta</i> (Zetterstedt, 1838, <i>Cynips</i> )	
<i>forticornis</i> (Giraud, 1860, <i>Allotria</i> )	
<i>basalis</i> (Thomson, 1862, <i>Allotria</i> )	
<i>anthracina</i> Andrews, 1978	
<b>pedestris</b> (Curtis, 1838, <i>Cynips</i> ) E W	
<b>pleuralis</b> (Cameron, 1879, <i>Allotria</i> ) E S I	
<i>unicolor</i> (Kieffer, 1902, <i>Alloxysta</i> )	
<i>gauteri</i> Kieffer, 1922	
<b>ramulifera</b> (Thomson, 1862, <i>Allotria</i> ) E	added by Müller <i>et al.</i> (1999)
<i>minuta</i> (Hartig, 1840, <i>Xystus</i> )	
<i>discreta</i> (Förster, 1869, <i>Nephyccta</i> ) <sup>11</sup>	
<i>parvicellula</i> (Kieffer, 1904, <i>Allotria</i> )	
<b>ruficollis</b> (Cameron, 1883, <i>Allotria</i> ) E <sup>12</sup>	
<i>melanogaster</i> misident.	
<i>megaptera</i> (Cameron, 1889, <i>Allotria</i> )	
<b>semiaperta</b> Fergusson, 1986 E	
<b>tscheki</b> (Giraud, 1860, <i>Allotria</i> ) E <sup>13</sup>	
<b>victrix</b> (Westwood, 1833, <i>Allotria</i> ) E	
<i>ruficeps</i> (Zetterstedt, 1838, <i>Cynips</i> )	
<i>erythrocephalus</i> (Hartig, 1840, <i>Xystus</i> )	
<i>tritici</i> (Fitch, 1861, <i>Allotria</i> )	
<i>macrocera</i> (Thomson, 1877, <i>Allotria</i> )	
<i>amygdali</i> (Buckton, 1879, <i>Cynips</i> )	
<i>atriceps</i> (Buckton, 1879, <i>Cynips</i> )	
<i>curvicornis</i> (Cameron, 1883, <i>Allotria</i> )	
<i>lateralis</i> (Kieffer, 1902, <i>Allotria</i> )	
<i>luteiceps</i> (Kieffer, 1902, <i>Allotria</i> )	
<i>luteicornis</i> (Kieffer, 1902, <i>Allotria</i> )	
<i>areolata</i> (Kieffer, 1909, <i>Charips</i> )	
<i>grandicornis</i> (Kieffer, 1904, <i>Allotria</i> )	

<sup>8</sup> Synonymised under *pedestris* by Fergusson (1986) but considered here to be a valid species.

<sup>9</sup> Recorded as a misidentification of *macrophadna* by Fergusson (1986) but listed as a valid species, occurring in Britain, on Fauna Europaea, but with the comment that the species might be synonymous with *pleuralis*.

<sup>10</sup> Synonymised under *macrophadna* by Fergusson (1986) but is considered here to be a valid, and distinctive, species.

<sup>11</sup> Listed as a separate species by Müller *et al.* (1999) and on Fauna Europaea, this is just the male of *ramulifera*.

<sup>12</sup> Listed as a synonym of *fulviceps* in Fauna Europaea, following alternate synonymisations under *erythrothorax* (Quinlan, 1974) and *castanea* (Evenhuis, 1982), but now considered to be a valid species with *megaptera* as a synonym (the type of which is a male of *ruficollis*). In Müller *et al.* (1999) this was recorded as 'Alloxysta f1'.

<sup>13</sup> Excluded from the British and Irish list by Fergusson (1988) but reinstated by Van Veen *et al.* (2003).

species excluded from the British and Irish list<sup>14</sup>

[*flavicornis* (Hartig, 1841, *Xystus*)]

[*longicornis* (Hartig, 1840, *Xystus*)]

[*ullrichi* (Giraud, 1860, *Allotria*)

*ullerichi* misspelling]

**HEMICRISIS** Förster, 1869<sup>15</sup>

*ruficornis* Förster, 1869 E

*pubicollis* (Thomson, 1877, *Allotria*)

**PHAEНОGLYPHIS** Förster, 1869

*AULOXYSTA* Thomson, 1877

*BOTHRIOXYSTA* Kieffer, 1902

*CHARIPSELLA* Bréthes, 1913

*dolichocera* (Cameron, 1889, *Allotria*) E I

*salicis* (Cameron, 1883, *Allotria*) E

*forticornis* Cameron, 1888

*villosa* (Hartig, 1841, *Xystus*) E

*piciceps* (Thomson, 1862, *Allotria*)

*collina* (Cameron, 1889, *Allotria*)

*ambrosiae* (Ashmead, 1898, *Allotria*)

*carpentieri* (Kieffer, 1902, *Allotria*)

*foveigera* (Kieffer, 1902, *Allotria*)

*curvata* (Kieffer, 1902, *Allotria*)

*recticornis* (Kieffer, 1902, *Allotria*)

*subaptera* (Kieffer, 1904, *Alloxysta*)

*campyla* (Kieffer, 1904, *Alloxysta*)

*necans* (Kieffer, 1909, *Glyptoxysta*)

*numidica* (Kieffer, 1909, *Bothrioxysta*)

*flavipes* (Ionescu, 1963 *Charips*)

**xanthocroa** Förster, 1869 E

*rufa* Thomson, 1877

*obfuscata* Kieffer, 1901

Tribe CHARIPINI Dalla Torre & Kieffer, 1910

DILYTINI Kierych, 1979

**APOCHARIPS** Fergusson, 1986

*trapezoidea* (Hartig, 1841, *Xystus*) E W

*xanthocephala* (Thomson, 1862, *Allotria*)

**DILYTA** Förster, 1869

*CHARIPS* Haliday in Marshall, 1870

*GLYPTOXYSTA* Thomson, 1877

*DYLITA* misspelling

**subclavata** Förster, 1869 E S W

*microcera* (Haliday, 1870, *Charips*)

*heterocera* (Thomson, 1877, *Glyptoxysta*)

## References

- Evenhuis, H. H. 1982. A study of Hartig's *Xystus* species with type designations and new synonyms (Hymenoptera: Cynipidae Alloxystinae and Charipinae). *Spixiana* 5: 19-29.
- Evenhuis, H. H. 1985. Studies on Alloxystidae (Hymenoptera, Cynipoidea) 8. *Cynips minuta* Zetterstedt and *Xystus minutus* Hartig. *Entomologische Berichten* 45: 16-20.
- Fergusson, N. D. M. 1986. Charipidae, Ibaliiidae & Figitidae (Hymenoptera: Cynipoidea). *Handbooks for the Identification of British Insects* 8(1c): 1-55.
- Menke, A. S. and H. H. Evenhuis. 1991. North-American Charipidae - key to genera, nomenclature, species checklists, and a new species of *Dilyta* Förster. *Proceedings of the Entomological Society of Washington* 93: 136-158.

<sup>14</sup> These species were listed by Fitton *et al.* (1978) but not recognised as British or Irish by Fergusson (1986) and not found by the author.

<sup>15</sup> Although Fergusson (1986) established *Hemicrisis* as a synonym of *Phaenoglyphis* it was raised from synonymy by Ronquist (1999).

- Müller, C. B., I. C. T. Adriaanse, R. Belshaw and H. C. J. Godfray. 1999. The structure of an aphid-parasitoid community. *Journal of Animal Ecology* 68: 346-370.
- Quinlan, J. 1974. The British Cynipoidea (Hymenoptera) described by P. Cameron. *Bulletin of the British Museum (Natural History), Entomology* 31: 1-21.
- Van Veen, F. J. F., R. Belshaw and H. C. J. Godfray. 2003. The value of the ITS2 region for the identification of species boundaries between *Alloxysta* hyperparasitoids (Hymenoptera: Charipidae) of aphids. *European Journal of Entomology* 100: 449-453.