

발 간 등 록 번 호

11-1480592-000492-01

국가 생물종 목록집 「북한지역 척추동물」

National List of Species of Korea
「Vertebrates of Democratic People's Republic of Korea」



발간사

생물자원을 활용하여 발생하는 이익을 공유하기 위한 국제적 지침인 나고야의정서가 채택되었습니다. 이에 따라 생물자원의 이용 및 관리에 대한 국제적 환경 정서 또한 시시각각으로 변화하고 있습니다. 생물자원을 둘러싼 국가 간의 총성 없는 전쟁에서 좋은 위치를 선점하는 것은 매우 중요합니다.

그러나 이보다 더욱 중요한 것은 우리의 주권 영역 내에 살고 있는 모든 생물종의 명세를 상세하게 파악하고, 국제적으로 인정받을 수 있는 과학적인 자료를 구축하는 것이라 생각합니다. 다시 말하면 무한한 잠재적 이용가치를 지닌 국가 생물자원에 대한 종목록을 최우선적으로 파악해야 합니다. 국가차원에서 국가 생물다양성을 체계적으로 보전하고 관리하며 아울러 지속가능한 이용을 도모하기 위해 ‘생물다양성 보전 및 이용에 관한 법률’이 제정되었으며, 시행이 멀지 않았습니다. 이에 따라 정부에서는 국가 생물다양성 전략을 정기적으로 수립해야 할 뿐만 아니라 국내에서 서식하는 생물종의 학명, 국내 분포 현황 등을 포함한 국가 생물종 목록을 구축해야만 합니다. 국립생물자원관에서는 이미 선제적으로 국가 생물종 목록 구축의 중요성과 시급성을 인지하고 국가 생물자원 인벤토리 구축사업을 지속적으로 수행하고 있습니다. 그 결과 중 하나로 척추동물 분야에서는 어류 1,186종, 양서류, 21종, 파충류 32종, 조류 522종, 포유류 124종의 총 1,885종에 대해 ‘국가 생물종 목록집’을 발간한 바 있습니다.

한반도에는 약10만여 종의 생물종이 서식하는 것으로 추정되고 있으며, 그 실제 파악에 대한 연구가 다각도로 진행되고 있습니다. 물리적 장벽에 의해 남북으로 구분되어 단절된 한반도의 생물 서식현황에 대한 자료구축이 시급한 이 시점에서 비록 과거 문헌 기록에 근거하였지만, 북한지역의 척추동물 1,353종(어류 804종, 양서류 15종, 파충류 27종, 조류 412종, 포유류 95종)에 대한 목록을 시범적으로 작성하여 발간한 것은 한반도 전역의 모든 생물군에 대한 국가 생물자원의 체계적 관리를 위한 값진 초석이 될 것입니다.

생물들은 지금 이 순간에도 그 장벽 사이를 자유롭게 넘나들고 있습니다. 한반도 전역의 생물자원에 대해 남북한 연구자가 협력하여 자유로운 연구가 진행되는 날이 하루 속히 다가오길 기원하며, 그 동안 북한지역의 척추동물 종목록을 구축하는데 노고를 아끼지 않은 집필진에게 깊은 감사를 드립니다.

2012년 12월
국립생물자원관장
이 상 팔

일러두기

국가 생물종 목록집 「북한지역 척추동물」은 어류, 양서류, 파충류, 조류, 포유류 순으로 구성되어 있다. 북한지역의 어류는 모두 3강 43목 185과 804종으로 정리되었다. 그 중 농어목 어류가 73과 303종으로 전체의 37.7%를 차지하였고, 다음으로는 쏨뱅이목 14과 118종(14.7%), 잉어목 3과 87종(10.8%), 가자미목 6과 44종(5.5%), 복어목 8과 31종(3.9%), 청어목 4과 23종(2.9%), 홍어목 8과 19종(2.4%), 뱀장어목 5과 17종(2.1%) 순이었다. 흉상어목을 포함한 35개 목 분류군이 포함하는 종수는 2% 미만으로 비교적 적었다. 북한에서만 출현하는 것으로 알려진 종은 총 34과 42종으로, 잉어과가 11종으로 가장 많았고, 연어과 4종, 돛발상어과를 포함한 7개 과에서 2종, 나머지 22개 과에서는 1종씩 포함하였으며, 일부 종에 대해서는 분포 특성뿐만 아니라 종의 동정 및 학명 사용에 대한 분류학적인 재검토가 요구된다. 각 종의 명칭은 학명[현재 우리나라에서 통용되고 있는 유효명(valid name)], 북한명(북한에서 널리 사용되고 있는 국명 또는 가장 최근의 분류학적 재검토에 준하는 문헌에서 사용하는 명칭), 표준국명(우리나라에서 널리 사용되고 있는 최근의 국명 또는 ‘국가 생물종 목록집’에서 채용한 국명), 참고문헌(북한 어류의 국명 또는 학명 사용의 출처) 순으로 표기하였다. 우리나라와 북한에서 사용하는 국명이 동일한 경우에 표준국명은 생략하였다. 북한명에 대해서는 널리 사용되고 있는 최근의 국명을 채용하되, 참고한 문헌에서 누락된 경우에는 북한에서 발표된 최초 문헌의 북한명을 채용하였다. 국명이 제창되지 않은 경우에는 [국명없음]으로 표기하였다. 과(family) 이상의 상위분류군에 대해 남북한 분류학적 위치가 서로 달라 국명표기에 혼란이 야기되는 경우에는 2011년 국립생물자원관에서 발간한 ‘국가 생물종 목록집 「척추동물」’에서 채용하고 있는 분류학적 체계의 표준명칭만을 표기하였다. 과거 문헌으로만 기록되어 있는 일부 종의 경우 현재 그 학명이 유효명으로 취급되는 경우가 있어 분류학적인 재검토가 필요함에도 불구하고 오동정에 대한 객관적인 증거가 없는 한 북한지역 척추동물 종목록에 포함시켰다. 북한에만 출현하는 종의 경우 국명에 *를 붙여 구분하였다. 북한지역 척추동물 중 양서류는 2목 6과 15종, 파충류는 2목 10과 27종, 조류는 18목 71과 412종, 포유류는 7목 8과 95종이다.

이 책을 인용하려면

국립생물자원관. 2012. 국가 생물종 목록집(북한지역 척추동물). 동진문화사, 인천, ix + 91pp.

김병직. 2012. 북한지역의 어류 종목록. 국립생물자원관, pp. 1-29. 국가 생물종 목록집(북한지역 척추동물). 국립생물자원관, 인천.

한상훈. 2012. 북한지역의 양서류 종목록. 국립생물자원관, p. 31. 국가 생물종 목록집(북한지역 척추동물). 국립생물자원관, 인천.

한상훈. 2012. 북한지역의 파충류 종목록. 국립생물자원관, pp. 33-34. 국가 생물종 목록집(북한지역 척추동물). 국립생물자원관, 인천.

최유성. 2012. 북한지역의 조류 종목록. 국립생물자원관, pp. 35-48. 국가 생물종 목록집(북한지역 척추동물). 국립생물자원관, 인천.

한상훈. 2012. 북한지역의 포유류 종목록. 국립생물자원관, pp. 49-52. 국가 생물종 목록집(북한지역 척추동물). 국립생물자원관, 인천.

차례

발간사 일러두기

어류 Fishes

Class Petromyzontida / 1

- Order Petromyzontiformes 칠성장어목 / 1
 - Family Petromyzontidae 칠성장어과 / 1

Class Chondrichthyes 연골어강 / 1

- Order Chimaeriformes 은상어목 / 1
 - Family Chimaeridae 은상어과 / 1
- Order Heterodontiformes 켈이상어목 / 1
 - Family Heterodontidae 켈이상어과 / 1
- Order Orectolobiformes 수염상어목 / 1
 - Family Orectolobidae 수염상어과 / 1
 - Family Hemiscyllidae 얼룩상어과 / 1
 - Family Rhincodontidae 고래상어과 / 1
- Order Lamniformes 악상어목 / 1
 - Family Pseudocarchariidae 강남상어과 / 1
 - Family Alopiidae 환도상어과 / 1
 - Family Cetorhinidae 돌묵상어과 / 2
 - Family Lamnidae 악상어과 / 2
- Order Carcharhiniformes 흉상어목 / 2
 - Family Scyliorhinidae 두툽상어과 / 2
 - Family Proscylliidae 표범상어과 / 2
 - Family Triakidae 까치상어과 / 2
 - Family Carcharhinidae 흉상어과 / 2
 - Family Sphyrnidae 귀상어과 / 2
- Order Hexanchiformes 신타상어목 / 2
 - Family Hexanchidae 신타상어과 / 2
- Order Squaliformes 돛발상어목 / 2
 - Family Squalidae 돛발상어과 / 2
- Order Squatiniformes 전자리상어목 / 3
 - Family Squatinidae 전자리상어과 / 3
- Order Pristiophoriformes 톱상어목 / 3
 - Family Pristiophoridae 톱상어과 / 3
- Order Rajiformes 흉어목 / 3
 - Family Narcinidae 전기가오리과 / 3
 - Family Rhinidae 수구리과 / 3
 - Family Rhinobatidae 가래상어과 / 3

- Family Rajidae 흉어과 / 3
- Family Urolophidae 흰가오리과 / 3
- Family Dasyatidae 색가오리과 / 3
- Family Gymnuridae 나비가오리과 / 3
- Family Myliobatidae 매가오리과 / 4

Class Actinopterygii 조기강 / 4

- Order Acipenseriformes 칠갑상어목 / 4
 - Family Acipenseridae 칠갑상어과 / 4
- Order Elopiformes 당멸치목 / 4
 - Family Elopidae 당멸치과 / 4
 - Family Megalopidae 풀잉어과 / 4
- Order Albuliformes 여울멸목 / 4
 - Family Albulidae 여울멸과 / 4
 - Family Halosauridae 발광멸과 / 4
- Order Anguilliformes 뱀장어목 / 4
 - Family Anguillidae 뱀장어과 / 4
 - Family Muraenidae 곰치과 / 4
 - Family Ophichthidae 바다뱀과 / 4
 - Family Muraenesocidae 갯장어과 / 5
 - Family Congridae 붕장어과 / 5
- Order Clupeiformes 청어목 / 5
 - Family Pristigasteridae [준치과] / 5
 - Family Engraulidae 멸치과 / 5
 - Family Chirocentridae 물멸과 / 5
 - Family Clupeidae 청어과 / 5
- Order Gonorynchiformes 압치목 / 6
 - Family Gonorynchidae 압치과 / 6
- Order Cypriniformes 잉어목 / 6
 - Family Cyprinidae 잉어과 / 6
 - Family Cobitidae 미꾸리과 / 7
 - Family Balitoridae 종개과 / 8
- Order Siluriformes 메기목 / 8
 - Family Amblycipitidae 통가리과 / 8
 - Family Siluridae 메기과 / 8
 - Family Plotosidae 쏘종개과 / 8
 - Family Bagridae 동자개과 / 8
- Order Argentiniformes / 8
 - Family Argentinidae 셋멸과 / 8
- Order Osmeriformes 바다빙어목 / 8
 - Family Osmeridae 바다빙어과 / 8

- Order Salmoniformes 연어목 / 9
 - Family Salmonidae 연어과 / 9
- Order Stomiiformes 엘퉁어목 / 9
 - Family Sternoptychidae 엘퉁어과 / 9
- Order Ateleopodiformes 꼬리치목 / 9
 - Family Ateleopodidae 꼬리치과 / 9
- Order Aulopiformes 흥매치목 / 9
 - Family Aulopidae 흥매치과 / 9
 - Family Synodontidae 매통어과 / 9
- Order Myctophiformes 샛비늘치목 / 9
 - Family Myctophidae 샛비늘치과 / 9
- Order Lampridiformes 이악어목 / 10
 - Family Regalectidae 산갈치과 / 10
- Order Gadiformes 대구목 / 10
 - Family Bregmacerotidae 날개멸과 / 10
 - Family Macrouridae 민태과 / 10
 - Family Moridae 돌대구과 / 10
 - Family Gadidae 대구과 / 10
- Order Ophidiiformes 첩치목 / 10
 - Family Ophidiidae 첩치과 / 10
- Order Lophiiformes 아귀목 / 10
 - Family Lophiidae 아귀과 / 10
 - Family Antennariidae 천뿔어과 / 10
 - Family Ogcocephalidae 부치과 / 10
- Order Mugiliformes 승어목 / 10
 - Family Mugilidae 승어과 / 10
- Order Atheriniformes 색줄멸목 / 11
 - Family Notocheiridae 물꽃치과 / 11
 - Family Atherinidae 색줄멸과 / 11
- Order Beloniformes 동갈치목 / 11
 - Family Adrianichthyoidae 송사리과 / 11
 - Family Exocoetidae 날치과 / 11
 - Family Hemiramphidae 학공치과 / 11
 - Family Belonidae 동갈치과 / 11
 - Family Scomberesocidae 꽁치과 / 11
- Order Beryciformes 금눈돔목 / 11
 - Family Monocentridae 철갑등어과 / 11
 - Family Berycidae 금눈돔과 / 11
 - Family Holocentridae 열게돔과 / 11
- Order Zeiformes 달고기목 / 12
 - Family Zeidae 달고기과 / 12
- Order Gasterosteiformes 큰가시고기목 / 12
 - Family Hypoptychidae 양미리과 / 12
 - Family Aulorhynchidae 실비늘치과 / 12
 - Family Gasterosteidae 큰가시고기과 / 12
 - Family Syngnathidae 실고기과 / 12
 - Family Fistulariidae 대치과 / 12
- Order Synbranchiformes 드렁허리목 / 12
 - Family Synbranchidae 드렁허리과 / 12
 - Family Mastacembelidae 걸장어과 / 12
- Order Scorpaeniformes 솜뿔어목 / 12
 - Family Dactylopteridae 쪽지성대과 / 12
 - Family Scorpaenidae 양불락과 / 13
 - Family Aploactinidae 풀미역치과 / 13
 - Family Triglidae 성대과 / 13
 - Family Peristediidae 황성대과 / 14
 - Family Bembridae 빨간양태과 / 14
 - Family Platycephalidae 양태과 / 14
 - Family Hexagrammidae 쥐노래미과 / 14
 - Family Cottidae 독중개과 / 14
 - Family Hemitripteraeidae 삼세기과 / 15
 - Family Agonidae 날개줄고기과 / 15
 - Family Psychrolutidae 물수배기과 / 15
 - Family Cyclopteridae 도치과 / 15
 - Family Liparidae 꼼치과 / 16
- Order Perciformes 농어목 / 16
 - Family Centropomidae 꺾지과 / 16
 - Family Moronidae 농어과 / 16
 - Family Acropomatidae 반딧불게르치과 / 16
 - Family Serranidae 바리과 / 16
 - Family Callanhiidae 노랑벤자리과 / 17
 - Family Plesiopidae 육돈바리과 / 17
 - Family Banjosidae 독돔과 / 17
 - Family Priacanthidae 빨돔과 / 17
 - Family Apogonidae 동갈돔과 / 17
 - Family Sillaginidae 보리멸과 / 17
 - Family Malacanthidae 옥돔과 / 17
 - Family Pomatomidae 게르치과 / 17
 - Family Coryphaenidae 만새기과 / 17
 - Family Rachycentridae 날쌔기과 / 17
 - Family Echeneidae 빨판상어과 / 18
 - Family Carangidae 전갱어과 / 18
 - Family Menidae 배불뚝과 / 18
 - Family Leiognathidae 주둥치과 / 18
 - Family Bramidae 새다래과 / 18
 - Family Emmelichthyidae 선홍치과 / 18
 - Family Lutjanidae 퉁돔과 / 18
 - Family Lobotidae 백미돔과 / 19
 - Family Gerreidae 게레치과 / 19
 - Family Haemulidae 하스돔과 / 19
 - Family Nemipteridae 실꼬리돔과 / 19
 - Family Lethrinidae 갈돔과 / 19
 - Family Sparidae 도미과 / 19
 - Family Polynemidae 날가지승어과 / 19
 - Family Sciaenidae 민어과 / 19
 - Family Mullidae 촉수과 / 20
 - Family Pempheridae 주걱치과 / 20
 - Family Kyphosidae 황줄감정어과 / 20
 - Family Chaetodontidae 나비고기과 / 20
 - Family Pomacanthidae 청줄돔과 / 20
 - Family Pentacerotidae 황줄돔과 / 20
 - Family Terapontidae 살벤자리과 / 20

Family Kuhliidae 알롱잉어과 / 21
 Family Oplegnathidae 돌돔과 / 21
 Family Cheilodactylidae 다동가리과 / 21
 Family Cepolidae 홍갈치과 / 21
 Family Embiotocidae 망상어과 / 21
 Family Pomacentridae 자리돔과 / 21
 Family Labridae 놀래기과 / 21
 Family Scaridae 파랑비늘돔과 / 21
 Family Zoarcidae 등가시치과 / 22
 Family Stichaeidae 장갱이과 / 22
 Family Pholidae 황줄베도라치과 / 22
 Family Trichodontidae 도루묵과 / 22
 Family Pinguipedidae 양동미리과 / 22
 Family Ammodytidae 까나리과 / 22
 Family Uranoscopidae 통구멍과 / 22
 Family Tripterygiidae 먹도라치과 / 23
 Family Blenniidae 청베도라치과 / 23
 Family Gobiessocidae 학치과 / 23
 Family Callionymidae 뿔양태과 / 23
 Family Odontobutidae 동사리과 / 23
 Family Eleotridae 구굴무치과 / 23
 Family Gobiidae 망둑어과 / 23
 Family Ptereleotridae 청황문질과 / 24
 Family Ehippidae 활치과 / 24
 Family Siganidae 독가시치과 / 24
 Family Acanthuridae 양귀돔과 / 24
 Family Sphyrnaidae 꼬치고기과 / 25
 Family Trichiuridae 갈치과 / 25
 Family Scombridae 고등어과 / 25
 Family Xiphiidae 황새치과 / 25
 Family Centrolophidae 샛돔과 / 25
 Family Nomeidae 노메치과 / 25
 Family Stromateidae 병어과 / 25
 Family Osphronemidae 버들붕어과 / 26
 Family Channidae 가물치과 / 26
 Family Caproidae 병치돔과 / 26
 Order Pleuronectiformes 가자미목 / 26
 Family Citharidae 풀넙치과 / 26
 Family Paralichthyidae 넙치과 / 26
 Family Pleuronectidae 가자미과 / 26
 Family Bothidae 등글넙치과 / 27
 Family Soleidae 납서대과 / 27
 Family Cynoglossidae 참서대과 / 27
 Order Tetraodontiformes 복어목 / 27
 Family Triacanthodidae 분홍취치과 / 27
 Family Triacanthidae 은비늘치과 / 27
 Family Balistidae 취치복과 / 27
 Family Monacanthidae 취치과 / 27
 Family Ostraciidae 거북복과 / 28
 Family Tetratodontidae 참복과 / 28
 Family Diodontidae 가시복과 / 28

Family Molidae 개복치과 / 28

양서류 Amphibians

Class Amphibia 양서강 / 31

Order Caudata 유미목 / 31

Family Hynobiidae 도롱뇽과 / 31

Order Anura 무미목 / 31

Family Bombinatoridae 무당개구리과 / 31

Family Bufonidae 두꺼비과 / 31

Family Hylidae 청개구리과 / 31

Family Microhylidae 맹꽁이과 / 31

Family Ranidae 개구리과 / 31

파충류 Reptiles

Class Reptilia 파충강 / 33

Order Testudines 거북목 / 33

Family Cheloniidae 바다거북과 / 33

Family Dermochelyidae 장수거북과 / 33

Family Geoemydidae 남생이과 / 33

Family Trionychidae 자라과 / 33

Order Squamata 유린목 / 33

Suborder Lacertilia 도마뱀아목 / 33

Family Gekkonidae 도마뱀부치과 / 33

Family Scincidae 도마뱀과 / 33

Family Lacertidae 장지뱀과 / 33

Suborder Serpentes 뱀아목 / 33

Family Colubridae 뱀과 / 33

Family Elaphidae 코브라과 / 34

Family Viperidae 살모사과 / 34

조류 Birds

Class Aves 조강 / 35

Order Galliformes 닭목 / 35

Family Phasianidae 꿩과 / 35

Order Anseriformes 기러기목 / 35

Family Anatidae 오리과 / 35

Order Gaviiformes 아비목 / 36

Family Gaviidae 아비과 / 36

Order Procellariiformes 슴새목 / 36

Family Diomedidae 알바트로스과 / 36

Family Procellariidae 슴새과 / 36

Family Hydrobatidae 바다제비과 / 36

Order Podicipediformes 논병아리목 / 36

Family Podicipedidae 논병아리과 / 36

Order Ciconiiformes 황새목 / 36

Family Ciconiidae 황새과 / 36

Family Threskiornithidae 저어새과 / 36

Family Ardeidae 백로과 / 37

Order Pelecaniformes 사다새목 / 37
 Family Fregatidae 군함조과 / 37
 Family Pelecanidae 사다새과 / 37
 Family Sulidae 열가니과 / 37
 Family Phalacrocoracidae 가마우지과 / 37
 Order Falconiformes 매목 / 37
 Family Falconidae 매과 / 37
 Family Accipitridae 수리과 / 38
 Order Gruiformes 두루미목 / 38
 Family Otididae 느시과 / 38
 Family Rallidae 뜰부기과 / 38
 Family Gruidae 두루미과 / 38
 Family Turnicidae 세가락메추라기과 / 39
 Order Charadriiformes 도요목 / 39
 Family Haematopodidae 검은머리물떼새과 / 39
 Family Recurvirostridae 장다리물떼새과 / 39
 Family Charadriidae 물떼새과 / 39
 Family Rostratulidae 호사도요과 / 39
 Family Jacanidae 물평과 / 39
 Family Scolopacidae 도요과 / 39
 Family Glareolidae 제비물떼새과 / 40
 Family Laridae 갈매기과 / 40
 Family Stercorariidae 도둑갈매기과 / 41
 Family Alcidae 바다오리과 / 41
 Order Columbiformes 비둘기목 / 41
 Family Pteroclididae 사막평과 / 41
 Family Columbidae 비둘기과 / 41
 Order Cuculiformes 두견이목 / 41
 Family Cuculidae 두견이과 / 41
 Order Strigiformes 올빼미목 / 41
 Family Strigidae 올빼미과 / 41
 Order Caprimulgiformes 축뚝새목 / 42
 Family Caprimulgidae 축뚝새과 / 42
 Order Apodiformes 칼새목 / 42
 Family Apodidae 칼새과 / 42
 Order Coraciiformes 파랑새목 / 42
 Family Coraciidae 파랑새과 / 42
 Family Alcedinidae 물총새과 / 42
 Family Upupidae 후투티과 / 42
 Order Piciformes 딱다구리목 / 42
 Family Picidae 딱다구리과 / 42
 Order Passeriformes 참새목 / 43
 Family Pittidae 팔색조과 / 43
 Family Campephagidae 할미새사촌과 / 43
 Family Laniidae 떼까치과 / 43
 Family Oriolidae 피꼬리과 / 43
 Family Dicruridae 바람까마귀과 / 43
 Family Monarchidae 긴꼬리딱새과 / 43
 Family Corvidae 까마귀과 / 43
 Family Bombycillidae 여새과 / 43
 Family Paridae 박새과 / 44

Family Remizidae 스원호오목눈이과 / 44
 Family Hirundinidae 제비과 / 44
 Family Aegithalidae 오목눈이과 / 44
 Family Alaudidae 종다리과 / 44
 Family Cisticolidae 개개비사촌과 / 44
 Family Pycnonotidae 직박구리과 / 44
 Family Sylviidae 휘파람새과 / 44
 Family Timaliidae 붉은머리오목눈이과 / 45
 Family Zosteropidae 동박새과 / 45
 Family Regulidae 상모술새과 / 45
 Family Troglodytidae 굴뚝새과 / 45
 Family Sittidae 동고비과 / 45
 Family Certhiidae 나무발발이과 / 45
 Family Sturnidae 찌르레기과 / 45
 Family Turdidae 지빠귀과 / 45
 Family Muscicapidae 솔딱새과 / 46
 Family Cinclidae 물까마귀과 / 46
 Family Passeridae 참새과 / 46
 Family Prunellidae 바위종다리과 / 46
 Family Motacillidae 활미새과 / 46
 Family Fringillidae 되새과 / 47
 Family Emberizidae 멧새과 / 47

포유류 Mammals

Class Mammalia 포유동물강 / 49

Order Erinaceomorpha 고슴도치목 / 49
 Family Erinaceidae 고슴도치과 / 49
 Order Soricomorpha 침서목 / 49
 Family Soricidae 침서과 / 49
 Family Talpidae 두더지과 / 49
 Order Chiroptera 익수목 / 49
 Family Rhinolophidae 관박쥐과 / 49
 Family Molossidae 큰귀박쥐과 / 49
 Family Vespertilionidae 애기박쥐과 / 49
 Order Carnivora 식육목 / 50
 Family Felidae 고양이과 / 50
 Family Canidae 개과 / 50
 Family Ursidae 곰과 / 50
 Family Otariidae 바다사자과 / 50
 Family Phocidae 물범과 / 50
 Family Mustelidae 족제비과 / 50
 Order Artiodactyla 우제목 / 51
 Family Suidae 멧돼지과 / 51
 Family Moschidae 사향노루과 / 51
 Family Cervidae 사슴과 / 51
 Family Bovidae 소과 / 51
 Order Cetacea 고래목 / 51
 Family Balaenopteridae 수염고래과 / 51
 Family Eschrichtiidae 쇠고래과 / 51
 Family Delphinidae 돌고래과 / 51

Family Phocoenidae 쇠돌고래과 / 51
Family Physeteridae 말향고래과 / 51
Family Ziphiidae 부리고래과 / 51
Order Lagomorpha 토끼목 / 52
Family Ochotonidae 우는토끼과 / 52
Family Leporidae 토끼과 / 52

Order Rodentia 설치목 / 52
Family Sciuridae 청설모과 / 52
Family Dipodidae 뛰는쥐과 / 52
Family Cricetidae 비단털쥐과 / 52
Family Muridae 쥐과 / 52

북한지역의 어류 종목록

Fish Species of Democratic People's Republic of Korea

*북한 고유종

Class Petromyzontida [국명없음]

Order Petromyzontiformes 칠성장어목

Family Petromyzontidae 칠성장어과

1. *Lethenteron japonicus* (Martens, 1868) 칠성장어 Mori and Uchida (1934: 2)
2. *Lethenteron morii* (Berg, 1931) 보천칠성장어/칠성말배꼽 Mori and Uchida (1934: 2)
3. *Lethenteron reissneri* (Dybowski, 1869) 모래칠성장어/다목장어 Mori and Uchida (1934: 2)

Class Chondrichthyes 연골어강

Order Chimaeriformes 은상어목

Family Chimaeridae 은상어과

4. *Chimaera phantasma* Jordan and Snyder, 1900 은상어 Kim (1975: 38)
5. *Hydrolagus mitsukurii* (Jordan and Snyder, 1904) 같은상어 Kim and Kil (2006a: 86)

Order Heterodontiformes 뽕이상어목

Family Heterodontidae 뽕이상어과

6. *Heterodontus japonicus* MacLay and Macleay, 1884 고양이상어/뽕이상어 Choi (1964: 5)
7. *Heterodontus zebra* (Gray, 1831) 얼룩고양이상어/삿징이상어 Kim (1980: 20)

Order Orectolobiformes 수염상어목

Family Orectolobidae 수염상어과

8. *Orectolobus japonicus* Regan, 1906 수염상어 Choi (1964: 5)

Family Hemiscyllidae 얼룩상어과

9. *Chiloscyllium plagiosum* ([Bennett], 1830) 얼룩상어 Kim and Kil (2006a: 35)

Family Rhincodontidae 고래상어과

10. *Rhincodon typus* Smith, 1828 고래상어 Kim (1980: 25)

Order Lamniformes 악상어목

Family Pseudocarchariidae 강남상어과

11. *Pseudocarcharias kamoharai* (Matsubara, 1936) 모래상어/강남상어 Kim and Kil (2006a: 37)

Family Alopiidae 환도상어과

12. *Alopias pelagicus* Nakamura, 1935 긴꼬리상어/환도상어 Kim (1975: 37)
13. *Alopias vulpinus* (Bonnaterre, 1788) 긴꼬리여우상어/흰배환도상어 Mori and Uchida (1934: 3)

Family Cetorhinidae 돌묵상어과

14. *Cetorhinus maximus* (Gunnerus, 1765) 거물상어/돌묵상어 Kim (1980: 29)

Family Lamnidae 악상어과

15. *Carcharodon carcharias* (Linnaeus, 1758) 흰배상어/백상아리 Kim and Kil (2006a: 38)
16. *Isurus oxyrinchus* Rafinesque, 1810 잿빛푸른상어/청상아리 Choi (1964: 13)
17. *Lamna ditropis* Hubbs and Follett, 1947 쥐상어/악상어 Kim and Kil (2006a: 39)

Order Carcharhiniformes 흉상어목

Family Scyliorhinidae 두툽상어과

18. *Cephaloscyllium umbratile* Jordan and Fowler, 1903 이리상어/복상어 Choi (1964: 10)
19. *Halaelurus buergeri* (Müller and Henle, 1838) 불범상어 Kim and Kil (2006a: 46)
20. *Scyliorhinus torazame* (Tanaka, 1908) 범상어/두툽상어 Choi (1964: 9)

Family Proscylliidae 표범상어과

21. *Proscyllium habereri* Hilgendorf, 1904 검은점까치상어/표범상어 Kim and Kil (2006a: 48)

Family Triakidae 까치상어과

22. *Hemistriakia japonica* (Müller and Henle, 1839) 날개상어/행락상어 Kim and Kil (2006a: 52)
23. *Mustelus griseus* Pietschmann, 1908 개상어 Choi (1964: 7)
24. *Mustelus manazo* Bleeker, 1854 별상어 Mori and Uchida (1934: 3)
25. *Triakis scyllium* Müller and Henle, 1839 까치상어 Jordan and Metz (1913: 4)

Family Carcharhinidae 흉상어과

26. *Carcharhinus plumbeus* (Nardo, 1827) 흰눈상어/흉상어 Kim and Kil (2006a: 56)
27. *Carcharhinus sorrah* (Müller and Henle, 1839) 넓은주둥이상어/검은꼬리상어 Kim (1980: 33)
28. *Galeocerdo cuvier* (Péron and Lesueur, 1822) 족제비상어/뱀상어 Kim and Kil (2006a: 51)
29. *Prionace glauca* (Linnaeus, 1758) 푸른상어/청새리상어 Choi (1964: 8)
30. *Rhizoprionodon acutus* (Rüppell, 1837) 편두상어/펜두상어 Kim and Kil (2006a: 54)
31. *Rhizoprionodon oligolinx* Springer, 1964 첨두상어/아구상어 Kim (1975: 37)

Family Sphymidae 귀상어과

32. *Sphyrna zygaena* (Linnaeus, 1758) 귀상어 Choi (1964: 11)

Order Hexanchiformes 신락상어목

Family Hexanchidae 신락상어과

33. *Hepranchias perlo* (Bonnaterre, 1788) 뿔족줄치상어/꼬리기름상어 Kim and Kil (2006a: 29)
34. *Notorynchus cepedianus* (Péron, 1807) 납작줄치상어/칠성상어 Kim (1975: 37)

Order Squaliformes 돔발상어목

Family Squalidae 돔발상어과

35. *Etmopterus lucifer* Jordan and Snyder, 1902 심해빨상어/가시줄상어 Kim and Kil (2006a: 62)
36. *Squalus acanthias* Linnaeus, 1758 기름빨상어/곱상어 Kim (1975: 37)
37. *Squalus brevirostris* Tanaka, 1917 짧은빨상어* Choi (1964: 14)

38. *Squalus japonicus* Ishikawa, 1908 빨상어/도돔발상어 Jordan and Metz (1913: 4)
 39. *Squalus megalops* (Macleay, 1881) 빨상어/모조리상어 Kim (1980: 38)
 40. *Squalus mitsukurii* Jordan and Snyder, 1903 돔발상어 Jordan and Metz (1913: 4)
 41. *Squalus suckleyi* (Girard, 1855) 기름빨상어* Choi (1964: 14)

Order Squatiniformes 전자리상어목

Family Squatinidae 전자리상어과

42. *Squatina japonica* Bleeker, 1858 저자상어/전자리상어 Choi (1964: 16)
 43. *Squatina nebulosa* Regan, 1906 검은저자상어/범수구리 Kim and Kil (2006a: 65)

Order Pristiophoriformes 툽상어목

Family Pristiophoridae 툽상어과

44. *Pristiophorus japonicus* Günther, 1870 툽상어 Choi (1964: 15)

Order Rajiformes 홍어목

Family Narcinidae 전기가오리과

45. *Narke japonica* (Temminck and Schlegel, 1850) 전기가오리 Choi (1964: 23)

Family Rhinidae 수구리과

46. *Rhina ancylostoma* Bloch and Schneider, 1801 몽푹보섭가오리/목탁수구리 Kim and Kil (2006a: 67)
 47. *Rhynchobatus djiddensis* (Forsskål, 1775) 상어가오리/둥수구리 Kim and Kil (2006a: 69)

Family Rhinobatidae 가래상어과

48. *Platyrrhina sinensis* (Bloch and Schneider, 1801) 목대/목탁가오리 Choi (1964: 18)
 49. *Rhinobatos hynnicephalus* Richardson, 1846 무늬보섭가오리/점수구리 Kim and Kil (2006a: 68)
 50. *Rhinobatos schlegelii* Müller and Henle, 1841 보섭가오리/가래상어 Choi (1964: 17)

Family Rajidae 홍어과

51. *Bathyraja smirnovi* (Soldatov and Pavlenko, 1915) 눈간쟁이* Kim (1975: 38)
 52. *Bathyraja isotrachys* (Günther, 1877) 깊은바다간쟁이/저자가오리 Kim (1980: 42)
 53. *Dipturus tenuis* (Jordan and Fowler, 1903) 홍어/살홍어 Choi (1963: 20)
 54. *Okamejei kenojei* (Müller and Henle, 1841) 홍어 Choi (1964: 19)
 55. *Okamejei meerdervoortii* (Bleeker, 1860) 무늬가오리/오동가오리 Choi (1964: 20)
 56. *Raja pulchra* Liu, 1932 눈간쟁이/참홍어 Kim (1980: 44)

Family Urolophidae 흰가오리과

57. *Urolophus aurantiacus* Müller and Henle, 1841 흰가오리 Choi (1964: 20)

Family Dasyatidae 색가오리과

58. *Dasyatis akajei* (Müller and Henle, 1841) 가오리/노랑가오리 Choi (1964: 20)
 59. *Dasyatis zugei* (Müller and Henle, 1841) 뽕족가오리/청달래가오리 Kim and Kil (2006a: 79)
 60. *Neotrygon kuhlii* (Müller and Henle, 1841) 검정가오리/뽕지가오리 Kim and Kil (2006a: 79)

Family Gymnuridae 나비가오리과

61. *Gymnura japonica* (Temminck and Schlegel, 1850) 제비가오리/나비가오리 Choi (1964: 21)

Family Myliobatidae 매가오리과

62. *Mobula japonica* Müller and Henle, 1841 쥐가오리 Choi (1964: 23)

63. *Myliobatis tobijei* Bleeker, 1854 매가오리 Choi (1964: 22)

Class Actinopterygii 조기강

Order Acipenseriformes 철갑상어목

Family Acipenseridae 철갑상어과

64. *Acipenser dabryanus* Duméril, 1869 칼철갑상어/칼상어 Mori (1952: 28)

65. *Acipenser medirostris* Ayres, 1854 화태철갑상어/용상어 Choi (1964: 27)

66. *Acipenser mikadoi* Hilgendorf, 1892 철갑상어* Mori and Uchida (1934: 4)

67. *Acipenser sinensis* Gray, 1835 줄철갑상어/철갑상어 Choi (1964: 26)

Order Elopiformes 당멸치목

Family Elopidae 당멸치과

68. *Elops hawaiiensis* Regan, 1909 왕눈멸치/당멸치 Choi (1964: 28)

Family Megalopidae 풀잉어과

69. *Megalops cyprinoides* (Broussonet, 1782) 풀잉어 Kim and Kil (2006a: 94)

Order Albuliformes 여을멸목

Family Albulidae 여을멸과

70. *Albula argentea* (Forster, 1801) 외양멸치/여을멸 Kim and Kil (2006a: 95)

Family Halosauridae 발광멸과

71. *Aldrovandia affinis* (Günther, 1877) 도마뱀장어/발광멸 Kim and Kil (2006b: 23)

Order Anguilliformes 뱀장어목

Family Anguillidae 뱀장어과

72. *Anguilla japonica* Temminck and Schlegel, 1846 뱀장어 Mori and Uchida (1934: 9)

73. *Anguilla marmorata* Quoy and Gaimard, 1824 제주뱀장어/무태장어 Choi (1964: 153)

74. *Enchelycore pardalis* Temminck and Schlegel, 1846 범선대/알락곰치 Choi (1964: 155)

Family Muraenidae 곰치과

75. *Gymnothorax kidako* (Temminck and Schlegel, 1846) 선대/곰치 Choi (1964: 155)

Family Ophichthidae 바다뱀과

76. *Brachysomophis porphyreus* (Temminck and Schlegel, 1846) 자비바다뱀장어/자물뱀 Kim and Kil (2006b: 21)

77. *Echelus uropterus* (Temminck and Schlegel, 1846) 날개붕장어/날붕장어 Kim and Kil (2006b: 18)

78. *Ophichthus urolophus* (Temminck and Schlegel, 1846) 갈바다장어/갈물뱀 Kim and Kil (2006b: 21)

79. *Ophisurus macrorhynchus* Bleeker, 1853 바다장어/바다뱀 Choi (1964: 155)

80. *Pisodonophis zophistius* Jordan and Snyder, 1901 돛바다뱀장어/돛물뱀 Kim and Kil (2006b: 22)

Family Muraenesocidae 갯장어과

81. *Muraenesox cinereus* (Forsskål, 1775) 개장어/갯장어 Choi (1964: 154)
82. *Oxyconger leptognathus* (Bleeker, 1858) 물봉장어 Kim and Kil (2006b: 14)

Family Congridae 붕장어과

83. *Anago anago* (Temminck and Schlegel, 1846) 은붕장어/피붕장어 Kim and Kil (2006b: 11)
84. *Ariosoma anagoides* (Bleeker, 1853) 꽃붕어지/떡붕장어 Kim and Kil (2006b: 8)
85. *Bathycongrus retrotinctus* (Jordan and Snyder, 1901) 검은테붕장어/테붕장어 Kim and Kil (2006b: 10)
86. *Conger japonicus* Bleeker, 1879 검은붕장어/검붕장어 Choi (1964: 153)
87. *Conger myriaster* (Brevoort, 1856) 별붕장어/붕장어 Choi (1964: 153)
88. *Uroconger lepturus* (Richardson, 1845) 꼬리붕장어/애붕장어 Kim and Kil (2006b: 12)

Order Clupeiformes 청어목

Family Pristigasteridae [준치과]

89. *Ilisha elongata* (Anonymous [Bennett], 1830) 준치 Jordan and Metz (1913: 7)

Family Engraulidae 멸치과

90. *Coilia mystus* (Linnaeus, 1758) 싱어 Choi (1964: 39)
91. *Coilia nasus* Temminck and Schlegel, 1846 웅어 Jordan and Metz (1913: 8)
92. *Engraulis japonicus* Temminck and Schlegel, 1846 멸치 Jordan and Starks (1905: 194)
93. *Setipinna tenuifilis* (Valenciennes, 1948) 반치 Choi (1964: 37)
94. *Stolephorus commersonnii* Lacepède 1803 곤어리* Kim (1975: 38)
95. *Thryssa adalae* (Rutter, 1897) 풀반댕이 Kim and Kil (2006a: 112)
96. *Thryssa chefuensis* (Günther, 1874) [국명없음]* Mori and Uchida (1934: 5)
97. *Thryssa hamiltonii* Gray, 1835 풀반지 Jordan and Metz (1913: 8)
98. *Thryssa kammalensis* (Bleeker, 1849) 뿌루대/청멸 Mori (1952: 33)
99. *Thryssa mystax* (Bloch and Schneider, 1801) 해검어* Kim (1975: 38)

Family Chirocentridae 물멸과

100. *Chirocentrus dorab* (Forsskål, 1775) 왕멸치/물멸 Choi (1964: 31)

Family Clupeidae 청어과

101. *Clupanodon thrissa* (Linnaeus, 1758) 인천전어/조선전어 Choi (1964: 31)
102. *Clupea pallasii* Valenciennes, 1847) 청어 Jordan and Metz (1913: 6)
103. *Etrumeus teres* (DeKay, 1842) 눈치/눈통멸 Mori and Uchida (1934: 4)
104. *Konosirus punctatus* (Temminck and Schlegel, 1846) 전어 Choi (1964: 29)
105. *Nematalosa japonica* Regan, 1917 둥근전어/대전어 Kim and Kil (2006a: 97)
106. *Nematalosa nasus* (Bloch, 1795) [국명없음]/[국명없음] Mori and Uchida (1934: 4)
107. *Sardinella gibbosa* (Bleeker, 1849) 무점정어리* Choi (1954: 33)
108. *Sardinella zunasi* (Bleeker, 1854) 뱀댕이 Jordan and Starks (1905: 457)
109. *Sardinops melanostictus* (Temminck and Schlegel, 1846) 정어리 Mori and Uchida (1934: 4)
110. *Spratelloides gracilis* (Temminck and Schlegel, 1846) 은저리/셋줄멸 Kim and Kil (2006a: 100)
111. *Tenulosa reevesii* (Richardson, 1846) 평전어/납작전어 Kim (1975: 38)

Order Gonorynchiformes 압치목

Family Gonorynchidae 압치과

112. *Gonorynchus abbreviatus* Temminck and Schlegel, 1846 쥐문저리/압치 Kim and Kil (2006a: 149)

Order Cypriniformes 잉어목

Family Cyprinidae 잉어과

113. *Abbottina rivularis* (Basilewsky, 1855) 모래마자/머들매치 Kim and Kil (2006a: 211)
114. *Acanthorhodeus chankaensis* (Dybowski, 1872) 가시납주레기/가시납지리 Choi (1964: 120)
115. *Acheilognathus cyanostigma* Jordan and Fowler, 1903 긴꼬리납저리 Choi (1964: 120)
116. *Acheilognathus koreensis* Kim and Kim, 1990 칼납주레기/칼납자루 Choi (1964: 122)
117. *Acheilognathus lanceolata intermedia* (Temminck and Schlegel, 1846) 창납주레기/납자루
Choi (1964: 122)
118. *Acheilognathus macropterus* (Bleeker, 1871) 큰가시납주레기/큰납지리 Mori and Uchida (1934: 8)
119. *Acheilognathus rhombus* (Temminck and Schlegel, 1846) 납저리아제비/납지리 Choi (1964: 124)
120. *Acheilognathus signifer* Berg, 1907 납주레기/묵납자루 Mori and Uchida (1934: 8)
121. *Acheilognathus yamatsutae* Mori, 1928 줄납주레기/줄납자루 Choi (1964: 123)
122. *Aphyocypris chinensis* Günther, 1868 눈달치/왜물개 Mori and Uchida (1934: 7)
123. *Aristichthys nobilis* (Richardson, 1844) 화련어/대두어 Kim and Kim (1984: 89)
124. *Carassius auratus* (Linnaeus, 1758) 붕어 Mori and Uchida (1934: 6)
125. *Carassius carassius* (Linnaeus, 1758) [국명없음]* Mori and Uchida (1934: 6)
126. *Carassius gibelio* (Bloch, 1782) 긴붕어* Choi (1964: 127)
127. *Coreius cetopsis* (Kner, 1867) 긴수염돌고기* Choi (1964: 90)
128. *Coreoleuciscus splendidus* Mori, 1935 췌리/쉬리 Mori (1952: 51)
129. *Ctenopharyngodon idellus* (Cuvier and Valenciennes, 1844) 초어 Choi (1964: 73)
130. *Culter brevicauda* Günther, 1868 넷뱅어/백조어 Mori (1952: 53)
131. *Cyprinus carpio* Linnaeus, 1758 잉어 Mori and Uchida (1934: 6)
132. *Cyprinus rubrofusculus* Lacepède, 1803 아무르잉어* Choi (1964: 129)
133. *Erythroculter erythropterus* (Basilewsky, 1855) 강준치 Mori and Uchida (1934: 8)
134. *Gnathopogon strigatus* (Regan, 1980) 줄버들붕어/줄물개 Mori and Uchida (1934: 7)
135. *Gobio cynocephalus* Dybowski, 1869 자그사니/모샘치 Mori and Uchida (1934: 7)
136. *Gobio macrocephalus* Mori, 1930 두만자그사니* Mori and Uchida (1934: 7)
137. *Gobiobotia brevibarba* Mori, 1935 돌상어 Choi (1964: 96)
138. *Gobiobotia macrocephala* Mori, 1935 긴수염돌상어/꾸구리 Choi (1964: 95)
139. *Gobiobotia nakdongensis* Mori, 1935 락동강돌상어/흰수마자 Choi (1964: 97)
140. *Hemibarbus labeo* (Pallas, 1776) 누치 Mori and Uchida (1934: 6)
141. *Hemibarbus longirostris* (Regan, 1908) 마자/참마자 Mori and Uchida (1934: 6)
142. *Hemibarbus maculatus* Bleeker, 1871 알락누치* Choi (1964: 103)
143. *Hemibarbus mylodon* (Berg, 1907) 어름치 Mori and Uchida (1934: 7)
144. *Hemiculter eigenmanni* (Jordan and Metz, 1913) 강멸치/치리 Choi (1964: 107)
145. *Hemiculter leucisculus* (Basilewsky, 1855) 살치 Choi (1964: 108)
146. *Hypophthalmichthys molitrix* (Cuvier and Valenciennes, 1844) 기념어/백련어 Choi (1964: 129)
147. *Ladislavia taczanowskii* Dybowski, 1869 새미 Mori and Uchida (1934: 7)
148. *Leuciscus waleckii* (Dybowski, 1869) 야레 Choi (1964: 64)
149. *Megalobrama terminalis* (Richardson, 1846) 룡어* Kim et al. (1978: 41)
150. *Mesogobio tumensis* Chang, 1980 두만강자그사니 Mori and Uchida (1934: 7)

151. *Microphysogobio koreensis* Mori, 1935 돌부치/모래주사 Mori and Uchida (1934: 8)
152. *Microphysogobio longidorsalis* Mori, 1935 큰돌부치/배가사리 Mori (1952: 57)
153. *Microphysogobio yaluensis* (Mori, 1928) 압록강돌부치/돌마자 Mori (1952: 57)
154. *Mylopharyngodon piceus* (Richardson, 1846) 민물청어* Kim and Kim (1984: 89)
155. *Ochetobius elongatus* (Kner, 1867) 솔치/청백치 Choi (1964: 110)
156. *Opsariichthys uncirostris amurensis* Berg, 1932 어혜/끄리 Mori and Uchida (1934: 8)
157. *Phoxinus oxyrhynchus* (Mori, 1930) [국명없음]* Mori and Uchida (1934: 7)
158. *Phoxinus phoxinus* (Linnaeus, 1758) 모치/연준모치 Mori and Uchida (1934: 8)
159. *Pseudogobio esocinus* (Temminck and Schlegel, 1846) 모래무치/모래무치 Jordan and Metz (1913: 15)
160. *Pseudolaubuca jouyi* (Jordan and Starks, 1905) 늪치/조치 Choi (1964: 109)
161. *Pseudopungtungia nigra* Mori, 1935 먹돌고기/감돌고기 Choi (1964: 92)
162. *Pseudorasbora parva* (Temminck and Schlegel, 1846) 참붕어 Mori and Uchida (1934: 7)
163. *Pungtungia herzi* Herzenstein, 1892 돌고기 Mori and Uchida (1934: 7)
164. *Rhodeus hondae* (Jordan and Metz, 1913) 서호돌납주레기/서호납줄갱이 Choi (1964: 114)
165. *Rhodeus notatus* Nichols, 1929 돌납주레기/떡납줄갱이 Mori (1952: 56)
166. *Rhodeus ocellatus* (Kner, 1866) 망성어/흰줄납줄개 Choi (1964: 116)
167. *Rhodeus sericeus* (Pallas, 1776) 실망성어/납줄개 Mori and Uchida (1934: 8)
168. *Rhodeus uyekii* (Mori, 1935) 남방돌납저리/각시붕어 Choi (1964: 115)
169. *Rhynchocypris kumgangensis* (Kim, 1980) 금강모치 Mori (1952: 50)
170. *Rhynchocypris oxycephalus* (Sauvage and Dabry, 1874) 버들치 Jordan and Metz (1913: 22)
171. *Rhynchocypris percunurus* (Pallas, 1811) 못버들치/동버들개 Mori (1952: 50)
172. *Rhynchocypris semotilus* (Jordan and Starks, 1905) 등점버들치/버들가지 Jordan and Metz (1913: 18)
173. *Rhynchocypris steindachneri* (Sauvage, 1883) 동북버들치/버들개 Jordan and Metz (1913:18)
174. *Sarcocheilichthys lacustris* (Dybowski, 1872) [국명없음]* Mori and Uchida (1934: 7)
175. *Sarcocheilichthys nigripinnis czerskii* (Berg, 1914) 썩거비/북방중고기 Choi (1964: 86)
176. *Sarcocheilichthys nigripinnis morii* Jordan and Hubbs, 1925 썩거비/중고기 Mori and Uchida (1934: 7)
177. *Sarcocheilichthys soldatovi* (Berg, 1914) 압록썩거비* Mori and Uchida (1934: 7)
178. *Sarcocheilichthys variegatus wakiyae* Mori, 1927 남방썩거비/참중고기 Choi (1964: 87)
179. *Saurogobio dabryi* Bleeker, 1871 생새미/두우쟁이 Mori and Uchida (1934: 8)
180. *Squalidus chankaensis tsuchigae* (Jordan and Hubbs, 1925) 대동버들붕어/참물개 Mori and Uchida (1934: 7)
181. *Squalidus gracilis majimae* (Jordan and Hubbs, 1925) 긴버들붕어/긴물개 Mori and Uchida (1934: 7)
182. *Squalidus japonicus coreanus* (Berg, 1906) 버들붕어/물개 Mori and Uchida (1934: 7)
183. *Squaliobarbus curriculus* (Richardson, 1846) 흥안자/눈불개 Mori (1952: 52)
184. *Tribolodon brandti* (Dybowski, 1872) 황어/대황어 Jordan and Starks (1905: 200)
185. *Tribolodon hakonensis* (Günther, 1905) 붉은황어/황어 Jordan and Metz (1913: 18)
186. *Zacco platypus* (Temminck and Schlegel, 1846) 행베리/피라미 Mori and Uchida (1934: 8)
187. *Zacco temminckii* (Temminck and Schlegel, 1846) 갈겨니 Mori and Uchida (1934: 8)

Family Cobitidae 미꾸리과

188. *Cobitis hankugensis* Kim, Park, Son, and Nalbant, 2003 기름중개
189. *Cobitis lutheri* Rendahl, 1935 점줄중개
190. *Cobitis sinensis* Sauvage and Dabry de Thiersant, 1874 얼룩하늘중개* Choi (1964: 133)
191. *Iksookimia koreensis* (Kim, 1975) 하늘중개/참중개 Kim and Kim (1984: 89)
192. *Kichulchoia multifasciata* (Wakiya and Mori, 1929) 줄무늬하늘중개/수수미꾸리 Choi (1964: 131)
193. *Koreocobitis rotundicaudata* (Wakiya and Mori, 1929) 흰머리하늘중개/새코미꾸리 Mori and Uchida (1934: 8)
194. *Misgurnus anguillicaudatus* (Cantor, 1842) 미꾸라지/미꾸리 Jordan and Metz (1913: 14)

195. *Misgurnus fossilis* Linnaeus, 1758 두만미꾸리* Choi (1964: 135)
 196. *Misgurnus mizolepis* Günther, 1888 서선미꾸라지/미꾸라지 Choi (1964: 135)

Family Balitoridae 종개과

197. *Lefua costata* (Kessler, 1876) 애기미꾸라지/쌀미꾸리 Jordan and Starks (1905: 201)
 198. *Orthrias toni* (Dybowski, 1869) 종개 Jordan and Metz (1913: 13)
 199. *Triplophysa intermedia* (Kessler, 1872) 들종개* Mori and Uchida (1934: 9)

Order Siluriformes 메기목

Family Amblycipitidae 통가리과

200. *Liobagrus andersoni* Regan, 1908 쓸자개/통가리 Choi (1964, 148)
 201. *Liobagrus mediadiposalis* Mori, 1936 붉은쓸자개/자가사리 Mori (1952: 62)
 202. *Liobagrus reinii* Hilgendorf, 1878 쓸자개* Choi (1964: 149)

Family Siluridae 메기과

203. *Silurus asotus* Linnaeus, 1758 메사구/메기 Mori and Uchida (1934: 6)
 204. *Silurus microdorsalis* (Mori, 1936) 산메사구/미유기 Mori (1952: 60)

Family Plotosidae 쓸종개과

205. *Plotosus lineatus* (Thunberg, 1787) 바다메기/쓸종개 Choi (1964: 140)

Family Bagridae 동자개과

206. *Leiocassis longirostris* Günther, 1864 긴머리쓸자개/종어 Choi (1964: 140)
 207. *Leiocassis ussuriensis* (Dybowski, 1872) 우쭈리종어/대농갱이 Choi (1964: 140)
 208. *Pseudobagrus vachelli* (Richardson, 1846) 긴자개* Mori (1952: 60)
 209. *Pseudobagrus brevicorpus* (Mori, 1836) 어리종개/꼬치동자개 Choi (1964: 150)
 210. *Pseudobagrus fulvidraco* (Richardson, 1846) 자개/동자개 Mori and Uchida (1934: 6)

Order Argentiniformes [국명없음]

Family Argentinidae 셋멸과

211. *Glossanodon semifasciatus* (Kishinouye, 1904) 삿치/셋멸 Kim (1980: 80)

Order Osmeriformes 바다빙어목

Family Osmeridae 바다빙어과

212. *Hemisanx prognathus* Regan, 1908 달거지뱅어/벚꽃뱅어 Mori (1952: 39)
 213. *Hypomesus japonicus* Brevoort, 1856 날빙어 Choi (1964: 54)
 214. *Hypomesus nipponensis* McAllister, 1963 빙어 Mori and Uchida (1934: 5)
 215. *Mallotus villosus* (Müller, 1776) 청광어/열빙어 Mori (1952: 38)
 216. *Neosalanx anderssoni* (Rendhal, 1923) 서선뱅어/도화뱅어 Choi (1964: 57)
 217. *Neosalanx hubbsi* Wakiya and Takahashi, 1937 [국명없음]/실뱅어 Mori (1952: 40)
 218. *Neosalanx jordani* Wakiya and Takahashi, 1937 애기뱅어/젓뱅어 Mori (1952: 40)
 219. *Osmerus dentex* Steindachner and Kner, 1870 [국명없음]* Jordan and Metz (1913: 10)
 220. *Plecoglossus altivelis* (Temminck and Schlegel, 1846) 은어 Mori and Uchida (1934: 5)
 221. *Protosalanx chinensis* (Basilewsky, 1855) [국명없음]/붕통뱅어 Mori (1952: 39)

222. *Protosalanx hyalocranius* (Abbott, 1901) 수수뱅어* Jordan and Metz (1913: 11)
 223. *Salangichthys microdon* (Bleeker, 1860) 뱅어 Mori and Uchida (1934: 6)
 224. *Salanx ariakensis* Kishinouye, 1902 국수뱅어 Choi (194: 55)

Order Salmoniformes 연어목

Family Salmonidae 연어과

225. *Brachymystax lenok tsinlingensis* Li, 1966 열목어/열목어 Mori and Uchida (1934: 5)
 226. *Brachymystax tumensis* Mori, 1930 두만열목어* Mori and Uchida (1934: 5)
 227. *Hucho ishikawae* Mori, 1928 정장어/자치 Mori and Uchida (1934: 5)
 228. *Hucho taimen* (Pallas, 1773) 아무르정장어* Choi (1964: 46)
 229. *Oncorhynchus gorbuscha* (Walbaum, 1792) 꼬추송어/곱사연어 Mori and Uchida (1934: 5)
 230. *Oncorhynchus keta* (Walbaum, 1792) 연어 Mori and Uchida (1934: 5)
 231. *Oncorhynchus kisutch* (Walbaum, 1792) 은송어/은연어 Kim (1980: 70)
 232. *Oncorhynchus masou masou* (Brevoort, 1856) 송어/송어(산천어) Jordan and Metz (1913: 9)
 233. *Oncorhynchus mykiss* (Walbaum, 1792) 칠색송어/무지개송어 Choi (1964: 45)
 234. *Salvelinus leucomaenis leucomaenis* (Pallas, 1814) 산이면수/홍송어 Mori and Uchida (1934: 5)
 235. *Salvelinus malmus* (Walbaum, 1792) 산천어/곤들매기 Mori (1952: 36)
 236. *Salvelinus malma coreanus* Kim, 1985 고원산천어* Kim (1985: 21)
 237. *Thymallus articus* (Pallas, 1776) 북사루기* Choi (1964: 51)
 238. *Thymallus arcticus yaluensis* Mori, 1928 사루기 Choi (1964: 50)

Order Stomiiformes 엘퉁이목

Family Sternoptychidae 엘퉁이과

239. *Maurolicus japonicus* Ishikawa, 1915 오이매테비/엘퉁이 Mori and Uchida (1934: 6)

Order Ateleopodiformes 꼬리치목

Family Ateleopodidae 꼬리치과

240. *Ateleopus japonicus* Bleeker, 1853 꼬리치 Mori (1952: 43)

Order Aulopiformes 홍메치목

Family Aulopidae 홍메치과

241. *Hime japonicus* (Günther, 1877) 관족어/히메치 Kim (1975: 39)

Family Synodontidae 매통이과

242. *Harpadon nehereus* (Hamilton, 1822) 물매테비/물천구 Mori and Uchida (1934: 6)
 243. *Saurida elongata* (Temminck and Schlegel, 1846) 뱀매테비/날매통이 Choi (1964: 58)
 244. *Saurida tumbil* (Bloch, 1795) 악어매테비/툼빌매통이 Mori and Uchida (1934: 6)
 245. *Saurida undosquamis* (Richardson, 1848) 비늘매테비/매통이 Choi (1964: 59)
 246. *Synodus variegatus* (Lacepède, 1803) 매테비/꽃등덜 Kim and Kil (2006a: 153)
 247. *Trachinocephalus myops* (Forster, 1801) 쇠매테비/황매통이 Choi (1964: 60)

Order Myctophiformes 샛비늘치목

Family Myctophidae 샛비늘치과

248. *Myctophum affine* (Lütken, 1892) 반디불멸치/샛비늘치 Kim and Kil (2006a: 158)

Order Lampridiformes 이악어목

Family Regalectidae 산갈치과

249. *Regalecus russelii* (Cuvier, 1816) 룡고기/산갈치 Kim (1980: 121)

Order Gadiformes 대구목

Family Bregmacerotidae 날개멸과

250. *Bregmaceros japonicus* Tanaka, 1908 서우고기/날개멸 Kim and Kil (2006b: 36)

Family Macrouridae 민태과

251. *Coelorinchus japonicus* (Temminck and Schlegel, 1846) 긴꼬리대구/꼬리민태 Kim and Kil (2006b: 44)

Family Moridae 돌대구과

252. *Lotella phycis* (Temminck and Schlegel, 1846) 바다모के/놀락민태 Kim (1980: 106)

Family Gadidae 대구과

- 253. *Eleginus gracilis* (Tilesius, 1810) 외치/빨간대구 Choi (1964: 165)
- 254. *Eleginus nawaga* (Walbaum, 1792) [국명없음] * Jordan and Metz (1913: 64)
- 255. *Gadus macrocephalus* Tilesius, 1810 대구 Jordan and Metz (1913: 65)
- 256. *Lota lota* (Linnaeus, 1758) 강명태/모오캐 Mori and Uchida (1934: 22)
- 257. *Theragra chalcogramma* (Pallas, 1814) 명태 Mori and Uchida (1934: 22)

Order Ophidiiformes 첩치목

Family Ophidiidae 첩치과

- 258. *Hoplobrotula armata* (Temminck and Schlegel, 1846) 빨족제비메기/붉은메기 Choi (1964: 242)
- 259. *Neobythitesivicola* (Jordan and Snyder, 1901) 흰족제비메기/그물메기 Choi (1964: 243)
- 260. *Siremba imberbis* (Temminck and Schlegel, 1846) 바다미꾸라지/동갈메기 Choi (1964)

Order Lophiiformes 아귀목

Family Lophiidae 아귀과

- 261. *Lophiomus setigerus* (Vahl, 1797) 아귀 Choi (1964: 358)
- 262. *Lophius litulon* (Jordan, 1902) 노랑아귀/황아귀 Choi (1964: 358)

Family Antennariidae 썩벙이과

- 263. *Antennarius striatus* (Shaw, 1794) 앓을벙이아귀/빨간썩벙이 Kim (1975: 44)
- 264. *Histrio histrio* (Linnaeus, 1758) 노랑앓을벙이/노랑썩벙이 Kim (1980: 436)

Family Ogocephalidae 부치과

- 265. *Halieutaea stellata* (Vahl, 1797) 피아귀/빨강부치 Choi (1964: 359)
- 266. *Malthopsis lutea* Alcock, 1891 고깔아귀/꼭갈치 Kim and Kil (2006c: 265)

Order Mugiliformes 송어목

Family Mugilidae 송어과

267. *Chelon haematocheilus* (Temminck and Schlegel, 1845) 송어/가송어 Jordan and Metz (1913: 26)

268. *Mugil cephalus* Linnaeus, 1758 은송어/송어 Jordan and Starks (1905: 203)

Order Atheriniformes 색줄멸목

Family Notocheiridae 물꽃치과

269. *Iso flosmaris* Jordan and Starks, 1901 물꽃멸치/물꽃치 Choi (1964: 355)

Family Atherinidae 색줄멸과

270. *Atherion elymus* Jordan and Starks, 1901 보리멸치/밀멸 Kim and Kil (2006b: 79)

271. *Hypoatherina tsurugae* (Jordan and Starks, 1901) 너도은줄멸/은줄멸 Choi (1964: 355)

272. *Hypoatherina valenciennesi* (Bleeker, 1853) 은멸치/색줄멸 Kim (1975: 40)

Order Beloniformes 동갈치목

Family Adrianichthyidae 송사리과

273. *Oryzias latipes* (Temminck and Schlegel, 1846) 송사리 Mori and Uchida (1934: 9)

Family Exocoetidae 날치과

274. *Cypselurus agoo* (Temminck and Schlegel, 1846) 날치 Choi (1964: 158)

275. *Cypselurus poecilopterus* (Valenciennes, 1847) 새날치 Choi (1964: 159)

276. *Exocoetus volitans* Linnaeus, 1758 아기날치/상날치 Kim and Kil (2006b: 35)

277. *Hirundichthys rondeletii* (Valenciennes, 1847) 매날치 Kim and Kil (2006b: 35)

278. *Parexocoetus brachypterus* (Richardson, 1846) 황날치 Kim and Kil (2006b: 34)

Family Hemiramphidae 학공치과

279. *Hyporhamphus intermedius* Cantor, 1842 줄공미리/줄공치 Kim and Kim (1984: 89)

280. *Hyporhamphus sajori* (Temminck and Schlegel, 1846) 공미리/학공치 Jordan and Starks (1905: 203)

Family Belonidae 동갈치과

281. *Ablennes hians* (Valenciennes, 1846) 물항알치/물동갈치 Kim and Kil (2006b: 26)

282. *Strongylura anastomella* (Valenciennes, 1846) 항알치/동갈치 Choi (1964: 161)

283. *Tylosurus crocodilus crocodilus* (Péron and Lesueur, 1821) [국명없음/꽂치아재비 Mori (1952: 68)

Family Scomberesocidae 꽂치과

284. *Cololabis saira* (Brevoort, 1856) 꽂치/꽂치 Mori and Uchida (1934: 10)

Order Beryciformes 금눈돔목

Family Monocentridae 철갑등어과

285. *Monocentris japonicus* (Houttuyn, 1782) 철갑등어 Choi (1964: 168)

Family Berycidae 금눈돔과

286. *Beryx decadactylus* Cuvier, 1829 금눈도미/금눈돔 Mori and Uchida (1934: 11)

Family Holocentridae 열게돔과

287. *Myripristis murdjan* (Forsskål, 1775) 붉은투어/적투어 Kim and Kil (2006b: 68)

288. *Neoniphon sammara* (Forsskål, 1775) 검은줄얼게도미/무늬얼게돔 Kim and Kil (2006b: 66)
 289. *Ostichthys japonicus* (Cuvier, 1829) 갑옷도미/도화돔 Choi (1964: 169)
 290. *Sargocentron spinosissimum* (Temminck and Schlegel, 1843) 얼게도미/얼게돔 Kim and Kil (2006b: 66)

Order Zeiformes 달고기목

Family Zeidae 달고기과

291. *Zenopsis nebulosa* (Temminck and Schlegel, 1845) 거울도미/민달고기 Choi (1964: 326)
 292. *Zeus faber* Linnaeus, 1758 달도미/달고기 Choi (1964: 325)

Order Gasterosteiformes 큰가시고기목

Family Hypoptychidae 양미리과

293. *Hypoptychus dybowskii* Steindachner, 1880 양미리 Mori and Uchida (1934: 21)

Family Aulorhynchidae 실비늘치과

294. *Aulichthys japonicus* Brevoort, 1862 마치/실비늘치 Choi (1964: 350)

Family Gasterosteidae 큰가시고기과

295. *Gasterosteus aculeatus* (Linnaeus, 1758) 참채/큰가시고기 Mori and Uchida (1934: 9)
 296. *Pungitius pungitius* (Linnaeus, 1758) 북가시고기/청가시고기 Mori and Uchida (1934: 10)
 297. *Pungitius sinensis* (Guichenot, 1869) 가시고기 Jordan and Starks (1905: 203)
 298. *Pungitius tymensis* (Nikolsky, 1889) 북가시고기/두만가시고기 Choi (1964: 349)

Family Syngnathidae 실고기과

299. *Hippocampus coronatus* Temminck and Schlegel, 1850 관해마/해마 Choi (1964: 351)
 300. *Hippocampus histrix* Kaup, 1850 가시해마 Kim and Kil (2006b: 58)
 301. *Hippocampus japonicus* Kaup, 1856 바다말 Kim (1975: 39)
 302. *Hippocampus kelloggi* Jordan and Snyder, 1901 큰해마/[국명없음] Kim and Kil (2006b: 57)
 303. *Syngnathus schlegeli* Kaup, 1865 실고기 Kim (1975: 39)
 304. *Trachyrhamphus serratus* (Temminck and Schlegel, 1850) 알락실고기/거물가시치 Kim and Kil (2006b: 55)
 305. *Urocampus nanus* Günther, 1870 애기실고기/풀해마 Kim and Kil (2006b: 55)

Family Fistulariidae 대치과

306. *Fistularia petimba* Lacepède, 1803 흥대치/청대치 Kim (1975: 39)

Order Synbranchiformes 드렁허리목

Family Synbranchidae 드렁허리과

307. *Monopterus albus* (Zuiew, 1793) 두렁허리/드렁허리 Choi (1964: 151)

Family Mastacembelidae 결장어과

308. *Sinobdella sinensis* (Bleeker, 1870) [국명없음]* Mori (1952: 127)

Order Scorpaeniformes 쏨뱅이목

Family Dactylopteridae 쪽지성대과

309. *Dactyloptena orientalis* (Cuvier, 1829) 매미성대/쪽지성대 Choi (1964: 306)
 310. *Dactyloptena peterseni* (Nyström, 1887) 점매미성대/별쪽지성대 Choi (1964: 306)

Family Scorpaenidae 양볼락과

311. *Apistus carinatus* (Bloch and Schneider, 1801) 별수염치/별감팽 Choi (194: 289)
 312. *Erosa erosa* (Cuvier, 1829) 통범치/통솔치 Choi (1964: 293)
 313. *Helicolenus hilgendorfi* (Döderlein, 1884) 알락수염치/홍감팽 Choi (1964: 289)
 314. *Hypodytes rubripinnis* (Temminck and Schlegel, 1843) 붉은솔치/미역치 Kim (1980: 309)
 315. *Inimicus japonicus* (Cuvier, 1829) 범치/쭈기미 Mori and Uchida (1934: 17)
 316. *Minous monodactylus* (Bloch and Schneider, 1801) 강솔치/일지말락솔치 Kim (1975: 43)
 317. *Minous pusillus* Temminck and Schlegel, 1843 연솔치/말락솔치 Choi (1964: 292)
 318. *Pterois lunulata* Temminck and Schlegel, 1843 날개수염치/솔배감팽 Choi (1964: 291)
 319. *Scorpaena izensis* Jordan and Starks, 1904 살수염치 Kim (1975: 43)
 320. *Scorpaena neglecta* Temminck and Schlegel, 1843 빨수염치/살살치 Choi (1964: 290)
 321. *Scorpaenopsis cirrosa* (Thunberg, 1793) 범수염치/쭈감팽 Choi (1964: 290)
 322. *Scorpaenopsis gibbosa* (Bloch and Schneider, 1801) 대무늬수염치[국명없음] Choi (1964: 290)
 323. *Sebastes baramenue* (Wakiya, 1917) 특눈우레기/돌삼뱅이 Mori (1952: 151)
 324. *Sebastes fuscescens* (Houttuyn, 1782) 우레기 Kim (1975: 43)
 325. *Sebastes hubbsi* (Matsubara, 1937) 알락우레기/우럭볼락 Choi (1964: 284)
 326. *Sebastes ijimae* (Jordan and Metz, 1913) 남우레기/눌치볼락 Choi (1964: 282)
 327. *Sebastes inermis* Cuvier, 1829 열갱이/볼락 Mori and Uchida (1934: 17)
 328. *Sebastes joyneri* Günther, 1878 분홍우레기/도화볼락 Choi (1964: 283)
 329. *Sebastes longispinis* (Matsubara, 1934) 긴가시우레기/흰꼬리볼락 Kim and Kil (2006c: 85)
 330. *Sebastes oblongus* Günther, 1877 큰빨우레기/황점볼락 Choi (1964: 286)
 331. *Sebastes owstoni* (Jordan and Thompson, 1914) 황우레기/황볼락 Mori and Uchida (1934: 17)
 332. *Sebastes pachycephalus* Temminck and Schlegel, 1843 떡우레기/개볼락 Choi (1964: 284)
 333. *Sebastes schlegelii* Hilgendorf, 1880 우레기/조피볼락 Jordan and Metz (1913: 49)
 334. *Sebastes taczanowskii* Steindachner, 1880 북우레기/탁자볼락 Jordan and Metz (1913: 51)
 335. *Sebastes thompsoni* (Jordan and Hubbs, 1925) 빨간우레기/불볼락 Choi (1964: 283)
 336. *Sebastes trivittatus* Hilgendorf, 1880 세줄무늬우레기/세줄볼락 Jordan and Metz (1913: 51)
 337. *Sebastes ventricosus* Temminck and Schlegel, 1843 [국명없음]* Jordan and Metz (1913: 49)
 338. *Sebastes vulpes* Döderlein, 1884 노랑우레기/누루시볼락 Choi (1964: 285)
 339. *Sebastes wakiyai* (Matsubara, 1934) 우레기번티기/말락볼락 Mori (1952: 150)
 340. *Sebastiscus albofasciatus* (Lacepède, 1802) 흰줄솜뱅이/붉감팽 Choi (1964: 289)
 341. *Sebastiscus marmoratus* (Cuvier, 1829) 솜뱅이 Choi (1964: 288)
 342. *Sebastolobus macrochir* (Günther, 1877) 홍살치 Mori (1952: 152)

Family Aploactinidae 풀미역치과

343. *Erisphex pottii* (Steindachner, 1896) 얼룩솔치/풀미역치 Choi (1964: 291)

Family Triglidae 성대과

344. *Chelidonichthys spinosus* (McClelland, 1844) 성대 Mori and Uchida (1934: 18)
 345. *Lepidotrigla abyssalis* Jordan and Starks, 1904 심해달재/밑달갱이 Choi (1964: 297)
 346. *Lepidotrigla alata* (Houttuyn, 1782) 빨달재/쌍빨달재 Choi (1964: 297)
 347. *Lepidotrigla guentheri* Hilgendorf, 1879 애기달재/꼬마달재 Choi (1964: 295)

348. *Lepidotrigla japonica* (Bleeker, 1854) 가시달재/가시달강어 Kim and Kil (2006c: 99)
 349. *Lepidotrigla microptera* Günther, 1873 달재/달강어 Mori (1952: 157)
 350. *Pterygotrigla hemisticta* (Temminck and Schlegel, 1843) 심해성대/밑성대 Choi (1964: 297)

Family Peristediidae 황성대과

351. *Peristedion orientale* Temminck and Schlegel, 1843 노랑성대/황성대 Choi (1964: 306)
 352. *Satyrichthys rieffeli* (Kaup, 1859) 별노랑성대/별성대 Kim and Kil (2006c: 101)

Family Bembridae 빨간양태과

353. *Bembras japonica* Cuvier, 1829 붉은장대/빨간양태 Choi (1964: 306)
 354. *Parabembras curtus* (Temminck and Schlegel, 1843) 왕눈장대/눈양태 Choi (1964: 305)

Family Platycephalidae 양태과

355. *Cociella crocodila* (Tilesius, 1812) 수수장대/까지양태 Choi (1964: 303)
 356. *Inegocia japonica* (Tilesius, 1812) 뱀장대/점양태 Choi (1964: 304)
 357. *Onigocia spinosa* (Temminck and Schlegel, 1843) 가시장대/비늘양태 Choi (1964: 304)
 358. *Platycephalus indicus* (Linnaeus, 1758) 장대/양태 Jordan and Starks (1913: 54)
 359. *Ratabulus megacephalus* (Tanaka, 1917) 꽃장대/봉오리양태 Kim and Kil (2006c: 122)
 360. *Suggrundus meerdervoortii* (Bleeker, 1860) 눈장대/큰눈양태 Choi (1964: 304)

Family Hexagrammidae 쥐노래미과

361. *Hexagrammos agrammus* (Temminck and Schlegel, 1843) 황석반어/노래미 Mori and Uchida (1934: 17)
 362. *Hexagrammos lagocephalus* (Pallas, 1810) 놀메기 Kim (1975: 43)
 363. *Hexagrammos octogrammus* (Pallas, 1814) 쇠석반어/줄노래미 Choi (1964: 300)
 364. *Hexagrammos otakii* Jordan and Starks, 1895 석반어/쥐노래미 Jordan and Metz (1913: 49)
 365. *Pleurogrammus azonus* Jordan and Metz, 1913 이면수/임연수어 Choi (1964: 300)
 366. *Pleurogrammus monopterygius* (Pallas, 1810) 줄무늬이면수/단기임연수어 Kim (1980: 318)

Family Cottidae 독중개과

367. *Alicichthys elongatus* (Steindachner, 1881) [국명없음]/빨간횃대 Mori (1952: 165)
 368. *Bero elegans* (Steindachner, 1881) 아롱횃대어/베로치 Choi (1964: 311)
 369. *Cottiusculus gonez* Jordan and Starks, 1904 꼬마횃대어/꼬마횃대 Mori (1952: 167)
 370. *Cottiusculus schmidti* Jordan and Starks, 1904 무늬꼬마횃대어/점줄횃대 Mori (1952: 167)
 371. *Cottus czerskii* Berg, 1913 얼룩독중개/참독중개 Mori and Uchida (1934: 18)
 372. *Cottus hangiongensis* Mori, 1930 [국명없음]/한독중개 Mori and Uchida (1934: 18)
 373. *Cottus koreanus* Fujii, Choi and Yabe, 2005 딱중개/독중개 Mori and Uchida (1934: 18)
 374. *Enophrys diceraus* (Pallas, 1787) 쌍뿔망챙이/뿔횃대 Mori (1952: 166)
 375. *Furcina ishikawae* Jordan and Starks, 1904 쇠비단횃대어/알롱횃대 Choi (1964: 310)
 376. *Furcina osimae* Jordan and Starks, 1904 비단횃대어/무늬횃대 Kim (1980: 342)
 377. *Gymnocanthus herzensteini* Jordan and Starks, 1904 횃대어/대구횃대 Choi (1964: 310)
 378. *Gymnocanthus pistilliger* (Pallas, 1814) 줄무늬횃대어/밑횃대 Mori (1952: 162)
 379. *Hemilepidotus gilberti* Jordan and Starks, 1904 동갈횃대어/동갈횃대 Mori (1952: 165)
 380. *Icelus cataphractus* (Pavlenko, 1910) 어름가시고기/줄가시횃대 Choi (1964: 314)
 381. *Icelus spiniger* Gilbert, 1896 [국명없음]* Mori (1952: 166)
 382. *Icelus uncinialis* Gilbert and Burke, 1912 애기줄가시횃대어/아셀횃대 Mori (1952: 166)

383. *Myoxocephalus jaok* (Cuvier, 1829) 두만강망챙이/울걱정어 Mori and Uchida (1934: 18)
 384. *Myoxocephalus polyacanthocephalus* (Pallas, 1814) [국명없음]/살걱정어 Mori (1952: 162)
 385. *Myoxocephalus stelleri* Tilesius, 1811 망챙이/개구리걱정어 Choi (1964: 308)
 386. *Ocynectes maschalis* Jordan and Starks, 1904 점무늬횃대어/가시걱정어 Choi (1964: 310)
 387. *Porocottus allisi* (Jordan and Starks, 1904) 실횃대어/실횃대 Kim (1980: 335)
 388. *Pseudoblennius cottoides* (Richardson, 1848) 미끈횃대어/가시망둑 Choi (1964: 311)
 389. *Pseudoblennius marmoratus* (Döderlein, 1884) 무늬미끈횃대어/돌망둑이 Choi (1964: 311)
 390. *Pseudoblennius percoides* Günther, 1861 구멍미끈횃대어/돌파망둑 Choi (1964: 311)
 391. *Ricuzenius pinetorum* Jordan and Starks, 1904 솔망챙이/상어횃대 Mori (1952: 165)
 392. *Trachidermus fasciatus* Heckel, 1837 거슬횃대어/걱정어 Mori and Uchida (1934: 18)
 393. *Triglops pingelii* Reinhardt, 1837 [국명없음]/눈통횃대 Mori (1952: 166)
 394. *Triglops scepticus* Gilbert, 1896 왕눈망챙이/골판횃대 Mori (1952: 166)
 395. *Vellitor centropomus* (Richardson, 1848) 갯횃대어/창치 Choi (1964: 313)

Family Hemitripterae 삼세기과

396. *Blepsias bilobus* Cuvier, 1829 까치날개횃대어/까치횃대 Mori (1952: 167)
 397. *Blepsias cirrhosus* (Pallas, 1814) [국명없음]/날개횃대 Mori and Uchida (1934: 18)
 398. *Hemitripterus villosus* (Pallas, 1814) 송치/삼세기 Jordan and Metz (1913: 54)

Family Agonidae 날개줄고기과

399. *Anoplagonus inermis* (Günther, 1860) [국명없음]* Jordan and Metz (1913: 54)
 400. *Anoplagonus jordani* Jordan and Starks, 1904 [국명없음]* Mori and Uchida (1934: 19)
 401. *Anoplagonus occidentalis* Lindberg, 1950 쇠미끈줄고기/민어치 Kim and Kil (2006c: 161)
 402. *Brachyopsis rostratus* (Tilesius, 1813) 잔줄고기 Kim (1980: 356)
 403. *Freemanichthys thompsoni* (Jordan and Gilbert, 1898) 얼음줄고기/실줄고기 Jordan and Metz (1913: 54)
 404. *Hypsagonus jordani* (Jordan and Starks, 1904) 고양이고기/고양이줄고기 Choi (1964: 316)
 405. *Ocella dodecaedron* (Tilesius, 1813) 꽃줄고기 Kim (1980: 355)
 406. *Pallasina barbata* (Steindachner, 1876) 수염줄고기/갈키고기 Mori (1952: 169)
 407. *Percis japonica* (Pallas, 1769) 뿔줄고기/네줄고기 Mori and Uchida (1934: 19)
 408. *Podothecus hamlini* Jordan and Gilbert, 1898 각줄고기/팔각줄고기 Mori and Uchida (1934: 19)
 409. *Podothecus sachi* (Jordan and Snyder, 1901) 날개줄고기 Mori and Uchida (1934: 19)
 410. *Podothecus sturioides* (Guichenot, 1869) 상어줄고기/말락줄고기 Jordan and Metz (1913: 54)
 411. *Tilesina gibbosa* Schmidt, 1904 흑줄고기/흑줄고기 Jordan and Metz (1913: 54)

Family Psychrolutidae 물수배기과

412. *Dasycottus japonicus* Tanaka, 1914 고무망챙이/고무걱정어 Mori (1952: 162)
 413. *Dasycottus* sp. Uchida, 1952 [국명없음]/울걱정어 Mori (1952: 162)
 414. *Malacocottus zonurus* Bean, 1890 물망챙이/얼룩수배기 Kim (1980: 323)
 415. *Psychrolutes paradoxus* Günther, 1861 점망챙이/물수배기 Mori (1952: 168)

Family Cyclopteridae 도치과

416. *Aptocyclus ventricosus* (Pallas, 1769) 도치/뚝지 Mori and Uchida (1934: 19)
 417. *Eumicrotremus asperrimus* (Tanaka, 1912) [국명없음]* Mori (1952: 171)
 418. *Eumicrotremus birulai* Popov, 1928 두드러기/우롱성치 Kim (1964: 363)
 419. *Eumicrotremus orbis* (Günther, 1861) 흑명탕구리/도치 Kim (1980: 365)

420. *Eumicrotremus pacificus* Schmidt, 1904 풍선고기/플린어 Mori (1952: 171)
 421. *Lethotremus awae* Jordan and Snyder, 1902 미역치* Kim (1975: 43)

Family Liparidae 꼼치과

422. *Crystallichthys matsushimae* (Jordan and Snyder, 1902) 물치/물미거지 Mori (1952: 172)
 423. *Liparis chefuensis* Wu and Wang, 1933 흰점폴치/노랑물메기 Kim (1975: 43)
 424. *Liparis ingens* (Gilbert and Burke, 1912) 폴치/미거지 Kim (1980: 368)
 425. *Liparis tanakae* (Gilbert and Burke, 1912) 줄폴치/꼼치 Choi (1964: 319)
 426. *Liparis tessellatus* (Gilbert and Burke, 1912) 검폴치/물메기 Mori (1952: 172)

Order Perciformes 농어목

Family Centropomidae 꺾지과

427. *Coreoperca herzi* Herzenstein, 1896 꺾지 Mori and Uchida (1934: 12)
 428. *Coreoperca kawamebari* (Temminck and Schlegel, 1842) 남방꺾지/꺾저기 Choi (1964: 173)
 429. *Siniperca chuatsi* (Basilewsky, 1855) 누렁쏘가리* Kim et al. (1985: 41)
 430. *Siniperca scherzeri* Steindachner, 1892 쏘가리 Mori and Uchida (1934: 12)

Family Moronidae 농어과

431. *Lateolabrax japonicus* (Cuvier, 1828) 농어 Mori and Uchida (1934: 12)

Family Acropomatidae 반딧불게르치과

432. *Acropoma japonicum* Günther, 1859 반딧불고기/반딧불게르치 Kim (1980: 152)
 433. *Doederleinia berycoides* (Hilgendorf, 1879) 붉은왕눈농어/눈불대 Choi (1964: 172)
 434. *Malakichthys griseus* Döderlein, 1883 왕눈농어/눈통바리 Kim and Kil (2006b: 95)
 435. *Malakichthys wakiyae* Jordan and Hubbs, 1925 황갈왕눈농어/불기우럭 Kim and Kil (2006b: 95)

Family Serranidae 바리과

436. *Aulacocephalus temminckii* Bleeker, 1854 황줄바리 Kim and Kil (2006b: 98)
 437. *Caprodon schlegelii* (Günther, 1859) 기름눈농어/붉벤자리 Kim and Kil (2006b: 111)
 438. *Chelidoperca hirundinacea* (Valenciennes, 1831) 쇠농어/각시돔 Choi (1964: 127)
 439. *Epinephelus akaara* (Temminck and Schlegel, 1842) 붉은점도도어/붉바리 Choi (1964: 177)
 440. *Epinephelus awoara* (Temminck and Schlegel, 1842) 도도어/도도바리 Choi (1964: 178)
 441. *Epinephelus chlorostigma* (Valenciennes, 1828) 보석도도어/구실우럭 Kim and Kil (2006b: 108)
 442. *Epinephelus epistictus* (Temminck and Schlegel, 1842) 작은무늬도도어/점줄우럭 Kim and Kil (2006b: 108)
 443. *Epinephelus fario* (Thunberg, 1793) 별도도어/별우럭 Kim and Kil (2006b: 107)
 444. *Epinephelus fasciatus* (Forsskål, 1775) 홍도도어/홍바리 Kim and Kil (2006b: 105)
 445. *Epinephelus latifasciatus* (Temminck and Schlegel, 1842) 줄도도어/종대우럭 Kim and Kil (2006b: 105)
 446. *Epinephelus poecilnotus* (Temminck and Schlegel, 1842) 청도도어/닷줄바리 Kim and Kil (2006b: 109)
 447. *Epinephelus septemfasciatus* (Thunberg, 1793) 참도도어/농성어 Choi (1964: 177)
 448. *Liopropoma japonicum* (Döderlein, 1883) 가시꽃농어/가시우럭 Kim and Kil (2006b: 99)
 449. *Niphon spinosus* Cuvier, 1828 왜농어/다금바리 Choi (1964: 173)
 450. *Plectropomus leopardus* (Lacépède, 1802) 꽃농어번티기/무늬바리 Kim and Kil (2006b: 103)
 451. *Pseudanthias elongatus* (Franz, 1910) 긴꽃농어/장미돔 Kim and Kil (2006b: 112)
 452. *Pseudanthias squamipinnis* (Peters, 1855) 금강꽃농어/금강바리 Kim and Kil (2006b: 113)
 453. *Sacura margaritacea* (Hilgendorf, 1879) 벗농어/꽃돔 Kim and Kil (2006b: 102)

454. *Triso dermopterus* (Temminck and Schlegel, 1842) 매도도어/날바리 Kim and Kil (2006b: 110)

Family Callanthiidae 노랑벤자리과

455. *Callanthias japonicus* Franz, 1910 띠무늬꽃농어/노랑벤자리 Kim and Kil (2006b: 93)

Family Plesiopidae 육돈바리과

456. *Plesiops coeruleolineatus* Rüppell, 1835 장경어/육돈바리 Kim and Kil (2006b: 117)

Family Banjosidae 독돔과

457. *Banjos banjos* (Richardson, 1846) 수어/독돔 Choi (1964: 198)

Family Priacanthidae 뿔돔과

458. *Priacanthus hamrur* (Forsskål, 1775) 금눈이노래미/홍옥치 Choi (1964: 179)

459. *Priacanthus macracanthus* Cuvier, 1829 이노래미/홍치 Choi (1964: 179)

460. *Pristigenys niphonia* (Cuvier, 1829) 이노래미번티기/등글돔 Kim and Kil (2006b: 122)

Family Apogonidae 동갈돔과

461. *Apogon carinatus* Cuvier, 1828 등근점비단고기/떡테알게비늘 Kim and Kil (2006b: 126)

462. *Apogon doederleini* Jordan and Snyder, 1901 굵은줄비단고기/세줄알게비늘 Kim and Kil (2006b: 125)

463. *Apogon kiensis* Jordan and Snyder, 1901 큰줄비단고기/큰줄알게비늘 Kim (1980: 151)

464. *Apogon lineatus* Temminck and Schlegel, 1842 비단고기/열동가리돔 Mori and Uchida (1934: 12)

465. *Apogon niger* Döderlein, 1883 검둥비단고기/떡알게비늘 Kim (1980: 149)

466. *Apogon semilineatus* Temminck and Schlegel, 1842 반줄비단고기/줄도화돔 Choi (1964: 181)

467. *Apogon taeniatus* Cuvier, 1828 두줄비단고기/두동갈알게비늘 Kim and Kil (2006b: 126)

Family Sillaginidae 보리멸과

468. *Sillago japonica* Temminck and Schlegel, 1843 청모래문저리/청보리멸 Choi (1964: 182)

469. *Sillago sihama* (Forsskål, 1775) 모래문저리/보리멸 Jordan and Metz (1913: 41)

Family Malacanthidae 옥돔과

470. *Branchiostegus argentatus* (Cuvier, 1830) 흰오도미/등흑점옥두어 Choi (1964: 184)

471. *Branchiostegus auratus* (Kishinouye, 1907) 황오도미/황옥돔 Kim and Kil (2006b: 133)

472. *Branchiostegus japonicus* (Houttuyn, 1782) 오도미/옥돔 Choi (1964: 183)

Family Pomatomidae 게르치과

473. *Scombrops boops* (Houttuyn, 1782) 칠도미/게르치 Choi (1964: 181)

Family Coryphaenidae 만새기과

474. *Coryphaena equiselis* Linnaeus, 1758 줄제비고기/줄만새기 Kim (1980: 269)

475. *Coryphaena hippurus* Linnaeus, 1758 제비고기/만새기 Mori (1952: 101)

Family Rachycentridae 날쌔기과

476. *Rachycentron canadum* (Linnaeus, 1766) 가시전어/날쌔기 Choi (1964: 191)

Family Echeneidae 빨판상어과

477. *Echeneis naucrates* Linnaeus, 1758 흡반어/빨판상어 Choi (1964: 323)
478. *Remora remora* (Linnaeus, 1758) 쇠흡반어/대빨판이 Choi (1964: 324)

Family Carangidae 전갱이과

479. *Alectis ciliaris* (Bloch, 1787) 실전광어/실전갱이 Choi (1964: 186)
480. *Atropus atropus* (Bloch and Schneider, 1801) 청전광어/청전갱이 Kim (1975: 40)
481. *Carangoides malabaricus* (Bloch and Schneider, 1801) 번테가슴전광어* Kim (1975: 40)
482. *Caranx sexfasciatus* Quoi and Gaimard, 1825 줄전광어/줄전갱이 Kim (1975: 40)
483. *Decapterus maruadsi* (Temminck and Schlegel, 1843) 등근갈전광어/가라지 Choi (1964: 185)
484. *Decapterus muroadsi* (Temminck and Schlegel, 1844) 갈전광어/갈고등어 Choi (1964: 184)
485. *Elagatis bipinnulata* (Quoi and Gaimard, 1825) 참치방어 Kim and Kil (2006b: 142)
486. *Kaiwarinus equula* (Temminck and Schlegel, 1844) 평전광어/갈전갱이 Choi (1964: 184)
487. *Parastromateus niger* (Bloch, 1795) 까마귀병어/병치매가리 Kim (1975: 40)
488. *Selar crumenophthalmus* (Bloch, 1793) 눈전광어/새가라지 Choi (1964: 188)
489. *Seriola dumerili* (Risso, 1810) 남방어/젯방어 Kim (1975: 40)
490. *Seriola lalandi* Valenciennes, 1833 평방어/부시리 Mori (1952: 99)
491. *Seriola quinqueradiata* Temminck and Schlegel, 1845 방어 Mori (1952: 99)
492. *Seriola rivoliana* Valenciennes, 1833 낫젯방어
493. *Seriolina nigrofasciata* (Rüppell, 1829) 매지방어 Kim (1975: 40)
494. *Trachurus japonicus* (Temminck and Schlegel, 1844) 전광어/전갱이 Jordan and Starks (1905: 203)
495. *Uraspis helvola* (Forster, 1801) 띠무늬전광어/민전갱이 Kim and Kil (2006b: 150)

Family Menidae 배불뚝과

496. *Mene maculata* (Bloch and Schneider, 1801) 배불뚝치/배불뚝치 Kim and Kil, (2006b: 155)

Family Leiognathidae 주둥치과

497. *Equulites elongatus* (Günther, 1874) 얘기평고기/왜주둥치 Kim and Kil (2006b: 170)
498. *Equulites rivulatus* (Temminck and Schlegel, 1845) 은평고기/접주둥치 Kim and Kil (2006b: 170)
499. *Leiognathus lineolatus* (Valenciennes, 1835) 실평고기/줄주둥치 Kim and Kil (2006b: 171)
500. *Nucchequula muchalis* (Temminck and Schlegel, 1845) 평고기/주둥치 Choi (1964: 192)

Family Bramidae 새다래과

501. *Brama japonica* Hilgendorf, 1878 새다래 Kim and Kil (2006b: 156)
502. *Pteraclis aesticola* (Jordan and Snyder, 1901) 부채고기/벤텐어 Kim (1980: 268)

Family Emmelichthyidae 선홍치과

503. *Erythrocles schlegelii* (Richardson, 1846) 피농어/선홍치 Choi (1964: 229)

Family Lutjanidae 통돔과

504. *Etelis carbunculus* Cuvier, 1828 꼬리피리도미/꼬리돔 Kim and Kil (2006b: 164)
505. *Lutjanus monostigma* (Cuvier, 1828) 점피리도미/무늬통돔 Kim and Kil (2006b: 162)
506. *Lutjanus rivulatus* (Cuvier, 1828) 피리도미/물통돔 Choi (1964: 198)
507. *Lutjanus russelli* (Bleeker, 1849) 별피리도미/점통돔 Kim and Kil (2006b: 163)
508. *Lutjanus vitta* (Quoi and Gaimard, 1824) 줄피리도미/둥갈통돔 Kim and Kil (2006b: 162)

509. *Paracaesio xanthura* (Bleeker, 1869) 노랑등피리도미/황등어 Kim and Kil (2006b: 165)
 510. *Pristipomoides sieboldii* (Bleeker, 1845) 애기피리도미/자불돔 Kim and Kil (2006b: 166)

Family Lobotidae 백미돔과

511. *Lobotes surinamensis* (Bloch, 1790) 흰꼬리도미/백미돔 Kim (1975: 41)

Family Gerreidae 게레치과

512. *Gerres japonicus* Bleeker, 1854 먹비늘주둥치/비늘게레치 Kim and Kil (2006b: 172)
 513. *Gerres oyena* (Forsskål, 1775) 비늘주둥치/게레치 Kim and Kil (2006b: 172)

Family Haemulidae 하스돔과

514. *Hapalogenys kishinouyei* Smith and Pope, 1906 가로줄수염도미/눈통군쟁선 Kim and Kil (2006b: 177)
 515. *Hapalogenys mucronatus* (Eydoux and Souleyet, 1850) 세로줄수염도미/군쟁선이 Jordan and Metz (1913: 33)
 516. *Hapalogenys nigripinnis* (Temminck and Schlegel, 1843) 수염고기/꼭새돔 Choi (1964: 194)
 517. *Hapalogenys nitens* Richardson, 1844 쌍줄수염고기/동갈돔 Choi (1964: 196)
 518. *Parapristipoma trilineatum* (Thunberg, 1793) 석줄돌농어/벤자리 Choi (1964: 197)
 519. *Plectorhinchus cinctus* (Temminck and Schlegel, 1843) 호초도미/어름돔 Choi (1964: 196)
 520. *Plectorhinchus pictus* (Tortonese, 1936) 푸른호초도미/청황돔 Kim and Kil (2006b: 176)

Family Nemipteridae 실꼬리돔과

521. *Nemipterus virgatus* (Houttuyn, 1782) 금실어/실꼬리돔 Choi (1964: 228)
 522. *Parascopopsis inermis* (Temminck and Schlegel, 1843) 동갈금실어/네동가리 Mori and Uchida (1934: 13)

Family Lethrinidae 갈돔과

523. *Gymnocranius griseus* (Temminck and Schlegel, 1843) 띠무늬뺨도미/까치돔 Kim and Kil (2006b: 191)
 524. *Lethrinus haematopterus* Temminck and Schlegel, 1844 뺨도미/구갈돔 Kim (1980: 169)

Family Sparidae 도미과

525. *Acanthopagrus latus* (Houttuyn, 1782) 큰비늘극도미/새눈치 Mori (1952: 111)
 526. *Acanthopagrus schlegelii* (Bleeker, 1854) 먹도미/감성돔 Jordan and Starks (1905: 203)
 527. *Argyrops bleekeri* Oshima, 1927 실붉은도미/실붉돔 Kim and Kil (2006b: 199)
 528. *Dentex tumifrons* (Temminck and Schlegel, 1843) 황도미/황돔 Choi (1964: 211)
 529. *Evynnis cardinalis* (Lacepède, 1802) 분홍도미/녹줄돔 Mori and Uchida (1934: 14)
 530. *Evynnis japonica* Tanaka, 1931 붉은도미/붉돔 Mori (1952: 112)
 531. *Pagrus major* (Temminck and Schlegel, 1843) 도미/참돔 Mori and Uchida (1934: 14)
 532. *Sparus sarba* (Forsskål, 1775) 평도미/청돔 Kim (1975: 41)

Family Polynemidae 날가지승어과

533. *Eleutheronema tetradactylum* (Shaw, 1804) 사지제비전어/네날가지 Kim (1975: 40)
 534. *Polydactylus plebeius* (Broussonet, 1782) 오지제비전어/날가지승어 Choi (1964: 167)

Family Sciaenidae 민어과

535. *Argyrosomus argentatus* (Houttuyn, 1782) 흰조기/보구치 Jordan and Metz (1913: 37)
 536. *Argyrosomus japonicus* (Temminck and Schlegel, 1843) [국명없음]* Mori and Uchida (1934: 14)

537. *Atrobuca nibe* (Jordan and Thompson, 1911) 흑조기 Kim and Kil (2006b: 184)
 538. *Collichthys lucidus* (Richardson, 1844) 강다리/황강달이 Mori and Uchida (1934: 14)
 539. *Collichthys niveatus* Jordan and Starks, 1906 흑강다리/눈강달이 Jordan and Starks (1906: 511)
 540. *Johnius belengerii* (Cuvier, 1830) 붕구미/민태 Mori (1952: 108)
 541. *Larimichthys polyactis* (Bleeker, 1877) 조기/참조기 Jordan and Metz (1913: 38)
 542. *Miichthys miuy* (Basilewsky, 1855) 민어 Mori (1952: 108)
 543. *Nibea albiflora* (Richardson, 1846) 부세/수조기 Jordan and Metz (1913: 36)
 544. *Nibea mitsukurii* (Jordan and Snyder, 1900) 소민어/동갈민어 Choi (1964: 208)
 545. *Protonibea diacanthus* (Lacepède, 1802) 깨알무늬민어/꼬마민어 Kim and Kil (2006b: 182)
 546. *Pseudosciaena crocea* (Richardson, 1846) 수조기/부세 Choi (1964: 201)

Family Mullidae 족수과

547. *Parupeneus spilurus* (Bleeker, 1854) 검은점수염치/두줄족수 Choi (1964: 215)
 548. *Upeneus japonicus* (Houttuyn, 1782) 수염치/노랑족수 Choi (1964: 214)
 549. *Upeneus sulphureus* Cuvier, 1829 쌍줄수염치/떡줄족수 Kim and Kil (2006b: 200)

Family Pempheridae 주걱치과

550. *Parapriacanthus ransonneti* Steindachner, 1870 금눈도미번티기/황안어 Kim and Kil (2006b: 203)
 551. *Pempheris japonica* Döderlein, 1883 소도미/주걱치 Choi (1964: 199)

Family Kyphosidae 황줄감정어과

552. *Girella melanichthys* (Richardson, 1846) 검은줄감도미/긴꼬리벵에돔 Kim and Kil (2006b: 206)
 553. *Girella mezina* Jordan and Starks, 1907 노랑줄감도미/양벵에돔 Kim (1980: 179)
 554. *Girella punctata* Gray, 1835 감도미/벵에돔 Choi (1964: 228)
 555. *Labracoglossa argenteiventris* Peters, 1866 황조어 Kim and Kil (2006b: 134)
 556. *Microcanthus strigatus* (Cuvier, 1831) 범도미/범돔 Choi (1964: 215)

Family Chaetodontidae 나비고기과

557. *Chaetodon lunula* (Lacepède, 1802) 룰나비고기
 558. *Chaetodon modestus* Temminck and Schlegel, 1844 세줄나비고기/세동가리돔 Choi (1964: 217)
 559. *Chaetodon nippon* Steindachner, 1883 치레도미/나비돔 Kim and Kil (2006b: 209)
 560. *Heniochus acuminatus* (Linnaeus, 1758) 기발돔/두동가리돔 Kim (1980: 202)

Family Pomacanthidae 청줄돔과

561. *Chaetodontoplus septentrionalis* (Temminck and Schlegel, 1844) 청줄도미/청줄돔 Kim and Kil (2006b: 210)

Family Pentacerotidae 황줄돔과

562. *Evistias acutirostris* (Temminck and Schlegel, 1844) 떠무늬돼지도미/육동가리돔 Kim and Kil (2006b: 213)
 563. *Histiopertus typus* Temminck and Schlegel, 1844 돼지도미/황줄돔 Kim and Kil (2006b: 212)
 564. *Pentaceros japonicus* Steindachner, 1883 왕눈돼지도미/사자구 Kim and Kil (2006b: 213)

Family Terapontidae 살벤자리과

565. *Rhynchoplates oxyrhynchus* (Temminck and Schlegel, 1842) 줄소리도미/줄벤자리 Choi (1964: 198)
 566. *Terapon jarbua* (Forsskål, 1775) 소리도미/살벤자리 Kim (1980: 145)
 567. *Terapon theraps* (Cuvier, 1829) 애기소리도미/네줄벤자리 Kim and Kil (2006b: 116)

Family Kuhliidae 알롱잉어과

568. *Kuhlia marginata* (Cuvier, 1829) 알락은잉어/알롱잉어 Kim and Kil (2006b: 119)
569. *Kuhlia mugil* (Forster, 1829) 은잉어 Kim and Kil (2006b: 118)

Family Oplegnathidae 돌돔과

570. *Oplegnathus fasciatus* (Temminck and Schlegel, 1844) 줄돌도미/돌돔 Kim (1980: 181)
571. *Oplegnathus punctatus* (Temminck and Schlegel, 1944) 점돌도미/강담돔 Kim (1980: 182)

Family Cheilodactylidae 다동가리과

572. *Goniistius quadricornis* (Günther, 1860) 매도미/여덟동가리 Choi (1964: 214)
573. *Goniistius zonatus* (Cuvier, 1830) 알락꼬리매도미/아홉동가리 Choi (1964: 213)

Family Cepolidae 홍갈치과

574. *Acanthocephala krusensternii* (Temminck and Schlegel, 1845) 가시홍갈치/점줄홍갈치 Kim and Kil (2006b: 217)
575. *Acanthocephala limbata* (Valenciennes, 1835) 떡점홍갈치 Kim and Kil (2006b: 217)
576. *Cepola schlegelii* Bleeker, 1854 홍갈치/홍갈치 Kim (1980: 183)

Family Embiotocidae 망상어과

577. *Ditrema temminckii* Bleeker, 1853 바다망상어/망상어 Mori and Uchida (1934: 15)
578. *Neoditrema ransonnetii* Steindachner, 1883 인상어 Choi (1964: 222)

Family Pomacentridae 자리돔과

579. *Abudefduf notatus* (Day, 1870) 색무늬자도미/동갈자돔 Kim and Kil (2006b: 223)
580. *Abudefduf sordidus* (Forsskål, 1775) 줄무늬자도미/줄자돔 Kim (1980: 207)
581. *Abudefduf vaigiensis* (Quoy and Gaimard, 1825) 애기무늬자도미/해포리고기 Kim and Kil (2006b: 224)
582. *Amphiprion clarkii* (Bennett, 1830) 바위꽃도미/흰동가리 Kim and Kil (2006b: 221)
583. *Chromis notata* (Temminck and Schlegel, 1843) 자도미/자리돔 Choi (1964: 222)
584. *Pomacentrus coelestis* Jordan and Starks, 1901 푸른자도미/파랑돔 Kim and Kil (2006b: 222)

Family Labridae 놀래기과

585. *Bodianus bilunulatus* (Lacepède, 1801) 흑용치/사당놀래기 Kim and Kil (2006b: 228)
586. *Bodianus oxycephalus* (Bleeker, 1862) 여우용치/사랑놀래기 Kim and Kil (2006b: 228)
587. *Choerodon azurio* (Jordan and Snyder, 1901) 머리용치/호박돔 Choi (1964: 223)
588. *Halichoeres poecilepterus* (Temminck and Schlegel, 1845) 용치/용치놀래기 Choi (1964: 224)
589. *Halichoeres tenuispinis* (Günther, 1862) 가시용치/놀래기 Kim and Kil (2006b: 233)
590. *Pseudolabrus sieboldi* Mabuchi and Nakabo, 1997 어리용치/황놀래기 Choi (1964: 225)
591. *Pteragogus flagellifer* (Valenciennes, 1839) 채찍용치/어렁놀래기 Choi (1964: 225)
592. *Semicossyphus reticulatus* (Valenciennes, 1839) 흑도미/흑돔 Choi (1964: 222)
593. *Suezichthys gracilis* (Steindachner and Döderlein, 1887) 실용치/실놀래기 Kim (1980: 210)
594. *Thalassoma cupido* (Temminck and Schlegel, 1845) 비단용치/고생놀래기 Choi (1964: 226)
595. *Thalassoma purpuraceum* (Forsskål, 1775) 아롱비단용치/비단놀래기 Kim and Kil (2006b: 231)
596. *Xyrichtys dea* Temminck and Schlegel, 1845 빨용치/옥두놀래기 Choi (1964: 226)

Family Scaridae 파랑비늘돔과

597. *Calotomus japonicus* (Valenciennes, 1840) 앵무도미/비늘돔 Choi (1964: 218)
 598. *Scarus ovifrons* Temminck and Schlegel, 1846 파랑앵무도미/파랑비늘돔 Kim and Kil (2006b: 236)

Family Zoarcidae 등가시치과

599. *Allolepis hollandi* Jordan and Hubbs, 1925 꽃미역치/청자갈치 Mori (1952: 131)
 600. *Lycodes nakamurae* (Tanaka, 1914) 먹미역치/먹갈치 Kim (1980: 239)
 601. *Lycodes tanakae* Jordan and Thompson, 1914 흰무늬미역치/별레문치 Mori (1952: 130)
 602. *Petroschmidia toyamensis* Katayama, 1941 검은미역치/칠성갈치 Kim (1980: 242)
 603. *Zoarces elongatus* Kner, 1868 얼룩미역치/무점등가시치 Kim (1975: 42)
 604. *Zoarces gillii* Jordan and Starks, 1905 미역치/등가시치 Choi (1964: 241)

Family Stichaeidae 장갱이과

605. *Alectrias benjamini* Jordan and Snyder, 1902 벤드미괴또라지/벼슬베도라치 Kim (1975: 42)
 606. *Chirolophis japonicus* Herzenstein, 1890 수장어/괴도라치 Mori and Uchida (1934: 21)
 607. *Dictyosoma burgeri* van der Hoeven, 1855 그물괴또라지/그물베도라치 Choi (1964: 237)
 608. *Ernogrammus hexagrammus* (Temminck and Schlegel, 1845) 여섯줄장괴이/세줄베도라치 Choi (1964: 240)
 609. *Lumpenella longirostris* (Evermann and Goldsborough, 1907) 긴부리바두치/가시베도라치 Kim (1980: 233)
 610. *Lumpenus sagitta* Wilimovsky, 1956 바두치/장어베도라치 Kim and Kil (2006b: 258)
 611. *Neozarces pulcher* Steindachner, 1881 큰입미역치/얼룩가시치 Mori (1952: 127)
 612. *Opisthocentrus ocellatus* (Tilesius, 1811) 룡점피도라지/참육점날개 Kim (1980: 222)
 613. *Opisthocentrus zonope* Jordan and Snyder, 1902 점피도라지/육점날개 Mori (1952: 128)
 614. *Stichaeopsis epallax* (Jordan and Snyder, 1902) 줄장괴이/큰줄베도라치 Kim (1980: 229)
 615. *Stichaeus grigorjewi* Herzenstein, 1890 장괴이/장갱이 Jordan and Metz (1913: 64)
 616. *Stichaeus nozawae* Jordan and Snyder, 1902 어리장괴이/큰눈장갱이 Choi (1964: 239)
 617. *Zoarchias uchidai* Matsubara, 1932 실미역치/우베도라치 Choi (1964: 241)

Family Pholidae 황줄베도라치과

618. *Pholis nebulosa* (Temminck and Schlegel, 1845) 놀맹이/베도라치 Jordan and Starks (1913: 63)
 619. *Rhodymenichthys dolichogaster* (Pallas, 1814) [국명없음]/황줄베도라치 Mori and Uchida (1934: 21)

Family Trichodontidae 도루묵과

620. *Arctoscopus japonicus* (Steindachner, 1881) 도루메기/도루묵 Jordan and Metz (1913: 47)

Family Pinguipedidae 양동미리과

621. *Parapercis multifasciatus* Döderlein, 1884 열줄고도리/열쌍동가리 Choi (1964: 231)
 622. *Parapercis pulchella* (Temminck and Schlegel, 1843) 고도리/눈동미리 Choi (1964: 231)
 623. *Parapercis sexfasciatus* (Temminck and Schlegel, 1843) 여섯줄고도리/쌍동가리 Choi (1964: 231)
 624. *Parapercis snyderi* Jordan and Starks, 1905 범고도리/동미리 Choi (1964: 230)

Family Ammodytidae 까나리과

625. *Ammodytes personatus* Girard, 1856 까나리 Mori (1952: 132)

Family Uranoscopidae 통구멍과

626. *Uranoscopus bicinctus* Temminck and Schlegel, 1843 안경도수깨비/통구멍이 Chio (1964: 233)
 627. *Uranoscopus japonicus* Houttuyn, 1872 도수깨비/얼룩통구멍 Choi (1964: 232)
 628. *Xenopcephalus elongatus* (Temminck and Schlegel, 1843) 청도수깨비/푸렁통구멍 Choi (1964: 233)

Family Tripterygiidae 먹도라치과

629. *Enneapterygius theostomus* (Jordan and Snyder, 1902) 범괴또라지/가막베도라치 Choi (1964: 362)

Family Blenniidae 청베도라치과

630. *Entomacrodus stellifer* (Jordan and Snyder, 1902) 별괴또라지/저울베도라치 Cho (1964: 238)
 631. *Istiblennius enosimae* (Jordan and Snyder, 1902) 개구리고기/대강베도라치 Choi (1964: 237)
 632. *Omobranchus elegans* (Steindachner, 1876) 미끈괴또라지/앞동갈베도라치 Choi (1964: 234)
 633. *Omobranchus punctatus* (Valenciennes, 1836) 골괴또라지/골베도라치 Kim and Kil (2006b: 248)
 634. *Parablennius yatabei* (Jordan and Snyder, 1900) 괴또라지/청베도라치 Choi (1964: 236)

Family Gobiesocidae 학치과

635. *Aspasma minima* (Döderlein, 1887) 학치/꼬마학치 Kim and Kil (2006b: 257)
 636. *Aspasmichthys ciconiae* (Jordan and Fowler, 1902) 노랑학치/황학치 Choi (1964: 280)

Family Callionymidae 돛양태과

637. *Callionymus curvicornis* Valenciennes, 1873 쥐달재* Kim (1975: 42)
 638. *Callionymus valenciennei* (Temminck and Schlegel, 1845) 쥐달재/실양태 Choi (1964: 244)
 639. *Calliurichthys japonicus* (Houttuyn, 1782) 각시쥐달재/뽕지양태 Choi (1964: 245)
 640. *Eleutherochir mirabilis* (Snyder, 1911) 룡쥐달재/민양태 Kim (1975: 42)
 641. *Foetorepus altivelis* (Temminck and Schlegel, 1845) 붉은쥐달재/도화양태 Kim and Kil (2006b: 279)
 642. *Repomucenus beniteguri* (Jordan and Snyder, 1900) 매쥐달재/날돛양태 Kim (1975:42)
 643. *Repomucenus huguenini* (Bleeker, 1859) 검은양태/춤양태 Mori (1952: 132)
 644. *Repomucenus lunatus* (Temminck and Schlegel, 1845) 돛쥐달재/돛양태 Choi (1964: 244)

Family Odontobutidae 동사리과

645. *Odontobutis obscura* (Temminck and Schlegel, 1845) 뚝지/남방동사리 Choi (1964: 256)
 646. *Odontobutis potamophila* (Günther, 1861) [국명없음]* Mori and Uchida (1934: 19)

Family Eleotridae 구굴무치과

647. *Eleotris oxycephala* Temminck and Schlegel, 1845 남뚝지/구굴무치 Choi (1964: 257)
 648. *Perccottus glenii* Dybowski, 1877 먹뚝지/발기 Mori and Uchida (1934: 19)

Family Gobiidae 망둑어과

649. *Acanthogobius flavimanus* (Temminck and Schlegel, 1845) 망둥어/문절망둑 Mori and Uchida (1934: 20)
 650. *Acanthogobius lactipes* (Hilgendorf, 1879) 흰발망둑어/흰발망둑 Choi (1964: 271)
 651. *Acentrogobius caninus* (Valenciennes, 1837) 밀양매지/[국명없음] Kim and Kil (2006c: 49)
 652. *Acentrogobius pflaumii* (Bleeker, 1853) 줄망둥어/줄망둑 Jordan and Starks (1905: 206)
 653. *Amblychaeturichthys hexanema* (Bleeker, 1853) 붉은수염망둥어/도화망둑 Choi (1964: 273)
 654. *Amblychaeturichthys sciistius* (Jordan and Snyder, 1901) 왕눈이수염망둥어/수염문절 Choi (1964: 272)
 655. *Apocryptodon punctatus* Tomiyama, 1934 숨이망둑
 656. *Bathygobius fuscus* (Rüppell, 1830) 무늬망둥어/무늬망둑 Choi (1964: 264)

657. *Boleophthalmus pectinirostris* (Linnaeus, 1758) 쟁뚝어 Kim (1975: 42)
658. *Chaenogobius annularis* Gill, 1859 긴턱매지/점망둑 Mori and Uchida (1934: 20)
659. *Chaenogobius gulosus* (Sauvage, 1882) 큰입매지/별망둑 Jordan and Starks (1905: 208)
660. *Chaeturichthys stigmatias* Richardson, 1844 수염망둥어/쉬쉬망둑 Mori and Uchida (1934: 20)
661. *Cryptocentrus filifer* (Valenciennes, 1837) 실망둥어/실망둑 Choi (1964: 266)
662. *Ctenotrypauchen chinensis* Steindachner, 1867 비늘개소경* Kim (1975: 42)
663. *Ctenotrypauchen microcephalus* (Bleeker, 1860) 수수망둥어/빨갱이 Mori and Uchida (1934: 21)
664. *Eutaeniichthys gilli* Jordan and Snyder, 1901 땡기망둥어/땡기망둑 Choi (1964: 269)
665. *Eviota abax* (Jordan and Snyder, 1901) 애기뚝지/풀비늘망둑 Choi (1964: 265)
666. *Favonigobius gymnauchen* (Bleeker, 1860) 각시망둥어/날개망둑 Choi (1964: 261)
667. *Gymnogobius breunigii* (Steindachner, 1880) 풀색망둥어/날망둑 Kim (1980: 277)
668. *Gymnogobius heptacanthus* (Hilgendorf, 1879) 실망둥어/살망둑 Jordan and Starks (1905: 208)
669. *Gymnogobius macrognathos* (Bleeker, 1860) 밀기망둥어/왜꼭저구 Jordan and Starks (1905: 208)
670. *Gymnogobius mororanus* (Jordan and Snyder, 1901) 뱀살망둥어/얼룩망둑 Choi, (1964: 264)
671. *Gymnogobius urotaenia* (Hilgendorf, 1879) 큰머리매지/꼭저구 Mori and Uchida (1934: 20)
672. *Leucopsarion petersii* Hilgendorf, 1880 흰망둥어/사백어 Choi (1964: 274)
673. *Lophiogobius ocellicauda* Günther, 1873 텃석부리망둥어/오셀망둑 Mori and Uchida (1934: 21)
674. *Luciogobius guttatus* Gill, 1859 미끈망둥어/미끈망둑 Choi (1964: 272)
675. *Luciogobius koma* (Snyder, 1909) 꼬마망둥어/꼬마망둑 Kim and Kil, (2006c: 67)
676. *Odontamblyopus lacepedii* (Temminck and Schlegel, 1845) 뱀망둥어/개소경 Mori and Uchida (1934: 21)
677. *Periophthalmus modestus* Cantor, 1842 말뚝망둥어 Mori and Uchida (1934: 19)
678. *Priolepis boreus* (Snyder, 1909) 쇠망둥어/흰동갈망둑 Choi (1964: 264)
679. *Pterogobius elapoides* (Günther, 1872) 검은띠망둥어/일곱동갈망둑 Choi (1964: 259)
680. *Pterogobius zonoleucus* Jordan and Snyder, 1901 흰띠망둥어/흰줄망둑 Choi (1964: 259)
681. *Rhinogobius brunneus* (Temminck and Schlegel, 1845) [통거니]/밀어 Mori and Uchida (1934: 20)
682. *Rhinogobius giurinus* (Rutter, 1897) 갈무늬망둑/갈문망둑 Kim and Kil (2006c: 51)
683. *Sagamia geneionema* (Hilgendorf, 1879) 바둑이망둥어/바다문절 Choi (1964: 280)
684. *Sicyopterus japonicus* (Tanaka, 1909) 번대망둥어/열동갈문절 Kim and Kil (2006c: 65)
685. *Synechogobius hasta* (Temminck and Schlegel, 1845) 풀망둥어/풀망둑 Mori and Uchida (1934: 20)
686. *Taenioides cirratus* (Blyth, 1860) 수수뱀/꽃개소경 Choi (1964: 255)
687. *Tridentiger barbatus* (Günther, 1861) 통망둥어/아작망둑 Mori and Uchida (1934: 20)
688. *Tridentiger bifasciatus* Steindachner, 1881 줄무늬점망둥어/민물두줄망둑 Jordan and Starks (1913: 58)
689. *Tridentiger obscurus* (Temminck and Schlegel, 1845) 매지/검정망둑 Jordan and Starks (1905: 210)
690. *Tridentiger trigonocephalus* (Gill, 1859) 줄무늬매지/두줄망둑 Mori (1952: 148)

Family Ptereleotridae 청황문절과

691. *Ptereleotris hanae* (Jordan and Snyder, 1901) 꽃뚝지/청황문절 Kim and Kil (2006c: 39)

Family Ephippidae 활치과

692. *Platax pinnatus* (Linnaeus, 1758) 제비도미/제비활치 Kim and Kil (2006b: 207)

Family Siganidae 독가시치과

693. *Siganus fuscescens* (Houttuyn, 1782) 민도미/독가시치 Jordan and Starks (1905: 206)

Family Acanthuridae 양귀돔과

694. *Naso unicornis* (Forsskål, 1775) 빨취도미/표문취치 Kim and Kil (2006b: 282)
 695. *Prionurus scalprum* Valenciennes, 1835 해초돔/취돔 Choi (1964: 217)

Family Sphyrænidae 꼬치고기과

696. *Sphyræna japonica* Cuvier, 1829 외꼬치어/애꼬치 Kim and Kil (2006b: 73)
 697. *Sphyræna obtusata* Cuvier, 1829 남꼬치어/창꼬치 Choi (1964: 354)
 698. *Sphyræna pinguis* Günther, 1874 꼬치어/꼬치고기 Choi (1964: 354)

Family Trichiuridae 갈치과

699. *Assurger anzac* (Alexander, 1917) 장칼치/붕동갈치 Kim and Kil (2006b: 287)
 700. *Eupleurogrammus muticus* (Gray, 1831) 늦갈치/분장어 Mori and Uchida (1934: 11)
 701. *Evoxymetopon taeniatus* Gill, 1863 칼치번티기/동동갈치 Mori (1952: 135)
 702. *Trichiurus lepturus* Linnaeus, 1758 갈치/갈치 Jordan and Metz (1913: 27)

Family Scombridae 고등어과

703. *Acanthocybium solandri* (Cuvier, 1832) 꼬치삼치 Kim and Kil (2006c: 10)
 704. *Auxis thazard* (Lacepède, 1800) 칼고등어/물치다래 Choi (1964: 323)
 705. *Katsuwonus pelamis* (Linnaeus, 1758) 줄다랑어/가다랑어 Choi (1964: 321)
 706. *Sarda orientalis* (Temminck and Schlegel, 1844) 등줄다랑어/줄삼치 Choi (1964: 320)
 707. *Scomber japonicus* Houttuyn, 1782 고등어 Jordan and Metz (1913: 26)
 708. *Scomberomorus commerson* (Lacepède, 1800) 줄삼치/동갈삼치 Mori (1952: 136)
 709. *Scomberomorus koreanus* (Kishinouye, 1915) 평삼치 Mori and Uchida (1934: 11)
 710. *Scomberomorus niphonius* (Cuvier, 1832) 삼치 Choi (1964: 250)
 711. *Scomberomorus sinensis* (Lacepède, 1800) 소삼치/재방어 Choi (1964: 252)
 712. *Thunnus alalunga* (Bonnaterre, 1788) 날개다랑어 Kim and Kil (2006c: 17)
 713. *Thunnus albacares* (Bonnaterre, 1788) 황다랑어/황다랑어 Kim (1980: 258)
 714. *Thunnus obesus* (Lowe, 1839) 특눈다랑어/눈다랑어 Kim (1980: 260)
 715. *Thunnus thynnus* (Linnaeus, 1758) 다랑어/참다랑어 Kim (1980: 261)
 716. *Thunnus tonggol* (Bleeker, 1851) 흰다랑어/백다랑어 Kim and Kil (2006c: 20)

Family Xiphiidae 황새치과

717. *Istiophorus platypterus* (Shaw, 1792) 돛고기/돛새치 Kim and Kil (2006c: 21)
 718. *Makaira indica* (Cuvier, 1832) 흰새치/백새치 Kim and Kil (2006c: 24)
 719. *Makaira mazara* (Jordan and Snyder, 1901) 검새치/녹새치 Kim and Kil (2006c: 23)
 720. *Tetrapturus audax* (Philippi, 1887) 새치/청새치 Kim and Kil (2006c: 22)
 721. *Xiphias gladius* Linnaeus, 1758 칼고기/황새치 Kim (1980: 266)

Family Centrolophidae 샛돔과

722. *Hyperoglyphe japonica* (Döderlein, 1884) 눈치병치/연어병치 Kim and Kil (2006c: 29)
 723. *Psenopsis anomala* (Temminck and Schlegel, 1884) 흑병어/샛돔 Choi (1964: 255)

Family Nomeidae 노메치과

724. *Psenes pellucidus* Lütken, 1880 물렁병어/물렁돔 Kim and Kil (2006c: 28)

Family Stromateidae 병어과

725. *Pampus argenteus* (Euphrasen, 1788) 병어 Mori (1952: 139)
 726. *Pampus echinogaster* (Basilewsky, 1855) 가시병어/덕대 Jordan and Metz (1913: 28)

Family Osphronemidae 버들붕어과

727. *Macropodus ocellatus* Cantor, 1842 꽃붕어/버들붕어 Choi (1964: 245)

Family Channidae 가물치과

728. *Channa argus* (Cantor, 1842) 가물치 Mori and Uchida (1934: 10)

Family Caproidae 병치돔과

729. *Antigonia capros* Lowe, 1843 병치도미/병치돔 Mori and Uchida (1934: 10)

Order Pleuronectiformes 가자미목

Family Citharidae 풀넙치과

730. *Citharoides macrolepidotus* Hubbs, 1915 풀넙치 Kim and Kil (2006c: 179)

Family Paralichthyidae 넙치과

731. *Paralichthys olivaceus* (Temminck and Schlegel, 1846) 넙치 Mori and Uchida (1934: 22)
 732. *Pseudorhombus cinnamoneus* (Temminck and Schlegel, 1846) 쇠점넙치/별넙치 Choi (1964: 328)
 733. *Pseudorhombus pentophthalmus* Günther, 1862 점넙치 Choi (1964: 329)

Family Pleuronectidae 가자미과

734. *Acanthopsetta nadeshnyi* Schmidt, 1904 이가재미/가시가자미 Choi (1964: 331)
 735. *Cleisthenes herzensteini* (Schmidt, 1904) [국명없음]* Mori (1952: 178)
 736. *Clidoderma asperimum* (Temminck and Schlegel, 1846) 상어가재미/줄가자미 Kim (1980: 403)
 737. *Dexistes rikuzenius* Jordan and Starks, 1904 특눈가재미/눈가자미 Choi (1964: 337)
 738. *Eopsetta grigorjewi* (Herzenstein, 1890) 물가재미/물가자미 Mori and Uchida (1934: 22)
 739. *Glyptocephalus stelleri* (Schmidt, 1904) 기름가재미/기름가자미 Mori and Uchida (1934: 23)
 740. *Hippoglossoides dubius* Schmidt, 1904 붉가재미/홍가자미 Mori and Uchida (1934: 22)
 741. *Kareius bicoloratus* (Basilewsky, 1855) 돌가재미/돌가자미 Choi (1964: 335)
 742. *Lepidopsetta bilineata* (Ayres, 1855) 이측선가재미/까지가자미 Jordan and Starks (1913: 60)
 743. *Lepidopsetta mochigarei* Snyder, 1911 청가재미/술봉가자미 Mori (1952: 180)
 744. *Microstomus achne* (Jordan and Starks, 1904) 통가재미/찰가자미 Mori (1952: 181)
 745. *Platichthys stellatus* (Pallas, 1788) 강가재미/강도다리 Jordan and Starks (1905: 210)
 746. *Pleuronectes asper* Pallas, 1814 송계가자미/각시가자미 Mori and Uchida (1934: 23)
 747. *Pleuronectes herzensteini* (Jordan and Snyder, 1901) 참가재미/참가자미 Choi (1964: 338)
 748. *Pleuronectes obscurus* Herzenstein, 1890 검은가재미/감성가자미 Mori (1952: 179)
 749. *Pleuronectes pinnifasciatus* (Kner, 1870) 줄무늬가재미/호수가자미 Mori (1952: 179)
 750. *Pleuronectes punctatissima* (Steindachner, 1879) 모래가재미/층거리가자미 Choi (1964: 338)
 751. *Pleuronectes schrenki* (Schmidt, 1904) 점가재미/점가자미 Mori and Uchida (1934: 23)
 752. *Pleuronectes yokohamae* (Günther, 1877) 검둥가재미/문치가자미 Mori and Uchida (1934: 23)
 753. *Pleuronichthys cornutus* (Temminck and Schlegel, 1846) 도다리 Choi (1964: 334)
 754. *Pseudopleuronectes obscurus* (Herzenstein, 1890) [국명없음]* Jordan and Starks (1913: 60)
 755. *Tanakius kitaharae* (Jordan and Starks, 1904) 통가재미/갈가자미 Choi (1964: 341)

756. *Verasper moseri* Jordan and Gilbert, 1898 노랑가자미 Jordan and Starks (1913: 59)
 757. *Verasper variegatus* (Temminck and Schlegel, 1846) 별가자미/범가자미 Choi (1964: 330)

Family Bothidae 등글넙치과

758. *Arnoglossus japonicus* Hubbs, 1915 비늘넙치/목탁가자미 Kim and Kil (2006c: 183)
 759. *Bothus myriaster* (Temminck and Schlegel, 1846) 별넙치/별목탁가자미 Kim and Kil (2006c: 179)
 760. *Psettina ijimae* (Jordan and Starks, 1904) 둥근넙치/동백가자미 Kim and Kil (2006c: 182)

Family Soleidae 납서대과

761. *Aseraggodes kobensis* (Steindachner, 1896) 날개설판이/동서대 Kim (1980: 408)
 762. *Heteromycteris japonica* (Temminck and Schlegel, 1846) 애기설판이/납서대 Kim (1975: 44)
 763. *Pseudaesopia japonica* (Bleeker, 1860) 각시무늬설판이/각시서대 Choi (1964: 343)
 764. *Zebrias fasciatus* (Basilewsky, 1855) 띠줄무늬설판이/노랑각시서대 Choi (1964: 342)
 765. *Zebrias zebrinus* (Temminck and Schlegel, 1846) 줄무늬설판이/궁제기서대 Choi (1964: 342)

Family Cynoglossidae 참서대과

766. *Cynoglossus abbreviatus* (Gray, 1834) 룡설판이/용서대 Choi (1964: 345)
 767. *Cynoglossus gracilis* Günther, 1873 설판이/물서대 Choi (1964: 346)
 768. *Cynoglossus interruptus* Günther, 1880 서덕어/칠서대 Choi (1964: 347)
 769. *Cynoglossus joyneri* Günther, 1878 불근설판이/참서대 Choi (1964)
 770. *Cynoglossus robustus* Günther, 1873 넓적설판이/개서대 Choi (1964: 347)
 771. *Cynoglossus semilaevis* Günther, 1873 서치/막대 Kim (1975: 44)
 772. *Paraplagusia japonica* (Temminck and Schlegel, 1846) 검은설판이/흑대기 Kim (1975: 44)
 773. *Symphurus orientalis* (Bleeker, 1879) 민둥설판이/보섭서대 Kim (1980: 409)

Order Tetraodontiformes 복어목

Family Triacanthodidae 분홍쥐치과

774. *Triacanthodes anomalus* (Temminck and Schlegel, 1850) 분홍박피/분홍쥐치 Kim and Kil (2006c: 224)

Family Triacanthidae 은비늘치과

775. *Triacanthus biaculeatus* (Bloch, 1786) 가시박피/은비늘치 Kim (1975: 44)

Family Balistidae 쥐치복과

776. *Balistoides conspicillum* (Bloch and Schneider, 1801) 파랑쥐치 Choi (1964: 360)
 777. *Canthidermis maculatus* (Bloch, 1786) 무늬박피/무늬쥐치 Choi (1964: 361)

Family Monacanthidae 쥐치과

778. *Aluterus monoceros* (Linnaeus, 1758) 외뿔쥐치/객주리 Choi (1964: 363)
 779. *Aluterus scriptus* (Osbeck, 1765) 날개쥐치 Kim and Kil (2006c: 234)
 780. *Paramonacanthus japonicus* (Tilesius, 1809) 생쥐치/새양쥐치 Choi (1964: 362)
 781. *Pseudalutarius nasicornis* (Temminck and Schlegel, 1850) 코뿔쥐치/물각쥐치 Kim and Kil (2006c: 234)
 782. *Rudarius ercodes* Jordan and Fowler, 1902 그물쥐치/그물코쥐치 Choi (1964: 363)
 783. *Stephanolepis cirrhifer* (Temminck and Schlegel, 1850) 쥐치 Choi (1964: 362)
 784. *Thamnaconus modestus* (Günther, 1877) 말쥐치 Kim (1980: 415)

Family Ostraciidae 거북복과

785. *Kentrocapros aculeatus* (Houttuyn, 1782) 실패복아지/육각복 Choi (1964: 365)
786. *Lactoria cornuta* (Linnaeus, 1758) 빨상자복아지/빨복 Choi (1964: 364)
787. *Ostracion immaculatus* Temminck and Schlegel, 1850 상자복/거북복 Choi (1964: 364)

Family Tetratodontidae 참복과

788. *Arothron firmamentum* (Temminck and Schlegel, 1850) 별복아지/별복 Kim and Kil (2006c: 251)
789. *Canthigaster rivulatus* (Temminck and Schlegel, 1850) 버개복아지/청복 Choi (1964: 373)
790. *Takifugu alboplumbeus* (Richardson, 1845) 흰점복아지/황해흰점복 Choi (1964: 372)
791. *Takifugu basilewskianus* (Basilewsky, 1885) 당복아지/바실복 Mori and Uchida (1934: 16)
792. *Takifugu chrysopterus* (Hilgendorf, 1879) 붉은눈복아지/눈불개복 Kim (1980: 427)
793. *Takifugu flavidus* (Li, Wang and Wang, 1975) 강복아지/황점복 Kim and Kil (2006c: 242)
794. *Takifugu niphobles* (Jordan and Snyder, 1901) 줄복아지/복섬 Mori and Uchida (1934: 16)
795. *Takifugu obscurus* (Abe, 1949) 황복 Mori and Uchida (1934: 16)
796. *Takifugu pardalis* (Temminck and Schlegel, 1850) 표문복아지/줄복 Mori and Uchida (1934: 16)
797. *Takifugu porphyreus* (Temminck and Schlegel, 1850) 복아지/검복 Jordan and Metz (1913: 46)
798. *Takifugu rubripes* (Temminck and Schlegel, 1850) 검복아지/자주복 Mori and Uchida (1934: 16)
799. *Takifugu stictonotus* (Temminck and Schlegel, 1850) 얼룩복아지/까칠복 Choi (1964: 366)
800. *Takifugu vermicularis* (Temminck and Schlegel, 1850) 벌레복아지/국매리복 Mori and Uchida (1934: 16)
801. *Takifugu xanthopterus* (Temminck and Schlegel, 1850) 까치복아지/까치복 Mori and Uchida (1934: 16)

Family Diodontidae 가시복과

802. *Diodon holocanthus* Linnaeus, 1758 가시복아지/가시복 Choi (1964: 373)

Family Molidae 개복치과

803. *Masturus lanceolatus* (Liénard, 1840) 꼬리물복아지/물개복치 Kim and Kil (2006c: 256)
804. *Mola mola* (Linnaeus, 1758) 물개복치/개복치 Choi (1964: 374)

참고문헌

- 김리태. 1975. 조선 서해어류 조사목록. 생물학 (4): 37-44.
- 김리태. 1977. 몇가지 미기록종 어류에 대하여(제3보) - 조선어류목록에 새로 첨가할 1속 1종. 생물학 (3): 41-42.
- 김리태. 1988. 두만강 물고기상에 대한 분류 및 분포학적 연구. 생물학 (1): 27-32.
- 김리태. 1990. 우리나라 민물고기상의 일반적인 특징과 동물지리적 구계에 대하여. 생물학 (2): 39-45.
- 김리태. 1998. 우리 나라 산천어의 새변종 천지산천어(*Salvelinus malma* M. chojiensis)에 대하여. 생물학 (2): 23-54.
- 김리태. 1998. 대동강 물고기상의 변화에 대한 연구. 생물학 (3): 52-54.
- 김리태·김우숙. 1984. 청천강-대평강의 물고기상에 대한 연구. 생물학 (3): 36-40.
- 김명렬·오송목·김봉익·김정혁. 1985. 대동강물고기의 종적구성과 분포에 대한 연구. 생물학 (2): 37-43.
- 김리태·오송목·김우숙. 1978. 몇가지 미기록종어류에 대하여(제4보) -조선어류목록에 새로 첨가할 1속 1종. 생물학 (1): 41-42.
- 김리태·김봉익. 1986. 몇가지 미기록종어류에 대하여(제5보). 생물학 (3): 45-46.
- 김리태. 1980. 조선동해어류지. 과학백과사전출판사, 평양, 462pp.
- 김리태·길재균. 2006a. 조선동물지(어류편 1). 과학기술출판사, 평양, 259pp.
- 김리태·길재균. 2006b. 조선동물지(어류편 2). 과학기술출판사, 평양, 287pp.
- 김리태·길재균. 2006c. 조선동물지(어류편 3). 과학기술출판사, 평양, 293pp.
- 리봉일·박명규. 2003. 대동강 하류에서의 물고기의 종구성. 생물학 (2): 39-40.
- 최여구. 1964. 조선의 어류. 과학원출판사, 6+1+375+35pp.
- 허광현·김룡길. 1993. 우리 나라에 있는 하늘중개속(*Cobitis*) 물고기류의 분류와 분포 및 핵형에 관한 연구. 김일성종합대학학보(자연과학) (12): 55-60.
- Jordan, D.S. and C.W. Metz. 1913. A catalog of the fishes known from the waters of Korea. Memoirs of the Carnegie Museum, 6 (1): 1-65, Pls. 1-10.
- Jordan, D.S. and E.C. Starks. 1905. On a collection of fishes made in Korea, by Pierre Louis Jouy, with descriptions of new species. Proceedings of the United States National Museum, 28 (1391): 193-212.
- Kim, L.T. 1980. A new species of genus *Phoxinus* from D.P.R. Korea. Biology (2): 27-29.
- Kim, L.T. 1985. On a new subspecies of genus *Salvelinus* from D.P.R. of Korea. Biology (2): 20-22.
- Mori, T. 1928. On the fresh water fishes from the Yalu River, Korea, with descriptions of new species. Journal of the Chosen Natural History Society No. 6: 54-70 + map.
- Mori, T. 1930. On the fresh water fishes from the Tumen River, Korea, with description of new species. Journal of the Chosen Natural History Society No. 11: 39-49, Pl. 3.
- Mori, T. 1952. Check list of the fishes of Korea. Memoirs of the Hyogo University of Agriculture v. 1 (no. 3): 1-228.
- Mori, T. and K. Uchida. 1934. A revised catalogue of the fishes of Korea. Journal of the Chosen Natural History Society, (19): 12-33.

북한지역의 양서류 종목록

Amphibian Species of Democratic People's Republic of Korea

Class Amphibia 양서강

Order Caudata 유포목

Family Hynobiidae 도롱뇽과

1. *Hynobius leechii* Boulenger, 1887 도롱뇽/도롱뇽 Kim and Han (2009: 34)
2. *Onychodactylus fischeri* (Boulenger, 1886) 발톱도롱뇽/꼬리치레도롱뇽 Kim and Han (2009: 36)
3. *Salamandrella keyserlingii* Dybowski, 1870 합수도롱뇽/네발가락도롱뇽 Kim and Han (2009: 35)

Order Anura 무미목

Family Bombinatoridae 무당개구리과

4. *Bombina orientalis* (Boulenger, 1890) 비단개구리/무당개구리 Kim and Han (2009: 39)

Family Bufonidae 두꺼비과

5. *Bufo gargarizans* Cantor, 1842 두꺼비 Kim and Han (2009: 40)
6. *Bufo raddei* Strauch, 1876 작은두꺼비 Kim and Han (2009: 42)
7. *Bufo stejnegeri* Schmidt, 1931 삼방두꺼비/물두꺼비 Kim and Han (2009: 43)
* 북한에서 신종 *Bufo sambangi* Lim, 1996으로 발표하였으나, 물두꺼비의 동종이명

Family Hylidae 청개구리과

8. *Hyla japonica* Günther, 1859 청개구리 Kim and Han (2009: 44)

Family Microhylidae 맹꽁이과

9. *Kaloula borealis* (Barbour, 1908) 맹꽁이 Kim and Han (2009: 46)

Family Ranidae 개구리과

10. *Rana amurensis* Boulenger, 1886 아무르산개구리 Kim and Han (2009: 52)
11. *Rana coreana* Okada, 1928 애기개구리/한국산개구리 Kim and Han (2009: 53)
12. *Rana dybowskii* Günther, 1876 북개구리(기름개구리)/산개구리 Kim and Han (2009: 50)
13. *Rana chosonicus* (Okada, 1931) 금개구리 Kim and Han (2009: 49)
14. *Rana nigromaculata* Hallowell, 1861 참개구리 Kim and Han (2009: 48)
15. *Rana rugosa* Temminck & Schlegel, 1838 움개구리 Kim and Han (2009: 54)

참고문헌

- 김리태, 한근홍. 2009. 조선동물지(양서과충류편). 과학기술출판사. 138pp.
원홍구. 1971. 조선양서과충류지. 과학원출판사. 170pp.
환경부·국립생물자원관, 2011. 국가 생물종 목록집 (척추동물). pp. 193-198.

북한지역의 파충류 종목록

Reptile Species of Democratic People's Republic of Korea

Class Reptilia 파충강

Order Testudines 거북목

Family Cheloniidae 바다거북과

1. *Caretta caretta* (Linnaeus, 1758) 붉은거북/붉은바다거북 Kim and Han (2009: 84)
2. *Chelonia mydas* (Linnaeus, 1758) 푸른거북/바다거북 Kim and Han (2009: 83)

Family Dermochelyidae 장수거북과

3. *Dermochelys coriacea* (Vandelli, 1761) 가죽거북/장수거북 Kim and Han (2009: 86)

Family Geoemydidae 남생이과

4. *Mauremys reevesii* (Gray, 1831) 남생이 Kim and Han (2009: 87)

Family Trionychidae 자라과

5. *Pelodiscus sinensis* (Wiegmann, 1834) 자라/중국자라 Kim and Han (2009: 89)
* *Pelodiscus maackii* (Brandt, 1857) 자라 가 자생종으로 분포하고 있을 가능성이 매우 높음

Order Squamata 유린목

Suborder Lacertilia 도마뱀아목

Family Gekkonidae 도마뱀부치과

6. *Gekko japonicus* (Duméril et Bibron, 1836) 집도마뱀/도마뱀부치 Kim and Han (2009: 92)
* 본 종은 북한에 분포하지 않으나 북한 양서파충류지에 남한서식으로 소개하고 있음

Family Scincidae 도마뱀과

7. *Plestiodon coreensis* (Doi & Kamita, 1937) 대장지/장수도마뱀 Kim and Han (2009: 97)
8. *Scincella vandenburghi* (Schmidt, 1927) 미끈도마뱀/도마뱀 Kim and Han (2009: 94)
* 북한 양서파충류지에 난생하는 도마뱀과 태생하는 도마뱀을 1종으로 소개하고 있으나, 태생의 번식 습성을 지닌 도마뱀은 *Scincella huanrenensis* Zhao & Huang, 1982 북도마뱀 일 가능성이 매우 높음.

Family Lacertidae 장지뱀과

9. *Eremias argus* (Peters, 1869) 표문도마뱀/표범장지뱀 Kim and Han (2009: 104)
10. *Takydromus amurensis* (Peters, 1881) 긴꼬리도마뱀/아무르장지뱀 Kim and Han (2009: 100)
11. *Takydromus wolteri* (Fischer, 1885) 흰줄도마뱀/줄장지뱀 Kim and Han (2009: 101)

Suborder Serpentes 뱀아목

Family Colubridae 뱀과

12. *Amphiesma vibakari* (Boie, 1826) 대륙늘메기/대륙유혈목이 Kim and Han (2009: 118)
13. *Dinodon rufozonatum* (Cantor, 1842) 섬사/능구렁이 Kim and Han (2009: 114)
14. *Elaphe davidi* (Sauvage, 1884) 세줄무늬뱀 Kim and Han (2009: 122)

- | | |
|---|-------------------------|
| 15. <i>Elaphe dione</i> (Pallas, 1773) 누룩뱀 | Kim and Han (2009: 121) |
| 16. <i>Elaphe schrenckii</i> (Strauch, 1837) 구렁이 | Kim and Han (2009: 123) |
| 17. <i>Oocatochus rufodorsatus</i> (Cantor, 1842) 밀뱀/무자치 | Kim and Han (2009: 126) |
| 18. <i>Orthriophis taeniurus</i> (Cope, 1861) 꼬리줄무늬뱀/줄꼬리뱀 | Kim and Han (2009: 125) |
| 19. <i>Hierophis spinalis</i> (Peters, 1866) 실뱀 | Kim and Han (2009: 112) |
| 20. <i>Rhabdophis tigrinus</i> (Boie, 1826) 늘메기/유혈목이 | Kim and Han (2009: 116) |

Family Elaphidae 코브라과

- | | |
|--|-------------------------|
| 21. <i>Hydrophis cyanocinctus</i> Daudin, 1803 얼룩바다뱀 | Kim and Han (2009: 109) |
| 22. <i>Hydrophis melanocephalus</i> Gray, 1849 검은머리바다뱀/떡대가리바다뱀 | Kim and Han (2009: 107) |
| 23. <i>Pelamis platura</i> (Linnaeus, 1766) 검은등바다뱀/바다뱀 | Kim and Han (2009: 110) |

Family Viperidae 살모사과

- | | |
|--|-------------------------|
| 24. <i>Gloydius brevicaudus</i> (Stejneger, 1907) 살모사 | Kim and Han (2009: 129) |
| 25. <i>Gloydius saxatilis</i> (Emelianov, 1937) 돌살모사/까치살모사 | Kim and Han (2009: 131) |
| 26. <i>Gloydius ussuriensis</i> (Emelianov, 1929) 검은살모사/쇠살모사 | Kim and Han (2009: 131) |
| 27. <i>Vipera berus</i> (Linnaeus, 1758) 북살모사 | Kim and Han (2009: 133) |

참고문헌

- 김리태, 한근홍. 2009. 조선동물지(량서파충류편). 과학기술출판사. 138pp.
 원홍구. 1971. 조선량서파충류지. 과학원출판사. 170pp.
 환경부·국립생물자원관, 2011. 국가 생물종 목록집 (척추동물). pp. 201-207.

북한지역의 조류 종목록

Bird Species of Democratic People's Republic of Korea

Class Aves 조강

Order Galliformes 닭목

Family Phasianidae 꿩과

- | | |
|--|-------------------------|
| 1. <i>Bonasa bonasia</i> (Linnaeus, 1758) 들꿩 | Won and Park (2010: 24) |
| 2. <i>Lyrurus tetrix</i> (Linnaeus, 1758) 메닭/멧닭 | Won and Park (2010: 23) |
| 3. <i>Coturnix japonica</i> Temminck & Schlegel, 1849 메추리/메추라기 | Won and Park (2010: 20) |
| 4. <i>Phasianus colchicus</i> Linnaeus, 1758 꿩 | Won and Park (2010: 21) |

Order Anseriformes 기러기목

Family Anatidae 오리과

- | | |
|---|-------------------------|
| 5. <i>Anser cygnoides</i> (Linnaeus, 1758) 물개리/개리 | Won and Park (2010: 30) |
| 6. <i>Anser fabalis</i> (Latham, 1787) 큰기러기 | Won and Park (2010: 31) |
| 7. <i>Anser anser</i> (Linnaeus, 1758) 재기러기/회색기러기 | Won and Park (2010: 35) |
| 8. <i>Anser albifrons</i> (Scopoli, 1769) 쇠기러기 | Won and Park (2010: 33) |
| 9. <i>Anser erythropus</i> (Linnaeus, 1758) 흰이마쇠기러기/흰이마기러기 | Won and Park (2010: 34) |
| 10. <i>Anser caerulescens</i> (Linnaeus, 1758) 흰기러기 | Won and Park (2010: 35) |
| 11. <i>Branta hutchinsii</i> (Linnaeus, 1758) 흰뺨기러기/캐나다기러기 | Won and Park (2010: 37) |
| 12. <i>Branta bernicla</i> (Linnaeus, 1758) 검은기러기/흑기러기 | Won and Park (2010: 38) |
| 13. <i>Cygnus olor</i> (Gmelin, 1789) 흑고니 | Won and Park (2010: 26) |
| 14. <i>Cygnus columbianus</i> (Ord, 1815) 고니 | Won and Park (2010: 28) |
| 15. <i>Cygnus cygnus</i> (Linnaeus, 1758) 큰고니 | Won and Park (2010: 27) |
| 16. <i>Tadorna tadorna</i> (Linnaeus, 1758) 꽃진경이/흑부리오리 | Won and Park (2010: 41) |
| 17. <i>Tadorna ferruginea</i> (Pallas, 1764) 진경이/황오리 | Won and Park (2010: 39) |
| 18. <i>Tadorna cristata</i> (Kuroda, 1917) 땡기진경이/원앙사촌 | Won and Park (2010: 40) |
| 19. <i>Aix galericulata</i> (Linnaeus, 1758) 원앙 | Won and Park (2010: 42) |
| 20. <i>Anas strepera</i> Linnaeus, 1758 알락오리 | Won and Park (2010: 44) |
| 21. <i>Anas falcata</i> Georgi, 1775 붉은꼭두오리/청머리오리 | Won and Park (2010: 45) |
| 22. <i>Anas penelope</i> Linnaeus, 1758 알승오리/홍머리오리 | Won and Park (2010: 46) |
| 23. <i>Anas americana</i> Gmelin, 1789 흰이마알승오리/아메리카홍머리오리 | Won and Park (2010: 46) |
| 24. <i>Anas platyrhynchos</i> Linnaeus, 1758 청뺨오리/청둥오리 | Won and Park (2010: 47) |
| 25. <i>Anas poecilorhyncha</i> Forster, 1781 검독오리/흰뺨검둥오리 | Won and Park (2010: 48) |
| 26. <i>Anas clypeata</i> Linnaeus, 1758 넓적부리오리/넓적부리 | Won and Park (2010: 49) |
| 27. <i>Anas acuta</i> Linnaeus, 1758 가창오리/고방오리 | Won and Park (2010: 50) |
| 28. <i>Anas querquedula</i> Linnaeus, 1758 알락발구지/발구지 | Won and Park (2010: 51) |
| 29. <i>Anas formosa</i> Georgi, 1775 반달오리/가창오리 | Won and Park (2010: 52) |
| 30. <i>Anas crecca</i> Linnaeus, 1758 뒤강오리/쇠오리 | Won and Park (2010: 52) |
| 31. <i>Aythya ferina</i> (Linnaeus, 1758) 흰죽지오리/흰죽지 | Won and Park (2010: 55) |
| 32. <i>Aythya baeri</i> (Radde, 1863) 흰죽지흰눈오리/붉은가슴흰죽지 | Won and Park (2010: 57) |
| 33. <i>Aythya fuligula</i> (Linnaeus, 1758) 검은땡기흰죽지오리/땡기흰죽지 | Won and Park (2010: 58) |

- | | |
|--|-------------------------|
| 34. <i>Aythya marila</i> (Linnaeus, 1761) 검은머리알송오리/검은머리흰죽지 | Won and Park (2010: 58) |
| 35. <i>Histrionicus histrionicus</i> (Linnaeus, 1758) 흰무늬오리/흰줄박이오리 | Won and Park (2010: 59) |
| 36. <i>Melanitta deglandi</i> (Linnaeus, 1758) 흰눈썹검은오리/검둥오리사촌 | Won and Park (2010: 62) |
| 37. <i>Melanitta americana</i> (Linnaeus, 1758) 검은오리/검둥오리 | Won and Park (2010: 62) |
| 38. <i>Clangula hyemalis</i> (Linnaeus, 1758) 바다평 | Won and Park (2010: 60) |
| 39. <i>Bucephala clangula</i> (Linnaeus, 1758) 흰뺨오리 | Won and Park (2010: 63) |
| 40. <i>Mergellus albellus</i> (Linnaeus, 1758) 까치비오리/흰비오리 | Won and Park (2010: 66) |
| 41. <i>Mergus merganser</i> Linnaeus, 1758 갯비오리/비오리 | Won and Park (2010: 68) |
| 42. <i>Mergus serrator</i> Linnaeus, 1758 바다비오리 | Won and Park (2010: 66) |
| 43. <i>Mergus sguamatus</i> Gould, 1864 비오리/호사비오리 | Won and Park (2010: 67) |

Order Gaviiformes 아비목

Family Gaviidae 아비과

- | | |
|---|------------------|
| 44. <i>Gavia stellata</i> (Pontoppidan, 1763) 붉은목다마지/아비 | Tomek (1999: 21) |
| 45. <i>Gavia arctica</i> (Linnaeus, 1758) 푸른목다마지/큰회색머리아비 | Tomek (1999: 21) |
| 46. <i>Gavia pacifica</i> (Lawrence, 1858) 짧은부리다마지/회색머리아비 | Won (1996: 50) |
| 47. <i>Gavia adamsii</i> (Gray, 1859) 흰부리다마지/흰부리아비 | Tomek (1999: 22) |

Order Procellariiformes 습새목

Family Diomedidae 알바트로스과

- | | |
|--|------------------|
| 48. <i>Phoebastria albatrus</i> (Pallas, 1769) 큰꼭새/알바트로스 | Tomek (1999: 26) |
|--|------------------|

Family Procellariidae 습새과

- | | |
|--|------------------|
| 49. <i>Calonectris leucomelas</i> (Temminck, 1836) 꼭새/습새 | Tomek (1999: 26) |
| 50. <i>Puffinus tenuirostris</i> (Temminck, 1836) 가는부리꼭새/쇠부리습새 | Tomek (1999: 27) |
| 51. <i>Puffinus carneipes</i> Gould, 1844 붉은발꼭새/붉은발습새 | Won (1996: 50) |

Family Hydrobatidae 바다제비과

- | | |
|--|------------------|
| 52. <i>Oceanodroma monorhis</i> (Swinhoe, 1867) 바다제비 | Tomek (1999: 28) |
|--|------------------|

Order Podicipediformes 논병아리목

Family Podicipedidae 논병아리과

- | | |
|--|------------------|
| 53. <i>Tachybaptus ruficollis</i> (Pallas, 1764) 논병아리/논병아리 | Tomek (1999: 23) |
| 54. <i>Podiceps grisegena</i> (Boddaert, 1783) 붉은목논병아리/큰논병아리 | Tomek (1999: 23) |
| 55. <i>Podiceps cristatus</i> (Linnaeus, 1758) 뿔논병아리/뿔논병아리 | Tomek (1999: 24) |
| 56. <i>Podiceps auritus</i> (Linnaeus, 1758) 귀논병아리/귀뿔논병아리 | Tomek (1999: 25) |
| 57. <i>Podiceps nigricollis</i> Brehm, 1831 검은목논병아리/검은목논병아리 | Tomek (1999: 26) |

Order Ciconiiformes 황새목

Family Ciconiidae 황새과

- | | |
|--|------------------|
| 58. <i>Ciconia nigra</i> (Linnaeus, 1758) 검은황새/떡황새 | Tomek (1999: 43) |
| 59. <i>Ciconia boyciana</i> Swinhoe, 1873 황새 | Tomek (1999: 44) |

Family Threskiornithidae 저어새과

60. *Nipponia nippon* (Temminck, 1835) 따오기 Tomek (1999: 45)
 61. *Platalea leucorodia* Linnaeus, 1758 누른뺨저어새/노랑부리저어새 Tomek (1999: 45)
 62. *Platalea minor* Temminck & Schlegel, 1849 저어새 Tomek (1999: 46)

Family Ardeidae 백로과

63. *Botaurus stellaris* (Linnaeus, 1758) 알락왜가리/알락해오라기 Tomek (1999: 42)
 64. *Ixobrychus sinensis* (Gmelin, 1789) 작은물까마귀/덤불해오라기 Tomek (1999: 41)
 65. *Ixobrychus eurhythmus* (Swinhoe, 1873) 붉은물까마귀/큰덤불해오라기 Tomek (1999: 42)
 66. *Gorsachius goisagi* (Temminck, 1836) 산골물까마귀/붉은해오라기 Won (1996: 50)
 67. *Nycticorax nycticorax* (Linnaeus, 1758) 밤물까마귀/해오라기 Tomek (1999: 40)
 68. *Butorides striata* (Linnaeus, 1758) 물까마귀/검은댕기해오라기 Tomek (1999: 39)
 69. *Ardeola bacchus* (Banaparte, 1855) 흰날개물까마귀/흰날개해오라기 Tomek (1999: 38)
 70. *Bubulcus ibis* (Linnaeus, 1758) 누른물까마귀/황로 Tomek (1999: 38)
 71. *Ardea cinerea* Linnaeus, 1758 왜가리 Tomek (1999: 31)
 72. *Ardea purpurea* Linnaeus, 1766 자지왜가리/붉은왜가리 Tomek (1999: 32)
 73. *Ardea alba* (Linnaeus, 1758) 대백로/중대백로 Tomek (1999: 33)
 74. *Egretta intermedia* (Wagler, 1829) 검은다리백로/중백로 Tomek (1999: 34)
 75. *Egretta garzetta* (Linnaeus, 1766) 작은백로/쇠백로 Tomek (1999: 35)
 76. *Egretta sacra* (Gmelin, 1789) 검은왜가리/흑로 Tomek (1999: 37)
 77. *Egretta eulophotes* (Swinhoe, 1860) 노랑부리백로 Tomek (1999: 36)

Order Pelecaniformes 사다새목

Family Fregatidae 군함조과

78. *Fregata ariel* (Gray, 1845) 군함새/군함조 Tomek (1999: 30)

Family Pelecanidae 사다새과

79. *Pelecanus crispus* Bruch, 1832 사다새 Won (1996: 50)

Family Sulidae 열가니과

80. *Sula dactylatra* Lesson, 1831 부비/푸른얼굴열가니새 Won (1996: 49)

Family Phalacrocoracidae 가마우지과

81. *Phalacrocorax carbo* (Linnaeus, 1758) 갯가마우지/민물가마우지 Tomek (1999: 28)
 82. *Phalacrocorax capillatus* (Temminck & Schlegel, 1848) 바다가마우지/가마우지 Tomek (1999: 29)
 83. *Phalacrocorax pelagicus* Pallas, 1811 까막가마우지/쇠가마우지 Tomek (1999: 29)
 84. *Phalacrocorax urile* (Gmelin, 1789) 붉은뺨가마우지 OSK (2009: 18)

Order Falconiformes 매목

Family Falconidae 매과

85. *Falco tinnunculus* Linnaeus, 1758 조롱이/황조롱이 Tomek (1999: 95)
 86. *Falco amurensis* Radde, 1863 붉은발조롱이/비둘기조롱이 Tomek (1999: 97)
 87. *Falco columbarius* Linnaeus, 1758 작은조롱이/쇠황조롱이 Tomek (1999: 97)
 88. *Falco subbuteo* Linnaeus, 1758 검은조롱이/새호리기 Tomek (1999: 98)
 89. *Falco peregrinus* Tunstall, 1771 평매/매 Tomek (1999: 99)

Family Accipitridae 수리과

- | | |
|--|------------------|
| 90. <i>Pandion haliaetus</i> (Linnaeus, 1758) 바다수리/물수리 | Tomek (1999: 78) |
| 91. <i>Pernis ptilorhynchus</i> (Temminck, 1821) 별매 | Tomek (1999: 78) |
| 92. <i>Milvus migrans</i> (Boddaert, 1783) 소리개/솔개 | Tomek (1999: 79) |
| 93. <i>Haliaeetus albicilla</i> (Linnaeus, 1758) 흰꼬리수리 | Tomek (1999: 80) |
| 94. <i>Haliaeetus pelagicus</i> (Pallas, 1811) 흰쪽지수리/참수리 | Tomek (1999: 81) |
| 95. <i>Gypaetus barbatus</i> (Linnaeus, 1758) 수염수리 | Tomek (1999: 82) |
| 96. <i>Aegypius monachus</i> (Linnaeus, 1766) 번대수리/독수리 | Tomek (1999: 82) |
| 97. <i>Circus spilonotus</i> Kaup, 1847 택광이/개구리매 | Tomek (1999: 85) |
| 98. <i>Circus cyaneus</i> (Linnaeus, 1766) 회색택광이/젯빛개구리매 | Tomek (1999: 84) |
| 99. <i>Circus melanoleucos</i> (Pennant, 1769) 알락택광이/알락개구리매 | Tomek (1999: 85) |
| 100. <i>Accipiter soloensis</i> (Horsfield, 1821) 붉은배새매 | Tomek (1999: 86) |
| 101. <i>Accipiter gularis</i> (Temminck & Schlegel, 1844) 작은새매/조롱이 | Tomek (1999: 87) |
| 102. <i>Accipiter nisus</i> (Linnaeus, 1758) 큰새매/새매 | Tomek (1999: 88) |
| 103. <i>Accipiter gentilis</i> (Linnaeus, 1758) 참매 | Tomek (1999: 90) |
| 104. <i>Butastur indicus</i> (Gmelin, 1788) 래구매/왕새매 | Tomek (1999: 83) |
| 105. <i>Buteo buteo</i> (Linnaeus, 1758) 저광이/말뚝가리 | Tomek (1999: 90) |
| 106. <i>Buteo hemilasius</i> Temminck & Schlegel, 1844 저광수리/큰말뚝가리 | Tomek (1999: 92) |
| 107. <i>Buteo lagopus</i> (Pontoppidan, 1763) 털발저광이/털발말뚝가리 | Tomek (1999: 91) |
| 108. <i>Aquila clanga</i> Pallas, 1811 붉은등수리/항라머리검독수리 | Tomek (1999: 93) |
| 109. <i>Aquila nipalensis</i> Hodgson, 1833 초원수리 | Tomek (1999: 93) |
| 110. <i>Aquila heliaca</i> Savigny, 1809 흰어깨수리/흰족지수리 | Tomek (1999: 93) |
| 111. <i>Aquila chrysaetos</i> (Linnaeus, 1758) 검독수리 | Tomek (1999: 94) |
| 112. <i>Spizaetus nipalensis</i> (Hodgson, 1836) 수리매/뿔매 | Tomek (1999: 95) |

Order Gruiformes 두루미목

Family Otididae 느시과

- | | |
|---|--------------------------|
| 113. <i>Otis tarda</i> Linnaeus, 1758 너화/느시 | Won and Park (2010: 126) |
|---|--------------------------|

Family Rallidae 뜰부기과

- | | |
|---|--------------------------|
| 114. <i>Coturnicops exquisitus</i> (Swinhoe, 1873) 작은물병아리/알락뜸부기 | Won and Park (2010: 133) |
| 115. <i>Rallus aquaticus</i> Linnaeus, 1758 작은뜸부기/흰눈썹뜸부기 | Won and Park (2010: 136) |
| 116. <i>Amaurornis phoenicurus</i> (Pennant, 1769) 흰배물닭/흰배뜸부기 | Won and Park (2010: 137) |
| 117. <i>Porzana pusilla</i> (Pallas, 1776) 물병아리/쇠뜸부기 | Won and Park (2010: 134) |
| 118. <i>Porzana fusca</i> (Linnaeus, 1766) 붉은물병아리/쇠뜸부기사촌 | Won and Park (2010: 135) |
| 119. <i>Porzana paykullii</i> (Ljungh, 1813) 알락배물병아리/한국뜸부기 | Won and Park (2010: 135) |
| 120. <i>Gallinula cinerea</i> (Gmelin, 1789) 뜰부기 | Won and Park (2010: 138) |
| 121. <i>Gallinula chloropus</i> (Linnaeus, 1758) 물닭/쇠물닭 | Won and Park (2010: 139) |
| 122. <i>Fulica atra</i> Linnaeus, 1758 큰물닭/물닭 | Won and Park (2010: 140) |

Family Gruidae 두루미과

- | | |
|---|--------------------------|
| 123. <i>Anthropoides virgo</i> (Linnaeus, 1758) 땡기두루미/쇠재두루미 | Won and Park (2010: 132) |
| 124. <i>Grus vipio</i> Pallas, 1811 재두루미 | Won and Park (2010: 128) |
| 125. <i>Grus grus</i> (Linnaeus, 1758) 검은두루미/검은목두루미 | Won and Park (2010: 129) |
| 126. <i>Grus monacha</i> Temminck, 1835 갯두루미/흑두루미 | Won and Park (2010: 130) |

127. *Grus japonensis* Müller, 1776 흰두루미/두루미 Won and Park (2010: 131)

Family Turnicidae 세가락메추라기과

128. *Turnix tanki* Blyth, 1843 세가락메추리/세가락메추라기 Won and Park (2010: 69)

Order Charadriiformes 도요목

Family Haematopodidae 검은머리물떼새과

129. *Haematopus ostralegus* Linnaeus, 1758 까치도요/검은머리물떼새 Won and Park (2010: 183)

Family Recurvirostridae 장다리물떼새과

130. *Himantopus himantopus* (Linnaeus, 1758) 긴다리도요/장다리물떼새 Won and Park (2010: 184)

131. *Recurvirostra avosetta* Linnaeus, 1758 키큰뿔부리도요/뿔부리장다리물떼새 Won and Park (2010: 185)

Family Charadriidae 물떼새과

132. *Vanellus vanellus* (Linnaeus, 1758) 땡기도요/땡기물떼새 Won and Park (2010: 194)

133. *Vanellus cinereus* (Blyth, 1842) 갈매기도요/민땡기물떼새 Won and Park (2010: 195)

134. *Pluvialis fulva* (Gmelin, 1789) 검은가슴알도요/검은가슴물떼새 Won and Park (2010: 186)

135. *Pluvialis squatarola* (Linnaeus, 1758) 검은배도요/개평 Won and Park (2010: 187)

136. *Charadrius hiaticula* Linnaeus, 1758 큰알도요/흰죽지꼬마물떼새 Won and Park (2010: 188)

137. *Charadrius placidus* Gray, 1863 중알도요/흰목물떼새 Won and Park (2010: 189)

138. *Charadrius dubius* Scopoli, 1786 알도요/꼬마물떼새 Won and Park (2010: 189)

139. *Charadrius alexandrinus* Linnaeus, 1758 흰가슴알도요/흰물떼새 Won and Park (2010: 190)

140. *Charadrius mongolus* Pallas, 1776 쇠큰눈도요/왕눈물떼새 Won and Park (2010: 192)

141. *Charadrius leschenaultii* Lesson, 1826 큰눈도요/큰왕눈물떼새 Won and Park (2010: 192)

142. *Charadrius veredus* Gould, 1848 붉은가슴알도요/큰물떼새 Won and Park (2010: 193)

Family Rostratulidae 호사도요과

143. *Rostratula benghalensis* (Linnaeus, 1758) 흰고리눈도요/호사도요 Won and Park (2010: 181)

Family Jacanidae 물평과

144. *Hydrophasianus chirurgus* (Scopoli, 1786) 런빨새/물평 Won and Park (2010: 182)

Family Scolopacidae 도요과

145. *Scolopax rusticola* Linnaeus, 1758 메도요/멧도요 Won and Park (2010: 144)

146. *Lymnocyptes minimus* (Brünnich, 1764) 애기도요/꼬마도요 Won and Park (2010: 149)

147. *Gallinago solitaria* Hodgson, 1831 산골개도요/청도요 Won and Park (2010: 145)

148. *Gallinago hardwickii* (Gray, 1831) 큰깍도요 Won and Park (2010: 146)

149. *Gallinago stenura* (Bonaparte, 1830) 바늘꼬리도요 Won and Park (2010: 147)

150. *Gallinago megala* Swinhoe, 1861 메깍도요/깍도요사촌 Won and Park (2010: 147)

151. *Gallinago gallinago* (Linnaeus, 1758) 깍도요 Won and Park (2010: 148)

152. *Limnodromus scolopaceus* (Say, 1823) 긴부리붉은도요/긴부리도요 Won and Park (2010: 166)

153. *Limnodromus semipalmatus* (Blyth, 1848) 큰부리도요 Won and Park (2010: 167)

154. *Limosa limosa* (Linnaeus, 1758) 검은꼬리도요/흑꼬리도요 Won and Park (2010: 150)

155. *Limosa lapponica* (Linnaeus, 1758) 큰뿔부리도요/큰뿔부리도요 Won and Park (2010: 151)

156. <i>Numenius minutus</i> Gould, 1841 쇠부리도요	Won and Park (2010: 153)
157. <i>Numenius phaeopus</i> (Linnaeus, 1758) 발도요/중부리도요	Won and Park (2010: 153)
158. <i>Numenius arquata</i> (Linnaeus, 1758) 마도요	Won and Park (2010: 154)
159. <i>Numenius madagascariensis</i> (Linnaeus, 1766) 알락꼬리마도요	Won and Park (2010: 155)
160. <i>Tringa erythropus</i> (Pallas, 1764) 학도요	Won and Park (2010: 157)
161. <i>Tringa totanus</i> (Linnaeus, 1758) 붉은발도요	Won and Park (2010: 158)
162. <i>Tringa stagnatilis</i> (Bechstein, 1803) 쇠푸른다리도요/쇠청다리도요	Won and Park (2010: 159)
163. <i>Tringa nebularia</i> (Gunnerus, 1767) 푸른다리도요/청다리도요	Won and Park (2010: 159)
164. <i>Tringa guttifer</i> (Nordmann, 1835) 흰꼬리북도요/청다리도요사촌	Won and Park (2010: 160)
165. <i>Tringa melanoleuca</i> (Gmelin, 1789) 큰노랑발도요	Won and Park (2010: 161)
166. <i>Tringa ochropus</i> Linnaeus, 1758 뺨도요	Won and Park (2010: 161)
167. <i>Tringa glareola</i> Linnaeus, 1758 알락도요	Won and Park (2010: 162)
168. <i>Xenus cinereus</i> (Güldenstädt, 1774) 뒷부리도요/뒷부리도요	Won and Park (2010: 163)
169. <i>Actitis hypoleucos</i> (Linnaeus, 1758) 민물도요/깜작도요	Won and Park (2010: 163)
170. <i>Heteroscelus brevipes</i> (Vieillot, 1816) 누른발도요/노랑발도요	Won and Park (2010: 164)
171. <i>Arenaria interpres</i> (Linnaeus, 1758) 꼬가도요	Won and Park (2010: 165)
172. <i>Calidris tenuirostris</i> (Horsfield, 1821) 붉은어깨도요	Won and Park (2010: 168)
173. <i>Calidris canutus</i> (Linnaeus, 1758) 붉은배도요/붉은가슴도요	Won and Park (2010: 169)
174. <i>Calidris alba</i> (Pallas, 1764) 세가락도요	Won and Park (2010: 169)
175. <i>Calidris ruficollis</i> (Pallas, 1766) 좁도요	Won and Park (2010: 171)
176. <i>Calidris minuta</i> (Leisler, 1812) 작은도요	Won and Park (2010: 170)
177. <i>Calidris temminckii</i> (Leisler, 1812) 흰꼬리좁도요	Won and Park (2010: 171)
178. <i>Chlidris subminuta</i> (Middendorff, 1853) 중달도요	Won and Park (2010: 172)
179. <i>Calidris melanotos</i> (Vieillot, 1819) 메추리갯도요/아메리카메추라기도요	Won and Park (2010: 172)
180. <i>Calidris acuminata</i> (Horsfield, 1821) 메추리도요/메추라기도요	Won and Park (2010: 173)
181. <i>Calidris ferruginea</i> (Pontoppidan, 1763) 붉은갯도요	Won and Park (2010: 174)
182. <i>Calidris alpina</i> (Linnaeus, 1758) 갯도요/민물도요	Won and Park (2010: 173)
183. <i>Eurynorhynchus pygmeus</i> (Linnaeus, 1758) 주걱부리도요/넓적부리도요	Won and Park (2010: 176)
184. <i>Limicola falcinellus</i> (Pontoppidan, 1763) 송곳부리도요	Won and Park (2010: 176)
185. <i>Trynigites subruficollis</i> (Vieillot, 1819) 누른도요	Won and Park (2010: 175)
186. <i>Philomachus pugnax</i> (Linnaeus, 1758) 목도리도요	Won and Park (2010: 177)
187. <i>Phalaropus tricolor</i> (Vieillot, 1819) 북지느러미발도요/큰지느러미발도요	Won and Park (2010: 178)
188. <i>Phalaropus lobatus</i> (Linnaeus, 1758) 지느러미발도요	Won and Park (2010: 179)
189. <i>Phalaropus fulicarius</i> (Linnaeus, 1758) 붉은배지느러미발도요	Won and Park (2010: 180)

Family Glareolidae 제비물떼새과

190. <i>Glareola maldivarum</i> Forster, 1795 제비도요/제비물떼새	Won and Park (2010: 196)
--	--------------------------

Family Laridae 갈매기과

191. <i>Larus crassirostris</i> Vieillot, 1818 갈매기/괭이갈매기	Won and Park (2010: 200)
192. <i>Larus canus</i> Linnaeus, 1758 갯갈매기/갈매기	Won and Park (2010: 201)
193. <i>Larus hyperboreus</i> Gunnerus, 1767 흰갈매기	Won and Park (2010: 202)
194. <i>Larus vegae</i> Palmén, 1887 재갈매기	Won and Park (2010: 203)
195. <i>Larus schistisagus</i> Stejneger, 1884 큰재갈매기	Won and Park (2010: 204)
196. <i>Larus ridibundus</i> Linnaeus, 1766 붉은부리갈매기	Won and Park (2010: 205)

197. *Larus saundersi* (Swinhoe, 1871) 검은머리갈매기 Won and Park (2010: 206)
 198. *Xema sabini* (Sabine, 1819) 제비꼬리갈매기/목테갈매기 Won and Park (2010: 208)
 199. *Rissa tridactyla* (Linnaeus, 1758) 세가락갈매기 Won and Park (2010: 209)
 200. *Sterna nilotica* Gmelin, 1789 큰부리쇠갈매기/큰부리제비갈매기 Won and Park (2010: 210)
 201. *Sterna bergii* Lichtenstein, 1823 큰쇠갈매기/큰제비갈매기 Won and Park (2010: 211)
 202. *Sterna dougallii* (Montagu, 1813) 붉은부리쇠갈매기/긴꼬리제비갈매기 Won and Park (2010: 211)
 203. *Sterna hirundo* Linnaeus, 1758 검은머리쇠갈매기/제비갈매기 Won and Park (2010: 212)
 204. *Sterna albifrons* Pallas, 1764 쇠갈매기/쇠제비갈매기 Won and Park (2010: 213)
 205. *Chlidonias leucopterus* (Temminck, 1815) 흰죽지검은쇠갈매기/흰죽지제비갈매기 Won and Park (2010: 215)

Family Stercorariidae 도둑갈매기과

206. *Stercorarius parasiticus* (Linnaeus, 1758) 북극도적갈매기/북극도둑갈매기 Won and Park (2010: 198)

Family Alcidae 바다오리과

207. *Uria aalge* (Pontoppidan, 1763) 호구니/바다오리 Won and Park (2010: 216)
 208. *Cephus carbo* Pallas, 1811 붉은발바다오리/흰눈썹바다오리 Won and Park (2010: 217)
 209. *Brachyramphus perdix* (Pallas, 1811) 알락바다오리/알락쇠오리 Won and Park (2010: 218)
 210. *Synthliboramphus antiquus* (Gmelin, 1789) 작은바다오리/바다쇠오리 Won and Park (2010: 219)
 211. *Synthliboramphus wumizusume* (Temminck, 1836) 뿔바다오리/뿔쇠오리 Won and Park (2010: 220)
 212. *Aethia pusilla* (Pallas, 1811) 아기바다오리/작은바다오리 Won and Park (2010: 222)
 213. *Aethia pygmaea* (Gmelin, 1789) 흰수염작은바다오리 Won and Park (2010: 222)
 214. *Cerorhinca monocerata* (Pallas, 1811) 바다뿔주둥이/흰수염바다오리 Won and Park (2010: 221)

Order Columbiformes 비둘기목

Family Pteroclididae 사막평과

215. *Syrhaptes paradoxus* (Pallas, 1773) 모래닭/사막평 Won and Park (2010: 142)

Family Columbidae 비둘기과

216. *Columba rupestris* Pallas, 1811 낭비둘기/양비둘기 Won and Park (2010: 119)
 217. *Columba janthina* Temminck, 1830 검은비둘기/흑비둘기 Won and Park (2010: 120)
 218. *Streptopelia orientalis* (Latham, 1790) 메비둘기/멧비둘기 Won and Park (2010: 121)
 219. *Streptopelia decaocto* (Fridvaldszky, 1838) 윗목도리비둘기/염주비둘기 Won and Park (2010: 123)
 220. *Streptopelia tranquebarica* (Hermann, 1804) 검은목도리비둘기/홍비둘기 Won and Park (2010: 122)

Order Cuculiformes 두견이목

Family Cuculidae 두견이과

221. *Hierococcyx hyperythrus* Gould, 1856 새매빠꾸기 Won and Park (2010: 96)
 222. *Cuculus micropterus* Gould, 1838 검은등빠꾸기 Won and Park (2010: 97)
 223. *Cuculus canorus* Linnaeus, 1758 빠꾸기 Won and Park (2010: 98)
 224. *Cuculus saturatus* Blyth, 1843 병어리빠꾸기 Won and Park (2010: 99)
 225. *Cuculus poliocephalus* Latham, 1790 두견/두견이 Won and Park (2010: 100)

Order Strigiformes 올빼미목

Family Strigidae 올빼미과

226. <i>Otus bakkamoena</i> Pennant, 1769	큰잡동새/큰소쩍새	Won and Park (2010: 107)
227. <i>Otus sunia</i> (Hodgson, 1836)	잡동새/소쩍새	Won and Park (2010: 106)
228. <i>Nyctea scandiaca</i> (Linnaeus, 1758)	흰올빼미	Won and Park (2010: 109)
229. <i>Bubo bubo</i> (Linnaeus, 1758)	수리부엉이	Won and Park (2010: 108)
230. <i>Strix aluco</i> Linnaeus, 1758	올빼미	Won and Park (2010: 110)
231. <i>Strix uralensis</i> Pallas, 1771	북올빼미/긴점박이올빼미	Won and Park (2010: 111)
232. <i>Surnia ulula</i> (Linnaeus, 1758)	긴꼬리올빼미	Won and Park (2010: 112)
233. <i>Athene noctua</i> (Scopoli, 1769)	금눈쇠올빼미	Won and Park (2010: 113)
234. <i>Ninox scutulata</i> (Raffles, 1822)	솔부엉이	Won and Park (2010: 114)
235. <i>Asio otus</i> (Linnaeus, 1758)	철부엉이	Won and Park (2010: 115)
236. <i>Asio flammeus</i> (Pontoppidan, 1763)	쇠부엉이	Won and Park (2010: 116)

Order Caprimulgiformes **속독새목**

Family Caprimulgidae **속독새과**

237. <i>Caprimulgus indicus</i> Latham, 1790	외속도기/속독새	Won and Park (2010: 117)
--	----------	--------------------------

Order Apodiformes **칼새목**

Family Apodidae **칼새과**

238. <i>Hirundapus caudacutus</i> (Latham, 1802)	후리새/마늘꼬리칼새	Won and Park (2010: 102)
239. <i>Apus pacificus</i> (Latham, 1802)	칼새	Won and Park (2010: 103)
240. <i>Apus nipalensis</i> (Hodgson, 1837)	쇠칼새	Won and Park (2010: 104)

Order Coraciiformes **파랑새목**

Family Coraciidae **파랑새과**

241. <i>Eurystomus orientalis</i> (Linnaeus, 1766)	청조/파랑새	Won and Park (2010: 89)
--	--------	-------------------------

Family Alcedinidae **물총새과**

242. <i>Halcyon coromanda</i> (Latham, 1790)	호반새	Won and Park (2010: 92)
243. <i>Halcyon pileata</i> (Boddaert, 1783)	푸른호반새/청호반새	Won and Park (2010: 92)
244. <i>Alcedo atthis</i> (Linnaeus, 1758)	물총새/물총새	Won and Park (2010: 90)
245. <i>Megacery lelugubris</i> (Temminck, 1834)	알락호반새/빨호반새	Won and Park (2010: 94)

Family Upupidae **후투티과**

246. <i>Upupa epops</i> Linnaeus, 1758	후투티/후투티	Won and Park (2010: 87)
--	---------	-------------------------

Order Piciformes **딱다구리목**

Family Picidae **딱다구리과**

247. <i>Jynx torquilla</i> Linnaeus, 1758	개미새/개미잡이	Won and Park (2010: 71)
248. <i>Dendrocopos hyperythrus</i> (Vigors, 1831)	붉은배알락딱따구리/붉은배오색딱다구리	Won and Park (2010: 76)
249. <i>Dendrocopos kizuki</i> (Temminck, 1836)	작은딱따구리/쇠딱다구리	Won and Park (2010: 74)
250. <i>Dendrocopos canicapillus</i> (Blyth, 1845)	검은등쇠딱따구리/아물쇠딱다구리	Won and Park (2010: 73)
251. <i>Dendrocopos minor</i> (Linnaeus, 1758)	쇠알락딱따구리/쇠오색딱다구리	Won and Park (2010: 75)
252. <i>Dendrocopos leucotos</i> (Bechstein, 1803)	큰알락딱따구리/큰오색딱다구리	Won and Park (2010: 77)

253. <i>Dendrocopos major</i> (Linnaeus, 1758)	알락딱따구리/오색딱따구리	Won and Park (2010: 79)
254. <i>Picoides tridactylus</i> (Linnaeus, 1758)	세가락딱따구리/세가락딱따구리	Won and Park (2010: 81)
255. <i>Dryocopus javensis</i> (Horsfield, 1821)	클락새/크낙새	Won and Park (2010: 82)
256. <i>Dryocopus martius</i> (Linnaeus, 1758)	검은딱따구리/까막딱따구리	Won and Park (2010: 83)
257. <i>Picus canus</i> Gmelin, 1788	풀색딱따구리/청딱따구리	Won and Park (2010: 85)

Order Passeriformes 참새목

Family Pittidae 팔색조과

258. <i>Pitta nympha</i> Temminck & Schlegel, 1850	팔색새/팔색조	Tomek (2002: 6)
--	---------	-----------------

Family Campephagidae 할미새사촌과

259. <i>Pericrocotus divaricatus</i> (Raffles, 1822)	분디새/할미새사촌	Tomek (2002: 30)
--	-----------	------------------

Family Laniidae 때까치과

260. <i>Lanius tigrinus</i> Drapiez, 1828	출개구마리/츄때까치	Tomek (2002: 32)
261. <i>Lanius bucephalus</i> Temminck & Schlegel, 1845	개구마리/때까치	Tomek (2002: 34)
262. <i>Lanius cristatus</i> Linnaeus, 1758	붉은꼬리개구마리/노랑때까치	Tomek (2002: 35)
263. <i>Lanius excubitor</i> Linnaeus, 1758	큰개구마리/재때까치	Tomek (2002: 37)
264. <i>Lanius sphenocercus</i> Cabanis, 1873	물개구마리/물때까치	Tomek (2002: 38)

Family Oriolidae 피꼬리과

265. <i>Oriolus chinensis</i> Linnaeus, 1766	피꼬리	Tomek (2002: 170)
--	-----	-------------------

Family Dicruridae 바람까마귀과

266. <i>Dicrurus macrocercus</i> Vieillot, 1817	검은권미/검은바람까마귀	Tomek (2002: 172)
267. <i>Dicrurus leucophaeus</i> Vieillot, 1817	회색바람까마귀	Tomek (2002: 173)
268. <i>Dicrurus hottentottus</i> (Linnaeus, 1766)	바람까마귀	Tomek (2002: 173)

Family Monarchidae 긴꼬리딱새과

269. <i>Terpsiphone paradisi</i> (Linnaeus, 1758)	붉은긴꼬리새/북방긴꼬리딱새	Tomek (2002: 105)
270. <i>Terpsiphone atrocaudata</i> (Eyton, 1839)	검은긴꼬리새/긴꼬리딱새	Tomek (2002: 106)

Family Corvidae 까마귀과

271. <i>Garrulus glandarius</i> (Linnaeus, 1758)	어치	Tomek (2002: 174)
272. <i>Cyanopica cyanus</i> (Pallas, 1776)	물까치	Tomek (2002: 175)
273. <i>Pica pica</i> (Linnaeus, 1758)	까치	Tomek (2002: 177)
274. <i>Nucifraga caryocatactes</i> (Linnaeus, 1758)	잣까마귀	Tomek (2002: 178)
275. <i>Corvus dauuricus</i> Pallas, 1776	당까마귀/갈까마귀	Tomek (2002: 180)
276. <i>Corvus frugilegus</i> Linnaeus, 1758	떼까마귀	Tomek (2002: 181)
277. <i>Corvus corone</i> Linnaeus, 1758	까마귀	Tomek (2002: 182)
278. <i>Corvus macrorhynchos</i> Wagler, 1827	굵은부리까마귀/큰부리까마귀	Tomek (2002: 183)
279. <i>Corvus corax</i> Linnaeus, 1758	큰까마귀	Tomek (2002: 184)

Family Bombycillidae 여새과

280. *Bombycilla garrulus* (Linnaeus, 1758) 노랑꼬리여새/황여새 Tomek (2002: 39)
 281. *Bombycilla japonica* (Siebold, 1824) 붉은꼬리여새/홍여새 Tomek (2002: 41)

Family Paridae 박새과

282. *Parus major* Linnaeus, 1758 박새 Tomek (2002: 115)
 283. *Parus ater* Linnaeus, 1758 개새/진박새 Tomek (2002: 113)
 284. *Parus varius* Temminck & Schlegel, 1848 곤줄메기/곤줄박이 Tomek (2002: 117)
 285. *Parus palustris* Linnaeus, 1758 짧은부리박새/쇠박새 Tomek (2002: 110)
 286. *Parus montanus* Conrad von Baldenstein, 1827 작은박새/북방쇠박새 Tomek (2002: 112)

Family Remizidae 스원호오목눈이과

287. *Remiz consobrinus* (Swinhoe, 1870) 곤은부리박새/스원호오목눈이 Tomek (2002: 109)

Family Hirundinidae 제비과

288. *Riparia riparia* (Linnaeus, 1758) 모래제비/갈색제비 Tomek (2002: 12)
 289. *Hirundo rustica* Linnaeus, 1758 제비 Tomek (2002: 13)
 290. *Cecropis daurica* (Laxmann, 1769) 붉은허리제비/귀제비 Tomek (2002: 15)
 291. *Delichon dasypus* (Bonaparte, 1850) 털발제비/흰털발제비 Tomek (2002: 16)

Family Aegithalidae 오목눈이과

292. *Aegithalos caudatus* (Linnaeus, 1758) 오목눈/오목눈이 Tomek (2002: 107)

Family Alaudidae 종다리과

293. *Calandrella brachydactyla* (Leisler, 1814) 사막작은종다리/쇠종다리 Tomek (2002: 7)
 294. *Calandrella cheleensis* (Swinhoe, 1871) 모래빛작은종다리/북방쇠종다리 Tomek (2002: 8)
 295. *Galerida cristata* (Linnaeus, 1758) 뿔종다리 Tomek (2002: 9)
 296. *Alauda arvensis* Linnaeus, 1758 종다리 Tomek (2002: 10)

Family Cisticolidae 개개비사촌과

297. *Cisticola juncidis* (Rafinesque, 1810) 부채꼬리술새/개개비사촌 Tomek (2002: 82)
 298. *Rhopophilus pekinensis* (Swinhoe, 1868) 노래쟁이/꼬리치레 Tomek (2002: 82)

Family Pycnonotidae 직박구리과

299. *Microscelis amaurotis* (Temminck, 1830) 짝마구리/직박구리 Tomek (2002: 31)

Family Sylviidae 휘파람새과

300. *Megalurus pryori* (Seebohm, 1884) 큰개개비 Tomek (2002: 75)
 301. *Urosphena squameiceps* (Swinhoe, 1863) 땃새/숲새 Tomek (2002: 72)
 302. *Cettia diphone* (Kittlitz, 1830) 휘파람새 Tomek (2002: 73)
 303. *Bradypterus thoracicus* (Blyth, 1845) 숲새/점무늬가슴취발귀 Tomek (2002: 75)
 304. *Locustella lanceolata* (Temminck, 1840) 취발귀/취발귀개개비 Tomek (2002: 75)
 305. *Locustella certhiola* (Pallas, 1811) 북취발귀/북방개개비 Tomek (2002: 77)
 306. *Locustella ochotensis* (Middendorff, 1853) 알락꼬리취발귀 Tomek (2002: 77)
 307. *Locustella fasciolata* (Gray, 1860) 붉은허리취발귀/붉은허리개개비 Tomek (2002: 79)

308. *Acrocephalus aedon* (Pallas, 1776) 굵은부리갈새/큰부리개개비 Tomek (2002: 82)
 309. *Acrocephalus orientalis* (Temminck & Schlegel, 1847) 갈새/개개비 Tomek (2002: 80)
 310. *Acrocephalus bistrigiceps* Swinhoe, 1860 작은갈새/쇠개개비 Tomek (2002: 79)
 311. *Phylloscopus fuscatus* (Blyth, 1842) 갈색솔새/솔새사촌 Tomek (2002: 84)
 312. *Phylloscopus schwarzi* (Radde, 1863) 긴다리솔새/긴다리솔새사촌 Tomek (2002: 85)
 313. *Phylloscopus proregulus* (Pallas, 1811) 노랑허리솔새 Tomek (2002: 86)
 314. *Phylloscopus inornatus* (Blyth, 1842) 노랑눈썹솔새/노랑눈썹솔새 Tomek (2002: 87)
 315. *Phylloscopus borealis* (Blasius, 1858) 솔새 Tomek (2002: 88)
 316. *Phylloscopus plumbeitarsus* Swinhoe, 1861 버들솔새 Tomek (2002: 90)
 317. *Phylloscopus tenellipes* Swinhoe, 1860 복솔새/되솔새 Tomek (2002: 91)
 318. *Phylloscopus coronatus* (Temminck & Schlegel, 1847) 산솔새 Tomek (2002: 92)

Family Timaliidae 붉은머리오목눈이과

319. *Paradoxornis webbianus* (Gould, 1852) 부비새/붉은머리오목눈이 Tomek (2002: 70)

Family Zosteropidae 동박새과

320. *Zosterops erythroleurus* Swinhoe, 1863 북동박새/한국동박새 Tomek (2002: 123)
 321. *Zosterops japonicus* Temminck & Schlegel, 1845 남동박새/동박새 Tomek (2002: 124)

Family Reguliidae 상모솔새과

322. *Regulus regulus* (Linnaeus, 1758) 금상모박새/상모솔새 Tomek (2002: 94)

Family Troglodytidae 굴뚝새과

323. *Troglodytes troglodytes* (Linnaeus, 1758) 쥐새/굴뚝새 Tomek (2002: 43)

Family Sittidae 동고비과

324. *Sitta europaea* Linnaeus, 1758 동고비 Tomek (2002: 119)
 325. *Sitta villosa* Verreaux, 1865 작은동고비/쇠동고비 Tomek (2002: 120)

Family Certhiidae 나무발발이과

326. *Certhia familiaris* Linnaeus, 1758 나무발발이 Tomek (2002: 122)

Family Sturnidae 찌르레기과

327. *Sturnus sturninus* (Pallas, 1776) 작은찌르레기/북방쇠찌르레기 Tomek (2002: 167)
 328. *Sturnus philippensis* (Forster, 1781) 붉은뺨찌르레기/쇠찌르레기 Tomek (2002: 166)
 329. *Sturnus sinensis* (Gmelin, 1788) 재빛찌르레기/잿빛쇠찌르레기 Tomek (2002: 170)
 330. *Sturnus cineraceus* Temminck, 1835 찌르레기/찌르레기 Tomek (2002: 169)
 331. *Sturnus vulgaris* Linnaeus, 1758 흰점찌르레기/흰점찌르레기 Tomek (2002: 168)

Family Turdidae 지빠귀과

332. *Zoothera sibirica* (Pallas, 1776) 흰눈썹티티/흰눈썹지빠귀 Tomek (2002: 60)
 333. *Zoothera aurea* (Holandre, 1825) 호랑티티/호랑지빠귀 Tomek (2002: 61)
 334. *Turdus hortulorum* Sclater, 1863 붉은배티티/되지빠귀 Tomek (2002: 62)
 335. *Thrdus cardis* Temminck, 1831 검은티티/검은지빠귀 Tomek (2002: 63)

336. *Turdus merula* Linnaeus, 1758 누른부리검은티티/대륙검은지빠귀 Tomek (2002: 64)
 337. *Turdus obscurus* Gmelin, 1789 회색머리티티/흰눈썹붉은배지빠귀 Tomek (2002: 67)
 338. *Turdus pallidus* Gmelin, 1789 흰배티티/흰배지빠귀 Tomek (2002: 65)
 339. *Turdus chrysolaus* Temminck, 1832 감색배티티/붉은배지빠귀 Tomek (2002: 65)
 340. *Turdus naumanni* Temminck, 1820 티티새/노랑지빠귀 Tomek (2002: 67)
 341. *Turdus eunomus* Temminck, 1831 개티티/개똥지빠귀 Tomek (2002: 69)

Family Muscicapidae 솔딱새과

342. *Luscinia akahige* (Temminck, 1835) 붉은가슴울타리새/붉은가슴울새 Tomek (2002: 47)
 343. *Luscinia svecica* (Linnaeus, 1758) 푸른턱울타리새/흰눈썹울새 Tomek (2002: 52)
 344. *Luscinia calliope* (Pallas, 1776) 붉은턱울타리새/진홍가슴 Tomek (2002: 49)
 345. *Luscinia cyane* (Pallas, 1776) 작은류리새/쇠류리새 Tomek (2002: 50)
 346. *Luscinia sibilans* (Swinhoe, 1863) 울타리새/울새 Tomek (2002: 48)
 347. *Tarsiger cyanurus* (Pallas, 1773) 류리딱새/유리딱새 Tomek (2002: 51)
 348. *Phoenicurus ochruros* (Gmelin, 1774) 검은딱새/검은머리딱새 Tomek (2002: 53)
 349. *Phoenicurus aureus* (Pallas, 1776) 딱새 Tomek (2002: 54)
 350. *Saxicola torquatus* (Linnaeus, 1776) 흰허리딱새/검은딱새 Tomek (2002: 55)
 351. *Oenanthe pleschanka* (Lepechin, 1770) 흰머리딱새/검은등사막딱새 Tomek (2002: 57)
 352. *Monticola solitarius* (Linnaeus, 1758) 바다적박구리/바다적박구리 Tomek (2002: 59)
 353. *Monticola gularis* (Swinhoe, 1863) 바위적박구리/바다적박구리 Tomek (2002: 58)
 354. *Muscicapa griseisticta* (Swinhoe, 1861) 제비솔딱새/제비딱새 Tomek (2002: 95)
 355. *Muscicapa sibirica* Gmelin, 1789 담색솔딱새/솔딱새 Tomek (2002: 96)
 356. *Muscicapa dauurica* Pallas, 1811 솔딱새/쇠솔딱새 Tomek (2002: 98)
 357. *Ficedula zanthopygia* (Hay, 1845) 흰눈썹황금새/흰눈썹황금새 Tomek (2002: 99)
 358. *Ficedula narcissina* (Temminck, 1836) 노랑눈썹황금새/황금새 Tomek (2002: 101)
 359. *Ficedula mugimaki* (Temminck, 1836) 노랑솔딱새/노랑딱새 Tomek (2002: 102)
 360. *Ficedula albicilla* (Pallas, 1811) 흰꼬리솔딱새/흰꼬리딱새 Tomek (2002: 103)
 361. *Cyanoptila cyanomelana* (Temminck, 1829) 큰류리새/큰유리새 Tomek (2002: 104)

Family Cinclidae 물까마귀과

362. *Cinclus pallasii* Temminck, 1820 물취새/물까마귀 Tomek (2002: 41)

Family Passeridae 참새과

363. *Passer rutilans* (Temminck, 1836) 섬참새 Tomek (2002: 164)
 364. *Passer montanus* (Linnaeus, 1758) 참새 Tomek (2002: 165)

Family Prunellidae 바위종다리과

365. *Prunella collaris* (Scopoli, 1769) 바위종다리 Tomek (2002: 44)
 366. *Prunella montanella* (Pallas, 1776) 멧종다리 Tomek (2002: 45)

Family Motacillidae 할미새과

367. *Dendronanthus indicus* (Gmelin, 1789) 숲할미새/물레새 Tomek (2002: 17)
 368. *Motacilla flava* Linnaeus, 1758 긴발톱할미새 Tomek (2002: 18)
 369. *Motacilla cinerea* Tunstall, 1771 노랑할미새 Tomek (2002: 19)
 370. *Motacilla alba* Linnaeus, 1758 알락할미새 Tomek (2002: 21)

371. <i>Motacilla grandis</i> Sharpe, 1885	검은등할미새	Tomek (2002: 23)
372. <i>Anthus richardi</i> Vieillot, 1818	흰눈섭논종다리/큰발종다리	Tomek (2002: 24)
373. <i>Anthus godlewskii</i> (Taczanowski, 1876)	작은흰눈섭논종다리/쇠발종다리	Tomek (2002: 25)
374. <i>Anthus hodgsoni</i> Richmond, 1907	숲종다리/횡등새	Tomek (2002: 25)
375. <i>Anthus gustavi</i> Swinhoe, 1863	흰등논종다리/흰등발종다리	Tomek (2002: 28)
376. <i>Anthus roseatus</i> Blyth, 1847	논종다리/한국발종다리	Tomek (2002: 27)
377. <i>Anthus cervinus</i> (Pallas, 1811)	붉은가슴논종다리/붉은가슴발종다리	Tomek (2002: 27)
378. <i>Anthus rubescens</i> (Tunstall, 1771)	산논종다리/발종다리	Tomek (2002: 29)

Family Fringillidae 되새과

379. <i>Fringilla montifringilla</i> Linnaeus, 1758	꽃참새/되새	Tomek (2002: 147)
380. <i>Carduelis sinica</i> (Linnaeus, 1766)	방울새	Tomek (2002: 148)
381. <i>Carduelis spinus</i> (Linnaeus, 1758)	검은머리방울새	Tomek (2002: 150)
382. <i>Carduelis flammea</i> (Linnaeus, 1758)	붉은방울새/홍방울새	Tomek (2002: 151)
383. <i>Leucosticte arctoa</i> (Pallas, 1811)	짜리양지니/갈색양진이	Tomek (2002: 152)
384. <i>Uragus sibiricus</i> (Pallas, 1773)	긴꼬리양지니/긴꼬리홍양진이	Tomek (2002: 153)
385. <i>Carpodacus erythrinus</i> (Pallas, 1770)	붉은양지니/붉은양진이	Tomek (2002: 155)
386. <i>Carpodacus roseus</i> (Pallas, 1776)	양지니/양진이	Tomek (2002: 156)
387. <i>Pinicola enucleator</i> (Linnaeus, 1758)	솔양지니/솔양진이	Tomek (2002: 157)
388. <i>Loxia curvirostra</i> Linnaeus, 1758	갯새/솔갯새	Tomek (2002: 158)
389. <i>Loxia leucoptera</i> Gmelin, 1789	흰띠날개갯새/흰죽지솔갯새	Tomek (2002: 159)
390. <i>Pyrrhula pyrrhula</i> (Linnaeus, 1758)	산까치/멧쟁이새	Tomek (2002: 159)
391. <i>Coccothraustes coccothraustes</i> (Linnaeus, 1758)	콩새	Tomek (2002: 161)
392. <i>Eophona migratoria</i> Hartert, 1903	밀화부리	Tomek (2002: 162)
393. <i>Eophona personata</i> (Temminck & Schlegel, 1848)	큰밀화부리/큰부리밀화부리	Tomek (2002: 163)

Family Emberizidae 멧새과

394. <i>Emberiza leucocephalos</i> Gmelin, 1771	흰머리멧새	Tomek (2002: 124)
395. <i>Emberiza cioides</i> Brandt, 1843	밭멧새/멧새	Tomek (2002: 126)
396. <i>Emberiza jankowskii</i> Taczanowski, 1888	함북멧새/점박이멧새	Tomek (2002: 128)
397. <i>Emberiza tristrami</i> Swinhoe, 1870	흰배멧새	Tomek (2002: 129)
398. <i>Emberiza fucata</i> Pallas, 1776	붉은뺨멧새	Tomek (2002: 131)
399. <i>Emberiza pusilla</i> Pallas, 1776	작은붉은뺨멧새/쇠붉은뺨멧새	Tomek (2002: 132)
400. <i>Emberiza chrysophrys</i> Pallas, 1776	노랑눈썹멧새/노랑눈썹멧새	Tomek (2002: 133)
401. <i>Emberiza rustica</i> Pallas, 1776	뿔멧새/쑥새	Tomek (2002: 134)
402. <i>Emberiza elegans</i> Temminck, 1836	노랑턱멧새	Tomek (2002: 136)
403. <i>Emberiza aureola</i> Pallas, 1773	노랑가슴멧새/검은머리쑥새	Tomek (2002: 138)
404. <i>Emberiza rutila</i> Pallas, 1776	밤등멧새/꼬까참새	Tomek (2002: 139)
405. <i>Emberiza sulphurata</i> Temminck & Schlegel, 1848	노랑멧새/무당새	Tomek (2002: 141)
406. <i>Emberiza spodocephala</i> Pallas, 1776	버들멧새/쑥새	Tomek (2002: 142)
407. <i>Emberiza variabilis</i> Temminck, 1836	검은멧새	Tomek (2002: 143)
408. <i>Emberiza pallasi</i> (Cabanis, 1851)	북검은머리멧새/북방검은머리쑥새	Tomek (2002: 143)
409. <i>Emberiza yessoensis</i> (Swinhoe, 1874)	검은머리멧새/쇠검은머리쑥새	Tomek (2002: 128)
410. <i>Emberiza schoeniclus</i> (Linnaeus, 1758)	큰검은머리멧새/검은머리쑥새	Tomek (2002: 145)
411. <i>Calcarius lapponicus</i> (Linnaeus, 1758)	긴발톱멧새	Tomek (2002: 146)
412. <i>Plectrophenax nivalis</i> (Linnaeus, 1758)	눈빛멧새/흰멧새	Tomek (2002: 146)

참고문헌

- 원홍구, 박래변. 2010. 조선동물지(조류편1). 과학기술출판사
- Ornithological Society of Korea. 2009. Checklist of the Birds of Korea. Hanrimwon.
- 환경부-국립생물자원관. 2011. 국가 생물종 목록집(척추동물). pp. 209-318.
- Tomek, T. 1999. The birds of North Korea. Non-Passeriformes. Acta zoologica cracoviensia 42: 1-217.
- Tomek, T. 2002. The birds of North Korea. Passeriformes. Acta zoologica cracoviensia 45: 1-235.
- Won, P.O. 1996. Checklist of the birds of Korea. Bulletin of Korea Institute of Ornithology 5: 39-58.

북한의 포유류 종목록

Mammal Species of Democratic People's Republic of Korea

Class Mammalia 포유동물강

Order Erinaceomorpha 고슴도치목

Family Erinaceidae 고슴도치과

1. *Erinaceus amurensis* (Schrenk, 1859) 고슴도치 Won (1968: 40)

Order Soricomorpha 침서목

Family Soricidae 침서과

2. *Crocidura lasiura* (Dobson, 1890) 땃쥐 Won (1968: 68)
3. *Crocidura shantungensis* (Miller, 1901) 작은땃쥐 Won (1968: 65)
4. *Neomys fodiens* (Pennant, 1771) 갯침서 Won (1968: 62)
5. *Sorex caecutiens* (Laxmann, 1785) 침서/뒤쥐 Won (1968: 56)
6. *Sorex daphaenodon* (Thomas, 1907) 백두산뒤쥐 Oodachi and Han (2005: 71)
7. *Sorex gracillimus* (Thomas, 1907) 허항령침서/쇠뒤쥐 Won (1968: 58)
8. *Sorex mirabilis* (Ognev, 1937) 큰침서 Won (1968: 52)
9. *Sorex unguiculatus* (Dobson, 1890) 긴발톱침서 Won (1968: 54)

Family Talpidae 두더지과

10. *Mogera wogura* (Temminck, 1848) 두더지 Won (1968: 45)
* *Mogera robusta* Nehring, 1891 큰두더지는 두더지의 동종이명

Order Chiroptera 익수목

Family Rhinolophidae 관박쥐과

11. *Rhinolophus ferrumequinum* (Schreber, 1774) 주름코박쥐/관박쥐 Won (1968: 76)

Family Molossidae 큰귀박쥐과

12. *Tadarida insignis* (Blyth, 1862) 큰귀박쥐 Won (1968: 137)

Family Vespertilionidae 애기박쥐과

13. *Eptesicus kobayashii* (Mori, 1928) 서선줄망박쥐/고바야시박쥐 Won (1968: 120)
14. *Eptesicus nilssonii* (Keyserling and Blasius, 1839) 작은줄망박쥐/생박쥐 Won (1968: 120)
15. *Eptesicus serotinus* (Schreber, 1774) 줄망박쥐/문둥이박쥐 Won (1968: 115)
16. *Hypsugo savii* (Bonaparte, 1837) 큰집박쥐 Won (1968: 111)
17. *Nyctalus aviator* Thomas 멧박쥐 Won (1968: 105)
18. *Miniopterus schreibersii* Kuhl 긴날개박쥐/긴가락박쥐 Won (1968: 127)
19. *Murina leucogaster* (Milne-Edwards, 1872) 관코박쥐 Won (1968: 133)
20. *Murina ussuriensis* (Ognev, 1913) 작은관코박쥐 Won (1968: 131)
21. *Myotis bombinus* (Thomas, 1905) 흰배웃수염박쥐/흰배윗수염박쥐(아무르박쥐) Won (1968: 90)
22. *Myotis formosus* (Hodgson, 1835) 검은오렌지웃수염박쥐/붉은박쥐 Won (1968: 98)

23. *Myotis frater* (G.M.Allen, 1923) 긴꼬리웃수염박쥐/긴꼬리윗수염박쥐 Won (1968: 97)
 24. *Myotis ikonnikovi* (Ognev, 1912) 작은웃수염박쥐/쇠큰수염박쥐 Won (1968: 95)
 25. *Myotis macrodactylus* (Temminck, 1840) 큰발웃수염박쥐/큰발윗수염박쥐 Won (1968: 88)
 26. *Myotis mystacinus* (Kuhl, 187) 윗수염박쥐/큰수염박쥐 Won (1968: 93)
 27. *Myotis petax* Hollister, 1912 물웃수염박쥐/우수리박쥐 Won (1968: 84)
 28. *Pipistrellus abramus* (Temminck, 1838) 집박쥐 Won (1968: 110)
 29. *Plecotus auritus* (Linnaeus, 1758) 긴귀박쥐/토끼박쥐 Won (1968: 102)
 30. *Vespertilio murinus* (Linnaeus, 1758) 함북쇠박쥐/북방애기박쥐 Won (1968: 124)
 31. *Vespertilio sinensis* (Peters, 1880) 안주쇠박쥐/(안주)애기박쥐 Won (1968: 122)

Order Carnivora 식육목

Family Felidae 고양이과

32. *Lynx lynx* (Linnaeus, 1758) 시라소니/스라소니 Won (1968: 319)
 33. *Prionailurus bengalensis* (Kerr, 1792) 삿 Won (1968: 307)
 34. *Panthera pardus* (Linnaeus, 1758) 표범 Won (1968: 311)
 35. *Panthera tigris* Linnaeus 범/호랑이 Won (1968: 315)

Family Canidae 개과

36. *Canis lupus* (Linnaeus, 1758) 늑대 Won (1968: 249)
 37. *Cuon alpinus* (Pallas, 1811) 승냥이 Won (1968: 268)
 38. *Nyctereutes procyonoides* Gray 187 너구리 Won (1968: 263)
 39. *Vulpes vulpes* (Linnaeus, 1758) 여우 Won (1968: 257)

Family Ursidae 곰과

40. *Ursus arctos* (Linnaeus, 1758) 큰곰/불곰 Won (1968: 271)
 41. *Ursus thibetanus* (G.[Baron] Cuvier, 1823) 곰/반달가슴곰 Won (1968: 276)

Family Otariidae 바다사자과

42. *Callorhinus ursinus* (Linnaeus, 1758) 물개 Won (1968: 331)
 43. *Eumetopias jubatus* (Schreber, 1776) 바다말/큰바다사자 Won (1968: 326)
 44. *Zalophus japonicus* Peters, 1866 바다사자 Won (1968: 329)

Family Phocidae 물범과

45. *Histriophoca fasciata* (Zimmermann, 1783) 띠무늬넙에/흰띠박이물범 Won (1968: 341)
 46. *Phoca largha* Pallas, 1811 잔점무늬넙에/물범 Won (1968: 336)
 47. *Pusa hispida* (Schreber, 1775) 고리무늬넙에/고리무늬물범 Won (1968: 339)

Family Mustelidae 족제비과

48. *Lutra lutra* Linnaeus, 1758 수달 Won (1968: 302)
 49. *Martes flavigula* (Bodaert, 1785) 산달/담비 Won (1968: 295)
 50. *Martes melampus* (Wagner, 1840) 누른돈/산달 Won (1968: 297)
 * 남한 채집 기록 인용
 51. *Martes zibellina* (Linnaeus, 1758) 검은돈/검은담비(잘, 흑초) Won (1968: 291)
 52. *Meles leucurus* (Hodgson, 1847) 오소리 Won (1968: 299)
 53. *Mustela nivalis* (Linnaeus, 1776) 흰족제비/무산쇠족제비 Won (1968: 282)

54. *Mustela sibirica* (Pallas, 1773) 족제비 Won (1968: 285)

Order Artiodactyla 우제목

Family Suidae 멧돼지과

55. *Sus scrofa* (Linnaeus, 1758) 멧돼지 Won (1968: 345)

Family Moschidae 사향노루과

56. *Moschus moschiferus* (Linnaeus, 1758) 사향노루 Won (1968: 354)

Family Cervidae 사슴과

57. *Capreolus pygargus* (Pallas, 1771) 노루 Won (1968: 361)

58. *Cervus elaphus* (Linnaeus, 1758) 누렁이/붉은사슴 Won (1968: 369)

59. *Cervus nippon* (Temminck, 1838) 사슴(대륙사슴) Won (1968: 374)

60. *Hydropotes inermis* (Swinhoe, 1870) 북작노루/고라니 Won (1968: 379)

Family Bovidae 소과

61. *Naemorhedus caudatus* (Milne-Edwards, 1867) 산양 Won (1968: 386)

Order Cetacea 고래목

Family Balaenopteridae 수염고래과

62. *Balaenoptera acutorostrata* (Lacépède, 1804) 멀치고래/밍크고래(쇠정어리고래) Won (1968: 240)

63. *Balaenoptera musculus* (Linnaeus, 1758) 흰수염고래/흰긴수염고래(대왕고래) Won (1968: 236)

64. *Balaenoptera physalus* (Linnaeus, 1758) 수염고래/긴수염고래(참고래) Won (1968: 238)

65. *Megaptera novaeangliae* (Borowski, 1781) 날개고래/흑등고래 Won (1968: 243)

Family Eschrichtiidae 쇠고래과

66. *Eschrichtius robustus* (Lilljeborg, 1862) 푸른회색고래/쇠고래(귀신고래) Won (1968: 233)

Family Delphinidae 돌고래과

67. *Delphinus delphis* (Linnaeus, 1758) 돌고래 Won (1968: 221)

68. *Lagenorhynchus obliquidens* (Gill, 1865) 곱등어/낫돌고래 Won (1968: 222)

69. *Orcinus orca* (Linnaeus, 1758) 솔피/범고래(솔피) Won (1968: 227)

Family Phocoenidae 쇠돌고래과

70. *Neophocaena phocaenoides* (Cuvier, 1829) 무라치/쇠물돼지(상괭이) Won (1968: 226)

71. *Phocoenoides dalli* (True, 1885) 작은곱등어 Won (1968: 224)

Family Physeteridae 말향고래과

72. *Physeter catodon* (Linnaeus, 1758) 말향고래 Won (1968: 230)

Family Ziphiidae 부리고래과

73. *Berardius bairdii* (Stejneger, 1883) 기름고래/큰부리고래(기름고래) Won (1968: 218)

Order Lagomorpha 토끼목

Family Ochotonidae 우는토끼과

74. *Ochotona hyperborea* (Pallas, 1811) 쥐토끼/우는토끼 Won (1968: 141)

Family Leporidae 토끼과

75. *Lepus coreanus* (Thomas, 1892) 메토끼/멧토끼 Won (1968: 145)
76. *Lepus mandshuricus* (Radde, 1861) 만주토끼 Yoon et al. (2004: 101)

Order Rodentia 설치목

Family Sciuridae 청설모과

77. *Sciurus vulgaris* (Linnaeus, 1758) 청서/청설모 Won (1968: 157)
78. *Pteromys volans* (Linnaeus, 1758) 날다라미/하늘다람쥐 Won (1968: 151)
79. *Tamias sibiricus* (Laxmann, 1769) 다람쥐 Won (1968: 162)

Family Dipodidae 뛰는쥐과

80. *Sicista caudata* (Thomas, 1907) 긴꼬리꼬마쥐 Won (1968: 167)

Family Cricetidae 비단털쥐과

81. *Lasiopodomys mandarinus* (Milne-Edwards, 1871) 검은발쥐/쇠갈발쥐 Won (1968: 214)
82. *Microtus fortis* (Buchner, 1889) 갈발쥐 Won (1968: 211)
83. *Myodes regulus* (Thomas, 1907) 비단털들쥐 Yoon et al. (2004: 130)
84. *Myodes rufocanus* (Sundevall, 1846) 들쥐/대륙발쥐 Won (1968: 204)
85. *Myodes rutilus* (Pallas, 1779) 숲들쥐 Won (1968: 207)
86. *Ondatra zibethicus* (Linnaeus, 1773) 사향쥐 Won (1968: 200)
87. *Cricetulus barabensis* (Pallas, 1773) 짧은꼬리비단털쥐/비단털등줄쥐 Won (1968: 197)
88. *Tscherskia triton* (Winton, 1899) 비단털쥐 Won (1968: 194)

Family Muridae 쥐과

89. *Apodemus agrarius* (Pallas, 1771) 등줄쥐 Won (1968: 181)
90. *Apodemus peninsulae* (Thomas, 1907) 흰배숲쥐/흰넓적다리붉은쥐 Won (1968: 184)
91. *Apodemus sylvaticus* (Linnaeus, 1758) 북숲쥐 Yoon et al. (2004: 127)
92. *Micromys minutus* (Pallas, 1771) 멧쥐/멧밭쥐 Won (1968: 188)
93. *Mus musculus* linnaeus 생쥐 Won (1968: 178)
94. *Rattus norvegicus* (Berkenhout, 1769) 짧은꼬리집쥐/집쥐 Won (1968: 172)
95. *Rattus rattus* (Linnaeus, 1758) 긴꼬리집쥐/애급쥐 Won (1968: 176)

참고문헌

- 원홍구. 1968. 조선집승류지. 과학원출판사.
윤명희, 한상훈, 오홍식, 김장근. 2004. 한국의 포유동물. 동방미디어.
환경부·국립생물자원관. 2011. 국가 생물종 목록집(척추동물). pp. 320-346.
Satoshi D. Ohdachi and Sang-Hoon Han. 2005. Records of *Sorex* species (Soricidae, Mammalia) from Mt. Paektu, North Korea, with the first record of *S. daphaenodon*. Eurasian J. For. Res., 8-2:71-73

학명 색인

A

- Abbottina rivularis* / 6
Ablennes hians / 11
Abudefduf notatus / 21
Abudefduf sordidus / 21
Abudefduf vaigiensis / 21
Acanthocephala krusensternii / 21
Acanthocephala limbata / 21
Acanthocybium solandri / 25
Acanthogobius flavimanus / 23
Acanthogobius lactipes / 23
Acanthopagrus latus / 19
Acanthopagrus schlegelii / 19
Acanthopsetta nadeshnyi / 26
Acanthorhodeus chankaensis / 6
 Acanthuridae / 24
Accipiter gentilis / 38
Accipiter gularis / 38
Accipiter nisus / 38
Accipiter soloensis / 38
 Accipitridae / 38
Acentrogobius caninus / 23
Acentrogobius pflaumii / 23
Acheilognathus cyanostigma / 6
Acheilognathus koreensis / 6
Acheilognathus lanceolata intermedia / 6
Acheilognathus macropterus / 6
Acheilognathus rhombeus / 6
Acheilognathus signifer / 6
Acheilognathus yamatsutae / 6
Acipenser dabryanus / 4
Acipenser medirostris / 4
Acipenser mikadoi / 4
Acipenser sinensis / 4
 Acipenseridae / 4
Acrocephalus aedon / 45
Acrocephalus bistrigiceps / 45
Acrocephalus orientalis / 45
Acropoma japonicum / 16
 Acropomatidae / 16
Actitis hypoleucos / 40
 Adrianichthyoidae / 11
 Aegithalidae / 44
Aegithalos caudatus / 44
Aegyptius monachus / 38
Aethia pusilla / 41
Aethia pygmaea / 41
 Agonidae / 15
Aix galericulata / 35
Alauda arvensis / 44
 Alaudidae / 44
Albula argentea / 4
 Albulidae / 4
 Alcedinidae / 42
Alcedo atthis / 42
Alcichthys elongatus / 14
 Alcidae / 41
Aldrovandia affinis / 4
Alectis ciliaris / 18
Alectrias benjamini / 22
Allolepis hollandi / 22
Alopias pelagicus / 1
Alopias vulpinus / 1
 Alopiidae / 1
Aluterus monoceros / 27
Aluterus scriptus / 27
Amaurornis phoenicurus / 38
Amblychaeturichthys hexanema / 23
Amblychaeturichthys sciiustus / 23
 Amblycipitidae / 8
Ammodytes personatus / 22
 Ammodytidae / 22
Amphiesma vibakari / 33
Amphiprion clarkii / 21
Anago anago / 5
Anas acuta / 35
Anas americana / 35
Anas clypeata / 35
Anas crecca / 35
Anas falcata / 35
Anas formosa / 35

Anas penelope / 35
Anas platyrhynchos / 35
Anas poecilorhyncha / 35
Anas querquedula / 35
Anas strepera / 35
 Anatidae / 35
Anguilla japonica / 4
Anguilla marmorata / 4
 Anguillidae / 4
Anoplagonus inermis / 15
Anoplagonus jordani / 15
Anoplagonus occidentalis / 15
Anser albifrons / 35
Anser anser / 35
Anser caerulescens / 35
Anser cygnoides / 35
Anser erythropus / 35
Anser fabalis / 35
 Antennariidae / 10
Antennarius striatus / 10
Anthropoides virgo / 38
Anthus cervinus / 47
Anthus godlewskii / 47
Anthus gustavi / 47
Anthus hodgsoni / 47
Anthus richardi / 47
Anthus roseatus / 47
Anthus rubescens / 47
Antigonia capros / 26
Aphyocypris chinensis / 6
Apistus carinatus / 13
 Aploactinidae / 13
Apocryptodon punctatus / 23
Apodemus agrarius / 52
Apodemus peninsulae / 52
Apodemus sylvaticus / 52
 Apodidae / 42
Apogon carinatus / 17
Apogon doederleini / 17
Apogon kiensis / 17
Apogon lineatus / 17
Apogon niger / 17
Apogon semilineatus / 17
Apogon taeniatus / 17
 Apogonidae / 17
Aptocyclus ventricosus / 15
Apus nipalensis / 42
Apus pacificus / 42
Aquila chrysaetos / 38
Aquila clanga / 38
Aquila heliaca / 38
Aquila nipalensis / 38
Arctoscopus japonicus / 22
Ardea alba / 37
Ardea cinerea / 37
Ardea purpurea / 37
 Ardeidae / 37
Ardeola bacchus / 37
Arenaria interpres / 40
 Argentinidae / 8
Argyrops bleekeri / 19
Argyrosomus argentatus / 19
Argyrosomus japonicus / 19
Ariosoma anagoides / 5
Aristichthys nobilis / 6
Arnoglossus japonicus / 27
Arothron firmamentum / 28
Aseraggodes kobensis / 27
Asio flammeus / 42
Asio otus / 42
Aspasma minima / 23
Aspasmichthys ciconiae / 23
Assurger anzac / 25
 Ateleopodidae / 9
Ateleopus japonicus / 9
Athene noctua / 42
 Atherinidae / 11
Atherion elymus / 11
Atrobucca nibe / 20
Atropus atropos / 18
Aulacocephalus temminckii / 16
Aulichthys japonicus / 12
 Aulopidae / 9
 Aulorhynchidae / 12
Auxis thazard / 25
Aythya baeri / 35
Aythya ferina / 35
Aythya fuligula / 35
Aythya marila / 36

B

Bagridae / 8
Balaenoptera acutorostrata / 51
Balaenoptera musculus / 51
Balaenoptera physalus / 51
 Balaenopteridae / 51
 Balistidae / 27
Balistoides conspicillum / 27
 Balitoridae / 8
Banjos banjos / 17
 Banjosidae / 17
Bathycongrus retrotinctus / 5
Bathygobius fuscus / 23

Bathyraja isotrachys / 3
Bathyraja smirnovi / 3
 Belonidae / 11
Bembras japonica / 14
 Bembridae / 14
Berardius bairdii / 51
Bero elegans / 14
 Berycidae / 11
Beryx decadactylus / 11
 Blenniidae / 23
Blepsias bilobus / 15
Blepsias cirrhosus / 15
Bodianus bilumulatus / 21
Bodianus oxycephalus / 21
Boleophthalmus pectinirostris / 24
Bombina orientalis / 31
 Bombinatoridae / 31
Bombycilla garrulus / 44
Bombycilla japonica / 44
 Bombycillidae / 43
Bonasa bonasia / 35
Botaurus stellaris / 37
 Bothidae / 27
Bothus myriaster / 27
 Bovidae / 51
Brachymystax lenok tsinlingensis / 9
Brachymystax tumensis / 9
Brachyopsis rostratus / 15
Brachyramphus perdix / 41
Brachysomophis porphyreus / 4
Bradypterus thoracicus / 44
Brama japonica / 18
 Bramidae / 18
Branchiostegus argentatus / 17
Branchiostegus auratus / 17
Branchiostegus japonicus / 17
Branta bernicla / 35
Branta hutchinsii / 35
Bregmaceros japonicus / 10
 Bregmacerotidae / 10
Bubo bubo / 42
Bubulcus ibis / 37
Bucephala clangula / 36
Bufo gargarizans / 31
Bufo raddei / 31
Bufo stejnegeri / 31
 Bufonidae / 31
Butastur indicus / 38
Buteo buteo / 38
Buteo hemilasius / 38
Buteo lagopus / 38
Butorides striata / 37

C

Calandrella brachydactyla / 44
Calandrella cheleensis / 44
Calcarius lapponicus / 47
Calidris acuminata / 40
Calidris alba / 40
Calidris alpina / 40
Calidris canutus / 40
Calidris ferruginea / 40
Calidris melanotos / 40
Calidris minuta / 40
Calidris ruficollis / 40
Calidris temminckii / 40
Calidris tenuirostris / 40
Callanthias japonicus / 17
 Callanthiidae / 17
 Callionymidae / 23
Callionymus curvicornis / 23
Callionymus valenciennesi / 23
Calliurichthys japonicus / 23
Callorhinus ursinus / 50
Calonectris leucomelas / 36
Calotomus japonicus / 22
 Campophagidae / 43
 Canidae / 50
Canis lupus / 50
Canthidermis maculatus / 27
Canthigaster rivulatus / 28
Capreolus pygargus / 51
 Caprimulgidae / 42
Caprimulgus indicus / 42
Caprodon schlegelii / 16
 Caproidae / 26
 Carangidae / 18
Carangoides malabaricus / 18
Caranx sexfasciatus / 18
Carassius auratus / 6
Carassius carassius / 6
Carassius gibelio / 6
 Carcharhinidae / 2
Carcharhinus plumbeus / 2
Carcharhinus sorrah / 2
Carcharodon carcharias / 2
Carduelis flammea / 47
Carduelis sinica / 47
Carduelis spinus / 47
Caretta caretta / 33
Carpodacus erythrinus / 47
Carpodacus roseus / 47
Cecropis daurica / 44
 Centrolophidae / 25

Centropomidae / 16
Cephaloscyllium umbratile / 2
Cepola schlegelii / 21
 Cepolidae / 21
Cephus carbo / 41
Cerorhinca monocerata / 41
Certhia familiaris / 45
 Certhiidae / 45
 Cervidae / 51
Cervus elaphus / 51
Cervus nippon / 51
 Cetorhinidae / 2
Cetorhinus maximus / 2
Cettia diphone / 44
Chaenogobius annularis / 24
Chaenogobius gulosus / 24
Chaetodon lunula / 20
Chaetodon modestus / 20
Chaetodon nippon / 20
 Chaetodontidae / 20
Chaetodontoplus septentrionalis / 20
Chaeturichthys stigmatias / 24
Channa argus / 26
 Channidae / 26
 Charadriidae / 39
Charadrius alexandrinus / 39
Charadrius dubius / 39
Charadrius hiaticula / 39
Charadrius leschenaultii / 39
Charadrius mongolus / 39
Charadrius placidus / 39
Charadrius veredus / 39
 Cheilodactylidae / 21
Chelidonichthys spinosus / 13
Chelidoperca hirundinacea / 16
Chelon haematocheilus / 10
Chelonia mydas / 33
 Cheloniidae / 33
Chiloscyllium plagiosum / 1
Chimaera phantasma / 1
 Chimaeridae / 1
 Chirocentridae / 5
Chirocentrus dorab / 5
Chirolophis japonicus / 22
Chlidonias leucopterus / 41
Chlidris subminuta / 40
Choerodon azurio / 21
Chromis notata / 21
Ciconia boyciana / 36
Ciconia nigra / 36
 Ciconiidae / 36
 Cinclidae / 46
Cinclus pallasii / 46
Circus cyaneus / 38
Circus melanoleucos / 38
Circus spilonotus / 38
Cisticola juncidis / 44
 Cisticolidae / 44
 Citharidae / 26
Citharoides macrolepidotus / 26
Clangula hyemalis / 36
Cleisthenes herzensteini / 26
Clidoderma asperrimum / 26
Clupanodon thrissa / 5
Clupea pallasii / 5
 Clupeidae / 5
 Cobitidae / 7
Cobitis hankugensis / 7
Cobitis lutheri / 7
Cobitis sinensis / 7
Coccothraustes coccothraustes / 47
Cociella crocodila / 14
Coelorinchus japonicus / 10
Coilia mystus / 5
Coilia nasus / 5
Collichthys lucidus / 20
Collichthys niveatus / 20
Colobabis saira / 11
 Colubridae / 33
Columba janthina / 41
Columba rupestris / 41
 Columbidae / 41
Conger japonicus / 5
Conger myriaster / 5
 Congridae / 5
 Coraciidae / 42
Coreius cetopsis / 6
Coreoleuciscus splendidus / 6
Coreoperca herzi / 16
Coreoperca kawamebari / 16
 Corvidae / 43
Corvus corax / 43
Corvus corone / 43
Corvus dauuricus / 43
Corvus frugilegus / 43
Corvus macrorhynchos / 43
Coryphaena equiselis / 17
Coryphaena hippurus / 17
 Coryphaenidae / 17
 Cottidae / 14
Cottiusculus gonez / 14
Cottiusculus schmidti / 14
Cottus czerskii / 14
Cottus hangiongensis / 14

Cottus koreanus / 14
Coturnicops exquisitus / 38
Coturnix japonica / 35
 Cricetidae / 52
Cricetulus barabensis / 52
Crocidura lasiura / 49
Crocidura shantungensis / 49
Cryptocentrus filifer / 24
Crystallichthys matsushimae / 16
Ctenopharyngodon idellus / 6
Ctenotrypauchen chinensis / 24
Ctenotrypauchen microcephalus / 24
 Cuculidae / 41
Cuculus canorus / 41
Cuculus micropterus / 41
Cuculus poliocephalus / 41
Cuculus saturatus / 41
Culter brevicauda / 6
Cuon alpinus / 50
Cyanopica cyanus / 43
Cyanoptila cyanomelana / 46
 Cyclopteridae / 15
Cygnus columbianus / 35
Cygnus cygnus / 35
Cygnus olor / 35
 Cynoglossidae / 27
Cynoglossus abbreviatus / 27
Cynoglossus gracilis / 27
Cynoglossus interruptus / 27
Cynoglossus joyneri / 27
Cynoglossus robustus / 27
Cynoglossus semilaevis / 27
 Cyprinidae / 6
Cyprinus carpio / 6
Cyprinus rubrofasciatus / 6
Cypselurus ago / 11
Cypselurus poecilopterus / 11

D

Dactyloptena orientalis / 13
Dactyloptena peterseni / 13
 Dactylopteridae / 12
 Dasyatidae / 3
Dasyatis akajei / 3
Dasyatis zugei / 3
Dasycottus / 15
Dasycottus japonicus / 15
Decapterus maruadsi / 18
Decapterus muroadsi / 18
Delichon dasypus / 44
 Delphinidae / 51

Delphinus delphis / 51
Dendrocopos canicapillus / 42
Dendrocopos hyperythrus / 42
Dendrocopos kizuki / 42
Dendrocopos leucotos / 42
Dendrocopos major / 43
Dendrocopos minor / 42
Dendronanthus indicus / 46
Dentex tumifrons / 19
 Dermochelyidae / 33
Dermochelys coriacea / 33
Dexistes rikuzenius / 26
 Dicruridae / 43
Dicrurus hottentottus / 43
Dicrurus leucophaeus / 43
Dicrurus macrocercus / 43
Dictyosoma burgeri / 22
Dinodon rufozonatum / 33
Diodon holocanthus / 28
 Diodontidae / 28
 Diomedidae / 36
 Dipodidae / 52
Dipturus tengu / 3
Ditrema temminckii / 21
Doederleinia berycoides / 16
Dryocopus javensis / 43
Dryocopus martius / 43

E

Echelus uropterus / 4
 Echeneidae / 18
Echeneis naucrates / 18
Egretta eulophotes / 37
Egretta garzetta / 37
Egretta intermedia / 37
Egretta sacra / 37
Elagatis bipinnulata / 18
Elaphe davidi / 33
Elaphe dione / 34
Elaphe schrenckii / 34
 Elaphidae / 34
Eleginus gracilis / 10
Eleginus nawaga / 10
 Eleotridae / 23
Eleotris oxycephala / 23
Eleutherochir mirabilis / 23
Eleutheronema tetradactylum / 19
 Elopidae / 4
Elops hawaiiensis / 4
Emberiza aureola / 47
Emberiza chrysophrys / 47

Emberiza cioides / 47
Emberiza elegans / 47
Emberiza fucata / 47
Emberiza jankowskii / 47
Emberiza leucocephalos / 47
Emberiza pallasi / 47
Emberiza pusilla / 47
Emberiza rustica / 47
Emberiza rutila / 47
Emberiza schoeniclus / 47
Emberiza spodocephala / 47
Emberiza sulphurata / 47
Emberiza tristrami / 47
Emberiza variabilis / 47
Emberiza yessoensis / 47
Emberizidae / 47
Embiotocidae / 21
Emmelichthyidae / 18
Enchelycore pardalis / 4
Engraulidae / 5
Engraulis japonicus / 5
Enneapterygius theostomus / 23
Enophrys diceraus / 14
Entomacrodus stellifer / 23
Eophona migratoria / 47
Eophona personata / 47
Eopsetta grigorjewi / 26
Ephippidae / 24
Epinephelus akaara / 16
Epinephelus awoara / 16
Epinephelus chlorostigma / 16
Epinephelus epistictus / 16
Epinephelus fario / 16
Epinephelus fasciatus / 16
Epinephelus latifasciatus / 16
Epinephelus poecilnotus / 16
Epinephelus septemfasciatus / 16
Eptesicus kobayashii / 49
Eptesicus nilssonii / 49
Eptesicus serotinus / 49
Equulites elongatus / 18
Equulites rivulatus / 18
Eremias argus / 33
Erinaceidae / 49
Erinaceus amurensis / 49
Erispex pottii / 13
Ernogrammus hexagrammus / 22
Erosa erosa / 13
Erythrocles schlegelii / 18
Erythroculter erythropterus / 6
Eschrichtiidae / 51
Eschrichtius robustus / 51

Etelis carbunculus / 18
Etmopterus lucifer / 2
Etrumeus teres / 5
Eumetopias jubatus / 50
Eumicrotremus asperrimus / 15
Eumicrotremus birulai / 15
Eumicrotremus orbis / 15
Eumicrotremus pacificus / 16
Eupleurogrammus muticus / 25
Eurynorhynchus pygmeus / 40
Eurystomus orientalis / 42
Eutaeniichthys gilli / 24
Eviota abax / 24
Evistias acutirostris / 20
Evoxymetopon taeniatus / 25
Evynnis cardinalis / 19
Evynnis japonica / 19
Exocoetidae / 11
Exocoetus volitans / 11

F

Falco amurensis / 37
Falco columbarius / 37
Falco peregrinus / 37
Falco subbuteo / 37
Falco tinnunculus / 37
Falconidae / 37
Favonigobius gymnauchen / 24
Felidae / 50
Ficedula albicilla / 46
Ficedula mugimaki / 46
Ficedula narcissina / 46
Ficedula zanthopygia / 46
Fistularia petimba / 12
Fistulariidae / 12
Foetorepus altivelis / 23
Freemanichthys thompsoni / 15
Fregata ariel / 37
Fregatidae / 37
Fringilla montifringilla / 47
Fringillidae / 47
Fulica atra / 38
Furcina ishikawae / 14
Furcina osimae / 14

G

Gadidae / 10
Gadus macrocephalus / 10
Galeocерdo cuvier / 2
Galerida cristata / 44

Gallicrex cinerea / 38
Gallinago gallinago / 39
Gallinago hardwickii / 39
Gallinago megala / 39
Gallinago solitaria / 39
Gallinago stenura / 39
Gallinula chloropus / 38
Garrulus glandarius / 43
Gasterosteidae / 12
Gasterosteus aculeatus / 12
Gavia adamsii / 36
Gavia arctica / 36
Gavia pacifica / 36
Gavia stellata / 36
Gaviidae / 36
Gekko japonicus / 33
Gekkonidae / 33
Geoemydidae / 33
Gerreidae / 19
Gerres japonicus / 19
Gerres oyena / 19
Girella melanichthys / 20
Girella mezinga / 20
Girella punctata / 20
Glareola maldivarum / 40
Glareolidae / 40
Glossanodon semifasciatus / 8
Gloydus brevicaudus / 34
Gloydus saxatilis / 34
Gloydus ussuriensis / 34
Glyptocephalus stelleri / 26
Gnathopogon strigatus / 6
Gobiesocidae / 23
Gobiidae / 23
Gobio cynocephalus / 6
Gobio macrocephalus / 6
Gobiobotia brevibarba / 6
Gobiobotia macrocephala / 6
Gobiobotia nakdongensis / 6
Goniistius quadricornis / 21
Goniistius zonatus / 21
Gonorynchidae / 6
Gonorynchus abbreviatus / 6
Gorsachius goesagi / 37
Gruidae / 38
Grus grus / 38
Grus japonensis / 39
Grus monacha / 38
Grus vipio / 38
Gymnocanthus herzensteini / 14
Gymnocanthus pistilliger / 14
Gymnocranius griseus / 19

Gymnogobius breunigii / 24
Gymnogobius heptacanthus / 24
Gymnogobius macrognathos / 24
Gymnogobius mororanus / 24
Gymnogobius urotaenia / 24
Gymnothorax kidako / 4
Gymnura japonica / 4
Gymnuridae / 3
Gypaetus barbatus / 38

H

Haematopodidae / 39
Haematopus ostralegus / 39
Haemulidae / 19
Halaelurus buergeri / 2
Halcyon coromanda / 42
Halcyon pileata / 42
Haliaeetus albicilla / 38
Haliaeetus pelagicus / 38
Halichoeres poecilepterus / 21
Halichoeres tenuispinis / 21
Halieutaea stellata / 10
Halosauridae / 4
Hapalogenys kishinouyei / 19
Hapalogenys mucronatus / 19
Hapalogenys nigripinnis / 19
Hapalogenys nitens / 19
Harpadon nehereus / 9
Helicolenus hilgendorfi / 13
Hemibarbus labeo / 6
Hemibarbus longirostris / 6
Hemibarbus maculatus / 6
Hemibarbus mylodon / 6
Hemiculter eigenmanni / 6
Hemiculter leucisculus / 6
Hemilepidotus gilberti / 14
Hemiramphidae / 11
Hemisalanx prognathus / 8
Hemiscyllidae / 1
Hemitriakis japonica / 2
Hemitripterae / 15
Hemitripterus villosus / 15
Heniochus acuminatus / 20
Heptanchias perlo / 2
Heterodontidae / 1
Heterodontus japonicus / 1
Heterodontus zebra / 1
Heteromycteris japonica / 27
Heteroscelus brevipes / 40
Hexagrammidae / 14
Hexagrammos agrammus / 14

Hexagrammos lagocephalus / 14
Hexagrammos octogrammus / 14
Hexagrammos otakii / 14
 Hexanchidae / 2
Hierococcyx hyperythrus / 41
Hierophis spinalis / 34
Himantopus himantopus / 39
Hime japonicus / 9
Hippocampus coronatus / 12
Hippocampus histrix / 12
Hippocampus japonicus / 12
Hippocampus kelloggi / 12
Hippoglossoides dubius / 26
Hirundapus caudacutus / 42
Hirundichthys rondeletii / 11
 Hirundinidae / 44
Hirundo rustica / 44
Histiogaster typus / 20
Histrion histrio / 10
Histrionicus histrionicus / 36
Histriophoca fasciata / 50
 Holocentridae / 11
Hoplobrotula armata / 10
Hucho ishikawae / 9
Hucho taimen / 9
 Hydrobatidae / 36
Hydrolagus mitsukurii / 1
Hydrophasianus chirurgus / 39
Hydrophis cyanocinctus / 34
Hydrophis melanocephalus / 34
Hydropotes inermis / 51
Hyla japonica / 31
 Hylidae / 31
 Hynobiidae / 31
Hynobius leechii / 31
Hyperoglyphe japonica / 25
Hypoatherina tsurugae / 11
Hypoatherina valenciennei / 11
Hypodytes rubripinnis / 13
Hypomesus japonicus / 8
Hypomesus nipponensis / 8
Hypophthalmichthys molitrix / 6
 Hypoptychidae / 12
Hypoptychus dybowskii / 12
Hyporhamphus intermedius / 11
Hyporhamphus sajori / 11
Hypsagonus jordani / 15
Hypsugo savii / 49

I

Icelus cataphractus / 14

Icelus spiniger / 14
Icelus uncinialis / 14
Iksookimia koreensis / 7
Ilisha elongata / 5
Inegocia japonica / 14
Inimicus japonicus / 13
Iso flosmaris / 11
Istiblennius enosimae / 23
Istiophorus platypterus / 25
Isurus oxyrinchus / 2
Ixobrychus eurhythmus / 37
Ixobrychus sinensis / 37

J

Jacanidae / 39
Johnius belengerii / 20
Jynx torquilla / 42

K

Kaiwarinus equula / 18
Kaloula borealis / 31
Kareius bicoloratus / 26
Katsuwonus pelamis / 25
Kentrocapros aculeatus / 28
Kichulchoia multifasciata / 7
Konosirus punctatus / 5
Koreocobitis rotundicaudata / 7
Kuhlia marginata / 21
Kuhlia mugil / 21
 Kuhlidae / 21
 Kyphosidae / 20

L

Labracoglossa argenteiventris / 20
 Labridae / 21
 Lacertidae / 33
Lactoria cornuta / 28
Ladislavia taczanowskii / 6
Lagenorhynchus obliquidens / 51
Lamna ditropis / 2
 Lamnidae / 2
 Laniidae / 43
Lanius bucephalus / 43
Lanius cristatus / 43
Lanius excubitor / 43
Lanius sphenocercus / 43
Lanius tigrinus / 43
 Laridae / 40
Larimichthys polyactis / 20

Larus canus / 40
Larus crassirostris / 40
Larus hyperboreus / 40
Larus ridibundus / 40
Larus saundersi / 41
Larus schistisagus / 40
Larus vegae / 40
Lasiopodomys mandarinus / 52
Lateolabrax japonicus / 16
Lefua costata / 8
Leiocassis longirostris / 8
Leiocassis ussuriensis / 8
 Leiognathidae / 18
Leiognathus lineolatus / 18
Lepidopsetta bilineata / 26
Lepidopsetta mochigarei / 26
Lepidotrigla abyssalis / 13
Lepidotrigla alata / 13
Lepidotrigla guentheri / 13
Lepidotrigla japonica / 14
Lepidotrigla microptera / 14
 Leporidae / 52
Lepus coreanus / 52
Lepus mandschuricus / 52
Lethenteron japonicus / 1
Lethenteron morii / 1
Lethenteron reissneri / 1
Lethotremus awae / 16
 Lethrinidae / 19
Lethrinus haematopterus / 19
Leuciscus waleckii / 6
Leucopsarion petersii / 24
Leucosticte arctoa / 47
Limicola falcinellus / 40
Limnodromus scolopaceus / 39
Limnodromus semipalmatus / 39
Limosa lapponica / 39
Limosa limosa / 39
Liobagrus andersoni / 8
Liobagrus mediadiposalis / 8
Liobagrus reinii / 8
Liopropoma japonicum / 16
 Liparidae / 16
Liparis chefuensis / 16
Liparis ingens / 16
Liparis tanakae / 16
Liparis tessellatus / 16
Lobotes surinamensis / 19
 Lobotidae / 19
Locustella certhiola / 44
Locustella fasciolata / 44
Locustella lanceolata / 44

Locustella ochotensis / 44
 Lophiidae / 10
Lophiogobius ocellicauda / 24
Lophiomus setigerus / 10
Lophius litulon / 10
Lota lota / 10
Lotella phycis / 10
Loxia curvirostra / 47
Loxia leucoptera / 47
Luciogobius guttatus / 24
Luciogobius koma / 24
Lumpenella longirostris / 22
Lumpenus sagitta / 22
Luscinia calliope / 46
Luscinia akahige / 46
Luscinia cyane / 46
Luscinia sibilans / 46
Luscinia svecica / 46
 Lutjanidae / 18
Lutjanus monostigma / 18
Lutjanus rivulatus / 18
Lutjanus russelli / 18
Lutjanus vitta / 18
Lutra lutra / 50
Lycodes nakamurae / 22
Lycodes tanakae / 22
Lymnocyrtus minimus / 39
Lynx lynx / 50
Lyrurus tetrrix / 35

M

Macropodus ocellatus / 26
 Macrouridae / 10
Makaira indica / 25
Makaira mazara / 25
 Malacanthidae / 17
Malacocottus zonurus / 15
Malakichthys griseus / 16
Malakichthys wakiyae / 16
Mallotus villosus / 8
Malthopsis lutea / 10
Martes flavigula / 50
Martes melampus / 50
Martes zibellina / 50
 Mastacembelidae / 12
Masturus lanceolatus / 28
Mauremys reevesii / 33
Maurolicus japonicus / 9
Megacery lelugubris / 42
Megalobrama terminalis / 6
 Megalopidae / 4

Megalops cyprinoides / 4
Megalurus pryeri / 44
Megaptera novaeangliae / 51
Melanitta americana / 36
Melanitta deglandi / 36
Meles leucurus / 50
Mene maculata / 18
 Menidae / 18
Mergellus albellus / 36
Mergus merganser / 36
Mergus serrator / 36
Mergus sguamatus / 36
Mesogobio tumensis / 6
Microcanthus strigatus / 20
 Microhylidae / 31
Micromys minutus / 52
Microphysogobio koreensis / 7
Microphysogobio longidorsalis / 7
Microphysogobio yaluensis / 7
Microscelis amaurotis / 44
Microstomus achne / 26
Microtus fortis / 52
Miichthys miui / 20
Milvus migrans / 38
Miniopterus schreibersii / 49
Minous monodactylus / 13
Minous pusillus / 13
Misgurnus anguillicaudatus / 7
Misgurnus fossilis / 8
Misgurnus mizolepis / 8
Mobula japonica / 4
Mogera wogura / 49
Mola mola / 28
 Molidae / 28
 Molossidae / 49
 Monacanthidae / 27
 Monarchidae / 43
 Monocentridae / 11
Monocentris japonicus / 11
Monopterus albus / 12
Monticola gularis / 46
Monticola solitarius / 46
 Moridae / 10
 Moronidae / 16
 Moschidae / 51
Moschus moschiferus / 51
Motacilla alba / 46
Motacilla cinerea / 46
Motacilla flava / 46
Motacilla grandis / 47
 Motacillidae / 46
Mugil cephalus / 11

Mugilidae / 10
 Mullidae / 20
 Muraenesocidae / 5
Muraenesox cinereus / 5
 Muraenidae / 4
 Muridae / 52
Murina leucogaster / 49
Murina ussuriensis / 49
Mus musculus / 52
Muscicapa dauurica / 46
Muscicapa griseisticta / 46
Muscicapa sibirica / 46
 Muscicapidae / 46
Mustela nivalis / 50
Mustela sibirica / 51
 Mustelidae / 50
Mustelus griseus / 2
Mustelus manazo / 2
 Myctophidae / 9
Myctophum affine / 9
 Myliobatidae / 4
Myliobatis tobijei / 4
Mylopharyngodon piceus / 7
Myodes regulus / 52
Myodes rufocanus / 52
Myodes rutilus / 52
Myotis bombinus / 49
Myotis formosus / 49
Myotis frater / 50
Myotis ikonnikovi / 50
Myotis macrodactylus / 50
Myotis mystacinus / 50
Myotis petax / 50
Myoxocephalus jaok / 15
Myoxocephalus polyacanthocephalus / 15
Myoxocephalus stelleri / 15
Myripristis murdjan / 11

N

Naemorhedus caudatus / 51
 Narcinidae / 3
Narke japonica / 3
Naso unicornis / 25
Nematalosa japonica / 5
Nematalosa nasus / 5
 Nemipteridae / 19
Nemipterus virgatus / 19
Neobythites sivicola / 10
Neoditrema ransonnetii / 21
Neomys fodiens / 49
Neoniphon sammara / 12

Neophocaena phocaenoides / 51
Neosalanx anderssoni / 8
Neosalanx hubbsi / 8
Neosalanx jordani / 8
Neotrygon kuhlii / 3
Neozoarces pulcher / 22
Nibea albiflora / 20
Nibea mitsukurii / 20
Ninox scutulata / 42
Nippon spinosus / 16
Nipponia nippon / 37
 Nomeidae / 25
 Notocheiridae / 11
Notorynchus cepedianus / 2
Nuclequula nuchalis / 18
Nucifraga caryocatactes / 43
Numenius arquata / 40
Numenius madagascariensis / 40
Numenius minutus / 40
Numenius phaeopus / 40
Nyctalus aviator / 49
Nyctea scandiaca / 42
Nyctereutes procyonoides / 50
Nycticorax nycticorax / 37

O

Occella dodecaedron / 15
Oceanodroma monorhis / 36
Ochetobius elongatus / 7
Ochotona hyperborea / 52
 Ochotonidae / 52
Ocynectes maschalis / 15
Odontamblyopus lacepedii / 24
 Odontobutidae / 23
Odontobutis obscura / 23
Odontobutis potamophila / 23
Oenanthe pleschanka / 46
 Ogcocephalidae / 10
Okamejei kenojei / 3
Okamejei meerdervoortii / 3
Omobranchus elegans / 23
Omobranchus punctatus / 23
Oncorhynchus gorboscha / 9
Oncorhynchus keta / 9
Oncorhynchus kisutch / 9
Oncorhynchus masou masou / 9
Oncorhynchus mykiss / 9
Ondatra zibethicus / 52
Onigocia spinosa / 14
Onychodactylus fischeri / 31
Oocatochus rufodorsatus / 34

Ophichthidae / 4
Ophichthus urolophus / 4
 Ophidiidae / 10
Ophisurus macrorhynchus / 4
Opisthocentrus ocellatus / 22
Opisthocentrus zonope / 22
 Oplegnathidae / 21
Oplegnathus fasciatus / 21
Oplegnathus punctatus / 21
Opsariichthys uncirostris amurensis / 7
Orcinus orca / 51
 Orectolobidae / 1
Orectolobus japonicus / 1
 Oriolidae / 43
Oriolus chinensis / 43
Orthrias toni / 8
Orthriophis taeniurus / 34
Oryzias latipes / 11
 Osmeridae / 8
Osmerus dentex / 8
 Osphronemidae / 26
Ostichthys japonicus / 12
 Ostraciidae / 28
Ostracion immaculatus / 28
 Otariidae / 50
 Otidae / 38
Otis tarda / 38
Otus bakkamoena / 42
Otus sunia / 42
Oxyconger leptognathus / 5

P

Pagrus major / 19
Pallasina barbata / 15
Pampus argenteus / 26
Pampus echinogaster / 26
Pandion haliaetus / 38
Panthera pardus / 50
Panthera tigris / 50
Parabembras curtus / 14
Parablennius yatabei / 23
Paracaesio xanthura / 19
Paradoxornis webbianus / 45
 Paralichthyidae / 26
Paralichthys olivaceus / 26
Paramonacanthus japonicus / 27
Paraperis multifasciatus / 22
Paraperis pulchella / 22
Paraperis sexfasciatus / 22
Paraperis snyderi / 22
Paraplagusia japonica / 27

Parapriacanthus ransonneti / 20
Parapristipoma trilineatum / 19
Parasclopsis inermis / 19
Parastromateus niger / 18
Parexocoetus brachypterus / 11
Paridae / 44
Parupeneus spilurus / 20
Parus ater / 44
Parus major / 44
Parus montanus / 44
Parus palustris / 44
Parus varius / 44
Passer montanus / 46
Passer rutilans / 46
Passeridae / 46
Pelamis platura / 34
Pelecanidae / 37
Pelecanus crispus / 37
Pelodiscus sinensis / 33
Pempheridae / 20
Pempheris japonica / 20
Pentaceros japonicus / 20
Pentacerotidae / 20
Perccottus glenii / 23
Percis japonica / 15
Pericrocotus divaricatus / 43
Periophthalmus modestus / 24
Peristediidae / 14
Peristedion orientale / 14
Pernis ptilorhynchus / 38
Petromyzontidae / 1
Petroschmidtia toyamensis / 22
Phalacrocoracidae / 37
Phalacrocorax capillatus / 37
Phalacrocorax carbo / 37
Phalacrocorax pelagicus / 37
Phalacrocorax urile / 37
Phalaropus fulicarius / 40
Phalaropus lobatus / 40
Phalaropus tricolor / 40
Phasianidae / 35
Phasianus colchicus / 35
Philomachus pugnax / 40
Phoca largha / 50
Phocidae / 50
Phocoenidae / 51
Phocoenoides dalli / 51
Phoebastria albatrus / 36
Phoenicurus aureus / 46
Phoenicurus ochruros / 46
Pholidae / 22
Pholis nebulosa / 22
Phoxinus oxyrhynchus / 7
Phoxinus phoxinus / 7
Phylloscopus borealis / 45
Phylloscopus coronatus / 45
Phylloscopus fuscatus / 45
Phylloscopus inornatus / 45
Phylloscopus plumbeitarsus / 45
Phylloscopus proregulus / 45
Phylloscopus schwarzi / 45
Phylloscopus tenellipes / 45
Physeter catodon / 51
Physeteridae / 51
Pica pica / 43
Picidae / 42
Picoides tridactylus / 43
Picus canus / 43
Pinguipedidae / 22
Pinicola enucleator / 47
Pipistrellus abramus / 50
Pisodonophis zophistius / 4
Pitta nympha / 43
Pittidae / 43
Platalea leucorodia / 37
Platalea minor / 37
Platax pinnatus / 24
Platichthys stellatus / 26
Platycephalidae / 14
Platycephalus indicus / 14
Platyrrhina sinensis / 3
Plecoglossus altivelis / 8
Plecotus auritus / 50
Plectorhinchus cinctus / 19
Plectorhinchus pictus / 19
Plectrophenax nivalis / 47
Plectropomus leopardus / 16
Plesiopidae / 17
Plesiops coeruleolineatus / 17
Plestiodon coreensis / 33
Pleurogrammus azonus / 14
Pleurogrammus monoptygius / 14
Pleuronectes asper / 26
Pleuronectes herzensteini / 26
Pleuronectes obscurus / 26
Pleuronectes pinnifasciatus / 26
Pleuronectes punctatissima / 26
Pleuronectes schrenki / 26
Pleuronectes yokohamae / 26
Pleuronectidae / 26
Pleuronichthys cornutus / 26
Plotosidae / 8
Plotosus lineatus / 8
Pluvialis fulva / 39

Pluvialis squatarola / 39
Podiceps auritus / 36
Podiceps cristatus / 36
Podiceps griseogen / 36
Podiceps nigricollis / 36
 Podicipedidae / 36
Podothecus hamlini / 15
Podothecus sachi / 15
Podothecus sturioides / 15
Polydactylus plebeius / 19
 Polynemidae / 19
 Pomacanthidae / 20
 Pomacentridae / 21
Pomacentrus coelestis / 21
 Pomatomidae / 17
Porocottus allisi / 15
Porzana fusca / 38
Porzana paykullii / 38
Porzana pusilla / 38
 Priacanthidae / 17
Priacanthus hamrur / 17
Priacanthus macracanthus / 17
Priolepis boreus / 24
Prionace glauca / 2
Prionailurus bengalensis / 50
Prionurus scalprum / 25
 Pristigasteridae / 5
Pristigenys nipponia / 17
 Pristiophoridae / 3
Pristiophorus japonicus / 3
Pristipomoides sieboldii / 19
 Procellariidae / 36
 Proscylliidae / 2
Proscyllium habereri / 2
Protonibea diacanthus / 20
Protosalanx chinensis / 8
Protosalanx hyalocranium / 9
Prunella collaris / 46
Prunella montanella / 46
 Prunellidae / 46
Psenes pellucidus / 25
Psenopsis anomala / 25
Psettina ijimae / 27
Pseudaesopia japonica / 27
Pseudalutarius nasicornis / 27
Pseudanthias elongatus / 16
Pseudanthias squamipinnis / 16
Pseudobagrus brevicarpus / 8
Pseudobagrus fulvidraco / 8
Pseudobagrus vachelli / 8
Pseudoblennius cottoides / 15
Pseudoblennius marmoratus / 15

Pseudoblennius percoides / 15
Pseudocarcharias kamoharai / 1
 Pseudocarchariidae / 1
Pseudogobio esocinus / 7
Pseudolabrus sieboldi / 21
Pseudolaubuca juyi / 7
Pseudopleuronectes obscurus / 26
Pseudopungtungia nigra / 7
Pseudorasbora parva / 7
Pseudorhombus cinnamomeus / 26
Pseudorhombus pentophthalmus / 26
Pseudosciaena crocea / 20
Psychrolutes paradoxus / 15
 Psychrolutidae / 15
Pteraclis aesticola / 18
Pteragogus flagellifer / 21
 Ptereleotridae / 24
Ptereleotris hanae / 24
 Pteroclitidae / 41
Pterogobius elapoides / 24
Pterogobius zonoleucus / 24
Pterois lunulata / 13
Pteromys volans / 52
Pterygotrigla hemisticta / 14
Puffinus carneipes / 36
Puffinus tenuirostris / 36
Pungitius pungitius / 12
Pungitius sinensis / 12
Pungitius tymensis / 12
Pungtungia herzi / 7
Pusa hispida / 50
 Pycnonotidae / 44
Pyrrhula pyrrhula / 47

R

Rachycentridae / 17
Rachycentron canadum / 17
Raja pulchra / 3
 Rajidae / 3
 Rallidae / 38
Rallus aquaticus / 38
Rana amurensis / 31
Rana chosonicus / 31
Rana coreana / 31
Rana dybowskii / 31
Rana nigromaculata / 31
Rana rugosa / 31
 Ranidae / 31
Ratabulus megacephalus / 14
Rattus norvegicus / 52
Rattus rattus / 52

Recurvirostra avosetta / 39
 Recurvirostridae / 39
 Regalectidae / 10
Regalecus russelii / 10
 Reguliidae / 45
Regulus regulus / 45
Remiz consobrinus / 44
 Remizidae / 44
Remora remora / 18
Repomucenus beniteguri / 23
Repomucenus huguenini / 23
Repomucenus lunatus / 23
Rhabdophis tigrinus / 34
Rhina ancylostoma / 3
Rhincodon typus / 1
 Rhincodontidae / 1
 Rhinidae / 3
 Rhinobatidae / 3
Rhinobatos hynnicephalus / 3
Rhinobatos schlegelii / 3
Rhinogobius brunneus / 24
Rhinogobius giurinus / 24
 Rhinolophidae / 49
Rhinolophus ferrumequinum / 49
Rhizoprionodon acutus / 2
Rhizoprionodon oligolinx / 2
Rhodeus honda / 7
Rhodeus notatus / 7
Rhodeus ocellatus / 7
Rhodeus sericeus / 7
Rhodeus uyekii / 7
Rhodymenichthys dolichogaster / 22
Rhopophilus pekinensis / 44
Rhynchobatus djiddensis / 3
Rhynchocypris kumgangensis / 7
Rhynchocypris oxycephalus / 7
Rhynchocypris percunurus / 7
Rhynchocypris semotilus / 7
Rhynchocypris steindachneri / 7
Rhynchopelates oxyrhynchus / 20
Ricuzenius pinetorum / 15
Riparia riparia / 44
Rissa tridactyla / 41
Rostratula benghalensis / 39
 Rostratulidae / 39
Rudarius ercodes / 27

S

Sacura margaritacea / 16
Sagamia geneionema / 24
Salamandrella keyserlingii / 31

Salangichthys microdon / 9
Salanx ariakensis / 9
 Salmonidae / 9
Salvelinus leucomaenis leucomaenis / 9
Salvelinus malma coreanus / 9
Salvelinus malmus / 9
Sarcocheilichthys lacustris / 7
Sarcocheilichthys nigripinnis czerskii / 7
Sarcocheilichthys nigripinnis morii / 7
Sarcocheilichthys soldatovi / 7
Sarcocheilichthys variegatus wakiyae / 7
Sarda orientalis / 25
Sardinella gibbosa / 5
Sardinella zunasi / 5
Sardinops melanostictus / 5
Sargocentron spinosissimum / 12
Satyrichthys rieffeli / 14
Saurida elongata / 9
Saurida tumbil / 9
Saurida undosquamis / 9
Saurogobio dabryi / 7
Saxicola torquatus / 46
 Scaridae / 21
Scarus ovifrons / 22
 Sciaenidae / 19
Scincella vandenburghi / 33
 Scincidae / 33
 Sciuridae / 52
Sciurus vulgaris / 52
 Scolopacidae / 39
Scolopax rusticola / 39
Scomber japonicus / 25
 Scomberesocidae / 11
Scomberomorus commerson / 25
Scomberomorus koreanus / 25
Scomberomorus niphonius / 25
Scomberomorus sinensis / 25
 Scombridae / 25
Scombrops boops / 17
Scorpaena izensis / 13
Scorpaena neglecta / 13
 Scorpaenidae / 13
Scorpaenopsis cirrosa / 13
Scorpaenopsis gibbosa / 13
 Scyliorhinidae / 2
Scyliorhinus torazame / 2
Sebastes baramenuke / 13
Sebastes fuscescens / 13
Sebastes hubbsi / 13
Sebastes ijimae / 13
Sebastes inermis / 13
Sebastes joyneri / 13

Sebastes longispinis / 13
Sebastes oblongus / 13
Sebastes owstoni / 13
Sebastes pachycephalus / 13
Sebastes schlegelii / 13
Sebastes taczanowskii / 13
Sebastes thompsoni / 13
Sebastes trivittatus / 13
Sebastes ventricosus / 13
Sebastes vulpes / 13
Sebastes wakiyai / 13
Sebastiscus albofasciatus / 13
Sebastiscus marmoratus / 13
Sebastolobus macrochir / 13
Selar crumenophthalmus / 18
Semicossyphus reticulatus / 21
Seriola dumerili / 18
Seriola lalandi / 18
Seriola quinqueradiata / 18
Seriola rivoliana / 18
Seriolina nigrofasciata / 18
Serranidae / 16
Setipinna tenuifilis / 5
Sicista caudata / 52
Sicyopterus japonicus / 24
Siganidae / 24
Siganus fuscescens / 24
Sillaginidae / 17
Sillago japonica / 17
Sillago sihama / 17
Siluridae / 8
Silurus asotus / 8
Silurus microdorsalis / 8
Siniperca chuatsi / 16
Siniperca scherzeri / 16
Sinobdella sinensis / 12
Sirembo imberbis / 10
Sitta europaea / 45
Sitta villosa / 45
Sittidae / 45
Soleidae / 27
Sorex caecutiens / 49
Sorex daphaenodon / 49
Sorex gracillimus / 49
Sorex mirabilis / 49
Sorex unguiculatus / 49
Soricidae / 49
Sparidae / 19
Sparus sarba / 19
Sphyrna japonica / 25
Sphyrna obtusata / 25
Sphyrna pinguis / 25
Sphyraenidae / 25
Sphyrna zygaena / 2
Sphyrnidae / 2
Spizaetus nipalensis / 38
Spratelloides gracilis / 5
Squalidae / 2
Squalidus chankaensis tsuchigae / 7
Squalidus gracilis majimae / 7
Squalidus japonicus coreanus / 7
Squaliobarbus curriculus / 7
Squalus acanthias / 2
Squalus brevirostris / 2
Squalus japonicus / 3
Squalus megalops / 3
Squalus mitsukurii / 3
Squalus suckleyi / 3
Squatina japonica / 3
Squatina nebulosa / 3
Squatinae / 3
Stephanolepis cirrifer / 27
Stercorariidae / 41
Stercorarius parasiticus / 41
Sterna albifrons / 41
Sterna bergii / 41
Sterna dougallii / 41
Sterna hirundo / 41
Sterna nilotica / 41
Sternoptychidae / 9
Stichaeidae / 22
Stichaeopsis epallax / 22
Stichaeus grigorjewi / 22
Stichaeus nozawae / 22
Stolephorus commersonii / 5
Streptopelia decaocto / 41
Streptopelia orientalis / 41
Streptopelia tranquebarica / 41
Strigidae / 41
Strix aluco / 42
Strix uralensis / 42
Stromateidae / 25
Strongylura anastomella / 11
Sturnidae / 45
Sturnus cineraceus / 45
Sturnus philippensis / 45
Sturnus sinensis / 45
Sturnus sturninus / 45
Sturnus vulgaris / 45
Suezichthys gracilis / 21
Sugggrundus meerdervoortii / 14
Suidae / 51
Sula dactylatra / 37
Sulidae / 37

Surnia ulula / 42
Sus scrofa / 51
 Sylviidae / 44
Symphurus orientalis / 27
 Synbranchidae / 12
Synechogobius hasta / 24
 Syngnathidae / 12
Syngnathus schlegeli / 12
 Synodontidae / 9
Synodus variegatus / 9
Synthliboramphus antiquus / 41
Synthliboramphus wumizusume / 41
Syrrhaptes paradoxus / 41

T

Tachybaptus ruficollis / 36
Tadarida insignis / 49
Tadorna cristata / 35
Tadorna ferruginea / 35
Tadorna tadorna / 35
Taenioides cirratus / 24
Takifugu alboplumbeus / 28
Takifugu basilewskianus / 28
Takifugu chrysops / 28
Takifugu flavidus / 28
Takifugu niphobles / 28
Takifugu obscurus / 28
Takifugu pardalis / 28
Takifugu porphyreus / 28
Takifugu rubripes / 28
Takifugu stictonotus / 28
Takifugu vermicularis / 28
Takifugu xanthopterus / 28
Takydromus amurensis / 33
Takydromus wolteri / 33
 Talpidae / 49
Tamias sibiricus / 52
Tanakius kitaharae / 26
Tarsiger cyanurus / 46
Tenualosa reevesii / 5
Terapon jarbua / 20
Terapon theraps / 20
 Terapontidae / 20
Terpsiphone atrocaudata / 43
Terpsiphone paradisi / 43
Tetrapturus audax / 25
 Tetratodontidae / 28
Thalassoma cupido / 21
Thalassoma purpureum / 21
Thamnaconus modestus / 27
Theragra chalcogramma / 10

Thrdus cardis / 45
 Threskiornithidae / 36
Thryssa adelae / 5
Thryssa chefuensis / 5
Thryssa hamiltonii / 5
Thryssa kammalensis / 5
Thryssa mystax / 5
Thunnus alalunga / 25
Thunnus albacares / 25
Thunnus obesus / 25
Thunnus thynnus / 25
Thunnus tonggol / 25
Thymallus arcticus yaluensis / 9
Thymallus articus / 9
Tilesina gibbosa / 15
 Timaliidae / 45
Trachidermus fasciatus / 15
Trachinocephalus myops / 9
Trachurus japonicus / 18
Trachyrhamphus serratus / 12
 Triacanthidae / 27
Triacanthodes anomalus / 27
 Triacanthodidae / 27
Triacanthus biaculeatus / 27
 Triakidae / 2
Triakis scyllium / 2
Tribolodon brandti / 7
Tribolodon hakonensis / 7
 Trichiuridae / 25
Trichiurus lepturus / 25
 Trichodontidae / 22
Tridentiger barbatus / 24
Tridentiger bifasciatus / 24
Tridentiger obscurus / 24
Tridentiger trigonocephalus / 24
 Triglididae / 13
Triglops pingelii / 15
Triglops scepticus / 15
Tringa erythropus / 40
Tringa glareola / 40
Tringa guttifer / 40
Tringa melanoleuca / 40
Tringa nebularia / 40
Tringa ochropus / 40
Tringa stagnatilis / 40
Tringa totanus / 40
 Trionychidae / 33
Triplophysa intermedia / 8
 Tripterygiidae / 23
Triso dermopterus / 17
Troglodytes troglodytes / 45
 Troglodytidae / 45

Trynigites subruficollis / 40
Tscherskia triton / 52
Turdidae / 45
Turdus chrysolais / 46
Turdus eunomus / 46
Turdus hortulorum / 45
Turdus merula / 46
Turdus naumanni / 46
Turdus obscurus / 46
Turdus pallidus / 46
Turnicidae / 39
Turnix tanki / 39
Tylosurus crocodilus crocodilus / 11

U

Upeneus japonicus / 20
Upeneus sulphureus / 20
Upupa epops / 42
Upupidae / 42
Uragus sibiricus / 47
Uranoscopidae / 22
Uranoscopus bicornatus / 23
Uranoscopus japonicus / 23
Uraspis helvola / 18
Uria aalge / 41
Urocampus nanus / 12
Uroconger lepturus / 5
Urolophidae / 3
Urolophus aurantiacus / 3
Urosphena squameiceps / 44
Ursidae / 50
Ursus arctos / 50
Ursus thibetanus / 50

V

Vanellus cinereus / 39
Vanellus vanellus / 39

Vellitor centropomus / 15
Verasper moseri / 27
Verasper variegatus / 27
Vespertilio murinus / 50
Vespertilio sinensis / 50
Vespertilionidae / 49
Vipera berus / 34
Viperidae / 34
Vulpes vulpes / 50

X

Xema sabini / 41
Xenocephalus elongatus / 23
Xenus cinereus / 40
Xiphias gladius / 25
Xiphiidae / 25
Xyrichtys deal / 21

Z

Zacco platypus / 7
Zacco temminckii / 7
Zalophus japonicus / 50
Zebrias fasciatus / 27
Zebrias zebrinus / 27
Zeidae / 12
Zenopsis nebulosa / 12
Zeus faber / 12
Ziphiidae / 51
Zoarces elongatus / 22
Zoarces gillii / 22
Zoarchias uchidai / 22
Zoarcidae / 22
Zoothera aurea / 45
Zoothera sibirica / 45
Zosteropidae / 45
Zosterops erythropleurus / 45
Zosterops japonicus / 45

북한명색인



가는부리꽂새 / 36
 가래상어과 / 3
 가로줄수염도미 / 19
 가마우지과 / 37
 가물치 / 26
 가물치과 / 26
 가시고기 / 12
 가시꽃농어 / 16
 가시납주레기 / 6
 가시달재 / 14
 가시박피 / 27
 가시병어 / 26
 가시복과 / 28
 가시복아지 / 28
 가시용치 / 21
 가시장대 / 14
 가시전어 / 17
 가시해마 / 12
 가시홍칼치 / 21
 가오리 / 3
 가자미과 / 26
 가죽거북 / 33
 가창오리 / 35
 각시망둥어 / 24
 각시무늬설판이 / 27
 각시취달재 / 23
 각줄고기 / 15
 갈겨니 / 7
 갈돔과 / 19
 갈매기 / 40
 갈매기과 / 40
 갈매기도요 / 39
 갈무늬망둑 / 24
 갈바다장어 / 4
 갈발취 / 52
 갈새 / 45
 갈색술새 / 45
 갈은상어 / 1
 갈전광어 / 18
 갈치 / 25
 갈치과 / 25
 감색배티티 / 46
 갑옷도미 / 12
 강가재미 / 26
 강남상어과 / 1
 강다리 / 20

강멸치 / 6
 강명태 / 10
 강복아지 / 28
 강솔치 / 13
 강준치 / 6
 개개비사촌과 / 44
 개과 / 50
 개구리고기 / 23
 개구리과 / 31
 개구마리 / 43
 개미새 / 42
 개복치과 / 28
 개상어 / 2
 개장어 / 5
 개티티 / 46
 갯가마우지 / 37
 갯갈매기 / 40
 갯도요 / 40
 갯두루미 / 38
 갯비오리 / 36
 갯장어과 / 5
 갯참서 / 49
 갯횃대어 / 15
 거물상어 / 2
 거북복과 / 28
 거슬횃대어 / 15
 거울도미 / 12
 걸장어과 / 12
 검독수리 / 38
 검독오리 / 35
 검둥가재미 / 26
 검둥비단고기 / 17
 검복아지 / 28
 검새치 / 25
 검은가슴알도요 / 39
 검은가재미 / 26
 검은권미 / 43
 검은기러기 / 35
 검은긴꼬리새 / 43
 검은꼬리도요 / 39
 검은다리백로 / 37
 검은맹기흰족지오리 / 35
 검은돈 / 50
 검은두루미 / 38
 검은등바다뱀 / 34
 검은등뼈구기 / 41
 검은등쇠딱따구리 / 42
 검은등할미새 / 47

검은딱따구리 / 43
 검은딱새 / 46
 검은띠망둥어 / 24
 검은머리갈매기 / 41
 검은머리멧새 / 47
 검은머리물떼새과 / 39
 검은머리바다뱀 / 34
 검은머리방울새 / 47
 검은머리쇠갈매기 / 41
 검은머리알송오리 / 36
 검은멧새 / 47
 검은목농병아리 / 36
 검은목도리비둘기 / 41
 검은미역치 / 22
 검은발취 / 52
 검은배도요 / 39
 검은붕장어 / 5
 검은비둘기 / 41
 검은살모사 / 34
 검은설판이 / 27
 검은양태 / 23
 검은오렌지웃수염박취 / 49
 검은오리 / 36
 검은왜가리 / 37
 검은저자상어 / 3
 검은점까치상어 / 2
 검은점수염치 / 20
 검은조롱이 / 37
 검은줄감도미 / 20
 검은줄얼개도미 / 12
 검은테붕장어 / 5
 검은티티 / 45
 검은황새 / 36
 검정가오리 / 3
 검풀치 / 16
 게레치과 / 19
 게르치과 / 17
 고깔아귀 / 10
 고니 / 35
 고도리 / 22
 고등어 / 25
 고등어과 / 25
 고래상어 / 1
 고래상어과 / 1
 고리무늬넙에 / 50
 고무망챙이 / 15
 고슴도치 / 49
 고슴도치과 / 49

교양이고기 / 15
 교양이과 / 50
 교양이상어 / 1
 고원산천어* / 9
 곤어리* / 5
 곤줄메기 / 44
 곶은부리박새 / 44
 골피또라지 / 23
 곶 / 50
 곶과 / 50
 곶치과 / 4
 곶등어 / 51
 곶미리 / 11
 곶치 / 11
 관박쥐과 / 49
 관족어 / 9
 관코박쥐 / 49
 관해마 / 12
 팽이상어과 / 1
 피또라지 / 23
 구굴무치과 / 23
 구렁이 / 34
 구멍미끈횃대어 / 15
 국수쟁어 / 9
 군합새 / 37
 군합조과 / 37
 굴뚝새과 / 45
 굽은부리갈새 / 45
 굽은부리카마귀 / 43
 굽은부리박새 / 44
 굽은줄비단고기 / 17
 귀농병아리 / 36
 귀상어 / 2
 귀상어과 / 2
 그물피또라지 / 22
 그물쥐치 / 27
 금강꽃농어 / 16
 금강모치 / 7
 금개구리 / 31
 금눈도미 / 11
 금눈도미번티기 / 20
 금눈돔과 / 11
 금눈쇠올빼미 / 42
 금눈이노래미 / 17
 금상모박새 / 45
 금실어 / 19
 기념어 / 6
 기름가재미 / 26
 기름고래 / 51
 기름눈농어 / 16
 기름뿔상어* / 3
 기름종개 / 7

기발돔 / 20
 긴가시우레기 / 13
 긴귀박쥐 / 50
 긴꼬리꼬마쥐 / 52
 긴꼬리납저리 / 6
 긴꼬리대구 / 10
 긴꼬리도마뱀 / 33
 긴꼬리딱새과 / 43
 긴꼬리상어 / 1
 긴꼬리양지니 / 47
 긴꼬리여우상어 / 1
 긴꼬리올빼미 / 42
 긴꼬리웃수염박쥐 / 50
 긴꼬리집쥐 / 52
 긴꽃농어 / 16
 긴날개박쥐 / 49
 긴다리도요 / 39
 긴다리솔새 / 45
 긴머리솔자개 / 8
 긴발톱멧새 / 47
 긴발톱철서 / 49
 긴발톱할미새 / 46
 긴버들붕어 / 7
 긴부리바두치 / 22
 긴부리붉은도요 / 39
 긴붕어* / 6
 긴수염돌고기* / 6
 긴수염돌상어 / 6
 긴자개* / 8
 긴턱매지 / 24
 깊은바다간쟁이 / 3
 까나리 / 22
 까나리과 / 22
 까마귀 / 43
 까마귀과 / 43
 까마귀병어 / 18
 까막가마우지 / 37
 까치 / 43
 까치날개횃대어 / 15
 까치도요 / 39
 까치복아지 / 28
 까치비오리 / 36
 까치상어 / 2
 까치상어과 / 2
 감도미 / 20
 깨새 / 44
 깨알무늬민어 / 20
 깍도요 / 39
 꺾지 / 16
 꺾지과 / 16
 꼬까도요 / 40
 꼬리물복아지 / 28

꼬리붕장어 / 5
 꼬리줄무늬뱀 / 34
 꼬리치 / 9
 꼬리치과 / 9
 꼬리피리도미 / 18
 꼬마망둥어 / 24
 꼬마횃대어 / 14
 꼬치고기과 / 25
 꼬치삼치 / 25
 꼬치어 / 25
 꼬치과 / 16
 꼬추송어 / 9
 꼬치과 / 11
 꽃농어번티기 / 16
 꽃뚝지 / 24
 꽃미역치 / 22
 꽃붕어 / 26
 꽃붕어지 / 5
 꽃장대 / 14
 꽃줄고기 / 15
 꽃진경이 / 35
 꽃참새 / 47
 꺾새 / 36
 피꼬리 / 43
 피꼬리과 / 43
 꿩 / 35
 꿩과 / 35
 꿩매 / 37



나무발발이 / 45
 나무발발이과 / 45
 나비가오리과 / 3
 나비고기과 / 20
 날가지송어과 / 19
 날개고래 / 51
 날개다랑어 / 25
 날개멸과 / 10
 날개붕장어 / 4
 날개상어 / 2
 날개설판이 / 27
 날개수염치 / 13
 날개줄고기 / 15
 날개줄고기과 / 15
 날개쥐치 / 27
 날다라미 / 52
 날빙어 / 8
 날쌔기과 / 17
 날치 / 11
 날치과 / 11
 날꼬치어 / 25

남동박새 / 45
 남뚝지 / 23
 남방꺼지 / 16
 남방돌납저리 / 7
 남방씨거비 / 7
 남방어 / 18
 남생이 / 33
 남생이과 / 33
 남우레기 / 13
 남서대과 / 27
 남작줄치상어 / 2
 납저리아제비 / 6
 납주레기 / 6
 낫갯방어 / 18
 낭비들기 / 41
 냇뱅어 / 6
 너구리 / 50
 너도은줄멸 / 11
 너화 / 38
 넓은주둥이상어 / 2
 넓적부리오리 / 35
 넓적설판이 / 27
 녀치 / 26
 녀치과 / 26
 노랑가슴멧새 / 47
 노랑가자미 / 27
 노랑꼬리여새 / 44
 노랑눈섭멧새 / 47
 노랑눈섭솔새 / 45
 노랑눈섭황금새 / 46
 노랑등피리도미 / 19
 노랑멧새 / 47
 노랑벤자리과 / 17
 노랑부리백로 / 37
 노랑성대 / 14
 노랑솔딱새 / 46
 노랑아귀 / 10
 노랑얹을뱅이 / 10
 노랑우레기 / 13
 노랑줄깜도미 / 20
 노랑턱멧새 / 47
 노랑학치 / 23
 노랑할미새 / 46
 노랑허리솔새 / 45
 노래쟁이 / 44
 노루 / 51
 노메치과 / 25
 논병아리과 / 36
 논종다리 / 47
 놀래기과 / 21
 놀맹이 / 22
 놀메기 / 14

농병아리 / 36
 농어 / 16
 농어과 / 16
 누렁쏘가리* / 16
 누렁이 / 51
 누룩뺨 / 34
 누른도요 / 40
 누른돈 / 50
 누른물까마귀 / 37
 누른발도요 / 40
 누른부리검은티티 / 46
 누른뺨저어새 / 37
 누치 / 6
 눈간쟁이* / 3
 눈달치 / 6
 눈빛멧새 / 47
 눈장대 / 14
 눈전광어 / 18
 눈치 / 5
 눈치병치 / 25
 느시과 / 38
 늑대 / 50
 늘메기 / 34
 늦갈치 / 25
 늪치 / 7

ㄷ

다동가리과 / 21
 다람쥐 / 52
 다랑어 / 25
 달거지뱅어 / 8
 달고기과 / 12
 달도미 / 12
 달재 / 14
 담색솔딱새 / 46
 당까마귀 / 43
 당멸치과 / 4
 당복아지 / 28
 대구 / 10
 대구과 / 10
 대동버들붕어 / 7
 대륙늘메기 / 33
 대무늬수염치 / 13
 대백로 / 37
 대장지 / 33
 대치과 / 12
 땡기도요 / 39
 땡기두루미 / 38
 땡기망둥어 / 24
 땡기진경이 / 35
 도다리 / 26

도도어 / 16
 도독갈매기과 / 41
 도롱뇽 / 31
 도롱뇽과 / 31
 도루메기 / 22
 도루목과 / 22
 도마뱀과 / 33
 도마뱀부치과 / 33
 도마뱀장어 / 4
 도미 / 19
 도미과 / 19
 도수개비 / 23
 도요과 / 39
 도치 / 15
 도치과 / 15
 독가시치과 / 24
 독돔과 / 17
 돌가재미 / 26
 돌고기 / 7
 돌고래 / 51
 돌고래과 / 51
 돌납주레기 / 7
 돌대구과 / 10
 돌돔과 / 21
 돌묵상어과 / 2
 돌부치 / 7
 돌살모사 / 34
 돌상어 / 6
 돌종개* / 8
 돛발상어 / 3
 돛발상어과 / 2
 동갈금실어 / 19
 동갈돔과 / 17
 동갈치과 / 11
 동갈횃대어 / 14
 동고비 / 45
 동고비과 / 45
 동박새과 / 45
 동북버들치 / 7
 동사리과 / 23
 동자개과 / 8
 돛쥐달재 / 23
 돛고기 / 25
 돛바다뺨장어 / 4
 돛양태과 / 23
 돼지도미 / 20
 돼강오리 / 35
 돼새과 / 47
 뱃부리도요 / 40
 두견 / 41
 두견이과 / 41
 두꺼비 / 31

두꺼비과 / 31
 두더지 / 49
 두더지과 / 49
 두드러기 / 15
 두렁허리 / 12
 두루미과 / 38
 두만강망쟁이 / 15
 두만강자그사니 / 6
 두만미꾸리* / 8
 두만자그사니* / 6
 두줄비단고기 / 17
 두툽상어과 / 2
 독중개과 / 14
 등근갈전광어 / 18
 등근넙치 / 27
 등근전어 / 5
 등근점비단고기 / 17
 등글넙치과 / 27
 드렁허리과 / 12
 들쟁 / 35
 들쥐 / 52
 등가시치과 / 22
 등점버들치 / 7
 등줄다랑어 / 25
 등줄쥐 / 52
 따오기 / 37
 딱다구리과 / 42
 딱새 / 46
 텃새 / 44
 텃쥐 / 49
 때까치과 / 43
 때까마귀 / 43
 독중개 / 14
 독지 / 23
 뛰는쥐과 / 52
 뜰부기 / 38
 뜰부기과 / 38
 띠무늬꽃농어 / 17
 띠무늬넙에 / 50
 띠무늬돼지도미 / 20
 띠무늬뺨도미 / 19
 띠무늬전광어 / 18
 띠줄무늬설판이 / 27

ㄹ

락동강돌상어 / 6
 래구매 / 38
 런빨새 / 39
 룡가재미 / 26
 룡고기 / 10
 룡설판이 / 27

룡취달재 / 23
 룡나비고기 / 20
 류리딱새 / 46
 류점피도라지 / 22
 룡어* / 6

ㅁ

마도요 / 40
 마자 / 6
 마치 / 12
 만새기과 / 17
 만주토끼 / 52
 말뚝망둥어 / 24
 말쥐치 / 27
 말향고래 / 51
 말향고래과 / 51
 망둑어과 / 23
 망둥어 / 23
 망상어과 / 21
 망성어 / 7
 망쟁이 / 15
 매가오리 / 4
 매가오리과 / 4
 매과 / 37
 매날치 / 11
 매도도어 / 17
 매도미 / 21
 매미성대 / 13
 매취달재 / 23
 매지 / 24
 매지방어 / 18
 매테비 / 9
 매통이과 / 9
 맹꽁이 / 31
 맹꽁이과 / 31
 머리용치 / 21
 먹도라치과 / 23
 먹도미 / 19
 먹돌고기 / 7
 먹뚝지 / 23
 먹미역치 / 22
 먹비늘주둥치 / 19
 먹우레기 / 13
 먹점홍갈치 / 21
 메기과 / 8
 메깅도요 / 39
 메닭 / 35
 메도요 / 39
 메비둘기 / 41
 메사구 / 8
 메추리 / 35

메추리갯도요 / 40
 메추리도요 / 40
 메토끼 / 52
 멧돼지 / 51
 멧돼지과 / 51
 멧박쥐 / 49
 멧새과 / 47
 멧종다리 / 46
 멧쥐 / 52
 멸치 / 5
 멸치고래 / 51
 멸치과 / 5
 명태 / 10
 모래가재미 / 26
 모래닭 / 41
 모래마자 / 6
 모래무치 / 7
 모래문저리 / 17
 모래빛작은종다리 / 44
 모래상어 / 1
 모래제비 / 44
 모래칠성장어 / 1
 모치 / 7
 목대 / 3
 목도리도요 / 40
 못버들치 / 7
 무늬가오리 / 3
 무늬꼬마횃대어 / 14
 무늬망둥어 / 23
 무늬미끈횃대어 / 15
 무늬박피 / 27
 무늬보섭가오리 / 3
 무당개구리과 / 31
 무라치 / 51
 무점정어리* / 5
 물가재미 / 26
 물개 / 50
 물개구마리 / 43
 물개리 / 35
 물개복치 / 28
 물까마귀 / 37
 물까마귀과 / 46
 물까치 / 43
 물꽃멸치 / 11
 물꽃치과 / 11
 물쟁과 / 39
 물닭 / 38
 물떼새과 / 39
 물렁병어 / 25
 물망쟁이 / 15
 물매테비 / 9
 물멸과 / 5

물범과 / 50
 물병아리 / 38
 물붕장어 / 5
 물수배기과 / 15
 물웃수염박쥐 / 50
 물취새 / 46
 물총새 / 42
 물총새과 / 42
 물치 / 16
 물항알치 / 11
 몽톡보섭가오리 / 3
 미꾸라지 / 7
 미꾸리과 / 7
 미끈괴또라지 / 23
 미끈도마뱀 / 33
 미끈망둥어 / 24
 미끈횃대어 / 15
 미역치* / 16
 미역치 / 22
 민도미 / 24
 민둥설판이 / 27
 민물도요 / 40
 민물청어* / 7
 민어 / 20
 민어과 / 19
 민태과 / 10
 밀기망둥어 / 24
 밀뱀 / 34
 밀양매지 / 23
 밀화부리 / 47

ㅂ

바늘꼬리도요 / 39
 바다가마우지 / 37
 바다거북과 / 33
 바다괭 / 36
 바다말 / 12, 50
 바다망성어 / 21
 바다메기 / 8
 바다모के / 10
 바다미꾸라지 / 10
 바다뱀과 / 4
 바다비오리 / 36
 바다빙어과 / 8
 바다빨주둥이 / 41
 바다사자 / 50
 바다사자과 / 50
 바다수리 / 38
 바다오리과 / 41
 바다장어 / 4
 바다제비 / 36

바다제비과 / 36
 바다찍바구리 / 46
 바두치 / 22
 바둑이망둥어 / 24
 바람까마귀 / 43
 바람까마귀과 / 43
 바리과 / 16
 바위꽃도미 / 21
 바위종다리 / 46
 바위종다리과 / 46
 바위찍바구리 / 46
 박새 / 44
 박새과 / 44
 반달오리 / 35
 반디불고기 / 16
 반디불멸치 / 9
 반딧불게르치과 / 16
 반줄비단고기 / 17
 반지 / 5
 발광멸과 / 4
 발톱도롱뇽 / 31
 밤등멧새 / 47
 밤물까마귀 / 37
 방어 / 18
 방울새 / 47
 발도요 / 40
 발멧새 / 47
 배불독치 / 18
 배불뚝과 / 18
 백두산뒤쥐 / 49
 백로과 / 37
 백미돔과 / 19
 뱀덩이 / 5
 뱀과 / 33
 뱀망둥어 / 24
 뱀매테비 / 9
 뱀살망둥어 / 24
 뱀장대 / 14
 뱀장어 / 4
 뱀장어과 / 4
 뱀어 / 9
 버들멧새 / 47
 버들붕어 / 7
 버들붕어과 / 26
 버들술새 / 45
 버들치 / 7
 번대망둥어 / 24
 번대수리 / 38
 번데가슴전광어* / 18
 벌레복아지 / 28
 벌매 / 38
 벌수염치 / 13

범 / 50
 범고도리 / 22
 범괴또라지 / 23
 범도미 / 20
 범상어 / 2
 범선대 / 4
 범수염치 / 13
 범치 / 13
 범농어 / 16
 범어리뼈꾸기 / 41
 밴드미괴또라지 / 22
 벼개복아지 / 28
 별가자미 / 27
 별괴또라지 / 23
 별넙치 / 27
 별노랑성대 / 14
 별도도어 / 16
 별복아지 / 28
 별붕장어 / 5
 별상어 / 2
 별피리도미 / 18
 병어 / 26
 병어과 / 25
 병치도미 / 26
 병치돔과 / 26
 보리멸과 / 17
 보리멸치 / 11
 보석도도어 / 16
 보섭가오리 / 3
 보천칠성장어 / 1
 복아지 / 28
 복작노루 / 51
 봉구미 / 20
 부리고래과 / 51
 부비 / 37
 부비새 / 45
 부세 / 20
 부채고기 / 18
 부채꼬리술새 / 44
 부치과 / 10
 북가시고기 / 12
 북개구리(기름개구리) / 31
 북검은머리멧새 / 47
 북극도적갈매기 / 41
 북동박새 / 45
 북사루기* / 9
 북살모사 / 34
 북술새 / 45
 북숲쥐 / 52
 북울빼미 / 42
 북우레기 / 13
 북취발귀 / 44

북지느러미발도요 / 40
 분디새 / 43
 분홍도미 / 19
 분홍박피 / 27
 분홍우레기 / 13
 분홍취치과 / 27
 불근설판이 / 27
 불범상어 / 2
 불가재미 / 26
 붉은가슴논종다리 / 47
 붉은가슴알도요 / 39
 붉은가슴올타리새 / 46
 붉은갯도요 / 40
 붉은거북 / 33
 붉은긴꼬리새 / 43
 붉은꼬리개구마리 / 43
 붉은꼬리여새 / 44
 붉은꼭두오리 / 35
 붉은눈복아지 / 28
 붉은도미 / 19
 붉은등수리 / 38
 붉은머리오목눈이과 / 45
 붉은목농병아리 / 36
 붉은목다마지 / 36
 붉은물까마귀 / 37
 붉은물병아리 / 38
 붉은발꼭새 / 36
 붉은발도요 / 40
 붉은발바다오리 / 41
 붉은발조롱이 / 37
 붉은방울새 / 47
 붉은배도요 / 40
 붉은배새매 / 38
 붉은배알락딱따구리 / 42
 붉은배지느러미발도요 / 40
 붉은배티티 / 45
 붉은부리갈매기 / 40
 붉은부리쇠갈매기 / 41
 붉은뺨가마우지 / 37
 붉은뺨멧새 / 47
 붉은뺨찌르러기 / 45
 붉은수염망둥어 / 23
 붉은쏠자개 / 8
 붉은쏠치 / 13
 붉은양지니 / 47
 붉은어깨도요 / 40
 붉은왕눈농어 / 16
 붉은장대 / 14
 붉은점도도어 / 16
 붉은취달재 / 23
 붉은턱올타리새 / 46
 붉은투어 / 11

붉은허리제비 / 44
 붉은허리취발귀 / 44
 붉은황어 / 7
 붕어 / 6
 붕장어과 / 5
 비늘개소경* / 24
 비늘넙치 / 27
 비늘매테비 / 9
 비늘주둥치 / 19
 비단개구리 / 31
 비단고기 / 17
 비단용치 / 21
 비단털들쥐 / 52
 비단털쥐 / 52
 비단털취과 / 52
 비단희대어 / 14
 비둘기과 / 41
 비오리 / 36
 빙어 / 8
 빨간양태과 / 14
 빨간우레기 / 13
 빨관상어과 / 18
 빨도미 / 19
 뺨꾸기 / 41
 뺨루대 / 5
 뺨족가오리 / 3
 뺨족줄치상어 / 2
 빨농병아리 / 36
 빨달재 / 13
 빨돔과 / 17
 빨멧새 / 47
 빨바다오리 / 41
 빨상어 / 3
 빨상자복아지 / 28
 빨수염치 / 13
 빨용치 / 21
 빨족제비메기 / 10
 빨종다리 / 44
 빨줄고기 / 15
 빨취도미 / 25
 뺨뺨도요 / 40



사다새 / 37
 사다새과 / 37
 사루기 / 9
 사막펄과 / 41
 사막작은종다리 / 44
 사슴(대륙사슴) / 51
 사슴과 / 51
 사지제비전어 / 19

사향노루 / 51
 사향노루과 / 51
 사향쥐 / 52
 산갈치과 / 10
 산골갯도요 / 39
 산골물까마귀 / 37
 산가치 / 47
 산논종다리 / 47
 산달 / 50
 산메사구 / 8
 산술새 / 45
 산양 / 51
 산이면수 / 9
 산천어 / 9
 살모사 / 34
 살모사과 / 34
 살벤자리과 / 20
 살수염치 / 13
 살치 / 6
 삼 / 50
 삼방두꺼비 / 31
 삼세기과 / 15
 삼치 / 25
 샛치 / 8
 상모술새과 / 45
 상어가오리 / 3
 상어가재미 / 26
 상어줄고기 / 15
 상자북 / 28
 새날치 / 11
 새다래 / 18
 새다래과 / 18
 새매뺨꾸기 / 41
 새미 / 6
 새치 / 25
 색가오리과 / 3
 색무늬자도미 / 21
 색줄멸과 / 11
 셋돔과 / 25
 셋멸과 / 8
 셋비늘치과 / 9
 생새미 / 7
 생쥐 / 52
 생쥐치 / 27
 서덕어 / 27
 서선미꾸라지 / 8
 서선뱀어 / 8
 서선줄망박쥐 / 49
 서우고기 / 10
 서치 / 27
 서호돌납주레기 / 7
 석반어 / 14

석줄돌농어 / 19
 선대 / 4
 선홍치과 / 18
 설관이 / 27
 섬사 / 33
 섬참새 / 46
 성대 / 13
 성대과 / 13
 세가락갈매기 / 41
 세가락도요 / 40
 세가락딱따구리 / 43
 세가락메추라기과 / 39
 세가락메추리 / 39
 세로줄수염도미 / 19
 세줄나비고기 / 20
 세줄무늬뱀 / 33
 세줄무늬우레기 / 13
 소과 / 51
 소도미 / 20
 소리개 / 38
 소리도미 / 20
 소민어 / 20
 소삼치 / 25
 솔딱새 / 46
 솔딱새과 / 46
 솔망쟁이 / 15
 솔부엉이 / 42
 솔새 / 45
 솔양지니 / 47
 솔치 / 7
 솔피 / 51
 송계가자미 / 26
 송곳부리도요 / 40
 송사리 / 11
 송사리과 / 11
 송어 / 9
 쇠갈매기 / 41
 쇠고래과 / 51
 쇠기러기 / 35
 쇠농어 / 16
 쇠돌고래과 / 51
 쇠망둥어 / 24
 쇠매테비 / 9
 쇠미끈줄고기 / 15
 쇠부리도요 / 40
 쇠부엉이 / 42
 쇠비단횃대어 / 14
 쇠석반어 / 14
 쇠알락딱따구리 / 42
 쇠점넙치 / 26
 쇠갈새 / 42
 쇠큰눈도요 / 39

쇠푸른다리도요 / 40
 쇠흡반어 / 18
 수구리과 / 3
 수달 / 50
 수리과 / 38
 수리매 / 38
 수리부엉이 / 42
 수수망둥어 / 24
 수수뱀 / 24
 수수뱀어* / 9
 수수장대 / 14
 수어 / 17
 수염고기 / 19
 수염고래 / 51
 수염고래과 / 51
 수염망둥어 / 24
 수염상어 / 1
 수염상어과 / 1
 수염수리 / 38
 수염줄고기 / 15
 수염치 / 20
 수장어 / 22
 수조기 / 20
 숨이망둑 / 23
 승어 / 10
 승어과 / 10
 숲들쥐 / 52
 숲새 / 44
 숲종다리 / 47
 숲할미새 / 46
 스원호오목눈이과 / 44
 습새과 / 36
 승냥이 / 50
 시라소니 / 50
 신락상어과 / 2
 실고기 / 12
 실고기과 / 12
 실꼬리돔과 / 19
 실망둥어 / 24
 실망성어 / 7
 실미역치 / 22
 실뱀 / 34
 실붉은도미 / 19
 실비늘치과 / 12
 실용치 / 21
 실전광어 / 18
 실패복아지 / 28
 실평고기 / 18
 실희대어 / 15
 심해달래 / 13
 심해뿔상어 / 2
 심해성대 / 14

싱어 / 5
 싸리양지니 / 47
 쌍뿔망쟁이 / 14
 쌍줄수염고기 / 19
 쌍줄수염치 / 20
 써거비 / 7
 쏘가리 / 16
 속독새과 / 42
 쓸자개* / 8
 쓸종개과 / 8
 솜뱀이 / 13
 송치 / 15
 췌리 / 6
 췌뱀이과 / 10



아귀 / 10
 아귀과 / 10
 아롱비단용치 / 21
 아롱횃대어 / 14
 아무르산개구리 / 31
 아무르잉어* / 6
 아무르정장어* / 9
 아비과 / 36
 악상어과 / 2
 악어매테비 / 9
 안경도수깨비 / 23
 안주쇠박쥐 / 50
 앓을뱀이아귀 / 10
 알도요 / 39
 알락꼬리마도요 / 40
 알락꼬리매도미 / 21
 알락꼬리취발귀 / 44
 알락누치* / 6
 알락도요 / 40
 알락딱따구리 / 43
 알락바다오리 / 41
 알락발구지 / 35
 알락배물병아리 / 38
 알락수염치 / 13
 알락실고기 / 12
 알락오리 / 35
 알락왜가리 / 37
 알락우레기 / 13
 알락은잉어 / 21
 알락택광이 / 38
 알락할미새 / 46
 알락호반새 / 42
 알롱잉어과 / 21
 알마트로스과 / 36
 알송오리 / 35

압록강돌부치 / 7
 압록썩거비* / 7
 압치과 / 6
 애기개구리 / 31
 애기날치 / 11
 애기달재 / 13
 애기도요 / 39
 애기뚝지 / 24
 애기무늬자도미 / 21
 애기미꾸라지 / 8
 애기바다오리 / 41
 애기박쥐과 / 49
 애기뱅어 / 8
 애기설판이 / 27
 애기소리도미 / 20
 애기실고기 / 12
 애기줄가시횃대어 / 14
 애기평고기 / 18
 애기피리도미 / 19
 엘통이과 / 9
 앵무도미 / 22
 야래 / 6
 양동미리과 / 22
 양미리 / 12
 양미리과 / 12
 양블락과 / 13
 양취돔과 / 24
 양지니 / 47
 양태과 / 14
 어름가시고기 / 14
 어름치 / 6
 어리용치 / 21
 어리장피이 / 22
 어리종개 / 8
 어치 / 43
 어혜 / 7
 열가니과 / 37
 열게도미 / 12
 열게돔과 / 11
 얼룩하늘종개* / 7
 얼룩고양이상어 / 1
 얼룩뚝중개 / 14
 얼룩미역치 / 22
 얼룩바다뱀 / 34
 얼룩복아지 / 28
 얼룩상어 / 1
 얼룩상어과 / 1
 얼룩솔치 / 13
 얼음줄고기 / 15
 여새과 / 43
 여섯줄고도리 / 22
 여섯줄장피이 / 22

여우 / 50
 여우용치 / 21
 여울멸과 / 4
 연솔치 / 13
 연어 / 9
 연어과 / 9
 열갱이 / 13
 열목어 / 9
 열줄고도리 / 22
 오도미 / 17
 오리과 / 35
 오목눈 / 44
 오목눈이과 / 44
 오소리 / 50
 오이매테비 / 9
 오지제비전어 / 19
 옥돔과 / 17
 올빼미 / 42
 올빼미과 / 41
 움개구리 / 31
 왕눈농어 / 16
 왕눈돼지도미 / 20
 왕눈망챙이 / 15
 왕눈멸치 / 4
 왕눈이수염망둥어 / 23
 왕눈장대 / 14
 왕멸치 / 5
 왜가리 / 37
 왜농어 / 16
 외꼬치어 / 25
 외빨취치 / 27
 외썩도기 / 42
 외양멸치 / 4
 외치 / 10
 용치 / 21
 우는토끼과 / 52
 우레기 / 13
 우레기번티기 / 13
 우쭈리중어 / 8
 울타리새 / 46
 응어 / 5
 원앙 / 35
 윗목도리비둘기 / 41
 윗수염박쥐 / 50
 육돈바리과 / 17
 은멸치 / 11
 은붕장어 / 5
 은비늘치과 / 27
 은상어 / 1
 은상어과 / 1
 은송어 / 9
 은송어 / 11

은어 / 8
 은잉어 / 21
 은저리 / 5
 은평고기 / 18
 이가재미 / 26
 이노래미 / 17
 이노래미번티기 / 17
 이리상어 / 2
 이면수 / 14
 이측선가재미 / 26
 인상어 / 21
 인천전어 / 5
 잉어 / 6
 잉어과 / 6

ㄱ

자개 / 8
 자그사니 / 6
 자도미 / 21
 자라 / 33
 자라과 / 33
 자리돔과 / 21
 자바다뱀장어 / 4
 자지왜가리 / 37
 작은갈새 / 45
 작은곱등어 / 51
 작은관코박쥐 / 49
 작은도요 / 40
 작은동고비 / 45
 작은두꺼비 / 31
 작은딱따구리 / 42
 작은땃쥐 / 49
 작은뿔부기 / 38
 작은류리새 / 46
 작은무늬도도어 / 16
 작은물까마귀 / 37
 작은물병아리 / 38
 작은바다오리 / 41
 작은박새 / 44
 작은백로 / 37
 작은불은뺨뿔새 / 47
 작은새매 / 38
 작은웃수염박쥐 / 50
 작은조롱이 / 37
 작은줄망박쥐 / 49
 작은찌르러기 / 45
 작은흰눈섭눈종다리 / 47
 잔점무늬넙에 / 50
 잔줄고기 / 15
 잣까마귀 / 43
 잣새 / 47

장갱이과 / 22
 장경어 / 17
 장괴이 / 22
 장다리물떼새과 / 39
 장대 / 14
 장수거북과 / 33
 장지뱀과 / 33
 장칼치 / 25
 재갈매기 / 40
 재기러기 / 35
 재두루미 / 38
 재빛찌르러기 / 45
 잿빛푸른상어 / 2
 저광수리 / 38
 저광이 / 38
 저어새 / 37
 저어새과 / 36
 저자상어 / 3
 전갱이과 / 18
 전광어 / 18
 전기가오리 / 3
 전기가오리과 / 3
 전어 / 5
 전자리상어과 / 3
 점가재미 / 26
 점피도라지 / 22
 점넙치 / 26
 점돌도미 / 21
 점망쟁이 / 15
 점매미성대 / 13
 점무늬횃대어 / 15
 점줄종개 / 7
 점피리도미 / 18
 점동새 / 42
 정어리 / 5
 정장어 / 9
 제비 / 44
 제비가오리 / 4
 제비고기 / 17
 제비과 / 44
 제비꼬리갈매기 / 41
 제비도미 / 24
 제비도요 / 40
 제비물떼새과 / 40
 제비솔딱새 / 46
 제주뱀장어 / 4
 조기 / 20
 조롱이 / 37
 죽제비 / 51
 죽제비과 / 50
 죽제비상어 / 2
 줄망박쥐 / 49

줄복아지 / 28
 줄도요 / 40
 종개 / 8
 종개과 / 8
 종다리 / 44
 종다리과 / 44
 종달도요 / 40
 주걱부리도요 / 40
 주걱치과 / 20
 주둥치과 / 18
 주름코박쥐 / 49
 준치 / 5
 준치과 / 5
 줄공미리 / 11
 줄납주레기 / 6
 줄다랑어 / 25
 줄도도어 / 16
 줄돌도미 / 21
 줄망둥어 / 23
 줄무늬가재미 / 26
 줄무늬매지 / 24
 줄무늬설판이 / 27
 줄무늬이면수 / 14
 줄무늬자도미 / 21
 줄무늬점망둥어 / 24
 줄무늬하늘종개 / 7
 줄무늬횃대어 / 14
 줄버들붕어 / 6
 줄삼치 / 25
 줄소리도미 / 20
 줄장괴이 / 22
 줄전광어 / 18
 줄제비고기 / 17
 줄철갑상어 / 4
 줄꿀치 / 16
 줄피리도미 / 18
 중알도요 / 39
 쥐가오리 / 4
 쥐과 / 52
 쥐노래미과 / 14
 쥐달재* / 23
 쥐문저리 / 6
 쥐발귀 / 44
 쥐상어 / 2
 쥐새 / 45
 쥐치 / 27
 쥐치과 / 27
 쥐치복과 / 27
 쥐토끼 / 52
 지느러미발도요 / 40
 지빠귀과 / 45
 직박구리과 / 44

진경이 / 35
 집도마뱀 / 33
 집박쥐 / 50
 짧은꼬리비단털쥐 / 52
 짧은꼬리집쥐 / 52
 짧은부리다마지 / 36
 짧은빨상어* / 2
 쟁쟁어 / 24
 쪽지성대과 / 12
 찌르러기 / 45
 찌르레기과 / 45
 짝바구리 / 44

天

참가재미 / 26
 참개구리 / 31
 참도도어 / 16
 참매 / 38
 참복과 / 28
 참붕어 / 7
 참새 / 46
 참새과 / 46
 참서대과 / 27
 참채 / 12
 참치방어 / 18
 창납주레기 / 6
 채찍용치 / 21
 철갑둥어 / 11
 철갑둥어과 / 11
 철갑상어* / 4
 철갑상어과 / 4
 침두상어 / 2
 침서 / 49
 침서과 / 49
 침치과 / 10
 청가재미 / 26
 청개구리 / 31
 청개구리과 / 31
 청광어 / 8
 청도도어 / 16
 청도수깨비 / 23
 청뿔오리 / 35
 청모래문저리 / 17
 청베도라치과 / 23
 청서 / 52
 청설모과 / 52
 청어 / 5
 청어과 / 5
 청전광어 / 18
 청조 / 42
 청줄도미 / 20

청줄돔과 / 20
 청황문절과 / 24
 초어 / 6
 초원수리 / 38
 촉수과 / 20
 출개구마리 / 43
 치레도미 / 20
 칠도미 / 17
 칠색송어 / 9
 칠성장어 / 1
 칠성장어과 / 1
 철부영이 / 42

ㄱ

칼고기 / 25
 칼고등어 / 25
 칼납주레기 / 6
 칼새 / 42
 칼새과 / 42
 칼철갑상어 / 4
 칼치번티기 / 25
 코브라과 / 34
 코빨취치 / 27
 콩새 / 47
 큰가시고기과 / 12
 큰가시납주레기 / 6
 큰개개비 / 44
 큰개구마리 / 43
 큰검은머리멧새 / 47
 큰고니 / 35
 큰곰 / 50
 큰귀박쥐 / 49
 큰귀박쥐과 / 49
 큰기러기 / 35
 큰까마귀 / 43
 큰깎도요 / 39
 큰꽂새 / 36
 큰노랑발도요 / 40
 큰눈도요 / 39
 큰돌부치 / 7
 큰뿔부리도요 / 39
 큰류리새 / 46
 큰머리매지 / 24
 큰물닭 / 38
 큰밀화부리 / 47
 큰밭웃수염박쥐 / 50
 큰부리도요 / 39
 큰부리쇠갈매기 / 41
 큰비늘극도미 / 19
 큰빨우레기 / 13
 큰새매 / 38

큰쇠갈매기 / 41
 큰알도요 / 39
 큰알락따따구리 / 42
 큰입매지 / 24
 큰입미역치 / 22
 큰재갈매기 / 40
 큰점동새 / 42
 큰줄비단고기 / 17
 큰집박쥐 / 49
 큰철서 / 49
 큰해마 / 12
 클락새 / 43
 키큰뿔부리도요 / 39

ㄷ

택광이 / 38
 털발저광이 / 38
 털발제비 / 44
 텃석부리망둥어 / 24
 도끼과 / 52
 툽상어 / 3
 툽상어과 / 3
 통가재미 / 26
 통구멍과 / 22
 통망둥어 / 24
 특눈가재미 / 26
 특눈다랑어 / 25
 특눈우레기 / 13
 통가리과 / 8
 통거니 / 24
 통돔과 / 18
 통범치 / 13
 티티새 / 46

ㄹ

파랑비늘돔과 / 21
 파랑새과 / 42
 파랑앵무도미 / 22
 파랑취치 / 27
 팔색새 / 43
 팔색조과 / 43
 편두상어 / 2
 평고기 / 18
 평도미 / 19
 평방어 / 18
 평삼치 / 25
 평전광어 / 18
 평전어 / 5
 표문도마뱀 / 33
 표문복아지 / 28

표범 / 50
 표범상어과 / 2
 푸른거북 / 33
 푸른다리도요 / 40
 푸른목다마지 / 36
 푸른상어 / 2
 푸른자도미 / 21
 푸른턱올타리새 / 46
 푸른호반새 / 42
 푸른호초도미 / 19
 푸른회색고래 / 51
 풀넙치 / 26
 풀넙치과 / 26
 풀망둥어 / 24
 풀미역치과 / 13
 풀반댕이 / 5
 풀반지 / 5
 풀색따따구리 / 43
 풀색망둥어 / 24
 풀잉어 / 4
 풀잉어과 / 4
 풀치 / 16
 풍선고기 / 16
 피농어 / 18
 피리도미 / 18
 피아귀 / 10

ㅎ

하늘종개 / 7
 하스돔과 / 19
 학공치과 / 11
 학도요 / 40
 학치 / 23
 학치과 / 23
 할미새과 / 46
 할미새사촌과 / 43
 함북멧새 / 47
 함북쇠박쥐 / 50
 합수도롱뇽 / 31
 향알치 / 11
 해검어* / 5
 해초돔 / 25
 행베리 / 7
 허항령철서 / 49
 호구니 / 41
 호랑티티 / 45
 호반새 / 42
 호사도요과 / 39
 호초도미 / 19
 흑고니 / 35
 흑도미 / 21

흑명탕구리 / 15
 흑병어 / 25
 흑용치 / 21
 흑줄고기 / 15
 홍갈치과 / 21
 홍대치 / 12
 홍도도어 / 16
 홍메치과 / 9
 홍살치 / 13
 홍안자 / 7
 홍어 / 3
 홍어과 / 3
 홍갈치 / 21
 화련어 / 6
 화태철갑상어 / 4
 환도상어과 / 1
 활치과 / 24
 황갈왕눈농어 / 16
 황날치 / 11
 황다랑어 / 25
 황도미 / 19
 황복 / 28
 황새 / 36
 황새과 / 36
 황새치과 / 25
 황석반어 / 14
 황성대과 / 14
 황어 / 7
 황오도미 / 17
 황우래기 / 13
 황조어 / 20
 황줄감정어과 / 20
 황줄돔과 / 20
 황줄바리 / 16
 황줄베도라치과 / 22
 회색머리티티 / 46

회색바람까마귀 / 43
 회색택광이 / 38
 횡대어 / 14
 후리새 / 42
 후투디 / 42
 후투티과 / 42
 휘과람새 / 44
 휘과람새과 / 44
 흉상어과 / 2
 흑강다리 / 20
 흑조기 / 20
 흡반어 / 18
 흰가슴알도요 / 39
 흰가오리 / 3
 흰가오리과 / 3
 흰갈매기 / 40
 흰고리눈도요 / 39
 흰기러기 / 35
 흰꼬리도미 / 19
 흰꼬리복도요 / 40
 흰꼬리솔딱새 / 46
 흰꼬리수리 / 38
 흰꼬리줄도요 / 40
 흰날개물까마귀 / 37
 흰눈상어 / 2
 흰눈섭눈종다리 / 47
 흰눈섭티티 / 45
 흰눈섭황금새 / 46
 흰눈썹검은오리 / 36
 흰다랑어 / 25
 흰두루미 / 39
 흰등눈종다리 / 47
 흰띠날개жат새 / 47
 흰띠망둥어 / 24
 흰망둥어 / 24
 흰머리딱새 / 46

흰머리멧새 / 47
 흰머리하늘종개 / 7
 흰무늬미역치 / 22
 흰무늬오리 / 36
 흰발망둥어 / 23
 흰배멧새 / 47
 흰배물닭 / 38
 흰배상어 / 2
 흰배숲쥐 / 52
 흰배웃수염박쥐 / 49
 흰배티티 / 46
 흰부리다마지 / 36
 흰뺨기러기 / 35
 흰뺨오리 / 36
 흰새치 / 25
 흰수염고래 / 51
 흰수염작은바다오리 / 41
 흰어깨수리 / 38
 흰오도미 / 17
 흰올빼미 / 42
 흰이마쇠기러기 / 35
 흰이마알송오리 / 35
 흰점복아지 / 28
 흰점찌르러기 / 45
 흰점풀치 / 16
 흰조기 / 19
 흰족제비 / 50
 흰족제비메기 / 10
 흰죽지검은쇠갈매기 / 41
 흰죽지오리 / 35
 흰죽지흰눈오리 / 35
 흰줄도마뱀 / 33
 흰줄썩뱅이 / 13
 흰쪽지수리 / 38
 흰허리딱새 / 46

국명색인



가다랑어 / 25
 가라지 / 18
 가래상어 / 3
 가래상어과 / 3
 가마우지 / 37
 가마우지과 / 37
 가막베도라치 / 23
 가물치과 / 26
 가숭어 / 10
 가시가자미 / 26
 가시꺼정어 / 15
 가시납지리 / 6
 가시달장어 / 14
 가시망둑 / 15
 가시베도라치 / 22
 가시복 / 28
 가시복과 / 28
 가시우럭 / 16
 가시줄상어 / 2
 가자미과 / 26
 가창오리 / 35
 각시가자미 / 26
 각시돔 / 16
 각시붕어 / 7
 각시서대 / 27
 갈가자미 / 26
 갈고등어 / 18
 갈까마귀 / 43
 갈돔과 / 19
 갈매기 / 40
 갈매기과 / 40
 갈문망둑 / 24
 갈물뱀 / 4
 갈색양진이 / 47
 갈색제비 / 44
 갈전갱이 / 18
 갈치 / 25
 갈치과 / 25
 갈치고기 / 15
 감돌고기 / 7
 감성가자미 / 26
 감성돔 / 19
 강남상어 / 1
 강남상어과 / 1
 강담돔 / 21
 강도다리 / 26

개개비 / 45
 개개비사촌 / 44
 개개비사촌과 / 44
 개과 / 50
 개구리과 / 31
 개구리꺼정어 / 15
 개구리매 / 38
 개펄 / 39
 개똥지빠귀 / 46
 개리 / 35
 개미잡이 / 42
 개복치 / 28
 개복치과 / 28
 개불락 / 13
 개서대 / 27
 개소갱 / 24
 객주리 / 27
 갯장어 / 5
 갯장어과 / 5
 거물가시치 / 12
 거북복 / 28
 거북복과 / 28
 걸장어과 / 12
 검둥오리 / 36
 검둥오리사촌 / 36
 검복 / 28
 검봉장어 / 5
 검은가슴물떼새 / 39
 검은꼬리상어 / 2
 검은담비(잘, 흑초) / 50
 검은맹기해오라기 / 37
 검은등사막딱새 / 46
 검은딱새 / 46
 검은머리딱새 / 46
 검은머리물떼새 / 39
 검은머리물떼새과 / 39
 검은머리쭈새 / 47
 검은머리축새 / 47
 검은머리흰죽지 / 36
 검은목논병아리 / 36
 검은목두루미 / 38
 검은바람까마귀 / 43
 검은지빠귀 / 45
 검정망둑 / 24
 게레치 / 19
 게레치과 / 19
 게르치 / 17
 게르치과 / 17

고등어과 / 25
 고라니 / 51
 고래상어과 / 1
 고리무늬물범 / 50
 고무꺼정어 / 15
 고바야시박쥐 / 49
 고팡오리 / 35
 고생놀래기 / 21
 고슴도치과 / 49
 고양어과 / 50
 고양이줄고기 / 15
 곤들매기 / 9
 곤줄박이 / 44
 골린어 / 16
 골베도라치 / 23
 골판횃대 / 15
 곰과 / 50
 곰치 / 4
 곰치과 / 4
 곰사연어 / 9
 곰상어 / 2
 판박쥐 / 49
 판박쥐과 / 49
 뽕이갈매기 / 40
 뽕이상어 / 1
 뽕이상어과 / 1
 피도라치 / 22
 구갈돔 / 19
 구굴무치 / 23
 구굴무치과 / 23
 구실우럭 / 16
 국매리복 / 28
 군평선이 / 19
 군함조 / 37
 군함조과 / 37
 굴뚝새 / 45
 굴뚝새과 / 45
 궁제기서대 / 27
 귀뿔논병아리 / 36
 귀상어과 / 2
 귀제비 / 44
 그물매기 / 10
 그물베도라치 / 22
 그물코취치 / 27
 금강바리 / 16
 금눈돔 / 11
 금눈돔과 / 11
 기름가자미 / 26

긴가락박쥐 / 49
 긴꼬리딱새 / 43
 긴꼬리딱새과 / 43
 긴꼬리뱀에돔 / 20
 긴꼬리윗수염박쥐 / 50
 긴꼬리제비갈매기 / 41
 긴꼬리홍양진이 / 47
 긴다리술새사촌 / 45
 긴물개 / 7
 긴부리도요 / 39
 긴수염고래(참고래) / 51
 긴점박이올빼미 / 42
 까나리과 / 22
 까마귀과 / 43
 까막딱다구리 / 43
 까지가자미 / 26
 까지양태 / 14
 까치돔 / 19
 까치복 / 28
 까치살모사 / 34
 까치상어과 / 2
 까치횃대 / 15
 까칠복 / 28
 갑작도요 / 40
 깍도요사촌 / 39
 꺾저기 / 16
 꺾정어 / 15
 꺾지과 / 16
 꼬까참새 / 47
 꼬리기름상어 / 2
 꼬리돔 / 18
 꼬리민태 / 10
 꼬리치과 / 9
 꼬리치레 / 44
 꼬리치레도롱뇽 / 31
 꼬마달재 / 13
 꼬마도요 / 39
 꼬마망둑 / 24
 꼬마물떼새 / 39
 꼬마민어 / 20
 꼬마학치 / 23
 꼬마횃대 / 14
 꼬치고기 / 25
 꼬치고기과 / 25
 꼬치동자개 / 8
 꼭갈치 / 10
 꼼치 / 16
 꼼치과 / 16
 꼼새돔 / 19
 풍지가오리 / 3
 풍지양태 / 23
 풍치 / 11

풍치과 / 11
 풍치아재비 / 11
 꽃개소꿩 / 24
 꽃돔 / 16
 꽃동명 / 9
 피꼬리과 / 43
 피봉장어 / 5
 꾸구리 / 6
 꼭저구 / 24
 꿩과 / 35
 끄리 / 7



나무발발이과 / 45
 나비가오리 / 4
 나비가오리과 / 3
 나비고기과 / 20
 나비돔 / 20
 날가지송어 / 19
 날가지송어과 / 19
 날개망둑 / 24
 날개멸 / 10
 날개멸과 / 10
 날개줄고기과 / 15
 날개횃대 / 15
 날뚝양태 / 23
 날망둑 / 24
 날매통이 / 9
 날바리 / 17
 날봉장어 / 4
 날새기 / 17
 날새기과 / 17
 날치과 / 11
 남방동사리 / 23
 남생이과 / 33
 남서대 / 27
 남서대과 / 27
 남자루 / 6
 남작전어 / 5
 남줄개 / 7
 남지리 / 6
 낫돌고래 / 51
 넓적부리 / 35
 넓적부리도요 / 40
 넓치과 / 26
 네날가지 / 19
 네동가리 / 19
 네발가락도롱뇽 / 31
 네줄고기 / 15
 네줄벤자리 / 20
 노랑가오리 / 3

노랑각시서대 / 27
 노랑눈썹멧새 / 47
 노랑눈썹솔새 / 45
 노랑딱새 / 46
 노랑때까치 / 43
 노랑물메기 / 16
 노랑발도요 / 40
 노랑벤자리 / 17
 노랑벤자리과 / 17
 노랑부리저어새 / 27
 노랑선뱀어 / 10
 노랑지빠귀 / 46
 노랑촉수 / 20
 노래미 / 14
 노메치과 / 25
 녹새치 / 25
 녹줄돔 / 19
 논병아리 / 36
 논병아리과 / 36
 놀락민태 / 10
 놀래기 / 21
 놀래기과 / 21
 농어과 / 16
 누루시불락 / 13
 눈가자미 / 26
 눈강달이 / 20
 눈다랑어 / 25
 눈동미리 / 22
 눈불대 / 16
 눈불개 / 7
 눈불개복 / 28
 눈양태 / 14
 눈통군쟁선 / 19
 눈통멸 / 5
 눈통바리 / 16
 눈통횃대 / 15
 눌치불락 / 13
 느시 / 38
 느시과 / 38
 능구렁이 / 33
 능성어 / 16



다금바리 / 16
 다동가리과 / 21
 다목장어 / 1
 단기임연수어 / 14
 달강어 / 14
 달고기 / 12
 달고기과 / 12
 담비 / 50

당멸치 / 4
 당멸치과 / 4
 닳줄바리 / 16
 대강배도라치 / 23
 대구과 / 10
 대구횃대 / 14
 대농쟁이 / 8
 대두어 / 6
 대륙검은지빠귀 / 46
 대륙발취 / 52
 대륙유혈목이 / 33
 대빨관이 / 18
 대전어 / 5
 대치과 / 12
 대황어 / 7
 땡기망둑 / 24
 땡기물떼새 / 39
 땡기흰죽지 / 35
 덕대 / 26
 덩불해오라기 / 37
 도도바리 / 16
 도돔발상어 / 3
 도독갈매기과 / 41
 도롱뇽 / 31
 도롱뇽과 / 31
 도루목 / 22
 도루목과 / 22
 도마뱀 / 33
 도마뱀과 / 33
 도마뱀부치 / 33
 도마뱀부치과 / 33
 도미과 / 19
 도요과 / 39
 도치 / 15
 도치과 / 15
 도화돔 / 12
 도화망둑 / 23
 도화쟁이 / 8
 도화불락 / 13
 도화양태 / 23
 독가시치 / 24
 독가시치과 / 24
 독돔 / 17
 독돔과 / 17
 독수리 / 38
 돌가자미 / 26
 돌고래과 / 51
 돌대구과 / 10
 돌돔 / 21
 돌돔과 / 21
 돌마자 / 7
 돌망둑이 / 15

돌묵상어 / 2
 돌묵상어과 / 2
 돌삼뱅이 / 13
 돌팍망둑 / 15
 돔발상어과 / 2
 동갈돔과 / 17
 동갈돔 / 19
 동갈메기 / 10
 동갈민어 / 20
 동갈삼치 / 25
 동갈자돔 / 21
 동갈치 / 11
 동갈치과 / 11
 동갈통돔 / 18
 동갈횃대 / 14
 동고비과 / 45
 동동갈치 / 25
 동미리 / 22
 동박새 / 45
 동박새과 / 45
 동백가자미 / 27
 동벼들개 / 7
 동사리과 / 23
 동서대 / 27
 동수구리 / 3
 동자개 / 8
 동자개과 / 8
 돛물뱀 / 4
 돛새치 / 25
 돛양태 / 23
 돛양태과 / 23
 되새 / 47
 되새과 / 47
 되솔새 / 45
 되지빠귀 / 45
 두견이 / 41
 두견이과 / 41
 두꺼비과 / 31
 두더지과 / 49
 두둥가리돔 / 20
 두둥갈얼게비늘 / 17
 두루미 / 39
 두루미과 / 38
 두만가시고기 / 12
 두우쟁이 / 7
 두줄망둑 / 24
 두줄촉수 / 20
 두툽상어 / 2
 두툽상어과 / 2
 독중개 / 14
 독중개과 / 14
 둥글납치과 / 27

둥글돔 / 17
 뒤쥐 / 49
 뒷부리도요 / 40
 뒷부리장다리물떼새 / 39
 드렁허리 / 12
 드렁허리과 / 12
 등가시치 / 22
 등가시치과 / 22
 등혹점옥두어 / 17
 딱다구리과 / 42
 때까치 / 43
 때까치과 / 43
 떡납줄쟁이 / 7
 딱지 / 15
 뛰는쥐과 / 52
 뜸부기과 / 38

ㄹ

를나비고기 / 20

ㄴ

만새기 / 17
 만새기과 / 17
 말뚱가리 / 38
 말락불락 / 13
 말락썰치 / 13
 말락줄고기 / 15
 말향고래과 / 51
 망둑어과 / 23
 망상어 / 21
 망상어과 / 21
 매패 / 37
 매가오리과 / 4
 매패과 / 37
 매패통이 / 9
 매패통이과 / 9
 맹꽁이과 / 31
 멧갈치 / 22
 멧대가리바다뱀 / 34
 멧도라치과 / 23
 멧붕장어 / 5
 멧얼게비늘 / 17
 멧줄촉수 / 20
 멧테얼게비늘 / 17
 멧황새 / 36
 멧쟁이새 / 47
 매기 / 8
 매기과 / 8
 매추라기 / 35
 매추라기도요 / 40

멧닭 / 35
 멧도요 / 39
 멧돼지과 / 51
 멧밭쥐 / 52
 멧비둘기 / 41
 멧새 / 47
 멧새과 / 47
 멧토끼 / 52
 멸치과 / 5
 모래무지 / 7
 모래주사 / 7
 모샘치 / 6
 모오캐 / 10
 모조리상어 / 3
 목탁가오리 / 3
 목탁가자미 / 27
 목탁수구리 / 3
 목테갈매기 / 41
 물개 / 7
 무늬망둑 / 23
 무늬바리 / 16
 무늬얼개돔 / 12
 무늬취치 / 27
 무늬통돔 / 18
 무늬횃대 / 14
 무당개구리 / 31
 무당개구리과 / 31
 무당새 / 47
 무산쇠족제비 / 50
 무자치 / 34
 무점등가시치 / 22
 무지개송어 / 9
 무태장어 / 4
 묵납자루 / 6
 문둥이박쥐 / 49
 문절망둑 / 23
 문치가자미 / 26
 물가자미 / 26
 물각취치 / 27
 물개복치 / 28
 물까마귀 / 46
 물까마귀과 / 46
 물꽃치 / 11
 물꽃치과 / 11
 물쟁 / 39
 물쟁과 / 39
 물닭 / 38
 물동갈치 / 11
 물두꺼비 / 31
 물떼까치 / 43
 물떼새과 / 39
 물레새 / 46

물통돔 / 25
 물메기 / 16
 물멸 / 5
 물멸과 / 5
 물미거지 / 16
 물범 / 50
 물범과 / 50
 물서대 / 27
 물수리 / 38
 물수배기 / 15
 물수배기과 / 15
 물친구 / 9
 물총새 / 42
 물총새과 / 42
 물치다래 / 25
 물통돔 / 18
 미거지 / 16
 미꾸라지 / 8
 미꾸리 / 7
 미꾸리과 / 7
 미끈망둑 / 24
 미역치 / 13
 미유기 / 8
 민달고기 / 12
 민댕기물떼새 / 39
 민물가마우지 / 37
 민물도요 / 40
 민물두줄망둑 / 24
 민양태 / 23
 민어과 / 19
 민어치 / 15
 민전갱이 / 18
 민태 / 20
 민태과 / 10
 밀멸 / 11
 밀어 / 24
 멩크고래(쇠정어리고래) / 51
 밀달갱이 / 13
 밀성대 / 14
 밀횃대 / 14

ㅂ

바늘꼬리칼새 / 42
 바다거북 / 33
 바다거북과 / 33
 바다뱀 / 4
 바다뱀 / 34
 바다뱀과 / 4
 바다빙어과 / 8
 바다사자과 / 50
 바다쇠오리 / 41

바다오리 / 41
 바다오리과 / 41
 바다제비과 / 36
 바다직박구리 / 76
 바닥문질 / 24
 바닥직박구리 / 46
 바람까마귀과 / 43
 바리과 / 16
 바실복 / 28
 바위종다리과 / 46
 박대 / 27
 박새과 / 44
 반달가슴곰 / 50
 반딧불게르치 / 16
 반딧불게르치과 / 16
 발광멸 / 4
 발광멸과 / 4
 발구지 / 35
 발기 / 23
 발종다리 / 47
 배가사리 / 7
 배불뚝과 / 18
 배불뚝치 / 18
 백다랑어 / 25
 백련어 / 6
 백로과 / 37
 백미돔 / 19
 백미돔과 / 19
 백상아리 / 2
 백새치 / 25
 백조어 / 6
 뱀과 / 33
 뱀상어 / 2
 뱀장어과 / 4
 버들가지 / 7
 버들개 / 7
 버들매치 / 6
 버들붕어 / 26
 버들붕어과 / 26
 벌감쟁 / 13
 벌레문치 / 22
 범가자미 / 27
 범고래(솔피) / 51
 범돔 / 20
 범수구리 / 3
 범꽃뱅어 / 8
 베도라치 / 22
 베로치 / 14
 벤자리 / 19
 벤텐어 / 18
 뱅에돔 / 20
 벼슬베도라치 / 22

별넙치 / 26
 별망둑 / 24
 별목탁가자미 / 27
 별복 / 28
 별성대 / 14
 별우럭 / 16
 별쪽지성대 / 13
 병어과 / 25
 병치돔 / 26
 병치돔과 / 26
 병치매가리 / 18
 보구치 / 19
 보리멸 / 17
 보리멸과 / 17
 보섭서대 / 27
 북상어 / 2
 북섬 / 28
 불기우럭 / 16
 불락 / 13
 봉오리양태 / 14
 부리고래과 / 51
 부세 / 20
 부시리 / 18
 부치과 / 10
 북극도둑갈매기 / 41
 북방개개비 / 44
 북방검은머리썩새 / 47
 북방긴꼬리딱새 / 43
 북방쇠박새 / 44
 북방쇠종다리 / 44
 북방쇠찌르레기 / 45
 북방애기박쥐 / 50
 북방증고기 / 7
 분장어 / 25
 분홍취치 / 27
 분홍취치과 / 27
 불곰 / 50
 불불락 / 13
 불감팽 / 13
 불돔 / 19
 불바리 / 16
 불벤자리 / 16
 붉은가슴도요 / 40
 붉은가슴발종다리 / 47
 붉은가슴올새 / 46
 붉은가슴흰죽지 / 35
 붉은머리오목눈이 / 45
 붉은머리오목눈이과 / 45
 붉은메기 / 10
 붉은바다거북 / 33
 붉은박쥐 / 49
 붉은발습새 / 36

붉은배오색딱다구리 / 42
 붉은배지빠귀 / 46
 붉은사슴 / 51
 붉은양진이 / 47
 붉은왜가리 / 37
 붉은해오라기 / 37
 붉은허리개개비 / 44
 붕동갈치 / 25
 붕장어 / 5
 붕장어과 / 5
 붕통뱅어 / 8
 비늘게레치 / 19
 비늘돔 / 22
 비늘양태 / 14
 비단놀래기 / 21
 비단털등줄쥐 / 52
 비단털취과 / 52
 비둘기과 / 41
 비둘기조롱이 / 37
 비오리 / 36
 빨간대구 / 10
 빨간썩쟁이 / 10
 빨간양태 / 14
 빨간양태과 / 14
 빨간횃대 / 14
 빨강부치 / 10
 빨갱이 / 24
 빨판상어 / 18
 빨판상어과 / 18
 빨논병아리 / 36
 빨돔과 / 17
 빨매 / 38
 빨복 / 28
 빨쇠오리 / 41
 빨호반새 / 42
 빨횃대 / 14

入

사다새과 / 37
 사당놀래기 / 21
 사랑놀래기 / 21
 사막평 / 41
 사막평과 / 41
 사백어 / 24
 사슴과 / 51
 사자구 / 20
 사항노루과 / 51
 산갈치 / 10
 산갈치과 / 10
 산개구리 / 31
 산달 / 50

살걱정이 / 15
 살망둑 / 24
 살모사과 / 34
 살벤자리 / 20
 살벤자리과 / 20
 살살치 / 13
 살홍어 / 3
 삼세기 / 15
 삼세기과 / 15
 샛징이상어 / 1
 상날치 / 11
 상모술새 / 45
 상모술새과 / 45
 상어횃대 / 15
 새가라지 / 18
 새눈치 / 19
 새다래과 / 18
 새매 / 38
 새양취치 / 27
 새코미꾸리 / 7
 새호리기 / 37
 색가오리과 / 3
 색줄멸 / 11
 색줄멸과 / 11
 셋돔 / 25
 셋돔과 / 25
 셋멸 / 8
 셋멸과 / 8
 셋비늘치 / 9
 셋비늘치과 / 9
 셋줄멸 / 5
 생박쥐 / 49
 서호남줄쟁이 / 7
 선홍치 / 18
 선홍치과 / 18
 성대과 / 13
 세가락딱다구리 / 43
 세가락메추라기 / 39
 세가락메추라기과 / 39
 세둥가리돔 / 20
 세줄베도라치 / 22
 세줄불락 / 13
 세줄얼개비늘 / 17
 소과 / 51
 소쩍새 / 42
 솔개 / 38
 솔딱새 / 46
 솔딱새과 / 46
 솔새사촌 / 45
 솔양진이 / 47
 솔갯새 / 47
 송사리과 / 11

송어(산천어) / 9
 쇠가마우지 / 37
 쇠갈밭쥐 / 52
 쇠개개비 / 45
 쇠검은머리쭈새 / 47
 쇠고래(귀신고래) / 51
 쇠고래과 / 51
 쇠돌고래과 / 51
 쇠둥고비 / 45
 쇠뒤쥐 / 49
 쇠딱다구리 / 42
 쇠뜸부기 / 38
 쇠뜸부기사촌 / 38
 쇠물닭 / 38
 쇠물돼지(상괘이) / 51
 쇠박새 / 44
 쇠발종다리 / 47
 쇠백로 / 37
 쇠부리슴새 / 36
 쇠붉은뺨멧새 / 47
 쇠살모사 / 34
 쇠솔딱새 / 46
 쇠오리 / 35
 쇠오색딱다구리 / 42
 쇠유리새 / 46
 쇠재두루미 / 38
 쇠제비갈매기 / 41
 쇠종다리 / 44
 쇠찌르레기 / 45
 쇠청다리도요 / 40
 쇠큰수염박쥐 / 50
 쇠황조롱이 / 37
 수구리과 / 3
 수리과 / 38
 수수미꾸리 / 7
 수염고래과 / 51
 수염문질 / 23
 수염상어과 / 1
 수조기 / 20
 솔붕가자미 / 26
 송어 / 11
 송어과 / 10
 숲새 / 44
 쉬리 / 6
 쉬쉬망둑 / 24
 스라소니 / 50
 스원호오목눈이 / 44
 스원호오목눈이과 / 44
 습새 / 36
 습새과 / 36
 신락상어과 / 2
 실고기과 / 12

실꼬리돔 / 19
 실꼬리돔과 / 19
 실놀래기 / 21
 실망둑 / 24
 실뱅어 / 8
 실볶돔 / 19
 실비늘치 / 12
 실비늘치과 / 12
 실양태 / 23
 실전갱이 / 18
 실줄고기 / 15
 실횃대 / 15
 쌀미꾸리 / 8
 쌍둥가리 / 22
 쌍빨달재 / 13
 쪽독새 / 42
 쪽독새과 / 42
 쫄배감펍 / 13
 쫄종개 / 8
 쫄종개과 / 8
 쭈기미 / 13
 쭈감펍 / 13
 쭈새 / 47
 찌뽕이과 / 10



아구상어 / 2
 아귀과 / 10
 아메리카메추라기도요 / 40
 아메리카홍머리오리 / 35
 아무르장지뱀 / 33
 아물쇠딱다구리 / 42
 아비 / 36
 아비과 / 36
 아셀횃대 / 14
 아작망둑 / 24
 아홉둥가리 / 21
 악상어 / 2
 악상어과 / 2
 알락개구리매 / 38
 알락곰치 / 4
 알락뜸부기 / 38
 알락쇠오리 / 41
 알락해오라기 / 37
 알롱잉어 / 21
 알롱잉어과 / 21
 알롱횃대 / 14
 알바트로스 / 36
 알바트로스과 / 36
 압치 / 6
 압치과 / 6

알똥갈베도라치 / 23
 애급쥐 / 52
 (안주)애기박쥐 / 50
 애기박쥐과 / 49
 애꼬치 / 25
 애붕장어 / 5
 앨통이 / 9
 앨통이과 / 9
 양동미리과 / 22
 양미리과 / 12
 양뺨에돔 / 20
 양불락과 / 13
 양비들기 / 41
 양쥐돔과 / 24
 양진이 / 47
 양태 / 14
 양태과 / 14
 어렁놀래기 / 21
 어름돔 / 19
 열가니과 / 37
 열계돔 / 12
 열계돔과 / 11
 얼룩가시치 / 22
 얼룩망둑 / 24
 얼룩상어과 / 1
 얼룩수매기 / 15
 얼룩통구멍 / 23
 여덟둥가리 / 21
 여새과 / 43
 여을멸 / 4
 여을멸과 / 4
 연어과 / 9
 연어병치 / 25
 연준모치 / 7
 열둥가리돔 / 17
 열똥갈문질 / 24
 열목어 / 9
 열빙어 / 8
 열쌍둥가리 / 22
 염주비들기 / 41
 오둥가오리 / 3
 오리과 / 35
 오목눈이 / 44
 오목눈이과 / 44
 오색딱다구리 / 43
 오셀망둑 / 24
 옥돔 / 17
 옥돔과 / 17
 옥두놀래기 / 21
 울걱정어 / 15
 울뻐미과 / 41
 왕눈물떼새 / 39

왕새매 / 38
 왜꼭저구 / 24
 왜물개 / 6
 왜주등치 / 18
 용상어 / 4
 용서대 / 27
 용치놀래기 / 21
 우는토끼 / 52
 우는토끼과 / 52
 우럭불락 / 13
 우렁성치 / 15
 우베도라치 / 22
 우수리박쥐 / 50
 울걱정이 / 15
 울새 / 46
 원앙사촌 / 35
 유리딱새 / 46
 유혈목이 / 34
 육각복 / 28
 육돈바리 / 17
 육돈바리과 / 17
 육동가리돔 / 20
 육점날개 / 22
 은비늘치 / 27
 은비늘치과 / 27
 은상어과 / 1
 은연어 / 9
 은줄멸 / 11
 일곱동갈망둑 / 24
 일지말락솔치 / 13
 임연수어 / 14
 잉어과 / 6

ㅈ

자가사리 / 8
 자라과 / 33
 자리돔 / 21
 자리돔과 / 21
 자물뱀 / 4
 자불돔 / 19
 자주복 / 28
 자치 / 9
 작은바다오리 / 41
 장갱이 / 22
 장갱이과 / 22
 장다리물떼새 / 39
 장다리물떼새과 / 39
 장미돔 / 16
 장수거북 / 33
 장수거북과 / 33
 장수도마뱀 / 33

장어베도라치 / 22
 장지뱀과 / 33
 재때까치 / 43
 재방어 / 25
 잿방어 / 18
 잿빛개구리매 / 38
 잿빛쇠찌르레기 / 45
 저어새과 / 36
 저울베도라치 / 23
 저자가오리 / 3
 적투어 / 11
 전갱이 / 18
 전갱이과 / 18
 전기가오리과 / 3
 전자리상어 / 3
 전자리상어과 / 3
 점가자미 / 26
 점망둑 / 24
 점무늬가슴취발귀 / 44
 점박이멧새 / 47
 점수구리 / 3
 점양태 / 14
 점주등치 / 18
 점줄우럭 / 16
 점줄홍갈치 / 21
 점줄횃대 / 14
 점통돔 / 18
 짓방어 / 8
 제비갈매기 / 41
 제비과 / 44
 제비딱새 / 46
 제비물떼새 / 40
 제비물떼새과 / 40
 제비활치 / 24
 조롱이 / 38
 조선전어 / 5
 조치 / 7
 조피불락 / 13
 족제비과 / 50
 줄복 / 28
 종개과 / 8
 종다리과 / 44
 종대우럭 / 16
 종어 / 8
 주걱치 / 20
 주걱치과 / 20
 주등치 / 18
 주등치과 / 18
 준치과 / 5
 줄가시횃대 / 14
 줄가자미 / 26
 줄공치 / 11

줄꼬리뱀 / 34
 줄납자루 / 6
 줄노래미 / 14
 줄도화돔 / 17
 줄만새기 / 17
 줄망둑 / 23
 줄물개 / 6
 줄벤자리 / 20
 줄삼치 / 25
 줄자돔 / 21
 줄장지뱀 / 33
 줄전갱이 / 18
 줄주등치 / 18
 중고기 / 7
 중국자라 / 33
 중대백로 / 37
 중백로 / 37
 중부리도요 / 40
 쥐과 / 52
 쥐노래미 / 14
 쥐노래미과 / 14
 쥐돔 / 25
 쥐발귀개개비 / 44
 쥐치과 / 27
 쥐치복과 / 27
 지빠귀과 / 45
 직박구리 / 44
 직박구리과 / 44
 진박새 / 44
 진홍가슴 / 46
 집쥐 / 52
 쪽지성대 / 13
 쪽지성대과 / 12
 찌르레기 / 45
 찌르레기과 / 45

ㅊ

찰가자미 / 26
 참가자미 / 26
 참다랑어 / 25
 참돔 / 19
 참돔중개 / 14
 참마자 / 6
 참물개 / 7
 참복과 / 28
 참새과 / 46
 참서대 / 27
 참서대과 / 27
 참수리 / 38
 참육점날개 / 22
 참조기 / 20

참중개 / 7
 참중고기 / 7
 참홍어 / 3
 창꼬치 / 25
 창치 / 15
 철갑등어과 / 11
 철갑상어 / 4
 철갑상어과 / 4
 첩서과 / 49
 첩치과 / 10
 청가시고기 / 12
 청개구리과 / 31
 청다리도요 / 40
 청다리도요사촌 / 40
 청달래가오리 / 3
 청대치 / 12
 청도요 / 39
 청돔 / 19
 청둥오리 / 35
 청딱다구리 / 43
 청머리오리 / 35
 청멸 / 5
 청백치 / 7
 청베도라치 / 23
 청베도라치과 / 23
 청보리멸 / 17
 청복 / 28
 청상아리 / 2
 청새리상어 / 2
 청새치 / 25
 청설모 / 52
 청설모과 / 52
 청어과 / 5
 청자갈치 / 22
 청전갱이 / 18
 청줄돔 / 20
 청줄돔과 / 20
 청호반새 / 42
 청황돔 / 19
 청황문절 / 24
 청황문절과 / 24
 촉새 / 47
 촉수과 / 20
 춤양태 / 23
 층거리가자미 / 26
 치리 / 6
 칠서대 / 27
 칠성갈치 / 22
 칠성말배꼽 / 1
 칠성상어 / 2
 칠성장어과 / 1
 쇠때까치 / 43

ㄱ

칼납자루 / 6
 칼상어 / 4
 갈새과 / 42
 캐나다기러기 / 35
 코브라과 / 34
 크낙새 / 43
 큰가시고기 / 12
 큰가시고기과 / 12
 큰귀박쥐과 / 49
 큰납지리 / 6
 큰논병아리 / 36
 큰논양태 / 14
 큰논장갱이 / 22
 큰덤불해오라기 / 37
 큰뒷부리도요 / 39
 큰말똥가리 / 38
 큰물떼새 / 39
 큰바다사자 / 50
 큰발윗수염박쥐 / 50
 큰발종다리 / 47
 큰부리개개비 / 45
 큰부리고래(기름고래) / 51
 큰부리까마귀 / 43
 큰부리밀화부리 / 47
 큰부리제비갈매기 / 41
 큰소쩍새 / 42
 큰수염박쥐 / 50
 큰오색딱다구리 / 42
 큰왕눈물떼새 / 39
 큰유리새 / 46
 큰제비갈매기 / 41
 큰줄베도라치 / 22
 큰줄얼개비늘 / 17
 큰지느러미발도요 / 40
 큰희색머리아비 / 36

ㄷ

탁자불락 / 13
 털발말똥가리 / 38
 테봉장어 / 5
 토끼과 / 52
 토끼박쥐 / 50
 툽상어과 / 3
 통구멍과 / 22
 통구멍이 / 23
 툽빌매통이 / 9
 통가리 / 8
 통가리과 / 8
 통돔과 / 18

통솔치 / 13

ㄴ

파랑돔 / 21
 파랑비늘돔 / 22
 파랑비늘돔과 / 21
 파랑새 / 42
 파랑새과 / 42
 팔각줄고기 / 15
 팔색조 / 43
 팔색조과 / 43
 펜두상어 / 2
 표문쥐치 / 25
 표범상어 / 2
 표범상어과 / 2
 표범장지뱀 / 33
 푸렁통구멍 / 23
 푸른얼굴얼가니새 / 37
 풀넙치과 / 26
 풀망둑 / 24
 풀미역치 / 13
 풀미역치과 / 13
 풀비늘망둑 / 24
 풀잉어과 / 4
 풀해마 / 12
 피라미 / 7

ㄹ

하늘다람쥐 / 52
 하스돔과 / 19
 학공치 / 11
 학공치과 / 11
 학치과 / 23
 한국동박새 / 45
 한국뚝부기 / 38
 한국발종다리 / 47
 한국산개구리 / 31
 한독중개 / 14
 할미새과 / 46
 할미새사촌 / 43
 할미새사촌과 / 43
 향라머리검독수리 / 38
 해마 / 12
 해오라기 / 37
 해포리고기 / 21
 행락상어 / 2
 호랑이 / 50
 호랑지빠귀 / 45
 호박돔 / 21
 호사도요 / 39

호사도요과 / 39
 호사비오리 / 36
 호수가자미 / 26
 흑돔 / 21
 흑등고래 / 51
 흑부리오리 / 35
 홍가자미 / 26
 홍갈치 / 21
 홍갈치과 / 21
 홍감쟁 / 13
 홍머리오리 / 35
 홍매치과 / 9
 홍바리 / 16
 홍방울새 / 47
 홍비둘기 / 41
 홍송어 / 9
 홍어과 / 3
 홍여새 / 44
 홍옥치 / 17
 홍치 / 17
 환도상어 / 1
 환도상어과 / 1
 활치과 / 24
 황강달이 / 20
 황금새 / 46
 황놀래기 / 21
 황다랑어 / 25
 황돔 / 19
 황등어 / 19
 황로 / 37
 황매통이 / 9
 황불락 / 13
 황새과황새과 / 36
 황새치 / 25
 황새치과 / 25
 황성대 / 14
 황성대과 / 14

황아귀 / 10
 황안어 / 20
 황어 / 7
 황여새 / 44
 황오리 / 35
 황옥돔 / 17
 황점복 / 28
 황점불락 / 13
 황조롱이 / 37
 황줄감정어과 / 20
 황줄돔 / 20
 황줄돔과 / 20
 황줄베도라치 / 22
 황줄베도라치과 / 22
 황학치 / 23
 황해흰점복 / 28
 회색기러기 / 35
 회색머리아비 / 36
 후투티 / 42
 후투티과 / 42
 휘과람새과 / 44
 흉상어 / 2
 흉상어과 / 2
 흑기러기 / 35
 흑꼬리도요 / 39
 흑대기 / 27
 흑두루미 / 38
 흑로 / 37
 흑비둘기 / 41
 흑줄고기 / 15
 흰가오리과 / 3
 흰긴수염고래(대왕고래) / 51
 흰꼬리딱새 / 46
 흰꼬리불락 / 13
 흰꼬리좁도요 / 40
 흰날개해오라기 / 37
 흰넓적다리붉은쥐 / 52

흰눈썹뜸부기 / 38
 흰눈썹바다오리 / 41
 흰눈썹붉은배지빠귀 / 46
 흰눈썹올새 / 46
 흰눈썹지빠귀 / 45
 흰눈썹황금새 / 46
 흰둥가리 / 21
 흰둥갈망둑 / 24
 흰등발종다리 / 47
 흰띠박이물범 / 50
 흰멧새 / 47
 흰목물떼새 / 39
 흰물떼새 / 39
 흰발망둑 / 23
 흰배뜸부기 / 38
 흰배윗수염박쥐(아무르박쥐) / 49
 흰배지빠귀 / 46
 흰배환도상어 / 1
 흰부리아비 / 36
 흰비오리 / 36
 흰뺨검둥오리 / 35
 흰수마자 / 6
 흰수염바다오리 / 41
 흰이마기러기 / 35
 흰점저스레기 / 45
 흰죽지 / 35
 흰죽지꼬마물떼새 / 39
 흰죽지솔갯새 / 47
 흰죽지수리 / 38
 흰죽지제비갈매기 / 41
 흰줄납줄개 / 7
 흰줄망둑 / 24
 흰줄박이오리 / 36
 흰털밭제비 / 44
 히메치 / 9
 형동새 / 47

국가 생물종 목록집 「북한지역 척추동물」

National List of Species of Korea

「Vertebrates of Democratic People's Republic of Korea」

발행일 2012년 12월
발행인 이 상 팔
발행처 국립생물자원관
404-708 인천광역시 서구 환경로 42(경서동 종합환경연구단지)
Tel. 032-590-7000 www.nibr.go.kr

참여연구자 국립생물자원관
한상훈(포유류, 양서류, 파충류),
김병직(어류), 최유성(조류)

인 쇄 동진문화사

ISBN 9788968110092-94470

정부간행물번호 11-1480592-000492-01

이 책은 저작권법에 따라 보호받는 저작물이므로 무단전제와 무단복제를 금지합니다.

*비매품