

INFORMATION ONLY

USGS-OFR-83-669

USGS-OFR-83-669

NNA.890523.0102

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SOUTHERN GREAT BASIN SEISMOLOGICAL DATA REPORT FOR 1981
AND PRELIMINARY DATA ANALYSIS

By

A. M. [unclear], S. C. Harmsen, W. J. Carr, and W. Spence

Open-File Report 83-669

Prepared in cooperation with the
Nevada Operations Office
U.S. Department of Energy
(Emergency Agreement DE-A108-78ET44802)

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards. Any use of trade names is for descriptive purposes only and does not imply endorsement of the USGS.

Denver, Colorado
1983

123233-0900-00010-P02

9405030235 940411
PDR WASTE
WM-11 PD

Steve Harmsen

9015000/17

90153 1713

Copies of this Open-File Report
may be purchased from

Open-File Services Section
Branch of Distribution
U.S. Geological Survey
Box 25425, Federal Center
Denver, Colorado 80225

PREPAYMENT IS REQUIRED

Price information will be published
in the monthly listing
"New Publications of the Geological Survey"

FOR ADDITIONAL ORDERING INFORMATION

CALL: Commercial: (303) 234-5888
FTS: 234-5888

9 0 1 5 3 1 7 1 4

9 0 1 5 3 1 7 1 4

USGS-OFR-83-669

USGS-OFR-83-669

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SOUTHERN GREAT BASIN SEISMOLOGICAL DATA REPORT FOR 1981
AND PRELIMINARY DATA ANALYSIS

By

A. M. Rogers, S. C. Harmsen, W. J. Carr, and W. Spence

90153 1715

9015300/1715

CONTENTS

	Page
Abstract.....	1
Introduction.....	1
Acknowledgments.....	2
Magnitude determination.....	6
Earthquake location procedures.....	8
Description of earthquake locations, focal mechanisms and their relation to mapped surface faulting.....	9
Earthquake depths.....	21
Temporal patterns of seismicity.....	21
Discussion.....	24
Summary.....	27
References cited.....	32
Appendix A.....	35
Station codes, locations, instrumentation, and polarity reversals....	35
Appendix B.....	39
Input parameters to HYPO 71.....	39
Appendix C:.....	44
Input 1981 hypocenters summary.....	44
Appendix D.....	60
Hypocenters, phase readings, durations, and first motion directions for 1981 earthquakes.....	60
Appendix E.....	239
1981 teleseismic and regional events recorded by the digital system.....	239

3 0 1 5 3 1 7 1 6

ILLUSTRATIONS

Plate 1. Seismicity of the southern Great Basin from between Aug. 1, 1978 to Dec. 31, 1981.....	In pocket
Figure 1. Map showing the locations of seismograph stations in the southern Great Basin.....	3
2. Map of generalized tectonic features in the southern Great Basin.....	4
3. Histogram of the number of earthquakes per month.....	6

ILLUSTRATIONS—Continued

90153
1717

	Page
Figure 4. Graph showing of comparison of duration magnitude M_D with Richter magnitude M_L	7
5. Map showing station delays resulting from the simultaneous location of 50 widely scattered well-recorded earthquakes and one fixed location Yucca Flat nuclear event.....	10
6. Graphs of S-arrival time vs. P-arrival time for six well-recorded earthquakes.....	11
7-12. Maps showing:	
7. 1981 regional seismicity.....	13
8. Seismicity and focal mechanisms in the Pahrnagat shear zone.....	14
9. Seismicity and focal mechanisms in the southern NTS region, including Yucca Mountain.....	15
10. Seismicity and focal mechanisms east of NTS.....	16
11. Seismicity and focal mechanisms in the northern NTS region.....	17
12. Seismicity and focal mechanisms west of NTS.....	18
13. Graph showing distribution of focal depths for well-located earthquakes in the southern Great Basin.....	19
14. Graph showing frequency of recurrence curve for the monitored region for the period August 1979 to June 1982.....	23
15. Map showing the locations of the 1966 earthquake series in southeastern Nevada in relation to mapped geological structures.....	26
16-18. Graphs showing:	
16. Focal mechanism data for mechanisms shown in figures 8-12.....	28
17. Focal mechanism data for mechanisms shown in figures 8-12.....	29
18. Focal mechanism data for mechanisms shown in figures 8-12.....	30

TABLE

Table 1. Comparison of earthquake rates in two magnitude ranges for earthquakes in the southern NTS region (36.5°-36.9°N., 115.7-116.5°W.).....	22
---	----

90153000/1717

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SOUTHERN GREAT BASIN SEISMOLOGICAL DATA REPORT FOR 1981
AND PRELIMINARY DATA ANALYSIS

By

A. M. Rogers, S. C. Harmsen, W. J. Carr, and W. Spence

ABSTRACT

20153 1718

Earthquake data for the calendar year 1981 are reported for earthquakes occurring within and adjacent to the southern Great Basin seismograph network. Locations, magnitudes, and selected focal mechanisms for these events and events from prior years of network operations are presented and discussed in relation to the geologic framework of the region. These data are being collected to aid in the evaluation of the seismic hazard to a potential repository site at Yucca Mountain in the southwestern Nevada Test Site. The regional stress field orientation, as inferred from focal mechanisms, is characterized by a northwest-directed least compressive stress and a northeast-directed greatest compressive stress. We infer from this stress orientation that faults of north to northeast trend are most susceptible to slip. Faults of this orientation exist within the Yucca Mountain block, but they probably have not moved significantly in the last 500,000 years. Yucca Mountain lies within a fairly large area of relatively low level seismicity extending west to the Funeral Mountains, south to the Black Mountains and Nopah Range, and southeast to the Spring Mountains. One M 1.7 earthquake has been located in the Yucca Mountain block in about 1 year of intense monitoring. At present somewhat conflicting geologic, seismologic, and stress evidence hinder definitive conclusions about the seismic hazard at the proposed repository site.

INTRODUCTION

Seismological studies of the southern Great Basin (SGB) region are being conducted to assess the seismic and tectonic suitability of the Nevada Test Site (NTS) region for a nuclear waste repository. The project goals are to study the seismicity of the region and determine the seismic hazard to the facility. Because of the scarcity and inconsistent deployment of seismograph stations in this area in the past, few data have been available previously about the level of seismicity and its relation to faults. Furthermore, because of the extensive alluvium cover in the Basin and Range, many important faults are partially or completely hidden and difficult to evaluate geologically. Detailed seismic studies are required to help define seismic source zones that will be relevant to the assessment of the seismic hazard, particularly the hazard to the temporary support facilities of the repository. Although delineation of currently active fault zones does not assure that activity in the future will not shift to presently inactive zones, it is possible that by combining current earthquake patterns with the record of Quaternary faulting some prediction can be made of future tectonism.

90153 1719

In 1979 a 47-station seismic network (fig. 1) was installed within a 160-km radius of NTS to locate and study earthquakes. This network covers the tectonic features of greatest significance (fig. 2) relative to seismic-hazard assessment at NTS, including (1) Fish Lake Valley-Death Valley-Furnace Creek fault zones, (2) the apparent east-west belt of seismicity, and (3) the NTS "paleoseismic zone." Also shown on figure 2 are other major tectonic features that may or may not be vital in seismic-hazard assessment at NTS, but may be important to an understanding of regional tectonics. The regional extent of this network is necessary for tectonic studies and to provide seismological data in the event a site may be chosen off the NTS. In May 1981, a six-station supplemental mini-net was deployed on Yucca Mountain to lower the detection threshold and improve location accuracy for earthquakes at the candidate site.

The principal intent of this report is to make data obtained by the network generally available, to indicate the progress of ongoing research, and to present preliminary interpretations of these data. Appendices A, B, C, and D set forth the basic data related to earthquakes during the 1981 calendar year. These appendices record earthquake origin times, epicenters and focal depths, local magnitudes, and information pertaining to the quality of the locations; the phase readings, first motion directions, and durations used to compute the earthquake parameters are also included. The main body of this report presents and discusses these data, sometimes including past as well as more recent data in order to preserve continuity and perspective.

The data collected in the final quarter of this report period are of higher quality (fig. 3) because of the installation of a digital online detection and recording facility based on a DEC PDP 11-34 computer and associated peripheral equipment (Johnson, 1979). The digital data are analyzed using a DEC PDP 11-70 computer that is an existing part of the U.S. Geological Survey (USGS) computer facility. This method of data recording and analysis is a significant improvement over the old method employing 16 mm film recorders and requiring reader scanning of three 24-hour film records. The computer system continually scans the incoming real-time signals and saves data only when a triggering algorithm indicates that an earthquake has been detected. The reader is required to separate false triggers from earthquake triggers, display the digital traces on an oscilloscope screen, and take readings from the screen electronically that are saved in the computer memory. This technique has not only resulted in at least a doubling of the number of earthquakes that it is possible to detect and read (fig. 1), but has increased the accuracy of the process by eliminating errors caused by misreading times, incorrect association of a reading with the proper station, transcription errors, and key punching errors. The film records, however, continue to serve as a backup during periods when the computer fails. Computer failure averages about 20 minutes per day and usually occurs in block time intervals, occasionally lasting as long as 24 hours if they occur between operator visits on weekends.

ACKNOWLEDGMENTS

Robert Herrmann aided us for an extended period during a 6-month sabbatical in Golden and supplied the operational software library for the real-time

90153 1719

901531720

BEST AVAILABLE COPY





Figure 1.--Locations of seismograph stations in the southern Great Basin are indicated by triangles. Generalized locations of geographic features are also shown.

901531720

90153 1721



EXPLANATION

- | | | |
|-------|--|---|
| 1872 | Historic rupture, year | FLVZ-Fish Lake Valley fault zone |
| --- | Seismically active with Quaternary faults | FCFZ-Furnace Creek fault zone |
| - - - | Seismically inactive with Quaternary faults | DVFZ-Death Valley fault zone |
| | Seismically inactive without Quaternary faults | LVSZ-Los Vegas Valley Shear zone |
| - - - | Eastern Mojave aseismic area | PSZ-Pahranagat Shear zone |
| *YM | Yucca Mountain | NTSPSB-Nevada Test Site Paleoseismic Bell |

Figure 2.--Generalized tectonic features in the vicinity of the Nevada Test Site that are relevant to the assessment of seismic hazard.

9015300/1721

digital data acquisition on the PDP 11-34 computer and the digital processing software for the PDP 11-70 computer system. The original event detection algorithm and a magnitude estimation method were developed by Carl Johnson of the U.S. Geological Survey, who also provided advice on several occasions. Additional assistance on the digital system was given by Steve Malone and Eric Haug. James W. Dewey provided assistance in the joint hypocenter determination relocation of the 1966 earthquake series in southeastern Nevada.

Some local magnitude estimates of SGB earthquakes were obtained with the aid of Roy Miller, Kate Hutton, Ute Vetter, and William D. Richins. We also thank Richins and David S. Brumbaugh for supplying seismograms that aided in the determination of a focal mechanism for a felt earthquake near Alamo, Nev. Focal mechanism plots were generated using an adaptation of a computer program obtained from Stuart Sipkin.

Field equipment maintenance and calibration was provided by Don Morgan and Bill Johnson of the Stanwick Corporation, under the direction of Dee Overturf and Tom Bice of the USGS, who were also responsible for equipment service and calibration at the recording facility in Golden, Colo.

MAGNITUDE DETERMINATION

Magnitudes of earthquakes located within this network are computed from the duration of ground motion employing the relation:

$$M_D = -0.87 + 2.0 \log \bar{\tau} + 0.0035 \bar{\Delta}$$

where $\bar{\tau}$ = the geometric mean of the total signal duration in seconds from all stations recording the event, that is, the time between the first motion and the point at which the signal is lost in the background noise; $\bar{\Delta}$ = the arithmetic mean distance in kilometers between epicenter and the stations. Although the relation above was developed for a slightly different definition of duration (Lee, and others, 1972), the correspondence between duration magnitude, M_D , and Richter magnitude, M_L , is satisfactory (fig. 4). The M_L magnitudes in figure 4 were reported by the California Institute of Technology, the University of California at Berkeley, and the University of Utah for earthquakes with magnitudes exceeding about M_L 3. M_L magnitudes for smaller earthquakes are equivalent Richter magnitudes and were calculated from SGB network amplitudes that were converted to equivalent Wood-Anderson seismograph amplitudes (Brune and Allen, 1967; Eaton, and others, 1970). Figure 4 shows that our M_D overestimates M_L by about 0.25 magnitude units, except at the higher end of the observed magnitude range where M_L and M_D appear to be about equal. The corrections to the equivalent Richter magnitudes suggested by Thatcher (1973) would increase M_L between 0 and 0.4 magnitude units, and would likely result in a closer correspondence between M_D and M_L than shown. The correction cannot be made, however, without additional information such as the frequency bandwidth of the maximum trace amplitudes and the high frequency asymptote of the earthquake spectral density. Even without this correction, the relation given above for M_D appears to closely estimate M_L in the magnitude range $1 \leq M_L \leq 4+$. According to Bakun and Lindh (1977), M_D for values less than M_L 1 will underestimate M_L . The magnitudes in this range, thus, are only relative measures of size and not true estimates of M_L .

90153 1722

NUMBER OF EARTHQUAKES




Figure 3.--Histogram of the number of earthquakes located per month. DS indicates the start date of the digital recording system.

9015300/1723

9 0 1 5 3 1 7 2 4




Figure 4.—Comparison of duration magnitude M_D with Richter magnitude M_L .

EARTHQUAKE LOCATION PROCEDURES

Earthquakes in this study were located using the computer program HYP071 (Lee and Lahr, 1975) with program parameters and crustal model as given in appendix B. Both P- and S-wave phase readings were employed when an improved hypocentral solution resulted (that is, lower root-mean-square (RMS) travel-time residuals and smaller standard errors), otherwise only P-times were used. During 1981, 401 earthquakes were located. These events have magnitudes ranging between 0.4 and 4.3, and they have a horizontal modal standard error of 0.5 km and a depth modal standard error of 1.0 km. The quality (Q) distribution of 1981 earthquake locations, as defined in appendix D, is as follows:

<u>Q</u>	<u>Number</u>	<u>Percent</u>
A	3	0.7
B	142	35.6
C	186	46.6
D	68	17.0

The relative location errors of hypocenters presented in this report have been reduced by the use of a revised crustal velocity model and station corrections. We used the program called VELEST 2 (Ellsworth, 1977; Ellsworth and Roecker, 1981) to simultaneously invert for selected hypocenters, a velocity model and station corrections. The initial velocity model is given below and is considerably different than that used previously (Rogers and others, 1981).

<u>Depth to top of layer from sea level (km)</u>	<u>V_p (km/s)</u>
0.0	3.8
1.0	5.9
3.0	6.15
24.0	6.9
32.0	7.8

This model is based on previous refraction data (Roller and Healy, 1963) and interpretation of reflection phases in those data by L. C. Pakiser (oral commun., 1983). The near-surface 3.8-km/s layer is based on rock core velocities taken from drill holes at the Nevada Test Site (Rod Carroll, oral commun., 1982). The lower crustal layer, beginning at a depth of 24 km, is based on Pakiser's observation of reflections in Roller and Healy's (1963) chemical explosion data. Reflections from this horizon are generally obscured in nuclear explosion data by the high-energy levels in the early parts of the recorded signal, leading to past speculation that much of the southern Great Basin crust consisted of a single, low-velocity layer (Prodehl, 1970). The model we adopted is essentially two-layered (two major velocity contrasts excluding the surface layer) and is compatible with accepted data on the northern Great Basin crustal structure (Prodehl, 1970).

90153 1725

90153 1725

9 0 1 5 3 1 7 2 6

For the inversion experiment, we selected 50 of the best-recorded and geographically most widely distributed earthquakes. A Yucca Flat nuclear event was also included with fixed hypocenter, but free origin time, because it was determined that fixing the nuclear explosion origin time resulted in strong negative bias in the station terms. This result using the present crustal model is likely due to relatively shallower Paleozoic rocks beneath Yucca Flat, especially on the west side of Yucca fault, compared to the region as a whole. Traveltimes from nuclear events also show fair correlation with the shotpoint velocity (Taylor, 1983) indicating that near-surface velocity structure produces some of the bias in nuclear event traveltimes. Accordingly, the inversion was performed with minimal constraint from nuclear shot data. The station terms resulting from the final inversion are shown in figure 5. The mean delay at each station is the result of traveltime differences along diverse ray paths from a wide range of azimuths (the program corrects for station elevation). It is likely, therefore, that the delays reflect mostly near surface velocity changes. For this reason we employ the delays as station corrections to help improve the earthquake locations in a relocation of the entire data catalog (1978-81). Using these station terms to correct arrival times has resulted in a tightening of seismicity trends and clusters and a reduction of the RMS residuals and standard errors.

Velocity variations were strongly damped during the inversion, forcing their effect to be absorbed in the mean station residuals. This procedure was required because, when velocity variations were not strongly damped, geologically implausible velocities resulted and the average RMS errors in the hypocenter solutions were not significantly improved compared to the highly damped velocity model. It is surmised that lateral velocity variations introduce first-order perturbations of traveltimes that are not accommodated by a one-dimensional model; therefore, freeing the velocities in the inversion does not lead to an improvement in the model or the locations. The solution to this problem will involve a three-dimensional velocity inversion, which is currently under study.

Employing the above P-wave crustal velocity model and station correction terms, we derived the corresponding S-wave velocity model from P- and S-wave station times using Wadati diagrams (Kisslinger and Engdahl, 1973) for six well recorded earthquakes. As shown in figure 6, a V_p/V_s ratio of 1.71 was obtained having a low standard error. The linearity of the data and the low data scatter are good support for our assumption that Poisson's ratio does not vary significantly within the crust in the SGE.

DESCRIPTION OF EARTHQUAKE LOCATIONS, FOCAL MECHANISMS AND THEIR RELATION TO MAPPED SURFACE FAULTING

Seismicity maps showing the relation between tectonic features, focal mechanisms and epicenters are shown in figures 7-12, and plate 1. Figure 7 also shows the regions of the detailed figures 8-12. The focal mechanism data are shown in figures 16-18. The revised crustal model and relocated earthquake hypocenters provided the impetus to reevaluate the focal mechanisms presented in a previous report (Rogers and others, 1981), leading to modification of some mechanisms and rejection of others. Both the earthquake locations and focal mechanisms presented in this report should take precedence

90153 1727




Figure 5.--Station delays resulting from the simultaneous location of 50 widely scattered well-recorded earthquakes and one fixed location Yucca Flat nuclear event.

9015300/1727

9 0 1 5 3 1 7 2 8




Figure 6.—S-arrival time vs. P-arrival time for six well-recorded earthquakes.

over those results previously reported. It is observed from these maps (especially fig. 7 and pl. 1) that seismicity is widespread throughout the SGB, although, as noted in past reports, there are areas of quiescence or near quiescence. The principal pattern is one of widespread diffuse seismicity punctuated by tight clusters of earthquakes, each generally containing one or more of the largest events recorded to date (M_L 4-4.5). Fewer numbers of earthquakes occur near the northern and southern margins of the network giving the appearance of a seismic bridge or belt connecting the Intermountain seismic zone with the Nevada seismic zone. This band of earthquakes, termed the southern Nevada east-west seismic belt (Smith, 1978), is more apparent on a regional scale map and was first noted in the pre-network data. The tectonic significance of seismicity in this zone is not yet understood.

9 0 1 5 3 1 7 2 9

Earthquakes induced by nuclear explosions continue to occur at Pahute Mesa and Yucca Flat (fig. 11). The nuclear events have been removed from our catalogs and maps. The seismicity maps in this report are contaminated in the Pahute Mesa and Yucca Flat regions by induced seismicity from nuclear explosions. Research by Hamilton and others (1971) and Rogers and others (1977) indicated that underground nuclear explosions aftershocks appear to be restricted to within 6 to 14 km from ground zero. The number of aftershocks occurring also appears to decrease to the background level within less than 15 days. However, no clear-cut way of removing these earthquakes from the catalog has yet been devised. A more detailed evaluation of this problem is planned and will be presented in a future report. Except for this activity, the most active areas are the Pahrnagat shear zone (PZ) (fig. 8), the Mine Mountain (MM)--Cane Spring (CS)--Rock Valley (RV)--Frenchman Flat (FF) fault systems (fig. 9), the Thirsty Canyon (TC) (fig. 11), Sarcobatus Flat (SF) (fig. 12) and western Gold Flat (GF) areas (fig. 11), and a region along the California-Nevada border near Gold Mountain (GM) (fig. 12). The PZ, MM-CS-RV-FF, and GM zones are geologically and seismologically similar because they are characterized by major northeast-trending left-lateral faults that localize a large percentage of the regional earthquakes. In the PZ the majority of epicenters appear to be underlain by short north- to north-northeast-trending fault segments lying between the major northeast-striking shear zones (fig. 8). These epicenter locations, together with the two focal mechanisms in this area, suggest that the mode of faulting is right-lateral strike slip on north-trending faults.

An earthquake producing a strike-slip focal mechanism occurred beneath Frenchman Flat (B, fig. 9). The northwest-trending Yucca Frenchman (YFF) shear zone passes about 2 km to the northeast of this earthquake and is characterized by right-lateral bending of northeast-trending fault zones and a general change in structural grain. Faults on the north side of YFF trend northerly, and faults on the south side of YFF trend northeasterly. The north-trending focal mechanism fault plane coincides with the general structural grain occurring on the north side of the YFF, and the east-northeast-trending plane agrees with the structural grain to the south of YFF. Because alluvium covers the area around the epicenter, it is not possible to unequivocally select the correct fault plane. If the east-northeast-trending plane is preferred, left-lateral strike slip is required. Two historical earthquakes in this region, the 1971 Massachusetts Mountain and




Figure 8.--Seismicity and focal mechanisms in the Pahranaगत shear zone for the time period August 1, 1978, through December 31, 1981.

9 0 1 5 3 1 7 3 2

BEST AVAILABLE COPY





Figure 9.--Seismicity and focal mechanisms in the southern NTS region, including Yucca Mountain, for the time period August 1, 1978, through December 31, 1981.

901531732

9 0 1 5 3 1 7 3 3




BEST AVAILABLE COPY

Figure 10.--Seismicity and focal mechanisms east of NTS, for the time period August 1, 1978, through December 31, 1981.

9015300/1733

90153 1735



BEST AVAILABLE COPY

Figure 12.--Seismicity and focal mechanisms west of NTS for the time period August 1, 1978, through December 31, 1981.

9015300/1735

90153 1736




Figure 13.--Distribution of focal depths below sea level for well-located earthquakes in the southern Great Basin. For clarity the bars are spaced apart, although the depth intervals are continuous. For instance, the depth intervals start with 0-0.5, 0.5-1.5, and so on.

9015300/1736

1973 Ranger Mountain (both $M \sim 4$), produced strike-slip focal mechanisms with fault plane orientations similar to that observed here. For the 1971 earthquake, roughly 4 km north of earthquake B (fig. 9), Carr (1974) preferred the east-northeast-striking focal plane. As with earthquake B (fig. 9), a preferred focal plane could not be chosen for the 1973 earthquake (Carr, 1974).

A mechanism for an earthquake located in Jackass Flats (C, fig. 9) indicates strike slip, although the proper fault plane cannot be determined. Neither fault plane, however, would indicate slip on the Mine Mountain fault zone, in spite of the fact that epicenters appear to be near the projection of the surface trace of this fault. An earthquake at nearby Lookout Peak indicates a strike-slip mechanism (A, fig. 9) and could be associated with right-lateral motion on one of several mapped north-trending faults. Some earthquakes south of Little Skull Mountain, and events northwest of Mercury, occur on and near the trace of the RV fault and near the projected intersection of the CS and the RV faults suggesting association with those structures. No focal mechanisms have yet been obtained for these events because they are of low magnitude. Although no evidence exists in this data set that the northeast shear zones are active, except the localization of events in these zones, it is known from previous studies that Quaternary fault scarps and earthquakes do occur on northeast-trending zones in the SGB. Two regional examples of normal fault earthquakes on northeast-trending faults were observed on Pahute Mesa (Hamilton and others, 1971) and at Lake Mead (Rogers and Lee, 1976).

The clearest evidence of earthquake fault plane orientation occurs in five active zones where epicenter lineations are observed. Alinement of earthquakes and focal mechanisms in Indian Springs valley (fig. 10), Thirsty Canyon (fig. 11), and three Sarcobatus Flat locations (fig. 12, B, C, D; pl. 1) suggest right-lateral strike slip on north-striking faults. In addition, earthquakes at Thirsty Canyon are close to a mapped fault of north strike.

A focal mechanism for a Gold Mountain $M 4.0$ earthquake (A, fig. 12) indicates strike slip with a small component of normal faulting. The epicenter lies in a region of east- to northeast-trending faults, so that this trend is preferred with left-lateral strike slip.

Fault orientation appears to be more important than age in microearthquake occurrence in the Nevada portion of the SGB (pl. 1). For instance, most faults of northwest orientation are inactive, including the Las Vegas Valley shear zone, and the La Madre fault zone bordering the Spring Mountains. By comparison, from evidence of late Quaternary displacement or current seismicity, many faults of north to northeast orientation are active, such as Yucca fault, faults flanking Bare Mountain, Rock Valley and Mine Mountain, the Pahranaagat shear zone and faults southwest of Gold Mountain. The youngest surface displacement on these faults ranges in age from pre-Quaternary to Holocene (YF) (pl. 1).

1737
153

153000-1737

EARTHQUAKE DEPTHS

As noted previously (Rogers and others, 1981), earthquake focal depths in the SGB appear to have a bimodal distribution (fig. 13), with peaks in the number of earthquakes occurring at about 2 km and 5 km below sea level. Very few well-located earthquakes have depths greater than 10 km. This pattern is persistent, although different crustal models have been employed and station delays are now incorporated into the location procedures. Some events within the shallower zone may be artificially constrained because of a layer boundary within that zone and the location procedure, but it is unlikely that this effect is important for all the earthquakes in that depth range because the peaks in the distribution do not occur at a layer boundary.

Most of the strike-slip mechanisms are for earthquakes occurring in the deeper active zone (4-9 km). Only two of the single event mechanisms have depths less than 5 km. The Thirsty Canyon and Sarcobatus Flat composite focal mechanisms are derived from earthquakes spanning both depth ranges. In this small sample, therefore, strike-slip faulting does not appear to be depth limited as found for western Nevada (Vetter and Ryall, 1983).

TEMPORAL PATTERNS OF SEISMICITY

The 1979 Pahrnatag earthquake series (fig. 8) followed a foreshock-main shock-aftershock (FMA) pattern with a main shock of about M 4 (Rogers and others, 1981). The region was nearly quiescent in 1980. On January 16, 1981, an M 4 occurred near the southeastern limit of the 1979 aftershock zone (figs. 5 and 6) but had no foreshocks or aftershocks. An M 4 occurred in this zone on December 28, 1981, about 10 km east-southeast of the 1979 series. This earthquake followed the FMA pattern and was accompanied by 10 aftershocks and 1 foreshock.

The Thirsty Canyon sequence (fig. 11) began a day after the first Pahrnatag series, on August 13, 1979. This cluster of 38 earthquakes occurred more as a swarm than as a FMA style series, consisting of a large number of M 2 earthquakes with no distinct main shock.

Three distinct series have occurred in Sarcobatus Flat (fig. 12) 50-75 km northwest of Yucca Mountain. The first series (B, fig. 12) on the north side of Sarcobatus Flat began in December 1979 with an M 4.0 earthquake followed by seven aftershocks. Southeast of this group, near the middle of Sarcobatus Flat (C, fig. 12), an M 3.4 earthquake on March 10, 1981, was followed by three M 3+ events on April 3 and 4, and seven additional M <3 events in June, July, August, and November. The cluster of earthquakes in the southern portion of Sarcobatus Flat (D, fig. 12) was comprised by an FMA series of 12 foreshocks beginning on October 13, 1981, followed by an M 4.0 main shock on October 15 and 34 M <3.4 aftershocks to December 11.

In the Gold Mountain area (A, fig. 12), 33 earthquakes occurred (M <3.0) between December 1978 and November 1980. On January 23, 1981, an M 4.0 earthquake occurred in this zone followed by two aftershocks (M <3.0). Sixteen more events followed between April and December 1981.

3 0 1 5 3 1 7 3 8

90153000/1738

The contrast between the southeastern NTS activity and the zones just discussed is notable. Since the installation of the network, there has been a nearly continuous series of earthquakes occurring in southeastern NTS. This activity has a larger proportion of small magnitude earthquakes than any other part of the region. No earthquakes larger than M 3.4 have occurred in this zone during the monitoring period and only four larger than 3.0 have occurred. The data suggest that the "b-value" for the southeastern NTS region may be higher than that for the entire network area (fig. 14), although, at present, not enough data has been collected to estimate the recurrence relation for this subregion. A second feature of the seismicity in this zone is that significant changes in the rates of seismicity appear to occur as indicated by the ratios of small ($M < 2$) to large ($M \geq 2$) earthquakes (table 1). Here we assume that even though the number of earthquakes at magnitudes less than 2 is incomplete, this incompleteness is invariant with the time period for the first two periods. A one degree-of-freedom χ^2 test on a 2 x 2 contingency table of the number of earthquakes in each magnitude class and time period (for the first two time periods) shows that we must reject the hypothesis that the number of earthquakes in each magnitude class is independent of the time interval at a 1 percent significance level. The ratio of small-to-large events has fluctuated from values relatively high to low to intermediate. In terms of the recurrence curve, in the second period the number of earthquakes at low magnitudes decreased simultaneously with a decrease in the b-value. If the difference between the first and the second period were due to a decrease in network operation efficiency, one would expect both size categories to decrease in the second period. If the third period changes were due to the installation of digital detection and recording facilities, one would expect both size categories to increase as they did for the region as a whole (fig. 3). Because the observed results in both cases are contrary to the results expected due to operational changes, it seems probable that the temporal changes are real.

Table 1.--Comparison of earthquake rates in two magnitude ranges for earthquakes in the southern NTS region (36.5°-36.9° N., 115.7°-116.5° W.)

Time period	Rates (number earthquakes/month)	
	M > 2	M < 2
1.) Aug. 1979 - Sept. 1980	1.1	7.9
2.) Oct. 1980 - Sept. 1981	2.9	1.3
3.) Oct. 1981 - June 1982	2.1	5.0

A possible interpretation of these results is that changes in source stress conditions occurred regionally, such that, in the second period, stress was stored along fault zones for longer intervals and released by relatively larger events than in the first interval. The required source conditions might occur as synchronous subregional changes in the normal stress across active faults of similar orientation. Observations of regional changes in earthquake occurrences were noted in the SCB near the Pahranaqat shear zone by

30153 1739

70153 1740




Figure 14.—Frequency of recurrence of earthquakes in the monitored region for the period August 1979 to June 1982.

70153 1740

Molnar and others (1969). Coupling between active zones also seems apparent in the northern Great Basin, as suggested by W. Gawthrop (written commun., 1980). The Cedar Mountain (1932, M 7.2) and Excelsior Mountain (1934, M 6.3) earthquakes, 50 km apart, appear to be related temporally and spatially, although the style of faulting for the two events differed considerably. More closely related in time and space are the two Rainbow Mountain earthquakes (M 6.8), the Dixie Valley (M 6.8) and Fairview Peak (M 7.2) earthquakes. All these events occurred in 1954 on north- and north-northeast-trending faults in an area about 50 km across. Coupling between paleostructures in mountain ranges of the northern Great Basin has also been suggested by Wallace (1978).

The recurrence curve in figure 14 is derived using a maximum likelihood technique assuming a minimum and maximum magnitude of 2.5 and 6.0, respectively (Bender, 1983). These recurrence data show that only 3 earthquakes in the range 4.25 to 5.25 have occurred, although the recurrence curve predicts approximately 10. The probability of this result is about 1 percent (Bender, 1983). In fact, excluding nuclear event aftershocks, fewer than five M 5+ earthquakes have occurred in the presently monitored zone during 40 years of historic record that are reliable (Rogers and others, 1977). Several interpretations of these data are possible. First, a maximum magnitude may exist for this region in the range 5 to 6, and, therefore, the frequency of events at the upper magnitudes does not follow the recurrence curve of figure 14. Second, there has been a recent increase (from 1979 to present) in the number of earthquakes occurring, which could explain the discrepancy in the number of historic M 5+ events, but does not explain the lack of M 4.25+ earthquakes in the current record. Third, it is possible to obtain a bent recurrence curve by combining zones with differing b-values, lower magnitude thresholds, and (or) maximum magnitudes. At present a choice cannot be made between the three possibilities. Additional data and more detailed analysis are necessary to evaluate these interpretations.

DISCUSSION

Although Yucca Mountain and a large area to the west and south are relatively quiet seismically, data in this report together with the historic record of seismicity in this region, add to the increasing body of evidence suggesting that north- to northeast-trending faults are the most seismogenic in this region. The age of the last surface movement of a fault does not necessarily correlate with the degree of present seismicity on it, as indicated by the abundant seismicity on faults with no record of Quaternary displacement. Thus, a preliminary conclusion could be made that the north-trending faults at Yucca Mountain should be considered potentially active even though geologic evidence and present near absence of seismicity indicate they are not active. The length of faults at and near Yucca Mountain and the historic record would permit a M 6-7 (Mark and Bonilla, 1977) earthquake there. Two earthquakes of about M 6 have occurred within the east-west seismic belt at Death Valley in 1908 (Richter, 1958) (110 km southwest of the site) and near the Nevada-Utah border in 1966 (Beck, 1970) (210 km northeast of the site).

We relocated the 1966 earthquake series by employing the joint epicenter method (Dewey and Spence, 1979), using a regional travelt ime model. The main

70153 1741

shock (M = 6.1, USGS) was followed by an extensive aftershock series (fig. 15) in a single zone with a north-northeast orientation, as opposed to the finding of two active patches of aftershocks well-removed from the cluster of aftershocks surrounding the main shock (Beck, 1970). The focal mechanism of the 1966 main shock indicates nearly pure strike slip on either a vertical north-northeast-striking fault (right-lateral) or a nearly vertical east-southeast-trending fault (left-lateral) (Smith and Lindh, 1978). Although little is known of the geology in the epicentral region, transcurrent northeast-trending faults do occur there together with north-trending faults (Ekren and others, 1977). Because of the orientation of the 1966 aftershock zone and the existence in this region of north-trending faults, we conclude that the most likely faulting for the 1966 main shock was nearly pure right-lateral strike slip on a vertical north-northeast-trending fault.

In some respects the evidence for seismic hazard from the geologic record is in conflict with that from the seismic record. From the seismic evidence we must conclude that any faults of north to northeast trend are potentially active in the current stress field, whereas, the geologic data suggest that faults of this orientation, such as those at Yucca Mountain, have not had large (>1 m) surface displacement in the last 500,000 years, and have had no surface displacement in the last 40,000 years. That such disparities in fault activity are possible is the conclusion of studies in the northern Great Basin as well (Wallace, 1978). Even in active zones, areas exist that have been stable for hundreds of thousands of years. Until more is known about why areas are stable or unstable in the same region, however, it is not possible to rule out significant future seismic activity on faults at Yucca Mountain. This position is taken partly because (1) stress measurements at Yucca Mountain indicate that faults there may be near failure (Healy and others, 1982), and (2) faults of orientation and style similar to those at Yucca Mountain exist on Pahute Mesa, where extensive stress release has occurred: after nuclear tests on faults approaching 10 km in length. Although movement on these faults was induced by nuclear explosions, the extent of faulting, the size of fault displacements, and the magnitude and depths of accompanying aftershocks indicate that these faults were tectonically stressed near the failure point, with slip being triggered by additional stresses produced by the nuclear explosions.


It should be noted that stress data alone cannot be used to conclude that earthquakes are likely in a given area. Important factors in rock failure along faults are the coefficient of friction and pore pressure. The former is derived from laboratory measurements, the latter assumes a hydrostatic condition due to the thickness of the saturated zone. Furthermore, the conditions required for a large earthquake to occur are (1) shear stresses approaching that required for failure over a large area of a fault zone, and (2) significant displacement at the time of failure. Alternatively, stresses could be relieved aseismically by fault creep, or in a series of numerous very small events. Abundant evidence suggests that scarps in the Great Basin are produced by large earthquakes, not creep (Bucknam and others, 1980; Crone, 1983), and there is very little evidence that creep is a significant mode of stress release in the Great Basin (R. C. Bucknam, oral commun., 1983). For instance, significant creep events on any of the numerous faults that are crossed by cultural features would be easily noted. Some Basin and Range

70153 1742

50 151 1000 1000 1000

9 0 1 5 3 1 7 4 3

26



GENERALIZED GEOLOGIC MAP OF THE CLOVER MOUNTAIN-PAHRNAGAT-PAHROC REGION, SOUTHEASTERN LINCOLN COUNTY NEVADA

Figure 15.--Locations of the 1966 earthquake series in southeastern Nevada in relation to the geological structures mapped by Ekren and others (1977). Main shock is shown by star and two aftershocks of $M > 5$ are shown by large filled circles. Symbols showing locations of the smaller aftershocks are based on the length of the semimajor axis, a , of the joint hypocenter confidence ellipse on the computed coordinates (Dewey and Spence, 1979), for each event: \blacksquare for $a < 12$ km, and \bullet for $a \geq 12$ km.

scarp are inferred to have resulted from historic earthquakes as large as M 8. Taken together, the stress data, the historic seismicity, and the indication from current seismicity that fault activity is more dependent on fault orientation than fault age suggest that the potential for significant seismicity on Yucca Mountain faults should be considered.

Earthquakes in the southern Great Basin occur at depths as much as 10 km, but no spatial coherence has yet been observed in the focal depths, with each active zone generally displaying the full range of depths for the best located events. As yet, no evidence has been obtained that earthquakes in this region are occurring on listric faults, with decreasing dip as depth increases. We therefore conclude that earthquakes are occurring on faults of significant vertical extent, suggesting the potential for the occurrence of a large earthquake.

Inactivity on the northwest-trending Death Valley-Furnace Creek zone (figs. 1 and 2) is a paradox in the sense that, although quiescence would be predicted there based on the current southern Great Basin stress orientation, the existence of numerous Holocene scarps on these faults indicates this fault zone is active (Hunt and Mabey, 1966; G. E. Brogan, written commun., 1979). Geologic evidence, then, suggests that the stress orientation in the Death Valley region is rotated in such a fashion to be more favorable to the formation of the observed scarps. A stress orientation more like that in the San Andreas region than that in the southern Great Basin is required, further suggesting that quiescence on the Death Valley-Furnace Creek fault zone is due to relatively recent stress release there. The zone could be compared to that section of the San Andreas fault zone that ruptured in 1857, but is presently quiescent. Although no direct evidence from this study has been obtained to support rotation of the stress field in Death Valley, Zoback and Zoback (1980) examined a large body of data and concluded that a more east-west least principal stress was likely in this region, although they placed the province border farther to the west. The Walter and Weaver (1980) study of the Coso volcanic field, 80 km west of Death Valley, also suggests that a change in the stress field orientation occurs between the San Andreas and NTS. The Coso field earthquakes exhibit right-lateral strike slip on northwest-trending faults and normal faulting on north-striking faults. Because the geologic evidence suggests that this stress orientation may extend to the Death Valley-Furnace Creek region, a stress rotation is inferred to occur over a short distance between Death Valley and NTS.


SUMMARY

1. Over 1,600 earthquakes have been located within the network from 1979 to mid-1982; magnitudes ranged between 0 and about 4. The occurrence of earthquakes is widespread in the SGB, confirming the existence of the "east-west" seismic belt, first noted in the historical record, that connects the Intermountain and Nevada seismic zones.
2. The pattern of seismicity is characterized by a diffuse background level of earthquakes, punctuated by several zones of more compact and intense activity. Some of these concentrations of earthquakes have occurred as foreshock-main shock-aftershock series ($M_L \sim 4$ main shocks), and others have had no distinguishing event.

9 0 1 5 3 1 7 4 4


99 15300 174

90153 1745




DATE/TIME 01/01/83 04:18
 LAT. 37.166 N LONG. 117.267 W
 DEPTH, km: 10.2 M: 4.0
 COMMENT: Gold Mountain

	azi	plunge
P axis	37.2	82.8
T axis	158.0	7.0
N axis	232.7	66.9
X axis	78.0	81.0
Y axis	342.0	18.0




DATE/TIME 79/12/26 14:17:11.0
 LAT. 37.266 N LONG. 117.062 W
 DEPTH, km: 8.00 M: 4.1
 COMMENT: Sarcochatas Flat

	azi	plunge
P axis	43.7	9.2
T axis	311.5	13.3
N axis	127.2	73.7
X axis	287.2	2.8
Y axis	368.0	16.0



DATE/TIME 01/03/10 23:27.56
 LAT. 37.186 N LONG. 116.917 W
 DEPTH, km: 0.50 M: 3.4
 COMMENT: Sarcochatas Flat

	azi	plunge
P axis	44.4	7.1
T axis	313.8	7.1
N axis	179.0	60.8
X axis	358.0	10.0
Y axis	89.0	0.0




DATE/TIME 01/10/18 04:21.00
 LAT. 37.055 N LONG. 116.998 W
 DEPTH, km: 9.24 M: 4.0
 COMMENT: Sarcochatas Flat Composite w/
 01/11/19 21:40:53 p=2.00 M=3.8
 01/12/83 03:36:48 p=2.00 M=2.5

	azi	plunge
P axis	33.0	0.0
T axis	143.0	0.0
N axis	0.0	90.0
X axis	96.0	0.0
Y axis	0.0	0.0

Figure 16.--Lower hemisphere focal mechanism data for mechanisms shown in figures 8-12. Solid dots are compressions and open circles are dilatations.


90153 1745

30153 1746




DATE/TIME 79/08/17 16:53:07
 LAT: 37.185 N LONG: 118.379 W
 DEPTH: km: 6.28 ML: 2.9
 COMMENT: Thruway Canyon Composite w/
 79/08/13 8:30:08 s=3.0 M=2.6
 79/08/13 23:28:34 s=0.44 M=2.7
 79/08/16 3:53:20 s=0.94 M=2.2
 79/08/16 11:32:51 s=1.91 M=2.7
 79/08/16 11:45:12 s=0.89 M=2.1
 79/08/17 8:37:37 s=7.79 M=4.3

	azi	plunge
P axis	222.0	12.0
T axis	131.2	3.5
N axis	24.9	77.9
X axis	267.1	8.9
Y axis	176.8	11.0




DATE/TIME 80/04/08 12:29:41.4
 LAT: 38.890 N LONG: 115.991 W
 DEPTH: km: 1.28 ML: 2.6
 COMMENT: Frenchman Flat (R. NTS)

	azi	plunge
P axis	295.5	25.5
T axis	114.4	0.5
N axis	24.8	92.5
X axis	295.1	14.7
Y axis	194.0	25.0



DATE/TIME 80/04/23 04:00:40.3
 LAT: 38.874 N LONG: 118.162 W
 DEPTH: km: 6.65 ML: 2.3
 COMMENT: Lookout Peak (R. NTS)

	azi	plunge
P axis	47.9	14.1
T axis	317.9	0.1
N axis	227.4	79.9
X axis	93.9	9.9
Y axis	2.9	18.9




DATE/TIME 80/06/10 11:53:32.8
 LAT: 38.811 N LONG: 118.267 W
 DEPTH: km: 0.81 ML: 2.2
 COMMENT: Jackass Flats (R. NTS)

	azi	plunge
P axis	225.2	14.0
T axis	132.2	14.0
N axis	260.0	79.0
X axis	80.0	0.0
Y axis	179.0	20.0

Figure 17.—Lower hemisphere focal mechanism data for mechanisms shown in figures 8-12. Solid dots are compressions and open circles are dilatations.


30153000/1746

90153 1747




DATE/TIME 790813 18:23:38
 LAT: 37.238 N LONG: 113.629 W
 DEPTH: km: 7.83 M: 4.1
 COMMENT: Pahrump 2.2 Composite w/
 790814 03:03:15 s-4.66 M1-4.3

	azi	plunge
P axis	218.9	8.2
T axis	308.7	4.9
N axis	87.5	79.6
X axis	284.5	19.9
Y axis	174.0	3.8



DATE/TIME: 81/12/89 02:45:45
 LAT: 37.262 N LONG: 114.888 W
 DEPTH: km: 6.87 M: 4.9
 COMMENT: Pahrump 2.2; Salt at Alamo

	azi	plunge
P axis	198.2	28.8
T axis	297.2	29.2
N axis	98.1	52.9
X axis	242.9	25.4
Y axis	164.5	8.0



DATE/TIME: 81/12/89 17:30:44
 LAT: 38.758 N LONG: 115.708 W
 DEPTH: km: 8.04 M: 2.9
 COMMENT: Indian Springs Composite w/
 81/12/83 00:28:19 s-7.15 M1-2.2

	azi	plunge
P axis	43.1	26.9
T axis	297.8	28.2
N axis	124.4	66.1
X axis	98.8	18.6
Y axis	244.8	42.0

Figure 18.—Local hemisphere focal mechanism data for mechanisms shown in figures 8-12. Solid dots are compressions and open circles are dilatations.

90153000/1747

90153 1748

3. The most seismically active areas occur in regions of major Tertiary northeast-trending left-lateral shear. Three important zones in this category are the Pahranaagat, southern NTS, and Gold Mountain shear zones. Although some earthquakes are probably occurring on the northeast-trending faults, the larger earthquakes in these zones, for which focal mechanisms are available, have occurred on shorter intervening fault segments with a north strike.
4. Seismicity also occurs in north-trending faults zones. These earthquakes occur on or near segments of north-trending faults such as the Thirsty Canyon fault, Yucca fault, and Pahute Mesa faults (north-northeast trending) or are visible as north-trending epicenter lineations such as at Indian Springs Valley and Sarcobatus Flat.
5. Yucca Mountain lies within a broad zone of low-level seismicity extending on the west to the Funeral Mountains, on the south to the Black Mountains and Nopah Range. Another region of relative quiescence extends from near Gold Flat to Tonopah.
6. Focal mechanisms, epicenter lineations, and epicenter-fault associations indicate that earthquakes occur principally as right-lateral strike-slip events on north-trending faults. A focal mechanism for an M ~6 earthquake near the Nevada-Utah border in 1966 also indicated strike slip on a north-northeast-trending fault. Two M 4 earthquakes in 1971 and 1973 in southeast NTS were strike slip. Artificially induced earthquakes at Pahute Mesa and Lake Mead are either strike slip on north-trending faults or normal faulting on northeast-striking faults, indicating the likelihood that the northeast-trending faults are also active or potentially active.
7. A least principal stress with northwest orientation, and a greatest and intermediate principal stress of about equal magnitude are implied by the results to date. With this stress configuration faults of northwest orientation are less likely to produce earthquakes, a result that is supported by the current and historic seismicity, and by scarcity of northwest-striking Quaternary fault scarps east of Death Valley. The Death Valley-Furnace Creek, La Madre, and Las Vegas Valley shear zones are not presently producing earthquakes, although the presence of Holocene scarps on the Death Valley-Furnace Creek zone suggest that present quiescence there may be due to causes other than fault orientation.
8. From the historical seismicity of the southern Great Basin (two earthquakes of M ~6), and length of active faults, a maximum magnitude of M 6-7 is inferred for the SGB. Earthquake depths range between 0 and about 10 km; very few well-located events are deeper than 10 km. This observation suggests that faults of significant width are active in the SGB and supports the conclusion that a large earthquake is possible.
9. The only earthquake that has been located at Yucca Mountain in about 1 year of intensive monitoring has a magnitude of about 1.7. Faults there do not exhibit evidence of significant movement in at least the last 500,000 years, although their trend would permit slip in the present-day stress field similar to that resulting from historic and present-day seismicity on other north-to-northeast-trending faults in the SGB.

90153000 1748

REFERENCES CITED

- Bakun, W. H., and Lindh, A. G., 1977, Local magnitudes, seismic moments, and coda durations for earthquakes near Oroville, California: *Seismological Society of America Bulletin*, v. 67, p. 615-629.
- Beck, P. J., 1970, The southern Nevada-Utah border earthquakes August to December, 1966: Salt Lake City, Utah, University of Utah Master's thesis, 62 p.
- Bender, B. K., 1983, Maximum likelihood estimation of b-values for magnitude grouped data: *Seismological Society of America Bulletin* [in press].
- Brune, J. N., and Allen, C. R., 1967, A microearthquake survey of the San Andreas fault system in southern California: *Seismological Society of America Bulletin*, v. 57, p. 277-296.
- Bucknam, R. C., Algermissen, S. T., and Anderson, R. E., 1980, Patterns of Late Quaternary faulting in western Utah and an application in earthquake hazard evaluation, *in* Evernden, J. F., compiler, *Earthquake hazards along the Wasatch and Sierra-Nevada frontal fault zones--Conference 10, Alta, Utah, 1979, Proceedings: U.S. Geological Survey Open-File Report 80-801*, p. 299-314.
- Carr, W. J., 1974, Summary of tectonic and structural evidence for stress orientation at the Nevada Test Site: *U.S. Geological Survey Open-File Report 74-176*, 53 p.
- Crone, A. J., 1983, Amount of displacement and estimated age of a Holocene surface faulting event, eastern Great Basin, Millard County, Utah, *in* *Geologic excursions in neotectonics and engineering geology in Utah: Utah Geological and Mineral Survey Special Studies 62*, p. 49-55.
- Dewey, J. W., and Spence, W., 1979, Seismic gaps and source zones of recent large earthquakes in coastal Peru: *Pure and Applied Geophysics*, v. 117, p. 1148-1171.
- Eaton, J. P., O'Neill, M. E., and Murdock, J. N., 1970, Aftershocks of the 1966 Parkfield-Cholame, California, earthquake--A detailed study: *Seismological Society of America Bulletin*, v. 60, p. 1151-1197.
- Ekren, E. B., Orkild, P. P., Sargent, K. A., and Dixon, G. L., 1977 [1978], *Geologic map of the Tertiary rocks, Lincoln County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-1041, scale 1:25,000*.
- Ellsworth, W. L., 1977, Three-dimensional structure of the crust and mantle beneath the island of Hawaii: Cambridge, Mass., Massachusetts Institute of Technology Ph. D. dissertation, 327 p.
- Ellsworth, W. L., and Roecker, S. W., 1981, Sensitivity of the earthquake location problem in network geometry, *in* Roecker, S. W., *Seismicity and tectonics of the Pamir-Hindukush region of central Asia: Cambridge, Mass., Massachusetts Institute of Technology Ph. D. thesis*, p. 56-93.
- Hamilton, R. M., Smith, B. E., Fischer, F. G., and Papanek, P. J., 1971, Seismicity of the Pahute Mesa area, Nevada Test Site, 8 December 1968 through 31 December 1970: *U.S. Geological Survey Report USGS-474-138*, 170 p.; available from U.S. Department of Commerce, National Information Service, Springfield, Va. 22161
- Healy, J. H., Hickman, S. H., and Zoback, M. D., 1982, Deep borehole stress measurements at the Nevada Test Site [abs.]: *American Geophysical Union Transactions*, v. 63, p. 1099-1100.

90153 1749

90153 1749

90153 1750

Hunt, C. B., and Mabey, D. R., 1966, Stratigraphy and structure of Death Valley, California: U.S. Geological Survey Professional Paper 494, 162 p.

Johnson, C. E., 1979, I. CEDAR: An approach to the computer automation of short-period local seismic networks II. Seismotectonics of the Imperial Valley of Southern California: Pasadena, California Institute of Technology Ph. D. dissertation, 332 p.

Kisslinger, Carl, and Engdahl, E. R., 1973, The interpretation of the Wadati diagram with relaxed assumptions: Seismological Society of America Bulletin, v. 63, p. 1723-1736.

Lee, W. H. K., Bennett, R. E., and Meagher, K. L., 1972, A method of estimating magnitude of local earthquakes from signal duration: U.S. Geological Survey open-file report, 33 p.

Lee, W. H. K., and Lahr, J. C., 1975, HYPO 71 (revised): A computer program for determining hypocenter, magnitude, and first motion pattern of local earthquakes: U.S. Geological Survey Open-File Report 75-311, 116 p.

Mark, R. K., and Bonilla, M. G., 1977, Regression analysis of earthquake magnitude and surface fault length using the 1970 data of Bonilla and Buchanan: U.S. Geological Survey Open-File Report 77-614, 4 p.

Molnar, Peter, Jacob, Kraus, and Sykes, Lynn, 1969, Microearthquake activity in eastern Nevada and Death Valley California before and after the nuclear explosion Benham: Seismological Society of America Bulletin, v. 59, p. 2177-2184.

Prodehl, C., 1970, Seismic refraction study of crustal structure in the Western United States: Geological Society of America Bulletin, v. 81, p. 2629-2649.

Richter, C. F., 1958, Elementary seismology: San Francisco, W. H. Freeman and Co., 768 p.

Rogers, A. M., Harmsen, S. C., and Carr, W. J., 1981, Southern Great Basin seismological data report for 1980 and preliminary data analysis: U.S. Geological Survey Open-File Report 81-1086, 148 p.

Rogers, A. M., and Lee, W. H. K., 1976, Seismic study of earthquakes in the Lake Mead, Nevada-Arizona region: Seismological Society of America Bulletin, v. 66, p. 1657-1681.

Rogers, A. M., Wuolett, G. M., and Covington, P. A., 1977, Seismicity of the Pahute Mesa area, Nevada Test Site, 8 October 1975 to 30 June 1976: U.S. Geological Survey Report USGS-474-184, 61 p.; available from U.S. Department of Commerce, National Technical Information Service, Springfield, Va. 22161.

Roller, J. C., and Healy, J. H., 1963, Seismic refraction measurements of crustal structure between Santa Monica Bay and Lake, Mead: Journal of Geophysical Research, v. 68, p. 5837-5849.

Smith, R. B., 1978, Seismicity, crustal structure, and intraplate tectonics of the interior of the western Cordillera, in Smith, R. B., and Eaton, G. P., eds., Cenozoic tectonics and regional geophysics of the Western Cordillera: Geological Society of America Memoir 152, p. 111-144.

Smith, R. B., and Lindh, A. G., 1978, Fault plane solutions of the Western United States--A compilation, in Smith, R. B., and Eaton, G. P., eds., Cenozoic tectonics and regional geophysics of the Western Cordillera: Geological Society of America Memoir 152, p. 107-109.

Taylor, S. R., 1983, Three-dimensional crust and upper mantle structure at the Nevada Test Site: Journal of Geophysical Research, v. 88, p. 2220-2232.

90153000/1750

- Thatcher, Wayne, 1973, A note on discrepancies between local magnitude (M_L) and microearthquake magnitude scales: Seismological Society of America Bulletin, v. 63, p. 315-319.
- Vetter, U. R., and Ryall, A. S., 1983, Systematic changes of focal mechanism with depth in the western Great Basin: Journal of Geophysical Research, v. 88, p. 8237-8250.
- Walter, A. W., and Weaver, C. S., 1980, Seismicity of the Coso Range, California: Journal of Geophysical Research, v. 85, p. 2441-2458.
- Wallace, R. E., 1978, Patterns of faulting and seismic gaps in the Great Basin Province, in Isacks, B. L., and Plafker, George, co-organizers, Methodology for identifying seismic gaps and soon-to-break gaps-- Conference 6, Menlo Park, California, 1978, Proceedings: U.S. Geological Survey Open-File Report 78-943, p. 857-868.
- Zoback, M. L., and Zoback, M.D., 1980, State of stress in the conterminous United States: Journal of Geophysical Research, v. 85, p. 6113-6156.

9 0 1 5 3 1 7 5 1

90153000/1751

1752

90153

APPENDIX A

Station codes, locations, instrumentation, and polarity reversals

90153 1752

9 0 1 5 3 1 7 5 3

CODE	STATION	PERIOD OF OPERATION (DAY/MONTH/YEAR)	LATITUDE (DEG MINUTES)	LONGITUDE (DEG MINUTES)	ELEVATION (METERS)	BAROMETER MODEL	GAIN (DB)
AWR	Amargosa, Cal.	24/07/78-present	36 23 56 N	116 28 45 W	720	L-4C	84
APR	Angels Peak, Nev.	15/06/73-present	36 19 17 N	115 34 46 W	2680	S-13 to 21/3/81 L-4C 21/3/81 pr	84
BCE	Big Butte, Nev	23/01/79-present	37 02.27 N	116 13 46 W	1720	L-4C	84
BIT	Belted Range, Nev	30/05/79-present	37 28.93 N	116 07 35 W	1820	L-4C	84
BMT	Black Mountain, Nev	26/02/80-present	37 17 02 N	116 38 74 W	2191	L-4C	84
BRD	Bore Mountain, Nev	28/11/78-08/04/81	36 45 76 N	116 37 52 W	920	L-4C	84
CDM1	Calico Hills, Nev	01/02/80-present	36 51 62 N	116 19 05 W	1387	L-1-305 (vert)	90
CDM2	Calico Hills, Nev	01/02/80-18/11/81	36 51 62 N	116 19 05 W	1055	L-1-305 (horiz)	108
CP1	CP-1, Nev	--/--/77-01/03/80	36 55 80 N	116 03 33 W	1285	MOC-21 to 5/8/80 L-4C 5/8/80 pr	84
CIS	Cactus Peak, Nev	24/04/79-present	37 39 40 N	116 47 54 W	1890	L-4C	84
DLN	Delamar Mountains, Nev	08/06/78-present	37 36.35 N	114 44 33 W	1730	L-4C	84
EPN	Echo Peak, Nev	02/09/73-present	37 12 85 N	116 19 42 W	2285	S-13 to 23/4/80 L-4C 23/4/80 pr	84
EPR	East Pahrangat Rg, Nev	23/01/79-present	37 10 12 N	115 11 19 W	1300	L-4C	84
FMT	Funeral Mountains, Cal	28/11/78-present	36 38 38 N	116 46 73 W	1029	L-4C	84
GLR	Green Lake Road, Nev	20/11/75-present	37 11.96 N	116 01 06 W	1435	L-4C	84
GWN	Gold Mountain, Nev	13/07/79-present	37 18.01 N	117 15 58 W	2155	L-4C	84
GRW	Green Range, Nev	23/01/79-present	37 20 03 N	115 46 27 W	1580	L-4C	84
GVM	Grapevine, Cal	28/11/78-present	37 00.09 N	117 20 53 W	865	L-4C	84
GVV	Greenwater Valley, Cal	24/07/78-present	36 11 20 N	116 40 24 W	1540	L-4C	84
HCR	Hot Creek Range, Nev	21/07/81-present	38 14 02 N	116 26 18 W	2030	L-4C	84
JDN	Johnnie, Nev	24/07/78-present	36 26 39 N	116 06 18 W	920	L-4C	84
KRN	Kawich Range, Nev	30/05/79-23/04/80	37 42.37 N	116 20 07 W	2570	L-4C	84
KRNA	Kawich Range, Nev	23/04/80-present	37 44.47 N	116 22 80 W	1980	L-4C	84
LCH	Last Chance Range, Cal	13/07/79-present	37 14 08 N	117 38 84 W	1455	L-4C	84
LEE	Leeds, Utah	01/01/71-01/06/80	37 14 58 N	113 22 60 W	1067	Benioff	
LOP	Lookout Peak, Nev	23/01/79-present	36 51 25 N	116 10 05 W	1675	L-4C	84
LSM	Little Skull Mt., Nev	13/12/79-present	36 44 40 N	116 16 37 W	1140	S-13	84
LSN	Little Skull Mt., Nev	19/02/79-13/12/79	36 45 21 N	116 15 57 W	1070	L-4C	84
MCA	Marble Canyon, Cal	23/01/79-present	36 38 89 N	117 16 85 W	300	L-4C	84
MCI	Mercury, Nev.	15/06/77-07/03/80	36 39 37 N	115 59 45 W	1160	S-13	84
MCY	Mercury, Nev.	07/03/80-present	36 39 70 N	115 57 73 W	1285	S-13	84

9015300/1753

9 0 1 5 3 1 7 5 4

MON	Magruder Mountain, Nev	13/07/79-present	37 26 47 N	117 29 79 W	2100	L-4C	84
MTI	Mount Irish, Nev	08/06/79-present	37 40 60 N	115 16 36 W	1525	L-4C	84
MIP	Montezuma Peak, Nev	13/07/79-present	37 42 04 N	117 22 98 W	2375	L-4C	84
NEL	Nelson, Nev	01/01/71-01/06/80	35 42 73 N	116 50 62 W	1052	Senioff	
NMN	Nasa Mountain, Nev	28/11/78-present	37 04 85 N	116 49 09 W	1500	L-4C	84
NOP	Nopah Range, Cal	24/07/78-present	36 07 68 N	116 09 16 W	970	L-4C to 25/4/80 S-13 25/4/80-pr	84
NPB	North Pahroc Pk, Nev	08/06/79-present	37 39 16 N	114 36 22 W	1650	L-4C	84
POE	Panamint Range, Cal	28/11/78-present	36 20 93 N	117 03 93 W	1850	L-4C	84
PPH	Piper Mountain, Cal	13/07/79-present	37 23 38 N	117 34 43 W	1800	L-4C	84
PRN	Pahroc Range, Nev	21/01/72-present	37 24 42 N	115 02 99 W	1470	NOC-21 to 14/6/80 S-13 14/6/80-pr	84
QCS	Queen City Summit, Nev	08/06/79-present	37 46 07 N	115 34 98 W	1890	L-4C	84
QSM	Queen of Sheba Mine, Ca	28/11/78-present	35 37 93 N	116 52 10 W	670	L-4C	84
RVE	Reveille Range, Nev	08/06/79-20/07/81	38 01 18 N	116 11 51 W	2290	L-4C	84
SDH	Striped Hills, Nev	24/07/78-present	36 38 73 N	116 20 29 W	1055	L-4C	84
SOV	South Grapevine Mts, Ca	28/11/78-present	36 38 87 N	117 01 94 W	1565	L-4C	84
SMB	Sheep Range, Nev	22/05/79-present	36 30 27 N	115 09 71 W	1645	L-4C	84
SPRC	Spotted Range, Nev	28/05/79-present	36 41 64 N	115 48 56 W	1235	L-4C	84
SRP	Steamer Range, Nev	08/06/79-present	37 52 93 N	115 04 08 W	1645	L-4C	84
SSP	Shoshone Peak, Nev	10/10/73-present	36 55 50 N	116 13 11 W	2045	NOC-21 to 25/5/80 L-4C 27/5/80-pr	84
SVP	Silver Peak Range, Nev	13/07/79-present	37 42 90 N	117 48 05 W	2620	L-4C	84
TMBR	Timber Mt, Nev	19/02/82-present	37 02 05 N	116 23 13 W	1758	L-4C	84
TMD	Tin Mountain, Cal	28/11/78-present	36 48 32 N	117 24 48 W	2195	L-4C	84
TNP	Tenopah, Nev	31/08/64-02/19/82	38 04 92 N	117 13 08 W	1931	Senioff	
TPK	Talicha Peak, Nev	11/04/79-12/02/80	37 16 11 N	116 48 26 W	2080	L-4C	84
TPU	Temptute Mountain, Nev	08/06/79-present	37 36 30 N	115 38 75 W	1915	L-4C	84
WCT	Mildcat Mountain, Nev	08/04/81-present	36 47 53 N	116 37 60 W	1000	L-4C	84
WMH	Worthington Mts, Nev	08/06/79-present	37 38 90 N	115 35 30 W	1760	L-4C	84
YMT1	Yucca Mountain, Nev	05/03/81-present	36 51 20 N	116 31 80 W	1200	S-13	84
YMT2	Yucca Mountain, Nev	05/03/81-present	36 47 12 N	115 29 19 W	1220	S-13	84
YMT3	Yucca Mountain, Nev	05/03/81-present	36 47 23 N	116 24 79 W	1050	S-13	84
YMT4	Yucca Mountain, Nev	01/04/81-present	36 50 89 N	116 26 93 W	1256	S-13	72
YMT5	Yucca Mountain, Nev	01/04/81-present	36 53 90 N	116 27 23 W	1350	S-13	72
YMT6	Yucca Mountain, Nev	01/04/81-present	36 51 51 N	116 24 26 W	1150	S-13	86

* INDICATES STATION HAVING POLARITY REVERSAL (SEE FOLLOWING TABLE)

*POLARITY REVERSALS

CODE	STATION	PERIOD OF REVERSE POLARITY ¹ (DAY/MONTH/YEAR)	PERIOD OF REVERSE POLARITY ²
APR	Angels Peak, Nev.	21/3/81 - present	21/3/81 to 31/12/81
CDM	Calico Hills, Nev.	30/3/81 to 3/8/81 also 1/12/81 to present	30/3/81 to 3/8/81 also 1/12/81-31/12/81
CPK	CP-1, Nev.	5/8/80 to 13/12/80	
DLM	Delamar Mts., Nev.	28/6/79 to 29/8/79	
EPH	Lake Peak, Nev.	1/11/78 to 01/05/80	
EPH	East Pahrnagat Range, Nev.	18/12/79 to 28/2/80	
GLW	Croon Lake Pond, Nev.	1/11/78 to 22/2/79	
GHW	Gold Mountain, Nev.	28/6/79 to 29/8/79 also 5/8/80 to 17/12/80	
JOM	Johnier, Nev.	1/11/78 to 22/2/79	
LCM	East Change Range, Nev.	28/6/79 to 29/8/79	
MCT	Mercury, Nev.	7/3/80 to 5/5/80	
MCH	Haruder Mountain, Nev.	28/6/79 to 29/8/79	
MII	Mount Irish, Nev.	28/6/79 to 29/8/79	
MTP	Montezuma Peak, Nev.	28/6/79 to 29/8/79	
NPH	North Pahrnagat Range, Nev.	28/6/79 to 29/8/79	
PPK	Piper Mountain, Cal.	28/6/79 to 29/8/79	
PRH	Pahrnagat Range, Nev.	18/12/79 to 28/2/80	
QCS	Queen City Summit, Nev.	28/6/79 to 29/8/79	
QSM	Queen of Sheba Mine, Nev.	28/6/79 to 29/8/79	
RVE	Raville Range, Nev.	28/6/79 to 29/8/79	
SHG	Seaman Range, Nev.	28/6/79 to 29/8/79	
SSP	Shoshone Peak, Nev.	28/6/79 to 01/06/80	
SVP	Silver Peak Range, Nev.	28/6/79 to 29/8/79	
TPK	Tolicha Peak, Nev.	11/06/79 to 29/8/79	
TPU	Templute Mountain, Nev.	28/6/79 to 29/8/79	
WHM	Northington Mts., Nev.	28/6/79 to 29/8/79	
YMT1	Yucca Mountain, Nev.	05/03/81 to present	05/03/81 - 01/10/81
YMT2	Yucca Mountain, Nev.	05/03/81 to present	05/03/81 - 23/11/81
YMT3	Yucca Mountain, Nev.	05/03/81 to present	05/03/81 - 01/10/81
YMT4	Yucca Mountain, Nev.	05/03/81 to present	05/03/81 - 01/10/81
YMT4	Yucca Mountain, Nev.	01/04/81 to present	01/04/81 - 01/10/81
YMT5	Yucca Mountain, Nev.	01/04/81 to present	01/04/81 - 23/11/81
YMT6	Yucca Mountain, Nev.	01/04/81 to present	01/04/81 - 01/10/81

¹Pertains to developer films.

²Pertains to data reported in this bulletin.

90153 1755

9015300/1755

9 0 1 5 3 1 7 5 6

APPENDIX B

Input parameters to HYPO 71

HYPOCENTER PARAMETERS FOR LOCAL EVENTS ARE COMPUTED BY
 THE COMPUTER PROGRAM HYPO71 (LEE AND LAHR, 1975),
 MODIFIED TO COMPUTE RAY-PATH TIMES TO THE ACTUAL STATION ELEVATIONS.
 THE CRUSTAL MODEL EMPLOYED IN THE 1981 DATA REPORT IS:

DEPTH TO TOP OF LAYER (KM), P-WAVE VELOCITY (KM/SEC)
 FROM SEA LEVEL (0.0 KM)

STATION ELEVATION	
	3.8
1.0	5.9
3.0	6.15
24.0	6.9
32.0	7.8

VALUES OF TEST VARIABLES EMPLOYED IN HYPO71 ARE:

TEST(1) = 0.1 SEC	TEST(5) = 5. KM	TEST (9) = 0.0035
TEST(2) = 30.0 KM	TEST(6) = 1.0	TEST(10) = 100. KM
TEST(3) = 0.5	TEST(7) = -0.87	TEST(11) = 8.
TEST(4) = 0.05 KM	TEST(8) = 2.00	TEST(12) = 0.5
		TEST(13) = 1. KM

PERTINENT CONTROL CARD OPTIONS ARE:

ZTR = 5.0 KM

XNEAR = 10 KM

XFAR = 220 KM

POS = 1.71 (P TO S VELOCITY RATIO)

• •

9 0 1 5 3 1 7 5 7

901531757

EXPLANATION OF HYPOCENTER SOLUTION COLUMN HEADINGS

- DATE - DAY, MONTH, AND YEAR IN COORDINATED UNIVERSAL TIME (UTC)
- STA - STATION CODE
- PHASE - PHASE IDENTIFICATION
I OR E INDICATES THE CHARACTER OF PHASE ARRIVAL
(I = IMPULSIVE, E = EMERGENT)
- TIME - ARRIVAL TIME OF PHASE IN HOURS, MINUTES, AND SECONDS (COORDINATED UNIVERSAL TIME)
- AMP - PEAK VOLTAGE RESPONSE OF SEISMOGRAPH SYSTEM TO MAXIMUM SURFACE-WAVE AMPLITUDE, IN DIGITAL COUNTS. 2048 COUNTS REPRESENTS A 5 VOLT RESPONSE. NOT USED IN THIS BULLETIN.
- PER - PERIOD OF PHASE, IN HUNDREDTH'S OF A SECOND
- IXMAG - STATION MAGNITUDE COMPUTED BY THE METHOD OF EATON, O'NEILL, AND MURDOCK (1970). NOT USED IN THIS BULLETIN.
- DUR - DURATION, IN SECONDS, OF CODA OF WAVE TRAIN FROM A LOCAL EVENT
- FMAG - STATION MAGNITUDE COMPUTED BY THE METHOD OF LEE, BENNETT, AND HEADER (1972)
- $FMAG = -0.87 + 2.0 \cdot \text{LOG}(DUR) + 0.035 \cdot \text{DIST}$
EMPLOYING PRELIMINARY VALUES OF CONSTANTS DETERMINED BY LEE, BENNETT, and HEADER (1972)
- DIST - GREAT CIRCLE DISTANCE TO EVENT, IN KILOMETERS
- AZI - STATION-TO-EPICENTER AZIMUTH TAKEN CLOCKWISE FROM NORTH, IN DEGREES
- AIN - ANGLE OF INCIDENCE TO DOWNWARD VERTICAL, IN DEGREES
- TOBS - OBSERVED TRAVEL-TIME (O), IN SECONDS
- TCAL - CALCULATED TRAVEL-TIME (C), IN SECONDS
- RES - PHASE TRAVEL-TIME RESIDUAL, IN SECONDS (O-C)
- REMARKS- DESCRIPTIVE INFORMATION.

9 0 1 5 3 1 7 5 8

90153 1758

EXPLANATION OF PHASE READING COLUMN HEADINGS

HYPOCENTERS ARE LISTED IN CHRONOLOGICAL ORDER.
 HYPOCENTER INFORMATION IS ARRANGED AS FOLLOWS:

DATE	ORIGIN TIME	EPS	NO	MB	TYPE OF SOLUTION
	LATITUDE	EP2	EPH	P	L
	LONGITUDE	EPY	GAP	AVPP	CS GEOGRAPHIC LOCATION
	DEPTH	EPZ	NO	AVPP	CD
.....					
PHASE DATA					
.....					

BEST AVAILABLE COPY

EXPLANATION OF HYPOCENTER SOLUTION VARIABLE NAMES

- EPS = DISTANCE-SQUARE OF TRAVEL-TIME RESIDUALS, IN SECONDS
- EP2 = STANDARD ERROR IN LATITUDE, IN KILOMETERS
- EPY = STANDARD ERROR IN LONGITUDE, IN KILOMETERS
- EPZ = STANDARD ERROR IN DEPTH, IN KILOMETERS
- NO = NUMBER OF STATION READINGS
- EPH = STANDARD ERROR OF EPICENTER, IN KILOMETERS
(MILITARY DISTANCE (LEF AND LAMP, 1975))
- GAP = LARGEST AZIMUTHAL SEPARATION BETWEEN STATIONS, IN DEGREES
- MB = AVERAGE BODY-WAVE MAGNITUDE, FROM TELESEISMIC P-WAVE
 AMPLITUDES OR FROM P2 PHASE AMPLITUDES
- P = AVERAGE SURFACE-WAVE MAGNITUDE (MS) IF EVENT IS A TELESEISM;
 P IS LOCAL MAGNITUDE (ML) OTHERWISE
- AVPP = AVERAGE MAGNITUDE COMPUTED BY THE METHOD OF LEE, BENNETT, AND
 HUGHES (1972)
- NO = NUMBER OF STATION READINGS USED FOR COMPUTING AVPP
- AVPP2 = AVERAGE MAGNITUDE COMPUTED BY THE METHOD OF BENTON, DORRILL, AND
 FURDICH (1970)

9 0 1 5 3 1 7 5 9

9015300/1759

Q = SOLUTION QUALITY OF HYPOCENTER

Q IS THE AVERAGE OF QS AND QD, WHERE:

QS = STATISTICAL RATING OF SOLUTION

QD = STATISTICAL RATING OF STATION DISTRIBUTION.

QUALITY RATINGS:

Q	EPICENTRE	FUCAL DEPTH
A	EXCELLENT	BEST
B	GOOD	FAIR
C	FAIR	POOR
D	POOR	POOR

QS	KMS	FT	MI
A	<0.15	<1.0	<2.0
B	<0.30	<2.5	<5.0
C	<0.50	<5.0	
D	OTHERS		

QD	NO	GAP	DEPTH (ERROR IN DEPTH)
A	>6	< 90	<DEPTH OR 5 KM
B	>6	<135	<2*DEPTH OR 10 KM
C	>6	<180	< 50 KM
D	OTHERS		

BEST AVAILABLE COPY

EXPLANATION OF HYPOCENTER SUMMARY NOTATION

F = DEPTH WAS ALLOWED TO GO FREE OR REMAINED AT THE STARTING DEPTH (15 KM)

D = DEPTH WAS HELD AT A FIXED DEPTH

U = BLAST; DEPTH IS AT OR NEAR U KILOMETERS

90153 1760


90153 1760

U.S. GEOLOGICAL SURVEY
BULLETIN 1452

90153 1761

APPENDIX C
Input 1981 hypocenters summary

90153000 1761



45

90153 1762

LOCAL HYPOCENTER SUMMARY

JAN	03	6 3	57.36	36.71 N	115.50 W	2.4 F	2.0	MERCURY
	03	16 19	56.22	37.82 N	115.24 W	2.1 F	3.9	HIRU
	03	18 4	52.45	36.70 N	115.69 W	0.9 F	2.5	MERCURY
	04	7 2	40.67	37.81 N	115.26 W	0.8 F	2.7	HIRU
	04	11 30	52.29	37.82 N	115.29 W	0.1 F	2.4	HIRU
	05	0 34	1.70	36.45 N	116.52 W	0.2 F	3.1	FURNACE CREEK
	05	0 38	14.36	36.44 N	116.54 W	5.1 F	2.0	FURNACE CREEK
	05	11 57	22.55	37.15 N	116.76 W	5.1 F	2.8	THINSTEY CANYON
	06	2 21	4.33	37.31 N	116.37 W	1.4 F	2.5	SILBERT CANYON - NORTH
	06	6 8	25.57	37.16 N	116.94 W	5.0 D	2.7	THINSTEY CANYON
	06	20 49	46.10	38.37 N	117.28 W	3.8 F	3.6	TONUPAH
	09	5 26	34.65	36.10 N	117.80 W	0.1 F	2.6	DARWIN
	09	22 29	50.30	36.77 N	116.29 W	0.9 F	1.7	LATHROP WELLS
	10	5 29	20.61	37.54 N	118.03 W	7.0 D	3.5	SILVER PEAK
	12	17 16	27.16	36.33 N	114.53 W	5.0 D	3.8	MOUVER DAM
	16	0 14	40.46	37.24 N	115.82 W	8.1 F	4.0	ALAMO
	23	4 41	12.07	37.15 N	117.39 W	10.2 F	4.0	MT. JACKSON
	28	1 5	22.00	37.15 N	117.39 W	9.5 F	2.8	MT. JACKSON
	28	6 55	57.97	37.15 N	117.39 W	5.6 F	2.8	MT. JACKSON
FEB	08	8 21	21.39	36.47 N	115.18 W	1.0 F	3.1	LAS VEGAS
	12	0 39	13.70	38.32 N	117.25 W	5.0 D	3.1	TONUPAH
	13	18 0	0.70	36.97 N	116.19 W	1.0 F	2.8	LATHROP WELLS
	15	20 8	46.49	38.34 N	117.27 W	5.1 F	3.2	TONUPAH
	16	20 12	22.04	36.41 N	114.47 W	5.5 F	3.4	
	22	14 46	57.51	36.12 N	114.93 W	0.1 F	3.1	MOUVER DAM
	22	18 37	1.89	35.81 N	114.83 W	0.7 F	3.2	BOULDER CITY
	26	22 21	8.12	36.54 N	115.13 W	1.0 F	3.0	MAYFORD PEAK
	28	3 23	54.20	37.19 N	114.78 W	0.2 F	3.2	DELANER MOUNTAINS
MAR	02	15 28	24.04	37.19 N	117.85 W	5.3 F	2.8	MAKRUER MOUNTAIN
	03	23 14	32.30	37.27 N	115.05 W	5.5 F	3.0	ALAMO
	05	19 41	52.17	36.53 N	116.36 W	1.9 F	2.6	LATHROP WELLS

90153 1763

90153 1763

LOCAL HYPOCENTER SUMMARY

DATE	TIME	DEPTH (km)	LONGITUDE (W)	LATITUDE (N)	SLIP (cm)	FAULT	MAGNITUDE	LOCATION
MAR 10	23 27	56.08	37.15 N	116.92 W	6.6 F	3.0	3.0	THIRSTY CANYON
	14	1 9	5.15	36.53 N	116.37 W	3.0 F	2.9	LATHROP WELLS
	16	13 10	59.08	36.53 N	115.57 W	2.3 F	3.6	MERCURY
	28	23 11	16.23	37.08 N	116.17 W	4.9 F	2.7	SILENT CANYON - YUCCA FLAT
	29	11 19	44.63	36.54 N	117.97 W	0.1 F	3.0	URY MOUNTAIN
APR 02	19 40	2.30	38.32 N	117.29 W	3.0 F	3.5	3.5	TONUPAH
	03	0 53	43.34	38.27 N	117.23 W	2.4 F	3.1	TONUPAH
	03	10 43	58.75	37.57 N	116.46 W	3.0 F	2.7	QUARTZITE MOUNTAIN
	05	16 34	17.19	36.04 N	117.75 W	0.3 F	3.2	DARRIN
	06	18 19	47.02	36.44 N	114.68 W	0.3 F	3.5	
	07	23 3	28.07	37.16 N	116.92 W	0.9 F	3.1	THIRSTY CANYON
	08	4 38	31.89	37.15 N	116.91 W	0.4 F	3.0	THIRSTY CANYON
	08	8 44	52.79	37.15 N	116.91 W	6.5 F	3.2	THIRSTY CANYON
	09	13 36	5.56	36.82 N	116.27 W	5.7 F	2.0	LATHROP WELLS
	09	23 44	35.81	37.06 N	116.05 W	0.1 F	2.8	SILENT CANYON - YUCCA FLAT
	10	11 56	58.45	36.92 N	116.12 W	0.9 F	2.2	LATHROP WELLS
	11	1 37	47.59	36.53 N	116.38 W	1.4 F	2.7	LATHROP WELLS
	12	5 33	8.66	36.60 N	116.04 W	5.2 F	2.4	LATHROP WELLS
	12	8 15	23.70	36.77 N	116.23 W	0.5 F	2.9	LATHROP WELLS
	13	20 21	27.80	36.90 N	116.46 W	4.2 F	1.7	YUCCA MOUNTAIN

9 0 1 5 3 1 7 6 4

BEST AVAILABLE COPY

LOCAL HYPOCENTER SUMMARY

	17	1 23	48.06	37.58 N	115.84 W	0.4 F	3.3	WORTHINGTON PEAK
	17	1 42	9.66	36.53 N	116.37 W	0.6 F	2.6	LATHROP WELLS
	17	2 15	25.14	37.61 N	115.63 W	1.0 F	2.0	WORTHINGTON PEAK
	17	5 31	1.04	37.15 N	117.38 W	11.7 F	1.7	MT. JACKSON
	17	8 38	32.82	37.29 N	116.73 W	0.3 F	2.4	THIRSTY CANYON
	19	2 3	31.52	37.43 N	115.16 W	0.0 F	2.2	ALAMO
	20	12 29	49.50	36.94 N	117.65 W	4.0 F	2.6	DRY MOUNTAIN
	20	18 7	23.69	37.66 N	115.65 W	5.0 D	1.8	WORTHINGTON PEAK
	21	9 3	9.61	36.70 N	115.01 W	2.6 F	2.0	MERCURY
	21	11 10	43.12	37.74 N	115.73 W	7.3 F	2.0	WORTHINGTON PEAK
	22	16 2	2.04	37.06 N	117.41 W	5.5 F	3.5	MT. JACKSON
	24	16 35	4.67	36.72 N	116.14 W	2.1 F	2.6	LATHROP WELLS
	24	16 39	18.62	36.73 N	116.14 W	0.3 F	2.8	LATHROP WELLS
	25	15 28	49.40	36.79 N	116.09 W	5.3 F	2.9	LATHROP WELLS
	26	20 34	28.80	36.71 N	116.14 W	0.4 F	2.9	LATHROP WELLS
	28	19 13	38.80	36.90 N	116.25 W	13.9 F	1.8	LATHROP WELLS
	30	16 55	22.51	36.72 N	116.14 W	-0.1 F	1.6	LATHROP WELLS
MAY	02	21 53	42.53	37.12 N	117.34 W	6.4 F	2.7	MT. JACKSON
	03	14 47	34.03	37.31 N	117.36 W	2.1 F	2.7	MT. JACKSON
	03	15 38	11.39	36.63 N	116.36 W	9.7 F	2.3	LATHROP WELLS
	03	16 49	50.07	37.30 N	117.38 W	4.8 F	1.9	MT. JACKSON
	03	16 56	41.82	37.30 N	117.37 W	0.9 F	2.3	MT. JACKSON
	03	17 6	17.30	37.30 N	117.36 W	0.8 F	3.1	MT. JACKSON
	03	17 8	51.95	37.33 N	117.36 W	1.9 F	2.5	MT. JACKSON
	03	17 16	59.98	37.31 N	117.35 W	1.6 F	2.3	MT. JACKSON
	04	1 29	48.24	36.98 N	115.70 W	3.2 F	2.8	MERCURY
	05	7 52	9.28	37.31 N	117.36 W	1.4 F	2.9	MT. JACKSON
	05	13 59	5.25	36.37 N	118.13 W	5.0 D	4.1	
	05	14 34	52.29	36.39 N	118.07 W	0.3 F	4.0	DANWIN
	05	20 9	17.03	37.30 N	117.35 W	1.1 F	2.1	MT. JACKSON
	05	20 38	17.24	37.28 N	117.38 W	1.0 F	2.1	MT. JACKSON
	07	4 29	58.09	37.12 N	117.34 W	5.0 F	2.5	MT. JACKSON
	07	14 48	26.34	37.44 N	117.22 W	0.1 F	2.7	MT. JACKSON
	10	17 28	48.43	37.14 N	117.42 W	7.8 F	3.2	MT. JACKSON
	12	9 40	55.19	35.94 N	117.33 W	2.2 F	3.1	SEARLES LAKE
	12	11 55	3.80	37.14 N	116.60 W	0.4 F	2.5	THIRSTY CANYON

90153 1765

90153 1765

LOCAL HYPOCENTER SUMMARY

MAY	12	13 20	36.33	37.03 N	117.45 W	1.8 F	3.0	MT. JACKSON
	18	18 46	18.45	36.69 N	116.30 W	-0.2 F	2.0	LATHROP WELLS
	19	12 35	38.46	36.67 N	116.27 W	4.8 F	1.6	LATHROP WELLS
	20	6 50	16.76	36.61 N	115.99 W	9.0 F	2.8	MERCURY
	23	13 34	36.18	36.76 N	116.22 W	7.0 D	1.7	LATHROP WELLS
	23	18 50	22.03	36.16 N	117.85 W	8.9 F	3.9	DANAIA
	25	4 59	20.06	36.10 N	117.94 W	5.9 F	3.8	DANAIA
	25	19 39	1.45	36.17 N	117.77 W	0.3 F	3.5	DANAIA
	28	13 22	53.67	37.12 N	117.29 W	5.2 F	2.7	MT. JACKSON
	29	5 22	54.14	36.66 N	115.70 W	13.2 F	2.1	MERCURY
	29	9 13	16.28	37.15 N	117.40 W	2.2 F	2.8	MT. JACKSON
	29	11 7	54.78	36.65 N	116.33 W	2.5 F	2.1	LATHROP WELLS
	30	6 15	16.30	37.32 N	115.40 W	7.8 F	3.8	ALAMO
	31	2 55	2.51	37.33 N	115.38 W	0.3 F	3.7	ALAMO
JUN	02	0 31	18.83	37.98 N	117.09 W	26.0 F	2.4	LOLDFIELD
	03	13 19	49.92	37.11 N	115.40 W	10.7 F	2.2	ALAMO
	04	3 0	1.88	36.59 N	115.99 W	16.0 F	3.1	MERCURY
	04	11 5	22.89	36.71 N	116.28 W	0.9 F	2.6	LATHROP WELLS
	04	12 53	40.35	37.35 N	115.41 W	0.2 F	3.2	ALAMO
	06	13 5	7.54	36.46 N	116.02 W	0.0 F	2.2	ASH MEADOWS
	06	15 39	57.10	37.19 N	117.24 W	4.0 F	1.7	MT. JACKSON
	07	18 24	0.40	36.65 N	116.29 W	3.6 F	2.0	LATHROP WELLS
	08	14 44	20.04	36.95 N	116.96 W	1.0 F	2.3	CHLORIDE CLIFF
	10	7 31	34.85	36.42 N	117.24 W	0.7 F	2.3	PANAMINT BUTTE
	10	19 52	10.09	37.16 N	117.40 W	6.5 F	2.4	MT. JACKSON
	11	0 30	34.00	37.16 N	117.40 W	5.3 F	2.0	MT. JACKSON
	11	18 0	19.54	38.33 N	115.91 W	5.0 D	4.0	TROY CANYON
	13	17 46	59.65	37.35 N	116.49 W	7.0 D	2.9	SILENT CANYON - NORTH
	15	17 57	57.98	36.74 N	116.28 W	7.7 F	2.3	LATHROP WELLS
	16	5 25	28.91	36.77 N	116.25 W	3.7 F	2.1	LATHROP WELLS
	17	1 46	51.74	36.78 N	116.25 W	0.6 F	1.7	LATHROP WELLS
	17	3 26	34.73	36.78 N	116.25 W	2.1 F	1.9	LATHROP WELLS
	17	9 4	40.81	36.73 N	116.26 W	1.0 F	1.6	LATHROP WELLS
	18	15 1	20.05	37.36 N	117.15 W	1.3 F	2.3	MT. JACKSON
	18	17 0	0.34	36.98 N	116.18 W	1.5 F	2.8	LATHROP WELLS
	19	4 48	27.57	36.77 N	115.39 W	2.0 F	2.4	HAYFORD PEAK
	21	4 51	35.16	37.02 N	116.13 W	4.1 F	2.0	SILENT CANYON - YUCCA FLAT
	22	5 33	42.41	36.85 N	117.47 W	5.6 F	2.3	TIN MOUNTAIN
	22	9 22	38.47	37.39 N	115.62 W	0.0 F	2.0	GRUON LAKE

90153 1766

LOCAL HYPOCENTER SUMMARY

	22	18 31	43.89	36.75 N	116.26 W	4.3 F	1.7	LATHROP WELLS
	23	15 17	31.08	37.12 N	117.05 W	5.0 D	1.7	MT. JACKSON
	24	1 11	48.93	37.58 N	116.46 W	9.1 F	2.0	QUANTZITE MOUNTAIN
	25	15 46	4.73	36.48 N	115.69 W	9.6 F	2.2	CHARLESTON PEAK
	26	7 15	10.96	36.62 N	116.25 W	5.0 D	1.3	LATHROP WELLS
	27	13 44	32.96	36.84 N	116.19 W	5.8 F	1.4	LATHROP WELLS
	27	20 43	20.55	36.87 N	116.20 W	5.0 D	2.2	LATHROP WELLS
	27	21 50	4.71	36.74 N	116.17 W	8.3 F	1.4	LATHROP WELLS
	27	23 50	28.76	37.15 N	116.94 W	4.2 F	2.1	THIRSTY CANYON
	28	2 42	9.32	36.97 N	115.90 W	4.4 F	2.3	MERCURY
	28	23 49	3.18	36.10 N	117.70 W	1.0 F	2.8	DAKWIN
	29	7 9	42.94	37.32 N	117.00 W	2.6 F	2.6	MT. JACKSON
	29	22 17	50.15	36.73 N	115.80 W	4.2 F	2.4	MERCURY
	30	0 1	1.84	36.62 N	116.19 W	5.0 D	1.3	LATHROP WELLS
	30	6 29	38.06	36.62 N	115.73 W	5.0 D	1.8	MERCURY
	30	12 6	58.85	36.61 N	116.32 W	7.6 F	1.8	LATHROP WELLS
JUL	03	10 31	51.98	37.15 N	116.59 W	4.6 F	2.7	THIRSTY CANYON
	04	0 4	46.34	37.33 N	116.30 W	2.4 F	2.8	SILENT CANYON - NORTH
	04	5 2	29.31	37.15 N	116.95 W	9.5 F	2.9	THIRSTY CANYON
	04	5 31	55.57	37.17 N	116.74 W	29.2 F	1.6	THIRSTY CANYON
	04	5 53	24.22	37.15 N	116.94 W	4.3 F	1.6	THIRSTY CANYON
	04	11 25	37.39	37.17 N	116.94 W	6.4 F	2.6	THIRSTY CANYON
	05	16 10	44.28	36.61 N	115.76 W	0.0 F	2.1	MERCURY
	09	17 36	13.98	36.12 N	115.42 W	0.1 F	2.9	LAS VEGAS
	12	2 42	31.21	37.15 N	116.94 W	5.0 D	2.2	THIRSTY CANYON
	14	15 47	36.09	37.16 N	117.41 W	2.3 F	2.7	MT. JACKSON
	14	17 6	49.41	37.16 N	117.40 W	4.2 F	2.6	MT. JACKSON
	15	1 41	4.21	36.53 N	116.61 W	14.6 F	3.0	CHLORIDE CLIFF
	15	2 23	31.11	36.52 N	116.60 W	2.1 F	2.6	CHLORIDE CLIFF
	15	4 37	16.00	36.53 N	116.61 W	11.2 F	2.7	CHLORIDE CLIFF
	15	5 12	31.01	36.54 N	116.61 W	8.3 F	1.9	CHLORIDE CLIFF
	16	15 11	34.17	37.40 N	117.70 W	8.4 F	2.2	MAGNUDER MOUNTAIN
	16	15 15	3.94	37.08 N	116.03 W	0.5 F	3.4	SILENT CANYON - YUCCA FLAT
	18	21 22	7.84	35.79 N	117.93 W	4.8 F	2.9	LITTLE LAKE

90153 1767

LOCAL HYPOCENTER SUMMARY

	21	15 36	30.05	36.72 N	116.06 W	1.6 F	2.0	LATHRUP WELLS
	22	2 31	20.01	37.23 N	115.86 W	2.3 F	1.5	GRUON LAKE
	22	4 7	59.79	37.19 N	116.49 W	3.2 F	2.0	THIRSTY CANYON
	24	12 2	27.66	37.35 N	117.70 W	1.9 F	3.5	MAGNUDEK MOUNTAIN
	24	20 47	58.77	36.71 N	116.07 W	0.2 F	2.0	LATHRUP WELLS
	27	10 45	30.89	36.71 N	115.85 W	0.7 F	1.6	MERCURY
	27	20 20	31.86	36.43 N	115.53 W	1.6 F	2.4	CHARLESTON PEAK
	28	0 3	55.71	37.67 N	116.29 W	14.0 F	1.8	QUARTZITE MOUNTAIN
	28	7 49	9.62	36.64 N	115.95 W	8.3 F	1.6	MERCURY
AUG	01	4 26	40.52	36.71 N	116.28 W	6.7 F	1.8	LATHRUP WELLS
	02	12 37	35.01	37.08 N	115.90 W	2.3 F	1.7	GRUON LAKE
	02	21 52	1.63	37.22 N	117.32 W	0.3 F	2.1	MT. JACKSON
	05	16 56	10.62	35.32 N	116.61 W	6.1 F	3.4	
	06	11 25	30.81	36.83 N	116.18 W	4.5 F	1.9	LATHRUP WELLS
	06	18 57	48.10	36.63 N	116.26 W	2.1 F	2.5	LATHRUP WELLS
	07	9 39	48.09	37.16 N	116.32 W	0.0 F	2.2	SILENT CANYON - PAHUTE MESA
	07	18 57	51.65	36.86 N	116.35 W	5.0 D	2.0	LATHRUP WELLS
	16	0 16	8.74	36.71 N	116.32 W	1.9 F	1.3	LATHRUP WELLS
	16	11 24	8.60	36.50 N	116.30 W	1.5 F	2.2	LATHRUP WELLS
	23	2 9	17.04	37.16 N	116.94 W	5.9 F	2.7	THIRSTY CANYON
	25	18 43	30.29	38.62 N	117.11 W	6.1 F	3.1	
	26	4 10	21.17	36.72 N	117.33 W	1.8 F	0.7	TIN MOUNTAIN
	26	5 18	34.83	36.69 N	116.05 W	1.6 F	1.9	LATHRUP WELLS
	26	14 10	5.30	36.37 N	117.61 W	22.9 F	2.3	DAKWIN
	26	16 37	39.56	36.67 N	116.24 W	7.7 F	2.1	LATHRUP WELLS
	27	9 30	18.19	37.25 N	115.93 W	6.6 F	0.4	GRUON LAKE
SEP	01	0 3	18.73	37.65 N	115.65 W	5.0 D	2.3	WORNINGTON PEAK
	01	16 19	36.38	37.42 N	117.33 W	4.8 F	2.3	MT. JACKSON
	07	3 51	51.93	37.34 N	115.02 W	1.8 F	2.2	ALAND
	09	18 46	11.78	38.72 N	117.07 W	5.0 D	3.0	
	12	1 1	55.34	36.77 N	116.28 W	36.2 F	1.3	LATHRUP WELLS
	12	21 23	35.32	35.99 N	116.75 W	13.3 F	3.7	CONFIDENCE HILLS

90153 1768

90153000 1768

LOCAL HYPOCENTER SUMMARY - NORTHWESTERN CALIFORNIA

SEP	TIME	LONG	LAT	DEPTH	MAG	TYPE	SL	LOCATION
15	4 56 47.55	116.38 W	37.01 N	5.1 F	1.7			SILENT CANYON - PANUTE MESA
15	6 17 46.60	116.38 W	37.02 N	6.0 F	1.7			SILENT CANYON - PANUTE MESA
15	6 48 49.54	116.38 W	37.01 N	6.8 F	1.8			SILENT CANYON - PANUTE MESA
15	7 52 46.50	116.38 W	37.01 N	4.8 F	1.6			SILENT CANYON - PANUTE MESA
16	4 15 55.10	116.39 W	37.01 N	5.8 F	1.9			SILENT CANYON - PANUTE MESA
16	11 0 23.41	116.39 W	37.01 N	7.4 F	1.7			SILENT CANYON - PANUTE MESA
21	4 59 24.88	116.38 W	37.01 N	6.5 F	2.0			SILENT CANYON - PANUTE MESA
21	5 16 17.78	116.38 W	37.01 N	4.3 F	1.2			SILENT CANYON - PANUTE MESA
23	9 35 40.43	117.00 W	37.11 N	6.6 F	1.9			MT. JACKSON
24	2 24 42.72	116.91 W	37.22 N	20.3 F	1.5			THINNEY CANYON
24	2 35 55.04	116.98 W	37.20 N	3.0 F	4.3			THINNEY CANYON
25	17 59 43.61	116.92 W	37.49 N	6.0 F	2.3			STARRING SPRING
26	10 46 53.16	115.85 W	36.71 N	0.1 F	1.7			MERCURY
26	17 32 35.85	117.41 W	37.69 N	5.0 D	2.6			GOLDFIELD
26	17 48 31.15	117.40 W	37.71 N	5.0 D	2.5			GOLDFIELD
28	18 16 59.96	117.39 W	37.70 N	6.2 F	2.3			GOLDFIELD

90153 1769

BEST AVAILABLE COPY

90153 1769

LOCAL HYPOCENTER SUMMARY

DATE	TIME	DEPTH	LAT	LON	MAG	TYPE	SL	STATION
OCT 05	20 17	30.65	37.13 N	116.21 W	4.7	F	2.2	SILENT CANYON - YUCCA FLAT
05	20 42	6.60	37.15 N	116.21 W	5.8	F	0.9	SILENT CANYON - YUCCA FLAT
05	21 12	4.17	37.14 N	116.22 W	4.7	F	1.6 1.0	SILENT CANYON - YUCCA FLAT
05	21 31	19.90	37.14 N	116.22 W	5.3	F	0.9	SILENT CANYON - YUCCA FLAT
06	1 24	4.95	37.17 N	117.36 W	3.4	F	1.7	MT. JACKSON
06	21 24	0.28	36.65 N	115.22 W	5.0	D	2.3	HAYFORD PEAK
07	2 28	15.90	37.13 N	117.34 W	5.8	F	1.2	MT. JACKSON
07	12 54	2.91	37.10 N	116.16 W	4.6	F	1.1	SILENT CANYON - YUCCA FLAT
08	12 19	27.23	38.01 N	113.22 W	5.0	D	3.0	
09	2 27	30.33	36.79 N	115.98 W	11.0	F	1.2	MERCURY
09	3 26	59.95	36.16 N	114.99 W	12.0	F	2.1	MOUVER DAM
09	15 11	58.91	37.34 N	114.73 W	9.9	F	1.9	DELAMAR MOUNTAINS
10	12 21	55.91	37.13 N	117.46 W	9.4	F	1.2	MT. JACKSON
13	14 47	53.53	37.06 N	116.95 W	7.7	F	3.8	THIRSTY CANYON
13	14 51	57.92	37.06 N	116.95 W	4.8	F	2.1	THIRSTY CANYON
13	14 56	14.17	37.06 N	116.95 W	1.2	F	2.1	THIRSTY CANYON
13	15 8	16.46	37.06 N	116.95 W	4.2	F	2.1	THIRSTY CANYON
13	19 51	12.36	37.06 N	116.95 W	6.5	F	3.5	THIRSTY CANYON
14	2 33	11.83	37.06 N	116.94 W	4.6	F	1.5	THIRSTY CANYON
14	3 11	42.08	37.06 N	116.95 W	0.5	F	2.1	THIRSTY CANYON
14	4 31	59.02	37.06 N	116.95 W	5.3	F	2.6	THIRSTY CANYON
14	6 45	46.49	37.06 N	116.95 W	5.6	F	3.4	THIRSTY CANYON
14	9 15	15.95	37.07 N	116.95 W	5.6	F	3.4	THIRSTY CANYON
14	12 28	46.07	37.06 N	116.96 W	6.6	F	2.3	THIRSTY CANYON
14	15 51	33.80	37.07 N	116.95 W	4.3	F	2.1	THIRSTY CANYON
14	22 23	10.30	37.05 N	116.96 W	5.6	F	2.4	THIRSTY CANYON
15	2 23	49.33	37.06 N	116.95 W	7.3	F	2.6	THIRSTY CANYON
15	4 21	9.43	37.06 N	116.96 W	7.9	F	4.0	THIRSTY CANYON
15	7 19	5.14	37.06 N	116.96 W	8.5	F	2.0	THIRSTY CANYON
15	7 22	50.19	37.07 N	116.95 W	7.9	F	2.1	THIRSTY CANYON
15	18 43	12.67	37.06 N	116.96 W	5.1	F	2.3	THIRSTY CANYON
15	22 56	13.87	38.10 N	117.18 W	5.0	D		TONUPAH
16	5 9	13.56	37.05 N	116.95 W	5.2	F	2.0	THIRSTY CANYON
16	1 47	42.43	37.07 N	116.96 W	0.8	F	2.1	THIRSTY CANYON
16	2 33	40.95	36.53 N	115.82 W	9.4	F	1.3	MERCURY

90153 1770

90153 1770

LOCAL HYPOCENTER SUMMARY

THAMMUS WILSON 1978

UCT	13	37	38.39	38.24 N	116.54 W	1.8 F	3.2	BLACK BUTTE
	17	1	1.48	37.05 N	116.95 W	7.3 F	1.9	THINSTY CANYON
	17	17	59 50.46	36.44 N	116.94 W	8.0 F	2.4	FURNACE CREEK
	17	21	16 4.15	36.44 N	116.95 W	12.7 F	2.1	FURNACE CREEK
	18	0	51 33.21	37.07 N	116.96 W	7.6 F	1.9	THINSTY CANYON
	19	0	18 9.48	36.62 N	116.25 W	5.1 F	1.5	LATHROP WELLS
	19	1	43 47.73	37.06 N	116.95 W	7.8 F	1.8	THINSTY CANYON
	19	18	34 48.34	37.29 N	116.32 W	5.3 F	1.5	SILENT CANYON - NORTH
	19	23	30 44.56	36.94 N	116.09 W	0.2 F	0.5	LATHROP WELLS
	20	5	3 6.05	38.54 N	116.69 W	0.5 F	3.2	
	20	5	12 44.71	37.04 N	115.17 W	0.2 F	3.5	ALAMO
	20	9	28 53.03	37.03 N	115.17 W	5.5 F	2.3	ALAMO
	22	19	10 4.05	37.06 N	116.95 W	4.9 F	2.1	THINSTY CANYON
	22	23	35 29.41	35.43 N	116.19 W	5.4 F	3.6	
	23	6	16 45.15	37.71 N	115.15 W	5.2 F	1.9	MIKU
	24	1	45 14.20	37.07 N	116.95 W	7.4 F	2.0	THINSTY CANYON
	24	16	29 10.77	37.83 N	115.53 W	0.2 F	2.2	NORTHINGTON PEAK
	24	16	56 14.78	36.72 N	116.29 W	9.4 F	1.0	LATHROP WELLS
	24	21	34 46.13	37.06 N	116.95 W	5.6 F	3.4	THINSTY CANYON
	25	22	18 30.61	37.00 N	117.50 W	7.0 F	1.6	MAGNUDEH MOUNTAIN
	26	1	25 8.32	36.75 N	116.19 W	0.4 F	1.1	LATHROP WELLS
	26	4	59 28.60	36.76 N	116.24 W	4.2 F	1.0	LATHROP WELLS
	26	15	18 14.87	37.73 N	116.63 W	5.0 D	0.6	STINKING SPRING
	26	15	23 26.46	37.67 N	115.63 W	1.1 F	0.8	NORTHINGTON PEAK
	27	0	24 14.17	37.07 N	116.95 W	7.7 F	2.2	THINSTY CANYON
	27	0	26 24.57	36.60 N	115.61 W	32.5 F	1.9	MERCURY
	27	0	27 12.80	36.79 N	115.32 W	9.6 F	2.0	MAYFORD PEAK
	27	0	27 48.66	37.29 N	115.85 W	5.0 D	1.9	GRUON LAKE
	27	3	16 8.22	36.18 N	117.63 W	2.9 F	2.6	DANA IN
	27	6	40 55.86	36.96 N	117.15 W	5.0 D		116 MOUNTAIN
	27	15	20 14.17	37.52 N	116.54 W	5.0 D	0.7	STINKING SPRING

30153 1771

30153 1771

LOCAL HYPOCENTER SUMMARY

	28	5 9	56.41	37.00 N	116.19 W	0.1 F	1.2	SILENT CANYON - YUCCA FLAT
	28	15 4	46.04	37.96 N	117.09 W	14.0 F	0.7	GRUPFIELD
	29	1 47	41.92	36.86 N	116.18 W	0.2 F	1.3	LATHRUP WELLS
	29	13 50	59.97	36.59 N	116.21 W	1.6 F	1.2	LATHRUP WELLS
	29	17 44	33.75	38.01 N	115.18 W	9.9 F	2.1	LIPOLK MOUNTAIN
	30	6 42	59.82	37.08 N	116.22 W	7.1 F	2.0	SILENT CANYON - YUCCA FLAT
	30	12 27	55.98	37.25 N	117.59 W	8.0 F	2.2	MALHUEDEN MOUNTAIN
	30	19 42	24.39	37.75 N	115.35 W	5.0 D	1.9	MIRU
	30	20 15	47.91	37.52 N	115.25 W	3.0 F	1.4	MIRU
NCV	02	5 56	30.40	35.93 N	117.04 W	15.8 F	3.0	SEAWLES LAKE
	05	1 39	42.22	36.03 N	117.70 W	6.0 F	2.7	DANAIN
	05	4 42	49.53	37.15 N	115.07 W	5.8 F	1.8	ALAMI
	06	1 14	2.18	37.03 N	114.89 W	6.0 F	2.2	DELAWARE MOUNTAINS
	06	6 52	30.23	37.50 N	116.04 W	5.3 F	2.0	SILVER PEAR
	06	21 12	24.41	37.12 N	117.34 W	8.9 F	1.6	MT. JACKSON
	07	13 26	13.58	36.37 N	117.92 W	0.4 F	2.6	DANAIN
	08	4 9	42.75	36.33 N	115.97 W	5.3 F	2.2	CHARLESTON PEAR
	08	14 42	2.62	37.06 N	116.45 W	4.3 F	2.4	THIRSTY CANYON
	09	0 24	55.06	37.03 N	116.21 W	4.6 F	2.0	SILENT CANYON - YUCCA FLAT
	09	3 34	37.33	37.11 N	117.07 W	9.4 F	2.1	MT. JACKSON
	09	15 48	16.57	36.53 N	117.47 W	0.1 F	3.3	DRY MOUNTAIN
	10	15 45	38.99	37.27 N	115.02 W	5.1 F	2.5	ALAMO
	10	23 42	19.57	37.07 N	116.95 W	4.6 F	2.1	THIRSTY CANYON
	11	1 34	19.40	37.07 N	116.95 W	7.7 F	1.8	THIRSTY CANYON
	11	6 49	13.72	37.04 N	116.17 W	1.8 F	1.1	SILENT CANYON - YUCCA FLAT
	11	21 29	55.46	37.28 N	116.02 W	4.0 F	1.4	SILENT CANYON - NORTH
	12	15 23	2.60	37.42 N	117.33 W	0.3 F	2.3	MT. JACKSON
	12	21 24	10.36	37.08 N	116.06 W	4.3 F	2.5	SILENT CANYON - YUCCA FLAT
	13	0 47	53.44	36.81 N	117.48 W	7.9 F	1.5	TIA MOUNTAIN

30153 1772

30153 1772

LOCAL HYPOCENTER SUMMARY

NOV	13	21 16 42.57	37.21 N	114.78 W	9.5 F	2.3	DELAMAR MOUNTAINS
	14	5 45 52.69	36.62 N	116.41 W	3.8 F	1.9	LATHRUP WELLS
	14	12 13 30.62	36.61 N	116.40 W	7.2 F	1.9	LATHRUP WELLS
	14	14 17 6.44	37.71 N	115.15 W	4.6 F	1.3	MIRU
	14	20 17 46.49	37.51 N	114.53 W	8.3 F	2.5	HIGHLAND PEAK
	14	20 24 4.20	37.53 N	114.47 W	8.4 F	2.1	
	15	4 33 55.06	37.56 N	115.20 W	10.7 F	1.0	MIRU
	15	14 30 19.96	37.06 N	116.96 W	4.4 F	2.1	THIRSTY CANYON
	16	8 4 26.73	37.51 N	114.57 W	5.7 F	2.0	HIGHLAND PEAK
	17	3 18 8.14	37.52 N	114.61 W	9.1 F	1.6	HIGHLAND PEAK
	18	0 45 15.71	37.20 N	114.76 W	9.3 F	1.9	DELAMAR MOUNTAINS
	18	18 39 43.66	37.24 N	115.41 W	9.2 F	1.7	ALAMO
	19	10 10 43.89	37.31 N	115.08 W	5.3 F	3.7	ALAMO
	19	19 56 31.33	36.66 N	116.60 W	14.3 F	2.1	CHLORIDE CLIFF
	19	21 40 53.48	37.05 N	116.95 W	2.6 F	3.8	THIRSTY CANYON
	19	21 44 20.42	37.06 N	116.95 W	6.7 F	2.4	THIRSTY CANYON
	19	21 56 52.48	37.06 N	116.95 W	9.3	2.1	THIRSTY CANYON
	19	22 1 54.59	37.06 N	116.96 W	5.8 F	2.5	THIRSTY CANYON
	19	23 1 42.55	37.06 N	116.96 W	6.0 F	1.9	THIRSTY CANYON
	20	1 31 45.35	36.53 N	115.82 W	8.7 F	1.7	MERCURY
	20	4 10 51.45	36.26 N	115.42 W	9.1 F	1.4	LAS VEGAS
	20	4 20 54.67	37.67 N	115.05 W	1.1 F	1.6	MIRU
	20	6 42 16.94	37.85 N	114.54 W	7.5 F	2.4	HIGHLAND PEAK
	20	9 6 3.87	37.06 N	116.96 W	4.5 F	1.4	THIRSTY CANYON

90153 1773

90153 1773

LOCAL HYPOCENTER SUMMARY

21	1 59 56.81	36.84 N	117.82 W	10.3 F	1.7	PANAMINT BUTTE
21	4 44 19.77	37.06 N	116.96 W	2.0 F	1.9	THIRSTY CANYON
21	10 44 19.81	37.07 N	116.95 W	0.1 F	2.1	THIRSTY CANYON
21	22 29 16.74	37.54 N	114.86 W	1.7 F	2.3	HIGHLAND PEAK
21	23 54 49.92	37.06 N	116.95 W	5.7 F	2.2	THIRSTY CANYON
22	12 50 12.24	37.15 N	117.52 W	1.6 F	1.4	HAGLUDEK MOUNTAIN
22	18 27 10.41	37.24 N	115.49 W	12.8 F	1.9	ALAMU
22	22 23 48.73	36.67 N	116.33 W	2.6 F	1.4	LATHRUP WELLS
22	22 51 26.20	37.33 N	115.91 W	4.6 F	1.4	GRUUM LAKE
23	1 0 26.77	37.06 N	116.95 W	0.1 F	2.1	THIRSTY CANYON
23	3 18 48.94	37.66 N	116.96 W	2.4 F	2.1	THIRSTY CANYON
23	4 35 57.67	36.81 N	117.78 W	4.9 F	2.0	DRY MOUNTAIN
23	6 14 42.11	37.38 N	115.54 W	0.5 F	2.4	GRUUM LAKE
23	6 28 13.18	37.32 N	115.54 W	1.0 F	1.7	GRUUM LAKE
23	9 5 10.24	36.66 N	117.01 W	4.6 F	2.3	DRY MOUNTAIN
23	18 26 4.10	37.01 N	116.36 W	4.3 F	1.4	SILENT CANYON - MANUTE MESA
23	19 10 13.53	37.07 N	116.95 W	0.4 F	1.9	THIRSTY CANYON
23	23 24 51.18	37.24 N	115.01 W	2.6 F	2.6	ALAMU
24	12 14 50.20	37.84 N	114.55 W	4.0 F	2.7	HIGHLAND PEAK
24	20 44 29.95	37.06 N	116.95 W	4.4 F	1.9	THIRSTY CANYON
25	4 2 49.56	37.06 N	116.95 W	4.7 F	2.4	THIRSTY CANYON
26	3 46 24.51	37.47 N	117.60 W	4.5 F	2.6	HAGLUDEK MOUNTAIN
28	1 15 39.64	37.66 N	114.90 W	1.9 F	1.9	HIGHLAND PEAK
29	10 11 20.54	36.78 N	116.12 W	12.0 F	1.4	LATHRUP WELLS
30	15 34 55.62	36.49 N	116.31 W	4.3 F	2.1	ASH MEADOWS
30	17 43 52.90	36.42 N	117.20 W	6.5 F	1.5	PANAMINT BUTTE
DEC 02	23 6 48.54	37.06 N	116.95 W	0.4 F	2.8	THIRSTY CANYON
03	3 36 49.88	37.07 N	116.95 W	0.2 F	2.5	THIRSTY CANYON
04	7 22 48.13	37.62 N	115.86 W	7.2 F	2.8	WONNINGTON PEAK
05	13 43 37.64	37.62 N	115.87 W	7.3 F	1.9	WONNINGTON PEAK
07	2 51 55.52	37.77 N	115.10 W	1.8 F	1.4	HIAU

90153 1774

BEST AVAILABLE COPY

LOCAL HYPOCENTER-SUMMARY:

07	20 50 53.22	37.03 N	116.23 W	5.0 D	1.6	SILENT CANYON - YUCCA FLAT
08	0 24 48.73	37.07 N	116.38 W	1.5 F	1.4	SILENT CANYON - PANUTE MESA
08	0 25 12.11	35.60 N	116.31 W	24.1 F	1.8	SHUSHUNE
08	12 34 56.00	37.64 N	115.07 W	1.9 F	1.7	MIRU
09	15 52 41.50	36.55 N	117.40 W	0.2 F	2.7	DRY MOUNTAIN
10	0 49 18.95	37.38 N	115.33 W	11.2 F	1.8	ALAMO
10	1 20 12.17	36.70 N	116.13 W	6.0 F	1.3	LATHROP WELLS
10	2 25 9.86	37.08 N	116.15 W	20.6 F	1.1	SILENT CANYON - YUCCA FLAT
10	23 30 53.17	37.06 N	116.96 W	4.7 F	2.4	THIRSTY CANYON
11	4 4 37.77	37.07 N	116.95 W	4.8 F	2.0	THIRSTY CANYON
11	16 54 36.76	36.79 N	116.94 W	5.0 D	1.4	CMGRIDE CLIFF
12	0 19 49.45	36.83 N	116.63 W	1.4 F	2.2	CMGRIDE CLIFF
13	1 20 6.77	38.40 N	117.92 W	11.0 F	4.3	PILOT PEAK
15	23 17 37.78	37.15 N	116.94 W	5.7 F	2.1	THIRSTY CANYON
17	6 19 24.02	37.38 N	115.32 W	16.2 F	2.0	ALAMO
19	14 13 36.37	36.76 N	116.28 W	0.8 F	1.8	LATHROP WELLS
19	18 21 50.40	37.32 N	115.45 W	19.4 F	1.4	ALAMO
19	20 46 33.22	37.28 N	116.44 W	5.1 F	2.2	SILENT CANYON - NORTH
20	19 3 59.24	36.72 N	115.70 W	7.4 F	2.3	MERCURY
21	7 14 17.46	37.18 N	117.39 W	9.0 F	2.1	MT. JACKSON
22	16 44 56.49	37.25 N	115.03 W	1.4 F	3.5	ALAMO
22	19 11 59.37	36.74 N	115.69 W	5.5 F	1.7	MERCURY
23	0 32 19.09	36.73 N	115.69 W	7.2 F	2.2	MERCURY
23	1 0 31.55	37.34 N	115.48 W	6.5 F	1.9	ALAMO
23	7 14 19.76	37.23 N	116.36 W	0.2 F	2.4	SILENT CANYON - NORTH
23	22 0 42.47	36.72 N	115.70 W	7.1 F	1.7	MERCURY
25	9 44 40.50	36.72 N	116.02 W	4.1 F	1.6	LATHROP WELLS
25	15 22 22.28	36.71 N	115.70 W	8.9 F	1.8	MERCURY
26	5 42 55.37	37.18 N	117.38 W	6.1 F	2.2	MT. JACKSON
26	6 0 10.27	37.90 N	117.51 W	5.1 F	2.8	SILVEN PEAR
26	17 29 44.36	36.72 N	115.71 W	8.6 F	2.9	MERCURY
28	11 57 18.59	36.53 N	116.13 W	5.3 F	2.1	LATHROP WELLS
28	22 45 42.46	37.22 N	114.93 W	5.3 F	4.0	DELANAR MOUNTAINS
29	0 41 25.03	37.19 N	114.88 W	5.5 F	3.2	DELANAR MOUNTAINS

20153 1775

LOCAL HYPOCENTER SUMMARY

29	9 16 13.40	37.19 N	114.88 W	8.8 F	2.8	DELANAR MOUNTAINS
29	10 02 52.95	37.19 N	114.92 W	2.1 F	2.5	DELANAR MOUNTAINS
30	0 5 12.82	37.19 N	114.90 W	5.0 F	3.7	DELANAR MOUNTAINS
30	9 56 29.48	37.21 N	114.91 W	11.1 F	2.4	DELANAR MOUNTAINS
30	10 06 55.06	37.17 N	114.86 W	9.8 F	2.3	DELANAR MOUNTAINS
30	16 9 12.94	37.20 N	114.93 W	5.4 F	2.9	DELANAR MOUNTAINS
30	16 40 0.19	37.38 N	115.23 W	8.6 F	2.1	ALAMO
31	3 10 33.51	37.26 N	115.02 W	5.6 F	2.7	ALAMO
31	13 10 23.79	35.99 N	117.27 W	6.3 F	2.4	SEARLES LAKE

70153 1776

1981 885 LOCAL-EVENT DATA REPORT

JAN 1981 STA PHASE TIME (UTC) AMP PER (MU) (SEC) PHAS DUR PHAS DIST (KM) AZI (DEG) AZI (DEG) TDMS (SEC) TCAL (SEC) RES (SEC) REMARKS

.....

JAN M = 6 3 57.38 UTC NMS = 0.07 NU = 7 PHIE DEPTH SOLUTION
 03 LAT = 36.785 N LHX = 0.5 ENH = 0.8 AVFM = 2.0 U = C
 LONG = 115.562 W ERT = 0.7 GAP = 218 AVSR = 0.5 = B
 DEPTH = 2.37 KM ERZ = 3.7 NM = MLNCUNT
 UD = D

.....

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	PHAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AZI (DEG)	TDMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
03	SPRG	EPD	6	2.42	19	1.8	27.5	267	74	5.04	5.05	0.01		
	ISD		6	5.91						0.53	0.59	-0.07		
03	SHRB	EPD	6	3.73	20	1.9	38.2	126	74	0.35	0.09	0.05		
03	NCY	EPD8	6	4.06	17	2.4	41.4	203	74	0.00	7.33	-0.57		
03	APK	EPD	6	4.91	18	1.8	43.3	189	74	7.53	7.92	-0.13		
	ISD		6	10.31						13.13	13.09	0.04		
03	EPR	EPD8	6	9.22	16	1.7	50.6	29	74	11.00	10.34	1.72		
03	JUN	EPD	6	7.95	17	1.8	61.3	241	74	10.57	10.49	0.07		
03	LUP	EPD8	6	8.52	22	2.0	61.6	206	74	11.10	10.70	0.91		
03	LSM	EPD8	6	7.65	24	2.1	69.0	273	74	10.27	11.70	-1.50		
03	GMR	EPD8	6	19.50	20	2.0	73.0	341	74	22.12	12.65	9.50		
03	SDH	EPD	6	10.16	18	1.8	75.0	265	74	12.70	12.70	0.07		
03	PRN	EPD8	6	14.50	20	2.0	87.7	27	74	17.12	14.09	2.10		
	ESD8		6	17.70						20.34	25.67	-5.35		
03	HTI	EPD8	6	17.50	20	2.1	109.7	11	74	20.12	10.49	1.00		
	ESD8		6	21.90						24.52	31.57	-7.05		
03	NPN	EPD8	6	18.95	20	2.1	116.5	26	74	21.17	19.62	1.34		
03	DLM	EPD8	6	19.30	20	2.2	120.0	30	74	21.92	20.33	1.34		

.....

30153 1778

30153 1778

1981 SGB LOCAL-EVENT DATA REPORT

JAN 1981 STA PHASE TIME (UTC) AMP PER (MU) (SEC) XMAG DUR FMAG U181 (MM) A21 (ULG)(DEG) ATN (SEC) T088 (SEC) TCAL (SEC) RES (SEC) REMARKS

JAN M = 16 19 36.22 UTC NMS = 0.11 NO = 27 FREE DEPTH SOLUTION
 03 LAT = 37.816 N ENX = 0.2 ENM = 0.3 AVFM = 3.9 U = B US = A MIKO
 LONG = 115.298 W ERY = 0.3 GAP = 124 AVXM = U = C
 DEPTH = 2.10 KM ERZ = 1.1 NM =

03	MI	IPU	16 19 39.20	199	3.7	15.0	173	95	5.00	3.10	-0.07
03	BNC	IPU	16 19 40.50	188	3.3	21.2	70	93	4.30	4.10	0.01
03	BNH	LPU	16 19 42.12	111	3.3	31.7	105	74	5.90	5.07	0.00
03	NPH	EPU	16 19 42.70	107	3.0	36.4	120	74	6.50	6.00	-0.25
03	TPU	IPU	16 19 42.97	177	3.0	39.1	233	74	6.75	7.10	-0.21
03	PRN	EPU	16 19 45.16	175	3.0	50.3	155	74	8.90	8.03	0.00
03	DLM	EPU	16 19 46.10	176	3.0	50.3	115	74	9.00	9.53	0.11
03	QCS	EPD	16 19 45.76	150	3.7	55.0	264	74	9.54	9.69	-0.11
03	GMR	EPD	16 19 47.71	175	3.9	60.1	210	74	11.49	11.75	-0.15
03	IPR	EPD	16 19 49.07	151	3.7	72.5	172	74	12.05	12.00	0.07
03	BLT	EPD	16 19 50.12	170	3.9	82.0	243	74	13.90	14.06	-0.02
03	RVE	EPD	16 19 50.01	130	3.6	82.1	204	74	14.19	14.17	0.02
03	GLR	EPD	16 19 52.14	160	3.9	93.7	223	74	15.92	15.00	0.12
03	KWA	EPD	16 19 52.00	175	4.0	95.9	265	74	16.50	16.35	0.16
03	EPH	EPD	16 19 55.66	190	4.1	112.9	230	74	19.44	19.10	0.21
03	GBG	EPD	16 19 56.20	164	4.0	119.5	220	74	19.90	20.14	-0.00
03	CTS	EPD	16 19 58.12	180	4.1	127.5	262	74	21.00	21.40	0.01
03	SSP	EPD	16 19 57.03	144	3.9	128.4	220	74	21.61	21.45	0.05
03	LOP	EPD	16 19 58.20	200	4.2	131.9	216	74	21.90	22.10	-0.00
03	SPRG	EPD	16 19 58.05	142	3.9	132.6	200	74	22.43	22.17	0.30
03	BMT	EPD	16 19 59.15	130	3.0	133.3	244	74	22.93	22.40	0.63
03	CDMS	IPD	16 20 0.34	97	3.6	139.6	221	74	24.32	23.26	1.16
03	CDM1	IPD	16 20 0.71	99	3.6	139.6	221	74	24.49	23.33	1.27
03	MCY	EPD	16 20 0.02	180	4.1	181.2	205	74	23.00	23.57	0.32
03	SMRG	EPD	16 20 1.14	139	3.9	186.1	175	74	24.92	24.44	1.07
03	LSP	EPD	16 20 1.04	147	4.0	187.0	216	74	24.82	24.50	0.22
03	SUN	EPD	16 20 2.46	195	4.2	159.6	216	74	26.24	26.51	-0.23
03	BRD	EPD	16 20 3.37	150	4.1	166.1	225	49	27.15	27.30	-0.07
03	APK	IPD	16 20 4.99	135	4.0	168.0	189	49	28.77	27.98	1.06
03	JON	EPD	16 20 4.16	186	4.3	168.9	205	49	27.94	27.69	0.25
03	SGV	EPD	16 20 5.27	155	4.1	179.6	239	49	29.05	29.22	-0.00
03	GMH	EPD	16 20 7.01	130	4.0	182.0	252	49	30.79	29.76	1.18
03	MZP	EPD	16 20 7.20	103	3.0	184.4	264	49	30.90	30.02	1.20
03	FHT	IPD	16 20 8.31	150	4.1	185.5	225	49	30.89	29.85	0.40
03	NOP	EPD	16 20 8.12	142	4.3	202.3	202	49	31.90	32.00	0.00
03	GVN	EPD	16 20 8.26	130	4.1	202.6	240	49	32.04	32.01	-0.01
03	GVY	EPD	16 20 10.28	170	4.9	218.4	214	49	34.04	34.19	-0.05
03	SVP	EPD	16 20 11.04	130	4.1	221.0	267	49	34.84	34.70	-0.04
03	PPK	EPD	16 20 13.21	120	4.1	234.0	259	49	36.99	36.35	0.63

JAN M = 18 4 52.45 UTC NMS = 0.17 NO = 25 FREE DEPTH SOLUTION
 03 LAT = 36.697 N ENX = 0.3 ENM = 0.4 AVFM = 2.5 U = C US = C MERCURY
 LONG = 115.692 W ERY = 0.3 GAP = 73 AVXM = U = C
 DEPTH = 0.87 KM ERZ = 31.3 NM =

03	SPRG	IPU	18 4 54.52	42	2.4	18.5	260	40	2.07	2.26	-0.16
03	MCY	IPU	18 4 56.57	56	2.7	24.5	261	40	4.12	4.04	-0.43
03	CPX	IPU	18 4 59.01	29	2.2	41.5	309	30	7.36	7.40	-0.04
03	APK	IPD	18 5 0.11	31	2.3	43.2	164	30	7.60	8.00	-0.06
03	LUP	IPU	18 5 0.46	38	2.5	45.9	292	30	8.01	8.24	-0.15
03	JON	EPD	18 5 0.62	35	2.4	46.6	432	30	8.17	8.18	-0.02
03	LSP	IPU	18 5 1.50	51	2.7	52.2	275	30	9.05	9.14	-0.11
03	SMRG	EPD	18 5 1.21	26	2.1	52.5	114	30	8.76	9.31	0.05
03	SSP	EPD	18 5 1.90	29	2.2	53.4	290	30	9.45	9.50	0.00
03	SDH	EPD	18 5 2.46	30	2.3	58.1	264	30	10.01	10.00	-0.03
03	CDMS	EPD	18 5 2.70	33	2.4	58.7	268	30	10.25	10.19	0.16
03	CDM1	EPD	18 5 2.75	33	2.4	58.7	268	30	10.30	10.26	0.14
03	GBG	EPD	18 5 2.95	35	2.4	61.0	300	30	10.10	10.69	-0.51
03	GLR	EPD	18 5 3.15	37	2.5	62.9	332	30	10.70	10.95	-0.10
03	EPR	EPD	18 5 4.22	40	2.6	69.1	41	30	11.77	11.93	-0.13
03	GMR	EPD	18 5 8.40	39	2.6	71.1	354	30	11.95	12.31	-0.25

701531779

90153000/1779

1981 SGB LOCAL-EVENT DATA REPORT

JAN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUN	PMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TOWS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
03	EPN	EPD	18 5 6.20					39 2.6	80.4	316	30	13.75	13.97	-0.28	.
03	BAO	EPD	18 5 6.98					35 2.5	83.0	275	30	14.45	14.23	0.34	.
03	PHN	EPD	18 5 8.85					33 2.5	97.3	36	30	16.40	16.55	-0.27	.
03	FMT	EPD	18 5 9.20					33 2.5	97.4	266	30	16.75	16.67	0.53	.
03	TPU	EPD	18 5 10.00					30 2.4	100.9	2	30	18.35	17.22	1.27	.
03	MTI	EPD	18 5 12.20					31 2.5	114.9	19	30	19.75	19.43	0.35	.
03	OCB	EPD	18 5 13.18					35 2.6	120.5	350	30	20.73	20.42	0.35	.
03	SGV	EPD	18 5 13.99					34 2.6	123.7	485	30	21.54	20.47	0.76	.
03	NPN	EPD	18 5 14.10					20 2.4	125.5	32	30	21.65	21.17	0.27	.
03	PGE	EPD	18 5 14.20					30 2.5	129.8	253	30	21.75	21.70	0.19	.
03	DLM	EPD	18 5 15.40					20 2.5	131.7	40	30	22.45	22.19	0.51	.
03	DSM	EPD	18 5 15.70					24 2.4	133.2	232	30	23.25	22.23	0.94	.
03	NCA	EPD	18 5 19.30					26 2.5	142.1	468	30	24.85	23.60	3.10	.
03	SRG	EPD	18 5 19.25					30 2.4	142.7	23	30	24.80	23.97	0.61	.
03	GVN	EPD	18 5 19.31					33 2.7	151.2	483	30	25.86	25.18	0.62	.
03	GNN	EPD	18 5 18.58					28 2.6	154.8	496	30	26.13	26.00	0.24	.

JAN M = 7 2 40.67 UTC RMS = 0.19 NU = 10 FREE DEPTH SOLUTION
 00 LAT = 37.806 N ERZ = 0.5 ERN = 1.0 AVFM = 2.7 U = C W = C HIND
 LONG = 115.256 W ERZ = 0.8 GAP = 157 AVFM = U = C W = C
 DEPTH = 0.84 KM ERZ = 20.1 NM =

04	MTI	EPD	7 2 43.15					60 2.7	14.5	186	40	2.48	3.00	-0.48	.
04	SHC	EPD	7 2 44.50					56 2.7	18.5	63	40	3.83	3.71	-0.09	.
04	NPN	EPD	7 2 47.10					50 2.6	32.9	121	34	6.43	6.12	0.10	.
04	TPU	EPD	7 2 48.05					46 2.6	41.3	2.7	30	6.18	7.54	-1.22	.
04	PHN	EPD	7 2 49.50					52 2.7	47.9	150	30	8.83	8.53	0.19	.
04	DLM	EPD	7 2 50.10					35 2.4	50.7	117	30	9.43	9.04	0.15	.
04	OCB	EPD	7 2 56.61					24 2.1	58.3	266	30	15.94	10.31	5.46	.
04	GMR	EPD	7 2 51.90					40 2.6	69.5	421	30	11.23	12.05	-0.72	.
04	BLT	EPD	7 2 54.35					56 2.9	84.6	445	30	13.68	14.56	-0.75	.
04	GLR	EPD	7 2 56.55					35 2.6	95.3	225	30	15.88	16.22	-0.27	.
04	KRNA	EPD	7 2 57.81					37 2.6	99.2	266	30	17.14	16.97	0.10	.
04	EPN	EPD	7 3 0.01					50 2.9	115.1	255	30	19.34	19.62	-0.33	.
04	CPX	EPD	7 3 1.83					48 2.9	120.3	416	30	21.16	20.26	0.94	.
04	BGR	EPD	7 3 1.55					40 2.8	121.2	225	30	20.88	20.49	0.47	.
04	SPRG	EPD	7 3 3.62					50 3.0	132.9	202	30	22.95	22.29	0.69	.
04	LUP	EPD	7 3 3.78					44 2.9	133.1	417	30	23.11	22.42	0.78	.
04	SCV	EPD	7 3 10.54					50 3.2	182.0	440	29	29.69	29.69	0.30	.

JAN M = 11 30 52.29 UTC RMS = 0.19 NU = 10 FREE DEPTH SOLUTION
 00 LAT = 37.818 N ERZ = 0.7 ERN = 1.3 AVFM = 2.8 U = D W = C HIND
 LONG = 115.294 W ERZ = 1.2 GAP = 187 AVFM = U = D W = D
 DEPTH = 0.85 KM ERZ = 30.5 NM =

04	MTI	EPD	11 30 55.40					30 2.1	15.0	173	40	3.11	3.38	-0.24	.
04	SHC	EPD	11 30 56.70					30 2.2	21.1	70	40	4.41	4.58	-0.11	.
04	NPN	EPD	11 30 59.30					30 2.2	36.4	120	34	7.01	6.86	-0.06	.
04	TPU	EPD	11 30 59.40					30 2.2	39.3	233	30	7.11	7.38	-0.13	.
04	PHN	EPD	11 31 1.00					30 2.3	50.4	155	30	9.51	9.10	0.29	.
04	DLM	EPD	11 31 2.40					31 2.3	54.3	116	30	10.11	9.78	0.08	.
04	GMR	EPD	11 31 4.30					29 2.3	68.3	418	30	12.01	12.03	0.00	.
04	BLT	EPD	11 31 6.81					30 2.4	82.1	443	30	14.52	14.31	0.33	.
04	GLR	EPD	11 31 9.80					33 2.5	93.9	223	30	17.51	16.16	1.42	.
04	KRNA	EPD	11 31 9.00					27 2.3	96.0	265	30	7.71	16.61	-8.96	.
04	EPN	EPD	11 31 12.48					43 2.8	113.1	234	30	20.19	19.46	0.67	.
04	BGR	EPD	11 31 12.20					35 2.6	114.7	224	30	19.91	20.42	-0.43	.
04	SSP	EPD	11 31 14.92					30 2.5	126.6	220	30	22.63	21.93	0.78	.
04	LOP	EPD	11 31 16.03					30 2.5	132.1	216	30	23.74	22.42	1.34	.
04	MCY	EPD	11 31 16.21					38 2.8	141.4	205	30	23.92	23.85	0.15	.

70153 1780

70153000/1780

1981 300 LOCAL-EVENT DATA REPORT

JAN STA PHASE TIME AMP PER XMAG DUW FMAG DIST AZI AIN TONS TCAL MES REMARKS
 1981 (UTC) (MU) (SEC) (AM) (UEG)(UEG) (SLC) (SEC) (SEC)

JAN M = 0 30 1.70 UTC RMS = 0.09 NU = 19 FREE DEPTH SOLUTION
 05 LAT = 36.447 N ENH = 0.2 ENH = 0.3 AVFM = 3.1 W = B FURNACE CREEK
 LONG = 116.516 W ERY = 0.2 GAP = 112 AVXM = W3 = B
 DEPTH = 0.24 KM ERZ = 4.9 NM = W0 = B

05	AMR	IPU	0 34 3.34	82	3.0	6.7	146	40	1.64	1.63	0.00
05	SDM	IPU	0 34 6.95	58	2.0	27.2	36	40	5.24	5.17	0.11
05	BRD	EPU	0 34 8.23	75	3.0	36.4	348	30	6.53	6.66	-0.01
05	JOM	IPU	0 34 8.56	70	2.9	37.1	91	30	6.86	6.78	0.07
05	LSM	IPU	0 34 8.81	100	3.3	39.1	34	35	7.11	7.15	-0.07
05	PCE	EPU	0 34 10.70	89	3.2	50.5	250	30	8.99	9.15	-0.07
05	UCY	EPU	0 34 10.09	90	3.2	55.0	64	30	8.39	9.76	-1.36
05	CPX	EPU	0 34 13.56	56	2.9	67.6	38	30	11.86	11.81	0.07
05	SPRG	EPU	0 34 13.56	70	3.1	68.9	67	30	11.86	12.02	-0.13
05	BGB	EPD	0 34 13.93	05	3.2	70.4	21	30	12.22	12.37	-0.06
05	MCA	EPU	0 34 14.00	65	3.0	72.0	480	30	12.30	12.33	-0.12
05	SGV	EPU	0 34 14.83	40	2.0	75.1	322	30	13.13	13.09	0.12
05	APK	EPD	0 34 16.41	55	2.9	85.7	100	30	14.70	15.04	-0.07
05	GVN	EPU	0 34 18.22	62	3.1	96.1	310	30	16.52	16.36	0.09
05	GMN	EPD	0 34 21.20	55	3.0	115.0	325	30	19.49	19.79	-0.15
05	GMR	EPU	0 34 22.26	60	3.2	110.7	34	30	20.56	20.19	0.47
05	SHRG	EPU	0 34 22.92	67	3.2	122.1	87	30	21.21	20.75	1.05
05	LCH	EPD	0 34 24.42	46	2.9	133.5	511	30	22.71	22.57	0.23
05	EPR	EPU	0 34 26.53	74	3.0	143.2	56	30	24.83	24.10	0.74
05	KRNA	EPD	0 34 26.98	53	3.1	144.1	5	30	25.20	24.40	0.81
05	TPU	EPD	0 34 27.20	57	3.2	149.9	31	37	25.54	25.33	0.39
05	PPK	EPD	0 34 29.52	43	3.0	160.9	51	29	27.02	27.69	-0.12
05	PRN	EPU	0 34 30.01	80	3.5	168.6	51	29	28.31	28.09	0.10
05	MTI	EPU	0 34 30.07	54	3.2	175.6	39	29	24.37	29.00	-0.60
05	RVE	EPD	0 34 31.25	49	3.1	176.9	9	29	29.55	29.33	0.21
05	NPN	EPD	0 34 33.16	77	3.6	194.1	46	29	31.45	31.39	-0.14
05	DLN	EPU	0 34 36.65	35	2.9	203.9	51	29	34.94	32.67	2.03

JAN M = 0 30 14.36 UTC RMS = 0.18 NU = 17 FREE DEPTH SOLUTION
 05 LAT = 36.457 N ENH = 0.5 ENH = 0.6 AVFM = 2.0 W = C FURNACE CREEK
 LONG = 116.536 W ERY = 0.5 GAP = 111 AVXM = W3 = B
 DEPTH = 5.06 KM ERZ = 3.7 NM = W0 = C

05	FMT	IPU	0 38 19.58	16	1.6	31.3	316	95	5.23	5.62	-0.16
05	BHO	EPD	0 38 20.50	16	1.7	37.0	348	94	6.14	6.52	-0.27
05	PLE	EPD	0 38 22.95	16	1.7	40.5	258	93	6.59	6.59	0.22
05	CDMS	EPD	0 38 23.28	18	1.8	50.9	23	93	8.92	8.80	0.22
05	CDM1	EPD	0 38 24.36	17	1.8	50.9	23	93	10.00	8.87	1.23
05	QSR	EPD	0 38 24.71	8	1.1	60.3	210	92	10.35	10.25	0.01
05	CPX	EPD	0 38 26.16	24	2.1	69.6	38	92	11.80	11.89	-0.06
05	MCA	EPU	0 38 26.23	9	1.3	70.7	289	92	11.87	11.87	-0.09
05	SPRG	ESD	0 38 26.74						12.38	20.44	-8.06
05	SPRG	EPD	0 38 26.59	30	2.3	71.0	66	92	12.23	12.11	0.14
05	ESD	EPD	0 38 26.81						12.45	20.66	-8.21
05	BGB	EPD	0 38 26.19	15	1.7	72.1	22	92	11.83	12.40	-0.49
05	SGV	EPD	0 38 27.12	38	2.6	74.9	324	92	12.76	12.81	0.03
05	ESU	EPD	0 38 27.91						13.55	21.76	-8.21
05	APK	EPD	0 38 28.91	27	2.3	87.3	99	92	14.55	15.06	-0.24
05	GVN	EPD	0 38 30.64	29	2.4	95.5	311	91	16.28	16.02	0.19
05	ESU	EPD	0 38 31.11						16.75	27.50	-13.75
05	GLR	EPD	0 38 30.91	29	2.4	96.4	29	91	16.55	16.29	0.32
05	GMN	EPD	0 38 34.76	25	2.3	115.5	326	90	20.00	19.08	1.07
05	GMR	EPD	0 38 34.77	10	1.6	120.6	34	90	24.41	19.92	0.59
05	ESD	EPD	0 38 35.73						21.37	33.88	-12.52
05	BLT	EPD	0 38 35.52	20	2.2	121.7	18	90	21.16	20.09	1.20
05	SHMG	EPD	0 38 35.26	26	2.4	123.9	87	90	20.90	20.46	1.03
05	LCH	EPD	0 38 37.34	30	2.5	132.9	312	90	22.98	21.91	1.14
05	EPR	EPD	0 38 39.63	31	2.6	145.2	56	90	25.27	23.92	1.37
05	TPU	EPD	0 38 39.79	7	1.4	151.7	31	90	25.43	24.98	0.50
05	PHN	EPD	0 38 42.29	16	2.1	170.7	51	52	27.93	27.75	0.06
05	MTI	EPD	0 38 42.55	17	2.2	177.6	39	52	28.19	28.64	-0.43

1781
 70153

99 15300 1781

1981 SGB LOCAL-EVENT DATA REPORT

JAN STA PHASE TIME AMP PER MAG DUR FMAG DIST AZI AIN TUS TCAL RES REMARK
 1981 (UTC) (MU) (SEC) (AM) (WEG)(DEG) (SEC) (SEC) (SEC)

JAN M = 11 57 22.55 UTC HMS = 0.12 NO = 12 FREE DEPTH SOLUTION
 05 LAT = 37.155 N LMX = 0.8 ENM = 0.6 AVFM = 2.8 U = C
 LONG = 116.757 W ERY = 0.8 GAP = 135 AVXM = U = B THIRSTY CANYON
 DEPTH = 4.13 KM ERZ = 4.7 NM UD = C

05	BMT	EPD	11 57 25.93	44	2.5	17.3	35	103	3.30	3.61	-0.07
05	BCV	IPD	11 57 28.32	55	2.7	31.2	432	95	5.77	5.72	0.14
05	EPH	IPD	11 57 31.41	58	2.8	39.0	80	94	8.66	7.13	1.66
05	BHU	EPD	11 57 30.04	55	2.8	45.1	105	93	7.49	7.80	-0.23
05	BGR	EPD	11 57 31.14	59	2.8	48.8	105	93	8.59	8.61	0.06
05	COM	EPD	11 57 31.38	59	2.9	51.0	130	93	8.83	8.89	0.03
05	BSP	IPD	11 57 30.92	56	2.8	54.3	118	93	8.37	9.57	-1.13
05	ISD	IPD	11 57 34.76						12.21	16.23	-4.03
05	GVA	EPD	11 57 31.92	51	2.7	54.8	252	93	9.37	9.40	-0.09
05	CTS	IPD	11 57 40.21	55	2.8	55.7	3	93	17.66	9.76	8.07
05	LUP	EPD	11 57 33.24	70	3.0	62.2	123	92	10.69	10.74	-0.01
05	LSM	IPD	11 57 33.94	57	2.9	63.1	137	92	11.39	10.81	0.55
05	BLT	EPD	11 57 33.93	66	3.0	66.9	57	92	11.34	11.57	-0.06
05	CPX	EPD	11 57 34.91	58	2.8	67.3	112	92	12.36	11.52	0.87
05	SDM	EPD	11 57 34.21	50	2.8	67.8	147	92	11.66	11.55	0.14
05	KRNA	EPD	11 57 35.32	65	3.0	73.1	27	92	12.77	12.61	0.09
05	HCA	EPD	11 57 35.30	58	2.8	73.1	220	92	12.75	12.27	0.40
05	HCY	EPD	11 57 37.61	77	3.2	89.5	128	92	15.06	15.14	-0.01
05	GMR	EPD	11 57 38.74	53	2.9	89.7	77	92	16.19	15.23	1.05
05	PGE	EPD	11 57 39.51	51	2.9	93.7	197	91	16.96	15.93	1.25
05	JUN	EPD	11 57 40.02	62	3.1	94.5	144	91	17.87	16.53	0.92
05	SPRG	EPD	11 57 39.26	32	2.5	98.8	121	91	16.71	16.44	0.10
05	GVV	EPD	11 57 42.81	55	3.0	107.8	174	91	20.26	18.17	2.17
05	PRM	EPD	11 57 48.84	48	2.9	153.9	88	90	26.29	25.33	0.84

JAN M = 2 21 4.33 UTC HMS = 0.28 NO = 7 FREE DEPTH SOLUTION
 06 LAT = 37.310 N LMX = 2.7 ENM = 3.1 AVFM = 2.5 U = D
 LONG = 116.366 W ERY = 1.4 GAP = 198 AVXM = U = C SILENT CANYON - NORTH
 DEPTH = 1.39 KM ERZ = 430.8 NM UD = D

06	EPH	IPD	2 21 8.36	73	2.9	11.3	161	93	4.03	2.57	1.40
06	BLT	EPD	2 21 9.11	23	2.0	28.8	48	74	4.78	5.44	-0.53
06	BCB	EPD	2 21 10.24	45	2.6	32.6	158	74	5.91	6.03	-0.05
06	GLR	EPD	2 21 10.52	32	2.3	33.2	112	74	6.19	6.08	0.18
06	KRNA	EPD	2 21 13.25	26	2.1	47.9	359	74	8.92	8.58	0.27
06	GMR	EPD	2 21 13.56	31	2.3	52.8	87	74	9.25	9.29	0.06
06	LDP	EPD	2 21 13.56	35	2.4	53.6	161	74	9.23	9.44	-0.13
06	LSM	EPD	2 21 18.23	32	2.4	63.0	173	74	13.90	10.99	2.89
06	HCY	EPD	2 21 20.63	29	2.3	40.4	153	74	16.50	13.72	2.66
06	HTI	EPD	2 21 23.11	37	2.6	104.9	67	74	18.78	17.75	1.06
06	PRM	EPD	2 21 25.64	40	2.7	117.0	85	74	21.31	19.71	1.48
06	SRG	EPD	2 21 27.24	40	2.8	131.0	41	74	22.91	22.03	0.66
06	HPN	EPD	2 21 27.08	37	2.7	151.9	73	74	22.75	22.17	0.36

JAN M = 6 8 25.57 UTC HMS = 0.14 NO = 16 FIXED DEPTH SOLUTION
 06 LAT = 37.159 N LMX = 0.5 ENM = 0.6 AVFM = 2.7 U = C
 LONG = 116.936 W ERY = 0.3 GAP = 170 AVXM = U = B THIRSTY CANYON
 DEPTH = 5.00 KM ERZ = 3.0 NM UD = D

06	EPH	IPD	6 8 35.34	44	2.6	54.7	84	93	9.77	9.68	0.03
06	CTS	IPD	6 8 35.61	33	2.4	58.3	19	92	10.94	10.18	0.03
06	FMT	IPD	6 8 34.05	50	2.7	59.3	166	92	8.48	10.17	-1.45
06	ELB	IPD	6 8 36.57	50	2.8	64.4	102	92	11.00	11.14	-0.06
06	PCA	EPD	6 8 36.45	50	2.8	64.5	208	92	10.88	10.86	-0.06
06	LSM	EPD	6 8 38.40	47	2.7	75.2	128	92	12.83	12.76	0.03
06	LDP	EPD	6 8 38.50	46	2.7	76.3	116	92	12.93	13.08	-0.07
06	SDM	IPD	6 8 38.44	42	2.6	78.0	137	92	12.87	13.22	-0.31
06	BLT	IPD	6 8 39.02	31	2.4	80.6	64	92	13.45	13.74	-0.21
06	KRNA	IPD	6 8 39.52	34	2.5	81.2	37	92	13.95	13.93	-0.05
06	PGE	EPD	6 8 41.10	50	2.8	90.7	187	91	15.53	15.44	0.31

201531782

99153000/1782

1981 SGB LOCAL-EVENT DATA REPORT

JAN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	DIST (KM)	AZI (ULG)	AIN (DEG)	T085 (SEC)	TCAL (SEC)	NE8 (SEC)	REMARKS
06	AMR	EPD	6 8 41.82				28	2.4	94.8	154	91	16.25	15.76	0.48	
06	MCY	EPD	6 8 43.00				43	2.8	102.9	122	91	17.83	17.32	0.59	
06	CHV	IPU4	6 8 44.78				35	2.6	110.5	100	90	19.21	18.27	1.02	
06	QCS	IPU4	6 8 45.82				27	2.4	112.7	53	90	19.45	18.62	0.86	
06	TPU	EPU4	6 8 47.32				50	3.0	124.2	67	90	21.75	20.50	1.39	
06	QSM	EPD	6 8 47.78				40	2.8	132.6	177	90	22.21	21.66	0.26	
06	QSM	EPD	6 8 47.78				33	2.6	134.2	149	90	22.08	22.13	0.95	
06	HUP	EPD	6 8 47.85				60	3.1	150.1	69	90	25.92	26.01	-0.86	
06	MTI	EPD	6 8 51.49				60	3.3	164.5	81	52	27.67	27.68	-0.85	
06	PRN	EPD	6 8 53.24				60	3.3	164.5	81	52	27.67	27.68	-0.85	
06	BRG	EPD4	6 8 56.87				60	3.3	183.7	64	52	30.50	29.88	0.82	

JAN M = 20 49 46.10 UTC RMS = 0.11 NO = 14 FREE DEPTH SOLUTION
 06 LAT = 38.374 N LRM = 0.7 ERM = 1.8 AVFM = 3.6 Q = C IONOSP
 LONG = 117.280 W LRY = 1.6 GAP = 265 AVXM = Q = B
 DEPTH = 3.76 KM ERZ = 1.5 NM QD = D

06	CTS	EPD	20 50 1.50				98	3.4	93.3	149	90	15.40	15.40	0.89	
06	RVE	EPD	20 50 3.29				77	3.3	103.1	112	90	17.19	17.07	0.12	
06	KRNA	EPD	20 50 3.58				87	3.4	105.7	132	90	17.48	17.49	-0.88	
06	PPH	EPD	20 50 5.75				60	3.1	110.8	208	90	19.65	19.61	0.02	
06	GMM	EPD	20 50 5.70				85	3.2	119.2	179	90	19.60	19.69	0.06	
06	LCM	EPD	20 50 7.44				75	3.3	130.5	194	90	21.34	21.53	-0.11	
06	BLT	EPD	20 50 9.46				111	3.7	142.0	134	90	23.36	23.39	0.10	
06	GVN	EPD	20 50 11.36				90	3.6	152.4	162	90	25.26	25.09	0.11	
06	SCV	EPD	20 50 11.65				90	3.6	150.1	172	90	25.55	25.69	-0.05	
06	TPU	EPD	20 50 13.10				77	3.5	166.8	121	90	27.00	27.82	-0.28	
06	GLR	EPD	20 50 13.55				158	4.1	171.4	140	52	27.45	27.96	-0.44	
06	BGB	EPD4	20 50 13.51				147	4.1	175.0	148	52	27.41	28.40	-0.99	
06	GMR	EPD	20 50 14.40				96	3.7	175.9	131	52	28.30	28.57	-0.17	
06	BRO	EPD4	20 50 16.55				90	3.7	187.9	162	52	30.45	29.96	0.60	
06	CDM	EPD3	20 50 16.10				115	3.9	188.3	153	52	30.00	30.12	-0.02	
06	MCA	EPD4	20 50 17.50				52	3.2	191.6	188	52	31.40	30.29	1.03	
06	MTI	EPD	20 50 16.40				70	3.5	142.6	114	52	30.30	30.70	-0.37	
06	FMT	EPD4	20 50 18.50				85	3.7	157.5	167	52	32.40	31.22	1.42	
06	SDH	EPD4	20 50 18.88				101	3.9	209.2	157	52	32.78	32.71	0.10	
06	NPN	EPD	20 50 20.05				120	4.1	220.8	111	52	33.95	34.35	-0.61	
06	PRN	EPD	20 50 20.40				120	4.1	223.6	119	52	34.30	34.66	-0.48	
06	PGE	EPD4	20 50 21.25				75	3.7	225.5	175	52	35.15	35.00	0.37	
06	SPRG	EPD4	20 50 23.43				88	3.7	227.3	145	52	37.53	35.09	2.47	
06	JDM	EPD4	20 50 22.89				97	3.9	238.6	154	52	36.79	36.46	0.32	
06	DLM	EPD	20 50 22.30				78	3.7	238.9	111	52	36.20	36.69	-0.74	
06	QSM	EPD4	20 50 31.60				68	3.7	269.8	172	52	45.50	40.40	5.61	

JAN M = 5 26 34.65 UTC RMS = 0.14 NO = 8 FREE DEPTH SOLUTION
 09 LAT = 36.096 N LRM = 4.2 ERM = 4.7 AVFM = 2.6 Q = D DARRIN
 LONG = 117.799 W LRY = 2.2 GAP = 282 AVXM = Q = B
 DEPTH = 0.09 KM ERZ = 13.6 NM QD = D

09	PGE	EPD	5 26 46.98				25	2.2	71.7	67	38	12.33	12.62	-0.07	
09	MCA	EPD	5 26 47.73				22	2.1	76.9	57	38	13.08	13.15	-0.15	
09	QSM	EPD	5 26 49.27				22	2.1	85.2	100	38	14.62	14.57	-0.08	
09	GVN	EPD	5 26 53.06				31	2.5	106.5	22	38	18.41	18.41	-0.05	
09	SCV	EPD	5 26 55.43				35	2.6	119.9	35	38	20.78	20.40	0.47	
09	AMR	EPD4	5 26 55.89				36	2.7	123.8	74	38	21.24	20.86	0.37	
09	LCM	EPD4	5 26 57.11				27	2.4	127.1	6	38	22.46	21.55	0.94	
09	BRO	EPD	5 26 56.35				25	2.4	128.7	55	38	21.70	21.70	0.12	
09	GMM	EPD4	5 26 59.73				28	2.5	142.1	20	38	25.08	24.13	1.10	
09	HUP	EPD	5 26 59.56				40	2.9	148.3	89	38	24.91	24.90	0.10	
09	LDP	EPD	5 27 2.95				47	3.1	168.7	60	29	28.30	28.18	0.21	
09	BGB	EPD4	5 27 4.24				25	2.5	175.2	53	29	29.59	29.02	0.65	
09	EPN	EPD4	5 27 5.62				54	3.2	181.1	47	29	30.97	29.90	1.01	
09	CTS	EPD4	5 27 7.76				38	3.0	197.9	29	29	33.11	31.96	1.32	
09	GMR	EPD4	5 27 12.58				18	2.4	227.4	53	29	37.93	35.68	2.35	

90153000/1783

1981 SGB LOCAL-EVENT DATA REPORT

JAN STA PHASE TIME AMP PER X MAG DUR P MAG DIST AZI AIM TOBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (MM) (SEC) (MM) (DEG) (DEG) (SEC) (SEC) (SEC)

JAN M = 22 29 50.30 UTC RMS = 0.11 NU = 0 FREE DEPTH SOLUTION
 09 LAT = 36.771 N EN1 = 1.4 ENM = 1.6 AVFM = 1.7 U = D US = C LATHROP WELLS
 LONG = 116.291 W ERY = 0.6 GAP = 184 AVXM = QD = 0
 DEPTH = 0.85 KM ERZ = 36.4 NM =

09	LSM	IPD	22 29 51.43					26	2.0	3.0	155	40	1.13	1.10	0.02
09	LOP	EPU	22 29 53.13					19	1.7	14.0	50	40	2.83	3.01	-0.10
09	SDM	EPD	22 29 53.06					11	1.3	14.5	197	40	2.76	2.91	-0.10
09	SSP	EPD	22 29 54.11					16	1.0	10.3	21	40	3.01	3.75	0.10
09	MCT	IPD	22 29 55.97					23	2.0	31.0	112	30	5.67	5.86	-0.11
09	JOM	EPD	22 29 57.61					10	1.6	40.4	155	30	7.31	7.19	0.12

JAN M = 5 29 20.61 UTC RMS = 0.08 NU = 3 FIXED DEPTH SOLUTION
 10 LAT = 37.506 N EN1 = ENM = 3 AVFM = 3.5 U = C US = A DEPTH CONTROL INADEQUATE
 LONG = 118.030 W ERY = GAP = 266 AVXM = WD = D SILVER PEAK
 DEPTH = 7.00 KM ERZ = NM =

10	PPK	EPU	5 29 24.10						16.9	140	110		3.49	3.57	-0.00
10	SVP	EPD	5 29 26.15						27.7	47	102		5.54	5.82	0.01
10	SGV	EPU4	5 29 41.70					90	3.4	108.2	125	92	21.09	18.25	2.94
10	CTS	IPU4	5 29 43.50						115.0	84	92		22.93	19.55	3.55
10	MCA	EPD4	5 29 44.29					82	3.0	119.4	146	92	23.60	19.00	3.77
10	XRMA	EPD4	5 29 46.68						147.3	81	52		20.07	24.60	1.33
10	HCR	EPX4	5 29 48.75						159.7	61	52		24.14	26.27	-2.00
10	QCB	EPX	5 29 48.30					100	3.7	160.3	109	52	27.69	27.70	0.33
10	LOP	EPX	5 29 50.30						182.2	115	52		29.69	29.00	0.69
10	SRG	EPX4	5 29 55.00						263.9	82	52		35.19	39.50	-4.57

JAN M = 17 16 27.16 UTC RMS = 0.10 NU = 0 FIXED DEPTH SOLUTION
 12 LAT = 36.329 N EN1 = 4.9 ENM = 6.3 AVFM = 3.0 U = D US = D DEPTH CONTROL INADEQUATE
 LONG = 114.529 W ERY = 3.9 GAP = 296 AVXM = WD = D HOOVER DAM
 DEPTH = 5.00 KM ERZ = 2.3 NM =

12	PHN	EPD	17 16 40.41					152	3.9	128.3	339	90	21.25	21.17	-0.08
12	MCT	EPD4	17 16 52.89					90	3.5	133.6	286	90	25.73	22.82	3.79
12	JOM	EPU	17 16 50.41					85	3.5	141.7	275	90	23.25	23.35	-0.10
12	DLM	EPU4	17 16 50.07					125	3.0	102.9	352	90	22.91	23.50	-0.58
12	NPN	EPU4	17 16 52.96					137	3.9	151.3	346	90	25.00	24.91	0.09
12	GHR	EPU	17 16 52.92					140	0.0	157.2	315	90	25.76	25.87	-0.01
12	LUP	EPU	17 16 53.32					95	3.0	157.0	292	90	26.16	25.95	0.29
12	MTJ	EPD4	17 16 54.32					114	3.0	163.5	334	52	29.16	26.05	2.34
12	SUM	EPD	17 16 54.28					86	3.0	165.5	282	52	27.12	27.00	0.13
12	QCB	EPD	17 16 54.90					145	4.1	171.6	297	52	27.74	27.05	-0.02
12	AMR	EPU4	17 16 58.29					85	3.0	174.6	273	52	31.13	28.09	3.03
12	BRD	EPU4	17 17 2.61					97	3.8	193.9	284	52	35.45	30.60	4.97
12	PGE	EPD4	17 17 7.05					113	4.0	227.9	271	52	39.89	35.17	4.94
12	CTS	EPD	17 17 4.16					90	3.9	244.0	307	52	37.00	37.35	-0.10

JAN M = 0 14 40.46 UTC RMS = 0.11 NU = 24 FREE DEPTH SOLUTION
 16 LAT = 37.236 N EN1 = 0.4 ENM = 0.5 AVFM = 4.0 U = B US = A ALAMO
 LONG = 115.021 W ERY = 0.3 GAP = 157 AVXM = WD = C
 DEPTH = 8.10 KM ERZ = 0.8 NM =

16	EPR	EPD	0 14 43.90					180	3.7	16.5	243	114	3.44	3.45	0.01
16	PHN	EPD	0 14 44.50					275	4.1	19.2	352	111	4.04	3.89	0.03

1784
 153

9015300/1784

1981 SCM LOCAL-EVENT DATA REPORT

JAN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	PMAG	DIST (KM)	AZI (DEG)	AIH (DEG)	TUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
16	NPH	EPD	0 14 49.00				270	4.2	46.9	9	98	8.54	8.32	0.01	
16	DLM	EPD	0 14 49.30				190	3.9	46.1	31	97	6.88	6.53	0.06	
16	MTI	EPD	0 14 49.90				260	4.1	53.0	336	96	9.44	9.41	0.06	
16	GMR	EPD	0 14 51.80				250	4.2	67.4	279	95	11.34	11.63	-0.19	
16	TPU	EPD	0 14 52.10				220	4.1	69.1	306	95	11.64	11.97	-0.19	
16	SRG	EPD	0 14 53.00				250	4.2	71.9	357	95	12.54	12.34	-0.04	
16	SMRG	EPD	0 14 53.70				150	3.8	82.0	188	94	13.24	14.01	-0.18	
16	SPRG	EPD	0 14 56.10				140	3.7	92.0	229	93	15.04	15.61	0.06	
16	WRN	EPD	0 14 56.77				175	3.8	96.8	329	93	16.31	16.43	-0.14	
16	CPX	EPD	0 14 57.35				140	3.8	98.0	250	93	16.89	16.53	0.39	
16	OCS	EPD	0 14 57.23				150	3.8	98.8	307	93	16.77	16.78	0.02	
16	BLT	EPD	0 14 57.55				140	3.8	101.3	286	93	17.09	17.18	0.04	
16	MCY	EPD	0 14 58.13				200	4.1	105.3	233	93	17.67	17.72	0.03	
16	DGB	EPD	0 14 59.60				170	4.0	109.5	250	93	19.14	18.99	0.73	
16	LUP	EPD	0 14 59.73				170	4.0	110.5	247	93	19.27	18.64	0.71	
16	APK	EPD	0 14 59.80				170	4.0	113.0	206	93	19.14	19.24	0.15	
16	EPN	EPD	0 15 0.39				210	4.2	115.7	269	93	19.93	19.61	0.26	
16	CDMS	EPD	0 15 1.35				155	3.9	122.7	250	93	20.09	20.30	0.49	
16	CDM1	EPD	0 15 1.40				130	3.8	122.7	250	93	20.94	20.57	0.47	
16	L3M	EPD	0 15 2.14				170	4.0	124.3	244	93	21.68	20.77	0.89	
16	JON	EPD	0 15 2.67				180	4.1	130.9	220	92	22.21	21.88	0.40	
16	KRNA	EPD	0 15 2.97				145	3.9	132.6	295	92	22.51	22.29	0.15	
16	SDH	EPD	0 15 3.23				180	4.1	134.4	241	92	22.77	22.41	0.40	
16	RVE	EPD	0 15 3.17				140	3.9	135.2	310	92	22.71	22.77	-0.06	
16	BHT	EPD	0 15 4.85				180	4.1	140.1	272	52	23.99	24.21	-0.09	
16	BRD	EPD	0 15 5.90				120	3.8	152.2	250	52	25.04	24.94	0.02	
16	CTS	EPD	0 15 6.64				140	4.0	158.0	287	52	26.14	25.91	0.04	
16	NOP	EPD	0 15 7.45				190	4.2	159.2	219	52	26.99	25.86	1.23	
16	AMR	EPD	0 15 7.73				185	4.2	159.6	234	52	27.27	25.85	1.61	
16	FMT	EPD	0 15 8.80				130	4.0	170.1	247	52	28.34	27.29	1.32	
16	SGV	EPD	0 15 9.30				180	4.3	181.0	261	52	28.44	28.79	0.14	
16	GHV	EPD	0 15 11.23				160	4.2	187.9	232	52	30.77	29.66	1.19	
16	GHN	EPD	0 15 11.80				160	4.2	194.6	272	52	31.34	31.18	0.31	
16	PGE	EPD	0 15 14.70				120	4.0	207.4	242	52	34.24	32.23	2.23	
16	GVN	EPD	0 15 13.00				160	4.3	208.0	263	52	32.54	32.04	0.39	
16	HCA	EPD	0 15 13.70				135	4.1	211.7	252	52	33.24	32.44	0.72	
16	HZP	EPD	0 15 13.90				90	3.8	215.1	284	52	33.44	33.35	0.33	
16	LCH	EPD	0 15 16.00				100	3.9	233.2	276	52	35.54	35.45	0.17	
16	PPK	EPD	0 15 19.20				130	4.3	256.8	275	52	38.74	38.56	0.17	

1785

30153

JAN 23 4 41 12.07 UTC
 23 LAT = 37.148 N
 LONG = 117.387 W
 DEPTH = 10.22 KM

WMS = 0.09
 ERX = 0.2
 ERY = 0.2
 ERZ = 0.5

NO = 33
 ERN = 0.2
 CAP = 110
 NM =

AVFM = 4.8
 AVXM =

U = 8
 Q5 = A
 QD = 8

FREE DEPTH SOLUTION
 MT. JACKSON

23	GVH	IPD	4 41 15.71				215	3.9	16.7	166	120	3.64	3.54	0.04	
23	GMA	IPD	4 41 16.23				185	3.7	20.3	34	116	4.16	4.34	-0.03	
23	LCH	IPD	4 41 16.87				175	3.7	23.1	293	111	6.80	6.91	-0.02	
23	MGP	IPD	4 41 18.56				162	3.8	34.8	343	105	6.49	6.42	0.16	
23	SGV	IPD	4 41 18.80				203	3.9	36.5	120	104	6.73	6.71	0.11	
23	TPU	EPD	4 41 19.03				175	3.7	38.1	183	103	6.96	7.09	0.18	
23	PPK	IPD	4 41 21.83				178	3.8	55.5	304	99	9.76	9.80	-0.05	
23	HCA	EPD	4 41 21.62				160	3.7	54.3	170	98	9.55	9.60	-0.12	
23	HZP	IPD	4 41 22.60				135	3.6	61.3	0	94	10.61	10.05	0.06	
23	SVP	IPD	4 41 24.96				115	3.5	72.8	330	94	12.89	12.76	0.03	
23	FMT	IPD	4 41 25.08				170	3.9	78.2	136	96	13.01	13.29	-0.04	
23	BNG	IPD	4 41 25.59				210	4.1	80.1	122	96	13.52	13.58	0.07	
23	CTS	IPD	4 41 25.89				175	3.9	81.3	86	96	13.84	13.97	0.02	
23	PGE	IPD	4 41 27.88				170	3.9	93.2	162	95	15.61	15.89	0.14	
23	EPN	IPD	4 41 28.45				185	4.0	94.6	86	95	16.38	16.22	0.11	
23	TMP	IPD	4 41 30.14				185	4.0	104.7	8	94	16.07	17.78	0.03	
23	SSP	IPD	4 41 30.09				189	4.0	106.9	103	94	16.02	16.15	-0.05	
23	SDH	IPD	4 41 30.28				200	4.1	108.8	121	92	16.21	16.24	0.00	
23	L3M	EPD	4 41 30.24				190	4.1	109.1	115	94	16.17	16.32	-0.17	
23	KRNA	IPD	4 41 30.93				200	4.1	110.9	54	94	16.86	16.78	0.01	
23	LUP	EPD	4 41 30.96				187	4.1	113.3	107	94	16.89	19.12	-0.15	
23	AMR	EPD	4 41 31.55				200	4.1	116.5	136	94	19.48	19.43	0.04	

99153000 1785

1981 SGB LOCAL-EVENT DATA REPORT

JAN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	LIST (KM)	AZI (DEG)	AIN (DEG)	TUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
23	BLT	IPD	4 01 31.78	100	4.1	110.1	72	94	19.71	19.92	-0.07				
23	CPY	IPU	4 01 32.10	140	3.8	121.0	102	94	20.03	20.28	-0.22				
23	CLR	IPU	4 01 32.15	170	4.1	123.7	87	94	20.06	20.42	-0.29				
23	CHV	IPU	4 01 32.80	210	4.2	124.4	149	94	20.73	20.89	-0.08				
23	HCY	EPU4	4 01 37.90	190	4.2	137.9	113	52	25.83	22.99	2.92				
23	QSM	IPU	4 01 35.00	160	4.0	139.2	161	52	23.01	23.01	-0.00				
23	RVE	IPU	4 01 35.53	180	4.1	143.1	47	52	23.40	23.89	-0.43				
23	CHV	EPU	4 01 36.27	200	4.2	148.9	82	52	24.20	23.95	0.35				
23	SPRG	IPU	4 01 36.90	195	4.2	149.3	110	52	24.83	24.40	0.42				
23	NOP	IPU	4 01 37.59	215	4.3	158.1	136	52	25.52	25.51	0.11				
23	NRN	EPU4	4 01 42.35	150	4.1	183.8	68	52	30.24	28.98	1.26				
23	APA	IPU4	4 01 41.76	130	4.0	186.2	120	52	29.59	29.50	0.08				
23	EPR	IPU	4 01 42.57	120	4.0	195.3	89	52	30.50	30.35	0.17				
23	PRN	IPU	4 01 48.30	190	4.4	209.2	82	52	32.23	32.16	-0.05				
23	SHRG	IPU4	4 01 45.13	135	4.1	211.6	110	52	33.06	32.51	1.14				
23	NPV	EPD	4 01 45.83	200	4.5	224.8	76	52	33.76	34.11	-0.56				
23	DLM	EPU	4 01 47.95	200	4.6	239.9	78	52	35.08	36.10	-0.53				

JAN M = 1 5 22.00 UTC NMS = 0.08 NU = 9 FREE DEPTH SOLUTION
 20 LAT = 37.152 N ERN = 0.4 ERH = 0.5 AVFN = 2.8 U = B
 LONG = 117.385 W ERY = 0.4 GAP = 124 AVSM = 69 = A
 DEPTH = 8.51 KM ERZ = 1.2 NM = 00 = C

20	GVN	IPU	1 5 25.50	60	2.7	17.2	167	114	3.50	3.48	0.04				
20	EMA	IPU	1 5 25.90	50	2.7	19.0	34	112	3.94	4.16	-0.07				
20	LCH	IPU	1 5 28.73	63	2.8	25.0	291	107	4.73	4.81	0.00				
20	HCV	IPU	1 5 28.22	62	2.8	33.5	343	102	6.22	6.27	0.02				
20	SCV	IPU	1 5 28.56	52	2.7	36.7	121	101	6.56	6.67	-0.02				
20	PPR	EPD	1 5 31.69	50	2.7	55.4	303	97	9.69	9.74	-0.00				
20	TNP	EPU4	1 5 32.80	30	2.8	104.2	8	93	30.80	17.60	12.85				
20	LSM	EPU4	1 5 40.75	40	2.7	109.2	115	93	18.75	18.32	0.41				
20	NRNA	EPD	1 5 41.00	40	2.7	110.5	54	93	19.00	18.70	0.23				
20	LDP	EPD	1 5 40.85	45	2.8	113.3	107	93	18.85	19.10	-0.16				
20	BLT	EPU4	1 5 42.10	35	2.6	117.8	72	93	20.10	19.85	0.37				
20	HCY	EPU4	1 5 45.40	40	2.8	130.0	113	92	23.40	23.04	0.44				
20	JON	EPU4	1 5 49.04	38	2.8	139.1	125	92	27.04	25.13	3.89				
20	RVE	EPD	1 5 46.05	35	2.7	142.7	48	52	24.05	24.01	0.04				
20	SPRG	EPU4	1 5 47.28	63	3.3	149.4	110	52	25.20	24.62	0.69				

JAN M = 6 55 57.97 UTC NMS = 0.11 NU = 14 FREE DEPTH SOLUTION
 20 LAT = 37.154 N ERN = 0.4 ERH = 0.5 AVFN = 2.8 U = B
 LONG = 117.389 W ERY = 0.3 GAP = 125 AVSM = 48 = A
 DEPTH = 5.55 KM ERZ = 1.9 NM = 00 = C

20	GVN	IPU	6 56 1.41	60	2.7	17.5	166	103	3.44	3.37	0.01				
20	LLM	IPU	6 56 2.54	50	2.6	24.6	291	99	4.57	4.64	0.02				
20	HCV	IPU	6 56 4.08	56	2.7	33.2	343	96	6.11	6.17	0.04				
20	SCV	IPU2	6 56 4.30	60	2.9	37.1	121	95	6.33	6.68	-0.25				
20	PPR	EPD	6 56 7.49	50	2.7	55.0	303	93	9.52	9.63	-0.12				
20	CYS	EPU	6 56 11.80	50	2.8	81.8	46	92	13.63	13.67	-0.07				
20	EMA	EPU	6 56 18.00	60	3.0	94.8	86	92	16.03	16.21	-0.23				
20	TNP	EPU	6 56 18.90	30	2.4	104.1	8	92	18.03	17.94	0.12				
20	LSP	EPD	6 56 18.00	30	2.5	109.6	115	91	18.03	18.37	-0.36				
20	LUP	EPU4	6 56 17.45	60	3.1	113.7	107	91	19.48	19.16	0.40				
20	BLT	EPD2	6 56 17.40	30	2.5	110.0	72	91	19.93	19.90	0.17				
20	CHV	EPU	6 56 19.00	55	3.0	125.1	149	91	21.03	20.99	0.12				
20	MCY	EPD	6 56 20.05	55	3.1	136.4	113	90	22.88	22.81	0.15				
20	JON	EPU4	6 56 20.30	40	2.8	139.5	125	90	22.33	22.99	-0.66				
20	RVE	EPD4	6 56 18.70	45	2.9	142.8	68	90	20.73	23.53	-2.79				
20	SPRG	EPD	6 56 22.89	50	3.1	149.8	110	90	24.92	24.66	0.30				
20	NOP	EPD	6 56 24.00	30	2.6	158.8	136	52	26.03	26.06	0.07				

1786
 30153

1981 SCH LOCAL-EVENT DATA NEPUNT

FEB STA PHASE TIME AMP PER XMAG DUR PMAG DIST AZI AIN TOBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (VEG)(VEG) (SEC) (SEC) (SEC)

FEB H = 0 21 21.39 UTC HMB = 0.22 NU = 13 FREE DEPTH SOLUTION
 00 LAT = 36.469 N ERX = 1.4 ERH = 2.0 AVFM = 3.1 U = D
 LONG = 119.185 W ERY = 2.4 GAP = 230 AVRM = US = C LAS VEGAS
 DEPTH = 9.90 KM ERZ = 11.0 NM = UD = D

00	SHRG	IPU	0 21	22.20	90	3.1	4.0	34	00	0.01	1.35	0.05	
00	SPRG	EPU	0 21	32.01	70	3.1	61.2	290	30	10.62	10.01	0.03	
00	MCT	EPD	0 21	33.90	70	3.2	72.0	267	30	12.51	12.50	0.00	
00	JON	EPU	0 21	35.12	45	2.7	82.3	260	30	13.73	13.90	-0.20	
00	LDP	EPUA	0 21	36.75	63	3.1	97.7	296	30	17.36	16.64	0.00	
00	LSK	EPUA	0 21	39.13	41	2.7	101.9	297	30	17.74	17.21	0.31	
00	PHN	EPU	0 21	39.09	71	3.2	100.0	7	30	17.51	17.75	-0.36	
00	SSP	EPUA	0 21	39.99	60	3.1	105.3	299	30	18.60	17.90	0.72	
00	GMR	EPU	0 21	40.00	49	3.2	109.3	311	30	18.69	18.50	0.20	
00	PCB	EPD	0 21	40.06	89	3.4	112.5	300	30	18.67	19.05	-0.30	
00	AMR	EPD4	0 21	41.50	50	2.9	115.9	266	30	20.11	19.40	0.49	
00	EPN	EPUA	0 21	44.50	75	3.3	151.1	509	30	23.11	22.10	0.66	
00	DLM	EPU	0 21	43.95	52	3.0	132.3	17	30	22.56	22.27	0.03	
00	BRO	EPD0	0 21	44.07	40	2.9	133.0	204	30	22.60	22.21	0.50	
00	NPN	EPD	0 21	44.12	50	3.1	133.2	10	30	22.73	22.41	0.11	
00	MTI	EPD4	0 21	41.40	50	3.0	134.3	357	30	20.01	22.55	-2.52	
00	GNY	EPD4	0 21	43.71	50	3.0	137.1	257	30	22.32	23.01	-0.41	
00	WRN	EPU2	0 21	50.04	50	3.1	171.7	340	29	26.65	26.37	0.23	
00	SGV	EPU0	0 21	50.08	79	3.5	174.6	269	29	26.69	26.71	0.07	
00	KRNA	EPD	0 21	50.33	85	3.6	176.7	323	29	28.94	29.07	-0.20	
00	CTS	EPD4	0 21	53.30	65	3.4	190.1	314	29	31.91	30.77	1.31	
00	RVE	EPUA	0 21	55.70	45	3.1	194.0	333	29	34.31	31.35	2.95	

FEB H = 0 39 13.70 UTC HMB = 0.19 NU = 9 FIRED DEPTH SOLUTION
 12 LAT = 38.324 N ERX = 4.4 ERH = 8.9 AVFM = 3.1 U = D DEPTH CONTROL INADEQUATE
 LONG = 117.246 W ERY = 7.0 GAP = 274 AVRM = US = D TONOPAH
 DEPTH = 5.00 KM ERZ = 7.5 NM = UD = D

12	MZP	EPD	0 39	25.47	45	2.7	70.2	190	92	11.77	12.22	-0.21	
12	GNN	EPD	0 39	32.19	53	3.0	113.7	181	90	18.49	18.70	-0.14	
12	LCH	EPD	0 39	34.59	55	3.1	126.0	196	90	20.89	20.79	0.10	
12	GVN	EPU	0 39	38.12	52	3.1	147.0	183	90	24.42	24.21	0.15	
12	SGV	EPU	0 39	38.70	61	3.2	150.2	173	90	25.00	24.73	0.36	
12	GLR	EPU0	0 39	40.71	44	3.0	165.2	139	52	27.01	27.04	0.04	
12	BGB	EPUA	0 39	41.58	77	3.5	168.7	140	52	27.80	27.55	0.41	
12	BRO	EPD4	0 39	43.46	57	3.3	181.0	162	52	29.76	29.05	0.03	
12	CDM1	EPD4	0 39	43.92	40	3.0	182.0	153	52	30.22	29.18	1.14	
12	MTI	EPD	0 39	43.50	40	3.0	187.6	113	52	29.00	29.94	-0.11	
12	FMT	EPD4	0 39	45.14	35	2.9	191.4	160	52	31.40	30.31	1.37	
12	SRG	EPU0	0 39	45.74	70	3.5	197.2	104	52	32.04	31.20	0.62	
12	NPN	EPD	0 39	47.39	70	3.6	210.1	110	52	33.69	33.61	-0.13	
12	PRN	EPD	0 39	47.50	60	3.5	218.3	110	52	33.80	33.00	-0.10	
12	SPRG	EPUA	0 39	49.50	60	3.5	221.1	145	52	35.88	34.16	1.75	
12	DLM	EPD4	0 39	49.47	15	2.3	234.2	110	52	35.77	35.96	-0.44	

FEB H = 10 0 0.70 UTC HMB = 0.12 NU = 10 FREE DEPTH SOLUTION
 13 LAT = 36.966 N ERX = 0.4 ERH = 0.4 AVFM = 2.0 U = B
 LONG = 116.186 W ERY = 0.3 GAP = 68 AVRM = US = A LATHROP WELLS
 DEPTH = 1.02 KM ERZ = 1.6 NM = UD = 0

13	SSP	IPU0	10 0	1.00	00	3.0	5.4	212	90	1.10	1.12	0.06	
13	BGB	IPU	10 0	2.24	14	1.5	8.7	335	90	1.54	1.60	-0.07	
13	CPX	IPU	10 0	2.96	00	3.1	12.4	109	90	2.26	2.30	-0.01	
13	LDP	EPU	10 0	2.93	00	3.0	12.6	172	90	2.23	2.33	-0.02	
13	CDM1	IPD	10 0	3.68	52	2.6	16.6	225	90	2.98	3.01	0.07	
13	CDM5	EPD	10 0	3.71	37	2.3	16.6	225	90	3.01	3.01	0.10	
13	LSP	EPU	10 0	5.22	65	2.8	26.3	197	90	4.52	4.66	-0.16	
13	GLP	EPUA	10 0	5.31	00	3.0	29.9	30	74	4.61	5.55	-0.88	
13	EPN	EPU0	10 0	6.11	74	3.0	50.1	336	90	5.41	5.30	0.05	
13	SDH	EPU0	10 0	7.19	75	3.0	38.1	291	74	6.49	6.81	-0.28	

7 0 1 5 3 1 7 8 7

00 153000 1787

1981 SGB LOCAL-EVENT DATA REPORT

FEB 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	U1ST (RM)	AZI (DLC)	ATA (DEG)	TUHS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
13	ARC	EPD2	18 0 8.61					65 2.9	45.2	240	74	7.91	7.93	0.09	
13	SPRG	IPD	18 0 8.45					92 3.2	45.2	152	74	8.15	8.01	0.17	
13	BLT	EPD0	18 0 11.05					50 2.7	57.5	6	74	10.38	10.13	0.30	
13	JON	EPD	18 0 10.42					80 3.1	58.9	173	74	10.12	10.17	-0.06	
13	FMT	EPD	18 0 11.06					34 2.4	64.1	236	74	10.30	11.03	-0.40	
13	SCV	EPD	18 0 13.06					67 3.0	75.3	271	74	13.16	12.97	0.20	
13	GVN	EPD	18 0 18.01					75 3.2	96.8	207	74	17.31	16.45	0.90	
13	GVN	EPD	18 0 18.31					62 3.1	103.0	272	74	17.60	17.32	0.30	
13	GVN	EPD	18 0 18.78					41 2.7	103.9	259	74	18.60	17.35	0.45	
13	NCA	EPD4	18 0 18.78					48 2.9	104.3	229	74	18.81	17.70	1.29	
13	PGE	EPD4	18 0 19.51					11 1.6	112.1	64	74	19.07	18.93	0.01	
13	PRR	EPD	18 0 19.77					51 2.9	113.0	46	74	20.02	19.09	0.95	
13	MTI	EPD4	18 0 20.72					45 2.8	116.9	360	74	21.00	19.88	1.12	
13	RVE	EPD4	18 0 21.70					45 2.9	124.5	25	74	21.99	21.00	0.95	
13	HRM	EPD4	18 0 22.69					92 3.5	134.4	55	74	22.90	22.60	0.09	
13	NPN	EPD	18 0 23.60					11 1.7	141.9	44	74	23.04	23.01	-0.39	
13	SRG	EPD	18 0 24.34					20 2.5	146.7	61	74	18.82	24.60	-6.00	
13	DLM	EPD0	18 0 19.52												

FEB M = 20 8 46.49 UTC RMS = 0.15 NO = 15 FREE DEPTH SOLUTION
 15 LAT = 38.338 N EMX = 2.2 ERM = 3.0 AVFM = 3.2 U = D
 LONG = 117.271 W ERY = 2.9 GAP = 283 AVIM = U5 = C TUNUPAN
 DEPTH = 5.12 KM ERZ = 1.1 NM = UD = D

15	CTS	EPD1	20 9 1.42					68 3.1	89.5	140	92	14.93	15.26	-0.16	
15	RVE	EPD	20 9 3.67					70 3.2	100.9	110	91	17.18	17.20	-0.03	
15	PCM	EPD	20 9 3.07					55 3.0	101.5	191	91	16.50	17.20	-0.59	
15	HRMA	EPD	20 9 3.96					75 3.2	102.6	130	91	17.47	17.41	-0.01	
15	GNN	IPD	20 9 5.66					55 3.0	115.2	179	91	19.17	19.51	-0.19	
15	GNT	IPD	20 9 8.15					92 3.4	129.4	155	90	21.60	21.34	0.49	
15	GVN	EPD	20 9 11.08					90 3.6	148.5	182	90	24.59	24.44	0.06	
15	EPN	EPD	20 9 11.87					80 3.5	150.1	146	90	25.38	24.71	0.61	
15	SCV	EPD	20 9 11.76					90 3.6	152.1	172	90	25.27	25.03	0.33	
15	HRM	EPD	20 9 11.95					65 3.3	152.6	105	90	25.46	25.12	0.30	
15	CLR	EPD	20 9 13.82					75 3.5	167.8	139	52	27.33	27.37	0.03	
15	BGR	EPD	20 9 14.31					77 3.5	171.2	147	52	27.82	27.66	0.04	
15	DRD	EPD	20 9 15.71					68 3.4	183.9	162	52	29.22	29.31	0.03	
15	CDM1	EPD	20 9 15.80					68 3.3	184.9	153	52	29.31	29.40	-0.07	
15	NCA	EPD4	20 9 17.40					58 3.3	187.5	180	52	30.91	29.63	1.20	
15	MTI	EPD	20 9 16.51					63 3.4	190.3	113	52	30.02	30.27	-0.22	
15	LOP	EPD	20 9 16.83					73 3.5	191.4	149	52	30.34	30.45	-0.03	
15	FMT	EPD	20 9 18.23					62 3.4	193.4	167	52	31.74	30.56	1.42	
15	SRG	EPD4	20 9 16.87					13 2.1	199.8	105	52	32.38	31.51	0.65	
15	SDM	EPD2	20 9 18.67					73 3.6	205.1	156	52	32.18	32.06	0.15	
15	NPN	EPD	20 9 20.38					10 1.9	218.7	110	52	33.89	33.94	-0.26	
15	PRR	EPD	20 9 20.42					10 1.9	221.0	118	52	33.73	34.20	-0.39	
15	PGE	EPD4	20 9 22.76					35 3.0	221.5	175	52	36.27	34.34	2.14	
15	APR	EPD4	20 9 29.17					70 3.6	226.6	162	52	42.68	34.74	7.93	
15	DLM	EPD	20 9 22.62					65 3.6	236.8	110	52	36.13	36.28	-0.40	
15	GVN	EPD4	20 9 26.90					73 3.7	244.6	167	52	40.81	37.23	3.25	
15	OSM	EPD	20 9 30.87					46 3.4	265.7	172	52	44.38	39.74	4.55	

FEB M = 20 12 22.04 UTC RMS = 0.21 NO = 13 FREE DEPTH SOLUTION
 16 LAT = 36.414 N EMX = 3.5 ERM = 8.5 AVFM = 3.4 U = D
 LONG = 114.466 W ERY = 2.8 GAP = 269 AVIM = U5 = C
 DEPTH = 5.51 KM ERZ = 2.4 NM = UD = D

16	SHRG	EPD	20 12 32.06					58 2.9	62.5	279	93	10.02	10.82	-0.21	
16	APR	EPD4	20 12 39.74					65 3.1	100.0	264	92	17.70	17.12	0.85	
16	ZPP	EPD	20 12 40.06					75 3.2	105.6	323	91	18.02	17.76	0.26	
16	SPRG	EPD	20 12 42.33					98 3.5	124.2	485	91	20.29	20.77	-0.45	
16	DLM	EPD	20 12 44.27					74 3.4	134.5	350	90	22.23	22.18	-0.19	
16	MCY	EPD	20 12 44.40					70 3.3	136.8	282	90	22.36	22.55	-0.11	
16	JUN	EPD	20 12 46.34					63 3.2	146.9	271	90	24.30	24.18	0.11	
16	CPX	EPD	20 12 47.29					93 3.6	153.1	492	90	25.25	25.20	0.08	
16	NUP	EPD	20 12 47.63					72 3.8	154.8	258	90	25.59	25.47	0.22	
16	MTI	EPD	20 12 47.91					82 3.5	157.5	333	90	25.87	25.91	-0.01	

70153 1788

1981 SGB LOCAL-EVENT DATA REPORT

FEB 1981	STA	PHASE	TIME (UTC)	AMP (CMU)	PER (SEC)	RMAG	DIR	FMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TDBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
16	LOP	EPD3	20 12 48.31				70	3.4	159.9	288	90	26.27	26.30	0.05	.
16	CLR	EPD	20 12 48.68				91	3.6	163.6	362	52	26.64	26.79	-0.08	.
16	LSM	EPD4	20 12 49.37				70	3.4	165.7	283	52	27.33	26.98	0.33	.
16	SSP	EPD4	20 12 49.59				70	3.4	166.6	490	52	27.55	27.31	0.32	.
16	SOM	EPD4	20 12 50.02				65	3.3	167.7	279	52	27.98	27.48	0.54	.
16	CDM1	EPD	20 12 50.02				60	3.3	172.9	287	52	27.98	27.97	0.11	.
16	EPN	EPD1	20 12 52.20				70	3.5	180.1	298	52	30.16	30.12	-0.02	.
16	BRD	EPD4	20 12 53.94				66	3.5	197.1	281	52	31.90	30.96	1.07	.
16	GVN	EPD4	20 12 54.00				65	3.5	199.6	263	52	32.04	31.43	1.50	.
16	QSM	EPD4	20 12 58.00				66	3.6	221.7	257	52	36.76	34.06	2.61	.
16	SGV	EPD4	20 12 58.01				10	2.0	237.8	285	52	36.77	36.33	0.53	.
16	CTB	EPD	20 12 58.71				63	3.6	243.9	304	52	38.67	37.18	-0.36	.
16	GVN	EPD4	20 13 2.43				68	3.9	265.2	284	52	48.39	39.68	0.63	.

FEB M = 14 46 57.51 UTC RMS = 0.17 NO = 9 FREE DEPTH SOLUTION
 22 LAT = 36.120 N ERX = 2.5 ERM = 3.6 AVFM = 3.1 U = D HOOPER DAM
 LONG = 114.926 W ERY = 2.6 GAP = 271 AVXM = U3 = C
 DEPTH = 0.10 KM ERZ = 10.4 NM = UD = D

22	SPRG	EPD	14 47 14.88				52	2.9	101.6	309	30	17.37	17.36	0.04	.
22	NDP	EPD0	14 47 16.14				62	3.1	110.4	270	30	18.63	18.74	-0.03	.
22	MCY	IPD0	14 47 16.34				65	3.1	110.6	303	30	18.83	18.89	0.07	.
22	JUN	EPD	14 47 16.02				45	2.8	111.5	289	30	18.51	18.90	-0.40	.
22	EPR	EPD	14 47 17.52				64	3.2	118.6	349	30	23.01	20.14	-0.12	.
22	LSM	EPD0	14 47 21.05				50	3.0	139.0	300	30	23.54	23.42	0.10	.
22	SOM	EPD0	14 47 20.94				48	2.8	139.4	295	30	23.43	23.47	0.00	.
22	PHN	EPD4	14 47 23.04				60	3.2	143.2	356	30	25.55	24.11	1.25	.
22	BGB	EPD0	14 47 23.84				66	3.3	154.7	311	30	26.13	26.09	0.12	.
22	BRD	EPD4	14 47 26.09				44	3.0	168.3	295	29	28.58	27.94	0.75	.
22	NPN	EPD	14 47 26.38				48	3.0	178.0	360	29	28.87	28.34	0.32	.
22	QSM	EPD4	14 47 25.86				54	3.2	175.9	284	29	28.35	28.87	-0.62	.
22	SGV	EPD4	14 47 32.76				56	3.4	211.3	297	29	35.25	33.61	1.73	.

FEB M = 18 37 1.89 UTC RMS = 0.31 NO = 12 FREE DEPTH SOLUTION
 22 LAT = 35.805 N ERX = 2.8 ERM = 4.6 AVFM = 3.2 U = D BOULDER CITY
 LONG = 114.833 W ERY = 4.8 GAP = 304 AVXM = U3 = C
 DEPTH = 0.69 KM ERZ = 4.8 NM = UD = D

22	SHRG	EPD4	18 37 14.34				68	3.1	82.8	340	30	12.45	14.27	-1.23	.
22	APK	EPD	18 37 16.90				38	2.6	87.8	311	30	15.01	15.30	-0.02	.
22	ISU4	EPD	18 37 26.96									25.07	25.70	-0.63	.
22	SPRG	EPD	18 37 23.50				44	2.9	132.1	318	30	21.69	22.19	-0.47	.
22	ESD	EPD	18 37 40.07									38.18	37.89	0.29	.
22	JON	EPD	18 37 24.77				55	3.1	134.3	302	30	22.80	22.49	0.30	.
22	MCY	IPD	18 37 25.07				65	3.2	139.1	313	30	23.18	23.35	-0.08	.
22	EPR	EPD	18 37 27.57				76	3.4	154.6	344	30	25.68	25.86	-0.16	.
22	ESD	EPD	18 37 46.32									44.43	44.19	0.24	.
22	AMR	EPD4	18 37 30.76				60	3.3	161.8	294	30	26.87	26.92	1.95	.
22	SOM	EPD	18 37 29.63				50	3.1	164.4	305	29	27.74	27.34	0.44	.
22	LSM	EPD	18 37 29.62				50	3.1	165.8	309	29	27.73	27.55	0.17	.
22	GVN	EPD4	18 37 31.80				60	3.3	171.0	284	29	29.91	28.31	1.69	.
22	PHN	EPD	18 37 31.23				60	3.3	176.8	354	29	29.34	29.29	-0.06	.
22	QSM	EPD4	18 37 35.71				44	3.4	184.6	276	29	33.82	29.05	3.88	.
22	BGB	EPD0	18 37 32.36				60	3.3	185.4	318	29	30.47	30.10	0.37	.
22	CLR	EPD4	18 37 32.92				57	3.3	187.6	326	29	31.03	30.41	0.69	.
22	BRD	EPD4	18 37 34.49				55	3.3	192.9	303	29	32.60	30.97	1.75	.
22	NPN	EPD	18 37 34.95				55	3.3	205.2	357	29	33.06	32.72	0.14	.
22	SGV	EPD4	18 37 41.46				45	3.3	236.6	303	29	39.59	36.71	2.97	.
22	GVN	EPD4	18 37 45.71				25	2.8	261.8	301	29	43.62	39.73	4.03	.

1789
70153

1981 FEB 18 15 30 15 30 15 30

1981 SEM LOCAL-EVENT DATA REPORT

FEB STA PHASE TIME AMP PLR IMAG DJM FMS DIST AZI AIN TOMB TCAL RES REMARKS
 1981 (UTC) (MU) (SEC)

FEB M = 22 21 0.12 UTC HMS = 0.35 NU = 10 FREE DEPTH SOLUTION
 26 LAT = 36.540 N LRM = 3.2 ERM = 3.7 AVFM = 3.0 uS = D
 LONG = 115.134 W LRY = 1.8 GAP = 197 AVXM = uS = C
 DEPTH = 0.97 KM ERZ = 24.0 NM uD = D
 MAYFUND PEAK

26	SHG	IPU	22 21 8.71	51	2.6	4.8	205	40	0.59	1.20	-0.10
26	EPM	EPD	22 21 18.04	61	2.9	69.9	356	36	10.72	12.04	-1.29
26	JUN	EPD	22 21 22.37	30	2.6	87.5	263	38	14.25	14.82	-0.58
26	PRN	EPD	22 21 24.89	65	3.1	96.5	0	36	16.77	16.39	0.26
26	NOP	IPU	22 21 25.80	45	2.8	102.3	243	38	17.68	17.24	0.54
26	SDM	IPU	22 21 26.95	70	3.3	106.3	276	38	18.83	18.24	0.63
26	NGB	EPD	22 21 28.50	51	2.9	112.1	299	38	20.36	18.99	1.47
26	AMR	EPD	22 21 29.25	40	2.8	121.1	462	38	21.13	20.24	0.88
26	NPA	EPD	22 21 29.66	54	3.0	124.7	0	38	26.94	21.82	-0.29
26	MTI	EPD	22 21 29.69	45	2.9	126.7	354	38	21.57	21.32	0.20
26	BND	EPD	22 21 32.12	42	2.9	135.5	280	38	24.00	22.63	1.49
26	GVY	EPD	22 21 32.39	40	2.8	143.3	254	38	24.27	24.02	0.33
26	SHG	EPD	22 21 33.12	66	3.3	149.0	2	38	25.88	24.98	-0.19
26	KHNA	EPD	22 21 36.36	59	3.3	173.2	320	29	28.24	28.62	-0.45
26	SGV	EPD	22 21 37.20	53	3.2	176.3	286	29	29.88	28.93	0.25

FEB M = 3 23 54.20 UTC HMS = 0.13 NU = 13 FREE DEPTH SOLUTION
 26 LAT = 37.169 N LRM = 0.9 ERM = 1.0 AVFM = 3.2 uS = D
 LONG = 114.780 W LRY = 0.4 GAP = 199 AVXM = uS = C
 DEPTH = 0.21 KM ERZ = 157.6 NM uD = D
 ULLAMAR MOUNTAINS

26	PHN	IPU	3 24 0.80	90	3.2	34.0	315	38	6.68	6.40	0.08
26	EFR	IPU	3 24 0.80	90	3.2	36.2	266	38	6.60	6.72	-0.10
26	DLM	IPU	3 24 2.70	58	2.8	46.4	0	38	8.50	8.46	-0.13
26	NPN	IPD	3 24 3.95	77	3.1	53.3	345	38	9.75	7.57	-0.03
26	MTI	EPD	3 24 6.16	63	3.0	69.5	321	38	11.96	12.19	-0.19
26	SRG	EPD	3 24 8.73	90	3.3	81.0	342	38	14.53	14.08	0.23
26	SHRG	EPD	3 24 8.17	60	3.0	83.1	204	38	13.97	14.41	0.15
26	TPU	EPD	3 24 9.92	60	3.0	89.8	301	38	15.72	15.55	0.31
26	SPRG	EPD	3 24 12.22	70	3.2	107.0	239	38	18.82	18.21	-0.16
26	CPX	EPD	3 24 14.40	43	2.8	117.0	256	38	20.20	19.65	0.36
26	APK	EPD	3 24 14.54	45	2.9	119.8	218	38	20.34	20.59	0.02
26	KCY	IPU	3 24 15.17	85	3.4	120.6	241	38	20.97	20.43	0.62
26	LDP	EPD	3 24 16.10	65	3.2	129.0	253	38	21.90	21.89	0.09
26	SSP	IPD	3 24 16.43	65	3.2	131.2	257	38	22.23	22.33	-0.02
26	EPN	IPU	3 24 17.95	73	3.3	137.1	271	38	23.75	23.33	0.36
26	JON	IPU	3 24 18.83	61	3.2	144.5	235	38	24.63	24.24	0.38
26	SDM	EPD	3 24 19.86	50	3.1	151.5	247	38	25.66	25.41	0.29
26	KHNA	IPU	3 24 20.35	50	3.1	154.1	293	38	26.15	26.03	0.05
26	BNT	EPD	3 24 22.43	75	3.5	166.0	274	29	28.23	27.92	0.48
26	NUP	EPD	3 24 22.90	70	3.4	170.1	226	29	28.78	28.16	0.63
26	SGV	EPD	3 24 25.34	67	3.5	201.6	243	29	31.19	32.34	-1.00
26	GVN	EPD	3 24 29.26	64	3.5	220.5	273	29	35.06	34.90	0.31
26	CVN	EPD	3 24 29.51	64	3.5	220.6	265	29	35.31	35.67	-0.42
26	LCM	EPD	3 24 37.33	45	3.3	254.6	271	29	43.13	39.12	4.09

301531790

1981 SGB LOCAL-EVENT DATA REPORT

MAR STA PHASE TIME AMP PER MAG DUR MAG DIST AZI AIN TOBS TCAL RES REMARKS
 1981 (MU) (SEC) (NM) (JUG) (DEG) (SEC) (SEC) (SEC)

MAR M = 15 28 24.08 UTC RMS = 0.08 NU = 14 FREE DEPTH SOLUTION
 02 LAT = 37.185 N ERX = 0.5 ERM = 0.7 AVFM = 2.8 U = C
 LONG = 117.846 W ERY = 0.5 GAP = 223 AVXM = WS = B MAGRUDER MOUNTAIN
 DEPTH = 5.31 KM ERZ = 2.1 NM = WD = D

02	LCM	IPU	15 28 27.06	50	2.6	18.5	72	102	3.62	3.65	0.05
02	PPK	EPU	15 28 29.21	45	2.5	27.4	349	97	5.17	5.16	0.00
02	HGM	EPU	15 28 31.50	49	2.7	42.1	47	94	7.50	7.59	-0.01
02	GVM	EPU	15 28 32.49	48	2.7	49.1	110	93	8.45	8.48	-0.10
02	GMM	EPU	15 28 33.27	47	2.7	53.6	76	93	9.23	9.47	-0.10
02	SEV	EPU	15 28 36.70	53	2.8	75.7	107	92	12.66	12.95	-0.21
02	CTS	EPU	15 28 42.75	40	2.7	112.2	62	91	18.71	18.95	-0.07
02	PCE	EP04	15 28 44.44	40	2.7	116.0	143	91	20.40	19.56	1.06
02	BRD	EPD	15 28 43.84	40	2.7	118.3	113	91	19.80	19.75	0.17
02	EPN	EP04	15 28 46.91	45	2.9	135.2	89	90	22.87	22.28	0.52
02	BGN	EPD	15 28 46.96	43	2.9	140.8	96	90	24.02	23.04	0.26
02	BGB	EPD	15 28 48.06	42	2.9	147.1	114	90	24.30	24.22	0.20
02	BDM	EPD	15 28 48.42	42	2.9	148.4	109	90	24.68	24.44	0.22
02	LBM	EP02	15 28 48.72	42	2.9	150.4	126	90	25.05	24.75	0.20
02	AMR	EPU	15 28 49.09	45	3.0	152.6	137	90	25.45	25.12	0.41
02	GVY	EP04	15 28 49.49	40	2.9	161.7	100	52	26.91	26.53	0.41
02	CPX	EP04	15 28 50.95	40	2.9	162.3	89	52	26.90	26.64	0.33
02	GLR	EPD3	15 28 50.94	45	3.1	169.5	107	52	30.26	30.08	0.21
02	SPRG	EPD	15 28 54.30								

MAR M = 23 14 32.30 UTC RMS = 0.20 NU = 7 FREE DEPTH SOLUTION
 03 LAT = 37.268 N ERX = 1.7 ERM = 2.4 AVFM = 3.0 U = C
 LONG = 115.052 W ERY = 1.7 GAP = 181 AVXM = WS = B ALAMO
 DEPTH = 5.52 KM ERZ = 4.5 NM = WD = D

03	PRN	IPU	23 14 35.47	80	3.0	15.5	1	104	3.17	3.18	-0.14
03	NPN	EPU	23 14 40.07	80	3.1	43.9	13	94	7.77	7.80	-0.24
03	DLM	EPD	23 14 41.03	60	2.8	46.6	36	94	8.73	8.26	0.22
03	TPU	EPU	23 14 43.35	77	3.1	44.8	305	93	11.05	11.25	-0.06
03	CLR	EP04	23 14 47.81	76	3.1	86.1	265	92	15.51	14.61	0.96
03	WRN	EPD	23 14 48.43	52	2.9	92.3	329	92	16.13	15.69	0.39
03	BLT	EP04	23 14 50.39	50	2.9	97.8	284	92	18.09	16.59	1.62
03	MCY	EPD	23 14 50.05	45	3.1	105.3	430	91	17.75	17.71	0.11
03	LOP	EP04	23 14 51.87	40	3.1	109.3	445	91	19.57	18.45	1.20
03	CDMS	EP04	23 14 56.71	40	2.8	121.3	248	91	24.41	20.27	4.24
03	HUP	EPD	23 14 58.28	55	3.2	160.3	218	52	25.48	26.25	-0.18

MAR M = 19 41 52.17 UTC RMS = 0.09 NU = 9 FREE DEPTH SOLUTION
 05 LAT = 34.532 N ERX = 0.3 ERM = 0.4 AVFM = 2.6 U = B
 LONG = 116.364 W ERY = 0.2 GAP = 104 AVXM = WS = A LATHROP WELLS
 DEPTH = 1.93 KM ERZ = 1.2 NM = WD = C

05	BDM	EPU	19 41 54.54	56	2.7	12.0	10	95	2.37	2.59	-0.18
05	AMR	EPD	19 41 55.48	54	2.7	17.9	214	93	3.31	3.39	-0.09
05	LSM	EPU	19 41 56.57	45	2.5	24.5	19	74	4.40	4.57	-0.19
05	JON	EPU	19 41 56.94	54	2.7	25.5	114	74	4.77	4.69	0.07
05	BRD	EPU	19 41 58.29	54	2.7	34.7	318	74	6.12	6.19	0.05
05	CDM1	EPU	19 41 58.79	35	2.3	36.7	6	74	6.62	6.60	0.12
05	MCY	EPU	19 41 59.01	50	2.7	38.7	68	74	6.84	6.91	0.01
05	LOP	EPD	19 41 59.41	45	2.6	39.6	26	74	7.24	7.18	0.14
05	HOP	EPD	19 42 0.59	50	2.7	48.7	157	74	8.42	8.47	0.04
05	BGB	EP04	19 41 58.69	40	2.5	57.4	12	74	6.52	10.05	-3.45

MAR M = 23 27 56.08 UTC RMS = 0.10 NU = 35 FREE DEPTH SOLUTION
 10 LAT = 37.155 N ERX = 0.2 ERM = 0.2 AVFM = 3.4 U = B
 LONG = 116.917 W ERY = 0.2 GAP = 36 AVXM = WS = A THINSTEY CANYON
 DEPTH = 6.59 KM ERZ = 1.1 NM = WD = C

10	SGV	IPU	23 28 0.20	100	3.2	21.9	208	104	4.12	4.24	-0.05
10	BMT	IPU	23 28 1.37	100	3.2	26.0	59	100	5.29	5.36	0.10

1791
20153

901530001791

1981 SGB LOCAL-EVENT DATA REPORT

MAR 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SLC)	EMAD	DUR	FMAD	DIST (KM)	AZI (DEG)	AIN (DEG)	IDBB (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
10	GMN	IPU	23 20 2.26					98 3.2	34.4	294	98	6.18	6.39	-0.06	.
10	GMN	IPD	23 20 3.41					100 3.3	41.5	246	96	7.33	7.26	0.01	.
10	RND	IPU	23 20 4.46					100 3.3	50.7	149	95	6.50	6.76	-0.06	.
10	EMN	IPD	23 20 5.78					100 3.3	51.1	83	95	9.70	9.43	0.21	.
10	CTS	IPD	23 20 6.06					95 3.3	54.2	17	94	9.90	10.17	-0.02	.
10	FMT	IPU	23 20 6.59					100 3.3	54.5	164	94	9.84	10.05	0.03	.
10	MCP	EPU	23 20 6.59					93 3.3	60.4	302	96	10.51	10.50	0.02	.
10	CDM1	IPD	23 20 6.91					93 3.3	62.6	122	96	10.03	10.79	0.10	.
10	CDM5	EPD	23 20 6.84					100 3.3	62.6	122	94	10.76	10.72	0.10	.
10	BGB	IPU	23 20 6.98					100 3.3	62.6	102	94	10.90	10.86	0.12	.
10	MCA	IPD	23 20 6.96					101 3.4	65.0	210	94	10.00	10.95	-0.15	.
10	LCH	EPD	23 20 7.45					80 3.2	65.5	278	94	11.37	11.27	0.10	.
10	MCP	EPU	23 20 8.40					90 3.3	73.3	326	93	12.52	12.72	0.03	.
10	LSP	EPD	23 20 8.59					100 3.4	73.6	129	93	12.51	12.53	-0.04	.
10	LDP	IPU	23 20 8.84					100 3.4	74.6	117	93	12.76	12.80	0.04	.
10	SDM	EPU	23 20 8.94					100 3.4	76.6	130	93	12.00	12.99	-0.09	.
10	MLT	IPD	23 20 9.52					95 3.4	79.2	63	93	13.44	13.50	-0.01	.
10	CPX	EPU	23 20 9.94					98 3.4	80.7	100	93	13.06	13.70	0.10	.
10	PGE	IPD	23 20 11.51					80 3.3	90.5	180	93	15.43	15.41	0.24	.
10	PPK	EPD3	23 20 12.20					100 3.5	92.8	209	92	16.20	15.79	0.40	.
10	AMR	EPU	23 20 11.63					97 3.4	92.9	155	92	15.55	15.57	-0.03	.
10	MCY	EPU	23 20 13.92					95 3.4	101.2	123	92	16.94	17.04	-0.02	.
10	TNP	EPU	23 20 14.27					85 3.4	106.2	345	92	18.19	17.99	-0.08	.
10	JUN	EPU	23 20 13.92						107.6	138	92	17.84	18.01	-0.10	.
10	GVV	EPU	23 20 14.35					95 3.5	109.7	160	92	18.27	18.40	-0.13	.
10	SPRC	EPU	23 20 14.75					95 3.5	111.2	117	92	18.67	18.60	0.04	.
10	RVE	EPD	23 20 15.50					95 3.5	115.3	34	92	19.42	19.55	-0.13	.
10	NUP	EPU	23 20 18.04					90 3.5	132.9	149	92	21.90	22.10	-0.09	.
10	MT1	EPD	23 20 21.84					90 3.6	156.7	6A	52	25.76	25.81	-0.02	.
10	PNN	EPD	23 20 23.61					100 3.7	167.9	79	52	27.53	27.23	0.10	.
10	SRG	EPD	23 20 25.74					95 3.7	182.3	6A	52	29.66	29.13	0.31	.
10	NPN	EPD	23 20 25.52					95 3.7	183.8	71	52	29.44	29.32	-0.09	.
10	DLP	EPD	23 20 27.43					61 3.4	199.2	73	52	31.35	31.31	-0.21	.

MAR 9 5:15 UTC RMS = 0.08 NU = 9 FREE DEPTH SOLUTION
 14 LAT = 36.534 N ERM = 0.3 ERM = 0.4 AVFM = 2.5 W = C
 LONG = 116.369 W ERY = 0.3 GAP = 106 AVXM = U3 = C LATHROP WELLS
 DEPTH = 2.99 KM ERZ = 101.5 NM = W0 = C

14	SDM	EPU	1 9 7.53					45 2.5	12.7	12	74	2.30	2.50	-0.10	.
14	AMP	EPD	1 9 8.46					43 2.5	17.0	212	74	3.31	3.55	-0.05	.
14	LSP	EPU	1 9 9.57					42 2.5	24.4	21	74	4.42	4.51	-0.10	.
14	JUN	EPD	1 9 10.00					46 2.5	26.0	114	74	4.05	4.72	0.13	.
14	BND	EPD	1 9 11.14					44 2.5	34.2	318	74	5.99	6.06	0.05	.
14	CDM1	EPD	1 9 11.57					38 2.4	36.5	7	74	6.42	6.52	0.00	.
14	MCY	EPD	1 9 11.99					45 2.6	39.0	69	74	6.04	6.91	0.01	.
14	LDP	EPD	1 9 12.29					40 2.5	39.8	27	74	7.10	7.13	0.10	.
14	GVV	EPD	1 9 15.23					35 2.4	47.1	215	74	10.00	8.20	1.88	.
14	NUP	EPU	1 9 13.47					37 2.4	49.1	157	74	8.32	8.48	-0.07	.

MAR 13 16 59:00 UTC RMS = 0.10 NO = 19 FREE DEPTH SOLUTION
 16 LAT = 36.534 N ERY = 0.2 ERM = 0.3 AVFM = 3.6 W = C
 LONG = 115.567 W ERY = 0.2 GAP = 87 AVXM = U5 = B MERCURY
 DEPTH = 2.29 KM ERZ = 3.1 NM = W0 = C

16	APK	IPD	13 11 3.52					130 3.4	23.8	182	74	4.44	4.76	-0.05	.
16	SPRC	IPU	13 11 4.06						26.0	309	74	4.98	5.15	-0.14	.
16	SHRC	IPU	13 11 5.23					126 3.5	37.0	95	74	6.15	6.70	0.04	.
16	MCY	IPU	13 11 5.82						38.1	292	74	6.74	6.80	0.02	.
16	JUN	IPU	13 11 7.86					140 3.6	49.1	258	74	8.78	8.52	0.25	.
16	CPX	IPU	13 11 9.96					150 3.7	62.0	315	74	10.88	10.48	0.23	.
16	LUP	IPU	13 11 10.33					140 3.6	64.4	304	74	11.25	11.16	0.17	.
16	LSP	IPU	13 11 10.79					130 3.6	67.2	290	74	11.71	11.50	0.19	.
16	NUP	EPD	13 11 10.80						69.3	229	74	11.72	11.80	0.01	.
16	SDM	IPU	13 11 11.36						70.1	280	74	12.28	11.94	0.36	.
16	SSP	IPU	13 11 11.70						72.6	307	74	12.62	12.57	0.13	.

70153 1792

100 100 100 100 100 100 100 100 100 100

1981 80M LOCAL-EVENT DATA REPORT

MAR 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	INAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
16	CDM	IPD	13 11 12.20						76.2	298	74	13.12	13.02	0.20	
16	EPR	IPD	13 11 11.80				150	3.8	78.2	26	74	12.72	13.32	-0.58	
16	BGB	EPU	13 11 12.81						81.3	513	74	13.73	13.91	-0.10	
16	AMR	IPU	13 11 13.61						82.7	259	74	14.53	13.93	0.59	
16	CLR	EPU	13 11 13.12				128	3.6	84.1	331	74	14.04	14.30	-0.20	
16	BRU	IPU	13 11 15.89				135	3.7	98.1	485	74	16.81	16.47	0.44	
16	EPH	IPU	13 11 16.40						101.2	310	74	17.32	17.27	-0.01	
16	GNY	IPU	13 11 17.42						106.2	449	74	18.54	17.93	0.69	
16	FMT	EPU	13 11 17.00						109.1	276	74	18.52	18.29	0.47	
16	BLT	EPD	13 11 18.38						116.3	335	74	19.22	19.62	-0.27	
16	PGE	EPU	13 11 22.48				120	3.8	136.0	461	74	23.40	22.84	0.78	
16	DLM	IPD	13 11 22.70						139.9	32	74	23.62	23.44	-0.07	
16	HRNA	IPU	13 11 24.68						152.2	332	74	25.60	25.50	0.03	
16	CTS	EPU	13 11 25.87						161.7	320	89	26.79	26.97	-0.01	

MAR 23 11 16.23 UTC RMS = 0.19 NO = 12 FREE DEPTH SOLUTION
 20 LAT = 37.076 N ERX = 0.8 ENH = 1.0 AVFM = 2.7 U = 0
 LONG = 116.169 W ERY = 0.6 GAP = 97 AVXM = 0.3 W3 = 0
 DEPTH = 0.88 KM ERZ = 2.7 NM = 0 W4 = 0
 SILENT CANYON - YUCCA FLAT

20	BGB	IPD	23 11 18.04				85	3.0	6.8	231	125	1.81	1.90	-0.01	
20	BSP	IPD	23 11 19.69				60	2.7	17.4	195	101	3.40	3.59	-0.05	
20	CLR	IPD	23 11 19.89				58	2.7	19.1	45	99	3.66	3.74	-0.01	
20	CPX	IPU	23 11 19.96				55	2.7	19.1	140	99	3.73	3.71	0.05	
20	EPH	IPU	23 11 20.02				90	3.1	20.6	310	99	3.79	4.15	-0.42	
20	CDM	IPD	23 11 21.01				74	3.0	27.4	209	96	4.78	4.99	-0.11	
20	CDM	IPU	23 11 21.06				51	2.6	27.4	209	96	4.83	5.06	-0.13	
20	LSM	EPD	23 11 20.07				44	2.6	36.5	194	94	3.84	6.31	-2.99	
20	BLT	EPU	23 11 24.10				31	2.3	45.2	5	93	7.87	8.94	-0.04	
20	GHR	IPD	23 11 24.44				45	2.6	45.4	51	93	8.21	8.02	0.29	
20	MCY	EPD	23 11 23.05				37	2.4	49.6	158	93	6.82	8.64	-1.74	
20	SDM	EPD	23 11 24.84				56	2.7	50.2	198	93	8.66	8.69	0.01	
20	SGV	IPU	23 11 29.68				58	2.9	77.6	262	92	13.45	13.26	0.28	
20	CTS	EPD	23 11 31.46				25	2.2	81.1	323	91	15.23	13.89	1.51	
20	MTI	IPU	23 11 35.46				40	2.7	103.6	50	90	19.23	17.15	2.11	
20	AVE	EPU	23 11 34.89				23	2.2	104.7	359	90	18.66	17.33	1.33	
20	GVM	EPD	23 11 34.12				40	2.7	104.8	265	90	17.89	17.35	0.46	
20	PRN	EPU	23 11 35.35				65	3.1	105.9	70	90	19.12	17.52	1.48	
20	HRN	EPU	23 11 36.16				20	2.1	112.3	27	90	19.93	18.45	1.24	
20	MGM	EPU	23 11 37.74				32	2.6	124.5	289	90	21.51	20.54	1.05	
20	BNG	EPU	23 11 39.31				72	3.3	132.2	47	90	23.08	21.79	1.07	

MAR 11 19 44.63 UTC RMS = 0.24 NO = 14 FREE DEPTH SOLUTION
 29 LAT = 36.539 N ERX = 2.3 ENH = 2.0 AVFM = 3.0 U = D
 LONG = 117.972 W ERY = 1.5 GAP = 261 AVXM = 0.3 W3 = C
 DEPTH = 0.88 KM ERZ = 10.0 NM = 0 W4 = 0
 DRY MOUNTAIN

29	MCA	IPU	11 19 55.33				45	2.7	63.1	79	38	10.70	10.90	-0.28	
29	GVM	IPU	11 19 58.04				55	2.9	76.1	48	38	13.41	13.15	0.28	
29	LCM	EPU	11 19 58.58				35	2.5	82.5	21	38	13.95	14.30	-0.27	
29	PGE	IPD	11 19 59.10				51	2.8	84.6	105	38	14.47	14.63	0.06	
29	SGV	IPD	11 20 1.40				75	3.2	97.2	60	38	16.77	16.72	0.14	
29	PPK	EPD	11 20 1.53				48	2.8	98.7	3	38	16.90	17.01	-0.12	
29	MGM	EPU	11 20 3.51				40	2.7	100.7	23	38	18.88	18.71	0.26	

20153 1793

9015300/1798

1981 SGB LOCAL-EVENT DATA REPORT

HR	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XNAG	DUR	FNAG	DIST (KM)	AZI (ULG)	AIM (DEG)	IDBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
29	OSM	EPD	11 20 4.74					45	2.8	117.8	123	30	20.11	19.88	0.14	.
29	MZP	IPD4	11 20 8.94					35	2.7	139.2	22	30	24.31	23.71	0.84	.
29	BHT	EPD4	11 20 9.51					70	3.3	144.3	55	30	24.88	24.50	0.55	.
29	SDM	EPD4	11 20 14.88					45	2.9	146.7	85	30	30.17	28.86	5.55	.
29	CDMS	EPD	11 20 16.03					75	3.4	152.1	76	30	25.40	25.50	-0.04	.
29	CDMS	EPD	11 20 16.04					60	3.2	152.1	76	30	25.41	25.61	-0.10	.
29	LSM	EPD4	11 20 12.55					48	3.0	153.7	82	30	27.92	25.82	2.88	.
29	SSP	EPD	11 20 11.34					50	3.1	162.5	75	30	26.71	27.44	-0.65	.
29	EPN	EPD	11 20 12.30					60	3.3	165.0	63	29	27.67	27.64	-0.23	.
29	SGD	EPD	11 20 12.69					50	3.1	165.3	70	29	28.06	27.75	0.39	.
29	CTB	EPD	11 20 12.85					35	2.8	166.0	42	29	28.22	27.93	0.46	.
29	CPX	EPD4	11 20 14.62					40	3.0	176.8	74	29	29.99	29.12	0.90	.
29	MCY	EPD4	11 20 12.17					39	2.9	180.4	86	29	26.54	29.59	-2.97	.
29	TNP	EPD4	11 20 16.12					40	3.1	183.9	21	29	31.49	30.18	1.84	.
29	CLR	EPD4	11 20 16.75					30	2.7	189.0	67	29	32.14	30.73	1.46	.
29	SPRG	EPD4	11 20 17.54					60	3.4	194.3	85	29	32.93	31.36	1.60	.
29	NRNA	EPD4	11 20 17.54					35	2.9	194.6	47	29	32.91	31.57	1.27	.
29	BLT	EPD4	11 20 17.31					40	3.0	195.1	58	29	32.60	31.60	1.21	.
29	GSH	EPD4	11 20 20.86					22	2.6	215.1	64	29	35.43	34.11	1.42	.
29	APK	EPD4	11 20 17.50					60	3.4	216.5	96	29	32.87	34.54	-1.00	.
29	PRN	EPD4	11 20 31.64					40	3.5	277.4	78	29	47.81	42.87	4.82	.

30153 1794

30153000/1794

1981 SCS LOCAL-EVENT DATA REPORT

APR STA PHASE TIME AMP PER X MAG DUR P MAG DIST AZI AIN TUBS TCAL RES REMARKS
 1981 (MU) (SEC) (RM) (DEG)(DEG) (SLC) (SEC) (SEC)

APR H = 19 40 2.30 UTC RMS = 0.31 ND = 10 FREE DEPTH SOLUTION
 02 LAT = 38.322 N ERX = 1.9 ERM = 4.3 AVFM = 3.5 U = D
 LONG = 117.286 W ERY = 3.0 GAP = 255 AVXN = U3 = C TONOPAH
 DEPTH = 3.00 KM ERZ = 4.0 NM = UD = 0

02	TNP	EPU	19 40 7.19	113	3.3	27.3	167	74	4.89	5.15	-0.53
02	CIS	EPU	19 40 17.49	100	3.4	88.8	146	74	15.19	15.13	0.22
02	RVE	EPU	19 40 19.64	85	3.3	101.6	109	74	17.34	17.30	0.40
02	KRNA	EPD2	19 40 20.03	120	3.6	102.5	129	74	17.73	17.30	0.27
02	PPK	EPD	19 40 21.62	60	3.1	113.5	209	74	19.32	19.13	0.18
02	LCH	EPU	19 40 23.24	66	3.2	124.8	195	74	20.94	20.90	0.11
02	BLT	EPU	19 40 25.64	100	3.6	138.5	132	74	23.34	23.20	0.27
02	GYN	EPD4	19 40 27.47	84	3.5	146.7	182	74	25.17	24.33	0.77
02	SGV	EPU	19 40 27.71	82	3.5	150.5	171	74	25.41	25.11	0.30
02	WRN	EPU	19 40 28.00	95	3.6	153.5	104	74	25.70	25.62	0.03
02	TPU	EPU	19 40 29.21	71	3.4	164.4	119	49	26.91	27.25	-0.20
02	GLR	EPU	19 40 30.00	75	3.5	167.4	138	49	27.70	27.53	0.20
02	GMR	EPU	19 40 30.70	79	3.5	172.8	129	49	28.40	28.25	0.25
02	BRD	EPU	19 40 31.31	69	3.0	182.7	161	49	29.01	29.37	-0.20
02	CDM1	EPD4	19 40 30.51	64	3.0	183.5	152	49	24.21	29.57	-1.26
02	LOP	EPD4	19 40 34.11	126	4.0	198.6	149	49	31.81	30.56	1.33
02	MTI	EPU	19 40 32.50	67	3.5	198.9	112	49	30.20	30.55	-0.24
02	NPN	EPU	19 40 36.37	74	3.6	219.3	110	49	34.07	34.23	-0.38
02	PGE	EPD4	19 40 37.10	63	3.5	219.9	175	49	34.88	34.35	0.75
02	PRN	IPU	19 40 36.74	73	3.6	221.4	117	49	34.44	34.46	-0.14
02	JON	EPD4	19 40 39.51	100	3.9	233.7	153	49	37.21	35.91	1.29

APR H = 0 53 03.34 UTC RMS = 0.43 ND = 10 FREE DEPTH SOLUTION
 03 LAT = 38.274 N ERX = 3.6 ERM = 7.5 AVFM = 3.1 U = D
 LONG = 117.230 W ERY = 6.6 GAP = 255 AVXN = U3 = D TONOPAH
 DEPTH = 2.38 KM ERZ = 7.7 NM = UD = 0

03	TNP	EPU	0 53 47.15	75	3.0	21.4	177	74	3.81	4.21	-0.64
03	RVE	EPD	0 53 59.89	60	3.0	95.3	107	74	16.55	16.31	0.25
03	GMR	EPU	0 54 1.94	47	2.9	108.2	181	74	18.60	18.36	0.39
03	PPK	EPD	0 54 2.19	46	2.8	111.4	212	74	18.85	18.82	0.02
03	LCH	EPD	0 54 4.05	50	3.0	121.1	198	74	20.71	20.32	0.47
03	BLT	EPD4	0 54 6.43	65	3.2	131.2	132	74	23.09	22.85	1.18
03	GYN	EPD4	0 54 7.70	55	3.1	141.6	184	74	24.36	23.54	0.77
03	EPN	EPD4	0 54 8.06	85	3.5	142.3	146	74	24.72	23.94	0.73
03	SGV	EPD4	0 54 8.24	63	3.2	144.6	173	74	24.90	24.17	0.83
03	GLR	EPD	0 54 10.10	55	3.2	160.2	138	49	26.76	26.67	0.16
03	GMR	EPD	0 54 10.74	59	3.3	165.6	129	49	27.40	27.39	0.11
03	CDM1	EPD	0 54 12.28	58	3.3	176.4	153	49	28.94	28.74	0.31
03	MTI	EPD	0 54 12.81	47	3.1	184.3	111	49	29.47	29.78	-0.27
03	NPN	EPU	0 54 16.57	53	3.3	212.9	109	49	33.23	33.48	-0.45
03	DLN	EPD	0 54 18.81	51	3.4	231.3	109	49	35.47	35.86	-0.63

APR H = 10 43 58.75 UTC RMS = 0.11 ND = 7 FREE DEPTH SOLUTION
 03 LAT = 37.570 N ERX = 0.6 ERM = 0.8 AVFM = 2.7 U = C
 LONG = 116.865 W ERY = 0.6 GAP = 127 AVXN = U3 = C QUARTZITE MOUNTAIN
 DEPTH = 3.04 KM ERZ = 168.0 NM = UD = C

03	KRNA	EPU	10 44 2.52	64	2.8	20.5	22	90	3.77	3.63	0.87
03	CIS	EPD	10 44 2.91	50	2.6	25.0	293	90	4.16	4.17	-0.03
03	BLT	EPU	10 44 3.87	64	2.9	31.8	108	90	5.12	5.47	-0.22
03	GLR	EPU	10 44 8.09	42	2.6	57.1	136	90	9.34	9.58	-0.17
03	SGP	EPU	10 44 9.17	31	2.3	62.7	160	90	10.42	10.49	0.01
03	GMR	EPU	10 44 9.88	40	2.6	66.7	113	90	11.13	11.14	0.09
03	MTI	EPD4	10 44 16.89	33	2.5	105.9	84	90	18.14	17.53	0.65
03	PRN	EPD4	10 44 20.40	38	2.7	126.4	98	90	21.65	20.86	0.68
03	JON	EPD	10 44 20.51	60	3.1	129.5	166	90	21.74	21.35	0.40

90153000/1795

1981 SGO LOCAL-EVENT DATA REPORT

APR 1981 STA PHASE TIME (UTC) AMP (MU) PER (SEC) XMAG DUR FMAG DIST (KM) AZI (JUG) AIM (DEG) TOSS (SEC) TCAL (SEC) RES (SEC) REMARKS

APR M = 16 34 17.19 UTC RMS = 0.23 NU = 9
 05 LAT = 36.039 N ER1 = 5.0 ERN = 6.9 AVFM = 3.2 U = D FREE DEPTH SOLUTION
 LONG = 117.745 W ER2 = 4.0 GAP = 272 AVXN = U3 = D DARRIN
 DEPTH = 0.36 KM ERZ = 19.0 NM = UD = D

05	PCI	EPU3	16 34 29.62	60	3.0	70.1	61	30	12.43	12.33	0.32
05	NCA	EPU	16 34 30.00	50	2.0	79.5	32	30	13.25	13.52	-0.35
05	DSP	EPU	16 34 30.72	45	2.7	79.5	96	30	13.53	13.61	-0.17
05	GWV	EPU	16 34 34.06	66	3.1	96.2	60	30	16.67	16.82	0.13
05	GVN	EPU	16 34 36.17	78	3.3	112.0	19	30	18.98	19.06	-0.14
05	AMR	EPD4	16 34 38.19	79	3.3	121.1	71	30	20.91	20.30	0.52
05	SGV	EPU	16 34 38.00	72	3.3	122.6	51	30	20.89	20.79	0.10
05	SDM	EPD	16 34 41.27	69	3.3	143.2	62	30	24.00	24.05	0.07
05	MGM	EPU	16 34 44.09	46	3.0	157.2	8	30	26.90	26.54	0.45
05	BMT	EPD	16 34 45.54	61	3.5	169.5	55	29	28.35	28.35	0.17
05	EPN	EPD4	16 34 48.34	62	3.6	182.2	44	29	31.15	30.88	1.09
05	CTS	EPD4	16 34 50.00	69	3.2	201.5	27	29	33.61	32.36	1.42
05	KRNA	EPD4	16 34 54.01	75	3.7	226.8	33	29	37.68	35.39	2.16
05	GMR	EPD4	16 34 55.55	54	3.0	227.6	51	29	40.36	35.05	2.81

APR M = 18 19 47.02 UTC RMS = 0.13 NU = 13
 06 LAT = 36.440 N ER1 = 1.8 ERN = 2.3 AVFM = 3.5 U = C FREE DEPTH SOLUTION
 LONG = 118.478 W ER2 = 1.4 GAP = 272 AVXN = U3 = B
 DEPTH = 0.27 KM ERZ = 4.7 NM = UD = D

06	APK	EPU	18 20 3.96	76	3.2	99.3	262	30	16.94	17.25	-0.03
06	PHN	EPU	18 20 7.24	71	3.2	118.0	1.5	30	20.22	20.10	-0.07
06	SPRG	EPU	18 20 7.52	113	3.7	122.5	403	30	20.50	20.72	-0.10
06	DLM	EPU	18 20 9.46	72	3.3	131.5	350	30	22.44	22.29	-0.09
06	MCY	EPU	18 20 9.68	75	3.4	135.1	281	30	22.66	22.78	-0.04
06	JON	EPD	18 20 11.43	69	3.3	145.0	270	30	24.41	24.45	-0.04
06	GHR	EPU	18 20 12.72	77	3.4	152.1	311	30	25.70	25.61	0.19
06	MTI	EPD	18 20 12.95	67	3.3	154.4	335	30	25.93	25.97	-0.01
06	LDP	EPD	18 20 13.68	65	3.3	158.0	487	30	26.66	26.60	0.14
06	TPU	EPD	18 20 15.11	65	3.3	166.1	341	29	28.09	27.86	0.37
06	SDM	EPU	18 20 15.11	60	3.4	168.3	278	29	28.09	27.94	0.20
06	SHG	EPD	18 20 15.34	65	3.6	168.4	342	29	28.32	28.10	0.01
06	GWV	EPD4	18 20 20.06	75	3.6	199.0	262	29	33.84	31.99	1.94
06	BMT	EPU	18 20 21.19	107	3.9	214.7	296	29	34.17	34.16	0.19
06	KRNA	EPD4	18 20 21.57	60	3.5	222.3	311	29	34.55	35.08	-0.60
06	SGV	EPD	18 20 23.07	96	3.9	236.1	485	29	36.85	36.75	0.20
06	CTS	EPD4	18 20 23.78	60	3.5	241.4	304	29	36.76	37.51	-0.57
06	GVI	EPD4	18 20 27.95	69	4.0	263.5	264	29	40.93	40.10	0.77
06	GMR	EPD4	18 20 28.58	79	3.9	265.7	291	29	41.56	40.68	1.03

APR M = 23 3 28.07 UTC RMS = 0.09 NU = 21
 07 LAT = 37.156 N ER1 = 0.2 ERN = 0.3 AVFM = 3.1 U = C FREE DEPTH SOLUTION
 LONG = 116.916 W ER2 = 0.2 GAP = 75 AVXN = U3 = C THIRSTY CANYON
 DEPTH = 0.85 KM ERZ = 13.0 NM = UD = C

07	SCV	IPD	23 3 32.30	98	3.2	22.0	208	40	4.23	4.27	0.05
07	BMT	EPD	23 3 33.01	87	3.1	27.9	60	40	4.94	5.00	-0.29
07	GMR	IPU	23 3 34.43	91	3.2	34.4	298	30	6.36	6.47	0.04
07	GVN	EPD	23 3 35.41	85	3.1	41.6	446	30	7.34	7.37	-0.09
07	BRD	IPU4	23 3 36.25	64	2.9	50.7	149	30	8.18	8.07	-0.57
07	EPN	EPD2	23 3 37.05	65	2.9	53.0	63	38	9.78	9.52	0.19
07	CTS	IPD	23 3 38.16	56	2.0	58.1	17	38	10.09	10.26	-0.01
07	FMT	IPU	23 3 38.00	75	3.1	58.6	168	30	9.93	10.17	0.00
07	MGM	EPU	23 3 38.44	91	3.3	60.4	302	30	10.57	10.64	-0.02
07	BGH	EPU	23 3 39.10	81	3.2	62.6	162	30	11.03	10.97	0.14
07	LCH	EPD4	23 3 40.02	89	3.3	65.5	270	30	11.95	11.30	0.65
07	SDM	EPU	23 3 41.08	65	3.0	76.6	130	30	13.01	13.10	-0.05
07	BLT	EPD	23 3 41.63	60	3.0	79.2	63	30	13.56	13.60	0.01
07	GLK	EPU	23 3 41.63	78	3.2	79.9	87	30	13.56	13.73	-0.10
07	KRNA	IPU	23 3 42.12	60	3.0	80.5	36	30	14.05	13.93	0.05

201531796

201530001796

1981 SGB LOCAL-EVENT DATA REPORT

APR 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	PMAG	DIST (KM)	AZI (DEG)	ATH (DEG)	IOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
07	PGE	EPD	23 3 43.37					76 3.2	90.6	188	38	15.30	15.54	-0.02	
07	AMR	EPD	23 3 43.91					54 2.9	92.9	155	38	15.84	15.69	0.14	
07	MCY	EPD	23 3 45.12					67 3.1	101.2	123	38	17.05	17.15	-0.02	
07	GMM	EPD	23 3 45.71					84 3.3	103.6	79	30	17.64	17.60	0.04	
07	JOM	EPD	23 3 46.11					56 3.0	107.6	138	30	18.04	18.12	-0.09	
07	GNY	EPD	23 3 46.69					55 3.0	109.8	168	34	18.62	18.60	0.02	
07	SPRG	EPD	23 3 47.00					73 3.2	111.2	117	38	18.93	18.77	0.19	
07	OSM	EPD	23 3 50.03					70 3.3	132.2	178	38	21.96	22.06	-0.10	
07	HRN	EPD4	23 3 53.78					40 2.9	148.9	52	38	25.83	25.80	0.03	
07	PRN	EPD4	23 3 55.57					65 3.3	167.8	60	29	27.50	27.84	-0.47	
07	NPN	EPD4	23 3 57.72					82 3.6	183.7	73	29	29.65	29.93	-0.40	

APR H = 30 31.89 UTC RMS = 0.19 NO = 22 FREE DEPTH SOLUTION
 00 LAT = 37.155 N ERX = 0.2 ERM = 0.3 AVFM = 3.0 U = 0
 LONG = 116.914 W ERY = 0.2 GAP = 79 AVSM = 3.0 US = A
 DEPTH = 6.37 KM ERZ = 1.2 NM = GD = C
 THIRSTY CANYON

00	SGV	IPD	4 30 35.96					98 3.2	22.8	209	103	4.67	4.27	-0.11	
00	BMT	EPD	4 30 37.11					85 3.1	27.7	59	100	5.22	5.31	0.08	
00	GMM	IPD	4 30 38.19					82 3.1	34.7	298	97	6.30	6.42	0.02	
00	GNY	IPD	4 30 39.23					81 3.1	41.8	246	96	7.34	7.30	-0.02	
00	BRD	IPD4	4 30 39.92					50 2.7	50.6	149	95	8.03	8.74	-0.59	
00	EPN	EPD	4 30 41.48					79 3.1	52.8	83	94	9.59	9.38	0.15	
00	CTS	EPD	4 30 41.78					58 2.9	58.1	17	94	9.89	10.16	-0.10	
00	FMT	IPD	4 30 41.57					48 2.7	58.5	168	97	9.68	10.04	-0.13	
00	BGB	EPD	4 30 42.65					67 3.0	62.4	104	94	10.76	10.82	0.02	
00	LSP	EPD	4 30 44.34					65 3.0	73.4	129	93	12.45	12.49	-0.06	
00	LUP	EPD	4 30 44.57					78 3.1	74.4	117	93	12.60	12.76	0.00	
00	SDM	EPD	4 30 44.71					65 3.0	76.8	138	93	12.82	12.96	-0.10	
00	GLR	EPD4	4 30 46.34					54 2.9	79.7	84	93	14.45	13.57	0.94	
00	KRNA	EPD	4 30 45.77					57 2.9	80.4	36	93	13.84	13.88	0.00	
00	CPX	EPD	4 30 45.73					64 3.0	80.4	108	93	13.84	13.66	0.21	
00	PGE	IPD	4 30 47.38					58 3.0	90.5	189	92	15.41	15.42	0.21	
00	AMR	EPD	4 30 47.54					60 3.0	92.5	155	92	15.65	15.55	0.08	
00	MCY	EPD	4 30 48.67					65 3.1	101.0	123	92	16.78	17.00	-0.14	
00	GNY	EPD	4 30 50.25					60 3.1	109.7	169	92	18.30	18.47	-0.03	
00	SPRG	EPD4	4 30 50.05					60 3.1	111.0	117	92	18.16	18.62	-0.43	
00	RVE	EPD	4 30 51.24					53 3.0	115.2	34	92	19.35	19.52	-0.17	
00	OSM	EPD	4 30 53.96					46 2.9	132.1	178	92	22.07	21.95	0.03	
00	HRN	EPD4	4 30 57.34					53 3.1	149.7	52	52	25.45	24.86	0.54	
00	EPR	EPD4	4 30 57.56					72 3.4	153.3	89	52	25.67	25.35	0.33	
00	MTI	EPD	4 30 57.69					52 3.1	156.4	68	52	25.80	25.80	0.03	
00	PRN	EPD	4 30 59.44					69 3.3	167.8	80	52	27.55	27.22	0.21	
00	NPN	EPD	4 30 1.42					59 3.3	183.5	72	52	29.53	29.30	0.01	

APR H = 44 52.79 UTC RMS = 0.15 NO = 24 FREE DEPTH SOLUTION
 00 LAT = 37.154 N ERX = 0.3 ERM = 0.4 AVFM = 3.2 U = 0
 LONG = 116.913 W ERY = 0.3 GAP = 75 AVSM = 3.0 US = A
 DEPTH = 6.49 KM ERZ = 1.5 NM = GD = C
 THIRSTY CANYON

00	SGV	IPD	4 44 56.88					103 3.2	22.8	209	103	4.08	4.27	-0.09	
00	BMT	IPD	4 44 58.05					92 3.2	27.7	59	100	5.26	5.31	0.11	
00	GMM	IPD	4 44 59.00					111 3.3	34.8	298	98	6.21	6.45	-0.09	
00	GNY	IPD	4 45 0.02					90 3.2	41.8	246	96	7.23	7.31	-0.14	
00	PCT	IPD4	4 45 0.08					59 2.8	47.6	148	95	7.29	8.27	-0.83	
00	EPN	EPD2	4 45 2.40					88 3.2	52.7	83	95	9.60	9.37	0.17	
00	CTS	EPD	4 45 2.73					57 2.8	58.2	17	94	9.94	10.17	-0.07	
00	MCY	EPD	4 45 3.34					87 3.2	60.8	302	94	10.55	10.64	0.08	
00	BGB	EPD	4 45 3.60					66 3.0	62.3	102	94	10.61	10.80	0.08	
00	LCH	EPD	4 45 4.41					86 3.2	65.8	278	93	11.61	11.33	0.37	
00	LSP	EPD	4 45 5.11					75 3.1	73.3	129	93	12.52	12.67	-0.17	
00	LUP	EPD	4 45 5.50					75 3.1	74.2	117	93	12.79	12.78	0.13	
00	SDM	EPD	4 45 5.66					97 3.4	76.2	138	93	12.86	12.93	-0.03	
00	BLT	EPD	4 45 6.17					64 3.0	78.9	63	93	13.38	13.53	-0.03	
00	CPX	EPD	4 45 6.54					74 3.1	80.3	108	93	13.75	13.64	0.13	
00	KRNA	EPD	4 45 6.72					63 3.0	80.5	36	93	13.83	13.81	0.04	

90153 1797

90153000/1797

1981 SCD LOCAL-EVENT DATA REPORT

APR 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	KMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TOMB (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
00	PGE	EPD	4 45 8.21					62 3.0	90.4	109	92	15.42	15.40	0.23	.
00	AMR	LPU	4 45 8.17					75 3.2	42.6	155	92	15.38	15.53	-0.17	.
00	GMR	LPU	4 45 10.05					70 3.2	103.3	79	92	17.20	17.44	-0.09	.
00	SPNG	EPD	4 45 11.34					89 3.4	110.0	117	92	18.55	18.59	-0.02	.
00	RVE	EPD	4 45 12.15					60 3.1	115.2	10	92	19.35	19.53	-0.17	.
00	EMR	EPD	4 45 18.70					91 3.0	153.3	89	52	25.91	25.33	0.59	.
00	HTI	LPU	4 45 18.44					62 3.3	156.8	88	52	25.65	25.78	-0.11	.
00	PMH	EPD	4 45 20.03					65 3.3	167.5	88	52	27.24	27.20	-0.09	.
00	NPL	EPD	4 45 22.09					70 3.0	163.5	72	52	29.30	29.29	-0.20	.
00	DLM	EPD	4 45 24.17					56 3.3	198.9	75	52	31.38	31.20	-0.16	.

APR M = 13 36 5.50 UTC RMS = 0.06 NO = 9 FREE DEPTH SOLUTION
 09 LAT = 36.824 N LHX = 0.3 EHM = 0.4 AVPM = 2.0 U = B LATHROP WELLS
 LONG = 116.268 W LRY = 0.3 GAP = 72 AVXM = U3 = A
 DEPTH = 5.68 KM ERZ = 1.3 NM = WD = B

09	LSP	EPD	13 36 7.76					23 1.9	9.3	183	119	2.20	2.19	-0.01	.
09	LUP	EPD	13 36 7.87					23 1.9	9.6	69	119	2.31	2.36	0.04	.
09	YMT6	EPD	13 36 8.20					32 2.2	12.8	200	111	2.72	2.71	-0.00	.
09	YMT3	EPD	13 36 8.44					25 2.0	13.4	252	109	2.80	2.78	0.15	.
09	ESU	EPD	13 36 10.19					25 2.0	17.0	286	105	4.63	4.67	-0.04	.
09	YMT4	EPD	13 36 9.00					25 2.0	18.5	297	103	3.44	3.39	-0.05	.
09	YMT5	EPD	13 36 9.38					25 2.0	18.5	297	103	3.82	3.65	0.17	.
09	BGB	EPD	13 36 10.03					20 1.8	24.0	9	99	4.47	4.61	-0.05	.
09	MCT	EPD	13 36 11.40					30 2.2	32.7	123	51	5.84	5.91	0.01	.

APR M = 23 44 35.01 UTC RMS = 0.17 NO = 12 FREE DEPTH SOLUTION
 09 LAT = 37.063 N ERX = 0.0 EHM = 0.7 AVPM = 2.0 U = C SILENT CANYON - YUCCA FLAT
 LONG = 116.052 W ERY = 0.4 GAP = 112 AVXM = U3 = C
 DEPTH = 0.14 KM ERZ = 17.9 NM = WD = C

09	CPX	EPD	23 44 38.66					61 2.8	14.7	181	40	2.85	3.13	-0.25	.
09	CLP	EPD	23 44 38.99					55 2.7	15.5	11	40	3.10	3.20	-0.04	.
09	BGB	EPD	23 44 39.17					53 2.6	15.9	260	40	3.36	3.41	0.03	.
09	SSP	EPD	23 44 42.79					47 2.9	21.3	224	40	6.98	4.40	2.66	.
09	LUP	LPU	23 44 48.66					71 2.9	25.3	204	40	4.85	5.01	-0.06	.
09	EPN	EPD	23 44 41.56					59 2.8	29.4	305	40	5.75	5.82	-0.13	.
09	YMT6	EPD	23 44 43.19					67 2.9	30.7	238	38	7.20	7.11	0.10	.
09	GMR	EPD	23 44 43.14					50 2.7	39.1	40	38	7.33	7.26	0.17	.
09	YMT5	EPD	23 44 43.31					57 2.8	40.1	243	38	7.50	7.39	0.11	.
09	LSP	LPD	23 44 43.61					56 2.8	40.9	209	38	7.89	7.44	0.32	.
09	SPNG	EPD	23 44 44.34					56 2.8	46.3	152	36	8.53	8.36	0.20	.
09	BLT	EPD	23 44 48.29					56 2.8	47.8	352	38	8.48	8.59	0.02	.
09	JWA	EPD	23 44 47.53					53 2.8	69.3	184	38	11.72	12.03	-0.32	.
09	RVE	EPD	23 44 55.32					40 2.7	106.9	353	38	19.51	18.44	1.07	.
09	GMR	EPD	23 44 56.68					53 3.0	110.4	280	38	20.87	18.97	2.04	.
09	GVR	EPD	23 44 56.98					52 3.0	115.1	247	38	21.17	19.46	1.64	.

APR M = 11 56 58.45 UTC RMS = 0.22 NO = 7 FREE DEPTH SOLUTION
 10 LAT = 36.921 N LHX = 0.8 EHM = 1.4 AVPM = 2.2 U = C LATHROP WELLS
 LONG = 116.122 W LRY = 1.1 GAP = 98 AVXM = U3 = C
 DEPTH = 0.92 KM ERZ = 48.6 NM = WD = B

10	CPX	IPU	11 56 54.92					30 2.1	6.1	60	40	1.47	1.51	0.00	.
10	LUP	IPU	11 57 0.08					39 2.3	8.4	209	40	1.63	1.98	-0.27	.
10	BGB	EPD	11 57 1.21					23 1.9	16.0	324	40	2.76	3.28	-0.44	.
10	LSP	EPD	11 57 4.82					31 2.2	24.1	214	40	6.37	4.50	1.81	.
10	YMT6	EPD	11 57 2.37					27 2.1	26.1	255	40	3.92	4.87	-1.04	.
10	YMT5	EPD	11 57 4.08					31 2.2	29.7	265	40	5.63	5.52	0.11	.
10	YMT3	EPD	11 57 6.63					42 2.5	29.7	240	38	8.18	5.46	2.77	.
10	MCT	IPU	11 57 4.46					36 2.4	32.1	154	38	6.91	5.90	0.19	.
10	EPN	EPD	11 57 5.91					24 2.0	37.2	331	38	7.46	6.93	0.47	.
10	SPNG	EPD	11 57 5.24					35 2.3	37.6	132	38	6.79	6.78	0.04	.
10	KRNA	EPD	11 57 15.00					23 2.4	43.9	346	38	16.55	16.09	0.39	.

90153 1798

90153000/1798

1981 SCB LOCAL-EVENT DATA REPORT

APR STA PHASE TIME AMP PER X MAG DUR F MAG DIST AZI AIN TUBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (DEG) (DEG) (SEC) (SEC) (SEC)

APR H = 1 37 47.59 UTC RMS = 0.88 NO = 11 FREE DEPTH SOLUTION
 11 LAT = 36.529 N ERI = 0.2 ERM = 0.3 AVFM = 2.7 U = B
 LONG = 116.376 W ERY = 0.2 GAP = 79 AVXM = US = A LATHROP WELLS
 DEPTH = 1.43 NM ERZ = 1.3 NM = UD = C

11	AMR	IPU	1 37 50.70					17.0	211	92	3.11	3.24	-0.14
11	LSM	IPU	1 37 52.10					25.1	22	90	4.51	4.46	0.02
11	JOM	IPU	1 37 52.52					26.0	112	78	4.93	4.86	0.05
11	YMT8	EPD	1 37 54.10			55	2.7	35.4	309	78	6.51	6.48	-0.08
11	YMT6	EPD	1 37 54.09					36.0	356	78	6.50	6.57	-0.16
11	FMT	EPD	1 37 54.17			40	2.5	38.1	289	78	6.58	6.70	0.08
11	LOP	EPD	1 37 54.90					40.6	27	78	7.31	7.33	0.06
11	YMT5	EPU	1 37 55.01			60	2.8	41.5	350	74	7.42	7.42	0.00
11	GWV	EPD	1 37 55.85			50	2.7	46.3	215	74	8.26	8.22	0.11
11	NJP	EPU	1 37 56.00			50	2.7	48.9	156	74	8.81	8.52	-0.02
11	CPR	EPU	1 37 56.78					52.9	33	74	9.19	9.24	-0.03

APR H = 5 33 0.86 UTC RMS = 0.05 NO = 8 FREE DEPTH SOLUTION
 12 LAT = 36.002 N ERI = 0.3 ERM = 0.8 AVFM = 2.4 U = B
 LONG = 116.040 W ERY = 0.2 GAP = 127 AVXM = US = A LATHROP WELLS
 DEPTH = 5.17 NM ERZ = 1.6 NM = UD = B

12	MCY	IPD	5 33 10.82			36	2.3	9.6	47	115	2.16	2.23	0.01
12	JOM	IPD	5 33 12.26			34	2.3	18.9	197	109	3.60	3.60	-0.01
12	SPRG	EPU	5 33 12.98			47	2.4	23.0	64	98	4.32	4.33	0.02
12	LSM	EPU	5 33 13.41			30	2.2	25.0	306	77	4.75	4.76	-0.03
12	SDH	IPU	5 33 13.59			30	2.2	27.1	280	96	4.93	4.95	0.02
12	LUP	EPD	5 33 14.11			35	2.3	30.2	338	96	5.45	5.58	-0.05
12	CPR	EPU4	5 33 15.76			32	2.3	36.4	358	94	7.10	6.50	0.63
12	YMT3	EPD	5 33 15.82			44	2.4	39.0	302	94	6.96	6.87	0.13
12	NUP	EPD	5 33 17.82			33	2.4	53.6	191	93	9.16	9.23	0.02
12	GWV	EPU4	5 33 30.60			31	2.5	124.4	291	90	21.94	20.53	1.35
12	GWV	EPU4	5 33 32.23			38	2.8	133.3	306	90	23.57	21.99	1.73

APR H = 8 15 23.70 UTC RMS = 0.16 NO = 18 FREE DEPTH SOLUTION
 12 LAT = 36.769 N ERI = 0.4 ERM = 0.5 AVFM = 2.4 U = B
 LONG = 116.233 W ERY = 0.4 GAP = 61 AVXM = US = B LATHROP WELLS
 DEPTH = 0.53 NM ERZ = 0.6 NM = UD = A

12	LSM	IPU	8 15 25.15			67	2.8	4.0	227	109	1.45	1.33	0.09
12	LUP	IPD	8 15 26.22			67	2.8	11.1	32	40	2.52	2.52	0.00
12	SDH	IPD	8 15 26.62			65	2.8	16.6	414	40	2.92	3.32	-0.37
12	SSP	EPU4	8 15 29.48			55	2.7	17.3	4	40	5.78	3.65	2.21
12	CPR	EPD	8 15 28.19			62	2.8	23.9	42	43	4.49	4.61	-0.09
12	MCY	EPU	8 15 24.00			70	2.9	27.0	114	40	5.10	5.13	0.04
12	BCB	EPD	8 15 29.15			70	2.9	29.8	1	40	5.45	5.70	-0.17
12	JOM	EPD	8 15 30.58			56	2.8	38.4	162	38	6.88	6.92	-0.06
12	SPRG	IPU	8 15 30.80			59	2.8	38.8	102	38	7.10	7.06	0.07
12	AMR	EPD4	8 15 31.21			50	2.8	46.5	208	38	7.51	8.21	-0.71
12	EPN	EPU4	8 15 34.62			66	2.9	50.0	351	38	10.92	9.10	1.75
12	BMT	EPU	8 15 35.98			65	3.0	67.9	327	38	12.28	11.98	0.46
12	SGV	EPU	8 15 36.48			64	3.0	75.0	288	38	12.78	13.01	-0.15
12	GWV	EPU	8 15 36.87			55	2.9	75.4	211	38	13.17	13.10	0.14
12	PGE	EPU4	8 15 39.59			57	2.9	87.9	238	38	15.89	15.17	0.94
12	MCA	EPU	8 15 40.06			45	2.8	94.4	262	38	16.36	15.93	0.34
12	GWV	EPD	8 15 41.25			49	2.9	102.2	285	38	17.55	17.29	0.20
12	EPR	EPD4	8 15 41.85			58	3.0	103.2	65	38	18.15	17.55	0.62
12	GSM	EPU4	8 15 42.10			65	3.1	105.8	213	38	18.40	17.64	0.47

90153 1799

901530000000

1981 808 LOCAL-EVENT DATA REPORT

APR 1981 STA PHASE TIME APP PER IPAG DUR PHAG DIST AZI AIN TOBS TCAL RES REMARKS
 (MU) (SEC) (KJ) (DEG) (DEG) (SEC) (SEC) (SEC)

APR H = 20 21 27.73 UTC RMS = 0.09 NO = 16 FREE DEPTH SOLUTION
 13 LAT = 36.893 N ERX = 0.3 ERH = 0.4 AVPH = 3.7 8 = B
 LONG = 116.463 W ERY = 0.2 GAP = 114 AVXR = 88 = A YUCCA HTN.
 DEPTH = 4.29 KM ERZ = 0.8 NH = 80 = B

STATION	PHASE	TIME	RMS	NO	AVPH	AVXR	8	88	80
13	YHT5 IPD	20 21 29.00	1.0	34	148	1.28	1.19	0.06	
13	YHT4 EPD	20 21 29.40	8.2	147	128	1.68	1.94	-0.01	
13	YHT6 IPD	20 21 29.44	6.5	127	120	1.71	1.69	-0.07	
	ISX	20 21 30.70	2.93	2.04	-0.09				
13	YHT3 EPU	20 21 30.25	12.6	139	103	2.90	2.60	-0.05	
	ISX	20 21 32.03	4.30	4.39	-0.04				
13	LSH EP 1	20 21 32.30	24.0	135	95	4.55	4.45	0.07	
	ISX2	20 21 32.30	7.75	7.65	0.09				
13	808 EP	20 21 32.98	24.3	93	94	4.80	4.75	-0.07	
13	LOP EP	20 21 32.70	24.7	99	94	4.93	5.00	0.03	
13	SDH EP	20 21 32.80	29.7	138	93	5.05	5.34	-0.27	
13	SDH EP	20 21 32.80	34.5	84	93	4.85	4.91	0.34	
13	CPI EP 3	20 21 34.40	39.9	223	92	4.80	7.00	0.03	
13	FHT EP 2	20 21 34.53	44.2	339	92	8.10	8.28	-0.01	
13	BHT EP 1	20 21 35.85	14.28	13.87	0.28				
	ISX4	20 21 42.00	9.23	8.94	0.37				
13	MCY EP 3	20 21 37.00	31.6	120	92	11.25	10.22	1.02	
13	JON EP 4	20 21 39.00	39.7	147	91	17.65	17.49	0.14	
	ISX2	20 21 43.40	11.25	10.71	0.57				
13	SPRO EP 4	20 21 39.00	62.4	111	91	11.25	10.71	0.57	

90153 1800

9015300 1800

1961 SCB LOCAL-EVENT DATA REPORT

APR STA PHASE TIME AMP PEN MAG DUR FRAG DIST AZI AIN TOBS TCAL RES REMARKS
 1961 (UTC) (MU) (SEC) (KM) (ULG)(DEG) (SEC) (SEC) (SEC)

APR M = 5 31 1.04 UTC RMS = 0.00 NO = 4 FREE DEPTH SOLUTION
 17 LAT = 37.155 N LNX = ERM = AVFM = 1.7 U = C
 LONG = 117.379 W LRY = GAP = 121 AVXM = US = A MT. JACKSON
 DEPTH = 11.67 KM ERZ = NM = WD = D

17	GMN	EPD	5 31	4.85	20	1.0	17.3	169	123	3.01	3.75	0.00
17	GMN	EPD	5 31	5.20	20	1.0	19.3	33	121	4.16	4.31	0.00
17	LCH	EPD	5 31	6.01	18	1.5	25.4	290	113	4.97	5.05	0.00
17	SGV	EPD	5 31	7.69	17	1.7	36.3	122	106	6.65	6.74	0.00

APR M = 8 32.02 UTC RMS = 0.14 NO = 12 FREE DEPTH SOLUTION
 17 LAT = 37.290 N LNX = 0.4 ERM = 0.6 AVFM = 2.4 U = C
 LONG = 116.731 W LRY = 0.4 GAP = 89 AVXM = US = C THIRSTY CANYON
 DEPTH = 6.30 KM ERZ = 35.3 NM = WD = D

17	BMT	EPD	8 30	34.47	40	2.4	7.6	94	40	1.65	2.00	-0.23
17	EPN	EPD	8 30	40.51	47	2.6	17.1	103	30	7.69	7.05	0.00
17	CFB	EPD	8 30	40.10	33	2.3	40.6	1	30	7.36	7.50	-0.01
17	SGV	EPD	8 30	40.40	34	2.3	43.5	218	30	7.50	7.00	-0.27
17	GMN	EPD	8 30	41.37	30	2.2	46.9	271	30	8.55	8.01	0.09
17	YMT5	EPD	8 30	41.73	27	2.2	50.0	150	30	8.91	8.96	-0.09
17	BCB	EPD	8 30	42.15	32	2.3	52.0	122	30	9.33	9.40	-0.07
17	YMT4	EPD	8 30	42.71	27	2.2	53.3	152	30	9.89	9.67	0.31
17	NCT	EPD	8 30	42.17	28	2.2	56.1	179	30	9.35	9.67	-0.36
17	BLT	EPD	8 30	43.03	40	2.5	57.9	60	30	10.21	10.27	0.00
17	KRNA	EPD	8 30	43.47	37	2.5	56.9	32	30	10.65	10.53	0.09
17	GVN	EPD	8 30	43.87	27	2.2	63.1	239	30	11.05	10.90	0.01
17	LDP	EPD	8 30	44.92	45	2.7	69.7	134	30	12.10	12.22	-0.04
17	GMN	EPD	8 30	48.06	31	2.4	85.3	87	30	15.24	14.73	0.61
17	MCY	EPD	8 30	49.66	43	2.7	97.7	136	30	16.84	16.70	0.22

APR M = 2 3 31.52 UTC RMS = 0.18 NO = 4 FREE DEPTH SOLUTION
 19 LAT = 37.433 N LNX = ERM = AVFM = 2.2 U = C
 LONG = 115.160 W LRY = GAP = 107 AVXM = US = B ALAMO
 DEPTH = 0.03 KM ERZ = NM = WD = D

19	PRN	IPU	2 3	33.91	35	2.3	10.2	106	40	2.39	2.02	-0.19
19	MTI	EPD	2 3	36.09	31	2.2	20.0	340	40	5.37	5.59	-0.19
19	NPN	EPD	2 3	37.96	30	2.2	31.4	39	30	6.44	6.00	0.19
19	TPU	EPD	2 3	40.26	21	1.9	47.3	294	30	8.74	8.00	0.19

APR M = 12 29 49.50 UTC RMS = 0.10 NO = 17 FREE DEPTH SOLUTION
 20 LAT = 36.944 N LNX = 1.0 ERM = 1.4 AVFM = 2.6 U = C
 LONG = 117.440 W LRY = 0.9 GAP = 225 AVXM = US = B DRY MOUNTAIN
 DEPTH = 3.99 KM ERZ = 2.3 NM = WD = D

20	GVN	IPU	12 29	58.36	63	2.9	27.9	77	93	4.06	5.03	-0.23
20	LCH	EPD	12 29	55.20	39	2.4	32.3	0	92	5.70	5.06	0.00
20	MCA	EPD	12 29	57.30	23	2.0	46.4	135	91	7.00	7.91	-0.19
20	SGV	EPD	12 29	50.50	52	2.0	55.0	06	91	9.00	9.57	-0.00
20	NCT	EPD	12 30	4.01	27	2.3	92.6	100	90	15.31	15.36	0.11
20	YMT1	EPD	12 30	6.22	39	2.7	100.3	96	90	16.72	16.01	-0.02
20	YMT5	EPD	12 30	7.14	45	2.0	106.0	93	90	17.64	17.63	0.01
20	YMT4	EPD	12 30	7.51	45	2.0	107.0	95	90	18.01	17.71	0.19
20	YMT6	EPD	12 30	7.04	32	2.5	111.3	95	90	16.34	16.39	-0.14
20	GVN	EPD	12 30	10.68	33	2.6	121.3	130	90	21.10	20.62	1.24
20	SDM	EPD	12 30	9.60	33	2.6	121.5	106	90	20.10	20.06	0.08
20	EPN	EPD	12 30	9.92	30	2.6	121.5	76	90	20.42	20.06	9.30
20	LSM	EPD	12 30	10.24	33	2.6	124.0	100	90	20.79	20.00	0.17
20	BCB	EPD	12 30	10.58	33	2.6	126.9	85	90	21.00	20.93	0.23
20	LUP	EPD	12 30	11.47	33	2.6	132.3	94	90	21.97	21.02	0.23
20	GLR	EPD	12 30	13.92	36	2.8	147.7	79	90	24.42	24.32	0.17
20	MCY	EPD	12 30	15.08	37	2.8	151.7	102	90	25.50	25.29	0.37
20	SPRG	EPD	12 30	16.64	45	3.0	166.4	100	52	27.14	27.26	-0.08

9015300 1802

1981 OGD LOCAL-EVENT DATA REPORT

APR STA PHASE TIME AMP PER BRAG DUN PWAB DIST AZI AIN TUBB TCAL RES REMARKS
 1981 (MU) (SEC) (RM) (JL6)(JL6) (SEC) (SEC) (SEC)

20 GNR EPU3 12 30 17.75 32 2.7 172.6 75 52 20.25 20.10 0.25

APR M = 10 7 25.69 UTC NMB = 0.27 NO = 3
 20 LAT = 37.657 N LNA = 1.0 ERM = 1.0 AVFM = 1.0 W = C
 LONG = 115.651 W LNT = 1.1 GAP = 250 AVXM = W = B
 DEPTH = 5.00 KM ERZ = 1.0 NM = UD = D
 FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE
 NORTHINGTON PEAK

20 TPU LPU 10 7 25.92 22 1.8 5.0 179 132 1.33 1.00 -0.37
 20 WT1 LPU 10 7 29.94 18 1.8 33.4 86 95 6.25 6.07 0.21
 20 GNR EPU 10 7 30.51 19 1.8 37.4 197 94 6.62 6.73 0.19

APR M = 9 3 9.01 UTC NMB = 0.03 NO = 5
 21 LAT = 36.690 N LNA = 0.9 ERM = 1.0 AVFM = 2.0 W = C
 LONG = 115.812 W LNT = 1.1 GAP = 150 AVXM = W = B
 DEPTH = 2.50 KM ERZ = 1.0 NM = UD = D
 FREE DEPTH SOLUTION
 MERCURY

21 SPRC LPU 9 3 10.00 27 2.0 0.5 157 170 0.03 0.07 0.00
 21 MCV LPU 9 3 11.79 39 2.3 10.1 253 97 2.10 2.06 -0.04
 21 LUP LPU 9 3 16.12 22 1.9 36.2 299 74 6.51 6.55 0.04
 21 L3M EPU 9 3 17.59 18 1.8 41.5 276 74 7.98 7.30 0.68
 21 SDH EPU 9 3 17.70 16 1.7 47.4 263 74 8.17 8.25 -0.08
 21 TMT3 EPU 9 3 19.06 21 2.0 54.5 280 74 9.43 9.40 0.03
 21 GNR LPU 9 3 21.07 24 2.1 70.6 3 11 12.01 12.13 -0.02

APR M = 11 10 43.12 UTC NMB = 0.33 NO = 6
 21 LAT = 37.736 N LNA = 1.2 ERM = 2.0 AVFM = 2.0 W = C
 LONG = 115.732 W LNT = 1.0 GAP = 177 AVXM = W = B
 DEPTH = 7.35 KM ERZ = 5.3 NM = UD = C
 FREE DEPTH SOLUTION
 NORTHINGTON PEAK

21 TPU LPU 11 10 45.96 31 2.2 16.3 153 113 2.04 3.51 -0.53
 21 OCS EPU 11 10 46.00 21 1.8 16.6 262 112 3.52 3.55 0.00
 21 E30 11 10 48.00 5.77 6.02 -0.25
 21 HT1 LPU 11 10 50.70 24 2.0 41.1 99 98 7.66 7.34 0.35
 21 GNR LPU 11 10 51.41 24 2.0 44.8 104 97 8.29 7.96 0.43
 21 PPH LPU 11 10 55.42 23 2.1 70.5 121 94 12.30 12.09 0.09
 21 NPH EPU 11 10 58.29 19 1.9 70.7 98 94 15.17 12.17 2.79

APR M = 16 2 2.00 UTC NMB = 0.00 NO = 14
 22 LAT = 37.965 N LNA = 0.3 ERM = 0.5 AVFM = 3.5 W = B
 LONG = 117.488 W LNT = 0.4 GAP = 171 AVXM = W = A
 DEPTH = 5.52 KM ERZ = 1.2 NM = UD = C
 FREE DEPTH SOLUTION
 MT. JACKSON

22 GVR LPU 16 2 0.20 132 3.4 9.2 141 118 2.10 2.10 0.00
 22 LCM LPU 16 2 7.19 99 3.2 28.3 311 97 5.15 5.24 -0.01
 22 GNR EPU 16 2 7.39 129 3.5 29.2 27 97 5.55 5.52 -0.02
 22 SGV LPU 16 2 8.21 115 3.4 34.7 106 95 6.17 6.30 -0.03
 22 HGP LPU 16 2 9.40 89 3.2 42.4 349 94 7.44 7.65 -0.12
 22 PPK LPU 16 2 12.51 84 3.2 59.7 312 93 10.47 10.00 0.06
 22 HZP LPU 16 2 14.11 78 3.2 70.5 2 92 12.07 12.27 0.04
 22 BAT LPU 16 2 14.41 97 3.4 71.9 70 92 14.37 12.46 0.00
 22 YMT5 EPU 16 2 16.05 80 3.2 86.9 102 92 14.81 14.70 0.07
 22 YMT6 EPU 16 2 17.20 79 3.2 88.0 105 92 15.16 14.89 0.16
 22 YMT2 EPU 16 2 16.02 160 3.8 88.1 111 92 14.70 14.85 -0.15
 22 YMT3 EPU 16 2 17.69 129 3.7 94.1 109 92 15.65 15.83 -0.13
 22 SPRC LPU 16 2 26.79 92 3.6 148.3 106 90 24.75 24.42 0.36
 22 APK EPU 16 2 32.72 54 3.2 183.6 117 52 30.68 29.64 1.32
 22 EPR EPU 16 2 34.01 115 3.9 197.8 87 52 32.77 31.14 1.65
 22 BHRG LPU 16 2 34.54 221 4.6 210.5 107 52 32.50 32.85 0.25

1803
 90153

00153000/18000

1981 SCW LOCAL-EVENT DATA REPORT

APR STA PHASE TIME AMP PER MAG DUR FMAG U1ST AZI AIM TOBS TCAL RES REMARKS
 1981 (MU) (SEC) (MU) (SEC) (KM) (DEG)(DEG) (SEC) (SEC) (SEC)

APR M = 16 35 4.67 UTC RMS = 0.12 NO = 18 FREE DEPTH SOLUTION
 20 LAT = 36.717 N LMX = 0.3 ERM = 0.4 AVFM = 2.6 U = B
 LONG = 116.142 W ERY = 0.3 GAP = 72 AVSM = 2.6 Q3 = A LATHROP WELLS
 DEPTH = 2.86 KM ERZ = 1.2 NM = UD = C

STATION	TIME	AMP	PER	MAG	DUR	FMAG	U1ST	AZI	AIM	TOBS	TCAL	RES	REMARKS
24 LSM EPU	16 35 7.08	39	2.0	12.0	242	96	2.41	2.47	-0.09				
24 LUP EPU	16 35 7.71	45	2.5	15.4	351	95	3.04	3.16	-0.04				
24 MCY EPU	16 35 7.97	46	2.5	17.2	111	94	3.30	3.38	-0.01				
24 SDH EPU	16 35 8.22	50	2.6	19.3	240	93	3.55	3.69	-0.10				
24 CDMS EPU	16 35 8.61	60	2.9	22.3	315	74	3.94	4.19	-0.16				
24 CDH1 EPD	16 35 8.79	67	2.9	22.3	315	74	4.12	4.26	-0.05				
24 YMT3 IPD	16 35 9.47	50	2.5	25.2	208	74	4.80	4.67	0.18				
24 YMT6 EPU0	16 35 9.89	54	2.7	28.2	304	74	5.22	5.17	-0.04				
24 SPRG LPU	16 35 10.00	51	2.6	29.0	95	74	5.33	5.45	-0.10				
24 JUN EPD	16 35 10.29	38	2.4	31.0	174	74	5.62	5.58	0.03				
24 YMT2 EPD3	16 35 10.70	59	2.8	31.4	204	74	6.03	5.68	0.27				
24 YMT4 EPD	16 35 10.73	50	2.6	32.1	301	74	5.76	5.83	-0.19				
24 YMT5 EPU	16 35 10.71	56	2.7	30.3	306	74	6.04	6.21	-0.18				
24 YMT1 EPU	16 35 11.54	43	2.5	37.7	294	74	6.87	6.71	0.02				
24 NCT EPD	16 35 12.50	23	2.0	44.1	481	74	7.83	7.72	0.27				
24 GHR EPU4	16 35 16.25	29	2.3	76.0	26	74	13.58	13.03	0.65				
24 BMT EPU	16 35 18.30	41	2.6	77.2	320	74	13.63	13.35	0.44				
24 TPU EPU	16 35 23.08	25	2.3	107.0	24	74	18.41	18.27	0.28				
24 PRN EPD2	16 35 25.99	39	2.7	123.6	52	74	21.32	20.75	0.44				
24 MTI EPU4	16 35 27.90	26	2.4	151.5	36	74	23.23	22.04	1.21				
24 NPN EPU4	16 35 31.17	38	2.7	149.1	76	74	26.50	24.93	1.36				
24 SRC EPU4	16 35 32.31	50	3.2	100.6	36	74	27.64	26.77	0.62				

APR M = 16 39 18.62 UTC RMS = 0.15 NO = 22 FREE DEPTH SOLUTION
 20 LAT = 36.724 N ERM = 0.3 ERM = 0.4 AVFM = 2.8 U = C
 LONG = 116.138 W ERY = 0.3 GAP = 71 AVSM = 2.8 Q3 = C LATHROP WELLS
 DEPTH = 0.30 KM ERZ = 14.3 NM = UD = C

STATION	TIME	AMP	PER	MAG	DUR	FMAG	U1ST	AZI	AIM	TOBS	TCAL	RES	REMARKS
24 LSM EPU	16 39 21.18	44	2.0	12.2	277	40	2.56	2.63	-0.10				
24 LOP EPU	16 39 21.72	62	2.8	14.5	339	40	3.10	3.13	0.05				
24 MCY EPU	16 39 22.00	68	2.9	17.2	115	40	3.38	3.52	-0.04				
24 SDH EPD	16 39 22.29	59	2.7	20.0	243	40	3.67	3.95	-0.24				
24 CDMS EPU	16 39 22.70	80	3.0	21.9	313	40	4.08	4.26	-0.09				
24 CDH1 EPD	16 39 22.78	75	3.0	21.9	313	40	4.16	4.35	-0.07				
24 SSP EPU4	16 39 26.11	38	2.2	23.2	342	40	7.49	4.69	2.88				
24 CPX EPU	16 39 23.50	57	2.7	23.8	18	40	4.88	4.63	0.27				
24 YMT3 EPD	16 39 23.49	78	3.0	25.3	266	40	4.87	4.88	0.07				
24 YMT6 EPD	16 39 23.78	69	2.9	28.0	302	40	5.16	5.31	-0.25				
24 SPRG LPU	16 39 24.10	59	2.8	29.6	97	40	5.48	5.60	-0.09				
24 YMT2 EPD	16 39 24.59	58	2.8	31.6	282	38	5.97	5.90	-0.01				
24 YMT4 EPD	16 39 24.41	52	2.7	32.0	299	38	5.79	6.00	-0.32				
24 YMT5 EPU	16 39 24.91	78	3.0	34.1	304	38	6.29	6.37	-0.08				
24 BCB EPD	16 39 25.32	69	2.9	35.5	347	38	6.70	6.67	0.11				
24 YMT1 EPD	16 39 25.54	55	2.7	37.6	292	38	6.92	6.98	-0.12				
24 NCT EPU	16 39 26.48	39	2.5	44.3	280	38	7.86	7.94	0.07				
24 AMR EPU	16 39 26.90	37	2.4	47.3	220	38	8.28	8.38	-0.11				
24 GLR EPD	16 39 28.08	38	2.5	53.6	11	38	9.46	9.55	-0.02				
24 EPH EPU4	16 39 29.37	72	3.0	56.4	343	38	10.75	10.22	0.46				
24 FMT EPD	16 39 28.60	44	2.6	58.1	269	38	9.98	10.20	0.02				
24 NDP EPD	16 39 30.30	48	2.7	66.4	181	38	11.68	11.54	0.23				
24 GHR EPD	16 39 32.19	50	2.8	74.9	24	38	13.57	13.05	0.62				
24 GAV EPD	16 39 32.06	42	2.6	76.6	219	38	13.44	13.31	0.21				
24 BLT EPU4	16 39 34.28	30	2.4	83.9	1	38	15.66	14.56	1.22				
24 SHRC EPC4	16 39 34.62	34	2.5	91.3	104	38	16.00	15.73	0.06				
24 TPU EPD4	16 39 37.28	34	2.6	106.7	24	38	18.66	18.29	0.50				
24 KWNA EPU4	16 39 39.12	64	3.2	114.7	349	38	20.50	19.60	0.83				
24 CTS EPU4	16 39 38.91	39	2.7	115.7	333	38	20.29	19.75	0.71				
24 UCS EPU4	16 39 40.21	33	2.6	117.3	19	38	21.59	20.00	1.62				
24 PRN EPU4	16 39 40.21	54	3.0	122.7	52	38	21.54	20.80	0.67				
24 MTI EPD4	16 39 41.49	48	2.9	130.5	36	38	22.87	22.07	0.82				
24 RVE EPU4	16 39 44.10	35	2.7	143.6	358	38	25.48	24.37	1.11				

90153 1304

1981 306 LOCAL-EVENT DATA REPORT

APR 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	DIST (NM)	AZI (DEG)	ATN (DEG)	TUBS (SEC)	TCAL (SEC)	FFA (SEC)	REMARKS	
24	NRN	EPD4	16 39 48.79					32	2.7	147.6	19	38	26.17	24.90	1.22	
24	NPN	EPD4	16 39 48.21					50	3.1	148.1	46	36	21.59	24.97	-3.59	
24	SRG	EPD4	16 39 46.50					51	3.1	159.5	36	38	27.88	26.82	0.83	
24	TNP	EPD4	16 39 48.96					50	3.2	178.3	528	29	30.34	29.42	0.65	

APR M = 15 20 49.00 UTC RMS = 0.26 NO = 30 FREE DEPTH SOLUTION
 25 LAT = 36.788 N ERA = 0.4 ERM = 0.6 AVFM = 2.9 U = B
 LONG = 116.009 W ERY = 0.4 GAP = 66 AVXM = U5 = B
 DEPTH = 5.30 KM ERZ = 3.0 NM = WD = B LATHROP WELLS

25	LUP	IPU	15 28 51.60	68	2.8	10.1	316	115	2.20	2.41	-0.13
25	CPX	IPU	15 28 52.34	59	2.7	16.0	11	104	2.94	3.23	-0.26
25	LSP	IPU	15 28 52.59	65	2.8	17.3	252	103	3.19	3.39	-0.22
25	MCY	IPU	15 28 52.59	91	3.1	18.0	141	102	3.19	3.54	-0.27
25	CDM5	EPD	15 28 53.30	85	3.1	21.9	491	99	3.98	4.12	-0.08
25	CDM1	EPD	15 28 53.42	62	2.8	21.9	491	99	4.02	4.19	-0.07
25	SPRG	IPU	15 28 54.04	52	2.7	27.1	113	97	4.44	4.98	-0.32
25	SDM	EPD	15 28 54.31	53	2.7	27.3	435	97	4.91	4.99	-0.04
25	YHT3	EPD	15 28 54.60	94	3.2	28.8	270	96	5.20	5.22	-0.03
25	YHT6	EPD	15 28 54.50	92	3.2	29.2	286	96	5.10	5.32	-0.31
25	BCB	EPD	15 28 54.79	74	3.0	30.3	336	96	5.39	5.61	-0.15
25	YHT4	EPD	15 28 55.30	61	2.8	33.5	285	95	5.90	6.02	-0.23
25	YHT5	IPU	15 28 55.69	81	3.1	34.8	491	95	6.29	6.26	0.03
25	YHT2	IPU	15 28 55.67	66	2.9	35.3	269	95	6.27	6.27	-0.09
25	JUN	LPD	15 28 56.34	71	3.0	38.7	162	94	6.94	6.80	0.13
25	YHT1	EPD	15 28 56.41	64	2.9	39.9	280	94	7.01	7.05	-0.17
25	GLR	EPD	15 28 57.20	66	2.9	46.1	8	94	7.80	8.10	-0.24
25	NCT	EPD4	15 28 58.23	52	2.7	48.0	471	93	8.43	8.33	0.66
25	EPH	EPD	15 28 58.41	77	3.1	51.7	336	93	9.01	9.19	-0.24
25	AMR	EPD4	15 28 59.64	42	2.6	55.4	219	93	10.24	9.47	0.76
25	FMT	EPD	15 29 0.42	39	2.5	63.8	255	92	11.02	10.90	0.35
25	GHR	EPD	15 29 1.31	63	3.0	66.8	25	92	11.91	11.51	0.50
25	APX	EPD	15 29 1.39	46	2.7	69.5	138	92	11.99	12.16	0.10
25	NOP	EPD	15 29 1.82	62	3.0	73.5	184	92	12.42	12.46	0.05
25	BLT	EPD	15 29 2.72	43	2.7	77.1	358	92	13.32	13.22	0.23
25	GHV	EPD4	15 29 4.49	54	2.9	84.7	718	92	15.69	14.46	0.77
25	SCV	EPD	15 29 4.29	57	2.9	86.8	264	92	14.89	14.75	0.23
25	SHRG	EPD	15 29 4.41	47	2.8	89.3	111	92	15.01	15.17	0.43
25	TPU	EPD	15 29 6.43	39	2.7	98.7	23	91	17.03	16.76	0.41
25	PGE	EPD	15 29 6.76	29	2.4	100.1	241	91	17.36	16.98	0.60
25	MCA	EPD	15 29 8.00	33	2.5	107.6	262	91	18.60	17.89	0.63
25	KRAA	EPD4	15 29 8.92	46	2.8	108.9	346	91	19.52	18.43	1.02
25	OCB	EPD4	15 29 9.49	50	2.9	109.8	8	91	20.09	18.57	1.55
25	CTS	EPD	15 29 8.69	43	2.8	111.7	330	91	19.29	18.89	0.57
25	PRM	EPD4	15 29 10.19	60	3.1	115.1	53	91	20.79	19.35	1.32
25	GMA	EPD	15 29 9.71	48	2.9	118.7	499	91	20.31	20.87	0.38
25	MTI	EPD4	15 29 10.71	49	2.9	122.4	36	91	21.31	20.54	0.80
25	RVE	EPD4	15 29 13.26	51	3.0	137.8	356	90	23.86	22.58	1.28
25	NRN	EPD4	15 29 13.71	49	3.0	139.7	18	90	24.31	23.01	1.25
25	NPN	EPD4	15 29 14.00	43	3.2	140.2	47	90	24.60	23.10	1.29
25	DLM	EPD4	15 29 15.72	39	2.8	150.3	53	90	26.32	24.75	1.32
25	SRG	EPD4	15 29 15.68	77	3.4	151.4	37	90	26.28	24.93	1.13
25	TNP	EPD4	15 29 19.89	53	3.2	175.8	325	52	29.69	28.35	1.04

APR M = 20 34 28.80 UTC RMS = 0.16 NO = 32 FREE DEPTH SOLUTION
 26 LAT = 36.714 N ERA = 0.3 ERM = 0.4 AVFM = 2.9 U = C
 LONG = 116.142 W ERY = 0.3 GAP = 43 AVXM = U5 = C
 DEPTH = 6.36 KM ERZ = 10.4 NM = WD = C LATHROP WELLS

26	LSM	EPD	20 34 31.39	56	2.7	12.1	284	40	2.59	2.60	-0.04
26	LUP	EPD	20 34 32.00	68	2.7	15.7	352	40	3.20	3.30	-0.06
26	MCY	EPD	20 34 32.23	90	3.1	17.1	110	40	3.43	3.48	0.03
26	SDM	EPD	20 34 32.44	64	2.8	19.1	247	40	3.64	3.78	-0.11
26	CDM5	EPD	20 34 32.89	88	3.1	22.6	316	40	4.09	4.37	-0.18
26	CPX	EPD	20 34 33.40	75	3.0	25.2	18	40	4.60	4.66	-0.23
26	THT3	EPD0	20 34 33.69	73	2.9	25.4	289	40	4.84	4.84	0.10

90153000/1805

1981 060 LOCAL-EVENT DATA REPORT

APR 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (DEC)	RMAG (DEC)	DUN (DEC)	FMAG (DEC)	DIST (KM)	AZI (DEC)	AIW (DEC)	TOBB (DEC)	TCAL (SEC)	RES (SEC)	REMARKS
26	YMT6	EPUD	20 34 33.96				76	3.0	20.0	304	40	5.16	5.30	-0.31	
26	SPRG	EPUD	20 34 34.32				69	2.8	29.0	90	40	5.52	5.63	-0.80	
26	JUN	EPD	20 34 34.48				52	2.7	30.6	173	30	5.60	5.70	-0.83	
26	YMT2	EPUD	20 34 34.76				175	3.7	31.0	205	30	5.96	5.89	-0.01	
26	YMT4	EPUD	20 34 34.70				64	2.9	32.3	301	30	5.98	6.05	-0.26	
26	YMT5	EPUD	20 34 35.11				110	3.3	34.6	306	30	6.31	6.43	-0.13	
26	BLH	EPUD	20 34 35.40				66	2.9	36.0	348	30	6.68	6.86	-0.11	
26	YMT1	EPD	20 34 35.81				56	2.7	37.0	490	30	7.01	6.92	-0.05	
26	HCT	EPUD	20 34 36.00				46	2.6	40.1	461	30	7.00	7.91	0.12	
26	AMR	EPD	20 34 37.00				51	2.7	40.0	420	30	8.20	8.16	0.03	
26	GLR	EPUD	20 34 38.01				50	2.8	55.0	12	30	9.21	9.77	-0.49	
26	FMT	EPUD	20 34 38.01				40	2.7	57.5	462	30	10.01	10.10	0.15	
26	EPH	EPUD	20 34 40.20				47	2.7	57.0	540	30	11.40	10.41	0.93	
26	HUP	EPD	20 34 39.04				46	2.7	65.0	181	30	11.04	11.30	-0.18	
26	APR	EPUD	20 34 40.07				33	2.4	67.1	131	30	11.67	11.99	-0.66	
26	GNY	EPD	20 34 42.32				42	2.6	75.3	219	30	13.32	13.09	0.31	
26	GMB	EPD	20 34 42.32				63	3.0	76.3	20	30	13.52	13.26	0.35	
26	BMT	EPD	20 34 42.59				61	3.0	77.5	325	30	13.79	13.59	0.37	
26	SGV	EPUD	20 34 43.49				54	2.9	84.0	490	30	14.69	14.65	0.15	
26	BLT	EPUD	20 34 44.06				35	2.5	85.3	1	30	15.26	14.77	0.61	
26	SHRG	EPUD	20 34 44.89				105	3.9	91.3	105	30	16.09	15.71	0.96	
26	PGE	EPUD	20 34 45.11				36	2.6	92.2	240	30	16.31	15.90	0.63	
26	TPU	EPD	20 34 47.37				47	2.9	100.1	20	30	16.57	16.51	0.20	
26	GVN	EPD	20 34 48.21				50	2.9	111.7	207	30	19.41	18.87	0.48	
26	CTB	EPUD	20 34 49.27				41	2.8	116.0	330	30	20.47	19.91	0.73	
26	QCS	EPUD	20 34 50.31				25	2.3	118.7	10	30	21.51	20.21	1.32	
26	GMM	EPD	20 34 49.10				59	3.1	118.9	303	30	20.30	20.31	0.14	
26	PRA	EPD	20 34 50.36				91	3.5	123.0	52	30	21.50	20.97	0.86	
26	VTI	EPUD	20 34 51.56				42	2.8	131.0	36	30	22.76	22.27	0.51	
26	RVE	EPUD	20 34 54.16				34	2.7	145.0	350	30	25.36	24.58	0.78	
26	HGH	EPD	20 34 53.59				40	2.8	145.0	308	30	24.79	24.54	0.30	
26	LCH	EPD	20 34 53.71				33	2.7	145.9	493	30	24.91	24.56	0.42	
26	NPA	EPD	20 34 54.27				66	3.3	149.3	46	30	25.47	25.15	0.11	
26	OLM	EPUD	20 34 56.64				42	2.9	159.1	52	30	27.84	26.76	0.88	
26	SRG	EPUD	20 34 54.16				106	3.7	160.0	36	30	25.30	27.02	-1.87	
26	TNP	EPUD	20 34 59.16				32	2.8	179.3	320	29	30.30	29.53	0.56	
26	SVP	EPD	20 34 59.52				30	2.7	180.5	307	29	30.72	30.36	0.25	

9 0 1 5 3 1 8 0 6

1901 500 LOCAL-EVENT DATA REPORT

APR 1981 STA PHASE TIME (UTC) (LAMP PER PHAS) CLR PHAS DIST AZI AZE Y000 TCAL RES REMARKS
 (CHU) (CSEC) (CM) (C000) (C000) (CSEC) (CSEC) (CSEC)

APR M = 19 13 38.00 UTC RMS = 0.17 NO = 9 FREE DEPTH SOLUTION
 20 LAT = 36.904 N ER1 = 0.9 ERN = 2.4 AVPH = 1.0 Q = C
 LONG = 116.254 W ER2 = 2.2 GAP = 191 AVXN = Q5 = 0 LATHROP WELLS
 DEPTH = 19.87 KM ER2 = 3.2 NM = QD = 0

20	CDMS	IPU0	19 13 41.70	20	2.1	7.5	229	155	2.99	3.24	-0.15
20	LOP	IPU0	19 13 42.42	17	1.6	9.5	126	150	3.42	3.56	0.14
20	YMT6	IPU1	19 13 42.74	17	1.6	14.3	249	130	3.94	3.89	-0.04
20	CPX	IPU0	19 13 43.00	22	1.0	18.0	81	131	4.20	4.36	-0.11
20	LSM	EPX3	19 13 43.50	17	1.7	18.3	185	131	3.70	4.35	-0.59
20	YMT4	EPX3	19 13 43.98	19	1.8	18.7	250	130	4.70	4.42	0.25
20	YMT2	EPU1	19 13 44.14	26	2.0	24.6	237	122	5.34	5.16	0.12
20	MCT	IPU1	19 13 44.05	23	2.0	37.5	136	112	7.25	7.00	0.25
20	JON	EPU1	19 13 48.00	12	1.9	53.3	165	105	9.20	9.45	-0.25

APR M = 16 55 22.51 UTC RMS = 0.01 NO = 4 FREE DEPTH SOLUTION
 30 LAT = 36.717 N ER1 = ERN = AVPH = 1.0 Q = C
 LONG = 116.144 W ER2 = GAP = 172 AVXN = Q5 = A LATHROP WELLS
 DEPTH = -0.03 KM ER2 = NM = QD = 0

30	LSM	EPU	16 55 25.14	14	1.3	11.0	203	40	2.65	2.64	-0.01
30	LOP	EPU	16 55 25.79	18	1.7	15.4	352	40	3.28	3.36	0.08
30	MCT	EPU	16 55 26.05	16	1.6	17.4	111	40	3.54	3.62	0.08
30	CDM1	EPX2	16 55 26.89	20	1.8	22.2	316	40	4.30	4.45	0.02
30	JON	EPX2	16 55 28.42			11.0	173	30	5.91	5.84	0.06

90153 1807

1981 SCS LOCAL-EVENT DATA REPORT

MAY STA PHASE TIME AMP PER MAG DUR PHAS DIST AZI ATM TONS TCAL RES REMARK
 1981 (UTC) (MU) (SEC) (MM) (DEG)(DEG) (SEC) (SEC) (SEC)

MAY M = 21 53 42.53 UTC RMS = 0.09 NO = 18 FREE DEPTH SOLUTION
 02 LAT = 37.122 N LMX = 0.3 ENM = 0.4 AVFM = 2.7 U = B
 LONG = 117.336 W LMY = 0.3 GAP = 132 AVXM = U3 = A MT. JACKSON
 DEPTH = 6.38 KM ERZ = 1.7 NM = UD = C

02	GVA	IPU	21 53 45.37	67	2.0	13.4	182	112	2.04	2.70	0.01
02	GHN	EPU	21 53 46.01	54	2.7	20.9	19	104	4.00	4.22	0.01
02	LCH	LPD	21 53 48.00	45	2.5	30.3	294	99	5.47	5.50	-0.03
02	SGV	EPU	21 53 48.11	62	2.0	31.2	120	96	5.50	5.74	-0.07
02	MGM	IPU	21 53 49.46	45	2.6	30.2	130	97	6.93	6.98	0.04
02	PPK	LPD	21 53 53.14	37	2.5	30.9	304	94	10.66	10.60	0.05
02	BMT	EPD	21 53 53.54	60	2.9	63.9	74	94	11.01	11.10	0.05
02	YMT1	EPD	21 53 55.45	50	2.9	77.0	113	93	12.92	13.21	-0.42
02	CTS	EPD	21 53 56.04	53	2.9	80.3	42	93	13.51	13.76	-0.08
02	YMT5	EPU	21 53 56.57	36	2.5	42.4	108	93	14.04	13.99	0.05
02	YMT4	EPD	21 53 57.02	36	2.5	63.7	110	93	14.09	14.20	0.19
02	EPN	EPD	21 53 58.17	52	2.9	90.5	83	92	15.04	15.50	0.09
02	SUM	EPD	21 53 59.93	43	2.0	103.5	121	92	17.00	17.30	0.08
02	LSP	EPD4	21 54 0.61	45	2.0	103.0	114	92	18.00	17.43	0.63
02	BLT	EPU	21 54 1.69	60	2.7	114.0	70	92	19.10	19.30	-0.07

MAY M = 14 47 34.03 UTC RMS = 0.06 NO = 9 FREE DEPTH SOLUTION
 03 LAT = 37.307 N LMX = 0.2 ENM = 0.5 AVFM = 2.7 U = B
 LONG = 117.350 W LMY = 0.4 GAP = 132 AVXM = U3 = A MT. JACKSON
 DEPTH = 2.09 KM ERZ = 1.1 NM = UD = B

03	GHN	IPU	14 47 35.91	48	2.5	8.7	95	100	1.00	2.13	-0.11
03	MGP	IPU	14 47 37.84	39	2.4	19.3	320	94	3.01	3.90	-0.01
03	LCH	LPD	14 47 38.90	30	2.3	20.9	253	74	4.95	5.02	0.01
03	GVA	EPU	14 47 40.07	47	2.6	33.9	170	74	6.04	6.04	-0.07
03	SGV	EPU	14 47 42.13	50	2.7	46.3	141	74	8.10	8.20	-0.01
03	BMT	EPU	14 47 44.98	48	2.7	63.2	92	74	10.95	11.00	0.04
03	YMT5	EPU	14 47 49.02	43	2.7	92.3	119	74	15.79	15.64	0.15
03	YMT4	EPU	14 47 50.30	43	2.7	94.3	121	74	16.33	15.94	0.27
03	YMT3	EPU	14 47 51.14	55	2.9	102.1	124	74	17.11	17.17	-0.01
03	SPRG	EPU4	14 48 0.05	53	3.1	153.7	110	74	26.02	25.60	0.45

MAY M = 15 38 11.39 UTC RMS = 0.10 NO = 11 FREE DEPTH SOLUTION
 03 LAT = 36.632 N ERZ = 0.7 ENM = 0.9 AVFM = 2.3 U = C
 LONG = 116.356 W ERY = 0.7 GAP = 192 AVXM = U3 = A LATROP WELLS
 DEPTH = 9.71 KM ERZ = 1.1 NM = UD = D

03	SDN	IPU0	15 38 13.32	32	2.1	2.2	47	100	1.93	2.01	-0.04
03	LSP	IPU0	15 38 14.89	41	2.4	14.1	32	123	3.30	3.20	0.28
03	YMT3	IPU0	15 38 15.00	49	2.4	18.0	343	117	3.41	3.72	-0.07
03	YMT2	IPU0	15 38 15.58	53	2.7	20.4	324	113	4.19	4.12	-0.01
03	YMT4	EPU4	15 38 15.84	42	2.3	25.3	340	109	4.45	4.80	-0.54
03	YMT6	EPU0	15 38 16.21	46	2.5	25.5	350	109	4.82	4.88	-0.15
03	COM5	EPU4	15 38 16.42	42	2.5	25.6	8	109	5.03	4.87	0.24
03	ANR	EPX4	15 38 16.84	19	1.8	28.1	202	107	5.45	5.19	0.25
03	YMT1	IPU0	15 38 17.05	50	2.4	29.1	320	104	5.66	5.44	0.09
03	LCP	EPU2	15 38 16.89	38	2.4	29.8	34	104	5.50	5.67	-0.09
03	MCT	EPX4	15 38 17.05	23	2.0	30.0	304	104	5.66	5.55	0.27
03	YMT5	EPX2	15 38 17.21	41	2.3	30.8	344	105	5.82	5.79	0.07
03	JOK	IPU0	15 38 17.11	23	2.0	31.1	133	105	5.72	5.70	0.00
03	MCT	EPU0	15 38 17.74	44	2.5	35.4	85	103	6.35	6.45	-0.03
03	OG8	EPX2	15 38 19.68	29	2.2	44.5	14	100	8.29	8.31	0.04
03	SPRG	EPX4	15 38 20.68	27	2.2	49.3	82	99	9.29	8.67	0.43

MAY M = 16 49 50.07 UTC RMS = 0.26 NO = 4 FREE DEPTH SOLUTION
 03 LAT = 37.296 N LMX = 0.8 ENM = 1.4 AVFM = 1.9 U = C
 LONG = 117.375 W LMY = 1.2 GAP = 187 AVXM = U3 = B MT. JACKSON
 DEPTH = 4.79 KM ERZ = 1.1 NM = UD = D

03	GHN	EPU	16 49 52.04	20	1.8	10.3	87	113	1.93	2.50	-0.41
03	MGM	EPU	16 49 53.91	19	1.8	19.3	326	99	3.84	3.91	0.02
03	SGV	EPD	16 49 58.37	20	1.9	46.4	139	93	6.30	6.18	0.22
03	BMT	EPD	16 50 1.43	20	2.0	64.7	91	92	11.36	11.29	0.25
03	YMT5	EPU4	16 50 2.38	19	2.0	134.1	110	91	12.31	15.73	-3.42
03	SPRG	EPD4	16 50 2.99	19	2.2	154.6	116	90	12.92	25.44	-12.49

MAY M = 16 56 41.02 UTC RMS = 0.14 NO = 5 FREE DEPTH SOLUTION
 03 LAT = 37.301 N LMX = 0.8 ENM = 1.4 AVFM = 2.3 U = C
 LONG = 117.372 W ERY = 1.2 GAP = 149 AVXM = U3 = C MT. JACKSON
 DEPTH = 0.92 KM ERZ = 53.4 NM = UD = D

03	GHN	EPU	16 56 43.74	30	2.1	10.0	91	40	1.92	2.34	-0.27
03	MGM	EPU	16 56 45.62	26	2.0	19.1	325	40	3.00	3.67	0.02
03	GVA	EPU	16 56 47.86	32	2.3	33.3	175	30	6.00	6.01	-0.02
03	BMT	EPD	16 56 53.10	30	2.3	64.5	92	30	11.36	11.35	0.10
03	YMT3	EPU	16 56 59.67	35	2.6	102.0	124	30	17.05	17.35	0.55

90153 1808

1981 SGB LOCAL-EVENT DATA REPORT

MAY STA PHASE TIME AMP PER XMAC DUR YMAC DIST AZI AIN TUBS TCAL RES REMARKS
1981 (UTC) (MU) (SEC) (KM) (DEG)(DEG) (SEC) (SEC) (SEC)

Table 1: Seismic event data for May 17, 1981 at 06:17:30 UTC. Includes station names (e.g., GVN, MGP, IPU), phases (IPU, EPD), and various parameters like RMS, ERX, ERY, ERZ, AVFM, AVXM, U, C, W, D, and depth (0.78 km). Station MT. JACKSON is noted.

Table 2: Seismic event data for May 17, 1981 at 08:51:05 UTC. Includes station names (e.g., GVN, BMT, YMTS, SPRG), phases (EPU, EPD, EPUS), and parameters. Station MT. JACKSON is noted.

Table 3: Seismic event data for May 17, 1981 at 18:59:00 UTC. Includes station names (e.g., GVN, MGV, SCV, YMTS, YMT3), phases (EPU, EPD, EPU4), and parameters. Station MT. JACKSON is noted.

Table 4: Seismic event data for May 1, 1981 at 29:48:24 UTC. Includes station names (e.g., CPX, EPR, YMTS, BMT, GVN), phases (EPD, EPU4, EPD), and parameters. Station MERCURY is noted.

Table 5: Seismic event data for May 7, 1981 at 52:09:20 UTC. Includes station names (e.g., GVN, IPU), phases (IPU), and parameters. Station MT. JACKSON is noted.

90153 1809



1981 SGM LOCAL-EVENT DATA REPORT

MAY 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PEN (SEC)	XMAG	DUR	FMA0	U10T (KM)	AZI (DEG)	AIN (DEG)	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
05	MCP	EPU	7 52 12.97				47	2.5	18.9	321	91	3.69	3.03	-0.05	.
05	LCM	EPU	7 52 14.04				40	2.4	26.7	652	90	4.74	4.72	0.12	.
05	GVN	EPD	7 52 15.12				57	2.8	34.2	177	74	5.84	6.12	-0.34	.
05	SGV	EPU	7 52 17.17				55	2.8	46.7	141	74	7.89	8.50	-0.32	.
05	BMT	EPU	7 52 20.37				75	3.1	65.5	93	74	11.09	11.16	0.10	.
05	YMT5	EPD	7 52 25.02				70	3.1	92.7	119	74	15.74	15.74	0.00	.
05	YMT2	EPD	7 52 26.29				67	3.1	97.4	127	74	17.01	16.44	0.49	.
05	YMT3	EPU	7 52 26.93				70	3.2	102.6	124	74	17.65	17.27	0.43	.

MAY N = 13 59 5.25 UTC NMS = 0.23 NU = 16
 05 LAT = 36.372 N ERX = 4.7 ERM = 5.7 AVFM = 4.1 Q = D
 LONG = 118.125 W ERY = 3.2 GAP = 205 AVXM = Q3 = D
 DEPTH = 5.00 KM ERZ = 2.3 NM = QD = D

FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE

05	GVN	EPD	13 59 21.77				178	4.8	98.9	45	91	14.52	14.58	-0.11	.
05	LCM	EPD	13 59 22.50				168	3.9	104.8	24	91	17.25	17.67	-0.33	.
05	SGV	EPU	13 59 24.91				177	4.0	118.8	55	90	19.66	19.62	0.14	.
05	MGM	EPU	13 59 27.10				173	4.1	131.2	25	90	21.93	21.64	0.38	.
05	GVV	EPU	13 59 27.16				160	4.0	132.3	99	90	21.91	21.81	0.19	.
05	AMR	EPU	13 59 29.25				160	4.1	144.1	89	90	24.00	24.39	-0.40	.
05	YMT1	EPD	13 59 30.38				180	4.2	152.5	69	90	25.13	25.11	-0.10	.
05	YMT2	EPD	13 59 30.91				200	4.3	153.9	73	90	25.66	25.32	0.26	.
05	YMT4	EPU	13 59 31.45				168	4.1	159.5	70	90	26.20	26.24	-0.15	.
05	YMT3	EPU	13 59 31.58				195	4.3	160.2	73	52	26.33	26.31	0.04	.
05	YMT5	EPD4	13 59 30.79				168	4.1	160.6	59	90	25.54	26.41	-0.07	.
05	BDM	EPU	13 59 32.01				168	4.1	163.0	79	52	26.76	26.47	0.14	.
05	BMT	EPD4	13 59 32.97				187	4.3	166.3	53	90	27.72	27.35	0.54	.
05	LSM	EPU	13 59 33.05				147	4.1	170.7	76	52	27.80	27.68	0.10	.
05	NDP	EPD4	13 59 33.27				170	4.2	179.5	99	52	28.02	28.76	-0.05	.
05	JUN	EPD	13 59 34.03				160	4.2	181.6	88	52	28.78	29.02	-0.25	.
05	LUP	EPU	13 59 34.64				155	4.2	183.2	73	52	29.39	29.41	0.07	.
05	CTS	EPD	13 59 35.44				144	4.1	189.3	41	52	30.21	30.24	0.14	.
05	CPX	EPU	13 59 36.05				154	4.2	195.1	71	52	30.80	30.64	-0.01	.
05	SHRG	EPD4	13 59 45.64				135	4.3	200.8	87	52	40.39	40.12	0.86	.

MAY N = 14 34 52.29 UTC NMS = 0.19 NU = 18
 05 LAT = 36.390 N ERX = 1.9 ERM = 2.4 AVFM = 4.0 Q = D
 LONG = 118.065 W ERY = 1.5 GAP = 253 AVXM = Q3 = C
 DEPTH = 0.31 KM ERZ = 8.8 NM = QD = D

FREE DEPTH SOLUTION
 DANWIN

05	TMO	EPU	14 35 4.99				110	3.5	74.8	52	38	12.70	13.15	-0.15	.
05	MCA	EPU	14 35 4.91				103	3.4	75.9	60	38	12.62	12.95	-0.41	.
05	PGE	EPD	14 35 7.31				111	3.5	89.8	93	38	15.07	15.52	-0.28	.
05	GVN	EPD	14 35 8.43				171	3.9	93.7	44	38	16.14	15.94	0.12	.
05	SGV	EPD	14 35 11.69				170	4.0	113.3	55	38	19.40	19.29	0.20	.
05	PPK	EPU	14 35 12.03				155	3.9	115.9	7	38	19.74	19.77	-0.04	.
05	QSM	EPU	14 35 12.31				115	3.7	117.5	114	38	20.02	19.78	0.15	.
05	FMT	EPU	14 35 12.00				95	3.5	116.6	76	38	19.71	20.03	-0.08	.
05	HCT	EPU	14 35 14.90				92	3.5	136.3	71	38	22.81	22.91	-0.14	.
05	YMT2	EPD	14 35 17.24				200	4.3	146.2	73	38	24.95	24.86	0.01	.
05	SVP	EPD4	14 35 18.54				151	4.0	149.0	9	38	26.25	25.31	0.83	.
05	YMT4	EPD	14 35 17.94				171	4.1	153.8	70	38	25.69	25.81	-0.23	.
05	YMT3	EPU	14 35 18.24				182	4.2	154.5	73	38	25.95	25.80	0.12	.
05	YMT5	EPU	14 35 18.32				171	4.1	154.9	69	38	26.03	26.01	0.02	.
05	YMT6	EPD4	14 35 18.18				132	3.9	157.5	71	38	25.89	26.39	-0.59	.
05	BMT	EPD	14 35 19.54				170	4.2	160.9	52	38	27.24	27.16	0.30	.
05	CDM5	EPU	14 35 19.95				103	3.7	164.9	72	29	27.66	27.50	0.24	.
05	CDM1	EPD	14 35 20.00				78	3.5	164.9	72	29	27.71	27.57	0.24	.
05	CCB	EPU	14 35 21.62				91	3.7	179.3	66	29	29.33	29.50	-0.09	.
05	CPX	EPD4	14 35 24.10				160	4.2	189.4	72	29	31.81	30.69	1.15	.
05	GLR	EPU	14 35 24.60				125	4.0	203.6	64	29	32.31	32.55	-0.17	.
05	SPPC	EPD4	14 35 26.32				174	4.3	204.9	81	29	34.03	32.67	1.39	.
05	GMR	EPU	14 35 28.04				144	4.3	229.8	63	29	35.75	35.94	-0.09	.
05	TPU	EPU	14 35 30.79				118	4.2	253.9	50	29	38.50	39.10	-0.46	.
05	MTI	EPD4	14 35 36.30				119	4.3	266.7	60	29	44.81	43.22	9.82	.
05	PHN	EPD4	14 35 38.21				134	4.4	291.5	67	29	45.92	43.83	1.97	.

001530001810

1981 SGB LOCAL-EVENT DATA REPORT

MAY 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FNAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TDMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
05	NPN	EPUR	14 35 39.50					132 4.5	311.8	63	29	47.21	46.46	0.54	
05	SNR	EPUR	14 35 42.31					136 4.5	313.7	50	29	50.02	46.72	3.08	
05	DLM	EPUR	14 35 48.23					82 4.1	325.4	65	29	55.94	48.23	7.46	

MAY M = 20 9 17.03 UTC RMS = 0.07 NU = 5 FREE DEPTH SOLUTION
 05 LAT = 37.303 N ERX = 0.3 ENH = 0.6 AVFM = 2.1 U = C
 LONG = 117.349 W ERY = 0.5 GAP = 141 AVXM = U3 = B
 DEPTH = 1.11 KM ERZ = 2.5 NM = UD = 0
 MT. JACKSON

05	GNN	EPUR	20 9 18.78					30 2.1	7.9	91	91	1.75	1.98	-0.08	
05	MGN	EPUR	20 9 20.61					23 1.9	20.2	320	90	3.58	3.63	0.06	
05	GNN	EPUR	20 9 23.04					27 2.1	33.3	179	74	6.01	5.99	-0.04	
05	SGV	EPUR	20 9 25.02					27 2.2	45.4	142	74	7.99	8.10	-0.01	
05	BMT	EPUR	20 9 28.17					25 2.1	62.4	92	74	11.14	11.00	0.32	

MAY M = 20 30 17.20 UTC RMS = 0.02 NU = 4 FREE DEPTH SOLUTION
 05 LAT = 37.283 N ERX = ENH = AVFM = 2.1 U = C
 LONG = 117.375 W ERY = GAP = 191 AVXM = U3 = A
 DEPTH = 1.02 KM ERZ = NM = UD = 0
 MT. JACKSON

05	GNN	EPUR	20 30 19.04					30 2.1	10.4	80	90	1.80	1.96	-0.01	
05	MGN	EPUR	20 30 20.85					20 1.8	20.6	320	90	3.61	3.69	0.08	
05	SGV	EPUR	20 30 25.26					27 2.2	45.3	139	74	8.02	8.00	0.02	
05	BMT	EPUR	20 30 28.48					25 2.2	64.6	90	74	11.16	11.36	-0.03	

MAY M = 4 29 58.09 UTC RMS = 0.10 NU = 12 FREE DEPTH SOLUTION
 07 LAT = 37.120 N ERX = 0.6 ENH = 0.8 AVFM = 2.5 U = C
 LONG = 117.343 W ERY = 0.4 GAP = 159 AVXM = U3 = B
 DEPTH = 4.96 KM ERZ = 3.7 NM = UD = C
 MT. JACKSON

07	GNN	EPUR	4 30 0.83					45 2.5	13.2	100	106	2.74	2.68	0.01	
07	MGN	EPUR	4 30 2.12					45 2.5	21.3	20	99	4.03	4.28	-0.05	
07	SGV	EPUR	4 30 3.56					05 2.5	31.7	119	95	5.47	5.79	-0.23	
07	MGN	EPUR	4 30 4.93					30 2.2	50.1	339	94	6.04	6.95	-0.01	
07	HCT	EPUR	4 30 10.21					30 2.3	73.5	120	92	12.12	12.47	-0.10	
07	YHT1	EPUR	4 30 11.43					43 2.7	78.4	112	92	13.34	13.30	-0.08	
07	YHT4	EPUR	4 30 12.58					37 2.6	84.3	110	91	14.49	14.29	0.10	
07	YHT6	EPUR	4 30 13.09					34 2.5	88.5	109	91	15.00	14.95	-0.03	
07	PGE	EPUR	4 30 12.42					28 2.3	89.1	104	91	14.33	15.19	-0.64	
07	SDM	EPUR	4 30 15.34					31 2.5	103.9	120	91	17.25	17.44	-0.15	
07	LSM	EPUR	4 30 15.99					32 2.5	104.3	114	91	17.90	17.53	0.36	
07	KRNA	EPUR	4 30 16.56					34 2.6	109.7	51	90	18.49	18.14	0.28	
07	CLR	EPUR	4 30 18.62					32 2.6	110.0	76	90	20.53	19.49	1.11	
07	MCY	EPUR	4 30 20.42					37 2.7	133.2	112	90	22.33	21.96	0.45	
07	JOM	EPUR	4 30 20.43					30 2.6	134.0	124	90	22.34	22.09	0.24	
07	GMR	EPUR	4 30 21.93					30 2.6	141.6	80	90	23.84	23.32	0.62	
07	SPRG	EPUR	4 30 22.36					40 2.8	144.7	109	90	24.29	23.83	0.50	

MAY M = 14 48 26.38 UTC RMS = 0.06 NU = 7 FREE DEPTH SOLUTION
 07 LAT = 37.439 N ERX = 0.9 ENH = 1.3 AVFM = 2.7 U = D
 LONG = 117.219 W ERY = 0.9 GAP = 225 AVXM = U3 = D
 DEPTH = 6.14 KM ERZ = 38.5 NM = UD = D
 MT. JACKSON

07	GNN	EPUR	14 48 29.42					60 2.7	15.8	193	40	3.08	3.48	-0.25	
07	MGN	EPUR	14 48 31.21					40 2.4	24.6	271	40	4.87	4.96	0.06	
07	GNN	EPUR	14 48 35.47					45 2.6	49.7	193	38	9.13	8.84	0.23	
07	SGV	EPUR	14 48 35.72					54 2.8	53.4	162	38	9.58	9.58	-0.11	
07	HCT	EPUR	14 48 41.50					30 2.4	89.0	144	38	15.16	15.25	0.07	
07	YHT4	EPUR	14 48 42.77					47 2.8	93.2	133	38	16.43	16.00	0.32	
07	YHT2	EPUR	14 48 43.16					47 2.8	97.6	138	38	16.82	16.67	0.07	
07	YHT3	EPUR	14 48 43.76					46 2.8	101.9	135	38	17.42	17.36	0.11	

9 0 1 5 3 1 8 1 1

00153000/181

1981 SGB LOCAL-EVENT DATA REPORT

MAY 1981 STA PHASE TIME AMP PER X MAG DUR F MAG DIST AZI AIN TONS TCAL REB REMARKS
(UTC) (MU) (SEC)

MAY M = 17 28 48.43 UTC RMS = 0.20 NO = 21 FREE DEPTH SOLUTION
 10 LAT = 37.139 N ERX = 0.5 ENH = 0.0 AVFM = 3.2 U = C
 LONG = 117.416 W ERY = 0.5 CAP = 149 AVRM = U3 = B MT. JACKSON
 DEPTH = 7.75 KM ERZ = 2.1 NM = UD = C

STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	X MAG	DUR	F MAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TONS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
10	GNN	EPU	17 28 52.68				87 3.2 22.6	38 107	4.25	4.55	-0.15			
10	LCH	EPU	17 28 53.00				77 3.0 23.1	297 106	4.57	4.40	0.17			
10	HGM	IPU	17 28 54.64				87 3.1 34.2	340 100	6.21	6.30	-0.09			
10	SGV	EPU	17 28 55.63				104 3.3 38.4	117 99	7.20	6.92	0.36			
10	PPK	EPU	17 28 57.94				70 3.0 54.0	306 96	9.51	9.50	0.00			
10	MCA	EPU4	17 28 55.69				65 3.0 55.0	160 96	7.26	9.40	-2.30			
10	HIP	EPU	17 28 58.95				71 3.1 62.0	3 95	10.54	10.97	-0.21			
10	BMT	EPU	17 29 0.62				90 3.3 70.2	77 94	12.19	12.21	0.15			
10	BVP	EPU	17 29 1.10				65 3.0 72.0	332 94	12.75	12.65	-0.01			
10	HCT	EPU	17 29 2.03				50 2.9 80.1	119 94	13.60	13.57	0.19			
10	CTS	EPD	17 29 2.59				50 2.0 83.0	47 94	14.10	14.35	-0.02			
10	YMT1	EPU	17 29 3.40				96 3.4 85.1	112 94	15.05	14.41	0.50			
10	YMT2	EPU	17 29 4.39				95 3.4 91.0	115 93	15.96	15.40	0.40			
10	PGE	EPU4	17 28 58.40				43 3.1 93.1	100 93	10.05	15.00	-5.59			
10	YMT6	EPU4	17 29 5.24				80 3.3 95.3	109 93	16.81	16.00	0.66			
10	EPN	EPU	17 29 5.51				85 3.3 97.3	65 93	17.00	16.62	0.40			
10	COM5	EPU4	17 29 2.20				57 3.0 102.6	108 93	13.77	17.22	-3.35			
10	BCB	EPU	17 29 6.52				58 3.0 106.2	96 93	18.09	17.95	0.22			
10	SDH	EPD4	17 29 12.20				85 3.4 110.6	120 93	23.77	18.53	5.26			
10	HRNA	EPD	17 29 8.11				65 3.2 113.5	54 93	19.60	19.19	0.42			
10	AHR	EPD4	17 29 12.36				70 3.2 117.6	134 92	23.93	19.60	4.32			
10	BLT	EPU	17 29 9.08				65 3.2 120.8	72 12	20.65	20.35	0.43			
10	CHV	EPU	17 29 9.05				70 3.3 125.0	140 92	20.62	20.90	-0.26			
10	HCY	EPU4	17 29 7.63				83 3.5 140.0	1 92	19.20	23.36	-4.00			
10	JOM	EPU4	17 29 7.38				80 3.4 140.6	124 92	18.95	23.37	-4.43			
10	RVE	EPU	17 29 13.14				48 3.0 145.7	48 52	24.71	24.46	0.24			
10	CHR	EPD4	17 29 13.43				58 3.2 147.6	82 52	25.00	24.55	0.55			
10	QCS	EPU	17 29 13.69				50 3.1 149.8	62 52	25.26	24.90	0.39			
10	SPRG	EPD	17 29 13.36				76 3.4 151.5	109 52	24.93	24.96	0.00			
10	TPU	EPU4	17 29 16.08				57 3.2 164.7	72 52	27.65	26.82	0.97			
10	PRH	EPU	17 29 21.17				65 3.5 211.9	62 52	32.74	32.76	-0.14			

MAY M = 0 40 55.19 UTC RMS = 0.10 NO = 14 FREE DEPTH SOLUTION
 12 LAT = 35.943 N ERX = 1.1 ERH = 1.6 AVFM = 3.1 U = C
 LONG = 117.332 W ERY = 1.2 CAP = 262 AVRM = U3 = B SEARLES LAKE
 DEPTH = 2.23 KM ERZ = 3.6 NM = UD = D

STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	X MAG	DUR	F MAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TONS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
12	QSM	EPU	0 41 2.48				57 2.8 41.9	87 70	7.29	7.28	-0.09			
12	PGE	EPD	0 41 3.84				48 2.7 51.0	28 74	6.65	9.92	-0.15			
12	CHV	EPD	0 41 6.43				64 3.0 65.4	66 74	11.24	11.29	0.03			
12	MCA	EPU	0 41 8.33				45 2.7 70.4	3 74	13.14	13.15	-0.09			
12	FMT	EPD	0 41 10.39				47 2.8 91.9	33 74	15.20	15.49	-0.06			
12	TMO	EPU	0 41 11.31				52 2.9 95.9	354 74	16.12	16.39	0.02			
12	NOP	EPU	0 41 13.35				67 3.2 100.3	79 74	18.16	18.15	0.10			
12	GVN	EPU	0 41 15.13				65 3.2 117.5	360 74	19.94	19.62	0.26			
12	SGV	EPD	0 41 15.04				65 3.2 118.3	13 74	19.65	19.90	0.04			
12	YMT2	EPU	0 41 15.44				74 3.3 120.5	39 74	20.25	20.15	0.01			
12	YMT3	EPU4	0 41 16.60				74 3.3 124.9	41 74	21.41	20.46	0.59			
12	YMT4	EPU	0 41 16.97				74 3.3 129.3	38 74	21.78	21.63	0.04			
12	YMT5	EPD	0 41 17.74				74 3.3 132.1	37 74	22.55	22.10	0.45			
12	LCH	EPU	0 41 19.77				50 3.0 146.1	349 74	24.58	24.40	0.26			
12	APK	EPD4	0 41 22.79				50 3.1 163.7	75 49	27.60	27.42	0.45			
12	HGM	EPU	0 41 22.63				50 3.1 166.9	355 49	27.44	27.70	-0.18			
12	EPN	EPD4	0 41 23.63				40 3.3 167.4	33 49	26.44	27.01	0.56			
12	HRNA	EPU4	0 41 31.40				58 3.4 216.9	23 49	36.21	34.08	2.05			

153000/1812

1981 880 LOCAL-EVENT DATA REPORT

MAY STA PHASE TIME AMP PER MAG DUR PHAS DIST AZI ATH TOMB TCAL NED REMARKS
1981 (UTC) (NU) (SEC)

MAY M = 11 55 3.80 UTC RMS = 0.08 NU = 18
12 LAT = 37.143 N ERX = 0.2 ERM = 0.5 AVFM = 2.5 Q = C
LONG = 136.603 W ERY = 0.4 GAP = 90 AVXM = Q3 = C
DEPTH = 0.81 NM ERZ = 19.3 NM QD = C

FREE DEPTH SOLUTION
THINSTY CANYON

12	DMT	EPD	11 55 7.09	43	2.5	16.1	346	40	3.24	3.48	-0.03
12	EPN	EPD2	11 55 9.07	40	2.4	26.0	72	40	5.27	5.18	0.02
12	YMT5	EPD	11 55 9.48	47	2.6	30.2	154	38	5.68	5.72	-0.04
12	YMT4	EPD	11 55 10.44	47	2.6	33.6	156	38	6.64	6.24	0.20
12	BGB	EPD	11 55 10.21	43	2.5	35.3	109	38	6.41	6.62	-0.13
12	YMT6	EPD	11 55 10.12	42	2.5	36.2	151	38	6.32	6.64	-0.42
12	CDM1	EPD	11 55 11.03	43	2.5	40.3	141	38	7.23	7.37	-0.04
12	CDM5	EPD	11 55 11.07	43	2.5	40.3	141	38	7.27	7.30	0.07
12	YMT2	EPD	11 55 11.30	49	2.7	41.1	165	38	7.50	7.42	0.08
12	SGV	EPD	11 55 11.43	41	2.5	42.2	245	38	7.03	7.71	0.01
12	YMT3	EPD	11 55 11.42	49	2.7	43.0	157	38	7.62	7.73	-0.07
12	LUP	EPD3	11 55 13.15	30	2.3	50.3	138	38	9.33	9.65	0.36
12	LSM	EPD8	11 55 13.74	29	2.2	53.5	147	38	9.44	9.46	0.51
12	GVA	EPD	11 55 15.63	36	2.5	67.6	257	38	11.83	11.70	0.07
12	GHR	EPD	11 55 17.15	37	2.5	76.8	74	38	13.35	13.33	0.11

MAY M = 13 20 36.33 UTC RMS = 0.14 NU = 20
12 LAT = 37.029 N ERX = 0.0 ERM = 0.7 AVFM = 3.0 Q = C
LONG = 117.050 W ERY = 0.4 GAP = 185 AVXM = Q3 = M
DEPTH = 1.78 NM ERZ = 2.0 NM QD = 0

FREE DEPTH SOLUTION
MT. JACKSON

12	GVA	IPD	13 20 34.53	74	2.9	10.4	107	95	2.20	2.15	-0.01
12	TMO	EPD	13 20 41.04	64	2.8	25.1	171	74	4.76	4.90	0.16
12	GVA	IPD	13 20 42.48	65	2.9	34.8	38	74	6.15	6.46	-0.16
12	SGV	EPD	13 20 42.86	70	3.0	37.9	98	74	6.53	6.85	-0.24
12	MCA	EPD	13 20 43.94	61	2.9	45.0	160	74	7.61	7.73	-0.21
12	HGM	EPD	13 20 44.63	58	2.8	45.9	155	74	6.30	6.27	0.12
12	DMT	EPD	13 20 49.55	64	3.0	77.2	68	74	13.22	13.1	0.02
12	NCT	EPD	13 20 49.36	50	2.8	78.3	110	74	13.03	13.30	-0.11
12	YMT1	EPD	13 20 50.84	74	3.2	84.8	103	74	14.51	14.39	-0.02
12	YMT2	EPD	13 20 51.93	78	3.2	90.6	107	74	15.60	15.32	0.20
12	CDM5	EPD	13 20 53.67	65	3.1	103.0	100	74	17.34	17.33	0.10
12	CDM1	EPD	13 20 53.74	65	3.1	103.0	100	74	17.41	17.40	0.10
12	SUN	EPD	13 20 54.68	55	3.0	108.3	113	74	18.35	18.19	0.19
12	BGB	EPD	13 20 54.68	62	3.1	109.2	89	74	18.35	18.47	-0.05
12	LSM	EPD3	13 20 55.33	56	3.0	110.1	107	74	19.00	18.50	0.48
12	LUP	EPD2	13 20 56.24	56	3.0	116.3	100	74	19.41	19.63	0.36
12	GVA	EPD4	13 20 56.55	55	3.0	116.8	143	74	20.22	19.68	0.62
12	TNP	EPD	13 20 56.67	45	2.9	118.8	10	74	20.34	20.07	-0.01
12	KRNA	EPD	13 20 57.21	53	3.0	123.8	50	74	20.88	20.90	-0.09
12	CPX	EPD	13 20 57.58	55	3.0	125.1	95	74	21.25	20.96	0.32
12	BLT	EPD4	13 20 58.55	50	3.0	128.4	67	74	22.22	21.61	0.73
12	GLN	EPD4	13 21 2.06	53	3.0	129.1	82	74	25.73	21.65	4.16
12	SPRG	EPD	13 21 1.64	78	3.4	151.3	104	74	25.31	25.21	0.12
12	PRN	EPD4	13 21 20.02	60	3.4	217.6	74	49	45.69	34.10	9.47

MAY M = 18 46 18.45 UTC RMS = 0.08 NU = 9
18 LAT = 36.890 N ERX = 0.3 ERM = 0.4 AVFM = 2.0 Q = B
LONG = 136.299 W ERY = 0.2 GAP = 115 AVXM = Q5 = A
DEPTH = -0.23 NM ERZ = 0.3 NM QD = B

FREE DEPTH SOLUTION
LATHROP WELLS

18	LSM	IPX	18 46 20.11	28	2.0	6.0	23	99	1.66	1.61	0.03
18	SDN	EPX	18 46 20.00	25	1.9	6.0	215	98	1.55	1.60	-0.02
18	YMT3	IPU0	18 46 21.63	25	2.0	14.8	317	40	3.18	3.17	0.06
18	CDM5	EPX3	18 46 22.58	33	2.2	19.0	355	40	4.13	3.88	0.35
18	YMT2	IPU0	18 46 22.53	31	2.2	19.8	302	40	4.08	4.02	-0.02
18	YMT6	EPD4	18 46 23.21			20.9	333	40	4.74	4.23	0.44
18	LDP	EPX	18 46 22.46			21.7	33	40	4.23	4.47	-0.16
18	YMT4	EPX4	18 46 23.37	20	1.8	22.1	322	40	4.92	4.44	0.36
18	YMT5	EPX	18 46 23.79	23	1.9	26.9	329	40	5.34	5.29	0.05
18	YMT1	IPU0	18 46 24.00	29	2.2	27.4	311	40	5.55	5.33	0.08
18	JDN	EPX	18 46 24.68	14	1.5	32.9	148	38	6.23	6.19	0.03
18	BGB	EPX4	18 46 25.47			39.1	9	38	7.02	7.37	-0.27

MAY M = 12 35 58.46 UTC RMS = 0.03 NU = 4
19 LAT = 36.671 N ERX = ERM = AVFM = 1.6 Q = C
LONG = 136.266 W ERY = GAP = 251 AVXM = Q5 = A
DEPTH = 4.77 NM ERZ = NM QD = D

FREE DEPTH SOLUTION
LATHROP WELLS

19	SDN	IPU1	12 36 0.21	11	1.2	7.1	246	121	1.75	1.79	0.00
19	LSM	IPU0	12 36 0.37	15	1.5	7.6	355	119	1.91	1.89	0.00
19	YMT3	EPD	12 36 1.89	15	1.5	18.4	314	99	3.43	3.54	-0.04
19	YMT2	EPD0	12 36 2.95	20	1.8	23.4	303	97	4.44	4.35	0.06
19	YMT6	EPX3	12 36 2.47	11	1.3	24.2	329	96	4.01	4.49	-0.57
19	YMT5	EPX4	12 36 4.32	23	2.0	30.3	326	95	5.86	5.52	0.33

7 0 1 5 3 1 8 1 3

0153000/1813

1981 SCS LOCAL-EVENT DATA REPORT

MAY STA PHASE TIME AMP PER X MAG DUR F MAG DIST AZI AIN TOSB TCAL RES REMARKS
 1981 (MU) (SEC) (MM) (SEC) (MM) (DEG) (DEG) (SEC) (SEC) (SEC) (M) (M) (M) (M)

FREE DEPTH SOLUTION

MAY M = 6 50 18.76 UTC RMS = 0.00 NO = 8
 20 LAT = 36.810 N ERX = 5.0 ERN = 6.9 AVFM = 2.0 U = D
 LONG = 115.989 W ERY = 4.0 GAP = 255 AVHM = 48 = D MERCURY
 DEPTH = 9.00 KM ERZ = 9.0 NM = 48 = D

20	MCT	EPU	6 50 18.92	55	2.0	6.2	23	100	2.10	2.23	0.01
20	LSM	EPU	6 50 22.07	48	2.0	29.2	300	105	5.31	5.42	-0.13
20	LUP	EPD	6 50 22.55	50	2.0	31.5	330	104	5.79	5.89	-0.02
20	SDM	EPU	6 50 22.41	57	2.0	31.5	277	104	5.65	5.70	-0.07
20	YMT3	EPU	6 50 24.46	60	2.0	42.5	290	100	7.70	7.52	0.23
20	YMT2	EPU	6 50 25.29	60	2.9	48.3	294	98	8.53	8.46	-0.01
20	YMT4	EPU3	6 50 25.56	60	2.9	50.1	305	98	8.89	8.79	-0.09
20	YMT5	EPU	6 50 25.93	60	2.9	52.0	308	98	9.17	9.10	-0.01

FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE
 LATDROP BELLS

MAY M = 13 34 36.10 UTC RMS = 0.00 NO = 3
 23 LAT = 36.756 N ERX = 1.7 Q = C
 LONG = 116.221 W ERY = 1.7 Q5 = A
 DEPTH = 7.00 KM ERZ = 1.7 Q0 = D
 GAP = 225

23	LSA	IPU0	13 34 36.00	17	1.0	6.9	249	145	1.82	1.80	0.00
23	LOP	EPX1	13 34 36.89	19	1.7	11.9	24	119	2.71	2.79	0.00
23	COM3	EPX1	13 34 39.16	20	1.0	16.4	324	114	2.98	3.09	-0.01

FREE DEPTH SOLUTION

MAY M = 18 50 22.03 UTC RMS = 0.21 NO = 19
 23 LAT = 36.156 N ERX = 2.8 ERN = 3.5 AVFM = 3.9 J = D
 LONG = 117.000 W ERY = 2.1 GAP = 265 AVHM = 48 = C
 DEPTH = 8.90 KM ERZ = 1.4 NM = 48 = D

DARWIN

23	PGE	IPU	18 50 34.66	140	3.7	73.4	73	95	12.63	12.47	0.10
23	MCA	IPD	18 50 34.50	135	3.7	74.6	43	95	12.47	12.54	-0.15
23	THD	IPD	18 50 35.89			82.1	29	95	13.86	14.15	0.01
23	USM	IPU	18 50 36.95	160	3.9	90.7	105	94	14.92	15.22	-0.39
23	GVM	IPD	18 50 39.00	150	3.0	104.2	20	94	17.85	17.45	0.34
23	GHV	IPU	18 50 39.90	150	3.9	105.9	68	93	17.87	17.87	0.00
23	FMT	EPD	18 50 40.35			109.9	61	93	18.32	18.01	0.15
23	SGV	EPD	18 50 41.31	140	3.0	117.1	34	93	19.20	19.09	-0.32
23	LCH	EPD	18 50 42.05			121.0	4	93	20.02	20.32	-0.21
23	AMH	IPU	18 50 43.14			126.2	76	93	21.13	21.01	0.11
23	GNN	EPD	18 50 45.11			137.0	22	93	23.08	23.12	0.11
23	YMT2	EPX	18 50 45.70			140.5	60	93	23.67	23.40	0.19
23	SDM	EPU	18 50 46.10			145.9	60	52	24.15	24.09	0.10
23	MGN	EPD	18 50 46.53	145	4.0	146.0	12	52	24.50	24.35	0.25
23	YMT5	IPU4	18 50 47.09			149.6	57	52	25.46	24.64	0.82
23	YMT6	EPX	18 50 48.55	170	4.1	151.0	59	52	24.52	24.77	-0.34
23	NOP	IPU6	18 50 46.15			152.7	91	52	24.12	24.94	-0.73
23	LSM	EPD	18 50 47.20			155.4	65	52	25.17	25.33	-0.18
23	JON	EPU	18 50 47.70			159.0	79	52	25.67	25.85	-0.18
23	BGB	EPU	18 50 50.15			174.9	56	52	28.12	27.96	0.24
23	MZP	EPD4	18 50 51.30			176.4	14	52	29.35	28.30	1.29
23	MCT	EPX	18 50 50.20			178.2	72	52	28.17	28.29	-0.03

701531814

1981 368 LOCAL-EVENT DATA REPORT

MAY 1981 STA PHASE TIME (UTC) AMP (MU) PER (DEC) X MAG DUR PHAS DIST AZI AIN TOBS TCAL NEG 368 REMARKS 1371

MAY H = 4 59 20.00 UTC RMS = 0.11 NU = 17 FREE DEPTH SOLUTION
 25 LAT = 36.101 N ERI = 2.5 EHM = 2.0 AVFM = 3.0 U = D
 LONG = 117.939 W ERY = 1.4 GAP = 286 AVXM = U3 = C DARRIN
 DEPTH = 5.87 KM ERZ = 0.9 NM = WD = D

25	PGE	EPU	4 59 34.13	116	3.5	83.2	71	92	14.05	14.22	0.05
25	NCA	EPD	4 59 34.03	116	3.6	84.6	44	92	13.95	14.18	-0.27
25	TMO	EPD	4 59 35.32	120	3.6	91.5	31	92	15.24	15.64	-0.10
25	QSM	EPU	4 59 36.45	130	3.7	97.7	99	92	16.37	16.34	-0.05
25	GVN	EPU	4 59 39.13	101	3.8	113.3	28	92	19.05	18.92	0.06
25	GVN	EPU	4 59 39.28	130	3.8	114.6	85	92	19.20	19.27	0.02
25	FMT	EPU	4 59 40.97	95	3.5	128.0	60	91	19.99	20.04	0.19
25	SGV	EPU	4 59 41.34	143	3.9	147.0	40	91	21.26	21.30	0.06
25	AMR	EPU	4 59 42.56	120	3.8	135.8	76	91	22.48	22.55	-0.08
25	GMN	EPU	4 59 44.57	145	4.0	148.2	25	91	23.49	24.56	0.89
25	YMT2	EPD	4 59 45.20	155	4.0	151.0	68	52	25.29	25.85	0.68
25	YMT1	EPD	4 59 45.48	155	4.0	151.4	57	52	25.32	25.13	0.07
25	HGM	EPD	4 59 46.89	140	4.0	153.9	15	90	26.81	25.32	1.59
25	YMT4	EPU	4 59 45.91	155	4.1	158.0	58	90	25.83	25.99	-0.27
25	YMT5	EPD	4 59 46.46	155	4.1	159.7	56	52	26.38	26.28	0.14
25	YMT6	EPU	4 59 46.37	155	4.1	161.1	59	52	26.29	26.37	-0.16
25	LSM	EPD	4 59 47.12	115	3.8	165.4	45	52	27.04	26.91	0.11
25	CDMS	EPD	4 59 43.26	98	3.6	167.9	60	52	23.18	27.21	-3.93
25	BT	EPD	4 59 49.51	135	4.0	178.8	41	52	29.03	28.36	1.28
25	HZP	EPD	4 59 51.67	135	4.0	188.3	16	52	31.59	29.62	2.22
25	HCT	EPD	4 59 49.79	138	4.0	187.9	71	52	29.71	29.43	-0.04
25	TNP	EPD	4 59 58.96	85	3.8	229.0	18	52	38.08	35.25	3.37

MAY H = 19 39 1.45 UTC RMS = 0.27 NU = 9 FREE DEPTH SOLUTION
 25 LAT = 36.145 N ERI = 4.2 EHM = 7.2 AVFM = 3.5 U = D
 LONG = 117.771 W ERY = 3.7 GAP = 265 AVXM = U3 = D DARRIN
 DEPTH = 6.33 KM ERZ = 364.1 NM = WD = D

25	PGE	EPD	19 39 13.35	95	3.3	66.5	72	38	11.90	11.74	0.38
25	NCA	EPD	19 39 13.29	95	3.3	69.4	39	38	11.84	11.88	-0.12
25	TMO	EPD	19 39 14.63	95	3.4	78.2	25	38	13.18	13.70	-0.22
25	QSM	EPU	19 39 15.69	96	3.4	84.2	105	36	14.24	14.37	-0.22
25	GVN	EPU	19 39 18.55	91	3.4	99.0	89	38	17.10	16.95	0.23
25	GVN	EPU	19 39 18.54	95	3.4	100.5	22	38	17.09	17.05	-0.02
25	FMT	EPD	19 39 19.31	85	3.4	103.4	59	38	17.86	17.57	0.53
25	SGV	EPD	19 39 20.72	109	3.6	112.2	36	38	19.27	19.10	0.26
25	YMT2	EPD	19 39 24.68	115	3.7	134.3	59	38	23.23	22.60	0.55
25	YMT5	EPD	19 39 26.19	114	3.7	143.4	55	38	24.74	24.13	0.61
25	HGM	EPU	19 39 26.29	85	3.5	143.8	10	38	24.84	24.35	0.58
25	YMT6	EPU	19 39 25.44	116	3.8	144.6	58	38	23.99	24.29	-0.40
25	CDMS	EPD	19 39 22.72	78	3.4	151.4	59	38	21.27	25.37	-4.60
25	CTB	EPD	19 39 33.66	76	3.6	190.0	29	29	32.21	30.98	1.48
25	TNP	EPD	19 39 38.26	65	3.5	218.4	13	29	36.81	34.55	1.99
25	SHRG	EPD	19 39 28.58	109	4.0	230.0	81	29	19.13	36.99	-17.28

15
18
3
5
3
0
9

90153000/1815

1981 SGB LOCAL-EVENT DATA REPORT

MAY STA PHASE TIME AMP PER MAG DUM PMAG DIST AZI AIN TUBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (JULG)(DEG) (SEC) (SEC) (SEC)

MAY H = 13 22 53.67 UTC RMS = 0.09 NU = 5 FREE DEPTH SOLUTION
 28 LAT = 37.122 N ENX = 0.6 ENH = 0.0 AVFM = 2.7 U = D MT. JACKSON
 LONG = 117.242 W ERY = 0.6 GAP = 130 WS = C
 DEPTH = 5.22 KM ERZ = 5.3 NM WD = D

28	GVN	EPD	13 22 56.60	55	2.7	14.2	199	106	2.93	2.00	0.03
28	GMN	EPD	13 22 57.22	50	2.7	14.9	0	101	3.55	4.02	-0.33
28	SGV	EPD	13 22 58.77	50	2.7	27.9	120	96	5.10	5.10	0.01
28	MGM	EPD	13 23 0.42	50	2.7	39.0	333	90	7.15	7.22	0.02
28	BMT	EPD	13 23 4.09	50	2.7	60.1	73	92	10.42	10.50	0.05
28	YMT3	EPD	13 23 9.09	66	3.1	66.0	115	92	15.42	14.60	0.03

MAY H = 5 22 54.14 UTC RMS = 0.00 NU = 5 FREE DEPTH SOLUTION
 29 LAT = 36.666 N ENX = 0.4 ENH = 0.0 AVFM = 2.1 U = C MERCURY
 LONG = 115.696 W ERY = 0.6 GAP = 290 WS = A
 DEPTH = 13.22 KM ERZ = 0.2 NM WD = D

29	SPNG	EPD	5 22 57.31	26	2.0	10.7	280	101	3.17	3.20	0.00
29	MCY	EPD	5 22 58.94	33	2.3	23.0	269	110	4.00	4.09	0.00
29	JOM	EPD	5 23 2.04	24	2.0	44.1	236	105	7.90	7.80	0.00
29	LUP	EPD	5 23 2.50	23	2.0	47.3	297	104	6.40	6.53	-0.01
29	OSP	EPD	5 23 3.91	26	2.2	55.0	302	102	9.77	9.65	0.01

MAY H = 9 13 16.20 UTC RMS = 0.04 NU = 6 FREE DEPTH SOLUTION
 29 LAT = 37.152 N ENX = 0.5 ENH = 0.0 AVFM = 2.0 U = C MT. JACKSON
 LONG = 117.000 W ERY = 0.7 GAP = 130 WS = B
 DEPTH = 2.23 KM ERZ = 2.7 NM WD = C

29	GVN	IPU	9 13 19.60	57	2.7	17.5	163	90	3.40	3.35	-0.01
29	LCH	EPD	9 13 20.60	47	2.6	23.8	293	74	4.40	4.50	-0.02
29	MGM	IPU	9 13 22.37	40	2.6	33.2	345	74	6.09	6.17	0.01
29	SGV	EPD	9 13 22.94	57	2.0	37.8	120	74	6.60	6.01	-0.04
29	YMT6	EPD	9 13 31.29	60	3.0	60.8	108	74	15.01	15.07	-0.06
29	YMT6	EPD	9 13 31.91	60	3.0	90.3	111	74	15.63	15.20	0.24
29	YMT2	EPD	9 13 32.40	60	3.0	61.2	117	74	16.12	15.39	0.05
29	SPNG	EPD	9 13 42.00	48	3.0	150.7	110	74	25.72	25.09	0.66

MAY H = 11 7 54.78 UTC RMS = 0.00 NU = 8 FREE DEPTH SOLUTION
 29 LAT = 36.655 N ENX = 0.0 ENH = 0.0 AVFM = 2.1 U = C LATHROP WELLS
 LONG = 116.320 W ERY = 0.7 GAP = 131 WS = A
 DEPTH = 2.47 KM ERZ = 0.0 NM WD = D

29	SDM	EPD	11 7 55.50	29	2.1	1.4	219	153	0.60	0.04	0.00
29	LSM	EPD	11 7 57.05	26	2.0	10.7	28	99	2.27	2.26	-0.00
29	YMT7	EPD	11 7 58.67	35	2.3	20.0	316	74	3.89	3.81	0.01
29	MCY	EPD	11 8 0.61	26	2.1	32.7	69	74	5.83	5.92	0.00

MAY H = 6 15 16.30 UTC RMS = 0.12 NU = 15 FREE DEPTH SOLUTION
 30 LAT = 37.323 N ENX = 0.5 ENH = 0.6 AVFM = 3.0 U = C ALAMO
 LONG = 115.390 W ERY = 0.3 GAP = 145 WS = B
 DEPTH = 7.00 KM ERZ = 2.0 NM WD = C

30	EPR	EPD	6 15 21.05	159	3.6	25.4	132	102	4.75	4.70	-0.01
30	BLT	EPD	6 15 27.23	153	3.7	66.5	285	94	10.93	11.52	-0.46
30	OCS	EPD	6 15 27.71	144	3.7	67.4	317	94	11.41	11.66	-0.23
30	CPX	EPD	6 15 28.67	151	3.7	72.0	233	94	12.37	12.43	-0.03
30	MHN	EPD	6 15 29.29	141	3.7	75.1	347	93	12.99	12.69	0.06
30	SPRG	EPD	6 15 29.19	150	3.0	78.6	200	93	12.89	13.39	-0.47
30	LOP	EPD	6 15 30.88	167	3.9	85.9	233	93	14.50	14.64	0.02
30	SHRG	EPD	6 15 31.36	158	3.0	93.3	167	93	15.06	15.04	-0.19
30	KRNA	EPD	6 15 32.92	147	3.8	98.4	298	93	16.62	16.73	-0.10
30	LSM	EPD	6 15 33.50	160	3.9	101.2	230	92	17.20	17.01	0.17
30	YMT5	EPD	6 15 34.16	159	3.9	105.0	243	92	17.86	17.60	0.16

201531816

1981 SCS LOCAL-EVENT DATA REPORT

MAY 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	KNAG	DUR	FMAG	DIST (NM)	AZI (DEG)	AIM (DEG)	TOBS (SEC)	TCAL (SEC)	HEB (SEC)	REMARKS
30	YMT3	EPD	6 15 34.48					159 3.9	107.9	237	92	18.18	10.00	0.15	.
30	YMT2	IPD	6 15 35.55					159 3.9	113.4	238	92	19.25	10.99	0.18	.
30	CT3	EPU	6 15 36.81					145 3.9	123.1	200	92	20.51	20.73	-0.05	.
30	GNN	EPD	6 15 43.64					136 4.0	165.1	269	52	27.34	26.98	0.51	.
30	TNP	LPU	6 15 45.56					144 4.1	161.3	290	52	29.26	29.01	-0.02	.

MAY M = 2 55 2.51 UTC RMS = 0.16 NU = 16 FREE DEPTH SOLUTION
 31 LAT = 37.328 N ERX = 0.6 ERM = 0.7 AVFM = 3.7 U = C
 LONG = 115.377 W ERY = 0.5 GAP = 134 AVEM = U = C ALAND
 DEPTH = 0.28 KM ERZ = 28.1 NM = U = C

31	PRN	EPD	2 55 0.36					152 3.6	30.2	73	40	5.85	5.76	-0.03	.
31	GNN	IPU	2 55 0.63					151 3.6	35.0	271	30	6.12	6.57	-0.35	.
31	MT1	EPD	2 55 9.64					145 3.6	39.7	13	30	7.13	7.32	-0.16	.
31	GLR	EPD	2 55 12.00					122 3.5	50.6	250	30	10.29	10.38	-0.02	.
31	OLM	EPD	2 55 14.17					136 3.6	60.2	61	30	11.66	11.35	0.06	.
31	BLT	EPU	2 55 14.20					146 3.7	60.2	204	30	11.69	12.02	-0.20	.
31	OCB	EPD3	2 55 14.82					145 3.7	60.2	316	30	12.51	12.04	0.30	.
31	NRN	EPD	2 55 15.00					144 3.7	74.9	146	30	13.37	13.09	0.24	.
31	OCB	EPU	2 55 16.54					133 3.7	82.2	247	30	14.03	14.26	-0.15	.
31	EPN	EPD3	2 55 17.05					157 3.8	84.9	261	30	14.94	14.83	0.05	.
31	MCT	EPD	2 55 17.01					152 3.8	90.5	215	30	15.30	15.53	-0.15	.
31	LBN	EPD	2 55 20.19					155 3.9	103.1	231	30	17.60	17.55	0.11	.
31	RVE	EPU	2 55 20.66					136 3.7	105.2	317	30	18.15	18.12	0.03	.
31	JOM	EPU	2 55 22.50					127 3.8	118.0	213	30	20.07	19.92	0.14	.
31	CTS	EPU	2 55 23.82					136 3.8	124.7	207	30	21.31	21.22	0.26	.
31	HCT	EPD4	2 55 24.99					129 3.7	126.1	242	30	22.40	21.25	1.39	.
31	HOP	EPU	2 55 27.77					142 4.0	150.2	200	30	25.26	25.17	0.10	.

70153 1817



1981 SGM LOCAL-EVENT DATA REPORT

JUN STA PHASE TIME AMP PER MAG DUR FMAG DIST AZI AIN TOBB TCAL NES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (JLC)(DEG) (SEC) (SEC) (SEC)

FREE DEPTH SOLUTION

JUN M = 0 31 18.83 UTC RMS = 0.18 NO = 8
 02 LAT = 17.979 N ENX = 0.6 ERM = 0.9 AVFM = 2.4 U = C
 LONG = 117.089 W ERY = 0.7 GAP = 213 AVXN = U8 = A
 DEPTH = 26.83 KM ERZ = 0.7 NM = UD = D

GULDFIELD

02	HCR	EPD	0 31 18.49	40	2.6	63.9	68	96	11.66	11.67	0.00
02	GMN	EPD	0 31 18.41	24	2.2	76.9	191	94	13.58	13.57	0.16
02	BMT	EPD	0 31 18.42	29	2.0	86.6	153	93	16.79	16.98	1.98
02	LCH	EPD	0 31 18.75	26	2.3	96.2	211	62	15.92	16.17	-0.17
02	OCB	EPD	0 31 18.73	29	2.0	105.0	103	62	17.08	17.49	-0.96
02	EPN	EPD	0 31 18.92	19	2.7	100.5	141	62	18.09	17.93	0.09
02	GVN	EPD	0 31 18.67	26	2.3	118.0	192	62	18.00	17.90	0.06
02	SGV	EPD	0 31 18.83	15	1.9	110.9	177	62	20.04	19.07	2.06
02	BGB	EPD	0 31 18.50	37	2.7	129.3	144	62	22.67	20.67	2.28
02	HRH	EPD	0 31 18.53	33	2.6	131.6	90	62	20.70	20.00	-0.16
02	GMR	EPD	0 31 18.53	31	2.6	136.3	122	62	22.70	21.36	1.44
02	MTI	EPD	0 31 18.45	14	2.0	163.4	162	62	26.62	24.80	-0.15
02	NPH	EPD	0 31 18.24	16	2.2	192.9	101	62	28.41	28.61	-0.02

FREE DEPTH SOLUTION

JUN M = 13 19 09.92 UTC RMS = 0.06 NO = 6
 03 LAT = 17.110 N ENX = 0.8 ERM = 1.0 AVFM = 2.2 U = D
 LONG = 115.404 W ERY = 1.4 GAP = 200 AVXN = U8 = C
 DEPTH = 10.71 KM ERZ = 0.4 NM = UD = D

ALAND

03	ELR	EPD	13 20 2.03	26	2.2	55.0	790	99	12.91	9.71	3.27
03	CPX	IPU	13 20 0.61	26	2.2	61.3	451	98	10.69	10.63	0.06
03	BGB	EPD	13 20 2.09	30	2.5	73.7	244	97	12.57	12.72	-0.07
03	LDP	EPD	13 20 2.08	27	2.3	73.7	247	97	12.76	12.71	0.12
03	DLM	EPD	13 20 4.01	9	1.3	80.5	47	96	14.09	13.82	0.01
03	CDM5	IPD	13 20 4.30	34	2.5	86.0	451	96	14.38	14.56	-0.08
03	CDM1	EPD	13 20 4.38	27	2.3	86.0	251	96	14.46	14.63	-0.07

FREE DEPTH SOLUTION

JUN M = 3 0 1.00 UTC RMS = 0.09 NO = 19
 04 LAT = 16.500 N ENX = 0.5 ERM = 0.5 AVFM = 3.1 U = B
 LONG = 115.987 W ERY = 0.3 GAP = 174 AVXN = U3 = A
 DEPTH = 16.04 KM ERZ = 0.5 NM = UD = C

MERCURY

04	JOK	IPU	3 0 8.34	79	3.0	19.4	212	129	4.46	4.46	-0.01
04	LSM	EPD	3 0 8.40	74	3.0	30.6	303	117	6.52	6.04	0.45
04	SDM	IPU	3 0 8.32	74	3.0	32.1	262	116	6.44	6.24	0.24
04	LOP	EPD	3 0 8.56	74	3.0	33.7	331	115	6.68	6.61	0.15
04	CPX	EPD	3 0 9.02	61	2.8	38.5	351	112	7.14	7.24	-0.07
04	CDM1	IPD	3 0 9.68	66	2.9	42.3	316	110	7.72	7.84	-0.02
04	BSP	EPD	3 0 9.82	75	3.0	42.7	331	110	7.94	8.06	-0.04
04	YMT6	EPD	3 0 10.39	50	2.7	47.9	309	107	4.51	4.66	-0.24
04	AMR	EPD	3 0 10.55	79	3.1	48.5	244	107	6.67	6.66	0.00
04	YMT2	EPD	3 0 10.64	89	3.2	49.5	296	107	8.96	8.89	-0.01
04	YMT4	EPD	3 0 10.63	89	3.2	51.7	307	106	8.75	9.27	-0.63
04	YMT5	EPD	3 0 10.61	89	3.2	54.1	310	105	8.73	9.67	-0.95
04	BGB	EPD	3 0 11.44	72	3.0	54.4	337	105	9.56	9.79	-0.15
04	YMT1	EPD	3 0 12.04	128	3.5	56.6	301	105	10.16	10.83	0.00
04	EPN	EPD	3 0 15.39	80	3.2	75.7	337	101	13.51	13.29	0.16
04	GVN	EPD	3 0 14.83	87	3.3	75.8	334	101	12.95	13.14	-0.11
04	PGE	EPD	3 0 18.69	49	2.9	100.2	255	98	17.01	17.13	0.10
04	SGV	EPD	3 0 19.48	77	3.3	103.0	295	98	17.60	17.52	0.17
04	GSM	EPD	3 0 19.42	60	3.1	105.0	229	98	17.54	17.66	-0.22
04	GVN	EPD	3 0 23.77	68	3.2	129.4	291	52	21.89	21.22	0.61
04	MTI	EPD	3 0 24.16	46	2.9	136.5	28	52	22.28	22.26	0.03
04	GMR	EPD	3 0 24.49	67	3.3	138.3	365	52	22.61	22.65	0.11
04	NPH	EPD	3 0 26.24	59	3.2	150.6	38	52	24.36	24.12	0.03

1818
70153

1981 SGO LOCAL-EVENT DATA REPORT

JUN STA PHASE TIME AMP PER ZMAG DUR FMAG DIST ΔZ1 ΔZ2 TOBS TCAL RES REMARKS
1981 (UTC) (MU) (SEC) (NM) (DEG)(DEG) (SEC) (SEC) (SEC)

JUN M = 11 5 22.89 UTC RMS = 0.09 NO = 13 FREE DEPTH SOLUTION
 00 LAT = 36.708 N ERX = 0.4 ERH = 0.5 AVFM = 2.6 U = C
 LONG = 116.284 W ERY = 0.2 GAP = 119 AVXN = U3 = C
 DEPTH = 0.85 KM ERZ = 15.6 NM = U0 = B LATHROP WELLS

00	LSM	IPD	11	5	23.99	41	2.4	3.6	16	40	1.10	1.24	0.00
00	SDM	EPD	11	5	24.64	35	2.2	6.5	215	40	1.00	1.00	-0.05
00	YMT3	IPU	11	5	26.02	77	3.0	14.3	368	40	3.13	2.07	0.31
00	CDM5	IPD	11	5	26.18	33	2.2	17.1	350	40	3.29	3.34	0.04
00	CDM1	IPD	11	5	26.25	34	2.3	17.1	350	40	3.36	3.41	0.05
00	LOP	EPD	11	5	26.57	37	2.3	19.2	33	40	3.66	3.83	-0.07
00	YMT2	EPU	11	5	27.03	77	3.0	19.0	296	40	4.14	3.00	0.26
00	YMT6	EPU	11	5	26.69	31	2.2	19.8	327	40	3.80	3.82	-0.12
00	YMT4	IPD	11	5	27.25	77	3.0	23.0	320	40	4.36	4.38	-0.13
00	YMT5	EPU	11	5	27.89	77	3.0	26.0	324	40	5.00	4.91	0.09
00	YMT1	EPU	11	5	28.15	77	3.0	27.1	306	40	5.26	5.06	0.07
00	JOM	EPU	11	5	29.06	31	2.2	33.9	151	30	6.17	6.14	0.02
00	BGB	EPU	11	5	29.55	88	2.5	36.9	8	30	6.66	6.74	-0.05

JUN M = 12 53 40.35 UTC RMS = 0.04 NO = 7 FREE DEPTH SOLUTION
 00 LAT = 37.346 N ERX = 0.3 ERH = 0.6 AVFM = 3.2 U = C
 LONG = 115.412 W ERY = 0.5 GAP = 172 AVXN = U3 = C
 DEPTH = 0.18 KM ERZ = 59.6 NM = U0 = C ALAMO

00	PTI	IPD	12	53	47.44	91	3.2	36.7	4	30	7.09	7.10	-0.06
00	NPM	EPU	12	53	50.30	100	3.3	54.1	51	30	9.95	9.70	0.04
00	DLM	EPD	12	53	52.26	74	3.1	66.1	6	30	11.91	11.60	-0.02
00	SRC	EPD	12	53	52.42	106	3.4	66.0	27	30	12.07	11.77	0.06
00	BGB	EPU	12	53	54.19	66	3.0	60.1	245	30	13.04	13.95	-0.03
00	CDM5	EPU	12	53	56.79	74	3.2	96.9	236	30	16.44	16.54	0.00
00	CDM1	EPU	12	53	56.89	58	3.0	96.9	436	30	16.54	16.61	0.03
00	NCT	EPU2	12	54	2.37	46	2.9	124.3	440	30	22.82	20.98	1.20
00	PCA	EPD4	12	54	11.32	59	3.3	103.5	245	29	30.97	29.74	1.15
00	PCE	EPD4	12	54	11.75	56	3.3	104.5	233	29	31.40	30.22	1.40

JUN M = 13 5 7.54 UTC RMS = 0.04 NO = 6 FREE DEPTH SOLUTION
 00 LAT = 36.460 N ERX = 1.6 ERH = 1.7 AVFM = 2.2 U = D
 LONG = 116.019 W ERY = 0.6 GAP = 260 AVXN = U3 = C
 DEPTH = 0.04 KM ERZ = 11.2 NM = U0 = D ASH MEADOWS

00	JOM	IPU	13	5	9.43	24	1.9	7.9	254	40	1.09	1.92	-0.04
00	LSM	EPU	13	5	14.62	23	2.0	38.5	344	30	7.08	7.15	-0.05
00	LOP	EPU	13	5	15.89	21	1.9	45.0	343	30	8.35	8.39	0.04
00	YMT3	EPD4	13	5	17.06	43	2.6	50.5	316	30	9.52	9.63	0.53
00	CDM1	EPU	13	5	16.77	30	2.3	51.9	329	30	9.23	9.32	0.01
00	YMT6	EPU	13	5	17.69	25	2.1	56.1	322	30	10.15	9.96	0.10
00	GAV	EPU	13	5	19.14	28	2.3	65.4	243	30	11.60	11.64	0.04
00	BGB	EPD3	13	5	20.12	18	1.9	66.8	344	30	12.58	11.82	0.84
00	SGV	EPU4	13	5	26.78	36	2.6	107.5	303	30	19.24	18.40	0.92
00	GVM	EPD4	13	5	31.01	29	2.5	132.7	297	30	23.47	22.36	1.05

JUN M = 15 39 57.10 UTC RMS = 0.01 NO = 5 FREE DEPTH SOLUTION
 00 LAT = 37.194 N ERX = 0.1 ERH = 0.1 AVFM = 1.7 U = C
 LONG = 117.236 W ERY = 0.1 GAP = 116 AVXN = U3 = A
 DEPTH = 3.97 KM ERZ = 0.9 NM = U0 = D MT. JACKSON

00	GMA	IPC	15	39	59.66	19	1.7	12.0	350	103	2.56	2.72	-0.01
00	GVA	EPD	15	40	1.44	21	1.9	23.3	204	94	4.54	4.28	0.00
00	SGV	EPD	15	40	2.47	18	1.7	29.8	142	93	5.37	5.47	-0.01
00	MGP	EPU	15	40	3.58	12	1.4	35.9	320	92	6.48	6.57	0.00
00	BMT	EPU	15	40	6.39	17	1.8	53.4	79	91	9.24	9.45	0.02

70153 1319

00153 1319

1981 SGB LOCAL-EVENT DATA REPORT

JUN STA PHASE TIME AMP PER XNAG EUR FNAG DIST AZI AIN TSSS TCAL RES REMARKS
 1981 (MNU) (CSEC) (4M) (DEG)(D15) (CSEC) (CSEC) (CSEC)

JUN	STA	PHASE	TIME	AMP	PER	XNAG	EUR	FNAG	DIST	AZI	AIN	TSSS	TCAL	RES	REMARKS
1981			(UTC)	(MNU)	(CSEC)				(4M)	(DEG)	(D15)	(CSEC)	(CSEC)	(CSEC)	
.....															
JUN	M = 18	3	19.54	UTC	RMS =	0.17	ND =	8	FIXED DEPTH SOLUTION						
11	LAT =	38.353	N	ERR =	1.3	ERM =	3.8	AVPM =	4.0	C =	D	DEPTH CONTROL INADEQUATE			
	LONG =	115.917	W	ERT =	3.5	GAP =	249	AVEM =		C5 =	C	TROY CANYON			
	DEPTH =	5.00	KM	ERZ =	55.2	NH =				00 =	D				
.....															
11	MCR	EPX	18	0	28.00				67.7	254	93	8.46	8.50	0.05	
11	MCR	IPU	18	0	28.25				80.0	143	93	8.71	8.81	-0.15	
11	CCS	EPX	18	0	31.05				69.0	180	92	11.51	11.27	0.27	
11	KRMA	EPD	18	0	33.15				79.4	211	92	13.61	13.63	-0.02	
11	TPU	EPX	18	0	33.55				86.2	144	91	14.01	14.73	-0.72	
11	SRG	EPX	18	0	35.80				90.4	125	91	16.26	15.48	0.78	
11	HTI	EPD	18	0	35.20				93.8	143	91	15.66	15.88	-0.22	
11	BLT	EPX	18	0	36.40		176	4.0	98.4	191	91	18.04	16.70	1.34	
11	CYS	EPX	18	0	38.10				105.3	223	91	18.54	17.53	1.01	
11	GMP	EPD	18	0	38.60				113.8	174	90	19.04	18.61	0.43	
11	NPN	EPX	18	0	39.80				113.7	132	90	20.24	19.11	1.13	
11	TNP	EPX	18	0	41.50		148	3.9	118.3	255	90	21.94	19.54	2.40	
11	CLR	EPX	18	0	41.90				128.4	184	90	22.36	21.18	1.18	
11	PRN	EPX	18	0	41.70				129.5	164	90	22.19	21.37	0.82	
11	EPH	EPX	18	0	42.35				131.5	196	90	22.31	21.69	0.62	
11	SMT	EPX	18	0	42.70				135.2	209	90	23.34	22.28	1.06	
11	SPR	EPX	18	0	44.70				144.2	154	90	25.14	24.07	1.07	
11	HZP	EPX	18	0	44.55				148.1	241	90	27.01	24.39	2.62	
11	DCB	EPX	18	0	44.90				148.4	191	90	25.34	24.47	0.87	
11	SSP	EPX	18	0	47.20				168.8	190	90	27.66	26.45	1.21	
11	GMM	EPX	18	0	48.40		177	4.2	166.4	725	52	28.94	27.38	1.56	
11	LDF	EPX	18	0	47.05		176	4.2	167.9	188	52	28.31	27.45	0.86	
11	YMT5	IPU	18	0	48.00				168.4	197	52	28.44	27.44	1.00	
11	COM1	IPU	18	0	48.15				169.5	152	52	28.61	27.58	1.03	
11	COM5	IPU	18	0	48.00				169.5	192	52	28.44	27.51	0.93	
11	HGM	EPX	18	0	49.33				172.2	234	52	29.79	28.10	1.69	
11	YMT4	IPU	18	0	48.75				173.8	194	52	29.21	28.10	1.11	
11	YMT3	EPX	18	0	49.45				178.4	194	52	29.91	28.77	1.14	
11	SVP	EPX	18	0	51.05		175	4.2	180.4	247	52	31.31	29.26	2.05	
11	SCV	EPX	18	0	50.10				181.5	213	52	30.56	29.17	1.39	
11	LSP	EPX	18	0	50.35		172	4.2	181.9	198	52	30.81	29.11	1.70	
11	MCT	EPX	18	0	50.00				184.4	230	52	32.46	29.40	3.06	
11	MCT	EPX	18	0	50.80		173	4.3	187.8	181	52	31.26	29.91	1.35	
11	CVN	EPX	18	0	52.45		177	4.3	194.0	220	52	32.91	30.84	2.07	
11	LCN	EPX	18	0	53.05		174	4.3	196.9	231	52	33.51	31.11	2.40	
11	PPK	EPX	18	0	54.40				203.4	240	52	34.86	32.03	2.83	
11	PNT	EPX	18	0	53.10				205.8	202	52	33.54	32.05	1.49	
11	JON	EPX	18	0	54.50				213.0	165	52	34.96	33.85	1.11	

70153 1821

70153 1821

1981 888 LOCAL-EVENT DATA REPORT

JUN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	PHAS	DIST (KM)	AZI (DEG)	AIN (DEG)	TOBS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
JUN M = 1 06 51.74 UTC RMS = 0.10 NO = 12 FULL DEPTH SOLUTION 17 LAT = 36.777 N LMR = 0.3 ERM = 0.0 AVFM = 1.7 U = C LONG = 116.249 W ERY = 0.3 GAP = 90 AVXM = U = C DEPTH = 0.65 KM ERZ = 108.5 NM UD = 0 LATRGP WELLS															
17	LSM	EPU	1 06 53.01				14	1.4	4.6	207	40	1.27	1.29	-0.00	
17	COM5	EPD	1 06 54.00				12	1.3	11.1	327	40	2.34	2.56	0.00	
17	CDM1	IPD	1 06 54.12				16	1.6	11.1	327	40	2.38	2.43	0.05	
17	LOP	EPD	1 06 54.29				20	1.8	11.2	40	40	2.55	2.52	0.11	
17	YMT3	IPD	1 06 54.71				37	2.3	10.5	274	40	2.97	2.94	0.00	
17	YMT6	EPD	1 06 54.96				13	1.4	10.5	303	40	3.22	3.31	-0.10	
17	SSP	EPU	1 06 55.19				16	1.6	10.6	4	40	3.45	3.51	0.02	
17	YMT4	EPD	1 06 55.44				14	1.5	20.5	299	40	3.90	4.00	-0.22	
17	YMT2	EPD	1 06 56.20				10	1.2	21.0	272	40	4.46	4.00	0.34	
17	YMT5	EPD	1 06 56.18				19	1.8	22.7	306	40	4.44	4.39	0.04	
17	YMT1	EPU	1 06 56.90				31	2.2	26.3	289	40	5.16	4.97	0.06	
17	HCY	EPU	1 06 57.00				21	1.9	20.7	117	40	5.26	5.39	-0.06	
17	SPRG	EPD4	1 06 53.69				13	1.5	80.0	103	38	1.95	7.29	-5.32	
JUN M = 3 26 34.73 UTC RMS = 0.04 NO = 12 FREE DEPTH SOLUTION 17 LAT = 36.775 N ERX = 0.2 ERM = 0.2 AVFM = 1.9 U = A LONG = 116.252 W ERY = 0.1 GAP = 90 AVXM = U = A DEPTH = 2.31 KM ERZ = 0.4 NM UD = A LATRGP WELLS															
17	LSM	EPD0	3 26 35.95				25	1.9	4.3	206	112	1.22	1.20	-0.01	
17	CDM1	IPD0	3 26 37.05				29	2.0	11.1	320	97	2.32	2.38	0.04	
17	COM9	EPX3	3 26 37.00				24	1.8	11.1	320	97	2.27	2.31	0.05	
17	LOP	EPU	3 26 37.16				22	1.9	11.6	41	97	2.43	2.51	-0.01	
17	YMT3	IPD0	3 26 37.63				23	1.9	14.4	775	75	2.90	2.87	0.07	
17	YMT6	IPD0	3 26 37.95				23	1.9	16.4	304	94	3.22	3.27	-0.11	
17	SSP	EPX	3 26 38.16						16.9	10	94	3.43	3.49	0.02	
17	YMT4	EPD3	3 26 38.53				17	1.7	19.3	294	94	3.80	3.76	-0.08	
17	YMT2	EPX4	3 26 39.21				14	1.5	21.0	273	74	4.48	3.97	0.42	
17	YMT3	EPX3	3 26 39.21				20	1.8	22.6	307	74	4.48	4.31	0.17	
17	YMT1	EPX2	3 26 39.60				34	2.3	26.3	289	74	4.95	4.86	-0.05	
17	HCY	EPD2	3 26 39.95				28	2.1	28.8	116	74	5.22	5.29	0.00	
17	BGB	EPX	3 26 40.11				15	1.6	29.2	4	74	5.38	5.46	0.00	
JUN M = 9 04 40.01 UTC RMS = 0.08 NO = 9 FREE DEPTH SOLUTION 17 LAT = 36.729 N ERX = 0.3 ERM = 0.5 AVFM = 1.6 U = B LONG = 116.264 W ERY = 0.3 GAP = 110 AVXM = U = B DEPTH = 0.96 KM ERZ = 0.5 NM UD = B LATRGP WELLS															
17	LSM	IPD	9 04 41.40				13	1.4	1.5	320	105	0.67	0.68	-0.02	
17	SUM	EPU	9 04 43.14				6	0.7	11.4	216	40	2.53	2.35	0.03	
17	YMT3	EPD	9 04 43.80				29	2.1	10.6	496	40	2.99	2.90	0.14	
17	LUP	EPD	9 04 44.11				13	1.4	10.6	32	40	3.30	3.33	0.06	
17	YMT6	EPD	9 04 44.41				30	2.2	19.1	319	40	3.60	3.60	-0.17	
17	YMT4	EPD	9 04 44.93				16	1.6	22.6	312	40	4.12	4.29	-0.20	
17	YMT5	EPD	9 04 45.40				22	1.9	25.3	318	40	4.79	4.76	0.01	
17	YMT1	EPD	9 04 46.00				20	1.8	27.0	309	40	5.27	5.08	0.06	
17	HCY	EPU	9 04 45.09				11	1.3	20.0	105	40	5.00	5.21	-0.05	
JUN M = 15 1 20.05 UTC RMS = 0.05 NO = 8 FREE DEPTH SOLUTION 18 LAT = 37.350 N ERX = 0.2 ERM = 0.3 AVFM = 2.3 U = B LONG = 117.154 W ERY = 0.2 GAP = 128 AVXM = U = A DEPTH = 1.26 KM ERZ = 1.6 NM UD = C MT. JACKSON															
18	GMN	IPD	15 1 22.46				34	2.2	11.4	236	92	2.41	2.56	0.00	
18	MGM	EPU	15 1 25.44				22	1.9	31.7	267	74	5.79	5.98	-0.10	
18	GMN	EPU	15 1 27.80				31	2.3	43.0	203	74	7.75	7.55	0.14	
18	MZP	EPU	15 1 27.70				19	1.8	43.1	332	74	7.65	7.89	0.00	
18	3CV	IPD	15 1 27.63				41	2.5	43.2	166	74	7.58	7.73	-0.06	
18	BMT	EPU	15 1 20.10				37	2.0	45.8	100	74	8.15	8.29	0.01	
18	LCH	EPD	15 1 20.14				19	1.8	45.8	253	74	8.09	8.14	0.03	
18	YMT5	EPU4	15 1 39.10				42	2.7	80.5	129	74	14.05	13.75	5.30	
18	YMT3	IPD	15 1 35.47				28	2.3	91.5	134	74	15.42	15.48	-0.01	
18	SPRG	EPU4	15 1 44.05				34	2.7	140.5	122	74	24.00	23.49	0.54	
JUN M = 17 0 0.30 UTC RMS = 0.20 NO = 22 FREE DEPTH SOLUTION															

20153 1823

1981 SGB LOCAL-EVENT DATA REPORT

JUN 1981	BTA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (KM)	AZI (ULG)	AIN (DEC)	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
18	YMT5	IPU	17 0 5.33					89 3.1	26.3	450	74	4.99	4.94	0.06	.
18	YMT6	IPD	17 0 5.80					70 2.9	27.5	443	74	5.46	5.11	0.24	.
18	LSM	EPD	17 0 5.27					75 3.0	27.9	148	74	4.93	5.15	-0.24	.
18	GLR	EPD	17 0 5.25					70 2.9	28.2	30	74	4.91	5.26	-0.27	.
18	EPN	EPD	17 0 5.98					75 3.0	24.2	333	74	5.64	5.59	-0.01	.
18	YMT3	IPD	17 0 5.89					87 3.1	29.9	424	74	5.55	5.45	0.15	.
18	YMT1	EPD	17 0 6.75					78 3.0	30.4	446	74	6.41	6.20	0.88	.
18	YMT2	EPD	17 0 6.80					17 1.7	30.8	232	74	6.46	6.26	0.12	.
18	BDH	EPD	17 0 7.26					53 2.7	30.0	261	74	6.92	7.05	-0.09	.
18	MCY	EPD	17 0 7.64					85 3.1	48.1	152	74	7.30	7.16	0.22	.
18	BPRG	EPD	17 0 8.73					44 2.6	45.6	134	74	8.39	8.03	0.39	.
18	GHR	EPD	17 0 9.57					56 2.8	53.3	42	74	9.23	9.37	-0.04	.
18	JON	EPD	17 0 13.79					49 2.7	68.2	174	74	16.45	16.35	0.09	.
18	SGV	EPD	17 0 13.71					56 2.9	76.2	270	74	13.37	13.09	0.37	.
18	GVN	EPD	17 0 14.23					39 2.7	103.8	471	74	17.89	17.40	0.40	.
18	MTI	EPD	17 0 21.04					86 2.0	111.4	46	74	20.70	18.89	1.93	.
18	MZP	EPD	17 0 24.18					30 2.6	133.6	387	74	23.76	22.59	1.01	.

JUN H = 4 48 27.57 UTC RMS = 0.08 NU = 13 FREE DEPTH SOLUTION
 19 LAT = 36.766 N ERX = 0.2 ENH = 0.3 AVFM = 2.4 U = C
 LONG = 115.395 W ERY = 0.2 GAP = 114 AVXM = U = C
 DEPTH = 2.00 KM ERZ = 96.5 NM = U = C
 MAYFOND PEAK

19	BHRG	EPD	4 48 33.55					21 1.9	36.1	144	74	5.98	6.57	-0.01	.
19	BPRG	EPD	4 48 34.28					21 1.9	37.9	479	74	6.63	6.77	-0.10	.
19	EPR	EPD	4 48 35.93					26 2.1	48.3	23	74	8.36	8.46	-0.10	.
19	MCY	EPD2	4 48 36.23					39 2.5	52.0	257	74	8.66	9.07	-0.33	.
19	LOP	EPD	4 48 39.59					30 2.3	69.6	274	74	12.02	12.02	0.00	.
19	LSP	EPD2	4 48 41.11					29 2.3	78.4	268	74	13.54	13.53	0.19	.
19	CDH5	EPD	4 48 41.40					34 2.5	83.0	277	74	13.83	14.06	-0.11	.
19	CDH1	EPD	4 48 41.53					34 2.5	83.0	277	74	13.96	14.13	-0.07	.
19	YMT6	EPD	4 48 43.27					42 2.7	98.7	276	74	15.70	15.33	0.28	.
19	YMT3	EPD	4 48 42.93					22 2.1	98.7	271	74	15.36	15.32	0.10	.
19	YMT5	EPD	4 48 44.03					30 2.4	95.4	279	74	16.46	16.10	0.20	.
19	MTI	EPD	4 48 45.20					29 2.4	101.6	6	74	17.63	17.19	0.40	.
19	YMT1	EPD	4 48 46.86					45 2.8	101.6	275	74	17.29	17.12	0.05	.
19	NPA	EPD	4 48 45.79					34 2.6	106.4	22	74	18.22	18.00	0.02	.
19	DLP	EPD	4 48 46.47					28 2.4	109.9	32	74	18.98	18.57	0.86	.
19	BMT	EPD	4 48 48.61					19 2.1	125.2	297	74	21.04	21.17	0.05	.

JUN H = 4 51 35.16 UTC RMS = 0.13 NU = 9 FREE DEPTH SOLUTION
 21 LAT = 37.020 N ERX = 0.9 ENH = 1.9 AVFM = 2.0 U = D
 LONG = 116.132 W ERY = 1.7 GAP = 223 AVXM = U = C
 DEPTH = 4.09 KM ERZ = 5.0 NM = U = D
 BILENT CANYON - YUCCA FLAT

21	BGB	EPD	4 51 37.01					23 1.9	8.7	283	111	1.85	2.12	-0.20	.
21	CPI	EPD	4 51 37.67					22 1.9	12.2	146	102	2.51	2.57	-0.03	.
21	BSP	EPD	4 51 37.58					21 1.8	13.1	216	102	2.42	2.60	-0.38	.
21	LUP	EPD	4 51 38.05					21 1.8	18.7	190	96	3.69	3.71	0.06	.
21	CDH5	EPD	4 51 39.57					21 1.9	24.3	223	94	4.41	4.47	0.03	.
21	YMT6	EPD	4 51 40.63					26 2.1	30.2	233	93	5.47	5.46	-0.08	.
21	YMT5	EPD	4 51 41.11					26 2.1	31.7	245	93	5.95	5.75	0.20	.
21	YMT4	EPD	4 51 41.47					26 2.1	33.2	239	93	6.31	5.97	0.23	.
21	YMT3	EPD	4 51 41.45					26 2.1	35.9	224	92	6.29	6.36	-0.02	.

JUN H = 5 33 42.41 UTC RMS = 0.14 NU = 12 FREE DEPTH SOLUTION
 22 LAT = 36.948 N ERX = 0.8 ENH = 1.0 AVFM = 2.3 U = C
 LONG = 117.473 W ERY = 0.6 GAP = 198 AVXM = U = A
 DEPTH = 5.62 KM ERZ = 1.5 NM = U = D
 TIN MOUNTAIN

22	TMO	IPU	5 33 44.14					25 2.0	7.5	129	128	1.73	2.18	-0.15	.
22	GVN	EPD	5 33 46.32					30 2.2	20.7	34	101	3.91	3.88	-0.03	.
22	NCA	EPD	5 33 47.47					21 1.9	28.0	142	97	5.06	4.95	0.03	.
22	SGV	EPD	5 33 49.47					31 2.3	42.0	69	94	7.06	7.47	-0.32	.
22	LCH	EPD	5 33 50.49					25 2.1	45.7	340	94	8.08	8.04	0.12	.

30153 1824

99153000/1824

1981 SCG LOCAL-EVENT DATA REPORT

JUN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (S/EC)	IMAG	OUR	FRAG	DIST (KM)	AZI (JLG)	AJN (DEG)	TDSS (S/EC)	TCAL (SEC)	HEB (SEC)	REMARKS
22	FMT	EPD	5 33 53.39					17	1.0	66.2	110	93	10.98	11.29	-0.07
22	YMT	EPD	5 33 58.03					35	2.5	91.1	89	92	15.62	15.40	0.11
22	LSM	EPD	5 34 0.63					27	2.4	107.8	96	92	18.22	18.00	0.12
22	SSP	EPD3	5 34 1.79					37	2.7	112.2	86	91	19.34	18.99	0.47
22	QGB	EPD	5 34 1.40					39	2.7	113.0	79	91	19.07	19.05	0.10
22	LUP	EPD	5 34 2.10					26	2.4	116.0	90	91	19.09	19.00	0.17
22	MCY	EPD	5 34 5.23					28	2.5	130.0	99	91	22.80	22.70	0.10

JUN H = 9 22 38.47 UTC RMS = 0.12 NO = 4 FREE DEPTH SOLUTION
 22 LAT = 37.391 N ERX = ENH = AVFM = 2.0 U = C
 LONG = 115.624 W ERY = GAP = 151 AVXM = US = A GROOM LAKE
 DEPTH = 0.03 KM ERZ = NM = UD = D

22	CHR	IPU	9 22 41.31					33	2.2	14.5	244	80	2.04	3.18	-0.24
22	TPU	EPD	9 22 43.13					30	2.2	25.0	355	80	4.66	4.82	-0.02
22	CLR	EPD	9 22 46.09					14	1.6	40.9	239	38	7.62	7.55	0.14
22	PRN	IPD	9 22 47.02					24	2.1	50.0	88	38	9.35	9.17	0.06

JUN H = 18 31 43.89 UTC RMS = 0.03 NO = 5 FREE DEPTH SOLUTION
 22 LAT = 36.747 N ERX = 0.4 ENH = 0.5 AVFM = 1.7 U = C
 LONG = 116.263 W ERY = 0.3 GAP = 175 AVXM = US = A LATHRUP WELLS
 DEPTH = 4.26 KM ERZ = 0.6 NM = UD = D

22	LSP	EPD	18 31 45.04					21	1.8	1.2	226	145	1.15	1.14	-0.01
22	SUM	EPD	18 31 46.52					10	1.2	13.1	211	102	2.63	2.60	-0.01
22	CDM1	IPU	18 31 46.55					21	1.8	13.4	359	102	2.66	2.60	-0.04
22	LDP	EPD	18 31 46.89					15	1.5	14.6	36	100	3.00	3.05	0.03
22	SSP	EPD4	18 31 50.50					22	1.9	20.1	11	96	6.61	6.81	2.67
22	YMT1	EPD	18 31 48.91					22	1.9	20.4	296	94	5.02	4.85	0.04

JUN H = 15 17 31.08 UTC RMS = 0.01 NO = 3 FIXED DEPTH SOLUTION
 23 LAT = 37.121 N ERX = ENH = AVFM = 1.7 U = C
 LONG = 117.052 W ERY = GAP = 216 AVXM = US = A DEPTH CONTROL INADEQUATE
 DEPTH = 5.00 KM ERZ = NM = UD = D MT. JACKSON

23	SCV	IPU	15 17 34.20					24	2.0	15.6	173	103	3.12	3.21	0.00
23	GMM	EPD	15 17 36.09					14	1.5	27.1	317	96	5.01	5.17	-0.01
23	GVM	EPD	15 17 36.30					16	1.6	29.0	243	95	5.30	5.22	0.02

JUN H = 1 11 48.93 UTC RMS = 0.06 NO = 10 FREE DEPTH SOLUTION
 24 LAT = 37.577 N ERX = 0.2 ENH = 0.4 AVFM = 2.0 U = B
 LONG = 116.457 W ERY = 0.3 GAP = 90 AVXM = US = A QUARTZITE MOUNTAIN
 DEPTH = 9.05 KM ERZ = 1.0 NM = UD = C

24	KRNA	IPD	1 11 53.16					24	2.0	19.5	21	114	4.23	4.11	0.04
24	CT9	IPU	1 11 53.72					20	1.8	25.3	291	108	4.79	4.98	-0.02
24	BLT	EPD	1 11 54.67					19	1.8	31.4	109	104	5.74	5.91	-0.04
24	BHT	IPD	1 11 55.49					23	2.0	36.6	207	102	6.56	6.81	-0.08
24	EPN	EPD	1 11 56.79					26	2.1	41.9	164	100	7.86	7.68	0.12
24	PVE	EPD	1 11 58.64					22	2.0	50.0	25	96	9.71	9.70	0.01
24	GLH	EPD4	1 12 0.56					14	1.7	57.1	137	97	11.63	9.95	1.74
24	BGB	EPD4	1 11 58.87					18	1.9	63.1	161	96	9.94	10.98	-0.97
24	YMT5	EPD	1 12 1.98					24	2.3	75.3	180	95	13.05	12.67	0.10
24	GPM	EPD	1 12 2.11					25	2.2	77.4	247	95	13.18	13.38	-0.05
24	CDM1	EPD4	1 11 59.84					21	2.1	80.4	171	95	10.91	13.71	-2.71
24	SCV	IPD	1 12 3.00					21	2.1	83.5	218	95	14.15	14.24	0.00
24	LUP	EPD4	1 12 4.14					24	2.2	84.2	162	95	15.21	14.38	0.90
24	GVM	EPD	1 12 6.07					29	2.4	101.2	251	94	17.14	16.96	0.11

1825
30153

1981 JUN 24 15 00 00

1981 30M LOCAL-EVENT DATA REPORT

JUN STA PHASE TIME AMP PER MAG DUR PHAS UEST AZI AIN IDDS TCAL HED REMARKS
 1981 (UTC) (MU) (SEC) (RM) (DEG) (SEC) (SEC) (SEC)

JUN H = 15 46 0.73 UTC RMS = 0.10 NO = 14 FREE DEPTH SOLUTION
 25 LAT = 36.877 N ENX = 0.4 ENM = 0.7 AVFM = 2.2 U = C CHARLESTON PEAK
 LONG = 119.897 W ERY = 0.6 GAP = 150 AVXM = U = B
 DEPTH = 9.66 KM ERZ = 2.9 NM = U = C

25	JUN	IPU	15 46 0.77	34	2.3	19.8	258	114	4.94	3.95	0.87
25	MCT	IPU	15 46 9.04	41	2.4	21.6	342	112	4.31	4.30	0.00
25	SPHG	IPD	15 46 9.47	34	2.3	25.1	16	109	4.74	4.83	-0.06
25	APK	IPU	15 46 10.72	26	2.1	33.1	122	105	5.99	6.30	-0.12
25	SDH	EPU	15 46 12.52	29	2.2	44.5	295	100	7.79	7.85	-0.02
25	LSM	EPU	15 46 12.76	31	2.3	45.2	310	100	8.03	7.98	0.03
25	LUP	EPU	15 46 13.35	34	2.4	48.8	329	99	8.62	8.67	0.02
25	CDMS	EPD	15 46 14.03	20	2.2	57.3	318	98	9.70	9.92	-0.12
25	CDM1	EPD	15 46 14.36	23	2.1	57.3	318	98	9.83	9.99	-0.06
25	YMT6	EPD	15 46 15.50	18	1.9	62.7	313	97	10.77	10.80	-0.12
25	BHMG	EPD	15 46 15.90	21	2.0	65.7	67	97	11.17	11.30	0.37
25	YMT4	EPD	15 46 15.86	20	2.3	66.3	313	97	11.13	11.41	-0.39
25	YMT4	EPD	15 46 15.86	31	2.4	68.9	313	96	11.98	11.85	0.05
25	YMT5	EPD	15 46 16.95	36	2.5	70.9	306	96	12.22	12.13	-0.05
25	GWR	EPD4	15 46 21.56	28	2.1	95.7	6	94	16.83	16.22	0.70

JUN H = 7 15 10.96 UTC RMS = 0.00 NO = 3 FIXED DEPTH SOLUTION
 26 LAT = 36.817 N ENX = 0.6 ENM = 1.0 AVFM = 1.3 U = C DEPTH CONTROL INADEQUATE
 LONG = 118.253 W ERY = 0.8 GAP = 213 AVXM = U = A LATHROP WELLS
 DEPTH = 5.00 KM ERZ = NM = U = D

26	SDH	EPU	7 15 12.89	11	1.2	0.2	293	118	1.93	1.97	0.00
26	LSM	EPU	7 15 13.81	11	1.3	13.8	353	105	2.05	2.83	0.00
26	MCT	EPU	7 15 15.78	13	1.5	26.5	79	96	4.82	4.96	0.00

JUN H = 13 44 32.96 UTC RMS = 0.02 NO = 6 FREE DEPTH SOLUTION
 27 LAT = 36.817 N ENX = 0.6 ENM = 1.0 AVFM = 1.4 U = C LATHROP WELLS
 LONG = 118.195 W ERY = 0.8 GAP = 225 AVXM = U = A
 DEPTH = 5.76 KM ERZ = 1.1 NM = U = D

27	LDP	IPU	13 44 34.49	16	1.5	3.1	52	154	1.53	1.61	0.00
27	CDMS	IPD	13 44 35.34	16	1.6	11.3	293	114	2.38	2.47	0.01
27	CDM1	IPD	13 44 35.39	15	1.5	11.3	293	114	2.43	2.50	-0.01
27	LSM	EPD4	13 44 36.60	7	0.9	12.8	213	111	5.84	2.73	3.09
27	YMT6	EPU	13 44 36.69	10	1.2	18.9	277	103	3.73	3.66	-0.02
27	UGB	EPD	13 44 37.23	13	1.4	22.5	352	101	4.27	4.35	0.00
27	YMT5	EPU	13 44 37.54	13	1.4	24.1	286	100	4.58	4.54	0.04

JUN H = 20 43 20.75 UTC RMS = 0.10 NO = 16 FREE DEPTH SOLUTION
 27 LAT = 36.875 N ENX = 0.2 ENM = 0.4 AVFM = 2.2 U = A LATHROP WELLS
 LONG = 118.194 W ERY = 0.3 GAP = 73 AVXM = U = A
 DEPTH = 2.18 KM ERZ = 0.8 NM = U = A

27	LDP	IPU0	20 43 21.95	43	2.4	3.3	134	125	1.20	1.18	0.10
27	SSP	IPU0	20 43 22.37	29	2.1	5.9	339	108	1.62	1.64	0.04
27	CDM1	IPU0	20 43 22.95			11.1	262	97	2.20	2.37	-0.00
27	CDMS	IPU0	20 43 22.89	34	2.3	11.1	262	97	2.14	2.31	-0.07
27	CPH	IPU0	20 43 23.47	24	2.0	13.8	64	94	2.72	2.81	-0.07
27	LSM	EPD2	20 43 24.00	20	2.1	16.5	205	95	3.25	3.24	-0.02
27	BGB	IPU0	20 43 24.42	31	2.2	18.3	351	94	3.67	3.64	0.09
27	YMT6	IPU0	20 43 24.42	20	2.1	18.8	244	94	3.67	3.63	-0.05
27	YMT3	IPU0	20 43 25.00	32	2.2	21.8	243	74	4.25	4.11	0.19
27	YMT4	EPU0	20 43 24.93	31	2.2	23.1	242	74	4.20	4.16	-0.27
27	YMT5	IPU1	20 43 25.24	34	2.3	23.3	276	74	4.51	4.41	0.10
27	YMT2	EPD4	20 43 25.79			27.9	249	74	5.04	5.10	-0.14
27	YMT1	IPU0	20 43 26.26	40	2.4	30.0	265	74	5.51	5.46	-0.09
27	MCT	IPU3	20 43 26.42	31	2.2	31.5	139	74	5.47	5.72	0.02
27	GLR	EPD4	20 43 27.95	22	2.0	39.3	24	74	7.20	7.03	0.24
27	SPRG	EPD2	20 43 28.00	25	2.1	39.8	120	74	7.25	7.07	0.21
27	JON	EPU1	20 43 29.24	19	1.9	49.0	178	74	8.51	8.50	0.00
27	PMT	EPH	20 43 30.53			58.3	243	74	9.78	10.04	-0.02

JUN H = 21 50 4.71 UTC RMS = 0.13 NO = 4 FREE DEPTH SOLUTION
 27 LAT = 36.736 N ENX = 0.6 ENM = 1.0 AVFM = 1.4 U = C LATHROP WELLS
 LONG = 116.169 W ERY = 0.8 GAP = 302 AVXM = U = A
 DEPTH = 0.35 KM ERZ = NM = U = D

27	LDP	IPU0	21 50 7.47	13	1.4	13.2	1	48	2.76	2.90	-0.04
27	CDMS	IPU0	21 50 8.32	14	1.5	19.2	316	48	3.41	3.79	-0.08
27	SSP	EPD2	21 50 9.21			21.5	348	48	4.38	4.39	0.19
27	YMT6	EPD3	21 50 9.99	10	1.2	25.1	383	48	5.24	4.81	0.34

701531826

1981 BCG LOCAL-EVENT DATA REPORT

JUN STA PHASE TIME AMP PER MAG DUR MAG DIST AZI AIN TONS TCAL RES REMARKS
1981 (UTC) (MU) (SEC) (MM) (DEG) (DEG) (SLC) (SEC) (SEC)

Table with columns: JUN, STA, PHASE, TIME, AMP, PER, MAG, DUR, MAG, DIST, AZI, AIN, TONS, TCAL, RES, REMARKS. Includes summary statistics (RMS, NU, ERH, GAP, AVFM, AVRM, U, S, D) and station data for stations 27 (BGV, BMT, GVM, YHT5, YHT4, YHT6, FMT, MCA, CDMS, SSP, LSM, LOP).

Table with columns: JUN, STA, PHASE, TIME, AMP, PER, MAG, DUR, MAG, DIST, AZI, AIN, TONS, TCAL, RES, REMARKS. Includes summary statistics (RMS, NU, ERH, GAP, AVFM, AVRM, U, S, D) and station data for stations 28 (CPT, LOP, GLR, BCB, SPRG, MCV, CDMS, CDH1, LSM, GMR, EPU, YHT5, YHT4, HT1).

Table with columns: JUN, STA, PHASE, TIME, AMP, PER, MAG, DUR, MAG, DIST, AZI, AIN, TONS, TCAL, RES, REMARKS. Includes summary statistics (RMS, NU, ERH, GAP, AVFM, AVRM, U, S, D) and station data for stations 28 (PGE, MCA, OSM, THO, GAV, FMT, GVM, SGV, AMR, NCT, LCM, YHT2, YHT1, YHT3, GHN, YHT4, YHT5, LSM, MCH, LOP, BMT, SPRG).

70153 1827

1981 BCG LOCAL-EVENT DATA REPORT

1981 SGB LOCAL-EVENT DATA REPORT

JUN 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIH (DEG)	FOSS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
20	CTS	EP04	23 49 35.39				90	3.7	193.6	27	29	32.21	31.21	1.17	
20	KNNA	EP04	23 49 39.28				91	3.8	217.0	33	29	36.10	34.24	1.79	

JUN M = 7 9 42.90 UTC RMS = 0.10 NO = 19 PHEE DEPTH SOLUTION
 29 LAT = 37.322 N ERX = 0.2 ERM = 0.3 AVFM = 2.6 W = C
 LONG = 117.001 W ERY = 0.2 GAP = 72 AVXM = W = C
 DEPTH = 2.57 KM ERZ = 113.0 NM = W = C
 MT. JACKSON

29	GMN	EP0	7 9 47.19				50	2.7	23.0	260	74	4.25	4.52	-0.12	
29	BMT	EP0	7 9 48.74				62	2.8	31.8	40	74	5.80	5.95	0.02	
29	SGV	EP0	7 9 49.65				65	2.9	37.9	104	74	6.71	6.81	-0.02	
29	CTS	IPD	7 9 50.56				34	2.3	44.4	33	74	7.62	7.94	-0.15	
29	HGM	EP0	7 9 51.06				49	2.7	45.8	207	74	8.12	8.21	0.00	
29	GYN	EP0	7 9 51.08				43	2.6	46.7	220	74	8.14	8.10	-0.02	
29	HZP	EP0	7 9 52.44				35	2.4	53.9	121	74	9.50	9.58	0.16	
29	EPN	EP0	7 9 53.84				48	2.7	61.3	101	74	10.90	10.76	0.00	
29	HCT	EP0	7 9 54.23				28	2.3	67.6	150	74	11.29	11.52	-0.07	
29	YMT5	EP0	7 9 54.57				57	2.9	67.7	130	74	11.63	11.61	0.02	
29	YMT4	EP0	7 9 55.42				57	2.9	70.4	136	74	12.48	12.03	0.34	
29	KNNA	EP0	7 9 55.54				33	2.4	72.0	50	74	12.60	12.45	0.00	
29	YMT6	EPL	7 9 55.54				34	2.5	73.9	134	74	12.60	12.56	-0.07	
29	BGB	EP0	7 9 55.71				29	2.3	75.6	115	74	12.77	12.97	-0.12	
29	YMT3	EP0	7 9 56.22				57	2.9	79.2	139	74	13.20	13.42	-0.09	
29	CDMS	EP0	7 9 56.41				31	2.4	79.5	130	74	13.47	13.47	0.10	
29	CDM1	EP0	7 9 56.52				32	2.4	79.5	130	74	13.50	13.54	0.14	
29	LOP	EP0	7 9 58.26				42	2.7	98.5	129	74	15.32	15.39	0.01	
29	SOM	EP0	7 9 59.11				30	2.4	95.5	142	74	16.17	16.07	0.14	
29	SPRG	EP0	7 10 0.17				56	3.1	126.9	123	74	21.23	21.22	0.04	

JUN M = 22 17 50.15 UTC RMS = 0.13 NO = 10 PHEE DEPTH SOLUTION
 29 LAT = 36.732 N ERX = 1.9 ERM = 2.5 AVFM = 2.4 W = C
 LONG = 115.902 W ERY = 1.6 GAP = 187 AVXM = W = B
 DEPTH = 4.19 KM ERZ = 4.0 NM = W = D
 MERCURY

29	SPRG	EP0	22 17 51.52				38	2.3	4.2	189	134	1.37	1.40	0.00	
29	MCY	IP0	22 17 53.05				33	2.2	16.3	242	98	2.90	3.23	-0.25	
29	LOP	EP0	22 17 56.32				29	2.2	35.3	293	93	6.17	6.41	-0.16	
29	LSP	EP0	22 17 57.54				20	2.2	42.1	271	92	7.39	7.39	-0.02	
29	CDMS	EP0	22 17 58.44				36	2.4	48.2	267	92	8.29	8.36	0.03	
29	SOM	EP0	22 17 58.67				21	1.9	48.9	259	92	8.52	8.47	0.09	
29	YMT3	EP0	22 17 59.78				35	2.4	54.7	276	91	9.63	9.42	0.26	
29	GLR	EP0	22 17 59.79				45	2.6	55.3	340	91	9.64	9.61	0.10	
29	YMT5	EP0	22 18 1.05				35	2.4	61.0	288	91	10.90	10.52	0.38	
29	YMT1	EP0	22 18 1.71				38	2.5	66.2	282	91	11.56	11.33	0.10	
29	GHR	EP0	22 18 1.47				38	2.5	66.9	2	91	11.32	11.52	-0.10	
29	TPU	EP0	22 18 8.30				31	2.5	97.9	8	90	14.15	16.22	2.07	
29	MTI	EP0	22 18 10.54				26	2.4	114.9	24	90	20.39	18.99	1.03	
29	GYN	EP0	22 18 14.14				31	2.6	140.5	282	90	23.99	23.15	0.78	

JUN M = 0 1 1.04 UTC RMS = 0.18 NO = 3 FIXED DEPTH SOLUTION
 30 LAT = 36.617 N ERX = GAP = 327 AVFM = 1.3 W = C
 LONG = 116.190 W ERY = NM = W = B
 DEPTH = 5.00 KM ERZ = NM = W = D
 DEPTH CONTROL INADEQUATE
 LATHROP #2LLS

30	LSP	EP0	0 1 4.69				10	1.2	15.5	331	103	2.85	3.10	-0.27	
30	LUP	EP0	0 1 6.74				11	1.3	26.4	4	96	4.90	4.96	0.02	
30	CDMS	EP0	0 1 7.29				11	1.3	29.3	337	95	5.45	5.30	0.75	

JUN M = 6 29 38.06 UTC RMS = 0.24 NO = 3 FIXED DEPTH SOLUTION
 30 LAT = 36.620 N ERX = GAP = 339 AVFM = 1.8 W = C
 LONG = 115.728 W ERY = NM = W = B
 DEPTH = 5.00 KM ERZ = NM = W = D
 DEPTH CONTROL INADEQUATE
 MERCURY

30	MCT	EP0	6 29 41.66				24	2.0	21.4	282	98	3.60	4.08	-0.40	
----	-----	-----	------------	--	--	--	----	-----	------	-----	----	------	------	-------	--

201531828

201531828

1981 SGB LOCAL-EVENT DATA REPORT

JUL STA PHASE TIME AMP PER MAG DUR PHAS DIST AZI ATH TUBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (RM) (ULG)(DEG) (SEC) (SEC) (SEC)

JUL N = 10 31 51.90 UTC RMS = 0.06 NU = 15 FREE DEPTH SOLUTION
 03 LAT = 37.149 N ERX = 0.2 ERM = 0.3 AVFM = 2.7 U = C
 LONG = 116.540 W ERY = 0.2 GAP = 103 AVXM = U3 = C THIRSTY CANYON
 DEPTH = 4.50 KM ERZ = 13.5 NM U0 = C

03	YMT5 EPU	10 31 57.46	57	2.7	30.4	150	94	5.40	5.50	-0.06
03	YMT4 EPU	10 31 58.43	57	2.0	35.0	150	90	6.45	6.67	0.27
03	BGB EPU	10 31 58.22	42	2.5	34.5	111	90	6.24	6.28	0.04
03	YMT6 EPU	10 31 58.38	57	2.0	34.2	153	93	6.40	6.45	-0.14
03	WCT EPU	10 31 58.60	49	2.6	39.7	105	93	6.62	6.98	-0.20
03	CDM5 EPD	10 31 58.90	51	2.7	40.2	143	93	6.92	7.07	-0.05
03	CDM1 EPD	10 31 59.03	51	2.7	40.2	143	93	7.05	7.13	0.02
03	BSP EPU	10 31 59.42	59	2.0	41.4	127	93	7.44	7.47	0.03
03	YMT3 EPD	10 31 59.34	57	2.0	43.2	150	93	7.30	7.55	-0.12
03	BCV EPD	10 31 59.63	55	2.0	43.5	245	93	7.65	7.71	0.03
03	LOP EPU	10 32 0.79	52	2.7	49.0	131	92	8.01	8.77	0.12
03	LSM EPD	10 32 1.25	40	2.5	53.5	140	92	9.27	9.24	0.01
03	BLT EPD	10 32 1.58	40	2.6	55.0	40	92	9.00	9.72	0.01
03	CTB EPU	10 32 1.81	30	2.5	57.6	140	92	9.03	10.07	-0.07
03	HRNA EPD	10 32 3.90	30	2.5	60.3	10	92	11.92	11.63	0.02
03	HCY EPU	10 32 5.15	43	2.7	77.0	134	91	13.17	13.24	0.01

7 0 1 5 3 1 8 3 0

JUL N = 0 4 46.34 UTC RMS = 0.07 NU = 19 FREE DEPTH SOLUTION
 04 LAT = 37.327 N ERX = 0.2 ERM = 0.2 AVFM = 2.0 U = B
 LONG = 116.246 W ERY = 0.1 GAP = 70 AVXM = U6 = A SILENT CANYON - NORTH
 DEPTH = 2.88 KM ERZ = 1.1 NM UD = C

04	EPN EPD	0 4 49.28	96	3.1	12.0	191	101	2.90	2.85	0.03
04	BLT EPD	0 4 50.64	89	3.1	23.1	42	74	4.30	4.44	-0.01
04	GLR IPU	0 4 51.50	27	2.1	28.4	120	74	5.16	5.23	0.00
04	IS	0 4 55.15						6.01	6.02	-0.01
04	BMT EPD	0 4 51.95	90	3.1	31.4	261	74	5.61	5.87	-0.09
04	BGB IPU	0 4 52.15	32	2.5	32.4	149	74	5.81	5.97	-0.08
04	HRNA EPD	0 4 54.73	76	3.1	40.6	351	74	6.39	6.29	0.03
04	YMT5 EPD	0 4 55.04	95	3.3	49.6	196	74	6.70	6.66	0.04
04	CDM1 IPD	0 4 55.15	33	2.3	51.8	102	74	6.01	6.02	-0.11
04	CTB EPU	0 4 55.49	70	3.0	52.0	314	74	9.15	9.20	0.04
04	YMT6 IPU	0 5 0.56	31	2.3	52.9	191	74	20.22	9.15	10.90
04	YMT4 EPU	0 4 56.32	95	3.3	53.0	195	74	9.55	9.19	0.25
04	YMT1 EPU	0 4 56.89	95	3.3	56.5	201	74	9.90	9.74	0.11
04	WCT IPU	0 4 57.45	25	2.2	66.2	264	74	11.11	11.29	-0.02
04	BCV EPD	0 4 59.29	85	3.3	75.0	240	74	12.95	12.96	0.00
04	BPRG EPD	0 5 0.64	70	3.1	82.5	140	74	14.50	13.98	0.35
04	GNN EPU	0 5 0.78	70	3.1	85.5	268	74	14.44	14.66	-0.07
04	FMT IPD	0 5 1.00	23	2.1	87.6	209	74	14.66	14.76	0.14
04	MTI EPU	0 5 4.45	23	2.2	98.4	67	74	16.11	16.63	1.51
04	GVH EPD	0 5 3.05	70	3.2	99.7	240	74	16.71	16.70	-0.05
04	HCA EPU	0 5 5.65	24	2.3	115.6	220	74	19.31	19.17	0.06

JUL N = 5 2 29.31 UTC RMS = 0.16 NU = 15 FREE DEPTH SOLUTION
 04 LAT = 37.153 N ERX = 0.4 ERM = 0.7 AVFM = 2.9 U = C
 LONG = 116.946 W ERY = 0.6 GAP = 110 AVXM = U5 = B THIRSTY CANYON
 DEPTH = 9.49 KM ERZ = 3.8 NM U0 = C

04	BCV EPU	5 2 33.35	110	3.3	20.6	202	113	4.04	4.20	-0.08
04	BMT EPD	5 2 34.92	115	3.4	30.3	62	106	5.61	5.84	-0.06
04	GNN EPU	5 2 35.41	100	3.2	32.3	300	105	6.10	6.14	0.11
04	GVH EPD	5 2 36.48	89	3.2	39.0	244	101	7.17	6.94	0.17
04	WCT IPU	5 2 37.55	30	2.3	49.1	145	99	8.24	8.58	-0.10
04	YMT5 EPU	5 2 38.44	110	3.4	52.1	123	90	9.13	9.14	-0.02
04	YMT4 EPD	5 2 39.13	110	3.4	54.4	126	90	9.62	9.40	0.23
04	HCH EPU	5 2 39.15	75	3.1	58.3	503	97	9.64	10.29	-0.36
04	FMT IPU	5 2 39.25	23	2.1	58.9	165	97	9.94	10.16	0.02
04	YMT3 EPD	5 2 39.94	110	3.4	62.6	130	97	10.63	10.76	-0.08
04	CDM1 IPD	5 2 40.40	36	2.5	64.7	120	97	11.09	11.17	0.02

1981 SGB LOCAL-EVENT DATA REPORT

JUL 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	G131 (MM)	AZI (DLS)(DEG)	AIM	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
04	BGB	IPU	5 2 40.45					27	2.2	65.1	101	97	11.14	11.31	-0.09	
04	GLR	EPU	5 2 43.05					23	2.1	82.6	86	95	10.14	10.00	0.13	
04	GMR	EPU	5 2 47.35					27	2.0	106.2	79	94	10.04	17.94	0.20	
04	SPRC	EPU	5 2 48.14					112	3.0	113.0	117	94	10.03	19.03	-0.17	

JUL M = 5 31 55.57 UTC RMS = 0.11 NO = 5 FREE DEPTH SOLUTION
 04 LAT = 37.170 N ER1 = 2.4 ERH = 3.0 AVFM = 1.0 U = 0
 LONG = 116.737 W ER2 = 2.3 GAP = 199 AVSM = 0.3 U = C THIRSTY CANYON
 DEPTH = 29.20 KM ERZ = 5.3 NM = UD = 0

04	BMT	EPU	5 32 1.35					20	1.0	15.0	33	151	5.70	5.91	0.04	
04	SCV	IPD	5 32 2.90					24	2.0	33.6	231	124	7.33	7.60	-0.10	
04	GMM	EPU	5 32 4.95					13	1.5	48.6	207	112	9.30	9.66	-0.13	
04	GVN	EPU	5 32 6.10					7	1.0	57.0	251	106	10.53	10.52	-0.05	

JUL M = 5 53 24.22 UTC RMS = 0.06 NO = 6 FREE DEPTH SOLUTION
 04 LAT = 37.150 N ER1 = 0.3 ERH = 0.5 AVFM = 1.0 U = C
 LONG = 116.930 W ER2 = 0.0 GAP = 122 AVSM = 0.3 U = C THIRSTY CANYON
 DEPTH = 4.35 KM ERZ = 10.6 NM = UD = C

04	SCV	EPU	5 53 20.10					30	2.2	21.0	200	96	3.00	4.05	-0.07	
04	BMT	IPU	5 53 29.65					19	1.8	29.6	61	94	5.43	5.50	0.02	
04	GMM	EPU	5 53 30.15					9	1.2	32.0	300	71	5.93	6.10	-0.02	
04	GVN	EPU	5 53 31.35					12	1.0	39.0	245	92	7.13	6.95	0.12	
04	YMT5	IPU	5 53 33.15					20	1.9	51.6	123	92	8.93	8.96	-0.05	
04	YMT4	IPD3	5 53 33.90					9	1.2	53.9	121	92	9.60	9.33	0.24	
04	YMT3	EPD3	5 53 34.69					10	1.9	62.1	131	91	10.47	10.63	-0.10	
04	LSD3		5 53 42.00										10.66	10.09	0.57	

JUL M = 11 25 37.39 UTC RMS = 0.11 NO = 18 FREE DEPTH SOLUTION
 04 LAT = 37.169 N ER1 = 0.3 ERH = 0.4 AVFM = 2.6 U = C
 LONG = 116.940 W ER2 = 0.3 GAP = 70 AVSM = 0.3 U = B THIRSTY CANYON
 DEPTH = 6.39 KM ERZ = 4.2 NM = UD = C

04	SCV	IPD	11 25 41.56							22.0	201	103	4.17	4.33	-0.07	
04	GMM	IPU	11 25 43.15					70	2.9	31.9	297	98	5.76	5.97	-0.06	
04	ISU3		11 25 47.60										10.21	9.96	0.26	
04	GVN	EPD	11 25 48.70							48.3	243	96	7.31	7.06	0.19	
04	WCT	IPU	11 25 45.91							50.3	146	95	8.52	8.71	-0.03	
04	YMT5	IPU	11 25 46.69							52.7	125	94	9.30	9.10	0.12	
04	EMN	IPD3	11 25 47.62							55.0	85	94	10.23	9.74	0.44	
04	ES 4		11 25 54.50										17.11	16.75	0.36	
04	YMT4	EPD	11 25 47.32					40	2.5	56.3	129	94	9.93	9.74	0.08	
04	CTS	IPD	11 25 47.20					23	2.1	57.3	19	94	9.01	10.94	-0.06	
04	HGM	EPD	11 25 47.00					55	2.0	57.0	301	94	10.01	10.16	-0.06	
04	YMT6	EPD	11 25 47.60							50.9	126	94	10.25	10.13	0.03	
04	FMT	EPJ	11 25 47.30							60.5	166	94	9.99	10.37	-0.14	
04	BGB	EP14	11 25 49.10							65.0	103	93	11.71	11.25	0.54	
04	CDMS	EPD3	11 25 48.66							65.2	122	93	11.27	11.14	0.24	
04	CDM1	EPD	11 25 48.70							65.2	122	93	11.31	11.21	0.21	
04	SSP	IPU	11 25 49.67							69.7	113	93	12.20	12.09	0.20	
04	LSP	EPH	11 25 50.39							76.1	129	93	13.00	12.94	0.05	
04	LDP	EPH	11 25 50.42							77.2	117	93	13.23	13.22	0.10	
04	SDM	EPH	11 25 50.70							79.1	137	93	13.31	13.40	-0.05	
04	NRMA	EPD	11 25 51.20							80.5	30	93	11.69	13.02	0.00	

1831
 30153

20153000/1921

1981 3GN LOCAL-EVENT DATA REPORT

JUL STA PHASE TIME AMP PER XMAG DUR PMAG DIST AZI AIN TONS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (RM) (DEG)(DEG) (SEC) (SEC) (SEC)

JUL H = 16 10 44.24 UTC RMB = 0.09 NO = 17 FREE DEPTH SOLUTION
 05 LAT = 36.613 N ERX = 0.2 ERM = 0.3 AVFM = 2.1 U = C
 LONG = 115.756 W ERY = 0.2 GAP = 118 AVXM = U = C
 DEPTH = 0.00 KM ERZ = 27.1 NM = U = C MERCURY

05	SPNG	EPU	16 10 46.30	26	2.0	10.4	333	40	2.02	2.41	-0.33
05	MCY	IPU	16 10 47.96	39	2.4	19.3	207	40	3.60	3.93	-0.16
05	APX	EPD	16 10 51.00	24	2.0	36.2	153	30	6.72	7.03	-0.04
05	JON	IPD	16 10 51.07	20	1.9	36.4	239	30	6.79	6.71	0.07
05	CPX	EPD	16 10 52.15	17	1.7	44.4	323	30	7.07	6.08	-0.17
05	LDP	EPU	16 10 52.45	25	2.1	45.6	306	30	8.17	8.37	-0.12
05	LSM	EPU	16 10 52.45	20	1.9	48.4	207	30	8.67	8.70	-0.05
05	BBP	EPU	16 10 53.75	25	2.1	54.0	310	30	9.47	9.01	-0.26
05	SHRG	IPUA	16 10 53.95	17	1.0	55.0	102	30	9.67	9.00	0.30
05	CDM5	IPU	16 10 54.25	33	2.0	57.3	299	30	9.97	10.14	-0.06
05	CDM1	IPD	16 10 54.30	35	2.0	57.3	299	30	10.02	10.21	-0.08
05	YMT3	EPD	16 10 55.15	32	2.0	61.7	200	30	10.07	10.05	0.07
05	BGB	EPU	16 10 55.20	18	1.9	63.4	310	30	10.92	11.26	-0.26
05	YMT6	IPD	16 10 55.30	27	2.2	64.1	295	30	11.22	11.27	-0.13
05	YMT4	IPU	16 10 56.15	26	2.2	68.3	294	30	11.07	11.96	-0.20
05	YMT5	IPU	16 10 56.65	30	2.3	70.0	297	30	12.37	12.20	0.11
05	YMT1	EPD	16 10 57.25	46	2.7	70.1	291	30	12.97	12.09	-0.95
05	FMT	EPU	16 10 57.75	20	2.1	91.6	272	30	13.47	13.70	-1.99
05	PHN	EPU	16 11 3.00	29	2.0	108.4	35	30	18.72	18.53	0.07

JUL H = 17 36 13.90 UTC RMB = 0.08 NO = 7 FREE DEPTH SOLUTION
 09 LAT = 36.122 N ERX = 0.3 ERM = 1.5 AVFM = 2.9 U = D
 LONG = 115.424 W ERY = 1.5 GAP = 270 AVXM = U = C
 DEPTH = 0.00 KM ERZ = 16.3 NM = U = D LAS VEGAS

09	APX	EPD	17 36 18.00	50	2.6	25.7	320	40	4.70	5.29	-0.32
09	SHRG	EPD	17 36 22.20	52	2.7	48.0	30	30	8.30	8.07	0.01
09	JON	EPU	17 36 26.20	56	2.9	78.4	300	30	12.22	12.23	-0.02
09	SPNG	EPU	17 36 26.50	50	2.9	72.2	331	30	12.40	12.60	0.03
09	PCY	EPD	17 36 27.30	65	3.0	76.9	321	30	13.32	13.30	0.04
09	AMR	EPUA	17 36 32.40	60	3.0	99.1	200	30	18.50	18.06	1.63
09	SUN	EPD4	17 36 32.75	51	2.9	100.5	305	30	13.77	17.15	-3.30
09	LSM	EPD2	17 36 31.65	44	2.0	102.4	312	30	17.67	17.49	0.16
09	LUP	EPU4	17 36 31.20	55	3.0	105.0	321	30	17.22	18.02	-0.72
09	BBP	EPUA	17 36 35.15	49	3.2	110.0	321	30	21.17	19.50	1.69
09	CDM1	EPU	17 36 33.35	70	3.3	110.5	316	30	19.37	19.50	-0.33
09	CDM5	EPUA	17 36 32.20	33	2.6	110.5	316	30	18.31	19.43	-1.02
09	YMT3	EPUA	17 36 44.40	65	3.2	115.1	310	30	30.50	19.53	11.02
09	YMT6	EPD4	17 36 37.60	66	3.2	119.9	313	30	23.62	20.33	3.10
09	YMT4	EPUA	17 36 35.99	52	3.0	123.6	312	30	22.01	20.95	0.95
09	BGB	EPUA	17 36 36.00	46	2.9	124.5	325	30	22.02	21.19	0.91
09	YMT5	EPUA	17 36 36.39	70	3.3	126.2	313	30	22.41	21.40	1.01
09	YMT1	EPD4	17 36 37.30	70	3.3	127.9	309	30	23.40	21.64	1.63
09	GLR	EPUA	17 36 37.55	36	2.7	130.0	336	30	23.57	22.15	1.40
09	GMR	EPD4	17 36 30.29	17	2.1	130.0	347	30	24.31	23.36	1.05
09	E3D4		17 36 56.20						42.30	39.77	2.53
09	EPN	EPD4	17 36 40.10	71	3.3	145.4	326	30	26.12	24.71	1.35

JUL H = 2 42 31.21 UTC RMB = 0.09 NO = 17 FIRED DEPTH SOLUTION
 12 LAT = 37.153 N ERX = 0.2 ERM = 0.4 AVFM = 2.2 U = C
 LONG = 116.943 W ERY = 0.3 GAP = 121 AVXM = U = C
 DEPTH = 5.00 KM ERZ = 4.4 NM = U = C THIRSTY CANYON

12	SGV	EPU	2 42 35.15	41	2.4	20.7	203	99	3.94	4.01	0.01
12	BMT	EPU	2 42 36.60	29	2.2	30.0	61	95	5.39	5.65	-0.10
12	GHW	EPU	2 42 37.15	23	2.0	32.7	300	95	5.94	6.07	0.01
12	NCT	EPU	2 42 39.30	29	2.2	48.8	145	93	8.09	8.44	-0.21
12	YMT1	IPD	2 42 39.85	40	2.5	49.5	132	93	8.64	8.61	-0.10
12	YMT5	IPU	2 42 40.20	35	2.4	51.8	123	93	8.99	9.01	-0.03
12	YMT4	IPD	2 42 40.75	25	2.1	54.0	126	93	9.54	9.36	0.07
12	EPN	EPD	2 42 41.15	22	2.0	55.3	83	92	9.94	9.77	0.10

201531832

201531832

1981 SCM LOCAL-EVENT DATA REPORT

JUL 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	INAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TDMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
12	YMT2	EPUS	2 42 40.05					20	1.9	57.0	135	92	9.04	9.90	-0.30
12	YMT6	EPUS	2 42 41.05					25	2.1	57.9	124	92	9.04	9.96	-0.22
12	FMT	EPUS	2 42 47.45					10	1.3	50.7	166	92	16.24	10.07	6.40
12	YMT3	EPUS	2 42 41.65					34	2.4	62.2	131	92	10.44	10.65	-0.16
12	CDM5	IPU	2 42 42.15					37	2.5	64.3	120	92	10.94	10.99	0.05
12	CDM1	IPU	2 42 42.20					47	2.7	64.3	120	92	10.99	11.00	0.03
12	BCB	EPD	2 42 42.40					24	2.1	64.7	101	92	11.19	11.19	0.00
12	SSP	EPD	2 42 43.20					40	2.6	69.1	111	92	11.99	11.90	0.09
12	LSM	IPU	2 42 44.20					19	2.0	75.2	120	92	12.99	12.77	0.20
12	LUP	EPD	2 42 42.65					24	2.2	76.0	110	92	11.44	13.09	-1.50
12	HCY	EPD	2 42 46.35					29	2.4	102.9	122	91	17.14	17.32	-0.10

JUL M = 15 47 36.09 UTC RMS = 0.09 NO = 13 FREE DEPTH SOLUTION
 14 LAT = 37.162 N ERX = 0.3 ERM = 0.5 AVFM = 2.7 U = 0 US = A MT. JACKSON
 LONG = 117.000 W ERY = 0.4 CAP = 129 AVSM = 0.8 UD = C
 DEPTH = 2.26 KM ERZ = 1.9 NM =

1 8 3 3

14	GVN	EPUS	15 47 39.73					70	2.9	18.0	162	90	3.64	3.50	0.01
14	GMN	EPD	15 47 39.99					70	2.9	20.2	41	70	3.90	4.00	-0.02
14	LCH	EPUS	15 47 40.25					50	2.6	22.7	291	70	4.16	4.33	-0.10
14	HGM	EPUS	15 47 41.96					55	2.7	31.9	306	70	5.07	5.96	-0.01
14	SGV	EPUS	15 47 42.70					67	2.9	39.0	121	70	6.69	7.00	-0.22
14	PPK	EPD	15 47 45.40					40	2.5	55.1	303	70	9.39	9.35	0.03
14	BMT	EPD	15 47 46.03					62	3.0	69.0	79	70	11.94	12.01	0.10
14	BVP	EPD	15 47 48.65					51	2.8	70.5	530	70	12.56	12.35	0.10
14	YMT1	IPUS	15 47 50.05					42	2.7	85.5	114	70	13.96	14.48	-0.05
14	YMT5	IPU1	15 47 51.23					50	3.0	89.0	109	70	15.14	15.23	-0.09
14	YMT4	EPD	15 47 51.06					50	3.0	91.3	111	70	15.77	15.44	0.21
14	EPH	IPU4	15 40 4.45					29	2.4	96.4	07	70	20.36	10.49	11.01
14	SSP	IPU	15 47 54.25					20	2.4	109.1	100	70	18.16	10.50	-0.27
14	HCY	EPD	15 47 59.65					32	2.6	140.3	113	70	23.56	23.42	0.22

2 0 1 5 3

JUL M = 17 0 49.41 UTC RMS = 0.08 NO = 10 FREE DEPTH SOLUTION
 14 LAT = 37.159 N ERX = 0.3 ERM = 0.0 AVFM = 2.6 U = C US = C MT. JACKSON
 LONG = 117.405 W ERY = 0.3 CAP = 111 AVSM = 0.8 UD = C
 DEPTH = 4.21 KM ERZ = 5.0 NM =

14	GVN	EPUS	17 0 52.99					52	2.6	18.3	162	97	3.50	3.40	0.04
14	GMN	EPD	17 0 53.30					41	2.4	20.3	39	96	3.89	4.06	-0.03
14	LCH	EPUS	17 0 53.71					36	2.3	23.1	291	95	4.30	4.37	0.01
14	HGM	EPUS	17 0 55.30					35	2.3	32.3	305	95	5.47	6.00	0.05
14	SGV	EPUS	17 0 56.10					50	2.6	38.5	121	92	6.77	6.90	-0.05
14	THO	EPD	17 0 56.19					52	2.7	39.3	100	92	6.78	7.15	-0.07
14	PPK	EPUS	17 0 58.72					32	2.3	53.5	300	92	9.31	9.39	-0.09
14	MCA	EPUS	17 0 59.29					41	2.6	57.0	169	91	9.80	9.77	0.03
14	BMT	EPD	17 9 1.19					53	2.8	60.0	70	91	11.70	11.94	-0.01
14	SPRG	EPUS	17 9 14.65					33	2.7	151.3	110	90	25.24	20.90	0.36

JUL M = 1 41 4.21 UTC RMS = 0.08 NO = 16 FREE DEPTH SOLUTION
 15 LAT = 36.533 N ERX = 0.2 ERM = 0.3 AVFM = 3.0 U = 0 US = A CHLONIDE CLIFF
 LONG = 116.606 W ERY = 0.2 CAP = 121 AVSM = 0.8 UD = 0
 DEPTH = 14.59 KM ERZ = 1.3 NM =

15	AMR	IPU	1 41 8.45					70	2.9	19.1	142	126	4.24	4.23	0.00
15	SUM	IPU	1 41 9.60					50	2.8	27.0	63	117	5.39	5.40	0.03
15	YMT3	EPUS	1 41 10.50					100	3.2	33.1	32	113	6.29	6.30	0.04
15	YMT1	IPD	1 41 11.15					120	3.4	36.2	11	111	6.94	6.79	0.02
15	LSM	IPU	1 41 11.25					64	2.9	37.6	52	110	7.04	7.00	0.02
15	GVN	IP	1 41 11.40					66	2.9	38.9	109	109	7.19	7.20	-0.01
15	YMT4	IPD	1 41 11.34					70	3.0	39.4	21	109	7.13	7.30	-0.29
15	YMT5	IPU	1 41 12.10					90	3.2	42.7	19	106	7.09	7.04	0.05
15	JUN	IP	1 41 12.55					62	2.9	46.2	103	106	8.34	8.29	0.04
15	LUP	IPU	1 41 13.75					67	3.0	53.0	48	104	9.54	9.50	0.11

1981 SCS LOCAL-EVENT DATA REPORT

JUL 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	LIST (RM)	AZI (DEG)	ATN (DEG)	TONS (SEC)	TCAL (SEC)	NEB (SEC)	REMARKS
15	MCT	IPU	1 41 14.55				87	3.2	59.4	76	102	10.34	10.43	-0.01	
15	BGV	EPU	1 41 15.10				92	3.3	62.6	123	102	10.69	11.00	-0.03	
15	CPX	IPU	1 41 15.70				52	2.8	66.1	48	101	11.09	11.50	0.02	
15	BPRG	EPU	1 41 16.75				73	3.1	73.5	76	100	12.54	12.67	-0.11	
15	BMT	EPD	1 41 18.75				60	3.1	83.3	150	99	14.54	14.45	0.25	
15	APR	EPD4	1 41 20.05				50	2.9	95.5	104	96	15.84	16.52	-0.41	
15	LCH	IPD	1 41 24.00				30	2.7	121.1	110	96	20.19	20.40	0.07	

JUL 11 = 2 23 31.11 UTC RMS = 0.10 NU = 12
 15 LAT = 36.523 N LMX = 1.3 ERM = 2.7 AVFM = 2.6 U = D
 LONG = 116.598 W ERY = 2.0 GAP = 234 AVXM = 43 = C
 DEPTH = 2.12 KM EMZ = 5.5 NM = 40 = D

FREE DEPTH SOLUTION
 CHLORIDE CLIFF

15	FMT	IPU	2 23 34.75				30	2.4	20.7	100	93	3.64	3.92	-0.04	
15	MCT	EPD	2 23 36.35				53	2.7	30.0	155	74	5.24	5.42	-0.02	
15	YMT2	IPU	2 23 36.90				41	2.5	30.4	19	74	5.79	5.50	0.13	
15	YMT3	IPD	2 23 37.25				61	2.0	33.7	30	74	6.14	6.05	0.14	
15	YMT4	IPD	2 23 38.10				52	2.7	40.2	19	74	6.99	7.15	-0.27	
15	YMT6	IPD	2 23 38.40				50	2.0	41.0	25	74	7.29	7.26	-0.06	
15	YMT6	IPD	2 23 38.40				65	2.9	45.0	34	74	7.64	7.94	-0.02	
15	CDM1	EPU	2 23 38.95				66	2.9	45.0	34	74	7.79	7.69	0.00	
15	CDM5	EPD	2 23 38.90				39	2.5	66.0	30	74	11.49	11.43	0.14	
15	BGB	IPD	2 23 42.00				20	2.3	66.3	47	74	11.24	11.19	-0.12	
15	CPX	EPU	2 23 42.35				42	2.6	73.1	75	74	12.54	12.40	0.09	
15	BPRG	EPD	2 23 45.45				50	2.8	84.5	157	74	14.44	14.53	0.00	
15	BMT	EPU	2 23 45.55				30	2.4	91.1	110	74	15.94	15.46	0.55	
15	GLR	EPD4	2 23 47.05												

JUL 11 = 4 37 16.00 UTC RMS = 0.06 NU = 22
 15 LAT = 36.532 N ERM = 0.2 AVFM = 2.7 U = B
 LONG = 116.407 W ERY = 0.1 GAP = 119 AVXM = 49 = A
 DEPTH = 11.23 KM EMZ = 0.8 NM = 40 = B

FREE DEPTH SOLUTION
 CHLORIDE CLIFF

15	AMR	IPD	4 37 20.00				50	2.6	19.1	141	119	4.00	3.93	0.06	
15	FMT	IPU	4 37 19.79				35	2.3	19.4	160	119	3.70	4.05	-0.01	
15	SDH	IPU	4 37 21.15				40	2.0	27.2	62	111	5.15	5.19	0.00	
15	MCT	EPU	4 37 21.20				53	2.7	28.9	157	110	5.20	5.45	-0.08	
15	YMT3	IPD	4 37 22.15				62	2.0	33.3	32	107	6.15	6.14	0.07	
15	YMT1	IPD	4 37 22.75				63	3.1	36.3	11	105	6.75	6.64	-0.01	
15	LSM	IPU	4 37 22.90				30	2.4	37.8	52	105	6.90	6.86	0.03	
15	ENV	IPU	4 37 23.00				35	2.4	38.8	180	104	7.00	7.10	-0.02	
15	YMT4	IPD	4 37 23.05				49	2.6	39.4	21	104	7.05	7.17	-0.22	
15	YMT6	IPD	4 37 23.25				47	2.6	40.5	27	103	7.25	7.29	-0.13	
15	YMT5	IPU	4 37 23.70				60	2.8	42.9	19	103	7.70	7.71	-0.01	
15	CDM5	IPD	4 37 23.80				63	2.9	44.7	35	102	7.86	7.93	-0.03	
15	CDM1	IPD	4 37 23.95				56	2.8	44.7	35	102	7.95	8.00	0.05	
15	JDM	IPU	4 37 24.20				51	2.7	46.3	103	102	8.20	8.17	0.03	
15	LGP	IPU	4 37 25.30				50	2.7	53.1	40	100	9.30	9.41	-0.03	
15	MCT	IPU	4 37 26.20				59	2.9	59.5	74	99	10.20	10.35	-0.06	
15	BGV	EPD	4 37 26.85				62	2.9	62.6	123	99	10.65	10.91	0.03	
15	BGB	EPU	4 37 27.25				30	2.5	65.5	31	98	11.25	11.41	-0.08	
15	CPX	EPU	4 37 27.35				32	2.0	66.2	48	98	11.35	11.43	-0.04	
15	BPRG	EPD	4 37 28.60				40	2.6	73.0	76	97	12.60	12.61	0.02	
15	BMT	EPU	4 37 30.45				58	2.9	83.8	150	96	14.45	14.40	0.23	
15	GLR	EPD	4 37 31.65				30	2.4	90.6	110	96	15.65	15.43	0.30	
15	SHRG	EPD4	4 37 37.90				28	2.5	130.1	91	94	21.90	21.85	0.64	

JUL 11 = 5 12 31.01 UTC RMS = 0.09 NU = 12
 15 LAT = 36.536 N ERM = 0.4 ERM = 0.5 AVFM = 1.9 U = C
 LONG = 116.611 W ERY = 0.3 GAP = 120 AVXM = 49 = C
 DEPTH = 8.33 KM EMZ = 2.5 NM = 40 = C

FREE DEPTH SOLUTION
 CHLORIDE CLIFF

15	FMT	IPU	5 12 34.50				14	1.5	18.9	107	112	3.49	3.76	-0.03	
15	AMR	IPD	5 12 34.85				15	1.6	19.7	141	110	3.80	3.82	0.01	
15	SDH	EPU	5 12 36.05				11	1.3	27.3	64	104	5.00	5.07	0.01	
15	MCT	EPU	5 12 36.30				22	1.9	28.4	157	104	5.20	5.24	0.21	

201531334

1981 SGB LOCAL-EVENT DATA REPORT

JUL 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	U131 (KM)	AZI (DEG)	AIN (DEG)	TOSS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
15	YMT1	IPD	5 12 37.65					41 2.5	56.0	12	101	6.64	6.47	0.04	
15	GNY	EPD	5 12 38.00					18 1.0	39.2	100	100	6.99	7.06	0.01	
15	YMT6	IPU	5 12 38.15					24 2.0	40.3	27	99	7.14	7.16	-0.11	
15	CDM1	IPD	5 12 38.80					28 2.2	48.5	36	98	7.79	7.89	0.00	
15	CDM5	IPD	5 12 38.95					29 2.2	48.5	36	98	7.94	7.82	0.22	
15	JON	EPD	5 12 39.20					13 1.5	40.0	103	98	8.19	8.16	0.03	
15	SAP	IPD	5 12 40.05					18 1.0	55.6	39	96	9.44	9.82	0.19	
15	MCY	EPD	5 12 41.05					27 2.2	59.7	77	96	10.04	10.33	-0.20	
15	BGB	IPD0	5 12 38.75					28 2.3	65.3	32	95	7.74	11.33	-1.50	

JUL N = 15 11 34.17 UTC RMS = 0.61 NO = 4 FREE DEPTH SOLUTION
 16 LAT = 37.403 N ERX = 0.9 ENH = 1.0 AVFM = 2.2 U = C
 LONG = 117.702 W ERY = 0.6 GAP = 150 AVXM = 48 = A MAGRUDER MOUNTAIN
 DEPTH = 6.37 KM ERZ = 13.2 NM = 0 UO = D

16	PPR	EPD	15 11 30.04					18 1.7	18.5	478	113	3.87	3.86	0.00	
16	MUM	IPD	15 11 30.05					41 2.4	18.7	77	113	3.88	3.97	-0.01	
16	LCH	EPD4	15 11 30.80					42 2.4	19.3	135	111	2.63	3.93	-1.22	
16	GNN	EPD	15 11 41.50					22 2.0	40.8	106	99	7.33	7.46	0.01	
16	SCV	EPD	15 11 47.05					26 2.2	75.7	128	95	12.80	12.97	-0.01	
16	BMT	EPD4	15 11 50.75					30 2.4	94.6	98	96	16.58	16.17	0.58	
16	EPN	EPD8	15 11 56.11					30 2.5	124.0	100	93	21.94	20.97	0.91	

JUL N = 15 15 3.98 UTC RMS = 0.09 NO = 8 FREE DEPTH SOLUTION
 16 LAT = 37.079 N ERX = 0.9 ENH = 1.0 AVFM = 3.4 U = D
 LONG = 116.033 W ERY = 0.6 GAP = 232 AVXM = 43 = C SILENT CANYON - YUCCA FLAT
 DEPTH = 0.51 KM ERZ = 13.2 NM = 0 UO = D

15	CPR	EPD	15 15 7.23					120 3.3	16.6	187	40	3.29	3.37	-0.06	
16	SAP	IPD	15 15 8.40					139 3.5	23.7	224	40	4.86	4.74	-0.20	
16	LUP	IPD	15 15 9.20					118 3.8	27.6	206	40	5.26	5.32	0.01	
16	EPH	EPD	15 15 9.60					139 3.5	29.5	300	40	5.84	5.83	-0.03	
16	YMT5	IPD	15 15 11.75					120 3.4	42.5	242	38	7.81	7.69	0.12	
16	LSM	EPD	15 15 11.85					100 3.3	43.2	210	38	7.91	7.76	0.12	
16	MCY	IPD	15 15 12.20					100 3.3	46.7	172	38	8.26	8.36	-0.02	
16	YMT1	IPU	15 15 13.05					137 3.6	50.7	240	38	9.11	8.99	-0.01	
16	JUN	EPD3	15 15 16.65					83 3.2	71.2	185	38	12.71	12.26	0.44	
16	SGV	EPD4	15 15 20.01					120 3.6	87.6	263	38	16.07	15.40	0.76	

JUL N = 21 22 7.64 UTC RMS = 0.22 NO = 8 FREE DEPTH SOLUTION
 16 LAT = 35.794 N ERX = 7.1 ENH = 10.1 AVFM = 2.9 U = D
 LONG = 117.931 W ERY = 7.2 GAP = 290 AVXM = 45 = C LITTLE LAKE
 DEPTH = 4.77 KM ERZ = 13.3 NM = 0 UO = D

18	OSH	EPD	21 22 24.12					48 2.7	97.8	79	90	16.28	16.21	-0.02	
18	PGE	IPD	21 22 24.51					35 2.6	99.3	52	90	16.67	16.45	0.44	
18	GNY	EPD0	21 22 27.65					53 3.0	121.7	69	90	19.81	20.10	-0.21	
18	GYN	IPU	21 22 31.55					39 2.8	144.0	22	90	23.71	23.72	-0.07	
18	AMR	EPD	21 22 32.30					56 3.1	147.3	63	90	24.48	24.26	0.19	
18	SGV	IPD0	21 22 32.99					59 3.2	154.4	31	90	25.06	25.42	-0.27	
18	LCH	EPD	21 22 34.40					36 2.8	161.9	9	90	26.56	26.63	0.01	
18	YMT2	EPD4	21 22 36.70					7 1.4	170.3	50	52	28.86	27.64	1.15	
18	SDH	EPD4	21 22 36.90					39 2.9	171.6	57	52	29.06	27.80	1.30	
18	YMT1	EPD4	21 22 36.60					94 3.7	172.3	47	52	28.76	27.92	0.71	
18	YMT3	EPD4	21 22 37.45					49 3.4	175.5	51	52	29.61	28.29	1.37	
18	JON	EPD4	21 22 37.75					46 3.1	179.6	66	52	29.91	28.79	1.11	
18	LSM	IPD4	21 22 38.35					33 2.8	182.2	55	52	30.51	29.18	1.31	
18	LUP	EPD4	21 22 40.90					49 3.2	197.3	53	52	33.06	31.24	1.90	
18	SPRC	EPD	21 22 41.30					53 3.3	215.4	62	52	33.46	33.45	0.04	

1981 07 15 15 03 00

1981 SGB LOCAL-EVENT DATA REPORT

JUL STA PHASE TIME * AMP PER XMAG DUR FMAG DIST AZI ATH TOBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (LUG)(DEG) (SEC) (SEC) (SEC)

JUL M = 15 36 30.05 UTC RMS = 0.08 NO = 11 FREE DEPTH SOLUTION
 21 LAT = 36.720 N ERX = 0.3 ERH = 0.4 AVFM = 2.0 U = B LATHROP WELLS
 LONG = 116.062 W ERY = 0.4 GAP = 123 AVXM = U3 = A UD = C
 DEPTH = 1.65 KM ERZ = 1.0 NM =

21	MCT	EPU	15 36 32.95	39	2.4	11.5	120	90	2.30	2.30	0.00
21	LUP	IPD	15 36 34.15	21	1.8	17.2	327	92	3.50	3.47	0.11
21	LSM	IPU	15 36 34.15	26	2.0	18.9	275	92	3.50	3.64	-0.10
21	SPRG	EP	15 36 34.95	18	1.7	22.0	98	92	4.10	4.32	0.01
21	CPX	EP	15 36 34.95	13	1.4	22.9	2	92	4.30	4.30	-0.01
21	SOM	EP	15 36 35.50	17	1.7	26.2	251	70	4.85	4.86	0.05
21	SHP	EPD	15 36 35.60	25	2.0	26.3	320	70	4.95	5.07	-0.04
21	CDMS	EP	15 36 35.55	27	2.1	27.4	364	70	4.90	5.03	-0.04
21	CDM1	EP 4	15 36 35.70	28	2.1	27.4	364	70	5.05	5.10	0.04
21	YMT3	EP	15 36 36.55	30	2.0	31.9	403	70	5.90	5.70	0.17
21	YMT6	EP	15 36 37.15	27	2.1	34.0	296	70	6.50	6.14	0.27
21	BGD	EPU4	15 36 36.55	15	1.6	37.0	337	70	5.90	6.07	-0.09
21	YMT2	EP 4	15 36 37.95	11	1.3	38.3	200	70	7.30	6.81	0.41
21	YMT5	EP 4	15 36 38.25	32	2.3	40.0	299	70	7.60	7.15	0.45
21	YMT1	EPU	15 36 38.05	36	2.4	44.0	289	70	8.20	7.77	0.30

JUL M = 2 31 20.01 UTC RMS = 0.03 NO = 6 FREE DEPTH SOLUTION
 22 LAT = 37.227 N ERX = 0.3 ERH = 0.3 AVFM = 1.5 U = B GROOM LAKE
 LONG = 115.965 W ERY = 0.2 GAP = 153 AVXM = U3 = A UD = C
 DEPTH = 2.26 KM ERZ = 0.8 NM =

22	GLR	IPU	2 31 22.00	10	1.2	13.9	2.7	90	2.79	2.84	-0.01
22	GMR	IPX	2 31 22.90	10	1.2	14.5	35	90	2.89	2.90	0.00
22	BLT	IPU	2 31 26.49	12	1.4	36.4	321	70	6.40	6.63	-0.02
22	BGB	EP	2 31 26.40	10	1.3	38.5	237	70	6.39	6.95	-0.49
22	EPH	IPU	2 31 27.59	13	1.5	40.8	260	70	7.50	7.44	0.08
22	CDM1	EP 4	2 31 29.15	20	1.9	57.3	225	70	9.14	9.94	-0.70
22	CDMS	EP 4	2 31 29.20	22	2.0	57.3	225	70	9.19	9.87	-0.50
22	YMT6	EPU	2 31 31.00	15	1.7	63.1	230	70	10.99	10.04	0.96
22	MCT	EPD	2 31 30.02	7	1.0	63.0	100	70	10.01	10.91	-0.02

JUL M = 4 7 59.79 UTC RMS = 0.10 NO = 15 FREE DEPTH SOLUTION
 22 LAT = 37.192 N ERX = 0.2 ERH = 0.3 AVFM = 2.8 U = C THIRSTY CANYON
 LONG = 116.965 W ERY = 0.2 GAP = 88 AVXM = U3 = C UD = C
 DEPTH = 3.19 KM ERZ = 0.7 NM =

22	SCV	IPX	4 8 3.80	90	3.1	23.7	190	90	4.01	4.14	-0.06
22	GMR	IPX	4 8 4.40	59	2.0	27.2	296	90	4.61	4.73	0.03
22	BMT	EP	4 8 5.00	70	2.9	31.0	71	90	5.61	5.47	0.31
22	YMT1	EPD	4 8 9.15	106	3.4	55.3	133	90	9.30	9.29	-0.06
22	CTB	IPD	4 8 9.15	39	2.5	56.5	20	90	9.30	9.48	0.05
22	LCH	EP	4 8 9.65	41	2.6	59.0	275	90	9.80	9.90	0.04
22	YMT2	EPU	4 8 10.40	36	2.5	63.4	135	90	10.61	10.61	-0.00
22	YMT3	EP	4 8 11.00	91	3.3	68.0	131	90	11.21	11.36	-0.10
22	LSM	EPU	4 8 13.10	50	2.0	80.8	120	90	13.31	13.44	-0.15
22	LOP	IPU	4 8 13.50	55	2.9	81.8	117	90	13.71	13.60	0.19
22	SOM	EPU4	4 8 12.50	40	2.0	83.6	130	90	12.71	13.90	-1.15
22	CPX	EP	4 8 14.40	37	2.6	97.6	109	90	14.61	14.54	0.10
22	AMR	EPU	4 8 16.05	37	2.6	99.2	153	90	16.26	16.43	-0.10
22	MCT	IPU	4 8 17.65	67	3.2	100.5	123	90	17.00	17.94	0.00
22	JOM	EP	4 8 18.45	45	2.0	114.7	137	90	18.66	18.95	-0.30
22	SPRG	IPU	4 8 19.25	45	2.9	118.4	110	90	19.46	19.50	-0.07

JUL M = 12 2 27.06 UTC RMS = 0.22 NO = 16 FREE DEPTH SOLUTION
 24 LAT = 37.352 N ERX = 0.6 ERH = 0.7 AVFM = 3.5 U = C MAGRUDER MOUNTAIN
 LONG = 117.704 W ERY = 0.4 GAP = 134 AVXM = U3 = B UD = C
 DEPTH = 1.94 KM ERZ = 2.2 NM =

24	LCH	IPX	12 2 30.05	93	3.1	13.9	159	95	2.39	2.86	-0.39
----	-----	-----	------------	----	-----	------	-----	----	------	------	-------

7 0 1 5 3
 1 8 3 6

1981 SGB LOCAL-EVENT DATA REPORT

JUL 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	U1ST (MM)	AZI (DEG)	AIN (DEG)	U1SB (S1C)	TCAL (SEC)	RES (SEC)	REMARKS
24	PPK	IPU	12 2 31.58					120 3.4	19.8	295	93	3.92	3.93	-0.02	
24	MGM	IPD	12 2 31.67					120 3.4	20.9	62	93	4.01	4.17	-0.07	
24	MZP	IPU	12 2 36.08					125 3.5	48.0	36	74	6.42	6.65	0.01	
24	GVN	IPU	12 2 36.79					120 3.5	50.4	140	74	9.13	8.73	0.34	
24	TMO	IPU8	12 2 38.87					80 3.2	66.1	157	74	11.21	11.50	-0.04	
24	BSV	IPX	12 2 40.03					130 3.0	74.0	125	74	12.37	12.40	0.01	
24	TNP	IPD	12 2 43.54					90 3.4	91.7	28	74	15.88	15.66	-0.05	
24	CTS	IPU	12 2 43.70					80 3.3	92.9	69	74	16.00	15.85	0.36	
24	BMT	IPX	12 2 44.15					100 3.5	94.2	95	74	16.40	16.12	0.55	
24	YMT5	IPX	12 2 48.25					140 3.0	122.0	114	74	20.59	20.40	0.12	
24	YMT4	IPX	12 2 48.85					100 3.6	123.8	116	74	21.19	20.74	0.34	
24	YMT6	IPD	12 2 49.28					105 3.6	127.9	115	74	21.62	21.30	0.15	
24	YMT3	EP	12 2 49.55					150 3.9	130.9	119	74	21.89	21.86	0.00	
24	CPX	IPX	12 2 53.00					70 3.4	153.9	108	74	25.74	25.64	0.13	
24	CPX	IPX	12 2 53.00					70 3.4	153.9	108	74	25.74	25.64	0.13	
24	SPRG	IPX8	12 2 57.65					60 3.4	183.0	113	49	29.99	29.70	0.33	
24	SPRG	IPX	12 2 57.65					60 3.4	183.0	113	49	29.99	29.70	0.33	

JUL N = 20 07 58.77 UTC RMS = 0.10 NO = 10 FREE DEPTH SOLUTION
 24 LAT = 36.712 N ERX = 0.6 ERM = 0.8 AVFM = 2.0 U = C
 LONG = 116.067 W ERY = 0.6 GAP = 124 AVXM = 2.0 US = C LATHROP WELLS
 DEPTH = 0.18 KM ERZ = 24.1 NM = UD = C

24	MCY	IPU	20 40 1.02					30 2.1	10.9	121	80	2.25	2.47	-0.14	
24	LUP	IPU	20 40 2.51					25 2.0	10.2	330	80	3.74	3.79	0.03	
24	LSM	IPU	20 40 2.21					21 1.8	14.7	280	80	3.40	3.70	-0.30	
24	SPRG	EPU	20 40 3.35					20 1.8	23.1	95	80	4.50	4.53	0.00	
24	CPX	EPU4	20 40 5.32					23 1.9	24.2	3	80	6.55	6.73	1.84	
24	SDH	IPU	20 40 3.59					16 1.6	25.3	253	40	4.02	4.87	-0.01	
24	CDH1	EP 4	20 40 3.55					25 2.0	27.8	306	40	4.78	5.35	-0.47	
24	CDH5	EP 4	20 40 3.65					26 2.1	27.8	306	40	4.88	5.29	-0.31	
24	JON	IPD	20 40 4.55					15 1.6	30.3	186	38	5.78	5.69	0.08	
24	YMT3	EP	20 40 4.65					37 2.4	31.9	285	38	5.88	5.96	-0.04	
24	YMT6	EP	20 40 5.00					26 2.1	34.2	298	38	6.23	6.37	-0.23	
24	YMT2	EPU4	20 40 6.52					18 1.8	38.1	282	38	7.75	6.99	0.68	
24	YMT4	EP	20 40 5.75					24 2.0	38.3	297	38	6.98	7.06	-0.19	
24	BGB	EP 4	20 40 6.70					14 1.6	38.9	330	38	7.93	7.25	0.76	
24	YMT5	EP	20 40 6.25					40 2.5	40.3	301	38	7.48	7.40	0.08	

JUL N = 10 45 30.89 UTC RMS = 0.11 NO = 9 FREE DEPTH SOLUTION
 27 LAT = 36.705 N ERX = 2.2 ERM = 2.3 AVFM = 1.6 U = D
 LONG = 115.851 W ERY = 0.6 GAP = 271 AVXM = 1.6 US = C MERCURY
 DEPTH = 0.74 KM ERZ = 20.7 NM = UD = D

27	MCY	IPU	10 45 33.05					28 2.1	11.6	244	80	2.16	2.38	-0.14	
27	LUP	EP	10 45 36.90					18 1.8	32.7	300	38	6.01	6.13	-0.03	
27	JON	EP	10 45 37.60					10 1.3	37.1	217	38	6.71	6.67	0.03	
27	LSM	EP	10 45 37.75					12 1.4	37.9	276	38	6.86	6.85	-0.01	
27	SSP	EP	10 45 38.45					14 1.4	40.9	307	38	7.56	7.53	0.12	
27	SDH	EP	10 45 38.45					9 1.2	44.0	261	38	7.96	7.83	0.17	
27	CDH5	IPX2	10 45 38.85					20 1.9	45.1	292	38	7.96	8.00	0.06	
27	CDH1	IPX	10 45 38.85					19 1.8	45.1	292	38	7.96	8.07	0.00	
27	YMT6	EP	10 45 40.00					12 1.5	52.2	269	38	9.11	9.19	-0.16	

JUL N = 20 20 31.86 UTC RMS = 0.16 NO = 16 FREE DEPTH SOLUTION
 27 LAT = 36.428 N ERX = 0.5 ERM = 1.9 AVFM = 2.4 U = C
 LONG = 115.529 W ERY = 1.9 GAP = 123 AVXM = 2.4 US = C CHARLESTON PEAK
 DEPTH = 1.63 KM ERZ = 8.0 NM = UD = C

27	APX	IPX	20 20 34.50					34 2.2	12.7	199	94	2.68	2.90	0.01	
27	SHRG	EP	20 20 37.60					23 2.0	34.5	76	74	5.74	6.32	0.01	
27	SPRG	EP	20 20 38.45					31 2.2	38.7	320	74	6.59	6.92	-0.30	
27	MCY	IPX	20 20 39.65					53 2.7	46.7	304	74	7.74	8.23	-0.35	
27	JON	EP	20 20 40.70					25 2.1	51.5	271	74	8.84	8.94	-0.11	
27	LUP	IP	20 20 44.50					30 2.3	74.2	310	74	12.64	12.70	-0.06	

9 0 1 5 3 7

1981 888 LOCAL-EVENT DATA REPORT

JUL 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	PMAG	U1ST (MM)	AZI (DEG)	AIN (DEG)	TOMB (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
27	LSM	EP	20 20 44.15					25 2.2	75.0	297	74	12.29	12.81	-0.53	.
27	SDH	EP	20 20 44.95					20 2.0	76.4	288	74	13.09	13.02	0.12	.
27	SSP	EP	20 20 46.20					39 2.4	82.7	312	74	14.34	14.24	0.18	.
27	CDMS	EP	20 20 46.20					39 2.4	85.3	304	74	14.34	14.46	-0.02	.
27	CDM1	EP	20 20 46.35					39 2.4	85.3	304	74	14.49	14.53	0.04	.
27	YMT3	EP	20 20 47.05					37 2.4	88.4	297	74	15.19	14.97	0.28	.
27	YMT6	EP	20 20 47.40					37 2.4	91.8	301	74	15.54	15.53	-0.08	.
27	BGB	EP	20 20 48.05					22 2.1	92.1	317	74	16.19	15.78	0.58	.
27	GLR	EP	20 20 48.15					19 2.0	96.1	333	74	16.29	16.29	0.00	.
27	YMT5	EP	20 20 48.60					40 2.7	97.8	302	74	16.74	16.55	0.19	.
27	YMT1	EP	20 20 49.65					51 2.9	101.1	298	74	17.79	17.86	-0.01	.
27	GMR	EP	20 20 49.80					39 2.7	102.8	348	74	17.94	17.41	0.63	.
27	FMT	EP	20 20 51.05					19 2.1	114.4	282	74	19.99	19.19	1.04	.
27	BMT	EP	20 20 56.00					28 2.5	137.8	314	74	24.14	23.19	1.12	.

JUL M = 0 3 55.71 UTC RMS = 0.89 NO = 9 FREE DEPTH SOLUTION
 20 LAT = 37.668 N ER1 = 0.6 ERH = 2.8 AVFM = 1.8 U = D QUANTZITE MOUNTAIN
 LONG = 116.288 W ER2 = 1.9 GAP = 268 AVXM = 1.8 JS = C
 DEPTH = 13.96 KM ERZ = 0.2 NM = GD = D

20	EPH	IP	0 4 8.93					23 2.0	50.4	184	104	9.22	9.28	-0.04	.
20	BMT	EP	0 4 5.15					19 1.9	53.1	217	104	9.44	9.68	-0.01	.
20	GLR	EP	0 4 6.35					10 1.3	57.2	155	102	12.04	10.10	2.61	.
20	GMR	EP	0 4 6.00					6 0.9	58.9	129	102	10.29	10.39	0.00	.
20	BGB	EP	0 4 7.90					10 1.4	70.1	176	100	12.19	12.21	0.04	.
20	SSP	EP	0 4 10.15					13 1.6	82.6	176	98	14.44	14.30	0.22	.
20	YMT5	IP	0 4 9.75					22 2.1	84.4	190	98	14.04	14.60	-0.75	.
20	CDM1	IP	0 4 10.85					21 2.1	89.6	182	98	14.74	15.28	-0.44	.
20	CDMS	IP	0 4 10.65					22 2.1	89.6	182	98	14.94	15.21	-0.17	.
20	YMT6	IP	0 4 10.40					15 1.8	98.4	187	98	14.69	15.36	-0.75	.
20	LUP	EP	0 4 11.20					15 1.8	90.9	173	98	15.49	15.55	-0.02	.
20	YMT1	EP	0 4 10.75					31 2.4	92.8	193	97	15.84	15.76	-0.04	.
20	BGV	EP	0 4 12.65					16 1.9	100.8	221	97	16.94	17.12	-0.08	.
20	HCY	EP	0 4 17.15					19 2.1	115.3	165	96	21.44	19.41	2.11	.

JUL M = 7 49 9.62 UTC RMS = 0.89 NO = 9 FREE DEPTH SOLUTION
 20 LAT = 36.637 N ER1 = 0.6 ERH = 0.8 AVFM = 1.6 U = B MERCURY
 LONG = 115.950 W ER2 = 0.5 GAP = 149 AVXM = 1.6 JS = A
 DEPTH = 8.29 KM ERZ = 1.2 NM = GD = C

20	HCY	IP	7 49 11.40					29 2.1	3.0	339	161	1.78	1.88	-0.02	.
20	SPRG	IP	7 49 12.60					15 1.5	14.1	63	119	2.98	3.10	-0.09	.
20	JUN	EP	7 49 14.50					9 1.1	25.8	212	105	4.88	4.81	0.07	.
20	LOP	IPU	7 49 15.30					17 1.7	31.0	321	103	5.68	5.79	-0.03	.
20	LSM	IPU	7 49 15.25					13 1.5	31.0	292	102	5.63	5.68	-0.07	.
20	SDH	IPU	7 49 15.80					12 1.4	34.7	272	101	6.18	6.25	-0.03	.
20	SSP	EP	7 49 16.95					15 1.4	40.0	323	99	7.33	7.30	0.11	.
20	YMT3	EP	7 49 17.30					17 1.7	44.5	292	98	7.68	7.81	-0.08	.
20	APR	EP	7 49 18.00					12 1.5	48.7	134	98	8.38	8.63	-0.18	.
20	YMT5	EP	7 49 19.25					18 1.8	53.5	303	97	9.63	9.34	0.29	.

1 3 3 8
9 0 1 5 3

1981 SGB LOCAL-EVENT DATA REPORT

AUG STA PHASE TIME AMP PER XMAG DUR FMAG U1ST AZI ATN TOMB JCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (KM) (VEG)(DEG) (SEC) (SEC) (SEC)

AUG M = 4 26 40.52 UTC NMS = 0.10 NO = 17 FREE DEPTH SOLUTION
 01 LAT = 36.707 N ERX = 0.3 ERM = 0.4 AVFM = 1.0 U = A US = A
 LONG = 116.202 W ERY = 0.3 GAP = 70 AVXM = 1.0 UD = A LATHRUP WELLS
 DEPTH = 6.60 KM ERZ = 0.8 NM =

01	LSM	IPU	4 26 42.25	19	1.7	3.7	13	151	1.73	1.66	0.05
01	SDM	IP	4 26 42.45	16	1.6	0.5	410	127	1.93	2.15	-0.19
01	YMT3	IPD	4 26 43.55	30	2.1	14.6	300	112	3.03	3.02	0.00
01	LUP	IPD	4 26 44.35	22	1.9	19.3	32	100	3.03	3.00	0.03
01	YMT2	IPU	4 26 44.55	10	1.7	20.0	296	105	4.03	3.07	0.96
01	YMT4	ID	4 26 44.90	20	2.1	20.0	327	105	3.00	3.09	-0.10
01	YMT4	IP	4 26 44.95	19	1.8	23.2	319	103	4.33	4.41	-0.19
01	BSP	EPU	4 26 45.25	20	2.0	24.0	13	102	4.73	4.03	-0.83
01	YMT5	IP	4 26 45.45	20	2.1	26.2	324	101	4.93	4.91	0.02
01	YMT1	IPD	4 26 45.75	40	2.6	27.3	304	100	5.23	5.05	0.05
01	MCY	IP	4 26 46.00	20	2.1	29.0	100	100	5.00	5.34	0.21
01	CPX	EP	4 26 46.35	7	0.9	32.0	39	99	5.03	5.01	0.00
01	JUM	EP	4 26 46.45	14	1.5	33.7	152	90	5.93	6.02	-0.10
01	BCB	EP	4 26 47.15	13	1.5	37.0	0	97	6.03	6.72	-0.81
01	BCB	EP	4 26 47.15	13	1.5	37.0	0	97	6.03	6.72	-0.81
01	SPRG	EPU	4 26 47.95	15	1.6	42.3	92	90	7.03	7.46	-0.81
01	FMT	EP	4 26 47.15	13	1.5	45.0	200	90	6.03	7.07	-1.00
01	SGV	EPU	4 26 53.20	24	2.1	73.6	294	93	12.00	12.60	0.10

AUG M = 12 37 35.01 UTC NMS = 0.12 NO = 13 FREE DEPTH SOLUTION
 02 LAT = 37.077 N ERX = 0.5 ERM = 0.5 AVFM = 1.7 U = C US = C
 LONG = 115.905 W ERY = 0.3 GAP = 100 AVXM = 1.7 UD = C GROOM LAKE
 DEPTH = 2.26 KM ERZ = 2.3 NM =

02	CLR	IPU	12 37 38.30	12	1.3	16.9	323	95	3.29	3.37	-0.01
02	CPX	EP	12 37 38.05	13	1.4	21.1	219	74	3.04	4.04	-0.17
02	BCB	IP	12 37 40.25	14	1.5	29.0	261	74	5.24	5.42	-0.10
02	GMR	IP	12 37 40.60			30.9	23	74	5.59	5.68	0.00
02	BSP	EP	12 37 40.45	19	1.8	32.6	239	74	5.04	4.07	-0.16
02	BSP	EP	12 37 40.85	19	1.8	32.6	239	74	5.04	4.07	-0.16
02	LUP	IP	12 37 41.35	17	1.7	34.0	223	74	6.34	6.22	0.19
02	EPN	EP	12 37 42.30	14	1.4	40.2	292	74	7.29	7.30	-0.13
02	SPRG	EPU	12 37 42.65	15	1.6	43.3	169	74	7.04	7.04	0.02
02	CDM1	EP	12 37 42.30	10	1.0	43.9	237	74	7.29	7.77	-0.30
02	MCY	IPD	12 37 43.15	22	2.0	46.4	186	74	8.14	8.14	0.07
02	LSM	EP	12 37 44.20	12	1.5	49.0	221	74	9.19	8.06	0.50
02	YMT5	IPD	12 37 44.55	22	2.0	52.0	240	74	9.54	9.20	0.33
02	YMT4	EPU4	12 37 51.00	11	1.4	54.0	244	74	10.09	9.30	0.50
02	YMT3	IP	12 37 45.15	22	2.0	55.4	235	74	10.14	9.57	0.62
02	YMT1	EP	12 37 46.70	33	2.4	60.0	240	74	11.09	10.47	1.04
02	YMT2	EP	12 37 47.05	12	1.5	60.9	230	74	12.04	10.47	1.49
02	BMT	EPU	12 37 47.25	14	1.7	64.7	269	74	12.24	12.12	0.20

AUG M = 21 52 1.63 UTC NMS = 0.03 NO = 4 FREE DEPTH SOLUTION
 02 LAT = 37.222 N ERX = 0.0 ERM = 0.0 AVFM = 2.1 U = C US = A
 LONG = 117.319 W ERY = 0.0 GAP = 137 AVXM = 2.1 UD = D MT. JACKSON
 DEPTH = 0.33 KM ERZ = 0.0 NM =

02	GMR	IPU	21 52 3.93	29	2.1	10.2	31	40	2.30	2.50	-0.05
02	LCH	IPU	21 52 7.14	16	1.6	29.2	273	40	5.51	5.57	0.02
02	SGV	EPU	21 52 8.40	35	2.3	36.9	136	30	6.77	6.06	-0.01
02	BMT	EPD	21 52 12.26	30	2.3	60.1	83	30	10.63	10.77	0.03
02	YMT3	EPU4	21 52 27.85	21	2.1	94.1	121	30	20.22	16.04	10.21

9 0 1 5 3 1 8 3 9

901531839

1981 SGB LOCAL-EVENT DATA REPORT

AUG 1981	STA	PHASE	TIME (UTC)	APP (MU)	PER (SEC)	ENAG	DUR	ENAG	DISI (RM)	AZI (DEG)	AIN (DEG)	IDBS (SEC)	ICAL (SEC)	RES (SEC)	REMARKS
.....															
AUG 11 = 16 56 10.02 UTC				MMS = 0.24		NO = 11		FREE DEPTH SOLUTION							
US LAT = 35.319 N				ENX = 3.1		ERM = 11.4		AVFM = 3.4		U = D					
LONG = 116.612 W				LNT = 11.0		GAP = 292		AVRM =		US = D					
DEPTH = 6.33 NM				ENZ = 0.0		NM =				UD = D					
.....															
05	GW	EPD	16 56 27.20					87	3.3	90.5	557	92	16.50	16.32	0.34
05	PGE	EPU	16 56 31.69					88	3.0	141.5	540	92	21.07	20.45	0.83
05	APR	EPU	16 56 34.68					55	3.1	145.4	40	91	24.06	24.52	-0.19
05	FMT	EPU	16 56 34.67					65	3.5	147.4	350	91	24.25	24.50	-0.01
05	MLA	EPU	16 56 36.21					95	3.5	159.4	330	52	25.59	25.92	-0.41
05	YMT2	EPU	16 56 36.45					36	2.8	163.2	0	52	28.23	26.50	1.57
05	YMT3	EPU	16 56 37.15					65	3.5	164.0	0	52	26.53	26.68	-0.10
05	SPRG	IPU	16 56 37.84					70	3.0	166.9	25	52	27.22	27.36	-0.11
05	YMT5	IPD	16 56 38.49					100	3.7	175.9	5	52	28.37	28.20	0.09
05	TNO	EPU	16 56 39.31					40	3.6	179.9	337	52	28.69	28.90	0.00
05	CPX	EPL4	16 56 42.14					50	3.2	185.7	16	52	31.52	29.52	2.02
05	SHRG	EPU	16 56 40.10					70	3.7	186.0	45	52	29.86	29.65	0.42
05	SCV	IPU	16 56 40.46					62	3.0	184.3	500	52	29.86	29.92	0.00
05	GW	EPU	16 56 41.98					85	3.7	190.0	501	52	31.36	31.00	0.30
05	LCM	IPU	16 56 46.23					47	3.3	232.1	336	52	35.61	35.51	0.10
05	GWR	EPU	16 56 46.86					85	3.8	236.0	19	52	36.24	36.04	0.30

.....															
AUG 11 = 11 25 30.01 UTC				MMS = 0.00		NO = 12		FREE DEPTH SOLUTION							
US LAT = 36.835 N				ENX = 0.2		ERM = 0.4		AVFM = 1.9		U = C		LATHROP WELLS			
LONG = 116.179 W				LNT = 0.4		GAP = 140		AVRM =		US = B					
DEPTH = 6.80 NM				ENZ = 3.2		NM =				UD = C					
.....															
06	CDM5	IPD	11 25 33.49					17	1.8	12.7	203	104	2.68	2.61	0.16
06	CDM1	IPD	11 25 33.49					17	1.8	12.7	203	104	2.68	2.68	0.00
06	CPX	IPD	11 25 33.79					18	1.7	15.3	46	101	2.96	3.09	-0.08
06	YMT6	EPU	11 25 34.27					30	2.2	20.3	270	97	3.08	3.85	-0.47
06	YMT3	IPU	11 25 34.75					37	2.3	21.3	250	96	3.94	4.80	-0.62
06	BGB	IPU	11 25 35.03					22	1.9	23.0	309	96	4.22	4.40	-0.11
06	YMT8	IPU	11 25 35.25					25	2.0	24.5	270	95	4.44	4.55	-0.23
06	YMT5	IPU	11 25 35.56					31	2.2	25.5	206	95	4.75	5.70	0.01
06	YMT2	IPU	11 25 35.94					16	1.6	27.7	259	94	5.13	5.00	0.00
06	SPRG	IPU	11 25 37.30					15	1.6	30.5	115	93	6.49	6.51	0.01
06	GLR	EPU	11 25 38.25					13	1.5	43.0	20	92	7.04	7.59	-0.09
06	BMT	EP	11 25 42.10					22	2.0	64.8	520	92	11.29	11.30	0.15
06	GWR	EP	11 25 42.29					15	1.7	66.2	33	91	11.46	11.41	0.17

90153 1840

90153 1840

1001 000 LOCAL-EVENT DATA REPORT

AUG STA PHASL TIME AMP PER RMAS DUR PHAS DIST A21 A3N TUMB TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (DLG)(DEG) (SEC) (SEC) (SEC)

.....

AUG M = 18 57 48.10 UTC RMS = 0.16 NO = 7 FREE DEPTH SOLUTION
 06 LAT = 36.629 N ERX = 1.0 ERM = 2.4 AVFM = 2.5 U = D US = C
 LONG = 116.257 W ERY = 2.2 GAP = 220 AVXM = UD = D LATHROP WELLS
 DEPTH = 2.16 NM ERZ = 248.3 NM =

.....

06	YMT3 EPX2	18 57 52.35	51	2.6	22.3	322	74	4.25	4.10	0.12
06	YMT8 EPU	18 57 53.61	46	2.6	31.5	327	74	5.51	5.72	-0.32
06	YMT5 EPU	18 57 54.20	52	2.7	34.6	330	74	6.10	6.26	-0.16
06	CPX EP	18 57 54.87	25	2.1	38.0	28	74	6.77	6.70	0.02
06	SPRC EPD	18 57 55.20	32	2.3	46.7	80	74	7.10	7.22	0.00
06	BCV IPU	18 58 1.75	37	2.5	79.4	299	74	13.65	13.58	0.16
06	BMT EPU	18 58 2.17	32	2.4	80.0	335	74	14.07	13.07	0.37

.....

.....

AUG M = 9 39 08.09 UTC RMS = 0.10 NO = 12 FREE DEPTH SOLUTION
 07 LAT = 37.157 N ERX = 0.3 ERM = 0.6 AVFM = 2.2 U = C US = C
 LONG = 116.323 W ERY = 0.3 GAP = 132 AVXM = UD = C SILENT CANYON - PANUTE WEDA
 DEPTH = 0.02 NM ERZ = 10.4 NM =

.....

07	BCB IPU	9 39 51.37	41	2.4	15.7	147	80	3.20	3.41	-0.06
07	GLR IPD	9 39 53.27	25	2.0	27.5	88	80	5.18	5.35	-0.10
07	YMT5 IPD	9 39 54.10	45	2.5	31.0	202	36	6.01	5.93	0.00
07	BMT IPU	9 39 54.12	4	0.4	31.9	296	30	6.03	6.24	-0.04
07	CDM1 EPU	9 39 54.00	25	2.0	33.0	179	30	5.99	6.25	-0.16
07	YMT6 IPD	9 39 54.52	44	2.5	34.0	192	30	6.43	6.36	-0.02
07	YMT4 EPD	9 39 54.00	41	2.5	34.3	199	30	6.79	6.48	0.24
07	CP1 EPU3	9 39 54.12	23	2.0	34.7	137	30	6.03	6.52	-0.46
07	YMT3 LP	9 39 55.65	53	2.7	41.0	191	30	7.56	7.62	-0.01
07	YMT2 IPU	9 39 56.21	27	2.1	43.7	199	30	8.12	7.93	0.11
07	GMR EPD	9 39 57.01	25	2.1	52.0	40	30	9.52	9.51	0.11
07	BCV IPD	9 39 59.48	43	2.6	66.0	53	30	11.79	11.66	0.22
07	SPRC EPD	9 40 0.20	28	2.3	68.9	138	30	12.11	12.23	0.00

.....

.....

AUG M = 18 57 51.05 UTC RMS = 0.17 NO = 4 FIRED DEPTH SOLUTION
 07 LAT = 36.862 N ERX = ERM = GAP = 172 AVFM = 2.0 U = B US = B
 LONG = 116.353 W ERY = NM = UD = D DEPTH CONTROL INADEQUATE
 DEPTH = 5.00 NM ERZ =

.....

07	CDM1 IPU	18 57 52.09	22	1.0	3.2	93	149	1.20	11.43	-0.10
07	YMT6 IPD	18 57 53.25	46	2.5	4.6	265	137	1.60	1.52	-0.02
07	BCB EPU	18 57 56.21	24	2.0	22.5	39	98	4.56	4.38	0.30
07	GLP EPU	18 57 59.01	17	1.0	47.9	39	93	8.16	8.39	-0.17
07	GMR EPU4	18 58 3.35	21	2.0	73.6	45	92	11.70	12.61	-0.01

.....

.....

AUG M = 0 16 8.74 UTC RMS = 0.11 NO = 7 FREE DEPTH SOLUTION
 16 LAT = 36.712 N ERX = 0.5 ERM = 0.0 AVFM = 1.3 U = B US = A
 LONG = 116.325 W ERY = 0.5 GAP = 110 AVXM = UD = B LATHROP WELLS
 DEPTH = 1.92 NM ERZ = 1.6 NM =

.....

16	LSM IPD	0 16 10.24	14	1.4	5.6	56	103	1.50	1.39	0.09
16	SDM EPD	0 16 10.31	9	1.1	7.5	189	99	1.57	1.70	-0.08
16	YMT2 EPD	0 16 12.19	10	1.2	16.4	300	94	3.45	3.20	0.17

.....

90153 1841

90153 000 1841

1981 SGB LOCAL-EVENT DATA REPORT

AUG 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SLC)	RMAG	DUR	FMAG	DIST (NM)	AZI (DEG)	AIM (DEG)	1089 (SEC)	1CAL (SEC)	RES (SEC)	REMARKS
16	LOP	EPD	0 16 12.57				12	1.4	21.1	42	93	3.83	4.12	-0.21	
16	YMT5	EPU	0 16 13.16				18	1.7	23.7	331	74	4.42	4.49	-0.06	
16	YMT1	EPD	0 16 13.46				4	0.6	46.0	311	74	4.72	4.50	0.89	
16	ESU0		0 16 27.35									10.61	7.92	10.69	
16	MCY	EPU	0 16 14.69				15	1.6	32.9	100	74	5.95	5.96	0.87	

AUG M = 11 24 0.60 UTC RMS = 0.02 NO = 4 FREE DEPTH SOLUTION
 16 LAT = 36.500 N ERX = ERM = AVFM = 2.2 Q = C
 LONG = 116.302 W ERY = GAP = 174 AVXM = W = A LATHROP WELLS
 DEPTH = 1.54 KM ERZ = NM = W = D

16	JON	IPU0	11 24 18.39				31	2.2	19.0	110	92	5.79	3.61	2.16	
16	AMR	EP	11 24 12.20				31	2.2	19.1	234	92	3.60	3.59	-0.01	
16	LBN	EPU	11 24 13.56				35	2.3	26.8	6	74	4.96	4.97	-0.03	
16	MCY	EPU0	11 24 13.30						35.3	59	74	4.70	6.38	-1.61	
16		IPD	11 24 19.30									10.74	10.78	0.00	
16	YMT6	EP	11 24 16.00				34	2.3	49.9	347	74	7.40	7.26	0.85	
16	SPRG	EPU0	11 24 14.53				23	2.0	49.1	64	74	5.93	8.61	-2.05	

AUG M = 2 9 17.00 UTC RMS = 0.00 NO = 20 FREE DEPTH SOLUTION
 23 LAT = 37.157 N ERX = 0.2 ERM = 0.3 AVFM = 2.7 Q = C
 LONG = 116.942 W ERY = 0.2 GAP = 80 AVXM = W = B THIRSTY CANYON
 DEPTH = 5.87 KM ERZ = 3.1 NM = W = C

23	SCY	EPD	2 9 21.07				74	2.9	21.1	202	102	4.03	4.11	0.02	
23	BMT	EPD	2 9 22.51				67	2.9	29.8	62	98	5.47	9.64	0.01	
23	GMM	EPU	2 9 22.91				55	2.7	32.4	499	97	5.87	6.05	-0.03	
23	GVM	EPD	2 9 24.20				56	2.8	39.6	246	95	7.16	6.94	0.16	
23	WCT	EPU	2 9 25.23				55	2.8	49.2	145	94	8.19	8.53	-0.18	
23	YMT1	EPD	2 9 25.71				54	2.8	49.9	132	94	8.67	8.67	-0.13	
23	YMT5	EPU0	2 9 28.00				53	2.8	52.0	123	94	11.04	9.07	1.98	
23	YMT4	EPD	2 9 26.70				53	2.8	74.3	126	94	9.75	9.41	0.23	
23	EPH	EPD	2 9 26.90				53	2.8	55.2	83	94	9.86	9.77	0.03	
23	TMO	EPU0	2 9 33.64				26	2.2	57.0	427	93	16.60	10.03	6.87	
23	YMT2	EPU	2 9 27.34				53	2.8	50.0	135	93	10.30	9.96	0.26	
23	YMT6	EPU	2 9 27.22				53	2.8	58.2	125	93	10.10	10.02	0.08	
23	CTS	EPD	2 9 27.11				35	2.4	58.7	19	93	10.07	10.25	-0.01	
23	FMT	EPU	2 9 26.83				35	2.4	59.2	166	93	7.79	10.15	-0.12	
23	YMT3	EPD	2 9 27.62				50	2.9	62.6	131	93	10.58	10.71	-0.07	
23	CDM1	EPD	2 9 28.26				42	2.6	64.6	121	93	11.22	11.10	0.32	
23	BGB	EPD	2 9 28.33				45	2.7	64.8	102	93	11.29	11.21	0.16	
23	SBP	EPU	2 9 28.95				49	2.8	69.3	112	93	11.91	12.02	-0.02	
23	LUP	EPU	2 9 30.08				52	2.8	76.7	116	92	13.04	13.13	-0.01	
23	SDM	EPU	2 9 30.16				55	2.9	78.2	137	92	13.12	13.25	-0.08	
23	BLT	EPU	2 9 30.75				34	2.5	81.1	64	92	13.71	13.80	-0.04	
23	MCY	EPD	2 9 34.41				70	3.2	103.2	122	92	17.37	17.36	0.10	

AUG M = 18 43 30.29 UTC RMS = 0.08 NO = 9 FREE DEPTH SOLUTION
 25 LAT = 38.615 N ERX = 0.6 ERM = 2.7 AVFM = 3.1 Q = D
 LONG = 117.111 W ERY = 2.7 GAP = 281 AVXM = W = C
 DEPTH = 6.14 KM ERZ = 1.6 NM = W = D

25	TNP	EPU	18 43 48.97				50	2.7	59.9	189	94	10.68	10.46	-0.06	
25	CTS	EPU	18 43 49.11				53	3.0	111.6	162	92	16.82	18.86	0.12	
25	KRMA	EPD	18 43 49.96				55	3.0	116.3	147	92	19.67	19.63	-0.04	
25	SVP	EPU	18 43 50.28				50	2.9	116.8	211	92	19.99	19.85	0.02	
25	GCS	EPU	18 43 53.60				50	3.0	140.7	132	91	23.51	23.60	-0.04	
25	GMM	EPU3	18 43 55.04				44	2.9	146.6	185	91	24.75	24.60	0.29	
25	BLT	EPD	18 43 55.63				54	3.1	152.8	145	52	25.34	25.43	0.06	
25	BGB	EPD3	18 44 1.05				54	3.3	191.6	156	52	30.76	30.38	0.46	
25	YMT5	EPD	18 44 1.95				55	3.3	149.2	163	52	31.66	31.27	0.39	
25	CDM1	EPD	18 44 2.89				47	3.2	207.0	160	52	32.60	32.27	0.42	
25	MCA	EPU0	18 44 4.54				44	3.2	218.9	184	52	34.25	33.55	0.62	

901531842

901530001842

1981 SGM LOCAL-EVENT DATA REPORT

AUG STA PHASE TIME AMP PER RMAG DUN PHAS DIST AZI AIN TUBB TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (KM) (DEG) (DEG) (SEC) (SEC) (SEC)

AUG M = 4 10 21.17 UTC RMS = 0.23 NU = 5 FREE DEPTH SOLUTION
 26 LAT = 36.718 N ER1 = 2.0 ENH = 2.5 AVFM = 0.7 U = C US = B TIN MOUNTAIN
 LONG = 117.327 W ER2 = 1.5 GAP = 171 AVXM = UD = D
 DEPTH = 1.75 KM ERZ = 4.7 NM

26	MCA	EPD1	4 10 23.00	8.0	152	96	1.43	1.77	-0.01		
26	TMO	EPD1	4 10 23.49	12.0	323	95	2.34	2.69	-0.07		
26	IS	2	4 10 24.00				3.63	4.69	-0.05		
26	CVN	EPD0	4 10 27.14		31.4	350	74	5.97	5.65	0.26	
26	SGV	EPD0	4 10 29.59	6	0.8	39.3	42	74	6.42	7.07	1.44
26	IS	4	4 10 30.90				9.81	11.94	-2.12		
26	PGE	EPD0	4 10 34.21		47.2	150	74	3.04	8.43	-5.16	
26	FMT	EPD0	4 10 29.79	3	0.3	49.8	100	74	6.62	6.67	0.20
26	BRO	EPD2	4 10 31.54	6	0.9	62.9	86	74	10.37	10.70	-0.29
26	YMT1	EPD4	4 10 35.05		72.8	78	74	13.88	12.45	1.31	

AUG M = 5 10 34.03 UTC RMS = 0.04 NO = 0 FREE DEPTH SOLUTION
 26 LAT = 36.693 N ER1 = 0.0 ENH = 0.5 AVFM = 1.9 U = B US = A LATHRUP HELLS
 LONG = 116.051 W ER2 = 0.3 GAP = 140 AVXM = UD = C
 DEPTH = 1.65 KM ERZ = 1.4 NM

26	MCA	EPU	5 10 36.04	25	2.0	0.7	110	95	1.85	1.94	-0.01
26	LSM	EPU	5 10 38.05	21	1.8	20.4	205	92	3.02	3.90	-0.10
26	LOP	EPU	5 10 38.02	21	1.8	20.6	130	92	3.99	4.04	0.03
26	SDM	EPU	5 10 39.66	20	1.8	26.2	450	74	4.03	4.04	0.03
26	JUN	EPD	5 10 40.05	20	1.8	28.5	149	74	5.22	5.17	0.02
26	CDM1	EPD	5 10 40.26	20	1.8	30.1	310	74	5.43	5.55	-0.02

AUG M = 16 10 5.30 UTC RMS = 0.09 NO = 5 FREE DEPTH SOLUTION
 26 LAT = 36.369 N ER1 = 1.7 ENH = 1.9 AVFM = 2.3 U = C US = B DARWIN
 LONG = 117.600 W ER2 = 0.8 GAP = 255 AVXM = UD = D

26	MCA	EPD3	16 10 14.22	29	2.2	42.6	43	117	6.92	8.11	0.73
26	PGE	EPD	16 10 14.47	29	2.2	40.7	93	115	6.37	9.33	0.06
26	TMO	EPU	16 10 14.73	29	2.2	51.6	20	114	6.43	9.00	-0.11
26	CVN	EPU	16 10 18.42	34	2.5	74.1	19	63	13.12	12.95	0.11
26	FMT	EPD0	16 10 21.05	29	2.3	80.1	68	63	15.75	13.86	2.13
26	OSM	EPD	16 10 19.11	29	2.3	80.2	124	63	13.81	13.79	-0.07
26	SGV	EPD4	16 10 21.24	33	2.5	85.2	37	63	15.94	14.72	1.31

AUG M = 16 37 39.56 UTC RMS = 0.15 NO = 0 FREE DEPTH SOLUTION
 26 LAT = 36.669 N ER1 = 1.1 ENH = 1.5 AVFM = 2.1 U = B US = B LATHRUP HELLS
 LONG = 116.242 W ER2 = 1.0 GAP = 100 AVXM = UD = B

26	LSM	EPU	16 37 41.82	30	2.1	0.4	141	132	2.26	2.26	-0.02
26	SDM	EPD	16 37 41.72	30	2.1	0.9	253	130	2.16	2.31	-0.11
26	LUP	EPD	16 37 43.93	28	2.1	21.7	18	107	4.37	4.30	0.16
26	MCA	EP	16 37 44.01			25.0	92	104	4.45	4.74	-0.21
26	JON	EPU	16 37 44.90	25	2.0	28.3	154	102	5.42	5.13	0.24
26	SSP	EP	16 37 47.36			28.5	4	103	7.80	5.48	2.43
26	YMT1	EPD	16 37 45.59	30	2.2	32.8	300	100	6.03	5.94	-0.04

AUG M = 9 30 18.19 UTC RMS = 0.09 NO = 8 FREE DEPTH SOLUTION
 27 LAT = 37.240 N ER1 = 1.1 ENH = 1.5 AVFM = 0.4 U = C US = B GROOM LAKE
 LONG = 115.929 W ER2 = 1.0 GAP = 156 AVXM = UD = C

27	GMR	EPU0	9 30 21.55	2	-0.2	16.9	56	109	3.36	3.49	-0.03
27	TPU	IPU0	9 30 26.37	5	0.7	40.7	32	95	8.18	8.33	-0.01
27	IS	4	9 30 34.56						16.37	14.00	2.37
27	CDMS	EPD0	9 30 27.60			55.2	219	94	9.41	9.51	-0.01
27	IS	4	9 30 41.36						23.17	16.10	7.07

343
1343
90153

90153000/1840

1981 UCB LOCAL-EVENT DATA REPORT

AUG 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	AMAG	DUR	PHAS	DIST (KM)	AZI (DGR)	AIM (DEG)	TOBB (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
								S 0.7	57.7	1	94	10.05	10.10	-0.05	
. 27	QCS	EPD0	9 30 20.22						63.7	274	90	11.01	11.13	0.05	
. 27	BHT	EPD4	9 30 30.00						75.1	51	93	13.00	12.04	0.27	
. 27	MTI	LPU0	9 30 31.27						90.5	63	92	16.01	16.00	-0.09	
. 27	NPN	EPU0	9 30 35.00									27.01	20.09	-1.00	
		IS 4	9 30 46.00												

9 0 1 5 3 1 8 4 4

1981 SGB LOCAL-EVENT DATA NEPDMT

SEP STA PHASE TIME ANP PER MAG DUR MAG DIST AZI AIN TOBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC)

SEP M = 0 3 18.73 UTC RMS = 0.22 NU = 3
 01 LAT = 37.655 N ERM = 2.3 U = C
 LONG = 115.651 W ERY = 2.3 U3 = B
 DEPTH = 5.00 KM ERZ = 2.3 U0 = D
 FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE
 WORTHINGTON PEAK

01	TPU	EPU	0 3 20.09	34	2.2	5.5	178	133	1.36	1.80	-0.30
01	MTI	EPU	0 3 24.93	27	2.1	35.0	86	95	6.20	6.07	0.16
01	GMR	EPU	0 3 25.47	29	2.2	37.1	197	94	6.74	6.68	0.16
01	CP1	EPU4	0 3 37.12	23	2.2	88.0	204	91	16.39	14.90	3.53
01	YMT6	EPU4	0 3 39.57	38	2.7	110.8	417	90	28.04	18.31	2.44
01	YMT6	EPU4	0 3 49.15	35	2.6	112.7	419	90	21.42	16.62	2.69

SEP M = 16 19 36.38 UTC RMS = 0.12 NU = 11
 01 LAT = 37.421 N ERM = 2.3 U = C
 LONG = 117.334 W ERY = 2.3 U3 = B
 DEPTH = 4.83 KM ERZ = 2.3 U0 = C
 FREE DEPTH SOLUTION
 MT. JACKSON

01	MGM	EPD	16 19 39.43	30	2.1	14.6	279	104	3.05	3.15	-0.01
01	GMR	EPD	16 19 39.24	31	2.2	14.9	154	104	2.86	3.21	-0.21
01	LCH	EPD	16 19 42.58	30	2.2	34.6	233	94	6.20	6.24	0.03
01	GYN	EPD	16 19 44.68	27	2.2	44.5	181	93	8.30	8.05	0.18
01	ESD	EPD	16 19 50.22	30	2.3	52.4	308	92	9.46	9.41	-0.06
01	SYP	EPD	16 19 45.84	30	2.3	55.4	151	92	9.09	9.60	-0.51
01	SCV	EPD	16 19 45.47	31	2.3	62.8	188	92	10.92	10.98	0.11
01	BMT	EPD	16 19 47.30	32	2.5	95.4	131	91	16.11	16.07	-0.09
01	YMT1	EPD	16 19 52.49	33	2.5	97.3	127	91	16.41	16.43	-0.02
01	YMT5	EPD	16 19 52.79	25	2.3	120.9	129	90	20.04	19.95	0.06
01	LSM	EPD	16 19 57.22	24	2.3	121.3	121	90	20.52	20.62	0.57
01	LDP	EPD1	16 19 56.90	25	2.4	123.5	134	90	20.54	20.39	0.19
01	SDM	EPD	16 19 56.92								

SEP M = 3 51 51.93 UTC RMS = 0.11 NU = 7
 07 LAT = 37.341 N ERM = 1.6 U = C
 LONG = 115.021 W ERY = 1.6 U3 = B
 DEPTH = 1.75 KM ERZ = 1.6 U0 = D
 FREE DEPTH SOLUTION
 ALAMO

07	PRM	IPU	3 51 53.87	64	2.8	7.8	343	97	1.94	1.82	-0.01
07	NPH	IPU	3 51 58.58	53	2.7	35.4	12	74	6.85	6.86	-0.03
07	DLK	IPU	3 51 59.12	20	1.9	38.6	40	74	7.19	7.00	-0.06
07	MTI	IPU	3 51 59.69	23	2.0	43.4	329	74	7.76	7.74	0.05
07	GMR	IPU	3 52 3.25	20	2.0	66.5	269	74	11.32	11.50	-0.08
07	GLR	IPU	3 52 7.39	14	1.9	89.7	260	74	15.46	15.25	0.28
07	BCB	EPU4	3 52 11.95	18	2.0	112.2	253	74	20.62	18.97	1.13
07	YMT6	IPU	3 52 14.32	23	2.3	134.1	246	74	22.39	22.40	-0.11

SEP M = 18 46 11.78 UTC RMS = 0.39 NU = 12
 09 LAT = 38.717 N ERM = 2.5 U = D
 LONG = 117.072 W ERY = 10.9 U3 = B
 DEPTH = 5.00 KM ERZ = 7.8 U0 = D
 FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE

09	TNP	EPD	18 46 23.70	46	2.7	71.7	190	92	11.92	12.37	-0.71
09	MCR	EPD	18 46 24.72	46	2.7	77.3	134	92	12.94	13.30	-0.26
09	MZP	EPD	18 46 32.17	40	2.7	116.1	194	90	20.39	19.18	1.45
09	CTS	EPU	18 46 31.92	48	2.9	121.6	166	90	20.14	20.07	0.24
09	KHNA	EPD	18 46 32.61	50	3.0	124.2	151	90	20.83	20.50	0.27
09	SYP	EPD	18 46 33.04	50	3.0	126.3	210	90	21.26	21.16	0.09
09	GMR	EPD	18 46 35.92	54	3.1	146.5	195	90	24.14	24.12	0.12
09	MGM	EPD	18 46 37.73	53	3.1	156.2	186	90	25.95	26.02	0.08
09	BLI	EPD	18 46 38.49	52	3.1	160.4	149	90	26.71	26.39	0.45
09	PPK	EPD	18 46 38.89	51	3.1	160.9	207	90	27.11	26.47	0.63
09	BMT	EPD	18 46 38.87	56	3.2	163.5	167	90	27.09	26.89	0.37
09	TPU	EPD	18 46 41.49	50	3.1	175.5	135	52	29.71	28.47	1.39
09	GMR	EPD	18 46 42.36	48	3.2	191.4	143	52	30.58	30.44	0.25
09	GLR	EPD	18 46 43.72	47	3.1	192.3	151	52	31.94	30.51	1.50

1845
90153

1845

1981 SGP LOCAL-EVENT DATA REPORT

SEP 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	A1N (DEG)	TOMS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS	
09	MTI	EPU	18 46 42.61					47	3.2	195.4	126	52	30.83	30.94	-0.08	
09	NPH	LPD	18 46 46.24					46	3.2	221.2	122	52	34.48	34.28	-0.02	
09	PHN	LPD	18 46 47.23					48	3.3	229.4	129	52	35.45	35.28	0.05	

SEP M = 1 1 55.34 UTC RMS = 0.19 NO = 4 FREE DEPTH SOLUTION
 12 LAT = 36.767 N ERX = ERH = 4 AVFM = 1.3 U = C
 LONG = 116.275 W ERY = ERH = 173 AVHM = U3 = B LATHRUP HILLS
 DEPTH = 36.18 KM ERZ = GAP = NM = UD = D

12	LSM	EPU	1 2 1.58					9	1.0	3.0	177	174	6.24	6.53	0.19	
12	LDP	EPU	1 2 1.89					9	1.1	13.6	45	155	6.55	6.53	0.10	
12	SDM	EPU	1 2 1.74					8	1.0	14.7	203	153	6.40	6.43	0.01	
12	SSP	IPU	1 2 1.83					13	1.0	18.2	16	148	6.49	6.91	-0.34	
12	YMT1	IPDR	1 2 6.32					14	1.5	24.6	293	138	18.98	7.18	3.67	
12	HCT	IPUR	1 2 56.94					14	1.5	30.3	113	130	61.60	7.73	53.95	
			1304	1 2 11.72									16.38	13.08	3.30	

SEP M = 21 23 35.32 UTC RMS = 0.29 NO = 9 FREE DEPTH SOLUTION
 12 LAT = 35.995 N ERX = 2.4 ERH = 5.1 AVFM = 3.7 U = D
 LONG = 116.753 W ERY = 4.4 GAP = 202 AVHM = U3 = D CONFIDENCE HILLS
 DEPTH = 13.30 KM ERZ = 6.0 NM = UD = D

12	OSM	IPUR	21 23 38.56							10.9	252	140	3.24	3.09	0.05	
			130	21 23 40.72									5.40	5.45	-0.05	
12	GWV	IPUR	21 23 42.13					150	3.6	22.5	19	127	6.81	4.76	2.13	
12	PCE	EPUR	21 23 43.79					95	3.3	48.3	324	104	6.47	6.75	-0.06	
12	FMT	IPUR	21 23 48.42					88	3.3	71.5	358	99	13.10	12.28	1.06	
12	JUN	EPUR	21 23 47.69					142	3.7	74.5	52	98	12.37	13.05	-0.49	
12	SDM	EPUR	21 23 49.68					140	3.7	81.2	27	98	14.36	13.84	0.56	
12	HCA	EPUR	21 23 47.99					90	3.3	86.6	327	97	12.67	14.55	-1.98	
12	YMT2	EPUR	21 23 57.60					154	3.8	90.9	15	97	22.28	15.41	6.79	
12	YMT3	EPUR	21 23 51.56					159	3.9	93.1	19	97	16.24	15.75	0.54	
12	LSM	EPUR	21 23 51.25					139	3.7	93.2	28	97	15.93	15.79	0.12	
12	YMT1	EPUR	21 23 47.18					138	3.8	97.3	12	97	11.86	16.46	-4.74	
12	YMT4	EPUR	21 23 52.42					158	3.9	100.3	16	96	17.10	16.97	0.02	
12	HCT	EPUR	21 23 51.29					139	3.8	102.5	44	96	15.97	17.33	-1.28	
12	THO	EPUR	21 23 50.51					105	3.5	107.4	327	96	15.19	18.30	-2.82	
12	LUP	EPUR	21 23 54.71					134	3.8	108.8	29	96	19.39	18.43	1.04	
12	APK	EPUR	21 23 49.79					161	3.9	111.9	71	96	14.47	19.14	-4.40	
12	SGV	EPUR	21 23 53.55					158	3.9	112.2	347	96	16.23	18.96	-0.66	
12	SPAC	EPUR	21 23 52.15					158	3.9	114.9	48	96	16.83	19.32	-2.46	

SEP M = 4 56 47.55 UTC RMS = 0.03 NO = 9 FREE DEPTH SOLUTION
 15 LAT = 37.012 N ERX = 0.2 ERH = 0.2 AVFM = 1.7 U = B
 LONG = 116.384 W ERY = 0.2 GAP = 116 AVHM = U3 = A SILENT CANYON - PANUTE MESA
 DEPTH = 5.09 KM ERZ = 1.7 NM = UD = C

15	YMT5	EPD	4 56 50.49					30	2.1	14.0	206	106	2.94	2.92	0.01	
15	HGB	EPUR	4 56 50.50					8	1.0	14.2	78	106	2.95	3.03	0.00	
15	YMT6	EPD	4 56 50.89					11	1.3	17.1	186	102	3.34	3.36	-0.12	
15	YMT4	EPUR	4 56 51.56					30	2.1	17.3	200	102	4.01	3.41	0.49	
15	SSP	EPUR	4 56 51.17					25	2.0	17.6	123	102	3.62	3.64	0.06	
15	CDM5	IPD	4 56 50.94					10	1.2	17.8	160	101	3.39	3.46	0.03	
15	CDM1	IPUR	4 56 50.96					6	0.7	17.8	160	101	3.41	3.53	-0.02	
15	YMT1	EPUR	4 56 51.79					30	2.2	21.8	416	98	4.24	4.11	-0.01	
15	LUP	EPUR	4 56 52.45					25	2.0	26.1	132	97	4.90	4.91	0.06	
15	BMT	EPUR	4 56 54.34					25	2.1	38.1	322	98	6.79	6.96	0.00	

SEP M = 6 17 26.60 UTC RMS = 1.05 NO = 11 FREE DEPTH SOLUTION
 15 LAT = 37.017 N ERX = 0.3 ERH = 0.3 AVFM = 1.7 U = B
 LONG = 116.384 W ERY = 0.2 GAP = 106 AVHM = U3 = A SILENT CANYON - PANUTE MESA
 DEPTH = 8.57 KM ERZ = 1.5 NM = UD = B

15	HGB	EPUR	6 17 29.79					8	1.0	14.1	81	121	3.19	3.23	0.04	
----	-----	------	------------	--	--	--	--	---	-----	------	----	-----	------	------	------	--

901531846

1981 800 LOCAL-EVENT DATA REPORT

SEP 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	ATM (DEG)	TUMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
15	YMT5	EPD	6 17 29.88					25 2.0	14.6	205	119	3.20	3.22	-0.02	.
15	YMT6	IPD	6 17 30.29					10 1.2	17.7	186	114	3.09	3.63	-0.03	.
15	SSP	EPU	6 17 30.34					28 2.1	17.9	125	114	3.74	3.86	-0.04	.
15	CDH1	IPU	6 17 30.26					5 0.6	18.4	161	113	3.66	3.70	-0.02	.
15	CDH5	EPD	6 17 30.17					13 1.4	18.4	161	113	3.57	3.71	-0.04	.
15	YMT1	LPU	6 17 30.95					29 2.1	22.3	215	109	4.35	4.33	-0.11	.
15	EPH	EPU	6 17 31.24					28 2.1	22.5	14	109	4.64	4.60	-0.02	.
15	LUP	EPU	6 17 31.62					29 2.1	26.4	133	106	5.02	5.00	0.02	.
15	YMT2	EPU	6 17 31.88					15 1.6	27.2	199	105	5.28	5.07	0.13	.
15	BMT	EPU	6 17 33.41					27 2.1	37.6	322	101	6.81	6.96	0.02	.

SEP M = 6 44 49.54 UTC RMS = 0.07 NO = 12 FREE DEPTH SOLUTION
 15 LAT = 37.014 N ERX = 0.4 ERM = 0.4 AVFM = 1.8 U = C
 LONG = 116.381 W ERY = 0.2 GAP = 106 AVXM = U3 = 0 SILENT CANYON - PAHUTE MESA
 DEPTH = 6.78 KM ERZ = 2.4 NM = U0 = C

15	BGB	IPD	6 44 52.58					7 0.9	13.9	79	110	3.04	3.07	0.04	.
15	YMT5	EPD	6 44 52.58					37 2.3	14.4	207	113	3.02	3.07	-0.05	.
15	YMT6	IPD	6 44 52.92					10 1.2	17.4	167	100	3.38	3.40	-0.20	.
15	SSP	EPU	6 44 53.10					27 2.1	17.6	124	109	3.64	3.70	0.02	.
15	YMT4	EPU	6 44 53.39					24 2.0	17.6	201	100	3.85	3.53	0.20	.
15	CDH1	IPU	6 44 53.01					6 0.7	18.0	162	100	3.47	3.62	-0.06	.
15	CDH5	IPD	6 44 52.98					13 1.4	18.0	162	100	3.44	3.55	-0.02	.
15	YMT1	EPU	6 44 53.06					37 2.3	22.2	216	104	4.26	4.23	-0.10	.
15	EPH	EPD	6 44 54.15					29 2.1	22.8	13	104	4.61	4.56	-0.01	.
15	LUP3	EPU	6 44 54.19					35 2.3	25.3	186	102	4.65	4.71	-0.01	.
15	LUP	EPU	6 44 54.49					30 2.2	26.1	133	102	4.95	4.96	-0.07	.
15	BMT	EPU	6 44 58.37					24 2.0	38.0	322	97	6.83	6.98	0.02	.

SEP M = 7 52 48.50 UTC RMS = 0.05 NO = 9 FREE DEPTH SOLUTION
 15 LAT = 37.014 N ERX = 0.3 ERM = 0.3 AVFM = 1.8 U = C
 LONG = 116.383 W ERY = 0.2 GAP = 117 AVXM = U3 = 0 SILENT CANYON - PAHUTE MESA
 DEPTH = 4.83 KM ERZ = 2.5 NM = U0 = C

15	BGB	EPU	7 52 51.34					6 0.7	14.1	79	105	2.88	2.99	-0.03	.
15	YMT5	EPD	7 52 51.50					30 2.1	14.3	206	104	3.00	2.96	0.04	.
15	YMT6	IPU	7 52 51.92					4 1.0	17.4	160	100	3.42	3.40	-0.07	.
15	SSP	EPU	7 52 52.10					25 2.0	17.4	124	101	3.64	3.63	0.09	.
15	CDH5	IPU	7 52 51.73					10 1.2	18.0	161	100	3.43	3.48	0.05	.
15	CDH1	IPU	7 52 51.96					6 0.7	18.0	161	100	3.46	3.55	-0.01	.
15	YMT1	EPU	7 52 52.72					30 2.2	22.1	216	97	4.22	4.15	-0.07	.
15	LUP	EPU	7 52 53.41					25 2.0	26.1	133	96	4.91	4.92	0.07	.
15	BMT	EPU	7 52 55.29					25 2.1	38.0	322	94	6.79	6.94	0.02	.

SEP M = 4 15 55.10 UTC RMS = 0.06 NO = 12 FREE DEPTH SOLUTION
 16 LAT = 37.013 N ERX = 0.2 ERM = 0.3 AVFM = 1.9 U = B
 LONG = 116.386 W ERY = 0.2 GAP = 109 AVXM = U3 = A SILENT CANYON - PAHUTE MESA
 DEPTH = 5.84 KM ERZ = 1.7 NM = U0 = C

16	YMT5	IPU	4 15 58.12					28 2.1	14.0	205	109	2.94	2.96	-0.02	.
16	YMT4	IPU	4 15 58.91					22 1.9	17.3	199	105	3.73	3.44	0.14	.
16	SSP	IPU	4 15 58.78					28 2.0	17.8	123	105	3.40	3.69	-0.02	.
16	YMT1	IPU	4 15 59.38					37 2.3	21.8	216	101	4.20	4.13	-0.06	.
16	EPH	IPD	4 15 59.79					21 1.9	23.0	14	101	4.61	4.57	-0.02	.
16	YMT3	IPU	4 15 59.69					28 2.1	25.1	185	99	4.51	4.65	-0.09	.
16	LUP	IPU	4 16 0.11					19 1.8	26.3	132	99	4.93	4.96	0.05	.
16	YMT2	EPU	4 16 0.09					13 1.5	26.7	199	96	4.91	4.90	-0.07	.
16	LSP	EPU	4 16 1.05					20 1.8	31.4	162	97	5.87	5.76	0.09	.
16	BMT	IPU	4 16 1.90					20 1.9	37.9	322	96	6.80	6.94	0.03	.
16	HCY	EPU	4 16 4.48					24 2.1	54.3	136	94	9.30	9.42	-0.04	.
16	SCV	IPU	4 16 5.12					25 2.1	57.6	267	93	9.94	10.01	0.02	.

90151 8000 / 184

1981 SGB LOCAL-EVENT DATA REPORT

SEP 1981 STA PHASE TIME AMP PER XVAL DUR PHAS DIST AZI AIN TONS TCAL RES REMARKS
(MUN) (SEC) (NM) (DLG) (DEC) (SEC) (SEC) (SEC)

SEP H = 11 0 23.41 UTC RMS = 0.05 NU = 7 FREE DEPTH SOLUTION
 10 LAT = 37.018 N ERX = 0.4 ERN = 0.5 AVFM = 1.7 U = C
 LONG = 116.390 W ERY = 0.2 GAP = 160 AVXM = U3 = B SILENT CANYON - PANUTE MESA
 DEPTH = 7.16 KM ERZ = 3.3 NM = U0 = C

16	SBP	IPU	11	0	27.12	19	1.0	10.2	123	109	3.71	3.02	-0.03
16	YMT1	IPU	11	0	27.72	30	2.3	21.7	215	105	4.31	4.17	0.01
16	EPN	IPD	11	0	28.07	23	1.9	23.0	15	105	4.00	4.01	-0.02
16	LUP	IPU	11	0	28.41	0	1.0	20.6	132	102	5.00	5.00	0.02
16	LSM	EPU	11	0	29.30	19	1.0	32.1	101	100	5.97	5.02	0.12
16	SUM	EPU	11	0	30.50	11	1.0	41.1	174	97	7.09	7.25	-0.13
16	MCY	EPU	11	0	32.00	21	2.0	50.7	136	95	9.47	9.49	0.00

SEP H = 4 59 24.00 UTC RMS = 0.00 NO = 14 FREE DEPTH SOLUTION
 21 LAT = 37.015 N ERX = 0.2 ERN = 0.3 AVFM = 2.0 U = B
 LONG = 116.379 W ERY = 0.2 GAP = 110 AVXM = U3 = A SILENT CANYON - PANUTE MESA
 DEPTH = 6.40 KM ERZ = 1.5 NM = U0 = C

21	BGB	IPU	4	59	27.70	20	2.0	13.7	79	113	2.90	3.02	-0.05
21	YMT5	IPD	4	59	27.94	30	2.3	14.5	207	111	3.00	3.07	-0.01
21	YMT6	IPU	4	59	28.30	30	2.1	17.5	107	107	3.50	3.40	-0.07
21	YMT4	IPU	4	59	28.71	30	2.1	17.7	201	107	3.03	3.54	0.10
21	CDM5	IPD	4	59	28.42	31	2.2	10.0	162	106	3.54	3.54	0.10
21	CDM1	IPU	4	59	28.46	10	1.7	10.0	162	107	3.50	3.61	0.07
21	YMT3	IPU	4	59	29.45	30	2.2	25.4	100	101	4.57	4.71	-0.09
21	YMT2	IPD	4	59	29.79	23	1.9	27.1	200	100	4.91	4.99	-0.10
21	CPX	EPU	4	59	30.36	14	1.5	30.3	100	99	5.40	5.55	-0.04
21	WCT	IPD	4	59	30.60	22	1.9	33.1	222	98	5.72	5.94	-0.06
21	BMT	IPU	4	59	31.70	20	2.2	30.1	122	97	6.02	6.09	0.00
21	FMT	IPD	4	59	34.19	16	1.7	54.0	221	94	9.31	9.45	0.10
21	BGV	IPU	4	59	34.99	32	2.3	50.3	260	94	10.11	10.12	0.00
21	SPRG	EPU	4	59	35.61	17	1.0	62.0	125	94	10.73	10.66	0.10
21	GMR	EPU4	4	59	36.49	16	1.0	64.5	57	94	11.61	11.14	0.50

SEP H = 5 16 17.70 UTC RMS = 0.06 NO = 11 FREE DEPTH SOLUTION
 21 LAT = 37.014 N ERX = 0.4 ERN = 0.7 AVFM = 1.2 U = C
 LONG = 116.303 W ERY = 0.0 GAP = 223 AVXM = U3 = B SILENT CANYON - PANUTE MESA
 DEPTH = 4.29 KM ERZ = 0.1 NM = U0 = D

21	BGB	EPU	5	16	20.69	0	1.0	14.0	79	101	2.91	2.97	0.02
21	YMT5	IPD	5	16	20.73	12	1.3	14.4	206	101	2.95	2.94	0.00
21	YMT6	IPD2	5	16	21.15	10	1.2	17.4	106	90	3.37	3.39	-0.11
21	YMT4	EPD4	5	16	21.61	9	1.1	17.6	200	90	3.03	3.44	0.20
21	SBP	IPU	5	16	21.29	0	1.0	17.7	124	90	3.51	3.62	-0.03
21	CDM1	IPU	5	16	21.21	4	0.7	10.1	161	97	3.43	3.54	-0.02
21	CDM5	IPD	5	16	21.19	13	1.4	10.1	161	97	3.41	3.47	0.03
21	YMT1	IPU	5	16	21.96	13	1.4	22.1	410	95	4.10	4.15	-0.10
21	YMT3	EPU	5	16	22.52	15	1.6	25.4	106	94	4.74	4.65	0.14
21	LUP	IPU	5	16	22.59	10	1.2	26.2	133	94	4.81	4.92	-0.03
21	YMT2	EPU	5	16	22.82	0	1.0	27.0	200	94	5.04	4.92	0.04
21	LSM	EPU	5	16	23.64	10	1.2	32.0	162	93	5.86	5.75	0.09

SEP H = 9 35 40.43 UTC RMS = 0.07 NO = 19 FREE DEPTH SOLUTION
 23 LAT = 37.109 N ERX = 0.2 ERN = 0.3 AVFM = 1.9 U = B
 LONG = 117.077 W ERY = 0.3 GAP = 121 AVXM = U3 = A MI. JACKSON
 DEPTH = 8.40 KM ERZ = 1.0 NM = U0 = B

23	BGV	IPD	9	35	43.50	20	1.0	14.7	164	119	3.15	3.20	-0.05
23	GVM	IPD4	9	35	49.70	26	2.1	20.4	243	105	9.35	4.91	4.30
23	GMM	IPU	9	35	45.50	24	2.0	20.7	123	106	5.15	5.23	0.07
23	BMT	IPD	9	35	48.13	23	2.0	42.9	63	99	7.70	7.81	0.06
23	LCH	EPU	9	35	49.52	25	2.1	52.5	205	97	9.09	9.20	-0.04
23	YMT1	IPU	9	35	50.21	20	1.9	50.4	120	97	9.70	9.70	-0.13
23	YMT5	IPU	9	35	50.05	21	2.0	60.2	113	96	10.42	10.42	0.00

90153 1848

90153 1848

1981 8GB LOCAL-EVENT DATA REPORT

SEP 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	KMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TDBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
23	YMT4	IPD	9 35 51.39				20	1.9	61.9	116	96	10.96	10.68	0.17	.
23	YMT2	EPU	9 35 51.48				23	2.1	63.9	128	96	11.05	10.96	0.01	.
23	CTS	IPD	9 35 52.08				7	1.1	68.3	27	95	11.65	11.88	-0.03	.
23	YMT3	IPD	9 35 52.02				25	2.2	69.3	121	95	11.59	11.62	-0.18	.
23	SSP	IPU	9 35 54.01				30	2.4	79.1	105	95	13.58	13.63	0.03	.
23	LSP	EPU	9 35 54.28				23	2.1	82.5	120	94	13.85	13.99	-0.16	.
23	SDM	IPU	9 35 54.52				22	2.1	83.5	128	94	14.09	14.14	-0.01	.
23	LDP	EPU	9 35 54.83				25	2.2	85.7	109	96	14.40	14.63	-0.15	.
23	CPH	EPU	9 35 56.39				21	2.1	93.1	102	96	15.96	15.74	0.25	.
23	BLT	IPD	9 35 56.28				12	1.6	94.2	64	94	15.85	16.03	-0.05	.
23	AMR	IPU	9 35 56.62				13	1.7	95.5	106	94	16.19	16.01	0.17	.
23	IBUA		9 36 10.58									30.07	27.39	2.67	.
23	MCY	EPU	9 35 58.09				20	2.1	111.1	117	93	16.46	16.65	-0.12	.
23	JON	IPU	9 35 59.38				18	1.5	114.3	138	93	18.95	19.11	-0.17	.

SEP M = 2 24 42.72 UTC RMS = 0.80 NO = 4 FREE DEPTH SOLUTION
 24 LAT = 37.223 N ER1 = ERN = 206 AVFM = 1.5 U = C
 LONG = 116.909 W ER2 = GAP = 206 AVXM = 08 = A THIRSTY CANYON
 DEPTH = 29.27 KM ERZ = NM = 60 = D

24	BMT	IPU	2 24 56.22				18	1.2	24.3	74	138	13.50	5.86	7.67	.
24	SCV	IPU	2 24 48.89				21	1.9	29.8	202	125	6.17	6.26	0.08	.
24	GNN	IPU	2 24 49.41				9	1.2	32.3	205	122	6.69	6.84	0.00	.
24	GVN	EPD	2 24 51.28				10	1.3	45.7	238	113	8.56	8.58	0.00	.
24	YMT5	EPD	2 24 52.61				16	1.7	54.2	132	110	9.89	9.89	0.00	.

SEP M = 2 35 55.84 UTC RMS = 0.14 NO = 24 FREE DEPTH SOLUTION
 24 LAT = 37.196 N ER1 = 0.3 ERN = 89 AVFM = 2.3 U = C
 LONG = 116.980 W ER2 = 0.3 GAP = 89 AVXM = 08 = B THIRSTY CANYON
 DEPTH = 2.96 KM ERZ = 4.8 NM = 60 = C

24	SCV	IPU	2 35 59.48				55	2.7	24.3	191	74	4.44	4.57	-0.04	.
24	GNN	EPU	2 35 59.99				51	2.6	27.4	295	74	4.95	5.21	-0.11	.
24	GVN	IPU	2 36 1.68				30	2.2	38.8	236	74	6.64	6.79	-0.21	.
24	NCT	IPU	2 36 4.27				27	2.2	54.7	145	74	9.23	9.41	-0.02	.
24	YMT1	IPU	2 36 4.70				59	2.9	55.3	133	74	9.66	9.54	-0.01	.
24	CTS	IPD	2 36 4.68				20	1.9	55.9	24	74	9.64	9.78	0.03	.
24	ISD	IPD	2 36 11.42									16.36	16.44	-0.06	.
24	EPH	IPU	2 36 5.41				41	2.6	58.3	88	74	10.37	10.26	0.06	.
24	LCH	EPU	2 36 5.49				21	2.0	59.4	274	74	10.45	10.27	0.27	.
24	YMT2	EPU	2 36 6.02				23	2.1	63.4	136	74	10.98	10.84	0.06	.
24	FMT	IPU	2 36 5.68				20	2.0	64.3	164	74	10.64	10.97	-0.08	.
24	YMT3	IPD	2 36 6.61				40	2.6	68.0	132	74	11.57	11.57	0.05	.
24	BGB	IPU	2 36 7.13				27	2.2	69.1	105	74	12.09	11.90	0.27	.
24	CDMS	EPD	2 36 7.05				37	2.5	69.7	122	74	12.01	11.86	0.25	.
24	COM1	IPU	2 36 7.12				20	2.0	69.7	122	74	12.08	11.93	0.25	.
24	SSP	IPU	2 36 6.75				123	3.6	74.1	114	74	11.71	12.77	-0.98	.
24	LSP	EPU	2 36 8.59				30	2.4	80.7	129	74	13.55	13.67	-0.14	.
24	LDP	IPU	2 36 8.96				32	2.4	81.6	118	74	13.92	13.93	0.07	.
24	BLT	EPD	2 36 8.95				21	2.1	82.4	67	74	13.91	14.08	-0.08	.
24	GLR	EPU	2 36 9.95				19	2.0	85.4	90	74	14.91	14.49	0.49	.
24	AMR	EPU	2 36 11.90				21	2.1	99.4	153	74	16.86	16.62	0.23	.
24	GHR	EPU	2 36 13.47				21	2.2	108.3	82	74	18.43	18.23	0.30	.
24	MCY	EPU	2 36 13.29				41	2.7	108.4	123	74	18.25	18.19	0.14	.
24	JON	EPU	2 36 13.92				24	2.3	114.7	137	74	18.88	19.15	-0.28	.
24	GNY	EPU	2 36 14.24				23	2.3	115.3	166	74	19.20	19.38	-0.10	.
24	SPRG	EPU	2 36 14.83				25	2.3	118.3	118	74	19.75	19.79	0.03	.

SEP M = 17 59 43.61 UTC RMS = 0.16 NO = 6 FREE DEPTH SOLUTION
 25 LAT = 37.892 N ER1 = 1.3 ERN = 1.9 AVFM = 2.3 U = C
 LONG = 116.919 W ER2 = 1.4 GAP = 162 AVXM = 08 = C STINKING SPRING
 DEPTH = 0.00 KM ERZ = 276.0 NM = 60 = C

25	CTS	IPU	17 59 49.27				40	2.4	31.2	147	38	5.66	6.06	-0.23	.
25	TNP	IPU	17 59 50.39				45	2.6	33.7	309	38	6.78	6.48	0.03	.

90153 1349

1981 SGB LOCAL-EVENT DATA REPORT

SEP 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAS	DUR	FMAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
25	MZP	IPU4	17 50 51.79				21	1.9	46.0	243	30	8.18	8.58	-0.15	
25	NRNA	IPU	17 50 52.94				40	2.5	50.4	109	30	9.33	9.21	0.05	
25	HCA	IPU	17 50 53.40				22	2.0	57.0	40	30	10.20	10.29	0.09	
25	GMN	EPU4	17 50 54.06				25	2.2	72.2	205	30	12.45	12.79	-0.10	
25	BLT	IPU	17 50 57.85				19	2.0	83.7	123	30	14.20	14.59	-0.22	
25	EPN	IPU	17 50 59.98				43	2.7	91.0	145	30	16.37	16.80	0.31	

SEP M = 10 40 53.10 UTC RMS = 0.11 NO = 8 AVFM = 1.7 U = C
 20 LAT = 36.707 N ERX = 2.7 ERM = 4.1 AVXM = 1.7 US = C
 LONG = 115.653 W ERY = 3.1 GAP = 273 WJ = D
 DEPTH = 0.07 KM ERZ = 48.3 NM =

FIXED DEPTH SOLUTION

MERCURY

26	SPRC	IPU8	10 40 55.72				19	1.7	18.0	264	40	2.38	3.01	-0.42	
26	CPX	EPU8	10 40 1.17				10	1.3	43.5	305	30	6.01	7.90	0.11	
26	APK	EPU8	10 40 57.89				14	1.6	43.6	171	30	2.73	8.28	-3.23	
26	SHRG	EPU4	10 40 58.69				17	1.8	49.9	117	30	5.53	9.05	-2.93	
26	CDMS	IPU	10 40 3.81				20	2.1	61.7	286	30	10.60	10.88	-0.06	
26	CDM1	EPU	10 40 3.92				13	1.6	61.7	286	30	10.76	10.90	-0.04	
26	BCB	EPU	10 40 4.12				14	1.6	63.0	306	30	10.97	11.19	-0.14	
26	YMT3	IPU8	10 40 5.13				21	2.0	68.3	277	30	11.97	11.91	0.11	
26	YMT6	EPU	10 40 5.52				17	1.8	69.1	284	30	12.36	12.67	0.21	
26	GHR	EPU	10 40 5.41				12	1.5	78.3	151	30	12.25	12.35	0.00	
26	YMT5	EPU4	10 40 6.63				21	2.0	74.5	247	30	13.47	12.99	0.48	

SEP M = 17 32 35.85 UTC RMS = 0.21 NO = 20 AVFM = 2.6 U = C
 20 LAT = 37.691 N ERX = 0.5 ERM = 1.1 AVXM = 2.6 US = B
 LONG = 117.413 W ERY = 1.0 GAP = 154 WJ = D
 DEPTH = 5.00 KM ERZ = 1.5 NM =

FIXED DEPTH SOLUTION

DEPTH CONTROL INADEQUATE
GULDFIELD

28	MZP	IPU	17 32 37.21				27	2.0	2.9	69	154	1.36	1.66	-0.06	
28	MGM	IPU	17 32 40.89				33	2.3	28.7	195	96	5.04	5.42	-0.30	
28	BVP	IPU	17 32 42.40				37	2.4	34.3	274	95	6.63	6.43	0.08	
28	GMN	IPU	17 32 43.51				50	2.7	45.5	163	93	7.66	8.15	-0.35	
28	LCH	IPU	17 32 45.48				20	2.2	50.7	202	92	9.63	9.51	0.19	
28	CTS	IPU2	17 32 45.76				26	2.2	60.8	94	92	6.41	10.58	-0.50	
28	GVN	IPU	17 32 48.78				32	2.4	76.8	175	92	12.93	12.98	-0.11	
28	SGV	IPU	17 32 50.29				33	2.5	85.7	157	91	14.44	14.58	-0.05	
28	TMO	EPU4	17 32 53.96				22	2.2	98.3	180	91	17.21	16.76	0.74	
28	EPN	IPU	17 32 54.44				62	3.1	109.9	119	90	18.59	18.18	0.35	
28	BLT	EPU2	17 32 54.83				27	2.4	116.3	102	90	18.00	19.22	-0.11	
28	YMT1	IPU	17 32 56.18				80	3.4	121.7	140	90	20.33	20.09	0.11	
28	NCT	IPU	17 32 55.83				39	2.7	121.8	145	90	19.98	20.11	0.03	
28	BCB	EPU	17 32 56.88				42	2.8	127.6	125	90	21.63	21.05	0.06	
28	YMT6	IPU	17 32 57.41				51	3.0	129.6	136	90	21.56	21.22	0.25	
28	FMT	EPU	17 32 57.18				26	2.4	129.6	154	90	21.33	21.37	0.19	
28	CDMS	EPU	17 32 57.96				39	2.8	134.0	134	90	22.11	22.08	0.12	
28	CDM1	EPU	17 32 58.01				22	2.3	134.0	134	90	22.16	22.06	0.17	
28	GLR	IPU	17 32 58.22				28	2.5	135.1	114	90	22.37	22.27	0.17	
28	LDP	EPU	17 32 59.73				38	2.8	144.3	130	90	23.88	23.77	0.19	
28	L3M	EPU	17 32 59.71				49	3.0	146.3	136	90	23.86	24.09	-0.25	

SEP M = 17 48 31.15 UTC RMS = 0.26 NO = 18 AVFM = 2.5 U = C
 20 LAT = 37.714 N ERX = 0.6 ERM = 1.4 AVXM = 2.5 US = B
 LONG = 117.402 W ERY = 1.2 GAP = 178 WJ = D
 DEPTH = 5.00 KM ERZ = 1.6 NM =

FIXED DEPTH SOLUTION

DEPTH CONTROL INADEQUATE
GULDFIELD

28	MZP	IPU	17 48 32.69				23	1.9	2.2	133	159	1.54	1.62	0.17	
28	MGM	IPU	17 48 36.60				28	2.1	31.5	195	95	5.45	6.87	-0.32	
28	BVP	IPU	17 48 37.96				34	2.3	35.2	270	94	6.81	6.59	0.12	
28	GMN	IPU3	17 48 38.94				28	2.2	47.7	165	93	7.79	8.51	-0.57	
28	CTS	IPU	17 48 41.26				19	1.9	60.0	96	92	10.11	10.45	-0.17	
28	GVN	IPU	17 48 44.56				28	2.3	79.3	176	92	13.63	13.39	-0.01	
28	BMT	IPU	17 48 44.88				41	2.6	82.2	126	92	13.73	14.13	-0.23	
28	SGV	IPU	17 48 45.79				91	2.9	87.7	158	91	14.64	14.90	-0.17	
28	NRNA	IPU	17 48 46.29				28	2.3	90.2	88	91	15.14	15.40	-0.32	

9 0 1 5 3 1 8 5 0

901531 1850

1981 808 LOCAL-EVENT DATA REPORT

SEP 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	KMAG	DUR	FMAG	DIST (KM)	AZI (DUG)	AIN (DEG)	EDUS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
20	EPN	IPU	17 48 49.92				34	3.0	110.3	120	90	18.77	18.24	0.48	
20	BLT	IPU4	17 48 51.11				21	2.2	115.9	103	90	19.96	19.14	0.95	
20	YHT	IPD	17 48 51.53				62	3.1	121.0	141	90	20.38	20.30	-0.05	
20	NCT	EPU	17 48 51.21				35	2.6	123.3	146	90	20.06	20.35	-0.12	
20	NCT	IPU	17 48 51.22				31	2.5	123.3	146	90	20.07	20.35	-0.11	
20	BGB	IPU8	17 48 53.22				53	2.6	129.2	126	90	22.07	21.15	1.00	
20	FMT	EPU	17 48 52.69				24	2.4	131.5	155	90	21.59	21.60	0.10	
20	CDHS	IPU	17 48 53.65				37	2.7	135.8	135	90	22.50	22.25	0.35	
20	CDH1	EPU	17 48 53.60				21	2.2	135.0	135	90	22.53	22.25	0.30	
20	BSP	IPD4	17 48 54.19				32	2.6	136.7	130	90	23.00	23.53	0.50	
20	LOP	IPD	17 48 55.44				31	2.6	145.2	131	90	24.29	23.92	0.46	
20	LSM	IPD	17 48 55.46				35	2.7	147.4	137	90	24.71	24.20	0.42	
20	GMR	EPU4	17 48 56.48				28	2.6	150.2	106	90	25.29	24.73	0.66	

SEP M = 18 18 59.98 UTC HMB = 0.13 NO = 7 FREE DEPTH SOLUTION
 20 LAT = 37.782 N ERN = 1.0 ERM = 2.0 AVFM = 2.3 U = 0
 LONG = 117.385 W ERY = 2.2 GAP = 229 AVSM = US = C GULDFIELD
 DEPTH = 6.23 KM ERZ = 2.0 MM = GO = D

20	MZP	IPU	18 19 1.52				27	2.0	8.2	142	178	1.54	1.75	0.93	
20	MCM	IPU	18 19 5.42				30	2.2	10.6	199	98	5.44	5.76	-0.22	
20	SVP	IPU	18 19 6.93				37	2.0	16.7	272	97	6.95	6.85	-0.01	
20	GMR	IPD	18 19 7.93				35	2.0	46.0	166	95	7.95	8.25	-0.15	
20	LCH	EPU	18 19 9.88				26	2.2	56.9	404	90	9.90	9.67	0.12	
20	GVN	IPU	18 19 13.32				32	2.4	77.9	177	93	13.34	13.16	0.13	
20	SOV	IPU	18 19 14.65				49	2.8	85.9	159	92	14.67	14.61	0.15	

9 0 1 5 3 1 8 5 1

901531851

1981 SGO LOCAL-EVENT DATA REPORT

UCT STA PHASE TIME AMP PER MAG DUR PHAS DIST AZI AIN TDBS TCAL WLB REMARKS
 1981 (UTC) (MU) (SEC) (MM) (ULG)(DEG) (SEC) (SEC) (SEC)

UCT M = 20 17 30.65 UTC RMS = 0.15 NO = 26 FREE DEPTH SOLUTION
 OS LAT = 37.133 N LMR = 0.3 LPH = 0.3 AVFM = u = C
 LONG = 116.213 W FMY = 0.2 GAP = 76 AVSM = u3 = B
 DEPTH = 4.65 KM FRZ = 2.0 NM = 13 UD = C
 SILENT CANYON - YUCCA FLAT

05	BGB	IPU0	20 17 33.12						10.7	187	110	2.47	2.45	0.10
05	EPH	IPU0	20 17 33.48						13.3	312	105	2.83	2.98	-0.21
05	GLR	IPU0	20 17 34.14						18.0	67	99	3.49	3.60	-0.13
05	SSP	IPU0	20 17 34.93						43.1	181	97	4.28	4.51	-0.15
	S 4		20 17 37.21						6.58			7.57		-1.01
05	CPR	IPU0	20 17 35.35	1751	14	2.1			46.6	148	95	4.70	4.98	-0.17
	S 4		20 17 38.17						7.52			8.33		-0.01
05	LUP	IPU0	20 17 36.31	2054	15				31.2	173	94	5.66	5.75	-0.01
	S 4		20 17 39.71						9.88			9.89		-0.03
05	CDMS	IPU0	20 17 36.17						31.7	197	94	5.52	5.75	-0.13
05	CUMS	IPU0	20 17 36.19						31.7	197	94	5.54	5.88	-0.05
05	YHTS	IPU0	20 17 36.72						33.7	219	94	6.87	6.89	-0.02
05	YHT6	IPU0	20 17 36.91						34.9	209	94	6.28	6.23	-0.06
05	YHT4	IPU0	20 17 37.34						38.2	214	93	6.73	6.78	-0.16
05	ALT	EPD4	20 17 37.15	1953	13	2.1			39.5	12	93	6.50	7.12	-0.44
	S 4		20 17 41.77									11.12	11.95	-0.83
05	HMT	IPU0	20 17 38.18						41.9	293	93	7.45	7.57	0.05
05	YHT1	IPU0	20 17 38.24						42.0	222	93	7.59	7.38	0.08
05	LSP	EPD1	20 17 38.26	1405	17	1.8			44.0	187	93	7.61	7.70	-0.11
	S 4		20 17 43.49									12.88	13.19	-0.35
05	GHR	IPD0	20 17 38.71						45.1	60	93	8.86	7.97	0.19
05	ACT	EPD1	20 17 39.71						52.8	224	92	9.06	9.18	0.12
	S 4		20 17 46.50									15.85	15.29	0.56
05	SUM	EPD1	20 17 40.23	1196	16	2.2			55.3	192	92	9.58	9.51	0.18
	S 4		20 17 47.15									16.58	16.28	0.30
05	HCT	EPD1	20 17 40.58						56.9	157	92	9.93	9.83	0.18
05	SPHG	EPD1	20 17 41.31	1196	18	2.1			60.6	144	92	10.88	10.42	0.27
	S 4		20 17 48.45									17.80	17.77	0.03
05	KANA	IPU0	20 17 42.82	1674	16	2.2			69.1	348	92	11.97	11.95	-0.05
	S 4		20 17 51.86									20.41	20.56	-0.13
05	CT3	IPU0	20 17 45.21	2052	15				73.7	322	91	12.56	12.69	0.04
	S 4		20 17 51.54									20.89	21.81	-0.52
05	FMT	EPD1	20 17 43.34	988	13	2.2			74.5	223	91	12.89	12.83	0.30
	S 4		20 17 52.67									22.02	21.19	0.85
05	SGV	IPU0	20 17 43.87	2027	15				74.8	257	91	13.02	12.74	0.32
	S 4		20 17 52.67									24.02	21.72	0.30
05	JUN	EPD1	20 17 44.00	820	18	2.1			77.6	173	91	13.35	13.12	0.22
	S 4		20 17 53.83									23.18	22.45	0.73
05	WPH	EPD1	20 17 46.82	729	17	2.3			94.7	281	90	16.17	15.71	0.61
	S 4		20 17 57.70									27.05	26.80	0.45
05	GVN	IPU3	20 17 48.04	1735	14	2.5			101.5	262	90	17.39	16.80	0.53
	S 4		20 18 0.31									29.86	28.83	0.83
05	MCA	EPD4	20 17 49.07	405	14	2.4			109.3	241	90	18.42	18.08	0.26
	S 4		20 18 2.45									31.80	31.86	0.74
05	MCP	EPD4	20 17 50.85	591	16	2.5			118.8	287	90	20.20	19.62	0.67
	S 4		20 18 5.17									34.52	33.40	1.12
05	MCR	EPD4	20 17 51.32	949	16	2.6			123.7	351	90	20.67	20.42	0.34
	S 4		20 18 6.40									35.25	34.76	0.94

UCT M = 20 42 6.40 UTC RMS = 0.05 NO = 4
 OS LAT = 37.147 N LMR = 0.2 LPH = 0.2 AVFM = u = H
 LONG = 116.214 W FMY = 0.2 GAP = 124 AVSM = u3 = A
 DEPTH = 5.82 KM FRZ = 0.8 NM = 5 UD = C
 SILENT CANYON - YUCCA FLAT

05	BGB	IPU0	20 42 9.42	764	13	1.0			12.1	186	113	2.82	2.74	-0.05
	S 3		20 42 11.41									4.81	4.56	0.05
05	EPH	IPU0	20 42 9.74	307	15	0.6			12.3	308	114	2.94	2.88	-0.01
	S 2		20 42 11.87									5.07	5.08	0.03
05	GLR	EPD0	20 42 10.44	174	19	0.9			18.4	72	104	3.64	3.65	0.05
	S 3		20 42 12.83									6.03	6.13	-0.10
05	CDMS	EPD0	20 42 12.58	680	12	1.2			33.1	196	96	5.78	5.93	-0.05
	S 2		20 42 16.80									10.80	9.97	0.03
05	YHTS	EPD0	20 42 13.12	235	11	1.0			34.9	218	96	6.52	6.28	0.04
	S 4		20 42 17.18									10.38	10.74	-0.40

90153 1352

90153 1352

1961 806 LOCAL-EVENT DATA REPORT (DEC 1961)

OCT 1961 STA PHASE TIME (UTC) AMP (MU), (SLC) PER. (SEC) MAG. (MM) PHASE (DEG) DIST (KM) AZI (DEG) AIN (DEG) ID# (SEC) TCAL (SEC) RES (SEC) REMARKS

.....
 OCT # = 21 12 0.17 UTC RMS = 0.05 NU = 10 FREE DEPTH SOLUTION
 05 LAT = 37.143 N EN1 = 0.2 ENH = 0.3 AVFM = 1.6 W = B
 LONG = 116.216 W EN2 = 0.2 GAP = 121 AVSM = 1.0 W5 = A
 DEPTH = 8.67 KM EN3 = 1.0 KM = 5 W6 = C
 SILENT CANYON - YUCCA FLAT

STATION	PHASE	TIME (UTC)	AMP (MU)	PER. (SEC)	MAG. (MM)	PHASE (DEG)	DIST (KM)	AZI (DEG)	AIN (DEG)	ID# (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
05	BGM	IPU0 21 12 0.46	800	14	1.1	****	1.3	11.7	105	100	2.49	2.61	-0.03
		S 2 21 12 0.50									4.33	4.32	0.01
05	EPH	IPU0 21 12 7.04	299	20	0.7	****	2.0	12.5	310	107	2.67	2.85	-0.04
		S 2 21 12 9.18									5.01	4.98	0.03
05	GLR	IPU0 21 12 7.77	169	19	0.8			18.7	70	99	3.60	3.66	0.01
		S 4 21 12 9.68									5.51	6.14	-0.02
05	LDP	EP11 21 12 9.98	152	26	0.8			32.3	172	94	5.81	5.92	-0.02
		S 4 21 12 15.15									10.90	9.98	1.00
05	CDM1	EPU1 21 12 10.13	339	15	1.2			32.6	196	94	5.96	5.90	0.16
		S 4 21 12 13.92									4.75	5.92	-0.17
05	CDM5	EPU1 21 12 9.81	740	14	1.2			32.6	196	94	5.64	5.83	-0.09
		S 3 21 12 13.88									4.71	9.08	-0.09
05	YMT5	EPU0 21 12 10.38						34.4	218	94	6.21	6.19	0.02
		S 4 21 12 15.17									11.00	10.59	0.41

.....
 OCT # = 21 31 19.90 UTC RMS = 0.04 NU = 9 FREE DEPTH SOLUTION
 05 LAT = 37.140 N EN1 = 0.1 ENH = 0.2 AVFM = 0.0 W = B
 LONG = 116.218 W EN2 = 0.1 GAP = 121 AVSM = 0.0 W5 = A
 DEPTH = 5.28 KM EN3 = 0.7 KM = 5 W6 = C
 SILENT CANYON - YUCCA FLAT

STATION	PHASE	TIME (UTC)	AMP (MU)	PER. (SEC)	MAG. (MM)	PHASE (DEG)	DIST (KM)	AZI (DEG)	AIN (DEG)	ID# (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
05	BGM	IPU0 21 31 22.44	371	14	0.7			11.8	104	111	2.54	2.66	-0.03
		S 3 21 31 24.39									4.49	4.40	0.09
05	EPH	IPU0 21 31 22.83	446	23	0.9			12.2	310	111	2.93	2.89	0.03
		S 2 21 31 24.82									4.92	4.97	-0.04
05	GLR	IPU0 21 31 23.54						18.8	71	101	3.64	3.78	0.01
		S 2 21 31 26.11									6.21	6.21	0.00
05	CDM1	EP10 21 31 25.76	210	15	1.0			32.7	196	95	5.86	5.77	0.04
		S 4 21 31 30.39									10.44	9.95	0.54
05	CDM5	EPU0 21 31 25.62						32.7	196	95	5.72	5.85	-0.03
		S 2 21 31 29.68									4.78	4.83	-0.05

9 0 1 5 3 1 8 5 3

9015300/1853

1981 800 LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PLR XMAS DUR FNAB DIST AZI ATN TUBS FCAL HES REMARKS
 1981 (MU) (SEC) (RM) (DEG)(DEG) (BLC) (SEC) (SEC)

UCT M = 1 24 0.95 UTC HNS = 0.00 NU = 5 FREE DEPTH SOLUTION
 06 LAT = 37.167 N ENH = 10.5 ENH = 11.0 AVFM = 1.7 W = D MT. JACKSON
 LONG = 117.362 W ENY = 1.2 GAP = 205 AVFM = W = D
 DEPTH = 3.03 KM ERZ = 257.5 NM = W = D

06	LCM	EPD0	1 24 9.78	17	1.7	46.4	207	91	4.03	4.91	0.01
06	TMU	EPD3	1 24 11.63			48.3	186	98	6.00	6.00	0.12
06	PPR	EPD4	1 24 8.61			50.3	101	98	3.00	9.45	-5.00
06	MCA	EPD3	1 24 14.94	14	1.0	50.0	173	94	4.94	4.73	0.18
06	S 2		1 24 21.01						10.00	10.70	-0.12
06	SUP	EPD7	1 24 17.00			72.2	327	90	12.11	12.04	-0.04
06	USM	EPD4	1 24 45.03			100.0	162	90	40.00	23.10	17.43
06	SHHG	EPD4	1 24 02.72			210.2	110	52	37.77	35.02	5.34

UCT M = 21 24 0.20 UTC HNS = 0.05 NU = 4 FREE DEPTH SOLUTION
 06 LAT = 30.647 N ERH = 0.00 AVFM = 2.3 W = C DEPTH CONTROL INADEQUATE
 LONG = 115.219 W ERV = 0.00 GAP = 200 AVFM = W = A MATFONU PEAK
 DEPTH = 5.00 KM ERZ = NM = W = U

06	SHHG	EPD0	21 24 3.11			16.0	100	102	2.03	3.41	0.01
06	S 4		21 24 51.31						51.00	4.03	46.20
06	APR	EPD0	21 24 8.66	30	2.3	40.3	221	93	0.40	0.72	-0.05
06	SPRG	EPD0	21 24 9.37	30	2.3	53.0	276	93	4.09	9.10	-0.06
06	PCV	EPD1	21 24 11.00	30	2.3	60.0	271	92	11.00	11.30	0.11
06	JIM	EPD0	21 24 9.35	30	2.4	62.5	254	92	4.07	13.91	-4.85
06	S3P	EPD0	21 24 10.01	29	2.4	90.0	209	91	17.73	10.09	1.72

9 0 1 5 3 1 8 5 4

UCT M = 2 20 15.90 UTC HNS = 0.05 NU = 7 FREE DEPTH SOLUTION
 07 LAT = 37.133 N ERH = 0.5 LHM = 0.6 AVFM = 1.2 W = C MT. JACKSON
 LONG = 117.338 W ENY = 0.5 GAP = 100 AVFM = W = B
 DEPTH = 5.01 KM ERZ = 2.0 NM = W = D

07	GVN	EPD1	2 20 10.91	12	1.3	14.6	182	100	3.01	2.94	0.02
07	S 0		2 20 21.03						5.13	5.12	0.01
07	GMN	EPD4	2 20 22.30	4	0.0	19.0	20	103	0.00	4.03	2.01
07	LCM	EPD4	2 20 21.00	0	1.0	29.7	242	97	3.90	5.07	0.59
07	S 2		2 20 25.04						4.14	4.22	-0.02
07	SGV	EPD0	2 20 21.64	0	1.0	31.9	122	97	3.74	5.05	-0.01
07	S		2 20 25.76						4.06	4.05	0.02
07	MCA	EPD1	2 20 25.26	10	1.3	54.0	175	93	4.30	4.10	0.14
07	S 3		2 20 31.40						15.50	15.01	-0.22
07	NCT	EPD4	2 20 30.94			73.7	121	92	21.04	12.51	8.70
07	FMT	EPD4	2 20 40.37			70.0	130	92	32.47	12.56	20.15
07	TNT1	EPD4	2 20 39.36			70.4	113	92	23.40	13.31	10.03
07	SPRG	EPD4	2 20 06.57	10	1.9	100.7	110	91	40.67	24.11	20.00

1981 3GB LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PER MAG DUR MAG DIST AZI AZM TONS TCAL RES REMARKS
1981 (UTC) (MU) (SEC) (RM) (LLG)(DEG) (SEC) (SEC) (SEC)

OCT 07 12 54 2.91 UTC RMS = 0.13 NO = 7
 07 LAT = 37.098 N ERX = 0.7 ERM = 0.9 AVPM = 1.1 U = C
 LONG = 116.158 W ERY = 0.6 GAP = 160 AVXM = U8 = M
 DEPTH = 8.64 KM LRZ = 2.5 NM W = C
 FREE DEPTH SOLUTION
 SILENT CANYON - YUCCA FLAT

07	BGB	EPUB	12 54	4.98	15	1.5	9.1	223	114	2.07	2.22	-0.07
			8 0	12 54	6.51					3.00	3.00	-0.00
07	GLR	EPD0	12 54	6.02	4	0.4	16.8	40	100	3.11	3.15	-0.17
			3 0	12 54	8.60					5.69	5.61	0.00
07	EPM	EPUB	12 54	7.02	13	1.0	19.5	311	90	4.11	3.90	0.00
07	COM1	EPD4	12 54	9.16	8	1.0	30.0	200	94	6.25	5.48	0.07
			3 0	12 54	11.96					9.85	9.20	-0.15
07	COM5	EPUB	12 54	10.00	6	0.0	30.0	200	94	7.09	5.41	1.70
			3 0	12 54	12.24					9.33	9.00	0.25
07	LSM	EPUB	12 54	14.00	9	1.2	41.1	194	93	11.09	7.22	3.85
07	JON	EPD4	12 54	7.45			73.2	176	91	4.54	12.41	-7.88

OCT 00 12 19 27.23 UTC RMS = 0.07 NO = 4
 00 LAT = 38.012 N ERX = ERH = AVPM = 3.0 U = C
 LONG = 113.225 W ERY = GAP = 337 AVXM = U8 = A
 DEPTH = 5.00 KM ERZ = NM = W = D
 FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE

00	DLM	EPD4	12 19	49.93	23	2.3	140.7	431	90	22.70	23.19	-0.74
00	NPH	EPD3	12 19	52.67	39	2.9	156.0	455	90	25.44	25.66	-0.43
00	SRC	IPD0	12 19	54.24	55	3.2	162.7	265	90	27.01	26.76	0.03
			8 4	12 20	12.75					45.52	46.14	-0.62
00	RTI	EPUB	12 19	57.54	36	2.0	184.1	250	52	30.29	29.49	0.83
			3 0	12 20	17.52					50.29	50.30	-0.09
00	EPR	EPUB	12 19	59.49	41	3.0	196.9	242	52	32.26	31.08	1.21
			3 0	12 20	20.37					53.14	53.11	0.04
00	HRM	EPUB	12 19	61.74	33	2.9	207.6	269	52	34.51	32.55	1.92
			3 4	12 20	23.55					56.36	55.74	0.62
00	TPU	EPD4	12 19	62.91	28	2.8	218.2	250	52	35.68	33.95	1.87
			3 4	12 20	25.57					58.34	57.82	0.52
00	GMR	EPD2	12 19	63.82	41	3.2	226.8	251	52	36.59	36.26	0.43
			3 4	12 20	30.26					63.03	61.83	1.20
00	SHRG	EPUB	12 19	65.68	29	2.9	239.3	226	52	36.45	36.59	2.45
			3	12 20	30.29					63.06	61.57	1.49
00	GLP	EPUB	12 19	70.19	32	3.1	262.6	450	52	42.96	39.53	3.50
			3 4	12 20	37.51					70.26	67.00	2.80
00	SPRG	EPUB	12 19	72.51	39	3.3	271.6	237	52	45.28	40.64	4.68
00	FMT	EPD4	12 19	80.00	41	3.6	350.0	244	52	52.77	50.64	2.37

OCT 09 2 27 30.33 UTC RMS = 0.05 NO = 10
 09 LAT = 36.786 N ERX = 0.4 ERM = 0.6 AVPM = 1.2 U = C
 LONG = 115.982 W ERY = 0.5 GAP = 230 AVXM = U8 = A
 DEPTH = 10.97 KM ERZ = 0.8 NM = U8 = D
 FREE DEPTH SOLUTION
 MERCURY

09	MCY	EPUB	2 27	33.62	10	1.2	14.0	173	128	3.29	3.34	0.04
			3 0	2 27	35.88					5.55	5.57	-0.01
09	LDP	EPUB	2 27	34.17	8	1.0	18.2	294	121	3.84	3.99	-0.07
			3 4	2 27	37.60					7.27	6.69	0.58
09	LSM	EPUB	2 27	35.35			26.4	259	111	5.02	5.09	-0.08
			3 0	2 27	39.05					8.72	8.73	-0.01
09	COM5	EPD0	2 27	35.97	13	1.5	31.0	285	108	5.64	5.77	-0.03
			3 0	2 27	40.01					9.60	9.76	-0.02
09	COM1	EPD0	2 27	36.17	9	1.1	31.0	285	108	5.64	5.84	0.10
			3 2	2 27	40.27					9.94	9.82	0.12
09	SDM	EPUB	2 27	36.70			35.4	244	105	6.37	6.46	-0.05

90153 1855

1901 800 LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PER MAG DUR PHAS DIST AZI AIN TOG8 TCAL MEB REMARKS
 1901 (MU) (SEC) (MM) (SEC) (MM) (DEG) (DEG) (SEC) (SEC) (SEC)

UCT M = 3 26 59.95 UTC NMB = 0.08 NU = 9 PHLE DPLTH SOLUTION
 09 LAT = 36.358 N LRM = 1.0 ENM = 1.7 AVFM = 2.1 U = C
 LONG = 114.988 W LRY = 1.4 GAP = 277 AVSM = U8 = U MUUVEN DAN
 DEPTH = 12.02 KM LRZ = 1.0 NM U = U

09	SHG	EPD8	3 26 66.96			23	2.0	41.3	339	105	7.01	7.56	0.05
		S 4	3 27 15.07								15.52	11.91	3.61
09	SPRG	EPD8	3 26 76.05					94.7	309	96	16.10	16.00	0.09
09	MCT	EPD1	3 26 77.31			23	2.2	143.0	303	95	17.36	17.51	-0.07
09	NUP	EPD8	3 26 77.47					145.0	260	95	17.52	17.64	-0.03
09	JUN	EPD4	3 26 77.12					195.0	287	95	17.17	17.63	-0.47
		S 2	3 27 30.00								38.05	30.16	-0.11
09	EPR	EPD8	3 26 78.95					113.6	351	95	19.00	19.11	-0.09
09	LUP	EPD2	3 26 82.09			19	2.1	131.0	306	94	22.14	22.01	0.22
09	LSM	EPD8	3 26 82.06					132.2	299	52	22.11	22.00	0.00
09	SUM	EPD1	3 26 81.00					132.7	294	52	21.93	22.00	-0.11
09	SPP	EPD4	3 26 80.39					134.3	300	52	24.04	23.17	1.35
09	CDM1	EPD4	3 26 80.06					142.4	303	52	24.11	23.41	0.81
09	GLN	EPD4	3 26 85.14					147.0	321	52	25.19	24.11	1.10

UCT M = 15 11 58.91 UTC NMB = 0.08 NU = 7 PHLE DPLTH SOLUTION
 09 LAT = 37.330 N LRM = 0.9 ENM = 1.1 AVFM = 1.9 U = C
 LONG = 114.729 W LRY = 0.6 GAP = 247 AVSM = U8 = B DELAMAN MOUNTAINS
 DEPTH = 9.09 KM LRZ = 1.3 NM U = D

09	PHN	EPD8	15 11 04.63			22	1.9	29.4	285	107	5.72	5.56	0.04
09	DLN	EPD8	15 11 04.85					29.7	350	107	5.94	5.67	0.02
		S 4	15 12 0.54								9.63	10.12	-0.49
09	NPN	EPD1	15 11 06.17					39.5	332	102	7.26	7.10	-0.15
		S 8	15 12 11.54								12.63	12.64	-0.01
09	EPR	EPD4	15 11 08.40			10	1.0	44.7	242	101	9.57	7.94	1.65
		S 1	15 12 12.42								13.51	13.50	-0.03
09	MTI	EPD3	15 11 09.79					61.0	300	97	10.50	10.61	0.30
		S 4	15 12 17.96								19.05	10.09	0.95
09	SNC	EPD4	15 11 70.00					67.4	330	97	11.09	11.67	-0.00
09	GWR	EPD4	15 11 75.04					92.0	270	95	16.93	15.70	1.33
09	SHRC	EPD4	15 11 76.52					100.0	202	94	17.61	16.90	1.26
09	NNA	EPD4	15 11 77.75					104.1	313	94	18.04	17.64	1.10
09	GLK	EPD4	15 11 79.32					115.3	262	94	20.41	19.38	1.30
09	LOP	EPD4	15 11 82.73					138.7	247	52	23.02	23.21	0.09
09	CDM1	EPD8	15 11 83.50					150.0	249	52	24.59	24.70	-0.01

90153 1856

1961 PCB LOCAL-EVENT DATA REPORT

DATE: 1961 OCT 18 TIME: 12 21 55.91 UTC
 STA: 1901 PHASE: TIME (UTC) AMP PER (MU) (SEC) MAG DUR MAG DIST AZI AIN (NM) (ULG) (DEG) (SEC) (SEC) (SEC) (SEC) (SEC) REMARKS

FREE DEPTH SOLUTION

10 LAI = 37.131 N LRM = 5.1 LRM P = 6.0 AVFM = 1.2 U = D
 LONG = 117.055 W ERY = 3.2 GAP = 206 AVSM = WS = U
 DEPTH = 9.05 KM EPZ = 10.9 NM W UD = D

MI. JACKSON

10	GMN	IPD1	12 21 00.07	9	1.1	25.6	83	109	4.70	9.10	-0.10
10	SCV	IPU0	12 21 03.30	9	1.2	41.1	110	101	7.39	7.41	0.07
10	WCT	IPD2	12 21 09.90			02.8	117	95	14.07	14.02	0.22
10	YMT1	EPD2	12 21 11.19			00.1	110	95	15.20	14.91	0.20
10	YMT6	LPD0	12 21 02.70			00.3	100	90	6.70	10.57	-9.07

FREE DEPTH SOLUTION

13 LAI = 37.061 N LRM = 0.2 LRM P = 0.3 AVFM = 3.0 U = B
 LONG = 116.951 W ERY = 0.2 GAP = 102 AVSM = WS = A
 DEPTH = 7.69 KM EPZ = 1.5 NM W UD = C

THIRSVY CANYON

13	NCT	IPU	14 00 0.55			41.5	136	98	7.02	7.32	-0.10
13	YMT1	IPD	14 00 1.42	250	4.1	44.0	122	97	7.09	7.75	0.01
13	YMT1	LPD	14 00 1.98	166	3.7	49.2	162	96	6.45	8.56	0.13
13	THO	IPD	14 00 2.09	160	3.7	49.7	235	97	8.56	8.07	-0.02
13	YMT6	IPU	14 00 2.00			53.6	115	96	9.27	9.30	-0.12
13	MCA	IPU	14 00 2.40	170	3.8	54.4	213	96	9.35	9.26	0.02
13	EPN	IPD	14 00 4.10			56.3	73	95	10.57	10.29	0.21
13	BGB	IPD	14 00 0.07	125	3.5	60.0	92	95	11.30	11.17	0.25
13	SSP	IPU	14 00 5.31			66.9	103	95	11.70	11.64	0.21
13	CTS	IPD	14 00 5.29			69.0	17	94	11.70	11.95	-0.03
13	LSP	IPU	14 00 5.39			70.1	121	94	11.05	11.97	-0.10
13	SUM	IPU	14 00 5.71			71.5	130	94	12.10	12.17	0.04
13	LOP	IPU	14 00 6.05			73.4	100	94	12.52	12.62	-0.02
13	PGE	IPU	14 00 7.17	160	3.8	79.7	187	94	13.64	13.67	0.10
13	GLR	IPD	14 00 7.63	150	3.8	84.0	80	94	14.09	14.34	-0.10
13	AMR	IPU	14 00 7.98			85.0	150	93	14.05	14.31	0.13
13	RLT	IPD	14 00 8.23			87.1	50	93	14.70	14.86	-0.03
13	ARNA	IPU	14 00 9.16			90.0	30	93	15.03	15.51	0.05
13	YCY	IPU	14 00 9.98			96.6	117	93	16.45	16.63	-0.10
13	GVV	IPU	14 00 10.42			100.2	166	93	16.89	16.94	0.03
13	JUN	IPU	14 00 10.50			102.4	132	93	16.97	17.16	-0.20
13	GMR	IPD	14 00 12.02	150	3.9	109.0	70	93	18.49	18.38	0.21
13	UCS	IPD	14 00 13.80			120.6	49	92	20.27	20.33	-0.03
13	OSM	IPU	14 00 14.08	200	4.3	121.8	177	92	20.55	20.27	0.19
13	HOP	IPU	14 00 14.23			125.8	145	92	20.70	20.46	-0.19
13	TPU	IPD	14 00 15.29			130.2	62	92	21.70	21.40	-0.01
13	HCR	IPD	14 00 16.58			137.9	19	92	23.05	23.16	-0.03
13	MT1	IPD	14 00 20.05			163.6	65	52	26.52	26.50	-0.00
13	SHG	IPD	14 00 23.70			189.8	61	52	30.17	29.98	-0.03
13	DLP	IPD4	14 00 23.65			205.2	73	52	30.11	31.97	-2.11

90153 1857

90153 1857

1981 SGB LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PER IMAG DUR PMAG DIST AZI ATH THUS TCAL MRS REMARKS
 1981 (UTC) (MU) (SEC) (M) (DEG)(DEG) (SEC) (SEC) (SEC)

9 0 1 5 3 1 3 5 8

OCT 14 1981		STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	PMAG	DIST (M)	AZI (DEG)	ATH (DEG)	THUS (SEC)	TCAL (SEC)	MRS (SEC)	REMARKS
OCT 14 1981 14 51 57.92 DIC					HMS = 0.11	NU = 17							FREE DEPTH SOLUTION			
13	LAT	37.066 N			LHX = 0.3	EHM = 0.4			AVFM = 2.1	U = C			THINITY CANYON			
	LONG	116.948 W			EHY = 0.3	GAP = 98			AVXM =	US = B						
	DEPTH	8.83 KM			EHZ = 2.0	NM =				WD = C						
13	SGV	IPD0	14 51 00.32					33	2.2	11.9	219	108	2.40	2.62	-0.13	
	S	0	14 52 2.26										4.34	4.32	-0.01	
13	GVN	EPD0	14 51 04.29					27	2.1	35.8	259	94	6.37	6.32	-0.01	
	S	2	14 52 9.15										11.23	10.91	0.32	
13	HMT	IPD0	14 51 04.34							36.2	48	94	6.42	6.66	-0.07	
	S	4	14 52 10.04										12.12	11.09	1.03	
13	GMN	IPC0	14 51 04.62					26	2.1	38.1	313	94	6.78	6.96	-0.11	
	S	0	14 52 9.70										11.78	11.64	0.14	
13	WCT	FPU2	14 51 04.86							41.6	137	93	6.94	7.28	-0.18	
	S	0	14 52 10.22										12.50	12.18	0.12	
13	YMT1	IFUA	14 51 05.63							44.8	122	93	7.71	7.72	-0.14	
	S	0	14 52 11.46										13.54	13.42	0.12	
13	YMT5	IPD0	14 51 06.18							47.7	113	93	8.26	8.34	-0.09	
	S	0	14 52 12.23										14.31	14.27	0.04	
13	FMT	IPU1	14 51 06.18							49.5	162	93	8.26	8.57	-0.07	
	S	0	14 52 15.07							50.1	235	93	10.16	9.91	1.55	
13	TAD	EPD4	14 51 06.06										17.15	14.72	2.42	
	S	4	14 52 15.07										6.47	6.93	-0.04	
13	YMT2	WY00	14 51 06.09							51.6	127	92	17.17	15.41	1.76	
	S	4	14 52 15.07										9.53	9.30	0.15	
13	MCA	EPD2	14 51 07.45							54.9	213	92	16.00	16.04	0.02	
	S	4	14 52 14.58										10.38	10.20	0.12	
13	EPN	IPD1	14 51 08.30							57.9	73	92	10.38	10.20	0.12	
	S	4	14 52 14.58										10.81	10.43	0.47	

OCT 14 1981		STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	PMAG	DIST (M)	AZI (DEG)	ATH (DEG)	THUS (SEC)	TCAL (SEC)	MRS (SEC)	REMARKS
OCT 14 1981 14 56 14.17 UTC					HMS = 0.11	NU = 13							FREE DEPTH SOLUTION			
13	LAT	37.066 N			LHX = 0.2	EHM = 0.4			AVFM = 2.1	U = B			THINITY CANYON			
	LONG	116.947 W			EHY = 0.3	GAP = 98			AVXM =	US = A						
	DEPTH	1.20 KM			EHZ = 1.7	NM =				WD = C						
13	SGV	IPD0	14 56 16.53							12.0	220	91	2.36	2.55	-0.10	
	S	0	14 56 17.46										5.29	4.20	-0.91	
13	GVN	EPD0	14 56 20.58					28	2.2	35.9	259	74	6.41	6.41	-0.06	
	S	2	14 56 25.42										11.25	11.06	0.19	
13	HMT	EPD0	14 56 20.67							36.1	48	74	6.50	6.72	-0.05	
	S	4	14 56 26.32										12.15	11.20	0.95	
13	GMN	FPU2	14 56 20.95							38.2	313	74	6.78	7.04	-0.12	
	S	0	14 56 21.08							41.5	137	74	6.91	7.35	-0.28	
13	WCT	EPD2	14 56 21.08					27	2.1				12.27	12.29	-0.02	
	S	0	14 56 26.44										7.71	7.78	-0.20	
13	YMT1	IPU1	14 56 21.48							44.8	122	74	14.13	13.53	0.60	
	S	4	14 56 28.30										8.67	8.67	0.00	
13	YMT4	EPD1	14 56 23.04							49.3	117	74	15.11	15.01	0.10	
	S	0	14 56 29.28										9.10	8.99	0.22	
13	YMT2	EP 2	14 56 23.47					23	2.0	51.6	127	74	12.35	15.52	1.63	
	S	4	14 56 31.32										10.00	9.51	0.60	
13	YMT6	EPD4	14 56 24.17							53.4	115	74	17.02	16.07	1.74	
	S	4	14 56 31.99										15.99	9.84	6.20	
13	YMT3	EPD0	14 56 30.16							56.8	123	74	10.43	10.26	0.10	
	S	0	14 56 32.07							57.8	73	74	10.30	17.65	3.64	
13	LCM	EPD1	14 56 25.50							65.1	287	74	11.33	11.24	0.13	

OCT 15 1981		STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	PMAG	DIST (M)	AZI (DEG)	ATH (DEG)	THUS (SEC)	TCAL (SEC)	MRS (SEC)	REMARKS
OCT 15 1981 15 0 16.46 UTC					HMS = 0.12	NU = 16							FREE DEPTH SOLUTION			
13	LAT	37.066 N			LHX = 0.2	EHM = 0.4			AVFM = 2.1	U = C			THINITY CANYON			
	LONG	116.950 W			EHY = 0.4	GAP = 98			AVXM =	US = B						
	DEPTH	8.19 KM			EHZ = 3.9	NM =				WD = C						
13	SGV	IPD0	15 0 16.45							11.6	217	104	2.39	2.54	-0.06	
	S	0	15 0 20.58										4.12	4.19	-0.07	
13	GVN	EPD0	15 0 22.83							35.3	259	93	6.37	6.23	0.08	
	S	2	15 0 27.63										11.17	10.75	0.41	

9015000/1858

1991 SGB LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PER XMAG DUR PMAG DIST AZI ATN TUBS TCAL MEB REMARKS
 1991 (MUT) (SEC) (KM) (DEG) (DEG) (SEC) (SEC) (SEC)

.....
 OCT M = 2 33 11.03 UTC HMS = 0.00 NU = 11 FREE DEPTH SOLUTION

14 LAT = 37.061 N EN1 = 0.2 ENM = 0.4 AVFM = 1.5 U = B
 LONG = 116.942 W ER1 = 0.3 GAP = 147 AVRM = U3 = A THINSTEY CANYON
 DEPTH = 6.40 KM ER2 = 1.6 NM = UD = C

14	SGV	IPD0	2 33 14.22																	
		S 0	2 33 16.16																	
14	HMT	EPD0	2 33 18.29			13	1.5	36.1	47	93										
14	GMN	IPD0	2 33 18.20					36.3	260	93										
		S 0	2 33 22.99																	
14	HCT	EPD0	2 33 19.70					41.0	137	93										
14	YMT1	EPD0	2 33 19.53					43.4	122	93										
		S 4	2 33 26.16																	
14	YMT5	EPD0	2 33 20.13					47.0	113	92										
14	YMT4	EPD3	2 33 20.72					48.0	110	92										
		S 4	2 33 27.43																	
14	FMT	EPD0	2 33 20.12					48.9	163	92										
14	YMT2	EPD0	2 33 21.14					51.0	127	92										
14	YMT3	EPD0	2 33 21.40					50.2	123	92										
		S 2	2 33 28.79																	

.....
 OCT M = 3 11 42.04 UTC HMS = 0.00 NU = 13 FREE DEPTH SOLUTION

14 LAT = 37.064 N EN1 = 0.2 ENM = 0.3 AVFM = 2.1 U = B
 LONG = 116.953 W ER1 = 0.2 GAP = 98 AVRM = U3 = A THINSTEY CANYON
 DEPTH = 6.52 KM ER2 = 0.6 NM = UD = C

14	SGV	IPD0	3 11 44.59			32	2.2	11.6	210	40										
		S 4	3 11 45.78																	
14	GMN	EPD1	3 11 48.63					35.4	259	30										
		S 1	3 11 53.46																	
14	HMT	EPD0	3 11 48.83					36.6	48	30										
		S 4	3 11 54.54																	
14	GMN	EPD1	3 11 48.99					37.0	314	30										
14	HCT	EPD1	3 11 49.19					41.9	136	30										
14	YMT1	EPD0	3 11 49.97					44.8	122	30										
		S 0	3 11 55.95																	
14	YMT5	EPD0	3 11 50.56					48.1	112	30										
		S 2	3 11 56.68																	
14	THD	EPD0	3 11 52.57					49.7	235	30										
14	MCA	EPD0	3 11 51.54					54.6	212	30										
14	YMT3	EPD2	3 11 52.16			24	2.1	57.2	122	30										
		S 0	3 11 59.23																	

.....
 OCT M = 4 31 59.02 UTC HMS = 0.10 NU = 26 FREE DEPTH SOLUTION

14 LAT = 37.064 N EN1 = 0.2 ENM = 0.3 AVFM = 2.6 U = B
 LONG = 116.951 W ER1 = 0.2 GAP = 63 AVRM = U3 = A THINSTEY CANYON
 DEPTH = 5.33 KM ER2 = 1.0 NM = UD = C

14	SGV	IPD0	4 31 61.44			52	2.6	11.7	210	111										
		S 0	4 32 3.35																	
14	GMN	EPD0	4 31 65.36					35.5	259	95										
		S 4	4 32 10.22																	
14	HMT	IPD0	4 31 65.55					36.4	48	95										
		S 4	4 32 10.97																	
14	GMN	IPD0	4 31 65.77			46	2.6	37.9	314	95										
		S 2	4 32 10.90																	
14	HCT	IPD1	4 31 66.00					41.8	136	90										
		S 4	4 32 11.70																	
14	YMT1	IPD1	4 31 66.78					44.3	122	90										
14	YMT5	IPD1	4 31 67.33					47.9	113	93										
		S 0	4 32 13.43																	
14	THD	EPD0	4 31 67.69					49.8	235	93										
		S 4	4 32 16.79																	
14	YMT2	EPD0	4 31 68.19					51.9	127	93										
		S 4	4 32 15.06																	

301531360

90153000/1860

1981 230 LOCAL-EVENT DATA HEPUMI

UCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	0187 (KM)	AZI (ULG)	AIN (DFG)	1088 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
14	SVP	EPD1	0 45 64.67						104.6	318	92	16.18	17.87	0.28	
14	SPRG	EPD0	0 45 64.91						109.5	112	91	16.42	16.39	0.07	
		S 4	0 46 20.66									34.17	31.59	2.78	
14	THP	EPD2	0 45 66.09						115.0	348	91	19.60	14.56	-0.23	
		S 4	0 46 23.92									37.43	33.91	3.52	
14	QSM	EPD1	0 45 66.96						121.7	177	91	20.47	20.25	0.13	
14	HDP	EPD0	0 45 67.34						125.7	145	91	20.85	20.97	-0.02	
14	HCR	EPD0	0 45 69.60						138.0	19	91	23.11	23.19	0.02	
		S 4	0 46 29.49									43.08	39.49	3.51	
14	BKN	EPD3	0 45 72.99						150.0	50	90	26.50	26.00	0.47	
		S 4	0 46 32.96									46.47	44.52	1.95	
14	MTI	EPD0	0 45 73.25						163.6	65	52	26.76	26.79	0.00	
		S 4	0 46 35.52									46.83	45.76	3.07	
14	SHRG	EPD1	0 45 73.69						171.7	111	52	27.20	27.86	-0.67	
		S 4	0 46 36.26									49.77	46.64	3.13	
14	PRN	EPD0	0 45 74.66						173.1	77	52	28.17	28.00	0.05	
14	SRG	EPD1	0 45 76.40						189.8	61	52	30.31	30.19	-0.10	
14	NPH	EPD3	0 45 76.62						190.8	70	52	30.13	30.21	-0.29	
14	DLM	EPD4	0 45 78.42						205.2	73	52	31.93	32.10	-0.50	

UCT H = 9 15 15.95 UTC RMS = 0.17 NU = 48
 14 LAT = 37.067 N LMX = 0.2 ENH = 0.3 SVFM = 3.6 M = C
 LONG = 116.954 W LRY = 0.2 GAP = 35 AVIM = 45 = B
 DEPTH = 5.56 KM ERZ = 1.0 NM = 30 UD = C

FREE DEPTH SOLUTION

MINISTY CANYON

14	SKV	IPD0	9 15 18.35						11.0	216	113	2.40	2.64	-0.15	
		S 2	9 15 19.95									6.00	6.36	-0.36	
14	GVN	IPD1	9 15 22.28						35.3	258	95	6.33	6.75	0.42	
		S 1	9 15 26.70									10.75	10.19	-0.56	
14	HHT	IPD0	9 15 22.50						36.4	49	95	6.55	6.70	0.02	
14	GHN	IPD0	9 15 22.71						37.5	318	95	6.76	6.87	0.00	
14	HCT	IPD1	9 15 22.90						42.2	156	94	6.95	7.38	-0.28	
		S 1	9 15 28.27									12.32	12.35	-0.03	
14	TPG	EPD0	9 15 24.08						49.4	234	94	6.53	6.87	-0.04	
		S 0	9 15 31.01					96 3.3				15.06	14.65	0.41	
14	FMT	IPD0	9 15 24.21						49.9	162	94	6.26	6.64	-0.14	
		S 0	9 15 30.51									14.56	14.37	0.19	
14	YHT4	IPD0	9 15 24.77						50.0	116	94	6.82	6.71	0.00	
		S 0	9 15 31.11									15.16	15.48	0.06	
14	YMT6	EPD0	9 15 25.26						50.1	115	93	9.31	9.35	-0.13	
		S 4	9 15 32.56									16.61	16.15	0.46	
14	MCA	IPD0	9 15 25.18						54.8	212	93	9.23	9.29	-0.15	
		S 0	9 15 32.18									16.23	16.03	0.20	
14	LCH	EPD1	9 15 27.12						64.3	287	93	11.17	11.00	0.17	
		S 4	9 15 36.23									20.28	18.80	1.48	
14	SSP	IPD0	9 15 27.65						67.3	104	93	11.70	11.69	0.00	
		S 2	9 15 36.28									20.33	19.85	0.48	
14	CTS	IPD0	9 15 27.03						68.5	17	92	11.68	11.85	-0.01	
		S 4	9 15 35.91									19.96	19.97	-0.01	
14	LSP	EPD2	9 15 27.67						70.7	121	92	11.72	12.05	-0.35	
		S 4	9 15 35.89									19.94	20.63	-0.69	
14	SDH	IPD1	9 15 28.00						72.1	130	92	12.05	12.25	-0.16	
		S 1	9 15 37.11									21.16	20.88	0.27	
14	LUP	IPD0	9 15 28.59						73.9	109	92	12.64	12.67	0.04	
		S 4	9 15 37.03									21.08	21.54	-0.46	
14	PGI	EPD1	9 15 29.66						80.3	187	92	13.71	13.75	0.17	
		S 4	9 15 39.92									23.47	23.10	0.33	
14	GLP	IPD1	9 15 30.05						84.5	80	92	14.10	14.35	-0.19	
14	AMR	EPD0	9 15 30.26						85.7	150	92	14.31	14.40	-0.10	
		S 4	9 15 38.90									22.95	24.85	-1.70	
14	HLY	EPD0	9 15 30.60						86.9	58	92	14.65	14.83	-0.05	
14	WNA	IPD0	9 15 31.53						90.5	34	92	15.58	15.44	0.07	
14	MCY	EPD0	9 15 32.48						99.2	117	92	16.53	16.71	-0.19	
		S 0	9 15 44.58									26.63	26.43	0.20	
14	JUN	EPD2	9 15 32.87						103.0	132	92	16.92	17.26	-0.35	
		S 4	9 15 46.57									30.62	29.53	1.09	
14	SPRG	EPD0	9 15 34.40						110.1	112	91	16.45	16.48	0.00	
		S 4	9 15 50.13									34.18	31.54	2.64	

20153 1862

1901 360 LOCAL-EVENT DATA REPORT

UCT 1901	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	SMAG	DUR	PMAG	UJST (KM)	AZI (DEG)	AIM (DEG)	TJUB (SEC)	TCAL (SFC)	NFS (SEC)	REMARKS
14	TNP	IPU1	9 15 35.56						115.1	348	91	19.61	19.03	-0.10	
		S 4	9 15 33.45									17.50	33.09	1.80	
14	QCS	EPD2	9 15 36.39						120.4	50	91	20.44	20.29	0.18	
		S 4	9 15 34.72									30.77	30.65	0.12	
14	QSM	EPD0	9 15 36.39						122.4	176	91	20.44	20.37	-0.02	
		S 4	9 15 34.56									30.01	30.99	3.62	
14	HUP	EPD1	9 15 36.73						126.5	105	91	20.70	21.09	-0.22	
		S 4	9 15 34.96									39.01	35.91	3.10	
14	HCR	EPD0	9 15 39.05						137.4	19	90	23.10	22.64	0.55	
		S 4	9 15 37.00									43.05	38.56	0.49	
14	APR	EPD4	9 15 41.33						148.6	124	90	25.30	24.46	1.19	
		S 4	9 15 39.79									43.04	41.37	2.47	
14	EPN	EPD0	9 15 42.11				90 3.6		157.9	86	90	26.10	25.92	0.26	
		S 4	9 16 5.01									49.96	44.28	5.68	
14	SHRG	EPD4	9 15 44.41						172.2	111	52	28.46	27.94	1.11	
14	SRE	EPD4	9 15 46.32						189.7	62	52	30.37	30.18	-0.03	
14	NPH	EPD4	9 15 46.09						190.1	70	52	30.14	30.22	-0.29	
14	LLM	EPD4	9 15 47.92						205.3	73	52	31.97	32.20	-0.40	

UCT M = 12 28 46.07 UTC HMS = 0.09 NU = 24 FULL DEPTH SOLUTION
 14 LAT = 37.050 N ENI = 0.2 ENH = 0.3 AVFM = 2.3 U = B
 LONG = 116.959 W ENY = 0.2 GAP = 69 AVRN = W = A THIRSTY CANYON
 DEPTH = 4.50 KM ERZ = 0.9 NM = U = B

201531863

14	SGV	IPD0	12 28 48.52					39 2.3	10.7	217	120	2.05	2.56	-0.03	
		S 4	12 28 49.61									3.54	4.23	-0.69	
14	GVN	IPD0	12 28 52.36						34.7	260	98	0.29	0.16	0.07	
		S 4	12 28 57.30									11.23	10.60	3.59	
14	HMT	IPD0	12 28 52.69					31 2.2	37.4	40	97	0.62	0.88	-0.09	
		S 1	12 28 57.60									11.53	11.47	0.06	
14	HCT	IPU1	12 28 53.11						41.8	135	96	7.04	7.34	-0.15	
		S 1	12 28 58.48									12.41	12.29	0.12	
14	YHT5	IPD1	12 28 54.45						40.4	112	95	0.38	0.48	-0.10	
		S 0	12 29 0.52									14.05	14.50	-0.05	
14	YHT6	EPD2	12 28 55.71						54.1	110	94	9.04	9.37	0.18	
		S 4	12 29 3.02									16.95	16.18	0.77	
14	EPN	IPD0	12 28 56.00						59.1	73	94	10.53	10.41	0.06	
		S 2	12 29 4.20									18.13	17.90	0.23	
14	LCH	EPD4	12 28 58.00						64.2	204	94	12.01	11.97	1.02	
14	HCB	IPD2	12 28 57.41						65.2	42	94	11.34	11.27	0.14	
		S 1	12 29 5.32									14.25	14.14	0.11	
14	SSP	EPD0	12 28 57.85						67.6	103	94	11.70	11.74	0.12	
		S 0	12 29 6.67									20.60	19.93	0.66	
14	CTS	EPD1	12 28 57.79						69.6	17	93	11.72	12.02	-0.13	
		S 4	12 29 5.01									19.74	20.27	-0.53	
14	LSP	EPD0	12 28 58.12						70.6	120	93	12.05	12.00	-0.02	
		S 1	12 29 6.59									20.52	20.63	-0.11	
14	SUP	EPD0	12 28 58.20						71.9	130	93	12.13	12.22	-0.05	
14	GLR	EPD4	12 28 58.49						85.2	79	93	12.02	14.46	-1.97	
14	RLT	EPD1	12 28 61.01						87.9	50	93	14.90	14.98	0.09	
14	KHNA	EPD0	12 28 61.71						91.6	34	92	15.60	15.62	-0.05	
		S 1	12 29 12.94									26.87	26.82	0.05	
14	GVN	LPD3	12 28 63.31						100.1	165	92	17.24	16.91	0.40	
14	SYP	EPD4	12 28 63.72						104.2	314	92	17.65	17.81	-0.27	
14	TNP	EPD1	12 28 65.79						115.9	349	92	19.72	19.57	-0.12	
		S 0	12 29 23.60									37.53	33.93	3.60	
14	QSM	EPD4	12 28 67.17						121.5	176	92	21.10	20.22	0.78	
14	HUP	EPD0	12 28 67.02						126.0	145	92	20.45	21.01	0.03	
14	HCR	EPD1	12 28 69.40						138.4	20	92	25.33	23.25	0.16	

UCT M = 15 51 33.00 UTC HMS = 0.09 NU = 24 FULL DEPTH SOLUTION
 14 LAT = 37.066 N ENI = 0.2 ENH = 0.2 AVFM = 2.1 U = B
 LONG = 116.953 W ENY = 0.2 GAP = 63 AVRN = W = A THIRSTY CANYON
 DEPTH = 4.30 KM ERZ = 1.3 NM = U = B

14	SGV	IPD0	15 51 36.14					38 2.3	11.8	217	105	2.34	2.57	-0.14	
		S 0	15 51 38.07									4.27	4.24	0.03	

1961 SWR LOCAL-EVENT DATA REPORT

UCT 1961	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SLC)	MAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TUMS (SEC)	TCAL (SEC)	NES (SEC)	REMARKS
14	GVN	EPD0	15 51 40.13						35.4	250	93	6.33	6.25	0.02	
		S 0	15 51 45.09									11.29	10.79	0.50	
14	FMT	EPD0	15 51 40.30						36.4	48	93	6.50	6.49	-0.01	
		S 0	15 51 45.57									11.77	11.10	0.63	
14	GMN	EPD0	15 51 40.40					15 1.0	37.7	310	93	6.80	6.89	0.07	
		S 1	15 51 46.71						42.0	130	92	6.91	7.35	-0.27	
		S 1	15 51 46.05									12.25	12.29	-0.03	
14	YMT5	EPD1	15 51 42.06						40.1	113	92	6.26	6.42	-0.15	
		S 1	15 51 48.11									14.31	14.39	-0.08	
14	FMT	EPD0	15 51 42.20						49.7	162	92	6.40	6.61	0.00	
		S 0	15 51 42.59						49.8	116	92	6.79	6.67	0.01	
14	YMT6	EPD0	15 51 44.94									15.14	15.02	0.12	
		S 0	15 51 43.03						53.9	115	92	9.23	9.32	-0.10	
14	YMT3	EPD0	15 51 43.51					35 2.0	57.3	123	92	9.71	9.65	-0.06	
		S 1	15 51 50.77									16.97	16.75	0.22	
14	MGM	EPD0	15 51 43.59						63.7	311	91	9.79	11.11	-1.23	
		S 0	15 51 45.57						64.5	207	91	11.77	11.10	0.76	
14	LCH	EP 0	15 51 45.57						64.5	93	91	11.25	11.16	0.10	
14	BGB	EPD1	15 51 45.05						66.6	17	91	11.72	11.86	0.03	
		S 1	15 51 45.52									19.92	19.99	-0.07	
14	LSM	EP 0	15 51 45.45						70.5	121	91	12.05	12.02	0.01	
		S 1	15 51 54.35									20.55	20.59	-0.03	
14	SDM	EPD1	15 51 45.84						71.9	130	91	12.04	12.23	-0.19	
		S 0	15 51 46.56						73.7	109	90	12.76	12.29	0.56	
14	LUP	EPD1	15 51 46.56						99.0	117	90	16.76	16.40	0.44	
14	PCY	EPD1	15 51 50.56						100.7	106	90	17.19	16.68	0.59	
14	GNV	EPD2	15 51 50.99						102.0	132	90	18.10	17.02	1.07	
		S 0	15 51 51.90									30.55	29.12	1.43	
14	SPRC	EPD4	15 51 52.05						109.9	112	90	19.15	18.18	1.01	
		S 0	15 51 54.73						120.4	50	90	24.93	19.66	1.09	
14	GCS	EPD4	15 51 54.73						122.3	116	90	21.07	20.19	0.79	
14	QSP	EPD4	15 51 54.87						126.3	145	90	22.18	20.66	1.44	
14	KUP	EP 4	15 51 55.94						137.5	19	90	23.76	22.65	1.20	
14	HCR	EPD4	15 51 57.56												

UCT M = 22 23 10.30 UTC RMS = 0.11 NI = 36 PHIL DEPTH SOLUTION
 LAI = 37.054 N ENI = 0.2 ENM = 0.2 AVFM = 2.4 U = A
 LONG = 116.957 W ERT = 0.2 GAP = 72 AVXM = U = A
 DEPTH = 5.64 KM ERZ = 0.7 NM = U = B

UCT	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SLC)	MAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TUMS (SEC)	TCAL (SEC)	NES (SEC)	REMARKS
14	SGV	IPD0	22 23 12.59						55 2.6	10.5	220	116	2.29	2.46	-0.09
		S 0	22 23 14.34									4.06	4.06	-0.02	
14	GVN	IPD1	22 23 16.59						32 2.3	34.8	260	96	6.29	6.17	0.06
		S 0	22 23 21.46									11.16	10.65	0.51	
14	BMT	IPD2	22 23 16.79						40 2.5	37.6	47	95	6.49	6.88	-0.23
		S 0	22 23 22.04									12.14	11.48	0.66	
14	NCT	IPD2	22 23 17.14						41.4	135	95	6.84	7.26	-0.24	
		S 0	22 23 22.53									12.23	12.14	0.09	
14	YMT5	IPD2	22 23 18.52						24 2.1	48.0	111	94	8.22	8.41	-0.19
		S 2	22 23 24.52									14.22	14.34	-0.16	
14	FMT	IPD0	22 23 18.46						48.7	161	94	8.16	8.45	-0.05	
		S 1	22 23 24.27									13.97	14.03	-0.01	
14	TMO	EPD0	22 23 18.45						48.8	235	94	6.55	6.70	0.14	
		S 0	22 23 25.52									15.22	14.37	0.84	
14	YMT4	IPD0	22 23 19.00						49.7	115	94	6.70	6.65	0.01	
		S 0	22 23 25.74									15.44	14.99	0.45	
14	MCA	EPD0	22 23 19.42						53.5	213	93	9.12	9.08	-0.04	
		S 0	22 23 26.89									16.59	15.67	0.92	
14	YMT6	EPD0	22 23 19.75						53.8	114	93	9.45	9.30	0.06	
		S 0	22 23 24.24									15.96	16.06	-0.10	
14	YMT3	IPD2	22 23 19.45						40 2.5	57.0	121	93	9.35	9.80	-0.20
		S 2	22 23 27.25									16.95	16.67	0.24	
14	EPN	IPD0	22 23 20.72						59.0	73	93	10.42	10.39	-0.03	
		S 0	22 23 26.48						60.9	111	93	10.18	10.43	-0.15	
14	CDM5	EPD1	22 23 20.48									17.70	17.66	0.03	
		S 0	22 23 28.00									10.24	10.50	-0.16	
14	CDM1	EPD1	22 23 20.54						60.9	111	93	17.82	17.78	0.04	
		S 0	22 23 28.12									10.70	11.21	-0.42	
14	MGM	EPD4	22 23 21.00						64.3	312	93	19.70	19.01	0.69	
		S 0	22 23 30.00												

90153000/1864

1991 SGN LOCAL-EVENT DATA REPORT

YR	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	PHAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TUBS (SEC)	TCAL (SEC)	NFS (SEC)	REMARKS	
14	LCH	EPUR	22 23 21.81	68.6	288	93			11.51	11.11		11.51	11.11	0.47		
		S 0	22 23 30.59	20.24					11.62	11.68		11.62	11.68	0.01		
14	BSP	EPD0	22 23 21.92	67.3	102	93			20.22	19.88		20.22	19.88	0.38		
		S 2	22 23 30.52	71.5	129	92			11.96	12.15		11.96	12.15	-0.16		
14	BUM	EPUR	22 23 22.20						20.49	20.72		20.49	20.72	0.27		
		S 2	22 23 31.79	70.9	187	92			13.59	13.53		13.59	13.53	0.28		
14	PGE	EPD2	22 23 23.88	61.0	337	92			13.89	13.98		13.89	13.98	0.05		
		S 0	22 23 24.18						23.93	23.50		23.93	23.50	0.43		
14	MZP	EPUR	22 23 24.23	84.7	149	92			14.29	14.20		14.29	14.20	0.04		
		S 0	22 23 24.59						20.19	20.36		20.19	20.36	1.83		
14	AMR	EPD0	22 23 26.49	98.8	116	92			16.63	16.65		16.63	16.65	0.06		
		S 0	22 23 26.93						29.82	28.33		29.82	28.33	0.49		
14	MCY	EPUR	22 23 26.12	102.3	132	92			17.62	17.35		17.62	17.35	0.46		
		S 0	22 23 27.92						30.50	29.38		30.50	29.38	1.16		
14	JUN	EPUR	22 23 27.92						19.18	18.43		19.18	18.43	0.77		
		S 0	22 23 29.80	109.8	111	91			19.61	19.65		19.61	19.65	-0.31		
14	SFRG	EP 0	22 23 29.80						37.55	38.06		37.55	38.06	3.49		
14	TNP	EPUR	22 23 29.91						20.99	20.93		20.99	20.93	0.10		
		S 0	22 23 27.85	125.5	145	91			23.22	23.31		23.22	23.31	-0.01		
14	NIP	EP 1	22 23 31.29	130.8	19	91			42.98	39.71		42.98	39.71	3.26		
		S 0	22 23 33.52						26.12	25.48		26.12	25.48	0.16		
14	MCR	EPUR	22 23 33.52						26.46	26.14		26.46	26.14	0.28		
		S 0	22 23 33.28	157.9	85	90			46.18	46.76		46.18	46.76	1.42		
14	EPR	EPUR	22 23 36.42						28.19	28.09		28.19	28.09	-0.02		
		S 0	22 23 36.76	158.4	50	90										
14	HNN	EPUR	22 23 36.76													
		S 0	22 23 36.88													
14	PRN	EPUR	22 23 38.09													

5
6
1
8
6
5
3
1
0
1
5
3

.....
 ICT N = 2 23 49.33 UTC HMB = 9.21 NU = 39 FREE DEPTH SILLIUM
 15 LAT = 37.065 N LPH = 0.2 ERN = 0.0 AVFM = 2.6 U = R THINITY CANYON
 LONG = 116.946 W LPI = 0.3 GAP = 50 AVFM = U5 = B
 DEPTH = 7.35 KM LRZ = 2.0 MM = U0 = B

15	SCV	IPUR	2 23 51.67	12.1	220	120			2.34	2.82		2.34	2.82	-0.38	
		S 4	2 23 52.95						3.62	4.66		3.62	4.66	-1.04	
15	RMT	IPUR	2 23 55.73	36.0	48	99			6.40	6.67		6.40	6.67	-0.10	
		S 0	2 24 1.47						12.14	11.11		12.14	11.11	1.03	
15	GVN	IPUR	2 23 55.84	36.0	259	99			6.31	6.39		6.31	6.39	-0.14	
		S 0	2 24 0.40						11.07	11.00		11.07	11.00	0.04	
15	GMN	IPUR	2 23 55.97	38.2	313	98			6.64	7.01		6.64	7.01	-0.22	
		S 1	2 24 1.09						11.76	11.73		11.76	11.73	0.04	
15	HCT	IPUR	2 23 56.21	45 2.6	41.6	137	97		6.88	7.31		6.88	7.31	-0.27	
		S 0	2 24 1.76						12.43	12.23		12.43	12.23	0.20	
15	YMT5	IPD1	2 23 57.95	47.5	113	96			6.22	4.36		6.22	4.36	-0.11	
		S 3	2 24 3.65						18.32	18.29		18.32	18.29	0.03	
15	YMT6	IPUR	2 23 58.09	49.3	117	96			6.76	6.62		6.76	6.62	0.04	
		S 3	2 24 4.45						15.52	14.92		15.52	14.92	0.60	
15	FMT	IPUR	2 23 57.52	49.5	163	96			6.19	6.60		6.19	6.60	-0.17	
		S 4	2 24 3.28						13.95	14.30		13.95	14.30	-0.35	
15	TMO	EPD1	2 23 58.20	50.3	235	96			8.87	8.97		8.87	8.97	0.20	
		S 1	2 24 6.72						15.39	14.83		15.39	14.83	0.56	
15	YMT6	EPUR	2 23 58.48	53.4	115	95			9.15	9.26		9.15	9.26	-0.19	
		S 0	2 24 6.16						16.83	15.98		16.83	15.98	0.85	
15	MCA	EPUR	2 23 58.55	55.1	213	95			9.22	9.35		9.22	9.35	-0.21	
		S 2	2 24 5.98						16.65	16.13		16.65	16.13	0.52	
15	YMT5	IPUR	2 23 58.78	56.8	123	95			9.45	9.78		9.45	9.78	-0.28	
		S 0	2 24 6.69						17.36	16.65		17.36	16.65	0.72	
15	EPN	IPD1	2 23 59.71	42 2.6	57.7	73	95		10.38	10.19		10.38	10.19	0.13	
		S 0	2 24 7.97						17.74	17.53		17.74	17.53	0.21	
15	BGR	EPD2	2 23 60.52	63.9	93	95			11.19	11.08		11.19	11.08	0.19	
		S 0	2 24 8.46						19.13	18.81		19.13	18.81	0.32	
15	MCP	EPUR	2 23 60.34	64.2	311	95			11.01	11.21		11.01	11.21	-0.11	
		S 0	2 24 8.53						19.20	19.01		19.20	19.01	0.19	
15	LCH	EPUR	2 23 60.37	65.1	287	94			11.04	11.22		11.04	11.22	-0.10	
		S 2	2 24 8.75						19.42	19.06		19.42	19.06	0.37	
15	CTS	IPUR	2 23 60.46	68.5	17	94			11.53	11.85		11.53	11.85	-0.15	
		S 4	2 24 9.12						19.79	19.98		19.79	19.98	-0.19	
15	MZP	IPUR	2 23 63.11	80.4	331	94			13.78	13.90		13.78	13.90	0.12	
		S 0	2 23 63.44	83.0	60	93			14.11	14.25		14.11	14.25	-0.07	

1981 SCH LOCAL-EVENT DATA REPORT

UCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	PHAS	U181 (MM)	AZ1 (DUL)	A1H (DEL)	TOBS (SEC)	TCAL (SEC)	MIS (SEC)	REMARKS
15	BLT	EPD0	2 23 63.85						86.8	50	93	14.52	14.75	-0.10	
15	PPK	EPD4	2 23 65.90						94.3	295	93	16.57	16.03	0.51	
15	JON	EPD3	2 23 66.21					36 2.6	102.3	133	93	16.80	17.16	-0.26	
15	SVP	EPD1	2 23 67.00						104.6	114	93	16.07	17.07	0.10	
15	GMR	LPD2	2 23 67.70						108.5	74	92	16.37	16.20	0.19	
15	SPRG	EPD0	2 23 67.72						104.3	112	92	16.39	16.30	0.09	
15		S 4	2 24 23.77									14.44	11.35	3.10	
15	TNP	EPD2	2 23 68.77						115.4	148	92	19.44	19.08	-0.31	
15		S 4	2 24 26.66									17.33	13.78	1.55	
15	NUP	EPD0	2 23 70.16						125.9	146	92	20.03	21.00	-0.98	
15	IPU	EPD4	2 23 71.55						149.6	62	92	22.22	21.00	0.56	
15		S 4	2 24 27.35									18.02	17.00	0.99	
15	HCR	EPD0	2 23 72.27						137.3	19	92	22.94	23.07	-0.13	
15		S 4	2 24 32.05									42.72	39.29	3.43	
15	APK	EPD4	2 23 76.60						147.9	124	52	25.27	24.07	0.67	
15	WRN	EPD1	2 23 75.71						157.3	50	52	26.38	25.07	0.67	

UCT M = 4 21 9.43 UTC RMS = 0.10 MU = 33
 15 LAT = 37.057 N ERA = 0.2 ERN = 0.3 AVFM = 4.0 U = R
 LONG = 116.955 W ERY = 0.3 CAP = 42 AYRM = U3 = A
 DEPTH = 7.00 KM ENZ = 1.0 NM = UO = M

PHIL DEPTH SOLUTION

MINISTY CANYON

15	SCV	IPD0	4 21 12.00					197 3.8	10.9	219	126	2.61	2.70	0.00	
15	GVN	IPD2	4 21 15.90						35.0	260	100	6.47	6.25	0.16	
15	CHN	IPU0	4 21 16.20						30.2	115	79	6.85	7.03	-0.03	
15	HCT	IPU0	4 21 16.50						41.5	135	98	7.15	7.31	-0.01	
15	YMT5	IPD0	4 21 17.43					191 3.9	48.0	112	47	6.40	6.44	-0.04	
15	YMT4	IPU2	4 21 18.47						49.6	115	97	9.04	8.68	0.25	
15	YMT6	IPU0	4 21 18.84						53.7	114	96	9.41	9.33	-0.01	
15	YMT3	IPU0	4 21 19.15						57.0	122	96	9.72	9.43	-0.06	
15	EPN	IPD2	4 21 20.07						58.8	75	96	10.64	10.37	0.20	
15	CUHS	IPD0	4 21 19.82						60.8	111	95	10.39	10.45	0.04	
15	CDH1	IPU0	4 21 19.89						60.8	111	95	10.46	10.52	0.04	
15	MCH	IPU0	4 21 20.66					188 3.9	64.2	112	95	11.23	11.22	0.10	
15	LCH	EPD1	4 21 20.41						64.6	248	95	10.96	11.15	-0.09	
15	SSP	IPU2	4 21 21.32						67.2	103	95	11.69	11.69	-0.26	
15	LSM	IPU2	4 21 21.30					194 4.0	70.3	120	95	11.87	11.49	-0.15	
15		S 0	4 21 30.00									20.57	20.54	0.02	
15	SDM	IPU0	4 21 21.66						71.5	130	94	12.23	12.18	0.09	
15		S 2	4 21 30.00									20.57	20.75	-0.18	
15	LUP	IPU0	4 21 21.98						73.6	108	94	12.55	12.66	-0.03	
15	PGE	EPD1	4 21 23.10						79.2	107	94	13.67	13.59	0.29	
15	GLR	IPD0	4 21 23.70						84.8	79	79	14.27	14.42	-0.08	
15	KRMA	IPD0	4 21 25.09						91.5	34	93	15.66	15.61	-0.02	
15	PPK	EPD1	4 21 25.30						93.9	296	93	15.87	15.98	-0.12	
15	HCT	IPU1	4 21 25.92						98.8	114	93	16.49	16.65	-0.09	
15	JON	IPU1	4 21 26.54						102.4	132	93	17.11	17.17	-0.07	
15	SVP	IPU0	4 21 27.41						104.6	114	93	17.98	17.88	-0.01	
15	GMR	IPD3	4 21 28.05						109.5	74	93	18.62	18.46	0.26	
15	SPRG	EPD1	4 21 27.70						109.8	112	93	18.27	18.43	-0.14	
15	TNP	IPU1	4 21 29.14						116.1	148	93	19.71	19.61	-0.17	
15	NUP	IPU0	4 21 30.29						125.6	145	92	20.86	20.96	-0.01	
15	HCR	EPD0	4 21 32.59						138.4	19	92	23.16	23.26	-0.01	
15		S 4	4 21 31.71									42.28	39.62	2.66	
15	EPR	IPD4	4 21 35.73						157.7	85	52	26.30	25.75	0.56	
15	WRN	EPD4	4 21 35.14						150.6	50	52	25.71	25.98	-0.31	
15	SHRC	EPD4	4 21 37.72						171.9	111	52	26.29	27.67	1.21	
15		S 4	4 21 58.82									49.39	46.30	3.09	
15	PRM	EPD1	4 21 37.61					230 4.5	173.6	77	52	28.14	27.63	0.23	
15	DLP	EPD3	4 21 41.48						205.7	73	52	32.05	32.02	-0.22	

30153 1366

1981 SCR LOCAL-EVENT DATA NEPUMI

UCT STA PHASE TIME AMP PER XNAG DUR FMAG DIST AZI AIN TUBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (NM) (DEG)(DEG) (SEC) (SEC) (SEC)

UCT M # 7 19 5.16 UTC RMS # 0.16 NU # 20 FREE DEPTH SOLUTION
 15 LAT # 37.059 N ERM # 0.3 EHM # 0.5 AVFM # 2.0 u # R
 LONG # 116.960 W ERY # 0.0 GAP # 60 AVXM # u3 # B THIRSTY CANYON
 DEPTH # 4.50 NM ERZ # 2.0 NM # u0 # b

15	SGV	IPU2	7 19 7.56			31	2.7	10.7	217	120	2.40	2.70	-0.25	
		S 0	7 19 10.04								5.60	4.53	1.15	
15	GVN	EPD0	7 19 11.53			24	2.0	34.6	250	101	6.37	6.21	0.11	
		S 0	7 19 16.30								11.14	10.71	0.43	
15	MHT	IPU1	7 19 11.70			19	1.8	37.4	49	101	6.62	6.93	-0.14	
		S 2	7 19 17.10								11.90	11.50	0.30	
15	GHN	LPD0	7 19 11.90			17	1.7	37.0	115	101	6.82	6.90	-0.01	
		S 0	7 19 16.97								11.81	11.67	0.14	
15	NCT	IPU2	7 19 12.12			25	2.1	41.9	135	99	6.96	7.40	-0.27	
		S 1	7 19 17.04								12.60	12.37	0.31	
15	YMT1	LPU2	7 19 12.93			26	2.1	44.6	121	98	7.77	7.87	-0.23	
		S 2	7 19 18.76								13.60	13.60	-0.00	
15	TMD	EPD0	7 19 13.20					40.0	235	98	8.12	8.76	-0.30	
15	YMT4	EPD0	7 19 13.64			23	2.0	50.1	115	97	6.48	6.77	-0.40	
		S 3	7 19 20.69								15.53	15.18	0.35	
15	EPN	EPD0	7 19 15.04					59.1	73	96	10.44	10.44	-0.02	
		S 0	7 19 23.15								17.99	17.96	0.04	
15	CDM5	EPD0	7 19 19.77					61.3	111	96	14.61	10.53	4.10	
		S 1	7 19 23.11								17.95	17.83	0.12	
15	CDM1	EP 0	7 19 15.01					61.3	111	96	9.85	10.60	-0.85	
		S 0	7 19 23.10								18.00	17.95	0.05	
15	LCH	FPU4	7 19 14.96			14	1.6	64.2	200	96	9.80	11.00	1.20	
		S 4	7 19 25.55								20.39	18.81	1.58	
15	CTS	EPD1	7 19 16.78			19	1.9	69.5	17	95	11.62	12.04	-0.25	
		S 4	7 19 24.67								19.71	20.30	-0.59	
15	LSP	EPD0	7 19 17.64			23	2.1	70.7	120	95	12.48	12.00	0.39	
		S 0	7 19 25.83								20.67	20.60	-0.01	
15	SUM	EPD0	7 19 17.30					71.9	130	95	12.14	12.25	-0.07	
		S 4	7 19 26.55								21.39	20.89	0.51	
15	LUP	EPD1	7 19 17.89			21	2.0	74.1	108	95	12.73	12.74	0.07	
		S 4	7 19 27.57								22.41	21.65	0.76	
15	AMP	EPD2	7 19 19.23					85.2	149	94	14.07	14.30	-0.28	
15	KKMA	EPD0	7 19 21.62					91.6	34	94	16.46	15.63	0.76	
15	TNP	EPD0	7 19 25.46					115.9	349	93	20.30	19.57	0.86	
15	OCS	EPD0	7 19 27.20					121.4	50	93	22.09	20.40	1.61	
		S 0	7 19 37.03								27.27	30.93	-7.66	
15	MCR	EPD0	7 19 29.30					130.4	20	92	24.10	23.26	0.98	
		S 0	7 19 38.83								29.67	34.01	-9.94	

UCT M # 7 22 50.19 UTC RMS # 0.15 NU # 32 FREE DEPTH SOLUTION
 15 LAT # 37.069 N ERM # 0.2 EHM # 0.3 AVFM # 2.1 u # A
 LONG # 116.969 W ERY # 0.2 GAP # 60 AVXM # u3 # A THIRSTY CANYON
 DEPTH # 7.93 NM ERZ # 0.9 NM # u0 # b

15	SGV	IPU2	7 22 52.56			32	2.7	12.3	217	122	2.37	2.89	-0.43	
		S 0	7 22 54.96								4.77	4.74	-0.01	
15	GVN	EPD0	7 22 56.50			24	2.1	35.4	250	100	6.31	6.37	-0.12	
		S 2	7 23 1.32								11.13	11.00	0.13	
15	MHT	IPD0	7 22 56.70			28	2.2	35.9	49	100	6.51	6.67	0.01	
		S 7	7 23 1.55								11.36	11.12	0.25	
15	GHN	EPU1	7 22 56.90			26	2.1	37.6	313	100	6.71	6.93	-0.07	
		S 0	7 23 1.92								11.73	11.60	0.13	
15	NCT	IPU2	7 22 57.15			25	2.1	42.1	137	98	6.96	7.42	-0.29	
		S 3	7 23 2.88								12.69	12.41	0.29	
15	YMT1	IPU1	7 22 57.94					44.5	123	98	7.75	7.83	-0.21	
		S 7	7 23 3.46								13.27	13.62	-0.34	
15	YMT5	EPD1	7 22 58.49					48.0	113	97	8.30	8.44	-0.14	
		S 0	7 23 4.60								14.41	14.44	-0.03	
15	FMT	EP 0	7 22 57.70			23	2.0	50.1	162	97	7.51	8.70	-0.95	
		S 4	7 23 5.00								15.61	14.47	1.14	
15	YMT6	LPD2	7 22 59.83			24	2.1	53.9	116	96	9.64	9.34	0.21	
		S 0	7 23 6.33								16.14	16.13	0.01	

1981 SGB LOCAL-EVENT DATA REPORT

UCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FNAG	DISI (KM)	AZI (DEG)	A1H (DEG)	THRS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
UCT M = 18 43 12.67 UTC NMS = 0.09 NU = 42 FREE DEPTH SOLUTION 15 LAI = 37.054 N ERR = 0.1 ENH = 0.2 AVFM = 2.3 U = B LONG = 116.955 W ERY = 0.2 GAP = 92 AVXN = US = A DEPTH = 5.12 KM EHZ = 0.7 NM = W = C															
15	SGV	IPD0	18 43 14.97						10.9	219	112	2.30	2.48	-0.09	
	S 0		18 43 16.00									4.13	4.09	0.04	
15	GVN	IPD0	18 43 18.00				30	2.3	35.0	260	90	0.27	0.19	0.08	
	S 0		18 43 23.67									11.00	10.69	0.32	
15	BMT	IPD1	18 43 19.10						37.2	80	90	0.51	0.82	-0.14	
	S 0		18 43 20.07									11.40	11.37	0.03	
15	GMN	IPU1	18 43 19.30				34	2.3	30.1	315	90	0.67	0.96	-0.10	
	S 0		18 43 20.43									11.70	11.05	0.12	
15	WCT	IPU3	18 43 19.57				34	2.3	41.6	135	90	0.90	7.29	-0.22	
	S 2		18 43 25.13									12.40	12.10	0.29	
15	YMT1	IPU2	18 43 20.37						44.3	121	93	7.70	7.70	-0.10	
	S 0		18 43 26.12									13.45	13.40	-0.03	
15	YMT5	IPU2	18 43 20.93				32	2.3	40.0	112	93	0.26	0.01	-0.10	
	S 0		18 43 27.07									14.00	14.30	0.03	
15	FMT	IPU1	18 43 20.88						49.0	101	93	0.21	0.49	-0.06	
15	IMD	EPU4	18 43 20.71				28	2.2	49.1	235	93	0.04	0.75	-0.01	
	S 0		18 43 27.76									15.04	14.00	0.00	
15	YMT4	EPU0	18 43 21.49						49.7	115	93	0.02	0.60	0.06	
	S 2		18 43 27.99									15.32	14.99	0.33	
15	YMT2	EP 0	18 43 21.74				31	2.3	51.8	120	93	9.07	0.95	0.00	
	S 2		18 43 28.37									15.70	15.45	0.25	
15	YMT6	EPD0	18 43 22.04				31	2.3	53.8	114	93	9.37	9.30	-0.02	
	S 0		18 43 29.21									16.54	16.06	0.00	
15	YMT3	EP 1	18 43 22.35						57.1	112	92	9.08	9.01	-0.00	
15	EPN	IPU0	18 43 23.11						58.0	73	92	10.04	10.30	0.00	
	S 2		18 43 30.75									10.08	17.79	0.29	
15	CDH5	EPD1	18 43 22.90						60.9	111	92	10.23	10.03	-0.09	
	S 4		18 43 31.22									10.55	17.06	0.09	
15	CDH1	EPU0	18 43 23.15						60.9	111	92	10.40	10.50	0.09	
	S 2		18 43 30.74									10.07	17.70	0.29	
15	PGP	IPD0	18 43 23.77				27	2.2	64.2	112	92	11.10	11.10	0.01	
	S 4		18 43 32.26									19.54	18.00	0.63	
15	CTS	IPU1	18 43 24.36				28	2.3	69.5	17	92	11.64	12.00	-0.10	
	S 0		18 43 32.83									20.16	20.24	-0.07	
15	LSM	EPD1	18 43 28.54						70.3	120	92	11.92	11.90	-0.00	
	S 0		18 43 33.28									20.01	20.53	0.09	
15	SDM	EPU1	18 43 24.60						71.6	130	92	12.01	12.17	-0.11	
	S 4		18 43 33.99									21.32	20.70	0.59	
15	LUP	EPD0	18 43 25.29						73.7	100	92	12.64	12.05	0.06	
	S 4		18 43 35.23									22.50	21.09	1.08	
15	NZP	EPD0	18 43 26.43						80.8	112	92	13.70	13.90	0.06	
15	BLT	EPU0	18 43 27.38						87.6	57	92	16.71	14.90	-0.09	
15	KHMA	EPU0	18 43 24.27						91.0	30	91	15.00	15.59	-0.05	
	S 4		18 43 39.90									27.23	26.77	0.46	
15	MCY	EPU1	18 43 29.89						90.8	116	91	16.82	16.06	0.20	
	S 4		18 43 42.34									29.67	28.35	1.32	
15	JDM	EPD2	18 43 29.64				24	2.2	102.5	132	91	16.97	17.10	-0.22	
	S 4		18 43 43.20									36.53	29.00	1.14	
15	SVP	EPU4	18 43 30.21						104.5	110	91	17.54	17.05	-0.42	
	S 4		18 43 45.16									32.49	30.72	1.77	
15	SPRC	EPD0	18 43 31.16						109.8	112	91	18.49	18.00	0.00	
	S 4		18 43 45.55									32.00	31.48	1.40	
15	TNP	EPD4	18 43 32.95						116.0	100	90	20.28	19.17	0.85	
	S 4		18 43 50.07									37.00	33.24	4.17	
15	QSM	EPD1	18 43 33.19						121.5	170	90	20.52	20.05	0.30	
	S 4		18 43 47.96									35.49	34.45	0.85	
15	NUF	EPC1	18 43 33.46						125.7	105	90	20.74	20.75	0.14	
	S 4		18 43 49.51									36.04	35.32	1.52	
15	TPU	EPU4	18 43 34.93						130.4	67	90	22.26	21.57	0.80	
15	NHN	EPU0	18 43 39.15				14	2.0	150.5	50	90	26.40	26.00	0.36	
15	PWA	EPU3	18 43 40.78						175.6	77	92	40.11	28.11	-0.12	

70153 1369

1981 SCS LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PER IMAG DUR PHAG U151 AZI A1M TUBS TCAL NES REMARKS
 1981 (UTC) (MU) (Sec) (KM) (DEG) (DEG) (SEC) (SEC) (SEC)

OCT H = 1 47 42.43 UTC RMS = 0.09 NO = 27 FREE DEPTH SOLUTION
 16 LAT = 37.006 N ERX = 0.2 ERN = 0.2 AVFM = 2.1 U = B
 LONG = 116.961 W ERY = 0.2 GAP = 66 AVXM = U = A
 DEPTH = 0.79 KM ERZ = 0.4 NM = U = C
 THIRTY CANYON

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (Sec)	IMAG (KM)	DUR (Sec)	PHAG (DEG)	U151 (KM)	AZI (DEG)	A1M (DEG)	TUBS (SEC)	TCAL (SEC)	NES (SEC)	REMARKS	
16	SGV	IPD0	1 47 44.80												
		3 4	1 47 46.17												
16	GVN	EPD0	1 47 48.83					34	2.2	11.5	214	40	2.37	2.48	-0.02
		3 4	1 47 48.83												
16	BHT	EPD1	1 47 49.82					27	2.1	34.7	458	38	3.74	4.08	-0.34
		3 2	1 47 49.82												
16	MCT	IPU4	1 47 49.40					27	2.1	37.8	49	38	6.48	6.26	0.22
		3 0	1 47 49.40												
16	YHT1	EPU4	1 47 49.96					22	2.0	42.6	136	38	11.81	11.53	0.28
		3 0	1 47 49.96												
16	FHT	EPD4	1 47 49.03												
16	YHT4	EPD0	1 47 51.38												
		3 0	1 47 51.38												
16	MCA	EPD0	1 47 51.81					25	2.1	50.4	412	38	6.97	7.57	-0.60
		3 4	1 47 51.81												
16	YHT6	EPU1	1 47 52.14					21	2.0	54.7	115	38	12.61	12.87	-0.26
		3 2	1 47 52.14												
16	YHT3	EPU4	1 47 53.17												
		3 0	1 47 53.17												
16	EPN	EPD0	1 47 52.94												
		3 0	1 47 52.94												
16	MCP	EPD3	1 47 53.28												
		3 4	1 47 53.28												
16	LCH	EPD4	1 47 54.27												
		3 4	1 47 54.27												
16	BGB	EPD0	1 47 53.74					19	1.9	65.3	93	38	15.52	15.45	0.07
		3 0	1 47 53.74												
16	SSP	EPD4	1 47 53.34												
		3 4	1 47 53.34												
16	CTS	EPD2	1 47 54.13					28	2.8	68.8	18	38	14.98	13.95	1.03
		3 0	1 47 54.13												
16	LSP	EPD2	1 47 54.88					24	2.4	71.2	121	38	16.45	16.12	0.32
		3 4	1 47 54.88												
16	SDH	EPU4	1 47 54.50					21	2.0	54.7	115	38	9.38	9.35	-0.03
		3 1	1 47 54.50												
16	LDP	EPD1	1 47 55.12												
		3 4	1 47 55.12												
16	PGE	EP 4	1 47 55.77												
		3 4	1 47 55.77												
16	AMR	EP 0	1 47 57.94												
		3 4	1 47 57.94												
16	MHNA	EPU0	1 47 58.11												
		3 4	1 47 58.11												
16	MCT	EPD0	1 47 59.30												
		3 2	1 47 59.30												
16	GMR	EPU1	1 47 61.86												
		3 4	1 47 61.86												
16	SPRG	EPU4	1 47 66.55												
		3 2	1 47 66.55												
16	MCH	EPU4	1 47 66.62												
		3 2	1 47 66.62												

701531871

OCT H = 2 33 40.95 UTC RMS = 0.10 NO = 16 FREE DEPTH SOLUTION
 16 LAT = 36.529 N ERX = 0.3 ERN = 0.4 AVFM = 1.3 U = B
 LONG = 115.820 W ERY = 0.2 GAP = 134 AVXM = U = A
 DEPTH = 9.39 KM ERZ = 1.4 NM = U = C
 MERCURY

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (Sec)	IMAG (KM)	DUR (Sec)	PHAG (DEG)	U151 (KM)	AZI (DEG)	A1M (DEG)	TUBS (SEC)	TCAL (SEC)	NES (SEC)	REMARKS	
16	SPRG	EPU0	2 33 44.75					11	1.3	18.3	3	114	3.80	3.79	0.01
		3 0	2 33 44.75												
16	MCT	EPU0	2 33 44.84					14	1.5	19.4	319	114	6.41	6.43	-0.02
		3 0	2 33 44.84												
16	JDN	EPU0	2 33 45.97					7	0.9	27.2	249	107	3.89	3.97	0.08
		3 4	2 33 45.97												
16	APK	EP 2	2 33 46.71												
		3 2	2 33 46.71												

NOV 1981

1981 SGB LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	U1ST (KM)	AZI (DEG)	ATN	10BS (SEC)	1CAL (SEC)	RES (SEC)	REMARKS
16	LSM	EPU1	2 33 49.29					10 1.3	46.8	300	99	8.34	8.23	0.09	
		3 0	2 33 50.98									14.63	14.11	-0.04	
16	LOP	EPD0	2 33 49.30					9 1.2	47.6	319	99	8.35	8.48	-0.04	
		3 2	2 33 55.54									14.59	14.34	0.21	
16	BDH	EP 0	2 33 49.40					9 1.2	48.1	286	99	8.45	8.43	0.06	
		3 3	2 33 55.57									14.62	14.35	0.28	
16	NOP	EP 4	2 33 52.38					9 1.2	53.6	218	98	11.43	9.29	2.23	
		3 0	2 33 56.78									15.75	15.74	0.01	
16	BSP	EP 4	2 33 52.29						56.5	321	98	11.34	9.99	1.43	
		3 0	2 33 58.84									17.89	16.95	0.94	
16	YMT3	EPD0	2 33 51.36					15 1.7	60.1	298	97	10.41	10.35	0.11	
		3 0	2 33 58.62									17.67	17.62	0.05	
16	YMT1	EP 4	2 33 56.40						72.8	300	96	15.49	12.44	2.92	
		3 4	2 34 2.91									21.98	21.49	0.47	

OCT N = 13 37 38.39 UTC RMS = 0.88 NO = 9 FREE DEPTH SOLUTION
 16 LAT = 38.241 N ENX = 0.3 ERN = 1.0 AVFM = 3.2 U = C
 LONG = 116.592 W ERY = 0.9 GAP = 202 AVXM = DS = B BLACK BUTTE
 DEPTH = 1.79 KM ERZ = 2.3 NM W UD = D

16	HCR	IPD0	13 37 41.17					105 3.2	13.8	94	94	2.78	2.95	-0.08	
		3 0	13 37 43.23									4.84	4.89	-0.05	
16	TNP	IPD0	13 37 48.81						57.6	252	74	10.42	10.12	0.03	
		3 1	13 37 56.11									17.72	17.77	-0.05	
16	HRNA	IPU0	13 37 48.83						58.6	161	74	10.44	10.30	0.07	
		3 1	13 37 56.04									17.65	17.73	-0.08	
16	CTS	EPU2	13 37 49.91						66.8	198	74	11.52	11.78	0.22	
		3 0	13 37 56.42									18.63	19.34	-1.30	
16	OCB	EPU0	13 37 52.86						79.3	132	74	13.67	13.65	0.06	
		3 0	13 38 1.63									23.24	23.29	-0.04	

OCT N = 17 12 1.40 UTC RMS = 0.17 NO = 25 FREE DEPTH SOLUTION
 17 LAT = 37.051 N ERX = 0.2 ERN = 0.4 AVFM = 1.9 U = B
 LONG = 116.952 W ERY = 0.3 GAP = 88 AVXM = DS = B THIRSTY CANYON
 DEPTH = 7.35 KM ERZ = 1.0 NM W UD = D

17	BGV	EP 0	1 12 3.90						18.6	223	124	2.42	2.60	-0.09	
		3 0	1 12 5.73									4.25	4.30	-0.05	
17	GVN	EPD0	1 12 7.71					23 2.0	35.2	261	99	6.23	6.26	-0.09	
		3 3	1 12 12.53									11.05	10.81	0.24	
17	BMT	EPU2	1 12 7.96					21 1.9	37.5	47	99	6.48	6.90	-0.25	
		3 2	1 12 13.19									11.71	11.52	0.19	
17	GMN	EPD3	1 12 8.16					20 1.9	38.9	315	96	6.68	7.12	-0.29	
		3 0	1 12 13.40									11.92	11.92	0.01	
17	NCT	EPU2	1 12 8.21					15 1.6	40.8	135	97	6.73	7.20	-0.31	
		3 2	1 12 13.66									12.18	12.03	0.15	
17	YMT1	EPU2	1 12 8.98					28 2.2	43.6	120	97	7.50	7.68	-0.31	
		3 1	1 12 14.92									13.44	13.38	0.08	
17	YMT5	EPU1	1 12 9.62					15 1.6	47.5	111	96	6.14	6.35	-0.21	
		3 0	1 12 15.72									14.24	14.27	-0.03	
17	TKD	EPU1	1 12 18.17					17 1.8	48.9	236	96	8.69	8.74	0.24	
		3 4	1 12 15.58									14.10	14.46	-0.36	
17	YMT6	EP 0	1 12 18.15					21 1.9	49.1	115	96	8.67	8.59	-0.03	
		3 4	1 12 16.77									15.29	14.87	0.42	
17	YMT3	EP 2	1 12 18.89					26 2.2	56.4	121	95	9.41	9.73	-0.27	
		3 3	1 12 18.24									16.76	16.55	0.21	
17	EPN	EPD0	1 12 11.82					17 1.8	58.7	72	95	10.34	10.35	-0.07	
		3 1	1 12 19.48									18.90	17.81	0.19	
17	COM1	EP 4	1 12 12.66						60.3	111	95	11.18	10.43	0.85	
17	BGB	EPD0	1 12 12.60					15 1.7	64.5	91	94	11.12	11.17	0.01	
		3 2	1 12 20.49									19.21	18.97	0.24	
17	LCH	EP 4	1 12 13.01						65.1	288	94	11.53	11.21	0.40	
		3 3	1 12 20.90									19.42	19.04	0.38	
17	LSM	EPD4	1 12 13.77					21 2.0	69.7	120	94	12.29	11.90	0.37	
		3 0	1 12 21.89									20.41	20.38	0.03	
17	CTS	EPU3	1 12 13.98					20 2.0	70.1	17	94	11.60	12.12	-0.35	
		3 4	1 12 22.34									20.86	20.44	0.42	

70153 1872

NOV 1981

1981 SSB LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PLR (SLC)	KNAG	DUR	FMAG	DIST (KM)	AZI (DEG)	ATN	TUOS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
	17	LUP	EP 2	1 12 14.24				21 2.0	73.2	107	96	12.76	12.58	0.26	
			3 4	1 12 23.89								22.41	21.37	1.04	

DCT N = 17 59 50.46 UTC RMS = 0.10 NO = 24 FREE DEPTH SOLUTION
 17 LAT = 36.448 N ERX = 0.2 ERM = 0.3 AVFM = 2.4 U = 9
 LONG = 116.937 W LRY = 0.2 GAP = 78 AVXN = 60 = A
 DEPTH = 7.99 KM ERZ = 0.9 NM = 0 W0 = B FURNACE CREEK

17	PGE	IPU0	17 59 53.74					34 2.2	15.4	229	116	3.20	3.40	0.09	
		3 0	17 59 55.85									5.39	5.44	-0.06	
17	FMT	EPU0	17 59 55.05					35 2.3	26.2	33	104	4.59	4.49	-0.06	0.70
		3 0	17 59 58.87									8.81	7.95	0.86	
17	SNV	IPU1	17 59 56.96					34 2.3	36.9	100	100	6.58	6.70	-0.12	1.40
		3 1	18 0 1.98									11.52	11.32	0.20	
17	MCA	IPU0	17 59 56.61					31 2.2	38.5	307	99	6.15	6.69	-0.62	
		3 1	18 0 2.00									11.62	11.58	0.04	
17	AMR	IPU0	17 59 57.04					33 2.3	41.8	97	98	7.38	7.30	0.06	1.80
		3 1	18 0 2.61									12.35	12.50	-0.16	
17	MCT	EPD0	17 59 58.70					35 2.4	47.9	35	97	8.24	8.35	0.05	1.70
		3 3	18 0 4.03									14.37	14.00	0.37	
17	OSM	EPU0	17 59 59.59					36 2.4	53.1	173	96	9.13	9.11	-0.02	
		3 0	18 0 6.14									15.68	15.74	-0.06	
17	YMT2	EPD4	17 59 59.75					48 2.5	55.7	47	96	9.29	9.63	-0.42	1.00
		3 0	18 0 6.98									16.52	16.61	-0.09	
17	TMO	EPU0	17 59 60.06						58.5	314	96	9.60	10.30	-0.41	
		3 0	18 0 7.73									17.27	17.11	0.16	
17	YMT1	EPD1	17 59 60.88					46 2.7	58.6	39	96	10.42	10.11	0.31	
		3 0	18 0 7.91									17.65	17.52	-0.07	
17	SCV	EP 0	17 59 60.86					43 2.6	60.6	352	95	10.40	10.52	-0.04	1.90
		3 1	18 0 8.18									17.72	17.84	-0.12	
17	LSM	EPD1	17 59 62.29					37 2.5	60.1	61	95	11.83	11.64	0.16	
		3 4	18 0 10.96									20.44	19.94	0.49	
17	CVN	EPU1	17 59 62.59					36 2.3	72.1	330	94	12.13	12.23	-0.16	
		3 4	18 0 11.77									21.31	21.02	0.29	
17	NOP	EPU2	17 59 63.47					32 2.4	78.5	110	94	13.01	13.30	-0.20	
		3 1	18 0 13.16									22.70	22.50	0.11	
17	GMN	EPD4	17 59 64.40					34 2.5	99.7	343	93	15.94	16.98	-0.89	
		3 2	18 0 19.06									28.60	28.78	-0.18	

DCT N = 21 16 4.15 UTC RMS = 0.12 NO = 20 FREE DEPTH SOLUTION
 17 LAT = 36.442 N ERX = 0.4 ERM = 0.6 AVFM = 2.1 U = 8
 LONG = 116.954 W LRY = 0.4 GAP = 84 AVXN = 60 = A
 DEPTH = 12.76 KM ERZ = 1.4 NM = 0 W0 = B FURNACE CREEK

17	PGL	IPD0	21 16 7.66					20 1.8	14.4	224	132	3.51	3.70	0.03	
		22	1.9	27.0	36	114	4.87	5.26	-0.18						
17	FMT	EPU1	21 16 9.02					22 1.9	27.0	36	114	4.87	5.26	-0.18	
		22	1.9	37.2	100	107	6.40	6.66	-0.33						
17	MCA	IPU2	21 16 10.55					27 2.1	38.0	138	107	6.73	7.05	-0.24	1.40
		18	1.8	43.3	96	105	7.60	7.70	-0.11						
17	SNV	EPU2	21 16 10.88					23 2.0	48.7	37	103	8.54	8.61	0.09	
		23	2.0	53.4	172	102	9.49	9.29	0.11						
17	AMR	IPU0	21 16 11.75					31 2.3	56.8	40	101	10.15	9.91	0.16	1.50
		22	2.0	57.3	315	101	10.01	10.23	0.09						
17	MCT	EPD1	21 16 12.69					33 2.4	59.5	40	101	10.47	10.36	-0.02	1.80
		17	1.8	59.6	66	101	10.42	10.36	0.18						
17	OSM	EPU1	21 16 13.64					25 2.2	60.3	353	100	10.67	10.58	0.19	1.70
		25	2.2	65.1	44	100	10.97	11.28	-0.42						
17	YMT2	IPU2	21 16 14.30					21 2.0	67.5	47	99	11.87	11.64	-0.06	
		25	2.2	67.6	41	99	11.82	11.70	0.12						
17	TMO	EPU0	21 16 14.16					27 2.2	69.4	61	99	12.09	11.94	0.13	0.80
		26	2.2	71.2	331	99	12.10	12.18	-0.13						
17	YMT1	EPD0	21 16 14.62					19 2.0	76.3	40	98	12.76	13.02	-0.26	
		19	2.0	79.9	116	98	13.55	13.61	0.03						
17	SDM	EPD1	21 16 14.57					22 2.1	84.8	51	97	14.73	14.62	0.19	
		22	2.1	107.6	325	96	17.77	18.18	-0.32						
17	SCV	EPU2	21 16 14.82												
		21	1.6	15.12											
17	YMT4	EP 4	21 16 15.12												
		21	1.6	15.82											
17	YMT6	EPD0	21 16 15.82												
		21	1.6	16.24											
17	YMT5	EPD1	21 16 15.97												
		21	1.6	16.25											
17	LSM	EPU1	21 16 16.24												
		21	1.6	16.91											
17	CVN	EP 0	21 16 16.25												
		21	1.6	17.70											
17	JON	EPD2	21 16 16.91												
		21	1.6	18.08											
17	NOP	EPU0	21 16 17.70												
		21	1.6	21.92											
17	SSP	EPU2	21 16 18.08												
		21	1.6	21.92											
17	LCM	EP 2	21 16 21.92												

70153 1873

1981 SCB LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AMN (DEG)	T008 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
19	GVN	EP00	1 43 53.99					19 1.0	35.4	259	100	6.26	6.31	-0.11	
		S 1	1 43 56.73									11.00	10.89	0.11	
19	BMT	EP 0	1 43 54.01					18 1.0	36.5	40	100	7.00	6.76	0.49	
		S 0	1 43 59.51									11.70	11.27	0.51	
19	GMN	EP 1	1 43 54.43						37.0	314	90	6.70	6.96	-0.11	
		S 0	1 43 59.50									11.77	11.64	0.15	
19	HCT	EP02	1 43 54.04					18 1.0	41.9	136	90	8.91	7.38	-0.31	
		S 0	1 44 0.17									12.44	12.35	0.09	
19	YMT1	EP 3	1 43 55.33						44.4	122	90	7.60	7.03	-0.36	
		S 1	1 44 1.14									13.45	13.60	-0.15	
19	YMT5	EP01	1 43 55.90					17 1.0	48.1	113	97	6.25	6.45	-0.20	
		S 0	1 44 2.20									14.47	14.46	0.01	
19	FMT	EP 4	1 43 60.56						49.0	162	97	12.03	8.63	4.44	
		S 4	1 44 3.20									15.55	14.35	1.20	
19	YMT4	EP00	1 43 56.59						49.0	114	97	8.46	8.71	0.06	
		S 1	1 44 2.93									15.20	15.00	0.12	
19	MCA	EP 4	1 43 57.93						54.7	212	96	10.20	9.30	0.82	
		S 4	1 44 4.14									16.41	16.04	0.37	
19	YMT3	EP 1	1 43 57.34						57.3	123	96	9.61	9.87	-0.21	
		S 3	1 44 4.75									17.02	16.79	0.23	
19	EPN	EP01	1 43 58.28						58.3	73	96	10.55	10.30	0.19	
19	CDM1	EP 4	1 43 57.62						60.9	112	95	9.89	10.53	-0.54	
19	BCB	EP01	1 43 58.95						64.5	93	95	11.22	11.18	0.12	
		S 0	1 44 6.77									19.04	18.99	0.05	
19	SSP	EP 4	1 43 60.10						67.2	103	95	12.37	11.68	0.77	
		S 1	1 44 7.74									20.01	19.84	0.17	
19	CTS	EP00	1 43 59.39						68.7	17	95	11.66	11.90	-0.07	
		S 0	1 44 7.77									20.04	20.05	-0.01	
19	LSM	EP04	1 43 59.16						70.5	121	90	11.43	12.03	-0.62	
		S 0	1 44 8.35									20.62	20.61	0.01	
19	PGE	EP 0	1 43 62.26						80.1	107	94	14.53	13.73	1.02	
19	GVV	EP 1	1 43 64.83						100.6	105	93	17.10	17.01	0.17	

OCT N = 18 34 48.34 UTC RMS = 0.10 NO = 20 FREE DEPTH SOLUTION
 19 LAT = 37.286 N ERX = 0.2 ERM = 0.2 AVFM = 1.5 O = B
 LONG = 116.317 W ERY = 0.2 GAP = 74 AVXM = 05 = A SILENT CANYON - NORTH
 DEPTH = 5.31 KM ERZ = 0.9 NM = 00 = B

19	EPN	EP00	18 34 50.52					29 2.1	8.0	104	124	2.10	2.23	-0.11	
		S 0	18 34 52.20									3.06	3.92	-0.86	
19	BLT	EP 4	18 34 52.92						27.8	30	97	4.58	5.22	-0.51	
		S 0	18 34 57.14									8.00	8.71	0.69	
19	GLP	EP 0	18 34 53.47					18 1.2	28.3	110	97	5.13	5.22	-0.02	
		S 1	18 34 57.05									8.71	8.80	-0.09	
19	BCB	EP01	18 34 53.48					15 1.6	28.6	164	97	5.14	5.34	-0.11	
		S 1	18 34 57.43									9.29	8.99	0.30	
19	BMT	EP 1	18 34 53.77					17 1.7	29.1	270	96	5.43	5.51	0.09	
		S 0	18 34 57.49									9.15	9.14	0.02	
19	SSP	EP 1	18 34 55.88						41.0	168	94	7.54	7.41	0.21	
		S 4	18 35 1.80									13.46	12.53	0.93	
19	YMT5	EP 0	18 34 56.21					14 1.6	44.7	196	90	7.07	7.06	0.01	
		S 0	18 35 1.87									13.53	13.45	0.09	
19	YMT6	EP 4	18 34 57.19					18 1.3	48.8	109	93	6.85	8.37	0.40	
		S 0	18 35 3.27									14.93	14.46	0.47	
19	YMT4	EP 0	18 34 56.82					11 1.4	48.1	194	93	8.40	8.40	-0.02	
		S 0	18 35 2.95									14.61	14.54	0.07	
19	GHR	EP04	18 34 57.32						48.7	80	93	8.98	8.54	0.52	
		S 4	18 35 3.67									15.33	14.47	0.86	
19	LOP	EP 0	18 34 57.08						49.7	160	93	8.74	8.75	0.07	
		S 4	18 35 3.94									15.62	14.82	0.80	
19	KRNA	EP 0	18 34 57.26					11 1.4	50.9	354	93	8.92	8.99	-0.14	
		S 1	18 35 3.96									15.62	15.50	0.12	
19	CTS	EP01	18 34 57.62						54.8	319	93	9.20	9.61	-0.16	
19	YMT3	EP 4	18 34 61.77					15 1.7	55.9	189	93	13.43	9.63	3.05	
		S 4	18 35 5.20									16.94	16.38	0.56	
19	LSM	EP 0	18 34 58.73						68.7	174	93	10.39	10.42	-0.04	
		S 4	18 35 6.86									18.52	17.85	0.68	



1981 3GB LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	IONS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
19	OCS	EP 0	18 34 59.51						60.2	30	92	11.17	11.14	0.06	
19	TPU	04	18 34 00.65						69.0	59	92	10.31	11.92	0.51	
		3 4	18 35 9.79									20.75	20.15	0.61	
19	SDH	EP 0	18 34 00.30						71.1	102	92	10.00	12.09	1.95	
		0 0	18 35 9.70									21.30	20.00	0.70	

OCT M = 23 30 04.50 UTC RMS = 0.20 NO = 4 FREE DEPTH SOLUTION

19 LAT = 36.937 N ERX = 0.3 ENH = 271 AVFM = 0.5 U = C LATHROP WELLS
 LONG = 116.006 W ERY = 0.9 GAP = 271 AVXM = 0.5 US = 0
 DEPTH = 0.23 NM ERZ = 0.7 NM = 0 UD = 0

19	LUP	EPD3	23 30 46.83						11.0	210	00	2.27	2.09	-0.30	
19	YMT3	EPD2	23 30 50.72					5	0.6	33.0	240	30	6.10	6.21	0.00
19	YMT2	EPD3	23 30 52.25					2	-0.1	39.3	245	30	7.69	7.10	0.00
19	BMT	EPD3	23 30 55.63					0	0.9	62.9	300	30	11.07	11.23	0.01

OCT M = 0 53 06.05 UTC RMS = 0.07 NO = 10 FREE DEPTH SOLUTION

20 LAT = 38.530 N ERX = 0.3 ERH = 0.9 AVFM = 3.2 U = C
 LONG = 116.690 W ERY = 0.9 GAP = 269 AVXM = 3.2 US = A
 DEPTH = 0.52 NM ERZ = 0.7 NM = 0 UD = 0

20	HCR	IPU2	0 53 13.13						40.5	187	30	7.00	7.50	-0.12		
20	TNP	IPU0	0 53 17.70						60.5	222	30	11.73	12.00	-0.50		
20	KRNA	IPU0	0 53 22.00						92.6	163	30	15.95	15.90	-0.00		
20	CTS	IPU0	0 53 22.65						97.0	102	30	10.60	10.51	-0.03		
20	OCS	IPU0	0 53 24.67						109.1	102	30	10.62	10.63	0.02	3.30	
		8 4	0 53 30.96									32.01	31.01	1.11		
20	MZP	EPU0	0 53 24.95					71	3.2	111.1	413	30	10.90	10.05	0.09	
		8 4	0 53 41.15									35.10	32.10	2.94		
20	NRN	IPU0	0 53 25.59					70	3.2	114.5	123	30	19.50	19.40	0.03	
		3 0	0 53 39.41									31.36	33.37	-0.01		
20	BLT	IPU1	0 53 27.55						127.0	157	30	21.50	21.59	0.05		
		3 2	0 53 42.78									36.73	36.69	0.04		
20	BMT	EPD0	0 53 29.43						139.3	170	30	23.30	23.40	-0.05		
		3 4	0 53 47.73									41.60	40.07	1.61		
20	GWA	EPD4	0 53 30.24						140.3	200	30	20.19	24.73	-0.30		
		8 4	0 53 51.35									45.30	42.02	3.20		
20	EPN	EPD4	0 53 30.99						150.4	166	30	24.94	25.43	-0.55		
		3 0	0 53 51.40									45.43	43.60	1.84		
20	SRG	EPU4	0 53 31.73						159.7	117	30	25.60	26.00	-1.34		
		3 4	0 53 53.23									47.10	46.20	0.90		
20	YMT0	EPD0	0 53 35.06						166.0	174	20	29.61	30.31	-0.00		
		3 4	0 54 1.29									55.24	52.01	3.23		

OCT M = 5 12 04.71 UTC RMS = 0.00 NU = 25 FREE DEPTH SOLUTION

20 LAT = 37.041 N ERX = 0.3 ERH = 0.3 AVFM = 3.5 U = B ALAMO
 LONG = 115.172 W ERY = 0.1 GAP = 147 AVXM = 3.5 US = A
 DEPTH = 0.22 NM ERZ = 1.0 NM = 0 UD = C

20	EPH	IPD0	5 12 47.71						122	3.4	14.3	355	40	3.00	3.04	-0.01	
20	PHN	IPD0	5 12 52.51						136	3.5	42.1	15	30	7.00	7.71	-0.02	
20	SHRC	IPU0	5 12 54.71									59.5	179	30	10.00	10.50	0.02
		3 4	5 13 5.00									20.29	17.00	3.21			
20	GMR	EPU1	5 12 55.45									62.3	301	30	10.74	11.02	-0.10
20	SPRG	EPD1	5 12 56.50									60.6	236	30	11.79	11.97	-0.14
20	NPN	EPU0	5 12 57.33									71.1	17	30	12.62	12.00	-0.00
20	KTI	EPD1	5 12 57.22									71.1	353	36	12.51	12.00	0.10
20	DLM	EPD2	5 12 58.05									73.6	32	30	13.34	12.00	0.21
20	IPU	IPU1	5 12 57.47									75.0	324	30	12.46	13.24	-0.10
		3 0	5 13 7.89									23.18	22.41	0.70			
20	GLR	EPU1	5 12 50.10									77.2	203	30	13.45	13.41	0.12
		3 1	5 13 7.50									22.07	22.01	0.07			
20	CPX	EPD2	5 12 50.45									79.5	261	30	13.94	13.76	0.22
		3 4	5 13 9.01									24.30	23.47	0.83			
20	HCY	EPD0	5 12 50.74									82.0	239	30	14.03	14.10	-0.05

201531876

1988 SGN LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	DIST (KM)	AZI (JLC)	AIM (DEG)	T06S (SLL)	TCAL (SEC)	RES (SEC)	REMARKS
20	APK	EPU1	5 12 59.74						87.7	204	30	15.03	15.3P	-0.07	
		3 4	5 13 11.10									26.45	25.84	0.62	
20	LOP	EPU2	5 12 00.43						91.1	257	30	15.72	15.72	0.00	
20	SHG	EPD2	5 12 00.84						93.0	6	30	16.15	16.16	-0.25	
20	BCB	EPD2	5 12 00.90						93.9	270	30	16.27	16.19	0.16	
		8 4	5 13 13.90									29.27	27.55	1.73	
20	SSP	EPD4	5 12 58.13						94.0	262	30	15.42	16.27	-2.77	
		8 4	5 13 13.46									26.75	27.69	1.07	
20	BLT	EPU1	5 12 01.26						97.5	300	30	16.55	16.78	-0.10	
		8 4	5 13 14.06									30.15	26.48	1.68	
20	EPN	EPU1	5 12 02.07						104.1	281	30	16.10	17.97	0.10	
20	SDM	EPU1	5 12 03.05						112.9	247	30	18.94	19.14	-0.15	
		3 4	5 13 19.76									35.05	32.66	2.40	
20	YMT4	EPU2	5 12 04.07				120	3.7	115.5	260	30	19.96	19.60	0.26	
		8 4	5 13 21.70									36.99	33.70	3.30	
20	KRNA	EPU1	5 12 07.35						132.1	306	30	22.00	22.46	0.12	
		3 4	5 13 24.90									40.19	38.52	1.67	
20	HOP	EPU4	5 12 07.57						134.0	221	30	22.00	22.55	0.41	
		3 4	5 13 24.96									40.25	38.40	1.85	
20	CYS	EPU0	5 12 70.03						153.0	296	30	25.74	25.95	-0.06	
20	HCR	EPU4	5 12 72.97						173.1	320	29	26.20	28.00	-0.45	
		3 4	5 13 36.79									52.08	49.09	2.99	
20	GMN	EPD3	5 12 74.95						187.5	279	29	30.24	30.67	-0.20	
		3 4	5 12 1.60									-43.11	52.19	-95.30	
20	HZP	EPU0	5 12 77.06						209.0	291	29	33.15	33.47	-0.08	
		3 4	5 12 6.20									-36.51	56.03	-95.34	
20	HGM	EPU4	5 12 77.45						211.1	282	29	32.78	33.68	-0.84	
		3 4	5 12 7.91									-36.80	57.48	-94.23	
20	THP	EPU4	5 12 78.62						214.5	303	29	33.91	34.07	-0.43	

701531877

OCT H = 9 28 53.03 UTC RMS = 0.10 NO = 11 FREE DEPTH SOLUTION
 20 LAT = 37.029 N ERA = 0.5 ERH = 0.6 AVFM = 2.3 U = E
 LONG = 115.166 W ERY = 0.3 GAP = 100 AVXM = U5 = B ALAND
 DEPTH = 5.47 KM ERZ = 2.7 NM = UD = C

20	EPR	EP 0	9 28 56.10						37	2.3	15.6	353	105	3.07	3.10	-0.07
20	PRM	EPU4	9 28 00.32						43.1	14	94	7.29	7.64	-0.46		
20	SHRG	EPU0	9 28 02.56						50.3	179	93	9.53	10.13	-0.01		
20	GMR	EPU4	9 28 03.32						63.5	302	93	10.29	10.96	-0.57		
		3 4	9 29 11.34									16.31	16.57	-0.26		
20	SPRG	EPU1	9 28 04.53					27	2.2	66.4	237	92	11.50	11.69	-0.15	
		3 4	9 29 13.55									20.52	19.93	0.59		
20	MTI	EPU0	9 28 05.40						72.4	352	92	12.37	12.01	0.60		
20	DLM	EPD0	9 28 06.10						74.3	31	92	13.07	12.76	0.67		
20	TPU	EPU4	9 28 05.03						76.9	326	92	12.60	13.22	-0.47		
20	MCT	EPD2	9 28 06.59						82.0	240	92	15.50	15.91	-0.26		
20	LOP	EPD1	9 28 08.00						91.4	258	92	15.57	15.52	0.13		
20	SSP	EPD1	9 28 09.15						94.4	263	92	16.12	16.10	0.11		
20	SRG	EPU0	9 28 09.41						95.0	5	92	16.38	16.11	0.06		
20	L3M	EPD2	9 28 70.04						103.8	252	91	17.61	17.43	0.17		
20	EPN	EPD4	9 28 70.19						104.9	281	91	17.16	17.86	-0.75		
20	NRH	EPD2	9 28 71.06						112.1	341	91	16.03	18.91	-0.12		
20	SDM	EPU4	9 28 72.37						113.0	248	91	19.34	18.91	0.47		
20	KRNA	EPU4	9 28 75.02						133.3	306	90	22.79	21.98	0.74		
20	BMT	EPD4	9 28 76.18						134.4	262	90	23.15	22.15	1.17		

OCT H = 19 10 4.05 UTC RMS = 0.10 NO = 11 FREE DEPTH SOLUTION
 22 LAT = 37.065 N ERA = 0.7 ERH = 0.5 AVFM = 2.1 U = C
 LONG = 116.946 W ERY = 0.4 GAP = 95 AVXM = U5 = B THIPSTY CANYON
 DEPTH = 4.06 KM ERZ = 3.0 NM = UD = C

22	SGV	IPD0	19 10 6.54						45	2.5	12.1	219	108	2.49	2.65	-0.07	
22	GMN	EPD0	19 10 10.49						30	2.2	36.0	259	99	6.44	6.35	0.03	
22	BMT	IPD0	19 10 10.51						33	2.3	36.0	48	94	6.46	6.62	0.00	
22	GMN	IPU1	19 10 10.74									38.1	313	94	6.69	6.96	-0.12
22	MCT	EPU0	19 10 11.00						41.6	137	93	7.03	7.28	-0.09			

90153000/1877

1981 060 LOCAL-EVENT DATA WEPUNT

OCT 1961	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TOMS (SEC)	ICAL (SEC)	RES (SEC)	REMARKS
22	YMT5	IPD0	19 10 12.57			26	2.1	47.6	113	93	8.32	8.33	-0.01		
22	YMT6	EPD2	19 10 13.02			20	1.9	49.3	117	93	8.97	8.59	0.27		
22	FMT	IPU0	19 10 12.45			10	1.0	49.5	163	95	8.50	8.50	0.00		
22	YMT2	EPU4	19 10 13.47					51.0	127	92	9.42	8.92	0.41		
22	MCA	EPU4	19 10 13.95			22	2.0	55.1	213	92	9.90	9.33	0.49		
22	YMT3	EPD0	19 10 13.69			31	2.3	56.8	123	92	9.64	9.77	-0.08		
22	EPH	EPU1	19 10 14.04			34	2.0	57.7	73	92	10.39	10.17	0.16		
22	MGM	EPD0	19 10 14.21			19	1.9	64.2	111	92	11.16	11.16	0.00		
22	LCM	EPD4	19 10 14.95					65.9	247	92	12.90	11.19	1.79		
22	LSM	EPU4	19 10 16.62			25	2.2	70.0	121	92	14.57	11.94	0.61		
22	PGE	EPU4	19 10 20.06					80.2	100	91	16.61	13.74	3.20		

OCT M = 23 35 29.41 UTC RMS = 0.15 NU = 9 FREE DEPTH SOLUTION
 22 LAT = 35.433 N ERX = 1.1 ERN = 2.4 AVPM = 3.6 U = C
 LONG = 110.191 W ERY = 2.1 GAP = 310 AVXM = U = B
 DEPTH = 5.36 KM ERZ = 1.6 NM = U = D

201531878

22	QSM	EPU0	23 35 51.49			105	3.0	133.5	64	90	22.00	22.02	-0.02	3.30	
		3 1	23 36 7.05								37.04	37.00	-0.16		
22	PGE	EPD0	23 35 53.02					103.7	45	90	23.61	23.67	0.16		
		3 4	23 36 9.29								39.80	40.11	-0.22		
22	MCA	EPD4	23 35 53.94					157.9	31	52	24.53	25.01	-1.36		
		3 0	23 36 13.05								44.44	44.27	0.17		
22	GHV	EPU4	23 35 54.87					160.9	59	90	25.46	26.47	-0.92		
		3 1	23 36 14.80								45.47	45.12	0.35		
22	THO	EPU1	23 35 56.46					167.9	25	52	27.05	27.52	-0.17		
		3 0	23 36 15.96								46.55	46.55	0.00		
22	FMT	EPU4	23 35 56.26					184.8	14	52	26.85	29.43	-2.33		
		3 4	23 36 20.69								51.28	49.91	1.37		
22	AMR	EPD4	23 35 56.00					188.4	55	52	27.45	29.02	-2.37		
		3 4	23 36 23.10								53.69	51.01	2.69		
22	GVN	IPU4	23 35 60.03					190.1	24	52	31.42	30.07	1.30		
		3 4	23 36 22.84								53.45	51.52	1.94		
22	NOP	EPU4	23 35 59.84					197.8	67	52	30.43	31.33	-0.81		
22	SGV	EPD1	23 35 60.77					201.0	31	52	31.36	31.62	-0.17		
		3 4	23 36 26.45								57.04	53.92	3.12		
22	LCM	EPU1	23 35 61.59					205.0	14	52	32.18	32.22	0.04		
22	NCT	EPD2	23 35 61.19					206.4	43	52	31.76	32.19	-0.25		
22	SDM	EPD4	23 35 62.01					214.5	51	52	32.60	33.25	-0.60		
22	JON	EPD4	23 35 62.65					219.2	59	52	33.24	33.81	-0.57		
22	PPK	EPU4	23 35 61.18					222.7	7	52	31.77	34.47	-2.70		
		3 4	23 36 7.66								38.25	58.96	-20.70		
22	GMN	EPD2	23 35 64.03					223.4	22	52	34.62	34.64	0.13		
		3 4	23 36 7.36								37.45	58.98	-21.02		
22	YMT5	EPD1	23 35 63.96					225.5	44	52	34.55	34.73	-0.17		
		3 4	23 36 32.94								63.53	59.39	4.15		
22	YMT6	EPU1	23 35 64.07					225.7	45	52	34.66	34.70	-0.12		
22	CDH1	EPD1	23 35 64.95					231.4	47	52	35.54	35.49	0.15		
22	LOP	EPD4	23 35 65.71					241.0	49	52	36.30	36.79	-0.40		
		3 4	23 36 10.87								41.46	62.77	-21.31		
22	SSP	EPD4	23 35 66.05					242.7	47	52	36.64	37.09	-0.36		
22	BMT	EPD4	23 35 67.46					247.8	34	52	38.05	37.77	0.45		
		3 4	23 36 35.27								65.66	64.30	1.57		
22	EPH	EPU4	23 35 73.17					259.3	40	52	43.76	39.26	4.44		
22	CTS	EPD4	23 35 75.74					279.6	20	52	46.33	41.78	4.73		
22	KHNA	EPU4	23 35 79.93					303.2	32	52	50.52	44.62	5.63		

OCT M = 6 16 45.15 UTC RMS = 0.10 NU = 9 FREE DEPTH SOLUTION
 23 LAT = 37.705 N ERX = 0.5 ERN = 0.6 AVPM = 1.9 U = C
 LONG = 115.140 W ERY = 0.3 GAP = 126 AVXM = U = B
 DEPTH = 5.10 KM ERZ = 2.5 NM = U = C

23	NTI	EPD1	6 16 47.52			15	1.5	11.5	254	111	2.37	2.56	-0.17		
		3 0	6 16 49.54								4.39	4.33	0.05		
23	NPN	EPU0	6 16 49.15			19	1.0	19.5	107	100	4.00	3.84	-0.06		
		3 1	6 16 51.90								6.75	6.93	-0.19		

1981 BOB LOCAL-EVENT DATA HLPUNT

OCT 1981	STA	PHASL	TIME (UTC)	AMP (MU)	PER (SECC)	AMAG	UNN	PMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TDDB (SEC)	TCAL (SEC)	NED (SEC)	REMARKS
23	SHG	EPD1	6 16 49.28					31 2.2	40.9	20	100	4.13	4.06	-0.16	.
		S 0	6 16 52.55									7.46	7.33	0.07	.
23	PHN	EPD0	6 16 51.53					29 2.2	34.2	165	95	6.38	6.19	0.07	.
		S 8	6 16 56.85									11.70	10.70	0.91	.
23	DLM	EPD0	6 16 52.26					15 1.6	37.7	107	94	7.13	6.81	0.07	.
		S 0	6 16 57.29									12.14	12.06	0.07	.
23	TPU	EPD4	6 16 53.72						45.6	256	93	8.57	8.13	0.56	.
23	HHH	EPD4	6 16 00.51						49.5	308	93	15.36	6.72	6.59	.
23	EPH	EPD4	6 16 56.63						59.0	163	92	11.40	10.20	1.22	.
23	GPR	LPD4	6 16 57.49						60.9	253	92	12.34	11.83	0.60	.

OCT M = 1 45 14.20 UTC RMS = 0.10 NU = 35
 24 LAT = 37.071 N ENA = 0.1 ENH = 0.2 AVFM = 2.0 J = B FREE DEPTH SOLUTION
 LONG = 116.952 W ERZ = 0.1 GAP = 120 AVRM = 4.5 US = A TRINDY CANTON
 DLPIN = 7.37 AM ERZ = 0.7 NM =

30153 1379

24	SGV	IPU2	1 45 16.57					31 2.2	42.2	416	120	2.37	2.84	-0.30	.
		S 0	1 45 18.90									4.78	4.70	0.08	.
24	SVN	EPD0	1 45 20.56					20 1.9	35.6	257	99	6.36	6.32	-0.02	.
		S 0	1 45 25.10									16.90	16.91	-0.01	.
24	MHT	EPD0	1 45 20.63					18 1.8	36.0	69	99	6.63	6.67	-0.07	.
		S 4	1 45 26.06									11.80	11.12	0.74	.
24	NCT	EPD3	1 45 21.15					16 1.7	42.4	137	97	6.95	7.45	-0.34	.
		S 0	1 45 26.67									12.47	12.47	0.00	.
24	YHT1	EPD2	1 45 21.92					36 2.4	44.8	123	97	7.72	7.87	-0.20	.
		S 4	1 45 28.16									13.96	13.69	0.27	.
24	YHT5	EPD2	1 45 22.45					18 1.8	48.3	113	96	6.25	6.49	-0.24	.
		S 1	1 45 28.53									14.33	14.51	-0.18	.
24	YHT4	EPD0	1 45 23.02					24 2.1	50.1	117	96	6.82	6.75	-0.04	.
		S 8	1 45 29.76									15.50	15.35	0.15	.
24	FHT	EPD2	1 45 22.81						50.3	162	96	6.23	6.73	-0.26	.
24	YHT2	EPD2	1 45 23.52					24 2.1	52.4	127	96	6.32	6.08	0.16	.
		S 8	1 45 30.26									16.00	15.67	0.39	.
24	PCA	EP 0	1 45 23.74					17 1.8	55.3	412	95	9.54	9.39	0.07	.
		S 0	1 45 30.40									16.24	16.19	0.01	.
24	YHT3	EPD3	1 45 23.78					25 2.1	57.8	123	95	9.58	9.92	-0.29	.
		S 0	1 45 30.98									16.78	16.68	-0.10	.
24	EPN	EPD0	1 45 24.56					18 1.8	58.1	74	95	10.38	10.26	0.06	.
		S 4	1 45 32.19									17.94	17.68	0.35	.
24	CDMS	EPD0	1 45 24.57					32 2.4	61.2	112	95	10.37	10.50	-0.03	.
		S 1	1 45 32.01									17.81	17.78	0.03	.
24	CUM1	EPD0	1 45 24.60					25 2.1	61.2	112	95	10.48	10.56	0.02	.
		S 0	1 45 32.10									17.98	17.89	0.01	.
24	OGA	EPD1	1 45 25.45					19 1.9	64.5	93	94	11.25	11.18	0.15	.
		S 0	1 45 33.20									19.60	18.98	0.62	.
24	SSP	EPD0	1 45 25.92					20 2.4	67.3	104	94	11.72	11.70	0.18	.
		S 8	1 45 35.07									20.87	19.87	1.00	.
24	CTS	EPD0	1 45 25.72					15 1.7	68.0	17	94	11.52	11.78	-0.09	.
		S 1	1 45 34.20									29.00	19.86	9.14	.
24	LSP	EPD3	1 45 26.59					21 2.0	70.5	121	94	12.39	12.88	-0.29	.
		S 0	1 45 34.06									20.66	20.69	-0.03	.
24	LUP	EPD1	1 45 26.94					21 2.0	73.9	119	94	12.74	12.69	0.13	.
		S 2	1 45 35.51									21.31	21.57	-0.26	.
24	AAN	EPD1	1 45 28.83						86.1	150	93	14.63	14.87	-0.15	.
24	MCT	EPD2	1 45 31.13						99.3	117	95	16.95	16.73	0.26	.
		S 8	1 45 44.14									29.94	28.47	1.47	.
24	GVV	EPD1	1 45 31.46						101.3	166	93	17.26	17.12	0.22	.
24	UHM	EPD1	1 45 32.24						108.9	74	93	18.04	18.35	-0.21	.

NOV 1981

1981 860 LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PLW PMAG DUN PMAG DIST RZ1 RZ2 TUBS TCAL RES REMARKS
 1981 (MU) (SLOC) (NM) (SLOC) (NM) (SLOC) (SLOC) (SLOC) (SLOC) (SLOC) (SLOC) (SLOC)

FREE DEPTH SOLUTION

OCT M = 16 29 10.77 UTC RMS = 0.02 NU = 5
 29 LAT = 37.825 N ERX = 0.0 ERM = 0.0 AVPM = 2.2 W = C
 LONG = 115.531 W ERY = 0.0 GAP = 98 AVSM = W = A
 DEPTH = 0.21 NM ERZ = 0.1 NM W = U

MURTHINGTON PEAK

29	NNH	IPDO	16 29 14.50	28	2.1	18.1	340	40	3.81	3.79	-0.02
29	NIJ	EPDO	16 29 16.16	30	2.2	20.1	126	40	5.39	5.42	-0.01
29	QCS	EP	16 29 18.00	27	2.1	34.5	259	30	7.23	6.57	0.69
29	SRL	EPDO	16 29 18.63	37	2.4	41.2	81	30	7.86	7.60	0.23
29	NPN	EPDO	16 29 21.42	26	2.2	55.7	110	30	10.65	9.97	0.67
29	GNN	EPDO	16 29 21.88	24	2.1	58.5	201	30	10.31	10.39	-0.01
29	DLN	EPDO	16 29 24.47	21	2.0	74.0	109	30	13.70	12.98	0.50
29	NRNA	EPDO	16 29 24.38	20	2.2	75.3	263	30	13.61	13.21	0.32
29	EPN	EP	16 29 25.13	34	2.5	78.9	157	30	14.36	13.66	0.71
29	MCR	EPDO	16 29 26.55			91.5	300	30	15.78	15.06	0.60

FREE DEPTH SOLUTION

OCT M = 16 56 14.78 UTC RMS = 0.08 NU = 11
 29 LAT = 36.715 N ERX = 0.4 ERM = 0.6 AVPM = 1.0 W = C
 LONG = 116.287 W ERY = 0.4 GAP = 249 AVSM = W = A
 DEPTH = 9.40 NM ERZ = 0.5 NM W = U

LATHRUP WELLS

29	LSP	IPDO	16 56 16.73	9	1.0	3.0	25	102	1.95	2.02	-0.09
29			8 0 16 56 18.20						3.50	3.49	-0.01
29	COMS	EP	16 56 18.11	9	1.1	16.3	350	110	3.33	3.47	-0.04
29			8 0 16 56 20.40						5.70	5.76	-0.06
29	CDM1	EP	16 56 18.36	8	0.7	16.3	350	119	3.58	3.58	0.14
29			8 1 16 56 20.47						4.09	5.09	0.20
29	LUP	IPU1	16 56 18.58	8	1.0	18.0	35	175	3.80	3.96	-0.08
29			8 0 16 56 21.40						6.62	6.64	-0.02
29	YMT2	EP	16 56 19.36			19.2	490	110	4.58	3.67	0.61
29			8 0 16 56 19.52				24.1	5	4.74	4.84	-0.02
29	RSP	EP	16 56 23.31						8.53	8.14	0.39
29			8 0 16 56 23.31						5.53	5.54	0.07
29	MCT	EPDO	16 56 20.31	8	1.0	49.6	102	105	9.37	9.33	0.04
29			8 0 16 56 24.15								

FREE DEPTH SOLUTION

OCT M = 21 30 48.13 UTC RMS = 0.09 NU = 25
 29 LAT = 37.063 N ERX = 0.2 ERM = 0.3 AVPM = 3.4 W = B
 LONG = 116.949 W ERY = 0.3 GAP = 98 AVSM = W = A
 DEPTH = 5.68 NM ERZ = 1.2 NM W = C

THINBY CANYON

29	SGV	IPU0	21 30 48.68	96	3.1	11.7	219	113	2.55	2.63	0.00
29	GYN	IPDO	21 30 52.49			35.7	259	95	6.36	6.38	-0.01
29			21 30 52.60			36.4	40	95	8.55	6.70	0.92
29	BMT	EPDO	21 30 52.60			38.1	314	95	6.80	6.97	-0.02
29	GNN	EPDO	21 30 52.93			41.6	136	93	7.00	7.29	-0.09
29	HCT	IPU0	21 30 53.17						7.05	7.73	-0.01
29	YMT1	IPDO	21 30 53.90	116	3.0	64.1	122	94			

1880
30153

1981 888 LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TOB8 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
24	YHT5	IPU0	21 34 54.48						47.7	112	94	8.35	8.36	-0.01	.
24	YHT4	IPU2	21 34 55.06						49.4	116	94	8.93	8.62	-0.20	.
24	YHT2	EPU0	21 34 54.29						31.6	127	93	8.16	8.94	-0.66	.
24	YHT6	IPD1	21 34 55.32						53.5	115	93	9.20	9.26	-0.15	.
24	YHT3	IPU3	21 34 55.53					129 3.6	50.9	123	93	9.40	9.78	-0.33	.
24	EPK	EPD1	21 34 56.59					113 3.4	58.1	73	93	10.46	10.23	-0.17	.
24	CDM5	IPU0	21 34 56.38						60.5	112	93	10.25	10.38	-0.03	.
24	CDM1	IPU0	21 34 56.45						60.5	112	93	10.32	10.45	-0.03	.
24	MGM	IPU0	21 34 57.26						64.2	111	93	11.13	11.19	0.03	.
24	BGB	IPD1	21 34 57.33						64.2	92	93	11.29	11.11	0.17	.
24	SBP	EPU1	21 34 57.85					112 3.5	66.8	103	93	11.72	11.60	0.19	.
24	LSM	IPU1	21 34 57.91					113 3.5	70.1	121	92	11.78	11.95	-0.19	.
24	SDM	IPU0	21 34 58.26					112 3.5	71.5	130	92	12.13	12.16	0.01	.
24	LDP	IPU1	21 34 58.49					112 3.5	73.3	108	92	12.36	12.59	-0.15	.
24	GLP	IPU1	21 35 0.21						64.2	89	92	14.00	14.30	-0.15	.
24	AMR	IPU1	21 35 0.55					110 3.5	65.1	150	92	14.42	14.31	0.10	.
24	BLT	EPU0	21 35 0.72					110 3.5	66.8	50	92	14.59	14.61	-0.09	.
24	MCY	IPU1	21 35 2.01					100 3.5	90.6	117	92	16.68	16.61	0.15	.
24	JON	IPU1	21 35 3.12					107 3.5	102.4	152	92	16.99	17.15	-0.10	.
24	GMR	IPD1	21 35 4.51					65 3.1	100.8	74	92	18.36	18.34	0.14	.

OCT M = 22 18 38.61 UTC RMS = 0.09 NO = 10 FREE DEPTH SOLUTION
 25 LAT = 37.001 N ERX = 0.4 ERM = 0.5 AVFM = 1.6 U = C
 LONG = 117.503 W ERY = 0.3 GAP = 175 AVXM = U = B
 DEPTH = 7.04 KM ERZ = 2.4 NM = U = C

25	STN	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TOB8 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
25	GVN	IPD0	22 18 33.49						19 1.7	14.3	90 113	2.88	2.90	-0.14	.
25	TMO	EPU1	22 18 34.66						12 1.0	23.4	159 104	4.03	5.17	-1.14	.
25	LCH	EP 0	22 18 38.10						10 1.2	28.9	334 101	4.25	4.65	-0.69	.
25	GMM	EP 1	22 18 37.59									7.49	7.43	0.06	.
25	SGV	EPD0	22 18 38.04									5.24	5.36	-0.04	.
25	HCA	EP 1	22 18 38.31									9.10	9.03	0.07	.
25			22 18 44.05									6.98	7.23	-0.10	.
25												12.48	12.11	0.38	.
25												7.43	7.49	0.03	.
25												12.73	12.66	0.07	.
25												7.70	7.55	0.00	.
25												13.44	13.04	0.40	.

OCT M = 1 25 0.32 UTC RMS = 0.05 NO = 8 FREE DEPTH SOLUTION
 26 LAT = 36.749 N ERX = 0.2 ERM = 0.3 AVFM = 1.1 U = C
 LONG = 116.192 W ERY = 0.2 GAP = 195 AVXM = U = B
 DEPTH = 0.39 KM ERZ = 16.2 NM = U = B

26	STN	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TOB8 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
26	LSM	IPD0	1 25 9.90						16 1.6	7.3	262 40	1.66	1.79	-0.15	.
26	LDP	EPU0	1 25 10.92						9 1.1	11.9	11 40	2.60	2.68	-0.01	.
26	CDM5	EP 0	1 25 11.59						9 1.1	16.7	310 40	3.27	3.36	0.00	.
26	CDM1	EP 0	1 25 11.68						8 1.0	16.7	310 40	3.36	3.43	0.02	.
26	SDM	EP 0	1 25 11.79						5 0.6	17.4	229 40	3.47	3.48	0.02	.
26	YHT3	EPD0	1 25 12.32						12 1.4	20.0	242 40	3.99	3.93	0.12	.
26	MCY	EPU0	1 25 12.67						9 1.1	22.7	115 40	4.35	4.43	-0.01	.
26	YHT2	EP 4	1 25 13.87									5.55	5.01	0.46	.
26	BGB	EPU0	1 25 19.00									10.68	6.12	4.63	.
26	JON	EPU0	1 25 19.79						7 0.9	35.2	167 38	6.47	6.44	0.01	.

OCT M = 4 50 28.60 UTC RMS = 0.09 NO = 7 FREE DEPTH SOLUTION
 26 LAT = 36.755 N ERX = 0.5 ERM = 0.8 AVFM = 1.0 U = B
 LONG = 116.235 W ERY = 0.5 GAP = 104 AVXM = U = A
 DEPTH = 4.16 KM ERZ = 1.6 NM = U = B

26	STN	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TOB8 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
26	LSM	EPU0	4 50 29.97						11 1.2	3.8	283 137	1.37	1.33	0.02	.
26	LDP	EPU0	4 50 31.14						8 1.0	12.5	29 103	2.54	2.71	-0.10	.
26	CDM5	EPU0	4 50 31.25						6 0.7	13.8	328 100	2.65	2.78	-0.03	.
26	CDM1	IPU0	4 50 31.35						10 1.2	13.8	328 100	2.75	2.85	0.00	.
26	SDM	EPD1	4 50 31.44						5 0.6	15.3	217 99	2.84	3.02	-0.15	.

1 8 8 1 2 0 1 5 3

153000/1881

1981 300 LOCAL-EVENT DATA SUMMARY

OCT 1981	STA	PHASE	TIME (UTC)	AMP (PMU)	PER (SEC)	IMAG	DIR	PMAG	WISS (MM)	W1 (LLG)	W2 (GEG)	TUBS (SLC)	TCAL (FSEC)	RES (ESEC)	REMARKS
26	YMT3	IPD1	0 50 31.85					9 1.1	18.1	283	98	3.25	3.16	0.14	
26	SSP	IPU8	0 50 33.48						18.4	0	96	4.00	3.81	1.14	
26	YMT2	EP 0	0 50 33.48					9 1.1	22.5	279	95	4.00	4.19	0.53	
26	MCV	EPD0	0 50 33.53					8 1.0	26.5	133	94	4.43	4.88	0.12	

OCT M = 15 18 18.87 UTC RMS = 0.00 NO = 3
 26 LAT = 37.734 N LRM = ERM = 3
 LONG = 116.628 W LRY = GAP = 223
 DEPTH = 5.00 KM ERZ = NM =

FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE
 SLINKING SPRING

26	CTS	EPD0	15 17 77.46					5 0.6	12.2	225	109	2.57	2.74	0.00	
		S 0	15 18 18.72									3.85	4.31	-0.50	
26	KHNA	EP 0	15 17 79.25					4 0.4	22.8	88	98	4.38	4.39	0.00	
		S 0	15 18 20.20									5.33	7.49	-2.16	
26	BMT	EP 0	15 17 79.20					5 0.7	50.1	182	93	4.33	8.91	-4.41	
		S 0	15 18 20.35									5.08	14.98	-9.86	
26	EPW	EP 0	15 17 91.62					6 0.9	63.7	155	92	10.15	11.14	4.95	
		S 0	15 18 34.83									19.16	19.16	0.00	

OCT M = 15 23 26.46 UTC RMS = 0.08 NO = 4
 26 LAT = 37.665 N LRM = ERM = 4
 LONG = 115.633 W LRY = GAP = 175
 DEPTH = 1.11 KM ERZ = NM =

FREE DEPTH SOLUTION
 WORTHINGTON PEAK

26	TPU	EPD7	15 23 28.23					6 0.7	6.8	192	91	1.77	1.74	0.17	
		S 2	15 23 29.07									2.61	2.73	-0.13	
26	MNH	EPD0	15 23 33.00					5 0.7	35.4	6	74	6.54	6.51	-0.02	
		S 4	15 23 35.42									8.46	11.20	-2.25	
26	SAG	EPD0	15 23 36.42					8 1.1	55.3	54	74	9.48	9.73	0.01	
		S 4	15 23 40.66									14.20	17.07	-2.82	

OCT M = 0 24 14.17 UTC RMS = 0.13 NO = 38
 27 LAT = 37.068 N LRM = ERM = 0.2
 LONG = 116.947 W LRY = GAP = 68
 DEPTH = 7.73 KM ERZ = 1.0 NM =

FREE DEPTH SOLUTION
 THIRSTY CANYON

27	SGV	IPD2	0 24 16.47					47 2.5	12.3	218	121	2.30	2.47	-0.49	
		S 1	0 24 16.84									4.67	4.78	-0.09	
27	BMT	IPU8	0 24 20.67					25 2.1	35.9	48	100	6.50	6.66	0.01	
		S 2	0 24 25.45									11.28	11.09	0.19	
27	CVN	EPD1	0 24 20.43					33 2.3	36.0	258	99	6.24	6.40	-0.20	
		S 1	0 24 25.33									11.18	11.05	0.11	
27	GMN	LPD2	0 24 20.78						37.9	313	99	6.61	6.98	-0.22	
		S 0	0 24 25.88									11.71	11.67	0.03	
27	MCT	IPU3	0 24 21.07					26 2.1	41.8	137	95	6.90	7.36	-0.31	
		S 4	0 24 27.11									12.90	12.32	0.62	
27	YMT1	IPU2	0 24 21.87					44 2.6	44.2	123	97	7.74	7.78	-0.21	
		S 0	0 24 27.70									13.53	13.53	0.00	

901531882

901531882

1981 SGB LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	FMAG	LIST (RM)	AZI (DEG)	AIM (DEG)	TUMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
27	YMT5	IPD1	0 24 22.41				34	2.4	47.7	113	97	6.24	8.39	-0.16	
		3 0	0 24 28.51									14.34	14.35	-0.02	
27	YMT6	EPU0	0 24 22.97				27	2.2	49.5	117	97	6.80	8.65	0.03	
		3 4	0 24 29.55									15.36	14.99	0.39	
27	FMT	EPU2	0 24 22.39						49.8	163	96	8.22	8.66	-0.20	
27	TMO	EPU0	0 24 22.99						58.8	235	96	8.62	9.00	0.12	
		3 2	0 24 29.54									15.37	14.87	0.49	
27	YMT2	LPU0	0 24 23.17				30	2.3	51.8	127	96	9.08	8.99	-0.07	
		3 0	0 24 29.56									15.39	15.51	-0.12	
27	YMT6	EPD2	0 24 23.83				25	2.1	53.6	116	96	9.66	9.29	0.27	
		3 4	0 24 31.01									16.48	16.04	0.79	
27	MCA	EPU1	0 24 23.50				27	2.2	55.3	213	96	9.41	9.39	-0.07	
		3 2	0 24 30.65									16.48	16.20	0.28	
27	YMT3	IPU4	0 24 23.63				36	2.4	57.8	123	96	9.06	9.83	-0.32	
		3 4	0 24 31.47									17.38	16.72	0.50	
27	EPH	EPU3	0 24 24.13						57.7	74	96	9.96	10.20	-0.30	
		3 4	0 24 32.18									16.01	17.54	0.87	
27	CDW5	EPU1	0 24 24.32				42	2.6	68.5	112	95	13.15	10.48	-0.15	
		3 1	0 24 31.88									17.67	17.81	0.05	
27	CDW1	EPD0	0 24 24.57				29	2.3	68.5	112	95	10.40	10.47	0.03	
		3 0	0 24 31.97									17.80	17.73	0.06	
27	BGB	EPD1	0 24 25.35				31	2.3	64.0	93	95	11.18	11.10	0.16	
		3 0	0 24 33.01									18.84	18.84	0.00	
27	LCM	EPD4	0 24 24.91						64.9	287	95	10.74	11.19	-0.37	
		3 1	0 24 33.42									19.25	19.00	0.25	
27	BSP	EPD1	0 24 25.93						66.7	104	95	11.76	11.61	0.23	
		3 4	0 24 33.58									19.41	19.72	-0.31	
27	CTS	IPU0	0 24 25.74				21	2.0	68.2	17	95	11.57	11.82	-0.08	
		3 0	0 24 34.08									19.91	19.91	-0.01	
27	LSM	EPU0	0 24 24.20				2	0.0	78.2	141	94	12.63	11.99	0.62	
		3 0	0 24 34.77									20.60	20.53	0.07	
27	LDP	EPD4	0 24 27.33				32	2.4	73.3	109	94	13.16	12.60	0.64	
		3 4	0 24 36.45									22.28	21.41	0.87	
27	AHR	EPD0	0 24 28.55						85.5	150	93	14.38	14.38	-0.02	
27	KRNA	EPU0	0 24 29.71						90.0	34	93	15.54	15.30	0.09	
		3 4	0 24 41.07									26.90	26.41	0.48	
27	CHV	EPD2	0 24 31.02						108.9	164	93	16.85	17.04	-0.12	
		3 4	0 24 43.99									29.82	29.01	0.81	
27	JOM	EPU4	0 24 31.94						102.6	133	93	17.77	17.20	0.56	
27	GHR	EPU4	0 24 33.08				23	2.2	108.4	74	93	18.91	18.28	0.72	
27	QSM	EPD4	0 24 35.20						122.5	177	92	21.03	20.39	0.55	
27	HCR	EPD4	0 24 34.18						137.8	19	92	24.01	23.03	1.07	
		3 4	0 24 56.81									42.64	39.22	3.81	

OCT H = 0 26 24.57 UTC RMS = 0.11 NO = 7 FREE DEPTH SOLUTION
 27 LAT = 36.605 N ERX = 0.2 ERM = 0.3 AVFM = 1.9 U = B
 LONG = 115.612 W ERY = 0.3 GAP = 142 AVXM = WS = A MERCURY
 DEPTH = 32.46 KM ERZ = 0.7 NM = JD = C

27	SPRG	IPU0	0 26 31.25				23	1.9	28.2	299	140	6.68	6.46	0.24	
		3 4	0 26 37.52									12.95	11.00	1.95	
27	MCY	EPD4	0 26 33.81						31.9	281	121	9.24	7.62	1.70	
		3 2	0 26 37.62									13.05	12.89	0.16	
27	SHRC	EPD2	0 26 33.00						42.4	105	106	8.43	8.93	0.09	
		3 0	0 26 38.87									14.30	14.26	0.04	
27	JOM	EPU0	0 26 33.96						47.7	247	98	9.33	9.42	-0.10	
27	LOP	EPU0	0 26 35.13						56.8	299	92	16.56	10.77	-0.13	
		3 4	0 26 39.88									15.31	16.28	-2.97	
27	EPR	EPU4	0 26 39.28						73.1	31	90	14.71	12.47	2.26	
		3 0	0 26 45.86									21.29	21.29	0.00	
27	GKR	EPD4	0 26 41.23						82.1	350	90	16.66	13.62	3.14	

9015300/1883

1981 SGB LOCAL-EVENT DATA REPORT

OCT STA PHASE TIME AMP PER XHAG DUR PHAG DIST AZI AIN TUBS TCAL RES REMARKS
 1981 (M) (SEC) (NM) (SEC) (MM) (DEG)(DEG) (SEC) (SEC) (SEC)

OCT M = 0 27 12.80 UTC RMS = 0.34 NU = 5 FREE DEPTH SOLUTION
 27 LAT = 36.792 N ERX = 2.6 ENH = 0.1 AVFM = 2.0 U = D
 LONG = 115.316 W ERY = 3.2 GAP = 140 AVRM = UB = C MAYFORD PEAK
 DEPTH = 9.57 KM ERZ = 49.2 NM UB = D

27	SHRG	EPU	0 27 18.74					35.0	156	103	5.94	6.47	0.04	
27	EPR	EPU	0 27 20.40					43.3	15	100	7.40	7.71	-0.10	
27	SPRG	IPU	0 27 20.29			20	2.0	45.0	256	100	7.49	8.04	-0.52	
			8 0 0 27 20.54								13.74	13.69	0.04	
27	APK	EPU	0 27 26.09					57.4	404	98	13.29	10.26	3.30	
27	MCT	EPD	0 27 22.82					59.6	256	97	10.02	10.32	-0.22	
			8 4 0 27 27.96								15.16	17.51	-2.35	
27	CPX	EPD	0 27 25.34					67.6	283	96	12.54	11.62	0.94	
27	LOP	EPU	0 27 34.71					76.3	275	96	21.91	13.11	8.07	
27	LSM	EPU	0 27 33.14					85.6	264	95	20.34	14.50	5.61	

OCT M = 0 27 06.64 UTC RMS = 0.05 NU = 4 FIXED DEPTH SOLUTION
 27 LAT = 37.242 N ERX = ERH = 1.9 U = C DEPTH CONTROL INADEQUATE
 LONG = 115.854 W ERY = GAP = 243 AVRM = UB = A GROOM LAKE
 DEPTH = 5.00 KM ERZ = NM UB = D

27	EPR	EPU	0 27 59.00					60.8	103	92	10.34	10.47	-0.11	
27	SPRG	IPU	0 27 00.04			19	1.9	66.5	177	92	11.30	11.39	0.03	
27	MCT	EPU	0 27 60.55					70.7	164	92	11.09	12.07	-0.09	
27	JON	EPD	0 27 74.50					97.2	193	91	25.00	10.31	9.52	
27	OLN	EPU	0 27 66.64					104.7	71	91	17.90	17.71	0.03	
27	SHRG	EPU	0 27 71.00					107.4	145	91	22.34	18.12	4.01	

OCT M = 3 16 02.22 UTC RMS = 0.15 NU = 22 FREE DEPTH SOLUTION
 27 LAT = 36.184 N ERX = 0.9 ENH = 1.0 AVFM = 2.6 U = C
 LONG = 117.631 W ERY = 0.5 GAP = 267 AVRM = UB = D DARWIN
 DEPTH = 2.90 KM ERZ = 3.0 NM UB = D

27	PGE	IPU	3 16 17.20			20	2.2	54.0	70	74	9.06	9.47	-0.19	
			8 4 3 16 23.65								15.43	15.82	-0.39	
27	MCA	IPD	3 16 18.05			35	2.4	60.4	31	74	9.23	10.19	-0.43	
			8 4 3 16 25.11								16.49	17.55	-0.66	
27	TMO	EPD	3 16 20.22					71.0	16	74	12.00	12.44	-0.14	
			8 0 3 16 29.19								20.97	20.74	0.22	
27	OSH	EPU	3 16 20.73			45	2.7	72.9	109	74	12.51	12.29	0.13	
			8 1 3 16 29.34								21.12	21.19	-0.05	
27	CHV	IPU	3 16 22.87			36	2.5	86.4	90	74	14.65	14.60	0.06	
			8 1 3 16 33.34								25.12	24.96	0.16	
27	FMT	EPU	3 16 23.76			27	2.3	91.7	57	74	15.54	15.03	0.35	
			8 2 3 16 33.00								25.46	25.98	-0.31	
27	SGV	EPU	3 16 25.01			49	2.9	103.5	31	74	17.59	17.45	0.23	3.20
			8 2 3 16 37.70								29.40	29.69	-0.21	
27	ANR	EPU	3 16 25.93			37	2.6	106.6	77	74	17.71	17.79	-0.09	
			8 4 3 16 40.65								32.43	30.44	1.99	
27	MCT	EPD	3 16 26.87					112.5	53	74	16.65	18.81	0.00	
			8 4 3 16 41.06								32.04	31.89	0.95	
27	YMT	EPD	3 16 28.47					122.6	57	74	20.25	20.46	-0.29	
			8 4 3 16 44.49								34.27	35.13	1.15	
27	YMT	EPD	3 16 29.60			45	2.9	123.6	53	74	21.36	20.65	0.60	
			8 4 3 16 44.13								35.91	35.54	0.37	
27	SDM	EP	4 3 16 28.82					126.0	66	74	20.60	21.15	-0.50	
			8 0 3 16 44.28								36.06	36.09	-0.03	
27	YMT	IPD	3 16 29.71			45	2.9	128.2	59	74	21.49	21.37	0.17	
			8 0 3 16 44.59								36.37	36.46	-0.09	
27	GMN	IPD	4 3 16 31.39					128.3	15	74	23.17	21.61	1.71	
			8 4 3 16 45.72								37.50	36.70	0.81	
27	YMT	EPU	4 3 16 30.44					130.1	54	74	22.42	21.72	0.40	
			8 4 3 16 46.20								37.98	37.52	0.66	
27	YMT	EPD	4 3 16 30.63					132.0	53	74	22.41	22.05	0.36	
			8 4 3 16 46.41								38.19	37.71	0.48	

901531834

901531834

1981 SC6 LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	PHN (DEG)	TD99 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
27	NUP	EP00	3 16 30.29					33 2.6	133.1	93	74	22.07	22.16	0.01	
		3 4	3 16 48.49									40.27	37.73	2.54	
27	LSP	EPD2	3 16 31.14					42 2.9	136.5	63	74	22.92	22.73	0.17	
		3 4	3 16 40.21									39.99	38.91	1.08	
27	CDM1	EPD0	3 16 31.00					37 2.0	139.6	57	74	23.50	23.50	0.39	
		3 2	3 16 48.13									39.91	39.67	0.24	
27	CDMS	30	3 16 31.99						139.6	57	74	23.77	23.23	0.64	
		3 1	3 16 47.02									39.60	39.55	0.05	
27	BMT	EP04	3 16 35.17						150.5	36	74	24.95	25.24	1.09	
		3 4	3 16 52.26									44.04	42.86	1.18	
27	EPH	32	3 16 35.38						163.5	46	89	27.16	27.23	-0.13	
		3 4	3 16 55.76									47.54	46.67	0.87	
27	CTB	EPD0	3 16 38.71						102.3	26	89	30.49	29.55	1.11	
		3 4	3 16 59.03									51.01	50.24	1.37	

OCT M = 6 48 55.86 UTC RMS = 0.00 NO = 3
 27 LAT = 36.961 N ER1 = ERN = 3 AVFM = U = C FIXED DEPTH SOLUTION
 LONG = 117.154 W ER2 = GAP = 103 AVXM = JS = A DEPTH CONTROL INADEQUATE
 DEPTH = 5.00 KM ERZ = NM = WD = D TIM MOUNTAIN

27	GMN	EP00	6 40 59.25						17.3	285	101	3.39	3.34	0.00	
		3 4	6 40 4.09									-51.77	5.81	-57.57	
27	GMN	EP03	6 41 2.78						38.8	346	94	6.92	7.07	0.00	
27	YMT1	EPD3	6 41 5.82						57.0	102	92	9.96	9.83	0.00	
27	YMT3	EP04	6 41 9.64						69.0	101	92	13.78	11.75	2.00	

OCT M = 15 28 14.17 UTC RMS = 0.09 NO = 3
 27 LAT = 37.520 N ER1 = ERN = 3 AVFM = 0.7 Q = C FIXED DEPTH SOLUTION
 LONG = 116.535 W ER2 = GAP = 189 AVXM = JS = A DEPTH CONTROL INADEQUATE
 DEPTH = 5.00 KM ERZ = NM = WD = D STINKING SPRING

27	BMT	IPD0	15 24 19.34						6 0.8	28.0	200	96	5.17	5.33	0.01	
		3 0	15 24 20.43									6.26	8.83	-2.57		
27	KRNA	EP00	15 24 19.60						3 0.2	28.1	29	96	5.43	5.50	0.06	
27	EPH	EP01	15 24 21.15						6 1.1	38.0	151	94	6.98	7.10	-0.10	
		3 4	15 24 24.40									10.23	12.24	-2.01		

OCT M = 5 9 56.41 UTC RMS = 0.11 NO = 19
 28 LAT = 37.000 N ER1 = 0.2 ERN = 0.3 AVFM = 1.2 Q = B FREE DEPTH SOLUTION
 LONG = 116.193 W ER2 = 0.3 GAP = 148 AVXM = JS = A SILENT CANYON - YUCCA FLAT
 DEPTH = 8.05 KM ERZ = 0.7 NM = WD = C

28	OCB	EP01	5 9 58.27						8 1.0	5.3	324	148	1.06	2.12	-0.18	
		3 1	5 9 59.97									3.56	3.49	0.08		
28	CPX	EP 0	5 9 59.53						14.5	122	117	3.12	3.15	0.00		
28	LOP	EP00	5 9 59.86						16.3	172	115	3.45	3.50	0.03		
		3 4	5 10 2.65									6.24	5.86	0.39		
28	CDMS	EP02	5 9 59.81						12 1.4	19.0	216	111	3.40	3.78	-0.26	
		3 2	5 10 2.47									6.08	6.29	-0.23		
28	CDM1	EPD2	5 9 59.87						14 1.5	19.0	216	111	3.46	3.85	-0.29	
		3 0	5 10 2.90									6.49	6.41	0.08		
28	YMT6	EP01	5 9 60.98						7 0.9	24.5	230	106	4.57	4.65	-0.17	
		3 1	5 10 4.58									8.17	8.10	0.07		
28	YMT5	EP 1	5 9 61.15						25.8	244	105	4.74	4.90	-0.16		
		3 0	5 10 4.75									8.34	8.38	-0.04		
28	EPH	EP 2	5 9 61.87						26.5	334	105	5.46	5.20	0.20		
		3 0	5 10 5.49									9.06	8.99	0.09		
28	LSM	EP 1	5 9 62.06						9 1.1	29.7	194	103	5.65	5.46	0.17	
		3 2	5 10 5.96									9.55	9.37	0.18		
28	YMT3	EPD1	5 9 62.05						30.6	220	102	5.64	5.58	0.11		
		3 2	5 10 6.12									9.71	9.46	0.26		
28	YMT1	EPD0	5 9 63.17						11 1.3	34.0	242	101	6.76	6.16	0.47	
		3 4	5 10 7.64									11.23	10.76	0.47		
28	YMT2	EP 0	5 9 62.25						9 1.2	35.2	227	100	5.84	6.32	-0.56	
		3 1	5 10 7.46									11.05	10.95	0.10		

1981 OCT 28 15 28 14.17 UTC

1983 OCB LOCAL-EVENT DATA REPORT

OCT 1983	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	FMAG	DIST (KM)	AZI (DEG)	ATH (DEG)	IOUB (SEC)	ICAL (SEC)	REB (SEC)	REMARKS
28	SDM	EPD4	5 9 63.06						41.4	198	99	6.59	7.31	-0.66	
28	MCT	EP 4	5 9 64.31						42.8	151	98	7.90	7.58	0.40	
		8 4	5 10 10.19									13.78	12.83	0.95	

.....

FREE DEPTH SOLUTION											
OCT M = 15	8 46.04	UTC	RMS = 0.04	NO = 4	AVFM = 0.7	U = C					
28 LAT = 37.955 N	ERR =	ERM =	AVXM =	0.7	U = A	GOLDFIELD					
LONG = 117.091 W	ERY =	GAP = 200	WD = 0								
DEPTH = 14.02 KM	ERZ =	MM =									

.....

28	TNP	EP 0	15 8 50.00						18.0	321	120	4.50	4.50	-0.01	
28	MZP	EP 4	15 8 52.06						38.2	222	109	6.02	7.33	-0.26	
28	CTB	EP 4	15 8 56.36			0.0			40.2	136	106	10.32	8.45	2.00	
28	MCR	EP 0	15 8 57.47						65.2	62	101	11.43	11.50	0.02	
28	KRNA	EP 4	15 8 58.60						67.0	111	101	12.56	11.70	0.72	
28	CHN	EPD4	15 8 61.09						74.2	192	99	15.05	12.97	2.23	
		3 4	15 9 9.54									23.50	21.92	1.58	
28	BHT	EP 0	15 8 62.70			0.0			84.3	152	98	16.70	14.59	2.20	
28	BLT	EP 4	15 8 63.00						100.2	122	97	17.04	17.09	0.09	
28	OCB	EPD0	15 8 63.87						105.4	181	96	17.83	17.93	-0.07	

.....

901531886

.....

FREE DEPTH SOLUTION											
OCT M = 1	47 41.92	UTC	RMS = 0.14	NO = 18	AVFM = 1.3	U = 0					
29 LAT = 36.859 N	ERR =	ERM = 0.5	AVXM =	1.3	U = A	LATHROP WELLS					
LONG = 116.181 W	ERY =	GAP = 123	WD = 1								
DEPTH = 8.17 KM	ERZ =	MM =									

.....

29	LOP	EPD2	1 47 43.59						12	1.3	1.3	111	171	1.67	1.91	-0.16	
		3 0	1 47 45.05									3.13	3.12	0.01			
29	SSP	EP 2	1 47 44.62						13	1.4	0.1	336	137	2.70	2.50	0.20	
29	CDMS	EPD4	1 47 44.24						12	1.3	12.1	271	122	2.32	2.70	-0.36	
		3 4	1 47 45.99									4.07	4.50	-0.51			
29	CDH1	EPD4	1 47 44.33						11	1.3	12.1	271	123	2.41	2.05	-0.30	
		3 4	1 47 46.02									4.10	4.70	-0.61			
29	LSM	EPD4	1 47 44.75						10	1.5	13.5	212	116	2.03	3.27	-0.46	
		3 1	1 47 47.03									5.91	5.03	0.20			
29	YMT6	EP 0	1 47 45.91						10	1.2	19.9	270	110	3.99	3.93	-0.03	
		3 3	1 47 48.52									4.00	4.00	-0.20			
29	OG6	EPD0	1 47 46.03									20.3	340	110	4.11	4.12	0.07
		3 0	1 47 48.91									6.99	6.91	0.08			
29	YMT3	EPD0	1 47 46.10						12	1.4	22.0	249	100	4.26	4.23	0.08	
		3 4	1 47 50.02									8.70	7.15	1.55			
29	YMT6	EP 2	1 47 46.43									24.0	272	106	4.51	4.60	-0.20
		3 1	1 47 49.93									4.01	0.05	-0.05			
29	YMT5	EPD1	1 47 46.52						10	1.2	24.7	200	106	4.60	4.72	-0.12	
		3 2	1 47 49.75									7.83	0.08	-0.25			
29	SDM	EP 0	1 47 48.44									27.5	211	104	6.52	5.09	1.46
		3 4	1 47 50.02									14.10	0.04	5.45			
29	YMT2	EP 0	1 47 47.24						11	1.3	20.2	253	104	5.32	5.21	0.03	
		3 1	1 47 50.89									8.97	9.05	-0.08			
29	YMT1	EPD2	1 47 47.55									30.9	249	102	5.63	5.67	-0.17
		3 2	1 47 52.17									10.25	9.92	0.33			
29	SPRG	EP 0	1 47 48.66									37.9	119	100	6.74	6.79	-0.03
		3 4	1 47 54.01									12.69	11.57	1.32			
29	JDN	EP 4	1 47 52.10						47.0	171	97	10.18	8.19	1.98			

.....

.....

FREE DEPTH SOLUTION											
OCT M = 13	50 50.97	UTC	RMS = 0.18	NO = 13	AVFM = 1.2	U = C					
29 LAT = 36.540 N	ERR =	ERM = 0.4	AVXM =	1.2	U = B	LATHROP WELLS					
LONG = 116.214 W	ERY =	GAP = 79	WD = C								
DEPTH = 1.58 KM	ERZ =	MM =									

.....

29	SDM	IPD1	13 50 62.10						8	1.0	12.7	299	93	2.13	2.58	-0.41
29	LSM	IPD0	13 50 63.04						12	1.3	17.5	342	92	3.07	3.40	-0.35
		3 2	13 51 5.48									5.51	5.05	-0.34		
29	JUN	IPD0	13 50 63.09						9	1.1	19.4	109	92	3.52	3.67	-0.16
		3 0	13 51 4.31									6.34	6.30	0.05		
29	MCT	EPD1	13 50 64.39						12	1.4	23.9	70	92	4.42	4.51	-0.01
		3 0	13 51 7.72									7.75	7.58	0.17		

.....

90153000/1886

1981 SON LOCAL-EVENT DATA REPORT

OCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	U1ST (MM)	A21 (DEG)	AIN (DEG)	TOBS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
29	LDP	EPD2	13 50 45.52					10 1.2	29.6	0	74	5.55	5.54	0.09	.
			3 0 13 51 9.41									9.44	9.34	0.11	.
29	ANR	EPD3	13 50 45.70						31.6	220	74	5.81	5.66	0.14	.
			3 1 13 51 9.88									9.91	9.69	0.22	.
29	YPT6	EPD2	13 50 45.42						34.4	330	74	5.85	4.20	-0.43	.
			3 4 13 51 9.85									9.88	10.75	-0.87	.
29	WCT	EP 0	13 50 47.27						43.2	301	74	7.30	7.40	-0.10	.
			3 4 13 51 13.12									13.15	12.73	0.42	.

OCT 11 = 17 49 33.75 UTC RMS = 0.08 NO = 8 FREE DEPTH SOLUTION
 29 LAT = 30.005 N ERX = 0.4 ENM = 0.0 AVFM = 2.1 U = C
 LONG = 115.183 W ERY = 0.7 GAP = 238 AVXM = U3 = A
 DEPTH = 9.90 KM ERZ = 1.3 NM = UD = 0
 TIMBER MOUNTAIN

29	SRG	IPU0	17 49 37.77					36 2.3	17.0	143	119	4.82	3.73	0.06	.
			3 0 17 49 40.49									6.74	6.76	-0.03	.
29	WRN	EP 1	17 49 40.22					19 1.4	35.7	266	104	6.47	6.60	-0.10	.
			3 0 17 49 45.10									11.43	11.34	0.06	.
29	MTI	EP 0	17 49 40.52					23 2.0	37.3	192	103	6.77	6.82	-0.02	.
			3 0 17 49 45.32									11.57	11.60	-0.04	.
29	NPN	EPU0	17 49 42.01					24 2.0	44.7	151	101	8.26	8.03	0.02	.
			3 4 17 49 48.36									14.61	14.00	0.52	.
29	DLM	EP 0	17 49 45.28						59.1	139	98	11.53	10.35	0.92	.
			3 0 17 49 44.30						60.5	223	98	10.55	10.61	0.08	.
29	TPU	EP 0	17 49 44.30					28 2.3	67.4	170	97	12.86	11.64	1.10	.
			3 4 17 49 46.61									20.78	20.31	0.47	.
29	PRN	EP 4	17 49 46.61												.
			3 4 17 49 54.53												.
29	GHR	EPU4	17 49 51.20					17 1.9	90.8	215	95	17.45	15.4	2.11	.
			3 0 17 49 53.90						92.9	150	95	30.15	15.72	14.45	.
29	EPR	EPU4	17 49 53.90						112.7	283	94	35.89	19.09	16.80	.
			3 4 17 49 59.64												.

OCT 11 = 6 42 59.82 UTC RMS = 0.12 NO = 11 FREE DEPTH SOLUTION
 30 LAT = 37.076 N ERX = 0.8 ENM = 0.0 AVFM = 2.0 U = C
 LONG = 116.224 W ERY = 0.3 GAP = 103 AVXM = U3 = A
 DEPTH = 7.05 KM ERZ = 0.8 NM = UD = 0
 SILENT CANYON - YUCCA FLAT

30	QGB	IPD1	6 43 1.49					18 1.7	4.3	184	150	1.67	1.89	-0.15	.
			3 0 6 43 3.00									3.10	3.10	0.07	.
30	S3P	EPD1	6 43 3.26						16.8	178	111	3.44	3.59	-0.08	.
			3 4 6 43 6.66									6.04	6.01	0.03	.
30	EPN	EPU1	6 43 3.51					22 1.9	17.7	330	110	3.69	3.78	-0.14	.
			3 0 6 43 6.47									6.65	6.57	0.08	.
30	GLR	EP 4	6 43 4.73						22.9	53	104	4.91	4.41	0.56	.
			3 4 6 43 7.61									7.79	7.42	0.36	.
30	LOP	IPD0	6 43 4.65					30 2.2	25.1	168	103	4.83	4.82	0.09	.
			3 4 6 43 9.33									9.51	8.11	1.40	.
30	YHT6	EPU1	6 43 5.14						29.0	214	101	5.34	5.32	-0.07	.
			3 0 6 43 9.18									9.36	9.25	0.11	.
30	YHT1	EPD2	6 43 6.32					32 2.3	36.7	228	98	6.58	6.56	-0.19	.
			3 4 6 43 11.78									11.96	11.43	0.52	.
30	LSM	EPD1	6 43 6.68						37.5	187	98	6.86	6.69	0.15	.
			3 4 6 43 12.01									12.19	11.47	0.71	.
30	YHT2	EPU4	6 43 5.09					27 2.1	39.7	214	97	5.27	7.62	-1.04	.
			3 4 6 43 12.76									12.98	12.18	0.79	.
30	MCY	EPU1	6 43 8.88					21 2.0	51.4	153	95	9.06	8.97	0.15	.
			3 4 6 43 16.98									17.16	15.23	1.92	.

OCT 11 = 12 27 55.98 UTC RMS = 0.12 NO = 19 FREE DEPTH SOLUTION
 30 LAT = 37.252 N ERX = 0.3 ENM = 0.4 AVFM = 2.2 U = 0
 LONG = 117.588 W ERY = 0.3 GAP = 92 AVXM = U3 = A
 DEPTH = 7.98 KM ERZ = 0.6 NM = UD = 0
 MAGRUDER MOUNTAIN

30	LCM	IPD0	12 27 58.01					26 2.0	5.4	250	146	2.03	2.00	0.03	.
			3 0 12 27 59.41									3.43	3.41	0.02	.
30	MGM	EPU2	12 27 60.15					27 2.1	22.5	21	108	4.17	4.53	-0.27	.
			3 1 12 28 3.35									7.37	7.59	-0.22	.

90153 1387

90153 1387

1981 SGB LOCAL-EVENT DATA REPORT

DCT 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	TMAG	DUR	PMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TU00 (SEC)	TCAL (SEC)	REQ (SEC)	REMARKS
30	GMN	IPU3	12 27 01.24					22 1.9	69.6	80	103	5.26	5.65	-0.25	
		8 1	12 28 5.55									9.57	9.41	0.16	
30	PPH	EPU2	12 27 02.10					27 2.1	34.3	304	101	6.14	6.33	-0.22	
		8 1	12 28 7.07									11.09	10.85	0.24	
30	GVN	IPU4	12 27 01.27					15 1.6	35.4	142	100	5.29	6.30	-1.00	
		8 0	12 28 6.69									10.71	10.88	-0.17	
30	TMO	EPU4	12 27 08.40						52.1	162	97	12.42	9.28	3.14	
		8 4	12 28 17.70									21.72	15.35	6.36	
30	MZP	EPD0	12 27 05.20					22 2.0	53.0	20	96	9.22	9.45	0.01	
		8 1	12 28 11.98									15.92	15.75	0.17	
30	SVP	IPU1	12 27 05.79					27 2.2	54.7	340	96	9.81	9.78	-0.03	
		8 4	12 28 13.41									17.43	16.92	0.51	
30	BCV	EPU1	12 27 05.85					37 2.5	57.8	121	96	9.87	10.07	-0.11	
		8 4	12 28 14.27									18.29	17.07	1.22	
30	MCA	EP 1	12 27 08.39					22 2.1	72.4	158	94	12.01	12.17	0.16	
		8 4	12 28 17.65									21.67	20.95	0.72	
30	BMT	EPU0	12 27 70.20					32 2.4	83.6	88	94	14.22	14.30	0.01	
		8 4	12 28 21.20									25.22	24.30	0.92	
30	CTB	IPU0	12 27 70.87					22 2.1	88.5	60	94	14.89	15.11	-0.05	
		8 4	12 28 21.84									25.00	25.54	-0.54	
30	TNP	EPU4	12 27 74.15					25 2.3	97.7	20	93	18.17	16.61	1.28	
		8 4	12 28 26.17									30.19	28.87	1.32	
30	NCT	EPD0	12 27 72.62					27 2.3	99.6	121	93	16.84	16.74	0.00	
		8 4	12 28 25.59									29.61	28.35	1.26	
30	YMT1	EPU4	12 27 72.63						104.1	115	93	16.65	17.49	-0.97	
		8 8	12 28 31.83									35.05	30.13	5.72	
30	YMT5	EPD0	12 27 74.25					29 2.4	100.2	111	93	18.27	18.20	0.00	
		8 8	12 28 29.95									33.97	31.13	2.80	
30	YMT4	EP 4	12 27 75.56						109.8	113	93	19.58	18.44	1.03	
		8 4	12 28 32.56									36.58	31.72	4.85	
30	YMT2	EP 4	12 27 76.70						111.1	110	93	20.72	18.67	2.02	
		8 4	12 28 31.87									35.09	31.97	3.92	
30	NRNA	EPU1	12 27 76.42					29 2.5	119.9	63	93	20.44	20.23	0.14	
		8 4	12 28 30.18									38.20	34.71	3.49	

1 3 8 8
9 0 1 5 3
9 0 1 0

OCT M = 19 42 24.39 UTC RMS = 1.89 NO = 5
 30 LAT = 37.750 N ERX = 5.1 ERM = 11.8 AVFM = 1.9 U = D FREE DEPTH SOLUTION
 LONG = 115.351 W ERY = 10.6 GAP = 248 AVXM = U = D DEPTH CONTROL INADEQUATE
 DEPTH = 5.00 KM ERZ = 282.5 NM UD = D MIAU

30	NTI	EPD4	19 42 41.99					22 1.9	10.7	140	112	17.60	2.43	15.20	
		8 4	19 42 49.24									24.65	4.10	20.75	
30	NPN	EP 3	19 42 31.67						38.1	106	94	7.28	6.85	0.22	
		8 4	19 42 33.00									8.61	12.07	-3.46	
30	PRN	EP 0	19 42 31.24						86.4	145	93	6.85	6.17	-1.03	
		8 4	19 42 33.30									8.91	14.17	-5.26	
30	DLN	EP 3	19 42 40.32						56.3	106	92	15.93	9.82	5.86	
		8 0	19 42 34.64						59.3	219	92	18.25	10.27	8.08	
30	EPR	EP 3	19 42 37.68						86.1	167	92	13.29	11.33	1.98	
		8 4	19 42 45.47									21.08	19.34	1.74	

OCT M = 20 15 47.91 UTC RMS = 0.27 NO = 6
 30 LAT = 37.520 N ERX = 0.2 ERM = 0.5 AVFM = 1.4 U = C FREE DEPTH SOLUTION
 LONG = 115.248 W ERY = 0.4 GAP = 159 AVXM = U = C DEPTH CONTROL INADEQUATE
 DEPTH = 2.99 KM ERZ = 2.5 NM UD = C MIAU

30	PNH	EPU0	20 15 52.07					21 1.8	21.5	124	74	4.16	4.10	-0.07	
		3 3	20 15 54.04									6.13	7.22	-1.09	
30	NPN	EP 3	20 15 54.36					11 1.3	31.2	62	74	6.45	5.71	0.52	
		3 2	20 15 57.91									10.00	10.13	-0.13	
30	TPU	EP 3	20 15 54.04					7 0.9	36.7	285	74	6.93	6.67	0.40	
		3 1	20 15 59.09									11.18	11.16	0.01	
30	SRC	EP 4	20 15 63.79						43.3	21	74	15.86	7.68	7.98	
		3 0	20 15 60.18						45.9	78	74	12.27	8.13	3.88	
30	SHRC	EPD0	20 15 57.84						112.9	176	74	9.93	19.01	-8.49	
		3 4	20 16 13.23									25.32	31.50	-8.18	

90153000/1988

1981 800 LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PER MAG SWH PHAS DIST AZI ATH TUBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (MM) (DEG)(DEG) (SEC) (SEC) (SEC)

NOV M = 5 50 39.40 UTC NMS = 0.12 MU = 6 FREE DEPTH SOLUTION
 02 LAT = 35.932 N ERI = 2.4 ENH = 6.7 AVFM = 3.0 US = 0 SEANLES LAKE
 LONG = 117.043 W ERY = 0.2 GAP = 200 AVXM = US = 0
 DEPTH = 15.77 NM ERZ = 0.8 NM = UD = 0

02	OSM	IPD0	5 50 39.40	47	2.5	16.2	77	134	4.00	3.97	0.02
02	CHV	IPU0	5 50 39.80	60	2.0	43.0	50	109	4.00	0.10	1.46
02	AMR	EPD1	5 50 42.81	67	3.0	72.7	45	101	12.41	12.07	-0.07
02	MCA	EPU0	5 50 44.20	41	2.0	82.3	145	100	13.00	13.92	-0.12
02	SDM	EPU0	5 50 46.40	61	3.1	101.3	39	98	16.00	17.10	0.90
02	JON	EP00	5 50 47.52	62	3.1	101.0	54	98	17.12	17.15	-0.00
02	WCT	EP02	5 50 47.03	39	2.7	102.5	21	98	17.43	17.31	0.20
02	YMT1	LP02	5 50 49.75	80	3.3	112.1	24	97	19.35	18.91	0.31
02	LSM	EPU0	5 50 48.75	61	3.1	113.2	38	97	18.35	19.07	-0.74
02	MCY	EPU0	5 50 48.70	61	3.1	120.4	50	52	18.30	20.95	-2.49
02	LUP	EPU0	5 50 53.72	61	3.2	120.9	37	52	23.32	21.38	2.02

NOV M = 1 39 42.22 UTC NMS = 0.12 NO = 29 FREE DEPTH SOLUTION
 05 LAT = 36.030 N ERI = 0.4 ENH = 0.5 AVFM = 2.7 US = A DARWIN
 LONG = 117.097 W ERY = 0.3 GAP = 200 AVXM = US = 0
 DEPTH = 6.83 NM ERZ = 0.3 NM = UD = 0

05	PCE	IPU1	1 39 53.37	39	2.5	66.0	58	93	11.15	11.54	-0.17
05	OSM	EPU0	1 39 55.05	40	2.6	75.1	96	93	10.46	10.35	-0.89
05	MCA	IPU1	1 39 54.91	34	2.5	77.7	29	92	12.03	12.66	0.08
05	TMO	EP 2	1 39 57.07	27	2.3	89.5	17	92	21.78	21.80	-0.02
05	CHV	EPU0	1 39 58.14	36	2.6	93.9	80	92	12.69	13.02	-0.41
05	FMT	EPU1	1 39 59.83	26	2.3	106.4	51	92	22.50	22.40	0.10
05	CVN	EPD0	1 39 00.98	39	2.7	112.0	16	92	14.85	15.32	-0.17
05	AMR	EPU0	1 39 01.75	39	2.7	112.0	16	92	25.00	25.60	-0.20
05	SCV	EPU1	1 39 02.52	47	2.9	120.8	30	92	15.92	15.91	0.09
05	WCT	EPD3	1 39 03.56	17	2.7	127.7	49	91	26.28	27.07	-0.79
05	LCM	EPD2	1 39 05.34	35	2.7	133.4	2	91	17.61	17.83	0.02
05	YMT2	EPD4	1 39 05.45	44	2.9	137.1	53	91	29.43	30.08	-0.65
05	YMT1	EPU2	1 39 05.58	33	2.7	138.8	49	91	16.76	16.71	-0.01
05	NUP	EPU0	1 39 05.22	39	2.7	138.8	49	91	32.22	32.10	0.12
05	SDM	EPU3	1 39 05.69	27	2.5	139.6	61	91	19.53	19.52	0.00
05	GMW	EPU0	1 39 06.52	47	2.9	140.8	30	92	33.29	33.39	-0.10
05	YMT5	EP 2	1 39 06.94	17	2.7	147.0	49	91	20.30	20.29	0.09
05	LSM	EPD0	1 39 07.17	44	2.9	149.9	58	52	34.62	34.55	0.07
05	JON	EPD0	1 39 07.16	31	2.6	150.2	73	52	21.34	21.29	0.21
05	LDP	EP 2	1 39 09.22	45	3.0	164.6	54	52	35.66	36.13	-0.47
05	SSP	EPD1	1 39 09.54	44	2.9	165.3	53	52	22.12	22.31	-0.11
05	BMT	EPU0	1 39 10.96	39	2.9	167.5	34	52	38.94	38.92	0.02
05			1 40 31.70	27	2.5	169.6	61	91	23.23	22.84	0.31
				45	3.0	170.0	49	91	39.61	39.20	0.41
				44	2.9	169.9	58	52	25.36	25.14	0.09
				39	2.9	167.5	34	52	39.15	39.70	-0.63
				40	2.6	150.2	73	52	23.00	23.20	-0.11
				40	2.9	164.6	54	52	41.61	39.52	2.09
				40	2.9	165.3	53	52	23.47	23.25	0.26
				40	2.9	165.3	53	52	39.98	39.69	0.29
				40	2.9	165.3	53	52	24.30	24.49	-0.05
				40	2.9	165.3	53	52	43.37	41.63	1.74
				40	2.9	165.3	53	52	24.72	24.51	0.21
				40	2.9	165.3	53	52	41.70	41.92	-0.14
				40	2.9	165.3	53	52	24.95	24.90	0.02
				40	2.9	165.3	53	52	42.61	42.62	-0.01
				40	2.9	165.3	53	52	24.94	24.90	0.02
				40	2.9	165.3	53	52	42.34	42.60	-0.26
				40	2.9	165.3	53	52	27.00	26.43	0.15
				40	2.9	165.3	53	52	47.56	45.91	1.65
				40	2.9	165.3	53	52	27.32	27.10	0.30
				40	2.9	165.3	53	52	46.41	46.20	0.21
				40	2.9	165.3	53	52	28.74	27.41	1.50
				40	2.9	165.3	53	52	49.52	46.58	2.94

90153 1389

9015300/1889

1981 CGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (CM)	PER (SEC)	MAG	DUR	PMAG	DIST (KM)	AZI (DEG)	A1A (DEG)	T0MS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS	
05	MCY	EPD4	1 39 09.00					41	3.0	170.7	66	52	27.66	27.61	0.13	3.70
		S 4	1 40 30.91									48.69	47.07	1.62		
05	BGB	EPD4	1 39 71.45					39	2.9	172.5	50	52	29.23	27.94	1.37	
		S 1	1 40 30.70									48.40	47.63	0.65		
05	EPH	EPD4	1 39 72.94					30	2.9	179.6	43	52	30.72	28.98	1.68	
		S 4	1 40 30.42									52.20	49.66	2.54		
05	CTB	EP 4	1 39 75.42						199.9		26	52	33.20	31.09	1.88	

NOV M = 0 42 49.53 UTC RMS = 0.00 NO = 10 FREE DEPTH SOLUTION
 05 LAT = 37.155 N ERX = 0.6 ENH = 0.8 AVFM = 1.8 U = C
 LONG = 115.070 W ERY = 0.5 GAP = 266 AVXM = U8 = A
 DEPTH = 5.82 KM ERZ = 0.9 NH = U0 = 0

05	EPR	EPD0	0 42 51.97					23	1.9	10.4	270	117	2.44	2.40	0.06	
		S 0	0 42 53.57										4.04	4.07	-0.03	
05	PRN	EPD0	0 42 54.77					22	1.9	28.0	0	98	5.20	5.20	-0.00	
		S 0	0 42 58.68										9.15	9.10	0.05	
05	NPN	EP 3	0 42 59.90							56.5	12	92	10.45	9.80	0.30	
		S 1	0 43 06.66										17.13	17.19	-0.06	
05	DLM	EPD0	0 42 00.84							58.0	30	93	11.31	10.11	0.95	
		S 4	0 43 08.00										18.55	17.71	0.63	
05	MTI	EPD4	0 42 00.54							60.6	143	93	11.01	10.49	0.55	
		S 0	0 43 7.30										17.81	17.68	-0.07	
05	GMR	EPD0	0 42 00.72					14	1.7	65.3	200	93	11.19	11.26	0.03	
		S 3	0 43 08.48										19.15	19.09	0.06	
05	HRN	EP 0	0 42 06.97							102.5	134	92	17.34	17.35	-0.06	

NOV M = 1 14 2.10 UTC RMS = 0.11 NO = 6 FREE DEPTH SOLUTION
 06 LAT = 37.030 N ERX = 2.1 ERM = 2.2 AVFM = 2.2 U = D
 LONG = 114.887 W ERY = 0.6 GAP = 190 AVXM = U8 = C
 DEPTH = 0.37 KM ERZ = 186.2 NH = U0 = 0

DELAMAR MOUNTAINS

06	EPR	EPD2	1 14 7.40					40	2.4	30.5	299	38	5.30	5.76	-0.44	
		S 1	1 14 10.21					36	2.4	43.0	341	38	8.11	7.96	0.04	
06	SHRC	EPD0	1 14 12.71					22	2.0	63.5	202	38	10.61	11.19	0.01	
		S 0	1 14 15.31					21	2.0	64.8	12	38	11.21	11.42	-0.45	
06	DLM	EPD2	1 14 15.31					23	2.1	68.0	350	38	12.45	12.05	0.19	
		S 0	1 14 16.55					28	2.3	79.0	334	38	14.63	13.70	0.97	
06	MTI	EP 4	1 14 16.73					19	2.0	85.2	293	38	14.63	14.72	0.02	
		S 0	1 14 16.73					21	2.1	98.5	245	38	16.70	15.58	1.28	
06	TPRC	EP 4	1 14 19.17					22	2.1	92.6	313	38	17.07	15.98	1.23	
		S 0	1 14 19.65					35	2.6	95.4	350	38	17.55	16.39	0.95	
06	BRG	EPD4	1 14 20.54							102.2	280	38	18.44	17.44	1.07	
		S 4	1 14 21.10					31	2.5	104.5	247	38	19.00	17.79	1.30	
06	MCY	EP 4	1 14 21.10					24	2.3	122.1	329	38	21.77	20.74	0.99	
		S 0	1 14 23.07													

NOV M = 6 52 30.23 UTC RMS = 0.14 NO = 16 FREE DEPTH SOLUTION
 06 LAT = 37.500 N ERX = 1.1 ERM = 1.1 AVFM = 2.0 U = C
 LONG = 118.036 W ERY = 0.3 GAP = 269 AVXM = U8 = 0
 DEPTH = 5.25 KM ERZ = 1.9 NH = U0 = 0

SILVER PEAK

06	PPK	IPD0	6 52 33.29							14.1	126	107	3.06	3.03	0.02	
		S 0	6 52 35.27										5.04	5.20	-0.16	
06	SYP	IPD0	6 52 36.39					17	1.7	31.6	41	96	6.16	6.00	0.05	
		S 0	6 52 40.67										10.44	10.45	-0.01	
06	LCH	IPD0	6 52 38.08					19	1.8	45.3	131	94	7.85	7.99	-0.06	
		S 4	6 52 42.70										12.47	13.52	-1.05	
06	HGH	IPD4	6 52 38.27					19	1.9	48.2	98	93	8.04	8.58	-0.45	
		S 4	6 52 43.66										13.43	14.52	-1.09	
06	MZP	EPD1	6 52 40.61							61.8	69	92	10.30	10.84	-0.24	
		S 1	6 52 44.25					21	2.1	82.8	132	92	14.02	13.95	0.01	
06	GVN	EPD1	6 52 44.25										23.95	23.96	-0.01	
		S 1	6 52 54.18					26	2.3	106.1	123	91	17.80	17.91	-0.01	
06	BCV	EPD0	6 52 48.03										30.55	30.46	0.09	
		S 0	6 53 0.78										19.57	19.75	-0.01	
06	CTS	EPD0	6 52 49.80													

9 0 1 5 3 1 8 9 0

9 0 1 5 3 1 8 9 0

1981 SCS LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS	DUR	PMAG	DIST (NM)	AZI (DEG)	ATN (DEG)	TDBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
06	BMT	EPD0	0 52 51.29					21 2.2	125.5	101	90	21.06	20.70	0.53	
06	NCT	EPD0	0 52 54.57						147.9	122	90	24.34	20.35	0.15	
06	NRNA	EPD1	0 52 55.31						140.0	00	90	25.00	24.49	0.52	
06	YNT1	EP 2	0 52 55.78						151.9	110	90	25.55	25.00	0.42	
06	YNT5	EPD0	0 52 56.04						155.0	115	90	25.01	25.00	0.21	

NOV M = 21 12 24.41 UTC HMS = 0.07 NO = 9 FREE DEPTH SOLUTION

06 LAT = 37.115 N ERX = 0.2 ERN = 0.3 AVFM = 1.0 U = 0
 LONG = 117.337 W ERY = 0.2 GAP = 113 AVXM = 0.0 W = A
 DEPTH = 0.00 NM ERZ = 1.1 NM W = 0

MT. JACKSON

06	GVN	EPD0	21 12 27.32					16 1.6	12.7	102	124	2.91	2.07	-0.02	
06	GVN	EP 0	21 12 29.40									4.99	5.01	-0.02	
06	GVN	EP 0	21 12 29.63					11 1.3	21.0	18	111	4.22	4.45	-0.08	
06	LCH	EP 0	21 12 31.91									7.50	7.36	0.14	
06	LCH	EP 0	21 12 30.03						30.6	296	104	6.42	5.70	0.01	
06	BCV	IPU0	21 12 34.00									9.59	9.60	-0.01	
06	BCV	IPU0	21 12 30.03					20 1.0	30.9	119	104	5.62	5.70	-0.06	
06	BCV	EP 0	21 12 35.13									9.72	9.72	0.00	
06	TMO	EPD4	21 12 33.39						35.0	190	102	8.90	6.55	2.73	
06	MCA	EP 2	21 12 33.61						52.1	175	97	9.20	8.90	0.22	
06	FHT	EP 4	21 12 39.84									15.43	15.36	0.00	
06	FHT	EP 4	21 12 40.77						72.5	137	95	20.36	12.35	12.25	

NOV M = 13 26 13.50 UTC HMS = 0.10 NO = 10 FREE DEPTH SOLUTION

07 LAT = 36.370 N ERX = 0.6 ERN = 0.7 AVFM = 2.0 U = C
 LONG = 117.916 W ERY = 0.4 GAP = 245 AVXM = 0.0 W = A
 DEPTH = 0.41 NM ERZ = 0.6 NM W = 0

DARWIN

07	MCA	EPD2	13 26 24.37					32 2.4	64.0	62	30	10.79	11.11	-0.00	
07	MCA	EP 0	13 26 32.02									10.44	19.14	-0.00	
07	TMO	EPD1	13 26 24.95					32 2.4	66.3	43	30	11.37	11.76	-0.09	
07	PGE	IPU1	13 26 33.25									19.67	19.59	0.00	
07	PGE	IPU1	13 26 26.61					30 2.4	76.3	92	30	13.03	13.32	-0.06	
07	GVN	EPD1	13 26 36.32									22.74	22.39	0.35	
07	GVN	EPD1	13 26 20.40					34 2.5	86.8	36	30	14.90	14.81	0.03	
07	LCH	EPD1	13 26 40.03									26.45	25.43	1.02	
07	LCH	EPD0	13 26 30.41						98.9	14	30	18.03	16.90	0.01	
07	BCV	EPD0	13 26 43.04									20.46	20.76	0.70	
07	BCV	EPD0	13 26 31.30					47 2.0	104.1	49	30	17.72	17.77	0.04	
07	OSM	EPU1	13 26 43.77									30.14	30.23	-0.09	
07	OSM	EPU1	13 26 31.51					30 2.7	104.4	115	30	17.93	17.04	0.20	
07	OSM	EP 0	13 26 43.91									30.35	30.31	0.02	
07	GNV	EPD3	13 26 33.23					31 2.5	113.7	100	30	19.65	19.33	0.40	
07	PPK	EPD4	13 26 33.23									35.04	32.92	2.12	
07	PPK	EPD4	13 26 06.62						117.2	0	30	17.18	19.95	-2.78	
07	NCT	EPD4	13 26 30.76									34.00	34.14	-0.06	
07	NCT	EPD3	13 26 47.66					30 2.5	124.5	68	30	20.01	20.98	-0.21	
07	NCT	EP 0	13 26 34.19									35.64	35.60	0.05	
07	NCH	EP 0	13 26 49.22						124.6	17	30	21.21	21.21	-0.09	
07	AMR	EPD2	13 26 34.79					36 2.7	129.4	69	30	21.58	21.71	-0.14	
07	AMR	EPD2	13 26 35.16									37.00	37.14	-0.14	
07	BVP	EPD4	13 26 50.58									26.31	25.38	0.02	
07	BMT	EPD4	13 26 39.09					33 2.7	149.6	4	30	26.62	25.79	1.09	
07	BMT	EPD4	13 26 40.20					36 2.0	152.1	40	30	45.00	43.64	1.34	

NOV M = 6 9 42.75 UTC HMS = 0.13 NO = 27 FREE DEPTH SOLUTION

08 LAT = 36.335 N ERX = 0.2 ERN = 0.2 AVFM = 2.2 U = C
 LONG = 115.960 W ERY = 0.2 GAP = 123 AVXM = 0.0 W = B
 DEPTH = 5.31 NM ERZ = 2.0 NM W = C

CHARLESTON PEAK

08	JUN	IPU1	6 9 45.05					27 2.1	16.0	514	103	3.10	3.27	-0.19	
08	JUN	IPU1	6 9 48.26									5.51	5.01	-0.11	
08	NOP	IPD1	6 9 47.61					27 2.1	20.3	216	96	4.06	5.13	-0.19	
08	NOP	IPD1	6 9 51.53									8.70	8.63	0.15	

901531391

1981 800 LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	MAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TOMB (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
00	APK	EPD0	6 9 49.23					32	2.3	35.4	93	95	6.48	6.63	0.11	
		3 0	6 9 53.58										10.83	10.88	-0.05	
00	HCT	IPU1	6 9 49.83					30	2.3	36.3	1	95	6.28	6.48	-0.13	
		3 0	6 9 53.62										10.67	10.95	-0.08	
00	SPRG	IPU0	6 9 50.12					23	2.0	42.3	20	94	7.37	7.45	-0.08	
		3 0	6 9 55.42										12.67	12.69	-0.02	
00	AMR	004	6 9 51.14					20	1.9	45.9	270	93	8.39	7.94	0.46	
		3 4	6 9 56.81										14.06	13.59	0.47	
00	SDH	IPU1	6 9 50.04					26	2.1	47.8	316	93	6.09	6.31	-0.19	
		3 2	6 9 56.04										13.09	14.14	-0.26	
00	LSM	IPU1	6 9 51.73					31	2.3	52.6	329	93	8.98	9.10	-0.12	
		3 0	6 9 56.45										15.70	15.60	0.09	
00	LUP	EPD0	6 9 53.21					30	2.3	60.3	343	93	10.06	10.47	-0.06	
		3 4	6 10 1.14										16.39	17.77	-0.61	
00	YMT3	EPU0	6 9 53.55					30	2.3	64.0	322	92	10.00	10.93	-0.09	
		3 1	6 10 1.55										10.00	10.61	0.19	
00	GVV	EP 0	6 9 54.91					22	2.0	65.2	255	92	11.26	11.24	0.10	
		3 1	6 10 1.79										19.04	19.08	-0.04	
00	YMT2	EP 1	6 9 54.32					32	2.4	68.8	317	92	11.57	11.60	-0.11	
		3 4	6 10 3.93										21.10	19.97	1.20	
00	BSP	EPD0	6 9 54.76					22	2.1	69.2	341	92	12.01	12.00	0.09	
		3 0	6 10 3.29										20.54	20.30	0.16	
00	YMT6	EPU0	6 9 54.71					24	2.1	70.0	326	92	11.96	11.94	-0.07	
		3 4	6 10 4.45										21.70	20.57	1.13	
00	BHRG	EP 0	6 9 55.95					25	2.2	75.3	74	92	13.20	12.90	0.09	
		3 4	6 10 4.79										22.04	21.04	0.94	
00	YMT5	EP 0	6 9 55.71							76.2	325	92	12.96	12.98	-0.03	
		3 2	6 10 5.20										22.45	22.20	0.25	
00	YMT1	EP 4	6 9 56.39					30	2.4	76.3	319	92	13.64	12.77	0.54	
		3 4	6 10 9.10										26.43	22.40	4.03	
00	HCT	EPU4	6 9 56.13					22	2.1	77.0	311	92	13.38	13.17	0.37	
		3 4	6 10 6.20										23.45	22.25	1.20	
00	BCB	EP 2	6 9 56.83					24	2.2	81.4	343	92	14.00	13.91	0.25	
		3 1	6 10 6.54										23.79	23.64	0.14	
00	OSM	EPU4	6 9 56.61					25	2.2	90.8	243	92	15.06	15.21	-0.55	
		3 4	6 10 10.06										27.31	26.17	1.14	
00	CK3	EP 4	6 9 62.43							112.2	9	91	19.68	18.90	0.87	
00	BHT	EPU0	6 9 62.80							121.4	330	91	26.05	20.52	-0.31	
		3 4	6 10 18.87										34.12	34.80	1.31	

90153 1892

NOV 14 42 2.62 UTC RMS = 0.16 MO = 21 FREE DEPTH SOLUTION
 OB LAT = 37.057 N ERX = 0.3 ERM = 0.4 AVFN = 2.4 U = C
 LONG = 116.954 W ERY = 0.5 GAP = 84 AVRM = U8 = 8 THIRSTY CANYON
 DEPTH = 4.27 KM ERZ = 2.3 NM = U0 = C

00	SGV	IPU0	14 42 4.98					47	2.5	10.9	220	106	2.28	2.44	-0.07	
00	GVV	EPU0	14 42 8.97					38	2.4	35.1	260	93	6.35	6.20	0.09	
00	BHT	IPD0	14 42 9.21					42	2.5	37.2	47	93	6.59	6.81	-0.05	
00	GMN	EPU0	14 42 9.33					30	2.2	38.3	315	93	6.71	6.98	-0.12	
00	HCT	IPU0	14 42 9.52					31	2.3	41.4	135	92	6.90	7.25	-0.19	
00	YMT1	IPU0	14 42 10.28					50	2.7	44.1	121	92	7.66	7.72	-0.20	
00	YMT5	IPU0	14 42 10.91					35	2.4	47.9	112	92	8.29	8.30	-0.09	
00	FMT	EP4	14 42 10.81							48.9	101	92	8.19	8.47	-0.04	
00	YMT4	EPU1	14 42 11.46					36	2.4	49.5	115	92	8.04	8.63	0.10	
00	YMT2	EP	14 42 11.63					38	2.5	51.6	126	92	9.01	9.92	0.00	
00	YMT6	EP	14 42 12.10							53.7	114	92	9.48	9.28	0.11	
00	MCA	EPD4	14 42 12.70					30	2.3	53.9	213	92	10.00	9.14	0.86	
00	YMT3	EPU3	14 42 12.11					36	2.4	56.9	122	91	9.49	9.78	-0.25	
00	EPH	EPU0	14 42 13.12					34	2.4	58.7	73	91	10.50	10.33	0.11	
00	MGM	EPD4	14 42 12.93					31	2.3	64.3	312	91	10.31	11.21	-0.81	
00	BCB	EPD0	14 42 13.92					25	2.2	64.7	92	91	11.30	11.19	0.19	
00	LCH	EPU3	14 42 14.00					31	2.3	64.7	208	91	11.30	11.19	0.32	
00	CTS	EPD0	14 42 14.32					25	2.2	69.4	17	91	11.70	12.02	-0.15	
00	LSM	EPD	14 42 14.53					38	2.5	70.2	120	91	11.91	11.96	-0.07	
00	SDH	EPU1	14 42 14.83					27	2.2	71.4	130	91	12.01	12.14	-0.10	
00	BLT	EP	14 42 17.54							87.6	57	90	14.92	14.54	0.51	
00	KMNA	EPD	14 42 18.23					31	2.4	91.4	34	90	15.61	15.17	0.37	

NOV 14 1982

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TUMB (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
08	HCY	EPD	14 42 19.43					39 2.7	98.7	116	98	16.81	16.35	0.54	
08	NHM	EPUB	14 42 29.27					31 2.7	158.5	50	90	26.65	26.08	0.53	
08	PRN	EPU	14 42 30.77					34 2.8	173.5	77	52	26.15	26.18	-0.16	

NOV M = 0 24 55.06 UTC NMS = 0.23 NU = 33 FREE DEPTH SOLUTION
 09 LAT = 37.025 N ERX = 0.4 ERM = 0.6 AVFM = 2.0 U = 8
 LONG = 116.215 W ERY = 0.8 GAP = 84 AVXM = 0.8 US = 8
 DEPTH = 4.56 KM ERZ = 0.9 NM = SILENT CANYON - YUCCA FLAT
 QU = A

09	BGB	IPU0	0 24 56.38					25 1.9	1.8	321	161	1.32	1.36	0.05	
		S 2	0 24 57.01									1.95	2.19	-0.23	
09	BSP	LP 0	0 24 57.36					27 2.0	11.1	182	109	2.30	2.39	-0.21	
		S 4	0 24 59.72									4.66	4.30	0.37	
09	CPX	EPD2	0 24 58.39						17.7	127	99	3.33	3.47	-0.11	
		S 2	0 25 1.46									6.38	5.89	0.50	
09	LDP	LPD0	0 24 58.50					33 2.2	19.5	167	98	3.52	3.84	-0.23	
		S 2	0 25 1.55									6.49	6.42	0.07	
09	EPH	EPD4	0 24 59.03					27 2.1	23.1	135	96	4.77	4.54	0.17	
09	YMT6	IPD0	0 24 59.52					23 1.9	25.1	222	95	4.46	4.63	-0.25	
		S 1	0 25 3.07									8.01	8.07	-0.05	
09	YMT5	IPU0	0 24 59.60					18 1.7	25.5	236	95	4.54	4.75	-0.20	
		S 0	0 25 3.17									8.11	8.12	0.00	
09	GLR	EPD2	0 24 59.80					17 1.7	26.1	42	95	4.74	4.85	-0.04	
09	YMT4	EPD0	0 24 60.08						27.5	230	95	5.02	5.05	-0.13	
		S 3	0 25 3.96									8.98	8.82	0.09	
09	YMT3	IPD0	0 24 60.48					31 2.2	31.7	215	94	5.38	5.68	-0.25	
		S 3	0 25 4.72									9.66	9.63	0.03	
09	LSM	EPD2	0 24 60.94					26 2.1	32.1	189	94	5.88	5.76	0.10	
		S 0	0 25 5.08									10.02	9.89	0.13	
09	YMT1	EPD0	0 24 61.89					41 2.5	33.8	236	93	6.03	6.06	-0.15	
		S 0	0 25 5.95									10.89	10.58	0.31	
09	YMT2	EP	0 24 61.24					27 2.1	35.8	222	93	6.18	6.36	-0.25	
		S	0 25 6.09									11.03	11.01	0.03	
09	SDM	EPD	0 24 62.70					16 1.7	43.0	195	93	7.64	7.61	0.07	
		S 3	0 25 8.74									13.68	12.95	0.74	
09	HCT	EP	0 24 62.83					19 1.8	44.9	235	92	7.57	7.82	-0.08	
		S	0 25 8.59									13.53	13.10	0.44	
09	HCY	EP 3	0 24 63.47					28 2.2	46.2	151	92	8.41	8.09	0.40	
		S 4	0 25 8.87									13.81	13.70	0.11	
09	BMT	EPD	0 24 63.49					21 1.9	47.8	307	92	8.42	8.53	0.07	
		S 2	0 25 10.20									15.14	14.30	0.84	
09	SPRC	EPD3	0 24 64.39						51.6	135	92	9.33	8.95	0.42	
		S 4	0 25 11.37									16.31	15.25	1.06	
09	GMR	EPD4	0 24 65.05					15 1.7	52.2	49	92	9.99	9.12	0.97	
09	JON	EP 2	0 24 66.48						65.7	171	92	11.42	11.19	0.22	
		S 8	0 25 12.88									17.62	19.15	-1.33	
09	SGV	EP	0 24 67.44						72.9	246	91	12.58	12.50	-0.02	
		S 4	0 25 16.24									21.18	21.21	-0.03	
09	KHNA	EP 4	0 24 74.11					14 1.7	80.8	350	91	19.05	13.86	5.13	
		S	0 25 19.48									24.42	23.82	0.61	

NOV M = 3 34 37.33 UTC NMS = 0.25 NU = 27 FREE DEPTH SOLUTION
 09 LAT = 37.107 N ERX = 0.4 ERM = 0.6 AVFM = 2.1 U = 8
 LONG = 117.068 W ERY = 0.5 GAP = 101 AVXM = 0.8 US = 8
 DEPTH = 9.36 KM ERZ = 2.1 NM = M1. JACKSON
 QU = 8

09	SGV	IPU0	3 34 40.19					41 2.4	14.3	167	122	2.86	3.29	-0.35	
		S 2	3 34 42.52									5.19	5.48	-0.29	
09	GVM	EPD0	3 34 42.27					21 1.9	27.1	244	107	4.94	5.04	-0.17	
		S 0	3 34 46.35									9.02	8.73	0.29	
09	GMM	EPD4	3 34 41.36					21 1.9	27.4	322	107	4.03	5.37	-1.19	
09	BMT	EPD0	3 34 44.71					25 2.1	42.3	62	101	7.38	7.73	-0.18	
		S 0	3 34 50.43									13.10	12.93	0.17	
09	HCT	EPD0	3 34 46.08					21 2.0	52.6	132	98	8.75	9.14	-0.23	
		S 2	3 34 52.45									15.52	15.35	0.17	
09	LCH	EP 8	3 34 45.14					30 2.3	53.4	285	98	7.81	9.35	-1.47	
		S 0	3 34 53.50									16.17	15.86	0.31	

90153 1893

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FNAG	UJST (NM)	AZI (DEG)	AIN (DEG)	IOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
09	MCA	EPUS	3 34 46.67					21 2.0	54.3	200	98	9.34	9.27	-0.01	.
		S 0	3 34 53.26									15.93	15.99	-0.06	.
09	YMT1	EPUS	3 34 46.88					36 2.0	55.7	120	98	9.55	9.66	-0.25	.
		S 0	3 34 50.10									16.77	16.75	0.02	.
09	FMT	EPUS	3 34 47.10					21 2.0	57.9	154	97	9.77	10.00	0.01	.
		S 4	3 34 53.70									16.37	16.68	-0.31	.
09	YMT5	EPDS	3 34 47.48					24 2.1	59.4	113	97	10.15	10.30	-0.16	.
		S 0	3 34 50.89									17.58	17.62	-0.06	.
09	YMT4	IPDS	3 34 48.14					23 2.1	61.1	116	97	10.85	10.56	0.16	.
		S 0	3 34 56.22									18.89	18.24	0.66	.
09	YMT2	EPUS	3 34 48.18						63.1	124	97	10.85	10.85	-0.08	.
		S 4	3 34 56.63									19.30	18.68	0.61	.
09	YMT6	EPDS	3 34 48.72						65.2	115	96	11.39	11.20	0.18	.
		S 0	3 34 57.81									19.68	19.30	0.37	.
09	CTS	EPDS	3 34 48.65					20 2.0	68.1	26	96	11.32	11.83	-0.34	.
		S 4	3 34 56.96									19.63	19.93	-0.30	.
09	YMT3	IPDS	3 34 48.82						68.5	121	96	11.49	11.71	-0.17	.
		S 0	3 34 57.53									20.20	19.93	0.26	.
09	LSM	EPDS	3 34 51.16					30 2.0	81.7	120	95	13.83	13.47	-0.87	.
		S 0	3 35 1.49									24.16	23.76	0.40	.
09	SDM	EPUS	3 34 51.20					18 1.9	82.8	128	95	13.95	14.03	-0.04	.
09	LUP	EPUS	3 34 51.94					29 2.0	84.9	189	95	14.61	14.50	0.10	.
		S 4	3 35 3.12									25.79	24.67	1.12	.

NOV M = 15 48 16.57 UTC RMS = 0.29 NO = 32 FREE DEPTH SOLUTION
 09 LAT = 36.529 N ERY = 1.9 ERM = 2.1 AVFM = 3.3 U = C
 LONG = 117.973 W ERY = 0.8 GAP = 260 AVSM = 68 = 6
 DEPTH = 0.05 NM ERZ = 1.6 NM = 60 = 0 DRY MOUNTAIN

09	TMO	EPUS	15 48 26.86						59.0	59	38	10.29	10.65	-0.06	.
		S	15 48 33.98									17.41	17.70	-0.29	.
09	MCA	EPUS	15 48 27.26					79 3.1	63.3	78	38	10.69	10.95	-0.34	.
		S 0	15 48 35.12									18.55	18.85	-0.31	.
09	GVN	IPUS	15 48 30.13						76.9	47	38	13.56	13.28	0.22	.
		S 4	15 48 38.67									22.10	22.80	-0.70	.
09	PGE	EPUS	15 48 30.71					76 3.2	83.8	104	38	14.14	14.60	-0.24	.
		S 0	15 48 41.86									24.89	24.59	0.30	.
09	SGV	IPUS	15 48 33.29					108 3.5	97.8	59	38	16.72	16.62	-0.01	.
		S 0	15 48 45.20									28.63	28.60	0.03	.
09	PPK	EP	15 48 30.88					87 3.0	99.7	3	38	14.51	17.19	-2.89	.
		S 4	15 48 45.73									27.16	29.42	-0.26	.
09	FMT	EPUS	15 48 34.76					71 3.2	107.5	43	38	17.89	18.29	-0.16	.
		S 0	15 48 47.30									30.73	30.87	-0.14	.
09	OSM	EPUS	15 48 36.47					71 3.2	117.4	122	38	19.90	19.42	-0.01	.
		S 0	15 48 50.57									34.00	34.04	-0.04	.
09	GNV	EPUS	15 48 37.11					84 3.2	122.8	108	38	20.54	20.88	-0.26	.
		S 0	15 48 52.79									36.22	35.57	0.64	.
09	MCT	EPUS	15 48 37.34					52 3.0	123.4	76	38	20.77	20.93	0.08	.
		S 1	15 48 52.93									36.36	35.51	0.85	.
09	YMT1	EPUS	15 48 39.28					105 3.6	134.0	74	38	22.71	22.62	-0.04	.
		S 3	15 48 55.65									39.88	38.91	0.17	.
09	AMR	EPD	15 48 39.14					65 3.2	135.0	96	38	22.57	22.70	-0.14	.
		S 2	15 48 55.31									38.74	38.84	-0.10	.
09	YMT2	EP	15 48 39.69					92 3.5	136.0	78	38	23.12	22.74	0.10	.
		S 2	15 48 56.10									39.61	39.34	0.25	.
09	MZP	EP	15 48 40.53					56 3.1	140.2	22	38	23.96	23.88	0.32	.
		S 0	15 48 57.22									40.65	40.43	0.22	.
09	YMT5	EPDS	15 48 40.21					98 3.6	141.8	73	38	25.64	23.93	-0.29	.
		S 2	15 48 57.99									41.42	40.92	0.50	.
09	BMT	EPUS	15 48 41.03					74 3.4	144.9	55	38	24.46	24.61	0.02	.
		S 0	15 48 59.39									42.82	41.79	1.63	.
09	SDM	EPUS	15 48 41.13					54 3.1	146.8	85	38	24.56	24.69	-0.04	.
		S 0	15 48 59.28									42.71	42.15	0.56	.
09	LSM	EPUS	15 48 41.67					78 3.5	153.9	81	38	25.10	25.85	-0.77	.
		S 4	15 49 1.89									45.32	44.24	1.08	.
09	LUP	EPUS	15 48 43.27					75 3.5	165.3	77	29	26.70	27.76	-0.98	3.10
		S 0	15 49 4.72									48.15	47.33	0.82	.

90153 1894

90153 1894

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	KNAG	DUR	FMAG	LIST (AM)	AZI (DEG)	AIN (DEG)	TUWS (SEC)	TCAL (SEC)	NES (SEC)	REMARKS
09	CTS	EPD0	15 48 43.61					64 3.3	167.2	42	29	27.04	28.04	-0.83	4.60
			8 4 15 49 5.41									48.84	47.66	1.18	
09	TNP	EP 4	15 48 47.75					63 3.4	100.9	21	29	31.10	30.32	0.59	
			8 4 15 49 11.35									54.78	52.31	2.47	
09	KRNA	EP 4	15 48 47.64					74 3.6	195.3	46	29	31.07	31.67	-0.67	
			8 4 15 49 12.88									55.51	54.28	1.23	

NOV M = 15 45 38.99 UTC RMS = 0.44 MU = 21 FREE DEPTH SOLUTION
 10 LAT = 37.267 N ENX = 1.6 ERM = 1.8 AVFM = 2.5 U = D
 LONG = 115.924 W ERY = 0.9 GAP = 218 AVXM = 4.5 U3 = C
 DEPTH = 5.14 NM ERZ = 6.3 NM = 0 W4 = D

10	PRN	EPD0	15 45 42.10					56 2.7	15.7	351	104	3.11	3.20	-0.20	
			8 2 15 45 44.57									5.58	5.68	-0.09	
10	EPR	IPD0	15 45 42.20					56 2.7	10.1	233	101	3.29	3.50	-0.24	
			8 3 15 45 44.92									5.93	6.05	-0.12	
10	MPN	IPD0	15 45 47.19					51 2.7	43.4	10	90	8.20	7.72	0.28	
			8 0 15 45 53.24									14.25	13.56	0.70	
10	DLM	EPD0	15 45 48.27					30 2.4	45.2	34	93	9.28	8.03	1.01	
			8 4 15 45 55.42									16.43	14.15	2.28	
10	MTI	EPD	15 45 47.35					40 2.5	50.5	334	93	8.36	8.03	-0.44	
			8 4 15 45 54.82									15.83	15.46	0.78	
10	GMR	EPU1	15 45 49.43					37 2.5	66.7	476	92	10.64	11.48	-0.74	
			8 4 15 45 56.49									17.59	19.48	-1.96	
10	TPU	EPD2	15 45 49.60					14 1.7	66.9	304	92	16.69	11.58	-0.75	
			8 0 15 45 58.53									19.54	19.56	-0.02	
10	SRG	EP 4	15 45 58.56					48 2.7	68.3	357	92	11.57	11.77	-0.41	
			8 4 15 45 59.26									20.27	20.49	-0.22	
10	SHRC	EPD0	15 45 54.70					35 2.5	85.5	149	92	15.71	14.56	1.75	
			8 4 15 46 7.27									20.28	23.88	-4.40	
10	GLR	EP 2	15 45 53.13					35 2.5	88.6	265	92	14.14	15.01	-0.40	
			8 4 15 46 4.80									25.81	25.56	0.26	
10	WRN	EPU1	15 45 54.43					21 2.1	93.7	328	91	15.44	15.91	-0.58	
			8 15 46 6.64									27.65	27.27	0.38	
10	SPRG	EP 2	15 45 55.40					36 2.6	94.6	228	91	14.41	15.95	-0.50	
			8 15 46 6.05									27.86	27.22	0.64	
10	GCS	EP 4	15 45 56.01						94.5	305	91	17.02	16.40	0.65	
10	BLT	EP 4	15 45 56.75					41 2.7	100.2	284	91	17.76	16.98	0.91	
			8 4 15 46 7.24									28.25	28.82	-0.57	
10	HCV	EP 2	15 45 57.46					41 2.7	107.2	231	91	16.47	16.03	0.53	
			8 3 15 46 10.66									31.67	30.69	0.99	
10	DCB	EP 4	15 45 59.75						109.9	257	91	20.76	18.55	2.30	
10	LOP	EP 4	15 45 58.67					40 2.7	111.6	246	91	19.68	18.81	0.95	
			8 4 15 46 10.66									31.67	32.03	-0.36	
10	SSP	EP 4	15 45 59.24						112.8	250	91	20.25	19.10	1.24	
			8 2 15 46 11.98									32.91	32.52	0.40	
10	EPN	EP 4	15 45 58.65						115.6	267	91	19.66	19.59	0.01	
			8 0 15 46 11.39									32.40	33.60	-1.20	
10	LSM	4	15 45 59.74					38 2.7	125.7	242	90	20.75	20.74	0.00	
			8 0 15 46 16.45									37.66	35.49	1.97	
10	KRNA	EPU0	15 45 61.06					37 2.7	130.9	294	90	22.07	21.59	0.42	
			8 0 15 46 15.71									36.72	37.03	-0.31	
10	CTS	EPD	15 45 64.91						156.6	286	90	25.92	25.76	0.33	
			8 4 15 46 24.37									45.38	43.76	1.62	
10	MCR	EPU	15 45 65.86					33 2.7	164.2	311	90	26.67	27.00	-0.04	
			8 4 15 46 26.58									47.59	46.02	1.57	

NOV M = 23 42 19.57 UTC RMS = 0.17 MU = 28 FREE DEPTH SOLUTION
 10 LAT = 37.069 N ENX = 0.2 ERM = 0.3 AVFM = 2.1 U = C
 LONG = 119.951 W ERY = 0.2 GAP = 64 AVXM = 4.5 U3 = B
 DEPTH = 0.62 NM ERZ = 1.9 NM = 0 W4 = C

10	SCV	IPU2	23 42 21.75					40 2.4	12.1	217	106	2.10	2.65	-0.37	
			8 0 23 42 23.75									4.18	4.37	-0.19	
10	GVN	IPU0	23 42 25.84					32 2.3	55.6	458	93	6.27	6.29	-0.07	
			8 2 23 42 30.62									11.05	10.85	0.20	

90153 1895

9015300/1895

1981 BGN LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	X'IAS	DUR	PHAS	DIST (KM)	AZI (DEG)	AIM (DEG)	TU88 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
10	BMT	EPD0	23 42 26.05					23 2.0	34.1	49	93	6.48	6.63	0.02	
		8 3	23 42 31.00									11.51	11.05	0.46	
10	GNN	EP 3	23 42 25.94					23 2.0	37.5	313	93	6.37	6.66	-0.34	
		8 0	23 42 31.03									11.40	11.07	-0.01	
10	YMTL	IPU3	23 42 27.17					35 2.4	44.6	122	93	7.60	7.80	-0.33	
		8 4	23 42 33.72									14.15	13.57	0.59	
10	YMTS	IPD7	23 42 27.70					26 2.1	40.1	113	92	4.21	4.42	-0.21	
		8 2	23 42 33.02									14.25	14.40	-0.15	
10	FMT	EP 3	23 42 27.69					22 2.0	50.1	162	92	4.12	4.66	-0.30	
		8 2	23 42 33.80									14.49	14.40	-0.11	
10	YMT2	EP 2	23 42 28.46					32 2.3	52.2	127	92	4.09	4.82	-0.21	
		8 4	23 42 38.70									19.13	15.56	3.57	
10	MCA	EP 0	23 42 29.07					21 2.0	55.2	212	92	9.50	9.35	0.00	
		8 1	23 42 35.89									10.32	10.12	0.20	
10	EPN	EP 1	23 42 29.99					17 1.8	54.1	74	92	10.42	10.22	0.14	
		8 4	23 42 37.89									10.32	17.59	0.74	
10	BGB	EPD1	23 42 30.75					21 2.0	64.4	93	92	11.10	11.14	0.12	
		8 0	23 42 38.62									19.05	10.91	8.14	
10	BBP	EPD0	23 42 31.21					24 2.1	67.1	104	92	11.04	11.00	0.07	
		8 3	23 42 39.88									20.31	19.00	0.52	
10	CTB	EPD0	23 42 31.20					16 1.8	68.2	17	92	11.63	11.79	0.01	
		8 1	23 42 39.30									19.73	19.87	-0.14	
10	LSM	EP 0	23 42 31.64					27 2.2	70.6	121	91	12.07	12.03	0.02	
		8 2	23 42 40.89									20.52	20.61	-0.09	
10	LOP	EP 0	23 42 32.24					26 2.2	73.7	109	91	12.67	12.05	0.10	
		8 4	23 42 42.05									22.48	21.50	0.99	
10	AMR	EPD0	23 42 34.03					17 1.9	85.8	150	91	14.46	14.42	0.03	
		8 4	23 42 46.45									26.88	24.60	2.20	
10	PPK	EP 4	23 42 36.15						93.7	295	90	16.58	15.54	1.04	
		8 4	23 42 48.91									28.44	26.50	1.86	
10	GHV	EPD0	23 42 36.64						101.1	146	90	17.07	16.74	0.41	
		8 4	23 42 51.51									31.94	28.49	3.46	
10	BBM	EPD4	23 42 40.48					19 2.1	122.7	177	90	20.91	20.25	0.57	

NOV M = 1 34 19.40 UTC HNS = 0.12 NO = 25 FREE DEPTH SOLUTION
 11 LAT = 37.067 N ERX = 0.2 ERM = 0.3 AVFM = 1.8 O = 8
 LONG = 118.952 W ERY = 0.2 GAP = 64 AVXM = O3 = 8 TRINITY CANYON
 DEPTH = 7.67 KM ERZ = 2.8 NM QD = 8

11	SCV	IPU2	1 34 21.60					22 1.9	12.0	217	122	2.20	2.82	-0.53	
11	GVN	EPD0	1 34 25.67					20 1.9	35.6	250	99	6.27	6.33	-0.12	
		8 1	1 34 30.44									11.04	10.92	0.12	
11	BMT	EPD0	1 34 25.90					12 1.4	36.2	49	99	6.50	6.71	-0.04	
		8 0	1 34 31.10									11.70	11.19	0.59	
11	GNN	EP 1	1 34 26.05					12 1.4	37.6	313	99	6.65	6.93	-0.13	
		8 4	1 34 30.79									11.39	11.60	-0.20	
11	YMTL	IPD2	1 34 27.04					19 1.8	44.5	122	97	7.66	7.83	-0.30	
		8 0	1 34 33.01									13.61	13.62	-0.01	
11	FMT	EPD3	1 34 27.53					17 1.8	49.9	162	96	4.13	4.67	-0.30	
11	MCA	EP 3	1 34 29.14					17 1.8	55.0	212	96	4.74	4.34	0.32	
		8 0	1 34 35.50									16.10	16.12	0.04	
11	EPN	EP 0	1 34 29.81					16 1.7	58.1	74	95	10.41	10.27	0.08	
		8 2	1 34 37.20									17.00	17.66	0.22	
11	CDML	EP 1	1 34 29.71					23 2.1	60.9	112	95	10.31	10.53	-0.12	
		8 0	1 34 37.15									17.75	17.84	-0.09	
11	BGB	EPD2	1 34 30.62					23 2.1	64.4	93	95	11.22	11.17	0.13	
		8 0	1 34 38.36									18.96	18.96	0.00	
11	BBP	EPD0	1 34 31.09					29 2.0	67.1	104	95	11.69	11.88	0.09	
		8 4	1 34 39.83									20.43	19.83	0.60	
11	CTB	EPD0	1 34 31.06					15 1.7	68.4	17	94	11.66	11.85	-0.02	
		8 0	1 34 39.38									19.98	19.97	0.01	
11	LSM	EP 1	1 34 31.31					24 2.1	70.6	121	94	11.91	12.04	-0.15	
		8 0	1 34 39.95									20.55	20.62	-0.07	
11	LOP	EP 0	1 34 32.06					25 2.2	73.7	109	94	12.60	12.66	0.08	
		1 4	1 34 41.91									22.51	21.52	0.99	
11	KRNA	EP 1	1 34 35.00					4 0.7	99.3	34	93	15.60	15.43	0.10	
11	GHV	EP 0	1 34 36.50						100.9	166	93	17.10	17.05	0.13	
		8 0	1 34 48.47									29.07	29.02	0.05	

9015300/1896

1981 SGB LOCAL-EVENT DATA REPORT

10AMN ATB 30N 1491

NOV 1981 STA PHASE TIME (UTC) AMP (MU) PER (SEC) XMAS DUR PHAS DIST (KM) AZI (DEG) ATM (SEC) TDMS TCAL (SEC) HES (SEC) REMARKS

NOV H = 6 49 13.72 UTC RMS = 0.13 NO = 14 FREE DEPTH SOLUTION
 11 LAT = 37.044 N ERX = 0.4 ERM = 0.4 AVFM = 1.1 U = B
 LONG = 116.166 W ERY = 0.2 GAP = 105 AVXM = U = A
 DEPTH = 1.83 KM ERZ = 1.3 NM = UD = C
 SILENT CANYON - YUCCA FLAT

11	SSP	EPUD	6 49 16.47	10	1.2	14.0	199	94	2.75	3.00	-0.17
			8 0						4.61	4.99	-0.38
11	CPX	EP 0	6 49 16.76			16.1	142	93	3.04	3.19	-0.12
11	LOP	EPUD	6 49 17.79	10	1.2	21.1	180	93	4.07	4.12	0.03
			8 1						7.16	6.91	0.25
11	GLR	EPUI	6 49 17.90	6	0.8	21.7	37	92	4.10	4.17	0.07
			8 0						7.08	7.02	0.06
11	EPN	EPUI	6 49 18.17	9	1.1	23.5	323	92	4.45	4.65	-0.27
			8 0						8.43	8.06	0.37
11	CDM1	EPUI	6 49 22.15	8	1.0	24.4	213	74	4.29	4.62	-0.23
			8 0						7.70	7.75	-0.03
11	LSM	EPUD	6 49 20.37	8	1.1	35.1	196	74	6.45	6.29	0.33
			8 1						10.79	10.89	-0.01
11	YMT1	EPUI	6 49 20.77	12	1.4	38.6	237	74	7.05	6.88	0.03
			8 0						12.36	11.99	0.39
11	MCY	IPD0	6 49 21.84	7	1.0	46.2	157	74	6.12	6.13	0.00
			8 0						9.50	8.97	0.77
11	BMT	EPUD	6 49 23.30			50.2	302	74	15.21	15.05	0.15
			8 0						11.54	11.49	0.00
11	JOH	EPUI	6 49 25.26	10	1.4	67.3	175	74	20.90	19.67	1.31
			8 4								

7
3
9
7
3
5
3
9
0
1
5
3
9
0
1
5
3

NOV H = 20 15 52.19 UTC RMS = 0.15 NO = 9 FREE DEPTH SOLUTION
 11 LAT = 37.041 N ERX = 0.6 ERM = 0.8 AVFM = 1.6 U = C
 LONG = 116.044 W ERY = 0.5 GAP = 106 AVXM = U = B
 DEPTH = 0.45 KM ERZ = 2.4 NM = UD = C
 SILENT CANYON - YUCCA FLAT

11	GLR	EPUD	20 15 54.81	13	1.4	14.3	24	40	2.62	3.03	-0.35
11	SSP	EPUD	20 15 56.14	19	1.8	21.1	215	40	3.95	4.30	-0.20
11	EPN	EP 0	20 15 57.45	14	1.5	25.9	305	40	5.26	5.16	0.03
11	LOP	EPD1	20 15 57.14	20	1.8	26.3	196	40	4.95	5.11	-0.09
			8 2						8.41	8.60	-0.20
11	CDM1	EPUD	20 15 57.82	18	1.8	32.2	220	38	5.63	6.03	-0.30
			8 4						10.76	10.14	0.62
11	GHR	EPUD	20 15 59.37	11	1.4	39.4	45	38	7.10	7.25	0.02
11	MCY	EP 1	20 15 60.83	12	1.5	47.8	167	38	6.64	6.56	0.18
			8 4						16.34	14.50	1.88
11	SPRG	DU1	20 15 61.16	15	1.7	49.5	150	38	6.97	6.81	0.18
			8 4						16.53	15.02	1.50

NOV H = 20 24 30.86 UTC RMS = 0.06 NO = 5 FREE DEPTH SOLUTION
 11 LAT = 37.043 N ERX = 0.9 ERM = 1.1 AVFM = 1.5 U = C
 LONG = 116.039 W ERY = 0.6 GAP = 172 AVXM = U = B
 DEPTH = 1.89 KM ERZ = 2.1 NM = UD = 0
 SILENT CANYON - YUCCA FLAT

11	GLR	EPUI	20 24 34.13	13	1.4	17.5	6	93	3.27	3.46	-0.12
11	SSP	EPD0	20 24 34.92	14	1.5	20.7	231	93	4.06	4.12	0.01
11	LOP	EP 0	20 24 35.32	16	1.6	23.9	209	74	4.46	4.59	-0.05
11	EPN	EP 0	20 24 36.95	11	1.3	31.7	307	74	6.09	5.98	0.05
11	CDM1	EPUD	20 24 37.31	17	1.7	32.0	231	74	4.45	5.85	0.70
11	GHR	EP 0	20 24 38.03			49.1	36	74	7.17	7.20	0.06

NOV H = 20 37 16.02 UTC RMS = 0.10 NO = 11 FREE DEPTH SOLUTION
 11 LAT = 37.076 N ERX = 0.4 ERM = 0.5 AVFM = 2.4 U = C
 LONG = 116.079 W ERY = 0.2 GAP = 107 AVXM = U = B
 DEPTH = 0.83 KM ERZ = 13.4 NM = UD = C
 SILENT CANYON - YUCCA FLAT

11	GLR	EPD3	20 37 18.60	49	2.6	14.8	22	40	2.50	3.11	-0.44
11	CPX	EPUI	20 37 19.16	47	2.5	16.3	172	40	3.14	3.34	-0.17
11	SSP	EPUD	20 37 19.89	33	2.2	20.8	217	40	3.87	4.26	-0.32

NOV 15 1981

1961 SCE LOCAL-EVENT DATA REPORT

NOV 1961 STA PHASE TIME AMP PLEN AASG WUP SPAG DIST AZI AIN THOS TCOL NPA PLNAMS
 (MO) (SEC) (M) (SEC) (M) (DEG) (M) (M) (SEC) (SEC) (SEC)

FREE DEPTH SOLUTION

NOV 1961 STA 49 15.72 UIC NPS 0.15 NU 14
 LAT 37.404 N LPA 0.0 ERM 0.0 AAFM 1.1 W 0
 LONG 119.106 W LPT 0.2 GAP 105 AVAL 45 A
 DEPTH 1.05 AN LPT 1.5 NP 0 WU 1

SILENT EARTH - VUCCA PLAT

11	SSP	1P10	0 49 16.47	10	1.2	10.0	179	94	2.75	3.00	-0.17	
		S 0	0 49 16.33						4.01	4.00	-0.30	
11	LPA	1P 2	0 49 16.76			10.1	142	93	3.04	3.19	-0.16	
		S 0	0 49 17.74			21.1	100	93	4.01	4.12	0.03	
11	LPT	1P10	0 49 17.94						7.10	6.91	0.25	
		S 1	0 49 20.04			6 0.0	21.7	37	4.10	4.17	0.07	
11	GLP	1P10	0 49 17.94						7.00	7.02	0.00	
		S 0	0 49 20.50			9 1.1	23.5	223	4.05	4.05	-0.27	
11	LPT	1P10	0 49 18.17						4.05	4.06	0.37	
		S 0	0 49 22.15			1 1.0	24.0	213	4.24	4.07	-0.23	
11	GLP	1P 11	0 49 18.01						7.70	7.73	-0.03	
		S 0	0 49 21.42			0 1.1	25.1	170	4.05	4.24	0.33	
11	LSP	1P10	0 49 20.37						10.74	10.40	-0.01	
		S 1	0 49 24.51			10 1.0	28.0	237	7.05	6.94	0.03	
11	Y-T1	1P10	0 49 24.77						12.30	11.90	0.34	
		S 0	0 49 26.10			7 1.0	26.2	157	4.12	4.13	0.00	
11	PLY	1P10	0 49 23.84						4.50	4.47	0.77	
		S 0	0 49 23.36			20.2	202	70	15.21	15.05	0.15	
11	Y-T2	1P10	0 49 24.95						11.50	11.49	0.00	
		S 0	0 49 25.24			10 1.0	27.3	175	70	20.50	19.67	1.31
		S 0	0 49 24.70									

FREE DEPTH SOLUTION

NOV 1961 STA 21 29 55.00 UIC NPS 0.15 NU 10
 LAT 37.285 N LPA 0.3 ERM 0.5 AAFM 1.0 W 0
 LONG 119.414 W LPT 0.3 GAP 100 AVAL 45 A
 DEPTH 3.92 AN LPT 3.0 NP 0 WU 1

SILENT EARTH - WIRTH

11	GLP	1P10	21 29 57.35			11 1.2	9.0	179	107	1.90	2.10	-0.62
		S 2	21 29 58.75						3.47	3.62	-0.15	
11	GLP	1P10	21 29 59.70			9 1.1	22.0	76	94	4.24	4.32	-0.02
		S 0	21 30 3.51						6.05	7.22	0.05	
11	GLT	1P 10	21 29 59.00			7 0.9	23.7	237	64	4.34	4.53	-0.06
		S 0	21 30 2.97						7.51	7.53	-0.02	
11	LPT	1P10	21 29 40.75			10 1.0	28.2	254	95	5.27	5.36	-0.15
		S 0	21 30 4.85						4.34	4.27	0.12	
11	LPT	1P 10	21 29 40.00			13 1.5	24.1	209	91	4.20	4.40	-0.10
		S 0	21 30 11.15						15.67	15.90	-0.23	
11	Y-T1	1P10	21 29 46.77			10 1.0	25.9	223	90	11.31	11.02	0.15
		S 0	21 30 15.74						20.33	19.08	1.25	
11	PLY	1P10	21 29 47.41			14 1.7	29.0	170	90	11.95	11.59	0.44
		S 1	21 30 16.14						20.60	19.67	1.00	

90153 1398

1981 SGM LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (-U)	PER (SEF)	SPAC	DIR	FMAG	U101 (MM)	U21 (MM)	U11 (MM)	T105 (SEC)	T1AL (SEC)	RES (JEC)	REMARKS
NOV 11	15	23	2.00	UTC	HMS = 0.12	IN = 12									FREE DEPTH SOLUTION
12	LAT	17.024	N	ENR = 4.3	ENR = 0.5	AVPM = 2.3									MT. JACKSON
12	LONG	117.332	E	ENR = 0.4	GAP = 73	AVPM =									
12	DEPTH	0.35	MP	ENR = 17.5	MM =										
12	REP	IPU2	15 23 5.45					30	2.1	14.7	476	40	2.05	3.24	-0.38
12	REP	IPU2	15 23 5.46					31	2.2	15.2	455	40	3.00	3.34	-0.38
12	REP	EPD1	15 23 9.17					26	2.1	31.0	352	40	5.91	6.07	0.00
12	REP	EPD1	15 23 9.17					27	2.1	34.4	433	30	6.57	6.52	0.14
12	REP	EPD1	15 23 11.95					30	2.4	46.9	401	30	8.43	8.34	0.04
12	REP	EP 1	15 23 11.95					30	2.4	50.9	478	30	4.33	9.19	0.13
12	REP	EPD1	15 23 12.20							52.5	300	30	4.00	9.61	-0.12
12	REP	IPU1	15 23 12.20							55.9	452	30	4.00	9.95	-0.14
12	REP	EPD1	15 23 13.05					20	2.2	50.5	68	30	10.43	10.61	0.00
12	REP	EPD1	15 23 13.05							62.4	100	30	11.25	11.19	0.23
12	REP	EP 4	15 23 14.01							73.7	8	30	14.01	12.92	0.82
12	REP	EP 4	15 23 17.42					31	2.4	66.2	177	30	15.02	14.61	0.33
12	REP	EPD1	15 23 18.42					33	2.5	45.5	132	30	16.32	16.30	-0.11
12	REP	EP 0	15 23 19.33							100.0	150	30	16.73	17.01	-0.04

NOV 1981	STA	PHASE	TIME (UTC)	AMP (-U)	PER (SEF)	SPAC	DIR	FMAG	U101 (MM)	U21 (MM)	U11 (MM)	T105 (SEC)	T1AL (SEC)	RES (JEC)	REMARKS
NOV 11	21	20	10.36	UTC	HMS = 0.07	IN = 14									FREE DEPTH SOLUTION
12	LAT	17.079	N	ENR = 4.2	ENR = 0.3	AVPM = 2.5									JELLY SANDS - TULCA FLAT
12	LONG	116.081	E	ENR = 0.2	GAP = 160	AVPM =									
12	DEPTH	0.27	MP	ENR = 2.2	MM =										
12	REP	IPU2	21 20 13.24					50	2.6	13.4	451	101	4.80	2.93	0.01
12	REP	IPU3	21 20 15.91					50	2.7	16.5	43	100	4.45	2.97	-0.45
12	REP	EPD4	21 20 16.40										0.30	4.46	1.30
12	REP	EPD4	21 20 13.15					50	2.7	16.7	170	90	4.77	5.31	-0.51
12	REP	EPD2	21 20 14.21					50	2.7	21.1	416	90	5.02	5.00	0.02
12	REP	EPD2	21 20 14.21							20.2	197	90	4.54	4.91	-0.24
12	REP	EPD2	21 20 14.21							20.2	305	90	5.02	5.00	-0.04
12	REP	EP 4	21 20 15.30							32.2	421	95	4.94	5.76	-2.72
12	REP	EPD1	21 20 15.21					23	2.0	32.2	421	95	4.05	5.05	-2.08
12	REP	EPD1	21 20 17.15					20	2.2	37.4	430	92	4.74	6.70	0.00
12	REP	EP 0	21 20 18.71										13.35	11.01	1.74
12	REP	EP 0	21 20 18.71							30.4	434	92	4.91	6.40	0.01
12	REP	EPD1	21 20 19.41										13.12	11.41	3.32
12	REP	EPD1	21 20 19.41					30	2.5	34.8	44	92	4.44	7.04	0.05
12	REP	EP 0	21 20 23.12										12.74	11.04	0.27

90153 1899

1981 BOB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP. (MU)	PER (SEC)	MAG	DUN	FMAU	UIBT (NM)	AZI (DEG)	AIM (DEG)	TUWD (SEC)	TCAL (SEC)	NES (SEC)	REMARKS
11	LUP	IPU1	20 37 20.88					40 2.4	45.8	198	40	4.86	5.03	-0.09	.
11	EPN	LPDA	20 37 21.36					40 2.5	29.8	365	40	5.34	5.49	-0.82	.
11	CDM1	EPJ1	20 37 21.77					35 2.3	32.0	227	38	5.75	6.00	-0.15	.
		S 4	20 37 26.58									10.56	10.69	0.47	.
11	GMR	EPD0	20 37 23.22					32 2.3	39.6	44	38	7.20	7.28	0.82	.
11	LSM	EPD0	20 37 25.25					30 2.2	41.1	495	38	9.23	7.43	1.78	.
11	BLT	EPD0	20 37 24.21					27 2.2	45.3	355	38	8.19	8.26	0.06	.
11	YMT1	EPD2	20 37 24.73					44 2.6	47.0	434	38	8.71	8.40	0.17	.
11	MCY	EPJ1	20 37 24.53					37 2.4	47.1	167	38	8.51	8.44	0.15	.
11	SPRG	EPD0	20 37 24.72					30 2.3	40.7	150	38	8.70	8.69	0.04	.
11	SDH	EP 4	20 37 26.24					28 2.2	53.0	498	38	10.22	9.36	0.90	.
11	BMT	EP 4	20 37 27.37						55.4	495	38	11.35	9.97	1.55	.
11	JUN	pd1	20 37 28.33					28 2.3	70.6	182	38	12.31	12.10	0.11	.

NOV M = 20 50 5.90 UTC RMS = 0.07 NO = 5 FREE DEPTH SOLUTION
 11 LAT = 37.119 N ERX = 3.1 ERM = 3.6 AVFM = 1.4 U = D
 LONG = 116.169 W ERY = 1.9 GAP = 211 AVXM = U8 = C SILENT CANYON - YUCCA FLAT
 DEPTH = 1.08 KM ERZ = 3.7 NM = UD = D

11	GLR	EPJ1	20 50 8.76					11 1.3	16.1	56	90	2.80	2.93	-0.01	.
11	EPN	EPD4	20 50 12.41					12 1.3	17.4	308	90	6.51	3.14	3.30	.
11	SSP	EPD3	20 50 9.41					16 1.6	22.0	192	90	3.51	3.92	-0.34	.
11	LOP	EP 1	20 50 11.08					14 1.5	29.4	180	90	5.18	5.16	0.00	.
11	CDM1	EP 2	20 50 11.63						31.6	205	74	5.73	5.82	0.01	.
11	GMR	EPJ3	20 50 13.35						42.6	56	74	7.45	7.65	-0.10	.

NOV M = 21 29 55.46 UTC RMS = 0.13 NU = 10 FREE DEPTH SOLUTION
 11 LAT = 37.285 N ERX = 0.3 ERM = 0.5 AVFM = 1.4 O = B
 LONG = 116.019 W ERY = 0.3 GAP = 100 AVXM = U8 = B SILENT CANYON - NORTH
 DEPTH = 3.96 KM ERZ = 3.0 NM = UD = B

11	GLR	IPU1	21 29 57.36					11 1.2	9.6	179	107	1.90	2.19	-0.22	.
		S 2	21 29 58.93									3.47	3.62	-0.15	.
11	GMR	IPD0	21 29 59.70					9 1.1	22.6	76	94	4.24	4.32	0.02	.
		S 4	21 30 3.51									8.05	7.22	0.43	.
11	BLT	10	21 29 59.80					7 0.9	23.7	337	94	4.34	4.53	-0.06	.
		S 0	21 30 2.97									7.51	7.53	-0.02	.
11	EPN	EPD0	21 29 60.73					16 1.6	28.2	250	93	5.27	5.36	-0.15	.
		S 0	21 30 4.85									9.39	9.27	0.12	.
11	CDM1	EP 0	21 29 64.66					13 1.5	54.1	209	91	4.20	4.40	-0.10	.
		S 8	21 30 11.13									15.67	15.90	-0.23	.
11	YMT1	EPD0	21 29 66.77					16 1.8	45.9	223	90	11.31	11.02	0.15	.
		S 4	21 30 15.79									20.33	19.08	1.25	.
11	MCY	EPD0	21 29 67.43					14 1.7	49.4	176	90	11.95	11.59	0.44	.
		S 1	21 30 16.14									20.68	19.68	1.00	.

NOV M = 2 24 45.31 UTC RMS = 0.08 NO = 15 FREE DEPTH SOLUTION
 12 LAT = 37.081 N ERX = 0.3 ERM = 0.4 AVFM = 2.4 O = C
 LONG = 116.075 W ERY = 0.2 GAP = 107 AVXM = U8 = C SILENT CANYON - YUCCA FLAT
 DEPTH = 0.80 KM ERZ = 10.6 NM = UD = C

12	GLR	EPD1	2 24 48.06					61 2.7	14.1	21	40	2.75	2.91	-0.09	.
		S 4	2 24 52.54									7.23	4.86	2.37	.
12	BCB	IPD0	2 24 48.26					62 2.8	14.4	251	40	2.95	3.03	0.00	.
		S 4	2 24 51.96									6.45	5.05	1.60	.
12	CPI	IPU4	2 24 48.35					62 2.8	16.9	174	40	3.04	3.36	-0.29	.
		S 8	2 24 52.25									6.94	5.69	1.23	.
12	SSP	IPD1	2 24 49.44					61 2.8	21.6	216	40	4.13	4.31	-0.10	.
		S 4	2 24 53.50									8.19	7.23	0.96	.
12	LOP	EPJ1	2 24 50.15					60 2.8	24.5	198	40	4.84	5.08	-0.15	.
		S 4	2 24 53.50									6.19	8.54	-0.35	.
12	EPN	EPD0	2 24 50.64					60 2.8	26.6	304	40	5.33	5.21	0.06	.
		S 4	2 24 52.55									7.24	9.02	-1.77	.
12	CDMS	EP 4	2 24 48.27						32.7	221	38	2.90	5.97	-2.91	.
12	CDM1	EPD4	2 24 48.26					37 2.4	32.7	421	38	2.95	6.04	-2.99	.
		S 4	2 24 53.22									7.91	10.16	-2.25	.

201531900

001530001900

1981 SCW LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	PHAS	DIST (KM)	AZI (DEG)	ASN (DEG)	TJWD (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
12	YMT6	EP00	2 24 52.22					43 2.5	38.4	230	38	6.91	6.92	-0.09	
12	GMR	EP00	2 24 52.41					36 2.4	38.9	44	38	7.10	7.09	0.11	
		S 4	2 24 52.62									13.31	11.95	1.36	
12	YMT5	EP02	2 24 52.27					46 2.6	39.4	239	38	6.96	7.13	-0.16	
12	YMT4	EP00	2 24 52.86					42 2.5	41.2	235	38	7.57	7.59	0.07	
		S 4	2 25 2.07									16.76	12.83	3.93	
12	LSM	EP00	2 24 55.25						41.8	205	38	9.94	7.47	2.45	
		S 4	2 25 7.62									22.31	12.81	9.51	
12	YMT3	EP00	2 24 53.19					56 2.8	44.3	223	38	7.80	7.86	0.07	
		S 4	2 25 4.47									19.16	13.36	5.80	
12	BLT	EP00	2 24 53.20					30 2.2	44.7	355	38	7.09	8.09	-0.06	
		S 4	2 24 59.67									14.36	13.60	0.76	
12	MCY	EP00	2 24 53.75					95 2.8	47.6	168	38	8.44	8.45	0.08	
		S 4	2 25 1.72									16.41	14.31	2.10	
12	YMT1	EP01	2 24 53.99					57 2.8	47.7	234	38	8.68	8.43	0.12	
		S 4	2 25 1.72									16.41	14.68	1.77	
12	SPRG	EP00	2 24 53.90						49.8	151	38	8.59	8.67	-0.05	
		S 4	2 25 1.85									10.56	14.77	1.77	
12	BMT	EP04	2 24 56.49						55.5	294	38	11.18	9.91	1.44	
		S 4	2 25 6.73									21.42	16.65	4.77	
12	JON	EP00	2 24 57.48					41 2.6	71.2	182	38	12.17	12.21	-0.05	

NOV H = 15 23 2.60 UTC RMS = 0.12 NO = 12 FREE DEPTH SOLUTION
 12 LAT = 37.428 N ERX = 0.3 ERN = 0.5 AVFM = 2.3 Q = C
 LONG = 117.332 W ERY = 0.4 GAP = 73 AVXN = U = C
 DEPTH = 0.35 KM ERZ = 17.5 NM = W. JACKSON
 UD = C

1901

12	MGM	EP00	15 23 5.65					30 2.1	14.7	276	40	3.05	3.24	-0.10	
12	GMN	IP02	15 23 5.60					31 2.2	15.2	155	40	3.00	3.38	-0.18	
12	MZP	EP01	15 23 8.51					26 2.1	31.0	352	40	5.91	6.07	0.08	
12	LCH	EP01	15 23 9.17					27 2.1	34.9	233	38	6.57	6.52	0.14	
12	GVN	EP01	15 23 11.03					30 2.4	46.9	161	38	8.43	8.34	0.04	
12	PPK	EP 1	15 23 11.93					34 2.4	50.9	270	38	9.33	9.19	0.13	
12	SVP	EP01	15 23 12.20						52.5	308	38	9.60	9.61	-0.12	
12	SGV	IP01	15 23 12.26						55.9	152	38	9.66	9.95	-0.19	
12	CT3	EP00	15 23 13.07					28 2.2	59.5	44	38	10.43	10.61	0.00	
12	BMT	EP02	15 23 13.85						62.8	104	38	11.25	11.19	0.23	
12	TNP	EP 4	15 23 16.61						73.7	8	38	14.01	12.92	0.82	
12	MCA	EP 4	15 23 17.62					31 2.4	86.2	177	38	15.02	14.61	0.33	
12	YMT1	EP00	15 23 18.92					33 2.5	95.5	132	38	16.32	16.30	-0.11	
12	FMT	EP 0	15 23 19.33						100.0	150	38	16.73	17.01	-0.04	

20153

NOV H = 21 28 10.36 UTC RMS = 0.07 NO = 14 FREE DEPTH SOLUTION
 12 LAT = 37.079 N ERX = 0.2 ERN = 0.3 AVFM = 2.5 U = C
 LONG = 116.081 W ERY = 0.2 GAP = 106 AVXN = U = C
 DEPTH = 4.27 KM ERZ = 2.2 NM = SILENT CANYON - YUCCA FLAT
 UD = C

12	BCB	IP00	21 28 13.22					50 2.6	13.8	251	101	2.88	2.93	0.01	
		S 4	21 28 15.91									5.55	4.88	0.87	
12	GLR	EP03	21 28 12.61					56 2.7	14.5	23	100	2.45	2.97	-0.45	COLLAPSE/
		S 4	21 28 16.66									6.36	4.96	1.34	AFTERSHOCK
12	CPX	EP04	21 28 13.13					56 2.7	16.7	172	98	2.77	3.31	-0.51	
		S 0	21 28 15.98									5.62	5.60	0.02	
12	SSP	EP02	21 28 14.23					56 2.7	21.1	214	94	3.87	4.17	-0.22	
		S 4	21 28 18.43									8.07	6.99	1.08	
12	LDP	EP02	21 28 14.95					53 2.7	26.2	197	94	4.59	4.91	-0.24	
		S 4	21 28 20.79									10.43	8.27	2.17	
12	EPN	EP00	21 28 15.43					55 2.7	26.3	305	94	5.07	5.06	-0.04	
		S 4	21 28 22.94									11.68	8.75	2.94	
12	CDM5	EP 4	21 28 13.30						32.2	221	93	2.94	5.76	-2.72	
12	CDM1	EP04	21 28 13.21					23 2.0	32.2	221	93	2.85	5.83	-2.88	
12	YMT6	EP00	21 28 17.15					30 2.2	37.6	230	92	6.79	6.70	0.00	
		S 4	21 28 23.71									13.35	11.61	1.74	
12	YMT5	EP 0	21 28 17.27						38.8	239	92	6.91	6.90	0.01	
		S 4	21 28 25.48									15.12	11.81	3.32	
12	GMR	EP00	21 28 17.35					39 2.5	39.4	44	92	6.99	7.04	0.05	
		S 4	21 28 23.10									12.74	11.68	0.87	

1981

1981 SGB LOCAL-EVENT DATA REPORT

MUV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PEN (SEC)	XKAG	DUR	FRAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TDBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
12	YMT4	EPD1	21 20 17.72					07 2.6	40.6	234	92	7.36	7.17	0.08	.
			3 4 21 20 27.26									16.90	12.45	4.45	.
12	LSM	EPX0	21 20 18.98					36 2.4	41.4	204	92	6.62	7.27	1.33	.
			3 4 21 20 24.92									14.56	12.47	2.09	.
12	BLT	EP 0	21 20 18.21					27 2.1	44.9	355	92	7.85	7.98	0.00	.
			3 4 21 20 25.46									15.10	13.42	1.68	.
12	YMT1	EPD1	21 20 18.05					66 2.9	47.1	238	92	6.49	8.21	0.15	.
			3 4 21 20 28.31									17.95	14.26	3.69	.
12	MCY	EPU0	21 20 18.65					61 2.9	47.5	167	92	8.29	8.31	0.07	.
			3 4 21 20 25.02									15.46	14.07	1.40	.
12	SPRC	EPD0	21 20 18.80					37 2.4	49.1	150	92	6.46	6.55	-0.08	.
			3 4 21 20 27.22									16.86	14.50	2.29	.
12	SDM	EP 0	21 20 22.32						53.3	205	92	11.96	9.20	2.80	.

NOV M = 0 47 53.84 UTC RMS = 0.09 NO = 10 FREE DEPTH SOLUTION
 13 LAT = 36.814 N ERX = 0.4 ERM = 0.5 AVFM = 1.5 U = C
 LONG = 117.481 W ERY = 0.3 GAP = 206 AVXM = US = A
 DEPTH = 7.94 KM ERZ = 0.7 NM = UD = D
 TIN MOUNTAIN

13	TMO	IPD2	0 47 55.65					12 1.3	6.6	99	142	1.81	2.34	-0.23	.
			3 0 0 47 57.38									3.56	3.49	-0.05	.
13	GVN	EP 0	0 47 58.41					17 1.7	24.2	31	105	4.57	4.52	-0.01	.
			3 0 0 48 1.55									7.71	7.84	-0.13	.
13	MCA	EP 0	0 47 58.54					13 1.4	25.7	134	104	4.70	4.68	-0.02	.
			3 2 0 48 2.12									8.28	8.07	0.21	.
13	SGV	EPD0	0 47 61.63						44.1	65	98	7.79	7.85	0.04	.
			3 0 0 48 7.15									13.31	13.26	0.05	.
13	LCH	EP 0	0 47 62.32					14 1.6	49.8	342	97	8.48	8.61	-0.05	.
			3 0 0 48 8.55									14.71	14.59	0.12	.

NOV M = 21 16 42.57 UTC RMS = 0.08 NO = 10 FREE DEPTH SOLUTION
 13 LAT = 37.208 N ERX = 0.5 ERM = 0.6 AVFM = 2.3 U = C
 LONG = 114.775 W ERY = 0.3 GAP = 199 AVXM = US = B
 DEPTH = 9.48 KM ERZ = 2.7 NM = UD = D
 DELAMAR MOUNTAINS

13	PRN	CPU2	21 16 48.97					43 2.5	32.9	312	104	6.40	6.08	0.20	.
			3 0 21 16 53.13									10.56	10.61	-0.04	.
13	EPR	EPD1	21 16 49.09					40 2.5	36.8	263	102	6.52	6.67	-0.13	.
			3 0 21 16 53.98									11.41	11.37	0.04	.
13	DLM	IPU0	21 16 50.65					26 2.1	44.2	4	100	8.08	7.95	-0.11	.
			3 0 21 16 56.57									14.00	14.02	-0.01	.
13	NPN	EPU1	21 16 51.78					28 2.2	51.4	344	99	9.21	9.07	-0.07	.
			3 0 21 16 58.54									15.97	15.88	0.10	.
13	MTI	EP 4	21 16 54.77					23 2.1	68.1	320	96	12.20	11.76	0.48	.
			3 4 21 17 3.99									21.42	20.05	1.37	.
13	SRG	EP 4	21 16 56.98					31 2.4	79.2	341	95	14.41	13.56	0.63	.
			3 4 21 17 7.45									24.80	23.57	1.32	.
13	SHRG	EP 4	21 16 57.12					23 2.2	85.1	203	95	14.55	14.53	0.61	.
			3 0 21 17 6.47									23.90	23.84	0.06	.
13	GHR	EPD0	21 16 57.73					25 2.2	89.4	279	95	15.16	15.21	0.05	.
			3 4 21 17 11.80									29.23	25.04	3.39	.
13	MHN	EP 4	21 16 62.44					24 2.3	111.9	320	94	19.87	18.98	0.93	.
			3 0 21 17 15.80									33.23	32.39	0.85	.

NOV M = 5 45 52.69 UTC RMS = 0.08 NO = 16 FREE DEPTH SOLUTION
 14 LAT = 36.618 N ERX = 0.2 ERM = 0.3 AVFM = 1.9 U = B
 LONG = 116.410 W ERY = 0.2 GAP = 110 AVXM = US = A
 DEPTH = 3.81 KM ERZ = 1.2 NM = UD = B
 LATHROP WELLS

14	SDM	EPD0	5 45 54.34						7.1	65	113	1.65	1.72	-0.02	.
			3 0 5 45 56.11									3.42	3.51	-0.11	.
14	LSM	IPU0	5 45 56.67					29 2.1	18.2	42	95	5.98	6.03	-0.05	.
			3 0 5 45 58.67									3.38	3.57	-0.14	.
14	YMT3	IPU1	5 45 56.07					28 2.1	18.7	360	94	6.57	6.02	0.55	.
			3 4 5 45 59.26									3.73	3.73	-0.07	.
14	YMT2	EP 0	5 45 56.42						19.7	340	94				.

30153 1902

30153 1902

1901 SCB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	PMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TUHS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
14	AMR	EP00	5 45 57.26					19	1.8	25.2	193	93	4.57	4.55	0.01	
14	YMT6	EP02	5 45 57.35					20	1.8	26.6	1	93	4.66	4.68	-0.31	
14	WCT	EP 1	5 45 57.57					17	1.7	27.3	315	92	4.88	4.96	0.08	
		3 1	5 46 0.96										8.29	8.21	0.09	
14	YMT8	EP00	5 45 57.36							27.7	352	92	4.67	5.07	-0.51	
		3 4	5 46 2.19										9.50	8.86	0.64	
14	YMT1	IP00	5 45 57.85					20	2.1	28.1	338	92	5.16	5.13	-0.09	
		3 0	5 46 1.60										8.91	8.99	-0.08	
14	YMT5	IPD1	5 45 56.18					25	2.0	31.3	353	92	5.49	5.68	-0.19	
		3 3	5 46 2.72										10.03	9.72	0.32	
14	FMT	EP00	5 45 58.27					18	1.6	33.1	274	92	5.58	5.90	-0.08	
		3 4	5 46 3.14										10.45	9.68	0.77	
14	JOM	EP 4	5 45 62.73							33.9	126	92	10.04	6.01	4.02	
14	SSP	EP 4	5 45 60.96							38.1	27	92	6.29	6.93	1.45	
		3 4	5 46 5.62										12.93	11.71	1.23	
14	MCY	EP00	5 45 59.82					26	2.1	40.3	83	91	7.13	7.14	0.06	
		3 4	5 46 6.62										13.93	12.07	1.87	
14	BGB	EPD1	5 45 61.32					19	1.9	49.3	19	98	8.63	8.32	0.39	
		3 2	5 46 7.51										10.82	14.09	0.76	
14	SPRG	EP 4	5 45 63.08							54.3	81	98	10.39	9.14	1.29	

20153 1903

NOV M = 12 13 38.62 UTC RMS = 0.08 NO = 14 FREE DEPTH SOLUTION
 14 LAT = 36.613 N ERX = 0.2 ERM = 0.3 AVFM = 1.9 U = C
 LONG = 116.443 W ERY = 0.2 GAP = 134 AVXM = U = B LATHROP WELLS
 DEPTH = 7.22 KM ERZ = 2.1 NM = UD = C

14	YMT2	EPD1	12 13 42.66					26	2.0	19.5	349	107	4.04	3.20	0.16	
		3 4	12 13 44.77										6.15	6.64	-0.48	
14	YMT3	IPD0	12 13 42.30					29	2.1	19.5	8	107	3.66	3.61	-0.07	
		3 2	12 13 44.04										6.22	6.42	-0.20	
14	LSP	EPD3	12 13 42.34					21	1.8	20.7	47	106	3.72	4.01	-0.31	
		3 4	12 13 44.90										6.28	6.90	-0.61	
14	AMR	EP 0	12 13 43.17							24.1	187	193	4.55	4.45	0.09	
		3 1	12 13 46.17										7.55	7.63	-0.08	
14	WCT	EP 0	12 13 43.21					18	1.7	25.8	320	103	4.59	4.78	-0.03	
		3 4	12 13 47.07										8.45	7.90	0.55	
14	YMT6	EPD2	12 13 43.55					19	1.8	27.4	7	102	4.93	5.08	-0.23	
		3 4	12 13 46.03										9.41	8.84	0.58	
14	YMT1	EP00	12 13 43.20					30	2.2	27.7	344	102	4.58	5.13	-0.67	
		3 1	12 13 47.76										9.14	8.99	0.15	
14	YMT4	EPD3	12 13 43.58					20	1.8	28.0	359	101	4.96	5.20	-0.34	
		3 4	12 13 47.31										8.69	9.08	-0.38	
14	CDM1	EP00	12 13 47.57							29.6	22	101	6.95	5.48	3.58	
		3 4	12 13 54.75										16.13	9.19	6.94	
14	FMT	EP 4	12 13 44.44							30.2	274	100	5.82	5.49	0.57	
		3 8	12 13 49.01										10.19	6.96	1.42	
14	YMT5	EP00	12 13 44.42					23	2.0	31.7	358	100	5.80	5.80	0.01	
		3 4	12 13 51.23										12.61	9.91	2.70	
14	JOM	EP 4	12 13 47.92							36.8	122	98	9.20	6.40	2.79	
		3 2	12 13 49.74										11.12	10.97	0.16	
14	LOP	EPD1	12 13 44.99					19	1.8	36.3	43	98	6.37	6.62	-0.16	
		3 4	12 13 50.42										11.80	11.18	0.63	
14	SSP	EP 4	12 13 46.90							40.0	30	98	8.28	7.28	1.08	
		3 0	12 13 50.98										12.36	12.31	0.05	
14	MCY	IPD0	12 13 46.15					21	1.9	43.4	83	97	7.53	7.66	-0.05	
		3 4	12 13 52.05										14.23	12.76	1.27	
14	BGB	EP00	12 13 47.56					20	1.9	50.9	22	96	8.94	8.97	0.06	
		3 4	12 13 53.29										14.67	15.20	-0.53	

NOV M = 14 17 6.44 UTC RMS = 0.06 NO = 7 FREE DEPTH SOLUTION
 14 LAT = 37.712 N ERX = 0.2 ERM = 0.4 AVFM = 1.3 U = B
 LONG = 115.149 W ERY = 0.3 GAP = 126 AVXM = U = A MIKO
 DEPTH = 4.55 KM ERZ = 1.9 NM = UD = C

14	MTI	IP00	14 17 8.87					9	1.1	11.6	250	107	2.43	2.54	-0.09	
14	NPN	EP00	14 17 10.53					7	0.9	19.9	109	98	4.09	3.89	-0.01	

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	INAB	DUR	FMAG	UIST (RM)	AZI (DEG)	AIM (DEG)	IOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
14	SHC	EPD0	14 17 18.59					14	1.5	20.2	21	97	4.15	3.94	-0.01	
14	PRN	EPD0	14 17 12.90					13	1.5	35.0	165	93	6.46	6.31	0.03	
14	DLM	EPD0	14 17 13.56					7	1.0	38.1	108	93	7.12	6.06	0.01	
14	TPU	EP 0	14 17 14.56					14	1.6	45.7	255	92	8.12	8.13	0.13	
14	EPR	EP 0	14 17 22.24							66.8	183	92	15.00	10.40	5.42	
14	GMM	EP 0	14 17 18.14					10	1.7	69.2	233	91	11.75	11.09	-0.04	
14	BLT	EPD4	14 17 22.87					15	1.0	89.7	253	90	16.43	14.00	1.60	
14	GLR	EP 3	14 17 22.86					6	1.0	95.6	233	90	16.42	13.04	0.63	

NOV M = 20 17 44.89 UTC RMS = 0.09 NO = 15 FREE DEPTH SOLUTION
 14 LAT = 37.513 N ERX = 1.2 ERM = 1.3 AVFM = 2.5 U = C
 LONG = 114.525 W ERY = 0.5 GAP = 281 AVXM = U8 = 0 HIGHLAND PEAK
 DEPTH = 8.33 KM ERZ = 0.8 NM = UD = 0

14	DLM	IPU0	20 17 49.30					25	2.0	23.5	299	109	4.50	4.32	-0.06	
		S 1	20 17 52.63										7.74	7.81	-0.06	
14	NPN	IPU0	20 17 52.21					19	1.8	39.5	293	100	7.32	7.15	-0.04	
		S 0	20 17 56.04										11.95	12.50	-0.43	
14	PRN	IPD2	20 17 53.23					18	1.8	47.0	256	98	8.32	8.44	-0.24	
		S 4	20 17 58.06										13.57	14.64	-1.07	
14	SHC	IPU1	20 17 56.14					62	2.9	63.0	311	96	11.25	10.93	0.10	
		S 4	20 18 1.00										17.00	19.07	-2.07	
14	MTI	EPD0	20 17 56.76					20	2.0	68.5	285	95	11.67	11.79	0.11	
		S 4	20 18 0.68										19.79	20.11	-0.32	
14	EPR	EPU1	20 17 56.98					28	2.3	70.0	237	95	12.09	11.90	0.13	
		S 4	20 18 2.91										20.02	20.46	-0.44	
14	TPU	EP 3	20 17 61.99					17	1.9	99.8	276	93	17.10	16.99	0.29	
		S 4	20 18 14.18										29.29	28.75	0.55	
14	HRN	EP 4	20 17 63.81					54	3.0	107.2	299	93	18.92	18.13	0.75	
		S 4	20 18 17.71										32.82	31.07	1.75	
14	GHR	EPD0	20 17 63.70					23	2.2	112.1	260	93	19.81	18.80	0.83	
		S 4	20 18 17.86										32.97	32.11	0.86	
14	QCS	EP 0	20 17 67.42					9	1.5	126.1	283	93	22.53	21.22	1.35	3.30
		S 4	20 18 22.82										37.53	36.23	1.30	
14	GLR	EPD0	20 17 67.72					50	3.0	136.6	255	92	22.83	22.04	0.80	
		S 4	20 18 24.97										40.00	38.94	1.14	
14	BLT	EPD4	20 17 69.00					42	2.9	141.3	269	92	24.11	23.60	0.57	3.40
		S 4	20 18 26.02										41.13	40.26	0.87	
14	SPRC	EP 0	20 17 69.03					49	3.0	145.9	231	52	24.14	24.19	-0.02	
		S 4	20 18 27.51										42.62	41.31	1.31	
14	MCY	EPU1	20 17 70.53					46	3.0	150.9	234	52	25.64	25.86	-0.10	
		S 4	20 18 31.76										46.87	44.09	2.79	
14	DCB	EPD1	20 17 70.78					46	3.0	159.9	251	52	25.89	26.09	-0.12	
		S 4	20 18 31.11										46.22	44.88	1.74	
14	EPN	EP 0	20 17 71.47					48	2.9	162.6	258	52	26.58	26.58	-0.06	
		S 4	20 18 32.37										47.48	45.55	1.93	
14	KRNA	EPD0	20 17 71.92					47	3.1	165.7	279	52	27.03	26.90	0.07	3.50
		S 4	20 18 32.37										47.68	46.11	1.37	

NOV M = 20 24 4.29 UTC RMS = 0.03 NO = 4 FREE DEPTH SOLUTION
 14 LAT = 37.532 N ERX = ERM = 330 AVFM = 2.1 U = C
 LONG = 114.467 W ERY = GAP = 330 U8 = A HIGHLAND PEAK
 DEPTH = 8.45 KM ERZ = NM = UD = 0

14	DLM	IPU0	20 24 9.44					24	2.0	25.4	289	106	5.16	4.92	0.00	
14	NPN	EPD0	20 24 12.28					23	2.0	43.6	288	99	6.01	7.00	-0.01	
14	PRN	EPD4	20 24 13.30					31	2.3	53.4	255	97	9.03	9.34	-0.43	
14	MTI	EP 4	20 24 17.15					24	2.1	72.9	283	95	12.68	12.52	0.39	
14	EPR	EP 4	20 24 18.07					29	2.3	75.4	230	95	13.79	12.87	0.95	
14	TPU	EP 0	20 24 21.97					22	2.2	104.7	274	93	17.69	17.75	0.08	
14	HRN	EPD4	20 24 24.40					20	2.1	118.6	297	93	20.13	18.68	1.40	
14	GMR	EP 0	20 24 23.92							117.6	259	93	19.65	19.77	-0.02	
14	SHFC	EP 0	20 24 27.09							129.5	208	95	22.81	21.72	1.09	
14	GLR	EP 4	20 24 28.48							142.2	255	92	24.20	23.74	0.53	

20153 1904

00153000/1904

1901 SCW LOCAL-EVENT DATA NEPUMI

NOV STA PHASE TIME AMP PER XMAG DUR FMAG DIST AZI AIN TONS TCAL RES REMARKS
 1901 (MU) (SEC) (RM) (DEG)(DEG) (SEC) (SEC) (SEC)

FREE DEPTH SOLUTION

NOV M = 4 33 55.06 UTC RMS = 0.12 NO = 12
 15 LAT = 37.563 N ERX = 0.2 ERM = 0.5 AVFM = 1.0 U = B
 LONG = 115.201 W ERY = 0.4 GAP = 134 AVXM = US = A NIKO
 DEPTH = 10.73 KM ERZ = 1.1 NM = UD = B

15	MYI	IPU1	4 33 58.26	10	1.2	14.1	333	127	5.22	3.38	-0.13
		S 0	4 34 0.75						5.69	5.73	-0.04
15	PRN	EPU2	4 33 59.41	12	1.0	21.9	142	115	6.35	4.46	-0.24
		S 2	4 34 3.12						6.06	7.04	0.22
15	NPN	EPD0	4 33 60.22	9	1.1	25.4	67	112	5.16	5.02	-0.07
		S 1	4 34 4.22						9.10	8.94	0.21
15	SHG	EP 4	4 33 64.02	12	1.4	37.3	10	100	8.96	0.07	1.07
		S 0	4 34 7.14						12.10	12.12	-0.03
15	TPU	EP 1	4 33 62.34			39.8	277	103	7.20	7.33	0.09
		S 0	4 34 7.34						12.30	12.29	0.01
15	OLP	EPU0	4 33 62.78	9	1.2	41.1	83	103	7.72	7.49	-0.02
		S 1	4 34 8.17						13.11	13.23	-0.13
15	EPR	EPU4	4 33 63.09	11	1.4	43.0	178	102	8.43	7.03	0.62
		S 0	4 33 65.19						10.13	9.92	0.31
15	GMR	EPU4	4 33 65.19	1	-0.7	57.0	324	99	10.29	10.13	0.11
		S 0	4 33 65.35								

FREE DEPTH SOLUTION

NOV M = 14 30 19.96 UTC RMS = 0.13 NO = 35
 15 LAT = 37.062 N ERX = 0.2 ERM = 0.2 AVFM = 2.1 U = C
 LONG = 116.955 W ERY = 0.2 GAP = 55 AVXM = US = B THIRSTY CANYON
 DEPTH = 4.42 KM ERZ = 2.0 NM = UD = C

15	SCV	IPD0	14 30 22.25	38	2.3	11.3	210	106	2.29	2.51	-0.14
		S 3	14 30 23.74						3.70	4.14	-0.37
15	GVN	EPD1	14 30 26.20	35	2.3	35.2	259	93	6.24	6.21	-0.03
		S 3	14 30 30.98						11.02	10.72	0.30
15	BMT	EPU0	14 30 26.50	29	2.2	36.8	40	93	6.54	6.75	-0.04
		S 4	14 30 31.02						11.06	11.26	-0.60
15	GNN	EPU0	14 30 26.59	21	1.9	37.0	314	93	6.63	6.91	-0.13
		S 0	14 30 31.60						11.64	11.55	0.08
15	YMT1	EPU1	14 30 27.65	34	2.3	44.5	121	92	7.69	7.70	-0.22
		S 1	14 30 33.43						13.47	13.53	-0.06
15	YMT5	EPD1	14 30 28.18	24	2.1	48.2	112	92	8.22	8.42	-0.21
		S 2	14 30 34.28						14.32	14.40	-0.09
15	FMT	EPU1	14 30 28.13	23	2.0	49.4	162	92	8.17	8.56	-0.15
		S 2	14 30 34.16						14.20	14.23	-0.03
15	YMT4	EPU0	14 30 28.75	22	2.0	49.9	116	92	8.79	8.68	0.08
		S 1	14 30 35.23						15.27	15.03	0.24
15	YMT2	EP 1	14 30 28.01	29	2.2	52.0	126	92	8.05	8.99	-0.22
		S 0	14 30 35.52						15.56	15.51	0.05
15	YMT6	EPD4	14 30 29.75	25	2.1	54.0	115	92	9.79	9.12	0.37
		S 0	14 30 36.14						16.18	16.10	0.08
15	MCA	EP 1	14 30 29.27	22	2.0	54.4	212	92	9.31	9.21	0.01
		S 0	14 30 36.03						16.07	15.09	0.10
15	YMT3	EPU2	14 30 29.41	32	2.3	57.3	122	92	9.45	9.00	-0.34
		S 0	14 30 36.05						16.89	16.70	0.14
15	EPN	EPD0	14 30 30.37	26	2.2	58.6	73	92	10.41	10.31	0.04
		S 4	14 30 38.59						10.63	17.73	0.90
15	CDM1	EPU4	14 30 31.21			61.0	112	92	11.25	10.51	0.03
15	BCB	EPC1	14 30 31.16	22	2.0	64.7	92	91	11.20	11.19	0.09
		S 0	14 30 38.97						19.01	18.99	0.01
15	CTS	EP 0	14 30 31.61	22	2.1	69.0	17	91	11.65	11.93	-0.11
		S 0	14 30 40.18						20.22	20.11	0.11
15	LSP	EPU0	14 30 31.98	27	2.2	70.5	120	91	12.02	12.02	-0.02
		S 1	14 30 40.50						29.54	20.50	-0.04
15	SDH	EPU1	14 30 31.93	20	2.0	71.8	130	91	11.97	12.21	-0.20
		S 4	14 30 41.35						21.39	20.01	0.57
15	LDP	EPU1	14 30 32.63	26	2.2	73.8	108	91	12.67	12.66	0.00
		S 4	14 30 42.04						22.00	21.52	0.56
15	AMR	EP 2	14 30 34.54			85.3	150	90	14.58	14.18	0.39
15	KRNA	EPU1	14 30 35.52	24	2.2	91.0	34	90	15.56	15.09	0.39
		S 4	14 30 46.20						26.24	25.93	0.31

20153 1905

1981 868 LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	PHAS	DIST (KM)	AZI (DEG)	AIN (DEG)	TUBS (SEC)	ICAL (SEC)	RES (SEC)	REMARKS
15	CHV	EP 0	14 30 36.74						100.4	165	90	16.78	16.63	0.22	
15	TNP	EP02	14 30 39.39						115.6	308	90	19.43	19.09	0.07	
15	OCS	EP04	14 30 40.49						120.8	58	90	20.53	19.94	0.62	
15	OSM	EP 0	14 30 40.98						122.0	176	90	21.02	20.13	0.79	
15	HCR	EP04	14 30 43.97						137.9	19	90	24.01	22.72	1.30	

NOV M = 8 4 26.73 UTC RMS = 0.09 NO = 13 FREE DEPTH SOLUTION
 16 LAT = 37.512 N ERX = 0.7 ERM = 0.8 AVFM = 2.8 U = C
 LONG = 114.566 W ERY = 0.3 GAP = 270 AVXM = U3 = 0
 DEPTH = 5.68 KM ERZ = 2.9 NM = QD = 0 HIGHLAND PEAK

16	DLM	IPU0	0 4 30.67						53	2.0	10.5	304	103	3.94	3.72	-0.03
		3 4	0 4 32.06											5.75	6.79	-1.06
16	NPH	EP00	0 4 33.05						46	2.6	34.3	296	94	6.72	6.57	-0.06
		3 0	0 4 37.73											11.00	11.59	-0.59
16	PRN	IPD2	0 4 38.51						60	3.0	44.3	255	94	7.78	7.03	-0.17
		3 4	0 4 39.60											12.95	13.59	-0.64
16	SRG	EP00	0 4 37.45						61	2.9	60.4	313	93	10.72	10.40	0.02
		3 0	0 4 44.94											10.21	14.29	-0.08
16	MTI	EP02	0 4 38.17						42	2.6	65.0	206	93	11.04	11.20	0.27
		3 2	0 4 45.97											19.24	19.10	0.14
16	EPR	EP00	0 4 38.24						51	2.8	66.9	235	93	11.53	11.46	0.09
		3 0	0 4 46.19											19.46	19.56	-0.10
16	WRN	EP04	0 4 45.27						43	2.8	104.1	300	92	10.54	17.62	0.08
		3 4	0 4 57.51											30.78	30.19	0.59
16	GMR	EP00	0 4 44.93						42	2.8	100.5	200	92	10.20	10.20	0.01
		3 4	0 4 58.25											31.52	31.0	0.42
16	OCS	EP04	0 4 48.04						39	2.7	122.6	203	91	21.31	20.65	0.69
		3 4	0 5 1.54											34.81	35.25	-0.44
16	SHRG	EPD4	0 4 47.57						35	2.7	123.4	205	91	20.84	20.74	0.09
		3 4	0 5 2.05											35.32	34.45	0.87
16	CLR	EPD1	0 4 49.05						33	2.6	133.1	255	91	22.32	22.27	0.12
		3 4	0 5 6.01											39.28	37.95	1.32
16	BLT	EP00	0 4 49.79						29	2.5	137.6	269	91	23.06	23.09	0.10
		3 4	0 5 7.34											40.61	39.26	1.35
16	SPRC	EP03	0 4 50.32						39	2.8	143.0	231	90	23.59	23.55	0.07
		3 4	0 5 8.75											42.02	40.22	1.80
16	BGD	EPD4	0 4 52.06											25.33	25.73	-0.32
		3 4	0 5 13.00											47.07	43.87	3.20
16	KRNA	EPD4	0 4 52.92						41	2.9	162.1	279	90	26.19	26.66	-0.56
		3 4	0 5 13.64											46.91	45.71	1.20
16	HCR	EPD4	0 4 53.84						42	3.0	182.9	296	52	29.11	29.38	-0.18
		3 4	0 5 19.50											52.77	50.00	2.69

NOV M = 3 10 8.14 UTC RMS = 0.09 NO = 7 FREE DEPTH SOLUTION
 17 LAT = 37.520 N ERX = 1.1 ERM = 1.3 AVFM = 1.8 U = C
 LONG = 114.610 W ERY = 0.7 GAP = 283 AVXM = U3 = 0
 DEPTH = 9.95 KM ERZ = 1.9 NM = QD = 0 HIGHLAND PEAK

17	DLM	IPU0	3 10 11.71						13	1.4	14.9	310	121	3.57	3.38	-0.06
		3 0	3 10 14.35											6.21	6.22	0.00
17	NPH	EPD0	3 10 14.53						20	1.8	32.5	297	103	6.39	6.04	0.14
		3 0	3 10 18.43											10.69	10.69	0.00
17	PRN	EPD0	3 10 15.56						23	2.0	40.9	252	100	7.42	7.24	-0.04
		3 3	3 10 20.63											12.49	12.76	-0.27
17	SRG	EP04	3 10 21.11						17	1.8	57.0	315	97	12.97	9.98	2.77
		3 4	3 10 26.32											10.16	17.44	0.74
17	MTI	EPD4	3 10 19.44											11.30	10.61	0.72
		3 4	3 10 26.82											18.68	18.09	0.59
17	EPR	EPD4	3 10 20.14											12.00	11.04	0.94
		3 0	3 10 27.12											10.98	10.91	0.07
17	WRN	EP04	3 10 26.43											100.3	301	94
		3 4	3 10 30.05											18.49	17.01	1.44
17	GMR	EP 4	3 10 26.75											29.91	29.16	0.76
		3 4	3 10 33.87											10.61	17.72	0.99
17	SHRG	EP 4	3 10 33.87											25.73	20.62	5.70
		3 4	3 10 43.98											35.84	34.25	1.59

201531906

1981 SSC LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PER SHAPE DUR P MAG DIST AZI AIN IUMS TCAL RES REMARKS
 1981 (MU) (SEC) (RM) (DEG) (DEG) (SEC) (SEC) (SEC)

NOV M = 0 45 15.71 UTC HMS = 0.10 NU = 10 FREE DEPTH SOLUTION
 10 LAT = 37.203 N ERX = 0.9 ERN = 1.2 AVFM = 1.9 U = C
 LONG = 114.760 W ERY = 0.7 GAP = 262 AVIM = 65 = H DULLAHAN MOUNTAINS
 DEPTH = 9.27 KM EPZ = 3.0 NM = 60 = D

18	PHN	EP00	0 45 22.18	26	2.1	34.3	311	103	6.47	6.30	0.05
		S 1	0 45 26.48						10.77	10.97	-0.20
18	EPR	IP00	0 45 22.47	23	2.0	38.0	260	102	6.76	6.86	-0.08
		S 1	0 45 27.47						11.76	11.78	0.02
18	DLM	EP00	0 45 23.94	15	1.6	44.8	2	100	8.23	8.03	-0.05
		S 0	0 45 29.90						14.19	14.10	0.03
18	NPN	EP00	0 45 25.16	17	1.8	52.3	343	98	9.45	9.23	0.01
		S 1	0 45 31.98						16.27	16.10	0.13
18	NTI	EP 4	0 45 28.19	18	1.9	69.5	319	96	12.48	11.97	0.54
		S 4	0 45 37.42						21.71	20.41	1.30
18	SHG	EP 2	0 45 29.46	21	2.1	80.2	340	95	13.75	13.73	-0.20
		S 8	0 45 40.44						24.73	23.85	0.88
18	SHPG	EP04	0 45 30.99	14	1.7	85.1	204	95	15.28	14.52	1.35
		S 4	0 45 39.96						24.25	23.83	0.42
18	GHW	EP00	0 45 31.16	17	1.9	90.8	274	94	15.45	15.44	0.12
		S 4	0 45 43.07						26.16	26.22	1.94
18	NHN	EP 4	0 45 36.19			113.3	320	93	20.48	19.11	1.33
		S 4	0 45 50.96						35.25	32.75	2.50

NOV M = 10 39 43.66 UTC HMS = 0.10 NU = 12 FREE DEPTH SOLUTION
 10 LAT = 37.236 N ERX = 0.2 ERN = 0.5 AVFM = 1.7 U = C
 LONG = 115.408 W ERY = 0.5 GAP = 178 AVIM = 65 = L ALAMU
 DEPTH = 9.21 KM EPZ = 2.0 NM = 60 = L

18	EPR	EP00	10 39 47.92	25	2.0	21.0	111	112	4.26	4.20	0.08
		S 1	10 39 50.71						7.05	7.15	-0.10
18	GHR	EP01	10 39 49.70	14	1.5	34.0	289	103	6.04	6.27	-0.13
		S 1	10 39 54.32						10.66	10.56	0.10
18	PHN	EP00	10 39 50.44	19	1.8	37.0	59	102	6.78	6.78	-0.06
		S 1	10 39 55.26						11.60	11.72	-0.13
18	NTI	EP00	10 39 52.59	18	1.8	50.4	14	98	6.93	6.89	0.07
		S 1	10 39 58.93						15.27	15.15	0.12
18	NPN	EP00	10 39 54.74	12	1.5	62.3	42	97	11.13	10.84	0.08
		S 8	10 40 1.88						17.02	16.69	-1.07
18	DLM	EP 4	10 39 56.77			72.1	55	96	13.11	12.44	0.42
		S 1	10 40 5.48						21.02	21.70	0.12
18	NHN	EP00	10 39 58.10	15	1.8	84.3	349	95	14.44	14.42	-0.02
		S 1	10 40 8.25						24.59	24.73	-0.14

NOV M = 10 10 43.89 UTC HMS = 0.11 NU = 14 FREE DEPTH SOLUTION
 19 LAT = 37.307 N ERA = 0.3 ERN = 0.5 AVFM = 3.7 U = C
 LONG = 115.076 W ERY = 0.4 GAP = 171 AVIM = 65 = B ALAMU
 DEPTH = 5.33 KM EPZ = 4.7 NM = 60 = C

19	PHN	IF03	10 10 45.80	149	3.5	11.4	12	112	1.91	2.55	-0.76
		S 0	10 10 47.43						3.54	5.57	-0.01
19	EPR	IP00	10 10 47.43	18	2	213	102		7.02	7.22	-0.41
		S 0	10 10 50.91						12.72	12.70	0.02
19	NPN	IP04	10 10 50.91						7.62	7.88	-0.23
		S 0	10 10 56.61						13.51	13.43	0.08
19	NTI	EP02	10 10 51.51						6.05	7.94	-0.14
		S 1	10 10 57.40						14.22	14.00	0.22
19	DLM	EP01	10 10 51.94						10.46	10.55	0.05
		S 2	10 10 58.11						17.70	17.80	-0.10
19	TPU	EP00	10 10 54.35						61.7	273	93
		S 0	10 11 1.59						10.61	10.67	0.04
19	GHR	EP00	10 10 54.50						10.14	10.07	0.07
		S 0	10 11 2.03						11.17	11.04	-0.09
19	SHG	EP00	10 10 55.06						19.18	19.26	-0.08
		S 0	10 11 3.07						14.77	14.32	0.52
19	GLR	EP04	10 10 58.66						24.75	24.37	0.39
		S 4	10 11 8.64								

701531907

701531907

1981 PCB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PLR (SEC)	RMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
19	RNH	EPD2	10 10 50.56						27.5	329	92	14.67	14.91	-0.28	
		S 0	10 11 11.83									27.44	25.57	2.37	
19	SHRC	EPD4	10 10 59.31						29.3	185	92	15.42	15.17	0.04	
19	GCS	EPD2	10 10 59.35						40.2	305	92	15.46	15.38	0.11	
19	SHRC	EPD4	10 10 60.16						44.2	224	92	16.27	15.89	0.41	
19	HLT	EPD2	10 10 60.11						44.7	282	92	16.22	16.09	0.27	
19	HGR	EPD4	10 10 62.25						106.5	254	91	16.36	17.99	0.45	
19	LMP	EPD4	10 10 63.04						104.2	245	91	14.15	14.45	0.00	
19	SSP	EP 4	10 10 63.19						110.0	247	91	14.30	14.65	0.75	
		S 4	10 11 16.77									32.84	31.75	1.15	
19	EPN	EPD4	10 10 63.39						111.1	265	91	14.59	14.85	0.59	
19	LSP	EPD4	10 10 65.31						123.7	259	91	21.42	20.60	0.72	
		S 4	10 11 21.30									37.41	35.34	2.02	
19	RNNA	EPD4	10 10 64.55						124.9	293	91	20.00	21.05	-0.46	
19	YMT6	EPD4	10 10 66.20						126.1	247	90	22.31	21.13	1.09	
19	YMT5	EPD4	10 10 66.50						130.0	250	90	22.69	21.51	1.16	
19	YMT4	EPD4	10 10 66.66						131.6	248	90	22.97	21.70	1.16	
19	YMT3	EPD4	10 10 66.67				126	3.0	132.0	244	90	22.78	21.77	1.06	
19	SUM	EPD4	10 10 67.07						134.2	237	90	23.50	22.17	1.50	
19	YMT2	EP 4	10 10 67.08						138.0	245	90	23.99	22.74	1.17	
19	YMT1	EPD4	10 10 67.93						134.5	244	90	24.04	22.83	1.04	
19	BMT	EPD4	10 10 68.05						139.2	269	90	24.10	22.93	1.00	
		S 4	10 11 24.00									42.71	38.92	3.79	
19	CTS	EPD4	10 10 69.35						150.9	285	90	25.04	24.04	0.74	
19	RHN	EPD4	10 10 70.53						156.7	261	90	26.04	25.77	0.92	
19	MCN	EPD4	10 10 70.07						157.9	311	90	26.10	25.97	0.30	
19	AMB	EP 4	10 10 71.35						160.3	231	52	27.06	26.27	1.23	
19	FMT	EPD4	10 10 71.97						160.6	240	52	28.00	27.36	0.96	
19	BLV	EPD4	10 10 73.00						177.6	250	52	24.14	24.63	0.65	
19	GRY	EP 4	10 10 75.13						189.1	229	52	31.24	30.74	1.23	
19	GHW	EP 4	10 10 75.62						193.6	270	52	31.73	30.81	1.07	
19	GVN	EPD4	10 10 76.34						204.0	240	52	32.45	31.86	0.54	
19	TIP	EPD4	10 10 76.49						207.6	274	52	32.60	32.56	-0.23	
19	NCA	EPD4	10 10 77.19						209.4	250	52	33.30	32.41	0.81	
19	KLP	EPD4	10 10 78.85						214.8	274	52	34.46	33.52	1.53	

NOV H = 14 56 31.33 UTC RMS = 0.12 HD = 11 FUEL DEPTH SOLUTION
 19 LAT = 36.660 N ERY = 0.4 ERH = 0.6 AVFM = 2.1 W = M CHLORIDE CLIFF
 LONG = 116.400 W ERY = 0.4 GAP = 154 AVXM = 2.1 W = A
 DEPTH = 14.25 KM ERZ = 1.0 NM = UD = C

19	YMT2	EP 3	19 51 34.78						28	2.1	17.4	37	129	3.41	4.05	-0.72	
		S 4	19 56 40.01									8.68	7.06	1.41			
19	YMT3	EPD4	19 56 33.21						43	2.5	22.0	50	122	1.88	4.06	-2.74	
		S 1	19 56 39.33									8.00	7.09	0.31			
19	YMT1	EPD3	19 56 35.27						36	2.3	22.4	17	122	3.44	4.74	-0.94	
		S 0	19 56 39.68									8.35	8.33	0.01			
19	YMT4	EP 3	19 56 37.48						18	1.7	26.4	30	117	6.15	5.33	0.70	
		S 2	19 56 40.46									4.15	4.31	-0.16			
19	YMT6	EP 4	19 56 34.81						20	1.8	28.1	30	116	3.48	5.56	-2.17	
		S 0	19 56 40.50									4.17	4.66	-0.49			
19	YMT5	EP 4	19 56 38.44						16	1.6	29.5	26	115	7.11	5.81	1.30	
		S 0	19 56 41.34									10.01	9.93	0.08			
19	LSP	EPD4	19 56 35.95						64	2.8	30.6	73	114	8.62	5.91	-1.32	
		S 4	19 56 42.24									10.91	10.14	0.76			
19	AMR	EP 0	19 56 37.28						18	1.7	31.2	154	113	5.95	5.92	0.02	
		S 4	19 56 45.56									14.23	10.12	4.04			
19	LOP	EP 2	19 56 39.27						34	2.3	44.2	61	107	7.94	8.12	-0.10	
		S 4	19 56 42.70									11.37	13.74	-2.38			
19	SSP	EP 4	19 56 38.35						29	2.2	45.0	49	106	7.02	8.32	-1.22	
		S 4	19 56 43.47									12.14	14.09	-1.95			
19	RHN	EPD4	19 56 39.76						23	2.0	50.6	337	104	8.43	9.08	-0.60	
		S 1	19 56 46.94									15.61	15.43	0.17			
19	JUN	EPD4	19 56 42.75						12	1.5	50.8	119	104	11.42	8.98	2.42	
		S 4	19 56 48.96									17.63	15.34	2.25			
19	SGV	EPD3	19 56 41.46						28	2.2	52.5	313	104	4.73	4.39	0.42	
		S 0	19 56 47.15									15.82	15.91	-0.09			

NOV 1981

1981 50% LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	FNAG	DIST (KM)	AZI (DEG)	ATN (DEG)	TDBS (SEC)	ICAL (SEC)	RES (SEC)	REMARKS
19	HGB	EPUB	19 56 39.97				29	2.2	53.5	38	104	8.64	9.58	-0.87	
		S #	19 56 44.77									13.44	16.25	-2.81	
19	MCY	EPUB	19 56 44.07						57.0	40	103	12.74	10.04	2.77	
		S #	19 56 50.04									10.71	17.04	1.67	
19	SPPG	EP #	19 56 46.33						70.8	87	100	15.00	12.23	2.80	
		S #	19 56 54.07									22.74	20.86	1.88	
19	GLN	EP 2	19 56 45.33						79.2	41	99	14.00	13.63	0.44	
		S #	19 56 48.72									17.34	23.18	-5.80	
19	GMR	EP #	19 56 47.88						105.1	45	97	16.51	17.82	-1.21	
		S #	19 56 53.05									21.72	30.30	-8.58	

NOV # = 21 44 20.42 UTC HNS # 0.15 NU # 31 FREE DEPTH SOLUTION
 19 LAT # 37.058 N ERX # 0.2 ERN # 0.3
 LONG # 116.953 W ERY # 0.3 GAP # 70 AVXN # 2.8 U # B
 DEPTH # 6.86 KM ERZ # 2.0 NM # UD # B THINSTRY CANYON

70153 1909

19	SLV	IPDB	21 40 22.66				45	2.5	11.1	220	120	2.24	2.62	-0.28	
		S #	21 40 23.81									3.39	4.32	-0.93	
19	GVN	EPUB	21 40 26.70				42	2.5	35.2	260	98	6.28	6.25	-0.03	1.20
		S 2	21 40 31.53									11.11	10.79	0.32	
19	HMT	EPUB	21 40 26.97				36	2.4	37.0	48	97	6.55	6.81	-0.26	1.40
		S 0	21 40 31.85									11.83	11.36	0.47	
19	GMN	EPUB	21 40 27.07				30	2.2	38.2	315	97	6.65	7.00	-0.20	
		S 0	21 40 32.28									11.00	11.72	0.72	
19	YMT1	IPUB	21 40 28.09				47	2.6	44.1	121	96	7.67	7.75	-0.21	1.50
		S #	21 40 33.56									13.14	13.07	-0.33	
19	YMT5	IPDB	21 40 28.63				30	2.3	47.8	112	75	8.21	8.40	-0.18	0.70
		S 1	21 40 34.78									14.36	14.34	0.01	
19	TMP	EP 0	21 40 29.02				28	2.2	49.3	235	95	8.60	8.80	-0.10	
		S #	21 40 34.60									14.18	14.54	-0.36	
19	YMT2	EP 2	21 40 29.58				27	2.2	51.6	126	95	9.16	8.95	0.14	1.40
		S #	21 40 36.85									16.83	15.43	1.00	
19	YMT6	EPD1	21 40 29.67				35	2.4	53.6	114	95	9.45	9.24	0.21	0.50
		S 1	21 40 36.74									16.32	16.04	0.29	
19	EPN	EPD1	21 40 30.43				29	2.3	56.6	73	94	10.41	10.32	0.03	
		S 1	21 40 38.47									18.05	17.75	0.30	
19	COH1	EPD4	21 40 31.62						60.7	111	94	11.20	10.48	0.82	
		S #	21 40 39.05									18.63	17.75	0.88	
19	MGP	EPUB	21 40 31.47						64.5	311	94	11.85	11.21	-0.67	
		S 2	21 40 39.87									19.45	19.02	0.43	
19	HGB	IPD1	21 40 31.61				29	2.3	64.6	92	94	11.19	11.10	0.09	
		S 0	21 40 39.51									19.04	18.99	0.10	
19	SSP	EPUB	21 40 32.04				30	2.3	67.0	103	94	11.82	11.65	0.05	0.90
		S #	21 40 41.48									21.06	19.79	1.26	
19	CIS	EPD0	21 40 32.05				30	2.3	69.4	17	93	11.63	12.00	-0.20	
		S 3	21 40 40.44									20.62	20.23	-0.20	
19	LSP	EP #	21 40 31.71				40	2.6	70.2	120	93	11.24	11.97	-0.69	1.40
		S 1	21 40 40.96									20.54	20.50	0.05	
19	SUM	EPUB	21 40 32.41				23	2.1	71.4	130	93	11.99	12.15	-0.12	
		S #	21 40 40.95									20.53	20.71	-0.18	
19	LUP	EPUB	21 40 33.06				37	2.5	73.5	106	93	12.64	12.62	0.10	1.40
		S #	21 40 42.90									22.48	21.45	1.03	
19	GLP	EPUB	21 40 33.18						84.6	79	93	12.76	14.37	-1.54	
		S #	21 40 44.40									23.98	24.46	-0.48	
19	AMR	EP 0	21 40 34.63						84.9	150	93	14.21	14.27	-0.07	
		S #	21 40 45.77									25.35	24.42	0.93	
19	BLT	EPUB	21 40 35.11						87.4	57	93	14.69	14.91	-0.04	
19	KRNA	EP 0	21 40 35.98				26	2.3	91.3	34	93	15.56	15.57	-0.07	
		S 0	21 40 47.24									26.82	26.74	0.08	
19	HCR	EP 2	21 40 43.72				28	2.5	138.2	19	92	23.30	23.22	0.17	
		S #	21 40 52.38									41.96	34.55	2.41	

90153000/1909

1981 SCS LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PER XMAG DUR PMAG DIST AZI AIM TUMS TCAL NES REMARKS
 1981 (MU) (SEC) (AM) (ULG)(DEG) (SEC) (SEC) (SEC)

NOV M = 21 40 53.48 UTC RMS = 0.13 NO = 31 FREE DEPTH SOLUTION
 19 LAT = 37.054 N ERR = 0.2 ENH = 0.3 AVFM = 3.8 U = B
 LONG = 116.952 W LHZ = 0.2 GAP = 60 AVXM = U3 = A THIRSTY CANYON
 DEPTH = 2.57 KM LHZ = 0.9 NM = UD = C

19	SGV	IPU	21 40 55.77					199	3.8	10.8	222	100	2.29	2.38	0.00
19	NMN	EPD	21 40 55.85							12.2	76	99	2.57	2.59	-0.18
19	GVN	IPU	21 40 59.88					185	3.8	35.3	260	74	6.40	6.24	0.16
19	BHT	IPD	21 40 60.22					170	3.7	37.2	47	74	6.74	6.83	0.09
19	GMM	IPU	21 40 60.35					185	3.8	38.6	315	74	6.67	7.05	-0.03
19	WCT	IPU	21 40 60.48							41.0	135	74	7.00	7.20	-0.04
19	FMT	IPU	21 40 61.70							48.5	161	74	8.22	8.42	0.04
19	TMO	EPD	21 40 62.10							49.2	236	74	8.62	8.77	0.15
19	YMT6	IPU	21 40 62.73							53.3	114	74	9.25	9.23	-0.08
19	MCA	EPH	21 40 61.70							53.8	213	74	6.22	9.13	-0.99
19	YHT3	IPU	21 40 63.15					180	3.6	56.0	122	74	9.67	9.71	0.01
19	EPH	IPD	21 40 64.00					190	3.9	58.6	72	74	10.52	10.32	0.14
19	CDM1	IPD4	21 40 64.35							60.4	111	74	10.87	10.43	0.50
19	BGV	IPD	21 40 64.80							64.5	92	74	11.32	11.10	0.24
19	MCP	IPU	21 40 64.88					180	3.6	68.7	312	74	11.20	11.20	0.01
19	LCH	IPU	21 40 67.23					150	3.7	65.0	288	74	13.75	11.20	2.63
19	SSP	IPU	21 40 65.16					180	3.9	66.8	192	74	11.60	11.61	0.15
19	CIS	IPD	21 40 65.25					130	3.6	69.8	17	74	11.77	12.06	-0.12
19	LSA	IPU	21 40 65.29					180	3.9	69.8	129	74	11.81	11.91	-0.12
19	SLM	IPU	21 40 65.12					180	3.9	71.1	139	74	11.64	12.10	-0.42
19	LUP	EPU	21 40 65.91					180	3.9	73.2	108	74	12.43	12.50	-0.07
19	MCP	IPD4	21 40 59.93					165	3.8	81.3	332	74	6.45	10.03	-7.34
19	AHR	IPU	21 40 67.88							84.0	30	74	14.40	14.20	0.19
19	GLR	IPD4	21 40 67.21							88.6	79	74	13.73	14.37	-0.57
19	BLT	IPD	21 40 68.23							87.5	57	74	14.75	14.93	-0.05
19	KHNA	IPD	21 40 69.18							91.5	34	74	15.70	15.61	0.02
19	MCT	IPU	21 40 69.86					180	4.0	98.4	116	74	16.38	16.58	-0.12
19	JHM	IPU	21 40 70.48							102.0	132	74	17.00	17.09	-0.11
19	GMR	IPD1	21 40 71.99							109.3	74	74	18.51	18.42	0.19
19	IHP	IPU	21 40 73.13							116.5	348	74	19.65	19.64	-0.24
19	UCS	IPD1	21 40 74.00					126	3.7	121.1	49	74	20.52	20.81	0.14
19	NJP	IPU	21 40 74.20							125.2	145	74	20.72	20.80	-0.07
19	TPU	IPD	21 40 75.22							130.7	62	74	21.74	21.96	-0.09
19	HCR	IPD	21 40 76.08					125	3.8	138.6	19	74	22.60	23.20	-0.59
19	MTJ	EPD	21 40 80.00							163.9	65	49	26.52	27.15	-0.60
19	PNH	IPD	21 40 81.68							173.3	77	49	28.12	28.34	-0.34

NOV M = 21 56 52.48 UTC RMS = 0.15 NO = 30 FREE DEPTH SOLUTION
 19 LAT = 37.063 N ERR = 0.2 ENH = 0.3 AVFM = 2.1 U = B
 LONG = 116.951 W LHZ = 0.2 GAP = 69 AVXM = U3 = A THIRSTY CANYON
 DEPTH = 9.27 KM LHZ = 0.9 NM = UD = B

19	SGV	IPD2	21 56 54.82					34	2.2	11.6	219	128	2.34	2.93	-0.58
19	GVN	EPD0	21 56 57.29							4.81	4.80		4.81	4.80	-0.05
19	BHT	EPD2	21 56 59.34					28	2.1	35.5	259	102	6.31	6.37	-0.13
19	GMM	EPU1	21 56 59.16					16	1.7	36.5	48	102	6.86	6.80	0.23
19	YMT1	EP 2	21 56 60.19							38.0	310	102	11.58	11.34	0.24
19	YMT5	EPU2	21 56 60.73							6.68	7.04		6.68	7.04	-0.21
19	TMO	EP 2	21 56 61.44							11.74	11.74		11.74	11.74	-0.00
19	EPH	EPD0	21 56 62.87					38	2.4	44.2	122	100	7.71	7.82	-0.24
19	CDM1	EP 4	21 56 63.67							13.58	13.60		13.58	13.60	-0.02
19	BGV	IPD0	21 56 63.65					26	2.1	47.9	112	99	8.25	8.45	-0.20
19										49.8	235	99	14.33	14.45	-0.12
19										6.94	8.93		6.94	8.93	0.32
19										14.98	14.76		14.98	14.76	0.21
19								21	2.0	58.2	73	97	10.39	10.30	0.02
19										60.7	112	97	18.09	17.72	0.37
19										64.3	93	96	11.19	10.52	0.77
19										11.17	11.18		11.17	11.18	0.07
19										19.27	18.97		19.27	18.97	0.29

30153 1910

1981 SGN LOCAL-EVENT DATA REPORT

HIJY 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	FMAG	U187 (RM)	AZI (ULG)(DEG)	AIM	TUBS (SEC)	ICAL (SEC)	MES (SEC)	REMARKS
19	SSP	EPD1	21 56 00.20				22	2.0	66.9	103	96	11.72	11.67	0.13	
	S 0		21 57 12.28									19.80	19.82	-0.02	
19	CIS	LPUD	21 56 04.13				20	2.0	68.8	17	96	11.65	11.94	-0.12	
	S 7		21 57 12.73									20.25	20.17	0.13	
19	LBM	EPD1	21 56 04.38				27	2.2	70.3	121	96	11.90	12.01	-0.10	1.10
	S 2		21 57 12.05									20.37	20.50	-0.21	
19	SDH	EPD1	21 56 04.52				23	2.1	71.6	130	96	12.04	12.22	-0.14	
	S 0		21 57 13.40									20.92	20.82	0.10	
19	LUP	EPUI	21 56 09.16				27	2.2	73.5	108	96	12.60	12.65	0.11	
	S 4		21 57 10.59									22.11	21.49	0.62	
19	AMR	EPD0	21 56 06.89						85.2	150	95	14.41	14.35	0.04	
19	HNNA	LP 0	21 56 08.83						90.7	34	94	15.55	15.50	-0.02	
	S 0		21 57 19.10									20.62	20.62	0.00	
19	HCR	EP 4	21 56 70.14						137.7	19	93	23.60	23.14	0.61	

NOV M = 22 1 54.59 UTC RMS = 0.10 NU = 31 FREE DEPTH SOLUTION
 19 LAT = 37.060 N ERX = 0.1 ENH = 0.2 AVFM = 2.5 U = 0
 LONG = 110.955 W ERY = 0.2 GAP = 69 AVRM = U3 = A
 DEPTH = 5.76 NM ERZ = 0.8 NM UO = B
 THINITY CANYON

191130

19	SGV	IPU1	22 1 56.92				56	2.7	11.1	210	115	2.33	2.56	-0.13	
	S 0		22 1 58.03									4.24	4.22	0.03	
19	GVN	IPD1	22 1 00.91				42	2.5	35.1	259	96	6.32	6.21	0.05	1.10
	S 4		22 2 5.71									11.12	10.73	0.39	
19	BMT	EPD0	22 1 01.14				46	2.6	37.0	48	96	6.55	6.80	-0.07	1.70
	S 2		22 2 6.10									11.52	11.74	-0.22	
19	GHN	IPU0	22 1 01.34				40	2.5	38.0	315	95	6.75	6.95	-0.05	0.90
	S 2		22 2 6.10									11.51	11.63	-0.12	
19	YMT1	IPU1	22 1 02.33				60	3.0	44.3	121	94	7.74	7.77	-0.16	
	S 2		22 2 7.05									13.26	13.51	-0.25	
19	YMT5	IPU1	22 1 02.88				43	2.6	40.1	112	94	6.29	6.42	-0.12	
	S 0		22 2 9.05									14.46	14.34	0.07	
19	TMD	EP 0	22 1 03.18						49.3	235	94	8.59	8.79	0.11	
	S 4		22 2 9.72									15.13	14.51	0.62	
19	EPN	IPD0	22 1 05.11				38	2.5	58.7	73	93	10.52	10.33	0.14	1.00
	S 2		22 2 12.27									17.60	17.76	-0.08	
19	CDM1	EPD4	22 1 05.91						60.9	111	93	11.32	10.50	0.92	
	S 4		22 2 13.60									19.07	17.79	1.20	
19	HGM	EPUD	22 1 05.70				30	2.3	64.0	311	93	11.11	11.16	0.04	
	S 4		22 2 14.20									14.61	18.93	0.60	
19	BGR	IPU1	22 1 05.87				39	2.5	64.8	92	93	11.20	11.20	0.16	0.30
	S 2		22 2 13.80									19.21	19.02	0.19	
19	SSP	EPUD	22 1 06.30				40	2.6	67.2	103	93	11.71	11.67	0.12	0.60
	S 4		22 2 14.97									20.38	19.82	0.56	
19	CIS	EPUD	22 1 06.32				30	2.3	69.3	17	93	11.75	11.97	-0.07	0.10
	S 0		22 2 14.71									20.12	20.18	-0.06	
19	LSP	EPUD	22 1 06.54				45	2.7	70.4	120	93	11.95	11.99	-0.04	1.00
	S 0		22 2 15.19									20.60	20.55	0.06	
19	SDH	EPUI	22 1 06.62				24	2.1	71.6	130	92	12.03	12.18	-0.11	0.70
	S 1		22 2 15.22									20.63	20.77	-0.13	
19	LUP	EPD0	22 1 07.29				44	2.7	73.7	108	92	12.70	12.65	0.14	1.20
	S 4		22 2 17.03									22.44	21.49	0.95	
19	GLM	IPUD	22 1 08.83				33	2.5	84.7	79	92	14.24	14.39	-0.08	
19	AMR	EPUD	22 1 08.87				30	2.4	85.1	150	92	14.28	14.30	-0.03	
	S 4		22 2 20.10									25.51	24.47	1.04	
19	RLT	EPD1	22 1 09.53				40	2.6	87.4	58	92	14.94	14.91	0.17	
	S 4		22 2 22.95									26.36	25.27	3.09	
19	HNNA	EPUD	22 1 70.26				35	2.5	91.2	34	92	15.67	15.56	0.05	0.20
	S 2		22 2 21.52									26.93	26.72	0.22	
19	HCR	EPUD	22 1 77.76				32	2.6	130.1	19	91	23.17	23.21	0.05	
	S 4		22 2 34.46									34.67	34.54	0.33	

190153000/1911

1981 BCB LOCAL-EVENT DATA REPORT

NOV 1981 STA PHASE TIME (UTC) AMP (MU) PLR (SEC) XMAC DUN PMAC DIST (KM) AZI (DEG) AIN (DEG) IUNS (SEC) TCAL (SEC) NIS (SEC) REMARKS

NOV 19 23 1 42.55 UTC RMS = 0.09 NU = 10 FREE DEPTH SOLUTION
 19 LAT = 37.061 N LXX = 0.2 ENH = 0.3 AVFM = 1.4 U = B
 LONG = 116.957 W LRY = 0.2 GAP = 60 AVXM = U5 = A
 DEPTH = 6.03 KM ENZ = 1.0 NM = UD = C

19 14 30V IPD1 23 1 48.90 32 2.2 13.1 217 117 2.35 2.57 -0.13
 3 0 23 1 48.80 21 1.9 38.9 259 96 4.25 4.24 0.01
 19 19 6VN LPD1 23 1 48.83 21 1.9 38.9 259 96 4.28 4.19 0.03
 3 4 23 1 53.42 11.07 10.69 0.38
 19 19 8MI LP 0 23 1 49.14 14 1.6 37.1 48 96 6.54 6.82 -0.06
 3 1 23 1 50.03 11.44 11.37 0.11
 19 19 6MI LPU0 23 1 49.28 18 1.8 37.0 315 96 6.75 6.42 -0.04
 3 1 23 1 54.26 11.71 11.58 0.13
 19 19 7MT1 EP 0 23 1 50.09 31 2.3 44.5 121 95 7.54 7.81 -0.40
 3 1 23 1 56.27 13.72 13.58 0.14
 19 19 7MT5 EP 0 23 1 50.90 18 1.8 48.3 112 94 8.35 8.46 -0.11
 3 0 23 1 57.10 14.55 14.46 0.09
 19 19 8GP EP 0 23 1 53.13 63.8 311 93 10.58 11.13 -0.40
 19 19 8GP LPD0 23 1 53.11 15 1.7 65.0 92 93 10.56 11.20 -0.60
 3 0 23 2 1.60 14.13 14.08 0.05
 19 19 8TS EPU0 23 1 54.28 14 1.9 69.3 17 93 11.73 11.97 -0.07
 3 0 23 2 2.44 20.04 20.18 -0.09
 19 19 8SP LPU2 23 1 54.00 23 2.1 70.6 120 93 12.29 12.03 0.24
 3 0 23 2 3.23 20.68 20.61 0.07
 19 19 8UP EP 1 23 1 55.01 26 2.2 73.9 108 93 12.46 12.69 -0.15
 3 4 23 2 4.71 22.16 21.56 0.60
 19 19 8LR EP 1 23 1 56.75 84.4 80 92 14.20 14.42 -0.15
 19 19 8NR EP 0 23 1 56.49 85.3 150 92 14.54 14.33 0.08

NOV 20 31 05.35 UTC RMS = 0.00 NU = 17 FREE DEPTH SOLUTION
 20 LAT = 36.527 N LXX = 0.2 ENH = 0.3 AVFM = 1.7 U = B
 LONG = 115.817 W LRY = 0.2 GAP = 130 AVXM = U5 = A
 DEPTH = 8.73 KM ENZ = 1.1 NM = UD = C

20 20 8MPG EPU0 1 31 48.99 13 1.4 18.4 2 113 3.64 3.79 -0.12
 3 0 1 31 51.81 6.46 6.43 -0.04
 20 20 8CY EPD0 1 31 49.21 24 2.0 19.0 319 112 3.86 3.99 -0.04
 3 0 1 31 52.01 6.66 6.68 -0.01
 20 20 8JUN EPU1 1 31 50.31 13 1.5 27.4 249 105 4.46 5.07 -0.12
 3 0 1 31 53.97 6.64 6.69 -0.05
 20 20 8PK EPD0 1 31 51.22 16 1.6 31.7 137 104 5.87 6.12 0.02
 3 4 1 31 55.97 10.62 10.01 0.62
 20 20 8SP EP 4 1 31 53.07 18 1.8 47.1 300 98 7.72 6.27 -0.57
 3 2 1 31 59.31 15.96 14.16 -0.22
 20 20 8UP EP 1 1 31 53.68 20 1.9 48.0 319 98 8.33 8.52 -0.11
 3 1 1 31 59.91 14.56 14.43 0.13
 20 20 8DM EPD0 1 31 53.69 11 1.4 48.4 286 98 8.34 8.46 -0.08
 3 1 1 31 54.93 14.58 14.41 0.18
 20 20 8UP EPD1 1 31 54.62 13 1.5 53.5 214 97 9.27 9.26 0.10
 3 0 1 32 1.02 15.67 15.64 -0.01
 20 20 8HRG EPD4 1 31 56.12 14 1.6 59.4 92 96 10.77 10.35 1.01
 3 4 1 32 3.35 16.00 16.69 1.32
 20 20 8GB EP 1 1 31 57.11 13 1.4 67.5 327 96 11.76 11.69 0.16
 3 0 1 32 5.30 14.45 14.84 0.11
 20 20 8MT1 EP 4 1 31 58.75 20 2.6 73.2 300 95 13.40 12.49 0.79
 3 4 1 32 7.26 21.91 21.57 0.34
 20 20 8NV EP 0 1 31 64.75 85.4 244 94 14.40 14.54 4.45
 3 2 1 32 10.40 25.65 24.72 0.34
 20 20 8MT EP 0 1 31 61.01 87.0 270 94 15.66 14.69 1.21
 3 4 1 32 10.53 25.16 24.71 0.48

30153 1912

1981 JGM LOCAL-LEVEL DATA REPORT

NOV STA PHASE TIME AMP PIR MAG DUM PMAG DIST AZI AJM IUBS TCAL MFS REMARKS
 1981 (UTC) (MU) (SEC) (AM) (DEG)(DEG) (SEC) (SEC) (SEC)

NOV H = 4 10 51.45 UTC RMS = 0.07 NU = 7 FREE DEPTH SOLUTION
 20 LAT = 36.263 N ERA = 0.8 ENH = 1.3 AVFM = 1.4 U = D US = C LAS VEGAS
 LONG = 115.417 W ERY = 1.1 GAP = 246 AVSM = U = D UD = D
 DEPTH = 9.00 NM ERZ = 9.0 NM =

20	SHNG	LPD0	4 10 57.41					35.7	41	102	5.96	6.55	0.00
20	SPNG	LPD2	4 10 61.67			18	1.6	59.4	120	97	10.22	10.27	-0.02
20	JUN	EPD0	4 10 62.33			14	1.6	64.4	280	96	10.80	11.05	-0.10
20	MCY	LPD0	4 10 62.75			19	1.9	65.9	312	96	11.30	11.30	0.00
20	NUP	LPD4	4 10 62.42			8	1.2	67.0	257	96	14.97	11.54	-0.52
20	SDM	EPD0	4 10 67.06			4	0.7	92.8	297	98	15.61	15.65	0.00
20	LSM	LPD0	4 10 67.32					93.2	305	98	15.47	15.72	0.13
20	LDP	EPD0	4 10 67.63			8	1.3	93.9	314	94	16.10	15.96	0.30

NOV H = 4 20 58.67 UTC RMS = 0.10 NU = 8 FREE DEPTH SOLUTION
 20 LAT = 37.060 N ERA = 0.3 ENH = 0.4 AVFM = 1.6 U = C HIAU
 LONG = 115.049 W ERY = 0.3 GAP = 104 AVSM = U = C US = C UD = C
 DEPTH = 1.00 NM ERZ = 123.9 NM =

20	NPN	EPD0	4 20 60.70			19	1.7	10.0	100	90	2.03	1.90	-0.07
		S 1	4 21 2.37								1.70	3.60	0.10
20	MTI	LPD1	4 20 61.91			14	1.5	19.8	273	90	3.24	3.55	-0.20
		S 0	4 21 4.79								6.13	6.02	0.10
20	SHG	LPD0	4 20 63.07			24	2.0	23.8	356	90	4.40	4.24	-0.05
		S 4	4 21 6.94								8.20	7.62	0.06
20	DLV	LPD1	4 20 63.92			9	1.1	24.2	104	90	5.26	4.99	0.07
		S 2	4 21 7.65								8.98	8.96	0.03
20	PRM	LPD4	4 20 64.15			20	1.8	29.0	140	90	5.44	5.12	0.25
		S 0	4 21 7.68								9.02	8.95	0.06
20	WHN	EPD4	4 20 69.11					58.9	306	74	10.44	10.33	0.07
20	GMR	EPD4	4 20 70.98					73.9	240	74	12.31	12.73	-0.32

NOV H = 6 02 16.98 UTC RMS = 0.14 NU = 12 FREE DEPTH SOLUTION
 20 LAT = 37.851 N ERA = 1.0 ENH = 1.2 AVFM = 2.4 U = C HIGHLAND PEAK
 LONG = 114.536 W ERY = 0.7 GAP = 246 AVSM = U = C US = B UD = D
 DEPTH = 7.26 NM ERZ = 1.5 NM =

20	DLP	LPD0	6 02 23.20			29	2.2	32.5	213	100	6.34	6.02	0.00
		S 0	6 02 27.61								10.67	10.71	-0.04
20	NPN	IFD2	6 02 28.34			26	2.1	41.6	238	97	7.40	7.45	-0.26
		S 4	6 02 29.18								12.24	13.10	-0.66
20	SHG	LPD4	6 02 28.99			42	2.5	46.9	274	96	8.05	8.33	-0.48
		S 4	6 02 29.67								12.73	14.50	-1.85
20	PRM	EPD7	6 02 28.83			41	2.6	67.0	223	94	11.29	11.52	0.25
		S 0	6 02 34.93								14.99	19.91	0.06
20	MTI	EP 1	6 02 29.37			27	2.2	67.7	253	94	11.43	11.65	-0.19
		S 8	6 02 34.62								17.60	19.87	-2.14
20	WHN	EPD0	6 02 33.32			31	2.4	93.7	279	93	16.30	15.92	0.42
		S 1	6 02 44.35								27.41	27.29	0.12
20	EPR	EPD4	6 02 33.84			36	2.6	95.1	217	93	16.94	16.05	0.91
		S 4	6 02 45.05								28.51	27.47	1.10
20	TPU	EPD1	6 02 34.70					101.9	254	93	17.26	17.28	0.12
		S 4	6 02 47.40								30.40	24.32	1.15
20	GMR	EP 4	6 02 36.73			29	2.5	123.2	242	92	14.79	20.59	-0.80
		S 1	6 02 52.01								35.07	35.21	-0.10
20	HLT	EP 1	6 02 41.10			27	2.5	145.8	254	42	24.16	24.40	-0.11
		S 4	6 02 59.18								42.24	41.50	0.74
20	GLR	EP 1	6 02 41.41			24	2.4	144.6	241	52	24.67	24.82	-0.08
		S 2	6 02 59.56								42.62	42.33	0.29
20	SHNG	EP 4	6 02 45.25					159.2	200	52	28.31	26.10	2.80
		S 4	6 03 4.73								47.74	43.62	4.17
20	KHNA	EP 4	6 02 44.24			27	2.6	162.8	266	52	27.30	26.63	0.60
		S 4	6 03 4.45								47.51	45.64	1.85
20	HCR	EP 4	6 02 45.99					172.1	280	52	29.05	27.84	1.30
		S 4	6 03 6.21								49.27	47.46	1.81
20	EPH	EPD4	6 02 46.89					173.1	246	52	29.95	28.03	1.86
		S 4	6 03 6.76								49.82	48.04	1.79

1913

20153

30153000/1913

1991 SCW LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PEN X MAG DUN P MAU DIST A21 AIN IUNS TCAI NES MEMORAN
 1991 (UTC) (MU) (SLC) (NM) (ULG)(ILG) (SLL) (SLL) (SLC)

NOV M = 9 6 3.07 UTC NMS = 0.18 NU = 29 FILE DEPTH SOLUTION
 20 LAT = 37.060 N LMX = 0.2 ENH = 0.3 AVFM = 1.0 M = B THINSTRY CANTON
 LONG = 116.955 W ERY = 0.2 GAP = 63 AVAM = US = A UD = C
 DEPTH = 4.50 KM ENZ = 1.3 NM =

NOV	STA	PHASE	TIME	AMP	PEN	X MAG	DUN	P MAU	DIST	A21	AIN	IUNS	TCAI	NES	MEMORAN	
20	SCV	IPDO	9 6 0.12						27	2.0	11.4	217	107	2.25	2.53	-0.19
		S 0	9 6 0.02											4.15	4.18	-0.03
20	EVN	EPUD	9 6 10.12						10	1.0	35.2	259	93	6.25	6.21	-0.02
		S 1	9 6 10.04											10.97	10.72	0.25
20	BMT	EPUD	9 6 10.35						19	1.0	36.7	48	93	6.48	6.74	-0.09
		S 0	9 6 15.23											11.36	11.23	0.13
20	GMN	EPUD	9 6 10.50						10	1.0	37.7	310	93	6.63	6.89	-0.11
		S 1	9 6 15.51											11.64	11.52	0.12
20	YMTL	EPUD	9 6 11.53						23	2.0	44.6	122	92	7.66	7.80	-0.27
		S 2	9 6 17.71											13.84	13.56	0.28
20	YMTS	EP 1	9 6 12.00						18	1.0	48.2	112	92	6.21	6.44	-0.23
		S 1	9 6 18.29											14.42	14.43	-0.01
20	FMT	EPUD	9 6 12.02											6.15	6.59	-0.20
		S 4	9 6 19.20											15.35	14.27	1.06
20	YMT4	EP 4	9 6 12.17						20	1.9	49.9	116	92	6.30	6.69	-0.50
		S 0	9 6 19.06											15.19	15.05	0.14
20	YPT2	EP 0	9 6 12.79						21	2.0	52.1	126	92	6.92	9.01	-0.17
		S 4	9 6 19.90											16.01	15.54	0.46
20	YMT6	EP 0	9 6 13.73						10	1.7	54.0	115	92	9.65	9.34	0.31
		S 4	9 6 20.72											16.85	16.17	0.68
20	MCA	EPUD	9 6 13.97						12	1.5	54.5	212	92	10.10	9.23	0.87
		S 0	9 6 19.97											16.10	15.92	0.18
20	YMT3	EP 1	9 6 13.45						21	2.0	57.0	127	92	9.58	9.66	-0.23
		S 0	9 6 20.72											16.05	16.77	0.72
20	EVN	EPUD	9 6 10.28											10.41	10.31	0.05
		S 0	9 6 21.74											17.07	17.72	0.65
20	COM1	EP 0	9 6 15.13											11.26	10.53	0.73
		S 0	9 6 15.09						14	1.6	60.7	93	92	11.22	11.17	0.05
20	HGP	EPUD	9 6 22.00											19.03	19.00	0.03
		S 0	9 6 15.05											11.78	11.69	0.09
20	SSP	EPUD	9 6 23.54						10	1.9	67.3	103	92	19.67	19.65	-0.02
		S 3	9 6 15.46											11.54	11.90	-0.36
20	CT3	EPUD	9 6 23.00						10	1.7	68.0	17	91	20.01	20.07	-0.06
		S 1	9 6 16.13											12.26	12.03	0.23
20	LSP	EP 3	9 6 24.47						1A	1.9	70.6	121	91	20.60	20.61	-0.01
		S 0	9 6 16.50											12.71	12.67	0.04
20	LUP	EPUD	9 6 25.97						1A	1.9	73.4	108	91	22.10	21.53	0.57
		S 4	9 6 20.13											16.26	15.08	1.12
20	HMNA	EP 4	9 6 30.67											26.80	25.90	0.90
		S 1														

NOV M = 1 50 56.01 UTC NMS = 0.10 NU = 0 FILE DEPTH SOLUTION
 21 LAT = 36.444 N ENH = 0.6 EVM = 0.0 AVFM = 1.7 M = R PANAMINT HUTTE
 LONG = 117.010 W ERY = 0.6 GAP = 112 AVAM = US = A UD = R
 DEPTH = 16.30 KM EPZ = 1.6 NM =

NOV	STA	PHASE	TIME	AMP	PEN	X MAG	DUN	P MAU	DIST	A21	AIN	IUNS	TCAI	NES	MEMORAN	
21	PCI	IP 0	1 50 60.02						19	1.7	11.4	202	146	3.61	3.82	0.01
21	FMT	EP 0	1 50 62.15						10	1.7	38.5	45	117	5.74	6.03	-0.05
21	MCA	EPUD	1 50 62.60						13	1.5	32.7	319	115	6.23	6.19	-0.04
21	GMV	EP 2	1 50 64.02						25	2.1	42.3	132	110	7.61	7.89	-0.28

30153 1914

99153000/1914

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DM	FMAG	DIST (KM)	AZI (DEG)	ATH (DEG)	TUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
21	AMR	EP 0	1 50 65.17				10	1.3	49.1	96	107	8.76	8.76	-0.01	
21	HCT	EP 3	1 50 65.93				18	1.6	52.2	42	106	9.52	9.31	0.38	
21	TMO	EP 4	1 50 66.58				15	1.7	53.2	319	106	10.17	9.72	0.76	
21	OSM	EP 1	1 50 66.27				17	1.8	54.7	166	105	9.86	9.64	0.14	
21	SGV	IP 4	1 50 67.48				21	2.0	59.7	359	104	11.07	10.60	0.56	
21	SDM	EP 4	1 50 68.19				12	1.5	64.9	70	103	11.78	11.32	0.50	
21	GVN	EP 0	1 50 68.27				19	1.9	68.4	333	102	11.06	11.03	-0.03	

NOV M = 4 44 19.77 UTC RMS = 0.15 NU = 35 FREE DEPTH SOLUTION
 21 LAT = 37.065 N ERX = 0.2 ERM = 0.2 AVFM = 1.9 U = C
 LONG = 116.956 W ERY = 0.2 GAP = 63 AVXM = U5 = B
 DEPTH = 1.99 KM ERZ = 0.6 NM = UD = C
 THIRSTY CANYON

21	SGV	IPD0	4 44 22.08				25	2.0	11.5	216	96	2.31	2.07	-0.07	
		S 1	4 44 23.87									4.10	4.08	0.03	
21	NMN	EPD0	4 44 22.03				21	1.8	12.4	82	96	2.26	2.01	-0.29	
		S 1	4 44 24.02									4.25	4.37	-0.12	
21	GVN	EPD0	4 44 25.99				22	1.9	35.1	259	74	6.22	6.24	-0.08	
		S 1	4 44 30.79									11.02	10.78	0.25	
21	BHT	EPD0	4 44 26.25				18	1.8	36.7	49	74	6.48	6.77	-0.12	
		S 1	4 44 31.46									11.69	11.29	0.40	
21	GMN	EP 0	4 44 26.41				14	1.6	37.6	314	74	6.64	6.91	-0.11	
		S 2	4 44 31.43									11.66	11.55	0.11	
21	YHT1	EPD1	4 44 27.46				31	2.3	44.7	122	74	7.69	7.66	-0.29	
		S 0	4 44 33.57									13.80	13.66	0.15	
21	YHT5	EP 1	4 44 28.04				19	1.9	48.3	112	74	8.27	8.49	-0.22	
		S 3	4 44 34.11									14.30	14.52	-0.18	
21	FHT	EPD1	4 44 27.94				15	1.7	49.7	162	74	8.17	8.65	-0.23	
		S 2	4 44 38.09									14.32	14.38	-0.05	
21	YHT6	EP 0	4 44 28.50				20	1.9	50.0	116	74	8.73	8.75	-0.12	
		S 0	4 44 35.06									15.29	15.15	0.14	
21	YHT2	EP 4	4 44 30.02				18	1.8	52.2	126	74	10.25	9.07	1.11	
		S 4	4 44 36.18									16.41	15.64	0.78	
21	YHT6	EP 4	4 44 29.48				18	1.8	54.1	115	74	9.71	9.39	0.23	
		S 4	4 44 36.61									16.04	16.22	0.63	
21	MCA	EP 4	4 44 30.00				14	1.6	54.5	212	74	10.23	9.28	0.87	
		S 0	4 44 35.85									16.08	16.01	0.08	
21	YHT3	EP 3	4 44 29.83				23	2.1	57.5	122	74	10.06	9.92	0.20	
		S 4	4 44 37.21									17.44	16.87	0.58	
21	EPN	EP 0	4 44 30.16						58.6	74	74	10.39	10.35	-0.02	
21	CDM1	EP 4	4 44 31.00						41.2	112	74	11.23	10.58	0.75	
21	BGD	EPD1	4 44 30.97				15	1.7	64.8	93	74	11.20	11.24	0.04	
		S 4	4 44 38.64									18.87	19.09	-0.21	
21	NSP	EPD2	4 44 31.56				21	2.0	67.4	103	74	11.79	11.74	0.13	
		S 2	4 44 39.63									19.86	19.94	-0.08	
21	CTS	EPD1	4 44 31.37				18	1.9	68.8	17	74	11.60	11.93	-0.15	
		S 4	4 44 39.39									19.62	20.11	-0.48	
21	LSM	EP 0	4 44 31.79				21	2.0	70.7	121	74	12.02	12.09	-0.08	
		S 2	4 44 40.35									20.58	20.78	-0.12	
21	SDM	EPD1	4 44 31.74						72.1	130	74	11.99	12.29	-0.25	
		S 1	4 44 41.03									21.26	20.94	0.33	
21	LDP	EPD1	4 44 32.49				24	2.1	73.9	108	74	12.72	12.72	0.00	
		S 2	4 44 41.86									22.09	21.62	0.47	
21	GLR	EPD1	4 44 33.82						44.7	80	74	14.05	14.42	-0.30	
21	KHNA	EP 1	4 44 35.00						90.8	34	74	15.63	15.52	0.04	
		S 1	4 44 46.81									27.04	26.67	0.38	
21	GHV	EPD2	4 44 36.91						100.7	165	74	17.10	17.04	0.10	
21	OSM	EPD4	4 44 40.79						122.2	176	74	21.02	20.36	0.57	

NOV M = 18 44 19.81 UTC RMS = 0.12 NU = 47 FREE DEPTH SOLUTION
 21 LAT = 37.066 N ERX = 0.1 ERM = 0.2 AVFM = 2.1 U = B
 LONG = 116.949 W ERY = 0.1 GAP = 63 AVXM = U5 = A
 DEPTH = 0.13 KM ERZ = 0.3 NM = UD = C
 THIRSTY CANYON

21	NMN	IPD0	18 44 22.34				25	2.0	11.8	82	40	2.53	2.68	-0.10	
		S 1	18 44 24.49									4.68	4.49	0.19	

20153 1915



1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	T098 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
21	SGV	IPD0	18 04 22.45					36 2.3	11.9	218	40	2.64	2.72	0.01	
		S 4	18 04 23.98									4.17	4.49	-0.32	
21	GVN	EPD0	18 04 26.36					24 2.0	35.7	250	30	6.55	6.56	-0.07	
		S 1	18 04 31.17									11.36	11.52	0.03	
21	BMT	EPD0	18 04 26.56					20 2.2	36.2	40	30	6.75	6.92	0.00	
		S 0	18 04 31.97									12.16	11.54	-0.62	
21	GHN	EPD0	18 04 26.69					24 2.0	37.9	313	30	6.00	7.10	-0.15	
		S 0	18 04 31.82									12.01	12.03	-0.02	
21	WCT	IPU1	18 04 27.05					26 2.1	41.6	137	30	7.24	7.59	-0.19	
		S 0	18 04 32.50									12.75	12.70	0.05	
21	YMT1	IPU1	18 04 27.01					33 2.3	44.3	122	30	6.00	6.02	-0.15	
		S 1	18 04 33.68									13.87	13.94	-0.07	
21	YMT5	IPD0	18 04 26.38					20 2.2	47.9	113	30	6.57	6.65	-0.08	
		S 2	18 04 34.43									14.62	14.79	-0.17	
21	YMT4	EPD0	18 04 28.92					26 2.1	49.6	117	30	9.11	8.91	0.09	
		S 3	18 04 35.66									15.05	15.42	-0.43	
21	FMT	EPD1	18 04 28.27					23 2.0	49.7	162	30	6.46	6.07	-0.17	
		S 0	18 04 36.13									14.32	14.75	-0.43	
21	THD	EPD0	18 04 28.67						50.1	235	30	8.06	9.17	-0.01	
		S 0	18 04 35.11									15.30	15.17	0.13	
21	YMT2	EP 2	18 04 28.80					30 2.3	51.9	127	30	9.07	9.23	-0.25	
		S 4	18 04 36.23									16.42	15.93	0.49	
21	YMT6	EPU1	18 04 29.60					23 2.0	53.7	115	30	9.79	9.55	0.15	
		S 4	18 04 36.97									17.16	16.49	0.67	
21	MCA	EP 1	18 04 29.20					21 2.0	55.0	213	30	9.39	9.58	-0.27	
		S 0	18 04 36.27									16.46	16.51	-0.05	
21	YMT3	EPD2	18 04 29.41					20 2.2	57.1	173	30	9.80	10.00	-0.23	
		S 4	18 04 37.00									17.79	17.15	0.64	
21	EPH	EPD0	18 04 30.47					24 2.1	58.0	74	30	10.66	10.49	0.11	
		S 1	18 04 36.11									18.30	18.03	0.27	
21	CDH1	EPD4	18 04 31.35						60.7	112	30	11.54	10.74	0.90	
		S 4	18 04 39.10									19.29	18.19	1.10	
21	MGM	EP 0	18 04 31.10					20 2.0	63.9	311	30	11.37	11.41	0.05	
		S 3	18 04 39.67									19.06	19.36	-0.50	
21	OCB	EPD2	18 04 31.31					22 2.0	64.2	93	30	11.50	11.30	0.20	
		S 1	18 04 39.11									19.30	19.32	-0.02	
21	LCH	EP 2	18 04 31.39					22 2.0	64.7	207	30	11.50	11.40	0.25	
		S 4	18 04 39.67									19.86	19.36	0.49	
21	SSP	EPD1	18 04 31.79					24 2.1	66.9	104	30	11.90	11.09	0.17	
		S 4	18 04 40.99									21.16	20.19	0.99	
21	CTB	EPD1	18 04 31.63					20 2.0	68.5	17	30	11.82	12.11	-0.12	
		S 2	18 04 39.97									20.16	20.41	-0.26	
21	LSM	EPD0	18 04 32.03					26 2.2	70.3	121	30	12.22	12.25	-0.05	
		S 1	18 04 40.77									20.96	20.98	-0.02	
21	SDH	EPD1	18 04 32.13					19 1.9	71.7	131	30	12.32	12.46	-0.10	
		S 3	18 04 41.06									21.65	21.24	0.41	
21	LUP	EPD1	18 04 32.73					23 2.1	73.5	109	30	12.92	12.87	0.12	
		S 4	18 04 42.20									22.39	21.80	0.51	
21	PGE	EP 1	18 04 33.76					23 2.1	80.2	107	30	13.95	14.01	0.16	
		S 4	18 04 42.35									22.54	23.50	-1.00	
21	BLT	EPD0	18 04 34.77						86.7	50	30	14.96	15.05	0.00	
		S 0	18 04 43.54						90.4	34	30	15.73	15.68	-0.02	
21	HRNA	EPD0	18 04 35.54									26.95	26.94	0.01	
		S 0	18 04 46.76									17.01	16.90	0.10	
21	MCY	EP 1	18 04 36.02						90.0	117	30	29.96	28.77	1.19	
		S 0	18 04 49.77									17.19	17.27	0.00	
21	GNV	EPD0	18 04 37.00					22 2.2	100.7	166	30	29.97	29.40	0.57	
		S 4	18 04 49.70									16.05	17.46	-0.50	
21	JUN	EP 4	18 04 37.46						102.6	133	30	31.00	29.87	1.13	
		S 4	18 04 50.81									20.64	20.61	0.14	
21	OSP	EP 2	18 04 40.85						122.3	177	30	35.21	35.39	-0.10	
		S 2	18 04 55.02												

90153 1916

1981 SGB LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PER ANAG DUR PHAG DIST AZI AIN TONS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (KHZ) (DEG)(DEG) (SEC) (SEC) (SEC)

NOV H = 22 29 16.74 UTC RMS = 0.06 NU = 8 FREE DEPTH SOLUTION
 21 LAT = 37.541 N LNA = 0.5 ENH = 0.6 AVFM = 2.3 J = C
 LONG = 116.050 W ERY = 0.3 GAP = 245 AVRM = UD = A
 DEPTH = 1.73 KM ERZ = 1.1 NM = UD = D
 HIGHLAND PEAK

21	DLN	IP 0	22 29 19.29			27	2.0	10.2	315	95	2.35	2.20	0.02
		S 0	22 29 21.02								4.20	4.33	-0.05
21	NPN	IPU0	22 29 22.11			27	2.1	27.6	297	70	5.37	5.20	-0.04
		S 0	22 29 26.00								9.26	9.20	0.02
21	PRN	EPD0	22 29 23.12			30	2.4	37.7	247	74	6.30	6.00	-0.54
		S 0	22 29 28.50								11.02	11.43	-0.01
21	SAG	EP 0	22 29 26.13			34	2.4	52.4	316	74	9.39	9.22	-0.05
		S 0	22 29 33.32								16.50	16.15	0.43
21	MTI	EP 0	22 29 26.98					56.4	206	70	10.24	9.88	0.43
		S 0	22 29 34.79								10.05	10.70	1.27
21	TPU	EP 0	22 29 32.16			25	2.2	87.0	275	70	15.42	15.00	0.52
		S 0	22 29 43.03								26.29	25.49	0.00
21	MRN	EP 0	22 29 34.00			25	2.3	95.5	301	70	17.26	16.25	0.97
21	GMR	EP 2	22 29 34.01			25	2.3	101.2	257	70	17.27	17.15	0.22
		S 0	22 29 46.07								30.13	29.16	0.90
21	SHRC	EP 0	22 29 36.89			26	2.4	123.2	401	74	20.15	20.70	0.00
		S 0	22 29 52.34								35.65	34.46	1.19

NOV H = 23 59 49.92 UTC RMS = 0.13 NO = 44 FREE DEPTH SOLUTION
 21 LAT = 37.061 N ERY = 0.1 ENH = 0.2 AVFM = 2.2 J = 0
 LONG = 116.952 W ERY = 0.2 GAP = 63 AVRM = UD = A
 DEPTH = 5.71 KM ERZ = 0.0 NM = UD = C
 THIRSTY CANYON

21	SGV	IPD1	23 59 52.29			20	2.1	11.4	219	114	2.37	2.60	-0.14
		S 0	23 59 54.18								4.26	4.29	-0.03
21	NHM	IPD3	23 59 52.21			36	2.3	12.1	80	113	2.29	2.68	-0.33
		S 2	23 59 54.59								4.07	4.49	0.10
21	GVN	EPD0	23 59 56.25			30	2.2	35.4	259	96	6.33	6.27	0.01
		S 4	24 0 1.01								11.09	10.82	0.20
21	BMT	IPD1	23 59 56.35			32	2.3	36.7	40	96	6.43	6.78	-0.14
		S 0	24 0 1.07								11.95	11.24	0.71
21	GNN	IPU2	23 59 56.53			24	2.0	30.1	314	95	6.61	6.96	-0.20
		S 0	24 0 1.66								11.70	11.65	0.09
21	YMT1	IPU1	23 59 57.63			20	2.2	44.2	122	94	7.71	7.75	-0.10
21	YMT5	IPU1	23 59 58.20			20	2.2	47.9	112	94	8.20	8.39	-0.10
		S 0	24 0 4.38								14.46	14.34	0.12
21	FMT	IPU0	23 59 50.19			23	2.0	49.3	162	94	8.27	8.54	-0.03
		S 2	24 0 3.96								10.04	10.20	-0.15
21	YMT4	EPU0	23 59 58.75			49.6	116	94			8.03	8.64	0.00
		S 4	24 0 5.35								15.43	14.96	0.47
21	TNO	EP 0	23 59 58.47			49.6	235	94			8.55	8.84	0.01
		S 0	24 0 4.57								14.65	14.61	0.05
21	MCA	EPD1	23 59 59.10			24	2.1	54.4	213	93	9.10	9.23	-0.13
		S 2	24 0 6.10								16.10	15.92	0.26
21	YMT3	EPU3	23 59 59.43			30	2.4	57.0	122	93	9.51	9.80	-0.24
		S 4	24 0 7.41								17.49	16.67	0.82
21	EPN	EPD0	23 59 60.32			30	2.3	58.3	73	93	10.40	10.27	0.07
		S 0	24 0 7.72								17.00	17.67	0.13
21	CDM1	EPU4	23 59 61.19					60.7	112	93	11.27	10.47	0.90
		S 0	24 0 8.81								10.89	17.70	1.16
21	MGM	EP 1	23 59 60.85			26	2.2	64.1	311	93	10.93	11.17	-0.15
		S 1	24 0 9.07								19.15	10.95	0.20
21	BGB	EPD1	23 59 61.14			27	2.2	64.5	92	93	11.22	11.10	0.15
		S 0	24 0 8.80								10.80	10.94	-0.06
21	CTD	EPD2	23 59 61.43			24	2.1	69.0	17	93	11.51	11.93	-0.25
		S 2	24 0 9.80								19.00	20.11	-0.22
21	LSM	EPD0	23 59 61.85			34	2.4	70.2	121	93	11.93	11.97	-0.06
		S 1	24 0 10.61								20.69	20.50	0.19
21	SDH	EPU1	23 59 61.93					71.6	130	92	12.01	12.17	-0.11
		S 4	24 0 11.15								21.23	20.74	0.49
21	LUP	EPD0	23 59 62.56			32	2.4	73.5	108	92	12.64	12.62	0.11
		S 2	24 0 11.20								21.20	21.43	-0.15

301531917

30153000/1917

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	LMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIN (DEG)	TUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
21	CLR	pd2	23 59 43.99					23 2.1	84.0	80	92	18.07	14.34	-0.20	
		S 2	24 0 14.07									24.15	24.40	-0.25	
21	AMR	EPD0	23 59 44.34						85.1	150	92	14.42	14.31	0.11	
21	BLT	EPD0	23 59 44.63						87.1	58	92	14.71	14.85	-0.01	
		S 4	24 0 15.79									25.87	25.18	0.70	
21	KHNA	EPD1	23 59 45.36					25 2.2	90.9	34	92	15.44	15.50	-0.13	
		S 3	24 0 16.91									26.99	26.63	0.37	
21	GMV	EPD2	23 59 47.09					22 2.2	100.3	165	92	17.17	16.94	0.31	
		S 4	24 0 19.62									29.70	28.83	0.87	
21	DCS	LPO2	23 59 48.44						120.6	49	91	26.52	20.33	0.23	
		S 1	24 0 24.70									34.78	34.71	0.07	
21	OSM	EPD1	23 59 49.38						121.9	176	91	20.46	20.28	0.18	
		S 1	24 0 24.82									34.98	34.83	0.08	
21	MCR	EP 0	23 59 42.95						137.9	19	91	23.03	23.17	-0.04	
		S 4	24 0 31.65									41.73	39.46	2.27	

NOV M = 12 50 12.29 UTC RMS = 0.18 NO = 7 FREE DEPTH SOLUTION
 22 LAT = 37.144 N ERX = 0.5 ERM = 0.7 AVFM = 1.4 U = B
 LONG = 117.522 W ERY = 0.6 GAP = 176 AVXM = US = A
 DEPTH = 1.57 KM ERZ = 1.9 NM UD = C

22	LCM	IPU2	12 50 14.88					15 1.5	14.9	312	93	2.59	3.02	-0.35	
		S 0	12 50 17.31									5.02	5.03	-0.01	
22	GMV	EPD0	12 50 16.56					14 1.5	22.6	135	92	4.27	4.21	0.06	
		S 4	12 50 20.59									8.30	7.30	1.00	
22	GMN	EP 0	12 50 16.04					9 1.1	28.9	54	74	3.75	5.52	-1.62	
		S 0	12 50 21.39									9.10	9.18	-0.08	
22	MGM	EP 4	12 50 15.21						32.9	4	74	2.92	6.15	-3.14	
		S 4	12 50 23.02									10.73	10.36	0.37	
22	TMO	EP 4	12 50 21.20						39.1	165	74	8.91	7.19	2.02	
22	PPK	EP 0	12 50 20.59						46.2	312	74	6.30	8.26	-0.03	
		S 2	12 50 26.77									14.49	14.15	0.34	
22	SGV	EPD0	12 50 20.65					13 1.5	47.2	113	74	8.36	8.37	0.08	
		S 3	12 50 27.11									14.62	14.16	0.66	

NOV M = 18 27 10.41 UTC RMS = 0.17 NO = 15 FREE DEPTH SOLUTION
 22 LAT = 37.245 N ERX = 0.3 ERM = 0.5 AVFM = 1.9 U = C
 LONG = 115.489 W ERY = 0.4 GAP = 143 AVXM = US = B
 DEPTH = 12.78 KM ERZ = 1.9 NM UD = C

22	GMR	EPD3	18 27 15.06					21 1.9	26.8	291	114	4.65	5.36	-0.61	
		S 1	18 27 19.18									8.77	8.99	-0.22	
22	EPR	EPD2	18 27 15.64					26 2.1	28.2	108	113	5.27	5.50	-0.22	
		S 2	18 27 20.01									9.62	9.37	0.24	
22	TPU	EPD4	18 27 18.35					16 1.7	42.3	340	105	7.94	7.80	0.27	
		S 0	18 27 23.43									13.32	13.10	-0.09	
22	PRN	IPU0	18 27 18.40					23 2.0	42.9	65	105	7.99	7.80	0.07	
		S 3	18 27 23.66									13.25	13.50	-0.30	
22	CLR	EPD4	18 27 19.17					15 1.6	47.2	264	104	8.76	8.46	0.36	
		S 1	18 27 24.82									14.41	14.35	0.05	
22	HTJ	EPD1	18 27 19.43					20 1.9	51.5	22	102	9.02	9.18	-0.13	
		S 1	18 27 26.25									15.84	15.64	0.20	
22	BGB	EP 4	18 27 22.71					15 1.7	69.6	251	99	12.30	12.05	0.28	
		S 1	18 27 31.02									20.61	20.55	0.06	
22	EPH	EP 3	18 27 23.06					21 2.0	74.1	267	98	12.65	12.95	-0.36	
		S 1	18 27 32.79									22.38	22.25	0.13	
22	MHN	EP 2	18 27 24.76					17 1.9	82.2	354	98	14.55	14.13	0.17	
		S 0	18 27 34.69									24.28	24.24	0.04	

NOV M = 22 23 48.73 UTC RMS = 0.07 NO = 8 FREE DEPTH SOLUTION
 22 LAT = 36.669 N ERX = 0.3 ERM = 0.4 AVFM = 1.4 U = B
 LONG = 116.326 W ERY = 0.2 GAP = 128 AVXM = US = A
 DEPTH = 2.60 KM ERZ = 0.5 NM UD = B

22	SUM	EPD0	22 23 49.62					11 1.2	2.6	202	133	0.89	1.01	-0.08	
		S 0	22 23 50.42									1.69	1.66	0.03	

90153 1918

90153000/1918

1981 080 LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	FMAG	W1ST (KM)	AZI (DEG)	AIM (DEG)	T000 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
22	LSM	EPD0	22 23 50.13					10	1.7	9.2	31	102	1.40	2.02	-0.64	
		S 0	22 23 52.21									3.48	3.49	-0.01		
22	YMT3	EPD0	22 23 51.00					19	1.7	15.1	130	97	3.07	2.99	0.13	
		S 0	22 23 55.16									0.43	5.03	1.40		
22	YMT2	EP 4	22 23 53.01					9	1.1	19.1	113	74	2.28	3.65	0.56	
		S 0	22 23 56.14									7.41	6.37	1.04		
22	YMT6	EPD0	22 23 52.93							22.1	142	74	0.20	0.10	-0.05	
		S 0	22 23 58.02									9.29	7.27	2.02		
22	LDP	EPD0	22 23 52.05					13	1.0	25.0	35	74	4.12	4.73	-0.53	
		S 0	22 23 56.61									7.00	7.95	-0.97		
22	MCT	EPD0	22 23 55.30							30.1	297	74	6.57	5.42	1.31	
		S 0	22 24 0.03									11.30	4.00	2.30		
22	JOM	EPD0	22 23 54.09					10	1.2	32.0	142	74	5.76	5.77	-0.02	
		S 0	22 23 59.21									10.40	9.89	0.60		
22	MCY	EPD0	22 23 54.06					12	1.0	32.6	91	74	0.13	5.00	0.33	
		S 0	22 23 58.70									9.97	9.92	0.05		
22	BGB	EP 4	22 23 57.01							01.9	12	74	0.20	7.40	0.88	

NOV M = 22 51 26.24 UTC RMS = 0.08 NO = 10 FREE DEPTH SOLUTION
 22 LAT = 37.325 N ERX = 0.3 ERM = 0.5 AVFM = 1.0 U = C
 LONG = 115.906 W ERY = 0.4 GAP = 145 AVXM = U8 = U GROOM LAKE
 DEPTH = 4.01 KM ERZ = 2.4 NM = UD = C

22	GMR	IP 0	22 51 28.01					10	1.2	12.0	85	106	2.57	2.63	0.03	
		S 0	22 51 30.09										3.85	4.33	-0.48	
22	GLR	IPD1	22 51 29.47					10	1.2	17.1	-15	130	3.23	3.40	-0.11	
		S 1	22 51 31.70										5.54	5.71	-0.17	
22	TPU	EP 0	22 51 33.02					17	1.7	30.5	36	93	0.70	0.97	-0.05	
		S 0	22 51 39.03										12.79	11.00	1.11	
22	EPH	EP 4	22 51 33.07					19	1.0	39.0	252	93	0.03	7.12	-0.36	
		S 0	22 51 38.50										12.34	12.20	0.05	
22	BGB	EP 2	22 51 35.59					10	1.3	42.0	222	93	7.35	7.62	-0.20	
		S 0	22 51 39.16										12.92	12.90	0.02	
22	OCB	EP 4	22 51 35.40					0	0.5	49.1	359	92	9.24	8.69	0.57	
		S 4	22 51 42.01										15.77	14.81	0.96	
22	LOP	EP 3	22 51 35.82					10	1.0	57.2	204	92	9.50	9.96	-0.30	
		S 4	22 51 43.70										17.40	16.90	0.50	
22	BMT	EP 4	22 51 37.91					7	1.1	65.7	266	92	11.67	11.45	0.39	
		S 0	22 51 46.47										20.23	19.29	0.94	
22	LSM	EP 0	22 51 39.05					13	1.0	72.7	207	91	12.00	12.37	0.45	
		S 0	22 51 47.39										21.15	21.10	-0.03	
22	MCY	EP 1	22 51 38.96					13	1.0	73.0	104	91	12.72	12.50	0.22	
		S 0	22 51 46.14										21.90	21.30	0.52	
22	YMT3	EP 0	22 51 39.27					10	1.7	74.7	217	91	13.03	12.60	0.40	
		S 0	22 51 46.23										21.99	21.59	0.40	

NOV M = 23 0 26.77 UTC RMS = 0.09 NO = 43 FREE DEPTH SOLUTION
 23 LAT = 37.060 N ERX = 0.1 ERM = 0.1 AVFM = 2.1 U = B
 LONG = 116.950 W ERY = 0.1 GAP = 63 AVXM = U5 = A THIRSTY CANYON
 DEPTH = 0.08 KM ERZ = 0.2 NM = UD = C

23	SGV	IPD0	1 0 29.43					30	2.1	11.8	219	40	2.66	2.69	0.06	
		S 0	1 0 31.26										4.49	4.45	0.04	
23	NMH	IPD0	1 0 29.40					10	1.7	11.9	81	40	2.63	2.75	-0.01	
		S 3	1 0 31.51										4.74	4.53	0.22	
23	GMN	EPD0	1 0 33.33					23	2.0	35.6	259	30	0.50	0.56	-0.06	
		S 2	1 0 38.17										11.40	11.32	0.08	
23	BMT	IPD1	1 0 33.42					39	2.4	36.4	46	30	0.65	0.90	-0.15	
		S 0	1 0 38.43										11.66	11.61	0.06	
23	GMN	IPD0	1 0 33.73							38.0	314	30	6.56	7.21	-0.10	
		S 0	1 0 38.78										12.01	12.00	-0.07	
23	MCT	IPU1	1 0 34.04					26	2.1	41.7	136	30	7.27	7.57	-0.14	
		S 1	1 0 39.59										12.82	12.00	0.15	
23	YMT5	IPU0	1 0 35.37					20	2.2	47.6	113	30	0.60	0.65	-0.04	
		S 1	1 0 41.48										14.71	14.79	-0.07	
23	FMT	IPU0	1 0 35.33					23	2.0	49.5	102	30	0.50	0.65	-0.04	
		S 0	1 0 41.93										15.10	14.72	0.45	

20153 1919

NOV 1981

1981 SBD LOCAL-EVENT DATA REPORT

NOV (1981)	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	LMAG	DM	FMAG	U1ST (KM)	AZI (ULC)	ATN (DEC)	T1HS (SEC)	TCAL (SEC)	MES (SEC)	REMARKS
23	YMT4	EP00	1 0 35.71					22 2.0	49.5	114	38	8.94	8.91	-0.07	
		3 0	1 0 42.23									15.46	15.42	0.05	
23	MCA	EP00	1 0 36.24					19 1.9	54.8	213	38	9.52	9.55	-0.11	
		3 0	1 0 43.23									16.46	16.47	-0.01	
23	YMT3	IPU1	1 0 36.59					36 2.4	57.0	123	38	9.62	10.07	-0.20	
		3 0	1 0 43.90									17.13	17.10	-0.01	
23	EPN	IP01	1 0 37.53					35 2.4	58.1	73	38	10.76	10.51	0.19	
		3 0	1 0 44.80									18.67	18.67	0.00	
23	CDM1	EP 4	1 0 37.41					12 1.9	60.6	112	38	11.04	10.74	0.41	
		3 0	1 0 44.92									18.15	18.19	-0.03	
23	MGM	EPD1	1 0 38.20					20 2.0	64.1	311	38	11.43	11.44	0.09	
		3 1	1 0 46.29									19.52	19.41	0.12	
23	OGG	IPD2	1 0 38.31					27 2.2	64.3	93	38	11.54	11.39	0.23	
		3 1	1 0 45.97									19.20	19.35	-0.14	
23	LCM	EP 2	1 0 38.32					22 2.0	64.8	287	38	11.56	11.43	0.20	
		3 4	1 0 46.80									20.11	19.41	0.70	
23	SBP	EPU1	1 0 38.77					23 2.1	66.9	103	38	12.00	11.89	0.19	
		3 4	1 0 46.54									19.77	20.20	-0.43	
23	CTB	EPD0	1 0 38.70					21 2.0	68.7	17	38	11.93	12.15	-0.05	
		3 0	1 0 47.19									20.42	20.49	-0.07	
23	L3M	EPD0	1 0 39.03					28 2.3	70.2	121	38	12.26	12.24	0.00	
		3 0	1 0 47.69									20.92	20.97	-0.05	
23	LDP	EP 2	1 0 39.72					33 2.4	73.4	108	38	12.95	12.88	0.16	
		3 4	1 0 49.23									22.46	21.88	0.58	
23	GLR	IPU0	1 0 41.26					31 2.4	84.2	80	38	14.49	14.50	-0.01	
		3 0	1 0 51.52									24.75	24.81	-0.06	
23	KRNA	EPU1	1 0 42.61					30 2.4	90.6	34	38	15.84	15.73	0.05	
		3 4	1 0 53.30									26.53	27.01	-0.48	
23	QWV	EPD2	1 0 44.23					28 2.4	100.5	166	38	17.48	17.25	0.32	
		3 2	1 0 56.01									29.24	29.36	-0.11	
23	Q3P	EPU2	1 0 47.70					25 2.4	122.1	177	38	20.93	20.58	0.26	
		3 0	1 1 2.08									35.31	35.35	-0.03	
23	MCR	EPU4	1 0 50.70					21 2.3	137.6	19	38	23.93	23.38	0.65	
		3 2	1 1 6.76									39.99	39.82	0.18	

NOV M = 3 18 48.94 UTC RMS = 0.11 NO = 37 FREE DEPTH SOLUTION
 23 LAT = 37.055 N ERX = 0.1 ENH = 0.2 AVFM = 2.1 O = B
 LONG = 116.960 W ERY = 0.2 GAP = 62 AVXM = 2.1 JS = A
 DEPTH = 2.38 KM ERZ = 0.6 NM = UD = C
 THINSTRY CANYON

23	BCV	IPD0	3 18 51.18					33 2.2	10.4	218	99	2.24	2.29	0.04	
		3 4	3 18 52.52									3.58	3.77	-0.19	
23	NHM	IPD2	3 18 51.23					33 2.2	13.0	77	97	2.29	2.71	-0.38	
		3 0	3 18 53.60									4.66	4.56	0.10	
23	GVM	IPU2	3 18 55.31					27 2.1	34.5	260	74	6.37	6.13	0.18	
		3 4	3 19 0.00									11.66	10.58	0.48	
23	BNT	EPD1	3 18 55.51					27 2.1	37.9	48	74	6.57	6.92	-0.18	
		3 4	3 19 0.88									11.94	11.55	0.39	
23	GMM	EPU0	3 18 55.71					22 1.9	38.1	316	74	6.77	6.97	-0.05	
		3 4	3 19 1.46									12.52	11.66	0.86	
23	YMT5	IPU1	3 18 57.21					27 2.2	48.3	111	74	8.27	8.47	-0.20	
		3 2	3 19 3.27									14.33	14.48	-0.15	
23	FM	IPU1	3 18 57.97					22 2.0	48.8	161	74	8.13	8.46	-0.11	
		3 1	3 19 3.27									14.33	14.09	0.24	
23	YMT4	EPU0	3 18 57.72					25 2.1	49.9	115	74	8.78	8.71	-0.08	
		3 1	3 19 4.17									15.23	15.79	0.14	
23	MCA	EPU0	3 18 58.06					20 1.9	53.4	212	74	9.12	9.08	-0.04	
		3 3	3 19 4.99									16.05	15.64	0.34	
23	YMT3	EPUS	3 18 58.42					27 2.2	57.2	121	74	9.46	9.86	-0.33	
		3 0	3 19 5.83									16.89	16.77	0.12	
23	EPN	EPD0	3 18 59.45					25 2.1	59.3	73	74	10.51	10.45	0.00	
		3 1	3 19 7.09									18.15	17.97	0.18	
23	CDM1	EP 4	3 18 60.25						61.1	111	74	11.31	10.56	0.85	
23	MGM	EPU0	3 18 59.99						64.1	312	74	11.05	11.19	-0.05	
		3 3	3 19 8.21									14.27	14.98	0.29	
23	LCM	EPD4	3 18 60.38						64.3	288	74	11.44	11.06	0.44	
		3 4	3 19 8.92									19.98	18.82	1.16	

1920

30153

NOV 1981

1981 300 LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUN	PHAC	U1ST (KM)	AZI (DEG)	ATH (DEG)	T0US (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
23	OCB	EPD0	3 18 00.10					23 2.1	65.2	92	74	11.25	11.30	0.03	
		8 0	3 19 00.09									19.15	19.10	-0.03	
23	CTS	EPD1	3 18 00.00						70.0	17	74	11.74	12.10	-0.19	
		3 4	3 19 10.01									21.07	20.40	0.67	
23	L3M	EPD0	3 18 00.93					24 2.1	70.5	120	74	11.99	12.03	-0.06	
		3 0	3 19 9.33									20.59	20.61	-0.02	
23	SDM	EPD1	3 18 00.91						71.7	129	74	11.97	12.20	-0.19	
		8 4	3 19 9.45									20.51	20.60	-0.29	
23	LOP	EPD0	3 18 01.55					25 2.2	74.0	107	74	12.01	12.71	-0.02	
		3 4	3 19 11.00									22.10	21.60	0.54	
23	AMR	EP 1	3 18 03.39						84.9	149	74	14.45	14.20	0.16	
23	GLR	EPD1	3 18 03.16						85.3	79	74	14.24	14.50	-0.21	
		3 4	3 19 13.97									25.03	24.60	0.35	
23	DLT	EP 3	3 18 04.10						88.1	57	74	15.16	15.04	0.25	
23	RRNA	EP 0	3 18 04.59						91.9	34	74	15.65	15.69	-0.11	
		3 0	3 19 15.07									26.93	26.95	-0.02	
23	MCV	EP 0	3 18 05.01						99.1	116	74	15.67	16.71	0.04	
		3 3	3 19 17.04									28.90	28.43	0.47	
23	GNV	EPD0	3 18 05.71						99.7	165	74	16.77	16.87	-0.02	
		8 4	3 19 18.42									29.48	28.71	0.77	
23	ENR	EPD2	3 18 07.53						110.0	74	74	18.59	18.55	0.14	
23	UCB	EPD4	3 18 09.00						121.7	49	74	20.94	20.51	0.46	
23	MCR	EP 0	3 18 12.16						130.0	19	74	23.22	23.33	-0.02	

7 0 1 5 3 1 9 2 1

NOV M = 4 35 57.67 UTC RMS = 0.00 NO = 9 FREE DEPTH SOLUTION
 23 LAT = 36.812 N ERX = 0.9 ERM = 1.1 AVFM = 2.0 U = D
 LONG = 117.770 W ERY = 0.7 GAP = 222 AVXM = US = C DRY MOUNTAIN
 DEPTH = 4.90 KM ERZ = 16.0 NM = SD = D

23	TMO	EPD1	4 35 03.45					21 1.9	33.0	91	95	5.78	6.15	-0.07	
23	GNV	EPD1	4 35 05.52					22 2.0	44.2	62	93	7.05	7.67	0.11	
23	MCA	EPD0	4 35 05.91					18 1.0	40.0	112	93	8.24	8.18	-0.02	
23	LCH	EPD0	4 35 06.03					20 1.9	48.4	14	93	8.36	8.48	-0.04	
23	JGV	EPD0	4 35 09.43					26 2.2	69.1	74	92	11.76	11.87	-0.02	
23	PPK	EPD0	4 35 09.60						69.2	350	92	12.01	11.94	0.06	
23	GNV	EP 3	4 35 09.59						71.2	40	92	11.92	12.33	-0.26	
23	PGE	EP 0	4 35 11.47					20 2.0	81.9	129	91	13.60	14.01	0.01	
23	FMT	EP 1	4 35 12.95					17 1.9	91.3	102	91	15.20	15.30	0.14	
23	NCT	EPD4	4 35 15.15					18 2.0	102.0	91	91	17.40	17.24	0.40	

NOV M = 6 10 42.11 UTC RMS = 0.00 NO = 21 FREE DEPTH SOLUTION
 23 LAT = 37.337 N ERX = 0.1 ERM = 0.2 AVFM = 2.4 U = B
 LONG = 115.561 W ERY = 0.2 GAP = 86 AVXM = US = A GROOM LAKE
 DEPTH = 0.50 KM ERZ = 0.0 NM = UD = C

23	GMR	IPD0	6 10 45.75					42 2.4	10.6	249	40	3.64	3.77	-0.04	
		8 0	6 10 48.40									6.29	6.20	0.08	
23	TPU	IPD1	6 10 47.79					40 2.4	30.7	345	30	5.67	5.90	-0.08	
		8 4	6 10 52.34									10.23	9.84	0.38	
23	EPR	EP 0	6 10 49.05					40 2.5	30.1	119	30	6.93	6.97	-0.01	
		8 4	6 10 54.69									12.50	11.80	0.69	
23	GLR	EP 0	6 10 49.05					30 2.4	43.3	249	30	7.73	7.83	-0.03	
		3 2	6 10 56.99									12.60	13.27	-0.40	
23	MTI	EP 0	6 10 50.33					30 2.4	45.5	34	30	8.22	8.22	0.02	
		3 3	6 10 56.44									14.33	14.01	0.32	
23	PRN	EPD0	6 10 50.46					30 2.5	45.9	80	30	8.35	8.20	-0.05	
		8 4	6 10 56.96									14.05	14.36	0.49	
23	DLT	EPD0	6 10 51.35					36 2.4	52.2	280	30	9.23	9.37	-0.01	
		3 4	6 10 58.40									16.36	15.60	0.56	
23	NPN	EPD1	6 10 53.99					34 2.4	65.4	50	30	11.88	11.47	0.19	
		3 0	6 15 2.15									20.04	19.98	0.06	
23	OCB	EP 1	6 10 54.12						67.8	241	30	12.01	11.89	0.20	
		8 0	6 15 3.15									21.04	20.19	0.84	
23	EPN	EPD3	6 10 54.75					33 2.4	69.0	259	30	12.64	12.19	0.39	
		8 4	6 15 5.05									22.93	20.94	1.99	
23	WRN	EPD0	6 10 54.74					34 2.4	71.6	350	30	12.63	12.51	0.08	
		8 4	6 15 3.94									21.03	21.06	0.37	

1981 SCB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	PMAG	DIST (KM)	AZI (DEG)	AIW (DEG)	TUMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
23	SRC	EP04	6 14 55.05					31 2.4	74.6	36	38	12.93	12.97	-0.25	
		3 0	6 15 4.60									22.40	22.55	-0.06	
23	LOP	EP 4	6 14 55.86					32 2.4	76.0	225	38	13.74	13.21	0.62	
		3 4	6 15 5.23									23.11	22.45	0.66	
23	DLM	EP01	6 14 55.95					32 2.4	78.6	68	38	13.84	13.60	-0.06	
		3 2	6 15 6.27									24.16	23.75	0.40	
23	MCY	EP01	6 14 56.24					32 2.4	83.8	205	38	14.13	14.26	-0.06	
		3 0	6 15 6.42									24.30	24.25	0.05	
23	KRNA	EP 4	6 14 57.41					31 2.4	85.1	302	38	15.29	14.75	0.47	
		3 8	6 15 8.13									26.02	25.30	0.67	
23	LSM	EP 2	6 14 58.09					31 2.4	91.7	224	38	15.98	15.64	0.31	
		3 4	6 15 11.30									29.18	26.78	2.41	

NOV M = 6 28 13.18 UTC RMS = 0.18 NO = 11 FREE DEPTH SOLUTION
 23 LAT = 37.320 N ERX = 0.3 ERN = 0.5 AVFM = 1.7 U = C
 LONG = 115.560 W ERY = 0.4 GAP = 168 AVXN = U8 = B
 DEPTH = 1.05 KM ERZ = 2.8 NM = G0 = C GROOM LAKE

23	GMR	EP02	6 28 16.24					16 1.6	18.4	275	90	3.96	3.33	-0.17	
		3 2	6 28 18.90									5.72	5.52	0.20	
23	TPU	EP 1	6 28 18.92					16 1.7	32.6	347	74	5.74	6.89	-0.20	
		3 0	6 28 23.38									10.20	10.17	0.04	
23	GLR	EP02	6 28 20.79						42.4	252	74	7.61	7.59	0.10	
		3 4	6 28 26.60									13.42	12.85	0.57	
23	PRN	EP 4	6 28 28.82					20 1.9	46.5	78	74	7.64	8.27	-0.75	
		3 0	6 28 27.54									14.36	14.34	0.02	
23	MTI	EP 4	6 28 21.03						47.3	33	74	7.85	8.40	-0.51	
		3 2	6 28 27.70									14.52	14.30	0.22	
23	BGB	EP 1	6 28 24.71						66.7	242	74	11.53	11.60	0.01	
		3 0	6 28 25.03						68.8	260	74	11.85	11.99	-0.19	
23	EPN	EP 1	6 28 25.03						73.5	358	74	12.11	12.71	-0.60	
		3 4	6 28 25.29									21.18	21.81	-0.63	
23	WRN	EP 4	6 28 25.29						79.6	66	74	13.54	13.69	-0.40	
		3 4	6 28 34.36									23.71	23.84	-0.13	
23	DLM	EP 4	6 28 26.72						85.9	303	74	14.80	14.78	0.03	
		3 1	6 28 36.09									25.70	25.39	0.31	
23	KRNA	EP 1	6 28 28.06												
		3 4	6 28 38.88												

NOV M = 9 5 10.29 UTC RMS = 0.16 NO = 13 FREE DEPTH SOLUTION
 23 LAT = 36.681 N ERX = 1.2 ERN = 1.3 AVFM = 2.3 Q = D
 LONG = 117.006 W ERY = 0.7 GAP = 254 AVXN = U8 = C
 DEPTH = 9.64 KM ERZ = 6.4 NM = G0 = D DRY MOUNTAIN

23	THO	EP00	9 5 17.04					22 1.9	38.1	69	102	6.75	7.08	-0.03	
		3 1	9 5 22.12									11.83	11.59	0.24	
23	MCA	EP01	9 5 18.29					27 2.2	47.8	94	99	8.00	8.10	-0.18	
		3 0	9 5 24.13									13.84	13.99	-0.15	
23	CVN	EP02	9 5 19.91					31 2.3	54.6	49	96	9.62	9.43	0.13	
		3 1	9 5 26.25									15.90	16.23	-0.26	
23	LCM	EP01	9 5 21.25					30 2.3	63.1	13	97	10.96	10.93	0.11	
		3 0	9 5 28.80									18.51	18.55	-0.04	
23	PGE	EP01	9 5 22.97					25 2.2	75.8	119	96	12.68	13.07	-0.17	
		3 0	9 5 32.37									22.08	21.97	0.11	
23	BGV	EP02	9 5 23.88					36 2.5	76.6	64	96	13.39	13.14	0.34	
		3 0	9 5 32.72									22.43	22.32	0.11	
23	GMR	EP04	9 5 24.19					27 2.3	84.2	35	95	13.90	14.49	-0.40	
		3 4	9 5 35.66									25.37	24.52	0.85	
23	MCT	EP04	9 5 28.49					24 2.3	106.1	83	94	18.20	17.80	0.57	
		3 4	9 5 40.94									30.65	30.16	0.49	
23	BMT	EP 4	9 5 31.49					27 2.4	123.0	57	93	21.20	20.79	0.50	
		3 3	9 5 48.08									35.79	35.27	0.52	

90153 1922

90153 1922

1981 SGO LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PER MAG DUR FMAG DIST AZI AIN TUBS TCAL RES REMARKS
 1981 (NU) (SEC) (M) (SEC) (M) (DEG) (DEG) (SEC) (SEC) (SEC)

NOV M = 10 26 4.10 UTC RMS = 0.10 NO = 18 FREE DEPTH SOLUTION
 23 LAT = 37.013 N ERX = 0.3 ERH = 0.3 AVFM = 1.4 U = 0 US = A SILENT CANYON - PAHUTE MESA
 LONG = 116.360 W ERY = 0.2 GAP = 100 AVXM = UD = 0
 DEPTH = 0.26 KM ERZ = 0.9 NM =

23	BGB	EPD0	10 26 6.92			10	1.0	12.1	77	120	2.82	2.93	-0.04
			8 0 10 26 8.93								4.83	4.88	-0.05
23	YMTS	EPD0	10 26 7.35			9	1.1	15.2	213	117	3.25	3.29	-0.05
			8 0 10 26 9.66								5.56	5.63	-0.08
23	BBP	EPD0	10 26 7.60			8	1.0	16.0	128	116	3.50	3.56	-0.02
23	CDM1	EPD0	10 26 6.96			5	0.6	17.4	167	110	2.84	3.62	-0.66
			8 0 10 26 8.99								4.89	4.92	-1.13
23	YMTA	EPD0	10 26 7.78			11	1.3	17.6	193	113	3.68	3.60	-0.02
			8 2 10 26 10.70								6.60	6.31	0.28
23	EPH	EPD0	10 26 8.75			16	1.6	22.5	8	100	4.65	4.58	0.00
			8 3 10 26 12.37								8.27	7.96	0.32
23	YMT1	IPD0	10 26 8.73			23	1.9	23.2	420	107	4.63	4.46	0.03
23	LUP	EPD0	10 26 8.60			15	1.6	24.7	136	106	4.70	4.79	-0.02
			8 0 10 26 12.79								8.69	8.06	0.62
23	LSP	EPD1	10 26 9.72			15	1.6	31.3	166	102	5.62	5.73	-0.13
			8 1 10 26 14.15								10.05	9.83	0.22
23	BMT	EP 0	10 26 11.18					39.3	320	100	7.08	7.21	0.03
			8 0 10 26 16.12								12.02	12.04	-0.03
23	SDM	EP 2	10 26 11.12					48.9	177	99	7.02	7.24	-0.18

NOV M = 19 10 13.53 UTC RMS = 0.09 NO = 19 FREE DEPTH SOLUTION
 23 LAT = 37.067 N ERX = 0.1 ERH = 0.2 AVFM = 1.9 U = 0 US = A THIRTY CANYON
 LONG = 116.948 W ERY = 0.2 GAP = 95 AVXM = UD = C
 DEPTH = 0.42 KM ERZ = 0.3 NM =

23	NMN	EPD0	19 10 16.04					11.7	82	80	2.51	2.60	-0.09
			8 0 19 10 17.93								4.40	4.36	0.04
23	SGV	IPD0	19 10 16.12			30	2.1	12.1	210	80	2.59	2.64	0.00
			8 1 19 10 17.97								4.44	4.42	0.02
23	GVN	EPD1	19 10 20.89			17	1.7	35.8	250	30	6.36	6.52	-0.02
			8 1 19 10 24.83								11.30	11.25	0.05
23	BMT	EP 0	19 10 20.25			18	1.8	36.1	48	30	6.72	6.84	0.05
			8 4 19 10 25.66								12.13	11.41	0.73
23	GHN	EPD0	19 10 20.41			18	1.8	37.9	313	30	6.80	7.13	-0.10
			8 0 19 10 25.48								11.95	11.93	0.02
23	YMT1	EPD1	19 10 21.48			32	2.3	44.2	122	30	7.95	7.95	-0.13
			8 2 19 10 27.68								14.15	13.83	0.32
23	YMTS	EPD0	19 10 22.05			15	1.6	47.8	113	30	8.52	8.58	-0.06
			8 2 19 10 28.06								14.53	14.67	-0.14
23	FHT	EPD1	19 10 21.99					49.7	162	30	8.46	8.82	-0.12
			8 3 19 10 28.61								15.88	14.66	0.42
23	MCA	EPD0	19 10 23.89			16	1.7	55.1	213	30	9.56	9.54	-0.06
			8 0 19 10 30.81								16.48	16.44	0.04
23	BGB	EPD2	19 10 25.05					64.2	93	30	11.52	11.31	0.29
			8 0 19 10 32.79								19.26	19.20	0.06

NOV M = 23 29 51.18 UTC RMS = 0.11 NO = 13 FREE DEPTH SOLUTION
 23 LAT = 37.236 N ERX = 0.6 ERH = 0.8 AVFM = 2.0 U = C US = B ALAMO
 LONG = 115.000 W ERY = 0.5 GAP = 215 AVXM = UD = 0
 DEPTH = 2.63 KM ERZ = 2.5 NM =

23	EPR	IPD0	23 29 54.53			32	2.2	17.5	245	70	3.35	3.43	-0.07
			8 0 23 29 57.84								5.86	5.84	0.02
23	PRN	EPD0	23 29 54.88			32	2.2	19.4	349	74	3.70	3.78	-0.20
			8 0 23 29 57.69								6.51	6.66	-0.16
23	NPN	EPD0	23 29 59.44			22	2.0	46.7	8	74	8.46	8.26	-0.01
			8 0 23 30 5.70								14.52	14.48	0.04
23	DLM	EP 1	23 29 60.01			20	1.9	47.5	30	74	8.83	8.40	0.18
			8 0 23 30 6.02								14.84	14.80	0.04
23	MTI	EP 1	23 29 60.43			19	1.9	54.3	334	74	9.25	9.46	-0.18
			8 0 23 30 7.35								16.17	16.12	0.04

90153000/1923

1981 SGB LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	IMAG	DUR	FMAG	U1ST (KM)	AZI (ULG)	AIN (DEG)	LOW3 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
23	GMR	EP 2	23 29 03.11					15 1.7	68.5	279	74	11.93	11.79	0.24	.
		S 4	23 30 10.07									14.69	19.99	-0.30	.
23	SHC	EPD2	23 29 03.96						72.0	356	70	12.70	12.36	0.20	.
		S 0	23 30 12.01									21.63	21.52	0.11	.
23	SHRG	EP 0	23 29 05.73						62.2	189	70	14.55	14.02	1.12	.
		S 0	23 30 15.51									24.33	22.97	1.36	.

NOV M = 12 14 50.20 UTC RMS = 0.15 NO = 9
 24 LAT = 37.039 N ERX = 1.2 ERM = 1.6 AVFM = 2.7 U = D
 LONG = 114.506 W ERY = 1.1 GAP = 294 AVXM = U3 = C
 DEPTH = 9.81 KM ERZ = 0.1 NM = UD = D

FREE DEPTH SOLUTION

HIGHLAND PEAK

24	DLP	IPD0	12 14 56.34					04 2.5	31.0	213	100	6.14	5.05	0.04	.
		S 0	12 14 59.74									9.50	10.04	-0.09	.
24	NPN	IPD2	12 14 57.39					51 2.7	40.2	239	102	7.19	7.30	-0.31	.
		S 4	12 15 2.10									11.94	12.04	-0.09	.
24	SRG	EPD4	12 14 50.00					56 2.8	46.2	276	100	7.04	6.25	-0.62	.
		S 4	12 15 2.07									12.67	10.00	-1.01	.
24	PRN	EPD2	12 14 01.07					55 2.8	65.4	223	97	11.67	11.31	0.25	.
		S 0	12 15 9.71									19.51	19.54	-0.03	.
24	MTI	EP 2	12 14 01.39					06 2.7	66.5	254	97	11.19	11.49	-0.27	.
		S 4	12 15 10.33									20.13	19.00	0.53	.
24	WRN	EPD1	12 14 06.16					30 2.6	93.0	200	95	15.90	15.00	0.00	3.00
		S 1	12 15 17.45									27.25	27.16	0.19	.
24	EPR	EPD4	12 14 06.07					50 2.9	93.5	217	95	16.67	15.02	0.40	.
		S 4	12 15 19.61									29.41	27.02	2.40	.
24	TPU	EP 4	12 14 06.06					02 2.7	100.7	255	94	16.00	17.11	-0.51	3.40
		S 4	12 15 20.46									30.26	29.03	1.24	.
24	OCS	EP 4	12 14 70.91					31 2.5	121.0	266	93	20.71	20.00	0.35	3.10
		S 0	12 15 24.96									34.70	34.03	-0.06	.
24	GMR	EPD2	12 14 70.02					39 2.7	121.9	243	93	20.62	20.40	0.20	.
		S 4	12 15 26.19									35.99	34.05	1.14	.
24	SHRG	EP 4	12 14 77.90					30 2.0	157.6	200	92	27.70	25.60	2.65	.
		S 4	12 15 37.06									47.06	42.00	4.63	.

NOV M = 20 09 29.95 UTC RMS = 0.12 NO = 21
 24 LAT = 37.064 N ERX = 0.2 ERM = 0.3 AVFM = 1.9 U = B
 LONG = 114.949 W ERY = 0.2 GAP = 63 AVXM = U3 = A
 DEPTH = 4.39 KM ERZ = 1.5 NM = UD = C

FREE DEPTH SOLUTION

TRINITY CANYON

24	NMH	IPD0	20 09 32.23					17 1.6	11.0	81	105	2.20	2.57	-0.24	.
		S 2	20 09 34.34									4.39	4.30	0.08	.
24	SGV	IPD0	20 09 32.34					36 2.3	11.0	219	105	2.39	2.58	-0.10	.
		S 0	20 09 34.10									0.23	4.26	-0.03	.
24	GVN	EPD0	20 09 36.26					27 2.1	35.7	259	93	6.31	6.29	-0.05	.
		S 1	20 09 41.02									11.67	10.07	0.20	.
24	BMT	EPD0	20 09 36.40						36.3	06	93	6.45	6.67	-0.06	.
		S 0	20 09 41.29									11.34	11.12	0.22	.
24	GMM	EPU1	20 09 36.60					15 1.6	30.1	314	93	6.65	6.95	-0.15	.
		S 0	20 09 41.71									11.70	11.62	0.13	.
24	TMT1	EPU0	20 09 37.70					30 2.2	44.1	122	92	7.75	7.73	-0.11	.
		S 0	20 09 43.56									13.61	13.43	0.17	.
24	VMT5	EPU0	20 09 30.25					25 2.1	47.7	113	92	8.30	8.36	-0.06	.
		S 1	20 09 44.32									10.37	14.29	0.00	.
24	FMT	EPU0	20 09 30.23					20 1.9	49.4	162	92	8.20	8.56	-0.05	.
		S 4	20 09 46.73									16.70	14.23	2.55	.
24	MCA	EPD0	20 09 39.30					21 2.0	54.8	213	92	9.35	9.20	-0.02	.
		S 0	20 09 46.10									16.15	16.01	0.14	.
24	SCB	EPD1	20 09 41.03					15 1.7	64.2	93	91	11.00	11.11	0.05	.
		S 1	20 09 48.04									10.09	10.05	0.03	.
24	CTS	EPU0	20 09 41.57					16 1.0	68.7	17	91	11.62	11.00	-0.09	.
		S 2	20 09 49.81									19.86	20.02	-0.16	.

90153 1924

NOV 20 1981 1530 1924

1981 SCB LOCAL-EVENT DATA REPORT

NOV STA PHASE TIME AMP PER X MAG DUN F MAG OIST AZI AIN TDUS TCAL REB REMARKS
 1981 (MU) (SEC) (RM) (DEG)(DEG) (SLC) (SEC) (SEC)

NOV M = 2 09.58 UTC RMS = 0.14 NO = 31 FREE DEPTH SOLUTION
 25 LAT = 37.064 N ERX = 0.1 ERM = 0.2 AVFM = 2.0 W = B THINSTY CANYON
 LONG = 116.952 W ERY = 0.2 GAP = 63 AVXM = W = A
 DEPTH = 4.66 KM ERZ = 1.0 NM = W = C

STATION	PHASE	TIME	AMP	PER	X MAG	DUN	F MAG	OIST	AZI	AIN	TDUS	TCAL	REB	REMARKS
25	SCV	IPD0	4 2 52.00				48 2.5	11.6	218	108	2.42	2.57	-0.06	
		5 0	4 2 53.72								4.14	4.28	-0.10	
25	NMN	IPD0	4 2 51.90					12.0	81	107	2.32	2.61	-0.25	
		5 0	4 2 53.75								4.17	4.39	-0.22	
25	GVN	IPD0	4 2 55.00				36 2.0	35.5	459	94	6.30	6.26	-0.02	
		5 1	4 3 0.30								10.72	10.81	-0.09	
25	BMT	IPD0	4 2 56.00				40 2.5	36.5	48	94	6.50	6.70	-0.04	
		5 0	4 3 0.92								11.34	11.17	0.16	
25	GMN	IPU0	4 2 56.25				33 2.3	37.9	314	93	6.67	6.93	-0.11	
		5 0	4 3 1.26								11.60	11.59	0.09	
25	YNT5	IPU0	4 2 57.87				38 2.5	47.9	112	92	8.29	8.39	-0.10	
		5 8	4 3 3.74								14.16	14.35	-0.19	
25	FMT	IPU0	4 2 57.90				37 2.0	49.5	162	92	8.32	8.57	-0.01	
		5 4	4 3 3.47								14.09	14.24	-0.16	
25	TMO	EPU0	4 2 58.23				29 2.2	49.8	235	92	8.65	8.86	0.09	
		5 4	4 3 4.10								14.52	14.63	-0.12	
25	YNT6	EPD0	4 2 58.99				36 2.0	53.8	115	92	9.41	9.29	0.02	
		5 1	4 3 5.64								16.06	16.04	0.01	
25	NCA	EPU0	4 2 58.82				29 2.2	54.6	212	92	9.24	9.26	-0.10	
		5 0	4 3 5.78								16.20	15.97	0.23	
25	EPN	IPD1	4 2 60.03				37 2.5	58.3	73	91	10.45	10.26	0.13	
		5 2	4 3 7.67								18.09	17.64	0.44	
25	CDM1	EPD4	4 2 60.86				19 1.9	60.8	117	92	11.20	10.48	0.90	
		5 4	4 3 8.68								19.10	17.75	1.35	
25	NCM	EPU0	4 2 60.82				33 2.0	64.8	311	92	11.04	11.15	-0.02	
		5 1	4 3 8.80								19.22	18.91	0.31	
25	BGB	IPD2	4 2 60.83				34 2.0	64.4	93	92	11.25	11.14	0.19	
		5 1	4 3 8.52								16.94	16.91	0.02	
25	SSP	IPU1	4 2 61.34				35 2.5	67.0	103	92	11.76	11.64	0.20	
		5 4	4 3 8.78								19.20	19.77	-0.57	
25	CTS	EPD0	4 2 61.18				34 2.0	68.8	17	92	11.60	11.89	-0.12	
		5 2	4 3 9.54								19.96	20.04	-0.08	
25	LSP	IPD0	4 2 61.58					70.3	121	92	12.00	11.99	-0.01	
		5 4	4 3 10.76					73.6	188	91	12.70	12.62	0.15	
25	LDP	IPD1	4 2 62.28								21.18	21.45	-0.28	
		5 4	4 3 12.88					60.8	187	91	13.30	13.70	-0.19	
25	PGE	EP 2	4 3 12.90								23.32	23.05	0.26	
		5 0	4 3 12.90								23.32	23.05	0.26	
25	AMR	EPU0	4 2 63.97					85.3	150	91	14.39	14.34	0.03	

NOV M = 3 46 29.51 UTC RMS = 0.11 NO = 26 FREE DEPTH SOLUTION
 26 LAT = 37.467 N ERX = 0.1 ERM = 0.2 AVFM = 2.0 W = B MAGHUDER MOUNTAIN
 LONG = 117.600 W ERY = 0.2 GAP = 71 AVXM = W = A
 DEPTH = 4.48 KM ERZ = 1.2 NM = W = B

STATION	PHASE	TIME	AMP	PER	X MAG	DUN	F MAG	OIST	AZI	AIN	TDUS	TCAL	REB	REMARKS
26	MGM	EPU0	3 46 51.64				8 1.0	9.6	107	112	2.13	2.36	-0.18	
		5 0	3 46 53.37								3.86	3.88	-0.02	
26	LCH	EPD1	3 46 34.11				27 2.1	26.1	184	95	4.60	4.86	-0.18	
		5 0	3 46 37.65								8.14	8.18	-0.04	
26	PPK	EPU1	3 46 34.82				19 1.8	27.6	261	94	5.31	5.18	0.12	
		5 0	3 46 38.35								8.84	8.87	-0.03	
26	NZP	EPU0	3 46 35.32				21 1.9	32.2	36	94	5.81	6.04	0.01	
		5 0	3 46 39.43								9.92	9.93	-0.01	
26	SYP	IPU0	3 46 35.81				31 2.2	32.8	327	94	6.30	6.18	0.01	
		5 3	3 46 40.02								10.51	10.76	-0.25	
26	GMH	IPD2	3 46 35.67				13 1.5	35.3	122	93	6.16	6.50	-0.19	
		5 1	3 46 40.58								11.07	10.87	0.20	
26	GMN	EPU0	3 46 39.05				18 1.8	56.5	156	92	9.54	9.67	-0.19	
		5 3	3 46 44.32								16.81	16.54	0.17	
26	BGV	EPU1	3 46 41.90				27 2.3	73.8	137	91	12.39	12.64	-0.16	
		5 1	3 46 50.90								21.39	21.45	-0.06	
26	TNP	EPD4	3 46 43.24					76.1	26	91	13.73	13.09	0.37	

90153 1925

1981 SOG LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP PER (MU) (S/SEC)	EMAG	DUR	FMAG	DIST (AM)	AZI (ULG)	AIN (UEG)	ICMB (S/SEC)	ICAL (SEC)	RLB (SEC)	REMARKS
26	CT3	EPD0	3 46 43.12				26 2.2	88.0	75	91	13.61	13.72	0.86	
		3 2	3 46 52.88								23.37	23.17	0.20	
26	NHM	EPD0	3 46 43.32				26 2.2	81.5	122	91	13.81	13.80	-0.02	
		3 4	3 46 52.73								23.22	23.64	-0.42	
26	HCA	EP 0	3 46 45.39				18 2.0	95.2	163	90	15.68	15.78	0.02	
		3 1	3 46 56.05								27.34	27.12	0.22	
26	YHT1	EPD1	3 46 49.08				20 2.1	117.0	126	90	19.57	19.32	0.12	
		3 1	3 47 3.37								33.86	33.26	0.60	
26	YHT5	EPD0	3 46 49.54				20 2.2	119.7	122	90	20.03	19.77	0.26	
		3 4	3 47 0.57								35.06	33.80	1.26	
26	YHT4	EPD1	3 46 50.13				19 2.1	121.9	123	90	20.62	20.12	0.39	
		3 4	3 47 5.18								35.59	34.59	1.00	
26	YHT3	EPD1	3 46 50.90				18 2.1	129.8	126	90	21.39	21.41	0.03	
		3 4	3 47 7.25								37.74	36.53	1.21	
26	LOP	EPD1	3 46 53.70					144.2	118	90	24.19	23.75	0.52	

NOV M = 1 15 39.64 UTC HMS = 0.10 NO = 9
 28 LAT = 37.681 N ERX = 0.4 ERM = 0.5 AVFM = 1.0 U = B
 LONG = 114.904 W ERY = 0.3 GAP = 152 AVXM = U8 = A
 DEPTH = 1.94 KM ERZ = 1.2 NM = U0 = C
 FREE DEPTH SOLUTION
 HIGHLAND PEAK

28	NPM	IPD0	1 15 41.05				23 1.9	4.2	223	112	1.41	1.29	-0.09	
		3 4	1 15 43.86				16 1.6	16.8	120	94	3.02	3.40	0.17	
28	DLM	EPD1	1 15 45.04								6.20	6.25	-0.05	
		3 0	1 15 44.43				29 2.1	26.6	327	74	4.79	5.02	-0.45	
28	SRG	EPD0	1 15 44.43								8.90	8.97	-0.07	
		3 9	1 15 48.54								5.99	5.50	0.07	
28	MT1	EPD0	1 15 45.63				18 1.8	32.5	449	74	14.24	10.13	0.11	
		3 0	1 15 49.88								6.17	6.02	0.03	
28	PRN	EPD0	1 15 45.81				25 2.0	33.0	203	74	10.34	10.50	-0.16	
		3 1	1 15 49.90								12.10	11.92	0.14	
28	WRN	EP 1	1 15 51.74					68.9	490	74	22.04	20.45	1.59	
		3 4	1 16 1.86											

NOV M = 10 11 20.54 UTC HMS = 0.08 NU = 17
 29 LAT = 36.785 N ERX = 0.2 ERM = 0.2 AVFM = 1.4 U = B
 LONG = 114.120 W ERY = 0.2 GAP = 90 AVXM = U8 = A
 DEPTH = 12.03 KM ERZ = 0.7 NM = U0 = B
 FREE DEPTH SOLUTION
 LATHROP WELLS

29	LUP	IPD0	10 11 23.30				28 1.8	8.8	331	145	2.84	2.97	-0.05	
		3 4	10 11 25.09								4.55	4.44	-0.39	
29	LSM	IPD0	10 11 23.88				15 1.5	14.5	250	129	3.34	3.44	-0.15	
		3 0	10 11 26.51								5.97	5.90	-0.01	
29	CPX	EP 0	10 11 24.40				9 1.1	17.2	20	124	3.86	3.86	0.03	
		3 0	10 11 27.02								6.40	6.54	-0.06	
29	ESP	EPD0	10 11 24.62				14 1.5	17.9	331	124	4.08	4.13	0.03	
		3 0	10 11 27.62								7.00	6.42	0.16	
29	YHT3	EPD0	10 11 25.58				17 1.7	26.8	271	113	5.04	5.06	0.03	
		3 4	10 11 29.58								9.04	8.57	0.47	
29	YHT6	EPD1	10 11 25.68				18 1.2	26.6	288	113	5.14	5.19	-0.14	
		3 0	10 11 29.52								4.90	4.93	-0.05	
29	BPRG	EPD0	10 11 26.08				11 1.3	29.5	110	111	5.54	5.64	-0.07	
		3 0	10 11 30.15								9.61	9.68	0.01	
29	BGB	EP 0	10 11 26.26				14 1.5	29.7	341	111	5.72	5.77	0.03	
		3 4	10 11 30.73								10.19	9.73	0.46	
29	YHT5	EPD0	10 11 26.71				12 1.4	32.3	293	109	6.17	6.10	0.07	
		3 0	10 11 31.06								10.52	10.43	0.09	
29	JON	EPD0	10 11 27.42				9 1.2	38.3	176	106	6.40	6.93	-0.06	
		3 2	10 11 32.61								12.07	11.86	0.21	

NOV M = 16 39 55.62 UTC HMS = 0.08 NO = 28
 30 LAT = 36.495 N ERX = 0.1 ERM = 0.2 AVFM = 2.1 U = B
 LONG = 116.304 W ERY = 0.1 GAP = 62 AVXM = U8 = A
 DEPTH = 9.26 KM ERZ = 0.6 NM = U0 = B
 FREE DEPTH SOLUTION
 ASH MEADOWS

30	SDH	IPD0	16 39 59.11				26 2.0	18.9	350	117	3.49	3.54	-0.01	
		3 2	16 40 1.42								5.80	5.99	-0.19	

90153 1926

90153000/1926

1981 BCG LOCAL-EVENT DATA REPORT

NOV 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	PMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TWSS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
30	AMR	IPU1	16 39 59.23				23	1.9	16.5	230	114	3.61	3.71	-0.11	.
		S 0	16 40 2.03									6.41	6.36	0.05	.
30	JON	IPU0	16 39 59.50				26	2.0	19.2	189	116	3.88	3.85	0.02	.
		S 4	16 40 2.03									7.21	6.60	0.60	.
30	LSM	IPD0	16 39 60.70				31	2.2	27.3	6	107	5.08	5.14	-0.06	.
		S 0	16 40 4.41									8.79	8.82	-0.03	.
30	YMT3	EP 0	16 39 61.74				39	2.4	33.7	344	103	6.12	6.12	0.00	.
		S 0	16 40 5.96									10.34	10.39	-0.05	.
30	YMT2	EPD0	16 39 62.10				44	2.5	35.9	334	102	6.56	6.47	0.09	.
		S 1	16 40 6.91									11.29	11.21	0.08	.
30	MCY	EPD0	16 39 62.00				35	2.3	35.9	59	102	6.46	6.52	-0.02	.
		S 0	16 40 6.70									11.08	11.01	0.07	.
30	YMT6	EP 0	16 39 62.97				24	2.0	41.2	348	100	7.35	7.35	-0.09	.
		S 1	16 40 8.07									12.45	12.71	-0.27	.
30	LOP	EPD0	16 39 63.04				34	2.3	41.7	17	100	7.42	7.53	-0.03	.
		S 1	16 40 8.55									12.93	12.74	0.18	.
30	NOP	EPD1	16 39 63.04				20	1.9	43.0	161	100	7.42	7.59	-0.04	.
		S 4	16 40 9.07									13.45	12.82	0.62	.
30	MCT	EP 0	16 39 63.20				24	2.0	43.7	319	106	7.58	7.70	-0.04	.
		S 4	16 40 9.68									13.46	12.89	0.56	.
30	YMT1	EPD0	16 39 63.84				39	2.5	44.4	333	100	8.22	7.85	0.23	.
		S 0	16 40 9.27									13.65	13.66	-0.01	.
30	FMT	EPD0	16 39 63.30				18	1.8	45.2	291	99	7.68	7.95	-0.04	.
		S 4	16 40 9.68									14.06	13.19	0.87	.
30	YMT5	EPD0	16 39 63.77				24	2.1	46.6	344	99	8.15	8.25	-0.11	.
		S 4	16 40 10.10									14.48	14.11	0.37	.
30	GNV	EPD0	16 39 63.99				21	1.9	47.4	224	99	8.37	8.41	0.04	.
		S 1	16 40 9.97									14.35	14.24	0.11	.
30	SPRG	EPD0	16 39 64.26				22	2.0	49.6	64	99	8.64	8.71	-0.06	.
		S 4	16 40 11.20									15.58	14.84	0.74	.
30	BGB	EP 0	16 39 66.16						60.6	7	97	10.54	10.58	0.04	.
		S 0	16 40 13.55									17.93	17.95	-0.02	.

9 0 1 5 3 1 9 2 7

NOV 17 17 43 52.90 UTC										FREE DEPTH SOLUTION					
30	PGE	IPU0	17 43 55.79				14	1.5	14.1	122	113	2.89	3.11	0.01	
		S 0	17 43 57.80									4.90	4.94	-0.03	
30	MCA	EPD0	17 43 57.60				13	1.5	26.7	344	100	4.78	4.76	-0.06	
		S 1	17 44 1.28									8.38	8.28	0.10	
30	FMT	EPD3	17 43 60.11						45.0	57	95	7.21	7.85	-0.40	
		S 0	17 44 5.91									13.01	13.02	-0.01	
30	GNV	EPD1	17 43 62.00				14	1.6	53.8	118	94	9.18	9.40	-0.13	
		S 3	17 44 9.18									16.23	15.93	0.35	
30	OSH	EP 0	17 43 62.90				10	1.8	58.2	149	94	10.80	9.93	-0.02	
		S 1	17 44 10.16									17.26	17.13	0.13	
30	SGV	EPD1	17 43 64.10						64.3	13	94	11.20	11.11	0.18	
		S 0	17 44 11.75									16.85	16.84	0.01	
30	GNV	EPD2	17 43 63.94				10	1.4	66.1	349	93	11.04	11.26	-0.27	
		S 4	17 44 12.57									19.67	19.35	0.32	

90153000/1927

1981 SON LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER XMAS DUR PHAS DIST AZI AIN IOBS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (AM) (DEG)(DEG) (SEC) (SEC) (SEC)

DEC M = 23 6 48.50 UTC HWS = 0.10 NO = 40 FREE DEPTH SOLUTION
 02 LAT = 37.862 N ERN = 0.1 ERN = 0.1 AVFN = 2.0 U = B
 LONG = 116.952 W ERY = 0.1 GAP = 52 AVKM = U8 = A THIRSTY CANYON
 DEPTH = 0.02 KM ERZ = 9.2 NM UO = C

90153 1928

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS	DUR	PHAS	DIST (AM)	AZI (DEG)	AIN (DEG)	IOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
02	SGV	IPD0 23 6 51.10						70 3.0	11.5	219 40	2.50	2.50	0.07	
		0 3 23 6 52.60									4.00	4.20	-0.20	
02	MNH	IPD0 23 6 51.10						66 2.0	12.1	80 40	2.50	2.60	-0.00	
		3 4 23 6 53.57									5.03	4.47	0.56	
02	GVN	IPD0 23 6 55.01						64 2.9	35.4	259 30	6.47	6.46	-0.05	1.70
		0 2 23 6 59.02									11.20	11.14	0.13	
02	BNT	IPD0 23 6 55.33						69 2.9	36.0	40 30	6.79	6.93	0.13	1.10
		3 0 23 7 0.22									11.60	11.50	0.12	
02	GHN	IPU0 23 6 55.46						66 2.9	30.0	314 30	6.92	7.15	-0.00	1.40
		5 0 23 7 0.55									11.99	11.97	0.02	
02	YHT1	IPU0 23 6 56.52						77 3.1	44.2	122 30	7.90	7.95	-0.10	1.90
		0 2 23 7 2.10									13.00	13.02	-0.22	
02	YHT5	IPU0 23 6 57.10						61 2.9	47.9	112 30	8.56	8.59	-0.03	1.00
		0 4 23 7 2.92									14.30	14.69	-0.31	
02	FHT	IPU0 23 6 57.00						50 2.0	49.3	162 30	8.46	8.75	-0.05	1.00
		0 1 23 7 3.36									14.02	14.54	0.20	
02	THO	EPU0 23 6 57.32						45 2.6	49.6	235 30	8.70	9.04	0.03	0.60
		0 4 23 7 3.00									14.54	14.95	-0.42	
02	MCA	EPU0 23 6 57.97						53 2.0	54.5	213 30	9.43	9.44	-0.09	
		0 0 23 7 4.02									15.20	16.20	0.00	
02	YHT3	EP 0 23 6 58.55						66 3.0	57.0	122 30	10.01	10.01	0.05	0.90
		0 0 23 7 5.74									17.22	17.03	0.19	
02	EPH	EP 0 23 6 59.06						61 2.9	50.3	73 30	10.52	10.40	-0.02	0.50
		0 1 23 7 6.50									17.96	18.02	-0.06	
02	CDH1	EP 2 23 6 59.28						45 2.6	60.7	112 30	10.74	10.60	0.16	1.00
		0 0 23 7 6.00									18.20	18.09	0.17	
02	MCH	EPU0 23 6 59.01						57 2.9	64.1	311 30	11.27	11.37	-0.01	0.40
		0 4 23 7 7.65									19.11	19.29	-0.16	
02	BGB	IPD2 23 6 60.03						46 2.7	64.5	92 30	11.49	11.36	0.20	0.50
		0 1 23 7 7.73									19.19	19.30	-0.11	
02	CTS	IPU0 23 6 60.47						48 2.7	69.0	17 30	11.93	12.12	-0.03	
		0 2 23 7 8.87									20.33	20.44	-0.11	
02	LSN	EPD0 23 6 60.74						64 3.0	70.3	121 30	12.20	12.10	0.00	1.50
		0 0 23 7 9.30									20.84	20.66	-0.03	
02	SDH	EPU0 23 6 60.42						47 2.7	71.6	130 30	12.20	12.30	-0.06	
		0 1 23 7 9.49									20.95	21.10	-0.15	
02	LOP	EPU2 23 6 61.52						65 3.0	73.5	100 30	12.90	12.62	0.23	1.50
		0 0 23 7 11.17									22.63	21.79	0.74	
02	MZP	EP 0 23 6 62.44									13.90	14.10	0.04	
		0 4 23 7 12.71						80.5	332 30		24.17	23.70	0.47	
02	CLR	EPD0 23 6 62.90						41 2.7	84.4	80 30	14.36	14.54	-0.12	
		0 0 23 6 63.14						39 2.6	85.2	150 30	14.60	14.52	0.07	
02	AMR	EPU0 23 6 63.21									24.67	24.04	-0.10	
		0 2 23 7 13.21									15.09	15.05	0.17	
02	BLT	EP 1 23 6 63.63						51 2.0	87.1	50 30	26.39	25.52	0.87	
		0 4 23 7 14.93									15.62	15.70	0.05	1.40
02	KRNA	EPD0 23 6 64.36						51 2.9	90.0	34 30	27.34	26.97	0.37	
		0 0 23 7 15.80									17.14	16.84	0.30	1.90
02	MCY	EPU0 23 6 65.60						65 3.1	98.0	117 30	29.17	28.64	0.50	
		0 4 23 7 17.71									17.00	17.15	0.01	
02	CoV	IPU0 23 6 65.62						40 2.7	100.3	165 30	28.70	29.19	-0.46	
		0 4 23 7 17.20									18.05	18.03	-0.10	
02	BVP	EP 1 23 6 66.59						41 2.7	104.4	314 30	31.71	31.04	0.67	
		0 4 23 7 20.25									20.75	20.52	0.26	1.70
02	OCS	EPD2 23 6 69.29						36 2.7	120.6	49 30	35.39	35.03	0.35	
		0 3 23 7 23.93									20.66	20.48	0.09	
02	OSH	EP 1 23 6 69.20						39 2.7	121.9	174 30	35.13	35.17	-0.05	
		0 0 23 7 23.67									23.13	23.35	-0.13	
02	MCR	EPD1 23 6 71.67						34 2.7	137.0	19 30	40.21	39.77	0.44	
		0 4 23 7 28.75												

90153 1928

1981 SGB LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER XMAG DUR FMAG DIST AZI AIN TOWB TCAL RES REMARKS
 1981 (MU) (SEC) (NM) (ULG)(DEG) (SEC) (SEC) (SEC)

DEC M = 3 36 49.80 UTC RMS = 0.11 MO = 57
 03 LAT = 37.066 N ENR = 0.1 ERN = 0.1 AVFP = 2.5 W = B FILE DEPTH SOLUTION
 LONG = 116.951 W ERY = 0.1 CAP = 63 AVXM = W = A THINBY CANYON
 DEPTH = 0.19 KM ERZ = 0.2 NM = W = C

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG (NM)	DUR (SEC)	FMAG (ULG)	DIST (NM)	AZI (DEG)	AIN (DEG)	TOWB (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
03	SCV	IPU0	3 36 52.48			59	2.7	11.8	218	48	2.60	2.68	0.01	
		S 0	3 36 54.38								4.42	4.43	-0.01	
03	MMN	IPU0	3 36 52.48			49	2.6	12.8	82	40	2.56	2.76	-0.08	
		S 1	3 36 54.58								4.70	4.52	0.18	
03	GVN	EPD0	3 36 56.37			43	2.9	35.3	258	38	6.49	6.52	-0.09	1.20
		S 1	3 37 1.20								11.32	11.26	0.07	
03	BMT	IPD0	3 36 56.67			45	2.4	36.4	48	38	6.79	6.93	0.03	1.70
		S 0	3 37 1.94								11.66	11.56	0.10	
03	GMN	IPU0	3 36 56.82			34	2.3	37.6	314	38	6.94	7.15	-0.06	
		S 1	3 37 1.85								11.97	11.98	0.00	
03	MCT	IPU1	3 36 57.08			29	2.2	41.9	136	38	7.20	7.59	-0.23	
		S 0	3 37 2.60								12.72	12.71	0.02	
03	YMT1	IPU0	3 36 57.08			64	2.9	44.4	122	38	6.80	6.83	-0.10	1.60
		S 1	3 37 3.68								13.80	13.95	-0.15	
03	YMT5	IPU0	3 36 58.44			40	2.9	48.0	113	38	6.56	6.66	-0.10	
		S 0	3 37 4.62								14.74	14.81	-0.06	
03	FMT	IPU0	3 36 58.37			36	2.4	49.7	162	38	6.49	6.86	-0.13	0.30
		S 2	3 37 4.95								15.07	14.74	0.33	
03	YMT4	EPU1	3 36 58.97			44	2.6	49.8	116	38	9.09	9.92	0.07	1.30
		S 0	3 37 5.35								15.47	15.44	0.04	
03	TMO	EPD0	3 36 58.65			38	2.3	49.9	235	70	8.77	9.13	-0.06	
		S 0	3 37 5.24								15.36	15.11	0.26	
03	YMT2	EP 0	3 36 59.20					52.0	127	38	9.32	9.26	0.08	
03	YMT6	EP 1	3 36 59.58			37	2.5	53.8	1.5	38	9.70	9.56	0.05	0.40
		S 0	3 37 6.36								16.48	16.51	-0.02	
03	MCA	EP 0	3 36 59.33			40	2.9	54.8	212	38	9.45	9.55	-0.17	
		S 0	3 37 6.35								16.47	16.46	0.02	
03	YMT3	EPU2	3 36 59.62			44	2.6	57.2	123	38	9.74	10.09	-0.29	1.00
		S 0	3 37 7.07								17.19	17.17	0.03	
03	EPH	IPD1	3 36 60.40			37	2.5	58.2	74	38	10.72	10.50	0.16	0.80
		S 0	3 37 7.97								18.09	18.06	0.03	
03	CDM1	EPU1	3 36 60.31			38	2.3	60.9	112	38	10.43	10.75	-0.21	0.50
		S 0	3 37 8.13								18.25	18.21	0.05	
03	MGM	EP 0	3 36 61.08					63.8	311	38	11.20	11.38	-0.08	
		S 1	3 37 9.19								19.31	19.30	0.01	
03	BGB	EPD2	3 36 61.39			38	2.3	64.4	93	38	11.31	11.40	0.09	0.90
		S 0	3 37 9.23								19.35	19.35	0.00	
03	LCH	EP 4	3 36 61.63					64.6	287	38	11.75	11.37	0.47	
		S 1	3 37 9.48								19.52	19.30	0.22	
03	SSP	EPU1	3 36 61.62			35	2.5	67.1	103	36	11.94	11.90	0.12	0.70
		S 2	3 37 9.49								20.01	20.21	-0.20	
03	CTS	EPD0	3 36 61.76			23	2.1	68.6	17	38	11.88	12.11	-0.05	
		S 2	3 37 10.15								20.27	20.42	-0.16	
03	LSM	EPD0	3 36 62.07			39	2.6	70.5	121	38	12.19	12.26	-0.08	1.40
		S 0	3 37 10.80								20.92	21.00	-0.07	
03	SDH	EPU0	3 36 62.18			38	2.3	71.8	138	38	12.30	12.47	-0.12	
		S 3	3 37 11.56								21.66	21.25	0.44	
03	LOP	EPU0	3 36 62.56			39	2.6	73.6	109	38	12.68	12.89	-0.12	1.20
		S 4	3 37 12.31								22.43	21.90	0.53	
03	GLR	EPD0	3 36 64.25					84.3	88	38	14.37	14.58	-0.13	
		S 3	3 37 15.04								25.16	24.89	0.36	
03	AMR	EP 3	3 36 64.73					85.5	150	38	14.85	14.62	0.22	
		S 4	3 37 15.51								25.63	25.02	0.62	
03	HRNA	EPD1	3 36 65.68			31	2.4	90.5	34	38	15.80	15.69	0.04	
		S 2	3 37 17.18								27.30	26.95	0.35	
03	MCY	EP 1	3 36 66.85			39	2.7	98.9	117	38	16.97	16.92	0.14	0.90
		S 2	3 37 19.04								29.16	28.79	0.37	
03	JUN	EPU0	3 36 67.29					102.7	133	38	17.41	17.46	-0.06	
		S 4	3 37 20.65								30.77	29.88	0.98	
03	SYP	EP 1	3 36 67.97					104.2	314	38	18.09	18.05	-0.06	
03	GMR	EPD3	3 36 68.62					108.9	74	38	18.74	18.61	0.24	

90153 1929

90153 1929

1981 SCH LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER KHAG DUR FMAG DIST AZI AIN TONS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (KM) (ULG)(DEG) (SEC) (SEC) (SEC)

DEC M = 7 22 48.13 UTC RMS = 0.08 NO = 17 FREE DEPTH SOLUTION
 08 LAT = 37.618 N ERX = 0.1 ENH = 0.2 AVFM = 2.8 W = 0
 LONG = 115.861 W ERY = 0.1 GAP = 71 AVXM = US = A WORTHINGTON PEAK
 DEPTH = 7.22 KM ERZ = 0.8 NM = WD = C

ID	STA	PHASE	TIME	AMP	PER	KHAG	DUR	FMAG	DIST	AZI	AIN	TONS	TCAL	RES	REMARKS
04	DCB	IPU0	7 22 51.77					12	1.3	17.3	340	111	3.64	3.65	0.02
			3 0	7 22 50.29									0.16	0.19	-0.03
04	TPU	EPU0	7 22 51.00					24	2.0	18.0	90	109	3.75	3.80	0.01
			3 0	7 22 50.53									0.40	0.39	0.01
04	BLT	EPD0	7 22 52.79					20	1.8	27.6	237	102	4.66	5.24	-0.45
			3 1	7 22 50.75									0.62	0.70	-0.12
04	GMR	EPU2	7 22 53.01					21	1.9	32.5	166	100	5.68	5.98	-0.20
			3 3	7 22 50.45									10.52	10.05	0.47
04	WRN	EPU1	7 22 50.36					20	2.1	47.0	31	96	8.23	8.34	-0.15
			3 1	7 23 2.36									14.23	14.33	-0.10
04	KRNA	EP 1	7 22 50.78					25	2.1	47.7	287	96	6.65	6.51	0.07
			3 0	7 23 2.79									14.66	14.66	0.00
04	GLR	EPU0	7 22 50.54					23	2.0	48.5	197	96	6.41	6.52	-0.04
			3 0	7 23 2.71									14.50	14.45	0.13
04	HTI	EPD0	7 22 57.31					26	2.1	52.4	83	95	9.18	9.17	0.04
			3 4	7 23 0.31									16.18	15.62	0.56
04	EPH	EPD1	7 22 50.01					29	2.5	60.7	222	95	10.60	10.60	-0.00
			3 0	7 23 6.56									10.43	10.36	0.07
04	BRG	EPU0	7 22 61.41					32	2.4	75.7	67	94	13.28	12.98	0.00
			3 4	7 23 11.22									23.09	22.58	0.51
04	NPH	EPU4	7 22 61.74					25	2.2	81.7	87	93	13.61	13.95	-0.55
			3 4	7 23 13.31									25.18	24.21	0.97
04	HCR	EPD0	7 22 62.00					23	2.2	85.0	324	93	14.53	14.56	0.06
			3 4	7 23 13.65									25.52	24.75	0.77

DEC M = 13 43 37.64 UTC RMS = 0.14 NO = 21 FREE DEPTH SOLUTION
 05 LAT = 37.621 N ERX = 0.2 ENH = 0.3 AVFM = 1.9 W = 0
 LONG = 115.870 W ERY = 0.2 GAP = 69 AVXM = US = A WORTHINGTON PEAK
 DEPTH = 7.35 KM ERZ = 1.3 NM = WD = C

ID	STA	PHASE	TIME	AMP	PER	KHAG	DUR	FMAG	DIST	AZI	AIN	TONS	TCAL	RES	REMARKS
05	DCB	IPU0	13 43 41.24					12	1.3	16.8	340	112	3.60	3.58	0.05
			3 0	13 43 43.79									0.15	0.07	0.09
05	TPU	EPD1	13 43 41.39					24	2.0	19.6	95	108	3.75	4.01	-0.12
			3 0	13 43 44.15									0.51	0.62	-0.11
05	BLT	IPU2	13 43 42.30					17	1.7	27.1	235	103	4.72	5.17	-0.31
			3 0	13 43 46.16									6.52	6.61	-0.09
05	GMR	EPD1	13 43 43.41					20	1.8	33.0	165	100	5.77	6.07	-0.19
			3 2	13 43 48.04									10.45	10.20	0.25
05	KRNA	EPU0	13 43 45.96					21	1.9	46.8	287	96	6.32	6.37	-0.12
			3 1	13 43 52.23									14.59	14.43	0.16
05	WRN	EP 1	13 43 45.94					23	2.0	47.1	32	96	8.30	8.37	-0.10
			3 1	13 43 51.46									14.22	14.34	-0.15
05	GLR	EPD1	13 43 46.17					18	1.8	48.6	196	96	8.53	8.54	0.07
			3 1	13 43 52.25									14.61	14.40	0.13
05	HTI	EPU0	13 43 46.83					23	2.0	53.1	83	96	9.19	9.29	-0.07
			3 2	13 43 53.72									16.08	15.64	0.24
05	EPH	EPD0	13 43 48.35					26	2.2	60.4	222	95	10.71	10.63	0.02
			3 0	13 43 55.99									10.35	10.28	0.07
05	BRG	EPU4	13 43 51.37					24	2.2	76.4	68	94	13.73	13.08	0.43
			3 2	13 44 0.65									23.01	22.75	0.26
05	NPH	EP 3	13 43 52.26					20	2.0	82.5	88	93	14.62	14.00	0.33
			3 4	13 44 2.06									25.42	24.43	0.59
05	HCR	EP 3	13 43 52.38							84.2	324	93	14.74	14.44	0.39
			3 4	13 44 2.95									25.31	24.55	0.77

90153 1930

90153000 1930

1981 SCB LOCAL-EVENT DATA REPORT

DEC 1981 STA PHASE TIME AMP PLR X MAG DUR P MAG DIS1 A21 A1W TONS TCAL NBS REMARKS
(MU) (SEC) (NM) (ULG) (UEG) (SEC) (SEC) (SEC)

.....

DEC M = 2 51 55.52 UTC RMS = 0.08 NO = 9 FREE DEPTH SOLUTION
 07 LAT = 37.771 N ERX = 0.4 ERM = 0.5 AVFM = 1.4 U = B
 LONG = 115.102 W ERY = 0.3 GAP = 138 AVXM = US = A MIRD
 DEPTH = 1.77 KM ERZ = 1.7 NM = UD = C

.....

07	SAC	EPD0	2 51 58.40			19	1.7	12.7	14	94	2.88	2.68	-0.02
		3 0	2 52 0.45								4.93	4.96	-0.03
07	MTI	EPD0	2 51 59.17			11	1.3	18.4	235	93	3.65	3.63	0.02
		3 0	2 52 1.67								6.15	6.15	0.00
07	NPN	EPD0	2 51 59.65			11	1.3	19.6	132	93	4.13	3.86	0.06
		3 2	2 52 2.29								6.77	6.96	-0.20
07	DLP	EPD1	2 51 62.60			8	1.1	36.9	120	74	7.08	6.72	0.11
		3 4	2 52 7.83								12.31	11.92	0.39
07	PRN	EPU1	2 51 62.73			17	1.7	48.7	174	74	7.21	7.28	-0.26
		3 0	2 52 8.08								12.56	12.66	-0.10

.....

.....

DEC M = 20 58 53.22 UTC RMS = 0.11 NO = 21 FIXED DEPTH SOLUTION
 07 LAT = 37.026 N ERX = 0.2 ERM = 0.5 AVFM = 1.6 U = B DEPTH CONTROL INADEQUATE
 LONG = 116.227 W ERY = 0.4 GAP = 128 AVXM = US = A SILENT CANYON - YUCCA FLAT
 DEPTH = 5.00 KM ERZ = 0.5 NM = UD = B

.....

07	BGB	IPD1	20 58 54.70			16	1.5	1.4	357	166	1.48	1.41	0.15
		3 0	20 58 55.48								2.26	2.27	-0.01
07	BSP	IPU3	20 58 55.47			16	1.6	11.2	174	117	2.25	2.62	-0.29
		3 1	20 58 57.51								4.29	4.35	-0.06
07	CPX	EP 0	20 58 56.69			8	1.0	18.6	125	100	3.47	3.63	-0.12
		3 0	20 58 59.39								6.17	6.15	0.02
07	LDP	EPU2	20 58 56.74			16	1.6	19.7	164	100	3.52	3.89	-0.29
		3 2	20 59 0.03								6.81	6.52	0.29
07	YMT6	EP 0	20 58 57.75			12	1.4	24.4	220	97	4.53	4.53	-0.00
		3 0	20 59 1.04								7.82	7.89	-0.07
07	YMT5	EP 0	20 58 57.76			12	1.4	24.7	235	97	4.56	4.62	-0.05
		3 0	20 59 1.14								7.92	7.89	0.03
07	LSM	EPU2	20 58 59.17			18	1.8	32.0	187	95	5.95	5.75	0.18
		3 0	20 59 2.97								9.75	9.87	-0.12
07	YMT1	EP 0	20 58 59.30			19	1.8	33.8	235	95	6.08	5.93	0.03
		3 2	20 59 3.81								10.59	10.36	0.24
07	YMT2	EP 0	20 58 59.56			16	1.7	35.2	221	94	6.34	6.25	0.01
		3 1	20 59 4.12								18.40	18.83	-0.07
07	MCY	EP 1	20 58 61.43			21	1.9	46.8	150	93	8.21	8.18	0.11
		3 2	20 59 7.20								14.06	13.86	0.20
07	JON	EPU0	20 58 64.41			11	1.4	65.9	170	92	11.19	11.22	-0.04
		3 4	20 59 13.14								19.92	19.21	0.71

.....

.....

DEC M = 8 24 48.73 UTC RMS = 0.08 NO = 11 FREE DEPTH SOLUTION
 08 LAT = 37.078 N ERX = 0.5 ERM = 0.5 AVFM = 1.6 U = B
 LONG = 116.378 W ERY = 0.2 GAP = 106 AVXM = US = A SILENT CANYON - PANUTE MESA
 DEPTH = 1.53 KM ERZ = 1.5 NM = UD = C

.....

08	BGB	EPD1	8 24 51.51			9	1.1	13.8	105	93	2.78	2.90	-0.03
		3 0	8 24 53.79								5.06	4.82	0.25
08	EPN	EPU0	8 24 52.29			17	1.6	16.7	17	92	3.56	3.50	0.06
		3 0	8 24 54.95								6.22	6.09	0.13
08	YMT5	EPD3	8 24 52.44			8	1.8	20.2	200	92	3.71	3.90	-0.19
		3 1	8 24 55.62								6.89	6.68	0.22
08	SSP	EPD0	8 24 52.87			10	1.2	21.4	139	92	4.14	4.26	-0.03
		3 1	8 24 55.90								7.17	7.14	0.03
08	YMT4	EP 0	8 24 53.43			8	1.0	23.5	194	91	4.70	4.45	0.14
		3 0	8 24 57.33								6.60	7.80	-0.60
08	YMT1	EPD2	8 24 53.73			18	1.7	27.5	209	74	5.00	5.09	-0.21
		3 1	8 24 57.94								9.21	8.92	0.29
08	LDP	EPU0	8 24 54.26			14	1.5	30.8	142	74	5.53	5.66	-0.05
		3 4	8 24 58.71								9.98	9.55	0.43
08	YMT3	EPD0	8 24 54.44			12	1.4	31.5	185	74	5.71	5.71	0.05
		3 4	8 24 59.15								10.42	9.68	0.74

.....

9015311931

90153000/1981

1981 SGO LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MJ)	PER (SEC)	RMAG	DUR	PMAG	DBBT (KM)	AZI (DEG)	AIH (DEG)	ICMS (SEC)	ICAL (SEC)	REB (SEC)	REMARKS
00	YNT2	EPD0	0 24 54.71					12 1.4	32.9	197	74	5.98	5.95	-0.05	
		0 4	0 24 59.76						33.6	315	74	11.03	10.31	0.72	
00	BHT	EPD0	0 24 54.04									6.11	6.29	0.00	
		0 4	0 24 59.02									11.09	10.06	0.03	
00	LSM	EPD2	0 20 55.74					13 1.5	37.8	166	74	7.01	6.75	0.24	
		0 2	0 25 0.60									11.67	11.50	0.29	

FREE DEPTH SOLUTION

DEC M = 0 25 12.11 UTC RMS = 0.17 NO = 7
 00 LAT = 35.602 N ERX = 1.4 ERM = 2.6 AVFM = 1.8 U = D
 LONG = 116.308 W ERY = 2.1 GAP = 295 AVXM = U8 = C
 DEPTH = 24.15 KM ERZ = 254.5 NM = UD = D

SHOSHUNE

00	NOP	EPD0	0 25 22.57					17 1.4	60.1	13	90	10.46	10.65	-0.09	
		0 3	0 25 30.07									17.96	18.05	-0.09	
00	OSM	EPD	0 25 23.45					16 1.8	64.8	309	90	11.34	11.33	-0.00	
		0 3	0 25 31.05									19.74	19.53	0.21	
00	GNV	EP 2	0 25 24.62					20 2.0	72.7	333	90	12.51	12.40	0.11	
		0 3	0 25 33.40									21.37	21.21	0.17	
00	AMR	EP 4	0 25 20.01						89.6	350	90	15.90	14.93	0.97	
		0 7	0 25 26.37						96.8	11	90	10.26	15.69	0.57	
00	JON	EPD2	0 25 32.37						115.9	359	62	20.40	18.72	1.01	
		0 7	0 25 32.59						121.7	15	62	21.13	19.52	1.70	
00	MCT	EPD0	0 25 33.24						120.4	1	62	22.37	20.00	2.27	
		0 8	0 25 34.40												

FREE DEPTH SOLUTION

DEC M = 12 34 36.00 UTC RMS = 0.11 NO = 9
 00 LAT = 37.450 N ERX = 0.3 ERM = 0.3 AVFM = 1.7 U = J
 LONG = 115.967 W ERY = 0.2 GAP = 100 AVXM = U8 = A
 DEPTH = 1.86 KM ERZ = 1.0 NM = UD = C

HIKO

00	NPH	EPD2	12 34 50.22					10 1.7	11.5	93	95	2.22	2.48	-0.40	
		0 0	12 35 0.51									4.51	4.61	-0.10	
00	HTI	CPD0	12 34 59.34					15 1.5	18.3	277	93	3.36	3.61	-0.20	
		0 0	12 35 2.23									6.23	6.12	0.10	
00	SAG	EPD1	12 34 00.95					24 2.0	24.9	360	74	4.95	4.75	-0.02	
		0 0	12 35 4.59									8.59	8.49	0.09	
00	PHN	EPD0	12 34 01.55					18 1.7	27.9	177	74	5.55	5.20	0.23	
		0 0	12 35 5.14									9.14	9.09	0.05	
00	DLN	EP 0	12 34 01.67					12 1.4	29.5	101	74	5.67	5.52	-0.10	
		0 1	12 35 5.99									9.99	9.86	0.12	

FREE DEPTH SOLUTION

DEC M = 15 52 01.50 UTC RMS = 0.14 NO = 16
 00 LAT = 36.552 N ERX = 0.8 ERM = 0.8 AVFM = 2.7 U = C
 LONG = 117.796 W ERY = 0.4 GAP = 262 AVXM = U3 = A
 DEPTH = 0.22 KM ERZ = 0.7 NM = U8 = D

DRY MOUNTAIN

00	TMO	EPD0	15 52 49.52					35 2.8	44.6	51	30	8.02	8.27	-0.05	
		0 0	15 52 55.17									13.67	13.62	0.04	
00	NCA	IPD0	15 52 49.74					48 2.7	47.3	77	30	8.24	8.31	-0.16	
		0 0	15 52 55.70									14.28	14.35	-0.08	
00	GVN	EPD4	15 52 52.91					56 2.9	64.2	39	30	11.41	11.18	0.17	
		0 0	15 53 0.59									19.09	19.22	-0.13	
00	PGE	CPD0	15 52 53.30					46 2.7	69.2	109	30	11.80	12.19	-0.10	
		0 0	15 53 2.07									20.57	20.40	0.09	
00	LCH	EPD4	15 52 54.30					45 2.7	70.9	10	30	12.60	13.34	-0.40	
		0 0	15 53 4.34									22.84	22.71	0.13	
00	SGV	EPD2	15 52 55.94					60 3.0	83.1	55	30	14.44	14.40	0.13	
		0 1	15 53 6.10									24.60	24.47	0.21	
00	CHN	EPD1	15 52 57.76					37 2.6	95.8	30	30	16.20	16.50	-0.17	
		0 1	15 53 9.06									28.30	28.09	0.26	
00	PPK	EPD4	15 52 57.64						97.5	354	30	16.14	16.79	-0.07	
		0 1	15 53 12.56						102.2	15	30	17.04	17.61	-0.40	
00	MCP	EP 3	15 52 58.54					41 2.7	105.7	120	30	17.96	17.09	-0.03	
		0 1	15 53 12.56									31.06	30.75	0.31	
00	OSM	EP 0	15 52 59.46									18.35	18.57	-0.10	
		0 1	15 53 13.81									32.31	31.61	0.60	

90153000/1932

1981 SCS LOCAL-EVENT DATA REPORT

DEC 1981 STA PHASE TIME (UTC) AMP PER (MU) (SEC) NMAG OUR FMAG DIST AZI AIN (NM) (DEG) (DEG) TONS TCAL (SEC) RES REMARKS

DEC M = 0 49 18.55 UTC NMS = 0.07 NO = 12 FREE DEPTH SOLUTION
 10 LAT = 37.304 N ERX = 0.2 ERM = 0.2 AVFM = 1.0 U = B US = A ALAMO
 LONG = 115.332 W ERY = 0.2 GAP = 110 AVXM = U = C UD = C
 DEPTH = 11.19 NM ERZ = 1.2 NM =

10	PNN	EPD0	0 49 23.66	26	2.0	25.1	84	113	5.11	4.98	0.01
10	B	0	0 49 27.21						6.66	6.71	-0.06
10	EPR	EPD0	0 49 23.80	23	1.9	27.1	152	111	5.25	5.20	0.03
10	HTI	EPD0	0 49 24.67	19	1.8	33.0	9	107	6.12	6.19	-0.06
10	GHR	EPD0	0 49 25.60	14	1.6	39.3	262	104	10.54	10.53	0.01
10	S	0	0 49 29.09						7.05	7.10	-0.04
10	S	0	0 49 35.63						12.00	12.11	-0.04
10	NPN	EPD0	0 49 27.09	19	1.8	46.0	49	102	8.54	8.26	0.07
10	S	3	0 49 31.47						14.92	14.49	0.43
10	DLM	EPD1	0 49 28.92	17	1.8	56.0	65	99	10.37	10.20	-0.08
10	S	2	0 49 36.18						17.63	17.87	-0.24
10	WRN	EPD0	0 49 30.82	15	1.7	70.1	341	98	12.27	12.16	0.07

DEC M = 1 28 12.17 UTC NMS = 0.87 NO = 6 FREE DEPTH SOLUTION
 10 LAT = 36.792 N ERX = 0.5 ERM = 0.7 AVFM = 1.3 U = C US = B LATHROP WELLS
 LONG = 116.127 W ERY = 0.5 GAP = 112 AVXM = U = C UD = C
 DEPTH = 5.99 NM ERZ = 4.4 NM =

10	LSP	IPU1	1 28 14.92	13	1.4	13.7	288	117	2.75	2.86	-0.13
10	MCY	IPU0	1 28 15.30	10	1.5	15.4	107	108	3.13	3.16	0.06
10	LOP	EPD0	1 28 15.66	12	1.3	17.2	348	106	3.49	3.53	0.05
10	YMT3	IPU0	1 28 17.09	13	1.5	27.1	291	99	4.92	4.96	0.01
10	SPRG	EP1	1 28 17.22			28.4	92	98	5.05	5.21	-0.13
10	JUN	EPD0	1 28 17.47	7	0.9	29.2	174	98	5.30	5.28	0.01
10	YMT2	IPD4	1 28 18.67	13	1.5	33.2	284	97	2.50	2.95	-3.53

DEC M = 2 25 9.86 UTC NMS = 0.08 NO = 8 FREE DEPTH SOLUTION
 10 LAT = 37.075 N ERX = 1.2 ERM = 1.3 AVFM = 1.1 U = C US = B SILENT CANYON - YUCCA FLAT
 LONG = 116.150 W ERY = 0.6 GAP = 305 AVXM = U = C UD = 0
 DEPTH = 20.63 NM ERZ = 0.6 NM =

10	BGB	EPD	2 25 14.00	24	2.9	5.0	239	159	4.13	4.16	0.06
10	S	0	2 25 16.83						6.97	6.98	-0.01
10	SSP	EPD	2 25 14.89	5	0.6	17.7	200	140	5.03	5.06	0.05
10	LOP	EPD2	2 25 15.34	6	0.8	24.6	184	130	5.48	5.76	-0.20
10	S	2	2 25 19.42						9.56	9.71	-0.15
10	LSM	EPD0	2 25 17.88	6	0.8	38.8	196	117	7.62	7.57	0.03
10	S	0	2 25 22.92						13.06	12.97	0.09
10	YMT1	EPD0	2 25 17.95	8	1.1	41.7	234	116	8.09	8.00	-0.04

DEC M = 23 30 53.17 UTC NMS = 0.12 NO = 37 FREE DEPTH SOLUTION
 10 LAT = 37.056 N ERX = 0.1 ERM = 0.2 AVFM = 2.4 U = B US = A THIRSTY CANYON
 LONG = 116.955 W ERY = 0.2 GAP = 62 AVXM = U = C UD = C
 DEPTH = 8.65 NM ERZ = 0.9 NM =

10	SGV	IPD0	23 30 55.85	59	2.7	10.7	229	109	2.28	2.43	-0.06
10	S	0	23 30 57.14						5.97	6.00	-0.03
10	NMN	IPD1	23 30 55.44	45	2.5	12.5	77	106	2.27	2.49	-0.36
10	S	1	23 30 57.54						4.42	4.52	-0.10
10	GVA	EPD0	23 30 59.47	40	2.5	35.8	260	94	6.30	6.18	0.06
10	S	4	23 31 4.36						11.19	10.67	0.52
10	BMT	EP	0 23 30 59.60	43	2.5	37.4	47	93	6.52	6.88	-0.15
10	S	0	23 31 4.65						11.48	11.41	0.07
10	GMM	IPD0	23 30 59.00	34	2.3	38.3	315	93	6.73	6.98	-0.11
10	S	0	23 31 5.02						11.85	11.69	0.16
10	YMT1	IPU1	23 30 60.41	58	2.8	44.1	121	93	7.64	7.73	-0.22
10	S	0	23 31 6.66						13.49	13.44	0.06
10	YMT5	IPU1	23 30 61.42	40	2.5	47.9	111	92	8.25	8.39	-0.14
10	S	0	23 31 7.57						14.40	14.35	0.05

1 9 3 3
9 0 1 5 3

90153004000

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP PER (MU) (SEC)	YHAG	DUN	FMAG	DIST (KM)	AZI (ULG)	AIN (DEG)	T003 (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
10	FMT	IPU0	23 30 61.36				27 2.2	48.8	161	92	8.19	8.45	-0.03	
		S 2	23 31 7.67								14.50	14.05	0.45	
10	TMO	EP4	23 30 62.45				18 1.8	49.8	235	92	9.28	8.75	0.55	
		S 4	23 31 9.37								16.20	14.41	1.78	
10	HCA	EPD0	23 30 62.46				36 2.4	53.7	213	92	9.27	9.11	0.08	
		S 4	23 31 9.63								16.46	15.71	0.75	
10	YMT3	EP2	23 30 62.71				58 2.7	56.9	122	92	9.54	9.79	-0.25	
		S 1	23 31 10.00								16.91	16.65	0.26	
10	EPN	EP0	23 30 63.46				38 2.5	54.9	73	92	10.29	10.35	-0.13	
		S 0	23 31 11.00								17.67	17.81	0.06	
10	CDML	EPU1	23 30 63.30				31 2.3	60.8	111	92	10.21	10.40	-0.17	
		S 0	23 31 10.90								17.81	17.75	0.05	
10	HGN	EP0	23 30 64.20				31 2.3	64.3	312	92	11.03	11.21	-0.09	
		S 8	23 31 12.70								19.53	19.01	0.52	
10	BGB	IPD1	23 30 64.42				29 2.3	64.8	92	92	11.25	11.21	0.12	
		S 0	23 31 12.31								19.14	19.03	0.11	
10	CTS	EPD0	23 30 64.06				33 2.4	69.7	17	92	11.69	12.04	-0.19	
		S 1	23 31 13.56								20.39	20.50	0.08	
10	LSM	EP0	23 30 65.11				48 2.6	70.2	128	92	11.94	11.96	-0.05	
		S 0	23 31 13.76								20.59	20.49	0.10	
10	SDM	EPU1	23 30 65.15				38 2.3	71.4	138	91	11.98	12.14	-0.13	
		S 0	23 31 13.90								20.73	20.70	0.03	
10	LDP	EPD0	23 30 65.79				48 2.6	73.6	108	91	12.62	12.63	0.00	
		S 4	23 31 15.28								22.11	21.47	0.64	
10	AMR	EPD0	23 30 67.40				29 2.4	84.7	158	91	14.31	14.25	0.05	
		S 4	23 31 15.28								14.89	14.96	0.06	
10	BLT	EP1	23 30 68.06				87.7	57	91	91	15.57	15.20	0.38	
10	KRNA	EPD0	23 30 68.74				28 2.3	91.6	34	90	15.57	15.20	0.38	
		S 0	23 31 20.02								26.85	26.11	0.74	
10	CHV	EPD0	23 30 69.97				24 2.2	99.7	155	90	16.80	16.52	0.36	
		S 4	23 31 20.02								26.64	26.81	0.53	
10	OSM	EP 4	23 30 73.81				26 2.0	121.2	176	90	35.65	34.38	1.27	
		S 4	23 31 20.02								20.61	20.02	0.61	
10	OC3	EP 4	23 30 73.78				30 2.6	138.6	19	90	23.18	22.84	0.43	
		S 4	23 31 33.64								40.52	38.98	1.62	

1934

DEC N = 4 4 37.77 UTC NPS = 0.22 NO = 38
 31 LAT = 37.068 N ERX = 0.3 ERM = 0.5 AVFM = 2.8 U = C
 LONG = 116.952 W ERY = 0.4 GAP = 63 AVXM = UD = B
 DEPTH = 8.86 KM ERZ = 1.9 NM = UD = C

FREE DEPTH SOLUTION

THIRSTY CANYON

11	NMN	IPD1	4 4 39.88					12.0	83	108	2.11	2.62	-0.46				
		S 0	4 4 42.18								4.33	4.40	-0.07				
11	SGV	IPD0	4 4 40.00					12.0	216	108	2.23	2.64	-0.32				
		S 0	4 4 42.18								4.41	4.36	0.05				
11	GVN	EPD0	4 4 43.89				32 2.3	35.5	258	94	6.12	6.27	-0.21				
		S 0	4 4 48.82								11.05	10.82	0.22				
11	BMT	EPD0	4 4 44.14				29 2.2	36.2	49	94	6.37	6.66	-0.12				
		S 0	4 4 49.15								11.38	11.09	0.29				
11	CHN	EPD0	4 4 44.40				19 1.8	37.5	313	94	6.63	6.86	-0.08				
		S 0	4 4 45.87								8.10	8.44	-0.34				
11	YMT5	EPU1	4 4 45.87				23 2.8	48.2	113	93	14.32	14.42	-0.11				
		S 2	4 4 52.09								9.88	8.99	1.26				
11	TMO	EPD0	4 4 47.63								50.0	234	93	15.39	14.70	0.68	
		S 2	4 4 53.16								7.97	8.66	-0.45				
11	FMT	EP2	4 4 45.74				18 1.8	50.0	162	93	10.55	14.39	0.15				
		S 0	4 4 52.32								9.46	9.33	0.05				
11	HCA	EPU1	4 4 47.23				17 1.8	55.1	412	92	16.38	16.09	0.29				
		S 0	4 4 54.15								9.02	9.87	0.00				
11	YMT3	EP1	4 4 47.59				25 2.1	57.5	123	92	16.91	16.79	0.11				
		S 0	4 4 54.68								11.12	11.16	0.04				
11	PSB	EPD2	4 4 48.89				21 2.8	64.5	93	92	19.31	18.94	0.37				
		S 2	4 4 57.88								11.63	11.81	-0.01				
11	CTS	EPD0	4 4 49.40				17 1.8	68.3	17	92	20.00	19.90	0.09				
		S 2	4 4 57.77								11.48	12.04	-0.58				
11	LSM	EP4	4 4 49.25				26 2.2	78.7	121	92	20.44	20.62	-0.19				
		S 3	4 4 50.21								11.67	12.25	-0.35				
11	SDM	EPU1	4 4 49.64				28 2.0	72.1	131	92	21.35	20.89	0.46				
		S 3	4 4 59.12														

90153

90153000/1934

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAJ	DUR	FMAG	U1ST (NM)	AZI (ULG)(DEG)	AIM	T08S (SEC)	TCAL (SEC)	RES (SEC)	REMARKS	
11	LUP	EP1	4 4 50.29					30	2.3	73.8	109	92	22.52	12.66	-0.07	.
		S 3	4 4 59.76									21.99	21.52	0.47	.	
11	AMR	EPD0	4 4 51.99						85.8	150	91	14.22	14.42	-0.21	.	
11	KRNA	EPUI	4 4 53.30						90.3	34	91	15.53	15.41	0.05	.	
		S 4	4 5 8.54									30.77	26.46	4.30	.	
11	MCR	EP3	4 4 61.00						137.1	19	90	23.23	22.60	0.71	.	

DEC M = 16 58 36.76 UTC RMS = 0.69 NO = 4
 11 LAT = 36.780 N ERX = ERM = 4 AVFM = 3.4 U = D
 LONG = 116.941 W ERY = GAP = 325 AVXM = U8 = D
 DEPTH = 5.00 KM ERZ = NM = OD = D
 FIXED DEPTH SOLUTION
 DEPTH CONTROL INADEQUATE
 CHLORIDE CLIFF

11	BSP	EP 3	16 54 47.18					9	1.3	66.2	77	92	10.42	11.51	-1.01	.
11	BGB	EP 3	16 54 51.39					10	1.7	69.4	66	92	14.62	11.95	2.74	.
		S 4	16 54 53.68									16.92	20.10	-3.39	.	
11	LDP	EPU4	16 54 56.02					8	1.2	69.5	84	92	19.26	11.96	7.30	.
		S 0	16 54 57.36									20.60	20.31	0.29	.	
11	EPN	EP 0	16 54 49.11					10	1.4	72.5	49	92	12.35	12.58	-0.29	.
		S 4	16 54 52.21									15.45	21.62	-6.17	.	
11	CPX	EP4	16 54 44.52					10	1.4	80.6	79	92	7.76	13.68	-5.69	.

DEC M = 0 19 49.45 UTC RMS = 0.31 NO = 15
 12 LAT = 36.825 N ERX = 0.7 ERM = 1.2 AVFM = 2.2 P = C
 LONG = 116.826 W ERY = 1.0 GAP = 126 AVXM = U5 = C
 DEPTH = 1.40 KM ERZ = 3.9 NM = OD = B
 FREE DEPTH SOLUTION
 CHLORIDE CLIFF

12	MCT	IPU0	0 19 49.80					27	2.0	3.6	101	101	0.35	1.63	-0.52	.
		S 0	0 19 50.57										1.12	1.48	-0.36	.
12	YMT1	EPU0	0 19 51.53					42	2.4	9.3	70	93	2.08	2.01	-0.06	.
		S 0	0 19 53.41										3.96	3.66	0.30	.
12	YMT2	EP1	0 19 52.43					22	1.9	13.4	109	92	2.98	2.69	0.20	.
		S 1	0 19 54.81										5.36	4.74	0.61	.
12	YMT4	EPU0	0 19 52.43					32	2.2	16.3	74	92	3.38	3.22	0.05	.
12	YMT5	EPU0	0 19 52.41					33	2.2	17.4	62	91	3.36	3.43	-0.07	.
12	YMT3	EPU2	0 19 52.93					41	2.4	19.6	102	91	3.48	3.74	-0.22	.
12	YMT6	EPD0	0 19 53.30					33	2.2	20.1	79	91	3.85	3.85	-0.10	.
12	FMT	EPD0	0 19 53.80							24.7	214	90	4.35	4.30	0.20	.
		S 1	0 19 57.04										7.59	7.09	0.50	.
12	LSP	EP0	0 19 55.55					23	2.0	32.9	107	74	6.10	5.96	0.11	.
		S 4	0 20 0.79										11.34	10.23	1.16	.
12	SGV	EPUI	0 19 56.19					31	2.3	40.2	296	74	6.74	7.23	-0.41	.
		S 1	0 20 1.04										12.39	12.21	0.17	.

DEC M = 1 20 6.77 UTC RMS = 0.15 NO = 11
 13 LAT = 38.397 N ERX = 2.6 ERM = 4.1 AVFM = 4.3 U = D
 LONG = 117.921 W ERY = 3.1 GAP = 279 AVXM = U8 = C
 DEPTH = 10.97 KM ERZ = 1.1 NM = OD = D
 FREE DEPTH SOLUTION
 PILOT PEAK

13	SVP	IPX	1 20 20.07							76.4	172	97	13.30	13.34	-0.16	.
13	PPK	IPU	1 20 25.12							107.7	179	95	18.35	18.25	0.09	.
13	MGM	IPU4	1 20 26.41							112.4	161	94	19.64	19.07	0.66	.
13	MCR	EPU	1 20 28.68					201	4.2	131.2	98	94	21.91	22.10	-0.10	.
13	CIS	EPU	1 20 29.19					201	4.2	133.3	128	94	22.41	22.41	0.17	.
13	MNM	IPU	1 20 34.79					155	4.1	175.5	146	52	28.02	27.78	0.29	.
13	BLT	EPU	1 20 35.92					194	4.4	187.9	123	52	29.15	29.45	-0.17	.
13	EPN	EPU	1 20 36.92					193	4.4	192.4	133	52	30.15	30.13	-0.04	.
13	YMT1	EPJ	1 20 39.27					191	4.4	210.9	144	52	32.50	32.24	0.13	.
13	MCT	EPU	1 20 39.21					151	4.2	211.6	147	52	32.44	32.29	0.30	.
13	BGB	IPU4	1 20 39.82					149	4.2	212.2	135	52	33.05	32.54	0.59	.
13	GLR	IPU4	1 20 40.19					150	4.2	213.9	128	52	33.42	32.69	0.80	.
13	YMT6	EPU	1 20 39.92					150	4.2	217.0	142	52	33.15	33.02	0.04	.
13	TPU	EPU	1 20 39.69					150	4.2	218.0	114	52	32.92	33.33	-0.27	.
13	FMT	EPU	1 20 40.19					149	4.2	219.6	153	52	33.42	33.33	0.33	.
13	CDM1	EPU	1 20 40.41					149	4.3	221.6	140	52	33.64	33.67	0.07	.
13	GHR	EPU	1 20 40.53							222.8	122	52	33.76	33.87	-0.01	.

9 0 1 5 3 1 9 3 5

901531935

1981 BGM LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (CMU)	PER (SEC)	DMG	DUR	PHAS	DEPT (KM)	AZI (JULG)	ATH (DEU)	IONB (SBC)	ICAL (SBC)	REB (SBC)	REMARKS
13	LSM	EPU	1 20 42.20						234.5	147	92	35.51	35.24	0.22	
13	MCV	EPU	1 20 45.52				104	4.6	259.0	130	92	38.75	38.04	0.39	

DEC M = 23 17 37.78 UTC RMS = 0.53 NU = 38 FREE DEPTH SOLUTION
 15 LAT = 37.150 N ERY = 0.4 ERH = 0.5 AVPM = 2.1 U = C INHIBIT CANYON
 LONG = 116.937 W ERY = 0.4 GAP = 78 AVRM = UD = C
 DEPTH = 5.71 KM ERZ = 3.5 NM = UD = C

15	MHN	IPU0	23 17 40.14					33	2.2	13.0	126	111	8.30	8.02	-0.02
		S 0	23 17 42.42										8.60	8.70	-0.11
15	SGV	IPD0	23 17 41.45					31	2.2	20.5	104	102	3.67	4.01	-0.26
		S 0	23 17 44.34										6.50	6.71	-0.15
15	GHN	IPU0	23 17 43.47					21	1.9	33.2	100	96	5.69	6.17	-0.33
		S 0	23 17 48.30										10.60	10.20	0.30
15	GVN	EPD0	23 17 44.42					30	2.2	39.0	105	95	6.00	6.94	-0.37
		S 0	23 17 49.96										12.00	11.90	0.10
15	WCT	IPU0	23 17 45.70					19	1.9	48.3	145	94	7.92	8.39	-0.31
		S 2	23 17 52.11										14.33	14.07	0.20
15	YNT1	IPD0	23 17 46.28					36	2.0	49.0	132	94	8.50	8.53	-0.17
15	YNT5	EPU0	23 17 46.59					24	2.1	51.3	103	94	8.01	8.94	-0.13
		S 3	23 17 53.01										15.23	15.20	-0.06
15	YMT4	EP4	23 17 47.31							53.5	126	93	9.53	9.28	0.10
15	EPN	EP4	23 17 47.51					21	2.0	54.9	93	93	9.73	9.72	-0.05
		S 2	23 17 54.52										16.74	16.72	0.01
15	TMO	EP4	23 17 48.56							56.7	128	93	10.70	10.00	1.00
		S 3	23 17 54.04										17.06	16.50	0.48
15	YMT6	EPD0	23 17 47.77							57.4	124	93	9.99	9.47	0.01
		S 4	23 17 56.58										18.00	17.06	1.74
15	FMT	EPU0	23 17 47.35					23	2.1	58.3	166	93	9.57	10.01	-0.21
		S 4	23 17 54.10										16.40	16.71	-0.31
15	CTS	EP4	23 17 49.05							59.3	10	93	11.27	10.35	1.09
		S 0	23 17 55.80										18.02	17.41	0.61
15	YMT3	IPD0	23 17 48.09					31	2.3	61.7	131	93	10.31	10.57	-0.21
		S 2	23 17 56.52										19.74	17.99	0.75
15	MCA	EPD3	23 17 48.58							63.5	109	93	10.00	10.71	-0.01
		S 0	23 17 56.28										18.50	18.45	0.05
15	CDH1	EPD0	23 17 44.60					24	2.1	63.8	120	93	10.82	10.98	-0.06
		S 0	23 17 56.46										18.88	18.60	0.26
15	BGB	EP4	23 17 48.39					26	2.2	64.3	101	93	10.61	11.12	-0.44
		S 0	23 17 56.54										18.76	18.88	-0.12
15	LSM	EPU1	23 17 50.06					24	2.2	74.6	128	92	12.04	12.69	-0.17
		S 2	23 18 0.21										22.43	21.73	0.70
15	LDP	EP	23 17 50.50					26	2.2	75.9	116	92	12.72	13.01	-0.22
		S 2	23 18 0.52										22.70	22.12	0.62
15	SDH	EPU1	23 17 50.63							77.3	136	92	12.85	13.11	-0.22
		S 2	23 18 0.48										22.70	22.34	0.35
15	BLT	EP 3	23 17 51.15							81.1	63	92	13.37	13.88	-0.35
15	GLP	EP 2	23 17 51.62					22	2.1	81.8	86	92	13.84	13.91	-0.01
		S 4	23 18 2.49										24.71	23.67	1.04
15	KHNA	EPD0	23 17 51.64							82.1	37	92	13.86	14.08	-0.30
		S 2	23 18 2.62										24.84	24.20	0.64
15	OCS	EPD2	23 17 56.94					23	2.3	113.4	53	91	19.16	19.14	0.04
15	OSP	LPU2	23 17 59.99							131.6	177	91	22.21	21.86	0.26
		S	23 18 16.00										30.22	37.53	0.69

DEC M = 6 19 24.02 UTC RMS = 1.10 NU = 13 FREE DEPTH SOLUTION
 17 LAT = 37.362 N ERY = 0.2 ERH = 0.4 AVPM = 2.0 U = B ALAND
 LONG = 115.323 W ERY = 0.3 GAP = 109 AVRM = UD = B
 DEPTH = 16.19 KM ERZ = 1.3 NM =

17	PRN	EPD0	6 19 29.47					25	2.0	24.4	84	123	5.45	5.25	0.09
		S 1	6 19 33.99										9.07	9.18	-0.10
17	EPR	EPU1	6 19 29.90					33	2.3	26.6	153	121	5.56	5.52	0.06
		S 0	6 19 33.66										9.64	9.41	0.23
17	HTI	EPD1	6 19 30.51					24	2.0	33.0	8	115	6.49	6.48	0.01
		S 1	6 19 35.27										11.25	11.04	0.22

90153 1936

9015300 1936

1981 300 LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG	DUR	PHAS	U1ST (KM)	A2I (DEG)	AIM (DEG)	U1US (SEC)	ICAL (SEC)	RES (SEC)	REMARKS
17	TPU	EPD4	6 19 31.20					19 1.8	38.0	311	112	7.18	7.31	0.01	
		S 2	6 19 36.17									12.15	12.26	-0.11	
17	GMR	EPD0	6 19 31.82					19 1.8	40.0	262	111	7.40	7.55	-0.05	
		S 2	6 19 36.70									12.68	12.74	-0.06	
17	NPN	ep0	6 19 32.39					22 2.0	45.5	49	109	4.37	4.40	-0.23	
		S 2	6 19 38.72									14.70	14.72	-0.01	
17	DLW	EPD0	6 19 33.98					18 1.8	57.3	64	105	9.97	10.26	-0.54	
17	SH8	ep4	6 19 34.07					29 2.3	59.9	22	104	10.05	10.65	-0.81	
		S 4	6 19 41.95									17.93	18.50	-0.65	
17	WRN	ep2	6 19 36.67					22 2.1	70.5	341	102	21.25	21.36	0.26	
		S 2	6 19 45.22									21.20	21.20	0.00	

DEC H = 14 13 36.37 UTC NMS = 0.23 NU = 17 FREE DEPTH SOLUTION
 1° LAT = 36.763 N ERX = 0.5 ERM = 0.5 AVFM = 1.8 U = B
 LONG = 118.283 W ERY = 0.3 GAP = 113 AVRM = U3 = B
 DEPTH = 0.84 KM ERZ = 9.4 NM UD = B
 LATHNUP WELLS

19	LBN	IPD0	14 13 37.08					27 2.0	2.7	161	126	0.71	0.88	-0.20		
		S 2	14 13 37.91									1.54	1.55	-0.01		
19	SDH	EPD8	14 13 38.85					15 1.5	14.0	201	40	2.48	2.82	-0.30		
		S 0	14 13 41.25									4.88	4.75	0.13		
19	LOP	EPD2	14 13 38.88									2.51	3.01	-0.43		
		S 2	14 13 41.35						15.2	314	40	4.98	5.02	-0.04		
19	YMT6	EPD2	14 13 39.33									2.96	3.04	-0.17		
		S 0	14 13 41.91									5.54	5.35	0.19		
19	BSP	EPD2	14 13 39.95					20 1.8	18.8	18	40	3.58	3.84	-0.18		
		S 1	14 13 43.14									6.77	6.73	0.34		
19	YMT5	EPD4	14 13 40.76							21.4	714	40	4.39	4.14	0.25	
19	CPX	EPD4	14 13 41.85					17 1.7	27.5	48	40	5.48	5.15	0.36		
		S 2	14 13 45.45									9.08	8.75	0.33		
19	DCB	EP 2	14 13 41.93					23 2.0	30.9	9	38	5.56	5.81	-0.17		
		S 2	14 13 46.30									9.93	9.79	0.14		
19	JOM	EPD0	14 13 43.27					14 1.6	39.3	156	38	6.90	7.02	-0.13		
		S 0	14 13 48.86									12.49	12.01	0.46		
19	SPHG	EPD1	14 13 44.00					17 1.7	43.0	100	38	7.63	7.68	-0.02		
		S 3	14 13 50.20									13.83	13.07	0.76		

DEC H = 18 21 50.40 UTC NMS = 0.21 NU = 13 FREE DEPTH SOLUTION
 19 LAT = 37.321 N ERX = 0.5 ERM = 0.9 AVFM = 1.8 U = C
 LONG = 115.446 W ERY = 0.7 GAP = 146 AVRM = U3 = U
 DEPTH = 19.36 KM ERZ = 2.3 NM UD = C
 ALAMO

19	EPR	IPD0	18 21 56.39					21 1.9	28.6	126	124	5.99	6.07	-0.06		
		S 3	18 22 1.15									10.73	10.35	0.41		
19	GMR	EPD2	18 21 56.79					16 1.6	28.9	273	124	6.39	6.17	0.32		
		S 0	18 22 0.65									10.25	10.38	-0.13		
19	TPU	EPD0	18 21 57.48					13 1.5	36.2	350	118	7.08	7.27	-0.05		
		S 0	18 22 2.88									12.48	12.20	0.28		
19	PRN	EPD0	18 21 57.85					22 1.9	36.3	75	117	7.45	7.19	0.14		
		S 0	18 22 2.69									12.29	12.51	-0.22		
19	MTI	EPD1	18 21 58.18					20 1.9	42.3	21	114	7.78	6.88	-0.27		
		S 2	18 22 3.68									13.26	13.76	-0.48		
19	NPN	EP 2	18 21 61.24							58.1	51	108	10.84	10.51	0.12	
19	WRN	EP 3	18 21 63.24							74.4	350	104	12.84	13.08	-0.28	
		S 2	18 22 12.91									22.51	22.43	0.08		

DEC H = 20 46 33.22 UTC NMS = 0.19 NU = 32 FREE DEPTH SOLUTION
 19 LAT = 37.284 N ERX = 0.3 ERM = 0.3 AVFM = 2.2 U = C
 LONG = 116.445 W ERY = 0.2 GAP = 59 AVRM = U3 = B
 DEPTH = 5.06 KM ERZ = 2.1 NM UD = C
 SILENT CANYON - NORTH

19	EPW	IPD0	20 46 36.09					38 2.3	13.3	126	108	2.87	2.99	-0.19	
		S 0	20 46 38.51									5.29	5.22	0.07	
19	BMT	EPD0	20 46 36.50					32 2.2	17.8	270	102	3.28	3.69	-0.24	
		S 0	20 46 39.05									5.83	6.02	-0.20	

9 0 1 5 3 1 9 3 7

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	ATN (DEG)	IUBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
19	BGB	EPU1	20 06 30.97					35	2.3	33.5	145	91	5.75	6.12	-0.29
		3 2	20 06 41.43									10.21	10.52	-0.11	
19	BLT	EPD2	20 06 39.01					10	1.8	36.0	52	94	6.19	6.55	-0.23
		3 2	20 06 44.87									11.65	10.97	0.68	
19	NMN	IPD0	20 06 40.20					28	2.2	40.1	236	94	6.96	7.15	-0.12
		3 0	20 06 45.44									12.22	12.14	0.08	
19	YMT5	EPU0	20 06 40.73					29	2.2	42.9	181	93	7.51	7.57	-0.06
		3 0	20 06 46.10									12.80	12.44	-0.06	
19	YMT6	EPU0	20 06 41.45					20	1.9	47.4	176	93	8.23	8.26	-0.12
		3 2	20 06 47.79									14.57	14.28	0.29	
19	CTS	IPU0	20 06 41.57					23	2.0	48.2	329	93	6.35	6.54	-0.02
		3 0	20 06 47.72									14.50	14.32	0.14	
19	YMT3	EPD1	20 06 41.77					45	2.6	48.4	189	93	8.55	8.83	-0.01
		3 1	20 06 47.98									14.76	14.64	0.12	
19	KRNA	EPU0	20 06 42.29					21	2.0	51.0	7	93	9.07	4.02	-0.02
		3 0	20 06 48.94									15.64	15.54	0.10	
19	LOP	EPU1	20 06 42.12					31	2.3	53.7	153	93	6.90	6.40	-0.42
		3 0	20 06 49.61									16.39	15.94	0.45	
19	HCT	EPD1	20 06 42.69					18	1.8	57.0	197	92	9.47	9.78	-0.16
		3 4	20 06 49.77									16.55	16.06	0.49	
19	GMR	EPD2	20 06 43.60					20	1.9	60.0	85	92	10.38	10.39	0.09
		3 4	20 06 51.05									17.83	17.59	0.24	
19	JGV	IPD0	20 06 43.81					32	2.4	62.1	237	92	10.59	10.74	-0.06
		3 0	20 06 51.69									18.47	18.21	0.25	
19	FMT	EPD2	20 06 46.79					22	2.1	77.5	203	92	12.87	13.13	-0.02
		3 4	20 06 55.27									22.05	22.05	0.01	
19	GVN	EPD1	20 06 47.64					29	2.4	85.8	249	92	14.42	14.44	-0.08
		3 2	20 06 58.18									24.96	24.80	0.16	
19	HCA	EPD2	20 06 50.47					24	2.2	102.6	227	91	17.25	17.07	0.10
		3 3	20 07 3.28									30.06	29.52	0.74	
19	HCR	EP 3	20 06 51.11						105.4	0	91	17.89	17.88	0.10	

1 9 3 3
9 0 1 5 3

DEC M = 19 3 59.24 UTC RMS = 0.32 NO = 34 FREE DEPTH SOLUTION
 20 LAT = 36.725 N ERX = 0.5 ERM = 0.7 AVFM = 2.3 u = C
 LONG = 115.698 W ERY = 0.5 GAP = 84 AVXM = u3 = C
 DEPTH = 7.37 KM ERZ = 2.5 NM = u4 = 0
 MERCURY

20	SPRG	IPD0	19 3 41.56					30	2.1	10.6	251	124	2.32	2.53	-0.19
		3 0	19 4 3.49										4.25	4.28	-0.04
20	CPX	IPU0	19 3 45.92					21	1.9	39.1	305	98	6.60	6.98	-0.28
		3 0	19 4 11.39										12.15	11.89	0.25
20	LOP	EPU0	19 3 46.74					34	2.3	44.3	289	97	7.50	7.90	-0.32
		3 0	19 4 12.99										13.75	13.37	0.37
20	APK	EPD1	19 3 47.25					25	2.1	46.4	166	97	8.01	8.84	-0.17
		3 0	19 4 13.23										13.99	13.98	0.01
20	LSM	EPU0	19 3 47.81					38	2.5	51.4	272	96	8.57	8.94	-0.39
		3 0	19 4 14.86										15.62	15.32	0.30
20	SHRG	EPD1	19 3 48.19					18	1.8	54.4	117	95	8.95	9.52	0.01
		3 1	19 4 15.36										16.12	15.27	0.84
20	SDM	EPU1	19 3 48.85					25	2.1	57.9	261	95	9.41	9.97	-0.32
		3 0	19 4 17.03										17.79	16.98	0.88
20	BGB	EPU0	19 3 48.86					30	2.3	58.6	306	95	9.62	10.22	-0.52
		3 0	19 4 16.96										17.72	17.34	0.38
20	EPR	EPD3	19 3 70.56					35	2.5	67.0	43	94	11.32	11.50	-0.16
		3 3	19 4 19.42										20.18	19.63	0.54
20	GMR	EPU1	19 3 70.76							67.8	354	94	11.52	11.69	-0.07
20	YMT5	EPU0	19 3 70.91					29	2.3	70.2	286	94	11.67	12.02	-0.35
		3 0	19 4 19.65										20.61	20.56	0.05
20	YMT1	EPD0	19 3 71.97					46	2.7	75.5	281	94	12.73	12.85	-0.25
		3 0	19 4 21.71										22.47	22.19	0.28
20	EPN	EPD2	19 3 72.35					27	2.3	77.8	314	94	13.11	13.44	-0.43
		3 0	19 4 22.11										22.87	23.09	-0.22
20	FMT	EPD0	19 3 75.25					25	2.3	97.1	264	93	16.01	16.32	-0.68
		3 2	19 4 27.68										28.44	27.50	0.94
20	BMT	EP 2	19 3 76.77							104.7	306	93	17.53	17.79	-0.10
20	NMN	EPD1	19 3 77.24							107.4	292	93	18.00	18.09	-0.05
		3 1	19 4 30.77										31.53	30.86	0.67

1981 SCB LUCAL-EVLNT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIS1 (KM)	AZI (DEG)	AHM (DEG)	TUMS (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
20	SCV	IPD0	19 3 79.60					30 2.5	122.3	283	92	20.36	20.53	-0.89	
		3 1	19 4 35.16									35.92	34.96	0.96	
20	MCA	EP 2	19 3 82.73					32 2.6	141.7	267	92	23.49	23.43	-0.03	
		3 4	19 3 0.43									-56.81	40.21	-99.02	
20	GVM	EPD4	19 3 84.28						149.8	282	52	25.04	24.70	0.28	
		3 4	19 3 2.41									-56.63	42.33	-98.97	
20	GMM	EPU3	19 3 83.92						153.0	295	52	24.68	25.40	-0.58	

DEC M = 7 14 17.46 UTC NMS = 0.15 NO = 19 FREE DEPTH SOLUTION
 21 LAT = 37.183 N ERX = 0.3 ERM = 0.4 AVFM = 2.1 U = B
 LONG = 117.388 W ERY = 0.3 GAP = 113 AVXM = US = A
 DEPTH = 9.01 KM ERZ = 1.2 NM = UD = B
 MI. JACKSON

21	GMM	IPD0	7 14 21.02					21 1.8	17.3	41	117	3.56	3.81	-0.11	
		3 0	7 14 23.66									6.20	6.26	-0.07	
21	GVM	IPU0	7 14 21.42					27 2.1	20.6	169	111	3.96	4.03	-0.13	
		3 0	7 14 24.47									7.01	6.99	0.02	
21	LCH	EPU0	7 14 21.89					26 2.0	23.7	284	109	4.43	4.63	-0.13	
		3 0	7 14 25.33									7.87	7.79	0.08	
21	MGM	EP 2	7 14 23.12					15 1.4	30.2	341	105	5.66	5.78	-0.03	
		3 0	7 14 27.44									9.98	9.73	0.25	
21	SGV	IPU0	7 14 24.25					30 2.2	38.8	125	101	6.79	7.02	-0.15	
		3 0	7 14 29.52									12.06	11.86	0.20	
21	NHN	EPU0	7 14 26.33					27 2.2	51.9	103	98	8.87	9.12	-0.20	
		3 0	7 14 33.26									15.80	15.51	0.29	
21	PPK	ep3	7 14 26.81						53.4	300	98	9.35	9.42	-0.09	
21	MCA	EPU2	7 14 27.98					22 2.0	60.1	171	96	10.52	10.20	0.24	
		3 4	7 14 34.86									17.40	17.58	-0.18	
21	CTS	EPD	7 14 30.84						78.7	48	95	13.38	13.54	0.01	
		3 4	7 14 40.42									22.96	22.86	0.10	
21	MCT	EPD0	7 14 30.93					21 2.1	80.5	123	95	13.47	13.64	-0.01	
		3 0	7 14 41.26									23.80	23.04	0.75	
21	YHT1	ep0	7 14 31.86					37 2.4	84.8	116	94	14.40	14.38	-0.11	
		3 4	7 14 43.27									25.81	24.81	1.00	
21	YHT5	EPU1	7 14 32.37					23 2.2	89.0	111	94	14.91	15.69	-0.18	
		3 0	7 14 43.69									26.23	25.80	0.43	

DEC M = 16 44 56.49 UTC NMS = 0.11 NO = 16 FREE DEPTH SOLUTION
 22 LAT = 37.254 N ERX = 0.4 ERM = 0.5 AVFM = 3.5 U = B
 LONG = 115.034 W ERY = 0.2 GAP = 154 AVXM = US = A
 DEPTH = 1.41 KM ERZ = 1.4 NM = UD = C
 ALAMO

22	EPR	IPD0	16 44 59.71						16.6	235	92	3.22	3.27	-0.04	
22	PRN	IPD0	16 44 60.02					145 3.5	17.0	355	92	3.53	3.39	0.02	
		3 0	16 45 2.53									6.04	6.00	0.04	
22	NPN	EPD0	16 44 64.62						45.1	11	74	8.13	8.05	-0.13	
		3 1	16 45 10.75									14.26	14.12	0.14	
22	DLN	EPD1	16 44 64.98						47.0	34	74	8.49	8.37	-0.12	
		3 1	16 45 11.26									14.77	14.75	0.02	
22	MTI	EPU0	16 44 65.49						51.5	336	74	9.00	9.06	-0.03	
		3 2	16 45 12.68									16.19	15.44	0.74	
22	CMR	EPD0	16 44 67.86						66.8	278	74	11.37	11.48	0.03	
		3 4	16 45 16.10									19.41	19.39	0.22	
22	TPU	EPU1	16 44 68.10						67.0	306	74	11.61	11.67	0.06	
		3 0	16 45 17.27									20.78	19.71	1.06	
22	SRG	EPU0	16 44 68.89						69.8	358	74	12.40	12.07	0.11	
		3 2	16 45 17.93									21.44	21.01	0.43	
22	SHRG	EPD0	16 44 70.34						83.9	187	74	13.85	14.36	-0.08	
		3 2	16 45 18.93									15.51	15.74	-0.20	
22	SPRG	EPD0	16 44 72.00						92.9	228	74	15.51	15.74	-0.20	
		3 2	16 45 19.93									16.67	16.10	0.52	
22	WRN	EPD4	16 44 73.16						94.5	329	74	16.67	16.10	0.52	
		3 4	16 45 20.93									17.07	16.52	0.57	
22	CPI	EP 4	16 44 73.56						97.7	248	74	17.07	16.52	0.57	
		3 4	16 44 73.97									17.40	16.97	0.64	
22	BLI	EP 4	16 44 73.97						110.1	246	74	18.48	18.64	-0.08	
		3 4	16 44 74.97												

90153 1939

1981 SGB LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER X MAG DUR FMAG DIST AZI AIM TOWS TCAL RES REMARKS
 1981 (UTC) (MU) (SEC) (RM) (DEG)(DEG) (SEC) (SEC) (SEC)

DEC M = 19 11 59.37 UTC RMS = 0.04 NO = 8 FREE DEPTH SOLUTION
 22 LAT = 36.739 N ERA = 0.3 ERH = 0.5 AVFM = 1.7 U = C
 LONG = 115.689 W ERY = 0.5 GAP = 185 AVXM = G3 = A MERCURY
 DEPTH = 5.50 NM ERZ = 1.3 NM = UD = D

22	SPRG	IPD0	19 11 01.93	14	1.5	11.9	245	112	2.50	2.50	0.01
22	MCT	EPD1	19 11 04.05	25	2.0	25.9	251	98	4.60	4.01	-0.05
22	LOP	EPD1	19 11 07.10	19	1.8	48.6	207	94	7.79	7.92	-0.05
22	JON	EPD	19 11 07.94	16	1.7	49.8	228	93	8.57	8.00	-0.03
22	SSP	EP 3	19 11 08.37	20	1.9	51.6	294	93	9.00	9.14	-0.05
22	LSM	EPD1	19 11 08.46	20	1.9	52.2	270	93	9.07	9.00	0.01
22	SDM	EP 1	19 11 09.50	10	1.3	59.0	260	93	10.19	10.12	0.11
22	EPR	EPD	19 11 70.50	16	1.8	65.4	43	93	11.19	11.21	0.00

DEC M = 0 32 19.09 UTC RMS = 0.24 NO = 52 FREE DEPTH SOLUTION
 23 LAT = 36.727 N ERX = 0.3 ERH = 0.4 AVFM = 2.2 U = B
 LONG = 115.689 W ERY = 0.2 GAP = 75 AVXM = U0 = B MERCURY
 DEPTH = 7.15 NM ERZ = 1.3 NM = Q0 = B

23	SPRG	IPD0	0 32 21.50	31	2.2	11.4	251	121	2.47	2.63	-0.13
		S 0	0 32 23.40						4.40	4.04	-0.04
23	MCT	IPD0	0 32 23.39	39	2.4	25.5	253	103	4.30	4.79	-0.41
		S 3	0 32 26.97						7.88	8.06	-0.10
23	CPX	IPU0	0 32 25.90	20	2.2	39.7	505	97	6.85	7.00	-0.10
		S 0	0 32 31.39						12.30	12.07	0.20
23	LOP	IPU0	0 32 26.70	29	2.2	45.0	700	96	7.61	8.00	-0.31
		S 0	0 32 32.04						13.75	13.55	0.20
23	APK	ep0	0 32 27.00	26	2.1	46.4	167	96	7.97	8.44	-0.20
		S 0	0 32 33.00						13.95	13.98	-0.03
23	JON	IPD0	0 32 27.31	26	2.1	48.9	229	96	8.22	8.00	-0.27
		S 0	0 32 34.14						15.05	14.52	0.53
23	SSP	IPU1	0 32 27.94	25	2.1	52.1	295	95	8.85	9.24	-0.30
		S 2	0 32 34.92						15.83	15.66	0.10
23	LSM	ep2	0 32 27.06	29	2.2	52.2	272	95	8.77	9.06	-0.31
		S 0	0 32 34.87						15.70	15.53	0.26
23	SHRC	EPD1	0 32 28.10	20	2.1	53.8	117	95	9.09	9.42	0.26
		S 2	0 32 35.35						16.26	15.10	1.16
23	CDM1	IPD1	0 32 28.60	25	2.1	58.0	285	95	9.59	10.05	-0.36
		S 0	0 32 36.12						17.03	17.02	0.02
23	SDM	EPU1	0 32 28.42	20	1.9	58.7	261	95	9.73	10.10	-0.33
		S 0	0 32 36.79						17.70	17.20	0.50
23	BGB	IPU0	0 32 28.85	29	2.3	59.1	304	95	9.76	10.30	-0.46
		S 0	0 32 36.76						17.67	17.47	0.20
23	GLR	EPD0	0 32 28.97			60.0	331	95	9.85	10.30	-0.43
		S 4	0 32 37.04						10.75	17.63	1.12
23	YHT3	EPU0	0 32 29.85	35	2.4	64.8	276	94	10.76	11.06	-0.27
		S 4	0 32 38.90						19.81	18.86	0.95
23	YHT6	ep0	0 32 30.12	26	2.2	65.5	263	94	11.03	11.22	-0.20
		S 4	0 32 39.07						19.90	19.33	0.65
23	EPR	EPD0	0 32 30.55	32	2.4	66.4	42	94	11.46	11.39	0.09
		S 4	0 32 39.25						20.16	19.44	0.72
23	GMR	EPU1	0 32 30.60	22	2.1	67.7	354	94	11.55	11.66	-0.01
		S 0	0 32 38.96						19.87	19.77	0.10
23	YHT4	EPU2	0 32 30.74			69.7	283	94	11.65	11.93	-0.39
23	YHT5	EPU0	0 32 30.96	26	2.2	70.9	266	94	11.87	12.13	-0.26
		S 4	0 32 40.09						21.71	20.75	0.97
23	YHT1	EPU0	0 32 31.08	34	2.5	76.2	201	94	12.79	12.96	-0.30
		S 4	0 32 40.88						21.79	22.39	-0.60
23	EPN	EPD1	0 32 32.50	24	2.2	78.2	314	93	13.47	13.51	-0.10
		S 1	0 32 42.09						23.00	23.20	-0.20
23	NOP	EP 1	0 32 32.05	26	2.2	78.5	212	93	12.96	13.20	-0.23
		S 0	0 32 42.06						22.97	22.56	0.41
23	AMR	EPD1	0 32 32.04	20	2.0	79.2	242	93	13.35	13.36	-0.01
		S 1	0 32 42.25						23.16	22.85	0.31
23	MCT	EPD1	0 32 33.20	26	2.3	84.0	275	93	14.11	14.19	0.08
		S 0	0 32 43.49						24.40	23.99	0.41

90153 1940

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (NM)	AZI (ULG)	ATN (DEG)	TUHS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
23	OC3	EP02	7 14 32.14					26 2.2	71.6	33	38	12.38	12.59	-0.18	
		S 3	7 14 41.59						76.7	140	38	21.63	21.48	0.35	
23	SPPG	ep	7 14 33.11						104.2	94	38	13.35	13.28	0.09	
23	EPR	EP 2	7 14 37.90					31 2.5	111.9	356	38	18.95	17.77	0.39	
23	MCR	EP00	7 14 34.71									33.59	19.18	-0.14	
		S 2	7 14 53.35									33.59	32.64	0.94	

DEC M = 22 0 42.47 UTC NMS = 0.25 NO = 22 FREE DEPTH SOLUTION
 23 LAT = 36.716 N ERX = 0.5 ERN = 0.7 AVFM = 1.7 U = 0
 LONG = 115.698 W ERY = 0.5 GAP = 74 AVXM = U5 = 0
 DEPTH = 7.05 KM ERZ = 1.7 NM = U0 = 0
 MERCURY

23	SPPG	IP00	22 0 44.68					16 1.6	10.2	256	123	2.21	2.46	-0.21	
		S 0	22 0 46.66									4.19	4.15	0.04	
23	MCV	EP01	22 0 46.64					25 2.0	24.3	256	103	4.17	4.60	-0.35	
		S 0	22 0 50.31									7.84	7.74	0.10	
23	CPX	EP00	22 0 49.17					9 1.2	39.7	307	97	6.70	7.07	-0.34	
23	LUP	EP 0	22 0 49.92					22 2.0	44.6	290	96	7.45	7.94	-0.41	
		S 1	22 0 56.29									13.62	13.44	0.38	
23	APK	EP 4	22 0 50.68					15 1.6	45.4	166	96	8.21	8.27	0.21	
		S 0	22 0 56.16									13.71	13.69	0.02	
23	JOM	EP01	22 0 50.47					16 1.7	47.4	230	96	8.00	8.24	-0.25	
		S 2	22 0 56.56									14.09	14.11	-0.02	
23	LSM	EP01	22 0 51.20					23 2.0	51.4	273	95	4.73	8.93	-0.22	
		S 0	22 0 58.01									15.54	15.30	0.24	
23	JHRC	EP01	22 0 51.59					16 1.7	54.0	116	95	9.12	0.45	0.26	
		S 3	22 0 58.49									16.02	15.15	0.87	
23	SDH	EP00	22 0 52.30					15 1.7	57.7	262	95	9.83	9.93	-0.04	
		S 0	22 0 59.94									17.47	16.91	0.56	
23	GLR	EP 3	22 0 52.71					12 1.5	60.7	332	94	10.24	10.50	-0.19	
		S 1	22 0 0.70									18.23	17.63	0.60	
23	EPR	EP02	22 0 53.93					15 1.7	67.9	42	94	11.46	11.63	-0.15	
		S 4	22 0 2.38									19.91	19.85	0.06	
23	CHR	EP 3	22 0 54.41					15 1.7	68.9	355	94	11.94	11.05	0.19	
		S 3	22 0 2.80									20.33	20.10	0.23	
23	PHN	EP 3	22 0 58.76					20 2.1	95.9	37	93	16.29	16.23	-0.06	
		S 4	22 0 10.23									27.76	27.95	-0.19	

DEC M = 9 44 40.50 UTC RMS = 0.22 NO = 25 FREE DEPTH SOLUTION
 25 LAT = 36.719 N ERX = 0.4 ERN = 0.5 AVFM = 1.6 U = 0
 LONG = 116.020 W ERY = 0.3 GAP = 98 AVXM = U5 = 0
 DEPTH = 4.08 KM ERZ = 2.1 NM = U0 = 0
 LATNROP WELLS

25	MCV	IP00	9 44 42.14					24 1.9	8.4	139	111	1.64	1.99	-0.27	
		S 0	9 44 43.83									3.33	3.26	0.07	
25	SPPG	ep2	9 44 44.07					13 1.4	19.4	98	95	3.57	3.73	-0.12	
		S 0	9 44 46.81									4.31	6.32	-0.01	
25	LOP	IP00	9 44 43.98					21 1.8	19.7	320	95	3.48	3.87	-0.31	
		S 0	9 44 47.23									6.73	6.48	0.25	
25	LSM	EP01	9 44 44.40					25 2.0	22.3	276	94	3.90	4.14	-0.29	
		S 0	9 44 47.34									6.84	7.18	-0.33	
25	CPX	EP 3	9 44 44.80					12 1.4	23.6	353	94	4.30	4.41	-0.08	
		S 0	9 44 48.26									7.76	7.49	0.27	
25	SDH	EP00	9 44 45.53					14 1.5	29.2	254	93	5.03	5.28	-0.20	
		S 0	9 44 49.01									9.31	8.95	0.36	
25	CDH1	EP00	9 44 45.66					12 1.4	30.5	301	93	5.16	5.56	-0.29	
		S 0	9 44 49.89									9.34	9.33	0.06	
25	JOM	EP00	9 44 46.03					15 1.4	31.8	193	93	5.53	5.66	-0.14	
		S 0	9 44 50.45									9.45	9.70	-0.25	
25	YMT3	ep1	9 44 46.67					23 2.0	35.3	282	92	6.17	6.27	-0.05	
		S 3	9 44 51.43									10.43	10.64	0.30	
25	BGB	EP00	9 44 47.63					16 1.7	39.8	333	92	7.13	7.13	0.08	
25	YMT5	EP01	9 44 48.19					12 1.4	43.2	297	92	7.69	7.62	0.08	
		S 1	9 44 53.71									13.21	13.02	0.19	
25	GLR	EP01	9 44 49.80					13 1.5	53.3	1	91	9.50	9.28	0.09	
		S 0	9 44 56.24									15.74	15.75	0.00	

90153 1942

9015300/1942

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981 STA PHASE TIME (UTC) AMP PER (MU) (SEC) RMAG DUR PMAG DIST AZI AIN (NM) (DEG) (DEG) T000 TCAL (SEC) (SEC) RES REMARKS

25 NOP EPD3 9 44 51.80 15 1.7 66.6 190 90 11.30 11.13 0.27
 S 1 9 45 0.27 19.77 18.07 0.90

DEC M = 15 22 22.20 UTC RMS = 0.29 NU = 18 FREE DEPTH SOLUTION
 25 LAT = 36.714 N ENX = 0.7 ENM = 1.2 AVFM = 1.8 U = B
 LONG = 115.699 W ERY = 0.9 GAP = 114 AVXM = US = B MERCURY
 DEPTH = 8.89 KM ERZ = 1.7 NM = GD = B

25 SPRG EPD0 15 22 24.67 15 1.5 10.1 257 131 2.39 2.62 -0.20
 S 0 15 22 26.60 4.36 4.43 -0.07
 25 MCV EPD0 15 22 26.59 20 2.1 24.2 256 108 4.31 4.67 -0.28
 S 0 15 22 30.30 8.02 7.84 0.18
 25 LOP EPU1 15 22 29.72 20 1.9 44.6 298 99 7.44 7.98 -0.46
 S 1 15 22 35.94 13.66 13.51 0.15
 25 JUN EPU1 15 22 30.58 13 1.5 47.3 230 98 8.30 8.25 0.04
 S 1 15 22 30.58 14.25 14.13 0.13
 25 LSM EPU1 15 22 30.94 18 1.8 51.3 273 98 8.60 8.95 -0.31
 S 0 15 22 30.94 15.73 15.34 0.39
 25 SHRG EPU1 15 22 31.00 25 2.1 54.0 116 97 9.52 9.48 0.43
 25 CDH1 EP2 15 22 31.06 15 1.7 57.5 286 97 9.58 10.00 -0.32
 S 1 15 22 39.54 17.26 16.93 0.33
 25 SDH EPU1 15 22 32.00 13 1.6 57.6 262 97 9.72 9.95 -0.19
 S 2 15 22 39.92 17.60 16.94 0.70
 25 BGB EP 2 15 22 32.12 19 1.9 59.2 307 97 9.84 10.34 -0.42
 S 0 15 22 39.88 17.60 17.55 0.05
 25 EPR EPU1 15 22 33.93 68.0 42 96 11.65 11.67 -0.01
 S 4 15 22 43.50 21.20 19.94 1.34

DEC M = 5 42 55.37 UTC RMS = 0.14 NO = 28 FREE DEPTH SOLUTION
 26 LAT = 37.176 N EPX = 0.3 ERM = 0.3 AVFM = 2.2 U = B
 LONG = 117.380 W ERY = 0.2 GAP = 169 AVXM = US = A MT. JACKSON
 DEPTH = 6.06 KM ERZ = 1.3 NM = UD = C

26 GVN IPD0 5 42 58.74 21 1.8 17.5 38 106 3.37 3.67 -0.15
 S 0 5 43 1.34 5.97 6.01 -0.05
 26 GVN EPU0 5 42 59.04 26 2.0 19.6 170 103 3.67 3.70 -0.13
 S 0 5 43 1.99 6.62 6.50 0.12
 26 MGV IPU0 5 42 01.15 16 1.6 31.2 341 98 5.78 5.85 0.02
 S 0 5 43 5.26 9.89 9.84 0.04
 26 SCV IPU0 5 42 01.84 34 2.3 37.7 125 96 6.47 6.79 -0.25
 S 0 5 43 6.84 11.47 11.46 0.01
 26 NHN EPD1 5 42 03.93 51.1 102 94 8.56 8.94 -0.33
 S 0 5 43 10.48 15.11 15.20 -0.09
 26 MCA EPD1 5 42 05.00 18 1.8 59.2 171 93 10.23 10.01 0.14
 S 4 5 43 12.46 17.09 17.26 -0.17
 26 BMT EP 2 5 42 06.38 29 2.3 66.3 83 93 11.01 11.55 -0.38
 S 0 5 43 15.32 19.95 19.46 0.48
 26 CTS EFD0 5 42 08.58 21 2.1 78.8 67 93 13.21 13.52 -0.14
 S 1 5 43 18.69 23.32 22.63 0.69
 26 YMT1 EPU0 5 42 09.57 34 2.5 83.8 115 92 14.20 14.19 -0.13
 S 4 5 43 20.65 25.28 24.47 0.78
 26 YMT5 EPD0 5 42 70.08 21 2.1 88.0 110 92 14.71 14.91 -0.21
 S 4 5 43 20.71 25.34 25.50 -0.17
 26 YMT0 EP3 5 42 70.65 27 2.3 89.6 113 92 15.20 15.15 0.02
 S 0 5 43 21.64 26.27 26.09 0.18
 26 YMT3 EPU0 5 42 71.29 30 2.4 96.5 117 92 15.92 16.22 -0.25
 S 1 5 43 23.42 28.05 27.65 0.40
 26 CDH1 EPU0 5 42 72.13 27 2.3 100.9 110 92 16.76 17.01 -0.15
 26 BGB EPD0 5 42 72.71 103.6 99 92 17.34 17.52 -0.10
 26 KRNA EP 4 5 42 73.17 108.5 55 92 17.80 18.37 -0.65
 26 LSM EPD1 5 42 73.76 23 2.2 109.8 116 92 18.39 18.41 -0.04
 26 SDH EP 3 5 42 73.80 110.0 122 92 18.43 18.42 0.05
 26 LUP EPU4 5 42 74.72 28 2.4 113.7 108 92 19.35 19.16 0.27
 S 4 5 43 29.16 33.79 32.63 1.16
 26 BLT EPD1 5 42 75.10 116.6 73 92 19.73 19.66 0.20
 26 GLR EP 2 5 42 75.67 121.0 89 92 20.30 20.29 0.07
 S 3 5 43 30.55 35.18 34.58 0.59

90153 1943

1981 SCS LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER NMAG DUN FMA3 DIST AZI AIN TOP3 TCAL PEB REMARKS
1981 (UTC) (MU) (SEC) (NM) (DEG) (DEG) (SEC) (SEC) (SEC)

DEC M = 6 4 10.27 UTC RMS = 0.27 NO = 26 FREE DEPTH SOLUTION
 26 LAT = 37.898 N ERX = 0.5 ERM = 0.9 AVFM = 2.8 U = D SILVER PEAK
 LONG = 117.513 W ERY = 0.8 GAP = 229 AVXM = 03 = C
 DEPTH = 5.14 KM ERZ = 8.3 NM = UD = D

26	MZP	EPU1	6	4	14.67				24.7	152	98	4.40	4.88	-0.21
		3 3	6	4	17.90							7.63	7.87	-0.24
26	BVP	EPU0	6	4	16.54		45	2.6	32.5	231	95	6.27	6.15	0.01
		3 0	6	4	20.78							10.51	10.70	-0.20
26	HCM	IPU0	6	4	18.95		39	2.3	50.8	178	93	6.60	9.00	-0.24
		3 0	6	4	24.88							14.61	15.24	-0.63
26	PPX	IPU0	6	4	21.56		39	2.3	62.9	214	92	11.29	10.92	0.36
		3 4	6	4	29.63							19.36	16.68	0.67
26	GMN	IPU0	6	4	22.08		49	2.8	70.1	161	92	11.01	12.15	-0.19
		3 3	6	4	30.61							20.34	20.52	-0.18
26	CTS	IPU0	6	4	22.72		50	2.8	74.3	111	92	12.45	12.79	-0.34
		3 4	6	4	31.55							21.28	21.50	-0.22
26	LCM	IPU0	6	4	23.04		37	2.3	74.6	140	92	12.77	12.75	0.02
		3 0	6	4	32.21							21.94	21.66	0.28
26	GVN	EPU0	6	4	27.27		61	3.1	100.7	171	91	17.00	16.87	0.07
		3 0	6	4	39.67							29.40	28.95	0.45
26	NRNA	EPD0	6	4	27.57		47	2.8	101.4	100	91	17.30	17.21	0.01
		3 3	6	4	40.03							29.74	29.55	0.20
26	BMT	EPU1	6	4	27.47		62	3.1	102.6	132	91	17.20	17.45	-0.09
		3 1	6	4	40.31							29.84	29.55	0.28
26	NMN	EPU1	6	4	28.57		55	3.0	109.6	176	91	18.30	18.45	-0.10
		3 0	6	4	41.98							31.71	31.45	0.24
26	SGV	EPU0	6	4	28.93		60	3.2	110.3	157	91	18.66	18.50	0.16
		3 0	6	4	41.75							31.48	31.62	-0.15
26	BLT	EP 2	6	4	32.19		45	2.9	131.0	111	90	21.92	21.61	0.44
		3 2	6	4	48.23							37.96	36.73	1.23
26	WCT	EPU0	6	4	34.29		50	3.0	145.7	147	90	24.02	24.00	0.17
		3 3	6	4	51.71							41.44	40.77	0.67

DEC M = 17 29 44.36 UTC RMS = 0.10 NO = 39 FREE DEPTH SOLUTION
 26 LAT = 36.725 N ERX = 0.2 ERM = 0.2 AVFM = 2.9 U = B MERCURY
 LONG = 115.708 W ERY = 0.1 GAP = 72 AVXM = 03 = A
 DEPTH = 8.64 KM ERZ = 0.4 NM = UD = B

26	SPRG	IPD0	17	29	46.89		68	2.8	9.7	249	131	2.53	2.54	0.02
		3 0	17	29	48.56							4.20	4.29	-0.10
26	MCV	IPD1	17	29	48.76		65	2.8	23.7	253	108	4.40	4.58	-0.10
		3 0	17	29	52.20							7.84	7.70	0.14
26	CPY	IPU0	17	29	51.24		52	2.7	38.4	306	100	6.88	6.89	0.01
		3 0	17	29	56.17							11.81	11.74	0.07
26	LOP	IPU0	17	29	52.06		76	3.0	43.4	289	99	7.70	7.78	-0.01
		3 4	17	29	58.02							13.66	13.17	0.48
26	APK	EPU3	17	29	52.35		56	2.8	46.6	165	98	7.99	8.50	-0.25
		3 0	17	29	58.56							14.20	14.08	0.12
26	JON	IPD0	17	29	52.64		51	2.7	47.4	228	98	8.28	8.27	0.00
		3 4	17	29	59.29							14.93	14.16	0.77
26	LSM	IPU0	17	29	53.17		63	2.9	50.5	272	98	8.81	8.86	-0.02
		3 4	17	29	59.91							15.55	15.09	0.46
26	SSP	IPU1	17	29	53.24		60	2.9	50.6	296	98	8.88	9.03	-0.07
		3 2	17	29	0.04							15.68	15.30	0.38
26	SHRG	EPU0	17	29	53.38		54	2.8	55.2	116	97	9.02	9.68	-0.07
		3 4	17	30	0.66							16.30	15.54	0.75
26	CDM1	IPD0	17	29	54.03		56	2.8	56.4	285	97	9.67	9.81	-0.05
		3 4	17	30	1.60							17.24	16.61	0.63
26	SDM	EPU0	17	29	54.16		48	2.7	57.0	261	97	9.80	9.84	0.00
		3 4	17	30	2.02							17.66	16.75	0.91
26	BGB	IPU3	17	29	54.19		60	2.9	57.8	307	97	9.83	10.12	-0.21
		3 4	17	30	2.11							17.75	17.16	0.58
26	GLR	EPU4	17	29	54.25		61	2.9	59.4	332	96	9.89	10.31	-0.35
		3 0	17	30	1.94							17.58	17.51	0.07
26	YHT3	EPU0	17	29	55.16		82	3.2	63.1	276	96	10.82	10.82	0.00
		3 4	17	30	3.36							19.00	18.42	0.57

1944
20153

00153000/1944

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	U1ST (NM)	AZI (DEG)	AIM (DEG)	TOMB (SLC)	TCAL (SEC)	RED (SEC)	REMARKS
28	GNV	EP 4	11 57 29.55						61.6	232	92	10.96	10.65	0.39	
		S 4	11 57 37.15						16.76			16.76	10.08	0.09	
28	GLR	EP 1	11 57 31.96				20	2.0	75.1	8	92	12.67	12.83	0.12	

DEC H = 22 45 42.40 UTC MNS = 0.08 MD = 34 FREE DEPTH SOLUTION
 28 LAT = 37.222 N ERX = 0.2 ERM = 0.2 AVFM = 4.0 U = B
 LONG = 114.928 W ERY = 0.1 GAP = 173 AVXP = U8 = A
 DEPTH = 5.27 NM ERZ = 0.7 NM = UD = C
 DELAMAR MOUNTAINS

28	PRM	IPU0	22 45 47.01						212	3.4	25.2	332	96	4.55	4.01	0.02	Alamo
28	EPR	EPD2	22 45 46.54						210	3.9	23.7	256	96	4.08	4.45	-0.35	Felt at
28	DLM	IPU0	22 45 50.81						205	3.9	45.0	21	94	8.35	8.12	-0.02	
28	NPN	IPU0	22 45 51.12						212	4.0	37.8	359	93	8.66	8.43	0.02	
28	HTI	EPU0	22 45 52.72								59.0	529	93	10.26	10.22	0.07	
28	SRG	EPU1	22 45 55.40								74.3	350	92	13.10	12.74	0.10	
28	GMR	EPU3	22 45 54.99								75.0	279	92	12.53	12.96	-0.33	
28	TPU	IPU1	22 45 55.35								76.7	304	92	12.89	13.18	-0.15	
28	SHRG	EPU0	22 45 55.88								82.1	194	92	13.42	10.01	0.00	
28	GLR	EPU0	22 45 58.68								96.7	269	91	16.22	16.35	-0.06	
28	SPRG	EPD4	22 45 58.47								97.9	233	91	16.01	16.09	-0.45	
28	WRN	EPU0	22 45 59.80								102.5	325	91	17.34	17.35	-0.05	
28	CPX	EP 0	22 45 60.02								105.3	252	91	17.56	17.70	-0.11	
28	QCS	EP 0	22 45 60.48								106.3	305	91	18.02	18.00	0.05	
28	BLT	EPU2	22 45 60.61								109.6	285	91	18.15	18.52	-0.24	
		S 4	22 46 14.99											32.53	31.45	1.08	
28	MCY	IPU2	22 45 60.71								111.2	4.4	91	18.25	18.66	-0.33	
28	APK	EP 4	22 45 61.41								115.5	210	91	18.95	19.61	-0.44	
28	BGB	EPD1	22 45 61.91					188	4.1		117.3	217	91	19.45	19.74	-0.23	
28	LDP	EPU0	22 45 62.18								117.4	250	91	19.72	19.80	0.00	
28	SSP	EP 0	22 45 62.49								119.3	254	91	20.03	20.14	-0.05	
28	EPH	EPU0	22 45 63.36								123.9	270	90	20.90	20.45	0.39	
28	CDM1	EPD1	22 45 64.17								130.0	252	90	21.71	21.44	0.37	
28	LSP	EP 0	22 45 64.26								131.1	246	90	21.80	21.62	0.16	
28	JON	EPU0	22 45 65.06								136.1	230	90	22.60	22.43	0.14	
28	YHT6	EPU3	22 45 65.70								137.4	253	90	23.24	22.65	0.50	
		S 4	22 46 24.19											41.73	38.89	2.85	
28	YHT5	EPU2	22 45 66.08								140.3	255	90	23.62	23.11	0.51	
28	YHT3	IPU2	22 45 65.95					296	4.4		140.5	250	90	23.49	23.15	0.39	
28	KRNA	IPU2	22 45 66.28								140.6	294	90	23.82	23.17	0.58	
28	YHT4	EPU1	22 45 66.20								141.2	254	90	23.74	23.26	0.37	
28	YHT1	EPU0	22 45 67.11								148.2	254	90	24.65	24.40	0.12	
28	BHT	EPU0	22 45 67.72								152.4	273	90	25.26	25.09	0.34	
28	NCT	EPU0	22 45 68.39								156.5	252	52	25.93	26.06	0.03	
		S 4	22 46 29.34											46.80	44.29	2.59	
28	NOP	EP 0	22 45 69.02								163.4	222	52	26.56	26.48	-0.03	
28	AMR	EPD2	22 45 69.64								164.5	236	52	27.18	26.89	0.28	
		S 4	22 46 31.49											49.03	46.88	3.03	
28	CT3	EPU0	22 45 69.60								166.3	287	52	27.14	27.24	0.05	
		S 4	22 46 31.92											49.46	46.33	3.13	
28	HCR	EPU0	22 46 10.66								174.0	310	52	28.20	28.20	0.01	
		S 4	22 46 33.32											50.86	48.21	2.65	
28	FMT	EPD4	22 46 11.34								177.1	249	52	28.88	28.45	0.67	
		S 4	22 46 32.42											49.96	48.24	1.72	
28	SCV	IPU0	22 46 12.49								188.9	262	52	30.03	30.09	0.03	
28	GMN	EPU2	22 46 14.69								206.9	272	52	32.23	32.53	-0.14	
		S 4	22 46 43.67											61.21	55.34	5.85	
28	PGE	EP 4	22 46 16.00								214.0	243	52	33.54	33.36	0.40	
		S 4	22 46 43.99											61.53	56.67	4.86	
28	OSM	EPU2	22 46 16.47								222.7	231	52	34.81	34.21	-0.28	
		S 4	22 46 45.18											62.72	58.65	4.08	
28	THP	EP 4	22 46 27.17								223.4	295	52	44.71	34.59	9.85	
28	MGM	EPU2	22 46 17.58								229.0	274	52	35.12	35.35	-0.14	
		S 4	22 46 45.59											63.13	60.29	2.84	

70153 1946

1981 SGB LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER XMAS DUR FMAS DIST AZI AIN 1088 TCAL RED REMARKS
 1981 (MU) (SEC) (MM) (SEC) (KM) (DEG)(DEG) (SEC) (SEC) (SEC)

DEC M = 0 41 25.03 UTC RMS = 0.20 NU = 29 FREE DEPTH SOLUTION
 29 LAT = 37.193 N ERX = 0.5 ERM = 0.6 AVPM = 3.2 U = C
 LONG = 114.882 W ERY = 0.4 GAP = 182 AVXM = US = B
 DEPTH = 5.52 KM ERZ = 1.0 NM = W0 = D
 DELAMAR MOUNTAINS

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS (MM)	DUR (SEC)	FMAS (SEC)	DIST (KM)	AZI (DEG)	AIN (DEG)	1088 (SEC)	TCAL (SEC)	RED (SEC)	REMARKS
29	EPR EPD2	0 41 29.42						77 3.0	27.2	264	97	4.39	5.02	-0.62
	S 4	0 41 32.66										7.63	8.55	-0.93
29	PRN EPU2	0 41 29.97						91 3.1	28.0	328	97	4.94	5.19	-0.37
	S 1	0 41 33.98										8.95	9.08	-0.13
29	DLM EPD0	0 41 33.75							47.5	15	94	8.72	8.48	0.07
	S 4	0 41 40.50										15.47	14.79	0.68
29	NPM EPD2	0 41 34.08							51.2	355	93	9.05	8.98	-0.15
	S 4	0 41 41.43										16.40	15.72	0.67
29	MTI EPU1	0 41 36.19							63.8	327	93	11.16	11.01	0.18
	S 4	0 41 44.80										19.77	18.78	0.99
29	SRG EPU0	0 41 38.70							78.2	348	92	13.67	13.37	0.07
	S 4	0 41 49.11										24.08	23.24	0.83
29	SHRC ep1	0 41 38.08							80.3	198	92	13.05	13.70	-0.07
	S 4	0 41 48.11										23.08	22.42	0.65
29	GMR EPU4	0 41 37.96							80.4	281	92	12.93	13.71	-0.09
	S 0	0 41 40.33										23.30	23.28	0.02
29	TPU IPD3	0 41 38.63							81.9	304	92	13.60	14.03	-0.29
	S 4	0 41 49.45										24.42	23.74	0.67
29	SPRC EPU4	0 41 41.24							99.5	236	92	16.21	16.76	-0.52
	S 1	0 41 53.75										28.72	28.60	0.11
29	WRN EPU0	0 41 43.34							107.5	324	91	18.31	18.16	0.11
	S 4	0 41 56.86										31.83	31.12	0.70
29	GCS EPU0	0 41 43.82							111.5	305	91	18.79	18.84	-0.03
	S 4	0 41 57.86										32.83	32.17	0.65
29	HCY EP 3	0 41 43.62							113.0	239	91	18.59	18.95	-0.29
	S 0	0 41 57.21										32.18	32.27	-0.10
29	BLT EP 2	0 41 44.01							114.6	286	91	18.98	19.33	-0.23
	S 4	0 41 58.42										33.39	32.84	0.55
29	LOP EPU4	0 41 44.52							120.5	252	91	19.49	20.27	-0.70
	S 4	0 41 59.98										34.95	34.52	0.43
29	BGB EPU4	0 41 44.87							120.9	262	91	19.84	20.34	-0.42
	S 0	0 41 59.60										34.57	34.64	-0.07
29	BSP EPU4	0 41 45.15							122.5	254	91	20.12	20.68	-0.48
	S 2	0 42 0.00										34.97	35.22	-0.25
29	EPM EPD4	0 41 46.15							128.0	271	91	21.12	21.62	-0.57
	S 1	0 42 2.24										37.71	37.00	0.13
29	JON EPD1	0 41 48.01							137.4	233	90	22.98	22.64	0.32
	S 3	0 42 4.33										39.30	38.74	0.56
29	YMT6 EPU0	0 41 48.56							140.5	255	90	23.53	23.16	0.28
	S 4	0 41 49.34							143.4	245	90	24.31	23.61	0.73
29	SDH EP 4	0 41 49.34										40.91	40.31	0.60
	S 3	0 42 5.94										23.40	23.62	-0.18
29	YHT3 EP 3	0 41 48.83						95 3.6	145.4	252	90	23.40	23.62	-0.18
	S 4	0 42 7.71										42.68	40.31	2.37
29	YHT5 ep0	0 41 49.01							143.7	257	90	23.98	23.67	0.30
	S 4	0 42 7.01										41.98	40.48	1.49
29	KRNA EPU1	0 41 49.40							145.7	295	90	24.37	24.00	0.30
	S 2	0 42 7.19										42.16	41.15	1.00
29	CTS EP 0	0 41 52.77							171.2	287	52	27.74	27.86	0.04
	S 0	0 41 53.78							179.2	310	52	28.75	28.92	-0.09

DEC M = 9 16 13.40 UTC RMS = 0.11 NU = 27 FREE DEPTH SOLUTION
 29 LAT = 37.193 N ERX = 0.3 ERM = 0.4 AVPM = 2.8 U = C
 LONG = 114.875 W ERY = 0.3 GAP = 218 AVXM = US = A
 DEPTH = 8.79 KM ERZ = 0.6 NM = W0 = D
 DELAMAR MOUNTAINS

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAS (MM)	DUR (SEC)	FMAS (SEC)	DIST (KM)	AZI (DEG)	AIN (DEG)	1088 (SEC)	TCAL (SEC)	RED (SEC)	REMARKS
29	EPR EPU4	9 16 17.78						79 3.0	27.8	264	105	4.38	5.22	-0.83
	S 0	9 16 22.33										6.93	8.90	0.03
29	PRN IPU3	9 16 18.33						77 3.0	28.3	327	105	4.93	5.35	-0.54
	S 4	9 16 22.38										8.98	9.35	-0.37
29	DLM EPD0	9 16 22.14						42 2.5	47.3	15	98	8.74	8.43	0.06
	S 0	9 16 28.16										14.76	14.84	-0.09

301531947

30153000/1947

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	DIST (KM)	AZI (DEG)	AIM (DEG)	TUMS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
29	NPN	EP00	9 16 22.60					41 2.5	51.3	354	98	9.20	9.05	-0.06	
		3 0	9 16 29.31									15.91	15.83	0.08	
29	NTI	EP03	9 16 29.11					42 2.6	64.2	327	96	10.71	11.10	-0.37	
		3 0	9 16 32.42									19.02	18.94	0.08	
29	SRC	EP01	9 16 27.12					58 2.9	78.4	347	95	13.72	13.42	0.07	
		3 4	9 16 37.27									23.67	23.33	0.34	
29	GHR	EP 1	9 16 26.94						81.0	281	95	13.54	13.04	-0.20	
		3 1	9 16 30.74									23.34	23.49	-0.15	
29	TPU	EP04	9 16 26.98					47 2.8	62.4	304	94	13.54	14.13	-0.42	
		3 4	9 16 38.97									20.67	23.93	0.74	
29	SPRC	ep0	9 16 30.28						100.0	236	94	10.88	10.66	0.05	
		3 4	9 16 43.90									30.50	28.77	1.73	
29	GLR	EP 3	9 16 39.14						101.5	270	94	10.74	17.13	-0.32	
		3 1	9 16 42.73									29.33	29.17	0.16	
29	HRN	EP02	9 16 31.43						107.8	324	93	10.03	10.23	-0.20	
		3 4	9 16 46.26									32.00	31.24	1.01	
29	QCS	EP 0	9 16 32.35						112.0	305	93	10.95	10.94	0.04	
		3 4	9 16 46.65									33.25	32.33	0.92	
29	MCT	EP01	9 16 32.21					44 2.8	113.5	239	93	10.81	19.04	-0.16	
		3 4	9 16 46.63									33.23	32.03	0.80	
29	BLT	EP00	9 16 32.75						115.2	206	93	19.35	19.03	0.04	
		3 4	9 16 46.84									33.44	33.01	0.43	
29	LOP	EP 0	9 16 33.69					44 2.8	121.1	252	93	20.29	20.37	0.00	
		3 4	9 16 49.25									35.85	34.69	1.16	
29	BGB	EP 2	9 16 34.04						121.5	262	93	20.64	20.44	0.27	
		3 2	9 16 48.00									34.60	34.02	-0.23	
29	EPN	EP00	9 16 35.30					47 2.9	128.6	271	93	21.90	21.72	0.11	
		3 0	9 16 50.67									37.27	37.25	0.02	
29	JON	EP01	9 16 36.46						137.9	233	93	23.06	22.90	0.11	
		3 1	9 16 52.70									39.30	39.24	0.06	
29	KRNA	EP00	9 16 37.77						146.3	295	52	24.37	24.36	-0.06	
		3 0	9 16 55.25									41.05	41.78	0.07	

DEC M = 10 42 52.55 UTC NMS = 0.20 NO = 15
 29 LAT = 37.192 N ERX = 0.8 ENH = 1.2 AVFM = 2.5 u = C
 LONG = 114.922 W ERY = 0.8 GAP = 216 AVSM = 0.5 GS = B
 DEPTH = 2.07 KM ERZ = 4.1 NM = 0 UD = D

FREE DEPTH SOLUTION

DELMAR MOUNTAINS

29	EPR	EPD1	10 42 56.93					59 2.8	23.6	264	74	4.28	4.46	-0.16	
		3 3	10 43 0.02									7.47	7.59	-0.12	
29	PHN	IPU1	10 42 57.31					48 2.6	26.4	335	74	4.76	4.94	-0.31	
		3 1	10 43 1.36									8.81	8.66	0.15	
29	DLM	EP00	10 42 61.37						48.7	19	74	0.62	0.62	-0.05	
		3 1	10 43 0.13									15.58	15.17	0.41	
29	NPN	EP01	10 42 61.52					49 2.7	51.1	359	74	8.97	9.00	-0.24	
		3 1	10 43 0.20									15.45	15.75	-0.10	
29	MTI	EP 0	10 42 63.15					38 2.3	62.1	330	74	10.60	10.76	-0.13	
		3 4	10 43 11.83									19.24	18.34	0.93	
29	GHR	EP 1	10 42 65.72					23 2.1	76.9	262	74	13.17	13.16	0.00	
		3 4	10 43 15.44									22.89	22.37	0.52	
29	SRC	EP 4	10 42 65.57					47 2.7	77.7	350	74	13.02	13.31	-0.52	
		3 0	10 43 15.74									23.19	23.14	0.04	
29	TPU	EP04	10 42 66.40						79.0	305	74	13.05	13.59	0.39	
29	SPRC	ep2	10 42 69.21					29 2.4	96.5	235	74	16.66	16.30	0.39	
		3 4	10 43 21.29									28.74	27.81	0.92	
29	GLR	EP04	10 42 69.45						97.3	270	74	16.90	16.46	0.50	
		3 0	10 43 20.78									28.23	28.03	0.20	
29	HRN	EP 4	10 42 70.81					24 2.3	105.6	326	74	18.26	17.87	0.34	
		3 4	10 43 23.96									31.41	30.63	0.77	
29	QCS	EP 4	10 42 71.49					27 2.4	108.7	306	74	18.94	18.41	0.56	
		3 4	10 43 24.61									32.06	31.43	0.63	
29	MCT	EP03	10 42 71.43					36 2.6	109.8	238	74	18.88	18.47	0.48	
		3 0	10 43 26.33									33.78	31.45	2.33	
29	LOP	EP00	10 42 73.84					34 2.6	117.1	251	74	21.29	19.73	1.64	
		3 4	10 43 29.17									36.62	33.60	3.01	
29	BGB	EP 4	10 42 73.58					30 2.5	117.3	262	74	21.03	19.78	1.32	
		3 4	10 43 29.16									36.61	33.69	2.92	

1948 30153

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	BTA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XMAG	DUR	FMAG	DIST (NM)	AZI (DEG)	AIM (DEG)	T0B3 (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
29	EPN	EPD4	10 42 74.82					35 2.7	124.5	271	74	22.27	21.06	1.15	
		S 4	10 43 31.50									38.45	36.11	2.83	
29	JON	EPD4	10 42 75.78						134.5	232	74	23.23	22.40	0.81	
		S 4	10 43 31.77									39.22	38.33	0.89	
29	KRNA	EPD1	10 42 76.66					31 2.6	142.5	295	74	24.11	23.93	0.18	
		S 4	10 43 34.79									42.24	41.04	1.19	

DEC M = 0 5 12.42 UTC RMS = 0.12 NO = 26 FREE DEPTH SOLUTION
 30 LAT = 37.194 N ERX = 0.3 ERM = 0.4 AVFM = 3.7 U = C
 LONG = 114.903 W ERY = 0.3 GAP = 214 AVXM = 03 = B
 DELAMAR MOUNTAINS
 DEPTH = 5.01 KM ERZ = 4.0 NM = 40 = D

30	FPR	IPD2	0 5 17.31					186 3.8	25.3	264	99	4.44	4.72	-0.22	
30	PRN	IPU1	0 5 17.79					185 3.8	26.9	331	98	4.97	5.02	-0.17	
30	GLM	EPD0	0 5 21.61						47.9	18	90	8.79	8.47	0.07	
		S 0	0 5 27.67									14.85	14.91	-0.06	
30	NPN	EPD0	0 5 21.89					113 3.4	50.9	357	90	9.07	8.94	-0.09	
		S 0	0 5 28.52									15.70	15.65	0.04	
30	MTI	EPU1	0 5 23.51						62.7	329	93	10.69	10.83	-0.11	
		S 4	0 5 32.31									19.49	18.47	1.02	
30	SRG	EPU1	0 5 26.48						77.7	349	92	13.66	13.29	0.15	
		S 2	0 5 36.21									23.39	23.11	0.20	
30	GMR	EPU4	0 5 25.82						78.5	281	92	13.00	13.41	-0.31	
		S 0	0 5 35.59									22.77	22.75	0.02	
30	TPU	EPU0	0 5 26.38						80.2	305	92	13.56	13.76	-0.06	
		S 4	0 5 33.89									21.07	23.29	-2.22	
30	SPRG	EPU0	0 5 29.30						90.0	235	92	16.48	16.51	0.00	
		S 4	0 5 41.73									28.91	28.10	0.73	
30	CLR	EPU0	0 5 29.49						98.9	270	92	16.67	16.70	0.04	
		S 1	0 5 41.20									28.38	28.44	-0.06	
30	NRN	EPU2	0 5 30.64						106.3	325	92	17.92	17.96	-0.19	
		S 4	0 5 44.51									31.69	30.79	0.90	
30	QCS	EPD1	0 5 31.55						109.9	305	92	18.73	18.58	0.18	
		S 4	0 5 46.15									33.33	31.72	1.61	
30	MCY	EPU0	0 5 31.48						111.4	238	92	18.66	18.69	0.04	
		S 4	0 5 46.34									33.52	31.83	1.69	
30	BLT	EPD4	0 5 32.22						112.7	284	92	19.40	19.83	0.50	
		S 4	0 5 46.63									33.81	32.31	1.49	
30	LOP	EPU1	0 5 32.85						118.7	251	91	20.03	19.97	0.13	
		S 4	0 5 47.64									34.82	34.02	0.80	
30	BGB	EPD0	0 5 32.76						119.0	262	91	19.94	20.03	-0.01	
		S 2	0 5 47.28									34.46	34.11	0.34	
30	EPN	EP 4	0 5 33.55						126.1	271	91	20.73	21.31	-0.64	
		S 4	0 5 50.07									37.25	36.54	0.71	
30	CDHI	EPD1	0 5 34.87						131.2	254	91	22.05	21.95	0.20	
		S 4	0 5 52.11									39.29	37.36	1.92	
30	LSM	EPU1	0 5 34.97						131.9	248	91	22.15	22.02	0.11	
		S 4	0 5 51.11									38.29	37.68	0.61	
30	JON	EP 0	0 5 35.47						135.9	232	91	22.65	22.62	0.02	
		S 4	0 5 52.31									39.47	38.70	0.79	
30	YMT6	EPUS	0 5 36.45					120 3.8	138.7	254	91	23.63	23.12	0.42	
		S 4	0 5 53.81									40.99	39.69	1.30	
30	KRNA	EPU0	0 5 37.08						143.9	295	91	24.26	24.14	0.04	
		S 2	0 5 54.03									41.21	41.41	-0.20	

DEC M = 9 56 29.40 UTC RMS = 0.09 NO = 17 FREE DEPTH SOLUTION
 30 LAT = 37.213 N ERX = 0.3 ERM = 0.3 AVFM = 2.4 U = B
 LONG = 114.906 W ERY = 0.2 GAP = 177 AVXM = 03 = A
 DELAMAR MOUNTAINS
 DEPTH = 11.10 KM ERZ = 1.3 NM = 40 = C

30	PHN	EPUS	9 56 35.96					47 2.6	25.0	329	113	4.56	4.96	-0.52	
		S 0	9 56 38.01									8.61	8.68	-0.07	
30	EPR	EPU4	9 56 33.61					52 2.7	25.4	259	112	4.21	4.98	-0.75	
		S 4	9 56 36.83									7.43	8.48	-1.05	
30	DLM	EPU0	9 56 38.01					29 2.2	46.0	19	102	8.61	8.28	0.07	
		S 0	9 56 43.99									14.59	14.59	-0.01	

70153 1749

70153 1749

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	RMAG	DUR	FMAG	DIST (NM)	AZI (DEG)	AIM (DEG)	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
30	NPN	EPD2	9 56 36.09					30 2.5	48.9	357	101	8.69	8.72	-0.24	
		S 1	9 56 44.01									12.41	15.27	0.14	
30	HTI	EP 0	9 56 40.03					20 2.2	60.9	328	99	10.63	10.62	0.04	
		S 4	9 56 48.48									19.00	18.10	0.98	
30	BRG	EPD2	9 56 42.44					30 2.6	75.6	349	97	13.04	13.02	-0.20	
		S 0	9 56 52.92									23.52	22.65	0.87	
30	GMR	EPD4	9 56 42.20					31 2.0	77.9	280	97	12.00	13.37	-0.48	
		S 4	9 56 51.50									22.10	22.70	-0.60	
30	SHRG	ep0	9 56 42.73					21 2.1	81.7	190	96	13.33	14.00	-0.68	
		S 0	9 56 52.38									22.98	22.94	0.04	
30	GLR	EPU0	9 56 46.86					25 2.3	98.7	269	95	16.66	16.72	0.01	
		S 1	9 56 57.76									28.36	28.46	-0.10	
30	SPRG	ep4	9 56 45.63					32 2.5	98.9	234	95	18.23	18.71	-0.45	
		S 1	9 56 58.04									28.48	28.52	0.12	
30	WRN	EP 4	9 56 47.86					25 2.3	104.5	325	95	18.46	17.71	0.71	
		S 4	9 57 0.27									30.87	30.35	0.51	
30	OCB	EP 4	9 56 48.40					24 2.3	108.5	305	95	19.00	18.40	0.63	
		S 4	9 57 1.64									32.24	31.41	0.83	
30	BLT	EPU0	9 56 48.23					21 2.2	112.0	285	94	18.83	18.94	0.12	
30	MCY	EPD8	9 56 47.82					31 2.3	112.3	237	94	18.42	18.88	-0.30	
		S 2	9 57 1.84									32.44	32.15	0.29	
30	LOP	EPD1	9 56 49.29					31 2.5	119.2	250	94	19.89	20.08	-0.11	
		S 0	9 57 3.68									34.28	34.20	0.08	
30	CDM1	EPD1	9 56 51.19					24 2.4	131.6	253	94	21.79	22.04	-0.15	
		S 4	9 57 8.90									39.50	37.52	1.98	
30	YHT6	ep4	9 56 53.37					25 2.4	139.1	254	52	23.97	23.02	0.84	
30	KRNA	EPU4	9 56 53.85						142.9	294	52	24.45	23.70	0.68	
		S 4	9 57 11.02									41.62	40.64	0.98	

20153 1950

DEC H = 10 46 55.46 UTC RMS = 0.15 NO = 20
 30 LAT = 37.169 N ERH = 0.6 ERN = 0.7 AVFN = 2.3 U = C
 LONG = 114.859 W ERY = 0.5 GAP = 226 AVXM = 4S = A
 DEPTH = 9.78 KM ERZ = 1.8 NM = DELAMAN MOUNTAINS

30	EPR	EPU3	10 46 60.24					50 2.6	29.1	270	107	4.70	5.47	-0.64	
		S 0	10 47 4.75									9.29	9.31	-0.02	
30	PRN	EPU3	10 46 60.77					44 2.5	31.3	327	105	5.31	5.86	-0.66	
		S 1	10 47 5.34									10.08	10.22	-0.14	
30	DLN	EPD0	10 46 64.59					22 2.0	49.6	12	99	9.13	8.82	0.07	
		S 0	10 47 11.04									15.58	15.50	0.08	
30	NPN	EPD1	10 46 45.18					29 2.2	54.1	353	98	9.64	9.52	-0.09	
		S 3	10 47 12.46									17.80	16.64	0.37	
30	HTI	EPD2	10 46 67.28					25 2.2	67.2	327	97	11.82	11.60	0.25	
		S 1	10 47 15.41									19.95	19.79	0.16	
30	SRG	EPD1	10 46 69.39					33 2.5	81.2	347	95	13.93	13.91	-0.19	
		S 0	10 47 19.60									24.14	24.16	-0.01	
30	GMR	EP 2	10 46 69.28					21 2.1	82.9	283	95	13.82	14.16	-0.24	
		S 4	10 47 19.11									23.65	24.05	-0.39	
30	SPRG	ep1	10 46 72.40					25 2.3	99.8	238	94	16.94	16.83	0.15	
		S 4	10 47 24.50									29.12	28.72	0.40	
30	GLR	EPD2	10 46 72.53						102.9	272	94	17.07	17.30	-0.23	
		S 0	10 47 25.09									29.63	29.59	0.04	
30	WRN	EP 0	10 46 74.27					24 2.3	110.8	324	94	18.81	18.72	0.05	
		S 4	10 47 28.13									32.67	32.08	0.59	
30	MCY	EPU0	10 46 74.41					29 2.5	113.3	240	94	18.95	19.03	0.00	
		S 2	10 47 28.16									32.70	32.41	0.29	
30	OCB	EPU1	10 46 74.62					26 2.4	114.7	305	94	19.16	19.30	-0.19	
		S 4	10 47 29.18									33.72	33.09	0.64	
30	OCB	EP 4	10 46 76.83					26 2.4	122.5	263	93	21.37	20.62	0.83	
		S 4	10 47 31.28									35.82	35.12	0.70	

20153 1950

1981 SGB LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER MAG DUR PMAG DIST AZI AIN TOBS TCAL RES REMARKS
1981 (MU) (SEC) (M) (DEG)(DEG) (SEC) (SEC) (SEC)

1951 30153

DEC M = 16 9 12.94 UTC RMS = 0.16 NO = 20 FREE DEPTH SOLUTION
 30 LAT = 37.198 N ERX = 0.5 ERM = 0.5 AVFM = 2.9 u = C
 LONG = 114.929 W ERY = 0.3 GAP = 174 AVXM = u3 = B
 DEPTH = 5.40 KM ERZ = 0.0 NM = uD = C
 DELAMAR MOUNTAINS

STATION	PHASE	TIME	AMP	P	M	D	PM	DIST	AZI	AIN	TOBS	TCAL	RES	REMARKS
30	EPR	EPD0	16	9	17.12	19	3.0	23.1	262	99	4.10	4.36	-0.16	
		S 0	16	9	20.33						7.39	7.42	-0.03	
30	PRM	IPU0	16	9	17.62	81	3.0	25.5	335	98	4.60	4.78	-0.22	
		S 2	16	9	21.08						8.10	8.38	-0.24	
30	DLM	EPD1	16	9	21.46	88	2.7	48.2	20	93	8.52	8.92	-0.25	
		S 0	16	9	20.14						15.20	14.99	0.21	
30	NPN	EPD0	16	9	21.78	72	3.0	58.4	359	93	8.04	8.05	-0.22	
		S 0	16	9	20.51						15.57	15.50	0.07	
30	MTI	EPD1	16	9	23.48	42	2.6	61.2	330	93	10.54	10.50	-0.01	
		S 0	16	9	32.17						19.23	18.03	1.20	
30	GMR	EPD0	16	9	25.71	52	2.0	75.2	281	92	12.77	13.03	-0.16	
		S 4	16	9	35.92						22.98	22.11	0.88	
30	SRG	EPD4	16	9	25.93	76	3.2	76.9	351	92	12.99	13.15	-0.30	
		S 4	16	9	36.46						23.52	22.07	0.65	
30	TPU	EPU1	16	9	26.21			78.1	305	92	13.27	13.41	0.00	
		S 4	16	9	36.39						23.45	22.70	0.75	
30	SHRC	EPU0	16	9	25.99	29	2.3	79.6	195	92	13.05	13.60	0.04	
		S 4	16	9	36.11						23.17	22.25	0.92	
30	SPRG	EPD1	16	9	29.26	49	2.8	96.4	234	92	16.32	16.25	0.10	
		S 4	16	9	41.61						28.67	27.73	0.94	
30	CLR	EPD4	16	9	29.57	43	2.7	96.7	278	92	16.63	16.33	0.37	
		S 1	16	9	41.03						28.09	27.41	0.29	
30	NRW	EPU1	16	9	30.05	49	2.9	104.6	326	91	17.91	17.19	0.17	
		S 0	16	9	43.32						30.38	30.33	0.05	
30	OCB	EPD0	16	9	31.10	44	2.8	107.8	306	91	18.16	18.24	-0.05	
		S 4	16	9	45.64						32.70	31.13	1.57	
30	HCV	EPU0	16	9	31.31	55	3.0	109.7	237	91	18.37	18.42	0.03	
		S 4	16	9	45.81			110.4	287	91	32.67	31.36	1.31	
30	BLT	EP 3	16	9	31.79						18.85	18.65	0.33	
		S 4	16	9	45.51						32.57	31.67	0.90	
30	CDM1	EPU4	16	9	35.09	47	2.9	129.2	253	90	22.15	23.31	0.98	
		S 4	16	9	51.21						38.27	36.26	2.01	
30	KRMA	EPU1	16	9	36.55	46	3.0	141.7	295	90	23.61	23.34	0.20	
		S 4	16	9	54.38						41.84	40.03	1.41	

DEC M = 16 44 0.19 UTC RMS = 0.09 NO = 13 FREE DEPTH SOLUTION
 30 LAT = 37.385 N ERX = 0.4 ERM = 0.5 AVFM = 2.1 u = B
 LONG = 115.229 W ERY = 0.3 GAP = 96 AVXM = u3 = B
 DEPTH = 8.62 KM ERZ = 2.2 NM = uD = B
 ALAMO

STATION	PHASE	TIME	AMP	P	M	D	PM	DIST	AZI	AIN	TOBS	TCAL	RES	REMARKS
30	PRM	EPU0	16	44	3.72	36	2.3	16.1	81	117	3.53	3.46	-0.06	
30	EPR	EPU0	16	44	4.07	39	2.4	24.3	171	107	4.68	4.67	0.03	
30	MTI	EPU0	16	44	6.19	28	2.1	32.6	353	103	6.00	6.02	0.01	
30	NPN	EPU0	16	44	7.55	25	2.1	39.0	41	100	7.36	7.13	0.02	
30	TPU	EPU0	16	44	8.00	27	2.1	44.4	303	99	7.81	7.99	-0.04	
30	GMR	EPU1	16	44	8.45	22	2.0	48.3	263	98	8.26	8.55	-0.19	
30	DLM	EPU0	16	44	9.29	23	2.0	49.8	61	98	9.10	8.82	0.03	
30	SHG	EP 4	16	44	9.85	25	2.1	57.0	14	97	9.66	9.94	-0.52	
30	CLR	EPD2	16	44	12.04	18	1.9	72.9	254	95	12.65	12.49	0.23	
30	NRW	EPD0	16	44	12.82	19	1.9	73.4	334	95	12.63	12.67	-0.05	
30	OCS	EPU2	16	44	13.23			74.1	305	95	13.04	12.70	0.29	
30	KRMA	EPU1	16	44	18.07			109.0	291	93	18.68	18.46	0.15	
30	CDM1	ep1	16	44	18.95			112.9	239	93	18.76	18.98	-0.12	
30	HCR	EPD2	16	44	23.68			142.0	512	92	23.49	23.83	-0.24	



1981 SGB LOCAL-EVENT DATA REPORT

DEC STA PHASE TIME AMP PER XHAG DUR FMAG DIST AZI AIN TOBS TCAL RES REMARKS
 1981 (MU) (SEC) (NM) (DEG)(DEG) (SEC) (SEC) (SEC)

DEC N = 3 18 33.51 UTC RMS = 0.15 NO = 20 FREE DEPTH SOLUTION
 31 LAT = 37.257 N ERX = 0.3 ERM = 0.3 AVPM = 2.7 U = 0
 LONG = 115.020 W ERY = 0.2 GAP = 155 AVXM = U8 = A ALAMO
 DEPTH = 5.56 KM ERZ = 2.0 NM = UD = C

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XHAG (NM)	DUR (SEC)	FMAG (DEG)	DIST (NM)	AZI (DEG)	AIN (DEG)	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
31	PRN	IPU	3 18 36.00					60 2.7	16.9	351	104	3.29	3.41	-0.20
		S 0	3 18 39.60									6.09	6.03	0.06
31	EPR	IPD2	3 18 36.40					66 2.8	17.7	236	103	2.90	3.50	-0.51
		S 0	3 18 38.52									5.01	5.96	-0.95
31	NPN	EPD0	3 18 41.43					56 2.8	44.5	10	94	8.12	7.90	0.01
		S 1	3 18 47.53									14.02	13.87	0.15
31	DLN	EPD2	3 18 41.45					41 2.5	46.1	33	94	8.14	8.16	-0.20
		S 0	3 18 47.90									14.47	14.39	0.08
31	MTI	EPD0	3 18 42.04					44 2.6	51.6	334	93	8.53	9.03	-0.47
		S 1	3 18 49.07									15.56	15.39	0.17
31	CMR	EPD3	3 18 48.46					51 2.8	67.1	277	93	11.15	11.55	-0.31
		S 1	3 18 53.27									19.76	19.59	0.17
31	TPU	EPD1	3 18 44.96					54 2.8	67.8	305	92	11.45	11.73	-0.14
		S 4	3 18 52.83									19.32	19.02	-0.30
31	BRG	EPD0	3 18 45.71					56 2.9	69.5	357	92	12.20	11.96	0.02
		S 4	3 18 54.75									21.24	20.63	0.41
31	SHRG	EP 1	3 18 47.43					34 2.5	84.4	180	92	13.92	14.37	-0.13
		S 0	3 18 57.00									23.57	23.57	0.00
31	CLR	EP 2	3 18 48.35					32 2.5	88.8	460	92	14.04	15.05	-0.16
		S 0	3 18 59.05									25.54	25.61	-0.07
31	SPRG	EPD1	3 18 48.95					40 2.7	94.0	228	72	15.04	15.00	-0.39
		S 2	3 19 0.75									27.24	27.04	0.17
31	WRN	EPD3	3 18 49.97					33 2.5	94.8	320	92	16.46	16.14	0.32
		S 0	3 19 1.05									27.54	27.59	-0.04
31	OCS	EPD4	3 18 48.42						97.4	306	92	14.91	16.55	-1.01
		S 4	3 19 2.38									28.87	28.25	0.62
31	BLT	EP 0	3 18 50.40					32 2.5	100.7	284	92	16.97	17.07	0.02
		S 0	3 19 2.51									29.00	28.97	0.02
31	HCY	EPD4	3 18 50.93					45 2.8	106.7	232	91	17.42	17.94	-0.44
		S 4	3 19 4.76									31.25	30.54	0.71
31	LOP	EP 4	3 18 52.91						113.3	246	91	19.40	18.78	0.70
		S 0	3 19 5.51									32.00	31.97	0.03
31	SSP	EPD2	3 18 52.26					37 2.7	112.7	251	91	18.75	19.00	-0.25
		S 4	3 19 6.75									33.24	32.40	0.75
31	CDM1	EPD3	3 18 54.35						123.4	249	91	20.44	20.60	0.26
		S 4	3 19 9.96									36.45	35.19	1.25
31	KRMA	EPD2	3 18 55.93					35 2.7	131.6	294	91	22.42	22.10	0.20
		S 0	3 19 11.63									38.12	37.90	0.13
31	MCR	EP 1	3 18 60.30						165.3	311	52	26.79	27.14	-0.26
		S 4	3 19 20.14									46.63	46.25	0.37

DEC N = 13 10 23.79 UTC RMS = 0.10 NO = 15 FREE DEPTH SOLUTION
 31 LAT = 35.987 N ERX = 3.6 ERM = 0.8 AVPM = 2.4 U = C
 LONG = 117.271 W ERY = 0.5 GAP = 266 AVXM = U8 = 0 BEARLEDS LAKE
 DEPTH = 6.30 KM ERZ = 4.3 NM = UD = 0

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	XHAG (NM)	DUR (SEC)	FMAG (DEG)	DIST (NM)	AZI (DEG)	AIN (DEG)	TOBS (SEC)	TCAL (SEC)	RES (SEC)	REMARKS
31	QSM	EPD3	13 10 29.93					30 2.4	36.4	94	97	6.10	6.40	-0.35
		S 0	13 10 34.87									11.08	11.09	-0.01
31	PGE	EPD0	13 10 31.43					30 2.2	44.2	25	95	7.64	7.89	-0.03
		S 0	13 10 36.89									13.10	13.12	-0.02
31	GRV	EPD0	13 10 33.80					31 2.3	58.4	60	94	10.89	10.14	0.03
		S 0	13 10 40.99									17.20	17.21	-0.01
31	HCA	EPD0	13 10 36.12					29 2.3	73.3	359	93	12.33	12.30	-0.05
		S 2	13 10 45.16									21.37	21.17	0.20
31	FMT	EPD2	13 10 38.12					24 2.2	84.8	31	92	14.33	14.32	0.25
		S 4	13 10 46.50									24.71	24.08	0.63
31	AMR	EPD4	13 10 37.35						84.9	50	92	13.56	14.20	-0.73
31	NOP	EPD1	13 10 40.90					27 2.3	102.0	81	92	17.11	17.10	0.10
		S 4	13 10 54.80									30.21	29.08	1.13
31	SGV	EPD3	13 10 42.92					32 2.5	112.3	11	92	19.13	18.91	0.31
		S 0	13 10 55.96									32.17	32.10	-0.01

98153000/1952

1981 SGB LOCAL-EVENT DATA REPORT

DEC 1981	STA	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	PHAS DUR	PHAS	DIST (KM)	AZI (DEG)	AIN (DEG)	TDBD (SEC)	TCAL (SEC)	REB (SEC)	REMARKS
31	LSM	EP 1	13 10 44.10			32	2.6	122.5	47	92	20.31	20.47	-0.16	
		S 4	13 10 57.40			29	2.5	130.0	46	91	33.67	35.00	-1.37	
31	LDP	EPU2	13 10 46.56			33	2.7	139.4	50	91	22.77	23.12	-0.27	
31	HCY	EPD1	13 10 47.05					153.0	50	52	23.26	23.26	0.00	
31	SPPG	EPD4	13 10 49.76						59	52	25.97	25.30	0.70	

70153 1953

1981 SGB LOCAL-BLAST DATA REPORT

NOV STA PHASE TIME AMP PER PHAG DUR PHAG DIST AZI AIN TOBB TCAL RES REMARKS
 1981 (MU) (SEC) (KM) (DEG)(DEG) (SLC) (SEC) (SEC)

NOV M = 21 1 45.06 UTC RMS = 0.29 NO = 5
 05 LAT = 36.056 N ERX = 4.6 ERN = 7.6 AVFM = 1.9 U = D
 LONG = 116.444 W ERY = 6.0 GAP = 134 AVXM = U3 = 0 YUCCA MOUNTAIN
 DEPTH = 0.00 KM ERZ = 6.0 NM = UD = 0

STATION	PHASE	TIME	AMP	PER	PHAG	DUR	PHAG	DIST	AZI	AIN	TOBB	TCAL	RES	REMARKS		
05	YMT1	IPU0	21	1	46.74			45	2.4	3.1	264	111	0.80	0.80	-0.12	
			8	0	49.05								1.19	1.70	1.49	
05	YMT4	IPU0	21	1	45.13			17	1.6	4.8	74	107	0.71	1.11	-1.95	BLAST
05	YMT5	EPD4	21	1	46.57			22	1.8	5.9	38	103	0.71	1.60	-0.09	
			8	1	48.03								2.97	2.73	0.23	
05	YMT2	IPU0	21	1	46.36			23	1.9	7.9	173	40	0.50	1.96	-1.54	
			8	0	48.37								2.51	3.49	-0.98	
05	YMT6	IPU1	21	1	46.10			20	1.8	6.0	88	40	0.32	2.00	-1.77	YUCCA MT
			8	0	49.37								3.51	3.57	-0.06	
05	YMT3	IPU4	21	1	46.10			30	2.1	10.7	136	40	0.32	2.42	-2.06	
			8	0	50.06								4.20	4.06	0.14	
05	LSM	EPD4	21	1	49.40			15	1.6	23.6	123	40	3.10	4.63	-1.48	
			8	4	53.25								7.39	7.98	-0.57	
05	SSP	EPD4	21	1	49.40					25.7	73	40	3.54	5.18	-1.57	
			8	4	54.03								8.17	8.73	-0.56	
05	SDH	EP 4	21	1	49.54					27.2	149	40	3.60	5.23	-1.51	
05	LGP	EPD4	21	1	49.54					29.1	90	40	3.60	5.60	-1.93	
			8	4	54.64								8.70	9.50	-0.80	

NOV M = 26 15 16.79 UTC RMS = 0.17 NO = 6
 13 LAT = 36.038 N ERX = 2.0 ERN = 3.5 AVFM = 1.8 U = C
 LONG = 116.447 W ERY = 2.8 GAP = 91 AVXM = U3 = C YUCCA MOUNTAIN
 DEPTH = 0.00 KM ERZ = 4.0 NM = UD = 0

STATION	PHASE	TIME	AMP	PER	PHAG	DUR	PHAG	DIST	AZI	AIN	TOBB	TCAL	RES	REMARKS		
13	YMT4	EP 3	20	15	15.07			32	2.2	3.1	353	112	0.28	0.88	-0.71	BLAST ON
			8	4	18.53								3.74	3.69	2.00	
13	YMT6	EPD0	20	15	16.10			19	1.7	4.4	59	105	1.39	1.21	0.09	YUCCA MT
			8	4	20.66								5.67	2.22	3.45	
13	YMT3	EPD1	20	15	16.26			20	2.0	6.5	150	40	1.47	1.72	-0.20	BLAST
			8	4	20.66								5.67	2.85	2.42	
13	YMT5	EPD2	20	15	16.63			27	2.0	6.7	355	102	1.84	1.80	0.04	
13	YMT2	EP 2	20	15	17.02			8	1.8	6.7	209	40	2.23	1.76	0.39	
			8	0	20.01								5.22	3.14	2.00	
13	YMT1	EPD0	20	15	16.79			20	2.1	7.5	283	40	2.00	1.90	-0.04	
			8	0	20.95								6.10	3.40	2.60	
13	WCT	EP 4	20	15	17.06					16.8	252	40	2.27	3.06	-1.83	

30153 1954

1981 SGR LOCAL-BLAST DATA REPORT

DEC STA PHASE TIME AMP PER MAG DUR MAG DIST AZI AIM TOMB TCAL HEB REMARKS
 1981 (UTC) (MU) (SEC) (NM) (JUG) (DEG) (SEC) (SEC) (DEG)

DEC M = 19 49 33.20 UTC RMS = 0.19 NU = 0
 01 LAT = 36.858 N ERX = 0.3 ERM = 0.6 AVFM = 2.1 U = B
 LONG = 116.439 W ERY = 0.5 GAP = 129 AVXM = U5 = B
 DEPTH = 0.00 KM ERZ = 0.6 NM = U6 = B YUCCA MOUNTAIN

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG (NM)	DUR (JUG)	MAG (DEG)	DIST (NM)	AZI (JUG)	AIM (DEG)	TOMB (SEC)	TCAL (SEC)	HEB (DEG)	REMARKS
01	YMT4 EPU0	19 49 33.95			29	2.1	3.3	341	111		0.75	0.92	-0.29	YUCCA MT
		3 0 19 49 34.75									1.55	1.77	-0.22	
01	YMT6 EP 3	19 49 33.65			21	1.8	3.9	349	107		0.45	1.06	-0.71	BLAST
01	YMT5 EPU3	19 49 35.21									2.01	1.93	0.17	
		3 4 19 49 37.74			26	2.0	7.1	414	40		0.54	3.14	1.40	
01	YMT2 EPD1	19 49 35.07									1.07	1.01	-0.03	
		3 0 19 49 36.21			42	2.0	6.1	282	40		3.01	3.24	-0.23	
01	YMT1 EPU4	19 49 35.01									1.01	2.02	-0.34	
		3 0 19 49 37.12									3.92	3.66	0.24	
01	COM1 EP 4	19 49 36.06									11.1	7.7	0.70	
01	NCT EPU1	19 49 36.83									17.5	25.3	4.0	
		3 4 19 49 40.27									24.3	8.6	4.0	
01	LDP EP 4	19 49 38.79									5.58	4.87	0.71	
		3 0 19 49 41.44									0.24	0.18	0.65	

DEC M = 23 21 20.05 UTC RMS = 0.79 NU = 0
 09 LAT = 36.815 N ERX = 7.2 ERM = 0.1 AVFM = 2.2 U = D
 LONG = 116.510 W ERY = 3.7 GAP = 211 AVXM = U5 = D
 DEPTH = 0.00 KM ERZ = 3.9 NM = U6 = L YUCCA MOUNTAIN

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG (NM)	DUR (JUG)	MAG (DEG)	DIST (NM)	AZI (JUG)	AIM (DEG)	TOMB (SEC)	TCAL (SEC)	HEB (DEG)	REMARKS
09	YMT1 EPD0	23 21 21.71			41	2.4	4.3	348	105		1.66	1.17	0.36	
		3 4 23 21 20.04									7.99	2.23	5.77	
09	YMT2 EPU0	23 21 21.83			24	1.9	4.6	137	103		1.70	1.23	0.47	
		3 0 23 21 22.53									2.48	2.25	0.24	
09	YMT4 EPU3	23 21 20.64			35	2.2	8.2	47	40		0.59	2.05	-1.57	BLAST AT
		3 4 23 21 21.42									1.37	3.69	-2.32	YUCCA MT
09	YMT3 EPU0	23 21 21.66			37	2.3	10.1	108	46		1.61	2.33	-0.67	
		3 4 23 21 20.44									6.39	3.09	2.50	
09	YMT5 EPU0	23 21 21.89			26	2.0	10.9	32	40		1.04	4.52	-0.66	
		3 1 23 21 25.34									5.29	4.31	0.90	
09	YMT6 EPU0	23 21 21.78			29	2.1	11.3	65	40		1.73	2.54	-0.90	
		3 0 23 21 25.59									5.54	4.50	1.00	

DEC M = 21 55 0.03 UTC RMS = 0.37 NU = 0
 22 LAT = 36.776 N ERX = 5.2 ERM = 0.1 AVFM = 1.6 U = D
 LONG = 116.413 W ERY = 0.3 GAP = 272 AVXM = U5 = D
 DEPTH = 0.00 KM ERZ = 1.1 NM = U6 = D YUCCA MOUNTAIN

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG (NM)	DUR (JUG)	MAG (DEG)	DIST (NM)	AZI (JUG)	AIM (DEG)	TOMB (SEC)	TCAL (SEC)	HEB (DEG)	REMARKS
22	YMT2 EP 0	21 55 2.14			19	1.7	6.4	279	40		2.11	1.71	0.32	YUCCA MT
		11 1.7 9.1 5 40									2.72	2.19	0.44	
22	YMT6 EPD0	21 55 2.75			16	1.6	10.5	341	40		1.03	2.40	-0.72	BLAST AT
22	YMT4 EP 2	21 55 1.86			21	1.8	1.2	7	131		*****	0.42		MOLE G-3
22	YMT3 EPU0	21 55 0.00			25	2.0	13.4	310	40		2.85	2.91	-0.19	
22	YMT1 IPD0	21 55 2.84			15	1.5	14.0	345	40		3.20	3.06	0.10	
22	YMT5 IPD0	21 55 3.23												

DEC M = 23 6 48.80 UTC RMS = 0.09 NU = 0
 23 LAT = 36.822 N ERX = 0.2 ERM = 0.3 AVFM = 1.6 U = B
 LONG = 116.462 W ERY = 0.2 GAP = 95 AVXM = U5 = A
 DEPTH = 0.00 KM ERZ = 0.4 NM = U6 = B YUCCA MOUNTAIN

STATION	PHASE	TIME (UTC)	AMP (MU)	PER (SEC)	MAG (NM)	DUR (JUG)	MAG (DEG)	DIST (NM)	AZI (JUG)	AIM (DEG)	TOMB (SEC)	TCAL (SEC)	HEB (DEG)	REMARKS
23	YMT2 EPU0	23 6 50.06			20	1.7	0.5	206	103		1.24	1.22	-0.04	YUCCA MT
		14 1.4 5.0 11 104									1.25	1.35	-0.21	BLAST AT
23	YMT4 EPU0	23 6 50.05			19	1.7	0.0	130	100		1.55	1.59	0.00	MOLE G-3
23	YMT3 EPU0	23 6 50.35			15	1.5	6.6	52	40		1.87	1.75	0.03	
23	YMT6 EPU0	23 6 50.67			26	2.0	6.9	300	40		1.99	1.81	0.05	
23	YMT1 EPU1	23 6 50.79			14	1.5	8.5	5	40		2.31	2.12	0.18	
23	YMT5 EP 0	23 6 51.11												

1955
 1953
 1955

00150000/1955

1956

20153

APPENDIX E

1981 teleseismic and regional events recorded by the digital system

20153

1981 TELESEISMS AND REGIONAL EVENTS

The following teleseismic and regional earthquakes were recorded by the SGB digital system and the data archived.

DATE (UTC)			ORIGIN TIME			GEOGRAPHIC COORDINATES		MAG
YR	MO	DA	HR	MIN	SEC	LAT	LONG	
*81	10	08	12	19	27.2	38.01N	113.22W	3.0ML
*81	10	20	5	05	06.1	38.54N	116.69W	3.2ML
*81	10	22	23	35	29.41	35.43N	118.19W	3.6ML
*81	11	14	20	24	04.3	37.53N	114.47W	2.1ML
81	12	10	09	33	20.2	37.428N	118.463W	3.5ML
81	12	11	13	51	27.8	37.377N	118.458W	2.9ML
81	12	24	5	33	21.5	29.956S	177.701W	6.1MB
81	12	26	17	05	32.8	29.812S	177.854W	6.3MB

The teleseismic locations were taken from the U.S. Geological Survey preliminary determination of epicenters reports No. 50-81 and 52-81. The regional events were located using the SGB network. The regional events with asterisks preceding the dates were also included in the local hypocenter listing for 1981.

Beginning in early February, 1982, all digitally recorded regional and teleseismic events have been routinely archived.

1957

153000/1957