

## Watched Plant Species in Georgia

Date of information - 2/16/2007

339 plants on this list

Find details for the plants on this list at [NatureServe](http://NatureServe).

Scientific Name	Common Name	Global Rank ( <a href="#">what's this?</a> )	State Rank ( <a href="#">what's this?</a> )	Habitat in Georgia
<i>Aconitum reclinatum</i>	White Monkshood	G3	SNA	Northern hardwood forests
<i>Aeschynomene americana</i>	Shyleaf	G5	SNR	Moist, somewhat disturbed sites
<i>Agalinis gattingeri</i>	Gattinger's Purple Foxglove	G4	SNA	Dry, open woods, especially over sandstone
<i>Agalinis heterophylla</i>	Prairie Purple Foxglove	G4G5	SU	Likely on blackbelt prairie remnants; needs confirmation
<i>Agalinis tenuifolia</i> var. <i>macrophylla</i>	Purple Foxglove	G5T4T5	SU	Low woods and wet prairies
<i>Agrimonia bicknellii</i>	Bicknell's Agrimony	G5	SU	Moist foests and woodlands
<i>Agrimonia incisa</i>	Cutleaf Agrimony	G3	S3	Mixed oak-hickory forests, pine savannas, mesic hardwood forests
<i>Agrimonia striata</i>	Woodland Agrimony	G5	SU	Open deciduous woods, possibly roadsides?
<i>Alisma triviale</i>	Northern Water-plantain	G5	SU	Seasonally flooded impoundments; sag ponds?
<i>Allium tricoccum</i>	Ramps	G5	S3?	Rich cove hardwoods, usually above 2800 ft.
<i>Amaranthus albus</i>	White Pigweed	GNR	SNR	Disturbed sites
<i>Amaranthus cannabinus</i>	Tidalmarsh Pigweed	G5	SU	Tidal marshes, brackish swamps
<i>Amelanchier arborea</i> var. <i>alabamensis</i>	Alabama Downy Serviceberry	G5TNR	SNR	Sandhills in westcentral Georgia?

<i>Amelanchier obovalis</i>	Coastal Plain Serviceberry	G4G5	SNR	Low woods?
<i>Amphicarpum muehlenbergianum</i>	Blue Maidencane	G4	S3?	Pine flatwoods
<i>Amphicarpum purshii</i>	Pinebarrens Goober-grass	G4	SU	Sandy, peaty pinelands
<i>Andropogon floridanus</i>	Florida Broomsedge	G4	SU	Coastal pinelands
<i>Andropogon glaucopsis</i>	Chalky Bluestem	G3G5	S3?	Wet savannas, pine flatwoods, ditches
<i>Apteria aphylla</i>	Nodding Nixie	G4	S3	Swamp forests and floodplain hammocks; forested seeps
<i>Arenaria lanuginosa</i> <i>var. longipedunculata</i>	Longstalk Spreading Sandwort	G5T1T3	SNR	Dunes and maritime forests; tabby ruins; limestone outcrops?
<i>Arisaema triphyllum</i> <i>ssp. triphyllum</i>	Jack-in-the-pulpit	G5T5	SNA	Mesic forests
<i>Aristida condensata</i>	Sandhill Three- awn Grass	G4?	S3?	Sandhills around Augusta; dunes along Ochoopee River and Briar Creek
<i>Aristida tenuispica</i>	Southern Arrowfeather	G5TNR	SNR	Sandy habitats
<i>Aronia prunifolia</i>	Purple Chokeberry	G4G5Q	SNA	Mountain bogs, swamp forests
<i>Artemisia ludoviciana</i>	White Sagebrush	G5	SNR	Savannas; old fields
<i>Asclepias cinerea</i>	Lavender Milkweed	G4?	S3?	Pine savannas; flatwoods; bogs
<i>Asclepias connivens</i>	Large-flower Milkweed	G4?	S3?	Flatwoods; bogs
<i>Asclepias incarnata</i> <i>ssp. incarnata</i>	Swamp Milkweed	G5T5	S3?	Swamps and open seeps
<i>Asclepias lanceolata</i>	Lanceleaf Milkweed	G5	S3?	Wet pine or cypress savannas; bogs
<i>Asclepias tomentosa</i>	Velvet Milkweed	G4	SU	Sandhills

<i>Asclepias viridiflora</i>	Green Milkweed	G5	S3?	Limestone glades; relict prairies
<i>Asclepias viridis</i>	Spider Milkweed	G4G5	S3	Limestone glades; remnant prairies
<i>Asclepias viridula</i>	Little Green Milkweed	G2	SNA	Pine flatwoods; edges of shrub bogs and bayheads
<i>Asimina obovata</i>	Flag Pawpaw	G3G4	SNR	Sandy scrub; longleaf pinelands
<i>Asplenium bradleyi</i>	Bradley Spleenwort	G4	S3?	Sandstone (rarely granite) crevices
<i>Aster gracilis</i>	Slender Aster	G4G5	SNR	Pinelands (pine barrens)
<i>Aster jonesiae</i>	Piedmont Bigleaf Aster	G3?	SU	Mixed oak-hickory forests
<i>Aster laevis var. concinnus</i>	Smooth Blue Aster	G5T4	S3	Remnant prairies
<i>Aster laevis var. purpuratus</i>	Grass-leaf Aster	G5TNR	SNR	Dry, open woods
<i>Aster novi-belgii</i>	New York Aster	G5	SNA	Flatwoods; wet savannas
<i>Aster oolentangiensis</i>	Sky-blue Aster	G5	SNR	Prairies; dry, open woods
<i>Aster pilosus var. demotus</i>	Aster	G5T5	SU	Open, dry, sandy woods
<i>Aster puniceus var. elliotii</i>	Elliott's Aster	G5T3T4	SU	Freshwater tidal marshes and river banks
<i>Aster shortii</i>	Smooth Heart-leaved Aster	G5	S1S3	Calcareous woods
<i>Aster spectabilis</i>	Showy Aster	G5	SNR	Dry, sandy woods
<i>Astragalus obcordatus</i>	Milkvetch	G3G4	SNR	Pinelands; turkey oak scrub; river banks
<i>Aureolaria pedicularia var. austromontana</i>	Yellow Foxglove	G5T3T5	SNR	Dry, open, deciduous woods
<i>Befaria racemosa</i>	Tarflower	G3G4	S3	Pine flatwoods; pine-oak scrub
<i>Blephilia hirsuta</i>	Hairy Woodmint	G5?	SNR	Open, limestone woods

<i>Blephilia subnuda</i>	Alabama Woodmint	G1G2	SNA	Rich calcareous slopes
<i>Boltonia asteroides</i> var. <i>asteroides</i>	Boltonia	G5T4T5	S3?	Wet savannas; bogs
<i>Boykinia aconitifolia</i>	Brook Saxifrage	G4	S3	Sandy granite and sandstone ledges along stream margins
<i>Brintonia discoidea</i>	Rayless Brintonia	G4G5	S1S3	Wooded bluffs along lower Chattahoochee and Flint Rivers, and tributaries
<i>Buchnera longifolia</i>	Elongated Bluehearts	G3G5	SNR	Wet prairies
<i>Callitriche palustris</i>	Marsh Waterstarwort	G5	SU	Shallow pools
<i>Callitriche terrestris</i>	Terrestrial Waterstarwort	G5	SU	Damp, somewhat shaded exposed soil
<i>Calopogon barbatus</i>	Bearded Grasspink	G4?	S3?	BOGS; WET SAVANNAS
<i>Cardamine clematitis</i>	Mountain Bittercress	G3	SNA	High elevation seepy rock cliffs
<i>Cardamine flagellifera</i>	Large-flowered Blue Ridge Bittercress	G3	S3?	Seepage slopes; bouldery, moist coves
<i>Carex austrocaroliniana</i>	Sedge	G4	S3	Mesic and cove hardwood forests
<i>Carex barrattii</i>	Barratt Sedge	G4	SNR	Peaty swamps and wet woods
<i>Carex communis</i> var. <i>amplisquama</i>	Fort Mountain Sedge	G5T3	S3	Upland oak-hickory-pine forests
<i>Carex crawei</i>	Sedge	G5	S3	Limestone glades and barrens
<i>Carex debilis</i>	Weak Sedge	G5	SU	Open woods, thickets and meadows
<i>Carex debilis</i> var. <i>pubera</i>	Weak Sedge	G5T3T5	SNR	Wet meadows; low woods

<i>Carex debilis</i> var. <i>rudgei</i>	White-edge Sedge	G5T5	SNR	Open woods, thickets and meadows
<i>Carex godfreyi</i>	Godfrey's Sedge	G3G4	S3?	Forested depressional wetlands.
<i>Carex impressinervia</i>	Impressed-nerve Sedge	G1G2	SNA	Moist to wet hardwood forests, including bottomlands; perhaps in perched wetlands?
<i>Carex jamesii</i>	Nebraska Sedge	G5	SNR	Limestone ledges
<i>Carex lonchocarpa</i>	Sedge	G5	S3	Clearwater creek swamps
<i>Carex lupuliformis</i>	Hop Sedge	G4	SNA	Calcareous swamps; wet meadows; tidal river banks
<i>Carex meadii</i>	Prairie Sedge	G4G5	SU	Limestone glades
<i>Carex picta</i>	Boott Sedge	G4G5	S3	Dry, oak-hickory or chestnut oak forests, often with mountain laurel understory
<i>Carex prasina</i>	Drooping Sedge	G4	S3	Forested seepage slopes
<i>Carex radiata</i>	Stellate Sedge	G4	S3?	Open, oak-hickory woods
<i>Carex ruthii</i>	Ruth's Sedge	G3	S2S3	Montane wet meadows, seeps, gravel bars; often with <i>Carex scabrata</i>
<i>Carex triangularis</i>	Fox Sedge	G5	SU	Low woods
<i>Carex turgescens</i>	Turgid Sedge	G4G5	SU	Cypress swamps; creek margins
<i>Castanea dentata</i>	American Chestnut (nut-bearing Only)	G4	S3	Upland mixed oak or oak-hickory forests
<i>Ceanothus herbaceus</i>	Prairie Redroot	G5	SNA	Crevices of limestone bluffs; relict prairies
<i>Cenchrus myosuroides</i>	Sandbur	G4	SNR	Moist sandy openings near coast

<i>Chelone glabra</i> var. <i>elatior</i>	Turtlehead	G5TNR	SNR	Streambanks and seeps
<i>Chenopodium berlandieri</i> var. <i>berlandieri</i>	Goosefoot	G5T5?	SNR	Open, dry woodlands
<i>Chenopodium standleyanum</i>	Standley Goosefoot	G5	SNR	Open, dry woodlands
<i>Chrysoma pauciflosculosa</i>	Woody Goldenrod	G4G5	S3	Ochoopee dunes; sandridges
<i>Chrysopsis gossypina</i> ssp. <i>hyssopifolia</i>	Golden-aster	G5T3T5	SNA	Dry pinelands
<i>Circaea alpina</i>	Small Enchanter's Nightshade	G5	SNR	Moist boulderfields with cold air drainage
<i>Cladium mariscoides</i>	Twig-rush	G5	SU	Bogs and marshes
<i>Cladrastis kentukea</i>	Yellowwood	G4	S3	Cove hardwoods
<i>Clematis catesbyana</i>	Satin-curly	G4G5	S2?	Dunes and interdune swales with abundant shell hash; calcareous glades and hammocks
<i>Clematis glaucophylla</i>	Pale-leaf Leather-flower	G4?	S3?	Openings in rich woods along streams
<i>Collinsonia tuberosa</i>	Stoneroot	G3G4	S3	Mesic woods over basic rock
<i>Coreopsis falcata</i>	Pool Tickseed	G4G5	SU	Bogs
<i>Coreopsis pulchra</i>	Showy Tickseed	G2	SNR	Sandstone outcrops
<i>Coreopsis rosea</i>	Rose Coreopsis	G3	SNR	Banks of blackwater rivers; pond shores
<i>Coreopsis verticillata</i>	Threadleaf Coreopsis	G5	S1S3	Dry sandy or clayey woodlands; remnant prairies?
<i>Crataegus ravenelii</i>	Bigfruit Hawthorn	GNR	SU	Open hardwood forests
<i>Cryphaea ravenelii</i>		G3?	SH	Bark of hardwoods, especially oak and hickory

<i>Cuscuta cephalanthi</i>	Buttonbush Dodder	G5	SNA	ASSUMED TO BE FOUND ON BUTTONBUSH (CEPHALANTHUS)
<i>Cuscuta obtusiflora</i> var. <i>glandulosa</i>	Dodder	G5T4T5	SNR	Parasitic, often on Polygonum or Justicia
<i>Cyperus articulatus</i>	Jointed Flatsedge	G4G5	SNR	Calcareous swamps, ponds and creeks
<i>Cyperus distans</i>	Flatsedge	G5	SNR	Streambanks, wet woods and swamps
<i>Cyperus lecontei</i>	Leconte Flatsedge	G4?	S3	Sand dune swales; pond margins
<i>Cyperus lupulinus</i> ssp. <i>lupulinus</i>	Hop Flatsedge	G5T5?	SNA	Dry, open pinelands
<i>Cyperus polystachyos</i> var. <i>filicinus</i>	Fern-like Flatsedge	G5T5	SU	Pineland depressions; marshy shores; spoil banks
<i>Cyperus polystachyos</i> var. <i>texensis</i>	Texas Flatsedge	G5T5	SU	Pineland depressions; marshy shores; spoil banks
<i>Cyperus tetragonus</i>	Four-angled Flatsedge	G4?	S3?	Maritime forests and dunes
<i>Cyperus virens</i> var. <i>drummondii</i>	Drummond's Flatsedge	G5TNR	S3?	Marshes; margins of lakes; swamps
<i>Cyperus virens</i> var. <i>virens</i>	Green Flatsedge	G5TNR	S3?	Marshes; margins of lakes; swamps
<i>Cystopteris bulbifera</i>	Bulblet Fern	G5	S3	Limestone ledges and bluffs
<i>Dalea pinnata</i> var. <i>trifoliata</i>	Tansy Prairie- clover	G5T3T4	SU	Georgia habitat information not available
<i>Delphinium</i> <i>carolinianum</i> ssp. <i>carolinianum</i>	Carolina Larkspur	G5T5	S3	Granite outcrops; rocky, calcareous oak forests; Altamaha Grit outcrops
<i>Descurainia pinnata</i> ssp. <i>brachycarpa</i>	Pinnate Tansy- mustard	G5T5	SNR	Dry, open woods
<i>Dichanthelium boreale</i>	Panic-grass	G5	SU	Moist grassy, upland forests

<i>Dichanthelium ovale</i> <i>var. addisonii</i>	Panic-grass	G5T5	S3?	Dry, sandy woods and pinelands
<i>Didiplis diandra</i>	Water-purslane	G5	SNR	Margins of shallow ponds and streams
<i>Digitaria floridana</i>	Florida Crabgrass	G1	SNR	Sandy pine woods
<i>Dioscorea floridana</i>	Florida Yam	G3G4	SU	Moist thickets
<i>Dioscorea villosa</i> <i>var. hirticaulis</i>	Hairy-stemmed Wild Yam	G4G5T3Q	SNR	Branch swamps
<i>Diplazium pycnocarpon</i>	Glade Fern	G5	S3	Mesic hardwood forests over limestone or marble
<i>Dirca palustris</i>	Eastern Leatherwood	G4	S3?	moist, rich slopes under hardwoods
<i>Disporum maculatum</i>	Spotted Mandarin	G3G4	S3	Rich, calcareous woods
<i>Dodecatheon meadia</i>	Shooting-star	G5	S3	Mesic hardwood forests over basic soils
<i>Draba reptans</i>	Carolina Whitlow-grass	G5	SNR	Dry, sterile, sandy soil
<i>Dryopteris goldiana</i>	Goldie Wood Fern	G4	S3	Cove hardwoods
<i>Echinocystis lobata</i>	Wild Cucumber	G5	SNR	Moist thickets
<i>Elatine triandra</i>	Longstem Waterwort	G5	SNR	Old quarry pools on granite outcrops
<i>Eleocharis brittonii</i>	Britton Spikerush	G4G5	SNR	Wet pine barrens; bogs; pond shores
<i>Eleocharis caribaea</i>	Capitate Spikerush	G4G5	SNR	Damp sand and gravel
<i>Eleocharis cellulosa</i>	Carolina Spikerush	G4G5	SNR	Freshwater marshes and lagoons near the coast
<i>Eleocharis elongata</i>	Spikerush	G5?	S3?	Cypress pond margins; limesink ponds
<i>Eleocharis engelmannii</i>	Spikerush	G4G5Q	SU	Granite outcrops
<i>Eleocharis melanocarpa</i>	Blackfruit Spikerush	G4	S3	Limesink pond margins
<i>Eleocharis minima</i>	Small Spikerush	G4G5	SNR	Mud flats



<i>Eleocharis robbinsii</i>	Spikerush	G4G5	S3?	Pine savanna ponds
<i>Eleocharis rostellata</i>	Beaked Spikerush	G5	SNR	Brackish marshes and meadows
<i>Eleocharis tenuis</i> var. <i>tenuis</i>	Slender Spikerush	G5T5?	SU	Moist to wet sandy-peaty soils; pine flatwoods
<i>Elodea canadensis</i>	Broad Waterweed	G5	SNR	Lakes, ponds and streams; possibly introduced
<i>Eragrostis reptans</i>	Hairy Creeping Lovegrass	G5	SNR	River banks, sandy lands, and open ground
<i>Eriocaulon ravenelii</i>	Ravenel's Pipewort	G3G4	SNA	Sandy areas in pineland swamps; edges of coastal cordgrass marshes
<i>Eryngium aromaticum</i>	Fragrant Snakeroot	G5	S3?	Dry pinelands; sandy scrub of SE Georgia
<i>Eupatorium anomalum</i>	Florida Boneset	G2G3	SU	Wet, low ground
<i>Eupatorium jucundum</i>	Hammock Snake Root	G4	SU	Sandy hammocks
<i>Eupatorium rotundifolium</i> var. <i>ovatum</i>	Hairy Boneset	G5T5	S3?	Mesic forests in the mountains
<i>Eupatorium rotundifolium</i> var. <i>scabridum</i>	Boneset	G5T3T5	SU	Mesic forests
<i>Eupatorium sessilifolium</i>	Sessile-leaf Boneset	G5	S3?	Dry upland and ridge forests
<i>Euphorbia marilandica</i>	Maryland Spurge	GUQ	SNR	Dry woods; old fields
<i>Euphorbia tetrapora</i>	Weak Spurge	G4	SNR	Sandy soils
<i>Filipendula rubra</i>	Queen-of-the-prairie	G4G5	SNR	Wet meadows; bogs
<i>Fimbristylis decipiens</i>	Southern Fimbry	G4	S3?	Wet pine savannas; sandy seeps on Altamaha grit outcrops

<i>Fimbristylis tomentosa</i>	Woolly Fimbry	GNR	SNA	Old quarry pools; former rice plantations and other abandoned agricultural lands
<i>Fuirena longa</i>	Umbrella Sedge	G3G4	SNR	Pond margins near the coast; perhaps introduced when planting maidencane ( <i>Panicum hemitomon</i> ) plugs
<i>Galium asprellum</i>	Rough Bedstraw	G5	SNR	Bogs; wet meadows
<i>Galium lanceolatum</i>	Wild Licorice	G5	SNR	Cove hardwood forests
<i>Gentiana decora</i>	Closed Gentian	G4?	S3	Moist mountain slopes and bogs
<i>Gnaphalium obtusifolium</i> var. <i>praecox</i>	Early Rabbit Tobacco	G5T5	SNR	Open, sandy woods
<i>Gratiola viscidula</i>	Sticky Hedge-hyssop	G4G5	SNR	Bogs, marshes and other wet habitats
<i>Hedyotis nigricans</i>	Narrowleaf Summer Bluets	G5	S3	Limestone glades and barrens
<i>Helianthus longifolius</i>	Longleaf Sunflower	G3	S3	Sandstone and granite outcrop edges; longleaf pinelands of the Fall Line Sandhills
<i>Heteranthera dubia</i>	Grassleaf Mud-plantain	G5	SNR	Quiet, shallow water or emersed on mud
<i>Hexalectris spicata</i>	Crested Coralroot	G5	S3?	Rocky, open, acidic woods in rich loamy sands; redcedar hammocks; calcareous bluffs and glades
<i>Hexastylis arifolia</i> var. <i>callifolia</i>	Colonial Heartleaf	G5T4?	SNA	Beech-magnolia forests
<i>Hexastylis arifolia</i> var. <i>ruthii</i>	Ruth Heartleaf	G5T4?	S3?	Upland forests
<i>Hibiscus coccineus</i>	Crimson Marshmallow	G4?	SNR	Marshes; sloughs

<i>Houstonia canadensis</i>	Barrens Bluets	G4G5	S3?	Limestone glades and barrens
<i>Hydrangea radiata</i>	Snowy Hydrangea	G5?	S3	Hemlock-white pine-silverbell forests; along the Chatooga River
<i>Hylocomium brevirostre</i>	A Moss	G5	S3?	On boulders, humus, and soil above 3800 ft.; typical in Southern Appalachian hardwood forests.
<i>Hymenocallis choctawensis</i>	Choctaw Spiderlily	G3G4	S3?	River swamps and floodplains, Ochlockonee River
<i>Hymenocallis duvalensis</i>	Duval Spiderlily	G3	S2S3	River swamps and floodplains, Suwannee River
<i>Hypericum canadense</i>	Canadian St. johnswort	G5	S3?	Streamside seeps, bogs, marshes, pond margins
<i>Hypericum microsepalum</i>	St. Johnswort	G4	S3?	Flatwoods of SW Georgia
<i>Hypnum imponens</i>	A Moss	G5	S2?	Appalachian Trail on hardwood logs, and on humus (1999).
<i>Hypoxis sessilis</i>	Glossy-seeded Stargrass	G4	SNR	Sandy, open woods and streambanks
<i>Indigofera miniata</i> var. <i>leptosepala</i>	Scarlet Pea	G5T4Q	SNR	Open woods; creek bottoms
<i>Ipomoea pes-caprae</i>	Railroad Morning-glory	G5	SU	Ocean beaches, dunes
<i>Ipomopsis rubra</i>	Standing Cypress	G4G5	S3	Granite outcrops; sandridges
<i>Iris fulva</i>	Red Iris	G5	SNR	Swamps, marshes and sloughs

<i>Isoetes flaccida</i> var. <i>alata</i>	Florida Quillwort	G3T1T3Q	S1S3	Shaded pond margins, cypress swamps, open miry places; margins of sluggish pineland streams with cypress
<i>Isoetes flaccida</i> var. <i>flaccida</i>	Florida Quillwort	G3T1T3Q	SNR	Along sluggish pineland streams; margins of marshes and lakes
<i>Isoetes georgiana</i>	Georgia Quillwort	G2G3	S2S3	In floodplain woods on seasonally wet or inundated margins of braided streams
<i>Juncus brachycarpus</i>	Short-fruit Rush	G4G5	S3?	Wet, open, varied soils
<i>Juncus brachycephalus</i>	Small-head Rush	G5	SU	Calcareous seeps with <i>Xyris tennesseensis</i> (at least in Tennessee sites)
<i>Juncus glomeratus</i>	Rush	GNR	SNR	Habitat unknown
<i>Justicia crassifolia</i>	Succulent Water-willow	G3	SNA	Flatwoods; cypress ponds
<i>Justicia ovata</i> var. <i>lanceolata</i>	Lanceleaf Water-willow	G5T4T5	SNA	Marshes and swamps
<i>Krameria lanceolata</i>	Sandbur	G5	S3?	Longleaf pine-wiregrass sandridges
<i>Lathyrus venosus</i>	Barrens Wild Pea	G5	S3?	Dry to moist woodland, often over shallow soils
<i>Lechea maritima</i>	Beach Pinweed	G5	SNA	Sandy soil near the sea
<i>Lechea torreyi</i>	Torrey Pinweed	G4	SU	Flatwoods; pond margins; pocosins
<i>Lejeunea laetivirens</i>	A Liverwort	G5	S2?	Appalachian Trail (1999)
<i>Lejeunea lamacerina</i> ssp. <i>gemminata</i>	A Liverwort	G5T4	S2?	Appalachian Trail (1999)
<i>Lemna perpusilla</i>	Minute Duckweed	G5	SNR	Quiet water of small ponds
<i>Leucolejeunea clypeata</i>	A Liverwort	G4	S2?	Appalachian Trail (1999)
<i>Liatris turgida</i>	Turgid Gay-feather	G3	SNA	Dry, rocky woods in the mountains

<i>Liatris virgata</i>	Kings Mountain Blazing-star	GU	SU	Sandhills
<i>Linum sulcatum</i> var. <i>sulcatum</i>	Grooved Flax	G5T5	S3?	Limestone glades and barrens
<i>Linum westii</i>	West Flax	G2	SNA	Bogs, cypress pond margins
<i>Lipocarpa micrantha</i>	Dwarf Bulrush	G5	S3?	Moist soil of pond margins; riverbank draw- down zones
<i>Lonicera flava</i>	Yellow Honeysuckle	G5?	S3?	Rocky, upland forests and thickets
<i>Lysimachia hybrida</i>	Lance-leaf Loosestrife	G5	SNR	Mesic hardwood forests
<i>Lysimachia quadriflora</i>	Flatwoods Loosestrife	G5?	S3?	Wet meadows; streambanks
<i>Lythrum lineare</i>	Narrowleaf Loosestrife	G5	S1S3	Freshwater tidal marsh (needs documentation in Georgia)
<i>Magnolia pyramidata</i>	Pyramid Magnolia	G4	S3	Bluff and ravine forests
<i>Matelea baldwyniana</i>	White-flowered Milkvine	G3	SNA	Open bluff forests
<i>Matelea flavidula</i>	Yellow Milkvine	G4?	S3?	Open bluff forests; floodplain forests
<i>Matelea floridana</i>	Florida Milkvine	G2	SNR	Open bluff forests
<i>Melothria pendula</i> var. <i>crassifolia</i>	Thickleaf Melonette	G5?TNR	SNR	Moist thickets
<i>Mentha canadensis</i>	Canada Mint	G5	SNA	Wet meadows; spring runs
<i>Mimosa strigillosa</i>	Powder-puff Mimosa	G4G5	S3?	Floodplain forests; wet, grassy openings
<i>Monarda fistulosa</i> var. <i>mollis</i>	Wild Bergamot	G5T5?	SNR	Dry, open, upland woods
<i>Myosotis laxa</i>	Small Forget-me- not	G5	SNR	Shallow water and seeps
<i>Myosurus minimus</i>	Eastern Mouse- tail	G5	SNR	Wet meadows in sandy or calcareous soils

<i>Nemastylis nuttallii</i>	Nuttall Pleatleaf	G4	SNA	Prairies and calcareous glades
<i>Nuphar lutea ssp. orbiculata</i>	Yellow Pond Lily	G5T3	S3?	Pools in blackwater rivers and acid swamps
<i>Oenothera parviflora</i>	Northern Evening-primrose	G4?	SNR	Sandy fields
<i>Oenothera triloba</i>	Stemless Evening-primrose	G4	SNA	Limestone glades
<i>Oligoneuron album</i>	White Prairie-goldenrod	G5	S3	Upland oak-pine forests over serpentine; limestone glades and barrens; relict prairies
<i>Oxalis priceae ssp. texana</i>	Texas Yellow Woodsorrel	G3G5TNR	SU	Georgia habitat information not available
<i>Panicum albomarginatum</i>	White-margin Panic Grass	GNRQ	SNR	Damp sandy soil of the coastal plain
<i>Panicum gattingeri</i>	Gattinger Panic Grass	G4	SNA	Open, bare ground; old fields
<i>Panicum rigidulum var. combsii</i>	Panic Grass	G5T5?	SNR	Open woods, bogs and pond margins
<i>Paronychia americana ssp. pauciflora</i>	American Nailwort	G3G4TNR	SU	Sandhills; dry pinelands
<i>Paspalum laeve var. circulare</i>	Field Paspalum	G4G5T4T5	S3?	Open woods and meadows
<i>Penstemon australis ssp. laxiflorus</i>	Muskogee Beardtongue	G5T4	SU	Moist pinelands of the Gulf Coastal Plain
<i>Phacelia dubia var. dubia</i>	Small-flower Scorpionweed	G5T5	SNA	Rich bouldery woods; meadows and old fields
<i>Phlox latifolia</i>	Mountain Phlox	G4	SNR	Wooded slopes in acid soils
<i>Phlox pilosa ssp. detonsa</i>	Downy Phlox	G5TNR	SNR	Open woods and bluffs
<i>Phlox pilosa ssp. ozarkana</i>	Downy Phlox	G5TNR	SNA	Open, calcareous woods, barrens and prairies
<i>Physalis cordata</i>	Heartleaf Ground-cherry	G5	SNR	Open, sandy areas near the coast

<i>Physalis hispida</i>	Ground-cherry	G5	SNR	Bluffs and sandy hillsides
<i>Pieris phillyreifolia</i>	Climbing Heath	G3	S3	Cypress ponds; epiphytic on cypress bark, abundant in Okefenokee Swamp
<i>Pilea fontana</i>	Springs Clearweed	G5	SNR	Seepage slopes, marshes, swamps
<i>Pinguicula planifolia</i>	Chapman's Butterwort	G3?	SNA	Margins of peaty ponds, boggy flatwoods in shallow water
<i>Pityopsis flexuosa</i>	Zig-zag Golden- aster	G3	SNA	Sandhills, SW Georgia
<i>Plagiothecium denticulatum</i>	A Moss	G5	S3?	Appalachian Trail (1999), grows on humus and rotting logs; uncommonly found in high elevation forests, typically those with a spruce-fir component.
<i>Plantago cordata</i>	Heartleaf Plantain	G4	S3	Shallow calcareous streams
<i>Platanthera cristata</i>	Yellow Crested Orchid	G5	S3?	BOGS, SEEPS, WET SAVANNAS
<i>Platanthera lacera</i>	Ragged Fringed Orchid	G5	S3?	BOGS, WET MEADOWS AND GLADES; SWAMPY WOODS
<i>Polanisia tenuifolia</i>	Slenderleaf Clammy-weed	G5	S3	Sandridges; scrub
<i>Polygala boykinii</i>	Boykin Milkwort	G4	S3	Openings in calcareous soil
<i>Polygala brevifolia</i>	Little-leaf Milkwort	G4G5	SNR	Bayheads or titi swamps; coastal swales
<i>Polygala nuttallii</i>	Nuttall Milkwort	G5	S3?	Altamaha grit outcrops; pinelands; dunes
<i>Polygala paucifolia</i>	Gay-wings	G5	S3	Mesic hardwood-coniferous forests

<i>Polygala verticillata</i> var. <i>isocycla</i>	Whorled Milkwort	G5T5	SNR	Dry meadows
<i>Polygonum amphibium</i>	Water Smartweed	G5	SU	Georgia habitat information not available
<i>Polygonum densiflorum</i>	Dense-flower Knotweed	G5	S1S3	Swamp forests, marshes and springruns (perhaps overlooked and undercollected); now known from Ft. Benning on Piedmont
<i>Polygonum erectum</i>	Erect Knotweed	G5	SNR	Open disturbed areas
<i>Polygonum punctatum</i> var. <i>confertiflorum</i>	Water Smartweed	G5T5	SNR	Shallow water of open swamps and other wet soil habitats
<i>Potamogeton epihydrus</i>	Nuttall Pondweed	G5	SNR	Ponds and shallow streams
<i>Potamogeton pectinatus</i>	Sago Pondweed	G5	SNR	Shallow creeks and rivers over calcareous bedrock
<i>Prenanthes alba</i>	White Rattlesnake-root	G5	SNR	Open, rocky woods in the mountains
<i>Pycnanthemum montanum</i>	Blue Ridge Mountain-mint	G3G5	S3	Cove hardwood and northern hardwood forests
<i>Pycnanthemum setosum</i>	Awned Mountain-mint	G4	S1S2	Open, dry pinelands
<i>Pycnanthemum torrei</i>	Torrey's Mountain-mint	G2	SNA	Dry, rocky woodlands and meadows over ultramafic or calcareous rock
<i>Pycnanthemum verticillatum</i> var. <i>verticillatum</i>	Whorled Mountain-mint	G5T5?	SU	Upland woods and thickets



<i>Pylaisiadelphatenuirostris</i>	A Moss	G5?	SU	On tree trunks (beech) in mountains; uncommon in moist hemlock-hardwood coves. Several range disjunctions into the piedmont are in association with beech-hardwood forests.
<i>Quercus bicolor</i>	Swamp White Oak	G5	SNA	Georgia habitat information not available
<i>Quercus boyntonii</i>	Running Post Oak	G1	SNA	Sandstone ridgetops atop Lookout Mountain with <i>Quercus stellata</i>
<i>Quercus breviloba</i>	Shallow-lobed Oak	G4G5T4T5	SNR	Upland scrub
<i>Quercus georgiana</i>	Georgia Oak	G3	S3	Granite outcrops; quartzite and gneiss ridgetops
<i>Quercus similis</i>	Swamp Post Oak	G4	SNR	Bottomland swamps and other wet habitats
<i>Ranunculus ambigens</i>	Water-plantain Spearwort	G4	SNR	Shallow marshes
<i>Rhabdoweisia crispata</i>	A Moss	G5	S3?	On dry to moist rock ledges and on rock, in <i>Pinus virginiana</i> boulderfield; mostly in mountains.
<i>Rhododendron alabamense</i>	Alabama Azalea	G4	S2S3	Upland woods and slopes along streams and bottoms
<i>Rhododendron austrinum</i>	Florida Azalea	G3	S3	Hardwood-spruce pine forests; low woods
<i>Rhododendron flammeum</i>	Ocone Azalea	G3	S3	Bluff forests and mesic woods
<i>Rhynchosia michauxii</i>	Michaux's Snoutbean	G3?	SU	Sandy pinelands

<i>Rhynchospora brevisetata</i>	Short-bristle Beaksedge	G3G4	SU	Bogs; flatwoods
<i>Rhynchospora cephalantha</i> var. <i>attenuata</i>	Small Bunched Beaksedge	G5T3?	SU	Peat bogs and wet savannas
<i>Rhynchospora cephalantha</i> var. <i>pleiocephala</i>	Many-headed Bunched Beaksedge	G5TNR	SNR	Shallow pools of pine flatwoods; wet savannas
<i>Rhynchospora curtissii</i>	Beakrush	G4	SNR	Moist pinelands
<i>Rhynchospora fernaldii</i>	Fernald Beakrush	G3G4	SNR	Flatwoods depressions
<i>Ribes echinellum</i>	Miccosukee Gooseberry	G1	SNA	Rich, calcareous, open woods and bluffs
<i>Robinia hispida</i> var. <i>nana</i>	Bristly Locust	G4T4	SNR	Sandhills; dry oak woods; savannas; pine barrens
<i>Robinia hispida</i> var. <i>rosea</i>	Purple Locust	G4T3?	SNR	Open, rocky woodlands
<i>Robinia viscosa</i> var. <i>hartwigii</i>	Granite Dome Locust	G3T1	SNA	Granite domes of the Highland Plateau area, possibly in extreme northeastern Georgia
<i>Robinia viscosa</i> var. <i>viscosa</i>	Clammy Locust	G3T3	SNR	Mountain woodlands and sandy ridges
<i>Rorippa sessiliflora</i>	Stalkless Yellowcress	G5	SNR	Wet soil; shallow water
<i>Rosa setigera</i> var. <i>setigera</i>	Prairie Rose	G5T5?	S3?	Wet meadows, grasslands and thickets
<i>Rosa setigera</i> var. <i>tomentosa</i>	Prairie Rose	G5T5?	S3?	Wet meadows, grasslands, thickets
<i>Rubus hispidus</i>	Bristly Dewberry	G5	SU	Low woods, wet meadows, streambanks
<i>Rubus lucidus</i>	Bramble	G4?	SNR	Open woods
<i>Rubus probativus</i>	A Blackberry	G3?	SU	Unknown; need type description
<i>Rubus randolphiorum</i>	Bramble	G5?	SNR	Open woods
<i>Rubus trux</i>	A Blackberry	G3G4	SNA	Unknown; need type description

<i>Rudbeckia fulgida</i> var. <i>umbrosa</i>	Appalachian Coneflower	G5T4T5	S2S3	Dry woods, especially over limestone
<i>Rudbeckia graminifolia</i>	Grass-leaf Coneflower	G3	SNA	Bogs; cypress swamps
<i>Rudbeckia nitida</i>	Yellow Coneflower	G3	S3	Wet savannas; openings in pineland flatwoods; seepage bogs, sometimes with pitcherplants
<i>Ruellia pinetorum</i>	Pineland Wild Petunia	G3G4Q	SNA	Seasonally moist pine savannas with <i>Aletris</i> spp.
<i>Ruellia strepens</i>	Glade Wild-petunia	G4G5	S3?	Limestone glades and barrens
<i>Sagittaria graminea</i> var. <i>chapmanii</i>	Chapman's Arrowhead	G5T3?	S3?	Low woods and seasonal wet swamps with <i>Carex leptalea</i> , <i>Rhynchospora miliacea</i>
<i>Sagittaria graminea</i> var. <i>weatherbiana</i>	Grassleaf Arrowhead	G5T2	SU	Shallow water of brackish swamps
<i>Sagittaria isoetiformis</i>	Arrowhead	G4?	SU	Sandy ponds and bogs; seasonal ponds over Grady soils?
<i>Saxifraga caroliniana</i>	Carolina Saxifrage	G2	SNA	Moist rock ledges
<i>Schizachyrium sanguineum</i> var. <i>hirtiflorum</i>	Sandhill Bluestem	G5?T3T5	S1S3	Dry, open sands with turkey oak; inland sand dunes (Albany Fossil Dunes)
<i>Schizachyrium stoloniferum</i>	Creeping Bluestem	G3G4Q	S2S3	Longleaf pine-wiregrass savannas
<i>Scirpus acutus</i>	Hard-stem Bulrush	G5	SNR	Brackish marshes
<i>Scirpus subterminalis</i>	Water Bulrush	G4G5	SNR	Beaver ponds and bogs
<i>Scutellaria arguta</i>	Talus Skullcap	G2?Q	SU	Moist talus slopes at high elevations, at least in North Carolina and Tennessee

<i>Scutellaria pseudoserrata</i>	Skullcap	G3	SU	Mesic hardwood forests
<i>Selaginella tortipila</i>	Twisted-hair Spikemoss	G3	S2S3	Granite outcrops, cliffs, mostly in mountains of Northeast Georgia; extending onto granite outcrops near Augusta north of Augusta
<i>Senna hebecarpa</i>	Hairy-fruited Wild Senna	G5	S3?	Openings in low woods in calcareous soils
<i>Silphium compositum</i> <i>var. venosum</i>	Okefenokee Compass Plant	G5T3T4	SU	Sandy pine barrens near Okefenokee swamp
<i>Silphium perfoliatum</i> <i>var. perfoliatum</i>	Perfoliate Rosinweed	G5T5?	SNR	Moist woods, low grounds and open seeps
<i>Silphium pinnatifidum</i>	Cutleaf Prairie- dock	G3Q	S3	Limestone glades and barrens
<i>Silphium terebinthinaceum</i>	Prairie-dock	G4G5	S3	Calcareous glades and barrens
<i>Sium suave</i>	Water-parsnip	G5	S3	Swamps; freshwater tidal marshes with <i>Cicuta maculata</i>
<i>Smilax biltmoreana</i>	Biltmore Carrion- flower	G4?	S3?	Deciduous forests
<i>Solenostoma gracillimum</i>	A Liverwort	G5	SU	On damp, shaded rocks.
<i>Solidago elliotii</i>	Elliott Goldenrod	G5	SNR	Mesic hardwood forests
<i>Solidago sphacelata</i>	Heartleaf Goldenrod	G4G5	S3?	Rich calcareous bluffs
<i>Solidago tarda</i>	Goldenrod	G4?Q	SU	Sandy upland forests
<i>Spiranthes ovalis</i> <i>var. ovalis</i>	Oval Ladies- tresses	G5?T3T4	SNA	Seeps along small streams; floodplain woods
<i>Stachys hyssopifolia</i> <i>var. hyssopifolia</i>	Hedge-nettle	G5TNR	S3?	Swamps and wet savannas
<i>Stachys tenuifolia</i>	Smooth Hedge- nettle	GNR	SNA	Bottomlands and swamp forests

<i>Stellaria prostrata</i>	Prostrate Starwort	G4?	SNR	Moist soil
<i>Stewartia ovata</i>	Mountain Camellia	G4	S3?	Mesic hardwood forests; bluff forests
<i>Stylisma aquatica</i>	Water Morning-glory	G4	S3?	Cypress ponds; wet savannas with scattered pondcypress
<i>Synosma suaveolens</i>	Hastate-leaf Indian-plantain	G3	SNA	Bottomland forests
<i>Teucrium canadense</i> var. <i>hypoleucum</i>	Dixie Germander	G5TNR	SU	Hydric hammocks and wetlands near the coast
<i>Thalictrum mirabile</i>	Cumberland Ladyrue	G4?Q	S3?	Seepy, shaded sandstone, shale or limestone cliffs and overhangs
<i>Tillandsia utriculata</i>	Wild-pine	G5	SNR	Epiphytic in moist forests
<i>Tofieldia glabra</i>	Smooth False Asphodel	G3	SNR	Wet pine savannas
<i>Tridens flavus</i> var. <i>chapmanii</i>	Chapman's Redtop	G5T3T5	S3?	Longleaf pine woodlands
<i>Trillium underwoodii</i>	Dwarf Mimic Trillium	G4?	S3?	Mesic hardwood forests
<i>Triosteum perfoliatum</i>	Perfoliate Wild Coffee	G5	S3?	Thin woods or openings, on non-acidic soils
<i>Typha angustifolia</i>	Narrow-leaf Cattail	G5	SNA	Calcareous flatwoods and adjacent ditches
<i>Utricularia floridana</i>	Florida Bladderwort	G3G5	S2S3	Shallow mill ponds and beaver impoundments in clearwater streams, SW Georgia, especially in the Fall Line sandhills
<i>Utricularia foliosa</i>	Leafy Bladderwort	G5	S3?	Ponds and brackish water of Coastal Plain
<i>Utricularia macrorhiza</i>	Greater Bladderwort	G5	SNR	Pools and ponds

<i>Uvularia floridana</i>	Florida Bellwort	G3	S3?	Mixed oak-hickory forests; mesic hardwoods or magnolia-beech bluff forests
<i>Vaccinium hirsutum</i>	Hairy Blueberry	G3	S2S3	Upland oak-hickory forests
<i>Verbena hastata</i>	Blue Vervain	G5	SNR	Swales and damp thickets
<i>Verbena stricta</i>	Hoary Vervain	G5	SNA	Calcareous barrens and prairies
<i>Verbesina aristata</i>	Flatseed Sunflower	G4	S3?	Pinelands of mostly Southwest Georgia
<i>Vernonia pulchella</i>	Flatwoods Ironweed	G3	S3	Pine savannas; pine flatwoods
<i>Viola appalachiensis</i>	Appalachian Creeping Blue Violet	G3	SNA	Moist woods, floodplains, sandy banks; often beneath <i>Alnus serrulata</i>
<i>Viola conspersa</i>	American Dog Violet	G5	S3	Sandy streamsides
<i>Wolffia punctata</i>	Dotted Watermeal	G5	SNR	Quiet water of small ponds
<i>Zannichellia palustris</i>	Horned Pondweed	G5	SNR	In freshwater lakes and reservoirs

NOTE: This is a working list and is constantly revised ([see element occurrence data disclaimer](#)). For the latest changes, acknowledgment of numerous sources, interpretation of data, or other information connected with this list, please contact:

Greg Krakow - Data Manager  
 Georgia Department of Natural Resources  
 Wildlife Resources Division  
 Georgia Natural Heritage Program  
 2065 U.S. Hwy 278 S.E.  
 Social Circle, Georgia 30025-4743  
 Phone: (770)918-6411  
 Fax: (706)557-3033  
 Click [here](#) to send e-mail