



AV BEYOND THE BOX 

# Installer Solutions

Cables, Adapters, Connectors, Table Boxes, Inserts, Wall Plates, AV Tools, and More



[www.KramerAV.com](http://www.KramerAV.com)

# Cables & Adapters |



# Cable Assemblies

## HDMI™

### C-HM/HM High-Speed HDMI Cable



C-HM/HM-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/HM-10	3,0 m	4K@60 Hz (4:4:4)
C-HM/HM-15	4,6 m	4K@60 Hz (4:4:4)
C-HM/HM-25	7,6 m	1080p@60 Hz 36 bit
C-HM/HM-35	10,6 m	1080p@60 Hz 36 bit
C-HM/HM-50	15,2 m	1080p@60 Hz

### C-HM/HM/ETH High-Speed HDMI Cable with Ethernet



C-HM/HM/ETH-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/ETH-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/HM/ETH-10	3,0 m	4K@60 Hz (4:4:4)
C-HM/HM/ETH-15	4,6 m	4K@60 Hz (4:4:4)
C-HM/HM/ETH-25	7,6 m	4K@60 Hz (4:2:0)
C-HM/HM/ETH-35	10,6 m	4K@60 Hz (4:2:0)
C-HM/HM/ETH-50	15,2 m	1080p@60 Hz

### CLS-HM/HM/ETH High-Speed HDMI Cable with Ethernet — Low Smoke & Halogen Free



CLS-HM/HM/ETH-3	0,9 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-6	1,8 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-10	3,0 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-15	4,6 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-25	7,6 m	4K@60Hz (4:2:0)
CLS-HM/HM/ETH-35	10,7 m	4K@60Hz (4:2:0)
CLS-HM/HM/ETH-50	15,2 m	1080p@60Hz

## HDMI

### CP-HM/HM/ETH High-Speed HDMI Cable with Ethernet — Plenum Rated



CP-HM/HM/ETH-15	4,6 m	4K@60Hz (4:4:4)
CP-HM/HM/ETH-25	7,6 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-35	10,7 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-40	12,0 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-45	13,7 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-50	15,2 m	1080p@60Hz 12-bit



### C-HM/HM/PRO Premium / High-Speed HDMI Cable with Ethernet

Only in N. America



C-HM/HM/PRO-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-10	3,0 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-15	4,6 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-20	6,1 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-25	7,6 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-35	10,6 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-40	12 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-50	15,2 m	1080p@60 Hz 36 bit
C-HM/HM/PRO-65	19,5 m	1080p@60 Hz

### C-MHM/MHM Flexible High-Speed HDMI Cable with Ethernet



C-MHM/MHM-1	0,3 m	4K@60 Hz (4:4:4)
C-MHM/MHM-2	0,6 m	4K@60 Hz (4:4:4)
C-MHM/MHM-3	0,9 m	4K@60 Hz (4:4:4)
C-MHM/MHM-6	1,8 m	4K@60 Hz (4:4:4)
C-MHM/MHM-10	3,0 m	4K@60 Hz (4:4:4)
C-MHM/MHM-15	4,6 m	4K@60 Hz (4:4:4)
C-MHM/MHM-25	7,6 m	4K@60 Hz (4:2:0)
C-MHM/MHM-35	10,70 m	4K@60Hz (4:2:0)
C-MHM/MHM(W)-1	0,30 m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-2	0,60 m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-3	0,90 m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-6	1,80 m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-10	3,00 m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-15	4,60 m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-25	7,60 m	4K@60Hz (4:2:0)
C-MHM/MHM(W)-35	10,70 m	4K@60Hz (4:2:0)


## HDMI

### C-MHMA/MHMA Flexible High-Speed HDMI Cable with Ethernet & 3.5mm Stereo Audio



C-MHMA/MHMA-3	0,9 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-6	1,8 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-10	3,0 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-15	4,6 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-25	7,6 m	4K@60Hz (4:2:0)

### C-HM/HM/PICO Ultra-Slim Flexible High-Speed HDMI Cable with Ethernet



C-HM/HM/PICO/BK-1	0,3 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-2	0,6 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-10	3,0 m	4K@60 Hz (4:2:0)
C-HM/HM/PICO/WH-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/WH-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/WH-10	3,0 m	4K@60 Hz (4:2:0)

Adapter Cable HDMI-HDMI  
ADC-HM/HF/PICO 0,3 m 4K@60Hz (4:4:4)

Available Colors — Black, green, yellow, orange, red and pink.

### C-HM/HM/FLAT/ETH Flat High-Speed HDMI Cable with Ethernet



C-HM/HM/FLAT/ETH-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-10	3,0 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-15	4,6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-25	7,6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-35	10,6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-50	15,2 m	1080p@60 Hz 12-Bit
C-HM/HM/FLAT/ETH-75	22,9 m	1080p@60 Hz 12-Bit

## HDMI

### C-HM/EEP High-Speed HDMI Cable with Ethernet with Enhanced EMI Protection



C-HM/EEP	3 0.90m	4K@60Hz (4:4:4)
C-HM/EEP	6 1.80m	4K@60Hz (4:4:4)
C-HM/EEP	10 3.00m	4K@60Hz (4:4:4)

### C-HM/RA High-Speed HDMI Right Angle Cable with Ethernet



C-HM/RA-3	0,9 m	4K@60Hz (4:4:4)
C-HM/RA-6	1,8 m	4K@60Hz (4:4:4)

### C-HM/RA-2 High-Speed HDMI with Ethernet to Micro HDMI Cable



C-HM/RA2-3	0,9 m	4K@60Hz (4:4:4)
C-HM/RA2-6	1,8 m	4K@60Hz (4:4:4)

# Cable Assemblies

## HDMI

### C-HM/HM/A-C

High-Speed HDMI with Ethernet to Mini HDMI Cable



C-HM/HM/A-C-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/A-C-6	1,8 m	4K@60 Hz (4:2:0)
C-HM/HM/A-C-10	3,0 m	4K@60 Hz (4:2:0)

### C-HM/HM/A-D

High-Speed HDMI with Ethernet to Micro HDMI Cable



C-HM/HM/A-D-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/HM/A-D-6	1,8 m	4K@60 Hz (4:2:0)
C-HM/HM/A-D-10	3,0 m	4K@60 Hz (4:2:0)

### CA-HM

Active High Speed HDMI Cable with Ethernet



CA-HM-15	4,6 m	4K/60 Hz (4:4:4)
CA-HM-25	7,6 m	4K/60 Hz (4:4:4)
CA-HM-35	10,6 m	4K/60 Hz (4:4:4)
CA-HM-50	15,2 m	4K/60 Hz (4:4:4)
CA-HM-66	20 m	4K/60 Hz (4:4:4)
CA-HM-82	25 m	4K/60 Hz (4:2:0)
CA-HM-98	30 m	4K/60 Hz (4:2:0)

## HDMI

### CLS-AOCH

Active Optical High-Speed HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH-33	10 m	4K@60 Hz (4:2:0)
CLS-AOCH-50	15,2 m	4K@60 Hz (4:2:0)
CLS-AOCH-66	20 m	4K@60 Hz (4:2:0)
CLS-AOCH-98	30 m	4K@60 Hz (4:2:0)
CLS-AOCH-131	40 m	4K@60 Hz (4:2:0)
CLS-AOCH-164	50 m	4K@60 Hz (4:2:0)
CLS-AOCH-197	60 m	4K@60 Hz (4:2:0)
CLS-AOCH-230	70 m	4K@60 Hz (4:2:0)
CLS-AOCH-262	80 m	4K@60 Hz (4:2:0)
CLS-AOCH-295	90 m	4K@60 Hz (4:2:0)
CLS-AOCH-328	100 m	4K@60 Hz (4:2:0)

### CP-AOCH

Active Optical High-Speed HDMI Cable — Plenum Rated



CP-AOCH-33	10 m	4K@60Hz (4:2:0)
CP-AOCH-50	15,2 m	4K@60Hz (4:2:0)
CP-AOCH-66	20 m	4K@60Hz (4:2:0)
CP-AOCH-98	30 m	4K@60Hz (4:2:0)
CP-AOCH-131	40 m	4K@60Hz (4:2:0)
CP-AOCH-164	50 m	4K@60Hz (4:2:0)
CP-AOCH-197	60 m	4K@60Hz (4:2:0)
CP-AOCH-230	70 m	4K@60Hz (4:2:0)
CP-AOCH-262	80 m	4K@60Hz (4:2:0)
CP-AOCH-295	90 m	4K@60Hz (4:2:0)
CP-AOCH-328	100 m	4K@60Hz (4:2:0)

Only in N. America

### CLS-AOCH/XL

Active Optical High-Speed Pluggable HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH/XL-33	10 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-50	15,2 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-66	20 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-98	30 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-131	40 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-164	50 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-197	60 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-230	70 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-262	80 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-295	90 m	4K@60 Hz (4:2:0)
CLS-AOCH/XL-328	100 m	4K@60 Hz (4:2:0)

## HDMI

### CP-AOCH/XL

Active Optical High-Speed Pluggable HDMI Cable — Plenum Rated



CP-AOCH/XL-33	10 m	4K@60Hz (4:2:0)
CP-AOCH/XL-50	15,2 m	4K@60Hz (4:2:0)
CP-AOCH/XL-66	20 m	4K@60Hz (4:2:0)
CP-AOCH/XL-98	30 m	4K@60Hz (4:2:0)
CP-AOCH/XL-131	40 m	4K@60Hz (4:2:0)
CP-AOCH/XL-164	50 m	4K@60Hz (4:2:0)
CP-AOCH/XL-197	60 m	4K@60Hz (4:2:0)
CP-AOCH/XL-230	70 m	4K@60Hz (4:2:0)
CP-AOCH/XL-262	80 m	4K@60Hz (4:2:0)
CP-AOCH/XL-295	90 m	4K@60Hz (4:2:0)
CP-AOCH/XL-328	100 m	4K@60Hz (4:2:0)

Only in N. America

### CLS-AOCH/60

Active Optical 4K Pluggable HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH/60-33	10 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-50	15,2 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-66	20 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-98	30 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-131	40 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-164	50 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-197	60 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-230	70 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-262	80 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-295	90 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-328	100 m	4K@60 Hz (4:4:4)

### CP-AOCH/60

Active Optical 4K Pluggable HDMI Cable — Plenum Rated



CP-AOCH/60-33	10 m	4K@60Hz (4:4:4)
CP-AOCH/60-50	15,2 m	4K@60Hz (4:4:4)
CP-AOCH/60-66	20 m	4K@60Hz (4:4:4)
CP-AOCH/60-98	30 m	4K@60Hz (4:4:4)
CP-AOCH/60-131	40 m	4K@60Hz (4:4:4)
CP-AOCH/60-164	50 m	4K@60Hz (4:4:4)
CP-AOCH/60-197	60 m	4K@60Hz (4:4:4)
CP-AOCH/60-230	70 m	4K@60Hz (4:4:4)
CP-AOCH/60-262	80 m	4K@60Hz (4:4:4)
CP-AOCH/60-295	90 m	4K@60Hz (4:4:4)
CP-AOCH/60-328	100 m	4K@60Hz (4:4:4)

Only in N. America

## HDMI

### AD-AOCH/XL/TR

HDMI Adapter Set for AOCH/XL Cable



AD-AOCH/XL/TR Up to 4K@60 Hz (4:4:4)

### AD-AOCD/XL/TR

DVI Tx&Rx Adapter Set for AOCH/XL and AOCH/60 Cables



AD-AOCD/XL/TR DVI

Supported Resolutions — AD-AOCD/XL/TR: up to 1080p and UXGA (1600X1200 @60Hz) & WUXGA (1920X1200 @60Hz)

### AD-AOCH/RA/RX

HDMI Rx R/A Adapter for AOCH/XL and AOCH/60 Cables



AD-AOCH/RA/RX HDMI

Supported Resolutions: — Up to 4K@60Hz (4:2:0).

# Cable Assemblies

## HDMI

### CRS-AOCH/CLR/60

Rental & Staging Active Optical 4K High-Speed HDMI Cable



CRS-AOCH/CLR/60-33	10 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-50	15 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-66	20 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-98	30 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-131	40 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-164	50 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-197	60 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-230	70 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-262	80 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-295	90 m	4K@60 Hz (4:4:4)
CRS-AOCH/CLR/60-328	100 m	4K@60 Hz (4:4:4)

### CRS-PLUGNVIEW-H

Active Optical Armored 4K HDMI Cable



CRS-PlugNView-H-33	10.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-50	15.20 m	4K@60 (4:4:4)
CRS-PlugNView-H-66	20.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-98	30.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-131	40.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-164	50.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-197	60.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-230	70.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-262	80.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-328	1000.00 m	4K@60 (4:4:4)

### C-HM/DM

HDMI to DVI Cable



C-HM/DM-3	0,9 m	4K@60 Hz (4:4:4)
C-HM/DM-6	1,8 m	4K@60 Hz (4:4:4)
C-HM/DM-10	3,0 m	4K@60 Hz (4:2:0)
C-HM/DM-15	4,6 m	4K@60 Hz (4:2:0)
C-HM/DM-25	7,6 m	1080p@60 Hz 36 bit
C-HM/DM-35	10,6 m	1080p@60 Hz 36 bit
C-HM/DM-50	15,2 m	1080p@60 Hz

## HDMI

### CP-HM/DM

HDMI to DVI Cable — Plenum Rated

Available in U.S. only



CP-HM/DM-25	7.6 m
CP-HM/DM-35	10.7 m
CP-HM/DM-50	15.2 m
CP-HM/DM-65	19.5 m

## KVM

### C-KVM

KVM Cable




C-KVM/1-6KVM	1.8 m
C-KVM/2-6KVM	1.8 m
C-KVM/3-6KVM	1.8 m

## Fiber Optic

### C-4LC/4LC

4 LC Fiber Optic Cable



C-4LC/4LC-33	10 m
C-4LC/4LC-66	20 m
C-4LC/4LC-99	30 m
C-4LC/4LC-164	50 m
C-4LC/4LC-200	60 m
C-4LC/4LC-328	100 m
C-4LC/4LC-656	200 m
C-4LC/4LC-984	300 m
C-4LC/4LC-1640	500 m
C-2LC/2LC-33	10 m
C-2LC/2LC-66	20 m
C-2LC/2LC-99	30 m

## Fiber Optic

### CLS-2LC/OM3

2 LC MM OM3 Fiber Optic Cable — Low Smoke & Halogen Free



CLS-2LC/OM3-33	10.00 m
CLS-2LC/OM3-66	20.00 m
CLS-2LC/OM3-98	30.00 m
CLS-2LC/OM3-164	50.00 m
CLS-2LC/OM3-246	75.00 m
CLS-2LC/OM3-328	100.00 m
CLS-2LC/OM3-558	170.00 m
CLS-2LC/OM3-656	200.00 m

### C-SC/SC/OM4

OM4 Multi-Mode Fiber Optic Cable



C-SC/SC/OM4-33	10 m
C-SC/SC/OM4-66	20 m
C-SC/SC/OM4-98	30 m
C-SC/SC/OM4-164	50 m
C-SC/SC/OM4-246	75 m
C-SC/SC/OM4-328	100 m
C-SC/SC/OM4-558	170 m
C-SC/SC/OM4-656	200 m
C-SC/SC/OM4-820	250 m

### 610R/T

DVI Rx/Tx Extender over Ultra-Reach MM Fiber



Supported Resolutions —  
1920x1200@60, Max. Data  
Rate — 4.95Gbps (1.65Gbps per  
graphic channel)

## Fiber Optic

### 602R/T

Detachable DVI Optical Transmitter & Receiver



Max. Resolution — Up to WUXGA  
(1920x1200) @60Hz, 1080p.

### 612R/T

4K60 4:4:4 DP Transmitter/Receiver  
over Extended-Reach MM Fiber Optic



Supported Resolutions —  
4K@60(4:4:4)

### 613R/T

3G SDI Rx/Tx Extender over Ultra-  
Reach SM Fiber



Max. Resolution — Up to WUXGA  
@60Hz (1.65Gbps)  
Max. Data Rate — Up to 3Gbps

### 617R/T

4K HDR HDMI Transmitter/Receiver  
over Extended-Reach MM Fiber Optic




Supported Resolutions —  
4K@60(4:4:4)

# Cable Assemblies

## U/FTP CAT6

### C-UNIKAT

CAT6A U/FTP Video & LAN Cable Assembly



C-UNIKat-2	0,6 m
C-UNIKat-3	0,9 m
C-UNIKat-6	1,8 m
C-UNIKat-10	3,0 m
C-UNIKat-15	4,6 m
C-UNIKat-25	7,6 m
C-UNIKat-35	10,6 m
C-UNIKat-50	15,2 m
C-UNIKat-75	22,9 m
C-UNIKat-100	30,5 m
C-UNIKat-125	38,1 m
C-UNIKat-150	45,7 m
C-UNIKat-164	50,0 m
C-UNIKat-200	60,0 m
C-UNIKat-230	70,0 m
C-UNIKat-328	100,0 m

### PC6A-LS5

CAT6A S/FTP 500MHz 4x2x26AWG Patch Cord — Low Smoke & Halogen Free



PC6A-LS503-05M	0,5 m
PC6A-LS503-1M	1 m
PC6A-LS503-2M	2 m
PC6A-LS503-3M	3 m
PC6A-LS503-5M	5 m
PC6A-LS503-10M	10 m
PC6A-LS503-15M	15 m
PC6A-LS503-20M	20 m
PC6A-LS503-30M	30 m

### PC6-1

CAT6 UTP 250MHz CM 4x2x24AWG Patch Cord



PC6-108-0.5	0.15 m
PC6-108-1	0.30 m
PC6-108-3	0.90 m
PC6-108-5	1.50 m
PC6-108-7	2.00 m
PC6-108-10	3.00 m
PC6-108-15	4.60 m

### PC5E-1

CAT5E UTP 100MHz CM 4x2x24AWG Patch Cord



PC5E-100-0.5	0.15 m
PC5E-100-1	0.30 m
PC5E-100-1.5	0.50 m
PC5E-100-3	0.90 m
PC5E-100-5	1.50 m
PC5E-100-7	2.00 m
PC5E-100-10	3.00 m
PC5E-100-15	4.60 m

## DisplayPort

### C-DP

4K DisplayPort Cable



C-DP-3	0,9 m	4K@60 Hz (4:4:4)
C-DP-6	1,8 m	4K@60 Hz (4:4:4)
C-DP-10	3,0 m	4K@60 Hz (4:4:4)
C-DP-15	4,6 m	4K@60 Hz (4:4:4)
C-DP-25	7,6 m	4K@60 Hz (4:4:4)
C-DP-35	10,6 m	4K@60 Hz (4:2:0)
C-DP-50	15,2 m	1080p@60

### CLS-AOCDP

Active Optical DisplayPort Cable



CLS-AOCDP-33	10,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-50	15,2 m	4K@60 Hz (4:4:4)
CLS-AOCDP-66	20,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-98	30,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-131	40,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-164	50,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-197	60,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-230	70,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-262	80,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-295	90,0 m	4K@60 Hz (4:4:4)
CLS-AOCDP-328	100,0 m	4K@60 Hz (4:4:4)

### C-MDPM/MDPM

Flexible DisplayPort Cable



C-MDPM/MDPM-1	0,3 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-2	0,6 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-3	0,9 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-6	1,8 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-10	3,0 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-15	4,6 m	4K@60 Hz (4:2:0)
C-MDPM/MDPM-25	7,6 m	1080p@60Hz 12-bit

### C-MDP/DPM

Mini DisplayPort to DisplayPort Cable



C-MDP/DPM-3	0,9 m	4K@60 Hz (4:4:4)
C-MDP/DPM-6	1,8 m	4K@60 Hz (4:4:4)

## DisplayPort

### C-DPM/HM

DisplayPort to HDMI Cable



C-DPM/HM-3	0,9 m	1080p@60
C-DPM/HM-6	1,8 m	1080p@60
C-DPM/HM-10	3,0 m	1080p@60
C-DPM/HM-15	4,6 m	1080p@60

### C-DPM/HM/UHD

DisplayPort (M) to HDMI (M) 4K Active Cable



C-DPM/HM/UHD-3	0,9 m	4K@60 Hz (4:4:4)
C-DPM/HM/UHD-6	1,8 m	4K@60 Hz (4:4:4)
C-DPM/HM/UHD-10	3,0 m	4K@60 Hz (4:4:4)

### C-MDP/HM

Mini DisplayPort to HDMI Cable



C-MDP/HM-3	0,9 m	1080p@60
C-MDP/HM-6	1,8 m	1080p@60
C-MDP/HM-15	4,6 m	1080p@60
C-MDP/HM-25	7,6 m	1080p@60

## IR

### C-MDP/HM/UHD

Mini DisplayPort (M) to HDMI (M) 4K Active Cable



C-MDP/HM/UHD-3	0,9 m	4K@60 Hz (4:4:4)
C-MDP/HM/UHD-6	1,8 m	4K@60 Hz (4:4:4)
C-MDP/HM/UHD-10	3,0 m	4K@60 Hz (4:4:4)

## IR

### C-A35M/IRE



C-A35M/IRE-10 (Single)	3,0 m
C-A35M/2IRE-10 (Dual)	3,0 m

### C-A35M/A35F

3.5mm IR or Mono Audio Extension Cable



C-A35M/A35F-50	15,2 m
C-A35M/A35F-65	20,0 m

### C-A35M/IRRW

3.5mm Male to Wide-Hz-Range IR Receiver Cable



C-A35M/IRRW	0.90 m
-------------	--------

## USB 2.0

### C-USB/AA

USB 2.0 A (M) to A (M) Cable



C-USB/AA-3	0,9 m
C-USB/AA-6	1,8 m
C-USB/AA-10	3,0 m
C-USB/AA-15	4,6 m

# Cable Assemblies

## USB 2.0

### C-USB/AAE

USB 2.0 A (M) to A (F) Extension Cable



C-USB/AAE-1	0,3 m
C-USB/AAE-3	0,9 m
C-USB/AAE-6	1,8 m
C-USB/AAE-10	3,0 m
C-USB/AAE-15	4,6 m

### C-USB/AB

USB 2.0 A (M) to B (M) Cable



C-USB/AB-3	0,9 m
C-USB/AB-6	1,8 m
C-USB/AB-10	3,0 m
C-USB/AB-15	4,6 m

### C-USB/MINI5

USB 2.0 A (M) to Mini-B 4-pin (M) Cable



C-USB/Mini5-3	0,9 m
C-USB/Mini5-6	1,8 m
C-USB/Mini5-10	3,0 m
C-USB/Mini5-15	4,6 m

### C-USB/MICROB

USB 2.0 A (M) to Micro-B (M) Cable



C-USB/MicroB-3	0,9 m
C-USB/MicroB-6	1,8 m
C-USB/MicroB-10	3,0 m
C-USB/MicroB-15	4,6 m

## USB 2.0

### CA-UAM/UAF

USB Active Extender Cable



CA-UAM/UAF-15	4,6 m
CA-UAM/UAF-25	7,6 m
CA-UAM/UAF-35	10,7 m
CA-UAM/UAF-50	15,2 m
CA-UAM/UAF-65	19,5 m

### CPA-UAM/UAF

USB Active Extender Cable — Plenum Rated



CPA-UAM/UAF-25	7,6 m
CPA-UAM/UAF-35	10,7 m
CPA-UAM/UAF-50	15,2 m
CPA-UAM/UAF-65	19,5 m

### C-UA/LTN

Apple Certified Lightning to USB Sync & Charge Cable



C-UA/LTN/BK-3	0,9 m
C-UA/LTN/BK-6	1,8 m
C-UA/LTN/WH-3	0,9 m
C-UA/LTN/WH-6	1,8 m

## USB 3.0

### C-USB3/AA

USB 3.0 A (M) to A (M) Cable



C-USB3/AA-3	0,9 m
C-USB3/AA-6	1,8 m

## USB 3.0

### C-USB3/AAE

USB 3.0 A (M) to A (F) Extension Cable



C-USB3/AAE-3	0,9 m
C-USB3/AAE-6	1,8 m

### C-USB3/AB

USB 3.0 A (M) to B (M) Cable



C-USB3/AB-3	0,9 m
C-USB3/AB-6	1,8 m

## USB 3.1

### C-USB3/MICROB

USB 3.0 A (M) to Micro-B (M) Cable



C-USB3/MicroB-3	0,9 m
C-USB3/MicroB-6	1,8 m

### C-USB31/CC

USB 3.1 GEN-2 Cable USB-C (M) to USB-C (M) — 3ft



## USB 3.1

### C-USB31/CA

USB 3.1 GEN-2 Cables USB-C (M) to USB-A (M) — 3ft



### C-USB31/CB

USB 3.1 GEN-2 Cables USB-C (M) to USB-B (M) — 3ft



### C-USB31/CMICROB

USB 3.1 GEN-2 Cables USB-C (M) to USB-MicroB (M) — 3ft



## RS-232

### C-D9M/D9F

RS-232 Control Cable



C-D9M/D9F-3	0,9 m
C-D9M/D9F-6	1,8 m
C-D9M/D9F-10	3,0 m
C-D9M/D9F-15	4,6 m
C-D9M/D9F-25	7,6 m
C-D9M/D9F-35	10,6 m
C-D9M/D9F-50	15,2 m

# Cable Assemblies

## RS-232

### C-D9F/OPEN

RS-232 to Open End Control Cable



C-D9F/OPEN-3	0,9 m
C-D9F/OPEN-6	1,8 m
C-D9F/OPEN-10	3,0 m
C-D9F/OPEN-15	4,6 m
C-D9F/OPEN-25	7,6 m
C-D9F/OPEN-35	10,6 m
C-D9F/OPEN-50	15,2 m

## DVI

### C-DM/DM

DVI Dual Link Copper Cable



C-DM/DM-1.5	0,5 m	2560x1600
C-DM/DM-3	0,9 m	2560x1600
C-DM/DM-6	1,8 m	2560x1600
C-DM/DM-10	3,0 m	2560x1600
C-DM/DM-15	4,6 m	2560x1600
C-DM/DM-25	7,6 m	2560x1600
C-DM/DM-33	10 m	1920x1200
C-DM/DM-40	12 m	1920x1200
C-DM/DM-50	15,5 m	1920x1200
C-DM/DM-65	19,5 m	800x600

### C-DM/DM/XL

DVI Single Link Copper Cable



C-DM/DM/XL-3	0,9 m	4K@30 Hz/1920x1200
C-DM/DM/XL-6	1,8 m	4K@30 Hz/1920x1200
C-DM/DM/XL-10	3,0 m	4K@30 Hz/1920x1200
C-DM/DM/XL-15	4,6 m	4K@30 Hz/1920x1200
C-DM/DM/XL-25	7,6 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-35	10,6 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-50	15,2 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-65	19,5 m	1080p@60 Hz 36 bit/1920x1200

## DVI

### C-MDM/MDM

Flexible DVI Single Link Copper Cable



C-MDM/MDM-3	0,9 m	1920x1200
C-MDM/MDM-6	1,8 m	1920x1200
C-MDM/MDM-10	3,0 m	1920x1200
C-MDM/MDM-15	4,6 m	1920x1200
C-MDM/MDM-25	7,6 m	1920x1200

### C-DMA/5BM

DVI-A to 5 BNC Breakout Cable



C-DMA/5BM-3	0,9 m
C-DMA/5BM-6	1,8 m
C-DMA/5BM-10	3,0 m
C-DMA/5BM-15	4,6 m

### C-MDMA/MGMA

15-pin HD to DVI & 3.5mm Stereo Audio Cable



C-MDMA/MGMA-3	0,9 m
C-MDMA/MGMA-6	1,8 m
C-MDMA/MGMA-10	3,0 m
C-MDMA/MGMA-15	4,6 m
C-MDMA/MGMA-25	7,6 m
C-MDMA/MGMA-35	10,6 m

## Audio

### C-XLQM/XLQF

XLR Quad Cable



C-XLQM/XLQF-1	0,3 m
C-XLQM/XLQF-1.5	0,5 m
C-XLQM/XLQF-3	0,9 m
C-XLQM/XLQF-6	1,8 m
C-XLQM/XLQF-10	3,0 m
C-XLQM/XLQF-15	4,6 m
C-XLQM/XLQF-25	7,6 m
C-XLQM/XLQF-35	10,6 m
C-XLQM/XLQF-50	15,2 m
C-XLQM/XLQF-75	22,9 m
C-XLQM/XLQF-100	30,5 m
C-XLQM/XLQF-125	38,1 m
C-XLQM/XLQF-150	45,7 m

### C-A63M/XLM

6.3mm Male to 3-pin XLR Male Cable



C-A63M/XLM-10	3,0 m
C-A63M/XLM-15	4,6 m
C-A63M/XLM-25	7,6 m

### C-A35M/A35M

3.5mm Stereo Audio Cable



C-A35M/A35M-3	0,9 m
C-A35M/A35M-6	1,8 m
C-A35M/A35M-10	3,0 m
C-A35M/A35M-15	4,6 m
C-A35M/A35M-25	7,6 m
C-A35M/A35M-35	10,6 m
C-A35M/A35M-50	15,2 m
C-A35M/A35M-65	19,5 m
C-A35M/A35M-75	22,9 m
C-A35M/A35M-100	30,5 m

## Audio

### C-AS35M/AS35F

3.5mm IR or Stereo Audio Extension Cable



C-AS35M/AS35F-50	15,2 m
------------------	--------

### C-A35M/2RAM

3.5mm to 2 RCA Breakout Cable



C-A35M/2RAM-3	0,9 m
C-A35M/2RAM-6	1,8 m
C-A35M/2RAM-10	3,0 m
C-A35M/2RAM-15	4,6 m
C-A35M/2RAM-25	7,6 m
C-A35M/2RAM-35	10,6 m
C-A35M/2RAM-50	15,2 m

### C-A35F/2RAM

3.5mm to 2 RCA Breakout Cable



C-A35F/2RAM-1	0,3 m
---------------	-------

### C-2RAM/2RAM

RCA Stereo Audio Cable



C-2RAM/2RAM-1	0,3 m
C-2RAM/2RAM-2	0,6 m
C-2RAM/2RAM-3	0,9 m
C-2RAM/2RAM-6	1,8 m
C-2RAM/2RAM-10	3,0 m
C-2RAM/2RAM-15	4,6 m
C-2RAM/2RAM-25	7,6 m
C-2RAM/2RAM-35	10,6 m
C-2RAM/2RAM-50	15,2 m



# Cable Assemblies

## VGA

### C-GM/GM

15-pin HD to 15-pin HD Cables



C-GM/GM-1	0,3 m
C-GM/GM-3	0,9 m
C-GM/GM-6	1,8 m
C-GM/GM-10	3,0 m
C-GM/GM-15	4,6 m
C-GM/GM-25	7,6 m
C-GM/GM-35	10,6 m
C-GM/GM-50	15,2 m
C-GM/GM-75	22,9 m
C-GM/GM-100	30,5 m
C-GM/GM-125	38,1 m
C-GM/GM-150	45,7 m

### CP-GM/GM/XL

15-pin HD Cable with a 45° Side-Angled Connector — Plenum Rated



CP-GM/GM/XL-3	0,9 m
CP-GM/GM/XL-6	1,8 m
CP-GM/GM/XL-10	3,0 m
CP-GM/GM/XL-15	4,6 m
CP-GM/GM/XL-25	7,6 m
CP-GM/GM/XL-35	10,7 m
CP-GM/GM/XL-50	15,2 m
CP-GM/GM/XL-75	22,9 m
CP-GM/GM/XL-100	30,5 m
CP-GM/GM/XL-125	38,1 m
CP-GM/GM/XL-150	45,7 m

Only in N. America

### C-MGM/MGM

15-pin HD Micro Cable



C-MGM/MGM-1	0,3 m
C-MGM/MGM-2	0,6 m
C-MGM/MGM-3	0,9 m
C-MGM/MGM-6	1,8 m
C-MGM/MGM-10	3,0 m
C-MGM/MGM-15	4,6 m
C-MGM/MGM-25	7,6 m
C-MGM/MGM-35	10,7 m

### C-GM/GF

15-pin HD to 15-pin HD Cables



C-GM/GF-3	0,9 m
C-GM/GF-6	1,8 m
C-GM/GF-10	3,0 m
C-GM/GF-15	4,6 m
C-GM/GF-25	7,6 m
C-GM/GF-35	10,6 m
C-GM/GF-50	15,2 m
C-GM/GF-75	22,9 m
C-GM/GF-100	30,5 m

## VGA

### C-GMA/GMA

15-pin HD & 3.5mm Stereo Audio Cable



C-GMA/GMA-3	0,9 m
C-GMA/GMA-6	1,8 m
C-GMA/GMA-10	3,0 m
C-GMA/GMA-15	4,6 m
C-GMA/GMA-25	7,6 m
C-GMA/GMA-35	10,6 m
C-GMA/GMA-50	15,2 m
C-GMA/GMA-75	22,9 m

### CP-GMA/GMA/XL

15-pin HD & 3.5mm Audio Cable with a 45° Side-Angled Connector — Plenum Rated



CP-GMA/GMA/XL-3	0,9 m
CP-GMA/GMA/XL-6	1,8 m
CP-GMA/GMA/XL-10	3,0 m
CP-GMA/GMA/XL-15	4,6 m
CP-GMA/GMA/XL-25	7,6 m
CP-GMA/GMA/XL-35	10,7 m
CP-GMA/GMA/XL-50	15,2 m
CP-GMA/GMA/XL-75	22,9 m
CP-GMA/GMA/XL-100	30,5 m
CP-GMA/GMA/XL-125	38,1 m
CP-GMA/GMA/XL-150	45,7 m

Only in N. America

### C-MGMA/MGMA

15-pin HD & 3.5mm Stereo Audio Micro Cable



C-MGMA/MGMA-3	0,9 m
C-MGMA/MGMA-6	1,8 m
C-MGMA/MGMA-10	3,0 m
C-MGMA/MGMA-15	4,6 m
C-MGMA/MGMA-25	7,6 m

### CP-MH1/MH1/XL

15-pin HD, 3.5mm Stereo Audio & 3 RCA Hydra™ Multi-Head Cable — Plenum Rated



CP-MH1/MH1/XL-6	1,8 m
CP-MH1/MH1/XL-10	3,0 m
CP-MH1/MH1/XL-15	4,6 m
CP-MH1/MH1/XL-25	7,6 m
CP-MH1/MH1/XL-35	10,7 m
CP-MH1/MH1/XL-50	15,2 m
CP-MH1/MH1/XL-75	22,9 m
CP-MH1/MH1/XL-100	30,5 m
CP-MH1/MH1/XL-125	38,1 m
CP-MH1/MH1/XL-150	45,7 m

Only in N. America

## VGA

### C-GM/XL

15-pin HD to Open End Installation Cable with EDID



C-GM/XL-15 (with EDID)	4,6 m
C-GM/XL-25 (with EDID)	7,6 m
C-GM/XL-35 (with EDID)	10,6 m
C-GM/XL-50 (with EDID)	15,2 m
C-GM/XL-75 (with EDID)	22,9 m

### C-GM/5BM

15-pin HD to 5 BNC Breakout Cable



C-GM/5BM-1	0,3 m
C-GM/5BM-3	0,9 m
C-GM/5BM-6	1,8 m
C-GM/5BM-10	3,0 m
C-GM/5BM-15	4,6 m
C-GM/5BM-25	7,6 m
C-GM/5BM-50	15,2 m
C-GM/5BM-75	22,9 m
C-GM/5BM-100	30,5 m

### C-GF/5BM

15-pin HD to 5 BNC Breakout Cable



C-GF/5BM-1	0,3 m
C-GF/5BM-3	0,9 m
C-GF/5BM-6	1,8 m
C-GF/5BM-10	3,0 m
C-GF/5BM-15	4,6 m
C-GF/5BM-25	7,6 m

### C-GM/5BF

15-pin HD to 5 BNC Breakout Cable



C-GM/5BF-0.5	0,15 m
C-GM/5BF-1	0,30 m
C-GM/5BF-3	0,90 m
C-GM/5BF-6	1,80 m
C-GM/5BF-10	3,00 m
C-GM/5BF-15	4,60 m
C-GM/5BF-25	7,60 m

## RCA

### C-RVM/RVM

RCA Composite Video Cable



C-RVM/RVM-3	0,9 m
C-RVM/RVM-10	3,0 m
C-RVM/RVM-15	4,6 m
C-RVM/RVM-25	7,6 m
C-RVM/RVM-35	10,6 m
C-RVM/RVM-75	22,9 m
C-RVM/RVM-100	30,5 m

## BNC

### C-BM/BM

BNC Coax Video Cable



C-BM/BM-1.5	0,5 m
C-BM/BM-3	0,9 m
C-BM/BM-6	1,8 m
C-BM/BM-10	3,0 m
C-BM/BM-15	4,6 m
C-BM/BM-25	7,6 m
C-BM/BM-35	10,6 m
C-BM/BM-50	15,2 m
C-BM/BM-75	22,9 m
C-BM/BM-100	30,5 m
C-BM/BM-150	45,7 m

### C-MBM/MBM

BNC Mini Coax Video Cable



C-MBM/MBM-1	0,3 m
C-MBM/MBM-2	0,6 m
C-MBM/MBM-3	0,9 m
C-MBM/MBM-6	1,8 m
C-MBM/MBM-10	3,0 m
C-MBM/MBM-15	4,6 m
C-MBM/MBM-25	7,6 m

### C-5BM/5BM

5 BNC RGBHV Mini Coax Cable



C-5BM/5BM-3	0,9 m
C-5BM/5BM-6	1,8 m
C-5BM/5BM-10	3,0 m
C-5BM/5BM-15	4,6 m
C-5BM/5BM-20	6,0 m
C-5BM/5BM-25	7,6 m
C-5BM/5BM-35	10,6 m
C-5BM/5BM-50	15,2 m
C-5BM/5BM-65	19,8 m
C-5BM/5BM-75	22,9 m
C-5BM/5BM-100	30,5 m

# Adapters

## Analog Adapters



**AD-BF/RM**  
BNC (F) to RCA (M)  
Adapter



**AD-BM/RF**  
BNC (M) to RCA (F)  
Adapter



**AD-BF/BF**  
BNC (F/F) Gender  
Changer



**AD-BM/75**  
BNC (M) 75Ω  
Terminator Adapter



**AD-BM/2BFY**  
BNC (M) to 2 BNC (F)



**AD-BM/2BFT**  
BNC (M) to 2 BNC (F)



**AD-RF/RF**  
RCA (F/F) Gender  
Changer



**AD-GF/GF**  
15-pin HD (F/F)  
Gender Changer



**AD-GM/GM**  
15-pin HD (M/M)  
Gender Changer



**AD-GM/GF/RA**  
15-pin HD (M) to  
15-pin HD (F) Right-  
Angled Adapter



**AD-D9M/D9M**  
9-pin D (M/M)  
Gender Changer



**AD-D9F/D9F**  
9-pin D (F/F) Gender  
Changer



**AD-A35M/2RF**  
3.5mm (M) to 2 RCA (F)  
Adapter

## Digital Adapters



**AD-DM/HF**  
DVI-D (M) to HDMI (F)  
Adapter



**AD-DF/HM**  
DVI-I (F) to HDMI  
(M) Adapter



**AD-DM/GF**  
DVI (M) to 15-pin  
HD (F) Adapter



**AD-HF/HF**  
HDMI (F/F) Gender  
Changer



**AD-HF/HF/RA**  
HDMI (F) to HDMI  
(F) Right-Angled  
Gender Changer



**AD-HF/HF/RA-FLAT**  
HDMI (F) to HDMI  
(F) Right-Angled Flat  
Gender Changer



**AD-HF/HM/RA**  
HDMI (F) to HDMI (M)  
Right-Angled Adapter



**AD-DF/DM/RA**  
DVI-I (F) to DVI-I (M)  
Right-Angled Adapter



**AD-DF/DF/RA**  
DVI-I (F) to DVI-I (F)  
Right-Angled Gender  
Changer



**AD-DF/DF/RA-FLAT**  
DVI-I (F) to DVI-I (F) Flat  
Right-Angled Gender  
Changer



**ADC-DM/HF**  
DVI-D (M) to HDMI (F)  
Adapter Cable



**ADC-DF/HM**  
DVI-I (F) to HDMI (M)  
Adapter Cable

## AD-RING



**AD-RING-1**  
Included adapters: DisplayPort (M) to HDMI (F); Mini DisplayPort (M) to HDMI (F)  
1080p/1920x1200



**AD-RING-2**  
Included adapters: DisplayPort (M) to HDMI (F); Mini DisplayPort (M) to HDMI (F); Mini HDMI type-C (M) to HDMI (F); Micro HDMI type-D (M) to HDMI (F)  
1080p/1920x1200



**AD-RING-3**  
Included adapters: DisplayPort (M) to HDMI (F); Mini DisplayPort (M) to HDMI (F); Mini HDMI type-C (M) to HDMI (F)  
1080p/1920x1200



**AD-RING-4**  
Included adapters: Mini DisplayPort (M) to HDMI (F); USB Type-C (M) to HDMI (F)  
4K@60Hz (4:2:0)



**AD-RING-5**  
Included adapters: Mini DisplayPort (M) to HDMI (F); USB Type-C (M) to HDMI (F); DisplayPort (M) to HDMI (F); Mini HDMI type-C (M) to HDMI (F)  
4K@60Hz (4:2:0)



**AD-RING-6**  
Included adapters: Mini DisplayPort (M) to HDMI (F); DisplayPort (M) to HDMI (F); USB type-C (M) to HDMI (F)  
4K@60Hz (4:2:0)



**AD-RING-7**  
Included adapters: USB type-C (M) to HDMI (F); Mini DisplayPort (M) to HDMI (F); DisplayPort (M) to HDMI (F)  
USB-C - 4K60 (4:2:0) / MDP - 4K60 (4:4:4) / DP - 1080p



**AD-RING-8**  
Included adapters: USB type-C (M) to HDMI (F); Mini DisplayPort (M) to HDMI (F)  
USB-C - 4K60 (4:2:0) / MDP - 1080p/1920x1200



**TL-RING**  
Adapter Ring Tool Set

# Adapter Cables



**ADC-DPM/DF**  
DisplayPort (M) to DVI-I (F) Adapter Cable



**ADC-DPM/HF**  
DisplayPort (M) to HDMI (F) Adapter Cable



**ADC-DPM/HF**  
DisplayPort (M) to HDMI (F) Adapter Cable



**ADC-DPM/GF**  
DisplayPort (M) to 15-pin HD (F) Adapter Cable



**ADC-MDP/DF**  
Mini DisplayPort (M) to DVI-D (F) Adapter Cable



**ADC-MDP/HF**  
Mini DisplayPort (M) to HDMI (F) Adapter Cable



**ADC-MDP/GF**  
Mini DisplayPort (M) to 15-pin HD (F) Adapter Cable



**ADC-HM/DPF**  
4K HDMI (M) to DisplayPort(F) Adapter Cable



**ADC-MDP/M1**  
Mini DisplayPort to DVI, HDMI or VGA Adapter Cable



**ADC-MDP/M2**  
Mini DisplayPort to DVI, HDMI or DisplayPort Adapter Cable



**ADC-DPM/HF/UHD**  
DisplayPort (M) to HDMI (F) 4K Active Adapter Cable



**ADC-MDP/HF/UHD**  
Mini DisplayPort (M) to HDMI (F) 4K Active Adapter Cable



**ADC-HM/GF**  
HDMI (M) to 15-pin HD (F) Adapter Cable



**ADC-GM/HF**  
15-pin HD (M) to HDMI (F) with USB Audio/Power Adapter Cable



**ADC-DPM/MDPF**  
DisplayPort (M) to Mini DisplayPort (F) Adapter Cable



**ADC-MDP/DPF**  
Mini DisplayPort (M) to DisplayPort (F) Adapter Cable



**ADC-U31C/DPF**  
USB 3.1 Type-C to DisplayPort Adapter Cable



**ADC-U31C/GF**  
USB 3.1 Type-C to VGA Adapter Cable



**ADC-U31C/HF**  
USB 3.1 Type-C to HDMI Adapter Cable



**ADC-U31C/M1**  
USB 3.1 Type-C to VGA & USB 3.0 & PD Adapter Cable



**ADC-U31C/M2**  
USB 3.1 Type-C to HDMI & USB 3.0 & PD Adapter Cable



**ADC-USB31/CAE**  
USB 3.1 C(M) to A(F) Adapter Cable



**AD-USB31/CAE**  
USB 3.1 C(M) to A(F) Adapter



**C-USBC/DPM-6**  
USB Type-C (M) to DisplayPort (M) Cable



**C-USBC/GM-6**  
USB Type-C (M) to 15-pin HD (M) Cable



**C-USBC/HM-6**  
USB Type-C (M) to HDMI (M) Cable



**ADC-HM/HF/PICO**  
Ultra-Slim High-Speed HDMI Flexible Adapter Cable with Ethernet

# Adapters & Accessories

## RG-6



**CC-BNC-6**  
CON-COMP-BNC/M/RG-6;  
BNC Compression Connector for  
RG-6 Coax Cable; 25 pieces



**CC-RCA-6**  
CON-COMP-RCA/M/RG-6;  
RCA Compression Connector for RG-6  
Coax Cable; 25 pieces



**CC-F6**  
CON-COMP-F/M/RG-6; "F"  
Compression Connector for RG-6 Coax  
Cable; 25 pieces

## RG-59



**CC-BNC-59**  
CON-COMP-BNC/M/RG-59; BNC  
Compression Connector for RG-59  
Coax Cable; 25 pieces



**CC-F59**  
CON-COMP-F/M/RG-59; "F"  
Compression Connector for RG-59  
Coax Cable; 25 pieces

## RG-179



**CC-BNC-179**  
CON-COMP-BNC/M/RG-179(26-28#);  
BNC Compression Connector for 26-28  
AWG Coax Cable; 50 pieces



**CC-RCA-179**  
CON-COMP-RCA/M/RG-179(26-28#);  
RCA Compression Connector for 26-28  
AWG Coax Cable; 25 pieces



**CC-BNC-22**  
CON-COMP-BNC/M/22#; BNC  
Compression Connector for 22 AWG  
Cable; 25 pieces

## RG-6



**CCR-BNC-6**  
BNC (M) PLUG CRIMP FOR RG-6



**CCR-BNC-59**  
BNC (M) PLUG CRIMP FOR RG-59



**CC-BNCM-179**  
BNC (M) PLUG CRIMP FOR MINI COAX



**CC-BNCF-179**  
BNC (F) PLUG CRIMP FOR MINI COAX

## RJ-45



**CON-RJ45**  
K-LAN Crimp Style RJ-45 Connectors  
for Category Cables



**CABLE BOOT**  
Connector Boot for RJ-45  
  
CB-BLACK  
CB-LBLUE  
CB-GRAY  
CB-GREEN  
CB-PURPLE



**CON-FIELD**  
Field Assembly Shielded RJ-45  
Connectors for CAT Cable  
Fixed connector



**CON-FIELD-360**  
Field Assembly Shielded RJ-45  
Connectors for CAT Cable  
With variable cable entry, 8 positions  
possible

## VGA



**CON-HD15/H**  
15-pin HD Hoods for 10mm Cable



**CON-HD15/BM**  
15-pin HD Male Solder Type  
Connector Body



**CON-HD15/BF**  
15-pin HD Female Solder Type  
Connector Body



**CON-HD15/G**  
50 Grommet Set to Adapt Hood to  
9/8/7/6/5mm Cables



**COLOR RINGS**  
Color Rings for Compression Connectors  
  
CRC-Red  
CRC-Green  
CRC-Blue  
CRC-Yellow  
CRC-White  
CRC-Black

## Tools




**TL-WS**  
Cable & Wire Stripper Tool



**TL-B/CRIMP**  
Crimping Tool for Kramer Coax Bulk Cables



**TL-STRIP**  
Coax Stripper



**TL-STRIP/C**  
Cable Stripper — Extra  
Blade Cartridge



**TL-LCT**  
Compression Tool for All Kramer  
Bulk Cables

# Bulk cables

## CAT5E

**BCLS-11GY**  
CAT 5E U/UTP 24AWG 350MHz Bulk Cable — Low Smoke & Halogen Free



BCLS-11GY-3 CAT 5E U/UTP LSZH Cable - Grey 305 m

## CAT6

**BCLS-21GR**  
CAT 6 U/UTP 23AWG 600MHz Bulk Cable — Low Smoke & Halogen Free



BCLS-21GR-3 CAT 6 U/UTP LSZH Cable - Green 305 m

**BCLS-23GR**  
CAT 6 F/UTP 23AWG 400MHz Bulk Cable — Low Smoke & Halogen Free



BCLS-23GR-5 CAT 6 F/UTP LSZH Cable - Green 500 m

## CAT6A

**BCLS-31YL**  
CAT 6A U/UTP 23AWG 650MHz Bulk Cable — Low Smoke & Halogen Free



BCLS-31YL-5 CAT 6A U/UTP LSZH Cable - Yellow 305 m

**BCLS-33OR**  
CAT 6A F/UTP LSZH Bulk Cable



BCLS-33OR-5 CAT 6A F/UTP LSZH Bulk Cable - Orange 500 m

**BC-UNIKAT/LSHF**  
CAT6A U/FTP Video & LAN Bulk Cable — Low Smoke & Halogen Free



BC-UNIKAT/LSHF-100M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	100 m
BC-UNIKAT/LSHF-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	305 m
BC-UNIKAT/LSHF-500M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	500 m
BC-UNIKAT/LSHF/BK-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black)	305 m

## CAT6A

**BC-UNIKAT/B2CA**  
CAT6A U/FTP Video & LAN Bulk Cable — Low Smoke & Halogen Free



BC-UNIKAT/B2ca-305M 23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black jacket and Reaction to fire, in accordance with Regulation (EU) No 305/2011, B2ca-s1,d1,a1) 305 m

**BC6A-LS203**  
CAT6A U/FTP 650MHz 4x2x23AWG Bulk Cable — Low Smoke & Halogen Free



BC6A-LS203-D305M CAT6A U/FTP 650MHz 23AWG Bulk Cable — Low Smoke & Halogen Free 305 m  
BC6A-LS203-D500M CAT6A U/FTP 650MHz 23AWG Bulk Cable — Low Smoke & Halogen Free 500 m

**BC6A-LSD203**  
CAT6A Dual U/FTP 650MHz 2x4x2x23AWG Bulk Cable — Low Smoke & Halogen Free



BC6A-LSD203-D500M CAT6A Dual U/FTP 650MHz 23AWG Bulk Cable - Low Smoke & Halogen Free 500 m

## CAT6A

**BC6A-LS403**  
CAT6A F/FTP 650MHz 4x2x23AWG Bulk Cable — Low Smoke & Halogen Free



BC6A-LS403-D305M CAT6A F/FTP 650MHz 23AWG Bulk Cable - Low Smoke & Halogen Free 305 m  
BC6A-LS403-D500M CAT6A F/FTP 650MHz 23AWG Bulk Cable - Low Smoke & Halogen Free 500 m

**BC6A-LSD403**  
CAT6A Dual F/FTP 650MHz 2x4x2x23AWG Bulk Cable — Low Smoke & Halogen Free



BC6A-LSD403-D500M CAT6A Dual F/FTP 650MHz 23AWG Bulk Cable — Low Smoke & Halogen Free 500 m

## CAT7

**BCLS-45RD-5**  
CAT 7 S/FTP 23AWG 750MHz Bulk Cable — Low Smoke & Halogen Free



# Bulk cables

## CAT7A

### BC-DGKAT7A23

Four-Pair S/FTP Data Bulk Cable (23AWG)



BC-DGKat7a23-100M	23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products	100 m
BC-DGKat7a23-305M	23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products	305 m

## Speaker

### BC-2S12/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free



BC-2S12/LSHF-300M	Speaker Cable 12AWG — Low Smoke & Halogen Free	300 m
-------------------	--	-------

### BC-2S14/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free



BC-2S14/LSHF-300M	Speaker Cable 14AWG — Low Smoke & Halogen Free	300 m
-------------------	--	-------

## Speaker

### BC-2S

Speaker Bulk Cable



BC-2S-300M	1 Pair: 16 AWG Speaker Bulk Cable	300 m
------------	-----------------------------------	-------

### BC-2S/18

Speaker Bulk Cable



BC-2S/18-100M	1 Pair: 16 AWG Speaker Bulk Cable	100 m
---------------	-----------------------------------	-------

### BC-4S14/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free



BC-4S14/LSHF	4 Conductor Speaker Bulk Cable — Low Smoke & Halogen Free	300 m
--------------	---	-------

## Audio / Control

### BC-1T

Mono Audio/Control Bulk Cable



BC-1T-300M	1 Shielded Pair: 20 AWG Audio or Control Bulk Cable	300 m
------------	---	-------

### BC-2T

Stereo Audio/Control Bulk Cable



BC-2T-300M	2 Shielded Pair: 20 AWG Audio or Control Bulk Cable	300 m
------------	---	-------

## COAX

### BC-1X

1 Coax RG-6 Super High-Resolution Bulk Cable



BC-1X-100M	1 Coax: RG-6 Bulk Cable	100 m
BC-1X-300M	1 Coax: RG-6 Bulk Cable	300 m

## COAX

### BC-RG63G

1 Coax RG-6 Broadcast Quality Optimized for 3G HD-SDI Bulk Cable



BC-RG63G-152M	1 Coax: Broadcast Quality RG-6 Bulk Cable	152.4 m
BC-RG63G-305M	1 Coax: Broadcast Quality RG-6 Bulk Cable	305 m

### BC-5X

5 Mini Coax High-Resolution Bulk Cable



BC-1X-100M	1 Coax: RG-6 Bulk Cable	100 m
BC-1X-300M	1 Coax: RG-6 Bulk Cable	300 m

### BC-3X2T7S

14 Conductor Presentation/VGA Bulk Cable



BC-2S12/LSHF-300M	Speaker Cable 12AWG — Low Smoke & Halogen Free	300 m
BC-2S14/LSHF-300M	Speaker Cable 14AWG — Low Smoke & Halogen Free	300 m

# Table Boxes |



| **TBUS-1-KWC** ● ●

TBUS with Wireless Charging Spot

# Table Boxes

## RTBUS-11

Only in N. America

Round Table Mount Multi-Connection Solution — Pneumatic Lid



Available Colors: ● ●

- Elegant in-table solution
- Easy to install
- Pop-up Lid

⚠ Power socket and power cord are purchased separately (see page 24-25)

## RTBUS-21XL

Round Table Mount Multi-Connection Solution — Pneumatic Lid — 110mm Cut-Out



Available Colors: ● ●

- Elegant in-table solution
- Easy to install
- Pop-up lid
- Inputs — 15-pin HD, 3.5mm, HDMI, Ethernet.

⚠ Power socket and power cord are purchased separately (see page 24-25)

## RTBUS-25XL

Round Table Mount Multi-Connection Solution — Pneumatic Lid — 110mm Cut-Out



Available Colors: ● ●

- Elegant in-table solution
- Easy to install
- Pop-up lid
- Inputs — 15-pin HD, USB, 3.5mm, HDMI, Ethernet.

⚠ Power socket and power cord are purchased separately (see page 24-25)

## RTBUS-24

Round Table Connection Bus — 2 US Power Sockets, 2 USB Chargers & 1 HDMI Connector



Available Colors: ● ●

- Elegant, compact, in-table solution
- Easy to install
- Pop-up Lid
- UL certified
- For Use with 110V AC Power Only

⚠ Power socket and power cord are purchased separately (see page 24-25)



# Table Boxes

## TBUS-201XL

Pop-Up Table Mount Multi-Connection Solution



Available Colors: ● ●

- Elegant in-table compact solution
- Avoids the tabletop cable clutter
- Easy to install
- Flexible to configure and customize
- Inputs — 15-pin HD, 3.5mm, HDMI, Ethernet.

⚠ Power socket and power cord are purchased separately (see page 24-25)

## TBUS-202XL

Dual Pop-Up Table Mount Multi-Connection Solution



Available Colors: ● ●

- Elegant in-table solution
- Avoids the tabletop "cable jungle"
- Easy to install
- Flexible to configure and customize
- Inputs — 15-pin HD, 3.5mm, HDMI, Ethernet PER CONNECTING SURFACE.

⚠ Power socket and power cord are purchased separately (see page 24-25)

## TBUS-203XL

Pop-Up Table Mount Multi-Connection Solution



Available Colors: ● ●

- 5 insert slots
- 1 AC power slot
- Pneumatic lift

⚠ Power socket and power cord are purchased separately (see page 24-25)  
See page 27 for available frames

## TBUS-204

Pop-up Table Connection Bus — 2 US Power Sockets & 2 USB Chargers



Available Colors: ● ●

- Elegant, compact, in-table solution
- Easy to install
- Pop-up Lid
- UL certified
- For Use with 110V AC Power Only

⚠ Power socket and power cord are purchased separately (see page 24-25)  
See page 27 for available frames

# Table Boxes

## TBUS-1AXL

Table Mount Modular Multi-Connection Solution — Tilt-Up Lid



- Cover — Manually opens & closes.
- Inner Frame — 6 different "TIAF" inner frame options are available that can accommodate a combination of up to 4 power sockets, 6 cable pass-through or connector inserts, 1 long insert and up to 3 Kramer TOOLS.
- Power Sockets — 8 different "TS" single and 8 dual power socket options are available to accommodate the power requirements worldwide.
- Power Cord — 8 different "C-AC" single power cords (and 3 "Y" power cords) for each power socket.
- Optional Accessories — TBUS Brackets, K-Able Box Cable Reels, Step-In Modules and Controllers are available.
- UL and CE Qualified.
- Connector Depth — Adjustable.
- Installation Requirement — Table cutout of 19.1cm x 15.2cm (7.51in x 5.98in).
- Dimensions — 20.5cm x 17cm x 13.2cm (8.1" x 6.7" x 5.2") W, D, H.
- Weight — TBUS-1AxL: 1.5kg (3.3lbs) approx.; table clamps: 0.26kg (0.57lbs); metal template: 0.125kg (0.28lbs).

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

## TBUS-1N

Table Mount Modular Multi-Connection Solution — Retractable Lid



- Modular Design — Tailors to your requirements.
- Cover — Black sand-blast or silver sand-blast anodized aluminum lid with a special opening for cable pass-through. (Note, other customized colors can be ordered).
- Height Adjustment — Use screw holes to set the inner frame (ordered separately) to the desired height.
- Power Sockets — Single or dual power socket openings are suitable for any of the following power sockets: USA, UK, Switzerland, Germany (the Europlug), Belgium-France, Italy, Australia, Israel, Brazil, South Africa or "Universal" for use anywhere.
- Cutout Dimensions — 195 +2mm x 173 +2mm (7.68 +0.08in x 6.82 +0.08in).

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

## TBUS-1-KWC

TBUS with Wireless Charging Spot




- Integrated Wireless Charging Spot — For mobile phones integrated in the TBUS.
- Flush Surface
- Power Supply — Requires a supply voltage of 12V DC at 2.0A.
- Current Input — 1A, IEEE 802.15.4 based RF channels.
- Power Output — 6 to 15W.
- Regulatory Compliance — PMA type 3 compliant  
EMC Emission — EN5502/CISPR22  
Safety — EN60950-1, EN60950-1, UL60950-1, IEC 60950-1, RoHS, REACH
- Qi Standard Compliant
- Cutout Dimensions — 152+2mm x 191+2mm (6+0.08in x 7.5+0.08in).

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)


## Frames for TBUS 1AXL, TBUS-1N and TBUS-1-KWC



**T1AF-16**  
1 Single Power Socket Slot, 6 Insert Slots (Includes 4 Blank & 2 Cable Pass-Through Inserts)



**T1AF-26**  
1 Double Power Socket Slot, 6 Insert Slots (Includes 4 Blank & 2 Cable Pass-Through Inserts)



**T1AF-44**  
2 Double Power Sockets Slots, 4 Insert Slots (Includes 2 Blank & 2 Cable Pass-through Inserts)



**T1AF-1T3**  
1 Single Power Socket Slot, 1 Slot for 3 Kramer TOOLS



**T1AF-14L**  
1 Single Power Socket Slot, 4 Insert Slots (Includes 2 Blank & 2 Cable Pass-through Inserts), 1 Long Insert Slot



**T1AF-14T**  
1 Single Power Socket Slot, 4 Insert Slots (Includes 2 Blank & 2 Cable Pass-Through Inserts), 1 Slot for 1 Kramer TOOLS

# Table Boxes

## TBUS-10XL

Table Mount Modular Multi-Connection Solution — Manually Retracting Lid



Shown complete with frame and socket



- Cover — Manually opens & closes.
- Inner Frames — T10F-22M can accommodate a combination of up to 2 power sockets, 2 inserts, 1 opening for a Kramer MegaTOOL SID-X1N; T10F-33 contains 3 power sockets and 3 inserts.
- Power Sockets — 11 different "TS" single and 10 dual power socket options are available to accommodate the power requirements worldwide.
- Power Cord — 8 different "C-AC" single power cords (and 3 "Y" power cords) for each power socket. UL and CE qualified.
- Connector Depth — Adjustable.
- Installation Requirement — Table cutout of 245mm x 154mm (9.65" x 6.07").
- Dimensions — Top plate: 171.6mm x 261mm (6.8" x 10.3") W, D.
- Weight — TBUS-10xl: 1.35kg (2.8lbs) approx.; table clamps: 0.25kg (0.6lbs) approx.
- Accessories — TBUS clamps (part of the TBUS enclosure), cut-out template, template screws, self-locking ties.
- Options — Inner frames, passive wall plates and interfaces, power socket kits, power cord, T-2INSERT kit, T-RC-8IR kit, T-RC-76 kit, T-RC-78 kit, Kramer K-Able Box (furniture-mounted cable extension).

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

## Frames for TBUS-10XL

### T10F-22M

- 2 Single Power Socket Slots
- 2 Insert Slots
- 1 Slot for a Kramer MegaTOOL



### T10F-33

- 1 Dual & 1 Single Power Socket Slots
- 2 Blank Insert Slots
- 1 Cable Pass-Through



## UTBUS-1XL

Under-the-Table Modular Multi-Connection Solution Enclosure




- Power Sockets — 8 different "TS" single power socket options are available to accommodate the power requirements worldwide.
- Power Cord — 8 different "C-AC" single power cords for each power socket.
- Insert Slots — 6.
- Installation Requirement — Requires 29.0cm x 13.7cm (11.42" x 5.4") of free space beneath the table.
- Weight — 0.6kg (1.32lbs) approx.

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

## UTBUS-2XL

Under-the-Table Modular Connection Bus



- Power Sockets — 10 different "TS" dual power socket options are available to accommodate the power requirements worldwide. (Purchased separately).
- Power Cord — 8 different "C-AC" single power cords for each power socket. (Purchased separately).
- Insert Slots — 6.
- Installation Requirement — Requires 34.0cm x 13.7cm (13.39" x 5.4") of free space beneath the table.
- Weight — 0.7kg (1.54lbs) approx.

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

# Table Boxes

## TBUS-3XL

Table Mount Modular Multi-Connection Solution — Tilt-Up Lid



Shown complete with frame and socket



- Inner Frame — 3 different "T3F" inner frame options are available that can accommodate a combination of up to 4 power sockets, 6 cable pass-through or connector inserts, 1 long insert and up to 3 Kramer TOOLS.
- Power Sockets — 8 different "TS" single power socket options are available to accommodate the power requirements worldwide.
- Power Cords — 8 different "C-AC" single power cords for each power socket.
- Optional Accessories — TBUS Brackets, K-Able Box Cable Reels, Step-In Modules and Controllers are available.
- Cover — Manually opens & closes.
- Connector Depth — Adjustable.
- Installation Requirement — Table cutout of 158mm x 123mm (6.23" x 4.85").
- Dimensions — Top plate: 17.6cm x 14.0cm (6.9" x 5.5") W, D; Enclosure: 13.6cm x 10.2cm x 13.0cm (5.4" x 4.0" x 5.1") W, D, H.
- Weight — 1.02kg (2.25lb) approx.; table clamps: 0.257kg (0.566lbs); template: 0.125kg (0.275lbs).

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

## Frames for TBUS-3XL

### T3F-1S

- 1 Single Power Socket Slot
- 1 Fixed 15-pin HD (PC)
- 1 Fixed USB-A
- 1 Fixed RJ-45 (Ethernet)
- 1 Fixed 3.5mm (Audio)




### T3F-13

- 1 Single Power Socket Slot
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



### T3F-1C

- 1 Single Power Socket slot
- 4 Fixed Cable Pass-Through



## TBUS-5XL

Table Mount Modular Multi-Connection Solution — Manually Retracting Lid



Shown complete with frame and socket



- Inner Frame — 2 different "T5F" inner frame options are available that can accommodate a combination of up to 4 power sockets, 6 cable pass-through or connector inserts, 1 long insert and up to 3 Kramer TOOLS.
- Power Sockets — 8 different "TS" single power socket options are available to accommodate the power requirements worldwide.
- Power Cord — 8 different "C-AC" single power cords for each power socket.
- Optional Accessories — TBUS Brackets, K-Able Box Cable Reels, Step-In Modules and Controllers are available.
- Retractable Lid — Manually slides into unit.
- Connector Depth — Adjustable.
- Installation Requirement — Table cutout of 158mm x 123mm (6.23" x 4.85").
- Dimensions — Top plate: 17.6cm x 14.04cm (6.9" x 5.5") W, D; Enclosure: 15.4cm x 10.2cm x 13.0cm (6.1" x 4.0" x 5.1") W, D, H.
- Weight — 0.9kg (2.0lbs) approx.; table clamps: 0.25kg (0.55lbs) approx.

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

## Frames for TBUS-5XL

### T5F-1S

- 1 Power Socket Slot
- 1 Fixed 15-pin HD (PC)
- 1 Fixed USB-A
- 1 Fixed RJ-45 (Ethernet)
- 1 3.5mm (Audio)



### T5F-13

- 1 Power Socket Slot
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



## Table Boxes

### TBUS-4XL

Table Mount Modular Multi-Connection Solution — Tilt-Up Lid



Shown complete with frame and socket



- Inner Frame — 2 different "T4F" inner frame options are available that can accommodate a combination of up to 4 power sockets, 6 cable pass-through or connector inserts, 1 long insert and up to 3 Kramer TOOLS.
- Power Sockets — 8 different "TS" single socket options are available to accommodate the power requirements worldwide.
- Power Cord — 8 different "C-AC" single power cords (and 3 "Y" power cords) for each power socket.
- Optional Accessories — TBUS Brackets, K-Able Box Cable Reels, Step-In Modules and Controllers are available.
- Cover — Manually opens & closes.
- Connector Depth — Adjustable.
- Installation Requirement — Table cutout of 225mm x 123mm (8.87" x 4.85").
- Dimensions — Top plate: 24.3cm x 14.0cm (9.6" x 5.5") W, D; Enclosure: 20.3cm x 10.2cm x 13.0cm (8.0" x 4.0" x 5.1") W, D, H.
- Weight — TBUS-4xl: 1.35kg (2.8lbs) approx.; table clamps: 0.25kg (0.6lbs).

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

### Frames for TBUS-4XL

#### T4F-2S:

- 2 Single Power Sockets Slots
- 2 Fixed 15-pin HD (PC)
- 2 Fixed USB-A
- 2 Fixed RJ-45 (Ethernet)
- 2 Fixed 3.5mm (Audio)



#### T4F-23

- 2 Single Power Sockets Slot
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



### K-POD302

Mounting Enclosure for Kramer 3-Gang Size Products



- Compatible with Kramer RC-74DL control keypad (sold separately)
- Enhances room design
- Cost-effective and easy to install
- Ideal for boardrooms and conference rooms

### TBUS-6XL

Table Mount Modular Multi-Connection Solution — Manually Retracting Lid



Shown complete with frame and socket



- Inner Frame — 3 different "T3F" inner frame options are available that can accommodate a combination of up to 4 power sockets, 6 cable pass-through or connector inserts, 1 long insert and up to 3 Kramer TOOLS.
- Power Sockets — 8 different "TS" single power socket options are available to accommodate the power requirements worldwide.
- Power Cord — 8 different "C-AC" single power cords (and 3 "Y" power cords) for each power socket.
- Optional Accessories — TBUS Brackets, K-Able Box Cable Reels, Step-In Modules and Controllers are available.
- Retractable Lid — Manually slides into unit.
- Connector Depth — Adjustable.
- Installation Requirement — Table cutout of 225mm x 123mm (8.87" x 4.85").
- Dimensions — Top plate: 24.3cm x 14.0cm (9.6" x 5.5") W, D; Enclosure: 22.1cm x 10.2cm x 13.0cm (8.7" x 4.0" x 5.1") W, D, H.
- Weight — 1.35 kg (2.8 lbs) approx.; table clamps: 0.25 kg (0.6 lbs) approx.

Available Colors: ● ●

⚠ Frames, power sockets, and power cords are purchased separately (see pages 24-25)

### Frames for TBUS-6XL

#### T6F-2S

- 2 Single Power Sockets Slots
- 2 Insert Slots
- 2 Fixed 15-pin HD (PC)
- 2 Fixed RJ-45 (Ethernet)
- 2 Fixed 3.5mm (Audio)
- 2 Fixed USB-A



#### T6F-09

- 9 Insert Slots (Includes 6 Blank & 3 Cable Pass-Through Inserts)



#### T6F-23

- 2 Single Power Socket Slots
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



# Table Boxes

## KRT-4

Cable Retractor



- Available for HDMI, VGA, Audio (3.5mm), LAN, USB, and DisplayPort connectors
- Extends cable up to 1.8m (5.9ft)
- Easy to install in a TBUS or as a stand-alone
- Compatible with many Kramer TBUS models

KRT-4-H	High-speed HDMI with Ethernet cable retractor with HDMI connector
KRT-4-DP	DisplayPort cable retractor with DisplayPort connector
KRT-4-VGA	VGA cable retractor with VGA connector
KRT-4-LAN	CAT 6 cable retractor with RJ-45 connector
KRT-4-A	Audio cable retractor with 3.5mm mini jack connector
KRT-4-MDP	Mini DisplayPort to HDMI cable retractor and converter
KRT-4-USBC	USB type-C cable retractor with USB type-C connector
KRT-4-USB-3	USB 3.0 cable retractor with USB type-A connector
KRT-4-3H2	High-Speed HDMI 4K cable retractor with PT-3H2 signal extender

## Single Power Socket




**TS-1U**  
TBUS Power Socket - Universal



**TS-1US**  
TBUS Power Socket - USA



**TS-1GB**  
TBUS Power Socket - Great Britain



**TS-1DE**  
TBUS Power Socket - Germany



**TS-1FR**  
TBUS Power Socket - France



**TS-1IT**  
TBUS Power Socket - Italy



**TS-1CH**  
TBUS Power Socket - Switzerland



**TS-1AU**  
TBUS Power Socket - Australia



**TS-1IL**  
TBUS Power Socket Bracket for Legrand Mosaic Sockets



**TS-1ZA**  
TBUS Power Socket Bracket - South Africa (socket purchased separately by installer)



**TS**  
TBUS Power Socket - Brazil (contains 2 sockets in a single socket opening). Sockets purchased separately by installer.

## Dual Power Socket



**TS-2U**  
TBUS Dual Power Socket - Universal



**TS-2US**  
TBUS Dual Power Socket - USA



**TS-2GB**  
TBUS Dual Power Socket - Great Britain



**TS-2DE**  
TBUS Dual Power Socket - Germany



**TS-2FR**  
TBUS Dual Power Socket - France




**TS-2IT**  
TBUS Dual Power Socket - Italy



**TS-2CH**  
TBUS Dual Power Socket - Switzerland



**TS-2AU**  
TBUS Dual Power Socket - Australia



**TS-2IL**  
TBUS Power Socket Bracket for 2 Legrand Mosaic Sockets



**TS-2ZA**  
TBUS Power Socket Bracket - South Africa (sockets purchased separately by installer)

# Table Boxes

## Power Sockets & Cables



**TS-PEU**  
Universal Socket Power Extension for Modular TBUS



**TS-2UC/U**  
TBUS Dual Socket Module with 1 Universal AC Power Socket and 2 USB Charging Ports



**TS-201U**  
TBUS Power Socket Modules for all Kramer pop-up and round TBUS models. Available AC models: Universal, Australia, Israel, Switzerland, 110V AC USA, South Africa, Germany, Italy, Brazil, France, Great Britain



**TS-2UC/DE**  
TBUS Dual Socket Module with 1 DE (German/European) AC Power Socket and 2 USB Charging Ports



**TS-2UC/US**  
TBUS Dual socket module with 2 US AC power sockets and 2 USB charging ports



**T-2INSERT**  
TBUS Bracket to Install 2 Inserts in a Power Socket Opening



**T-4INSERT**  
TBUS Bracket to Install Four Inserts in a Dual Power Socket Opening



**T-TBLANK**  
TBUS Inner Frame Blank Plate for Kramer TOOLS



**T-1GD**  
Mounting Bracket for Installing 1-Gang US-D Size Product Inside TBUS



**KRAMER CABLE GUARD**  
Under the Table Cable Protector for TBUS



**C-AC**  
TBUS AC Power Cord



**C-ACY**  
TBUS AC Power Cord Dual Outputs



**CT-200**  
Hook and Loop Cable Ties

C-AC/US	TBUS AC Power Cord — 6ft USA 110V AC	1.80m
C-AC/EU	TBUS AC Power Cord — Right-Angle Europe 6ft 220V AC	1.80m
C-AC/UK	TBUS AC Power Cord — UK 6ft 250V AC	1.80m
C-AC/JP	TBUS AC Power Cord — Japan 6ft 125V AC	1.80m
C-AC/IL	TBUS AC Power Cord — Israel 6ft 220V AC	1.80m
C-AC/IN	TBUS AC Power Cord — Right-Angle India 6ft 250V AC	1.80m
C-AC/CN	TBUS AC Power Cord — Right-Angle China 6ft 250V (10amp)	1.80m
C-AC/ZA	TBUS AC Power Cord — Right-Angle South Africa 6ft 250V (10amp)	1.80m
C-AC/AU	TBUS AC Power Cord — Australia 240V (10Amp)	1.80m

### Y-Type

C-ACY/US	TBUS AC Power Cord Dual Outputs — USA 6ft 110V AC	1.80m
C-ACY/EU	TBUS AC Power Cord Dual Outputs — Right-Angle Europe 6ft 220V AC	1.80m
C-ACY/UK	TBUS AC Power Cord Dual Outputs — UK 6ft 240V AC	1.80m

# Inserts

## Audio




**WA-1PN**  
Wall Plate Insert — 3.5mm Stereo Audio



**WA-1XLF**  
Wall Plate Insert — XLR (F)




## Special




**W-2UC**  
Wall Plate Insert — Dual USB Charger



**RC-10TB**  
Wall Plate Insert — 1-Button Contact Closure Switch



**RC-20TB**  
Wall Plate Insert — 2-Button Contact Closure Switch



**RC-21TB**  
Wall Plate Insert — 2-Button Contact Closure Switch



## VGA



**WX-2F**  
Wall Plate Insert — 15-pin HD (F/F)




**WXA-2P**  
Wall Plate Insert — 15-pin HD & 3.5mm Stereo Audio



## Data



**W-45**  
Wall Plate Insert — RJ-45



**W4545**  
Wall Plate Insert — Dual RJ-45



**WA-45**  
Wall Plate Insert — 3.5mm Stereo Audio & RJ-45



**WU-BA**  
Wall Plate Insert — USB (B/A)



## Data



**WU-AB**  
Wall Plate Insert — USB (A/B)



**WU-AA**  
Wall Plate Insert — USB (A/A)




**WU-2AA**  
2 x USB 2.0 (A/A) Wall Plate Insert



**WU-CA**  
USB-C Single Wall-Plate Insert



## Digital



**W-H**  
HDMI Wall Plate Insert



**W-DP**  
Wall Plate Insert — DisplayPort



## Blank



**WCP**  
Wall Plate Insert — Cable Pass-Through



**WCP-21**  
Wall Plate Insert — Two-Sized Cable Pass-Through



**WCP-2**  
Wall Plate Insert — Dual Cable Pass-Through



**W-BLANK**  
Wall Plate Insert — Blank Slot Cover Plate



**W-2BLANK**  
Wall Plate Insert — Double Blank Slot Cover Plate



**TS-1WUS**  
Dual Insert US Power Socket Module



# Inserts

## Frames

### FRAME-1G/EUK FRAME-1G/BG

Frame for Wall Plate Inserts — 1 Gang  
2 Inserts



Available Colors ● ● ●

### FRAME-1G/US


Frame for Wall Plate Inserts — 1 Gang  
3 Inserts



Available Colors ● ● ●

### FRAME-2G/EUK


Frame for Wall Plate Inserts — 2 Gang  
4 Inserts



Available Colors ● ● ●

### FRAME-1GP-80

Design Frame for 2 Wall Plate Inserts  
— 1-Gang  
EU-Size



Available Colors ● ●

### FRAME-1GP-86

Design Frame for 2 Wall Plate Inserts  
— 1-Gang  
UK-Size



Available Colors ● ●

### RK-WP16

19-Inch Rack Adapter for Single & Double Wall Plate Inserts



## On-Wall Boxes



### On-Wall Box (US-D)

DECORA® On-Wall Box

- Size — 1 gang — 75.1mm x 119.5mm x 48mm (2.96" x 4.71" x 1.89");  
2 gang — 121.3mm x 119.5mm x 48mm (4.78" x 4.71" x 1.89").
- Availability — Available in white.

OWB-1G/D On-Wall Box, 1 Gang (US-D)

OWB-2G/D On-Wall Box, 2 Gang (US-D)



### On-Wall Box (EU)

On-Wall Box European Size

- Size — 1 gang models — 80mm (W) x 80mm (H) (3.1" x 3.1"); 2 gang models — 148mm(W) x 80mm (H) (5.8" x 3.1"); for Depth see configurations.
- Color — Available in white.
- Included Hardware — Frame for 2/4/6 wall plate inserts. Inserts and blanks are not included.

OWB-1G/EU On-Wall Box, 1 Gang European, 40mm Depth

OWB-2G/EU On-Wall Box, 2 Gang European, 40mm Depth

OWB-1G/65 On-Wall Box, 1 Gang European, 65mm Depth

OWB-2G/65 On-Wall Box, 2 Gang European, 65mm Depth



### On-Wall Box (Merten)

On-Wall Box Merten

- Dimensions — 148mm x 80mm x 40mm (5.8" x 3.1" x 1.5").
- Size — 2 gang EU, available in polar white.
- Included Hardware — Housing (4 preformed cable entries, sealed with blanking caps) and M-Smart frame.
- Product Identical to MERTEN 512219 & 484219.

OWB-2G/M On-Wall Box, 2 Gang Merten



[www.KramerAV.com](http://www.KramerAV.com)



**AV BEYOND  
THE BOX** 

© 2020 Kramer Electronics, Ltd. All rights reserved. Reproduction in whole or part without written permission is prohibited.

DECORA® is a registered trademark of Leviton Manufacturing Co., Inc. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.