



NVIDIA PROFESSIONAL GRAPHICS SOLUTIONS

The new family of advanced NVIDIA professional graphics is fueled by NVIDIA Kepler™—NVIDIA's most powerful GPU architecture ever—delivering unprecedented performance and innovative capabilities to boost your success. Whether you're creating revolutionary products, designing groundbreaking architecture, reviewing the fine details in a CT/MRI scan, or telling spectacularly vivid visual stories, NVIDIA professional solutions let you do it better and faster.



NVIDIA® Quadro® 3D Workstation Professional Graphics Solutions

Designed and built specifically for professional workstations, NVIDIA Quadro GPUs power more than 150 professional applications across a broad range of industries. Professionals trust them to deliver the best possible experience in applications such as Adobe® Creative Cloud, Avid Media Composer, Autodesk Inventor, Dassault Systemes CATIA and SolidWorks, Siemens NX, PTC Creo, and many more.



NVIDIA® Tesla® Co-Processors

NVIDIA Tesla GPU parallel processors provide the highest-performance NVIDIA CUDA® acceleration for your workflow. Designed for professional systems and demanding professional applications, Tesla GPUs perform the complex calculations required for CAE/CFD calculations, seismic processing, ray-traced rendering, compositing, image processing, physics, and effects many times faster than a CPU.



NVIDIA® Maximus™ Platform

NVIDIA Maximus-powered workstations combine the industry-leading professional 3D graphics capability of NVIDIA Quadro GPUs with the high-performance computing power of NVIDIA Tesla GPUs. Tesla co-processors automatically perform the heavy lifting of rendering or CAE computations, freeing the Quadro GPUs to do what they do best—enabling rich interactive graphics. With Maximus, engineers, artists, designers, and scientists can now interact with high-performance visuals while also performing simulations or renderings on the same system.



NVIDIA® NVS™ Commercial Graphics Solutions

NVIDIA NVS graphics boards provide robust IT management tools for seamless enterprise deployment. This makes them the trusted solution of choice financial institutions, emergency call centers, digital signage systems, and other mission-critical environments.

NVIDIA PROFESSIONAL GRAPHICS SOLUTIONS

	DESKTO	P					MOBILE		GPU SPECIFICATIONS		PERFORMANCE			DISPLAY TECHNOLOGY								OPTIONS						
	HP Z1	HP Z230	HP Z230sff	HP Z420	HP Z620	HP Z820	Zbook 15	Zbook 17	NVIDIA® CUDA® Processing Cores¹	GPU Memory	Memory Bandwidth	Floating-Point Performance- Single Precision (Gigaflops, Peak)	Floating-Point Performance- Double Precision (Gigaflops, Peak)	Error Correcting Code (ECC) Memory	Dual-Link DVI ²	DisplayPort 1.1 ³	DisplayPort 1.2 ³	HDMI Via Adaptors	Maximum Active Displays"	FSAA (Maximum)	NVIDIA® FXAA™ Antialiasing	NVIDIA® TXAA™ Antialiasing	NVIDIA® SLI®	NVIDIA Quadro® Mosaic Technology	GPUDirect™ for Video	Graphics Syncronization ⁵	NVIDIA 3D Vision® /3D Vision Pro ⁶	NVIDIA Maximus™ -Enabled″
Quadro for Desktop Workstations																												
Quadro K6000 New!				1	1	2			2,880	12 GB	288 GBps	5,196	1,732	•8	2		2	4	4	64x	•	•	•	•	•	•	•	•
Quadro K50008				1	2	3			1,536	4 GB	173 GBps	2,150		•9	2		2	4	4	64x	•	•	•	•	•	•	•	•
Quadro K40008		1		1	2	2			768	3 GB	134 GBps	1,246			1		2	3	4	64x	•	•		•	•		•	•
Quadro K20008		1		2	2	3			384	2 GB	64 GBps				1		2	3	4	64x	•	•		•			•	•
Quadro K2000D									384	2 GB	64 GBps				2		1	3	4	64x	•	•		•			•	•
Quadro K600		1	1	2	2	2			192	1 GB	29 GBps				1		1	2	2	64x	•	•		•			•	•
Quadro K410		2	1	2	2	2			192	512 MB	14 GBps				1		1	2	2	32x	•	•		•			•	•
Tesla for Desk	op Wo	rkstat	ions	1	1	2			2,496	5 GB	208 GBps	3,520	1,170	•											•			•
Quadro for Mobile and All-in-One Workstations																												
Quadro K5100M New!								1	1,536	8 GB	115 GBps	2,350		•9	10		10	•10	10	64x	•	•		•			•	
Quadro K4100M New!	1							1	1,152	4 GB	102 GBps	1,600			10		10	•10	10	64x	•	•		•			•	
Quadro K3100M New!	1							1	768	4 GB	102 GBps	1,050			10		• ¹⁰	10	• ¹⁰	64x	•	•		•			•	
Quadro K2100M New!							1		576	2 GB	48 GBps	750			10		10	10	10	64x	•	•		•			•	
Quadro K1100M New!							1		384	2 GB	45 GBps	550			10		•10	10	•10	64x	•	•		•			•	
Quadro K610M New!							1	1	192	1 GB	21 GBps	375			10		10	•10	•10	64x	•	•		•			•	
Quadro K4000M	1								960	4 GB	90 GBps	1,150			12		•12	12	 12 	64x	•	•		•			•	
Quadro K3000M	1								576	2 GB	90 GBps	750			12		 12 	12	 12 	64x	•	•		•			•	
Quadro 1000M	1								192	2 GB	29 GBps				12	12		12	•12	64x	•							
Quadro 500M	1								96	1 GB	29 GBps				12	12		12	12	64x	•						•	
NVS for Deskto	p Wor	kstatio	ons																									
NVS 510 ¹⁰		1	1	2	2	2			192	2.0 GB	29 GBps	300					4	4	4					•				
NVS 315 ¹⁰		2	2	3	4	3			48	1.0 GB	14 GBps	50			211	211		2	2					•				
NVS 310 ¹⁰		2	2	3	4	3			48	512 MB	14 GBps	50					2	2	2					•				

512 MB

13 GBps

For more information on NVIDIA NVS mobile solutions, please visit www.nvidia.com/object/notebook-nvs.html

- 1. CUDA parallel processing cores cannot be compared between GPU generations due to several important architectural differences that exist between streaming
- multiprocessor designs.

 2. Maximum display resolution: 330M Pixels/sec (ex 2560x1600 @ 60Hz or
- 1920x1200@120Hz)

NVS 300 x 16 or x1^{10, 13}

- 3. Adaptors available for DVI-SL, DVI-DL, HDMI, and VGA
 4. Quadro K4000, K2000, and K2000D are equipped with 3 on-board display connectors with the option to connect a fourth display using DisplayPort 1.2's new
- multi-streaming capabilities. 4 Displays require a supported DisplayPort 1.2 Multi-Stream capable hub or displays
- S. Quadro K-series GPUs are only compatible with NVIDIA Quadro Sync. Other GPUs listed are compatible only with Quadro G-Sync II
 Requires 3D Vision-ready display. Visit www.nvidia.com/3dvision
- 7. Quadro K-series GPUs are only compatible with Tesla K20.

 8. May require configuration restrictions and/or alternate power supply if applicable
- 9. Ensures data integrity and reliability by eliminating soft errors on DRAM only
- 10. Combo NVS 510 + NVS 300/310 for up to 6 displays is supported 11. Supports dual SL-DVI-I/VGA/DP through DMS-59 connector
- Display support will vary by OEM; please see OEM Mobile Workstation platform specifications for details
- 13. One x16 board supported in standard x16 PCI slot, second board must be x1 version



