print copy scan



Phaser® 8500 / 8550 WorkCentre® C2424





## Phaser® 8500 / 8550

Introducing the Xerox Phaser 8500 / 8550 color printers. Offering a powerful performance advantage, super fast print speeds and incredible ease of use. Plus, brilliant color that gets you noticed. All at an unbeatable price.

The obvious choice for color printing.

## WorkCentre® C2424

Introducing the Xerox WorkCentre C2424 color multifunction system. A one-of-a-kind business solution offering printing, copying and scanning – plus superb color output – all in one affordable device. No other multifunction delivers such a value-packed combination of performance, versatility and ease of use.

PRINT

COPY

SCAN

## Meet your office needs.

So, look no further busy workgroups – these top performers are ready for business.

The choice is simple: Xerox.

PRINT

Phaser® 8500/8550 WorkCentre® C2424

# A colorful choice...

More choices means your office gets exactly what it needs. The Xerox Phaser 8500 and Phaser 8550 printers deliver the amazing color quality and legendary ease of use of solid ink print technology. Want more functionality? The Xerox WorkCentre C2424 multifunction is the same great printer with the addition of copy and scan capabilities. All are built to meet your performance requirements and your budget.

## Uncomparable quality

Stand out from the corporate crowd with color that makes an impact. Whether you're printing reports and presentations or graphics and web pages, solid ink color is so lush and vibrant, it turns heads.

 Provides fast, versatile prints for everyday jobs. And for knockout resolution when you really want to impress, there's 2400 and WorkCentre C2424. Your copy and print output have never looked so good.

· Expect color that's truer, more saturated and remarkably consistent - from your morning coffee through to the late night crunch.



# print

# print copy scan

Phaser 8500/8550

WorkCentre C2424



## Feature-packed printing at an unbeatable price

Think you can't afford a high performance color printer? Think again. These printers come with more features for less.

- Want speed? You've got it. The Phaser 8550 printer is so fast you can expect up to 30 ppm in full color! Your first page out is as fast as 5 seconds. Or choose the Phaser 8500 printer for up to 24 ppm in color.
- The Intelligent Ready feature learns your printing habits and warms up the system when you're most likely to use it.
- Features that are optional on competitors' products come standard. Namely, true Adobe® Postscript® 3™, networking, and job accounting. On the Phaser 8550 you get advanced paper handling features such as automatic two-sided printing, collation and booklet printing. The standard internal hard drive on the 8550DX adds save/secure/proof print and extended font storage.

## Additional functionality at a great price

Three-in-one value. Advanced printing, copying and scanning seamlessly integrated into one device.

- Built fast to increase your productivity. Full-page color at up to 24 ppm and as fast as 6 seconds until the first print out.
- Walkup copying is a breeze and the range of copy features is standout.
- Multi-tasking enables you to take on two jobs at once – so if you're printing, you can still copy or scan.
- You don't pay extra for time-saving features such as automatic twosided printing, collation, booklet making, save/secure/proof print and extended font storage. These features come standard.







## Scanning transforms the way you work

Use the power of scanning to efficiently organize, edit and distribute information. Scan documents straight to your PC, to a public folder, or to password protected mailboxes. It's as simple as making a copy.

The C2424DX configuration adds more scanning tools. Convert paper documents into editable and searchable digital documents, view and organize scans on a thumbnail based Visual Desktop, and more.

## Elegantly simple design

Sometimes it's the little things - like replenishing supplies - that slow you down. Not with the Phaser 8500 / 8550 printers and WorkCentre C2424 multifunction. They are designed to make office life more efficient.


- Installation and network configuration is easy just four clicks and you're done.
  - Run out of color ink? No problem. You can continue to print in black-only mode if you prefer. (8500 / 8550 only)
  - Compact, no mess, solid ink sticks can be dropped into their slots anytime.
  - · A built-in Web Server lets you manage, configure and monitor these networked devices from anywhere.
  - · Built smart. Automatic job monitoring tracks your print job's progress, and an internet support system enables you to get help quickly should you ever need it. Plus, the Support Centre utility provides quick access to user documentation, tools and utilities.
- You can keep a personal mailbox on the internal hard drive (8550DX / C2424). So if you're late for a meeting and need an extra copy of something you've printed -





## Superior design and ease of use

Both the Phaser 8500/8550 and WorkCentre C2424 devices are built with large paper trays so you can get big jobs done without interruption.

- 1 Use 100-sheet Tray 1 for heavy paper up to 80 lb. cover (220 gsm), business cards, envelopes, transparencies and more.
- 2 Standard 525-sheet Tray 2 feeds up to 32 lb. bond (120 gsm).
- 3 Add one or two 525-sheet highcapacity paper feeders to boost 4 your capacity to as much as









## **WorkCentre®** C2424

### Call today. For more information, call 1-877-362-6567 or visit us at www.xerox.com/office

















CONFIGURATIONS	Phaser 8500N	Phaser 8500DN	Phaser 8550DP	Phaser 8550DT	Phaser 8550DX	WorkCentre C2424DN	WorkCentre C2424DP	WorkCentre C2424DX	
Speed (up to)	24 ppm color / 24	ppm black-and-white	30 ppm color / 30 ppm black-and-white			24 ppm color / 24 ppm black-and-white			
<b>Duty Cycle</b>	Up to 85,000 pages / month								
Internal Hard Drive	NA		Optional (20 GB min)		Standard (20 GB min)	Standard (40 GB)			
Paper Handling Paper input Standard		Tray 1: 100-she	et, Tray 2: 525-sheet (	Total 625 sheets)			50-sheet Duplex Automatic Document Feeder; Tray 1: 100-sheet; Tray 2: 525-sheet (Total 625 sheets)		
				Tray 3: 525-sheet (Total 1,150)	Two 525-sheet feeders (Total 1,675)		Tray 3: 525-she Storag		
Automatic 2-sided printing	NA Standard								
Copy First-page-out time	NA					As fast as 15 seconds full color			
Resolution	NA					600 x 600 dpi			
Print First-page-out time	As fast as 6 seconds in full color As fast as 5 seconds			st as 5 seconds in full	color As fast as 6 seconds in full color				
Maximum resolution	1200 FinePoint" 2400 Fi					inePoint™			
Processor / PDL	600 MHz RISC / Adobe® PostScript® 3", PCL5c					500 MHz RISC / Adobe® PostScript® 3™, PCL5c			
Connectivity	USB 2.0, 10/100 BaseT Ethernet								
Memory (Std / Max)	128 / 512 MB RAM		256 / 1	GB RAM	512 / 1 GB RAM	256 / 1 GB RAM	512 / 1	GB RAM	
Print features	Custom-Size Pages, Phaser Installer, Intelligent Ready, Embedded Web Server, PrintingScout, PhaserSMART, Usage Analysis Tool, Booklet Printing, Smart Trays, Remote Printing, Email Alerts, Job Accounting, Printer Neighborhood								
	Run	Black	Run Black,	Job Pipelining	Job Pipelining, Se	cure/Proof/Saved/Perso	onal Print, Extended Font	Storage, Collation	
Scan Scan destinations	NA					Scan to mailbox, Scan to TWAIN, Scan to PC			
Scan resolution	NA					300 x 300 dpi	600 x 6	00 dpi	
Additional scan features	NA					Optional Software Bundle			
Security	Secure Print, Hard Drive Overwrite, Color Copy Password Protection								
Warranty	One-year onsite warranty, Xerox Total Satisfaction Guarantee								

#### **SPECIFICATIONS**

### Network/Software

Printer management Xerox® CentreWare® Printer Management for Microsoft® and UNIX®, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool

Resident fonts 137 PostScript Type 1 and 81 PCI 5c

#### Paper Handling

Tray 1 (standard): 100-sheet capacity; 16 lb. Bond to 80 lb. Cover (60-220 gsm); Custom sizes from 3 x 5 in. (76 x 127 mm) to 8.5 x 14 in. (216 x 356 mm)

Trays 2-3-4: 525-sheet capacity; 16 lb. Bond to 45 lb. Cover (60-120 gsm); Selectable standard sizes up to 8.5 x 14 in./Legal (A4)

**Automatic 2-sided printing** from all trays 16 lb. Bond – 32 lb. Cover (60-120 gsm)

Maximum input capacity: 1,675 sheets Output capacity: 300 sheet

Printer drivers Windows 98SE/Me, Windows NT 4.0 (SP6), Windows 2000/XP, Windows Server 2003, Mac OS® 9.x, Mac OS® X version 10.2 or higher, Novell® NetWare® 5.x/6.5, Linux Red Hat 9, Suse 9, Fedora Core 1, UNIX Sun Solaris 2.8, 2.9, 2.10, HP/UX 11.x, IBM AIX 4.3.3, Xerox Walk-Up Printing Drivers with Windows 2000 or higher

Language Support Adobe® PostScript® 3™,

Productivity tools Run Black (Phaser 8500/8550), Custom-Size Pages, Phaser Installer, Intelligent Ready, Embedded Web Server, PrintingScout, PhaserSMART, Usage Analysis Tool, Booklet Printing, Smart Trays, Saved Settings, Manual Color Adjustments, Negative and Mirror Images, Scaling, Watermarks, Cover Sheets, Remote Printing, Image Smoothing, Job Completion Notification, Separation Pages, N-Up Printing, Email Alerts, Job Accounting, Printer Neighborhood, Job Pipelining, Secure Print\*, Proof Print, Saved Print, Personal Print (Phaser 8500/8550), Collation\* Requires hard drive

#### Color Controls

Color standards PANTONE®-approved solidcolor simulations, Adobe PostScript deviceindependent color, CIE International color standards, and support for ICC and Apple® ColorSync® color management systems

Scan Software (standard on C2424DX) ScanSoft® OmniPage® Pro 12.0 Office, ScanSoft® PaperPort® Pro 9.0 Office, Image Retriever

#### Operating

8500 / 8550 Dimensions width: 16 in. (40.6 cm), height: 14.5 in. (36.8 cm), depth: 21 in. (53.34 cm), weight: 60 lbs. (28 kg) Optional 525-sheet Tray – width: 16 in. (40.6 cm), height: 5.2 in. (13.2 cm), depth: 20.5 in. (52.1 cm), weight: 16 lbs. (7.3 kg)

C2424 Dimensions width: 20.9 in. (53 cm), height: 24.4 in. (62 cm), depth: 26.2 in. (66 cm), weight: 93 lbs. (42 kg)

Optional 525-Sheet Feeder - width: 16.5 in. (42 cm), height: 5.1 in. (13 cm), depth: 20.3 in. (51 cm), weight: 11.5 lbs. (5.2 kg)

Optional Storage Cart – width: 19.7 in. (50 cm), height: 14.2 in. (36 cm), depth: 25.2 in. (64 cm), weight: 62 lbs. (21.7 kg)

Environment Temperature: Non-operating: -30° to 60° C (-22° to 140° F); Operating: 10° to 32° C (50° to 90° F). Relative Humidity: Non-operating: 10 - 95%; Operating: 10% - 80%. Noise Level: 33 dBA standby, 54 dBA running

Electrical 110 - 120 VAC, 60 Hz; 220 VAC, 50 Hz, Consumption: 230 W avg./1500 W max. Energy Star-qualified (ES configuration)

8500 / 8550 Regulatory FCC Part 15, Subpart B, CSA certified to CSA-C222 No. 950, CE Mark applicable to directives 73/23 EEC and 89/336/EEC CDRH, EN 55022

C2424 Regulatory US FCC Class A, Canada ICES-003 Class A, EU CE Class A, CSA Certified to UL/CSA 60950-1, EN60950-1 (Information Technology Equipment)

### Total Satisfaction Services

One-year onsite warranty, online web technical support and telephone support. Innovative service offerings include optional extended service agreements and custom training for your internal help desk. Backed by the Xerox Total Satisfaction Guarantee.

























Copyright © 2006 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. XEROX\* Phases\*\*[Phases\*\*]\*\*, Phases\*\*[ABATP\*\*]\*\*, magage Retriever\*\*, PrintingScout\*\*, Walk-Up\*\*, CentreWare\*\* and WorkCentre\*\* are registered trademarks and TekColor\*\* and FinePoint\*\* are trademarks of Xerox Corporation in the U.S. and/or other countries. Total Satisfaction Services is a service mark of Xerox Corporation. ScanSoft\*\*, OmniPage\*\* and PaperPort\*\* are registered trademarks of ScanSoft, Inc. All other trademarks are the property of their respective manufacturers. PANTONE colors generated may not match PANTONE-identified standards. Consult current PANTONE publications for accurate color. PANTONE\*\* and other Pantone, Inc. trademarks are the property of Pantone, Inc. As an ENERGY STAR, partner, Xerox Corporation has determined that this product with an ES Option meets the ENERGY STAR guidelines for energy efficiency. The ENERGY STAR name and logo are registered U.S. trademarks. The information in this brochure is subject to change without notice. 206